VITAL STATISTICS OF THE UNITED STATES

1977

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE

OFFICE OF HEALTH RESEARCH, STATISTICS, AND TECHNOLOGY
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1980
(PHS) 80-1102

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*
GAIL F. FISHER, Ph.D., *Associate Director for the Cooperative Health Statistics System*
ROBERT A. ISRAEL, *Acting Associate Director for Data Systems*
ALVAN O. ZARATE, *Acting Director for International Statistics*
ROBERT C. HUBER, *Associate Director for Management*
MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*
PETER L. HURLEY, *Associate Director for Operations*
JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*
GEORGE A. SCHNACK, *Acting Associate Director for Statistical Research*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
ALICE M. HETZEL, *Deputy Director*
ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Acting Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARSHALL C. EVANS, *Chief, Data Control Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Programming Branch*

DHHS Publication No. (PHS) 80-1102

VITAL STATISTICS OF THE UNITED STATES, 1977
VOLUME II—MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Complete contents pages for Sections 7 and 8 are on pages 7-1 and 8-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1977*. Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1977. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-3	-72	-90	-108	-134	-152	-458	-466	-524
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	[1]1	2	3		5		[2]7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:												
Guam	1	2	3			6	7		[1]9	10	11	12
Puerto Rico	1	2		4		6	7	[1]8		10	11	12
Municipios								[1]8				
Virgin Islands	1	2			5	6	7		[1]9	10	11	12
Islands									[1]9			
Specified urban place									9			
Years:												
1940-77	1											
1977 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry:												
Number of deaths	1	2	3	4	5	6	7	8	9			
Death rates	1											
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	10	11	12
Number of postneonatal deaths											11	12
Number of fetal deaths								8				
Characteristics:												
Age:												
10-year age groups			3	4	5							
Detailed age groups under 1 year											11	
Cause of death:												
65 selected causes of infant mortality												12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

[1]Deaths by place of occurrence and place of residence.

Section 7.
Geographic Detail for Mortality

Table		Page
7–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1977	7–3
7–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1977	7–72
7–3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1977	7–90
7–4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1977	7–108
7–5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1977	7–134
7–6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1977	7–152
7–7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1977	7–458
7–8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1977	7–466
7–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1977	7–524

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	**1,902,106**	**1,899,597**	**46,975**	**32,860**	**33,053**
White	1,666,420	1,664,100	33,199	23,540	23,628
All other	235,686	235,497	13,776	9,320	9,425
Black	220,126	220,076	12,863	8,749	8,643
Alabama	**34,571**	**34,827**	**1,049**	**689**	**733**
White	24,381	24,572	538	368	374
All other	10,190	10,255	511	321	359
Black	10,182	10,247	509	319	359
Autauga	161	224	8	2	5
White	103	145	7	2	3
All other	58	79	1	–	2
Black	57	78	1	–	2
Prattville	---	90	3	1	2
White	---	73	3	1	2
All other	---	17	–	–	–
Black	---	16	–	–	–
Balance of county	---	134	5	1	3
White	---	72	4	1	1
All other	---	62	1	–	2
Black	---	62	1	–	2
Baldwin	552	655	27	17	18
White	470	563	18	13	14
All other	82	92	9	4	4
Black	81	91	9	4	4
Barbour	258	284	10	5	8
White	134	151	2	2	3
All other	124	133	8	3	5
Black	124	133	8	3	5
Bibb	81	141	2	2	3
White	60	103	1	1	1
All other	21	38	1	1	2
Black	21	38	1	1	2
Blount	187	281	3	3	4
Bullock	83	150	5	4	3
White	35	48	–	–	1
All other	48	102	5	4	2
Black	48	102	5	4	2
Butler	283	289	12	4	6
White	176	176	2	1	1
All other	107	113	10	3	5
Black	107	113	10	3	5
Calhoun	942	987	38	24	28
White	756	808	26	17	20
All other	186	179	12	7	8
Black	186	179	12	7	8
Anniston	---	479	19	11	10
White	---	347	10	7	5
All other	---	132	9	4	5
Black	---	132	9	4	5
Balance of county	---	508	19	13	18
Chambers	363	402	14	9	12
White	242	268	3	2	2
All other	121	134	11	7	10
Black	121	134	11	7	10
Cherokee	147	198	3	3	4
Chilton	225	320	14	8	8
White	184	280	9	6	3
All other	41	40	5	2	5
Black	41	40	5	2	5
Choctaw	93	166	8	7	7
White	38	81	3	2	4
All other	55	85	5	5	3
Black	55	85	5	5	3
Clarke	280	263	9	6	4
White	148	146	2	2	2
All other	132	117	7	4	2
Black	132	117	7	4	2
Clay	112	134	4	2	1
White	96	116	1	–	–
All other	16	18	3	2	1
Black	16	18	3	2	1
Cleburne	70	130	4	2	3
Coffee	259	306	10	6	7
White	220	254	4	1	3
All other	39	52	6	5	4
Black	39	52	6	5	4
Enterprise	---	122	7	4	3
White	---	96	3	–	–
All other	---	26	4	4	3
Black	---	26	4	4	3
Alabama—Con.					
Coffee—Con.					
Balance of county	---	184	3	2	4
White	---	158	1	1	3
All other	---	26	2	1	1
Black	---	26	2	1	1
Colbert	456	476	7	6	6
White	360	385	5	4	3
All other	96	91	2	2	3
Black	96	91	2	2	3
Sheffield	---	141	2	2	3
White	---	110	2	2	2
All other	---	31	–	–	1
Black	---	31	–	–	1
Balance of county	---	335	5	4	3
White	---	275	3	2	1
All other	---	60	2	2	2
Black	---	60	2	2	2
Conecuh	78	158	3	3	5
White	43	96	–	–	1
All other	35	62	3	3	4
Black	35	62	3	3	4
Coosa	46	120	5	3	3
White	28	80	1	1	–
All other	18	40	4	2	3
Black	18	40	4	2	3
Covington	416	429	5	4	10
White	339	363	4	3	7
All other	77	66	1	1	3
Black	77	66	1	1	3
Andalusia	---	103	1	1	3
White	---	79	1	1	2
All other	---	24	–	–	1
Black	---	24	–	–	1
Balance of county	---	326	4	3	7
White	---	284	3	2	5
All other	---	42	1	1	2
Black	---	42	1	1	2
Crenshaw	158	184	1	1	2
White	113	142	–	–	1
All other	45	42	1	1	1
Black	45	42	1	1	1
Cullman	412	527	14	12	7
Cullman	---	132	3	3	2
Balance of county	---	395	11	9	5
Dale	278	303	14	10	10
White	218	241	11	9	5
All other	60	62	3	1	5
Black	60	62	3	1	5
Ozark	---	126	4	2	2
White	---	88	2	2	–
All other	---	38	2	–	2
Black	---	38	2	–	2
Balance of county	---	177	10	8	8
White	---	153	9	7	5
All other	---	24	1	1	3
Black	---	24	1	1	3
Dallas	638	577	19	9	20
White	276	236	6	3	3
All other	362	341	13	6	17
Black	362	341	13	6	17
Selma	---	384	11	6	11
White	---	163	3	2	1
All other	---	221	8	4	10
Black	---	221	8	4	10
Balance of county	---	193	8	3	9
White	---	73	3	1	2
All other	---	120	5	2	7
Black	---	120	5	2	7
De Kalb	355	462	9	4	9
Elmore	284	362	10	6	2
White	199	259	4	3	1
All other	85	103	6	3	1
Black	85	103	6	3	1
Escambia	360	360	6	5	9
White	250	247	3	2	7
All other	110	113	3	3	2
Black	109	112	3	3	2
Etowah	1,010	1,007	19	14	24
White	871	858	11	8	14
All other	139	149	8	6	10
Black	139	149	8	6	10
Gadsden	---	597	12	9	15
White	---	472	5	4	7
All other	---	125	7	5	8
Black	---	125	7	5	8
Balance of county	---	410	7	5	9

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Fayette	179	206	3	2	3
White	159	181	3	2	1
All other	20	25	–	–	2
Black	20	25	–	–	2
Franklin	284	332	9	8	6
Geneva	162	244	8	6	3
White	136	204	4	4	2
All other	26	40	4	2	1
Black	26	40	4	2	1
Greene	113	138	7	5	2
White	30	38	–	–	–
All other	83	100	7	5	2
Black	83	100	7	5	2
Hale	173	203	6	4	3
White	52	71	–	–	–
All other	121	132	6	4	3
Black	121	132	6	4	3
Henry	78	168	5	4	2
White	43	107	1	1	1
All other	35	61	4	3	1
Black	35	61	4	3	1
Houston	699	588	30	19	15
White	505	417	20	12	8
All other	194	171	10	7	7
Black	194	171	10	7	7
Dothan	---	397	20	15	10
White	---	261	13	10	4
All other	---	136	7	5	6
Black	---	136	7	5	6
Balance of county	---	191	10	4	5
White	---	156	7	2	4
All other	---	35	3	2	1
Black	---	35	3	2	1
Jackson	334	440	16	12	12
Jefferson	7,975	6,670	144	103	130
White	5,221	4,109	63	49	49
All other	2,754	2,561	81	54	81
Black	2,754	2,560	81	54	81
Bessemer	---	417	8	5	8
White	---	206	1	1	1
All other	---	211	7	4	7
Black	---	211	7	4	7
Birmingham	---	3,598	89	65	77
White	---	1,795	24	20	16
All other	---	1,803	65	45	61
Black	---	1,802	65	45	61
Fairfield	---	153	2	1	3
White	---	72	1	1	1
All other	---	81	1	–	2
Black	---	81	1	–	2
Homewood	---	194	2	2	2
Mountain Brook	---	152	4	1	2
Balance of county	---	2,156	39	29	38
White	---	1,706	31	24	27
All other	---	450	8	5	11
Black	---	450	8	5	11
Lamar	157	204	8	6	6
White	144	180	7	6	5
All other	13	24	1	–	1
Black	13	24	1	–	1
Lauderdale	706	657	12	8	5
White	620	573	12	8	4
All other	86	84	–	–	1
Black	86	84	–	–	1
Florence	---	384	6	5	2
White	---	320	6	5	1
All other	---	64	–	–	1
Black	---	64	–	–	1
Balance of county	---	273	6	3	3
Lawrence	167	227	9	5	6
White	123	171	6	3	3
All other	44	56	3	2	3
Black	44	56	3	2	3
Lee	404	446	18	13	10
White	237	254	6	5	6
All other	167	192	12	8	4
Black	167	192	12	8	4
Auburn	---	102	4	2	2
White	---	48	1	1	1
All other	---	54	3	1	1
Black	---	54	3	1	1
Opelika	---	182	9	8	5
White	---	106	4	4	4
All other	---	76	5	4	1
Black	---	76	5	4	1
Balance of county	---	162	5	3	3
White	---	100	1	–	1
All other	---	62	4	3	2
Black	---	62	4	3	2
Alabama—Con.					
Limestone	354	412	15	8	3
White	303	342	9	4	3
All other	51	70	6	4	–
Black	51	70	6	4	–
Athens	---	171	5	2	1
White	---	135	3	1	1
All other	---	36	2	1	–
Black	---	36	2	1	–
Balance of county	---	241	10	6	2
White	---	207	6	3	2
All other	---	34	4	3	–
Black	---	34	4	3	–
Lowndes	44	95	2	1	3
White	6	19	–	–	–
All other	38	76	2	1	3
Black	38	76	2	1	3
Macon	572	293	10	6	4
White	166	51	–	–	–
All other	406	242	10	6	4
Black	406	242	10	6	4
Tuskegee	---	135	5	4	2
White	---	12	–	–	–
All other	---	123	5	4	2
Black	---	123	5	4	2
Balance of county	---	158	5	2	2
White	---	39	–	–	–
All other	---	119	5	2	2
Black	---	119	5	2	2
Madison	1,408	1,211	45	29	26
White	1,138	956	30	19	15
All other	270	255	15	10	11
Black	270	255	15	10	11
Huntsville	---	891	31	19	19
White	---	712	19	11	11
All other	---	179	12	8	8
Black	---	179	12	8	8
Balance of county	---	320	14	10	7
White	---	244	11	8	4
All other	---	76	3	2	3
Black	---	76	3	2	3
Marengo	235	276	13	10	12
White	95	113	2	1	6
All other	140	163	11	9	6
Black	140	163	11	9	6
Marion	244	296	3	2	4
Marshall	551	595	14	11	6
Mobile	3,300	3,077	111	69	71
White	2,189	2,022	54	36	43
All other	1,111	1,055	57	33	28
Black	1,109	1,054	57	33	28
Mobile	---	1,991	59	39	39
White	---	1,269	29	21	17
All other	---	722	30	18	22
Black	---	721	30	18	22
Prichard	---	338	21	13	12
White	---	115	6	3	7
All other	---	223	15	10	5
Black	---	223	15	10	5
Balance of county	---	748	31	17	20
White	---	638	19	12	19
All other	---	110	12	5	1
Black	---	110	12	5	1
Monroe	192	213	9	4	–
White	122	113	2	1	–
All other	70	100	7	3	–
Black	70	100	7	3	–
Montgomery	2,108	1,706	53	33	36
White	1,257	975	19	14	11
All other	851	731	34	19	25
Black	849	729	32	17	25
Montgomery	---	1,550	47	31	30
White	---	911	17	13	10
All other	---	639	30	18	20
Black	---	637	28	16	20
Balance of county	---	156	6	2	6
White	---	64	2	1	1
All other	---	92	4	1	5
Black	---	92	4	1	5
Morgan	712	718	17	9	10
Decatur	---	327	6	3	2
White	---	246	5	2	2
All other	---	81	1	1	–
Black	---	81	1	1	–
Balance of county	---	391	11	6	8
Perry	87	175	11	8	3
White	29	54	3	2	–
All other	58	121	8	6	3
Black	58	121	8	6	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Alabama—Con.					
Pickens	163	239	10	6	9
White	79	136	3	3	1
All other	84	103	7	3	8
Black	84	103	7	3	8
Pike	239	276	8	4	7
White	153	174	1	1	2
All other	86	102	7	3	5
Black	86	102	7	3	5
Troy	---	105	4	3	1
White	---	61	1	1	–
All other	---	44	3	2	1
Black	---	44	3	2	1
Balance of county	---	171	4	1	6
White	---	113	–	–	2
All other	---	58	4	1	4
Black	---	58	4	1	4
Randolph	152	198	10	8	4
White	102	154	5	3	1
All other	50	44	5	5	3
Black	50	44	5	5	3
Russell	445	495	18	14	11
White	268	277	6	6	6
All other	177	218	12	8	5
Black	176	217	12	8	5
Phenix City	---	313	10	8	3
White	---	189	3	3	1
All other	---	124	7	5	2
Black	---	124	7	5	2
Balance of county	---	182	8	6	8
White	---	88	3	3	5
All other	---	94	5	3	3
Black	---	93	5	3	3
St. Clair	253	341	7	3	2
White	223	308	7	3	1
All other	30	33	–	–	1
Black	30	33	–	–	1
Shelby	344	404	19	14	12
White	286	336	11	8	8
All other	58	68	8	6	4
Black	58	68	8	6	4
Sumter	119	160	11	9	4
White	40	50	–	–	1
All other	79	110	11	9	3
Black	79	110	11	9	3
Talladega	584	621	21	14	12
White	417	449	5	4	4
All other	167	172	16	10	8
Black	167	172	16	10	8
Sylacauga	---	125	5	2	2
White	---	90	2	2	1
All other	---	35	3	–	1
Black	---	35	3	–	1
Talladega	---	173	6	4	4
White	---	113	2	1	1
All other	---	60	4	3	3
Black	---	60	4	3	3
Balance of county	---	323	10	8	6
White	---	246	1	1	2
All other	---	77	9	7	4
Black	---	77	9	7	4
Tallapoosa	346	389	12	6	7
White	244	277	5	2	4
All other	102	112	7	4	3
Black	102	112	7	4	3
Alexander City	---	139	4	3	2
White	---	100	3	2	1
All other	---	39	1	1	1
Black	---	39	1	1	1
Balance of county	---	250	8	3	5
White	---	177	2	–	3
All other	---	73	6	3	2
Black	---	73	6	3	2
Tuscaloosa	1,234	1,025	20	11	30
White	847	701	9	5	13
All other	387	324	11	6	17
Black	387	324	11	6	17
Tuscaloosa	---	561	10	7	17
White	---	354	3	3	3
All other	---	207	7	4	14
Black	---	207	7	4	14
Balance of county	---	464	10	4	13
White	---	347	6	2	10
All other	---	117	4	2	3
Black	---	117	4	2	3
Walker	507	668	23	11	10
Jasper	---	139	6	3	2
White	---	104	3	3	1
All other	---	35	3	–	1
Black	---	35	3	–	1
Balance of county	---	529	17	8	8
Alabama—Con.					
Washington	55	142	6	5	5
White	38	103	5	4	4
All other	17	39	1	1	1
Black	17	39	1	1	1
Wilcox	113	183	12	10	9
White	34	56	1	1	2
All other	79	127	11	9	7
Black	79	127	11	9	7
Winston	192	201	11	8	2
Alaska[1]	1,646	1,615	127	71	71
White	1,129	1,104	88	55	40
All other	517	511	39	16	31
Black	54	48	5	4	2
Dist. 1, Prince of Wales	12	16	–	–	–
White	11	11	–	–	–
All other	1	5	–	–	–
Black	–	–	–	–	–
Dist. 2, Ketchikan	82	86	5	2	2
White	54	62	3	1	1
All other	28	24	2	1	1
Black	1	1	–	–	–
Dist. 3, Wrangell–Petersburg	34	34	3	1	–
White	27	22	2	–	–
All other	7	12	1	1	–
Black	–	–	–	–	–
Dist. 4, Sitka	67	35	2	1	2
White	47	25	1	1	–
All other	20	10	1	–	2
Black	–	–	–	–	–
Dist. 5, Juneau	64	88	5	2	5
White	45	66	4	2	3
All other	19	22	1	–	2
Black	1	1	–	–	–
Dist. 6, Lynn Canal–Icy Straits	32	24	1	–	2
White	21	9	–	–	2
All other	11	15	1	–	–
Black	–	–	–	–	–
Dist. 7, Cordova–McCarthy	8	9	–	–	–
White	6	7	–	–	–
All other	2	2	–	–	–
Black	–	–	–	–	–
Dist. 8, Valdez–Chittina–Whittier	41	35	4	3	–
White	30	25	2	2	–
All other	11	10	2	1	–
Black	–	–	–	–	–
Dist. 9, Palmer–Wasilla–Talkeetna	64	85	5	5	4
Dist. 10, Anchorage	626	555	44	23	31
White	476	458	33	18	23
All other	150	97	11	5	8
Black	32	29	4	3	2
Anchorage	---	491	30	12	24
White	---	400	21	9	17
All other	---	91	9	3	7
Black	---	27	2	1	1
Balance of district	---	64	14	11	7
Dist. 11, Seward	35	29	2	2	–
White	28	24	2	2	–
All other	7	5	–	–	–
Black	2	2	–	–	–
Dist. 12, Kenai–Cook Inlet	51	66	6	4	3
Dist. 13, Kodiak	43	48	4	3	3
White	27	29	3	2	2
All other	16	19	1	1	1
Black	–	–	–	–	–
Dist. 14, Aleutian Islands	19	22	1	1	2
White	7	6	–	–	1
All other	12	16	1	1	1
Black	1	–	–	–	–
Dist. 15, Bristol Bay	45	28	–	–	1
White	25	8	–	–	–
All other	20	20	–	–	1
Black	–	–	–	–	–
Dist. 16, Bethel	45	44	3	1	3
White	3	2	1	–	–
All other	42	42	2	1	3
Black	1	1	–	–	–
Dist. 17, Kuskokwim	16	20	3	–	–
White	5	2	–	–	–
All other	11	18	3	–	–
Black	–	–	–	–	–
Dist. 18, Yukon–Koyukuk	21	23	–	–	1
White	11	10	–	–	–
All other	10	13	–	–	1
Black	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Alaska—Con.					
Dist. 19, Fairbanks	233	227	26	19	6
Fairbanks	---	194	20	16	5
White	---	156	18	14	2
All other	---	38	2	2	3
Black	---	12	1	1	–
Balance of district	---	33	6	3	1
Dist. 20, Upper Yukon	17	18	2	1	–
White	7	4	1	1	–
All other	10	14	1	–	–
Black	–	–	–	–	–
Dist. 21, Barrow	21	19	1	–	2
White	7	2	–	–	–
All other	14	17	1	–	2
Black	–	–	–	–	–
Dist. 22, Kobuk	31	36	–	–	–
White	4	3	–	–	–
All other	27	33	–	–	–
Black	–	–	–	–	–
Dist. 23, Nome	33	50	6	3	3
White	8	12	1	–	–
All other	25	38	5	3	3
Black	–	–	–	–	–
Dist. 24, Wade Hampton	6	18	4	–	1
White	–	–	–	–	–
All other	6	18	4	–	1
Black	–	–	–	–	–
Arizona	**18,557**	**18,028**	**563**	**366**	**357**
White	17,033	16,425	436	304	288
All other	1,524	1,603	127	62	69
Black	550	529	28	21	23
Apache	233	317	21	12	17
White	49	50	4	2	2
All other	184	267	17	10	15
Black	–	–	–	–	–
Cochise	481	549	18	12	16
Douglas	---	126	3	2	3
Balance of county	---	423	15	10	13
Coconino	370	311	31	14	13
White	232	195	10	8	6
All other	138	116	21	6	7
Black	14	12	2	2	1
Flagstaff	---	116	11	9	6
White	---	97	6	6	4
All other	---	19	5	3	2
Black	---	10	2	2	1
Balance of county	---	195	20	5	7
White	---	98	4	2	2
All other	---	97	16	3	5
Black	---	2	–	–	–
Gila	296	334	11	7	15
White	254	281	7	5	13
All other	42	53	4	2	2
Black	1	1	–	–	–
Graham	126	159	9	8	4
White	113	136	6	5	4
All other	13	23	3	3	–
Black	3	3	–	–	–
Greenlee	49	59	2	–	2
Maricopa	10,572	9,999	284	205	176
White	10,012	9,548	256	186	150
All other	560	451	28	19	26
Black	317	312	17	14	18
Chandler	---	162	9	3	3
Glendale	---	458	21	15	15
Mesa	---	1,139	31	22	13
Phoenix	---	5,506	165	128	105
White	---	5,189	142	110	87
All other	---	317	23	18	18
Black	---	256	17	14	14
Scottsdale	---	650	10	6	5
Tempe	---	364	18	14	10
Balance of county	---	1,720	30	17	25
Mohave	413	436	11	7	8
Navajo	294	386	38	16	15
White	172	180	9	5	7
All other	122	206	29	11	8
Black	4	5	–	–	1
Pima	3,902	3,489	68	43	59
White	3,635	3,229	56	40	51
All other	267	260	12	3	8
Black	131	124	5	2	1
Tucson	---	3,110	57	38	38
White	---	2,957	53	37	35
All other	---	153	4	1	3
Black	---	117	4	1	1
Balance of county	---	379	11	5	21

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Arizona—Con.					
Pinal	465	642	29	16	9
White	377	527	24	14	9
All other	88	115	5	2	–
Black	23	23	1	1	–
Casa Grande	---	115	7	5	–
Balance of county	---	527	22	11	9
White	---	421	18	10	9
All other	---	106	4	1	–
Black	---	18	–	–	–
Santa Cruz	104	123	4	2	2
Yavapai	682	669	19	13	8
Prescott	---	332	9	7	1
Balance of county	---	337	10	6	7
Yuma	570	555	18	11	13
Yuma	---	350	11	5	8
Balance of county	---	205	7	6	5
White	---	167	5	4	5
All other	---	38	2	2	–
Black	---	11	–	–	–
Arkansas	**21,196**	**21,364**	**550**	**350**	**401**
White	17,371	17,429	326	216	245
All other	3,825	3,935	224	134	156
Black	3,791	3,923	223	133	153
Arkansas	258	230	6	2	5
White	195	173	–	–	1
All other	63	57	6	2	4
Black	63	57	6	2	4
Stuttgart	---	108	4	2	3
White	---	73	–	–	–
All other	---	35	4	2	3
Black	---	35	4	2	3
Balance of county	---	122	2	–	2
White	---	100	–	–	1
All other	---	22	2	–	1
Black	---	22	2	–	1
Ashley	149	226	10	8	10
White	106	162	3	2	6
All other	43	64	7	6	4
Black	43	64	7	6	4
Baxter	281	314	5	1	1
Benton	702	694	16	13	8
Rogers	---	184	2	1	1
Springdale, part	---	–	–	–	–
Balance of county	---	510	14	12	7
Boone	371	251	1	–	–
Bradley	148	165	7	4	–
White	112	119	3	2	–
All other	36	46	4	2	–
Black	36	46	4	2	–
Calhoun	44	85	1	–	1
White	28	55	–	–	–
All other	16	30	1	–	1
Black	16	30	1	–	1
Carroll	132	176	3	1	–
Chicot	206	246	10	5	5
White	95	87	3	1	2
All other	111	159	7	4	3
Black	111	158	7	4	3
Clark	199	246	5	4	2
White	149	180	1	1	2
All other	50	66	4	3	–
Black	50	66	4	3	–
Clay	129	247	1	–	1
Cleburne	114	144	1	1	1
Cleveland	28	69	–	–	2
White	18	53	–	–	2
All other	10	16	–	–	–
Black	10	16	–	–	–
Columbia	281	316	11	5	7
White	188	208	2	1	4
All other	93	108	9	4	3
Black	93	108	9	4	3
Magnolia	---	118	3	3	4
White	---	78	–	–	2
All other	---	40	3	3	2
Black	---	40	3	3	2
Balance of county	---	198	8	2	3
White	---	130	2	1	2
All other	---	68	6	1	1
Black	---	68	6	1	1
Conway	155	177	2	1	5
White	130	140	–	–	3
All other	25	37	2	1	2
Black	25	37	2	1	2
Craighead	642	541	5	5	7
Jonesboro	---	290	2	2	4
Balance of county	---	251	3	3	3
Crawford	190	295	13	5	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Crittenden	411	432	25	14	12
White	206	189	6	4	6
All other	205	243	19	10	6
Black	202	241	19	10	6
West Memphis	---	214	13	8	8
White	---	111	5	3	5
All other	---	103	8	5	3
Black	---	103	8	5	3
Balance of county	---	218	12	6	4
White	---	78	1	1	1
All other	---	140	11	5	3
Black	---	138	11	5	3
Cross	175	185	4	3	4
White	120	132	1	1	4
All other	55	53	3	2	–
Black	55	53	3	2	–
Dallas	102	125	6	4	2
White	62	77	4	3	1
All other	40	48	2	1	1
Black	40	48	2	1	1
Desha	187	198	7	5	4
White	97	111	5	5	2
All other	90	87	2	–	2
Black	90	87	2	–	2
Drew	149	182	6	4	2
White	110	136	3	2	2
All other	39	46	3	2	–
Black	39	46	3	2	–
Faulkner	265	307	10	6	9
Conway	---	130	3	3	5
Balance of county	---	177	7	3	4
White	---	158	4	2	4
All other	---	19	3	1	–
Black	---	19	3	1	–
Franklin	133	167	1	–	–
Fulton	155	108	1	1	1
Garland	872	890	10	7	3
Hot Springs	---	649	5	5	1
White	---	594	3	3	–
All other	---	55	2	2	1
Black	---	55	2	2	1
Balance of county	---	241	5	2	2
Grant	55	133	2	2	–
Greene	330	296	5	5	2
Paragould	---	175	2	2	1
Balance of county	---	121	3	3	1
Hempstead	199	245	3	2	4
White	161	197	3	2	3
All other	38	48	–	–	1
Black	38	48	–	–	1
Hot Spring	203	240	5	3	5
White	176	212	4	2	4
All other	27	28	1	1	1
Black	27	28	1	1	1
Howard	126	140	3	1	1
White	95	115	1	–	1
All other	31	25	2	1	–
Black	31	25	2	1	–
Independence	294	286	7	5	2
Izard	92	115	–	–	2
Jackson	191	235	3	3	1
White	167	203	2	2	1
All other	24	32	1	1	–
Black	24	32	1	1	–
Jefferson	812	817	28	20	13
White	484	464	12	11	2
All other	328	353	16	9	11
Black	327	352	16	9	11
Pine Bluff	---	636	22	17	12
White	---	361	9	8	2
All other	---	275	13	9	10
Black	---	274	13	9	10
Balance of county	---	181	6	3	1
White	---	103	3	3	–
All other	---	78	3	–	1
Black	---	78	3	–	1
Johnson	116	181	5	3	2
Lafayette	79	110	11	7	9
White	45	64	3	1	3
All other	34	46	8	6	6
Black	34	46	8	6	6
Lawrence	128	205	1	–	1
Lee	143	177	6	4	5
White	47	68	–	–	3
All other	96	109	6	4	2
Black	96	108	6	4	2
Lincoln	60	116	3	2	2
White	34	72	1	1	–
All other	26	44	2	1	2
Black	26	44	2	1	2
Arkansas—Con.					
Little River	99	126	4	2	4
White	74	89	1	1	1
All other	25	37	3	1	3
Black	25	37	3	1	3
Logan	137	233	4	1	2
Lonoke	133	284	8	5	12
White	106	238	6	3	7
All other	27	46	2	2	5
Black	27	46	2	2	5
Madison	97	116	2	2	1
Marion	137	144	3	3	3
Miller	364	370	11	3	7
White	286	280	6	2	4
All other	78	90	5	1	3
Black	78	90	5	1	3
Texarkana[2]	---	237	6	2	5
White	---	174	3	1	2
All other	---	63	3	1	3
Black	---	63	3	1	3
Balance of county	---	133	5	1	2
White	---	106	3	1	2
All other	---	27	2	–	–
Black	---	27	2	–	–
Mississippi	461	580	27	14	13
White	288	387	15	9	7
All other	173	193	12	5	6
Black	173	193	12	5	6
Blytheville	---	238	10	4	1
White	---	149	6	3	–
All other	---	89	4	1	1
Black	---	89	4	1	1
Balance of county	---	342	17	10	12
White	---	238	9	6	7
All other	---	104	8	4	5
Black	---	104	8	4	5
Monroe	142	203	3	1	2
White	71	107	1	–	2
All other	71	96	2	1	–
Black	71	96	2	1	–
Montgomery	37	73	1	–	1
Nevada	136	144	4	3	5
White	105	114	2	1	–
All other	31	30	2	2	5
Black	31	30	2	2	5
Newton	28	60	1	1	2
Ouachita	289	308	8	6	7
White	189	208	3	1	2
All other	100	100	5	5	5
Black	100	100	5	5	5
Camden	---	162	5	4	3
White	---	114	2	1	1
All other	---	48	3	3	2
Black	---	48	3	3	2
Balance of county	---	146	3	2	4
White	---	94	1	–	1
All other	---	52	2	2	3
Black	---	52	2	2	3
Perry	22	77	–	–	2
Phillips	378	431	10	6	13
White	146	172	3	2	3
All other	232	259	7	4	10
Black	232	259	7	4	10
Helena	---	132	3	1	3
White	---	43	–	–	2
All other	---	89	3	1	1
Black	---	89	3	1	1
West Helena	---	125	4	3	4
White	---	69	3	2	–
All other	---	56	1	1	4
Black	---	56	1	1	4
Balance of county	---	174	3	2	6
White	---	60	–	–	1
All other	---	114	3	2	5
Black	---	114	3	2	5
Pike	90	101	2	2	5
Poinsett	111	275	8	7	5
Polk	171	205	4	3	4
Pope	276	282	7	3	4
Russellville	---	123	3	1	1
Balance of county	---	159	4	2	3
Prairie	35	110	4	3	1
White	29	87	1	1	–
All other	6	23	3	2	1
Black	6	23	3	2	1
Pulaski	3,968	2,613	97	68	78
White	3,026	1,977	53	35	48
All other	942	636	44	33	30
Black	940	634	44	33	30
Jacksonville	---	109	9	6	13

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Pulaski—Con.					
Little Rock	---	1,516	57	40	40
White	---	1,111	23	12	20
All other	---	405	34	28	20
Black	---	404	34	28	20
North Little Rock	---	663	24	15	14
White	---	525	15	11	9
All other	---	138	9	4	5
Black	---	138	9	4	5
Balance of county	---	325	7	7	11
White	---	242	7	7	7
All other	---	83	–	–	4
Black	---	83	–	–	4
Randolph	131	160	1	1	–
St. Francis	271	331	16	9	19
White	137	168	5	4	3
All other	134	163	11	5	16
Black	134	163	11	5	14
Forrest City	---	159	4	3	6
White	---	76	–	–	–
All other	---	83	4	3	6
Black	---	83	4	3	6
Balance of county	---	172	12	6	13
White	---	92	5	4	3
All other	---	80	7	2	10
Black	---	80	7	2	8
Saline	299	300	10	7	7
Benton	---	142	6	4	4
Balance of county	---	158	4	3	3
Scott	62	106	–	–	4
Searcy	55	107	–	–	2
Sebastian	1,337	782	19	14	9
Fort Smith	---	606	15	12	8
Balance of county	---	176	4	2	1
Sevier	187	126	3	2	4
Sharp	32	126	1	–	2
Stone	78	87	1	1	1
Union	570	537	7	4	14
White	395	364	3	3	4
All other	175	173	4	1	10
Black	175	173	4	1	10
El Dorado	---	315	7	4	9
White	---	222	3	3	3
All other	---	93	4	1	6
Black	---	93	4	1	6
Balance of county	---	222	–	–	5
White	---	142	–	–	1
All other	---	80	–	–	4
Black	---	80	–	–	4
Van Buren	93	128	2	1	2
Washington	934	730	16	13	12
Fayetteville	---	218	8	7	7
Springdale, part	---	173	2	1	1
Springdale, total	---	173	2	1	1
Balance of county	---	339	6	5	4
White	475	475	10	5	5
Woodruff	82	138	5	3	3
White	51	87	2	2	3
All other	31	51	3	1	–
Black	31	51	3	1	–
Yell	173	184	2	1	3
California	**170,753**	**170,399**	**4,186**	**2,743**	**2,911**
White	155,389	155,026	3,308	2,172	2,304
All other	15,364	15,373	878	571	607
Black	11,709	11,732	734	466	469
Alameda	8,807	8,657	187	106	141
White	7,199	7,019	110	64	86
All other	1,608	1,638	77	42	55
Black	1,381	1,414	66	34	49
Alameda	---	520	6	4	6
Albany	---	153	2	–	4
White	---	145	–	–	3
All other	---	8	2	–	1
Black	---	6	2	–	–
Berkeley	---	789	12	9	9
White	---	546	4	4	2
All other	---	243	8	5	7
Black	---	209	5	4	6
Fremont	---	539	14	5	11
Hayward	---	826	27	18	18
Livermore	---	243	10	8	5
Newark	---	104	9	2	3
Oakland	---	3,571	83	44	57
White	---	2,342	24	12	17
All other	---	1,229	59	32	40
Black	---	1,113	53	27	39
Piedmont	---	106	1	1	–
Pleasanton	---	135	2	2	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Alameda—Con.					
San Leandro	---	767	6	4	4
Union City	---	143	5	3	11
Balance of county	---	761	10	6	8
Alpine	7	6	–	–	1
White	7	4	–	–	–
All other	–	2	–	–	1
Black	–	–	–	–	–
Amador	149	165	–	–	4
Butte	1,300	1,285	21	16	10
Chico	---	199	6	5	1
Balance of county	---	1,086	15	11	9
Calaveras	143	159	1	–	3
Colusa	98	122	–	–	5
Contra Costa	3,963	4,237	77	54	52
White	3,612	3,870	60	44	41
All other	351	367	17	10	11
Black	311	319	15	8	8
Antioch	---	215	5	3	6
Concord	---	541	14	8	5
El Cerrito	---	219	1	–	–
White	---	204	1	–	–
All other	---	15	–	–	–
Black	---	9	–	–	–
Lafayette	---	133	–	–	–
Martinez	---	146	–	–	2
Pinole	---	61	–	–	1
Pittsburg	---	225	6	6	8
White	---	179	4	4	7
All other	---	46	2	2	1
Black	---	46	2	2	–
Pleasant Hill	---	186	4	3	1
Richmond	---	699	15	8	10
White	---	450	5	4	5
All other	---	249	10	4	5
Black	---	232	10	4	5
San Pablo	---	237	5	5	4
Walnut Creek	---	553	4	3	1
Balance of county	---	1,022	23	18	14
Del Norte	152	170	6	4	–
El Dorado	466	492	16	10	9
South Lake Tahoe	---	83	5	–	4
Balance of county	---	409	11	10	5
Fresno	4,035	3,662	106	76	77
White	3,690	3,345	85	63	66
All other	345	317	21	13	11
Black	233	213	16	9	9
Clovis	---	165	2	2	6
Fresno	---	1,870	58	40	30
White	---	1,656	42	30	22
All other	---	214	16	10	8
Black	---	175	14	8	7
Sanger	---	88	4	3	2
Balance of county	---	1,539	42	31	39
White	---	1,442	37	28	36
All other	---	97	5	3	3
Black	---	37	2	1	2
Glenn	153	219	8	2	2
Humboldt	827	825	14	9	20
Eureka	---	243	2	1	11
Balance of county	---	582	12	8	9
Imperial	586	617	17	12	13
Brawley	---	107	1	1	5
Calexico	---	62	3	2	2
El Centro	---	145	4	2	4
Balance of county	---	303	9	7	2
Inyo	197	180	1	1	3
Kern	2,810	2,938	89	60	60
White	2,579	2,717	86	58	53
All other	231	221	3	2	7
Black	188	181	3	2	6
Bakersfield	---	819	18	11	18
White	---	705	16	10	15
All other	---	114	2	1	3
Black	---	110	2	1	3
Delano	---	123	4	4	3
White	---	88	4	4	2
All other	---	35	–	–	1
Black	---	8	–	–	–
Balance of county	---	1,996	67	45	39
White	---	1,924	66	44	36
All other	---	72	1	1	3
Black	---	63	1	1	3
Kings	456	531	24	16	17
Hanford	---	194	6	3	4
Balance of county	---	337	18	13	13
Lake	310	449	3	–	1
Lassen	132	173	4	4	2
Los Angeles	58,530	57,672	1,554	1,037	1,132
White	50,949	50,043	1,088	724	841
All other	7,581	7,629	466	313	291
Black	6,443	6,505	418	279	253

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Los Angeles—Con.					
Alhambra	---	665	5	5	8
Arcadia	---	467	6	6	4
Artesia	---	108	1	1	6
Azusa	---	167	7	6	7
Baldwin Park	---	316	6	4	8
Bell	---	233	7	3	5
Bellflower	---	442	11	7	7
Bell Gardens	---	201	14	7	4
Beverly Hills	---	388	2	–	2
Burbank	---	901	8	4	4
Carson	---	401	20	14	7
White	---	313	12	8	6
All other	---	88	8	6	1
Black	---	65	7	6	–
Cerritos	---	97	6	4	3
Claremont	---	188	3	3	1
Commerce	---	45	1	–	4
Compton	---	552	59	43	25
White	---	168	13	8	6
All other	---	384	46	35	19
Black	---	378	46	35	18
Covina	---	327	9	8	4
Cudahy	---	107	5	4	5
Culver City	---	302	8	7	10
Downey	---	636	10	6	11
Duarte	---	167	3	1	5
El Monte	---	576	28	17	23
El Segundo	---	108	–	–	1
Gardena	---	532	18	14	8
White	---	423	10	7	6
All other	---	109	8	7	2
Black	---	38	6	5	1
Glendale	---	1,500	14	9	12
Glendora	---	277	6	6	6
Hawthorne	---	404	12	9	6
Hermosa Beach	---	128	2	2	2
Huntington Park	---	411	17	11	18
Inglewood	---	799	33	19	13
White	---	627	10	5	5
All other	---	172	23	14	8
Black	---	164	21	13	8
Lakewood	---	480	9	6	5
La Mirada	---	186	3	3	5
La Puente	---	287	22	16	9
La Verne	---	146	4	2	4
Lawndale	---	166	4	2	5
Lomita	---	169	2	1	2
Long Beach	---	4,057	85	51	45
White	---	3,845	64	36	30
All other	---	212	21	15	15
Black	---	174	17	12	13
Los Angeles	---	25,017	689	473	528
White	---	19,592	411	289	348
All other	---	5,425	278	184	180
Black	---	4,770	255	168	163
Lynwood	---	351	20	13	13
Manhattan Beach	---	187	3	1	3
Maywood	---	115	6	4	13
Monrovia	---	300	6	5	6
White	---	273	5	4	6
All other	---	27	1	1	–
Black	---	26	1	1	–
Montebello	---	347	6	5	4
Monterey Park	---	325	6	4	3
White	---	276	4	3	1
All other	---	49	2	1	2
Black	---	2	–	–	–
Norwalk	---	509	16	9	12
Palos Verdes Estates	---	79	1	1	2
Paramount	---	251	9	5	1
Pasadena	---	1,317	28	15	18
White	---	1,133	19	9	11
All other	---	184	9	6	7
Black	---	156	8	5	7
Pico Rivera	---	280	12	9	8
Pomona	---	691	21	13	23
White	---	617	13	8	18
All other	---	74	8	5	5
Black	---	71	8	5	5
Redondo Beach	---	429	17	11	5
Rosemead	---	334	14	8	5
San Dimas	---	121	3	2	1
San Fernando	---	177	5	3	7
San Gabriel	---	398	7	4	4
San Marino	---	121	1	–	1
Santa Fe Springs	---	64	2	2	1
Santa Monica	---	1,075	12	10	4
Sierra Madre	---	84	–	–	1
South El Monte	---	77	4	4	1
South Gate	---	592	11	7	8
California—Con.					
Los Angeles—Con.					
South Pasadena	---	186	1	1	1
Temple City	---	262	8	6	3
Torrance	---	832	16	8	15
West Covina	---	387	12	8	9
Whittier	---	822	21	14	24
Balance of county	---	5,006	147	91	114
White	---	4,520	123	78	91
All other	---	486	24	13	23
Black	---	420	22	13	21
Madera	341	434	22	17	7
Madera	---	179	7	3	3
White	---	164	6	3	3
All other	---	15	1	–	–
Black	---	14	1	–	–
Balance of county	---	255	15	14	4
Marin	1,529	1,504	14	9	21
Larkspur	---	31	–	–	–
Mill Valley	---	169	5	2	2
Novato	---	222	4	3	5
San Anselmo	---	101	–	–	3
San Rafael	---	434	3	2	4
Balance of county	---	547	2	2	7
Mariposa	101	99	1	1	1
Mendocino	494	491	12	8	12
Ukiah	---	114	3	1	3
Balance of county	---	377	9	7	9
Merced	702	828	32	17	26
Atwater	---	73	5	4	1
White	---	66	4	4	1
All other	---	7	1	–	–
Black	---	6	1	–	–
Merced	---	232	7	3	9
White	---	216	5	3	8
All other	---	16	2	–	1
Black	---	16	2	–	1
Balance of county	---	523	20	10	16
Modoc	79	103	3	1	3
Mono	38	31	–	–	–
Monterey	1,737	1,769	70	45	45
White	1,610	1,644	56	35	36
All other	127	125	14	10	9
Black	70	66	13	9	5
Monterey	---	185	4	3	2
Pacific Grove	---	182	–	–	1
Salinas	---	540	24	15	17
Seaside	---	145	9	4	5
White	---	100	7	4	2
All other	---	45	2	–	3
Black	---	37	2	–	1
Balance of county	---	717	33	23	20
Napa	1,063	868	12	5	12
Napa	---	473	9	3	9
Balance of county	---	395	3	2	3
Nevada	445	450	3	2	6
Orange	10,207	10,699	297	193	189
White	10,051	10,539	285	185	176
All other	156	160	12	8	13
Black	62	52	3	1	10
Anaheim	---	1,307	44	25	24
Brea	---	132	2	1	3
Buena Park	---	314	8	6	4
Costa Mesa	---	502	7	4	6
Cypress	---	144	6	2	10
Fountain Valley	---	207	9	7	4
Fullerton	---	577	14	6	4
Garden Grove	---	719	25	21	12
Huntington Beach	---	725	20	15	16
Laguna Beach	---	168	–	–	1
La Habra	---	295	9	6	5
Los Alamitos	---	108	2	1	–
Newport Beach	---	432	5	3	2
Orange	---	509	8	4	9
Placentia	---	130	6	4	6
San Clemente	---	231	5	1	4
Santa Ana	---	1,270	59	39	35
White	---	1,229	57	37	34
All other	---	41	2	2	1
Black	---	23	–	–	–
Seal Beach	---	529	–	–	–
Stanton	---	123	4	3	4
Tustin	---	225	6	5	8
Westminster	---	351	17	11	10
Yorba Linda	---	85	5	4	2
Balance of county	---	1,616	36	25	20
Placer	780	814	14	11	9
Roseville	---	218	2	2	4
Balance of county	---	596	12	9	5
Plumas	142	157	1	–	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Riverside	5,370	5,738	125	73	73
White	5,095	5,462	109	61	62
All other	275	276	16	12	11
Black	230	230	14	10	9
Banning	---	173	6	5	4
White	---	152	2	2	4
All other	---	21	4	3	–
Black	---	17	3	2	–
Corona	---	209	10	4	6
Hemet	---	545	1	–	1
Indio	---	135	10	6	5
Norco	---	84	4	3	2
Palm Springs	---	408	2	–	1
Riverside	---	1,172	36	20	15
Balance of county	---	3,012	56	35	39
White	---	2,841	51	32	36
All other	---	171	5	3	3
Black	---	142	4	2	3
Sacramento	5,583	5,340	140	81	81
White	5,128	4,875	108	61	62
All other	455	465	32	20	19
Black	299	313	29	17	11
Sacramento	---	3,075	60	32	40
White	---	2,695	42	22	25
All other	---	380	18	10	15
Black	---	259	16	8	9
Balance of county	---	2,265	80	49	41
White	---	2,180	66	39	37
All other	---	85	14	10	4
Black	---	54	13	9	2
San Benito	126	166	3	2	4
San Bernardino	6,549	6,193	165	105	86
White	6,275	5,965	152	97	75
All other	274	228	13	8	11
Black	249	205	11	6	9
Barstow	---	113	4	2	2
White	---	104	2	1	2
All other	---	9	2	1	–
Black	---	7	2	1	–
Chino	---	160	10	8	4
Colton	---	184	2	2	4
Fontana	---	281	7	4	2
Montclair	---	105	8	5	3
Ontario	---	523	27	19	6
Redlands	---	318	6	3	5
Rialto	---	214	5	4	2
San Bernardino	---	1,076	26	15	14
White	---	972	20	12	12
All other	---	104	6	3	2
Black	---	99	6	3	2
Upland	---	246	3	2	1
Victorville	---	123	2	2	3
Balance of county	---	2,850	65	39	40
White	---	2,790	61	36	33
All other	---	60	4	3	7
Black	---	49	2	1	5
San Diego	12,472	12,101	279	188	182
White	11,885	11,531	218	149	151
All other	587	570	61	39	31
Black	436	425	46	30	15
Carlsbad	---	185	1	1	–
Chula Vista	---	570	19	16	9
Coronado	---	140	2	2	2
El Cajon	---	524	14	11	8
Escondido	---	571	10	8	12
Imperial Beach	---	109	9	5	4
La Mesa	---	365	4	3	3
National City	---	263	11	5	7
White	---	239	5	3	3
All other	---	24	6	2	4
Black	---	9	2	1	–
Oceanside	---	506	22	15	9
San Diego	---	5,787	116	79	80
White	---	5,350	74	52	63
All other	---	437	42	27	17
Black	---	365	36	22	12
Vista	---	363	6	5	5
Balance of county	---	2,718	65	38	43
White	---	2,669	62	36	41
All other	---	49	3	2	2
Black	---	17	1	1	–
San Francisco, coext. with San Francisco city	8,106	7,750	103	73	79
White	6,533	6,226	53	38	37
All other	1,573	1,524	50	35	42
Black	820	798	32	20	25
San Joaquin	2,663	2,760	73	51	40
White	2,374	2,462	68	48	32
All other	289	298	5	3	8
Black	147	157	4	3	6
Lodi	---	317	4	4	2
Manteca	---	109	7	5	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
San Joaquin—Con.					
Stockton	---	1,235	36	27	15
White	---	1,007	31	24	11
All other	---	228	5	3	4
Black	---	130	4	3	3
Tracy	---	157	3	2	4
Balance of county	---	942	23	13	16
White	---	888	23	13	12
All other	---	54	–	–	4
Black	---	22	–	–	3
San Luis Obispo	1,117	1,155	15	9	10
San Luis Obispo	---	214	–	–	2
Balance of county	---	941	15	9	8
San Mateo	3,715	4,097	71	46	55
White	3,532	3,830	52	33	38
All other	183	267	19	13	17
Black	113	171	14	11	10
Belmont	---	129	1	1	2
Burlingame	---	320	2	2	–
Daly City	---	467	11	7	9
White	---	414	5	3	4
All other	---	53	6	4	5
Black	---	26	3	3	2
Menlo Park	---	322	4	4	6
White	---	285	1	1	2
All other	---	37	3	3	4
Black	---	33	3	3	4
Millbrae	---	134	1	–	1
Pacifica	---	169	7	5	4
Redwood City	---	562	8	4	8
San Bruno	---	215	4	2	2
San Carlos	---	203	7	6	1
San Mateo	---	680	12	7	11
South San Francisco	---	292	7	6	3
Balance of county	---	604	7	2	8
White	---	513	3	–	4
All other	---	91	4	2	4
Black	---	77	3	2	3
Santa Barbara	2,226	2,209	43	28	32
White	2,159	2,141	37	24	28
All other	67	68	6	4	4
Black	36	38	3	1	2
Lompoc	---	126	6	4	2
Santa Barbara	---	920	11	7	10
Santa Maria	---	307	6	4	6
Balance of county	---	856	20	13	14
Santa Clara	7,495	6,796	182	125	121
White	7,132	6,512	162	113	100
All other	363	284	20	12	21
Black	192	127	13	8	17
Campbell	---	211	7	5	2
Cupertino	---	185	2	1	5
Gilroy	---	119	6	4	2
Los Altos	---	209	4	4	1
Los Gatos	---	260	–	–	3
Milpitas	---	119	6	5	3
White	---	104	5	4	2
All other	---	15	1	1	1
Black	---	6	1	1	1
Mountain View	---	381	10	6	8
Palo Alto	---	427	3	2	2
San Jose	---	3,210	120	83	68
White	---	3,037	106	75	54
All other	---	173	14	8	14
Black	---	93	10	6	10
Santa Clara	---	479	7	4	8
Saratoga	---	197	–	–	–
Sunnyvale	---	627	8	4	11
Balance of county	---	372	9	7	8
Santa Cruz	1,494	1,570	31	22	13
Santa Cruz	---	467	6	3	1
Watsonville	---	237	7	5	2
White	---	218	7	5	1
All other	---	19	–	–	1
Black	---	2	–	–	–
Balance of county	---	866	18	14	10
Shasta	885	858	19	10	11
Redding	---	335	7	4	5
Balance of county	---	523	12	6	6
Sierra	15	26	1	1	–
Siskiyou	297	361	9	6	3
Solano	1,287	1,293	36	18	30
White	1,155	1,143	29	15	24
All other	132	150	7	3	6
Black	99	112	7	3	4
Fairfield	---	185	9	6	6
White	---	175	8	5	5
All other	---	10	1	1	1
Black	---	5	1	1	1
Vacaville	---	160	7	3	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Solano—Con.					
Vallejo	---	684	15	8	9
White	---	567	11	6	5
All other	---	117	4	2	4
Black	---	98	4	2	3
Balance of county	---	264	5	1	12
Sonoma	2,367	2,409	54	37	36
Petaluma	---	247	4	2	7
Santa Rosa	---	822	16	12	8
Balance of county	---	1,340	34	23	21
Stanislaus	2,014	1,932	43	23	32
Modesto	---	740	17	9	17
Turlock	---	215	6	3	1
Balance of county	---	977	20	11	14
Sutter	333	419	6	5	10
Yuba City	---	176	3	2	4
Balance of county	---	243	3	3	6
Tehama	286	331	8	5	5
Trinity	79	98	1	1	1
Tulare	1,590	1,766	59	39	41
White	1,522	1,687	58	39	39
All other	68	79	1	–	2
Black	42	45	1	–	–
Porterville	---	178	2	1	3
Tulare	---	222	7	4	3
White	---	192	6	4	3
All other	---	30	1	–	–
Black	---	28	1	–	–
Visalia	---	347	10	8	10
Balance of county	---	1,019	40	26	25
Tuolumne	238	272	2	1	2
Ventura	2,615	2,835	90	66	48
White	2,542	2,759	84	61	41
All other	73	76	6	5	7
Black	47	49	6	5	4
Camarillo	---	181	5	3	4
Oxnard	---	550	28	22	14
White	---	499	22	17	11
All other	---	51	6	5	3
Black	---	35	6	5	1
Port Hueneme	---	101	1	1	3
Santa Paula	---	205	3	1	3
Simi Valley	---	274	15	10	3
Thousand Oaks	---	194	3	3	2
Ventura	---	566	12	11	6
Balance of county	---	764	23	15	13
Yolo	707	759	14	8	18
Davis	---	104	2	–	3
Woodland	---	230	4	3	6
Balance of county	---	425	8	5	9
Yuba	345	359	5	4	12
Colorado	**18,498**	**17,897**	**518**	**319**	**552**
White	17,922	17,355	475	286	508
All other	576	542	43	33	44
Black	464	448	37	28	39
Adams	947	1,098	54	34	57
Arvada, part	---	2	–	–	–
Aurora, part	---	152	9	6	6
Commerce City	---	142	10	6	9
North Glenn	---	94	3	2	4
Thornton	---	107	6	4	12
Westminster	---	156	5	4	4
Balance of county	---	445	21	12	22
Alamosa	91	91	3	–	4
Arapahoe	953	1,053	34	22	45
Aurora, part	---	343	15	9	21
Aurora, total	---	495	24	15	27
Englewood	---	274	8	5	12
Littleton	---	258	6	4	11
Balance of county	---	178	5	4	1
Archuleta	13	17	–	–	–
Baca	37	53	1	1	2
Bent	71	58	1	–	–
Boulder	820	895	21	12	16
Boulder	---	392	5	3	4
Longmont	---	248	6	4	9
Balance of county	---	255	10	5	3
Chaffee	115	116	4	3	3
Cheyenne	9	12	–	–	1
Clear Creek	32	29	2	1	3
Conejos	47	69	4	2	8
Costilla	15	20	–	–	2
Crowley	19	52	3	3	–
Custer	10	6	–	–	–
Delta	158	215	3	3	–
Denver, coext. with Denver city	6,008	4,533	108	71	118
White	5,631	4,173	84	53	92
All other	377	360	24	18	26
Black	327	319	21	15	25

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Colorado—Con.					
Dolores	5	9	–	–	1
White	5	9	–	–	1
All other	–	–	–	–	–
Black	–	–	–	–	–
Douglas	60	71	–	–	5
Eagle	20	39	3	2	6
Elbert	12	31	2	2	1
El Paso	1,670	1,606	81	44	77
White	1,616	1,543	69	35	64
All other	54	63	12	9	13
Black	51	56	11	8	11
Colorado Springs	---	1,274	63	34	55
Balance of county	---	332	18	10	22
Fremont	372	385	3	–	5
Garfield	127	145	3	1	2
Gilpin	9	10	1	1	–
Grand	33	38	2	1	2
Gunnison	52	46	1	1	2
Hinsdale	5	6	–	–	–
Huerfano	60	81	1	–	1
Jackson	7	10	–	–	–
Jefferson	1,335	1,668	43	28	60
Arvada, part	---	295	12	6	17
Arvada, total	---	297	12	6	17
Lakewood	---	668	18	13	18
Wheat Ridge	---	281	4	4	11
Balance of county	---	424	9	5	14
Kiowa	12	17	–	–	1
Kit Carson	65	77	2	1	–
Lake	26	35	1	1	3
La Plata	219	172	5	4	1
Durango	---	101	2	2	1
Balance of county	---	71	3	2	–
Larimer	743	785	15	9	26
Fort Collins	---	335	7	5	15
Loveland	---	210	2	–	7
Balance of county	---	240	6	4	4
Las Animas	159	189	7	5	1
Lincoln	47	43	–	–	–
Logan	148	146	4	3	7
Sterling	---	105	4	3	5
Balance of county	---	41	–	–	2
Mesa	755	636	12	8	14
Grand Junction	---	356	6	3	5
Balance of county	---	280	6	5	9
Mineral	5	2	–	–	–
Moffat	71	70	5	5	1
Montezuma	122	139	8	3	3
Montrose	178	175	6	4	2
Morgan	161	197	3	3	4
Otero	284	277	5	2	2
Ouray	12	18	–	–	–
Park	28	19	–	–	1
Phillips	65	65	1	1	2
Pitkin	37	27	1	1	–
Prowers	102	121	3	–	1
Pueblo	1,098	1,039	28	16	21
Pueblo	---	938	26	15	21
Balance of county	---	101	2	1	–
Rio Blanco	33	33	1	1	2
Rio Grande	105	110	6	5	8
Routt	61	61	1	1	–
Saguache	8	29	2	2	4
San Juan	7	10	1	1	–
San Miguel	11	17	1	1	–
Sedgwick	38	41	–	–	–
Summit	30	22	2	1	1
Teller	23	40	2	–	–
Washington	34	55	–	–	1
Weld	585	655	16	8	24
Greeley	---	344	9	6	12
Balance of county	---	311	7	2	12
Yuma	114	113	2	1	1
Connecticut	**25,814**	**25,638**	**494**	**379**	**289**
White	24,576	24,420	388	302	241
All other	1,238	1,218	106	77	48
Black	1,210	1,190	104	75	48
Fairfield	6,275	6,569	131	107	72
White	5,937	6,196	92	77	56
All other	338	373	39	30	16
Black	329	364	38	29	16
Bridgeport	---	1,561	43	33	19
White	---	1,392	27	22	10
All other	---	169	16	11	9
Black	---	166	16	11	9
Danbury	---	458	7	4	6
Darien town†	---	139	1	1	–
Fairfield town†	---	435	5	5	3
Greenwich town†	---	476	4	4	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut—Con.					
Fairfield—Con.					
Norwalk	---	569	9	8	10
White	---	521	7	7	10
All other	---	48	2	1	–
Black	---	47	2	1	–
Shelton	---	192	1	1	1
Stamford	---	904	34	28	12
White	---	805	17	13	6
All other	---	99	17	15	6
Black	---	96	16	14	6
Stratford town†	---	475	6	6	4
Trumbull town†	---	229	1	–	1
Westport town†	---	172	2	1	2
Balance of county	---	959	18	16	12
Hartford	6,978	6,665	116	88	79
White	6,598	6,293	85	66	67
All other	380	372	31	22	12
Black	374	368	30	21	12
Bristol	---	413	4	2	7
East Hartford town†	---	421	8	4	5
Enfield town†	---	267	4	3	2
Hartford	---	1,452	43	33	18
White	---	1,159	19	15	13
All other	---	293	24	18	5
Black	---	290	23	17	5
Manchester town†	---	401	9	7	11
New Britain	---	744	8	6	10
Newington town†	---	212	3	3	–
Plainville town†	---	122	2	2	3
Southington town†	---	187	2	1	4
West Hartford town†	---	659	3	2	4
Wethersfield town†	---	265	3	2	1
Windsor Locks town†	---	65	4	4	4
Balance of county	---	1,457	23	19	10
Litchfield	1,270	1,415	27	23	11
Torrington	---	338	5	5	4
Balance of county	---	1,077	22	18	7
Middlesex	1,017	992	14	8	9
Middletown	---	288	3	2	4
Balance of county	---	704	11	6	5
New Haven	7,255	6,723	119	91	75
White	6,843	6,354	91	72	58
All other	412	369	28	19	17
Black	406	364	28	19	17
Ansonia	---	210	4	3	1
Derby	---	133	1	–	–
East Haven town†	---	178	–	–	–
Hamden town†	---	465	5	4	2
Meriden	---	483	6	6	9
Milford	---	390	6	4	6
Naugatuck	---	230	7	6	5
New Haven	---	1,302	33	23	21
White	---	1,065	16	10	8
All other	---	237	17	13	13
Black	---	235	17	13	13
Wallingford town†	---	293	4	2	1
Waterbury	---	1,119	16	9	14
White	---	1,047	12	7	11
All other	---	72	4	2	3
Black	---	71	4	2	3
West Haven town†	---	501	16	14	5
Balance of county	---	1,419	21	20	11
New London	1,837	1,841	43	31	22
New London	---	334	6	4	5
White	---	304	4	2	3
All other	---	30	2	2	2
Black	---	28	2	2	2
Norwich	---	361	3	3	3
Balance of county	---	1,146	34	24	14
Tolland	389	576	16	10	9
Vernon town†	---	137	7	3	2
Balance of county	---	439	9	7	7
Windham	793	857	28	21	12
Willimantic	---	84	2	–	1
Balance of county	---	773	26	21	11
Delaware	**4,952**	**4,738**	**117**	**81**	**72**
White	4,159	3,994	76	53	54
All other	793	744	41	28	18
Black	789	740	41	28	18
Kent	541	628	14	10	17
White	442	518	9	6	12
All other	99	110	5	4	5
Black	99	110	5	4	5
Dover	---	155	6	5	6
White	---	117	3	2	3
All other	---	38	3	3	3
Black	---	38	3	3	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Delaware—Con.					
Kent—Con.					
Balance of county	---	473	8	5	11
White	---	401	6	4	9
All other	---	72	2	1	2
Black	---	72	2	1	2
New Castle	3,414	3,162	76	50	43
White	2,887	2,698	54	38	33
All other	527	464	22	12	10
Black	524	462	22	12	10
Newark	---	232	7	5	1
Wilmington	---	1,608	44	25	14
White	---	1,248	26	16	8
All other	---	360	18	9	6
Black	---	359	18	9	6
Balance of county	---	1,322	25	20	28
White	---	1,229	21	17	25
All other	---	93	4	3	3
Black	---	93	4	3	3
Sussex	997	948	27	21	12
White	830	778	13	9	9
All other	167	170	14	12	3
Black	166	168	14	12	3
District of Columbia	**8,981**	**7,186**	**275**	**206**	**159**
White	3,867	2,309	24	18	10
All other	5,114	4,877	251	188	149
Black	5,062	4,847	251	188	147
Florida	**93,596**	**91,760**	**1,715**	**1,180**	**1,089**
White	82,578	80,772	984	703	666
All other	11,018	10,988	731	477	433
Black	10,939	10,913	726	473	424
Alachua	1,721	740	19	12	7
White	1,299	510	12	9	6
All other	422	230	7	3	1
Black	421	230	7	3	1
Gainesville	---	404	11	8	1
White	---	275	6	5	1
All other	---	129	5	3	–
Black	---	129	5	3	–
Balance of county	---	336	8	4	6
White	---	235	6	4	5
All other	---	101	2	–	1
Black	---	101	2	–	1
Baker	184	75	4	4	3
White	158	67	3	3	3
All other	26	8	1	1	–
Black	26	8	1	1	–
Bay	738	695	20	11	16
White	627	598	16	11	11
All other	111	97	4	–	5
Black	110	96	4	–	4
Panama City	---	372	9	4	6
White	---	286	6	4	5
All other	---	86	3	–	1
Black	---	85	3	–	1
Balance of county	---	323	11	7	10
Bradford	152	178	5	5	2
White	121	141	3	3	2
All other	31	37	2	2	–
Black	31	37	2	2	–
Brevard	1,911	1,997	17	13	46
White	1,742	1,827	10	9	40
All other	169	170	7	4	6
Black	166	166	7	4	5
Cocoa	---	175	3	2	8
White	---	129	1	1	8
All other	---	46	2	1	–
Black	---	46	2	1	–
Melbourne	---	423	2	2	4
White	---	377	1	1	4
All other	---	46	1	1	–
Black	---	46	1	1	–
Rockledge	---	79	–	–	3
Titusville	---	297	2	1	7
Balance of county	---	1,023	10	8	24
Broward	9,328	9,988	148	105	87
White	8,655	9,280	82	58	56
All other	673	708	66	47	31
Black	660	697	65	47	28
Deerfield Beach	---	406	6	5	3
White	---	363	–	–	–
All other	---	43	6	5	3
Black	---	43	6	5	3
Fort Lauderdale	---	2,539	37	27	19
White	---	2,307	17	12	11
All other	---	232	20	15	8
Black	---	229	20	15	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Broward—Con.					
Hallandale	---	602	5	4	4
White	---	551	1	1	2
All other	---	51	4	3	2
Black	---	51	4	3	2
Hollywood	---	1,646	17	14	16
Lauderdale Lakes	---	261	3	3	1
Miramar	---	259	1	–	3
Oakland Park	---	125	2	1	1
Pembroke Pines	---	225	2	2	–
Plantation	---	251	–	–	1
Pompano Beach	---	801	11	8	6
White	---	732	2	1	2
All other	---	69	9	7	4
Black	---	68	9	7	3
Wilton Manor	---	144	3	3	1
Balance of county	---	2,729	61	38	32
White	---	2,461	37	23	20
All other	---	268	24	15	12
Black	---	264	23	15	10
Calhoun	100	80	6	4	–
White	89	72	3	2	–
All other	11	8	3	2	–
Black	11	8	3	2	–
Charlotte	705	764	2	1	9
Citrus	525	598	4	2	9
Clay	328	381	12	6	1
Collier	807	714	14	6	8
Naples	---	291	2	2	–
Balance of county	---	423	12	4	8
Columbia	508	263	11	7	4
White	362	192	5	2	3
All other	146	71	6	5	1
Black	146	71	6	5	1
Lake City	---	129	6	5	3
White	---	82	1	–	2
All other	---	47	5	5	1
Black	---	47	5	5	1
Balance of county	---	134	5	2	1
White	---	110	4	2	1
All other	---	24	1	–	–
Black	---	24	1	–	–
Dade	16,377	14,974	251	179	184
White	14,494	13,161	119	95	110
All other	1,883	1,813	132	84	74
Black	1,873	1,804	132	84	74
Coral Gables	---	372	1	1	6
Hialeah	---	922	21	20	11
Homestead	---	139	9	5	7
White	---	103	7	4	7
All other	---	36	2	1	–
Black	---	36	2	1	–
Miami	---	4,406	68	45	68
White	---	3,574	19	16	29
All other	---	832	49	29	39
Black	---	828	49	29	39
Miami Beach	---	2,594	–	–	5
Miami Springs	---	134	–	–	1
North Miami	---	619	6	4	7
North Miami Beach	---	977	5	5	3
Opa-Locka	---	123	7	5	3
White	---	62	–	–	1
All other	---	61	7	5	2
Black	---	61	7	5	2
South Miami	---	81	3	2	–
White	---	54	–	–	–
All other	---	27	3	2	–
Black	---	27	3	2	–
Balance of county	---	4,607	131	92	73
White	---	3,788	63	48	40
All other	---	819	68	44	33
Black	---	814	68	44	33
De Soto	298	190	3	3	4
White	256	150	–	–	–
All other	42	40	3	3	4
Black	42	40	3	3	4
Dixie	30	61	–	–	1
White	28	55	–	–	1
All other	2	6	–	–	–
Black	2	6	–	–	–
Duval, coext. with Jacksonville city	4,823	4,800	163	115	99
White	3,472	3,429	99	69	41
All other	1,351	1,371	64	46	58
Black	1,343	1,363	63	45	57
Escambia	1,872	1,599	55	40	18
White	1,440	1,196	28	20	12
All other	432	403	27	20	6
Black	428	399	27	20	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Escambia—Con.					
Pensacola	---	694	15	13	6
White	---	458	4	3	3
All other	---	236	11	10	3
Black	---	233	11	10	2
Balance of county	---	905	40	27	12
White	---	738	24	17	9
All other	---	167	16	10	3
Black	---	166	16	10	3
Flagler	76	86	2	2	1
White	62	70	–	–	1
All other	14	16	2	2	–
Black	14	16	2	2	–
Franklin	45	93	2	2	5
White	35	70	1	1	3
All other	10	23	1	1	2
Black	10	23	1	1	2
Gadsden	349	350	32	22	12
White	179	151	4	3	–
All other	170	199	28	19	12
Black	170	199	28	19	12
Gilchrist	17	49	–	–	–
Glades	23	34	–	–	1
White	21	26	–	–	1
All other	2	8	–	–	–
Black	1	6	–	–	–
Gulf	62	88	2	2	2
White	48	68	2	2	1
All other	14	20	–	–	1
Black	14	20	–	–	1
Hamilton	76	89	4	2	2
White	53	53	–	–	1
All other	23	36	4	2	1
Black	23	36	4	2	1
Hardee	108	173	9	3	4
White	97	153	7	3	4
All other	11	20	2	–	–
Black	11	20	2	–	–
Hendry	109	133	7	6	4
White	72	95	6	5	2
All other	37	38	1	1	2
Black	36	37	1	1	2
Hernando	367	426	7	5	3
White	347	402	4	3	3
All other	20	24	3	2	–
Black	20	24	3	2	–
Highlands	586	591	11	8	10
White	513	510	6	4	8
All other	73	81	5	4	2
Black	70	78	5	4	2
Hillsborough	5,537	5,078	142	104	65
White	4,735	4,330	98	70	48
All other	802	748	44	34	17
Black	794	744	43	33	17
Plant City	---	184	6	3	5
White	---	125	3	1	3
All other	---	59	3	2	2
Black	---	59	3	2	2
Tampa	---	3,253	88	70	37
White	---	2,627	53	42	25
All other	---	626	35	28	12
Black	---	622	34	27	12
Balance of county	---	1,641	48	31	23
Holmes	95	154	9	6	1
Indian River	581	550	11	10	1
White	519	476	3	3	–
All other	62	74	8	7	1
Black	61	74	8	7	1
Vero Beach	---	205	4	4	–
Balance of county	---	345	7	6	1
White	---	275	1	1	–
All other	---	70	6	5	1
Black	---	70	6	5	1
Jackson	309	382	8	4	5
White	232	279	3	3	2
All other	77	103	5	1	3
Black	77	103	5	1	3
Jefferson	69	100	6	4	4
White	23	46	1	1	–
All other	46	54	5	3	4
Black	46	54	5	3	4
Lafayette	13	39	–	–	–
White	11	36	–	–	–
All other	2	3	–	–	–
Black	2	3	–	–	–
Lake	1,234	1,228	21	12	11
White	1,094	1,087	12	7	6
All other	140	141	9	5	5
Black	139	140	9	5	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Lake—Con.					
Leesburg	---	205	5	5	1
White	---	152	1	1	–
All other	---	53	4	4	1
Black	---	53	4	4	1
Balance of county	---	1,023	16	7	10
White	---	935	11	6	6
All other	---	88	5	1	4
Black	---	87	5	1	4
Lee	1,951	1,932	38	22	29
White	1,831	1,806	24	16	17
All other	120	126	14	6	12
Black	118	125	14	6	12
Fort Myers	---	450	15	6	7
White	---	346	4	1	3
All other	---	104	11	5	4
Black	---	104	11	5	4
Balance of county	---	1,482	23	16	22
Leon	1,034	726	33	25	13
White	701	483	14	12	6
All other	333	243	19	13	7
Black	332	242	18	12	7
Tallahassee	---	511	23	17	8
White	---	320	8	7	3
All other	---	191	15	10	5
Black	---	190	14	9	5
Balance of county	---	215	10	8	5
White	---	163	6	5	3
All other	---	52	4	3	2
Black	---	52	4	3	2
Levy	129	210	9	6	1
White	114	183	9	6	1
All other	15	27	–	–	–
Black	15	27	–	–	–
Liberty	12	45	1	1	–
White	11	39	–	–	–
All other	1	6	1	1	–
Black	1	6	1	1	–
Madison	97	159	7	6	3
White	63	90	1	1	1
All other	34	69	6	5	2
Black	34	69	6	5	2
Manatee	1,995	1,933	23	15	10
White	1,873	1,791	15	10	5
All other	122	142	8	5	5
Black	122	142	8	5	5
Bradenton	---	600	10	8	7
White	---	523	4	4	3
All other	---	77	6	4	4
Black	---	77	6	4	4
Balance of county	---	1,333	13	7	3
Marion	1,021	1,077	17	13	10
White	833	862	10	8	5
All other	188	215	7	5	5
Black	188	215	7	5	5
Ocala	---	391	8	5	4
White	---	284	4	3	1
All other	---	107	4	2	3
Black	---	107	4	2	3
Balance of county	---	686	9	8	6
White	---	578	6	5	4
All other	---	108	3	3	2
Black	---	108	3	3	2
Martin	682	652	11	5	1
White	638	601	8	5	1
All other	44	51	3	–	–
Black	44	51	3	–	–
Monroe	508	546	7	4	9
Key West	---	245	4	4	5
White	---	206	2	2	1
All other	---	39	2	2	4
Black	---	38	2	2	3
Balance of county	---	301	3	–	4
Nassau	118	203	4	4	4
White	81	154	3	3	3
All other	37	49	1	1	1
Black	37	49	1	1	1
Okaloosa	471	487	28	18	13
Fort Walton Beach	---	103	4	2	2
Balance of county	---	384	24	16	11
Okeechobee	131	166	5	3	4
White	107	139	5	3	3
All other	24	27	–	–	1
Black	23	26	–	–	1
Orange	3,910	3,468	92	59	62
White	3,381	2,980	54	36	30
All other	529	488	38	23	32
Black	523	482	37	22	32
Florida—Con.					
Orange—Con.					
Orlando	---	1,419	44	27	34
White	---	1,121	19	9	9
All other	---	298	25	18	25
Black	---	295	24	17	25
Winter Park	---	305	2	1	1
White	---	272	1	1	–
All other	---	33	1	–	1
Black	---	33	1	–	1
Balance of county	---	1,744	46	31	27
White	---	1,587	34	26	21
All other	---	157	12	5	6
Black	---	154	12	5	6
Osceola	477	469	8	7	12
Palm Beach	5,811	5,802	94	73	60
White	5,230	5,202	56	46	30
All other	581	600	38	27	30
Black	579	597	38	27	30
Belle Glade	---	152	10	6	6
White	---	58	1	–	2
All other	---	94	9	6	4
Black	---	94	9	6	4
Boca Raton	---	505	1	1	1
Boynton Beach	---	507	10	8	5
White	---	476	4	4	1
All other	---	31	6	4	4
Black	---	31	6	4	4
Delray Beach	---	443	8	6	6
White	---	365	4	3	1
All other	---	78	4	3	5
Black	---	78	4	3	5
Lake Worth	---	538	7	7	4
Riviera Beach	---	225	3	–	4
White	---	130	–	–	–
All other	---	95	3	–	4
Black	---	95	3	–	4
West Palm Beach	---	1,018	19	16	14
White	---	834	10	9	4
All other	---	184	9	7	10
Black	---	182	9	7	10
Balance of county	---	2,414	36	29	20
White	---	2,310	29	22	18
All other	---	104	7	7	2
Black	---	103	7	7	2
Pasco	1,796	2,332	27	16	15
Pinellas	11,393	10,909	93	68	59
White	10,926	10,442	57	41	37
All other	467	467	36	27	22
Black	464	462	36	27	22
Clearwater	---	1,179	16	11	8
White	---	1,119	7	6	6
All other	---	60	9	5	2
Black	---	60	9	5	2
Dunedin	---	441	2	2	–
Largo	---	682	2	2	4
Pinellas Park	---	383	3	–	2
St. Petersburg	---	4,617	39	31	30
White	---	4,267	17	13	13
All other	---	350	22	18	17
Black	---	346	22	18	17
Balance of county	---	3,607	31	22	15
Polk	3,067	3,017	75	58	47
White	2,624	2,552	41	33	29
All other	443	465	34	25	18
Black	442	465	34	25	18
Bartow	---	144	5	4	3
White	---	92	1	–	2
All other	---	52	4	4	1
Black	---	52	4	4	1
Lakeland	---	722	11	10	10
White	---	609	5	4	5
All other	---	113	6	6	5
Black	---	113	6	6	5
Winter Haven	---	337	7	5	3
White	---	282	5	5	1
All other	---	55	2	–	2
Black	---	55	2	–	2
Balance of county	---	1,814	52	39	31
White	---	1,569	30	24	21
All other	---	245	22	15	10
Black	---	245	22	15	10
Putnam	377	499	7	3	4
White	278	366	3	2	3
All other	99	133	4	1	1
Black	98	132	4	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
St. Johns	467	508	9	5	9
White	362	398	6	4	5
All other	105	110	3	1	4
Black	105	110	3	1	4
St. Augustine	---	229	2	2	2
White	---	179	1	1	2
All other	---	50	1	1	–
Black	---	50	1	1	–
Balance of county	---	279	7	3	7
White	---	219	5	3	3
All other	---	60	2	–	4
Black	---	60	2	–	4
St. Lucie	730	838	13	9	10
White	571	658	5	5	5
All other	159	180	8	4	5
Black	159	180	8	4	5
Fort Pierce	---	463	10	6	8
White	---	293	2	2	3
All other	---	170	8	4	5
Black	---	170	8	4	5
Balance of county	---	375	3	3	2
Santa Rosa	178	301	11	6	2
Sarasota	2,708	2,570	19	11	18
Sarasota	---	826	11	5	5
White	---	755	3	1	2
All other	---	71	8	4	3
Black	---	71	8	4	3
Balance of county	---	1,744	8	6	13
Seminole	893	1,040	32	16	23
White	729	843	21	9	15
All other	164	197	11	7	8
Black	163	196	11	7	8
Sanford	---	339	12	7	9
White	---	220	3	2	5
All other	---	119	9	5	4
Black	---	119	9	5	4
Balance of county	---	701	20	9	14
White	---	623	18	7	10
All other	---	78	2	2	4
Black	---	77	2	2	4
Sumter	47	218	3	2	2
White	46	182	1	1	2
All other	1	36	2	1	–
Black	1	36	2	1	–
Suwannee	135	203	4	3	1
White	97	155	3	2	1
All other	38	48	1	1	–
Black	38	48	1	1	–
Taylor	98	142	4	1	5
White	78	108	4	1	2
All other	20	34	–	–	3
Black	20	34	–	–	3
Union	43	62	–	–	–
White	29	49	–	–	–
All other	14	13	–	–	–
Black	14	13	–	–	–
Volusia	3,032	3,127	29	14	36
White	2,767	2,851	12	7	22
All other	265	276	17	7	14
Black	264	275	17	7	14
Daytona Beach	---	846	14	9	16
White	---	686	3	3	6
All other	---	160	11	6	10
Black	---	160	11	6	10
De Land	---	315	3	2	7
White	---	282	1	1	4
All other	---	33	2	1	3
Black	---	33	2	1	3
New Smyrna Beach	---	228	3	1	–
White	---	200	2	1	–
All other	---	28	1	–	–
Black	---	28	1	–	–
Ormond Beach	---	330	1	1	2
Balance of county	---	1,408	8	1	11
Wakulla	49	76	1	–	2
White	36	62	–	–	1
All other	13	14	1	–	1
Black	13	14	1	–	1
Walton	89	173	1	1	4
White	83	162	1	1	3
All other	6	11	–	–	1
Black	6	11	–	–	1
Washington	84	130	3	1	2
White	68	114	3	1	1
All other	16	16	–	–	1
Black	16	16	–	–	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia[3]	43,335	42,691	1,300	810	1,160
White	30,719	30,206	672	452	590
All other	12,616	12,485	628	358	570
Black	12,595	12,465	625	356	563
Appling	80	126	5	3	4
White	67	99	2	2	1
All other	13	27	3	1	3
Black	13	27	3	1	3
Atkinson	18	65	2	2	–
White	12	51	2	2	–
All other	6	14	–	–	–
Black	6	14	–	–	–
Bacon	81	83	–	–	2
White	74	76	–	–	–
All other	7	7	–	–	2
Black	7	7	–	–	2
Baker	10	39	4	–	–
White	6	20	2	–	–
All other	4	19	2	–	–
Black	4	19	2	–	–
Baldwin	479	254	7	4	3
White	310	153	3	2	2
All other	169	101	4	2	1
Black	169	101	4	2	1
Milledgeville	---	142	2	1	–
White	---	82	2	1	–
All other	---	60	–	–	–
Black	---	60	–	–	–
Balance of county	---	112	5	3	3
White	---	71	1	1	2
All other	---	41	4	2	1
Black	---	41	4	2	1
Banks	14	70	1	1	–
Barrow	153	201	7	6	–
White	131	169	6	5	–
All other	22	32	1	1	–
Black	22	32	1	1	–
Bartow	265	328	9	4	10
White	225	280	4	4	10
All other	40	48	5	–	–
Black	40	48	5	–	–
Ben Hill	170	181	3	2	4
White	124	136	3	2	2
All other	46	45	–	–	2
Black	46	45	–	–	2
Berrien	83	127	5	4	4
White	66	107	5	4	2
All other	17	20	–	–	2
Black	16	19	–	–	2
Bibb	1,763	1,500	35	19	56
White	1,069	927	16	8	20
All other	694	573	19	11	36
Black	694	573	19	11	36
Macon	---	1,365	35	19	–
White	---	819	16	8	–
All other	---	546	19	11	–
Black	---	546	19	11	–
Balance of county	---	135	–	–	56
White	---	108	–	–	20
All other	---	27	–	–	36
Black	---	27	–	–	36
Bleckley	99	105	1	–	2
White	75	84	–	–	1
All other	24	21	1	–	1
Black	24	21	1	–	1
Brantley	28	74	1	1	2
White	26	67	1	1	2
All other	2	7	–	–	–
Black	2	7	–	–	–
Brooks	141	179	1	1	3
White	97	115	–	–	1
All other	44	64	1	1	2
Black	44	64	1	1	2
Bryan	12	70	8	2	7
White	5	46	5	2	5
All other	7	24	3	–	2
Black	7	24	3	–	2
Bulloch	297	255	14	3	13
White	188	166	3	1	4
All other	109	89	11	2	9
Black	109	89	11	2	9
Statesboro	---	111	8	2	–
White	---	73	2	1	–
All other	---	38	6	1	–
Black	---	38	6	1	–
Balance of county	---	144	6	1	13
White	---	93	1	–	4
All other	---	51	5	1	9
Black	---	51	5	1	9

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Burke	166	213	7	5	4
White	85	107	4	3	2
All other	81	106	3	2	2
Black	81	106	3	2	2
Butts	107	115	4	3	3
White	76	73	2	2	–
All other	31	42	2	1	3
Black	31	42	2	1	3
Calhoun	55	73	3	2	2
White	20	26	–	–	–
All other	35	47	3	2	2
Black	35	47	3	2	2
Camden	48	83	1	1	2
White	26	48	1	1	2
All other	22	35	–	–	–
Black	22	35	–	–	–
Candler	179	79	3	1	–
White	110	52	–	–	–
All other	69	27	3	1	–
Black	69	27	3	1	–
Carroll	415	443	12	8	10
White	350	387	8	5	7
All other	65	76	4	1	3
Black	65	76	4	1	3
Carrollton	– – –	128	3	2	–
White	– – –	92	1	1	–
All other	– – –	36	2	1	–
Black	– – –	36	2	1	–
Balance of county	– – –	315	9	4	10
White	– – –	275	7	4	7
All other	– – –	40	2	–	3
Black	– – –	40	2	–	3
Cataosa	445	237	7	6	1
Charlton	77	65	1	1	–
White	57	43	1	1	–
All other	20	22	–	–	–
Black	20	22	–	–	–
Chatham	1,994	1,779	49	33	59
White	1,240	1,048	28	17	26
All other	754	731	21	16	33
Black	752	729	21	16	32
Savannah	– – –	1,356	36	26	–
White	– – –	670	15	10	–
All other	– – –	686	21	16	–
Black	– – –	684	21	16	–
Balance of county	– – –	423	13	7	59
White	– – –	378	13	7	26
All other	– – –	45	–	–	33
Black	– – –	45	–	–	32
Chattahoochee	131	50	4	4	4
White	99	35	2	2	2
All other	32	15	2	2	2
Black	32	15	2	2	1
Chattooga	158	237	4	4	3
Cherokee	174	314	12	9	5
Clarke	737	458	17	9	12
White	549	305	6	4	6
All other	188	153	11	5	6
Black	186	151	11	5	6
Athens	– – –	365	13	7	–
White	– – –	229	4	3	–
All other	– – –	136	9	4	–
Black	– – –	134	9	4	–
Balance of county	– – –	93	4	2	12
White	– – –	76	2	1	6
All other	– – –	17	2	1	6
Black	– – –	17	2	1	6
Clay	68	46	2	2	–
White	36	19	–	–	–
All other	32	27	2	2	–
Black	32	27	2	2	–
Clayton	515	632	34	21	36
College Park, part	– – –	36	4	3	–
Forest Park	– – –	155	5	2	–
Balance of county	– – –	441	25	16	36
Clinch	74	81	2	–	4
White	51	58	1	–	3
All other	23	23	1	–	1
Black	23	23	1	–	1
Cobb	1,251	1,347	43	29	45
Marietta	– – –	388	14	10	–
White	– – –	329	12	9	–
All other	– – –	59	2	1	–
Black	– – –	59	2	1	–
Smyrna	– – –	165	3	1	–
Balance of county	– – –	794	26	18	45
Coffee	225	237	8	3	10
White	169	179	5	2	4
All other	56	58	3	1	6
Black	56	58	3	1	6
Georgia—Con.					
Coffee—Con.					
Douglas	– – –	100	5	2	–
White	– – –	63	2	1	–
All other	– – –	37	3	1	–
Black	– – –	37	3	1	–
Balance of county	– – –	137	3	1	10
White	– – –	116	3	1	4
All other	– – –	21	–	–	6
Black	– – –	21	–	–	6
Colquitt	284	356	10	5	10
White	226	275	5	3	6
All other	58	81	5	2	4
Black	58	81	5	2	4
Moultrie	– – –	182	7	3	–
White	– – –	119	4	2	–
All other	– – –	63	3	1	–
Black	– – –	63	3	1	–
Balance of county	– – –	174	3	2	10
White	– – –	156	1	1	6
All other	– – –	18	2	1	4
Black	– – –	18	2	1	4
Columbia	36	162	8	6	9
White	26	124	7	5	6
All other	10	38	1	1	3
Black	10	38	1	1	3
Cook	63	113	4	1	4
White	50	84	1	–	1
All other	13	29	3	1	3
Black	13	29	3	1	3
Coweta	393	394	11	7	8
White	272	268	6	5	4
All other	121	126	5	2	4
Black	121	126	5	2	4
Newnan	– – –	157	1	1	–
White	– – –	93	1	1	–
All other	– – –	64	–	–	–
Black	– – –	64	–	–	–
Balance of county	– – –	237	10	6	8
White	– – –	175	5	4	4
All other	– – –	62	5	2	4
Black	– – –	62	5	2	4
Crawford	24	61	1	1	3
White	10	32	–	–	–
All other	14	29	1	1	3
Black	14	29	1	1	3
Crisp	249	217	11	7	11
White	141	114	3	3	2
All other	108	103	8	4	9
Black	108	103	8	4	9
Cordele	– – –	145	4	3	–
White	– – –	61	–	–	–
All other	– – –	84	4	3	–
Black	– – –	84	4	3	–
Balance of county	– – –	72	7	4	11
White	– – –	53	3	3	2
All other	– – –	19	4	1	9
Black	– – –	19	4	1	9
Dade	53	87	2	1	–
Dawson	12	47	1	–	–
Decatur	234	264	10	7	6
White	147	158	5	4	1
All other	87	106	5	3	5
Black	87	106	5	3	5
Bainbridge	– – –	150	3	2	–
White	– – –	86	2	1	–
All other	– – –	64	1	1	–
Black	– – –	64	1	1	–
Balance of county	– – –	114	7	5	6
White	– – –	72	3	3	1
All other	– – –	42	4	2	5
Black	– – –	42	4	2	5
De Kalb	2,997	2,665	71	56	79
White	2,507	2,050	33	27	45
All other	490	615	38	29	34
Black	489	615	38	29	33
Atlanta, part	– – –	782	19	16	–
White	– – –	454	5	5	–
All other	– – –	328	14	11	–
Black	– – –	328	14	11	–
Decatur	– – –	443	22	18	–
White	– – –	268	5	5	–
All other	– – –	175	17	13	–
Black	– – –	175	17	13	–
Balance of county	– – –	1,440	30	22	79
White	– – –	1,328	23	17	45
All other	– – –	112	7	5	34
Black	– – –	112	7	5	33
Dodge	159	173	1	–	5
White	118	130	–	–	4
All other	41	43	1	–	1
Black	41	43	1	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Dooly	114	126	8	2	5
White	65	74	1	–	2
All other	49	52	7	2	3
Black	49	52	7	2	3
Dougherty	812	653	21	13	9
White	469	362	4	2	2
All other	343	291	17	11	7
Black	343	291	17	11	7
Albany	---	585	19	12	–
White	---	314	3	1	–
All other	---	271	16	11	–
Black	---	271	16	11	–
Balance of county	---	68	2	1	9
White	---	48	1	1	2
All other	---	20	1	–	7
Black	---	20	1	–	7
Douglas	257	286	11	8	7
Early	100	136	4	3	4
White	59	84	3	3	2
All other	41	52	1	–	2
Black	41	52	1	–	2
Echols	6	17	1	–	–
White	5	13	–	–	–
All other	1	4	1	–	–
Black	1	4	1	–	–
Effingham	59	115	7	5	3
White	47	91	6	5	–
All other	12	24	1	–	3
Black	12	24	1	–	3
Elbert	187	210	2	1	6
White	134	146	–	–	3
All other	53	64	2	1	3
Black	53	63	1	–	3
Emanuel	149	201	11	7	7
White	90	140	3	2	1
All other	59	61	8	5	6
Black	59	61	8	5	6
Evans	107	79	2	–	3
White	88	59	–	–	1
All other	19	20	2	–	2
Black	19	20	2	–	2
Fannin	67	150	3	2	2
Fayette	30	126	1	–	–
White	22	105	1	–	–
All other	8	21	–	–	–
Black	8	21	–	–	–
Floyd	1,032	764	20	19	24
White	900	664	20	19	15
All other	132	100	–	–	9
Black	132	100	–	–	9
Rome	---	443	9	8	–
White	---	362	9	8	–
All other	---	81	–	–	–
Black	---	81	–	–	–
Balance of county	---	321	11	11	24
Forsyth	128	169	1	1	2
Franklin	127	136	3	2	3
White	114	125	3	2	3
All other	13	11	–	–	–
Black	13	11	–	–	–
Fulton	6,931	5,574	151	91	116
White	4,164	3,090	42	23	37
All other	2,767	2,484	109	68	79
Black	2,763	2,480	109	68	77
Atlanta, part	---	4,436	121	72	1
White	---	2,100	22	12	1
All other	---	2,336	99	60	–
Black	---	2,332	99	60	–
Atlanta, total	---	5,218	140	88	1
White	---	2,554	27	17	1
All other	---	2,664	113	71	–
Black	---	2,660	113	71	–
College Park, part	---	256	11	8	–
White	---	203	7	4	–
All other	---	53	4	4	–
Black	---	53	4	4	–
College Park, total	---	292	15	11	–
White	---	234	8	5	–
All other	---	58	7	6	–
Black	---	57	6	6	–
East Point	---	314	6	3	–
Balance of county	---	568	13	8	115
Glimer	85	102	1	1	–
Glascock	4	20	–	–	1
White	4	18	–	–	1
All other	–	2	–	–	–
Black	–	2	–	–	–
Glynn	511	472	12	10	12
White	342	325	7	5	5
All other	169	147	5	5	7
Black	169	147	5	5	7
Georgia—Con.					
Glynn—Con.					
Brunswick	---	249	10	9	–
White	---	133	5	4	–
All other	---	116	5	5	–
Black	---	116	5	5	–
Balance of county	---	223	2	1	12
White	---	192	2	1	5
All other	---	31	–	–	7
Black	---	31	–	–	7
Gordon	181	261	5	3	3
Grady	144	194	7	3	5
White	79	114	2	2	3
All other	65	80	5	1	2
Black	65	80	5	1	2
Greene	134	130	6	6	3
White	78	72	2	2	1
All other	56	58	4	4	2
Black	56	58	4	4	2
Gwinnett	451	699	23	14	24
Habersham	152	192	5	3	4
Hall	625	543	12	4	7
White	575	487	10	4	6
All other	50	56	2	–	1
Black	50	56	2	–	1
Gainesville	---	201	5	2	–
White	---	162	3	2	–
All other	---	39	2	–	–
Black	---	39	2	–	–
Balance of county	---	342	7	2	7
Hancock	52	114	2	1	3
White	12	36	–	–	–
All other	40	78	2	1	3
Black	40	78	2	1	3
Haralson	124	165	–	–	–
Harris	40	126	2	1	7
White	24	74	–	–	3
All other	16	52	2	1	4
Black	16	52	2	1	4
Hart	148	177	3	3	5
White	126	148	3	3	1
All other	22	29	–	–	4
Black	22	29	–	–	4
Heard	30	67	–	–	1
White	27	62	–	–	1
All other	3	5	–	–	–
Black	3	5	–	–	–
Henry	106	229	9	5	2
White	82	180	6	3	1
All other	24	49	3	2	1
Black	24	49	3	2	1
Houston	373	402	18	14	18
White	275	302	12	9	12
All other	98	100	6	5	6
Black	98	99	6	5	6
Warner Robins	---	232	13	10	–
Balance of county	---	170	5	4	18
White	---	107	2	2	12
All other	---	63	3	2	6
Black	---	62	3	2	6
Irwin	71	92	6	3	3
White	46	61	2	1	3
All other	25	31	4	2	–
Black	25	31	4	2	–
Jackson	155	220	4	3	2
White	137	202	4	3	2
All other	18	18	–	–	–
Black	18	18	–	–	–
Jasper	46	78	1	–	1
White	20	38	–	–	–
All other	26	40	1	–	1
Black	26	40	1	–	1
Jeff Davis	108	109	1	1	2
White	90	94	1	1	–
All other	18	15	–	–	2
Black	18	15	–	–	2
Jefferson	121	182	4	3	10
White	41	80	–	–	1
All other	80	102	4	3	9
Black	80	102	4	3	9
Jenkins	68	107	3	3	6
White	35	56	2	2	2
All other	33	51	1	1	4
Black	33	51	1	1	4
Johnson	37	69	2	1	1
White	31	51	–	–	–
All other	6	18	2	1	1
Black	6	18	2	1	1
Jones	75	96	4	1	3
White	50	65	3	1	3
All other	25	31	1	–	–
Black	25	31	1	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Lamar	56	113	5	2	6
White	33	78	2	2	3
All other	23	35	3	–	3
Black	23	35	3	–	3
Lanier	57	45	2	2	1
White	44	37	2	2	1
All other	13	8	–	–	–
Black	13	8	–	–	–
Laurens	600	380	14	10	15
White	402	237	4	4	8
All other	198	143	10	6	7
Black	198	143	10	6	7
Dublin	– – –	179	4	3	–
White	– – –	91	–	–	–
All other	– – –	88	4	3	–
Black	– – –	88	4	3	–
Balance of county	– – –	201	10	7	15
White	– – –	146	4	4	8
All other	– – –	55	6	3	7
Black	– – –	55	6	3	7
Lee	7	61	2	2	4
White	5	39	1	1	2
All other	2	22	1	1	2
Black	2	22	1	1	2
Liberty	134	143	12	8	11
White	70	82	7	6	5
All other	64	61	5	2	6
Black	63	60	5	2	5
Lincoln	23	68	3	2	1
White	10	39	–	–	–
All other	13	29	3	2	1
Black	13	29	3	2	1
Long	8	27	1	1	–
White	5	16	1	1	–
All other	3	11	–	–	–
Black	3	11	–	–	–
Lowndes	551	492	17	14	18
White	387	330	11	10	6
All other	164	162	6	4	12
Black	164	162	6	4	12
Valdosta	– – –	301	12	11	–
White	– – –	186	7	7	–
All other	– – –	115	5	4	–
Black	– – –	115	5	4	–
Balance of county	– –	191	5	3	18
White	– – –	144	4	3	6
All other	– – –	47	1	–	12
Black	– – –	47	1	–	12
Lumpkin	90	81	–	–	1
McDuffie	171	159	8	7	7
White	92	87	–	–	4
All other	79	72	8	7	3
Black	79	72	8	7	3
McIntosh	37	73	4	2	1
White	20	41	2	1	1
All other	17	32	2	1	–
Black	17	32	2	1	–
Macon	91	134	4	1	5
White	37	42	–	–	1
All other	54	92	4	1	4
Black	54	92	4	1	4
Madison	21	153	1	–	2
White	21	143	1	–	2
All other	–	10	–	–	–
Black	–	10	–	–	–
Marion	44	45	1	1	1
White	21	26	1	1	–
All other	23	19	–	–	1
Black	23	19	–	–	1
Meriwether	162	214	2	–	3
White	99	124	–	–	1
All other	63	90	2	–	2
Black	63	90	2	–	2
Miller	85	65	–	–	3
White	56	47	–	–	1
All other	29	18	–	–	2
Black	29	18	–	–	2
Mitchell	121	193	10	5	11
White	58	104	1	1	2
All other	63	89	9	4	9
Black	63	89	9	4	9
Monroe	124	118	2	1	4
White	89	68	–	–	2
All other	35	50	2	1	2
Black	35	50	2	1	2
Montgomery	15	61	2	1	–
White	9	45	1	1	–
All other	6	16	1	–	–
Black	6	16	1	–	–
Georgia—Con.					
Morgan	84	101	4	2	2
White	41	52	1	–	1
All other	43	49	3	2	1
Black	43	49	3	2	1
Murray	65	140	5	3	2
Muscogee	1,546	1,402	41	27	38
White	987	925	20	13	8
All other	559	477	21	14	30
Black	558	476	21	14	30
Columbus	– – –	1,360	34	24	–
White	– – –	900	16	11	–
All other	– – –	460	18	13	–
Black	– – –	459	18	13	–
Balance of county	– – –	42	7	3	38
White	– – –	25	4	2	8
All other	– – –	17	3	1	30
Black	– – –	17	3	1	30
Newton	235	260	13	3	13
White	176	191	3	1	9
All other	59	69	10	2	4
Black	58	69	10	2	4
Covington	– – –	96	7	2	–
White	– – –	57	1	–	–
All other	– – –	39	6	2	–
Black	– – –	39	6	2	–
Balance of county	– – –	164	6	1	13
White	– – –	134	2	1	9
All other	– – –	30	4	–	4
Black	– – –	30	4	–	4
Oconee	4	79	2	1	–
White	4	70	1	1	–
All other	–	9	1	–	–
Black	–	9	1	–	–
Oglethorpe	21	89	3	1	3
White	14	59	1	1	2
All other	7	30	2	–	1
Black	7	30	2	–	1
Paulding	199	192	11	5	2
Peach	146	167	6	2	6
White	67	68	3	1	–
All other	79	99	3	1	6
Black	79	99	3	1	6
Pickens	101	92	1	1	4
Pierce	69	103	4	3	3
White	58	84	2	2	2
All other	11	19	2	1	1
Black	11	19	2	1	1
Pike	24	75	2	2	1
White	15	51	2	2	1
All other	9	24	–	–	–
Black	9	24	–	–	–
Polk	292	366	7	4	9
White	248	316	6	3	8
All other	44	50	1	1	1
Black	44	50	1	1	1
Pulaski	92	82	–	–	–
White	57	52	–	–	–
All other	35	30	–	–	–
Black	35	30	–	–	–
Putnam	112	89	4	2	2
White	60	51	1	–	–
All other	52	38	3	2	2
Black	52	37	3	2	2
Quitman	7	20	–	–	–
White	3	7	–	–	–
All other	4	13	–	–	–
Black	4	13	–	–	–
Rabun	86	99	1	1	2
Randolph	88	115	9	7	4
White	35	44	–	–	2
All other	53	71	9	7	2
Black	53	71	9	7	2
Richmond	2,708	1,481	46	32	60
White	1,692	878	21	18	26
All other	1,016	603	25	14	34
Black	1,011	600	24	13	34
Augusta	– – –	915	23	18	–
White	– – –	460	6	6	–
All other	– – –	455	17	12	–
Black	– – –	454	16	11	–
Balance of county	– – –	566	23	14	60
White	– – –	418	15	12	26
All other	– – –	148	8	2	34
Black	– – –	146	8	2	34
Rockdale	106	182	11	8	8
White	91	152	6	5	5
All other	15	30	5	3	3
Black	15	30	5	3	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Schley	5	33	1	1	–
White	5	18	1	1	–
All other	–	15	–	–	–
Black	–	15	–	–	–
Screven	110	150	4	4	6
White	73	90	–	–	1
All other	37	60	4	4	5
Black	37	60	4	4	5
Seminole	55	80	1	1	1
White	35	56	–	–	1
All other	20	24	1	1	–
Black	20	24	1	1	–
Spalding	426	435	6	5	9
White	321	318	1	–	4
All other	105	117	5	5	5
Black	105	117	5	5	5
Griffin	– – –	290	4	4	–
White	– – –	194	–	–	–
All other	– – –	96	4	4	–
Black	– – –	96	4	4	–
Balance of county	– – –	145	2	1	9
White	– – –	124	1	–	4
All other	– – –	21	1	1	5
Black	– – –	21	1	1	5
Stephens	309	259	7	4	3
White	286	236	5	2	2
All other	23	23	2	2	1
Black	22	22	2	2	1
Stewart	61	91	2	–	1
White	15	32	–	–	1
All other	46	59	2	–	–
Black	46	59	2	–	–
Sumter	344	280	6	5	7
White	203	158	–	–	1
All other	141	122	6	5	6
Black	141	122	6	5	6
Americus	– – –	185	6	5	–
White	– – –	103	–	–	–
All other	– – –	82	6	5	–
Black	– – –	82	6	5	–
Balance of county	– – –	95	–	–	7
White	– – –	55	–	–	1
All other	– – –	40	–	–	6
Black	– – –	40	–	–	6
Talbot	24	62	2	–	3
White	8	27	–	–	–
All other	16	35	2	–	3
Black	16	35	2	–	3
Taliaferro	6	41	1	1	–
White	6	21	–	–	–
All other	–	20	1	1	–
Black	–	20	1	1	–
Tattnall	110	187	6	2	4
White	80	151	3	2	3
All other	30	36	3	–	1
Black	30	36	3	–	1
Taylor	42	97	1	1	1
White	17	57	1	1	1
All other	25	40	–	–	–
Black	25	40	–	–	–
Telfair	124	151	3	–	1
White	84	106	1	–	–
All other	40	45	2	–	1
Black	40	45	2	–	1
Terrell	107	136	4	4	1
White	42	61	–	–	–
All other	65	75	4	4	1
Black	65	75	4	4	1
Thomas	465	401	18	12	6
White	269	234	7	5	4
All other	196	167	11	7	2
Black	196	167	11	7	2
Thomasville	– – –	231	7	5	–
White	– – –	117	2	1	–
All other	– – –	114	5	4	–
Black	– – –	114	5	4	–
Balance of county	– – –	170	11	7	6
White	– – –	117	5	4	4
All other	– – –	53	6	3	2
Black	– – –	53	6	3	2
Tift	382	288	9	4	8
White	282	217	5	1	2
All other	100	71	4	3	6
Black	100	71	4	3	6
Tifton	– – –	143	6	3	–
White	– – –	117	3	–	–
All other	– – –	26	3	3	–
Black	– – –	26	3	3	–
Balance of county	– – –	145	3	1	8
White	– – –	100	2	1	2
All other	– – –	45	1	–	6
Black	– – –	45	1	–	6
Georgia—Con.					
Toombs	194	202	8	4	4
White	145	143	3	3	1
All other	49	59	5	1	3
Black	49	59	5	1	3
Towns	76	49	2	1	2
Treutlen	34	58	–	–	4
White	23	41	–	–	–
All other	11	17	–	–	4
Black	11	17	–	–	4
Troup	456	458	11	5	18
White	309	302	5	1	10
All other	147	156	6	4	8
Black	147	156	6	4	8
La Grange	– – –	244	5	1	–
White	– – –	155	3	–	–
All other	– – –	89	2	1	–
Black	– – –	89	2	1	–
Balance of county	– – –	214	6	4	18
White	– – –	147	2	1	10
All other	– – –	67	4	3	8
Black	– – –	67	4	3	8
Turner	89	100	9	6	3
White	61	69	2	–	2
All other	28	31	7	6	1
Black	28	31	7	6	1
Twiggs	49	72	3	2	3
White	23	25	1	1	–
All other	26	47	2	1	3
Black	26	47	2	1	3
Union	88	87	2	1	2
Upson	366	305	13	9	3
White	256	216	5	4	1
All other	110	89	8	5	2
Black	110	89	8	5	2
Thomaston	– – –	155	5	5	–
White	– – –	111	1	1	–
All other	– – –	44	4	4	–
Black	– – –	44	4	4	–
Balance of county	– – –	150	8	4	3
White	– – –	105	4	3	1
All other	– – –	45	4	1	2
Black	– – –	45	4	1	2
Walker	140	495	19	8	12
Walton	220	263	15	11	4
White	177	206	9	7	4
All other	43	57	6	4	–
Black	43	57	6	4	–
Ware	404	344	13	9	11
White	322	263	10	8	5
All other	82	81	3	1	6
Black	82	81	3	1	6
Waycross	– – –	219	6	4	–
White	– – –	142	3	3	–
All other	– – –	77	3	1	–
Black	– – –	77	3	1	–
Balance of county	– – –	125	7	5	11
Warren	28	79	3	2	1
White	15	37	–	–	–
All other	13	42	3	2	1
Black	13	42	3	2	1
Washington	189	201	13	8	4
White	107	114	2	1	–
All other	82	87	11	7	4
Black	82	87	11	7	4
Wayne	184	178	10	6	9
White	144	144	8	5	3
All other	40	34	2	1	6
Black	40	34	2	1	6
Webster	3	15	–	–	–
White	1	10	–	–	–
All other	2	5	–	–	–
Black	2	5	–	–	–
Wheeler	42	57	–	–	–
White	26	44	–	–	–
All other	16	13	–	–	–
Black	16	13	–	–	–
White	51	81	2	2	1
Whitfield	457	452	10	3	9
Dalton	– – –	208	2	1	–
White	– – –	187	2	1	–
All other	– – –	21	–	–	–
Black	– – –	20	–	–	–
Balance of county	– – –	244	8	2	9
Wilcox	29	76	1	–	1
White	17	62	–	–	–
All other	12	14	1	–	1
Black	12	14	1	–	1
Wilkes	154	144	7	5	1
White	79	71	1	1	–
All other	75	73	6	4	1
Black	75	73	6	4	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Wilkinson	53	112	1	1	3
White	34	71	–	–	2
All other	19	41	1	1	1
Black	19	41	1	1	1
Worth	114	140	5	1	2
White	63	86	1	1	1
All other	51	54	4	–	1
Black	51	54	4	–	1
Hawaii	**4,721**	**4,436**	**194**	**131**	**205**
White	1,598	1,369	45	28	62
All other	3,123	3,067	149	103	143
Black	46	35	6	5	8
Hawaii	513	545	24	13	14
White	181	171	6	2	3
All other	332	374	18	11	11
Black	1	1	–	–	–
Hilo[4]	---	246	11	6	4
White	---	67	3	1	–
All other	---	179	8	5	4
Black	---	1	–	–	–
Balance of county	---	299	13	7	10
White	---	104	3	1	3
All other	---	195	10	6	7
Black	---	–	–	–	–
Honolulu	3,613	3,319	152	107	164
White	1,218	1,055	32	21	48
All other	2,395	2,264	120	86	116
Black	39	30	6	5	8
Aiea	---	108	5	5	4
White	---	36	1	1	1
All other	---	72	4	4	3
Black	---	2	–	–	1
Honolulu[4]	---	2,014	63	41	59
White	---	652	12	4	14
All other	---	1,362	51	37	45
Black	---	10	2	1	2
Kailua	---	148	7	6	11
White	---	84	3	3	5
All other	---	64	4	3	6
Black	---	–	–	–	1
Kaneohe	---	164	13	10	15
White	---	53	3	2	8
All other	---	111	10	8	7
Black	---	–	–	–	1
Pearl City	---	80	6	5	8
White	---	12	2	2	1
All other	---	68	4	3	7
Black	---	1	–	–	1
Schofield Barracks	---	14	6	4	5
White	---	9	2	1	5
All other	---	5	4	3	–
Black	---	3	3	3	–
Wahiawa	---	99	6	5	6
White	---	20	2	2	2
All other	---	79	4	3	4
Black	---	2	–	–	–
Waipahu	---	97	6	4	12
White	---	11	1	1	2
All other	---	86	5	3	10
Black	---	2	–	–	1
Balance of county	---	595	40	27	44
White	---	178	6	5	10
All other	---	417	34	22	34
Black	---	10	1	1	1
Kauai	207	206	6	3	10
White	53	40	1	1	3
All other	154	166	5	2	7
Black	3	2	–	–	–
Maui	388	366	12	8	17
White	146	103	6	4	8
All other	242	263	6	4	9
Black	3	2	–	–	–
Idaho	**6,132**	**6,462**	**214**	**127**	**155**
White	6,022	6,348	209	124	149
All other	110	114	5	3	6
Black	24	23	1	1	1
Ada	1,186	1,030	30	19	15
Boise City	---	870	28	18	8
Balance of county	---	160	2	1	7
Adams	21	26	–	–	–
Bannock	415	386	15	8	10
Pocatello	---	314	13	7	10
Balance of county	---	72	2	1	–
Idaho—Con.					
Bear Lake	69	79	2	1	2
Benewah	64	84	–	–	3
Bingham	139	206	12	4	9
Blaine	48	43	4	4	1
Boise	25	27	–	–	–
Bonner	134	178	2	2	5
Bonneville	408	330	20	15	18
Idaho Falls	---	270	16	13	15
Balance of county	---	60	4	2	3
Boundary	36	50	5	2	3
Butte	41	27	2	1	2
Camas	–	4	–	–	–
Canyon	641	658	22	16	11
Caldwell	---	178	4	3	–
Nampa	---	264	12	10	8
Balance of county	---	216	6	3	3
Caribou	52	46	4	3	4
Cassia	124	125	7	3	4
Clark	5	3	–	–	–
Clearwater	60	61	4	2	2
Custer	18	30	–	–	1
Elmore	89	107	4	1	4
Franklin	59	75	3	1	3
Fremont	54	78	3	2	1
Gem	80	98	3	3	–
Gooding	129	130	–	–	–
Idaho	105	119	5	3	1
Jefferson	45	98	3	2	–
Jerome	103	113	3	2	1
Kootenai	369	390	9	4	10
Coeur d'Alene	---	199	1	–	2
Balance of county	---	191	8	4	8
Latah	176	173	2	1	4
Moscow	---	92	–	–	2
Balance of county	---	81	2	1	2
Lemhi	59	56	1	1	2
Lewis	7	31	–	–	–
Lincoln	12	32	–	–	1
Madison	57	91	9	3	3
Minidoka	71	102	5	4	3
Nez Perce	331	326	11	6	8
Lewiston	---	284	10	5	4
Balance of county	---	42	1	1	4
White	---	36	1	1	2
All other	---	6	–	–	2
Black	---	–	–	–	–
Oneida	28	42	3	2	1
Owyhee	28	52	1	–	1
Payette	75	156	2	–	3
Power	37	35	–	–	1
Shoshone	142	172	2	1	4
Teton	26	33	3	2	1
Twin Falls	422	431	9	7	10
Twin Falls	---	248	4	2	6
Balance of county	---	183	5	5	4
Valley	56	38	1	1	–
Washington	86	91	3	1	3
Illinois	**101,189**	**103,423**	**2,834**	**1,996**	**1,817**
White	87,707	89,760	1,780	1,278	1,211
All other	13,482	13,663	1,054	718	606
Black	13,213	13,397	1,038	705	581
Adams	1,034	871	16	13	11
Quincy	---	659	11	8	8
Balance of county	---	212	5	5	3
Alexander	107	198	4	3	4
White	56	132	3	2	1
All other	51	66	1	1	3
Black	51	66	1	1	3
Bond	127	162	2	1	3
Boone	218	213	10	8	4
Belvidere	---	150	6	6	3
Balance of county	---	63	4	2	1
Brown	24	89	–	–	–
Bureau	431	466	5	5	5
Calhoun	34	80	–	–	–
Carroll	157	234	4	3	2
Cass	160	189	5	5	3
Champaign	1,201	890	36	25	19
White	1,118	810	23	17	18
All other	83	80	13	8	1
Black	81	79	12	8	1
Champaign	---	343	7	3	6
White	---	295	1	–	6
All other	---	48	6	3	–
Black	---	48	6	3	–
Rantoul	---	62	9	7	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Champaign—Con.					
Urbana	---	206	9	5	6
White	---	180	4	1	6
All other	---	26	5	4	–
Black	---	26	5	4	–
Balance of county	---	279	11	10	4
Christian	404	462	6	3	4
Taylorville	---	167	2	1	1
Balance of county	---	295	4	2	3
Clark	122	230	4	4	3
Clay	138	194	2	2	3
Clinton	191	280	3	2	6
Centralia, part	---	25	–	–	–
Balance of county	---	255	3	2	6
Coles	549	509	9	5	10
Charleston	---	123	3	–	1
Mattoon	---	253	5	4	3
Balance of county	---	133	1	1	6
Cook	49,860	50,432	1,569	1,099	1,009
White	38,582	39,059	719	511	501
All other	11,278	11,373	850	588	508
Black	11,050	11,149	840	579	488
Alsip	---	91	4	4	1
Arlington Heights, part	---	440	9	5	7
Arlington Heights, total	---	440	9	5	7
Bellwood	---	157	1	–	3
Bensenville, part	---	4	1	1	–
Berwyn	---	725	9	6	2
Blue Island	---	271	6	5	2
Bridge View	---	121	4	3	5
Brookfield	---	202	–	–	1
Buffalo Grove, part	---	44	1	1	2
Buffalo Grove, total	---	46	1	1	2
Calumet City	---	363	9	8	4
Calumet Park	---	82	2	2	–
Chicago, part	---	32,617	1,173	798	756
White	---	22,052	394	264	302
All other	---	10,565	779	534	454
Black	---	10,374	771	527	441
Chicago, total	---	32,617	1,173	798	756
White	---	22,052	394	264	302
All other	---	10,565	779	534	454
Black	---	10,374	771	527	441
Chicago Heights	---	349	20	14	12
White	---	272	11	7	3
All other	---	77	9	7	9
Black	---	77	9	7	8
Cicero	---	849	12	5	15
Deerfield, part	---	16	4	4	–
Des Plaines	---	544	12	6	7
Dolton	---	222	7	6	3
Elgin, part	---	37	1	1	1
Elk Grove Village, part	---	103	2	1	2
Elk Grove Village, total	---	103	2	1	2
Elmwood Park	---	258	3	3	3
Evanston	---	805	6	5	5
White	---	678	2	1	4
All other	---	127	4	4	1
Black	---	123	4	4	1
Evergreen Park	---	282	4	3	1
Forest Park	---	222	4	3	3
Franklin Park	---	178	5	4	2
Glencoe	---	50	1	1	–
Glenview	---	288	4	1	2
Hanover Park, part	---	65	2	2	9
Hanover Park, total	---	81	3	2	10
Harvey	---	280	11	6	5
White	---	178	2	2	1
All other	---	102	9	4	4
Black	---	102	9	4	4
Hazel Crest	---	92	5	2	–
Hickory Hills	---	78	1	1	1
Hinsdale, part	---	17	–	–	–
Hoffman Estates	---	96	3	3	2
Homewood	---	209	1	–	2
La Grange	---	188	2	1	5
La Grange Park	---	138	–	–	–
Lansing	---	196	2	2	1
Lincolnwood	---	85	–	–	–
Lyons	---	99	4	4	1
Markham	---	90	5	2	2
White	---	45	1	–	–
All other	---	45	4	2	2
Black	---	45	4	2	2
Maywood	---	211	12	10	8
White	---	127	2	1	–
All other	---	84	10	9	8
Black	---	84	10	9	8
Melrose Park	---	233	8	7	1
Midlothian	---	95	4	3	1
Illinois—Con.					
Cook—Con.					
Morton Grove	---	166	2	2	–
Mount Prospect	---	281	6	6	–
Niles	---	344	4	4	–
Norridge	---	156	–	–	–
Northbrook	---	211	3	2	4
Northlake, part	---	158	4	4	3
Northlake, total	---	159	4	4	3
Oak Forest	---	109	3	1	7
Oak Lawn	---	565	11	10	2
Oak Park	---	648	14	10	7
Palatine	---	225	7	6	3
Park Forest, part	---	125	3	3	5
Park Forest, total	---	134	3	3	7
Park Ridge	---	359	4	2	3
Riverdale	---	187	2	2	2
River Forest	---	127	–	–	–
River Grove	---	113	1	–	–
Riverside	---	98	–	–	1
Rolling Meadows	---	68	2	1	4
Schaumburg, part	---	162	8	7	8
Schaumburg, total	---	165	8	7	9
Schiller Park	---	61	1	1	1
Skokie	---	526	3	1	6
South Holland	---	193	3	3	1
Streamwood	---	64	8	7	3
Summit	---	82	2	2	4
White	---	67	–	–	3
All other	---	15	2	2	1
Black	---	15	2	2	1
Tinley Park, part	---	179	7	7	4
Tinley Park, total	---	180	7	7	4
Westchester	---	177	1	1	–
Western Springs	---	97	4	3	–
Wheeling	---	109	7	2	6
Wilmette	---	231	1	1	3
Winnetka	---	103	–	–	1
Worth	---	119	2	2	1
Balance of county	---	2,897	92	76	53
White	---	2,660	71	59	42
All other	---	237	21	17	11
Black	---	235	21	17	11
Crawford	200	254	2	1	1
Cumberland	82	136	4	–	1
De Kalb	497	483	11	8	10
De Kalb	---	130	5	4	3
Balance of county	---	353	6	4	7
De Witt	170	215	1	–	–
Douglas	140	195	4	3	4
Du Page	3,233	3,316	95	71	69
Addison	---	122	11	10	3
Bensenville, part	---	138	4	3	3
Bensenville, total	---	142	5	4	3
Chicago, part	---	–	–	–	–
Downers Grove	---	315	8	4	6
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	349	6	5	4
Glendale Heights	---	48	5	3	5
Glen Ellyn	---	149	2	2	2
Hanover Park, part	---	16	1	–	1
Hinsdale, part	---	121	2	2	1
Hinsdale, total	---	138	2	2	1
Lombard	---	264	5	5	2
Naperville	---	176	6	6	9
Northlake, part	---	1	–	–	–
Schaumburg, part	---	3	–	–	1
Villa Park	---	171	3	1	2
West Chicago	---	111	8	5	5
Wheaton	---	243	9	8	5
Woodridge	---	49	3	2	4
Balance of county	---	1,040	22	15	16
Edgar	228	258	1	1	1
Edwards	45	124	1	1	1
Effingham	322	280	10	8	4
Fayette	215	266	3	3	3
Ford	183	203	2	2	2
Franklin	466	594	8	6	3
Fulton	390	489	8	5	2
Canton	---	183	3	1	2
Balance of county	---	306	5	4	–
Gallatin	17	97	4	4	3
Greene	162	234	4	3	–
Grundy	198	229	8	5	2
Hamilton	91	116	2	2	2
Hancock	177	267	7	5	1
Hardin	74	71	–	–	1
Henderson	30	92	–	–	–
Henry	514	583	11	7	7
Kewanee	---	231	3	1	–
Balance of county	---	352	8	6	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Iroquois	255	354	9	8	5
Jackson	482	452	8	4	5
Carbondale	---	138	2	1	4
White	---	108	1	–	3
All other	---	30	1	1	1
Black	---	30	1	1	1
Murphysboro	---	128	–	–	–
Balance of county	---	186	6	3	1
Jasper	49	114	3	2	1
Jefferson	450	437	10	7	8
Mount Vernon	---	266	5	3	6
Balance of county	---	171	5	4	2
Jersey	188	170	3	2	3
Jo Daviess	132	237	3	2	–
Johnson	34	105	1	1	–
Kane	2,273	2,009	62	43	63
Aurora	---	739	24	19	25
Carpentersville	---	95	6	4	5
Elgin, part	---	504	12	6	17
Elgin, total	---	541	13	7	18
St. Charles	---	110	4	3	4
Balance of county	---	561	16	11	12
Kankakee	905	870	26	18	23
White		784	14	12	18
All other		121	122	12	6	5
Black		120	120	12	6	5
Kankakee	---	357	16	9	10
White	---	304	7	6	8
All other	---	53	9	3	2
Black	---	53	9	3	2
Balance of county	---	513	10	9	13
White	---	444	7	6	10
All other	---	69	3	3	3
Black	---	67	3	3	3
Kendall	86	178	9	7	4
Knox	744	672	14	11	6
Galesburg	---	384	3	3	3
Balance of county	---	288	11	8	3
Lake	2,801	2,647	103	78	58
White		2,661	2,521	85	67	50
All other		140	126	18	11	8
Black		137	125	18	11	6
Arlington Heights, part	---	–	–	–	–
Buffalo Grove, part	---	2	–	–	–
Deerfield, part	---	102	3	1	1
Deerfield, total	---	118	7	5	1
Highland Park	---	201	4	2	5
Lake Forest	---	93	–	–	4
Libertyville	---	119	2	2	2
Mundelein	---	99	3	3	1
North Chicago	---	114	7	5	3
White	---	80	3	3	1
All other	---	34	4	2	2
Black	---	34	4	2	2
Waukegan	---	605	30	24	12
White	---	537	18	17	8
All other	---	68	12	7	4
Black	---	68	12	7	3
Zion	---	174	7	4	3
White	---	162	6	3	2
All other	---	12	1	1	1
Black	---	12	1	1	1
Balance of county	---	1,138	47	37	27
La Salle	1,293	1,252	11	8	15
La Salle	---	164	2	1	–
Ottawa	---	251	2	2	3
Peru	---	117	–	–	1
Streator, part	---	193	1	1	1
Streator, total	---	194	1	1	1
Balance of county	---	527	6	4	10
Lawrence	217	280	5	3	4
Lee	438	390	9	5	5
Dixon	---	208	3	1	–
Balance of county	---	182	6	4	5
Livingston	365	437	5	4	3
Streator, part	---	1	–	–	–
Balance of county	---	436	5	4	3
Logan	346	359	4	4	7
Lincoln	---	199	2	2	4
Balance of county	---	160	2	2	3
McDonough	331	342	4	3	2
Macomb	---	136	–	–	–
Balance of county	---	206	4	3	2
McHenry	886	1,041	23	20	18
Crystal Lake	---	123	3	3	1
Woodstock	---	149	2	2	4
Balance of county	---	769	18	15	13
McLean	833	890	21	17	10
Bloomington	---	402	9	7	4
Normal	---	155	5	5	–
Balance of county	---	333	7	5	6
Illinois—Con.					
Macon	1,362	1,199	30	17	20
White		1,288	1,119	20	12	16
All other		74	80	10	5	4
Black		74	80	10	5	4
Decatur	---	1,001	25	15	17
White	---	922	15	10	13
All other	---	79	10	5	4
Black	---	79	10	5	4
Balance of county	---	198	5	2	3
Macoupin	358	512	9	6	8
Madison	1,948	2,231	57	38	34
White		1,816	2,096	49	34	29
All other		132	135	8	4	5
Black		132	134	8	4	5
Alton	---	449	11	8	4
White	---	382	8	6	2
All other	---	67	3	2	2
Black	---	67	3	2	2
Collinsville, part	---	211	3	2	4
Collinsville, total	---	226	4	3	5
Edwardsville	---	166	4	2	1
Granite City	---	385	14	11	1
Wood River	---	109	1	1	2
Balance of county	---	911	24	14	22
Marion	524	492	7	2	5
Centralia, part	---	176	5	1	–
White	---	160	4	1	–
All other	---	16	1	–	–
Black	---	16	1	–	–
Centralia, total	---	201	5	1	–
Balance of county	---	316	2	1	5
Marshall	60	146	2	2	–
Mason	91	191	2	2	2
Massac	150	165	2	1	4
Menard	74	117	1	1	–
Mercer	133	211	–	–	1
Monroe	88	217	5	2	5
Montgomery	408	360	3	2	4
Morgan	472	405	9	7	5
Jacksonville	---	284	4	4	1
Balance of county	---	121	5	3	4
Moultrie	138	167	3	2	3
Ogle	228	402	7	4	7
Peoria	2,361	1,877	59	43	21
White		2,223	1,739	43	32	14
All other		138	138	16	11	7
Black		137	136	16	11	7
Pekin, part	---	–	–	–	–
Peoria	---	1,271	39	28	16
White	---	1,138	24	17	9
All other	---	133	15	11	7
Black	---	131	15	11	7
Balance of county	---	606	20	15	5
Perry	256	267	1	1	4
Piatt	101	173	6	3	–
Pike	215	261	3	3	3
Pope	20	62	2	–	2
Pulaski	49	146	3	2	1
White		32	90	–	–	–
All other		17	56	3	2	1
Black		17	56	3	2	1
Putnam	7	43	–	–	1
Randolph	449	376	11	9	8
Richland	289	185	4	2	2
Rock Island	1,584	1,526	33	22	21
East Moline	---	169	2	2	4
Moline	---	472	7	5	8
Rock Island	---	527	13	8	8
White	---	477	8	5	3
All other	---	50	5	3	5
Black	---	50	5	3	4
Balance of county	---	358	11	7	1
St. Clair	2,611	2,626	97	70	40
White		2,047	1,957	40	33	24
All other		564	669	57	37	16
Black		560	669	57	37	16
Belleville	---	601	10	10	4
Cahokia	---	143	8	5	4
Centreville	---	83	6	–	–
White	---	17	–	–	–
All other	---	66	6	–	–
Black	---	66	6	–	–
Collinsville, part	---	15	1	1	1
East St. Louis	---	718	49	35	17
White	---	177	1	1	2
All other	---	541	48	34	15
Black	---	541	48	34	15
Balance of county	---	1,066	23	19	14
Saline	513	466	6	5	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Illinois—Con.					
Sangamon	2,050	1,660	29	16	16
Springfield	---	1,162	18	10	11
Balance of county	---	498	11	6	5
Schuyler	156	122	1	1	–
Scott	37	74	2	1	1
Shelby	155	260	3	3	2
Stark	32	81	2	2	1
Stephenson	482	472	6	2	5
Freeport	---	303	4	1	3
Balance of county	---	169	2	1	2
Tazewell	703	934	26	18	14
East Peoria	---	175	2	–	1
Morton	---	98	–	–	1
Pekin, part	---	305	7	6	7
Pekin, total	---	305	7	6	7
Balance of county	---	356	17	12	5
Union	203	212	5	4	3
Vermilion	1,212	1,025	24	18	16
Danville	---	545	16	11	13
White	---	492	12	7	7
All other	---	53	4	4	6
Black	---	51	4	4	6
Balance of county	---	480	8	7	3
Wabash	194	174	2	1	4
Warren	217	210	5	1	2
Monmouth	---	121	2	–	2
Balance of county	---	89	3	1	–
Washington	158	197	2	2	3
Wayne	153	196	–	–	2
White	210	245	5	5	3
Whiteside	500	557	16	11	7
Rock Falls	---	112	2	2	1
Sterling	---	158	6	3	2
Balance of county	---	287	8	6	4
Will	1,817	2,033	85	64	49
White	1,694	1,895	67	50	39
All other	123	138	18	14	10
Black	118	130	16	12	9
Joliet	---	898	39	28	20
White	---	797	25	17	13
All other	---	101	14	11	7
Black	---	100	14	11	7
Park Forest, part	---	9	–	–	2
Romeoville	---	59	3	2	–
Tinley Park, part	---	1	–	–	–
Balance of county	---	1,066	43	34	27
Williamson	810	645	9	7	4
Marion	---	173	–	–	1
Balance of county	---	472	9	7	3
Winnebago	2,139	1,991	46	26	25
White	2,045	1,890	35	20	19
All other	94	101	11	6	6
Black	94	101	11	6	6
Loves Park	---	77	3	3	1
Rockford	---	1,383	28	13	16
White	---	1,305	17	7	11
All other	---	78	11	6	5
Black	---	78	11	6	5
Balance of county	---	531	15	10	8
Woodford	173	275	10	8	13
Indiana	**47,050**	**47,109**	**1,211**	**827**	**802**
White	43,749	43,755	1,003	677	668
All other	3,301	3,354	208	150	134
Black	3,276	3,328	204	147	130
Adams	182	234	10	8	8
Allen	2,628	2,180	68	47	38
White	2,477	2,029	55	37	34
All other	151	151	13	10	4
Black	149	151	13	10	4
Fort Wayne	---	1,710	55	38	28
White	---	1,564	42	28	24
All other	---	146	13	10	4
Black	---	146	13	10	4
Balance of county	---	470	13	9	10
Bartholomew	453	396	12	8	9
Columbus	---	246	7	4	5
Balance of county	---	150	5	4	4
Benton	35	117	3	1	1
Blackford	134	150	4	2	1
Boone	232	299	9	8	3
Brown	30	73	1	1	–
Carroll	89	198	1	–	2
Cass	404	419	6	2	6
Logansport	---	269	4	2	1
Balance of county	---	150	2	–	5
Clark	632	677	18	15	14
Clarksville	---	110	3	3	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Indiana—Con.					
Clark—Con.					
Jeffersonville	---	276	4	2	7
White	---	242	4	2	4
All other	---	34	–	–	3
Black	---	34	–	–	3
Balance of county	---	291	11	10	5
Clay	293	325	4	3	1
Clinton	259	340	7	5	7
Frankfort	---	209	7	5	6
Balance of county	---	131	–	–	1
Crawford	20	98	2	1	4
Daviess	344	307	3	2	3
Washington	---	171	2	1	1
Balance of county	---	136	1	1	2
Dearborn	301	310	5	5	5
Decatur	161	216	5	5	4
De Kalb	237	291	6	4	7
Delaware	1,167	1,076	21	14	14
Muncie	---	766	11	7	8
Balance of county	---	310	10	7	6
Dubois	318	280	8	5	2
Elkhart	1,121	1,066	30	21	17
Elkhart	---	466	14	11	6
Goshen	---	208	7	6	3
Balance of county	---	392	9	4	8
Fayette	222	249	7	5	4
Connersville	---	181	4	3	2
Balance of county	---	68	3	2	2
Floyd	523	545	14	9	10
New Albany	---	444	13	8	5
Balance of county	---	101	1	1	5
Fountain	65	208	4	4	4
Franklin	52	147	2	2	–
Fulton	128	184	6	3	3
Gibson	317	396	1	1	2
Grant	778	705	13	7	10
Marion	---	424	9	4	7
White	---	396	8	3	6
All other	---	28	1	1	1
Black	---	28	1	1	1
Balance of county	---	281	4	3	3
Greene	276	329	7	3	3
Hamilton	354	487	13	10	11
Hancock	291	295	5	4	3
Harrison	202	232	2	1	3
Hendricks	349	434	12	7	7
Henry	428	521	7	4	5
New Castle	---	257	2	2	4
Balance of county	---	264	5	2	1
Howard	612	645	28	17	14
Kokomo	---	481	23	12	10
Balance of county	---	164	5	5	4
Huntington	258	330	5	3	2
Huntington	---	167	4	3	1
Balance of county	---	163	1	–	1
Jackson	287	309	5	3	9
Seymour	---	144	1	1	1
Balance of county	---	165	4	2	8
Jasper	152	194	6	5	6
Jay	172	231	6	5	6
Jefferson	367	270	2	1	4
Madison	---	146	1	1	1
Balance of county	---	124	1	–	3
Jennings	135	187	4	2	5
Johnson	496	519	13	8	6
Franklin	---	142	2	1	–
Greenwood	---	156	5	4	1
Balance of county	---	221	6	3	5
Knox	556	492	8	5	4
Vincennes	---	251	6	3	2
Balance of county	---	241	2	2	2
Kosciusko	308	451	21	15	9
Lagrange	149	165	8	6	7
Lake	4,424	4,305	158	115	121
White	3,396	3,213	83	59	66
All other	1,028	1,092	75	56	55
Black	1,023	1,086	74	55	55
Crown Point	---	139	3	3	3
East Chicago	---	440	18	8	6
White	---	291	8	4	1
All other	---	149	10	4	5
Black	---	149	10	4	5
Gary	---	1,518	76	60	60
White	---	620	16	13	16
All other	---	898	60	47	44
Black	---	895	59	46	44
Griffith	---	89	1	1	8
Hammond	---	813	21	13	18
Highland	---	137	4	3	1
Hobart	---	179	2	2	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Indiana—Con.					
Lake—Con.					
Munster	---	120	2	2	2
Balance of county	---	870	31	23	19
La Porte	1,031	983	39	31	18
La Porte	---	257	8	7	3
Michigan City	---	417	19	16	7
White	---	374	11	10	2
All other	---	43	8	6	5
Black	---	43	8	6	5
Balance of county	---	309	12	8	8
Lawrence	442	447	8	6	7
Bedford	---	196	4	4	2
Balance of county	---	251	4	2	5
Madison	1,057	1,163	26	16	13
Anderson	---	675	17	11	9
White	---	630	15	10	7
All other	---	45	2	1	2
Black	---	45	2	1	2
Elwood	---	114	1	–	2
Balance of county	---	374	8	5	2
White	---	368	8	5	2
All other	---	6	–	–	–
Black	---	4	–	–	–
Marion	8,262	6,804	188	124	112
White	6,950	5,539	115	71	71
All other	1,312	1,265	73	53	41
Black	1,309	1,262	73	53	41
Beech Grove	---	115	–	–	–
Indianapolis	---	6,471	182	119	108
White	---	5,210	109	66	67
All other	---	1,261	73	53	41
Black	---	1,258	73	53	41
Lawrence	---	43	1	1	1
Speedway	---	58	1	1	–
Balance of county	---	117	4	3	3
Marshall	351	380	13	7	12
Martin	36	104	3	1	5
Miami	220	313	13	9	9
Peru	---	175	5	4	4
Balance of county	---	138	8	5	5
Monroe	625	512	15	13	13
Bloomington	---	305	9	7	8
Balance of county	---	207	6	6	5
Montgomery	339	357	3	1	2
Crawfordsville	---	185	–	–	2
Balance of county	---	172	3	1	–
Morgan	234	367	10	7	8
Newton	81	159	4	3	1
Noble	228	301	8	4	4
Ohio	19	44	1	–	3
Orange	149	183	2	2	2
Owen	48	117	1	–	–
Parke	71	195	3	–	3
Perry	196	213	7	5	2
Pike	68	182	3	3	2
Porter	654	663	17	10	22
Portage	---	137	4	3	8
Valparaiso	---	192	4	2	3
Balance of county	---	334	9	5	11
Posey	89	254	3	2	4
Pulaski	152	173	6	4	3
Putnam	199	232	4	4	5
Randolph	205	286	4	2	1
Ripley	193	251	8	7	3
Rush	158	194	4	3	5
St. Joseph	2,261	2,137	68	51	27
White	2,092	1,966	52	40	25
All other	169	171	16	11	2
Black	167	170	16	11	2
Mishawaka	---	380	9	8	5
South Bend	---	1,248	42	31	15
White	---	1,085	27	20	13
All other	---	163	15	11	2
Black	---	163	15	11	2
Balance of county	---	509	17	12	7
Scott	120	193	8	5	5
Shelby	312	363	6	4	3
Shelbyville	---	176	1	1	1
Balance of county	---	187	5	3	2
Spencer	101	203	6	2	1
Starke	200	242	11	8	4
Steuben	181	222	4	2	1
Sullivan	226	274	2	2	5
Switzerland	24	73	2	2	1
Tippecanoe	1,134	764	27	17	11
Lafayette	---	477	18	11	9
West Lafayette	---	88	4	3	1
Balance of county	---	199	5	3	1
Tipton	173	177	5	5	3
Union	15	43	2	1	–
Indiana—Con.					
Vanderburgh	2,382	1,840	33	23	20
White	2,232	1,689	27	19	19
All other	150	151	6	4	1
Black	149	151	6	4	1
Evansville	---	1,718	29	20	17
White	---	1,568	23	16	16
All other	---	150	6	4	1
Black	---	150	6	4	1
Balance of county	---	122	4	3	3
Vermillion	181	214	2	–	2
Vigo	1,423	1,239	22	13	15
Terre Haute	---	854	16	10	9
Balance of county	---	385	6	3	6
Wabash	368	360	6	5	3
Wabash	---	140	4	4	2
Balance of county	---	220	2	1	1
Warren	77	93	–	–	2
Warrick	154	253	7	3	9
Washington	194	218	5	3	2
Wayne	801	766	15	10	13
Richmond	---	497	11	8	7
Balance of county	---	269	4	2	6
Wells	278	209	2	1	3
White	157	227	3	2	4
Whitley	240	240	2	2	5
Iowa	**26,458**	**26,770**	**558**	**431**	**351**
White	26,112	26,437	534	414	333
All other	346	333	24	17	18
Black	308	301	22	15	16
Adair	68	123	3	3	2
Adams	69	68	–	–	–
Allamakee	161	174	2	1	6
Appanoose	178	206	4	3	4
Audubon	65	103	2	1	1
Benton	161	247	2	2	4
Black Hawk	1,137	985	38	32	18
Cedar Falls	---	199	11	9	1
Waterloo	---	650	24	21	14
Balance of county	---	136	3	2	3
Boone	240	282	2	2	4
Boone	---	160	1	1	1
Balance of county	---	122	1	1	3
Bremer	171	215	6	5	2
Buchanan	167	222	7	3	4
Buena Vista	195	203	1	1	3
Butler	83	178	2	1	1
Calhoun	129	174	1	–	1
Carroll	255	254	5	5	2
Cass	234	210	3	3	1
Cedar	111	180	3	2	–
Cerro Gordo	645	492	2	2	7
Mason City	---	337	2	2	2
Balance of county	---	155	–	–	5
Cherokee	176	168	2	1	1
Chickasaw	134	154	3	3	2
Clarke	74	90	2	–	–
Clay	157	155	1	–	4
Spencer	---	92	–	–	3
Balance of county	---	63	1	–	1
Clayton	151	243	4	3	2
Clinton	568	528	12	11	8
Clinton	---	327	7	6	2
Balance of county	---	201	5	5	6
Crawford	167	187	4	4	4
Dallas	168	266	6	4	2
Davis	114	91	–	–	1
Decatur	117	114	1	–	1
Delaware	134	154	5	3	2
Des Moines	490	461	12	8	4
Burlington	---	321	8	5	3
Balance of county	---	140	4	3	1
Dickinson	138	172	4	4	3
Dubuque	895	780	24	19	6
Dubuque	---	567	20	15	3
Balance of county	---	213	4	4	3
Emmet	128	138	3	2	1
Fayette	241	265	4	4	13
Floyd	220	218	5	5	2
Franklin	140	157	3	2	1
Fremont	129	132	1	1	1
Greene	144	156	2	2	2
Grundy	83	142	2	2	1
Guthrie	97	145	1	1	–
Hamilton	112	193	–	–	1
Hancock	100	153	1	1	2
Hardin	180	233	7	5	1
Harrison	138	212	4	3	1
Henry	153	180	1	1	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Iowa—Con.					
Howard	92	130	1	–	–
Humboldt	105	128	–	–	4
Ida	109	124	–	–	1
Iowa	142	178	5	5	1
Jackson	152	208	1	–	3
Jasper	245	341	5	3	5
Newton	---	184	2	2	3
Balance of county	---	157	3	1	2
Jefferson	135	159	6	6	2
Johnson	1,492	377	11	10	5
Iowa City	---	220	6	5	2
Balance of county	---	157	5	5	3
Jones	142	168	4	4	2
Keokuk	85	154	7	3	1
Kossuth	121	207	–	–	3
Lee	514	489	16	15	9
Fort Madison	---	168	7	6	2
Keokuk	---	188	6	6	4
Balance of county	---	133	3	3	3
Linn	1,204	1,172	29	23	10
Cedar Rapids	---	836	24	19	8
Marion	---	110	3	2	1
Balance of county	---	226	2	2	1
Louisa	67	128	2	2	–
Lucas	106	126	2	2	–
Lyon	63	113	1	–	–
Madison	125	152	3	2	3
Mahaska	269	281	5	5	2
Oskaloosa	---	165	1	1	1
Balance of county	---	116	4	4	1
Marion	299	277	1	1	3
Marshall	404	364	4	4	8
Marshalltown	---	245	3	3	4
Balance of county	---	119	1	1	4
Mills	77	123	–	–	1
Mitchell	137	122	1	1	1
Monona	128	147	3	2	1
Monroe	90	122	–	–	2
Montgomery	155	162	2	2	–
Muscatine	289	364	11	8	7
Muscatine	---	235	7	4	4
Balance of county	---	129	4	4	3
O'Brien	184	182	4	3	4
Osceola	63	91	1	1	–
Page	239	228	5	3	3
Palo Alto	129	145	3	3	–
Plymouth	181	233	8	6	3
Pocahontas	126	147	1	1	1
Polk	3,013	2,445	68	49	35
White	2,889	2,320	63	47	31
All other	124	125	5	2	4
Black	120	121	5	2	4
Des Moines	---	1,895	48	33	29
White	---	1,773	43	31	25
All other	---	122	5	2	4
Black	---	119	5	2	4
Urbandale	---	38	1	1	–
West Des Moines	---	153	6	5	1
Balance of county	---	359	13	10	5
Pottawattamie	652	785	25	16	4
Council Bluffs	---	578	21	13	3
Balance of county	---	207	4	3	1
Poweshiek	189	198	3	3	7
Ringgold	104	86	1	1	1
Sac	102	164	1	–	3
Scott	1,145	1,142	32	23	22
Bettendorf	---	114	5	5	4
Davenport	---	886	22	14	13
Balance of county	---	142	5	4	5
Shelby	144	151	1	1	2
Sioux	214	231	6	3	6
Story	450	390	12	10	6
Ames	---	168	5	3	2
Balance of county	---	222	7	7	4
Tama	100	222	4	3	1
Taylor	42	118	2	2	2
Union	188	182	4	3	1
Van Buren	84	111	1	1	2
Wapello	471	477	5	3	6
Ottumwa	---	377	3	2	3
Balance of county	---	100	2	1	3
Warren	133	220	4	2	3
Washington	174	188	4	3	2
Wayne	85	120	3	3	–
Webster	481	459	13	11	4
Fort Dodge	---	320	5	3	2
Balance of county	---	139	8	8	2
Winnebago	102	141	3	2	1
Winneshiek	145	197	1	1	1
Woodbury	1,148	923	22	18	21
Sioux City	---	772	19	15	18
Balance of county	---	151	3	3	3
Worth	45	89	–	–	2
Wright	161	186	4	3	6
Kansas	**20,718**	**21,362**	**496**	**386**	**305**
White	19,597	20,204	427	335	263
All other	1,121	1,158	69	51	42
Black	1,047	1,079	64	48	36
Allen	205	209	5	5	–
Anderson	119	127	4	2	1
Atchison	207	227	4	4	4
Atchison	---	156	1	1	4
Balance of county	---	71	3	3	–
Barber	82	97	4	4	1
Barton	326	322	7	2	5
Great Bend	---	156	5	1	3
Balance of county	---	166	2	1	2
Bourbon	288	208	5	4	2
Brown	170	180	4	4	3
Butler	242	350	8	7	6
El Dorado	---	122	2	2	2
Balance of county	---	228	6	5	4
Chase	17	41	–	–	–
Chautauqua	68	61	–	–	1
Cherokee	237	275	2	2	4
Cheyenne	37	45	2	2	–
Clark	41	30	–	–	–
Clay	97	132	1	1	–
Cloud	226	183	5	5	2
Coffey	67	113	2	2	1
Comanche	29	39	2	1	1
Cowley	389	378	12	10	4
Arkansas City	---	154	5	3	1
Winfield	---	124	3	3	2
Balance of county	---	100	4	4	1
Crawford	467	498	6	4	4
Pittsburg	---	247	2	1	1
Balance of county	---	251	4	3	3
Decatur	49	50	–	–	–
Dickinson	182	234	3	3	2
Doniphan	36	110	5	5	–
Douglas	348	348	5	3	10
Lawrence	---	254	3	1	7
Balance of county	---	94	2	2	3
Edwards	49	55	–	–	1
Elk	32	70	–	–	2
Ellis	220	150	4	4	5
Hays	---	87	2	2	5
Balance of county	---	63	2	2	–
Ellsworth	80	85	–	–	1
Finney	188	160	11	9	6
Garden City	---	134	10	8	4
Balance of county	---	26	1	1	2
Ford	235	210	5	5	1
Dodge City	---	147	4	4	1
Balance of county	---	63	1	1	–
Franklin	206	257	2	2	2
Ottawa	---	152	1	1	2
Balance of county	---	105	1	1	–
Geary	198	219	20	8	8
White	166	172	15	6	6
All other	32	47	5	2	2
Black	28	41	5	2	2
Junction City	---	158	9	3	4
White	---	124	6	2	4
All other	---	34	3	1	–
Black	---	30	3	1	–
Balance of county	---	61	11	5	4
White	---	48	9	4	2
All other	---	13	2	1	2
Black	---	11	2	1	2
Gove	30	42	–	–	1
Graham	38	36	–	–	1
Grant	33	28	4	4	1
Gray	8	33	–	–	1
Greeley	20	17	–	–	–
Greenwood	99	127	1	–	2
Hamilton	30	28	2	2	–
Harper	108	102	1	1	–
Harvey	385	255	2	1	–
Newton	---	158	1	–	–
Balance of county	---	97	1	1	–
Haskell	15	25	1	–	2
Hodgeman	24	27	–	–	–
Jackson	87	138	2	2	2
Jefferson	131	155	4	3	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas—Con.					
Jewell	36	85	1	1	–
Johnson	943	1,403	28	23	22
Leawood	---	86	1	1	–
Merriam	---	61	–	–	3
Olathe	---	141	4	2	2
Overland Park	---	355	8	8	5
Prairie Village	---	172	–	–	3
Shawnee	---	116	2	2	1
Balance of county	---	472	13	10	8
Kearny	9	21	2	2	–
Kingman	76	102	–	–	–
Kiowa	40	36	–	–	–
Labette	303	304	2	2	4
Parsons	---	170	2	2	2
Balance of county	---	134	–	–	2
Lane	14	25	–	–	–
Leavenworth	498	430	16	12	8
White	442	377	13	10	7
All other	56	53	3	2	1
Black	53	47	3	2	1
Leavenworth	---	282	11	8	4
White	---	236	9	7	3
All other	---	46	2	1	1
Black	---	42	2	1	1
Balance of county	---	148	5	4	4
Lincoln	37	47	–	–	–
Linn	48	114	2	2	–
Logan	30	52	1	–	2
Lyon	323	299	5	4	5
Emporia	---	215	4	4	3
Balance of county	---	84	1	–	2
McPherson	284	274	2	2	2
McPherson	---	108	–	–	1
Balance of county	---	166	2	2	1
Marion	176	182	1	–	1
Marshall	194	213	2	2	2
Meade	42	54	1	1	1
Miami	217	213	5	3	2
Mitchell	121	119	1	1	2
Montgomery	516	554	9	7	6
Coffeyville	---	204	3	2	1
White	---	174	3	2	–
All other	---	30	–	–	1
Black	---	30	–	–	1
Independence	---	161	3	2	2
White	---	142	2	2	2
All other	---	19	1	–	–
Black	---	17	1	–	–
Balance of county	---	189	3	3	3
Morris	58	80	–	–	–
Morton	18	33	2	1	–
Nemaha	99	133	1	–	2
Neosho	212	238	3	3	1
Chanute	---	146	3	3	–
Balance of county	---	92	–	–	1
Ness	52	55	2	2	–
Norton	82	89	–	–	3
Osage	106	181	1	–	–
Osborne	68	95	–	–	1
Ottawa	74	71	2	1	1
Pawnee	97	105	6	5	1
Phillips	79	109	1	1	2
Pottawatomie	125	127	4	3	1
Manhattan, part	---	–	–	–	–
Balance of county	---	127	4	3	1
Pratt	118	107	2	1	3
Rawlins	28	35	–	–	–
Reno	540	602	14	11	9
Hutchinson	---	420	10	8	5
Balance of county	---	182	4	3	4
Republic	139	131	1	1	–
Rice	131	167	2	–	3
Riley	241	255	9	7	6
Manhattan, part	---	173	5	5	3
Manhattan, total	---	173	5	5	3
Balance of county	---	82	4	2	3
White	---	78	3	2	3
All other	---	4	1	–	–
Black	---	3	1	–	–
Rooks	67	92	6	5	–
Rush	34	69	–	–	1
Russell	109	128	1	1	1
Saline	408	401	9	8	11
Salina	---	334	8	8	9
Balance of county	---	67	1	–	2
Scott	48	52	1	1	2
Sedgwick	3,049	2,656	90	69	49
White	2,810	2,421	73	54	37
All other	239	235	17	15	12
Black	230	226	16	14	11
Kansas—Con.					
Sedgwick—Con.					
Wichita	---	2,368	78	57	41
White	---	2,136	61	42	29
All other	---	232	17	15	12
Black	---	224	16	14	11
Balance of county	---	288	12	12	8
Seward	132	121	3	3	4
Liberal	---	114	3	3	4
Balance of county	---	7	–	–	–
Shawnee	1,725	1,366	36	29	22
White	1,567	1,220	29	24	20
All other	158	146	7	5	2
Black	142	133	6	5	2
Topeka	---	1,252	32	25	20
White	---	1,107	25	20	18
All other	---	145	7	5	2
Black	---	132	6	5	2
Balance of county	---	114	4	4	2
Sheridan	37	34	1	1	–
Sherman	64	62	2	1	–
Smith	73	86	1	1	–
Stafford	68	82	–	–	1
Stanton	14	15	1	1	1
Stevens	48	40	–	–	–
Sumner	221	259	5	4	1
Thomas	86	81	4	4	2
Trego	45	48	2	2	–
Wabaunsee	48	67	2	2	–
Wallace	6	21	1	1	–
Washington	91	123	3	2	–
Wichita	11	18	–	–	–
Wilson	144	153	–	–	–
Woodson	39	75	–	–	–
Wyandotte	1,832	1,697	55	42	32
White	1,450	1,299	31	24	21
All other	382	398	24	18	11
Black	378	398	24	18	11
Kansas City	---	1,608	52	39	29
White	---	1,219	28	21	18
All other	---	389	24	18	11
Black	---	389	24	18	11
Balance of county	---	89	3	3	3
Kentucky	**33,424**	**33,493**	**843**	**578**	**577**
White	30,503	30,608	728	502	484
All other	2,921	2,885	115	76	93
Black	2,908	2,871	113	75	88
Adair	149	163	6	4	2
Allen	133	161	–	–	3
Anderson	41	99	6	6	3
Ballard	45	118	–	–	3
Barren	348	320	6	5	3
Glasgow	---	141	2	2	2
Balance of county	---	179	4	3	1
Bath	46	107	–	–	1
Bell	416	368	8	5	3
Middlesborough	---	146	2	1	–
Balance of county	---	222	6	4	3
Boone	170	299	9	7	7
Florence	---	131	5	4	5
Balance of county	---	168	4	3	2
Bourbon	140	178	1	1	2
White	114	148	1	1	2
All other	26	30	–	–	–
Black	26	30	–	–	–
Boyd	648	583	12	7	7
Ashland	---	375	8	5	5
Balance of county	---	208	4	2	2
Boyle	264	215	2	2	4
White	238	187	2	2	4
All other	26	28	–	–	–
Black	26	28	–	–	–
Danville	---	138	2	2	2
White	---	115	2	2	2
All other	---	23	–	–	–
Black	---	23	–	–	–
Balance of county	---	77	–	–	2
Bracken	53	120	3	1	3
Breathitt	96	127	2	1	3
Breckinridge	155	168	2	2	4
Bullitt	86	194	10	8	1
Butler	82	129	–	–	–
Caldwell	188	184	3	1	2
Calloway	307	327	4	4	2
Murray	---	142	1	1	1
Balance of county	---	185	3	3	1
Campbell	1,000	918	22	16	13
Fort Thomas	---	189	3	3	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky—Con.					
Campbell—Con.					
Newport	---	278	7	5	4
Balance of county	---	451	12	8	7
Carlisle	23	73	–	–	–
Carroll	121	117	–	–	2
Carter	72	199	2	2	4
Casey	103	152	5	4	1
Christian	668	576	38	21	16
White	494	405	25	13	10
All other	174	171	13	8	6
Black	172	170	13	8	6
Hopkinsville	---	347	12	8	2
White	---	229	7	5	2
All other	---	118	5	3	–
Black	---	118	5	3	–
Balance of county	---	229	26	13	14
White	---	176	18	8	8
All other	---	53	8	5	6
Black	---	52	8	5	6
Clark	208	256	8	6	7
Winchester	---	184	5	4	5
White	---	162	4	3	4
All other	---	22	1	1	1
Black	---	22	1	1	1
Balance of county	---	72	3	2	2
Clay	173	188	11	4	5
Clinton	65	91	4	4	1
Crittenden	82	119	1	1	–
Cumberland	79	82	2	2	2
Daviess	889	777	24	16	11
Owensboro	---	570	17	10	6
Balance of county	---	207	7	6	5
Edmonson	35	110	–	–	–
Elliott	22	47	1	1	1
Estill	109	137	4	3	2
Fayette	2,876	1,441	40	28	32
White	2,490	1,131	29	22	22
All other	386	310	11	6	10
Black	384	309	11	6	10
Lexington	---	1,341	39	27	31
White	---	1,047	29	22	21
All other	---	294	10	5	10
Black	---	293	10	5	10
Balance of county	---	100	1	1	1
Fleming	123	141	1	1	3
Floyd	398	344	8	4	8
Franklin	284	331	9	5	1
Frankfort	---	243	5	3	–
White	---	219	5	3	–
All other	---	24	–	–	–
Black	---	24	–	–	–
Balance of county	---	88	4	2	1
Fulton	193	180	6	3	–
White	170	153	3	2	–
All other	23	27	3	1	–
Black	23	27	3	1	–
Gallatin	8	50	2	2	–
Garrard	78	101	–	–	1
Grant	74	119	4	2	5
Graves	284	400	5	4	3
Mayfield	---	162	1	1	1
White	---	145	–	–	1
All other	---	17	1	1	–
Black	---	17	1	1	–
Balance of county	---	238	4	3	2
Grayson	138	193	9	7	2
Green	96	109	1	1	1
Greenup	183	309	10	8	7
Hancock	19	58	5	4	2
Hardin	471	405	29	13	29
Elizabethtown	---	102	1	–	5
Balance of county	---	303	28	13	24
Harlan	445	505	9	4	17
Harrison	187	190	4	2	5
Hart	95	154	5	5	2
Henderson	446	411	12	8	7
Henderson	---	277	8	5	7
White	---	244	6	5	6
All other	---	33	2	–	1
Black	---	33	2	–	1
Balance of county	---	134	4	3	–
Henry	41	141	3	3	–
Hickman	81	90	2	1	1
White	77	84	2	1	1
All other	4	6	–	–	–
Black	4	6	–	–	–
Hopkins	642	473	11	6	6
Madisonville	---	203	2	2	3
White	---	174	2	2	2
All other	---	29	–	–	1
Black	---	29	–	–	1
Kentucky—Con.					
Hopkins—Con.					
Balance of county	---	270	9	4	3
Jackson	36	104	4	1	2
Jefferson	7,784	6,675	145	104	109
White	6,555	5,516	92	66	65
All other	1,229	1,159	53	38	44
Black	1,225	1,156	51	37	42
Louisville	---	4,212	75	51	63
White	---	3,169	37	24	29
All other	---	1,043	38	27	34
Black	---	1,043	38	27	33
St. Matthews	---	167	5	4	–
Shively	---	130	1	1	1
Balance of county	---	2,166	64	48	45
White	---	2,054	50	37	35
All other	---	112	14	11	10
Black	---	110	13	10	9
Jessamine	77	165	5	3	6
Johnson	170	208	6	3	1
Kenton	1,446	1,388	26	20	26
Covington	---	710	11	9	16
Erlanger	---	75	5	3	1
Balance of county	---	603	10	8	9
Knott	51	150	3	3	4
Knox	197	303	10	7	5
Larue	55	101	1	1	2
Laurel	268	299	10	5	6
Lawrence	217	152	3	2	1
Lee	42	84	1	1	2
Leslie	71	87	3	3	2
Letcher	179	237	9	8	3
Lewis	43	136	7	5	3
Lincoln	127	200	3	2	1
Livingston	96	127	2	2	–
Logan	185	246	2	1	3
White	168	224	2	1	3
All other	17	22	–	–	–
Black	17	22	–	–	–
Lyon	52	67	1	1	–
McCracken	1,040	683	12	9	9
White	937	592	11	8	4
All other	103	91	1	1	5
Black	103	91	1	1	5
Paducah	---	481	7	6	5
White	---	400	6	5	2
All other	---	81	1	1	3
Black	---	81	1	1	3
Balance of county	---	202	5	3	4
McCreary	61	179	4	4	2
McLean	92	113	2	1	1
Madison	347	340	10	7	5
Richmond	---	133	1	–	1
White	---	102	1	–	–
All other	---	31	–	–	1
Black	---	31	–	–	1
Balance of county	---	207	9	7	4
Magoffin	25	86	2	–	2
Marion	207	172	8	7	7
Marshall	224	256	4	2	3
Martin	24	76	6	4	–
Mason	314	231	4	1	2
Meade	43	99	6	5	–
Menifee	15	41	–	–	1
Mercer	154	189	6	6	1
Metcalfe	21	87	5	3	1
Monroe	130	135	3	2	2
Montgomery	173	158	1	–	4
Morgan	93	98	3	3	1
Muhlenberg	279	352	10	5	5
Nelson	145	219	9	8	5
Nicholas	74	77	4	3	2
Ohio	181	245	7	3	1
Oldham	103	151	3	2	4
Owen	82	101	–	–	2
Owsley	29	64	2	1	1
Pendleton	96	125	3	3	1
Perry	308	294	9	7	10
Pike	590	612	25	18	16
Powell	31	72	3	1	4
Pulaski	477	399	16	11	4
Somerset	---	122	4	2	–
Balance of county	---	277	12	9	4
Robertson	6	27	–	–	–
Rockcastle	91	137	1	1	–
Rowan	253	133	–	–	3
Russell	66	143	2	–	3
Scott	137	191	7	4	6
Shelby	245	238	4	3	1
White	223	215	4	3	1
All other	22	23	–	–	–
Black	22	23	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky—Con.					
Simpson	113	160	1	1	2
White	99	136	1	1	2
All other	14	24	–	–	–
Black	14	24	–	–	–
Spencer	20	52	5	3	1
Taylor	180	189	5	3	2
Todd	64	142	–	–	3
White	57	122	–	–	3
All other	7	20	–	–	–
Black	7	20	–	–	–
Trigg	98	123	1	1	1
White	87	106	–	–	–
All other	11	17	1	1	1
Black	11	17	1	1	1
Trimble	19	50	2	2	2
Union	129	173	4	3	–
White	117	154	3	2	–
All other	12	19	1	1	–
Black	12	19	1	1	–
Warren	741	534	12	11	9
Bowling Green	---	326	7	7	5
White	---	283	5	5	4
All other	---	43	2	2	1
Black	---	43	2	2	1
Balance of county	---	208	5	4	4
Washington	46	112	1	–	4
White	42	101	1	–	4
All other	4	11	–	–	–
Black	4	11	–	–	–
Wayne	103	153	2	1	3
Webster	54	193	3	1	3
Whitley	276	319	9	6	6
Wolfe	34	71	2	2	2
Woodford	117	123	3	3	4
White	109	111	3	3	4
All other	8	12	–	–	–
Black	8	12	–	–	–
Louisiana	**34,882**	**34,693**	**1,345**	**979**	**852**
White	23,316	23,127	556	413	379
All other	11,566	11,566	789	566	473
Black	11,511	11,516	782	560	470
Acadia	368	476	18	15	18
White	277	372	9	8	11
All other	91	104	9	7	7
Black	91	104	9	7	7
Crowley	---	163	8	5	2
White	---	112	2	1	1
All other	---	51	6	4	1
Black	---	51	6	4	1
Eunice, part	---	–	–	–	–
Balance of parish	---	313	10	10	16
White	---	260	7	7	10
All other	---	53	3	3	6
Black	---	53	3	3	6
Allen	195	246	6	4	2
White	151	196	3	3	1
All other	44	50	3	1	1
Black	43	49	3	1	1
Ascension	215	283	6	2	6
White	144	194	2	1	4
All other	71	89	4	1	2
Black	70	88	4	1	2
Assumption	94	169	6	4	–
White	49	91	1	1	–
All other	45	78	5	3	–
Black	45	78	5	3	–
Avoyelles	353	457	15	10	7
White	283	362	8	5	2
All other	70	95	7	5	5
Black	70	95	7	5	5
Beauregard	239	266	5	–	6
White	198	218	4	–	5
All other	41	48	1	–	1
Black	41	48	1	–	1
Bienville	105	212	8	6	3
White	66	132	1	1	2
All other	39	80	7	5	1
Black	39	80	7	5	1
Bossier	365	469	17	10	25
White	262	319	11	7	15
All other	103	150	6	3	10
Black	102	150	6	3	10
Bossier City	---	244	11	6	9
Shreveport, part	---	1	–	–	–
Balance of parish	---	224	6	4	16
White	---	118	3	3	8
All other	---	106	3	1	8
Black	---	106	3	1	8
Louisiana—Con.					
Caddo	3,228	2,378	77	53	56
White	1,960	1,461	20	14	19
All other	1,268	917	57	39	37
Black	1,268	917	57	39	37
Shreveport, part	---	2,009	67	46	52
White	---	1,246	15	10	17
All other	---	763	52	36	35
Black	---	763	52	36	35
Shreveport, total	---	2,010	67	46	52
White	---	1,246	15	10	17
All other	---	764	52	36	35
Black	---	764	52	36	35
Balance of parish	---	369	10	7	4
White	---	215	5	4	2
All other	---	154	5	3	2
Black	---	154	5	3	2
Calcasieu	1,294	1,250	52	44	32
White	953	906	32	28	20
All other	341	344	20	16	12
Black	340	343	20	16	12
Lake Charles	---	697	30	25	18
White	---	428	15	14	7
All other	---	269	15	11	11
Black	---	269	15	11	11
Sulphur	---	133	3	2	3
Balance of parish	---	420	19	17	11
White	---	350	14	12	10
All other	---	70	5	5	1
Black	---	69	5	5	1
Caldwell	113	124	3	2	1
White	72	84	2	1	1
All other	41	40	1	1	–
Black	41	40	1	1	–
Cameron	49	57	–	–	2
Catahoula	118	139	3	3	4
White	70	91	2	2	1
All other	48	48	1	1	3
Black	48	48	1	1	3
Claiborne	200	252	7	5	6
White	111	133	2	2	2
All other	89	119	5	3	4
Black	89	119	5	3	4
Concordia	115	193	9	7	7
White	51	99	2	2	2
All other	64	94	7	5	5
Black	64	94	7	5	5
De Soto	202	289	9	7	6
White	103	131	2	1	1
All other	99	158	7	6	5
Black	99	158	7	6	5
East Baton Rouge	2,718	2,268	90	60	50
White	1,787	1,425	36	22	22
All other	931	843	54	38	28
Black	930	842	54	38	28
Baton Rouge	---	1,792	69	48	37
White	---	1,141	23	16	15
All other	---	651	46	32	22
Black	---	650	46	32	22
Balance of parish	---	476	21	12	13
White	---	284	13	6	7
All other	---	192	8	6	6
Black	---	192	8	6	6
East Carroll	105	131	6	2	4
White	39	50	–	–	1
All other	66	81	6	2	3
Black	66	81	6	2	3
East Feliciana	251	190	10	4	1
White	134	91	2	2	1
All other	117	99	8	2	–
Black	116	99	8	2	–
Evangeline	299	367	15	10	5
White	244	300	7	5	2
All other	55	67	8	5	3
Black	55	67	8	5	3
Franklin	183	214	5	5	6
White	114	139	1	1	4
All other	69	75	4	4	2
Black	69	75	4	4	2
Grant	48	166	5	4	2
White	38	148	5	4	1
All other	10	18	–	–	1
Black	10	18	–	–	1
Iberia	453	516	26	18	8
White	320	349	11	8	3
All other	133	167	15	10	5
Black	133	167	15	10	5
New Iberia	---	302	20	13	4
White	---	209	8	6	1
All other	---	93	12	7	3
Black	---	93	12	7	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
Iberia—Con.					
Balance of parish	---	214	6	5	4
White	---	140	3	2	2
All other	---	74	3	3	2
Black	---	74	3	3	2
Iberville	242	308	10	10	2
White	127	154	4	4	1
All other	115	154	6	6	1
Black	115	154	6	6	1
Jackson	159	192	4	3	2
White	112	135	–	–	–
All other	47	57	4	3	2
Black	47	57	4	3	2
Jefferson	2,390	2,712	102	80	72
White	2,023	2,279	66	50	49
All other	367	433	36	30	23
Black	362	426	33	28	23
Gretna	---	328	11	10	8
White	---	266	8	7	4
All other	---	62	3	3	4
Black	---	61	3	3	4
Harahan	---	93	1	–	1
Kenner	---	245	17	12	12
White	---	178	8	6	11
All other	---	67	9	6	1
Black	---	67	9	6	1
Westwego	---	119	4	2	3
White	---	92	2	1	2
All other	---	27	2	1	1
Black	---	26	1	1	1
Balance of parish	---	1,927	69	56	48
White	---	1,651	47	36	31
All other	---	276	22	20	17
Black	---	271	20	18	17
Jefferson Davis	278	284	6	3	11
White	225	224	1	1	7
All other	53	60	5	2	4
Black	53	60	5	2	4
Jennings	---	118	3	1	2
White	---	85	–	–	1
All other	---	33	3	1	1
Black	---	33	3	1	1
Balance of parish	---	166	3	2	9
White	---	139	1	1	6
All other	---	27	2	1	3
Black	---	27	2	1	3
Lafayette	1,201	837	58	46	29
White	832	619	35	27	15
All other	369	218	23	19	14
Black	368	217	23	19	14
Lafayette	---	582	37	30	19
White	---	407	20	16	9
All other	---	175	17	14	10
Black	---	174	17	14	10
Balance of parish	---	255	21	16	10
White	---	212	15	11	6
All other	---	43	6	5	4
Black	---	43	6	5	4
Lafourche	502	502	16	12	19
White	450	440	9	5	10
All other	52	62	7	7	9
Black	52	62	7	7	9
Thibodaux	---	118	3	2	5
White	---	92	2	1	1
All other	---	26	1	1	4
Black	---	26	1	1	4
Balance of parish	---	384	13	10	14
La Salle	124	164	5	2	2
White	110	147	5	2	2
All other	14	17	–	–	–
Black	13	16	–	–	–
Lincoln	279	291	7	6	8
White	194	175	2	2	3
All other	85	116	5	4	5
Black	85	116	5	4	5
Ruston	---	136	5	4	4
White	---	80	1	1	2
All other	---	56	4	3	2
Black	---	56	4	3	2
Balance of parish	---	155	2	2	4
White	---	95	1	1	1
All other	---	60	1	1	3
Black	---	60	1	1	3
Livingston	206	340	16	13	9
White	191	313	14	12	7
All other	15	27	2	1	2
Black	15	27	2	1	2
Madison	124	188	14	7	6
White	28	65	1	–	1
All other	96	123	13	7	5
Black	96	123	13	7	5
Louisiana—Con.					
Morehouse	328	346	14	12	6
White	166	169	–	–	1
All other	162	177	14	12	5
Black	162	177	14	12	5
Bastrop	---	212	7	6	1
White	---	104	–	–	–
All other	---	108	7	6	1
Black	---	108	7	6	1
Balance of parish	---	134	7	6	5
White	---	65	–	–	1
All other	---	69	7	6	4
Black	---	69	7	6	4
Natchitoches	292	395	7	6	6
White	162	229	1	1	2
All other	130	166	6	5	4
Black	130	166	6	5	4
Natchitoches	---	145	3	3	3
White	---	64	1	1	–
All other	---	81	2	2	3
Black	---	81	2	2	3
Balance of parish	---	250	4	3	3
White	---	165	–	–	2
All other	---	85	4	3	1
Black	---	85	4	3	1
Orleans, coext. with New Orleans city	7,881	6,423	243	182	151
White	4,517	3,526	46	35	20
All other	3,364	2,897	197	147	131
Black	3,343	2,881	197	147	130
Ouachita	1,305	1,109	70	53	29
White	818	709	32	24	14
All other	487	400	38	29	15
Black	487	400	38	29	15
Monroe	---	635	42	35	16
White	---	312	13	13	4
All other	---	323	29	22	12
Black	---	323	29	22	12
West Monroe	---	218	13	10	4
White	---	181	9	7	4
All other	---	37	4	3	–
Black	---	37	4	3	–
Balance of parish	---	256	15	8	9
White	---	216	10	4	6
All other	---	40	5	4	3
Black	---	40	5	4	3
Plaquemines	96	179	7	6	5
White	73	133	3	2	2
All other	23	46	4	4	3
Black	23	46	4	4	3
Pointe Coupee	148	217	7	4	2
White	80	121	1	–	2
All other	68	96	6	4	–
Black	68	96	6	4	–
Rapides	1,752	1,205	44	30	30
White	1,203	815	15	9	14
All other	549	390	29	21	16
Black	548	389	29	21	16
Alexandria	---	596	26	16	9
White	---	329	5	–	3
All other	---	267	21	16	6
Black	---	267	21	16	6
Balance of parish	---	609	18	14	21
White	---	486	10	9	11
All other	---	123	8	5	10
Black	---	122	8	5	10
Red River	126	124	3	3	1
White	85	81	–	–	–
All other	41	43	3	3	1
Black	41	43	3	3	1
Richland	232	257	6	5	4
White	131	137	2	2	2
All other	101	120	4	3	2
Black	101	120	4	3	2
Sabine	218	261	7	2	2
White	170	207	6	2	1
All other	48	54	1	–	1
Black	48	54	1	–	1
St. Bernard	263	404	11	10	11
St. Charles	155	226	14	10	6
White	91	141	8	6	2
All other	64	85	6	4	4
Black	63	85	6	4	4
St. Helena	64	93	2	1	–
White	40	61	1	–	–
All other	24	32	1	1	–
Black	24	32	1	1	–
St. James	137	164	14	12	3
White	74	78	5	4	1
All other	63	86	9	8	2
Black	61	86	9	8	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana—Con.					
St. John the Baptist	123	187	6	3	11
White	76	94	2	–	4
All other	47	93	4	3	7
Black	47	93	4	3	7
St. Landry	608	755	23	15	18
White	404	459	9	6	8
All other	204	296	14	9	10
Black	203	295	14	9	9
Eunice, part	---	113	3	1	1
White	---	90	3	1	1
All other	---	23	–	–	–
Black	---	23	–	–	–
Eunice, total	---	113	3	1	1
White	---	90	3	1	1
All other	---	23	–	–	–
Black	---	23	–	–	–
Opelousas	---	201	12	10	6
White	---	95	4	4	3
All other	---	106	8	6	3
Black	---	106	8	6	3
Balance of parish	---	441	8	4	11
White	---	274	2	1	4
All other	---	167	6	3	7
Black	---	166	6	3	6
St. Martin	148	300	17	12	13
White	93	193	6	6	4
All other	55	107	11	6	9
Black	55	107	11	6	9
St. Mary	413	492	15	9	16
White	279	314	6	5	4
All other	134	178	9	4	12
Black	132	175	9	4	12
Morgan City	---	139	5	4	7
White	---	110	4	3	3
All other	---	29	1	1	4
Black	---	29	1	1	4
Balance of parish	---	353	10	5	9
White	---	204	2	2	1
All other	---	149	8	3	8
Black	---	146	8	3	8
St. Tammany	538	649	27	19	16
White	442	534	14	10	12
All other	96	115	13	9	4
Black	96	115	13	9	4
Slidell	---	158	9	8	2
White	---	136	6	5	2
All other	---	22	3	3	–
Black	---	22	3	3	–
Balance of parish	---	491	18	11	14
White	---	398	8	5	10
All other	---	93	10	6	4
Black	---	93	10	6	4
Tangipahoa	696	783	34	25	31
White	459	508	13	12	12
All other	237	275	21	13	19
Black	236	274	21	13	19
Hammond	---	145	6	3	4
White	---	76	1	1	1
All other	---	69	5	2	3
Black	---	69	5	2	3
Balance of parish	---	638	28	22	27
White	---	432	12	11	11
All other	---	206	16	11	16
Black	---	205	16	11	16
Tensas	72	102	2	1	3
White	25	32	–	–	1
All other	47	70	2	1	2
Black	47	70	2	1	2
Terrebonne	563	632	34	29	17
White	459	490	19	16	11
All other	104	142	15	13	6
Black	92	130	12	10	5
Houma	---	354	19	15	8
White	---	261	12	10	6
All other	---	93	7	5	2
Black	---	89	7	5	2
Balance of parish	---	278	15	14	9
White	---	229	7	6	5
All other	---	49	8	8	4
Black	---	41	5	5	3
Union	156	194	2	2	2
White	108	140	–	–	2
All other	48	54	2	2	–
Black	48	54	2	2	–
Vermilion	382	428	18	14	7
White	339	374	10	8	6
All other	43	54	8	6	1
Black	43	54	8	6	1
Louisiana—Con.					
Vermilion—Con.					
Abbeville	---	134	7	6	4
White	---	103	3	3	3
All other	---	31	4	3	1
Black	---	31	4	3	1
Balance of parish	---	294	11	8	3
White	---	271	7	5	3
All other	---	23	4	3	–
Black	---	23	4	3	–
Vernon	211	316	26	20	14
White	182	278	21	15	9
All other	29	38	5	5	5
Black	28	36	4	4	5
Washington	378	445	8	4	11
White	266	303	4	2	6
All other	112	142	4	2	5
Black	112	142	4	2	5
Bogalusa	---	230	4	2	3
White	---	151	2	1	2
All other	---	79	2	1	1
Black	---	79	2	1	1
Balance of parish	---	215	4	2	8
White	---	152	2	1	4
All other	---	63	2	1	4
Black	---	63	2	1	4
Webster	396	472	11	8	12
White	285	327	6	5	7
All other	111	145	5	3	5
Black	111	144	5	3	5
Minden	---	181	4	3	5
White	---	115	1	1	3
All other	---	66	3	2	2
Black	---	66	3	2	2
Balance of parish	---	291	7	5	7
White	---	212	5	4	4
All other	---	79	2	1	3
Black	---	78	2	1	3
West Baton Rouge	81	163	8	5	3
White	40	79	2	2	1
All other	41	84	6	3	2
Black	41	84	6	3	2
West Carroll	76	148	6	6	–
White	69	115	3	3	–
All other	7	33	3	3	–
Black	7	33	3	3	–
West Feliciana	69	64	8	5	2
White	34	29	3	2	–
All other	35	35	5	3	2
Black	35	35	5	3	2
Winn	160	230	15	9	3
White	129	174	7	5	3
All other	31	56	8	4	–
Black	31	56	8	4	–
Maine	10,047	10,069	154	100	97
White	10,004	10,028	153	99	97
All other	43	41	1	1	–
Black	17	16	–	–	–
Androscoggin	854	871	12	9	12
Auburn	---	229	3	3	1
Lewiston	---	392	6	4	7
Balance of county	---	250	3	2	4
Aroostook	681	739	14	12	6
Caribou	---	88	3	3	–
Presque Isle	---	92	–	–	–
Balance of county	---	559	11	9	6
Cumberland	2,298	1,939	18	11	8
Portland	---	773	7	4	1
South Portland	---	206	1	1	–
Westbrook	---	127	2	1	–
Balance of county	---	833	8	5	7
Franklin	167	198	3	1	3
Hancock	405	422	4	2	7
Kennebec	1,318	936	14	10	5
Augusta	---	232	4	2	1
Waterville	---	183	3	3	–
Balance of county	---	521	7	5	4
Knox	378	355	7	3	1
Lincoln	204	282	3	2	3
Oxford	386	465	8	5	9
Penobscot	1,244	1,151	19	14	13
Bangor	---	343	3	3	3
Balance of county	---	808	16	11	10
Piscataquis	156	181	4	1	4
Sagadahoc	207	273	2	1	3
Somerset	328	412	11	7	3
Waldo	160	255	5	3	4
Washington	334	415	8	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine—Con.					
York	927	1,175	22	13	14
Biddeford	---	195	8	5	1
Saco	---	128	2	–	2
Sanford	---	161	3	3	–
Balance of county	---	691	9	5	11
Maryland	**31,339**	**32,225**	**798**	**597**	**604**
White	25,074	25,766	447	341	338
All other	6,265	6,459	351	256	266
Black	6,176	6,360	340	249	263
Allegany	1,021	960	17	12	13
Cumberland	---	424	7	4	5
Balance of county	---	536	10	8	8
Anne Arundel	1,574	2,064	63	45	44
White	1,368	1,817	50	34	30
All other	206	247	13	11	14
Black	204	241	13	11	14
Annapolis	---	279	9	7	10
White	---	203	7	5	3
All other	---	76	2	2	7
Black	---	76	2	2	7
Balance of county	---	1,785	54	38	34
White	---	1,614	43	29	27
All other	---	171	11	9	7
Black	---	165	11	9	7
Baltimore	4,213	5,033	80	61	48
White	3,958	4,788	65	52	40
All other	255	245	15	9	8
Black	249	237	15	9	8
Baltimore city	11,310	9,501	254	189	190
White	7,299	5,593	71	60	65
All other	4,011	3,908	183	129	125
Black	3,981	3,886	182	129	125
Calvert	219	262	2	2	4
White	158	197	1	1	2
All other	61	65	1	1	2
Black	61	65	1	1	2
Caroline	74	265	4	4	2
White	54	208	2	2	1
All other	20	57	2	2	1
Black	20	57	2	2	1
Carroll	597	621	10	9	13
Cecil	449	441	15	8	12
Charles	287	369	16	12	14
White	217	279	11	9	9
All other	70	90	5	3	5
Black	69	89	5	3	5
Dorchester	362	365	6	5	7
White	264	258	2	2	5
All other	98	107	4	3	2
Black	98	107	4	3	2
Cambridge	---	126	1	1	2
White	---	88	–	–	2
All other	---	38	1	1	–
Black	---	38	1	1	–
Balance of county	---	239	5	4	5
White	---	170	2	2	3
All other	---	69	3	2	2
Black	---	69	3	2	2
Frederick	714	824	14	7	7
Frederick	---	279	3	3	3
White	---	246	1	1	2
All other	---	33	2	2	1
Black	---	33	2	2	1
Balance of county	---	545	11	4	4
Garrett	243	260	8	5	9
Harford	731	801	15	11	16
White	666	721	13	9	10
All other	65	80	2	2	6
Black	64	79	2	2	6
Aberdeen	---	94	4	2	6
White	---	80	4	2	4
All other	---	14	–	–	2
Black	---	14	–	–	2
Balance of county	---	707	11	9	10
Howard	228	455	9	6	6
Kent	177	197	5	2	4
White	142	148	1	–	2
All other	35	49	4	2	2
Black	35	49	4	2	2
Montgomery	3,687	3,402	78	62	41
White	3,436	3,176	59	47	31
All other	251	226	19	15	10
Black	223	192	12	10	10
Rockville	---	423	11	9	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland—Con.					
Montgomery—Con.					
Takoma Park, part	---	134	4	4	–
White	---	123	2	2	–
All other	---	11	2	2	–
Black	---	11	2	2	–
Takoma Park, total	---	182	8	8	–
White	---	162	4	4	–
All other	---	20	4	4	–
Black	---	19	4	4	–
Balance of county	---	2,845	63	49	36
White	---	2,660	47	37	27
All other	---	185	16	12	9
Black	---	161	10	8	9
Prince Georges	2,311	3,395	142	111	144
White	1,849	2,738	66	51	65
All other	462	657	76	60	79
Black	446	635	73	58	76
Bowie	---	116	1	1	1
College Park	---	98	–	–	2
Greenbelt	---	73	2	–	4
Hyattsville	---	425	6	4	10
Laurel	---	137	8	5	8
New Carrollton	---	49	3	2	3
Takoma Park, part	---	48	4	4	–
Balance of county	---	2,449	118	95	116
White	---	1,875	49	40	45
All other	---	574	69	55	71
Black	---	559	66	53	69
Queen Annes	76	229	5	3	1
White	69	189	2	2	–
All other	7	40	3	1	1
Black	7	40	3	1	1
St. Marys	270	322	14	11	8
White	216	257	13	10	7
All other	54	65	1	1	1
Black	54	65	1	1	1
Somerset	140	259	1	1	2
White	97	166	–	–	2
All other	43	93	1	1	–
Black	43	93	1	1	–
Talbot	479	286	3	2	2
White	380	222	3	2	2
All other	99	64	–	–	–
Black	99	64	–	–	–
Washington	1,045	995	18	16	10
Hagerstown	---	527	10	9	6
Balance of county	---	468	8	7	4
Wicomico	1,014	609	15	11	6
White	733	451	5	3	2
All other	281	158	10	8	4
Black	278	156	10	8	4
Salisbury	---	262	5	5	3
White	---	192	1	1	1
All other	---	70	4	4	2
Black	---	68	4	4	2
Balance of county	---	347	10	6	3
White	---	259	4	2	1
All other	---	88	6	4	2
Black	---	88	6	4	2
Worcester	118	310	4	2	1
White	92	222	1	–	1
All other	26	88	3	2	–
Black	26	88	3	2	–
Massachusetts	**52,053**	**51,814**	**811**	**622**	**644**
White	50,598	50,361	727	556	573
All other	1,455	1,453	84	66	71
Black	1,348	1,349	80	63	63
Barnstable	1,470	1,591	16	11	21
Berkshire	1,524	1,482	25	20	16
North Adams	---	187	1	1	–
Pittsfield	---	555	11	9	6
Balance of county	---	740	13	10	10
Bristol	3,916	4,311	78	56	50
Attleboro	---	288	4	3	3
Fall River	---	1,017	15	12	22
New Bedford	---	1,183	21	13	8
Somerset town†	---	120	4	4	–
Taunton	---	411	10	6	2
Balance of county	---	1,292	24	18	15
Dukes	71	81	–	–	3
Essex	5,823	6,005	82	59	63
Beverly	---	304	4	4	5
Danvers town†	---	192	2	2	–
Gloucester	---	278	4	3	3
Haverhill	---	524	7	3	7
Lawrence	---	792	15	11	10
Lynn	---	963	8	5	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Massachusetts—Con.					
Essex—Con.					
Marblehead town†	---	194	2	1	1
Methuen town†	---	343	6	4	3
Newburyport	---	177	4	4	–
Peabody	---	353	3	3	5
Salem	---	416	5	3	1
Saugus town†	---	195	3	3	1
Swampscott town†	---	130	1	1	3
Balance of county	---	1,144	18	12	18
Franklin	523	656	16	12	12
Hampden	4,321	4,139	71	50	39
White	4,186	4,003	59	41	35
All other	135	136	12	9	4
Black	135	136	12	9	4
Chicopee	---	507	10	8	3
Holyoke	---	578	12	7	4
Longmeadow town†	---	133	2	1	1
Springfield	---	1,661	31	22	12
White	---	1,538	22	15	10
All other	---	123	9	7	2
Black	---	123	9	7	2
Westfield	---	247	4	3	5
West Springfield town†	---	272	4	4	2
Balance of county	---	741	8	5	12
Hampshire	897	986	11	9	14
Amherst town†	---	101	2	1	3
Northampton	---	283	1	1	5
Balance of county	---	602	8	7	6
Middlesex	10,283	11,306	168	135	149
White	10,158	11,160	159	127	136
All other	125	146	9	8	13
Black	117	134	7	7	11
Arlington town†	---	468	10	10	3
Belmont town†	---	284	5	5	6
Billerica town†	---	180	3	2	2
Burlington town†	---	87	6	6	3
Cambridge	---	832	14	12	8
Chelmsford town†	---	195	1	1	5
Everett	---	384	2	2	2
Framingham town†	---	475	10	6	7
Lexington town†	---	229	2	2	2
Lowell	---	980	12	8	20
Malden	---	588	8	8	7
Marlborough	---	206	4	3	2
Medford	---	613	10	8	5
Melrose	---	294	5	3	2
Natick town†	---	225	5	3	3
Newton	---	733	4	2	8
Reading town†	---	169	–	–	3
Somerville	---	818	12	8	4
Stoneham town†	---	179	4	3	2
Wakefield town†	---	252	4	4	5
Waltham	---	540	7	7	9
Watertown town†	---	340	4	3	4
Winchester town†	---	160	1	–	1
Woburn	---	304	2	2	8
Balance of county	---	1,771	33	27	28
Nantucket	59	61	2	2	1
Norfolk	4,303	5,150	54	43	64
Braintree town†	---	350	2	1	4
Brookline town†	---	620	3	2	6
Dedham town†	---	203	–	–	2
Holbrook town†	---	77	1	1	1
Milton town†	---	285	2	1	4
Needham town†	---	212	4	2	1
Norwood town†	---	268	3	2	2
Quincy	---	962	6	4	11
Randolph town†	---	218	4	4	2
Wellesley town†	---	194	5	5	4
Weymouth town†	---	472	4	3	9
Balance of county	---	1,289	20	18	18
Plymouth	2,597	3,043	61	46	47
Brockton	---	841	28	21	14
Rockland town†	---	129	4	1	2
Whitman town†	---	86	2	2	3
Balance of county	---	1,987	27	22	28
Suffolk	10,510	7,106	122	94	86
White	9,592	6,239	68	52	62
All other	918	867	54	42	24
Black	839	797	52	40	22
Boston	---	6,240	110	83	73
White	---	5,379	58	43	49
All other	---	861	52	40	24
Black	---	791	50	38	22
Chelsea	---	286	6	6	5
Revere	---	366	5	5	5
Winthrop town†	---	214	1	–	3
Massachusetts—Con.					
Worcester	5,756	5,897	105	85	79
Clinton town†	---	147	5	4	–
Fitchburg	---	374	1	1	5
Gardner	---	226	–	–	4
Leominster	---	290	5	3	5
Worcester	---	1,898	33	26	24
Balance of county	---	2,962	61	51	41
Michigan	**73,173**	**74,198**	**1,954**	**1,376**	**1,255**
White	63,952	64,959	1,385	988	900
All other	9,221	9,239	569	388	355
Black	9,024	9,044	561	383	342
Alcona	70	114	1	1	1
Alger	93	107	1	1	–
Allegan	430	583	11	6	10
Holland, part	---	10	–	–	–
Balance of county	---	573	11	6	10
Alpena	297	270	8	6	5
Alpena	---	126	4	3	1
Balance of county	---	144	4	3	4
Antrim	112	192	5	2	2
Arenac	105	134	2	2	1
Baraga	109	97	2	1	1
Barry	253	355	4	4	5
Bay	906	954	22	14	15
Bay City	---	511	9	5	6
Midland, part	---	–	–	–	–
Balance of county	---	443	13	9	9
Benzie	103	124	1	–	1
Berrien	1,489	1,526	43	25	25
White	1,304	1,343	23	15	16
All other	185	183	20	10	9
Black	183	182	20	10	9
Benton Harbor	---	172	17	10	8
White	---	76	1	1	1
All other	---	96	16	9	7
Black	---	96	16	9	7
Niles	---	188	5	3	1
St. Joseph	---	139	–	–	–
Balance of county	---	1,027	21	12	16
Branch	376	386	15	9	4
Calhoun	1,317	1,284	37	24	27
White	1,207	1,157	30	20	20
All other	110	127	7	4	7
Black	109	125	7	4	7
Albion	---	97	3	–	5
White	---	69	1	–	2
All other	---	28	2	–	3
Black	---	28	2	–	3
Battle Creek	---	554	20	15	7
White	---	458	15	11	4
All other	---	96	5	4	3
Black	---	95	5	4	3
Balance of county	---	633	14	9	15
Cass	227	405	4	2	9
White	201	351	2	1	9
All other	26	54	2	1	–
Black	26	54	2	1	–
Charlevoix	127	201	2	1	–
Cheboygan	143	211	2	1	2
Chippewa	274	312	3	2	5
Sault Ste. Marie	---	191	1	–	4
Balance of county	---	121	2	2	1
Clare	266	239	4	3	10
Clinton	192	328	9	8	7
Lansing, part	---	–	–	–	–
Balance of county	---	328	9	8	7
Crawford	148	86	3	2	–
Delta	336	393	9	7	3
Escanaba	---	169	4	3	1
Balance of county	---	224	5	4	2
Dickinson	429	329	4	2	3
Eaton	311	489	13	11	11
Lansing, part	---	9	1	1	1
Balance of county	---	480	12	10	10
Emmet	508	222	5	4	4
Genesee	3,339	3,271	117	75	59
White	2,889	2,807	73	50	41
All other	450	464	44	25	18
Black	444	458	43	25	18
Flint	---	1,654	72	44	35
White	---	1,215	32	22	18
All other	---	439	40	22	17
Black	---	437	40	22	17
Balance of county	---	1,617	45	31	24
Gladwin	125	204	7	6	5
Gogebic	266	287	9	9	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan—Con.					
Grand Traverse	629	394	7	5	5
Traverse City	---	183	2	2	2
Balance of county	---	211	5	3	3
Gratiot	382	333	10	9	4
Hillsdale	236	347	6	4	5
Houghton	382	427	7	5	4
Huron	361	409	9	7	10
Ingham	1,947	1,639	63	43	25
White	1,855	1,548	51	35	20
All other	92	91	12	8	5
Black	85	86	12	8	4
East Lansing	---	102	2	2	3
Lansing, part	---	1,010	47	31	17
White	---	924	36	24	13
All other	---	86	11	7	4
Black	---	83	11	7	3
Lansing, total	---	1,019	48	32	18
White	---	932	36	24	13
All other	---	87	12	8	5
Black	---	84	12	8	4
Balance of county	---	527	14	10	5
Ionia	274	417	9	5	5
Iosco	222	283	6	5	3
Iron	156	190	1	1	–
Isabella	306	330	9	4	8
Mount Pleasant	---	113	4	3	3
Balance of county	---	217	5	1	5
Jackson	1,193	1,294	30	18	16
Jackson	---	546	15	11	8
White	---	490	13	10	7
All other	---	56	2	1	1
Black	---	56	2	1	1
Balance of county	---	748	15	7	8
Kalamazoo	1,710	1,345	49	39	18
White	1,601	1,278	35	29	14
All other	109	67	14	10	4
Black	108	66	14	10	4
Kalamazoo	---	648	27	21	10
White	---	590	15	13	7
All other	---	58	12	8	3
Black	---	58	12	8	3
Portage	---	143	9	6	1
Balance of county	---	554	13	12	7
Kalkaska	52	92	–	–	1
Kent	3,915	3,370	94	58	48
White	3,710	3,183	71	44	41
All other	205	187	23	14	7
Black	193	175	22	14	6
East Grand Rapids	---	91	2	2	1
Grand Rapids	---	1,848	56	33	29
White	---	1,672	33	19	23
All other	---	176	23	14	6
Black	---	166	22	14	5
Grandville	---	79	–	–	–
Kentwood	---	131	6	3	1
Walker	---	97	5	4	–
Wyoming	---	350	10	6	3
Balance of county	---	774	15	10	14
Keweenaw	6	31	–	–	–
Lake	39	115	1	1	1
White	31	82	1	1	1
All other	8	33	–	–	–
Black	8	33	–	–	–
Lapeer	399	463	12	7	7
Leelanau	76	126	–	–	1
Lenawee	664	707	21	11	13
Adrian	---	197	5	4	3
Balance of county	---	510	16	7	10
Livingston	378	508	19	14	12
Luce	114	88	2	2	1
Mackinac	61	115	3	3	2
Macomb	3,189	4,118	119	82	71
Center Line	---	95	4	4	–
East Detroit	---	425	6	2	5
Fraser	---	102	–	–	1
Mount Clemens	---	302	15	11	9
White	---	274	14	10	5
All other	---	28	1	1	4
Black	---	28	1	1	4
Roseville	---	394	10	7	10
St. Clair Shores	---	605	4	3	4
Sterling Heights	---	333	20	14	14
Warren	---	955	29	18	9
Balance of county	---	907	31	23	19
Manistee	244	273	4	3	5
Marquette	573	529	17	14	8
Marquette	---	163	4	4	3
Balance of county	---	366	13	10	5
Mason	230	248	8	6	3
Michigan—Con.					
Mecosta	170	214	5	5	2
Big Rapids	---	62	1	1	–
Balance of county	---	152	4	4	2
Menominee	267	309	4	3	4
Menominee	---	134	2	1	2
Balance of county	---	175	2	2	2
Midland	475	419	16	12	6
Midland, part	---	218	7	5	1
Midland, total	---	218	7	5	1
Balance of county	---	201	9	7	5
Missaukee	20	78	1	–	–
Monroe	670	948	29	17	21
Monroe	---	265	10	6	3
Balance of county	---	683	19	11	18
Montcalm	436	431	12	9	8
Montmorency	31	77	1	–	3
Muskegon	1,292	1,315	36	22	21
White	1,168	1,183	27	16	16
All other	124	132	9	6	5
Black	123	131	9	6	5
Muskegon	---	577	12	3	11
White	---	519	8	2	7
All other	---	58	4	1	4
Black	---	58	4	1	4
Muskegon Heights	---	158	7	6	3
White	---	92	2	1	2
All other	---	66	5	5	1
Black	---	66	5	5	1
Norton Shores	---	92	2	2	2
Balance of county	---	488	15	11	5
Newaygo	264	315	9	7	4
Oakland	6,794	6,636	170	126	127
White	6,412	6,349	145	109	110
All other	382	287	25	17	17
Black	374	275	25	17	16
Berkley	---	150	3	3	3
Beverly Hills	---	68	1	1	1
Birmingham	---	243	5	3	3
Clawson	---	116	2	2	–
Farmington	---	131	1	1	2
Ferndale	---	306	3	2	5
Hazel Park	---	202	5	4	4
Madison Heights	---	187	6	3	3
Oak Park	---	324	6	5	–
Pontiac	---	705	33	20	32
White	---	508	16	10	16
All other	---	197	17	10	16
Black	---	196	17	10	16
Royal Oak	---	619	10	9	4
Southfield	---	616	18	18	2
Troy	---	300	16	15	8
Balance of county	---	2,669	61	40	60
Oceana	180	232	2	2	2
Ogemaw	222	191	3	1	1
Ontonagon	101	111	2	2	1
Osceola	155	180	4	4	6
Oscoda	30	72	2	2	1
Otsego	87	88	4	4	1
Ottawa	781	936	24	18	16
Grand Haven	---	151	1	1	2
Holland, part	---	217	5	3	4
Holland, total	---	227	5	3	4
Balance of county	---	568	18	14	10
Presque Isle	109	143	1	1	1
Roscommon	52	190	3	3	2
Saginaw	1,955	1,708	47	30	25
White	1,759	1,509	28	18	17
All other	196	199	19	12	8
Black	192	197	19	12	8
Saginaw	---	859	32	20	12
White	---	679	14	9	7
All other	---	180	18	11	5
Black	---	180	18	11	5
Balance of county	---	849	15	10	13
St. Clair	1,073	1,170	25	17	24
Port Huron	---	375	8	6	5
Balance of county	---	795	17	11	19
St. Joseph	383	453	10	6	15
Sanilac	287	397	6	3	6
Schoolcraft	122	106	1	1	4
Shiawassee	371	508	15	13	10
Owosso	---	172	6	4	6
Balance of county	---	336	9	9	4
Tuscola	330	460	4	3	8
Van Buren	450	620	15	10	11
Washtenaw	2,439	1,220	38	29	28
White	2,212	1,091	23	17	20
All other	227	129	15	12	8
Black	219	124	15	12	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan—Con.					
Washtenaw—Con.					
Ann Arbor	---	421	11	8	12
Ypsilanti	---	203	11	10	6
White	---	153	6	6	2
All other	---	50	5	4	4
Black	---	49	5	4	4
Balance of county	---	596	16	11	10
Wayne	23,276	23,164	612	449	402
White	16,604	16,317	258	198	163
All other	6,672	6,847	354	251	239
Black	6,625	6,802	352	249	236
Allen Park	---	326	2	1	1
Dearborn	---	1,052	14	12	10
Dearborn Heights	---	520	9	7	6
Detroit	---	14,562	403	280	275
White	---	8,281	87	61	53
All other	---	6,281	316	219	222
Black	---	6,246	316	219	220
Ecorse	---	181	12	10	2
White	---	113	4	4	–
All other	---	68	8	6	2
Black	---	68	8	6	2
Garden City	---	202	6	4	3
Grosse Pointe Farms	---	109	2	–	–
Grosse Pointe Park	---	129	2	2	–
Grosse Pointe Woods	---	169	2	2	2
Hamtramck	---	383	4	4	1
White	---	346	3	3	1
All other	---	37	1	1	–
Black	---	37	1	1	–
Harper Woods	---	203	1	1	–
Highland Park	---	328	13	12	5
White	---	161	1	1	1
All other	---	167	12	11	4
Black	---	166	12	11	4
Inkster	---	238	9	7	5
White	---	125	4	3	2
All other	---	113	5	4	3
Black	---	113	5	4	3
Lincoln Park	---	351	8	6	5
Livonia	---	611	13	12	6
Melvindale	---	107	2	2	3
Plymouth	---	130	2	2	1
River Rouge	---	185	6	2	7
White	---	121	5	2	3
All other	---	64	1	–	4
Black	---	63	1	–	4
Riverview	---	68	1	1	2
Southgate	---	168	3	3	4
Taylor	---	413	18	15	8
Trenton	---	137	2	–	–
Wayne	---	159	4	4	3
Westland	---	473	16	14	14
Wyandotte	---	379	7	5	8
Balance of county	---	1,581	51	41	31
Wexford	262	213	4	3	3
Minnesota	**32,725**	**32,303**	**667**	**476**	**477**
White	32,187	31,797	620	447	445
All other	538	506	47	29	32
Black	290	275	29	19	14
Aitkin	125	182	3	–	4
Anoka	640	672	39	31	23
Anoka	---	108	4	3	6
Blaine, part	---	59	8	6	4
Blaine, total	---	59	8	6	4
Columbia Heights	---	137	4	3	–
Coon Rapids	---	91	9	8	5
Fridley	---	125	7	6	2
Balance of county	---	152	7	5	6
Becker	246	263	7	3	6
Beltrami	267	242	7	5	4
White	238	215	5	4	–
All other	29	27	2	1	4
Black	–	–	–	–	–
Bemidji	---	106	3	3	–
Balance of county	---	136	4	2	4
White	---	113	2	1	–
All other	---	23	2	1	4
Black	---	–	–	–	–
Benton	100	210	4	2	5
St. Cloud, part	---	38	1	1	1
Balance of county	---	172	3	1	4
Big Stone	92	78	1	–	1
Blue Earth	454	409	7	5	3
Mankato	---	221	4	3	1
Balance of county	---	188	3	2	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota—Con.					
Brown	357	324	6	5	4
New Ulm	---	158	4	3	1
Balance of county	---	166	2	2	3
Carlton	253	240	4	3	5
Carver	192	210	6	5	3
Cass	158	296	6	4	1
Chippewa	107	147	6	4	1
Chisago	196	204	7	4	4
Clay	243	358	6	3	5
Moorhead	---	202	4	1	4
Balance of county	---	156	2	2	1
Clearwater	87	96	2	2	1
Cook	24	31	–	–	–
Cottonwood	149	157	2	2	–
Crow Wing	446	414	7	6	3
Brainerd	---	146	1	–	2
Balance of county	---	268	6	6	1
Dakota	512	738	22	15	19
Burnsville	---	60	3	1	4
Hastings, part	---	111	2	1	2
Hastings, total	---	111	2	1	2
Inver Grove Heights	---	62	3	2	–
South St. Paul	---	148	4	3	1
West St. Paul	---	150	1	1	4
Balance of county	---	207	9	7	8
Dodge	51	107	3	3	1
Douglas	238	266	4	1	2
Faribault	207	222	5	3	2
Fillmore	192	241	4	3	3
Freeborn	295	304	6	5	4
Albert Lea	---	175	4	3	3
Balance of county	---	129	2	2	1
Goodhue	365	360	7	4	5
Red Wing	---	156	2	1	3
Balance of county	---	204	5	3	2
Grant	68	75	2	2	–
Hennepin	8,628	7,496	146	105	101
White	8,378	7,270	115	83	89
All other	250	226	31	22	12
Black	158	158	24	17	8
Bloomington	---	354	8	8	7
Brooklyn Center	---	155	9	7	3
Brooklyn Park	---	111	11	9	8
Crystal	---	124	2	2	4
Edina	---	323	2	–	4
Golden Valley	---	159	2	2	1
Hopkins	---	137	1	–	1
Minneapolis	---	4,568	81	53	55
White	---	4,361	53	34	44
All other	---	207	28	19	11
Black	---	149	21	14	8
Minnetonka	---	147	1	1	2
New Hope	---	91	4	3	4
Plymouth	---	74	2	2	2
Richfield	---	243	5	4	1
Robbinsdale	---	135	2	1	1
St. Louis Park	---	359	2	2	2
Balance of county	---	516	14	11	6
Houston	149	182	1	1	2
Hubbard	164	147	3	1	3
Isanti	154	154	5	2	–
Itasca	365	385	13	11	5
Jackson	115	142	1	1	–
Kanabec	93	107	1	–	–
Kandiyohi	335	290	5	4	2
Willmar	---	135	3	2	2
Balance of county	---	155	2	2	–
Kittson	86	84	1	1	2
Koochiching	130	158	1	–	–
Lac qui Parle	130	147	–	–	1
Lake	84	95	1	1	–
Lake of the Woods	48	43	1	1	–
Le Sueur	111	206	4	3	4
Lincoln	99	75	2	2	–
Lyon	194	206	8	6	2
McLeod	226	221	4	2	2
Mahnomen	56	65	2	1	3
White	53	59	2	1	3
All other	3	6	–	–	–
Black	–	–	–	–	–
Marshall	81	142	2	2	4
Martin	234	249	3	1	5
Fairmont	---	109	1	–	1
Balance of county	---	140	2	1	4
Meeker	178	207	3	3	3
Mille Lacs	192	189	6	5	1
Morrison	248	272	5	4	4
Mower	333	414	10	8	6
Austin	---	275	6	6	4
Balance of county	---	139	4	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota—Con.					
Murray	92	111	2	1	3
Nicollet	133	190	6	4	1
Nobles	191	205	3	3	1
Norman	82	119	1	–	–
Olmsted	1,339	516	12	10	17
Rochester	---	391	9	8	9
Balance of county	---	125	3	2	8
Otter Tail	453	514	6	4	5
Fergus Falls	---	131	1	1	1
Balance of county	---	383	5	3	4
Pennington	194	157	1	1	5
Pine	98	194	3	2	3
Pipestone	111	144	3	3	2
Polk	340	415	7	5	7
Pope	123	128	–	–	5
Ramsey	3,912	3,665	69	44	41
White	3,789	3,554	62	41	35
All other	123	111	7	3	6
Black	104	99	5	2	4
Blaine, part	---	–	–	–	–
Maplewood	---	151	1	1	3
New Brighton	---	108	9	7	4
North St. Paul	---	63	1	–	–
Roseville	---	207	3	3	1
St. Paul	---	2,810	45	26	27
White	---	2,706	38	23	21
All other	---	104	7	3	6
Black	---	95	5	2	4
Shoreview	---	34	3	3	2
White Bear Lake, part	---	122	4	2	1
White Bear Lake, total	---	123	4	2	1
Balance of county	---	170	3	2	3
Red Lake	42	63	1	1	–
Redwood	181	219	3	2	2
Renville	142	228	4	2	3
Rice	361	357	8	6	2
Faribault	---	182	4	3	1
Northfield	---	99	1	1	–
Balance of county	---	76	3	2	1
Rock	92	102	2	2	1
Roseau	114	128	2	2	5
St. Louis	2,406	2,252	41	28	30
Duluth	---	1,067	23	17	14
Hibbing	---	223	3	3	1
Virginia	---	184	2	2	3
Balance of county	---	778	13	6	12
Scott	271	241	11	7	9
Sherburne	89	171	2	1	2
St. Cloud, part	---	31	–	–	–
Balance of county	---	140	2	1	2
Sibley	113	163	–	–	2
Stearns	856	591	22	19	14
St. Cloud, part	---	180	5	3	8
St. Cloud, total	---	249	6	4	9
Balance of county	---	411	17	16	6
Steele	221	226	4	2	5
Owatonna	---	147	2	2	4
Balance of county	---	79	2	–	1
Stevens	97	94	2	2	1
Swift	105	131	1	1	3
Todd	214	257	4	2	5
Traverse	60	68	2	2	3
Wabasha	178	196	2	2	5
Wadena	137	130	2	1	1
Waseca	116	149	3	1	1
Washington	326	512	12	10	17
Cottage Grove	---	41	3	2	3
Hastings, part	---	–	–	–	–
Stillwater	---	124	1	1	3
White Bear Lake, part	---	1	–	–	–
Balance of county	---	346	8	7	11
Watonwan	125	138	–	–	2
Wilkin	130	68	–	–	–
Winona	364	404	8	8	5
Winona	---	269	3	3	3
Balance of county	---	135	5	5	2
Wright	284	386	14	11	5
Yellow Medicine	136	149	3	2	5
Mississippi	**22,602**	**23,014**	**828**	**588**	**737**
White	14,003	14,327	284	222	249
All other	8,599	8,687	544	366	488
Black	8,553	8,645	539	362	481
Adams	442	371	8	6	12
White	198	145	2	1	1
All other	244	226	6	5	11
Black	244	226	6	5	11
Mississippi—Con.					
Adams—Con.					
Natchez	---	256	5	4	8
White	---	88	–	–	–
All other	---	168	5	4	8
Black	---	168	5	4	8
Balance of county	---	115	3	2	4
White	---	57	2	1	1
All other	---	58	1	1	3
Black	---	58	1	1	3
Alcorn	233	297	6	4	5
White	205	270	6	4	3
All other	28	27	–	–	2
Black	27	27	–	–	2
Corinth	---	142	1	1	2
White	---	126	1	1	1
All other	---	16	–	–	1
Black	---	16	–	–	1
Balance of county	---	155	5	3	3
Amite	62	150	3	2	6
White	31	84	–	–	2
All other	31	66	3	2	4
Black	31	66	3	2	4
Attala	208	240	1	1	7
White	135	154	–	–	3
All other	73	86	1	1	4
Black	73	86	1	1	4
Benton	18	63	–	–	4
White	9	48	–	–	1
All other	9	15	–	–	3
Black	9	15	–	–	3
Bolivar	462	498	31	18	21
White	148	166	3	2	4
All other	314	332	28	16	17
Black	313	330	28	16	17
Cleveland	---	149	9	7	8
White	---	69	2	2	2
All other	---	80	7	5	6
Black	---	79	7	5	6
Balance of county	---	349	22	11	13
White	---	97	1	–	2
All other	---	252	21	11	11
Black	---	251	21	11	11
Calhoun	109	164	4	4	9
White	86	133	1	1	4
All other	23	31	3	3	5
Black	23	31	3	3	5
Carroll	23	97	3	2	2
White	10	56	–	–	1
All other	13	41	3	2	1
Black	13	41	3	2	1
Chickasaw	171	208	5	4	6
White	114	135	1	–	1
All other	57	73	4	4	5
Black	57	73	4	4	5
Choctaw	73	101	3	2	1
White	46	73	1	–	–
All other	27	28	2	2	1
Black	27	28	2	2	1
Claiborne	67	103	9	6	3
White	17	31	2	2	–
All other	50	72	7	4	3
Black	50	72	7	4	3
Clarke	127	161	6	3	11
White	82	104	1	1	2
All other	45	57	5	2	9
Black	45	57	5	2	9
Clay	135	190	7	4	4
White	65	97	1	1	–
All other	70	93	6	3	4
Black	70	93	6	3	4
Coahoma	456	433	26	18	24
White	160	144	1	1	–
All other	296	289	25	17	24
Black	294	288	25	17	24
Clarksdale	---	258	20	14	14
White	---	93	1	1	–
All other	---	165	19	13	14
Black	---	164	19	13	14
Balance of county	---	175	6	4	10
White	---	51	–	–	–
All other	---	124	6	4	10
Black	---	124	6	4	10
Copiah	216	313	11	6	11
White	123	170	1	–	3
All other	93	143	10	6	8
Black	93	143	10	6	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Covington	127	181	10	5	5
White	88	132	3	3	3
All other	39	49	7	2	2
Black	39	49	7	2	2
De Soto	160	328	13	11	8
White	99	236	9	7	4
All other	61	92	4	4	4
Black	61	92	4	4	4
Forrest	870	625	25	20	16
White	646	439	9	9	3
All other	224	186	16	11	13
Black	224	186	16	11	13
Hattiesburg, part	---	420	18	14	11
White	---	266	4	4	3
All other	---	154	14	10	8
Black	---	154	14	10	8
Hattiesburg, total	---	421	18	14	11
White	---	266	4	4	3
All other	---	155	14	10	8
Black	---	155	14	10	8
Balance of county	---	205	7	6	5
White	---	173	5	5	–
All other	---	32	2	1	5
Black	---	32	2	1	5
Franklin	100	113	5	3	3
White	61	68	3	2	–
All other	39	45	2	1	3
Black	39	45	2	1	3
George	114	139	2	1	2
White	99	124	1	1	2
All other	15	15	1	–	–
Black	15	15	1	–	–
Greene	66	107	5	4	3
White	45	87	5	4	2
All other	21	20	–	–	1
Black	21	20	–	–	1
Grenada	290	221	7	7	5
White	164	116	3	3	2
All other	126	105	4	4	3
Black	125	105	4	4	3
Hancock	172	206	1	–	5
White	139	178	1	–	4
All other	33	28	–	–	1
Black	33	28	–	–	1
Harrison	1,530	1,253	33	24	50
White	1,244	1,016	24	17	29
All other	286	237	9	7	21
Black	286	237	9	7	21
Biloxi	---	366	8	5	18
White	---	314	7	4	11
All other	---	52	1	1	7
Black	---	52	1	1	7
Gulfport	---	450	11	8	16
White	---	343	6	4	7
All other	---	107	5	4	9
Black	---	107	5	4	9
Balance of county	---	437	14	11	16
White	---	359	11	9	11
All other	---	78	3	2	5
Black	---	78	3	2	5
Hinds	3,169	1,857	55	33	86
White	1,825	1,044	19	16	17
All other	1,344	813	36	17	69
Black	1,340	811	35	16	68
Jackson, part	---	1,536	45	25	67
White	---	897	14	11	13
All other	---	639	31	14	54
Black	---	637	30	13	53
Jackson, total	---	1,537	45	25	67
White	---	897	14	11	13
All other	---	640	31	14	54
Black	---	638	30	13	53
Balance of county	---	321	10	8	19
White	---	147	5	5	4
All other	---	174	5	3	15
Black	---	174	5	3	15
Holmes	197	270	16	12	10
White	49	81	3	3	–
All other	148	189	13	9	10
Black	148	189	13	9	9
Humphreys	174	167	8	5	6
White	54	66	1	1	1
All other	120	101	7	4	5
Black	120	101	7	4	5
Issaquena	6	25	1	1	–
White	2	12	–	–	–
All other	4	13	1	1	–
Black	4	13	1	1	–
Itawamba	127	192	5	3	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Jackson	619	696	42	29	24
White	491	569	26	18	12
All other	128	127	16	11	12
Black	128	127	16	11	11
Moss Point	---	125	5	3	9
White	---	62	1	1	2
All other	---	63	4	2	7
Black	---	63	4	2	7
Pascagoula	---	247	19	14	7
White	---	205	10	7	5
All other	---	42	9	7	2
Black	---	42	9	7	1
Balance of county	---	324	18	12	8
Jasper	126	165	8	7	4
White	84	106	3	3	–
All other	42	59	5	4	4
Black	42	59	5	4	4
Jefferson	60	95	3	2	1
White	12	31	–	–	–
All other	48	64	3	2	1
Black	48	64	3	2	1
Jefferson Davis	116	148	5	5	2
White	54	71	1	1	–
All other	62	77	4	4	2
Black	62	77	4	4	2
Jones	600	573	22	17	11
White	430	422	9	5	6
All other	170	151	13	12	5
Black	168	149	11	11	5
Laurel	---	265	12	10	4
White	---	156	3	1	–
All other	---	109	9	9	4
Black	---	109	9	9	4
Balance of county	---	308	10	7	7
White	---	266	6	4	6
All other	---	42	4	3	1
Black	---	40	2	2	1
Kemper	65	127	1	1	–
White	33	74	–	–	–
All other	32	53	1	1	–
Black	32	52	1	1	–
Lafayette	236	214	9	7	6
White	168	135	5	4	3
All other	68	79	4	3	3
Black	68	79	4	3	3
Oxford	---	76	1	1	3
White	---	60	1	1	3
All other	---	16	–	–	–
Black	---	16	–	–	–
Balance of county	---	138	8	6	3
White	---	75	4	3	–
All other	---	63	4	3	3
Black	---	63	4	3	3
Lamar	60	139	2	2	1
White	53	123	2	2	–
All other	7	16	–	–	1
Black	7	16	–	–	1
Hattiesburg, part	---	1	–	–	–
Balance of county	---	138	2	2	1
White	---	123	2	2	–
All other	---	15	–	–	1
Black	---	15	–	–	1
Lauderdale	994	763	28	22	22
White	653	488	10	8	6
All other	341	275	18	14	16
Black	334	275	18	14	14
Meridian	---	551	15	12	17
White	---	348	6	5	5
All other	---	203	9	7	12
Black	---	203	9	7	11
Balance of county	---	212	13	10	5
White	---	140	4	3	1
All other	---	72	9	7	4
Black	---	72	9	7	3
Lawrence	109	137	2	1	2
White	71	94	1	1	–
All other	38	43	1	–	2
Black	38	43	1	–	2
Leake	157	218	4	3	12
White	110	151	1	1	4
All other	47	67	3	2	8
Black	45	62	3	2	8
Lee	768	510	17	15	14
White	597	387	10	10	7
All other	171	123	7	5	7
Black	171	123	7	5	7
Tupelo	---	213	9	7	9
White	---	149	5	5	5
All other	---	64	4	2	4
Black	---	64	4	2	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Lee—Con.					
Balance of county	---	297	8	8	5
White	---	238	5	5	2
All other	---	59	3	3	3
Black	---	59	3	3	3
Leflore	489	455	26	16	15
White	222	183	6	4	4
All other	267	272	20	12	11
Black	266	272	20	12	11
Greenwood	---	278	15	8	3
White	---	129	4	2	1
All other	---	149	11	6	2
Black	---	149	11	6	2
Balance of county	---	177	11	8	12
White	---	54	2	2	3
All other	---	123	9	6	9
Black	---	123	9	6	9
Lincoln	285	288	8	6	4
White	209	200	1	–	1
All other	76	88	7	6	3
Black	76	88	7	6	3
Brookhaven	---	132	4	3	3
White	---	73	–	–	1
All other	---	59	4	3	2
Black	---	59	4	3	2
Balance of county	---	156	4	3	1
White	---	127	1	–	–
All other	---	29	3	3	1
Black	---	29	3	3	1
Lowndes	450	454	21	18	14
White	260	255	10	9	8
All other	190	199	11	9	6
Black	190	199	11	9	6
Columbus	---	284	13	11	9
White	---	145	4	4	4
All other	---	139	9	7	5
Black	---	139	9	7	5
Balance of county	---	170	8	7	5
White	---	110	6	5	4
All other	---	60	2	2	1
Black	---	60	2	2	1
Madison	229	325	7	3	10
White	84	128	–	–	3
All other	145	197	7	3	7
Black	145	197	7	3	7
Canton	---	144	2	1	2
White	---	55	–	–	1
All other	---	89	2	1	1
Black	---	89	2	1	1
Balance of county	---	181	5	2	8
White	---	73	–	–	2
All other	---	108	5	2	6
Black	---	108	5	2	6
Marion	187	262	6	3	3
White	125	178	2	1	2
All other	62	84	4	2	1
Black	62	84	4	2	1
Marshall	176	252	13	7	6
White	77	113	3	2	1
All other	99	139	10	5	5
Black	99	139	10	5	5
Monroe	330	324	8	5	15
White	228	225	2	1	7
All other	102	99	6	4	8
Black	102	99	6	4	8
Montgomery	184	163	5	3	5
White	114	110	2	1	2
All other	70	53	3	2	3
Black	70	53	3	2	3
Neshoba	141	221	5	5	6
White	103	172	–	–	5
All other	38	49	5	5	1
Black	20	31	5	5	–
Newton	172	246	12	8	5
White	126	172	5	3	–
All other	46	74	7	5	5
Black	46	68	6	4	4
Noxubee	139	153	7	4	6
White	42	51	2	2	–
All other	97	102	5	2	6
Black	97	102	5	2	6
Oktibbeha	185	224	19	11	12
White	95	125	7	5	3
All other	90	99	12	6	9
Black	90	99	12	6	9
Starkville	---	95	7	6	3
White	---	68	4	4	1
All other	---	27	3	2	2
Black	---	27	3	2	2
Mississippi—Con.					
Oktibbeha—Con.					
Balance of county	---	129	12	5	9
White	---	57	3	1	2
All other	---	72	9	4	7
Black	---	72	9	4	7
Panola	239	322	20	14	11
White	118	179	6	5	2
All other	121	143	14	9	9
Black	121	143	14	9	9
Pearl River	230	307	10	8	6
White	185	244	7	6	5
All other	45	63	3	2	1
Black	44	62	3	2	1
Picayune	---	119	6	4	–
White	---	70	4	3	–
All other	---	49	2	1	–
Black	---	48	2	1	–
Balance of county	---	188	4	4	6
Perry	63	77	3	1	3
White	48	53	1	1	2
All other	15	24	2	–	1
Black	15	24	2	–	1
Pike	417	412	8	6	8
White	249	242	–	–	3
All other	168	170	8	6	5
Black	168	170	8	6	5
McComb	---	179	2	2	3
White	---	115	–	–	–
All other	---	64	2	2	3
Black	---	64	2	2	3
Balance of county	---	233	6	4	5
White	---	127	–	–	3
All other	---	106	6	4	2
Black	---	106	6	4	2
Pontotoc	126	205	3	3	3
White	105	178	1	1	3
All other	21	27	2	2	–
Black	21	27	2	2	–
Prentiss	161	230	5	2	3
White	144	204	3	2	3
All other	17	26	2	–	–
Black	17	26	2	–	–
Quitman	60	145	8	3	8
White	17	58	2	1	2
All other	43	87	6	2	6
Black	43	87	6	2	6
Rankin	346	383	8	5	14
White	245	288	6	4	10
All other	101	95	2	1	4
Black	100	95	2	1	4
Jackson, part	---	1	–	–	–
Balance of county	---	382	8	5	14
White	---	288	6	4	10
All other	---	94	2	1	4
Black	---	94	2	1	4
Scott	210	269	13	12	9
White	145	181	5	5	5
All other	65	88	8	7	4
Black	63	86	7	6	4
Sharkey	60	93	3	2	2
White	20	31	–	–	1
All other	40	62	3	2	1
Black	40	62	3	2	1
Simpson	226	232	7	6	9
White	177	181	5	5	5
All other	49	51	2	1	4
Black	49	51	2	1	4
Smith	58	147	3	2	4
White	46	122	2	2	2
All other	12	25	1	–	2
Black	12	25	1	–	2
Stone	74	89	2	1	2
White	66	76	–	–	1
All other	8	13	2	1	1
Black	8	13	2	1	1
Sunflower	300	389	32	27	21
White	112	148	2	2	2
All other	188	241	30	25	19
Black	188	240	30	25	19
Tallahatchie	135	201	9	7	8
White	61	86	–	–	4
All other	74	115	9	7	4
Black	74	115	9	7	4
Tate	109	194	7	4	8
White	53	117	3	2	3
All other	56	77	4	2	5
Black	56	77	4	2	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Tippah	181	206	8	7	4
White	158	173	3	2	3
All other	23	33	5	5	1
Black	23	33	5	5	1
Tishomingo	135	165	2	2	4
Tunica	74	101	4	4	2
White	14	18	–	–	1
All other	60	83	4	4	1
Black	60	83	4	4	1
Union	236	227	6	5	7
White	192	189	3	3	4
All other	44	38	3	2	3
Black	44	38	3	2	3
Walthall	116	132	5	3	4
White	77	83	3	3	2
All other	39	49	2	–	2
Black	39	49	2	–	2
Warren	580	464	14	10	12
White	283	229	6	5	3
All other	297	235	8	5	9
Black	296	235	8	5	9
Vicksburg	---	306	11	7	7
White	---	135	3	2	1
All other	---	171	8	5	6
Black	---	171	8	5	6
Balance of county	---	158	3	3	5
White	---	94	3	3	2
All other	---	64	–	–	3
Black	---	64	–	–	3
Washington	756	701	29	21	27
White	312	296	4	3	5
All other	444	405	25	18	22
Black	442	405	25	18	22
Greenville	---	421	18	14	17
White	---	197	3	2	3
All other	---	224	15	12	14
Black	---	224	15	12	14
Balance of county	---	280	11	7	10
White	---	99	1	1	2
All other	---	181	10	6	8
Black	---	181	10	6	8
Wayne	164	178	3	3	2
White	115	126	1	1	–
All other	49	52	2	2	2
Black	49	52	2	2	2
Webster	103	116	4	3	3
White	77	90	3	2	1
All other	26	26	1	1	2
Black	26	26	1	1	2
Wilkinson	133	113	3	2	5
White	47	34	–	–	1
All other	86	79	3	2	4
Black	86	79	3	2	4
Winston	172	223	8	7	8
White	112	148	–	–	–
All other	60	75	8	7	8
Black	60	74	8	7	8
Yalobusha	99	166	4	3	3
White	68	117	2	1	–
All other	31	49	2	2	3
Black	31	49	2	2	3
Yazoo	258	302	8	6	8
White	124	130	1	1	2
All other	134	172	7	5	6
Black	134	172	7	5	6
Yazoo City	---	156	4	3	2
White	---	55	–	–	–
All other	---	101	4	3	2
Black	---	101	4	3	2
Balance of county	---	146	4	3	6
White	---	75	1	1	2
All other	---	71	3	2	4
Black	---	71	3	2	4
Missouri	**49,840**	**48,880**	**1,040**	**743**	**659**
White	44,768	43,955	761	546	501
All other	5,072	4,925	279	197	158
Black	5,014	4,872	274	195	153
Adair	336	198	8	7	3
Kirksville	---	144	6	6	2
Balance of county	---	54	2	1	1
Andrew	97	140	1	1	2
Atchison	97	86	1	1	1
Audrain	354	274	10	8	3
Mexico	---	151	5	4	1
Balance of county	---	123	5	4	2
Barry	247	297	5	5	5
Barton	136	171	3	3	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Missouri—Con.					
Bates	169	209	3	2	1
Benton	78	175	3	2	2
Bollinger	32	114	3	2	3
Boone	1,372	546	22	19	16
Columbia	---	347	17	16	11
Balance of county	---	199	5	3	5
Buchanan	1,203	1,030	21	17	8
St. Joseph	---	954	21	17	8
Balance of county	---	76	–	–	–
Butler	798	425	8	2	5
Poplar Bluff	---	243	4	1	1
Balance of county	---	182	4	1	4
Caldwell	66	124	1	–	–
Callaway	299	279	7	3	3
Fulton	---	116	1	–	–
White	---	96	–	–	–
All other	---	20	1	–	–
Black	---	20	1	–	–
Jefferson City, part	---	2	1	–	–
Balance of county	---	161	5	3	3
Camden	93	185	–	–	3
Cape Girardeau	677	455	9	7	9
Cape Girardeau	---	282	7	5	7
Balance of county	---	173	2	2	2
Carroll	81	150	2	2	1
Carter	36	67	1	1	–
Cass	204	329	10	5	6
Cedar	159	181	2	2	1
Chariton	77	174	2	1	3
Christian	68	195	3	3	6
Clark	40	122	1	–	2
Clay	844	813	23	18	13
Gladstone	---	60	3	2	1
Independence, part	---	–	–	–	–
Kansas City, part	---	310	7	4	7
Liberty	---	117	6	5	1
Balance of county	---	326	7	7	4
Clinton	155	177	1	1	4
Cole	699	412	5	3	6
Jefferson City, part	---	305	3	2	1
Jefferson City, total	---	307	4	2	1
Balance of county	---	107	2	1	5
Cooper	141	173	5	2	4
Crawford	185	187	4	1	–
Dade	72	100	–	–	–
Dallas	67	137	1	–	2
Daviess	68	124	–	–	1
De Kalb	46	93	1	1	2
Dent	141	148	3	3	1
Douglas	66	119	3	1	–
Dunklin	349	432	8	8	4
Franklin	494	603	6	3	7
Gasconade	159	184	1	1	3
Gentry	125	130	3	3	2
Greene	2,511	1,544	36	27	28
Springfield	---	1,270	31	24	22
Balance of county	---	274	5	3	6
Grundy	194	186	1	1	5
Harrison	97	148	2	2	1
Henry	328	274	4	3	3
Hickory	28	72	1	1	–
Holt	39	86	3	2	1
Howard	135	146	4	4	1
Howell	322	309	6	6	4
Iron	141	130	3	2	1
Jackson	7,438	6,318	187	139	96
White	6,317	5,244	99	76	55
All other	1,121	1,074	88	63	41
Black	1,113	1,069	86	63	39
Grandview	---	94	5	2	4
Independence, part	---	851	30	24	15
Independence, total	---	851	30	24	15
Kansas City, part	---	4,592	127	94	66
White	---	3,542	43	33	27
All other	---	1,050	84	61	39
Black	---	1,048	83	61	38
Kansas City, total	---	4,972	137	100	76
White	---	3,922	53	39	37
All other	---	1,050	84	61	39
Black	---	1,048	83	61	38
Lee's Summit	---	247	2	1	1
Raytown	---	229	7	5	1
Balance of county	---	305	16	13	9
Jasper	876	1,018	20	17	12
Carthage	---	160	2	1	2
Joplin, part	---	487	12	11	4
Joplin, total	---	536	13	12	4
Balance of county	---	371	6	5	6
Jefferson	451	818	27	15	15

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri—Con.					
Johnson	217	264	3	3	8
Warrensburg	---	93	1	1	2
Balance of county	---	171	2	2	6
Knox	28	80	–	–	1
Laclede	239	236	2	1	5
Lafayette	309	336	4	4	3
Lawrence	356	316	4	1	4
Lewis	63	130	4	4	2
Lincoln	193	219	3	3	3
Linn	260	264	3	1	2
Livingston	257	192	–	–	2
McDonald	61	194	4	1	–
Macon	145	209	2	1	–
Madison	105	130	1	1	–
Maries	19	65	3	3	1
Marion	399	363	6	5	8
Hannibal, part	---	241	4	3	6
Hannibal, total	---	242	4	3	6
Balance of county	---	122	2	2	2
Mercer	53	70	2	–	–
Miller	89	207	6	5	1
Mississippi	103	203	6	5	5
White	76	163	4	3	2
All other	27	40	2	2	3
Black	27	40	2	2	3
Moniteau	56	146	–	–	2
Monroe	65	128	2	1	2
Montgomery	68	174	6	4	2
Morgan	124	164	2	2	1
New Madrid	102	270	10	9	5
White	81	215	4	4	2
All other	21	55	6	5	3
Black	21	54	6	5	3
Sikeston, part	---	–	–	–	–
Balance of county	---	270	10	9	5
White	---	215	4	4	2
All other	---	55	6	5	3
Black	---	54	6	5	3
Newton	445	349	7	3	3
Joplin, part	---	49	1	1	–
Balance of county	---	300	6	2	3
Nodaway	173	213	2	2	2
Oregon	70	135	2	–	–
Osage	36	128	5	2	1
Ozark	29	103	–	–	1
Pemiscot	252	310	11	5	8
White	165	219	4	3	4
All other	87	91	7	2	4
Black	87	91	7	2	4
Perry	161	186	3	3	–
Pettis	466	435	5	4	7
Sedalia	---	307	3	3	4
Balance of county	---	128	2	1	3
Phelps	312	314	6	3	4
Rolla	---	95	3	1	–
Balance of county	---	219	3	2	4
Pike	186	204	5	3	1
Platte	114	255	8	5	8
Kansas City, part	---	70	3	2	3
Balance of county	---	185	5	3	5
Polk	106	235	5	2	3
Pulaski	155	208	9	5	5
Putnam	102	107	1	–	1
Ralls	34	88	2	1	1
Hannibal, part	---	1	–	–	–
Balance of county	---	87	2	1	1
Randolph	276	313	6	6	3
Moberly	---	204	3	3	1
Balance of county	---	109	3	3	2
Ray	152	207	3	2	1
Reynolds	23	69	2	–	–
Ripley	112	168	1	1	6
St. Charles	670	701	27	20	13
St. Charles	---	324	10	9	2
Balance of county	---	377	17	11	11
St. Clair	137	131	2	1	–
St. Francois	628	539	8	8	3
St. Louis	7,262	7,454	143	102	85
White	6,839	6,957	104	74	68
All other	423	497	39	28	17
Black	407	483	38	27	17
Ballwin	---	96	3	3	1
Bellefontaine Neighbors	---	139	2	2	–
Berkeley	---	75	3	3	–
Breatwood	---	79	2	1	2
Bridgeton	---	138	3	3	1
Clayton	---	168	1	1	–
Crestwood	---	92	1	1	–
Ferguson	---	232	2	2	2
Florissant	---	502	17	13	7
Hazelwood	---	91	4	2	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri—Con.					
St. Louis—Con.					
Jennings	---	258	1	1	5
Kirkwood	---	306	6	5	2
Ladue	---	70	–	–	–
Maplewood	---	146	–	–	–
Overland	---	255	3	2	2
Richmond Heights	---	162	–	–	1
White	---	144	–	–	1
All other	---	18	–	–	–
Black	---	18	–	–	–
St. Ann	---	141	1	1	1
University City	---	437	7	5	1
White	---	372	1	1	1
All other	---	65	6	4	–
Black	---	64	6	4	–
Webster Groves	---	244	1	–	–
Balance of county	---	3,823	86	57	55
White	---	3,516	61	41	47
All other	---	307	25	16	8
Black	---	297	24	15	8
St. Louis city	9,090	7,353	162	117	104
White	6,381	4,818	54	41	40
All other	2,709	2,535	108	76	64
Black	2,698	2,522	108	76	62
Ste. Genevieve	135	142	4	4	1
Saline	260	283	3	2	1
Marshall	---	127	1	1	1
Balance of county	---	156	2	1	–
Schuyler	38	73	–	–	–
Scotland	74	87	1	1	–
Scott	493	382	9	5	7
Sikeston, part	---	162	4	2	1
White	---	137	3	1	–
All other	---	25	1	1	1
Black	---	25	1	1	1
Sikeston, total	---	162	4	2	1
White	---	137	3	1	–
All other	---	25	1	1	1
Black	---	25	1	1	1
Balance of county	---	220	5	3	6
Shannon	32	103	3	2	1
Shelby	75	120	–	–	3
Stoddard	199	324	5	4	5
Stone	63	159	2	2	2
Sullivan	65	107	1	–	–
Taney	214	228	4	3	1
Texas	228	246	3	–	7
Vernon	291	289	3	2	2
Warren	57	141	5	4	3
Washington	102	187	5	–	3
Wayne	62	155	3	2	–
Webster	86	203	1	1	4
Worth	27	58	–	–	–
Wright	147	221	6	5	3
Montana	**6,321**	**6,403**	**183**	**119**	**120**
White	6,003	6,077	163	110	102
All other	318	326	20	9	18
Black	9	9	1	1	1
Beaverhead	61	70	–	–	2
Big Horn	97	97	7	4	5
White	50	56	5	3	1
All other	47	41	2	1	4
Black	–	–	–	–	–
Blaine	48	85	2	1	–
White	35	69	2	1	–
All other	13	16	–	–	–
Black	–	–	–	–	–
Broadwater	30	32	1	1	–
Carbon	68	88	–	–	–
Carter	16	18	–	–	–
Cascade	739	669	35	22	8
Great Falls	---	548	25	17	6
Balance of county	---	121	10	5	2
Chouteau	32	57	4	4	1
Custer	170	122	2	–	3
Daniels	20	27	–	–	–
Dawson	88	98	2	–	2
Deer Lodge	143	149	3	3	6
Fallon	19	31	1	–	–
Fergus	119	134	3	–	1
Flathead	389	388	15	13	13
Kalispell	---	137	9	8	1
Balance of county	---	251	6	5	12
Gallatin	237	216	5	5	6
Bozeman	---	132	3	3	1
Balance of county	---	84	2	2	5
Garfield	5	13	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana—Con.					
Glacier	91	112	8	4	3
White	34	48	1	1	–
All other	57	64	7	3	3
Black	–	–	–	–	–
Golden Valley	2	13	–	–	–
Granite	19	30	1	1	–
Hill	170	152	4	3	2
White	148	134	3	2	2
All other	22	18	1	1	–
Black	–	–	–	–	–
Havre	– – –	103	2	2	1
Balance of county	– – –	49	2	1	1
White	– – –	35	1	–	1
All other	– – –	14	1	1	–
Black	– – –	–	–	–	–
Jefferson	35	56	1	–	2
Judith Basin	12	22	–	–	1
Lake	137	173	4	3	1
White	113	143	3	3	1
All other	24	30	1	–	–
Black	–	–	–	–	–
Lewis and Clark	403	325	4	4	8
Helena	– – –	233	4	4	4
Balance of county	– – –	92	–	–	4
Liberty	19	13	–	–	1
Lincoln	88	112	3	2	4
McCone	19	18	1	–	–
Madison	38	55	–	–	1
Meagher	15	17	–	–	–
Mineral	20	23	–	–	–
Missoula	523	440	11	7	6
Missoula	– – –	295	8	5	3
Balance of county	– – –	145	3	2	3
Musselshell	31	47	1	–	–
Park	132	143	1	1	1
Petroleum	2	2	–	–	–
Phillips	47	63	1	–	–
Pondera	47	54	2	1	–
Powder River	9	22	–	–	1
Powell	51	66	–	–	1
Prairie	10	14	–	–	1
Ravalli	156	185	5	2	3
Richland	87	92	7	4	1
Roosevelt	88	111	4	2	5
White	57	73	1	1	–
All other	31	38	3	1	5
Black	–	–	–	–	–
Rosebud	56	82	4	1	3
White	43	53	4	1	2
All other	13	29	–	–	1
Black	–	–	–	–	–
Sanders	56	76	1	1	5
Sheridan	51	51	1	1	2
Silver Bow	408	411	8	7	9
Butte	– – –	351	6	5	9
Balance of county	– – –	60	2	2	–
Stillwater	76	68	2	2	1
Sweet Grass	38	45	1	1	–
Teton	50	75	3	2	2
Toole	43	51	–	–	–
Treasure	3	4	–	–	–
Valley	93	102	1	–	1
Wheatland	31	26	1	–	–
Wibaux	5	19	–	–	–
Yellowstone	879	737	23	17	8
Billings	– – –	504	15	11	4
Balance of county	– – –	233	8	6	4
Yellowstone National Park	–	2	–	–	–
Nebraska	**14,482**	**14,331**	**319**	**234**	**208**
White	14,074	13,935	297	219	186
All other	408	396	22	15	22
Black	319	319	19	14	21
Adams	378	330	4	3	3
Hastings	– – –	276	4	3	1
Balance of county	– – –	54	–	–	2
Antelope	95	98	3	3	1
Arthur	1	9	–	–	–
Banner	3	6	–	–	–
Blaine	–	7	–	–	1
Boone	67	94	–	–	1
Box Butte	112	136	5	5	2
Boyd	38	39	–	–	–
Brown	47	44	1	1	1
Buffalo	343	292	7	6	6
Kearney	– – –	160	7	6	3
Balance of county	– – –	132	–	–	3
Burt	90	121	–	–	–
Nebraska—Con.					
Butler	95	111	1	–	3
Cass	93	199	4	3	5
Cedar	53	119	–	–	1
Chase	48	51	–	–	–
Cherry	62	57	2	2	–
Cheyenne	109	112	2	1	–
Clay	42	98	–	–	–
Colfax	94	116	2	2	3
Cuming	111	127	3	2	–
Custer	154	173	3	2	1
Dakota	38	121	7	6	4
Dawes	100	99	1	1	–
Dawson	198	211	5	3	5
Deuel	9	31	2	2	1
Dixon	48	72	2	2	2
Dodge	371	410	9	8	3
Fremont	– – –	267	6	5	2
Balance of county	– – –	143	3	3	1
Douglas	4,287	3,363	109	76	51
White	3,996	3,071	92	64	34
All other	291	292	17	12	17
Black	275	283	17	12	17
Omaha	– – –	3,196	97	66	46
White	– – –	2,905	80	54	29
All other	– – –	291	17	12	17
Black	– – –	282	17	12	17
Balance of county	– – –	167	12	10	5
Dundy	48	44	1	1	1
Fillmore	103	119	–	–	1
Franklin	42	64	–	–	–
Frontier	25	35	1	1	1
Furnas	121	127	–	–	–
Gage	268	286	4	2	1
Beatrice	– – –	175	3	1	–
Balance of county	– – –	111	1	1	1
Garden	38	39	1	1	–
Garfield	47	47	2	1	–
Gosper	7	11	–	–	–
Grant	1	8	–	–	–
Greeley	30	62	–	–	–
Hall	585	417	7	7	5
Grand Island	– – –	337	5	5	2
Balance of county	– – –	80	2	2	3
Hamilton	108	87	–	–	1
Harlan	38	47	1	1	–
Hayes	2	9	–	–	–
Hitchcock	16	45	4	2	–
Holt	107	140	2	–	2
Hooker	11	10	–	–	–
Howard	62	66	–	–	1
Jefferson	109	134	1	1	–
Johnson	73	75	2	2	3
Kearney	46	67	1	–	–
Keith	89	75	–	–	2
Keya Paha	5	14	–	–	–
Kimball	35	38	–	–	–
Knox	117	158	3	2	1
Lancaster	1,573	1,290	25	18	31
Lincoln	– – –	1,183	23	16	29
Balance of county	– – –	107	2	2	2
Lincoln	250	268	11	11	2
North Platte	– – –	203	9	9	–
Balance of county	– – –	65	2	2	2
Logan	2	8	–	–	1
Loup	1	9	–	–	–
McPherson	1	6	–	–	1
Madison	331	312	6	6	7
Norfolk	– – –	187	4	4	3
Balance of county	– – –	125	2	2	4
Merrick	70	97	1	1	1
Morrill	49	69	2	2	–
Nance	75	66	1	1	2
Nemaha	64	93	–	–	2
Nuckolls	76	92	1	1	1
Otoe	153	167	–	–	1
Pawnee	36	48	–	–	–
Perkins	45	47	1	1	2
Phelps	99	107	2	1	–
Pierce	106	82	3	3	3
Platte	193	222	4	1	4
Columbus	– – –	150	3	–	2
Balance of county	– – –	72	1	1	2
Polk	65	84	–	–	–
Red Willow	112	136	–	–	2
Richardson	181	206	2	–	–
Rock	15	17	–	–	–
Saline	165	175	2	–	2
Sarpy	212	280	18	12	8
Bellevue	– – –	98	5	2	2
Balance of county	– – –	182	13	10	6

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Nebraska—Con.					
Saunders	117	171	1	1	2
Scotts Bluff	335	307	8	7	5
Scottsbluff	---	135	4	4	2
Balance of county	---	172	4	3	3
Seward	125	145	3	2	3
Sheridan	98	96	4	3	2
Sherman	37	55	–	–	–
Sioux	8	14	–	–	–
Stanton	21	46	3	3	2
Thayer	71	108	1	1	2
Thomas	1	6	–	–	1
Thurston	88	93	8	5	–
White	72	65	5	4	–
All other	16	28	3	1	–
Black	–	–	–	–	–
Valley	68	78	4	4	–
Washington	127	123	1	–	4
Wayne	69	87	1	–	1
Webster	75	81	–	–	–
Wheeler	4	13	–	–	–
York	145	157	4	1	3
Nevada	**5,257**	**4,876**	**142**	**91**	**79**
White	4,887	4,519	116	72	64
All other	370	357	26	19	15
Black	260	250	22	16	9
Churchill	114	135	–	–	–
Clark	2,741	2,569	85	56	51
White	2,489	2,327	64	41	40
All other	252	242	21	15	11
Black	231	224	21	15	9
Henderson	---	113	4	2	4
Las Vegas	---	1,304	38	26	21
White	---	1,172	25	15	17
All other	---	132	13	11	4
Black	---	124	13	11	3
North Las Vegas	---	248	17	8	13
White	---	168	10	5	8
All other	---	80	7	3	5
Black	---	76	7	3	5
Balance of county	---	904	26	20	13
Douglas	33	78	3	1	–
Elko	160	132	5	1	6
White	148	120	4	1	5
All other	12	12	1	–	1
Black	1	–	–	–	–
Esmeralda	8	9	–	–	–
Eureka	9	8	1	–	1
Humboldt	51	71	3	2	2
White	45	62	3	2	1
All other	6	9	–	–	1
Black	1	3	–	–	–
Lander	21	32	–	–	2
Lincoln	17	24	–	–	–
Lyon	49	93	4	3	–
Mineral	53	67	–	–	–
White	47	58	–	–	–
All other	6	9	–	–	–
Black	1	2	–	–	–
Nye	60	60	2	1	3
Ormsby, coext. with Carson City	192	188	4	4	–
Pershing	31	36	–	–	1
Storey	5	14	–	–	–
Washoe	1,627	1,274	33	22	12
Reno	---	894	20	15	3
Sparks	---	225	8	4	8
Balance of county	---	155	5	3	1
White Pine	86	86	2	1	1
New Hampshire	**7,118**	**7,268**	**123**	**96**	**89**
White	7,101	7,255	122	95	86
All other	17	13	1	1	3
Black	14	11	1	1	2
Belknap	369	365	6	5	7
Laconia	---	148	4	4	1
Balance of county	---	217	2	1	6
Carroll	244	266	1	1	5
Cheshire	426	513	6	5	6
Keene	---	206	2	2	1
Balance of county	---	307	4	3	5
Coos	346	402	2	2	4
Berlin	---	166	2	2	–
Balance of county	---	236	–	–	4
Grafton	898	584	10	6	2
Hillsborough	2,207	2,144	35	26	29
Manchester	---	1,010	10	6	9
Nashua	---	485	7	6	9
New Hampshire—Con.					
Hillsborough—Con.					
Balance of county	---	649	18	14	11
Merrimack	871	838	12	10	8
Concord	---	372	4	4	5
Balance of county	---	466	8	6	3
Rockingham	943	1,183	30	25	17
Portsmouth	---	208	6	3	–
Balance of county	---	975	24	22	17
Strafford	570	635	19	15	10
Dover	---	193	3	3	4
Rochester	---	210	8	6	4
Balance of county	---	232	8	6	2
Sullivan	244	338	2	1	1
Claremont	---	154	1	1	–
Balance of county	---	184	1	–	1
New Jersey	**64,341**	**65,831**	**1,345**	**1,007**	**929**
White	57,728	59,053	887	699	659
All other	6,613	6,778	458	308	270
Black	6,487	6,645	449	301	262
Atlantic	2,480	2,349	54	42	28
White	2,093	1,946	32	28	22
All other	387	403	22	14	6
Black	383	399	22	14	6
Atlantic City	---	825	14	10	7
White	---	565	5	4	4
All other	---	260	9	6	3
Black	---	258	9	6	3
Hammonton	---	104	2	2	2
Margate City	---	133	2	2	1
Pleasantville	---	197	8	6	–
White	---	135	2	2	–
All other	---	62	6	4	–
Black	---	62	6	4	–
Ventnor City	---	168	–	–	2
Balance of county	---	922	28	22	16
Bergen	6,235	7,659	73	60	63
White	6,018	7,421	67	54	58
All other	217	238	6	6	5
Black	209	227	6	6	3
Bergenfield	---	239	3	3	1
Cliffside Park	---	219	–	–	2
Dumont	---	187	2	2	3
East Paterson	---	206	1	1	1
Englewood	---	231	2	1	2
White	---	153	1	–	1
All other	---	78	1	1	1
Black	---	76	1	1	–
Fair Lawn	---	331	3	3	3
Fairview	---	101	–	–	2
Fort Lee	---	259	1	1	–
Garfield	---	320	2	1	4
Glen Rock	---	88	–	–	1
Hackensack	---	396	2	2	4
White	---	340	–	–	3
All other	---	56	2	2	1
Black	---	56	2	2	1
Hasbrouck Heights	---	134	1	1	3
Hillsdale	---	73	–	–	–
Lodi	---	186	2	2	2
Lyndhurst township†	---	210	1	1	–
Maywood	---	100	–	–	1
New Milford	---	172	–	–	–
North Arlington	---	186	1	1	4
Oakland	---	59	–	–	2
Palisades Park	---	116	1	1	1
Paramus	---	232	4	3	–
Ramsey	---	92	1	–	–
Ridgefield	---	97	2	–	1
Ridgefield Park	---	143	–	–	2
Ridgewood	---	188	3	1	–
River Edge	---	114	1	1	–
Rutherford	---	228	1	1	2
Saddle Brook township†	---	121	2	2	4
Teaneck township†	---	331	–	–	2
White	---	292	–	–	1
All other	---	39	–	–	1
Black	---	38	–	–	1
Tenafly	---	120	1	1	–
Waldwick	---	76	–	–	1
Wallington	---	103	2	2	–
Washington township†	---	48	2	2	–
Westwood	---	98	2	2	–
Wyckoff township†	---	124	–	–	2
Balance of county	---	1,731	30	25	13
Burlington	2,303	2,227	70	56	40
White	2,135	2,056	54	43	30
All other	168	171	16	13	10
Black	164	165	16	13	10

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Jersey—Con.					
Burlington—Con.					
Burlington	---	132	4	4	3
White	---	104	3	3	2
All other	---	28	1	1	1
Black	---	28	1	1	1
Cinnaminson township†	---	102	–	–	–
Maple Shade township†	---	140	5	5	2
Mount Holly township†	---	123	6	6	2
White	---	112	4	4	1
All other	---	11	2	2	1
Black	---	10	2	2	1
New Hanover township†	---	4	–	–	–
White	---	4	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Willingboro township†	---	134	7	6	7
White	---	105	4	3	3
All other	---	29	3	3	4
Black	---	29	3	3	4
Balance of county	---	1,592	48	35	26
White	---	1,501	39	29	22
All other	---	91	9	6	4
Black	---	87	9	6	4
Camden	3,988	4,103	138	101	70
White	3,456	3,573	76	56	53
All other	532	530	62	45	17
Black	527	525	62	45	17
Audubon	---	132	1	–	2
Bellmawr	---	104	1	–	3
Camden	---	1,007	70	50	24
White	---	605	15	11	10
All other	---	402	55	39	14
Black	---	402	55	39	14
Cherry Hill township†	---	376	10	7	4
Collingswood	---	243	2	2	2
Gloucester	---	156	3	2	3
Gloucester township†	---	185	3	2	3
Haddonfield	---	139	1	1	1
Haddon township†	---	143	–	–	2
Lindenwold	---	98	1	–	5
Pennsauken township†	---	356	6	6	4
Runnemede	---	76	3	3	–
Balance of county	---	1,088	37	28	17
Cape May	898	1,082	7	6	7
Ocean City	---	229	–	–	–
Balance of county	---	853	7	6	7
Cumberland	1,176	1,215	32	23	37
White	1,025	1,064	20	17	29
All other	151	151	12	6	8
Black	147	147	12	6	8
Bridgeton	---	241	12	8	8
White	---	180	7	5	4
All other	---	61	5	3	4
Black	---	61	5	3	4
Millville	---	267	2	2	8
Vineland	---	146	6	5	12
Balance of county	---	561	12	8	9
White	---	495	6	6	8
All other	---	66	6	2	1
Black	---	62	6	2	1
Essex	9,240	8,274	229	169	135
White	6,858	6,005	81	67	48
All other	2,382	2,269	148	102	87
Black	2,332	2,220	144	99	86
Belleville	---	310	3	3	4
Bloomfield	---	526	4	4	2
Cedar Grove township†	---	97	–	–	–
East Orange	---	499	21	20	18
White	---	262	4	4	–
All other	---	237	17	16	18
Black	---	235	17	16	18
Irvington	---	700	8	5	9
Livingston township†	---	175	3	3	1
Maplewood township†	---	224	1	1	1
Millburn township†	---	185	2	2	1
Montclair	---	466	6	6	3
White	---	339	4	4	1
All other	---	127	2	2	2
Black	---	127	2	2	2
Newark	---	3,123	146	101	75
White	---	1,588	40	28	24
All other	---	1,535	106	73	51
Black	---	1,498	104	72	51
Nutley	---	290	6	5	5
Orange	---	351	13	7	10
White	---	213	1	1	1
All other	---	138	12	6	9
Black	---	137	12	6	9
South Orange	---	155	–	–	–
Verona	---	154	3	3	–
West Caldwell	---	72	1	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Jersey—Con.					
Essex—Con.					
West Orange	---	401	6	5	1
Balance of county	---	546	6	3	3
Gloucester	1,374	1,511	35	24	23
White	1,249	1,351	28	19	16
All other	125	160	7	5	7
Black	124	159	7	5	7
Glassboro	---	118	5	4	4
White	---	88	3	2	1
All other	---	30	2	2	3
Black	---	30	2	2	3
Pitman	---	98	1	–	–
Woodbury	---	130	2	2	1
White	---	115	2	2	–
All other	---	15	–	–	1
Black	---	15	–	–	1
Balance of county	---	1,165	27	18	18
White	---	1,052	22	15	15
All other	---	113	5	3	3
Black	---	112	5	3	3
Hudson	5,466	6,164	143	105	83
White	4,973	5,626	98	76	51
All other	493	538	45	29	32
Black	488	531	43	27	31
Bayonne	---	820	11	9	11
Harrison	---	156	3	3	2
Hoboken	---	557	19	12	5
Jersey City	---	2,475	75	52	44
White	---	2,014	36	26	16
All other	---	461	39	26	28
Black	---	459	38	25	28
Kearny	---	395	7	6	1
North Bergen township†	---	537	8	7	2
Secaucus	---	122	–	–	1
Union City	---	484	10	8	12
Weehawken township†	---	120	3	2	4
West New York	---	377	6	6	1
Balance of county	---	121	1	–	–
Hunterdon	524	633	6	4	6
Mercer	3,225	2,772	47	35	46
White	2,815	2,359	26	21	25
All other	410	413	21	14	21
Black	403	409	21	14	21
Ewing township†	---	315	5	5	2
Hamilton township†	---	670	6	6	6
Princeton	---	80	–	–	1
White	---	65	–	–	1
All other	---	15	–	–	–
Black	---	15	–	–	–
Trenton	---	1,147	27	18	30
White	---	826	9	7	12
All other	---	321	18	11	18
Black	---	321	18	11	18
Balance of county	---	560	9	6	7
Middlesex	3,591	4,314	81	59	52
White	3,396	4,102	67	50	46
All other	195	212	14	9	6
Black	192	208	13	8	5
Carteret	---	195	2	1	2
East Brunswick township†	---	185	4	3	1
Edison township†	---	213	11	9	3
Highland Park	---	117	2	1	–
Madison township†	---	235	5	3	4
Metuchen	---	120	–	–	1
Middlesex	---	118	3	3	1
New Brunswick	---	356	10	7	7
White	---	277	6	5	3
All other	---	79	4	2	4
Black	---	79	4	2	4
Perth Amboy	---	411	8	5	9
Piscataway township†	---	203	6	4	3
White	---	185	5	4	2
All other	---	18	1	–	1
Black	---	18	1	–	–
Sayreville	---	247	3	3	3
South Plainfield	---	126	5	5	–
South River	---	147	1	1	3
Woodbridge township†	---	684	10	5	9
Balance of county	---	957	11	9	6
Monmouth	4,780	4,604	76	58	59
White	4,397	4,237	60	50	48
All other	383	367	16	8	11
Black	377	359	16	8	10
Asbury Park	---	295	4	3	2
White	---	211	2	2	–
All other	---	84	2	1	2
Black	---	83	2	1	2
Eatontown	---	96	3	2	6
Freehold	---	150	1	1	–
Hazlet township†	---	167	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Jersey—Con.					
Monmouth—Con.					
Long Branch	---	318	5	4	4
White	---	281	4	3	3
All other	---	37	1	1	1
Black	---	37	1	1	1
Matawan township†	---	85	3	3	2
White	---	77	3	3	2
All other	---	8	–	–	–
Black	---	8	–	–	–
Middletown township†	---	382	3	2	4
Neptune township†	---	402	8	5	5
White	---	330	6	5	[illegible]
All other	---	72	2	–	2
Black	---	69	2	–	2
Ocean township†	---	154	5	4	2
Red Bank	---	203	1	1	2
White	---	168	–	–	1
All other	---	35	1	1	1
Black	---	35	1	1	1
Balance of county	---	2,352	43	33	31
White	---	2,259	36	29	28
All other	---	93	7	4	3
Black	---	90	7	4	3
Morris	2,991	2,545	70	58	35
White	2,910	2,478	62	53	35
All other	81	67	8	5	–
Black	78	64	8	5	–
Dover	---	156	7	6	4
Madison	---	117	2	2	1
Morristown	---	199	6	5	2
White	---	170	2	2	2
All other	---	29	4	3	–
Black	---	28	4	3	–
Parsippany–Troy Hills township†	---	179	10	9	2
Pequannock township†	---	79	1	1	–
Balance of county	---	1,815	44	35	26
Ocean	3,471	3,824	49	33	37
Brick township†	---	439	7	4	5
Dover township†	---	704	6	3	5
Lakewood township†	---	534	6	4	5
White	---	494	3	3	5
All other	---	40	3	1	–
Black	---	38	3	1	–
Point Pleasant	---	229	4	3	2
Balance of county	---	1,918	26	19	20
Passaic	4,365	4,183	102	69	80
White	4,020	3,800	69	52	53
All other	345	383	33	17	27
Black	341	380	33	17	26
Clifton	---	830	7	5	6
Hawthorne	---	186	2	2	6
Little Falls township†	---	107	–	–	1
Passaic	---	574	19	15	19
White	---	519	15	14	17
All other	---	55	4	1	2
Black	---	55	4	1	2
Paterson	---	1,410	56	34	41
White	---	1,100	27	18	18
All other	---	310	29	16	23
Black	---	308	29	16	23
Pompton Lakes	---	73	1	–	1
Ringwood	---	46	1	1	1
Totowa	---	96	1	1	1
Wayne township†	---	295	5	4	2
West Paterson	---	68	–	–	–
Balance of county	---	498	10	7	2
Salem	607	557	8	4	7
White	497	455	6	4	5
All other	110	102	2	–	2
Black	110	101	2	–	2
Somerset	1,366	1,434	19	16	25
Bound Brook	---	116	2	2	–
Bridgewater township†	---	169	1	–	1
Franklin township†	---	185	6	6	4
White	---	155	–	–	2
All other	---	30	6	6	2
Black	---	30	6	6	2
Manville	---	80	2	2	3
North Plainfield	---	173	–	–	3
Somerville	---	156	2	1	3
White	---	138	1	–	2
All other	---	18	1	1	1
Black	---	18	1	1	1
Balance of county	---	555	6	5	11
Sussex	764	819	22	16	28
Union	4,785	4,818	70	59	57
White	4,358	4,333	44	39	32
All other	427	485	26	20	25
Black	419	477	24	19	25
Berkeley Heights township†	---	61	–	–	–
Clark township†	---	133	6	5	–
New Jersey—Con.					
Union—Con.					
Cranford township†	---	223	–	–	–
Elizabeth	---	1,147	16	13	16
White	---	1,013	6	5	10
All other	---	134	10	8	6
Black	---	133	10	8	6
Hillside township†	---	190	4	3	5
Linden	---	404	4	4	8
White	---	371	4	4	6
All other	---	33	–	–	2
Black	---	31	–	–	2
New Providence	---	90	1	–	2
Plainfield	---	394	15	13	15
White	---	258	5	5	2
All other	---	136	10	8	13
Black	---	134	9	7	13
Rahway	---	278	3	3	–
White	---	245	3	3	–
All other	---	33	–	–	–
Black	---	33	–	–	–
Roselle	---	208	3	3	2
White	---	165	1	1	–
All other	---	43	2	2	2
Black	---	43	2	2	2
Roselle Park	---	119	1	1	–
Scotch Plains township†	---	163	1	1	1
Springfield township†	---	162	–	–	–
Summit	---	184	5	3	–
Union township†	---	562	5	4	4
Westfield	---	231	4	4	3
Balance of county	---	269	2	2	1
Warren	712	744	14	10	11
Phillipsburg	---	215	1	–	4
Balance of county	---	529	13	10	7
New Mexico	**8,039**	**8,073**	**319**	**221**	**211**
White	7,165	7,279	249	177	170
All other	874	794	70	44	41
Black	144	147	17	12	7
Bernalillo	2,954	2,251	81	53	56
White	2,702	2,155	69	45	50
All other	252	96	12	8	6
Black	55	48	6	3	2
Albuquerque	---	2,194	78	52	52
White	---	2,111	67	45	48
All other	---	83	11	7	4
Black	---	48	6	3	1
Balance of county	---	57	3	1	4
Catron	11	27	4	4	–
Chaves	458	470	12	8	8
Roswell	---	407	7	4	7
Balance of county	---	63	5	4	1
Colfax	105	122	2	2	3
Curry	274	293	17	15	9
Clovis	---	251	11	9	6
Balance of county	---	42	6	6	3
De Baca	38	27	–	–	1
Dona Ana	349	444	22	14	15
Las Cruces	---	246	10	7	8
Balance of county	---	198	12	7	7
Eddy	339	369	7	4	3
Artesia	---	100	–	–	1
Carlsbad	---	236	5	3	1
Balance of county	---	33	2	1	1
Grant	173	166	6	6	6
Guadalupe	27	43	1	1	1
Harding	4	16	1	1	–
Hidalgo	59	53	1	–	2
Lea	293	368	23	15	14
Hobbs	---	238	19	12	10
Balance of county	---	130	4	3	4
Lincoln	95	88	3	2	1
Los Alamos	42	47	1	1	2
Luna	143	155	7	6	2
McKinley	343	325	29	16	23
White	109	96	7	5	6
All other	234	229	22	11	17
Black	2	4	–	–	1
Gallup	---	107	9	6	7
White	---	76	5	4	4
All other	---	31	4	2	3
Black	---	3	–	–	–
Balance of county	---	218	20	10	16
White	---	20	2	1	2
All other	---	198	18	9	14
Black	---	1	–	–	1
Mora	19	30	1	1	2
Otero	197	237	15	13	6
Alamogordo	---	145	11	9	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Mexico—Con.					
Otero—Con.					
Balance of county	---	92	4	4	5
White	---	65	4	4	5
All other	---	27	–	–	–
Black	---	–	–	–	–
Quay	112	111	1	–	1
Rio Arriba	158	233	9	6	5
White	139	209	8	5	5
All other	19	24	1	1	–
Black	–	–	–	–	–
Roosevelt	99	135	1	1	2
Portales	---	95	1	1	2
Balance of county	---	40	–	–	–
Sandoval	83	180	8	5	9
White	51	109	1	1	4
All other	32	71	7	4	5
Black	–	1	–	–	–
San Juan	395	440	19	13	13
White	244	292	13	9	8
All other	151	148	6	4	5
Black	3	3	–	–	–
Farmington	---	182	11	7	5
Balance of county	---	258	8	6	8
White	---	117	2	2	3
All other	---	141	6	4	5
Black	---	1	–	–	–
San Miguel	237	196	4	4	2
Santa Fe	419	392	10	7	7
Santa Fe	---	324	7	5	5
Balance of county	---	68	3	2	2
Sierra	112	136	4	3	–
Socorro	72	104	6	5	2
Taos	101	131	6	5	3
Torrance	35	58	2	2	2
Union	47	58	2	–	1
Valencia	246	368	14	8	10
White	210	302	10	5	7
All other	36	66	4	3	3
Black	3	2	–	–	–
New York	**168,190**	**168,739**	**3,466**	**2,514**	**2,584**
White	149,429	149,943	2,269	1,685	1,813
All other	18,761	18,796	1,197	829	771
Black	17,884	17,926	1,164	804	735
Albany	3,696	2,843	59	45	38
White	3,548	2,711	43	32	33
All other	148	132	16	13	5
Black	144	129	15	12	5
Albany	---	1,400	30	23	14
White	---	1,281	14	10	9
All other	---	119	16	13	5
Black	---	118	15	12	5
Cohoes	---	237	8	6	5
Watervliet	---	134	2	2	5
Balance of county	---	1,072	19	14	14
Allegany	299	443	8	7	14
Broome	2,194	1,980	31	19	23
Binghamton	---	749	13	8	10
Endicott	---	211	4	3	1
Johnson City	---	206	3	2	2
Balance of county	---	814	11	6	10
Cattaraugus	852	908	18	11	17
Olean	---	236	2	1	3
Balance of county	---	672	16	10	14
Cayuga	710	757	16	13	17
Auburn	---	399	7	5	3
Balance of county	---	358	9	8	14
Chautauqua	1,454	1,530	29	21	36
Dunkirk	---	176	1	–	6
Fredonia	---	64	1	1	4
Jamestown	---	497	7	4	11
Balance of county	---	793	20	16	15
Chemung	1,002	953	9	6	12
Elmira	---	472	5	5	4
Balance of county	---	481	4	1	8
Chenango	387	490	2	2	13
Clinton	626	590	12	10	6
Plattsburgh	---	189	4	4	2
Balance of county	---	401	8	6	4
Columbia	634	672	11	9	10
Cortland	424	393	10	8	5
Cortland	---	198	4	4	4
Balance of county	---	195	6	4	1
Delaware	509	526	12	7	11
Dutchess	2,137	1,939	24	18	25
White	2,009	1,834	22	17	18
All other	128	105	2	1	7
Black	126	104	2	1	6
New York—Con.					
Dutchess—Con.					
Beacon	---	163	2	2	1
White	---	149	2	2	1
All other	---	14	–	–	–
Black	---	14	–	–	–
Poughkeepsie	---	465	5	4	5
White	---	400	3	3	–
All other	---	65	2	1	5
Black	---	65	2	1	5
Balance of county	---	1,311	17	12	19
Erie	11,181	10,597	184	134	115
White	10,216	9,655	123	91	88
All other	965	942	61	43	27
Black	920	894	59	41	24
Buffalo	---	5,279	107	73	51
White	---	4,418	52	35	28
All other	---	861	55	38	23
Black	---	838	54	37	23
Depew	---	138	2	1	2
Hamburg	---	119	1	1	3
Kenmore	---	234	3	3	4
Lackawanna	---	264	12	7	5
White	---	233	10	5	4
All other	---	31	2	2	1
Black	---	31	2	2	1
Lancaster	---	133	3	3	–
Tonawanda	---	167	3	3	3
Balance of county	---	4,263	53	43	47
Essex	314	419	7	2	8
Franklin	494	508	4	3	8
Fulton	495	590	11	6	7
Gloversville	---	248	3	1	2
Johnstown	---	126	2	–	1
Balance of county	---	216	6	5	4
Genesee	592	508	12	10	14
Batavia	---	202	6	5	3
Balance of county	---	306	6	5	11
Greene	388	498	6	4	6
Hamilton	20	67	–	–	1
Herkimer	637	711	8	8	8
Jefferson	1,024	987	10	5	16
Watertown	---	387	2	–	6
Balance of county	---	600	8	5	10
Lewis	177	234	3	3	2
Livingston	378	479	8	7	8
Madison	461	543	16	15	7
Oneida	---	140	2	1	1
Balance of county	---	403	14	14	6
Monroe	6,375	6,029	134	97	98
White	6,039	5,698	96	72	75
All other	336	331	38	25	23
Black	331	327	38	25	23
Rochester	---	3,134	86	57	65
White	---	2,813	48	32	43
All other	---	321	38	25	22
Black	---	319	38	25	22
Balance of county	---	2,895	48	40	33
Montgomery	607	688	10	6	11
Amsterdam	---	378	3	2	6
Balance of county	---	310	7	4	5
Nassau	10,689	11,199	161	129	164
White	10,170	10,690	117	94	129
All other	519	509	44	35	35
Black	499	489	44	35	34
East Rockaway	---	92	1	1	–
Floral Park	---	194	2	2	1
Freeport	---	335	12	11	11
White	---	282	5	5	4
All other	---	53	7	6	7
Black	---	52	7	6	7
Garden City	---	200	–	–	1
Glen Cove	---	253	3	3	6
Great Neck	---	123	2	1	1
Hempstead	---	388	16	11	15
White	---	287	3	1	3
All other	---	101	13	10	12
Black	---	101	13	10	12
Long Beach	---	578	7	5	6
Lynbrook	---	207	5	4	1
Malverne	---	84	1	1	–
Massapequa Park	---	143	–	–	1
Mineola	---	185	4	3	7
New Hyde Park	---	111	–	–	–
Rockville Centre	---	267	3	3	2
Valley Stream	---	364	2	2	6
Westbury	---	150	4	3	3
Balance of county	---	7,525	99	79	103
White	---	7,256	82	64	95
All other	---	269	17	15	8
Black	---	252	17	15	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New York—Con.					
New York City	75,011	75,948	1,809	1,276	1,116
White	60,422	61,256	912	665	575
All other	14,589	14,692	897	611	541
Black	13,937	14,033	874	595	520
Bronx Borough, Bronx County	---	12,906	387	257	244
White	---	10,286	195	131	125
All other	---	2,620	192	126	119
Black	---	2,582	190	125	118
Brooklyn Borough, Kings County	---	23,147	754	544	436
White	---	18,408	319	249	202
All other	---	4,739	435	295	234
Black	---	4,636	433	294	22'
Manhattan Borough, New York County	---	17,149	262	184	165
White	---	12,275	147	102	85
All other	---	4,874	115	82	80
Black	---	4,489	107	77	76
Queens Borough, Queens County	---	19,985	345	244	238
White	---	17,679	207	150	139
All other	---	2,306	138	94	99
Black	---	2,187	128	86	89
Richmond Borough, Richmond County	---	2,761	61	47	33
White	---	2,608	44	33	24
All other	---	153	17	14	9
Black	---	139	16	13	9
Niagara	2,095	2,198	45	38	52
White	2,026	2,118	39	32	44
All other	69	80	6	6	8
Black	54	61	5	5	7
Lockport	---	278	6	5	6
Niagara Falls	---	919	20	17	22
White	---	856	15	12	16
All other	---	63	5	5	6
Black	---	56	5	5	6
North Tonawanda	---	300	8	8	11
Balance of county	---	701	11	8	13
Oneida	2,732	2,504	38	26	40
Rome	---	400	7	6	9
Utica	---	1,051	13	10	14
Balance of county	---	1,053	18	10	17
Onondaga	4,173	3,758	82	60	65
White	4,020	3,608	64	46	56
All other	153	150	18	14	9
Black	133	134	15	12	8
Syracuse	---	1,947	42	28	31
White	---	1,812	26	16	22
All other	---	135	16	12	9
Black	---	125	14	11	8
Balance of county	---	1,811	40	32	34
Ontario	884	771	10	10	17
Canandaigua	---	141	1	1	3
Geneva	---	166	4	4	2
Balance of county	---	464	5	5	12
Orange	2,354	2,227	47	36	22
White	2,261	2,131	40	30	19
All other	93	96	7	6	3
Black	90	96	7	6	2
Middletown	---	265	6	5	3
Newburgh	---	359	11	7	2
White	---	310	6	3	2
All other	---	49	5	4	–
Black	---	49	5	4	–
Balance of county	---	1,603	30	24	17
Orleans	300	355	8	5	5
Oswego	799	1,032	25	19	16
Fulton	---	166	2	2	5
Oswego	---	250	1	–	1
Balance of county	---	616	22	17	10
Otsego	612	590	11	9	12
Oneonta	---	150	2	2	4
Balance of county	---	440	9	7	8
Putnam	371	476	12	8	4
Rensselaer	1,203	1,519	29	27	28
Rensselaer	---	133	3	3	2
Troy	---	721	17	15	15
Balance of county	---	665	9	9	11
Rockland	1,859	1,680	41	29	38
White	1,753	1,599	32	23	26
All other	106	81	9	6	12
Black	103	80	9	6	12
Spring Valley	---	148	6	5	11
White	---	127	2	1	5
All other	---	21	4	4	6
Black	---	21	4	4	6
Balance of county	---	1,532	35	24	27
White	---	1,472	30	22	21
All other	---	60	5	2	6
Black	---	59	5	2	6
St. Lawrence	964	982	20	10	23
Massena	---	122	2	1	2
Ogdensburg	---	140	4	3	1
Balance of county	---	720	14	6	20
Saratoga	604	1,071	33	24	17
Saratoga Springs	---	210	5	5	1
New York—Con.					
Saratoga—Con.					
Balance of county	---	861	28	19	16
Schenectady	1,630	1,545	20	13	22
Schenectady	---	939	14	9	10
Balance of county	---	606	6	4	12
Schoharie	247	270	1	–	4
Schuyler	113	153	3	1	2
Seneca	289	284	7	5	6
Steuben	898	970	19	14	14
Corning	---	152	4	3	–
Hornell	---	149	6	5	3
Balance of county	---	669	9	6	11
Suffolk	9,636	8,875	173	132	204
White	9,110	8,397	137	107	179
All other	526	478	36	25	25
Black	494	452	36	25	25
Babylon	---	101	–	–	3
Lindenhurst	---	231	1	1	9
Patchogue	---	113	1	1	–
Balance of county	---	8,430	171	130	192
White	---	7,958	135	105	169
All other	---	472	36	25	23
Black	---	447	36	25	23
Sullivan	675	719	12	10	12
Tioga	173	345	7	6	5
Tompkins	485	528	14	11	5
Ithaca	---	211	4	3	2
Balance of county	---	317	10	8	3
Ulster	1,238	1,516	25	14	24
Kingston	---	397	3	2	4
Balance of county	---	1,119	22	12	20
Warren	857	574	14	13	7
Glens Falls	---	222	10	9	2
Balance of county	---	352	4	4	5
Washington	320	539	5	4	6
Wayne	489	662	13	11	14
Newark	---	112	3	3	–
Balance of county	---	550	10	8	14
Westchester	7,920	7,972	119	91	96
White	7,226	7,222	81	64	50
All other	694	750	38	27	46
Black	679	737	37	26	43
Dobbs Ferry	---	83	2	1	–
Mamaroneck	---	155	–	–	1
Mount Vernon	---	683	12	7	15
White	---	473	4	2	2
All other	---	210	8	5	13
Black	---	210	8	5	13
New Rochelle	---	693	11	9	8
White	---	591	8	7	5
All other	---	102	3	2	3
Black	---	101	3	2	3
Ossining	---	183	7	5	3
White	---	168	4	3	2
All other	---	15	3	2	1
Black	---	14	2	1	1
Peekskill	---	244	7	5	2
White	---	219	5	4	1
All other	---	25	2	1	1
Black	---	25	2	1	1
Port Chester	---	269	7	6	2
White	---	249	4	4	1
All other	---	20	3	2	1
Black	---	20	3	2	–
Rye	---	138	–	–	1
Scarsdale	---	166	3	2	–
Tarrytown	---	92	3	3	–
White Plains	---	525	5	4	9
White	---	446	4	3	2
All other	---	79	1	1	7
Black	---	78	1	1	7
Yonkers	---	2,003	27	24	26
White	---	1,874	15	14	15
All other	---	129	12	10	11
Black	---	126	12	10	11
Balance of county	---	2,738	35	25	29
White	---	2,595	29	21	20
All other	---	143	6	4	9
Black	---	138	6	4	7
Wyoming	297	335	6	5	7
Yates	206	260	3	2	1
North Carolina	**46,932**	**46,623**	**1,335**	**944**	**1,008**
White	34,932	34,647	704	515	556
All other	12,000	11,976	631	429	452
Black	11,653	11,629	603	414	424
Alamance	653	836	8	3	12
White	543	675	4	1	12
All other	110	161	4	2	–
Black	110	161	4	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Alamance—Con.					
Burlington	---	348	3	1	4
White	---	294	1	–	4
All other	---	54	2	1	–
Black	---	54	2	1	–
Balance of county	---	488	5	2	8
White	---	381	3	1	8
All other	---	107	2	1	–
Black	---	107	2	1	–
Alexander	92	157	4	3	5
Alleghany	106	100	1	1	2
Anson	148	233	8	3	8
White	78	122	1	–	3
All other	70	111	7	3	5
Black	70	111	7	3	5
Ashe	163	208	3	3	8
Avery	112	126	4	3	3
Beaufort	491	481	14	9	9
White	319	304	4	3	5
All other	172	177	10	6	4
Black	172	177	10	6	4
Bertie	114	232	5	2	4
White	51	107	–	–	2
All other	63	125	5	2	2
Black	63	125	5	2	2
Bladen	219	282	8	5	6
White	124	168	2	2	2
All other	95	114	6	3	4
Black	93	113	6	3	4
Brunswick	137	228	11	6	5
White	110	179	3	–	3
All other	27	49	8	6	2
Black	27	48	8	6	2
Buncombe	2,226	1,540	28	24	24
White	1,963	1,343	21	18	21
All other	263	197	7	6	3
Black	253	193	7	6	3
Asheville	---	792	16	15	7
White	---	616	9	9	5
All other	---	176	7	6	2
Black	---	173	7	6	2
Balance of county	---	748	12	9	17
Burke	563	500	4	3	5
Hickory, part	---	2	–	–	–
Morganton	--	111	1	1	1
White	---	96	1	1	1
All other	---	15	–	–	–
Black	---	15	–	–	–
Balance of county	---	387	3	2	4
Cabarrus	738	779	11	8	12
White	634	661	10	8	10
All other	104	118	1	–	2
Black	104	118	1	–	2
Concord	---	227	3	3	1
White	---	181	3	3	1
All other	---	46	–	–	–
Black	---	46	–	–	–
Balance of county	---	552	8	5	11
White	---	480	7	5	9
All other	---	72	1	–	2
Black	---	72	1	–	2
Caldwell	344	481	12	8	19
Lenoir	---	170	3	3	7
White	---	140	3	3	4
All other	---	30	–	–	3
Black	---	30	–	–	3
Balance of county	---	311	9	5	12
Camden	8	66	–	–	2
White	8	43	–	–	1
All other	–	23	–	–	1
Black	–	23	–	–	1
Carteret	339	367	18	14	5
White	293	328	13	11	5
All other	46	39	5	3	–
Black	46	39	5	3	–
Caswell	57	171	3	2	2
White	26	94	1	1	–
All other	31	77	2	1	2
Black	31	77	2	1	2
Catawba	751	760	18	12	10
Hickory, part	---	264	8	5	4
White	---	215	5	2	3
All other	---	49	3	3	1
Black	---	49	3	3	1
Hickory, total	---	266	8	5	4
White	---	216	5	2	3
All other	---	50	3	3	1
Black	---	50	3	3	1
Balance of county	---	496	10	7	6
Chatham	220	294	2	1	5
White	164	212	1	1	2
All other	56	82	1	–	3
Black	56	82	1	–	3
Cherokee	132	169	6	2	4
Chowan	202	110	4	2	4
White	115	63	2	1	–
All other	87	47	2	1	4
Black	87	47	2	1	4
Clay	22	66	1	1	3
Cleveland	765	708	30	16	12
White	649	577	15	8	5
All other	116	131	15	8	7
Black	116	131	15	8	7
Shelby	---	205	8	5	2
White	---	159	5	4	1
All other	---	46	3	1	1
Black	---	46	3	1	1
Balance of county	---	503	22	11	10
White	---	418	10	4	4
All other	---	85	12	7	6
Black	---	85	12	7	6
Columbus	343	521	20	12	16
White	221	338	9	6	6
All other	122	183	11	6	10
Black	117	175	11	6	8
Craven	538	460	25	20	16
White	373	304	14	12	11
All other	165	156	11	8	5
Black	165	156	11	8	5
New Bern	---	178	6	5	5
White	---	102	1	1	2
All other	---	76	5	4	3
Black	---	76	5	4	3
Balance of county	---	282	19	15	11
White	---	202	13	11	9
All other	---	80	6	4	2
Black	---	80	6	4	2
Cumberland	1,378	1,182	73	50	54
White	893	781	45	31	23
All other	485	401	28	19	31
Black	461	379	27	18	28
Fayetteville	---	575	30	19	21
White	---	332	13	7	4
All other	---	243	17	12	17
Black	---	236	16	11	16
Balance of county	---	607	43	31	33
White	---	449	32	24	19
All other	---	158	11	7	14
Black	---	143	11	7	12
Currituck	45	107	2	1	5
White	32	79	1	1	3
All other	13	28	1	–	2
Black	13	28	1	–	2
Dare	68	106	2	2	2
Davidson	564	805	24	17	15
White	501	710	15	10	7
All other	63	95	9	7	8
Black	63	95	9	7	8
High Point, part	---	2	1	1	–
Lexington	---	161	6	4	5
White	---	137	3	2	2
All other	---	24	3	2	3
Black	---	24	3	2	3
Thomasville	---	174	6	4	1
White	---	123	1	–	–
All other	---	51	5	4	1
Black	---	51	5	4	1
Balance of county	---	468	11	8	9
Davie	142	172	3	3	4
White	122	144	–	–	2
All other	20	28	3	3	2
Black	19	27	3	3	2
Duplin	293	399	11	6	12
White	178	256	3	1	3
All other	115	143	8	5	9
Black	115	143	8	5	9
Durham	2,419	1,206	33	20	28
White	1,586	739	11	7	5
All other	833	467	22	13	23
Black	822	467	22	13	23
Chapel Hill, part	---	–	–	–	–
Durham	---	960	29	17	22
White	---	531	7	4	1
All other	---	429	22	13	21
Black	---	429	22	13	21
Balance of county	---	246	4	3	6
White	---	208	4	3	4
All other	---	38	–	–	2
Black	---	38	–	–	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Edgecombe	340	526	21	15	8
White	177	261	8	5	3
All other	163	265	13	10	5
Black	163	265	13	10	5
Rocky Mount, part	---	161	6	4	3
White	---	57	2	1	1
All other	---	104	4	3	2
Black	---	104	4	3	2
Balance of county	---	365	15	11	5
White	---	204	6	4	2
All other	---	161	9	7	3
Black	---	161	9	7	3
Forsyth	2,767	1,890	36	30	26
White	2,114	1,330	23	20	10
All other	653	560	13	10	16
Black	651	560	13	10	15
Winston-Salem	---	1,313	22	18	13
White	---	782	11	10	2
All other	---	531	11	8	11
Black	---	531	11	8	10
Balance of county	---	577	14	12	13
Franklin	267	305	12	7	8
White	143	174	6	4	4
All other	124	131	6	3	4
Black	122	131	6	3	4
Gaston	943	1,241	38	29	22
White	803	1,068	24	18	19
All other	140	173	14	11	3
Black	139	172	13	10	3
Gastonia	---	470	16	12	6
White	---	382	6	4	5
All other	---	88	10	8	1
Black	---	88	10	8	1
Balance of county	---	771	22	17	16
White	---	686	18	14	14
All other	---	85	4	3	2
Black	---	84	3	2	2
Gates	18	92	1	1	3
White	11	49	1	1	–
All other	7	43	–	–	3
Black	7	43	–	–	3
Graham	19	54	–	–	1
Granville	230	297	8	4	8
White	143	174	4	3	2
All other	87	123	4	1	6
Black	87	123	4	1	6
Greene	44	129	5	4	1
White	22	86	1	1	–
All other	22	43	4	3	1
Black	22	43	4	3	1
Guilford	2,678	2,480	68	53	52
White	2,039	1,845	35	26	25
All other	639	635	33	27	27
Black	638	634	33	27	27
Greensboro	---	1,237	32	24	29
White	---	846	15	9	10
All other	---	391	17	15	19
Black	---	391	17	15	19
High Point, part	---	650	19	14	15
White	---	496	6	4	8
All other	---	154	13	10	7
Black	---	154	13	10	7
High Point, total	---	654	21	16	15
White	---	500	8	6	8
All other	---	154	13	10	7
Black	---	154	13	10	7
Balance of county	---	593	17	15	8
White	---	503	14	13	7
All other	---	90	3	2	1
Black	---	89	3	2	1
Halifax	563	613	16	9	10
White	315	319	4	4	4
All other	248	294	12	5	6
Black	244	286	12	5	5
Roanoke Rapids	---	152	3	3	2
White	---	136	3	3	2
All other	---	16	–	–	–
Black	---	16	–	–	–
Balance of county	---	461	13	6	8
White	---	183	1	1	2
All other	---	278	12	5	6
Black	---	270	12	5	5
Harnett	394	471	8	5	18
White	294	357	4	4	10
All other	100	114	4	1	8
Black	97	111	4	1	8
Haywood	405	425	10	9	7
Henderson	535	543	6	5	8
North Carolina—Con.					
Hertford	268	240	10	6	9
White	122	97	2	2	2
All other	146	143	8	4	7
Black	146	143	8	4	7
Hoke	140	149	6	1	4
White	71	70	–	–	–
All other	69	79	6	1	4
Black	58	68	5	1	3
Hyde	35	79	2	2	–
White	23	51	–	–	–
All other	12	28	2	2	–
Black	12	28	2	2	–
Iredell	697	703	13	9	15
White	575	560	6	4	10
All other	122	143	7	5	5
Black	122	143	7	5	5
Statesville	---	260	7	4	4
White	---	182	4	2	2
All other	---	78	3	2	2
Black	---	78	3	2	2
Balance of county	---	443	6	5	11
White	---	378	2	2	8
All other	---	65	4	3	3
Black	---	65	4	3	3
Jackson	179	213	5	4	3
White	168	193	2	1	2
All other	11	20	3	3	1
Black	1	3	1	1	–
Johnston	504	736	17	13	17
White	399	607	5	4	10
All other	105	129	12	9	7
Black	105	128	12	9	7
Jones	22	93	2	1	1
White	13	56	–	–	1
All other	9	37	2	1	–
Black	9	37	2	1	–
Lee	298	276	12	11	7
White	221	188	5	4	1
All other	77	88	7	7	6
Black	77	88	7	7	6
Sanford	---	130	5	4	1
White	---	88	3	2	–
All other	---	42	2	2	1
Black	---	42	2	2	1
Balance of county	---	146	7	7	6
White	---	100	2	2	1
All other	---	46	5	5	5
Black	---	46	5	5	5
Lenoir	669	571	10	7	9
White	411	338	3	2	3
All other	258	233	7	5	6
Black	258	233	7	5	6
Kinston	---	308	4	3	4
White	---	151	1	1	–
All other	---	157	3	2	4
Black	---	157	3	2	4
Balance of county	---	263	6	4	5
White	---	187	2	1	3
All other	---	76	4	3	2
Black	---	76	4	3	2
Lincoln	292	332	13	10	7
White	258	301	12	9	6
All other	34	31	1	1	1
Black	34	31	1	1	1
McDowell	180	236	5	2	5
Macon	179	187	5	5	4
Madison	70	157	5	4	3
Martin	213	258	15	13	5
White	104	139	2	2	–
All other	109	119	13	11	5
Black	109	119	13	11	5
Mecklenburg	3,324	2,823	84	70	52
White	2,424	1,978	34	26	24
All other	900	845	50	44	28
Black	894	842	50	44	27
Charlotte	---	2,248	69	58	32
White	---	1,482	21	16	14
All other	---	766	48	42	18
Black	---	764	48	42	18
Balance of county	---	575	15	12	20
White	---	496	13	10	10
All other	---	79	2	2	10
Black	---	78	2	2	9
Mitchell	115	148	1	1	2
Montgomery	163	183	4	2	3
White	127	140	2	1	2
All other	36	43	2	1	1
Black	36	43	2	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Moore	604	477	12	11	4
White	464	370	6	6	4
All other	140	107	6	5	–
Black	136	104	6	5	–
Nash	676	618	15	9	10
White	397	397	3	1	3
All other	279	221	12	8	7
Black	279	221	12	8	7
Rocky Mount, part	– – –	226	9	4	3
White	– – –	167	3	1	–
All other	– – –	59	6	3	3
Black	– – –	59	6	3	3
Rocky Mount, total	– – –	387	15	8	6
White	– – –	224	5	2	1
All other	– – –	163	10	6	5
Black	– – –	163	10	6	5
Balance of county	– – –	392	6	5	7
White	– – –	230	–	–	3
All other	– – –	162	6	5	4
Black	– – –	162	6	5	4
New Hanover	1,045	844	17	14	9
White	763	609	7	4	6
All other	282	235	10	10	3
Black	278	235	10	10	3
Wilmington	– – –	496	11	10	4
White	– – –	308	2	1	2
All other	– – –	188	9	9	2
Black	– – –	188	9	9	2
Balance of county	– – –	348	6	4	5
Northampton	83	224	13	10	6
White	40	107	–	–	1
All other	43	117	13	10	5
Black	43	117	13	10	5
Onslow	358	448	51	36	24
White	273	360	41	30	16
All other	85	88	10	6	8
Black	84	87	9	5	8
Jacksonville	– – –	105	8	4	4
White	– – –	91	7	4	4
All other	– – –	14	1	–	–
Black	– – –	14	1	–	–
Balance of county	– – –	343	43	32	20
White	– – –	269	34	26	12
All other	– – –	74	9	6	8
Black	– – –	73	8	5	8
Orange	933	380	11	6	10
White	579	292	6	3	7
All other	354	88	5	3	3
Black	349	88	5	3	3
Chapel Hill, part	– – –	130	2	2	3
White	– – –	102	1	1	3
All other	– – –	28	1	1	–
Black	– – –	28	1	1	–
Chapel Hill, total	– – –	130	2	2	3
White	– – –	102	1	1	3
All other	– – –	28	1	1	–
Black	– – –	28	1	1	–
Balance of county	– – –	250	9	4	7
White	– – –	190	5	2	4
All other	– – –	60	4	2	3
Black	– – –	60	4	2	3
Pamlico	29	104	2	–	2
White	17	77	–	–	1
All other	12	27	2	–	1
Black	12	27	2	–	1
Pasquotank	433	269	7	6	5
White	281	166	4	3	2
All other	152	103	3	3	3
Black	152	103	3	3	3
Elizabeth City	– – –	172	5	4	4
White	– – –	107	3	2	1
All other	– – –	65	2	2	3
Black	– – –	65	2	2	3
Balance of county	– – –	97	2	2	1
White	– – –	59	1	1	1
All other	– – –	38	1	1	–
Black	– – –	38	1	1	–
Pender	180	218	6	4	6
White	110	126	3	2	5
All other	70	92	3	2	1
Black	70	92	3	2	1
Perquimans	12	98	–	–	–
White	7	56	–	–	–
All other	5	42	–	–	–
Black	5	42	–	–	–
Person	204	230	11	10	1
White	144	170	6	6	–
All other	60	60	5	4	1
Black	58	58	5	4	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Pitt	706	681	27	18	23
White	401	389	7	5	8
All other	305	292	20	13	15
Black	305	292	20	13	15
Greenville	– – –	260	7	5	7
White	– – –	144	2	1	2
All other	– – –	116	5	4	5
Black	– – –	116	5	4	5
Balance of county	– – –	421	20	13	16
White	– – –	245	5	4	6
All other	– – –	176	15	9	10
Black	– – –	176	15	9	10
Polk	209	174	–	–	3
White	194	160	–	–	2
All other	15	14	–	–	1
Black	15	14	–	–	1
Randolph	444	610	12	9	11
Asheboro	– – –	128	1	1	1
White	– – –	110	1	1	1
All other	– – –	18	–	–	–
Black	– – –	18	–	–	–
High Point, part	– – –	2	1	1	–
Balance of county	– – –	480	10	7	10
Richmond	283	426	8	4	11
White	186	291	4	2	5
All other	97	135	4	2	6
Black	92	133	4	2	6
Robeson	844	900	44	27	25
White	406	410	8	6	4
All other	438	490	36	21	21
Black	267	276	15	12	8
Lumberton	– – –	233	7	6	2
White	– – –	134	2	2	–
All other	– – –	99	5	4	2
Black	– – –	82	2	2	–
Balance of county	– – –	667	37	21	23
White	– – –	276	6	4	4
All other	– – –	391	31	17	19
Black	– – –	194	13	10	8
Rockingham	645	826	22	12	13
White	486	641	11	7	11
All other	159	185	11	5	2
Black	159	185	11	5	2
Eden	– – –	220	4	1	4
White	– – –	197	2	1	3
All other	– – –	23	2	–	1
Black	– – –	23	2	–	1
Reidsville	– – –	179	3	1	2
White	– – –	116	1	1	2
All other	– – –	63	2	–	–
Black	– – –	63	2	–	–
Balance of county	– – –	427	15	10	7
White	– – –	328	8	5	6
All other	– – –	99	7	5	1
Black	– – –	99	7	5	1
Rowan	1,000	878	17	12	19
White	798	721	11	9	12
All other	202	157	6	3	7
Black	202	157	6	3	7
Salisbury	– – –	280	4	3	4
White	– – –	204	–	–	1
All other	– – –	76	4	3	3
Black	– – –	76	4	3	3
Balance of county	– – –	598	13	9	15
White	– – –	517	11	9	11
All other	– – –	81	2	–	4
Black	– – –	81	2	–	4
Rutherford	394	495	15	8	10
White	345	439	14	8	7
All other	49	56	1	–	3
Black	49	56	1	–	3
Sampson	352	464	16	13	11
White	213	291	7	6	1
All other	139	173	9	7	10
Black	134	167	9	7	10
Scotland	296	270	12	6	7
White	165	167	6	3	2
All other	131	103	6	3	5
Black	105	97	5	2	5
Stanly	339	422	9	7	7
White	301	372	5	4	5
All other	38	50	4	3	2
Black	37	49	4	3	2
Albemarle	– – –	121	5	3	3
White	– – –	101	3	2	1
All other	– – –	20	2	1	2
Black	– – –	20	2	1	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Stanly—Con.					
Balance of county	---	301	4	4	4
White	---	271	2	2	4
All other	---	30	2	2	–
Black	---	29	2	2	–
Stokes	139	228	8	6	2
Surry	434	478	10	9	8
Swain	105	101	2	2	2
White	85	80	2	2	–
All other	20	21	–	–	2
Black	1	1	–	–	–
Transylvania	147	180	4	2	5
Tyrrell	16	42	1	1	2
White	9	26	1	1	1
All other	7	16	–	–	1
Black	7	16	–	–	1
Union	340	442	13	8	11
White	255	350	6	3	10
All other	85	92	7	5	1
Black	85	92	7	5	1
Monroe	---	123	3	2	1
White	---	81	1	–	1
All other	---	42	2	2	–
Black	---	42	2	2	–
Balance of county	---	319	10	6	10
White	---	269	5	3	9
All other	---	50	5	3	1
Black	---	50	5	3	1
Vance	338	343	11	7	11
White	184	196	3	2	4
All other	154	147	8	5	7
Black	154	147	8	5	7
Henderson	---	179	7	3	3
White	---	94	1	–	–
All other	---	85	6	3	3
Black	---	85	6	3	3
Balance of county	---	164	4	4	8
White	---	102	2	2	4
All other	---	62	2	2	4
Black	---	62	2	2	4
Wake	1,889	1,799	55	44	44
White	1,388	1,306	29	25	30
All other	501	493	26	19	14
Black	501	492	26	19	11
Raleigh	---	1,011	23	18	21
White	---	720	10	9	14
All other	---	291	13	9	7
Black	---	290	13	9	6
Balance of county	---	788	32	26	23
White	---	586	19	16	16
All other	---	202	13	10	7
Black	---	202	13	10	5
Warren	142	217	4	2	6
White	50	86	–	–	1
All other	92	131	4	2	5
Black	88	128	4	2	5
Washington	82	125	1	1	3
White	50	82	1	1	2
All other	32	43	–	–	1
Black	32	43	–	–	1
Watauga	244	172	5	3	5
Wayne	772	759	27	18	22
White	506	486	19	14	8
All other	266	273	8	4	14
Black	265	272	8	4	14
Goldsboro	---	347	10	6	6
White	---	196	5	3	–
All other	---	151	5	3	6
Black	---	150	5	3	6
Balance of county	---	412	17	12	16
White	---	290	14	11	8
All other	---	122	3	1	8
Black	---	122	3	1	8
Wilkes	288	430	8	5	9
Wilson	781	575	19	14	17
White	495	352	6	5	5
All other	286	223	13	9	12
Black	286	223	13	9	12
Wilson	---	348	11	7	11
White	---	204	3	3	3
All other	---	144	8	4	8
Black	---	144	8	4	8
Balance of county	---	227	8	7	6
White	---	148	3	2	2
All other	---	79	5	5	4
Black	---	79	5	5	4
Yadkin	129	228	6	6	4
Yancey	74	146	–	–	1

See footnotes at end of table.

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Dakota	**5,499**	**5,201**	**156**	**120**	**103**
White	5,304	5,030	133	103	94
All other	195	171	23	17	9
Black	6	5	3	3	1
Adams	84	46	1	1	1
Barnes	115	137	2	2	3
Benson	19	77	3	2	3
White	14	56	–	–	1
All other	5	21	3	2	2
Black	–	–	–	–	–
Billings	5	9	–	–	–
Bottineau	78	103	1	1	–
Bowman	34	35	–	–	1
Burke	7	38	1	–	–
Burleigh	542	295	10	9	7
Bismarck	---	248	6	5	7
Balance of county	---	47	4	4	–
Cass	1,102	534	16	12	12
Fargo	---	390	11	9	8
Balance of county	---	144	5	3	4
Cavalier	55	66	2	–	–
Dickey	126	89	1	1	–
Divide	33	36	–	–	–
Dunn	17	38	2	2	–
Eddy	49	57	1	1	1
Emmons	36	50	2	2	2
Foster	57	47	–	–	2
Golden Valley	18	23	–	–	–
Grand Forks	504	376	20	15	9
Grand Forks	---	267	15	12	5
Balance of county	---	109	5	3	4
Grant	31	39	–	–	–
Griggs	33	40	–	–	–
Hettinger	8	48	2	2	1
Kidder	11	36	–	–	–
La Moure	11	79	1	1	2
Logan	7	30	1	1	1
McHenry	19	79	–	–	–
McIntosh	54	55	2	1	–
McKenzie	42	58	–	–	1
McLean	90	119	2	2	–
Mercer	47	70	2	2	1
Morton	89	158	9	8	4
Mandan	---	88	6	5	2
Balance of county	---	70	3	3	2
Mountrail	69	80	–	–	3
Nelson	42	65	1	1	–
Oliver	4	14	1	1	–
Pembina	102	118	4	2	2
Pierce	82	52	2	2	1
Ramsey	130	116	4	4	–
Ransom	57	73	–	–	2
Renville	27	40	–	–	1
Richland	113	189	2	2	5
Rolette	88	98	15	9	3
White	39	41	3	2	2
All other	49	57	12	7	1
Black	–	–	–	–	–
Sargent	13	69	–	–	–
Sheridan	5	36	2	2	–
Sioux	30	46	4	4	3
White	2	6	–	–	2
All other	28	40	4	4	1
Black	–	–	–	–	–
Slope	5	6	–	–	2
Stark	188	158	2	1	5
Dickinson	---	92	1	–	3
Balance of county	---	66	1	1	2
Steele	9	29	–	–	–
Stutsman	222	226	4	1	6
Jamestown	---	150	4	1	5
Balance of county	---	76	–	–	1
Towner	42	37	1	1	1
Traill	96	110	2	2	1
Walsh	142	171	6	6	3
Ward	467	347	15	9	14
Minot	---	237	11	5	11
Balance of county	---	110	4	4	3
Wells	68	89	3	3	–
Williams	175	165	7	5	–
Williston	---	105	5	4	–
Balance of county	---	60	2	1	–
Ohio	**96,666**	**97,045**	**2,245**	**1,632**	**1,499**
White	87,220	87,552	1,778	1,308	1,209
All other	9,446	9,493	467	324	290
Black	9,344	9,395	460	319	285
Adams	195	266	11	9	3
Allen	1,283	983	25	13	14

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Allen—Con.					
Lima	---	573	16	8	6
White	---	496	10	3	1
All other	---	77	6	5	5
Black	---	77	6	5	5
Balance of county	---	410	9	5	8
Ashland	385	397	3	2	3
Ashland	---	199	2	1	1
Balance of county	---	198	1	1	2
Ashtabula	802	952	25	18	6
Ashtabula	---	269	8	7	3
Conneaut	---	129	3	3	–
Balance of county	---	554	14	8	3
Athens	400	420	18	12	6
Athens	---	73	1	–	2
Balance of county	---	347	17	12	4
Auglaize	267	365	13	12	7
Belmont	815	999	8	5	9
Martins Ferry	---	149	1	1	1
Balance of county	---	850	7	4	8
Brown	281	295	6	5	1
Butler	1,813	1,859	54	43	44
White	1,705	1,741	43	34	40
All other	108	118	11	9	4
Black	108	117	11	9	4
Fairfield	---	112	3	2	5
Hamilton	---	700	26	21	10
Middletown	---	435	12	9	12
White	---	378	8	7	10
All other	---	57	4	2	2
Black	---	57	4	2	2
Oxford	---	62	2	2	–
Balance of county	---	550	11	9	17
Carroll	87	200	4	4	4
Champaign	255	313	6	3	5
Urbana	---	138	–	–	1
Balance of county	---	175	6	3	4
Clark	1,410	1,473	26	22	22
White	1,290	1,341	23	20	17
All other	120	132	3	2	5
Black	119	130	3	2	5
Springfield	---	938	17	15	11
White	---	809	14	13	6
All other	---	129	3	2	5
Black	---	127	3	2	5
Balance of county	---	535	9	7	11
Clermont	456	765	23	13	13
Clinton	326	350	13	7	6
Wilmington	---	138	6	3	1
Balance of county	---	212	7	4	5
Columbiana	1,175	1,212	30	26	23
East Liverpool	---	263	4	3	6
Salem	---	183	7	6	4
Balance of county	---	766	19	17	13
Coshocton	307	355	10	8	5
Coshocton	---	169	6	6	3
Balance of county	---	186	4	2	2
Crawford	448	485	13	11	9
Bucyrus	---	144	3	2	3
Galion	---	149	4	4	4
Balance of county	---	192	6	5	2
Cuyahoga	16,802	16,132	298	215	217
White	13,696	13,069	171	126	131
All other	3,106	3,063	127	89	86
Black	3,084	3,045	126	88	86
Bay Village	---	127	–	–	1
Bedford	---	149	1	–	2
Bedford Heights	---	97	2	2	1
Berea	---	157	3	1	3
Broadview Heights	---	59	1	–	1
Brooklyn	---	110	–	–	2
Brook Park	---	137	2	2	3
Cleveland	---	7,713	186	136	120
White	---	5,030	83	63	51
All other	---	2,683	103	73	69
Black	---	2,669	103	73	69
Cleveland Heights	---	586	8	6	4
East Cleveland	---	322	11	8	10
White	---	152	–	–	–
All other	---	170	11	8	10
Black	---	170	11	8	10
Euclid	---	646	13	8	10
Fairview Park	---	207	1	1	2
Garfield Heights	---	376	4	3	4
Lakewood	---	727	8	5	1
Lyndhurst	---	172	–	–	–
Maple Heights	---	273	2	1	2
Mayfield Heights	---	260	3	2	3
Middleburg Heights	---	93	1	1	3
North Olmstead	---	240	1	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Cuyahoga—Con.					
North Royalton	---	96	2	2	2
Parma	---	849	16	10	9
Parma Heights	---	247	6	6	2
Rocky River	---	230	1	1	2
Seven Hills	---	104	1	1	1
Shaker Heights	---	352	3	2	–
White	---	306	1	1	–
All other	---	46	2	1	–
Black	---	46	2	1	–
Solon	---	91	–	–	2
South Euclid	---	272	6	4	2
Strongsville	---	134	7	7	5
University Heights	---	133	1	–	2
Warrensville Heights	---	88	–	–	5
White	---	56	–	–	3
All other	---	32	–	–	2
Black	---	32	–	–	2
Westlake	---	194	1	1	2
Balance of county	---	891	7	4	9
Darke	347	477	9	6	8
Greenville	---	185	3	1	1
Balance of county	---	292	6	5	7
Defiance	312	307	7	6	7
Defiance	---	148	4	4	5
Balance of county	---	159	3	2	2
Delaware	325	367	6	6	6
Delaware	---	147	1	1	1
Westerville, part	---	15	1	1	–
Balance of county	---	205	4	4	5
Erie	784	699	18	13	15
Sandusky	---	367	13	10	7
White	---	334	8	7	5
All other	---	33	5	3	2
Black	---	33	5	3	2
Balance of county	---	332	5	3	8
Fairfield	627	689	18	12	11
Lancaster	---	363	10	8	8
Balance of county	---	326	8	4	3
Fayette	321	290	6	4	5
Washington	---	169	5	3	2
Balance of county	---	121	1	1	3
Franklin	7,560	6,564	201	144	113
White	6,532	5,535	131	93	88
All other	1,028	1,029	70	51	25
Black	1,012	1,018	68	49	25
Bexley	---	129	–	–	–
Columbus	---	4,759	167	119	91
White	---	3,762	101	71	67
All other	---	997	66	48	24
Black	---	991	65	47	24
Gahanna	---	78	3	3	2
Grove City	---	108	2	2	3
Reynoldsburg, part	---	81	–	–	1
Reynoldsburg, total	---	89	1	1	1
Upper Arlington	---	284	–	–	–
Westerville, part	---	86	2	–	5
Westerville, total	---	101	3	1	5
Whitehall	---	133	10	7	–
Worthington	---	89	2	–	–
Balance of county	---	817	15	13	11
Fulton	221	280	11	9	7
Gallia	436	271	8	6	3
Geauga	343	430	11	9	13
Greene	633	714	25	19	13
Fairborn	---	168	13	11	4
Xenia	---	192	3	1	5
White	---	150	3	1	3
All other	---	42	–	–	2
Black	---	41	–	–	2
Balance of county	---	354	9	7	4
Guernsey	439	435	10	7	7
Cambridge	---	181	4	2	3
Balance of county	---	254	6	5	4
Hamilton	9,936	8,904	158	109	115
White	8,260	7,244	95	67	73
All other	1,676	1,660	63	42	42
Black	1,659	1,645	63	42	41
Cheviot	---	147	1	–	–
Cincinnati	---	5,291	99	68	80
White	---	3,846	50	35	40
All other	---	1,445	49	33	40
Black	---	1,436	49	33	39
Forest Park	---	41	2	2	–
North College Hill	---	126	–	–	1
Norwood	---	338	3	–	2
Reading	---	94	1	1	–
Sharonville	---	47	2	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Hamilton—Con.					
Balance of county	---	2,820	50	37	31
White	---	2,615	37	29	29
All other	---	205	13	8	2
Black	---	199	13	8	2
Hancock	725	557	14	11	5
Findlay	---	351	11	8	4
Fostoria, part	---	16	–	–	–
Balance of county	---	190	3	3	1
Hardin	278	297	7	5	4
Harrison	193	232	5	5	–
Henry	189	255	3	1	7
Highland	276	384	7	5	7
Hocking	173	232	3	2	4
Holmes	277	211	9	7	12
Huron	376	413	8	7	11
Norwalk	---	122	1	1	2
Balance of county	---	291	7	6	9
Jackson	208	341	5	5	1
Jefferson	1,017	1,087	27	22	9
Steubenville	---	399	6	6	1
White	---	339	4	4	1
All other	---	60	2	2	–
Black	---	60	2	2	–
Balance of county	---	688	21	16	8
Knox	411	408	3	3	5
Mount Vernon	---	164	2	2	4
Balance of county	---	244	1	1	1
Lake	1,238	1,409	33	24	23
Eastlake	---	149	2	1	1
Mentor	---	239	10	7	5
Painesville	---	184	6	5	2
White	---	171	5	4	2
All other	---	13	1	1	–
Black	---	13	1	1	–
Wickliffe	---	113	1	–	2
Willoughby	---	159	5	5	–
Willowick	---	131	2	2	–
Balance of county	---	434	7	4	13
Lawrence	442	636	9	4	15
Ironton	---	221	1	1	5
Balance of county	---	415	8	3	10
Licking	828	1,002	14	10	10
Newark	---	488	6	4	3
Reynoldsburg, part	---	8	1	1	–
Balance of county	---	506	7	5	7
Logan	327	443	12	10	9
Bellefontaine	---	147	5	4	3
Balance of county	---	296	7	6	6
Lorain	1,916	1,946	77	50	33
White	1,794	1,821	68	45	32
All other	122	125	9	5	1
Black	121	124	9	5	1
Avon Lake	---	92	2	2	2
Elyria	---	460	23	15	10
White	---	412	20	13	10
All other	---	48	3	2	–
Black	---	47	3	2	–
Lorain	---	631	27	17	12
White	---	580	23	16	11
All other	---	51	4	1	1
Black	---	51	4	1	1
North Ridgeville	---	78	5	3	1
Balance of county	---	685	20	13	8
Lucas	5,512	4,757	115	88	75
White	5,029	4,273	86	68	58
All other	483	484	29	20	17
Black	470	474	29	20	17
Maumee	---	96	2	2	4
Oregon	---	193	2	2	1
Sylvania	---	111	4	4	5
Toledo	---	3,915	99	72	60
White	---	3,454	70	52	43
All other	---	461	29	20	17
Black	---	453	29	20	17
Balance of county	---	442	8	8	5
Madison	215	276	5	5	7
Mahoning	2,665	3,126	75	57	43
White	2,310	2,670	45	35	27
All other	355	456	30	22	16
Black	355	456	30	22	16
Alliance, part	---	1	–	–	–
Campbell	---	131	2	2	1
White	---	112	2	2	1
All other	---	19	–	–	–
Black	---	19	–	–	–
Struthers	---	141	2	2	1
Youngstown, part	---	1,634	48	37	24
White	---	1,209	18	15	8
All other	---	425	30	22	16
Black	---	425	30	22	16

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Mahoning—Con.					
Youngstown, total	---	1,636	48	37	24
White	---	1,211	18	15	8
All other	---	425	30	22	16
Black	---	425	30	22	16
Balance of county	---	1,219	23	16	17
Marion	652	588	17	11	11
Marion	---	367	14	9	9
Balance of county	---	221	3	2	2
Medina	640	649	25	16	12
Brunswick	---	111	8	6	1
Medina	---	126	7	3	1
Wadsworth	---	115	4	2	1
Balance of county	---	297	6	5	9
Meigs	157	257	2	2	9
Mercer	237	317	7	6	9
Miami	730	778	19	13	15
Piqua	---	219	4	2	5
Troy	---	172	5	4	4
Balance of county	---	387	10	7	6
Monroe	51	147	2	1	3
Montgomery	5,496	4,860	143	101	88
White	4,670	4,066	99	71	65
All other	826	794	44	30	23
Black	818	787	43	29	23
Centerville	---	75	3	3	–
Dayton	---	2,386	68	45	35
White	---	1,659	32	22	19
All other	---	727	36	23	16
Black	---	726	35	22	16
Kettering	---	496	7	5	10
Miamisburg	---	124	2	1	2
Oakwood	---	102	–	–	–
Vandalia	---	66	3	2	4
West Carrollton	---	77	4	3	1
Balance of county	---	1,534	56	42	36
Morgan	74	145	3	3	2
Morrow	166	209	6	5	2
Muskingum	1,098	853	28	23	13
Zanesville	---	472	13	9	6
Balance of county	---	381	15	14	7
Noble	51	110	–	–	–
Ottawa	253	404	5	3	4
Paulding	100	147	2	2	3
Perry	103	306	5	3	5
Pickaway	247	327	8	6	5
Circleville	---	111	5	3	1
Balance of county	---	216	3	3	4
Pike	206	239	5	4	3
Portage	673	833	25	16	15
Kent	---	150	7	5	4
Ravenna	---	128	3	1	3
Balance of county	---	555	15	10	8
Preble	165	313	8	5	2
Putnam	96	245	11	8	7
Richland	1,131	1,143	28	23	16
Mansfield	---	653	18	16	7
White	---	586	15	14	5
All other	---	67	3	2	2
Black	---	67	3	2	2
Balance of county	---	490	10	7	9
Ross	762	629	15	10	10
Chillicothe	---	326	5	4	6
Balance of county	---	303	10	6	4
Sandusky	487	581	18	15	10
Fremont	---	210	8	6	4
Balance of county	---	371	10	9	6
Scioto	937	940	23	16	13
Portsmouth	---	406	6	5	2
Balance of county	---	534	17	11	11
Seneca	351	533	6	6	7
Fostoria, part	---	142	4	4	2
Fostoria, total	---	168	4	4	2
Tiffin	---	191	2	2	1
Balance of county	---	200	–	–	4
Shelby	257	312	10	7	6
Sidney	---	152	7	5	2
Balance of county	---	160	3	2	4
Stark	3,707	3,443	69	55	50
White	3,513	3,244	54	44	42
All other	194	199	15	11	8
Black	194	199	15	11	8
Alliance, part	---	325	9	6	4
White	---	302	6	4	3
All other	---	23	3	2	1
Black	---	23	3	2	1
Alliance, total	---	326	9	6	4
White	---	303	6	4	3
All other	---	23	3	2	1
Black	---	23	3	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Stark—Con.					
Canton	---	1,230	33	26	17
White	---	1,098	21	17	10
All other	---	132	12	9	7
Black	---	132	12	9	7
Massillon	---	376	6	6	5
North Canton	---	147	5	3	1
Balance of county	---	1,365	16	14	23
Summit	4,826	4,779	95	63	68
White	4,398	4,329	71	49	48
All other	428	450	24	14	20
Black	423	445	24	14	20
Akron	---	2,760	55	32	44
White	---	2,341	33	19	24
All other	---	419	22	13	20
Black	---	414	22	13	20
Barberton	---	324	8	6	3
Cuyahoga Falls	---	369	5	3	6
Norton	---	78	3	3	–
Stow	---	113	2	2	1
Tallmadge	---	97	2	1	2
Balance of county	---	1,038	20	16	12
Trumbull	2,297	2,018	44	30	33
White	2,099	1,896	36	24	27
All other	198	122	8	6	6
Black	198	122	8	6	6
Girard	---	117	2	2	1
Niles	---	239	5	3	5
Warren	---	658	16	11	14
White	---	578	9	6	9
All other	---	80	7	5	5
Black	---	80	7	5	5
Youngstown, part	---	2	–	–	–
White	---	2	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	1,002	21	14	13
Tuscarawas	754	854	16	12	18
Dover	---	132	2	1	2
New Philadelphia	---	205	3	3	4
Balance of county	---	517	11	8	12
Union	229	248	5	4	2
Van Wert	272	298	4	2	1
Van Wert	---	126	1	1	1
Balance of county	---	172	3	1	–
Vinton	60	112	3	1	3
Warren	289	615	16	11	10
Franklin	---	102	4	3	2
Balance of county	---	513	12	8	8
Washington	549	549	9	6	7
Marietta	---	198	5	4	2
Balance of county	---	351	4	2	5
Wayne	621	723	27	22	17
Wooster	---	198	9	8	1
Balance of county	---	525	18	14	16
Williams	304	353	8	3	11
Wood	421	711	18	15	6
Bowling Green	---	110	1	1	2
Fostoria, part	---	10	–	–	–
Balance of county	---	591	17	14	4
Wyandot	160	217	5	4	3
Oklahoma	**26,086**	**26,791**	**621**	**405**	**430**
White	23,377	24,039	472	311	322
All other	2,709	2,752	149	94	108
Black	1,815	1,829	94	60	65
Adair	125	206	3	2	–
White	98	151	2	1	–
All other	27	55	1	1	–
Black	–	–	–	–	–
Alfalfa	72	115	–	–	–
Atoka	116	122	–	–	2
White	103	110	–	–	2
All other	13	12	–	–	–
Black	10	8	–	–	–
Beaver	46	51	1	1	1
Beckham	273	267	3	1	2
Blaine	151	187	1	1	4
White	135	159	1	1	3
All other	16	28	–	–	1
Black	7	9	–	–	–
Bryan	237	330	4	2	3
Durant	---	132	1	1	1
Balance of county	---	198	3	1	2
Caddo	212	352	12	6	11
White	178	283	5	3	7
All other	34	69	7	3	4
Black	7	10	–	–	–
Oklahoma—Con.					
Canadian	235	354	5	3	1
El Reno	---	174	2	–	1
White	---	159	2	–	1
All other	---	15	–	–	–
Black	---	11	–	–	–
Oklahoma City, part	---	1	–	–	–
Balance of county	---	179	3	3	–
Carter	494	491	12	9	5
White	446	435	8	6	4
All other	48	56	4	3	1
Black	35	43	4	3	1
Ardmore	---	341	11	9	3
White	---	294	7	6	2
All other	---	47	4	3	1
Black	---	35	4	3	1
Balance of county	---	150	1	–	2
White	---	141	1	–	2
All other	---	9	–	–	–
Black	---	8	–	–	–
Cherokee	232	235	3	2	3
White	159	187	1	1	1
All other	73	48	2	1	2
Black	3	2	–	–	–
Choctaw	182	233	3	2	4
White	138	175	1	–	3
All other	44	58	2	2	1
Black	35	45	1	1	–
Cimarron	31	38	–	–	2
Cleveland	552	534	17	14	14
Moore	---	104	4	4	6
Norman	---	317	9	7	5
Oklahoma City, part	---	10	–	–	–
Balance of county	---	103	4	3	3
Coal	66	94	2	2	2
Comanche	702	639	33	22	14
White	589	540	18	12	8
All other	113	99	15	10	6
Black	58	69	12	7	3
Lawton	---	514	30	20	12
White	---	433	16	11	7
All other	---	81	14	9	5
Black	---	68	12	7	3
Balance of county	---	125	3	2	2
White	---	107	2	1	1
All other	---	18	1	1	1
Black	---	1	–	–	–
Cotton	32	91	–	–	2
Craig	212	221	8	6	2
White	197	211	7	5	2
All other	15	10	1	1	–
Black	9	5	1	1	–
Creek	499	558	5	4	9
Sapulpa	---	228	3	3	6
White	---	208	3	3	6
All other	---	20	–	–	–
Black	---	13	–	–	–
Balance of county	---	330	2	1	3
Custer	279	247	9	5	6
Delaware	215	249	4	2	3
White	198	222	2	1	2
All other	17	27	2	1	1
Black	–	–	–	–	–
Dewey	46	85	1	1	2
Ellis	86	64	2	1	–
Garfield	687	608	10	5	8
Enid	---	497	8	5	6
Balance of county	---	111	2	–	2
Garvin	272	328	3	2	6
Grady	381	415	8	3	7
Chickasha	---	263	5	2	2
White	---	231	3	1	2
All other	---	32	2	1	–
Black	---	28	2	1	–
Balance of county	---	152	3	1	5
Grant	40	98	–	–	1
Greer	102	121	–	–	–
Harmon	43	58	–	–	1
Harper	49	50	1	1	1
Haskell	77	116	–	–	–
Hughes	242	237	4	4	3
White	208	204	3	3	2
All other	34	33	1	1	1
Black	10	13	1	1	–
Jackson	205	244	5	3	5
Altus	---	173	4	2	5
White	---	148	3	1	4
All other	---	25	1	1	1
Black	---	23	1	1	1
Balance of county	---	71	1	1	–
Jefferson	75	107	1	1	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Johnston	105	140	2	1	1
White	96	128	2	1	1
All other	9	12	–	–	–
Black	2	1	–	–	–
Kay	496	517	8	4	7
Ponca City	---	247	3	1	4
Balance of county	---	270	5	3	3
Kingfisher	99	126	3	2	2
Kiowa	146	174	5	3	1
Latimer	136	101	1	–	2
Le Flore	251	418	9	5	7
Lincoln	184	252	5	5	1
Logan	212	252	8	2	5
White	187	218	5	–	3
All other	25	34	3	2	2
Black	25	34	3	2	2
Love	48	62	–	–	–
McClain	126	162	2	1	2
Oklahoma City, part	---	6	–	–	–
Balance of county	---	156	2	1	2
McCurtain	266	364	13	8	9
White	200	284	8	5	8
All other	66	80	5	3	1
Black	53	58	3	1	–
McIntosh	119	194	1	1	1
White	104	168	–	–	1
All other	15	26	1	1	–
Black	5	10	–	–	–
Major	56	70	4	3	–
Marshall	102	127	1	–	1
Mayes	235	287	7	5	3
White	229	272	6	4	3
All other	6	15	1	1	–
Black	1	–	–	–	–
Murray	148	125	1	1	–
Muskogee	1,006	779	10	8	10
White	802	591	8	6	3
All other	204	188	2	2	7
Black	180	167	2	2	5
Muskogee	---	553	8	7	6
White	---	410	7	6	1
All other	---	143	1	1	5
Black	---	129	1	1	4
Balance of county	---	226	2	1	4
White	---	181	1	–	2
All other	---	45	1	1	2
Black	---	38	1	1	1
Noble	99	136	5	2	1
Nowata	125	174	4	1	4
White	119	165	2	1	4
All other	6	9	2	–	–
Black	6	9	2	–	–
Okfuskee	47	127	2	–	1
White	34	100	1	–	–
All other	13	27	1	–	1
Black	10	18	1	–	1
Oklahoma	5,713	4,628	146	88	107
White	5,019	4,068	106	64	73
All other	694	560	40	24	34
Black	572	496	31	20	24
Bethany	---	138	3	2	–
Del City	---	150	7	4	5
Edmond	---	162	9	6	5
Midwest City	---	268	8	3	10
Oklahoma City, part	---	3,636	108	66	82
White	---	3,149	74	44	54
All other	---	487	34	22	28
Black	---	434	28	19	19
Oklahoma City, total	---	3,654	108	66	82
White	---	3,167	74	44	54
All other	---	487	34	22	28
Black	---	434	28	19	19
The Village	---	3	–	–	–
Balance of county	---	271	11	7	5
Okmulgee	362	460	11	9	2
White	301	378	9	8	2
All other	61	82	2	1	–
Black	49	66	2	1	–
Okmulgee	---	218	5	3	1
White	---	171	3	2	1
All other	---	47	2	1	–
Black	---	46	2	1	–
Balance of county	---	242	6	6	1
White	---	207	6	6	1
All other	---	35	–	–	–
Black	---	20	–	–	–
Osage	208	314	5	2	3
White	182	279	3	2	2
All other	26	35	2	–	1
Black	8	8	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Osage—Con.					
Bartlesville, part	---	–	–	–	–
White	---	–	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Tulsa, part	---	8	–	–	–
White	---	6	–	–	–
All other	---	2	–	–	–
Black	---	2	–	–	–
Balance of county	---	306	5	2	3
White	---	273	3	2	2
All other	---	33	2	–	1
Black	---	6	–	–	–
Ottawa	314	355	7	5	8
Miami	---	154	4	3	1
Balance of county	---	201	3	2	7
Pawnee	109	156	8	4	–
Payne	390	393	15	13	7
Stillwater	---	167	9	9	5
Balance of county	---	226	6	4	2
Pittsburg	458	463	9	8	6
White	419	419	8	7	5
All other	39	44	1	1	1
Black	30	33	1	1	–
McAlester	---	252	5	5	2
White	---	224	4	4	2
All other	---	28	1	1	–
Black	---	23	1	1	–
Balance of county	---	211	4	3	4
Pontotoc	378	360	9	8	3
Ada	---	219	5	4	1
Balance of county	---	141	4	4	2
Pottawatomie	494	490	8	5	5
Oklahoma City, part	---	1	–	–	–
Shawnee	---	310	2	1	3
Balance of county	---	179	6	4	2
Pushmataha	101	134	2	2	2
Roger Mills	35	61	1	1	1
Rogers	255	281	5	2	8
Seminole	255	359	10	6	4
White	203	288	5	3	4
All other	52	71	5	3	–
Black	26	32	3	1	–
Sequoyah	141	251	7	4	2
White	131	229	5	2	2
All other	10	22	2	2	–
Black	2	6	–	–	–
Stephens	361	413	7	5	2
Duncan	---	216	3	2	1
Balance of county	---	197	4	3	1
Texas	121	161	4	4	2
Tillman	101	147	3	3	1
White	88	129	3	3	1
All other	13	18	–	–	–
Black	11	15	–	–	–
Tulsa	4,044	3,567	99	69	66
White	3,576	3,138	75	54	46
All other	468	429	24	15	20
Black	388	376	19	12	19
Broken Arrow	---	138	3	2	2
Sand Springs	---	139	3	1	2
Tulsa, part	---	2,954	87	61	57
White	---	2,555	65	47	38
All other	---	399	22	14	19
Black	---	362	19	12	19
Tulsa, total	---	2,962	87	61	57
White	---	2,561	65	47	38
All other	---	401	22	14	19
Black	---	364	19	12	19
Balance of county	---	336	6	5	5
Wagoner	166	226	4	2	8
White	141	195	4	2	7
All other	25	31	–	–	1
Black	21	25	–	–	1
Washington	426	411	1	1	4
Bartlesville, part	---	280	1	1	3
Bartlesville, total	---	280	1	1	3
Balance of county	---	131	–	–	1
Washita	94	144	3	1	2
Woods	106	128	2	2	2
Woodward	180	157	4	4	2
Oregon	**20,550**	**20,481**	**456**	**295**	**296**
White	20,093	20,032	426	278	274
All other	457	449	30	17	22
Black	243	251	22	14	7
Baker	158	186	1	1	2
Benton	328	279	10	9	2
Albany, part	---	2	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Oregon—Con.					
Benton—Con.					
Corvallis	---	170	6	5	2
Balance of county	---	107	4	4	–
Clackamas	1,380	1,524	36	21	24
Lake Oswego, part	---	128	1	1	2
Lake Oswego, total	---	131	1	1	2
Milwaukee, part	---	200	6	3	2
Milwaukee, total	---	200	6	3	2
Portland, part	---	8	–	–	–
Balance of county	---	1,188	29	17	20
Clatsop	306	339	5	4	3
Astoria	---	124	1	1	2
Balance of county	---	215	4	3	1
Columbia	163	279	13	11	8
Coos	529	522	13	7	6
Coos Bay	---	163	2	1	1
Balance of county	---	359	11	6	5
Crook	109	118	4	1	2
Curry	111	149	1	1	1
Deschutes	485	455	10	6	10
Bend	---	191	2	1	2
Balance of county	---	264	8	5	8
Douglas	684	701	22	13	15
Roseburg	---	226	8	5	2
Balance of county	---	475	14	8	13
Gilliam	12	26	1	–	–
Grant	65	72	2	2	–
Harney	71	69	2	–	1
Hood River	117	142	4	2	2
Jackson	1,078	1,056	25	16	15
Ashland	---	99	5	4	3
Medford	---	443	9	6	2
Balance of county	---	514	11	6	10
Jefferson	70	90	4	1	3
White	56	70	2	–	1
All other	14	20	2	1	2
Black	2	1	–	–	–
Josephine	518	549	10	6	7
Grants Pass	---	203	4	4	2
Balance of county	---	346	6	2	5
Klamath	443	448	11	6	3
Klamath Falls	---	183	7	3	–
Balance of county	---	265	4	3	3
Lake	48	50	3	1	–
Lane	1,716	1,672	36	28	31
Eugene	---	678	13	11	13
Springfield	---	276	6	5	5
Balance of county	---	718	17	12	13
Lincoln	306	358	6	5	2
Linn	530	653	15	9	12
Albany, part	---	203	5	3	5
Albany, total	---	205	5	3	5
Balance of county	---	450	10	6	7
Malheur	241	218	3	2	4
Marion	1,588	1,564	42	25	25
Salem, part	---	813	15	9	13
Salem, total	---	914	16	10	16
Balance of county	---	751	27	16	12
Morrow	44	55	1	1	2
Multnomah	6,503	5,785	98	66	58
White	6,197	5,485	81	55	49
All other	306	300	17	11	9
Black	213	224	16	11	6
Lake Oswego, part	---	3	–	–	–
Milwaukee, part	---	–	–	–	–
Portland, part	---	4,520	69	50	44
White	---	4,238	52	39	36
All other	---	282	17	11	8
Black	---	221	16	11	6
Portland, total	---	4,534	70	51	44
White	---	4,252	53	40	36
All other	---	282	17	11	8
Black	---	221	16	11	6
Balance of county	---	1,262	29	16	14
Polk	206	355	9	7	6
Salem, part	---	101	1	1	3
Balance of county	---	254	8	6	3
Sherman	6	13	–	–	–
Tillamook	171	198	7	5	4
Umatilla	413	457	13	10	10
Pendleton	---	130	4	3	3
Balance of county	---	327	9	7	7
Union	189	181	1	1	4
Wallowa	54	69	2	1	1
Wasco	234	218	2	2	3
City of the Dalles	---	151	1	1	2
Balance of county	---	67	1	1	1
Washington	1,299	1,186	37	20	26
Beaverton	---	168	8	3	6
Hillsboro	---	159	4	2	6
Oregon—Con.					
Washington—Con.					
Lake Oswego, part	---	–	–	–	–
Portland, part	---	6	1	1	–
Balance of county	---	853	24	14	14
Wheeler	7	19	–	–	–
Yamhill	368	426	7	5	4
McMinnville	---	111	2	1	1
Balance of county	---	315	5	4	3
Pennsylvania	**118,670**	**119,233**	**2,157**	**1,630**	**1,742**
White	107,443	108,081	1,668	1,261	1,285
All other	11,227	11,152	489	369	457
Black	11,124	11,052	478	360	447
Adams	415	566	11	8	11
Allegheny	17,611	16,336	263	217	188
White	15,832	14,611	198	164	133
All other	1,779	1,725	65	53	55
Black	1,766	1,713	64	52	54
Baldwin	---	178	5	4	2
Bellevue	---	141	1	1	1
Bethel Park	---	219	2	2	1
Brentwood	---	139	1	–	2
Carnegie	---	154	2	2	1
Castle Shannon	---	85	2	1	1
Clairton	---	173	4	3	1
White	---	127	2	2	–
All other	---	46	2	1	1
Black	---	46	2	1	1
Dormont	---	131	2	2	1
Duquesne	---	163	1	–	1
White	---	146	1	–	1
All other	---	17	–	–	–
Black	---	17	–	–	–
Harrison township†	---	172	3	3	1
McKees Rocks	---	130	–	–	3
McKeesport	---	495	8	7	10
White	---	450	7	7	8
All other	---	45	1	–	2
Black	---	45	1	–	2
Monroeville	---	211	4	2	4
Mount Lebanon township†	---	328	1	1	–
Munhall	---	192	1	1	1
North Braddock	---	133	1	1	1
White	---	119	–	–	1
All other	---	14	1	1	–
Black	---	14	1	1	–
North Versaille township†	---	77	1	1	–
Penn Hills township†	---	423	8	6	1
Pittsburgh	---	6,139	110	95	83
White	---	4,858	58	51	50
All other	---	1,281	52	44	33
Black	---	1,275	51	43	33
Pleasant Hills	---	64	–	–	–
Plum	---	98	2	1	1
Ross township†	---	290	1	1	6
Scott township†	---	187	3	3	–
Shaler township†	---	292	5	5	1
Stowe township†	---	93	5	3	–
Swissvale	---	167	1	1	–
Upper St. Clair township†	---	86	1	1	1
West Mifflin	---	227	5	5	–
Whitehall	---	132	2	2	–
Wilkinsburg	---	307	4	3	8
White	---	275	2	1	3
All other	---	32	2	2	5
Black	---	31	2	2	5
Balance of county	---	4,710	77	60	56
White	---	4,514	73	57	45
All other	---	196	4	3	11
Black	---	194	4	3	10
Armstrong	506	804	15	13	19
Beaver	1,616	1,972	31	28	26
White	1,490	1,838	24	22	21
All other	126	134	7	6	5
Black	126	134	7	6	5
Aliquippa	---	265	8	7	4
White	---	198	3	3	1
All other	---	67	5	4	3
Black	---	67	5	4	3
Ambridge	---	150	2	2	2
Beaver Falls	---	195	3	3	4
White	---	175	2	2	4
All other	---	20	1	1	–
Black	---	20	1	1	–
Ellwood City, part	---	8	–	–	–
Balance of county	---	1,354	18	16	16
Bedford	272	403	10	7	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania—Con.					
Berks	2,870	2,992	31	25	46
Reading	---	1,076	14	12	17
Balance of county	---	1,916	17	13	29
Blair	1,866	1,601	36	26	14
Altoona	---	795	16	11	6
Balance of county	---	806	20	15	8
Bradford	694	573	10	8	12
Bucks	2,995	3,106	68	50	71
Bensalem township†	---	216	5	5	7
Bristol	---	146	4	3	3
Bristol township†	---	314	6	3	7
Falls township†	---	138	5	4	4
Lower Southampton township†	---	78	–	–	1
Middletown township†	---	144	2	2	1
Morrisville	---	114	3	2	3
Upper Southampton township†	---	47	1	1	2
Warminster township†	---	162	5	3	5
Balance of county	---	1,747	37	27	38
Butler	1,017	1,151	21	18	18
Butler	---	223	6	5	3
Balance of county	---	928	15	13	15
Cambria	1,938	2,020	28	20	17
Johnstown	---	708	13	9	4
Balance of county	---	1,312	15	11	13
Cameron	24	74	2	–	1
Carbon	446	663	8	7	12
Centre	729	636	14	11	15
State College	---	115	4	3	–
Balance of county	---	521	10	8	15
Chester	1,976	2,201	41	27	49
White	1,802	1,983	31	22	34
All other	174	218	10	5	15
Black	174	218	10	5	15
Coatesville	---	182	5	3	3
White	---	128	1	1	1
All other	---	54	4	2	2
Black	---	54	4	2	2
Phoenixville	---	150	3	2	1
West Chester	---	187	4	3	5
White	---	165	4	3	–
All other	---	22	–	–	5
Black	---	22	–	–	5
Balance of county	---	1,682	29	19	40
White	---	1,546	23	16	33
All other	---	136	6	3	7
Black	---	136	6	3	7
Clarion	244	390	8	6	8
Clearfield	758	890	12	10	14
Du Bois	---	96	–	–	1
Balance of county	---	794	12	10	13
Clinton	305	379	16	10	7
Lock Haven	---	122	1	–	1
Balance of county	---	257	15	10	6
Columbia	601	571	9	5	14
Berwick	---	158	–	–	4
Bloomsburg	---	106	2	–	1
Balance of county	---	307	7	5	9
Crawford	799	842	17	13	10
Meadville	---	199	2	1	2
Balance of county	---	643	15	12	8
Cumberland	1,298	1,302	24	16	21
Carlisle	---	178	1	–	4
Balance of county	---	1,124	23	16	17
Dauphin	2,876	2,307	35	26	60
White	2,596	2,021	26	19	40
All other	280	286	9	7	20
Black	276	284	9	7	20
Harrisburg	---	827	16	10	30
White	---	615	10	5	12
All other	---	212	6	5	18
Black	---	211	6	5	18
Lower Paxton township†	---	198	2	2	–
Balance of county	---	1,282	17	14	30
Delaware	5,409	5,661	88	73	62
White	4,883	5,165	66	57	45
All other	526	496	22	16	17
Black	525	493	22	16	17
Aston township†	---	110	2	2	–
Chester	---	593	16	12	12
White	---	341	4	3	1
All other	---	252	12	9	11
Black	---	252	12	9	11
Collingdale	---	103	–	–	–
Darby	---	189	3	2	1
White	---	167	3	2	1
All other	---	22	–	–	–
Black	---	22	–	–	–
Darby township†	---	46	2	2	1
White	---	13	1	1	–
All other	---	33	1	1	1
Black	---	33	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania—Con.					
Delaware—Con.					
Haverford township†	---	483	1	1	1
Lansdowne	---	183	–	–	–
Marple township†	---	163	1	–	–
Nether Providence township†	---	96	2	1	–
Radnor township†	---	175	–	–	2
Ridley township†	---	216	1	1	2
Springfield township†	---	225	9	9	4
Upper Chichester township†	---	75	–	–	–
Upper Darby township†	---	963	16	12	6
Yeadon	---	138	2	1	1
White	---	126	2	1	–
All other	---	12	–	–	1
Black	---	12	–	–	1
Balance of county	---	1,903	33	30	32
Elk	315	317	10	6	6
Erie	2,593	2,498	68	49	50
Erie	---	1,373	36	23	29
Millcreek township†	---	292	10	9	1
Balance of county	---	833	22	17	20
Fayette	1,615	1,874	29	22	24
Connellsville	---	176	1	1	–
Uniontown	---	288	5	5	4
Balance of county	---	1,410	23	16	20
Forest	18	53	–	–	2
Franklin	894	965	20	14	16
Chambersburg	---	219	5	4	2
Waynesboro	---	112	1	–	3
Balance of county	---	634	14	10	11
Fulton	106	101	3	2	1
Greene	353	468	11	8	9
Huntingdon	316	382	9	6	4
Indiana	557	739	14	11	15
Indiana	---	88	4	4	–
Balance of county	---	651	10	7	15
Jefferson	455	524	6	4	5
Juniata	140	191	1	–	2
Lackawanna	2,940	2,858	33	26	28
Carbondale	---	153	2	2	4
Dunmore	---	196	1	1	–
Scranton	---	1,346	12	12	14
Balance of county	---	1,163	18	11	10
Lancaster	3,105	3,042	58	38	48
Columbia	---	148	3	2	2
Lancaster	---	690	10	6	11
Lancaster township†	---	106	–	–	2
Balance of county	---	2,098	45	30	33
Lawrence	1,092	1,087	14	10	11
Ellwood City, part	---	93	2	2	–
Ellwood City, total	---	101	2	2	–
New Castle	---	465	6	4	7
Balance of county	---	529	6	4	4
Lebanon	993	925	13	8	5
Lebanon	---	308	5	2	2
Balance of county	---	617	8	6	3
Lehigh	3,142	2,348	40	29	28
Allentown	---	1,156	22	15	16
Bethlehem, part	---	186	3	3	3
Emmaus	---	98	–	–	3
Balance of county	---	908	15	11	6
Luzerne	4,084	4,106	43	33	43
Hazleton	---	405	1	–	2
Kingston	---	205	–	–	2
Nanticoke	---	199	2	1	1
Pittston	---	153	2	2	–
Wilkes-Barre	---	749	12	8	11
Balance of county	---	2,395	26	22	27
Lycoming	1,148	1,085	27	20	20
Williamsport	---	345	12	9	8
Balance of county	---	740	15	11	12
McKean	523	588	5	3	9
Bradford	---	195	2	1	2
Balance of county	---	393	3	2	7
Mercer	1,336	1,282	22	16	15
Farrell	---	106	1	1	1
White	---	71	–	–	–
All other	---	35	1	1	1
Black	---	35	1	1	1
Sharon	---	264	3	1	2
Balance of county	---	912	18	14	12
Mifflin	503	454	16	10	6
Lewistown	---	145	2	1	3
Balance of county	---	309	14	9	3
Monroe	643	607	15	12	5
Montgomery	6,406	5,527	105	86	51
White	5,990	5,253	83	68	40
All other	416	274	22	18	11
Black	408	265	17	14	11
Abington township†	---	503	4	2	2
Cheltenham township†	---	340	4	3	2
Conshohocken	---	112	2	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Pennsylvania—Con.					
Montgomery—Con.					
East Norriton township†	---	80	2	2	2
Lansdale	---	182	3	3	3
Lower Merion township†	---	505	3	2	–
Lower Moreland township†	---	59	–	–	–
Norristown	---	451	22	19	8
White	---	390	13	12	4
All other	---	61	9	7	4
Black	---	59	8	7	4
Plymouth township†	---	90	1	–	–
Pottstown	---	274	7	4	4
Springfield township†	---	214	1	1	–
Upper Moreland township†	---	145	4	3	2
West Norriton township†	---	91	3	3	–
Balance of county	---	2,481	49	42	26
Montour	770	188	11	8	–
Northampton	1,321	2,144	41	33	27
Bethlehem, part	---	565	12	9	8
Bethlehem, total	---	751	15	12	11
Easton	---	381	8	7	2
Balance of county	---	1,198	21	17	17
Northumberland	851	1,247	13	5	13
Shamokin	---	179	2	1	–
Sunbury	---	173	3	2	1
Balance of county	---	895	8	2	12
Perry	144	287	8	3	2
Philadelphia, coext. with Philadelphia city	21,007	20,869	500	372	412
White	14,346	14,124	195	145	133
All other	6,661	6,745	305	227	279
Black	6,601	6,692	303	225	277
Pike	68	215	–	–	3
Potter	164	175	2	1	4
Schuylkill	1,982	2,113	21	17	19
Pottsville	---	262	6	5	5
Balance of county	---	1,851	15	12	14
Snyder	136	252	1	1	1
Somerset	809	896	14	10	14
Sullivan	51	77	1	1	2
Susquehanna	282	345	9	4	6
Tioga	335	403	8	6	10
Union	394	270	5	4	4
Venango	716	710	14	12	10
Oil City	---	161	5	4	3
Balance of county	---	549	9	8	7
Warren	496	502	9	8	9
Warren	---	160	1	1	3
Balance of county	---	342	8	7	6
Washington	2,218	2,318	31	21	27
Canonsburg	---	139	1	–	1
Washington	---	291	5	5	1
White	---	258	5	5	1
All other	---	33	–	–	–
Black	---	33	–	–	–
Balance of county	---	1,888	25	16	25
Wayne	310	371	6	4	3
Westmoreland	3,365	3,566	48	39	43
Greensburg	---	244	7	7	2
Hempfield township†	---	298	2	2	2
Jeannette	---	156	2	–	2
Latrobe	---	130	1	1	1
Lower Burrell	---	100	2	1	2
Monessen	---	166	1	1	1
New Kensington	---	237	4	3	2
North Huntington township†	---	185	4	4	1
Balance of county	---	2,050	25	20	30
Wyoming	175	258	2	1	4
York	2,534	2,566	53	43	24
Hanover	---	201	6	6	2
Spring Garden township†	---	125	–	–	–
York	---	621	13	8	7
White	---	555	11	7	3
All other	---	66	2	1	4
Black	---	66	2	1	3
Balance of county	---	1,619	34	29	15
Rhode Island	**9,207**	**9,068**	**141**	**96**	**123**
White	8,974	8,836	120	84	111
All other	233	232	21	12	12
Black	209	211	19	11	12
Bristol	221	379	3	2	5
Barrington	---	114	1	1	3
Bristol	---	155	–	–	1
Warren	---	106	2	1	1
Balance of county	---	4	–	–	–
Kent	975	1,248	22	14	17
Warwick	---	767	11	7	9
West Warwick town†	---	216	4	3	1
Balance of county	---	265	7	4	7

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Rhode Island—Con.					
Newport	539	686	18	14	10
Middletown town†	---	117	7	6	2
Newport	---	319	8	5	2
Balance of county	---	250	3	3	6
Providence	6,879	6,106	89	61	79
White	6,686	5,918	71	50	67
All other	193	188	18	11	12
Black	178	175	16	10	12
Central Falls	---	198	4	3	1
Cranston	---	728	4	2	5
Cumberland town†	---	211	4	3	2
East Providence	---	488	6	6	11
North Providence town†	---	229	–	–	–
Pawtucket	---	878	10	8	5
Providence	---	2,016	45	27	33
White	---	1,857	28	17	22
All other	---	159	17	10	11
Black	---	151	15	9	11
Woonsocket	---	551	12	9	8
Balance of county	---	807	4	3	14
Washington	593	649	9	5	12
North Kingstown town†	---	151	–	–	3
Balance of county	---	498	9	5	9
South Carolina	**23,599**	**24,293**	**878**	**609**	**660**
White	15,569	16,116	388	286	297
All other	8,030	8,177	490	323	363
Black	8,006	8,156	489	322	361
Abbeville	168	249	9	7	6
White	102	173	2	2	3
All other	66	76	7	5	3
Black	66	76	7	5	2
Aiken	493	819	22	15	28
White	342	591	14	10	19
All other	151	228	8	5	9
Black	151	228	8	5	9
Aiken	---	180	2	1	1
White	---	119	1	1	1
All other	---	61	1	–	–
Black	---	61	1	–	–
North Augusta	---	104	5	4	–
Balance of county	---	535	15	10	27
White	---	376	11	8	18
All other	---	159	4	2	9
Black	---	159	4	2	9
Allendale	91	116	6	5	9
White	40	51	1	1	1
All other	51	65	5	4	8
Black	51	65	5	4	8
Anderson	993	1,095	38	29	18
White	779	867	23	19	13
All other	214	228	15	10	5
Black	214	228	15	10	5
Anderson	---	374	20	15	3
White	---	264	8	7	2
All other	---	110	12	8	1
Black	---	110	12	8	1
Balance of county	---	721	18	14	15
White	---	603	15	12	11
All other	---	118	3	2	4
Black	---	118	3	2	4
Bamberg	136	170	6	3	3
White	66	88	1	1	1
All other	70	82	5	2	2
Black	70	82	5	2	2
Barnwell	136	172	8	4	5
White	69	96	2	1	2
All other	67	76	6	3	3
Black	67	76	6	3	3
Beaufort	319	339	20	15	11
White	180	186	9	8	4
All other	139	153	11	7	7
Black	139	153	11	7	7
Berkeley	181	442	22	18	19
White	98	266	13	12	7
All other	83	176	9	6	12
Black	83	175	9	6	11
Calhoun	55	118	2	–	–
White	24	54	–	–	–
All other	31	64	2	–	–
Black	31	64	2	–	–
Charleston	2,689	1,878	73	54	56
White	1,630	1,161	29	24	22
All other	1,059	717	44	30	34
Black	1,052	714	44	30	34
Charleston	---	883	21	16	25
White	---	499	5	5	4
All other	---	384	16	11	21
Black	---	382	16	11	21

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Charleston—Con.					
Balance of county	---	995	52	38	31
White	---	662	24	19	18
All other	---	333	28	19	13
Black	---	332	28	19	13
Cherokee	272	378	11	7	10
White	212	305	7	6	6
All other	60	73	4	1	4
Black	60	73	4	1	4
Gaffney	---	179	3	3	–
White	---	129	3	3	–
All other	---	50	–	–	–
Black	---	50	–	–	–
Balance of county	---	199	8	4	10
White	---	176	4	3	6
All other	---	23	4	1	4
Black	---	23	4	1	4
Chester	257	350	9	5	9
White	147	213	2	2	7
All other	110	137	7	3	2
Black	110	137	7	3	2
Chesterfield	225	347	12	9	6
White	135	223	5	4	3
All other	90	124	7	5	3
Black	90	124	7	5	3
Clarendon	227	261	10	5	13
White	79	94	1	1	2
All other	148	167	9	4	11
Black	148	167	9	4	11
Colleton	332	338	7	4	9
White	198	197	2	2	1
All other	134	141	5	2	8
Black	134	141	5	2	8
Darlington	462	555	22	17	15
White	284	327	8	7	4
All other	178	228	14	10	11
Black	177	228	14	10	11
Dillon	172	265	13	10	14
White	108	147	2	2	6
All other	64	118	11	8	8
Black	62	116	11	8	8
Dorchester	139	346	15	11	5
White	77	210	8	7	4
All other	62	136	7	4	1
Black	62	135	7	4	1
Edgefield	111	172	2	1	8
White	52	91	–	–	2
All other	59	81	2	1	6
Black	59	81	2	1	6
Fairfield	118	206	7	4	4
White	50	90	2	1	–
All other	68	116	5	3	4
Black	68	116	5	3	4
Florence	1,165	957	49	38	21
White	660	573	15	13	8
All other	505	384	34	25	13
Black	505	384	34	25	13
Florence	---	396	16	13	9
White	---	218	4	4	4
All other	---	178	12	9	5
Black	---	178	12	9	5
Balance of county	---	561	33	25	12
White	---	355	11	9	4
All other	---	206	22	16	8
Black	---	206	22	16	8
Georgetown	322	334	19	10	16
White	182	187	6	4	3
All other	140	147	13	6	13
Black	140	147	13	6	13
Georgetown	---	93	3	2	2
White	---	52	2	1	1
All other	---	41	1	1	1
Black	---	41	1	1	1
Balance of county	---	241	16	8	14
White	---	135	4	3	2
All other	---	106	12	5	12
Black	---	106	12	5	12
Greenville	2,389	2,153	77	56	52
White	1,910	1,697	48	30	32
All other	479	456	29	26	20
Black	477	453	28	25	20
Greenville	---	714	24	19	15
White	---	435	10	7	6
All other	---	279	14	12	9
Black	---	279	14	12	9
Greer, part	---	91	2	2	–
White	---	83	2	2	–
All other	---	8	–	–	–
Black	---	8	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Greenville—Con.					
Greer, total	---	147	4	3	–
White	---	118	3	2	–
All other	---	29	1	1	–
Black	---	29	1	1	–
Balance of county	---	1,348	51	35	37
White	---	1,179	36	21	26
All other	---	169	15	14	11
Black	---	166	14	13	11
Greenwood	640	506	10	6	12
White	471	368	7	4	8
All other	169	138	3	2	4
Black	168	138	3	2	4
Greenwood	---	255	3	2	5
White	---	180	2	1	3
All other	---	75	1	1	2
Black	---	75	1	1	2
Balance of county	---	251	7	4	7
White	---	188	5	3	5
All other	---	63	2	1	2
Black	---	63	2	1	2
Hampton	122	170	8	6	6
White	61	88	1	–	1
All other	61	82	7	6	5
Black	61	82	7	6	5
Horry	753	750	41	30	21
White	583	579	13	9	14
All other	170	171	28	21	7
Black	169	169	28	21	7
Jasper	75	138	5	1	1
White	28	50	1	1	–
All other	47	88	4	–	1
Black	47	88	4	–	1
Kershaw	254	323	7	4	7
White	151	199	5	3	3
All other	103	124	2	1	4
Black	103	124	2	1	4
Lancaster	320	352	5	3	11
White	242	272	4	2	3
All other	78	80	1	1	8
Black	78	80	1	1	8
Laurens	406	543	9	7	12
White	282	387	4	3	4
All other	124	156	5	4	8
Black	124	156	5	4	8
Laurens	---	142	1	1	1
White	---	96	–	–	–
All other	---	46	1	1	1
Black	---	46	1	1	1
Balance of county	---	401	8	6	11
White	---	291	4	3	4
All other	---	110	4	3	7
Black	---	110	4	3	7
Lee	103	182	6	1	2
White	40	79	1	–	1
All other	63	103	5	1	1
Black	63	103	5	1	1
Lexington	577	808	34	27	11
White	492	698	27	23	7
All other	85	110	7	4	4
Black	83	108	7	4	4
McCormick	31	90	3	3	3
White	11	38	1	1	–
All other	20	52	2	2	3
Black	20	52	2	2	3
Marion	405	367	17	12	11
White	216	176	5	3	2
All other	189	191	12	9	9
Black	189	191	12	9	9
Marlboro	258	296	15	10	10
White	151	175	4	3	4
All other	107	121	11	7	6
Black	106	120	11	7	6
Newberry	243	347	4	2	11
White	153	226	3	2	4
All other	90	121	1	–	7
Black	90	121	1	–	7
Oconee	341	402	15	10	17
White	289	350	10	6	16
All other	52	52	5	4	1
Black	52	52	5	4	1
Orangeburg	796	758	32	17	19
White	382	331	6	3	3
All other	414	427	26	14	16
Black	413	426	26	14	16
Orangeburg	---	144	5	1	5
White	---	83	1	–	1
All other	---	61	4	1	4
Black	---	61	4	1	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Orangeburg—Con.					
Balance of county	---	614	27	16	14
White	---	248	5	3	2
All other	---	366	22	13	12
Black	---	365	22	13	12
Pickens	387	497	16	12	18
Easley	---	121	2	1	3
White	---	100	2	1	3
All other	---	21	–	–	–
Black	---	21	–	–	–
Balance of county	---	376	14	11	15
Richland	2,968	1,779	65	43	45
White	1,880	1,107	23	15	14
All other	1,088	672	42	28	31
Black	1,083	669	42	28	31
Columbia	---	1,097	32	21	17
White	---	702	11	8	5
All other	---	395	21	13	12
Black	---	394	21	13	12
Balance of county	---	682	33	22	28
White	---	405	12	7	9
All other	---	277	21	15	19
Black	---	275	21	15	19
Saluda	70	148	3	2	4
White	51	110	1	1	2
All other	19	38	2	1	2
Black	19	38	2	1	2
Spartanburg	1,589	1,677	49	28	34
White	1,197	1,265	27	15	18
All other	392	412	22	13	16
Black	392	412	22	13	16
Greer, part	---	56	2	1	–
White	---	35	1	–	–
All other	---	21	1	1	–
Black	---	21	1	1	–
Spartanburg	---	458	22	12	14
White	---	271	6	3	5
All other	---	187	16	9	9
Black	---	187	16	9	9
Balance of county	---	1,163	25	15	20
White	---	959	20	12	13
All other	---	204	5	3	7
Black	---	204	5	3	7
Sumter	628	639	25	16	28
White	324	320	7	4	11
All other	304	319	18	12	17
Black	303	318	18	12	17
Sumter	---	328	12	7	14
White	---	169	5	3	6
All other	---	159	7	4	8
Black	---	159	7	4	8
Balance of county	---	311	13	9	14
White	---	151	2	1	5
All other	---	160	11	8	9
Black	---	159	11	8	9
Union	258	312	8	7	3
White	186	220	5	4	2
All other	72	92	3	3	1
Black	72	92	3	3	1
Union	---	114	1	1	–
White	---	75	1	1	–
All other	---	39	–	–	–
Black	---	39	–	–	–
Balance of county	---	198	7	6	3
White	---	145	4	3	2
All other	---	53	3	3	1
Black	---	53	3	3	1
Williamsburg	193	300	15	12	22
White	81	122	1	1	4
All other	112	178	14	11	18
Black	112	178	14	11	18
York	730	849	27	23	15
White	541	632	17	14	9
All other	189	217	10	9	6
Black	189	216	10	9	6
Rock Hill	---	344	8	6	6
White	---	238	5	4	2
All other	---	106	3	2	4
Black	---	105	3	2	4
Balance of county	---	505	19	17	9
White	---	394	12	10	7
All other	---	111	7	7	2
Black	---	111	7	7	2
South Dakota	6,187	6,295	197	149	117
White	5,828	5,884	155	125	95
All other	359	411	42	24	22
Black	10	7	2	1	1
Aurora	15	36	–	–	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Dakota—Con.					
Beadle	222	201	6	5	6
Huron	---	148	4	3	4
Balance of county	---	53	2	2	2
Bennett	24	40	3	1	–
White	14	30	–	–	–
All other	10	10	3	1	–
Black	–	–	–	–	–
Bon Homme	85	99	1	1	–
Brookings	122	171	6	6	–
Brookings	---	93	1	1	–
Balance of county	---	78	5	5	–
Brown	343	310	7	6	7
Aberdeen	---	210	4	3	5
Balance of county	---	100	3	3	2
Brule	73	63	4	4	–
Buffalo	5	22	2	2	–
White	4	7	–	–	–
All other	1	15	2	2	–
Black	–	–	–	–	–
Butte	67	87	2	1	1
Campbell	3	23	1	–	–
Charles Mix	111	113	4	3	1
Clark	20	60	1	1	–
Clay	64	81	–	–	1
Codington	226	192	6	5	3
Watertown	---	158	5	4	3
Balance of county	---	34	1	1	–
Corson	25	54	4	3	1
White	13	21	–	–	1
All other	12	33	4	3	–
Black	–	–	–	–	–
Custer	47	49	–	–	2
Davison	231	186	8	7	3
Mitchell	---	161	7	6	2
Balance of county	---	25	1	1	1
Day	78	107	2	1	1
Deuel	38	66	2	2	1
Dewey	35	48	3	2	2
White	12	22	1	1	–
All other	23	26	2	1	2
Black	–	–	–	–	–
Douglas	24	36	3	3	1
Edmunds	45	54	1	1	1
Fall River	163	115	2	2	4
Faulk	34	48	1	1	–
Grant	87	96	1	1	–
Gregory	61	77	1	1	1
Haakon	20	30	3	2	–
Hamlin	55	87	–	–	3
Hand	42	42	–	–	–
Hanson	9	33	–	–	1
Harding	4	11	–	–	–
Hughes	119	96	7	5	2
Hutchinson	138	112	2	2	1
Hyde	8	16	–	–	1
Jackson	25	15	2	2	1
Jerauld	44	46	1	1	–
Jones	5	10	–	–	–
Kingsbury	101	90	1	1	–
Lake	101	111	2	2	–
Lawrence	171	203	4	4	4
Lincoln	85	128	1	–	4
Sioux Falls, part	---	–	–	–	1
Balance of county	---	128	1	–	3
Lyman	10	34	1	–	1
White	7	22	–	–	–
All other	3	12	1	–	1
Black	–	–	–	–	–
McCook	46	91	1	1	3
McPherson	41	53	1	1	1
Marshall	44	49	1	–	1
Meade	150	112	2	–	1
Mellette	12	28	3	1	–
White	3	11	1	1	–
All other	9	17	2	–	–
Black	–	–	–	–	–
Miner	13	47	–	–	–
Minnehaha	1,262	803	30	22	17
Sioux Falls, part	---	633	25	18	15
Sioux Falls, total	---	633	25	18	16
Balance of county	---	170	5	4	2
Moody	61	88	1	–	2
Pennington	473	373	26	19	10
Rapid City	---	287	20	15	4
Balance of county	---	86	6	4	6
Perkins	28	52	1	1	1
Potter	48	47	4	3	–
Roberts	86	128	3	2	4
White	75	114	2	1	3
All other	11	14	1	1	1
Black	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota—Con.					
Sanborn	9	32	–	–	1
Shannon	53	90	6	3	5
White	4	4	–	–	–
All other	49	86	6	3	5
Black	–	–	–	–	–
Spink	87	120	2	1	1
Stanley	5	12	1	1	2
Sully	4	12	–	–	1
Todd	51	69	4	3	3
White	2	8	–	–	–
All other	49	61	4	3	3
Black	–	–	–	–	–
Tripp	78	88	3	1	–
Turner	99	134	–	–	–
Union	31	106	3	3	3
Walworth	77	74	2	2	2
Washabaugh	4	23	2	2	–
White	1	9	1	1	–
All other	3	14	1	1	–
Black	–	–	–	–	–
Yankton	232	145	4	3	–
Yankton	– – –	110	2	2	–
Balance of county	– – –	35	2	1	–
Ziebach	8	21	2	2	3
White	4	11	1	1	1
All other	4	10	1	1	2
Black	–	–	–	–	–
Tennessee	**41,511**	**39,145**	**1,026**	**722**	**765**
White	34,184	32,171	697	491	549
All other	7,327	6,974	329	231	216
Black	7,308	6,958	325	228	212
Anderson	491	503	10	5	11
Oak Ridge, part	– – –	184	1	–	4
Oak Ridge, total	– – –	187	2	–	4
Balance of county	– – –	319	9	5	7
Bedford	257	299	5	5	4
White	221	262	4	4	2
All other	36	37	1	1	2
Black	36	37	1	1	2
Shelbyville	– – –	158	2	2	2
White	– – –	132	1	1	–
All other	– – –	26	1	1	2
Black	– – –	26	1	1	2
Balance of county	– – –	141	3	3	2
Benton	182	166	1	1	6
Bledsoe	52	68	1	1	2
Blount	564	604	7	2	12
Maryville	– – –	221	3	1	2
Balance of county	– – –	383	4	1	10
Bradley	459	422	18	13	8
Cleveland	– – –	246	6	4	3
Balance of county	– – –	176	12	9	5
Campbell	279	322	5	3	6
Cannon	102	100	3	2	–
Carroll	196	282	7	4	6
White	174	251	6	4	5
All other	22	31	1	–	1
Black	22	31	1	–	1
Carter	311	436	8	7	10
Elizabethton	– – –	131	1	1	4
Balance of county	– – –	305	7	6	6
Cheatham	52	132	2	1	2
Chester	51	112	1	1	–
White	42	98	1	1	–
All other	9	14	–	–	–
Black	9	14	–	–	–
Claiborne	249	249	7	3	2
Clay	57	73	2	2	3
Cocke	232	317	7	7	11
Coffee	290	305	14	10	7
Tullahoma, part	– – –	126	2	–	4
Tullahoma, total	– – –	126	2	–	4
Balance of county	– – –	179	12	10	3
Crockett	59	174	2	1	3
White	53	147	1	–	3
All other	6	27	1	1	–
Black	6	27	1	1	–
Cumberland	302	235	4	2	3
Davidson, coext. with Nashville city	5,483	3,968	100	77	64
White	4,345	2,958	48	40	35
All other	1,138	1,010	52	37	29
Black	1,133	1,006	52	37	29
Decatur	85	108	1	1	2
De Kalb	127	131	–	–	1
Dickson	264	267	6	4	2
Dyer	377	380	11	9	2
White	314	315	9	8	2
All other	63	65	2	1	–
Black	62	65	2	1	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Dyer—Con.					
Dyersburg	– – –	195	6	5	2
White	– – –	148	5	5	2
All other	– – –	47	1	–	–
Black	– – –	47	1	–	–
Balance of county	– – –	185	5	4	–
Fayette	152	207	14	10	11
White	71	102	3	2	5
All other	81	105	11	8	6
Black	81	105	11	8	6
Fentress	90	136	9	6	1
Franklin	238	292	5	3	5
Tullahoma, part	– – –	–	–	–	–
Balance of county	– – –	292	5	3	5
Gibson	497	564	12	8	10
White	408	461	8	5	5
All other	89	103	4	3	5
Black	89	103	4	3	5
Humboldt	– – –	107	3	2	3
White	– – –	78	2	1	–
All other	– – –	29	1	1	3
Black	– – –	29	1	1	3
Balance of county	– – –	457	9	6	7
White	– – –	383	6	4	5
All other	– – –	74	3	2	2
Black	– – –	74	3	2	2
Giles	190	270	5	4	7
White	167	229	5	4	6
All other	23	41	–	–	1
Black	23	41	–	–	1
Grainger	47	140	6	4	1
Greene	499	466	11	6	9
Greenville	– – –	131	6	2	1
Balance of county	– – –	335	5	4	8
Grundy	80	149	5	4	5
Hamblen	385	368	9	9	6
Morristown	– – –	218	4	4	3
Balance of county	– – –	150	5	5	3
Hamilton	2,955	2,617	52	37	55
White	2,387	2,040	30	18	38
All other	568	577	22	19	17
Black	566	575	20	18	17
Chattanooga	– – –	1,824	40	29	35
White	– – –	1,258	19	11	18
All other	– – –	566	21	18	17
Black	– – –	564	19	17	17
East Ridge	– – –	148	3	–	3
Red Bank	– – –	104	2	2	4
Balance of county	– – –	541	7	6	13
Hancock	46	79	2	1	2
Hardeman	223	229	14	5	5
White	149	153	3	1	3
All other	74	76	11	4	2
Black	74	76	11	4	2
Hardin	171	203	4	1	2
Hawkins	176	331	6	4	7
Kingsport, part	– – –	1	–	–	–
Balance of county	– – –	330	6	4	7
Haywood	181	213	8	3	6
White	89	100	1	1	1
All other	92	113	7	2	5
Black	92	113	7	2	5
Henderson	158	196	8	8	6
White	146	182	8	8	5
All other	12	14	–	–	1
Black	12	14	–	–	1
Henry	310	342	7	4	6
White	272	302	5	4	5
All other	38	40	2	–	1
Black	38	40	2	–	1
Hickman	61	123	3	3	1
Houston	81	78	–	–	–
Humphreys	101	143	4	2	4
Jackson	73	97	–	–	–
Jefferson	212	242	3	1	7
Johnson	86	118	2	2	4
Knox	3,541	2,631	46	31	50
White	3,242	2,353	42	28	37
All other	299	278	4	3	13
Black	297	277	4	3	13
Knoxville	– – –	1,823	28	21	31
White	– – –	1,562	24	18	18
All other	– – –	261	4	3	13
Black	– – –	261	4	3	13
Balance of county	– – –	808	18	10	19
Lake	50	98	6	3	1
White	35	70	3	1	1
All other	15	28	3	2	–
Black	15	28	3	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Lauderdale	173	264	12	9	6
White	123	182	4	2	2
All other	50	82	8	7	4
Black	50	81	7	6	4
Lawrence	244	292	5	3	5
Lewis	86	101	5	2	2
Lincoln	230	293	3	1	6
White	190	244	1	1	5
All other	40	49	2	–	1
Black	40	49	2	–	1
Loudon	204	277	7	6	2
McMinn	356	355	8	5	4
Athens	– – –	100	2	1	2
Balance of county	– – –	255	6	4	2
McNairy	170	241	4	4	4
Macon	98	156	1	1	2
Madison	1,039	748	24	17	14
White	774	533	9	6	4
All other	265	215	15	11	10
Black	265	215	15	11	10
Jackson	– – –	520	15	10	10
White	– – –	373	6	4	2
All other	– – –	147	9	6	8
Black	– – –	147	9	6	8
Balance of county	– – –	228	9	7	4
White	– – –	160	3	2	2
All other	– – –	68	6	5	2
Black	– – –	68	6	5	2
Marion	173	228	8	7	3
Marshall	210	217	3	2	4
White	180	192	3	2	2
All other	30	25	–	–	2
Black	30	25	–	–	2
Maury	504	532	8	6	13
White	397	404	7	5	6
All other	107	128	1	1	7
Black	107	128	1	1	6
Columbia	– – –	276	5	4	7
White	– – –	202	5	4	3
All other	– – –	74	–	–	4
Black	– – –	74	–	–	3
Balance of county	– – –	256	3	2	6
White	– – –	202	2	1	3
All other	– – –	54	1	1	3
Black	– – –	54	1	1	3
Meigs	15	50	3	2	1
Monroe	195	246	4	3	8
Montgomery	471	516	31	23	13
White	378	408	22	17	9
All other	93	108	9	6	4
Black	91	105	8	5	4
Clarksville	– – –	306	24	19	10
White	– – –	227	16	13	7
All other	– – –	79	8	6	3
Black	– – –	76	7	5	3
Balance of county	– – –	210	7	4	3
White	– – –	181	6	4	2
All other	– – –	29	1	–	1
Black	– – –	29	1	–	1
Moore	2	36	–	–	1
Morgan	41	143	3	2	4
Obion	344	378	8	6	7
Union City	– – –	126	3	2	4
White	– – –	100	3	2	3
All other	– – –	26	–	–	1
Black	– – –	26	–	–	1
Balance of county	– – –	252	5	4	3
Overton	154	168	4	2	3
Perry	49	62	1	–	1
Pickett	15	36	1	1	–
Polk	99	124	6	4	1
Putnam	368	368	11	7	4
Cookeville	– – –	130	6	4	2
Balance of county	– – –	238	5	3	2
Rhea	146	209	7	6	4
Roane	311	380	10	5	11
Oak Ridge, part	– – –	3	1	–	–
Balance of county	– – –	377	9	5	11
Robertson	241	297	12	12	3
White	198	246	9	9	3
All other	43	51	3	3	–
Black	43	51	3	3	–
Rutherford	619	531	9	5	15
White	531	450	8	4	12
All other	88	81	1	1	3
Black	88	81	1	1	3
Murfreesboro	– – –	265	4	3	9
White	– – –	217	3	2	6
All other	– – –	48	1	1	3
Black	– – –	48	1	1	3
Tennessee—Con.					
Rutherford—Con.					
Balance of county	– – –	266	5	2	6
White	– – –	233	5	2	6
All other	– – –	33	–	–	–
Black	– – –	33	–	–	–
Scott	175	158	4	2	5
Sequatchie	54	62	1	–	–
Sevier	192	290	6	4	7
Shelby	8,384	6,490	253	188	137
White	5,039	3,568	110	84	52
All other	3,345	2,922	143	104	85
Black	3,341	2,920	143	104	84
Memphis	– – –	6,042	220	161	130
White	– – –	3,268	89	66	49
All other	– – –	2,774	131	95	81
Black	– – –	2,773	131	95	80
Millington	– – –	56	5	3	–
Balance of county	– – –	392	28	24	7
White	– – –	259	18	16	3
All other	– – –	133	10	8	4
Black	– – –	132	10	8	4
Smith	133	140	–	–	–
Stewart	34	88	–	–	1
Sullivan	1,484	1,182	26	22	23
Bristol[3]	– – –	284	7	7	6
Kingsport, part	– – –	360	7	7	6
Kingsport, total	– – –	361	7	7	6
Balance of county	– – –	538	12	8	11
Sumner	450	548	16	9	14
Gallatin	– – –	145	2	1	6
White	– – –	107	–	–	4
All other	– – –	38	2	1	2
Black	– – –	38	2	1	2
Balance of county	– – –	403	14	8	8
Tipton	218	274	8	4	7
White	141	193	7	3	6
All other	77	81	1	1	1
Black	77	81	1	1	1
Trousdale	43	56	1	1	–
White	36	48	–	–	–
All other	7	8	1	1	–
Black	7	8	1	1	–
Unicoi	86	172	4	4	1
Union	39	94	3	1	2
Van Buren	5	36	–	–	2
Warren	225	250	4	4	4
McMinnville	– – –	114	2	2	1
Balance of county	– – –	136	2	2	3
Washington	1,247	724	14	8	22
Johnson City	– – –	401	7	4	12
Balance of county	– – –	323	7	4	10
Wayne	77	104	–	–	4
Weakley	248	320	2	1	3
White	153	197	3	–	4
Williamson	256	330	6	3	4
White	218	286	4	1	3
All other	38	44	2	2	1
Black	38	44	2	2	1
Wilson	327	397	14	10	6
White	287	346	9	7	5
All other	40	51	5	3	1
Black	40	51	5	3	1
Lebanon	– – –	153	4	1	2
White	– – –	120	2	1	1
All other	– – –	33	2	–	1
Black	– – –	33	2	–	1
Balance of county	– – –	244	10	9	4
Texas	**101,795**	**100,185**	**3,369**	**2,359**	**2,092**
White	88,001	86,477	2,590	1,811	1,652
All other	13,794	13,708	779	548	440
Black	13,665	13,601	773	544	433
Anderson	353	426	17	13	6
White	261	324	11	8	5
All other	92	102	6	5	1
Black	92	102	6	5	1
Palestine	– – –	235	12	9	2
White	– – –	170	8	6	2
All other	– – –	65	4	3	–
Black	– – –	65	4	3	–
Balance of county	– – –	191	5	4	4
White	– – –	154	3	2	3
All other	– – –	37	2	2	1
Black	– – –	37	2	2	1
Andrews	137	101	5	3	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Angelina	535	498	19	12	15
White	435	415	16	11	10
All other	100	83	3	1	5
Black	99	82	3	1	5
Lufkin	---	265	11	7	8
White	---	195	9	6	3
All other	---	70	2	1	5
Black	---	70	2	1	5
Balance of county	---	233	8	5	7
Aransas	32	111	3	1	4
Archer	46	71	2	2	–
Armstrong	22	34	–	–	–
Atascosa	157	201	9	8	3
Austin	165	219	3	2	1
White	138	186	3	2	–
All other	27	33	–	–	1
Black	27	33	–	–	1
Bailey	66	78	3	1	2
Bandera	36	84	–	–	–
Bastrop	192	278	7	5	5
White	153	221	4	3	2
All other	39	57	3	2	3
Black	39	57	3	2	3
Baylor	87	90	2	1	1
Bee	147	174	2	1	4
Beeville	---	115	1	–	3
Balance of county	---	59	1	1	1
Bell	1,533	953	54	37	34
White	1,333	824	41	26	25
All other	200	129	13	11	9
Black	197	127	12	11	9
Killeen	---	153	29	22	19
White	---	133	22	16	14
All other	---	20	7	6	5
Black	---	20	7	6	5
Temple	---	394	3	3	4
White	---	325	3	3	3
All other	---	69	–	–	1
Black	---	69	–	–	1
Balance of county	---	406	22	12	11
White	---	366	16	7	8
All other	---	40	6	5	3
Black	---	38	5	5	3
Bexar	7,518	6,535	264	189	179
White	6,917	6,003	238	170	158
All other	601	532	26	19	21
Black	570	511	26	19	21
San Antonio	---	5,709	225	164	156
White	---	5,194	201	146	137
All other	---	515	24	18	19
Black	---	497	24	18	19
Balance of county	---	826	39	25	23
Blanco	56	78	3	2	1
Borden	2	7	–	–	–
Bosque	190	187	1	1	2
Bowie	660	647	20	12	12
White	498	503	11	8	7
All other	162	144	9	4	5
Black	162	144	9	4	5
Texarkana[a]	---	335	13	7	4
White	---	243	6	4	1
All other	---	92	7	3	3
Black	---	92	7	3	3
Balance of county	---	312	7	5	8
White	---	260	5	4	6
All other	---	52	2	1	2
Black	---	52	2	1	2
Brazoria	529	767	30	20	11
White	477	706	26	17	11
All other	52	61	4	3	–
Black	52	61	4	3	–
Alvin	---	89	4	1	–
Freeport	---	83	5	5	2
White	---	71	4	4	2
All other	---	12	1	1	–
Black	---	12	1	1	–
Lake Jackson	---	75	3	2	2
Balance of county	---	520	18	12	7
White	---	474	16	11	7
All other	---	46	2	1	–
Black	---	46	2	1	–
Brazos	425	436	11	11	8
White	349	358	7	7	5
All other	76	78	4	4	3
Black	76	77	4	4	3
Bryan	---	310	9	9	6
White	---	254	5	5	4
All other	---	56	4	4	2
Black	---	55	4	4	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Brazos—Con.					
College Station	---	63	1	1	1
Balance of county	---	63	1	1	1
White	---	50	1	1	–
All other	---	13	–	–	1
Black	---	13	–	–	1
Brewster	100	71	4	2	–
Briscoe	5	25	2	1	1
Brooks	61	70	2	1	1
Brown	351	358	3	1	3
Brownwood	---	240	3	1	2
Balance of county	---	118	–	–	1
Burleson	79	132	3	2	2
White	63	101	2	1	–
All other	16	31	1	1	2
Black	16	31	1	1	2
Burnet	187	224	4	3	4
Caldwell	196	232	4	2	6
White	170	195	4	2	4
All other	26	37	–	–	2
Black	26	37	–	–	2
Calhoun	133	127	6	5	3
Port Lavaca	---	76	2	2	2
Balance of county	---	51	4	3	1
Callahan	76	129	4	4	3
Cameron	1,307	1,226	69	44	45
Brownsville	---	449	23	13	20
Harlingen	---	301	9	5	6
San Benito	---	148	7	3	3
Balance of county	---	328	30	23	16
Camp	115	121	3	2	1
White	73	84	2	2	–
All other	42	37	1	–	1
Black	42	37	1	–	1
Carson	48	56	2	2	3
Cass	270	290	2	2	2
White	212	229	1	1	1
All other	58	61	1	1	1
Black	58	61	1	1	1
Castro	34	49	4	3	2
Chambers	100	120	8	3	4
White	73	96	5	3	4
All other	27	24	3	–	–
Black	27	24	3	–	–
Cherokee	439	435	11	9	6
White	354	352	4	2	4
All other	85	83	7	7	2
Black	85	82	7	7	2
Childress	79	86	3	3	1
Clay	88	112	2	2	–
Cochran	29	46	1	1	1
Coke	34	44	–	–	–
Coleman	141	172	2	1	3
Collin	539	628	28	20	17
McKinney	---	179	3	2	5
White	---	157	–	–	4
All other	---	22	3	2	1
Black	---	22	3	2	1
Plano	---	133	11	8	8
Richardson, part	---	15	2	2	–
Balance of county	---	301	12	8	4
Collingsworth	63	74	1	1	–
Colorado	224	193	3	2	2
White	182	146	2	1	–
All other	42	47	1	1	2
Black	42	47	1	1	2
Comal	295	295	6	6	6
New Braunfels	---	213	4	4	5
Balance of county	---	82	2	2	1
Comanche	164	192	3	3	4
Concho	25	42	–	–	–
Cooke	209	242	2	1	1
Gainesville	---	166	2	1	1
Balance of county	---	76	–	–	–
Coryell	145	240	19	13	7
White	141	231	15	11	6
All other	4	9	4	2	1
Black	4	8	4	2	1
Copperas Cove	---	63	14	9	7
Balance of county	---	177	5	4	–
White	---	174	5	4	–
All other	---	3	–	–	–
Black	---	3	–	–	–
Cottle	22	31	–	–	1
White	20	28	–	–	1
All other	2	3	–	–	–
Black	2	3	–	–	–
Crane	31	40	4	4	–
Crockett	30	29	1	1	2
Crosby	88	91	1	1	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Culberson	26	25	2	1	2
Dallam	15	66	1	1	2
Dallas	10,842	9,976	362	263	198
White	8,747	7,996	239	172	134
All other	2,095	1,980	123	91	64
Black	2,082	1,966	123	91	62
Balch Springs	---	71	1	1	2
Carrollton, part	---	103	10	9	3
Carrollton, total	---	112	12	11	3
Dallas	---	7,130	223	158	138
White	---	5,224	110	75	79
All other	---	1,906	113	83	59
Black	---	1,896	113	83	58
Duncanville	---	103	3	3	1
Farmers Branch	---	97	2	2	–
Garland	---	501	40	26	9
Grand Prairie, part	---	317	19	12	8
Grand Prairie, total	---	351	19	12	10
Highland Park	---	95	–	–	1
Irving	---	462	26	20	14
Lancaster	---	105	2	1	2
Mesquite	---	297	13	12	9
Richardson, part	---	213	11	11	5
Richardson, total	---	228	13	13	5
University Park	---	160	–	–	1
Balance of county	---	322	12	8	5
Dawson	136	175	7	4	2
Lamesa	---	147	6	4	2
Balance of county	---	28	1	–	–
Deaf Smith	86	119	13	11	8
Hereford	---	95	11	9	6
Balance of county	---	24	2	2	2
Delta	35	92	1	1	–
White	31	81	1	1	–
All other	4	11	–	–	–
Black	4	11	–	–	–
Denton	568	600	14	13	13
Carrollton, part	---	9	2	2	–
Denton	---	259	1	1	3
Balance of county	---	332	11	10	10
De Witt	232	283	1	1	7
White	200	244	1	1	5
All other	32	39	–	–	2
Black	32	39	–	–	2
Dickens	14	47	2	2	1
Dimmit	111	68	7	5	2
Donley	24	62	1	1	1
Duval	27	103	5	3	3
Eastland	325	323	3	2	1
Ector	755	695	24	16	14
Odessa	---	620	18	11	13
Balance of county	---	75	6	5	1
Edwards	12	19	1	1	–
Ellis	401	532	10	8	5
White	340	448	6	4	3
All other	61	84	4	4	2
Black	61	84	4	4	2
Ennis	---	135	–	–	3
White	---	103	–	–	1
All other	---	32	–	–	2
Black	---	32	–	–	2
Waxahachie	---	162	4	4	1
White	---	139	1	1	1
All other	---	23	3	3	–
Black	---	23	3	3	–
Balance of county	---	235	6	4	1
White	---	206	5	3	1
All other	---	29	1	1	–
Black	---	29	1	1	–
El Paso	2,587	2,309	138	91	69
White	2,512	2,244	129	83	66
All other	75	65	9	8	3
Black	63	59	8	7	3
El Paso	---	2,179	127	82	67
White	---	2,121	119	75	66
All other	---	58	8	7	1
Black	---	52	7	6	1
Balance of county	---	130	11	9	2
Erath	171	196	1	1	1
Falls	312	233	2	1	2
White	231	172	1	1	1
All other	81	61	1	–	1
Black	81	61	1	–	1
Fannin	335	357	2	1	1
Fayette	184	292	1	–	4
White	168	262	1	–	3
All other	16	30	–	–	1
Black	16	30	–	–	1
Fisher	65	84	3	2	1
Floyd	85	102	5	3	2
Texas—Con.					
Foard	34	43	–	–	–
Fort Bend	303	480	24	16	21
White	256	397	17	10	17
All other	47	83	7	6	4
Black	47	82	7	6	4
Houston, part	---	–	–	–	–
Rosenburg	---	141	7	4	3
Balance of county	---	339	17	12	18
White	---	271	10	6	14
All other	---	68	7	6	4
Black	---	67	7	6	4
Franklin	81	82	–	–	4
Freestone	184	181	4	4	–
White	145	128	2	2	–
All other	39	53	2	2	–
Black	39	53	2	2	–
Frio	100	99	5	3	6
Gaines	49	77	9	8	2
Galveston	1,934	1,528	36	30	31
White	1,447	1,201	26	23	19
All other	487	327	10	7	12
Black	484	325	10	7	12
Galveston	---	702	17	15	14
White	---	494	11	11	3
All other	---	208	6	4	11
Black	---	206	6	4	11
La Marque	---	124	3	2	1
White	---	107	3	2	1
All other	---	17	–	–	–
Black	---	17	–	–	–
League City	---	55	1	–	2
Texas City	---	270	7	6	4
White	---	210	5	4	3
All other	---	60	2	2	1
Black	---	60	2	2	1
Balance of county	---	377	8	7	10
White	---	335	6	6	10
All other	---	42	2	1	–
Black	---	42	2	1	–
Garza	28	47	2	–	1
Gillespie	174	156	1	1	–
Glasscock	5	6	–	–	–
Goliad	45	57	–	–	–
White	39	53	–	–	–
All other	6	4	–	–	–
Black	6	4	–	–	–
Gonzales	151	204	6	4	4
White	131	172	5	3	3
All other	20	32	1	1	1
Black	20	32	1	1	1
Gray	248	275	6	4	2
Pampa	---	214	6	4	1
Balance of county	---	61	–	–	1
Grayson	1,003	928	21	19	11
Denison	---	284	2	2	5
White	---	254	2	2	5
All other	---	30	–	–	–
Black	---	29	–	–	–
Sherman	---	319	10	8	5
White	---	285	7	5	4
All other	---	34	3	3	1
Black	---	34	3	3	1
Balance of county	---	325	9	9	1
Gregg	849	808	20	13	21
White	665	620	12	9	16
All other	184	188	8	4	5
Black	183	187	8	4	5
Longview	---	459	13	9	11
White	---	344	8	6	10
All other	---	115	5	3	1
Black	---	114	5	3	1
Balance of county	---	349	7	4	10
White	---	276	4	3	6
All other	---	73	3	1	4
Black	---	73	3	1	4
Grimes	133	169	5	4	–
White	88	114	3	2	–
All other	45	55	2	2	–
Black	45	55	2	2	–
Guadalupe	223	339	3	2	3
Seguin	---	159	2	1	1
White	---	127	2	1	1
All other	---	32	–	–	–
Black	---	31	–	–	–
Balance of county	---	180	1	1	2
Hale	307	304	15	12	3
Plainview	---	193	8	7	2
Balance of county	---	111	7	5	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Hall	80	84	2	2	2
White	73	78	2	2	2
All other	7	6	–	–	–
Black	7	6	–	–	–
Hamilton	135	152	1	1	–
Hansford	28	45	6	5	2
Hardeman	100	105	2	2	–
White	95	100	2	2	–
All other	5	5	–	–	–
Black	5	5	–	–	–
Hardin	158	287	12	6	7
White	137	256	10	5	5
All other	21	31	2	1	2
Black	21	31	2	1	2
Harris	15,501	13,281	577	390	313
White	12,129	10,169	369	249	204
All other	3,372	3,112	208	141	109
Black	3,341	3,088	207	140	107
Baytown	---	365	18	12	12
Bellaire	---	137	1	1	1
Deer Park	---	72	6	4	3
Galena Park	---	61	–	–	1
White	---	52	–	–	1
All other	---	9	–	–	–
Black	---	9	–	–	–
Houston, part	---	10,462	447	304	248
White	---	7,475	247	168	146
All other	---	2,987	200	136	102
Black	---	2,970	199	135	100
Houston, total	---	10,462	447	304	248
White	---	7,475	247	168	146
All other	---	2,987	200	136	102
Black	---	2,970	199	135	100
Pasadena	---	525	27	18	16
South Houston	---	78	–	–	1
West University Place	---	56	–	–	–
Balance of county	---	1,525	78	51	31
White	---	1,436	73	48	26
All other	---	89	5	3	5
Black	---	83	5	3	5
Harrison	427	505	12	10	7
White	259	311	6	5	4
All other	168	194	6	5	3
Black	168	194	6	5	3
Marshall	---	287	7	5	4
White	---	173	3	2	2
All other	---	114	4	3	2
Black	---	114	4	3	2
Balance of county	---	218	5	5	3
White	---	138	3	3	2
All other	---	80	2	2	1
Black	---	80	2	2	1
Hartley	60	21	1	1	–
Haskell	97	126	1	1	4
Hays	141	203	8	6	2
San Marcos	---	121	5	3	2
Balance of county	---	82	3	3	–
Hemphill	39	29	1	1	–
Henderson	270	407	13	7	5
White	235	353	7	4	3
All other	35	54	6	3	2
Black	35	54	6	3	2
Hidalgo	1,404	1,414	67	45	73
Edinburg	---	157	7	2	5
McAllen	---	326	13	11	16
Mission	---	127	5	5	11
Pharr	---	126	5	4	5
Weslaco	---	124	5	2	6
Balance of county	---	554	32	21	30
Hill	333	384	5	4	3
White	294	343	4	3	2
All other	39	41	1	1	1
Black	39	41	1	1	1
Hockley	81	122	4	3	1
Levelland	---	81	2	1	1
Balance of county	---	41	2	2	–
Hood	96	119	1	1	3
Hopkins	270	293	5	3	2
White	252	273	4	2	1
All other	18	20	1	1	1
Black	18	20	1	1	1
Sulphur Springs	---	171	5	3	1
White	---	158	4	2	–
All other	---	13	1	1	1
Black	---	13	1	1	1
Balance of county	---	122	–	–	1
Houston	219	260	2	2	1
White	168	186	1	1	1
All other	51	74	1	1	–
Black	51	74	1	1	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Howard	488	341	22	19	9
Big Spring	---	261	19	17	8
Balance of county	---	80	3	2	1
Hudspeth	8	12	–	–	1
Hunt	444	538	7	3	10
White	390	476	5	2	9
All other	54	62	2	1	1
Black	54	62	2	1	1
Greenville	---	264	4	1	2
White	---	220	2	–	1
All other	---	44	2	1	1
Black	---	44	2	1	1
Balance of county	---	274	3	2	8
White	---	256	3	2	8
All other	---	18	–	–	–
Black	---	18	–	–	–
Hutchinson	153	219	7	4	1
Borger	---	148	5	4	1
Balance of county	---	71	2	–	–
Irion	6	11	–	–	–
Jack	87	114	5	4	4
Jackson	92	125	4	2	6
White	84	109	4	2	3
All other	8	16	–	–	3
Black	8	16	–	–	3
Jasper	244	272	2	2	2
White	194	217	2	2	2
All other	50	55	–	–	–
Black	50	55	–	–	–
Jeff Davis	4	11	–	–	–
Jefferson	2,427	2,276	83	64	46
White	1,865	1,636	33	27	23
All other	562	640	50	37	23
Black	555	636	49	36	23
Beaumont	---	1,203	45	33	33
White	---	787	14	12	14
All other	---	416	31	21	19
Black	---	415	31	21	19
Groves	---	127	3	3	3
Nederland	---	109	3	2	–
Port Arthur	---	597	22	18	8
White	---	391	5	3	4
All other	---	206	17	15	4
Black	---	203	16	14	4
Port Neches	---	91	2	1	1
Balance of county	---	149	8	7	1
White	---	132	6	6	1
All other	---	17	2	1	–
Black	---	17	2	1	–
Jim Hogg	6	27	–	–	–
Jim Wells	284	280	10	8	3
Alice	---	191	7	5	1
Balance of county	---	89	3	3	2
Johnson	468	553	9	8	8
Cleburne	---	238	5	5	3
Fort Worth, part	---	–	–	–	–
White	---	–	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	315	4	3	5
Jones	255	239	3	1	6
Abilene, part	---	1	–	–	–
Balance of county	---	238	3	1	6
Karnes	121	127	–	–	4
Kaufman	422	443	7	4	2
White	347	368	2	2	1
All other	75	75	5	2	1
Black	75	75	5	2	1
Terrell	---	170	4	2	1
White	---	122	1	1	–
All other	---	48	3	1	1
Black	---	48	3	1	1
Balance of county	---	273	3	2	1
White	---	246	1	1	1
All other	---	27	2	1	–
Black	---	27	2	1	–
Kendall	78	125	1	1	1
Kenedy	9	5	–	–	–
Kent	9	15	–	–	–
Kerr	510	355	8	3	3
Kerrville	---	261	5	3	1
Balance of county	---	94	3	–	2
Kimble	37	57	–	–	–
King	2	3	–	–	–
Kinney	6	18	–	–	–
Kleberg	175	189	10	10	7
Kingsville	---	161	8	8	7
Balance of county	---	28	2	2	–
Knox	52	68	2	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Lamar	508	467	12	9	5
White	423	385	8	7	5
All other	85	82	4	2	–
Black	83	81	4	2	–
Paris	---	328	9	7	4
White	---	260	5	5	4
All other	---	68	4	2	–
Black	---	68	4	2	–
Balance of county	---	139	3	2	1
White	---	125	3	2	1
All other	---	14	–	–	–
Black	---	13	–	–	–
Lamb	128	169	7	4	6
Lampasas	113	145	–	–	3
La Salle	8	53	2	1	1
Lavaca	276	283	5	4	3
Lee	102	124	–	–	2
White	84	97	–	–	2
All other	18	27	–	–	–
Black	18	27	–	–	–
Leon	60	142	3	1	–
White	48	105	2	1	–
All other	12	37	1	–	–
Black	12	37	1	–	–
Liberty	378	445	13	9	5
White	329	373	12	8	3
All other	49	72	1	1	2
Black	49	72	1	1	2
Limestone	190	261	5	4	3
White	153	209	1	1	3
All other	37	52	4	3	–
Black	37	52	4	3	–
Lipscomb	6	28	1	–	1
Live Oak	40	75	1	1	1
Llano	99	128	1	1	3
Loving	–	–	–	–	–
Lubbock	1,609	1,290	77	56	43
White	1,473	1,153	64	48	34
All other	136	137	13	8	9
Black	135	136	13	8	8
Lubbock	---	1,088	65	50	34
White	---	965	54	43	26
All other	---	123	11	7	8
Black	---	122	11	7	7
Balance of county	---	202	12	6	9
Lynn	51	75	8	4	1
McCulloch	123	130	2	2	2
McLennan	1,626	1,649	45	23	27
White	1,341	1,349	31	17	21
All other	285	300	14	6	6
Black	285	300	14	6	6
Waco	---	1,175	30	12	19
White	---	930	18	7	14
All other	---	245	12	5	5
Black	---	245	12	5	5
Balance of county	---	474	15	11	8
McMullen	1	7	–	–	–
Madison	143	105	–	–	–
White	103	75	–	–	–
All other	40	30	–	–	–
Black	38	30	–	–	–
Marion	82	103	3	1	1
White	48	62	1	–	1
All other	34	41	2	1	–
Black	34	41	2	1	–
Martin	33	37	6	5	–
Mason	36	59	–	–	–
Matagorda	266	301	13	12	10
White	219	243	9	8	4
All other	47	58	4	4	6
Black	47	58	4	4	6
Bay City	---	135	8	7	8
White	---	102	6	5	3
All other	---	33	2	2	5
Black	---	33	2	2	5
Balance of county	---	166	5	5	2
White	---	141	3	3	1
All other	---	25	2	2	1
Black	---	25	2	2	1
Maverick	130	153	13	10	3
Eagle Pass	---	124	9	7	3
Balance of county	---	29	4	3	–
Medina	140	198	6	3	3
Menard	24	37	–	–	–
Midland	375	450	17	11	7
White	325	392	15	9	7
All other	50	58	2	2	–
Black	50	58	2	2	–
Texas—Con.					
Midland—Con.					
Midland	---	424	14	9	6
White	---	366	12	7	6
All other	---	58	2	2	–
Black	---	58	2	2	–
Balance of county	---	26	3	2	1
Milam	198	260	4	2	4
White	170	223	3	2	4
All other	28	37	1	–	–
Black	28	37	1	–	–
Mills	82	82	2	2	–
Mitchell	105	124	3	3	2
Montague	220	251	2	1	5
Montgomery	361	545	14	9	11
White	327	497	13	9	11
All other	34	48	1	–	–
Black	34	48	1	–	–
Conroe	---	153	5	3	2
White	---	125	4	3	2
All other	---	28	1	–	–
Black	---	28	1	–	–
Houston, part	---	–	–	–	–
Balance of county	---	392	9	6	9
White	---	372	9	6	9
All other	---	20	–	–	–
Black	---	20	–	–	–
Moore	84	88	8	4	2
Morris	148	150	1	1	4
White	118	111	1	1	3
All other	30	39	–	–	1
Black	30	39	–	–	1
Motley	12	28	–	–	–
Nacogdoches	421	429	7	1	10
White	329	339	3	1	5
All other	92	90	4	–	5
Black	92	90	4	–	5
Nacogdoches	---	231	3	1	6
White	---	170	2	1	1
All other	---	61	1	–	5
Black	---	61	1	–	5
Balance of county	---	198	4	–	4
White	---	169	1	–	4
All other	---	29	3	–	–
Black	---	29	3	–	–
Navarro	465	455	10	6	2
White	375	365	5	3	1
All other	90	90	5	3	1
Black	90	90	5	3	1
Corsicana	---	289	5	4	2
White	---	225	3	2	1
All other	---	64	2	2	1
Black	---	64	2	2	1
Balance of county	---	166	5	2	–
White	---	140	2	1	–
All other	---	26	3	1	–
Black	---	26	3	1	–
Newton	14	61	2	1	–
White	13	49	2	1	–
All other	1	12	–	–	–
Black	1	12	–	–	–
Nolan	175	196	5	1	4
Sweetwater	---	143	2	1	2
Balance of county	---	53	3	–	2
Nueces	2,055	1,788	69	55	55
White	1,929	1,668	59	48	51
All other	126	120	10	7	4
Black	124	120	10	7	4
Corpus Christi	---	1,537	63	50	52
White	---	1,423	53	43	48
All other	---	114	10	7	4
Black	---	114	10	7	4
Robstown	---	102	2	2	2
Balance of county	---	149	4	3	1
Ochiltree	67	73	5	4	1
Oldham	9	14	–	–	–
Orange	321	518	25	19	17
Orange	---	192	9	7	7
White	---	144	5	4	3
All other	---	48	4	3	4
Black	---	48	4	3	4
Balance of county	---	326	16	12	10
Palo Pinto	244	280	8	4	2
Mineral Wells, part	---	186	6	3	2
Mineral Wells, total	---	186	6	3	2
Balance of county	---	94	2	1	–
Panola	221	221	7	5	1
White	162	157	1	1	1
All other	59	64	6	4	–
Black	59	64	6	4	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Parker	268	361	5	3	4
Mineral Wells, part	---	–	–	–	–
Weatherford	---	193	3	2	2
Balance of county	---	168	2	1	2
Parmer	54	77	1	–	2
Pecos	91	92	7	4	2
Polk	160	244	5	3	4
White	125	191	3	2	3
All other	35	53	2	1	1
Black	34	49	2	1	1
Potter	1,508	934	34	17	18
Amarillo, part	---	916	34	17	18
Amarillo, total	---	1,182	37	20	21
Balance of county	---	18	–	–	–
Presidio	14	40	1	1	–
Rains	8	53	2	1	1
Randall	117	339	5	5	3
Amarillo, part	---	266	3	3	3
Balance of county	---	73	2	2	–
Reagan	17	27	1	1	1
Real	3	20	1	–	1
Red River	152	203	5	1	2
White	126	165	2	–	2
All other	26	38	3	1	–
Black	26	38	3	1	–
Reeves	75	103	5	5	4
Pecos	---	82	3	3	4
Balance of county	---	21	2	2	–
Refugio	67	99	1	–	–
White	58	89	1	–	–
All other	9	10	–	–	–
Black	9	10	–	–	–
Roberts	7	8	–	–	–
Robertson	140	214	4	3	2
White	86	138	1	1	1
All other	54	76	3	2	1
Black	54	76	3	2	1
Rockwall	28	89	1	1	1
White	26	79	1	1	1
All other	2	10	–	–	–
Black	2	10	–	–	–
Runnels	125	155	–	–	4
Rusk	354	463	11	9	8
White	259	355	10	9	5
All other	95	108	1	–	3
Black	95	108	1	–	3
Henderson	---	134	2	1	5
White	---	98	1	1	3
All other	---	36	1	–	2
Black	---	36	1	–	2
Balance of county	---	329	9	8	3
White	---	257	9	8	2
All other	---	72	–	–	1
Black	---	72	–	–	1
Sabine	42	95	–	–	1
White	36	79	–	–	–
All other	6	16	–	–	1
Black	6	16	–	–	1
San Augustine	85	97	1	1	4
White	63	69	1	1	–
All other	22	28	–	–	4
Black	22	28	–	–	4
San Jacinto	23	68	3	2	2
White	15	42	2	2	2
All other	8	26	1	–	–
Black	8	26	1	–	–
San Patricio	301	375	7	5	13
San Saba	73	87	3	2	–
Schleicher	18	21	1	–	–
Scurry	152	176	4	3	6
Snyder	---	129	3	3	4
Balance of county	---	47	1	–	2
Shackelford	35	52	–	–	–
Shelby	239	309	6	3	2
White	202	261	3	1	1
All other	37	48	3	2	1
Black	37	48	3	2	1
Sherman	9	24	–	–	–
Smith	1,475	1,094	28	23	24
White	1,193	856	15	11	16
All other	282	238	13	12	8
Black	280	237	13	12	8
Tyler	---	633	20	18	14
White	---	508	10	8	9
All other	---	125	10	10	5
Black	---	124	10	10	5
Balance of county	---	461	8	5	10
White	---	348	5	3	7
All other	---	113	3	2	3
Black	---	113	3	2	3
Texas—Con.					
Somervell	39	45	3	3	1
Starr	87	119	7	2	10
Stephens	134	158	2	2	1
Sterling	13	15	–	–	–
Stonewall	21	36	2	2	–
Sutton	31	33	2	1	2
Swisher	67	90	6	4	3
Tarrant	6,115	5,761	169	117	115
White	5,311	4,951	121	81	78
All other	804	810	48	36	37
Black	800	805	47	36	37
Arlington	---	583	18	9	9
Bedford	---	54	–	–	1
Euless	---	93	1	–	1
Fort Worth, part	---	3,666	105	79	73
White	---	2,898	61	45	40
All other	---	768	44	34	33
Black	---	766	43	34	33
Fort Worth, total	---	3,666	105	79	73
White	---	2,898	61	45	40
All other	---	768	44	34	33
Black	---	766	43	34	33
Grand Prairie, part	---	34	–	–	2
White	---	26	–	–	2
All other	---	8	–	–	–
Black	---	8	–	–	–
Haltom City	---	171	4	2	3
Hurst	---	125	2	2	3
North Richland Hills	---	97	1	–	–
White Settlement	---	100	6	3	3
Balance of county	---	838	32	22	20
Taylor	971	835	32	19	22
Abilene, part	---	711	29	17	20
Abilene, total	---	712	29	17	20
Balance of county	---	124	3	2	2
Terrell	5	17	1	–	–
Terry	105	112	9	6	3
Throckmorton	20	41	1	1	–
Titus	203	225	6	4	2
White	169	181	2	1	–
All other	34	44	4	3	2
Black	34	44	4	3	2
Tom Green	810	723	18	12	12
San Angelo	---	635	15	10	11
Balance of county	---	88	3	2	1
Travis	2,370	2,138	57	38	38
White	2,015	1,808	39	25	24
All other	355	330	18	13	14
Black	352	327	17	12	12
Austin	---	1,899	50	33	35
White	---	1,586	34	22	21
All other	---	313	16	11	14
Black	---	311	16	11	12
Balance of county	---	239	7	5	3
Trinity	82	125	2	1	4
White	59	92	2	1	3
All other	23	33	–	–	1
Black	23	33	–	–	1
Tyler	136	167	4	3	4
White	117	149	2	1	3
All other	19	18	2	2	1
Black	17	18	2	2	1
Upshur	183	284	7	6	1
White	152	234	3	3	1
All other	31	50	4	3	–
Black	31	50	4	3	–
Upton	16	33	1	1	1
Uvalde	134	177	2	2	3
Uvalde	---	111	1	1	3
Balance of county	---	66	1	1	–
Val Verde	208	201	3	1	7
Del Rio	---	173	2	1	6
Balance of county	---	28	1	–	1
Van Zandt	203	346	5	5	5
Victoria	515	450	17	14	13
Victoria	---	348	15	12	12
Balance of county	---	102	2	2	1
Walker	220	214	5	4	1
White	157	152	4	3	–
All other	63	62	1	1	1
Black	63	62	1	1	1
Huntsville	---	111	2	1	1
White	---	82	2	1	–
All other	---	29	–	–	1
Black	---	29	–	–	1
Balance of county	---	103	3	3	–
White	---	70	2	2	–
All other	---	33	1	1	–
Black	---	33	1	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Waller	113	166	4	4	8
White	73	105	1	1	3
All other	40	61	3	3	5
Black	40	61	3	3	5
Ward	47	99	7	6	3
Washington	283	250	5	3	1
White	214	180	1	1	1
All other	69	70	4	2	–
Black	69	70	4	2	–
Webb	594	566	35	24	24
Laredo	– – –	543	34	24	22
Balance of county	– – –	23	1	–	2
Wharton	418	396	10	7	4
White	331	306	5	2	3
All other	87	90	5	5	1
Black	87	90	5	5	1
Wheeler	74	98	1	1	1
Wichita	950	916	23	20	1
White	876	841	20	17	1
All other	74	75	3	3	–
Black	74	75	3	3	–
Wichita Falls	– – –	717	20	17	1
White	– – –	649	17	14	1
All other	– – –	68	3	3	–
Black	– – –	68	3	3	–
Balance of county	– – –	199	3	3	–
Wilbarger	172	177	1	1	–
White	159	165	1	1	–
All other	13	12	–	–	–
Black	13	12	–	–	–
Vernon	– – –	145	1	1	–
White	– – –	134	1	1	–
All other	– – –	11	–	–	–
Black	– – –	11	–	–	–
Balance of county	– – –	32	–	–	–
Willacy	86	130	2	1	5
Williamson	366	439	12	8	8
White	325	393	10	6	7
All other	41	46	2	2	1
Black	41	46	2	2	1
Wilson	110	139	2	1	7
Winkler	102	87	6	5	3
Wise	190	227	8	6	1
Wood	275	316	6	5	3
White	249	288	2	1	1
All other	26	28	4	4	2
Black	26	28	4	4	2
Yoakum	47	59	2	2	1
Young	238	248	1	1	2
Zapata	23	44	–	–	–
Zavala	10	89	4	3	2
Utah	**8,004**	**7,617**	**382**	**257**	**316**
White	7,813	7,433	364	248	310
All other	191	184	18	9	6
Black	52	48	3	1	2
Beaver	31	38	–	–	1
Box Elder	170	205	5	5	5
Brigham City	– – –	99	2	2	1
Balance of county	– – –	106	3	3	4
Cache	283	296	11	7	5
Logan	– – –	157	6	3	3
Balance of county	– – –	139	5	4	2
Carbon	175	183	13	11	6
Daggett	8	3	1	–	–
Davis	359	477	38	26	20
Bountiful	– – –	142	7	6	2
Clearfield	– – –	52	5	4	2
White	– – –	47	5	4	1
All other	– – –	5	–	–	1
Black	– – –	1	–	–	–
Layton	– – –	84	8	5	–
Balance of county	– – –	199	18	11	16
Duchesne	85	76	6	5	3
Emery	31	48	2	2	4
Garfield	17	28	1	1	–
Grand	44	41	5	5	1
Iron	90	85	7	4	4
Juab	60	36	2	1	2
Kane	41	30	1	–	–
Millard	60	66	3	3	1
Morgan	16	25	1	1	–
Piute	7	8	–	–	–
Rich	4	9	1	1	1
Salt Lake	3,935	3,311	127	74	154
Murray	– – –	157	4	2	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah—Con.					
Salt Lake—Con.					
Salt Lake City	– – –	1,886	46	28	68
Balance of county	– – –	1,268	77	44	80
San Juan	65	62	8	3	5
White	36	25	1	–	3
All other	29	37	7	3	2
Black	–	–	–	–	–
Sanpete	93	139	7	6	4
Sevier	105	113	3	2	4
Summit	49	49	3	2	1
Tooele	112	130	6	4	2
Tooele	– – –	84	2	1	1
Balance of county	– – –	46	4	3	1
Uintah	85	144	18	12	8
White	79	119	17	11	7
All other	6	25	1	1	1
Black	1	–	–	–	–
Utah	905	898	68	53	50
Orem	– – –	154	23	19	11
Provo	– – –	261	19	16	20
Balance of county	– – –	483	26	18	19
Wasatch	58	44	2	2	1
Washington	156	161	7	3	3
Wayne	7	10	–	–	–
Weber	953	902	36	24	31
Ogden	– – –	678	23	15	17
Roy	– – –	66	4	3	7
Balance of county	– – –	158	9	6	7
Vermont	**4,291**	**4,210**	**70**	**48**	**61**
White	4,279	4,198	70	48	61
All other	12	12	–	–	–
Black	9	10	–	–	–
Addison	152	217	2	2	3
Bennington	327	308	4	3	3
Caledonia	218	257	2	1	5
Chittenden	950	671	19	11	12
Burlington	– – –	311	8	3	6
Balance of county	– – –	360	11	8	6
Essex	13	60	–	–	1
Franklin	292	305	8	2	5
Grand Isle	9	33	–	–	–
Lamoille	126	134	1	1	5
Orange	111	160	3	1	2
Orleans	224	219	4	4	4
Rutland	574	560	7	6	9
Rutland	– – –	234	–	–	2
Balance of county	– – –	326	7	6	7
Washington	482	458	5	5	4
Barre	– – –	131	1	1	1
Balance of county	– – –	327	4	4	3
Windham	357	376	6	5	5
Windsor	456	452	9	7	3
Virginia	**39,386**	**39,939**	**1,181**	**844**	**953**
White	30,234	30,807	734	517	564
All other	9,152	9,132	447	327	389
Black	9,080	9,059	435	319	375
Accomack	178	421	15	10	7
White	116	275	3	1	–
All other	62	146	12	9	7
Black	62	146	12	9	7
Albemarle	917	303	8	6	8
White	693	235	3	3	6
All other	224	68	5	3	2
Black	223	68	5	3	1
Alleghany	75	122	3	2	2
Amelia	37	87	2	1	–
White	22	46	1	1	–
All other	15	41	1	–	–
Black	15	41	1	–	–
Amherst	127	202	7	6	4
White	108	156	5	4	3
All other	19	46	2	2	1
Black	19	46	2	2	1
Appomattox	53	107	1	–	5
White	41	82	1	–	3
All other	12	25	–	–	2
Black	12	25	–	–	2
Arlington†	946	1,051	17	9	22
White	863	967	14	9	16
All other	83	84	3	–	6
Black	76	79	2	–	5
Augusta	240	456	6	6	6
Bath	34	53	1	–	1
White	32	48	1	–	–
All other	2	5	–	–	1
Black	2	5	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia—Con.					
Bedford	122	276	4	4	4
White	105	240	4	4	4
All other	17	36	–	–	–
Black	17	36	–	–	–
Bland	23	55	4	4	–
Botetourt	96	200	5	3	2
Brunswick	68	166	2	1	9
White	29	78	–	–	2
All other	39	88	2	1	7
Black	38	88	2	1	7
Buchanan	210	276	15	10	13
Buckingham	45	127	4	2	1
White	29	89	3	2	–
All other	16	38	1	–	1
Black	16	38	1	–	1
Campbell	125	352	12	9	6
White	95	286	7	4	4
All other	30	66	5	5	2
Black	30	66	5	5	2
Caroline	65	169	7	5	2
White	41	88	4	3	–
All other	24	81	3	2	2
Black	24	81	3	2	2
Carroll	89	257	4	3	2
Charles City	30	60	1	1	2
White	12	21	–	–	1
All other	18	39	1	1	1
Black	16	37	1	1	1
Charlotte	67	154	4	3	5
White	39	98	2	1	2
All other	28	56	2	2	3
Black	28	56	2	2	3
Chesterfield	192	546	21	16	21
White	160	472	18	13	18
All other	32	74	3	3	3
Black	32	74	3	3	3
Clarke	40	106	4	3	3
White	33	89	4	3	3
All other	7	17	–	–	–
Black	7	17	–	–	–
Craig	16	32	–	–	1
Culpeper	183	211	4	3	6
White	159	161	3	2	5
All other	24	50	1	1	1
Black	24	50	1	1	1
Cumberland	29	85	2	1	4
White	11	42	1	–	2
All other	18	43	1	1	2
Black	18	43	1	1	2
Dickenson	54	154	5	3	4
Dinwiddie	194	165	7	5	1
White	85	87	4	3	–
All other	109	78	3	2	1
Black	108	78	3	2	1
Essex	160	102	4	4	1
White	90	63	–	–	–
All other	70	39	4	4	1
Black	70	39	4	4	1
Fairfax	1,552	1,975	54	40	52
White	1,449	1,869	45	32	40
All other	103	106	9	8	12
Black	89	91	7	6	7
Vienna	– – –	84	1	1	1
Balance of county	– – –	1,891	53	39	51
White	– – –	1,791	44	31	39
All other	– – –	100	9	8	12
Black	– – –	86	7	6	7
Fauquier	222	241	4	1	5
White	177	179	4	1	3
All other	45	62	–	–	2
Black	45	62	–	–	2
Floyd	34	100	1	1	3
Fluvanna	37	102	5	4	4
White	27	64	5	4	–
All other	10	38	–	–	4
Black	10	38	–	–	4
Franklin	127	248	7	5	5
White	111	214	6	5	5
All other	16	34	1	–	–
Black	16	34	1	–	–
Frederick	31	195	5	4	6
Giles	117	173	5	4	2
Gloucester	78	157	7	6	4
White	60	118	4	4	1
All other	18	39	3	2	3
Black	18	39	3	2	3
Virginia—Con.					
Goochland	44	95	2	2	3
White	28	50	–	–	2
All other	16	45	2	2	1
Black	16	45	2	2	1
Grayson	53	166	1	1	1
Greene	30	65	2	–	2
White	23	56	2	–	1
All other	7	9	–	–	1
Black	7	9	–	–	1
Greensville	37	109	6	1	2
White	18	53	–	–	–
All other	19	56	6	1	2
Black	19	56	6	1	2
Halifax	96	342	6	5	11
White	60	198	4	3	2
All other	36	144	2	2	9
Black	36	143	2	2	9
Hanover	168	350	6	3	8
White	131	285	4	2	4
All other	37	65	2	1	4
Black	37	65	2	1	4
Henrico	1,367	1,295	31	26	30
White	1,179	1,187	21	19	22
All other	188	108	10	7	8
Black	186	106	10	7	8
Henry	83	344	16	12	4
White	60	255	6	6	2
All other	23	89	10	6	2
Black	23	89	10	6	2
Highland	15	28	–	–	1
Isle of Wight	74	172	5	3	3
White	48	100	–	–	–
All other	26	72	5	3	3
Black	26	72	5	3	3
James City	161	124	7	5	7
White	102	72	2	2	2
All other	59	52	5	3	5
Black	59	52	5	3	5
King and Queen	22	68	2	1	1
White	12	32	–	–	1
All other	10	36	2	1	–
Black	10	36	2	1	–
King George	23	67	1	1	2
White	16	48	1	1	–
All other	7	19	–	–	2
Black	7	19	–	–	2
King William	36	85	–	–	3
White	24	59	–	–	2
All other	12	26	–	–	1
Black	12	25	–	–	1
Lancaster	164	152	3	3	1
White	122	101	–	–	–
All other	42	51	3	3	1
Black	42	51	3	3	1
Lee	216	302	4	2	1
Loudoun	258	316	12	8	6
White	224	270	11	7	6
All other	34	46	1	1	–
Black	34	45	1	1	–
Louisa	80	193	4	2	2
White	46	118	1	–	2
All other	34	75	3	2	–
Black	34	75	3	2	–
Lunenburg	53	141	4	4	4
White	26	79	1	1	2
All other	27	62	3	3	2
Black	27	62	3	3	2
Madison	47	93	–	–	2
White	38	69	–	–	2
All other	9	24	–	–	–
Black	9	24	–	–	–
Mathews	65	125	1	1	1
White	57	105	–	–	1
All other	8	20	1	1	–
Black	8	20	1	1	–
Mecklenburg	269	331	8	5	5
White	158	188	3	2	5
All other	111	143	5	3	–
Black	111	143	5	3	–
Middlesex	53	99	1	–	1
White	42	67	1	–	1
All other	11	32	–	–	–
Black	11	32	–	–	–
Montgomery	254	340	10	10	3
Nansemond[7]	–	–	–	–	–
White	–	–	–	–	–
All other	–	–	–	–	–
Black	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Nelson	68	151	1	–	5
White	46	108	1	–	2
All other	22	43	–	–	3
Black	22	43	–	–	3
New Kent	28	48	2	2	2
White	18	26	1	1	–
All other	10	22	1	1	2
Black	10	20	–	–	2
Northampton	301	195	6	4	1
White	172	102	2	1	1
All other	129	93	4	3	–
Black	129	93	4	3	–
Northumberland	54	143	4	3	1
White	31	94	–	–	–
All other	23	49	4	3	1
Black	23	48	3	3	1
Nottoway	79	197	3	3	2
White	47	110	2	2	1
All other	32	87	1	1	1
Black	32	87	1	1	1
Orange	125	182	6	4	8
White	107	154	4	3	3
All other	18	28	2	1	5
Black	18	28	2	1	5
Page	138	204	3	2	2
Patrick	129	154	–	–	1
Pittsylvania	163	504	13	7	12
White	112	370	4	2	3
All other	51	134	9	5	9
Black	51	134	9	5	9
Powhatan	30	68	–	–	4
White	17	37	–	–	3
All other	13	31	–	–	1
Black	13	31	–	–	1
Prince Edward	257	156	2	2	2
White	184	97	1	1	–
All other	73	59	1	1	2
Black	73	59	1	1	2
Prince George	39	103	5	4	4
White	29	65	4	3	2
All other	10	38	1	1	2
Black	10	36	1	1	2
Prince William	483	478	26	15	31
Pulaski	230	273	11	9	6
Pulaski	– – –	96	3	3	2
Balance of county	– – –	177	8	6	4
Rappahannock	18	70	1	1	1
White	13	56	1	1	–
All other	5	14	–	–	1
Black	5	14	–	–	1
Richmond	18	77	2	2	3
White	11	52	2	2	2
All other	7	25	–	–	1
Black	7	25	–	–	1
Roanoke	197	418	10	10	12
Rockbridge	76	165	3	3	2
Rockingham	155	447	6	3	8
Russell	163	250	9	7	7
Scott	66	246	7	6	6
Shenandoah	226	293	5	3	8
Smyth	385	302	8	6	10
Southampton	39	163	5	5	5
White	16	85	3	3	2
All other	23	78	2	2	3
Black	23	78	2	2	3
Spotsylvania	64	163	10	10	3
White	50	134	6	6	2
All other	14	29	4	4	1
Black	14	29	4	4	1
Stafford	88	189	8	6	5
Surry	18	52	1	1	2
White	8	25	1	1	–
All other	10	27	–	–	2
Black	10	27	–	–	2
Sussex	42	127	4	1	3
White	12	45	1	–	–
All other	30	82	3	1	3
Black	30	82	3	1	3
Tazewell	408	474	15	10	11
Warren	151	182	7	4	1
Washington	367	362	5	4	10
Westmoreland	43	142	9	6	3
White	33	110	4	2	1
All other	10	32	5	4	2
Black	10	32	5	4	2
Wise	304	440	12	6	3
Wythe	217	262	1	1	5
Virginia—Con.					
York	58	197	5	4	3
White	51	167	4	3	2
All other	7	30	1	1	1
Black	6	28	1	1	1
Independent Cities[8]					
Alexandria	936	836	38	24	21
White	771	666	24	13	11
All other	165	170	14	11	10
Black	162	166	12	10	10
Bedford	212	107	2	1	2
White	172	79	2	1	–
All other	40	28	–	–	2
Black	40	28	–	–	2
Bristol[9]	147	208	4	3	1
Buena Vista	17	60	1	1	3
Charlottesville	370	368	9	5	7
White	299	273	5	3	2
All other	71	95	4	2	5
Black	71	95	4	2	5
Chesapeake	415	721	37	20	26
White	309	507	19	9	12
All other	106	214	18	11	14
Black	105	214	18	11	14
Clifton Forge	277	98	1	1	2
White	239	80	1	1	2
All other	38	18	–	–	–
Black	38	18	–	–	–
Colonial Heights	16	110	3	2	3
Covington	34	135	2	2	–
White	30	113	1	1	–
All other	4	22	1	1	–
Black	4	22	1	1	–
Danville	813	498	19	15	9
White	581	355	9	7	2
All other	232	143	10	8	7
Black	232	143	10	8	7
Emporia	157	53	1	1	2
White	79	32	1	1	–
All other	78	21	–	–	2
Black	78	21	–	–	2
Fairfax	202	113	7	2	7
Falls Church	14	123	3	3	3
Franklin	161	69	1	1	4
White	94	32	–	–	2
All other	67	37	1	1	2
Black	67	37	1	1	2
Fredericksburg	448	163	3	3	5
White	367	126	1	1	5
All other	81	37	2	2	–
Black	81	37	2	2	–
Galax	208	65	3	1	–
Hampton	890	799	30	20	31
White	555	555	20	11	16
All other	335	244	10	9	15
Black	335	244	10	9	14
Harrisonburg	542	146	3	3	2
Hopewell	190	186	2	2	4
White	156	148	1	1	2
All other	34	38	1	1	2
Black	33	38	1	1	2
Lexington	122	58	–	–	–
White	104	41	–	–	–
All other	18	17	–	–	–
Black	18	17	–	–	–
Lynchburg	1,183	727	11	6	6
White	921	562	6	4	1
All other	262	165	5	2	5
Black	262	164	5	2	5
Martinsville	425	209	3	2	7
White	337	149	2	2	4
All other	88	60	1	–	3
Black	88	60	1	–	3
Newport News	1,269	1,022	45	29	40
White	856	610	26	17	18
All other	413	412	19	12	22
Black	411	410	19	12	22
Norfolk	2,790	2,313	98	75	53
White	1,631	1,341	51	37	26
All other	1,159	972	47	38	27
Black	1,153	965	46	37	25
Norton	167	51	–	–	–
Petersburg	634	477	19	15	11
White	352	229	3	3	3
All other	282	248	16	12	8
Black	281	248	16	12	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Independent Cities—Con.					
Portsmouth	1,233	995	46	31	23
White	781	555	16	10	5
All other	452	440	30	21	18
Black	444	436	30	21	18
Radford	194	98	1	–	–
Richmond	4,332	2,674	76	61	78
White	2,698	1,535	21	18	17
All other	1,634	1,139	55	43	61
Black	1,626	1,136	54	43	61
Roanoke	1,527	1,193	31	26	17
White	1,274	953	20	16	15
All other	253	240	11	10	2
Black	248	235	10	9	2
Salem	751	209	2	2	2
South Boston	341	81	3	2	2
White	207	55	2	2	–
All other	134	26	1	–	2
Black	133	26	1	–	2
Staunton	407	239	4	3	3
White	370	206	4	3	3
All other	37	33	–	–	–
Black	37	33	–	–	–
Suffolk[7]	433	470	17	11	8
White	224	230	6	3	1
All other	209	240	11	8	7
Black	209	240	11	8	7
Virginia Beach	882	1,017	46	33	45
White	724	880	32	22	35
All other	158	137	14	11	10
Black	154	130	13	10	8
Waynesboro	237	136	3	2	4
Williamsburg	223	79	1	1	1
White	160	62	1	1	1
All other	63	17	–	–	–
Black	62	16	–	–	–
Winchester	679	268	2	1	2
Washington	**30,055**	**29,831**	**692**	**425**	**434**
White	28,873	28,667	613	377	382
All other	1,182	1,164	79	48	52
Black	542	533	39	21	22
Adams	85	91	4	4	3
Asotin	180	189	1	1	3
Benton	465	506	16	6	13
Kennewick	---	188	8	4	7
Richland	---	172	7	2	2
Balance of county	---	146	1	–	4
Chelan	509	441	5	4	2
Wenatchee	---	239	4	3	1
Balance of county	---	202	1	1	1
Clallam	399	426	15	11	7
Port Angeles	---	184	5	5	3
Balance of county	---	242	10	6	4
Clark	1,172	1,213	26	11	12
Vancouver	---	556	7	3	3
Balance of county	---	657	19	8	9
Columbia	48	55	3	2	–
Cowlitz	639	635	15	6	6
Kelso	---	134	3	1	–
Longview	---	289	4	1	2
Balance of county	---	212	8	4	4
Douglas	62	138	9	7	1
Ferry	28	43	1	–	1
White	23	32	–	–	–
All other	5	11	1	–	1
Black	–	–	–	–	–
Franklin	187	207	4	2	4
Pasco	---	162	4	2	4
White	---	147	4	2	4
All other	---	15	–	–	–
Black	---	15	–	–	–
Balance of county	---	45	–	–	–
Garfield	24	24	–	–	1
Grant	291	325	11	3	11
Moses Lake	---	87	4	1	2
Balance of county	---	238	7	2	9
Grays Harbor	550	623	13	9	12
Aberdeen	---	214	3	2	5
Hoquiam	---	117	–	–	2
Balance of county	---	292	10	7	5
Island	171	257	9	6	4
Jefferson	117	138	4	1	1
King	9,814	9,233	190	130	110
White	9,196	8,633	151	105	90
All other	618	600	39	25	20
Black	317	318	26	14	12

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Washington—Con.					
King—Con.					
Auburn	---	201	3	3	6
Bellevue	---	366	6	5	4
Kent	---	130	6	3	3
Kirkland	---	163	6	6	5
Mercer Island city	---	92	–	–	1
Redmond	---	85	1	1	2
Renton	---	222	5	4	9
Seattle	---	5,403	90	59	41
White	---	4,869	56	39	25
All other	---	534	34	20	16
Black	---	298	26	14	11
Balance of county	---	2,571	73	49	39
Kitsap	925	961	21	15	22
Bremerton	---	362	6	3	8
Balance of county	---	599	15	12	14
Kittitas	189	201	2	–	–
Ellensburg	---	83	–	–	–
Balance of county	---	118	2	–	–
Klickitat	99	121	9	5	–
Lewis	499	552	10	4	5
Centralia	---	193	2	–	3
Balance of county	---	359	8	4	2
Lincoln	92	108	3	1	2
Mason	181	219	5	3	2
Okanogan	233	240	3	2	8
Pacific	200	217	1	1	1
Pend Oreille	68	69	2	1	2
Pierce	3,377	3,331	98	63	50
White	3,219	3,171	82	52	44
All other	158	160	16	11	6
Black	113	112	10	6	3
Puyallup	---	195	4	3	4
Tacoma	---	1,660	35	24	16
White	---	1,551	33	23	13
All other	---	109	2	1	3
Black	---	85	1	–	2
Balance of county	---	1,476	59	36	30
White	---	1,427	45	26	27
All other	---	49	14	10	3
Black	---	27	9	6	1
San Juan	39	50	1	1	–
Skagit	614	571	6	6	6
Skamania	23	44	1	–	1
Snohomish	1,954	2,015	48	26	45
Edmonds	---	224	5	4	4
Everett	---	579	10	5	8
Lynnwood	---	130	8	5	5
Mountlake Terrace	---	55	1	–	–
Balance of county	---	1,027	24	12	28
Spokane	3,157	2,746	58	38	29
Spokane	---	1,921	37	23	14
Balance of county	---	825	21	15	15
Stevens	139	193	3	1	3
Thurston	759	782	20	10	16
Olympia	---	306	9	6	6
Balance of county	---	476	11	4	10
Wahkiakum	26	31	–	–	1
Walla Walla	574	469	1	1	6
Walla Walla	---	333	1	1	6
Balance of county	---	136	–	–	–
Whatcom	703	728	21	12	18
Bellingham	---	421	12	6	9
Balance of county	---	307	9	6	9
Whitman	157	206	3	1	3
Pullman	---	42	–	–	–
Balance of county	---	164	3	1	3
Yakima	1,406	1,433	50	31	23
Yakima	---	668	16	10	9
Balance of county	---	765	34	21	14
West Virginia	**19,333**	**19,330**	**439**	**309**	**316**
White	18,371	18,360	413	290	295
All other	962	970	26	19	21
Black	960	968	26	19	21
Barbour	165	187	5	3	4
Berkeley	684	411	10	9	10
Martinsburg	---	228	5	5	4
Balance of county	---	183	5	4	6
Boone	177	278	9	6	6
Braxton	56	165	4	2	4
Brooke	89	243	6	2	1
Weirton, part	---	34	–	–	–
Balance of county	---	209	6	2	1
Cabell	1,711	1,199	24	17	14
Huntington, part	---	901	16	11	9
Huntington, total	---	962	16	11	9
Balance of county	---	298	8	6	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
West Virginia—Con.					
Calhoun	86	93	2	1	2
Clay	35	105	2	1	1
Doddridge	33	92	1	–	–
Fayette	454	638	14	9	13
White	406	568	10	8	11
All other	48	70	4	1	2
Black	48	70	4	1	2
Gilmer	32	79	1	1	1
Grant	111	104	1	–	2
Greenbrier	319	389	5	4	6
Hampshire	82	143	2	1	7
Hancock	342	366	4	4	2
Weirton, part	---	197	1	1	2
Weirton, total	---	231	1	1	2
Balance of county	---	169	3	3	–
Hardy	32	100	2	1	–
Harrison	1,030	880	12	9	14
Clarksburg	---	371	5	4	2
Balance of county	---	509	7	5	12
Jackson	156	201	3	2	4
Jefferson	186	251	5	5	10
White	165	223	2	2	7
All other	21	28	3	3	3
Black	21	28	3	3	3
Kanawha	2,619	2,272	40	23	35
White	2,431	2,077	34	20	31
All other	188	195	6	3	4
Black	188	195	6	3	4
Charleston	---	863	11	7	11
White	---	729	7	5	8
All other	---	134	4	2	3
Black	---	134	4	2	3
St. Albans	---	171	3	2	–
South Charleston	---	156	4	4	4
Balance of county	---	1,082	22	10	20
Lewis	245	229	–	–	3
Lincoln	100	224	7	6	3
Logan	372	438	18	14	10
McDowell	448	582	24	15	11
White	352	450	21	13	7
All other	96	132	3	2	4
Black	96	132	3	2	4
Marion	618	737	13	11	10
Fairmont	---	337	7	6	4
Balance of county	---	400	6	5	6
Marshall	302	401	8	4	7
Moundsville	---	172	3	2	3
Balance of county	---	229	5	2	4
Mason	193	267	13	9	3
Mercer	971	764	17	11	18
Bluefield[10]	---	233	8	6	3
White	---	170	5	3	2
All other	---	63	3	3	1
Black	---	63	3	3	1
Balance of county	---	531	9	5	15
Mineral	135	249	4	3	7
Mingo	221	399	22	13	13
Monongalia	1,126	526	10	9	7
Morgantown	---	231	2	2	1
Balance of county	---	295	8	7	6
Monroe	41	152	3	3	–
Morgan	72	102	1	1	1
Nicholas	193	253	7	5	4
Ohio	1,113	800	21	15	10
Wheeling	---	679	15	9	6
Balance of county	---	121	6	6	4
Pendleton	30	90	2	2	1
Pleasants	24	73	2	2	–
Pocahontas	131	120	2	1	1
Preston	221	292	5	5	4
Putnam	100	247	6	4	3
Raleigh	1,252	875	24	19	14
White	1,093	750	23	18	12
All other	159	125	1	1	2
Black	159	125	1	1	2
Beckley	---	344	5	4	3
White	---	264	4	3	1
All other	---	80	1	1	2
Black	---	80	1	1	2
Balance of county	---	531	19	15	11
Randolph	444	322	5	1	2
Ritchie	62	143	–	–	1
Roane	167	166	3	2	1
Summers	149	184	3	3	3
Taylor	147	191	6	4	2
Tucker	52	91	1	1	–
Tyler	69	126	3	1	3
Upshur	188	212	8	7	4
Wayne	281	374	6	3	7
Huntington, part	---	61	–	–	–
Balance of county	---	313	6	3	7
Webster	79	114	1	–	2
Wetzel	169	222	7	6	2
Wirt	16	54	1	1	2
Wood	1,090	843	26	22	13
Parkersburg	---	577	17	14	6
Vienna	---	68	–	–	1
Balance of county	---	198	9	8	6
Wyoming	113	272	8	6	8
Wisconsin	**39,357**	**39,347**	**777**	**514**	**497**
White	38,333	38,334	687	466	444
All other	1,024	1,013	90	48	53
Black	853	837	80	43	47
Adams	119	134	1	1	1
Ashland	249	229	2	2	5
Barron	359	386	9	6	3
Bayfield	107	165	2	–	1
Brown	1,411	1,127	24	18	19
De Pere	---	74	1	1	2
Green Bay	---	709	12	9	8
Balance of county	---	344	11	8	9
Buffalo	92	147	2	–	3
Burnett	93	129	2	1	1
Calumet	174	210	5	2	1
Appleton, part	---	6	1	1	1
Balance of county	---	204	4	1	–
Chippewa	432	447	13	10	9
Chippewa Falls	---	146	2	2	2
Eau Claire, part	---	1	–	–	–
Balance of county	---	300	11	8	7
Clark	229	319	10	8	4
Columbia	366	422	6	2	4
Crawford	146	164	5	4	–
Dane	2,588	1,788	41	27	26
Madison	---	1,022	23	14	14
Monona	---	65	2	2	–
Balance of county	---	701	16	11	12
Dodge	724	682	11	8	6
Beaver Dam	---	163	1	1	2
Watertown, part	---	62	2	2	–
Balance of county	---	457	8	5	4
Door	222	273	7	3	3
Douglas	336	422	6	4	5
Superior	---	323	4	3	2
Balance of county	---	99	2	1	3
Dunn	178	227	4	4	3
Menomonie	---	75	1	1	1
Balance of county	---	152	3	3	2
Eau Claire	754	622	14	14	9
Eau Claire, part	---	419	8	8	6
Eau Claire, total	---	420	8	8	6
Balance of county	---	203	6	6	3
Florence	37	48	–	–	–
Fond du Lac	781	790	20	12	7
Fond du Lac	---	379	10	4	1
Balance of county	---	411	10	8	6
Forest	61	115	1	–	–
Grant	412	468	9	6	7
Green	379	310	3	2	2
Green Lake	176	231	1	1	4
Iowa	166	201	6	3	4
Iron	30	101	–	–	1
Jackson	183	206	7	6	1
Jefferson	393	574	10	6	4
Watertown, part	---	137	4	2	2
Watertown, total	---	199	6	4	2
Whitewater, part	---	2	–	–	–
Balance of county	---	435	6	4	2
Juneau	147	202	4	3	3
Kenosha	900	1,011	17	11	18
Kenosha	---	724	17	11	15
Balance of county	---	287	–	–	3
Kewaunee	167	205	1	1	3
La Crosse	1,122	748	14	8	2
La Crosse	---	506	7	4	1
Balance of county	---	242	7	4	1
Lafayette	91	156	4	2	2
Langlade	191	202	3	2	4
Lincoln	270	281	7	5	4
Manitowoc	616	705	8	7	13
Manitowoc	---	363	4	4	9
Two Rivers	---	104	1	1	2
Balance of county	---	238	3	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1977–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin—Con.					
Marathon	636	784	22	17	12
Marshfield, part	---	–	–	–	–
Wausau	---	347	9	7	3
Balance of county	---	437	13	10	9
Marinette	418	451	10	6	3
Marinette	---	162	3	1	1
Balance of county	---	289	7	5	2
Marquette	40	128	1	1	2
Menominee	15	30	2	–	1
White	6	4	–	–	–
All other	9	26	2	–	1
Black	–	–	–	–	–
Milwaukee	9,529	9,052	183	116	107
White	8,815	8,341	119	81	68
All other	714	711	64	35	39
Black	684	685	63	34	38
Brown Deer	---	63	1	1	2
Cudahy	---	167	3	3	–
Franklin	---	74	–	–	1
Glendale	---	171	–	–	–
Greendale	---	59	2	2	–
Greenfield	---	197	6	4	–
Milwaukee, part	---	6,292	144	87	86
White	---	5,592	81	53	47
All other	---	700	63	34	39
Black	---	678	63	34	38
Milwaukee, total	---	6,293	144	87	86
White	---	5,593	81	53	47
All other	---	700	63	34	39
Black	---	678	63	34	38
Oak Creek	---	72	4	1	2
St. Francis	---	77	–	–	2
Shorewood	---	174	2	2	1
South Milwaukee	---	156	2	1	2
Wauwatosa	---	538	2	2	4
West Ellis	---	654	10	7	4
Whitefish Bay	---	131	2	1	1
Balance of county	---	227	5	5	2
Monroe	372	323	2	2	9
Oconto	243	325	2	2	3
Oneida	404	309	6	4	–
Outagamie	933	922	21	16	15
Appleton, part	---	469	10	8	8
Appleton, total	---	475	11	9	9
Kaukauna	---	94	2	2	1
Balance of county	---	359	9	6	6
Ozaukee	281	390	13	8	14
Mequon	---	111	3	1	3
Balance of county	---	279	10	7	11
Pepin	75	75	1	1	–
Pierce	122	230	6	4	2
Polk	319	322	3	2	4
Portage	360	375	8	5	2
Stevens Point	---	196	4	2	–
Balance of county	---	179	4	3	2
Price	136	154	2	1	1
Racine	1,296	1,345	29	20	25
White	1,229	1,268	20	13	20
All other	67	77	9	7	5
Black	67	76	8	6	5
Racine	---	820	19	15	19
White	---	746	10	8	14
All other	---	74	9	7	5
Black	---	73	8	6	5
Balance of county	---	525	10	5	6
Richland	140	162	3	3	3
Rock	1,068	1,097	21	13	10
Beloit	---	322	7	3	3
Janesville	---	385	8	6	4
Balance of county	---	390	6	4	3
Rusk	95	140	3	2	2
St. Croix	318	329	10	5	7
Sauk	425	438	6	4	5
Sawyer	129	135	2	1	–
Shawano	319	398	3	2	2
Sheboygan	933	947	20	11	8
Sheboygan	---	554	13	7	5
Wisconsin—Con.					
Sheboygan—Con.					
Balance of county	---	393	7	4	3
Taylor	165	175	3	2	5
Trempealeau	258	306	5	4	2
Vernon	266	326	4	3	1
Vilas	156	186	6	4	2
Walworth	449	599	16	11	11
Whitewater, part	---	45	1	–	–
Whitewater, total	---	47	1	–	–
Balance of county	---	554	15	11	11
Washburn	179	156	2	2	2
Washington	470	551	12	7	11
Milwaukee, part	---	1	–	–	–
West Bend	---	138	6	5	3
Balance of county	---	412	6	2	8
Waukesha	1,469	1,476	26	15	22
Brookfield	---	181	2	1	–
Menomonee Falls	---	123	2	1	1
Muskego	---	1	–	–	–
New Berlin	---	120	3	1	3
Waukesha	---	307	6	4	3
Balance of county	---	744	13	8	15
Waupaca	479	482	10	6	3
Waushara	148	195	3	3	1
Winnebago	1,148	1,077	22	14	14
Menasha	---	110	1	1	5
Neenah	---	180	4	3	4
Oshkosh	---	492	12	7	5
Balance of county	---	295	5	3	–
Wood	863	510	10	8	4
Marshfield, part	---	143	1	–	2
Marshfield, total	---	143	1	–	2
Wisconsin Rapids	---	159	3	3	1
Balance of county	---	208	6	5	1
Wyoming	**2,978**	**3,048**	**115**	**69**	**80**
White	2,891	2,962	110	65	76
All other	87	86	5	4	4
Black	30	27	3	3	–
Albany	167	169	1	–	3
Laramie	---	134	1	–	3
Balance of county	---	35	–	–	–
Big Horn	93	106	1	–	1
Campbell	69	93	7	4	4
Carbon	123	142	7	4	3
Converse	73	80	3	–	1
Crook	27	32	1	1	–
Fremont	224	234	12	8	9
White	181	188	11	7	6
All other	43	46	1	1	3
Black	–	–	–	–	–
Goshen	71	102	4	3	1
Hot Springs	68	67	–	–	2
Johnson	62	66	2	1	1
Laramie	566	496	18	12	13
Cheyenne	---	414	16	12	12
Balance of county	---	82	2	–	1
Lincoln	47	66	3	2	6
Natrona	430	421	23	17	13
Casper	---	340	18	13	11
Balance of county	---	81	5	4	2
Niobrara	22	36	1	1	–
Park	142	151	2	–	3
Platte	72	77	3	2	3
Sheridan	234	232	3	1	3
Sheridan	---	157	1	1	2
Balance of county	---	75	2	–	1
Sublette	18	18	–	–	1
Sweetwater	213	219	16	9	6
Rock Springs	---	139	8	4	5
Balance of county	---	80	8	5	1
Teton	51	38	–	–	1
Uinta	78	74	4	1	3
Washakie	80	71	2	1	–
Weston	48	58	2	2	3

†Classified as urban special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of county" and not to specified urban places. Fetal deaths that are assigned to specified urban places are those occurring outside of Georgia; see Technical Appendix.
[4] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[8] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[9] Includes data for Bristol, Va., only.
[10] Includes data for Bluefield, W. Va., only.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States[1]	**1,899,597**	**46,975**	**14.1**	**32,860**	**9.9**	**33,053**	**9.9**
White	1,664,100	33,199	12.3	23,540	8.7	23,628	8.8
All other	235,497	13,776	21.7	9,320	14.7	9,425	14.8
Urban places	1,058,853	26,642	15.1	18,791	10.7	17,464	9.9
White	892,079	16,900	12.9	12,030	9.2	11,263	8.6
All other	166,774	9,742	21.6	6,761	15.0	6,201	13.7
Balance of area	840,744	20,333	13.0	14,069	9.0	15,589	10.0
White	772,021	16,299	11.8	11,510	8.3	12,365	9.0
All other	68,723	4,034	21.9	2,559	13.9	3,224	17.5
Metropolitan counties	1,232,880	30,925	14.0	21,832	9.9	21,406	9.7
White	1,065,888	21,029	12.1	14,949	8.6	14,729	8.5
All other	166,992	9,896	21.0	6,883	14.6	6,677	14.2
Urban places	904,249	22,872	15.1	16,141	10.7	15,084	10.0
White	755,516	14,127	12.8	10,045	9.1	9,500	8.6
All other	148,733	8,745	21.5	6,096	15.0	5,584	13.7
Balance of area	328,631	8,053	11.6	5,691	8.2	6,322	9.1
White	310,372	6,902	11.0	4,904	7.8	5,229	8.3
All other	18,259	1,151	18.3	787	12.5	1,093	17.4
Nonmetropolitan counties	666,717	16,050	14.3	11,028	9.8	11,647	10.4
White	598,212	12,170	12.7	8,591	9.0	8,899	9.3
All other	68,505	3,880	23.5	2,437	14.7	2,748	16.6
Urban places	154,604	3,770	15.2	2,650	10.7	2,380	9.6
White	136,563	2,773	13.6	1,985	9.7	1,763	8.6
All other	18,041	997	22.5	665	15.0	617	13.9
Balance of area	512,113	12,280	14.1	8,378	9.6	9,267	10.6
White	461,649	9,397	12.5	6,606	8.8	7,136	9.5
All other	50,464	2,883	23.8	1,772	14.6	2,131	17.6
Alabama	**34,827**	**1,049**	**16.9**	**689**	**11.1**	**733**	**11.8**
White	24,572	538	13.4	368	9.1	374	9.3
All other	10,255	511	23.6	321	14.8	359	16.6
Urban places	14,711	425	17.1	284	11.4	298	12.0
White	9,109	184	14.0	133	10.1	109	8.3
All other	5,602	241	20.6	151	12.9	189	16.2
Balance of area	20,116	624	16.8	405	10.9	435	11.7
White	15,463	354	13.0	235	8.7	265	9.8
All other	4,653	270	27.0	170	17.0	170	17.0
Metropolitan counties	17,692	504	15.6	329	10.2	373	11.5
White	12,000	254	12.5	176	8.7	186	9.2
All other	5,692	250	20.8	153	12.7	187	15.6
Urban places	11,065	306	16.6	205	11.1	230	12.4
White	6,664	120	13.1	87	9.5	80	8.7
All other	4,401	186	19.9	118	12.7	150	16.1
Balance of area	6,627	198	14.3	124	9.0	143	10.3
White	5,336	134	12.0	89	8.0	106	9.5
All other	1,291	64	23.9	35	13.1	37	13.8
Nonmetropolitan counties	17,135	545	18.4	360	12.1	360	12.1
White	12,572	284	14.2	192	9.6	188	9.4
All other	4,563	261	27.0	168	17.4	172	17.8
Urban places	3,646	119	18.8	79	12.5	68	10.7
White	2,445	64	16.0	46	11.5	29	7.3
All other	1,201	55	23.4	33	14.0	39	16.6
Balance of area	13,489	426	18.3	281	12.0	292	12.5
White	10,127	220	13.8	146	9.1	159	9.9
All other	3,362	206	28.1	135	18.4	133	18.1
Alaska	**1,615**	**127**	**15.1**	**71**	**8.5**	**71**	**8.5**
White	1,104	88	14.7	55	9.2	40	6.7
All other	511	39	16.3	16	6.7	31	12.9
Urban places	685	50	13.0	28	7.3	29	7.5
White	556	39	12.6	23	7.4	19	6.1
All other	129	11	14.9	5	6.8	10	13.5
Balance of area	930	77	16.9	43	9.5	42	9.2
White	548	49	16.9	32	11.1	21	7.3
All other	382	28	16.9	11	6.6	21	12.7
Metropolitan election districts[2]	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan election districts[2]	1,615	127	15.1	71	8.5	71	8.5
White	1,104	88	14.7	55	9.2	40	6.7
All other	511	39	16.3	16	6.7	31	12.9
Urban places	685	50	13.0	28	7.3	29	7.5
White	556	39	12.6	23	7.4	19	6.1
All other	129	11	14.9	5	6.8	10	13.5
Balance of area	930	77	16.9	43	9.5	42	9.2
White	548	49	16.9	32	11.1	21	7.3
All other	382	28	16.9	11	6.6	21	12.7

[1] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of area" and not to "Urban places"; see Technical Appendix.
[2] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Arizona	**18,028**	**563**	**13.5**	**366**	**8.7**	**357**	**8.5**
White	16,425	436	12.4	304	8.6	288	8.2
All other	1,603	127	19.3	62	9.4	69	10.5
Urban places	12,428	352	13.7	254	9.9	207	8.1
White	11,834	311	13.3	228	9.7	178	7.6
All other	594	41	18.4	26	11.7	29	13.0
Balance of area	5,600	211	13.1	112	6.9	150	9.3
White	4,591	125	10.6	76	6.4	110	9.3
All other	1,009	86	19.7	36	8.2	40	9.2
Metropolitan counties	13,488	352	12.2	248	8.6	235	8.1
White	12,777	312	11.9	226	8.6	201	7.7
All other	711	40	15.4	22	8.5	34	13.1
Urban places	11,389	311	13.2	226	9.6	189	8.0
White	10,855	280	13.0	207	9.6	164	7.6
All other	534	31	15.1	19	9.3	25	12.2
Balance of area	2,099	41	7.8	22	4.2	46	8.7
White	1,922	32	6.8	19	4.0	37	7.9
All other	177	9	16.2	3	5.4	9	16.2
Nonmetropolitan counties	4,540	211	16.3	118	9.1	122	9.4
White	3,648	124	13.8	78	8.7	87	9.7
All other	892	87	21.8	40	10.0	35	8.8
Urban places	1,039	41	19.7	28	13.4	18	8.6
White	979	31	16.3	21	11.0	14	7.4
All other	60	10	55.2	7	38.7	4	22.1
Balance of area	3,501	170	15.6	90	8.3	104	9.5
White	2,669	93	13.1	57	8.0	73	10.3
All other	832	77	20.2	33	8.7	31	8.1
Arkansas	**21,364**	**550**	**15.4**	**350**	**9.8**	**401**	**11.2**
White	17,429	326	12.3	216	8.1	245	9.2
All other	3,935	224	24.4	134	14.6	156	17.0
Urban places	7,422	219	15.8	150	10.8	158	11.4
White	5,720	115	12.6	79	8.7	85	9.3
All other	1,702	104	21.9	71	15.0	73	15.4
Balance of area	13,942	331	15.1	200	9.1	243	11.1
White	11,709	211	12.1	137	7.8	160	9.2
All other	2,233	120	27.1	63	14.2	83	18.7
Metropolitan counties	5,609	203	16.9	131	10.9	128	10.6
White	4,214	114	14.2	75	9.3	76	9.4
All other	1,395	89	22.4	56	14.1	52	13.1
Urban places	4,123	152	17.4	104	11.9	104	11.9
White	3,067	79	14.3	53	9.6	60	10.9
All other	1,056	73	22.7	51	15.9	44	13.7
Balance of area	1,486	51	15.4	27	8.2	24	7.3
White	1,147	35	13.7	22	8.6	16	6.3
All other	339	16	21.2	5	6.6	8	10.6
Nonmetropolitan counties	15,755	347	14.6	219	9.2	273	11.5
White	13,215	212	11.5	141	7.6	169	9.1
All other	2,540	135	25.9	78	15.0	104	20.0
Urban places	3,299	67	13.1	46	9.0	54	10.5
White	2,653	36	10.0	26	7.2	25	6.9
All other	646	31	20.2	20	13.0	29	18.9
Balance of area	12,456	280	15.1	173	9.3	219	11.8
White	10,562	176	11.8	115	7.7	144	9.7
All other	1,894	104	28.3	58	15.8	75	20.4
California	**170,399**	**4,186**	**12.0**	**2,743**	**7.9**	**2,911**	**8.4**
White	155,026	3,308	11.4	2,172	7.5	2,304	8.0
All other	15,373	878	15.0	571	9.7	607	10.3
Urban places	127,255	3,139	12.1	2,067	8.0	2,181	8.4
White	113,679	2,359	11.3	1,564	7.5	1,655	8.0
All other	13,576	780	15.3	503	9.9	526	10.3
Balance of area	43,144	1,047	11.8	676	7.6	730	8.2
White	41,347	949	11.7	608	7.5	649	8.0
All other	1,797	98	12.5	68	8.7	81	10.3
Metropolitan counties	155,032	3,838	12.1	2,518	7.9	2,651	8.3
White	140,211	2,982	11.4	1,959	7.5	2,068	7.9
All other	14,821	856	15.1	559	9.9	583	10.3
Urban places	123,448	3,048	12.2	2,015	8.1	2,104	8.4
White	110,060	2,276	11.4	1,514	7.6	1,586	7.9
All other	13,388	772	15.4	501	10.0	518	10.3
Balance of area	31,584	790	11.6	503	7.4	547	8.1
White	30,151	706	11.5	445	7.2	482	7.8
All other	1,433	84	13.0	58	8.9	65	10.0
Nonmetropolitan counties	15,367	348	11.7	225	7.6	260	8.7
White	14,815	326	11.7	213	7.7	236	8.5
All other	552	22	11.0	12	6.0	24	12.0
Urban places	3,807	91	10.4	52	5.9	77	8.8
White	3,619	83	10.2	50	6.2	69	8.5
All other	188	8	12.4	2	3.1	8	12.4
Balance of area	11,560	257	12.2	173	8.2	183	8.7
White	11,196	243	12.4	163	8.3	167	8.5
All other	364	14	10.4	10	7.4	16	11.8

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Colorado	**17,897**	**518**	**12.0**	**319**	**7.4**	**552**	**12.8**
White	17,355	475	11.9	286	7.1	508	12.7
All other	542	43	14.3	33	11.0	44	14.6
Urban places	11,608	334	13.0	209	8.2	377	14.7
White	11,110	292	12.6	177	7.7	336	14.5
All other	498	42	16.8	32	12.8	41	16.4
Balance of area	6,289	184	10.5	110	6.3	175	10.0
White	6,245	183	10.8	109	6.4	172	10.2
All other	44	1	2.0	1	2.0	3	5.9
Metropolitan counties	11,892	369	12.1	227	7.4	394	12.9
White	11,374	326	11.7	194	7.0	351	12.6
All other	518	43	15.4	33	11.8	43	15.4
Urban places	10,157	304	13.3	190	8.3	332	14.6
White	9,664	262	12.9	158	7.8	292	14.3
All other	493	42	17.2	32	13.1	40	16.4
Balance of area	1,735	65	8.4	37	4.8	62	8.0
White	1,710	64	8.7	36	4.9	59	8.0
All other	25	1	2.8	1	2.8	3	8.4
Nonmetropolitan counties	6,005	149	11.9	92	7.3	158	12.6
White	5,981	149	12.1	92	7.5	157	12.8
All other	24	–	–	–	–	1	4.6
Urban places	1,451	30	10.6	19	6.7	45	15.9
White	1,446	30	10.9	19	6.9	44	16.0
All other	5	–	–	–	–	1	14.5
Balance of area	4,554	119	12.3	73	7.5	113	11.7
White	4,535	119	12.5	73	7.6	113	11.8
All other	19	–	–	–	–	–	–
Connecticut	**25,638**	**494**	**13.5**	**379**	**10.3**	**289**	**7.9**
White	24,420	388	12.2	302	9.5	241	7.6
All other	1,218	106	22.2	77	16.2	48	10.1
Urban places	17,664	330	13.8	248	10.4	212	8.9
White	16,559	233	11.9	177	9.1	166	8.5
All other	1,105	97	21.9	71	16.0	46	10.4
Balance of area	7,974	164	12.9	131	10.3	77	6.1
White	7,861	155	12.5	125	10.1	75	6.1
All other	113	9	26.5	6	17.6	2	5.9
Metropolitan counties	19,957	366	13.3	286	10.4	226	8.2
White	18,843	268	11.6	215	9.3	181	7.8
All other	1,114	98	22.6	71	16.4	45	10.4
Urban places	16,122	304	14.1	231	10.7	193	8.9
White	15,078	212	12.2	165	9.5	149	8.5
All other	1,044	92	22.2	66	16.0	44	10.6
Balance of area	3,835	62	10.5	55	9.3	33	5.6
White	3,765	56	9.8	50	8.8	32	5.6
All other	70	6	31.6	5	26.3	1	5.3
Nonmetropolitan counties	5,681	128	13.9	93	10.1	63	6.9
White	5,577	120	13.7	87	9.9	60	6.9
All other	104	8	18.2	6	13.7	3	6.8
Urban places	1,542	26	11.0	17	7.2	19	8.0
White	1,481	21	10.1	12	5.8	17	8.2
All other	61	5	17.3	5	17.3	2	6.9
Balance of area	4,139	102	14.9	76	11.1	44	6.4
White	4,096	99	14.8	75	11.2	43	6.4
All other	43	3	20.0	1	6.7	1	6.7
Delaware	**4,738**	**117**	**13.6**	**81**	**9.4**	**72**	**8.3**
White	3,994	76	11.4	53	8.0	54	8.1
All other	744	41	20.8	28	14.2	18	9.1
Urban places	1,995	57	27.9	35	17.1	21	10.3
White	1,586	36	32.3	23	20.6	11	9.9
All other	409	21	22.6	12	12.9	10	10.8
Balance of area	2,743	60	9.1	46	7.0	51	7.7
White	2,408	40	7.2	30	5.4	43	7.8
All other	335	20	19.2	16	15.4	8	7.7
Metropolitan counties	3,162	76	13.5	50	8.9	43	7.7
White	2,698	54	12.2	38	8.6	33	7.4
All other	464	22	18.8	12	10.2	10	8.5
Urban places	1,840	51	32.9	30	19.4	15	9.7
White	1,469	33	42.6	21	27.1	8	10.3
All other	371	18	23.2	9	11.6	7	9.0
Balance of area	1,322	25	6.2	20	4.9	28	6.9
White	1,229	21	5.7	17	4.6	25	6.8
All other	93	4	10.1	3	7.5	3	7.5
Nonmetropolitan counties	1,576	41	13.6	31	10.3	29	9.6
White	1,296	22	9.9	15	6.8	21	9.5
All other	280	19	23.8	16	20.1	8	10.0
Urban places	155	6	12.1	5	10.1	6	12.1
White	117	3	8.8	2	5.9	3	8.8
All other	38	3	19.4	3	19.4	3	19.4
Balance of area	1,421	35	13.9	26	10.3	23	9.1
White	1,179	19	10.1	13	6.9	18	9.6
All other	242	16	24.9	13	20.2	5	7.8

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
District of Columbia	7,186	275	27.4	206	20.5	159	15.8
White	2,309	24	15.0	18	11.3	10	6.3
All other	4,877	251	29.7	188	22.3	149	17.6
Urban places	7,186	275	27.4	206	20.5	159	15.8
White	2,309	24	15.0	18	11.3	10	6.3
All other	4,877	251	29.7	188	22.3	149	17.6
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Metropolitan	7,186	275	27.4	206	20.5	159	15.8
White	2,309	24	15.0	18	11.3	10	6.3
All other	4,877	251	29.7	188	22.3	149	17.6
Urban places	7,186	275	27.4	206	20.5	159	15.8
White	2,309	24	15.0	18	11.3	10	6.3
All other	4,877	251	29.7	188	22.3	149	17.6
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Florida	91,760	1,715	15.5	1,180	10.6	1,099	9.9
White	80,772	984	12.2	703	8.7	666	8.3
All other	10,988	731	24.0	477	15.6	433	14.2
Urban places	48,630	832	14.0	600	10.1	563	9.5
White	41,811	409	10.6	308	8.0	294	7.6
All other	6,819	423	20.4	292	14.1	269	13.0
Balance of area	43,130	883	17.1	580	11.2	536	10.4
White	38,961	575	13.7	395	9.4	372	8.9
All other	4,169	308	31.5	185	18.9	164	16.7
Metropolitan counties	59,425	1,133	15.5	802	11.0	679	9.3
White	52,133	646	12.5	469	9.1	392	7.6
All other	7,292	487	22.9	333	15.6	287	13.5
Urban places	40,225	691	13.9	505	10.1	450	9.0
White	34,813	354	10.9	267	8.2	232	7.1
All other	5,412	337	19.6	238	13.8	218	12.7
Balance of area	19,200	442	19.1	297	12.8	229	9.9
White	17,320	292	15.3	202	10.6	160	8.4
All other	1,880	150	36.8	95	23.3	69	16.9
Nonmetropolitan counties	32,335	582	15.3	378	10.0	420	11.1
White	28,639	338	11.7	234	8.1	274	9.5
All other	3,696	244	26.5	144	15.7	146	15.9
Urban places	8,405	141	14.8	95	10.0	113	11.9
White	6,998	55	9.1	41	6.8	62	10.3
All other	1,407	86	24.7	54	15.5	51	14.7
Balance of area	23,930	441	15.5	283	9.9	307	10.8
White	21,641	283	12.4	193	8.5	212	9.3
All other	2,289	158	27.6	90	15.7	95	16.6
Georgia[1]	42,691	1,300	15.4	810	9.6	1,160	13.7
White	30,206	672	12.5	452	8.4	590	11.0
All other	12,485	628	20.4	358	11.6	570	18.5
Urban places	17,412	499	17.4	328	11.4	1	0.0
White	10,333	186	14.8	122	9.7	1	0.1
All other	7,079	313	19.4	206	12.8	–	–
Balance of area	25,279	801	14.3	482	8.6	1,159	20.7
White	19,873	486	11.8	330	8.0	589	14.3
All other	5,406	315	21.5	152	10.4	570	38.9
Metropolitan counties	18,679	555	13.8	361	9.0	556	13.8
White	12,594	286	11.7	186	7.6	284	11.6
All other	6,085	269	17.1	175	11.1	272	17.3
Urban places	12,788	365	16.9	242	11.2	1	0.0
White	7,318	129	14.6	84	9.5	1	0.1
All other	5,470	236	18.6	158	12.4	–	–
Balance of area	5,891	190	10.2	119	6.4	555	29.7
White	5,276	157	10.0	102	6.5	283	18.1
All other	615	33	11.0	17	5.6	272	90.3
Nonmetropolitan counties	24,012	745	16.8	449	10.1	604	13.6
White	17,612	386	13.2	266	9.1	306	10.5
All other	6,400	359	23.8	183	12.1	298	19.7
Urban places	4,624	134	18.7	86	12.0	–	–
White	3,015	57	15.4	38	10.3	–	–
All other	1,609	77	22.3	48	13.9	–	–
Balance of area	19,388	611	16.4	363	9.8	604	16.2
White	14,597	329	12.9	228	8.9	306	12.0
All other	4,791	282	24.2	135	11.6	298	25.6

[1] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of area" and not to "Urban places"; see Technical Appendix.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	4,436	194	11.5	131	7.7	205	12.1
White	1,369	45	10.5	28	6.6	62	14.5
All other	3,067	149	11.8	103	8.1	143	11.3
Urban places	2,970	123	12.5	86	8.7	124	12.6
White	944	29	12.8	17	7.5	38	16.8
All other	2,026	94	12.4	69	9.1	86	11.4
Balance of area	1,466	71	10.0	45	6.4	81	11.4
White	425	16	8.0	11	5.5	24	12.0
All other	1,041	55	10.8	34	6.7	57	11.2
Metropolitan counties	3,319	152	11.3	107	8.0	164	12.2
White	1,055	32	8.7	21	5.7	48	13.1
All other	2,264	120	12.3	86	8.8	116	11.9
Urban places	2,724	112	12.1	80	8.7	120	13.0
White	877	26	11.8	16	7.2	38	17.2
All other	1,847	86	12.2	64	9.1	82	11.7
Balance of area	595	40	9.5	27	6.4	44	10.4
White	178	6	4.1	5	3.4	10	6.9
All other	417	34	12.3	22	8.0	34	12.3
Nonmetropolitan counties	1,117	42	12.1	24	6.9	41	11.8
White	314	13	21.5	7	11.6	14	23.1
All other	803	29	10.1	17	5.9	27	9.4
Urban places	246	11	18.0	6	9.8	4	6.5
White	67	3	50.0	1	16.7	–	–
All other	179	8	14.5	5	9.1	4	7.2
Balance of area	871	31	10.9	18	6.3	37	13.0
White	247	10	18.3	6	11.0	14	25.7
All other	624	21	9.1	12	5.2	23	10.0
Idaho	6,462	214	11.3	127	6.7	155	8.2
White	6,348	209	11.3	124	6.7	149	8.1
All other	114	5	10.9	3	6.5	6	13.1
Urban places	2,719	88	12.2	58	8.0	55	7.6
White	2,686	87	12.3	57	8.1	54	7.6
All other	33	1	6.1	1	6.1	1	6.1
Balance of area	3,743	126	10.8	69	5.9	100	8.6
White	3,662	122	10.8	67	5.9	95	8.4
All other	81	4	13.5	2	6.8	5	16.9
Metropolitan counties	1,030	30	10.2	19	6.5	15	5.1
White	1,025	30	10.5	19	6.6	14	4.9
All other	5	–	–	–	–	1	15.4
Urban places	870	28	11.7	18	7.5	8	3.4
White	865	28	12.0	18	7.7	7	3.0
All other	5	–	–	–	–	1	16.9
Balance of area	160	2	3.7	1	1.8	7	12.8
White	160	2	3.7	1	1.8	7	12.9
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	5,432	184	11.5	108	6.8	140	8.8
White	5,323	179	11.5	105	6.8	135	8.7
All other	109	5	12.7	3	7.6	5	12.7
Urban places	1,849	60	12.4	40	8.2	47	9.7
White	1,821	59	12.4	39	8.2	47	9.9
All other	28	1	9.6	1	9.6	–	–
Balance of area	3,583	124	11.2	68	6.1	93	8.4
White	3,502	120	11.1	66	6.1	88	8.2
All other	81	4	13.8	2	6.9	5	17.2
Illinois	103,423	2,834	16.0	1,996	11.3	1,817	10.2
White	89,760	1,780	13.0	1,278	9.3	1,211	8.8
All other	13,663	1,054	26.1	718	17.8	606	15.0
Urban places	71,030	2,102	17.6	1,449	12.1	1,341	11.2
White	58,100	1,095	13.5	767	9.4	763	9.4
All other	12,930	1,007	26.5	682	17.9	578	15.2
Balance of area	32,393	732	12.6	547	9.4	476	8.2
White	31,660	685	12.3	511	9.2	448	8.0
All other	733	47	20.1	36	15.4	28	12.0
Metropolitan counties	78,373	2,402	16.8	1,690	11.8	1,510	10.5
White	65,286	1,379	13.2	991	9.5	926	8.9
All other	13,087	1,023	26.3	699	18.0	584	15.0
Urban places	65,076	1,998	17.9	1,386	12.4	1,268	11.4
White	52,429	1,011	13.6	714	9.6	703	9.4
All other	12,647	987	26.6	672	18.1	565	15.2
Balance of area	13,297	404	12.8	304	9.6	242	7.7
White	12,857	368	12.3	277	9.3	223	7.5
All other	440	36	20.5	27	15.3	19	10.8
Nonmetropolitan counties	25,050	432	12.7	306	9.0	307	9.0
White	24,474	401	12.3	287	8.8	285	8.7
All other	576	31	21.0	19	12.8	22	14.9
Urban places	5,954	104	13.7	63	8.3	73	9.6
White	5,671	84	12.6	53	7.9	60	9.0
All other	283	20	22.1	10	11.1	13	14.4
Balance of area	19,096	328	12.4	243	9.2	234	8.8
White	18,803	317	12.2	234	9.0	225	8.7
All other	293	11	19.1	9	15.7	9	15.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Indiana	**47,109**	**1,211**	**14.2**	**827**	**9.7**	**802**	**9.4**
White	43,755	1,003	13.3	677	9.0	668	8.8
All other	3,354	208	21.6	150	15.6	134	13.9
Urban places	25,577	700	16.0	484	11.1	426	9.8
White	22,341	496	14.4	337	9.8	301	8.7
All other	3,236	204	22.2	147	16.0	125	13.6
Balance of area	21,532	511	12.3	343	8.2	376	9.0
White	21,414	507	12.3	340	8.3	367	8.9
All other	118	4	9.2	3	6.9	9	20.8
Metropolitan counties	27,913	761	14.6	522	10.0	492	9.5
White	24,823	571	13.2	384	8.9	375	8.6
All other	3,090	190	22.0	138	16.0	117	13.6
Urban places	19,785	549	15.8	376	10.8	341	9.8
White	16,753	361	13.7	239	9.1	229	8.7
All other	3,032	188	22.3	137	16.3	112	13.3
Balance of area	8,128	212	12.3	146	8.5	151	8.8
White	8,070	210	12.3	145	8.5	146	8.6
All other	58	2	9.9	1	4.9	5	24.6
Nonmetropolitan counties	19,196	450	13.6	305	9.2	310	9.3
White	18,932	432	13.4	293	9.1	293	9.1
All other	264	18	18.0	12	12.0	17	17.0
Urban places	5,792	151	17.0	108	12.2	85	9.6
White	5,588	135	16.7	98	12.1	72	8.9
All other	204	16	20.7	10	13.0	13	16.8
Balance of area	13,404	299	12.3	197	8.1	225	9.2
White	13,344	297	12.3	195	8.1	221	9.2
All other	60	2	8.7	2	8.7	4	17.4
Iowa	**26,770**	**558**	**12.4**	**431**	**9.6**	**351**	**7.8**
White	26,437	534	12.2	414	9.5	333	7.6
All other	333	24	18.0	17	12.8	18	13.5
Urban places	10,305	267	14.3	201	10.8	133	7.1
White	9,995	244	14.0	185	10.6	116	6.6
All other	310	23	19.9	16	13.9	17	14.7
Balance of area	16,465	291	11.1	230	8.7	218	8.3
White	16,442	290	11.1	229	8.8	217	8.3
All other	23	1	5.7	1	5.7	1	5.7
Metropolitan counties	8,232	238	14.1	180	10.7	116	6.9
White	7,970	217	13.6	166	10.4	99	6.2
All other	262	21	21.3	14	14.2	17	17.3
Urban places	6,798	204	15.6	152	11.6	95	7.3
White	6,538	183	15.1	138	11.4	78	6.4
All other	260	21	22.1	14	14.8	17	17.9
Balance of area	1,434	34	8.9	28	7.3	21	5.5
White	1,432	34	9.0	28	7.4	21	5.6
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	18,538	320	11.4	251	8.9	235	8.4
White	18,467	317	11.4	248	9.0	234	8.4
All other	71	3	8.6	3	8.6	1	2.9
Urban places	3,507	63	11.4	49	8.9	38	6.9
White	3,457	61	11.5	47	8.8	38	7.1
All other	50	2	9.7	2	9.7	–	–
Balance of area	15,031	257	11.4	202	9.0	197	8.7
White	15,010	256	11.4	201	9.0	196	8.8
All other	21	1	7.1	1	7.1	1	7.1
Kansas	**21,362**	**496**	**13.4**	**386**	**10.4**	**305**	**8.2**
White	20,204	427	12.8	335	10.0	263	7.9
All other	1,158	69	19.4	51	14.4	42	11.8
Urban places	10,535	277	13.5	209	10.2	174	8.5
White	9,502	215	12.4	163	9.4	137	7.9
All other	1,033	62	20.1	46	14.9	37	12.0
Balance of area	10,827	219	13.2	177	10.7	131	7.9
White	10,702	212	13.2	172	10.7	126	7.8
All other	125	7	15.0	5	10.7	5	10.7
Metropolitan counties	7,472	217	13.7	170	10.8	131	8.3
White	6,676	168	12.5	131	9.7	103	7.7
All other	796	49	20.9	39	16.7	28	12.0
Urban places	6,281	179	14.2	136	10.8	106	8.4
White	5,502	130	12.6	97	9.4	78	7.5
All other	779	49	21.8	39	17.4	28	12.5
Balance of area	1,191	38	11.9	34	10.6	25	7.8
White	1,174	38	12.3	34	11.0	25	8.1
All other	17	–	–	–	–	–	–
Nonmetropolitan counties	13,890	279	13.2	216	10.2	174	8.2
White	13,528	259	12.9	204	10.2	160	8.0
All other	362	20	16.6	12	9.9	14	11.6
Urban places	4,254	98	12.5	73	9.3	68	8.6
White	4,000	85	12.1	66	9.4	59	8.4
All other	254	13	15.6	7	8.4	9	10.8
Balance of area	9,636	181	13.6	143	10.7	106	7.9
White	9,528	174	13.4	138	10.6	101	7.8
All other	108	7	18.8	5	13.4	5	13.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	33,493	843	14.4	578	9.9	577	9.8
White	30,608	728	13.7	502	9.4	484	9.1
All other	2,885	115	21.0	76	13.9	93	17.0
Urban places	11,325	236	14.7	166	10.3	173	10.7
White	9,408	168	13.1	122	9.5	118	9.2
All other	1,917	68	20.5	44	13.3	55	16.6
Balance of area	22,168	607	14.3	412	9.7	404	9.5
White	21,200	560	13.9	380	9.4	366	9.1
All other	968	47	21.8	32	14.8	38	17.6
Metropolitan counties	12,492	290	13.5	206	9.6	212	9.8
White	10,859	219	12.0	160	8.7	154	8.4
All other	1,633	71	21.9	46	14.2	58	17.9
Urban places	8,455	184	15.2	127	10.5	141	11.6
White	6,970	128	13.5	93	9.8	93	9.8
All other	1,485	56	21.1	34	12.8	48	18.1
Balance of area	4,037	106	11.3	79	8.4	71	7.5
White	3,889	91	10.3	67	7.6	61	6.9
All other	148	15	25.4	12	20.3	10	16.9
Nonmetropolitan counties	21,001	553	14.9	372	10.0	365	9.8
White	19,749	509	14.6	342	9.8	330	9.5
All other	1,252	44	19.7	30	13.4	35	15.7
Urban places	2,870	52	13.1	39	9.8	32	8.0
White	2,438	40	12.1	29	8.8	25	7.6
All other	432	12	17.9	10	14.9	7	10.4
Balance of area	18,131	501	15.1	333	10.0	333	10.0
White	17,311	469	14.9	313	9.9	305	9.7
All other	820	32	20.4	20	12.8	28	17.9
Louisiana	34,693	1,345	17.9	979	13.1	852	11.4
White	23,127	556	12.4	413	9.2	379	8.4
All other	11,566	789	26.2	566	18.8	473	15.7
Urban places	16,964	692	20.7	510	15.2	403	12.0
White	10,410	226	14.2	170	10.7	137	8.6
All other	6,554	466	26.6	340	19.4	266	15.2
Balance of area	17,729	653	15.7	469	11.3	449	10.8
White	12,717	330	11.4	243	8.4	242	8.4
All other	5,012	323	25.7	226	18.0	207	16.5
Metropolitan parishes[2]	18,499	747	18.2	557	13.5	471	11.5
White	12,167	303	12.9	227	9.6	197	8.4
All other	6,332	444	25.3	330	18.8	274	15.6
Urban places	13,677	557	20.8	416	15.5	335	12.5
White	8,334	177	14.4	136	11.1	106	8.6
All other	5,343	380	26.2	280	19.3	229	15.8
Balance of area	4,822	190	13.2	141	9.8	136	9.5
White	3,833	126	11.2	91	8.1	91	8.1
All other	989	64	20.9	50	16.3	45	14.7
Nonmetropolitan parishes[2]	16,194	598	17.6	422	12.4	381	11.2
White	10,960	253	11.8	186	8.7	182	8.5
All other	5,234	345	27.5	236	18.8	199	15.9
Urban places	3,287	135	20.1	94	14.0	68	10.1
White	2,076	49	13.3	34	9.2	31	8.4
All other	1,211	86	28.5	60	19.9	37	12.2
Balance of area	12,907	463	17.0	328	12.1	313	11.5
White	8,884	204	11.5	152	8.6	151	8.5
All other	4,023	259	27.2	176	18.5	162	17.0
Maine	10,069	154	9.5	100	6.2	97	6.0
White	10,028	153	9.6	99	6.2	97	6.1
All other	41	1	4.1	1	4.1	–	–
Urban places	3,149	45	10.3	32	7.3	16	3.6
White	3,131	44	10.2	31	7.2	16	3.7
All other	18	1	19.2	1	19.2	–	–
Balance of area	6,920	109	9.3	68	5.8	81	6.9
White	6,897	109	9.4	68	5.9	81	7.0
All other	23	–	–	–	–	–	–
Metropolitan counties	1,939	18	6.2	11	3.8	8	2.8
White	1,929	18	6.3	11	3.9	8	2.8
All other	10	–	–	–	–	–	–
Urban places	1,106	10	7.3	6	4.4	1	0.7
White	1,098	10	7.4	6	4.5	1	0.7
All other	8	–	–	–	–	–	–
Balance of area	833	8	5.3	5	3.3	7	4.6
White	831	8	5.3	5	3.3	7	4.7
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	8,130	136	10.3	89	6.7	89	6.7
White	8,099	135	10.3	88	6.7	89	6.8
All other	31	1	4.9	1	4.9	–	–
Urban places	2,043	35	11.6	26	8.6	15	5.0
White	2,033	34	11.4	25	8.4	15	5.0
All other	10	1	30.3	1	30.3	–	–
Balance of area	6,087	101	9.9	63	6.1	74	7.2
White	6,066	101	10.0	63	6.3	74	7.3
All other	21	–	–	–	–	–	–

[2] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Maryland	32,225	798	14.3	597	10.7	604	10.8
White	25,766	447	11.5	341	8.8	338	8.7
All other	6,459	351	20.6	256	15.1	266	15.6
Urban places	12,995	332	19.1	249	14.3	258	14.8
White	8,689	128	15.4	102	12.3	111	13.4
All other	4,306	204	22.4	147	16.2	147	16.2
Balance of area	19,230	466	12.1	348	9.1	346	9.0
White	17,077	319	10.4	239	7.8	227	7.4
All other	2,153	147	18.6	109	13.8	119	15.1
Metropolitan counties	25,713	666	14.4	502	10.9	514	11.1
White	20,246	355	11.5	275	8.9	269	8.7
All other	5,467	311	20.5	227	14.9	245	16.1
Urban places	11,377	306	19.7	227	14.6	239	15.4
White	7,255	111	16.2	88	12.9	96	14.0
All other	4,122	195	22.4	139	15.9	143	16.4
Balance of area	14,336	360	11.8	275	9.0	275	9.0
White	12,991	244	10.1	187	7.8	173	7.2
All other	1,345	116	17.9	88	13.6	102	15.8
Nonmetropolitan counties	6,512	132	13.6	95	9.8	90	9.3
White	5,520	92	11.7	66	8.4	69	8.8
All other	992	40	22.1	29	16.1	21	11.6
Urban places	1,618	26	14.2	22	12.0	19	10.4
White	1,434	17	11.7	14	9.6	15	10.3
All other	184	9	23.7	8	21.1	4	10.6
Balance of area	4,894	106	13.5	73	9.3	71	9.1
White	4,086	75	11.7	52	8.1	54	8.4
All other	808	31	21.7	21	14.7	17	11.9
Massachusetts	51,814	811	11.9	622	9.2	644	9.5
White	50,361	727	11.6	556	8.8	573	9.1
All other	1,453	84	16.7	66	13.1	71	14.1
Urban places	36,897	565	12.6	427	9.6	431	9.6
White	35,591	485	12.1	363	9.1	370	9.2
All other	1,306	80	17.2	64	13.8	61	13.1
Balance of area	14,917	246	10.6	195	8.4	213	9.1
White	14,770	242	10.6	193	8.4	203	8.9
All other	147	4	10.3	2	5.2	10	25.8
Metropolitan counties	49,425	777	11.9	597	9.1	607	9.3
White	48,016	694	11.5	531	8.8	539	8.9
All other	1,409	83	16.7	66	13.3	68	13.7
Urban places	36,897	565	12.6	427	9.6	431	9.6
White	35,591	485	12.1	363	9.1	370	9.2
All other	1,306	80	17.2	64	13.8	61	13.1
Balance of area	12,528	212	10.2	170	8.2	176	8.5
White	12,425	209	10.2	168	8.2	169	8.3
All other	103	3	9.3	2	6.2	7	21.7
Nonmetropolitan counties	2,389	34	13.6	25	10.0	37	14.8
White	2,345	33	13.6	25	10.3	34	14.0
All other	44	1	15.6	–	–	3	46.9
Urban places	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–
Balance of area	2,389	34	13.6	25	10.0	37	14.8
White	2,345	33	13.6	25	10.3	34	14.0
All other	44	1	15.6	–	–	3	46.9
Michigan	74,198	1,954	14.1	1,376	9.9	1,255	9.1
White	64,959	1,385	12.2	988	8.7	900	7.9
All other	9,239	569	23.1	388	15.8	355	14.4
Urban places	42,186	1,203	16.4	845	11.5	712	9.7
White	33,574	668	13.1	479	9.4	384	7.6
All other	8,612	535	23.7	366	16.2	328	14.5
Balance of area	32,012	751	11.5	531	8.2	543	8.3
White	31,385	717	11.4	509	8.1	516	8.2
All other	627	34	17.0	22	11.0	27	13.5
Metropolitan counties	53,198	1,484	14.6	1,046	10.3	917	9.0
White	44,621	958	12.1	683	8.6	594	7.5
All other	8,577	526	23.1	363	16.0	323	14.2
Urban places	38,923	1,110	16.4	781	11.5	660	9.7
White	30,578	601	13.0	431	9.3	349	7.5
All other	8,345	509	23.6	350	16.2	311	14.4
Balance of area	14,275	374	11.0	265	7.8	257	7.5
White	14,043	357	10.9	252	7.7	245	7.4
All other	232	17	14.8	13	11.3	12	10.4
Nonmetropolitan counties	21,000	470	12.9	330	9.0	338	9.2
White	20,338	427	12.3	305	8.8	306	8.8
All other	662	43	23.1	25	13.4	32	17.2
Urban places	3,263	93	16.7	64	11.5	52	9.3
White	2,996	67	14.7	48	10.5	35	7.7
All other	267	26	25.6	16	15.7	17	16.7
Balance of area	17,737	377	12.2	266	8.6	286	9.2
White	17,342	360	11.9	257	8.5	271	9.0
All other	395	17	20.1	9	10.6	15	17.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	**32,303**	**667**	**11.1**	**476**	**7.9**	**477**	**7.9**
White	31,797	620	10.8	447	7.8	445	7.7
All other	506	47	17.0	29	10.5	32	11.6
Urban places	16,317	333	11.9	239	8.5	233	8.3
White	15,959	295	11.3	214	8.2	212	8.2
All other	358	38	19.0	25	12.5	21	10.5
Balance of area	15,986	334	10.4	237	7.3	244	7.6
White	15,838	325	10.3	233	7.4	233	7.4
All other	148	9	11.8	4	5.2	11	14.4
Metropolitan counties	16,209	347	10.8	246	7.6	253	7.9
White	15,843	309	10.2	221	7.3	228	7.6
All other	366	38	18.5	25	12.1	25	12.1
Urban places	13,759	288	11.9	204	8.5	198	8.2
White	13,409	250	11.3	179	8.1	179	8.1
All other	350	38	19.8	25	13.0	19	9.9
Balance of area	2,450	59	7.3	42	5.2	55	6.8
White	2,434	59	7.4	42	5.3	49	6.2
All other	16	–	–	–	–	6	43.5
Nonmetropolitan counties	16,094	320	11.4	230	8.2	224	8.0
White	15,954	311	11.4	226	8.3	217	7.9
All other	140	9	12.7	4	5.7	7	9.9
Urban places	2,558	45	11.6	35	9.0	35	9.0
White	2,550	45	11.8	35	9.2	33	8.7
All other	8	–	–	–	–	2	25.3
Balance of area	13,536	275	11.4	195	8.1	189	7.8
White	13,404	266	11.3	191	8.1	184	7.8
All other	132	9	14.4	4	6.4	5	8.0
Mississippi	**23,014**	**828**	**18.2**	**588**	**12.9**	**737**	**16.2**
White	14,327	284	12.1	222	9.5	249	10.6
All other	8,687	544	24.6	366	16.6	488	22.1
Urban places	7,170	260	18.3	184	12.9	242	17.0
White	4,218	83	12.8	64	9.9	69	10.6
All other	2,952	177	22.9	120	15.5	173	22.4
Balance of area	15,844	568	18.2	404	12.9	495	15.8
White	10,109	201	11.9	158	9.3	180	10.6
All other	5,735	367	25.6	246	17.1	315	22.0
Metropolitan counties	3,493	96	11.6	62	7.5	150	18.1
White	2,348	49	10.3	37	7.7	56	11.7
All other	1,145	47	13.3	25	7.1	94	26.7
Urban places	2,353	64	12.2	38	7.2	101	19.2
White	1,554	27	10.2	19	7.2	31	11.8
All other	799	37	14.1	19	7.2	70	26.6
Balance of area	1,140	32	10.5	24	7.9	49	16.1
White	794	22	10.3	18	8.4	25	11.7
All other	346	10	11.2	6	6.7	24	26.8
Nonmetropolitan counties	19,521	732	19.7	526	14.1	587	15.8
White	11,979	235	12.6	185	9.9	193	10.4
All other	7,542	497	26.8	341	18.4	394	21.2
Urban places	4,817	196	21.9	146	16.3	141	15.8
White	2,664	56	14.6	45	11.7	38	9.9
All other	2,153	140	27.4	101	19.8	103	20.2
Balance of area	14,704	536	19.0	380	13.5	446	15.8
White	9,315	179	12.1	140	9.5	155	10.5
All other	5,389	357	26.5	240	17.8	291	21.6
Missouri	**48,880**	**1,040**	**14.2**	**743**	**10.2**	**659**	**9.0**
White	43,955	761	12.4	546	8.9	501	8.2
All other	4,925	279	23.6	197	16.7	158	13.4
Urban places	23,618	549	16.4	412	12.3	309	9.2
White	19,493	327	13.6	252	10.5	178	7.4
All other	4,125	222	23.1	160	16.7	131	13.7
Balance of area	25,262	491	12.4	331	8.4	350	8.8
White	24,462	434	11.6	294	7.9	323	8.6
All other	800	57	25.8	37	16.7	27	12.2
Metropolitan counties	27,764	672	14.7	487	10.7	399	8.7
White	23,489	430	12.2	315	8.9	269	7.6
All other	4,275	242	23.2	172	16.5	130	12.5
Urban places	20,449	488	16.5	367	12.4	276	9.3
White	16,535	274	13.4	214	10.5	154	7.6
All other	3,914	214	23.2	153	16.6	122	13.2
Balance of area	7,315	184	11.5	120	7.5	123	7.7
White	6,954	156	10.5	101	6.8	115	7.7
All other	361	28	23.5	19	15.9	8	6.7
Nonmetropolitan counties	21,116	368	13.4	256	9.3	260	9.5
White	20,466	331	12.7	231	8.8	232	8.9
All other	650	37	27.0	25	18.3	28	20.5
Urban places	3,169	61	15.5	45	11.4	33	8.4
White	2,958	53	14.8	38	10.6	24	6.7
All other	211	8	22.9	7	20.0	9	25.7
Balance of area	17,947	307	13.0	211	9.0	227	9.6
White	17,508	278	12.3	193	8.6	208	9.2
All other	439	29	28.5	18	17.7	19	18.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Montana	6,403	183	13.7	119	8.9	120	9.0
White	6,077	163	13.6	110	9.2	102	8.5
All other	326	20	14.7	9	6.6	18	13.2
Urban places	2,303	72	17.0	55	13.0	29	6.9
White	2,260	69	17.5	52	13.2	27	6.8
All other	43	3	10.6	3	10.6	2	7.1
Balance of area	4,100	111	12.2	64	7.0	91	10.0
White	3,817	94	11.7	58	7.2	75	9.4
All other	283	17	15.7	6	5.6	16	14.8
Metropolitan counties	1,406	58	16.9	39	11.4	16	4.7
White	1,372	54	16.8	36	11.2	14	4.4
All other	34	4	17.8	3	13.3	2	8.9
Urban places	1,052	40	18.0	28	12.6	10	4.5
White	1,025	37	17.9	25	12.1	9	4.4
All other	27	3	19.1	3	19.1	1	6.4
Balance of area	354	18	14.9	11	9.1	6	5.0
White	347	17	14.9	11	9.7	5	4.4
All other	7	1	14.7	–	–	1	14.7
Nonmetropolitan counties	4,997	125	12.6	80	8.1	104	10.5
White	4,705	109	12.5	74	8.5	88	10.1
All other	292	16	14.1	6	5.3	16	14.1
Urban places	1,251	32	15.9	27	13.4	19	9.5
White	1,235	32	17.0	27	14.3	18	9.6
All other	16	–	–	–	–	1	7.9
Balance of area	3,746	93	11.8	53	6.7	85	10.8
White	3,470	77	11.2	47	6.8	70	10.2
All other	276	16	15.8	6	5.9	15	14.8
Nebraska	14,331	319	12.7	234	9.3	208	8.3
White	13,935	297	12.6	219	9.3	186	7.9
All other	396	22	14.2	15	9.7	22	14.2
Urban places	6,367	170	14.7	121	10.5	92	8.0
White	6,042	152	14.7	108	10.4	71	6.9
All other	325	18	14.7	13	10.6	21	17.1
Balance of area	7,964	149	10.9	113	8.3	116	8.5
White	7,893	145	10.9	111	8.3	115	8.6
All other	71	4	12.5	2	6.3	1	3.1
Metropolitan counties	5,054	159	14.2	112	10.0	94	8.4
White	4,730	141	14.2	99	10.0	72	7.3
All other	324	18	14.1	13	10.2	22	17.2
Urban places	4,477	125	14.8	84	9.9	77	9.1
White	4,164	107	14.7	71	9.7	56	7.7
All other	313	18	15.4	13	11.1	21	18.0
Balance of area	577	34	12.5	28	10.3	17	6.2
White	566	34	13.0	28	10.7	16	6.1
All other	11	–	–	–	–	1	9.0
Nonmetropolitan counties	9,277	160	11.4	122	8.7	114	8.1
White	9,205	156	11.3	120	8.7	114	8.3
All other	72	4	15.0	2	7.5	–	–
Urban places	1,890	45	14.5	37	11.9	15	4.8
White	1,878	45	14.7	37	12.1	15	4.9
All other	12	–	–	–	–	–	–
Balance of area	7,387	115	10.5	85	7.8	99	9.1
White	7,327	111	10.4	83	7.8	99	9.3
All other	60	4	19.2	2	9.6	–	–
Nevada	4,876	142	13.9	91	8.9	79	7.8
White	4,519	116	13.5	72	8.4	64	7.4
All other	357	26	16.4	19	12.0	15	9.5
Urban places	2,972	91	14.4	59	9.3	49	7.7
White	2,703	67	13.1	41	8.0	39	7.6
All other	269	24	19.8	18	14.8	10	8.2
Balance of area	1,904	51	13.2	32	8.3	30	7.8
White	1,816	49	14.0	31	8.9	25	7.1
All other	88	2	5.4	1	2.7	5	13.6
Metropolitan counties	3,843	118	14.3	78	9.4	63	7.6
White	3,544	94	13.7	60	8.7	51	7.4
All other	299	24	17.2	18	12.9	12	8.6
Urban places	2,784	87	14.6	55	9.2	49	8.2
White	2,521	64	13.4	38	7.9	39	8.2
All other	263	23	19.5	17	14.4	10	8.5
Balance of area	1,059	31	13.4	23	9.9	14	6.1
White	1,023	30	14.3	22	10.5	12	5.7
All other	36	1	4.6	1	4.6	2	9.2
Nonmetropolitan counties	1,033	24	12.5	13	6.8	16	8.3
White	975	22	12.7	12	6.9	13	7.5
All other	58	2	10.9	1	5.4	3	16.3
Urban places	188	4	11.0	4	11.0	–	–
White	182	3	9.1	3	9.1	–	–
All other	6	1	31.3	1	31.3	–	–
Balance of area	845	20	12.9	9	5.8	16	10.3
White	793	19	13.5	9	6.4	13	9.3
All other	52	1	6.6	–	–	3	19.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,268	123	10.2	96	7.9	89	7.4
White	7,255	122	10.2	95	8.0	86	7.2
All other	13	1	6.2	1	6.2	3	18.5
Urban places	3,152	47	10.1	37	8.0	33	7.1
White	3,143	46	10.1	36	7.9	32	7.0
All other	9	1	9.6	1	9.6	1	9.6
Balance of area	4,116	76	10.2	59	7.9	56	7.5
White	4,112	76	10.3	59	8.0	54	7.3
All other	4	–	–	–	–	2	34.5
Metropolitan counties	2,144	35	9.1	26	6.8	29	7.6
White	2,142	35	9.2	26	6.9	27	7.1
All other	2	–	–	–	–	2	46.5
Urban places	1,495	17	7.4	12	5.2	18	7.9
White	1,493	17	7.5	12	5.3	18	8.0
All other	2	–	–	–	–	–	–
Balance of area	649	18	11.7	14	9.1	11	7.1
White	649	18	11.7	14	9.1	9	5.9
All other	–	–	–	–	–	2	166.7
Nonmetropolitan counties	5,124	88	10.7	70	8.5	60	7.3
White	5,113	87	10.7	69	8.5	59	7.2
All other	11	1	8.4	1	8.4	1	8.4
Urban places	1,657	30	12.7	25	10.6	15	6.4
White	1,650	29	12.7	24	10.5	14	6.1
All other	7	1	13.7	1	13.7	1	13.7
Balance of area	3,467	58	9.8	45	7.6	45	7.6
White	3,463	58	9.9	45	7.7	45	7.7
All other	4	–	–	–	–	–	–
New Jersey	65,831	1,345	14.3	1,007	10.7	929	9.9
White	59,053	887	11.8	699	9.3	659	8.8
All other	6,778	458	24.0	308	16.1	270	14.1
Urban places	45,790	949	14.9	712	11.2	668	10.5
White	40,079	554	11.8	441	9.4	422	9.0
All other	5,711	395	23.6	271	16.2	246	14.7
Balance of area	20,041	396	13.0	295	9.7	261	8.6
White	18,974	333	11.9	258	9.2	237	8.5
All other	1,067	63	27.0	37	15.9	24	10.3
Metropolitan counties	49,121	1,085	15.3	815	11.5	715	10.1
White	43,202	677	12.5	539	9.9	468	8.6
All other	5,919	408	24.4	276	16.5	247	14.8
Urban places	37,167	810	15.8	612	11.9	563	11.0
White	32,016	447	12.3	361	9.9	334	9.2
All other	5,151	363	24.2	251	16.8	229	15.3
Balance of area	11,954	275	13.9	203	10.3	152	7.7
White	11,186	230	12.8	178	9.9	134	7.5
All other	768	45	25.5	25	14.2	18	10.2
Nonmetropolitan counties	16,710	260	11.3	192	8.3	214	9.3
White	15,851	210	10.1	160	7.7	191	9.2
All other	859	50	21.2	32	13.5	23	9.7
Urban places	8,623	139	11.1	100	8.0	105	8.4
White	8,063	107	10.0	80	7.5	88	8.2
All other	560	32	17.8	20	11.1	17	9.5
Balance of area	8,087	121	11.4	92	8.7	109	10.3
White	7,788	103	10.2	80	8.0	103	10.2
All other	299	18	31.7	12	21.2	6	10.6
New Mexico	8,073	319	13.8	221	9.6	211	9.1
White	7,279	249	12.9	177	9.2	170	8.8
All other	794	70	18.7	44	11.7	41	10.9
Urban places	4,525	169	14.8	115	10.1	105	9.2
White	4,322	144	13.8	99	9.5	94	9.0
All other	203	25	25.4	16	16.3	11	11.2
Balance of area	3,548	150	12.9	106	9.1	106	9.1
White	2,957	105	11.8	78	8.8	76	8.6
All other	591	45	16.3	28	10.1	30	10.8
Metropolitan counties	2,251	81	12.6	53	8.3	56	8.7
White	2,155	69	11.9	45	7.8	50	8.6
All other	96	12	19.5	8	13.0	6	9.8
Urban places	2,194	78	14.0	52	9.3	52	9.3
White	2,111	67	13.2	45	8.9	48	9.5
All other	83	11	22.7	7	14.5	4	8.3
Balance of area	57	3	3.5	1	1.2	4	4.7
White	44	2	2.7	–	–	2	2.7
All other	13	1	7.7	1	7.7	2	15.4
Nonmetropolitan counties	5,822	238	14.3	168	10.1	155	9.3
White	5,124	180	13.3	132	9.8	120	8.9
All other	698	58	18.5	36	11.5	35	11.2
Urban places	2,331	91	15.6	63	10.8	53	9.1
White	2,211	77	14.4	54	10.1	46	8.6
All other	120	14	28.1	9	18.0	7	14.0
Balance of area	3,491	147	13.6	105	9.7	102	9.4
White	2,913	103	12.6	78	9.6	74	9.1
All other	578	44	16.7	27	10.2	28	10.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
New York	168,739	3,466	14.4	2,514	10.5	2,584	10.8
White	149,943	2,269	12.3	1,685	9.1	1,813	9.8
All other	18,796	1,197	21.7	829	15.0	771	14.0
Urban places	112,094	2,494	16.4	1,786	11.7	1,654	10.9
White	94,633	1,381	13.6	1,018	10.1	957	9.4
All other	17,461	1,113	21.9	768	15.1	697	13.7
Balance of area	56,645	972	11.0	728	8.3	930	10.6
White	55,310	888	10.6	667	8.0	856	10.2
All other	1,335	84	19.7	61	14.3	74	17.3
Metropolitan counties	143,845	3,043	14.9	2,211	10.8	2,179	10.7
White	125,543	1,867	12.4	1,400	9.3	1,433	9.5
All other	18,302	1,176	22.0	811	15.2	746	13.9
Urban places	105,420	2,383	16.6	1,703	11.8	1,565	10.9
White	88,217	1,281	13.6	944	10.0	877	9.3
All other	17,203	1,102	22.0	759	15.2	688	13.8
Balance of area	38,425	660	11.0	508	8.5	614	10.2
White	37,326	586	10.4	456	8.1	556	9.8
All other	1,099	74	21.1	52	14.9	58	16.6
Nonmetropolitan counties	24,894	423	11.7	303	8.4	405	11.2
White	24,400	402	11.6	285	8.2	380	11.0
All other	494	21	12.4	18	10.6	25	14.7
Urban places	6,674	111	13.5	83	10.1	89	10.8
White	6,416	100	13.7	74	10.1	80	11.0
All other	258	11	11.8	9	9.7	9	9.7
Balance of area	18,220	312	11.1	220	7.8	316	11.3
White	17,984	302	11.1	211	7.7	300	11.0
All other	236	10	13.1	9	11.7	16	20.9
North Carolina	46,623	1,335	15.8	944	11.2	1,008	11.9
White	34,647	704	12.2	515	9.0	556	9.7
All other	11,976	631	23.3	429	15.8	452	16.7
Urban places	15,658	424	18.0	308	13.0	272	11.5
White	10,609	173	13.1	122	9.3	110	8.4
All other	5,049	251	24.0	186	17.8	162	15.5
Balance of area	30,965	911	14.9	636	10.4	736	12.1
White	24,038	531	12.0	393	8.9	446	10.1
All other	6,927	380	22.8	243	14.6	290	17.4
Metropolitan counties	15,652	447	14.5	340	11.0	330	10.7
White	11,520	238	11.4	178	8.5	177	8.5
All other	4,132	209	21.0	162	16.3	153	15.4
Urban places	9,665	258	16.5	199	12.7	169	10.8
White	6,408	98	11.5	72	8.4	65	7.6
All other	3,257	160	22.6	127	17.9	104	14.7
Balance of area	5,987	189	12.4	141	9.3	161	10.6
White	5,112	140	11.3	106	8.6	112	9.1
All other	875	49	17.2	35	12.3	49	17.2
Nonmetropolitan counties	30,971	888	16.5	604	11.2	678	12.6
White	23,127	466	12.7	337	9.2	379	10.3
All other	7,844	422	24.6	267	15.6	299	17.4
Urban places	5,993	166	20.8	109	13.7	103	12.9
White	4,201	75	16.2	50	10.8	45	9.7
All other	1,792	91	27.1	59	17.6	58	17.3
Balance of area	24,978	722	15.8	495	10.8	575	12.6
White	18,926	391	12.2	287	9.0	334	10.4
All other	6,052	331	24.0	208	15.1	241	17.5
North Dakota	5,201	156	13.7	120	10.5	103	9.0
White	5,030	133	12.6	103	9.7	94	8.9
All other	171	23	27.3	17	20.1	9	10.7
Urban places	1,577	59	13.6	41	9.5	41	9.5
White	1,565	57	13.7	39	9.4	38	9.1
All other	12	2	11.8	2	11.8	3	17.8
Balance of area	3,624	97	13.7	79	11.1	62	8.7
White	3,465	76	11.9	64	10.0	56	8.7
All other	159	21	31.1	15	22.2	6	8.9
Metropolitan counties	534	16	10.9	12	8.1	12	8.1
White	532	16	11.2	12	8.4	12	8.4
All other	2	–	–	–	–	–	–
Urban places	390	11	10.7	9	8.8	8	7.8
White	388	11	11.1	9	9.1	8	8.0
All other	2	–	–	–	–	–	–
Balance of area	144	5	11.1	3	6.7	4	8.9
White	144	5	11.4	3	6.8	4	9.1
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	4,667	140	14.1	108	10.9	91	9.1
White	4,498	117	12.8	91	10.0	82	9.0
All other	169	23	28.6	17	21.2	9	11.2
Urban places	1,187	48	14.5	32	9.7	33	10.0
White	1,177	46	14.5	30	9.5	30	9.5
All other	10	2	14.4	2	14.4	3	21.6
Balance of area	3,480	92	13.9	76	11.5	58	8.7
White	3,321	71	11.9	61	10.2	52	8.7
All other	159	21	31.6	15	22.6	6	9.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Ohio	**97,045**	**2,245**	**13.9**	**1,632**	**10.1**	**1,499**	**9.3**
White	87,552	1,778	12.7	1,308	9.4	1,209	8.7
All other	9,493	467	21.0	324	14.6	290	13.0
Urban places	59,497	1,421	16.0	1,024	11.5	884	10.0
White	50,744	985	14.3	723	10.5	618	9.0
All other	8,753	436	21.7	301	15.0	266	13.2
Balance of area	37,548	824	11.3	608	8.3	615	8.4
White	36,808	793	11.2	585	8.3	591	8.4
All other	740	31	14.6	23	10.8	24	11.3
Metropolitan counties	73,163	1,684	14.0	1,207	10.0	1,105	9.2
White	64,072	1,232	12.4	891	9.0	832	8.4
All other	9,091	452	21.3	316	14.9	273	12.9
Urban places	51,935	1,234	15.8	881	11.3	773	9.9
White	43,412	813	13.9	588	10.0	517	8.8
All other	8,523	421	21.6	293	15.1	256	13.1
Balance of area	21,228	450	10.6	326	7.7	332	7.8
White	20,660	419	10.3	303	7.4	315	7.7
All other	568	31	17.9	23	13.3	17	9.8
Nonmetropolitan counties	23,882	561	13.6	425	10.3	394	9.6
White	23,480	546	13.6	417	10.4	377	9.4
All other	402	15	14.3	8	7.6	17	16.2
Urban places	7,562	187	17.2	143	13.2	111	10.2
White	7,332	172	16.9	135	13.2	101	9.9
All other	230	15	22.7	8	12.1	10	15.1
Balance of area	16,320	374	12.3	282	9.3	283	9.3
White	16,148	374	12.5	282	9.4	276	9.2
All other	172	–	–	–	–	7	18.1
Oklahoma	**26,791**	**621**	**13.7**	**405**	**8.9**	**430**	**9.5**
White	24,039	472	12.7	311	8.4	322	8.7
All other	2,752	149	17.7	94	11.2	108	12.8
Urban places	12,973	350	13.7	234	9.2	237	9.3
White	11,496	261	12.8	176	8.6	169	8.3
All other	1,477	89	17.6	58	11.4	68	13.4
Balance of area	13,818	271	13.6	171	8.6	193	9.7
White	12,543	211	12.7	135	8.1	153	9.2
All other	1,275	60	17.9	36	10.8	40	11.9
Metropolitan counties	11,263	326	13.5	211	8.7	223	9.2
White	10,014	241	12.4	159	8.2	159	8.2
All other	1,249	85	18.0	52	11.0	64	13.5
Urban places	8,944	276	14.1	179	9.1	193	9.8
White	7,904	202	13.0	133	8.5	136	8.7
All other	1,040	74	18.2	46	11.3	57	14.0
Balance of area	2,319	50	10.9	32	7.0	30	6.5
White	2,110	39	9.9	26	6.6	23	5.9
All other	209	11	16.6	6	9.0	7	10.5
Nonmetropolitan counties	15,528	295	13.9	194	9.1	207	9.7
White	14,025	231	13.2	152	8.7	163	9.3
All other	1,503	64	17.4	42	11.4	44	11.9
Urban places	4,029	74	12.7	55	9.4	44	7.5
White	3,592	59	12.2	43	8.9	33	6.8
All other	437	15	15.0	12	12.0	11	11.0
Balance of area	11,499	221	14.3	139	9.0	163	10.6
White	10,433	172	13.5	109	8.6	130	10.2
All other	1,066	49	18.3	30	11.2	33	12.3
Oregon	**20,481**	**456**	**12.2**	**295**	**7.9**	**296**	**7.9**
White	20,032	426	12.0	278	7.8	274	7.7
All other	449	30	14.7	17	8.3	22	10.8
Urban places	9,459	180	12.1	124	8.3	121	8.1
White	9,138	154	11.4	108	8.0	107	7.9
All other	321	26	18.8	16	11.6	14	10.1
Balance of area	11,022	276	12.2	171	7.6	175	7.7
White	10,894	272	12.4	170	7.7	167	7.6
All other	128	4	6.0	1	1.5	8	12.1
Metropolitan counties	12,086	258	11.6	167	7.5	170	7.7
White	11,747	234	11.3	151	7.3	155	7.5
All other	339	24	15.6	16	10.4	15	9.7
Urban places	7,060	124	11.2	86	7.8	94	8.5
White	6,756	100	10.2	70	7.1	84	8.6
All other	304	24	19.3	16	12.9	10	8.0
Balance of area	5,026	134	12.0	81	7.3	76	6.8
White	4,991	134	12.4	81	7.5	71	6.6
All other	35	–	–	–	–	5	16.8
Nonmetropolitan counties	8,395	198	12.9	128	8.3	126	8.2
White	8,285	192	12.9	127	8.6	119	8.0
All other	110	6	12.0	1	2.0	7	14.0
Urban places	2,399	56	14.6	38	9.9	27	7.0
White	2,382	54	14.6	38	10.3	23	6.2
All other	17	2	14.6	–	–	4	29.2
Balance of area	5,996	142	12.4	90	7.8	99	8.6
White	5,903	138	12.4	89	8.0	96	8.6
All other	93	4	11.0	1	2.7	3	8.2

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Pennsylvania	**119,233**	**2,157**	**14.0**	**1,630**	**10.6**	**1,742**	**11.3**
White	108,081	1,668	12.6	1,261	9.5	1,285	9.7
All other	11,152	489	22.9	369	17.3	457	21.4
Urban places	61,629	1,180	17.6	898	13.4	905	13.5
White	51,739	737	15.1	566	11.6	491	10.1
All other	9,890	443	23.8	332	17.9	414	22.3
Balance of area	57,604	977	11.3	732	8.5	837	9.7
White	56,342	931	11.1	695	8.3	794	9.5
All other	1,262	46	16.8	37	13.5	43	15.7
Metropolitan counties	93,434	1,707	14.3	1,302	10.9	1,368	11.5
White	82,720	1,230	12.5	943	9.6	922	9.4
All other	10,714	477	23.2	359	17.5	446	21.7
Urban places	56,871	1,099	17.6	841	13.4	847	13.5
White	47,140	661	14.9	513	11.6	438	9.9
All other	9,731	438	24.0	328	18.0	409	22.4
Balance of area	36,563	608	10.8	461	8.2	521	9.2
White	35,580	569	10.5	430	8.0	484	8.9
All other	983	39	16.6	31	13.2	37	15.7
Nonmetropolitan counties	25,799	450	13.0	328	9.4	374	10.8
White	25,361	438	12.9	318	9.4	363	10.7
All other	438	12	16.2	10	13.5	11	14.9
Urban places	4,758	81	17.3	57	12.1	58	12.4
White	4,599	76	17.5	53	12.2	53	12.2
All other	159	5	14.0	4	11.2	5	14.0
Balance of area	21,041	369	12.3	271	9.0	316	10.5
White	20,762	362	12.2	265	8.9	310	10.5
All other	279	7	18.3	6	15.7	6	15.7
Rhode Island	**9,068**	**141**	**12.1**	**96**	**8.3**	**123**	**10.6**
White	8,836	120	11.2	84	7.8	111	10.3
All other	232	21	24.0	12	13.7	12	13.7
Urban places	7,244	118	13.4	81	9.2	87	9.9
White	7,030	99	12.4	69	8.7	75	9.4
All other	214	19	22.9	12	14.4	12	14.4
Balance of area	1,824	23	8.2	15	5.3	36	12.8
White	1,806	21	7.6	15	5.4	36	13.0
All other	18	2	45.5	–	–	–	–
Metropolitan counties	7,733	114	12.3	77	8.3	101	10.9
White	7,541	96	11.3	66	7.8	89	10.5
All other	192	18	24.3	11	14.9	12	16.2
Urban places	6,657	103	13.3	70	9.0	80	10.3
White	6,469	85	12.1	59	8.4	68	9.7
All other	188	18	24.6	11	15.0	12	16.4
Balance of area	1,076	11	7.4	7	4.7	21	14.0
White	1,072	11	7.4	7	4.7	21	14.1
All other	4	–	–	–	–	–	–
Nonmetropolitan counties	1,335	27	11.3	19	7.9	22	9.2
White	1,295	24	10.6	18	8.0	22	9.7
All other	40	3	22.2	1	7.4	–	–
Urban places	587	15	14.0	11	10.3	7	6.5
White	561	14	14.4	10	10.3	7	7.2
All other	26	1	10.2	1	10.2	–	–
Balance of area	748	12	9.1	8	6.0	15	11.3
White	734	10	7.8	8	6.2	15	11.7
All other	14	2	54.1	–	–	–	–
South Carolina	**24,293**	**878**	**17.6**	**609**	**12.2**	**660**	**13.2**
White	16,116	388	13.1	286	9.6	297	10.0
All other	8,177	490	24.2	323	16.0	363	17.9
Urban places	6,073	184	21.4	128	14.9	120	14.0
White	3,844	71	16.9	52	12.4	43	10.2
All other	2,229	113	25.7	76	17.3	77	17.5
Balance of area	18,220	694	16.8	481	11.6	540	13.1
White	12,272	317	12.4	234	9.2	254	10.0
All other	5,948	377	23.8	247	15.6	286	18.0
Metropolitan counties	8,376	309	16.2	225	11.8	229	12.0
White	5,957	169	13.4	126	10.0	118	9.3
All other	2,419	140	21.9	99	15.5	111	17.4
Urban places	3,190	88	20.8	64	15.1	61	14.4
White	2,034	33	16.3	25	12.3	19	9.4
All other	1,156	55	25.0	39	17.7	42	19.1
Balance of area	5,186	221	14.9	161	10.9	168	11.3
White	3,923	136	12.8	101	9.5	99	9.3
All other	1,263	85	20.3	60	14.3	69	16.5
Nonmetropolitan counties	15,917	569	18.4	384	12.4	431	14.0
White	10,159	219	12.9	160	9.4	179	10.5
All other	5,758	350	25.3	224	16.2	252	18.2
Urban places	2,883	96	21.9	64	14.6	59	13.5
White	1,810	38	17.4	27	12.4	24	11.0
All other	1,073	58	26.4	37	16.9	35	16.0
Balance of area	13,034	473	17.8	320	12.1	372	14.0
White	8,349	181	12.2	133	9.0	155	10.4
All other	4,685	292	25.0	187	16.0	217	18.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota	6,295	197	16.4	149	12.4	117	9.7
White	5,884	155	14.8	125	12.0	95	9.1
All other	411	42	26.4	24	15.1	22	13.8
Urban places	1,800	68	17.7	52	13.5	34	8.8
White	1,755	60	16.8	48	13.4	32	8.9
All other	45	8	29.9	4	14.9	2	7.5
Balance of area	4,495	129	15.8	97	11.8	83	10.1
White	4,129	95	13.8	77	11.2	63	9.2
All other	366	34	25.7	20	15.1	20	15.1
Metropolitan counties	803	30	17.4	22	12.7	17	9.8
White	797	28	16.7	21	12.5	16	9.6
All other	6	2	39.2	1	19.6	1	19.6
Urban places	633	25	18.9	18	13.6	15	11.4
White	628	23	18.0	17	13.3	14	11.0
All other	5	2	46.5	1	23.3	1	23.3
Balance of area	170	5	12.3	4	9.9	2	4.9
White	169	5	12.6	4	10.1	2	5.0
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,492	167	16.2	127	12.3	100	9.7
White	5,087	127	14.5	104	11.9	79	9.0
All other	405	40	25.9	23	14.9	21	13.6
Urban places	1,167	43	17.0	34	13.4	19	7.5
White	1,127	37	16.1	31	13.5	18	7.8
All other	40	6	26.7	3	13.3	1	4.4
Balance of area	4,325	124	15.9	93	11.9	81	10.4
White	3,960	90	13.9	73	11.3	61	9.4
All other	365	34	25.8	20	15.2	20	15.2
Tennessee	39,145	1,026	15.4	722	10.8	765	11.5
White	32,171	697	13.3	491	9.4	549	10.5
All other	6,974	329	22.6	231	15.9	216	14.9
Urban places	18,866	521	16.7	379	12.1	372	11.9
White	13,526	277	13.9	203	10.2	201	10.1
All other	5,340	244	21.5	176	15.5	171	15.1
Balance of area	20,279	505	14.2	343	9.6	393	11.1
White	18,645	420	13.0	288	8.9	348	10.8
All other	1,634	85	26.5	55	17.2	45	14.0
Metropolitan counties	17,758	498	15.5	359	11.2	349	10.9
White	12,826	268	12.4	192	8.9	200	9.2
All other	4,932	230	21.9	167	15.9	149	14.2
Urban places	14,668	408	16.4	296	11.9	281	11.3
White	9,959	193	13.0	140	9.4	138	9.3
All other	4,709	215	21.4	156	15.5	143	14.2
Balance of area	3,090	90	12.5	63	8.7	68	9.4
White	2,867	75	11.1	52	7.7	62	9.2
All other	223	15	33.9	11	24.9	6	13.6
Nonmetropolitan counties	21,387	528	15.2	363	10.5	416	12.0
White	19,345	429	14.0	299	9.8	349	11.4
All other	2,042	99	24.6	64	15.9	67	16.6
Urban places	4,198	113	18.0	83	13.2	91	14.5
White	3,567	84	16.7	63	12.6	63	12.6
All other	631	29	23.0	20	15.9	28	22.2
Balance of area	17,189	415	14.6	280	9.9	325	11.5
White	15,778	345	13.5	236	9.2	286	11.2
All other	1,411	70	25.3	44	15.9	39	14.1
Texas	100,185	3,369	14.7	2,359	10.3	2,092	9.1
White	86,477	2,590	13.4	1,811	9.4	1,652	8.5
All other	13,708	779	21.7	548	15.3	440	12.3
Urban places	61,863	2,280	14.6	1,605	10.3	1,410	9.0
White	51,800	1,668	13.1	1,168	9.2	1,063	8.3
All other	10,063	612	21.4	437	15.3	347	12.1
Balance of area	38,322	1,089	14.9	754	10.3	682	9.3
White	34,677	922	14.0	643	9.8	589	8.9
All other	3,645	167	22.9	111	15.2	93	12.7
Metropolitan counties	66,358	2,471	14.2	1,731	10.0	1,521	8.7
White	56,485	1,865	12.8	1,300	9.0	1,178	8.1
All other	9,873	606	21.1	431	15.0	343	12.0
Urban places	54,027	2,014	14.5	1,409	10.2	1,243	9.0
White	44,980	1,451	12.9	1,007	8.9	931	8.3
All other	9,047	563	21.7	402	15.5	312	12.0
Balance of area	12,331	457	13.0	322	9.1	278	7.9
White	11,505	414	12.8	293	9.0	247	7.6
All other	826	43	15.7	29	10.6	31	11.3
Nonmetropolitan counties	33,827	898	16.2	628	11.3	571	10.3
White	29,992	725	15.1	511	10.6	474	9.8
All other	3,835	173	24.0	117	16.2	97	13.5
Urban places	7,836	266	15.4	196	11.3	167	9.6
White	6,820	217	14.8	161	11.0	132	9.0
All other	1,016	49	18.5	35	13.2	35	13.2
Balance of area	25,991	632	16.6	432	11.4	404	10.6
White	23,172	508	15.2	350	10.5	342	10.2
All other	2,819	124	27.2	82	18.0	62	13.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Utah	7,617	382	10.1	257	6.8	316	8.3
White	7,433	364	9.9	248	6.8	310	8.5
All other	184	18	14.6	9	7.3	6	4.9
Urban places	3,820	149	8.9	104	6.2	138	8.2
White	3,744	145	9.0	102	6.3	135	8.4
All other	76	4	6.5	2	3.3	3	4.9
Balance of area	3,797	233	11.0	153	7.2	178	8.4
White	3,689	219	10.7	146	7.1	175	8.5
All other	108	14	22.7	7	11.3	3	4.9
Metropolitan counties	5,588	269	9.2	177	6.1	255	8.7
White	5,492	261	9.2	172	6.1	252	8.9
All other	96	8	9.7	5	6.1	3	3.6
Urban places	3,480	139	9.2	98	6.5	133	8.8
White	3,410	135	9.2	96	6.6	130	8.9
All other	70	4	7.0	2	3.5	3	5.2
Balance of area	2,108	130	9.3	79	5.6	122	8.7
White	2,082	126	9.1	76	5.5	122	8.9
All other	26	4	16.1	3	12.0	–	–
Nonmetropolitan counties	2,029	113	13.0	80	9.2	61	7.0
White	1,941	103	12.5	76	9.2	58	7.0
All other	88	10	24.4	4	9.8	3	7.3
Urban places	340	10	6.4	6	3.8	5	3.2
White	334	10	6.6	6	3.9	5	3.3
All other	6	–	–	–	–	–	–
Balance of area	1,689	103	14.5	74	10.4	56	7.9
White	1,607	93	13.8	70	10.4	53	7.9
All other	82	10	27.2	4	10.9	3	8.2
Vermont	4,210	70	10.0	48	6.8	61	8.7
White	4,198	70	10.0	48	6.9	61	8.7
All other	12	–	–	–	–	–	–
Urban places	676	9	10.6	4	4.7	9	10.6
White	669	9	10.6	4	4.7	9	10.6
All other	7	–	–	–	–	–	–
Balance of area	3,534	61	9.9	44	7.1	52	8.4
White	3,529	61	10.0	44	7.2	52	8.5
All other	5	–	–	–	–	–	–
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	4,210	70	10.0	48	6.8	61	8.7
White	4,198	70	10.0	48	6.9	61	8.7
All other	12	–	–	–	–	–	–
Urban places	676	9	10.6	4	4.7	9	10.6
White	669	9	10.6	4	4.7	9	10.6
All other	7	–	–	–	–	–	–
Balance of area	3,534	61	9.9	44	7.1	52	8.4
White	3,529	61	10.0	44	7.2	52	8.5
All other	5	–	–	–	–	–	–
Virginia	39,939	1,181	15.9	844	11.4	953	12.8
White	30,807	734	13.3	517	9.4	564	10.2
All other	9,132	447	23.4	327	17.1	389	20.3
Urban places	17,214	568	17.9	403	12.7	435	13.7
White	12,204	302	14.6	206	9.9	218	10.5
All other	5,010	266	24.1	197	17.8	217	19.6
Balance of area	22,725	613	14.4	441	10.4	518	12.2
White	18,603	432	12.5	311	9.0	346	10.0
All other	4,122	181	22.5	130	16.1	172	21.3
Metropolitan counties	20,963	707	15.3	506	11.0	570	12.4
White	15,698	421	12.7	290	8.7	330	9.9
All other	5,265	286	22.3	216	16.8	240	18.7
Urban places	14,650	512	17.8	361	12.5	393	13.7
White	10,106	267	14.5	179	9.7	192	10.4
All other	4,544	245	23.7	182	17.6	201	19.5
Balance of area	6,313	195	11.3	145	8.4	177	10.2
White	5,592	154	10.4	111	7.5	138	9.3
All other	721	41	16.4	34	13.6	39	15.6
Nonmetropolitan counties	18,976	474	16.8	338	12.0	383	13.6
White	15,109	313	14.3	227	10.4	234	10.7
All other	3,867	161	25.6	111	17.6	149	23.7
Urban places	2,564	56	18.5	42	13.8	42	13.8
White	2,098	35	15.2	27	11.7	26	11.3
All other	466	21	28.6	15	20.4	16	21.8
Balance of area	16,412	418	16.6	296	11.8	341	13.6
White	13,011	278	14.2	200	10.2	208	10.6
All other	3,401	140	25.2	96	17.3	133	23.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 — Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Washington	29,831	692	12.1	425	7.4	434	7.6
White	28,667	613	11.9	377	7.3	382	7.4
All other	1,164	79	14.1	48	8.6	52	9.3
Urban places	16,176	312	13.3	195	8.3	194	8.3
White	15,346	264	12.9	165	8.1	163	8.0
All other	830	48	15.6	30	9.7	31	10.0
Balance of area	13,655	380	11.3	230	6.8	240	7.1
White	13,321	349	11.2	212	6.8	219	7.0
All other	334	31	12.3	18	7.1	21	8.3
Metropolitan counties	18,538	420	12.1	268	7.7	246	7.1
White	17,681	361	11.8	230	7.5	213	7.0
All other	857	59	14.3	38	9.2	33	8.0
Urban places	11,982	224	13.6	148	9.0	125	7.6
White	11,230	182	13.1	123	8.8	101	7.3
All other	752	42	16.1	25	9.6	24	9.2
Balance of area	6,556	196	10.8	120	6.6	121	6.7
White	6,451	179	10.8	107	6.5	112	6.8
All other	105	17	11.3	13	8.7	9	6.0
Nonmetropolitan counties	11,293	272	12.0	157	6.9	188	8.3
White	10,986	252	11.9	147	7.0	169	8.0
All other	307	20	13.4	10	6.7	19	12.7
Urban places	4,194	88	12.6	47	6.7	69	9.9
White	4,116	82	12.6	42	6.4	62	9.5
All other	78	6	12.7	5	10.6	7	14.9
Balance of area	7,099	184	11.8	110	7.0	119	7.6
White	6,870	170	11.6	105	7.2	107	7.3
All other	229	14	13.7	5	4.9	12	11.7
West Virginia	19,330	439	14.6	309	10.3	316	10.5
White	18,360	413	14.3	290	10.0	295	10.2
All other	970	26	20.9	19	15.3	21	16.9
Urban places	5,623	102	16.2	77	12.2	59	9.4
White	5,180	90	15.7	67	11.7	50	8.7
All other	443	12	21.0	10	17.5	9	15.8
Balance of area	13,707	337	14.2	232	9.7	257	10.8
White	13,180	323	14.0	223	9.6	245	10.6
All other	527	14	20.8	9	13.4	12	17.9
Metropolitan counties	5,655	109	13.1	68	8.2	76	9.1
White	5,348	101	12.8	63	8.0	70	8.9
All other	307	8	19.0	5	11.9	6	14.3
Urban places	3,234	53	14.7	36	10.0	35	9.7
White	2,991	47	14.3	32	9.7	30	9.1
All other	243	6	18.8	4	12.5	5	15.6
Balance of area	2,421	56	11.9	32	6.8	41	8.7
White	2,357	54	11.8	31	6.7	40	8.7
All other	64	2	20.0	1	10.0	1	10.0
Nonmetropolitan counties	13,675	330	15.1	241	11.1	240	11.0
White	13,012	312	14.9	227	10.8	225	10.7
All other	663	18	21.9	14	17.0	15	18.2
Urban places	2,389	49	18.2	41	15.3	24	8.9
White	2,189	43	17.7	35	14.4	20	8.2
All other	200	6	23.9	6	23.9	4	15.9
Balance of area	11,286	281	14.7	200	10.5	216	11.3
White	10,823	269	14.5	192	10.4	205	11.1
All other	463	12	21.0	8	14.0	11	19.2
Wisconsin	39,347	777	11.3	514	7.5	497	7.2
White	38,334	687	10.8	466	7.3	444	7.0
All other	1,013	90	17.8	48	9.5	53	10.5
Urban places	19,565	397	12.0	259	7.8	247	7.5
White	18,704	316	11.0	215	7.5	198	6.9
All other	861	81	18.2	44	9.9	49	11.0
Balance of area	19,782	380	10.7	255	7.2	250	7.0
White	19,630	371	10.6	251	7.2	246	7.0
All other	152	9	14.4	4	6.4	4	6.4
Metropolitan counties	20,119	413	10.9	266	7.0	279	7.3
White	19,264	333	9.9	222	6.6	230	6.8
All other	855	80	18.0	44	9.9	49	11.1
Urban places	15,401	315	11.8	205	7.7	203	7.6
White	14,569	235	10.4	161	7.2	154	6.8
All other	832	80	18.8	44	10.3	49	11.5
Balance of area	4,718	98	8.7	61	5.4	76	6.7
White	4,695	98	8.8	61	5.5	76	6.8
All other	23	–	–	–	–	–	–
Nonmetropolitan counties	19,228	364	11.9	248	8.1	218	7.1
White	19,070	354	11.8	244	8.2	214	7.2
All other	158	10	15.7	4	6.3	4	6.3
Urban places	4,164	82	13.1	54	8.6	44	7.0
White	4,135	81	13.3	54	8.9	44	7.2
All other	29	1	5.4	–	–	–	–
Balance of area	15,064	282	11.6	194	8.0	174	7.2
White	14,935	273	11.5	190	8.0	170	7.1
All other	129	9	20.0	4	8.9	4	8.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Wyoming	3,048	115	13.9	69	8.3	80	9.6
White	2,962	110	13.9	65	8.2	76	9.6
All other	86	5	13.1	4	10.4	4	10.4
Urban places	1,184	44	16.0	30	10.9	33	12.0
White	1,157	41	15.7	27	10.3	33	12.6
All other	27	3	22.2	3	22.2	–	–
Balance of area	1,864	71	12.8	39	7.0	47	8.5
White	1,805	69	13.0	38	7.2	43	8.1
All other	59	2	8.1	1	4.0	4	16.1
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	3,048	115	13.9	69	8.3	80	9.6
White	2,962	110	13.9	65	8.2	76	9.6
All other	86	5	13.1	4	10.4	4	10.4
Urban places	1,184	44	16.0	30	10.9	33	12.0
White	1,157	41	15.7	27	10.3	33	12.6
All other	27	3	22.2	3	22.2	–	–
Balance of area	1,864	71	12.8	39	7.0	47	8.5
White	1,805	69	13.0	38	7.2	43	8.1
All other	59	2	8.1	1	4.0	4	16.1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
United States	**1,899,597**	**46,975**	**8,307**	**12,579**	**47,986**	**44,933**	**58,109**	**145,123**	**292,672**	**445,595**	**490,598**	**306,151**	**569**
Male	1,046,243	26,875	4,720	7,900	35,620	31,578	36,952	92,132	186,820	268,030	241,939	113,309	368
Female	853,354	20,100	3,587	4,679	12,366	13,355	21,157	52,991	105,852	177,565	248,659	192,842	201
White	1,664,100	33,199	6,198	10,028	39,329	33,771	43,697	117,694	250,662	393,079	449,468	286,576	399
Male	912,670	19,229	3,541	6,285	29,464	23,809	27,897	75,418	161,561	238,626	221,385	105,183	272
Female	751,430	13,970	2,657	3,743	9,865	9,962	15,800	42,276	89,101	154,453	228,083	181,393	127
All other	235,497	13,776	2,109	2,551	8,657	11,162	14,412	27,429	42,010	52,516	41,130	19,575	170
Male	133,573	7,646	1,179	1,615	6,156	7,769	9,055	16,714	25,259	29,404	20,554	8,126	96
Female	101,924	6,130	930	936	2,501	3,393	5,357	10,715	16,751	23,112	20,576	11,449	74
Metropolitan counties	1,232,880	30,925	5,246	7,839	30,801	30,982	39,638	100,358	195,813	285,192	314,192	191,543	351
Male	667,631	17,637	2,970	4,848	22,612	21,548	24,936	62,979	123,179	168,103	150,222	68,364	233
Female	565,249	13,288	2,276	2,991	8,189	9,434	14,702	37,379	72,634	117,089	163,970	123,179	118
White	1,065,888	21,029	3,780	6,084	24,725	22,527	28,636	79,424	165,069	248,870	286,497	178,993	254
Male	573,163	12,138	2,158	3,740	18,354	15,714	18,019	50,238	104,769	147,878	136,673	63,309	173
Female	492,725	8,891	1,622	2,344	6,371	6,813	10,617	29,186	60,300	100,992	149,824	115,684	81
All other	166,992	9,896	1,466	1,755	6,076	8,455	11,002	20,934	30,744	36,322	27,695	12,550	97
Male	94,468	5,499	812	1,108	4,258	5,834	6,917	12,741	18,410	20,225	13,549	5,055	60
Female	72,524	4,397	654	647	1,818	2,621	4,085	8,193	12,334	16,097	14,146	7,495	37
Nonmetropolitan counties	666,717	16,050	3,061	4,740	17,185	13,951	18,471	44,765	96,859	160,403	176,406	114,608	218
Male	378,612	9,238	1,750	3,052	13,008	10,030	12,016	29,153	63,641	99,927	91,717	44,945	135
Female	288,105	6,812	1,311	1,688	4,177	3,921	6,455	15,612	33,218	60,476	84,689	69,663	83
White	598,212	12,170	2,418	3,944	14,604	11,244	15,061	38,270	85,593	144,209	162,971	107,583	145
Male	339,507	7,091	1,383	2,545	11,110	8,095	9,878	25,180	56,792	90,748	84,712	41,874	99
Female	258,705	5,079	1,035	1,399	3,494	3,149	5,183	13,090	28,801	53,461	78,259	65,709	46
All other	68,505	3,880	643	796	2,581	2,707	3,410	6,495	11,266	16,194	13,435	7,025	73
Male	39,105	2,147	367	507	1,898	1,935	2,138	3,973	6,849	9,179	7,005	3,071	36
Female	29,400	1,733	276	289	683	772	1,272	2,522	4,417	7,015	6,430	3,954	37
Alabama	**34,827**	**1,049**	**202**	**270**	**973**	**951**	**1,327**	**2,992**	**5,449**	**8,529**	**8,262**	**4,816**	**7**
Male	19,634	617	115	171	713	681	878	1,914	3,565	5,188	3,990	1,798	4
Female	15,193	432	87	99	260	270	449	1,078	1,884	3,341	4,272	3,018	3
White	24,572	538	114	174	649	571	830	2,027	3,840	6,018	6,203	3,605	3
Male	14,041	335	58	113	498	410	585	1,345	2,627	3,794	2,980	1,294	2
Female	10,531	203	56	61	151	161	245	682	1,213	2,224	3,223	2,311	1
All other	10,255	511	88	96	324	380	497	965	1,609	2,511	2,059	1,211	4
Male	5,593	282	57	58	215	271	293	569	938	1,394	1,010	504	2
Female	4,662	229	31	38	109	109	204	396	671	1,117	1,049	707	2
Metropolitan counties	17,692	504	95	115	501	492	687	1,588	2,894	4,383	4,105	2,323	5
Male	9,861	303	57	69	359	359	446	1,009	1,881	2,614	1,967	795	2
Female	7,831	201	38	46	142	133	241	579	1,013	1,769	2,138	1,528	3
White	12,000	254	54	71	320	282	385	1,015	1,934	2,937	3,001	1,744	3
Male	6,731	161	28	45	240	213	269	661	1,307	1,827	1,419	559	2
Female	5,269	93	26	26	80	69	116	354	627	1,110	1,582	1,185	1
All other	5,692	250	41	44	181	210	302	573	960	1,446	1,104	579	2
Male	3,130	142	29	24	119	146	177	348	574	787	548	236	–
Female	2,562	108	12	20	62	64	125	225	386	659	556	343	2
Nonmetropolitan counties	17,135	545	107	155	472	459	640	1,404	2,555	4,146	4,157	2,493	2
Male	9,773	314	58	102	354	322	432	905	1,684	2,574	2,023	1,003	2
Female	7,362	231	49	53	118	137	208	499	871	1,572	2,134	1,490	–
White	12,572	284	60	103	329	289	445	1,012	1,906	3,081	3,202	1,861	–
Male	7,310	174	30	68	258	197	316	684	1,320	1,967	1,561	735	–
Female	5,262	110	30	35	71	92	129	328	586	1,114	1,641	1,126	–
All other	4,563	261	47	52	143	170	195	392	649	1,065	955	632	2
Male	2,463	140	28	34	96	125	116	221	364	607	462	268	2
Female	2,100	121	19	18	47	45	79	171	285	458	493	364	–
Alaska	**1,615**	**127**	**35**	**36**	**175**	**194**	**151**	**202**	**249**	**205**	**161**	**78**	**2**
Male	1,068	77	19	23	130	150	106	131	165	134	101	31	1
Female	547	50	16	13	45	44	45	71	84	71	60	47	1
White	1,104	88	18	23	105	130	96	145	187	145	109	58	–
Male	736	53	10	14	80	105	68	97	119	96	70	24	–
Female	368	35	8	9	25	25	28	48	68	49	39	34	–
All other	511	39	17	13	70	64	55	57	62	60	52	20	2
Male	332	24	9	9	50	45	38	34	46	38	31	7	1
Female	179	15	8	4	20	19	17	23	16	22	21	13	1
Metropolitan election districts[1]	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan election districts[1]	1,615	127	35	36	175	194	151	202	249	205	161	78	2
Male	1,068	77	19	23	130	150	106	131	165	134	101	31	1
Female	547	50	16	13	45	44	45	71	84	71	60	47	1
White	1,104	88	18	23	105	130	96	145	187	145	109	58	–
Male	736	53	10	14	80	105	68	97	119	96	70	24	–
Female	368	35	8	9	25	25	28	48	68	49	39	34	–
All other	511	39	17	13	70	64	55	57	62	60	52	20	2
Male	332	24	9	9	50	45	38	34	46	38	31	7	1
Female	179	15	8	4	20	19	17	23	16	22	21	13	1

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

(For definition of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Arizona	**18,028**	**563**	**145**	**192**	**710**	**649**	**672**	**1,413**	**2,788**	**4,482**	**4,194**	**2,197**	**23**
Male	10,759	315	79	119	527	459	427	903	1,787	2,850	2,348	924	21
Female	7,269	248	66	73	183	190	245	510	1,001	1,632	1,846	1,273	2
White	16,425	436	110	154	543	489	534	1,245	2,610	4,227	3,994	2,063	20
Male	9,751	237	57	96	401	344	344	803	1,666	2,699	2,229	857	18
Female	6,674	199	53	58	142	145	190	442	944	1,528	1,765	1,206	2
All other	1,603	127	35	38	167	160	138	168	178	255	200	134	3
Male	1,008	78	22	23	126	115	83	100	121	151	119	67	3
Female	595	49	13	15	41	45	55	68	57	104	81	67	–
Metropolitan counties	13,488	352	89	116	467	421	470	1,041	2,082	3,394	3,328	1,725	3
Male	7,928	203	52	77	341	292	296	669	1,323	2,123	1,839	710	3
Female	5,560	149	37	39	126	129	174	372	759	1,271	1,489	1,015	–
White	12,777	312	79	103	404	372	409	961	1,989	3,265	3,217	1,664	2
Male	7,497	183	43	70	295	257	263	619	1,264	2,052	1,771	678	2
Female	5,280	129	36	33	109	115	146	342	725	1,213	1,446	986	–
All other	711	40	10	13	63	49	61	80	93	129	111	61	1
Male	431	20	9	7	46	35	33	50	59	71	68	32	1
Female	280	20	1	6	17	14	28	30	34	58	43	29	–
Nonmetropolitan counties	4,540	211	56	76	243	228	202	372	706	1,088	866	472	20
Male	2,831	112	27	42	186	167	131	234	464	727	509	214	18
Female	1,709	99	29	34	57	61	71	138	242	361	357	258	2
White	3,648	124	31	51	139	117	125	284	621	962	777	399	18
Male	2,254	54	14	26	106	87	81	184	402	647	458	179	16
Female	1,394	70	17	25	33	30	44	100	219	315	319	220	2
All other	892	87	25	25	104	111	77	88	85	126	89	73	2
Male	577	58	13	16	80	80	50	50	62	80	51	35	2
Female	315	29	12	9	24	31	27	38	23	46	38	38	–
Arkansas	**21,364**	**550**	**83**	**156**	**480**	**408**	**540**	**1,424**	**3,068**	**5,395**	**5,784**	**3,474**	**2**
Male	12,263	309	49	91	364	288	340	951	2,034	3,402	3,038	1,397	–
Female	9,101	241	34	65	116	120	200	473	1,034	1,993	2,746	2,077	2
White	17,429	326	52	120	379	304	406	1,123	2,496	4,438	4,831	2,952	2
Male	10,087	185	30	73	295	207	256	770	1,705	2,884	2,533	1,149	–
Female	7,342	141	22	47	84	97	150	353	791	1,554	2,298	1,803	2
All other	3,935	224	31	36	101	104	134	301	572	957	953	522	–
Male	2,176	124	19	18	69	81	84	181	329	518	505	248	–
Female	1,759	100	12	18	32	23	50	120	243	439	448	274	–
Metropolitan counties	5,609	203	19	49	135	146	161	446	913	1,320	1,398	819	–
Male	3,133	116	8	29	104	108	110	287	588	803	683	297	–
Female	2,476	87	11	20	31	38	51	159	325	517	715	522	–
White	4,214	114	10	29	97	105	116	335	685	982	1,093	648	–
Male	2,381	67	4	19	74	76	81	219	459	634	529	219	–
Female	1,833	47	6	10	23	29	35	116	226	348	564	429	–
All other	1,395	89	9	20	38	41	45	111	228	338	305	171	–
Male	752	49	4	10	30	32	29	68	129	169	154	78	–
Female	643	40	5	10	8	9	16	43	99	169	151	93	–
Nonmetropolitan counties	15,755	347	64	107	345	262	379	978	2,155	4,075	4,386	2,655	2
Male	9,130	193	41	62	260	180	230	664	1,446	2,599	2,355	1,100	–
Female	6,625	154	23	45	85	82	149	314	709	1,476	2,031	1,555	2
White	13,215	212	42	91	282	199	290	788	1,811	3,456	3,738	2,304	2
Male	7,706	118	26	54	221	131	175	551	1,246	2,250	2,004	930	–
Female	5,509	94	16	37	61	68	115	237	565	1,206	1,734	1,374	2
All other	2,540	135	22	16	63	63	89	190	344	619	648	351	–
Male	1,424	75	15	8	39	49	55	113	200	349	351	170	–
Female	1,116	60	7	8	24	14	34	77	144	270	297	181	–
California	**170,399**	**4,186**	**803**	**1,092**	**5,455**	**5,211**	**5,741**	**13,318**	**26,263**	**37,786**	**42,189**	**28,291**	**64**
Male	92,704	2,402	456	670	3,990	3,651	3,579	8,192	16,176	22,618	20,608	10,312	50
Female	77,695	1,784	347	422	1,465	1,560	2,162	5,126	10,087	15,168	21,581	17,979	14
White	155,026	3,308	664	924	4,708	4,246	4,713	11,490	23,579	34,645	39,711	26,985	53
Male	83,640	1,904	381	568	3,487	2,997	2,936	7,055	14,511	20,721	19,316	9,722	42
Female	71,386	1,404	283	356	1,221	1,249	1,777	4,435	9,068	13,924	20,395	17,263	11
All other	15,373	878	139	168	747	965	1,028	1,828	2,684	3,141	2,478	1,306	11
Male	9,064	498	75	102	503	654	643	1,137	1,665	1,897	1,292	590	8
Female	6,309	380	64	66	244	311	385	691	1,019	1,244	1,186	716	3
Metropolitan counties	155,032	3,838	733	990	4,942	4,774	5,287	12,311	23,910	34,002	38,457	25,737	51
Male	83,682	2,199	412	605	3,600	3,320	3,298	7,554	14,682	20,190	18,527	9,256	39
Female	71,350	1,639	321	385	1,342	1,454	1,989	4,757	9,228	13,812	19,930	16,481	12
White	140,211	2,982	596	828	4,226	3,837	4,283	10,537	21,315	30,997	36,084	24,483	43
Male	75,003	1,716	339	507	3,123	2,692	2,669	6,458	13,074	18,392	17,308	8,692	33
Female	65,208	1,266	257	321	1,103	1,145	1,614	4,079	8,241	12,605	18,776	15,791	10
All other	14,821	856	137	162	716	937	1,004	1,774	2,595	3,005	2,373	1,254	8
Male	8,679	483	73	98	477	628	629	1,096	1,608	1,798	1,219	564	6
Female	6,142	373	64	64	239	309	375	678	987	1,207	1,154	690	2
Nonmetropolitan counties	15,367	348	70	102	513	437	454	1,007	2,353	3,784	3,732	2,554	13
Male	9,022	203	44	65	390	331	281	638	1,494	2,428	2,081	1,056	11
Female	6,345	145	26	37	123	106	173	369	859	1,356	1,651	1,498	2
White	14,815	326	68	96	482	409	430	953	2,264	3,648	3,627	2,502	10
Male	8,637	188	42	61	364	305	267	597	1,437	2,329	2,008	1,030	9
Female	6,178	138	26	35	118	104	163	356	827	1,319	1,619	1,472	1
All other	552	22	2	6	31	28	24	54	89	136	105	52	3
Male	385	15	2	4	26	26	14	41	57	99	73	26	2
Female	167	7	–	2	5	2	10	13	32	37	32	26	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado	**17,897**	**518**	**104**	**146**	**602**	**622**	**651**	**1,338**	**2,512**	**3,702**	**4,439**	**3,261**	**2**
Male	9,848	295	54	80	424	432	431	824	1,611	2,268	2,238	1,189	2
Female	8,049	223	50	66	178	190	220	514	901	1,434	2,201	2,072	–
White	17,355	475	97	144	565	584	615	1,273	2,440	3,610	4,347	3,203	2
Male	9,550	272	52	79	396	408	408	788	1,573	2,215	2,190	1,167	2
Female	7,805	203	45	65	169	176	207	485	867	1,395	2,157	2,036	–
All other	542	43	7	2	37	38	36	65	72	92	92	58	–
Male	298	23	2	1	28	24	23	36	38	53	48	22	–
Female	244	20	5	1	9	14	13	29	34	39	44	36	–
Metropolitan counties	11,892	369	75	93	394	441	456	943	1,717	2,434	2,894	2,074	2
Male	6,357	207	43	55	274	299	298	571	1,088	1,443	1,386	691	2
Female	5,535	162	32	38	120	142	158	372	629	991	1,508	1,383	–
White	11,374	326	68	91	359	406	422	880	1,647	2,348	2,806	2,019	2
Male	6,075	184	41	54	248	277	276	535	1,052	1,392	1,342	672	2
Female	5,299	142	27	37	111	129	146	345	595	956	1,464	1,347	–
All other	518	43	7	2	35	35	34	63	70	86	88	55	–
Male	282	23	2	1	26	22	22	36	36	51	44	19	–
Female	236	20	5	1	9	13	12	27	34	35	44	36	–
Nonmetropolitan counties	6,005	149	29	53	208	181	195	395	795	1,268	1,545	1,187	–
Male	3,491	88	11	25	150	133	133	253	523	825	852	498	–
Female	2,514	61	18	28	58	48	62	142	272	443	693	689	–
White	5,981	149	29	53	206	178	193	393	793	1,262	1,541	1,184	–
Male	3,475	88	11	25	148	131	132	253	521	823	848	495	–
Female	2,506	61	18	28	58	47	61	140	272	439	693	689	–
All other	24	–	–	–	2	3	2	2	2	6	4	3	–
Male	16	–	–	–	2	2	1	–	2	2	4	3	–
Female	8	–	–	–	–	1	1	2	–	4	–	–	–
Connecticut	**25,638**	**494**	**83**	**122**	**485**	**486**	**647**	**1,886**	**3,967**	**5,805**	**6,942**	**4,715**	**6**
Male	13,571	270	43	69	372	309	390	1,179	2,515	3,448	3,286	1,687	3
Female	12,067	224	40	53	113	177	257	707	1,452	2,357	3,656	3,028	3
White	24,420	388	70	107	434	412	526	1,718	3,758	5,577	6,805	4,620	5
Male	12,868	219	33	62	337	258	309	1,068	2,389	3,331	3,216	1,643	3
Female	11,552	169	37	45	97	154	217	650	1,369	2,246	3,589	2,977	2
All other	1,218	106	13	15	51	74	121	168	209	228	137	95	1
Male	703	51	10	7	35	51	81	111	126	117	70	44	–
Female	515	55	3	8	16	23	40	57	83	111	67	51	1
Metropolitan counties	19,957	366	59	90	354	375	510	1,463	3,142	4,507	5,456	3,630	5
Male	10,534	198	28	51	270	236	318	918	1,980	2,672	2,569	1,291	3
Female	9,423	168	31	39	84	139	192	545	1,162	1,835	2,887	2,339	2
White	18,843	268	47	78	308	306	394	1,313	2,941	4,302	5,333	3,549	4
Male	9,891	151	19	44	240	189	239	819	1,858	2,570	2,508	1,251	3
Female	8,952	117	28	34	68	117	155	494	1,083	1,732	2,825	2,298	1
All other	1,114	98	12	12	46	69	116	150	201	205	123	81	1
Male	643	47	9	7	30	47	79	99	122	102	61	40	–
Female	471	51	3	5	16	22	37	51	79	103	62	41	1
Nonmetropolitan counties	5,681	128	24	32	131	111	137	423	825	1,298	1,486	1,085	1
Male	3,037	72	15	18	102	73	72	261	535	776	717	396	–
Female	2,644	56	9	14	29	38	65	162	290	522	769	689	1
White	5,577	120	23	29	126	106	132	405	817	1,275	1,472	1,071	1
Male	2,977	68	14	18	97	69	70	249	531	761	708	392	–
Female	2,600	52	9	11	29	37	62	156	286	514	764	679	1
All other	104	8	1	3	5	5	5	18	8	23	14	14	–
Male	60	4	1	–	5	4	2	12	4	15	9	4	–
Female	44	4	–	3	–	1	3	6	4	8	5	10	–
Delaware	**4,738**	**117**	**18**	**21**	**112**	**89**	**153**	**415**	**872**	**1,084**	**1,151**	**705**	**1**
Male	2,593	63	12	12	79	68	95	268	572	650	527	246	1
Female	2,145	54	6	9	33	21	58	147	300	434	624	459	–
White	3,994	76	15	17	94	64	109	324	715	905	1,030	645	–
Male	2,169	42	11	9	68	49	70	208	466	542	478	226	–
Female	1,825	34	4	8	26	15	39	116	249	363	552	419	–
All other	744	41	3	4	18	25	44	91	157	179	121	60	1
Male	424	21	1	3	11	19	25	60	106	108	49	20	1
Female	320	20	2	1	7	6	19	31	51	71	72	40	–
Metropolitan counties	3,162	76	10	13	64	60	94	295	572	747	780	450	1
Male	1,707	40	6	7	45	45	61	190	368	448	340	156	1
Female	1,455	36	4	6	19	15	33	105	204	299	440	294	–
White	2,698	54	7	11	59	42	66	231	476	621	713	418	–
Male	1,439	30	5	5	42	31	46	146	303	371	316	144	–
Female	1,259	24	2	6	17	11	20	85	173	250	397	274	–
All other	464	22	3	2	5	18	28	64	96	126	67	32	1
Male	268	10	1	2	3	14	15	44	65	77	24	12	1
Female	196	12	2	–	2	4	13	20	31	49	43	20	–
Nonmetropolitan counties	1,576	41	8	8	48	29	59	120	300	337	371	255	–
Male	886	23	6	5	34	23	34	78	204	202	187	90	–
Female	690	18	2	3	14	6	25	42	96	135	184	165	–
White	1,296	22	8	6	35	22	43	93	239	284	317	227	–
Male	730	12	6	4	26	18	24	62	163	171	162	82	–
Female	566	10	2	2	9	4	19	31	76	113	155	145	–
All other	280	19	–	2	13	7	16	27	61	53	54	28	–
Male	156	11	–	1	8	5	10	16	41	31	25	8	–
Female	124	8	–	1	5	2	6	11	20	22	29	20	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
District of Columbia	**7,186**	**275**	**28**	**38**	**134**	**240**	**383**	**824**	**1,283**	**1,578**	**1,496**	**899**	**8**
Male	3,846	160	17	16	91	158	260	526	802	874	675	259	8
Female	3,340	115	11	22	43	82	123	298	481	704	821	640	–
White	2,309	24	2	3	16	31	41	134	299	529	709	520	1
Male	1,094	10	–	1	9	18	26	89	184	304	306	146	1
Female	1,215	14	2	2	7	13	15	45	115	225	403	374	–
All other	4,877	251	26	35	118	209	342	690	984	1,049	787	379	7
Male	2,752	150	17	15	82	140	234	437	618	570	369	113	7
Female	2,125	101	9	20	36	69	108	253	366	479	418	266	–
Metropolitan	7,186	275	28	38	134	240	383	824	1,283	1,578	1,496	899	8
Male	3,846	160	17	16	91	158	260	526	802	874	675	259	8
Female	3,340	115	11	22	43	82	123	298	481	704	821	640	–
White	2,309	24	2	3	16	31	41	134	299	529	709	520	1
Male	1,094	10	–	1	9	18	26	89	184	304	306	146	1
Female	1,215	14	2	2	7	13	15	45	115	225	403	374	–
All other	4,877	251	26	35	118	209	342	690	984	1,049	787	379	7
Male	2,752	150	17	15	82	140	234	437	618	570	369	113	7
Female	2,125	101	9	20	36	69	108	253	366	479	418	266	–
Nonmetropolitan	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	**91,760**	**1,715**	**334**	**431**	**1,680**	**1,699**	**2,482**	**6,279**	**13,625**	**24,490**	**25,733**	**13,282**	**10**
Male	52,630	965	209	277	1,204	1,183	1,530	3,936	8,517	15,027	14,161	5,616	5
Female	39,130	750	125	154	476	516	952	2,343	5,108	9,463	11,572	7,666	5
White	80,772	984	230	323	1,354	1,239	1,788	4,836	11,416	21,823	24,072	12,703	4
Male	46,331	545	137	210	967	878	1,123	3,088	7,182	13,519	13,315	5,364	3
Female	34,441	439	93	113	387	361	665	1,748	4,234	8,304	10,757	7,339	1
All other	10,988	731	104	108	326	460	694	1,443	2,209	2,667	1,661	579	6
Male	6,299	420	72	67	237	305	407	848	1,335	1,508	846	252	2
Female	4,689	311	32	41	89	155	287	595	874	1,159	815	327	4
Metropolitan counties	59,425	1,133	217	256	1,038	1,151	1,635	4,150	8,520	15,435	17,051	8,832	7
Male	33,415	628	132	168	739	798	991	2,582	5,235	9,275	9,140	3,724	3
Female	26,010	505	85	88	299	353	644	1,568	3,285	6,160	7,911	5,108	4
White	52,133	646	140	189	822	826	1,147	3,142	7,032	13,716	16,000	8,469	4
Male	29,306	360	84	124	580	575	703	1,992	4,356	8,319	8,630	3,580	3
Female	22,827	286	56	65	242	251	444	1,150	2,676	5,397	7,370	4,889	1
All other	7,292	487	77	67	216	325	488	1,008	1,488	1,719	1,051	363	3
Male	4,109	268	48	44	159	223	288	590	879	956	510	144	–
Female	3,183	219	29	23	57	102	200	418	609	763	541	219	3
Nonmetropolitan counties	32,335	582	117	175	642	548	847	2,129	5,105	9,055	8,682	4,450	3
Male	19,215	337	77	109	465	385	539	1,354	3,282	5,752	5,021	1,892	2
Female	13,120	245	40	66	177	163	308	775	1,823	3,303	3,661	2,558	1
White	28,639	338	90	134	532	413	641	1,694	4,384	8,107	8,072	4,234	–
Male	17,025	185	53	86	387	303	420	1,096	2,826	5,200	4,685	1,784	–
Female	11,614	153	37	48	145	110	221	598	1,558	2,907	3,387	2,450	–
All other	3,696	244	27	41	110	135	206	435	721	948	610	216	3
Male	2,190	152	24	23	78	82	119	258	456	552	336	108	2
Female	1,506	92	3	18	32	53	87	177	265	396	274	108	1
Georgia	**42,691**	**1,300**	**261**	**392**	**1,283**	**1,319**	**1,842**	**4,047**	**7,536**	**10,338**	**9,338**	**5,026**	**9**
Male	23,676	725	153	243	937	909	1,193	2,589	4,935	6,018	4,344	1,626	4
Female	19,015	575	108	149	346	410	649	1,458	2,601	4,320	4,994	3,400	5
White	30,206	672	147	257	919	762	1,098	2,587	5,127	7,101	7,322	4,213	1
Male	16,967	389	88	159	682	539	732	1,732	3,517	4,355	3,438	1,335	1
Female	13,239	283	59	98	237	223	366	855	1,610	2,746	3,884	2,878	–
All other	12,485	628	114	135	364	557	744	1,460	2,409	3,237	2,016	813	8
Male	6,709	336	65	84	255	370	461	857	1,418	1,663	906	291	3
Female	5,776	292	49	51	109	187	283	603	991	1,574	1,110	522	5
Metropolitan counties	18,679	555	113	172	574	626	906	2,025	3,428	4,365	3,845	2,068	2
Male	9,944	317	73	105	401	427	573	1,252	2,163	2,417	1,624	590	2
Female	8,735	238	40	67	173	199	333	773	1,265	1,948	2,221	1,478	–
White	12,594	286	52	107	411	334	481	1,226	2,254	2,823	2,900	1,720	–
Male	6,754	171	36	68	297	238	318	790	1,496	1,654	1,222	464	–
Female	5,840	115	16	39	114	96	163	436	758	1,169	1,678	1,256	–
All other	6,085	269	61	65	163	292	425	799	1,174	1,542	945	348	2
Male	3,190	146	37	37	104	189	255	462	667	763	402	126	2
Female	2,895	123	24	28	59	103	170	337	507	779	543	222	–
Nonmetropolitan counties	24,012	745	148	220	709	693	936	2,022	4,108	5,973	5,493	2,958	7
Male	13,732	408	80	138	536	482	620	1,337	2,772	3,601	2,720	1,036	2
Female	10,280	337	68	82	173	211	316	685	1,336	2,372	2,773	1,922	5
White	17,612	386	95	150	508	428	617	1,361	2,873	4,278	4,422	2,493	1
Male	10,213	218	52	91	385	301	414	942	2,021	2,701	2,216	871	1
Female	7,399	168	43	59	123	127	203	419	852	1,577	2,206	1,622	–
All other	6,400	359	53	70	201	265	319	661	1,235	1,695	1,071	465	6
Male	3,519	190	28	47	151	181	206	395	751	900	504	165	1
Female	2,881	169	25	23	50	84	113	266	484	795	567	300	5

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Hawaii	**4,436**	**194**	**30**	**37**	**145**	**170**	**173**	**465**	**764**	**919**	**937**	**599**	**3**
Male	2,684	91	17	23	103	126	102	276	510	618	509	306	3
Female	1,752	103	13	14	42	44	71	189	254	301	428	293	–
White	1,369	45	10	10	39	73	66	144	260	304	248	168	2
Male	799	23	8	9	24	54	42	88	172	189	128	60	2
Female	570	22	2	1	15	19	24	56	88	115	120	108	–
All other	3,067	149	20	27	106	97	107	321	504	615	689	431	1
Male	1,885	68	9	14	79	72	60	188	338	429	381	246	1
Female	1,182	81	11	13	27	25	47	133	166	186	308	185	–
Metropolitan counties	3,319	152	24	25	107	118	135	377	576	689	663	451	2
Male	1,955	72	14	14	76	85	80	223	378	448	348	215	2
Female	1,364	80	10	11	31	33	55	154	198	241	315	236	–
White	1,055	32	8	5	30	52	54	118	198	237	176	144	1
Male	598	16	7	5	18	39	35	72	127	139	92	47	1
Female	457	16	1	–	12	13	19	46	71	98	84	97	–
All other	2,264	120	16	20	77	66	81	259	378	452	487	307	1
Male	1,357	56	7	9	58	46	45	151	251	309	256	168	1
Female	907	64	9	11	19	20	36	108	127	143	231	139	–
Nonmetropolitan counties	1,117	42	6	12	38	52	38	88	188	230	274	148	1
Male	729	19	3	9	27	41	22	53	132	170	161	91	1
Female	388	23	3	3	11	11	16	35	56	60	113	57	–
White	314	13	2	5	9	21	12	26	62	67	72	24	1
Male	201	7	1	4	6	15	7	16	45	50	36	13	1
Female	113	6	1	1	3	6	5	10	17	17	36	11	–
All other	803	29	4	7	29	31	26	62	126	163	202	124	–
Male	528	12	2	5	21	26	15	37	87	120	125	78	–
Female	275	17	2	2	8	5	11	25	39	43	77	46	–
Idaho	**6,462**	**214**	**42**	**73**	**248**	**195**	**205**	**400**	**935**	**1,497**	**1,505**	**1,136**	**12**
Male	3,782	126	22	50	193	135	127	245	620	953	825	478	8
Female	2,680	88	20	23	55	60	78	155	315	544	680	658	4
White	6,348	209	41	71	230	183	200	388	917	1,480	1,489	1,129	11
Male	3,715	124	22	49	180	129	125	235	610	942	816	476	7
Female	2,633	85	19	22	50	54	75	153	307	538	673	653	4
All other	114	5	1	2	18	12	5	12	18	17	16	7	1
Male	67	2	–	1	13	6	2	10	10	11	9	2	1
Female	47	3	1	1	5	6	3	2	8	6	7	5	–
Metropolitan counties	1,030	30	7	5	34	21	36	70	141	243	238	204	1
Male	573	17	3	3	28	16	20	46	99	151	123	67	–
Female	457	13	4	2	6	5	16	24	42	92	115	137	1
White	1,025	30	7	5	34	21	35	70	140	242	237	203	1
Male	569	17	3	3	28	16	19	46	98	150	122	67	–
Female	456	13	4	2	6	5	16	24	42	92	115	136	1
All other	5	–	–	–	–	–	1	–	1	1	1	1	–
Male	4	–	–	–	–	–	1	–	1	1	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Nonmetropolitan counties	5,432	184	35	68	214	174	169	330	794	1,254	1,267	932	11
Male	3,209	109	19	47	165	119	107	199	521	802	702	411	8
Female	2,223	75	16	21	49	55	62	131	273	452	565	521	3
White	5,323	179	34	66	196	162	165	318	777	1,238	1,252	926	10
Male	3,146	107	19	46	152	113	106	189	512	792	694	409	7
Female	2,177	72	15	20	44	49	59	129	265	446	558	517	3
All other	109	5	1	2	18	12	4	12	17	16	15	6	1
Male	63	2	–	1	13	6	1	10	9	10	8	2	1
Female	46	3	1	1	5	6	3	2	8	6	7	4	–
Illinois	**103,423**	**2,834**	**443**	**641**	**2,578**	**2,425**	**3,181**	**8,037**	**15,953**	**23,537**	**26,762**	**17,028**	**4**
Male	56,019	1,637	247	394	1,897	1,705	1,959	5,128	10,182	13,994	12,791	6,084	1
Female	47,404	1,197	196	247	681	720	1,222	2,909	5,771	9,543	13,971	10,944	3
White	89,760	1,780	283	499	1,994	1,641	2,239	6,224	13,551	20,760	24,648	16,138	3
Male	48,216	1,043	157	308	1,493	1,143	1,371	4,027	8,734	12,431	11,736	5,773	–
Female	41,544	737	126	191	501	498	868	2,197	4,817	8,329	12,912	10,365	3
All other	13,663	1,054	160	142	584	784	942	1,813	2,402	2,777	2,114	890	1
Male	7,803	594	90	86	404	562	588	1,101	1,448	1,563	1,055	311	1
Female	5,860	460	70	56	180	222	354	712	954	1,214	1,059	579	–
Metropolitan counties	78,373	2,402	359	510	2,043	2,052	2,657	6,672	12,838	17,703	19,491	11,642	4
Male	42,437	1,377	200	312	1,507	1,457	1,644	4,265	8,160	10,346	9,094	4,074	1
Female	35,936	1,025	159	198	536	595	1,013	2,407	4,678	7,357	10,397	7,568	3
White	65,286	1,379	203	377	1,478	1,287	1,744	4,910	10,531	15,041	17,507	10,826	3
Male	34,947	802	113	231	1,114	903	1,073	3,196	6,771	8,841	8,110	3,793	–
Female	30,339	577	90	146	364	384	671	1,714	3,760	6,200	9,397	7,033	3
All other	13,087	1,023	156	133	565	765	913	1,762	2,307	2,662	1,984	816	1
Male	7,490	575	87	81	393	554	571	1,069	1,389	1,505	984	281	1
Female	5,597	448	69	52	172	211	342	693	918	1,157	1,000	535	–
Nonmetropolitan counties	25,050	432	84	131	535	373	524	1,365	3,115	5,834	7,271	5,386	–
Male	13,582	260	47	82	390	248	315	863	2,022	3,648	3,697	2,010	–
Female	11,468	172	37	49	145	125	209	502	1,093	2,186	3,574	3,376	–
White	24,474	401	80	122	516	354	495	1,314	3,020	5,719	7,141	5,312	–
Male	13,269	241	44	77	379	240	298	831	1,963	3,590	3,626	1,980	–
Female	11,205	160	36	45	137	114	197	483	1,057	2,129	3,515	3,332	–
All other	576	31	4	9	19	19	29	51	95	115	130	74	–
Male	313	19	3	5	11	8	17	32	59	58	71	30	–
Female	263	12	1	4	8	11	12	19	36	57	59	44	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indiana	**47,109**	**1,211**	**225**	**327**	**1,178**	**1,082**	**1,296**	**3,472**	**7,104**	**10,728**	**12,440**	**8,118**	**8**
Male	25,701	708	131	213	864	682	825	2,202	4,621	6,471	6,089	2,889	6
Female	21,408	503	94	114	314	320	471	1,270	2,483	4,257	6,351	5,229	2
White	43,755	1,003	189	287	1,013	846	1,109	3,050	6,482	10,051	11,884	7,837	4
Male	23,785	594	111	187	740	581	698	1,955	4,257	6,107	5,800	2,752	3
Female	19,970	409	78	100	273	265	411	1,095	2,225	3,944	6,084	5,085	1
All other	3,354	208	36	40	165	156	187	422	622	677	556	281	4
Male	1,916	114	20	26	124	101	127	247	364	364	289	137	3
Female	1,438	94	16	14	41	55	60	175	258	313	267	144	1
Metropolitan counties	27,913	761	133	194	726	650	841	2,239	4,379	6,407	7,130	4,447	6
Male	15,209	442	74	125	543	441	540	1,399	2,834	3,782	3,460	1,565	4
Female	12,704	319	59	69	183	209	301	840	1,545	2,625	3,670	2,882	2
White	24,823	571	101	157	577	507	666	1,847	3,800	5,786	6,610	4,199	2
Male	13,441	336	56	102	430	350	420	1,167	2,493	3,451	3,190	1,445	1
Female	11,382	235	45	55	147	157	246	680	1,307	2,335	3,420	2,754	1
All other	3,090	190	32	37	149	143	175	392	579	621	520	248	4
Male	1,768	106	18	23	113	91	120	232	341	331	270	120	3
Female	1,322	84	14	14	36	52	55	160	238	290	250	128	1
Nonmetropolitan counties	19,196	450	92	133	452	352	455	1,233	2,725	4,321	5,310	3,671	2
Male	10,492	266	57	88	321	241	285	803	1,787	2,689	2,629	1,324	2
Female	8,704	184	35	45	131	111	170	430	938	1,632	2,681	2,347	–
White	18,932	432	88	130	436	339	443	1,203	2,682	4,265	5,274	3,638	2
Male	10,344	258	55	85	310	231	278	788	1,764	2,656	2,610	1,307	2
Female	8,588	174	33	45	126	108	165	415	918	1,609	2,664	2,331	–
All other	264	18	4	3	16	13	12	30	43	56	36	33	–
Male	148	8	2	3	11	10	7	15	23	33	19	17	–
Female	116	10	2	–	5	3	5	15	20	23	17	16	–
Iowa	**26,770**	**558**	**82**	**151**	**565**	**430**	**546**	**1,420**	**3,140**	**5,796**	**7,891**	**6,187**	**4**
Male	14,555	329	51	104	429	319	357	928	2,061	3,584	4,138	2,253	2
Female	12,215	229	31	47	136	111	189	492	1,079	2,212	3,753	3,934	2
White	26,437	534	76	144	551	412	528	1,381	3,094	5,732	7,828	6,153	4
Male	14,349	317	49	98	419	309	344	898	2,031	3,546	4,102	2,234	2
Female	12,088	217	27	46	132	103	184	483	1,063	2,186	3,726	3,919	2
All other	333	24	6	7	14	18	18	39	46	64	63	34	–
Male	206	12	2	6	10	10	13	30	30	38	36	19	–
Female	127	12	4	1	4	8	5	9	16	26	27	15	–
Metropolitan counties	8,232	238	37	59	206	192	211	535	1,075	1,853	2,218	1,605	3
Male	4,416	137	21	38	157	141	128	356	684	1,107	1,111	534	2
Female	3,816	101	16	21	49	51	83	179	391	746	1,107	1,071	1
White	7,970	217	33	52	196	179	197	503	1,039	1,800	2,170	1,581	3
Male	4,259	126	20	32	150	134	119	333	659	1,079	1,085	520	2
Female	3,711	91	13	20	46	45	78	170	380	721	1,085	1,061	1
All other	262	21	4	7	10	13	14	32	36	53	48	24	–
Male	157	11	1	6	7	7	9	23	25	28	26	14	–
Female	105	10	3	1	3	6	5	9	11	25	22	10	–
Nonmetropolitan counties	18,538	320	45	92	359	238	335	885	2,065	3,943	5,673	4,582	1
Male	10,139	192	30	66	272	178	229	572	1,377	2,477	3,027	1,719	–
Female	8,399	128	15	26	87	60	106	313	688	1,466	2,646	2,863	1
White	18,467	317	43	92	355	233	331	878	2,055	3,932	5,658	4,572	1
Male	10,090	191	29	66	269	175	225	565	1,372	2,467	3,017	1,714	–
Female	8,377	126	14	26	86	58	106	313	683	1,465	2,641	2,858	1
All other	71	3	2	–	4	5	4	7	10	11	15	10	–
Male	49	1	1	–	3	3	4	7	5	10	10	5	–
Female	22	2	1	–	1	2	–	–	5	1	5	5	–
Kansas	**21,362**	**496**	**87**	**138**	**555**	**391**	**501**	**1,240**	**2,666**	**4,627**	**6,102**	**4,557**	**2**
Male	11,559	283	53	81	428	282	311	799	1,699	2,833	3,085	1,703	2
Female	9,803	213	34	57	127	109	190	441	967	1,794	3,017	2,854	–
White	20,204	427	76	123	504	343	447	1,115	2,510	4,398	5,856	4,403	2
Male	10,913	240	48	71	387	244	272	716	1,612	2,709	2,965	1,647	2
Female	9,291	187	28	52	117	99	175	399	898	1,689	2,891	2,756	–
All other	1,158	69	11	15	51	48	54	125	156	229	246	154	–
Male	646	43	5	10	41	38	39	83	87	124	120	56	–
Female	512	26	6	5	10	10	15	42	69	105	126	98	–
Metropolitan counties	7,472	217	34	58	237	178	256	572	1,121	1,595	1,916	1,288	–
Male	4,026	120	22	37	183	130	156	361	708	963	913	433	–
Female	3,446	97	12	21	54	48	100	211	413	632	1,003	855	–
White	6,676	168	26	48	201	149	216	482	1,012	1,441	1,744	1,189	–
Male	3,579	90	18	28	152	106	128	301	647	879	833	397	–
Female	3,097	78	8	20	49	43	88	181	365	562	911	792	–
All other	796	49	8	10	36	29	40	90	109	154	172	99	–
Male	447	30	4	9	31	24	28	60	61	84	80	36	–
Female	349	19	4	1	5	5	12	30	48	70	92	63	–
Nonmetropolitan counties	13,890	279	53	80	318	213	245	668	1,545	3,032	4,186	3,269	2
Male	7,533	163	31	44	245	152	155	438	991	1,870	2,172	1,270	2
Female	6,357	116	22	36	73	61	90	230	554	1,162	2,014	1,999	–
White	13,528	259	50	75	303	194	231	633	1,498	2,957	4,112	3,214	2
Male	7,334	150	30	43	235	138	144	415	965	1,830	2,132	1,250	2
Female	6,194	109	20	32	68	56	87	218	533	1,127	1,980	1,964	–
All other	362	20	3	5	15	19	14	35	47	75	74	55	–
Male	199	13	1	1	10	14	11	23	26	40	40	20	–
Female	163	7	2	4	5	5	3	12	21	35	34	35	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Kentucky	**33,493**	**843**	**153**	**254**	**844**	**753**	**1,024**	**2,601**	**5,209**	**7,825**	**8,677**	**5,304**	**6**
Male	18,998	492	85	172	638	525	699	1,729	3,435	4,846	4,246	2,126	5
Female	14,495	351	68	82	206	228	325	872	1,774	2,979	4,431	3,178	1
White	30,608	728	131	235	754	670	918	2,324	4,706	7,158	8,014	4,967	3
Male	17,440	436	68	162	571	478	638	1,562	3,141	4,459	3,947	1,975	3
Female	13,168	292	63	73	183	192	280	762	1,565	2,699	4,067	2,992	–
All other	2,885	115	22	19	90	83	106	277	503	667	663	337	3
Male	1,558	56	17	10	67	47	61	167	294	387	299	151	2
Female	1,327	59	5	9	23	36	45	110	209	280	364	186	1
Metropolitan counties	12,492	290	42	85	298	274	379	1,113	2,129	2,921	3,126	1,832	3
Male	6,745	168	26	54	213	176	242	727	1,351	1,767	1,387	631	3
Female	5,747	122	16	31	85	98	137	386	778	1,154	1,739	1,201	–
White	10,859	219	32	75	253	216	312	942	1,813	2,533	2,780	1,683	1
Male	5,886	133	17	50	182	145	202	630	1,163	1,550	1,249	564	1
Female	4,973	86	15	25	71	71	110	312	650	983	1,531	1,119	–
All other	1,633	71	10	10	45	58	67	171	316	388	346	149	2
Male	859	35	9	4	31	31	40	97	188	217	138	67	2
Female	774	36	1	6	14	27	27	74	128	171	208	82	–
Nonmetropolitan counties	21,001	553	111	169	546	479	645	1,488	3,080	4,904	5,551	3,472	3
Male	12,253	324	59	118	425	349	457	1,002	2,084	3,079	2,859	1,495	2
Female	8,748	229	52	51	121	130	188	486	996	1,825	2,692	1,977	1
White	19,749	509	99	160	501	454	606	1,382	2,893	4,625	5,234	3,284	2
Male	11,554	303	51	112	389	333	436	932	1,978	2,909	2,698	1,411	2
Female	8,195	206	48	48	112	121	170	450	915	1,716	2,536	1,873	–
All other	1,252	44	12	9	45	25	39	106	187	279	317	188	1
Male	699	21	8	6	36	16	21	70	106	170	161	84	–
Female	553	23	4	3	9	9	18	36	81	109	156	104	1
Louisiana	**34,693**	**1,345**	**202**	**279**	**1,130**	**1,060**	**1,392**	**3,069**	**5,579**	**8,414**	**7,917**	**4,266**	**40**
Male	19,463	767	110	180	866	786	899	1,931	3,518	4,957	3,894	1,534	21
Female	15,230	578	92	99	264	274	493	1,138	2,061	3,457	4,023	2,732	19
White	23,127	556	100	154	691	596	774	1,944	3,781	5,626	5,696	3,188	21
Male	13,030	339	50	94	524	443	524	1,282	2,470	3,410	2,787	1,094	13
Female	10,097	217	50	60	167	153	250	662	1,311	2,216	2,909	2,094	8
All other	11,566	789	102	125	439	464	618	1,125	1,798	2,788	2,221	1,078	19
Male	6,433	428	60	86	342	343	375	649	1,048	1,547	1,107	440	8
Female	5,133	361	42	39	97	121	243	476	750	1,241	1,114	638	11
Metropolitan parishes[1]	18,499	747	102	132	530	583	790	1,760	3,125	4,458	4,141	2,115	16
Male	10,221	421	52	92	409	429	516	1,095	1,945	2,588	1,962	701	11
Female	8,278	326	50	40	121	154	274	665	1,180	1,870	2,179	1,414	5
White	12,167	303	49	68	304	305	430	1,071	2,078	2,917	3,010	1,623	9
Male	6,713	184	25	43	227	227	285	704	1,339	1,740	1,422	511	6
Female	5,454	119	24	25	77	78	145	367	739	1,177	1,588	1,112	3
All other	6,332	444	53	64	226	278	360	689	1,047	1,541	1,131	492	7
Male	3,508	237	27	49	182	202	231	391	606	848	540	190	5
Female	2,824	207	26	15	44	76	129	298	441	693	591	302	2
Nonmetropolitan parishes[1]	16,194	598	100	147	600	477	602	1,309	2,454	3,956	3,776	2,151	24
Male	9,242	346	58	88	457	357	383	836	1,573	2,369	1,932	833	10
Female	6,952	252	42	59	143	120	219	473	881	1,587	1,844	1,318	14
White	10,960	253	51	86	387	291	344	873	1,703	2,709	2,686	1,565	12
Male	6,317	155	25	51	297	216	239	578	1,131	1,670	1,365	583	7
Female	4,643	98	26	35	90	75	105	295	572	1,039	1,321	982	5
All other	5,234	345	49	61	213	186	258	436	751	1,247	1,090	586	12
Male	2,925	191	33	37	160	141	144	258	442	699	567	250	3
Female	2,309	154	16	24	53	45	114	178	309	548	523	336	9
Maine	**10,069**	**154**	**32**	**56**	**194**	**177**	**214**	**661**	**1,443**	**2,442**	**2,808**	**1,887**	**1**
Male	5,456	69	15	34	145	135	131	415	939	1,492	1,373	707	1
Female	4,613	85	17	22	49	42	83	246	504	950	1,435	1,180	–
White	10,028	153	32	56	192	176	212	652	1,437	2,436	2,800	1,881	1
Male	5,439	69	15	34	145	134	130	410	937	1,489	1,368	707	1
Female	4,589	84	17	22	47	42	82	242	500	947	1,432	1,174	–
All other	41	1	–	–	2	1	2	9	6	6	8	6	–
Male	17	–	–	–	–	1	1	5	2	3	5	–	–
Female	24	1	–	–	2	–	1	4	4	3	3	6	–
Metropolitan counties	1,939	18	5	10	33	36	31	132	294	460	541	379	–
Male	998	4	2	7	23	31	19	86	185	261	253	127	–
Female	941	14	3	3	10	5	12	46	109	199	288	252	–
White	1,929	18	5	10	33	35	31	131	292	458	539	377	–
Male	994	4	2	7	23	30	19	85	184	261	252	127	–
Female	935	14	3	3	10	5	12	46	108	197	287	250	–
All other	10	–	–	–	–	1	–	1	2	2	2	2	–
Male	4	–	–	–	–	1	–	1	1	–	1	–	–
Female	6	–	–	–	–	–	–	–	1	2	1	2	–
Nonmetropolitan counties	8,130	136	27	46	161	141	183	529	1,149	1,982	2,267	1,508	1
Male	4,458	65	13	27	122	104	112	329	754	1,231	1,120	580	1
Female	3,672	71	14	19	39	37	71	200	395	751	1,147	928	–
White	8,099	135	27	46	159	141	181	521	1,145	1,978	2,261	1,504	1
Male	4,445	65	13	27	122	104	111	325	753	1,228	1,116	580	1
Female	3,654	70	14	19	37	37	70	196	392	750	1,145	924	–
All other	31	1	–	–	2	–	2	8	4	4	6	4	–
Male	13	–	–	–	–	–	1	4	1	3	4	–	–
Female	18	1	–	–	2	–	1	4	3	1	2	4	–

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Maryland	**32,225**	**798**	**114**	**216**	**785**	**818**	**1,118**	**2,917**	**5,719**	**7,653**	**7,649**	**4,376**	**62**
Male	17,577	415	65	139	574	587	722	1,843	3,661	4,509	3,595	1,433	34
Female	14,648	383	49	77	211	231	396	1,074	2,058	3,144	4,054	2,943	28
White	25,766	447	67	157	587	508	692	2,114	4,400	6,220	6,626	3,914	34
Male	13,863	246	41	101	435	355	452	1,344	2,831	3,720	3,063	1,255	20
Female	11,903	201	26	56	152	153	240	770	1,569	2,500	3,563	2,659	14
All other	6,459	351	47	59	198	310	426	803	1,319	1,433	1,023	462	28
Male	3,714	169	24	38	139	232	270	499	830	789	532	178	14
Female	2,745	182	23	21	59	78	156	304	489	644	491	284	14
Metropolitan counties	25,713	666	91	174	663	700	959	2,445	4,611	5,995	5,983	3,379	47
Male	14,000	351	48	111	479	499	617	1,545	2,945	3,517	2,763	1,098	27
Female	11,713	315	43	63	184	201	342	900	1,666	2,478	3,220	2,281	20
White	20,246	355	54	123	486	419	580	1,738	3,500	4,825	5,126	3,014	26
Male	10,872	204	31	77	355	289	376	1,108	2,239	2,887	2,322	967	17
Female	9,374	151	23	46	131	130	204	630	1,261	1,938	2,804	2,047	9
All other	5,467	311	37	51	177	281	379	707	1,111	1,170	857	365	21
Male	3,128	147	17	34	124	210	241	437	706	630	441	131	10
Female	2,339	164	20	17	53	71	138	270	405	540	416	234	11
Nonmetropolitan counties	6,512	132	23	42	122	118	159	472	1,108	1,658	1,666	997	15
Male	3,577	64	17	28	95	88	105	298	716	992	832	335	7
Female	2,935	68	6	14	27	30	54	174	392	666	834	662	8
White	5,520	92	13	34	101	89	112	376	900	1,395	1,500	900	8
Male	2,991	42	10	24	80	66	76	236	592	833	741	288	3
Female	2,529	50	3	10	21	23	36	140	308	562	759	612	5
All other	992	40	10	8	21	29	47	96	208	263	166	97	7
Male	586	22	7	4	15	22	29	62	124	159	91	47	4
Female	406	18	3	4	6	7	18	34	84	104	75	50	3
Massachusetts	**51,814**	**811**	**112**	**244**	**907**	**848**	**1,153**	**3,451**	**7,475**	**12,021**	**14,748**	**10,038**	**6**
Male	26,786	462	73	141	673	592	725	2,186	4,747	7,034	6,773	3,376	4
Female	25,028	349	39	103	234	256	428	1,265	2,728	4,987	7,975	6,662	2
White	50,361	727	100	227	856	772	1,041	3,281	7,228	11,750	14,519	9,854	6
Male	25,934	414	66	132	637	541	651	2,081	4,595	6,877	6,651	3,285	4
Female	24,427	313	34	95	219	231	390	1,200	2,633	4,873	7,868	6,569	2
All other	1,453	84	12	17	51	76	112	170	247	271	229	184	–
Male	852	48	7	9	36	51	74	105	152	157	122	91	–
Female	601	36	5	8	15	25	38	65	95	114	107	93	–
Metropolitan counties	49,425	777	108	237	871	818	1,108	3,340	7,172	11,412	14,028	9,548	6
Male	25,561	439	70	139	642	575	700	2,120	4,548	6,683	6,415	3,226	4
Female	23,864	338	38	98	229	243	408	1,220	2,624	4,729	7,613	6,322	2
White	48,016	694	96	220	821	742	998	3,173	6,931	11,150	13,816	9,369	6
Male	24,734	392	63	130	607	524	628	2,017	4,400	6,532	6,299	3,138	4
Female	23,282	302	33	90	214	218	370	1,156	2,531	4,618	7,517	6,231	2
All other	1,409	83	12	17	50	76	110	167	241	262	212	179	–
Male	827	47	7	9	35	51	72	103	148	151	116	88	–
Female	582	36	5	8	15	25	38	64	93	111	96	91	–
Nonmetropolitan counties	2,389	34	4	7	36	30	45	111	303	609	720	490	–
Male	1,225	23	3	2	31	17	25	66	199	351	358	150	–
Female	1,164	11	1	5	5	13	20	45	104	258	362	340	–
White	2,345	33	4	7	35	30	43	108	297	600	703	485	–
Male	1,200	22	3	2	30	17	23	64	195	345	352	147	–
Female	1,145	11	1	5	5	13	20	44	102	255	351	338	–
All other	44	1	–	–	1	–	2	3	6	9	17	5	–
Male	25	1	–	–	1	–	2	2	4	6	6	3	–
Female	19	–	–	–	–	–	–	1	2	3	11	2	–
Michigan	**74,198**	**1,954**	**351**	**562**	**2,038**	**1,853**	**2,352**	**6,161**	**11,851**	**16,924**	**18,674**	**11,478**	**–**
Male	41,665	1,122	191	347	1,513	1,280	1,464	3,909	7,694	10,347	9,435	4,363	–
Female	32,533	832	160	215	525	573	888	2,252	4,157	6,577	9,239	7,115	–
White	64,959	1,385	260	453	1,656	1,311	1,724	4,957	10,082	15,055	17,238	10,838	–
Male	36,226	797	135	275	1,231	905	1,063	3,165	6,598	9,239	8,725	4,093	–
Female	28,733	588	125	178	425	406	661	1,792	3,484	5,816	8,513	6,745	–
All other	9,239	569	91	109	382	542	628	1,204	1,769	1,869	1,436	640	–
Male	5,439	325	56	72	282	375	401	744	1,096	1,108	710	270	–
Female	3,800	244	35	37	100	167	227	460	673	761	726	370	–
Metropolitan counties	53,198	1,484	249	405	1,472	1,496	1,845	4,834	8,772	11,673	13,185	7,783	–
Male	29,529	842	140	248	1,088	1,031	1,127	3,031	5,630	6,997	6,487	2,908	–
Female	23,669	642	109	157	384	465	718	1,803	3,142	4,676	6,698	4,875	–
White	44,621	958	168	305	1,111	980	1,243	3,695	7,122	9,951	11,876	7,212	–
Male	24,502	544	90	182	822	674	742	2,327	4,606	5,985	5,857	2,673	–
Female	20,119	414	78	123	289	306	501	1,368	2,516	3,966	6,019	4,539	–
All other	8,577	526	81	100	361	516	602	1,139	1,650	1,722	1,309	571	–
Male	5,027	298	50	66	266	357	385	704	1,024	1,012	630	235	–
Female	3,550	228	31	34	95	159	217	435	626	710	679	336	–
Nonmetropolitan counties	21,000	470	102	157	566	357	507	1,327	3,079	5,251	5,489	3,695	–
Male	12,136	280	51	99	425	249	337	878	2,064	3,350	2,948	1,455	–
Female	8,864	190	51	58	141	108	170	449	1,015	1,901	2,541	2,240	–
White	20,338	427	92	148	545	331	481	1,262	2,960	5,104	5,362	3,626	–
Male	11,724	253	45	93	409	231	321	838	1,992	3,254	2,868	1,420	–
Female	8,614	174	47	55	136	100	160	424	968	1,850	2,494	2,206	–
All other	662	43	10	9	21	26	26	65	119	147	127	69	–
Male	412	27	6	6	16	18	16	40	72	96	80	35	–
Female	250	16	4	3	5	8	10	25	47	51	47	34	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Minnesota	32,303	667	139	210	811	589	649	1,837	4,085	7,084	9,438	6,794	–
Male	18,075	384	83	129	609	407	409	1,232	2,703	4,358	4,983	2,778	–
Female	14,228	283	56	81	202	182	240	605	1,382	2,726	4,455	4,016	–
White	31,797	620	127	197	775	546	620	1,786	4,019	7,014	9,345	6,748	–
Male	17,799	357	77	124	585	383	393	1,200	2,666	4,323	4,932	2,759	–
Female	13,998	263	50	73	190	163	227	586	1,353	2,691	4,413	3,989	–
All other	506	47	12	13	36	43	29	51	66	70	93	46	–
Male	276	27	6	5	24	24	16	32	37	35	51	19	–
Female	230	20	6	8	12	19	13	19	29	35	42	27	–
Metropolitan counties	16,209	347	67	116	399	370	359	1,056	2,231	3,485	4,572	3,207	–
Male	8,679	203	36	74	284	256	222	696	1,445	2,051	2,210	1,202	–
Female	7,530	144	31	42	115	114	137	360	786	1,434	2,362	2,005	–
White	15,843	309	56	106	378	335	339	1,016	2,185	3,439	4,507	3,173	–
Male	8,484	179	31	71	271	237	211	670	1,422	2,025	2,177	1,190	–
Female	7,359	130	25	35	107	98	128	346	763	1,414	2,330	1,983	–
All other	366	38	11	10	21	35	20	40	46	46	65	34	–
Male	195	24	5	3	13	19	11	26	23	26	33	12	–
Female	171	14	6	7	8	16	9	14	23	20	32	22	–
Nonmetropolitan counties	16,094	320	72	94	412	219	290	781	1,854	3,599	4,866	3,587	–
Male	9,396	181	47	55	325	151	187	536	1,258	2,307	2,773	1,576	–
Female	6,698	139	25	39	87	68	103	245	596	1,292	2,093	2,011	–
White	15,954	311	71	91	397	211	281	770	1,834	3,575	4,838	3,575	–
Male	9,315	178	46	53	314	146	182	530	1,244	2,298	2,755	1,569	–
Female	6,639	133	25	38	83	65	99	240	590	1,277	2,083	2,006	–
All other	140	9	1	3	15	8	9	11	20	24	28	12	–
Male	81	3	1	2	11	5	5	6	14	9	18	7	–
Female	59	6	–	1	4	3	4	5	6	15	10	5	–
Mississippi	23,014	828	141	226	665	584	846	1,750	3,346	5,699	5,466	3,445	18
Male	12,927	453	77	149	492	398	545	1,131	2,197	3,357	2,757	1,362	9
Female	10,087	375	64	77	173	186	301	619	1,149	2,342	2,709	2,083	9
White	14,327	284	55	104	376	299	468	1,100	2,158	3,625	3,602	2,251	5
Male	8,175	155	35	73	282	208	310	750	1,493	2,235	1,788	843	3
Female	6,152	129	20	31	94	91	158	350	665	1,390	1,814	1,408	2
All other	8,687	544	86	122	289	285	378	650	1,188	2,074	1,864	1,194	13
Male	4,752	298	42	76	210	190	235	381	704	1,122	969	519	6
Female	3,935	246	44	46	79	95	143	269	484	952	895	675	7
Metropolitan counties	3,493	96	21	40	123	95	145	314	593	876	717	473	–
Male	1,925	58	8	29	94	56	97	211	384	485	340	163	–
Female	1,568	38	13	11	29	39	48	103	209	391	377	310	–
White	2,348	49	10	18	72	54	86	217	422	598	489	333	–
Male	1,312	27	7	12	59	30	55	146	289	340	238	109	–
Female	1,036	22	3	6	13	24	31	71	133	258	251	224	–
All other	1,145	47	11	22	51	41	59	97	171	278	228	140	–
Male	613	31	1	17	35	26	42	65	95	145	102	54	–
Female	532	16	10	5	16	15	17	32	76	133	126	86	–
Nonmetropolitan counties	19,521	732	120	186	542	489	701	1,436	2,753	4,823	4,749	2,972	18
Male	11,002	395	69	120	398	342	448	920	1,813	2,872	2,417	1,199	9
Female	8,519	337	51	66	144	147	253	516	940	1,951	2,332	1,773	9
White	11,979	235	45	86	304	245	382	883	1,736	3,027	3,113	1,918	5
Male	6,863	128	28	61	223	178	255	604	1,204	1,895	1,550	734	3
Female	5,116	107	17	25	81	67	127	279	532	1,132	1,563	1,184	2
All other	7,542	497	75	100	238	244	319	553	1,017	1,796	1,636	1,054	13
Male	4,139	267	41	59	175	164	193	316	609	977	867	465	6
Female	3,403	230	34	41	63	80	126	237	408	819	769	589	7
Missouri	48,880	1,040	174	308	1,125	911	1,233	3,220	6,573	11,774	13,597	8,912	13
Male	26,476	583	94	206	826	646	786	2,063	4,260	7,094	6,660	3,249	9
Female	22,404	457	80	102	299	265	447	1,157	2,313	4,680	6,937	5,663	4
White	43,955	761	137	264	922	715	986	2,699	5,750	10,625	12,613	8,474	9
Male	23,695	420	73	173	683	495	633	1,731	3,772	6,479	6,163	3,066	7
Female	20,260	341	64	91	239	220	353	968	1,978	4,146	6,450	5,408	2
All other	4,925	279	37	44	203	196	247	521	823	1,149	984	438	4
Male	2,781	163	21	33	143	151	153	332	488	615	497	183	2
Female	2,144	116	16	11	60	45	94	189	335	534	487	255	2
Metropolitan counties	27,764	672	107	192	719	603	786	2,140	3,950	6,561	7,401	4,623	10
Male	14,610	375	58	126	513	419	491	1,363	2,502	3,778	3,460	1,519	6
Female	13,154	297	49	66	206	184	295	777	1,448	2,783	3,941	3,104	4
White	23,489	430	75	150	534	424	560	1,672	3,226	5,571	6,574	4,266	7
Male	12,181	228	40	95	384	282	346	1,058	2,073	3,243	3,054	1,373	5
Female	11,308	202	35	55	150	142	214	614	1,153	2,328	3,520	2,893	2
All other	4,275	242	32	42	185	179	226	468	724	990	827	357	3
Male	2,429	147	18	31	129	137	145	305	429	535	406	146	1
Female	1,846	95	14	11	56	42	81	163	295	455	421	211	2
Nonmetropolitan counties	21,116	368	67	116	406	308	447	1,080	2,623	5,213	6,196	4,289	3
Male	11,866	208	36	80	313	227	295	700	1,758	3,316	3,200	1,730	3
Female	9,250	160	31	36	93	81	152	380	865	1,897	2,996	2,559	–
White	20,466	331	62	114	388	291	426	1,027	2,524	5,054	6,039	4,208	2
Male	11,514	192	33	78	299	213	287	673	1,699	3,236	3,109	1,693	2
Female	8,952	139	29	36	89	78	139	354	825	1,818	2,930	2,515	–
All other	650	37	5	2	18	17	21	53	99	159	157	81	1
Male	352	16	3	2	14	14	8	27	59	80	91	37	1
Female	298	21	2	–	4	3	13	26	40	79	66	44	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Montana	**6,403**	**183**	**41**	**71**	**262**	**168**	**179**	**417**	**906**	**1,402**	**1,548**	**1,225**	**1**
Male	3,721	103	26	45	195	119	130	266	591	877	833	535	1
Female	2,682	80	15	26	67	49	49	151	315	525	715	690	–
White	6,077	163	37	61	217	138	150	373	865	1,352	1,511	1,209	1
Male	3,514	92	22	39	165	101	110	236	567	840	815	526	1
Female	2,563	71	15	22	52	37	40	137	298	512	696	683	–
All other	326	20	4	10	45	30	29	44	41	50	37	16	–
Male	207	11	4	6	30	18	20	30	24	37	18	9	–
Female	119	9	–	4	15	12	9	14	17	13	19	7	–
Metropolitan counties	1,406	58	7	16	53	40	51	90	229	299	299	264	–
Male	802	25	5	8	38	29	39	57	145	188	154	114	–
Female	604	33	2	8	15	11	12	33	84	111	145	150	–
White	1,372	54	7	13	53	33	50	85	223	295	295	264	–
Male	785	24	5	8	38	25	38	54	141	185	153	114	–
Female	587	30	2	5	15	8	12	31	82	110	142	150	–
All other	34	4	–	3	–	7	1	5	6	4	4	–	–
Male	17	1	–	–	–	4	1	3	4	3	1	–	–
Female	17	3	–	3	–	3	–	2	2	1	3	–	–
Nonmetropolitan counties	4,997	125	34	55	209	128	128	327	677	1,103	1,249	961	1
Male	2,919	78	21	37	157	90	91	209	446	689	679	421	1
Female	2,078	47	13	18	52	38	37	118	231	414	570	540	–
White	4,705	109	30	48	164	105	100	288	642	1,057	1,216	945	1
Male	2,729	68	17	31	127	76	72	182	426	655	662	412	1
Female	1,976	41	13	17	37	29	28	106	216	402	554	533	–
All other	292	16	4	7	45	23	28	39	35	46	33	16	–
Male	190	10	4	6	30	14	19	27	20	34	17	9	–
Female	102	6	–	1	15	9	9	12	15	12	16	7	–
Nebraska	**14,331**	**319**	**65**	**82**	**323**	**252**	**312**	**827**	**1,668**	**3,035**	**4,131**	**3,317**	–
Male	7,891	171	34	58	258	176	197	534	1,090	1,900	2,182	1,291	–
Female	6,440	148	31	24	65	76	115	293	578	1,135	1,949	2,026	–
White	13,935	297	53	82	304	228	291	779	1,603	2,955	4,065	3,278	–
Male	7,665	160	27	58	248	158	184	507	1,052	1,845	2,148	1,278	–
Female	6,270	137	26	24	56	70	107	272	551	1,110	1,917	2,000	–
All other	396	22	12	–	19	24	21	48	65	80	66	39	–
Male	226	11	7	–	10	18	13	27	38	55	34	13	–
Female	170	11	5	–	9	6	8	21	27	25	32	26	–
Metropolitan counties	5,054	159	35	34	150	119	142	412	697	1,049	1,295	962	–
Male	2,675	87	17	22	116	80	90	253	458	638	601	313	–
Female	2,379	72	18	12	34	39	52	159	239	411	694	649	–
White	4,730	141	25	34	133	102	127	373	646	976	1,246	927	–
Male	2,494	79	11	22	107	67	82	231	428	590	576	301	–
Female	2,236	62	14	12	26	35	45	142	218	386	670	626	–
All other	324	18	10	–	17	17	15	39	51	73	49	35	–
Male	181	8	6	–	9	13	8	22	30	48	25	12	–
Female	143	10	4	–	8	4	7	17	21	25	24	23	–
Nonmetropolitan counties	9,277	160	30	48	173	133	170	415	971	1,986	2,836	2,355	–
Male	5,216	84	17	36	142	96	107	281	632	1,262	1,581	978	–
Female	4,061	76	13	12	31	37	63	134	339	724	1,255	1,377	–
White	9,205	156	28	48	171	126	164	406	957	1,979	2,819	2,351	–
Male	5,171	81	16	36	141	91	102	276	624	1,255	1,572	977	–
Female	4,034	75	12	12	30	35	62	130	333	724	1,247	1,374	–
All other	72	4	2	–	2	7	6	9	14	7	17	4	–
Male	45	3	1	–	1	5	5	5	8	7	9	1	–
Female	27	1	1	–	1	2	1	4	6	–	8	3	–
Nevada	**4,876**	**142**	**18**	**38**	**207**	**189**	**247**	**524**	**960**	**1,153**	**952**	**444**	**2**
Male	3,038	79	9	27	161	133	155	357	637	758	524	197	1
Female	1,838	63	9	11	46	56	92	167	323	395	428	247	1
White	4,519	116	16	31	180	157	213	479	898	1,089	913	425	2
Male	2,805	66	8	22	142	109	132	321	592	721	506	185	1
Female	1,714	50	8	9	38	48	81	158	306	368	407	240	1
All other	357	26	2	7	27	32	34	45	62	64	39	19	–
Male	233	13	1	5	19	24	23	36	45	37	18	12	–
Female	124	13	1	2	8	8	11	9	17	27	21	7	–
Metropolitan counties	3,843	118	12	31	166	155	194	437	770	897	739	324	–
Male	2,370	62	7	24	133	105	119	300	507	572	394	147	–
Female	1,473	56	5	7	33	50	75	137	263	325	345	177	–
White	3,544	94	10	26	143	124	165	402	720	843	707	310	–
Male	2,175	51	6	19	116	82	100	274	469	542	379	137	–
Female	1,369	43	4	7	27	42	65	128	251	301	328	173	–
All other	299	24	2	5	23	31	29	35	50	54	32	14	–
Male	195	11	1	5	17	23	19	26	38	30	15	10	–
Female	104	13	1	–	6	8	10	9	12	24	17	4	–
Nonmetropolitan counties	1,033	24	6	7	41	34	53	87	190	256	213	120	2
Male	668	17	2	3	28	28	36	57	130	186	130	50	1
Female	365	7	4	4	13	6	17	30	60	70	83	70	1
White	975	22	6	5	37	33	48	77	178	246	206	115	2
Male	630	15	2	3	26	27	32	47	123	179	127	48	1
Female	345	7	4	2	11	6	16	30	55	67	79	67	1
All other	58	2	–	2	4	1	5	10	12	10	7	5	–
Male	38	2	–	–	2	1	4	10	7	7	3	2	–
Female	20	–	–	2	2	–	1	–	5	3	4	3	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Hampshire	7,268	123	25	43	152	115	169	478	1,067	1,767	2,010	1,319	–
Male	3,891	66	14	31	115	76	100	287	708	1,045	1,010	439	–
Female	3,377	57	11	12	37	39	69	191	359	722	1,000	880	–
White	7,255	122	25	43	152	114	168	475	1,066	1,767	2,005	1,318	–
Male	3,887	65	14	31	115	76	100	286	707	1,045	1,009	439	–
Female	3,368	57	11	12	37	38	68	189	359	722	996	879	–
All other	13	1	–	–	–	1	1	3	1	–	5	1	–
Male	4	1	–	–	–	–	–	1	1	–	1	–	–
Female	9	–	–	–	–	1	1	2	–	–	4	1	–
Metropolitan counties	2,144	35	8	8	37	34	51	160	340	493	602	376	–
Male	1,130	19	3	8	28	16	30	98	224	283	297	124	–
Female	1,014	16	5	–	9	18	21	62	116	210	305	252	–
White	2,142	35	8	8	37	33	51	159	340	493	602	376	–
Male	1,130	19	3	8	28	16	30	98	224	283	297	124	–
Female	1,012	16	5	–	9	17	21	61	116	210	305	252	–
All other	2	–	–	–	–	1	–	1	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	1	–	1	–	–	–	–	–
Nonmetropolitan counties	5,124	88	17	35	115	81	118	318	727	1,274	1,408	943	–
Male	2,761	47	11	23	87	60	70	189	484	762	713	315	–
Female	2,363	41	6	12	28	21	48	129	243	512	695	628	–
White	5,113	87	17	35	115	81	117	316	726	1,274	1,403	942	–
Male	2,757	46	11	23	87	60	70	188	483	762	712	315	–
Female	2,356	41	6	12	28	21	47	128	243	512	691	627	–
All other	11	1	–	–	–	–	1	2	1	–	5	1	–
Male	4	1	–	–	–	–	–	1	1	–	1	–	–
Female	7	–	–	–	–	–	1	1	–	–	4	1	–
New Jersey	65,831	1,345	197	380	1,207	1,200	1,804	5,208	10,829	15,737	17,733	10,170	21
Male	35,157	763	108	203	908	813	1,162	3,231	6,724	9,338	8,321	3,574	12
Female	30,674	582	89	177	299	387	642	1,977	4,105	6,399	9,412	6,596	9
White	59,053	887	138	296	966	856	1,311	4,256	9,597	14,402	16,661	9,669	14
Male	31,368	503	75	153	742	591	837	2,664	5,990	8,584	7,841	3,381	7
Female	27,685	384	63	143	224	265	474	1,592	3,607	5,818	8,820	6,288	7
All other	6,778	458	59	84	241	344	493	952	1,232	1,335	1,072	501	7
Male	3,789	260	33	50	166	222	325	567	734	754	480	193	5
Female	2,989	198	26	34	75	122	168	385	498	581	592	308	2
Metropolitan counties	49,121	1,085	149	297	916	954	1,395	3,988	8,169	11,404	13,155	7,592	17
Male	26,032	609	80	163	693	645	902	2,442	5,061	6,712	6,042	2,673	10
Female	23,089	476	69	134	223	309	493	1,546	3,108	4,692	7,113	4,919	7
White	43,202	677	99	223	708	639	952	3,139	7,100	10,266	12,214	7,174	11
Male	22,717	374	53	118	548	439	607	1,939	4,428	6,070	5,622	2,514	5
Female	20,485	303	46	105	160	200	345	1,200	2,672	4,196	6,592	4,660	6
All other	5,919	408	50	74	208	315	443	849	1,069	1,138	941	418	6
Male	3,315	235	27	45	145	206	295	503	633	642	420	159	5
Female	2,604	173	23	29	63	109	148	346	436	496	521	259	1
Nonmetropolitan counties	16,710	260	48	83	291	246	409	1,220	2,660	4,333	4,578	2,578	4
Male	9,125	154	28	40	215	168	260	789	1,663	2,626	2,279	901	2
Female	7,585	106	20	43	76	78	149	431	997	1,707	2,299	1,677	2
White	15,851	210	39	73	258	217	359	1,117	2,497	4,136	4,447	2,495	3
Male	8,651	129	22	35	194	152	230	725	1,562	2,514	2,219	867	2
Female	7,200	81	17	38	64	65	129	392	935	1,622	2,228	1,628	1
All other	859	50	9	10	33	29	50	103	163	197	131	83	1
Male	474	25	6	5	21	16	30	64	101	112	60	34	–
Female	385	25	3	5	12	13	20	39	62	85	71	49	1
New Mexico	8,073	319	73	88	449	358	387	713	1,197	1,781	1,688	1,017	3
Male	4,842	194	39	54	348	261	273	456	769	1,106	891	450	1
Female	3,231	125	34	34	101	97	114	257	428	675	797	567	2
White	7,279	249	57	70	362	272	296	626	1,100	1,673	1,604	968	2
Male	4,332	154	32	44	283	200	209	395	701	1,042	846	425	1
Female	2,947	95	25	26	79	72	87	231	399	631	758	543	1
All other	794	70	16	18	87	86	91	87	97	108	84	49	1
Male	510	40	7	10	65	61	64	61	68	64	45	25	–
Female	284	30	9	8	22	25	27	26	29	44	39	24	1
Metropolitan counties	2,251	81	20	15	108	98	107	194	378	487	495	267	1
Male	1,267	45	11	9	85	66	75	110	244	289	235	98	–
Female	984	36	9	6	23	32	32	84	134	198	260	169	1
White	2,155	69	20	14	98	88	100	183	359	479	484	261	–
Male	1,213	37	11	9	78	61	73	103	231	284	231	95	–
Female	942	32	9	5	20	27	27	80	128	195	253	166	–
All other	96	12	–	1	10	10	7	11	19	8	11	6	1
Male	54	8	–	–	7	5	2	7	13	5	4	3	–
Female	42	4	–	1	3	5	5	4	6	3	7	3	1
Nonmetropolitan counties	5,822	238	53	73	341	260	280	519	819	1,294	1,193	750	2
Male	3,575	149	28	45	263	195	198	346	525	817	656	352	1
Female	2,247	89	25	28	78	65	82	173	294	477	537	398	1
White	5,124	180	37	56	264	184	196	443	741	1,194	1,120	707	2
Male	3,119	117	21	35	205	139	136	292	470	758	615	330	1
Female	2,005	63	16	21	59	45	60	151	271	436	505	377	1
All other	698	58	16	17	77	76	84	76	78	100	73	43	–
Male	456	32	7	10	58	56	62	54	55	59	41	22	–
Female	242	26	9	7	19	20	22	22	23	41	32	21	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New York	**168,739**	**3,466**	**571**	**897**	**3,175**	**3,716**	**5,071**	**12,629**	**25,723**	**39,454**	**46,179**	**27,783**	**75**
Male	89,031	1,991	331	559	2,323	2,584	3,147	7,829	15,739	22,691	21,841	9,949	47
Female	79,708	1,475	240	338	852	1,132	1,924	4,800	9,984	16,763	24,338	17,834	28
White	149,943	2,269	416	695	2,521	2,551	3,508	10,027	22,067	35,763	43,452	26,602	72
Male	78,550	1,312	245	422	1,875	1,780	2,161	6,272	13,657	20,736	20,514	9,530	46
Female	71,393	957	171	273	646	771	1,347	3,755	8,410	15,027	22,938	17,072	26
All other	18,796	1,197	155	202	654	1,165	1,563	2,602	3,656	3,691	2,727	1,181	3
Male	10,481	679	86	137	448	804	986	1,557	2,082	1,955	1,327	419	1
Female	8,315	518	69	65	206	361	577	1,045	1,574	1,736	1,400	762	2
Metropolitan counties	143,845	3,043	497	758	2,687	3,348	4,500	11,071	22,137	33,512	39,211	23,031	50
Male	75,630	1,728	283	457	1,959	2,329	2,791	6,834	13,481	19,098	18,365	8,273	32
Female	68,215	1,315	214	301	728	1,019	1,709	4,237	8,656	14,414	20,846	14,758	18
White	125,543	1,867	346	559	2,044	2,209	2,971	8,544	18,577	29,921	36,564	21,894	47
Male	65,446	1,065	200	322	1,519	1,547	1,829	5,319	11,458	17,199	17,084	7,873	31
Female	60,097	802	146	237	525	662	1,142	3,225	7,119	12,722	19,480	14,021	16
All other	18,302	1,176	151	199	643	1,139	1,529	2,527	3,560	3,591	2,647	1,137	3
Male	10,184	663	83	135	440	782	962	1,515	2,023	1,899	1,281	400	1
Female	8,118	513	68	64	203	357	567	1,012	1,537	1,692	1,366	737	2
Nonmetropolitan counties	24,894	423	74	139	488	368	571	1,558	3,586	5,942	6,968	4,752	25
Male	13,401	263	48	102	364	255	356	995	2,258	3,593	3,476	1,676	15
Female	11,493	160	26	37	124	113	215	563	1,328	2,349	3,492	3,076	10
White	24,400	402	70	136	477	342	537	1,483	3,490	5,842	6,888	4,708	25
Male	13,104	247	45	100	356	233	332	953	2,199	3,537	3,430	1,657	15
Female	11,296	155	25	36	121	109	205	530	1,291	2,305	3,458	3,051	10
All other	494	21	4	3	11	26	34	75	96	100	80	44	–
Male	297	16	3	2	8	22	24	42	59	56	46	19	–
Female	197	5	1	1	3	4	10	33	37	44	34	25	–
North Carolina	**46,623**	**1,335**	**241**	**381**	**1,314**	**1,309**	**1,890**	**4,332**	**8,434**	**11,194**	**10,591**	**5,595**	**7**
Male	26,782	780	135	240	983	945	1,266	2,864	5,621	6,852	5,100	1,992	4
Female	19,841	555	106	141	331	364	624	1,468	2,813	4,342	5,491	3,603	3
White	34,647	704	132	248	904	788	1,167	2,983	6,166	8,364	8,467	4,722	2
Male	19,863	414	75	157	684	568	816	2,037	4,209	5,227	4,038	1,637	1
Female	14,784	290	57	91	220	220	351	946	1,957	3,137	4,429	3,085	1
All other	11,976	631	109	133	410	521	723	1,349	2,268	2,830	2,124	873	5
Male	6,919	366	60	83	299	377	450	827	1,412	1,625	1,062	355	3
Female	5,057	265	49	50	111	144	273	522	856	1,205	1,062	518	2
Metropolitan counties	15,652	447	88	129	462	487	684	1,505	2,923	3,602	3,472	1,852	1
Male	8,844	255	51	74	340	337	458	987	1,907	2,181	1,637	617	–
Female	6,808	192	37	55	122	150	226	518	1,016	1,421	1,835	1,235	1
White	11,520	238	44	92	338	286	398	1,029	2,122	2,605	2,778	1,590	–
Male	6,511	135	23	52	260	199	279	700	1,427	1,615	1,312	509	–
Female	5,009	103	21	40	78	87	119	329	695	990	1,466	1,081	–
All other	4,132	209	44	37	124	201	286	476	801	997	694	262	1
Male	2,333	120	28	22	80	138	179	287	480	566	325	108	–
Female	1,799	89	16	15	44	63	107	189	321	431	369	154	1
Nonmetropolitan counties	30,971	888	153	252	852	822	1,206	2,827	5,511	7,592	7,119	3,743	6
Male	17,938	525	84	166	643	608	808	1,877	3,714	4,671	3,463	1,375	4
Female	13,033	363	69	86	209	214	398	950	1,797	2,921	3,656	2,368	2
White	23,127	466	88	156	566	502	769	1,954	4,044	5,759	5,689	3,132	2
Male	13,352	279	52	105	424	369	537	1,337	2,782	3,612	2,726	1,128	1
Female	9,775	187	36	51	142	133	232	617	1,262	2,147	2,963	2,004	1
All other	7,844	422	65	96	286	320	437	873	1,467	1,833	1,430	611	4
Male	4,586	246	32	61	219	239	271	540	932	1,059	737	247	3
Female	3,258	176	33	35	67	81	166	333	535	774	693	364	1
North Dakota	**5,201**	**156**	**28**	**38**	**152**	**73**	**126**	**271**	**645**	**1,210**	**1,407**	**1,095**	**–**
Male	3,031	94	19	25	109	55	80	184	447	801	761	456	–
Female	2,170	62	9	13	43	18	46	87	198	409	646	639	–
White	5,030	133	25	31	140	65	105	248	624	1,182	1,386	1,091	–
Male	2,926	82	16	22	102	48	67	167	431	790	746	455	–
Female	2,104	51	9	9	38	17	38	81	193	392	640	636	–
All other	171	23	3	7	12	8	21	23	21	28	21	4	–
Male	105	12	3	3	7	7	13	17	16	11	15	1	–
Female	66	11	–	4	5	1	8	6	5	17	6	3	–
Metropolitan counties	534	16	4	3	19	5	17	29	63	126	147	105	–
Male	303	9	2	–	13	3	11	18	48	91	74	34	–
Female	231	7	2	3	6	2	6	11	15	35	73	71	–
White	532	16	4	3	19	5	16	28	63	126	147	105	–
Male	302	9	2	–	13	3	11	17	48	91	74	34	–
Female	230	7	2	3	6	2	5	11	15	35	73	71	–
All other	2	–	–	–	–	–	1	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Nonmetropolitan counties	4,667	140	24	35	133	68	109	242	582	1,084	1,260	990	–
Male	2,728	85	17	25	96	52	69	166	399	710	687	422	–
Female	1,939	55	7	10	37	16	40	76	183	374	573	568	–
White	4,498	117	21	28	121	60	89	220	561	1,056	1,239	986	–
Male	2,624	73	14	22	89	45	56	150	383	699	672	421	–
Female	1,874	44	7	6	32	15	33	70	178	357	567	565	–
All other	169	23	3	7	12	8	20	22	21	28	21	4	–
Male	104	12	3	3	7	7	13	16	16	11	15	1	–
Female	65	11	–	4	5	1	7	6	5	17	6	3	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Ohio	**97,045**	**2,245**	**393**	**567**	**2,176**	**1,971**	**2,685**	**7,535**	**15,360**	**22,447**	**25,329**	**16,327**	**10**
Male	52,655	1,281	222	355	1,614	1,358	1,659	4,777	9,789	13,374	12,213	6,007	6
Female	44,390	964	171	212	562	613	1,026	2,758	5,571	9,073	13,116	10,320	4
White	87,552	1,778	318	485	1,862	1,601	2,133	6,367	13,631	20,250	23,571	15,549	7
Male	47,228	1,006	183	308	1,388	1,090	1,309	4,068	8,757	12,092	11,311	5,712	4
Female	40,324	772	135	177	474	511	824	2,299	4,874	8,158	12,260	9,837	3
All other	9,493	467	75	82	314	370	552	1,168	1,729	2,197	1,758	778	3
Male	5,427	275	39	47	226	268	350	709	1,032	1,282	902	295	2
Female	4,066	192	36	35	88	102	202	459	697	915	856	483	1
Metropolitan counties	73,163	1,684	283	399	1,661	1,555	2,154	5,961	11,929	16,994	18,758	11,778	7
Male	39,407	952	159	246	1,238	1,074	1,320	3,736	7,560	10,002	8,873	4,242	5
Female	33,756	732	124	153	423	481	834	2,225	4,369	6,992	9,885	7,536	2
White	64,072	1,232	212	321	1,355	1,200	1,613	4,834	10,259	14,888	17,096	11,058	4
Male	34,224	688	123	202	1,018	817	980	3,049	6,564	8,781	8,036	3,963	3
Female	29,848	544	89	119	337	383	633	1,785	3,695	6,107	9,060	7,095	1
All other	9,091	452	71	78	306	355	541	1,127	1,670	2,106	1,662	720	3
Male	5,183	264	36	44	220	257	340	687	996	1,221	837	279	2
Female	3,908	188	35	34	86	98	201	440	674	885	825	441	1
Nonmetropolitan counties	23,882	561	110	168	515	416	531	1,574	3,431	5,453	6,571	4,549	3
Male	13,248	329	63	109	376	284	339	1,041	2,229	3,372	3,340	1,765	1
Female	10,634	232	47	59	139	132	192	533	1,202	2,081	3,231	2,784	2
White	23,480	546	106	164	507	401	520	1,533	3,372	5,362	6,475	4,491	3
Male	13,004	318	60	106	370	273	329	1,019	2,193	3,311	3,275	1,749	1
Female	10,476	228	46	58	137	128	191	514	1,179	2,051	3,200	2,742	2
All other	402	15	4	4	8	15	11	41	59	91	96	58	–
Male	244	11	3	3	6	11	10	22	36	61	65	16	–
Female	158	4	1	1	2	4	1	19	23	30	31	42	–
Oklahoma	**26,791**	**621**	**122**	**190**	**716**	**642**	**771**	**1,799**	**3,823**	**6,220**	**7,108**	**4,757**	**22**
Male	14,990	356	69	114	522	454	511	1,197	2,518	3,868	3,586	1,781	14
Female	11,801	265	53	76	194	188	260	602	1,305	2,352	3,522	2,976	8
White	24,039	472	93	156	611	521	628	1,537	3,408	5,631	6,542	4,425	15
Male	13,422	269	53	94	450	378	413	1,026	2,263	3,548	3,297	1,621	10
Female	10,617	203	40	62	161	143	215	511	1,145	2,083	3,245	2,804	5
All other	2,752	149	29	34	105	121	143	262	415	589	566	332	7
Male	1,568	87	16	20	72	76	98	171	255	320	289	160	4
Female	1,184	62	13	14	33	45	45	91	160	269	277	172	3
Metropolitan counties	11,263	326	62	89	337	335	397	890	1,787	2,490	2,809	1,730	11
Male	6,217	186	36	51	239	229	263	580	1,173	1,484	1,356	611	9
Female	5,046	140	26	38	98	106	134	310	614	1,006	1,453	1,119	2
White	10,014	241	48	75	285	266	329	751	1,578	2,256	2,571	1,607	7
Male	5,509	139	29	44	204	188	220	489	1,035	1,361	1,239	555	6
Female	4,505	102	19	31	81	78	109	262	543	895	1,332	1,052	1
All other	1,249	85	14	14	52	69	68	139	209	234	238	123	4
Male	708	47	7	7	35	41	43	91	138	123	117	56	3
Female	541	38	7	7	17	28	25	48	71	111	121	67	1
Nonmetropolitan counties	15,528	295	60	101	379	307	374	909	2,036	3,730	4,299	3,027	11
Male	8,773	170	33	63	283	225	248	617	1,345	2,384	2,230	1,170	5
Female	6,755	125	27	38	96	82	126	292	691	1,346	2,069	1,857	6
White	14,025	231	45	81	326	255	299	786	1,830	3,375	3,971	2,818	8
Male	7,913	130	24	50	246	190	193	537	1,228	2,187	2,058	1,066	4
Female	6,112	101	21	31	80	65	106	249	602	1,188	1,913	1,752	4
All other	1,503	64	15	20	53	52	75	123	206	355	328	209	3
Male	860	40	9	13	37	35	55	80	117	197	172	104	1
Female	643	24	6	7	16	17	20	43	89	158	156	105	2
Oregon	**20,481**	**456**	**115**	**158**	**585**	**503**	**537**	**1,293**	**3,001**	**4,660**	**5,398**	**3,768**	**7**
Male	11,526	288	60	101	431	356	351	817	1,947	2,874	2,869	1,428	4
Female	8,955	168	55	57	154	147	186	476	1,054	1,786	2,529	2,340	3
White	20,032	426	114	150	559	476	511	1,236	2,919	4,581	5,330	3,725	5
Male	11,256	272	59	99	413	338	334	775	1,895	2,828	2,832	1,409	2
Female	8,776	154	55	51	146	138	177	461	1,024	1,753	2,498	2,316	3
All other	449	30	1	8	26	27	26	57	82	79	68	43	2
Male	270	16	1	2	18	18	17	42	52	46	37	19	2
Female	179	14	–	6	8	9	9	15	30	33	31	24	–
Metropolitan counties	12,086	258	61	100	319	316	326	796	1,713	2,636	3,227	2,327	7
Male	6,592	151	30	59	234	210	216	499	1,105	1,601	1,648	835	4
Female	5,494	107	31	41	85	106	110	297	608	1,035	1,579	1,492	3
White	11,747	234	60	93	305	294	308	753	1,654	2,567	3,178	2,296	5
Male	6,398	140	29	58	226	196	205	468	1,068	1,561	1,621	824	2
Female	5,349	94	31	35	79	98	103	285	586	1,006	1,557	1,472	3
All other	339	24	1	7	14	22	18	43	59	69	49	31	2
Male	194	11	1	1	8	14	11	31	37	40	27	11	2
Female	145	13	–	6	6	8	7	12	22	29	22	20	–
Nonmetropolitan counties	8,395	198	54	58	266	187	211	497	1,288	2,024	2,171	1,441	–
Male	4,934	137	30	42	197	146	135	318	842	1,273	1,221	593	–
Female	3,461	61	24	16	69	41	76	179	446	751	950	848	–
White	8,285	192	54	57	254	182	203	483	1,265	2,014	2,152	1,429	–
Male	4,858	132	30	41	187	142	129	307	827	1,267	1,211	585	–
Female	3,427	60	24	16	67	40	74	176	438	747	941	844	–
All other	110	6	–	1	12	5	8	14	23	10	19	12	–
Male	76	5	–	1	10	4	6	11	15	6	10	8	–
Female	34	1	–	–	2	1	2	3	8	4	9	4	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 — Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Pennsylvania	**119,233**	**2,157**	**332**	**584**	**2,135**	**1,986**	**2,952**	**8,867**	**19,487**	**29,780**	**32,060**	**18,852**	**41**
Male	64,318	1,245	184	349	1,568	1,426	1,853	5,612	12,182	17,543	15,367	6,967	22
Female	54,915	912	148	235	567	560	1,099	3,255	7,305	12,237	16,693	11,885	19
White	108,081	1,668	266	488	1,884	1,533	2,251	7,409	17,388	27,268	29,982	17,909	35
Male	58,002	975	153	285	1,389	1,101	1,427	4,721	10,945	16,105	14,314	6,568	19
Female	50,079	693	113	203	495	432	824	2,688	6,443	11,163	15,668	11,341	16
All other	11,152	489	66	96	251	453	701	1,458	2,099	2,512	2,078	943	6
Male	6,316	270	31	64	179	325	426	891	1,237	1,438	1,053	399	3
Female	4,836	219	35	32	72	128	275	567	862	1,074	1,025	544	3
Metropolitan counties	93,434	1,707	244	444	1,619	1,565	2,354	7,183	15,551	23,389	24,893	14,446	39
Male	50,072	1,002	131	272	1,174	1,127	1,462	4,519	9,661	13,688	11,787	5,228	21
Female	43,362	705	113	172	445	438	892	2,664	5,890	9,701	13,106	9,218	18
White	82,720	1,230	182	348	1,378	1,125	1,670	5,756	13,508	20,981	22,949	13,560	33
Male	43,999	742	103	208	1,005	809	1,048	3,642	8,453	12,313	10,808	4,850	18
Female	38,721	488	79	140	373	316	622	2,114	5,055	8,668	12,141	8,710	15
All other	10,714	477	62	96	241	440	684	1,427	2,043	2,408	1,944	886	6
Male	6,073	260	28	64	169	318	414	877	1,208	1,375	979	378	3
Female	4,641	217	34	32	72	122	270	550	835	1,033	965	508	3
Nonmetropolitan counties	25,799	450	88	140	516	421	598	1,684	3,936	6,391	7,167	4,406	2
Male	14,246	243	53	77	394	299	391	1,093	2,521	3,855	3,580	1,739	1
Female	11,553	207	35	63	122	122	207	591	1,415	2,536	3,587	2,667	1
White	25,361	438	84	140	506	408	581	1,653	3,880	6,287	7,033	4,349	2
Male	14,003	233	50	77	384	292	379	1,079	2,492	3,792	3,506	1,718	1
Female	11,358	205	34	63	122	116	202	574	1,388	2,495	3,527	2,631	1
All other	438	12	4	–	10	13	17	31	56	104	134	57	–
Male	243	10	3	–	10	7	12	14	29	63	74	21	–
Female	195	2	1	–	–	6	5	17	27	41	60	36	–
Rhode Island	**9,068**	**141**	**35**	**45**	**154**	**166**	**212**	**629**	**1,406**	**2,179**	**2,522**	**1,577**	**2**
Male	4,822	88	25	27	117	112	134	392	858	1,287	1,204	578	–
Female	4,246	53	10	18	37	54	78	237	548	892	1,318	999	2
White	8,836	120	30	40	148	154	190	594	1,373	2,141	2,483	1,561	2
Male	4,691	76	22	25	111	106	116	374	836	1,269	1,182	574	–
Female	4,145	44	8	15	37	48	74	220	537	872	1,301	987	2
All other	232	21	5	5	6	12	22	35	33	38	39	16	–
Male	131	12	3	2	6	6	18	18	22	18	22	4	–
Female	101	9	2	3	–	6	4	17	11	20	17	12	–
Metropolitan counties	7,733	114	22	35	127	135	179	556	1,192	1,879	2,156	1,337	1
Male	4,090	68	16	21	96	93	113	348	727	1,103	1,018	487	–
Female	3,643	46	6	14	31	42	66	208	465	776	1,138	850	1
White	7,541	96	18	30	125	126	158	525	1,165	1,847	2,126	1,324	1
Male	3,980	58	14	19	94	90	96	333	708	1,086	999	483	–
Female	3,561	38	4	11	31	36	62	192	457	761	1,127	841	1
All other	192	18	4	5	2	9	21	31	27	32	30	13	–
Male	110	10	2	2	2	3	17	15	19	17	19	4	–
Female	82	8	2	3	–	6	4	16	8	15	11	9	–
Nonmetropolitan counties	1,335	27	13	10	27	31	33	73	214	300	366	240	1
Male	732	20	9	6	21	19	21	44	131	184	186	91	–
Female	603	7	4	4	6	12	12	29	83	116	180	149	1
White	1,295	24	12	10	23	28	32	69	208	294	357	237	1
Male	711	18	8	6	17	16	20	41	128	183	183	91	–
Female	584	6	4	4	6	12	12	28	80	111	174	146	1
All other	40	3	1	–	4	3	1	4	6	6	9	3	–
Male	21	2	1	–	4	3	1	3	3	1	3	–	–
Female	19	1	–	–	–	–	–	1	3	5	6	3	–
South Carolina	**24,293**	**878**	**150**	**218**	**824**	**789**	**1,078**	**2,382**	**4,748**	**6,022**	**4,850**	**2,347**	**7**
Male	13,705	449	78	136	602	559	694	1,541	3,040	3,536	2,270	796	4
Female	10,588	429	72	82	222	230	384	841	1,708	2,486	2,580	1,551	3
White	16,116	388	79	121	535	413	602	1,477	2,986	3,978	3,624	1,912	1
Male	9,190	213	43	71	381	285	405	978	2,016	2,463	1,723	612	–
Female	6,926	175	36	50	154	128	197	499	970	1,515	1,901	1,300	1
All other	8,177	490	71	97	289	376	476	905	1,762	2,044	1,226	435	6
Male	4,515	236	35	65	221	274	289	563	1,024	1,073	547	184	4
Female	3,662	254	36	32	68	102	187	342	738	971	679	251	2
Metropolitan counties	8,376	309	42	73	310	290	392	886	1,609	2,035	1,625	804	1
Male	4,669	169	22	36	224	185	246	572	1,030	1,130	778	277	–
Female	3,707	140	20	37	86	105	146	314	579	905	847	527	1
White	5,957	169	25	51	220	174	244	586	1,069	1,438	1,287	693	1
Male	3,348	100	13	23	153	109	160	389	727	828	622	224	–
Female	2,609	69	12	28	67	65	84	197	342	610	665	469	1
All other	2,419	140	17	22	90	116	148	300	540	597	338	111	–
Male	1,321	69	9	13	71	76	86	183	303	302	156	53	–
Female	1,098	71	8	9	19	40	62	117	237	295	182	58	–
Nonmetropolitan counties	15,917	569	108	145	514	499	686	1,496	3,139	3,987	3,225	1,543	6
Male	9,036	280	56	100	378	374	448	969	2,010	2,406	1,492	519	4
Female	6,881	289	52	45	136	125	238	527	1,129	1,581	1,733	1,024	2
White	10,159	219	54	70	315	239	358	891	1,917	2,540	2,337	1,219	–
Male	5,842	113	30	48	228	176	245	589	1,289	1,635	1,101	388	–
Female	4,317	106	24	22	87	63	113	302	628	905	1,236	831	–
All other	5,758	350	54	75	199	260	328	605	1,222	1,447	888	324	6
Male	3,194	167	26	52	150	198	203	380	721	771	391	131	4
Female	2,564	183	28	23	49	62	125	225	501	676	497	193	2

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
South Dakota	**6,295**	**197**	**39**	**62**	**176**	**127**	**149**	**349**	**760**	**1,329**	**1,759**	**1,348**	–
Male	3,623	114	22	41	138	86	100	252	523	853	935	559	–
Female	2,672	83	17	21	38	41	49	97	237	476	824	789	–
White	5,884	155	32	48	138	89	110	307	703	1,273	1,712	1,317	–
Male	3,372	89	18	34	108	63	74	227	491	817	905	546	–
Female	2,512	66	14	14	30	26	36	80	212	456	807	771	–
All other	411	42	7	14	38	38	39	42	57	56	47	31	–
Male	251	25	4	7	30	23	26	25	32	36	30	13	–
Female	160	17	3	7	8	15	13	17	25	20	17	18	–
Metropolitan counties	803	30	5	6	26	11	24	46	90	163	239	163	–
Male	458	16	3	5	19	8	13	34	63	105	133	59	–
Female	345	14	2	1	7	3	11	12	27	58	106	104	–
White	797	28	5	5	26	11	23	46	90	163	237	163	–
Male	456	15	3	5	19	8	13	34	63	105	132	59	–
Female	341	13	2	–	7	3	10	12	27	58	105	104	–
All other	6	2	–	1	–	–	1	–	–	–	2	–	–
Male	2	1	–	–	–	–	–	–	–	–	1	–	–
Female	4	1	–	1	–	–	1	–	–	–	1	–	–
Nonmetropolitan counties	5,492	167	34	56	150	116	125	303	670	1,166	1,520	1,185	–
Male	3,165	98	19	36	119	78	87	218	460	748	802	500	–
Female	2,327	69	15	20	31	38	38	85	210	418	718	685	–
White	5,087	127	27	43	112	78	87	261	613	1,110	1,475	1,154	–
Male	2,916	74	15	29	89	55	61	193	428	712	773	487	–
Female	2,171	53	12	14	23	23	26	68	185	398	702	667	–
All other	405	40	7	13	38	38	38	42	57	56	45	31	–
Male	249	24	4	7	30	23	26	25	32	36	29	13	–
Female	156	16	3	6	8	15	12	17	25	20	16	18	–
Tennessee	**39,145**	**1,026**	**167**	**277**	**1,030**	**991**	**1,314**	**3,147**	**6,044**	**9,574**	**9,727**	**5,844**	**4**
Male	22,075	606	93	188	769	688	860	2,037	3,991	5,850	4,762	2,228	3
Female	17,070	420	74	89	261	303	454	1,110	2,053	3,724	4,965	3,616	1
White	32,171	697	114	221	821	747	1,012	2,487	4,855	7,804	8,268	5,144	1
Male	18,245	413	68	148	622	528	664	1,639	3,303	4,877	4,060	1,922	1
Female	13,926	284	46	73	199	219	348	848	1,552	2,927	4,208	3,222	–
All other	6,974	329	53	56	209	244	302	660	1,189	1,770	1,459	700	3
Male	3,830	193	25	40	147	160	196	398	688	973	702	306	2
Female	3,144	136	28	16	62	84	106	262	501	797	757	394	1
Metropolitan counties	17,758	498	86	126	495	501	612	1,551	2,805	4,374	4,178	2,531	1
Male	9,729	294	46	83	356	340	392	966	1,788	2,562	1,995	906	1
Female	8,029	204	40	43	139	161	220	585	1,017	1,812	2,183	1,625	–
White	12,826	268	45	88	337	309	390	1,085	1,936	3,083	3,192	2,093	–
Male	7,041	157	27	57	246	213	251	687	1,288	1,871	1,526	718	–
Female	5,785	111	18	31	91	96	139	398	648	1,212	1,666	1,375	–
All other	4,932	230	41	38	158	192	222	466	869	1,291	986	438	1
Male	2,688	137	19	26	110	127	141	279	500	691	469	188	1
Female	2,244	93	22	12	48	65	81	187	369	600	517	250	–
Nonmetropolitan counties	21,387	528	81	151	535	490	702	1,596	3,239	5,200	5,549	3,313	3
Male	12,346	312	47	105	413	348	468	1,071	2,203	3,288	2,767	1,322	2
Female	9,041	216	34	46	122	142	234	525	1,036	1,912	2,782	1,991	1
White	19,345	429	69	133	484	438	622	1,402	2,919	4,721	5,076	3,051	1
Male	11,204	256	41	91	376	315	413	952	2,015	3,006	2,534	1,204	1
Female	8,141	173	28	42	108	123	209	450	904	1,715	2,542	1,847	–
All other	2,042	99	12	18	51	52	80	194	320	479	473	262	2
Male	1,142	56	6	14	37	33	55	119	188	282	233	118	1
Female	900	43	6	4	14	19	25	75	132	197	240	144	1
Texas	**100,185**	**3,369**	**615**	**858**	**3,295**	**3,015**	**3,668**	**8,299**	**14,949**	**23,169**	**24,477**	**14,438**	**33**
Male	56,565	1,958	361	574	2,519	2,193	2,356	5,367	9,716	14,129	12,175	5,186	31
Female	43,620	1,411	254	284	776	822	1,312	2,932	5,233	9,040	12,302	9,252	2
White	86,477	2,590	491	692	2,786	2,366	2,865	6,782	12,707	20,005	21,852	13,311	30
Male	48,752	1,544	289	456	2,158	1,749	1,830	4,426	8,380	12,351	10,819	4,721	29
Female	37,725	1,046	202	236	628	617	1,035	2,356	4,327	7,654	11,033	8,590	1
All other	13,708	779	124	166	509	649	803	1,517	2,242	3,164	2,625	1,127	3
Male	7,813	414	72	118	361	444	526	941	1,336	1,778	1,356	465	2
Female	5,895	365	52	48	148	205	277	576	906	1,386	1,269	662	1
Metropolitan counties	66,358	2,471	461	627	2,423	2,359	2,825	6,223	10,547	14,848	15,007	8,546	21
Male	37,325	1,457	279	419	1,835	1,703	1,799	3,982	6,821	8,893	7,189	2,928	20
Female	29,033	1,014	182	208	588	656	1,026	2,241	3,726	5,955	7,818	5,618	1
White	56,485	1,865	373	489	2,018	1,820	2,180	5,007	8,824	12,696	13,327	7,867	19
Male	31,653	1,135	225	320	1,548	1,339	1,377	3,226	5,776	7,679	6,347	2,663	18
Female	24,832	730	148	169	470	481	803	1,781	3,048	5,017	6,980	5,204	1
All other	9,873	606	88	138	405	539	645	1,216	1,723	2,152	1,680	679	2
Male	5,672	322	54	99	287	364	422	756	1,045	1,214	842	265	2
Female	4,201	284	34	39	118	175	223	460	678	938	838	414	–
Nonmetropolitan counties	33,827	898	154	231	872	656	843	2,076	4,402	8,321	9,470	5,892	12
Male	19,240	501	82	155	684	490	557	1,385	2,895	5,236	4,986	2,258	11
Female	14,587	397	72	76	188	166	286	691	1,507	3,085	4,484	3,634	1
White	29,992	725	118	203	768	546	685	1,775	3,883	7,309	8,525	5,444	11
Male	17,099	409	64	136	610	410	453	1,200	2,604	4,672	4,472	2,058	11
Female	12,893	316	54	67	158	136	232	575	1,279	2,637	4,053	3,386	–
All other	3,835	173	36	28	104	110	158	301	519	1,012	945	448	1
Male	2,141	92	18	19	74	80	104	185	291	564	514	200	–
Female	1,694	81	18	9	30	30	54	116	228	448	431	248	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Utah	**7,617**	**382**	**81**	**80**	**274**	**239**	**221**	**503**	**1,074**	**1,624**	**1,879**	**1,260**	–
Male	4,321	229	44	53	216	172	153	322	684	1,004	953	491	–
Female	3,296	153	37	27	58	67	68	181	390	620	926	769	–
White	7,433	364	76	77	255	221	205	482	1,057	1,600	1,858	1,238	–
Male	4,207	223	41	50	202	156	143	311	674	991	938	478	–
Female	3,226	141	35	27	53	65	62	171	383	609	920	760	–
All other	184	18	5	3	19	18	16	21	17	24	21	22	–
Male	114	6	3	3	14	16	10	11	10	13	15	13	–
Female	70	12	2	–	5	2	6	10	7	11	6	9	–
Metropolitan counties	5,588	269	61	52	191	176	162	385	823	1,185	1,375	909	–
Male	3,119	157	32	39	145	127	111	243	520	728	679	338	–
Female	2,469	112	29	13	46	49	51	142	303	457	696	571	–
White	5,492	261	59	52	185	170	155	373	811	1,168	1,363	895	–
Male	3,061	155	31	39	141	121	107	237	513	718	669	330	–
Female	2,431	106	28	13	44	49	48	136	298	450	694	565	–
All other	96	8	2	–	6	6	7	12	12	17	12	14	–
Male	58	2	1	–	4	6	4	6	7	10	10	8	–
Female	38	6	1	–	2	–	3	6	5	7	2	6	–
Nonmetropolitan counties	2,029	113	20	28	83	63	59	118	251	439	504	351	–
Male	1,202	72	12	14	71	45	42	79	164	276	274	153	–
Female	827	41	8	14	12	18	17	39	87	163	230	198	–
White	1,941	103	17	25	70	51	50	109	246	432	495	343	–
Male	1,146	68	10	11	61	35	36	74	161	273	269	148	–
Female	795	35	7	14	9	16	14	35	85	159	226	195	–
All other	88	10	3	3	13	12	9	9	5	7	9	8	–
Male	56	4	2	3	10	10	6	5	3	3	5	5	–
Female	32	6	1	–	3	2	3	4	2	4	4	3	–
Vermont	**4,210**	**70**	**13**	**23**	**107**	**78**	**92**	**233**	**571**	**999**	**1,198**	**825**	**1**
Male	2,301	48	9	16	74	57	57	144	366	647	589	293	1
Female	1,909	22	4	7	33	21	35	89	205	352	609	532	–
White	4,198	70	13	23	107	75	91	230	569	997	1,197	825	1
Male	2,293	48	9	16	74	55	56	141	365	646	589	293	1
Female	1,905	22	4	7	33	20	35	89	204	351	608	532	–
All other	12	–	–	–	–	3	1	3	2	2	1	–	–
Male	8	–	–	–	–	2	1	3	1	1	–	–	–
Female	4	–	–	–	–	1	–	–	1	1	1	–	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	4,210	70	13	23	107	78	92	233	571	999	1,198	825	1
Male	2,301	48	9	16	74	57	57	144	366	647	589	293	1
Female	1,909	22	4	7	33	21	35	89	205	352	609	532	–
White	4,198	70	13	23	107	75	91	230	569	997	1,197	825	1
Male	2,293	48	9	16	74	55	56	141	365	646	589	293	1
Female	1,905	22	4	7	33	20	35	89	204	351	608	532	–
All other	12	–	–	–	–	3	1	3	2	2	1	–	–
Male	8	–	–	–	–	2	1	3	1	1	–	–	–
Female	4	–	–	–	–	1	–	–	1	1	1	–	–
Virginia	**39,939**	**1,181**	**163**	**295**	**1,128**	**999**	**1,472**	**3,625**	**7,012**	**9,426**	**9,257**	**5,373**	**8**
Male	22,528	680	87	182	832	725	962	2,341	4,612	5,676	4,576	1,848	7
Female	17,411	501	76	113	296	274	510	1,284	2,400	3,750	4,681	3,525	1
White	30,807	734	105	204	837	691	996	2,653	5,230	7,292	7,495	4,566	4
Male	17,306	431	63	124	617	498	665	1,721	3,471	4,483	3,704	1,525	4
Female	13,501	303	42	80	220	193	331	932	1,759	2,809	3,791	3,041	–
All other	9,132	447	58	91	291	308	476	972	1,782	2,134	1,762	807	4
Male	5,222	249	24	58	215	227	297	620	1,141	1,193	872	323	3
Female	3,910	198	34	33	76	81	179	352	641	941	890	484	1
Metropolitan counties	20,963	707	95	177	609	583	822	2,113	3,835	4,751	4,651	2,615	5
Male	11,573	405	53	107	440	414	526	1,340	2,477	2,802	2,186	819	4
Female	9,390	302	42	70	169	169	296	773	1,358	1,949	2,465	1,796	1
White	15,698	421	58	113	454	397	503	1,495	2,758	3,553	3,704	2,239	3
Male	8,630	243	35	69	329	277	333	962	1,805	2,154	1,740	680	3
Female	7,068	178	23	44	125	120	170	533	953	1,399	1,964	1,559	–
All other	5,265	286	37	64	155	186	319	618	1,077	1,198	947	376	2
Male	2,943	162	18	38	111	137	193	378	672	648	446	139	1
Female	2,322	124	19	26	44	49	126	240	405	550	501	237	1
Nonmetropolitan counties	18,976	474	68	118	519	416	650	1,512	3,177	4,675	4,606	2,758	3
Male	10,955	275	34	75	392	311	436	1,001	2,135	2,874	2,390	1,029	3
Female	8,021	199	34	43	127	105	214	511	1,042	1,801	2,216	1,729	–
White	15,109	313	47	91	383	294	493	1,158	2,472	3,739	3,791	2,327	1
Male	8,676	188	28	55	288	221	332	759	1,666	2,329	1,964	845	1
Female	6,433	125	19	36	95	73	161	399	806	1,410	1,827	1,482	–
All other	3,867	161	21	27	136	122	157	354	705	936	815	431	2
Male	2,279	87	6	20	104	90	104	242	469	545	426	184	2
Female	1,588	74	15	7	32	32	53	112	236	391	389	247	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Washington	**29,831**	**692**	**129**	**218**	**851**	**764**	**792**	**2,120**	**4,541**	**6,666**	**7,544**	**5,511**	**3**
Male	16,656	400	76	140	649	518	502	1,327	2,914	4,151	3,843	2,134	2
Female	13,175	292	53	78	202	246	290	793	1,627	2,515	3,701	3,377	1
White	28,667	613	117	202	787	686	701	1,947	4,323	6,489	7,385	5,414	3
Male	15,930	354	69	126	606	463	446	1,216	2,771	4,036	3,753	2,088	2
Female	12,737	259	48	76	181	223	255	731	1,552	2,453	3,632	3,326	1
All other	1,164	79	12	16	64	78	91	173	218	177	159	97	–
Male	726	46	7	14	43	55	56	111	143	115	90	46	–
Female	438	33	5	2	21	23	35	62	75	62	69	51	–
Metropolitan counties	18,538	420	74	117	480	481	498	1,378	2,863	4,132	4,604	3,490	1
Male	10,088	246	42	71	344	320	311	862	1,822	2,535	2,215	1,319	1
Female	8,450	174	32	46	136	161	187	516	1,041	1,597	2,389	2,171	–
White	17,681	361	66	109	450	421	436	1,247	2,692	3,998	4,487	3,413	1
Male	9,552	213	37	64	326	278	272	777	1,710	2,442	2,152	1,280	1
Female	8,129	148	29	45	124	143	164	470	982	1,556	2,335	2,133	–
All other	857	59	8	8	30	60	62	131	171	134	117	77	–
Male	536	33	5	7	18	42	39	85	112	93	63	39	–
Female	321	26	3	1	12	18	23	46	59	41	54	38	–
Nonmetropolitan counties	11,293	272	55	101	371	283	294	742	1,678	2,534	2,940	2,021	2
Male	6,568	154	34	69	305	198	191	465	1,092	1,616	1,628	815	1
Female	4,725	118	21	32	66	85	103	277	586	918	1,312	1,206	1
White	10,986	252	51	93	337	265	265	700	1,631	2,491	2,898	2,001	2
Male	6,378	141	32	62	280	185	174	439	1,061	1,594	1,601	808	1
Female	4,608	111	19	31	57	80	91	261	570	897	1,297	1,193	1
All other	307	20	4	8	34	18	29	42	47	43	42	20	–
Male	190	13	2	7	25	13	17	26	31	22	27	7	–
Female	117	7	2	1	9	5	12	16	16	21	15	13	–
West Virginia	**19,330**	**439**	**73**	**101**	**439**	**403**	**551**	**1,511**	**3,201**	**4,717**	**4,913**	**2,978**	**4**
Male	11,015	258	41	59	339	289	357	950	2,081	2,941	2,471	1,227	2
Female	8,315	181	32	42	100	114	194	561	1,120	1,776	2,442	1,751	2
White	18,360	413	67	92	419	374	525	1,435	3,038	4,460	4,677	2,857	3
Male	10,466	243	38	53	321	269	342	901	1,986	2,793	2,344	1,174	2
Female	7,894	170	29	39	98	105	183	534	1,052	1,667	2,333	1,683	1
All other	970	26	6	9	20	29	26	76	163	257	236	121	1
Male	549	15	3	6	18	20	15	49	95	148	127	53	–
Female	421	11	3	3	2	9	11	27	68	109	109	68	1
Metropolitan counties	5,655	109	17	18	108	114	151	438	955	1,341	1,489	912	3
Male	3,113	62	9	10	85	80	96	266	599	851	717	336	2
Female	2,542	47	8	8	23	34	55	172	356	490	772	576	1
White	5,348	101	14	16	99	98	142	408	901	1,275	1,424	868	2
Male	2,959	57	7	8	77	69	94	250	568	817	687	323	2
Female	2,389	44	7	8	22	29	48	158	333	458	737	545	–
All other	307	8	3	2	9	16	9	30	54	66	65	44	1
Male	154	5	2	2	8	11	2	16	31	34	30	13	–
Female	153	3	1	–	1	5	7	14	23	32	35	31	1
Nonmetropolitan counties	13,675	330	56	83	331	289	400	1,073	2,246	3,376	3,424	2,066	1
Male	7,902	196	32	49	254	209	261	684	1,482	2,090	1,754	891	–
Female	5,773	134	24	34	77	80	139	389	764	1,286	1,670	1,175	1
White	13,012	312	53	76	320	276	383	1,027	2,137	3,185	3,253	1,989	1
Male	7,507	186	31	45	244	200	248	651	1,418	1,976	1,657	851	–
Female	5,505	126	22	31	76	76	135	376	719	1,209	1,596	1,138	1
All other	663	18	3	7	11	13	17	46	109	191	171	77	–
Male	395	10	1	4	10	9	13	33	64	114	97	40	–
Female	268	8	2	3	1	4	4	13	45	77	74	37	–
Wisconsin	**39,347**	**777**	**175**	**234**	**866**	**688**	**831**	**2,341**	**5,389**	**9,094**	**11,322**	**7,626**	**4**
Male	21,606	452	99	166	648	442	522	1,450	3,456	5,610	5,805	2,955	1
Female	17,741	325	76	68	218	246	309	891	1,933	3,484	5,517	4,671	3
White	38,334	687	159	212	810	618	771	2,205	5,240	8,897	11,183	7,550	2
Male	21,009	400	93	150	620	398	482	1,363	3,364	5,491	5,728	2,919	1
Female	17,325	287	66	62	190	220	289	842	1,876	3,406	5,455	4,631	1
All other	1,013	90	16	22	56	70	60	136	149	197	139	76	2
Male	597	52	6	16	28	44	40	87	92	119	77	36	–
Female	416	38	10	6	28	26	20	49	57	78	62	40	2
Metropolitan counties	20,119	413	89	111	434	409	474	1,381	2,940	4,610	5,606	3,649	3
Male	10,835	236	51	73	315	244	303	851	1,850	2,784	2,773	1,354	1
Female	9,284	177	38	38	119	165	171	530	1,090	1,826	2,833	2,295	2
White	19,264	333	74	93	385	351	420	1,257	2,813	4,444	5,502	3,590	2
Male	10,338	188	46	61	291	209	266	772	1,774	2,686	2,714	1,330	1
Female	8,926	145	28	32	94	142	154	485	1,039	1,758	2,788	2,260	1
All other	855	80	15	18	49	58	54	124	127	166	104	59	1
Male	497	48	5	12	24	35	37	79	76	98	59	24	–
Female	358	32	10	6	25	23	17	45	51	68	45	35	1
Nonmetropolitan counties	19,228	364	86	123	432	279	357	960	2,449	4,484	5,716	3,977	1
Male	10,771	216	48	93	333	198	219	599	1,606	2,826	3,032	1,601	–
Female	8,457	148	38	30	99	81	138	361	843	1,658	2,684	2,376	1
White	19,070	354	85	119	425	267	351	948	2,427	4,453	5,681	3,960	–
Male	10,671	212	47	89	329	189	216	591	1,590	2,805	3,014	1,589	–
Female	8,399	142	38	30	96	78	135	357	837	1,648	2,667	2,371	–
All other	158	10	1	4	7	12	6	12	22	31	35	17	1
Male	100	4	1	4	4	9	3	8	16	21	18	12	–
Female	58	6	–	–	3	3	3	4	6	10	17	5	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1977 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wyoming	**3,048**	**115**	**23**	**33**	**132**	**118**	**127**	**252**	**423**	**622**	**716**	**486**	**1**
Male	1,838	63	15	24	101	88	81	168	291	395	389	222	1
Female	1,210	52	8	9	31	30	46	84	132	227	327	264	–
White	2,962	110	22	33	118	114	117	239	407	614	706	481	1
Male	1,779	60	14	24	92	86	72	159	280	391	381	219	1
Female	1,183	50	8	9	26	28	45	80	127	223	325	262	–
All other	86	5	1	–	14	4	10	13	16	8	10	5	–
Male	59	3	1	–	9	2	9	9	11	4	8	3	–
Female	27	2	–	–	5	2	1	4	5	4	2	2	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	3,048	115	23	33	132	118	127	252	423	622	716	486	1
Male	1,838	63	15	24	101	88	81	168	291	395	389	222	1
Female	1,210	52	8	9	31	30	46	84	132	227	327	264	–
White	2,962	110	22	33	118	114	117	239	407	614	706	481	1
Male	1,779	60	14	24	92	86	72	159	280	391	381	219	1
Female	1,183	50	8	9	26	28	45	80	127	223	325	262	–
All other	86	5	1	–	14	4	10	13	16	8	10	5	–
Male	59	3	1	–	9	2	9	9	11	4	8	3	–
Female	27	2	–	–	5	2	1	4	5	4	2	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Total, 229 areas	**1,232,880**	**30,925**	**5,246**	**7,839**	**30,801**	**30,982**	**39,638**	**100,358**	**195,813**	**285,192**	**314,192**	**191,543**	**351**
Male	667,631	17,637	2,970	4,848	22,612	21,548	24,936	62,979	123,179	168,103	150,222	68,364	233
Female	565,249	13,288	2,276	2,991	8,189	9,434	14,702	37,379	72,634	117,089	163,970	123,179	118
White	1,065,888	21,029	3,780	6,084	24,725	22,527	28,636	79,424	165,069	248,870	286,497	178,993	254
Male	573,163	12,138	2,158	3,740	18,354	15,714	18,019	50,238	104,769	147,878	136,673	63,309	173
Female	492,725	8,891	1,622	2,344	6,371	6,813	10,617	29,186	60,300	100,992	149,824	115,684	81
All other	166,992	9,896	1,466	1,755	6,076	8,455	11,002	20,934	30,744	36,322	27,695	12,550	97
Male	94,468	5,499	812	1,108	4,258	5,834	6,917	12,741	18,410	20,225	13,549	5,055	60
Female	72,524	4,397	654	647	1,818	2,621	4,085	8,193	12,334	16,097	14,146	7,495	37
Abilene, Tex	1,074	35	6	2	33	34	28	71	129	276	284	176	–
Male	617	20	3	2	25	21	16	45	79	179	155	72	–
Female	457	15	3	–	8	13	12	26	50	97	129	104	–
White	1,017	31	4	2	32	29	27	61	119	267	273	172	–
Male	582	18	3	2	25	18	15	38	72	175	146	70	–
Female	435	13	1	–	7	11	12	23	47	92	127	102	–
All other	57	4	2	–	1	5	1	10	10	9	11	4	–
Male	35	2	–	–	–	3	1	7	7	4	9	2	–
Female	22	2	2	–	1	2	–	3	3	5	2	2	–
Akron, Ohio	5,612	120	18	17	123	98	159	467	882	1,292	1,511	923	2
Male	3,000	64	15	9	92	66	95	270	572	747	708	360	2
Female	2,612	56	3	8	31	32	64	197	310	545	803	563	–
White	5,138	96	17	14	104	87	132	414	780	1,184	1,420	889	1
Male	2,740	48	14	7	80	56	78	242	514	685	673	342	1
Female	2,398	48	3	7	24	31	54	172	266	499	747	547	–
All other	474	24	1	3	19	11	27	53	102	108	91	34	1
Male	260	16	1	2	12	10	17	28	58	62	35	18	1
Female	214	8	–	1	7	1	10	25	44	46	56	16	–
Albany, Ga	653	21	6	8	32	21	32	70	106	163	127	67	–
Male	355	12	5	5	22	13	26	39	67	92	56	18	–
Female	298	9	1	3	10	8	6	31	39	71	71	49	–
White	362	4	5	3	19	8	18	34	63	86	78	44	–
Male	196	2	5	1	12	4	14	21	41	53	34	9	–
Female	166	2	–	2	7	4	4	13	22	33	44	35	–
All other	291	17	1	5	13	13	14	36	43	77	49	23	–
Male	159	10	–	4	10	9	12	18	26	39	22	9	–
Female	132	7	1	1	3	4	2	18	17	38	27	14	–
Albany–Schenectady–Troy, N.Y	6,978	141	25	39	126	111	153	427	1,075	1,698	1,956	1,226	1
Male	3,653	70	16	22	97	62	97	265	667	1,048	897	411	1
Female	3,325	71	9	17	29	49	56	162	408	650	1,059	815	–
White	6,781	122	23	37	121	99	140	398	1,036	1,663	1,927	1,214	1
Male	3,546	63	14	20	94	59	87	250	646	1,027	880	405	1
Female	3,235	59	9	17	27	40	53	148	390	636	1,047	809	–
All other	197	19	2	2	5	12	13	29	39	35	29	12	–
Male	107	7	2	2	3	3	10	15	21	21	17	6	–
Female	90	12	–	–	2	9	3	14	18	14	12	6	–
Albuquerque, N. Mex	2,251	81	20	15	108	98	107	194	378	487	495	267	1
Male	1,267	45	11	9	85	66	75	110	244	289	235	98	–
Female	984	36	9	6	23	32	32	84	134	198	260	169	1
White	2,155	69	20	14	98	88	100	183	359	479	484	261	–
Male	1,213	37	11	9	78	61	73	103	231	284	231	95	–
Female	942	32	9	5	20	27	27	80	128	195	253	166	–
All other	96	12	–	1	10	10	7	11	19	8	11	6	1
Male	54	8	–	–	7	5	2	7	13	5	4	3	–
Female	42	4	–	1	3	5	5	4	6	3	7	3	1
Allentown–Bethlehem–Easton, Pa.–N.J	5,236	95	12	27	110	73	116	349	843	1,289	1,457	862	3
Male	2,844	58	5	16	86	53	84	223	555	741	700	320	3
Female	2,392	37	7	11	24	20	32	126	288	548	757	542	–
White	5,154	90	12	27	106	67	115	339	834	1,268	1,442	853	1
Male	2,790	54	5	16	83	48	84	217	549	728	690	315	1
Female	2,364	36	7	11	23	19	31	122	285	540	752	538	–
All other	82	5	–	–	4	6	1	10	9	21	15	9	2
Male	54	4	–	–	3	5	–	6	6	13	10	5	2
Female	28	1	–	–	1	1	1	4	3	8	5	4	–
Altoona, Pa	1,601	36	6	8	27	27	31	96	253	393	450	274	–
Male	876	25	4	5	20	19	22	59	173	242	207	100	–
Female	725	11	2	3	7	8	9	37	80	151	243	174	–
White	1,577	36	6	8	27	27	28	95	246	387	446	271	–
Male	865	25	4	5	20	19	20	58	169	238	207	100	–
Female	712	11	2	3	7	8	8	37	77	149	239	171	–
All other	24	–	–	–	–	–	3	1	7	6	4	3	–
Male	11	–	–	–	–	–	2	1	4	4	–	–	–
Female	13	–	–	–	–	–	1	–	3	2	4	3	–
Amarillo, Tex	1,273	39	8	8	45	35	52	105	209	284	310	178	–
Male	702	18	4	7	34	27	30	67	138	176	147	54	–
Female	571	21	4	1	11	8	22	38	71	108	163	124	–
White	1,195	35	7	6	43	29	45	97	193	269	296	175	–
Male	656	14	3	6	33	23	27	61	128	169	140	52	–
Female	539	21	4	–	10	6	18	36	65	100	156	123	–
All other	78	4	1	2	2	6	7	8	16	15	14	3	–
Male	46	4	1	1	1	4	3	6	10	7	7	2	–
Female	32	–	–	1	1	2	4	2	6	8	7	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Anaheim–Santa Ana–Garden Grove, Calif	10,699	297	63	89	383	300	373	933	1,604	2,128	2,748	1,781	–
Male	5,738	163	41	50	280	212	239	563	969	1,265	1,310	646	–
Female	4,961	134	22	39	103	88	134	370	635	863	1,438	1,135	–
White	10,539	285	57	85	372	285	359	907	1,582	2,106	2,735	1,766	–
Male	5,631	155	37	48	269	200	229	542	957	1,251	1,306	637	–
Female	4,908	130	20	37	103	85	130	365	625	855	1,429	1,129	–
All other	160	12	6	4	11	15	14	26	22	22	13	15	–
Male	107	8	4	2	11	12	10	21	12	14	4	9	–
Female	53	4	2	2	–	3	4	5	10	8	9	6	–
Anderson, Ind	1,163	26	5	8	28	40	25	82	167	285	313	184	–
Male	632	13	2	4	22	28	17	51	108	172	148	67	–
Female	531	13	3	4	6	12	8	31	59	113	165	117	–
White	1,112	24	5	7	26	33	23	75	158	278	305	178	–
Male	605	13	2	3	22	23	16	45	104	169	143	65	–
Female	507	11	3	4	4	10	7	30	54	109	162	113	–
All other	51	2	–	1	2	7	2	7	9	7	8	6	–
Male	27	–	–	1	–	5	1	6	4	3	5	2	–
Female	24	2	–	–	2	2	1	1	5	4	3	4	–
Ann Arbor, Mich	1,220	38	9	11	38	47	43	107	185	233	304	205	–
Male	673	24	4	7	23	35	28	74	124	142	144	68	–
Female	547	14	5	4	15	12	15	33	61	91	160	137	–
White	1,091	23	6	8	35	38	36	92	158	212	289	194	–
Male	596	16	3	4	20	28	22	65	105	132	139	62	–
Female	495	7	3	4	15	10	14	27	53	80	150	132	–
All other	129	15	3	3	3	9	7	15	27	21	15	11	–
Male	77	8	1	3	3	7	6	9	19	10	5	6	–
Female	52	7	2	–	–	2	1	6	8	11	10	5	–
Appleton–Oshkosh, Wis	2,209	48	14	8	63	44	51	134	305	464	632	446	–
Male	1,150	24	6	5	48	24	28	86	176	286	307	160	–
Female	1,059	24	8	3	15	20	23	48	129	178	325	286	–
White	2,196	47	14	8	59	44	51	132	303	462	630	446	–
Male	1,145	24	6	5	47	24	28	84	176	285	306	160	–
Female	1,051	23	8	3	12	20	23	48	127	177	324	286	–
All other	13	1	–	–	4	–	–	2	2	2	2	–	–
Male	5	–	–	–	1	–	–	2	–	1	1	–	–
Female	8	1	–	–	3	–	–	–	2	1	1	–	–
Asheville, N.C	1,540	28	5	11	33	35	58	119	277	331	405	238	–
Male	850	18	3	9	22	25	39	79	184	204	172	95	–
Female	690	10	2	2	11	10	19	40	93	127	233	143	–
White	1,343	21	5	11	28	28	49	92	242	288	352	227	–
Male	741	13	3	9	19	19	34	65	161	177	154	87	–
Female	602	8	2	2	9	9	15	27	81	111	198	140	–
All other	197	7	–	–	5	7	9	27	35	43	53	11	–
Male	109	5	–	–	3	6	5	14	23	27	18	8	–
Female	88	2	–	–	2	1	4	13	12	16	35	3	–
Atlanta, Ga	10,917	322	67	92	339	393	563	1,225	1,934	2,389	2,270	1,323	–
Male	5,824	189	44	55	237	269	343	772	1,236	1,337	957	385	–
Female	5,093	133	23	37	102	124	220	453	698	1,052	1,313	938	–
White	7,648	165	33	62	251	221	297	754	1,312	1,644	1,786	1,123	–
Male	4,092	99	22	41	181	158	192	494	872	965	748	320	–
Female	3,556	66	11	21	70	63	105	260	440	679	1,038	803	–
All other	3,269	157	34	30	88	172	266	471	622	745	484	200	–
Male	1,732	90	22	14	56	111	151	278	364	372	209	65	–
Female	1,537	67	12	16	32	61	115	193	258	373	275	135	–
Atlantic City, N.J	2,349	54	9	8	41	37	54	155	310	589	712	379	1
Male	1,238	32	5	2	32	23	36	88	182	343	345	149	1
Female	1,111	22	4	6	9	14	18	67	128	246	367	230	–
White	1,946	32	6	5	37	29	37	108	245	503	609	334	1
Male	1,042	18	3	2	29	18	25	66	147	296	308	129	1
Female	904	14	3	3	8	11	12	42	98	207	301	205	–
All other	403	22	3	3	4	8	17	47	65	86	103	45	–
Male	196	14	2	–	3	5	11	22	35	47	37	20	–
Female	207	8	1	3	1	3	6	25	30	39	66	25	–
Augusta, Ga.–S.C	2,300	68	18	25	61	73	96	246	443	570	487	211	2
Male	1,226	33	13	10	43	50	64	141	272	316	223	59	2
Female	1,074	35	5	15	18	23	32	105	171	254	264	152	–
White	1,469	35	6	14	37	38	47	145	279	361	348	159	–
Male	801	18	6	7	26	26	36	81	189	209	168	35	–
Female	668	17	–	7	11	12	11	64	90	152	180	124	–
All other	831	33	12	11	24	35	49	101	164	209	139	52	2
Male	425	15	7	3	17	24	28	60	83	107	55	24	2
Female	406	18	5	8	7	11	21	41	81	102	84	28	–
Austin, Tex	2,138	57	12	7	78	86	97	172	303	454	504	368	–
Male	1,208	33	8	4	63	58	59	113	219	286	244	121	–
Female	930	24	4	3	15	28	38	59	84	168	260	247	–
White	1,808	39	12	6	64	73	82	136	247	381	434	334	–
Male	1,024	22	8	3	53	52	52	85	181	247	210	111	–
Female	784	17	4	3	11	21	30	51	66	134	224	223	–
All other	330	18	–	1	14	13	15	36	56	73	70	34	–
Male	184	11	–	1	10	6	7	28	38	39	34	10	–
Female	146	7	–	–	4	7	8	8	18	34	36	24	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

(Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bakersfield, Calif	2,938	89	20	19	128	110	103	233	471	691	682	391	1
Male	1,708	43	10	11	91	79	66	136	302	463	363	143	1
Female	1,230	46	10	8	37	31	37	97	169	228	319	248	–
White	2,717	86	18	19	123	101	90	216	427	627	639	370	1
Male	1,564	40	9	11	88	73	58	125	277	417	329	136	1
Female	1,153	46	9	8	35	28	32	91	150	210	310	234	–
All other	221	3	2	–	5	9	13	17	44	64	43	21	–
Male	144	3	1	–	3	6	8	11	25	46	34	7	–
Female	77	–	1	–	2	3	5	6	19	18	9	14	–
Baltimore, Md	18,475	431	64	119	441	464	645	1,720	3,322	4,480	4,372	2,379	38
Male	10,114	230	32	78	320	335	405	1,083	2,131	2,641	2,039	798	22
Female	8,361	201	32	41	121	129	240	637	1,191	1,839	2,333	1,581	16
White	13,920	217	36	79	300	255	358	1,122	2,375	3,461	3,623	2,075	19
Male	7,533	130	20	51	216	183	227	725	1,528	2,102	1,654	684	13
Female	6,387	87	16	28	84	72	131	397	847	1,359	1,969	1,391	6
All other	4,555	214	28	40	141	209	287	598	947	1,019	749	304	19
Male	2,581	100	12	27	104	152	178	358	603	539	385	114	9
Female	1,974	114	16	13	37	57	109	240	344	480	364	190	10
Baton Rouge, La	2,268	90	16	19	81	86	92	249	392	528	462	252	1
Male	1,272	47	8	13	62	63	60	151	243	305	225	95	–
Female	996	43	8	6	19	23	32	98	149	223	237	157	1
White	1,425	36	12	9	43	45	55	155	250	315	313	191	1
Male	802	22	7	5	34	30	35	95	165	193	151	65	–
Female	623	14	5	4	9	15	20	60	85	122	162	126	1
All other	843	54	4	10	38	41	37	94	142	213	149	61	–
Male	470	25	1	8	28	33	25	56	78	112	74	30	–
Female	373	29	3	2	10	8	12	38	64	101	75	31	–
Bay City, Mich	954	22	7	7	32	23	32	71	135	231	220	174	–
Male	542	15	3	4	27	17	17	48	93	148	115	55	–
Female	412	7	4	3	5	6	15	23	42	83	105	119	–
White	948	22	7	7	32	22	32	69	134	231	219	173	–
Male	538	15	3	4	27	16	17	47	92	148	114	55	–
Female	410	7	4	3	5	6	15	22	42	83	105	118	–
All other	6	–	–	–	–	1	–	2	1	–	1	1	–
Male	4	–	–	–	–	1	–	1	1	–	1	–	–
Female	2	–	–	–	–	–	–	1	–	–	–	1	–
Beaumont–Port Arthur–Orange, Tex	2,794	108	8	17	84	94	100	235	451	714	678	305	–
Male	1,582	59	4	11	74	59	68	142	295	435	337	98	–
Female	1,212	49	4	6	10	35	32	93	156	279	341	207	–
White	2,106	54	7	9	62	57	72	154	336	555	537	263	–
Male	1,182	32	4	5	57	36	47	93	223	342	260	83	–
Female	924	22	3	4	5	21	25	61	113	213	277	180	–
All other	688	54	1	8	22	37	28	81	115	159	141	42	–
Male	400	27	–	6	17	23	21	49	72	93	77	15	–
Female	288	27	1	2	5	14	7	32	43	66	64	27	–
Billings, Mont	737	23	3	8	24	19	27	54	139	157	150	133	–
Male	431	11	3	4	20	17	19	34	88	99	77	59	–
Female	306	12	–	4	4	2	8	20	51	58	73	74	–
White	721	21	3	7	24	14	27	52	135	156	149	133	–
Male	421	10	3	4	20	13	19	33	85	99	76	59	–
Female	300	11	–	3	4	1	8	19	50	57	73	74	–
All other	16	2	–	1	–	5	–	2	4	1	1	–	–
Male	10	1	–	–	–	4	–	1	3	–	1	–	–
Female	6	1	–	1	–	1	–	1	1	1	–	–	–
Biloxi–Gulfport, Miss	1,253	33	8	16	43	33	56	130	224	320	248	142	–
Male	697	17	4	10	33	18	36	84	151	170	123	51	–
Female	556	16	4	6	10	15	20	46	73	150	125	91	–
White	1,016	24	5	9	32	24	39	105	186	268	209	115	–
Male	566	11	4	5	24	13	20	68	129	147	106	39	–
Female	450	13	1	4	8	11	19	37	57	121	103	76	–
All other	237	9	3	7	11	9	17	25	38	52	39	27	–
Male	131	6	–	5	9	5	16	16	22	23	17	12	–
Female	106	3	3	2	2	4	1	9	16	29	22	15	–
Binghamton, N.Y.–Pa	2,670	47	8	13	46	38	61	176	384	669	738	489	1
Male	1,422	31	4	8	38	26	42	117	248	398	339	171	–
Female	1,248	16	4	5	8	12	19	59	136	271	399	318	1
White	2,649	44	8	13	46	38	59	176	381	667	732	484	1
Male	1,411	29	4	8	38	26	40	117	246	397	336	170	–
Female	1,238	15	4	5	8	12	19	59	135	270	396	314	1
All other	21	3	–	–	–	–	2	–	3	2	6	5	–
Male	11	2	–	–	–	–	2	–	2	1	3	1	–
Female	10	1	–	–	–	–	–	–	1	1	3	4	–
Birmingham, Ala	7,742	186	41	47	185	202	287	662	1,231	1,968	1,906	1,027	–
Male	4,258	121	27	31	133	144	184	423	782	1,138	923	352	–
Female	3,484	65	14	16	52	58	103	239	449	830	983	675	–
White	5,047	94	23	25	114	106	146	410	781	1,274	1,327	747	–
Male	2,801	67	13	19	88	78	101	272	518	782	627	236	–
Female	2,246	27	10	6	26	28	45	138	263	492	700	511	–
All other	2,695	92	18	22	71	96	141	252	450	694	579	280	–
Male	1,457	54	14	12	45	66	83	151	264	356	296	116	–
Female	1,238	38	4	10	26	30	58	101	186	338	283	164	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bloomington–Normal, Ill	890	21	6	3	17	15	18	62	100	190	254	204	–
Male	484	13	3	2	9	11	12	39	62	136	124	73	–
Female	406	8	3	1	8	4	6	23	38	54	130	131	–
White	877	18	5	3	15	15	18	62	99	188	251	203	–
Male	476	11	2	2	9	11	12	39	61	135	121	73	–
Female	401	7	3	1	6	4	6	23	38	53	130	130	–
All other	13	3	1	–	2	–	–	–	1	2	3	1	–
Male	8	2	1	–	–	–	–	–	1	1	3	–	–
Female	5	1	–	–	2	–	–	–	–	1	–	1	–
Boise City, Idaho	1,030	30	7	5	34	21	36	70	141	243	238	204	1
Male	573	17	3	3	28	16	20	46	99	151	123	67	–
Female	457	13	4	2	6	5	16	24	42	92	115	137	1
White	1,025	30	7	5	34	21	35	70	140	242	237	203	1
Male	569	17	3	3	28	16	19	46	98	150	122	67	–
Female	456	13	4	2	6	5	16	24	42	92	115	136	1
All other	5	–	–	–	–	–	1	–	1	1	1	1	–
Male	4	–	–	–	–	–	1	–	1	1	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Boston–Lowell–Lawrence, Mass	29,567	426	60	137	516	506	660	2,027	4,301	6,776	8,405	5,748	5
Male	15,159	260	37	83	379	364	418	1,274	2,703	3,924	3,821	1,893	3
Female	14,408	166	23	54	137	142	242	753	1,598	2,852	4,584	3,855	2
White	28,484	362	51	125	476	443	583	1,899	4,108	6,583	8,231	5,618	5
Male	14,516	221	31	76	353	323	364	1,197	2,587	3,806	3,725	1,830	3
Female	13,968	141	20	49	123	120	219	702	1,521	2,777	4,506	3,788	2
All other	1,083	64	9	12	40	63	77	128	193	193	174	130	–
Male	643	39	6	7	26	41	54	77	116	118	96	63	–
Female	440	25	3	5	14	22	23	51	77	75	78	67	–
Bridgeport–Stamford–Norwalk, Conn	6,569	131	26	31	108	110	172	500	1,014	1,494	1,764	1,219	–
Male	3,399	70	13	18	86	65	105	309	623	860	825	425	–
Female	3,170	61	13	13	22	45	67	191	391	634	939	794	–
White	6,196	92	18	25	91	90	138	445	949	1,433	1,718	1,197	–
Male	3,185	51	7	14	74	53	82	268	591	832	799	414	–
Female	3,011	41	11	11	17	37	56	177	358	601	919	783	–
All other	373	39	8	6	17	20	34	55	65	61	46	22	–
Male	214	19	6	4	12	12	23	41	32	28	26	11	–
Female	159	20	2	2	5	8	11	14	33	33	20	11	–
Brockton, Mass	3,043	61	8	22	85	60	86	221	440	677	803	580	–
Male	1,616	30	5	14	62	36	58	152	287	383	380	209	–
Female	1,427	31	3	8	23	24	28	69	153	294	423	371	–
White	2,965	59	7	21	82	58	78	213	427	664	793	563	–
Male	1,566	30	4	14	59	34	54	146	280	374	374	197	–
Female	1,399	29	3	7	23	24	24	67	147	290	419	366	–
All other	78	2	1	1	3	2	8	8	13	13	10	17	–
Male	50	–	1	–	3	2	4	6	7	9	6	12	–
Female	28	2	–	1	–	–	4	2	6	4	4	5	–
Brownsville–Harlingen–San Benito, Tex	1,226	69	19	8	36	27	42	73	184	294	295	171	8
Male	720	42	12	6	31	20	32	48	106	186	155	75	7
Female	506	27	7	2	5	7	10	25	78	108	140	96	1
White	1,215	69	19	8	36	27	41	71	182	290	294	170	8
Male	714	42	12	6	31	20	31	46	106	184	154	75	7
Female	501	27	7	2	5	7	10	25	76	106	140	95	1
All other	11	–	–	–	–	–	1	2	2	4	1	1	–
Male	6	–	–	–	–	–	1	2	–	2	1	–	–
Female	5	–	–	–	–	–	–	–	2	2	–	1	–
Bryan–College Station, Tex	436	11	3	4	12	16	18	33	56	111	107	65	–
Male	247	9	1	4	5	10	10	24	36	67	53	28	–
Female	189	2	2	–	7	6	8	9	20	44	54	37	–
White	358	7	2	3	10	11	13	28	44	87	93	60	–
Male	207	5	1	3	5	5	8	20	30	57	47	26	–
Female	151	2	1	–	5	6	5	8	14	30	46	34	–
All other	78	4	1	1	2	5	5	5	12	24	14	5	–
Male	40	4	–	1	–	5	2	4	6	10	6	2	–
Female	38	–	1	–	2	–	3	1	6	14	8	3	–
Buffalo, N.Y	12,795	229	43	64	239	193	325	1,008	2,123	3,103	3,494	1,962	12
Male	6,790	118	21	33	179	138	197	650	1,300	1,814	1,633	699	8
Female	6,005	111	22	31	60	55	128	358	823	1,289	1,861	1,263	4
White	11,773	162	30	52	207	160	238	848	1,951	2,881	3,332	1,902	10
Male	6,183	85	16	27	158	113	142	549	1,186	1,689	1,545	666	7
Female	5,590	77	14	25	49	47	96	299	765	1,192	1,787	1,236	3
All other	1,022	67	13	12	32	33	87	160	172	222	162	60	2
Male	607	33	5	6	21	25	55	101	114	125	88	33	1
Female	415	34	8	6	11	8	32	59	58	97	74	27	1
Canton, Ohio	3,443	69	9	19	71	64	80	289	523	777	947	595	–
Male	1,830	32	3	10	50	43	41	173	332	444	470	232	–
Female	1,613	37	6	9	21	21	39	116	191	333	477	363	–
White	3,244	54	5	19	62	59	69	270	489	731	904	582	–
Male	1,735	28	2	10	44	41	36	162	313	422	449	228	–
Female	1,509	26	3	9	18	18	33	108	176	309	455	354	–
All other	199	15	4	–	9	5	11	19	34	46	43	13	–
Male	95	4	1	–	6	2	5	11	19	22	21	4	–
Female	104	11	3	–	3	3	6	8	15	24	22	9	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Cedar Rapids, Iowa	1,172	29	5	9	28	23	41	70	150	258	347	212	–
Male	642	19	2	7	22	19	25	52	102	155	166	73	–
Female	530	10	3	2	6	4	16	18	48	103	181	139	–
White	1,154	28	5	8	28	23	40	67	147	253	344	211	–
Male	629	18	2	6	22	19	24	49	99	153	165	72	–
Female	525	10	3	2	6	4	16	18	48	100	179	139	–
All other	18	1	–	1	–	–	1	3	3	5	3	1	–
Male	13	1	–	1	–	–	1	3	3	2	1	1	–
Female	5	–	–	–	–	–	–	–	–	3	2	–	–
Champaign–Urbana, Ill	890	36	8	4	27	25	21	74	112	187	228	168	–
Male	472	22	6	2	25	18	17	47	75	104	104	52	–
Female	418	14	2	2	2	7	4	27	37	83	124	116	–
White	810	23	7	3	23	22	15	69	101	175	212	160	–
Male	429	16	5	2	21	16	12	44	69	98	98	48	–
Female	381	7	2	1	2	6	3	25	32	77	114	112	–
All other	80	13	1	1	4	3	6	5	11	12	16	8	–
Male	43	6	1	–	4	2	5	3	6	6	6	4	–
Female	37	7	–	1	–	1	1	2	5	6	10	4	–
Charleston, S.C	2,320	95	11	15	100	103	110	258	464	596	386	181	1
Male	1,291	46	7	9	76	68	67	163	292	303	197	63	–
Female	1,029	49	4	6	24	35	43	95	172	293	189	118	1
White	1,427	42	7	6	67	63	59	141	257	361	277	146	1
Male	823	24	5	2	50	40	38	98	178	194	147	47	–
Female	604	18	2	4	17	23	21	43	79	167	130	99	1
All other	893	53	4	9	33	40	51	117	207	235	109	35	–
Male	468	22	2	7	26	28	29	65	114	109	50	16	–
Female	425	31	2	2	7	12	22	52	93	126	59	19	–
Charleston, W. Va	2,272	40	7	10	52	59	70	184	382	581	566	320	1
Male	1,265	25	3	7	42	40	45	106	238	373	266	120	–
Female	1,007	15	4	3	10	19	25	78	144	208	300	200	1
White	2,077	34	6	8	46	50	64	168	345	540	527	289	–
Male	1,165	21	2	5	37	34	43	97	216	352	248	110	–
Female	912	13	4	3	9	16	21	71	129	188	279	179	–
All other	195	6	1	2	6	9	6	16	37	41	39	31	1
Male	100	4	1	2	5	6	2	9	22	21	18	10	–
Female	95	2	–	–	1	3	4	7	15	20	21	21	1
Charlotte, N.C	3,265	97	11	26	89	116	146	367	636	761	667	348	1
Male	1,833	49	7	19	64	81	90	227	426	456	328	86	–
Female	1,432	48	4	7	25	35	56	140	210	305	339	262	1
White	2,328	40	6	20	59	63	83	240	443	534	540	300	–
Male	1,297	19	3	15	45	44	53	154	304	320	267	73	–
Female	1,031	21	3	5	14	19	30	86	139	214	273	227	–
All other	937	57	5	6	30	53	63	127	193	227	127	48	1
Male	536	30	4	4	19	37	37	73	122	136	61	13	–
Female	401	27	1	2	11	16	26	54	71	91	66	35	1
Chattanooga, Tenn.–Ga	3,112	71	15	27	76	75	108	275	507	837	706	415	–
Male	1,729	43	7	15	55	50	88	186	318	484	334	149	–
Female	1,383	28	8	12	21	25	20	89	189	353	372	266	–
White	2,509	48	9	23	65	49	78	222	394	655	596	370	–
Male	1,405	28	5	12	50	33	65	152	257	398	276	129	–
Female	1,104	20	4	11	15	16	13	70	137	257	320	241	–
All other	603	23	6	4	11	26	30	53	113	182	110	45	–
Male	324	15	2	3	5	17	23	34	61	86	58	20	–
Female	279	8	4	1	6	9	7	19	52	96	52	25	–
Chicago, Ill	61,478	1,937	291	404	1,637	1,682	2,217	5,444	10,426	13,850	14,972	8,616	2
Male	33,400	1,101	164	249	1,202	1,208	1,381	3,483	6,617	8,004	6,930	3,060	1
Female	28,078	836	127	155	435	474	836	1,961	3,809	5,846	8,042	5,556	1
White	49,749	1,041	154	289	1,129	983	1,373	3,830	8,342	11,458	13,242	7,907	1
Male	26,650	596	89	176	845	698	843	2,493	5,364	6,653	6,069	2,824	–
Female	23,099	445	65	113	284	285	530	1,337	2,978	4,805	7,173	5,083	1
All other	11,729	896	137	115	508	699	844	1,614	2,084	2,392	1,730	709	1
Male	6,750	505	75	73	357	510	538	990	1,253	1,351	861	236	1
Female	4,979	391	62	42	151	189	306	624	831	1,041	869	473	–
Cincinnati, Ohio–Ky.–Ind	13,199	259	53	88	267	255	380	1,080	2,072	3,062	3,541	2,141	1
Male	7,015	164	33	48	187	168	224	691	1,291	1,832	1,658	718	1
Female	6,184	95	20	40	80	87	156	389	781	1,230	1,883	1,423	–
White	11,450	194	41	62	229	204	290	860	1,744	2,608	3,208	2,010	–
Male	6,055	122	26	35	163	135	172	561	1,112	1,573	1,484	672	–
Female	5,395	72	15	27	66	69	118	299	632	1,035	1,724	1,338	–
All other	1,749	65	12	26	38	51	90	220	328	454	333	131	1
Male	960	42	7	13	24	33	52	130	179	259	174	46	1
Female	789	23	5	13	14	18	38	90	149	195	159	85	–
Cleveland, Ohio	18,620	367	68	107	410	417	535	1,485	3,197	4,407	4,754	2,869	4
Male	10,042	216	34	69	311	304	331	931	2,008	2,580	2,177	1,079	2
Female	8,578	151	34	38	99	113	204	554	1,189	1,827	2,577	1,790	2
White	15,515	238	43	77	289	265	348	1,088	2,619	3,684	4,230	2,632	2
Male	8,219	137	21	51	216	187	211	683	1,651	2,164	1,910	987	1
Female	7,296	101	22	26	73	78	137	405	968	1,520	2,320	1,645	1
All other	3,105	129	25	30	121	152	187	397	578	723	524	237	2
Male	1,823	79	13	18	95	117	120	248	357	416	267	92	1
Female	1,282	50	12	12	26	35	67	149	221	307	257	145	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado Springs, Colo	1,606	81	15	22	66	50	71	117	238	304	358	284	–
Male	820	38	8	8	49	33	42	68	136	161	169	108	–
Female	786	43	7	14	17	17	29	49	102	143	189	176	–
White	1,543	69	14	21	58	43	67	109	230	298	352	282	–
Male	789	32	8	8	43	28	39	64	133	160	167	107	–
Female	754	37	6	13	15	15	28	45	97	138	185	175	–
All other	63	12	1	1	8	7	4	8	8	6	6	2	–
Male	31	6	–	–	6	5	3	4	3	1	2	1	–
Female	32	6	1	1	2	2	1	4	5	5	4	1	–
Columbia, Mo	546	22	3	4	22	16	11	27	65	117	138	121	–
Male	283	12	1	3	14	12	5	18	42	61	69	46	–
Female	263	10	2	1	8	4	6	9	23	56	69	75	–
White	500	22	3	4	18	14	10	26	59	105	126	113	–
Male	263	12	1	3	12	11	5	17	40	57	63	42	–
Female	237	10	2	1	6	3	5	9	19	48	63	71	–
All other	46	–	–	–	4	2	1	1	6	12	12	8	–
Male	20	–	–	–	2	1	–	1	2	4	6	4	–
Female	26	–	–	–	2	1	1	–	4	8	6	4	–
Columbia, S.C	2,587	99	15	27	100	91	140	296	504	584	496	235	–
Male	1,441	58	5	14	69	53	82	196	324	340	221	79	–
Female	1,146	41	10	13	31	38	58	100	180	244	275	156	–
White	1,805	50	8	22	69	49	86	200	340	394	383	204	–
Male	989	31	1	11	43	30	47	130	225	232	176	63	–
Female	816	19	7	11	26	19	39	70	115	162	207	141	–
All other	782	49	7	5	31	42	54	96	164	190	113	31	–
Male	452	27	4	3	26	23	35	66	99	108	45	16	–
Female	330	22	3	2	5	19	19	30	65	82	68	15	–
Columbus, Ga.–Ala	1,947	63	11	13	57	60	86	239	365	491	365	195	2
Male	1,045	36	4	9	36	42	56	155	225	269	164	49	–
Female	902	27	7	4	21	18	30	84	140	222	201	146	2
White	1,237	28	3	9	36	35	39	138	234	284	276	155	–
Male	674	18	2	6	28	28	24	93	155	160	123	37	–
Female	563	10	1	3	8	7	15	45	79	124	153	118	–
All other	710	35	8	4	21	25	47	101	131	207	89	40	2
Male	371	18	2	3	8	14	32	62	70	109	41	12	–
Female	339	17	6	1	13	11	15	39	61	98	48	28	2
Columbus, Ohio	7,258	215	31	48	175	195	243	641	1,200	1,623	1,756	1,131	–
Male	3,877	124	16	30	127	125	150	394	752	983	812	364	–
Female	3,381	91	15	18	48	70	93	247	448	640	944	767	–
White	6,219	145	25	37	148	162	181	505	1,005	1,409	1,558	1,044	–
Male	3,272	88	14	24	106	102	112	306	633	852	718	317	–
Female	2,947	57	11	13	42	60	69	199	372	557	840	727	–
All other	1,039	70	6	11	27	33	62	136	195	214	198	87	–
Male	605	36	2	6	21	23	38	88	119	131	94	47	–
Female	434	34	4	5	6	10	24	48	76	83	104	40	–
Corpus Christi, Tex	2,163	76	15	18	79	78	71	195	334	546	489	261	1
Male	1,275	51	9	11	58	55	42	124	219	353	247	105	1
Female	888	25	6	7	21	23	29	71	115	193	242	156	–
White	2,036	66	14	14	75	72	67	182	316	515	460	254	1
Male	1,205	47	8	8	55	52	40	116	210	336	230	102	1
Female	831	19	6	6	20	20	27	66	106	179	230	152	–
All other	127	10	1	4	4	6	4	13	18	31	29	7	–
Male	70	4	1	3	3	3	2	8	9	17	17	3	–
Female	57	6	–	1	1	3	2	5	9	14	12	4	–
Dallas, Tex	12,268	422	75	124	401	441	574	1,155	1,946	2,693	2,807	1,629	1
Male	6,744	255	42	84	292	306	344	745	1,251	1,598	1,337	489	1
Female	5,524	167	33	40	109	135	230	410	695	1,095	1,470	1,140	–
White	10,036	284	53	91	307	301	407	870	1,568	2,221	2,438	1,495	1
Male	5,425	177	29	56	227	207	234	560	1,026	1,322	1,151	435	1
Female	4,611	107	24	35	80	94	173	310	542	899	1,287	1,060	–
All other	2,232	138	22	33	94	140	167	285	378	472	369	134	–
Male	1,319	78	13	28	65	99	110	185	225	276	186	54	–
Female	913	60	9	5	29	41	57	100	153	196	183	80	–
Davenport–Rock Island–Moline, Iowa–Ill	3,251	76	11	23	74	75	89	194	472	757	874	606	–
Male	1,759	47	6	16	54	52	48	126	300	463	452	195	–
Female	1,492	29	5	7	20	23	41	68	172	294	422	411	–
White	3,150	66	10	18	67	67	77	182	459	741	863	600	–
Male	1,699	40	6	11	50	46	41	120	292	454	447	192	–
Female	1,451	26	4	7	17	21	36	62	167	287	416	408	–
All other	101	10	1	5	7	8	12	12	13	16	11	6	–
Male	60	7	–	5	4	6	7	6	8	9	5	3	–
Female	41	3	1	–	3	2	5	6	5	7	6	3	–
Dayton, Ohio	6,665	195	34	43	190	158	240	596	1,134	1,512	1,582	981	–
Male	3,716	110	23	28	153	107	141	386	739	882	795	352	–
Female	2,949	85	11	15	37	51	99	210	395	630	787	629	–
White	5,785	148	25	39	157	118	186	481	966	1,310	1,437	918	–
Male	3,210	82	17	26	127	81	99	318	642	765	722	331	–
Female	2,575	66	8	13	30	37	87	163	324	545	715	587	–
All other	880	47	9	4	33	40	54	115	168	202	145	63	–
Male	506	28	6	2	26	26	42	68	97	117	73	21	–
Female	374	19	3	2	7	14	12	47	71	85	72	42	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Decatur, Ill	1,199	30	6	3	23	23	35	79	163	262	331	244	–
Male	630	18	3	3	16	15	19	49	117	152	160	78	–
Female	569	12	3	–	7	8	16	30	46	110	171	166	–
White	1,119	20	6	3	22	19	32	73	149	246	315	234	–
Male	589	13	3	3	16	12	18	48	107	144	151	74	–
Female	530	7	3	–	6	7	14	25	42	102	164	160	–
All other	80	10	–	–	1	4	3	6	14	16	16	10	–
Male	41	5	–	–	–	3	1	1	10	8	9	4	–
Female	39	5	–	–	1	1	2	5	4	8	7	6	–
Denver, Colo	9,247	260	54	68	305	357	357	755	1,317	1,882	2,266	1,624	2
Male	4,940	152	30	46	208	241	235	465	839	1,121	1,079	522	2
Female	4,307	108	24	22	97	116	122	290	478	761	1,187	1,102	–
White	8,817	230	49	67	278	329	328	700	1,260	1,808	2,191	1,575	2
Male	4,704	135	29	45	188	224	216	433	810	1,077	1,040	505	2
Female	4,113	95	20	22	90	105	112	267	450	731	1,151	1,070	–
All other	430	30	5	1	27	28	29	55	57	74	75	49	–
Male	236	17	1	1	20	17	19	32	29	44	39	17	–
Female	194	13	4	–	7	11	10	23	28	30	36	32	–
Des Moines, Iowa	2,445	68	12	19	60	65	66	179	337	563	623	450	3
Male	1,298	38	8	10	44	49	41	120	200	331	314	141	2
Female	1,147	30	4	9	16	16	25	59	137	232	309	309	1
White	2,320	63	9	18	57	59	61	166	322	535	592	435	3
Male	1,231	37	7	10	43	46	37	110	191	316	299	133	2
Female	1,089	26	2	8	14	13	24	56	131	219	293	302	1
All other	125	5	3	1	3	6	5	13	15	28	31	15	–
Male	67	1	1	–	1	3	4	10	9	15	15	8	–
Female	58	4	2	1	2	3	1	3	6	13	16	7	–
Detroit, Mich	33,918	901	136	217	887	1,016	1,249	3,299	5,925	7,466	8,299	4,523	–
Male	19,056	512	76	129	660	693	769	2,097	3,775	4,471	4,120	1,754	–
Female	14,862	389	60	88	227	323	480	1,202	2,150	2,995	4,179	2,769	–
White	26,710	519	76	142	594	577	744	2,337	4,529	5,990	7,168	4,034	–
Male	14,832	294	40	82	440	387	447	1,506	2,901	3,598	3,580	1,557	–
Female	11,878	225	36	60	154	190	297	831	1,628	2,392	3,588	2,477	–
All other	7,208	382	60	75	293	439	505	962	1,396	1,476	1,131	489	–
Male	4,224	218	36	47	220	306	322	591	874	873	540	197	–
Female	2,984	164	24	28	73	133	183	371	522	603	591	292	–
Dubuque, Iowa	780	24	2	6	21	14	11	58	90	155	221	178	–
Male	388	15	1	4	15	10	6	39	67	86	99	46	–
Female	392	9	1	2	6	4	5	19	23	69	122	132	–
White	777	23	2	6	20	14	11	58	90	154	221	178	–
Male	385	14	1	4	14	10	6	39	67	85	99	46	–
Female	392	9	1	2	6	4	5	19	23	69	122	132	–
All other	3	1	–	–	1	–	–	–	–	1	–	–	–
Male	3	1	–	–	1	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Duluth–Superior, Minn.–Wis	2,674	47	6	19	79	47	42	160	403	614	736	521	–
Male	1,499	21	3	13	61	33	30	107	265	368	374	224	–
Female	1,175	26	3	6	18	14	12	53	138	246	362	297	–
White	2,657	47	6	19	77	44	40	159	403	613	730	519	–
Male	1,492	21	3	13	60	31	29	107	265	368	371	224	–
Female	1,165	26	3	6	17	13	11	52	138	245	359	295	–
All other	17	–	–	–	2	3	2	1	–	1	6	2	–
Male	7	–	–	–	1	2	1	–	–	–	3	–	–
Female	10	–	–	–	1	1	1	1	–	1	3	2	–
Durham, N.C	1,586	44	5	12	34	51	71	139	254	397	349	230	–
Male	873	24	5	7	20	35	46	93	156	241	166	80	–
Female	713	20	–	5	14	16	25	46	98	156	183	150	–
White	1,031	17	2	9	22	24	38	81	149	254	251	184	–
Male	579	10	2	6	15	18	25	61	94	163	122	63	–
Female	452	7	–	3	7	6	13	20	55	91	129	121	–
All other	555	27	3	3	12	27	33	58	105	143	98	46	–
Male	294	14	3	1	5	17	21	32	62	78	44	17	–
Female	261	13	–	2	7	10	12	26	43	65	54	29	–
El Paso, Tex	2,309	138	20	32	103	73	98	215	347	478	522	283	–
Male	1,295	84	13	24	83	49	73	142	218	252	254	103	–
Female	1,014	54	7	8	20	24	25	73	129	226	268	180	–
White	2,244	129	19	31	98	66	94	213	338	466	512	278	–
Male	1,254	79	12	23	79	45	69	141	210	245	250	101	–
Female	990	50	7	8	19	21	25	72	128	221	262	177	–
All other	65	9	1	1	5	7	4	2	9	12	10	5	–
Male	41	5	1	1	4	4	4	1	8	7	4	2	–
Female	24	4	–	–	1	3	–	1	1	5	6	3	–
Erie, Pa	2,498	68	9	18	59	37	52	197	417	594	658	389	–
Male	1,364	39	7	12	42	23	28	137	264	351	320	141	–
Female	1,134	29	2	6	17	14	24	60	153	243	338	248	–
White	2,418	60	9	18	58	31	45	182	409	574	645	387	–
Male	1,314	35	7	12	42	19	26	124	258	340	311	140	–
Female	1,104	25	2	6	16	12	19	58	151	234	334	247	–
All other	80	8	–	–	1	6	7	15	8	20	13	2	–
Male	50	4	–	–	–	4	2	13	6	11	9	1	–
Female	30	4	–	–	1	2	5	2	2	9	4	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Eugene, Oreg	1,672	36	8	26	53	61	54	102	223	389	425	295	–
Male	945	21	4	22	44	36	37	65	143	233	229	111	–
Female	727	15	4	4	9	25	17	37	80	156	196	184	–
White	1,662	33	8	26	52	61	53	100	220	389	425	295	–
Male	939	19	4	22	44	36	36	63	142	233	229	111	–
Female	723	14	4	4	8	25	17	37	78	156	196	184	–
All other	10	3	–	–	1	–	1	2	3	–	–	–	–
Male	6	2	–	–	–	–	1	2	1	–	–	–	–
Female	4	1	–	–	1	–	–	–	2	–	–	–	–
Evansville, Ind.–Ky	2,504	52	8	11	54	42	56	179	377	596	673	456	–
Male	1,356	32	6	8	41	28	36	110	252	354	321	168	–
Female	1,148	20	2	3	13	14	20	69	125	242	352	288	–
White	2,309	44	8	9	47	39	54	161	346	547	623	431	–
Male	1,239	28	6	6	34	26	34	101	232	324	297	151	–
Female	1,070	16	2	3	13	13	20	60	114	223	326	280	–
All other	195	8	–	2	7	3	2	18	31	49	50	25	–
Male	117	4	–	2	7	2	2	9	20	30	24	17	–
Female	78	4	–	–	–	1	–	9	11	19	26	8	–
Fall River–New Bedford, Mass	4,311	78	8	23	68	52	77	282	618	1,050	1,274	781	–
Male	2,245	41	6	11	53	35	56	180	387	595	595	286	–
Female	2,066	37	2	12	15	17	21	102	231	455	679	495	–
White	4,263	75	8	22	67	50	74	277	609	1,040	1,269	772	–
Male	2,213	38	6	10	52	34	54	177	380	590	592	280	–
Female	2,050	37	2	12	15	16	20	100	229	450	677	492	–
All other	48	3	–	1	1	2	3	5	9	10	5	9	–
Male	32	3	–	1	1	1	2	3	7	5	3	6	–
Female	16	–	–	–	–	1	1	2	2	5	2	3	–
Fargo–Moorhead, N. Dak.–Minn	892	22	4	5	29	11	23	52	112	203	253	178	–
Male	520	15	2	1	22	6	14	32	83	137	138	70	–
Female	372	7	2	4	7	5	9	20	29	66	115	108	–
White	890	22	4	5	29	11	22	51	112	203	253	178	–
Male	519	15	2	1	22	6	14	31	83	137	138	70	–
Female	371	7	2	4	7	5	8	20	29	66	115	108	–
All other	2	–	–	–	–	–	1	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Fayetteville, N.C	1,182	73	17	15	84	57	78	141	214	239	183	81	–
Male	701	41	8	6	67	37	58	96	145	138	75	30	–
Female	481	32	9	9	17	20	20	45	69	101	108	51	–
White	781	45	8	9	58	27	44	99	145	152	133	61	–
Male	479	25	4	4	49	19	36	71	107	93	53	18	–
Female	302	20	4	5	9	8	8	28	38	59	80	43	–
All other	401	28	9	6	26	30	34	42	69	87	50	20	–
Male	222	16	4	2	18	18	22	25	38	45	22	12	–
Female	179	12	5	4	8	12	12	17	31	42	28	8	–
Flint, Mich	3,734	129	17	42	135	109	161	359	542	801	890	549	–
Male	2,069	71	10	32	99	73	109	212	349	489	437	188	–
Female	1,665	58	7	10	36	36	52	147	193	312	453	361	–
White	3,270	85	12	35	111	84	114	295	466	724	820	524	–
Male	1,821	47	7	27	82	58	77	174	320	446	403	180	–
Female	1,449	38	5	8	29	26	37	121	146	278	417	344	–
All other	464	44	5	7	24	25	47	64	76	77	70	25	–
Male	248	24	3	5	17	15	32	38	29	43	34	8	–
Female	216	20	2	2	7	10	15	26	47	34	36	17	–
Fort Lauderdale–Hollywood, Fla	9,988	148	37	34	163	175	233	607	1,403	2,939	3,089	1,159	1
Male	5,854	85	26	18	119	111	154	402	850	1,819	1,776	494	–
Female	4,134	63	11	16	44	64	79	205	553	1,120	1,313	665	1
White	9,280	82	28	20	136	136	172	497	1,252	2,801	3,019	1,136	1
Male	5,405	48	20	10	98	86	109	333	747	1,733	1,737	484	–
Female	3,875	34	8	10	38	50	63	164	505	1,068	1,282	652	1
All other	708	66	9	14	27	39	61	110	151	138	70	23	–
Male	449	37	6	8	21	25	45	69	103	86	39	10	–
Female	259	29	3	6	6	14	16	41	48	52	31	13	–
Fort Smith, Ark.–Okla	1,746	48	6	8	38	33	52	120	275	410	477	279	–
Male	976	30	3	5	29	15	33	76	190	264	226	105	–
Female	770	18	3	3	9	18	19	44	85	146	251	174	–
White	1,633	40	6	6	32	31	47	107	254	391	456	263	–
Male	911	25	3	4	23	14	30	70	175	254	214	99	–
Female	722	15	3	2	9	17	17	37	79	137	242	164	–
All other	113	8	–	2	6	2	5	13	21	19	21	16	–
Male	65	5	–	1	6	1	3	6	15	10	12	6	–
Female	48	3	–	1	–	1	2	7	6	9	9	10	–
Fort Wayne, Ind	2,180	68	16	19	52	57	70	170	310	472	575	371	–
Male	1,185	42	9	11	44	32	43	97	209	278	286	134	–
Female	995	26	7	8	8	25	27	73	101	194	289	237	–
White	2,029	55	6	17	46	48	58	148	288	450	550	363	–
Male	1,093	34	2	11	41	29	35	81	196	264	271	129	–
Female	936	21	4	6	5	19	23	67	92	186	279	234	–
All other	151	13	10	2	6	9	12	22	22	22	25	8	–
Male	92	8	7	–	3	3	8	16	13	14	15	5	–
Female	59	5	3	2	3	6	4	6	9	8	10	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Fort Worth, Tex	6,314	178	38	59	208	202	237	607	1,035	1,335	1,509	903	3
Male	3,479	113	23	38	161	146	150	395	660	787	705	298	3
Female	2,835	65	15	21	47	56	87	212	375	548	804	605	–
White	5,485	130	24	46	169	157	174	508	892	1,156	1,386	841	2
Male	3,014	87	13	28	128	116	103	341	580	692	645	279	2
Female	2,471	43	11	18	41	41	71	167	312	464	741	562	–
All other	829	48	14	13	39	45	63	99	143	179	123	62	1
Male	465	26	10	10	33	30	47	54	80	95	60	19	1
Female	364	22	4	3	6	15	16	45	63	84	63	43	–
Fresno, Calif	3,662	106	15	22	164	132	128	273	525	831	866	597	3
Male	2,104	60	8	13	127	103	79	176	342	531	438	224	3
Female	1,558	46	7	9	37	29	49	97	183	300	428	373	–
White	3,345	85	12	22	148	122	110	236	482	763	799	563	3
Male	1,899	48	6	13	113	96	67	158	313	480	401	201	3
Female	1,446	37	6	9	35	26	43	78	169	283	398	362	–
All other	317	21	3	–	16	10	18	37	43	68	67	34	–
Male	205	12	2	–	14	7	12	18	29	51	37	23	–
Female	112	9	1	–	2	3	6	19	14	17	30	11	–
Gadsden, Ala	1,007	19	2	5	24	26	46	87	167	266	227	137	1
Male	581	13	2	4	20	18	28	51	107	157	127	53	1
Female	426	6	–	1	4	8	18	36	60	109	100	84	–
White	858	11	1	4	16	19	31	71	142	229	207	126	1
Male	498	9	1	3	13	12	21	46	96	137	113	46	1
Female	360	2	–	1	3	7	10	25	46	92	94	80	–
All other	149	8	1	1	8	7	15	16	25	37	20	11	–
Male	83	4	1	1	7	6	7	5	11	20	14	7	–
Female	66	4	–	–	1	1	8	11	14	17	6	4	–
Gainesville, Fla	740	19	5	5	26	33	31	64	132	178	147	99	1
Male	411	9	3	4	17	23	17	41	78	112	71	36	–
Female	329	10	2	1	9	10	14	23	54	66	76	63	1
White	510	12	3	3	16	20	23	39	95	114	102	83	–
Male	283	5	2	2	12	16	14	25	57	77	43	30	–
Female	227	7	1	1	4	4	9	14	38	37	59	53	–
All other	230	7	2	2	10	13	8	25	37	64	45	16	1
Male	128	4	1	2	5	7	3	16	21	35	28	6	–
Female	102	3	1	–	5	6	5	9	16	29	17	10	1
Galveston–Texas City, Tex	1,528	36	15	19	55	61	64	176	264	378	307	153	–
Male	910	23	10	14	40	48	39	117	173	219	169	58	–
Female	618	13	5	5	15	13	25	59	91	159	138	95	–
White	1,201	26	14	14	40	45	42	130	206	305	245	134	–
Male	719	20	10	10	31	36	28	87	138	176	130	53	–
Female	482	6	4	4	9	9	14	43	68	129	115	81	–
All other	327	10	1	5	15	16	22	46	58	73	62	19	–
Male	191	3	–	4	9	12	11	30	35	43	39	5	–
Female	136	7	1	1	6	4	11	16	23	30	23	14	–
Gary–Hammond–East Chicago, Ind	4,968	175	27	47	182	165	183	483	938	1,109	1,071	584	4
Male	2,847	101	9	34	138	119	120	294	594	671	532	232	3
Female	2,121	74	18	13	44	46	63	189	344	438	539	352	1
White	3,874	100	15	35	120	101	109	326	724	902	917	525	–
Male	2,221	54	5	27	93	76	72	196	472	563	458	205	–
Female	1,653	46	10	8	27	25	37	130	252	339	459	320	–
All other	1,094	75	12	12	62	64	74	157	214	207	154	59	4
Male	626	47	4	7	45	43	48	98	122	108	74	27	3
Female	468	28	8	5	17	21	26	59	92	99	80	32	1
Grand Rapids, Mich	4,306	118	28	38	105	87	100	285	597	961	1,180	807	–
Male	2,252	64	21	22	66	65	58	166	373	558	576	283	–
Female	2,054	54	7	16	39	22	42	119	224	403	604	524	–
White	4,113	95	24	30	93	77	88	264	563	926	1,159	794	–
Male	2,142	50	17	18	58	57	52	153	353	540	565	279	–
Female	1,971	45	7	12	35	20	36	111	210	386	594	515	–
All other	193	23	4	8	12	10	12	21	34	35	21	13	–
Male	110	14	4	4	8	8	6	13	20	18	11	4	–
Female	83	9	–	4	4	2	6	8	14	17	10	9	–
Great Falls, Mont	669	35	4	8	29	21	24	36	90	142	149	131	–
Male	371	14	2	4	18	12	20	23	57	89	77	55	–
Female	298	21	2	4	11	9	4	13	33	53	72	76	–
White	651	33	4	6	29	19	23	33	88	139	146	131	–
Male	364	14	2	4	18	12	19	21	56	86	77	55	–
Female	287	19	2	2	11	7	4	12	32	53	69	76	–
All other	18	2	–	2	–	2	1	3	2	3	3	–	–
Male	7	–	–	–	–	–	1	2	1	3	–	–	–
Female	11	2	–	2	–	2	–	1	1	–	3	–	–
Green Bay, Wis	1,127	24	9	9	31	22	20	61	144	275	348	184	–
Male	625	13	6	6	17	13	14	42	98	173	170	73	–
Female	502	11	3	3	14	9	6	19	46	102	178	111	–
White	1,112	24	8	9	30	21	19	59	140	275	345	182	–
Male	616	13	6	6	16	13	14	41	95	173	167	72	–
Female	496	11	2	3	14	8	5	18	45	102	178	110	–
All other	15	–	1	–	1	1	1	2	4	–	3	2	–
Male	9	–	–	–	1	–	–	1	3	–	3	1	–
Female	6	–	1	–	–	1	1	1	1	–	–	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Greensboro–Winston Salem–High Point, N.C	5,208	122	30	35	127	138	208	472	982	1,229	1,230	635	–
Male	2,936	71	16	19	93	98	139	311	638	746	581	224	–
Female	2,272	51	14	16	34	40	69	161	344	483	649	411	–
White	3,943	76	12	22	100	87	111	335	750	902	1,003	545	–
Male	2,233	45	6	11	77	63	80	227	507	563	467	187	–
Female	1,710	31	6	11	23	24	31	108	243	339	536	358	–
All other	1,265	46	18	13	27	51	97	137	232	327	227	90	–
Male	703	26	10	8	16	35	59	84	131	183	114	37	–
Female	562	20	8	5	11	16	38	53	101	144	113	53	–
Greenville, S.C	2,650	93	11	23	88	70	109	252	465	652	578	309	–
Male	1,480	53	7	11	63	45	74	166	298	378	271	114	–
Female	1,170	40	4	12	25	25	35	86	167	274	307	195	–
White	2,134	63	8	17	72	46	82	186	350	532	497	281	–
Male	1,200	38	5	8	52	29	62	127	233	319	226	101	–
Female	934	25	3	9	20	17	20	59	117	213	271	180	–
All other	516	30	3	6	16	24	27	66	115	120	81	28	–
Male	280	15	2	3	11	16	12	39	65	59	45	13	–
Female	236	15	1	3	5	8	15	27	50	61	36	15	–
Hamilton–Middletown, Ohio	1,859	54	11	17	56	54	55	145	277	410	497	283	–
Male	1,013	27	2	11	39	39	37	88	188	244	237	101	–
Female	846	27	9	6	17	15	18	57	89	166	260	182	–
White	1,741	43	9	17	52	46	49	132	257	393	467	276	–
Male	948	18	2	11	39	34	31	82	175	235	222	99	–
Female	793	25	7	6	13	12	18	50	82	158	245	177	–
All other	118	11	2	–	4	8	6	13	20	17	30	7	–
Male	65	9	–	–	–	5	6	6	13	9	15	2	–
Female	53	2	2	–	4	3	–	7	7	8	15	5	–
Harrisburg, Pa	3,896	67	10	21	73	66	93	298	606	962	1,065	633	2
Male	2,056	33	5	12	51	42	55	197	382	540	517	222	–
Female	1,840	34	5	9	22	24	38	101	224	422	548	411	2
White	3,579	58	5	16	64	55	68	259	557	893	1,008	595	1
Male	1,885	30	3	10	44	38	40	172	354	505	487	202	–
Female	1,694	28	2	6	20	17	28	87	203	388	521	393	1
All other	317	9	5	5	9	11	25	39	49	69	57	38	1
Male	171	3	2	2	7	4	15	25	28	35	30	20	–
Female	146	6	3	3	2	7	10	14	21	34	27	18	1
Hartford–New Britain–Bristol, Conn	6,665	116	20	32	138	149	166	521	1,021	1,438	1,825	1,236	3
Male	3,522	62	7	18	101	99	99	329	651	874	841	438	3
Female	3,143	54	13	14	37	50	67	192	370	564	984	798	–
White	6,293	85	19	30	123	119	129	474	948	1,369	1,787	1,207	3
Male	3,301	49	6	18	90	77	74	299	603	832	826	424	3
Female	2,992	36	13	12	33	42	55	175	345	537	961	783	–
All other	372	31	1	2	15	30	37	47	73	69	38	29	–
Male	221	13	1	–	11	22	25	30	48	42	15	14	–
Female	151	18	–	2	4	8	12	17	25	27	23	15	–
Honolulu, Hawaii	3,319	152	24	25	107	118	135	377	576	689	663	451	2
Male	1,955	72	14	14	76	85	80	223	378	448	348	215	2
Female	1,364	80	10	11	31	33	55	154	198	241	315	236	–
White	1,055	32	8	5	30	52	54	118	198	237	176	144	1
Male	598	16	7	5	18	39	35	72	127	139	92	47	1
Female	457	16	1	–	12	13	19	46	71	98	84	97	–
All other	2,264	120	16	20	77	66	81	259	378	452	487	307	1
Male	1,357	56	7	9	58	46	45	151	251	309	256	168	1
Female	907	64	9	11	19	20	36	108	127	143	231	139	–
Houston, Tex	15,518	658	132	176	693	727	831	1,815	2,658	3,367	2,913	1,544	4
Male	8,949	391	85	114	527	538	553	1,191	1,721	1,974	1,328	523	4
Female	6,569	267	47	62	166	189	278	624	937	1,393	1,585	1,021	–
White	12,142	437	94	125	534	536	585	1,351	2,036	2,640	2,450	1,351	3
Male	6,999	279	61	85	411	412	390	895	1,339	1,584	1,101	439	3
Female	5,143	158	33	40	123	124	195	456	697	1,056	1,349	912	–
All other	3,376	221	38	51	159	191	246	464	622	727	463	193	1
Male	1,950	112	24	29	116	126	163	296	382	390	227	84	1
Female	1,426	109	14	22	43	65	83	168	240	337	236	109	–
Huntington–Ashland, W. Va.–Ky.–Ohio	2,792	51	9	18	46	43	73	214	504	669	725	439	1
Male	1,560	30	4	10	39	32	49	138	321	421	340	175	1
Female	1,232	21	5	8	7	11	24	76	183	248	385	264	–
White	2,709	50	8	17	42	40	71	207	492	651	702	428	1
Male	1,520	30	4	10	35	30	49	133	317	409	330	172	1
Female	1,189	20	4	7	7	10	22	74	175	242	372	256	–
All other	83	1	1	1	4	3	2	7	12	18	23	11	–
Male	40	–	–	–	4	2	–	5	4	12	10	3	–
Female	43	1	1	1	–	1	2	2	8	6	13	8	–
Huntsville, Ala	1,623	60	9	10	58	57	82	166	271	353	366	191	–
Male	963	26	4	5	48	43	57	118	194	218	178	72	–
Female	660	34	5	5	10	14	25	48	77	135	188	119	–
White	1,298	39	6	8	48	43	57	131	215	283	308	160	–
Male	775	17	2	3	40	36	43	93	157	178	148	58	–
Female	523	22	4	5	8	7	14	38	58	105	160	102	–
All other	325	21	3	2	10	14	25	35	56	70	58	31	–
Male	188	9	2	2	8	7	14	25	37	40	30	14	–
Female	137	12	1	–	2	7	11	10	19	30	28	17	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indianapolis, Ind	9,568	256	46	85	238	217	327	810	1,471	2,148	2,403	1,565	2
Male	5,130	149	34	52	176	138	213	516	939	1,243	1,149	520	1
Female	4,438	107	12	33	62	79	114	294	532	905	1,254	1,045	1
White	8,284	182	39	68	181	171	258	649	1,237	1,870	2,179	1,448	2
Male	4,399	112	29	41	129	109	164	427	795	1,099	1,028	465	1
Female	3,885	70	10	27	52	62	94	222	442	771	1,151	983	1
All other	1,284	74	7	17	57	46	69	161	234	278	224	117	–
Male	731	37	5	11	47	29	49	89	144	144	121	55	–
Female	553	37	2	6	10	17	20	72	90	134	103	62	–
Jackson, Mich	1,294	30	7	12	21	32	35	85	212	273	373	214	–
Male	720	17	3	4	16	25	22	57	144	173	184	75	–
Female	574	13	4	8	5	7	13	28	68	100	189	139	–
White	1,235	28	6	11	19	29	31	77	201	258	364	211	–
Male	678	16	3	3	14	23	19	51	136	163	178	72	–
Female	557	12	3	8	5	6	12	26	65	95	186	139	–
All other	59	2	1	1	2	3	4	8	11	15	9	3	–
Male	42	1	–	1	2	2	3	6	8	10	6	3	–
Female	17	1	1	–	–	1	1	2	3	5	3	–	–
Jackson, Miss	2,240	63	13	24	80	62	89	184	369	556	469	331	–
Male	1,228	41	4	19	61	38	61	127	233	315	217	112	–
Female	1,012	22	9	5	19	24	28	57	136	241	252	219	–
White	1,332	25	5	9	40	30	47	112	236	330	280	218	–
Male	746	16	3	7	35	17	35	78	160	193	132	70	–
Female	586	9	2	2	5	13	12	34	76	137	148	148	–
All other	908	38	8	15	40	32	42	72	133	226	189	113	–
Male	482	25	1	12	26	21	26	49	73	122	85	42	–
Female	426	13	7	3	14	11	16	23	60	104	104	71	–
Jacksonville, Fla	4,800	163	30	41	126	132	199	502	878	1,155	1,035	539	–
Male	2,575	93	18	27	88	95	114	317	534	650	462	177	–
Female	2,225	70	12	14	38	37	85	185	344	505	573	362	–
White	3,429	99	19	27	92	83	125	331	605	781	811	456	–
Male	1,857	60	10	19	68	60	77	224	373	453	367	146	–
Female	1,572	39	9	8	24	23	48	107	232	328	444	310	–
All other	1,371	64	11	14	34	49	74	171	273	374	224	83	–
Male	718	33	8	8	20	35	37	93	161	197	95	31	–
Female	653	31	3	6	14	14	37	78	112	177	129	52	–
Jersey City, N.J	6,164	143	18	26	111	123	178	539	1,142	1,490	1,615	772	7
Male	3,356	80	10	13	88	90	115	356	680	836	768	317	3
Female	2,808	63	8	13	23	33	63	183	462	654	847	455	4
White	5,626	98	14	11	89	81	122	452	1,041	1,415	1,550	749	4
Male	3,044	57	7	4	76	62	83	299	618	792	738	307	1
Female	2,582	41	7	7	13	19	39	153	423	623	812	442	3
All other	538	45	4	15	22	42	56	87	101	75	65	23	3
Male	312	23	3	9	12	28	32	57	62	44	30	10	2
Female	226	22	1	6	10	14	24	30	39	31	35	13	1
Johnstown, Pa	2,916	42	10	22	59	46	55	184	504	762	767	464	1
Male	1,593	29	6	15	39	27	37	104	321	463	363	189	–
Female	1,323	13	4	7	20	19	18	80	183	299	404	275	1
White	2,873	38	9	22	57	43	55	175	496	756	759	462	1
Male	1,567	27	5	15	38	25	37	99	316	459	358	188	–
Female	1,306	11	4	7	19	18	18	76	180	297	401	274	1
All other	43	4	1	–	2	3	–	9	8	6	8	2	–
Male	26	2	1	–	1	2	–	5	5	4	5	1	–
Female	17	2	–	–	1	1	–	4	3	2	3	1	–
Kalamazoo, Mich	1,345	49	6	15	34	20	35	115	179	285	352	255	–
Male	706	23	2	13	27	13	20	59	118	173	158	100	–
Female	639	26	4	2	7	7	15	56	61	112	194	155	–
White	1,278	35	5	13	32	20	30	108	168	277	340	250	–
Male	660	15	1	11	25	13	16	53	110	169	150	97	–
Female	618	20	4	2	7	7	14	55	58	108	190	153	–
All other	67	14	1	2	2	–	5	7	11	8	12	5	–
Male	46	8	1	2	2	–	4	6	8	4	8	3	–
Female	21	6	–	–	–	–	1	1	3	4	4	2	–
Kansas City, Mo.–Kans	10,815	311	44	80	284	247	356	871	1,523	2,370	2,862	1,866	1
Male	5,690	175	31	50	204	172	218	538	991	1,364	1,335	611	1
Female	5,125	136	13	30	80	75	138	333	532	1,006	1,527	1,255	–
White	9,309	197	34	67	227	196	286	713	1,304	2,053	2,521	1,710	1
Male	4,859	101	26	41	167	134	173	440	853	1,202	1,172	549	1
Female	4,450	96	8	26	60	62	113	273	451	851	1,349	1,161	–
All other	1,506	114	10	13	57	51	70	158	219	317	341	156	–
Male	831	74	5	9	37	38	45	98	138	162	163	62	–
Female	675	40	5	4	20	13	25	60	81	155	178	94	–
Kenosha, Wis	1,011	17	6	8	19	20	28	67	155	244	286	161	–
Male	552	7	2	4	16	16	17	48	90	155	142	55	–
Female	459	10	4	4	3	4	11	19	65	89	144	106	–
White	1,003	15	6	7	19	20	28	67	152	244	285	160	–
Male	547	5	2	4	16	16	17	48	88	155	141	55	–
Female	456	10	4	3	3	4	11	19	64	89	144	105	–
All other	8	2	–	1	–	–	–	–	3	–	1	1	–
Male	5	2	–	–	–	–	–	–	2	–	1	–	–
Female	3	–	–	1	–	–	–	–	1	–	–	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Knoxville, Tenn	3,738	63	8	26	97	101	116	314	585	929	926	573	–
Male	2,121	39	5	18	72	64	67	189	396	583	465	223	–
Female	1,617	24	3	8	25	37	49	125	189	346	461	350	–
White	3,420	58	7	23	91	87	103	288	518	842	861	542	–
Male	1,945	37	5	17	66	57	60	176	358	534	429	206	–
Female	1,475	21	2	6	25	30	43	112	160	308	432	336	–
All other	318	5	1	3	6	14	13	26	67	87	65	31	–
Male	176	2	–	1	6	7	7	13	38	49	36	17	–
Female	142	3	1	2	–	7	6	13	29	38	29	14	–
La Crosse, Wis	748	14	–	5	13	15	15	33	92	165	212	184	–
Male	388	10	–	4	9	10	7	21	60	90	114	63	–
Female	360	4	–	1	4	5	8	12	32	75	98	121	–
White	747	14	–	5	13	15	15	33	92	164	212	184	–
Male	387	10	–	4	9	10	7	21	60	89	114	63	–
Female	360	4	–	1	4	5	8	12	32	75	98	121	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette, La	837	58	5	10	29	39	41	74	139	170	161	110	1
Male	486	32	4	8	20	31	26	49	89	108	82	37	–
Female	351	26	1	2	9	8	15	25	50	62	79	73	1
White	619	35	3	5	17	26	28	53	104	124	133	90	1
Male	355	20	2	3	10	24	18	39	65	73	70	31	–
Female	264	15	1	2	7	2	10	14	39	51	63	59	1
All other	218	23	2	5	12	13	13	21	35	46	28	20	–
Male	131	12	2	5	10	7	8	10	24	35	12	6	–
Female	87	11	–	–	2	6	5	11	11	11	16	14	–
Lafayette–West Lafayette, Ind	764	27	2	4	13	14	17	77	112	140	215	143	–
Male	396	18	–	3	9	11	11	49	76	81	103	35	–
Female	368	9	2	1	4	3	6	28	36	59	112	108	–
White	758	25	2	4	13	14	17	77	112	140	212	142	–
Male	391	16	–	3	9	11	11	49	76	81	100	35	–
Female	367	9	2	1	4	3	6	28	36	59	112	107	–
All other	6	2	–	–	–	–	–	–	–	–	3	1	–
Male	5	2	–	–	–	–	–	–	–	–	3	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Lake Charles, La	1,250	52	8	10	33	42	54	114	194	337	273	132	1
Male	729	26	4	6	29	34	35	68	134	213	129	50	1
Female	521	26	4	4	4	8	19	46	60	124	144	82	–
White	906	32	4	6	23	27	29	67	144	256	211	106	1
Male	539	19	3	4	20	22	20	44	101	166	101	38	1
Female	367	13	1	2	3	5	9	23	43	90	110	68	–
All other	344	20	4	4	10	15	25	47	50	81	62	26	–
Male	190	7	1	2	9	12	15	24	33	47	28	12	–
Female	154	13	3	2	1	3	10	23	17	34	34	14	–
Lancaster, Pa	3,042	58	6	25	65	38	74	156	394	731	863	631	1
Male	1,611	36	4	14	51	24	41	96	238	445	432	230	–
Female	1,431	22	2	11	14	14	33	60	156	286	431	401	1
White	2,956	55	6	22	62	35	72	148	382	712	839	622	1
Male	1,569	34	4	11	49	23	40	91	231	437	421	228	–
Female	1,387	21	2	11	13	12	32	57	151	275	418	394	1
All other	86	3	–	3	3	3	2	8	12	19	24	9	–
Male	42	2	–	3	2	1	1	5	7	8	11	2	–
Female	44	1	–	–	1	2	1	3	5	11	13	7	–
Lansing, Mich	2,456	85	16	21	82	71	68	194	331	531	615	442	–
Male	1,316	50	8	15	64	44	38	128	220	303	274	172	–
Female	1,140	35	8	6	18	27	30	66	111	228	341	270	–
White	2,359	72	15	20	77	64	61	185	310	513	607	435	–
Male	1,257	43	7	14	62	39	33	122	206	293	270	168	–
Female	1,102	29	8	6	15	25	28	63	104	220	337	267	–
All other	97	13	1	1	5	7	7	9	21	18	8	7	–
Male	59	7	1	1	2	5	5	6	14	10	4	4	–
Female	38	6	–	–	3	2	2	3	7	8	4	3	–
Laredo, Tex	566	35	11	6	22	10	15	43	67	111	148	96	2
Male	308	25	7	1	15	8	11	26	41	67	72	33	2
Female	258	10	4	5	7	2	4	17	26	44	76	63	–
White	566	35	11	6	22	10	15	43	67	111	148	96	2
Male	308	25	7	1	15	8	11	26	41	67	72	33	2
Female	258	10	4	5	7	2	4	17	26	44	76	63	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Las Vegas, Nev	2,569	85	12	25	120	107	149	295	513	608	466	189	–
Male	1,613	48	7	20	93	73	90	205	348	394	249	86	–
Female	956	37	5	5	27	34	59	90	165	214	217	103	–
White	2,327	64	10	20	101	83	123	271	470	567	442	176	–
Male	1,454	38	6	15	78	55	74	187	315	370	239	77	–
Female	873	26	4	5	23	28	49	84	155	197	203	99	–
All other	242	21	2	5	19	24	26	24	43	41	24	13	–
Male	159	10	1	5	15	18	16	18	33	24	10	9	–
Female	83	11	1	–	4	6	10	6	10	17	14	4	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lawton, Okla	639	33	6	8	23	23	26	64	105	133	136	82	–
Male	362	18	1	5	17	13	14	37	68	88	74	27	–
Female	277	15	5	3	6	10	12	27	37	45	62	55	–
White	540	18	4	7	19	16	23	48	91	116	120	78	–
Male	307	11	–	5	15	9	11	27	60	78	64	27	–
Female	233	7	4	2	4	7	12	21	31	38	56	51	–
All other	99	15	2	1	4	7	3	16	14	17	16	4	–
Male	55	7	1	–	2	4	3	10	8	10	10	–	–
Female	44	8	1	1	2	3	–	6	6	7	6	4	–
Lexington, Ky	1,441	40	7	5	40	42	48	132	254	327	312	233	1
Male	808	23	3	3	30	28	30	84	168	209	147	82	1
Female	633	17	4	2	10	14	18	48	86	118	165	151	–
White	1,131	29	6	4	30	32	35	103	201	254	246	190	1
Male	633	16	2	3	23	23	23	68	132	166	117	59	1
Female	498	13	4	1	7	9	12	35	69	88	129	131	–
All other	310	11	1	1	10	10	13	29	53	73	66	43	–
Male	175	7	1	–	7	5	7	16	36	43	30	23	–
Female	135	4	–	1	3	5	6	13	17	30	36	20	–
Lima, Ohio	1,526	40	5	7	33	26	40	96	205	373	386	315	–
Male	827	29	3	6	25	16	26	73	115	218	191	125	–
Female	699	11	2	1	8	10	14	23	90	155	195	190	–
White	1,441	32	3	5	32	22	35	89	191	353	377	302	–
Male	778	23	1	4	25	13	24	70	109	203	185	121	–
Female	663	9	2	1	7	9	11	19	82	150	192	181	–
All other	85	8	2	2	1	4	5	7	14	20	9	13	–
Male	49	6	2	2	–	3	2	3	6	15	6	4	–
Female	36	2	–	–	1	1	3	4	8	5	3	9	–
Lincoln, Nebr	1,290	25	5	7	33	33	29	99	169	257	353	280	–
Male	653	17	–	5	26	20	18	59	110	157	157	84	–
Female	637	8	5	2	7	13	11	40	59	100	196	196	–
White	1,270	24	5	7	32	31	29	97	163	253	349	280	–
Male	642	16	–	5	25	18	18	58	107	156	155	84	–
Female	628	8	5	2	7	13	11	39	56	97	194	196	–
All other	20	1	–	–	1	2	–	2	6	4	4	–	–
Male	11	1	–	–	1	2	–	1	3	1	2	–	–
Female	9	–	–	–	–	–	–	1	3	3	2	–	–
Little Rock–North Little Rock, Ark	2,913	107	10	27	85	85	88	245	483	672	692	419	–
Male	1,618	58	3	13	65	67	61	158	301	411	332	149	–
Female	1,295	49	7	14	20	18	27	87	182	261	360	270	–
White	2,270	63	6	16	61	61	65	192	377	512	568	349	–
Male	1,274	33	2	11	47	50	45	127	245	325	273	116	–
Female	996	30	4	5	14	11	20	65	132	187	295	233	–
All other	643	44	4	11	24	24	23	53	106	160	124	70	–
Male	344	25	1	2	18	17	16	31	56	86	59	33	–
Female	299	19	3	9	6	7	7	22	50	74	65	37	–
Lorain–Elyria, Ohio	1,946	77	13	8	58	47	48	193	330	423	449	300	–
Male	1,072	39	8	4	41	33	34	132	210	259	198	114	–
Female	874	38	5	4	17	14	14	61	120	164	251	186	–
White	1,821	68	13	8	51	42	42	183	303	393	427	291	–
Male	1,000	36	8	4	37	29	30	125	190	236	191	114	–
Female	821	32	5	4	14	13	12	58	113	157	236	177	–
All other	125	9	–	–	7	5	6	10	27	30	22	9	–
Male	72	3	–	–	4	4	4	7	20	23	7	–	–
Female	53	6	–	–	3	1	2	3	7	7	15	9	–
Los Angeles–Long Beach, Calif	57,672	1,554	278	318	1,766	1,873	2,046	4,818	9,160	12,265	14,071	9,519	4
Male	30,074	880	155	195	1,266	1,285	1,259	2,949	5,530	7,085	6,276	3,190	4
Female	27,598	674	123	123	500	588	787	1,869	3,630	5,180	7,795	6,329	–
White	50,043	1,088	204	228	1,384	1,350	1,526	3,871	7,831	10,799	12,874	8,886	2
Male	25,825	610	114	142	1,021	953	941	2,372	4,716	6,289	5,736	2,929	2
Female	24,218	478	90	86	363	397	585	1,499	3,115	4,510	7,138	5,957	–
All other	7,629	466	74	90	382	523	520	947	1,329	1,466	1,197	633	2
Male	4,249	270	41	53	245	332	318	577	814	796	540	261	2
Female	3,380	196	33	37	137	191	202	370	515	670	657	372	–
Louisville, Ky.–Ind	7,897	177	24	51	196	181	241	709	1,354	1,922	1,943	1,098	1
Male	4,251	104	16	34	143	115	158	457	858	1,135	853	377	1
Female	3,646	73	8	17	53	66	83	252	496	787	1,090	721	–
White	6,680	123	14	44	162	137	191	578	1,112	1,621	1,691	1,007	–
Male	3,624	79	7	31	121	92	127	381	720	968	756	342	–
Female	3,056	44	7	13	41	45	64	197	392	653	935	665	–
All other	1,217	54	10	7	34	44	50	131	242	301	252	91	1
Male	627	25	9	3	22	23	31	76	138	167	97	35	1
Female	590	29	1	4	12	21	19	55	104	134	155	56	–
Lubbock, Tex	1,290	77	5	11	63	47	55	103	207	257	294	171	–
Male	710	40	4	8	50	39	34	63	133	152	129	58	–
Female	580	37	1	3	13	8	21	40	74	105	165	113	–
White	1,153	64	5	9	59	37	44	89	173	233	278	162	–
Male	630	35	4	6	47	32	27	54	112	142	119	52	–
Female	523	29	1	3	12	5	17	35	61	91	159	110	–
All other	137	13	–	2	4	10	11	14	34	24	16	9	–
Male	80	5	–	2	3	7	7	9	21	10	10	6	–
Female	57	8	–	–	1	3	4	5	13	14	6	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lynchburg, Va.	1,281	30	6	11	29	30	46	102	222	294	311	200	–
Male	685	15	3	4	22	19	33	63	136	178	155	57	–
Female	596	15	3	7	7	11	13	39	86	116	156	143	–
White	1,004	18	4	6	21	24	31	78	160	232	256	174	–
Male	539	8	2	1	17	14	22	48	98	149	131	49	–
Female	465	10	2	5	4	10	9	30	62	83	125	125	–
All other	277	12	2	5	8	6	15	24	62	62	55	26	–
Male	146	7	1	3	5	5	11	15	38	29	24	8	–
Female	131	5	1	2	3	1	4	9	24	33	31	18	–
Macon, Ga	1,902	53	9	18	62	60	97	189	397	467	373	177	–
Male	1,027	32	4	11	41	42	65	117	244	253	172	46	–
Female	875	21	5	7	21	18	32	72	153	214	201	131	–
White	1,229	28	4	10	42	26	57	119	256	291	259	137	–
Male	685	19	2	6	28	18	37	80	176	172	114	33	–
Female	544	9	2	4	14	8	20	39	80	119	145	104	–
All other	673	25	5	8	20	34	40	70	141	176	114	40	–
Male	342	13	2	5	13	24	28	37	68	81	58	13	–
Female	331	12	3	3	7	10	12	33	73	95	56	27	–
Madison, Wis	1,788	41	3	13	57	37	49	122	247	360	481	378	–
Male	973	25	1	7	41	23	32	71	157	218	252	146	–
Female	815	16	2	6	16	14	17	51	90	142	229	232	–
White	1,761	37	3	13	54	35	47	117	246	356	478	375	–
Male	953	21	1	7	39	21	30	68	157	216	250	143	–
Female	808	16	2	6	15	14	17	49	89	140	228	232	–
All other	27	4	–	–	3	2	2	5	1	4	3	3	–
Male	20	4	–	–	2	2	2	3	–	2	2	3	–
Female	7	–	–	–	1	–	–	2	1	2	1	–	–
Manchester, N.H.	2,144	35	8	8	37	34	51	160	340	493	602	376	–
Male	1,130	19	3	8	28	16	30	98	224	283	297	124	–
Female	1,014	16	5	–	9	18	21	62	116	210	305	252	–
White	2,142	35	8	8	37	33	51	159	340	493	602	376	–
Male	1,130	19	3	8	28	16	30	98	224	283	297	124	–
Female	1,012	16	5	–	9	17	21	61	116	210	305	252	–
All other	2	–	–	–	–	1	–	1	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	1	–	1	–	–	–	–	–
Mansfield, Ohio	1,143	28	2	5	16	32	33	100	199	249	293	186	–
Male	637	11	1	3	13	20	21	62	138	148	150	70	–
Female	506	17	1	2	3	12	12	38	61	101	143	116	–
White	1,072	25	2	5	15	28	27	90	183	240	277	180	–
Male	596	9	1	3	13	18	17	56	129	143	139	68	–
Female	476	16	1	2	2	10	10	34	54	97	138	112	–
All other	71	3	–	–	1	4	6	10	16	9	16	6	–
Male	41	2	–	–	–	2	4	6	9	5	11	2	–
Female	30	1	–	–	1	2	2	4	7	4	5	4	–
McAllen–Pharr–Edinburg, Tex	1,414	67	19	20	51	27	55	98	188	358	332	197	2
Male	835	41	9	14	40	23	29	63	127	219	180	88	2
Female	579	26	10	6	11	4	26	35	61	139	152	109	–
White	1,413	67	19	20	51	27	55	98	187	358	332	197	2
Male	834	41	9	14	40	23	29	63	126	219	180	88	2
Female	579	26	10	6	11	4	26	35	61	139	152	109	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Memphis, Tenn.–Ark.	6,922	278	45	54	183	225	245	620	1,091	1,684	1,600	896	1
Male	3,740	163	25	36	137	151	151	377	696	935	749	319	1
Female	3,182	115	20	18	46	74	94	243	395	749	851	577	–
White	3,757	116	15	29	85	115	110	323	570	871	938	585	–
Male	2,018	71	9	16	62	77	69	199	389	509	431	186	–
Female	1,739	45	6	13	23	38	41	124	181	362	507	399	–
All other	3,165	162	30	25	98	110	135	297	521	813	662	311	1
Male	1,722	92	16	20	75	74	82	178	307	426	318	133	1
Female	1,443	70	14	5	23	36	53	119	214	387	344	178	–
Miami, Fla.	14,974	251	53	66	259	323	435	1,096	2,083	3,723	4,387	2,294	4
Male	8,340	140	30	45	187	235	254	666	1,313	2,134	2,318	1,015	3
Female	6,634	111	23	21	72	88	181	430	770	1,589	2,069	1,279	1
White	13,161	119	31	46	190	220	294	786	1,692	3,372	4,175	2,233	3
Male	7,268	66	16	31	131	156	168	482	1,064	1,947	2,212	992	3
Female	5,893	53	15	15	59	64	126	304	628	1,425	1,963	1,241	–
All other	1,813	132	22	20	69	103	141	310	391	351	212	61	1
Male	1,072	74	14	14	56	79	86	184	249	187	106	23	–
Female	741	58	8	6	13	24	55	126	142	164	106	38	1
Midland, Tex.	450	17	5	7	25	17	15	52	74	80	101	57	–
Male	244	7	2	5	19	14	9	31	49	42	48	18	–
Female	206	10	3	2	6	3	6	21	25	38	53	39	–
White	392	15	4	7	23	16	9	45	66	66	87	54	–
Male	204	7	2	5	17	13	4	26	42	33	39	16	–
Female	188	8	2	2	6	3	5	19	24	33	48	38	–
All other	58	2	1	–	2	1	6	7	8	14	14	3	–
Male	40	–	–	–	2	1	5	5	7	9	9	2	–
Female	18	2	1	–	–	–	1	2	1	5	5	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Milwaukee, Wis	11,469	234	44	57	206	232	262	842	1,755	2,694	3,175	1,965	3
Male	6,185	138	27	40	147	138	175	509	1,125	1,621	1,543	721	1
Female	5,284	96	17	17	59	94	87	333	630	1,073	1,632	1,244	2
White	10,756	170	34	41	170	185	215	738	1,651	2,545	3,088	1,917	2
Male	5,774	104	24	28	129	109	143	444	1,062	1,533	1,495	702	1
Female	4,982	66	10	13	41	76	72	294	589	1,012	1,593	1,215	1
All other	713	64	10	16	36	47	47	104	104	149	87	48	1
Male	411	34	3	12	18	29	32	65	63	88	48	19	–
Female	302	30	7	4	18	18	15	39	41	61	39	29	1
Minneapolis–St. Paul, Minn	13,083	288	62	92	301	307	305	878	1,777	2,778	3,705	2,590	–
Male	6,913	169	34	58	210	209	189	581	1,144	1,625	1,763	931	–
Female	6,170	119	28	34	91	98	116	297	633	1,153	1,942	1,659	–
White	12,735	250	51	82	282	276	286	839	1,731	2,734	3,646	2,558	–
Male	6,726	145	29	55	198	193	178	555	1,121	1,600	1,733	919	–
Female	6,009	105	22	27	84	83	108	284	610	1,134	1,913	1,639	–
All other	348	38	11	10	19	31	19	39	46	44	59	32	–
Male	187	24	5	3	12	16	11	26	23	25	30	12	–
Female	161	14	6	7	7	15	8	13	23	19	29	20	–
Mobile, Ala	3,732	138	17	35	142	112	145	352	629	912	771	477	2
Male	2,112	81	9	19	102	85	97	222	411	566	361	158	1
Female	1,620	57	8	16	40	27	48	130	218	346	410	319	1
White	2,585	72	9	25	93	63	80	230	437	621	591	362	2
Male	1,448	39	4	16	67	49	58	142	296	386	274	116	1
Female	1,137	33	5	9	26	14	22	88	141	235	317	246	1
All other	1,147	66	8	10	49	49	65	122	192	291	180	115	–
Male	664	42	5	3	35	36	39	80	115	180	87	42	–
Female	483	24	3	7	14	13	26	42	77	111	93	73	–
Modesto, Calif	1,932	43	11	18	76	51	59	151	298	407	492	325	1
Male	1,088	22	5	8	58	39	39	98	171	259	245	143	1
Female	844	21	6	10	18	12	20	53	127	148	247	182	–
White	1,903	43	10	17	74	50	58	144	296	400	487	323	1
Male	1,074	22	5	8	56	38	39	92	171	254	245	143	1
Female	829	21	5	9	18	12	19	52	125	146	242	180	–
All other	29	–	1	1	2	1	1	7	2	7	5	2	–
Male	14	–	–	–	2	1	–	6	–	5	–	–	–
Female	15	–	1	1	–	–	1	1	2	2	5	2	–
Monroe, La	1,109	70	6	6	29	18	38	90	151	292	259	149	1
Male	616	40	4	6	20	11	28	56	93	172	135	50	1
Female	493	30	2	–	9	7	10	34	58	120	124	99	–
White	709	32	2	3	21	11	25	53	94	187	170	110	1
Male	400	18	1	3	13	8	20	34	58	114	89	41	1
Female	309	14	1	–	8	3	5	19	36	73	81	69	–
All other	400	38	4	3	8	7	13	37	57	105	89	39	–
Male	216	22	3	3	7	3	8	22	35	58	46	9	–
Female	184	16	1	–	1	4	5	15	22	47	43	30	–
Montgomery, Ala	2,068	63	17	15	60	60	65	162	344	510	485	287	–
Male	1,097	42	10	8	35	46	40	97	219	300	205	95	–
Female	971	21	7	7	25	14	25	65	125	210	280	192	–
White	1,234	23	10	6	33	26	36	88	202	293	322	195	–
Male	647	19	6	2	20	19	25	53	132	184	133	54	–
Female	587	4	4	4	13	7	11	35	70	109	189	141	–
All other	834	40	7	9	27	34	29	74	142	217	163	92	–
Male	450	23	4	6	15	27	15	44	87	116	72	41	–
Female	384	17	3	3	12	7	14	30	55	101	91	51	–
Muncie, Ind	1,076	21	6	2	32	23	42	77	171	277	268	157	–
Male	602	10	4	2	23	15	26	51	120	164	128	59	–
Female	474	11	2	–	9	8	16	26	51	113	140	98	–
White	1,014	20	5	2	28	19	39	72	154	271	252	152	–
Male	567	9	4	2	20	13	23	47	112	159	121	57	–
Female	447	11	1	–	8	6	16	25	42	112	131	95	–
All other	62	1	1	–	4	4	3	5	17	6	16	5	–
Male	35	1	–	–	3	2	3	4	8	5	7	2	–
Female	27	–	1	–	1	2	–	1	9	1	9	3	–
Muskegon–Muskegon Heights, Mich	1,315	36	8	8	42	26	28	87	227	310	336	207	–
Male	729	25	5	4	31	19	14	62	143	198	166	62	–
Female	586	11	3	4	11	7	14	25	84	112	170	145	–
White	1,183	27	5	7	34	20	26	72	198	278	316	200	–
Male	638	20	3	3	26	14	12	48	123	178	154	57	–
Female	545	7	2	4	8	6	14	24	75	100	162	143	–
All other	132	9	3	1	8	6	2	15	29	32	20	7	–
Male	91	5	2	1	5	5	2	14	20	20	12	5	–
Female	41	4	1	–	3	1	–	1	9	12	8	2	–
Nashville–Davidson, Tenn	4,913	130	22	30	157	125	170	423	778	1,159	1,151	768	–
Male	2,673	71	11	22	105	96	109	269	477	705	544	264	–
Female	2,240	59	11	8	52	29	61	154	301	454	607	504	–
White	3,798	70	15	20	111	76	121	319	568	876	939	683	–
Male	2,061	37	8	16	79	60	76	205	358	538	453	231	–
Female	1,737	33	7	4	32	16	45	114	210	338	486	452	–
All other	1,115	60	7	10	46	49	49	104	210	283	212	85	–
Male	612	34	3	6	26	36	33	64	119	167	91	33	–
Female	503	26	4	4	20	13	16	40	91	116	121	52	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Haven–Waterbury, Conn	6,723	119	13	27	108	116	172	442	1,107	1,575	1,867	1,175	2
Male	3,613	66	8	15	83	72	114	280	706	938	903	428	–
Female	3,110	53	5	12	25	44	58	162	401	637	964	747	2
White	6,354	91	10	23	94	97	127	394	1,044	1,500	1,828	1,145	1
Male	3,405	51	6	12	76	59	83	252	664	906	883	413	–
Female	2,949	40	4	11	18	38	44	142	380	594	945	732	1
All other	369	28	3	4	14	19	45	48	63	75	39	30	1
Male	208	15	2	3	7	13	31	28	42	32	20	15	–
Female	161	13	1	1	7	6	14	20	21	43	19	15	1
New Orleans, La	10,188	383	47	65	294	309	462	967	1,830	2,464	2,295	1,062	10
Male	5,609	222	24	46	233	227	301	620	1,130	1,415	1,066	318	7
Female	4,579	161	23	19	61	82	161	347	700	1,049	1,229	744	3
White	6,728	137	14	29	157	156	237	569	1,205	1,630	1,734	856	4
Male	3,672	84	8	20	119	112	156	391	781	962	794	242	3
Female	3,056	53	6	9	38	44	81	178	424	668	940	614	1
All other	3,460	246	33	36	137	153	225	398	625	834	561	206	6
Male	1,937	138	16	26	114	115	145	229	349	453	272	76	4
Female	1,523	108	17	10	23	38	80	169	276	381	289	130	2
New York, N.Y	105,674	2,303	354	550	1,940	2,742	3,587	8,375	16,199	24,508	28,716	16,368	32
Male	55,492	1,320	206	345	1,396	1,925	2,243	5,132	9,762	13,782	13,417	5,944	20
Female	50,182	983	148	205	544	817	1,344	3,243	6,437	10,726	15,299	10,424	12
White	89,164	1,279	225	371	1,368	1,685	2,212	6,112	12,959	21,268	26,328	15,326	31
Male	46,368	736	133	223	1,001	1,194	1,381	3,782	7,943	12,086	12,278	5,591	20
Female	42,796	543	92	148	367	491	831	2,330	5,016	9,182	14,050	9,735	11
All other	16,510	1,024	129	179	572	1,057	1,375	2,263	3,240	3,240	2,388	1,042	1
Male	9,124	584	73	122	395	731	862	1,350	1,819	1,696	1,139	353	–
Female	7,386	440	56	57	177	326	513	913	1,421	1,544	1,249	689	1
Newark, N.J	15,637	369	41	94	292	325	488	1,316	2,532	3,566	4,071	2,538	5
Male	8,208	207	17	63	211	222	320	793	1,564	2,105	1,872	831	3
Female	7,429	162	24	31	81	103	168	523	968	1,461	2,199	1,707	2
White	12,816	187	22	66	179	178	263	895	2,020	2,995	3,663	2,344	4
Male	6,633	102	10	43	134	129	165	550	1,274	1,769	1,693	762	2
Female	6,183	85	12	23	45	49	98	345	746	1,226	1,970	1,582	2
All other	2,821	182	19	28	113	147	225	421	512	571	408	194	1
Male	1,575	105	7	20	77	93	155	243	290	336	179	69	1
Female	1,246	77	12	8	36	54	70	178	222	235	229	125	–
Newport News–Hampton, Va	2,018	80	10	21	60	49	95	222	392	463	420	206	–
Male	1,188	39	5	15	50	35	55	137	276	289	219	68	–
Female	830	41	5	6	10	14	40	85	116	174	201	138	–
White	1,332	50	8	11	37	27	46	127	254	314	299	159	–
Male	798	24	5	9	30	19	28	83	187	201	160	52	–
Female	534	26	3	2	7	8	18	44	67	113	139	107	–
All other	686	30	2	10	23	22	49	95	138	149	121	47	–
Male	390	15	–	6	20	16	27	54	89	88	59	16	–
Female	296	15	2	4	3	6	22	41	49	61	62	31	–
Norfolk–Portsmouth, Va	5,046	227	25	49	150	138	221	551	909	1,173	1,049	550	4
Male	2,867	144	15	30	108	98	136	352	591	691	508	191	3
Female	2,179	83	10	19	42	40	85	199	318	482	541	359	1
White	3,283	118	13	31	110	84	103	333	557	746	752	434	2
Male	1,858	70	9	15	77	62	72	218	369	461	361	142	2
Female	1,425	48	4	16	33	22	31	115	188	285	391	292	–
All other	1,763	109	12	18	40	54	118	218	352	427	297	116	2
Male	1,009	74	6	15	31	36	64	134	222	230	147	49	1
Female	754	35	6	3	9	18	54	84	130	197	150	67	1
Odessa, Tex	695	24	10	10	35	28	42	80	146	135	117	68	–
Male	417	9	8	7	25	22	27	47	97	88	62	25	–
Female	278	15	2	3	10	6	15	33	49	47	55	43	–
White	655	22	9	9	34	25	39	75	137	126	113	66	–
Male	387	9	7	6	24	20	24	44	91	80	58	24	–
Female	268	13	2	3	10	5	15	31	46	46	55	42	–
All other	40	2	1	1	1	3	3	5	9	9	4	2	–
Male	30	–	1	1	1	2	3	3	6	8	4	1	–
Female	10	2	–	–	–	1	–	2	3	1	–	1	–
Ogden, Utah	902	36	8	9	38	25	14	75	138	180	228	151	–
Male	524	25	5	7	31	18	8	51	96	111	116	56	–
Female	378	11	3	2	7	7	6	24	42	69	112	95	–
White	872	35	8	9	35	24	13	71	133	172	227	145	–
Male	505	25	5	7	28	17	8	48	93	106	116	52	–
Female	367	10	3	2	7	7	5	23	40	66	111	93	–
All other	30	1	–	–	3	1	1	4	5	8	1	6	–
Male	19	–	–	–	3	1	–	3	3	5	–	4	–
Female	11	1	–	–	–	–	1	1	2	3	1	2	–
Oklahoma City, Okla	5,516	168	31	39	169	178	221	444	916	1,177	1,362	801	10
Male	3,053	98	20	22	121	119	145	301	594	702	645	278	8
Female	2,463	70	11	17	48	59	76	143	322	475	717	523	2
White	4,926	128	24	32	144	145	178	378	815	1,069	1,261	746	6
Male	2,713	72	16	18	104	99	120	254	521	648	600	256	5
Female	2,213	56	8	14	40	46	58	124	294	421	661	490	1
All other	590	40	7	7	25	33	43	66	101	108	101	55	4
Male	340	26	4	4	17	20	25	47	73	54	45	22	3
Female	250	14	3	3	8	13	18	19	28	54	56	33	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Omaha, Nebr.–Iowa	4,428	152	37	32	132	103	126	353	616	948	1,111	818	–
Male	2,389	76	21	20	104	74	79	219	409	576	534	277	–
Female	2,039	76	16	12	28	29	47	134	207	372	577	541	–
White	4,120	135	27	32	117	88	110	315	571	878	1,065	782	–
Male	2,218	69	15	20	97	63	71	197	382	529	511	264	–
Female	1,902	66	12	12	20	25	39	118	189	349	554	518	–
All other	308	17	10	–	15	15	16	38	45	70	46	36	–
Male	171	7	6	–	7	11	8	22	27	47	23	13	–
Female	137	10	4	–	8	4	8	16	18	23	23	23	–
Orlando, Fla	4,508	124	18	23	122	96	156	422	783	1,034	1,098	632	–
Male	2,498	74	6	17	86	55	92	263	475	646	542	242	–
Female	2,010	50	12	6	36	41	64	159	308	388	556	390	–
White	3,823	75	12	21	107	67	112	329	627	882	995	596	–
Male	2,126	48	5	15	76	37	69	201	391	555	496	233	–
Female	1,697	27	7	6	31	30	43	128	236	327	499	363	–
All other	685	49	6	2	15	29	44	93	156	152	103	36	–
Male	372	26	1	2	10	18	23	62	84	91	46	9	–
Female	313	23	5	–	5	11	21	31	72	61	57	27	–
Owensboro, Ky	777	24	1	7	19	13	22	69	106	166	205	145	–
Male	408	14	–	6	16	10	12	48	68	100	95	39	–
Female	369	10	1	1	3	3	10	21	38	66	110	106	–
White	730	21	1	7	17	9	21	66	97	157	195	139	–
Male	383	12	–	6	14	7	12	47	60	96	92	37	–
Female	347	9	1	1	3	2	9	19	37	61	103	102	–
All other	47	3	–	–	2	4	1	3	9	9	10	6	–
Male	25	2	–	–	2	3	–	1	8	4	3	2	–
Female	22	1	–	–	–	1	1	2	1	5	7	4	–
Oxnard–Ventura, Calif	2,835	90	18	29	107	89	120	227	416	618	664	456	1
Male	1,522	56	8	19	82	59	72	131	258	343	328	166	–
Female	1,313	34	10	10	25	30	48	96	158	275	336	290	1
White	2,759	84	18	29	103	82	107	219	404	607	652	453	1
Male	1,482	53	8	19	79	55	65	127	254	336	323	163	–
Female	1,277	31	10	10	24	27	42	92	150	271	329	290	1
All other	76	6	–	–	4	7	13	8	12	11	12	3	–
Male	40	3	–	–	3	4	7	4	4	7	5	3	–
Female	36	3	–	–	1	3	6	4	8	4	7	–	–
Patterson–Clifton–Passaic, N.J	11,842	175	26	72	183	212	278	886	1,937	2,704	3,307	2,059	3
Male	6,195	103	14	35	135	140	179	540	1,213	1,611	1,495	728	2
Female	5,647	72	12	37	48	72	99	346	724	1,093	1,812	1,331	1
White	11,221	136	16	59	161	165	220	797	1,843	2,588	3,220	2,014	2
Male	5,838	80	8	28	119	110	134	481	1,155	1,549	1,459	714	1
Female	5,383	56	8	31	42	55	86	316	688	1,039	1,761	1,300	1
All other	621	39	10	13	22	47	58	89	94	116	87	45	1
Male	357	23	6	7	16	30	45	59	58	62	36	14	1
Female	264	16	4	6	6	17	13	30	36	54	51	31	–
Pensacola, Fla	1,900	66	12	19	51	46	71	182	364	445	404	240	–
Male	1,048	35	7	9	39	35	48	111	218	263	197	86	–
Female	852	31	5	10	12	11	23	71	146	182	207	154	–
White	1,473	34	8	19	41	32	50	139	292	323	330	205	–
Male	819	19	5	9	32	26	36	88	176	201	156	71	–
Female	654	15	3	10	9	6	14	51	116	122	174	134	–
All other	427	32	4	–	10	14	21	43	72	122	74	35	–
Male	229	16	2	–	7	9	12	23	42	62	41	15	–
Female	198	16	2	–	3	5	9	20	30	60	33	20	–
Peoria, Ill	3,086	95	11	24	71	62	73	199	428	724	826	572	1
Male	1,652	58	4	16	52	43	47	120	266	444	405	197	–
Female	1,434	37	7	8	19	19	26	79	162	280	421	375	1
White	2,948	79	5	20	65	54	65	182	408	701	805	563	1
Male	1,577	49	1	13	48	38	44	109	253	434	396	192	–
Female	1,371	30	4	7	17	16	21	73	155	267	409	371	1
All other	138	16	6	4	6	8	8	17	20	23	21	9	–
Male	75	9	3	3	4	5	3	11	13	10	9	5	–
Female	63	7	3	1	2	3	5	6	7	13	12	4	–
Petersburg–Colonial Heights, Va	1,041	36	5	14	32	25	39	108	201	242	223	116	–
Male	586	15	3	6	23	19	24	72	151	128	104	41	–
Female	455	21	2	8	9	6	15	36	50	114	119	75	–
White	637	15	3	5	18	6	18	64	116	153	147	92	–
Male	360	6	2	3	14	5	12	43	90	83	71	31	–
Female	277	9	1	2	4	1	6	21	26	70	76	61	–
All other	404	21	2	9	14	19	21	44	85	89	76	24	–
Male	226	9	1	3	9	14	12	29	61	45	33	10	–
Female	178	12	1	6	5	5	9	15	24	44	43	14	–
Philadelphia, Pa.–N.J	45,205	1,045	142	254	874	896	1,398	3,885	7,460	10,953	11,721	6,572	5
Male	23,867	586	77	150	640	644	858	2,428	4,563	6,297	5,385	2,235	4
Female	21,338	459	65	104	234	252	540	1,457	2,897	4,656	6,336	4,337	1
White	36,512	596	89	175	662	538	818	2,690	5,755	9,061	10,221	5,904	3
Male	18,988	338	53	95	490	382	503	1,698	3,554	5,256	4,657	1,959	3
Female	17,524	258	36	80	172	156	315	992	2,201	3,805	5,564	3,945	–
All other	8,693	449	53	79	212	358	580	1,195	1,705	1,892	1,500	668	2
Male	4,879	248	24	55	150	262	355	730	1,009	1,041	728	276	1
Female	3,814	201	29	24	62	96	225	465	696	851	772	392	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Phoenix, Ariz.	9,999	284	67	91	324	302	339	786	1,539	2,506	2,462	1,296	3
Male	5,848	166	42	64	237	207	219	493	978	1,559	1,354	526	3
Female	4,151	118	25	27	87	95	120	293	561	947	1,108	770	–
White	9,548	256	58	80	289	270	304	732	1,482	2,426	2,389	1,260	2
Male	5,585	153	34	58	212	188	200	458	944	1,515	1,313	508	2
Female	3,963	103	24	22	77	82	104	274	538	911	1,076	752	–
All other	451	28	9	11	35	32	35	54	57	80	73	36	1
Male	263	13	8	6	25	19	19	35	34	44	41	18	1
Female	188	15	1	5	10	13	16	19	23	36	32	18	–
Pine Bluff, Ark.	817	28	3	7	16	21	18	57	133	209	206	119	–
Male	458	20	1	5	13	17	12	36	91	114	104	45	–
Female	359	8	2	2	3	4	6	21	42	95	102	74	–
White	464	12	1	5	10	11	8	28	78	122	116	73	–
Male	266	8	–	3	8	8	7	18	57	81	55	21	–
Female	198	4	1	2	2	3	1	10	21	41	61	52	–
All other	353	16	2	2	6	10	10	29	55	87	90	46	–
Male	192	12	1	2	5	9	5	18	34	33	49	24	–
Female	161	4	1	–	1	1	5	11	21	54	41	22	–
Pittsburgh, Pa.	24,192	373	53	80	377	352	529	1,821	4,387	6,136	6,343	3,725	16
Male	13,173	228	29	45	272	254	317	1,140	2,707	3,653	3,056	1,462	10
Female	11,019	145	24	35	105	98	212	681	1,680	2,483	3,287	2,263	6
White	22,143	296	42	71	344	271	425	1,597	4,026	5,643	5,896	3,517	15
Male	11,964	182	23	39	251	195	256	1,000	2,489	3,344	2,810	1,365	10
Female	10,179	114	19	32	93	76	169	597	1,537	2,299	3,086	2,152	5
All other	2,049	77	11	9	33	81	104	224	361	493	447	208	1
Male	1,209	46	6	6	21	59	61	140	218	309	246	97	–
Female	840	31	5	3	12	22	43	84	143	184	201	111	1
Pittsfield, Mass.	1,482	25	10	5	29	22	27	81	210	348	410	314	1
Male	801	19	5	3	26	15	14	45	145	221	194	113	1
Female	681	6	5	2	3	7	13	36	65	127	216	201	–
White	1,467	25	10	5	29	22	26	79	205	346	410	309	1
Male	793	19	5	3	26	15	14	44	141	220	194	111	1
Female	674	6	5	2	3	7	12	35	64	126	216	198	–
All other	15	–	–	–	–	–	1	2	5	2	–	5	–
Male	8	–	–	–	–	–	–	1	4	1	–	2	–
Female	7	–	–	–	–	–	1	1	1	1	–	3	–
Portland, Maine	1,939	18	5	10	33	36	31	132	294	460	541	379	–
Male	998	4	2	7	23	31	19	86	185	261	253	127	–
Female	941	14	3	3	10	5	12	46	109	199	288	252	–
White	1,929	18	5	10	33	35	31	131	292	458	539	377	–
Male	994	4	2	7	23	30	19	85	184	261	252	127	–
Female	935	14	3	3	10	5	12	46	108	197	287	250	–
All other	10	–	–	–	–	1	–	1	2	2	2	2	–
Male	4	–	–	–	–	1	–	1	1	–	1	–	–
Female	6	–	–	–	–	–	–	–	1	2	1	2	–
Portland, Oreg.–Wash.	9,708	197	46	73	262	246	273	668	1,464	2,097	2,506	1,869	7
Male	5,271	110	23	40	187	165	185	425	944	1,279	1,240	669	4
Female	4,437	87	23	33	75	81	88	243	520	818	1,266	1,200	3
White	9,378	178	45	66	249	227	251	629	1,408	2,025	2,457	1,838	5
Male	5,080	101	22	39	179	154	170	397	908	1,237	1,213	658	2
Female	4,298	77	23	27	70	73	81	232	500	788	1,244	1,180	3
All other	330	19	1	7	13	19	22	39	56	72	49	31	2
Male	191	9	1	1	8	11	15	28	36	42	27	11	2
Female	139	10	–	6	5	8	7	11	20	30	22	20	–
Providence, R.I.	7,733	114	22	35	127	135	179	556	1,192	1,879	2,156	1,337	1
Male	4,090	68	16	21	96	93	113	348	727	1,103	1,018	487	–
Female	3,643	46	6	14	31	42	66	208	465	776	1,138	850	1
White	7,541	96	18	30	125	126	158	525	1,165	1,847	2,126	1,324	1
Male	3,980	58	14	19	94	90	96	333	708	1,086	999	483	–
Female	3,561	38	4	11	31	36	62	192	457	761	1,127	841	1
All other	192	18	4	5	2	9	21	31	27	32	30	13	–
Male	110	10	2	2	2	3	17	15	19	17	19	4	–
Female	82	8	2	3	–	6	4	16	8	15	11	9	–
Provo–Orem, Utah	898	68	14	10	25	27	18	52	142	172	239	131	–
Male	499	41	6	9	20	23	12	31	85	107	114	51	–
Female	399	27	8	1	5	4	6	21	57	65	125	80	–
White	894	67	13	10	24	27	18	52	142	171	239	131	–
Male	497	41	6	9	19	23	12	31	85	106	114	51	–
Female	397	26	7	1	5	4	6	21	57	65	125	80	–
All other	4	1	1	–	1	–	–	–	–	1	–	–	–
Male	2	–	–	–	1	–	–	–	–	1	–	–	–
Female	2	1	1	–	–	–	–	–	–	–	–	–	–
Pueblo, Colo.	1,039	28	6	3	23	34	28	71	162	248	270	166	–
Male	597	17	5	1	17	25	21	38	113	161	138	61	–
Female	442	11	1	2	6	9	7	33	49	87	132	105	–
White	1,014	27	5	3	23	34	27	71	157	242	263	162	–
Male	582	17	4	1	17	25	21	38	109	155	135	60	–
Female	432	10	1	2	6	9	6	33	48	87	128	102	–
All other	25	1	1	–	–	–	1	–	5	6	7	4	–
Male	15	–	1	–	–	–	–	–	4	6	3	1	–
Female	10	1	–	–	–	–	1	–	1	–	4	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Racine, Wis	1,345	29	12	8	34	36	40	95	184	297	355	255	–
Male	732	17	8	5	28	18	24	55	108	178	183	108	–
Female	613	12	4	3	6	18	16	40	76	119	172	147	–
White	1,268	20	8	7	29	28	37	84	171	287	347	250	–
Male	687	9	6	5	26	14	22	47	100	172	179	107	–
Female	581	11	2	2	3	14	15	37	71	115	168	143	–
All other	77	9	4	1	5	8	3	11	13	10	8	5	–
Male	45	8	2	–	2	4	2	8	8	6	4	1	–
Female	32	1	2	1	3	4	1	3	5	4	4	4	–
Raleigh, N.C	1,799	55	13	18	56	58	85	168	347	389	391	219	–
Male	1,014	36	9	7	45	37	59	113	220	230	185	73	–
Female	785	19	4	11	11	21	26	55	127	159	206	146	–
White	1,306	29	8	11	42	40	50	117	244	278	306	181	–
Male	711	16	4	2	31	24	34	78	154	164	148	56	–
Female	595	13	4	9	11	16	16	39	90	114	158	125	–
All other	493	26	5	7	14	18	35	51	103	111	85	38	–
Male	303	20	5	5	14	13	25	35	66	66	37	17	–
Female	190	6	–	2	–	5	10	16	37	45	48	21	–
Reading, Pa	2,992	31	4	12	40	48	63	209	462	747	887	488	1
Male	1,623	22	2	7	27	32	46	131	285	448	440	182	1
Female	1,369	9	2	5	13	16	17	78	177	299	447	306	–
White	2,931	29	4	9	38	43	62	198	452	737	876	482	1
Male	1,591	20	2	6	25	28	46	126	280	440	436	181	1
Female	1,340	9	2	3	13	15	16	72	172	297	440	301	–
All other	61	2	–	3	2	5	1	11	10	10	11	6	–
Male	32	2	–	1	2	4	–	5	5	8	4	1	–
Female	29	–	–	2	–	1	1	6	5	2	7	5	–
Reno, Nev	1,274	33	–	6	46	48	45	142	257	289	273	135	–
Male	757	14	–	4	40	32	29	95	159	178	145	61	–
Female	517	19	–	2	6	16	16	47	98	111	128	74	–
White	1,217	30	–	6	42	41	42	131	250	276	265	134	–
Male	721	13	–	4	38	27	26	87	154	172	140	60	–
Female	496	17	–	2	4	14	16	44	96	104	125	74	–
All other	57	3	–	–	4	7	3	11	7	13	8	1	–
Male	36	1	–	–	2	5	3	8	5	6	5	1	–
Female	21	2	–	–	2	2	–	3	2	7	3	–	–
Richmond, Va	4,865	134	17	29	105	116	173	472	904	1,127	1,126	661	1
Male	2,618	77	10	15	69	85	113	309	575	655	504	205	1
Female	2,247	57	7	14	36	31	60	163	329	472	622	456	–
White	3,479	64	5	17	58	71	100	324	600	822	865	552	1
Male	1,865	44	4	8	37	47	67	217	395	494	385	166	1
Female	1,614	20	1	9	21	24	33	107	205	328	480	386	–
All other	1,386	70	12	12	47	45	73	148	304	305	261	109	–
Male	753	33	6	7	32	38	46	92	180	161	119	39	–
Female	633	37	6	5	15	7	27	56	124	144	142	70	–
Roanoke, Va	1,820	43	1	9	38	42	52	147	285	449	473	281	–
Male	988	22	–	8	28	29	37	91	182	271	238	82	–
Female	832	21	1	1	10	13	15	56	103	178	235	199	–
White	1,547	30	1	7	35	31	38	117	242	383	405	258	–
Male	831	16	–	6	26	20	26	73	155	233	201	75	–
Female	716	14	1	1	9	11	12	44	87	150	204	183	–
All other	273	13	–	2	3	11	14	30	43	66	68	23	–
Male	157	6	–	2	2	9	11	18	27	38	37	7	–
Female	116	7	–	–	1	2	3	12	16	28	31	16	–
Rochester, Minn	516	12	–	6	20	13	15	22	60	127	142	99	–
Male	280	9	–	4	13	13	6	13	37	75	71	39	–
Female	236	3	–	2	7	–	9	9	23	52	71	60	–
White	514	12	–	6	20	12	15	22	60	126	142	99	–
Male	278	9	–	4	13	12	6	13	37	74	71	39	–
Female	236	3	–	2	7	–	9	9	23	52	71	60	–
All other	2	–	–	–	–	1	–	–	–	1	–	–	–
Male	2	–	–	–	–	1	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Rochester, N.Y	7,525	163	37	54	154	130	195	493	1,109	1,589	2,059	1,540	2
Male	3,914	96	22	29	113	91	114	306	710	916	992	523	2
Female	3,611	67	15	25	41	39	81	187	399	673	1,067	1,017	–
White	7,158	122	32	51	131	105	156	442	1,043	1,525	2,021	1,528	2
Male	3,691	72	19	27	99	75	89	273	666	882	969	518	2
Female	3,467	50	13	24	32	30	67	169	377	643	1,052	1,010	–
All other	367	41	5	3	23	25	39	51	66	64	38	12	–
Male	223	24	3	2	14	16	25	33	44	34	23	5	–
Female	144	17	2	1	9	9	14	18	22	30	15	7	–
Rockford, Ill	2,204	56	7	19	49	49	62	157	316	491	601	397	–
Male	1,188	29	2	13	39	29	38	106	191	299	304	138	–
Female	1,016	27	5	6	10	20	24	51	125	192	297	259	–
White	2,103	45	7	17	46	44	54	144	302	470	586	388	–
Male	1,136	26	2	13	39	25	35	98	182	284	297	135	–
Female	967	19	5	4	7	19	19	46	120	186	289	253	–
All other	101	11	–	2	3	5	8	13	14	21	15	9	–
Male	52	3	–	–	–	4	3	8	9	15	7	3	–
Female	49	8	–	2	3	1	5	5	5	6	8	6	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sacramento, Calif	6,913	168	33	52	253	195	245	555	1,149	1,595	1,595	1,070	3
Male	3,971	107	23	32	180	123	155	339	731	1,026	837	418	–
Female	2,942	61	10	20	73	72	90	216	418	569	758	652	3
White	6,407	132	30	49	235	170	206	499	1,061	1,507	1,504	1,012	2
Male	3,651	85	20	29	165	105	131	304	672	968	780	392	–
Female	2,756	47	10	20	70	65	75	195	389	539	724	620	2
All other	506	36	3	3	18	25	39	56	88	88	91	58	1
Male	320	22	3	3	15	18	24	35	59	58	57	26	–
Female	186	14	–	–	3	7	15	21	29	30	34	32	1
Saginaw, Mich	1,708	47	8	25	65	44	66	153	286	382	365	267	–
Male	929	26	2	13	52	30	36	84	198	221	173	94	–
Female	779	21	6	12	13	14	30	69	88	161	192	173	–
White	1,509	28	5	23	53	28	53	119	245	351	344	260	–
Male	815	15	–	11	45	22	31	66	169	202	164	90	–
Female	694	13	5	12	8	6	22	53	76	149	180	170	–
All other	199	19	3	2	12	16	13	34	41	31	21	7	–
Male	114	11	2	2	7	8	5	18	29	19	9	4	–
Female	85	8	1	–	5	8	8	16	12	12	12	3	–
St. Joseph, Mo	1,030	21	4	9	18	11	23	64	125	245	319	191	–
Male	530	6	–	3	16	8	19	41	75	139	167	56	–
Female	500	15	4	6	2	3	4	23	50	106	152	135	–
White	1,003	20	4	8	18	10	23	60	119	241	313	187	–
Male	519	5	–	3	16	7	19	38	74	137	165	55	–
Female	484	15	4	5	2	3	4	22	45	104	148	132	–
All other	27	1	–	1	–	1	–	4	6	4	6	4	–
Male	11	1	–	–	–	1	–	3	1	2	2	1	–
Female	16	–	–	1	–	–	–	1	5	2	4	3	–
St. Louis, Mo.–Ill	21,786	519	77	135	584	489	624	1,774	3,293	5,213	5,678	3,390	10
Male	11,525	296	39	89	422	336	390	1,132	2,075	3,036	2,604	1,101	5
Female	10,261	223	38	46	162	153	234	642	1,218	2,177	3,074	2,289	5
White	17,912	305	43	96	414	313	421	1,342	2,614	4,307	4,954	3,096	7
Male	9,311	170	19	62	298	204	267	854	1,676	2,530	2,249	978	4
Female	8,601	135	24	34	116	109	154	488	938	1,777	2,705	2,118	3
All other	3,874	214	34	39	170	176	203	432	679	906	724	294	3
Male	2,214	126	20	27	124	132	123	278	399	506	355	123	1
Female	1,660	88	14	12	46	44	80	154	280	400	369	171	2
Salem, Oreg	1,919	51	12	11	45	55	39	109	222	435	582	358	–
Male	1,057	33	7	4	33	39	24	60	148	261	321	127	–
Female	862	18	5	7	12	16	15	49	74	174	261	231	–
White	1,906	49	12	11	45	51	39	107	220	435	580	357	–
Male	1,050	33	7	4	33	36	24	59	147	261	319	127	–
Female	856	16	5	7	12	15	15	48	73	174	261	230	–
All other	13	2	–	–	–	4	–	2	2	–	2	1	–
Male	7	–	–	–	–	3	–	1	1	–	2	–	–
Female	6	2	–	–	–	1	–	1	1	–	–	1	–
Salinas–Monterey, Calif	1,769	70	7	10	73	57	57	147	278	368	411	291	–
Male	1,005	48	4	5	58	40	36	88	186	237	202	101	–
Female	764	22	3	5	15	17	21	59	92	131	209	190	–
White	1,644	56	6	10	63	50	48	126	257	352	392	284	–
Male	922	38	3	5	51	36	30	76	168	227	191	97	–
Female	722	18	3	5	12	14	18	50	89	125	201	187	–
All other	125	14	1	–	10	7	9	21	21	16	19	7	–
Male	83	10	1	–	7	4	6	12	18	10	11	4	–
Female	42	4	–	–	3	3	3	9	3	6	8	3	–
Salt Lake City, Utah	3,788	165	39	33	128	124	130	258	543	833	908	627	–
Male	2,096	91	21	23	94	86	91	161	339	510	449	231	–
Female	1,692	74	18	10	34	38	39	97	204	323	459	396	–
White	3,726	159	38	33	126	119	124	250	536	825	897	619	–
Male	2,059	89	20	23	94	81	87	158	335	506	439	227	–
Female	1,667	70	18	10	32	38	37	92	201	319	458	392	–
All other	62	6	1	–	2	5	6	8	7	8	11	8	–
Male	37	2	1	–	–	5	4	3	4	4	10	4	–
Female	25	4	–	–	2	–	2	5	3	4	1	4	–
San Angelo, Tex	723	18	1	6	21	19	21	54	104	182	183	114	–
Male	390	9	–	5	18	12	16	30	64	105	88	43	–
Female	333	9	1	1	3	7	5	24	40	77	95	71	–
White	685	17	1	6	20	19	20	52	98	170	169	113	–
Male	366	8	–	5	17	12	15	28	61	98	80	42	–
Female	319	9	1	1	3	7	5	24	37	72	89	71	–
All other	38	1	–	–	1	–	1	2	6	12	14	1	–
Male	24	1	–	–	1	–	1	2	3	7	8	1	–
Female	14	–	–	–	–	–	–	–	3	5	6	–	–
San Antonio, Tex	6,874	267	45	59	242	226	265	567	1,091	1,524	1,660	928	–
Male	3,782	147	25	36	184	165	176	335	694	920	782	318	–
Female	3,092	120	20	23	58	61	89	232	397	604	878	610	–
White	6,301	241	43	48	232	203	237	507	992	1,409	1,536	853	–
Male	3,492	133	24	28	179	149	159	309	636	856	725	294	–
Female	2,809	108	19	20	53	54	78	198	356	553	811	559	–
All other	573	26	2	11	10	23	28	60	99	115	124	75	–
Male	290	14	1	8	5	16	17	26	58	64	57	24	–
Female	283	12	1	3	5	7	11	34	41	51	67	51	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
San Bernardino–Riverside–Ontario, Calif	11,931	290	54	82	402	302	353	774	1,737	2,866	3,143	1,921	7
Male	6,764	179	29	50	310	201	222	516	1,108	1,741	1,626	778	4
Female	5,167	111	25	32	92	101	131	258	629	1,125	1,517	1,143	3
White	11,427	261	44	77	371	271	317	711	1,645	2,768	3,073	1,882	7
Male	6,454	167	25	46	285	177	198	478	1,053	1,681	1,584	756	4
Female	4,973	94	19	31	86	94	119	233	592	1,087	1,489	1,126	3
All other	504	29	10	5	31	31	36	63	92	98	70	39	–
Male	310	12	4	4	25	24	24	38	55	60	42	22	–
Female	194	17	6	1	6	7	12	25	37	38	28	17	–
San Diego, Calif	12,101	279	68	77	440	357	357	840	1,821	2,751	3,087	2,011	13
Male	6,611	160	36	53	342	253	228	511	1,135	1,623	1,512	746	12
Female	5,490	119	32	24	98	104	129	329	686	1,128	1,575	1,265	1
White	11,531	218	61	68	398	315	312	777	1,727	2,665	3,006	1,972	12
Male	6,273	124	33	48	308	223	200	468	1,081	1,574	1,475	728	11
Female	5,258	94	28	20	90	92	112	309	646	1,091	1,531	1,244	1
All other	570	61	7	9	42	42	45	63	94	86	81	39	1
Male	338	36	3	5	34	30	28	43	54	49	37	18	1
Female	232	25	4	4	8	12	17	20	40	37	44	21	–
San Francisco–Oakland, Calif	26,245	452	86	149	661	854	933	2,091	4,070	5,868	6,576	4,491	14
Male	14,078	249	46	92	453	609	588	1,301	2,472	3,441	3,241	1,575	11
Female	12,167	203	40	57	208	245	345	790	1,598	2,427	3,335	2,916	3
White	22,424	288	65	113	496	644	681	1,656	3,366	4,980	5,952	4,173	10
Male	11,779	168	38	69	355	459	428	1,027	2,032	2,872	2,887	1,436	8
Female	10,645	120	27	44	141	185	253	629	1,334	2,108	3,065	2,737	2
All other	3,821	164	21	36	165	210	252	435	704	888	624	318	4
Male	2,299	81	8	23	98	150	160	274	440	569	354	139	3
Female	1,522	83	13	13	67	60	92	161	264	319	270	179	1
San Jose, Calif	6,796	182	42	74	235	220	257	607	994	1,413	1,620	1,151	1
Male	3,643	98	27	47	164	145	157	350	624	817	792	421	1
Female	3,153	84	15	27	71	75	100	257	370	596	828	730	–
White	6,512	162	39	65	227	195	237	566	960	1,362	1,571	1,127	1
Male	3,471	86	25	41	159	127	141	325	602	784	769	411	1
Female	3,041	76	14	24	68	68	96	241	358	578	802	716	–
All other	284	20	3	9	8	25	20	41	34	51	49	24	–
Male	172	12	2	6	5	18	16	25	22	33	23	10	–
Female	112	8	1	3	3	7	4	16	12	18	26	14	–
Santa Barbara, Calif	2,209	43	6	13	46	54	54	144	299	460	601	488	1
Male	1,163	24	3	5	25	38	31	85	185	267	314	186	–
Female	1,046	19	3	8	21	16	23	59	114	193	287	302	1
White	2,141	37	5	12	43	49	52	139	288	450	588	477	1
Male	1,120	21	2	5	23	36	29	83	178	260	306	177	–
Female	1,021	16	3	7	20	13	23	56	110	190	282	300	1
All other	68	6	1	1	3	5	2	5	11	10	13	11	–
Male	43	3	1	–	2	2	2	2	7	7	8	9	–
Female	25	3	–	1	1	3	–	3	4	3	5	2	–
Santa Rosa, Calif	2,409	54	13	14	62	64	56	153	308	599	673	413	–
Male	1,332	33	6	9	49	50	37	84	175	370	353	166	–
Female	1,077	21	7	5	13	14	19	69	133	229	320	247	–
White	2,356	48	10	11	58	59	55	147	301	591	669	407	–
Male	1,294	29	4	7	46	47	36	82	170	363	349	161	–
Female	1,062	19	6	4	12	12	19	65	131	228	320	246	–
All other	53	6	3	3	4	5	1	6	7	8	4	6	–
Male	38	4	2	2	3	3	1	2	5	7	4	5	–
Female	15	2	1	1	1	2	–	4	2	1	–	1	–
Savannah, Ga	1,779	49	9	18	41	49	73	150	359	486	374	171	–
Male	913	26	8	14	33	34	47	82	229	251	143	46	–
Female	866	23	1	4	8	15	26	68	130	235	231	125	–
White	1,048	28	3	9	29	22	34	79	199	258	242	145	–
Male	525	16	2	6	23	17	21	44	129	142	93	32	–
Female	523	12	1	3	6	5	13	35	70	116	149	113	–
All other	731	21	6	9	12	27	39	71	160	228	132	26	–
Male	388	10	6	8	10	17	26	38	100	109	50	14	–
Female	343	11	–	1	2	10	13	33	60	119	82	12	–
Scranton, Pa	2,858	33	8	16	23	30	42	198	486	787	806	425	4
Male	1,511	16	5	11	18	19	30	123	309	461	367	150	2
Female	1,347	17	3	5	5	11	12	75	177	326	439	275	2
White	2,835	32	7	15	23	30	42	197	477	784	802	422	4
Male	1,499	16	4	11	18	19	30	123	304	460	364	148	2
Female	1,336	16	3	4	5	11	12	74	173	324	438	274	2
All other	23	1	1	1	–	–	–	1	9	3	4	3	–
Male	12	–	1	–	–	–	–	–	5	1	3	2	–
Female	11	1	–	1	–	–	–	1	4	2	1	1	–
Seattle–Everett, Wash	11,248	238	35	70	268	299	303	857	1,763	2,457	2,748	2,209	1
Male	6,041	141	16	43	191	194	185	550	1,109	1,492	1,296	823	1
Female	5,207	97	19	27	77	105	118	307	654	965	1,452	1,386	–
White	10,630	199	29	63	251	263	265	757	1,650	2,347	2,661	2,144	1
Male	5,647	121	13	37	181	169	162	481	1,032	1,415	1,246	789	1
Female	4,983	78	16	26	70	94	103	276	618	932	1,415	1,355	–
All other	618	39	6	7	17	36	38	100	113	110	87	65	–
Male	394	20	3	6	10	25	23	69	77	77	50	34	–
Female	224	19	3	1	7	11	15	31	36	33	37	31	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sherman–Denison, Tex	928	21	1	6	23	11	17	50	119	240	265	175	–
Male	495	8	1	5	16	8	11	34	73	142	133	64	–
Female	433	13	–	1	7	3	6	16	46	98	132	111	–
White	857	18	1	6	19	9	13	45	107	214	255	170	–
Male	453	6	1	5	13	7	10	29	66	125	129	62	–
Female	404	12	–	1	6	2	3	16	41	89	126	108	–
All other	71	3	–	–	4	2	4	5	12	26	10	5	–
Male	42	2	–	–	3	1	1	5	7	17	4	2	–
Female	29	1	–	–	1	1	3	–	5	9	6	3	–
Shreveport, La	2,847	94	20	22	64	89	103	266	419	667	691	410	2
Male	1,509	54	8	13	45	63	66	151	256	375	325	151	2
Female	1,338	40	12	9	19	26	37	115	163	292	366	259	–
White	1,780	31	14	16	43	40	56	174	281	405	449	270	1
Male	945	21	4	8	31	31	36	101	169	232	217	94	1
Female	835	10	10	8	12	9	20	73	112	173	232	176	–
All other	1,067	63	6	6	21	49	47	92	138	262	242	140	1
Male	564	33	4	5	14	32	30	50	87	143	108	57	1
Female	503	30	2	1	7	17	17	42	51	119	134	83	–
Sioux City, Iowa–Nebr	1,044	29	3	6	28	20	18	57	126	252	303	202	–
Male	580	24	2	4	20	16	11	38	78	157	156	74	–
Female	464	5	1	2	8	4	7	19	48	95	147	128	–
White	1,013	28	3	6	26	18	17	54	122	242	298	199	–
Male	561	23	2	4	18	15	10	37	76	151	153	72	–
Female	452	5	1	2	8	3	7	17	46	91	145	127	–
All other	31	1	–	–	2	2	1	3	4	10	5	3	–
Male	19	1	–	–	2	1	1	1	2	6	3	2	–
Female	12	–	–	–	–	1	–	2	2	4	2	1	–
Sioux Falls, S. Dak	803	30	5	6	26	11	24	46	90	163	239	163	–
Male	458	16	3	5	19	8	13	34	63	105	133	59	–
Female	345	14	2	1	7	3	11	12	27	58	106	104	–
White	797	28	5	5	26	11	23	46	90	163	237	163	–
Male	456	15	3	5	19	8	13	34	63	105	132	59	–
Female	341	13	2	–	7	3	10	12	27	58	105	104	–
All other	6	2	–	1	–	–	1	–	–	–	2	–	–
Male	2	1	–	–	–	–	–	–	–	–	1	–	–
Female	4	1	–	1	–	–	1	–	–	–	1	–	–
South Bend, Ind	2,517	81	11	7	64	35	59	178	368	593	700	421	–
Male	1,353	41	8	4	38	27	34	113	232	356	350	150	–
Female	1,164	40	3	3	26	8	25	65	136	237	350	271	–
White	2,345	65	10	4	57	29	45	158	336	566	671	404	–
Male	1,258	34	7	2	33	21	24	104	216	342	335	140	–
Female	1,087	31	3	2	24	8	21	54	120	224	336	264	–
All other	172	16	1	3	7	6	14	20	32	27	29	17	–
Male	95	7	1	2	5	6	10	9	16	14	15	10	–
Female	77	9	–	1	2	–	4	11	16	13	14	7	–
Spokane, Wash	2,746	58	16	15	61	60	60	175	364	632	728	577	–
Male	1,509	31	14	8	43	43	33	100	243	402	362	230	–
Female	1,237	27	2	7	18	17	27	75	121	230	366	347	–
White	2,681	54	16	15	60	52	53	168	345	629	718	571	–
Male	1,469	27	14	8	43	36	29	97	230	400	358	227	–
Female	1,212	27	2	7	17	16	24	71	115	229	360	344	–
All other	65	4	–	–	1	8	7	7	19	3	10	6	–
Male	40	4	–	–	–	7	4	3	13	2	4	3	–
Female	25	–	–	–	1	1	3	4	6	1	6	3	–
Springfield, Ill	1,660	29	7	8	36	27	33	116	234	390	471	309	–
Male	875	20	6	5	28	18	17	85	147	234	222	93	–
Female	785	9	1	3	8	9	16	31	87	156	249	216	–
White	1,589	26	4	8	33	25	31	108	219	374	457	304	–
Male	836	18	3	5	25	17	17	81	141	224	213	92	–
Female	753	8	1	3	8	8	14	27	78	150	244	212	–
All other	71	3	3	–	3	2	2	8	15	16	14	5	–
Male	39	2	3	–	3	1	–	4	6	10	9	1	–
Female	32	1	–	–	–	1	2	4	9	6	5	4	–
Springfield, Mo	1,544	36	10	14	36	38	36	76	172	371	433	322	–
Male	846	18	6	9	29	30	15	52	108	223	219	137	–
Female	698	18	4	5	7	8	21	24	64	148	214	185	–
White	1,506	33	10	13	36	35	33	75	164	365	428	314	–
Male	825	17	6	8	29	27	13	52	102	219	217	135	–
Female	681	16	4	5	7	8	20	23	62	146	211	179	–
All other	38	3	–	1	–	3	3	1	8	6	5	8	–
Male	21	1	–	1	–	3	2	–	6	4	2	2	–
Female	17	2	–	–	–	–	1	1	2	2	3	6	–
Springfield, Ohio	1,473	26	6	5	28	26	30	112	218	339	378	305	–
Male	769	13	3	4	25	20	19	75	139	195	180	96	–
Female	704	13	3	1	3	6	11	37	79	144	198	209	–
White	1,341	23	4	5	26	22	28	101	192	305	344	291	–
Male	699	12	3	4	24	17	18	67	124	176	162	92	–
Female	642	11	1	1	2	5	10	34	68	129	182	199	–
All other	132	3	2	–	2	4	2	11	26	34	34	14	–
Male	70	1	–	–	1	3	1	8	15	19	18	4	–
Female	62	2	2	–	1	1	1	3	11	15	16	10	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Springfield–Holyoke, Mass	5,125	82	11	26	69	81	133	379	733	1,201	1,459	951	–
Male	2,677	36	9	16	52	58	78	255	465	716	662	330	–
Female	2,448	46	2	10	17	23	55	124	268	485	797	621	–
White	4,981	70	10	23	64	73	118	357	718	1,167	1,444	937	–
Male	2,604	32	9	15	48	52	70	240	455	703	655	325	–
Female	2,377	38	1	8	16	21	48	117	263	464	789	612	–
All other	144	12	1	3	5	8	15	22	15	34	15	14	–
Male	73	4	–	1	4	6	8	15	10	13	7	5	–
Female	71	8	1	2	1	2	7	7	5	21	8	9	–
Steubenville–Weirton, Ohio–W. Va	1,696	37	7	4	39	26	52	137	295	408	416	275	–
Male	957	25	5	2	30	17	33	83	185	248	214	115	–
Female	739	12	2	2	9	9	19	54	110	160	202	160	–
White	1,606	35	6	4	36	24	51	130	278	382	396	264	–
Male	902	23	4	2	29	16	33	82	172	232	199	110	–
Female	704	12	2	2	7	8	18	48	106	150	197	154	–
All other	90	2	1	–	3	2	1	7	17	26	20	11	–
Male	55	2	1	–	1	1	–	1	13	16	15	5	–
Female	35	–	–	–	2	1	1	6	4	10	5	6	–
Stockton, Calif	2,760	73	15	12	89	60	81	192	459	646	654	477	2
Male	1,668	49	9	9	72	49	57	121	307	419	367	207	2
Female	1,092	24	6	3	17	11	24	71	152	227	287	270	–
White	2,462	68	14	12	80	47	73	171	395	562	594	444	2
Male	1,451	46	9	9	66	38	50	108	264	356	320	183	2
Female	1,011	22	5	3	14	9	23	63	131	206	274	261	–
All other	298	5	1	–	9	13	8	21	64	84	60	33	–
Male	217	3	–	–	6	11	7	13	43	63	47	24	–
Female	81	2	1	–	3	2	1	8	21	21	13	9	–
Syracuse, N.Y	5,333	123	22	24	125	94	125	393	800	1,290	1,418	918	1
Male	2,861	71	10	14	87	61	66	245	518	777	685	327	–
Female	2,472	52	12	10	38	33	59	148	282	513	733	591	1
White	5,179	105	20	23	116	84	114	374	767	1,265	1,397	913	1
Male	2,768	58	10	13	82	56	58	233	499	757	677	325	–
Female	2,411	47	10	10	34	28	56	141	268	508	720	588	1
All other	154	18	2	1	9	10	11	19	33	25	21	5	–
Male	93	13	–	1	5	5	8	12	19	20	8	2	–
Female	61	5	2	–	4	5	3	7	14	5	13	3	–
Tacoma, Wash	3,331	98	18	22	110	76	95	263	540	758	842	509	–
Male	1,857	61	8	13	80	53	63	161	340	469	415	194	–
Female	1,474	37	10	9	30	23	32	102	200	289	427	315	–
White	3,171	82	16	21	98	61	83	239	503	740	824	504	–
Male	1,765	52	6	12	72	43	56	148	319	457	408	192	–
Female	1,406	30	10	9	26	18	27	91	184	283	416	312	–
All other	160	16	2	1	12	15	12	24	37	18	18	5	–
Male	92	9	2	1	8	10	7	13	21	12	7	2	–
Female	68	7	–	–	4	5	5	11	16	6	11	3	–
Tallahassee, Fla	726	33	4	3	25	19	26	61	132	176	164	83	–
Male	394	21	3	2	18	11	17	37	80	108	75	22	–
Female	332	12	1	1	7	8	9	24	52	68	89	61	–
White	483	14	2	3	18	11	13	35	86	121	121	59	–
Male	275	8	1	2	11	8	7	26	59	82	58	13	–
Female	208	6	1	1	7	3	6	9	27	39	63	46	–
All other	243	19	2	–	7	8	13	26	46	55	43	24	–
Male	119	13	2	–	7	3	10	11	21	26	17	9	–
Female	124	6	–	–	–	5	3	15	25	29	26	15	–
Tampa–St. Petersburg, Fla	15,987	235	46	48	161	234	323	902	1,981	4,057	5,024	2,975	1
Male	8,982	121	29	34	110	169	199	556	1,247	2,468	2,737	1,312	–
Female	7,005	114	17	14	51	65	124	346	734	1,589	2,287	1,663	1
White	14,772	155	29	38	134	196	256	748	1,740	3,734	4,830	2,912	–
Male	8,298	74	18	26	91	146	162	467	1,115	2,283	2,636	1,280	–
Female	6,474	81	11	12	43	50	94	281	625	1,451	2,194	1,632	–
All other	1,215	80	17	10	27	38	67	154	241	323	194	63	1
Male	684	47	11	8	19	23	37	89	132	185	101	32	–
Female	531	33	6	2	8	15	30	65	109	138	93	31	1
Terre Haute, Ind	2,052	30	8	7	35	27	36	101	288	499	627	394	–
Male	1,064	15	2	4	29	20	22	57	190	289	295	141	–
Female	988	15	6	3	6	7	14	44	98	210	332	253	–
White	1,992	30	8	7	34	24	35	99	274	482	617	382	–
Male	1,031	15	2	4	28	19	21	55	182	280	289	136	–
Female	961	15	6	3	6	5	14	44	92	202	328	246	–
All other	60	–	–	–	1	3	1	2	14	17	10	12	–
Male	33	–	–	–	1	1	1	2	8	9	6	5	–
Female	27	–	–	–	–	2	–	–	6	8	4	7	–
Texarkana, Tex.–Ark	1,017	31	2	8	22	21	27	73	137	241	301	154	–
Male	598	19	2	5	17	14	15	52	100	161	142	71	–
Female	419	12	–	3	5	7	12	21	37	80	159	83	–
White	783	17	2	6	15	15	20	59	97	190	239	123	–
Male	460	9	2	3	12	11	13	42	73	126	112	57	–
Female	323	8	–	3	3	4	7	17	24	64	127	66	–
All other	234	14	–	2	7	6	7	14	40	51	62	31	–
Male	138	10	–	2	5	3	2	10	27	35	30	14	–
Female	96	4	–	–	2	3	5	4	13	16	32	17	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Toledo, Ohio–Mich	6,416	162	26	35	173	119	191	495	991	1,439	1,733	1,051	1
Male	3,414	87	21	19	124	84	121	307	618	841	839	352	1
Female	3,002	75	5	16	49	35	70	188	373	598	894	699	–
White	5,901	127	21	34	149	105	150	436	911	1,318	1,641	1,008	1
Male	3,130	68	17	18	108	72	95	269	571	774	801	336	1
Female	2,771	59	4	16	41	33	55	167	340	544	840	672	–
All other	515	35	5	1	24	14	41	59	80	121	92	43	–
Male	284	19	4	1	16	12	26	38	47	67	38	16	–
Female	231	16	1	–	8	2	15	21	33	54	54	27	–
Topeka, Kans	1,366	36	7	6	39	41	38	91	197	283	355	273	–
Male	712	16	6	5	32	33	22	50	121	163	174	90	–
Female	654	20	1	1	7	8	16	41	76	120	181	183	–
White	1,220	29	7	5	36	36	31	78	174	257	324	243	–
Male	636	14	6	4	29	29	17	41	111	146	159	80	–
Female	584	15	1	1	7	7	14	37	63	111	165	163	–
All other	146	7	–	1	3	5	7	13	23	26	31	30	–
Male	76	2	–	1	3	4	5	9	10	17	15	10	–
Female	70	5	–	–	–	1	2	4	13	9	16	20	–
Trenton, N.J	2,772	47	10	11	55	55	88	243	472	668	710	413	–
Male	1,469	21	5	6	48	44	57	148	308	390	320	122	–
Female	1,303	26	5	5	7	11	31	95	164	278	390	291	–
White	2,359	26	7	4	43	35	56	177	396	577	645	393	–
Male	1,226	10	3	2	37	29	39	107	260	338	286	115	–
Female	1,133	16	4	2	6	6	17	70	136	239	359	278	–
All other	413	21	3	7	12	20	32	66	76	91	65	20	–
Male	243	11	2	4	11	15	18	41	48	52	34	7	–
Female	170	10	1	3	1	5	14	25	28	39	31	13	–
Tucson, Ariz	3,489	68	22	25	143	119	131	255	543	888	866	429	–
Male	2,080	37	10	13	104	85	77	176	345	564	485	184	–
Female	1,409	31	12	12	39	34	54	79	198	324	381	245	–
White	3,229	56	21	23	115	102	105	229	507	839	828	404	–
Male	1,912	30	9	12	83	69	63	161	320	537	458	170	–
Female	1,317	26	12	11	32	33	42	68	187	302	370	234	–
All other	260	12	1	2	28	17	26	26	36	49	38	25	–
Male	168	7	1	1	21	16	14	15	25	27	27	14	–
Female	92	5	–	1	7	1	12	11	11	22	11	11	–
Tulsa, Okla	4,439	109	21	40	127	125	129	340	663	1,013	1,136	735	1
Male	2,411	60	13	23	87	93	90	212	437	585	556	254	1
Female	2,028	49	8	17	40	32	39	128	226	428	580	481	–
White	3,926	82	16	34	107	97	109	285	580	911	1,026	678	1
Male	2,129	48	11	20	74	76	76	179	389	528	502	225	1
Female	1,797	34	5	14	33	21	33	106	191	383	524	453	–
All other	513	27	5	6	20	28	20	55	83	102	110	57	–
Male	282	12	2	3	13	17	14	33	48	57	54	29	–
Female	231	15	3	3	7	11	6	22	35	45	56	28	–
Tuscaloosa, Ala	1,025	20	6	2	23	17	39	100	167	247	260	144	–
Male	567	10	3	1	18	8	22	60	118	158	124	45	–
Female	458	10	3	1	5	9	17	40	49	89	136	99	–
White	701	9	4	2	13	13	26	57	108	171	186	112	–
Male	399	5	1	1	11	7	15	36	79	117	93	34	–
Female	302	4	3	1	2	6	11	21	29	54	93	78	–
All other	324	11	2	–	10	4	13	43	59	76	74	32	–
Male	168	5	2	–	7	1	7	24	39	41	31	11	–
Female	156	6	–	–	3	3	6	19	20	35	43	21	–
Tyler, Tex	1,094	28	2	2	35	29	35	82	168	276	270	167	–
Male	619	18	2	2	22	21	21	52	109	171	133	68	–
Female	475	10	–	–	13	8	14	30	59	105	137	99	–
White	856	15	1	1	28	22	27	61	131	217	210	143	–
Male	491	11	1	1	19	17	16	40	88	137	104	57	–
Female	365	4	–	–	9	5	11	21	43	80	106	86	–
All other	238	13	1	1	7	7	8	21	37	59	60	24	–
Male	128	7	1	1	3	4	5	12	21	34	29	11	–
Female	110	6	–	–	4	3	3	9	16	25	31	13	–
Utica–Rome, N.Y	3,215	46	10	16	63	45	62	216	498	750	926	581	2
Male	1,701	29	5	8	54	31	40	133	308	428	444	220	1
Female	1,514	17	5	8	9	14	22	83	190	322	482	361	1
White	3,180	42	10	14	61	43	60	211	491	746	922	578	2
Male	1,681	29	5	6	52	29	40	129	304	425	441	220	1
Female	1,499	13	5	8	9	14	20	82	187	321	481	358	1
All other	35	4	–	2	2	2	2	5	7	4	4	3	–
Male	20	–	–	2	2	2	–	4	4	3	3	–	–
Female	15	4	–	–	–	–	2	1	3	1	1	3	–
Vallejo–Napa, Calif	2,161	48	4	12	57	56	65	173	321	496	574	355	–
Male	1,213	28	2	7	43	35	33	106	187	303	323	146	–
Female	948	20	2	5	14	21	32	67	134	193	251	209	–
White	2,001	41	3	11	51	47	52	152	293	458	549	344	–
Male	1,113	24	1	7	39	29	27	91	166	280	307	142	–
Female	888	17	2	4	12	18	25	61	127	178	242	202	–
All other	160	7	1	1	6	9	13	21	28	38	25	11	–
Male	100	4	1	–	4	6	6	15	21	23	16	4	–
Female	60	3	–	1	2	3	7	6	7	15	9	7	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Vineland–Millville–Bridgeton, N.J	1,215	32	7	8	24	37	50	87	215	252	339	163	1
Male	679	18	5	4	19	26	35	54	137	165	149	66	1
Female	536	14	2	4	5	11	15	33	78	87	190	97	–
White	1,064	20	6	6	19	29	44	68	172	230	314	156	–
Male	591	12	4	3	14	21	29	41	109	155	137	66	–
Female	473	8	2	3	5	8	15	27	63	75	177	90	–
All other	151	12	1	2	5	8	6	19	43	22	25	7	1
Male	88	6	1	1	5	5	6	13	28	10	12	–	1
Female	63	6	–	1	–	3	–	6	15	12	13	7	–
Waco, Tex	1,649	45	8	12	33	38	48	129	233	367	461	275	–
Male	905	27	5	6	24	30	27	74	161	238	221	92	–
Female	744	18	3	6	9	8	21	55	72	129	240	183	–
White	1,349	31	7	10	25	24	33	98	191	301	382	247	–
Male	741	19	4	5	20	18	17	58	135	192	192	81	–
Female	608	12	3	5	5	6	16	40	56	109	190	166	–
All other	300	14	1	2	8	14	15	31	42	66	79	28	–
Male	164	8	1	1	4	12	10	16	26	46	29	11	–
Female	136	6	–	1	4	2	5	15	16	20	50	17	–
Washington, D.C.–Md.–Va.	18,875	652	84	133	539	647	873	2,022	3,416	4,011	4,036	2,445	17
Male	10,129	367	49	74	382	444	585	1,273	2,138	2,288	1,801	715	13
Female	8,746	285	35	59	157	203	288	749	1,278	1,723	2,235	1,730	4
White	12,639	275	42	79	365	338	412	1,165	2,185	2,717	3,077	1,976	8
Male	6,588	153	23	50	268	228	268	722	1,369	1,574	1,353	575	5
Female	6,051	122	19	29	97	110	144	443	816	1,143	1,724	1,401	3
All other	6,236	377	42	54	174	309	461	857	1,231	1,294	959	469	9
Male	3,541	214	26	24	114	216	317	551	769	714	448	140	8
Female	2,695	163	16	30	60	93	144	306	462	580	511	329	1
Waterloo, Iowa	985	38	2	5	25	22	21	61	124	224	254	209	–
Male	529	18	1	1	20	13	14	41	81	142	114	84	–
Female	456	20	1	4	5	9	7	20	43	82	140	125	–
White	934	29	2	4	21	21	19	54	114	217	247	206	–
Male	492	13	1	–	17	13	12	36	72	138	108	82	–
Female	442	16	1	4	4	8	7	18	42	79	139	124	–
All other	51	9	–	1	4	1	2	7	10	7	7	3	–
Male	37	5	–	1	3	–	2	5	9	4	6	2	–
Female	14	4	–	–	1	1	–	2	1	3	1	1	–
West Palm Beach, Fla	5,802	94	12	17	105	93	161	314	764	1,728	1,703	811	–
Male	3,313	50	10	12	75	64	96	189	440	1,075	962	340	–
Female	2,489	44	2	5	30	29	65	125	324	653	741	471	–
White	5,202	56	8	12	88	61	102	238	643	1,588	1,617	789	–
Male	2,975	32	7	10	61	40	61	146	374	988	925	331	–
Female	2,227	24	1	2	27	21	41	92	269	600	692	458	–
All other	600	38	4	5	17	32	59	76	121	140	86	22	–
Male	338	18	3	2	14	24	35	43	66	87	37	9	–
Female	262	20	1	3	3	8	24	33	55	53	49	13	–
Wheeling, W. Va.–Ohio	2,200	37	2	4	34	34	43	133	369	514	631	398	1
Male	1,198	20	1	2	25	25	26	88	227	322	327	134	1
Female	1,002	17	1	2	9	9	17	45	142	192	304	264	–
White	2,143	36	2	4	33	29	42	122	363	503	619	389	1
Male	1,165	19	1	2	24	21	26	81	224	315	320	131	1
Female	978	17	1	2	9	8	16	41	139	188	299	258	–
All other	57	1	–	–	1	5	1	11	6	11	12	9	–
Male	33	1	–	–	1	4	–	7	3	7	7	3	–
Female	24	–	–	–	–	1	1	4	3	4	5	6	–
Wichita, Kans	3,006	98	14	33	111	64	104	226	443	654	767	492	–
Male	1,639	58	6	19	83	41	67	144	278	406	370	167	–
Female	1,367	40	8	14	28	23	37	82	165	248	397	325	–
White	2,768	81	10	26	92	54	88	185	412	616	728	476	–
Male	1,497	47	5	13	67	33	54	119	259	387	351	162	–
Female	1,271	34	5	13	25	21	34	66	153	229	377	314	–
All other	238	17	4	7	19	10	16	41	31	38	39	16	–
Male	142	11	1	6	16	8	13	25	19	19	19	5	–
Female	96	6	3	1	3	2	3	16	12	19	20	11	–
Wichita Falls, Tex	987	25	2	11	33	17	30	70	151	237	247	164	–
Male	526	16	1	9	18	13	15	45	95	139	120	55	–
Female	461	9	1	2	15	4	15	25	56	98	127	109	–
White	912	22	2	10	26	14	27	59	137	221	236	158	–
Male	488	14	1	8	14	10	14	42	89	127	116	53	–
Female	424	8	1	2	12	4	13	17	48	94	120	105	–
All other	75	3	–	1	7	3	3	11	14	16	11	6	–
Male	38	2	–	1	4	3	1	3	6	12	4	2	–
Female	37	1	–	–	3	–	2	8	8	4	7	4	–
Wilkes Barre—Hazleton, Pa	4,106	43	7	12	40	43	84	285	700	1,196	1,160	531	5
Male	2,224	27	5	8	27	33	61	180	443	718	539	182	1
Female	1,882	16	2	4	13	10	23	105	257	478	621	349	4
White	4,077	41	7	12	40	43	81	280	697	1,189	1,152	530	5
Male	2,208	27	5	8	27	33	59	177	441	715	533	182	1
Female	1,869	14	2	4	13	10	22	103	256	474	619	348	4
All other	29	2	–	–	–	–	3	5	3	7	8	1	–
Male	16	–	–	–	–	–	2	3	2	3	6	–	–
Female	13	2	–	–	–	–	1	2	1	4	2	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wilmington, Del.–N.J.–Md	4,160	99	14	20	91	86	128	376	747	969	1,046	583	1
Male	2,251	51	7	12	67	61	83	243	471	585	463	207	1
Female	1,909	48	7	8	24	25	45	133	276	384	583	376	–
White	3,565	73	10	17	85	61	93	294	617	819	954	542	–
Male	1,909	39	6	10	63	42	63	192	385	491	426	192	–
Female	1,656	34	4	7	22	19	30	102	232	328	528	350	–
All other	595	26	4	3	6	25	35	82	130	150	92	41	1
Male	342	12	1	2	4	19	20	51	86	94	37	15	1
Female	253	14	3	1	2	6	15	31	44	56	55	26	–
Wilmington, N.C	1,072	28	7	12	39	32	38	99	213	256	247	101	–
Male	637	16	3	7	29	24	27	68	138	166	130	29	–
Female	435	12	4	5	10	8	11	31	75	90	117	72	–
White	788	10	3	10	29	17	23	65	149	197	193	92	–
Male	471	7	1	5	24	12	17	44	100	135	101	25	–
Female	317	3	2	5	5	5	6	21	49	62	92	67	–
All other	284	18	4	2	10	15	15	34	64	59	54	9	–
Male	166	9	2	2	5	12	10	24	38	31	29	4	–
Female	118	9	2	–	5	3	5	10	26	28	25	5	–
Worcester, Mass	5,897	105	11	24	104	97	125	350	870	1,360	1,677	1,174	–
Male	3,063	53	8	12	70	67	76	214	561	844	763	395	–
Female	2,834	52	3	12	34	30	49	136	309	516	914	779	–
White	5,856	103	10	24	103	96	119	348	864	1,350	1,669	1,170	–
Male	3,042	52	8	12	69	66	72	213	557	839	759	395	–
Female	2,814	51	2	12	34	30	47	135	307	511	910	775	–
All other	41	2	1	–	1	1	6	2	6	10	8	4	–
Male	21	1	–	–	1	1	4	1	4	5	4	–	–
Female	20	1	1	–	–	–	2	1	2	5	4	4	–
York, Pa	3,132	64	11	22	61	55	54	207	452	742	875	589	–
Male	1,714	40	5	14	42	43	28	128	307	441	445	221	–
Female	1,418	24	6	8	19	12	26	79	145	301	430	368	–
White	3,039	62	11	21	57	51	52	195	436	722	855	577	–
Male	1,654	39	5	13	39	40	27	122	296	426	435	212	–
Female	1,385	23	6	8	18	11	25	73	140	296	420	365	–
All other	93	2	–	1	4	4	2	12	16	20	20	12	–
Male	60	1	–	1	3	3	1	6	11	15	10	9	–
Female	33	1	–	–	1	1	1	6	5	5	10	3	–
Youngstown–Warren, Ohio	5,144	119	20	17	100	105	155	396	851	1,251	1,284	846	–
Male	2,787	61	6	13	70	78	99	248	550	734	608	320	–
Female	2,357	58	14	4	30	27	56	148	301	517	676	526	–
White	4,566	81	17	15	83	83	111	320	766	1,131	1,168	791	–
Male	2,457	41	6	12	56	63	76	203	490	668	542	300	–
Female	2,109	40	11	3	27	20	35	117	276	463	626	491	–
All other	578	38	3	2	17	22	44	76	85	120	116	55	–
Male	330	20	–	1	14	15	23	45	60	66	66	20	–
Female	248	18	3	1	3	7	21	31	25	54	50	35	–
Standard Consolidated Areas													
New York, N.Y.—Northeastern New Jersey[1]	145,065	3,090	459	779	2,650	3,505	4,692	11,662	22,892	33,579	39,114	22,595	48
Male	76,377	1,769	260	474	1,925	2,449	2,960	7,173	13,922	19,121	18,181	8,115	28
Female	68,688	1,321	199	305	725	1,056	1,732	4,489	8,970	14,458	20,933	14,480	20
White	124,297	1,779	292	540	1,905	2,200	2,961	8,764	18,894	29,521	36,134	21,266	41
Male	64,841	1,023	168	314	1,412	1,563	1,855	5,439	11,659	16,946	16,781	7,657	24
Female	59,456	756	124	226	493	637	1,106	3,325	7,235	12,575	19,353	13,609	17
All other	20,768	1,311	167	239	745	1,305	1,731	2,898	3,998	4,058	2,980	1,329	7
Male	11,536	746	92	160	513	886	1,105	1,734	2,263	2,175	1,400	458	4
Female	9,232	565	75	79	232	419	626	1,164	1,735	1,883	1,580	871	3
Chicago, Ill.—Northwestern Indiana[2]	66,446	2,112	318	451	1,819	1,847	2,400	5,927	11,364	14,959	16,043	9,200	6
Male	36,247	1,202	173	283	1,340	1,327	1,501	3,777	7,211	8,675	7,462	3,292	4
Female	30,199	910	145	168	479	520	899	2,150	4,153	6,284	8,581	5,908	2
White	53,623	1,141	169	324	1,249	1,084	1,482	4,156	9,066	12,360	14,159	8,432	1
Male	28,871	650	94	203	938	774	915	2,689	5,836	7,216	6,527	3,029	–
Female	24,752	491	75	121	311	310	567	1,467	3,230	5,144	7,632	5,403	1
All other	12,823	971	149	127	570	763	918	1,771	2,298	2,599	1,884	768	5
Male	7,376	552	79	80	402	553	586	1,088	1,375	1,459	935	263	4
Female	5,447	419	70	47	168	210	332	683	923	1,140	949	505	1

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	**All causes**	1,899,597	46,975	3,157	2,188	1,601	1,361	55,282	5,834	6,745	21,443	26,543
02	Male	1,046,243	26,875	1,753	1,259	950	758	31,595	3,556	4,344	15,573	20,047
03	Female	853,354	20,100	1,404	929	651	603	23,687	2,278	2,401	5,870	6,496
04	White	1,664,100	33,199	2,299	1,655	1,212	1,032	39,397	4,579	5,449	18,056	21,273
05	Male	912,670	19,229	1,270	958	727	586	22,770	2,798	3,487	13,209	16,255
06	Female	751,430	13,970	1,029	697	485	446	16,627	1,781	1,962	4,847	5,018
07	All other	235,497	13,776	858	533	389	329	15,885	1,255	1,296	3,387	5,270
08	Male	133,573	7,646	483	301	223	172	8,825	758	857	2,364	3,792
09	Female	101,924	6,130	375	232	166	157	7,060	497	439	1,023	1,478
10	Bacillary dysentery and amebiasis—004,006	53	9	–	1	2	2	14	4	2	–	4
11	Male	29	5	–	–	–	1	6	4	2	–	1
12	Female	24	4	–	1	2	1	8	–	–	–	3
13	White	42	6	–	1	1	2	10	4	1	–	3
14	Male	22	4	–	–	–	1	5	4	1	–	–
15	Female	20	2	–	1	1	1	5	–	–	–	3
16	All other	11	3	–	–	1	–	4	–	1	–	1
17	Male	7	1	–	–	–	–	1	–	1	–	1
18	Female	4	2	–	–	1	–	3	–	–	–	–
19	Enteritis and other diarrheal diseases—008,009	1,855	645	44	22	6	2	719	14	6	15	11
20	Male	836	366	25	9	3	–	403	11	4	5	8
21	Female	1,019	279	19	13	3	2	316	3	2	10	3
22	White	1,418	347	32	19	4	2	404	9	5	13	9
23	Male	614	201	17	8	3	–	229	7	3	5	7
24	Female	804	146	15	11	1	2	175	2	2	8	2
25	All other	437	298	12	3	2	–	315	5	1	2	2
26	Male	222	165	8	1	–	–	174	4	1	–	1
27	Female	215	133	4	2	2	–	141	1	–	2	1
28	Tuberculosis, all forms—010–019	2,968	5	4	3	1	3	16	2	4	9	21
29	Male	2,027	4	3	2	–	1	10	2	–	4	12
30	Female	941	1	1	1	1	2	6	–	4	5	9
31	White	2,019	5	3	3	1	2	14	1	3	7	9
32	Male	1,343	4	2	2	–	1	9	1	–	4	5
33	Female	676	1	1	1	1	1	5	–	3	3	4
34	All other	949	–	1	–	–	1	2	1	1	2	12
35	Male	684	–	1	–	–	–	1	1	–	–	7
36	Female	265	–	–	–	–	1	1	–	1	2	5
37	Tuberculosis of respiratory system—010–012	2,324	4	1	–	–	1	6	1	2	6	9
38	Male	1,656	3	1	–	–	1	5	1	–	3	6
39	Female	668	1	–	–	–	–	1	–	2	3	3
40	White	1,583	4	–	–	–	1	5	–	1	5	3
41	Male	1,105	3	–	–	–	1	4	–	–	3	2
42	Female	478	1	–	–	–	–	1	–	1	2	1
43	All other	741	–	1	–	–	–	1	1	1	1	6
44	Male	551	–	1	–	–	–	1	1	–	–	4
45	Female	190	–	–	–	–	–	–	–	1	1	2
46	Tuberculosis, other forms—013–019	644	1	3	3	1	2	10	1	2	3	12
47	Male	371	1	2	2	–	–	5	1	–	1	6
48	Female	273	–	1	1	1	2	5	–	2	2	6
49	White	436	1	3	3	1	1	9	1	2	2	6
50	Male	238	1	2	2	–	–	5	1	–	1	3
51	Female	198	–	1	1	1	1	4	–	2	1	3
52	All other	208	–	–	–	–	1	1	–	–	1	6
53	Male	133	–	–	–	–	–	–	–	–	–	3
54	Female	75	–	–	–	–	1	1	–	–	1	3
55	Whooping cough—033	10	7	1	–	–	–	8	–	–	–	–
56	Male	–	–	–	–	–	–	–	–	–	–	–
57	Female	10	7	1	–	–	–	8	–	–	–	–
58	White	7	5	–	–	–	–	5	–	–	–	–
59	Male	–	–	–	–	–	–	–	–	–	–	–
60	Female	7	5	–	–	–	–	5	–	–	–	–
61	All other	3	2	1	–	–	–	3	–	–	–	–
62	Male	–	–	–	–	–	–	–	–	–	–	–
63	Female	3	2	1	–	–	–	3	–	–	–	–
64	Streptococcal sore throat and scarlet fever—034	14	–	–	1	–	1	2	1	–	1	1
65	Male	9	–	–	–	–	1	1	1	–	–	1
66	Female	5	–	–	1	–	–	1	–	–	1	–
67	White	12	–	–	1	–	1	2	1	–	1	–
68	Male	7	–	–	–	–	1	1	1	–	–	–
69	Female	5	–	–	1	–	–	1	–	–	1	–
70	All other	2	–	–	–	–	–	–	–	–	–	1
71	Male	2	–	–	–	–	–	–	–	–	–	1
72	Female	–	–	–	–	–	–	–	–	–	–	–
73	Meningococcal infections—036	338	94	41	29	13	6	183	15	8	24	8
74	Male	177	61	19	11	9	3	103	9	5	16	7
75	Female	161	33	22	18	4	3	80	6	3	8	1
76	White	267	75	34	22	8	4	143	11	4	20	7
77	Male	138	49	17	7	6	3	82	8	2	12	6
78	Female	129	26	17	15	2	1	61	3	2	8	1
79	All other	71	19	7	7	5	2	40	4	4	4	1
80	Male	39	12	2	4	3	–	21	1	3	4	1
81	Female	32	7	5	3	2	2	19	3	1	–	–

Age, Color, and Sex: United States, 1977

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
23,292	21,641	24,036	34,073	55,483	89,640	125,574	167,098	209,496	236,099	247,048	243,550	183,971	91,417	26,134	4,629	569	01
16,937	14,641	15,531	21,421	35,094	57,038	80,315	106,505	129,873	138,157	129,552	112,387	73,069	31,378	7,700	1,162	368	02
6,355	7,000	8,505	12,652	20,389	32,602	45,259	60,593	79,623	97,942	117,496	131,163	110,902	60,039	18,434	3,467	201	03
17,488	16,283	17,883	25,814	44,086	73,608	106,153	144,509	183,434	209,645	223,046	226,422	172,819	86,004	24,007	3,746	399	04
12,804	11,005	11,583	16,314	28,093	47,325	68,530	93,031	114,844	123,782	117,355	104,030	68,160	29,199	6,952	872	272	05
4,684	5,278	6,300	9,500	15,993	26,283	37,623	51,478	68,590	85,863	105,691	122,392	104,659	56,805	17,055	2,874	127	06
5,804	5,358	6,153	8,259	11,397	16,032	19,421	22,589	26,062	26,454	24,002	17,128	11,152	5,413	2,127	883	170	07
4,133	3,636	3,948	5,107	7,001	9,713	11,785	13,474	15,029	14,375	12,197	8,357	4,909	2,179	748	290	96	08
1,671	1,722	2,205	3,152	4,396	6,319	7,636	9,115	11,033	12,079	11,805	8,771	6,243	3,234	1,379	593	74	09
3	–	3	2	5	1	3	2	2	3	2	2	1	–	–	–	–	10
2	–	1	2	3	1	2	–	2	1	1	–	1	–	–	–	–	11
1	–	2	–	2	–	1	2	–	2	1	2	–	–	–	–	–	12
2	–	2	1	4	1	3	2	1	3	2	2	1	–	–	–	–	13
1	–	–	1	3	1	2	–	1	1	1	–	1	–	–	–	–	14
1	–	2	–	1	–	1	2	–	2	1	2	–	–	–	–	–	15
1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	16
1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	17
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	18
12	14	11	21	25	45	56	76	102	110	134	170	183	96	28	7	–	19
4	7	2	7	10	26	24	30	44	39	50	67	60	28	7	–	–	20
8	7	9	14	15	19	32	46	58	71	84	103	123	68	21	7	–	21
9	13	7	21	18	39	47	69	86	103	120	156	169	90	24	7	–	22
3	6	1	7	6	23	20	28	41	37	44	60	56	25	6	–	–	23
6	7	6	14	12	16	27	41	45	66	76	96	113	65	18	7	–	24
3	1	4	–	7	6	9	7	16	7	14	14	14	6	4	–	–	25
1	1	1	–	4	3	4	2	3	2	6	7	4	3	1	–	–	26
2	–	3	–	3	3	5	5	13	5	8	7	10	3	3	–	–	27
28	53	80	103	144	206	263	339	379	382	333	307	195	72	24	4	4	28
18	40	53	78	106	142	186	245	274	283	218	197	104	38	11	2	4	29
10	13	27	25	38	64	77	94	105	99	115	110	91	34	13	2	–	30
5	15	28	39	68	109	171	246	264	282	260	250	163	60	20	2	3	31
1	11	17	32	43	76	120	177	186	211	167	156	84	28	11	1	3	32
4	4	11	7	25	33	51	69	78	71	93	94	79	32	9	1	–	33
23	38	52	64	76	97	92	93	115	100	73	57	32	12	4	2	1	34
17	29	36	46	63	66	66	68	88	72	51	41	20	10	–	1	1	35
6	9	16	18	13	31	26	25	27	28	22	16	12	2	4	1	–	36
20	42	62	79	119	160	215	258	297	303	243	243	168	62	22	4	3	37
14	34	44	63	92	111	159	199	226	229	173	156	92	34	10	2	3	38
6	8	18	16	27	49	56	59	71	74	70	87	76	28	12	2	–	39
2	14	21	32	56	84	141	182	208	223	192	198	142	51	19	2	2	40
1	11	13	28	38	60	104	144	155	171	135	124	74	25	10	1	2	41
1	3	8	4	18	24	37	38	53	52	57	74	68	26	9	1	–	42
18	28	41	47	63	76	74	76	89	80	51	45	26	11	3	2	1	43
13	23	31	35	54	51	55	55	71	58	38	32	18	9	–	1	1	44
5	5	10	12	9	25	19	21	18	22	13	13	8	2	3	1	–	45
8	11	18	24	25	46	48	81	82	79	90	64	27	10	2	–	1	46
4	6	9	15	14	31	27	46	48	54	45	41	12	4	1	–	1	47
4	5	9	9	11	15	21	35	34	25	45	23	15	6	1	–	–	48
3	1	7	7	12	25	30	64	56	59	68	52	21	9	1	–	1	49
–	–	4	4	5	16	16	33	31	40	32	32	10	3	1	–	1	50
3	1	3	3	7	9	14	31	25	19	36	20	11	6	–	–	–	51
5	10	11	17	13	21	18	17	26	20	22	12	6	1	1	–	–	52
4	6	5	11	9	15	11	13	17	14	13	9	2	1	–	–	–	53
1	4	6	6	4	6	7	4	9	6	9	3	4	–	1	–	–	54
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	55
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	57
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
1	–	1	1	1	1	–	3	1	–	–	–	–	–	–	–	–	64
1	–	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	65
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	66
1	–	1	1	–	1	–	3	1	–	–	–	–	–	–	–	–	67
1	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	68
–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	69
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	72
10	6	7	2	5	8	11	12	15	11	6	4	2	1	–	–	–	73
3	2	4	1	1	2	4	5	6	5	1	2	1	–	–	–	–	74
7	4	3	1	4	6	7	7	9	6	5	2	1	1	–	–	–	75
8	5	5	2	4	7	8	9	12	10	5	4	2	1	–	–	–	76
2	1	3	1	1	1	3	4	4	4	1	2	1	–	–	–	–	77
6	4	2	1	3	6	5	5	8	6	4	2	1	1	–	–	–	78
2	1	2	–	1	1	3	3	3	1	1	–	–	–	–	–	–	79
1	1	1	–	–	1	1	1	2	1	–	–	–	–	–	–	–	80
1	–	1	–	1	–	2	2	1	–	1	–	–	–	–	–	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Septicemia – 038	7,112	1,087	40	18	11	3	1,159	29	12	37	54
02	Male	3,771	654	27	10	8	2	701	15	6	20	28
03	Female	3,341	433	13	8	3	1	458	14	6	17	26
04	White	5,499	734	30	14	8	1	787	24	9	30	44
05	Male	2,910	456	21	7	5	–	489	12	4	18	24
06	Female	2,589	278	9	7	3	1	298	12	5	12	20
07	All other	1,613	353	10	4	3	2	372	5	3	7	10
08	Male	861	198	6	3	3	2	212	3	2	2	4
09	Female	752	155	4	1	–	–	160	2	1	5	6
10	Acute poliomyelitis – 040–043	16	–	–	–	–	–	–	–	–	–	–
11	Male	6	–	–	–	–	–	–	–	–	–	–
12	Female	10	–	–	–	–	–	–	–	–	–	–
13	White	15	–	–	–	–	–	–	–	–	–	–
14	Male	6	–	–	–	–	–	–	–	–	–	–
15	Female	9	–	–	–	–	–	–	–	–	–	–
16	All other	1	–	–	–	–	–	–	–	–	–	–
17	Male	–	–	–	–	–	–	–	–	–	–	–
18	Female	1	–	–	–	–	–	–	–	–	–	–
19	Measles – 055	15	2	2	–	–	–	4	1	5	1	1
20	Male	8	2	1	–	–	–	3	1	3	–	–
21	Female	7	–	1	–	–	–	1	–	2	1	1
22	White	15	2	2	–	–	–	4	1	5	1	1
23	Male	8	2	1	–	–	–	3	1	3	–	–
24	Female	7	–	1	–	–	–	1	–	2	1	1
25	All other	–	–	–	–	–	–	–	–	–	–	–
26	Male	–	–	–	–	–	–	–	–	–	–	–
27	Female	–	–	–	–	–	–	–	–	–	–	–
28	Syphilis and its sequelae – 090–097	196	4	–	–	–	–	4	–	1	–	1
29	Male	121	4	–	–	–	–	4	–	1	–	–
30	Female	75	–	–	–	–	–	–	–	–	–	1
31	White	101	1	–	–	–	–	1	–	1	–	1
32	Male	62	1	–	–	–	–	1	–	1	–	–
33	Female	39	–	–	–	–	–	–	–	–	–	1
34	All other	95	3	–	–	–	–	3	–	–	–	–
35	Male	59	3	–	–	–	–	3	–	–	–	–
36	Female	36	–	–	–	–	–	–	–	–	–	–
37	Other infective and parasitic diseases – Remainder of 000–136	4,353	298	63	29	14	24	428	103	63	125	115
38	Male	2,260	166	34	17	8	8	233	57	31	67	65
39	Female	2,093	132	29	12	6	16	195	46	32	58	50
40	White	3,452	202	47	23	10	17	299	92	54	100	90
41	Male	1,808	110	22	12	5	6	155	52	28	52	56
42	Female	1,644	92	25	11	5	11	144	40	26	48	34
43	All other	901	96	16	6	4	7	129	11	9	25	25
44	Male	452	56	12	5	3	2	78	5	3	15	9
45	Female	449	40	4	1	1	5	51	6	6	10	16
46	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	386,686	121	151	163	154	163	752	869	864	1,250	1,422
47	Male	210,459	72	90	92	91	92	437	547	495	759	906
48	Female	176,227	49	61	71	63	71	315	322	369	491	516
49	White	343,006	103	127	140	126	140	636	744	730	1,059	1,238
50	Male	185,152	61	73	81	80	81	376	471	423	668	804
51	Female	157,854	42	54	59	46	59	260	273	307	391	434
52	All other	43,680	18	24	23	28	23	116	125	134	191	184
53	Male	25,307	11	17	11	11	11	61	76	72	91	102
54	Female	18,373	7	7	12	17	12	55	49	62	100	82
55	Malignant neoplasms of buccal cavity and pharynx – 140–149	8,454	1	–	1	1	1	4	3	9	17	14
56	Male	5,929	1	–	1	–	1	3	2	7	8	10
57	Female	2,525	–	–	–	1	–	1	1	2	9	4
58	White	7,287	–	–	1	–	1	2	2	7	8	12
59	Male	5,043	–	–	1	–	1	2	2	5	5	9
60	Female	2,244	–	–	–	–	–	–	–	2	3	3
61	All other	1,167	1	–	–	1	–	2	1	2	9	2
62	Male	886	1	–	–	–	–	1	–	2	3	1
63	Female	281	–	–	–	1	–	1	1	–	6	1
64	Malignant neoplasms of digestive organs and peritoneum – 150–159	102,951	13	7	9	8	2	39	13	14	59	99
65	Male	54,387	7	4	7	5	2	25	6	6	44	54
66	Female	48,564	6	3	2	3	–	14	7	8	15	45
67	White	90,644	9	6	8	7	2	32	11	10	42	72
68	Male	47,265	5	3	6	4	2	20	4	4	30	39
69	Female	43,379	4	3	2	3	–	12	7	6	12	33
70	All other	12,307	4	1	1	1	–	7	2	4	17	27
71	Male	7,122	2	1	1	1	–	5	2	2	14	15
72	Female	5,185	2	–	–	–	–	2	–	2	3	12
73	Malignant neoplasms of respiratory system – 160–163	95,182	2	1	2	–	–	5	6	3	21	33
74	Male	72,179	1	1	–	–	–	2	5	2	10	24
75	Female	23,003	1	–	2	–	–	3	1	1	11	9
76	White	84,460	1	–	2	–	–	3	4	2	16	23
77	Male	63,679	–	–	–	–	–	–	3	1	8	15
78	Female	20,781	1	–	2	–	–	3	1	1	8	8
79	All other	10,722	1	1	–	–	–	2	2	1	5	10
80	Male	8,500	1	1	–	–	–	2	2	1	2	9
81	Female	2,222	–	–	–	–	–	–	–	–	3	1

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
54	61	79	120	152	297	391	518	646	739	906	825	665	286	65	12	5	01
28	26	45	70	85	165	228	299	357	389	466	408	278	124	27	2	4	02
26	35	34	50	67	132	163	219	289	350	440	417	387	162	38	10	1	03
35	46	50	79	107	199	294	386	490	608	731	682	576	255	56	8	3	04
20	18	29	45	59	110	172	229	280	320	374	337	237	106	22	2	3	05
15	28	21	34	48	89	122	157	210	288	357	345	339	149	34	6	–	06
19	15	29	41	45	98	97	132	156	131	175	143	89	31	9	4	2	07
8	8	16	25	26	55	56	70	77	69	92	71	41	18	5	–	1	08
11	7	13	16	19	43	41	62	79	62	83	72	48	13	4	4	1	09
1	2	2	2	1	1	4	1	1	1	–	–	–	–	–	–	–	10
1	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	11
–	–	1	2	1	1	2	1	1	1	–	–	–	–	–	–	–	12
1	2	2	1	1	1	4	1	1	1	–	–	–	–	–	–	–	13
1	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	14
–	–	1	1	1	1	2	1	1	1	–	–	–	–	–	–	–	15
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	18
1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	20
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	21
1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	23
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	2	1	2	2	8	9	27	32	38	39	18	12	–	–	–	–	28
–	1	1	1	2	5	4	12	16	24	27	14	9	–	–	–	–	29
–	1	–	1	–	3	5	15	16	14	12	4	3	–	–	–	–	30
–	2	1	–	–	3	3	12	15	21	23	9	9	–	–	–	–	31
–	1	1	–	–	1	1	7	8	14	14	6	7	–	–	–	–	32
–	1	–	–	–	2	2	5	7	7	9	3	2	–	–	–	–	33
–	–	–	2	2	5	6	15	17	17	16	9	3	–	–	–	–	34
–	–	–	1	2	4	3	5	8	10	13	8	2	–	–	–	–	35
–	–	–	1	–	1	3	10	9	7	3	1	1	–	–	–	–	36
129	139	116	158	176	270	311	360	402	427	332	314	236	112	32	4	1	37
66	79	58	79	96	130	184	192	230	218	165	155	102	42	8	2	1	38
63	60	58	79	80	140	127	168	172	209	167	159	134	70	24	2	–	39
81	90	79	98	132	204	238	292	318	367	283	289	212	102	28	4	–	40
43	58	39	51	74	105	147	157	184	185	143	142	94	36	5	2	–	41
38	32	40	47	58	99	91	135	134	182	140	147	118	66	23	2	–	42
48	49	37	60	44	66	73	68	84	60	49	25	24	10	4	–	1	43
23	21	19	28	22	25	37	35	46	33	22	13	8	6	3	–	1	44
25	28	18	32	22	41	36	33	38	27	27	12	16	4	1	–	–	45
1,969	2,828	4,248	7,708	15,358	27,304	39,338	50,514	58,438	57,149	48,872	37,713	21,216	7,218	1,452	168	36	46
1,095	1,255	1,873	3,447	7,315	14,011	21,307	28,936	34,095	33,546	27,173	19,474	10,028	3,120	574	48	18	47
874	1,573	2,375	4,261	8,043	13,293	18,031	21,578	24,343	23,603	21,699	18,239	11,188	4,098	878	120	18	48
1,708	2,414	3,506	6,302	12,780	23,097	33,957	44,583	51,829	51,232	44,246	35,037	19,766	6,703	1,278	133	28	49
984	1,086	1,572	2,782	5,968	11,689	18,101	25,365	30,034	29,897	24,422	17,887	9,232	2,850	492	37	12	50
724	1,328	1,934	3,520	6,812	11,408	15,856	19,218	21,795	21,335	19,824	17,150	10,534	3,853	786	96	16	51
261	414	742	1,406	2,578	4,207	5,381	5,931	6,609	5,917	4,626	2,676	1,450	515	174	35	8	52
111	169	301	665	1,347	2,322	3,206	3,571	4,061	3,649	2,751	1,587	796	270	82	11	6	53
150	245	441	741	1,231	1,885	2,175	2,360	2,548	2,268	1,875	1,089	654	245	92	24	2	54
18	32	71	157	437	828	1,193	1,392	1,377	1,047	769	582	333	133	30	4	4	55
15	19	53	114	326	600	862	985	1,017	734	531	354	209	65	10	2	3	56
3	13	18	43	111	228	331	407	360	313	238	228	124	68	20	2	1	57
16	24	42	94	302	645	988	1,224	1,256	941	700	545	317	127	29	3	3	58
13	12	29	69	220	466	704	857	918	654	481	325	198	61	10	1	2	59
3	12	13	25	82	179	284	367	338	287	219	220	119	66	19	2	1	60
2	8	29	63	135	183	205	168	121	106	69	37	16	6	1	1	1	61
2	7	24	45	106	134	158	128	99	80	50	29	11	4	–	1	1	62
–	1	5	18	29	49	47	40	22	26	19	8	5	2	1	–	–	63
216	389	665	1,426	2,827	5,605	9,079	12,452	15,491	16,306	15,100	12,598	7,439	2,593	487	50	4	64
127	218	390	824	1,611	3,352	5,375	7,352	8,782	8,960	7,403	5,638	3,046	976	181	15	2	65
89	171	275	602	1,216	2,253	3,704	5,100	6,709	7,346	7,697	6,960	4,393	1,617	306	35	2	66
160	314	520	1,107	2,252	4,559	7,578	10,783	13,529	14,474	13,639	11,736	6,922	2,417	445	40	2	67
95	179	303	631	1,268	2,708	4,443	6,339	7,605	7,903	6,621	5,201	2,812	888	159	12	1	68
65	135	217	476	984	1,851	3,135	4,444	5,924	6,571	7,018	6,535	4,110	1,529	286	28	1	69
56	75	145	319	575	1,046	1,501	1,669	1,962	1,832	1,461	862	517	176	42	10	2	70
32	39	87	193	343	644	932	1,013	1,177	1,057	782	437	234	88	22	3	1	71
24	36	58	126	232	402	569	656	785	775	679	425	283	88	20	7	1	72
85	235	673	1,815	4,404	8,473	12,195	15,799	17,172	14,794	10,406	5,806	2,455	657	126	12	7	73
55	152	430	1,149	3,036	6,050	8,987	12,013	13,487	11,893	8,286	4,428	1,705	* 385	68	7	5	74
30	83	243	666	1,368	2,423	3,208	3,786	3,685	2,901	2,120	1,378	750	272	58	5	2	75
71	187	551	1,432	3,636	7,103	10,501	14,040	15,375	13,474	9,595	5,441	2,281	604	107	9	5	76
48	118	353	894	2,460	5,007	7,632	10,589	12,016	10,799	7,623	4,127	1,573	348	57	5	3	77
23	69	198	538	1,176	2,096	2,869	3,451	3,359	2,675	1,972	1,314	708	256	50	4	2	78
14	48	122	383	768	1,370	1,694	1,759	1,797	1,320	811	365	174	53	19	3	2	79
7	34	77	255	576	1,043	1,355	1,424	1,471	1,094	663	301	132	37	11	2	2	80
7	14	45	128	192	327	339	335	326	226	148	64	42	16	8	1	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.											
01	Malignant neoplasm of breast—174	34,762	–	–	–	–	–	–	–	1	–	16
02	Male	281	–	–	–	–	–	–	–	1	–	1
03	Female	34,481	–	–	–	–	–	–	–	–	–	15
04	White	31,457	–	–	–	–	–	–	–	1	–	13
05	Male	247	–	–	–	–	–	–	–	1	–	1
06	Female	31,210	–	–	–	–	–	–	–	–	–	12
07	All other	3,305	–	–	–	–	–	–	–	–	–	3
08	Male	34	–	–	–	–	–	–	–	–	–	–
09	Female	3,271	–	–	–	–	–	–	–	–	–	3
10	Malignant neoplasms of genital organs—180–187	44,273	1	1	–	2	2	6	5	15	69	212
11	Male	21,723	–	1	–	2	2	5	2	5	47	152
12	Female	22,550	1	–	–	–	–	1	3	10	22	60
13	White	37,964	1	1	–	2	1	5	5	10	58	198
14	Male	18,350	–	1	–	2	1	4	2	4	44	148
15	Female	19,614	1	–	–	–	–	1	3	6	14	50
16	All other	6,309	–	–	–	–	1	1	–	5	11	14
17	Male	3,373	–	–	–	–	1	1	–	1	3	4
18	Female	2,936	–	–	–	–	–	–	–	4	8	10
19	Malignant neoplasms of urinary organs—188,189	17,382	4	7	4	10	11	36	22	11	13	15
20	Male	11,442	4	5	2	4	3	18	11	4	5	8
21	Female	5,940	–	2	2	6	8	18	11	7	8	7
22	White	15,964	4	5	3	5	9	26	17	8	9	12
23	Male	10,583	4	3	1	3	3	14	9	4	4	5
24	Female	5,381	–	2	2	2	6	12	8	4	5	7
25	All other	1,418	–	2	1	5	2	10	5	3	4	3
26	Male	859	–	2	1	1	–	4	2	–	1	3
27	Female	559	–	–	–	4	2	6	3	3	3	–
28	Malignant neoplasms of all other and unspecified sites—170–173,190–199	47,276	60	74	90	73	80	377	313	333	511	429
29	Male	24,829	35	44	53	40	46	218	196	166	302	280
30	Female	22,447	25	30	37	33	34	159	117	167	209	149
31	White	42,181	52	63	76	62	67	320	265	271	438	389
32	Male	22,128	31	38	47	37	40	193	169	132	266	257
33	Female	20,053	21	25	29	25	27	127	96	139	172	132
34	All other	5,095	8	11	14	11	13	57	48	62	73	40
35	Male	2,701	4	6	6	3	6	25	27	34	36	23
36	Female	2,394	4	5	8	8	7	32	21	28	37	17
37	Leukemia—204–207	15,329	33	56	54	53	57	253	433	369	383	334
38	Male	8,611	20	32	27	36	32	147	265	221	229	198
39	Female	6,718	13	24	27	17	25	106	168	148	154	136
40	White	13,996	30	48	47	44	51	220	384	323	335	278
41	Male	7,892	18	26	24	31	29	128	236	195	210	169
42	Female	6,104	12	22	23	13	22	92	148	128	125	109
43	All other	1,333	3	8	7	9	6	33	49	46	48	56
44	Male	719	2	6	3	5	3	19	29	26	19	29
45	Female	614	1	2	4	4	3	14	20	20	29	27
46	Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21,077	7	5	3	7	10	32	74	109	177	270
47	Male	11,078	4	3	2	4	6	19	60	83	114	179
48	Female	9,999	3	2	1	3	4	13	14	26	63	91
49	White	19,053	6	4	3	6	9	28	56	98	153	241
50	Male	9,965	3	2	2	3	5	15	46	77	101	161
51	Female	9,088	3	2	1	3	4	13	10	21	52	80
52	All other	2,024	1	1	–	1	1	4	18	11	24	29
53	Male	1,113	1	1	–	1	1	4	14	6	13	18
54	Female	911	–	–	–	–	–	–	4	5	11	11
55	Benign neoplasms and neoplasms of unspecified nature—210–239	4,925	78	12	5	3	5	103	46	53	63	64
56	Male	2,343	41	6	2	1	2	52	19	27	33	32
57	Female	2,582	37	6	3	2	3	51	27	26	30	32
58	White	4,316	64	9	4	2	5	84	36	46	49	57
59	Male	2,060	34	4	2	–	2	42	14	23	27	29
60	Female	2,256	30	5	2	2	3	42	22	23	22	28
61	All other	609	14	3	1	1	–	19	10	7	14	7
62	Male	283	7	2	–	1	–	10	5	4	6	3
63	Female	326	7	1	1	–	–	9	5	3	8	4
64	Diabetes mellitis—250	32,989	8	4	1	3	1	17	15	36	53	103
65	Male	13,632	3	4	–	1	1	9	7	10	20	52
66	Female	19,357	5	–	1	2	–	8	8	26	33	51
67	White	27,482	7	3	1	1	1	13	12	29	40	79
68	Male	11,621	2	3	–	–	1	6	5	7	17	43
69	Female	15,861	5	–	1	1	–	7	7	22	23	36
70	All other	5,507	1	1	–	2	–	4	3	7	13	24
71	Male	2,011	1	1	–	1	–	3	2	3	3	9
72	Female	3,496	–	–	–	1	–	1	1	4	10	15
73	Avitaminoses and other nutritional deficiencies—260–269	2,606	53	13	3	1	2	72	8	6	6	6
74	Male	1,110	33	10	2	1	1	47	6	5	3	2
75	Female	1,496	20	3	1	–	1	25	2	1	3	4
76	White	2,235	32	7	–	1	1	41	5	5	5	4
77	Male	911	17	5	–	1	–	23	4	4	3	1
78	Female	1,324	15	2	–	–	1	18	1	1	2	3
79	All other	371	21	6	3	–	1	31	3	1	1	2
80	Male	199	16	5	2	–	1	24	2	1	–	1
81	Female	172	5	1	1	–	–	7	1	–	1	1

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
124	484	751	1,330	2,490	3,823	4,502	4,486	4,573	3,930	3,226	2,590	1,645	605	160	23	3	01
–	–	4	7	9	26	35	39	36	40	36	26	15	5	1	–	–	02
124	484	747	1,323	2,481	3,797	4,467	4,447	4,537	3,890	3,190	2,564	1,630	600	159	23	3	03
104	397	621	1,149	2,166	3,355	4,044	4,087	4,175	3,617	2,990	2,448	1,562	563	144	18	3	04
–	–	3	5	9	21	30	35	33	39	29	21	15	4	1	–	–	05
104	397	618	1,144	2,157	3,334	4,014	4,052	4,142	3,578	2,961	2,427	1,547	559	143	18	3	06
20	87	130	181	324	468	458	399	398	313	236	142	83	42	16	5	–	07
–	–	1	2	–	5	5	4	3	1	7	5	–	1	–	–	–	08
20	87	129	179	324	463	453	395	395	312	229	137	83	41	16	5	–	09
279	348	470	709	1,290	2,216	3,382	4,763	6,029	6,864	6,795	5,878	3,484	1,198	233	24	4	10
134	98	59	54	90	247	754	1,641	2,781	3,898	4,334	3,969	2,433	848	156	15	1	11
145	250	411	655	1,200	1,969	2,628	3,122	3,248	2,966	2,461	1,909	1,051	350	77	9	3	12
248	293	357	565	1,055	1,880	2,860	4,012	5,099	5,779	5,851	5,253	3,149	1,074	193	17	3	13
132	95	56	46	72	188	581	1,309	2,247	3,175	3,671	3,503	2,184	747	130	11	1	14
116	198	301	519	983	1,692	2,279	2,703	2,852	2,604	2,180	1,750	965	327	63	6	2	15
31	55	113	144	235	336	522	751	930	1,085	944	625	335	124	40	7	1	16
2	3	3	8	18	59	173	332	534	723	663	466	249	101	26	4	–	17
29	52	110	136	217	277	349	419	396	362	281	159	86	23	14	3	1	18
28	43	95	213	437	944	1,352	1,952	2,556	2,854	2,614	2,288	1,331	478	86	12	2	19
12	27	60	142	320	649	938	1,365	1,765	1,927	1,752	1,403	760	242	32	1	1	20
16	16	35	71	117	295	414	587	791	927	862	885	571	236	54	11	1	21
19	37	76	186	389	833	1,233	1,777	2,312	2,637	2,409	2,174	1,272	455	73	9	1	22
10	21	51	131	287	583	860	1,257	1,609	1,799	1,616	1,332	729	234	27	1	–	23
9	16	25	55	102	250	373	520	703	838	793	842	543	221	46	8	1	24
9	6	19	27	48	111	119	175	244	217	205	114	59	23	13	3	1	25
2	6	9	11	33	66	78	108	156	128	136	71	31	8	5	–	1	26
7	–	10	16	15	45	41	67	88	89	69	43	28	15	8	3	–	27
541	686	886	1,275	2,191	3,431	4,691	5,767	6,558	6,221	5,276	4,152	2,446	953	201	36	2	28
341	399	494	698	1,192	1,968	2,647	3,304	3,613	3,300	2,535	1,795	958	345	71	5	2	29
200	287	392	577	999	1,463	2,044	2,463	2,945	2,921	2,741	2,357	1,488	608	130	31	–	30
491	619	782	1,107	1,875	2,958	4,147	5,131	5,819	5,607	4,754	3,830	2,281	893	171	31	2	31
312	358	442	610	1,014	1,704	2,332	2,948	3,222	2,978	2,279	1,642	877	329	58	4	2	32
179	261	340	497	861	1,254	1,815	2,183	2,597	2,629	2,475	2,188	1,404	564	113	27	–	33
50	67	104	168	316	473	544	636	739	614	522	322	165	60	30	5	–	34
29	41	52	88	178	264	315	356	391	322	256	153	81	16	13	1	–	35
21	26	52	80	138	209	229	280	348	292	266	169	84	44	17	4	–	36
311	280	295	348	485	721	993	1,359	1,672	1,999	1,921	1,721	1,043	312	89	5	3	37
187	141	164	187	288	407	614	816	982	1,169	1,026	910	478	140	38	2	2	38
124	139	131	161	197	314	379	543	690	830	895	811	565	172	51	3	1	39
276	246	257	295	425	642	894	1,238	1,542	1,836	1,787	1,632	1,004	297	78	4	3	40
175	122	145	163	251	371	552	751	911	1,080	952	858	454	131	34	2	2	41
101	124	112	132	174	271	342	487	631	756	835	774	550	166	44	2	1	42
35	34	38	53	60	79	99	121	130	163	134	89	39	15	11	1	–	43
12	19	19	24	37	36	62	65	71	89	74	52	24	9	4	–	–	44
23	15	19	29	23	43	37	56	59	74	60	37	15	6	7	1	–	45
367	331	342	435	797	1,263	1,951	2,544	3,010	3,134	2,765	2,098	1,040	289	40	2	7	46
224	201	219	272	443	712	1,095	1,421	1,632	1,625	1,270	951	424	114	17	1	2	47
143	130	123	163	354	551	856	1,123	1,378	1,509	1,495	1,147	616	175	23	1	5	48
323	297	300	367	680	1,122	1,712	2,291	2,722	2,867	2,521	1,978	978	273	38	2	6	49
199	181	190	233	387	641	967	1,280	1,473	1,470	1,150	878	390	108	16	1	1	50
124	116	110	134	293	481	745	1,011	1,249	1,397	1,371	1,100	588	165	22	1	5	51
44	34	42	68	117	141	239	253	288	267	244	120	62	16	2	–	1	52
25	20	29	39	56	71	128	141	159	155	120	73	34	6	1	–	1	53
19	14	13	29	61	70	111	112	129	112	124	47	28	10	1	–	–	54
88	78	101	151	209	291	397	511	600	662	566	495	309	111	20	4	3	55
47	44	50	72	92	139	196	258	311	327	256	222	124	34	7	–	1	56
41	34	51	79	117	152	201	253	289	335	310	273	185	77	13	4	2	57
69	59	81	117	171	251	342	441	534	590	519	458	285	105	16	3	3	58
40	36	42	54	77	122	171	217	273	291	239	207	118	32	5	–	1	59
29	23	39	63	94	129	171	224	261	299	280	251	167	73	11	3	2	60
19	19	20	34	38	40	55	70	66	72	47	37	24	6	4	1	–	61
7	8	8	18	15	17	25	41	38	36	17	15	6	2	2	–	–	62
12	11	12	16	23	23	30	29	28	36	30	22	18	4	2	1	–	63
193	301	372	497	823	1,430	2,276	3,269	4,430	5,181	5,055	4,697	2,835	1,165	209	27	5	64
98	177	205	272	447	763	1,126	1,529	2,008	2,177	1,861	1,574	901	330	56	9	1	65
95	124	167	225	376	667	1,150	1,740	2,422	3,004	3,194	3,123	1,934	835	153	18	4	66
147	242	276	355	602	1,024	1,716	2,547	3,561	4,362	4,364	4,243	2,594	1,069	185	21	1	67
74	142	155	203	338	601	939	1,256	1,698	1,881	1,641	1,428	822	306	51	8	–	68
73	100	121	152	264	423	777	1,291	1,863	2,481	2,723	2,815	1,772	763	134	13	1	69
46	59	96	142	221	406	560	722	869	819	691	454	241	96	24	6	4	70
24	35	50	69	109	162	187	273	310	296	220	146	79	24	5	1	1	71
22	24	46	73	112	244	373	449	559	523	471	308	162	72	19	5	3	72
9	17	7	19	26	54	83	119	161	270	347	490	469	283	125	28	1	73
4	10	2	7	16	26	50	65	83	135	146	206	163	93	34	6	1	74
5	7	5	12	10	28	33	54	78	135	201	284	306	190	91	22	–	75
7	15	5	10	21	44	72	99	138	215	290	441	431	256	108	23	–	76
3	8	–	3	12	18	42	49	68	110	119	182	147	80	30	5	–	77
4	7	5	7	9	26	30	50	70	105	171	259	284	176	78	18	–	78
2	2	2	9	5	10	11	20	23	55	57	49	38	27	17	5	1	79
1	2	2	4	4	8	8	16	15	25	27	24	16	13	4	1	1	80
1	–	–	5	1	2	3	4	8	30	30	25	22	14	13	4	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Anemias—280–285	3,121	32	22	13	10	8	85	43	53	74	83
02	Male	1,483	19	14	4	5	5	47	26	31	35	46
03	Female	1,638	13	8	9	5	3	38	17	22	39	37
04	White	2,485	14	2	3	2	6	27	27	35	39	28
05	Male	1,171	9	2	–	2	3	16	16	20	19	14
06	Female	1,314	5	–	3	–	3	11	11	15	20	14
07	All other	636	18	20	10	8	2	58	16	18	35	55
08	Male	312	10	12	4	3	2	31	10	11	16	32
09	Female	324	8	8	6	5	–	27	6	7	19	23
10	Meningitis—320	1,526	504	106	55	29	21	715	49	34	24	28
11	Male	843	273	63	37	20	13	406	28	20	17	15
12	Female	683	231	43	18	9	8	309	21	14	7	13
13	White	1,083	335	79	49	22	13	498	34	29	14	17
14	Male	601	187	48	33	13	8	289	21	18	9	7
15	Female	482	148	31	16	9	5	209	13	11	5	10
16	All other	443	169	27	6	7	8	217	15	5	10	11
17	Male	242	86	15	4	7	5	117	7	2	8	8
18	Female	201	83	12	2	–	3	100	8	3	2	3
19	Major cardiovascular diseases—390–448	961,539	934	165	77	55	50	1,281	220	295	635	1,026
20	Male	503,868	543	81	36	37	24	721	124	158	389	588
21	Female	457,671	391	84	41	18	26	560	96	137	246	438
22	White	863,063	671	122	52	42	37	924	167	229	477	714
23	Male	453,000	410	60	26	30	17	543	102	122	291	431
24	Female	410,063	261	62	26	12	20	381	65	107	186	283
25	All other	98,476	263	43	25	13	13	357	53	66	158	312
26	Male	50,868	133	21	10	7	7	178	22	36	98	157
27	Female	47,608	130	22	15	6	6	179	31	30	60	155
28	Diseases of heart—390–398,402,404,410–429	718,850	731	119	48	36	31	965	125	186	413	622
29	Male	396,482	431	61	21	25	14	552	68	93	267	379
30	Female	322,368	300	58	27	11	17	413	57	93	146	243
31	White	648,308	530	84	30	25	24	693	91	139	298	414
32	Male	358,734	323	43	15	19	10	410	54	70	190	260
33	Female	289,574	207	41	15	6	14	283	37	69	108	154
34	All other	70,542	201	35	18	11	7	272	34	47	115	208
35	Male	37,748	108	18	6	6	4	142	14	23	77	119
36	Female	32,794	93	17	12	5	3	130	20	24	38	89
37	Active rheumatic fever and chronic rheumatic heart disease—390–398	12,770	1	4	1	1	1	8	5	33	54	97
38	Male	5,624	1	3	1	–	–	5	3	15	38	52
39	Female	7,146	–	1	–	1	1	3	2	18	16	45
40	White	11,645	1	3	1	–	1	6	2	23	34	61
41	Male	5,101	1	3	1	–	–	5	2	11	25	32
42	Female	6,544	–	–	–	–	1	1	–	12	9	29
43	All other	1,125	–	1	–	1	–	2	3	10	20	36
44	Male	523	–	–	–	–	–	–	1	4	13	20
45	Female	602	–	1	–	1	–	2	2	6	7	16
46	Hypertensive heart disease—402	6,905	–	–	–	–	–	–	1	2	2	11
47	Male	2,797	–	–	–	–	–	–	1	1	–	6
48	Female	4,108	–	–	–	–	–	–	–	1	2	5
49	White	5,307	–	–	–	–	–	–	–	2	1	4
50	Male	2,079	–	–	–	–	–	–	–	1	–	3
51	Female	3,228	–	–	–	–	–	–	–	1	1	1
52	All other	1,598	–	–	–	–	–	–	1	–	1	7
53	Male	718	–	–	–	–	–	–	1	–	–	3
54	Female	880	–	–	–	–	–	–	–	–	1	4
55	Hypertensive heart and renal disease—404	3,530	–	1	–	–	1	2	–	–	–	–
56	Male	1,602	–	–	–	–	1	1	–	–	–	–
57	Female	1,928	–	1	–	–	–	1	–	–	–	–
58	White	2,990	–	1	–	–	1	2	–	–	–	–
59	Male	1,339	–	–	–	–	1	1	–	–	–	–
60	Female	1,651	–	1	–	–	–	1	–	–	–	–
61	All other	540	–	–	–	–	–	–	–	–	–	–
62	Male	263	–	–	–	–	–	–	–	–	–	–
63	Female	277	–	–	–	–	–	–	–	–	–	–
64	Ischemic heart disease—410–413	638,427	18	1	–	1	1	21	6	9	38	113
65	Male	355,007	10	–	–	1	–	11	4	5	29	74
66	Female	283,420	8	1	–	–	1	10	2	4	9	39
67	White	580,428	17	1	–	1	–	19	6	7	31	72
68	Male	323,830	9	–	–	1	–	10	4	4	24	52
69	Female	256,598	8	1	–	–	–	9	2	3	7	20
70	All other	57,999	1	–	–	–	1	2	–	2	7	41
71	Male	31,177	1	–	–	–	–	1	–	1	5	22
72	Female	26,822	–	–	–	–	1	1	–	1	2	19
73	Acute myocardial infarction—410	306,398	14	1	–	1	–	16	2	4	28	75
74	Male	188,480	9	–	–	1	–	10	2	2	20	55
75	Female	117,918	5	1	–	–	–	6	–	2	8	20
76	White	283,651	14	1	–	1	–	16	2	3	22	53
77	Male	175,554	9	–	–	1	–	10	2	2	16	40
78	Female	108,097	5	1	–	–	–	6	–	1	6	13
79	All other	22,747	–	–	–	–	–	–	–	1	6	22
80	Male	12,926	–	–	–	–	–	–	–	–	4	15
81	Female	9,821	–	–	–	–	–	–	–	1	2	7

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
61	53	39	48	60	92	136	189	259	343	407	472	375	189	51	9	–	01
36	30	21	21	31	45	69	102	139	170	192	206	152	74	8	2	–	02
25	23	18	27	29	47	67	87	120	173	215	266	223	115	43	7	–	03
19	23	18	22	28	69	101	154	214	288	373	438	359	176	42	5	–	04
10	14	8	13	16	34	51	85	117	144	180	189	147	71	6	1	–	05
9	9	10	9	12	35	50	69	97	144	193	249	212	105	36	4	–	06
42	30	21	26	32	23	35	35	45	55	34	34	16	13	9	4	–	07
26	16	13	8	15	11	18	17	22	26	12	17	5	3	2	1	–	08
16	14	8	18	17	12	17	18	23	29	22	17	11	10	7	3	–	09
20	16	21	28	37	51	70	84	79	98	65	54	39	11	1	1	1	10
8	7	13	19	19	31	40	46	47	60	27	21	16	3	–	–	–	11
12	9	8	9	18	20	30	38	32	38	38	33	23	8	1	1	1	12
14	12	10	14	24	32	46	65	62	77	49	40	34	9	1	1	1	13
5	5	5	10	14	18	28	36	39	45	20	17	13	2	–	–	–	14
9	7	5	4	10	14	18	29	23	32	29	23	21	7	1	1	1	15
6	4	11	14	13	19	24	19	17	21	16	14	5	2	–	–	–	16
3	2	8	9	5	13	12	10	8	15	7	4	3	1	–	–	–	17
3	2	3	5	8	6	12	9	9	6	9	10	2	1	–	–	–	18
1,525	2,570	4,866	9,757	19,080	34,895	53,094	76,761	104,489	128,306	147,666	157,274	127,468	66,916	19,747	3,486	182	19
953	1,687	3,355	6,994	14,019	25,433	37,886	52,341	66,850	74,473	74,381	68,236	47,326	21,607	5,435	820	92	20
572	883	1,511	2,763	5,061	9,462	15,208	24,420	37,639	53,833	73,285	89,038	80,142	45,309	14,312	2,666	90	21
1,057	1,874	3,529	7,465	15,294	28,809	45,051	66,338	91,581	113,999	133,852	146,836	120,363	63,214	18,302	2,871	117	22
677	1,248	2,556	5,586	11,688	21,744	33,038	46,237	59,680	67,223	67,873	63,588	44,480	20,222	4,986	622	63	23
380	626	973	1,879	3,606	7,065	12,013	20,101	31,901	46,776	65,979	83,248	75,883	42,992	13,316	2,249	54	24
468	696	1,337	2,292	3,786	6,086	8,043	10,423	12,908	14,307	13,814	10,438	7,105	3,702	1,445	615	65	25
276	439	799	1,408	2,331	3,689	4,848	6,104	7,170	7,250	6,508	4,648	2,846	1,385	449	198	29	26
192	257	538	884	1,455	2,397	3,195	4,319	5,738	7,057	7,306	5,790	4,259	2,317	996	417	36	27
1,009	1,807	3,687	7,889	15,857	29,529	44,726	63,540	83,807	98,547	107,995	110,482	86,915	45,049	13,189	2,368	143	28
676	1,292	2,761	6,034	12,302	22,505	33,064	44,670	55,041	58,710	55,891	49,352	33,352	15,079	3,744	574	76	29
333	515	926	1,855	3,555	7,024	11,662	18,870	28,766	39,837	52,104	61,130	53,563	29,970	9,445	1,794	67	30
682	1,349	2,749	6,191	12,998	24,846	38,540	55,652	74,374	88,452	98,446	103,478	82,108	42,541	12,228	1,942	97	31
471	984	2,171	4,930	10,452	19,547	29,224	39,948	49,694	53,460	51,293	46,128	31,405	14,127	3,429	432	55	32
211	365	578	1,261	2,546	5,299	9,316	15,704	24,680	34,992	47,153	57,350	50,703	28,414	8,799	1,510	42	33
327	458	938	1,698	2,859	4,683	6,186	7,888	9,433	10,095	9,549	7,004	4,807	2,508	961	426	46	34
205	308	590	1,104	1,850	2,958	3,840	4,722	5,347	5,250	4,598	3,224	1,947	952	315	142	21	35
122	150	348	594	1,009	1,725	2,346	3,166	4,086	4,845	4,951	3,780	2,860	1,556	646	284	25	36
136	146	221	359	492	893	1,202	1,580	1,852	1,987	1,550	1,211	652	232	57	3	–	37
76	83	108	172	243	435	595	768	840	844	613	433	215	77	9	–	–	38
60	63	113	187	249	458	607	812	1,012	1,143	937	778	437	155	48	3	–	39
84	109	165	293	403	779	1,102	1,463	1,723	1,873	1,462	1,160	617	227	56	3	–	40
50	63	85	145	200	379	545	710	774	801	576	415	199	76	8	–	–	41
34	46	80	148	203	400	557	753	949	1,072	886	745	418	151	48	3	–	42
52	37	56	66	89	114	100	117	129	114	88	51	35	5	1	–	–	43
26	20	23	27	43	56	50	58	66	43	37	18	16	1	1	–	–	44
26	17	33	39	46	58	50	59	63	71	51	33	19	4	–	–	–	45
26	32	53	118	185	297	393	631	866	919	1,053	1,036	756	410	108	5	1	46
17	22	31	72	98	171	219	347	422	397	380	300	194	94	23	1	1	47
9	10	22	46	87	126	174	284	444	522	673	736	562	316	85	4	–	48
19	21	24	50	103	171	263	433	614	703	849	908	683	365	91	2	1	49
13	14	15	36	55	105	148	252	312	304	304	246	168	81	20	1	1	50
6	7	9	14	48	66	115	181	302	399	545	662	515	284	71	1	–	51
7	11	29	68	82	126	130	198	252	216	204	128	73	45	17	3	–	52
4	8	16	36	43	66	71	95	110	93	76	54	26	13	3	–	–	53
3	3	13	32	39	60	59	103	142	123	128	74	47	32	14	3	–	54
1	3	6	18	25	73	87	175	266	388	554	705	712	370	117	23	5	55
1	–	4	9	10	44	46	109	143	203	280	321	272	121	31	5	2	56
–	3	2	9	15	29	41	66	123	185	274	384	440	249	86	18	3	57
1	2	3	8	14	39	50	121	183	298	465	651	668	352	112	21	–	58
1	–	1	4	6	27	27	83	102	157	240	285	257	115	29	4	–	59
–	2	2	4	8	12	23	38	81	141	225	366	411	237	83	17	–	60
–	1	3	10	11	34	37	54	83	90	89	54	44	18	5	2	5	61
–	–	3	5	4	17	19	26	41	46	40	36	15	6	2	1	2	62
–	1	–	5	7	17	18	28	42	44	49	18	29	12	3	1	3	63
344	1,055	2,678	6,348	13,462	25,422	39,109	56,036	74,504	88,300	97,422	99,963	78,590	40,799	11,936	2,148	124	64
265	844	2,156	5,109	10,837	19,978	29,562	40,083	49,652	53,119	50,744	44,773	30,176	13,611	3,395	514	66	65
79	211	522	1,239	2,625	5,444	9,547	15,953	24,852	35,181	46,678	55,190	48,414	27,188	8,541	1,634	58	66
236	822	2,067	5,127	11,237	21,688	34,012	49,465	66,575	79,761	89,296	93,963	74,466	38,610	11,108	1,772	88	67
183	679	1,750	4,284	9,360	17,557	26,367	36,115	45,115	48,641	46,802	42,039	28,502	12,784	3,116	392	50	68
53	143	317	843	1,877	4,131	7,645	13,350	21,460	31,120	42,494	51,924	45,964	25,826	7,992	1,380	38	69
108	233	611	1,221	2,225	3,734	5,097	6,571	7,929	8,539	8,126	6,000	4,124	2,189	828	376	36	70
82	165	406	825	1,477	2,421	3,195	3,968	4,537	4,478	3,942	2,734	1,674	827	279	122	16	71
26	68	205	396	748	1,313	1,902	2,603	3,392	4,061	4,184	3,266	2,450	1,362	549	254	20	72
218	642	1,720	4,020	8,501	15,825	24,434	33,773	43,275	47,656	46,415	39,958	25,928	10,783	2,658	423	44	73
169	510	1,402	3,328	7,041	12,740	18,838	24,760	29,606	29,703	25,275	19,157	10,883	3,958	877	118	26	74
49	132	318	692	1,460	3,085	5,596	9,013	13,669	17,953	21,140	20,801	15,045	6,825	1,781	305	18	75
153	527	1,417	3,455	7,507	14,141	22,165	30,881	39,907	44,317	43,388	37,990	24,645	10,218	2,470	340	34	76
120	426	1,205	2,928	6,354	11,615	17,415	22,984	27,613	27,909	23,727	18,235	10,302	3,734	808	89	20	77
33	101	212	527	1,153	2,526	4,750	7,897	12,294	16,408	19,661	19,755	14,343	6,484	1,662	251	14	78
65	115	303	565	994	1,684	2,269	2,892	3,368	3,339	3,027	1,968	1,283	565	188	83	10	79
49	84	197	400	687	1,125	1,423	1,776	1,993	1,794	1,548	922	581	224	69	29	6	80
16	31	106	165	307	559	846	1,116	1,375	1,545	1,479	1,046	702	341	119	54	4	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases—Con.											
	Diseases of heart—Con.											
	Ischemic heart disease—Con.											
01	Other acute and subacute forms of ischemic heart disease—411	3,993	2	–	–	–	–	2	1	1	1	4
02	Male	2,594	–	–	–	–	–	–	–	–	1	2
03	Female	1,399	2	–	–	–	–	2	1	1	–	2
04	White	3,461	2	–	–	–	–	2	1	1	1	2
05	Male	2,249	–	–	–	–	–	–	–	–	1	1
06	Female	1,212	2	–	–	–	–	2	1	1	–	1
07	All other	532	–	–	–	–	–	–	–	–	–	2
08	Male	345	–	–	–	–	–	–	–	–	–	1
09	Female	187	–	–	–	–	–	–	–	–	–	1
10	Chronic ischemic heart disease—412	327,830	2	–	–	–	1	3	3	4	9	32
11	Male	163,813	1	–	–	–	–	1	2	3	8	16
12	Female	164,017	1	–	–	–	1	2	1	1	1	16
13	White	293,129	1	–	–	–	–	1	3	3	8	16
14	Male	145,920	–	–	–	–	–	–	2	2	7	10
15	Female	147,209	1	–	–	–	–	1	1	1	1	6
16	All other	34,701	1	–	–	–	1	2	–	1	1	16
17	Male	17,893	1	–	–	–	–	1	–	1	1	6
18	Female	16,808	–	–	–	–	1	1	–	–	–	10
19	Angina pectoris—413	206	–	–	–	–	–	–	–	–	–	2
20	Male	120	–	–	–	–	–	–	–	–	–	1
21	Female	86	–	–	–	–	–	–	–	–	–	1
22	White	187	–	–	–	–	–	–	–	–	–	1
23	Male	107	–	–	–	–	–	–	–	–	–	1
24	Female	80	–	–	–	–	–	–	–	–	–	–
25	All other	19	–	–	–	–	–	–	–	–	–	1
26	Male	13	–	–	–	–	–	–	–	–	–	–
27	Female	6	–	–	–	–	–	–	–	–	–	1
28	Chronic disease of endocardium and other myocardial insufficiency—424,428	4,024	33	14	3	1	1	52	7	8	32	31
29	Male	2,032	18	6	1	–	–	25	6	4	19	18
30	Female	1,992	15	8	2	1	1	27	1	4	13	13
31	White	3,502	23	7	3	1	1	35	3	6	24	20
32	Male	1,790	12	4	1	–	–	17	3	3	14	11
33	Female	1,712	11	3	2	1	1	18	–	3	10	9
34	All other	522	10	7	–	–	–	17	4	2	8	11
35	Male	242	6	2	–	–	–	8	3	1	5	7
36	Female	280	4	5	–	–	–	9	1	1	3	4
37	All other forms of heart disease—420–423,425–427,429	53,194	679	99	44	33	27	882	106	134	287	370
38	Male	29,420	402	52	19	24	13	510	54	68	181	229
39	Female	23,774	277	47	25	9	14	372	52	66	106	141
40	White	44,436	489	72	26	23	21	631	80	101	208	257
41	Male	24,595	301	36	13	18	9	377	45	51	127	162
42	Female	19,841	188	36	13	5	12	254	35	50	81	95
43	All other	8,758	190	27	18	10	6	251	26	33	79	113
44	Male	4,825	101	16	6	6	4	133	9	17	54	67
45	Female	3,933	89	11	12	4	2	118	17	16	25	46
46	Hypertension—400,401,403	5,695	–	–	–	–	–	–	–	1	1	13
47	Male	2,749	–	–	–	–	–	–	–	–	–	8
48	Female	2,946	–	–	–	–	–	–	–	1	1	5
49	White	4,540	–	–	–	–	–	–	–	–	1	9
50	Male	2,171	–	–	–	–	–	–	–	–	–	6
51	Female	2,369	–	–	–	–	–	–	–	–	1	3
52	All other	1,155	–	–	–	–	–	–	–	1	–	4
53	Male	578	–	–	–	–	–	–	–	–	–	2
54	Female	577	–	–	–	–	–	–	–	1	–	2
55	Cerebrovascular diseases—430–438	181,934	167	41	23	17	18	266	88	87	175	304
56	Male	77,351	85	18	11	10	10	134	52	52	94	156
57	Female	104,583	82	23	12	7	8	132	36	35	81	148
58	White	159,538	112	34	19	15	12	192	73	71	137	227
59	Male	66,962	64	15	9	9	7	104	46	40	73	129
60	Female	92,576	48	19	10	6	5	88	27	31	64	98
61	All other	22,396	55	7	4	2	6	74	15	16	38	77
62	Male	10,389	21	3	2	1	3	30	6	12	21	27
63	Female	12,007	34	4	2	1	3	44	9	4	17	50
64	Cerebral hemorrhage—431	23,832	94	6	4	2	7	113	34	29	52	90
65	Male	10,899	48	2	2	1	5	58	21	14	21	42
66	Female	12,933	46	4	2	1	2	55	13	15	31	48
67	White	20,017	56	3	4	2	4	69	26	23	43	62
68	Male	9,004	32	–	2	1	3	38	18	11	19	33
69	Female	11,013	24	3	2	1	1	31	8	12	24	29
70	All other	3,815	38	3	–	–	3	44	8	6	9	28
71	Male	1,895	16	2	–	–	2	20	3	3	2	9
72	Female	1,920	22	1	–	–	1	24	5	3	7	19
73	Cerebral thrombosis—433	42,016	7	3	3	1	1	15	2	2	8	11
74	Male	17,680	4	2	1	–	–	7	1	2	3	6
75	Female	24,336	3	1	2	1	1	8	1	–	5	5
76	White	37,714	5	3	3	1	–	12	1	1	6	5
77	Male	15,677	3	2	1	–	–	6	–	1	2	3
78	Female	22,037	2	1	2	1	–	6	1	–	4	2
79	All other	4,302	2	–	–	–	1	3	1	1	2	6
80	Male	2,003	1	–	–	–	–	1	1	1	1	3
81	Female	2,299	1	–	–	–	1	2	–	–	1	3

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
6	15	39	79	148	279	379	471	569	531	483	436	320	167	50	11	1	01
5	14	33	61	113	225	292	361	407	350	287	229	140	62	10	1	1	02
1	1	6	18	35	54	87	110	162	181	196	207	180	105	40	10	–	03
5	11	34	61	123	245	317	398	489	460	412	399	292	155	43	9	1	04
4	11	30	50	99	201	245	310	353	304	243	206	126	55	8	1	1	05
1	–	4	11	24	44	72	88	136	156	169	193	166	100	35	8	–	06
1	4	5	18	25	34	62	73	80	71	71	37	28	12	7	2	–	07
1	3	3	11	14	24	47	51	54	46	44	23	14	7	2	–	–	08
–	1	2	7	11	10	15	22	26	25	27	14	14	5	5	2	–	09
120	398	919	2,247	4,806	9,305	14,279	21,776	30,633	40,082	50,492	59,546	52,316	29,841	9,226	1,714	79	10
91	320	721	1,718	3,679	7,004	10,420	14,950	19,621	23,048	25,164	25,375	19,140	9,590	2,508	395	39	11
29	78	198	529	1,127	2,301	3,859	6,826	11,012	17,034	25,328	34,171	33,176	20,251	6,718	1,319	40	12
78	284	616	1,609	3,601	7,291	11,516	18,172	26,154	34,957	45,466	55,553	49,503	28,229	8,593	1,423	53	13
59	242	515	1,304	2,904	5,733	8,697	12,811	17,133	20,412	22,816	23,587	18,061	8,994	2,300	302	29	14
19	42	101	305	697	1,558	2,819	5,361	9,021	14,545	22,650	31,966	31,442	19,235	6,293	1,121	24	15
42	114	303	638	1,205	2,014	2,763	3,604	4,479	5,125	5,026	3,993	2,813	1,612	633	291	26	16
32	78	206	414	775	1,271	1,723	2,139	2,488	2,636	2,348	1,788	1,079	596	208	93	10	17
10	36	97	224	430	743	1,040	1,465	1,991	2,489	2,678	2,205	1,734	1,016	425	198	16	18
–	–	–	2	7	13	17	16	27	31	32	23	26	8	2	–	–	19
–	–	–	2	4	9	12	12	18	18	18	12	13	1	–	–	–	20
–	–	–	–	3	4	5	4	9	13	14	11	13	7	2	–	–	21
–	–	–	2	6	11	14	14	25	27	30	21	26	8	2	–	–	22
–	–	–	2	3	8	10	10	16	16	16	11	13	1	–	–	–	23
–	–	–	–	3	3	4	4	9	11	14	10	13	7	2	–	–	24
–	–	–	–	1	2	3	2	2	4	2	2	–	–	–	–	–	25
–	–	–	–	1	1	2	2	2	2	2	1	–	–	–	–	–	26
–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	27
62	52	57	73	98	162	208	328	361	446	514	563	512	330	109	18	1	28
31	26	35	41	51	104	118	202	229	255	264	248	203	115	32	5	1	29
31	26	22	32	47	58	90	126	132	191	250	315	309	215	77	13	–	30
43	38	44	51	68	129	174	278	320	391	456	523	475	308	100	16	–	31
22	19	26	27	38	83	104	177	207	229	240	234	193	109	29	5	–	32
21	19	18	24	30	46	70	101	113	162	216	289	282	199	71	11	–	33
19	14	13	22	30	33	34	50	41	55	58	40	37	22	9	2	1	34
9	7	9	14	13	21	14	25	22	26	24	14	10	6	3	–	1	35
10	7	4	8	17	12	20	25	19	29	34	26	27	16	6	2	–	36
440	519	672	973	1,595	2,682	3,727	4,790	5,958	6,507	6,902	7,004	5,693	2,908	862	171	12	37
286	317	427	631	1,063	1,773	2,524	3,161	3,755	3,892	3,610	3,277	2,292	1,061	254	49	6	38
154	202	245	342	532	909	1,203	1,629	2,203	2,615	3,292	3,727	3,401	1,847	608	122	6	39
299	357	446	662	1,173	2,040	2,939	3,892	4,959	5,426	5,918	6,273	5,199	2,679	761	128	8	40
202	209	294	434	793	1,396	2,033	2,611	3,184	3,328	3,131	2,909	2,086	962	227	30	4	41
97	148	152	228	380	644	906	1,281	1,775	2,098	2,787	3,364	3,113	1,717	534	98	4	42
141	162	226	311	422	642	788	898	999	1,081	984	731	494	229	101	43	4	43
84	108	133	197	270	377	491	550	571	564	479	368	206	99	27	19	2	44
57	54	93	114	152	265	297	348	428	517	505	363	288	130	74	24	2	45
24	35	64	87	132	195	261	370	499	723	867	970	878	416	130	28	1	46
16	19	39	41	82	92	152	203	256	370	424	468	373	156	39	11	–	47
8	16	25	46	50	103	109	167	243	353	443	502	505	260	91	17	1	48
12	10	22	36	66	112	159	256	354	568	735	860	811	390	118	21	–	49
8	7	14	18	41	56	94	137	190	292	362	418	336	147	36	9	–	50
4	3	8	18	25	56	65	119	164	276	373	442	475	243	82	12	–	51
12	25	42	51	66	83	102	114	145	155	132	110	67	26	12	7	1	52
8	12	25	23	41	36	58	66	66	78	62	50	37	9	3	2	–	53
4	13	17	28	25	47	44	48	79	77	70	60	30	17	9	5	1	54
395	621	921	1,502	2,559	4,147	6,356	9,864	15,368	22,528	30,492	35,816	30,157	15,347	4,274	641	26	55
212	312	434	767	1,299	2,179	3,500	5,420	8,288	11,377	13,554	13,774	10,034	4,461	1,104	137	11	56
183	309	487	735	1,260	1,968	2,856	4,444	7,080	11,151	16,938	22,042	20,123	10,886	3,170	504	15	57
289	431	605	1,019	1,804	2,994	4,855	7,796	12,520	19,113	27,042	33,065	28,398	14,446	3,935	514	12	58
156	207	274	508	915	1,574	2,689	4,327	6,820	9,777	12,034	12,667	9,379	4,129	1,011	99	4	59
133	224	331	511	889	1,420	2,166	3,469	5,700	9,336	15,008	20,398	19,019	10,317	2,924	415	8	60
106	190	316	483	755	1,153	1,501	2,068	2,848	3,415	3,450	2,751	1,759	901	339	127	14	61
56	105	160	259	384	605	811	1,093	1,468	1,600	1,520	1,107	655	332	93	38	7	62
50	85	156	224	371	548	690	975	1,380	1,815	1,930	1,644	1,104	569	246	89	7	63
110	192	283	510	830	1,289	1,730	2,188	2,717	3,231	3,450	3,405	2,371	932	238	37	1	64
65	117	153	282	450	685	917	1,168	1,421	1,579	1,544	1,273	750	271	58	9	1	65
45	75	130	228	380	604	813	1,020	1,296	1,652	1,906	2,132	1,621	661	180	28	–	66
76	114	164	320	550	879	1,322	1,744	2,276	2,787	3,085	3,127	2,230	875	216	28	1	67
44	66	78	175	289	480	709	927	1,191	1,372	1,377	1,165	705	248	52	6	1	68
32	48	86	145	261	399	613	817	1,085	1,415	1,708	1,962	1,525	627	164	22	–	69
34	78	119	190	280	410	408	444	441	444	365	278	141	57	22	9	–	70
21	51	75	107	161	205	208	241	230	207	167	108	45	23	6	3	–	71
13	27	44	83	119	205	200	203	211	237	198	170	96	34	16	6	–	72
25	30	46	107	254	507	978	1,860	3,294	5,167	7,550	9,011	7,757	4,130	1,092	164	6	73
12	13	24	68	155	306	586	1,113	1,855	2,626	3,370	3,490	2,598	1,149	265	30	1	74
13	17	22	39	99	201	392	747	1,439	2,541	4,180	5,521	5,159	2,981	827	134	5	75
20	22	35	65	179	364	754	1,471	2,734	4,483	6,743	8,389	7,382	3,892	1,015	138	3	76
9	10	15	39	108	213	449	896	1,575	2,308	3,008	3,226	2,457	1,075	250	27	–	77
11	12	20	26	71	151	305	575	1,159	2,175	3,735	5,163	4,925	2,817	765	111	3	78
5	8	11	42	75	143	224	389	560	684	807	622	375	238	77	26	3	79
3	3	9	29	47	93	137	217	280	318	362	264	141	74	15	3	1	80
2	5	2	13	28	50	87	172	280	366	445	358	234	164	62	23	2	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases—Con.											
	Cerebrovascular diseases—Con.											
01	Cerebral embolism—434	731	–	–	–	–	–	–	–	2	–	1
02	Male	292	–	–	–	–	–	–	–	1	–	–
03	Female	439	–	–	–	–	–	–	–	1	–	1
04	White	670	–	–	–	–	–	–	–	1	–	1
05	Male	265	–	–	–	–	–	–	–	–	–	–
06	Female	405	–	–	–	–	–	–	–	1	–	1
07	All other	61	–	–	–	–	–	–	–	1	–	–
08	Male	27	–	–	–	–	–	–	–	1	–	–
09	Female	34	–	–	–	–	–	–	–	–	–	–
10	All other cerebrovascular diseases—430,432,435–438	115,355	66	32	16	14	10	138	52	54	115	202
11	Male	48,480	33	14	8	9	5	69	30	35	70	108
12	Female	66,875	33	18	8	5	5	69	22	19	45	94
13	White	101,137	51	28	12	12	8	111	46	46	88	159
14	Male	42,016	29	13	6	8	4	60	28	28	52	93
15	Female	59,121	22	15	6	4	4	51	18	18	36	66
16	All other	14,218	15	4	4	2	2	27	6	8	27	43
17	Male	6,464	4	1	2	1	1	9	2	7	18	15
18	Female	7,754	11	3	2	1	1	18	4	1	9	28
19	Arteriosclerosis—440	28,754	–	–	–	–	–	–	1	1	–	2
20	Male	11,648	–	–	–	–	–	–	–	–	–	1
21	Female	17,106	–	–	–	–	–	–	1	1	–	1
22	White	26,675	–	–	–	–	–	–	–	1	–	1
23	Male	10,694	–	–	–	–	–	–	–	–	–	–
24	Female	15,981	–	–	–	–	–	–	–	1	–	1
25	All other	2,079	–	–	–	–	–	–	1	–	–	1
26	Male	954	–	–	–	–	–	–	–	–	–	1
27	Female	1,125	–	–	–	–	–	–	1	–	–	–
28	Other diseases of arteries, arterioles, and capillaries—441–448	26,306	36	5	6	2	1	50	6	20	46	85
29	Male	15,638	27	2	4	2	–	35	4	13	28	44
30	Female	10,668	9	3	2	–	1	15	2	7	18	41
31	White	24,002	29	4	3	2	1	39	3	18	41	63
32	Male	14,439	23	2	2	2	–	29	2	12	28	36
33	Female	9,563	6	2	1	–	1	10	1	6	13	27
34	All other	2,304	7	1	3	–	–	11	3	2	5	22
35	Male	1,199	4	–	2	–	–	6	2	1	–	8
36	Female	1,105	3	1	1	–	–	5	1	1	5	14
37	Acute bronchitis and bronchiolitis—466	697	82	32	7	8	4	133	16	3	6	8
38	Male	392	49	16	5	5	2	77	11	1	2	5
39	Female	305	33	16	2	3	2	56	5	2	4	3
40	White	615	58	23	3	6	2	92	14	2	3	7
41	Male	352	34	16	2	4	1	57	9	1	2	4
42	Female	263	24	7	1	2	1	35	5	1	1	3
43	All other	82	24	9	4	2	2	41	2	1	3	1
44	Male	40	15	–	3	1	1	20	2	–	–	1
45	Female	42	9	9	1	1	1	21	–	1	3	–
46	Influenza and pneumonia—470–474,480–486	51,193	1,682	200	92	44	38	2,056	161	183	250	272
47	Male	27,618	968	115	52	24	21	1,180	83	87	146	168
48	Female	23,575	714	85	40	20	17	876	78	96	104	104
49	White	44,790	1,042	134	60	32	31	1,299	132	140	198	201
50	Male	23,665	613	78	36	15	17	759	71	64	113	126
51	Female	21,125	429	56	24	17	14	540	61	76	85	75
52	All other	6,403	640	66	32	12	7	757	29	43	52	71
53	Male	3,953	355	37	16	9	4	421	12	23	33	42
54	Female	2,450	285	29	16	3	3	336	17	20	19	29
55	Influenza—470–474	1,304	17	6	4	2	3	32	3	13	8	7
56	Male	509	9	2	3	–	2	16	3	7	6	2
57	Female	795	8	4	1	2	1	16	–	6	2	5
58	White	1,179	11	3	2	1	3	20	3	12	6	5
59	Male	457	6	1	1	–	2	10	3	7	4	1
60	Female	722	5	2	1	1	1	10	–	5	2	4
61	All other	125	6	3	2	1	–	12	–	1	2	2
62	Male	52	3	1	2	–	–	6	–	–	2	1
63	Female	73	3	2	–	1	–	6	–	1	–	1
64	Pneumonia—480–486	49,889	1,665	194	88	42	35	2,024	158	170	242	265
65	Male	27,109	959	113	49	24	19	1,164	80	80	140	166
66	Female	22,780	706	81	39	18	16	860	78	90	102	99
67	White	43,611	1,031	131	58	31	28	1,279	129	128	192	196
68	Male	23,208	607	77	35	15	15	749	68	57	109	125
69	Female	20,403	424	54	23	16	13	530	61	71	83	71
70	All other	6,278	634	63	30	11	7	745	29	42	50	69
71	Male	3,901	352	36	14	9	4	415	12	23	31	41
72	Female	2,377	282	27	16	2	3	330	17	19	19	28
73	Bronchitis, emphysema, and asthma—490–493	22,363	70	18	15	7	6	116	23	43	56	52
74	Male	16,107	45	9	11	7	4	76	8	27	32	37
75	Female	6,256	25	9	4	–	2	40	15	16	24	15
76	White	20,923	46	12	12	4	5	79	16	33	35	29
77	Male	15,084	32	6	9	4	4	55	4	19	22	19
78	Female	5,839	14	6	3	–	1	24	12	14	13	10
79	All other	1,440	24	6	3	3	1	37	7	10	21	23
80	Male	1,023	13	3	2	3	–	21	4	8	10	18
81	Female	417	11	3	1	–	1	16	3	2	11	5

Age, Color, and Sex: United States, 1977—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
2	3	6	4	13	19	38	57	75	98	137	118	106	42	8	2	–	01
2	2	2	2	8	6	20	32	31	48	55	31	32	17	2	1	–	02
–	1	4	2	5	13	18	25	44	50	82	87	74	25	6	1	–	03
2	3	5	4	10	17	31	50	67	90	126	115	99	39	8	2	–	04
2	2	2	2	6	5	15	29	27	43	53	31	30	15	2	1	–	05
–	1	3	2	4	12	16	21	40	47	73	84	69	24	6	1	–	06
–	–	1	–	3	2	7	7	8	8	11	3	7	3	–	–	–	07
–	–	–	–	2	1	5	3	4	5	2	–	2	2	–	–	–	08
–	–	1	–	1	1	2	4	4	3	9	3	5	1	–	–	–	09
258	396	586	881	1,462	2,332	3,610	5,759	9,282	14,032	19,355	23,282	19,923	10,243	2,936	438	19	10
133	180	255	415	686	1,182	1,977	3,107	4,981	7,124	8,585	8,980	6,654	3,024	779	97	9	11
125	216	331	466	776	1,150	1,633	2,652	4,301	6,908	10,770	14,302	13,269	7,219	2,157	341	10	12
191	292	401	630	1,065	1,734	2,748	4,531	7,443	11,753	17,088	21,434	18,687	9,640	2,696	346	8	13
101	129	179	292	512	876	1,516	2,475	4,027	6,054	7,596	8,245	6,187	2,791	707	65	3	14
90	163	222	338	553	858	1,232	2,056	3,416	5,699	9,492	13,189	12,500	6,849	1,989	281	5	15
67	104	185	251	397	598	862	1,228	1,839	2,279	2,267	1,848	1,236	603	240	92	11	16
32	51	76	123	174	306	461	632	954	1,070	989	735	467	233	72	32	6	17
35	53	109	128	223	292	401	596	885	1,209	1,278	1,113	769	370	168	60	5	18
1	8	13	24	71	181	341	731	1,341	2,356	3,979	5,991	6,748	4,776	1,792	388	9	19
1	5	11	15	55	121	217	457	812	1,225	1,828	2,522	2,395	1,470	428	82	3	20
–	3	2	9	16	60	124	274	529	1,131	2,151	3,469	4,353	3,306	1,364	306	6	21
1	5	9	20	59	148	282	616	1,170	2,060	3,592	5,650	6,429	4,583	1,695	347	7	22
1	4	8	14	48	104	185	391	716	1,080	1,651	2,364	2,253	1,400	403	69	3	23
–	1	1	6	11	44	97	225	454	980	1,941	3,286	4,176	3,183	1,292	278	4	24
–	3	4	4	12	33	59	115	171	296	387	341	319	193	97	41	2	25
–	1	3	1	7	17	32	66	96	145	177	158	142	70	25	13	–	26
–	2	1	3	5	16	27	49	75	151	210	183	177	123	72	28	2	27
96	99	181	255	461	843	1,410	2,256	3,474	4,152	4,333	4,015	2,770	1,328	362	61	3	28
48	59	110	137	281	536	953	1,591	2,453	2,791	2,684	2,120	1,172	441	120	16	2	29
48	40	71	118	180	307	457	665	1,021	1,361	1,649	1,895	1,598	887	242	45	1	30
73	79	144	199	367	709	1,215	2,018	3,163	3,806	4,037	3,783	2,617	1,254	326	47	1	31
41	46	89	116	232	463	846	1,434	2,260	2,614	2,533	2,011	1,107	419	107	13	1	32
32	33	55	83	135	246	369	584	903	1,192	1,504	1,772	1,510	835	219	34	–	33
23	20	37	56	94	134	195	238	311	346	296	232	153	74	36	14	2	34
7	13	21	21	49	73	107	157	193	177	151	109	65	22	13	3	1	35
16	7	16	35	45	61	88	81	118	169	145	123	88	52	23	11	1	36
10	6	13	6	13	32	32	44	58	57	76	67	71	28	15	3	–	37
6	1	8	2	5	17	20	29	39	37	51	40	23	11	7	–	–	38
4	5	5	4	8	15	12	15	19	20	25	27	48	17	8	3	–	39
7	5	7	5	11	30	31	40	55	52	75	65	70	26	15	3	–	40
5	1	4	2	4	16	19	26	38	35	51	38	23	10	7	–	–	41
2	4	3	3	7	14	12	14	17	17	24	27	47	16	8	3	–	42
3	1	6	1	2	2	1	4	3	5	1	2	1	2	–	–	–	43
1	–	4	–	1	1	1	3	1	2	–	2	–	1	–	–	–	44
2	1	2	1	1	1	–	1	2	3	1	–	1	1	–	–	–	45
310	357	426	602	883	1,350	1,862	2,596	3,548	4,985	6,960	9,177	8,210	5,067	1,571	353	14	46
178	230	256	376	579	872	1,229	1,743	2,318	3,135	4,002	4,691	3,726	1,942	556	111	10	47
132	127	170	226	304	478	633	853	1,230	1,850	2,958	4,486	4,484	3,125	1,015	242	4	48
215	211	256	393	587	995	1,448	2,152	2,999	4,361	6,270	8,572	7,761	4,826	1,471	292	11	49
124	131	139	238	380	622	949	1,434	1,959	2,731	3,590	4,344	3,474	1,824	503	82	8	50
91	80	117	155	207	373	499	718	1,040	1,630	2,680	4,228	4,287	3,002	968	210	3	51
95	146	170	209	296	355	414	444	549	624	690	605	449	241	100	61	3	52
54	99	117	138	199	250	280	309	359	404	412	347	252	118	53	29	2	53
41	47	53	71	97	105	134	135	190	220	278	258	197	123	47	32	1	54
9	7	7	12	14	22	48	59	87	111	147	233	251	171	56	7	–	55
3	6	3	5	5	15	23	29	39	63	61	79	79	43	20	2	–	56
6	1	4	7	9	7	25	30	48	48	86	154	172	128	36	5	–	57
5	5	6	9	11	20	33	49	78	104	134	219	238	162	55	5	–	58
2	4	3	4	4	13	19	24	39	60	52	72	74	42	19	1	–	59
3	1	3	5	7	7	14	25	39	44	82	147	164	120	36	4	–	60
4	2	1	3	3	2	15	10	9	7	13	14	13	9	1	2	–	61
1	2	–	1	1	2	4	5	–	3	9	7	5	1	1	1	–	62
3	–	1	2	2	–	11	5	9	4	4	7	8	8	–	1	–	63
301	350	419	590	869	1,328	1,814	2,537	3,461	4,874	6,813	8,944	7,959	4,896	1,515	346	14	64
175	224	253	371	574	857	1,206	1,714	2,279	3,072	3,941	4,612	3,647	1,899	536	109	10	65
126	126	166	219	295	471	608	823	1,182	1,802	2,872	4,332	4,312	2,997	979	237	4	66
210	206	250	384	576	975	1,415	2,103	2,921	4,257	6,136	8,353	7,523	4,664	1,416	287	11	67
122	127	136	234	376	609	930	1,410	1,920	2,671	3,538	4,272	3,400	1,782	484	81	8	68
88	79	114	150	200	366	485	693	1,001	1,586	2,598	4,081	4,123	2,882	932	206	3	69
91	144	169	206	293	353	399	434	540	617	677	591	436	232	99	59	3	70
53	97	117	137	198	248	276	304	359	401	403	340	247	117	52	28	2	71
38	47	52	69	95	105	123	130	181	216	274	251	189	115	47	31	1	72
47	72	103	201	417	787	1,584	2,569	3,737	4,202	3,755	2,688	1,379	429	84	14	5	73
26	38	55	102	241	504	1,086	1,772	2,765	3,200	2,866	2,017	953	260	32	6	4	74
21	34	48	99	176	283	498	797	972	1,002	889	671	426	169	52	8	1	75
36	52	73	152	329	696	1,424	2,406	3,539	4,013	3,592	2,585	1,329	410	80	11	4	76
19	29	39	83	186	436	972	1,648	2,621	3,043	2,748	1,939	918	248	29	3	4	77
17	23	34	69	143	260	452	758	918	970	844	646	411	162	51	8	–	78
11	20	30	49	88	91	160	163	198	189	163	103	50	19	4	3	1	79
7	9	16	19	55	68	114	124	144	157	118	78	35	12	3	3	–	80
4	11	14	30	33	23	46	39	54	32	45	25	15	7	1	–	1	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Bronchitis, emphysema, and asthma – Con.											
01	Chronic and unqualified bronchitis – 490,491	4,313	52	14	12	3	3	84	14	10	16	15
02	Male	2,785	30	6	9	3	2	50	5	4	13	13
03	Female	1,528	22	8	3	–	1	34	9	6	3	2
04	White	4,057	32	11	11	1	3	58	11	10	13	8
05	Male	2,612	20	5	8	1	2	36	3	4	11	7
06	Female	1,445	12	6	3	–	1	22	8	6	2	1
07	All other	256	20	3	1	2	–	26	3	–	3	7
08	Male	173	10	1	1	2	–	14	2	–	2	6
09	Female	83	10	2	–	–	–	12	1	–	1	1
10	Emphysema – 492	16,376	14	1	–	–	–	15	3	2	1	4
11	Male	12,594	11	1	–	–	–	12	1	1	1	3
12	Female	3,782	3	–	–	–	–	3	2	1	–	1
13	White	15,557	12	1	–	–	–	13	3	2	1	3
14	Male	11,911	10	1	–	–	–	11	1	1	1	2
15	Female	3,646	2	–	–	–	–	2	2	1	–	1
16	All other	819	2	–	–	–	–	2	–	–	–	1
17	Male	683	1	–	–	–	–	1	–	–	–	1
18	Female	136	1	–	–	–	–	1	–	–	–	–
19	Asthma – 493	1,674	4	3	3	4	3	17	6	31	39	33
20	Male	728	4	2	2	4	2	14	2	22	18	21
21	Female	946	–	1	1	–	1	3	4	9	21	12
22	White	1,309	2	–	1	3	2	8	2	21	21	18
23	Male	561	2	–	1	3	2	8	–	14	10	10
24	Female	748	–	–	–	–	–	–	2	7	11	8
25	All other	365	2	3	2	1	1	9	4	10	18	15
26	Male	167	2	2	1	1	–	6	2	8	8	11
27	Female	198	–	1	1	–	1	3	2	2	10	4
28	Peptic ulcer – 531–533	5,900	14	3	2	4	–	23	3	1	7	16
29	Male	3,527	5	3	1	1	–	10	3	1	4	12
30	Female	2,373	9	–	1	3	–	13	–	–	3	4
31	White	5,326	8	1	2	3	–	14	3	1	5	13
32	Male	3,166	2	1	1	–	–	4	3	1	3	10
33	Female	2,160	6	–	1	3	–	10	–	–	2	3
34	All other	574	6	2	–	1	–	9	–	–	2	3
35	Male	361	3	2	–	1	–	6	–	–	1	2
36	Female	213	3	–	–	–	–	3	–	–	1	1
37	Appendicitis – 540–543	747	7	5	1	1	4	18	14	16	5	12
38	Male	422	5	2	1	1	3	12	11	12	4	7
39	Female	325	2	3	–	–	1	6	3	4	1	5
40	White	583	5	3	1	1	2	12	7	10	4	8
41	Male	333	4	1	1	1	2	9	6	10	3	5
42	Female	250	1	2	–	–	–	3	1	–	1	3
43	All other	164	2	2	–	–	2	6	7	6	1	4
44	Male	89	1	1	–	–	1	3	5	2	1	2
45	Female	75	1	1	–	–	1	3	2	4	–	2
46	Hernia and intestinal obstruction – 550–553,560	5,699	473	8	4	3	5	493	18	12	21	25
47	Male	2,386	270	2	4	2	4	282	12	6	12	11
48	Female	3,313	203	6	–	1	1	211	6	6	9	14
49	White	4,980	393	7	4	3	4	411	11	10	18	20
50	Male	2,010	220	2	4	2	4	232	8	5	9	8
51	Female	2,970	173	5	–	1	–	179	3	5	9	12
52	All other	719	80	1	–	–	1	82	7	2	3	5
53	Male	376	50	–	–	–	–	50	4	1	3	3
54	Female	343	30	1	–	–	1	32	3	1	–	2
55	Cirrhosis of liver – 571	30,848	32	4	4	1	3	44	7	6	23	115
56	Male	20,167	17	1	4	–	3	25	6	3	10	64
57	Female	10,681	15	3	–	1	–	19	1	3	13	51
58	White	25,448	21	4	3	1	2	31	5	4	12	63
59	Male	16,727	10	1	3	–	2	16	4	3	9	37
60	Female	8,721	11	3	–	1	–	15	1	1	3	26
61	All other	5,400	11	–	1	–	1	13	2	2	11	52
62	Male	3,440	7	–	1	–	1	9	2	–	1	27
63	Female	1,960	4	–	–	–	–	4	–	2	10	25
64	Cholelithiasis, cholecystitis and cholangitis – 574,575	2,957	6	–	–	–	–	6	–	2	2	11
65	Male	1,299	1	–	–	–	–	1	–	1	1	3
66	Female	1,658	5	–	–	–	–	5	–	1	1	8
67	White	2,706	4	–	–	–	–	4	–	2	2	9
68	Male	1,199	–	–	–	–	–	–	–	1	1	2
69	Female	1,507	4	–	–	–	–	4	–	1	1	7
70	All other	251	2	–	–	–	–	2	–	–	–	2
71	Male	100	1	–	–	–	–	1	–	–	–	1
72	Female	151	1	–	–	–	–	1	–	–	–	1
73	Nephritis and nephrosis – 580–584	8,519	63	12	2	4	5	86	15	20	44	67
74	Male	4,580	38	6	–	2	3	49	9	9	26	44
75	Female	3,939	25	6	2	2	2	37	6	11	18	23
76	White	6,249	37	10	2	3	3	55	11	16	27	42
77	Male	3,441	25	4	–	2	2	33	6	6	17	30
78	Female	2,808	12	6	2	1	1	22	5	10	10	12
79	All other	2,270	26	2	–	1	2	31	4	4	17	25
80	Male	1,139	13	2	–	–	1	16	3	3	9	14
81	Female	1,131	13	–	–	1	1	15	1	1	8	11

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
11	14	20	28	81	139	291	435	663	740	666	547	348	137	48	5	1	01
5	4	9	12	42	89	186	278	464	521	449	372	191	60	17	1	–	02
6	10	11	16	39	50	105	157	199	219	217	175	157	77	31	4	1	03
11	11	15	22	70	129	269	410	627	710	640	525	336	131	46	5	–	04
5	4	6	8	36	82	170	259	442	499	430	355	183	56	15	1	–	05
6	7	9	14	34	47	99	151	185	211	210	170	153	75	31	4	–	06
–	3	5	6	11	10	22	25	36	30	26	22	12	6	2	–	1	07
–	–	3	4	6	7	16	19	22	22	19	17	8	4	2	–	–	08
–	3	2	2	5	3	6	6	14	8	7	5	4	2	–	–	1	09
4	16	39	95	253	539	1,155	1,968	2,841	3,251	2,900	2,008	963	272	34	9	4	10
2	13	31	67	165	367	837	1,421	2,198	2,584	2,342	1,599	734	193	14	5	4	11
2	3	8	28	88	172	318	547	643	667	558	409	229	79	20	4	–	12
2	12	30	83	215	481	1,060	1,853	2,719	3,117	2,786	1,945	929	261	32	6	4	13
1	9	22	60	134	319	759	1,325	2,092	2,465	2,250	1,545	710	185	13	2	4	14
1	3	8	23	81	162	301	528	627	652	536	400	219	76	19	4	–	15
2	4	9	12	38	58	95	115	122	134	114	63	34	11	2	3	–	16
1	4	9	7	31	48	78	96	106	119	92	54	24	8	1	3	–	17
1	–	–	5	7	10	17	19	16	15	22	9	10	3	1	–	–	18
32	42	44	78	83	109	138	166	233	211	189	133	68	20	2	–	–	19
19	21	15	23	34	48	63	73	103	95	75	46	28	7	1	–	–	20
13	21	29	55	49	61	75	93	130	116	114	87	40	13	1	–	–	21
23	29	28	47	44	86	95	143	193	186	166	115	64	18	2	–	–	22
13	16	11	15	16	35	43	64	87	79	68	39	25	7	1	–	–	23
10	13	17	32	28	51	52	79	106	107	98	76	39	11	1	–	–	24
9	13	16	31	39	23	43	23	40	25	23	18	4	2	–	–	–	25
6	5	4	8	18	13	20	9	16	16	7	7	3	–	–	–	–	26
3	8	12	23	21	10	23	14	24	9	16	11	1	2	–	–	–	27
42	39	65	106	159	280	405	604	758	771	813	845	644	258	57	4	–	28
32	28	43	64	117	203	295	413	533	485	465	431	289	81	17	1	–	29
10	11	22	42	42	77	110	191	225	286	348	414	355	177	40	3	–	30
29	29	51	78	136	237	343	532	688	699	746	806	615	245	52	4	–	31
21	23	31	47	98	174	247	369	486	441	430	409	274	77	17	1	–	32
8	6	20	31	38	63	96	163	202	258	316	397	341	168	35	3	–	33
13	10	14	28	23	43	62	72	70	72	67	39	29	13	5	–	–	34
11	5	12	17	19	29	48	44	47	44	35	22	15	4	–	–	–	35
2	5	2	11	4	14	14	28	23	28	32	17	14	9	5	–	–	36
9	9	16	16	23	44	56	70	80	87	85	96	65	19	5	2	–	37
4	8	11	10	9	23	33	50	49	50	55	44	22	5	1	2	–	38
5	1	5	6	14	21	23	20	31	37	30	52	43	14	4	–	–	39
4	9	14	10	18	35	38	58	55	72	63	87	55	18	4	2	–	40
1	8	10	6	7	17	24	43	35	46	38	38	19	5	1	2	–	41
3	1	4	4	11	18	14	15	20	26	25	49	36	13	3	–	–	42
5	–	2	6	5	9	18	12	25	15	22	9	10	1	1	–	–	43
3	–	1	4	2	6	9	7	14	4	17	6	3	–	–	–	–	44
2	–	1	2	3	3	9	5	11	11	5	3	7	1	1	–	–	45
27	25	32	64	97	158	188	347	465	653	815	916	788	416	114	19	6	46
18	16	17	32	47	69	95	173	223	284	342	324	263	120	28	6	6	47
9	9	15	32	50	89	93	174	242	369	473	592	525	296	86	13	–	48
18	16	20	45	73	124	153	283	386	557	721	852	734	398	111	16	3	49
13	11	11	24	34	51	72	144	186	232	287	295	236	115	28	6	3	50
5	5	9	21	39	73	81	139	200	325	434	557	498	283	83	10	–	51
9	9	12	19	24	34	35	64	79	96	94	64	54	18	3	3	3	52
5	5	6	8	13	18	23	29	37	52	55	29	27	5	–	–	3	53
4	4	6	11	11	16	12	35	42	44	39	35	27	13	3	3	–	54
420	839	1,365	2,229	3,387	4,518	4,762	4,499	3,766	2,442	1,353	709	265	72	13	2	12	55
286	567	908	1,459	2,258	2,982	3,157	3,079	2,472	1,497	806	406	135	33	6	1	7	56
134	272	457	770	1,129	1,536	1,605	1,420	1,294	945	547	303	130	39	7	1	5	57
220	460	851	1,554	2,551	3,674	4,086	3,956	3,440	2,276	1,254	667	253	68	12	2	9	58
159	336	594	1,029	1,723	2,437	2,702	2,724	2,262	1,391	751	379	130	31	5	1	4	59
61	124	257	525	828	1,237	1,384	1,232	1,178	885	503	288	123	37	7	1	5	60
200	379	514	675	836	844	676	543	326	166	99	42	12	4	1	–	3	61
127	231	314	430	535	545	455	355	210	106	55	27	5	2	1	–	3	62
73	148	200	245	301	299	221	188	116	60	44	15	7	2	–	–	–	63
13	9	17	34	50	83	121	163	295	420	448	500	475	241	57	10	–	64
7	4	4	15	25	46	66	82	157	216	198	228	160	71	14	–	–	65
6	5	13	19	25	37	55	81	138	204	250	272	315	170	43	10	–	66
10	6	15	28	33	70	111	143	264	386	409	471	446	231	56	10	–	67
4	3	3	15	16	40	62	74	144	205	189	214	146	66	14	–	–	68
6	3	12	13	17	30	49	69	120	181	220	257	300	165	42	10	–	69
3	3	2	6	17	13	10	20	31	34	39	29	29	10	1	–	–	70
3	1	1	–	9	6	4	8	13	11	9	14	14	5	–	–	–	71
–	2	1	6	8	7	6	12	18	23	30	15	15	5	1	–	–	72
79	111	115	175	247	398	578	750	1,005	1,167	1,214	1,165	800	359	112	12	–	73
49	75	61	95	141	200	312	400	546	646	644	628	397	191	49	9	–	74
30	36	54	80	106	198	266	350	459	521	570	537	403	168	63	3	–	75
46	67	69	89	128	237	328	490	706	878	951	979	708	318	97	7	–	76
31	45	41	50	78	129	191	275	408	493	519	529	347	164	44	5	–	77
15	22	28	39	50	108	137	215	298	385	432	450	361	154	53	2	–	78
33	44	46	86	119	161	250	260	299	289	263	186	92	41	15	5	–	79
18	30	20	45	63	71	121	125	138	153	125	99	50	27	5	4	–	80
15	14	26	41	56	90	129	135	161	136	138	87	42	14	10	1	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Nephritis and nephrosis—Con.											
01	Acute nephritis and nephrotic syndrome—580,581	1,833	51	6	1	2	2	62	7	5	7	5
02	Male	999	30	3	–	1	1	35	3	2	6	3
03	Female	834	21	3	1	1	1	27	4	3	1	2
04	White	1,497	26	4	1	2	1	34	5	4	4	3
05	Male	814	18	1	–	1	–	20	2	2	3	2
06	Female	683	8	3	1	1	1	14	3	2	1	1
07	All other	336	25	2	–	–	1	28	2	1	3	2
08	Male	185	12	2	–	–	1	15	1	–	3	1
09	Female	151	13	–	–	–	–	13	1	1	–	1
10	Chronic and unqualified nephritis and renal sclerosis—582–584	6,686	12	6	1	2	3	24	8	15	37	62
11	Male	3,581	8	3	–	1	2	14	6	7	20	41
12	Female	3,105	4	3	1	1	1	10	2	8	17	21
13	White	4,752	11	6	1	1	2	21	6	12	23	39
14	Male	2,627	7	3	–	1	2	13	4	4	14	28
15	Female	2,125	4	3	1	–	–	8	2	8	9	11
16	All other	1,934	1	–	–	1	1	3	2	3	14	23
17	Male	954	1	–	–	–	–	1	2	3	6	13
18	Female	980	–	–	–	1	1	2	–	–	8	10
19	Infections of kidney—590	3,712	5	2	–	1	–	8	2	3	8	6
20	Male	1,481	–	1	–	–	–	1	1	1	4	1
21	Female	2,231	5	1	–	1	–	7	1	2	4	5
22	White	3,136	2	2	–	1	–	5	–	3	8	4
23	Male	1,226	–	1	–	–	–	1	–	1	4	–
24	Female	1,910	2	1	–	1	–	4	–	2	4	4
25	All other	576	3	–	–	–	–	3	2	–	–	2
26	Male	255	–	–	–	–	–	–	1	–	–	1
27	Female	321	3	–	–	–	–	3	1	–	–	1
28	Hyperplasia of prostate—600	998	–	–	–	–	–	–	–	–	–	–
29	Male	998	–	–	–	–	–	–	–	–	–	–
30	White	854	–	–	–	–	–	–	–	–	–	–
31	Male	854	–	–	–	–	–	–	–	–	–	–
32	All other	144	–	–	–	–	–	–	–	–	–	–
33	Male	144	–	–	–	–	–	–	–	–	–	–
34	Complications of pregnancy, childbirth, and the puerperium—630–678	373	–	–	–	–	–	–	–	1	39	90
35	Female	373	–	–	–	–	–	–	–	1	39	90
36	White	208	–	–	–	–	–	–	–	–	20	48
37	Female	208	–	–	–	–	–	–	–	–	20	48
38	All other	165	–	–	–	–	–	–	–	1	19	42
39	Female	165	–	–	–	–	–	–	–	1	19	42
40	Abortions—640–645	20	–	–	–	–	–	–	–	–	3	5
41	Female	20	–	–	–	–	–	–	–	–	3	5
42	White	8	–	–	–	–	–	–	–	–	2	1
43	Female	8	–	–	–	–	–	–	–	–	2	1
44	All other	12	–	–	–	–	–	–	–	–	1	4
45	Female	12	–	–	–	–	–	–	–	–	1	4
46	Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	353	–	–	–	–	–	–	–	1	36	85
47	Female	353	–	–	–	–	–	–	–	1	36	85
48	White	200	–	–	–	–	–	–	–	–	18	47
49	Female	200	–	–	–	–	–	–	–	–	18	47
50	All other	153	–	–	–	–	–	–	–	1	18	38
51	Female	153	–	–	–	–	–	–	–	1	18	38
52	Congenital anomalies—740–759	12,983	8,420	505	269	168	124	9,486	372	304	350	301
53	Male	6,986	4,568	247	152	84	62	5,113	191	166	211	177
54	Female	5,997	3,852	258	117	84	62	4,373	181	138	139	124
55	White	10,736	6,872	413	207	138	91	7,721	296	256	303	253
56	Male	5,810	3,760	205	117	69	48	4,199	156	142	181	152
57	Female	4,926	3,112	208	90	69	43	3,522	140	114	122	101
58	All other	2,247	1,548	92	62	30	33	1,765	76	48	47	48
59	Male	1,176	808	42	35	15	14	914	35	24	30	25
60	Female	1,071	740	50	27	15	19	851	41	24	17	23
61	Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	23,401	23,356	26	4	2	–	23,388	2	1	–	–
62	Male	13,448	13,423	13	4	1	–	13,441	2	–	–	–
63	Female	9,953	9,933	13	–	1	–	9,947	–	1	–	–
64	White	16,147	16,113	20	4	1	–	16,138	1	1	–	–
65	Male	9,405	9,384	11	4	1	–	9,400	1	–	–	–
66	Female	6,742	6,729	9	–	–	–	6,738	–	1	–	–
67	All other	7,254	7,243	6	–	1	–	7,250	1	–	–	–
68	Male	4,043	4,039	2	–	–	–	4,041	1	–	–	–
69	Female	3,211	3,204	4	–	1	–	3,209	–	–	–	–
70	Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	12,633	12,600	24	4	2	–	12,630	–	1	–	–
71	Male	7,392	7,373	13	4	1	–	7,391	–	–	–	–
72	Female	5,241	5,227	11	–	1	–	5,239	–	1	–	–
73	White	8,952	8,927	18	4	1	–	8,950	–	1	–	–
74	Male	5,306	5,290	11	4	1	–	5,306	–	–	–	–
75	Female	3,646	3,637	7	–	–	–	3,644	–	1	–	–
76	All other	3,681	3,673	6	–	1	–	3,680	–	–	–	–
77	Male	2,086	2,083	2	–	–	–	2,085	–	–	–	–
78	Female	1,595	1,590	4	–	1	–	1,595	–	–	–	–

Age, Color, and Sex: United States, 1977 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
8	13	13	26	36	56	93	145	211	279	289	262	207	80	26	3	–	01
6	12	7	16	18	28	56	81	129	144	155	142	103	40	10	3	–	02
2	1	6	10	18	28	37	64	82	135	134	120	104	40	16	–	–	03
4	8	8	17	22	41	71	114	166	217	250	235	193	75	24	2	–	04
4	7	4	11	11	21	43	67	102	108	133	128	96	38	10	2	–	05
–	1	4	6	11	20	28	47	64	109	117	107	97	37	14	–	–	06
4	5	5	9	14	15	22	31	45	62	39	27	14	5	2	1	–	07
2	5	3	5	7	7	13	14	27	36	22	14	7	2	–	1	–	08
2	–	2	4	7	8	9	17	18	26	17	13	7	3	2	–	–	09
71	98	102	149	211	342	485	605	794	888	925	903	593	279	86	9	–	10
43	63	54	79	123	172	256	319	417	502	489	486	294	151	39	6	–	11
28	35	48	70	88	170	229	286	377	386	436	417	299	128	47	3	–	12
42	59	61	72	106	196	257	376	540	661	701	744	515	243	73	5	–	13
27	38	37	39	67	108	148	208	306	385	386	401	251	126	34	3	–	14
15	21	24	33	39	88	109	168	234	276	315	343	264	117	39	2	–	15
29	39	41	77	105	146	228	229	254	227	224	159	78	36	13	4	–	16
16	25	17	40	56	64	108	111	111	117	103	85	43	25	5	3	–	17
13	14	24	37	49	82	120	118	143	110	121	74	35	11	8	1	–	18
11	14	15	30	55	90	116	214	299	468	599	708	680	296	74	15	1	19
5	6	5	9	25	33	44	101	119	209	252	297	239	104	21	3	1	20
6	8	10	21	30	57	72	113	180	259	347	411	441	192	53	12	–	21
7	6	10	19	36	63	83	172	223	377	522	631	614	275	69	8	1	22
4	2	3	7	16	19	34	81	88	161	214	260	212	97	20	1	1	23
3	4	7	12	20	44	49	91	135	216	308	371	402	178	49	7	–	24
4	8	5	11	19	27	33	42	76	91	77	77	66	21	5	7	–	25
1	4	2	2	9	14	10	20	31	48	38	37	27	7	1	2	–	26
3	4	3	9	10	13	23	22	45	43	39	40	39	14	4	5	–	27
–	–	–	–	2	4	9	36	61	133	178	243	203	93	33	3	–	28
–	–	–	–	2	4	9	36	61	133	178	243	203	93	33	3	–	29
–	–	–	–	2	2	8	33	40	108	155	207	185	86	26	2	–	30
–	–	–	–	2	2	8	33	40	108	155	207	185	86	26	2	–	31
–	–	–	–	–	2	1	3	21	25	23	36	18	7	7	1	–	32
–	–	–	–	–	2	1	3	21	25	23	36	18	7	7	1	–	33
94	84	47	16	2	–	–	–	–	–	–	–	–	–	–	–	–	34
94	84	47	16	2	–	–	–	–	–	–	–	–	–	–	–	–	35
56	49	25	10	–	–	–	–	–	–	–	–	–	–	–	–	–	36
56	49	25	10	–	–	–	–	–	–	–	–	–	–	–	–	–	37
38	35	22	6	2	–	–	–	–	–	–	–	–	–	–	–	–	38
38	35	22	6	2	–	–	–	–	–	–	–	–	–	–	–	–	39
5	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
5	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
89	81	43	16	2	–	–	–	–	–	–	–	–	–	–	–	–	46
89	81	43	16	2	–	–	–	–	–	–	–	–	–	–	–	–	47
54	47	24	10	–	–	–	–	–	–	–	–	–	–	–	–	–	48
54	47	24	10	–	–	–	–	–	–	–	–	–	–	–	–	–	49
35	34	19	6	2	–	–	–	–	–	–	–	–	–	–	–	–	50
35	34	19	6	2	–	–	–	–	–	–	–	–	–	–	–	–	51
244	183	164	150	174	196	207	215	196	160	105	73	48	21	5	2	27	52
149	101	95	73	89	103	108	111	95	72	47	32	24	9	1	1	18	53
95	82	69	77	85	93	99	104	101	88	58	41	24	12	4	1	9	54
205	154	145	123	151	169	187	199	176	144	100	66	43	19	3	1	22	55
125	86	84	59	76	86	98	102	83	62	47	27	21	8	–	1	15	56
80	68	61	64	75	83	89	97	93	82	53	39	22	11	3	–	7	57
39	29	19	27	23	27	20	16	20	16	5	7	5	2	2	1	5	58
24	15	11	14	13	17	10	9	12	10	–	5	3	1	1	–	3	59
15	14	8	13	10	10	10	7	8	6	5	2	2	1	1	1	2	60
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	8	61
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	4	62
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	4	63
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	5	64
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	65
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	73
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	75
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	78

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Certain causes of mortality in early infancy—Con.											
01	Other causes of mortality in early infancy—Remainder of 760–778	10,768	10,756	2	–	–	–	10,758	2	–	–	–
02	Male	6,056	6,050	–	–	–	–	6,050	2	–	–	–
03	Female	4,712	4,706	2	–	–	–	4,708	–	–	–	–
04	White	7,195	7,186	2	–	–	–	7,188	1	–	–	–
05	Male	4,099	4,094	–	–	–	–	4,094	1	–	–	–
06	Female	3,096	3,092	2	–	–	–	3,094	–	–	–	–
07	All other	3,573	3,570	–	–	–	–	3,570	1	–	–	–
08	Male	1,957	1,956	–	–	–	–	1,956	1	–	–	–
09	Female	1,616	1,614	–	–	–	–	1,614	–	–	–	–
10	Symptoms and ill-defined conditions—780–796	32,149	5,580	179	70	39	21	5,889	63	92	349	669
11	Male	18,621	3,333	98	38	24	10	3,503	38	55	217	453
12	Female	13,528	2,247	81	32	15	11	2,386	25	37	132	216
13	White	23,435	3,662	104	50	24	18	3,858	41	65	280	505
14	Male	13,660	2,252	57	26	14	10	2,359	25	39	173	346
15	Female	9,775	1,410	47	24	10	8	1,499	16	26	107	159
16	All other	8,714	1,918	75	20	15	3	2,031	22	27	69	164
17	Male	4,961	1,081	41	12	10	–	1,144	13	16	44	107
18	Female	3,753	837	34	8	5	3	887	9	11	25	57
19	All other diseases—Residual	130,428	1,849	363	239	166	143	2,760	577	693	1,190	1,483
20	Male	73,761	1,069	214	127	89	82	1,581	312	383	707	909
21	Female	56,667	780	149	112	77	61	1,179	265	310	483	574
22	White	112,499	1,328	268	184	133	115	2,028	488	589	946	1,095
23	Male	63,506	768	162	102	73	62	1,167	265	327	589	689
24	Female	48,993	560	106	82	60	53	861	223	262	357	406
25	All other	17,929	521	95	55	33	28	732	89	104	244	388
26	Male	10,255	301	52	25	16	20	414	47	56	118	220
27	Female	7,674	220	43	30	17	8	318	42	48	126	168
28	Accidents—E800–E949	103,202	1,173	972	917	755	653	4,470	2,907	3,398	12,680	12,939
29	Male	71,935	672	558	555	477	373	2,635	1,887	2,425	9,648	10,453
30	Female	31,267	501	414	362	278	280	1,835	1,020	973	3,032	2,486
31	White	88,243	839	719	714	577	491	3,340	2,247	2,742	11,357	11,320
32	Male	61,004	488	404	435	367	289	1,983	1,449	1,920	8,621	9,180
33	Female	27,239	351	315	279	210	202	1,357	798	822	2,736	2,140
34	All other	14,959	334	253	203	178	162	1,130	660	656	1,323	1,619
35	Male	10,931	184	154	120	110	84	652	438	505	1,027	1,273
36	Female	4,028	150	99	83	68	78	478	222	151	296	346
37	Motor vehicle accidents—E810–E823	49,510	253	298	337	294	290	1,472	1,485	1,657	9,085	9,007
38	Male	35,804	135	159	190	171	160	815	914	1,083	6,658	7,136
39	Female	13,706	118	139	147	123	130	657	571	574	2,427	1,871
40	White	43,359	216	233	265	232	223	1,169	1,167	1,414	8,362	8,066
41	Male	31,141	116	120	149	131	122	638	704	903	6,126	6,387
42	Female	12,218	100	113	116	101	101	531	463	511	2,236	1,679
43	All other	6,151	37	65	72	62	67	303	318	243	723	941
44	Male	4,663	19	39	41	40	38	177	210	180	532	749
45	Female	1,488	18	26	31	22	29	126	108	63	191	192
46	All other accidents—E800–E807, E825–E949	53,692	920	674	580	461	363	2,998	1,422	1,741	3,595	3,932
47	Male	36,131	537	399	365	306	213	1,820	973	1,342	2,990	3,317
48	Female	17,561	383	275	215	155	150	1,178	449	399	605	615
49	White	44,884	623	486	449	345	268	2,171	1,080	1,328	2,995	3,254
50	Male	29,863	372	284	286	236	167	1,345	745	1,017	2,495	2,793
51	Female	15,021	251	202	163	109	101	826	335	311	500	461
52	All other	8,808	297	188	131	116	95	827	342	413	600	678
53	Male	6,268	165	115	79	70	46	475	228	325	495	524
54	Female	2,540	132	73	52	46	49	352	114	88	105	154
55	Suicide—E950–E959	28,681	...	...	...	...	...	...	2	188	1,871	3,694
56	Male	21,109	...	...	...	...	...	...	2	158	1,521	2,971
57	Female	7,572	...	...	...	...	...	...	–	30	350	723
58	White	26,579	...	...	...	...	...	...	2	169	1,700	3,275
59	Male	19,531	...	...	...	...	...	...	2	146	1,389	2,638
60	Female	7,048	...	...	...	...	...	...	–	23	311	637
61	All other	2,102	...	...	...	...	...	...	–	19	171	419
62	Male	1,578	...	...	...	...	...	...	–	12	132	333
63	Female	524	...	...	...	...	...	...	–	7	39	86
64	Homicide—E960–E978	19,968	177	108	103	70	49	507	188	248	1,897	3,299
65	Male	15,355	96	64	59	35	27	281	97	139	1,420	2,572
66	Female	4,613	81	44	44	35	22	226	91	109	477	727
67	White	10,738	108	56	49	42	27	282	119	156	1,030	1,672
68	Male	7,951	56	31	27	23	15	152	60	86	754	1,273
69	Female	2,787	52	25	22	19	12	130	59	70	276	399
70	All other	9,230	69	52	54	28	22	225	69	92	867	1,627
71	Male	7,404	40	33	32	12	12	129	37	53	666	1,299
72	Female	1,826	29	19	22	16	10	96	32	39	201	328
73	Other external causes—E980–E999	4,457	105	52	39	26	15	237	45	89	328	536
74	Male	3,069	70	27	24	14	10	145	26	72	240	397
75	Female	1,388	35	25	15	12	5	92	19	17	88	139
76	White	3,388	58	26	28	15	9	136	18	65	253	408
77	Male	2,312	34	15	13	7	6	75	10	57	194	309
78	Female	1,076	24	11	15	8	3	61	8	8	59	99
79	All other	1,069	47	26	11	11	6	101	27	24	75	128
80	Male	757	36	12	11	7	4	70	16	15	46	88
81	Female	312	11	14	–	4	2	31	11	9	29	40

Age, Color, and Sex: United States, 1977—Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated	
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	6	01
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	02
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	03
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	4	04
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	05
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	06
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	07
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	08
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	09
681	577	656	810	1,172	1,572	1,929	2,403	2,897	2,926	2,782	2,640	1,990	1,289	515	179	69	10
460	370	386	482	738	1,053	1,301	1,638	1,865	1,738	1,509	1,294	820	449	154	52	46	11
221	207	270	328	434	519	628	765	1,032	1,188	1,273	1,346	1,170	840	361	127	23	12
473	387	416	512	777	1,099	1,405	1,743	2,154	2,183	2,105	2,149	1,675	1,050	393	115	50	13
327	253	230	306	492	739	962	1,225	1,445	1,343	1,154	1,028	686	356	103	32	37	14
146	134	186	206	285	360	443	518	709	840	951	1,121	989	694	290	83	13	15
208	190	240	298	395	473	524	660	743	743	677	491	315	239	122	64	19	16
133	117	156	176	246	314	339	413	420	395	355	266	134	93	51	20	9	17
75	73	84	122	149	159	185	247	323	348	322	225	181	146	71	44	10	18
1,699	1,919	2,269	2,956	4,492	6,629	9,074	12,291	15,529	17,683	17,308	15,568	10,494	4,443	1,163	175	33	19
942	1,097	1,326	1,713	2,607	3,934	5,431	7,502	9,571	10,657	9,836	8,193	4,811	1,766	411	52	20	20
757	822	943	1,243	1,885	2,695	3,643	4,789	5,958	7,026	7,472	7,375	5,683	2,677	752	123	13	21
1,155	1,263	1,429	2,031	3,344	5,217	7,544	10,595	13,728	15,821	15,703	14,422	9,741	4,159	1,047	131	23	22
657	704	805	1,183	1,930	3,077	4,507	6,480	8,494	9,629	8,951	7,569	4,416	1,648	365	40	14	23
498	559	624	848	1,414	2,140	3,037	4,115	5,234	6,192	6,752	6,853	5,325	2,511	682	91	9	24
544	656	840	925	1,148	1,412	1,530	1,696	1,801	1,862	1,605	1,146	753	284	116	44	10	25
285	393	521	530	677	857	924	1,022	1,077	1,028	885	624	395	118	46	12	6	26
259	263	319	395	471	555	606	674	724	834	720	522	358	166	70	32	4	27
8,589	6,004	4,561	4,306	4,531	4,896	4,942	4,798	4,567	4,439	4,613	4,565	3,475	1,812	537	84	89	28
7,005	4,775	3,517	3,251	3,372	3,520	3,494	3,321	2,987	2,622	2,422	2,199	1,456	659	186	22	79	29
1,584	1,229	1,044	1,055	1,159	1,376	1,448	1,477	1,580	1,817	2,191	2,366	2,019	1,153	351	62	10	30
7,169	4,986	3,762	3,448	3,733	4,024	4,132	4,087	3,930	3,927	4,153	4,263	3,273	1,728	492	63	67	31
5,842	3,969	2,878	2,580	2,749	2,870	2,913	2,798	2,530	2,292	2,156	2,040	1,370	620	164	17	63	32
1,327	1,017	884	868	984	1,154	1,219	1,289	1,400	1,635	1,997	2,223	1,903	1,108	328	46	4	33
1,420	1,018	799	858	798	872	810	711	637	512	460	302	202	84	45	21	22	34
1,163	806	639	671	623	650	581	523	457	330	266	159	86	39	22	5	16	35
257	212	160	187	175	222	229	188	180	182	194	143	116	45	23	16	6	36
5,188	3,412	2,316	2,115	2,046	2,102	1,999	1,853	1,617	1,443	1,269	891	420	97	13	–	23	37
4,126	2,637	1,730	1,547	1,507	1,486	1,402	1,247	1,024	870	736	549	256	54	6	–	21	38
1,062	775	586	568	539	616	597	606	593	573	533	342	164	43	7	–	2	39
4,450	2,918	1,978	1,769	1,732	1,796	1,709	1,596	1,420	1,317	1,156	831	393	86	12	–	18	40
3,519	2,253	1,465	1,284	1,262	1,253	1,194	1,041	869	773	652	511	237	48	5	–	17	41
931	665	513	485	470	543	515	555	551	544	504	320	156	38	7	–	1	42
738	494	338	346	314	306	290	257	197	126	113	60	27	11	1	–	5	43
607	384	265	263	245	233	208	206	155	97	84	38	19	6	1	–	4	44
131	110	73	83	69	73	82	51	42	29	29	22	8	5	–	–	1	45
3,401	2,592	2,245	2,191	2,485	2,794	2,943	2,945	2,950	2,996	3,344	3,674	3,055	1,715	524	84	66	46
2,879	2,138	1,787	1,704	1,865	2,034	2,092	2,074	1,963	1,752	1,686	1,650	1,200	605	180	22	58	47
522	454	458	487	620	760	851	871	987	1,244	1,658	2,024	1,855	1,110	344	62	8	48
2,719	2,068	1,784	1,679	2,001	2,228	2,423	2,491	2,510	2,610	2,997	3,432	2,880	1,642	480	63	49	49
2,323	1,716	1,413	1,296	1,487	1,617	1,719	1,757	1,661	1,519	1,504	1,529	1,133	572	159	17	46	50
396	352	371	383	514	611	704	734	849	1,091	1,493	1,903	1,747	1,070	321	46	3	51
682	524	461	512	484	566	520	454	440	386	347	242	175	73	44	21	17	52
556	422	374	408	378	417	373	317	302	233	182	121	67	33	21	5	12	53
126	102	87	104	106	149	147	137	138	153	165	121	108	40	23	16	5	54
3,272	2,555	2,044	1,911	2,163	2,254	2,133	1,818	1,615	1,316	914	558	269	76	14	1	13	55
2,517	1,817	1,459	1,252	1,420	1,481	1,486	1,334	1,193	1,021	729	438	220	70	9	1	10	56
755	738	585	659	743	773	647	484	422	295	185	120	49	6	5	–	3	57
2,866	2,300	1,888	1,768	2,038	2,161	2,039	1,744	1,566	1,276	886	544	260	74	13	1	9	58
2,202	1,629	1,341	1,154	1,339	1,418	1,416	1,283	1,152	988	708	428	213	68	9	1	7	59
664	671	547	614	699	743	623	461	414	288	178	116	47	6	4	–	2	60
406	255	156	143	125	93	94	74	49	40	28	14	9	2	1	–	4	61
315	188	118	98	81	63	70	51	41	33	21	10	7	2	–	–	3	62
91	67	38	45	44	30	24	23	8	7	7	4	2	–	1	–	1	63
3,118	2,313	1,870	1,523	1,218	1,063	817	685	424	332	203	130	66	26	4	1	36	64
2,504	1,862	1,497	1,209	975	851	633	524	313	217	124	61	35	13	3	1	24	65
614	451	373	314	243	212	184	161	111	115	79	69	31	13	1	–	12	66
1,443	1,190	1,018	786	663	611	472	449	253	244	142	108	53	21	2	–	24	67
1,131	940	795	598	513	468	348	331	179	144	78	49	24	10	1	–	17	68
312	250	223	188	150	143	124	118	74	100	64	59	29	11	1	–	7	69
1,675	1,123	852	737	555	452	345	236	171	88	61	22	13	5	2	1	12	70
1,373	922	702	611	462	383	285	193	134	73	46	12	11	3	2	1	7	71
302	201	150	126	93	69	60	43	37	15	15	10	2	2	–	–	5	72
523	384	304	319	294	330	316	210	159	138	97	67	44	12	7	–	18	73
385	279	198	207	201	223	207	135	104	91	62	39	28	8	5	–	17	74
138	105	106	112	93	107	109	75	55	47	35	28	16	4	2	–	1	75
365	280	234	236	222	272	267	179	124	113	82	63	40	12	4	–	15	76
274	199	145	145	151	180	168	112	80	75	51	36	27	8	2	–	14	77
91	81	89	91	71	92	99	67	44	38	31	27	13	4	2	–	1	78
158	104	70	83	72	58	49	31	35	25	15	4	4	–	3	–	3	79
111	80	53	62	50	43	39	23	24	16	11	3	1	–	3	–	3	80
47	24	17	21	22	15	10	8	11	9	4	1	3	–	–	–	–	81

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama																							
	All causes	**34,827**	**1,049**	**202**	**122**	**148**	**451**	**522**	**489**	**462**	**551**	**776**	**1,169**	**1,823**	**2,334**	**3,115**	**4,075**	**4,454**	**4,381**	**3,881**	**2,878**	**1,360**	**578**	**7**
	White ..... Male	14,041	335	58	50	63	245	253	203	207	248	337	502	843	1,108	1,519	1,897	1,897	1,686	1,294	843	344	107	2
	Female	10,531	203	56	25	36	77	74	85	76	104	141	252	430	479	734	956	1,268	1,510	1,713	1,364	692	255	1
	All other ..... Male	5,593	282	57	27	31	81	134	148	123	116	177	251	318	424	514	706	688	596	414	291	136	77	2
	Female	4,662	229	31	20	18	48	61	53	56	83	121	164	232	323	348	516	601	589	460	380	188	139	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	50	30	1	1	–	–	–	1	–	–	1	–	–	1	–	4	–	4	5	1	1	–	–
	White ..... Male	11	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–
	Female	11	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	3	3	–	–	–	–
	All other ..... Male	14	10	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	14	11	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	76	–	–	–	–	1	–	3	2	1	4	5	3	4	6	11	12	9	9	4	2	–	–
	White ..... Male	18	–	–	–	–	–	–	–	2	–	–	–	–	–	2	2	6	1	4	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	3	2	1	–	–
	All other ..... Male	29	–	–	–	–	–	–	3	–	–	2	4	–	4	3	3	3	3	2	1	1	–	–
	Female	14	–	–	–	–	1	–	–	–	1	2	1	3	–	–	3	2	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	64	–	–	–	–	1	–	2	2	1	4	5	3	4	4	9	11	4	8	4	2	–	–
	White ..... Male	16	–	–	–	–	–	–	–	2	–	–	–	–	–	1	2	5	1	4	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	2	1	–	–
	All other ..... Male	25	–	–	–	–	–	–	2	–	–	2	4	–	4	2	3	3	2	1	1	1	–	–
	Female	12	–	–	–	–	1	–	–	–	1	2	1	3	–	–	2	2	–	–	–	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	1	5	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	7	3	1	–	1	–	–	1	–	–	–	1	–	2	2	–	–	–	–	–	–	–
	White ..... Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	9	4	1	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	3	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	134	30	–	–	–	1	–	1	2	2	3	3	3	8	10	12	11	12	15	13	5	3	–
	White ..... Male	45	9	–	–	–	1	–	–	1	–	1	1	–	2	5	6	5	7	6	–	1	–	–
	Female	41	6	–	–	–	–	–	1	–	1	2	2	1	3	2	2	2	2	6	7	2	2	–
	All other ..... Male	31	9	–	–	–	–	–	–	1	1	–	–	1	3	3	1	3	2	1	3	2	1	–
	Female	17	6	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	2	3	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	94	11	4	1	–	2	2	3	3	3	2	5	8	7	7	5	10	7	6	2	6	–	–
	White ..... Male	28	–	1	–	–	–	1	1	–	1	2	2	3	3	3	1	3	2	3	–	2	–	–
	Female	25	4	–	1	–	2	–	1	1	–	–	1	1	3	1	–	1	2	3	1	3	–	–
	All other ..... Male	21	3	2	–	–	–	–	1	–	1	–	1	2	1	1	3	4	1	–	–	1	–	–
	Female	20	4	1	–	–	–	1	–	2	1	–	1	2	–	2	1	2	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,235	2	15	20	14	17	24	36	52	82	140	266	466	619	840	1,021	925	781	518	267	99	30	1
	White ..... Male	2,633	–	5	8	6	7	10	15	16	30	55	80	177	264	402	501	404	325	207	85	29	7	–
	Female	1,954	1	2	4	6	1	9	10	19	30	44	98	161	179	252	267	255	239	204	122	39	12	–
	All other ..... Male	938	–	6	5	–	1	1	7	8	9	16	45	65	108	120	155	170	122	55	31	11	2	1
	Female	710	1	2	3	2	8	4	4	9	13	25	43	63	68	66	98	96	95	52	29	20	9	–
140–149	Of buccal cavity and pharynx	115	–	–	–	–	1	–	–	1	–	4	6	9	19	11	16	19	16	6	5	2	–	–
	White ..... Male	59	–	–	–	–	–	–	–	–	–	3	5	5	8	4	8	12	12	1	1	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	1	1	3	5	5	6	4	1	5	3	2	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	1	–	–	–	1	6	2	2	2	2	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,458	–	1	–	–	2	3	6	8	12	25	35	97	122	184	234	235	204	157	96	33	4	–
	White ..... Male	521	–	1	–	–	1	–	3	4	6	11	8	32	46	77	95	80	66	53	25	12	1	–
	Female	517	–	–	–	–	–	1	–	2	4	7	11	30	29	63	74	78	83	72	46	15	2	–
	All other ..... Male	213	–	–	–	–	–	–	3	1	–	3	8	20	25	32	40	38	25	9	7	2	–	–
	Female	207	–	–	–	–	1	2	–	1	2	4	8	15	22	12	25	39	30	23	18	4	1	–
160–163	Of respiratory system	1,680	–	–	–	–	1	–	2	3	15	38	81	145	198	315	327	247	182	78	37	10	1	–
	White ..... Male	1,058	–	–	–	–	–	–	1	1	8	19	43	86	111	206	238	161	116	49	15	4	–	–
	Female	234	–	–	–	–	–	–	1	–	2	8	12	25	33	42	24	28	28	14	13	4	–	–
	All other ..... Male	322	–	–	–	–	–	–	–	2	3	6	25	29	43	52	56	53	33	12	7	1	–	–
	Female	66	–	–	–	–	1	–	–	–	2	5	1	5	11	15	9	5	5	3	2	1	1	–
174	Of breast	472	–	–	–	–	–	2	4	5	14	18	44	53	60	50	66	47	37	40	17	11	4	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	355	–	–	–	–	–	1	4	3	12	12	27	35	46	39	54	40	28	33	14	6	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	115	–	–	–	–	–	1	–	2	2	6	17	18	13	11	12	7	8	7	3	5	3	–
180–187	Of genital organs	753	–	–	–	–	1	4	5	5	7	13	24	39	47	73	122	120	131	87	46	19	10	–
	White ..... Male	216	–	–	–	–	–	2	2	1	–	–	2	1	9	9	33	36	48	39	25	7	2	–
	Female	250	–	–	–	–	–	1	1	1	2	7	12	30	24	42	40	35	20	18	10	3	4	–
	All other ..... Male	155	–	–	–	–	–	–	–	–	–	–	2	2	2	10	25	38	36	23	9	6	2	–
	Female	132	–	–	–	–	1	1	2	3	5	6	8	6	12	12	24	11	27	7	2	3	2	–
188, 189	Of urinary organs	244	–	3	–	1	–	1	1	1	–	2	8	13	20	21	39	51	34	30	10	7	1	1
	White ..... Male	131	–	1	–	1	–	–	–	1	–	–	4	5	9	16	25	29	12	21	5	2	–	–
	Female	62	–	–	–	–	–	1	–	–	–	–	2	2	6	4	9	10	17	4	4	2	1	–
	All other ..... Male	29	–	1	–	–	–	–	1	–	–	–	1	2	5	–	3	8	3	3	–	1	–	1
	Female	22	–	1	–	–	–	–	–	–	–	2	1	4	–	1	2	4	2	2	1	2	–	–
170–173, 190–199	Of all other and unspecified sites	888	1	6	9	8	4	5	4	14	23	25	49	70	98	121	135	115	87	67	32	10	5	–
	White ..... Male	361	–	2	3	2	1	3	2	4	11	11	13	34	48	58	62	43	33	21	6	2	2	–
	Female	295	1	1	1	4	1	1	1	7	6	8	22	19	25	37	34	35	32	35	20	3	2	–
	All other ..... Male	131	–	3	4	–	1	1	1	2	4	6	8	6	18	17	20	19	12	4	5	–	–	–
	Female	101	–	–	1	2	1	–	–	1	2	–	6	11	7	9	19	18	10	7	1	5	1	–
204–207	Leukemia	280	1	5	8	4	7	3	4	7	6	8	6	16	14	22	36	49	43	24	12	2	3	–
	White ..... Male	141	–	1	4	2	4	2	1	3	3	7	–	6	10	13	20	26	19	14	4	–	2	–
	Female	79	–	1	2	2	–	1	3	3	1	1	5	6	–	5	11	10	13	5	8	1	1	–
	All other ..... Male	26	–	2	–	–	–	–	–	–	2	–	1	1	4	2	1	5	5	2	–	1	–	–
	Female	34	1	1	2	–	3	–	–	1	–	–	–	3	–	2	4	8	6	3	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	345	–	–	3	1	1	6	10	8	5	7	13	24	41	43	46	42	47	29	12	5	2	–
	White ..... Male	144	–	–	1	1	1	3	6	2	2	4	5	8	22	19	20	17	18	9	4	2	–	–
	Female	126	–	–	1	–	–	3	–	3	3	–	6	11	11	15	15	15	17	18	4	3	1	–
	All other ..... Male	46	–	–	1	–	–	–	2	2	–	1	–	4	5	5	8	7	6	2	3	–	–	–
	Female	29	–	–	–	–	–	–	2	1	–	2	2	1	3	4	3	3	6	–	1	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	77	2	–	3	1	1	3	2	1	–	1	8	3	10	8	9	8	10	4	3	–	–	–
	White ..... Male	27	–	–	1	1	–	2	–	–	–	1	2	2	4	3	3	1	3	2	2	–	–	–
	Female	30	1	–	2	–	–	1	2	–	–	–	4	1	3	3	3	5	3	2	–	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	–	–	–	–	–	–	–
	Female	13	1	–	–	–	1	–	–	–	–	–	2	–	1	1	–	2	4	–	1	–	–	–
250	Diabetes mellitus	639	–	1	2	–	1	5	7	6	7	5	21	34	47	59	107	92	108	63	55	14	5	–
	White ..... Male	160	–	–	1	–	1	1	–	2	2	–	7	5	10	19	28	27	26	21	7	3	–	–
	Female	220	–	–	–	–	–	3	1	3	2	–	4	7	11	16	37	28	40	33	25	6	4	–
	All other ..... Male	76	–	1	1	–	–	–	4	–	2	2	3	8	3	9	10	12	11	3	6	1	–	–
	Female	183	–	–	–	–	–	1	2	1	1	3	7	14	23	15	32	25	31	6	17	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	39	1	–	–	–	–	1	–	1	–	–	3	1	3	1	2	7	5	7	6	1	–	–
	White ..... Male	14	1	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	1	3	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	3	1	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	1	1	1	2	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama — Con.																							
280–285	Anemias	64	1	2	2	2	2	1	1	2	2	3	–	1	1	5	8	8	9	5	5	3	1	–
	White Male	20	1	–	2	–	–	–	–	1	–	–	–	–	–	2	4	2	5	2	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	2	3	2	3	3	–	–
	All other Male	15	–	1	–	1	–	1	1	1	1	–	–	–	1	3	–	2	–	1	1	–	1	–
	Female	13	–	1	–	1	2	–	–	–	–	2	–	1	–	–	3	2	1	–	–	–	–	–
320	Meningitis	35	17	3	–	–	–	–	1	–	–	–	–	–	3	1	1	4	2	1	2	–	–	–
	White Male	10	4	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–
	Female	11	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	–
	All other Male	9	4	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–
	Female	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,193	13	6	3	9	15	16	29	59	96	206	366	670	905	1,346	1,938	2,331	2,493	2,444	1,940	924	383	1
	White Male	6,455	3	1	–	2	4	5	11	30	46	103	188	383	499	687	904	1,010	948	773	559	230	69	–
	Female	5,512	5	3	–	–	4	1	7	12	15	26	51	107	136	293	449	695	923	1,146	965	490	184	–
	All other Male	2,088	2	2	–	6	3	3	8	10	14	44	72	98	144	211	325	315	301	238	166	83	42	1
	Female	2,138	3	–	3	1	4	7	3	7	21	33	55	82	126	155	260	311	321	287	250	121	88	–
390–398, 402, 404, 410–429	Diseases of heart	11,204	12	4	3	4	9	11	21	46	68	161	262	525	740	1,047	1,394	1,636	1,658	1,579	1,216	580	227	1
	White Male	4,958	3	1	–	–	1	3	8	26	39	90	159	319	443	575	714	773	691	527	382	156	48	–
	Female	3,638	4	2	–	–	1	1	5	11	8	15	34	82	107	236	309	478	609	748	578	309	101	–
	All other Male	1,336	2	1	–	4	3	2	5	5	9	34	46	68	99	141	213	200	174	150	99	51	29	1
	Female	1,272	3	–	3	–	4	5	3	4	12	22	23	56	91	95	158	185	184	154	157	64	49	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	144	–	–	1	1	1	1	2	4	10	10	4	11	8	16	20	11	15	12	9	5	3	–
	White Male	54	–	–	–	–	–	1	–	2	5	3	–	6	5	3	9	5	6	6	1	1	1	–
	Female	54	–	–	–	–	–	–	–	1	3	2	2	3	2	8	6	6	7	4	5	3	2	–
	All other Male	19	–	–	–	1	1	–	2	–	–	4	1	–	–	3	4	–	2	–	1	–	–	–
	Female	17	–	–	1	–	–	–	–	1	2	1	1	2	1	2	1	–	–	2	2	1	–	–
402	Hypertensive heart disease	160	–	–	–	–	1	1	2	1	–	3	4	6	6	17	26	24	29	20	12	4	4	–
	White Male	33	–	–	–	–	–	–	1	1	–	1	–	5	1	1	4	4	9	2	2	1	1	–
	Female	46	–	–	–	–	–	–	1	–	–	–	–	–	–	2	5	7	7	11	8	3	2	–
	All other Male	30	–	–	–	–	–	–	–	–	–	1	2	–	2	7	9	2	4	3	–	–	–	–
	Female	51	–	–	–	–	1	1	–	–	–	1	2	1	3	7	8	11	9	4	2	–	1	–
404	Hypertensive heart and renal disease	52	–	–	–	–	–	–	–	–	1	1	1	2	2	2	6	7	9	11	10	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	1	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	2	6	9	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	3	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	1	1	–	–	–	–
410–413	Ischemic heart disease	8,911	–	–	–	–	1	1	7	22	35	101	194	367	585	818	1,114	1,344	1,367	1,295	997	481	181	1
	White Male	3,992	–	–	–	–	–	–	3	16	23	59	128	235	358	461	579	641	573	429	316	132	39	–
	Female	2,986	–	–	–	–	–	–	1	3	3	9	25	56	88	191	258	398	522	624	473	256	79	–
	All other Male	1,003	–	–	–	–	1	1	2	2	4	18	29	46	72	96	155	166	130	127	82	45	26	1
	Female	930	–	–	–	–	–	–	1	1	5	15	12	30	67	70	122	139	142	115	126	48	37	–
410	Acute myocardial infarction	5,204	–	–	–	–	1	1	6	16	29	82	151	285	432	604	765	808	725	608	456	169	65	1
	White Male	2,646	–	–	–	–	–	–	3	12	20	50	105	195	276	358	423	422	332	219	162	53	16	–
	Female	1,575	–	–	–	–	–	–	1	1	2	8	20	38	71	141	181	240	272	286	207	83	24	–
	All other Male	534	–	–	–	–	1	1	1	2	3	16	21	36	41	62	94	78	54	49	46	18	10	1
	Female	449	–	–	–	–	–	–	1	1	4	8	5	16	44	43	67	68	67	54	41	15	15	–
411	Other acute and subacute forms of ischemic heart disease	35	–	–	–	–	–	–	–	–	1	1	2	1	3	4	6	5	5	1	3	2	1	–
	White Male	9	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	2	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	1	–	2	1	–	1	1	–	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	–	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	1	–
412	Chronic ischemic heart disease	3,666	–	–	–	–	–	–	1	6	5	18	41	80	149	210	343	530	636	686	537	309	115	–
	White Male	1,333	–	–	–	–	–	–	–	4	2	9	23	39	79	102	155	217	239	210	153	78	23	–
	Female	1,400	–	–	–	–	–	–	–	2	1	–	3	17	17	48	76	158	248	337	266	172	55	–
	All other Male	460	–	–	–	–	–	–	1	–	1	2	8	10	30	34	58	85	76	78	35	26	16	–
	Female	473	–	–	–	–	–	–	–	–	1	7	7	14	23	26	54	70	73	61	83	33	21	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	1	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	105	–	1	–	–	–	1	–	2	–	3	1	3	1	6	9	11	23	12	20	9	3	–
	White Male	51	–	–	–	–	–	–	–	–	–	–	1	2	–	4	4	7	13	6	8	4	2	–
	Female	34	–	–	–	–	–	–	–	1	–	1	–	1	1	–	4	3	7	2	9	4	1	–
	All other Male	6	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	4	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,832	12	3	2	3	6	7	10	17	22	43	58	136	138	188	219	239	215	229	168	81	36	–
	White Male	818	3	1	–	–	1	2	4	7	11	27	30	71	79	106	117	114	87	81	54	18	5	–
	Female	495	4	2	–	–	1	1	3	6	2	2	7	22	15	35	35	61	64	101	74	43	17	–
	All other Male	268	2	–	–	3	1	–	1	2	4	10	13	22	25	35	43	30	34	19	15	6	3	–
	Female	251	3	–	2	–	3	4	2	2	5	4	8	21	19	12	24	34	30	28	25	14	11	–
400, 401, 403	Hypertension	142	–	–	–	–	–	–	1	2	2	4	8	9	9	14	18	13	14	19	19	7	3	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	2	2	6	4	2	–	–
	Female	29	–	–	–	–	–	–	–	–	–	1	–	1	1	4	5	–	1	6	6	3	1	–
	All other Male	43	–	–	–	–	–	–	1	1	1	1	4	1	5	4	7	5	6	4	3	–	–	–
	Female	46	–	–	–	–	–	–	–	1	1	2	3	5	2	3	5	6	5	3	6	2	2	–
430–438	Cerebrovascular diseases	4,026	1	1	–	5	5	4	4	7	23	35	84	124	139	237	438	574	701	720	552	267	105	–
	White Male	1,157	–	–	–	2	2	2	3	3	6	8	24	55	45	80	142	185	210	195	130	55	10	–
	Female	1,534	1	–	–	–	3	–	1	1	7	10	15	21	26	46	118	188	274	334	297	139	53	–
	All other Male	601	–	1	–	2	–	1	–	1	2	9	18	27	36	60	92	90	103	74	50	25	10	–
	Female	734	–	–	–	1	–	1	–	2	8	8	27	21	32	51	86	111	114	117	75	48	32	–
431	Cerebral hemorrhage	561	1	–	–	3	1	–	1	1	8	10	33	40	46	45	72	80	74	86	36	17	7	–
	White Male	168	–	–	–	1	–	–	1	–	2	1	9	20	10	17	22	26	21	24	8	6	–	–
	Female	152	1	–	–	–	1	–	–	–	2	4	2	4	11	5	19	25	28	27	16	5	2	–
	All other Male	105	–	–	–	1	–	–	–	1	1	3	11	8	14	13	11	14	11	10	2	4	1	–
	Female	136	–	–	–	1	–	–	–	–	3	2	11	8	11	10	20	15	14	25	10	2	4	–
433	Cerebral thrombosis	963	–	–	–	–	–	1	–	–	–	1	6	17	17	47	106	134	199	182	154	74	25	–
	White Male	290	–	–	–	–	–	–	–	–	–	1	2	11	5	12	36	45	60	51	42	21	4	–
	Female	417	–	–	–	–	–	–	–	–	–	–	1	1	4	9	34	51	81	92	91	36	17	–
	All other Male	128	–	–	–	–	–	1	–	–	–	–	2	5	3	17	25	16	27	19	9	3	1	–
	Female	128	–	–	–	–	–	–	–	–	–	–	1	–	5	9	11	22	31	20	12	14	3	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,499	–	1	–	2	4	3	3	6	15	24	45	67	76	143	260	359	428	452	362	176	73	–
	White Male	699	–	–	–	1	2	2	2	3	4	6	13	24	30	51	84	114	129	120	80	28	6	–
	Female	965	–	–	–	–	2	–	1	1	5	6	12	16	11	32	65	112	165	215	190	98	34	–
	All other Male	367	–	1	–	1	–	–	–	–	1	6	5	14	19	29	56	60	65	45	39	18	8	–
	Female	468	–	–	–	–	–	1	–	2	5	6	15	13	16	31	55	73	69	72	53	32	25	–
440	Arteriosclerosis	419	–	–	–	–	–	–	–	1	1	–	1	1	4	7	27	41	64	79	106	47	40	–
	White Male	130	–	–	–	–	–	–	–	–	–	–	–	1	3	4	11	12	25	26	26	12	10	–
	Female	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	13	18	38	63	28	24	–
	All other Male	55	–	–	–	–	–	–	–	1	1	–	1	–	1	2	4	12	10	7	10	3	3	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	11	8	7	4	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	402	–	1	–	–	1	1	3	3	2	6	11	11	13	41	61	67	56	47	47	23	8	–
	White Male	186	–	–	–	–	1	–	–	1	1	5	4	6	7	25	36	38	20	19	17	5	1	–
	Female	118	–	1	–	–	–	–	1	–	–	–	2	3	2	7	8	16	21	20	21	11	5	–
	All other Male	53	–	–	–	–	–	–	2	2	1	–	3	2	3	4	9	8	8	3	4	4	–	–
	Female	45	–	–	–	–	–	1	–	–	–	1	2	–	1	5	8	5	7	5	5	3	2	–
466	Acute bronchitis and bronchiolitis	16	–	2	–	–	–	–	–	–	1	–	1	–	1	3	–	1	2	1	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
470–474, 480–486	Influenza and pneumonia	879	45	10	3	2	4	3	10	5	13	15	22	30	31	45	56	86	93	154	131	85	35	1
	White Male	328	8	2	1	–	1	–	3	1	3	3	10	11	14	29	26	39	45	56	41	25	10	–
	Female	320	6	1	1	1	1	1	1	2	2	4	3	7	7	8	13	27	29	74	66	51	15	–
	All other Male	142	20	6	1	–	2	–	2	2	4	5	6	9	6	6	12	12	9	15	14	4	7	–
	Female	89	11	1	–	1	–	2	4	–	4	3	3	3	4	2	5	8	10	9	10	5	3	1
470–474	Influenza	75	2	3	–	1	–	–	2	–	1	–	1	1	2	2	3	12	7	17	9	7	5	–
	White Male	28	–	1	–	–	–	–	1	–	1	–	–	–	1	1	1	6	3	6	3	3	1	–
	Female	32	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	5	3	9	4	3	3	–
	All other Male	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	9	1	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	2	1	1	–
480–486	Pneumonia	804	43	7	3	1	4	3	8	5	12	15	21	29	29	43	53	74	86	137	122	78	30	1
	White Male	300	8	1	1	–	1	–	2	1	2	3	10	11	13	28	25	33	42	50	38	22	9	–
	Female	288	6	1	1	–	1	1	1	2	2	4	3	6	6	7	12	22	26	65	62	48	12	–
	All other Male	136	19	4	1	–	2	–	2	2	4	5	6	9	6	6	12	11	8	14	14	4	7	–
	Female	80	10	1	–	1	–	2	3	–	4	3	2	3	4	2	4	8	10	8	8	4	2	1
490–493	Bronchitis, emphysema, and asthma	420	4	1	–	–	1	–	1	1	2	5	10	22	37	53	67	82	64	40	18	8	3	1
	White Male	287	2	1	–	–	1	–	1	–	2	3	4	14	28	40	48	60	44	26	9	2	1	1
	Female	78	–	–	–	–	–	–	–	1	–	1	3	4	3	7	12	13	13	9	6	5	1	–
	All other Male	41	1	–	–	–	–	–	–	–	–	–	1	4	5	4	5	8	5	4	3	1	–	–
	Female	14	1	–	–	–	–	–	–	–	–	1	2	–	1	2	2	1	2	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
490, 491	Chronic and unqualified bronchitis	60	3	1	–	–	–	–	–	–	–	–	–	3	6	5	10	7	12	6	3	3	1	–
	White Male	33	1	1	–	–	–	–	–	–	–	–	–	1	5	3	7	5	4	5	–	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	6	1	3	2	1	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	326	1	–	–	–	1	–	–	–	1	4	7	18	31	44	50	72	49	28	13	4	2	1
	White Male	246	1	–	–	–	1	–	–	–	1	3	4	12	23	35	40	54	40	20	9	1	1	1
	Female	48	–	–	–	–	–	–	–	–	–	1	3	3	3	4	8	11	6	5	2	2	–	–
	All other Male	27	–	–	–	–	–	–	–	–	–	–	–	3	4	4	2	6	2	3	2	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	–
493	Asthma	34	–	–	–	–	–	–	1	1	1	1	3	1	–	4	7	3	3	6	2	1	–	–
	White Male	8	–	–	–	–	–	–	1	–	1	–	–	1	–	2	1	1	–	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	1	3	1	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	1	1	–	–	–	–
531–533	Peptic ulcer	64	1	–	–	–	–	3	1	2	–	3	3	6	6	4	10	6	7	5	4	3	–	–
	White Male	34	–	–	–	–	–	1	1	2	–	1	2	3	4	3	6	5	2	3	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	1	1	3	2	–	–
	All other Male	9	–	–	–	–	–	2	–	–	–	2	–	2	–	1	1	–	1	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	–	1	–	–
540–543	Appendicitis	21	–	–	–	1	–	1	–	1	1	–	–	1	1	1	1	3	7	2	–	–	1	–
	White Male	5	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–
	Female	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	72	8	–	–	–	1	1	–	1	2	1	1	3	3	4	7	14	9	8	4	3	2	–
	White Male	22	4	–	–	–	1	1	–	1	1	–	–	–	1	2	3	2	–	3	2	1	–	–
	Female	29	3	–	–	–	–	–	–	–	–	–	1	1	1	2	3	5	4	5	1	1	2	–
	All other Male	8	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	5	3	–	1	–	–	–
571	Cirrhosis of liver	353	1	–	–	–	–	2	5	5	26	39	46	44	51	42	38	22	19	7	6	–	–	–
	White Male	172	–	–	–	–	–	1	–	1	11	16	29	20	28	24	17	8	9	5	3	–	–	–
	Female	102	–	–	–	–	–	1	4	1	6	9	11	17	11	10	13	7	8	1	3	–	–	–
	All other Male	40	1	–	–	–	–	–	–	1	4	7	4	4	6	3	5	4	1	–	–	–	–	–
	Female	39	–	–	–	–	–	–	1	2	5	7	2	3	6	5	3	3	1	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	54	–	–	–	–	–	–	–	1	–	1	2	–	5	5	10	8	5	8	8	–	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	3	4	4	3	–	–	–
	Female	22	–	–	–	–	–	–	–	1	–	1	–	–	4	2	3	3	–	3	4	–	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	–	–
580–584	Nephritis and nephrosis	228	–	1	1	1	2	–	1	3	3	5	14	12	15	19	41	26	32	23	18	7	4	–
	White Male	57	–	–	–	–	–	–	–	2	–	2	4	3	3	2	12	5	6	6	7	2	3	–
	Female	46	–	1	–	1	–	–	–	–	1	–	2	2	–	4	10	7	9	4	3	2	–	–
	All other Male	62	–	–	1	–	1	–	–	1	–	2	4	4	5	7	8	7	7	7	6	2	–	–
	Female	63	–	–	–	–	1	–	1	–	2	1	4	3	7	6	11	7	10	6	2	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	27	–	1	–	–	–	–	–	–	1	2	1	–	–	2	6	3	5	3	3	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	1	–	–	–
	Female	8	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	–	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	201	–	–	1	1	2	–	1	3	2	3	13	12	15	17	35	23	27	20	15	7	4	–
	White Male	49	–	–	–	–	–	–	–	2	–	1	4	3	3	2	11	4	4	4	6	2	3	–
	Female	38	–	–	–	1	–	–	–	–	1	–	1	2	–	3	9	5	8	4	2	2	–	–
	All other Male	57	–	–	1	–	1	–	–	1	–	1	4	4	5	6	7	7	6	7	5	2	–	–
	Female	57	–	–	–	–	1	–	1	–	1	1	4	3	7	6	8	7	9	5	2	1	1	–
590	Infections of kidney	113	–	–	–	–	–	–	1	–	–	–	1	3	4	4	8	19	18	19	19	15	2	–
	White Male	25	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	5	4	3	4	4	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	12	10	10	9	–	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	1	3	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	3	1	3	3	2	1	–
600	Hyperplasia of prostate	27	–	–	–	–	–	–	–	–	–	–	1	–	–	–	6	1	5	5	2	2	5	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	4	3	2	2	3	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	2	–	–	2	–
630–678	Complications of pregnancy, childbirth, and the puerperium	11	–	–	–	1	2	1	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	1	2	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	1	2	1	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	9	–	–	–	1	2	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	254	164	21	10	13	4	5	5	4	4	1	2	4	5	2	3	2	1	2	1	–	–	1
	White..... Male	109	70	6	5	3	2	2	2	1	2	1	1	3	3	2	1	–	1	2	1	–	–	1
	Female	70	40	10	3	6	1	1	2	1	–	–	1	1	1	–	1	2	–	–	–	–	–	–
	All other..... Male	36	26	3	–	1	1	1	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	39	28	2	2	3	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	478	477	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	165	165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	124	124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	105	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	277	276	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	52	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	201	201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,328	151	8	2	3	11	21	21	30	45	70	96	144	184	251	280	310	243	200	132	73	53	–
	White..... Male	723	36	3	1	1	6	7	5	11	16	17	28	59	74	99	105	92	66	47	30	12	8	–
	Female	469	25	1	–	–	2	3	5	3	9	17	12	18	27	36	44	70	62	67	41	20	7	–
	All other..... Male	610	50	3	1	2	3	7	7	12	14	18	34	45	45	67	79	71	56	38	25	19	14	–
	Female	526	40	1	–	–	–	4	4	4	6	18	22	22	38	49	52	77	59	48	36	22	24	–
Residual	All other diseases	2,347	42	18	9	12	19	25	33	39	52	57	82	132	195	208	276	328	309	242	159	78	32	–
	White..... Male	941	11	8	3	2	8	9	6	9	16	19	30	50	80	103	136	156	134	83	51	22	5	–
	Female	707	9	6	2	7	5	4	9	9	9	11	18	43	49	55	64	93	95	94	71	38	16	–
	All other..... Male	391	15	3	2	1	3	2	7	11	15	15	20	22	35	26	51	43	50	35	23	8	4	–
	Female	308	7	1	2	2	3	10	11	10	12	12	14	17	31	24	25	36	30	30	14	10	7	–
E800–E949	Accidents	2,462	33	99	62	81	293	287	195	131	117	122	144	145	121	120	114	98	107	82	66	26	18	1
	White..... Male	1,222	11	26	28	42	181	168	110	84	65	73	80	71	53	51	55	35	35	25	24	5	–	–
	Female	517	9	29	11	15	49	36	25	9	19	15	24	31	21	27	20	33	47	39	29	19	10	–
	All other..... Male	521	10	28	13	19	44	69	52	32	24	27	36	31	36	31	27	14	15	6	3	–	4	–
	Female	202	3	16	10	5	19	14	8	6	9	7	4	12	11	11	12	16	10	12	10	2	4	1
E810–E823	Motor vehicle accidents	1,244	9	42	37	39	203	198	120	75	66	64	76	57	62	53	49	37	30	10	14	1	1	1
	White..... Male	679	2	8	19	21	130	121	63	50	36	40	45	30	28	25	22	18	10	6	4	1	–	–
	Female	259	5	15	7	10	40	30	22	7	12	10	14	14	11	13	10	13	14	3	8	–	1	–
	All other..... Male	240	2	11	6	7	21	43	33	14	13	10	15	12	19	12	13	4	5	–	–	–	–	–
	Female	66	–	8	5	1	12	4	2	4	5	4	2	1	4	3	4	2	1	1	2	–	–	1
E800–E807, E825–E949	All other accidents	1,218	24	57	25	42	90	89	75	56	51	58	68	88	59	67	65	61	77	72	52	25	17	–
	White..... Male	543	9	18	9	21	51	47	47	34	29	33	35	41	25	26	33	17	25	19	20	4	–	–
	Female	258	4	14	4	5	9	6	3	2	7	5	10	17	10	14	10	20	33	36	21	19	9	–
	All other..... Male	281	8	17	7	12	23	26	19	18	11	17	21	19	17	19	14	10	10	6	3	–	4	–
	Female	136	3	8	5	4	7	10	6	2	4	3	2	11	7	8	8	14	9	11	8	2	4	–
E950–E959	Suicide	396	...	...	–	3	30	35	39	34	34	23	27	36	33	31	19	26	15	5	3	2	–	1
	White..... Male	281	...	...	–	3	21	24	26	23	30	16	18	19	23	22	16	22	10	5	2	1	–	–
	Female	80	...	...	–	–	7	4	7	7	3	5	8	16	8	7	2	2	3	–	–	–	–	1
	All other..... Male	30	...	...	–	–	2	5	5	4	1	2	1	1	1	1	1	2	2	–	1	1	–	–
	Female	5	...	...	–	–	–	2	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	537	3	3	1	3	36	73	77	67	55	61	34	40	28	32	10	9	2	–	2	1	–	–
	White..... Male	142	–	1	–	1	7	12	14	14	20	22	9	13	8	13	4	2	1	–	1	–	–	–
	Female	58	–	1	1	–	4	6	7	6	6	2	6	8	5	2	1	2	1	–	–	–	–	–
	All other..... Male	273	2	–	–	1	18	42	48	35	24	32	17	17	13	12	5	5	–	–	1	1	–	–
	Female	64	1	1	–	1	7	13	8	12	5	5	2	2	2	5	–	–	–	–	–	–	–	–
E980–E999	Other external causes	107	5	3	1	2	7	13	13	7	3	6	6	11	6	6	8	4	3	–	2	1	–	–
	White..... Male	59	1	2	–	2	4	9	7	5	2	2	4	6	2	3	6	2	1	–	1	–	–	–
	Female	16	–	–	–	–	–	3	1	1	–	2	–	2	2	1	–	1	1	–	1	1	–	–
	All other..... Male	23	3	–	1	–	3	1	2	–	1	2	1	2	2	1	2	1	1	–	–	–	–	–
	Female	9	1	1	–	–	–	–	3	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska																							
	All causes	**1,615**	**127**	**35**	**21**	**15**	**71**	**104**	**116**	**78**	**63**	**88**	**86**	**116**	**129**	**120**	**114**	**91**	**84**	**77**	**38**	**29**	**11**	**2**
	White Male	736	53	10	9	5	32	48	71	34	34	34	45	52	60	59	49	47	41	29	14	8	2	–
	Female	368	35	8	4	5	7	18	11	14	9	19	20	28	38	30	31	18	21	18	16	15	3	–
	All other Male	332	24	9	5	4	24	26	26	19	14	24	8	26	24	22	22	16	13	18	4	1	2	1
	Female	179	15	8	3	1	8	12	8	11	6	11	13	10	7	9	12	10	9	12	4	5	4	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	7	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–
	White Male	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	6	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	244	2	2	1	3	3	3	2	5	10	9	14	27	39	26	39	18	17	16	4	4	–	–
	White..... Male	92	–	1	–	–	3	1	1	1	4	1	5	7	18	9	16	5	10	8	–	2	–	–
	Female	86	–	1	–	1	–	2	–	3	4	4	6	11	16	13	12	4	1	3	3	2	–	–
	All other..... Male	39	2	–	1	1	–	–	–	1	–	3	–	6	4	4	8	4	2	2	1	–	–	–
	Female	27	–	–	–	1	–	–	1	–	2	1	3	3	1	–	3	5	4	3	–	–	–	–
140–149	Of buccal cavity and pharynx	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	57	1	–	–	–	–	1	–	2	2	–	1	7	8	8	11	4	6	3	1	2	–	–
	White..... Male	20	–	–	–	–	–	–	–	1	1	–	–	1	5	3	5	–	2	1	–	1	–	–
	Female	16	–	–	–	–	–	1	–	1	–	–	1	2	2	4	2	–	–	1	1	1	–	–
	All other..... Male	13	1	–	–	–	–	–	–	–	–	–	–	4	1	1	3	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	3	–	–	–	–	–
160–163	Of respiratory system	66	–	–	–	–	–	–	–	–	5	3	5	10	11	5	12	6	4	3	1	1	–	–
	White..... Male	32	–	–	–	–	–	–	–	–	2	1	3	4	8	2	6	2	3	1	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	2	2	2	5	3	2	4	1	–	–	–	1	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–
174	Of breast	19	–	–	–	–	–	–	–	–	–	1	2	4	6	3	3	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	3	6	3	3	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	23	–	–	–	–	1	–	1	–	1	–	2	1	1	2	4	2	3	3	1	1	–	–
	White..... Male	10	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	2	3	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	2	1	1	2	2	–	–	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
188, 189	Of urinary organs	8	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	–	–	1	–	–	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	48	–	2	–	2	2	–	1	1	–	3	3	3	9	4	6	5	3	3	1	–	–	–
	White..... Male	17	–	1	–	–	2	–	–	–	–	–	1	1	4	1	2	2	3	–	–	–	–	–
	Female	15	–	1	–	1	–	–	–	1	–	1	1	–	3	1	1	3	–	1	1	–	–	–
	All other..... Male	9	–	–	–	1	–	–	–	–	–	1	–	2	1	2	2	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	–	2	–	–	–	–
204–207	Leukemia	11	1	–	1	–	–	2	–	1	1	–	–	–	2	–	–	–	1	2	–	–	–	–
	White..... Male	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	6	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other..... Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	8	–	–	–	1	–	–	–	–	–	–	1	1	1	–	2	1	–	1	–	–	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	9	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	2	–	1	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska – Con.																							
280–285	Anemias	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	7	3	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	429	4	3	–	2	1	4	5	6	8	18	14	38	51	51	49	49	46	35	22	15	8	–
	White ... Male	221	2	1	–	–	–	2	2	2	6	10	10	21	28	34	23	30	22	11	11	4	2	–
	Female	104	1	–	–	1	1	–	2	2	–	4	2	7	12	6	12	10	13	11	9	9	2	–
	All other ... Male	71	–	2	–	1	–	1	1	2	2	3	–	7	8	9	11	5	7	9	–	1	2	–
	Female	33	1	–	–	–	–	1	–	–	–	1	2	3	3	2	3	4	4	4	2	1	2	–
390–398, 402, 404, 410–429	Diseases of heart	317	3	1	–	–	–	4	4	5	5	15	13	33	41	47	36	34	32	23	9	8	4	–
	White ... Male	179	2	–	–	–	–	2	2	2	4	9	9	20	25	32	19	21	16	8	4	3	1	–
	Female	72	–	–	–	–	–	–	1	2	–	3	2	5	8	5	9	7	13	7	4	5	1	–
	All other ... Male	49	–	1	–	–	–	1	1	1	1	2	–	7	7	8	8	4	1	6	–	–	1	–
	Female	17	1	–	–	–	–	1	–	–	–	1	2	1	1	2	–	2	2	2	1	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	15	–	–	–	–	–	1	1	–	–	3	–	3	3	1	–	1	1	1	–	–	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other ... Male	4	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	250	–	–	–	–	–	1	1	3	3	11	12	28	32	41	29	29	27	19	5	7	2	–
	White ... Male	144	–	–	–	–	–	1	1	1	2	6	9	19	21	29	15	17	14	5	2	2	–	–
	Female	59	–	–	–	–	–	–	–	1	–	3	2	5	5	4	7	6	12	6	2	5	1	–
	All other ... Male	38	–	–	–	–	–	–	–	1	1	2	–	4	5	6	7	4	1	6	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	–	2	1	–	–	–
410	Acute myocardial infarction	127	–	–	–	–	–	1	–	3	–	6	5	15	18	20	17	15	14	8	1	3	1	–
	White ... Male	70	–	–	–	–	–	1	–	1	–	3	5	10	11	11	10	8	7	2	1	–	–	–
	Female	28	–	–	–	–	–	–	–	1	–	2	–	3	2	3	4	2	6	2	–	3	–	–
	All other ... Male	24	–	–	–	–	–	–	–	1	–	1	–	2	4	5	3	3	1	3	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	120	–	–	–	–	–	–	1	–	3	5	7	13	14	20	12	13	13	11	4	3	1	–
	White ... Male	71	–	–	–	–	–	–	1	–	2	3	4	9	10	17	5	8	7	3	1	1	–	–
	Female	31	–	–	–	–	–	–	–	–	–	1	2	2	3	1	3	4	6	4	2	2	1	–
	All other ... Male	14	–	–	–	–	–	–	–	–	1	1	–	2	1	1	4	1	–	3	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	47	3	–	–	–	–	2	2	2	2	1	–	2	6	5	7	2	3	3	4	1	2	–
	White Male	27	2	–	–	–	–	1	1	1	2	1	–	–	3	2	4	2	2	2	2	1	1	–
	Female	10	–	–	–	–	–	–	1	1	–	–	–	–	2	1	2	–	–	1	2	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
400, 401, 403	Hypertension	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
430–438	Cerebrovascular diseases	72	1	2	–	1	1	–	1	1	3	3	1	4	7	2	8	10	10	4	7	4	2	–
	White Male	23	–	1	–	–	–	–	–	–	2	1	1	1	3	–	2	5	4	1	2	–	–	–
	Female	22	1	–	–	–	1	–	1	–	–	1	–	2	2	1	3	3	–	–	4	2	1	–
	All other Male	17	–	1	–	1	–	–	–	1	1	1	–	–	1	1	1	1	4	2	–	1	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1	1	1	–	–
431	Cerebral hemorrhage	16	1	1	–	–	1	–	–	–	1	2	–	1	5	–	2	–	2	–	–	–	–	–
	White Male	5	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–
	Female	5	1	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	11	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	1	1	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	45	–	1	–	1	–	–	1	1	2	1	1	1	2	2	3	8	7	3	5	4	2	–
	White Male	12	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	4	3	–	1	–	–	–
	Female	15	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	3	–	–	4	2	1	–
	All other Male	12	–	1	–	1	–	–	–	1	–	–	–	–	–	1	1	–	3	2	–	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	–
440	Arteriosclerosis	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	5	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	20	–	–	–	1	–	–	–	–	–	–	–	1	3	2	4	2	1	3	1	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	2	1	1	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	38	6	–	–	–	1	–	1	1	2	1	3	3	1	3	–	1	6	5	2	2	–	–
	White Male	16	4	–	–	–	–	–	1	–	–	–	2	2	–	1	–	1	2	2	1	–	–	–
	Female	9	1	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–	2	1	–	1	–	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	1	–	1	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	38	6	–	–	–	1	–	1	1	2	1	3	3	1	3	–	1	6	5	2	2	–	–
	White Male	16	4	–	–	–	–	–	1	–	–	–	2	2	–	1	–	1	2	2	1	–	–	–
	Female	9	1	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–	2	1	–	1	–	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	1	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	7	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska — Con.																							
490, 491	Chronic and unqualified bronchitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
492	Emphysema	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	3	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	7	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	1	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
571	Cirrhosis of liver	41	–	–	–	–	–	–	1	1	–	5	13	6	5	6	3	–	1	–	–	–	–	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	1	7	2	3	3	2	–	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	4	3	1	2	1	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
590	Infections of kidney	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	34	29	1	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	11	9	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	16	14	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	50	24	1	–	–	–	–	2	2	3	1	4	–	2	–	–	1	2	2	3	3	–	–
	White Male	18	12	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	1	–	1	–	–	–
	Female	11	3	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	1	2	–	–
	All other Male	13	7	–	–	–	–	–	–	–	2	–	1	–	1	–	–	1	1	–	–	–	–	–
	Female	8	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–
Residual	All other diseases	131	6	3	4	–	3	3	4	6	4	8	8	11	16	11	13	15	5	6	1	3	1	–
	White Male	47	1	–	3	–	1	1	–	2	–	2	3	5	5	2	5	8	3	3	1	2	–	–
	Female	27	3	–	–	–	–	1	1	–	1	3	1	2	5	5	1	2	1	1	–	–	–	–
	All other Male	29	2	1	1	–	–	–	2	–	1	2	1	4	5	1	3	4	–	2	–	–	–	–
	Female	28	–	2	–	–	2	1	1	4	2	1	3	–	1	3	4	1	1	–	–	1	1	–
E800–E949	Accidents	398	4	15	13	6	52	66	66	39	26	29	19	21	9	14	3	3	2	7	2	1	–	1
	White Male	207	1	7	6	2	25	35	43	21	17	13	11	10	4	6	1	1	–	4	–	–	–	–
	Female	51	–	3	3	2	4	10	5	5	2	4	4	1	1	–	2	1	2	2	–	–	–	–
	All other Male	107	3	3	3	2	19	13	14	7	7	9	4	9	4	5	–	1	–	1	2	–	–	1
	Female	33	–	2	1	–	4	8	4	6	–	3	–	1	–	3	–	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	123	–	1	5	3	24	33	24	5	3	8	2	3	2	3	3	2	2	–	–	–	–	–
	White Male	69	–	1	3	1	16	19	15	2	2	4	–	2	1	1	1	1	–	–	–	–	–	–
	Female	21	–	–	2	2	1	7	1	1	–	2	1	–	–	–	2	–	2	–	–	–	–	–
	All other Male	25	–	–	–	–	6	4	6	1	1	2	1	1	1	1	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	1	3	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	275	4	14	8	3	28	33	42	34	23	21	17	18	7	11	–	1	–	7	2	1	–	1
	White Male	138	1	6	3	1	9	16	28	19	15	9	11	8	3	5	–	–	–	4	–	–	–	–
	Female	30	–	3	1	–	3	3	4	4	2	2	3	1	1	–	–	1	–	2	–	–	–	–
	All other Male	82	3	3	3	2	13	9	8	6	6	7	3	8	3	4	–	–	–	1	2	–	–	1
	Female	25	–	2	1	–	3	5	2	5	–	3	–	1	–	2	–	–	–	–	–	1	–	–
E950–E959	Suicide	85	...	...	–	3	10	18	23	9	3	7	3	4	1	1	1	–	1	–	–	–	1	–
	White Male	46	...	...	–	3	3	7	16	4	2	3	3	2	–	1	1	–	1	–	–	–	–	–
	Female	13	...	...	–	–	1	4	1	3	–	1	–	2	–	–	–	–	–	–	–	–	1	–
	All other Male	24	...	...	–	–	5	6	6	2	1	3	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	41	1	5	1	–	1	3	6	7	4	4	4	1	1	–	1	–	–	1	1	–	–	–
	White Male	13	–	–	–	–	–	1	3	2	2	3	2	–	–	–	–	–	–	–	–	–	–	–
	Female	6	1	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–
	All other Male	18	–	3	–	–	–	2	2	5	1	1	2	–	1	–	–	–	–	1	–	–	–	–
	Female	4	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	1	–	–	–	–	6	4	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	7	1	–	–	–	–	1	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona																							
	All causes	18,028	563	145	81	111	307	403	336	313	294	378	526	887	1,158	1,630	2,154	2,328	2,200	1,994	1,374	631	192	23
	White Male	9,751	237	57	39	57	179	222	185	159	152	192	275	528	681	985	1,297	1,402	1,216	1,013	581	236	40	18
	Female	6,674	199	53	24	34	59	83	70	75	81	109	178	264	388	556	738	790	866	899	723	362	121	2
	All other Male	1,008	78	22	10	13	49	77	61	54	38	45	40	60	55	66	70	81	69	50	33	20	14	3
	Female	595	49	13	8	7	20	21	20	25	23	32	33	35	34	23	49	55	49	32	37	13	17	–
004, 006	Bacillary dysentery and amebiasis	5	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	21	9	1	–	–	–	–	–	1	–	–	–	–	1	1	1	1	2	2	1	1	–	–
	White Male	4	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–	1	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	43	–	–	–	–	–	1	–	–	1	–	1	3	3	7	6	6	4	5	6	–	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	1	2	1	5	5	–	4	2	5	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	2	1	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	28	–	–	–	–	–	1	–	–	1	–	–	2	2	3	5	4	2	3	5	–	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	–	2	1	4	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–
	All other Male	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	15	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	2	2	2	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	58	12	2	–	–	1	–	1	1	–	–	1	2	3	3	3	9	4	3	9	4	–	–
	White Male	19	7	1	–	–	–	–	–	–	–	–	1	–	1	–	–	4	–	1	3	1	–	–
	Female	20	2	1	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	–	4	3	–	–
	All other Male	11	3	–	–	–	–	–	1	1	–	–	–	–	–	2	–	2	1	1	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–	–	1	2	–	–	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	85	10	2	2	–	2	4	3	5	3	2	1	5	7	11	5	10	3	4	5	1	–	–
	White Male	48	2	–	1	–	2	2	2	3	1	2	–	2	5	7	3	8	1	2	4	1	–	–
	Female	25	5	1	1	–	–	–	1	1	1	–	1	3	1	3	2	1	1	2	1	–	–	–
	All other Male	9	3	1	–	–	–	1	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,572	2	8	6	11	14	14	21	27	39	76	107	252	372	481	598	564	429	328	151	56	16	–
	White ..... Male	1,907	1	6	1	4	10	6	11	9	15	33	45	131	186	255	334	322	249	182	78	26	3	–
	Female	1,496	1	2	5	7	3	7	10	17	20	40	55	103	166	214	240	206	161	137	68	26	8	–
	All other ..... Male	95	–	–	–	–	1	1	–	1	2	2	3	10	11	8	12	21	11	6	1	3	2	–
	Female	74	–	–	–	–	–	–	–	–	2	1	4	8	9	4	12	15	8	3	4	1	3	–
140–149	Of buccal cavity and pharynx	83	–	–	–	–	–	1	1	–	–	2	2	8	12	11	15	14	7	5	4	1	–	–
	White ..... Male	53	–	–	–	–	–	1	–	–	–	2	1	5	7	7	9	8	6	3	3	1	–	–
	Female	27	–	–	–	–	–	–	1	–	–	–	1	3	4	4	6	5	–	2	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	879	1	–	–	–	–	–	2	2	9	11	24	52	76	124	132	137	126	106	49	20	8	–
	White ..... Male	453	–	–	–	–	–	–	1	1	5	7	13	36	40	73	70	68	62	47	21	7	2	–
	Female	376	1	–	–	–	–	–	1	1	3	3	9	12	31	48	54	54	58	58	28	12	3	–
	All other ..... Male	35	–	–	–	–	–	–	–	–	1	1	2	3	3	3	4	10	5	–	–	1	2	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	5	1	1	–	–	1	–
160–163	Of respiratory system	910	–	–	–	–	–	1	2	2	5	19	25	76	126	136	194	143	113	44	22	2	–	–
	White ..... Male	648	–	–	–	–	–	1	1	–	3	9	14	51	79	93	138	116	91	37	14	1	–	–
	Female	235	–	–	–	–	–	–	1	2	2	9	11	22	38	39	54	25	19	5	7	1	–	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	1	–	2	6	3	2	2	1	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	2	–	1	–	–	–
174	Of breast	295	–	–	–	–	–	–	1	4	7	11	13	29	38	48	47	41	24	18	9	5	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	281	–	–	–	–	–	–	1	4	5	11	11	27	36	48	45	39	22	18	9	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	2	–	2	2	2	–	2	2	1	–	–	–	–	–
180–187	Of genital organs	392	–	–	–	–	2	4	2	6	5	9	10	19	31	45	46	63	51	62	23	13	1	–
	White ..... Male	199	–	–	–	–	2	1	1	1	2	2	–	4	7	15	21	39	33	43	17	10	1	–
	Female	169	–	–	–	–	–	2	1	5	3	6	9	14	22	28	23	18	16	16	4	2	–	–
	All other ..... Male	14	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	4	1	3	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	2	1	–	2	–	–	–
188, 189	Of urinary organs	197	–	1	–	–	–	–	–	2	1	8	7	8	12	23	28	32	32	23	16	4	–	–
	White ..... Male	130	–	1	–	–	–	–	–	–	1	4	6	6	7	16	15	27	20	15	10	2	–	–
	Female	62	–	–	–	–	–	–	–	1	–	4	1	2	5	7	12	4	11	8	5	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	455	–	3	2	4	5	2	5	3	7	12	13	42	49	50	82	67	44	37	14	9	5	–
	White ..... Male	235	–	2	1	1	5	–	4	2	3	7	8	20	25	25	49	34	23	17	5	4	–	–
	Female	193	–	1	1	3	–	2	1	1	4	5	5	15	24	23	27	29	20	18	8	3	3	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	1	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	4	–	1	5	3	–	1	–	1	2	–
204–207	Leukemia	139	–	3	3	6	3	2	3	1	1	2	4	6	7	18	20	27	9	17	5	1	1	–
	White ..... Male	78	–	2	–	2	1	1	2	1	–	1	–	4	6	11	12	14	5	12	3	1	–	–
	Female	58	–	1	3	4	2	1	1	–	1	1	4	2	1	7	8	10	4	5	2	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	222	1	1	1	1	4	4	5	7	4	2	9	12	21	26	34	40	23	16	9	1	1	–
	White ..... Male	110	1	1	–	1	2	2	2	4	1	1	3	5	15	15	20	16	8	8	5	–	–	–
	Female	95	–	–	1	–	1	2	3	3	2	1	4	6	5	10	11	22	11	7	4	1	1	–
	All other ..... Male	10	–	–	–	–	1	–	–	–	1	–	1	1	–	1	2	1	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	65	4	–	1	–	–	2	1	–	1	2	3	7	3	8	7	12	8	5	1	–	–	–
	White ..... Male	36	2	–	–	–	–	1	1	–	–	1	2	4	2	3	4	6	6	4	–	–	–	–
	Female	25	1	–	1	–	–	1	–	–	1	1	1	3	1	3	2	6	2	1	1	–	–	–
	All other ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	268	–	1	–	1	–	–	1	3	5	5	6	16	17	21	35	41	40	34	29	10	3	–
	White ..... Male	106	–	1	–	1	–	–	1	2	2	3	2	6	9	9	12	17	13	12	13	2	1	–
	Female	136	–	–	–	–	–	–	–	1	2	2	4	6	7	10	18	19	25	19	14	8	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	2	–	–	1	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	3	–	2	3	4	1	1	2	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	22	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	2	1	4	4	3	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	2	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	1	2	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
280–285	Anemias	17	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	5	2	2	2	1	1	–
	White Male	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	2	1	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	24	9	2	1	–	–	1	–	–	–	–	1	2	1	1	2	2	–	1	1	–	–	–
	White Male	10	2	1	–	–	–	1	–	–	–	–	–	2	–	–	1	2	–	–	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	6	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	7,757	5	7	3	2	14	11	17	17	42	89	149	286	395	677	983	1,174	1,266	1,183	882	418	136	1
	White Male	4,318	2	2	2	–	5	4	9	14	27	59	102	201	264	461	631	748	697	575	342	144	28	1
	Female	3,067	–	1	1	1	4	3	5	2	11	19	31	62	112	189	309	373	516	565	505	260	98	–
	All other Male	204	–	1	–	1	2	2	3	–	3	5	6	15	10	18	29	26	28	27	16	9	3	–
	Female	168	3	3	–	–	3	2	–	1	1	6	10	8	9	9	14	27	25	16	19	5	7	–
390–398, 402, 404, 410–429	Diseases of heart	5,845	3	7	2	1	9	4	11	12	32	77	124	244	333	549	807	886	934	841	592	289	87	1
	White Male	3,428	2	2	2	–	2	2	6	11	23	57	92	179	240	386	539	576	528	426	239	100	15	1
	Female	2,139	–	1	–	1	3	–	3	–	5	11	20	46	81	140	233	270	371	386	326	178	64	–
	All other Male	162	–	1	–	–	2	2	2	–	3	4	4	12	7	15	25	18	22	21	13	8	3	–
	Female	116	1	3	–	–	2	–	–	1	1	5	8	7	5	8	10	22	13	8	14	3	5	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	158	–	–	–	–	1	–	1	2	3	5	7	9	18	16	25	28	20	11	9	3	–	–
	White Male	78	–	–	–	–	–	–	1	1	1	2	3	5	11	9	12	16	11	4	2	–	–	–
	Female	70	–	–	–	–	1	–	–	–	1	1	3	2	7	7	12	10	9	7	7	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	2	–	–	–	–	–	–
402	Hypertensive heart disease	59	–	–	–	–	–	–	–	–	1	1	4	3	4	7	5	11	5	10	6	2	–	–
	White Male	19	–	–	–	–	–	–	–	–	1	–	1	1	–	3	2	6	2	1	2	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	2	2	3	2	3	5	3	9	4	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	2	3	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
410–413	Ischemic heart disease	5,173	–	–	1	–	–	–	4	5	24	63	102	217	278	489	720	794	850	755	527	262	81	1
	White Male	3,113	–	–	1	–	–	–	3	5	19	51	82	169	211	351	489	528	485	391	218	95	14	1
	Female	1,860	–	–	–	–	–	–	1	–	4	8	13	35	60	121	200	234	337	340	287	159	61	–
	All other Male	119	–	–	–	–	–	–	–	–	1	2	3	8	5	11	21	15	18	16	12	5	2	–
	Female	81	–	–	–	–	–	–	–	–	–	2	4	5	2	6	10	17	10	8	10	3	4	–
410	Acute myocardial infarction	2,217	–	–	1	–	–	–	3	5	14	36	57	123	141	256	352	392	379	263	134	45	15	1
	White Male	1,457	–	–	1	–	–	–	2	5	9	30	47	98	109	190	245	263	237	144	57	14	5	1
	Female	678	–	–	–	–	–	–	1	–	4	5	7	20	29	58	96	112	132	112	66	27	9	–
	All other Male	57	–	–	–	–	–	–	–	–	1	1	2	4	2	7	7	8	8	6	9	2	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	9	2	1	2	2	1	–
411	Other acute and subacute forms of ischemic heart disease	325	–	–	–	–	–	–	–	–	4	11	19	27	39	56	67	39	32	22	8	1	–	–
	White Male	249	–	–	–	–	–	–	–	–	4	6	13	21	30	46	52	34	22	15	5	1	–	–
	Female	60	–	–	–	–	–	–	–	–	–	2	5	4	9	8	10	5	8	7	2	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	5	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	2,630	–	–	–	–	–	–	1	–	6	16	26	67	97	177	301	363	439	470	385	216	66	–
	White Male	1,406	–	–	–	–	–	–	1	–	6	15	22	50	71	115	192	231	226	232	156	80	9	–
	Female	1,122	–	–	–	–	–	–	–	–	–	1	1	11	22	55	94	117	197	221	219	132	52	–
	All other Male	52	–	–	–	–	–	–	–	–	–	–	1	3	3	3	9	7	8	10	3	3	2	–
	Female	50	–	–	–	–	–	–	–	–	–	–	2	3	1	4	6	8	8	7	7	1	3	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	21	–	–	–	–	–	–	–	–	–	–	–	2	2	3	–	4	5	1	3	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	3	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	2	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
420–423, 425–427, 429	All other forms of heart disease	421	3	7	1	1	8	4	6	5	4	8	11	13	30	34	57	45	53	62	44	19	6	–
	White Male	202	2	2	1	–	2	2	2	5	2	4	6	3	16	20	36	24	27	28	15	4	1	–
	Female	159	–	1	–	1	2	–	2	–	–	2	2	6	10	10	18	16	19	29	25	13	3	–
	All other Male	36	–	1	–	–	2	2	2	–	1	1	1	2	2	3	3	3	4	5	1	2	1	–
	Female	24	1	3	–	–	2	–	–	–	1	1	2	2	2	1	–	2	3	–	3	–	1	–
400, 401, 403	Hypertension	36	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	8	7	5	8	–	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	3	2	2	3	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	4	3	5	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,426	2	–	1	1	5	6	5	3	8	10	18	35	50	84	121	220	260	264	209	94	30	–
	White Male	613	–	–	–	–	3	2	3	1	3	2	5	16	15	46	49	129	125	111	63	31	9	–
	Female	730	–	–	1	–	1	2	1	2	5	6	9	15	29	35	65	81	118	141	139	60	20	–
	All other Male	35	–	–	–	1	–	–	1	–	–	1	2	3	3	2	3	5	6	5	2	1	–	–
	Female	48	2	–	–	–	1	2	–	–	–	1	2	1	3	1	4	5	11	7	5	2	1	–
431	Cerebral hemorrhage	222	2	–	–	–	3	2	1	1	4	4	7	16	16	25	24	35	34	27	17	3	1	–
	White Male	88	–	–	–	–	1	–	1	–	2	–	2	12	3	11	7	13	15	13	5	2	1	–
	Female	115	–	–	–	–	1	–	–	1	2	2	5	2	11	14	16	20	16	13	11	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–	–
	Female	14	2	–	–	–	1	2	–	–	–	1	–	1	1	–	1	1	3	–	1	–	–	–
433	Cerebral thrombosis	235	–	–	–	1	–	–	–	–	–	2	2	3	5	15	15	39	50	44	36	19	4	–
	White Male	113	–	–	–	–	–	–	–	–	–	1	–	–	2	13	5	25	27	22	13	5	–	–
	Female	110	–	–	–	–	–	–	–	–	–	1	2	2	3	2	10	12	23	18	21	13	3	–
	All other Male	4	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	1	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	965	–	–	1	–	2	4	4	2	4	4	9	15	29	43	82	144	176	193	156	72	25	–
	White Male	411	–	–	–	–	2	2	2	1	1	1	3	4	10	22	37	90	83	76	45	24	8	–
	Female	502	–	–	1	–	–	2	1	1	3	3	2	10	15	18	39	48	79	110	107	46	17	–
	All other Male	26	–	–	–	–	–	–	1	–	–	–	2	1	2	2	3	3	6	3	2	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	2	–	2	1	3	3	8	4	2	1	–	–
440	Arteriosclerosis	221	–	–	–	–	–	–	–	–	–	–	1	1	1	7	18	15	34	45	54	31	14	–
	White Male	107	–	–	–	–	–	–	–	–	–	–	–	–	–	4	13	9	16	22	27	13	3	–
	Female	111	–	–	–	–	–	–	–	–	–	–	1	1	1	3	5	6	18	22	26	18	10	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	229	–	–	–	–	–	1	1	2	2	2	4	5	11	35	36	45	31	28	19	4	3	–
	White Male	155	–	–	–	–	–	–	–	2	1	–	3	5	9	24	29	31	26	14	10	–	1	–
	Female	67	–	–	–	–	–	1	1	–	1	2	1	–	1	10	6	11	5	13	9	4	2	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	7	–	1	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	1	–	–	–	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	525	24	6	2	–	3	4	1	10	4	7	13	18	18	32	47	45	71	92	76	37	15	–
	White Male	263	8	1	1	–	1	1	–	3	3	3	6	12	12	15	28	29	41	50	27	18	4	–
	Female	181	10	3	–	–	–	1	–	1	–	1	3	3	2	12	15	11	20	36	43	15	5	–
	All other Male	54	3	1	–	–	2	2	–	4	1	2	2	3	2	3	4	4	7	2	4	4	4	–
	Female	27	3	1	1	–	–	–	1	2	–	1	2	–	2	2	–	1	3	4	2	–	2	–
470–474	Influenza	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	2	–	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	518	23	6	2	–	3	4	1	10	4	6	13	18	18	32	47	45	71	89	74	37	15	–
	White Male	259	7	1	1	–	1	1	–	3	3	3	6	12	12	15	28	29	41	47	27	18	4	–
	Female	178	10	3	–	–	–	1	–	1	–	–	3	3	2	12	15	11	20	36	41	15	5	–
	All other Male	54	3	1	–	–	2	2	–	4	1	2	2	3	2	3	4	4	7	2	4	4	4	–
	Female	27	3	1	1	–	–	–	1	2	–	1	2	–	2	2	–	1	3	4	2	–	2	–
490–493	Bronchitis, emphysema, and asthma	367	2	1	–	–	1	–	–	–	1	1	10	17	32	54	84	66	43	36	13	5	–	1
	White Male	258	1	–	–	–	–	–	–	–	1	–	6	10	24	38	59	49	29	26	10	4	–	1
	Female	101	1	1	–	–	1	–	–	–	–	1	4	5	6	15	25	17	12	10	2	1	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	2	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona — Con.																							
490, 491	Chronic and unqualified bronchitis	66	–	1	–	–	–	–	–	–	–	1	2	3	4	10	11	13	5	7	6	3	–	–
	White ..... Male	46	–	–	–	–	–	–	–	–	–	–	–	2	2	6	8	12	2	6	5	3	–	–
	Female	17	–	1	–	–	–	–	–	–	–	1	2	1	1	3	3	1	3	1	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	280	2	–	–	–	–	–	–	–	1	–	8	12	26	42	68	50	34	28	6	2	–	1
	White ..... Male	204	1	–	–	–	–	–	–	–	1	–	6	7	21	31	48	37	26	20	4	1	–	1
	Female	71	1	–	–	–	–	–	–	–	–	–	2	3	4	11	20	13	6	8	2	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	21	–	–	–	–	1	–	–	–	–	–	–	2	2	2	5	3	4	1	1	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	–	1	–	–	–
	Female	13	–	–	–	–	1	–	–	–	–	–	–	1	1	1	2	3	3	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	47	1	–	–	–	–	–	–	–	1	–	–	4	6	5	10	3	2	8	5	1	1	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	–	2	5	3	7	2	1	4	2	–	–	–
	Female	19	1	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	1	4	3	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	53	4	–	1	–	–	1	1	–	1	–	–	–	1	1	2	12	8	11	8	2	–	–
	White ..... Male	16	3	–	1	–	–	–	1	–	–	–	–	–	–	–	1	2	3	2	2	1	–	–
	Female	27	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	7	3	9	4	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
571	Cirrhosis of liver	365	1	–	–	–	–	4	9	17	21	28	33	48	56	55	35	29	16	9	2	1	1	–
	White ..... Male	189	1	–	–	–	–	–	2	7	11	12	16	24	32	27	20	19	9	7	1	1	–	–
	Female	110	–	–	–	–	–	1	2	–	3	7	12	14	19	19	15	10	6	1	–	–	1	–
	All other ..... Male	43	–	–	–	–	–	2	5	6	3	5	2	7	4	7	–	–	1	1	–	–	–	–
	Female	23	–	–	–	–	–	1	–	4	4	4	3	3	1	2	–	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	25	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	5	3	4	6	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	2	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	4	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	84	1	–	–	3	–	2	–	–	–	4	1	4	6	12	5	16	15	3	4	6	2	–
	White ..... Male	48	1	–	–	1	–	1	–	–	–	1	–	3	3	8	4	12	6	2	3	3	–	–
	Female	25	–	–	–	1	–	1	–	–	–	2	1	–	1	3	1	3	7	1	–	3	1	–
	All other ..... Male	10	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	1	2	–	1	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	3	–	–	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	75	1	–	–	3	–	2	–	–	–	4	1	4	5	8	5	15	12	3	4	6	2	–
	White ..... Male	41	1	–	–	1	–	1	–	–	–	1	–	3	2	5	4	11	4	2	3	3	–	–
	Female	24	–	–	–	1	–	1	–	–	–	2	1	–	1	3	1	3	6	1	–	3	1	–
	All other ..... Male	9	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	1	2	–	1	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	36	–	–	–	–	–	–	–	–	1	–	–	1	–	3	3	3	7	7	8	1	2	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	4	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	4	4	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–	1	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	166	107	19	2	4	3	2	2	3	3	5	3	2	1	3	–	3	3	–	–	1	–	–
	White Male	73	44	9	–	2	1	2	1	2	2	2	1	1	–	2	–	1	2	–	–	1	–	–
	Female	70	42	9	2	2	2	–	1	1	1	2	2	1	1	1	–	2	1	–	–	–	–	–
	All other Male	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	262	261	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	122	121	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	156	155	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	76	75	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	255	68	3	–	2	2	7	4	6	9	5	13	15	9	10	27	15	11	16	11	14	2	6
	White Male	77	20	–	–	–	2	1	–	3	1	–	1	6	4	1	11	5	3	8	4	4	–	3
	Female	82	26	2	–	–	–	–	2	–	3	–	6	3	2	3	7	5	5	7	4	5	–	2
	All other Male	60	14	–	–	1	–	4	1	1	2	4	4	5	3	5	4	3	3	1	2	1	1	1
	Female	36	8	1	–	1	–	2	1	2	3	1	2	1	–	1	5	2	–	–	1	4	1	–
Residual	All other diseases	1,548	21	10	6	10	14	27	29	31	26	38	57	81	108	154	211	218	181	175	97	47	6	1
	White Male	835	9	4	4	8	3	14	13	8	8	12	26	44	58	95	124	126	110	100	48	19	1	1
	Female	544	6	2	1	2	7	4	8	11	8	10	21	27	36	45	73	81	65	65	45	24	3	–
	All other Male	93	3	1	–	–	2	5	4	8	6	9	4	4	9	11	6	8	4	6	1	1	1	–
	Female	76	3	3	1	–	2	4	4	4	4	7	6	6	5	3	8	3	2	4	3	3	1	–
E800–E949	Accidents	1,547	13	67	55	69	175	208	159	119	75	66	65	60	72	44	53	56	64	52	42	20	5	8
	White Male	854	7	28	28	34	110	120	95	69	40	35	35	39	42	22	30	25	30	26	21	9	2	7
	Female	362	3	20	12	19	27	43	19	18	18	9	17	11	19	15	13	25	23	24	15	10	2	–
	All other Male	237	1	16	9	10	24	39	32	21	11	14	11	7	7	7	8	6	5	2	5	1	–	1
	Female	94	2	3	6	6	14	6	13	11	6	8	2	3	4	–	2	–	6	–	1	–	1	–
E810–E823	Motor vehicle accidents	894	4	32	32	40	135	156	107	89	43	34	42	33	35	22	26	15	26	13	7	3	–	–
	White Male	475	3	9	15	17	80	87	60	47	22	14	20	21	21	9	11	10	13	9	5	2	–	–
	Female	202	1	9	9	14	24	37	15	14	10	6	12	4	9	9	8	5	11	4	1	–	–	–
	All other Male	153	–	12	4	7	21	27	21	18	6	8	8	5	3	4	6	–	2	–	–	1	–	–
	Female	64	–	2	4	2	10	5	11	10	5	6	2	3	2	–	1	–	–	–	1	–	–	–
E800–E807, E825–E949	All other accidents	653	9	35	23	29	40	52	52	30	32	32	23	27	37	22	27	41	38	39	35	17	5	8
	White Male	379	4	19	13	17	30	33	35	22	18	21	15	18	21	13	19	15	17	17	16	7	2	7
	Female	160	2	11	3	5	3	6	4	4	8	3	5	7	10	6	5	20	12	20	14	10	2	–
	All other Male	84	1	4	5	3	3	12	11	3	5	6	3	2	4	3	2	6	3	2	5	–	–	1
	Female	30	2	1	2	4	4	1	2	1	1	2	–	–	2	–	1	–	6	–	–	–	1	–
E950–E959	Suicide	493	...	...	–	4	44	68	59	47	34	29	38	44	25	29	19	25	9	7	8	–	2	2
	White Male	316	...	...	–	4	23	46	37	23	25	16	21	22	20	21	14	17	7	5	7	–	1	2
	Female	129	...	...	–	–	11	13	13	16	6	11	14	17	5	8	3	7	2	2	1	–	–	–
	All other Male	44	...	...	–	–	10	8	9	7	3	1	3	–	–	–	2	1	–	–	–	–	–	–
	Female	4	...	...	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
E960–E978	Homicide	240	2	12	1	3	32	38	23	22	21	15	16	15	13	9	6	4	6	1	–	–	–	1
	White Male	124	1	2	–	1	21	16	10	16	12	11	6	9	5	6	3	3	1	–	–	–	–	1
	Female	59	1	9	1	2	3	9	6	3	5	2	3	3	4	3	1	1	2	1	–	–	–	–
	All other Male	46	–	1	–	–	8	11	6	3	3	1	4	3	3	–	1	–	2	–	–	–	–	–
	Female	11	–	–	–	–	–	2	1	–	1	1	3	–	1	–	1	–	1	–	–	–	–	–
E980–E999	Other external causes	53	2	2	–	1	2	8	3	2	5	3	8	3	4	3	2	1	–	–	1	–	–	3
	White Male	30	1	–	–	1	1	7	2	–	3	1	4	2	3	2	–	–	–	–	1	–	–	2
	Female	16	–	2	–	–	1	–	1	1	2	1	3	–	1	1	2	1	–	–	–	–	–	–
	All other Male	7	1	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas																							
	All causes	21,364	550	83	71	85	218	262	220	188	222	318	543	881	1,314	1,754	2,485	2,910	2,921	2,863	2,135	992	347	2
	White Male	10,087	185	30	30	43	139	156	112	95	109	147	280	490	712	993	1,381	1,503	1,326	1,207	768	301	80	–
	Female	7,342	141	22	22	25	38	46	48	49	61	89	159	194	362	429	666	888	1,068	1,230	1,077	542	184	2
	All other Male	2,176	124	19	8	10	28	41	47	34	33	51	64	117	139	190	239	279	275	230	139	80	29	–
	Female	1,759	100	12	11	7	13	19	13	10	19	31	40	80	101	142	199	240	252	196	151	69	54	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	34	13	3	–	–	–	1	–	–	1	2	1	–	1	2	3	3	–	2	1	1	–	–
	White Male	13	3	2	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	2	1	1	–	–
	Female	8	–	–	–	–	–	1	–	–	–	1	1	–	–	2	1	2	–	–	–	–	–	–
	All other Male	5	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	40	–	–	–	–	–	–	–	–	–	1	2	4	3	6	2	7	5	3	6	1	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	3	3	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	3	1	–	3	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	34	–	–	–	–	–	–	–	–	–	1	2	3	2	5	2	7	3	2	6	1	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	2	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	3	1	–	3	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	87	16	1	–	1	–	–	1	1	–	2	1	2	6	1	11	6	7	9	16	4	2	–
	White Male	32	3	–	–	–	–	–	–	1	–	1	–	–	4	–	7	3	3	4	6	–	–	–
	Female	29	2	–	–	1	–	–	1	–	–	–	1	2	1	–	2	2	1	5	6	4	1	–
	All other Male	15	6	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	1	–	1	–
	Female	11	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	3	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	64	3	3	1	–	2	4	1	3	–	6	3	4	4	7	6	2	5	5	2	3	–	–
	White Male	23	1	1	–	–	1	2	–	1	–	1	1	1	3	1	5	–	1	2	1	1	–	–
	Female	26	–	1	1	–	1	–	1	1	–	2	–	3	1	5	1	2	2	3	1	1	–	–
	All other Male	6	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–
	Female	9	1	–	–	–	–	2	–	1	–	2	1	–	–	1	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,983	2	9	8	5	9	16	21	26	40	62	139	217	371	539	647	616	540	420	204	69	22	1
	White Male	1,979	1	5	2	5	4	9	8	9	13	19	53	100	174	302	361	325	266	204	85	30	4	–
	Female	1,374	1	1	3	–	1	4	11	12	19	34	71	67	132	158	200	187	176	163	89	30	14	1
	All other Male	359	–	1	1	–	1	2	1	2	5	9	9	24	34	38	58	56	56	37	20	4	1	–
	Female	271	–	2	2	–	3	1	1	3	3	–	6	26	31	41	28	48	42	16	10	5	3	–
140–149	Of buccal cavity and pharynx	70	–	–	–	–	–	–	–	–	2	–	3	4	5	10	12	9	6	10	5	2	2	–
	White Male	32	–	–	–	–	–	–	–	–	1	–	1	1	2	5	9	4	3	4	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	3	2	5	3	2	2	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	1	2	1	2	2	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	905	–	–	1	–	2	3	2	3	8	11	21	32	71	106	129	155	141	128	60	22	10	–
	White Male	403	–	–	–	–	2	2	1	2	–	2	9	15	29	52	61	81	56	61	18	11	1	–
	Female	340	–	–	1	–	–	1	1	1	6	5	10	9	22	32	45	53	52	53	34	8	7	–
	All other Male	91	–	–	–	–	–	–	–	–	1	4	2	4	12	11	14	11	18	9	4	1	–	–
	Female	71	–	–	–	–	–	–	–	–	1	–	–	4	8	11	9	10	15	5	4	2	2	–
160–163	Of respiratory system	1,056	–	–	1	–	1	–	–	2	9	18	42	77	109	186	220	169	127	68	20	6	1	–
	White Male	758	–	–	–	–	1	–	–	–	5	9	21	51	83	146	158	127	93	45	16	3	–	–
	Female	161	–	–	1	–	–	–	–	1	3	5	15	10	14	24	33	18	15	15	3	3	1	–
	All other Male	111	–	–	–	–	–	–	–	1	1	4	5	11	11	13	23	18	15	8	1	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	5	1	3	6	6	4	–	–	–	–	–
174	Of breast	296	–	–	–	–	–	–	2	5	3	14	23	18	47	35	38	37	35	22	9	7	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–
	Female	249	–	–	–	–	–	–	2	4	3	14	20	13	36	31	37	28	26	21	8	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	–	–	–	–	–	–	–	1	–	–	2	5	11	4	1	8	8	1	–	1	1	–
180–187	Of genital organs	483	–	–	–	–	2	3	4	4	5	3	12	19	28	59	63	78	73	82	28	17	3	–
	White Male	205	–	–	–	–	–	2	–	–	1	–	–	–	7	21	25	27	42	52	14	11	3	–
	Female	164	–	–	–	–	1	–	3	2	3	3	11	15	15	21	23	25	20	15	5	2	–	–
	All other Male	59	–	–	–	–	–	–	1	–	–	–	–	–	1	3	8	15	10	10	8	3	–	–
	Female	55	–	–	–	–	1	1	–	2	1	–	1	4	5	14	7	11	1	5	1	1	–	–
188, 189	Of urinary organs	172	–	1	–	–	–	–	–	–	–	1	4	11	11	26	26	24	28	14	19	6	1	–
	White Male	97	–	1	–	–	–	–	–	–	–	–	2	7	7	12	17	12	16	8	11	4	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	2	4	3	6	7	8	9	6	7	2	1	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	–	–	4	1	2	2	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	2	1	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	618	–	5	4	2	2	6	8	8	8	12	23	39	67	76	96	87	75	57	33	7	3	–
	White Male	296	–	1	1	2	–	4	4	5	4	7	13	20	28	43	55	44	29	23	12	1	–	–
	Female	235	–	1	1	–	–	2	3	2	3	5	8	10	29	27	34	32	32	26	13	5	2	–
	All other Male	43	–	1	–	–	1	–	–	1	–	–	1	4	6	4	5	4	6	4	5	–	1	–
	Female	44	–	2	2	–	1	–	1	–	1	–	1	5	4	2	2	7	8	4	3	1	–	–
204–207	Leukemia	153	2	3	2	3	1	2	4	3	2	–	1	6	11	11	23	21	21	20	16	–	1	–
	White Male	77	1	3	1	3	1	–	2	1	1	–	1	2	6	6	16	10	10	6	7	–	–	–
	Female	50	1	–	–	–	–	–	2	2	–	–	–	2	4	2	5	7	7	10	7	–	1	–
	All other Male	17	–	–	1	–	–	2	–	–	1	–	–	–	1	1	2	2	3	3	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	1	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	230	–	–	–	–	1	2	1	1	3	3	10	11	22	30	40	36	34	19	14	2	–	1
	White Male	107	–	–	–	–	–	1	1	1	1	1	5	4	12	17	20	19	16	5	4	–	–	–
	Female	96	–	–	–	–	–	1	–	–	1	2	4	3	8	12	15	13	13	12	9	2	–	1
	All other Male	17	–	–	–	–	–	–	–	–	1	–	–	3	2	–	3	3	2	2	1	–	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	1	1	–	1	2	1	3	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	59	–	2	–	2	1	–	2	3	1	–	2	4	1	6	7	10	6	9	2	1	–	–
	White Male	26	–	–	–	–	1	–	2	1	1	–	2	1	–	2	2	4	4	5	–	1	–	–
	Female	21	–	–	–	1	–	–	–	–	–	–	–	2	1	4	4	3	1	4	1	–	–	–
	All other Male	5	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	7	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	1	1	–	1	–	–	–
250	Diabetes mellitus	310	–	–	–	–	–	–	1	3	3	4	5	14	27	20	52	51	42	48	27	12	1	–
	White Male	83	–	–	–	–	–	–	1	3	1	–	1	5	9	5	15	17	6	14	4	2	–	–
	Female	147	–	–	–	–	–	–	–	–	2	1	–	4	11	8	23	23	28	22	20	5	–	–
	All other Male	30	–	–	–	–	–	–	–	–	–	2	1	–	4	–	6	5	4	5	–	3	–	–
	Female	50	–	–	–	–	–	–	–	–	–	1	3	5	3	7	8	6	4	7	3	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	21	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	6	2	5	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–	–	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas — Con.																							
280–285	Anemias	36	1	–	–	1	1	2	–	1	–	–	2	–	3	2	4	3	5	6	4	–	1	–
	White ..... Male	10	–	–	–	1	–	–	–	–	–	–	–	–	1	1	2	–	1	4	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	4	1	4	–	–	–
	All other ..... Male	7	1	–	–	–	–	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–
320	Meningitis	20	12	1	–	–	1	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–
	White ..... Male	5	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,109	12	5	6	2	2	13	20	20	56	103	210	371	557	819	1,263	1,656	1,754	1,801	1,474	709	255	1
	White ..... Male	5,071	4	2	2	2	–	4	5	10	28	53	121	240	349	489	693	833	760	711	505	200	60	–
	Female	4,073	4	–	2	–	–	2	6	3	11	22	40	56	111	158	326	512	672	827	778	403	139	1
	All other ..... Male	1,016	3	3	–	–	2	3	7	4	6	19	33	44	55	104	123	155	162	124	89	60	20	–
	Female	949	1	–	2	–	–	4	2	3	11	9	16	31	42	68	121	156	160	139	102	46	36	–
390–398, 402, 404, 410–429	Diseases of heart	7,843	10	2	3	–	2	7	16	18	45	86	171	313	458	662	978	1,201	1,198	1,156	919	446	151	1
	White ..... Male	3,869	3	1	2	–	–	2	5	9	23	47	110	215	303	420	577	640	543	466	330	140	33	–
	Female	2,697	3	–	–	–	–	–	4	3	6	19	24	39	84	128	236	358	450	531	481	245	85	1
	All other ..... Male	702	3	1	–	–	2	2	5	4	6	13	26	36	42	67	91	103	111	80	60	39	11	–
	Female	575	1	–	1	–	–	3	2	2	10	7	11	23	29	47	74	100	94	79	48	22	22	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	79	–	–	–	–	1	1	–	1	2	2	4	5	9	11	11	12	11	3	5	–	1	–
	White ..... Male	38	–	–	–	–	–	–	–	–	2	–	–	2	5	6	7	8	3	1	4	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	1	–	3	3	4	3	2	7	2	1	–	1	–
	All other ..... Male	7	–	–	–	–	1	–	–	1	–	–	3	–	1	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	1	1	–	–	1	1	1	1	–	–	–	–	–
402	Hypertensive heart disease	92	–	–	–	–	–	–	–	1	–	–	6	3	3	9	6	17	12	12	17	3	3	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	6	4	4	4	–	–	–
	Female	26	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	5	2	4	6	3	2	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	2	–	3	4	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	4	6	1	3	–	1	–
404	Hypertensive heart and renal disease	25	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	2	4	3	10	3	–	–
	White ..... Male	10	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	7	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
410–413	Ischemic heart disease	6,394	–	–	–	–	–	3	5	10	28	62	113	248	369	539	786	1,002	1,011	984	741	368	124	1
	White ..... Male	3,233	–	–	–	–	–	–	2	8	13	37	87	175	257	351	473	551	473	407	259	114	26	–
	Female	2,245	–	–	–	–	–	–	2	2	3	15	12	33	65	107	194	301	378	453	403	202	74	1
	All other ..... Male	499	–	–	–	–	–	1	1	–	4	7	10	22	28	49	67	77	88	59	43	34	9	–
	Female	417	–	–	–	–	–	2	–	–	8	3	4	18	19	32	52	73	72	65	36	18	15	–
410	Acute myocardial infarction	3,859	–	–	–	–	–	1	4	9	24	48	97	195	298	405	535	658	605	476	323	143	37	1
	White ..... Male	2,178	–	–	–	–	–	–	2	8	10	30	72	143	211	276	338	373	304	230	124	48	9	–
	Female	1,167	–	–	–	–	–	–	1	1	3	10	12	24	53	79	124	199	206	192	166	75	21	1
	All other ..... Male	299	–	–	–	–	–	1	1	–	4	7	9	18	19	30	44	47	57	24	21	14	3	–
	Female	215	–	–	–	–	–	–	–	–	7	1	4	10	15	20	29	39	38	30	12	6	4	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	5	1	1	–	2	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,522	–	–	–	–	–	1	1	1	3	14	16	52	71	134	251	339	405	507	417	223	87	–
	White ..... Male	1,049	–	–	–	–	–	–	–	–	2	7	15	31	46	75	135	175	169	176	135	66	17	–
	Female	1,073	–	–	–	–	–	–	1	1	–	5	–	9	12	28	70	100	171	261	236	126	53	–
	All other ..... Male	199	–	–	–	–	–	–	–	–	–	–	1	4	9	19	23	30	31	35	22	19	6	–
	Female	201	–	–	–	–	–	1	–	–	1	2	–	8	4	12	23	34	34	35	24	12	11	–
413	Angina pectoris	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	42	–	–	–	–	–	–	–	–	–	–	1	2	1	4	2	5	5	9	5	7	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	3	1	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	3	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	3	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,211	10	2	3	–	1	3	10	6	15	22	46	55	75	99	173	163	155	145	141	65	22	–
	White ..... Male	548	3	1	2	–	–	2	2	1	8	10	21	36	40	58	94	73	61	51	55	23	7	–
	Female	372	3	–	–	–	–	–	2	–	3	3	10	3	16	16	38	46	57	67	65	35	8	–
	All other ..... Male	175	3	1	–	–	1	1	4	3	2	6	12	13	11	15	22	23	22	17	12	5	2	–
	Female	116	1	–	1	–	–	–	2	2	2	3	3	3	8	10	19	21	15	10	9	2	5	–
400, 401, 403	Hypertension	68	–	–	–	–	–	–	–	1	1	1	1	4	1	7	9	7	10	9	12	3	2	–
	White ..... Male	22	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	1	2	6	5	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	5	3	5	2	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	1	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	–	3	1	1	2	1	2	–	2	–	–	–
430–438	Cerebrovascular diseases	2,634	2	3	3	2	–	5	3	1	9	15	33	50	82	123	214	368	467	523	439	218	74	–
	White ..... Male	919	1	1	–	2	–	1	–	1	3	6	8	21	32	54	83	146	172	189	135	48	16	–
	Female	1,128	1	–	2	–	–	2	2	–	5	3	14	16	27	20	68	128	188	241	241	130	40	–
	All other ..... Male	263	–	2	–	–	–	1	1	–	–	5	7	8	12	30	23	45	46	37	18	20	8	–
	Female	324	–	–	1	–	–	1	–	–	1	1	4	5	11	19	40	49	61	56	45	20	10	–
431	Cerebral hemorrhage	287	1	2	2	1	–	1	1	–	1	4	13	6	8	18	31	44	43	43	41	20	7	–
	White ..... Male	86	1	1	–	1	–	–	–	–	–	2	1	2	2	9	13	17	12	11	10	3	1	–
	Female	137	–	–	1	–	–	1	1	–	1	2	7	3	5	3	7	17	23	19	29	15	3	–
	All other ..... Male	26	–	1	–	–	–	–	–	–	–	–	4	–	1	2	3	2	2	5	1	2	3	–
	Female	38	–	–	1	–	–	–	–	–	–	–	1	1	–	4	8	8	6	8	1	–	–	–
433	Cerebral thrombosis	385	1	–	–	–	–	–	–	–	–	1	3	8	9	12	31	55	64	85	75	28	13	–
	White ..... Male	121	–	–	–	–	–	–	–	–	–	–	1	6	3	3	9	19	27	28	20	2	3	–
	Female	168	1	–	–	–	–	–	–	–	–	–	1	–	3	2	12	21	22	41	42	16	7	–
	All other ..... Male	37	–	–	–	–	–	–	–	–	–	–	1	2	3	3	2	9	6	6	1	3	1	–
	Female	59	–	–	–	–	–	–	–	–	–	1	–	–	–	4	8	6	9	10	12	7	2	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,956	–	1	1	1	–	4	2	1	7	10	17	36	65	93	151	268	358	394	323	170	54	–
	White ..... Male	709	–	–	–	1	–	1	–	1	3	4	6	13	27	42	60	110	132	149	105	43	12	–
	Female	820	–	–	1	–	–	1	1	–	3	1	6	13	19	15	49	89	142	181	170	99	30	–
	All other ..... Male	200	–	1	–	–	–	1	1	–	–	5	2	6	8	25	18	34	38	26	16	15	4	–
	Female	227	–	–	–	–	–	1	–	–	1	–	3	4	11	11	24	35	46	38	32	13	8	–
440	Arteriosclerosis	280	–	–	–	–	–	–	–	–	–	–	–	–	3	6	11	29	39	68	73	28	23	–
	White ..... Male	101	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5	13	14	24	26	5	9	–
	Female	132	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	10	21	35	34	19	11	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	2	6	8	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	3	5	3	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	284	–	–	–	–	–	1	1	–	1	1	5	4	13	21	51	51	40	45	31	14	5	–
	White ..... Male	160	–	–	–	–	–	1	–	–	1	–	3	4	11	11	24	33	29	26	9	6	2	–
	Female	90	–	–	–	–	–	–	–	–	–	–	1	–	–	6	19	14	8	17	17	7	1	–
	All other ..... Male	20	–	–	–	–	–	–	1	–	–	–	–	–	1	3	6	2	2	1	3	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	1	1	2	1	1	–
466	Acute bronchitis and bronchiolitis	9	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	3	2	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	550	35	6	1	3	5	2	2	4	3	3	6	17	18	17	32	56	82	96	100	49	13	–
	White ..... Male	257	10	1	–	1	3	–	1	2	1	1	2	10	9	12	20	34	36	45	48	17	4	–
	Female	201	2	2	–	2	2	1	1	2	2	1	1	4	4	3	3	18	35	43	40	28	7	–
	All other ..... Male	56	11	2	1	–	–	–	–	–	–	–	2	3	4	2	5	2	6	8	9	1	–	–
	Female	36	12	1	–	–	–	1	–	–	–	1	1	–	1	–	4	2	5	–	3	3	2	–
470–474	Influenza	27	1	1	–	1	–	–	–	–	1	–	–	1	1	–	3	3	4	2	6	3	–	–
	White ..... Male	10	–	–	–	1	–	–	–	–	1	–	–	1	–	–	2	3	–	1	1	–	–	–
	Female	11	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	3	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
480–486	Pneumonia	523	34	5	1	2	5	2	2	4	2	3	6	16	17	17	29	53	78	94	94	46	13	–
	White ..... Male	247	10	1	–	–	3	–	1	2	–	1	2	9	9	12	18	31	36	44	47	17	4	–
	Female	190	2	1	–	2	2	1	1	2	2	1	1	4	3	3	3	18	32	42	37	26	7	–
	All other ..... Male	55	11	2	1	–	–	–	–	–	–	–	2	3	4	2	5	2	6	8	8	1	–	–
	Female	31	11	1	–	–	–	1	–	–	–	1	1	–	1	–	3	2	4	–	2	2	2	–
490–493	Bronchitis, emphysema, and asthma	237	–	–	–	–	–	–	1	–	–	2	4	10	19	26	39	59	36	24	10	5	2	–
	White ..... Male	173	–	–	–	–	–	–	1	–	–	1	3	7	11	16	30	48	27	16	9	3	1	–
	Female	42	–	–	–	–	–	–	–	–	–	–	–	2	2	7	7	10	5	6	1	1	1	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	1	1	1	5	2	2	1	2	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas — Con.																							
490, 491	Chronic and unqualified bronchitis	47	–	–	–	–	–	–	–	–	–	1	1	3	5	3	9	11	5	6	–	1	2	–
	White ... Male	34	–	–	–	–	–	–	–	–	–	1	1	2	4	2	7	8	3	4	–	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	–	–	1	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	182	–	–	–	–	–	–	–	–	–	1	3	7	14	21	30	44	31	17	10	4	–	–
	White ... Male	136	–	–	–	–	–	–	–	–	–	–	2	5	7	14	23	38	24	12	9	2	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	2	1	5	6	5	4	5	1	1	–	–
	All other ... Male	14	–	–	–	–	–	–	–	–	–	1	1	–	5	2	1	1	2	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
493	Asthma	8	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	4	–	1	–	–	–	–
	White ... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	53	–	–	1	–	1	–	–	–	–	–	1	3	5	6	7	9	8	4	4	3	1	–
	White ... Male	32	–	–	1	–	–	–	–	–	–	–	–	2	2	4	3	7	6	3	2	2	–	–
	Female	16	–	–	–	–	1	–	–	–	–	–	1	–	2	2	3	1	1	1	2	1	1	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–	1	1	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
550–553, 560	Hernia and intestinal obstruction	63	4	–	–	–	1	–	1	1	–	–	–	2	3	1	9	7	8	12	9	3	2	–
	White ... Male	24	1	–	–	–	–	–	–	–	–	–	–	1	2	1	5	2	3	6	1	1	1	–
	Female	23	2	–	–	–	–	–	–	1	–	–	–	1	–	–	3	2	2	4	6	2	–	–
	All other ... Male	8	1	–	–	–	1	–	1	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	1	–
571	Cirrhosis of liver	162	–	–	–	–	–	1	2	5	3	8	18	19	22	29	14	15	13	8	4	1	–	–
	White ... Male	85	–	–	–	–	–	–	1	2	1	2	11	11	8	20	11	6	7	2	2	1	–	–
	Female	49	–	–	–	–	–	–	–	2	1	3	4	4	8	7	–	7	6	5	2	–	–	–
	All other ... Male	15	–	–	–	–	–	1	–	–	–	1	2	3	3	1	1	2	–	1	–	–	–	–
	Female	13	–	–	–	–	–	–	1	1	1	2	1	1	3	1	2	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	44	–	–	–	–	–	1	–	–	1	–	–	1	–	1	6	4	9	8	7	6	–	–
	White ... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	–	3	–	–
	Female	25	–	–	–	–	–	1	–	–	1	–	–	–	–	–	4	2	4	4	6	3	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
580–584	Nephritis and nephrosis	122	–	–	–	–	–	1	1	–	1	5	1	3	8	11	13	25	20	15	12	5	1	–
	White ... Male	35	–	–	–	–	–	–	1	–	1	1	–	–	3	1	2	13	5	5	2	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	4	9	7	9	2	–	–
	All other ... Male	26	–	–	–	–	–	1	–	–	–	2	–	2	1	4	4	4	4	1	–	2	1	–
	Female	21	–	–	–	–	–	–	–	–	–	2	1	1	3	3	2	4	2	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	36	–	–	–	–	–	–	1	–	1	1	1	–	1	3	3	9	8	6	1	1	–	–
	White ... Male	12	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	4	2	2	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	4	1	1	–	–
	All other ... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	86	–	–	–	–	–	1	–	–	–	4	–	3	7	8	10	16	12	9	11	4	1	–
	White ... Male	23	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	9	3	3	2	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	4	3	8	1	–	–
	All other ... Male	20	–	–	–	–	–	1	–	–	–	1	–	2	1	3	3	2	3	1	–	2	1	–
	Female	19	–	–	–	–	–	–	–	–	–	2	–	1	3	3	2	3	2	2	1	–	–	–
590	Infections of kidney	39	–	–	–	–	–	–	–	–	–	–	–	2	–	1	7	4	7	6	6	4	2	–
	White ... Male	17	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	2	2	3	2	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	1	1	–
	All other ... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	1	1	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	4	1	–	–
	White ... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	3	1	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	126	85	5	3	4	4	2	6	4	–	–	3	3	1	1	1	2	–	2	–	–	–	–
	White Male	48	30	1	1	2	1	1	4	3	–	–	2	1	1	1	–	–	–	–	–	–	–	–
	Female	45	29	2	1	1	2	1	1	1	–	–	1	1	–	–	1	2	–	2	–	–	–	–
	All other Male	19	16	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	14	10	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	252	252	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	885	66	3	1	4	1	5	3	3	5	15	20	46	60	67	90	101	119	127	80	45	24	–
	White Male	375	26	–	–	2	–	2	2	1	3	7	11	23	27	38	44	50	54	44	27	10	4	–
	Female	253	16	1	–	2	–	2	–	1	1	3	4	14	12	9	25	23	33	46	31	21	9	–
	All other Male	137	15	2	1	–	–	–	1	–	1	3	–	6	14	12	12	19	15	20	7	5	4	–
	Female	120	9	–	–	–	1	1	–	1	–	2	5	3	7	8	9	9	17	17	15	9	7	–
Residual	All other diseases	1,328	14	8	10	6	10	12	19	17	16	31	39	65	98	118	169	181	173	181	106	46	9	–
	White Male	657	7	4	–	3	3	5	6	9	6	16	14	35	43	56	111	95	92	91	42	17	2	–
	Female	458	2	3	5	2	4	4	7	6	3	4	18	13	47	43	35	61	61	60	48	26	6	–
	All other Male	124	3	1	2	–	1	2	4	2	6	2	4	10	5	12	7	17	13	20	10	2	1	–
	Female	89	2	–	3	1	2	1	2	–	1	9	3	7	3	7	16	8	7	10	6	1	–	–
E800–E949	Accidents	1,191	29	32	38	51	145	132	81	61	55	45	33	58	66	48	67	60	52	59	47	21	11	–
	White Male	702	10	12	24	24	105	92	55	36	32	28	23	32	42	28	40	36	24	27	22	6	4	–
	Female	287	8	10	8	15	22	19	12	13	12	12	4	15	13	10	17	16	20	22	22	13	4	–
	All other Male	148	3	5	3	9	15	19	13	12	8	5	5	9	7	7	8	6	5	7	–	1	1	–
	Female	54	8	5	3	3	3	2	1	–	3	–	1	2	4	3	2	2	3	3	3	1	2	–
E810–E823	Motor vehicle accidents	549	5	10	16	15	85	91	50	41	29	24	21	30	22	20	25	19	18	20	7	1	–	–
	White Male	354	2	3	9	6	63	61	35	25	22	16	19	16	15	11	11	10	12	11	6	1	–	–
	Female	122	2	3	4	7	12	17	8	12	5	6	2	8	4	7	8	5	5	6	1	–	–	–
	All other Male	60	–	2	1	1	8	11	7	4	1	2	–	5	3	2	5	4	1	3	–	–	–	–
	Female	13	1	2	2	1	2	2	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	642	24	22	22	36	60	41	31	20	26	21	12	28	44	28	42	41	34	39	40	20	11	–
	White Male	348	8	9	15	18	42	31	20	11	10	12	4	16	27	17	29	26	12	16	16	5	4	–
	Female	165	6	7	4	8	10	2	4	1	7	6	2	7	9	3	9	11	15	16	21	13	4	–
	All other Male	88	3	3	2	8	7	8	6	8	7	3	5	4	4	5	3	2	4	4	–	1	1	–
	Female	41	7	3	1	2	1	–	1	–	2	–	1	1	4	3	1	2	3	3	3	1	2	–
E950–E959	Suicide	251	...	...	–	2	17	34	18	9	17	9	37	13	20	13	19	19	15	6	3	–	–	–
	White Male	189	...	...	–	2	14	25	13	8	12	7	27	8	15	7	16	15	12	5	3	–	–	–
	Female	49	...	...	–	–	3	6	2	1	5	2	10	4	4	6	1	3	1	1	–	–	–	–
	All other Male	10	...	...	–	–	–	2	2	–	–	–	–	1	–	–	2	1	2	–	–	–	–	–
	Female	3	...	...	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	188	1	3	1	1	8	27	30	22	15	15	13	15	13	7	7	5	3	2	–	–	–	–
	White Male	72	–	1	–	–	2	10	9	6	7	7	9	6	6	3	1	2	3	–	–	–	–	–
	Female	27	–	1	1	1	1	4	3	4	2	2	1	–	1	1	2	2	–	1	–	–	–	–
	All other Male	77	1	1	–	–	4	9	15	12	6	5	2	8	5	3	4	1	–	1	–	–	–	–
	Female	12	–	–	–	–	1	4	3	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	68	1	1	1	3	8	7	8	4	4	5	3	4	7	3	6	3	–	–	–	–	–	–
	White Male	33	1	–	–	1	4	6	3	3	2	2	–	3	1	2	3	2	–	–	–	–	–	–
	Female	21	–	–	1	–	1	1	3	1	2	2	1	1	6	1	1	–	–	–	–	–	–	–
	All other Male	11	–	1	–	1	2	–	2	–	–	1	2	–	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California																							
	All causes	**170,399**	**4,186**	**803**	**546**	**546**	**2,267**	**3,188**	**2,798**	**2,413**	**2,379**	**3,362**	**5,095**	**8,223**	**11,465**	**14,798**	**17,737**	**20,849**	**21,191**	**20,998**	**16,557**	**8,787**	**2,947**	**64**
	White Male	83,640	1,904	381	275	293	1,442	2,045	1,663	1,334	1,279	1,657	2,673	4,382	6,190	8,321	9,963	10,758	10,310	9,006	6,168	2,785	769	42
	White Female	71,386	1,404	283	173	183	532	689	591	658	698	1,079	1,684	2,751	3,989	5,079	6,251	7,673	9,454	10,941	9,647	5,621	1,995	11
	All other Male	9,064	498	75	63	39	195	308	373	281	254	389	451	686	798	867	923	974	797	495	348	173	69	8
	All other Female	6,309	380	64	35	31	98	146	171	140	148	237	287	404	488	531	600	644	630	556	394	208	114	3
004, 006	Bacillary dysentery and amebiasis	11	2	2	–	–	–	1	1	–	1	–	–	–	1	1	1	1	–	–	–	–	–	–
	White Male	3	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Female	6	1	2	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	170	65	9	2	2	2	–	1	2	–	3	3	5	6	7	6	5	9	17	11	10	5	–
	White Male	72	31	3	2	1	1	–	–	1	–	1	1	4	2	3	3	1	5	4	5	3	1	–
	White Female	65	13	4	–	–	–	–	1	–	–	2	2	1	3	3	3	3	4	11	5	7	3	–
	All other Male	20	13	1	–	1	–	–	–	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–
	All other Female	13	8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
010–019	Tuberculosis, all forms	235	–	2	–	–	1	2	2	3	9	9	10	16	18	21	33	31	33	24	14	4	2	1
	White Male	110	–	1	–	–	1	1	–	–	5	5	2	10	6	10	17	19	13	12	6	1	–	1
	White Female	72	–	1	–	–	–	1	–	2	1	3	3	1	5	6	12	5	11	9	7	3	2	–
	All other Male	38	–	–	–	–	–	–	1	1	3	1	4	4	5	2	3	4	6	3	1	–	–	–
	All other Female	15	–	–	–	–	–	–	1	–	–	–	1	1	2	3	1	3	3	–	–	–	–	–
010–012	Tuberculosis of respiratory system	164	–	–	–	–	1	–	2	2	7	7	7	13	13	18	24	20	18	18	9	3	2	–
	White Male	84	–	–	–	–	1	–	–	–	4	4	2	9	5	10	13	11	9	10	5	1	–	–
	White Female	44	–	–	–	–	–	–	–	1	1	2	2	–	4	3	9	4	4	6	4	2	2	–
	All other Male	27	–	–	–	–	–	–	1	1	2	1	2	3	4	2	2	3	4	2	–	–	–	–
	All other Female	9	–	–	–	–	–	–	1	–	–	–	1	1	–	3	–	2	1	–	–	–	–	–
013–019	Tuberculosis, other forms	71	–	2	–	–	–	2	–	1	2	2	3	3	5	3	9	11	15	6	5	1	–	1
	White Male	26	–	1	–	–	–	1	–	–	1	1	–	1	1	–	4	8	4	2	1	–	–	1
	White Female	28	–	1	–	–	–	1	–	1	–	1	1	1	1	3	3	1	7	3	3	1	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	1	2	1	1	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	22	6	7	1	–	2	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–	–	–
	White Male	7	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	12	1	4	–	–	1	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	464	81	6	1	–	1	2	4	1	7	3	14	22	26	34	42	49	63	36	41	22	9	–
	White Male	215	43	3	–	–	–	1	2	–	–	–	6	11	13	15	20	26	28	18	17	8	4	–
	White Female	160	15	3	–	–	1	1	–	1	2	2	4	7	6	12	13	17	22	13	23	13	5	–
	All other Male	53	14	–	–	–	–	–	1	–	3	1	2	4	7	4	4	2	8	2	–	1	–	–
	All other Female	36	9	–	1	–	–	–	1	–	2	–	2	–	–	3	5	4	5	3	1	–	–	–
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	24	1	–	–	–	–	–	–	1	1	1	–	1	1	3	3	3	2	2	5	–	–	–
	White Male	13	1	–	–	–	–	–	–	1	1	–	–	–	1	–	1	2	1	–	5	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	419	30	13	11	8	11	16	18	16	12	13	22	23	32	41	36	43	23	25	18	6	2	–
	White Male	187	14	3	7	4	1	10	4	9	4	5	9	11	14	19	15	17	15	14	10	2	–	–
	White Female	155	12	7	3	4	6	4	7	3	4	6	7	7	10	16	16	15	6	10	6	4	2	–
	All other Male	47	2	2	–	–	2	2	3	1	3	2	4	2	5	5	2	9	1	1	1	–	–	–
	All other Female	30	2	1	1	–	2	–	4	3	1	–	2	3	3	1	3	2	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	36,848	11	64	96	73	134	156	217	303	469	764	1,460	2,604	3,951	4,828	5,401	5,277	4,524	3,542	2,062	748	161	3
	White..... Male	17,444	7	39	54	35	77	90	121	125	183	268	580	1,077	1,736	2,376	2,739	2,755	2,254	1,666	914	290	57	1
	Female	16,156	3	18	32	27	43	48	72	138	217	374	706	1,218	1,791	2,012	2,188	2,111	1,961	1,680	1,013	413	90	1
	All other..... Male	1,849	–	2	5	6	7	15	8	20	24	47	90	163	234	265	301	259	191	103	78	25	6	–
	Female	1,399	1	5	5	5	7	3	16	20	45	75	84	146	190	175	173	152	118	93	57	20	8	1
140–149	Of buccal cavity and pharynx	853	–	1	–	–	2	2	4	7	6	9	35	88	111	146	148	110	78	59	33	10	4	–
	White..... Male	474	–	–	–	–	1	2	3	2	1	2	17	50	70	72	100	54	43	40	12	3	2	–
	Female	289	–	–	–	–	–	–	–	4	2	4	9	28	31	60	35	46	26	18	18	6	2	–
	All other..... Male	70	–	–	–	–	–	–	1	1	3	3	7	6	7	13	9	9	8	–	2	1	–	–
	Female	20	–	1	–	–	1	–	–	–	–	–	2	4	3	1	4	1	1	1	1	–	–	–
150–159	Of digestive organs and peritoneum	9,562	1	2	–	3	8	10	23	50	71	138	282	502	927	1,166	1,392	1,457	1,358	1,097	736	283	56	–
	White..... Male	4,373	1	1	–	1	5	5	10	21	36	63	135	244	429	596	690	720	616	415	275	93	17	–
	Female	4,208	–	1	–	1	1	4	8	21	24	51	103	176	359	437	554	600	636	618	406	173	35	–
	All other..... Male	581	–	–	–	1	2	1	3	3	8	13	29	48	82	80	96	88	56	32	26	10	3	–
	Female	400	–	–	–	–	–	–	2	5	3	11	15	34	57	53	52	49	50	32	29	7	1	–
160–163	Of respiratory system	9,301	–	1	–	–	1	7	12	22	70	181	424	826	1,216	1,512	1,653	1,419	1,002	617	260	65	12	1
	White..... Male	5,906	–	–	–	–	–	1	9	14	32	79	232	446	709	971	1,086	1,002	702	427	157	34	4	1
	Female	2,602	–	1	–	–	1	2	3	5	27	72	139	274	393	414	428	326	246	155	86	25	5	–
	All other..... Male	602	–	–	–	–	–	4	–	3	8	19	35	73	92	103	107	70	45	24	15	3	1	–
	Female	191	–	–	–	–	–	–	–	–	3	11	18	33	22	24	32	21	9	11	2	3	2	–
174	Of breast	3,424	–	–	–	–	–	1	8	48	81	154	242	373	471	477	445	364	312	235	132	59	21	1
	White..... Male	20	–	–	–	–	–	–	–	–	–	2	–	–	4	5	3	1	3	1	–	1	–	–
	Female	3,153	–	–	–	–	–	1	7	38	63	134	223	343	423	438	415	342	298	223	129	56	19	1
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	249	–	–	–	–	–	–	1	10	18	18	19	30	44	33	27	21	11	10	3	2	2	–
180–187	Of genital organs	4,142	–	1	–	2	7	25	32	32	45	53	115	192	322	447	581	652	593	541	349	127	25	1
	White..... Male	1,799	–	1	–	1	2	19	17	14	7	2	6	18	51	127	233	315	325	323	239	82	17	–
	Female	1,944	–	–	–	1	3	5	11	17	30	38	92	153	229	271	301	263	221	187	81	35	6	–
	All other..... Male	200	–	–	–	–	1	1	–	–	1	–	3	2	13	25	26	47	34	19	20	8	–	–
	Female	199	–	–	–	–	1	–	4	1	7	13	14	19	29	24	21	27	13	12	9	2	2	1
188, 189	Of urinary organs	1,576	–	5	9	–	2	4	1	3	9	27	34	76	133	185	209	256	243	217	121	37	5	–
	White..... Male	969	–	2	4	–	–	2	–	–	5	17	28	46	83	124	137	155	148	129	70	19	–	–
	Female	494	–	3	3	–	1	2	–	2	2	8	4	22	41	49	52	87	79	75	44	17	3	–
	All other..... Male	69	–	–	–	–	1	–	–	1	–	–	2	5	5	8	15	11	9	7	3	–	2	–
	Female	44	–	–	2	–	–	–	1	–	2	2	–	3	4	4	5	3	7	6	4	1	–	–
170–173, 190–199	Of all other and unspecified sites	4,381	7	33	37	32	53	47	59	70	108	127	193	330	454	535	546	521	477	410	227	91	24	–
	White..... Male	2,115	4	23	22	16	30	31	31	37	58	63	95	162	234	284	269	253	210	170	83	30	10	–
	Female	1,928	2	7	11	14	18	12	22	24	42	47	79	133	185	211	231	239	232	213	135	58	13	–
	All other..... Male	184	–	1	3	1	2	3	2	6	2	7	10	20	25	22	25	13	19	15	7	1	–	–
	Female	154	1	2	1	1	3	1	4	3	6	10	9	15	10	18	21	16	16	12	2	2	1	–
204–207	Leukemia	1,435	2	21	44	30	43	37	41	28	33	31	47	77	103	127	148	186	165	139	89	33	11	–
	White..... Male	762	2	12	24	14	28	17	26	16	18	16	21	44	53	71	84	113	81	66	39	11	6	–
	Female	571	–	6	17	10	14	14	12	10	11	11	22	28	39	47	52	64	74	68	47	20	5	–
	All other..... Male	56	–	1	2	2	–	5	–	1	–	2	3	2	5	4	10	4	9	2	2	2	–	–
	Female	46	–	2	1	4	1	1	3	1	4	2	1	3	6	5	2	5	1	3	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	2,174	1	–	6	6	18	23	37	43	46	44	88	140	214	233	279	312	296	227	115	43	3	–
	White..... Male	1,026	–	–	4	3	11	13	25	21	26	24	46	67	103	126	137	142	126	95	39	17	1	–
	Female	967	1	–	1	1	5	8	9	17	16	9	35	61	91	85	120	144	149	123	67	23	2	–
	All other..... Male	85	–	–	–	2	1	1	2	5	2	3	1	7	5	9	13	17	11	3	3	–	–	–
	Female	96	–	–	1	–	1	1	1	–	2	8	6	5	15	13	9	9	10	6	6	3	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	490	2	3	6	4	5	9	8	10	12	10	21	34	38	57	53	55	63	40	45	12	3	–
	White..... Male	205	2	1	1	1	3	4	5	7	5	4	8	13	11	21	27	25	30	14	21	2	–	–
	Female	242	–	1	3	2	2	5	2	–	6	3	8	18	24	30	24	26	31	23	22	10	2	–
	All other..... Male	26	–	1	1	1	–	–	1	1	1	1	2	2	2	5	2	4	1	–	1	–	–	–
	Female	17	–	–	1	–	–	–	–	2	–	2	3	1	1	1	–	–	1	3	1	–	1	–
250	Diabetes mellitus	2,233	–	–	3	5	5	7	15	37	24	46	48	93	149	218	306	329	329	318	180	103	18	–
	White..... Male	821	–	–	–	–	1	3	5	14	16	22	16	38	61	92	132	109	112	110	50	35	5	–
	Female	1,132	–	–	3	4	3	2	5	19	7	18	24	40	65	90	129	167	182	183	118	63	10	–
	All other..... Male	113	–	–	–	–	1	–	3	2	1	5	6	6	6	13	14	31	11	8	5	1	–	–
	Female	167	–	–	–	1	–	2	2	2	–	1	2	9	17	23	31	22	24	17	7	4	3	–
260–269	Avitaminoses and other nutritional deficiencies	235	5	1	–	1	–	–	1	–	–	–	3	4	9	9	13	21	25	51	50	24	18	–
	White..... Male	99	1	1	–	1	–	–	–	–	–	–	2	2	5	4	9	10	13	16	17	13	5	–
	Female	114	3	–	–	–	–	–	–	–	–	–	1	2	2	5	2	8	11	32	29	9	10	–
	All other..... Male	11	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	2	1	1	–
	Female	11	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	3	2	1	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California — Con.																							
280–285	Anemias	261	3	6	4	7	9	8	5	9	3	3	9	9	13	18	27	27	21	30	31	16	3	–
	White Male	94	2	–	1	4	4	2	2	1	1	2	1	5	5	9	10	16	8	9	8	3	1	–
	Female	115	–	1	1	2	1	–	1	1	1	1	5	3	6	8	15	8	10	18	21	10	2	–
	All other Male	27	–	2	2	–	1	4	1	5	1	–	–	–	2	1	2	2	1	1	1	1	–	–
	Female	25	1	3	–	1	3	2	1	2	–	–	3	1	–	–	–	1	2	2	1	2	–	–
320	Meningitis	143	41	28	–	1	3	3	3	1	2	2	5	6	6	11	7	10	6	3	4	–	1	–
	White Male	74	21	17	–	1	–	1	2	–	1	2	3	1	3	4	5	5	2	3	3	–	–	–
	Female	38	10	5	–	–	–	1	–	1	–	–	1	3	1	6	2	3	3	–	1	–	1	–
	All other Male	24	7	4	–	–	3	1	1	–	1	–	1	2	1	1	–	1	1	–	–	–	–	–
	Female	7	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	82,479	84	20	22	24	47	106	150	245	372	833	1,592	2,948	4,380	6,333	8,348	10,541	12,459	13,565	11,547	6,552	2,301	10
	White Male	39,131	44	10	12	14	21	52	82	116	218	485	1,002	1,895	2,816	3,938	4,993	5,695	5,852	5,448	3,953	1,920	560	5
	Female	37,240	27	5	5	7	14	34	31	71	80	177	331	649	1,051	1,778	2,634	3,988	5,801	7,465	7,125	4,359	1,607	1
	All other Male	3,391	9	2	3	1	10	12	21	31	47	115	164	270	337	385	434	492	411	283	199	113	50	2
	Female	2,717	4	3	2	2	2	8	16	27	27	56	95	134	176	232	287	366	395	369	270	160	84	2
390–398, 402, 404, 410–429	Diseases of heart	60,288	64	13	13	16	32	55	91	157	283	672	1,302	2,474	3,661	5,241	6,625	8,031	8,845	9,307	7,647	4,202	1,547	10
	White Male	30,428	33	6	7	6	11	25	47	81	186	428	875	1,687	2,469	3,422	4,083	4,469	4,325	3,864	2,729	1,280	390	5
	Female	25,437	21	4	2	7	11	19	19	42	47	117	230	468	794	1,332	2,007	2,942	3,981	4,992	4,599	2,744	1,058	1
	All other Male	2,578	7	1	2	1	8	9	17	23	32	91	134	224	280	317	333	360	279	206	140	71	41	2
	Female	1,845	3	2	2	2	2	2	8	11	18	36	63	95	118	170	202	260	260	245	179	107	58	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,444	–	–	1	2	6	5	9	12	13	36	47	82	99	167	192	221	220	180	106	37	9	–
	White Male	579	–	–	1	–	1	2	4	5	5	15	14	43	45	82	91	78	87	66	29	9	2	–
	Female	771	–	–	–	2	1	3	3	4	4	15	19	31	49	80	89	135	124	104	74	27	7	–
	All other Male	45	–	–	–	–	3	–	1	1	2	4	5	7	2	2	7	5	3	–	3	–	–	–
	Female	49	–	–	–	–	1	–	1	2	2	2	9	1	3	3	5	3	6	10	–	1	–	–
402	Hypertensive heart disease	659	–	–	–	–	–	1	3	5	6	14	22	28	31	63	79	79	101	98	73	44	12	–
	White Male	220	–	–	–	–	–	1	2	4	3	4	9	13	15	25	33	27	34	24	13	8	5	–
	Female	332	–	–	–	–	–	–	–	–	2	3	7	7	9	23	29	41	55	66	52	31	7	–
	All other Male	55	–	–	–	–	–	–	1	–	1	2	3	6	5	8	8	5	8	4	2	2	–	–
	Female	52	–	–	–	–	–	–	–	1	–	5	3	2	2	7	9	6	4	4	6	3	–	–
404	Hypertensive heart and renal disease	198	–	1	–	–	–	–	–	–	2	3	3	5	4	12	17	23	29	43	35	10	11	–
	White Male	89	–	–	–	–	–	–	–	–	–	1	–	1	1	6	6	12	18	21	15	5	3	–
	Female	85	–	1	–	–	–	–	–	–	2	–	2	1	3	3	6	10	7	20	17	5	8	–
	All other Male	15	–	–	–	–	–	–	–	–	–	2	–	2	–	3	2	–	3	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	1	1	–	2	–	–	–
410–413	Ischemic heart disease	55,007	2	1	–	1	2	4	30	89	196	546	1,138	2,201	3,316	4,726	6,038	7,393	8,157	8,638	7,103	3,962	1,454	10
	White Male	28,112	2	1	–	–	1	2	15	51	144	376	813	1,553	2,300	3,172	3,779	4,174	4,031	3,598	2,512	1,190	363	5
	Female	23,041	–	–	–	–	1	2	5	20	24	72	165	377	660	1,131	1,790	2,652	3,649	4,626	4,270	2,604	992	1
	All other Male	2,261	–	–	–	1	–	–	10	13	23	76	114	194	251	280	297	329	241	192	129	68	41	2
	Female	1,593	–	–	–	–	–	–	–	5	5	22	46	77	105	143	172	238	236	222	162	100	58	2
410	Acute myocardial infarction	21,743	2	1	–	–	1	3	13	38	112	248	563	1,049	1,651	2,273	2,859	3,370	3,378	2,988	2,020	900	273	1
	White Male	12,397	2	1	–	–	–	2	3	24	84	187	412	756	1,211	1,591	1,846	2,001	1,773	1,328	791	303	81	1
	Female	7,975	–	–	–	–	1	1	4	9	17	34	88	176	316	502	840	1,148	1,449	1,522	1,145	551	172	–
	All other Male	841	–	–	–	–	–	–	6	2	10	20	46	87	97	126	108	129	89	61	38	15	7	–
	Female	530	–	–	–	–	–	–	–	3	1	7	17	30	27	54	65	92	67	77	46	31	13	–
411	Other acute and subacute forms of ischemic heart disease	240	–	–	–	–	–	–	–	2	6	6	6	8	26	23	25	35	34	30	18	14	7	–
	White Male	133	–	–	–	–	–	–	–	2	6	6	6	6	18	16	15	18	15	10	10	3	2	–
	Female	98	–	–	–	–	–	–	–	–	–	–	–	2	4	6	10	17	17	19	8	10	5	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	2	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	33,016	–	–	–	1	1	1	17	49	78	292	569	1,144	1,639	2,430	3,153	3,985	4,743	5,620	5,063	3,048	1,174	9
	White Male	15,578	–	–	–	–	1	–	12	25	54	183	395	791	1,071	1,565	1,918	2,153	2,242	2,260	1,740	884	280	4
	Female	14,965	–	–	–	–	–	1	1	11	7	38	77	199	340	623	939	1,487	2,182	3,085	3,116	2,043	815	1
	All other Male	1,411	–	–	–	1	–	–	4	11	13	56	68	107	151	153	189	199	150	130	91	52	34	2
	Female	1,062	–	–	–	–	–	–	–	2	4	15	29	47	77	89	107	146	169	145	116	69	45	2
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	345	4	–	3	1	6	12	18	11	8	11	9	13	14	29	31	34	25	42	44	20	10	–
	White Male	176	3	–	1	–	3	3	9	3	7	5	3	10	8	19	21	18	12	21	17	12	1	–
	Female	131	1	–	–	1	1	4	5	4	1	5	4	1	5	7	9	12	10	20	25	7	9	–
	All other Male	21	–	–	1	–	2	3	3	3	–	1	1	–	1	1	–	3	2	–	–	–	–	–
	Female	17	–	–	1	–	–	2	1	1	–	–	1	2	–	2	1	1	1	1	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California – Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,635	58	11	9	12	18	33	31	40	58	62	83	145	197	244	268	281	313	306	286	129	51	–
	White..... Male	1,252	28	5	5	6	6	17	17	18	27	27	36	67	100	118	153	160	143	134	113	56	16	–
	Female	1,077	20	3	2	4	8	10	6	14	14	22	33	51	68	88	84	92	136	156	161	70	35	–
	All other..... Male	181	7	1	1	–	3	6	2	6	6	6	11	15	21	23	19	18	22	8	5	1	–	–
	Female	125	3	2	1	2	1	–	6	2	11	7	3	12	8	15	12	11	12	8	7	2	–	–
400, 401, 403	Hypertension	449	–	–	–	–	–	2	–	5	5	9	6	7	13	14	39	52	86	86	64	41	20	–
	White..... Male	188	–	–	–	–	–	2	–	1	1	3	2	3	7	5	19	21	40	36	26	13	9	–
	Female	204	–	–	–	–	–	–	–	1	1	2	1	2	3	7	12	22	40	41	33	28	11	–
	All other..... Male	27	–	–	–	–	–	–	–	2	3	2	1	1	1	2	2	4	3	2	4	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	2	2	1	2	–	6	5	3	7	1	–	–	–
430–438	Cerebrovascular diseases	16,694	17	7	9	6	12	40	52	72	63	126	241	368	534	803	1,217	1,858	2,734	3,308	3,005	1,718	504	–
	White..... Male	6,193	8	4	5	6	8	22	31	31	22	43	99	145	238	341	603	845	1,093	1,163	910	465	111	–
	Female	9,147	6	1	3	–	2	13	11	22	24	49	88	152	204	349	470	815	1,442	1,977	1,972	1,179	368	–
	All other..... Male	646	2	1	1	–	2	2	4	6	10	19	28	36	48	58	78	110	98	63	45	31	4	–
	Female	708	1	1	–	–	–	3	6	13	7	15	26	35	44	55	66	88	101	105	78	43	21	–
431	Cerebral hemorrhage	2,031	9	1	3	2	–	12	15	30	21	48	75	113	171	185	202	279	292	267	209	77	20	–
	White..... Male	822	6	–	1	2	–	9	10	16	9	19	35	40	86	81	90	111	127	97	62	18	3	–
	Female	979	2	–	1	–	–	–	4	6	7	17	21	43	56	73	92	138	152	158	135	58	16	–
	All other..... Male	124	1	1	1	–	–	1	–	5	4	8	13	15	10	14	17	19	9	2	4	–	–	–
	Female	106	–	–	–	–	–	2	1	3	1	4	6	15	19	17	3	11	4	10	8	1	1	–
433	Cerebral thrombosis	4,290	1	3	–	–	–	1	2	6	3	9	31	45	95	156	314	486	736	933	807	514	148	–
	White..... Male	1,597	–	2	–	–	–	1	2	3	–	4	17	24	45	71	170	234	305	315	244	130	30	–
	Female	2,367	1	1	–	–	–	–	–	2	2	–	6	13	25	67	110	200	376	570	531	354	109	–
	All other..... Male	151	–	–	–	–	–	–	–	–	1	3	7	6	16	9	21	26	20	20	12	9	1	–
	Female	175	–	–	–	–	–	–	–	1	–	2	1	2	9	9	13	26	35	28	20	21	8	–
434	Cerebral embolism	50	–	–	–	–	–	–	–	1	–	–	1	1	–	1	3	9	11	12	7	3	1	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	1	2	3	–	–
	Female	31	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	3	7	11	4	–	1	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	10,323	7	3	6	4	12	27	35	35	39	69	134	209	268	461	698	1,084	1,695	2,096	1,982	1,124	335	–
	White..... Male	3,761	2	2	4	4	8	12	19	12	13	20	47	81	107	189	343	495	659	750	602	314	78	–
	Female	5,770	3	–	2	–	2	13	7	13	15	32	61	95	123	209	265	474	907	1,238	1,302	767	242	–
	All other..... Male	368	1	–	–	–	2	1	4	1	5	8	7	15	22	34	40	64	69	41	29	22	3	–
	Female	424	1	1	–	–	–	1	5	9	6	9	19	18	16	29	50	51	60	67	49	21	12	–
440	Arteriosclerosis	2,475	–	–	–	–	–	–	–	2	1	2	9	19	36	58	109	182	351	476	580	456	194	–
	White..... Male	902	–	–	–	–	–	–	–	–	1	1	6	9	21	33	62	90	138	191	189	120	41	–
	Female	1,470	–	–	–	–	–	–	–	1	–	–	3	8	10	21	41	82	181	276	378	322	147	–
	All other..... Male	46	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	4	16	2	6	8	3	–
	Female	57	–	–	–	–	–	–	–	1	–	–	–	–	4	3	4	6	16	7	7	6	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,573	3	–	–	2	3	9	7	9	20	24	34	80	136	217	358	418	443	388	251	135	36	–
	White..... Male	1,420	3	–	–	2	2	3	4	3	8	10	20	51	81	137	226	270	256	194	99	42	9	–
	Female	982	–	–	–	–	1	2	1	5	8	9	9	19	40	69	104	127	157	179	143	86	23	–
	All other..... Male	94	–	–	–	–	–	1	–	–	2	2	1	7	7	7	19	14	15	10	4	3	2	–
	Female	77	–	–	–	–	–	3	2	1	2	3	4	3	8	4	9	7	15	5	5	4	2	–
466	Acute bronchitis and bronchiolitis	74	11	5	1	–	1	3	–	2	1	–	–	5	4	2	5	3	7	7	11	4	2	–
	White..... Male	37	5	1	1	–	–	2	–	1	1	–	–	3	3	2	4	3	4	3	4	–	–	–
	Female	30	5	–	–	–	–	1	–	1	–	–	–	2	1	–	1	–	3	4	7	3	2	–
	All other..... Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	4,257	134	26	14	9	22	23	30	16	37	44	60	99	143	213	253	385	561	781	737	501	169	–
	White..... Male	1,995	51	15	4	2	13	14	14	4	16	19	32	45	79	116	145	215	305	349	326	176	55	–
	Female	1,966	57	6	9	5	7	6	10	7	13	16	19	38	50	75	86	143	224	397	379	312	107	–
	All other..... Male	203	14	2	1	2	–	2	6	4	7	6	7	11	12	16	18	19	24	22	16	10	4	–
	Female	93	12	3	–	–	2	1	–	1	1	3	2	5	2	6	4	8	8	13	16	3	3	–
470–474	Influenza	88	2	2	–	–	–	–	–	–	–	1	1	2	2	1	2	5	11	19	20	15	5	–
	White..... Male	28	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	5	9	4	2	–
	Female	54	1	–	–	–	–	–	–	–	–	1	–	1	1	1	1	3	7	14	10	11	3	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	1	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	4,169	132	24	14	9	22	23	30	16	37	43	59	97	141	212	251	380	550	762	717	486	164	–
	White..... Male	1,967	50	14	4	2	13	14	14	4	16	19	31	45	79	116	144	213	303	344	317	172	53	–
	Female	1,912	56	6	9	5	7	6	10	7	13	15	19	37	49	74	85	140	217	383	369	301	104	–
	All other..... Male	198	14	2	1	2	–	2	6	4	7	6	7	10	11	16	18	19	22	22	15	10	4	–
	Female	92	12	2	–	–	2	1	–	1	1	3	2	5	2	6	4	8	8	13	16	3	3	–
490–493	Bronchitis, emphysema, and asthma	2,449	7	2	4	4	6	7	5	11	10	23	37	65	161	277	429	484	403	279	165	53	16	1
	White..... Male	1,556	3	1	–	1	3	6	3	5	8	10	18	31	89	162	293	337	266	180	104	26	9	1
	Female	771	1	1	2	2	2	1	1	5	2	7	13	20	63	102	118	132	127	89	55	22	6	–
	All other..... Male	87	1	–	2	1	–	–	1	–	–	2	5	10	5	11	14	12	9	7	4	2	1	–
	Female	35	2	–	–	–	1	–	–	1	–	4	1	4	4	2	4	3	1	3	2	3	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California — Con.																							
490, 491	Chronic and unqualified bronchitis	501	6	2	3	1	2	4	1	3	1	2	5	8	35	51	88	88	67	62	45	20	7	–
	White Male	283	2	1	–	–	2	4	1	–	–	1	3	4	19	27	54	58	40	37	19	7	4	–
	Female	196	1	1	1	1	–	–	–	2	1	1	1	3	14	24	30	28	27	22	26	11	2	–
	All other Male	13	1	–	2	–	–	–	–	–	–	–	1	1	1	–	2	–	–	3	–	1	1	–
	Female	9	2	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	–	–	–	1	–	–
492	Emphysema	1,773	–	–	1	–	–	1	1	3	3	13	26	44	113	207	317	378	313	197	115	32	8	1
	White Male	1,220	–	–	–	–	–	1	–	1	3	7	12	23	68	128	231	275	222	140	85	19	4	1
	Female	476	–	–	1	–	–	–	–	2	–	3	9	13	41	67	74	92	82	53	24	11	4	–
	All other Male	63	–	–	–	–	–	–	1	–	–	1	4	6	2	10	11	10	9	4	4	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	2	1	2	2	2	1	1	–	–	2	1	–	–
493	Asthma	175	1	–	–	3	4	2	3	5	6	8	6	13	13	19	24	18	23	20	5	1	1	–
	White Male	53	1	–	–	1	1	1	2	4	5	2	3	4	2	7	8	4	4	3	–	–	1	–
	Female	99	–	–	–	1	2	1	1	1	1	3	3	4	8	11	14	12	18	14	5	–	–	–
	All other Male	11	–	–	–	1	–	–	–	–	–	1	–	3	2	1	1	2	–	–	–	–	–	–
	Female	12	–	–	–	–	1	–	–	–	–	2	–	2	1	–	1	–	1	3	–	1	–	–
531–533	Peptic ulcer	654	1	–	–	–	2	5	4	3	5	14	16	31	50	58	75	80	87	95	77	44	7	–
	White Male	328	–	–	–	–	1	4	1	1	2	3	12	20	26	35	47	45	45	47	24	14	1	–
	Female	258	1	–	–	–	1	–	1	1	2	4	3	6	14	19	24	25	32	43	49	28	5	–
	All other Male	43	–	–	–	–	–	–	1	–	1	4	1	4	7	3	2	7	7	3	3	–	–	–
	Female	25	–	–	–	–	–	1	1	1	–	3	–	1	3	1	2	3	3	2	1	2	1	–
540–543	Appendicitis	71	1	3	1	2	–	1	–	2	5	3	2	1	2	9	7	7	12	5	6	2	–	–
	White Male	41	–	3	1	2	–	1	–	2	3	1	1	1	1	5	4	3	5	4	3	1	–	–
	Female	22	–	–	–	–	–	–	–	–	2	2	1	–	–	4	1	2	5	1	3	1	–	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	492	38	1	3	1	2	2	–	3	2	7	10	14	14	27	38	65	76	69	64	44	12	–
	White Male	181	18	–	3	–	1	2	–	1	1	3	3	4	3	10	16	27	23	26	22	14	4	–
	Female	267	13	1	–	1	1	–	–	1	–	3	4	6	7	14	16	34	49	39	41	29	8	–
	All other Male	23	5	–	–	–	–	–	–	1	1	–	1	1	2	3	1	2	3	2	–	1	–	–
	Female	21	2	–	–	–	–	–	–	–	–	1	2	3	2	–	5	2	1	2	1	–	–	–
571	Cirrhosis of liver	4,309	11	2	–	–	5	8	44	93	184	357	479	658	695	652	536	304	175	77	20	5	1	3
	White Male	2,459	2	–	–	–	3	3	20	48	110	188	269	373	403	401	313	164	110	41	5	3	–	3
	Female	1,421	5	1	–	–	–	2	13	28	44	110	144	219	236	198	192	126	53	34	13	2	1	–
	All other Male	300	3	1	–	–	–	1	5	11	17	45	42	49	45	47	20	6	6	1	1	–	–	–
	Female	129	1	–	–	–	2	2	6	6	13	14	24	17	11	6	11	8	6	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	270	–	–	–	–	–	1	–	–	2	3	6	6	14	18	14	37	51	40	44	23	11	–
	White Male	107	–	–	–	–	–	–	–	–	–	2	2	1	8	8	7	22	17	22	11	4	3	–
	Female	139	–	–	–	–	–	1	–	–	2	1	1	3	4	9	7	11	29	16	30	18	7	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	2	3	1	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	2	1	1	–	1	–
580–584	Nephritis and nephrosis	549	5	2	2	–	3	7	5	12	10	8	16	34	26	40	52	59	84	95	48	29	12	–
	White Male	260	2	–	2	–	–	2	1	9	4	2	9	12	13	12	22	32	44	46	28	15	5	–
	Female	204	2	2	–	–	1	3	2	2	2	2	1	12	6	18	20	18	31	44	20	11	7	–
	All other Male	43	1	–	–	–	2	–	2	–	2	3	5	6	3	2	6	4	4	1	–	2	–	–
	Female	42	–	–	–	–	–	2	–	1	2	1	1	4	4	8	4	5	5	4	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	123	5	1	1	–	1	–	1	–	–	–	3	8	5	8	11	11	21	20	15	9	3	–
	White Male	67	2	–	1	–	–	–	–	–	–	–	2	2	3	3	6	7	15	11	8	6	1	–
	Female	43	2	1	–	–	–	–	–	–	–	–	–	3	1	3	4	4	6	8	7	2	2	–
	All other Male	7	1	–	–	–	1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	426	–	1	1	–	2	7	4	12	10	8	13	26	21	32	41	48	63	75	33	20	9	–
	White Male	193	–	–	1	–	–	2	1	9	4	2	7	10	10	9	16	25	29	35	20	9	4	–
	Female	161	–	1	–	–	1	3	2	2	2	2	1	9	5	15	16	14	25	36	13	9	5	–
	All other Male	36	–	–	–	–	1	–	1	–	2	3	4	5	3	2	5	4	4	1	–	1	–	–
	Female	36	–	–	–	–	–	2	–	1	2	1	1	2	3	6	4	5	5	3	–	1	–	–
590	Infections of kidney	328	2	–	–	–	1	1	1	2	2	3	1	8	8	21	25	44	58	54	64	25	8	–
	White Male	122	–	–	–	–	–	–	–	–	–	3	–	–	1	11	7	18	29	22	20	11	–	–
	Female	174	2	–	–	–	1	–	–	1	2	–	1	5	5	9	13	23	22	29	41	13	7	–
	All other Male	14	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	2	5	2	–	–	1	–
	Female	18	–	–	–	–	–	1	1	–	–	–	–	1	1	1	5	1	2	1	3	1	–	–
600	Hyperplasia of prostate	102	–	–	–	–	–	–	–	–	–	–	–	2	1	6	1	8	13	21	39	11	–	–
	White Male	92	–	–	–	–	–	–	–	–	–	–	–	1	1	6	1	7	12	18	35	11	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	4	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	34	–	–	–	–	3	10	10	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	25	–	–	–	–	2	8	9	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	1	2	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	33	–	–	–	–	3	10	9	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	24	–	–	–	–	2	8	8	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	1	2	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	1,349	863	108	38	30	41	40	29	22	20	11	21	20	16	25	18	13	9	13	7	1	1	3
	White Male	622	403	39	15	16	22	19	14	11	9	5	11	7	7	13	10	4	5	6	4	1	–	1
	Female	540	334	56	17	13	14	14	9	8	7	3	7	11	6	10	8	9	4	7	2	–	–	1
	All other Male	92	60	9	2	1	3	2	2	2	3	2	–	1	2	2	–	–	–	–	–	–	–	1
	Female	95	66	4	4	–	2	5	4	1	1	1	3	1	1	–	–	–	–	–	1	–	1	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,821	1,818	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	803	803	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	594	592	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	243	242	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	181	181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,044	1,043	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	475	475	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	340	339	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	132	132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	777	775	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	328	328	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	254	253	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	111	110	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,187	627	21	5	2	15	42	53	30	22	26	35	32	30	39	25	29	43	29	31	25	14	12
	White Male	558	296	11	3	1	8	21	26	14	7	13	17	15	15	21	10	14	19	18	10	7	4	8
	Female	417	189	5	1	–	4	15	17	11	13	6	14	11	13	15	13	11	19	9	21	18	9	3
	All other Male	117	81	–	1	–	1	2	6	3	2	3	2	4	2	2	–	1	5	–	–	–	1	1
	Female	95	61	5	–	1	2	4	4	2	–	4	2	2	–	1	2	3	–	2	–	–	–	–
Residual	All other diseases	11,234	185	88	45	51	114	129	175	175	195	277	386	560	785	1,039	1,313	1,505	1,523	1,277	919	372	121	–
	White Male	5,638	85	43	17	32	61	72	83	70	90	112	169	272	372	552	723	828	805	659	412	141	40	–
	Female	4,508	64	33	20	12	38	36	53	70	59	97	151	204	328	391	480	564	612	556	461	210	69	–
	All other Male	604	19	5	2	2	9	12	21	20	26	36	39	48	49	52	58	70	62	36	21	13	4	–
	Female	484	17	7	6	5	6	9	18	15	20	32	27	36	36	44	52	43	44	26	25	8	8	–
E800–E949	Accidents	10,420	105	336	257	249	1,265	1,540	1,068	723	474	443	436	499	513	466	421	412	382	390	248	130	47	16
	White Male	6,465	51	177	140	140	877	1,094	736	488	313	273	275	298	285	282	245	213	192	184	106	68	14	14
	Female	2,829	35	109	67	82	274	305	173	138	105	108	113	134	168	145	145	158	159	187	135	58	31	–
	All other Male	781	12	30	41	19	82	88	116	69	40	43	34	50	37	26	22	29	24	11	4	1	1	2
	Female	345	7	20	9	8	32	53	43	28	16	19	14	17	23	13	9	12	7	8	3	3	1	–
E810–E823	Motor vehicle accidents	5,275	30	132	144	141	952	1,119	606	387	240	209	184	215	198	177	143	135	112	99	34	12	1	5
	White Male	3,477	19	57	73	74	663	810	443	273	159	135	120	139	114	114	79	69	56	50	20	6	–	4
	Female	1,322	9	55	42	56	224	233	105	80	59	50	45	48	57	46	56	49	45	44	13	5	1	–
	All other Male	343	1	11	24	6	49	53	48	22	15	18	12	22	16	13	5	13	10	2	1	1	–	1
	Female	133	1	9	5	5	16	23	10	12	7	6	7	6	11	4	3	4	1	3	–	–	–	–
E800–E807, E825–E949	All other accidents	5,145	75	204	113	108	313	421	462	336	234	234	252	284	315	289	278	277	270	291	214	118	46	11
	White Male	2,988	32	120	67	66	214	284	293	215	154	138	155	159	171	168	166	144	136	134	86	62	14	10
	Female	1,507	26	54	25	26	50	72	68	58	46	58	68	86	111	99	89	109	114	143	122	53	30	–
	All other Male	438	11	19	17	13	33	35	68	47	25	25	22	28	21	13	17	16	14	9	3	–	1	1
	Female	212	6	11	4	3	16	30	33	16	9	13	7	11	12	9	6	8	6	5	3	3	1	–
E950–E959	Suicide	3,883	...	...	–	31	229	562	485	380	268	257	270	282	261	225	187	165	118	91	53	16	2	1
	White Male	2,432	...	...	–	23	160	376	311	238	165	138	155	158	152	139	106	118	82	58	38	14	1	–
	Female	1,169	...	...	–	8	47	121	122	111	90	100	96	104	100	76	74	43	30	32	12	2	1	–
	All other Male	197	...	...	–	–	16	52	36	21	9	12	11	11	4	7	6	4	4	–	3	–	–	1
	Female	85	...	...	–	–	6	13	16	10	4	7	8	9	5	3	1	–	2	1	–	–	–	–
E960–E978	Homicide	2,564	32	38	28	39	319	467	417	283	210	166	110	118	85	87	52	43	24	18	12	5	1	10
	White Male	1,300	10	8	11	13	171	247	201	157	105	79	56	64	45	52	31	20	10	9	5	2	–	4
	Female	430	12	13	10	13	64	71	48	29	30	21	15	17	13	16	12	17	9	5	6	3	1	5
	All other Male	648	7	11	2	5	57	114	134	82	61	55	30	31	22	13	9	5	5	3	1	–	–	1
	Female	186	3	6	5	8	27	35	34	15	14	11	9	6	5	6	–	1	–	1	–	–	–	–
E980–E999	Other external causes	310	13	7	1	3	19	30	47	22	16	31	21	23	25	11	9	13	7	4	4	–	–	4
	White Male	166	4	3	–	2	12	18	29	11	11	12	14	9	13	3	7	8	4	–	2	–	–	4
	Female	104	6	2	–	1	5	8	14	5	5	12	7	10	9	7	1	3	3	4	2	–	–	–
	All other Male	30	3	2	–	–	1	1	3	5	–	6	–	2	3	1	1	2	–	–	–	–	–	–
	Female	10	–	–	1	–	1	3	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado																							
	All causes	**17,897**	**518**	**104**	**67**	**79**	**269**	**333**	**347**	**275**	**278**	**373**	**532**	**806**	**1,101**	**1,411**	**1,771**	**1,931**	**2,097**	**2,342**	**1,885**	**991**	**385**	**2**
	White Male	9,550	272	52	37	42	179	217	239	169	178	230	290	498	689	884	1,102	1,113	1,119	1,071	732	325	110	2
	White Female	7,805	203	45	29	36	78	91	88	88	85	122	214	271	372	495	626	769	923	1,234	1,119	648	269	–
	All other Male	298	23	2	–	1	8	20	15	9	8	15	16	20	24	14	24	29	27	21	15	6	1	–
	All other Female	244	20	5	1	–	4	5	5	9	7	6	12	17	16	18	19	20	28	16	19	12	5	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	18	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	3	2	1	–	–
	White Male	9	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White Female	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	18	1	–	–	–	–	–	–	–	–	–	–	3	2	4	2	1	2	2	–	1	–	–
	White Male	11	1	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1	–	–	–	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	1	1	2	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	1	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	80	14	–	1	–	1	–	–	1	–	4	–	4	6	7	7	6	7	8	9	1	4	–
	White Male	36	6	–	–	–	–	–	–	–	–	2	–	2	3	5	3	2	5	3	4	–	1	–
	White Female	41	8	–	1	–	1	–	–	1	–	2	–	1	3	2	3	3	2	5	5	1	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	36	3	2	–	–	–	1	2	–	3	2	–	3	2	3	4	3	3	2	2	1	–	–
	White Male	18	1	1	–	–	–	–	1	–	2	1	–	1	1	3	3	1	1	1	1	–	–	–
	White Female	18	2	1	–	–	–	1	1	–	1	1	–	2	1	–	1	2	2	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,302	2	14	7	7	12	16	25	34	48	65	153	217	338	394	468	456	410	361	193	59	23	–
	White Male	1,663	–	6	4	2	9	11	13	13	21	31	63	104	167	213	265	239	216	176	83	20	7	–
	Female	1,551	2	6	3	5	2	4	12	18	26	34	85	107	158	172	189	207	183	180	107	36	15	–
	All other Male	46	–	1	–	–	1	–	–	–	–	–	2	2	7	3	10	8	6	4	1	1	–	–
	Female	42	–	1	–	–	–	1	–	3	1	–	3	4	6	6	4	2	5	1	2	2	1	–
140–149	Of buccal cavity and pharynx	53	–	–	–	–	–	1	–	1	–	–	4	5	8	7	7	7	4	5	3	–	1	–
	White Male	26	–	–	–	–	–	–	–	1	–	–	1	3	3	1	5	3	3	3	2	–	1	–
	Female	25	–	–	–	–	–	1	–	–	–	–	1	2	5	6	2	4	1	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	927	1	1	–	–	–	1	1	6	8	11	25	42	97	120	136	143	115	122	64	24	10	–
	White Male	475	–	1	–	–	–	1	1	5	4	6	8	25	55	67	81	70	50	60	29	9	3	–
	Female	425	1	–	–	–	–	–	–	1	4	5	16	17	39	49	50	67	61	62	33	14	6	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	2	–	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	2	2	–	1	–	1	–
160–163	Of respiratory system	684	–	–	–	–	1	–	2	–	5	11	38	65	80	104	117	85	107	50	17	2	–	–
	White Male	492	–	–	–	–	–	–	2	–	1	6	25	44	59	78	85	68	81	35	8	–	–	–
	Female	178	–	–	–	–	1	–	–	–	4	5	12	19	17	25	29	16	24	15	9	2	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	1	3	–	3	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
174	Of breast	287	–	–	–	–	–	1	2	7	8	11	24	28	39	34	32	30	22	25	18	2	4	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	275	–	–	–	–	–	–	2	5	8	11	24	27	37	33	29	30	21	25	18	1	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	–	–	–	–	–	1	–	2	–	–	–	1	2	1	3	–	1	–	–	1	–	–
180–187	Of genital organs	366	–	–	1	–	–	1	4	2	3	6	11	22	28	29	50	64	48	57	31	8	1	–
	White Male	160	–	–	–	–	–	1	3	–	–	–	–	4	6	13	23	31	22	33	19	4	1	–
	Female	190	–	–	1	–	–	–	1	2	2	6	11	17	19	15	25	31	23	21	12	4	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	1	3	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	2	–	–	–	–	–
188, 189	Of urinary organs	168	–	–	–	–	–	1	2	2	1	1	3	8	11	16	35	27	22	21	13	5	–	–
	White Male	104	–	–	–	–	–	–	–	1	–	1	3	5	7	13	21	19	14	14	5	1	–	–
	Female	61	–	–	–	–	–	1	2	1	1	–	–	3	3	3	13	8	8	7	8	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	428	–	5	4	1	5	5	7	7	13	14	23	31	45	47	52	48	42	40	25	9	5	–
	White Male	217	–	2	2	–	5	5	4	4	10	8	16	15	21	21	29	25	19	16	11	3	1	–
	Female	205	–	2	2	1	–	–	3	3	3	6	7	14	24	25	23	22	22	24	14	6	4	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
204–207	Leukemia	164	–	6	–	5	5	2	5	6	6	4	10	9	11	12	13	19	13	19	13	5	1	–
	White Male	91	–	3	–	2	4	1	3	1	4	4	6	5	7	8	8	11	6	10	6	2	–	–
	Female	68	–	2	–	3	1	1	2	4	2	–	4	4	4	3	5	8	7	8	6	3	1	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	225	1	2	2	1	1	4	2	3	4	7	15	7	19	25	26	33	37	22	9	4	1	–
	White Male	98	–	–	2	–	–	3	–	1	2	6	4	3	9	12	13	12	21	5	3	1	1	–
	Female	124	1	2	–	1	–	1	2	2	2	1	10	4	10	13	13	21	16	16	6	3	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	53	–	1	–	1	–	–	1	–	2	–	4	1	2	5	7	6	9	7	2	4	1	–
	White Male	19	–	–	–	–	–	–	1	–	2	–	2	–	–	1	4	4	1	4	–	–	–	–
	Female	33	–	1	–	1	–	–	–	–	–	–	2	1	2	4	3	2	7	3	2	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	249	–	–	–	1	1	1	1	2	7	5	7	10	8	25	33	34	39	34	27	11	3	–
	White Male	107	–	–	–	1	1	1	–	2	3	3	2	8	5	12	8	16	18	12	11	2	2	–
	Female	137	–	–	–	–	–	–	1	–	4	1	4	2	3	13	25	17	20	22	16	8	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	42	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	5	10	8	6	4	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	2	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	3	4	6	5	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado — Con.																							
280–285	Anemias	25	–	–	1	–	–	–	–	–	–	–	–	2	2	1	1	6	–	7	3	1	1	–
	White Male	13	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	–	3	3	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	4	–	4	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	16	2	3	1	–	–	–	–	–	–	–	–	–	1	1	2	3	1	1	1	–	–	–
	White Male	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	9	–	2	1	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	8,281	22	3	1	2	6	14	21	19	53	100	139	298	434	608	813	976	1,182	1,385	1,236	693	275	1
	White Male	4,285	14	1	1	2	4	7	12	9	41	66	91	211	319	425	543	585	608	590	464	224	67	1
	Female	3,792	8	2	–	–	2	4	9	9	9	28	42	71	100	168	248	364	544	773	747	459	205	–
	All other Male	103	–	–	–	–	–	2	–	–	1	6	4	9	8	7	10	14	14	11	12	4	1	–
	Female	101	–	–	–	–	–	1	–	1	2	–	2	7	7	8	12	13	16	11	13	6	2	–
390–398, 402, 404, 410–429	Diseases of heart	6,088	17	2	–	1	3	7	12	13	37	83	120	252	384	503	650	759	855	925	828	457	179	1
	White Male	3,350	11	–	–	1	2	3	8	8	33	60	83	185	287	359	443	466	458	414	324	158	46	1
	Female	2,585	6	2	–	–	1	2	4	4	4	19	31	55	82	132	187	276	376	497	484	292	131	–
	All other Male	86	–	–	–	–	–	2	–	–	–	4	4	8	8	7	9	11	11	8	10	3	1	–
	Female	67	–	–	–	–	–	–	–	1	–	–	2	4	7	5	11	6	10	6	10	4	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	168	–	–	–	–	–	–	–	–	3	4	6	8	15	27	26	23	22	21	8	1	4	–
	White Male	71	–	–	–	–	–	–	–	–	2	1	2	3	8	13	9	12	7	8	6	–	–	–
	Female	95	–	–	–	–	–	–	–	–	1	3	4	5	7	14	16	10	15	13	2	1	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	52	–	–	–	–	–	–	1	–	–	1	3	6	4	7	4	3	5	6	7	3	2	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	–	2	1	–	–
	Female	31	–	–	–	–	–	–	1	–	–	–	1	4	1	5	1	1	3	6	4	2	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–
404	Hypertensive heart and renal disease	103	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	5	16	22	31	16	6	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	7	9	13	4	1	–
	Female	55	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	8	10	18	11	5	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
410–413	Ischemic heart disease	5,223	1	–	–	–	–	2	2	5	26	65	88	213	321	428	570	676	747	808	718	397	155	1
	White Male	2,945	1	–	–	–	–	1	1	4	26	54	70	169	254	317	393	425	411	362	280	135	41	1
	Female	2,165	–	–	–	–	–	1	1	1	–	8	17	37	58	99	159	240	319	436	420	257	112	–
	All other Male	62	–	–	–	–	–	–	–	–	–	3	–	5	4	7	8	8	9	6	9	2	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	1	2	5	5	10	3	8	4	9	3	1	–
410	Acute myocardial infarction	2,675	1	–	–	–	–	2	1	5	19	48	66	158	226	273	372	391	377	342	248	101	45	–
	White Male	1,691	1	–	–	–	–	1	1	4	19	42	52	131	184	212	270	246	217	161	102	35	13	–
	Female	941	–	–	–	–	–	1	–	1	–	4	13	25	37	58	96	139	156	175	140	65	31	–
	All other Male	23	–	–	–	–	–	–	–	–	–	2	–	2	3	1	2	5	1	3	3	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	1	3	3	3	–	1	–
411	Other acute and subacute forms of ischemic heart disease	41	–	–	–	–	–	–	–	–	1	1	2	4	3	6	4	5	3	1	6	3	2	–
	White Male	24	–	–	–	–	–	–	–	–	1	1	2	3	2	3	3	4	1	–	2	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	1	4	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,506	–	–	–	–	–	–	1	–	6	16	20	51	92	149	194	280	366	465	464	293	108	1
	White Male	1,230	–	–	–	–	–	–	–	–	6	11	16	35	68	102	120	175	193	201	176	98	28	1
	Female	1,206	–	–	–	–	–	–	1	–	–	4	4	11	20	38	62	100	160	260	276	191	79	–
	All other Male	39	–	–	–	–	–	–	–	–	–	1	–	3	1	6	6	3	8	3	6	1	1	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	2	3	3	6	2	5	1	6	3	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	25	–	–	–	–	–	–	–	–	1	1	–	2	3	–	1	3	2	5	4	3	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	2	3	1	2	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	2	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
420–423, 425–427, 429	All other forms of heart disease	517	16	2	–	1	3	5	9	8	7	12	22	22	39	38	49	49	63	63	60	37	12	–
	White Male	269	10	–	–	1	2	2	7	4	5	4	10	12	22	25	37	25	29	32	22	16	4	–
	Female	229	6	2	–	–	1	1	2	3	2	8	9	7	15	13	11	22	31	30	38	20	8	–
	All other Male	13	–	–	–	–	–	2	–	–	–	–	3	1	2	–	1	1	1	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	2	–	–	–	–	–
400, 401, 403	Hypertension	46	–	–	–	–	–	–	1	–	2	2	1	1	–	4	1	7	3	10	7	6	1	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	4	1	6	3	4	–	–
	Female	22	–	–	–	–	–	–	1	–	1	2	–	–	–	2	1	3	2	3	4	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,483	5	1	1	1	2	5	7	6	8	14	16	33	32	72	115	154	212	311	282	155	51	–
	White Male	590	3	1	1	1	1	4	3	1	3	6	5	16	17	39	67	75	89	111	93	43	11	–
	Female	859	2	–	–	–	1	1	4	5	4	7	11	14	15	30	46	72	117	196	185	110	39	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	1	2	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	3	–	3	1	4	5	2	3	2	1	–
431	Cerebral hemorrhage	170	1	–	1	–	–	2	5	2	2	3	7	9	4	16	14	24	24	23	19	11	3	–
	White Male	75	1	–	1	–	–	1	1	–	1	1	1	6	2	7	8	12	14	7	9	3	–	–
	Female	93	–	–	–	–	–	1	4	2	1	2	6	2	2	9	6	11	10	16	10	8	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	265	–	–	–	–	–	–	–	–	–	–	–	3	6	8	21	25	36	68	54	35	9	–
	White Male	100	–	–	–	–	–	–	–	–	–	–	–	2	4	5	12	9	19	23	15	7	4	–
	Female	158	–	–	–	–	–	–	–	–	–	–	–	1	2	2	9	14	16	44	38	27	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,042	4	1	–	1	2	3	2	4	6	11	9	20	21	48	79	105	151	219	208	109	39	–
	White Male	411	2	1	–	1	1	3	2	1	2	5	4	8	10	27	46	54	55	81	68	33	7	–
	Female	606	2	–	–	–	1	–	–	3	3	5	5	10	11	19	31	47	91	135	137	75	31	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	3	4	2	2	1	1	–
440	Arteriosclerosis	362	–	–	–	–	–	–	–	–	1	–	–	1	4	9	8	21	56	76	88	58	40	–
	White Male	137	–	–	–	–	–	–	–	–	1	–	–	1	3	8	6	15	27	26	30	13	7	–
	Female	220	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	28	48	58	44	33	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	302	–	–	–	–	1	2	1	–	5	1	2	11	14	20	39	35	56	63	31	17	4	–
	White Male	186	–	–	–	–	1	–	1	–	4	–	2	8	12	17	27	25	33	33	14	6	3	–
	Female	106	–	–	–	–	–	1	–	–	–	–	–	2	2	3	12	8	21	29	16	11	1	–
	All other Male	6	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	2	–	1	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	635	13	7	4	2	1	3	4	3	2	6	6	10	20	31	36	53	80	122	121	79	32	–
	White Male	316	10	3	2	1	1	3	3	2	2	4	3	4	11	17	25	32	46	62	44	29	12	–
	Female	304	2	4	2	1	–	–	–	–	–	2	3	5	7	13	11	20	32	59	75	48	20	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	1	1	–	–
	Female	7	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	1	1	–	–
470–474	Influenza	33	–	1	–	–	–	–	–	1	–	–	1	1	–	1	2	4	4	5	8	4	1	–
	White Male	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	1	3	–	–	–
	Female	23	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	3	3	4	5	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	602	13	6	4	2	1	3	4	2	2	6	5	9	20	30	34	49	76	117	113	75	31	–
	White Male	307	10	3	2	1	1	3	3	1	2	4	3	4	11	17	23	31	45	61	41	29	12	–
	Female	281	2	3	2	1	–	–	–	–	–	2	2	4	7	12	11	17	29	55	70	45	19	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	1	1	–	–
	Female	6	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	301	1	1	1	–	1	–	–	1	–	4	3	7	21	36	54	45	52	43	24	6	1	–
	White Male	197	1	1	–	–	–	–	–	1	–	1	–	4	12	23	37	28	34	35	18	1	1	–
	Female	97	–	–	1	–	1	–	–	–	–	2	3	2	8	13	16	16	17	7	6	5	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado — Con.																							
490, 491	Chronic and unqualified bronchitis	65	1	1	1	–	–	–	–	–	–	–	–	1	4	9	9	11	8	11	5	3	1	–
	White ..... Male	41	1	1	–	–	–	–	–	–	–	–	–	–	3	8	6	6	6	7	2	–	1	–
	Female	23	–	–	1	–	–	–	–	–	–	–	–	1	–	1	3	5	2	4	3	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	218	–	–	–	–	–	–	–	1	–	1	3	4	14	26	41	33	42	32	19	2	–	–
	White ..... Male	148	–	–	–	–	–	–	–	1	–	1	–	2	8	14	28	22	27	28	16	1	–	–
	Female	65	–	–	–	–	–	–	–	–	–	–	3	1	6	12	12	10	14	3	3	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	18	–	–	–	–	1	–	–	–	–	3	–	2	3	1	4	1	2	–	–	1	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	–	1	–	–	–	–	–
	Female	9	–	–	–	–	1	–	–	–	–	2	–	–	2	–	1	1	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	73	–	–	–	–	1	–	–	–	1	–	–	3	9	9	12	8	4	12	12	1	1	–
	White ..... Male	40	–	–	–	–	1	–	–	–	1	–	–	2	4	7	7	7	1	5	5	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	1	5	2	5	1	3	7	7	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	9	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	1	–	2	–	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	66	5	–	–	–	–	–	–	1	–	–	–	3	2	3	5	8	7	12	12	5	3	–
	White ..... Male	26	3	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	3	1	4	2	1	–
	Female	35	1	–	–	–	–	–	–	1	–	–	–	2	–	1	1	3	3	11	7	3	2	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
571	Cirrhosis of liver	281	–	–	1	–	–	1	3	17	10	23	36	52	33	30	34	21	13	5	2	–	–	–
	White ..... Male	165	–	–	1	–	–	–	2	8	4	13	18	32	22	16	22	14	8	4	1	–	–	–
	Female	98	–	–	–	–	–	1	1	6	4	7	13	17	11	13	12	6	5	1	1	–	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	3	1	1	4	2	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	8	6	10	5	3	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	7	1	4	–	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	5	4	4	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
580–584	Nephritis and nephrosis	68	–	–	–	–	1	–	1	1	–	2	2	2	6	4	8	6	8	12	6	4	5	–
	White ..... Male	39	–	–	–	–	–	–	1	–	–	2	1	1	3	4	3	2	5	6	5	2	4	–
	Female	28	–	–	–	–	1	–	–	1	–	–	–	1	3	–	5	4	3	6	1	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	13	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	2	3	1	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	2	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	55	–	–	–	–	1	–	1	1	–	1	2	1	4	3	8	5	6	9	5	3	5	–
	White ..... Male	34	–	–	–	–	–	–	1	–	–	1	1	1	3	3	3	2	4	5	4	2	4	–
	Female	20	–	–	–	–	1	–	–	1	–	–	–	–	1	–	5	3	2	4	1	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	30	–	1	–	1	–	–	–	–	–	–	1	–	–	–	2	5	3	6	7	4	–	–
	White ..... Male	11	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	2	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	2	3	5	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	3	–	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	3	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	162	104	15	4	4	4	4	3	6	1	2	3	1	5	1	2	2	1	–	–	–	–	–
	White Male	86	59	8	3	2	2	2	2	3	–	1	1	–	2	–	1	–	–	–	–	–	–	–
	Female	68	41	6	–	2	2	2	1	3	1	1	1	1	3	1	1	1	1	–	–	–	–	–
	All other Male	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	216	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	145	78	3	–	–	3	3	1	3	1	1	2	3	–	4	7	3	9	8	9	4	3	–
	White Male	69	44	1	–	–	1	–	–	–	1	1	–	1	–	3	1	1	6	3	4	1	1	–
	Female	71	30	2	–	–	2	3	1	3	–	–	2	1	–	1	6	2	3	5	5	3	2	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,596	31	13	3	9	21	13	29	14	29	30	43	68	110	147	190	208	186	218	142	76	16	–
	White Male	883	17	8	1	3	15	7	14	5	14	17	23	38	67	84	120	121	116	116	60	27	10	–
	Female	664	13	5	2	6	6	4	11	6	11	12	17	26	39	59	68	85	65	98	80	47	4	–
	All other Male	22	1	–	–	–	–	2	3	–	1	1	2	2	2	1	–	2	2	2	1	–	–	–
	Female	27	–	–	–	–	–	–	1	3	3	–	1	2	2	3	2	–	3	2	1	2	2	–
E800–E949	Accidents	1,385	9	33	42	45	166	178	132	101	70	64	71	66	57	55	52	46	47	58	53	28	12	–
	White Male	897	6	15	23	25	115	125	100	77	50	47	52	51	39	38	30	26	30	22	14	9	3	–
	Female	447	3	15	19	19	46	46	26	21	18	16	16	13	15	16	22	19	15	35	39	19	9	–
	All other Male	28	–	1	–	1	4	6	5	2	2	1	1	1	2	1	–	–	1	–	–	–	–	–
	Female	13	–	2	–	–	1	1	1	1	–	–	2	1	1	–	–	1	1	1	–	–	–	–
E810–E823	Motor vehicle accidents	707	2	14	27	20	123	134	94	64	39	33	27	28	17	27	18	12	12	12	3	–	1	–
	White Male	477	1	6	15	10	83	92	72	50	27	24	21	18	10	15	11	5	8	8	1	–	–	–
	Female	212	1	8	12	10	37	36	17	14	10	9	5	10	6	12	7	7	4	4	2	–	1	–
	All other Male	14	–	–	–	–	2	5	4	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	678	7	19	15	25	43	44	38	37	31	31	44	38	40	28	34	34	35	46	50	28	11	–
	White Male	420	5	9	8	15	32	33	26	27	23	23	31	33	29	23	19	21	22	14	13	9	3	–
	Female	235	2	7	7	9	9	10	9	7	8	7	11	3	9	4	15	12	11	31	37	19	8	–
	All other Male	14	–	1	–	1	2	1	1	2	–	1	–	1	2	1	–	–	1	–	–	–	–	–
	Female	9	–	2	–	–	–	–	–	1	–	–	2	1	–	–	–	1	1	1	–	–	–	–
E950–E959	Suicide	530	...	...	1	2	26	65	82	51	38	42	47	42	29	33	20	18	18	10	5	1	–	–
	White Male	380	...	...	1	2	19	44	65	35	30	28	27	27	23	23	15	14	13	10	3	1	–	–
	Female	135	...	...	–	–	5	18	14	14	8	12	20	15	5	9	5	3	5	–	2	–	–	–
	All other Male	13	...	...	–	–	2	2	3	2	–	1	–	–	1	1	–	1	–	–	–	–	–	–
	Female	2	...	...	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	174	4	6	–	4	19	27	34	16	10	19	11	3	7	2	5	3	2	–	1	–	–	1
	White Male	102	2	5	–	2	7	14	22	10	6	11	7	2	4	2	3	1	2	–	1	–	–	1
	Female	39	2	1	–	2	8	4	7	4	1	2	2	1	2	–	1	2	–	–	–	–	–	–
	All other Male	26	–	–	–	–	1	8	4	2	3	5	1	–	1	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	3	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	42	2	1	–	1	4	4	7	4	1	3	4	3	4	–	1	2	1	–	–	–	–	–
	White Male	23	1	–	–	1	3	3	3	4	–	2	–	2	2	–	1	1	–	–	–	–	–	–
	Female	14	1	–	–	–	1	1	4	–	1	1	3	–	2	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut																							
	All causes	**25,638**	**494**	**83**	**56**	**66**	**214**	**271**	**240**	**246**	**259**	**388**	**684**	**1,202**	**1,702**	**2,265**	**2,688**	**3,117**	**3,300**	**3,642**	**2,859**	**1,371**	**485**	**6**
	White ..... Male	12,868	219	33	26	36	153	184	136	122	118	191	376	692	1,007	1,382	1,611	1,720	1,590	1,626	1,076	446	121	3
	Female	11,552	169	37	24	21	40	57	70	84	85	132	239	411	592	777	959	1,287	1,621	1,968	1,726	900	351	2
	All other ..... Male	703	51	10	2	5	16	19	22	29	38	43	47	64	61	65	58	59	48	22	31	9	4	–
	Female	515	55	3	4	4	5	11	12	11	18	22	22	35	42	41	60	51	41	26	26	16	9	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	22	4	–	–	–	–	–	1	1	–	1	–	1	–	2	1	2	3	1	3	1	1	–
	White ..... Male	7	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–
	Female	14	1	–	–	–	–	–	1	1	–	–	–	1	–	–	1	1	2	1	3	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	22	–	–	–	–	–	–	–	–	1	1	1	1	2	2	2	3	4	4	1	–	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	2	3	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	16	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	3	2	3	1	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	2	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	102	9	–	3	–	–	1	1	1	1	3	2	10	4	6	7	10	18	13	9	4	–	–
	White ..... Male	37	4	–	2	–	–	1	–	1	–	1	–	1	2	4	3	5	7	3	2	1	–	–
	Female	52	2	–	1	–	–	–	–	–	1	1	2	6	1	1	3	5	10	10	6	3	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1	–	–	–	–	–
	Female	7	3	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	67	3	3	–	1	2	1	–	1	3	3	1	4	4	7	5	7	5	8	4	4	1	–
	White ..... Male	31	1	2	–	–	2	–	–	1	–	–	1	1	3	4	3	3	2	6	1	–	1	–
	Female	31	2	1	–	1	–	1	–	–	1	2	–	3	1	3	1	4	3	1	3	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,055	1	13	10	9	11	21	31	44	58	119	227	413	598	797	881	884	754	662	373	116	32	1
	White Male	2,972	–	6	7	4	7	11	5	14	24	37	96	185	266	414	475	480	391	329	167	47	7	–
	Female	2,816	–	6	3	3	4	5	26	26	31	69	114	198	290	353	369	368	337	327	198	66	22	1
	All other Male	152	–	–	–	–	–	2	–	3	–	7	10	17	22	17	25	19	19	3	5	1	2	–
	Female	115	1	1	–	2	–	3	–	1	3	6	7	13	20	13	12	17	7	3	3	2	1	–
140–149	Of buccal cavity and pharynx	142	–	–	–	–	–	–	–	–	–	2	10	13	15	30	24	13	19	10	4	2	–	–
	White Male	94	–	–	–	–	–	–	–	–	–	–	7	6	10	22	16	8	15	5	4	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	1	2	5	3	8	7	4	4	4	–	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,714	1	–	–	–	1	–	–	7	10	17	37	96	157	228	253	261	253	205	127	46	14	1
	White Male	839	–	–	–	–	1	–	–	2	4	6	18	51	83	131	129	139	114	92	54	11	4	–
	Female	796	–	–	–	–	–	–	–	4	4	7	16	35	61	87	112	110	133	112	71	34	9	1
	All other Male	50	–	–	–	–	–	–	–	1	–	2	2	8	8	6	10	6	3	–	2	1	1	–
	Female	29	1	–	–	–	–	–	–	–	2	2	1	2	5	4	2	6	3	1	–	–	–	–
160–163	Of respiratory system	1,379	–	–	–	–	–	–	1	7	10	31	62	108	152	225	238	230	150	111	42	9	3	–
	White Male	943	–	–	–	–	–	–	1	1	7	10	37	71	84	151	175	168	115	85	29	8	1	–
	Female	362	–	–	–	–	–	–	–	3	2	17	17	30	55	64	54	53	29	25	10	1	2	–
	All other Male	56	–	–	–	–	–	–	–	2	–	3	7	6	9	7	6	7	6	1	2	–	–	–
	Female	18	–	–	–	–	–	–	–	1	1	1	1	1	4	3	3	2	–	–	1	–	–	–
174	Of breast	619	–	–	–	–	–	1	6	9	13	19	47	57	85	79	74	76	56	54	33	7	3	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–
	Female	591	–	–	–	–	–	–	6	9	13	17	43	53	79	76	71	72	55	54	33	7	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	–	–	–	–	–	1	–	–	–	2	4	3	4	2	1	4	–	–	–	–	–	–
180–187	Of genital organs	660	–	–	–	–	1	3	5	4	3	15	12	36	47	74	89	90	99	104	60	16	2	–
	White Male	301	–	–	–	–	1	2	–	2	1	–	2	6	7	22	33	52	61	61	37	13	1	–
	Female	326	–	–	–	–	–	1	5	2	2	14	9	30	36	49	50	33	28	42	22	3	–	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	2	10	–	1	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	–	3	2	1	3	–	1	–	–	–	–
188, 189	Of urinary organs	265	–	–	–	–	–	1	1	1	–	2	6	15	24	29	42	42	30	43	20	9	–	–
	White Male	159	–	–	–	–	–	–	–	1	–	2	4	6	17	19	27	25	17	25	13	3	–	–
	Female	100	–	–	–	–	–	1	1	–	–	–	2	7	7	9	14	16	13	18	7	5	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	707	–	7	5	5	3	5	13	7	16	20	29	52	77	73	100	90	77	69	42	11	6	–
	White Male	345	–	3	4	2	2	2	3	4	7	12	14	29	44	34	61	42	34	28	17	3	–	–
	Female	333	–	3	1	2	1	2	10	3	9	8	15	20	30	35	34	45	40	39	24	7	5	–
	All other Male	13	–	–	–	–	–	1	–	–	–	–	–	2	2	3	1	3	–	1	–	–	–	–
	Female	16	–	1	–	1	–	–	–	–	–	–	–	1	1	1	4	–	3	1	1	1	1	–
204–207	Leukemia	230	–	5	4	4	3	6	1	6	1	7	7	15	18	19	21	25	31	29	20	6	2	–
	White Male	117	–	3	2	2	1	3	–	3	1	3	5	3	9	11	11	16	17	17	7	2	1	–
	Female	107	–	2	2	1	2	1	1	3	–	4	2	10	9	8	10	9	13	12	13	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	1	–	2	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	339	–	1	1	–	3	5	4	3	5	6	17	21	23	40	40	57	39	37	25	10	2	–
	White Male	167	–	–	1	–	2	4	1	1	4	4	9	12	10	23	21	30	17	16	6	6	–	–
	Female	162	–	1	–	–	1	–	3	2	1	1	8	8	10	17	17	26	22	21	18	4	2	–
	All other Male	4	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	96	2	1	–	2	–	1	1	4	1	3	5	10	9	9	10	6	13	12	4	2	1	–
	White Male	50	1	1	–	2	–	1	–	1	–	2	4	5	6	5	3	2	9	7	1	–	–	–
	Female	43	–	–	–	–	–	–	1	3	1	–	1	5	3	4	6	4	4	5	3	2	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	443	–	–	–	1	–	2	1	6	3	5	8	22	29	38	43	57	74	70	57	22	5	–
	White Male	164	–	–	–	–	–	2	–	5	2	2	4	10	16	13	23	21	21	22	17	6	–	–
	Female	252	–	–	–	1	–	–	1	–	1	–	4	8	12	20	18	33	49	46	39	16	4	–
	All other Male	9	–	–	–	–	–	–	–	–	–	2	–	2	–	3	–	–	2	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	1	–	1	–	2	1	2	2	3	2	2	1	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	25	1	1	–	–	–	–	–	–	–	–	–	2	–	–	4	3	2	4	6	1	1	–
	White Male	13	–	1	–	–	–	–	–	–	–	–	–	2	–	–	2	1	2	3	2	–	–	–
	Female	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut – Con.																							
280–285	Anemias	31	–	2	–	2	2	–	2	1	–	–	–	–	1	1	5	4	2	3	4	2	–	–
	White ..... Male	13	–	2	–	1	–	–	–	1	–	–	–	–	–	–	3	1	2	1	1	1	–	–
	Female	12	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	2	–	2	3	1	–	–
	All other ..... Male	4	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	19	3	1	–	1	–	–	–	1	–	1	–	2	–	3	1	–	2	4	–	–	–	–
	White ..... Male	6	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–
	Female	9	2	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	13,220	10	5	1	3	9	8	17	32	61	100	242	466	704	1,030	1,262	1,664	1,932	2,293	1,974	1,020	384	3
	White ..... Male	6,544	6	–	–	1	6	5	9	14	37	61	164	334	495	718	813	929	883	966	701	312	89	1
	Female	6,242	2	5	–	1	1	2	4	11	9	20	49	101	176	266	397	677	1,007	1,298	1,237	691	287	1
	All other ..... Male	228	1	–	–	–	2	1	3	3	6	12	21	22	19	29	20	33	19	10	19	6	2	–
	Female	206	1	–	1	1	–	–	1	4	9	7	8	9	14	17	32	25	23	19	17	11	6	1
390–398, 402, 404, 410–429	Diseases of heart	10,032	8	3	–	2	6	6	8	21	48	81	215	400	592	874	1,032	1,317	1,450	1,623	1,400	685	259	2
	White ..... Male	5,253	5	–	–	1	4	4	6	11	30	54	150	300	435	630	684	745	669	723	518	220	63	1
	Female	4,456	1	3	–	–	1	1	1	6	8	11	41	74	134	209	305	531	752	879	854	453	191	1
	All other ..... Male	172	1	–	–	–	1	1	1	2	2	10	16	19	14	23	16	23	12	8	16	5	2	–
	Female	151	1	–	–	1	–	–	–	2	8	6	8	7	9	12	27	18	17	13	12	7	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	197	–	–	–	1	1	–	1	3	3	2	12	6	18	22	31	30	28	20	14	4	1	–
	White ..... Male	78	–	–	–	–	1	–	1	2	–	–	4	1	8	7	17	13	11	8	3	2	–	–
	Female	108	–	–	–	–	–	–	–	–	–	2	7	5	10	14	11	17	16	12	11	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	8	–	–	–	1	–	–	–	1	3	–	–	–	–	–	2	–	1	–	–	–	–	–
402	Hypertensive heart disease	92	–	–	–	–	–	–	1	1	1	6	1	8	4	5	15	13	8	17	6	3	3	–
	White ..... Male	41	–	–	–	–	–	–	1	1	–	3	–	4	3	5	8	6	2	6	2	–	–	–
	Female	43	–	–	–	–	–	–	–	–	1	1	1	1	1	–	5	7	6	10	4	3	3	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	–	1	–	–	2	–	–	1	–	–	–	–
404	Hypertensive heart and renal disease	28	–	–	–	–	–	–	–	–	–	1	–	1	3	2	2	2	1	4	8	3	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	4	–	1	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	3	4	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	8,793	–	–	–	–	–	–	3	10	31	56	166	344	497	733	882	1,154	1,303	1,449	1,290	634	239	2
	White ..... Male	4,628	–	–	–	–	–	–	2	7	24	45	125	267	380	537	596	652	606	645	477	206	58	1
	Female	3,933	–	–	–	–	–	–	–	2	4	5	26	58	99	169	258	468	674	789	787	417	176	1
	All other ..... Male	126	–	–	–	–	–	–	1	1	–	3	11	14	12	17	11	20	10	5	15	4	2	–
	Female	106	–	–	–	–	–	–	–	–	3	3	4	5	6	10	17	14	13	10	11	7	3	–
410	Acute myocardial infarction	4,149	–	–	–	–	–	–	2	7	23	41	101	228	354	489	533	639	615	575	368	131	42	1
	White ..... Male	2,466	–	–	–	–	–	–	1	4	17	35	80	178	275	363	371	371	302	269	136	47	16	1
	Female	1,581	–	–	–	–	–	–	–	2	3	3	13	38	69	111	152	249	307	301	225	82	26	–
	All other ..... Male	58	–	–	–	–	–	–	1	1	–	2	7	8	6	10	2	11	3	2	5	–	–	–
	Female	44	–	–	–	–	–	–	–	–	3	1	1	4	4	5	8	8	3	3	2	2	–	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	1	–	1	3	1	–	1	1	1	2	–	–	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	1	1	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,631	–	–	–	–	–	–	1	3	7	15	64	113	141	244	348	513	687	872	922	503	197	1
	White ..... Male	2,151	–	–	–	–	–	–	1	3	6	10	44	87	104	174	224	279	303	374	341	159	42	–
	Female	2,352	–	–	–	–	–	–	–	–	1	2	13	20	30	58	106	219	367	488	562	335	150	1
	All other ..... Male	68	–	–	–	–	–	–	–	–	–	1	4	6	6	7	9	9	7	3	10	4	2	–
	Female	60	–	–	–	–	–	–	–	–	–	2	3	–	1	5	9	6	10	7	9	5	3	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	29	–	1	–	–	–	–	1	–	–	2	1	1	4	2	4	3	3	5	1	1	–	–
	White ..... Male	14	–	–	–	–	–	–	1	–	–	1	–	–	2	–	3	2	1	4	–	–	–	–
	Female	11	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	1	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
420–423, 425–427, 429	All other forms of heart disease	893	8	2	–	1	5	6	2	7	13	14	35	40	66	110	98	115	107	128	81	40	15	–
	White..... Male	482	5	–	–	1	3	4	1	1	6	5	21	28	41	81	58	71	49	59	32	12	4	–
	Female	345	1	2	–	–	1	1	1	4	3	2	7	9	21	24	30	37	53	64	47	27	11	–
	All other..... Male	39	1	–	–	–	1	1	–	1	2	7	4	2	2	4	4	3	2	3	1	1	–	–
	Female	27	1	–	–	–	–	–	–	1	2	–	3	1	2	1	6	4	3	2	1	–	–	–
400, 401, 403	Hypertension	76	–	–	–	–	–	–	–	–	–	1	–	–	4	7	2	8	9	9	18	17	1	–
	White..... Male	34	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	4	3	6	7	6	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	4	4	3	11	10	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–
430–438	Cerebrovascular diseases	2,266	1	2	1	–	3	1	8	9	11	14	20	47	84	95	165	254	349	517	396	211	78	–
	White..... Male	868	–	–	–	–	2	–	3	2	6	6	10	25	43	53	89	122	144	172	125	53	13	–
	Female	1,315	1	2	–	–	–	1	2	4	1	6	6	18	34	35	69	118	196	339	264	156	63	–
	All other..... Male	45	–	–	–	–	1	–	2	1	4	2	4	2	5	3	3	8	5	2	3	–	–	–
	Female	38	–	–	1	–	–	–	1	2	–	–	–	2	2	4	4	6	4	4	4	2	2	–
431	Cerebral hemorrhage	298	1	–	1	–	2	–	1	2	4	5	7	17	26	23	30	36	54	52	25	10	2	–
	White..... Male	132	–	–	–	–	2	–	1	1	1	2	4	7	11	13	16	17	27	19	9	2	–	–
	Female	149	1	–	–	–	–	–	–	–	–	3	–	9	14	9	13	17	26	32	15	8	2	–
	All other..... Male	12	–	–	–	–	–	–	–	1	3	–	3	–	1	–	1	1	1	–	1	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–
433	Cerebral thrombosis	701	–	–	–	–	–	–	–	2	–	–	2	5	14	18	47	81	120	166	143	80	23	–
	White..... Male	267	–	–	–	–	–	–	–	–	–	–	1	5	9	9	24	41	47	55	52	20	4	–
	Female	421	–	–	–	–	–	–	–	–	–	–	1	–	4	9	21	39	72	109	89	59	18	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	1	2	1	1	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	2	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,259	–	2	–	–	1	1	7	5	7	9	11	25	44	54	88	135	173	297	228	119	53	–
	White..... Male	467	–	–	–	–	–	–	2	1	5	4	5	13	23	31	49	62	70	98	64	31	9	–
	Female	739	–	2	–	–	–	1	2	4	1	3	5	9	16	17	35	62	96	196	160	87	43	–
	All other..... Male	29	–	–	–	–	1	–	2	–	1	2	1	2	3	3	2	6	3	1	2	–	–	–
	Female	24	–	–	–	–	–	–	1	–	–	–	–	1	2	3	2	5	4	2	2	1	1	–
440	Arteriosclerosis	424	–	–	–	–	–	–	–	–	1	–	–	5	3	10	13	35	46	76	114	79	41	1
	White..... Male	160	–	–	–	–	–	–	–	–	1	–	–	2	2	6	5	23	21	35	31	23	11	–
	Female	260	–	–	–	–	–	–	–	–	–	–	–	3	1	4	8	11	25	41	83	55	29	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
441–448	Other diseases of arteries, arterioles, and capillaries	422	1	–	–	1	–	1	1	2	1	4	7	14	21	44	50	50	78	68	46	28	5	–
	White..... Male	229	1	–	–	–	–	1	–	1	–	1	4	7	13	26	33	35	46	30	20	10	1	–
	Female	174	–	–	–	1	–	–	1	1	–	3	2	6	5	15	15	13	30	36	25	17	4	–
	All other..... Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	–	3	1	1	1	1	2	1	1	–	–
466	Acute bronchitis and bronchiolitis	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	1	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	638	8	5	1	1	4	2	3	2	3	6	7	14	23	21	55	49	76	127	129	73	29	–
	White..... Male	299	5	2	1	–	2	2	2	1	–	2	1	8	12	12	36	28	41	56	52	25	11	–
	Female	310	–	1	–	1	–	–	1	1	2	3	2	4	10	6	16	20	35	68	75	47	18	–
	All other..... Male	20	2	2	–	–	–	–	–	–	–	1	3	1	1	3	2	–	–	3	1	1	–	–
	Female	9	1	–	–	–	2	–	–	–	1	–	1	1	–	–	1	1	–	–	1	–	–	–
470–474	Influenza	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	633	8	4	1	1	4	2	3	2	3	6	7	14	23	21	55	49	75	125	128	73	29	–
	White..... Male	298	5	2	1	–	2	2	2	1	–	2	1	8	12	12	36	28	40	56	52	25	11	–
	Female	307	–	1	–	1	–	–	1	1	2	3	2	4	10	6	16	20	35	66	74	47	18	–
	All other..... Male	19	2	1	–	–	–	–	–	–	–	1	3	1	1	3	2	–	–	3	1	1	–	–
	Female	9	1	–	–	–	2	–	–	–	1	–	1	1	–	–	1	1	–	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	240	–	–	–	–	–	1	–	2	–	1	6	10	21	14	31	37	48	43	14	11	1	–
	White..... Male	171	–	–	–	–	–	–	–	2	–	1	3	5	16	12	24	23	39	28	10	7	1	–
	Female	68	–	–	–	–	–	1	–	–	–	–	3	5	5	2	7	14	9	15	3	4	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
490, 491	Chronic and unqualified bronchitis	56	–	–	–	–	–	–	–	–	–	–	2	1	5	2	5	8	11	12	6	3	1	–
	White ... Male	35	–	–	–	–	–	–	–	–	–	–	1	1	4	1	3	2	10	7	3	2	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	6	1	5	2	1	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	161	–	–	–	–	–	–	–	1	–	–	2	5	15	10	23	28	33	28	8	8	–	–
	White ... Male	127	–	–	–	–	–	–	–	1	–	–	1	3	11	10	20	21	27	21	7	5	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	1	2	4	–	3	7	6	7	1	3	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	23	–	–	–	–	–	1	–	1	–	1	2	4	1	2	3	1	4	3	–	–	–	–
	White ... Male	9	–	–	–	–	–	–	–	1	–	1	1	1	1	1	1	–	2	–	–	–	–	–
	Female	14	–	–	–	–	–	1	–	–	–	–	1	3	–	1	2	1	2	3	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	83	–	–	–	–	–	–	–	–	–	4	5	4	8	7	9	13	13	11	8	1	–	–
	White ... Male	55	–	–	–	–	–	–	–	–	–	2	3	2	6	5	7	11	10	6	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	2	3	5	5	1	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	71	6	–	–	–	–	1	–	–	–	1	1	2	3	5	6	8	7	13	15	3	–	–
	White ... Male	24	4	–	–	–	–	–	–	–	–	1	–	–	3	1	–	1	4	6	3	1	–	–
	Female	44	2	–	–	–	–	1	–	–	–	–	1	2	–	4	5	7	2	7	11	2	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
571	Cirrhosis of liver	455	–	–	–	–	–	3	6	13	13	31	42	52	77	61	70	39	25	17	4	2	–	–
	White ... Male	270	–	–	–	–	–	–	5	6	6	14	20	29	51	40	46	22	17	10	4	–	–	–
	Female	140	–	–	–	–	–	–	1	4	5	9	12	15	21	20	21	16	7	7	–	2	–	–
	All other ... Male	30	–	–	–	–	–	1	–	2	2	6	7	6	3	–	1	1	1	–	–	–	–	–
	Female	15	–	–	–	–	–	2	–	1	–	2	3	2	2	1	2	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	41	–	–	–	–	–	–	–	1	–	–	–	2	1	4	4	5	8	7	4	4	1	–
	White ... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	3	3	1	–	1	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	5	4	3	4	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	76	–	–	–	–	–	–	–	–	–	1	1	6	9	10	11	5	10	11	5	6	1	–
	White ... Male	38	–	–	–	–	–	–	–	–	–	1	–	4	3	4	5	3	7	6	1	3	1	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	1	3	4	4	2	3	4	4	3	–	–
	All other ... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	1	1	1	1	1	–	–
	White ... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	62	–	–	–	–	–	–	–	–	–	1	1	5	7	6	9	4	9	10	4	5	1	–
	White ... Male	33	–	–	–	–	–	–	–	–	–	1	–	4	2	1	4	3	7	6	1	3	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	1	2	3	3	2	–	–
	All other ... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
590	Infections of kidney	28	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	1	4	8	8	–	–	–
	White ... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	5	5	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	1	–	–
	White ... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	166	109	9	2	3	6	5	3	2	5	3	2	2	1	3	4	1	2	2	2	–	–	–
	White Male	87	59	1	1	1	6	5	2	1	2	–	–	2	–	2	3	–	–	–	2	–	–	–
	Female	63	38	7	–	2	–	–	1	1	1	3	2	–	1	1	1	1	2	2	–	–	–	–
	All other Male	8	5	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	268	268	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	112	112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	145	145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	239	49	2	2	1	4	15	21	13	13	8	17	12	12	14	12	9	7	9	10	7	2	–
	White Male	110	20	1	1	1	1	13	10	9	4	6	6	4	7	6	6	3	3	3	4	1	1	–
	Female	99	15	1	1	–	3	2	6	3	6	2	11	6	5	5	6	5	4	5	6	6	1	–
	All other Male	18	7	–	–	–	–	–	2	1	3	–	–	1	–	3	–	–	–	1	–	–	–	–
	Female	12	7	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Residual	All other diseases	1,774	14	7	5	8	11	20	22	30	28	41	52	89	123	149	201	244	232	246	172	62	18	–
	White Male	923	3	4	2	4	7	10	10	15	7	22	27	48	68	83	118	144	116	125	74	28	8	–
	Female	748	8	3	3	4	3	9	9	6	12	11	23	30	46	55	76	93	106	117	94	30	10	–
	All other Male	61	1	–	–	–	1	1	2	7	6	4	1	7	4	6	4	5	4	3	4	1	–	–
	Female	42	2	–	–	–	–	–	1	2	3	4	1	4	5	5	3	2	6	1	–	3	–	–
E800–E949	Accidents	967	4	24	24	23	134	117	71	49	37	35	37	46	49	42	36	48	44	63	46	28	8	2
	White Male	604	1	9	9	13	103	83	54	30	18	27	28	30	32	26	25	28	20	32	20	13	1	2
	Female	287	2	10	11	5	24	28	9	14	10	4	8	13	10	14	10	19	22	30	23	15	6	–
	All other Male	61	1	5	2	4	5	5	7	5	8	4	1	3	7	2	–	–	1	–	1	–	–	–
	Female	15	–	–	2	1	2	1	1	–	1	–	–	–	–	–	1	1	1	1	2	–	1	–
E810–E823	Motor vehicle accidents	465	–	8	15	12	102	91	52	30	19	20	21	22	13	14	10	14	11	7	1	3	–	–
	White Male	327	–	2	7	8	80	66	41	19	9	16	18	13	11	8	6	9	7	4	1	2	–	–
	Female	112	–	4	6	3	20	23	6	9	6	2	3	7	2	5	3	5	4	3	–	1	–	–
	All other Male	23	–	2	1	1	2	2	4	2	4	2	–	2	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	502	4	16	9	11	32	26	19	19	18	15	16	24	36	28	26	34	33	56	45	25	8	2
	White Male	277	1	7	2	5	23	17	13	11	9	11	10	17	21	18	19	19	13	28	19	11	1	2
	Female	175	2	6	5	2	4	5	3	5	4	2	5	6	8	9	7	14	18	27	23	14	6	–
	All other Male	38	1	3	1	3	3	3	3	3	4	2	1	1	7	1	–	–	1	–	1	–	–	–
	Female	12	–	–	1	1	2	1	–	–	1	–	–	–	–	–	–	1	1	1	2	–	1	–
E950–E959	Suicide	268	...	...	–	3	12	39	38	20	15	13	20	21	15	28	14	11	10	6	3	–	–	–
	White Male	197	...	...	–	3	11	31	28	14	11	8	13	15	12	19	10	9	7	3	3	–	–	–
	Female	61	...	...	–	–	1	5	7	6	3	4	6	5	3	9	4	2	3	3	–	–	–	–
	All other Male	7	...	...	–	–	–	3	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	138	1	3	8	3	15	24	18	17	14	6	6	5	5	4	5	1	2	1	–	–	–	–
	White Male	57	–	1	3	2	5	12	8	3	5	2	3	4	4	3	1	1	–	–	–	–	–	–
	Female	30	1	1	5	1	4	3	2	5	1	1	–	–	1	1	1	–	2	1	–	–	–	–
	All other Male	39	–	–	–	–	5	5	6	8	7	2	3	–	–	–	3	–	–	–	–	–	–	–
	Female	12	–	1	–	–	1	4	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	61	1	7	–	3	4	9	4	5	2	2	2	5	3	5	2	3	1	1	2	–	–	–
	White Male	39	–	3	–	3	3	8	3	4	–	1	2	2	3	3	1	1	1	–	1	–	–	–
	Female	14	1	1	–	–	–	–	–	1	1	1	–	3	–	2	1	1	–	1	1	–	–	–
	All other Male	6	–	2	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware																							
	All causes	**4,738**	**117**	**18**	**9**	**12**	**51**	**61**	**51**	**38**	**60**	**93**	**155**	**260**	**393**	**479**	**517**	**567**	**564**	**587**	**423**	**204**	**78**	**1**
	White Male	2,169	42	11	3	6	29	39	27	22	23	47	77	131	219	247	270	272	240	238	154	63	9	–
	White Female	1,825	34	4	4	4	13	13	8	7	18	21	45	71	109	140	170	193	248	304	232	124	63	–
	All other Male	424	21	1	2	1	6	5	14	5	13	12	20	40	45	61	48	60	33	16	11	6	3	1
	All other Female	320	20	2	–	1	3	4	2	4	6	13	13	18	20	31	29	42	43	29	26	11	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	4	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	19	1	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	4	2	1	–	–	–
	White Male	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	–	–	–	–	–	1	–	1	–	1	1	–	–	1	2	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,042	–	–	3	1	2	4	6	2	9	27	42	95	137	156	136	128	124	92	52	22	4	–
	White Male	472	–	–	1	–	1	2	4	2	3	10	13	38	71	66	68	64	54	45	23	6	1	–
	Female	408	–	–	2	1	1	1	2	–	4	11	16	37	52	64	49	40	53	38	24	11	2	–
	All other Male	100	–	–	–	–	–	1	–	–	1	1	8	13	9	19	12	14	10	6	3	2	1	–
	Female	62	–	–	–	–	–	–	–	–	1	5	5	7	5	7	7	10	7	3	2	3	–	–
140–149	Of buccal cavity and pharynx	23	–	–	–	–	–	–	–	–	–	1	1	2	5	6	4	3	1	–	–	–	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	–	2	5	3	3	2	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	269	–	–	–	–	–	–	–	–	3	7	6	21	26	42	36	41	29	31	20	7	–	–
	White Male	116	–	–	–	–	–	–	–	–	–	3	2	7	14	20	15	20	10	15	9	1	–	–
	Female	105	–	–	–	–	–	–	–	–	2	2	2	6	9	16	14	14	14	13	8	5	–	–
	All other Male	30	–	–	–	–	–	–	–	–	1	–	2	6	1	5	5	4	2	2	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	2	–	2	2	1	2	3	3	1	1	1	–	–
160–163	Of respiratory system	292	–	–	–	–	–	–	–	–	3	5	18	30	46	53	44	38	29	19	5	1	1	–
	White Male	180	–	–	–	–	–	–	–	–	3	2	8	14	32	29	29	24	19	15	5	–	–	–
	Female	62	–	–	–	–	–	–	–	–	–	2	5	9	5	14	10	9	6	1	–	–	1	–
	All other Male	42	–	–	–	–	–	–	–	–	–	1	4	7	7	8	4	3	4	3	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	2	–	–	–	–	–	–
174	Of breast	82	–	–	–	–	–	–	1	–	1	2	5	8	15	13	9	7	10	5	2	3	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	–	–	–	–	–	–	1	–	1	2	5	8	15	11	9	4	9	5	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	–	–	1	–	–
180–187	Of genital organs	115	–	–	–	–	–	–	2	–	1	3	4	10	13	14	14	7	20	11	10	4	2	–
	White Male	34	–	–	–	–	–	–	2	–	–	–	–	–	4	3	3	3	7	4	5	2	1	–
	Female	54	–	–	–	–	–	–	–	–	1	1	3	6	8	9	7	2	7	5	5	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	–	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	2	1	4	–	1	3	–	3	1	–	1	–	–
188, 189	Of urinary organs	46	–	–	–	–	–	–	–	–	1	1	1	4	3	5	6	8	7	9	–	1	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	5	7	7	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	–	2	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	134	–	–	1	1	2	3	1	–	–	7	4	16	19	16	15	12	14	11	8	4	–	–
	White Male	59	–	–	–	–	1	1	1	–	–	3	1	11	8	4	8	6	5	4	3	3	–	–
	Female	62	–	–	1	1	1	1	–	–	–	4	1	4	11	9	4	4	8	7	5	1	–	–
	All other Male	9	–	–	–	–	–	1	–	–	–	–	1	–	–	2	2	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
204–207	Leukemia	36	–	–	2	–	–	1	–	1	–	1	1	2	1	4	4	7	6	3	2	1	–	–
	White Male	17	–	–	1	–	–	1	–	1	–	1	1	2	1	2	3	2	2	–	–	–	–	–
	Female	15	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	4	2	2	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	45	–	–	–	–	–	–	2	1	–	–	2	2	9	3	4	5	8	3	5	1	–	–
	White Male	18	–	–	–	–	–	–	1	1	–	–	1	1	4	2	2	2	3	–	1	–	–	–
	Female	22	–	–	–	–	–	–	1	–	–	–	–	1	4	–	2	3	5	3	2	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	10	1	–	–	–	–	1	–	–	–	1	1	1	–	1	–	1	1	1	–	1	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	111	–	–	–	–	1	1	1	–	–	1	1	5	8	11	17	18	12	23	8	4	–	–
	White Male	33	–	–	–	–	1	–	–	–	–	1	–	1	4	4	7	3	5	3	4	–	–	–
	Female	55	–	–	–	–	–	1	1	–	–	–	1	1	2	4	8	12	5	14	3	3	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	2	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	1	1	4	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware – Con.																							
280–285	Anemias	6	–	–	–	–	–	–	2	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	1	1	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	White Male	5	1	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,414	2	–	–	2	2	3	4	3	14	23	53	108	151	213	268	323	340	372	314	152	67	–
	White Male	1,084	2	–	–	1	1	3	2	1	5	13	35	75	83	126	145	153	138	143	101	49	8	–
	Female	1,005	–	–	–	1	1	–	2	1	5	3	11	19	37	43	79	113	153	206	184	93	54	–
	All other Male	165	–	–	–	–	–	–	–	–	3	6	4	8	22	27	26	31	18	7	7	4	2	–
	Female	160	–	–	–	–	–	–	–	1	1	1	3	6	9	17	18	26	31	16	22	6	3	–
390–398, 402, 404, 410–429	Diseases of heart	1,942	1	–	–	1	2	2	2	1	10	21	43	96	137	187	234	267	267	282	234	110	45	–
	White Male	910	1	–	–	1	1	2	1	1	4	13	30	71	77	109	130	132	108	113	76	33	7	–
	Female	767	–	–	–	–	1	–	1	–	4	2	7	13	32	38	69	86	122	153	134	71	34	–
	All other Male	137	–	–	–	–	–	–	–	–	1	5	3	8	20	24	21	27	13	3	7	3	2	–
	Female	128	–	–	–	–	–	–	–	–	1	1	3	4	8	16	14	22	24	13	17	3	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	28	–	–	–	–	–	1	1	1	3	3	–	2	1	4	5	3	3	1	–	–	–	–
	White Male	12	–	–	–	–	–	1	–	1	–	2	–	1	1	3	–	2	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	1	–	2	1	–	1	–	1	3	–	2	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–
402	Hypertensive heart disease	14	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	4	3	2	1	–	–	–
	White Male	6	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
404	Hypertensive heart and renal disease	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	1	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
410–413	Ischemic heart disease	1,790	–	–	–	–	1	–	1	–	7	17	41	84	130	171	212	243	252	265	218	106	42	–
	White Male	852	–	–	–	–	1	–	1	–	4	10	30	66	75	100	126	121	100	106	72	33	7	–
	Female	699	–	–	–	–	–	–	–	–	2	1	5	9	32	35	56	78	117	143	123	67	31	–
	All other Male	121	–	–	–	–	–	–	–	–	1	5	3	6	16	21	18	24	12	3	7	3	2	–
	Female	118	–	–	–	–	–	–	–	–	–	1	3	3	7	15	12	20	23	13	16	3	2	–
410	Acute myocardial infarction	751	–	–	–	–	1	–	–	–	3	10	22	43	80	96	124	106	105	87	53	18	3	–
	White Male	416	–	–	–	–	1	–	–	–	3	7	19	32	49	62	78	59	44	39	15	7	1	–
	Female	256	–	–	–	–	–	–	–	–	–	1	3	5	17	19	33	35	50	47	34	10	2	–
	All other Male	48	–	–	–	–	–	–	–	–	–	2	–	3	11	9	8	8	5	–	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	3	3	6	5	4	6	1	2	1	–	–
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	3	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,030	–	–	–	–	–	–	1	–	4	7	19	40	50	74	87	136	147	177	161	88	39	–
	White Male	432	–	–	–	–	–	–	1	–	1	3	11	34	26	38	47	62	56	67	54	26	6	–
	Female	439	–	–	–	–	–	–	–	–	2	–	2	3	15	15	23	43	67	95	88	57	29	–
	All other Male	72	–	–	–	–	–	–	–	–	1	3	3	3	5	12	10	15	7	3	5	3	2	–
	Female	87	–	–	–	–	–	–	–	–	–	1	3	–	4	9	7	16	17	12	14	2	2	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware — Con.																							
420–423, 425–427, 429	All other forms of heart disease	93	1	–	–	–	1	1	–	–	–	1	1	9	5	10	16	13	8	12	10	3	2	–
	White ..... Male	36	1	–	–	–	–	1	–	–	–	1	–	3	1	4	4	6	6	6	3	–	–	–
	Female	42	–	–	–	–	1	–	–	–	–	–	1	3	–	2	10	5	2	6	7	3	2	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	19	–	–	–	–	–	–	–	1	–	1	1	–	2	–	1	2	2	3	1	4	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	–	1	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–
430–438	Cerebrovascular diseases	319	1	–	–	1	–	1	2	1	3	1	6	9	9	23	24	38	56	58	53	20	13	–
	White ..... Male	106	1	–	–	–	–	1	1	–	1	–	2	1	3	15	8	14	20	19	12	8	–	–
	Female	172	–	–	–	1	–	–	1	1	1	1	3	6	5	5	9	19	27	34	36	11	12	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	1	–	1	–	1	2	4	4	4	2	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	5	3	5	1	1	–
431	Cerebral hemorrhage	42	1	–	–	1	–	–	–	–	1	1	2	4	1	3	3	7	7	5	6	–	–	–
	White ..... Male	12	1	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	3	1	2	–	–	–
	Female	28	–	–	–	1	–	–	–	–	1	1	2	2	1	2	1	6	3	4	4	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	75	–	–	–	–	–	1	–	–	–	–	1	2	2	9	3	9	15	15	11	5	2	–
	White ..... Male	26	–	–	–	–	–	1	–	–	–	–	1	–	2	7	2	2	4	3	1	3	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	10	11	8	2	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	201	–	–	–	–	–	–	2	1	2	–	3	3	5	11	18	22	34	38	36	15	11	–
	White ..... Male	68	–	–	–	–	–	–	1	–	1	–	1	–	1	7	4	11	13	15	9	5	–	–
	Female	103	–	–	–	–	–	–	1	1	–	–	1	3	3	3	7	8	14	19	24	9	10	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	1	–	1	–	1	1	4	2	3	2	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	2	3	1	1	–
440	Arteriosclerosis	74	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	4	9	20	20	12	7	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	4	10	4	–	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	15	10	7	7	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	60	–	–	–	–	–	–	–	–	–	–	3	2	3	3	9	12	6	9	6	6	1	–
	White ..... Male	35	–	–	–	–	–	–	–	–	–	–	2	2	2	2	6	6	4	5	3	3	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	2	4	3	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	93	4	1	–	–	–	–	1	1	3	2	3	5	5	5	6	8	16	19	8	5	1	–
	White ..... Male	33	–	–	–	–	–	–	1	1	–	–	1	–	2	2	4	4	6	6	5	1	–	–
	Female	37	–	–	–	–	–	–	–	–	2	1	1	1	–	2	1	4	8	10	3	3	1	–
	All other ..... Male	13	2	–	–	–	–	–	–	–	–	–	1	3	3	–	1	–	2	1	–	–	–	–
	Female	10	2	1	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	2	–	1	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	93	4	1	–	–	–	–	1	1	3	2	3	5	5	5	6	8	16	19	8	5	1	–
	White ..... Male	33	–	–	–	–	–	–	1	1	–	–	1	–	2	2	4	4	6	6	5	1	–	–
	Female	37	–	–	–	–	–	–	–	–	2	1	1	1	–	2	1	4	8	10	3	3	1	–
	All other ..... Male	13	2	–	–	–	–	–	–	–	–	–	1	3	3	–	1	–	2	1	–	–	–	–
	Female	10	2	1	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	2	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	45	–	–	–	–	–	–	–	–	1	–	–	4	4	7	11	5	7	4	–	2	–	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	–	–	1	4	4	6	3	6	4	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	2	–	2	4	2	1	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware – Con.																							
490, 491	Chronic and unqualified bronchitis	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	33	–	–	–	–	–	–	–	–	–	–	–	4	2	5	8	3	6	4	–	1	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	3	5	4	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
493	Asthma	6	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	1	–	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	8	2	1	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	105	–	–	–	–	–	1	2	1	7	11	10	9	27	16	10	2	6	3	–	–	–	–
	White Male	52	–	–	–	–	–	–	1	1	4	5	5	2	18	5	5	2	2	2	–	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	3	3	5	5	4	–	4	1	–	–	–	–
	All other Male	18	–	–	–	–	–	–	1	–	3	1	–	4	3	5	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	1	–	–	–	3	2	–	1	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	20	–	–	–	–	–	–	–	1	–	3	–	1	–	1	2	3	2	1	3	3	–	–
	White Male	11	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	2	1	1	3	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	16	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	3	2	1	3	2	–	–
	White Male	9	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	1	1	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
590	Infections of kidney	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	–	2	–	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware — Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	33	26	2	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Male	13	8	1	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	13	11	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	25	15	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	2	2	–	–	–	–
	White Male	11	7	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
	Female	7	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	All other Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Residual	All other diseases	331	3	1	–	2	3	2	5	3	7	9	18	14	25	37	41	51	29	48	25	7	1	–
	White Male	158	2	–	–	–	2	1	2	–	1	4	6	5	15	20	21	27	13	22	13	4	–	–
	Female	118	–	1	–	2	1	–	2	–	1	3	8	3	4	12	17	13	14	23	10	3	1	–
	All other Male	31	–	–	–	–	–	–	–	1	2	1	2	4	5	4	3	7	1	–	1	–	–	–
	Female	24	1	–	–	–	–	1	1	2	3	1	2	2	1	1	–	4	1	3	1	–	–	–
E800–E949	Accidents	240	1	11	4	6	31	33	15	14	11	7	14	9	14	14	6	9	12	10	10	5	4	–
	White Male	132	–	9	1	4	17	24	10	9	6	5	6	5	9	9	2	4	5	3	3	1	–	–
	Female	60	–	–	1	–	7	5	–	2	2	–	4	2	3	2	2	3	5	7	7	4	4	–
	All other Male	37	–	1	2	1	4	3	5	3	3	1	3	2	1	3	2	2	1	–	–	–	–	–
	Female	11	1	1	–	1	3	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	115	1	2	2	4	16	23	10	10	9	5	5	6	6	2	1	3	7	–	3	–	–	–
	White Male	70	–	1	1	2	8	15	6	8	6	5	2	3	4	1	1	2	4	–	1	–	–	–
	Female	24	–	–	1	–	4	5	–	1	2	–	2	2	1	–	–	1	3	–	2	–	–	–
	All other Male	16	–	1	–	1	2	2	4	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
	Female	5	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	125	–	9	2	2	15	10	5	4	2	2	9	3	8	12	5	6	5	10	7	5	4	–
	White Male	62	–	8	–	2	9	9	4	1	–	–	4	2	5	8	1	2	1	3	2	1	–	–
	Female	36	–	–	–	–	3	–	–	1	–	–	2	–	2	2	2	2	2	7	5	4	4	–
	All other Male	21	–	–	2	–	2	1	1	2	2	1	2	1	–	2	2	2	1	–	–	–	–	–
	Female	6	–	1	–	–	1	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–
E950–E959	Suicide	76	...	...	–	1	8	7	6	8	7	4	5	5	9	5	1	2	2	4	1	–	–	1
	White Male	56	...	...	–	1	5	6	3	6	4	4	5	3	7	4	1	1	1	4	1	–	–	–
	Female	15	...	...	–	–	2	1	1	2	2	–	–	2	2	1	–	1	1	–	–	–	–	–
	All other Male	5	...	...	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	36	–	–	–	–	4	4	6	3	–	2	3	2	2	3	1	2	1	2	–	1	–	–
	White Male	13	–	–	–	–	2	2	1	1	–	–	2	–	2	1	1	–	1	–	–	–	–	–
	Female	8	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	1	–	2	–	1	–	–
	All other Male	13	–	–	–	–	1	1	4	1	–	1	1	2	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	8	–	–	–	–	–	1	3	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	2	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia																							
	All causes	**7,186**	**275**	**28**	**16**	**22**	**44**	**90**	**116**	**124**	**157**	**226**	**324**	**500**	**603**	**680**	**769**	**809**	**823**	**673**	**519**	**276**	**104**	**8**
	White ..... Male	1,094	10	–	–	1	4	5	11	7	13	13	34	55	74	110	136	168	170	136	94	44	8	1
	Female	1,215	14	2	1	1	1	6	5	8	6	9	18	27	46	69	100	125	189	214	189	127	58	–
	All other ..... Male	2,752	150	17	7	8	28	54	69	71	87	147	175	262	300	318	307	263	221	148	76	29	8	7
	Female	2,125	101	9	8	12	11	25	31	38	51	57	97	156	183	183	226	253	243	175	160	76	30	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	29	–	–	–	–	–	–	1	2	2	2	3	2	–	3	3	3	3	2	2	–	–	1
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	2	1	1	3	2	–	1	2	2	2	–	1	–	–	1
	Female	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	25	–	–	–	–	–	–	–	2	1	1	3	2	–	2	3	3	3	2	2	–	–	1
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	2	1	1	3	2	–	1	2	2	2	–	1	–	–	1
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	51	2	1	–	–	–	–	–	2	1	3	1	5	5	5	2	8	5	4	7	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other ..... Male	28	1	1	–	–	–	–	–	–	1	3	–	3	3	3	1	5	2	2	3	–	–	–
	Female	17	1	–	–	–	–	–	–	2	–	–	1	1	2	2	1	2	3	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	31	1	–	–	–	1	1	1	2	1	2	1	–	3	2	5	3	2	1	2	2	–	1
	White ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	All other ..... Male	13	1	–	–	–	1	–	–	1	–	1	–	–	1	2	3	2	–	–	–	–	–	1
	Female	12	–	–	–	–	–	1	1	1	–	1	1	–	2	–	1	1	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,591	1	3	1	4	3	3	12	10	23	40	73	145	198	223	243	202	197	115	65	25	5	–
	White Male	253	–	–	–	–	–	–	1	–	2	2	5	16	13	38	36	47	48	21	17	6	1	–
	Female	237	1	–	–	–	–	–	–	1	2	3	7	6	22	34	38	24	39	33	18	6	3	–
	All other Male	648	–	2	–	1	2	2	5	3	11	21	44	78	100	84	103	75	62	34	13	8	–	–
	Female	453	–	1	1	3	1	1	6	6	8	14	17	45	63	67	66	56	48	27	17	5	1	–
140–149	Of buccal cavity and pharynx	63	–	–	–	–	–	–	–	1	2	1	6	14	12	7	9	6	4	1	–	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
	All other Male	40	–	–	–	–	–	–	–	1	2	1	4	11	9	4	4	3	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	487	–	1	–	1	–	2	4	–	4	5	17	34	58	72	84	65	66	35	29	8	2	–
	White Male	65	–	–	–	–	–	–	–	–	–	–	–	3	4	12	10	10	14	5	5	1	1	–
	Female	72	–	–	–	–	–	–	–	–	–	–	1	1	3	13	8	6	17	11	8	3	1	–
	All other Male	206	–	1	–	–	–	2	1	–	2	4	10	23	29	29	37	30	21	8	6	3	–	–
	Female	144	–	–	–	1	–	–	3	–	2	1	6	7	22	18	29	19	14	11	10	1	–	–
160–163	Of respiratory system	378	–	–	–	–	–	–	–	–	6	8	22	44	67	54	64	47	33	24	6	3	–	–
	White Male	72	–	–	–	–	–	–	–	–	–	–	4	5	3	10	14	14	10	9	3	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	2	–	5	4	8	4	6	1	2	1	–	–
	All other Male	211	–	–	–	–	–	–	–	–	5	6	14	29	44	32	32	19	15	14	1	–	–	–
	Female	61	–	–	–	–	–	–	–	–	1	1	2	10	15	8	10	10	2	–	–	2	–	–
174	Of breast	140	–	–	–	–	–	–	1	3	4	6	4	15	16	27	16	11	14	11	8	4	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	–	–	–	–	–	–	–	–	1	1	–	2	6	10	7	4	3	7	4	2	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	90	–	–	–	–	–	–	1	3	3	5	4	13	9	17	9	7	9	4	4	2	–	–
180–187	Of genital organs	178	–	–	–	–	–	–	2	1	3	5	2	8	14	22	21	27	36	19	9	7	2	–
	White Male	28	–	–	–	–	–	–	1	–	1	–	–	–	2	2	2	2	10	3	2	3	–	–
	Female	29	–	–	–	–	–	–	–	–	1	–	1	–	2	2	5	4	7	5	1	–	1	–
	All other Male	63	–	–	–	–	–	–	–	–	–	1	1	2	5	8	7	9	14	8	4	4	–	–
	Female	58	–	–	–	–	–	–	1	1	1	4	–	6	5	10	7	12	5	3	2	–	1	–
188, 189	Of urinary organs	65	–	1	–	–	–	–	–	–	–	1	2	6	9	3	10	9	14	4	6	–	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	3	8	1	5	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–
	All other Male	24	–	–	–	–	–	–	–	–	–	1	2	2	3	–	6	5	3	1	1	–	–	–
	Female	12	–	1	–	–	–	–	–	–	–	–	–	3	1	2	2	1	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	170	–	1	–	2	1	–	1	2	2	10	16	12	12	30	27	18	16	14	3	2	1	–
	White Male	33	–	–	–	–	–	–	–	–	–	1	–	3	–	10	4	7	2	2	2	2	–	–
	Female	29	–	–	–	–	–	–	–	1	–	1	2	1	2	3	9	3	3	3	–	–	1	–
	All other Male	62	–	1	–	–	1	–	1	1	1	6	10	6	5	9	11	5	3	2	–	–	–	–
	Female	46	–	–	–	2	–	–	–	–	1	2	4	2	5	8	3	3	8	7	1	–	–	–
204–207	Leukemia	36	1	–	1	1	2	–	1	2	1	2	3	3	2	–	2	7	4	2	2	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	4	1	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	2	–	–	–
	All other Male	12	–	–	–	1	1	–	–	1	–	–	2	2	1	–	1	1	1	1	–	–	–	–
	Female	8	–	–	1	–	1	–	1	1	–	1	–	–	–	–	1	–	1	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	74	–	–	–	–	–	1	3	1	1	2	1	9	8	8	10	12	10	5	2	1	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	5	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	4	1	–	–	–
	All other Male	27	–	–	–	–	–	–	3	–	1	2	1	3	3	2	5	3	2	–	1	1	–	–
	Female	25	–	–	–	–	–	1	–	1	–	–	–	3	4	3	3	3	7	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	–	1	–	1	–	–	–	–	2	–	–	2	3	4	5	5	2	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–	–
	All other Male	11	–	–	1	–	1	–	–	–	–	2	–	–	1	2	2	1	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	–	–	–
250	Diabetes mellitus	120	–	–	–	–	2	–	1	2	1	3	3	8	11	17	16	16	16	13	3	7	–	1
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2	2	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	3	–	–
	All other Male	39	–	–	–	–	–	–	1	1	1	3	2	5	5	10	1	4	2	3	–	–	–	1
	Female	56	–	–	–	–	2	–	–	1	–	–	1	3	5	3	13	10	11	5	–	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	15	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	2	5	1	2	1	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	3	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
280–285	Anemias	22	–	–	–	–	–	–	1	1	1	3	–	–	4	2	1	5	–	1	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	All other Male	9	–	–	–	–	–	–	1	1	1	–	–	–	3	1	–	2	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	3	–	–	1	1	1	1	–	–	–	1	–	–
320	Meningitis	12	–	5	1	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	–	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–
390–448	Major cardiovascular diseases	3,036	3	2	–	–	3	3	6	11	29	49	99	171	216	268	342	406	434	403	318	192	79	2
	White Male	530	–	–	–	–	–	–	–	–	1	3	10	19	33	43	68	86	92	90	54	26	5	–
	Female	660	–	–	–	–	–	–	–	–	–	2	5	13	14	17	44	64	99	141	124	96	41	–
	All other Male	935	3	2	–	–	2	–	5	7	16	33	53	85	110	139	126	119	106	68	38	14	7	2
	Female	911	–	–	–	–	1	3	1	4	12	11	31	54	59	69	104	137	137	104	102	56	26	–
390–398, 402, 404, 410–429	Diseases of heart	2,210	2	1	–	–	2	1	3	9	18	36	75	130	171	222	258	306	315	270	214	127	48	2
	White Male	413	–	–	–	–	–	–	–	–	1	3	8	17	30	39	52	67	69	67	40	19	1	–
	Female	444	–	–	–	–	–	–	–	–	–	1	4	10	8	13	35	50	67	91	80	58	27	–
	All other Male	708	2	1	–	–	2	–	2	5	10	26	41	68	90	110	93	88	81	50	24	9	4	2
	Female	645	–	–	–	–	–	1	1	4	7	6	22	35	43	60	78	101	98	62	70	41	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	31	–	–	–	–	–	–	–	–	–	1	3	4	2	1	8	2	5	5	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	1	–	–	3	1	2	2	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	–	1	1	–	–	–	–
402	Hypertensive heart disease	34	–	–	–	–	–	–	–	–	1	2	–	–	1	2	4	4	3	9	4	1	3	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–
	All other Male	11	–	–	–	–	–	–	–	–	1	2	–	–	–	2	2	2	–	3	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	2	1	2	–
404	Hypertensive heart and renal disease	18	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	4	–	5	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	2	2	–	–
410–413	Ischemic heart disease	1,938	–	–	–	–	1	–	–	4	13	27	63	107	156	204	229	276	281	234	189	111	41	2
	White Male	366	–	–	–	–	–	–	–	–	1	3	7	12	25	37	47	60	63	56	37	17	1	–
	Female	396	–	–	–	–	–	–	–	–	–	1	1	9	8	13	31	42	62	80	71	53	25	–
	All other Male	606	–	–	–	–	1	–	–	2	7	18	35	58	83	100	81	78	72	39	19	8	3	2
	Female	570	–	–	–	–	–	–	–	2	5	5	20	28	40	54	70	96	84	59	62	33	12	–
410	Acute myocardial infarction	458	–	–	–	–	1	–	–	–	4	4	16	21	36	46	58	66	71	67	37	26	4	1
	White Male	112	–	–	–	–	–	–	–	–	–	–	4	3	9	9	16	23	25	11	7	5	–	–
	Female	106	–	–	–	–	–	–	–	–	–	–	1	1	1	6	8	15	13	30	15	14	2	–
	All other Male	116	–	–	–	–	1	–	–	–	3	2	9	9	20	17	16	13	11	10	1	3	–	1
	Female	124	–	–	–	–	–	–	–	–	1	2	2	8	6	14	18	15	22	16	14	4	2	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,474	–	–	–	–	–	–	–	4	9	23	46	86	120	157	170	208	210	167	151	85	37	1
	White Male	251	–	–	–	–	–	–	–	–	1	3	3	9	16	27	31	36	38	45	29	12	1	–
	Female	289	–	–	–	–	–	–	–	–	–	1	–	8	7	7	23	26	49	50	56	39	23	–
	All other Male	489	–	–	–	–	–	–	–	2	4	16	26	49	63	83	64	65	61	29	18	5	3	1
	Female	445	–	–	–	–	–	–	–	2	4	3	17	20	34	40	52	81	62	43	48	29	10	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	14	–	–	–	–	–	–	1	1	–	–	1	2	2	1	1	3	1	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	175	2	1	–	–	1	1	2	4	4	6	8	15	10	13	15	18	21	21	16	13	4	–
	White..... Male	32	–	–	–	–	–	–	–	–	–	–	1	4	3	2	3	3	3	9	2	2	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	2	6	6	5	1	–
	All other..... Male	77	2	1	–	–	1	–	2	3	2	5	4	7	6	9	9	7	7	6	4	1	1	–
	Female	40	–	–	–	–	–	1	–	1	2	1	2	4	1	2	3	3	9	–	4	5	2	–
400, 401, 403	Hypertension	17	–	–	–	–	–	–	–	1	–	–	1	2	1	–	3	–	1	4	3	–	1	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
	All other..... Male	7	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	2	1	–	–	–
430–438	Cerebrovascular diseases	560	1	1	–	–	1	1	3	1	10	11	17	31	33	33	61	70	71	85	59	54	17	–
	White..... Male	70	–	–	–	–	–	–	–	–	–	–	1	2	3	1	9	14	8	16	8	5	3	–
	Female	153	–	–	–	–	–	–	–	–	–	1	1	2	4	2	7	12	24	34	27	32	7	–
	All other..... Male	157	1	1	–	–	–	–	3	1	6	6	9	12	14	22	21	21	19	10	5	5	1	–
	Female	180	–	–	–	–	1	1	–	–	4	4	6	15	12	8	24	23	20	25	19	12	6	–
431	Cerebral hemorrhage	123	1	1	–	–	1	–	1	–	4	7	10	16	14	10	11	15	12	9	7	4	–	–
	White..... Male	12	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	1	3	–	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	2	3	4	4	1	–	–
	All other..... Male	46	1	1	–	–	–	–	1	–	3	4	5	6	8	7	3	2	3	1	1	–	–	–
	Female	47	–	–	–	–	1	–	–	–	1	3	4	7	5	3	5	8	5	1	2	2	–	–
433	Cerebral thrombosis	124	–	–	–	–	–	–	–	–	–	–	–	2	5	6	17	14	16	23	16	20	5	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	5	4	1	3	–
	Female	47	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	7	12	6	14	–	–
	All other..... Male	33	–	–	–	–	–	–	–	–	–	–	–	2	2	5	7	7	4	1	2	3	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	2	5	5	4	2	2	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	310	–	–	–	–	–	1	2	1	6	4	7	13	14	17	32	41	42	53	36	29	12	–
	White..... Male	41	–	–	–	–	–	–	–	–	–	–	–	1	2	1	5	10	7	8	4	3	–	–
	Female	85	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	6	13	18	17	16	7	–
	All other..... Male	78	–	–	–	–	–	–	2	1	3	2	4	4	4	10	11	12	12	8	2	2	1	–
	Female	106	–	–	–	–	–	1	–	–	3	1	2	8	6	4	14	13	10	19	13	8	4	–
440	Arteriosclerosis	170	–	–	–	–	–	–	–	–	–	–	2	3	2	4	12	18	36	38	35	10	10	–
	White..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	11	5	4	2	1	–
	Female	47	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	7	11	13	5	6	–
	All other..... Male	36	–	–	–	–	–	–	–	–	–	–	1	2	1	1	5	6	3	8	8	–	1	–
	Female	57	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	8	15	14	10	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	79	–	–	–	–	–	1	–	–	1	2	4	5	9	9	8	12	11	6	7	1	3	–
	White..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	3	4	1	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	4	3	1	–	–
	All other..... Male	27	–	–	–	–	–	–	–	–	–	1	2	2	5	6	4	4	2	–	–	–	1	–
	Female	23	–	–	–	–	–	1	–	–	1	1	1	2	2	1	–	5	4	1	2	–	2	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	214	10	–	–	1	–	1	–	7	9	7	9	17	10	12	9	17	27	27	25	18	8	–
	White..... Male	24	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	1	6	3	4	2	1	–
	Female	48	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	7	9	12	10	6	–
	All other..... Male	82	7	–	–	–	–	1	–	1	7	5	6	11	2	3	5	11	9	9	2	2	1	–
	Female	60	3	–	–	1	–	–	–	5	1	2	2	5	6	6	3	4	5	6	7	4	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	214	10	–	–	1	–	1	–	7	9	7	9	17	10	12	9	17	27	27	25	18	8	–
	White..... Male	24	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	1	6	3	4	2	1	–
	Female	48	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	7	9	12	10	6	–
	All other..... Male	82	7	–	–	–	–	1	–	1	7	5	6	11	2	3	5	11	9	9	2	2	1	–
	Female	60	3	–	–	1	–	–	–	5	1	2	2	5	6	6	3	4	5	6	7	4	–	–
490–493	Bronchitis, emphysema, and asthma	53	1	–	–	–	–	1	–	–	1	2	1	3	4	7	9	9	8	5	2	–	–	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	5	1	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	5	3	1	–	–	–
	All other..... Male	15	1	–	–	–	–	1	–	–	–	–	–	1	1	3	2	2	2	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
490, 491	Chronic and unqualified bronchitis	12	1	–	–	–	–	1	–	–	–	–	–	1	1	–	3	1	1	2	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	All other Male	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	34	–	–	–	–	–	–	–	–	–	1	1	2	2	6	4	7	7	3	1	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	4	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	5	1	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	2	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
493	Asthma	7	–	–	–	–	–	–	–	–	1	1	–	–	1	1	2	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–
531–533	Peptic ulcer	18	–	–	–	–	–	–	–	–	1	–	–	1	3	–	5	2	2	1	1	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	28	3	–	–	–	–	1	–	–	–	–	1	2	1	4	–	2	3	6	2	2	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	1	1	–
	All other Male	12	3	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	2	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	1	–	–	–
571	Cirrhosis of liver	321	–	–	–	–	–	1	8	11	21	39	58	58	46	31	22	10	8	3	4	–	–	1
	White Male	32	–	–	–	–	–	–	–	–	–	2	2	6	7	5	4	4	2	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	3	3	3	1	1	3	1	1	–	–	–
	All other Male	173	–	–	–	–	–	1	4	8	10	27	31	30	25	16	13	3	1	2	1	–	–	1
	Female	99	–	–	–	–	–	–	4	3	11	9	25	19	11	7	4	2	2	–	2	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	2	2	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	54	–	–	–	–	–	–	–	–	–	–	1	4	7	5	7	6	9	12	2	–	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	4	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	All other Male	22	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	3	5	5	1	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	2	4	3	6	3	3	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	47	–	–	–	–	–	–	–	–	–	–	1	4	6	5	6	6	8	8	2	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	3	4	2	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	2	3	3	5	3	3	2	1	–	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	4	1	4	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	45	25	2	1	–	3	2	2	1	1	1	–	1	–	–	3	2	1	–	–	–	–	–
	White Male	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	4	–	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	All other Male	21	12	1	–	–	2	1	1	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	13	8	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	82	23	–	–	–	4	4	6	5	3	8	7	2	2	6	3	–	1	2	1	3	2	–
	White Male	11	1	–	–	–	–	–	–	1	1	2	2	1	–	1	1	–	–	–	1	–	–	–
	Female	5	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–
	All other Male	33	15	–	–	–	2	1	3	1	1	4	2	–	1	2	1	–	–	–	–	–	–	–
	Female	33	6	–	–	–	2	2	3	3	1	2	3	1	1	2	1	–	1	2	–	2	1	–
Residual	All other diseases	599	8	4	2	2	5	9	10	9	17	31	26	42	46	50	61	82	68	52	58	14	3	–
	White Male	93	1	–	–	–	–	–	1	1	–	3	4	3	8	7	13	14	14	8	12	3	1	–
	Female	90	–	1	–	–	–	–	–	1	1	–	1	2	2	5	7	15	15	13	19	6	2	–
	All other Male	230	3	2	1	2	2	5	5	3	10	17	13	19	21	27	28	26	20	13	11	2	–	–
	Female	186	4	1	1	–	3	4	4	4	6	11	8	18	15	11	13	27	19	18	16	3	–	–
E800–E949	Accidents	312	9	8	10	11	8	18	25	22	12	12	20	23	24	20	24	11	12	18	14	8	3	–
	White Male	46	1	–	–	1	2	3	4	2	1	–	6	4	3	3	6	2	–	3	2	3	–	–
	Female	44	–	–	–	1	1	2	–	3	1	2	3	–	2	3	1	4	9	4	5	2	1	–
	All other Male	140	5	4	5	3	4	8	16	13	6	10	6	14	11	11	12	3	–	7	1	1	–	–
	Female	82	3	4	5	6	1	5	5	4	4	–	5	5	8	3	5	2	3	4	6	2	2	–
E810–E823	Motor vehicle accidents	87	2	3	7	7	4	8	11	7	4	2	6	6	7	4	4	2	1	2	–	–	–	–
	White Male	13	–	–	–	1	1	1	1	2	–	–	1	1	2	1	–	1	–	1	–	–	–	–
	Female	15	–	–	–	1	1	2	–	2	–	2	2	–	1	2	–	1	1	–	–	–	–	–
	All other Male	36	1	2	3	2	2	2	6	3	3	–	1	4	1	1	4	–	–	1	–	–	–	–
	Female	23	1	1	4	3	–	3	4	–	1	–	2	1	3	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	225	7	5	3	4	4	10	14	15	8	10	14	17	17	16	20	9	11	16	14	8	3	–
	White Male	33	1	–	–	–	1	2	3	–	1	–	5	3	1	2	6	1	–	2	2	3	–	–
	Female	29	–	–	–	–	–	–	–	1	1	–	1	–	1	1	1	3	8	4	5	2	1	–
	All other Male	104	4	2	2	1	2	6	10	10	3	10	5	10	10	10	8	3	–	6	1	1	–	–
	Female	59	2	3	1	3	1	2	1	4	3	–	3	4	5	3	5	2	3	4	6	2	2	–
E950–E959	Suicide	63	...	...	–	1	3	13	9	5	8	2	2	4	3	5	4	3	1	–	–	–	–	–
	White Male	22	...	...	–	–	1	2	4	1	3	–	1	1	3	4	1	1	–	–	–	–	–	–
	Female	16	...	...	–	–	–	3	2	2	1	–	1	2	–	–	2	2	1	–	–	–	–	–
	All other Male	18	...	...	–	–	2	5	3	1	3	1	–	1	–	1	1	–	–	–	–	–	–	–
	Female	7	...	...	–	1	–	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	187	–	2	–	2	11	29	27	28	21	12	13	9	10	13	4	2	2	1	–	1	–	–
	White Male	10	–	–	–	–	–	–	1	2	3	–	2	1	–	–	–	1	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	149	–	–	–	2	10	26	21	25	16	11	9	7	8	9	3	1	1	–	–	–	–	–
	Female	23	–	1	–	–	1	3	4	1	2	–	2	1	2	4	1	–	–	–	–	1	–	–
E980–E999	Other external causes	46	–	1	–	–	–	2	6	5	4	4	3	3	6	1	–	4	4	–	1	–	–	2
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	1
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Male	30	–	1	–	–	–	2	4	4	2	4	2	2	3	–	–	1	3	–	1	–	–	1
	Female	8	–	–	–	–	–	–	2	1	1	–	–	1	1	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida																							
	All causes	**91,760**	**1,715**	**334**	**173**	**258**	**764**	**916**	**874**	**825**	**1,014**	**1,468**	**2,358**	**3,921**	**5,798**	**7,827**	**11,169**	**13,321**	**13,557**	**12,176**	**8,302**	**3,790**	**1,190**	**10**
	White ..... Male	46,331	545	137	72	138	437	530	468	410	484	639	1,118	1,970	3,042	4,140	6,173	7,346	7,187	6,128	3,649	1,377	338	3
	Female	34,441	439	93	52	61	194	193	176	185	251	414	651	1,097	1,708	2,526	3,645	4,659	5,339	5,418	4,323	2,253	763	1
	All other ..... Male	6,299	420	72	28	39	99	138	158	147	166	241	339	509	641	694	782	726	539	307	151	65	36	2
	Female	4,689	311	32	21	20	34	55	72	83	113	174	250	345	407	467	569	590	492	323	179	95	53	4
004, 006	Bacillary dysentery and amebiasis	4	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	83	34	5	1	–	–	–	1	–	1	–	2	4	4	3	1	4	6	7	6	2	2	–
	White ..... Male	22	8	1	–	–	–	–	1	–	–	–	–	2	–	1	–	–	2	4	2	1	–	–
	Female	31	6	1	–	–	–	–	–	–	–	–	–	1	4	1	1	4	4	3	4	1	1	–
	All other ..... Male	18	14	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	12	6	1	1	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–
010–019	Tuberculosis, all forms	164	–	1	–	–	–	1	–	3	3	11	9	17	11	24	24	20	16	15	4	3	2	–
	White ..... Male	70	–	–	–	–	–	–	–	–	–	2	4	2	6	10	9	12	10	10	1	3	1	–
	Female	22	–	1	–	–	–	–	–	–	–	–	1	2	–	2	4	4	2	2	3	–	1	–
	All other ..... Male	60	–	–	–	–	–	–	–	3	3	8	3	10	5	11	10	3	1	3	–	–	–	–
	Female	12	–	–	–	–	–	1	–	–	–	1	1	3	–	1	1	1	3	–	–	–	–	–
010–012	Tuberculosis of respiratory system	134	–	–	–	–	–	1	–	2	3	7	9	14	10	20	19	17	12	13	3	2	2	–
	White ..... Male	63	–	–	–	–	–	–	–	–	–	2	4	1	6	10	8	11	10	8	–	2	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	3	–	2	3	–	1	–
	All other ..... Male	48	–	–	–	–	–	–	–	2	3	5	3	9	4	8	9	2	–	3	–	–	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	1	2	–	1	1	1	2	–	–	–	–	–
013–019	Tuberculosis, other forms	30	–	1	–	–	–	–	–	1	–	4	–	3	1	4	5	3	4	2	1	1	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	1	1	–	–
	Female	8	–	1	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	1	–	3	–	1	1	3	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	24	6	7	–	1	4	1	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–
	White ..... Male	10	4	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	1	4	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
038	Septicemia	273	36	6	–	–	3	–	2	1	1	2	4	15	21	12	27	25	38	35	23	20	2	–
	White ..... Male	112	11	3	–	–	1	–	–	–	1	–	1	4	6	7	9	9	22	17	11	9	1	–
	Female	106	10	2	–	–	1	–	–	1	–	1	2	9	9	1	11	14	13	12	11	8	1	–
	All other ..... Male	23	7	1	–	–	–	–	1	–	–	1	–	2	2	1	4	–	1	2	–	1	–	–
	Female	32	8	–	–	–	1	–	1	–	–	–	1	–	4	3	3	2	2	4	1	2	–	–
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	13	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	5	2	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	199	8	7	2	3	4	5	8	5	2	8	7	14	15	17	19	20	28	14	8	4	1	–
	White ..... Male	85	4	2	1	2	2	1	1	2	–	3	4	7	8	5	8	10	12	9	1	3	–	–
	Female	72	–	2	1	–	2	1	2	–	1	2	1	4	6	9	7	7	15	4	6	1	1	–
	All other ..... Male	22	3	3	–	–	–	1	4	–	1	2	–	–	–	1	3	2	1	–	1	–	–	–
	Female	20	1	–	–	1	–	2	1	3	–	1	2	3	1	2	1	1	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	20,212	3	21	18	26	36	44	70	112	172	294	671	1,207	1,840	2,502	3,312	3,525	2,901	2,023	1,044	322	69	–
	White Male	10,259	1	6	8	19	16	22	30	36	62	86	276	494	849	1,188	1,746	1,987	1,612	1,105	533	156	27	–
	Female	7,924	2	8	6	6	13	16	24	55	67	139	270	497	698	1,028	1,243	1,265	1,101	832	458	156	40	–
	All other Male	1,230	–	2	3	–	4	3	5	10	18	27	66	124	198	188	200	178	112	49	34	7	2	–
	Female	799	–	5	1	1	3	3	11	11	25	42	59	92	95	98	123	95	76	37	19	3	–	–
140–149	Of buccal cavity and pharynx	485	–	–	–	–	–	1	2	1	3	12	16	50	66	73	80	74	51	26	25	5	–	–
	White Male	279	–	–	–	–	–	1	2	–	1	5	7	24	33	42	47	50	29	16	20	2	–	–
	Female	140	–	–	–	–	–	–	–	1	2	2	1	13	18	24	22	21	19	10	4	3	–	–
	All other Male	50	–	–	–	–	–	–	–	–	–	2	6	10	13	3	10	3	2	–	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	3	2	3	2	4	1	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,155	–	–	1	–	–	4	8	7	28	43	125	225	406	565	818	1,009	862	609	334	89	22	–
	White Male	2,573	–	–	–	–	–	2	3	–	12	14	57	112	199	268	423	560	441	291	146	39	6	–
	Female	2,097	–	–	1	–	–	–	2	4	7	16	40	69	142	230	305	382	379	289	168	47	16	–
	All other Male	271	–	–	–	–	–	1	1	1	5	7	16	27	46	37	47	37	20	13	11	2	–	–
	Female	214	–	–	–	–	–	1	2	2	4	6	12	17	19	30	43	30	22	16	9	1	–	–
160–163	Of respiratory system	5,542	1	–	–	–	1	–	4	17	39	74	221	444	638	843	1,045	961	701	365	141	34	13	–
	White Male	3,682	–	–	–	–	–	–	1	6	24	32	132	240	389	506	719	707	524	274	97	24	7	–
	Female	1,294	1	–	–	–	1	–	3	6	9	27	48	121	153	236	231	184	141	82	38	9	4	–
	All other Male	472	–	–	–	–	–	–	–	5	5	10	33	64	82	89	82	56	31	7	5	1	2	–
	Female	94	–	–	–	–	–	–	–	–	1	5	8	19	14	12	13	14	5	2	1	–	–	–
174	Of breast	1,654	–	–	–	–	–	1	8	20	24	60	98	155	177	206	253	223	194	133	73	22	7	–
	White Male	21	–	–	–	–	–	–	–	–	1	–	–	–	3	3	–	6	4	3	1	–	–	–
	Female	1,514	–	–	–	–	–	1	5	15	17	49	86	137	162	194	235	208	182	124	70	22	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	117	–	–	–	–	–	–	3	5	6	11	12	18	12	8	18	9	7	6	2	–	–	–
180–187	Of genital organs	2,360	–	–	–	–	1	12	7	13	27	19	56	101	175	252	339	398	379	328	179	66	8	–
	White Male	1,036	–	–	–	–	1	8	1	4	3	–	1	10	29	68	132	182	208	215	122	46	6	–
	Female	980	–	–	–	–	–	3	6	6	13	15	41	71	102	139	165	155	111	88	45	18	2	–
	All other Male	181	–	–	–	–	–	1	–	–	–	–	–	6	19	22	23	44	35	20	9	2	–	–
	Female	163	–	–	–	–	–	–	–	3	11	4	14	14	25	23	19	17	25	5	3	–	–	–
188, 189	Of urinary organs	1,002	–	5	–	1	–	–	1	1	5	5	17	30	55	98	184	219	153	137	62	27	2	–
	White Male	647	–	–	–	–	–	–	–	1	2	2	11	19	34	65	118	147	107	92	33	15	1	–
	Female	273	–	–	–	1	–	–	–	–	1	1	4	7	12	28	48	55	37	40	26	12	1	–
	All other Male	49	–	2	–	–	–	–	–	–	1	–	–	2	6	4	10	11	7	4	2	–	–	–
	Female	33	–	3	–	–	–	–	1	–	1	2	2	2	3	1	8	6	2	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,192	1	8	7	9	18	10	18	26	28	45	90	126	206	282	340	327	281	196	115	48	11	–
	White Male	1,077	–	5	3	7	8	5	12	13	9	19	43	56	105	144	174	172	141	92	51	15	3	–
	Female	909	1	2	2	2	7	5	4	12	13	15	33	51	69	109	135	131	125	98	57	30	8	–
	All other Male	114	–	–	1	–	2	–	1	1	5	5	6	7	21	18	16	15	8	1	5	2	–	–
	Female	92	–	1	1	–	1	–	1	–	1	6	8	12	11	11	15	9	7	5	2	1	–	–
204–207	Leukemia	748	1	8	6	8	11	11	11	12	13	19	23	27	28	62	89	118	122	105	56	15	3	–
	White Male	390	1	1	3	5	5	5	5	3	6	7	10	10	13	29	45	63	79	60	30	8	2	–
	Female	290	–	6	3	2	4	4	2	7	5	5	9	11	10	25	40	49	37	40	24	6	1	–
	All other Male	37	–	–	–	–	–	1	1	2	2	3	3	3	2	5	3	4	4	3	1	–	–	–
	Female	31	–	1	–	1	2	1	3	–	–	4	1	3	3	3	1	2	2	2	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,074	–	–	4	8	5	5	11	15	5	17	25	49	89	121	164	196	158	124	59	16	3	–
	White Male	554	–	–	2	7	2	1	6	9	4	7	15	23	44	63	88	100	79	62	33	7	2	–
	Female	427	–	–	–	1	1	3	2	4	–	9	8	17	30	43	62	80	70	61	26	9	1	–
	All other Male	54	–	–	2	–	2	–	2	1	–	–	2	5	9	9	9	8	4	1	–	–	–	–
	Female	39	–	–	–	–	–	1	1	1	1	1	–	4	6	6	5	8	5	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	208	3	–	–	1	–	–	4	2	2	6	10	12	14	17	26	37	25	29	11	6	3	–
	White Male	85	1	–	–	–	–	–	–	–	1	1	2	5	5	10	12	17	11	14	3	2	1	–
	Female	94	1	–	–	1	–	–	2	1	1	3	4	5	6	3	10	16	13	15	7	4	2	–
	All other Male	14	–	–	–	–	–	–	1	1	–	1	2	1	1	4	2	–	1	–	–	–	–	–
	Female	15	1	–	–	–	–	–	1	–	–	1	2	1	2	–	2	4	–	–	1	–	–	–
250	Diabetes mellitus	1,415	–	–	–	1	3	4	8	9	9	22	42	65	91	138	199	238	229	194	115	40	8	–
	White Male	551	–	–	–	–	1	2	4	2	4	10	16	24	30	54	76	96	97	73	48	12	2	–
	Female	559	–	–	–	–	1	2	3	5	2	6	10	6	27	40	81	101	91	101	55	25	3	–
	All other Male	103	–	–	–	–	–	–	–	–	2	1	9	14	10	13	19	9	15	5	5	–	1	–
	Female	202	–	–	–	1	1	–	1	2	1	5	7	21	24	31	23	32	26	15	7	3	2	–
260–269	Avitaminoses and other nutritional deficiencies	115	–	–	–	–	–	–	–	1	–	1	–	3	2	5	10	16	18	26	20	6	7	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	7	8	9	9	1	3	–
	Female	46	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	4	6	15	8	5	3	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	2	2	2	–	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida — Con.																							
280–285	Anemias	198	4	2	3	3	7	7	2	3	2	6	1	5	9	10	15	26	22	30	23	14	4	–
	White ..... Male	69	1	–	–	2	3	1	1	–	1	2	–	–	5	5	2	10	13	7	11	5	–	–
	Female	87	2	–	–	–	–	1	–	–	–	1	–	3	3	2	10	12	9	21	12	8	3	–
	All other ..... Male	22	1	1	3	–	3	3	–	–	–	1	1	1	–	2	3	2	–	1	–	–	–	–
	Female	20	–	1	–	1	1	2	1	3	1	2	–	1	1	1	–	2	–	1	–	1	1	–
320	Meningitis	59	13	8	3	2	2	2	1	–	–	–	2	2	3	3	3	6	2	2	4	1	–	–
	White ..... Male	18	3	4	1	1	1	1	–	–	–	–	–	–	2	1	1	1	–	1	1	–	–	–
	Female	19	1	4	–	–	–	–	–	–	–	–	1	1	–	1	2	3	2	–	3	1	–	–
	All other ..... Male	15	5	–	–	1	1	1	1	–	–	–	1	1	1	1	–	1	–	1	–	–	–	–
	Female	7	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	46,119	25	10	8	15	23	38	52	84	181	401	711	1,386	2,271	3,434	5,452	7,029	7,917	7,750	5,681	2,765	883	3
	White ..... Male	23,514	9	2	4	7	12	14	19	44	98	216	419	876	1,368	1,997	3,182	3,888	4,086	3,769	2,347	923	234	–
	Female	18,199	6	4	1	3	5	8	15	12	28	82	114	239	490	929	1,592	2,411	3,237	3,578	3,131	1,730	584	–
	All other ..... Male	2,253	7	2	1	2	3	8	10	13	26	55	91	150	230	282	366	385	294	184	78	41	25	–
	Female	2,153	3	2	2	3	3	8	8	15	29	48	87	121	183	226	312	345	300	219	125	71	40	3
390–398, 402, 404, 410–429	Diseases of heart	34,102	20	6	5	11	14	22	34	55	138	307	577	1,172	1,837	2,795	4,382	5,397	5,782	5,348	3,764	1,853	581	2
	White ..... Male	18,364	7	1	2	5	9	6	14	35	84	185	370	788	1,180	1,717	2,679	3,127	3,079	2,673	1,588	648	167	–
	Female	12,697	5	2	1	1	3	5	8	6	22	52	84	176	367	714	1,211	1,784	2,296	2,410	2,047	1,128	375	–
	All other ..... Male	1,614	7	1	1	2	1	7	7	7	19	39	69	121	179	205	277	258	194	126	49	30	15	–
	Female	1,427	1	2	1	3	1	4	5	7	13	31	54	87	111	159	215	228	213	139	80	47	24	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	675	–	–	–	–	1	3	7	4	8	12	18	40	43	88	124	128	94	59	27	16	3	–
	White ..... Male	261	–	–	–	–	1	1	1	2	4	6	9	14	22	35	48	53	29	19	11	6	–	–
	Female	358	–	–	–	–	–	–	3	1	2	4	5	18	18	49	65	69	57	40	14	10	3	–
	All other ..... Male	23	–	–	–	–	–	1	1	–	1	2	1	3	2	3	2	2	5	–	–	–	–	–
	Female	33	–	–	–	–	–	1	2	1	1	–	3	5	1	1	9	4	3	–	2	–	–	–
402	Hypertensive heart disease	251	–	–	–	–	–	–	–	1	1	5	3	18	21	20	41	36	31	38	24	12	–	–
	White ..... Male	82	–	–	–	–	–	–	–	–	1	1	–	4	10	6	16	13	9	12	7	3	–	–
	Female	99	–	–	–	–	–	–	–	1	–	–	2	2	3	4	11	15	19	19	15	8	–	–
	All other ..... Male	36	–	–	–	–	–	–	–	–	–	3	–	6	5	7	7	3	1	3	1	–	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	1	6	3	3	7	5	2	4	1	1	–	–
404	Hypertensive heart and renal disease	106	–	–	–	–	–	–	–	–	–	1	–	2	2	8	11	16	16	23	16	7	3	1
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	4	7	13	6	2	1	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	4	8	10	8	5	2	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	–	–	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	1	–	–	4	3	1	–	1	–	–	1
410–413	Ischemic heart disease	31,390	–	–	1	1	1	1	10	36	106	258	502	1,025	1,655	2,525	4,002	4,996	5,406	5,033	3,536	1,751	544	1
	White ..... Male	17,204	–	–	1	1	1	–	6	26	71	170	337	721	1,098	1,598	2,515	2,946	2,915	2,545	1,490	609	154	–
	Female	11,603	–	–	–	–	–	–	1	1	14	35	67	143	314	616	1,068	1,619	2,124	2,248	1,932	1,068	353	–
	All other ..... Male	1,393	–	–	–	–	–	1	2	6	12	28	60	103	152	177	245	230	176	111	47	28	15	–
	Female	1,190	–	–	–	–	–	–	1	3	9	25	38	58	91	134	174	201	191	129	67	46	22	1
410	Acute myocardial infarction	13,888	–	–	–	–	–	1	5	18	65	162	256	538	901	1,360	2,061	2,539	2,427	1,921	1,091	441	101	1
	White ..... Male	8,400	–	–	–	–	–	–	3	14	46	116	191	404	639	896	1,371	1,574	1,405	1,032	517	156	36	–
	Female	4,674	–	–	–	–	–	–	1	1	9	21	34	80	173	342	549	829	920	836	549	268	62	–
	All other ..... Male	455	–	–	–	–	–	1	1	3	8	13	19	33	55	68	83	77	53	24	9	6	2	–
	Female	359	–	–	–	–	–	–	–	–	2	12	12	21	34	54	58	59	49	29	16	11	1	1
411	Other acute and subacute forms of ischemic heart disease	169	–	–	–	–	–	–	–	–	2	5	8	13	14	13	31	29	20	18	11	4	1	–
	White ..... Male	99	–	–	–	–	–	–	–	–	1	4	3	11	9	9	19	15	13	9	5	1	–	–
	Female	55	–	–	–	–	–	–	–	–	–	1	3	2	–	3	9	13	5	9	6	3	1	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	–	5	1	1	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	17,325	–	–	1	1	1	–	5	18	39	91	238	474	738	1,149	1,910	2,426	2,959	3,093	2,434	1,306	442	–
	White ..... Male	8,702	–	–	1	1	1	–	3	12	24	50	143	306	450	692	1,125	1,356	1,497	1,503	968	452	118	–
	Female	6,870	–	–	–	–	–	–	–	–	5	13	30	61	139	270	510	776	1,199	1,403	1,377	797	290	–
	All other ..... Male	927	–	–	–	–	–	–	1	3	4	15	40	70	92	107	161	152	122	87	38	22	13	–
	Female	826	–	–	–	–	–	–	1	3	6	13	25	37	57	80	114	142	141	100	51	35	21	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	138	3	2	–	–	1	1	2	–	1	1	5	3	4	14	21	10	20	15	20	12	3	–
	White ..... Male	62	1	–	–	–	1	–	1	–	1	–	2	1	2	7	10	5	7	6	11	5	2	–
	Female	56	1	1	–	–	–	1	1	–	–	1	2	–	–	3	8	3	12	8	8	7	–	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–
	Female	13	–	1	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	1	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,542	17	4	4	10	11	17	15	14	22	30	49	84	112	140	183	211	215	180	141	55	28	–
	White..... Male	715	6	1	1	4	6	5	6	7	7	8	22	48	46	67	89	106	112	78	63	23	10	–
	Female	537	4	1	1	1	3	4	3	3	6	12	8	12	32	39	56	74	76	85	70	30	17	–
	All other..... Male	145	6	1	1	2	1	5	4	1	6	6	8	8	19	15	18	18	12	12	–	2	–	–
	Female	145	1	1	1	3	1	3	2	3	3	4	11	16	15	19	20	13	15	5	8	–	1	–
400, 401, 403	Hypertension	280	–	–	–	–	–	–	–	–	5	5	5	7	18	26	26	39	45	47	38	17	2	–
	White..... Male	113	–	–	–	–	–	–	–	–	1	1	–	1	5	10	8	13	22	25	21	6	–	–
	Female	101	–	–	–	–	–	–	–	–	–	1	–	5	5	8	8	14	15	19	15	9	2	–
	All other..... Male	36	–	–	–	–	–	–	–	–	1	3	5	–	4	5	3	6	5	1	2	1	–	–
	Female	30	–	–	–	–	–	–	–	–	3	–	–	1	4	3	7	6	3	2	–	1	–	–
430–438	Cerebrovascular diseases	9,083	5	3	3	3	8	11	15	23	33	79	112	167	323	485	748	1,222	1,622	1,854	1,472	686	208	1
	White..... Male	3,674	2	1	2	2	2	6	3	7	10	22	43	65	132	192	321	526	738	797	550	207	46	–
	Female	4,329	1	1	–	1	2	3	6	4	6	28	26	48	95	168	288	508	741	948	862	453	140	–
	All other..... Male	493	–	1	–	–	2	–	3	5	6	13	13	25	38	65	67	98	74	45	21	7	10	–
	Female	587	2	–	1	–	2	2	3	7	11	16	30	29	58	60	72	90	69	64	39	19	12	1
431	Cerebral hemorrhage	1,022	4	1	2	1	4	5	7	7	9	23	32	54	94	104	130	162	138	134	80	25	6	–
	White..... Male	384	1	–	1	–	1	4	1	1	–	5	12	26	32	40	50	60	61	55	28	5	1	–
	Female	441	1	–	–	1	2	1	3	–	2	7	8	13	37	34	61	75	62	68	46	17	3	–
	All other..... Male	87	–	1	–	–	–	–	1	3	3	5	4	6	8	20	7	15	6	5	2	1	–	–
	Female	110	2	–	1	–	1	–	2	3	4	6	8	9	17	10	12	12	9	6	4	2	2	–
433	Cerebral thrombosis	2,588	–	–	–	–	–	–	–	2	4	5	12	22	49	97	174	344	498	603	494	221	63	–
	White..... Male	1,049	–	–	–	–	–	–	–	–	2	2	3	6	26	34	80	133	244	256	187	62	14	–
	Female	1,298	–	–	–	–	–	–	–	–	1	1	2	3	7	30	55	161	217	326	293	155	47	–
	All other..... Male	117	–	–	–	–	–	–	–	–	1	2	2	7	6	14	21	31	18	9	5	1	–	–
	Female	124	–	–	–	–	–	–	–	2	–	–	5	6	10	19	18	19	19	12	9	3	2	–
434	Cerebral embolism	44	–	–	–	–	–	–	–	–	1	–	–	1	2	3	4	7	10	8	7	1	–	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	2	4	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	7	4	4	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,429	1	2	1	2	4	6	8	14	19	51	68	90	178	281	440	709	976	1,109	891	439	139	1
	White..... Male	2,224	1	1	1	2	1	2	2	6	8	15	28	33	73	116	189	329	431	482	333	140	31	–
	Female	2,570	–	1	–	–	–	2	3	4	3	20	16	32	51	104	170	269	455	550	519	281	90	–
	All other..... Male	286	–	–	–	–	2	–	2	2	2	6	7	12	23	30	39	52	50	31	14	4	10	–
	Female	349	–	–	–	–	1	2	1	2	6	10	17	13	31	31	42	59	40	46	25	14	8	1
440	Arteriosclerosis	1,233	–	–	–	–	–	–	–	1	–	–	3	2	15	29	76	104	202	297	275	156	73	–
	White..... Male	503	–	–	–	–	–	–	–	–	–	–	2	–	8	11	38	42	82	137	120	47	16	–
	Female	642	–	–	–	–	–	–	–	–	–	–	–	1	4	13	27	42	100	146	151	105	53	–
	All other..... Male	42	–	–	–	–	–	–	–	–	–	–	1	1	1	3	5	9	13	6	2	1	–	–
	Female	46	–	–	–	–	–	–	–	1	–	–	–	–	2	2	6	11	7	8	2	3	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,421	–	1	–	1	1	5	3	5	5	10	14	38	78	99	220	267	266	204	132	53	19	–
	White..... Male	860	–	–	–	–	1	2	2	2	3	8	4	22	43	67	136	180	165	137	68	15	5	–
	Female	430	–	1	–	1	–	–	1	2	–	1	4	9	19	26	58	63	85	55	56	35	14	–
	All other..... Male	68	–	–	–	–	–	1	–	1	–	–	3	3	8	4	14	14	8	6	4	2	–	–
	Female	63	–	–	–	–	–	2	–	–	2	1	3	4	8	2	12	10	8	6	4	1	–	–
466	Acute bronchitis and bronchiolitis	38	4	1	–	–	–	–	1	1	1	–	2	2	1	2	2	3	7	5	3	1	2	–
	White..... Male	16	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	5	4	–	1	–	–
	Female	16	1	–	–	–	–	–	1	1	–	–	2	1	–	1	–	1	2	1	3	–	2	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	4	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,155	82	20	9	6	4	7	11	19	17	30	43	44	86	122	145	251	314	378	315	184	68	–
	White..... Male	1,036	24	6	3	–	2	2	2	7	4	8	8	20	43	63	79	126	166	206	160	81	26	–
	Female	788	16	3	2	2	1	2	1	5	4	5	12	6	17	37	38	88	116	151	145	98	39	–
	All other..... Male	202	23	8	2	2	–	1	5	4	4	8	18	16	18	13	20	20	17	13	7	2	1	–
	Female	129	19	3	2	2	1	2	3	3	5	9	5	2	8	9	8	17	15	8	3	3	2	–
470–474	Influenza	43	1	–	–	–	–	–	1	–	1	–	1	–	2	3	–	6	6	13	5	4	–	–
	White..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	3	–	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	3	9	5	3	–	–
	All other..... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	2,112	81	20	9	6	4	7	10	19	16	30	42	44	84	119	145	245	308	365	310	180	68	–
	White..... Male	1,024	24	6	3	–	2	2	2	7	4	8	8	20	42	62	79	122	163	203	160	81	26	–
	Female	763	16	3	2	2	1	2	1	5	3	5	11	6	17	36	38	86	113	142	140	95	39	–
	All other..... Male	199	23	8	2	2	–	1	4	4	4	8	18	16	18	12	20	20	17	12	7	2	1	–
	Female	126	18	3	2	2	1	2	3	3	5	9	5	2	7	9	8	17	15	8	3	2	2	–
490–493	Bronchitis, emphysema, and asthma	1,326	6	2	–	4	1	1	1	3	7	10	27	51	90	149	202	265	252	156	80	17	2	–
	White..... Male	871	1	1	–	3	1	–	1	1	2	3	15	25	51	89	127	185	182	115	61	8	–	–
	Female	362	4	–	–	–	–	1	–	–	1	2	7	16	21	48	63	68	64	37	19	9	2	–
	All other..... Male	68	1	1	–	–	–	–	–	1	3	4	3	7	11	9	9	11	4	4	–	–	–	–
	Female	25	–	–	–	1	–	–	–	1	1	1	2	3	7	3	3	1	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida – Con.																							
490, 491	Chronic and unqualified bronchitis	233	5	–	–	–	–	–	1	–	–	3	4	6	18	16	43	55	39	21	18	3	1	–
	White ..... Male	144	1	–	–	–	–	–	1	–	–	2	–	3	12	8	29	39	22	14	13	–	–	–
	Female	75	4	–	–	–	–	–	–	–	–	1	3	2	6	4	10	16	15	5	5	3	1	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
492	Emphysema	1,013	1	–	–	1	–	–	–	1	1	3	18	43	60	128	146	204	208	130	54	14	1	–
	White ..... Male	704	–	–	–	1	–	–	–	1	–	1	13	22	35	80	96	145	158	99	45	8	–	–
	Female	257	–	–	–	–	–	–	–	–	–	–	3	14	14	41	45	48	47	29	9	6	1	–
	All other ..... Male	47	1	–	–	–	–	–	–	–	1	2	2	6	9	6	5	10	3	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–
493	Asthma	80	–	2	–	3	1	1	–	2	6	4	5	2	12	5	13	6	5	5	8	–	–	–
	White ..... Male	23	–	1	–	2	1	–	–	–	2	–	2	–	4	1	2	1	2	2	3	–	–	–
	Female	30	–	–	–	–	–	1	–	–	1	1	1	–	1	3	8	4	2	3	5	–	–	–
	All other ..... Male	11	–	1	–	–	–	–	–	1	2	2	1	–	2	–	1	1	–	–	–	–	–	–
	Female	16	–	–	–	1	–	–	–	1	1	1	1	2	5	1	2	–	1	–	–	–	–	–
531–533	Peptic ulcer	252	–	–	–	–	–	–	2	3	2	5	5	17	23	20	33	30	42	38	19	11	2	–
	White ..... Male	148	–	–	–	–	–	–	–	2	1	4	3	9	15	10	28	16	23	20	11	4	2	–
	Female	81	–	–	–	–	–	–	1	1	–	–	1	5	5	6	3	12	17	17	7	6	–	–
	All other ..... Male	15	–	–	–	–	–	–	1	–	1	1	1	2	2	2	2	–	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	1	–	–	1	–	–
540–543	Appendicitis	44	–	–	1	–	1	1	–	2	1	1	3	–	3	2	6	6	3	11	3	–	–	–
	White ..... Male	19	–	–	–	–	–	1	–	1	–	1	1	–	–	1	3	4	1	5	1	–	–	–
	Female	14	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	1	1	6	2	–	–	–
	All other ..... Male	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	2	–	2	–	1	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	229	14	1	1	1	–	–	–	1	1	3	6	5	6	12	13	35	45	49	20	14	2	–
	White ..... Male	84	6	–	–	1	–	–	–	–	–	–	2	2	1	5	9	9	18	17	9	5	–	–
	Female	115	5	1	1	–	–	–	–	–	1	2	4	1	3	4	3	20	22	27	11	8	2	–
	All other ..... Male	14	1	–	–	–	–	–	–	1	–	1	–	1	1	1	–	3	1	4	–	–	–	–
	Female	16	2	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	4	1	–	1	–	–
571	Cirrhosis of liver	1,749	–	–	–	–	1	2	7	23	58	87	152	266	306	256	248	184	84	53	19	3	–	–
	White ..... Male	885	–	–	–	–	1	–	2	7	20	40	72	130	152	133	141	99	51	28	8	1	–	–
	Female	592	–	–	–	–	–	1	2	4	17	26	38	84	111	86	86	75	28	22	10	2	–	–
	All other ..... Male	171	–	–	–	–	–	1	3	7	8	10	25	27	31	29	14	8	4	3	1	–	–	–
	Female	101	–	–	–	–	–	–	–	5	13	11	17	25	12	8	7	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	153	–	–	–	–	–	–	–	–	–	4	–	3	5	10	21	22	34	28	16	9	1	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	2	–	2	1	4	10	6	17	8	7	2	1	–
	Female	80	–	–	–	–	–	–	–	–	–	1	–	–	4	4	8	14	15	18	9	7	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	2	1	–	–	–	–
580–584	Nephritis and nephrosis	415	5	–	–	1	1	2	2	1	2	9	14	17	25	34	55	57	62	66	40	14	8	–
	White ..... Male	166	2	–	–	–	1	2	1	1	1	–	3	2	5	8	25	30	28	35	14	5	3	–
	Female	136	–	–	–	–	–	–	–	–	–	–	5	5	6	6	15	19	21	25	22	7	5	–
	All other ..... Male	54	2	–	–	1	–	–	–	–	1	5	3	4	5	6	5	4	9	4	3	2	–	–
	Female	59	1	–	–	–	–	–	1	–	–	4	3	6	9	14	10	4	4	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	125	5	–	–	–	–	–	1	–	–	1	3	2	7	5	16	19	23	21	17	3	2	–
	White ..... Male	52	2	–	–	–	–	–	–	–	–	–	–	–	2	–	9	6	12	13	6	2	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	2	1	3	4	4	12	9	7	10	1	2	–
	All other ..... Male	10	2	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	2	1	–	–	–	–
	Female	8	1	–	–	–	–	–	1	–	–	–	1	–	–	1	2	1	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	290	–	–	–	1	1	2	1	1	2	8	11	15	18	29	39	38	39	45	23	11	6	–
	White ..... Male	114	–	–	–	–	1	2	1	1	1	–	3	2	3	8	16	24	16	22	8	3	3	–
	Female	81	–	–	–	–	–	–	–	–	–	–	3	4	3	2	11	7	12	18	12	6	3	–
	All other ..... Male	44	–	–	–	1	–	–	–	–	1	4	3	3	3	6	4	4	7	3	3	2	–	–
	Female	51	–	–	–	–	–	–	–	–	–	4	2	6	9	13	8	3	4	2	–	–	–	–
590	Infections of kidney	173	–	–	–	–	–	–	1	1	1	–	6	4	8	8	17	17	29	38	31	11	1	–
	White ..... Male	53	–	–	–	–	–	–	–	–	–	–	–	1	3	–	4	6	12	14	9	4	–	–
	Female	81	–	–	–	–	–	–	–	1	1	–	2	1	3	5	7	6	8	20	20	6	1	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	3	–	1	1	5	1	4	2	1	–	–	–
	Female	21	–	–	–	–	–	–	1	–	–	–	1	2	1	2	1	4	5	2	1	1	–	–
600	Hyperplasia of prostate	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	6	11	13	7	5	2	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	10	12	6	5	2	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	4	2	1	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	6	–	–	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	11	–	–	–	–	3	1	1	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida – Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	4	2	1	4	2	2	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	10	–	–	–	–	3	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	497	298	37	16	10	15	14	10	8	9	4	6	10	5	17	14	13	4	6	–	1	–	–
	White Male	194	104	15	10	4	6	7	5	4	4	1	3	3	1	12	6	4	2	3	–	–	–	–
	Female	172	92	13	5	4	8	5	4	3	3	2	2	4	3	4	7	7	2	3	–	1	–	–
	All other Male	71	55	8	–	–	1	–	1	–	1	–	1	1	–	1	–	2	–	–	–	–	–	–
	Female	60	47	1	1	2	–	2	–	1	1	1	–	2	1	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	850	848	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	274	273	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	219	218	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	204	204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	153	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	438	437	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	147	146	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	412	411	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	127	127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	113	112	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,296	199	5	1	–	2	10	10	2	20	19	29	53	65	84	148	126	159	151	112	68	31	2
	White Male	530	55	–	1	–	–	2	4	1	9	8	11	22	27	42	78	65	68	71	42	17	6	1
	Female	483	39	–	–	–	1	4	3	–	4	3	7	9	25	21	45	40	75	76	65	44	21	1
	All other Male	155	61	3	–	–	1	4	1	1	3	3	6	11	10	9	10	14	9	3	3	1	2	–
	Female	128	44	2	–	–	–	–	2	–	4	5	5	11	3	12	15	7	7	1	2	6	2	–
Residual	All other diseases	6,647	72	30	13	28	57	51	78	82	90	143	223	306	477	610	828	991	989	818	510	197	53	1
	White Male	3,321	20	13	8	15	25	19	36	28	29	43	65	130	230	305	425	556	556	446	261	94	17	–
	Female	2,376	22	12	3	11	17	21	18	23	25	50	79	78	158	191	298	341	356	328	222	91	32	–
	All other Male	565	17	4	1	–	10	5	13	18	22	27	43	67	56	75	67	53	44	17	13	10	2	1
	Female	385	13	1	1	2	5	6	11	13	14	23	36	31	33	39	38	41	33	27	14	2	2	–
E800–E949	Accidents	4,100	41	145	92	140	447	431	302	213	188	173	178	219	219	212	207	223	235	181	157	60	36	1
	White Male	2,282	13	73	35	76	280	284	210	144	118	92	96	105	122	115	100	103	122	88	69	25	12	–
	Female	1,120	11	34	31	30	114	82	47	27	42	34	37	57	49	58	70	86	91	85	83	33	19	–
	All other Male	521	12	28	17	28	47	49	37	28	25	38	35	45	35	31	26	17	14	4	1	1	2	1
	Female	177	5	10	9	6	6	16	8	14	3	9	10	12	13	8	11	17	8	4	4	1	3	–
E810–E823	Motor vehicle accidents	2,007	7	38	49	71	323	296	177	131	106	81	82	100	89	86	88	102	90	54	28	9	–	–
	White Male	1,157	1	15	17	42	204	193	119	83	67	39	39	53	47	48	41	52	48	32	13	4	–	–
	Female	553	5	9	20	17	93	70	31	22	26	22	24	30	20	25	35	37	30	18	15	4	–	–
	All other Male	213	–	13	7	7	20	24	21	17	10	15	12	14	15	12	7	9	9	1	–	–	–	–
	Female	84	1	1	5	5	6	9	6	9	3	5	7	3	7	1	5	4	3	3	–	1	–	–
E800–E807, E825–E949	All other accidents	2,093	34	107	43	69	124	135	125	82	82	92	96	119	130	126	119	121	145	127	129	51	36	1
	White Male	1,125	12	58	18	34	76	91	91	61	51	53	57	52	75	67	59	51	74	56	56	21	12	–
	Female	567	6	25	11	13	21	12	16	5	16	12	13	27	29	33	35	49	61	67	68	29	19	–
	All other Male	308	12	15	10	21	27	25	16	11	15	23	23	31	20	19	19	8	5	3	1	1	2	1
	Female	93	4	9	4	1	–	7	2	5	–	4	3	9	6	7	6	13	5	1	4	–	3	–
E950–E959	Suicide	1,557	...	...	–	6	67	161	144	120	119	123	124	121	137	80	103	109	61	45	28	9	–	–
	White Male	1,048	...	...	–	5	54	123	85	78	79	81	78	72	82	52	76	77	41	34	23	8	–	–
	Female	439	...	...	–	–	12	28	36	34	33	38	42	48	48	26	27	31	19	11	5	1	–	–
	All other Male	52	...	...	–	1	–	9	17	7	6	1	2	1	5	2	–	–	1	–	–	–	–	–
	Female	18	...	...	–	–	1	1	6	1	1	3	2	–	2	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	930	8	20	5	5	67	112	134	100	107	95	68	54	43	33	22	24	15	9	3	3	–	3
	White Male	360	3	9	1	–	21	37	55	38	44	31	33	24	17	16	6	11	7	2	1	2	–	2
	Female	126	2	1	2	2	11	15	10	3	14	14	8	3	8	8	4	6	6	6	2	1	–	–
	All other Male	365	3	6	–	3	27	51	55	50	40	44	22	22	16	9	9	6	1	1	–	–	–	–
	Female	79	–	4	2	–	8	9	14	9	9	6	5	5	2	–	3	1	1	–	–	–	–	1
E980–E999	Other external causes	192	5	4	–	4	15	19	20	20	13	9	10	18	17	9	9	7	7	5	–	–	1	–
	White Male	95	1	–	–	2	8	11	11	12	5	5	6	8	11	3	2	4	4	2	–	–	–	–
	Female	66	–	2	–	2	5	5	6	5	6	2	2	9	3	5	6	2	3	2	–	–	1	–
	All other Male	23	3	2	–	–	1	1	2	3	2	2	2	1	2	–	–	1	–	1	–	–	–	–
	Female	8	1	–	–	–	1	2	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia																							
	All causes	**42,691**	**1,300**	**261**	**205**	**187**	**610**	**673**	**645**	**674**	**769**	**1,073**	**1,565**	**2,482**	**3,309**	**4,227**	**5,055**	**5,283**	**5,011**	**4,327**	**3,046**	**1,463**	**517**	**9**
	White ..... Male	16,967	389	88	82	77	346	336	270	269	300	432	661	1,071	1,563	1,954	2,148	2,207	1,953	1,485	879	362	94	1
	Female	13,239	283	59	52	46	119	118	82	141	138	228	332	523	673	937	1,201	1,545	1,798	2,086	1,687	892	299	–
	All other ..... Male	6,709	336	65	42	42	104	151	203	167	209	252	331	526	632	786	929	734	583	323	179	69	43	3
	Female	5,776	292	49	29	22	41	68	90	97	122	161	241	362	441	550	777	797	677	433	301	140	81	5
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	58	29	3	1	–	–	–	–	1	–	–	–	1	1	2	4	2	5	5	3	–	1	–
	White ..... Male	8	2	1	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–
	Female	19	3	1	1	–	–	–	–	1	–	–	–	1	–	1	–	–	4	3	3	–	1	–
	All other ..... Male	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–
010–019	Tuberculosis, all forms	95	–	1	–	–	–	–	1	3	5	2	4	7	14	8	12	10	10	11	5	1	1	–
	White ..... Male	34	–	1	–	–	–	–	–	1	1	1	1	1	8	4	4	3	3	3	2	–	1	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	1	6	3	2	–	–	–
	All other ..... Male	30	–	–	–	–	–	–	1	–	3	–	3	2	2	2	7	3	1	4	1	1	–	–
	Female	13	–	–	–	–	–	–	–	2	1	–	–	3	2	–	1	3	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	77	–	–	–	–	–	–	1	2	4	2	3	7	10	7	12	7	7	10	4	–	1	–
	White ..... Male	27	–	–	–	–	–	–	–	1	1	1	1	1	7	3	4	2	2	2	1	–	1	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	1	4	3	2	–	–	–
	All other ..... Male	25	–	–	–	–	–	–	1	–	3	–	2	2	–	2	7	2	1	4	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	3	1	–	1	2	–	1	–	–	–	–
013–019	Tuberculosis, other forms	18	–	1	–	–	–	–	–	1	1	–	1	–	4	1	–	3	3	1	1	1	–	–
	White ..... Male	7	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–
033	Whooping cough	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	1	6	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	6	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	220	21	7	1	–	3	3	1	1	2	2	8	7	8	21	26	22	28	35	16	7	1	–
	White ..... Male	59	3	2	–	–	–	2	–	–	1	–	1	2	2	6	8	5	8	15	1	3	–	–
	Female	64	5	2	1	–	2	–	–	1	–	–	2	–	–	3	5	10	9	12	10	2	–	–
	All other ..... Male	44	9	2	–	–	–	–	–	–	–	1	4	1	3	6	3	3	5	4	2	1	–	–
	Female	53	4	1	–	–	1	1	1	–	1	1	1	4	3	6	10	4	6	4	3	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	2	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	127	13	1	3	5	6	4	5	5	6	6	2	9	9	9	19	6	5	6	4	3	1	–
	White ..... Male	44	2	1	2	3	3	3	1	2	1	1	1	3	5	4	6	3	2	–	–	1	–	–
	Female	34	4	–	–	1	1	1	1	2	–	1	–	1	1	1	5	3	1	4	4	2	1	–
	All other ..... Male	25	5	–	–	–	2	–	3	–	3	–	1	1	3	2	3	–	1	1	–	–	–	–
	Female	24	2	–	1	1	–	–	–	1	2	4	–	4	–	2	5	–	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,424	2	15	25	21	33	35	38	75	101	158	369	617	854	1,052	1,159	1,124	810	522	292	103	18	1
	White Male	3,172	1	5	14	7	17	13	24	24	26	54	128	257	387	502	500	519	347	206	107	27	7	–
	Female	2,419	1	4	3	8	6	8	4	34	32	60	128	191	222	291	335	347	295	242	142	58	8	–
	All other Male	1,077	–	3	6	4	5	9	7	5	20	22	57	95	151	165	191	153	105	42	23	12	1	1
	Female	756	–	3	2	2	5	5	3	12	23	22	56	74	94	94	133	105	63	32	20	6	2	–
140–149	Of buccal cavity and pharynx	182	–	–	–	1	1	–	–	–	1	4	11	23	30	31	25	27	10	6	8	4	–	–
	White Male	90	–	–	–	–	1	–	–	–	1	1	6	9	15	19	15	15	3	–	5	–	–	–
	Female	43	–	–	–	1	–	–	–	–	–	1	1	2	7	4	6	7	4	4	2	4	–	–
	All other Male	36	–	–	–	–	–	–	–	–	–	–	3	10	6	8	4	3	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	2	2	1	1	–	–	–
150–159	Of digestive organs and peritoneum	1,715	–	–	1	–	2	2	8	10	15	26	61	112	152	237	280	283	227	154	102	39	4	–
	White Male	631	–	–	–	–	–	–	5	5	1	9	16	49	69	103	110	102	80	46	28	6	2	–
	Female	603	–	–	–	–	–	–	–	2	3	7	14	31	28	66	81	99	101	88	54	28	1	–
	All other Male	291	–	–	1	–	1	1	2	2	7	6	18	24	39	44	53	40	29	9	12	3	–	–
	Female	190	–	–	–	–	1	1	1	1	4	4	13	8	16	24	36	42	17	11	8	2	1	–
160–163	Of respiratory system	1,999	–	–	2	–	–	1	1	7	18	36	104	220	306	356	358	312	159	77	28	9	4	1
	White Male	1,285	–	–	1	–	–	–	1	3	9	19	64	127	184	250	227	218	108	52	18	2	2	–
	Female	331	–	–	–	–	–	–	–	3	2	8	18	42	51	42	60	49	30	12	8	5	1	–
	All other Male	342	–	–	1	–	–	1	–	–	6	9	20	39	66	59	62	42	18	13	2	2	1	1
	Female	41	–	–	–	–	–	–	–	1	1	–	2	12	5	5	9	3	3	–	–	–	–	–
174	Of breast	613	–	–	–	1	–	–	1	11	18	21	60	71	72	78	90	66	53	32	30	6	3	–
	White Male	4	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
	Female	460	–	–	–	–	–	–	1	9	11	15	41	50	50	58	63	56	41	29	27	6	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	147	–	–	–	–	–	–	–	2	7	6	19	21	20	18	27	10	11	3	3	–	–	–
180–187	Of genital organs	841	–	–	–	–	–	1	4	9	11	15	39	47	67	97	125	139	128	88	46	23	2	–
	White Male	278	–	–	–	–	–	–	2	–	–	–	–	3	9	30	37	55	62	40	26	12	2	–
	Female	257	–	–	–	–	–	–	–	5	4	8	26	24	26	30	37	28	27	26	12	4	–	–
	All other Male	164	–	–	–	–	–	–	–	–	1	–	2	6	11	22	32	34	31	15	4	6	–	–
	Female	142	–	–	–	–	–	1	2	4	6	7	11	14	21	15	19	22	8	7	4	1	–	–
188, 189	Of urinary organs	270	–	1	–	–	–	–	–	1	2	3	5	20	26	44	33	48	37	31	15	3	1	–
	White Male	142	–	1	–	–	–	–	–	–	2	3	3	13	14	23	17	22	21	13	7	2	1	–
	Female	79	–	–	–	–	–	–	–	1	–	–	1	4	8	10	9	10	10	18	7	1	–	–
	All other Male	33	–	–	–	–	–	–	–	–	–	–	1	2	4	5	3	12	5	–	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	6	4	4	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,096	1	3	8	12	14	10	13	28	21	39	63	80	121	134	155	146	125	65	44	12	2	–
	White Male	441	1	–	3	4	8	5	8	14	9	17	27	31	54	48	53	69	45	26	16	3	–	–
	Female	390	–	1	2	4	2	4	3	11	6	14	22	25	32	54	48	51	51	29	23	6	2	–
	All other Male	130	–	1	2	2	2	1	2	2	3	6	10	12	15	14	28	10	14	3	3	–	–	–
	Female	135	–	1	1	2	2	–	–	1	3	2	4	12	20	18	26	16	15	7	2	3	–	–
204–207	Leukemia	341	1	11	13	7	10	12	5	5	5	8	8	24	35	40	35	46	31	30	8	5	2	–
	White Male	157	–	4	10	2	4	7	4	1	1	3	4	13	19	19	15	18	13	17	2	1	–	–
	Female	118	1	3	1	3	3	1	–	1	3	4	3	9	7	13	11	22	12	13	4	3	1	–
	All other Male	38	–	2	1	2	2	3	1	1	–	–	–	2	5	6	4	5	2	–	1	1	–	–
	Female	28	–	2	1	–	1	1	–	2	1	1	1	–	4	2	5	1	4	–	1	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	367	–	–	1	–	6	9	6	4	10	6	18	20	45	35	58	57	40	39	11	2	–	–
	White Male	144	–	–	–	–	4	1	4	1	3	2	8	12	21	9	26	20	15	12	5	1	–	–
	Female	138	–	–	–	–	1	3	–	2	3	3	2	4	13	14	20	25	19	23	5	1	–	–
	All other Male	41	–	–	1	–	–	3	2	–	3	1	3	–	5	6	5	7	4	1	–	–	–	–
	Female	44	–	–	–	–	1	2	–	1	1	–	5	4	6	6	7	5	2	3	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	115	1	–	–	4	2	2	2	3	7	5	7	3	6	15	11	14	12	11	9	–	1	–
	White Male	43	1	–	–	3	1	–	–	1	1	2	2	2	2	4	7	5	4	4	3	–	1	–
	Female	52	–	–	–	1	1	–	1	–	3	3	4	–	3	8	3	7	8	6	4	–	–	–
	All other Male	9	–	–	–	–	–	1	–	1	1	–	1	1	–	1	–	2	–	–	1	–	–	–
	Female	11	–	–	–	–	–	1	1	1	2	–	–	–	1	2	1	–	–	1	1	–	–	–
250	Diabetes mellitus	720	–	–	–	1	2	4	4	11	14	21	33	39	65	96	119	119	80	70	25	15	2	–
	White Male	161	–	–	–	–	1	2	1	2	4	6	6	8	21	16	26	28	18	18	2	2	–	–
	Female	240	–	–	–	–	1	–	2	3	3	3	4	8	16	30	26	43	37	35	17	10	2	–
	All other Male	111	–	–	–	–	–	1	–	5	3	5	9	9	9	20	17	13	9	7	2	2	–	–
	Female	208	–	–	–	1	–	1	1	1	4	7	14	14	19	30	50	35	16	10	4	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	74	1	–	–	–	1	–	–	–	1	1	1	3	4	4	2	8	15	16	13	3	1	–
	White Male	14	1	–	–	–	1	–	–	–	–	–	–	1	1	–	1	1	1	5	2	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	2	2	7	8	2	–	–
	All other Male	15	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	3	5	1	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	7	3	3	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia — Con.																							
280–285	Anemias	80	4	1	–	1	1	2	2	2	–	3	4	2	7	3	12	10	6	10	3	6	1	–
	White Male	26	1	–	–	–	–	–	–	–	–	–	2	–	3	2	8	2	1	4	1	2	–	–
	Female	22	1	–	–	1	–	–	–	–	–	–	–	1	–	1	3	2	4	2	2	4	1	–
	All other Male	11	–	1	–	–	–	1	2	1	–	1	–	–	2	–	1	1	–	1	–	–	–	–
	Female	21	2	–	–	–	1	1	–	1	–	2	2	1	2	–	–	5	1	3	–	–	–	–
320	Meningitis	42	14	6	1	1	–	1	–	–	1	1	2	1	2	6	2	–	–	4	–	–	–	–
	White Male	7	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	Female	14	6	3	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–
	All other Male	7	2	1	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	14	2	2	–	1	–	1	–	–	–	–	2	–	1	2	1	–	–	2	–	–	–	–
390–448	Major cardiovascular diseases	21,257	32	11	10	6	23	26	61	92	176	315	550	1,048	1,540	2,083	2,675	3,059	3,112	2,820	2,151	1,073	388	6
	White Male	8,127	7	5	3	1	10	9	12	32	80	140	289	489	777	952	1,111	1,229	1,177	906	586	249	62	1
	Female	7,099	10	1	2	3	5	6	8	21	20	44	69	149	251	397	589	863	1,134	1,405	1,224	667	231	–
	All other Male	2,959	7	2	3	–	6	4	26	28	46	74	105	244	302	419	524	432	340	197	118	45	35	2
	Female	3,072	8	3	2	2	2	7	15	11	30	57	87	166	210	315	451	535	461	312	223	112	60	3
390–398, 402, 404, 410–429	Diseases of heart	15,044	26	5	8	5	16	15	47	62	138	249	447	849	1,225	1,583	2,004	2,169	2,138	1,850	1,298	661	245	4
	White Male	6,267	6	2	1	1	7	4	10	27	71	126	256	446	680	797	904	909	856	605	360	155	43	1
	Female	4,687	7	–	2	3	3	4	6	13	12	27	50	111	185	287	423	622	762	908	720	404	138	–
	All other Male	2,088	5	2	3	–	5	3	19	17	32	55	80	188	222	289	389	284	230	136	76	28	24	1
	Female	2,002	8	1	2	1	1	4	12	5	23	41	61	104	138	210	288	354	290	201	142	74	40	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	196	–	2	–	2	–	2	6	5	8	8	7	15	20	19	17	26	22	20	10	4	3	–
	White Male	67	–	2	–	1	–	–	1	1	6	4	2	4	10	6	4	9	7	8	1	1	–	–
	Female	80	–	–	–	–	–	–	1	3	–	2	3	5	5	7	10	9	11	11	7	3	3	–
	All other Male	23	–	–	–	–	–	1	1	1	2	–	–	1	4	3	2	5	2	–	1	–	–	–
	Female	26	–	–	–	1	–	1	3	–	–	2	2	5	1	3	1	3	2	1	1	–	–	–
402	Hypertensive heart disease	193	–	–	–	–	–	–	–	2	3	6	10	11	14	23	27	23	29	19	19	4	3	–
	White Male	38	–	–	–	–	–	–	–	–	1	–	1	3	5	5	4	5	6	2	6	–	–	–
	Female	49	–	–	–	–	–	–	–	2	–	–	1	1	–	2	5	5	7	12	10	3	1	–
	All other Male	43	–	–	–	–	–	–	–	–	2	2	4	2	3	9	8	5	7	1	–	–	–	–
	Female	63	–	–	–	–	–	–	–	–	–	4	4	5	6	7	10	8	9	4	3	1	2	–
404	Hypertensive heart and renal disease	106	–	–	–	–	–	–	–	–	–	1	1	4	3	11	9	10	17	24	12	8	5	1
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	6	3	2	1	1	–
	Female	50	–	–	–	–	–	–	–	–	–	1	1	–	1	4	3	4	8	14	7	5	2	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	4	–	2	4	1	1	5	2	–	2	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	2	1	2	–	1
410–413	Ischemic heart disease	12,461	–	–	–	1	4	2	17	39	100	170	349	677	1,017	1,333	1,697	1,820	1,827	1,565	1,081	564	196	2
	White Male	5,463	–	–	–	–	2	–	4	22	57	104	222	390	584	703	808	802	763	522	311	133	36	–
	Female	3,942	–	–	–	1	–	1	1	2	8	12	32	82	154	244	356	534	657	780	612	353	113	–
	All other Male	1,556	–	–	–	–	2	–	8	11	20	33	56	136	174	222	304	213	183	102	56	20	15	1
	Female	1,500	–	–	–	–	–	1	4	4	15	21	39	69	105	164	229	271	224	161	102	58	32	1
410	Acute myocardial infarction	7,173	–	–	–	–	2	2	14	28	72	125	253	476	720	871	1,080	1,084	970	748	449	202	77	–
	White Male	3,581	–	–	–	–	1	–	4	17	42	87	174	295	433	516	567	541	431	277	134	49	13	–
	Female	2,099	–	–	–	–	–	1	1	1	7	6	21	66	114	166	237	318	373	367	246	129	46	–
	All other Male	805	–	–	–	–	1	–	6	8	11	22	37	82	102	116	163	96	85	40	25	4	7	–
	Female	688	–	–	–	–	–	1	3	2	12	10	21	33	71	73	113	129	81	64	44	20	11	–
411	Other acute and subacute forms of ischemic heart disease	95	–	–	–	–	1	–	1	–	1	3	7	10	8	14	13	5	13	11	4	2	2	–
	White Male	33	–	–	–	–	1	–	–	–	–	1	2	6	3	7	4	2	4	2	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	2	4	3	1	4	6	3	1	1	–
	All other Male	27	–	–	–	–	–	–	1	–	1	1	2	3	3	3	6	–	4	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	2	1	1	–	–	1	–
412	Chronic ischemic heart disease	5,188	–	–	–	1	1	–	2	11	27	42	88	191	289	448	603	730	844	805	628	360	116	2
	White Male	1,849	–	–	–	–	–	–	–	5	15	16	46	89	148	180	237	259	328	243	177	83	23	–
	Female	1,812	–	–	–	1	–	–	–	1	1	6	9	16	38	74	115	214	280	406	363	223	65	–
	All other Male	724	–	–	–	–	1	–	1	3	8	10	17	51	69	103	135	117	94	60	30	16	8	1
	Female	803	–	–	–	–	–	–	1	2	3	10	16	35	34	91	116	140	142	96	58	38	20	1
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	104	1	1	–	–	3	1	1	2	2	5	5	2	3	9	6	18	11	12	14	5	3	–
	White Male	33	–	–	–	–	2	1	–	1	1	1	3	–	2	4	2	5	4	1	4	1	1	–
	Female	26	1	–	–	–	1	–	–	1	1	–	1	–	1	–	–	4	3	5	4	2	2	–
	All other Male	21	–	–	–	–	–	–	–	–	–	3	–	1	–	4	2	5	2	3	1	–	–	–
	Female	24	–	1	–	–	–	–	1	–	–	1	1	1	–	1	2	4	2	3	5	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,984	25	2	8	2	9	10	23	14	25	59	75	140	168	188	248	272	232	210	162	76	35	1
	White Male	649	6	–	1	–	3	3	5	3	6	17	28	49	78	78	85	87	70	69	36	19	5	1
	Female	540	6	–	2	2	2	3	4	5	3	12	12	23	24	30	49	66	76	86	80	38	17	–
	All other Male	424	5	2	3	–	3	2	10	5	8	17	20	44	41	49	69	55	35	25	16	8	7	–
	Female	371	8	–	2	–	1	2	4	1	8	13	15	24	25	31	45	64	51	30	30	11	6	–
400, 401, 403	Hypertension	176	–	–	–	–	–	–	3	2	2	8	6	10	17	22	19	19	19	21	20	5	2	1
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	5	5	7	7	2	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	–	5	2	4	1	7	7	8	3	–	–
	All other Male	45	–	–	–	–	–	–	3	1	1	3	4	2	2	10	7	3	1	2	5	–	1	–
	Female	56	–	–	–	–	–	–	–	1	1	5	1	7	7	6	5	10	6	5	–	–	1	1
430–438	Cerebrovascular diseases	4,992	6	5	2	1	5	7	7	28	32	53	77	161	248	388	542	714	812	795	673	329	107	–
	White Male	1,398	1	2	2	–	3	3	2	5	6	11	25	32	74	106	149	238	250	231	173	70	15	–
	Female	2,011	3	1	–	–	1	1	–	8	8	16	14	31	51	90	141	205	325	416	413	215	72	–
	All other Male	707	2	–	–	–	1	–	3	10	13	15	18	48	64	102	112	128	88	54	27	15	7	–
	Female	876	–	2	–	1	–	3	2	5	5	11	20	50	59	90	140	143	149	94	60	29	13	–
431	Cerebral hemorrhage	846	3	2	1	1	2	2	4	9	10	20	26	61	71	97	109	121	114	107	55	28	3	–
	White Male	225	–	1	1	–	1	–	1	–	1	5	6	10	21	25	41	40	22	34	11	4	1	–
	Female	260	1	1	–	–	–	1	–	1	1	5	6	8	10	23	24	36	44	47	34	17	1	–
	All other Male	174	2	–	–	–	1	–	2	6	6	4	8	17	23	25	19	22	23	11	–	4	1	–
	Female	187	–	–	–	1	–	1	1	2	2	6	6	26	17	24	25	23	25	15	10	3	–	–
433	Cerebral thrombosis	1,079	–	–	–	–	1	–	–	–	3	4	7	9	34	74	132	142	199	202	161	85	26	–
	White Male	293	–	–	–	–	1	–	–	–	–	–	4	2	12	25	34	46	62	53	34	18	2	–
	Female	482	–	–	–	–	–	–	–	–	2	3	–	2	7	18	35	50	76	109	103	58	19	–
	All other Male	130	–	–	–	–	–	–	–	–	1	1	3	3	12	18	24	22	20	14	10	2	–	–
	Female	174	–	–	–	–	–	–	–	–	–	–	–	2	3	13	39	24	41	26	14	7	5	–
434	Cerebral embolism	19	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	5	2	3	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,048	3	3	1	–	2	5	3	19	19	29	44	91	141	216	299	448	494	484	454	215	78	–
	White Male	869	1	1	1	–	1	3	1	5	5	6	15	20	39	55	74	151	162	143	127	47	12	–
	Female	1,264	2	–	–	–	1	–	–	7	5	8	8	21	34	49	81	117	205	259	275	140	52	–
	All other Male	402	–	–	–	–	–	–	1	4	6	10	7	28	29	59	68	84	45	29	17	9	6	–
	Female	513	–	2	–	–	–	2	1	3	3	5	14	22	39	53	76	96	82	53	35	19	8	–
440	Arteriosclerosis	505	–	–	–	–	–	–	–	–	–	–	2	5	14	22	35	69	66	96	103	63	30	–
	White Male	173	–	–	–	–	–	–	–	–	–	–	–	1	5	9	12	29	24	36	33	20	4	–
	Female	207	–	–	–	–	–	–	–	–	–	–	–	–	2	4	9	16	24	49	50	36	17	–
	All other Male	59	–	–	–	–	–	–	–	–	–	–	1	2	5	7	5	10	14	3	7	2	3	–
	Female	66	–	–	–	–	–	–	–	–	–	–	1	2	2	2	9	14	4	8	13	5	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	540	–	1	–	–	2	4	4	–	4	5	18	23	36	68	75	88	77	58	57	15	4	1
	White Male	252	–	1	–	–	–	2	–	–	3	3	8	9	15	36	43	48	42	27	13	2	–	–
	Female	156	–	–	–	–	1	1	2	–	–	1	4	7	8	14	12	19	16	25	33	9	4	–
	All other Male	60	–	–	–	–	–	1	1	–	–	1	2	4	9	11	11	7	7	2	3	–	–	1
	Female	72	–	–	–	–	1	–	1	–	1	–	4	3	4	7	9	14	12	4	8	4	–	–
466	Acute bronchitis and bronchiolitis	12	1	2	1	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	–	–	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,341	110	15	7	6	10	13	14	12	17	29	29	52	58	87	115	129	161	200	147	93	37	–
	White Male	487	25	2	3	2	2	5	4	3	4	7	5	18	27	38	50	52	73	73	51	32	11	–
	Female	437	11	4	1	1	5	1	5	2	5	7	5	10	9	9	26	43	42	99	76	56	20	–
	All other Male	244	43	6	3	2	2	2	3	6	6	10	11	16	15	29	25	18	25	9	10	–	3	–
	Female	173	31	3	–	1	1	5	2	1	2	5	8	8	7	11	14	16	21	19	10	5	3	–
470–474	Influenza	59	2	–	1	2	–	1	1	1	–	–	1	3	5	3	5	6	6	10	5	5	2	–
	White Male	18	1	–	1	2	–	–	–	–	–	–	–	3	2	1	1	1	2	2	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	5	3	7	2	5	2	–
	All other Male	5	1	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	1	1	–	–	–	1	–	1	–	1	–	–	1	1	–	–	–
480–486	Pneumonia	1,282	108	15	6	4	10	12	13	11	17	29	28	49	53	84	110	123	155	190	142	88	35	–
	White Male	469	24	2	2	–	2	5	4	3	4	7	5	15	25	37	49	51	71	71	49	32	11	–
	Female	408	11	4	1	1	5	1	5	2	5	7	5	10	7	9	23	38	39	92	74	51	18	–
	All other Male	239	42	6	3	2	2	2	3	5	6	10	11	16	15	27	25	18	24	9	10	–	3	–
	Female	166	31	3	–	1	1	4	1	1	2	5	7	8	6	11	13	16	21	18	9	5	3	–
490–493	Bronchitis, emphysema, and asthma	492	2	–	–	3	3	3	2	2	3	10	13	20	45	69	86	77	67	57	21	7	2	–
	White Male	324	1	–	–	1	2	2	–	–	–	5	6	9	24	44	60	54	54	43	14	5	–	–
	Female	104	–	–	–	–	–	–	1	–	2	5	3	11	12	16	10	14	10	10	7	1	2	–
	All other Male	46	1	–	–	2	–	1	1	2	–	–	2	–	8	7	10	7	1	3	–	1	–	–
	Female	18	–	–	–	–	1	–	–	–	1	–	2	–	1	2	6	2	2	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
490, 491	Chronic and unqualified bronchitis	127	–	–	–	–	2	2	–	–	2	3	–	7	11	18	18	25	15	13	5	4	2	–
	White..... Male	76	–	–	–	–	2	2	–	–	–	–	–	4	5	12	14	14	10	8	2	3	–	–
	Female	40	–	–	–	–	–	–	–	–	1	3	–	3	5	5	4	6	5	3	3	–	2	–
	All other..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
492	Emphysema	326	1	–	–	–	–	–	1	1	1	5	11	13	30	49	58	48	49	40	16	3	–	–
	White..... Male	235	1	–	–	–	–	–	–	–	–	5	6	5	19	31	43	36	42	33	12	2	–	–
	Female	59	–	–	–	–	–	–	1	–	1	–	3	8	5	11	5	8	5	7	4	1	–	–
	All other..... Male	28	–	–	–	–	–	–	–	1	–	–	2	–	6	7	8	3	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
493	Asthma	39	1	–	–	3	1	1	1	1	–	2	2	–	4	2	10	4	3	4	–	–	–	–
	White..... Male	13	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	4	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–	–	–	–
	All other..... Male	11	1	–	–	2	–	1	1	1	–	–	–	–	1	–	2	–	–	2	–	–	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	2	–	1	1	4	–	1	–	–	–	–	–
531–533	Peptic ulcer	115	–	–	–	–	–	–	–	2	4	4	10	8	9	17	17	9	14	14	5	2	–	–
	White..... Male	55	–	–	–	–	–	–	–	2	2	–	6	4	3	11	10	1	8	5	3	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	2	1	2	2	3	3	6	2	7	2	1	–	–
	All other..... Male	19	–	–	–	–	–	–	–	–	2	1	1	2	3	2	3	–	3	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	2	1	1	–	–	–	–
540–543	Appendicitis	28	–	–	–	1	1	–	1	–	–	–	1	4	2	4	3	2	4	3	2	–	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–
	All other..... Male	14	–	–	–	–	1	–	1	–	–	–	1	1	1	2	3	–	3	–	1	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	131	9	–	2	–	1	–	–	1	2	2	4	3	7	13	10	21	19	22	11	2	2	–
	White..... Male	31	5	–	1	–	–	–	–	–	1	1	1	1	2	2	–	3	4	7	3	–	–	–
	Female	55	2	–	–	–	1	–	–	–	1	–	1	–	3	5	2	7	11	12	6	2	2	–
	All other..... Male	27	1	–	1	–	–	–	–	1	–	–	1	2	1	3	4	7	3	1	2	–	–	–
	Female	18	1	–	–	–	–	–	–	–	–	1	1	–	1	3	4	4	1	2	–	–	–	–
571	Cirrhosis of liver	562	1	–	1	1	2	4	15	23	32	49	65	85	82	87	59	28	18	6	4	–	–	–
	White..... Male	248	1	–	–	–	2	1	2	4	10	26	31	40	39	46	30	10	6	–	–	–	–	–
	Female	148	–	–	1	–	–	1	–	3	3	6	11	24	26	25	15	14	9	6	4	–	–	–
	All other..... Male	83	–	–	–	–	–	–	3	6	9	12	12	10	10	7	10	2	2	–	–	–	–	–
	Female	83	–	–	–	1	–	2	10	10	10	5	11	11	7	9	4	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	81	–	–	–	–	–	1	–	–	2	3	1	5	2	5	12	11	14	8	9	7	1	–
	White..... Male	32	–	–	–	–	–	–	–	–	–	1	–	2	1	4	9	4	4	4	2	1	–	–
	Female	32	–	–	–	–	–	–	–	–	1	2	–	1	–	1	2	4	7	3	4	6	1	–
	All other..... Male	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	3	3	–	1	–	–	–
580–584	Nephritis and nephrosis	224	–	1	–	2	3	1	1	1	4	1	9	15	25	29	35	28	26	23	11	5	4	–
	White..... Male	67	–	–	–	–	–	1	–	–	1	–	2	–	9	9	9	13	8	7	7	1	–	–
	Female	45	–	–	–	1	2	–	–	–	–	1	–	4	1	7	8	4	3	6	3	3	2	–
	All other..... Male	54	–	1	–	1	–	–	1	1	1	–	3	5	7	7	9	3	7	6	1	1	–	–
	Female	58	–	–	–	–	1	–	–	–	2	–	4	6	8	6	9	8	8	4	–	–	2	–
580, 581	Acute nephritis and nephrotic syndrome	45	–	1	–	–	–	1	–	–	2	–	1	2	3	9	11	3	5	2	3	2	–	–
	White..... Male	17	–	–	–	–	–	1	–	–	–	–	1	–	1	4	4	2	2	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	2	1	2	2	–	–
	All other..... Male	8	–	1	–	–	–	–	–	–	1	–	–	–	1	1	3	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	179	–	–	–	2	3	–	1	1	2	1	8	13	22	20	24	25	21	21	8	3	4	–
	White..... Male	50	–	–	–	–	–	–	–	–	1	–	1	–	8	5	5	11	6	6	6	1	–	–
	Female	31	–	–	–	1	2	–	–	–	–	1	–	3	1	3	6	4	1	5	1	1	2	–
	All other..... Male	46	–	–	–	1	–	–	1	1	–	–	3	5	6	6	6	3	6	6	1	1	–	–
	Female	52	–	–	–	–	1	–	–	–	1	–	4	5	7	6	7	7	8	4	–	–	2	–
590	Infections of kidney	108	–	–	–	–	1	–	2	2	1	2	3	5	5	10	13	9	13	21	13	5	3	–
	White..... Male	32	–	–	–	–	1	–	1	–	–	–	–	2	–	3	1	3	6	10	3	1	1	–
	Female	41	–	–	–	–	–	–	–	–	1	–	1	1	2	5	3	2	5	10	6	4	1	–
	All other..... Male	13	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	1	–	1	2	–	–	–
	Female	22	–	–	–	–	–	–	1	2	–	2	1	1	2	–	5	3	2	–	2	–	1	–
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	8	2	2	1	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	2	2	–	–
	All other..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	–	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	2	3	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	14	–	–	–	–	2	2	4	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	2	3	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	14	–	–	–	–	2	2	4	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	334	213	39	10	9	5	9	5	3	4	4	5	1	5	3	8	6	1	1	3	–	–	–
	White Male	127	88	13	3	2	2	3	1	1	3	1	–	–	2	1	4	2	–	1	–	–	–	–
	Female	104	61	10	1	4	2	4	2	1	1	2	4	–	3	2	2	2	1	–	2	–	–	–
	All other Male	37	22	6	2	1	–	–	–	–	–	–	1	1	–	–	2	2	–	–	–	–	–	–
	Female	66	42	10	4	2	1	2	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	568	568	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	342	342	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	226	226	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	625	146	5	2	2	4	3	8	7	10	16	17	28	34	48	49	49	63	51	44	26	12	1
	White Male	203	45	2	–	–	2	1	4	1	3	3	6	8	14	22	21	22	15	10	12	8	4	–
	Female	135	21	1	–	–	2	–	1	–	–	6	4	4	5	5	4	11	14	23	20	9	5	–
	All other Male	141	41	2	1	1	–	1	3	3	3	6	4	10	7	10	13	5	13	12	3	2	1	–
	Female	146	39	–	1	1	–	1	–	3	4	1	3	6	8	11	11	11	21	6	9	7	2	1
Residual	All other diseases	3,293	66	23	14	18	25	45	45	74	84	129	148	219	283	344	406	385	395	310	174	75	30	1
	White Male	1,245	15	6	4	5	8	10	11	14	28	38	50	79	115	160	174	172	153	125	55	18	5	–
	Female	1,022	17	7	7	9	5	10	7	19	15	29	34	41	67	80	114	117	148	136	94	51	15	–
	All other Male	545	21	4	2	3	5	16	10	23	20	31	36	61	53	58	69	50	46	24	10	1	2	–
	Female	481	13	6	1	1	7	9	17	18	21	31	28	38	48	46	49	46	48	25	15	5	8	1
E800–E949	Accidents	3,041	61	114	121	92	382	338	242	186	162	172	155	184	155	123	140	109	109	85	76	25	10	–
	White Male	1,527	23	44	49	44	244	198	137	113	79	85	71	79	82	62	72	42	44	28	22	7	2	–
	Female	672	11	24	32	16	71	58	25	23	26	31	31	43	29	28	30	37	43	49	44	14	7	–
	All other Male	616	13	31	24	26	57	65	71	35	51	44	44	40	28	25	26	22	9	3	1	1	–	–
	Female	226	14	15	16	6	10	17	9	15	6	12	9	22	16	8	12	8	13	5	9	3	1	–
E810–E823	Motor vehicle accidents	1,455	11	46	57	48	268	222	142	102	75	92	70	75	58	50	56	33	26	17	7	–	–	–
	White Male	795	4	21	18	23	172	129	80	67	34	53	38	33	29	24	32	15	11	6	6	–	–	–
	Female	312	4	7	20	11	63	38	19	11	14	16	11	21	14	9	17	13	13	11	–	–	–	–
	All other Male	274	2	11	12	10	26	45	37	19	23	16	17	18	10	15	7	3	2	–	1	–	–	–
	Female	74	1	7	7	4	7	10	6	5	4	7	4	3	5	2	–	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,586	50	68	64	44	114	116	100	84	87	80	85	109	97	73	84	76	83	68	69	25	10	–
	White Male	732	19	23	31	21	72	69	57	46	45	32	33	46	53	38	40	27	33	22	16	7	2	–
	Female	360	7	17	12	5	8	20	6	12	12	15	20	22	15	19	13	24	30	38	44	14	7	–
	All other Male	342	11	20	12	16	31	20	34	16	28	28	27	22	18	10	19	19	7	3	–	1	–	–
	Female	152	13	8	9	2	3	7	3	10	2	5	5	19	11	6	12	6	13	5	9	3	1	–
E950–E959	Suicide	704	...	...	–	9	50	78	71	64	49	61	64	63	48	56	44	30	11	2	2	2	–	–
	White Male	455	...	...	–	7	32	51	42	38	28	38	36	40	32	44	28	26	8	2	1	2	–	–
	Female	176	...	...	–	1	9	16	15	19	17	19	21	21	11	10	12	2	2	–	1	–	–	–
	All other Male	58	...	...	–	1	8	7	11	5	4	3	6	2	4	2	2	2	1	–	–	–	–	–
	Female	15	...	...	–	–	1	4	3	2	–	1	1	–	1	–	2	–	–	–	–	–	–	–
E960–E978	Homicide	735	4	10	2	5	47	95	118	98	76	76	60	48	36	30	13	8	4	3	1	1	–	–
	White Male	234	1	3	1	2	18	35	28	30	26	22	17	22	6	15	2	2	1	2	–	1	–	–
	Female	79	–	1	1	–	5	10	9	11	6	6	9	4	4	4	3	4	1	–	1	–	–	–
	All other Male	330	2	4	–	1	16	41	60	45	34	41	27	20	20	11	3	2	2	1	–	–	–	–
	Female	92	1	2	–	2	8	9	21	12	10	7	7	2	6	–	5	–	–	–	–	–	–	–
E980–E999	Other external causes	20	1	–	–	–	2	2	2	1	2	1	1	3	3	1	1	–	–	–	–	–	–	–
	White Male	8	–	–	–	–	–	–	2	1	1	1	–	1	1	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii																							
	All causes	**4,436**	**194**	**30**	**17**	**20**	**54**	**91**	**94**	**76**	**74**	**99**	**188**	**277**	**346**	**418**	**447**	**472**	**499**	**438**	**350**	**175**	**74**	**3**
	White ..... Male	799	23	8	2	7	10	14	32	22	22	20	44	44	79	93	103	86	62	66	38	16	6	2
	Female	570	22	2	1	–	6	9	13	6	9	15	18	38	38	50	62	53	57	63	63	30	15	–
	All other ..... Male	1,885	68	9	9	5	26	53	42	30	26	34	69	119	156	182	206	223	241	140	148	79	19	1
	Female	1,182	81	11	5	8	12	15	7	18	17	30	57	76	73	93	76	110	139	169	101	50	34	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
010–019	Tuberculosis, all forms	10	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	2	1	2	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
010–012	Tuberculosis of respiratory system	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	1	2	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	34	3	1	–	–	–	–	–	–	–	1	1	2	4	1	1	4	8	4	2	2	–	–
	White ..... Male	8	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	1	–	–
	All other ..... Male	15	1	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	3	3	1	1	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	20	4	1	–	–	–	–	1	1	–	–	–	1	1	1	3	–	1	–	3	2	1	–
	White ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Female	11	2	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	2	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,119	1	1	9	4	1	5	8	9	13	30	68	103	121	149	153	156	112	79	61	28	7	1
	White.....Male	183	–	1	1	2	–	–	1	1	–	5	11	13	25	28	30	27	18	8	7	3	1	1
	Female	154	–	–	1	–	1	–	2	–	2	7	4	17	16	27	24	20	13	8	7	5	–	–
	All other.....Male	479	1	–	6	1	–	2	4	5	5	4	27	45	49	51	71	73	52	36	31	14	2	–
	Female	303	–	–	1	1	–	3	1	3	6	14	26	28	31	43	28	36	29	27	16	6	4	–
140–149	Of buccal cavity and pharynx	37	–	–	–	–	–	1	–	–	–	–	3	7	6	4	6	3	2	3	2	–	–	–
	White.....Male	8	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	2	–	–	–	–
	All other.....Male	16	–	–	–	–	–	–	–	–	–	–	1	4	3	2	2	–	2	–	2	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	410	1	–	–	–	–	–	3	1	5	7	16	34	33	52	60	73	52	30	27	15	1	–
	White.....Male	44	–	–	–	–	–	–	–	–	–	–	2	3	5	6	10	8	6	2	1	1	–	–
	Female	43	–	–	–	–	–	–	1	–	–	1	–	–	2	5	10	11	6	1	3	3	–	–
	All other.....Male	218	1	–	–	–	–	–	2	1	2	1	7	25	18	27	32	40	24	18	13	7	–	–
	Female	105	–	–	–	–	–	–	–	–	3	5	7	6	8	14	8	14	16	9	10	4	1	–
160–163	Of respiratory system	238	–	–	–	–	–	–	–	1	–	6	14	24	40	34	41	28	21	10	11	7	1	–
	White.....Male	54	–	–	–	–	–	–	–	–	–	3	4	4	9	10	9	8	5	2	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	6	2	7	4	1	–	–	2	1	–	–
	All other.....Male	114	–	–	–	–	–	–	–	1	–	1	10	10	19	10	23	13	10	6	7	4	–	–
	Female	47	–	–	–	–	–	–	–	–	–	2	–	4	10	7	5	6	6	2	2	2	1	–
174	Of breast	77	–	–	–	–	–	–	–	2	2	5	13	13	9	16	6	6	3	2	–	–	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	27	–	–	–	–	–	–	–	–	2	1	3	5	3	6	2	3	2	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	–	–	–	–	–	–	–	2	–	4	10	8	6	10	4	2	1	2	–	–	–	–
180–187	Of genital organs	76	–	–	–	–	–	–	1	1	2	3	3	7	5	7	6	15	9	6	7	3	1	–
	White.....Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	–	5	1	1	–
	Female	14	–	–	–	–	–	–	–	–	–	2	1	3	2	1	1	2	1	1	–	–	–	–
	All other.....Male	22	–	–	–	–	–	–	1	1	–	–	–	–	–	1	2	8	3	3	1	2	–	–
	Female	24	–	–	–	–	–	–	–	–	2	1	2	4	2	4	2	3	1	2	1	–	–	–
188, 189	Of urinary organs	32	–	–	–	–	–	–	–	–	–	2	3	2	1	5	2	6	3	3	4	–	1	–
	White.....Male	7	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	1	–	–	–
	All other.....Male	11	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	3	2	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	133	–	–	1	2	1	2	1	3	2	4	7	9	21	13	21	11	9	16	5	1	3	1
	White.....Male	31	–	–	–	1	–	–	–	1	–	1	–	3	7	3	6	3	3	1	–	1	–	1
	Female	21	–	–	–	–	1	–	1	–	–	2	–	1	6	1	5	2	–	2	–	–	–	–
	All other.....Male	48	–	–	1	1	–	1	–	2	2	–	3	3	5	6	7	4	4	4	3	–	2	–
	Female	33	–	–	–	–	–	1	–	–	–	1	4	2	3	3	3	2	2	9	2	–	1	–
204–207	Leukemia	48	–	1	7	1	–	2	–	1	1	3	6	1	4	6	1	5	2	5	1	1	–	–
	White.....Male	9	–	1	1	–	–	–	–	–	–	–	2	–	–	3	–	1	–	1	–	–	–	–
	Female	7	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	1	–	–
	All other.....Male	22	–	–	4	–	–	1	–	–	1	2	3	1	3	1	1	2	–	2	1	–	–	–
	Female	10	–	–	1	1	–	1	–	1	–	1	1	–	1	–	–	2	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	68	–	–	1	1	–	–	3	–	1	–	3	6	2	12	10	9	11	4	4	1	–	–
	White.....Male	13	–	–	–	1	–	–	1	–	–	–	–	2	–	4	3	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	1	–	–	–
	All other.....Male	28	–	–	1	–	–	–	1	–	–	–	2	1	1	4	4	4	6	1	2	1	–	–
	Female	21	–	–	–	–	–	–	1	–	1	–	1	3	1	2	3	4	2	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	8	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
250	Diabetes mellitus	87	–	–	–	–	–	–	–	1	2	1	3	10	2	10	14	15	9	13	4	2	1	–
	White.....Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	–
	All other.....Male	31	–	–	–	–	–	–	–	1	–	–	1	1	–	5	6	8	3	3	3	–	–	–
	Female	42	–	–	–	–	–	–	–	–	2	1	1	9	1	3	6	5	4	8	1	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	1	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
280–285	Anemias	6	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
320	Meningitis	8	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,793	3	2	1	2	6	4	9	9	19	24	66	101	148	173	192	211	249	238	194	97	45	–
	White Male	322	–	2	1	–	–	–	3	2	5	4	14	20	37	43	46	40	29	42	21	9	4	–
	Female	239	–	–	–	–	1	1	–	1	2	–	7	6	8	14	27	23	30	38	48	19	12	–
	All other Male	757	1	–	–	–	5	1	5	4	6	14	25	50	74	87	91	97	118	64	65	40	10	–
	Female	475	2	–	–	2	–	2	1	2	6	6	20	23	29	29	28	51	72	94	60	29	19	–
390–398, 402, 404, 410–429	Diseases of heart	1,337	3	1	1	1	6	4	7	8	17	19	49	81	119	136	149	146	177	169	130	77	37	–
	White Male	262	–	1	1	–	–	–	2	2	5	4	14	19	31	36	40	30	21	30	16	7	3	–
	Female	177	–	–	–	–	1	1	–	–	1	–	5	5	7	12	21	18	19	30	31	15	11	–
	All other Male	571	1	–	–	–	5	1	5	4	6	11	18	41	58	68	69	62	90	49	45	32	6	–
	Female	327	2	–	–	1	–	2	–	2	5	4	12	16	23	20	19	36	47	60	38	23	17	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	55	–	–	–	1	1	2	2	4	2	3	6	3	4	4	2	6	3	6	5	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	Female	11	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	3	2	–	1	–
	All other Male	22	–	–	–	–	1	1	2	2	–	3	3	1	1	3	–	1	1	–	3	–	–	–
	Female	18	–	–	–	1	–	–	–	2	2	–	2	2	2	1	1	2	1	2	–	–	–	–
402	Hypertensive heart disease	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	1	2	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
410–413	Ischemic heart disease	1,177	–	–	–	–	–	1	4	3	14	13	40	68	106	122	136	132	166	154	114	73	31	–
	White Male	240	–	–	–	–	–	–	2	1	5	4	12	19	30	34	36	27	20	27	13	7	3	–
	Female	156	–	–	–	–	–	–	–	–	1	–	5	4	5	11	20	17	17	27	26	14	9	–
	All other Male	502	–	–	–	–	–	–	2	2	5	7	15	35	54	58	63	56	85	46	38	31	5	–
	Female	279	–	–	–	–	–	1	–	–	3	2	8	10	17	19	17	32	44	54	37	21	14	–
410	Acute myocardial infarction	509	–	–	–	–	–	–	2	1	9	5	15	40	53	63	67	72	72	45	38	21	6	–
	White Male	113	–	–	–	–	–	–	1	1	5	2	4	10	17	18	18	12	9	10	4	2	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	2	3	3	5	3	11	8	12	6	3	1	–
	All other Male	239	–	–	–	–	–	–	1	–	2	3	6	22	28	28	37	34	38	11	15	12	2	–
	Female	100	–	–	–	–	–	–	–	–	2	–	3	5	5	12	9	15	17	12	13	4	3	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	662	–	–	–	–	–	1	2	2	5	8	24	28	53	58	69	59	93	108	76	51	25	–
	White Male	127	–	–	–	–	–	–	1	–	–	2	8	9	13	16	18	15	11	17	9	5	3	–
	Female	97	–	–	–	–	–	–	–	–	1	–	3	1	2	6	17	5	9	14	20	11	8	–
	All other Male	260	–	–	–	–	–	–	1	2	3	4	9	13	26	29	26	22	46	35	23	18	3	–
	Female	178	–	–	–	–	–	1	–	–	1	2	4	5	12	7	8	17	27	42	24	17	11	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	12	–	–	–	–	1	–	–	–	–	2	1	1	1	–	–	1	3	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
420–423, 425–427, 429	All other forms of heart disease	77	3	1	1	–	4	1	1	1	1	1	2	8	7	10	8	5	3	7	7	2	4	–
	White Male	13	–	1	1	–	–	–	–	1	–	–	1	–	–	2	3	1	–	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	2	1	–	–
	All other Male	36	1	–	–	–	4	–	1	–	1	1	–	3	3	7	4	2	2	2	3	1	1	–
	Female	21	2	–	–	–	–	1	–	–	–	–	1	4	3	–	1	2	–	3	1	–	3	–
400, 401, 403	Hypertension	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
430–438	Cerebrovascular diseases	357	–	1	–	1	–	–	1	1	1	3	15	15	21	30	32	53	55	58	51	13	6	–
	White Male	45	–	1	–	–	–	–	1	–	–	–	–	–	5	4	3	8	6	11	4	1	1	–
	Female	52	–	–	–	–	–	–	–	1	1	–	2	2	1	2	4	5	11	7	11	4	1	–
	All other Male	140	–	–	–	–	–	–	–	–	–	2	7	8	11	16	16	27	21	11	15	4	2	–
	Female	120	–	–	–	1	–	–	–	–	–	1	6	5	4	8	9	13	17	29	21	4	2	–
431	Cerebral hemorrhage	81	–	–	–	1	–	–	–	–	–	3	4	5	6	11	11	10	12	11	5	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	1	–	1	–	–
	All other Male	40	–	–	–	–	–	–	–	–	–	2	1	2	4	7	7	8	4	2	2	–	1	–
	Female	29	–	–	–	1	–	–	–	–	–	1	3	2	1	2	2	2	5	7	3	–	–	–
433	Cerebral thrombosis	85	–	–	–	–	–	–	–	–	–	–	1	3	3	7	7	9	18	10	22	3	2	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	3	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	4	–	8	–	–	–
	All other Male	33	–	–	–	–	–	–	–	–	–	–	–	3	2	4	2	5	7	3	6	–	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	4	4	6	2	1	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	191	–	1	–	–	–	–	1	1	1	–	10	7	12	12	14	34	25	37	24	9	3	–
	White Male	27	–	1	–	–	–	–	1	–	–	–	–	–	4	1	3	5	2	7	2	–	1	–
	Female	30	–	–	–	–	–	–	–	1	1	–	1	1	1	1	1	5	5	6	3	3	1	–
	All other Male	67	–	–	–	–	–	–	–	–	–	–	6	3	5	5	7	14	10	6	7	4	–	–
	Female	67	–	–	–	–	–	–	–	–	–	–	3	3	2	5	3	10	8	18	12	2	1	–
440	Arteriosclerosis	25	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–	2	5	7	3	2	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	2	1	2	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	3	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	68	–	–	–	–	–	–	1	–	1	1	2	3	5	5	9	12	15	6	6	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	3	–	–	–
	All other Male	35	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	8	7	3	3	2	–	–
	Female	16	–	–	–	–	–	–	1	–	1	1	2	–	1	–	–	2	6	2	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	152	6	4	–	1	–	–	–	3	1	1	4	1	3	4	9	15	30	24	21	18	7	–
	White Male	24	1	1	–	–	–	–	–	–	–	–	2	–	–	1	2	4	2	4	3	3	1	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	1	1	3	–
	All other Male	72	3	1	–	–	–	–	–	1	1	–	1	–	2	2	4	5	19	9	14	9	1	–
	Female	40	1	2	–	1	–	–	–	2	–	1	1	–	1	1	–	4	7	9	3	5	2	–
470–474	Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
480–486	Pneumonia	150	6	4	–	1	–	–	–	3	1	1	4	1	2	4	9	14	30	24	21	18	7	–
	White Male	24	1	1	–	–	–	–	–	–	–	–	2	–	–	1	2	4	2	4	3	3	1	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	1	1	3	–
	All other Male	72	3	1	–	–	–	–	–	1	1	–	1	–	2	2	4	5	19	9	14	9	1	–
	Female	38	1	2	–	1	–	–	–	2	–	1	1	–	–	1	–	3	7	9	3	5	2	–
490–493	Bronchitis, emphysema, and asthma	55	1	1	–	–	1	–	–	1	–	1	1	2	1	6	7	8	10	5	8	2	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	2	–	–	–	–
	All other Male	27	–	1	–	–	–	–	–	–	–	–	–	2	1	2	5	2	4	1	7	2	–	–
	Female	12	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	1	5	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii — Con.																							
490, 491	Chronic and unqualified bronchitis	12	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	3	1	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	All other ..... Male	7	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	31	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	6	8	3	5	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	3	1	4	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	1	–	–	–
493	Asthma	12	–	–	–	–	1	–	–	1	–	1	–	1	–	1	3	1	2	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
531–533	Peptic ulcer	19	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	2	6	3	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	2	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
540–543	Appendicitis	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	11	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	2	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	74	–	–	–	–	–	–	1	2	3	3	5	10	15	13	9	4	4	3	–	1	1	–
	White ..... Male	22	–	–	–	–	–	–	–	–	1	–	3	3	5	6	2	2	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	1	–	1	2	1	3	3	1	1	–	–	1	–	–	–	–
	All other ..... Male	33	–	–	–	–	–	–	–	2	1	1	1	4	5	6	5	2	3	1	–	1	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	–	2	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	19	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	3	4	4	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	2	1	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	17	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	3	4	3	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	1	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	3	3	2	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	1	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	53	41	2	1	–	1	–	–	1	–	2	1	–	–	–	1	1	–	–	1	–	1	–
	White ..... Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	24	19	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–
	Female	19	14	–	1	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	63	19	1	–	1	–	3	3	4	1	1	2	1	5	3	1	3	5	2	3	3	2	–
	White ..... Male	10	1	–	–	–	–	1	2	2	1	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	8	2	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–
	All other ..... Male	28	10	–	–	1	–	1	1	1	–	–	–	–	3	2	1	2	3	1	–	1	1	–
	Female	17	6	1	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	1	2	2	1	–
Residual	All other diseases	305	8	3	–	1	5	4	6	3	4	4	11	11	26	33	34	26	41	38	31	11	5	–
	White ..... Male	60	3	–	–	–	–	–	1	–	–	1	3	2	3	7	13	5	10	9	3	–	–	–
	Female	40	1	–	–	–	1	1	–	–	–	–	1	2	8	2	6	3	2	7	5	1	–	–
	All other ..... Male	120	2	1	–	–	2	1	4	–	2	1	3	5	9	15	8	12	20	13	14	7	1	–
	Female	85	2	2	–	1	2	2	1	3	2	2	4	2	6	9	7	6	9	9	9	3	4	–
E800–E949	Accidents	263	5	9	6	6	27	39	26	23	13	17	14	12	5	9	10	12	10	12	2	2	2	2
	White ..... Male	72	2	2	–	2	8	9	11	12	4	5	3	3	2	2	3	1	1	1	–	–	–	1
	Female	15	–	1	–	–	2	1	4	–	1	2	1	2	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	127	1	1	3	3	10	28	10	10	7	7	8	3	2	6	6	10	5	3	1	1	1	1
	Female	49	2	5	3	1	7	1	1	1	1	3	2	4	–	1	1	1	4	8	1	1	1	–
E810–E823	Motor vehicle accidents	143	1	4	6	3	19	24	15	11	6	11	8	6	1	6	3	8	4	7	–	–	–	–
	White ..... Male	34	1	–	–	–	4	5	5	4	3	3	2	2	–	1	2	–	1	1	–	–	–	–
	Female	7	–	1	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	73	–	–	3	2	7	19	8	6	2	4	6	1	1	4	–	8	1	1	–	–	–	–
	Female	29	–	3	3	1	6	–	–	1	1	3	–	2	–	1	1	–	2	5	–	–	–	–
E800–E807, E825–E949	All other accidents	120	4	5	–	3	8	15	11	12	7	6	6	6	4	3	7	4	6	5	2	2	2	2
	White ..... Male	38	1	2	–	2	4	4	6	8	1	2	1	1	2	1	1	1	–	–	–	–	–	1
	Female	8	–	–	–	–	–	1	2	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	54	1	1	–	1	3	9	2	4	5	3	2	2	1	2	6	2	4	2	1	1	1	1
	Female	20	2	2	–	–	1	1	1	–	–	–	2	2	–	–	–	1	2	3	1	1	1	–
E950–E959	Suicide	115	...	...	–	3	5	18	18	12	12	10	5	10	7	6	3	2	1	2	1	–	–	–
	White ..... Male	34	...	...	–	2	1	1	5	5	9	3	2	–	2	1	2	–	–	–	1	–	–	–
	Female	24	...	...	–	–	1	5	2	4	1	3	1	4	1	2	–	–	–	–	–	–	–	–
	All other ..... Male	42	...	...	–	–	3	11	10	–	2	3	1	3	4	1	1	2	–	1	–	–	–	–
	Female	15	...	...	–	1	–	1	1	3	–	1	1	3	–	2	–	–	1	1	–	–	–	–
E960–E978	Homicide	56	–	1	–	2	5	9	10	6	3	2	5	6	1	4	–	–	2	–	–	–	–	–
	White ..... Male	10	–	–	–	1	1	2	1	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	31	–	–	–	–	3	4	7	5	1	1	2	3	1	2	–	–	2	–	–	–	–	–
	Female	13	–	1	–	1	1	3	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	35	1	2	–	–	2	7	10	1	2	1	1	2	1	1	1	1	1	1	–	–	–	–
	White ..... Male	10	–	–	–	–	–	1	7	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	7	1	1	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	15	–	1	–	–	2	4	1	–	–	1	–	2	–	1	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho																							
	All causes	**6,462**	**214**	**42**	**31**	**42**	**116**	**132**	**105**	**90**	**89**	**116**	**178**	**222**	**370**	**565**	**718**	**779**	**707**	**798**	**653**	**354**	**129**	**12**
	White Male	3,715	124	22	17	32	78	102	73	56	54	71	103	132	235	375	471	471	419	397	293	139	44	7
	White Female	2,633	85	19	12	10	30	20	26	28	32	43	69	84	128	179	239	299	281	392	358	213	82	4
	All other Male	67	2	–	1	–	7	6	2	4	1	1	5	5	4	6	5	6	4	5	–	1	1	1
	All other Female	47	3	1	1	–	1	4	4	2	2	1	1	1	3	5	3	3	3	4	2	1	2	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	2	3	–	–	–	2
	White Male	11	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	–	–	–	2
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	16	2	–	1	–	1	–	–	–	–	1	2	–	–	–	–	5	2	2	–	–	–	–
	White Male	11	2	–	1	–	1	–	–	–	–	–	1	–	–	–	–	3	1	2	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,173	1	3	5	4	6	3	4	10	13	19	42	54	108	162	185	189	129	137	62	32	4	1
	White Male	636	1	2	4	4	2	3	2	2	6	6	17	22	59	94	110	111	72	74	26	17	2	–
	Female	523	–	1	1	–	3	–	2	8	7	12	24	32	49	65	74	75	56	61	36	14	2	1
	All other Male	7	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	1	–	1	–	–
140–149	Of buccal cavity and pharynx	23	–	–	–	–	–	–	–	–	–	–	1	1	8	4	4	2	2	1	–	–	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	1	5	3	1	2	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	253	–	–	–	–	1	–	1	1	1	2	8	6	17	39	35	42	28	38	21	13	–	–
	White Male	129	–	–	–	–	–	–	1	–	1	1	5	3	8	24	18	27	10	16	8	7	–	–
	Female	118	–	–	–	–	–	–	–	1	–	1	3	3	9	13	16	14	18	22	13	5	–	–
	All other Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
160–163	Of respiratory system	261	–	–	–	–	–	–	–	–	1	2	5	16	26	44	57	52	25	23	6	4	–	–
	White Male	205	–	–	–	–	–	–	–	–	1	2	4	11	22	35	46	39	20	18	4	3	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	1	5	4	9	11	13	5	4	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
174	Of breast	114	–	–	–	–	–	–	–	3	4	7	12	10	13	20	7	15	10	6	4	1	2	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	112	–	–	–	–	–	–	–	3	4	6	11	10	13	20	7	15	10	6	4	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	159	–	–	–	–	–	–	1	–	2	1	5	6	8	16	27	30	16	22	15	8	2	–
	White Male	85	–	–	–	–	–	–	–	–	1	–	1	–	2	9	16	16	11	14	8	5	2	–
	Female	72	–	–	–	–	–	–	1	–	1	1	4	6	6	6	11	14	5	7	7	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	51	–	–	–	–	–	–	–	–	–	1	3	2	4	3	7	8	9	9	4	1	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	3	1	3	3	5	5	8	8	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	1	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	179	1	1	4	1	4	–	1	5	2	5	7	10	22	19	35	19	18	16	6	3	–	–
	White Male	91	1	1	3	1	2	–	1	1	2	2	3	5	13	13	17	12	9	3	1	1	–	–
	Female	86	–	–	1	–	2	–	–	4	–	3	4	5	9	6	18	6	8	13	5	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
204–207	Leukemia	60	–	2	1	2	–	2	1	–	2	–	1	1	4	5	4	6	11	13	3	1	–	1
	White Male	35	–	1	1	2	–	2	–	–	–	–	1	1	2	3	3	4	5	9	1	–	–	–
	Female	25	–	1	–	–	–	–	1	–	2	–	–	–	2	2	1	2	6	4	2	1	–	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	73	–	–	–	1	1	1	–	1	1	1	–	2	6	12	9	15	10	9	3	1	–	–
	White Male	38	–	–	–	1	–	1	–	1	1	1	–	–	4	4	4	6	7	6	1	1	–	–
	Female	35	–	–	–	–	1	–	–	–	–	–	–	2	2	8	5	9	3	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	26	3	–	–	–	2	1	–	–	–	–	3	3	1	6	3	1	1	1	1	–	–	–
	White Male	14	2	–	–	–	2	1	–	–	–	–	1	2	–	3	2	1	–	–	–	–	–	–
	Female	12	1	–	–	–	–	–	–	–	–	–	2	1	1	3	1	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	114	–	1	–	–	–	–	2	3	1	2	2	3	6	10	12	15	15	20	17	5	–	–
	White Male	48	–	1	–	–	–	–	2	2	–	1	–	2	3	7	5	5	4	9	4	3	–	–
	Female	65	–	–	–	–	–	–	–	1	1	1	2	1	3	3	7	10	11	10	13	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	4	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho – Con.																							
280–285	Anemias	16	1	–	–	–	1	–	–	1	–	–	–	–	2	–	–	2	1	3	4	1	–	–
	White ..... Male	9	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1	2	3	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	11	7	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	White ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	8	5	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,972	4	–	2	–	1	2	3	5	13	21	54	77	145	249	353	377	397	492	435	239	100	3
	White ..... Male	1,658	3	–	–	–	–	1	2	2	7	14	40	53	102	183	243	222	240	228	202	85	30	1
	Female	1,277	1	–	1	–	1	–	1	3	5	7	11	22	41	60	105	151	152	260	232	153	69	2
	All other ..... Male	23	–	–	1	–	–	–	–	–	–	–	3	2	1	3	4	2	4	2	–	1	–	–
	Female	14	–	–	–	–	–	1	–	–	1	–	–	–	1	3	1	2	1	2	1	–	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,071	3	–	–	–	1	1	3	3	11	15	49	70	115	207	276	274	274	316	264	142	45	2
	White ..... Male	1,244	2	–	–	–	–	–	2	2	7	10	38	49	85	158	200	174	167	144	131	58	16	1
	Female	799	1	–	–	–	1	–	1	1	3	5	8	19	28	46	72	98	103	169	132	83	28	1
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	–	3	2	1	2	4	1	3	2	–	1	–	–
	Female	9	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	1	1	1	1	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	39	–	–	–	–	–	–	–	–	2	2	2	1	3	3	11	4	5	5	1	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	1	2	–	–	1	6	1	3	2	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	2	1	–	1	3	1	4	3	2	3	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	2	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	5	5	2	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	4	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,795	1	–	–	–	–	–	1	2	7	11	44	61	98	173	240	244	238	276	229	131	37	2
	White ..... Male	1,086	1	–	–	–	–	–	1	2	6	7	34	45	75	131	178	157	145	127	109	54	13	1
	Female	688	–	–	–	–	–	–	–	–	1	4	7	14	22	41	59	85	89	147	119	76	23	1
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	3	2	1	–	3	1	3	2	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–
410	Acute myocardial infarction	974	1	–	–	–	–	–	–	2	6	9	37	38	65	121	159	160	133	117	81	37	7	1
	White ..... Male	647	1	–	–	–	–	–	–	2	5	6	28	30	52	94	121	103	89	59	38	14	4	1
	Female	314	–	–	–	–	–	–	–	–	1	3	6	7	12	26	37	55	43	56	43	22	3	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	1	–	2	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	2	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	813	–	–	–	–	–	–	1	–	1	2	7	22	33	52	80	84	103	157	148	94	28	1
	White ..... Male	435	–	–	–	–	–	–	1	–	1	1	6	15	23	37	56	54	54	67	71	40	9	–
	Female	370	–	–	–	–	–	–	–	–	–	1	1	6	10	15	22	30	46	90	76	54	18	1
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	22	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	4	3	4	3	2	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	2	1	2	2	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
420–423, 425–427, 429	All other forms of heart disease	182	2	–	–	–	1	1	2	1	2	2	3	8	14	24	22	19	23	26	24	3	5	–
	White Male	115	1	–	–	–	–	–	1	–	1	2	2	4	10	20	15	13	16	13	15	–	2	–
	Female	63	1	–	–	–	1	–	1	1	–	–	1	4	3	4	7	6	7	12	9	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
400, 401, 403	Hypertension	20	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	4	3	3	2	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	1	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	631	–	–	2	–	–	1	–	1	1	5	4	4	21	26	60	72	95	126	119	57	36	1
	White Male	278	–	–	–	–	–	1	–	–	–	3	1	2	11	10	33	29	56	62	47	13	10	–
	Female	347	–	–	1	–	–	–	–	1	1	2	3	2	10	13	27	41	39	64	72	44	26	1
	All other Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
431	Cerebral hemorrhage	52	–	–	1	–	–	–	–	–	–	2	1	–	6	7	5	7	6	9	6	2	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	1	1	–	3	4	3	4	3	3	4	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	2	3	6	2	2	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
433	Cerebral thrombosis	101	–	–	–	–	–	–	–	–	–	1	–	1	1	4	10	11	22	22	12	10	7	–
	White Male	48	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	4	14	11	6	3	3	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	7	8	11	6	7	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	470	–	–	1	–	–	1	–	1	–	2	3	3	13	14	44	52	67	95	99	45	29	1
	White Male	203	–	–	–	–	–	1	–	–	–	1	–	2	7	6	25	21	39	48	36	10	7	–
	Female	266	–	–	1	–	–	–	–	1	–	1	3	1	6	7	19	31	28	47	63	35	22	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
440	Arteriosclerosis	140	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	10	12	23	37	31	17	–
	White Male	63	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	5	9	10	16	12	3	–
	Female	77	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	3	13	21	19	14	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	110	1	–	–	–	–	–	–	1	1	–	–	3	5	13	10	17	13	24	13	7	2	–
	White Male	64	1	–	–	–	–	–	–	–	–	–	–	2	4	12	6	13	6	11	7	1	1	–
	Female	44	–	–	–	–	–	–	–	1	1	–	–	1	1	1	4	4	6	12	6	6	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	White Male	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	167	7	–	1	–	–	2	3	–	–	–	–	2	5	9	13	15	20	23	29	26	12	–
	White Male	89	4	–	1	–	–	–	2	–	–	–	–	2	4	7	6	9	14	13	11	10	6	–
	Female	78	3	–	–	–	–	2	1	–	–	–	–	–	1	2	7	6	6	10	18	16	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	3	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	158	7	–	1	–	–	2	3	–	–	–	–	2	5	9	11	13	20	21	29	23	12	–
	White Male	85	4	–	1	–	–	–	2	–	–	–	–	2	4	7	6	8	14	11	11	9	6	–
	Female	73	3	–	–	–	–	2	1	–	–	–	–	–	1	2	5	5	6	10	18	14	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	98	–	–	–	–	–	–	–	–	1	2	1	3	6	14	12	22	21	9	5	2	–	–
	White Male	77	–	–	–	–	–	–	–	–	–	2	1	3	4	12	8	17	17	7	5	1	–	–
	Female	21	–	–	–	–	–	–	–	–	1	–	–	–	2	2	4	5	4	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho — Con.																							
490, 491	Chronic and unqualified bronchitis	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	1	–	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	78	–	–	–	–	–	–	–	–	–	1	1	3	5	13	8	17	16	7	5	2	–	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	1	1	3	4	12	6	15	13	6	5	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	9	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	2	2	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	12	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	1	–	1	4	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	–	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	23	5	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	3	3	2	2	1	–
	White ..... Male	13	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	1	2	1	–
	Female	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	88	–	–	–	–	–	–	1	3	2	8	12	10	16	16	9	7	2	1	–	1	–	–
	White ..... Male	50	–	–	–	–	–	–	–	1	1	7	6	5	8	9	6	5	1	1	–	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	–	5	4	7	6	3	2	1	–	–	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	14	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	1	4	3	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	3	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	20	–	–	–	1	–	–	2	1	–	–	–	1	2	–	3	3	2	2	1	2	–	–
	White ..... Male	9	–	–	–	1	–	–	–	1	–	–	–	–	1	–	1	1	2	–	–	2	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	2	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	17	–	–	–	1	–	–	2	1	–	–	–	1	2	–	2	2	2	2	–	2	–	–
	White ..... Male	9	–	–	–	1	–	–	–	1	–	–	–	–	1	–	1	1	2	–	–	2	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	–	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	10	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	4	1	1	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	–	3	3	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	–	3	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	65	43	5	1	1	3	1	2	2	1	–	–	1	–	1	–	1	–	–	–	–	–	3
	White Male	41	25	3	–	1	3	1	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	2
	Female	23	17	2	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	161	35	2	–	–	–	1	–	1	–	3	2	7	7	12	17	15	16	13	19	9	1	1
	White Male	88	20	–	–	–	–	–	–	–	–	1	1	5	6	7	12	10	7	7	9	3	–	–
	Female	69	15	2	–	–	–	1	–	1	–	2	–	1	1	5	5	5	9	6	10	6	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	509	10	2	2	–	9	5	8	3	9	10	21	16	31	44	64	82	68	58	44	16	7	–
	White Male	279	3	1	1	–	3	2	4	1	4	5	7	6	20	24	44	56	41	34	14	5	4	–
	Female	218	6	–	1	–	5	3	3	–	5	5	14	9	10	20	19	25	26	24	29	11	3	–
	All other Male	6	–	–	–	–	1	–	1	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	6	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–
E800–E949	Accidents	635	13	21	18	33	79	83	57	49	28	34	24	30	26	21	32	25	15	18	14	10	3	2
	White Male	436	5	11	9	24	55	67	42	38	20	24	17	22	18	14	23	17	7	11	6	4	–	2
	Female	179	7	10	8	9	21	10	13	10	7	10	7	7	7	6	9	7	8	7	8	6	2	–
	All other Male	10	–	–	–	–	2	3	–	1	1	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	10	1	–	1	–	1	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
E810–E823	Motor vehicle accidents	314	7	10	7	17	49	49	32	30	13	14	11	16	10	9	15	11	4	7	2	–	–	1
	White Male	207	2	5	3	10	31	36	21	23	7	13	6	10	6	7	10	7	3	5	1	–	–	1
	Female	93	4	5	4	7	16	8	9	7	5	1	5	5	3	2	5	3	1	2	1	–	–	–
	All other Male	6	–	–	–	–	1	2	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	8	1	–	–	–	1	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	321	6	11	11	16	30	34	25	19	15	20	13	14	16	12	17	14	11	11	12	10	3	1
	White Male	229	3	6	6	14	24	31	21	15	13	11	11	12	12	7	13	10	4	6	5	4	–	1
	Female	86	3	5	4	2	5	2	4	3	2	9	2	2	4	4	4	4	7	5	7	6	2	–
	All other Male	4	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
E950–E959	Suicide	142	...	...	–	1	11	23	17	6	14	10	11	10	7	11	6	8	2	2	3	–	–	–
	White Male	110	...	...	–	1	8	20	15	4	10	6	8	6	4	9	5	7	2	2	3	–	–	–
	Female	27	...	...	–	–	–	1	2	2	4	4	3	4	3	2	1	1	–	–	–	–	–	–
	All other Male	5	...	...	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	48	–	5	–	2	1	8	5	5	2	4	3	2	4	4	1	–	1	1	–	–	–	–
	White Male	33	–	3	–	1	1	6	2	2	2	3	3	2	4	2	1	–	1	–	–	–	–	–
	Female	11	–	2	–	1	–	1	2	1	–	1	–	–	–	2	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	11	–	–	–	–	2	2	–	1	2	–	–	2	1	1	–	–	–	–	–	–	–	–
	White Male	7	–	–	–	–	2	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois																							
	All causes	**103,423**	**2,834**	**443**	**296**	**345**	**1,160**	**1,418**	**1,258**	**1,167**	**1,313**	**1,868**	**3,051**	**4,986**	**6,867**	**9,086**	**10,886**	**12,651**	**13,056**	**13,706**	**10,366**	**5,056**	**1,606**	**4**
	White ..... Male	48,216	1,043	157	138	170	659	834	609	534	546	825	1,488	2,539	3,627	5,107	5,914	6,517	6,072	5,664	3,773	1,590	410	–
	Female	41,544	737	126	92	99	265	236	236	262	360	508	793	1,404	2,107	2,710	3,638	4,691	5,755	7,157	6,073	3,223	1,069	3
	All other ..... Male	7,803	594	90	39	47	162	242	313	249	263	325	482	619	700	748	779	784	645	410	196	89	26	1
	Female	5,860	460	70	27	29	74	106	100	122	144	210	288	424	433	521	555	659	584	475	324	154	101	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	89	34	3	–	–	1	2	1	1	–	1	–	3	4	7	1	9	2	6	7	5	2	–
	White ..... Male	27	7	–	–	–	–	1	1	1	–	–	–	2	3	2	–	3	1	1	3	2	–	–
	Female	39	9	3	–	–	–	–	–	–	–	1	–	1	1	5	1	6	1	3	3	3	2	–
	All other ..... Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	6	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
010–019	Tuberculosis, all forms	170	–	1	–	–	1	1	5	3	12	8	9	19	10	17	25	19	12	12	12	3	1	–
	White ..... Male	79	–	–	–	–	–	1	–	–	2	1	3	9	9	11	12	12	6	5	5	2	1	–
	Female	31	–	1	–	–	1	–	–	–	–	–	1	2	1	3	7	5	3	2	5	–	–	–
	All other ..... Male	41	–	–	–	–	–	–	4	3	4	6	4	6	–	–	6	1	1	4	1	1	–	–
	Female	19	–	–	–	–	–	–	1	–	6	1	1	2	–	3	–	1	2	1	1	–	–	–
010–012	Tuberculosis of respiratory system	123	–	–	–	–	–	1	5	3	10	5	8	14	9	13	15	13	6	9	9	3	–	–
	White ..... Male	66	–	–	–	–	–	1	–	–	2	1	3	8	8	10	10	9	3	4	5	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	2	1	3	–	–	–
	All other ..... Male	31	–	–	–	–	–	–	4	3	4	4	4	4	–	–	2	–	1	3	1	1	–	–
	Female	9	–	–	–	–	–	–	1	–	4	–	–	1	–	2	–	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	47	–	1	–	–	1	–	–	–	2	3	1	5	1	4	10	6	6	3	3	–	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	3	1	–	–	1	–
	Female	14	–	1	–	–	1	–	–	–	–	–	–	1	–	2	4	1	1	1	2	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	2	–	2	–	–	4	1	–	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	1	2	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	3	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	4	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	276	33	3	2	2	2	2	3	4	3	4	9	13	17	25	18	19	36	40	27	13	1	–
	White ..... Male	115	17	1	2	1	–	1	1	–	1	–	5	7	3	15	7	8	17	16	9	4	–	–
	Female	95	10	–	–	1	–	1	–	4	–	2	4	1	8	5	5	6	13	15	14	5	1	–
	All other ..... Male	34	4	1	–	–	–	–	–	–	2	1	–	3	5	2	3	2	4	5	1	1	–	–
	Female	32	2	1	–	–	2	–	2	–	–	1	–	2	1	3	3	3	2	4	3	3	–	–
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	183	11	10	3	2	3	7	6	6	6	7	9	13	11	14	11	17	12	19	12	4	–	–
	White ..... Male	67	2	1	2	–	1	5	1	3	1	2	1	3	7	6	7	4	4	8	7	2	–	–
	Female	79	4	7	1	2	2	1	1	1	4	1	5	5	3	5	3	10	7	11	4	2	–	–
	All other ..... Male	17	2	2	–	–	–	–	2	1	–	2	2	3	–	1	1	1	–	–	–	–	–	–
	Female	20	3	–	–	–	–	1	2	1	1	2	1	2	1	2	–	2	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	20,822	6	31	37	45	73	74	92	163	228	457	846	1,563	2,187	2,764	3,084	3,020	2,534	2,028	1,158	362	70	–
	White ..... Male	9,747	6	11	18	22	41	48	43	58	85	155	323	634	1,002	1,381	1,531	1,540	1,232	941	494	155	27	–
	Female	8,537	–	13	13	13	24	13	39	65	98	191	362	635	865	1,028	1,190	1,151	1,061	959	589	193	35	–
	All other ..... Male	1,471	–	5	5	5	4	6	7	15	19	46	82	165	201	208	225	209	151	77	33	5	3	–
	Female	1,067	–	2	1	5	4	7	3	25	26	65	79	129	119	147	138	120	90	51	42	9	5	–
140–149	Of buccal cavity and pharynx	501	–	–	–	–	4	–	1	3	8	15	28	43	88	73	77	54	49	31	21	6	–	–
	White ..... Male	306	–	–	–	–	1	–	–	–	2	6	12	27	54	44	59	36	30	19	13	3	–	–
	Female	114	–	–	–	–	1	–	–	2	2	3	5	5	22	12	13	11	18	9	8	3	–	–
	All other ..... Male	54	–	–	–	–	1	–	1	1	3	4	6	8	9	9	4	5	–	3	–	–	–	–
	Female	27	–	–	–	–	1	–	–	–	1	2	5	3	3	8	1	2	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,847	–	2	1	1	2	3	10	15	36	87	156	344	530	707	909	940	817	719	426	116	26	–
	White ..... Male	2,662	–	–	–	–	2	2	6	9	16	40	72	156	249	371	434	456	349	302	149	41	8	–
	Female	2,457	–	–	1	1	–	–	3	4	13	28	47	102	191	237	356	374	386	374	254	70	16	–
	All other ..... Male	433	–	2	–	–	–	–	1	1	3	10	22	55	61	54	76	67	51	22	5	2	1	–
	Female	295	–	–	–	–	–	1	–	1	4	9	15	31	29	45	43	43	31	21	18	3	1	–
160–163	Of respiratory system	4,975	–	–	–	–	3	3	2	15	33	105	242	497	687	827	841	738	530	283	128	37	4	–
	White ..... Male	3,222	–	–	–	–	1	1	2	6	18	47	125	266	415	545	571	522	391	205	81	22	4	–
	Female	1,064	–	–	–	–	1	1	–	3	5	22	71	124	154	172	166	134	93	68	38	12	–	–
	All other ..... Male	534	–	–	–	–	1	1	–	4	6	22	34	79	89	87	83	70	41	10	6	1	–	–
	Female	155	–	–	–	–	–	–	–	2	4	14	12	28	29	23	21	12	5	–	3	2	–	–
174	Of breast	1,930	–	–	–	–	–	–	11	32	44	72	136	228	228	247	239	226	187	164	79	31	6	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	–	1	–	–	–	–
	Female	1,726	–	–	–	–	–	–	10	20	40	60	116	194	202	227	220	203	176	153	72	29	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	196	–	–	–	–	–	–	1	12	4	12	20	34	24	19	18	20	11	10	7	2	2	–
180–187	Of genital organs	2,380	–	1	–	–	3	10	12	27	22	57	77	146	173	272	317	343	363	293	193	57	14	–
	White ..... Male	955	–	–	–	–	3	7	5	8	2	3	5	11	35	63	108	167	193	177	118	42	8	–
	Female	1,086	–	–	–	–	–	2	6	14	14	35	56	110	119	164	157	127	123	87	55	13	4	–
	All other ..... Male	165	–	1	–	–	–	1	–	–	–	2	–	8	8	17	28	30	29	22	16	2	1	–
	Female	174	–	–	–	–	–	–	1	5	6	17	16	17	11	28	24	19	18	7	4	–	1	–
188, 189	Of urinary organs	906	–	–	2	1	1	–	1	2	13	14	28	46	67	111	138	127	131	129	67	23	5	–
	White ..... Male	560	–	–	–	–	1	–	–	1	8	10	15	35	48	72	94	81	79	67	34	13	2	–
	Female	268	–	–	1	–	–	–	1	1	2	3	9	9	12	27	29	38	40	53	30	10	3	–
	All other ..... Male	53	–	–	1	–	–	–	–	–	3	1	4	1	4	8	8	6	11	5	1	–	–	–
	Female	25	–	–	–	1	–	–	–	–	–	–	–	1	3	4	7	2	1	4	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,376	3	13	14	13	26	27	19	34	38	67	112	166	241	312	327	343	233	190	133	56	9	–
	White ..... Male	1,122	3	8	8	6	13	18	13	19	19	27	60	82	116	168	155	157	97	76	53	23	1	–
	Female	1,008	–	3	2	4	11	5	4	9	13	29	36	63	94	113	141	156	113	101	73	32	6	–
	All other ..... Male	122	–	1	3	1	1	–	2	3	4	3	8	11	19	20	13	17	8	6	1	–	1	–
	Female	124	–	1	1	2	1	4	–	3	2	8	8	10	12	11	18	13	15	7	6	1	1	–
204–207	Leukemia	796	3	14	19	21	27	15	16	14	15	23	27	28	57	77	90	91	76	100	61	19	3	–
	White ..... Male	402	3	2	10	9	15	9	7	6	7	10	15	19	32	50	44	44	39	42	30	7	2	–
	Female	311	–	10	8	8	10	1	6	4	7	9	8	6	18	21	37	38	31	50	26	12	1	–
	All other ..... Male	54	–	1	1	4	–	3	2	2	–	2	4	1	3	5	7	4	5	7	3	–	–	–
	Female	29	–	1	–	–	2	2	1	2	1	2	–	2	4	1	2	5	1	1	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,111	–	1	1	9	7	16	20	21	19	17	40	65	116	138	146	158	148	119	50	17	3	–
	White ..... Male	511	–	1	–	7	5	11	10	9	13	12	19	38	51	67	66	74	54	52	16	4	2	–
	Female	503	–	–	1	–	1	4	9	8	2	2	14	22	53	55	71	70	81	64	33	12	1	–
	All other ..... Male	55	–	–	–	–	1	1	1	4	–	2	4	2	8	8	5	10	6	2	1	–	–	–
	Female	42	–	–	–	2	–	–	–	–	4	1	3	3	4	8	4	4	7	1	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	211	6	3	2	3	5	3	2	5	2	4	7	14	20	17	29	33	13	18	19	6	–	–
	White ..... Male	83	3	1	–	–	3	2	–	–	–	2	2	9	13	6	12	11	6	3	9	1	–	–
	Female	96	2	1	–	3	2	1	2	1	2	2	3	3	2	9	14	16	6	12	10	5	–	–
	All other ..... Male	13	1	–	–	–	–	–	–	1	–	–	1	1	2	–	1	4	1	1	–	–	–	–
	Female	19	–	1	2	–	–	–	–	3	–	–	1	1	3	2	2	2	–	2	–	–	–	–
250	Diabetes mellitus	1,754	–	–	–	2	6	8	7	23	21	27	48	74	131	165	223	255	273	264	156	54	17	–
	White ..... Male	646	–	–	–	1	1	3	1	14	9	13	24	34	56	64	94	103	89	77	44	14	5	–
	Female	849	–	–	–	1	5	3	4	6	8	6	10	23	40	68	97	119	149	160	103	36	11	–
	All other ..... Male	99	–	–	–	–	–	–	2	3	1	4	9	9	8	16	14	10	11	9	2	1	–	–
	Female	160	–	–	–	–	–	2	–	–	3	4	5	8	27	17	18	23	24	18	7	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	113	4	3	–	–	2	–	–	1	2	–	1	2	1	5	8	15	11	19	23	10	6	–
	White ..... Male	43	–	–	–	–	1	–	–	–	–	–	1	1	–	2	6	4	3	12	8	4	1	–
	Female	58	2	–	–	–	–	–	–	1	1	–	–	1	1	3	2	11	7	6	14	4	5	–
	All other ..... Male	5	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois — Con.																							
280–285	Anemias	179	–	8	5	3	6	8	2	4	–	4	4	4	8	15	10	14	23	25	17	13	6	–
	White ..... Male	58	–	2	1	1	–	–	–	–	–	2	1	3	2	6	7	5	6	10	8	4	–	–
	Female	72	–	–	2	–	2	1	–	2	–	–	–	–	3	6	3	7	11	14	8	8	5	–
	All other ..... Male	16	–	1	–	2	–	3	2	–	–	1	1	1	–	–	–	–	4	–	1	–	–	–
	Female	33	–	5	2	–	4	4	–	2	–	1	2	–	3	3	–	2	2	1	–	1	1	–
320	Meningitis	73	30	8	4	1	–	–	1	2	–	–	4	3	2	2	6	3	4	2	1	–	–	–
	White ..... Male	30	10	4	2	–	–	–	–	1	–	–	1	2	2	1	4	1	1	1	–	–	–	–
	Female	11	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	3	1	1	–	–	–
	All other ..... Male	15	9	2	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	Female	17	9	1	2	–	–	–	–	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	55,207	56	17	12	24	39	65	97	165	288	565	1,158	2,046	3,137	4,456	5,717	7,213	8,193	9,281	7,483	3,936	1,257	2
	White ..... Male	25,383	14	5	5	9	21	29	44	69	120	286	669	1,202	1,840	2,726	3,241	3,744	3,698	3,617	2,569	1,175	300	–
	Female	24,126	17	5	6	10	7	17	19	35	80	103	193	404	786	1,114	1,796	2,668	3,750	5,109	4,567	2,574	865	1
	All other ..... Male	2,950	16	4	–	2	5	9	20	38	48	106	186	259	321	353	376	413	361	231	122	63	16	1
	Female	2,748	9	3	1	3	6	10	14	23	40	70	110	181	190	263	304	388	384	324	225	124	76	–
390–398, 402, 404, 410–429	Diseases of heart	42,943	42	12	6	16	29	47	71	119	220	459	1,000	1,750	2,675	3,750	4,702	5,725	6,207	6,876	5,448	2,880	908	1
	White ..... Male	20,574	12	4	3	4	16	23	34	58	102	257	602	1,080	1,629	2,353	2,749	3,036	2,865	2,726	1,912	897	212	–
	Female	17,796	12	2	3	7	4	11	11	18	51	65	140	309	613	877	1,395	2,069	2,756	3,735	3,264	1,829	624	1
	All other ..... Male	2,426	13	4	–	2	4	7	15	30	43	91	168	213	280	303	302	329	285	171	99	54	13	–
	Female	2,147	5	2	–	3	5	6	11	13	24	46	90	148	153	217	256	291	301	244	173	100	59	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	625	–	–	–	2	5	8	8	11	8	19	24	49	65	74	79	110	67	49	36	9	2	–
	White ..... Male	232	–	–	–	–	4	3	3	6	3	5	11	17	26	31	30	44	21	13	12	3	–	–
	Female	332	–	–	–	1	–	4	1	3	3	8	7	28	33	36	43	59	41	36	22	5	2	–
	All other ..... Male	27	–	–	–	–	–	–	3	1	–	1	4	1	4	2	3	4	3	–	1	–	–	–
	Female	34	–	–	–	1	1	1	1	1	2	5	2	3	2	5	3	3	2	–	1	1	–	–
402	Hypertensive heart disease	544	–	–	–	–	–	1	1	5	5	10	22	30	28	56	57	72	104	61	53	26	13	–
	White ..... Male	154	–	–	–	–	–	–	–	3	2	5	8	4	11	17	13	25	28	17	15	5	1	–
	Female	240	–	–	–	–	–	–	–	1	1	1	4	5	6	20	25	28	53	38	33	17	8	–
	All other ..... Male	68	–	–	–	–	–	–	–	1	1	2	7	13	7	7	9	9	7	–	3	1	1	–
	Female	82	–	–	–	–	–	1	1	–	1	2	3	8	4	12	10	10	16	6	2	3	3	–
404	Hypertensive heart and renal disease	191	–	–	–	–	–	–	–	–	–	–	2	8	3	8	16	19	27	39	43	17	9	–
	White ..... Male	73	–	–	–	–	–	–	–	–	–	–	2	4	–	4	5	8	13	18	14	3	2	–
	Female	100	–	–	–	–	–	–	–	–	–	–	–	3	–	3	7	6	13	21	27	13	7	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	–	–	1	–	–	–
410–413	Ischemic heart disease	39,063	1	–	–	1	4	7	19	66	166	376	865	1,542	2,409	3,414	4,308	5,227	5,715	6,380	5,060	2,655	848	–
	White ..... Male	19,001	1	–	–	1	4	4	11	35	84	225	542	989	1,508	2,188	2,565	2,799	2,676	2,556	1,786	826	201	–
	Female	16,131	–	–	–	–	–	3	3	7	29	43	102	253	521	775	1,241	1,880	2,526	3,441	3,032	1,691	584	–
	All other ..... Male	2,095	–	–	–	–	–	–	2	13	38	78	139	180	246	273	276	292	252	161	86	49	10	–
	Female	1,836	–	–	–	–	–	–	3	11	15	30	82	120	134	178	226	256	261	222	156	89	53	–
410	Acute myocardial infarction	16,939	1	–	–	1	3	5	11	29	77	185	421	809	1,322	1,793	2,298	2,596	2,611	2,397	1,556	663	161	–
	White ..... Male	9,506	1	–	–	1	3	2	7	16	47	137	317	597	921	1,244	1,492	1,505	1,282	1,044	600	238	52	–
	Female	6,418	–	–	–	–	–	3	2	5	16	25	48	139	306	422	674	932	1,186	1,255	897	409	99	–
	All other ..... Male	541	–	–	–	–	–	–	–	4	11	17	31	42	56	70	69	87	74	46	23	8	3	–
	Female	474	–	–	–	–	–	–	2	4	3	6	25	31	39	57	63	72	69	52	36	8	7	–
411	Other acute and subacute forms of ischemic heart disease	207	–	–	–	–	–	–	–	3	4	3	8	20	14	26	25	31	25	22	18	6	2	–
	White ..... Male	122	–	–	–	–	–	–	–	2	2	–	5	15	12	16	19	18	13	12	6	2	–	–
	Female	66	–	–	–	–	–	–	–	–	1	–	1	5	2	7	4	11	10	8	12	4	1	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	1	3	2	–	–	3	2	2	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–
412	Chronic ischemic heart disease	21,908	–	–	–	–	1	2	8	34	85	188	436	712	1,072	1,594	1,983	2,598	3,078	3,960	3,486	1,986	685	–
	White ..... Male	9,367	–	–	–	–	1	2	4	17	35	88	220	376	574	928	1,052	1,275	1,380	1,500	1,180	586	149	–
	Female	9,644	–	–	–	–	–	–	1	2	12	18	53	109	213	345	563	936	1,330	2,177	2,123	1,278	484	–
	All other ..... Male	1,540	–	–	–	–	–	–	2	9	26	58	106	138	190	200	205	203	178	114	63	41	7	–
	Female	1,357	–	–	–	–	–	–	1	6	12	24	57	89	95	121	163	184	190	169	120	81	45	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	1	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	215	–	–	–	–	4	–	4	1	5	7	5	8	5	14	18	30	25	29	35	19	6	–
	White ..... Male	93	–	–	–	–	1	–	1	–	–	1	–	3	2	10	11	21	14	8	15	5	1	–
	Female	102	–	–	–	–	2	–	–	–	4	3	3	2	3	4	6	7	10	21	19	13	5	–
	All other ..... Male	11	–	–	–	–	1	–	2	–	–	1	2	2	–	–	1	1	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	1	1	1	2	–	1	–	–	–	1	–	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois — Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,305	41	12	6	13	16	31	39	36	36	47	82	113	165	184	224	267	269	318	221	154	30	1
	White ..... Male	1,021	11	4	3	3	7	16	19	14	13	21	39	63	82	103	125	139	113	114	70	55	7	–
	Female	891	12	2	3	6	2	4	7	7	14	10	24	18	50	39	73	89	113	178	131	90	18	1
	All other ..... Male	217	13	4	–	2	3	7	8	15	4	9	16	16	22	21	12	21	21	10	8	3	2	–
	Female	176	5	2	–	2	4	4	5	–	5	7	3	16	11	21	14	18	22	16	12	6	3	–
400, 401, 403	Hypertension	470	–	–	–	–	–	–	3	3	–	7	6	15	15	31	42	56	91	84	72	33	12	–
	White ..... Male	175	–	–	–	–	–	–	3	2	–	–	2	5	5	8	13	26	36	39	27	9	–	–
	Female	225	–	–	–	–	–	–	–	–	–	2	–	4	6	11	18	25	47	38	44	21	9	–
	All other ..... Male	34	–	–	–	–	–	–	–	1	–	1	2	3	3	7	5	3	6	3	–	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	4	2	3	1	5	6	2	2	4	1	3	3	–
430–438	Cerebrovascular diseases	9,202	13	5	6	7	8	16	20	38	58	88	120	224	361	529	743	1,105	1,522	1,866	1,507	741	224	1
	White ..... Male	3,413	2	1	2	5	3	6	5	8	11	24	50	83	151	275	333	486	615	653	462	177	61	–
	Female	4,887	5	3	3	2	3	5	7	15	28	33	42	75	146	177	314	473	777	1,103	986	538	152	–
	All other ..... Male	419	2	–	–	–	1	2	5	7	4	14	13	38	33	38	58	64	61	48	19	9	2	1
	Female	483	4	1	1	–	1	3	3	8	15	17	15	28	31	39	38	82	69	62	40	17	9	–
431	Cerebral hemorrhage	1,465	8	1	2	2	3	3	5	13	18	34	44	75	97	128	148	179	235	224	173	60	13	–
	White ..... Male	563	1	–	–	1	1	1	–	3	4	9	22	26	46	73	68	68	103	78	46	12	1	–
	Female	718	3	1	1	1	1	1	2	3	10	12	7	22	36	39	64	86	116	135	119	47	12	–
	All other ..... Male	99	2	–	–	–	–	–	2	4	–	5	6	17	8	11	12	11	10	6	5	–	–	–
	Female	85	2	–	1	–	1	1	1	3	4	8	9	10	7	5	4	14	6	5	3	1	–	–
433	Cerebral thrombosis	2,505	–	–	–	–	–	1	2	–	3	5	9	25	63	121	181	308	461	571	448	244	63	–
	White ..... Male	936	–	–	–	–	–	–	1	–	–	–	3	9	28	65	90	142	192	196	138	56	16	–
	Female	1,353	–	–	–	–	–	1	–	–	2	1	4	8	25	39	69	122	231	338	295	174	44	–
	All other ..... Male	95	–	–	–	–	–	–	1	–	1	3	2	4	5	9	13	18	15	14	5	5	–	–
	Female	121	–	–	–	–	–	–	–	–	–	1	–	4	5	8	9	26	23	23	10	9	3	–
434	Cerebral embolism	24	–	–	–	–	–	–	1	–	–	–	–	1	1	4	2	3	4	2	3	2	1	–
	White ..... Male	10	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	3	–	–	1	1	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,208	5	4	4	5	5	12	12	25	37	49	67	123	200	276	412	615	822	1,069	883	435	147	1
	White ..... Male	1,904	1	1	2	4	2	5	3	5	7	15	25	48	77	134	175	273	320	379	277	108	43	–
	Female	2,805	2	2	2	1	2	3	5	12	16	20	31	45	85	98	179	265	427	628	570	316	96	–
	All other ..... Male	224	–	–	–	–	1	2	2	3	3	6	5	16	20	18	33	35	36	28	9	4	2	1
	Female	275	2	1	–	–	–	2	2	5	11	8	6	14	18	26	25	42	39	34	27	7	6	–
440	Arteriosclerosis	1,360	–	–	–	1	–	–	–	–	–	1	8	10	14	51	61	108	180	284	323	224	95	–
	White ..... Male	555	–	–	–	–	–	–	–	–	–	1	6	9	10	29	42	55	70	119	119	71	24	–
	Female	741	–	–	–	1	–	–	–	–	–	–	1	1	2	18	15	40	98	154	194	150	67	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	9	5	5	3	–	1	–
	Female	36	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	7	6	7	3	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,232	1	–	–	–	2	2	3	5	10	10	24	47	72	95	169	219	193	171	133	58	18	–
	White ..... Male	666	–	–	–	–	2	–	2	1	7	4	9	25	45	61	104	141	112	80	49	21	3	–
	Female	477	–	–	–	–	–	1	1	2	1	3	10	15	19	31	54	61	72	79	79	36	13	–
	All other ..... Male	43	1	–	–	–	–	–	–	–	1	–	3	5	3	3	10	8	4	4	1	–	–	–
	Female	46	–	–	–	–	–	1	–	2	1	3	2	2	5	–	1	9	5	8	4	1	2	–
466	Acute bronchitis and bronchiolitis	36	4	1	1	1	2	1	1	–	1	2	1	–	5	4	–	2	6	–	1	3	–	–
	White ..... Male	17	2	1	1	–	–	–	–	–	–	1	–	–	3	2	–	–	4	–	1	2	–	–
	Female	11	–	–	–	–	1	–	–	–	–	1	1	–	2	1	–	2	2	–	–	1	–	–
	All other ..... Male	4	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,951	112	21	9	5	19	18	23	35	25	34	61	82	112	164	227	309	355	524	445	265	106	–
	White ..... Male	1,312	38	4	3	2	8	7	9	13	7	18	27	43	61	94	106	171	175	244	175	76	31	–
	Female	1,176	23	11	4	2	5	8	7	5	6	8	7	18	23	35	61	85	144	237	245	176	66	–
	All other ..... Male	272	17	5	1	–	4	2	4	11	11	8	21	13	18	28	39	27	22	22	10	8	1	–
	Female	191	34	1	1	1	2	1	3	6	1	–	6	8	10	7	21	26	14	21	15	5	8	–
470–474	Influenza	52	–	–	–	–	–	–	–	–	1	–	–	1	1	2	5	2	6	6	16	5	7	–
	White ..... Male	19	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	2	–	4	2	4	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	6	12	3	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,899	112	21	9	5	19	18	23	35	24	34	61	81	111	162	222	307	349	518	429	260	99	–
	White ..... Male	1,293	38	4	3	2	8	7	9	13	6	18	27	42	60	93	104	170	173	244	171	74	27	–
	Female	1,144	23	11	4	2	5	8	7	5	6	8	7	18	23	35	58	84	140	231	233	173	63	–
	All other ..... Male	272	17	5	1	–	4	2	4	11	11	8	21	13	18	28	39	27	22	22	10	8	1	–
	Female	190	34	1	1	1	2	1	3	6	1	–	6	8	10	6	21	26	14	21	15	5	8	–
490–493	Bronchitis, emphysema, and asthma	1,238	4	3	3	–	7	5	4	2	4	10	21	64	94	122	189	243	230	133	78	20	2	–
	White ..... Male	826	1	1	1	–	3	–	2	2	1	6	7	34	64	76	129	176	165	93	57	8	–	–
	Female	316	–	1	2	–	–	2	1	–	–	2	7	23	22	36	47	55	52	33	20	12	1	–
	All other ..... Male	65	1	1	–	–	3	2	1	–	1	–	1	5	6	9	8	9	11	5	1	–	1	–
	Female	31	2	–	–	–	1	1	–	–	2	2	6	2	2	1	5	3	2	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
490, 491	Chronic and unqualified bronchitis	223	3	2	2	–	2	1	–	–	–	1	4	15	13	12	26	38	48	26	21	9	–	–
	White ..... Male	139	1	–	1	–	1	–	–	–	–	1	2	9	11	8	17	23	31	17	14	3	–	–
	Female	72	–	1	1	–	–	1	–	–	–	–	2	6	2	2	9	13	14	8	7	6	–	–
	All other ..... Male	10	1	1	–	–	1	–	–	–	–	–	–	–	–	2	–	2	2	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	925	1	–	–	–	–	–	–	–	2	7	10	41	77	103	152	194	175	96	56	9	2	–
	White ..... Male	661	–	–	–	–	–	–	–	–	1	5	3	24	52	68	108	148	130	74	43	5	–	–
	Female	201	–	–	–	–	–	–	–	–	–	2	2	11	18	28	32	37	35	19	12	4	1	–
	All other ..... Male	46	–	–	–	–	–	–	–	–	1	–	1	5	5	6	8	6	9	3	1	–	1	–
	Female	17	1	–	–	–	–	–	–	–	–	–	4	1	2	1	4	3	1	–	–	–	–	–
493	Asthma	90	–	1	1	–	5	4	4	2	2	2	7	8	4	7	11	11	7	11	1	2	–	–
	White ..... Male	26	–	1	–	–	2	–	2	2	–	–	2	1	1	–	4	5	4	2	–	–	–	–
	Female	43	–	–	1	–	–	1	1	–	–	–	3	6	2	6	6	5	3	6	1	2	–	–
	All other ..... Male	9	–	–	–	–	2	2	1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	12	–	–	–	–	1	1	–	–	2	2	2	1	–	–	1	–	–	2	–	–	–	–
531–533	Peptic ulcer	353	1	1	–	–	–	3	2	1	8	6	7	17	19	37	40	38	45	52	50	20	6	–
	White ..... Male	179	–	–	–	–	–	2	1	–	3	1	3	11	10	24	25	18	23	27	22	7	2	–
	Female	138	1	–	–	–	–	1	–	–	2	4	2	3	6	9	10	18	19	22	25	12	4	–
	All other ..... Male	25	–	1	–	–	–	–	1	1	3	–	2	–	2	4	4	2	1	2	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	–	2	1	1	1	–	–
540–543	Appendicitis	42	–	–	–	1	–	–	–	1	–	1	–	3	8	3	4	4	4	10	3	–	–	–
	White ..... Male	24	–	–	–	1	–	–	–	1	–	–	–	1	6	3	1	1	1	7	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	1	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	288	28	–	–	–	–	1	3	1	1	4	5	7	11	22	25	33	33	49	41	17	7	–
	White ..... Male	107	15	–	–	–	–	–	3	1	–	–	1	3	5	10	11	13	12	16	13	2	2	–
	Female	143	6	–	–	–	–	1	–	–	–	2	3	2	3	9	11	15	17	30	25	15	4	–
	All other ..... Male	21	4	–	–	–	–	–	–	–	–	1	1	1	2	2	1	2	3	1	3	–	–	–
	Female	17	3	–	–	–	–	–	–	–	1	1	–	1	1	1	2	3	1	2	–	–	1	–
571	Cirrhosis of liver	1,780	3	2	–	–	1	11	33	61	94	141	212	256	227	269	190	139	72	49	15	5	–	–
	White ..... Male	962	2	2	–	–	–	5	12	29	43	55	114	144	124	160	118	75	42	24	9	4	–	–
	Female	448	1	–	–	–	–	1	2	4	17	30	39	62	69	70	51	45	27	23	6	1	–	–
	All other ..... Male	237	–	–	–	–	–	4	13	18	23	34	36	30	22	26	14	15	2	–	–	–	–	–
	Female	133	–	–	–	–	1	1	6	10	11	22	23	20	12	13	7	4	1	2	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	143	1	–	–	1	–	–	2	–	–	1	3	3	8	7	11	22	17	28	24	11	4	–
	White ..... Male	56	–	–	–	–	–	–	2	–	–	1	–	1	2	3	4	13	7	12	6	4	1	–
	Female	71	–	–	–	1	–	–	–	–	–	–	2	1	5	3	5	5	9	15	17	5	3	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	4	1	1	–	1	–	–
580–584	Nephritis and nephrosis	478	4	–	–	–	4	2	1	3	8	6	15	30	32	40	67	53	79	63	45	18	8	–
	White ..... Male	188	1	–	–	–	1	2	–	1	1	3	5	9	8	17	28	23	31	26	21	11	–	–
	Female	139	1	–	–	–	1	–	1	1	4	–	2	7	10	9	13	12	28	20	18	6	6	–
	All other ..... Male	58	1	–	–	–	–	–	–	–	1	–	3	4	6	6	10	7	8	8	2	1	1	–
	Female	93	1	–	–	–	2	–	–	1	2	3	5	10	8	8	16	11	12	9	4	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	105	2	–	–	–	–	–	–	1	–	2	2	6	5	6	9	16	20	19	13	3	1	–
	White ..... Male	43	1	–	–	–	–	–	–	1	–	1	1	1	2	2	6	5	6	8	7	2	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	–	3	3	1	1	6	12	6	5	–	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	2	–	1	–	–
	Female	15	1	–	–	–	–	–	–	–	–	1	1	1	–	2	1	3	1	3	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	373	2	–	–	–	4	2	1	2	8	4	13	24	27	34	58	37	59	44	32	15	7	–
	White ..... Male	145	–	–	–	–	1	2	–	–	1	2	4	8	6	15	22	18	25	18	14	9	–	–
	Female	101	1	–	–	–	1	–	1	1	4	–	2	4	7	8	12	6	16	14	13	6	5	–
	All other ..... Male	49	1	–	–	–	–	–	–	–	1	–	3	3	6	5	9	5	7	6	2	–	1	–
	Female	78	–	–	–	–	2	–	–	1	2	2	4	9	8	6	15	8	11	6	3	–	1	–
590	Infections of kidney	203	–	–	–	–	–	1	–	–	1	2	4	3	6	12	9	24	36	37	40	18	10	–
	White ..... Male	70	–	–	–	–	–	–	–	–	1	–	2	1	2	5	3	7	11	14	13	8	3	–
	Female	99	–	–	–	–	–	–	–	–	–	2	–	1	2	2	3	12	19	20	24	8	6	–
	All other ..... Male	17	–	–	–	–	–	1	–	–	–	–	–	1	–	3	1	2	3	2	2	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	3	3	1	1	–	1	–
600	Hyperplasia of prostate	66	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	4	22	21	6	3	–
	White ..... Male	57	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	20	19	5	2	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	1	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	21	–	–	–	–	2	5	6	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	14	–	–	–	–	1	3	6	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	7	–	–	–	–	1	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
640–645	Abortions	3	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	–	5	5	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	12	–	–	–	–	–	3	5	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	6	–	–	–	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	738	497	66	25	14	15	23	10	10	4	9	9	11	9	15	5	9	3	4	–	–	–	–
	White.....Male	310	204	29	10	5	9	9	5	5	1	5	3	6	5	2	3	5	3	1	–	–	–	–
	Female	268	177	22	10	6	2	9	2	4	3	3	4	2	3	13	2	3	–	3	–	–	–	–
	All other.....Male	88	68	4	2	2	3	2	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–
	Female	72	48	11	3	1	1	3	2	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,492	1,488	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	550	548	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	370	369	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	326	326	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	246	245	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	871	867	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	334	332	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	211	210	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	142	141	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	621	621	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	216	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	159	159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	741	344	18	1	5	23	19	25	14	10	12	16	17	16	18	34	39	27	41	38	18	5	1
	White.....Male	304	116	5	–	1	12	8	12	6	3	5	10	8	7	10	20	25	14	21	12	8	1	–
	Female	214	71	4	1	1	8	4	3	2	4	4	3	6	7	6	12	9	12	18	25	10	3	1
	All other.....Male	132	88	7	–	2	2	5	8	5	1	2	2	1	–	2	1	3	1	2	–	–	–	–
	Female	91	69	2	–	1	1	2	2	1	2	1	1	2	2	–	1	2	–	–	1	–	1	–
Residual	All other diseases	6,089	79	47	37	33	77	90	89	96	128	137	222	343	411	568	652	831	793	717	490	177	72	–
	White.....Male	2,829	31	11	17	18	37	45	29	34	48	58	95	139	191	293	358	404	403	332	198	63	25	–
	Female	2,337	20	14	16	13	19	23	31	26	33	32	61	124	140	190	225	325	306	326	266	107	40	–
	All other.....Male	545	16	17	–	1	14	12	18	22	31	26	48	46	44	51	46	53	49	35	11	3	2	–
	Female	378	12	5	4	1	7	10	11	14	16	21	18	34	36	34	23	49	35	24	15	4	5	–
E800–E949	Accidents	4,795	57	148	147	169	592	628	434	279	247	238	204	211	227	190	201	201	174	212	142	72	22	–
	White.....Male	2,764	18	60	74	100	382	457	287	174	139	125	110	124	127	109	118	95	75	98	54	29	9	–
	Female	1,303	17	34	35	40	155	97	74	52	54	71	45	43	64	53	59	84	89	104	81	40	12	–
	All other.....Male	541	13	28	27	23	41	57	65	44	45	35	37	34	27	20	18	16	3	4	2	2	–	–
	Female	187	9	26	11	6	14	17	8	9	9	7	12	10	9	8	6	6	7	6	5	1	1	–
E810–E823	Motor vehicle accidents	2,223	7	33	62	81	402	400	261	153	114	107	81	86	94	84	76	61	50	45	20	6	–	–
	White.....Male	1,406	2	19	28	52	255	296	180	102	76	60	50	59	56	41	42	29	24	21	11	3	–	–
	Female	606	2	10	20	23	125	71	51	30	27	36	18	16	28	33	28	30	25	24	7	2	–	–
	All other.....Male	152	2	2	9	6	12	26	27	16	9	9	9	6	6	5	6	1	–	–	1	–	–	–
	Female	59	1	2	5	–	10	7	3	5	2	2	4	5	4	5	–	1	1	–	1	1	–	–
E800–E807, E825–E949	All other accidents	2,572	50	115	85	88	190	228	173	126	133	131	123	125	133	106	125	140	124	167	122	66	22	–
	White.....Male	1,358	16	41	46	48	127	161	107	72	63	65	60	65	71	68	76	66	51	77	43	26	9	–
	Female	697	15	24	15	17	30	26	23	22	27	35	27	27	36	20	31	54	64	80	74	38	12	–
	All other.....Male	389	11	26	18	17	29	31	38	28	36	26	28	28	21	15	12	15	3	4	1	2	–	–
	Female	128	8	24	6	6	4	10	5	4	7	5	8	5	5	3	6	5	6	6	4	–	1	–
E950–E959	Suicide	1,167	...	...	–	3	77	147	129	100	76	82	82	92	82	77	70	57	43	39	11	–	–	–
	White.....Male	783	...	...	–	2	60	110	75	60	45	47	49	66	44	55	55	43	34	29	9	–	–	–
	Female	271	...	...	–	–	9	19	23	30	22	28	24	24	30	19	14	10	9	8	2	–	–	–
	All other.....Male	80	...	...	–	–	8	12	25	7	5	5	6	2	6	2	1	1	–	–	–	–	–	–
	Female	33	...	...	–	1	–	6	6	3	4	2	3	–	2	1	–	3	–	2	–	–	–	–
E960–E978	Homicide	1,270	13	29	8	24	162	231	220	137	106	70	71	64	46	35	16	16	11	5	4	–	1	1
	White.....Male	387	3	12	2	4	57	69	53	44	25	22	21	27	15	15	6	4	2	3	3	–	–	–
	Female	125	2	6	2	4	15	18	15	11	7	5	11	6	5	5	3	5	2	2	–	–	–	1
	All other.....Male	602	3	6	4	7	71	113	119	68	58	39	32	28	23	12	6	5	7	–	–	–	1	–
	Female	156	5	5	–	9	19	31	33	14	16	4	7	3	3	3	1	2	–	–	1	–	–	–
E980–E999	Other external causes	437	16	14	–	6	40	63	58	44	37	35	23	29	24	14	7	7	10	7	3	–	–	–
	White.....Male	207	4	4	–	3	21	30	26	18	11	17	11	16	16	8	4	5	4	6	3	–	–	–
	Female	91	3	1	–	1	6	13	5	9	15	9	4	7	4	4	2	2	5	1	–	–	–	–
	All other.....Male	96	8	4	–	2	7	13	20	11	8	8	5	3	4	2	–	–	1	–	–	–	–	–
	Female	43	1	5	–	–	6	7	7	6	3	1	3	3	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana																							
	All causes	**47,109**	**1,211**	**225**	**146**	**181**	**549**	**629**	**503**	**499**	**535**	**761**	**1,282**	**2,190**	**3,044**	**4,060**	**5,120**	**5,608**	**6,219**	**6,221**	**4,826**	**2,511**	**781**	**8**
	White ..... Male	23,785	594	111	77	110	321	419	307	274	283	415	703	1,252	1,844	2,413	3,021	3,086	3,069	2,731	1,791	765	196	3
	Female	19,970	409	78	46	54	151	122	116	149	165	246	403	692	938	1,287	1,759	2,185	2,843	3,241	2,876	1,658	551	1
	All other ..... Male	1,916	114	20	12	14	57	67	52	49	61	66	103	144	161	203	196	168	166	123	80	38	19	3
	Female	1,438	94	16	11	3	20	21	28	27	26	34	73	102	101	157	144	169	141	126	79	50	15	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	42	17	2	1	–	1	–	1	–	–	1	–	–	1	2	2	3	1	2	5	–	3	–
	White ..... Male	17	7	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	2	–	2	–
	Female	18	4	–	1	–	1	–	1	–	–	–	–	–	–	1	1	3	1	1	3	–	1	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	77	–	1	–	–	–	–	–	–	2	–	–	4	9	9	9	10	16	8	8	–	1	–
	White ..... Male	47	–	1	–	–	–	–	–	–	–	–	–	2	5	5	4	7	11	4	7	–	1	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	2	3	4	1	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	55	–	–	–	–	–	–	–	–	–	–	–	3	6	7	7	9	13	4	5	–	1	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	1	2	5	4	7	9	2	5	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	2	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	22	–	1	–	–	–	–	–	–	2	–	–	1	3	2	2	1	3	4	3	–	–	–
	White ..... Male	11	–	1	–	–	–	–	–	–	–	–	–	1	3	–	–	–	2	2	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	2	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	White ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	147	28	1	–	–	–	2	3	2	1	5	–	4	10	12	12	15	15	15	17	4	1	–
	White ..... Male	68	15	1	–	–	–	–	1	1	–	2	–	3	5	8	7	5	4	6	8	1	1	–
	Female	66	12	–	–	–	–	2	2	1	1	3	–	1	5	3	3	5	10	7	8	3	–	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	4	1	–	–	–	–	–
	White ..... Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	103	11	3	3	2	1	1	4	5	6	2	–	3	6	7	6	10	9	10	10	3	1	–
	White ..... Male	49	7	1	1	1	1	–	–	3	1	–	–	–	4	4	4	6	5	5	5	1	–	–
	Female	41	3	1	2	1	–	–	3	1	3	1	–	3	–	2	1	4	3	5	5	2	1	–
	All other ..... Male	6	1	1	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	1	–	1	–	–	2	1	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,192	3	15	25	18	33	32	43	77	94	188	382	715	948	1,257	1,325	1,283	1,131	921	500	171	31	–
	White..... Male	4,563	2	7	14	6	16	17	26	24	25	66	148	322	479	654	735	719	564	456	207	64	12	–
	Female	3,933	1	6	9	11	14	12	16	41	60	94	184	315	386	498	503	477	504	422	265	99	16	–
	All other..... Male	403	–	1	2	1	1	1	–	5	4	16	27	38	51	60	47	57	40	28	17	5	2	–
	Female	293	–	1	–	–	2	2	1	7	5	12	23	40	32	45	40	30	23	15	11	3	1	–
140–149	Of buccal cavity and pharynx	164	–	–	–	–	–	–	–	1	2	2	8	13	18	19	31	29	20	12	6	2	1	–
	White..... Male	108	–	–	–	–	–	–	–	–	1	1	5	7	7	12	20	22	14	11	5	2	1	–
	Female	44	–	–	–	–	–	–	–	1	–	–	1	3	10	5	10	7	6	1	–	–	–	–
	All other..... Male	11	–	–	–	–	–	–	–	–	1	1	2	2	1	2	1	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,333	–	–	–	–	1	2	3	15	13	35	49	142	193	279	328	350	354	310	188	61	10	–
	White..... Male	1,054	–	–	–	–	1	1	1	4	4	11	20	73	102	144	169	176	142	126	61	15	4	–
	Female	1,103	–	–	–	–	–	–	2	6	8	18	25	54	77	113	130	140	195	168	118	43	6	–
	All other..... Male	102	–	–	–	–	–	–	–	3	1	4	2	9	9	14	12	22	12	7	5	2	–	–
	Female	74	–	–	–	–	–	1	–	2	–	2	2	6	5	8	17	12	5	9	4	1	–	–
160–163	Of respiratory system	2,338	–	–	–	–	–	–	4	3	11	44	125	224	315	409	414	330	241	141	62	14	1	–
	White..... Male	1,688	–	–	–	–	–	–	4	1	5	19	78	138	241	290	318	252	183	106	43	9	1	–
	Female	460	–	–	–	–	–	–	–	1	4	13	29	59	47	85	75	59	39	29	15	5	–	–
	All other..... Male	146	–	–	–	–	–	–	–	1	2	9	12	21	22	24	18	16	12	5	4	–	–	–
	Female	44	–	–	–	–	–	–	–	–	–	3	6	6	5	10	3	3	7	1	–	–	–	–
174	Of breast	839	–	–	–	–	–	–	1	19	23	32	69	107	109	109	100	82	67	65	35	18	3	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	774	–	–	–	–	–	–	–	16	20	29	60	95	99	98	94	80	65	65	33	17	3	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	–	–	–	–	–	–	1	3	3	3	9	11	10	10	6	1	2	–	2	1	–	–
180–187	Of genital organs	1,082	–	–	–	–	1	4	6	13	14	19	29	59	95	134	137	161	152	147	75	31	5	–
	White..... Male	445	–	–	–	–	–	2	1	3	–	1	–	6	10	31	57	84	85	96	49	17	3	–
	Female	538	–	–	–	–	–	2	5	8	13	14	27	44	73	91	69	61	59	40	21	11	–	–
	All other..... Male	48	–	–	–	–	–	–	–	–	–	–	–	–	5	5	5	10	6	9	3	3	2	–
	Female	51	–	–	–	–	1	–	–	2	1	4	2	9	7	7	6	6	2	2	2	–	–	–
188, 189	Of urinary organs	421	–	1	–	–	–	1	1	–	2	4	13	23	29	62	54	67	65	56	27	12	4	–
	White..... Male	267	–	–	–	–	–	1	1	–	2	3	7	19	14	44	38	45	42	33	13	4	1	–
	Female	137	–	1	–	–	–	–	–	–	–	1	4	3	14	17	12	19	21	22	12	8	3	–
	All other..... Male	13	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	2	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,161	2	6	12	9	12	13	9	15	16	32	53	87	123	157	148	148	128	101	62	22	6	–
	White..... Male	557	1	4	7	2	5	7	5	9	8	20	20	45	71	82	77	72	49	40	21	11	1	–
	Female	513	1	–	4	7	5	6	4	5	8	12	24	33	40	61	59	67	69	54	39	11	4	–
	All other..... Male	53	–	1	1	–	1	–	–	1	–	–	7	4	9	8	6	3	6	6	–	–	–	–
	Female	38	–	1	–	–	1	–	–	–	–	–	2	5	3	6	6	6	4	1	2	–	1	–
204–207	Leukemia	417	–	8	11	6	14	8	6	7	10	10	17	32	24	26	49	54	52	48	28	7	–	–
	White..... Male	216	–	3	5	3	5	4	5	4	4	6	8	15	13	18	24	33	27	23	11	5	–	–
	Female	179	–	5	5	2	9	3	1	3	5	2	6	15	10	6	23	19	24	23	16	2	–	–
	All other..... Male	13	–	–	1	1	–	–	–	–	–	2	1	1	1	–	1	2	1	1	1	–	–	–
	Female	9	–	–	–	–	–	1	–	–	1	–	2	1	–	2	1	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	437	1	–	2	3	5	4	13	4	3	10	19	28	42	62	64	62	52	41	17	4	1	–
	White..... Male	225	1	–	2	1	5	2	9	3	1	5	10	18	21	32	32	34	22	21	4	1	1	–
	Female	185	–	–	–	2	–	1	4	1	2	5	8	9	16	22	31	25	26	20	11	2	–	–
	All other..... Male	17	–	–	–	–	–	1	–	–	–	–	1	–	3	6	1	2	2	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	2	–	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	93	6	–	–	–	2	1	3	1	1	4	5	3	4	9	11	12	12	9	8	2	–	–
	White..... Male	39	1	–	–	–	1	–	2	1	–	2	–	2	2	4	7	5	3	3	5	1	–	–
	Female	47	4	–	–	–	1	–	1	–	1	1	4	1	2	5	3	7	8	5	3	1	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	5	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
250	Diabetes mellitus	999	–	–	–	1	2	4	2	4	10	13	24	30	72	110	152	158	163	130	85	34	5	–
	White..... Male	388	–	–	–	–	–	2	–	2	4	4	17	21	34	47	67	57	51	41	30	9	2	–
	Female	512	–	–	–	–	1	–	2	1	6	5	5	7	31	41	68	87	99	81	52	24	2	–
	All other..... Male	35	–	–	–	1	–	2	–	1	–	2	–	2	2	8	5	3	8	1	–	–	–	–
	Female	64	–	–	–	–	1	–	–	–	–	2	2	–	5	14	12	11	5	7	3	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	50	2	–	–	–	–	–	–	1	–	1	–	–	2	2	2	3	10	10	9	6	2	–
	White..... Male	18	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	5	3	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	5	5	6	4	2	–
	All other..... Male	3	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
280–285	Anemias	72	1	–	1	–	2	2	1	–	–	1	1	2	2	2	3	8	9	22	9	4	2	–
	White Male	30	1	–	1	–	1	1	–	–	–	–	–	2	2	2	1	4	2	8	3	2	–	–
	Female	35	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	3	6	13	6	2	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	44	21	3	2	2	1	1	1	–	2	1	–	–	2	1	2	2	1	–	2	–	–	–
	White Male	22	10	2	–	1	1	–	–	–	1	–	–	–	1	1	2	2	1	–	–	–	–	–
	Female	12	7	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	8	3	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	25,117	26	12	2	10	19	26	26	68	126	261	456	903	1,361	1,877	2,720	3,181	3,860	4,164	3,476	1,925	614	4
	White Male	12,358	8	9	1	4	10	15	17	43	89	178	299	601	913	1,219	1,661	1,765	1,878	1,740	1,205	559	142	2
	Female	11,397	11	2	1	3	7	7	5	21	19	53	95	206	344	502	891	1,249	1,791	2,266	2,168	1,302	453	1
	All other Male	713	4	1	–	2	2	2	1	2	9	20	39	59	62	92	102	70	92	74	48	23	8	1
	Female	649	3	–	–	1	–	2	3	2	9	10	23	37	42	64	66	97	99	84	55	41	11	–
390–398, 402, 404, 410–429	Diseases of heart	17,946	21	7	–	4	12	20	16	49	112	218	390	759	1,144	1,557	2,126	2,337	2,670	2,729	2,218	1,179	374	4
	White Male	9,449	5	5	–	1	7	11	10	36	84	160	269	535	799	1,049	1,341	1,365	1,343	1,175	799	366	87	2
	Female	7,545	10	1	–	2	3	7	3	11	16	36	71	146	265	393	665	862	1,195	1,452	1,356	773	277	1
	All other Male	527	3	1	–	1	2	2	–	–	7	15	32	49	52	70	73	53	68	47	30	16	5	1
	Female	425	3	–	–	–	–	–	3	2	5	7	18	29	28	45	47	57	64	55	33	24	5	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	288	–	–	–	–	2	2	1	4	5	13	13	17	36	32	47	50	34	21	6	5	–	–
	White Male	120	–	–	–	–	1	1	–	2	4	6	5	5	16	13	22	19	17	8	–	1	–	–
	Female	149	–	–	–	–	1	1	1	2	–	6	6	10	17	18	24	30	16	9	5	3	–	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	1	1	3	1	1	–	–
402	Hypertensive heart disease	182	–	–	–	–	–	1	–	–	1	1	4	4	5	19	23	24	33	34	22	10	1	–
	White Male	55	–	–	–	–	–	–	–	–	–	–	–	3	3	7	7	9	11	8	5	2	–	–
	Female	99	–	–	–	–	–	–	–	–	1	–	1	–	2	7	13	12	17	20	17	8	1	–
	All other Male	14	–	–	–	–	–	1	–	–	–	1	1	–	–	2	2	1	5	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	2	–	5	–	–	–	–
404	Hypertensive heart and renal disease	225	–	–	–	–	–	–	–	–	–	–	1	–	4	5	12	17	35	51	51	35	14	–
	White Male	81	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	9	14	17	19	10	2	–
	Female	140	–	–	–	–	–	–	–	–	–	–	1	–	2	1	6	8	20	33	32	25	12	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	15,870	–	–	–	1	3	4	6	33	93	190	340	669	1,016	1,388	1,902	2,088	2,379	2,397	1,987	1,044	326	4
	White Male	8,507	–	–	–	–	3	4	4	26	71	148	246	493	726	958	1,236	1,232	1,195	1,036	721	324	82	2
	Female	6,559	–	–	–	1	–	–	–	5	12	23	54	113	218	331	562	757	1,072	1,280	1,210	685	235	1
	All other Male	454	–	–	–	–	–	–	–	–	5	13	28	44	48	61	62	48	59	38	27	15	5	1
	Female	350	–	–	–	–	–	–	2	2	5	6	12	19	24	38	42	51	53	43	29	20	4	–
410	Acute myocardial infarction	8,632	–	–	–	1	3	3	4	27	66	138	243	494	736	952	1,299	1,283	1,273	1,025	707	302	73	3
	White Male	5,240	–	–	–	–	3	3	4	21	49	113	188	384	543	694	874	797	662	476	292	115	20	2
	Female	3,091	–	–	–	1	–	–	–	5	11	17	36	83	156	210	381	448	577	528	403	181	53	1
	All other Male	180	–	–	–	–	–	–	–	–	3	8	14	18	26	27	23	20	23	9	9	–	–	–
	Female	121	–	–	–	–	–	–	–	1	3	–	5	9	11	21	21	18	11	12	3	6	–	–
411	Other acute and subacute forms of ischemic heart disease	52	–	–	–	–	–	–	–	–	2	–	2	5	1	2	5	7	10	5	10	2	1	–
	White Male	34	–	–	–	–	–	–	–	–	1	–	2	5	–	2	5	3	5	4	6	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	4	4	1	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	7,182	–	–	–	–	–	1	2	6	25	52	94	170	278	434	598	798	1,095	1,366	1,270	740	252	1
	White Male	3,232	–	–	–	–	–	1	–	5	21	35	56	104	182	262	357	432	528	556	423	208	62	–
	Female	3,449	–	–	–	–	–	–	–	–	–	6	17	30	61	121	181	305	490	751	803	503	181	–
	All other Male	274	–	–	–	–	–	–	–	–	2	5	14	26	22	34	39	28	36	29	18	15	5	1
	Female	227	–	–	–	–	–	–	2	1	2	6	7	10	13	17	21	33	41	30	26	14	4	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	133	1	–	–	–	1	–	2	1	3	–	2	4	6	10	13	14	12	27	21	8	8	–
	White Male	59	–	–	–	–	–	–	2	1	3	–	2	4	3	4	6	8	7	9	8	1	1	–
	Female	70	1	–	–	–	1	–	–	–	–	–	–	–	2	6	6	6	5	17	12	7	7	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,248	20	7	–	3	6	13	7	11	10	14	30	65	77	103	129	144	177	199	131	77	25	–
	White ..... Male	627	5	5	–	1	3	6	4	7	6	6	16	30	50	64	64	88	99	97	46	28	2	–
	Female	528	9	1	–	1	1	6	2	4	3	7	9	23	24	30	54	49	65	93	80	45	22	–
	All other ..... Male	48	3	1	–	1	2	1	–	–	1	1	2	4	2	5	8	4	4	5	3	1	–	–
	Female	45	3	–	–	–	–	–	1	–	–	–	3	8	1	4	3	3	9	4	2	3	1	–
400, 401, 403	Hypertension	153	–	–	–	–	–	–	1	–	1	–	4	6	12	6	13	11	26	25	33	12	3	–
	White ..... Male	56	–	–	–	–	–	–	1	–	–	–	1	3	3	3	8	3	10	8	10	5	1	–
	Female	85	–	–	–	–	–	–	–	–	–	–	2	2	6	2	5	8	14	16	22	6	2	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–
430–438	Cerebrovascular diseases	5,242	4	4	2	3	4	4	6	17	12	40	46	110	164	246	436	653	886	1,085	894	484	142	–
	White ..... Male	2,051	3	3	1	1	–	2	4	6	4	16	18	50	89	124	222	299	381	405	284	110	29	–
	Female	2,855	1	1	1	–	4	–	1	9	3	16	17	45	58	87	173	309	454	631	578	361	106	–
	All other ..... Male	148	–	–	–	1	–	–	1	2	1	5	6	8	6	16	24	15	21	23	14	3	2	–
	Female	188	–	–	–	1	–	2	–	–	4	3	5	7	11	19	17	30	30	26	18	10	5	–
431	Cerebral hemorrhage	766	2	–	–	–	3	–	1	6	4	11	8	40	50	53	84	110	118	140	88	33	15	–
	White ..... Male	312	1	–	–	–	–	–	–	1	2	4	4	19	24	19	39	53	53	49	30	7	7	–
	Female	380	1	–	–	–	3	–	–	4	–	5	3	14	19	22	34	47	56	88	52	24	8	–
	All other ..... Male	26	–	–	–	–	–	–	1	1	1	2	1	1	2	4	2	3	4	1	3	–	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	–	6	5	8	9	7	5	2	3	2	–	–
433	Cerebral thrombosis	1,113	–	2	–	–	–	1	1	–	1	2	9	15	25	49	86	123	210	221	218	120	30	–
	White ..... Male	430	–	1	–	–	–	–	1	–	–	1	6	6	15	22	49	58	88	74	72	33	4	–
	Female	614	–	1	–	–	–	–	–	–	1	–	1	7	6	19	32	58	107	136	138	84	24	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	–	1	2	2	2	3	4	2	7	1	4	1	1	–
	Female	39	–	–	–	–	–	1	–	–	–	–	–	–	2	5	1	5	8	10	4	2	1	–
434	Cerebral embolism	25	–	–	–	–	–	–	–	–	–	–	1	1	–	2	5	4	4	4	2	2	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	2	2	–	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,338	2	2	2	3	1	3	4	11	7	27	28	54	89	142	261	416	554	720	586	329	97	–
	White ..... Male	1,298	2	2	1	1	–	2	3	5	2	11	7	24	50	82	131	186	238	282	182	69	18	–
	Female	1,849	–	–	1	–	1	–	1	5	2	11	13	24	33	46	106	202	289	403	386	252	74	–
	All other ..... Male	91	–	–	–	1	–	–	–	1	–	2	3	5	2	9	17	10	10	21	7	2	1	–
	Female	100	–	–	–	1	–	1	–	–	3	3	5	1	4	5	7	18	17	14	11	6	4	–
440	Arteriosclerosis	1,086	–	–	–	–	–	–	–	–	–	–	–	5	11	17	43	85	150	216	265	216	78	–
	White ..... Male	394	–	–	–	–	–	–	–	–	–	–	–	2	4	7	17	40	67	88	87	63	19	–
	Female	658	–	–	–	–	–	–	–	–	–	–	–	2	6	9	23	37	80	123	175	146	57	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	4	1	4	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	7	2	1	2	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	690	1	1	–	3	3	2	3	2	1	3	16	23	30	51	102	95	128	109	66	34	17	–
	White ..... Male	408	–	1	–	2	3	2	2	1	1	2	11	11	18	36	73	58	77	64	25	15	6	–
	Female	254	–	–	–	1	–	–	1	1	–	1	5	11	9	11	25	33	48	44	37	16	11	–
	All other ..... Male	13	1	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	1	–	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	1	2	3	–	–
466	Acute bronchitis and bronchiolitis	20	5	1	1	–	–	–	–	–	–	–	–	3	–	–	2	2	–	3	1	1	1	–
	White ..... Male	15	5	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	3	1	–	1	–
	Female	5	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,134	50	13	2	7	4	6	7	5	7	12	21	23	44	61	59	118	149	188	200	108	50	–
	White ..... Male	531	19	6	1	3	1	4	5	1	3	7	13	15	23	45	31	62	73	90	84	32	13	–
	Female	511	21	3	–	4	3	2	1	1	2	3	4	4	14	14	23	46	69	88	109	70	30	–
	All other ..... Male	58	2	2	–	–	–	–	–	1	2	2	1	2	5	2	5	8	6	5	5	5	5	–
	Female	34	8	2	1	–	–	–	1	2	–	–	3	2	2	–	–	2	1	5	2	1	2	–
470–474	Influenza	33	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	7	4	9	2	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	4	3	7	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,101	50	13	2	7	4	6	7	5	7	12	21	23	44	60	57	115	144	181	196	99	48	–
	White ..... Male	522	19	6	1	3	1	4	5	1	3	7	13	15	23	44	31	60	72	87	83	31	13	–
	Female	489	21	3	–	4	3	2	1	1	2	3	4	4	14	14	21	45	65	84	106	63	29	–
	All other ..... Male	56	2	2	–	–	–	–	–	1	2	2	1	2	5	2	5	8	6	5	5	4	4	–
	Female	34	8	2	1	–	–	–	1	2	–	–	3	2	2	–	–	2	1	5	2	1	2	–
490–493	Bronchitis, emphysema, and asthma	610	1	–	–	2	1	–	2	–	4	3	9	18	40	83	110	103	110	67	44	12	1	–
	White ..... Male	435	1	–	–	1	–	–	1	–	3	1	7	12	25	59	81	73	83	53	27	7	1	–
	Female	150	–	–	–	1	–	–	1	–	1	–	2	5	11	19	24	27	24	14	17	4	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	1	–	1	2	5	4	2	2	–	–	1	–	–
	Female	7	–	–	–	–	1	–	–	–	–	1	–	–	2	–	1	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana — Con.																							
490, 491	Chronic and unqualified bronchitis	102	–	–	–	1	–	–	2	–	1	–	3	–	7	10	22	17	14	11	8	5	1	–
	White ..... Male	61	–	–	–	–	–	–	1	–	1	–	3	–	2	7	13	11	9	8	3	2	1	–
	Female	37	–	–	–	1	–	–	1	–	–	–	–	–	4	3	7	6	5	3	5	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	480	1	–	–	–	–	–	–	–	2	2	5	17	29	69	84	83	91	55	35	7	–	–
	White ..... Male	358	1	–	–	–	–	–	–	–	2	–	4	12	21	48	67	60	71	44	23	5	–	–
	Female	104	–	–	–	–	–	–	–	–	–	–	1	4	6	16	15	20	17	11	12	2	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	–	1	1	5	2	2	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–
493	Asthma	28	–	–	–	1	1	–	–	–	1	1	1	1	4	4	4	3	5	1	1	–	–	–
	White ..... Male	16	–	–	–	1	–	–	–	–	–	1	–	–	2	4	1	2	3	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	1	2	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	166	1	–	–	–	–	–	1	2	2	3	7	6	8	16	19	22	19	26	25	7	2	–
	White ..... Male	97	–	–	–	–	–	–	–	2	2	2	5	4	5	10	14	14	13	11	12	3	–	–
	Female	65	–	–	–	–	–	–	1	–	–	1	2	2	2	5	4	8	6	15	13	4	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	3	2	2	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	2	1	2	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	134	15	–	1	–	2	–	–	–	1	1	2	5	1	13	18	11	15	23	14	10	2	–
	White ..... Male	58	12	–	–	–	2	–	–	–	1	1	2	3	1	4	5	3	8	8	4	3	1	–
	Female	71	3	–	–	–	–	–	–	–	–	–	–	1	–	8	12	8	7	15	9	7	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
571	Cirrhosis of liver	559	1	–	–	–	1	2	4	9	15	23	52	87	100	84	80	50	33	11	4	1	1	1
	White ..... Male	332	–	–	–	–	–	1	3	7	9	15	31	42	62	52	56	25	21	7	1	–	–	–
	Female	158	1	–	–	–	–	–	1	1	2	6	12	34	23	16	23	20	11	3	3	1	1	–
	All other ..... Male	42	–	–	–	–	–	1	–	1	3	2	5	4	11	9	1	3	1	–	–	–	–	1
	Female	27	–	–	–	–	1	–	–	–	1	–	4	7	4	7	–	2	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	60	–	–	–	–	1	1	–	–	–	–	–	3	6	3	9	8	10	11	3	4	1	–
	White ..... Male	27	–	–	–	–	1	–	–	–	–	–	–	2	4	2	4	3	3	7	1	–	–	–
	Female	32	–	–	–	–	–	1	–	–	–	–	–	1	2	1	4	5	7	4	2	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	184	–	1	1	1	1	1	4	2	3	1	7	10	11	14	23	31	25	24	16	8	–	–
	White ..... Male	82	–	–	–	1	1	–	2	–	–	–	5	3	5	3	14	14	11	14	6	3	–	–
	Female	73	–	1	1	–	–	–	1	1	2	1	–	5	4	9	6	8	11	8	10	5	–	–
	All other ..... Male	16	–	–	–	–	–	1	1	1	1	–	–	2	2	1	2	3	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	6	2	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	28	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	10	6	3	5	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	5	3	2	–	–	–
	Female	10	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	156	–	–	1	1	1	1	4	2	3	1	7	10	9	13	23	21	19	21	11	8	–	–
	White ..... Male	65	–	–	–	1	1	–	2	–	–	–	5	3	4	2	14	9	6	11	4	3	–	–
	Female	63	–	–	1	–	–	–	1	1	2	1	–	5	3	9	6	4	10	8	7	5	–	–
	All other ..... Male	16	–	–	–	–	–	1	1	1	1	–	–	2	2	1	2	3	1	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	5	2	1	–	–	–	–
590	Infections of kidney	96	–	–	–	–	–	1	–	–	–	1	1	1	4	4	4	17	15	17	20	10	1	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	5	6	2	9	2	–	–
	Female	63	–	–	–	–	–	1	–	–	–	–	–	1	1	3	4	12	9	13	10	8	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–	–
600	Hyperplasia of prostate	36	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	9	10	7	2	–	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	8	10	7	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	319	193	24	12	11	13	8	4	4	5	1	4	6	4	5	8	8	4	1	3	1	–	–
	White Male	172	104	12	8	8	4	3	1	3	3	1	2	3	4	5	6	2	2	1	–	–	–	–
	Female	122	75	10	3	2	6	4	3	–	2	–	2	3	–	–	2	6	1	–	2	1	–	–
	All other Male	9	5	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	16	9	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	593	592	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	192	192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	305	305	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	154	154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	288	287	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	465	128	7	3	3	3	6	9	8	9	5	19	8	13	14	21	19	30	54	45	47	14	–
	White Male	228	75	2	1	1	2	3	5	2	5	3	10	3	11	9	12	10	14	26	18	11	5	–
	Female	193	35	2	2	1	1	2	3	5	3	2	4	3	2	3	7	7	15	27	26	34	9	–
	All other Male	28	12	2	–	1	–	–	–	–	1	–	4	–	–	1	1	1	1	1	1	2	–	–
	Female	16	6	1	–	–	–	1	1	1	–	–	1	2	–	1	1	1	–	–	–	–	–	–
Residual	All other diseases	2,977	65	27	16	22	30	34	30	48	46	57	97	156	183	302	362	390	415	356	213	97	31	–
	White Male	1,506	30	14	10	11	13	15	8	21	12	22	45	76	108	164	201	206	225	166	103	45	11	–
	Female	1,227	25	11	5	10	13	13	12	16	18	31	33	57	62	115	132	157	180	173	98	49	17	–
	All other Male	132	5	1	–	1	1	2	4	5	11	2	10	16	7	11	19	12	6	9	6	1	3	–
	Female	112	5	1	1	–	3	4	6	6	5	2	9	7	6	12	10	15	4	8	6	2	–	–
E800–E949	Accidents	2,601	38	102	71	94	348	340	205	150	95	100	102	119	126	119	104	85	112	120	101	53	16	1
	White Male	1,653	17	52	39	66	231	260	155	104	65	64	70	84	87	78	65	54	45	51	42	19	4	1
	Female	734	14	37	18	20	87	54	37	34	18	23	23	22	26	31	29	30	63	66	58	32	12	–
	All other Male	154	5	6	8	7	27	22	9	9	9	9	7	8	11	6	4	1	1	3	1	1	–	–
	Female	60	2	7	6	1	3	4	4	3	3	4	2	5	2	4	6	–	3	–	–	1	–	–
E810–E823	Motor vehicle accidents	1,303	8	34	37	37	262	243	140	97	46	52	50	51	61	56	32	31	32	21	11	1	1	–
	White Male	859	5	15	16	21	170	190	109	67	28	31	33	29	40	33	20	20	15	8	9	–	–	–
	Female	350	3	17	14	14	72	42	25	21	10	17	13	14	18	18	11	10	17	10	2	1	1	–
	All other Male	65	–	–	4	2	19	9	4	6	5	2	2	4	2	2	–	1	–	3	–	–	–	–
	Female	29	–	2	3	–	1	2	2	3	3	2	2	4	1	3	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,298	30	68	34	57	86	97	65	53	49	48	52	68	65	63	72	54	80	99	90	52	15	1
	White Male	794	12	37	23	45	61	70	46	37	37	33	37	55	47	45	45	34	30	43	33	19	4	1
	Female	384	11	20	4	6	15	12	12	13	8	6	10	8	8	13	18	20	46	56	56	31	11	–
	All other Male	89	5	6	4	5	8	13	5	3	4	7	5	4	9	4	4	–	1	–	1	1	–	–
	Female	31	2	5	3	1	2	2	2	–	–	2	–	1	1	1	5	–	3	–	–	1	–	–
E950–E959	Suicide	691	...	...	–	2	38	79	76	65	59	44	60	54	57	37	38	33	32	16	1	–	–	–
	White Male	499	...	...	–	2	22	63	55	45	37	30	34	38	42	30	32	29	27	12	1	–	–	–
	Female	162	...	...	–	–	11	12	12	15	20	12	25	16	14	6	6	4	5	4	–	–	–	–
	All other Male	20	...	...	–	–	2	3	6	4	2	2	–	–	–	1	–	–	–	–	–	–	–	–
	Female	10	...	...	–	–	3	1	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	399	5	7	4	3	37	69	63	41	42	26	24	21	20	12	9	9	5	1	–	–	–	1
	White Male	147	2	1	1	2	9	26	17	12	19	13	11	8	12	3	4	4	2	1	–	–	–	–
	Female	65	1	2	2	–	5	9	10	8	6	4	4	2	3	1	4	3	1	–	–	–	–	–
	All other Male	161	1	4	–	1	19	30	29	19	16	9	9	9	5	5	1	1	2	–	–	–	–	1
	Female	26	1	–	1	–	4	4	7	2	1	–	–	2	–	3	–	1	–	–	–	–	–	–
E980–E999	Other external causes	95	–	4	1	2	9	11	14	5	4	6	8	5	7	3	6	4	5	–	–	–	1	–
	White Male	59	–	1	–	2	5	9	9	3	4	3	4	4	6	2	3	1	3	–	–	–	–	–
	Female	21	–	–	–	–	1	–	3	2	–	3	3	–	1	1	3	2	2	–	–	–	–	–
	All other Male	9	–	1	1	–	3	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	Female	6	–	2	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa																							
	All causes	**26,770**	**558**	**82**	**74**	**77**	**273**	**292**	**220**	**210**	**222**	**324**	**557**	**863**	**1,250**	**1,890**	**2,564**	**3,232**	**3,674**	**4,217**	**3,554**	**1,976**	**657**	**4**
	White Male	14,349	317	49	43	55	202	217	171	138	141	203	351	547	815	1,216	1,602	1,944	2,078	2,024	1,410	663	161	2
	Female	12,088	217	27	25	21	68	64	38	65	72	112	190	293	415	648	930	1,256	1,557	2,169	2,122	1,307	490	2
	All other Male	206	12	2	5	1	3	7	4	6	7	6	10	20	13	17	20	18	22	14	11	3	5	–
	Female	127	12	4	1	–	–	4	7	1	2	3	6	3	7	9	12	14	17	10	11	3	1	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	21	3	1	–	–	–	–	–	1	–	–	–	–	2	–	1	–	4	3	1	4	1	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	–	–	–	–
	Female	14	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	17	–	–	1	–	–	–	–	–	–	–	–	1	–	3	2	3	2	5	–	–	–	–
	White Male	15	–	–	1	–	–	–	–	–	–	–	–	1	–	2	2	3	2	4	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	3	–	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
	White Male	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	73	7	–	–	–	–	1	1	–	2	–	1	2	7	4	7	6	7	15	10	2	1	–
	White Male	46	5	–	–	–	–	1	1	–	2	–	1	1	5	2	4	4	4	10	5	1	–	–
	Female	24	1	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	2	5	5	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	54	4	1	1	1	4	2	2	2	1	1	–	4	5	3	4	5	4	6	2	2	–	–
	White Male	30	4	1	–	–	2	1	2	2	1	1	–	2	2	1	2	1	3	2	1	2	–	–
	Female	24	–	–	1	1	2	1	–	–	–	–	–	2	3	2	2	4	1	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,336	–	10	13	14	19	20	27	28	47	86	175	286	427	626	701	813	774	668	412	157	32	1
	White.....Male	2,835	–	8	9	4	11	14	21	13	23	37	80	159	230	346	396	472	446	335	169	50	12	–
	Female	2,457	–	2	4	10	8	6	6	15	24	48	90	123	194	276	297	335	319	331	241	107	20	1
	All other.....Male	28	–	–	–	–	–	–	–	–	–	–	3	3	2	2	7	2	8	–	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	2	1	1	2	1	4	1	2	1	–	–	–
140–149	Of buccal cavity and pharynx	100	–	1	–	–	–	–	–	–	–	–	6	2	17	21	13	16	6	9	6	2	1	–
	White.....Male	64	–	1	–	–	–	–	–	–	–	–	3	–	9	14	10	10	5	7	4	–	1	–
	Female	34	–	–	–	–	–	–	–	–	–	–	3	2	7	6	3	6	1	2	2	2	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,570	–	–	–	1	1	–	2	3	8	14	44	65	122	138	216	230	253	244	152	63	14	–
	White.....Male	759	–	–	–	–	1	–	1	2	4	8	22	43	71	77	121	118	117	93	59	18	4	–
	Female	801	–	–	–	1	–	–	1	1	4	6	19	22	51	60	94	110	135	150	92	45	10	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–	–
160–163	Of respiratory system	1,144	–	–	1	–	–	2	1	2	5	15	34	85	112	190	179	206	170	77	46	15	4	–
	White.....Male	899	–	–	1	–	–	1	1	1	4	9	25	67	84	154	140	166	145	63	30	5	3	–
	Female	224	–	–	–	–	–	1	–	1	1	5	8	15	26	35	35	37	19	14	16	10	1	–
	All other.....Male	16	–	–	–	–	–	–	–	–	–	–	1	3	1	1	3	2	5	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–	–
174	Of breast	494	–	–	–	–	–	–	2	4	8	16	36	45	42	68	57	57	50	47	39	19	4	–
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–
	Female	489	–	–	–	–	–	–	2	4	8	16	35	44	42	67	57	57	50	47	38	18	4	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	657	–	–	–	–	–	3	–	2	7	10	11	18	44	70	67	119	107	113	63	20	3	–
	White.....Male	342	–	–	–	–	–	3	–	–	1	1	1	2	9	20	30	73	72	78	39	11	2	–
	Female	313	–	–	–	–	–	–	–	2	6	9	10	16	35	50	36	46	34	35	24	9	1	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	252	–	–	1	–	–	1	–	–	2	2	10	10	12	18	32	49	39	38	25	13	–	–
	White.....Male	163	–	–	–	–	–	1	–	–	2	2	7	9	5	12	24	36	20	25	14	6	–	–
	Female	87	–	–	1	–	–	–	–	–	–	–	3	1	7	6	8	13	18	13	10	7	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	531	–	4	3	5	12	9	7	7	7	21	23	35	47	63	65	55	64	52	35	15	2	–
	White.....Male	282	–	4	1	1	7	5	4	4	4	12	14	23	32	37	34	26	38	24	7	5	–	–
	Female	245	–	–	2	4	5	4	3	3	3	9	9	12	15	26	29	28	26	27	28	10	2	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
204–207	Leukemia	238	–	3	7	5	6	3	6	2	5	3	4	4	15	13	27	31	36	35	26	5	2	–
	White.....Male	131	–	2	7	1	3	2	6	1	4	3	2	3	9	4	14	14	22	20	10	3	1	–
	Female	107	–	1	–	4	3	1	–	1	1	–	2	1	6	9	13	17	14	15	16	2	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	350	–	2	1	3	–	2	9	8	5	5	7	22	16	45	45	50	49	53	20	5	2	1
	White.....Male	192	–	1	–	2	–	2	9	5	4	2	6	12	11	27	23	29	27	25	5	1	1	–
	Female	157	–	1	1	1	–	–	–	3	1	3	1	10	5	17	22	21	22	28	15	4	1	1
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	43	–	–	1	–	–	–	–	1	–	–	2	–	3	2	11	8	1	5	4	5	–	–
	White.....Male	14	–	–	–	–	–	–	–	1	–	–	–	–	–	1	5	3	1	2	–	1	–	–
	Female	29	–	–	1	–	–	–	–	–	–	–	2	–	3	1	6	5	–	3	4	4	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	469	–	–	–	–	–	4	4	4	5	4	16	15	20	33	52	77	69	86	53	23	4	–
	White.....Male	197	–	–	–	–	–	–	2	2	3	4	10	8	8	15	27	33	29	29	18	7	2	–
	Female	267	–	–	–	–	–	4	2	2	2	–	5	7	12	17	25	43	39	57	34	16	2	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	36	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	3	4	11	5	4	5	–
	White.....Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	2	1	2	–
	Female	20	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	1	7	3	2	3	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa — Con.																							
280–285	Anemias	48	1	–	–	1	4	–	1	–	1	–	2	1	4	1	5	6	4	6	6	2	3	–
	White Male	23	1	–	–	1	2	–	–	–	1	–	1	1	3	–	2	3	3	2	2	1	–	–
	Female	22	–	–	–	–	2	–	–	–	–	–	1	–	1	1	3	2	1	4	4	1	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
320	Meningitis	15	7	–	2	–	–	1	1	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–
	White Male	10	4	–	2	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–
	Female	4	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,696	6	6	3	2	8	7	14	28	58	102	207	346	529	850	1,344	1,746	2,209	2,749	2,501	1,452	529	–
	White Male	7,537	2	2	2	2	6	5	12	18	39	75	154	253	400	608	883	1,061	1,202	1,261	956	474	122	–
	Female	7,014	4	4	–	–	2	1	2	9	14	24	48	82	121	226	447	667	984	1,468	1,533	975	403	–
	All other Male	82	–	–	–	–	–	–	–	1	3	1	3	10	5	10	6	10	10	13	7	–	3	–
	Female	63	–	–	1	–	–	1	–	–	2	2	2	1	3	6	8	8	13	7	5	3	1	–
390–398, 402, 404, 410–429	Diseases of heart	10,693	3	5	–	1	5	4	9	23	45	85	177	290	462	690	1,104	1,356	1,605	1,886	1,686	928	329	–
	White Male	5,788	1	2	–	1	3	4	9	15	33	68	141	221	354	499	739	845	890	901	672	314	76	–
	Female	4,791	2	3	–	–	2	–	–	7	7	15	32	59	101	177	353	497	697	972	1,003	612	252	–
	All other Male	63	–	–	–	–	–	–	–	1	3	–	2	10	4	8	6	6	8	9	6	–	–	–
	Female	51	–	–	–	–	–	–	–	–	2	2	2	–	3	6	6	8	10	4	5	2	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	140	–	–	–	–	1	2	–	3	3	2	3	11	14	15	16	19	21	18	11	1	–	–
	White Male	62	–	–	–	–	1	2	–	3	1	2	2	6	3	8	7	11	6	6	4	–	–	–
	Female	76	–	–	–	–	–	–	–	–	2	–	1	5	10	7	9	8	15	11	7	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
402	Hypertensive heart disease	81	–	–	–	–	–	–	–	–	–	–	1	3	–	5	8	5	13	16	22	8	–	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	5	4	3	2	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	1	2	–	4	4	2	8	12	18	6	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
404	Hypertensive heart and renal disease	91	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	15	14	25	19	8	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	7	8	11	6	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	8	6	14	13	8	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	9,596	–	–	–	–	–	–	6	13	34	71	156	255	407	637	1,010	1,242	1,461	1,696	1,507	813	288	–
	White Male	5,262	–	–	–	–	–	–	6	11	27	60	125	198	323	465	694	775	824	814	592	279	69	–
	Female	4,229	–	–	–	–	–	–	–	2	2	9	27	48	78	159	305	455	619	870	905	532	218	–
	All other Male	59	–	–	–	–	–	–	–	–	3	–	2	9	3	8	6	5	8	9	6	–	–	–
	Female	46	–	–	–	–	–	–	–	–	2	2	2	–	3	5	5	7	10	3	4	2	1	–
410	Acute myocardial infarction	5,342	–	–	–	–	–	–	5	8	26	65	128	198	330	480	746	797	830	828	581	255	65	–
	White Male	3,298	–	–	–	–	–	–	5	6	19	55	103	158	266	361	519	508	500	426	248	101	23	–
	Female	1,985	–	–	–	–	–	–	–	2	2	9	22	32	60	110	220	284	324	395	331	153	41	–
	All other Male	35	–	–	–	–	–	–	–	–	3	–	1	8	2	5	5	2	3	4	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	2	1	2	–	2	4	2	3	3	3	–	1	1	–
411	Other acute and subacute forms of ischemic heart disease	37	–	–	–	–	–	–	–	–	–	–	–	1	1	5	1	5	5	7	4	5	3	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	5	4	2	3	2	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	5	1	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,217	–	–	–	–	–	–	1	5	8	6	28	56	76	152	263	440	626	861	922	553	220	–
	White Male	1,942	–	–	–	–	–	–	1	5	8	5	22	39	57	101	174	262	320	386	341	176	45	–
	Female	2,229	–	–	–	–	–	–	–	–	–	–	5	16	17	47	85	171	294	470	573	376	175	–
	All other Male	24	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	3	5	5	4	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	4	7	–	4	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	69	–	–	–	–	–	1	–	–	1	1	2	1	2	2	5	9	9	11	7	11	7	–
	White Male	30	–	–	–	–	–	1	–	–	1	–	2	1	2	1	1	6	4	4	4	1	2	–
	Female	38	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	3	5	7	3	10	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
420–423, 425–427, 429	All other forms of heart disease	716	3	5	–	1	4	1	3	7	7	11	15	20	39	30	62	75	86	131	114	76	26	–
	White Male	375	1	2	–	1	2	1	3	1	4	6	12	16	26	24	30	48	44	65	58	26	5	–
	Female	338	2	3	–	–	2	–	–	5	3	5	3	4	13	6	31	26	42	66	56	50	21	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
400, 401, 403	Hypertension	95	–	–	–	–	–	–	–	–	–	1	2	2	3	2	5	14	16	22	16	8	4	–
	White Male	49	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	7	9	16	7	4	1	–
	Female	43	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	7	6	6	9	4	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,920	3	–	3	1	2	2	4	5	9	11	24	41	47	119	165	288	460	644	617	345	130	–
	White Male	1,213	1	–	2	1	2	–	3	3	3	5	12	23	32	80	88	146	221	248	214	95	34	–
	Female	1,684	2	–	–	–	–	1	1	2	6	6	11	17	15	37	75	139	236	391	403	249	93	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	2	–	–	3	–
	Female	12	–	–	1	–	–	1	–	–	–	–	–	1	–	–	2	–	3	3	–	1	–	–
431	Cerebral hemorrhage	292	2	–	1	–	–	2	1	–	2	1	11	8	11	22	28	35	53	55	41	16	3	–
	White Male	138	1	–	1	–	–	–	1	–	1	1	8	4	8	11	11	21	27	24	13	5	1	–
	Female	148	1	–	–	–	–	1	–	–	1	–	2	3	3	9	16	14	26	31	28	11	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
433	Cerebral thrombosis	596	–	–	–	–	–	–	1	–	–	1	2	7	7	20	24	63	96	138	130	77	30	–
	White Male	249	–	–	–	–	–	–	–	–	–	–	1	3	5	16	14	31	47	59	47	18	8	–
	Female	345	–	–	–	–	–	–	1	–	–	1	1	4	2	4	10	31	49	78	83	59	22	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
434	Cerebral embolism	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	2	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,020	1	–	2	1	2	–	2	5	7	9	11	26	29	75	111	189	309	450	444	251	96	–
	White Male	822	–	–	1	1	2	–	2	3	2	4	3	16	19	53	62	94	146	165	153	71	25	–
	Female	1,183	1	–	–	–	–	–	–	2	5	5	8	10	10	22	48	93	160	281	291	179	68	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	3	–
	Female	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	1	–	–
440	Arteriosclerosis	563	–	–	–	–	–	–	–	–	1	1	–	1	3	7	14	35	61	110	130	140	60	–
	White Male	233	–	–	–	–	–	–	–	–	1	1	–	1	2	5	10	21	36	50	45	51	10	–
	Female	327	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	14	25	58	84	89	50	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	425	–	1	–	–	1	1	1	–	3	4	4	12	14	32	56	53	67	87	52	31	6	–
	White Male	254	–	–	–	–	1	1	–	–	2	1	1	7	11	23	44	42	46	46	18	10	1	–
	Female	169	–	1	–	–	–	–	1	–	1	3	3	5	3	9	12	10	20	41	34	21	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	2	1	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	823	11	2	2	–	3	4	2	4	1	9	6	11	15	25	44	70	104	162	206	108	34	–
	White Male	405	6	1	2	–	2	4	1	1	1	2	4	6	12	13	33	41	63	84	89	33	7	–
	Female	409	3	1	–	–	1	–	1	3	–	7	1	4	3	12	10	27	41	78	115	75	27	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	–	–	–
470–474	Influenza	24	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	2	3	1	7	3	2	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	4	1	1	–
	Female	11	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	–	–	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	799	11	2	2	–	3	4	2	4	1	7	6	10	15	23	43	68	101	161	199	105	32	–
	White Male	392	6	1	2	–	2	4	1	1	1	2	4	5	12	12	33	40	60	83	85	32	6	–
	Female	398	3	1	–	–	1	–	1	3	–	5	1	4	3	11	9	26	41	78	112	73	26	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	–	–	–
490–493	Bronchitis, emphysema, and asthma	377	1	1	–	–	1	–	1	–	2	2	8	11	17	39	60	66	73	64	23	5	3	–
	White Male	291	1	1	–	–	1	–	1	–	1	2	5	8	10	27	44	57	65	47	18	3	–	–
	Female	83	–	–	–	–	–	–	–	–	1	–	3	3	6	11	16	9	8	16	5	2	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
490, 491	Chronic and unqualified bronchitis	66	–	1	–	–	1	–	–	–	–	–	3	1	5	8	6	12	10	11	4	2	2	–
	White Male	39	–	1	–	–	1	–	–	–	–	–	2	–	2	5	4	10	7	5	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	1	3	3	2	2	3	6	2	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	287	1	–	–	–	–	–	–	–	1	2	5	9	8	26	52	52	61	50	17	2	1	–
	White Male	243	1	–	–	–	–	–	–	–	1	2	3	8	7	19	39	46	57	42	16	2	–	–
	Female	42	–	–	–	–	–	–	–	–	–	–	2	1	1	6	13	6	4	7	1	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	24	–	–	–	–	–	–	1	–	1	–	–	1	4	5	2	2	2	3	2	1	–	–
	White Male	9	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	1	1	–	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	1	3	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	79	–	–	–	–	–	–	–	–	–	1	1	2	6	8	6	7	13	10	15	9	1	–
	White Male	38	–	–	–	–	–	–	–	–	–	1	1	2	4	6	3	2	7	5	5	2	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	6	4	10	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	3	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	120	9	2	–	–	–	–	–	–	–	1	2	2	2	7	7	11	18	24	23	8	4	–
	White Male	53	5	2	–	–	–	–	–	–	–	1	1	–	1	5	4	6	9	8	7	3	1	–
	Female	65	3	–	–	–	–	–	–	–	–	–	1	2	1	2	3	5	8	16	16	5	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	267	1	–	–	–	–	1	2	5	6	10	21	25	43	41	34	35	22	11	8	1	1	–
	White Male	193	1	–	–	–	–	1	–	3	2	5	17	19	35	30	23	23	18	7	7	1	1	–
	Female	63	–	–	–	–	–	–	2	1	4	4	4	3	6	9	10	11	4	4	1	–	–	–
	All other Male	10	–	–	–	–	–	–	–	1	–	1	–	3	1	2	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	61	–	–	–	–	–	1	–	–	–	–	1	4	1	2	3	13	11	6	12	6	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	6	4	3	4	2	–	–
	Female	36	–	–	–	–	–	1	–	–	–	–	1	1	1	1	2	7	7	3	7	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	104	–	–	–	–	–	–	–	–	–	2	3	4	2	9	6	12	17	24	16	8	1	–
	White Male	55	–	–	–	–	–	–	–	–	–	1	2	1	1	5	5	6	13	12	6	2	1	–
	Female	47	–	–	–	–	–	–	–	–	–	1	1	3	–	4	1	6	4	12	10	5	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	25	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	6	9	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	5	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	4	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	79	–	–	–	–	–	–	–	–	–	2	3	3	1	9	5	11	12	18	7	7	1	–
	White Male	38	–	–	–	–	–	–	–	–	–	1	2	1	1	5	4	5	8	8	1	1	1	–
	Female	40	–	–	–	–	–	–	–	–	–	1	1	2	–	4	1	6	4	10	6	5	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	52	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	6	7	12	10	9	1	–
	White Male	19	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	4	2	3	4	2	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	5	9	5	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
600	Hyperplasia of prostate	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	4	3	2	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	4	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	186	132	12	1	1	6	3	2	4	3	5	1	1	2	2	3	2	2	2	1	–	–	1
	White ..... Male	100	74	5	1	1	3	2	1	2	2	3	1	–	1	–	–	2	–	1	1	–	–	–
	Female	77	52	5	–	–	3	1	1	2	1	2	–	1	–	2	3	–	2	1	–	–	–	1
	All other ..... Male	5	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	295	293	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White ..... Male	165	163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	165	165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	130	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White ..... Male	79	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	126	46	1	–	2	1	1	3	1	1	–	1	3	6	2	6	6	6	11	16	11	2	–
	White ..... Male	71	26	1	–	2	–	1	1	1	–	–	1	–	3	2	4	5	2	6	9	7	–	–
	Female	49	17	–	–	–	1	–	1	–	1	–	–	2	2	–	2	1	4	5	7	4	2	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,659	20	9	9	9	14	20	15	18	15	20	29	69	79	132	198	245	249	234	149	103	23	–
	White ..... Male	935	15	5	4	6	6	8	10	8	4	9	15	38	41	81	115	150	156	143	72	42	7	–
	Female	695	5	2	5	3	8	10	3	9	10	9	13	30	36	51	77	92	91	91	74	60	16	–
	All other ..... Male	16	–	1	–	–	–	–	–	–	1	2	1	1	1	–	3	3	–	–	2	1	–	–
	Female	13	–	1	–	–	–	2	2	1	–	–	–	–	1	–	3	–	2	–	1	–	–	–
E800–E949	Accidents	1,330	14	34	40	41	174	164	104	77	50	49	48	39	45	67	49	68	56	85	69	50	7	–
	White ..... Male	926	8	22	22	34	135	139	90	58	44	36	39	23	32	47	35	40	29	39	28	23	3	–
	Female	378	5	10	13	6	37	23	12	17	5	12	8	15	12	19	12	28	26	46	41	27	4	–
	All other ..... Male	23	–	1	5	1	2	1	2	2	1	1	1	1	1	1	2	–	1	–	–	–	–	–
	Female	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	659	3	8	17	12	126	126	67	46	33	24	24	23	20	29	22	37	20	15	6	1	–	–
	White ..... Male	487	3	5	9	8	99	102	57	34	27	18	19	13	16	16	13	23	13	6	5	1	–	–
	Female	162	–	2	7	4	27	22	10	11	5	5	4	9	4	13	9	14	6	9	1	–	–	–
	All other ..... Male	9	–	1	1	–	–	1	–	1	1	1	1	1	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	671	11	26	23	29	48	38	37	31	17	25	24	16	25	38	27	31	36	70	63	49	7	–
	White ..... Male	439	5	17	13	26	36	37	33	24	17	18	20	10	16	31	22	17	16	33	23	22	3	–
	Female	216	5	8	6	2	10	1	2	6	–	7	4	6	8	6	3	14	20	37	40	27	4	–
	All other ..... Male	14	–	–	4	1	2	–	2	1	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	336	...	...	–	4	30	46	25	24	21	22	20	28	28	26	16	18	14	9	3	1	1	–
	White ..... Male	261	...	...	–	4	28	35	20	20	15	18	12	18	21	22	9	14	11	9	3	1	1	–
	Female	70	...	...	–	–	2	9	4	4	6	3	8	10	7	4	7	4	2	–	–	–	–	–
	All other ..... Male	5	...	...	–	–	–	2	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	65	–	1	1	1	7	9	8	9	5	5	5	4	4	2	1	1	1	1	–	–	–	–
	White ..... Male	40	–	1	–	–	4	3	6	6	3	3	3	2	4	1	1	1	1	1	–	–	–	–
	Female	14	–	–	1	1	2	2	1	2	–	2	1	2	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	11	–	–	–	–	1	4	1	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	38	3	1	–	1	2	5	5	3	2	3	4	2	–	1	–	2	–	2	1	–	1	–
	White ..... Male	20	1	–	–	1	2	3	3	2	–	3	1	1	–	–	–	2	–	1	–	–	–	–
	Female	14	2	1	–	–	–	2	1	–	2	–	2	1	–	1	–	–	–	1	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas																							
	All causes	**21,362**	**496**	**87**	**67**	**71**	**255**	**300**	**219**	**172**	**216**	**285**	**458**	**782**	**1,118**	**1,548**	**2,044**	**2,583**	**2,937**	**3,165**	**2,664**	**1,384**	**509**	**2**
	White ..... Male	10,913	240	48	32	39	173	214	146	98	118	154	252	464	676	936	1,221	1,488	1,530	1,435	1,021	490	136	2
	Female	9,291	187	28	24	28	63	54	51	48	74	101	154	245	362	536	715	974	1,275	1,616	1,553	850	353	–
	All other ..... Male	646	43	5	6	4	15	26	17	21	17	22	37	46	49	38	58	66	60	60	34	14	8	–
	Female	512	26	6	5	–	4	6	5	5	7	8	15	27	31	38	50	55	72	54	56	30	12	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	6	2	–	1	–	–	–	1	1	–	–	–	1	1	6	3	5	5	4	2	–	–
	White ..... Male	15	2	1	–	1	–	–	–	1	–	–	–	–	1	1	4	1	1	–	2	–	–	–
	Female	21	3	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	4	5	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	15	–	–	–	–	–	–	–	–	1	–	1	–	1	1	3	2	1	2	2	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	2	1	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	14	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	1	2	2	1	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	58	10	2	–	–	–	–	1	–	–	1	2	2	3	4	2	7	6	7	7	2	2	–
	White ..... Male	24	5	2	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	4	3	1	–	–
	Female	28	4	–	–	–	–	–	1	–	–	1	2	2	1	3	–	4	2	2	3	1	2	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	53	3	2	–	1	3	2	2	2	2	–	1	–	2	3	10	3	9	–	2	4	2	–
	White ..... Male	25	2	1	–	–	–	–	1	–	1	–	1	–	1	1	4	2	8	–	1	2	–	–
	Female	24	1	1	–	1	2	1	1	2	1	–	–	–	1	2	5	1	1	–	1	1	2	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,183	–	7	7	7	14	8	18	26	38	69	151	237	360	515	636	665	566	455	293	83	28	–
	White Male	2,160	–	4	5	4	7	8	13	14	14	34	66	108	175	283	350	370	302	223	138	34	8	–
	Female	1,817	–	3	2	3	7	–	5	11	20	30	70	107	157	207	260	272	244	210	141	48	20	–
	All other Male	121	–	–	–	–	–	–	–	–	2	4	10	16	18	12	13	12	14	14	6	–	–	–
	Female	85	–	–	–	–	–	–	–	1	2	1	5	6	10	13	13	11	6	8	8	1	–	–
140–149	Of buccal cavity and pharynx	92	–	–	–	–	1	–	–	–	1	2	2	9	4	14	20	16	12	4	2	3	2	–
	White Male	64	–	–	–	–	–	–	–	–	1	–	2	4	3	12	15	13	8	1	2	2	1	–
	Female	21	–	–	–	–	1	–	–	–	–	–	–	3	1	2	4	3	3	2	–	1	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,078	–	1	–	–	–	–	4	6	3	12	27	42	76	123	159	173	151	169	89	35	8	–
	White Male	512	–	1	–	–	–	–	3	4	–	8	15	23	45	74	80	73	62	74	37	11	2	–
	Female	505	–	–	–	–	–	–	1	2	2	3	10	12	22	41	74	90	83	86	49	24	6	–
	All other Male	32	–	–	–	–	–	–	–	–	1	1	1	5	5	2	2	3	3	7	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	2	4	6	3	7	3	2	1	–	–	–
160–163	Of respiratory system	961	–	–	–	–	–	–	–	1	4	16	40	76	108	145	182	171	126	61	26	4	1	–
	White Male	715	–	–	–	–	–	–	–	–	2	12	25	50	71	106	138	141	106	43	17	3	1	–
	Female	199	–	–	–	–	–	–	–	1	1	3	9	20	26	33	39	25	18	15	8	1	–	–
	All other Male	40	–	–	–	–	–	–	–	–	–	1	6	5	9	6	4	4	2	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	1	–	1	–	–	–	–
174	Of breast	392	–	–	–	–	–	–	–	2	10	11	27	34	41	48	59	49	39	34	27	7	4	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	372	–	–	–	–	–	–	–	2	10	10	26	32	38	45	55	47	38	33	25	7	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	1	2	2	3	4	2	1	1	1	–	–	–
180–187	Of genital organs	516	–	–	–	–	2	2	2	3	4	7	15	20	37	61	69	74	83	70	55	8	4	–
	White Male	247	–	–	–	–	1	2	1	2	1	1	1	1	3	16	32	43	51	44	40	6	2	–
	Female	244	–	–	–	–	1	–	1	1	3	6	14	19	33	40	32	27	30	22	11	2	2	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	–	2	3	–	–	–
188, 189	Of urinary organs	217	–	1	–	–	–	–	–	–	–	5	3	11	15	29	30	44	36	21	16	4	2	–
	White Male	140	–	1	–	–	–	–	–	–	–	5	3	8	10	21	22	29	19	11	8	3	–	–
	Female	69	–	–	–	–	–	–	–	–	–	–	–	3	4	7	7	15	14	9	8	–	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	480	–	5	3	1	5	4	6	5	9	13	24	31	45	45	62	68	55	35	44	14	6	–
	White Male	241	–	2	3	1	2	4	5	4	6	6	14	16	24	21	33	36	23	17	17	6	1	–
	Female	214	–	3	–	–	3	–	1	1	2	7	6	11	18	23	26	30	30	17	23	8	5	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	3	4	3	–	2	2	2	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	3	–	–	–
204–207	Leukemia	183	–	–	4	3	4	1	3	5	3	–	3	6	15	16	17	25	31	25	15	6	1	–
	White Male	106	–	–	2	2	2	1	2	2	1	–	1	2	8	11	11	15	18	18	7	2	1	–
	Female	69	–	–	2	1	2	–	1	2	1	–	1	3	7	5	5	10	11	7	7	4	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	264	–	–	–	3	2	1	3	4	4	3	10	8	19	34	38	45	33	36	19	2	–	–
	White Male	133	–	–	–	1	2	1	2	2	3	2	5	4	10	22	19	20	15	15	9	1	–	–
	Female	124	–	–	–	2	–	–	1	2	1	1	4	4	8	11	18	25	17	19	10	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	43	1	–	–	1	1	2	–	–	2	–	1	2	5	3	11	5	3	3	2	1	–	–
	White Male	21	–	–	–	–	1	1	–	–	1	–	–	2	3	1	5	2	2	1	1	1	–	–
	Female	19	1	–	–	–	–	1	–	–	1	–	1	–	2	2	6	3	1	–	1	–	–	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
250	Diabetes mellitus	396	–	–	–	–	2	1	3	5	10	5	12	13	25	36	34	66	65	53	40	25	1	–
	White Male	141	–	–	–	–	1	1	2	3	6	2	4	6	7	10	10	21	26	21	11	10	–	–
	Female	210	–	–	–	–	1	–	1	2	3	1	4	5	9	23	18	39	33	30	25	15	1	–
	All other Male	15	–	–	–	–	–	–	–	–	1	1	2	–	2	–	2	4	1	1	1	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	2	2	7	3	4	2	5	1	3	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	48	1	–	–	–	–	–	–	1	–	1	1	–	2	2	–	7	10	6	8	7	2	–
	White Male	18	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	3	4	1	3	1	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	5	4	5	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas — Con.																							
280–285	Anemias	35	–	1	2	–	–	–	–	–	–	–	–	1	–	–	3	4	8	5	7	1	3	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	–	1	–	–
	Female	20	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	7	–	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	13	4	3	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	1	–	–	–
	White Male	6	1	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
390–448	*Major cardiovascular diseases*	11,086	4	5	3	4	9	14	8	19	33	79	141	307	455	665	951	1,347	1,762	2,071	1,849	999	361	–
	White Male	5,487	3	3	2	1	3	8	5	8	20	51	96	206	319	453	593	808	890	901	665	348	104	–
	Female	5,091	1	2	1	2	5	4	1	6	10	18	29	71	112	177	302	468	792	1,103	1,129	618	240	–
	All other Male	256	–	–	–	1	1	2	1	5	2	9	13	18	14	18	32	38	36	33	17	10	6	–
	Female	252	–	–	–	–	–	–	1	–	1	1	3	12	10	17	24	33	44	34	38	23	11	–
390–398, 402, 404, 410–429	Diseases of heart	8,104	3	5	2	2	7	9	3	14	25	61	122	260	398	565	760	1,025	1,226	1,476	1,258	653	230	–
	White Male	4,223	2	3	1	–	2	5	1	5	18	42	84	184	284	388	491	630	625	670	487	233	68	–
	Female	3,508	1	2	1	2	4	2	1	4	4	10	23	52	90	150	229	347	543	762	731	395	155	–
	All other Male	194	–	–	–	–	1	2	1	5	2	8	12	15	14	14	24	24	26	21	16	6	3	–
	Female	179	–	–	–	–	–	–	–	–	1	1	3	9	10	13	16	24	32	23	24	19	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	106	–	–	–	–	–	1	–	–	1	1	4	12	11	13	8	17	16	14	4	3	1	–
	White Male	48	–	–	–	–	–	1	–	–	–	–	1	8	5	5	4	9	10	5	–	–	–	–
	Female	55	–	–	–	–	–	–	–	–	1	1	2	4	6	6	4	8	6	9	4	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	62	–	–	–	–	1	–	–	2	–	–	–	1	3	1	7	10	8	12	11	6	–	–
	White Male	16	–	–	–	–	–	–	–	1	–	–	–	–	1	–	5	1	2	4	1	1	–	–
	Female	37	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	8	5	6	10	4	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	37	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	5	13	6	7	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	7	2	3	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	6	4	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
410–413	Ischemic heart disease	7,198	–	–	–	–	–	1	1	7	23	56	109	217	352	507	674	926	1,102	1,313	1,127	577	206	–
	White Male	3,801	–	–	–	–	–	1	–	2	18	40	79	157	262	353	437	577	561	601	447	205	61	–
	Female	3,080	–	–	–	–	–	–	–	2	2	8	19	40	72	130	206	307	490	674	641	351	138	–
	All other Male	168	–	–	–	–	–	–	1	3	2	7	10	14	12	13	21	21	23	18	15	5	3	–
	Female	149	–	–	–	–	–	–	–	–	1	1	1	6	6	11	10	21	28	20	24	16	4	–
410	Acute myocardial infarction	3,876	–	–	–	–	–	1	1	4	19	47	89	169	272	370	472	593	576	624	426	160	53	–
	White Male	2,321	–	–	–	–	–	1	–	1	14	35	69	128	207	266	324	390	318	296	198	60	14	–
	Female	1,420	–	–	–	–	–	–	–	–	2	7	14	29	57	91	129	185	242	315	214	96	39	–
	All other Male	92	–	–	–	–	–	–	1	3	2	5	6	9	6	8	14	10	10	9	7	2	–	–
	Female	43	–	–	–	–	–	–	–	–	1	–	–	3	2	5	5	8	6	4	7	2	–	–
411	Other acute and subacute forms of ischemic heart disease	17	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	1	2	4	3	1	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	2	4	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
412	Chronic ischemic heart disease	3,302	–	–	–	–	–	–	–	3	4	9	20	48	78	133	202	331	525	687	696	414	152	–
	White Male	1,466	–	–	–	–	–	–	–	1	4	5	10	29	53	84	113	185	243	303	244	145	47	–
	Female	1,657	–	–	–	–	–	–	–	2	–	1	5	11	15	38	77	122	247	359	427	255	98	–
	All other Male	76	–	–	–	–	–	–	–	–	–	2	4	5	6	5	7	11	13	9	8	3	3	–
	Female	103	–	–	–	–	–	–	–	–	–	1	1	3	4	6	5	13	22	16	17	11	4	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	70	–	1	–	–	1	–	–	1	–	–	1	2	2	3	7	8	11	16	10	3	4	–
	White Male	36	–	1	–	–	1	–	–	–	–	–	1	2	1	2	6	4	6	7	3	1	1	–
	Female	32	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	4	5	8	7	2	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	631	3	4	2	2	5	7	2	4	1	4	8	27	30	40	62	63	84	108	100	57	18	–
	White.....Male	304	2	2	1	–	1	3	1	2	–	2	3	17	15	27	37	39	43	46	34	23	6	–
	Female	286	1	2	1	2	3	2	1	1	1	1	2	6	10	13	18	19	35	59	65	32	12	–
	All other.....Male	19	–	–	–	–	1	2	–	1	–	1	2	1	2	–	3	2	3	–	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	3	3	–	4	3	3	3	–	2	–	–
400, 401, 403	Hypertension	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11	9	9	12	9	4	–
	White.....Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	3	6	3	4	2	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	3	8	5	2	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430–438	Cerebrovascular diseases	2,158	1	–	–	2	2	4	4	4	8	12	16	35	42	76	135	240	409	453	418	218	79	–
	White.....Male	888	1	–	–	1	1	2	3	2	2	6	9	17	23	47	69	132	192	165	125	70	21	–
	Female	1,174	–	–	–	–	1	2	–	2	6	6	6	12	19	23	56	90	201	271	285	142	52	–
	All other.....Male	42	–	–	–	1	–	–	–	–	–	–	1	3	–	3	5	9	6	8	–	3	3	–
	Female	54	–	–	–	–	–	–	1	–	–	–	–	3	–	3	5	9	10	9	8	3	3	–
431	Cerebral hemorrhage	273	1	–	–	1	–	2	2	–	1	4	3	8	13	19	20	32	51	45	42	26	3	–
	White.....Male	121	1	–	–	1	–	1	1	–	1	1	1	5	8	10	10	19	24	16	13	8	1	–
	Female	140	–	–	–	–	–	1	–	–	–	3	2	2	5	9	8	12	22	28	29	17	2	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	4	1	–	1	–	–
433	Cerebral thrombosis	405	–	–	–	–	–	–	–	–	–	1	4	6	3	9	23	50	71	92	90	43	13	–
	White.....Male	161	–	–	–	–	–	–	–	–	–	1	4	4	2	7	11	25	32	33	27	12	3	–
	Female	219	–	–	–	–	–	–	–	–	–	–	–	–	1	1	8	21	34	56	60	30	8	–
	All other.....Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	4	3	–	1	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	–	3	–	1	–
434	Cerebral embolism	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	1	2	1	–	–	–
	White.....Male	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,471	–	–	–	1	2	2	1	4	7	7	9	21	26	48	91	155	286	314	285	149	63	–
	White.....Male	602	–	–	–	–	1	1	1	2	1	4	4	8	13	30	48	87	135	115	85	50	17	–
	Female	810	–	–	–	–	1	1	–	2	6	3	4	10	13	13	39	55	145	186	195	95	42	–
	All other.....Male	28	–	–	–	1	–	–	–	–	–	–	1	2	–	3	3	8	1	5	–	2	2	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	5	5	8	5	2	2	–
440	Arteriosclerosis	456	–	–	–	–	–	–	–	–	–	–	–	1	6	5	15	30	66	83	118	95	37	–
	White.....Male	169	–	–	–	–	–	–	–	–	–	–	–	1	3	4	5	12	32	35	36	32	9	–
	Female	270	–	–	–	–	–	–	–	–	–	–	–	–	3	1	7	18	32	47	77	61	24	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	313	–	–	1	–	–	1	1	1	–	6	3	11	9	19	40	41	52	50	43	24	11	–
	White.....Male	183	–	–	1	–	–	1	1	1	–	3	3	4	9	14	27	29	38	25	14	9	4	–
	Female	114	–	–	–	–	–	–	–	–	–	2	–	7	–	3	10	10	12	20	28	15	7	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	–	–	–
466	Acute bronchitis and bronchiolitis	7	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–
	White.....Male	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	576	11	2	2	2	3	4	3	4	2	5	4	13	16	23	27	47	83	112	106	65	42	–
	White.....Male	267	4	1	–	–	3	1	1	4	–	3	2	5	10	16	19	23	38	54	51	22	10	–
	Female	283	7	–	1	1	–	2	2	–	1	1	2	4	6	4	6	22	42	54	54	42	32	–
	All other.....Male	17	–	–	–	1	–	1	–	–	1	–	–	2	–	3	1	1	3	3	1	–	–	–
	Female	9	–	1	1	–	–	–	–	–	–	1	–	2	–	–	1	1	–	1	–	1	–	–
470–474	Influenza	29	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	1	3	7	6	4	4	–
	White.....Male	8	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	2	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	4	2	4	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
480–486	Pneumonia	547	11	2	2	2	2	4	3	3	2	5	4	13	15	23	26	46	80	105	100	61	38	–
	White.....Male	259	4	1	–	–	2	1	1	3	–	3	2	5	10	16	19	23	37	52	49	21	10	–
	Female	264	7	–	1	1	–	2	2	–	1	1	2	4	5	4	5	21	40	50	50	40	28	–
	All other.....Male	17	–	–	–	1	–	1	–	–	1	–	–	2	–	3	1	1	3	3	1	–	–	–
	Female	7	–	1	1	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	250	1	–	–	1	–	–	2	1	2	3	6	6	10	20	38	47	37	36	27	11	2	–
	White.....Male	174	–	–	–	1	–	–	–	–	1	1	3	5	7	13	26	32	33	28	15	9	–	–
	Female	65	1	–	–	–	–	–	1	–	1	1	2	1	2	6	10	15	3	7	11	2	2	–
	All other.....Male	8	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas – Con.																							
490, 491	Chronic and unqualified bronchitis	47	1	–	–	–	–	–	–	–	1	1	3	1	2	2	5	10	3	5	8	3	2	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	2	1	1	2	3	9	3	4	4	2	–	–
	Female	13	1	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	1	3	1	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	179	–	–	–	–	–	–	–	–	1	2	2	4	6	17	28	31	33	30	17	8	–	–
	White Male	133	–	–	–	–	–	–	–	–	1	1	1	3	4	11	21	20	30	24	10	7	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	1	1	2	5	5	11	3	5	7	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	24	–	–	–	1	–	–	2	1	–	–	1	1	2	1	5	6	1	1	2	–	–	–
	White Male	10	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	3	–	–	1	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	3	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	65	–	–	–	–	–	–	–	1	1	2	2	2	3	7	7	10	9	7	9	3	2	–
	White Male	41	–	–	–	–	–	–	–	1	–	1	1	1	1	5	6	7	7	5	5	1	–	–
	Female	22	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	3	2	2	4	2	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	4	–	1	–	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	4	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	82	9	–	–	–	–	–	–	–	–	–	2	2	3	2	6	7	13	14	16	8	–	–
	White Male	34	4	–	–	–	–	–	–	–	–	–	1	2	2	–	2	3	5	8	5	2	–	–
	Female	46	3	–	–	–	–	–	–	–	–	–	1	–	1	2	4	4	8	6	11	6	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	217	–	–	–	–	–	1	1	5	8	13	23	24	38	35	30	20	11	4	3	1	–	–
	White Male	116	–	–	–	–	–	–	1	3	6	5	14	13	24	20	17	8	3	1	–	1	–	–
	Female	82	–	–	–	–	–	–	–	1	–	5	6	9	11	15	13	10	6	3	3	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	2	1	2	2	3	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	1	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	–	1	1	1	–	1	3	3	2	5	5	10	5	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	1	1	2	–	–
	Female	25	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	3	4	9	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	95	1	–	–	–	1	–	1	–	1	1	2	2	6	6	11	9	16	19	11	6	2	–
	White Male	42	1	–	–	–	–	–	1	–	1	–	–	1	3	2	6	3	6	10	3	3	2	–
	Female	44	–	–	–	–	–	–	–	–	–	1	2	–	2	3	5	6	7	8	7	3	–	–
	All other Male	5	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	35	1	–	–	–	–	–	1	–	–	1	1	–	3	4	5	6	4	6	3	–	–	–
	White Male	18	1	–	–	–	–	–	1	–	–	–	–	–	2	2	3	3	2	3	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	3	2	3	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	60	–	–	–	–	1	–	–	–	1	–	1	2	3	2	6	3	12	13	8	6	2	–
	White Male	24	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	–	4	7	2	3	2	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	3	5	5	5	3	–	–
	All other Male	4	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
590	Infections of kidney	56	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	8	11	11	10	5	4	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	6	6	3	1	2	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	4	3	3	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	–	–
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	4	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	4	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	138	91	12	7	4	3	2	–	–	2	1	1	2	3	2	3	2	2	–	1	–	–	–
	White Male	69	44	8	3	–	2	1	–	–	1	1	–	1	2	1	3	1	1	–	–	–	–	–
	Female	56	36	4	2	4	1	1	–	–	1	–	1	1	1	1	–	1	1	–	1	–	–	–
	All other Male	8	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	133	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	159	159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	247	50	2	–	–	1	1	4	1	2	3	4	11	6	6	20	14	21	27	32	27	15	–
	White Male	119	28	1	–	–	1	1	3	–	1	1	3	9	5	4	14	7	9	12	7	11	2	–
	Female	109	11	1	–	–	–	–	1	–	1	2	1	2	–	2	5	7	11	14	25	14	12	–
	All other Male	12	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	1	–
	Female	7	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
Residual	All other diseases	1,617	11	8	7	7	13	17	14	14	22	17	38	69	97	144	174	228	221	230	168	87	31	–
	White Male	859	6	5	3	3	9	12	7	6	11	9	17	39	58	75	114	135	135	112	75	25	3	–
	Female	676	4	2	4	4	4	4	6	6	9	8	14	24	33	62	53	79	77	111	86	59	27	–
	All other Male	47	1	1	–	–	–	1	1	1	–	–	5	3	5	4	4	9	3	4	3	2	–	–
	Female	35	–	–	–	–	–	–	–	1	2	–	2	3	1	3	3	5	6	3	4	1	1	–
E800–E949	Accidents	1,194	15	31	36	39	164	162	93	52	52	49	40	50	45	45	41	50	59	77	47	35	11	1
	White Male	750	7	15	18	25	121	127	70	32	33	28	27	37	31	27	25	25	31	33	23	10	4	1
	Female	364	7	11	11	13	34	27	15	10	14	16	10	10	13	18	14	23	25	41	23	23	6	–
	All other Male	55	–	2	4	1	8	6	6	9	4	5	1	2	1	–	–	1	1	1	1	1	1	–
	Female	25	1	3	3	–	1	2	2	1	1	–	2	1	–	–	2	1	2	2	–	1	–	–
E810–E823	Motor vehicle accidents	586	7	12	21	22	121	120	59	28	22	20	17	28	26	19	16	11	18	14	3	2	–	–
	White Male	388	3	6	13	13	87	94	39	17	13	11	12	20	16	9	11	4	11	9	–	–	–	–
	Female	170	4	5	5	8	30	22	14	7	9	8	5	7	9	10	5	7	7	4	3	1	–	–
	All other Male	21	–	1	1	1	3	4	4	4	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	Female	7	–	–	2	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
E800–E807, E825–E949	All other accidents	608	8	19	15	17	43	42	34	24	30	29	23	22	19	26	25	39	41	63	44	33	11	1
	White Male	362	4	9	5	12	34	33	31	15	20	17	15	17	15	18	14	21	20	24	23	10	4	1
	Female	194	3	6	6	5	4	5	1	3	5	8	5	3	4	8	9	16	18	37	20	22	6	–
	All other Male	34	–	1	3	–	5	2	2	5	4	4	1	2	–	–	–	1	1	–	1	1	1	–
	Female	18	1	3	1	–	–	2	–	1	1	–	2	–	–	–	2	1	2	2	–	–	–	–
E950–E959	Suicide	292	...	...	–	2	16	48	36	18	19	20	18	25	20	14	16	16	9	10	2	3	–	–
	White Male	221	...	...	–	2	15	35	28	13	15	12	12	20	13	11	10	13	9	8	2	3	–	–
	Female	60	...	...	–	–	1	7	6	5	4	8	6	5	6	3	4	3	–	2	–	–	–	–
	All other Male	8	...	...	–	–	–	5	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	165	1	4	3	2	21	30	25	18	12	9	6	7	9	5	3	4	2	1	2	1	–	–
	White Male	75	–	2	1	2	8	15	9	9	4	3	3	4	5	5	2	2	–	–	1	–	–	–
	Female	46	–	1	2	–	6	7	8	4	3	5	1	1	1	–	1	2	1	1	1	1	–	–
	All other Male	35	1	1	–	–	4	7	7	5	5	–	2	1	2	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	3	1	1	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–
E980–E999	Other external causes	50	2	4	–	–	4	8	6	4	4	5	1	5	4	1	–	–	1	–	–	–	–	1
	White Male	28	–	–	–	–	2	4	5	3	2	2	1	3	3	1	–	–	1	–	–	–	–	1
	Female	11	–	2	–	–	2	–	1	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	9	2	1	–	–	–	4	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area; cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky																							
	All causes	**33,493**	**843**	**153**	**118**	**136**	**399**	**445**	**384**	**369**	**454**	**570**	**1,007**	**1,594**	**2,186**	**3,023**	**3,671**	**4,154**	**4,366**	**4,311**	**3,191**	**1,559**	**554**	**6**
	White ..... Male	17,440	436	68	68	94	284	287	247	231	279	359	583	979	1,349	1,792	2,155	2,304	2,067	1,880	1,248	549	178	3
	Female	13,168	292	63	39	34	88	95	95	97	127	153	304	458	623	942	1,179	1,520	1,920	2,147	1,742	933	317	–
	All other ..... Male	1,558	56	17	4	6	19	48	26	21	31	30	67	100	128	166	199	188	178	121	95	30	26	2
	Female	1,327	59	5	7	2	8	15	16	20	17	28	53	57	86	123	138	142	201	163	106	47	33	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	25	5	2	–	1	–	–	1	–	–	–	1	1	–	1	2	2	2	2	4	1	–	–
	White ..... Male	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	22	4	2	–	1	–	–	1	–	–	–	–	1	–	1	1	2	2	2	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	79	–	–	–	–	1	1	–	–	–	3	9	5	–	6	8	8	15	8	8	5	2	–
	White ..... Male	47	–	–	–	–	–	1	–	–	–	3	4	2	–	5	5	8	10	3	2	2	2	–
	Female	20	–	–	–	–	1	–	–	–	–	–	1	–	–	–	3	–	4	3	6	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	4	2	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	–	–
010–012	Tuberculosis of respiratory system	65	–	–	–	–	1	–	–	–	–	2	8	5	–	4	6	5	13	6	8	5	2	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	2	3	2	–	3	5	5	8	2	2	2	2	–
	Female	17	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	4	2	6	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	4	2	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	1	–	–	–	1	1	–	–	2	2	3	2	2	–	–	–	–
	White ..... Male	11	–	–	–	–	–	1	–	–	–	1	1	–	–	2	–	3	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	118	24	2	–	1	–	1	1	3	3	–	2	3	6	8	13	12	10	14	10	2	3	–
	White ..... Male	61	13	–	–	–	–	–	–	2	2	–	1	1	3	6	10	7	4	7	4	–	1	–
	Female	46	9	2	–	–	–	1	1	1	1	–	1	1	2	1	1	4	5	7	5	2	2	–
	All other ..... Male	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	68	7	6	1	2	2	1	1	–	5	2	–	4	4	9	7	5	3	5	2	2	–	–
	White ..... Male	36	3	4	1	2	1	1	–	–	3	1	–	4	2	4	3	2	–	4	–	1	–	–
	Female	23	3	2	–	–	1	–	1	–	2	1	–	–	–	4	–	3	3	1	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,287	2	5	19	14	13	24	33	39	81	118	271	488	651	846	935	934	784	544	353	117	16	–
	White Male	3,282	–	1	12	9	10	15	20	16	36	55	111	257	346	475	527	526	380	270	161	49	6	–
	Female	2,446	2	4	5	4	3	6	11	20	41	52	129	185	249	300	326	321	322	233	163	62	8	–
	All other Male	314	–	–	1	–	–	–	1	1	4	5	15	29	28	44	49	48	41	30	13	3	2	–
	Female	245	–	–	1	1	–	3	1	2	–	6	16	17	28	27	33	39	41	11	16	3	–	–
140–149	Of buccal cavity and pharynx	147	–	–	–	–	–	–	–	–	2	3	8	14	18	23	19	18	12	13	11	5	1	–
	White Male	91	–	–	–	–	–	–	–	–	1	2	4	10	12	13	13	10	8	6	8	4	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	2	2	5	8	6	6	3	5	2	1	1	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	1	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,668	–	–	–	–	2	5	8	6	15	28	52	95	135	205	256	268	245	176	120	47	5	–
	White Male	783	–	–	–	–	1	3	5	2	7	15	25	52	65	99	135	130	103	76	46	15	4	–
	Female	721	–	–	–	–	1	1	3	3	8	9	18	33	55	82	94	113	117	89	65	29	1	–
	All other Male	83	–	–	–	–	–	–	–	–	–	3	5	5	8	14	14	13	11	6	3	1	–	–
	Female	81	–	–	–	–	–	1	–	1	–	1	4	5	7	10	13	12	14	5	6	2	–	–
160–163	Of respiratory system	1,779	–	–	–	–	–	–	2	5	21	33	89	187	238	317	301	275	162	95	41	12	1	–
	White Male	1,271	–	–	–	–	–	–	1	4	16	19	44	129	171	243	226	217	110	63	23	5	–	–
	Female	358	–	–	–	–	–	–	1	–	5	12	37	36	52	49	52	33	35	25	15	6	–	–
	All other Male	114	–	–	–	–	–	–	–	–	–	–	6	18	11	19	19	22	10	4	3	1	1	–
	Female	36	–	–	–	–	–	–	–	1	–	2	2	4	4	6	4	3	7	3	–	–	–	–
174	Of breast	445	–	–	–	–	–	–	1	5	9	16	33	44	53	53	56	61	55	25	24	7	3	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	Female	410	–	–	–	–	–	–	1	5	9	15	31	40	50	49	49	54	52	25	20	7	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	1	2	4	3	4	5	6	3	–	3	–	–	–
180–187	Of genital organs	750	–	–	–	–	–	3	7	11	7	10	31	33	56	72	94	113	126	103	64	18	2	–
	White Male	322	–	–	–	–	–	2	4	2	–	1	1	2	11	21	26	55	72	68	45	12	–	–
	Female	340	–	–	–	–	–	1	3	9	7	8	25	31	33	42	53	46	39	23	14	5	1	–
	All other Male	49	–	–	–	–	–	–	–	–	–	–	2	–	2	5	8	7	8	11	4	1	1	–
	Female	39	–	–	–	–	–	–	–	–	–	1	3	–	10	4	7	5	7	1	1	–	–	–
188, 189	Of urinary organs	278	–	–	–	–	1	–	–	–	3	2	8	18	30	30	47	44	39	31	21	4	–	–
	White Male	169	–	–	–	–	–	–	–	–	2	2	7	12	21	21	31	28	16	16	11	2	–	–
	Female	88	–	–	–	–	1	–	–	–	1	–	–	5	7	7	13	13	16	14	9	2	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	4	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	3	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	694	2	3	11	3	7	9	9	9	11	20	33	63	65	83	95	87	75	44	47	16	2	–
	White Male	357	–	1	5	–	6	6	6	6	5	13	19	32	36	42	58	48	35	17	14	8	–	–
	Female	283	2	2	4	2	1	2	2	2	5	5	12	26	26	37	31	32	31	23	29	7	2	–
	All other Male	27	–	–	1	–	–	–	1	1	1	2	1	3	1	3	5	–	5	2	1	–	–	–
	Female	27	–	–	1	1	–	1	–	–	–	–	1	2	2	1	1	7	4	2	3	1	–	–
204–207	Leukemia	245	–	2	8	8	2	5	3	3	8	5	3	15	20	27	28	26	30	29	18	4	1	–
	White Male	135	–	–	7	7	2	3	2	2	2	2	2	8	15	15	17	11	18	10	9	2	1	–
	Female	92	–	2	1	1	–	2	–	1	5	2	1	5	5	11	10	11	10	17	6	2	–	–
	All other Male	10	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	1	2	2	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	2	1	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	281	–	–	–	3	1	2	3	–	5	1	14	19	36	36	39	42	40	28	7	4	1	–
	White Male	150	–	–	–	2	1	1	2	–	3	1	9	12	15	21	19	26	18	14	4	1	1	–
	Female	112	–	–	–	1	–	–	1	–	1	–	3	7	16	15	18	13	19	12	3	3	–	–
	All other Male	8	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	1	2	–	–	–	–
	Female	11	–	–	–	–	–	1	–	–	–	–	2	–	2	–	2	2	2	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	63	–	–	–	–	1	1	1	1	2	1	2	2	4	5	2	9	9	11	8	4	–	–
	White Male	25	–	–	–	–	–	–	1	1	1	–	–	1	2	3	1	6	1	2	5	1	–	–
	Female	35	–	–	–	–	1	1	–	–	1	1	2	1	2	2	1	1	7	9	3	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
250	Diabetes mellitus	615	–	–	–	1	–	–	4	2	5	7	15	24	39	63	94	100	102	97	38	23	1	–
	White Male	221	–	–	–	–	–	–	1	2	3	3	8	13	20	22	40	35	30	31	10	3	–	–
	Female	332	–	–	–	1	–	–	2	–	1	3	4	9	15	30	42	56	63	61	25	19	1	–
	All other Male	20	–	–	–	–	–	–	–	–	1	–	2	2	1	4	3	3	2	1	1	–	–	–
	Female	42	–	–	–	–	–	–	1	–	–	1	1	–	3	7	9	6	7	4	2	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	41	–	–	–	–	1	–	2	–	–	–	–	–	1	–	3	9	7	8	4	4	2	–
	White Male	14	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	3	4	1	1	1	–
	Female	23	–	–	–	–	1	–	1	–	–	–	–	–	–	–	3	5	4	3	2	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
280–285	Anemias	45	–	–	1	–	1	–	2	2	1	–	3	3	2	1	3	4	3	7	5	4	3	–
	White Male	20	–	–	–	–	–	–	1	–	1	–	1	2	–	1	2	3	1	4	3	–	1	–
	Female	16	–	–	–	–	1	–	–	1	–	–	–	1	2	–	1	–	1	3	2	4	–	–
	All other Male	4	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	–
320	Meningitis	32	7	3	1	3	3	–	–	2	–	1	–	1	4	3	–	1	3	–	–	–	–	–
	White Male	19	5	1	–	3	1	–	–	1	–	–	–	1	2	3	–	1	1	–	–	–	–	–
	Female	6	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	5	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,582	23	11	5	3	15	21	30	51	104	189	362	662	943	1,486	1,915	2,366	2,716	2,909	2,227	1,117	424	3
	White Male	8,784	12	6	–	2	9	8	15	29	67	125	246	443	632	918	1,161	1,318	1,246	1,209	831	373	132	2
	Female	7,420	5	3	4	–	5	9	10	15	23	46	72	150	216	421	589	881	1,252	1,509	1,272	688	250	–
	All other Male	700	2	1	1	–	1	1	2	1	10	11	24	46	55	88	97	95	95	69	61	22	17	1
	Female	678	4	1	–	1	–	3	3	6	4	7	20	23	40	59	68	72	123	122	63	34	25	–
390–398, 402, 404, 410–429	Diseases of heart	12,939	13	8	2	2	11	12	22	40	82	155	299	556	790	1,232	1,462	1,844	1,920	1,987	1,481	739	279	3
	White Male	6,827	7	5	–	1	7	3	9	23	57	107	219	388	548	795	921	1,060	920	849	567	248	91	2
	Female	5,119	3	1	2	–	3	6	9	11	16	33	46	112	162	326	431	660	855	1,005	828	451	159	–
	All other Male	528	2	1	–	–	1	1	1	1	7	8	19	39	48	66	71	73	69	46	45	16	13	1
	Female	465	1	1	–	1	–	2	3	5	2	7	15	17	32	45	39	51	76	87	41	24	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	137	–	–	–	1	2	–	3	1	5	7	9	10	14	15	16	15	12	17	7	2	1	–
	White Male	53	–	–	–	1	–	–	1	–	1	4	4	5	5	9	8	4	4	4	3	–	–	–
	Female	73	–	–	–	–	2	–	1	1	3	3	3	5	9	5	7	9	5	13	4	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	3	–	–	–	–	–
402	Hypertensive heart disease	80	–	–	–	–	–	–	2	–	–	2	2	3	7	8	9	11	10	6	12	7	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	1	–	2	3	1	2	6	2	2	3	–	1	–
	Female	44	–	–	–	–	–	–	2	–	–	–	1	1	3	3	6	5	5	4	9	5	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	1	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	1	–	–
404	Hypertensive heart and renal disease	61	–	–	–	–	–	–	–	–	–	–	1	–	1	2	5	9	9	15	15	4	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	8	6	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	4	7	9	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–
410–413	Ischemic heart disease	11,248	–	–	–	–	2	4	4	27	62	131	244	484	687	1,065	1,310	1,636	1,672	1,738	1,279	654	247	2
	White Male	6,039	–	–	–	–	2	–	3	19	44	95	193	348	482	713	840	946	819	743	490	220	81	1
	Female	4,387	–	–	–	–	–	3	–	5	12	23	30	88	135	268	381	578	735	878	713	399	139	–
	All other Male	438	–	–	–	–	–	–	1	–	5	7	15	32	40	49	57	67	60	39	40	14	11	1
	Female	384	–	–	–	–	–	1	–	3	1	6	6	16	30	35	32	45	58	78	36	21	16	–
410	Acute myocardial infarction	6,772	–	–	–	–	2	2	3	22	55	117	218	407	563	835	971	1,061	963	818	498	173	63	1
	White Male	4,089	–	–	–	–	2	–	2	16	39	88	177	300	404	578	642	644	505	390	207	69	26	–
	Female	2,236	–	–	–	–	–	2	–	4	11	18	24	66	109	205	271	349	405	388	260	95	29	–
	All other Male	277	–	–	–	–	–	–	1	–	4	6	13	28	30	35	38	45	33	19	16	4	4	1
	Female	170	–	–	–	–	–	–	–	2	1	5	4	13	20	17	20	23	20	21	15	5	4	–
411	Other acute and subacute forms of ischemic heart disease	26	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	4	3	7	2	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	1	1	2	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
412	Chronic ischemic heart disease	4,447	–	–	–	–	–	2	1	5	7	14	26	77	122	229	336	569	705	917	773	479	184	1
	White Male	1,937	–	–	–	–	–	–	1	3	5	7	16	48	76	134	196	299	313	352	281	150	55	1
	Female	2,141	–	–	–	–	–	1	–	1	1	5	6	22	26	63	110	226	330	489	448	303	110	–
	All other Male	158	–	–	–	–	–	–	–	–	1	1	2	4	10	14	18	22	25	20	24	10	7	–
	Female	211	–	–	–	–	–	1	–	1	–	1	2	3	10	18	12	22	37	56	20	16	12	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	79	–	1	–	1	–	–	–	1	1	–	2	3	4	4	5	9	16	13	9	10	–	–
	White Male	37	–	–	–	–	–	–	–	–	1	–	1	2	2	3	3	5	4	7	5	4	–	–
	Female	34	–	1	–	–	–	–	–	1	–	–	1	1	2	1	1	4	10	4	3	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,334	13	7	2	–	7	8	13	11	14	15	41	56	77	138	117	164	201	198	159	62	30	1
	White Male	650	7	5	–	–	5	3	5	4	11	7	21	31	56	68	65	97	87	85	60	23	9	1
	Female	553	3	–	2	–	1	3	6	4	1	7	11	17	12	48	36	61	96	99	90	37	19	–
	All other Male	72	2	1	–	–	1	1	–	1	2	–	2	7	8	13	10	3	7	6	5	1	2	–
	Female	59	1	1	–	–	–	1	2	2	–	1	7	1	1	9	6	3	11	8	4	1	–	–
400, 401, 403	Hypertension	93	–	–	–	–	–	1	–	–	–	–	1	5	6	5	7	12	19	9	16	10	2	–
	White Male	42	–	–	–	–	–	1	–	–	–	–	–	4	3	2	5	4	10	4	7	2	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	5	8	5	9	8	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–	–
430–438	Cerebrovascular diseases	3,630	9	3	2	1	4	6	7	8	19	29	52	86	118	203	353	415	647	723	575	273	97	–
	White Male	1,495	4	1	–	1	2	4	6	4	8	17	20	43	62	90	173	202	256	273	202	98	29	–
	Female	1,817	2	2	1	–	2	2	1	4	6	9	23	32	44	82	132	176	334	401	342	161	61	–
	All other Male	147	–	–	1	–	–	–	–	–	3	3	4	5	6	19	26	20	20	19	14	5	2	–
	Female	171	3	–	–	–	–	–	–	–	2	–	5	6	6	12	22	17	37	30	17	9	5	–
431	Cerebral hemorrhage	457	7	–	–	–	–	1	2	–	12	10	16	27	36	48	62	67	61	53	41	12	2	–
	White Male	193	2	–	–	–	–	1	1	–	5	7	7	10	17	20	29	35	19	20	17	2	1	–
	Female	208	2	–	–	–	–	–	1	–	3	2	6	14	17	18	25	24	36	29	21	9	1	–
	All other Male	27	–	–	–	–	–	–	–	–	3	1	2	2	1	6	4	3	2	2	–	1	–	–
	Female	29	3	–	–	–	–	–	–	–	1	–	1	1	1	4	4	5	4	2	3	–	–	–
433	Cerebral thrombosis	770	–	–	–	1	–	–	1	2	1	–	3	11	16	29	68	85	138	173	128	90	24	–
	White Male	311	–	–	–	1	–	–	1	1	–	–	1	5	9	11	35	37	56	60	44	38	12	–
	Female	389	–	–	–	–	–	–	–	1	–	–	–	4	6	11	24	42	69	96	78	48	10	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	6	3	5	3	5	–	1	–	–
	Female	47	–	–	–	–	–	–	–	–	1	–	2	2	1	1	6	1	10	12	6	3	2	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	–	3	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,392	2	3	2	–	4	5	4	6	6	19	33	47	65	126	223	261	444	497	403	171	71	–
	White Male	986	2	1	–	–	2	3	4	3	3	10	12	28	35	59	109	128	180	193	140	58	16	–
	Female	1,214	–	2	1	–	2	2	–	3	3	7	17	13	21	53	83	110	226	276	241	104	50	–
	All other Male	97	–	–	1	–	–	–	–	–	–	2	2	3	5	7	19	12	15	12	14	3	2	–
	Female	95	–	–	–	–	–	–	–	–	–	–	2	3	4	7	12	11	23	16	8	6	3	–
440	Arteriosclerosis	493	–	–	–	–	–	–	–	–	1	–	1	5	4	11	23	35	71	131	101	76	34	–
	White Male	186	–	–	–	–	–	–	–	–	1	–	1	5	3	9	11	16	26	53	31	22	8	–
	Female	274	–	–	–	–	–	–	–	–	–	–	–	–	–	2	9	17	34	71	64	52	25	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	1	1	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	8	5	5	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	427	1	–	1	–	–	2	1	3	2	5	9	10	25	35	70	60	59	59	54	19	12	–
	White Male	234	1	–	–	–	–	–	–	2	1	1	6	3	16	22	51	36	34	30	24	3	4	–
	Female	167	–	–	1	–	–	1	–	–	1	4	3	5	9	8	16	23	21	27	29	16	3	–
	All other Male	12	–	–	–	–	–	–	1	–	–	–	–	2	–	3	–	–	2	2	1	–	1	–
	Female	14	–	–	–	–	–	1	–	1	–	–	–	–	–	2	3	1	2	–	–	–	4	–
466	Acute bronchitis and bronchiolitis	15	1	1	–	–	–	1	–	–	–	–	1	1	–	2	2	1	1	–	3	–	1	–
	White Male	9	–	1	–	–	–	1	–	–	–	–	1	–	–	1	2	1	1	–	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	956	30	7	3	2	4	3	7	4	13	12	18	24	32	59	64	105	123	160	151	93	42	–
	White Male	473	19	1	2	1	3	1	4	2	7	8	10	12	18	38	27	53	62	79	69	39	18	–
	Female	388	7	6	1	1	–	1	2	1	5	2	5	7	9	15	26	40	48	70	72	50	20	–
	All other Male	58	2	–	–	–	1	1	–	–	1	2	2	3	5	4	5	7	10	4	6	2	3	–
	Female	37	2	–	–	–	–	–	1	1	–	–	1	2	–	2	6	5	3	7	4	2	1	–
470–474	Influenza	22	–	–	1	–	1	–	–	–	–	–	–	–	–	2	3	1	4	4	2	3	1	–
	White Male	10	–	–	1	–	1	–	–	–	–	–	–	–	–	2	–	1	1	–	1	2	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
480–486	Pneumonia	934	30	7	2	2	3	3	7	4	13	12	18	24	32	57	61	104	119	156	149	90	41	–
	White Male	463	19	1	1	1	2	1	4	2	7	8	10	12	18	38	27	52	61	79	68	37	17	–
	Female	380	7	6	1	1	–	1	2	1	5	2	5	7	9	15	25	40	46	67	71	49	20	–
	All other Male	57	2	–	–	–	1	1	–	–	1	2	2	3	5	4	5	7	9	4	6	2	3	–
	Female	34	2	–	–	–	–	–	1	1	–	–	1	2	–	2	4	5	3	6	4	2	1	–
490–493	Bronchitis, emphysema, and asthma	369	–	2	–	–	–	1	1	3	2	4	9	15	31	38	54	62	71	45	24	5	2	–
	White Male	273	–	2	–	–	–	–	–	1	2	1	8	12	25	24	40	50	59	30	16	2	1	–
	Female	85	–	–	–	–	–	–	1	2	–	2	1	2	5	12	14	9	11	14	8	3	1	–
	All other Male	10	–	–	–	–	–	1	–	–	–	1	–	1	1	2	–	2	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky — Con.																							
490, 491	Chronic and unqualified bronchitis	77	–	1	–	–	–	–	–	–	–	–	3	7	6	5	9	12	16	12	4	1	1	–
	White ..... Male	54	–	1	–	–	–	–	–	–	–	–	2	5	5	2	7	10	12	7	3	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	2	4	5	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	263	–	–	–	–	–	–	–	1	2	1	6	8	22	29	40	45	54	31	19	4	1	–
	White ..... Male	207	–	–	–	–	–	–	–	1	2	–	6	7	17	21	32	37	46	22	13	2	1	–
	Female	49	–	–	–	–	–	–	–	–	–	1	–	–	4	7	8	6	7	8	6	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	29	–	1	–	–	–	1	1	2	–	3	–	–	3	4	5	5	1	2	1	–	–	–
	White ..... Male	12	–	1	–	–	–	–	–	–	–	1	–	–	3	1	1	3	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	1	2	–	1	–	–	–	2	4	1	–	1	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	108	–	–	–	–	–	–	1	1	3	2	3	3	7	8	24	16	15	15	8	2	–	–
	White ..... Male	70	–	–	–	–	–	–	1	1	3	1	2	3	6	4	15	9	9	11	4	1	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	–	1	4	7	7	4	4	4	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	11	1	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	1	1	3	–	1	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
550–553, 560	Hernia and intestinal obstruction	105	6	–	–	1	–	–	2	–	2	–	1	–	7	7	10	13	14	14	19	8	1	–
	White ..... Male	34	4	–	–	1	–	–	–	–	2	–	–	–	4	1	3	3	2	5	5	3	1	–
	Female	51	2	–	–	–	–	–	1	–	–	–	–	–	2	4	5	8	8	6	10	5	–	–
	All other ..... Male	10	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	2	2	–	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	3	2	–	–	–
571	Cirrhosis of liver	338	1	1	1	–	1	4	3	9	13	26	34	44	62	54	38	23	13	7	4	–	–	–
	White ..... Male	206	–	1	1	–	–	–	1	4	9	18	18	23	40	34	22	17	11	4	3	–	–	–
	Female	95	1	–	–	–	1	1	2	2	3	4	10	16	15	14	14	6	2	3	1	–	–	–
	All other ..... Male	20	–	–	–	–	–	2	–	2	–	1	2	2	6	4	1	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	1	–	1	1	3	4	3	1	2	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	66	–	–	–	–	–	1	1	1	1	–	1	4	3	3	6	6	9	14	8	5	3	–
	White ..... Male	28	–	–	–	–	–	1	–	1	1	–	–	2	1	1	3	2	3	6	4	2	1	–
	Female	34	–	–	–	–	–	–	1	–	–	–	1	2	2	1	3	4	5	6	4	3	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	134	–	1	–	–	–	3	1	2	2	–	3	5	5	17	10	21	24	16	12	10	2	–
	White ..... Male	64	–	1	–	–	–	2	1	2	1	–	1	2	5	4	5	8	12	8	6	5	1	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	2	–	9	3	7	6	6	5	5	1	–
	All other ..... Male	12	–	–	–	–	–	1	–	–	1	–	1	–	–	2	–	5	2	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	4	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	30	–	–	–	–	–	1	–	1	–	–	1	2	2	3	2	6	3	2	4	1	2	–
	White ..... Male	15	–	–	–	–	–	1	–	1	–	–	1	2	2	1	1	1	1	1	2	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	104	–	1	–	–	–	2	1	1	2	–	2	3	3	14	8	15	21	14	8	9	–	–
	White ..... Male	49	–	1	–	–	–	1	1	1	1	–	–	–	3	3	4	7	11	7	4	5	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	2	–	8	2	6	5	5	4	4	–	–
	All other ..... Male	9	–	–	–	–	–	1	–	–	1	–	1	–	–	2	–	2	2	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	3	2	–	–	–	–
590	Infections of kidney	82	–	–	–	–	–	2	–	–	2	1	3	3	3	2	2	9	11	20	13	9	2	–
	White ..... Male	29	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	3	4	7	4	6	–	–
	Female	44	–	–	–	–	–	2	–	–	–	–	1	2	2	2	1	4	6	11	8	3	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	–	–	–
600	Hyperplasia of prostate	20	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	5	4	4	2	1	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	5	4	4	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	231	158	12	6	4	8	5	7	2	4	–	2	5	4	4	6	2	–	2	–	–	–	–
	White Male	116	82	6	4	1	4	4	3	1	3	–	–	2	1	2	2	1	–	–	–	–	–	–
	Female	97	63	5	2	2	4	1	3	1	1	–	1	2	3	2	4	1	–	2	–	–	–	–
	All other Male	15	11	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	405	404	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	206	206	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	26	25	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	212	211	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	193	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	270	104	3	1	1	3	1	3	3	4	1	5	5	12	13	15	16	16	15	21	20	7	1
	White Male	129	57	2	1	–	2	–	3	1	–	–	3	2	9	7	10	7	8	6	8	3	–	–
	Female	111	30	–	–	1	1	1	–	2	4	1	2	2	3	4	3	9	7	6	13	16	6	–
	All other Male	20	10	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	–	1	–	1
	Female	10	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–
Residual	All other diseases	2,420	41	19	13	23	20	23	37	32	35	47	77	128	189	230	317	309	294	276	190	86	33	1
	White Male	1,286	22	7	6	15	12	14	14	15	18	27	36	81	118	129	187	170	156	129	80	40	9	1
	Female	899	13	10	7	6	5	7	16	11	6	14	29	38	53	79	100	113	110	129	93	41	19	–
	All other Male	127	2	2	–	2	1	1	4	4	5	2	5	6	12	8	22	14	15	11	8	1	2	–
	Female	108	4	–	–	–	2	1	3	2	6	4	7	3	6	14	8	12	13	7	9	4	3	–
E800–E949	Accidents	2,145	24	69	65	69	270	245	149	130	89	98	110	92	119	111	100	90	100	100	68	38	8	1
	White Male	1,394	10	34	39	53	199	171	114	94	66	75	80	70	70	75	61	49	48	44	23	16	3	–
	Female	579	9	24	20	15	58	50	29	28	17	15	25	18	30	26	23	33	44	55	37	20	3	–
	All other Male	116	3	8	1	1	11	21	4	4	2	5	5	1	15	5	11	8	5	–	3	1	2	–
	Female	56	2	3	5	–	2	3	2	4	4	3	–	3	4	5	5	–	3	1	5	1	–	1
E810–E823	Motor vehicle accidents	944	6	33	34	30	194	153	94	71	38	38	37	34	50	32	26	25	23	17	6	3	–	–
	White Male	642	2	16	18	21	141	103	70	49	25	32	26	27	26	21	15	17	16	13	4	–	–	–
	Female	242	3	16	14	9	43	35	20	19	12	3	11	6	15	10	8	6	6	3	1	2	–	–
	All other Male	44	1	–	–	–	8	13	2	1	–	2	–	–	9	1	2	2	1	–	1	1	–	–
	Female	16	–	1	2	–	2	2	2	2	1	1	–	1	–	–	1	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,201	18	36	31	39	76	92	55	59	51	60	73	58	69	79	74	65	77	83	62	35	8	1
	White Male	752	8	18	21	32	58	68	44	45	41	43	54	43	44	54	46	32	32	31	19	16	3	–
	Female	337	6	8	6	6	15	15	9	9	5	12	14	12	15	16	15	27	38	52	36	18	3	–
	All other Male	72	2	8	1	1	3	8	2	3	2	3	5	1	6	4	9	6	4	–	2	–	2	–
	Female	40	2	2	3	–	–	1	–	2	3	2	–	2	4	5	4	–	3	–	5	1	–	1
E950–E959	Suicide	475	...	...	–	6	21	46	40	35	43	26	45	54	44	37	31	19	13	11	4	–	–	–
	White Male	346	...	...	–	4	19	34	32	25	26	19	31	37	35	26	20	15	10	10	3	–	–	–
	Female	108	...	...	–	2	1	9	7	8	15	5	12	14	9	10	9	3	3	1	–	–	–	–
	All other Male	15	...	...	–	–	–	3	1	1	2	1	1	2	–	1	2	–	–	–	1	–	–	–
	Female	6	...	...	–	–	1	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	318	–	3	1	4	29	48	49	44	34	26	25	14	8	10	8	7	2	5	–	1	–	–
	White Male	198	–	1	1	2	21	27	29	32	23	18	16	5	3	9	5	3	1	2	–	–	–	–
	Female	45	–	1	–	1	2	3	5	3	5	6	5	4	3	–	–	3	1	3	–	–	–	–
	All other Male	56	–	1	–	1	4	15	11	6	4	2	4	3	2	1	2	–	–	–	–	–	–	–
	Female	19	–	–	–	–	2	3	4	3	2	–	–	2	–	–	1	1	–	–	–	1	–	–
E980–E999	Other external causes	56	2	3	1	1	3	11	7	1	6	5	2	4	5	–	1	3	–	–	–	1	–	–
	White Male	41	1	–	1	1	2	7	6	1	4	5	1	3	5	–	1	3	–	–	–	–	–	–
	Female	11	1	2	–	–	1	2	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana																							
	All causes	**34,693**	**1,345**	**202**	**116**	**163**	**503**	**627**	**582**	**478**	**576**	**816**	**1,241**	**1,828**	**2,463**	**3,116**	**4,015**	**4,399**	**4,224**	**3,693**	**2,564**	**1,210**	**492**	**40**
	White ..... Male	13,030	339	50	36	58	236	288	266	177	220	304	488	794	1,102	1,368	1,723	1,687	1,536	1,251	717	283	94	13
	Female	10,097	217	50	32	28	82	85	80	73	105	145	255	407	568	743	946	1,270	1,435	1,474	1,251	622	221	8
	All other ..... Male	6,433	428	60	32	54	142	200	171	172	162	213	287	362	476	572	776	771	631	476	265	120	55	8
	Female	5,133	361	42	16	23	43	54	65	56	89	154	211	265	317	433	570	671	622	492	331	185	122	11
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	50	21	1	–	–	1	–	–	–	–	–	1	2	3	1	2	5	4	2	4	3	–	–
	White ..... Male	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–
	Female	16	2	1	–	–	1	–	–	–	–	–	1	–	1	1	1	3	1	1	2	1	–	–
	All other ..... Male	8	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	Female	19	12	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	2	1	–	–
010–019	Tuberculosis, all forms	88	1	–	–	–	1	–	–	2	2	6	6	4	16	7	10	15	2	7	7	1	1	–
	White ..... Male	26	1	–	–	–	–	–	–	–	–	1	1	1	4	4	3	5	1	2	2	1	–	–
	Female	11	–	–	–	–	1	–	–	–	1	1	2	–	1	1	–	2	–	1	1	–	–	–
	All other ..... Male	38	–	–	–	–	–	–	–	1	1	2	2	2	11	1	7	7	1	3	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	2	1	1	–	1	–	1	–	1	4	–	1	–
010–012	Tuberculosis of respiratory system	72	1	–	–	–	1	–	–	2	–	4	4	4	14	4	10	12	2	6	6	1	1	–
	White ..... Male	23	1	–	–	–	–	–	–	–	–	1	1	1	4	2	3	5	1	2	1	1	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	1	–	–	1	–	–	–
	All other ..... Male	31	–	–	–	–	–	–	–	1	–	2	–	2	10	–	7	5	1	3	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	1	–	1	4	–	1	–
013–019	Tuberculosis, other forms	16	–	–	–	–	–	–	–	–	2	2	2	–	2	3	–	3	–	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	1	–	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	7	7	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	3	3	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	224	63	3	1	1	1	4	3	1	2	4	3	10	11	20	21	14	21	23	8	9	1	–
	White ..... Male	51	10	1	–	–	–	1	2	–	1	1	–	1	3	3	6	4	5	4	5	3	1	–
	Female	47	6	–	–	–	1	3	–	–	–	–	–	2	2	7	5	5	3	7	1	5	–	–
	All other ..... Male	66	25	1	1	1	–	–	–	1	–	1	–	4	2	4	9	2	8	4	2	1	–	–
	Female	60	22	1	–	–	–	–	1	–	1	2	3	3	4	6	1	3	5	8	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	84	6	–	3	–	7	3	3	4	1	2	–	4	6	4	7	10	13	4	5	1	1	–
	White ..... Male	28	2	–	1	–	2	1	2	1	–	–	–	2	3	2	2	5	2	–	3	–	–	–
	Female	25	–	–	2	–	2	2	–	1	1	1	–	–	2	1	1	3	6	2	1	–	–	–
	All other ..... Male	15	3	–	–	–	–	–	–	2	–	1	–	1	–	1	1	–	2	1	1	1	1	–
	Female	16	1	–	–	–	3	–	1	–	–	–	–	1	1	–	3	2	3	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,568	4	8	10	17	28	24	51	40	86	158	315	491	716	866	1,061	958	774	553	306	80	21	1
	White Male	2,601	2	4	1	6	9	8	21	13	25	58	99	169	305	360	458	403	327	200	102	25	5	1
	Female	1,973	1	1	4	2	5	6	17	11	24	41	95	165	206	236	272	268	256	187	137	30	9	–
	All other Male	1,172	–	2	5	5	7	8	6	9	16	25	60	81	129	167	194	180	123	102	38	13	2	–
	Female	822	1	1	–	4	7	2	7	7	21	34	61	76	76	103	137	107	68	64	29	12	5	–
140–149	Of buccal cavity and pharynx	158	–	–	–	–	–	–	–	2	6	4	10	15	29	20	21	24	10	9	7	1	–	–
	White Male	88	–	–	–	–	–	–	–	2	2	2	4	5	16	11	16	14	7	3	5	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	4	3	3	4	2	3	1	–	–	–
	All other Male	34	–	–	–	–	–	–	–	–	2	1	3	6	9	4	–	5	–	3	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	2	1	2	3	–	2	2	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,543	1	–	–	–	1	2	3	8	9	33	50	102	136	191	247	259	211	160	100	26	4	–
	White Male	575	–	–	–	–	–	–	–	5	2	11	23	39	50	65	108	98	80	60	27	7	–	–
	Female	486	–	–	–	–	–	–	1	1	1	7	13	29	40	63	60	78	73	57	51	10	2	–
	All other Male	277	–	–	–	–	1	2	1	1	4	8	8	18	29	43	47	43	32	22	11	6	1	–
	Female	205	1	–	–	–	–	–	1	1	2	7	6	16	17	20	32	40	26	21	11	3	1	–
160–163	Of respiratory system	1,773	–	–	–	–	–	2	2	1	12	47	108	159	256	292	328	239	172	97	46	7	5	–
	White Male	992	–	–	–	–	–	–	1	–	4	27	45	79	140	172	189	148	112	56	16	2	1	–
	Female	294	–	–	–	–	–	–	1	–	4	4	18	27	48	43	43	35	28	18	18	4	3	–
	All other Male	386	–	–	–	–	–	1	–	1	3	9	33	42	54	62	76	46	30	18	9	1	1	–
	Female	101	–	–	–	–	–	1	–	–	1	7	12	11	14	15	20	10	2	5	3	–	–	–
174	Of breast	505	–	–	–	–	–	–	4	8	9	20	52	61	66	55	76	48	41	31	24	9	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	381	–	–	–	–	–	–	3	3	5	13	34	44	50	43	57	43	35	24	19	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	121	–	–	–	–	–	–	1	5	4	7	18	17	16	12	18	4	6	6	5	2	–	–
180–187	Of genital organs	671	–	–	–	–	2	1	6	3	10	9	14	40	39	86	91	112	108	85	51	11	2	1
	White Male	200	–	–	–	–	1	1	1	1	1	–	–	2	7	18	30	31	42	32	26	4	2	1
	Female	192	–	–	–	–	–	–	4	1	4	7	7	25	17	30	16	28	31	12	10	–	–	–
	All other Male	171	–	–	–	–	1	–	–	1	–	–	–	1	9	15	30	38	25	35	12	4	–	–
	Female	108	–	–	–	–	–	–	1	–	5	2	7	12	6	23	15	15	10	6	3	3	–	–
188, 189	Of urinary organs	271	–	–	–	–	–	2	1	3	3	3	11	17	29	23	46	42	40	36	13	2	–	–
	White Male	126	–	–	–	–	–	–	–	–	–	1	8	9	18	8	22	20	21	13	5	1	–	–
	Female	77	–	–	–	–	–	1	–	–	2	1	1	4	6	7	15	12	7	13	7	1	–	–
	All other Male	48	–	–	–	–	–	1	–	3	1	–	2	1	4	7	6	6	9	7	1	–	–	–
	Female	20	–	–	–	–	–	–	1	–	–	1	–	3	1	1	3	4	3	3	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,047	3	4	3	12	12	7	18	9	19	32	44	77	107	142	166	141	103	79	43	19	7	–
	White Male	386	2	3	–	4	2	3	8	3	8	15	13	25	39	62	61	60	35	19	15	8	1	–
	Female	303	1	–	2	2	3	3	5	5	3	6	12	31	28	31	45	28	38	33	19	6	2	–
	All other Male	172	–	–	1	3	1	1	3	1	3	4	7	11	22	25	25	31	17	14	2	1	–	–
	Female	186	–	1	–	3	6	–	2	–	5	7	12	10	18	24	35	22	13	13	7	4	4	–
204–207	Leukemia	258	–	4	6	3	10	6	5	4	6	6	9	7	19	24	35	34	41	26	10	1	2	–
	White Male	97	–	1	1	1	6	3	3	1	2	1	1	2	11	9	13	13	16	8	4	–	1	–
	Female	93	–	1	2	–	2	–	1	–	3	3	3	1	7	8	15	12	17	12	5	–	1	–
	All other Male	37	–	2	3	1	1	2	–	2	–	2	3	2	–	6	4	3	3	1	1	1	–	–
	Female	31	–	–	–	1	1	1	1	1	1	–	2	2	1	1	3	6	5	5	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	342	–	–	1	2	3	4	12	2	12	4	17	13	35	33	51	59	48	30	12	4	–	–
	White Male	134	–	–	–	1	–	1	8	1	6	1	5	8	24	15	18	18	14	8	4	2	–	–
	Female	125	–	–	–	–	–	2	2	1	2	–	6	3	6	8	18	28	25	15	7	2	–	–
	All other Male	47	–	–	1	1	3	1	2	–	3	1	4	–	2	5	6	8	7	2	1	–	–	–
	Female	36	–	–	–	–	–	–	–	–	1	2	2	2	3	5	9	5	2	5	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	121	1	–	3	–	3	2	3	3	5	7	3	9	16	10	17	14	8	9	6	1	–	1
	White Male	39	1	–	2	–	2	2	–	2	4	3	1	2	7	2	4	3	–	2	1	–	–	1
	Female	39	–	–	–	–	1	–	1	1	1	2	–	3	5	2	7	8	4	3	–	1	–	–
	All other Male	21	–	–	–	–	–	–	1	–	–	1	1	2	2	3	5	2	2	1	1	–	–	–
	Female	22	–	–	1	–	–	–	1	–	–	1	1	2	2	3	1	1	2	3	4	–	–	–
250	Diabetes mellitus	757	–	–	–	–	2	1	5	6	11	15	14	41	66	84	108	139	115	94	43	11	2	–
	White Male	188	–	–	–	–	–	–	3	1	2	2	4	10	13	23	31	40	18	25	13	3	–	–
	Female	235	–	–	–	–	1	–	1	1	2	1	3	6	15	21	28	40	54	37	20	4	1	–
	All other Male	117	–	–	–	–	1	1	–	2	2	6	2	8	11	12	20	22	13	10	5	1	1	–
	Female	217	–	–	–	–	–	–	1	2	5	6	5	17	27	28	29	37	30	22	5	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	64	5	–	–	1	1	2	–	–	–	1	–	2	3	1	7	7	6	8	11	6	3	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–
	Female	27	1	–	–	–	1	2	–	–	–	–	–	–	1	–	2	3	4	4	4	3	2	–
	All other Male	18	3	–	–	1	–	–	–	–	–	–	–	2	1	1	3	1	2	1	1	2	–	–
	Female	12	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	3	–	1	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
280–285	Anemias	63	2	–	2	2	1	2	2	2	1	1	4	3	1	6	3	5	8	8	6	4	–	–
	White Male	15	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	4	4	2	1	–	–
	Female	18	–	–	1	–	–	–	1	–	–	1	–	–	–	1	2	1	1	3	4	3	–	–
	All other Male	16	2	–	–	–	1	1	–	1	1	–	2	3	–	1	1	1	1	1	–	–	–	–
	Female	14	–	–	1	1	–	1	1	1	–	–	2	–	1	3	–	1	2	–	–	–	–	–
320	Meningitis	36	12	9	1	–	1	1	–	1	–	–	–	2	2	1	2	1	1	2	–	–	–	–
	White Male	12	3	3	1	–	–	–	–	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–
	Female	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	5	2	–	–	–	1	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–
	Female	6	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	16,957	33	12	2	5	15	22	37	76	136	232	451	788	1,097	1,510	2,063	2,502	2,574	2,346	1,757	896	386	17
	White Male	6,204	9	2	1	1	4	5	12	24	46	98	202	392	536	708	885	904	880	756	470	198	69	2
	Female	5,436	3	2	–	1	1	5	8	12	16	29	66	119	210	323	463	750	896	987	890	472	179	4
	All other Male	2,705	15	5	–	2	5	5	10	24	43	61	111	157	212	259	419	430	379	277	165	81	40	5
	Female	2,612	6	3	1	1	5	7	7	16	31	44	72	120	139	220	296	418	419	326	232	145	98	6
390–398, 402, 404, 410–429	Diseases of heart	12,470	28	5	1	4	13	16	23	60	97	185	384	661	899	1,232	1,625	1,850	1,825	1,598	1,123	572	256	13
	White Male	4,871	8	–	–	1	4	5	9	18	39	85	189	351	476	594	726	710	646	525	303	137	43	2
	Female	3,732	2	–	–	1	1	1	3	11	9	18	49	87	161	265	366	543	601	651	553	289	119	2
	All other Male	1,997	14	3	–	1	4	4	7	18	29	49	98	130	161	196	306	310	276	188	115	55	29	4
	Female	1,870	4	2	1	1	4	6	4	13	20	33	48	93	101	177	227	287	302	234	152	91	65	5
390–398	Active rheumatic fever and chronic rheumatic heart disease	122	–	–	–	–	1	2	3	4	6	7	11	12	16	11	14	10	13	10	1	1	–	–
	White Male	36	–	–	–	–	–	–	–	2	1	1	4	3	7	3	6	4	1	2	1	1	–	–
	Female	45	–	–	–	–	–	–	–	–	2	2	4	5	5	6	2	3	9	7	–	–	–	–
	All other Male	19	–	–	–	–	1	1	2	–	1	1	–	1	1	1	6	1	2	1	–	–	–	–
	Female	22	–	–	–	–	–	1	1	2	2	3	3	3	3	1	–	2	1	–	–	–	–	–
402	Hypertensive heart disease	120	–	–	–	–	–	1	1	–	3	1	3	2	8	10	19	19	19	16	12	6	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	5	1	3	2	–	–	–
	Female	27	–	–	–	–	–	–	1	–	–	–	–	–	2	3	2	1	5	3	6	4	–	–
	All other Male	29	–	–	–	–	–	1	–	–	1	–	3	–	2	1	7	3	7	4	–	–	–	–
	Female	43	–	–	–	–	–	–	–	–	2	1	–	2	2	4	4	10	6	6	4	2	–	–
404	Hypertensive heart and renal disease	64	–	–	–	–	–	–	–	–	–	2	–	2	–	3	9	12	10	12	6	6	–	2
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	2	3	–	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	6	1	3	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	–	1	3	1	–	2
	Female	16	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	2	6	2	2	–	–	–
410–413	Ischemic heart disease	10,773	1	1	–	1	1	6	9	35	71	152	329	571	792	1,087	1,427	1,616	1,580	1,381	985	503	217	8
	White Male	4,410	–	–	–	–	–	5	5	11	32	80	174	327	436	553	662	642	584	461	275	127	35	1
	Female	3,255	1	–	–	–	–	–	–	8	4	11	41	64	135	230	328	485	523	574	491	254	104	2
	All other Male	1,620	–	–	–	–	–	1	3	10	23	38	79	105	137	164	247	263	228	152	97	47	25	1
	Female	1,488	–	1	–	1	1	–	1	6	12	23	35	75	84	140	190	226	245	194	122	75	53	4
410	Acute myocardial infarction	5,232	1	–	–	1	1	6	8	27	47	100	215	347	483	652	822	851	688	510	286	135	52	–
	White Male	2,547	–	–	–	–	–	5	4	9	29	64	127	226	292	370	422	391	291	187	81	40	9	–
	Female	1,452	1	–	–	–	–	–	–	8	1	4	24	40	79	141	190	272	240	217	140	68	27	–
	All other Male	697	–	–	–	–	–	1	3	8	11	21	44	54	71	74	132	100	76	50	36	10	6	–
	Female	536	–	–	–	1	1	–	1	2	6	11	20	27	41	67	78	88	81	56	29	17	10	–
411	Other acute and subacute forms of ischemic heart disease	45	–	–	–	–	–	–	–	–	–	–	1	–	4	4	7	6	9	8	2	2	2	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	3	4	4	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	1	1	1	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	1	–
412	Chronic ischemic heart disease	5,491	–	1	–	–	–	–	1	8	24	52	113	224	304	430	596	759	882	863	697	366	163	8
	White Male	1,837	–	–	–	–	–	–	1	2	3	16	46	101	141	179	236	248	288	270	193	86	26	1
	Female	1,794	–	–	–	–	–	–	–	–	3	7	17	24	54	89	136	212	282	356	350	185	77	2
	All other Male	914	–	–	–	–	–	–	–	2	12	17	35	51	66	90	113	161	149	101	61	37	18	1
	Female	946	–	1	–	–	–	–	–	4	6	12	15	48	43	72	111	138	163	136	93	58	42	4
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	80	1	–	–	–	–	–	–	3	1	1	2	2	4	6	5	15	15	9	6	6	3	1
	White Male	25	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	3	6	5	1	1	1	–
	Female	25	–	–	–	–	–	–	–	1	1	1	1	–	1	1	1	4	4	3	3	2	2	–
	All other Male	13	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	–	–	1	–	1
	Female	17	–	–	–	–	–	–	–	2	–	–	–	–	1	3	–	4	2	1	2	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,311	26	4	1	3	11	7	10	18	16	22	39	72	79	115	151	178	188	170	113	50	36	2
	White Male	363	8	–	–	1	4	–	4	5	6	4	10	19	29	35	45	52	52	51	24	6	7	1
	Female	363	1	–	–	1	1	1	2	2	2	4	3	17	18	25	32	47	58	58	52	26	13	–
	All other Male	301	13	3	–	1	3	1	2	8	4	10	16	23	21	27	42	36	36	30	15	6	4	–
	Female	284	4	1	1	–	3	5	2	3	4	4	10	13	11	28	32	43	42	31	22	12	12	1
400, 401, 403	Hypertension	75	–	–	–	–	–	–	–	–	3	–	3	8	5	4	11	15	6	10	7	3	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	2	2	–	3	3	3	3	1	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	3	–	5	5	2	–	–
	All other Male	19	–	–	–	–	–	–	–	–	3	–	–	3	1	2	5	3	1	–	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	6	2	2	–	–	–	–
430–438	Cerebrovascular diseases	3,438	3	6	1	1	1	5	11	14	30	41	56	101	157	215	327	524	586	571	476	224	86	2
	White Male	970	1	2	1	–	–	–	3	6	7	11	10	34	46	78	100	150	168	175	118	43	17	–
	Female	1,292	–	2	–	–	–	3	3	–	4	9	14	23	40	45	72	163	246	248	255	123	42	–
	All other Male	574	1	1	–	1	1	1	3	5	8	11	11	21	42	52	97	103	81	69	37	21	7	1
	Female	602	1	1	–	–	–	1	2	3	11	10	21	23	29	40	58	108	91	79	66	37	20	1
431	Cerebral hemorrhage	369	2	2	–	–	–	1	5	4	6	14	14	28	37	33	54	40	47	39	29	13	1	–
	White Male	104	1	1	–	–	–	–	2	3	1	1	3	8	10	15	14	10	12	15	7	1	–	–
	Female	118	–	1	–	–	–	1	1	–	–	4	2	3	13	8	13	12	22	14	15	9	–	–
	All other Male	82	1	–	–	–	–	–	2	1	4	7	5	9	4	6	19	10	6	6	–	1	1	–
	Female	65	–	–	–	–	–	–	–	–	1	2	4	8	10	4	8	8	7	4	7	2	–	–
433	Cerebral thrombosis	684	–	–	–	–	–	–	1	2	–	3	2	16	23	36	57	95	133	125	120	55	16	–
	White Male	221	–	–	–	–	–	–	–	–	–	1	–	7	12	19	24	33	36	46	31	11	1	–
	Female	284	–	–	–	–	–	–	–	–	–	1	1	8	5	1	11	35	61	50	68	34	9	–
	All other Male	86	–	–	–	–	–	–	–	2	–	–	–	1	4	9	14	11	18	15	8	3	1	–
	Female	93	–	–	–	–	–	–	1	–	–	1	1	–	2	7	8	16	18	14	13	7	5	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	2	1	–	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,372	1	4	1	1	1	4	5	8	24	24	39	56	95	146	213	387	405	407	324	156	69	2
	White Male	641	–	1	1	–	–	–	1	3	6	9	7	18	24	44	61	106	119	114	80	31	16	–
	Female	886	–	1	–	–	–	2	2	–	4	4	11	12	22	36	48	115	163	184	169	80	33	–
	All other Male	403	–	1	–	1	1	1	1	2	4	4	6	11	32	37	63	82	57	48	29	17	5	1
	Female	442	1	1	–	–	–	1	1	3	10	7	15	15	17	29	41	84	66	61	46	28	15	1
440	Arteriosclerosis	596	–	–	–	–	–	–	–	–	–	1	2	3	9	17	40	63	95	124	120	82	38	2
	White Male	186	–	–	–	–	–	–	–	–	–	–	1	1	2	11	19	17	36	38	39	15	7	–
	Female	266	–	–	–	–	–	–	–	–	–	1	–	1	2	4	11	26	28	66	60	49	16	2
	All other Male	61	–	–	–	–	–	–	–	–	–	–	–	1	2	1	5	8	15	12	8	5	4	–
	Female	83	–	–	–	–	–	–	–	–	–	–	1	–	3	1	5	12	16	8	13	13	11	–
441–448	Other diseases of arteries, arterioles, and capillaries	378	2	1	–	–	1	1	3	2	6	5	6	15	27	42	60	50	62	43	31	15	6	–
	White Male	159	–	–	–	–	–	–	–	–	–	2	2	4	10	25	37	24	27	15	9	2	2	–
	Female	123	1	–	–	–	–	1	2	1	3	1	1	5	6	8	13	15	21	17	17	9	2	–
	All other Male	54	–	1	–	–	–	–	–	1	3	1	2	2	6	8	6	6	6	8	4	–	–	–
	Female	42	1	–	–	–	1	–	1	–	–	1	1	4	5	1	4	5	8	3	1	4	2	–
466	Acute bronchitis and bronchiolitis	11	–	2	–	–	–	–	–	–	–	–	1	2	3	–	1	1	–	–	1	–	–	–
	White Male	6	–	1	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	846	72	9	1	4	11	3	11	11	13	22	20	29	33	43	58	84	116	127	96	59	23	1
	White Male	298	10	2	–	–	3	–	2	6	4	5	5	11	7	22	31	33	55	49	31	12	9	1
	Female	257	9	1	–	1	5	1	2	1	4	4	6	5	9	10	9	17	36	51	44	34	8	–
	All other Male	172	30	3	–	2	2	–	6	4	2	6	6	11	10	6	12	20	14	17	14	6	1	–
	Female	119	23	3	1	1	1	2	1	–	3	7	3	2	7	5	6	14	11	10	7	7	5	–
470–474	Influenza	31	–	–	–	1	–	–	1	–	–	1	–	–	1	1	3	4	7	5	4	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	1	–
	Female	17	–	–	–	1	–	–	1	–	–	–	–	–	–	1	2	2	3	3	2	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
480–486	Pneumonia	815	72	9	1	3	11	3	10	11	13	21	20	29	32	42	55	80	109	122	92	58	21	1
	White Male	290	10	2	–	–	3	–	2	6	4	5	5	11	7	22	30	32	53	48	29	12	8	1
	Female	240	9	1	–	–	5	1	1	1	4	4	6	5	9	9	7	15	33	48	42	33	7	–
	All other Male	170	30	3	–	2	2	–	6	4	2	5	6	11	10	6	12	20	13	17	14	6	1	–
	Female	115	23	3	1	1	1	2	1	–	3	7	3	2	6	5	6	13	10	9	7	7	5	–
490–493	Bronchitis, emphysema, and asthma	358	4	1	–	2	–	–	–	–	4	9	17	17	27	45	54	74	46	41	12	3	2	–
	White Male	205	1	–	–	–	–	–	–	–	2	2	7	7	18	25	33	45	28	29	7	1	–	–
	Female	74	–	–	–	1	–	–	–	–	–	1	–	6	3	15	10	14	11	8	2	2	1	–
	All other Male	63	3	1	–	1	–	–	–	–	2	2	7	4	5	5	9	13	6	4	–	–	1	–
	Female	16	–	–	–	–	–	–	–	–	–	4	3	–	1	–	2	2	1	–	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
490, 491	Chronic and unqualified bronchitis	46	4	1	–	–	–	–	–	–	2	–	2	2	1	7	7	8	5	3	3	1	–	–
	White ..... Male	24	1	–	–	–	–	–	–	–	2	–	1	1	1	3	2	5	4	2	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	1	1	1	–	–	–
	All other ..... Male	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
492	Emphysema	271	–	–	–	1	–	–	–	–	2	3	12	13	21	30	45	57	38	37	8	2	2	–
	White ..... Male	172	–	–	–	–	–	–	–	–	–	2	6	5	16	19	29	39	23	27	6	–	–	–
	Female	51	–	–	–	1	–	–	–	–	–	–	–	5	1	8	8	9	9	7	–	2	1	–
	All other ..... Male	45	–	–	–	–	–	–	–	–	2	1	6	3	4	3	7	9	6	3	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
493	Asthma	41	–	–	–	1	–	–	–	–	–	6	3	2	5	8	2	9	3	1	1	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	4	1	–	1	–	–	–
	All other ..... Male	11	–	–	–	1	–	–	–	–	–	1	1	1	1	2	–	3	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	4	2	–	1	–	–	1	1	–	–	–	–	–
531–533	Peptic ulcer	83	2	–	–	–	–	–	1	2	–	2	5	7	6	6	12	5	12	10	12	1	–	–
	White ..... Male	31	–	–	–	–	–	–	1	–	–	–	3	4	3	2	4	2	2	5	4	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	1	6	4	6	–	–	–
	All other ..... Male	15	2	–	–	–	–	–	–	1	–	1	–	1	1	4	1	2	1	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	1	1	–	1	–	3	–	3	–	2	–	–	–
540–543	Appendicitis	14	–	1	–	–	–	–	1	–	–	1	–	–	1	–	4	–	2	3	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	91	10	–	–	–	–	–	–	1	1	2	1	1	4	6	14	13	13	12	7	4	–	2
	White ..... Male	22	3	–	–	–	–	–	–	–	–	1	–	–	–	1	6	3	2	–	4	1	–	1
	Female	40	1	–	–	–	–	–	–	1	1	1	–	1	2	2	2	6	7	11	2	3	–	–
	All other ..... Male	13	2	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	1	1	–	–	–	1
	Female	16	4	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	3	–	1	–	–	–
571	Cirrhosis of liver	403	–	–	–	–	1	2	6	9	19	33	54	59	62	45	56	24	18	5	4	5	1	–
	White ..... Male	201	–	–	–	–	–	–	1	5	8	12	29	33	33	24	33	10	9	1	1	1	1	–
	Female	98	–	–	–	–	–	–	2	2	4	3	11	13	15	11	12	11	4	3	3	4	–	–
	All other ..... Male	64	–	–	–	–	–	1	3	1	6	15	9	9	6	4	6	2	1	1	–	–	–	–
	Female	40	–	–	–	–	1	1	–	1	1	3	5	4	8	6	5	1	4	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	42	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	2	6	10	11	1	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	5	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	4	9	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	1	–	–
580–584	Nephritis and nephrosis	227	4	–	–	–	1	4	6	2	5	7	6	11	12	23	26	34	31	32	13	5	5	–
	White ..... Male	44	–	–	–	–	–	1	1	1	1	1	1	4	1	3	7	7	9	4	2	1	–	–
	Female	44	–	–	–	–	1	1	2	–	–	–	–	2	1	3	6	9	4	10	3	–	2	–
	All other ..... Male	70	–	–	–	–	–	1	1	1	1	2	3	1	5	10	6	11	9	12	3	3	1	–
	Female	69	4	–	–	–	–	1	2	–	3	4	2	4	5	7	7	7	9	6	5	1	2	–
580, 581	Acute nephritis and nephrotic syndrome	27	4	–	–	–	–	–	1	–	–	–	–	–	–	1	6	5	3	6	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	1	3	–	–	–	–
	Female	8	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	200	–	–	–	–	1	4	5	2	5	7	6	11	12	22	20	29	28	26	12	5	5	–
	White ..... Male	41	–	–	–	–	–	1	1	1	1	1	1	4	1	3	7	6	8	3	2	1	–	–
	Female	37	–	–	–	–	1	1	2	–	–	–	–	2	1	3	3	8	3	9	2	–	2	–
	All other ..... Male	61	–	–	–	–	–	1	–	1	1	2	3	1	5	10	4	9	8	9	3	3	1	–
	Female	61	–	–	–	–	–	1	2	–	3	4	2	4	5	6	6	6	9	5	5	1	2	–
590	Infections of kidney	83	–	–	–	–	–	–	–	–	–	3	4	3	–	2	8	11	17	15	10	6	4	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	6	5	2	2	1	–	–
	Female	36	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	1	10	8	5	5	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	1	2	–	2	1	2	1	4	3	–	2	–
600	Hyperplasia of prostate	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	4	3	2	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	2	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	4	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	–	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	4	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	–	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	294	194	23	8	10	5	4	4	3	4	6	3	3	3	3	8	1	–	3	–	–	–	9
	White Male	103	68	5	2	5	3	1	3	1	2	2	1	–	1	2	2	–	–	1	–	–	–	4
	Female	88	57	6	4	1	1	1	–	1	1	3	2	3	2	1	2	–	–	–	–	–	–	3
	All other Male	56	39	5	–	3	1	1	–	1	1	1	–	–	–	–	1	–	–	2	–	–	–	1
	Female	47	30	7	2	1	–	1	1	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	703	702	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	176	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	226	226	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	194	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	365	365	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	338	337	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	90	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	403	82	4	–	1	1	2	4	6	–	9	11	5	20	33	36	45	43	37	28	24	12	–
	White Male	130	21	1	–	–	–	1	1	4	–	–	4	1	5	14	17	18	12	15	9	5	2	–
	Female	103	9	–	–	–	1	1	2	–	–	3	3	1	6	7	6	11	12	15	10	11	5	–
	All other Male	82	25	1	–	–	–	–	–	2	–	5	2	–	7	8	6	8	9	2	2	3	2	–
	Female	88	27	2	–	1	–	–	1	–	–	1	2	3	2	4	7	8	10	5	7	5	3	–
Residual	All other diseases	2,507	81	26	11	12	31	33	42	47	55	77	118	148	187	245	286	328	283	255	156	63	21	2
	White Male	945	18	6	6	2	11	13	13	11	14	18	39	56	79	99	133	143	117	104	41	19	3	–
	Female	708	11	8	3	5	8	2	8	11	11	15	23	37	40	65	70	90	82	99	78	31	10	1
	All other Male	450	31	7	1	1	7	9	9	15	20	23	27	35	37	45	42	45	42	24	21	6	3	–
	Female	404	21	5	1	4	5	9	12	10	10	21	29	20	31	36	41	50	42	28	16	7	5	1
E800–E949	Accidents	2,418	37	87	67	104	298	326	239	145	121	120	125	125	102	102	94	80	80	75	52	26	9	4
	White Male	1,173	10	19	20	42	171	190	145	72	67	63	60	65	47	44	35	37	36	29	9	7	3	2
	Female	469	4	25	16	16	44	42	20	16	22	14	25	25	29	27	27	21	28	27	26	13	2	–
	All other Male	597	10	28	23	38	69	85	62	52	29	33	31	29	19	24	17	14	10	8	9	3	3	1
	Female	179	13	15	8	8	14	9	12	5	3	10	9	6	7	7	15	8	6	11	8	3	1	1
E810–E823	Motor vehicle accidents	1,069	4	39	32	38	168	183	126	73	53	51	57	52	36	41	35	30	27	15	7	1	1	–
	White Male	529	1	11	10	17	92	105	68	35	24	26	30	31	17	18	10	12	12	5	4	1	–	–
	Female	229	1	11	11	7	39	30	16	10	13	7	12	9	10	14	14	10	10	5	–	–	–	–
	All other Male	254	1	12	8	12	30	43	38	25	16	12	12	9	5	9	6	5	4	3	3	–	1	–
	Female	57	1	5	3	2	7	5	4	3	–	6	3	3	4	–	5	3	1	2	–	–	–	–
E800–E807, E825–E949	All other accidents	1,349	33	48	35	66	130	143	113	72	68	69	68	73	66	61	59	50	53	60	45	25	8	4
	White Male	644	9	8	10	25	79	85	77	37	43	37	30	34	30	26	25	25	24	24	5	6	3	2
	Female	240	3	14	5	9	5	12	4	6	9	7	13	16	19	13	13	11	18	22	26	13	2	–
	All other Male	343	9	16	15	26	39	42	24	27	13	21	19	20	14	15	11	9	6	5	6	3	2	1
	Female	122	12	10	5	6	7	4	8	2	3	4	6	3	3	7	10	5	5	9	8	3	1	1
E950–E959	Suicide	493	...	...	–	1	28	73	62	46	34	46	31	37	40	26	28	14	19	5	2	1	–	–
	White Male	297	...	...	–	–	19	47	34	20	19	23	16	24	22	20	19	11	15	5	2	1	–	–
	Female	121	...	...	–	1	5	9	13	12	8	17	13	13	13	5	7	2	3	–	–	–	–	–
	All other Male	62	...	...	–	–	4	16	10	13	4	4	2	–	4	1	2	1	1	–	–	–	–	–
	Female	13	...	...	–	–	–	1	5	1	3	2	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	631	2	6	7	3	64	112	96	69	72	50	42	23	21	19	19	9	7	4	4	–	–	2
	White Male	157	–	2	2	1	11	18	23	13	24	13	12	9	11	6	5	1	2	2	1	–	–	1
	Female	55	1	–	2	–	2	10	2	3	8	7	2	2	2	3	3	4	2	1	1	–	–	–
	All other Male	337	1	2	2	–	45	68	62	42	34	22	19	9	7	10	6	3	2	1	2	–	–	–
	Female	82	–	2	1	2	6	16	9	11	6	8	9	3	1	–	5	1	1	–	–	–	–	1
E980–E999	Other external causes	22	–	3	–	–	1	3	3	2	1	3	2	1	–	2	1	–	–	–	–	–	–	–
	White Male	12	–	1	–	–	1	–	2	2	1	1	2	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	–	1	–	–	–	3	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine																							
	All causes	**10,069**	**154**	**32**	**20**	**36**	**99**	**95**	**81**	**96**	**81**	**133**	**251**	**410**	**620**	**823**	**1,121**	**1,321**	**1,430**	**1,378**	**1,068**	**618**	**201**	**1**
	White ..... Male	5,439	69	15	11	23	72	73	65	69	47	83	151	259	402	535	714	775	750	618	451	201	55	1
	Female	4,589	84	17	9	13	26	21	16	26	33	49	98	144	216	284	406	541	675	757	613	415	146	–
	All other ..... Male	17	–	–	–	–	–	–	–	1	1	–	1	4	1	1	1	2	4	1	–	–	–	–
	Female	24	1	–	–	–	1	1	–	–	–	1	1	3	1	3	–	3	1	2	4	2	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	9	1	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	7	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	33	6	–	1	–	–	–	–	–	–	1	1	2	1	–	3	3	5	4	3	1	2	–
	White ..... Male	13	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	2	–	1	–
	Female	20	2	–	1	–	–	–	–	–	–	1	–	1	1	–	2	2	4	3	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	15	3	–	1	–	–	–	–	–	–	–	2	2	–	1	1	2	–	2	1	–	–	–
	White ..... Male	4	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	Female	11	3	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,178	1	3	5	3	6	9	7	12	20	41	84	120	196	270	336	303	311	252	136	51	12	–
	White Male	1,167	1	2	2	2	5	6	5	8	8	18	34	56	108	153	210	164	168	133	62	19	3	–
	Female	1,000	–	1	3	1	1	3	2	4	12	23	50	61	87	116	125	136	142	119	74	31	9	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	1	–	–
140–149	Of buccal cavity and pharynx	51	–	–	–	–	–	–	1	–	–	2	–	5	9	8	10	1	6	3	4	2	–	–
	White Male	37	–	–	–	–	–	–	–	–	–	1	–	5	8	7	9	–	4	1	2	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	1	2	2	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
150–159	Of digestive organs and peritoneum	595	–	–	–	–	–	–	–	2	2	4	13	26	51	78	80	87	102	82	47	15	6	–
	White Male	307	–	–	–	–	–	–	–	2	2	3	7	9	28	42	54	50	44	39	18	7	2	–
	Female	285	–	–	–	–	–	–	–	–	–	1	6	15	23	35	26	37	58	43	29	8	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
160–163	Of respiratory system	516	–	–	–	–	–	2	–	–	3	11	21	40	63	81	107	69	63	38	10	6	2	–
	White Male	388	–	–	–	–	–	1	–	–	2	8	16	28	44	62	85	55	45	28	8	5	1	–
	Female	125	–	–	–	–	–	1	–	–	1	3	5	12	19	19	21	13	17	10	2	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	181	–	–	–	–	–	–	–	1	5	6	9	13	18	26	23	26	14	19	14	7	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	181	–	–	–	–	–	–	–	1	5	6	9	13	18	26	23	26	14	19	14	7	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	275	–	–	–	1	–	2	1	1	3	4	15	15	19	20	46	52	34	40	15	6	1	–
	White Male	128	–	–	–	–	–	2	1	1	–	–	–	–	5	8	20	23	24	29	11	4	–	–
	Female	145	–	–	–	1	–	–	–	–	3	4	15	14	14	12	26	28	10	11	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	130	–	–	–	–	–	–	–	–	–	2	6	2	9	17	21	15	25	22	6	4	1	–
	White Male	82	–	–	–	–	–	–	–	–	–	1	3	1	5	10	13	10	19	14	5	1	–	–
	Female	47	–	–	–	–	–	–	–	–	–	1	3	1	3	7	8	5	6	8	1	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	240	1	2	1	1	2	3	3	2	3	6	14	13	13	21	28	29	31	28	29	9	1	–
	White Male	128	1	1	–	1	2	2	2	2	2	3	5	9	9	15	17	15	16	10	15	1	–	–
	Female	111	–	1	1	–	–	1	1	–	1	3	9	4	4	6	11	13	15	18	14	8	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
204–207	Leukemia	61	–	1	4	–	3	2	1	3	2	1	3	2	2	5	6	7	11	4	3	–	1	–
	White Male	35	–	1	2	–	3	1	1	1	1	1	1	1	2	1	5	4	7	1	2	–	–	–
	Female	26	–	–	2	–	–	1	–	2	1	–	2	1	–	4	1	3	4	3	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	129	–	–	–	1	1	–	1	3	2	5	3	4	12	14	15	17	25	16	8	2	–	–
	White Male	62	–	–	–	1	–	–	1	2	1	1	2	3	7	8	7	7	9	11	1	1	–	–
	Female	67	–	–	–	–	1	–	–	1	1	4	1	1	5	6	8	10	16	5	7	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	43	–	1	–	–	–	1	1	1	1	1	4	1	3	7	6	4	3	1	5	2	1	–
	White Male	21	–	–	–	–	–	–	1	1	1	–	3	–	–	4	3	1	2	1	3	1	–	–
	Female	22	–	1	–	–	–	1	–	–	–	1	1	1	3	3	3	3	1	–	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	146	–	–	–	–	–	1	1	2	2	2	2	3	11	11	22	20	24	22	14	8	1	–
	White Male	58	–	–	–	–	–	–	–	–	–	2	–	2	7	4	12	7	11	5	4	3	1	–
	Female	86	–	–	–	–	–	1	1	2	2	–	2	–	4	7	10	13	12	17	10	5	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	19	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	5	3	2	4	1	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	–	2	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	2	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine — Con.																							
280–285	Anemias	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	1	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	9	2	3	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	5,339	1	1	–	1	3	5	7	13	15	39	84	180	286	385	551	739	845	845	736	456	147	–
	White Male	2,774	–	–	–	1	2	4	5	11	10	30	66	132	212	275	350	441	418	342	295	140	40	–
	Female	2,546	1	1	–	–	1	1	2	2	4	8	17	46	73	107	201	297	424	501	438	315	107	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	2	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	1	2	3	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	4,023	–	1	–	–	–	3	5	11	14	33	70	158	249	318	456	572	641	593	498	305	96	–
	White Male	2,207	–	–	–	–	–	3	3	10	10	27	57	124	191	235	297	340	328	254	204	92	32	–
	Female	1,800	–	1	–	–	–	–	2	1	3	5	12	32	57	82	159	231	311	337	291	212	64	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	2	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	2	3	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	84	–	–	–	–	–	1	1	–	–	1	4	6	3	5	15	13	8	14	9	3	1	–
	White Male	41	–	–	–	–	–	1	–	–	–	–	3	4	1	2	9	7	5	7	1	1	–	–
	Female	42	–	–	–	–	–	–	1	–	–	1	1	2	2	3	6	6	3	7	7	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	44	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	8	10	7	6	5	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	4	4	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	7	3	2	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	21	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	5	6	4	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	4	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,641	–	–	–	–	–	1	2	5	13	30	64	142	235	289	415	520	588	527	453	270	87	–
	White Male	2,020	–	–	–	–	–	1	1	5	10	25	52	113	181	218	272	309	307	229	187	82	28	–
	Female	1,609	–	–	–	–	–	–	1	–	3	4	11	27	53	70	143	210	280	296	264	188	59	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	2	2	–	–	–
410	Acute myocardial infarction	2,185	–	–	–	–	–	–	2	3	11	22	50	121	179	224	298	345	364	257	197	89	23	–
	White Male	1,313	–	–	–	–	–	–	1	3	9	19	42	95	139	173	197	199	202	124	76	27	7	–
	Female	866	–	–	–	–	–	–	1	–	2	3	7	24	39	50	101	146	162	132	121	62	16	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	9	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	2	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	2	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,447	–	–	–	–	–	1	–	2	2	7	14	21	54	65	116	175	223	268	254	181	64	–
	White Male	700	–	–	–	–	–	1	–	2	1	5	10	18	40	45	74	110	105	103	110	55	21	–
	Female	741	–	–	–	–	–	–	–	–	1	1	4	3	14	20	42	64	117	164	142	126	43	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	41	–	–	–	–	–	1	1	1	–	–	–	1	1	3	1	2	7	7	5	7	4	–
	White Male	17	–	–	–	–	–	1	1	1	–	–	–	1	–	1	–	2	3	2	1	2	2	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	5	4	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine — Con.																							
420–423, 425–427, 429	All other forms of heart disease	192	–	1	–	–	–	–	1	5	1	2	2	8	9	17	22	27	23	32	21	18	3	–
	White ..... Male	101	–	–	–	–	–	–	1	4	–	2	2	5	9	13	15	17	8	8	10	5	2	–
	Female	88	–	1	–	–	–	–	–	1	–	–	–	3	–	4	7	10	14	24	11	12	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	2	4	3	4	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	2	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	4	3	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	944	1	–	–	1	3	–	1	2	1	5	9	16	30	48	68	118	158	196	168	88	31	–
	White ..... Male	390	–	–	–	1	2	–	1	1	–	2	5	5	17	25	37	67	66	64	63	27	7	–
	Female	551	1	–	–	–	1	–	–	1	1	3	4	11	13	21	31	51	91	132	105	61	24	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
431	Cerebral hemorrhage	199	1	–	–	–	2	–	1	–	–	2	–	6	10	12	22	24	23	44	32	12	8	–
	White ..... Male	74	–	–	–	–	1	–	1	–	–	2	–	1	6	3	11	12	13	11	8	3	2	–
	Female	123	1	–	–	–	1	–	–	–	–	–	–	5	4	7	11	12	10	33	24	9	6	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	201	–	–	–	–	–	–	–	–	–	–	1	3	7	10	11	29	43	37	39	15	6	–
	White ..... Male	82	–	–	–	–	–	–	–	–	–	–	1	–	4	7	4	17	20	11	15	3	–	–
	Female	119	–	–	–	–	–	–	–	–	–	–	–	3	3	3	7	12	23	26	24	12	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	540	–	–	–	1	1	–	–	2	1	3	8	7	13	26	34	65	91	114	97	60	17	–
	White ..... Male	234	–	–	–	1	1	–	–	1	–	–	4	4	7	15	22	38	33	42	40	21	5	–
	Female	305	–	–	–	–	–	–	–	1	1	3	4	3	6	11	12	27	57	72	57	39	12	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
440	Arteriosclerosis	172	–	–	–	–	–	–	–	–	–	–	–	1	3	6	7	9	16	26	47	40	17	–
	White ..... Male	63	–	–	–	–	–	–	–	–	–	–	–	–	2	5	3	7	5	9	19	13	–	–
	Female	109	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	11	17	28	27	17	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	182	–	–	–	–	–	2	1	–	–	1	5	3	3	12	19	40	28	26	20	19	3	–
	White ..... Male	108	–	–	–	–	–	1	1	–	–	1	4	3	1	9	13	27	17	15	9	6	1	–
	Female	74	–	–	–	–	–	1	–	–	–	–	1	–	2	3	6	13	11	11	11	13	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	4	–	–	1	1	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	272	2	3	–	–	–	3	3	–	2	4	2	5	7	8	12	27	35	66	48	34	10	1
	White ..... Male	147	1	2	–	–	–	1	2	–	2	4	1	3	4	6	10	18	20	32	25	12	3	1
	Female	124	1	1	–	–	–	2	1	–	–	–	1	2	3	2	2	9	15	33	23	22	7	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	1	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	264	2	3	–	–	–	3	3	–	2	4	2	5	7	8	11	27	35	62	47	33	9	1
	White ..... Male	144	1	2	–	–	–	1	2	–	2	4	1	3	4	6	9	18	20	30	25	12	3	1
	Female	119	1	1	–	–	–	2	1	–	–	–	1	2	3	2	2	9	15	31	22	21	6	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	131	–	–	–	–	–	–	–	1	–	2	4	2	6	9	22	26	30	18	6	4	1	–
	White ..... Male	99	–	–	–	–	–	–	–	–	–	–	1	2	5	6	22	16	26	14	4	3	–	–
	Female	31	–	–	–	–	–	–	–	1	–	2	2	–	1	3	–	10	4	4	2	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine — Con.																							
490, 491	Chronic and unqualified bronchitis	36	–	–	–	–	–	–	–	1	–	1	–	–	2	1	5	5	7	6	5	2	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	6	4	4	1	–	–
	Female	11	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	1	2	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	86	–	–	–	–	–	–	–	–	–	–	3	1	4	8	17	16	22	12	1	2	–	–
	White Male	71	–	–	–	–	–	–	–	–	–	–	1	1	4	5	17	11	20	10	–	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	5	2	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	9	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	5	1	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	–	1	1	–	–	1	2	4	4	2	5	3	2	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	4	2	3	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	35	6	–	–	–	–	–	–	–	–	–	–	3	2	1	3	2	7	4	1	4	2	–
	White Male	18	3	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	5	1	1	1	1	–
	Female	17	3	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	2	3	–	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	158	–	–	–	–	–	–	1	1	3	7	17	18	27	21	28	18	7	6	4	–	–	–
	White Male	104	–	–	–	–	–	–	1	–	1	5	9	15	20	12	18	12	5	4	2	–	–	–
	Female	53	–	–	–	–	–	–	–	–	2	2	8	3	7	9	10	6	2	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	22	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	5	3	1	1	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	3	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	34	–	1	–	–	–	–	–	1	–	–	–	–	–	1	3	6	7	9	4	1	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	5	3	–	–	–
	Female	17	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	3	4	4	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	25	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	5	5	7	3	–	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	3	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	3	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	30	–	1	–	–	–	–	–	–	–	–	–	2	–	2	5	2	5	9	3	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	1	–	1	–	–
	Female	21	–	1	–	–	–	–	–	–	–	–	–	1	–	2	5	1	1	8	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	64	35	3	1	4	3	1	3	3	2	–	2	–	–	1	1	2	1	1	–	1	–	–
	White Male	32	13	3	–	4	2	1	1	2	1	–	1	–	–	–	1	1	1	–	–	1	–	–
	Female	32	22	–	1	–	1	–	2	1	1	–	1	–	–	1	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	72	28	2	–	–	–	1	1	1	1	–	2	–	2	–	5	8	1	3	7	5	5	–
	White Male	35	17	1	–	–	–	1	–	1	1	–	1	–	–	–	3	6	–	1	2	1	–	–
	Female	37	11	1	–	–	–	–	1	–	–	–	1	–	2	–	2	2	1	2	5	4	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	720	4	4	2	4	7	6	9	11	8	11	20	34	44	62	81	118	106	93	62	26	8	–
	White Male	420	3	1	1	2	3	4	7	5	3	6	15	21	22	37	52	79	63	54	29	11	2	–
	Female	297	1	3	1	2	4	1	2	6	5	5	5	12	22	25	29	38	43	39	33	15	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	442	5	9	10	23	62	45	28	37	14	13	15	21	18	25	18	16	16	22	24	15	6	–
	White Male	301	2	5	7	13	46	38	26	34	10	11	9	13	12	20	10	7	8	12	12	4	2	–
	Female	141	3	4	3	10	16	7	2	3	4	2	6	8	6	5	8	9	8	10	12	11	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	191	2	4	4	8	50	33	12	18	7	4	6	11	9	9	5	2	3	1	3	–	–	–
	White Male	139	–	2	3	4	36	27	12	17	4	4	3	8	5	7	2	1	2	–	2	–	–	–
	Female	52	2	2	1	4	14	6	–	1	3	–	3	3	4	2	3	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	251	3	5	6	15	12	12	16	19	7	9	9	10	9	16	13	14	13	21	21	15	6	–
	White Male	162	2	3	4	9	10	11	14	17	6	7	6	5	7	13	8	6	6	12	10	4	2	–
	Female	89	1	2	2	6	2	1	2	2	1	2	3	5	2	3	5	8	7	9	11	11	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	140	...	...	–	1	11	18	18	7	8	9	8	12	10	8	11	5	5	4	5	–	–	–
	White Male	110	...	...	–	1	11	15	16	3	6	5	7	8	8	7	7	4	3	4	5	–	–	–
	Female	30	...	...	–	–	–	3	2	4	2	4	1	4	2	1	4	1	2	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	27	–	–	–	–	5	3	1	3	4	2	1	1	4	–	1	1	1	–	–	–	–	–
	White Male	18	–	–	–	–	3	2	1	2	4	1	–	1	2	–	1	1	–	–	–	–	–	–
	Female	9	–	–	–	–	2	1	–	1	–	1	1	–	2	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	8	1	–	–	–	–	1	–	2	–	–	1	1	–	1	1	–	–	–	–	–	–	–
	White Male	6	1	–	–	–	–	1	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland																							
	All causes	**32,225**	**798**	**114**	**102**	**114**	**330**	**455**	**428**	**390**	**440**	**678**	**1,076**	**1,841**	**2,537**	**3,182**	**3,700**	**3,953**	**3,958**	**3,691**	**2,643**	**1,265**	**468**	**62**
	White ..... Male	13,863	246	41	52	49	182	253	189	166	165	287	475	869	1,239	1,592	1,801	1,919	1,632	1,431	831	326	98	20
	Female	11,903	201	26	22	34	73	79	80	73	90	150	271	499	680	889	1,151	1,349	1,724	1,839	1,554	809	296	14
	All other ..... Male	3,714	169	24	17	21	44	95	119	113	124	146	204	295	383	447	419	370	315	217	106	52	20	14
	Female	2,745	182	23	11	10	31	28	40	38	61	95	126	178	235	254	329	315	287	204	152	78	54	14
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	29	14	2	–	1	–	–	–	–	–	–	1	–	–	2	1	–	1	2	3	2	–	–
	White ..... Male	8	1	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–
	Female	8	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–
	All other ..... Male	5	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	8	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	70	–	–	–	–	–	–	3	–	2	–	2	6	6	9	10	12	8	4	5	1	–	2
	White ..... Male	27	–	–	–	–	–	–	1	–	–	–	1	1	4	4	4	3	1	3	2	1	–	2
	Female	18	–	–	–	–	–	–	1	–	–	–	–	3	–	3	1	4	2	1	3	–	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	2	–	1	1	–	2	4	4	4	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	53	–	–	–	–	–	–	1	–	1	–	2	2	6	8	7	8	6	4	5	1	–	2
	White ..... Male	26	–	–	–	–	–	–	1	–	–	–	1	1	4	4	4	2	1	3	2	1	–	2
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	1	3	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	1	–	1	1	–	1	2	3	4	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	17	–	–	–	–	–	–	2	–	1	–	–	4	–	1	3	4	2	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	179	19	1	1	1	2	2	1	1	1	2	2	4	8	16	14	24	29	22	21	6	1	1
	White ..... Male	49	2	1	–	–	1	–	–	–	1	–	1	2	6	2	2	11	8	5	5	1	–	1
	Female	74	5	–	1	1	–	–	1	1	–	1	1	–	1	5	8	8	12	12	11	5	1	–
	All other ..... Male	25	6	–	–	–	1	2	–	–	–	–	–	1	–	6	–	4	2	2	1	–	–	–
	Female	31	6	–	–	–	–	–	–	–	–	1	–	1	1	3	4	1	7	3	4	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	83	5	1	1	1	3	1	–	4	2	3	6	5	10	12	4	10	3	6	4	2	–	–
	White ..... Male	29	1	–	–	1	1	–	–	1	1	1	2	2	3	4	1	5	3	2	1	–	–	–
	Female	27	2	–	–	–	–	1	–	1	–	1	2	1	2	4	1	4	–	3	3	2	–	–
	All other ..... Male	16	2	1	–	–	1	–	–	1	1	1	2	–	3	1	1	1	–	1	–	–	–	–
	Female	11	–	–	1	–	1	–	–	1	–	–	–	2	2	3	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,336	2	9	19	20	23	25	40	39	109	161	325	614	826	1,012	1,084	1,053	853	641	342	109	26	4
	White ..... Male	3,155	1	3	9	7	5	10	16	15	31	54	109	247	343	462	496	508	390	277	133	32	5	2
	Female	2,742	–	3	5	7	8	7	14	20	42	55	142	224	279	340	369	362	328	285	176	59	16	1
	All other ..... Male	864	–	1	4	4	2	5	4	1	16	29	41	88	119	136	144	105	79	52	20	11	2	1
	Female	575	1	2	1	2	8	3	6	3	20	23	33	55	85	74	75	78	56	27	13	7	3	–
140–149	Of buccal cavity and pharynx	192	–	–	–	–	1	–	–	–	5	1	8	21	36	31	40	21	11	10	5	1	1	–
	White ..... Male	108	–	–	–	–	–	–	–	–	2	–	4	10	16	20	27	16	8	4	1	–	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	1	3	7	6	8	3	3	4	4	1	1	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	2	1	2	6	7	4	4	2	–	2	–	–	–	–
	Female	13	–	–	–	–	1	–	–	–	1	–	1	2	6	1	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,916	–	1	1	–	1	2	8	2	15	35	57	146	200	231	297	287	265	206	119	35	8	–
	White ..... Male	806	–	1	1	–	–	–	5	1	8	12	24	68	81	110	142	124	95	77	42	14	1	–
	Female	701	–	–	–	–	–	–	2	–	2	9	22	38	45	62	96	103	126	109	68	13	6	–
	All other ..... Male	267	–	–	–	–	1	2	1	–	3	11	6	26	50	43	41	35	25	12	6	5	–	–
	Female	142	–	–	–	–	–	–	–	1	2	3	5	14	24	16	18	25	19	8	3	3	1	–
160–163	Of respiratory system	1,854	–	–	–	–	–	–	2	6	16	44	97	178	245	333	328	284	168	103	39	9	2	–
	White ..... Male	1,088	–	–	–	–	–	–	1	5	3	15	45	91	142	196	183	195	119	68	23	1	1	–
	Female	412	–	–	–	–	–	–	–	1	6	11	27	48	56	74	66	50	28	28	11	5	1	–
	All other ..... Male	282	–	–	–	–	–	–	–	–	5	11	19	32	35	55	62	34	18	4	5	2	–	–
	Female	72	–	–	–	–	–	–	1	–	2	7	6	7	12	8	17	5	3	3	–	1	–	–
174	Of breast	685	–	–	–	–	–	1	2	7	21	20	47	82	101	92	74	81	67	42	32	14	2	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	2	2	1	–	–	–
	Female	562	–	–	–	–	–	1	1	7	14	17	38	69	80	75	63	68	54	34	27	12	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	113	–	–	–	–	–	–	1	–	7	3	8	12	20	17	10	12	11	6	4	2	–	–
180–187	Of genital organs	819	–	–	1	1	2	5	5	6	17	16	23	36	63	99	114	127	118	110	53	18	5	–
	White ..... Male	303	–	–	–	1	–	2	–	–	–	4	–	3	13	27	33	53	63	64	31	8	1	–
	Female	322	–	–	1	–	1	2	4	5	12	8	17	24	35	45	51	39	31	22	18	6	1	–
	All other ..... Male	97	–	–	–	–	–	–	–	–	–	–	1	1	5	10	18	16	20	18	2	4	2	–
	Female	97	–	–	–	–	1	1	1	1	5	4	5	8	10	17	12	19	4	6	2	–	1	–
188, 189	Of urinary organs	298	–	–	2	–	–	–	–	–	1	5	8	23	31	36	44	41	52	24	28	1	2	–
	White ..... Male	168	–	–	–	–	–	–	–	–	–	3	5	13	23	15	26	24	34	10	14	–	1	–
	Female	76	–	–	–	–	–	–	–	–	1	–	1	5	3	10	10	13	8	13	10	1	1	–
	All other ..... Male	34	–	–	1	–	–	–	–	–	–	2	1	4	3	8	5	3	4	1	2	–	–	–
	Female	20	–	–	1	–	–	–	–	–	–	–	1	1	2	3	3	1	6	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	951	2	5	5	10	7	6	9	10	27	24	59	80	105	114	122	122	100	79	43	17	4	1
	White ..... Male	412	1	2	3	2	2	4	4	4	14	11	18	41	49	56	60	51	39	29	16	5	–	1
	Female	367	–	2	1	3	3	2	3	6	6	8	30	21	37	39	41	49	42	37	23	11	3	–
	All other ..... Male	94	–	–	1	3	1	–	–	–	4	2	7	10	14	10	11	9	10	10	2	–	–	–
	Female	78	1	1	–	2	1	–	2	–	3	3	4	8	5	9	10	13	9	3	2	1	1	–
204–207	Leukemia	252	–	3	10	8	8	7	6	3	2	7	10	19	18	22	20	37	32	26	8	5	1	–
	White ..... Male	109	–	–	5	3	2	3	4	2	2	3	3	11	11	10	5	19	15	8	2	1	–	–
	Female	105	–	1	3	4	2	2	–	–	–	1	3	5	4	10	13	16	15	15	6	4	1	–
	All other ..... Male	21	–	1	2	1	–	–	1	1	–	2	2	3	2	2	–	1	1	2	–	–	–	–
	Female	17	–	1	–	–	4	2	1	–	–	1	2	–	1	–	2	1	1	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	369	–	–	–	1	4	4	8	5	5	9	16	29	27	54	45	53	40	41	15	9	1	3
	White ..... Male	152	–	–	–	1	1	1	2	3	2	6	9	9	7	28	20	25	15	15	3	3	1	1
	Female	156	–	–	–	–	2	–	4	1	1	1	3	11	12	19	21	21	21	23	9	6	–	1
	All other ..... Male	38	–	–	–	–	–	3	2	–	2	–	3	6	3	4	2	5	1	3	3	–	–	1
	Female	23	–	–	–	–	1	–	–	1	–	2	1	3	5	3	2	2	3	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	113	1	–	–	2	–	1	2	3	3	5	2	5	14	16	13	9	18	9	7	2	1	–
	White ..... Male	49	1	–	–	–	–	1	–	2	–	1	–	3	3	7	8	6	10	6	–	1	–	–
	Female	42	–	–	–	2	–	–	–	–	1	–	1	2	6	7	4	2	7	3	6	1	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	1	–	2	1	–	3	1	1	–	1	–	–	–	1	–
	Female	11	–	–	–	–	–	–	2	–	2	2	–	–	2	1	–	1	–	–	1	–	–	–
250	Diabetes mellitus	624	–	–	–	–	1	1	4	7	8	10	12	27	57	77	93	98	73	76	48	25	6	1
	White ..... Male	188	–	–	–	–	–	–	–	2	5	3	4	9	25	26	29	31	18	17	14	4	1	–
	Female	264	–	–	–	–	–	1	2	2	–	4	3	7	18	25	35	39	40	46	26	14	2	–
	All other ..... Male	64	–	–	–	–	–	–	1	2	3	2	3	4	6	9	12	15	2	2	–	3	–	–
	Female	108	–	–	–	–	1	–	1	1	–	1	2	7	8	17	17	13	13	11	8	4	3	1
260–269	Avitaminoses and other nutritional deficiencies	34	–	–	–	–	–	–	–	1	–	–	2	5	–	2	2	2	4	10	3	2	1	–
	White ..... Male	9	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	3	1	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	4	–	2	–	1	3	5	2	1	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
280–285	Anemias	74	–	2	1	2	1	–	3	–	2	–	4	3	1	4	8	10	11	10	6	3	3	–
	White Male	29	–	–	1	–	–	–	–	–	1	–	2	1	–	3	5	3	4	6	1	2	–	–
	Female	22	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	2	6	3	5	1	2	–
	All other Male	15	–	2	–	2	–	–	2	–	1	–	2	–	1	1	2	1	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	–	–	–	1	–
320	Meningitis	18	1	5	1	–	–	–	–	–	–	–	1	2	–	3	1	2	–	–	1	–	–	1
	White Male	9	1	2	1	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	1
	All other Male	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,775	14	4	5	5	7	16	34	46	97	209	396	707	1,078	1,439	1,842	2,123	2,323	2,325	1,803	918	364	20
	White Male	6,800	5	–	4	2	1	3	10	14	46	108	227	405	616	794	936	1,026	925	850	524	223	73	8
	Female	6,400	3	2	–	2	3	6	11	7	12	34	58	133	208	357	545	750	1,079	1,222	1,113	611	241	3
	All other Male	1,347	3	–	1	1	3	4	10	18	26	40	70	105	159	179	177	179	158	113	61	28	11	1
	Female	1,228	3	2	–	–	–	3	3	7	13	27	41	64	95	109	184	168	161	140	105	56	39	8
390–398, 402, 404, 410–429	Diseases of heart	12,458	11	2	4	4	5	13	21	35	69	178	334	620	922	1,219	1,525	1,702	1,758	1,759	1,318	685	256	18
	White Male	5,594	5	–	3	2	1	3	7	12	35	105	204	373	547	699	790	840	704	644	393	165	54	8
	Female	4,860	3	1	–	2	1	6	4	5	8	26	47	106	161	291	460	585	810	918	807	450	166	3
	All other Male	1,066	2	–	1	–	3	2	8	14	20	32	56	90	132	150	130	138	120	93	45	22	7	1
	Female	938	1	1	–	–	–	2	2	4	6	15	27	51	82	79	145	139	124	104	73	48	29	6
390–398	Active rheumatic fever and chronic rheumatic heart disease	232	–	1	–	1	–	2	3	4	2	8	8	21	23	32	31	46	23	20	6	–	1	–
	White Male	81	–	–	–	–	–	–	2	1	–	3	3	6	8	12	11	20	6	7	2	–	–	–
	Female	112	–	–	–	1	–	2	–	–	1	4	5	9	9	14	16	21	14	11	4	–	1	–
	All other Male	15	–	–	–	–	–	–	1	2	–	1	–	2	3	3	–	1	1	1	–	–	–	–
	Female	24	–	1	–	–	–	–	–	1	1	–	–	4	3	3	4	4	2	1	–	–	–	–
402	Hypertensive heart disease	100	–	–	–	–	–	–	–	–	1	1	2	5	8	8	12	15	18	16	8	4	2	–
	White Male	26	–	–	–	–	–	–	–	–	–	1	2	3	2	1	2	3	4	5	–	2	1	–
	Female	42	–	–	–	–	–	–	–	–	–	–	–	–	3	1	7	3	11	8	6	2	1	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	5	2	1	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	4	1	2	2	–	–	–
404	Hypertensive heart and renal disease	38	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	5	2	11	5	4	1	1
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	6	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	4	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	1	–	1
410–413	Ischemic heart disease	10,973	–	–	1	–	–	1	8	20	57	150	282	525	792	1,046	1,340	1,514	1,567	1,587	1,198	629	239	17
	White Male	4,966	–	–	1	–	–	–	5	7	32	94	182	327	480	619	697	754	625	579	355	148	53	8
	Female	4,318	–	–	–	–	–	–	1	4	5	18	33	84	131	241	405	519	729	834	742	417	152	3
	All other Male	897	–	–	–	–	–	–	2	7	16	26	46	76	111	122	112	123	104	82	42	20	7	1
	Female	792	–	–	–	–	–	1	–	2	4	12	21	38	70	64	126	118	109	92	59	44	27	5
410	Acute myocardial infarction	4,551	–	–	–	–	–	1	4	10	23	84	150	277	400	581	656	697	641	548	315	125	37	2
	White Male	2,391	–	–	–	–	–	–	3	5	16	54	104	182	276	356	376	388	264	220	105	33	8	1
	Female	1,643	–	–	–	–	–	–	–	2	1	10	18	54	70	155	199	240	306	283	196	84	24	1
	All other Male	295	–	–	–	–	–	–	1	3	5	12	17	29	37	46	38	36	37	21	10	1	2	–
	Female	222	–	–	–	–	–	1	–	–	1	8	11	12	17	24	43	33	34	24	4	7	3	–
411	Other acute and subacute forms of ischemic heart disease	39	–	–	–	–	–	–	–	–	1	1	3	4	3	4	9	2	4	1	4	2	1	–
	White Male	21	–	–	–	–	–	–	–	–	1	1	1	3	3	4	2	1	3	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	2	–	–	–	5	1	–	–	2	2	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	6,379	–	–	1	–	–	–	4	10	33	65	129	244	388	461	673	815	921	1,038	879	502	201	15
	White Male	2,552	–	–	1	–	–	–	2	2	15	39	77	142	201	259	318	365	357	358	249	115	45	7
	Female	2,661	–	–	–	–	–	–	1	2	4	8	13	30	61	86	200	278	423	551	544	331	127	2
	All other Male	598	–	–	–	–	–	–	1	4	11	14	29	46	73	76	73	87	67	61	31	19	5	1
	Female	568	–	–	–	–	–	–	–	2	3	4	10	26	53	40	82	85	74	68	55	37	24	5
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	268	1	–	–	–	1	1	2	2	2	5	9	21	30	40	36	29	36	24	20	7	2	–
	White Male	157	–	–	–	–	–	–	–	1	1	3	3	13	22	27	25	15	24	11	11	1	–	–
	Female	85	–	–	–	–	–	1	2	1	–	1	3	5	4	11	8	12	10	12	9	5	1	–
	All other Male	17	1	–	–	–	1	–	–	–	1	1	2	2	2	2	2	1	1	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	1	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
420–423, 425–427, 429	All other forms of heart disease	847	10	1	3	3	4	9	8	9	7	14	33	47	68	90	102	93	112	101	81	41	11	–
	White Male	351	5	–	2	2	1	3	–	3	2	4	14	23	34	39	54	46	45	36	24	14	–	–
	Female	285	3	1	–	1	1	3	1	–	2	3	6	8	14	23	23	29	44	48	42	23	10	–
	All other Male	120	1	–	1	–	2	2	5	5	3	4	8	9	14	19	14	8	12	9	3	1	–	–
	Female	91	1	–	–	–	–	1	2	1	–	3	5	7	6	9	11	10	11	8	12	3	1	–
400, 401, 403	Hypertension	65	–	–	–	–	–	–	1	–	2	1	1	2	4	7	8	11	9	9	9	1	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	5	6	5	3	1	–	–
	Female	20	–	–	–	–	–	–	1	–	1	–	–	–	1	2	1	4	2	3	5	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	–	3	5	1	1	–	1	–	–	–
430–438	Cerebrovascular diseases	2,352	3	2	1	1	1	2	11	11	18	24	49	69	112	157	213	302	415	397	344	147	71	2
	White Male	790	–	–	1	–	–	–	3	2	7	2	18	22	47	60	89	122	155	128	85	36	13	–
	Female	1,133	–	1	–	–	1	–	5	2	1	7	9	21	33	50	64	125	205	226	231	102	50	–
	All other Male	211	1	–	–	1	–	1	2	4	4	7	11	15	20	25	34	32	26	12	11	4	1	–
	Female	218	2	1	–	–	–	1	1	3	6	8	11	11	12	22	26	23	29	31	17	5	7	2
431	Cerebral hemorrhage	304	1	–	–	–	1	1	5	2	6	7	13	17	28	31	39	46	38	27	30	8	4	–
	White Male	107	–	–	–	–	–	–	2	2	1	–	7	4	10	7	19	20	17	12	5	1	–	–
	Female	118	–	–	–	–	1	–	1	–	1	3	2	1	7	11	8	20	16	15	24	5	3	–
	All other Male	45	–	–	–	–	–	–	2	–	2	4	2	7	5	8	8	4	2	–	–	1	–	–
	Female	34	1	–	–	–	–	1	–	–	2	–	2	5	6	5	4	2	3	–	1	1	1	–
433	Cerebral thrombosis	461	1	–	–	–	–	–	1	1	–	2	1	7	15	22	39	58	82	91	81	38	20	2
	White Male	163	–	–	–	–	–	–	–	–	–	–	1	1	10	11	20	30	30	27	20	11	2	–
	Female	246	–	–	–	–	–	–	1	1	–	1	–	6	4	8	12	20	38	57	56	27	15	–
	All other Male	24	1	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	6	2	3	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	8	5	2	–	3	2
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,584	1	2	1	1	–	1	5	8	12	15	35	45	69	103	134	198	295	279	233	101	46	–
	White Male	519	–	–	1	–	–	–	1	–	6	2	10	17	27	41	50	72	108	89	60	24	11	–
	Female	767	–	1	–	–	–	–	3	1	–	3	7	14	22	31	43	85	151	154	151	70	31	–
	All other Male	142	–	–	–	1	–	1	–	4	2	3	9	8	14	15	22	23	18	10	8	3	1	–
	Female	156	1	1	–	–	–	–	1	3	4	7	9	6	6	16	19	18	18	26	14	4	3	–
440	Arteriosclerosis	408	–	–	–	–	–	–	–	–	–	2	–	2	8	8	28	33	55	85	86	69	32	–
	White Male	130	–	–	–	–	–	–	–	–	–	–	–	2	4	3	14	11	14	35	25	17	5	–
	Female	223	–	–	–	–	–	–	–	–	–	–	–	–	3	3	6	13	33	41	51	51	22	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	7	3	5	2	1	2	–
	Female	29	–	–	–	–	–	–	–	–	–	2	–	–	1	2	2	2	5	4	8	–	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	492	–	–	–	–	1	1	1	–	8	4	12	14	32	48	68	75	86	75	46	16	5	–
	White Male	258	–	–	–	–	–	–	–	–	4	1	4	6	17	30	41	48	46	38	18	4	1	–
	Female	164	–	–	–	–	1	–	1	–	2	1	2	6	10	11	14	23	29	34	19	8	3	–
	All other Male	39	–	–	–	–	–	1	–	–	1	1	3	–	5	4	7	1	9	2	3	1	1	–
	Female	31	–	–	–	–	–	–	–	–	1	1	3	2	–	3	6	3	2	1	6	3	–	–
466	Acute bronchitis and bronchiolitis	7	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	658	9	4	6	4	5	2	4	4	7	11	16	29	24	48	56	62	87	111	92	61	16	–
	White Male	276	2	1	4	1	2	1	1	1	1	5	9	10	10	22	27	29	38	46	39	22	5	–
	Female	240	3	1	1	2	3	–	–	–	–	–	2	9	8	7	15	20	36	55	40	31	7	–
	All other Male	93	2	–	–	1	–	–	3	3	6	5	3	7	3	14	10	8	9	5	9	3	2	–
	Female	49	2	2	1	–	–	1	–	–	–	1	2	3	3	5	4	5	4	5	4	5	2	–
470–474	Influenza	6	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	652	9	3	6	4	5	2	4	4	7	11	16	29	22	48	56	61	87	111	91	60	16	–
	White Male	274	2	1	4	1	2	1	1	1	1	5	9	10	8	22	27	29	38	46	39	22	5	–
	Female	236	3	–	1	2	3	–	–	–	–	–	2	9	8	7	15	19	36	55	39	30	7	–
	All other Male	93	2	–	–	1	–	–	3	3	6	5	3	7	3	14	10	8	9	5	9	3	2	–
	Female	49	2	2	1	–	–	1	–	–	–	1	2	3	3	5	4	5	4	5	4	5	2	–
490–493	Bronchitis, emphysema, and asthma	262	1	1	–	1	3	–	–	–	–	4	6	11	23	22	48	45	42	35	13	3	4	–
	White Male	156	–	1	–	1	1	–	–	–	–	–	1	5	8	15	30	31	27	24	9	2	1	–
	Female	72	–	–	–	–	–	–	–	–	–	3	2	4	13	5	12	10	10	6	4	1	2	–
	All other Male	26	1	–	–	–	1	–	–	–	–	–	2	1	2	1	5	4	4	4	–	–	1	–
	Female	8	–	–	–	–	1	–	–	–	–	1	1	1	–	1	1	–	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
490, 491	Chronic and unqualified bronchitis	48	–	1	–	–	–	–	–	–	–	–	–	–	4	6	11	8	8	2	4	2	2	–
	White Male	27	–	1	–	–	–	–	–	–	–	–	–	–	1	4	5	6	5	2	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5	1	3	–	2	1	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	189	–	–	–	–	–	–	–	–	–	–	4	5	18	14	36	37	31	32	9	1	2	–
	White Male	125	–	–	–	–	–	–	–	–	–	–	1	3	7	11	25	25	22	22	7	1	1	–
	Female	46	–	–	–	–	–	–	–	–	–	–	2	2	9	2	7	9	7	6	2	–	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	3	2	4	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	25	1	–	–	1	3	–	–	–	–	4	2	6	1	2	1	–	3	1	–	–	–	–
	White Male	4	–	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	3	–	2	1	1	–	–	–	–	–	–	–	–
	All other Male	7	1	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	–	1	1	–	–	–	–
531–533	Peptic ulcer	65	1	1	–	–	–	–	–	–	–	–	–	5	7	5	13	6	11	8	4	2	2	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	2	4	1	5	2	6	3	3	–	–	–
	Female	26	–	1	–	–	–	–	–	–	–	–	–	1	3	3	5	2	3	5	–	2	1	–
	All other Male	10	1	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
540–543	Appendicitis	16	–	–	–	–	–	1	–	–	–	–	–	1	2	1	2	2	1	3	3	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	118	6	–	–	–	–	–	1	1	1	–	–	9	–	10	11	14	20	11	20	9	2	3
	White Male	44	2	–	–	–	–	–	1	1	–	–	–	3	–	6	8	6	4	3	6	2	–	2
	Female	54	3	–	–	–	–	–	–	–	–	–	–	6	–	1	2	3	14	6	12	6	1	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	4	2	–	1	–	–	1
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	1	–
571	Cirrhosis of liver	560	–	–	–	–	–	2	13	20	23	41	56	93	95	79	61	40	21	8	5	–	–	3
	White Male	238	–	–	–	–	–	1	2	8	6	9	18	36	41	44	39	20	8	4	1	–	–	1
	Female	151	–	–	–	–	–	–	–	1	3	9	9	25	37	19	16	13	11	3	4	–	–	1
	All other Male	108	–	–	–	–	–	1	7	5	8	15	16	22	13	10	3	5	2	–	–	–	–	1
	Female	63	–	–	–	–	–	–	4	6	6	8	13	10	4	6	3	2	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	37	–	–	–	–	–	–	1	–	–	3	1	–	–	3	6	2	4	8	6	3	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	4	2	–	–	–
	Female	18	–	–	–	–	–	–	1	–	–	1	1	–	–	–	2	1	2	3	4	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	193	1	–	1	–	1	2	2	1	2	5	6	11	11	24	24	24	28	25	18	7	–	–
	White Male	69	1	–	–	–	1	1	–	–	1	1	–	3	1	9	7	9	13	12	5	5	–	–
	Female	48	–	–	1	–	–	1	1	–	–	1	–	3	1	3	5	6	7	9	9	1	–	–
	All other Male	38	–	–	–	–	–	–	–	–	–	1	2	1	5	10	2	6	4	3	3	1	–	–
	Female	38	–	–	–	–	–	–	1	1	1	2	4	4	4	2	10	3	4	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	43	1	–	–	–	–	–	1	–	–	2	1	1	–	6	6	3	8	7	6	1	–	–
	White Male	18	1	–	–	–	–	–	–	–	–	1	–	1	–	3	2	–	4	3	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	4	4	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	150	–	–	1	–	1	2	1	1	2	3	5	10	11	18	18	21	20	18	12	6	–	–
	White Male	51	–	–	–	–	1	1	–	–	1	–	–	2	1	6	5	9	9	9	3	4	–	–
	Female	34	–	–	1	–	–	1	1	–	–	–	–	3	1	3	4	4	5	5	5	1	–	–
	All other Male	34	–	–	–	–	–	–	–	–	–	1	1	1	5	8	1	6	4	3	3	1	–	–
	Female	31	–	–	–	–	–	–	–	1	1	2	4	4	4	1	8	2	2	1	1	–	–	–
590	Infections of kidney	36	–	–	–	–	–	–	–	1	–	–	1	2	3	4	1	11	2	7	3	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	–	3	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	7	2	3	2	1	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
600	Hyperplasia of prostate	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	5	4	–	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	3	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White, Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other, Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White, Female	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other, Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	204	132	19	4	5	4	4	6	6	1	4	5	1	2	3	–	1	1	3	–	–	–	3
	White, Male	81	52	7	1	2	2	2	2	3	1	1	1	1	1	2	–	1	1	1	–	–	–	–
	Female	69	42	7	–	3	1	2	3	3	–	2	1	–	1	1	–	–	–	2	–	–	–	1
	All other, Male	27	19	3	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
	Female	27	19	2	2	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	455	451	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	White, Male	135	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	112	109	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	All other, Male	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	206	204	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White, Male	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	56	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other, Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	249	247	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White, Male	78	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	54	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other, Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	384	101	9	2	3	13	21	21	15	14	17	21	15	23	13	17	12	16	10	11	11	9	10
	White, Male	114	29	1	1	1	7	8	7	6	–	6	3	3	9	5	8	6	4	1	4	2	2	1
	Female	122	23	1	–	2	2	5	4	4	5	7	6	5	9	3	6	4	7	6	7	7	6	3
	All other, Male	91	23	5	–	–	2	5	9	4	9	1	9	5	2	4	3	2	2	3	–	1	–	2
	Female	57	26	2	1	–	2	3	1	1	–	3	3	2	3	1	–	–	3	–	–	1	1	4
Residual	All other diseases	2,402	27	15	13	13	18	29	31	39	48	60	75	146	201	227	289	317	307	276	177	72	18	4
	White, Male	1,020	9	6	4	6	7	12	12	11	9	25	25	62	87	101	134	170	132	125	57	21	5	–
	Female	812	5	1	7	4	7	7	5	9	10	7	13	35	54	66	101	90	118	122	100	42	8	1
	All other, Male	330	3	3	2	1	1	8	8	12	21	13	20	30	40	38	38	24	31	19	8	5	2	3
	Female	240	10	5	–	2	3	2	6	7	8	15	17	19	20	22	16	33	26	10	12	4	3	–
E800–E949	Accidents	1,526	11	36	45	42	173	191	132	105	51	75	63	78	86	98	62	55	73	70	40	24	14	2
	White, Male	837	5	16	26	23	114	126	84	62	32	42	26	37	45	53	36	32	22	28	16	5	6	1
	Female	359	3	7	5	7	37	34	16	13	6	10	16	20	20	17	13	17	34	35	22	19	8	–
	All other, Male	246	2	6	9	10	11	24	29	28	9	19	16	18	16	22	7	4	9	5	1	–	–	1
	Female	84	1	7	5	2	11	7	3	2	4	4	5	3	5	6	6	2	8	2	1	–	–	–
E810–E823	Motor vehicle accidents	682	2	12	25	18	125	120	74	57	30	31	29	27	33	37	16	22	11	8	2	1	–	2
	White, Male	419	1	6	15	9	79	79	48	35	21	18	15	14	16	25	11	15	4	5	1	1	–	1
	Female	149	–	3	2	4	34	26	12	9	4	6	8	9	9	4	5	7	5	1	1	–	–	–
	All other, Male	80	–	2	4	3	4	13	12	12	3	4	5	3	6	5	–	–	1	2	–	–	–	1
	Female	34	1	1	4	2	8	2	2	1	2	3	1	1	2	3	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	844	9	24	20	24	48	71	58	48	21	44	34	51	53	61	46	33	62	62	38	23	14	–
	White, Male	418	4	10	11	14	35	47	36	27	11	24	11	23	29	28	25	17	18	23	15	4	6	–
	Female	210	3	4	3	3	3	8	4	4	2	4	8	11	11	13	8	10	29	34	21	19	8	–
	All other, Male	166	2	4	5	7	7	11	17	16	6	15	11	15	10	17	7	4	8	3	1	–	–	–
	Female	50	–	6	1	–	3	5	1	1	2	1	4	2	3	3	6	2	7	2	1	–	–	–
E950–E959	Suicide	500	...	...	–	4	39	79	54	44	34	38	46	40	39	28	19	14	14	3	3	1	–	1
	White, Male	337	...	...	–	2	27	64	37	27	20	25	31	28	21	13	14	11	12	2	2	1	–	–
	Female	100	...	...	–	1	6	6	6	9	6	11	10	9	13	12	5	1	2	1	1	–	–	1
	All other, Male	51	...	...	–	–	4	8	9	7	7	2	4	1	4	3	–	2	–	–	–	–	–	–
	Female	12	...	...	–	1	2	1	2	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	347	–	5	3	6	29	65	69	44	29	17	13	16	13	15	11	2	2	2	1	–	1	4
	White, Male	91	–	2	1	1	9	17	13	9	9	2	5	6	3	9	2	–	–	1	1	–	–	1
	Female	47	–	2	2	2	3	5	13	2	4	2	–	1	4	2	3	1	–	1	–	–	–	–
	All other, Male	173	–	1	–	2	16	35	34	26	12	12	7	6	6	4	6	–	2	–	–	–	1	3
	Female	36	–	–	–	1	1	8	9	7	4	1	1	3	–	–	–	1	–	–	–	–	–	–
E980–E999	Other external causes	94	1	–	–	3	7	12	6	8	6	10	13	6	7	7	5	1	1	–	–	1	–	–
	White, Male	44	–	–	–	1	4	7	3	3	1	3	8	3	3	3	2	1	1	–	–	1	–	–
	Female	17	–	–	–	–	1	2	–	–	1	1	2	3	3	2	2	–	–	–	–	–	–	–
	All other, Male	20	–	–	–	–	2	3	2	4	2	2	2	–	1	2	–	–	–	–	–	–	–	–
	Female	13	1	–	–	2	–	–	1	1	2	4	1	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts																							
	All causes	**51,814**	**811**	**112**	**106**	**138**	**407**	**580**	**436**	**412**	**450**	**703**	**1,220**	**2,231**	**3,173**	**4,302**	**5,614**	**6,407**	**7,196**	**7,552**	**5,958**	**2,963**	**1,117**	**6**
	White ..... Male	25,934	414	66	61	71	279	358	282	259	251	400	735	1,346	1,917	2,678	3,329	3,548	3,443	3,208	2,119	902	264	4
	Female	24,427	313	34	38	57	106	113	110	121	149	241	412	788	1,126	1,507	2,152	2,721	3,641	4,227	3,744	1,998	827	2
	All other ..... Male	852	48	7	3	6	16	20	29	22	34	40	46	59	81	71	77	80	57	65	45	36	10	–
	Female	601	36	5	4	4	6	9	15	10	16	22	27	38	49	46	56	58	55	52	50	27	16	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	41	4	–	–	–	–	1	–	2	1	–	1	3	–	4	1	4	3	5	8	2	2	–
	White ..... Male	17	2	–	–	–	–	1	–	1	–	–	–	1	–	1	1	2	–	4	3	–	1	–
	Female	24	2	–	–	–	–	–	–	1	1	–	1	2	–	3	–	2	3	1	5	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	57	–	1	–	–	–	–	2	1	–	3	5	2	3	4	5	6	10	6	7	1	1	–
	White ..... Male	26	–	1	–	–	–	–	–	–	–	3	3	1	1	1	2	3	5	2	4	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	2	–	2	3	3	3	5	4	3	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	45	–	1	–	–	–	–	2	1	–	3	4	2	2	2	4	3	9	4	6	1	1	–
	White ..... Male	21	–	1	–	–	–	–	–	–	–	3	3	1	1	1	1	1	4	1	4	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	5	3	2	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	3	1	2	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	–	3	1	–	1	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–
	White ..... Male	5	–	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	258	15	1	2	–	1	2	–	1	3	5	2	5	15	18	30	27	36	46	34	12	3	–
	White ..... Male	128	6	–	1	–	1	2	–	–	1	5	–	3	10	9	16	16	16	21	15	5	1	–
	Female	120	8	1	–	–	–	–	–	1	2	–	1	2	5	9	14	10	19	22	18	6	2	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	121	6	2	–	3	1	3	2	2	–	2	2	4	9	9	7	16	17	17	13	6	–	–
	White ..... Male	58	3	–	–	1	–	2	1	1	–	2	–	2	5	5	4	7	9	6	7	3	–	–
	Female	57	2	2	–	2	1	1	–	–	–	–	2	1	4	3	2	9	8	11	6	3	–	–
	All other ..... Male	4	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	11,478	2	8	17	22	34	37	47	70	106	167	359	737	1,096	1,332	1,689	1,718	1,577	1,302	816	276	65	1
	White ..... Male	5,717	1	7	12	13	19	23	22	37	47	71	163	339	531	710	903	908	802	632	354	102	21	–
	Female	5,478	1	1	5	8	13	12	24	32	53	84	184	368	527	584	746	777	754	649	450	165	40	1
	All other ..... Male	157	–	–	–	–	2	–	1	–	2	5	5	13	21	27	23	23	12	9	8	4	2	–
	Female	126	–	–	–	1	–	2	–	1	4	7	7	17	17	11	17	10	9	12	4	5	2	–
140–149	Of buccal cavity and pharynx	263	–	–	–	–	–	–	–	2	1	4	11	32	39	40	41	27	20	28	12	4	2	–
	White ..... Male	195	–	–	–	–	–	–	–	2	1	4	8	20	28	32	30	22	17	19	8	4	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	2	8	6	8	10	3	2	8	4	–	1	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	2	4	–	1	2	1	1	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,305	–	–	1	–	2	3	2	9	5	31	76	140	267	371	467	519	523	462	297	111	19	–
	White ..... Male	1,603	–	–	1	–	2	1	–	7	2	15	44	74	153	220	250	262	237	182	113	35	5	–
	Female	1,620	–	–	–	–	–	2	2	2	1	11	30	58	102	140	206	246	282	273	178	74	13	–
	All other ..... Male	47	–	–	–	–	–	–	–	–	2	2	1	5	4	8	8	6	1	3	5	1	1	–
	Female	35	–	–	–	–	–	–	–	–	–	3	1	3	8	3	3	5	3	4	1	1	–	–
160–163	Of respiratory system	2,572	–	–	–	–	–	1	3	8	22	36	97	215	306	348	474	420	329	196	91	23	3	–
	White ..... Male	1,827	–	–	–	–	–	1	3	5	13	16	68	139	203	244	353	310	246	143	69	13	1	–
	Female	687	–	–	–	–	–	–	–	3	9	18	25	69	93	91	113	102	79	53	21	9	2	–
	All other ..... Male	48	–	–	–	–	–	–	–	–	–	1	2	5	10	12	6	8	3	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	2	2	–	1	2	–	1	–	1	–	–	–
174	Of breast	1,173	–	–	–	–	–	–	6	8	17	29	63	117	149	144	141	142	134	112	74	28	9	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	1	–	–	–	–
	Female	1,147	–	–	–	–	–	–	6	8	16	27	61	113	145	139	139	139	134	110	74	27	9	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	1	1	1	3	3	4	2	3	–	1	–	1	–	–
180–187	Of genital organs	1,256	–	–	–	1	–	6	3	7	10	9	31	62	89	117	167	203	219	168	111	41	11	1
	White ..... Male	560	–	–	–	–	–	4	2	3	–	3	4	6	11	40	67	91	128	106	70	19	6	–
	Female	655	–	–	–	1	–	1	1	4	9	6	26	54	76	75	88	109	84	58	38	19	5	1
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	2	5	2	2	2	–	–
	Female	22	–	–	–	–	–	1	–	–	1	–	1	2	2	2	6	1	2	2	1	1	–	–
188, 189	Of urinary organs	524	–	–	–	1	–	–	1	1	4	5	7	29	49	53	71	79	77	81	41	20	5	–
	White ..... Male	330	–	–	–	1	–	–	–	–	2	4	4	18	24	39	49	53	52	50	21	11	2	–
	Female	188	–	–	–	–	–	–	1	1	1	1	3	10	25	13	22	24	25	30	20	9	3	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,402	1	4	1	5	22	13	18	20	28	34	52	85	128	168	209	199	136	140	99	32	8	–
	White ..... Male	685	–	3	1	3	13	7	8	9	16	14	26	48	70	88	99	104	54	68	40	11	3	–
	Female	679	1	1	–	1	7	6	9	10	11	16	24	34	55	76	108	92	78	68	58	19	5	–
	All other ..... Male	20	–	–	–	–	2	–	1	–	–	2	1	–	2	3	1	3	2	2	1	–	–	–
	Female	18	–	–	–	1	–	–	–	1	1	2	1	3	1	1	1	–	2	2	–	2	–	–
204–207	Leukemia	410	1	4	15	13	9	8	3	8	12	3	6	16	20	36	40	51	56	52	42	7	8	–
	White ..... Male	233	1	4	10	9	3	5	3	5	8	2	3	10	10	18	24	35	30	27	17	5	4	–
	Female	170	–	–	5	4	6	2	–	3	4	1	3	6	9	18	14	16	26	24	25	2	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	573	–	–	–	2	1	6	11	7	7	16	16	41	49	55	79	78	83	63	49	10	–	–
	White ..... Male	278	–	–	–	–	1	5	6	6	5	12	5	23	31	28	31	31	38	36	16	4	–	–
	Female	280	–	–	–	2	–	1	5	1	2	4	10	16	16	24	46	46	44	25	32	6	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	218	1	–	1	–	5	3	4	2	1	6	6	15	18	26	17	31	33	27	16	6	–	–
	White ..... Male	98	1	–	1	–	2	1	2	1	–	3	3	6	8	13	7	15	17	12	4	2	–	–
	Female	115	–	–	–	–	3	2	2	1	–	3	3	9	8	13	10	16	16	15	12	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–
250	Diabetes mellitus	967	–	–	–	1	2	1	1	10	4	17	30	36	54	75	127	135	139	172	115	38	10	–
	White ..... Male	393	–	–	–	1	1	–	–	8	1	7	15	26	29	37	62	70	44	43	40	7	2	–
	Female	544	–	–	–	–	1	1	1	2	2	10	12	7	21	33	62	63	93	124	74	30	8	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	–	–	3	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	2	1	–	3	1	2	2	2	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	69	2	1	–	–	–	–	–	1	–	1	3	5	–	8	5	6	3	12	16	5	1	–
	White ..... Male	24	–	1	–	–	–	–	–	1	–	–	2	3	–	4	2	2	1	4	3	1	–	–
	Female	42	1	–	–	–	–	–	–	–	–	–	1	2	–	4	3	4	1	8	13	4	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts — Con.																							
280–285	Anemias	72	–	–	–	1	2	1	–	3	1	–	1	3	5	–	6	11	17	9	10	2	–	–
	White ..... Male	29	–	–	–	–	1	1	–	1	–	–	–	–	1	–	4	3	10	2	5	1	–	–
	Female	41	–	–	–	1	1	–	–	1	1	–	1	3	3	–	2	8	7	7	5	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	36	12	2	1	–	–	–	–	–	–	1	–	1	4	3	3	3	2	1	1	2	–	–
	White ..... Male	15	6	1	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	1	–	1	–	–
	Female	17	4	1	1	–	–	–	–	–	–	–	–	–	3	2	–	2	2	–	1	1	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	26,603	12	5	5	8	14	22	38	50	109	213	437	864	1,352	1,978	2,740	3,334	3,994	4,606	3,889	2,100	831	2
	White ..... Male	12,838	6	1	4	3	11	6	23	28	64	153	332	640	950	1,373	1,702	1,848	1,824	1,834	1,253	597	185	1
	Female	13,187	3	4	1	4	1	13	10	19	29	44	84	196	346	559	971	1,419	2,110	2,708	2,570	1,464	631	1
	All other ..... Male	325	–	–	–	1	1	–	5	2	9	13	16	18	37	27	39	36	31	34	29	23	4	–
	Female	253	3	–	–	–	1	3	–	1	7	3	5	10	19	19	28	31	29	30	37	16	11	–
390–398, 402, 404, 410–429	Diseases of heart	20,423	10	4	4	6	6	9	30	37	84	181	382	750	1,149	1,675	2,265	2,629	3,018	3,347	2,780	1,477	578	2
	White ..... Male	10,465	4	1	4	3	5	3	17	24	54	137	300	582	840	1,197	1,438	1,525	1,446	1,381	939	427	137	1
	Female	9,523	3	3	–	2	–	5	8	10	18	31	66	144	266	441	769	1,055	1,524	1,931	1,796	1,021	429	1
	All other ..... Male	253	–	–	–	1	1	–	5	2	6	12	14	15	28	21	36	25	23	19	23	19	3	–
	Female	182	3	–	–	–	–	1	–	1	6	1	2	9	15	16	22	24	25	16	22	10	9	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	400	–	–	–	1	1	–	7	2	7	9	10	26	32	37	61	54	50	51	41	8	3	–
	White ..... Male	162	–	–	–	1	1	–	2	2	1	5	6	14	19	23	22	22	13	17	12	2	–	–
	Female	222	–	–	–	–	–	–	4	–	3	4	4	10	11	14	38	30	34	33	28	6	3	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	2	–	–	2	1	–	1	1	3	1	1	–	–	–
402	Hypertensive heart disease	241	–	–	–	–	–	1	–	–	2	2	4	2	6	25	22	36	36	44	35	22	4	–
	White ..... Male	79	–	–	–	–	–	1	–	–	–	2	1	2	4	13	7	15	16	10	5	3	–	–
	Female	150	–	–	–	–	–	–	–	–	–	–	2	–	1	11	13	21	20	31	29	18	4	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	–	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–
404	Hypertensive heart and renal disease	35	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	6	9	8	6	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	4	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	7	4	4	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	18,381	–	–	–	–	–	2	12	26	55	156	326	670	1,039	1,505	2,027	2,362	2,751	3,028	2,525	1,359	537	1
	White ..... Male	9,514	–	–	–	–	–	–	8	17	45	122	266	537	779	1,090	1,315	1,372	1,332	1,249	858	392	131	1
	Female	8,517	–	–	–	–	–	1	2	7	8	23	47	116	227	386	661	950	1,376	1,748	1,631	939	395	–
	All other ..... Male	210	–	–	–	–	–	–	2	1	–	11	11	13	21	16	32	22	22	17	20	19	3	–
	Female	140	–	–	–	–	–	1	–	1	2	–	2	4	12	13	19	18	21	14	16	9	8	–
410	Acute myocardial infarction	8,856	–	–	–	–	–	–	3	15	33	102	224	435	678	972	1,209	1,299	1,374	1,214	842	344	111	1
	White ..... Male	5,157	–	–	–	–	–	–	2	10	28	80	184	357	516	711	783	766	685	546	342	111	35	1
	Female	3,523	–	–	–	–	–	–	–	4	4	16	32	70	145	241	397	507	664	659	490	221	73	–
	All other ..... Male	108	–	–	–	–	–	–	1	1	–	6	7	7	8	13	16	18	11	4	7	8	1	–
	Female	68	–	–	–	–	–	–	–	–	1	–	1	1	9	7	13	8	14	5	3	4	2	–
411	Other acute and subacute forms of ischemic heart disease	33	–	–	–	–	–	–	–	–	–	1	–	1	2	3	4	5	4	8	4	1	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	5	3	3	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	9,483	–	–	–	–	–	2	9	11	22	53	102	233	358	530	813	1,057	1,372	1,805	1,676	1,014	426	–
	White ..... Male	4,329	–	–	–	–	–	–	6	7	17	41	82	178	260	377	528	600	644	699	513	281	96	–
	Female	4,980	–	–	–	–	–	1	2	3	4	7	15	46	82	144	263	443	710	1,084	1,137	717	322	–
	All other ..... Male	102	–	–	–	–	–	–	1	–	–	5	4	6	13	3	16	4	11	13	13	11	2	–
	Female	72	–	–	–	–	–	1	–	1	1	–	1	3	3	6	6	10	7	9	13	5	6	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	3	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	80	–	–	–	–	3	–	–	–	1	1	2	4	5	4	7	10	9	13	9	10	2	–
	White ..... Male	30	–	–	–	–	3	–	–	–	1	1	–	1	2	3	5	5	1	4	2	1	1	–
	Female	48	–	–	–	–	–	–	–	–	–	–	2	3	3	1	2	4	8	9	6	9	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,286	10	4	4	5	2	6	11	9	18	13	40	48	67	103	146	166	166	202	162	72	31	1
	White..... Male	667	4	1	4	2	1	2	7	5	7	7	27	28	36	68	88	110	81	99	58	27	5	–
	Female	565	3	3	–	2	–	4	2	3	7	4	11	15	24	28	54	50	83	103	98	45	25	1
	All other..... Male	30	–	–	–	1	1	–	2	1	3	1	2	2	5	4	2	2	1	–	3	–	–	–
	Female	24	3	–	–	–	–	–	–	–	1	1	–	3	2	3	2	4	1	–	3	–	1	–
400, 401, 403	Hypertension	146	–	–	–	–	–	1	–	–	–	2	2	5	3	12	13	20	27	18	19	17	7	–
	White..... Male	67	–	–	–	–	–	–	–	–	–	1	2	3	2	6	6	12	12	9	7	3	4	–
	Female	74	–	–	–	–	–	1	–	–	–	–	–	1	1	6	7	8	13	9	12	13	3	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–
430–438	Cerebrovascular diseases	4,561	2	1	1	2	5	8	6	11	22	26	45	82	147	228	347	520	706	974	835	436	157	–
	White..... Male	1,642	2	–	–	–	4	2	4	3	9	12	25	39	71	116	191	212	246	319	240	118	29	–
	Female	2,799	–	1	1	2	1	4	2	8	10	12	15	40	66	103	147	291	452	631	578	309	126	–
	All other..... Male	65	–	–	–	–	–	–	–	–	2	1	2	2	7	6	3	11	7	13	6	4	1	–
	Female	55	–	–	–	–	–	2	–	–	1	1	3	1	3	3	6	6	1	11	11	5	1	–
431	Cerebral hemorrhage	791	1	–	–	–	1	1	4	2	7	10	13	29	59	73	92	101	113	134	93	45	13	–
	White..... Male	311	1	–	–	–	1	–	3	–	3	3	6	16	24	35	56	38	45	41	26	12	1	–
	Female	448	–	–	–	–	–	1	1	2	3	5	5	10	31	36	34	58	68	85	65	32	12	–
	All other..... Male	18	–	–	–	–	–	–	–	–	1	1	1	2	2	1	–	4	–	5	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	–	3	2	–	–	–
433	Cerebral thrombosis	1,321	–	–	–	–	–	1	–	1	2	2	6	12	23	46	93	149	228	294	271	139	54	–
	White..... Male	479	–	–	–	–	–	–	–	1	1	2	4	5	13	28	54	62	73	100	88	39	9	–
	Female	806	–	–	–	–	–	–	–	–	1	–	2	7	8	14	37	81	153	188	175	96	44	–
	All other..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	3	2	4	4	1	–	–
	Female	16	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	3	–	2	4	3	1	–
434	Cerebral embolism	26	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	4	8	4	3	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	6	4	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,423	1	1	1	2	4	6	2	8	13	14	26	40	63	109	161	267	361	538	467	249	90	–
	White..... Male	845	1	–	–	–	3	2	1	2	5	7	15	18	33	53	81	111	126	176	126	66	19	–
	Female	1,526	–	1	1	2	1	3	1	6	6	7	8	22	26	53	75	150	229	352	334	179	70	–
	All other..... Male	27	–	–	–	–	–	–	–	–	1	–	1	–	3	1	3	4	5	4	2	2	1	–
	Female	25	–	–	–	–	–	1	–	–	1	–	2	–	1	2	2	2	1	6	5	2	–	–
440	Arteriosclerosis	741	–	–	–	–	–	–	–	1	–	–	2	5	9	12	28	45	104	151	169	135	80	–
	White..... Male	258	–	–	–	–	–	–	–	1	–	–	2	4	4	10	15	21	45	67	39	37	13	–
	Female	477	–	–	–	–	–	–	–	–	–	–	–	1	5	2	13	24	59	82	127	98	66	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	732	–	–	–	–	3	4	2	1	3	4	6	22	44	51	87	120	139	116	86	35	9	–
	White..... Male	406	–	–	–	–	2	1	2	–	1	3	3	12	33	44	52	78	75	58	28	12	2	–
	Female	314	–	–	–	–	–	3	–	1	1	1	3	10	8	7	35	41	62	55	57	23	7	–
	All other..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	1	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	2	1	–	–	–
466	Acute bronchitis and bronchiolitis	13	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	2	2	1	1	–	–
	White..... Male	9	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	2	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,882	25	3	6	9	4	8	7	11	4	19	23	40	55	88	113	170	268	381	340	211	97	–
	White..... Male	953	13	2	3	1	3	6	3	6	3	10	12	24	31	59	75	117	143	190	142	82	28	–
	Female	867	7	1	3	6	1	1	4	2	–	5	8	12	20	26	35	46	118	184	197	125	66	–
	All other..... Male	41	4	–	–	2	–	1	–	3	1	1	1	2	4	3	1	6	1	5	–	3	3	–
	Female	21	1	–	–	–	–	–	–	–	–	3	2	2	–	–	2	1	6	2	1	1	–	–
470–474	Influenza	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	2	1	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	1,872	25	3	6	9	4	8	7	11	4	19	23	40	55	87	113	170	268	378	337	209	96	–
	White..... Male	950	13	2	3	1	3	6	3	6	3	10	12	24	31	58	75	117	143	189	142	81	28	–
	Female	862	7	1	3	6	1	1	4	2	–	5	8	12	20	26	35	46	118	182	194	125	66	–
	All other..... Male	40	4	–	–	2	–	1	–	3	1	1	1	2	4	3	1	6	1	5	–	3	2	–
	Female	20	1	–	–	–	–	–	–	–	–	3	2	2	–	–	2	1	6	2	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	491	1	2	1	1	2	–	1	4	1	1	9	15	25	41	78	84	97	72	37	13	6	–
	White..... Male	334	–	1	1	1	1	–	–	1	–	–	5	10	12	24	58	64	75	47	23	10	1	–
	Female	149	1	–	–	–	1	–	1	–	1	1	3	5	11	17	20	19	22	25	14	3	5	–
	All other..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
490, 491	Chronic and unqualified bronchitis	105	1	2	1	–	–	–	–	–	–	1	2	4	7	6	16	15	20	15	10	2	3	–
	White Male	57	–	1	1	–	–	–	–	–	–	–	1	3	3	4	11	10	12	5	5	1	–	–
	Female	47	1	–	–	–	–	–	–	–	–	1	1	1	4	2	5	5	8	10	5	1	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	343	–	–	–	–	–	–	–	1	1	–	5	9	12	34	57	63	70	54	24	10	3	–
	White Male	262	–	–	–	–	–	–	–	–	–	–	3	7	7	20	44	53	62	41	16	8	1	–
	Female	79	–	–	–	–	–	–	–	–	1	–	2	2	5	14	13	9	8	13	8	2	2	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	43	–	–	–	1	2	–	1	3	–	–	2	2	6	1	5	6	7	3	3	1	–	–
	White Male	15	–	–	–	1	1	–	–	1	–	–	1	–	2	–	3	1	1	1	2	1	–	–
	Female	23	–	–	–	–	1	–	1	–	–	–	–	2	2	1	2	5	6	2	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	171	1	–	–	–	–	–	–	1	3	2	4	12	9	16	16	26	28	22	16	12	3	–
	White Male	99	–	–	–	–	–	–	–	1	1	1	2	9	6	7	11	18	15	14	9	4	1	–
	Female	64	1	–	–	–	–	–	–	–	2	1	2	1	2	8	4	6	13	8	6	8	2	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
540–543	Appendicitis	10	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	3	–	–	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	144	10	1	–	–	1	–	–	–	1	2	1	3	4	10	5	12	24	36	20	6	8	–
	White Male	51	4	1	–	–	–	–	–	–	–	–	1	–	2	7	3	7	10	6	7	2	1	–
	Female	89	5	–	–	–	1	–	–	–	1	2	–	3	1	2	2	5	13	30	13	4	7	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	912	1	–	–	–	–	3	6	15	35	53	95	137	117	153	120	91	49	27	5	5	–	–
	White Male	563	–	–	–	–	–	1	4	12	19	32	47	85	81	103	88	54	22	11	1	3	–	–
	Female	302	1	–	–	–	–	2	2	1	9	16	36	46	32	46	29	33	27	16	4	2	–	–
	All other Male	31	–	–	–	–	–	–	–	1	6	2	11	3	2	1	2	3	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	1	3	1	3	2	3	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	83	–	–	–	–	–	–	1	–	–	1	–	–	2	3	6	11	14	13	17	11	4	–
	White Male	32	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	7	5	4	7	4	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	4	9	9	10	7	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	213	–	1	–	–	2	2	–	3	1	2	4	3	9	18	17	29	33	37	36	11	5	–
	White Male	112	–	–	–	–	2	1	–	2	1	–	2	1	6	9	11	16	16	20	17	5	3	–
	Female	90	–	–	–	–	–	–	–	1	–	2	1	1	2	7	6	12	16	16	18	6	2	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	8	–	–	–	–	–	1	–	–	–	–	1	1	1	2	–	1	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	49	–	1	–	–	2	–	–	1	–	–	1	–	2	1	6	5	11	3	9	4	3	–
	White Male	28	–	–	–	–	2	–	–	1	–	–	1	–	1	–	4	1	7	3	5	2	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	–	3	2	2	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	164	–	–	–	–	–	2	–	2	1	2	3	3	7	17	11	24	22	34	27	7	2	–
	White Male	84	–	–	–	–	–	1	–	1	1	–	1	1	5	9	7	15	9	17	12	3	2	–
	Female	71	–	–	–	–	–	–	–	1	–	2	1	1	1	6	4	8	12	16	15	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	–	1	1	1	2	–	1	–	–	–	–	–	–
590	Infections of kidney	100	–	–	–	–	–	–	–	–	–	–	–	–	–	9	8	13	18	19	20	7	6	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	6	8	7	4	1	–	–
	Female	64	–	–	–	–	–	–	–	–	–	–	–	–	–	6	3	7	9	12	15	6	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	3	2	1	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	3	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	258	165	17	7	9	7	4	6	3	1	5	4	4	7	6	4	6	2	1	–	–	–	–
	White Male	132	76	11	4	7	5	2	5	2	1	1	2	3	3	3	2	4	1	–	–	–	–	–
	Female	108	77	4	3	2	2	1	1	–	–	4	1	1	4	3	1	2	1	1	–	–	–	–
	All other Male	9	7	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	5	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	446	445	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	231	231	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	164	164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	28	27	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	214	213	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	232	232	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	558	63	9	3	1	9	30	30	12	15	16	18	27	26	39	38	55	51	51	32	23	7	3
	White Male	292	38	2	2	–	5	21	19	8	10	5	11	13	13	20	25	33	25	21	13	4	1	3
	Female	241	21	6	1	1	3	8	6	4	3	8	5	14	12	18	12	21	25	30	19	18	6	–
	All other Male	17	2	1	–	–	1	1	3	–	1	1	2	–	–	1	1	1	1	–	–	1	–	–
	Female	8	2	–	–	–	–	–	2	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Residual	All other diseases	3,656	35	12	9	27	19	30	36	32	44	68	98	153	214	315	430	467	603	514	371	140	39	–
	White Male	1,869	19	7	6	10	8	15	15	15	22	35	56	83	114	185	255	255	303	256	154	47	9	–
	Female	1,654	12	4	2	17	11	13	17	14	17	25	32	61	87	121	164	198	289	246	208	87	29	–
	All other Male	84	4	1	1	–	–	2	1	3	5	6	5	6	6	6	7	7	7	8	7	2	–	–
	Female	49	–	–	–	–	–	–	3	–	–	2	5	3	7	3	4	7	4	4	2	4	1	–
E800–E949	Accidents	2,119	11	38	52	52	241	236	148	90	70	57	62	97	97	98	111	126	152	157	126	71	27	–
	White Male	1,326	8	25	27	33	180	191	113	68	53	35	46	55	76	66	69	75	75	57	47	18	9	–
	Female	710	3	10	20	16	51	39	21	17	13	18	15	35	20	28	40	47	72	98	78	53	16	–
	All other Male	56	–	2	2	1	9	6	9	3	4	4	1	6	1	3	1	1	2	1	–	–	–	–
	Female	27	–	1	3	2	1	–	5	2	–	–	–	1	–	1	1	3	3	1	1	–	2	–
E810–E823	Motor vehicle accidents	818	2	8	26	29	188	158	81	38	33	34	25	29	37	26	33	27	23	11	7	2	1	–
	White Male	578	1	4	11	13	140	126	62	29	27	19	20	15	29	20	19	16	12	7	5	2	1	–
	Female	214	1	4	14	14	41	31	12	9	4	14	4	13	8	5	13	11	10	4	2	–	–	–
	All other Male	18	–	–	1	–	6	1	4	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–
	Female	8	–	–	–	2	1	–	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,301	9	30	26	23	53	78	67	52	37	23	37	68	60	72	78	99	129	146	119	69	26	–
	White Male	748	7	21	16	20	40	65	51	39	26	16	26	40	47	46	50	59	63	50	42	16	8	–
	Female	496	2	6	6	2	10	8	9	8	9	4	11	22	12	23	27	36	62	94	76	53	16	–
	All other Male	38	–	2	1	1	3	5	5	3	2	3	–	5	1	3	–	1	2	1	–	–	–	–
	Female	19	–	1	3	–	–	–	2	2	–	–	–	1	–	–	1	3	2	1	1	–	2	–
E950–E959	Suicide	556	...	...	–	–	38	75	74	66	28	38	37	44	42	37	26	17	18	11	4	–	1	–
	White Male	385	...	...	–	–	26	56	56	50	16	25	23	28	30	28	16	10	12	7	2	–	–	–
	Female	155	...	...	–	–	11	14	15	16	11	12	13	16	12	8	10	6	6	2	2	–	1	–
	All other Male	12	...	...	–	–	1	5	3	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
	Female	4	...	...	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–
E960–E978	Homicide	182	–	4	1	3	17	31	22	24	14	16	11	14	4	5	7	2	3	2	2	–	–	–
	White Male	95	–	3	–	1	8	21	9	11	6	6	6	8	3	5	2	2	2	1	1	–	–	–
	Female	36	–	–	1	–	4	4	4	6	2	3	3	1	–	–	5	–	1	1	1	–	–	–
	All other Male	38	–	–	–	1	2	4	5	7	5	6	2	5	1	–	–	–	–	–	–	–	–	–
	Female	13	–	1	–	1	3	2	4	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	72	–	1	–	–	6	11	11	7	8	6	7	5	4	3	1	1	–	–	–	1	–	–
	White Male	49	–	–	–	–	5	8	9	5	6	4	3	3	2	2	1	–	–	–	–	1	–	–
	Female	18	–	–	–	–	1	2	2	1	2	2	2	2	2	1	–	1	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan																							
	All causes	**74,198**	**1,954**	**351**	**249**	**313**	**943**	**1,095**	**980**	**873**	**971**	**1,381**	**2,341**	**3,820**	**5,093**	**6,758**	**7,927**	**8,997**	**9,237**	**9,437**	**7,045**	**3,418**	**1,015**	–
	White ..... Male	36,226	797	135	100	175	588	643	515	390	439	624	1,152	2,013	2,733	3,865	4,366	4,873	4,546	4,179	2,721	1,113	259	–
	Female	28,733	588	125	91	87	230	195	195	211	256	405	702	1,090	1,504	1,980	2,604	3,212	3,840	4,673	3,936	2,135	674	–
	All other ..... Male	5,439	325	56	35	37	91	191	180	195	180	221	295	449	533	563	586	522	441	269	181	63	26	–
	Female	3,800	244	35	23	14	34	66	90	77	96	131	192	268	323	350	371	390	410	316	207	107	56	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	58	22	2	–	–	–	–	1	–	–	–	1	1	1	3	4	4	4	2	10	3	–	–
	White ..... Male	21	12	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	–	2	–	–	–
	Female	30	4	2	–	–	–	–	–	–	–	–	1	–	1	1	3	2	3	2	8	3	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	97	–	–	–	–	–	3	2	1	5	4	3	12	8	10	16	6	9	10	3	3	2	–
	White ..... Male	40	–	–	–	–	–	–	–	–	1	1	–	7	5	2	10	2	5	4	1	1	1	–
	Female	20	–	–	–	–	–	2	–	–	1	–	1	1	–	4	4	1	–	4	–	2	–	–
	All other ..... Male	27	–	–	–	–	–	1	2	1	2	2	1	4	2	3	1	2	2	2	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	2	–	–	–	1	–
010–012	Tuberculosis of respiratory system	67	–	–	–	–	–	1	1	1	4	3	1	8	4	6	11	5	9	7	3	2	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	1	–	3	4	1	8	2	5	3	1	1	1	–
	Female	11	–	–	–	–	–	1	–	–	1	–	–	1	–	2	2	–	–	3	–	1	–	–
	All other ..... Male	20	–	–	–	–	–	–	1	1	2	1	1	4	–	2	1	2	2	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	2	–	–	–	–	–
013–019	Tuberculosis, other forms	30	–	–	–	–	–	2	1	–	1	1	2	4	4	4	5	1	–	3	–	1	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	1	–	–	4	1	1	2	–	–	1	–	–	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	1	–	–	2	2	1	–	1	–	1	–	–
	All other ..... Male	7	–	–	–	–	–	1	1	–	–	1	–	–	2	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	2	2	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White ..... Male	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
038	Septicemia	277	40	2	–	1	1	4	4	5	5	5	8	17	17	23	24	36	26	30	19	8	2	–
	White ..... Male	111	12	–	–	1	–	–	–	2	2	1	3	6	8	15	10	18	10	14	5	3	1	–
	Female	98	13	1	–	–	–	3	3	1	1	1	2	2	6	4	9	12	11	13	11	4	1	–
	All other ..... Male	30	4	1	–	–	1	–	1	1	1	2	1	7	1	1	2	2	2	1	2	–	–	–
	Female	38	11	–	–	–	–	1	–	1	1	1	2	2	2	3	3	4	3	2	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	160	10	3	2	4	3	5	6	2	2	6	9	11	9	13	18	18	8	15	9	4	3	–
	White ..... Male	65	6	2	–	2	2	4	2	2	–	1	4	2	3	7	7	5	3	7	3	2	1	–
	Female	58	2	–	2	2	–	1	2	–	1	1	2	6	1	4	9	9	2	5	5	2	2	–
	All other ..... Male	18	2	1	–	–	–	–	–	–	1	2	1	1	1	1	2	3	–	2	1	–	–	–
	Female	19	–	–	–	–	1	–	2	–	–	2	2	2	4	1	–	1	3	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	15,140	7	33	38	49	54	58	71	115	183	308	663	1,209	1,604	2,000	2,196	2,168	1,786	1,480	812	261	45	–
	White Male	7,375	3	11	20	27	31	36	39	33	69	103	255	540	717	1,047	1,110	1,189	933	729	358	111	14	–
	Female	5,906	2	18	15	15	15	14	24	62	91	142	299	469	621	706	804	756	685	634	383	131	20	–
	All other Male	1,108	2	3	–	5	4	7	3	9	7	44	51	118	162	138	193	144	91	72	39	10	6	–
	Female	751	–	1	3	2	4	1	5	11	16	19	58	82	104	109	89	79	77	45	32	9	5	–
140–149	Of buccal cavity and pharynx	292	–	–	–	1	1	1	1	–	2	7	13	39	36	40	46	31	33	19	11	9	2	–
	White Male	188	–	–	–	1	–	–	1	–	1	3	8	25	20	27	36	17	23	13	8	4	1	–
	Female	57	–	–	–	–	–	–	–	–	1	–	3	7	8	7	5	7	5	5	3	5	1	–
	All other Male	38	–	–	–	–	–	1	–	–	–	4	2	5	6	4	5	6	4	1	–	–	–	–
	Female	9	–	–	–	–	1	–	–	–	–	–	–	2	2	2	–	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,953	1	1	1	–	–	7	8	12	24	60	129	262	377	527	567	594	525	474	282	86	16	–
	White Male	1,882	–	–	–	–	–	3	3	5	14	18	65	137	189	273	271	303	241	205	115	34	6	–
	Female	1,545	1	1	1	–	–	1	2	4	8	24	42	70	114	182	210	222	234	235	140	46	8	–
	All other Male	321	–	–	–	–	–	2	2	2	1	14	11	36	47	40	63	43	24	19	11	4	2	–
	Female	205	–	–	–	–	–	1	1	1	1	4	11	19	27	32	23	26	26	15	16	2	–	–
160–163	Of respiratory system	3,818	–	–	–	–	2	1	2	11	27	78	183	367	516	623	659	606	399	211	98	27	8	–
	White Male	2,535	–	–	–	–	1	–	1	4	12	36	93	224	303	446	442	445	300	149	64	13	2	–
	Female	756	–	–	–	–	1	1	1	5	11	21	46	74	118	99	130	106	62	46	21	11	3	–
	All other Male	405	–	–	–	–	–	–	–	1	2	18	29	53	74	59	71	46	27	11	10	2	2	–
	Female	122	–	–	–	–	–	–	–	1	2	3	15	16	21	19	16	9	10	5	3	1	1	–
174	Of breast	1,357	–	–	–	–	–	–	7	32	32	47	118	170	191	170	173	135	105	93	60	22	2	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	–	–	–	–	–
	Female	1,201	–	–	–	–	–	–	5	25	26	41	100	147	169	153	156	119	91	91	56	21	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	145	–	–	–	–	–	–	2	7	6	5	18	22	21	16	16	13	11	2	4	1	1	–
180–187	Of genital organs	1,712	1	1	1	2	5	5	11	14	15	32	57	89	138	180	216	271	250	244	133	43	4	–
	White Male	717	–	1	1	2	2	4	7	4	2	4	4	4	28	47	83	133	137	146	80	26	2	–
	Female	761	1	–	–	–	3	1	4	10	12	23	44	76	86	103	97	98	86	62	40	14	1	–
	All other Male	134	–	–	–	–	–	–	–	–	–	1	1	3	8	14	22	28	17	26	11	3	–	–
	Female	100	–	–	–	–	–	–	–	–	1	4	8	6	16	16	14	12	10	10	2	–	1	–
188, 189	Of urinary organs	659	–	1	–	1	1	–	–	3	3	5	15	39	49	71	104	103	90	101	52	20	1	–
	White Male	369	–	–	–	1	–	–	–	1	2	2	9	20	28	40	60	63	58	49	24	12	–	–
	Female	228	–	1	–	–	1	–	–	1	–	2	5	14	13	24	31	36	23	44	26	6	1	–
	All other Male	31	–	–	–	–	–	–	–	1	–	–	–	2	5	2	9	1	7	4	–	–	–	–
	Female	31	–	–	–	–	–	–	–	–	1	1	1	3	3	5	4	3	2	4	2	2	–	–
170–173, 190–199	Of all other and unspecified sites	1,915	3	21	12	13	20	13	20	24	46	36	87	154	175	231	258	268	218	176	95	35	10	–
	White Male	916	1	6	9	4	9	9	13	10	24	19	41	78	93	128	118	133	98	74	36	11	2	–
	Female	811	–	12	2	6	7	3	5	11	19	14	41	54	61	79	113	113	102	93	50	21	5	–
	All other Male	96	2	2	–	3	3	1	1	1	1	2	3	13	10	10	16	12	5	4	5	1	1	–
	Female	92	–	1	1	–	1	–	1	2	2	1	2	9	11	14	11	10	13	5	4	2	2	–
204–207	Leukemia	600	2	7	20	23	20	15	14	7	15	13	20	30	42	53	62	54	69	81	43	8	2	–
	White Male	335	2	4	7	12	15	7	8	3	6	8	14	16	26	31	36	35	36	49	17	2	1	–
	Female	215	–	3	12	7	3	7	6	2	5	4	4	10	13	19	21	14	29	27	24	5	–	–
	All other Male	28	–	–	–	2	–	1	–	2	1	–	1	2	3	2	2	3	3	4	1	–	1	–
	Female	22	–	–	1	2	2	–	–	–	3	1	1	2	–	1	3	2	1	1	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	834	–	2	4	9	5	16	8	12	19	30	41	59	80	105	111	106	97	81	38	11	–	–
	White Male	424	–	–	3	7	4	13	6	6	8	13	21	35	29	54	63	57	38	44	14	9	–	–
	Female	332	–	1	–	2	–	1	1	4	9	13	14	17	39	40	41	41	53	31	23	2	–	–
	All other Male	53	–	1	–	–	1	2	–	2	2	4	4	4	9	7	5	5	3	3	1	–	–	–
	Female	25	–	–	1	–	–	–	1	–	–	–	2	3	3	4	2	3	3	3	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	150	6	–	2	–	1	2	5	3	4	7	8	11	18	13	14	12	15	11	9	8	1	–
	White Male	55	3	–	1	–	–	–	1	1	1	2	5	3	9	2	4	6	7	4	3	2	1	–
	Female	68	2	–	1	–	–	2	3	1	2	5	2	4	6	7	5	4	7	6	6	5	–	–
	All other Male	11	–	–	–	–	1	–	–	–	–	–	–	1	1	3	2	1	1	1	–	–	–	–
	Female	16	1	–	–	–	–	–	1	1	1	–	1	3	2	1	3	1	–	–	–	1	–	–
250	Diabetes mellitus	1,614	2	–	–	–	1	2	10	10	21	18	44	63	112	158	202	237	253	249	160	61	11	–
	White Male	585	–	–	–	–	1	–	4	4	12	8	25	29	49	60	83	95	77	79	40	16	3	–
	Female	804	2	–	–	–	–	1	3	2	5	8	11	24	34	69	79	118	141	151	109	41	6	–
	All other Male	97	–	–	–	–	–	–	1	2	3	–	3	5	14	11	22	8	13	7	6	1	1	–
	Female	128	–	–	–	–	–	1	2	2	1	2	5	5	15	18	18	16	22	12	5	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	111	3	1	1	–	–	–	–	1	1	–	–	3	4	6	4	9	12	27	19	16	4	–
	White Male	40	1	–	–	–	–	–	–	1	–	–	–	1	2	3	3	3	7	11	5	3	–	–
	Female	54	1	–	–	–	–	–	–	–	1	–	–	–	1	1	1	4	5	14	11	11	4	–
	All other Male	10	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	2	2	–	–	–
	Female	7	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
280–285	Anemias	129	2	1	1	–	2	3	3	2	4	2	–	3	4	8	7	15	18	24	21	7	2	–
	White Male	55	–	–	–	–	–	1	1	–	–	1	–	2	3	4	3	9	7	12	9	2	1	–
	Female	50	–	1	–	–	1	1	–	–	1	–	–	–	–	2	4	5	10	10	11	4	–	–
	All other Male	16	2	–	1	–	1	1	1	2	2	–	–	–	1	1	–	1	1	–	1	1	–	–
	Female	8	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	2	–	–	1	–
320	Meningitis	59	22	10	3	–	2	1	–	1	1	1	1	3	3	1	2	2	2	3	1	–	–	–
	White Male	27	11	5	–	–	1	–	–	–	–	–	1	1	1	1	2	2	2	–	–	–	–	–
	Female	20	6	3	2	–	1	–	–	–	1	–	–	2	2	–	–	–	–	2	1	–	–	–
	All other Male	5	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	3	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	38,228	41	11	8	10	29	50	67	100	192	417	849	1,528	2,256	3,204	4,053	5,021	5,761	6,279	4,955	2,581	816	–
	White Male	18,545	15	4	2	4	17	20	27	45	99	243	514	918	1,402	1,970	2,357	2,701	2,749	2,632	1,834	790	202	–
	Female	15,968	11	3	4	2	9	16	20	30	34	80	179	327	507	798	1,239	1,825	2,504	3,284	2,873	1,663	560	–
	All other Male	1,976	8	2	1	2	–	5	8	18	39	52	90	166	221	284	260	259	257	139	102	46	17	–
	Female	1,739	7	2	1	2	3	9	12	7	20	42	66	117	126	152	197	236	251	224	146	82	37	–
390–398, 402, 404, 410–429	Diseases of heart	28,918	31	5	5	6	14	37	40	69	144	325	717	1,270	1,918	2,684	3,262	3,877	4,278	4,438	3,480	1,765	553	–
	White Male	14,740	13	1	1	2	9	15	19	37	84	205	460	821	1,249	1,688	1,938	2,149	2,109	1,918	1,336	546	140	–
	Female	11,404	9	1	3	–	3	12	9	15	19	50	130	239	392	640	963	1,375	1,801	2,268	1,969	1,131	375	–
	All other Male	1,511	4	2	1	2	–	4	6	15	28	43	77	126	181	231	208	190	182	104	65	30	12	–
	Female	1,263	5	1	–	2	2	6	6	2	13	27	50	84	96	125	153	163	186	148	110	58	26	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	477	–	–	1	–	2	8	8	9	7	11	23	34	55	57	76	72	50	38	17	9	–	–
	White Male	212	–	–	1	–	2	3	3	4	4	6	7	15	24	28	34	34	21	15	8	3	–	–
	Female	225	–	–	–	–	–	2	2	4	2	3	13	15	25	26	35	36	25	23	8	6	–	–
	All other Male	19	–	–	–	–	–	2	1	1	–	1	–	3	1	1	5	1	3	–	–	–	–	–
	Female	21	–	–	–	–	–	1	2	–	1	1	3	1	5	2	2	1	1	–	1	–	–	–
402	Hypertensive heart disease	321	–	–	–	–	–	1	–	–	4	6	11	13	19	26	36	37	51	43	43	26	5	–
	White Male	80	–	–	–	–	–	–	–	–	2	2	3	1	5	9	8	10	14	10	10	5	1	–
	Female	167	–	–	–	–	–	1	–	–	–	1	2	4	8	10	18	18	23	28	30	20	4	–
	All other Male	35	–	–	–	–	–	–	–	–	–	2	5	4	5	4	4	4	5	1	–	1	–	–
	Female	39	–	–	–	–	–	–	–	–	2	1	1	4	1	3	6	5	9	4	3	–	–	–
404	Hypertensive heart and renal disease	92	–	–	–	–	–	–	–	–	1	3	1	1	2	6	11	9	20	14	15	5	4	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	1	–	1	4	6	4	9	6	8	2	2	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	9	7	5	3	2	–
	All other Male	8	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–	1	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	1	1	–	–	–
410–413	Ischemic heart disease	26,055	–	–	–	–	1	5	9	43	105	277	627	1,136	1,714	2,447	2,951	3,540	3,892	4,081	3,150	1,579	498	–
	White Male	13,503	–	–	–	–	–	1	5	25	62	185	425	767	1,157	1,566	1,786	1,980	1,946	1,759	1,222	487	130	–
	Female	10,151	–	–	–	–	1	1	2	8	14	34	98	192	325	556	844	1,244	1,624	2,093	1,769	1,012	334	–
	All other Male	1,321	–	–	–	–	–	–	1	9	21	37	65	106	154	211	189	171	163	95	62	26	11	–
	Female	1,080	–	–	–	–	–	3	1	1	8	21	39	71	78	114	132	145	159	134	97	54	23	–
410	Acute myocardial infarction	13,429	–	–	–	–	1	2	8	26	71	177	421	745	1,139	1,571	1,817	2,035	1,981	1,723	1,124	464	124	–
	White Male	7,854	–	–	–	–	–	–	5	14	49	135	297	551	818	1,079	1,165	1,209	1,061	807	465	161	38	–
	Female	4,663	–	–	–	–	1	–	2	6	11	21	67	128	225	365	529	706	800	839	599	286	78	–
	All other Male	517	–	–	–	–	–	–	1	5	6	14	37	39	62	89	75	61	60	33	24	7	4	–
	Female	395	–	–	–	–	–	2	–	1	5	7	20	27	34	38	48	59	60	44	36	10	4	–
411	Other acute and subacute forms of ischemic heart disease	93	–	–	–	–	–	–	–	–	–	3	–	9	6	9	5	19	13	11	13	5	–	–
	White Male	53	–	–	–	–	–	–	–	–	–	3	–	5	3	6	4	12	5	5	7	3	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	6	8	5	5	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
412	Chronic ischemic heart disease	12,524	–	–	–	–	–	3	1	17	34	97	205	380	568	866	1,128	1,485	1,897	2,346	2,013	1,110	374	–
	White Male	5,590	–	–	–	–	–	1	–	11	13	47	127	210	336	480	616	759	879	946	750	323	92	–
	Female	5,452	–	–	–	–	–	1	–	2	3	13	31	60	97	189	314	531	816	1,249	1,165	725	256	–
	All other Male	798	–	–	–	–	–	–	–	4	15	23	28	66	91	121	114	109	103	62	37	18	7	–
	Female	684	–	–	–	–	–	1	1	–	3	14	19	44	44	76	84	86	99	89	61	44	19	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	1	1	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	108	1	1	1	1	1	4	4	–	4	1	5	4	4	7	9	11	12	14	13	9	2	–
	White Male	51	1	–	–	–	–	2	1	–	1	1	–	3	2	6	7	6	4	8	5	4	–	–
	Female	41	–	–	–	–	–	1	2	–	1	–	1	–	–	1	2	5	7	6	8	5	2	–
	All other Male	6	–	–	1	1	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	10	–	1	–	–	1	1	1	–	–	–	3	1	1	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,865	30	4	3	5	10	19	19	17	23	27	50	82	124	141	179	208	253	248	242	137	44	–
	White..... Male	851	12	1	–	2	7	9	10	8	15	11	24	35	60	75	97	115	115	120	83	45	7	–
	Female	789	9	1	3	–	2	7	3	3	2	12	16	28	34	47	61	70	113	111	149	85	33	–
	All other..... Male	122	4	2	–	1	–	2	4	5	4	1	6	12	20	14	10	13	10	8	2	3	1	–
	Female	103	5	–	–	2	1	1	2	1	2	3	4	7	10	5	11	10	15	9	8	4	3	–
400, 401, 403	Hypertension	225	–	–	–	–	–	–	2	1	1	3	9	8	10	13	13	29	25	52	36	14	9	–
	White..... Male	94	–	–	–	–	–	–	1	–	–	–	5	1	2	3	5	13	10	26	14	8	6	–
	Female	85	–	–	–	–	–	–	–	–	–	1	2	2	2	5	4	9	11	21	20	5	3	–
	All other..... Male	25	–	–	–	–	–	–	–	–	1	–	2	2	4	3	1	6	2	3	–	1	–	–
	Female	21	–	–	–	–	–	–	1	1	–	2	–	3	2	2	3	1	2	2	2	–	–	–
430–438	Cerebrovascular diseases	6,825	10	4	2	4	11	12	20	27	39	71	108	192	249	368	602	864	1,128	1,366	1,052	538	158	–
	White..... Male	2,642	2	2	1	2	6	5	6	6	13	27	41	66	99	196	302	397	457	497	330	152	35	–
	Female	3,433	2	2	1	2	5	4	10	15	12	24	42	68	96	118	223	352	554	776	662	355	110	–
	All other..... Male	366	4	–	–	–	–	–	1	2	7	9	9	33	32	34	39	55	63	30	30	13	5	–
	Female	384	2	–	–	–	–	3	3	4	7	11	16	25	22	20	38	60	54	63	30	18	8	–
431	Cerebral hemorrhage	865	5	–	–	–	3	3	1	9	11	24	31	60	69	71	106	117	129	128	67	21	10	–
	White..... Male	344	1	–	–	–	2	–	1	1	3	6	11	15	27	37	48	55	58	43	26	7	3	–
	Female	383	–	–	–	–	1	2	–	5	2	8	10	23	26	24	41	48	59	76	39	13	6	–
	All other..... Male	72	3	–	–	–	–	–	–	2	4	6	5	12	9	3	7	7	7	5	1	1	–	–
	Female	66	1	–	–	–	–	1	–	1	2	4	5	10	7	7	10	7	5	4	1	–	1	–
433	Cerebral thrombosis	1,776	1	–	–	–	–	–	1	1	1	5	10	26	53	85	140	248	324	358	296	179	48	–
	White..... Male	675	1	–	–	–	–	–	–	–	1	2	3	12	18	48	73	109	127	132	92	49	8	–
	Female	899	–	–	–	–	–	–	1	1	–	1	4	5	22	22	51	98	158	193	189	117	37	–
	All other..... Male	98	–	–	–	–	–	–	–	–	–	1	1	6	7	12	7	20	23	10	6	4	1	–
	Female	104	–	–	–	–	–	–	–	–	–	1	2	3	6	3	9	21	16	23	9	9	2	–
434	Cerebral embolism	31	–	–	–	–	–	–	–	–	1	–	1	1	2	4	2	1	8	7	3	1	–	–
	White..... Male	17	–	–	–	–	–	–	–	–	1	–	–	1	1	3	1	1	3	4	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	4	3	1	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	4,153	4	4	2	4	8	9	18	17	26	42	66	105	125	208	354	498	667	873	686	337	100	–
	White..... Male	1,606	–	2	1	2	4	5	5	5	8	19	27	38	53	108	180	232	269	318	210	96	24	–
	Female	2,138	2	2	1	2	4	2	9	9	10	15	27	40	47	71	130	206	333	504	433	224	67	–
	All other..... Male	195	1	–	–	–	–	–	1	–	3	2	3	15	16	19	25	28	32	15	23	8	4	–
	Female	214	1	–	–	–	–	2	3	3	5	6	9	12	9	10	19	32	33	36	20	9	5	–
440	Arteriosclerosis	1,163	–	–	1	–	–	–	–	–	–	3	2	6	7	39	41	93	162	245	272	212	80	–
	White..... Male	454	–	–	–	–	–	–	–	–	–	3	2	2	4	22	21	46	71	93	108	66	16	–
	Female	663	–	–	–	–	–	–	–	–	–	–	–	4	2	9	17	40	84	144	158	142	63	–
	All other..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	2	3	2	5	1	–	–
	Female	26	–	–	1	–	–	–	–	–	–	–	–	–	1	3	1	5	4	6	1	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,097	–	2	–	–	4	1	5	3	8	15	13	52	72	100	135	158	168	178	115	52	16	–
	White..... Male	615	–	1	–	–	2	–	1	2	2	8	6	28	48	61	91	96	102	98	46	18	5	–
	Female	383	–	–	–	–	1	–	1	–	3	5	5	14	15	26	32	49	54	75	64	30	9	–
	All other..... Male	54	–	–	–	–	–	1	1	1	3	–	2	5	4	11	10	6	7	–	2	1	–	–
	Female	45	–	1	–	–	1	–	2	–	–	2	–	5	5	2	2	7	5	5	3	3	2	–
466	Acute bronchitis and bronchiolitis	23	3	5	–	–	–	–	1	–	1	–	–	3	–	1	2	–	2	3	2	–	–	–
	White..... Male	8	2	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	–	–	–
	Female	11	–	4	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	2	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,657	56	8	1	8	14	19	8	4	20	28	40	46	68	102	122	167	214	294	254	144	40	–
	White..... Male	827	26	3	–	4	8	7	3	–	6	15	19	23	35	57	66	100	122	150	112	59	12	–
	Female	624	14	2	1	4	1	6	3	2	6	4	10	8	19	23	42	47	63	129	132	84	24	–
	All other..... Male	133	7	1	–	–	5	5	–	2	6	4	8	13	10	14	8	15	18	10	6	–	1	–
	Female	73	9	2	–	–	–	1	2	–	2	5	3	2	4	8	6	5	11	5	4	1	3	–
470–474	Influenza	21	1	–	–	–	–	–	–	–	–	–	2	–	3	–	3	1	2	1	6	2	–	–
	White..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	1	–	3	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	1,636	55	8	1	8	14	19	8	4	20	28	38	46	65	102	119	166	212	293	248	142	40	–
	White..... Male	818	25	3	–	4	8	7	3	–	6	15	19	23	34	57	65	99	121	149	109	59	12	–
	Female	613	14	2	1	4	1	6	3	2	6	4	8	8	17	23	41	47	62	129	129	82	24	–
	All other..... Male	133	7	1	–	–	5	5	–	2	6	4	8	13	10	14	8	15	18	10	6	–	1	–
	Female	72	9	2	–	–	–	1	2	–	2	5	3	2	4	8	5	5	11	5	4	1	3	–
490–493	Bronchitis, emphysema, and asthma	934	2	4	1	2	2	2	1	5	4	13	10	31	72	128	141	170	149	113	61	16	7	–
	White..... Male	653	1	1	1	1	2	1	1	2	3	5	5	19	45	88	95	133	108	86	43	11	2	–
	Female	218	1	1	–	1	–	1	–	–	–	7	4	10	21	26	34	29	37	22	15	4	5	–
	All other..... Male	41	–	1	–	–	–	–	–	2	–	–	–	2	5	8	6	8	3	4	1	1	–	–
	Female	22	–	1	–	–	–	–	–	1	1	1	1	–	1	6	6	–	1	1	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
490, 491	Chronic and unqualified bronchitis	178	2	2	1	2	–	–	–	–	1	2	3	7	14	17	20	29	28	26	13	5	6	–
	White Male	120	1	1	1	1	–	–	–	–	1	1	1	6	7	10	15	24	19	22	7	2	1	–
	Female	52	1	1	–	1	–	–	–	–	–	1	2	1	6	6	4	3	9	4	5	3	5	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
492	Emphysema	678	–	–	–	–	–	1	–	1	1	6	5	19	54	99	106	134	113	84	43	11	1	–
	White Male	503	–	–	–	–	–	1	–	–	1	3	3	11	36	72	76	107	86	63	34	9	1	–
	Female	135	–	–	–	–	–	–	–	–	–	3	2	6	14	17	22	22	24	17	7	1	–	–
	All other Male	33	–	–	–	–	–	–	–	1	–	–	–	2	4	6	6	5	3	4	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	1	–	–	–
493	Asthma	78	–	2	–	–	2	1	1	4	2	5	2	5	4	12	15	7	8	3	5	–	–	–
	White Male	30	–	–	–	–	2	–	1	2	1	1	1	2	2	6	4	2	3	1	2	–	–	–
	Female	31	–	–	–	–	–	1	–	–	–	3	–	3	1	3	8	4	4	1	3	–	–	–
	All other Male	5	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	12	–	1	–	–	–	–	–	1	1	1	1	–	–	2	3	–	1	1	–	–	–	–
531–533	Peptic ulcer	241	–	–	–	–	–	–	5	4	2	5	7	16	14	37	28	20	27	33	27	14	2	–
	White Male	130	–	–	–	–	–	–	3	2	1	1	3	7	6	23	16	11	16	19	19	2	1	–
	Female	80	–	–	–	–	–	–	–	2	–	2	2	4	5	11	10	4	9	12	8	11	–	–
	All other Male	22	–	–	–	–	–	–	2	–	1	2	2	3	1	3	2	3	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	1	–	1	1	–
540–543	Appendicitis	19	1	1	–	–	1	–	1	–	1	–	–	1	3	1	1	3	2	1	–	2	–	–
	White Male	13	1	1	–	–	1	–	–	–	1	–	–	1	1	1	1	3	1	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	All other Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	223	16	1	1	–	1	–	4	1	1	4	6	6	8	17	13	25	31	37	31	17	3	–
	White Male	74	8	1	–	–	–	–	1	–	–	1	–	–	3	9	5	8	17	9	6	6	–	–
	Female	119	5	–	–	–	–	–	1	–	1	1	3	4	3	6	6	15	13	25	23	10	3	–
	All other Male	18	2	–	–	–	1	–	1	1	–	–	3	2	1	1	1	2	–	1	1	1	–	–
	Female	12	1	–	1	–	–	–	1	–	–	2	–	–	1	1	1	–	1	2	1	–	–	–
571	Cirrhosis of liver	1,361	1	1	–	–	–	5	21	40	69	103	154	222	209	190	156	107	47	20	12	2	2	–
	White Male	712	–	–	–	–	–	1	10	14	23	41	60	121	111	112	103	72	25	10	7	1	1	–
	Female	329	–	–	–	–	–	1	–	6	12	23	38	45	55	46	37	33	19	8	4	1	1	–
	All other Male	202	1	1	–	–	–	1	7	10	20	23	37	34	31	21	11	1	1	2	1	–	–	–
	Female	118	–	–	–	–	–	2	4	10	14	16	19	22	12	11	5	1	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	94	1	–	–	–	–	–	–	1	–	1	3	4	5	8	8	14	12	11	15	8	3	–
	White Male	38	–	–	–	–	–	–	–	–	–	1	–	2	4	4	2	5	5	5	7	3	–	–
	Female	48	1	–	–	–	–	–	–	–	–	–	2	2	1	2	4	9	6	6	8	4	3	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
580–584	Nephritis and nephrosis	332	3	2	1	2	–	5	7	7	6	8	14	12	22	29	35	52	43	37	30	14	3	–
	White Male	145	1	1	1	–	–	3	4	1	3	2	6	4	9	12	16	17	27	19	13	5	1	–
	Female	121	–	1	–	2	–	–	1	1	2	1	–	4	7	13	11	25	13	16	15	7	2	–
	All other Male	32	1	–	–	–	–	–	2	3	1	1	6	2	1	3	2	7	1	–	–	2	–	–
	Female	34	1	–	–	–	–	2	–	2	–	4	2	2	5	1	6	3	2	2	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	79	3	1	1	–	–	–	–	–	1	1	2	1	3	6	6	17	11	10	10	6	–	–
	White Male	37	1	–	1	–	–	–	–	–	–	1	2	1	2	2	3	4	8	4	7	1	–	–
	Female	34	–	1	–	–	–	–	–	–	1	–	–	–	–	4	2	11	3	5	2	5	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	253	–	1	–	2	–	5	7	7	5	7	12	11	19	23	29	35	32	27	20	8	3	–
	White Male	108	–	1	–	–	–	3	4	1	3	1	4	3	7	10	13	13	19	15	6	4	1	–
	Female	87	–	–	–	2	–	–	1	1	1	1	–	4	7	9	9	14	10	11	13	2	2	–
	All other Male	29	–	–	–	–	–	–	2	3	1	1	6	2	1	3	1	6	1	–	–	2	–	–
	Female	29	–	–	–	–	–	2	–	2	–	4	2	2	4	1	6	2	2	1	1	–	–	–
590	Infections of kidney	85	–	–	–	–	–	–	–	–	–	2	2	–	2	4	6	13	17	11	19	9	–	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	4	6	3	7	4	–	–
	Female	44	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	8	9	6	11	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	2	1	–	–	–
600	Hyperplasia of prostate	26	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	6	4	8	1	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	4	8	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	–	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	–	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	6	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	527	311	52	17	17	20	17	7	11	5	11	5	10	11	9	15	5	3	1	–	–	–	–
	White..... Male	240	145	17	9	9	9	9	4	3	2	4	1	6	8	3	7	3	1	–	–	–	–	–
	Female	207	119	21	6	4	11	4	2	6	3	7	4	3	2	4	7	1	2	1	–	–	–	–
	All other..... Male	44	25	9	2	1	–	2	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	36	22	5	–	3	–	2	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,036	1,033	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White..... Male	405	403	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	306	306	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	189	189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	136	135	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	514	512	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	212	211	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	61	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	522	521	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White..... Male	193	192	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	163	163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	529	246	6	–	2	9	5	3	8	6	7	12	15	9	17	25	22	26	34	40	25	12	–
	White..... Male	218	97	1	–	1	3	2	–	4	1	1	3	9	3	8	13	12	16	20	14	9	1	–
	Female	189	55	3	–	1	6	3	2	3	2	4	5	5	4	8	11	7	6	14	25	15	10	–
	All other..... Male	73	57	1	–	–	–	–	–	1	1	2	3	–	1	1	–	2	2	–	1	–	1	–
	Female	49	37	1	–	–	–	–	1	–	2	–	1	1	1	–	1	1	2	–	–	1	–	–
Residual	All other diseases	4,745	70	46	22	28	48	76	86	81	100	103	193	262	338	475	556	607	551	525	394	147	37	–
	White..... Male	2,255	28	20	9	15	25	35	32	28	31	31	77	133	148	244	289	332	276	255	175	61	11	–
	Female	1,799	26	16	9	10	14	14	23	22	30	43	56	79	125	174	200	205	219	237	196	81	20	–
	All other..... Male	420	13	6	3	3	5	19	16	24	25	17	38	37	35	35	39	40	31	20	13	1	–	–
	Female	271	3	4	1	–	4	8	15	7	14	12	22	13	30	22	28	30	25	13	10	4	6	–
E800–E949	Accidents	3,953	45	140	144	161	543	487	329	211	172	173	160	188	154	173	184	176	162	146	125	61	19	–
	White..... Male	2,364	15	64	56	94	376	362	238	139	102	102	108	103	87	106	104	84	81	78	45	15	5	–
	Female	1,107	18	45	50	43	139	81	58	32	34	40	32	49	44	45	60	72	68	62	77	45	13	–
	All other..... Male	340	7	17	24	18	22	32	19	29	28	21	17	28	18	16	17	13	10	3	1	–	–	–
	Female	142	5	14	14	6	6	12	14	11	8	10	3	8	5	6	3	7	3	3	2	1	1	–
E810–E823	Motor vehicle accidents	1,999	5	50	64	95	431	349	211	106	81	82	70	79	57	70	79	60	63	27	15	5	–	–
	White..... Male	1,256	1	22	26	52	287	258	149	72	51	50	44	52	33	34	41	23	31	18	9	3	–	–
	Female	558	3	19	22	31	127	68	43	18	21	21	15	18	20	26	28	34	28	8	6	2	–	–
	All other..... Male	136	–	5	10	9	14	16	13	11	5	10	10	7	2	7	9	3	4	1	–	–	–	–
	Female	49	1	4	6	3	3	7	6	5	4	1	1	2	2	3	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,954	40	90	80	66	112	138	118	105	91	91	90	109	97	103	105	116	99	119	110	56	19	–
	White..... Male	1,108	14	42	30	42	89	104	89	67	51	52	64	51	54	72	63	61	50	60	36	12	5	–
	Female	549	15	26	28	12	12	13	15	14	13	19	17	31	24	19	32	38	40	54	71	43	13	–
	All other..... Male	204	7	12	14	9	8	16	6	18	23	11	7	21	16	9	8	18	6	2	1	–	–	–
	Female	93	4	10	8	3	3	5	8	6	4	9	2	6	3	3	2	7	3	3	2	1	1	–
E950–E959	Suicide	1,278	...	...	–	13	100	159	166	117	82	72	90	90	94	87	66	67	39	25	7	4	–	–
	White..... Male	869	...	...	–	11	75	115	107	73	62	43	49	56	58	63	44	51	33	21	4	4	–	–
	Female	295	...	...	–	1	20	21	33	27	15	20	37	30	30	19	19	13	5	2	3	–	–	–
	All other..... Male	86	...	...	–	1	3	18	20	12	5	6	3	2	6	1	3	3	1	2	–	–	–	–
	Female	28	...	...	–	–	2	5	6	5	–	3	1	2	–	4	–	–	–	–	–	–	–	–
E960–E978	Homicide	948	7	16	7	9	96	170	147	132	70	70	56	45	36	30	20	16	10	9	1	1	–	–
	White..... Male	234	4	3	1	3	29	39	29	32	16	12	13	14	10	11	4	4	4	5	–	1	–	–
	Female	110	–	2	1	2	8	17	13	11	11	7	10	6	4	4	3	6	1	4	–	–	–	–
	All other..... Male	495	1	8	4	3	47	95	88	72	33	43	28	22	17	14	10	6	3	–	1	–	–	–
	Female	109	2	3	1	1	12	19	17	17	10	8	5	3	5	1	3	–	2	–	–	–	–	–
E980–E999	Other external causes	140	2	2	–	7	15	17	21	9	13	13	3	7	10	8	6	3	2	1	–	1	–	–
	White..... Male	61	1	–	–	3	7	8	9	4	4	5	1	4	4	6	3	–	1	1	–	–	–	–
	Female	38	–	1	–	–	5	5	2	1	2	8	–	3	4	1	2	2	1	–	–	1	–	–
	All other..... Male	31	–	1	–	4	1	4	7	4	4	–	2	–	2	1	1	–	–	–	–	–	–	–
	Female	10	1	–	–	–	2	–	3	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota																							
	All causes	**32,303**	**667**	**139**	**100**	**110**	**385**	**426**	**308**	**281**	**273**	**376**	**664**	**1,173**	**1,642**	**2,443**	**3,145**	**3,939**	**4,471**	**4,967**	**3,974**	**2,124**	**696**	–
	White ..... Male	17,799	357	77	58	66	271	314	203	180	177	216	426	774	1,067	1,599	1,966	2,357	2,456	2,476	1,720	822	217	–
	Female	13,998	263	50	34	39	102	88	84	79	84	143	218	368	543	810	1,149	1,542	1,973	2,440	2,229	1,291	469	–
	All other ..... Male	276	27	6	1	4	11	13	14	10	6	10	14	18	22	15	14	21	22	29	12	5	2	–
	Female	230	20	6	7	1	1	11	7	12	6	7	6	13	10	19	16	19	20	22	13	6	8	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	40	9	3	–	–	–	–	–	–	–	1	1	–	1	1	2	4	2	3	4	4	5	–
	White ..... Male	16	5	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	1	1	–
	Female	21	1	1	–	–	–	–	–	–	–	1	1	–	–	1	2	4	1	–	2	3	4	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	21	–	–	–	–	–	–	1	1	1	–	–	–	–	4	1	1	5	3	3	–	1	–
	White ..... Male	16	–	–	–	–	–	–	–	1	1	–	–	–	–	3	1	1	5	2	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	3	2	1	–	1	–
	White ..... Male	11	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	3	2	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
013–019	Tuberculosis, other forms	9	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	2	1	2	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	97	14	–	–	–	–	–	1	–	1	2	2	1	3	4	5	7	15	19	18	4	1	–
	White ..... Male	48	10	–	–	–	–	–	1	–	–	–	1	–	2	1	3	4	6	10	9	–	1	–
	Female	46	2	–	–	–	–	–	–	–	1	1	1	1	1	3	2	3	9	9	9	4	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	59	4	1	1	–	4	–	2	2	1	2	3	7	4	4	5	5	5	2	4	1	2	–
	White ..... Male	29	1	–	–	–	3	–	–	1	–	1	1	3	3	1	3	2	4	1	3	1	1	–
	Female	27	3	1	1	–	1	–	2	–	1	1	2	4	–	3	2	3	1	1	–	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,683	4	15	17	13	22	32	39	42	62	105	197	390	559	743	891	1,004	968	836	520	174	50	–
	White Male	3,558	2	10	13	6	14	20	20	17	25	42	92	201	309	430	501	578	511	416	239	91	21	–
	Female	3,047	2	5	4	7	7	12	19	23	35	61	100	184	245	302	384	416	443	412	274	83	29	–
	All other Male	36	–	–	–	–	1	–	–	1	1	–	3	3	3	4	2	6	6	2	4	–	–	–
	Female	42	–	–	–	–	–	–	–	1	1	2	2	2	2	7	4	4	8	6	3	–	–	–
140–149	Of buccal cavity and pharynx	107	–	–	–	–	–	–	–	–	–	2	2	9	18	15	20	15	8	8	5	5	–	–
	White Male	76	–	–	–	–	–	–	–	–	–	1	1	9	11	10	15	11	7	5	3	3	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	–	7	5	5	3	1	3	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,918	–	1	–	–	1	2	4	5	7	25	39	90	132	204	244	297	292	305	183	66	21	–
	White Male	1,033	–	1	–	–	1	–	2	–	4	12	18	57	86	117	132	180	148	159	75	29	12	–
	Female	862	–	–	–	–	–	2	2	4	2	13	20	32	46	84	110	114	139	143	105	37	9	–
	All other Male	7	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	2	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	4	3	1	–	–	–
160–163	Of respiratory system	1,325	–	–	–	–	–	–	1	1	7	17	50	89	163	202	224	229	188	94	46	11	3	–
	White Male	1,009	–	–	–	–	–	–	1	1	5	9	36	63	120	165	182	175	139	73	30	7	3	–
	Female	301	–	–	–	–	–	–	–	–	2	8	13	24	41	34	41	53	46	20	15	4	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	1	2	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
174	Of breast	623	–	–	–	–	–	–	–	9	12	20	34	58	59	78	74	76	81	64	45	6	7	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	3	–	–	–	–	–
	Female	610	–	–	–	–	–	–	–	9	12	19	34	56	59	76	72	74	77	64	45	6	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–
180–187	Of genital organs	864	–	–	–	–	–	8	8	3	11	9	17	39	61	80	113	127	135	137	77	38	1	–
	White Male	451	–	–	–	–	–	8	4	2	1	2	3	7	17	37	54	63	88	84	49	32	–	–
	Female	397	–	–	–	–	–	–	4	–	10	7	12	30	44	41	59	61	46	50	26	6	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	1	–	1	1	–	–	–
188, 189	Of urinary organs	329	–	–	–	–	–	–	1	1	2	2	12	23	26	33	29	54	52	42	37	8	7	–
	White Male	195	–	–	–	–	–	–	–	1	2	1	9	15	19	24	13	30	27	25	21	7	1	–
	Female	130	–	–	–	–	–	–	1	–	–	1	3	8	6	9	15	24	25	16	15	1	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	719	1	11	4	3	6	11	8	11	16	15	24	47	52	67	88	104	85	82	54	22	8	–
	White Male	373	1	8	4	1	4	6	7	6	10	9	16	30	33	38	55	51	34	27	22	8	3	–
	Female	341	–	3	–	2	2	5	1	5	5	5	8	17	19	29	33	52	49	55	32	14	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
204–207	Leukemia	350	3	2	10	9	12	7	8	4	5	9	7	11	22	19	38	38	57	43	33	11	2	–
	White Male	188	1	1	7	4	7	4	1	2	2	4	2	5	11	15	20	29	31	22	16	2	2	–
	Female	160	2	1	3	5	5	3	7	2	3	5	4	6	11	4	18	8	26	21	17	9	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	448	–	1	3	1	3	4	9	8	2	6	12	24	26	45	61	64	70	61	40	7	1	–
	White Male	225	–	–	2	1	2	2	5	5	1	4	7	13	12	24	29	37	34	21	23	3	–	–
	Female	216	–	1	1	–	–	2	4	3	1	2	5	11	12	20	31	27	34	40	17	4	1	–
	All other Male	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	81	1	1	1	1	–	3	1	1	–	1	1	2	5	5	9	11	13	11	7	5	2	–
	White Male	38	–	1	1	1	–	2	1	1	–	–	1	–	1	2	6	8	5	3	4	1	–	–
	Female	43	1	–	–	–	–	1	–	–	–	1	–	2	4	3	3	3	8	8	3	4	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	451	–	–	1	–	2	1	3	7	4	5	13	16	23	44	40	71	73	68	50	23	7	–
	White Male	201	–	–	1	–	2	–	2	4	3	4	2	7	14	24	24	36	27	26	17	6	2	–
	Female	241	–	–	–	–	–	1	1	3	1	1	9	8	8	19	16	33	46	40	33	17	5	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	60	–	–	–	1	–	–	–	–	–	–	–	–	1	2	3	2	4	14	14	12	7	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	7	6	3	1	–
	Female	37	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	2	6	8	9	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
280–285	Anemias	58	–	–	2	–	–	2	1	–	1	–	–	–	1	3	3	5	4	10	11	10	5	–
	White..... Male	24	–	–	1	–	–	–	1	–	–	–	–	–	1	2	2	1	2	4	6	3	1	–
	Female	31	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	4	2	6	5	6	4	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	24	8	1	1	1	1	–	–	–	–	–	–	–	–	1	3	3	2	–	3	–	–	–
	White..... Male	17	4	1	1	1	1	–	–	–	–	–	–	–	–	1	1	3	2	–	2	–	–	–
	Female	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,909	8	9	1	7	8	10	26	28	49	107	240	476	707	1,148	1,605	2,139	2,621	3,104	2,656	1,474	486	–
	White..... Male	9,200	4	5	–	4	5	6	16	18	36	74	188	381	519	820	1,054	1,307	1,458	1,514	1,112	541	138	–
	Female	7,541	2	3	1	3	3	4	9	10	11	32	48	83	167	311	540	816	1,141	1,562	1,530	924	341	–
	All other..... Male	86	1	1	–	–	–	–	–	–	–	–	3	8	15	9	5	7	12	14	6	4	1	–
	Female	82	1	–	–	–	–	–	1	–	2	1	1	4	6	8	6	9	10	14	8	5	6	–
390–398, 402, 404, 410–429	Diseases of heart	12,233	5	4	1	3	6	6	18	16	38	82	197	415	604	968	1,325	1,657	1,890	2,072	1,704	914	308	–
	White..... Male	7,048	2	2	–	2	4	5	11	11	32	61	168	343	457	711	911	1,051	1,067	1,040	736	339	95	–
	Female	5,064	1	2	1	1	2	1	7	5	6	21	25	62	129	243	407	595	808	1,012	960	567	209	–
	All other..... Male	71	1	–	–	–	–	–	–	–	–	–	3	8	15	8	3	6	9	11	4	3	–	–
	Female	50	1	–	–	–	–	–	–	–	–	–	1	2	3	6	4	5	6	9	4	5	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	241	–	–	–	1	–	3	1	–	1	5	4	11	17	23	28	41	34	40	21	8	3	–
	White..... Male	114	–	–	–	1	–	2	1	–	–	1	4	8	6	13	10	21	21	16	8	2	–	–
	Female	127	–	–	–	–	–	1	–	–	1	4	–	3	11	10	18	20	13	24	13	6	3	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	102	–	–	–	–	–	–	1	–	–	–	2	1	3	3	10	17	13	14	22	15	1	–
	White..... Male	41	–	–	–	–	–	–	1	–	–	–	2	–	1	2	6	9	5	4	8	3	–	–
	Female	60	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	8	8	10	14	11	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
404	Hypertensive heart and renal disease	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	9	9	5	5	1	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	4	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	4	5	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	10,877	–	–	–	–	1	1	8	10	28	64	171	379	540	863	1,190	1,478	1,702	1,870	1,507	797	268	–
	White..... Male	6,350	–	–	–	–	–	1	4	7	25	55	145	319	423	643	834	950	958	945	659	299	83	–
	Female	4,421	–	–	–	–	1	–	4	3	3	9	22	53	100	207	349	519	732	907	840	491	181	–
	All other..... Male	61	–	–	–	–	–	–	–	–	–	–	3	6	14	8	3	4	7	9	4	3	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	1	1	3	5	4	5	5	9	4	4	4	–
410	Acute myocardial infarction	5,374	–	–	–	–	1	1	2	4	20	43	112	240	333	517	688	820	870	858	559	238	68	–
	White..... Male	3,398	–	–	–	–	–	1	–	3	19	35	99	202	264	398	475	540	508	464	276	93	21	–
	Female	1,937	–	–	–	–	1	–	2	1	1	8	13	36	62	112	211	277	355	385	282	145	46	–
	All other..... Male	21	–	–	–	–	–	–	–	–	–	–	–	2	5	4	1	2	3	3	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	4	6	–	–	1	–
411	Other acute and subacute forms of ischemic heart disease	69	–	–	–	–	–	–	1	–	–	–	–	2	4	4	10	9	7	15	9	5	3	–
	White..... Male	41	–	–	–	–	–	–	1	–	–	–	–	2	3	1	9	7	6	7	3	2	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	1	8	6	2	3	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,427	–	–	–	–	–	–	5	6	8	21	59	137	203	342	490	648	824	995	938	554	197	–
	White..... Male	2,910	–	–	–	–	–	–	3	4	6	20	46	115	156	244	349	403	444	474	380	204	62	–
	Female	2,452	–	–	–	–	–	–	2	2	2	1	9	17	37	92	137	239	375	512	551	344	132	–
	All other..... Male	38	–	–	–	–	–	–	–	–	–	–	3	4	9	4	1	2	4	6	3	2	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	4	1	3	4	4	3	–
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	83	1	–	–	–	–	–	–	–	1	1	2	–	2	7	9	5	7	12	17	13	6	–
	White..... Male	39	–	–	–	–	–	–	–	–	1	–	1	–	1	2	6	3	4	8	7	5	2	–
	Female	43	–	–	–	–	–	–	–	–	–	1	1	–	2	5	3	2	3	4	10	8	4	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
420–423, 425–427, 429	All other forms of heart disease	897	4	4	1	2	5	2	8	6	8	12	18	24	42	72	85	115	125	127	132	76	29	–
	White Male	491	2	2	–	1	4	2	5	4	6	5	16	16	27	51	53	67	74	63	53	30	10	–
	Female	395	1	2	1	1	1	–	3	2	2	7	2	5	14	20	32	46	50	62	79	46	19	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	2	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	88	–	–	–	–	–	–	–	1	–	1	2	–	1	9	7	9	13	24	11	8	2	–
	White Male	49	–	–	–	–	–	–	–	1	–	1	2	–	1	4	4	5	7	15	5	3	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	–	5	3	4	6	8	6	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
430–438	Cerebrovascular diseases	3,483	2	4	–	4	–	4	4	7	9	18	35	47	73	131	215	365	550	800	705	389	121	–
	White Male	1,556	1	3	–	2	–	1	2	4	3	9	15	30	46	82	102	193	276	360	273	129	25	–
	Female	1,893	1	1	–	2	–	3	1	3	4	8	20	16	25	46	111	168	268	433	429	259	95	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	1	1	–
	Female	25	–	–	–	–	–	–	1	–	2	1	–	1	2	2	2	4	4	4	2	–	–	–
431	Cerebral hemorrhage	393	–	1	–	–	–	3	–	2	2	4	8	13	16	28	51	43	53	78	59	26	6	–
	White Male	178	–	1	–	–	–	–	–	1	–	2	4	5	12	19	28	16	31	31	21	6	1	–
	Female	212	–	–	–	–	–	3	–	1	2	1	4	7	3	9	23	27	22	47	38	20	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	678	–	–	–	–	–	–	1	–	1	1	3	7	8	22	47	62	126	160	134	75	31	–
	White Male	304	–	–	–	–	–	–	–	–	–	1	2	6	4	15	25	30	61	72	56	26	6	–
	Female	366	–	–	–	–	–	–	1	–	1	–	1	1	4	6	21	31	62	88	77	49	24	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	2	3	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,398	2	3	–	4	–	1	3	5	6	13	24	27	47	79	117	258	368	560	509	288	84	–
	White Male	1,067	1	2	–	2	–	1	2	3	3	6	9	19	30	46	49	147	182	256	194	97	18	–
	Female	1,308	1	1	–	2	–	–	–	2	1	7	15	8	16	31	67	108	183	297	313	190	66	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
	Female	18	–	–	–	–	–	–	1	–	2	–	–	–	1	2	1	3	2	4	2	–	–	–
440	Arteriosclerosis	583	–	–	–	–	–	–	–	–	–	1	1	2	6	4	14	47	72	112	159	117	48	–
	White Male	253	–	–	–	–	–	–	–	–	–	–	1	2	3	2	11	19	43	48	64	46	14	–
	Female	325	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	28	28	64	93	71	33	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	522	1	1	–	–	2	–	4	4	2	5	5	12	23	36	44	61	96	96	77	46	7	–
	White Male	294	1	–	–	–	1	–	3	2	1	3	2	6	12	21	26	39	65	51	34	24	3	–
	Female	222	–	–	–	–	1	–	1	2	1	2	3	5	10	15	17	21	31	45	42	22	4	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	13	–	–	1	1	–	–	1	–	–	–	–	1	–	–	1	–	1	2	4	1	–	–
	White Male	10	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	1	2	3	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	983	13	7	–	–	1	4	6	–	4	5	3	12	18	28	54	73	128	212	205	148	62	–
	White Male	473	7	3	–	–	1	1	2	–	–	3	2	7	12	20	33	39	62	107	91	58	25	–
	Female	489	4	4	–	–	–	3	4	–	2	1	1	5	6	8	17	32	64	99	113	90	36	–
	All other Male	13	2	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1	4	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	1	2	1	–	–	–
470–474	Influenza	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	7	8	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	4	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	959	13	7	–	–	1	4	6	–	4	5	3	12	18	28	53	73	124	209	198	140	61	–
	White Male	466	7	3	–	–	1	1	2	–	–	3	2	7	12	20	33	39	62	107	88	54	25	–
	Female	472	4	4	–	–	–	3	4	–	2	1	1	5	6	8	16	32	60	96	109	86	35	–
	All other Male	13	2	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1	4	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	1	2	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	320	–	1	–	1	–	–	–	–	2	5	5	6	18	22	38	65	65	56	25	11	–	–
	White Male	249	–	–	–	–	–	–	–	–	2	2	3	4	13	18	29	54	54	45	16	9	–	–
	Female	68	–	1	–	1	–	–	–	–	–	2	1	1	5	4	9	11	11	11	9	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
490, 491	Chronic and unqualified bronchitis	67	–	1	–	1	–	–	–	–	–	1	1	1	3	2	5	15	12	16	5	4	–	–
	White..... Male	43	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	10	8	13	1	2	–	–
	Female	23	–	1	–	1	–	–	–	–	–	1	–	–	1	–	1	5	4	3	4	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	233	–	–	–	–	–	–	–	–	2	4	4	4	12	16	30	50	49	37	18	7	–	–
	White..... Male	193	–	–	–	–	–	–	–	–	2	2	3	2	8	13	24	44	44	30	14	7	–	–
	Female	38	–	–	–	–	–	–	–	–	–	1	1	1	4	3	6	6	5	7	4	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
493	Asthma	20	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	–	4	3	2	–	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	–	2	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	99	–	–	–	1	–	–	1	–	2	1	–	2	3	15	10	10	18	14	13	7	2	–
	White..... Male	54	–	–	–	1	–	–	1	–	1	–	–	–	3	9	9	6	8	7	3	4	2	–
	Female	45	–	–	–	–	–	–	–	–	1	1	–	2	–	6	1	4	10	7	10	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	10	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	3	–	1	–
	White..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	2	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	119	9	1	–	–	1	2	1	–	1	–	1	1	2	4	4	6	20	20	23	20	3	–
	White..... Male	46	3	–	–	–	1	–	–	–	1	–	–	1	–	2	3	2	10	9	8	5	1	–
	Female	72	6	1	–	–	–	2	1	–	–	–	1	–	2	2	1	4	9	11	15	15	2	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	372	–	1	–	–	–	2	1	9	7	22	29	59	46	63	59	34	18	14	5	3	–	–
	White..... Male	250	–	–	–	–	–	1	–	5	4	11	22	42	33	47	40	21	11	10	1	2	–	–
	Female	110	–	1	–	–	–	1	–	1	2	8	5	15	13	16	19	13	7	4	4	1	–	–
	All other..... Male	5	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	3	1	–	1	2	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	62	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	7	10	13	14	9	2	–
	White..... Male	23	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	6	6	1	3	2	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	4	7	13	6	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	120	–	–	–	–	1	–	2	4	1	2	–	2	4	11	14	20	16	22	12	5	4	–
	White..... Male	69	–	–	–	–	–	–	2	2	–	1	–	1	3	6	7	12	9	13	9	2	2	–
	Female	47	–	–	–	–	–	–	–	2	1	1	–	1	1	5	6	7	7	9	3	2	2	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	29	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	8	2	5	2	2	3	–
	White..... Male	19	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	5	1	1	2	1	2	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	–	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	91	–	–	–	–	1	–	2	3	1	1	–	2	3	9	12	12	14	17	10	3	1	–
	White..... Male	50	–	–	–	–	–	–	2	1	–	–	–	1	2	4	5	7	8	12	7	1	–	–
	Female	39	–	–	–	–	–	–	–	2	1	1	–	1	1	5	6	5	6	5	3	2	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
590	Infections of kidney	35	–	–	–	–	1	–	–	–	1	–	–	1	1	2	3	3	1	9	8	3	2	–
	White..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	4	3	1	1	–
	Female	21	–	–	–	–	1	–	–	–	1	–	–	1	1	1	2	–	1	5	5	2	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	6	3	2	–	–
	White..... Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	6	3	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	218	143	18	4	6	5	6	6	1	5	2	2	3	2	5	2	2	2	3	–	1	–	–
	White.....Male	119	83	10	1	3	3	3	4	–	2	2	1	1	2	1	1	1	–	1	–	–	–	–
	Female	93	57	8	3	2	2	3	2	–	3	–	1	2	–	4	–	1	2	2	–	1	–	–
	All other.....Male	4	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	325	323	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	169	168	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	133	132	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	184	182	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	88	87	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	83	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	409	86	4	1	1	3	3	3	4	1	3	4	10	9	18	27	43	52	56	37	28	16	–
	White.....Male	208	42	–	–	–	2	–	2	1	–	1	1	6	8	13	19	24	26	32	16	11	4	–
	Female	188	35	3	1	1	1	1	1	3	1	2	3	4	1	5	7	19	26	24	21	17	12	–
	All other.....Male	7	5	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	2,206	22	20	12	11	17	18	18	21	28	25	50	94	120	190	248	308	295	325	249	113	22	–
	White.....Male	1,207	11	11	4	6	7	9	12	11	18	14	32	55	65	107	142	185	165	168	124	51	10	–
	Female	961	9	8	7	5	10	8	6	6	9	8	18	31	52	83	101	119	129	155	123	62	12	–
	All other.....Male	22	1	–	–	–	–	–	–	2	1	2	–	5	2	–	2	3	1	2	1	–	–	–
	Female	16	1	1	1	–	–	1	–	2	–	1	–	3	1	–	3	1	–	–	1	–	–	–
E800–E949	Accidents	1,846	17	48	53	59	255	233	128	95	58	52	68	55	71	92	76	90	108	131	79	63	15	–
	White.....Male	1,247	12	31	34	38	185	192	96	75	50	40	52	39	47	63	53	49	60	71	34	24	2	–
	Female	540	5	12	14	18	66	30	24	16	7	11	13	15	23	26	22	37	47	58	45	39	12	–
	All other.....Male	36	–	3	1	2	4	7	6	2	1	–	2	1	1	–	1	2	1	2	–	–	–	–
	Female	23	–	2	4	1	–	4	2	2	–	1	1	–	–	3	–	2	–	–	–	–	1	–
E810–E823	Motor vehicle accidents	890	8	18	24	32	204	170	71	66	32	29	29	20	30	36	22	24	35	33	5	2	–	–
	White.....Male	634	7	11	16	15	145	143	52	48	26	23	24	13	20	23	10	11	24	20	3	–	–	–
	Female	235	1	5	6	16	59	23	17	14	5	6	4	7	10	11	12	11	11	13	2	2	–	–
	All other.....Male	9	–	2	1	–	–	1	1	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	12	–	–	1	1	–	3	1	2	–	–	1	–	–	2	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	956	9	30	29	27	51	63	57	29	26	23	39	35	41	56	54	66	73	98	74	61	15	–
	White.....Male	613	5	20	18	23	40	49	44	27	24	17	28	26	27	40	43	38	36	51	31	24	2	–
	Female	305	4	7	8	2	7	7	7	2	2	5	9	8	13	15	10	26	36	45	43	37	12	–
	All other.....Male	27	–	1	–	2	4	6	5	–	–	–	2	1	1	–	1	1	1	2	–	–	–	–
	Female	11	–	2	3	–	–	1	1	–	–	1	–	–	–	1	–	1	–	–	–	–	1	–
E950–E959	Suicide	462	...	...	–	4	44	77	52	42	34	21	32	20	33	26	33	17	15	5	4	2	1	–
	White.....Male	363	...	...	–	2	39	61	39	30	30	15	19	16	23	23	26	15	13	5	4	2	1	–
	Female	86	...	...	–	1	4	14	9	10	3	6	12	4	10	2	7	2	2	–	–	–	–	–
	All other.....Male	8	...	...	–	1	1	1	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	112	3	3	5	–	13	15	11	16	4	7	9	7	4	3	2	3	2	5	–	–	–	–
	White.....Male	49	3	1	1	–	5	10	1	10	2	2	5	4	3	–	–	–	1	1	–	–	–	–
	Female	33	–	–	2	–	5	2	4	2	–	2	2	2	1	3	2	2	1	3	–	–	–	–
	All other.....Male	23	–	2	–	–	3	2	4	3	2	2	2	1	–	–	–	1	–	1	–	–	–	–
	Female	7	–	–	2	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	76	3	2	–	2	7	17	4	4	6	7	2	8	6	3	–	1	–	3	–	1	–	–
	White.....Male	47	2	1	–	2	3	8	2	3	2	4	2	6	4	3	–	1	–	3	–	1	–	–
	Female	22	1	1	–	–	2	5	2	1	4	2	–	2	2	–	–	–	–	–	–	–	–	–
	All other.....Male	5	–	–	–	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi																							
	All causes	**23,014**	**828**	**141**	**101**	**125**	**319**	**346**	**309**	**275**	**331**	**515**	**686**	**1,064**	**1,418**	**1,928**	**2,717**	**2,982**	**2,869**	**2,597**	**1,960**	**976**	**509**	**18**
	White ..... Male	8,175	155	35	37	36	156	126	113	95	127	183	279	471	644	849	1,077	1,158	984	804	542	238	63	3
	Female	6,152	129	20	15	16	44	50	39	52	58	100	128	222	272	393	628	762	875	939	825	403	180	2
	All other ..... Male	4,752	298	42	26	50	80	130	112	78	90	145	173	208	306	398	560	562	511	458	278	151	90	6
	Female	3,935	246	44	23	23	39	40	45	50	56	87	106	163	196	288	452	500	499	396	315	184	176	7
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	33	18	1	1	–	–	–	–	–	–	–	–	–	1	1	1	1	4	4	1	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	16	12	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
010–019	Tuberculosis, all forms	45	–	–	–	–	–	1	–	2	3	4	3	3	3	4	5	8	5	–	4	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	3	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	1	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	1	3	1	1	2	1	1	2	–	–	1	–	–	–
	Female	14	–	–	–	–	–	1	–	1	2	1	2	1	–	–	2	–	3	–	1	–	–	–
010–012	Tuberculosis of respiratory system	37	–	–	–	–	–	–	–	1	3	4	3	3	2	3	5	7	3	–	3	–	–	–
	White ..... Male	10	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	3	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	1	3	1	1	2	1	1	2	–	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	2	1	2	1	–	–	2	–	2	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	1	2	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	83	24	2	–	–	1	3	2	–	1	1	–	2	1	5	7	7	8	13	5	1	–	–
	White ..... Male	22	5	–	–	–	1	2	–	–	–	–	–	–	–	2	2	3	3	3	1	–	–	–
	Female	24	5	–	–	–	–	–	1	–	1	1	–	1	1	1	3	3	4	–	3	–	–	–
	All other ..... Male	21	8	2	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	4	1	1	–	–
	Female	16	6	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	6	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	87	9	2	4	1	2	1	3	–	2	3	5	6	7	2	16	10	7	5	1	1	–	–
	White ..... Male	34	2	1	2	–	1	1	2	–	–	–	2	2	3	1	9	5	2	1	–	–	–	–
	Female	8	–	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–	–	–
	All other ..... Male	24	2	1	–	–	–	–	1	–	2	2	1	1	2	1	3	2	4	1	–	1	–	–
	Female	21	5	–	–	1	–	–	–	–	–	1	2	3	2	–	2	3	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,939	2	13	11	12	20	12	18	30	51	104	142	241	416	492	639	616	491	336	195	76	21	1
	White Male	1,536	–	7	5	3	9	7	6	6	24	33	48	99	172	219	270	244	185	112	65	17	4	1
	Female	1,088	1	3	2	2	4	3	5	16	13	35	39	78	116	119	158	161	129	101	66	32	5	–
	All other Male	745	1	1	2	2	2	–	–	2	4	18	29	31	71	91	133	118	104	74	41	15	6	–
	Female	570	–	2	2	5	5	2	7	6	10	18	26	33	57	63	78	93	73	49	23	12	6	–
140–149	Of buccal cavity and pharynx	75	–	1	–	1	–	–	–	1	1	3	3	6	12	11	11	11	5	5	1	1	1	1
	White Male	42	–	1	–	1	–	–	–	–	–	1	1	5	10	8	5	4	2	2	–	1	–	1
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	6	1	2	1	–	1	–
	All other Male	11	–	–	–	–	–	–	–	1	–	2	2	–	–	2	2	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	949	–	–	–	–	–	2	2	4	10	24	29	46	89	95	135	161	140	112	64	30	6	–
	White Male	314	–	–	–	–	–	2	–	2	4	8	8	20	33	37	47	51	43	31	20	6	2	–
	Female	296	–	–	–	–	–	–	–	2	4	6	6	14	24	25	33	54	48	44	24	11	1	–
	All other Male	189	–	–	–	–	–	–	–	–	1	8	9	7	18	22	33	31	21	21	12	4	2	–
	Female	150	–	–	–	–	–	–	2	–	1	2	6	5	14	11	22	25	28	16	8	9	1	–
160–163	Of respiratory system	1,066	–	–	–	–	1	1	1	4	12	29	46	89	146	169	218	172	97	46	30	4	1	–
	White Male	630	–	–	–	–	–	1	1	1	8	14	26	50	81	103	134	110	62	26	12	1	–	–
	Female	152	–	–	–	–	–	–	–	1	3	6	6	13	26	25	27	20	9	5	9	2	–	–
	All other Male	230	–	–	–	–	–	–	–	–	1	4	11	20	35	34	47	35	21	13	7	1	1	–
	Female	54	–	–	–	–	1	–	–	2	–	5	3	6	4	7	10	7	5	2	2	–	–	–
174	Of breast	269	–	–	–	–	–	–	2	7	8	13	12	30	38	35	40	32	21	17	12	2	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	174	–	–	–	–	–	–	2	6	3	8	8	23	22	24	28	19	12	9	8	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	94	–	–	–	–	–	–	–	1	5	5	4	7	16	11	12	13	9	7	4	–	–	–
180–187	Of genital organs	538	–	–	–	–	3	–	2	3	5	8	10	17	36	52	74	95	98	70	44	17	4	–
	White Male	160	–	–	–	–	3	–	1	–	1	–	–	1	7	10	19	26	37	28	20	5	2	–
	Female	119	–	–	–	–	–	–	–	2	2	5	5	9	13	14	19	22	10	9	5	4	–	–
	All other Male	160	–	–	–	–	–	–	–	–	–	–	–	–	4	15	21	33	39	24	14	8	2	–
	Female	99	–	–	–	–	–	–	1	1	2	3	5	7	12	13	15	14	12	9	5	–	–	–
188, 189	Of urinary organs	139	–	–	–	–	1	–	–	–	4	2	1	7	15	16	21	21	28	11	6	4	2	–
	White Male	58	–	–	–	–	–	–	–	–	2	–	–	4	7	9	14	6	7	5	3	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	1	1	2	6	2	3	5	11	2	3	3	–	–
	All other Male	23	–	–	–	–	–	–	–	–	1	1	–	1	1	3	3	3	7	3	–	–	–	–
	Female	19	–	–	–	–	1	–	–	–	1	–	–	–	1	2	1	7	3	1	–	–	2	–
170–173, 190–199	Of all other and unspecified sites	533	1	10	6	4	7	3	6	9	8	13	29	30	49	72	84	73	50	36	23	15	5	–
	White Male	192	–	6	2	1	2	2	3	2	7	6	8	14	24	31	30	26	11	9	6	2	–	–
	Female	169	–	2	2	1	2	1	1	4	1	5	10	8	15	19	23	19	23	15	9	8	1	–
	All other Male	75	1	1	–	1	1	–	–	1	–	1	4	2	4	10	18	11	6	5	6	2	1	–
	Female	97	–	1	2	1	2	–	2	2	–	1	7	6	6	12	13	17	10	7	2	3	3	–
204–207	Leukemia	169	1	2	5	6	8	5	3	–	1	6	3	6	6	13	22	21	28	21	10	1	1	–
	White Male	72	–	–	3	1	4	2	1	–	1	4	2	2	1	5	9	11	16	7	3	–	–	–
	Female	53	1	1	–	1	2	1	1	–	–	2	–	4	2	4	9	3	6	10	4	1	1	–
	All other Male	20	–	–	2	1	1	–	–	–	–	–	1	–	2	2	2	2	4	2	1	–	–	–
	Female	24	–	1	–	3	1	2	1	–	–	–	–	–	1	2	2	5	2	2	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	201	–	–	–	1	–	1	2	2	2	6	9	10	25	29	34	30	24	18	5	2	1	–
	White Male	68	–	–	–	–	–	–	–	1	1	–	3	3	9	16	12	10	7	4	1	1	–	–
	Female	70	–	–	–	–	–	1	1	1	–	2	3	5	7	6	12	13	9	5	3	1	1	–
	All other Male	36	–	–	–	–	–	–	–	–	1	2	2	1	7	3	7	3	4	5	1	–	–	–
	Female	27	–	–	–	1	–	–	1	–	–	2	1	1	2	4	3	4	4	4	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	40	2	–	1	–	2	–	2	–	1	2	1	1	1	7	10	3	1	5	1	–	–	–
	White Male	10	–	–	1	–	–	–	1	–	–	–	–	1	1	–	2	2	–	2	–	–	–	–
	Female	18	1	–	–	–	1	–	–	–	1	2	1	–	–	4	4	1	–	2	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	9	1	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–
250	Diabetes mellitus	373	–	–	–	–	1	2	1	4	3	6	6	16	25	46	54	71	52	41	30	10	5	–
	White Male	66	–	–	–	–	–	–	–	2	1	–	2	6	3	7	10	9	8	12	5	1	–	–
	Female	116	–	–	–	–	–	1	1	1	1	–	–	3	2	16	11	22	25	17	12	2	2	–
	All other Male	72	–	–	–	–	–	1	–	1	–	3	1	2	8	8	13	15	6	5	6	2	1	–
	Female	119	–	–	–	–	1	–	–	–	1	3	3	5	12	15	20	25	13	7	7	5	2	–
260–269	Avitaminoses and other nutritional deficiencies	30	–	1	–	–	–	–	1	–	–	–	–	–	1	1	4	5	1	9	3	2	2	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–
	All other Male	11	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	4	–	3	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
280–285	Anemias	43	–	2	–	1	1	2	2	–	1	2	–	–	1	4	5	5	6	4	5	1	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	2	2	3	1	–	–
	All other Male	10	–	–	–	1	–	2	2	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
	Female	12	–	2	–	–	1	–	–	–	–	2	–	–	–	1	1	1	2	–	1	–	1	–
320	Meningitis	25	13	2	–	1	–	1	–	–	1	–	–	3	–	–	–	2	2	–	–	–	–	–
	White Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	7	2	1	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
	All other Male	8	5	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,694	20	7	4	8	12	15	28	52	76	147	227	406	549	830	1,244	1,538	1,657	1,599	1,261	647	359	8
	White Male	3,789	5	1	2	–	6	3	9	18	30	59	108	181	284	369	502	597	561	498	339	170	46	1
	Female	3,276	3	2	–	2	1	4	2	12	6	18	32	66	82	165	310	411	546	624	574	284	132	–
	All other Male	1,806	6	2	1	3	3	2	9	9	19	46	53	87	105	170	224	266	259	241	150	88	59	4
	Female	1,823	6	2	1	3	2	6	8	13	21	24	34	72	78	126	208	264	291	236	198	105	122	3
390–398, 402, 404, 410–429	Diseases of heart	7,524	13	5	2	5	6	8	19	33	53	113	182	333	445	671	952	1,098	1,150	1,016	793	398	223	6
	White Male	2,922	4	1	1	–	3	2	6	11	25	48	101	171	257	327	414	453	390	338	224	116	29	1
	Female	2,221	3	–	–	1	1	2	–	9	4	15	23	52	58	115	242	296	386	400	359	168	87	–
	All other Male	1,207	5	2	–	2	2	–	7	6	10	37	38	62	76	131	147	172	178	150	92	52	35	3
	Female	1,174	1	2	1	2	–	4	6	7	14	13	20	48	54	98	149	177	196	128	118	62	72	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	73	–	–	–	1	–	2	2	3	1	2	5	4	7	13	7	13	4	3	5	1	–	–
	White Male	21	–	–	–	–	–	1	–	–	–	–	3	–	2	5	3	4	–	1	2	–	–	–
	Female	24	–	–	–	–	–	1	–	1	–	–	–	1	3	3	3	7	3	2	–	–	–	–
	All other Male	11	–	–	–	–	–	–	1	2	–	1	2	–	–	2	1	–	–	–	1	1	–	–
	Female	17	–	–	–	1	–	–	1	–	1	1	–	3	2	3	–	2	1	–	2	–	–	–
402	Hypertensive heart disease	91	–	–	–	–	–	1	1	–	–	2	2	3	5	15	9	5	13	18	5	8	4	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	2	–	5	–	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	5	3	–	4	3	–
	All other Male	23	–	–	–	–	–	–	–	–	–	1	1	–	1	4	3	1	2	7	2	1	–	–
	Female	31	–	–	–	–	–	1	1	–	–	1	1	2	3	3	3	1	6	3	3	2	1	–
404	Hypertensive heart and renal disease	33	–	–	–	–	–	–	–	–	–	1	–	3	1	2	5	2	8	5	2	2	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	3	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	3	–	1	–	1	–
410–413	Ischemic heart disease	6,165	–	–	–	–	–	–	7	16	29	88	132	256	334	527	781	913	965	884	677	357	194	5
	White Male	2,443	–	–	–	–	–	–	3	6	16	43	78	138	201	265	350	387	338	290	196	104	27	1
	Female	1,892	–	–	–	–	–	–	–	2	2	10	15	39	44	88	202	253	329	363	318	153	74	–
	All other Male	915	–	–	–	–	–	–	2	3	3	26	25	44	51	99	112	137	140	117	76	45	33	2
	Female	915	–	–	–	–	–	–	2	5	8	9	14	35	38	75	117	136	158	114	87	55	60	2
410	Acute myocardial infarction	3,304	–	–	–	–	–	–	6	12	20	66	110	186	232	341	496	558	473	386	254	116	45	3
	White Male	1,546	–	–	–	–	–	–	2	6	14	35	73	103	162	191	248	268	189	136	82	32	5	–
	Female	909	–	–	–	–	–	–	–	2	2	7	14	29	27	51	130	152	161	160	106	48	20	–
	All other Male	450	–	–	–	–	–	–	2	1	2	20	15	33	29	59	61	69	60	42	31	17	7	2
	Female	399	–	–	–	–	–	–	2	3	2	4	8	21	14	40	57	69	63	48	35	19	13	1
411	Other acute and subacute forms of ischemic heart disease	42	–	–	–	–	–	–	1	1	–	1	2	4	4	7	4	4	5	3	5	–	1	–
	White Male	16	–	–	–	–	–	–	1	–	–	1	–	2	2	4	2	2	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	1	3	–	–	–
	All other Male	10	–	–	–	–	–	–	–	1	–	–	2	–	1	2	–	2	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–
412	Chronic ischemic heart disease	2,817	–	–	–	–	–	–	–	3	9	21	20	66	98	179	280	351	487	495	417	241	148	2
	White Male	880	–	–	–	–	–	–	–	–	2	7	5	33	37	70	100	117	148	153	113	72	22	1
	Female	973	–	–	–	–	–	–	–	–	–	3	1	8	16	37	71	101	166	202	209	105	54	–
	All other Male	454	–	–	–	–	–	–	–	1	1	6	8	11	21	38	50	66	79	74	45	28	26	–
	Female	510	–	–	–	–	–	–	–	2	6	5	6	14	24	34	59	67	94	66	50	36	46	1
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	39	–	–	–	–	–	–	1	2	–	1	1	1	2	1	5	8	6	2	7	1	1	–
	White Male	12	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	4	2	1	1	–	–	–
	Female	15	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	2	1	1	5	1	–	–
	All other Male	5	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,123	13	5	2	4	6	5	8	12	23	19	42	66	96	113	145	157	154	104	97	29	22	1
	White Male	424	4	1	1	–	3	1	3	4	9	5	20	31	52	52	57	56	48	40	25	10	2	–
	Female	261	3	–	–	1	1	1	–	5	2	4	8	11	9	21	33	32	46	30	35	10	9	–
	All other Male	244	5	2	–	2	2	–	3	1	7	8	9	18	24	25	29	32	34	23	13	4	2	1
	Female	194	1	2	1	1	–	3	2	2	5	2	5	6	11	15	26	37	26	11	24	5	9	–
400, 401, 403	Hypertension	90	–	–	–	1	–	1	2	1	3	1	6	3	8	8	6	11	15	11	8	3	2	–
	White Male	17	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	4	4	3	2	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	1	5	4	5	–	2	–
	All other Male	24	–	–	–	–	–	–	1	–	1	–	4	1	3	4	2	2	2	3	1	–	–	–
	Female	26	–	–	–	1	–	1	1	1	1	1	–	1	4	4	–	4	4	1	–	2	–	–
430–438	Cerebrovascular diseases	2,567	5	2	2	2	5	5	5	14	17	28	36	61	82	129	241	361	422	480	379	190	99	2
	White Male	668	–	–	1	–	2	–	1	6	4	8	6	7	21	32	66	110	137	125	89	41	12	–
	Female	851	–	2	–	1	–	2	2	–	2	3	7	12	20	44	58	99	130	188	165	87	29	–
	All other Male	505	1	–	1	1	1	2	1	3	7	9	10	21	24	29	66	82	74	73	51	30	18	1
	Female	543	4	–	–	–	2	1	1	5	4	8	13	21	17	24	51	70	81	94	74	32	40	1
431	Cerebral hemorrhage	257	4	–	–	–	3	4	3	8	5	9	14	9	13	17	18	37	35	42	16	12	8	–
	White Male	61	–	–	–	–	2	–	1	3	–	2	3	3	1	4	6	12	12	5	4	3	–	–
	Female	76	–	–	–	–	–	2	–	–	–	1	3	1	3	7	3	13	10	17	7	6	3	–
	All other Male	53	1	–	–	–	–	1	1	2	4	2	3	4	4	4	2	9	5	8	2	–	1	–
	Female	67	3	–	–	–	1	1	1	3	1	4	5	1	5	2	7	3	8	12	3	3	4	–
433	Cerebral thrombosis	505	–	1	1	–	1	–	1	–	1	5	4	11	14	24	41	70	83	107	83	44	14	–
	White Male	146	–	–	–	–	–	–	–	–	–	1	1	1	4	6	13	23	31	36	20	8	2	–
	Female	154	–	1	–	–	–	–	1	–	–	–	1	1	5	6	10	20	18	33	37	20	1	–
	All other Male	102	–	–	1	–	–	–	–	–	1	2	1	5	3	8	9	10	21	21	11	8	1	–
	Female	103	–	–	–	–	1	–	–	–	–	2	1	4	2	4	9	17	13	17	15	8	10	–
434	Cerebral embolism	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,801	1	1	1	1	1	1	1	6	11	14	18	41	55	88	182	254	303	329	280	134	77	2
	White Male	460	–	–	1	–	–	–	–	3	4	5	2	3	16	22	47	75	94	83	65	30	10	–
	Female	619	–	1	–	1	–	–	1	–	2	2	3	10	12	31	45	66	101	137	121	61	25	–
	All other Male	349	–	–	–	–	1	1	–	1	2	5	6	12	17	17	55	63	48	44	38	22	16	1
	Female	373	1	–	–	–	–	–	–	2	3	2	7	16	10	18	35	50	60	65	56	21	26	1
440	Arteriosclerosis	273	–	–	–	–	–	–	–	–	–	–	–	2	–	9	12	34	37	49	61	44	25	–
	White Male	82	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	14	13	20	16	8	5	–
	Female	115	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	7	15	17	35	25	10	–
	All other Male	36	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	5	3	9	5	4	3	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	8	6	3	5	7	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	240	2	–	–	–	1	1	2	4	3	5	3	7	14	13	33	34	33	43	20	12	10	–
	White Male	100	1	–	–	–	1	1	2	1	–	3	1	3	6	8	16	16	17	12	8	4	–	–
	Female	66	–	–	–	–	–	–	–	3	–	–	–	1	3	2	6	8	10	15	10	4	4	–
	All other Male	34	–	–	–	–	–	–	–	–	1	–	1	2	2	3	6	5	2	6	1	2	3	–
	Female	40	1	–	–	–	–	–	–	–	2	2	1	1	3	–	5	5	4	10	1	2	3	–
466	Acute bronchitis and bronchiolitis	7	1	1	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	–	–	–
	White Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	578	40	6	1	5	6	4	3	4	3	9	11	13	27	36	39	52	63	100	87	48	21	–
	White Male	196	2	1	1	3	3	1	–	–	1	5	3	7	11	18	15	19	26	35	31	12	2	–
	Female	197	3	–	–	–	1	1	1	1	–	1	2	5	5	6	11	19	21	46	41	19	14	–
	All other Male	116	19	2	–	1	2	2	1	2	2	1	4	1	8	10	10	10	10	10	10	7	4	–
	Female	69	16	3	–	1	–	–	1	1	–	2	2	–	3	2	3	4	6	9	5	10	1	–
470–474	Influenza	20	–	1	–	–	1	–	–	1	–	1	–	–	2	1	–	2	2	6	3	–	–	–
	White Male	9	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	–	3	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
480–486	Pneumonia	558	40	5	1	5	5	4	3	3	3	8	11	13	25	35	39	50	61	94	84	48	21	–
	White Male	187	2	1	1	3	2	1	–	–	1	5	3	7	9	17	15	18	26	32	30	12	2	–
	Female	191	3	–	–	–	1	1	1	1	–	1	2	5	5	6	11	18	19	44	40	19	14	–
	All other Male	115	19	2	–	1	2	2	1	1	2	1	4	1	8	10	10	10	10	10	10	7	4	–
	Female	65	16	2	–	1	–	–	1	1	–	1	2	–	3	2	3	4	6	8	4	10	1	–
490–493	Bronchitis, emphysema, and asthma	199	–	–	–	–	–	–	4	–	1	2	5	8	14	15	38	39	32	26	10	3	2	–
	White Male	135	–	–	–	–	–	–	1	–	–	1	5	7	11	9	29	30	18	16	6	2	–	–
	Female	37	–	–	–	–	–	–	1	–	1	1	–	–	2	4	5	7	7	5	2	1	1	–
	All other Male	21	–	–	–	–	–	–	2	–	–	–	–	–	1	2	3	1	6	4	1	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
490, 491	Chronic and unqualified bronchitis	36	–	–	–	–	–	–	1	–	–	–	–	2	2	2	7	3	5	9	2	2	1	–
	White Male	17	–	–	–	–	–	–	1	–	–	–	–	1	1	1	5	1	2	3	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	1	1	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
492	Emphysema	150	–	–	–	–	–	–	–	–	1	1	5	6	11	13	27	34	27	17	6	1	1	–
	White Male	116	–	–	–	–	–	–	–	–	–	1	5	6	10	8	22	29	16	13	5	1	–	–
	Female	23	–	–	–	–	–	–	–	–	1	–	–	–	–	4	3	5	7	3	–	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	1	1	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	13	–	–	–	–	–	–	3	–	–	1	–	–	1	–	4	2	–	–	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–
	All other Male	4	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
531–533	Peptic ulcer	57	–	–	–	–	–	–	1	–	1	2	1	3	8	6	4	9	9	6	5	2	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	2	–	1	5	4	2	4	4	–	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	3	5	3	1	–	–
	All other Male	10	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	3	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	1	–	–	–
540–543	Appendicitis	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–	2	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	66	5	–	–	1	–	–	–	–	–	–	–	2	2	6	6	9	10	8	8	7	2	–
	White Male	17	2	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	2	1	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	4	4	5	2	–	2	–
	All other Male	14	2	–	–	1	–	–	–	–	–	–	–	–	–	2	1	2	2	1	3	–	–	–
	Female	15	1	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	–	2	5	–	–
571	Cirrhosis of liver	182	–	1	–	–	–	4	5	4	4	10	24	31	25	27	21	12	8	4	2	–	–	–
	White Male	100	–	1	–	–	–	1	2	–	2	7	11	17	17	14	15	5	5	2	1	–	–	–
	Female	37	–	–	–	–	–	1	–	–	1	1	5	8	4	4	4	5	3	1	–	–	–	–
	All other Male	29	–	–	–	–	–	2	1	4	1	1	4	4	3	5	2	1	–	1	–	–	–	–
	Female	16	–	–	–	–	–	–	2	–	–	1	4	2	1	4	–	1	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	45	–	–	–	–	–	–	1	1	–	–	1	1	2	1	10	4	6	8	4	6	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	2	3	4	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	2	3	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	2	–	1	1	–	–
580–584	Nephritis and nephrosis	111	2	1	1	–	–	–	–	2	1	3	2	8	8	4	20	15	13	14	11	5	1	–
	White Male	22	1	–	–	–	–	–	–	1	–	–	–	2	1	–	2	5	4	2	4	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	1	–	3	–	1	2	4	4	2	4	–	–	–
	All other Male	35	1	–	–	–	–	–	–	1	–	1	1	1	3	1	11	1	3	8	–	3	–	–
	Female	33	–	1	1	–	–	–	–	–	1	1	1	2	4	2	5	5	2	2	3	2	1	–
580, 581	Acute nephritis and nephrotic syndrome	23	2	–	1	–	–	–	–	1	–	–	–	3	2	–	5	2	1	4	2	–	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–	–
	All other Male	8	1	–	–	–	–	–	–	1	–	–	–	–	1	–	4	–	–	1	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	88	–	1	–	–	–	–	–	1	1	3	2	5	6	4	15	13	12	10	9	5	1	–
	White Male	16	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	4	4	1	3	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	3	3	–	4	–	–	–
	All other Male	27	–	–	–	–	–	–	–	–	–	1	1	1	2	1	7	1	3	7	–	3	–	–
	Female	30	–	1	–	–	–	–	–	–	1	1	1	1	4	2	5	5	2	2	2	2	1	–
590	Infections of kidney	81	–	–	–	–	1	–	–	–	–	–	1	4	2	2	7	5	12	18	16	11	2	–
	White Male	14	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	3	2	5	1	1	–
	Female	36	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	3	3	10	7	7	1	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	3	2	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	4	3	2	1	–	–
600	Hyperplasia of prostate	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	3	2	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	1	2	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	2	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	147	94	19	6	3	3	4	1	1	2	2	–	2	–	3	3	2	1	–	–	–	1	–
	White Male	37	19	7	1	1	1	2	–	–	2	–	–	1	–	1	–	1	–	–	–	–	1	–
	Female	38	28	1	1	–	1	–	–	1	–	1	–	–	–	2	2	–	1	–	–	–	–	–
	All other Male	37	22	7	1	1	1	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	35	25	4	3	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	434	433	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	156	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	248	247	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	83	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	186	186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,975	101	10	3	1	8	7	17	12	26	44	76	107	129	197	271	262	222	208	128	81	63	2
	White Male	526	10	1	–	–	1	2	3	2	3	14	22	52	41	81	72	78	58	45	23	13	5	–
	Female	296	7	–	–	1	1	–	2	1	4	8	15	9	16	21	42	37	41	44	23	13	11	–
	All other Male	604	46	4	1	–	5	4	9	5	11	11	23	29	53	55	84	71	62	62	36	20	13	–
	Female	549	38	5	2	–	1	1	3	4	8	11	16	17	19	40	73	76	61	57	46	35	34	2
Residual	All other diseases	1,503	21	13	7	11	13	20	25	23	21	42	54	87	95	138	210	203	181	141	120	59	17	2
	White Male	550	6	3	2	1	5	5	4	5	3	10	15	28	41	65	94	102	72	47	26	13	3	–
	Female	441	5	2	2	3	1	7	3	5	6	12	12	24	26	31	43	54	55	50	57	32	10	1
	All other Male	297	7	2	1	1	2	7	13	9	7	12	17	22	18	22	38	33	29	28	22	6	1	–
	Female	215	3	6	2	6	5	1	5	4	5	8	10	13	10	20	35	14	25	16	15	8	3	1
E800–E949	Accidents	1,567	36	55	58	76	199	185	122	87	82	84	66	74	58	62	71	68	62	42	52	15	9	4
	White Male	696	9	9	21	27	107	82	64	41	43	34	41	44	28	34	23	28	14	14	25	6	1	1
	Female	259	2	9	8	8	31	22	9	10	13	15	7	9	8	9	19	18	23	12	17	7	2	1
	All other Male	447	11	19	18	37	50	66	38	26	22	27	16	16	18	12	21	17	15	9	4	2	2	1
	Female	165	14	18	11	4	11	15	11	10	4	8	2	5	4	7	8	5	10	7	6	–	4	1
E810–E823	Motor vehicle accidents	761	6	21	24	35	128	120	72	49	48	46	24	44	31	23	26	26	20	5	8	3	–	2
	White Male	368	2	3	8	18	72	53	38	23	27	15	14	24	19	14	6	14	8	3	4	2	–	1
	Female	135	–	5	4	5	26	18	9	7	9	11	5	8	5	2	9	6	4	–	1	1	–	–
	All other Male	197	1	4	6	12	25	38	17	14	10	16	5	11	6	6	9	6	6	2	2	–	–	1
	Female	61	3	9	6	–	5	11	8	5	2	4	–	1	1	1	2	–	2	–	1	–	–	–
E800–E807, E825–E949	All other accidents	806	30	34	34	41	71	65	50	38	34	38	42	30	27	39	45	42	42	37	44	12	9	2
	White Male	328	7	6	13	9	35	29	26	18	16	19	27	20	9	20	17	14	6	11	21	4	1	–
	Female	124	2	4	4	3	5	4	–	3	4	4	2	1	3	7	10	12	19	12	16	6	2	1
	All other Male	250	10	15	12	25	25	28	21	12	12	11	11	5	12	6	12	11	9	7	2	2	2	–
	Female	104	11	9	5	4	6	4	3	5	2	4	2	4	3	6	6	5	8	7	5	–	4	1
E950–E959	Suicide	245	...	...	–	2	15	21	22	20	12	17	20	26	24	19	13	17	9	2	6	–	–	–
	White Male	157	...	...	–	–	12	11	11	12	10	13	11	15	14	14	10	11	7	1	5	–	–	–
	Female	48	...	...	–	–	1	4	5	2	2	2	7	8	6	3	2	2	2	1	1	–	–	–
	All other Male	30	...	...	–	1	2	4	5	4	–	1	2	2	3	1	1	4	–	–	–	–	–	–
	Female	10	...	...	–	1	–	2	1	2	–	1	–	1	1	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	335	4	4	4	3	28	58	41	27	36	29	36	16	12	14	12	7	3	1	–	–	–	–
	White Male	75	2	–	2	1	6	8	8	7	7	5	10	4	4	3	3	3	1	1	–	–	–	–
	Female	29	–	2	–	–	1	5	6	3	4	–	6	1	–	–	1	–	–	–	–	–	–	–
	All other Male	181	1	1	1	1	12	35	23	12	21	19	18	10	7	10	5	3	2	–	–	–	–	–
	Female	50	1	1	1	1	9	10	4	5	4	5	2	1	1	1	3	1	–	–	–	–	–	–
E980–E999	Other external causes	45	–	1	–	–	4	3	7	4	2	2	4	4	6	3	2	2	–	–	–	–	1	–
	White Male	14	–	1	–	–	2	1	2	–	1	–	1	2	3	1	–	–	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	2	–	1	2	–	2	2	1	1	1	–	–	–	–	–	–
	All other Male	16	–	–	–	–	1	2	3	3	–	–	2	–	1	1	1	1	–	–	–	–	1	–
	Female	3	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri																							
	All causes	**48,880**	**1,040**	**174**	**149**	**159**	**495**	**630**	**483**	**428**	**504**	**729**	**1,255**	**1,965**	**2,647**	**3,926**	**5,388**	**6,386**	**6,788**	**6,809**	**5,330**	**2,715**	**867**	**13**
	White ..... Male	23,695	420	73	88	85	299	384	273	222	262	371	673	1,058	1,497	2,275	3,080	3,399	3,292	2,871	1,988	849	229	7
	Female	20,260	341	64	41	50	118	121	100	120	128	225	388	580	801	1,177	1,773	2,373	2,929	3,521	3,097	1,741	570	2
	All other ..... Male	2,781	163	21	17	16	54	89	88	63	76	77	134	198	205	283	286	329	284	213	111	49	23	2
	Female	2,144	116	16	3	8	24	36	22	23	38	56	60	129	144	191	249	285	283	204	134	76	45	2
004, 006	Bacillary dysentery and amebiasis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	37	9	1	1	1	–	–	–	–	–	–	–	2	–	3	6	2	3	4	5	–	–	–
	White ..... Male	17	3	1	1	–	–	–	–	–	–	–	–	2	–	2	2	2	1	2	1	–	–	–
	Female	15	2	–	–	1	–	–	–	–	–	–	–	–	–	1	3	–	2	2	4	–	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	66	–	–	–	–	1	1	–	1	1	–	3	1	2	10	7	8	10	11	7	1	2	–
	White ..... Male	35	–	–	–	–	1	–	–	–	–	–	–	–	1	4	4	7	5	9	4	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	–	4	2	3	1	1	–
	All other ..... Male	8	–	–	–	–	–	1	–	1	1	–	1	1	1	1	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	1	–
010–012	Tuberculosis of respiratory system	55	–	–	–	–	–	1	–	1	1	–	2	1	2	7	4	8	9	9	7	1	2	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	7	5	7	4	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	2	3	1	1	–
	All other ..... Male	8	–	–	–	–	–	1	–	1	1	–	1	1	1	1	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	1	–
013–019	Tuberculosis, other forms	11	–	–	–	–	1	–	–	–	–	–	1	–	–	3	3	–	1	2	–	–	–	–
	White ..... Male	6	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	191	33	2	1	–	1	1	–	–	3	7	3	7	14	12	13	21	22	20	22	9	–	–
	White ..... Male	97	19	1	1	–	1	–	–	–	1	6	2	3	5	7	6	12	10	7	9	7	–	–
	Female	66	6	1	–	–	–	1	–	–	1	1	1	2	7	4	7	5	9	8	11	2	–	–
	All other ..... Male	17	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	3	–	–	–	–
	Female	11	2	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	2	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	126	7	1	4	1	4	3	3	3	2	2	6	7	6	9	13	19	12	10	10	3	1	–
	White ..... Male	54	3	–	2	–	2	1	2	2	1	–	4	5	2	1	6	13	3	4	3	–	–	–
	Female	55	1	1	1	1	2	1	1	1	1	1	–	1	3	7	7	6	8	5	3	3	1	–
	All other ..... Male	11	2	–	1	–	–	–	–	–	–	1	2	1	1	1	–	–	–	1	1	–	–	–
	Female	6	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,295	1	10	15	23	23	30	38	46	98	180	343	584	814	1,142	1,432	1,428	1,287	964	580	208	48	1
	White Male	4,619	–	7	11	10	8	19	23	17	47	72	132	270	379	579	783	768	656	478	260	87	13	–
	Female	3,787	1	3	3	10	13	7	12	26	38	82	166	221	338	440	513	536	506	442	289	110	31	–
	All other Male	512	–	–	–	1	1	2	2	2	8	9	27	55	59	69	70	73	82	26	17	5	3	1
	Female	377	–	–	1	2	1	2	1	1	5	17	18	38	38	54	66	51	43	18	14	6	1	–
140–149	Of buccal cavity and pharynx	178	–	–	–	–	1	1	–	–	2	3	9	12	29	28	33	18	11	13	13	3	1	1
	White Male	114	–	–	–	–	–	1	–	–	–	1	6	11	18	20	20	15	5	8	8	1	–	–
	Female	40	–	–	–	–	–	–	–	–	1	1	–	1	5	5	9	3	4	4	5	1	1	–
	All other Male	16	–	–	–	–	1	–	–	–	1	1	2	–	4	–	3	–	2	–	–	1	–	1
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	2,382	–	–	–	1	3	2	6	6	20	25	59	124	172	262	374	381	368	311	177	72	19	–
	White Male	1,069	–	–	–	–	2	2	1	2	12	10	22	63	87	131	181	172	155	129	68	25	7	–
	Female	1,039	–	–	–	–	1	–	4	2	2	10	23	42	61	94	149	169	166	165	97	43	11	–
	All other Male	163	–	–	–	–	–	–	1	2	5	2	12	12	17	20	23	24	29	9	4	2	1	–
	Female	111	–	–	–	1	–	–	–	–	1	3	2	7	7	17	21	16	18	8	8	2	–	–
160–163	Of respiratory system	2,264	–	–	–	–	1	1	–	3	17	40	104	173	251	366	414	381	283	139	70	19	2	–
	White Male	1,607	–	–	–	–	–	–	–	2	12	23	59	109	163	258	310	300	212	102	47	10	–	–
	Female	441	–	–	–	–	1	–	–	1	4	13	29	34	58	76	70	53	45	29	17	9	2	–
	All other Male	158	–	–	–	–	–	1	–	–	1	1	10	29	23	24	19	19	19	7	5	–	–	–
	Female	58	–	–	–	–	–	–	–	–	–	3	6	1	7	8	15	9	7	1	1	–	–	–
174	Of breast	755	–	–	–	–	–	1	2	6	13	32	62	81	85	94	90	95	64	65	42	19	4	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	1	1	–	–	–	–
	Female	691	–	–	–	–	–	1	2	6	12	28	56	73	75	87	80	87	60	63	40	17	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	57	–	–	–	–	–	–	–	–	1	3	5	8	10	7	10	5	3	1	2	2	–	–
180–187	Of genital organs	1,118	–	–	–	–	1	3	7	7	11	19	23	44	90	106	152	168	183	161	98	38	7	–
	White Male	496	–	–	–	–	–	3	5	2	3	–	2	3	16	24	64	77	109	102	55	28	3	–
	Female	486	–	–	–	–	1	–	2	4	6	15	19	30	60	67	66	66	55	49	36	7	3	–
	All other Male	72	–	–	–	–	–	–	–	–	–	–	–	–	3	8	13	15	15	8	7	2	1	–
	Female	64	–	–	–	–	–	–	–	1	2	4	2	11	11	7	9	10	4	2	–	1	–	–
188, 189	Of urinary organs	431	–	–	–	–	–	–	1	–	3	3	6	24	34	53	57	80	63	56	41	8	2	–
	White Male	284	–	–	–	–	–	–	1	–	2	3	4	15	23	30	41	58	42	33	27	4	1	–
	Female	130	–	–	–	–	–	–	–	–	–	–	2	8	9	17	14	20	18	23	14	4	1	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	1	3	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,269	1	4	2	10	7	7	8	13	21	31	52	81	101	149	195	171	181	120	75	31	9	–
	White Male	586	–	2	–	4	2	4	6	5	10	17	26	44	46	78	102	81	74	45	27	12	1	–
	Female	562	1	2	2	4	5	1	1	8	10	9	22	18	45	51	76	77	90	69	45	19	7	–
	All other Male	67	–	–	–	1	–	1	1	–	1	3	2	9	9	11	10	6	9	2	1	–	1	–
	Female	54	–	–	–	1	–	1	–	–	–	2	2	10	1	9	7	7	8	4	2	–	–	–
204–207	Leukemia	407	–	5	11	12	6	10	8	7	6	16	13	19	21	26	39	56	54	49	36	9	4	–
	White Male	227	–	4	9	6	3	7	7	2	5	10	7	11	10	15	23	27	28	32	15	5	1	–
	Female	165	–	1	1	6	2	2	1	5	1	4	6	7	11	11	14	26	24	17	21	3	2	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	–	–	–	–	–
	Female	9	–	–	1	–	1	1	–	–	–	1	–	–	–	–	2	1	–	–	–	1	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	491	–	1	2	–	4	5	6	4	5	11	15	26	31	58	78	78	80	50	28	9	–	–
	White Male	229	–	1	2	–	1	2	3	4	3	7	5	14	16	23	42	35	30	26	13	2	–	–
	Female	233	–	–	–	–	3	3	2	–	2	2	9	8	14	32	35	35	44	23	14	7	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1	6	3	–	–	–	–	–
	Female	11	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	2	3	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	88	–	1	1	–	2	–	2	2	3	–	3	8	4	8	7	9	14	13	9	2	–	–
	White Male	33	–	1	–	–	–	–	1	–	1	–	2	3	1	3	4	2	2	7	6	–	–	–
	Female	44	–	–	1	–	1	–	–	1	–	–	1	5	3	4	3	6	10	4	3	2	–	–
	All other Male	6	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–
250	Diabetes mellitus	866	–	–	–	1	1	–	5	11	9	8	10	18	53	93	137	156	144	115	68	28	9	–
	White Male	288	–	–	–	–	–	–	1	5	3	2	4	7	19	32	55	55	50	35	12	5	3	–
	Female	434	–	–	–	1	–	–	3	4	5	2	3	8	18	37	55	75	78	66	52	21	6	–
	All other Male	56	–	–	–	–	–	–	1	2	1	2	1	2	3	9	11	10	3	10	1	–	–	–
	Female	88	–	–	–	–	1	–	–	–	–	2	2	1	13	15	16	16	13	4	3	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	82	4	–	–	1	–	–	–	2	–	1	2	–	1	4	–	7	15	11	13	13	8	–
	White Male	30	4	–	–	1	–	–	–	–	–	–	1	–	1	2	–	3	4	5	6	1	2	–
	Female	48	–	–	–	–	–	–	–	2	–	1	1	–	–	2	–	4	9	5	6	12	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri – Con.																							
280–285	Anemias	84	–	1	2	–	2	3	–	1	–	1	2	2	6	8	5	5	16	15	11	2	2	–
	White Male	39	–	–	1	–	–	1	–	1	–	–	–	–	3	6	3	–	8	7	8	1	–	–
	Female	33	–	–	1	–	–	1	–	–	–	–	1	1	2	2	1	4	7	7	3	1	2	–
	All other Male	8	–	–	–	–	1	1	–	–	–	1	1	1	1	–	–	1	1	–	–	–	–	–
	Female	4	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
320	Meningitis	26	7	4	1	3	–	–	–	–	–	–	–	–	2	1	1	2	1	3	–	1	–	–
	White Male	10	4	1	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	Female	11	2	2	–	1	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	1	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
390–448	Major cardiovascular diseases	25,083	25	10	4	8	18	27	23	45	100	202	426	738	1,061	1,700	2,649	3,466	3,942	4,353	3,649	2,000	633	4
	White Male	11,736	10	3	4	3	8	11	10	30	55	117	277	455	680	1,055	1,556	1,826	1,861	1,712	1,296	608	157	2
	Female	11,264	9	6	–	3	6	6	9	9	17	49	80	158	240	428	824	1,304	1,783	2,397	2,205	1,300	430	1
	All other Male	1,059	1	–	–	2	4	5	4	2	17	22	48	71	80	136	136	168	131	111	70	35	16	–
	Female	1,024	5	1	–	–	–	5	–	4	11	14	21	54	61	81	133	168	167	133	78	57	30	1
390–398, 402, 404, 410–429	Diseases of heart	18,423	21	6	3	4	13	15	12	32	80	162	355	608	876	1,406	2,094	2,613	2,863	3,008	2,477	1,352	420	3
	White Male	9,107	10	2	3	1	7	7	7	24	47	106	252	394	595	899	1,281	1,416	1,395	1,220	896	433	111	1
	Female	7,820	8	3	–	1	4	3	3	5	12	35	56	118	180	335	620	955	1,253	1,616	1,482	856	274	1
	All other Male	768	1	–	–	2	2	2	2	2	13	13	35	54	56	105	101	124	91	84	43	25	13	–
	Female	728	2	1	–	–	–	3	–	1	8	8	12	42	45	67	92	118	124	88	56	38	22	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	298	–	1	–	1	1	3	1	3	6	11	9	19	22	33	41	49	42	24	21	8	3	–
	White Male	120	–	–	–	–	1	1	–	2	3	3	3	10	10	20	17	14	19	7	9	1	–	–
	Female	156	–	–	–	–	–	2	1	1	2	7	4	8	10	13	20	30	22	16	11	7	2	–
	All other Male	13	–	–	–	1	–	–	–	–	1	–	2	1	1	–	2	1	1	1	1	–	1	–
	Female	9	–	1	–	–	–	–	–	–	–	1	–	–	1	–	2	4	–	–	–	–	–	–
402	Hypertensive heart disease	181	–	–	–	–	–	–	–	1	2	3	3	5	7	18	17	29	24	29	25	13	5	–
	White Male	62	–	–	–	–	–	–	–	–	–	2	1	–	4	7	6	11	12	7	6	5	1	–
	Female	95	–	–	–	–	–	–	–	–	1	–	–	3	2	8	9	15	7	21	19	7	3	–
	All other Male	14	–	–	–	–	–	–	–	1	1	–	2	1	1	3	1	1	2	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	3	1	–	–	1	–
404	Hypertensive heart and renal disease	177	–	–	–	–	–	–	–	–	–	–	2	3	4	5	8	18	29	36	45	21	6	–
	White Male	75	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	9	11	11	20	7	5	–
	Female	87	–	–	–	–	–	–	–	–	–	–	2	–	–	1	3	7	15	19	25	14	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	1	–	–	–	–
410–413	Ischemic heart disease	16,228	1	–	–	–	2	2	6	20	55	123	302	513	770	1,233	1,864	2,337	2,554	2,696	2,187	1,193	367	3
	White Male	8,125	1	–	–	–	2	–	3	18	37	86	225	348	534	800	1,157	1,293	1,246	1,108	791	380	95	1
	Female	6,821	–	–	–	–	–	–	2	1	6	23	40	88	151	278	538	837	1,115	1,434	1,308	756	243	1
	All other Male	654	–	–	–	–	–	1	1	1	7	10	25	45	46	92	91	113	81	73	37	21	10	–
	Female	628	–	–	–	–	–	1	–	–	5	4	12	32	39	63	78	94	112	81	51	36	19	1
410	Acute myocardial infarction	7,794	1	–	–	–	1	1	2	14	38	88	205	344	535	792	1,126	1,293	1,157	1,057	717	341	82	–
	White Male	4,563	1	–	–	–	1	–	1	13	26	66	161	258	387	556	740	796	633	476	301	122	25	–
	Female	2,822	–	–	–	–	–	–	1	1	4	16	26	58	110	176	331	441	471	536	394	209	48	–
	All other Male	218	–	–	–	–	–	–	–	–	3	5	12	13	23	35	29	34	24	22	12	4	2	–
	Female	191	–	–	–	–	–	1	–	–	5	1	6	15	15	25	26	22	29	23	10	6	7	–
411	Other acute and subacute forms of ischemic heart disease	58	–	–	–	–	–	–	2	1	–	1	2	3	2	3	8	7	9	12	4	4	–	–
	White Male	34	–	–	–	–	–	–	1	1	–	1	2	3	2	3	4	4	4	7	–	2	–	–
	Female	21	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	2	3	5	4	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
412	Chronic ischemic heart disease	8,348	–	–	–	–	1	1	2	5	17	34	95	166	233	436	727	1,035	1,380	1,621	1,462	845	285	3
	White Male	3,516	–	–	–	–	1	–	1	4	11	19	62	87	145	240	411	493	605	622	489	255	70	1
	Female	3,963	–	–	–	–	–	–	–	–	2	7	14	30	41	101	202	392	638	890	907	543	195	1
	All other Male	434	–	–	–	–	–	1	1	1	4	5	13	32	23	57	62	79	55	51	25	17	8	–
	Female	435	–	–	–	–	–	–	–	–	–	3	6	17	24	38	52	71	82	58	41	30	12	1
413	Angina pectoris	28	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	8	6	4	3	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	3	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	3	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	115	–	–	–	–	–	–	1	1	1	1	–	4	3	4	9	11	15	22	22	16	5	–
	White Male	46	–	–	–	–	–	–	1	–	–	1	–	–	2	3	6	7	4	11	4	6	1	–
	Female	62	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	3	10	11	18	10	4	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,424	20	5	3	3	10	10	4	7	16	24	39	64	70	113	155	169	199	201	177	101	34	–
	White Male	679	9	2	3	1	4	6	3	4	7	14	23	34	43	66	90	82	103	76	66	34	9	–
	Female	599	8	3	–	1	4	1	–	2	3	5	10	18	16	34	48	63	84	115	101	62	21	–
	All other Male	74	1	–	–	1	2	1	1	–	3	3	6	5	7	9	7	7	6	5	5	3	2	–
	Female	72	2	–	–	–	–	2	–	1	3	2	–	7	4	4	10	17	6	5	5	2	2	–
400, 401, 403	Hypertension	177	–	–	–	–	–	–	–	–	1	3	5	3	6	11	10	26	26	32	31	15	8	–
	White Male	67	–	–	–	–	–	–	–	–	1	1	3	–	2	3	3	8	13	12	13	6	2	–
	Female	83	–	–	–	–	–	–	–	–	–	1	–	1	2	5	3	12	10	18	17	8	6	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	3	1	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	3	2	1	–	1	–	–
430–438	Cerebrovascular diseases	5,060	4	3	1	3	5	9	9	12	13	30	55	107	146	222	434	660	856	1,051	854	456	129	1
	White Male	1,919	–	–	1	1	1	3	3	6	5	8	17	50	64	114	197	299	352	361	284	120	32	1
	Female	2,669	1	3	–	2	2	2	4	3	3	9	20	34	48	73	174	285	437	631	530	316	92	–
	All other Male	227	–	–	–	–	2	2	2	–	2	7	11	13	22	22	26	34	31	21	22	8	2	–
	Female	245	3	–	–	–	–	2	–	3	3	6	7	10	12	13	37	42	36	38	18	12	3	–
431	Cerebral hemorrhage	642	3	–	1	–	1	2	4	2	5	5	21	32	40	46	78	89	103	104	65	32	9	–
	White Male	265	–	–	1	–	–	1	2	1	1	2	7	17	19	17	32	45	48	39	19	8	6	–
	Female	302	–	–	–	–	–	1	–	1	2	1	6	7	15	23	38	32	50	55	44	24	3	–
	All other Male	42	–	–	–	–	1	–	2	–	2	1	6	4	5	3	3	5	4	5	1	–	–	–
	Female	33	3	–	–	–	–	–	–	–	–	1	2	4	1	3	5	7	1	5	1	–	–	–
433	Cerebral thrombosis	1,114	–	–	–	–	1	–	2	1	–	3	8	11	27	42	87	144	204	233	213	101	37	–
	White Male	421	–	–	–	–	–	–	–	1	–	–	2	5	11	21	41	67	78	77	84	19	15	–
	Female	593	–	–	–	–	1	–	2	–	–	1	3	3	10	12	27	56	111	147	122	78	20	–
	All other Male	54	–	–	–	–	–	–	–	–	–	1	2	2	6	6	8	9	9	3	5	2	1	–
	Female	46	–	–	–	–	–	–	–	–	–	1	1	1	–	3	11	12	6	6	2	2	1	–
434	Cerebral embolism	37	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	3	3	9	9	2	2	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	1	1	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	–	6	7	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,267	1	3	–	3	3	7	3	9	8	22	26	64	79	132	262	424	546	705	567	321	81	1
	White Male	1,220	–	–	–	1	1	2	1	4	4	6	8	28	34	75	122	185	223	243	180	92	10	1
	Female	1,752	1	3	–	2	1	1	2	2	1	7	11	24	23	37	104	196	276	423	357	213	68	–
	All other Male	131	–	–	–	–	1	2	–	–	–	5	3	7	11	13	15	20	18	13	16	6	1	–
	Female	164	–	–	–	–	–	2	–	3	3	4	4	5	11	7	21	23	29	26	14	10	2	–
440	Arteriosclerosis	782	–	–	–	–	–	–	–	–	–	–	1	4	7	14	33	60	92	163	208	136	64	–
	White Male	280	–	–	–	–	–	–	–	–	–	–	1	2	4	9	24	27	40	64	68	32	9	–
	Female	459	–	–	–	–	–	–	–	–	–	–	–	1	3	2	6	26	45	91	136	98	51	–
	All other Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	4	4	3	1	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	3	4	1	5	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	641	–	1	–	1	–	3	2	1	6	7	10	16	26	47	78	107	105	99	79	41	12	–
	White Male	363	–	1	–	1	–	1	–	–	2	2	4	9	15	30	51	76	61	55	35	17	3	–
	Female	233	–	–	–	–	–	1	2	1	2	4	4	4	7	13	21	26	38	41	40	22	7	–
	All other Male	26	–	–	–	–	–	1	–	–	2	1	1	3	–	3	4	4	4	1	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	4	1	2	1	2	2	3	1	2	–
466	Acute bronchitis and bronchiolitis	13	3	1	–	–	–	–	–	–	1	–	–	–	1	–	–	3	2	2	–	–	–	–
	White Male	9	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,322	21	7	3	1	8	6	8	9	3	15	21	36	34	80	94	144	186	255	221	131	39	–
	White Male	620	11	3	1	1	3	2	2	4	2	8	8	15	20	40	51	85	88	122	92	45	17	–
	Female	590	8	2	2	–	4	4	4	1	–	1	10	11	10	29	35	50	81	115	119	83	21	–
	All other Male	73	1	2	–	–	–	–	1	4	1	4	2	8	2	8	7	6	9	12	5	–	1	–
	Female	39	1	–	–	–	1	–	1	–	–	2	1	2	2	3	1	3	8	6	5	3	–	–
470–474	Influenza	35	–	–	–	–	1	–	–	–	–	–	–	–	–	1	4	6	4	6	7	5	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	1	2	2	–	1	–
	Female	20	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	3	4	4	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	1,287	21	7	3	1	7	6	8	9	3	15	21	36	34	79	90	138	182	249	214	126	38	–
	White Male	606	11	3	1	1	3	2	2	4	2	8	8	15	20	40	48	80	87	120	90	45	16	–
	Female	570	8	2	2	–	3	4	4	1	–	1	10	11	10	28	34	49	78	111	115	78	21	–
	All other Male	73	1	2	–	–	–	–	1	4	1	4	2	8	2	8	7	6	9	12	5	–	1	–
	Female	38	1	–	–	–	1	–	1	–	–	2	1	2	2	3	1	3	8	6	4	3	–	–
490–493	Bronchitis, emphysema, and asthma	493	3	–	–	1	3	3	1	1	1	1	7	15	39	61	74	95	85	71	27	5	–	–
	White Male	343	1	–	–	–	–	1	–	1	–	–	7	6	19	45	51	70	61	60	18	3	–	–
	Female	129	–	–	–	1	3	–	1	–	1	1	–	8	15	15	20	25	23	8	8	–	–	–
	All other Male	11	–	–	–	–	–	2	–	–	–	–	–	1	–	–	2	–	1	2	1	2	–	–
	Female	10	2	–	–	–	–	–	–	–	–	–	–	–	5	1	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri – Con.																							
490, 491	Chronic and unqualified bronchitis	104	2	–	–	1	1	1	1	–	1	–	1	3	9	13	17	16	20	10	7	1	–	–
	White Male	73	–	–	–	–	–	1	–	–	–	–	1	1	4	9	12	14	16	9	5	1	–	–
	Female	27	–	–	–	1	1	–	1	–	1	–	–	2	4	4	4	2	4	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
492	Emphysema	363	1	–	–	–	–	–	–	1	–	–	6	9	27	46	53	76	64	59	18	3	–	–
	White Male	263	1	–	–	–	–	–	–	1	–	–	6	5	15	35	36	56	44	51	12	1	–	–
	Female	88	–	–	–	–	–	–	–	–	–	–	–	3	11	10	15	20	19	5	5	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	2	1	2	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
493	Asthma	26	–	–	–	–	2	2	–	–	–	1	–	3	3	2	4	3	1	2	2	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	1	–	–
	Female	14	–	–	–	–	2	–	–	–	–	1	–	3	–	1	1	3	–	2	1	–	–	–
	All other Male	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	127	–	–	–	–	–	–	–	3	–	1	2	4	5	5	15	18	25	21	19	7	2	–
	White Male	63	–	–	–	–	–	–	–	3	–	1	–	2	5	4	12	9	10	9	5	1	2	–
	Female	58	–	–	–	–	–	–	–	–	–	–	2	2	–	1	3	8	13	11	12	6	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
540–543	Appendicitis	25	–	–	–	1	–	–	1	–	–	–	1	2	2	3	1	1	3	8	2	–	–	–
	White Male	12	–	–	–	1	–	–	–	–	–	–	–	1	–	3	1	–	1	3	2	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	1	–	2	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	155	13	–	–	–	–	–	2	–	–	2	3	6	5	7	10	22	24	23	24	7	7	–
	White Male	51	3	–	–	–	–	–	–	–	–	–	–	3	3	1	4	10	8	10	7	–	2	–
	Female	82	4	–	–	–	–	–	–	–	–	2	1	–	2	3	5	11	15	10	17	7	5	–
	All other Male	11	4	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	1	2	–	–	–	–
	Female	11	2	–	–	–	–	–	1	–	–	–	1	2	–	3	–	1	–	1	–	–	–	–
571	Cirrhosis of liver	539	2	1	–	–	1	–	4	8	27	31	63	87	64	74	74	43	37	16	4	2	1	–
	White Male	305	1	–	–	–	–	–	2	2	13	17	26	51	38	56	40	27	22	8	1	1	–	–
	Female	155	1	1	–	–	1	–	–	2	4	6	23	25	16	12	27	13	13	7	3	–	1	–
	All other Male	51	–	–	–	–	–	–	1	4	9	5	11	7	5	3	3	2	1	–	–	–	–	–
	Female	28	–	–	–	–	–	–	1	–	1	3	3	4	5	3	4	1	1	1	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	89	–	–	–	–	–	–	–	–	–	1	2	5	5	5	8	11	10	18	16	5	3	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	3	3	4	3	5	5	6	6	2	–	–
	Female	47	–	–	–	–	–	–	–	–	–	1	1	2	2	1	4	6	4	11	9	3	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	240	1	1	–	1	1	2	1	4	3	6	9	4	16	20	18	30	29	33	35	19	7	–
	White Male	102	1	–	–	–	1	2	1	3	1	2	5	–	4	8	9	15	9	12	15	9	5	–
	Female	87	–	–	–	1	–	–	–	1	1	1	1	1	5	4	4	10	15	15	16	10	2	–
	All other Male	24	–	1	–	–	–	–	–	–	1	–	3	1	3	5	1	3	1	3	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	3	–	2	4	3	4	2	4	3	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	51	1	1	–	1	–	–	–	–	1	–	1	–	3	3	7	7	9	10	3	1	3	–
	White Male	25	1	–	–	–	–	–	–	–	1	–	1	–	1	2	5	3	5	3	1	–	2	–
	Female	19	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	3	2	7	2	1	1	–
	All other Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	189	–	–	–	–	1	2	1	4	2	6	8	4	13	17	11	23	20	23	32	18	4	–
	White Male	77	–	–	–	–	1	2	1	3	–	2	4	–	3	6	4	12	4	9	14	9	3	–
	Female	68	–	–	–	–	–	–	–	1	1	1	1	1	3	4	4	7	13	8	14	9	1	–
	All other Male	20	–	–	–	–	–	–	–	–	1	–	3	1	3	4	1	2	–	3	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	3	–	2	4	3	2	2	3	3	2	–	–	–
590	Infections of kidney	118	1	–	–	–	–	–	1	1	–	1	1	6	1	8	13	13	17	22	20	11	1	1
	White Male	51	–	–	–	–	–	–	–	1	–	–	–	2	–	5	5	3	7	11	10	6	–	1
	Female	50	–	–	–	–	–	–	–	–	–	1	1	3	–	3	5	5	9	7	10	5	1	–
	All other Male	8	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	3	–	2	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	2	–	–	–	–
600	Hyperplasia of prostate	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	6	4	2	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	5	4	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	3	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	–	2	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	–	2	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	275	181	23	14	8	6	6	3	2	3	1	2	4	5	–	6	3	3	–	3	2	–	–
	White Male	115	71	11	7	1	4	4	2	1	3	1	1	–	3	–	1	1	1	–	2	1	–	–
	Female	115	75	8	5	5	2	2	1	1	–	–	1	2	2	–	5	2	2	–	1	1	–	–
	All other Male	27	21	2	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	18	14	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	539	538	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	205	204	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	343	342	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	133	132	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,873	119	13	2	3	3	16	8	13	17	28	56	85	132	199	233	229	226	223	133	87	46	2
	White Male	997	52	2	1	2	2	9	3	2	6	16	34	51	100	132	152	129	117	98	51	26	11	1
	Female	619	27	5	–	–	1	3	2	7	4	9	16	22	20	49	58	66	79	101	69	55	26	–
	All other Male	137	25	3	1	–	–	2	1	4	3	1	2	8	8	12	13	17	17	12	3	3	2	–
	Female	120	15	3	–	1	–	2	2	–	4	2	4	4	4	6	10	17	13	12	10	3	7	1
Residual	All other diseases	3,361	35	19	14	19	27	45	38	38	51	72	107	148	190	289	394	463	501	436	319	114	41	1
	White Male	1,631	15	8	7	7	13	23	14	14	18	29	55	65	91	171	223	252	270	194	120	30	11	1
	Female	1,349	10	6	7	11	8	17	11	12	13	26	37	49	71	84	134	167	184	212	182	82	26	–
	All other Male	237	6	3	–	1	2	3	8	7	11	10	8	22	19	22	29	33	24	17	10	1	1	–
	Female	144	4	2	–	–	4	2	5	5	9	7	7	12	9	12	8	11	23	13	7	1	3	–
E800–E949	Accidents	2,480	32	64	79	68	283	293	177	136	89	81	102	113	105	120	118	148	139	141	122	54	14	2
	White Male	1,519	16	29	49	47	204	229	133	90	65	56	67	71	71	73	65	72	63	56	47	12	3	1
	Female	729	9	23	19	12	63	48	26	26	18	16	17	30	25	32	46	60	69	78	68	36	8	–
	All other Male	172	7	8	11	8	11	12	17	15	5	6	16	9	8	11	6	7	5	5	1	3	–	1
	Female	60	–	4	–	1	5	4	1	5	1	3	2	3	1	4	1	9	2	2	6	3	3	–
E810–E823	Motor vehicle accidents	1,188	7	21	37	29	210	219	120	93	52	40	54	59	40	47	36	39	40	26	17	1	1	–
	White Male	779	4	11	16	19	143	168	87	64	39	26	30	33	27	28	17	21	19	11	15	–	1	–
	Female	316	1	8	14	8	54	43	21	18	11	9	11	22	11	18	15	15	21	13	2	1	–	–
	All other Male	76	2	2	7	2	8	6	11	8	2	4	11	2	2	1	4	2	–	2	–	–	–	–
	Female	17	–	–	–	–	5	2	1	3	–	1	2	2	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,292	25	43	42	39	73	74	57	43	37	41	48	54	65	73	82	109	99	115	105	53	13	2
	White Male	740	12	18	33	28	61	61	46	26	26	30	37	38	44	45	48	51	44	45	32	12	2	1
	Female	413	8	15	5	4	9	5	5	8	7	7	6	8	14	14	31	45	48	65	66	35	8	–
	All other Male	96	5	6	4	6	3	6	6	7	3	2	5	7	6	10	2	5	5	3	1	3	–	1
	Female	43	–	4	–	1	–	2	–	2	1	2	–	1	1	4	1	8	2	2	6	3	3	–
E950–E959	Suicide	627	...	...	–	3	34	78	77	48	43	44	49	46	48	47	44	29	24	5	4	2	2	–
	White Male	441	...	...	–	3	28	57	52	30	27	26	33	26	37	33	33	23	23	3	3	2	2	–
	Female	153	...	...	–	–	4	14	15	14	14	16	16	18	10	12	10	6	1	2	1	–	–	–
	All other Male	23	...	...	–	–	2	6	7	2	1	1	–	1	1	1	1	–	–	–	–	–	–	–
	Female	10	...	...	–	–	–	1	3	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	476	2	10	5	10	63	98	72	37	40	32	19	25	19	13	12	5	7	5	2	–	–	–
	White Male	137	–	3	2	4	13	20	18	10	15	13	8	10	4	5	7	2	2	1	–	–	–	–
	Female	71	1	3	1	2	8	9	8	4	6	4	3	5	4	3	1	2	3	2	2	–	–	–
	All other Male	215	1	2	1	2	31	54	39	19	16	14	8	7	11	3	4	1	1	1	–	–	–	–
	Female	53	–	2	1	2	11	15	7	4	3	1	–	3	–	2	–	–	1	1	–	–	–	–
E980–E999	Other external causes	141	1	2	2	6	13	15	18	12	10	11	13	12	13	3	1	2	1	3	–	–	1	2
	White Male	74	–	1	–	3	11	5	9	6	3	5	7	7	7	3	1	2	–	2	–	–	1	1
	Female	45	–	1	1	1	2	6	5	5	5	4	3	5	4	–	–	–	1	1	–	–	–	1
	All other Male	15	1	–	–	1	–	1	4	1	2	1	2	–	2	–	–	–	–	–	–	–	–	–
	Female	7	–	–	1	1	–	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana																							
	All causes	**6,403**	**183**	**41**	**29**	**42**	**145**	**117**	**92**	**76**	**78**	**101**	**168**	**249**	**367**	**539**	**666**	**736**	**741**	**807**	**668**	**425**	**132**	**1**
	White Male	3,514	92	22	17	22	86	79	58	43	49	61	102	134	242	325	406	434	416	399	292	181	53	1
	White Female	2,563	71	15	9	13	33	19	19	18	15	25	45	92	102	196	233	279	306	390	369	240	74	–
	All other Male	207	11	4	1	5	16	14	10	8	13	7	13	17	12	12	21	16	8	10	6	1	2	–
	All other Female	119	9	–	2	2	10	5	5	7	1	8	8	6	11	6	6	7	11	8	1	3	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	16	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	5	2	–	2	–	1	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	–	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,190	1	6	3	2	6	4	6	10	9	25	37	70	96	168	186	165	154	136	62	39	5	–
	White..... Male	658	1	4	2	–	3	2	3	3	5	9	20	27	56	93	112	95	94	70	31	24	4	–
	Female	493	–	1	1	1	1	2	3	7	4	12	16	41	36	70	65	67	58	63	29	15	1	–
	All other..... Male	21	–	1	–	–	1	–	–	–	–	2	–	1	2	3	8	2	–	–	1	–	–	–
	Female	18	–	–	–	1	1	–	–	–	–	2	1	1	2	2	1	1	2	3	1	–	–	–
140–149	Of buccal cavity and pharynx	22	–	–	–	–	–	–	–	–	1	–	2	2	2	3	6	2	2	2	–	–	–	–
	White..... Male	16	–	–	–	–	–	–	–	–	1	–	2	2	1	2	6	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	318	–	–	1	–	–	–	–	–	–	4	7	14	20	45	52	47	46	45	22	15	–	–
	White..... Male	170	–	–	–	–	–	–	–	–	–	2	2	9	13	28	26	27	28	17	8	10	–	–
	Female	136	–	–	1	–	–	–	–	–	–	1	4	5	5	16	23	19	18	26	13	5	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	2	1	–	–	–
160–163	Of respiratory system	279	–	1	–	–	1	–	–	–	–	8	13	19	36	51	54	37	33	15	9	2	–	–
	White..... Male	209	–	–	–	–	–	–	–	–	–	3	12	8	27	40	40	29	27	14	8	1	–	–
	Female	57	–	–	–	–	1	–	–	–	–	3	1	10	8	8	9	8	6	1	1	1	–	–
	All other..... Male	8	–	1	–	–	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–
174	Of breast	90	–	–	–	–	–	–	–	3	1	4	5	14	7	14	11	7	5	13	2	3	1	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	90	–	–	–	–	–	–	–	3	1	4	5	14	7	14	11	7	5	13	2	3	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	150	–	–	–	–	–	1	1	1	2	1	2	4	8	16	17	35	17	23	12	8	2	–
	White..... Male	83	–	–	–	–	–	–	1	–	–	–	–	–	3	4	8	19	11	20	9	6	2	–
	Female	65	–	–	–	–	–	1	–	1	2	–	2	4	5	12	9	16	6	3	2	2	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	60	–	–	–	–	–	–	–	–	–	–	3	3	4	6	8	10	14	7	3	2	–	–
	White..... Male	41	–	–	–	–	–	–	–	–	–	–	1	3	2	2	6	7	11	5	2	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	2	–	1	3	2	3	3	2	1	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	152	1	2	1	1	4	1	2	3	1	3	2	9	13	18	19	17	23	21	5	5	1	–
	White..... Male	71	1	2	1	–	2	1	1	2	1	–	1	4	6	9	9	5	12	9	1	3	1	–
	Female	77	–	–	–	1	–	–	1	1	–	3	1	4	7	9	10	11	11	12	4	2	–	–
	All other..... Male	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	62	–	3	–	1	1	2	2	1	3	1	1	2	2	8	7	8	9	5	2	4	–	–
	White..... Male	32	–	2	–	–	1	1	–	1	2	1	–	1	2	4	7	4	2	2	–	2	–	–
	Female	27	–	1	–	–	–	1	2	–	1	–	1	1	–	4	–	3	6	3	2	2	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	57	–	–	1	–	–	–	1	2	1	4	2	3	4	7	12	2	5	5	7	–	1	–
	White..... Male	36	–	–	1	–	–	–	1	–	1	3	2	–	2	4	10	2	3	3	3	–	1	–
	Female	20	–	–	–	–	–	–	–	2	–	1	–	3	2	3	1	–	2	2	4	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	14	–	–	1	–	–	–	1	1	–	1	–	–	1	1	3	2	1	1	–	–	1	–
	White..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–
	Female	8	–	–	1	–	–	–	1	1	–	1	–	–	–	–	1	1	–	1	–	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	89	–	–	–	–	–	1	–	–	–	1	2	3	8	3	10	16	14	18	3	9	1	–
	White..... Male	39	–	–	–	–	–	1	–	–	–	–	1	2	2	3	4	10	5	6	1	3	1	–
	Female	45	–	–	–	–	–	–	–	–	–	1	1	1	4	–	6	6	7	11	2	6	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	16	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	1	4	–	–
	White..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana – Con.																							
280–285	Anemias	16	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	1	5	3	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	3	3	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,967	6	3	3	2	2	3	–	8	10	25	55	93	151	237	296	365	412	466	444	284	101	1
	White Male	1,585	3	2	2	–	1	3	–	4	5	21	41	64	111	152	182	215	221	220	188	111	38	1
	Female	1,296	3	–	1	2	1	–	–	2	4	3	10	23	33	78	104	134	179	235	253	170	61	–
	All other Male	52	–	1	–	–	–	–	–	1	1	–	2	4	4	6	7	11	4	6	3	1	1	–
	Female	34	–	–	–	–	–	–	–	1	–	1	2	2	3	1	3	5	8	5	–	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,135	6	2	2	1	2	2	–	4	7	19	50	86	129	193	239	269	293	313	284	175	59	–
	White Male	1,205	3	1	1	–	1	2	–	3	5	16	38	62	98	130	150	161	163	157	121	74	19	–
	Female	862	3	–	1	1	1	–	–	1	1	2	8	20	24	58	81	95	119	150	160	99	38	–
	All other Male	39	–	1	–	–	–	–	–	–	1	–	2	3	4	4	5	8	4	2	3	1	1	–
	Female	29	–	–	–	–	–	–	–	–	–	1	2	1	3	1	3	5	7	4	–	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	57	–	–	–	–	–	–	–	–	–	–	2	4	6	9	12	4	11	5	2	2	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	2	2	1	2	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	2	3	3	7	9	2	8	4	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
402	Hypertensive heart disease	19	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	3	3	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	3	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,681	–	–	–	–	–	1	–	1	6	14	32	63	92	129	184	214	233	267	248	142	55	–
	White Male	966	–	–	–	–	–	1	–	1	4	13	28	51	72	87	120	132	137	139	101	62	18	–
	Female	671	–	–	–	–	–	–	–	–	1	1	4	9	16	39	57	75	88	124	144	78	35	–
	All other Male	28	–	–	–	–	–	–	–	–	1	–	–	3	2	3	4	4	4	2	3	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	4	2	–	1	1	–
410	Acute myocardial infarction	898	–	–	–	–	–	1	–	1	5	12	24	49	68	98	131	132	113	125	89	38	12	–
	White Male	569	–	–	–	–	–	1	–	1	4	11	20	38	50	63	87	81	71	73	39	25	5	–
	Female	298	–	–	–	–	–	–	–	–	1	1	4	8	14	32	38	45	40	49	47	13	6	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	3	2	3	3	4	–	1	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	2	2	–	–	1	–
411	Other acute and subacute forms of ischemic heart disease	14	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	1	1	–	2	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	769	–	–	–	–	–	–	–	–	1	2	7	14	21	29	51	81	119	142	157	103	42	–
	White Male	390	–	–	–	–	–	–	–	–	–	2	7	13	19	23	33	50	65	66	62	37	13	–
	Female	366	–	–	–	–	–	–	–	–	–	–	–	1	2	6	17	30	48	75	95	64	28	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	4	1	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	32	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	3	5	1	8	5	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	1	1	–	4	4	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	341	6	2	2	1	2	1	–	3	1	5	15	18	27	49	37	45	40	37	24	23	3	–
	White.....Male	198	3	1	1	–	1	1	–	2	1	3	10	10	21	36	22	26	23	16	14	6	1	–
	Female	121	3	–	1	1	1	–	–	1	–	1	1	7	3	11	14	14	15	19	10	17	2	–
	All other.....Male	10	–	1	–	–	–	–	–	–	–	–	2	–	2	1	1	3	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	2	2	2	–	–	–	–
400, 401, 403	Hypertension	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	3	4	–	–	–
	White.....Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	582	–	1	1	1	–	1	–	4	1	6	3	4	18	36	42	69	96	106	101	69	23	–
	White.....Male	254	–	1	1	–	–	1	–	1	–	5	1	–	11	19	19	38	46	41	39	22	9	–
	Female	315	–	–	–	1	–	–	–	1	1	1	2	3	7	16	22	29	49	61	62	46	14	–
	All other.....Male	8	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	3	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	1	–	–
431	Cerebral hemorrhage	53	–	–	1	–	–	–	–	–	–	1	1	–	2	6	9	10	9	7	4	2	1	–
	White.....Male	27	–	–	1	–	–	–	–	–	–	1	–	–	1	3	4	7	4	3	1	2	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	3	4	4	3	–	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
433	Cerebral thrombosis	103	–	–	–	–	–	–	–	–	–	3	1	2	1	3	9	13	14	21	17	14	5	–
	White.....Male	47	–	–	–	–	–	–	–	–	–	3	1	–	–	1	3	6	7	10	7	5	4	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	2	1	2	6	7	7	10	10	8	1	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	423	–	1	–	1	–	1	–	4	–	2	1	2	15	27	24	46	73	78	79	52	17	–
	White.....Male	180	–	1	–	–	–	1	–	1	–	1	–	–	10	15	12	25	35	28	31	15	5	–
	Female	233	–	–	–	1	–	–	–	1	–	1	1	1	5	11	11	19	38	47	48	37	12	–
	All other.....Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
440	Arteriosclerosis	144	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	8	11	26	45	35	12	1
	White.....Male	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	13	23	13	5	1
	Female	79	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	8	12	22	22	7	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	91	–	–	–	–	–	–	–	–	2	–	2	3	2	6	9	17	10	18	10	5	7	–
	White.....Male	54	–	–	–	–	–	–	–	–	–	–	2	2	1	3	9	12	7	9	2	2	5	–
	Female	34	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	4	3	9	8	3	2	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White.....Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	157	5	–	1	–	–	–	2	1	1	–	–	5	2	8	10	12	17	29	34	25	5	–
	White.....Male	79	2	–	–	–	–	–	1	1	–	–	–	2	1	5	5	6	10	16	19	11	–	–
	Female	68	2	–	1	–	–	–	–	–	1	–	–	1	1	3	3	4	7	13	15	14	3	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	1	–
	Female	5	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
470–474	Influenza	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	–	–
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	149	5	–	1	–	–	–	2	1	1	–	–	5	2	8	10	11	17	27	31	23	5	–
	White.....Male	76	2	–	–	–	–	–	1	1	–	–	–	2	1	5	5	6	10	15	18	10	–	–
	Female	63	2	–	1	–	–	–	–	–	1	–	–	1	1	3	3	3	7	12	13	13	3	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	1	–
	Female	5	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
490–493	Bronchitis, emphysema, and asthma	115	–	1	–	–	–	–	–	–	–	–	3	2	11	7	18	25	20	18	7	3	–	–
	White.....Male	82	–	–	–	–	–	–	–	–	–	–	2	2	5	4	15	18	16	14	5	1	–	–
	Female	31	–	1	–	–	–	–	–	–	–	–	1	–	6	2	3	6	4	4	2	2	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
490, 491	Chronic and unqualified bronchitis	14	–	1	–	–	–	–	–	–	–	–	–	–	3	1	–	3	2	2	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	1	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	95	–	–	–	–	–	–	–	–	–	–	3	2	8	4	17	22	17	15	5	2	–	–
	White Male	72	–	–	–	–	–	–	–	–	–	–	2	2	3	3	14	17	14	12	4	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	5	1	3	4	3	3	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	26	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	5	2	4	6	1	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	4	–	1	4	1	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	24	5	–	–	–	–	1	–	–	–	–	1	–	2	3	1	–	1	4	2	3	1	–
	White Male	10	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	1	–	1	–
	Female	12	4	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	1	1	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	97	–	–	–	–	1	–	3	3	2	11	5	14	11	17	9	10	5	4	2	–	–	–
	White Male	51	–	–	–	–	–	–	–	–	2	5	1	6	7	13	5	6	3	2	1	–	–	–
	Female	28	–	–	–	–	1	–	1	–	–	2	1	5	1	4	4	4	2	2	1	–	–	–
	All other Male	10	–	–	–	–	–	–	1	2	–	1	2	3	1	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	1	1	–	3	1	–	2	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	26	1	–	–	–	–	–	–	–	–	2	–	–	2	3	5	1	2	4	3	3	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	2	–	–	1	3	4	–	2	3	1	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	8	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	18	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	1	2	2	2	2	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	–	2	1	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
590	Infections of kidney	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	3	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	38	31	2	1	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White Male	20	15	1	–	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	15	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	196	20	1	1	1	1	–	–	1	3	–	1	9	11	7	28	35	13	27	22	11	4	–
	White Male	112	11	–	1	1	–	–	–	1	2	–	1	7	6	5	15	23	7	17	10	4	1	–
	Female	72	5	1	–	–	–	–	–	–	–	–	–	1	4	2	12	11	6	10	10	7	3	–
	All other Male	11	3	–	–	–	1	–	–	–	1	–	–	1	1	–	1	1	–	–	2	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	509	7	1	2	5	6	4	9	5	11	7	20	19	31	49	62	65	58	62	57	24	5	–
	White Male	267	3	–	2	4	3	1	5	2	4	5	9	9	22	19	37	41	29	32	22	15	3	–
	Female	218	4	1	–	1	2	1	4	1	4	–	6	6	9	29	23	24	29	29	35	9	1	–
	All other Male	14	–	–	–	–	–	1	–	1	2	2	4	1	–	1	1	–	–	1	–	–	–	–
	Female	10	–	–	–	–	1	1	–	1	1	–	1	3	–	–	1	–	–	–	–	–	1	–
E800–E949	Accidents	571	9	24	17	29	104	78	47	34	25	20	25	18	26	17	15	13	23	18	9	13	7	–
	White Male	346	7	13	10	14	63	53	34	22	18	14	18	6	18	14	7	7	13	7	2	2	4	–
	Female	147	1	9	5	9	25	13	7	6	1	3	4	9	4	3	6	6	7	9	7	10	3	–
	All other Male	58	1	2	1	5	10	8	6	4	6	1	2	3	2	–	2	–	3	2	–	–	–	–
	Female	20	–	–	1	1	6	4	–	2	–	2	1	–	2	–	–	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	298	2	9	6	16	75	60	29	19	13	13	16	9	8	3	6	4	7	2	–	1	–	–
	White Male	171	2	4	3	5	39	37	22	11	7	10	12	3	6	1	2	2	3	2	–	–	–	–
	Female	72	–	4	1	7	21	12	4	3	1	2	2	5	–	2	2	2	3	–	–	1	–	–
	All other Male	38	–	1	1	3	9	7	3	3	5	–	1	1	1	–	2	–	1	–	–	–	–	–
	Female	17	–	–	1	1	6	4	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	273	7	15	11	13	29	18	18	15	12	7	9	9	18	14	9	9	16	16	9	12	7	–
	White Male	175	5	9	7	9	24	16	12	11	11	4	6	3	12	13	5	5	10	5	2	2	4	–
	Female	75	1	5	4	2	4	1	3	3	–	1	2	4	4	1	4	4	4	9	7	9	3	–
	All other Male	20	1	1	–	2	1	1	3	1	1	1	1	2	1	–	–	–	2	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–
E950–E959	Suicide	140	...	...	–	1	14	17	14	10	12	2	11	8	12	10	11	6	8	4	–	–	–	–
	White Male	113	...	...	–	1	11	16	13	8	9	1	6	5	9	8	10	5	8	3	–	–	–	–
	Female	18	...	...	–	–	1	–	–	1	–	1	4	3	3	2	1	1	–	1	–	–	–	–
	All other Male	5	...	...	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	52	3	2	–	1	6	9	6	2	4	5	5	4	1	2	1	–	–	–	1	–	–	–
	White Male	24	1	1	–	1	2	3	1	2	4	2	1	2	1	2	1	–	–	–	–	–	–	–
	Female	13	2	1	–	–	2	2	2	–	–	2	1	–	–	–	–	–	–	–	1	–	–	–
	All other Male	14	–	–	–	–	2	4	2	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	12	–	–	–	–	4	–	3	–	1	1	–	1	–	1	–	–	1	–	–	–	–	–
	White Male	5	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska																							
	All causes	14,331	319	65	34	48	140	183	134	118	130	182	310	517	738	930	1,391	1,644	1,932	2,199	1,919	1,025	373	–
	White ... Male	7,665	160	27	25	33	107	141	90	68	79	105	176	331	466	586	879	966	1,107	1,041	802	368	108	–
	Female	6,270	137	26	9	15	27	29	32	38	40	67	106	166	233	318	475	635	790	1,127	1,094	646	260	–
	All other ... Male	226	11	7	–	–	4	6	12	6	6	7	15	12	23	15	24	31	19	15	8	4	1	–
	Female	170	11	5	–	–	2	7	–	6	5	3	13	8	16	11	13	12	16	16	15	7	4	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	21	3	1	–	–	–	–	–	1	–	–	2	–	–	–	1	3	1	1	7	1	–	–
	White ... Male	6	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–
	Female	15	2	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	1	1	6	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	15	–	–	–	1	–	–	–	1	–	–	2	–	1	1	2	4	1	1	1	–	–	–
	White ... Male	11	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	4	1	1	1	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	–	1	–	–	2	–	1	–	2	3	1	1	1	–	–	–
	White ... Male	9	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	3	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	26	4	–	–	–	–	–	–	–	1	–	–	–	1	3	1	3	2	4	3	3	1	–
	White ... Male	23	3	–	–	–	–	–	–	–	1	–	–	–	1	2	1	3	2	4	3	3	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	30	4	2	–	–	–	1	1	3	–	–	–	1	1	1	2	4	1	3	5	–	1	–
	White ... Male	16	2	–	–	–	–	1	1	1	–	–	–	1	1	1	1	1	1	1	3	–	1	–
	Female	12	1	2	–	–	–	–	–	1	–	–	–	–	–	–	1	3	–	2	2	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,844	2	1	6	4	3	14	10	20	27	41	83	158	231	322	398	386	436	357	258	73	14	–
	White Male	1,534	1	–	4	3	1	8	7	11	15	23	32	82	126	185	219	225	266	182	113	27	4	–
	Female	1,255	1	1	2	1	2	5	3	7	9	17	43	72	100	129	173	153	166	173	142	46	10	–
	All other Male	30	–	–	–	–	–	–	–	1	2	–	1	2	3	6	3	7	2	1	2	–	–	–
	Female	25	–	–	–	–	–	1	–	1	1	1	7	2	2	2	3	1	2	1	1	–	–	–
140–149	Of buccal cavity and pharynx	54	–	–	–	–	–	–	–	–	–	1	5	1	8	9	12	9	4	3	1	–	1	–
	White Male	46	–	–	–	–	–	–	–	–	–	1	5	1	7	8	9	7	4	3	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	823	–	–	–	–	–	2	–	9	3	12	18	28	53	76	108	114	144	132	94	26	4	–
	White Male	420	–	–	–	–	–	1	–	5	1	6	5	13	36	41	57	67	91	55	32	9	1	–
	Female	379	–	–	–	–	–	1	–	3	2	5	11	12	14	31	49	44	51	75	61	17	3	–
	All other Male	13	–	–	–	–	–	–	–	1	–	–	–	2	1	3	1	3	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	–	1	1	1	–	–	–
160–163	Of respiratory system	628	–	–	–	–	–	–	–	3	3	11	27	41	73	100	117	86	82	45	32	6	2	–
	White Male	488	–	–	–	–	–	–	–	2	3	10	16	35	56	75	96	71	67	35	19	1	2	–
	Female	129	–	–	–	–	–	–	–	1	–	1	8	6	15	23	20	14	14	10	12	5	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	253	–	–	–	–	–	–	–	2	3	7	14	27	32	25	34	32	31	18	22	5	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	249	–	–	–	–	–	–	–	2	3	7	13	27	32	24	32	32	31	18	22	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
180–187	Of genital organs	328	–	–	–	–	1	2	–	2	3	2	5	14	19	29	36	48	60	56	39	12	–	–
	White Male	171	–	–	–	–	1	2	–	1	–	–	–	2	2	11	14	25	42	34	29	8	–	–
	Female	152	–	–	–	–	–	–	–	–	2	2	5	12	17	18	21	23	17	22	9	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	137	–	–	–	–	–	–	–	–	1	–	1	4	5	21	14	12	21	28	19	10	1	–
	White Male	84	–	–	–	–	–	–	–	–	1	–	1	2	4	12	9	10	13	14	13	5	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	1	1	8	5	2	8	14	6	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	269	1	1	3	3	–	2	6	2	7	4	7	27	19	28	28	30	38	33	24	4	2	–
	White Male	135	1	–	2	2	–	–	4	1	5	2	2	19	11	17	12	12	21	16	8	–	–	–
	Female	130	–	1	1	1	–	2	2	1	1	2	4	8	8	11	16	16	17	17	16	4	2	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	158	1	–	3	1	1	4	2	–	2	–	2	7	7	12	20	24	23	22	19	5	3	–
	White Male	88	–	–	2	1	–	2	2	–	1	–	1	5	4	8	9	14	13	15	9	1	1	–
	Female	67	1	–	1	–	1	1	–	–	–	–	1	2	3	4	11	9	10	7	10	4	2	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	194	–	–	–	–	1	4	2	2	5	4	4	9	15	22	29	31	33	20	8	5	–	–
	White Male	102	–	–	–	–	–	3	1	2	4	4	2	5	6	13	13	19	15	10	2	3	–	–
	Female	91	–	–	–	–	1	1	1	–	1	–	1	4	9	9	16	12	18	10	6	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	30	–	–	–	1	–	–	–	1	–	–	1	3	5	3	1	4	3	5	2	1	–	–
	White Male	13	–	–	–	1	–	–	–	–	–	–	1	1	3	2	–	–	1	3	1	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	4	2	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	213	–	–	–	–	–	1	1	5	2	5	3	9	11	7	26	34	38	40	22	7	2	–
	White Male	78	–	–	–	–	–	1	1	2	–	3	1	6	7	3	7	15	10	14	5	2	1	–
	Female	127	–	–	–	–	–	–	–	3	2	2	2	–	3	4	18	19	26	25	17	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	2	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	44	–	1	1	–	–	–	–	–	–	–	–	1	1	1	–	4	3	6	9	9	8	–
	White Male	15	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	4	1	3	–
	Female	28	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	5	8	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
280–285	Anemias	23	–	–	–	1	–	–	–	–	–	–	–	2	1	–	3	1	6	6	1	2	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	4	–	1	–	–
	Female	11	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	1	2	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
320	Meningitis	10	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	White Male	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,524	6	2	1	1	5	12	7	16	24	55	107	184	307	378	687	891	1,129	1,382	1,307	749	274	–
	White Male	3,836	4	–	–	1	3	7	4	11	15	34	72	136	216	246	465	519	616	631	523	256	77	–
	Female	3,503	1	1	1	–	2	5	2	4	7	16	24	44	71	115	199	348	492	728	766	485	192	–
	All other Male	104	1	–	–	–	–	–	1	1	–	3	11	3	10	8	16	17	11	11	6	4	1	–
	Female	81	–	1	–	–	–	–	–	–	2	2	–	1	10	9	7	7	10	12	12	4	4	–
390–398, 402, 404, 410–429	Diseases of heart	5,278	4	2	1	1	4	8	3	12	20	41	94	154	259	315	535	659	786	927	823	456	174	–
	White Male	2,873	2	–	–	1	3	5	2	8	13	29	68	121	191	218	379	401	431	443	355	154	49	–
	Female	2,270	1	1	1	–	1	3	–	3	5	8	16	29	54	87	139	241	339	470	454	296	122	–
	All other Male	79	1	–	–	–	–	–	1	1	–	3	10	3	7	6	12	12	9	6	4	3	1	–
	Female	56	–	1	–	–	–	–	–	–	2	1	–	1	7	4	5	5	7	8	10	3	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	94	–	–	–	–	–	2	–	2	1	2	1	5	11	13	14	8	16	10	6	2	1	–
	White Male	38	–	–	–	–	–	1	–	1	–	–	–	2	3	6	10	3	6	3	2	1	–	–
	Female	52	–	–	–	–	–	1	–	1	–	2	1	2	7	7	4	5	9	7	4	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	57	–	–	–	–	–	–	–	–	–	2	–	–	3	5	7	8	13	9	3	6	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	2	5	3	4	3	–	–	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	10	9	3	4	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	2	–	–
404	Hypertensive heart and renal disease	61	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	5	9	14	17	8	2	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	8	7	11	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	7	6	8	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,594	–	–	–	–	–	2	2	5	14	35	84	129	216	262	465	581	685	822	738	396	158	–
	White Male	2,542	–	–	–	–	–	2	1	4	11	28	63	102	164	187	332	357	388	404	319	137	43	–
	Female	1,948	–	–	–	–	–	–	–	1	3	6	12	24	43	69	119	208	284	406	405	256	112	–
	All other Male	62	–	–	–	–	–	–	1	–	–	1	9	2	6	2	11	11	7	5	4	2	1	–
	Female	42	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	5	6	7	10	1	2	–
410	Acute myocardial infarction	2,377	–	–	–	–	–	1	–	3	8	23	52	79	136	174	301	383	382	394	284	127	30	–
	White Male	1,467	–	–	–	–	–	1	–	2	6	19	40	66	104	132	224	242	231	212	125	50	13	–
	Female	889	–	–	–	–	–	–	–	1	2	4	8	13	30	42	73	137	147	182	158	77	15	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	4	–	2	–	3	3	4	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–
411	Other acute and subacute forms of ischemic heart disease	33	–	–	–	–	–	–	–	–	–	–	–	2	–	2	8	6	2	5	5	1	2	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	2	–	2	7	1	1	2	3	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	3	2	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,183	–	–	–	–	–	–	2	2	6	12	32	48	80	86	156	192	301	423	449	268	126	–
	White Male	1,055	–	–	–	–	–	–	1	2	5	9	23	34	60	53	101	114	156	190	191	86	30	–
	Female	1,045	–	–	–	–	–	–	–	–	1	2	4	11	13	27	45	66	136	221	245	179	95	–
	All other Male	46	–	–	–	–	–	–	1	–	–	1	5	2	4	2	8	8	3	5	4	2	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	4	6	7	9	1	–	–
413	Angina pectoris	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	27	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	3	3	5	6	2	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	2	2	2	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	1	3	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
420–423, 425–427, 429	All other forms of heart disease	445	4	2	1	1	4	4	1	5	5	2	9	19	29	32	42	54	60	69	54	38	10	–
	White ..... Male	229	2	–	–	1	3	2	1	3	2	1	5	17	22	17	29	34	24	27	21	14	4	–
	Female	197	1	1	1	–	1	2	–	1	2	–	3	2	4	11	13	19	34	40	33	23	6	–
	All other ..... Male	13	1	–	–	–	–	–	–	1	–	1	1	–	1	4	–	1	1	1	–	1	–	–
	Female	6	–	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	1	–	–	–	–
400, 401, 403	Hypertension	46	–	–	–	–	–	–	–	–	–	1	–	1	2	1	3	6	8	9	12	2	1	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	2	7	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	3	4	6	4	1	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,580	–	–	–	–	1	4	1	3	4	8	9	25	37	47	96	161	255	330	342	201	56	–
	White ..... Male	656	–	–	–	–	–	2	–	2	2	3	2	11	19	16	47	75	137	132	114	78	16	–
	Female	889	–	–	–	–	1	2	1	1	2	4	7	14	13	24	44	83	115	190	226	123	39	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	3	1	4	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	–	–	2	5	2	–	2	4	2	–	1	–
431	Cerebral hemorrhage	179	–	–	–	–	–	2	–	1	1	3	2	9	13	9	14	22	29	34	23	14	3	–
	White ..... Male	70	–	–	–	–	–	1	–	1	1	1	1	2	5	2	6	13	16	13	4	3	1	–
	Female	105	–	–	–	–	–	1	–	–	–	1	1	7	7	7	7	9	13	20	19	11	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–
433	Cerebral thrombosis	307	–	–	–	–	–	–	–	–	1	1	1	5	5	5	18	26	52	80	63	39	11	–
	White ..... Male	130	–	–	–	–	–	–	–	–	1	–	–	3	4	1	9	13	25	35	22	15	2	–
	Female	173	–	–	–	–	–	–	–	–	–	1	1	2	–	3	8	13	27	44	41	24	9	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,085	–	–	–	–	1	2	1	2	2	4	6	11	19	32	64	111	172	214	255	147	42	–
	White ..... Male	451	–	–	–	–	–	1	–	1	–	2	1	6	10	13	32	47	94	84	87	60	13	–
	Female	607	–	–	–	–	1	1	1	1	2	2	5	5	6	13	29	61	75	124	166	87	28	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	1	3	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	–	2	3	2	–	1	–
440	Arteriosclerosis	358	–	–	–	–	–	–	–	–	–	–	–	–	1	7	15	24	43	68	92	72	36	–
	White ..... Male	135	–	–	–	–	–	–	–	–	–	–	–	–	–	6	11	15	20	26	28	19	10	–
	Female	219	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	8	23	42	63	52	25	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	262	2	–	–	–	–	–	3	1	–	5	4	4	8	8	38	41	37	48	38	18	7	–
	White ..... Male	153	2	–	–	–	–	–	2	1	–	2	2	4	5	5	26	26	25	28	19	4	2	–
	Female	102	–	–	–	–	–	–	1	–	–	3	1	–	2	3	11	13	11	20	19	13	5	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	447	8	4	3	1	4	2	3	5	2	4	4	10	6	11	13	40	47	97	92	64	27	–
	White ..... Male	245	5	1	2	1	2	1	2	1	–	3	4	4	4	8	10	30	32	54	44	29	8	–
	Female	189	3	1	1	–	2	1	1	3	2	1	–	6	1	3	2	7	12	43	48	33	19	–
	All other ..... Male	8	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–
470–474	Influenza	20	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	2	2	5	5	1	1	–
	White ..... Male	8	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	2	–	3	1	–	–	–
	Female	12	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	2	4	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	427	8	4	3	–	3	1	3	5	2	4	4	9	6	11	13	38	45	92	87	63	26	–
	White ..... Male	237	5	1	2	–	1	1	2	1	–	3	4	4	4	8	10	28	32	51	43	29	8	–
	Female	177	3	1	1	–	2	–	1	3	2	1	–	5	1	3	2	7	10	41	44	32	18	–
	All other ..... Male	8	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–
490–493	Bronchitis, emphysema, and asthma	170	1	–	–	1	–	–	–	1	1	1	1	6	4	19	33	26	34	21	17	3	1	–
	White ..... Male	124	1	–	–	1	–	–	–	–	–	–	–	4	3	11	26	21	29	15	11	2	–	–
	Female	45	–	–	–	–	–	–	–	1	1	1	1	2	1	8	7	5	5	6	5	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska — Con.																							
490, 491	Chronic and unqualified bronchitis	45	1	–	–	1	–	–	–	–	–	1	–	1	2	5	9	9	6	5	4	–	1	–
	White ..... Male	31	1	–	–	1	–	–	–	–	–	–	–	1	2	3	7	6	5	4	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	3	1	1	3	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	115	–	–	–	–	–	–	–	–	1	–	1	4	2	12	24	15	27	14	12	3	–	–
	White ..... Male	91	–	–	–	–	–	–	–	–	–	–	–	3	1	8	19	14	23	11	10	2	–	–
	Female	23	–	–	–	–	–	–	–	–	1	–	1	1	1	4	5	1	4	3	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
493	Asthma	10	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	2	1	2	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	59	–	–	–	–	–	–	–	–	–	1	2	1	8	3	7	4	4	11	13	5	–	–
	White ..... Male	32	–	–	–	–	–	–	–	–	–	–	2	1	4	2	6	2	1	7	7	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	2	3	4	6	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	2	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	56	–	–	1	–	–	–	–	–	–	–	1	1	1	3	5	3	8	9	13	8	3	–
	White ..... Male	22	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	5	3	6	1	1	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	3	6	7	7	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	172	–	–	–	–	–	1	2	1	5	13	22	33	30	17	19	16	7	4	1	1	–	–
	White ..... Male	107	–	–	–	–	–	–	2	–	3	6	11	17	25	12	13	11	3	2	1	1	–	–
	Female	46	–	–	–	–	–	–	–	–	–	6	5	11	3	5	6	4	4	2	–	–	–	–
	All other ..... Male	11	–	–	–	–	–	1	–	–	2	1	1	4	2	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	5	1	–	–	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	26	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	3	8	5	–	3	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	5	4	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	3	1	–	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	39	–	1	–	1	–	–	–	1	–	–	–	–	5	2	3	3	5	5	9	3	1	–
	White ..... Male	20	–	1	–	1	–	–	–	–	–	–	–	–	4	1	1	1	2	4	3	1	1	–
	Female	19	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	3	1	6	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	12	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	2	–	2	4	–	–	–
	White ..... Male	6	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	27	–	–	–	–	–	–	–	–	–	–	–	–	4	2	3	1	5	3	5	3	1	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	3	1	1	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	4	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	29	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	5	4	6	4	2	2	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	1	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	2	3	3	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	106	74	6	1	6	1	–	2	1	1	1	1	2	2	–	1	3	2	–	2	–	–	–
	White Male	50	36	2	1	2	–	–	2	1	–	1	–	1	1	–	–	1	1	–	1	–	–	–
	Female	54	36	4	–	4	1	–	–	–	1	–	1	1	1	–	1	2	1	–	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	151	151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	222	36	2	–	–	–	2	1	1	2	3	6	6	11	10	16	29	23	29	23	14	8	–
	White Male	127	16	2	–	–	–	1	1	–	2	1	4	4	7	8	12	23	15	13	12	6	–	–
	Female	85	13	–	–	–	–	1	–	–	–	2	2	2	4	2	3	6	7	16	11	8	8	–
	All other Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	6	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Residual	All other diseases	993	13	6	6	7	10	8	7	9	8	14	29	44	58	87	121	132	132	156	91	45	10	–
	White Male	559	8	5	3	3	6	4	4	4	4	7	13	26	32	62	75	72	93	73	43	20	2	–
	Female	408	4	–	3	4	3	4	3	4	4	7	14	15	23	25	44	56	36	79	47	25	8	–
	All other Male	15	1	1	–	–	–	–	–	–	–	–	1	1	3	–	2	1	2	3	–	–	–	–
	Female	11	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	3	1	1	1	–	–	–
E800–E949	Accidents	793	7	32	13	22	98	105	64	36	38	28	30	32	25	42	40	35	37	38	30	26	15	–
	White Male	542	5	12	11	19	80	92	47	28	27	18	24	27	14	27	29	23	16	14	12	11	6	–
	Female	221	2	14	2	3	16	9	12	7	9	9	5	5	8	14	10	10	21	23	18	15	9	–
	All other Male	23	–	5	–	–	2	1	5	1	1	1	1	–	2	1	1	2	–	–	–	–	–	–
	Female	7	–	1	–	–	–	3	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	372	3	11	3	11	70	79	37	19	18	14	17	10	12	17	14	13	10	6	6	2	–	–
	White Male	271	2	4	2	8	55	67	28	13	14	8	15	9	6	8	10	9	4	3	4	2	–	–
	Female	89	1	7	1	3	14	8	6	6	4	5	2	1	5	8	4	4	6	2	2	–	–	–
	All other Male	8	–	–	–	–	1	1	3	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	421	4	21	10	11	28	26	27	17	20	14	13	22	13	25	26	22	27	32	24	24	15	–
	White Male	271	3	8	9	11	25	25	19	15	13	10	9	18	8	19	19	14	12	11	8	9	6	–
	Female	132	1	7	1	–	2	1	6	1	5	4	3	4	3	6	6	6	15	21	16	15	9	–
	All other Male	15	–	5	–	–	1	–	2	1	1	–	1	–	1	–	1	2	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	162	...	...	–	1	11	20	18	8	10	9	14	17	14	12	8	9	4	2	1	4	–	–
	White Male	122	...	...	–	1	11	17	11	6	7	4	7	15	9	10	8	6	3	2	1	4	–	–
	Female	38	...	...	–	–	–	3	5	2	3	5	7	2	5	2	–	3	1	–	–	–	–	–
	All other Male	2	...	...	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	58	3	2	1	1	4	10	15	5	5	4	–	1	4	2	–	–	–	–	–	1	–	–
	White Male	25	1	–	1	–	1	4	6	1	3	3	–	–	2	2	–	–	–	–	–	1	–	–
	Female	12	2	–	–	1	–	–	5	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	15	–	–	–	–	2	4	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	–	2	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	46	–	2	–	–	4	7	2	2	3	3	2	5	5	4	–	1	–	4	1	1	–	–
	White Male	31	–	1	–	–	3	5	2	2	2	2	2	4	4	1	–	1	–	2	–	–	–	–
	Female	13	–	1	–	–	1	1	–	–	1	–	–	1	1	3	–	–	–	2	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada																							
	All causes	**4,876**	**142**	**18**	**16**	**22**	**101**	**106**	**105**	**84**	**102**	**145**	**187**	**337**	**455**	**505**	**603**	**550**	**518**	**434**	**273**	**124**	**47**	**2**
	White ..... Male	2,805	66	8	8	14	68	74	64	45	55	77	116	205	272	320	371	350	287	219	120	50	15	1
	Female	1,714	50	8	3	6	20	18	25	23	30	51	54	104	149	157	194	174	209	198	142	69	29	1
	All other ..... Male	233	13	1	4	1	9	10	12	12	14	9	13	23	25	20	21	16	12	6	7	3	2	–
	Female	124	13	1	1	1	4	4	4	4	3	8	4	5	9	8	17	10	10	11	4	2	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	8	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–	–	–	–
	White ..... Male	6	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	12	1	–	1	–	1	1	–	–	1	–	–	2	1	–	–	2	1	1	–	–	–	–
	White ..... Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	Female	6	1	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,031	–	1	2	3	4	5	11	9	15	34	38	100	130	156	174	130	108	68	35	8	–	–
	White Male	552	–	–	–	2	4	2	6	2	7	9	23	48	71	89	93	82	58	35	17	4	–	–
	Female	420	–	1	1	1	–	3	5	6	7	21	11	47	51	57	70	40	45	33	18	3	–	–
	All other Male	44	–	–	1	–	–	–	–	1	1	1	2	5	8	8	7	6	4	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	3	2	–	–	2	4	2	1	–	–	1	–	–
140–149	Of buccal cavity and pharynx	21	–	–	–	–	–	1	–	–	1	–	–	–	3	5	3	5	–	1	1	1	–	–
	White Male	12	–	–	–	–	–	1	–	–	–	–	–	–	1	3	2	4	–	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	251	–	–	–	–	–	1	–	2	1	5	9	18	28	44	49	28	38	15	11	2	–	–
	White Male	137	–	–	–	–	–	1	–	2	1	2	4	11	17	22	27	19	18	8	4	1	–	–
	Female	99	–	–	–	–	–	–	–	–	–	1	4	6	9	18	18	8	20	7	7	1	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	1	2	4	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	–	–
160–163	Of respiratory system	306	–	–	–	–	–	–	1	1	3	10	12	34	45	50	60	42	29	13	5	1	–	–
	White Male	211	–	–	–	–	–	–	–	–	3	3	8	21	30	37	43	31	20	11	3	1	–	–
	Female	77	–	–	–	–	–	–	1	–	–	7	3	11	9	12	16	8	6	2	2	–	–	–
	All other Male	18	–	–	–	–	–	–	–	1	–	–	1	2	6	1	1	3	3	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	90	–	–	–	–	–	–	2	2	3	5	5	14	12	7	14	9	5	9	2	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	–	–	–	–	–	–	2	2	3	5	4	14	12	7	13	9	4	9	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
180–187	Of genital organs	92	–	–	–	–	–	–	3	1	2	3	–	8	9	14	9	18	11	7	6	1	–	–
	White Male	36	–	–	–	–	–	–	2	–	–	–	–	1	3	4	3	10	4	4	4	1	–	–
	Female	50	–	–	–	–	–	–	1	1	2	3	–	7	6	8	5	6	6	3	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
188, 189	Of urinary organs	43	–	–	–	–	–	–	–	–	–	1	1	3	4	6	8	4	5	10	1	–	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	1	1	2	3	4	4	3	4	6	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	4	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	134	–	1	–	1	2	1	3	1	2	5	6	17	19	18	20	11	14	7	5	1	–	–
	White Male	71	–	–	–	–	2	–	2	–	1	2	5	9	11	9	9	8	7	3	3	–	–	–
	Female	56	–	1	–	1	–	1	1	1	1	3	–	7	8	7	9	3	7	4	2	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
204–207	Leukemia	44	–	–	2	2	1	1	1	2	1	3	2	1	3	3	7	5	4	3	2	1	–	–
	White Male	21	–	–	–	2	1	–	1	–	–	–	2	–	3	2	2	1	3	3	1	–	–	–
	Female	15	–	–	1	–	–	1	–	2	–	1	–	1	–	–	4	2	1	–	1	1	–	–
	All other Male	4	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	50	–	–	–	–	1	1	1	–	2	2	3	5	7	9	4	8	2	3	2	–	–	–
	White Male	35	–	–	–	–	1	–	1	–	2	1	3	4	3	8	3	6	2	–	1	–	–	–
	Female	15	–	–	–	–	–	1	–	–	–	1	–	1	4	1	1	2	–	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	7	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	2	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	82	–	–	–	–	–	1	1	–	1	2	4	1	6	10	10	12	12	12	7	3	–	–
	White Male	40	–	–	–	–	–	1	–	–	1	1	3	1	2	3	7	4	7	5	3	2	–	–
	Female	34	–	–	–	–	–	–	1	–	–	–	1	–	4	6	2	6	5	5	3	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
280–285	Anemias	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,099	4	–	1	–	3	1	6	6	18	36	57	109	193	195	303	278	301	272	187	92	37	–
	White Male	1,214	2	–	1	–	2	1	1	4	9	23	39	79	132	131	197	177	163	125	81	33	14	–
	Female	779	2	–	–	–	–	–	3	1	5	9	14	21	52	55	87	92	127	133	100	56	22	–
	All other Male	58	–	–	–	–	1	–	2	1	3	2	3	7	5	6	9	4	4	5	3	2	1	–
	Female	48	–	–	–	–	–	–	–	–	1	2	1	2	4	3	10	5	7	9	3	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,572	4	–	1	–	3	–	1	3	13	29	49	91	153	163	248	209	227	191	113	55	19	–
	White Male	965	2	–	1	–	2	–	1	3	7	21	34	70	106	112	168	139	129	93	48	22	7	–
	Female	531	2	–	–	–	–	–	–	–	3	4	11	16	40	42	67	63	91	87	62	31	12	–
	All other Male	39	–	–	–	–	1	–	–	–	2	2	3	4	3	6	5	3	4	4	1	1	–	–
	Female	37	–	–	–	–	–	–	–	–	1	2	1	1	4	3	8	4	3	7	2	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	44	–	–	–	–	1	–	–	–	2	2	1	2	5	3	12	5	5	3	2	1	–	–
	White Male	21	–	–	–	–	1	–	–	–	–	–	–	–	2	2	6	3	4	2	–	1	–	–
	Female	23	–	–	–	–	–	–	–	–	2	2	1	2	3	1	6	2	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	11	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	4	2	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,389	–	–	–	–	–	–	1	2	7	24	43	80	144	144	225	186	200	170	99	46	18	–
	White Male	867	–	–	–	–	–	–	1	2	5	19	30	62	104	100	154	122	114	85	44	18	7	–
	Female	458	–	–	–	–	–	–	–	–	–	2	9	13	34	37	59	58	82	75	52	26	11	–
	All other Male	34	–	–	–	–	–	–	–	–	2	2	3	4	3	5	5	2	2	4	1	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	1	3	2	7	4	2	6	2	1	–	–
410	Acute myocardial infarction	623	–	–	–	–	–	–	1	1	4	13	22	41	78	80	111	79	78	67	31	12	5	–
	White Male	430	–	–	–	–	–	–	1	1	3	10	18	34	60	60	79	55	47	40	14	7	1	–
	Female	172	–	–	–	–	–	–	–	–	–	1	4	6	16	17	27	23	30	24	15	5	4	–
	All other Male	9	–	–	–	–	–	–	–	–	1	1	–	1	1	1	2	–	1	–	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	1	–	3	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	761	–	–	–	–	–	–	–	1	3	11	21	39	65	64	113	106	122	103	68	33	12	–
	White Male	436	–	–	–	–	–	–	–	1	2	9	12	28	44	40	75	67	67	45	30	10	6	–
	Female	282	–	–	–	–	–	–	–	–	–	1	5	7	17	20	31	34	52	51	37	21	6	–
	All other Male	25	–	–	–	–	–	–	–	–	1	1	3	3	2	4	3	2	1	4	–	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	3	2	3	1	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada – Con.																							
420–423, 425–427, 429	All other forms of heart disease	117	4	–	1	–	2	–	–	1	3	2	5	8	4	14	11	16	14	15	10	6	1	–
	White ..... Male	66	2	–	1	–	1	–	–	1	2	1	4	7	–	8	8	13	7	5	4	2	–	–
	Female	41	2	–	–	–	–	–	–	–	1	–	1	1	3	4	2	2	5	9	6	4	1	–
	All other ..... Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	–	–	–	–
400, 401, 403	Hypertension	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	1	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430–438	Cerebrovascular diseases	375	–	–	–	–	–	1	4	2	5	6	6	14	32	20	36	45	56	59	52	24	13	–
	White ..... Male	167	–	–	–	–	–	1	–	–	2	2	3	8	19	12	18	22	26	22	20	7	5	–
	Female	185	–	–	–	–	–	–	2	1	2	4	3	4	11	8	13	22	26	35	30	17	7	–
	All other ..... Male	13	–	–	–	–	–	–	2	1	1	–	–	1	2	–	3	1	–	–	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	4	2	1	–	–	–
431	Cerebral hemorrhage	45	–	–	–	–	–	–	–	1	–	2	2	5	6	5	9	4	4	2	2	1	2	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	1	3	4	2	2	3	2	1	1	1	–	–
	Female	21	–	–	–	–	–	–	–	1	–	2	1	1	1	3	5	1	2	1	1	–	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	66	–	–	–	–	–	–	1	1	1	1	–	1	4	7	5	11	8	9	12	4	1	–
	White ..... Male	32	–	–	–	–	–	–	–	–	1	–	–	–	3	5	3	8	3	3	4	1	1	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	5	6	8	3	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	261	–	–	–	–	–	1	3	–	3	3	4	8	21	8	21	30	44	48	38	19	10	–
	White ..... Male	112	–	–	–	–	–	1	–	–	–	2	2	5	11	5	12	11	21	18	15	5	4	–
	Female	134	–	–	–	–	–	–	2	–	2	1	2	3	9	3	7	18	19	28	21	14	5	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	1	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	2	1	–	–	–
440	Arteriosclerosis	81	–	–	–	–	–	–	–	–	–	–	–	2	1	4	10	9	9	14	16	12	4	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	7	3	5	10	4	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	2	6	8	5	7	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	61	–	–	–	–	–	–	1	1	–	1	2	2	7	8	7	13	7	6	5	1	–	–
	White ..... Male	39	–	–	–	–	–	–	–	1	–	–	2	1	6	3	5	8	5	5	3	–	–	–
	Female	21	–	–	–	–	–	–	1	–	–	1	–	–	1	5	2	5	2	1	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	96	1	–	–	–	2	2	–	2	1	1	5	6	7	8	6	11	14	14	8	5	3	–
	White ..... Male	57	–	–	–	–	–	2	–	1	1	–	2	5	3	6	5	4	9	8	6	4	1	–
	Female	29	–	–	–	–	1	–	–	–	–	1	2	–	3	1	1	6	5	6	1	1	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	1	–	1	–
	Female	3	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	95	1	–	–	–	2	2	–	2	1	1	5	6	7	8	6	11	13	14	8	5	3	–
	White ..... Male	57	–	–	–	–	–	2	–	1	1	–	2	5	3	6	5	4	9	8	6	4	1	–
	Female	28	–	–	–	–	1	–	–	–	–	1	2	–	3	1	1	6	4	6	1	1	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	1	–	1	–
	Female	3	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	69	–	–	–	–	–	–	–	–	–	–	2	4	6	10	12	15	11	7	1	1	–	–
	White ..... Male	54	–	–	–	–	–	–	–	–	–	–	2	2	4	7	11	12	9	6	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	3	2	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada — Con.																							
490, 491	Chronic and unqualified bronchitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	61	–	–	–	–	–	–	–	–	–	–	2	4	6	8	11	11	11	6	1	1	–	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	2	2	4	5	10	10	9	5	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	1	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	12	–	–	–	–	–	–	1	–	–	2	–	–	–	–	2	1	4	–	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	2	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	14	2	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	1	2	2	2	1	–
	White Male	7	2	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	154	–	–	–	–	–	–	1	1	3	13	17	35	26	25	13	11	5	4	–	–	–	–
	White Male	96	–	–	–	–	–	–	1	–	3	4	12	20	16	19	8	6	3	4	–	–	–	–
	Female	48	–	–	–	–	–	–	–	1	–	7	4	11	8	6	5	4	2	–	–	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	2	1	4	2	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	10	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	33	23	1	–	1	–	1	1	1	–	–	1	1	2	1	–	–	–	–	–	–	–	–
	White Male	19	14	1	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	13	8	–	–	1	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	68	26	–	1	–	1	1	1	2	1	1	2	–	1	5	5	3	3	7	1	3	2	2
	White Male	39	14	–	–	–	–	1	1	1	1	1	2	–	1	5	2	2	2	4	–	1	–	1
	Female	21	10	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	3	–	2	2	1
	All other Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	5	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Residual	All other diseases	354	8	2	–	2	4	3	1	9	11	12	14	18	32	48	44	61	26	34	18	6	1	–
	White Male	202	5	1	–	2	3	3	–	3	4	6	3	11	15	32	28	42	12	21	8	3	–	–
	Female	118	3	–	–	–	–	–	–	2	4	3	7	7	12	12	14	16	12	13	10	2	1	–
	All other Male	22	–	–	–	–	1	–	1	2	2	1	4	–	2	3	1	2	2	–	–	1	–	–
	Female	12	–	1	–	–	–	–	–	2	1	2	–	–	3	1	1	1	–	–	–	–	–	–
E800–E949	Accidents	418	6	13	9	12	65	41	38	25	29	24	20	26	21	23	21	16	17	3	4	3	2	–
	White Male	266	1	6	6	6	45	32	28	17	18	17	12	18	11	11	13	10	9	2	2	2	–	–
	Female	110	3	7	1	4	15	7	7	4	7	6	5	6	6	10	7	5	5	1	2	1	1	–
	All other Male	30	–	–	1	1	4	1	3	4	4	1	2	2	3	1	1	1	1	–	–	–	–	–
	Female	12	2	–	1	1	1	1	–	–	–	–	1	–	1	1	–	–	2	–	–	–	1	–
E810–E823	Motor vehicle accidents	219	3	4	3	7	41	30	26	16	14	10	12	12	9	9	9	5	9	–	–	–	–	–
	White Male	139	–	1	2	4	28	22	18	8	9	7	7	8	5	5	7	3	5	–	–	–	–	–
	Female	61	3	3	–	3	10	6	6	4	5	3	2	3	3	4	2	2	2	–	–	–	–	–
	All other Male	16	–	–	1	–	3	1	2	4	–	–	2	1	1	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	199	3	9	6	5	24	11	12	9	15	14	8	14	12	14	12	11	8	3	4	3	2	–
	White Male	127	1	5	4	2	17	10	10	9	9	10	5	10	6	6	6	7	4	2	2	2	–	–
	Female	49	–	4	1	1	5	1	1	–	2	3	3	3	3	6	5	3	3	1	2	1	1	–
	All other Male	14	–	–	–	1	1	–	1	–	4	1	–	1	2	1	1	1	–	–	–	–	–	–
	Female	9	2	–	1	1	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–
E950–E959	Suicide	193	...	...	–	2	14	28	23	17	10	11	21	22	16	12	5	5	2	4	1	–	–	–
	White Male	135	...	...	–	2	9	19	19	12	4	9	14	16	10	7	4	4	2	4	–	–	–	–
	Female	46	...	...	–	–	4	6	2	4	5	2	7	4	4	5	1	1	–	–	1	–	–	–
	All other Male	7	...	...	–	–	–	1	1	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	98	–	1	2	1	6	18	19	10	8	9	4	7	2	8	1	–	2	–	–	–	–	–
	White Male	51	–	–	1	1	4	11	8	5	4	5	3	2	–	5	–	–	2	–	–	–	–	–
	Female	16	–	–	–	–	–	1	4	2	1	2	1	2	1	2	–	–	–	–	–	–	–	–
	All other Male	28	–	1	1	–	2	6	4	3	3	2	–	3	1	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	15	–	–	–	1	–	4	2	1	2	–	2	2	–	1	–	–	–	–	–	–	–	–
	White Male	7	–	–	–	1	–	1	–	–	2	–	–	2	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire																							
	All causes	**7,268**	**123**	**25**	**18**	**25**	**73**	**79**	**53**	**62**	**66**	**103**	**185**	**293**	**455**	**612**	**854**	**913**	**954**	**1,056**	**782**	**389**	**148**	–
	White Male	3,887	65	14	12	19	55	60	38	38	43	57	102	184	300	407	538	507	523	486	286	120	33	–
	White Female	3,368	57	11	6	6	18	19	14	24	23	45	81	108	155	204	316	406	428	568	495	269	115	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
	All other Female	9	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	2	2	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	10	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	–	–
	White Male	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	25	4	–	1	–	–	–	–	1	–	2	1	–	2	2	2	2	2	3	2	1	–	–
	White Male	15	3	–	1	–	–	–	–	1	–	1	1	–	1	1	1	2	1	1	1	–	–	–
	White Female	10	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	13	–	2	–	–	–	–	–	1	–	–	–	1	–	1	1	1	1	3	–	1	1	–
	White Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–
	White Female	8	–	2	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,597	–	4	5	8	8	5	9	10	16	34	48	86	144	191	253	255	189	172	109	40	11	–
	White Male	843	–	3	4	6	5	3	6	6	8	11	14	37	80	115	144	135	110	87	52	14	3	–
	Female	752	–	1	1	2	3	2	3	4	8	23	33	49	64	76	109	120	79	84	57	26	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	29	–	–	–	–	–	–	–	–	–	–	1	1	6	5	2	8	3	1	2	–	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	1	5	3	1	6	2	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	452	–	–	–	–	–	–	–	2	4	9	7	15	36	43	74	72	63	66	41	18	2	–
	White Male	220	–	–	–	–	–	–	–	1	4	4	2	5	17	23	44	34	35	28	15	7	1	–
	Female	232	–	–	–	–	–	–	–	1	–	5	5	10	19	20	30	38	28	38	26	11	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	399	–	–	–	–	–	–	–	2	2	7	13	29	53	61	73	80	41	27	9	–	2	–
	White Male	308	–	–	–	–	–	–	–	2	2	4	7	17	42	47	60	60	35	23	8	–	1	–
	Female	90	–	–	–	–	–	–	–	–	–	3	5	12	11	14	13	20	6	4	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	136	–	–	–	–	–	–	–	2	2	4	9	16	15	11	20	17	17	8	5	7	3	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	135	–	–	–	–	–	–	–	2	2	4	9	16	15	11	19	17	17	8	5	7	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	179	–	–	–	–	–	1	–	2	2	4	6	8	7	22	27	25	20	24	23	7	1	–
	White Male	78	–	–	–	–	–	–	–	2	–	–	–	1	1	7	10	16	13	10	15	3	–	–
	Female	100	–	–	–	–	–	1	–	–	2	4	6	7	6	15	17	9	7	13	8	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
188, 189	Of urinary organs	82	–	–	–	–	1	–	–	–	1	–	2	3	5	8	13	12	14	12	6	4	1	–
	White Male	49	–	–	–	–	–	–	–	–	1	–	2	2	4	5	5	5	10	8	3	4	–	–
	Female	33	–	–	–	–	1	–	–	–	–	–	–	1	1	3	8	7	4	4	3	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	175	–	2	4	3	2	2	5	1	2	5	4	7	14	26	24	23	14	19	15	2	1	–
	White Male	94	–	2	3	3	2	2	4	1	–	1	–	6	5	19	11	9	7	12	6	–	1	–
	Female	81	–	–	1	–	–	–	1	–	2	4	4	1	9	7	13	14	7	7	9	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	64	–	2	1	5	2	2	1	1	1	2	2	3	3	6	6	9	5	6	5	2	–	–
	White Male	34	–	1	1	3	1	1	1	–	–	1	–	3	3	4	4	3	3	2	3	–	–	–
	Female	30	–	1	–	2	1	1	–	1	1	1	2	–	–	2	2	6	2	4	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	81	–	–	–	–	3	–	3	–	2	3	4	4	5	9	14	9	12	9	3	–	1	–
	White Male	39	–	–	–	–	2	–	1	–	1	1	3	2	3	7	8	2	5	3	1	–	–	–
	Female	42	–	–	–	–	1	–	2	–	1	2	1	2	2	2	6	7	7	6	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	–	–	–	–	–	–	1	–	–	3	2	1	6	1	7	4	1	1	–	–	–
	White Male	11	–	–	–	–	–	–	–	1	–	–	1	–	–	4	–	2	3	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	5	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	152	–	–	–	–	–	–	2	1	1	1	3	5	16	12	24	19	23	23	18	3	1	–
	White Male	70	–	–	–	–	–	–	2	–	1	1	2	4	10	6	11	7	10	11	3	2	–	–
	Female	82	–	–	–	–	–	–	–	1	–	–	1	1	6	6	13	12	13	12	15	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire – Con.																							
280–285	Anemias	14	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	2	4	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,682	3	1	–	–	1	4	5	7	15	24	68	123	187	254	410	466	581	647	512	268	106	–
	White Male	1,907	–	–	–	–	–	2	3	1	11	15	51	95	142	182	282	258	305	281	174	83	22	–
	Female	1,770	3	1	–	–	1	2	2	6	4	8	17	28	45	71	128	208	275	365	337	185	84	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,665	2	–	–	–	1	–	4	2	11	21	50	111	162	204	335	371	421	429	326	154	61	–
	White Male	1,484	–	–	–	–	–	–	3	–	9	14	41	88	125	150	238	206	226	185	128	56	15	–
	Female	1,177	2	–	–	–	1	–	1	2	2	6	9	23	37	53	97	165	194	243	198	98	46	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	56	–	–	–	–	–	–	2	1	1	–	2	5	4	7	6	6	6	7	7	2	–	–
	White Male	28	–	–	–	–	–	–	2	–	–	–	–	4	3	5	1	1	5	4	2	1	–	–
	Female	28	–	–	–	–	–	–	–	1	1	–	2	1	1	2	5	5	1	3	5	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	25	–	–	–	–	–	–	–	–	1	–	–	2	–	1	6	6	3	2	2	1	1	–
	White Male	13	–	–	–	–	–	–	–	–	1	–	–	2	–	1	4	2	1	1	–	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	1	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	19	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	3	5	3	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,343	–	–	–	–	–	–	–	1	8	16	45	97	142	181	292	332	375	378	287	139	50	–
	White Male	1,321	–	–	–	–	–	–	–	–	8	12	39	80	111	134	211	184	199	163	117	52	11	–
	Female	1,021	–	–	–	–	–	–	–	1	–	4	6	17	31	47	81	148	176	214	170	87	39	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410	Acute myocardial infarction	1,326	–	–	–	–	–	–	–	1	7	12	38	78	115	118	189	200	217	180	113	43	15	–
	White Male	819	–	–	–	–	–	–	–	–	7	9	34	65	91	92	139	113	121	76	51	18	3	–
	Female	507	–	–	–	–	–	–	–	1	–	3	4	13	24	26	50	87	96	104	62	25	12	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	12	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	–	–	3	–	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,005	–	–	–	–	–	–	–	–	1	3	7	19	24	61	100	132	158	195	174	96	35	–
	White Male	493	–	–	–	–	–	–	–	–	1	2	5	15	19	40	69	71	78	85	66	34	8	–
	Female	511	–	–	–	–	–	–	–	–	–	1	2	4	5	21	31	61	80	109	108	62	27	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire — Con.																							
420–423, 425–427, 429	All other forms of heart disease	213	2	–	–	–	1	–	2	–	1	5	3	7	13	13	30	24	35	37	24	7	9	–
	White ..... Male	113	–	–	–	–	–	–	1	–	–	2	2	2	10	9	21	18	20	15	8	2	3	–
	Female	97	2	–	–	–	1	–	1	–	1	2	1	5	3	3	9	6	14	22	16	5	6	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
400, 401, 403	Hypertension	32	–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	2	10	8	2	1	1	–
	White ..... Male	18	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	2	3	3	1	1	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	7	5	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	664	1	1	–	–	–	3	1	4	2	2	14	10	18	32	53	58	101	151	126	62	25	–
	White ..... Male	270	–	–	–	–	–	2	–	1	–	–	7	6	12	20	28	30	45	64	33	18	4	–
	Female	394	1	1	–	–	–	1	1	3	2	2	7	4	6	12	25	28	56	87	93	44	21	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	97	–	–	–	–	–	–	–	1	2	1	1	2	7	9	17	10	16	20	7	3	1	–
	White ..... Male	46	–	–	–	–	–	–	–	–	–	–	–	2	3	7	12	7	6	8	1	–	–	–
	Female	51	–	–	–	–	–	–	–	1	2	1	1	–	4	2	5	3	10	12	6	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	150	–	–	–	–	–	–	–	1	–	–	4	3	4	6	11	10	23	39	27	15	7	–
	White ..... Male	57	–	–	–	–	–	–	–	–	–	–	1	1	4	4	5	4	10	17	5	5	1	–
	Female	93	–	–	–	–	–	–	–	1	–	–	3	2	–	2	6	6	13	22	22	10	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	415	1	1	–	–	–	3	1	2	–	1	9	5	7	17	25	38	61	91	92	44	17	–
	White ..... Male	166	–	–	–	–	–	2	–	1	–	–	6	3	5	9	11	19	28	39	27	13	3	–
	Female	249	1	1	–	–	–	1	1	1	–	1	3	2	2	8	14	19	33	52	65	31	14	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	193	–	–	–	–	–	–	–	–	–	–	–	–	2	2	9	18	27	37	39	40	19	–
	White ..... Male	64	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	8	15	15	7	8	2	–
	Female	129	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	10	12	22	32	32	17	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	128	–	–	–	–	–	1	–	1	1	1	4	2	4	13	10	17	22	22	19	11	–	–
	White ..... Male	71	–	–	–	–	–	–	–	–	1	1	3	1	2	9	7	12	16	14	5	–	–	–
	Female	56	–	–	–	–	–	1	–	1	–	–	1	1	2	4	3	5	6	8	13	11	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	200	4	–	1	–	–	–	1	1	2	1	–	2	9	5	11	19	23	43	34	31	13	–
	White ..... Male	99	3	–	–	–	–	–	1	–	1	–	–	2	7	2	6	12	15	21	15	11	3	–
	Female	101	1	–	1	–	–	–	–	1	1	1	–	–	2	3	5	7	8	22	19	20	10	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	196	4	–	1	–	–	–	1	1	2	1	–	2	9	5	11	19	23	41	33	30	13	–
	White ..... Male	97	3	–	–	–	–	–	1	–	1	–	–	2	7	2	6	12	15	19	15	11	3	–
	Female	99	1	–	1	–	–	–	–	1	1	1	–	–	2	3	5	7	8	22	18	19	10	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	101	–	–	–	–	–	–	–	1	–	1	1	6	4	14	13	20	12	15	10	3	1	–
	White ..... Male	77	–	–	–	–	–	–	–	1	–	1	–	4	4	13	9	17	10	12	5	–	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	2	–	1	4	3	2	3	5	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
490, 491	Chronic and unqualified bronchitis	25	–	–	–	–	–	–	–	–	–	–	1	1	–	2	5	7	1	2	4	1	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	7	1	2	2	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	72	–	–	–	–	–	–	–	–	–	1	–	4	4	12	8	13	11	12	5	2	–	–
	White Male	54	–	–	–	–	–	–	–	–	–	1	–	3	4	11	5	10	9	9	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	2	3	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	30	–	–	–	–	–	–	–	–	–	1	–	1	1	1	5	8	7	2	3	1	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	7	3	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	4	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	23	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	6	5	3	1	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	4	–	–	–
	Female	14	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	3	1	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	141	1	–	–	–	–	–	1	2	4	4	14	19	22	26	21	15	6	5	1	–	–	–
	White Male	85	1	–	–	–	–	–	–	1	3	3	6	11	14	19	13	11	1	1	1	–	–	–
	Female	54	–	–	–	–	–	–	1	1	1	1	7	7	8	7	8	4	5	4	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	12	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	–	2	2	1	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	4	3	1	2	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	1	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	13	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	2	2	1	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	1	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	3	1	3	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	46	29	–	1	1	1	–	–	2	1	2	–	–	2	3	1	2	1	–	–	–	–	–
	White Male	22	14	–	1	–	–	–	–	1	–	2	–	–	1	1	–	2	–	–	–	–	–	–
	Female	24	15	–	–	1	1	–	–	1	1	–	–	–	1	2	1	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	107	10	2	1	1	–	–	–	1	–	3	4	3	4	12	16	7	8	18	7	7	3	–
	White Male	55	7	–	–	1	–	–	–	–	–	2	4	2	4	8	10	3	3	4	3	3	1	–
	Female	51	2	2	1	–	–	–	–	1	–	1	–	1	–	4	6	4	5	14	4	4	2	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	494	1	4	–	4	4	4	1	3	3	7	18	22	35	54	56	60	67	76	51	17	7	–
	White Male	272	–	3	–	3	2	2	1	1	1	5	7	12	21	32	35	34	44	41	21	5	2	–
	Female	221	1	1	–	1	2	2	–	2	2	2	11	10	14	22	21	26	22	35	30	12	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E800–E949	Accidents	325	5	10	8	11	49	46	23	19	8	13	10	12	10	14	17	16	9	21	17	5	2	–
	White Male	216	2	6	5	9	38	37	19	17	6	10	7	9	6	10	9	9	5	9	3	–	–	–
	Female	108	3	4	3	2	11	9	4	2	2	3	3	3	4	4	8	7	3	12	14	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	151	–	3	3	5	36	31	12	11	6	5	5	5	4	6	7	3	4	2	3	–	–	–
	White Male	113	–	3	2	4	26	24	10	9	4	4	5	3	4	4	4	2	3	2	–	–	–	–
	Female	37	–	–	1	1	10	7	2	2	2	1	–	2	–	2	3	1	–	–	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	174	5	7	5	6	13	15	11	8	2	8	5	7	6	8	10	13	5	19	14	5	2	–
	White Male	103	2	3	3	5	12	13	9	8	2	6	2	6	2	6	5	7	2	7	3	–	–	–
	Female	71	3	4	2	1	1	2	2	–	–	2	3	1	4	2	5	6	3	12	11	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	120	...	...	–	–	7	16	8	8	9	6	12	7	11	10	12	4	6	3	–	–	1	–
	White Male	85	...	...	–	–	7	12	4	6	6	4	7	4	8	9	5	3	6	3	–	–	1	–
	Female	34	...	...	–	–	–	4	3	2	3	2	5	3	3	1	7	1	–	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	17	1	–	–	–	1	4	2	2	2	2	–	–	–	–	–	2	1	–	–	–	–	–
	White Male	12	–	–	–	–	1	4	1	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	19	–	1	1	–	2	–	1	–	3	1	2	1	4	–	1	–	1	1	–	–	–	–
	White Male	14	–	1	1	–	2	–	1	–	2	1	2	1	1	–	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey																							
	All causes	**65,831**	**1,345**	**197**	**181**	**199**	**545**	**662**	**574**	**626**	**747**	**1,057**	**1,982**	**3,226**	**4,681**	**6,148**	**7,496**	**8,241**	**8,912**	**8,821**	**6,303**	**2,933**	**934**	**21**
	White..... Male	31,368	503	75	74	79	345	397	288	303	333	504	985	1,679	2,614	3,376	4,188	4,396	4,172	3,669	2,258	897	226	7
	Female	27,685	384	63	63	80	115	109	122	143	179	295	591	1,001	1,459	2,148	2,639	3,179	4,095	4,725	3,755	1,894	639	7
	All other..... Male	3,789	260	33	26	24	59	107	113	109	154	171	248	319	361	373	389	365	293	187	124	44	25	5
	Female	2,989	198	26	18	16	26	49	51	71	81	87	158	227	247	251	280	301	352	240	166	98	44	2
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	52	22	1	–	–	1	–	–	–	–	2	–	–	3	3	3	5	3	3	3	2	1	–
	White..... Male	13	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	–	–	–
	Female	27	7	1	–	–	1	–	–	–	–	2	–	–	2	2	2	3	1	2	2	2	–	–
	All other..... Male	9	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	103	–	–	–	1	1	1	1	2	4	2	6	6	12	18	9	12	10	14	4	–	–	–
	White..... Male	45	–	–	–	–	1	–	–	–	–	–	2	1	7	8	5	6	5	9	1	–	–	–
	Female	19	–	–	–	–	–	1	–	–	–	–	–	1	1	5	2	–	2	4	3	–	–	–
	All other..... Male	31	–	–	–	–	–	–	1	–	4	2	4	2	2	5	2	6	2	1	–	–	–	–
	Female	8	–	–	–	1	–	–	–	2	–	–	–	2	2	–	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	85	–	–	–	1	1	–	1	2	4	2	4	6	10	14	9	10	7	10	4	–	–	–
	White..... Male	38	–	–	–	–	1	–	–	–	–	–	1	1	6	8	5	5	3	7	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	1	2	3	–	–	–
	All other..... Male	26	–	–	–	–	–	–	1	–	4	2	3	2	1	3	2	5	2	1	–	–	–	–
	Female	8	–	–	–	1	–	–	–	2	–	–	–	2	2	–	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	1	–	–	–	–	2	–	2	4	–	2	3	4	–	–	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	1	–	1	–	1	2	1	–	–	–	–	1	–	1	1	1	–	–	–	1	–	–
	White..... Male	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	6	1	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
	All other..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
038	Septicemia	279	32	1	–	–	1	4	–	2	3	5	4	15	16	21	30	35	47	33	22	5	3	–
	White..... Male	101	7	–	–	–	1	1	–	–	1	2	1	5	7	5	18	11	21	9	6	4	2	–
	Female	126	12	1	–	–	–	1	–	2	1	1	1	5	6	12	9	23	19	19	13	1	–	–
	All other..... Male	26	6	–	–	–	–	1	–	–	–	–	1	2	1	4	1	–	4	3	2	–	1	–
	Female	26	7	–	–	–	–	1	–	–	1	2	1	3	2	–	2	1	3	2	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	2	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	145	6	4	6	4	3	2	4	3	1	5	6	12	11	25	12	10	13	5	7	3	3	–
	White..... Male	59	3	3	6	–	–	1	–	–	–	2	2	3	4	13	7	2	6	4	1	1	1	–
	Female	63	–	1	–	4	3	–	1	1	1	1	2	5	6	10	5	7	6	1	5	2	2	–
	All other..... Male	9	2	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	1	–	1	–	–	–
	Female	14	1	–	–	–	–	1	3	1	–	2	1	2	1	1	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,854	4	16	29	39	46	41	74	107	148	298	630	1,064	1,525	1,974	2,215	2,204	1,939	1,466	736	255	43	1
	White ..... Male	7,069	2	6	13	13	27	24	30	54	52	115	256	433	720	942	1,119	1,151	974	709	315	103	11	–
	Female	6,382	1	6	12	20	16	14	30	41	67	124	271	471	634	857	913	868	798	681	395	135	28	–
	All other ..... Male	797	1	2	2	2	2	3	6	4	12	34	49	92	99	108	112	112	94	42	13	6	1	1
	Female	606	–	2	2	4	1	–	8	8	17	25	54	68	72	67	71	73	73	34	13	11	3	–
140–149	Of buccal cavity and pharynx	333	–	–	–	–	–	1	1	1	4	8	15	31	43	59	58	35	34	26	11	6	–	–
	White ..... Male	195	–	–	–	–	–	1	–	1	2	2	7	17	27	36	30	20	24	17	7	4	–	–
	Female	100	–	–	–	–	–	–	1	–	–	–	5	7	8	18	24	14	10	7	4	2	–	–
	All other ..... Male	26	–	–	–	–	–	–	–	–	2	5	3	3	6	3	3	–	–	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	4	2	2	1	1	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	4,347	–	–	–	1	–	2	5	17	25	65	139	227	402	562	612	718	662	533	273	94	10	–
	White ..... Male	2,015	–	–	–	1	–	1	4	9	13	34	67	107	196	268	299	351	301	230	97	33	4	–
	Female	1,893	–	–	–	–	–	–	1	4	8	15	40	82	142	236	263	303	297	278	163	55	6	–
	All other ..... Male	268	–	–	–	–	–	1	–	3	4	11	18	26	44	39	35	33	37	8	6	3	–	–
	Female	171	–	–	–	–	–	–	–	1	–	5	14	12	20	19	15	31	27	17	7	3	–	–
160–163	Of respiratory system	3,510	–	–	–	–	–	–	4	10	21	71	168	316	430	562	611	573	411	222	76	29	5	1
	White ..... Male	2,359	–	–	–	–	–	–	–	7	13	38	92	174	288	361	443	417	300	159	52	14	1	–
	Female	799	–	–	–	–	–	–	2	3	7	18	47	81	95	149	118	108	86	48	21	12	4	–
	All other ..... Male	269	–	–	–	–	–	–	2	–	–	11	19	48	31	41	39	42	17	15	2	1	–	1
	Female	83	–	–	–	–	–	–	–	–	1	4	10	13	16	11	11	6	8	–	1	2	–	–
174	Of breast	1,521	–	–	–	–	–	–	9	14	32	55	104	169	203	199	203	163	147	124	70	20	9	–
	White ..... Male	10	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	1	1	1	–	–	–	–
	Female	1,391	–	–	–	–	–	–	9	11	24	48	95	145	187	185	186	150	138	117	68	20	8	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	117	–	–	–	–	–	–	–	3	7	6	9	23	16	12	13	11	8	6	2	–	1	–
180–187	Of genital organs	1,631	–	–	–	–	2	6	14	12	20	30	49	89	136	191	251	223	235	209	118	40	6	–
	White ..... Male	649	–	–	–	–	1	6	6	5	4	5	4	14	23	48	79	100	121	128	72	29	4	–
	Female	799	–	–	–	–	1	–	4	5	10	20	37	68	96	123	134	99	82	69	41	9	1	–
	All other ..... Male	84	–	–	–	–	–	–	–	–	–	–	–	–	8	6	21	14	22	8	4	–	1	–
	Female	99	–	–	–	–	–	–	4	2	6	5	8	7	9	14	17	10	10	4	1	2	–	–
188, 189	Of urinary organs	701	–	1	–	–	1	1	2	2	2	8	21	32	56	78	94	122	96	97	60	25	3	–
	White ..... Male	463	–	–	–	–	–	–	–	2	–	6	13	21	40	62	62	78	67	64	37	10	1	–
	Female	196	–	–	–	–	1	1	–	–	–	1	6	10	12	12	25	38	25	30	22	12	1	–
	All other ..... Male	22	–	–	–	–	–	–	1	–	1	–	1	1	3	2	5	2	3	2	–	1	–	–
	Female	20	–	1	–	–	–	–	1	–	1	1	1	–	1	2	2	4	1	1	1	2	1	–
170–173, 190–199	Of all other and unspecified sites	1,573	3	7	15	13	17	8	15	23	25	37	80	138	146	181	220	205	181	147	77	28	7	–
	White ..... Male	783	2	1	7	5	10	4	8	13	10	16	46	72	84	96	118	100	87	60	34	9	1	–
	Female	669	1	5	6	5	4	4	6	9	12	14	26	49	55	71	93	85	74	83	42	19	6	–
	All other ..... Male	70	–	–	1	1	2	–	1	1	2	4	5	9	5	10	4	12	9	3	1	–	–	–
	Female	51	–	1	1	2	1	–	–	–	1	3	3	8	2	4	5	8	11	1	–	–	–	–
204–207	Leukemia	524	1	7	11	21	17	8	11	12	6	12	16	24	35	61	55	67	71	56	23	8	2	–
	White ..... Male	250	–	4	4	5	11	3	7	6	1	7	11	13	18	27	27	38	31	26	8	3	–	–
	Female	229	–	1	6	14	6	4	2	5	4	5	4	8	14	29	23	25	37	23	15	3	1	–
	All other ..... Male	20	1	2	1	–	–	1	1	–	–	–	–	3	–	2	2	3	–	3	–	1	–	–
	Female	25	–	–	–	2	–	–	1	1	1	–	1	–	3	3	3	1	3	4	–	1	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	714	–	1	3	4	9	15	13	16	13	12	38	38	74	81	111	98	102	52	28	5	1	–
	White ..... Male	345	–	1	2	2	5	9	5	11	8	7	16	15	44	42	57	46	42	24	8	1	–	–
	Female	306	–	–	–	1	4	5	5	4	2	3	11	21	25	34	47	46	49	26	19	3	1	–
	All other ..... Male	35	–	–	–	1	–	1	1	–	3	2	3	1	2	5	3	5	6	2	–	–	–	–
	Female	28	–	–	1	–	–	–	2	1	–	–	8	1	3	–	4	1	5	–	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	159	2	–	1	1	–	1	4	1	1	5	7	11	19	16	26	24	8	20	9	2	1	–
	White ..... Male	84	1	–	–	–	–	–	2	–	1	2	–	6	11	11	17	16	4	11	1	1	–	–
	Female	60	1	–	1	1	–	1	–	1	–	2	4	3	6	4	8	7	4	8	7	1	1	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	1	2	1	2	–	1	1	–	1	–	–	–	–
250	Diabetes mellitus	1,268	–	–	–	–	–	5	6	7	8	11	28	55	80	125	173	189	211	187	133	44	6	–
	White ..... Male	477	–	–	–	–	–	4	3	3	2	5	12	27	35	64	76	74	71	47	39	11	4	–
	Female	636	–	–	–	–	–	1	–	2	1	5	9	16	29	43	72	90	123	133	79	31	2	–
	All other ..... Male	58	–	–	–	–	–	–	2	–	1	–	6	9	4	8	9	5	7	2	5	–	–	–
	Female	97	–	–	–	–	–	–	1	2	4	1	1	3	12	10	16	20	10	5	10	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	80	1	1	–	–	–	1	–	1	–	1	1	2	6	3	7	8	16	9	11	8	4	–
	White ..... Male	32	–	1	–	–	–	–	–	–	–	–	–	–	4	1	4	4	5	4	6	3	–	–
	Female	39	–	–	–	–	–	–	–	1	–	1	–	2	2	2	3	3	9	5	5	5	1	–
	All other ..... Male	6	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey – Con.																							
280–285	Anemias	91	2	1	2	5	3	1	4	1	–	1	1	3	8	6	5	10	14	10	9	4	1	–
	White Male	33	1	–	–	3	2	–	–	–	–	–	1	–	4	1	4	2	4	5	4	2	–	–
	Female	47	–	–	1	1	1	–	3	–	–	1	–	2	3	5	–	8	9	5	5	2	1	–
	All other Male	7	1	1	1	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
320	Meningitis	35	10	2	–	–	–	1	–	–	–	1	2	1	5	–	4	6	2	1	–	–	–	–
	White Male	12	2	1	–	–	–	–	–	–	–	–	1	1	1	–	1	4	–	1	–	–	–	–
	Female	12	3	1	–	–	–	–	–	–	–	1	1	–	–	–	2	2	2	–	–	–	–	–
	All other Male	6	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	34,821	16	9	4	19	21	37	37	88	168	330	731	1,322	2,081	2,993	3,859	4,489	5,340	5,797	4,514	2,196	762	8
	White Male	16,530	7	6	2	9	9	12	15	41	83	206	431	842	1,341	1,798	2,286	2,406	2,433	2,259	1,537	633	172	2
	Female	15,522	3	2	1	8	7	12	7	20	28	51	159	264	483	880	1,242	1,747	2,551	3,270	2,780	1,463	539	5
	All other Male	1,379	3	1	1	2	2	7	8	21	34	53	91	124	148	175	183	171	139	95	77	26	17	1
	Female	1,390	3	–	–	–	3	6	7	6	23	20	50	92	109	140	148	165	217	173	120	74	34	–
390–398, 402, 404, 410–429	Diseases of heart	27,684	12	6	2	12	10	22	22	59	129	264	625	1,163	1,804	2,510	3,230	3,643	4,153	4,407	3,401	1,639	564	7
	White Male	13,671	7	4	–	5	2	4	9	30	70	177	392	772	1,203	1,566	1,950	1,965	1,950	1,774	1,181	477	132	1
	Female	11,911	2	1	1	6	4	9	3	11	16	31	121	208	396	697	1,032	1,419	1,934	2,453	2,073	1,091	398	5
	All other Male	1,096	–	1	1	1	2	5	6	14	27	41	77	107	120	147	144	135	113	64	58	20	12	1
	Female	1,006	3	–	–	–	2	4	4	4	16	15	35	76	85	100	104	124	156	116	89	51	22	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	589	1	–	–	1	1	7	4	4	10	9	23	48	69	98	101	93	53	36	23	8	–	–
	White Male	212	1	–	–	–	–	2	2	2	2	5	9	20	33	36	36	29	17	13	4	1	–	–
	Female	333	–	–	–	1	–	4	–	1	4	2	11	21	30	55	64	57	36	23	17	7	–	–
	All other Male	17	–	–	–	–	–	1	1	–	2	1	2	2	4	2	1	1	–	–	–	–	–	–
	Female	27	–	–	–	–	1	–	1	1	2	1	1	5	2	5	–	6	–	–	2	–	–	–
402	Hypertensive heart disease	226	–	–	1	1	–	1	2	4	2	6	6	7	15	21	27	30	31	37	25	8	2	–
	White Male	60	–	–	–	–	–	–	1	1	–	–	2	3	6	10	11	4	7	10	4	1	–	–
	Female	107	–	–	–	1	–	–	–	1	–	1	2	–	5	5	9	15	17	25	19	5	2	–
	All other Male	29	–	–	1	–	–	–	–	1	2	3	2	2	2	2	5	6	2	–	–	1	–	–
	Female	30	–	–	–	–	–	1	1	1	–	2	–	2	2	4	2	5	5	2	2	1	–	–
404	Hypertensive heart and renal disease	101	–	–	–	–	–	–	–	–	–	–	–	–	3	7	8	16	10	21	20	10	6	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	9	5	9	6	1	2	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	2	11	13	9	3	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	1	–
410–413	Ischemic heart disease	25,461	–	–	–	–	3	1	9	36	100	219	552	1,036	1,617	2,272	2,947	3,368	3,887	4,120	3,193	1,554	540	7
	White Male	12,778	–	–	–	–	1	1	4	21	62	154	363	717	1,116	1,461	1,816	1,847	1,850	1,668	1,112	457	127	1
	Female	10,897	–	–	–	–	1	–	2	7	8	27	93	164	328	600	914	1,298	1,796	2,288	1,948	1,036	382	5
	All other Male	935	–	–	–	–	–	–	3	7	20	30	65	96	102	129	122	117	104	57	53	17	12	1
	Female	851	–	–	–	–	1	–	–	1	10	8	31	59	71	82	95	106	137	107	80	44	19	–
410	Acute myocardial infarction	11,518	–	–	–	–	3	1	7	25	59	129	351	642	1,034	1,337	1,634	1,738	1,677	1,486	932	354	109	–
	White Male	6,603	–	–	–	–	1	1	4	14	36	96	254	467	755	899	1,068	1,025	834	634	368	123	24	–
	Female	4,248	–	–	–	–	1	–	1	6	7	17	59	101	202	347	482	634	756	796	538	220	81	–
	All other Male	380	–	–	–	–	–	–	2	4	12	14	24	45	43	63	54	40	42	22	9	4	2	–
	Female	287	–	–	–	–	1	–	–	1	4	2	14	29	34	28	30	39	45	34	17	7	2	–
411	Other acute and subacute forms of ischemic heart disease	76	–	–	–	–	–	–	–	–	1	–	–	1	3	7	8	10	10	15	11	8	2	–
	White Male	40	–	–	–	–	–	–	–	–	1	–	–	1	2	6	4	5	7	4	6	3	1	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	3	10	5	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
412	Chronic ischemic heart disease	13,863	–	–	–	–	–	–	2	11	40	90	201	393	580	928	1,305	1,618	2,199	2,619	2,249	1,192	429	7
	White Male	6,132	–	–	–	–	–	–	–	7	25	58	109	249	359	556	744	816	1,008	1,030	737	331	102	1
	Female	6,614	–	–	–	–	–	–	1	1	1	10	34	63	125	252	428	659	1,037	1,482	1,405	811	300	5
	All other Male	555	–	–	–	–	–	–	1	3	8	16	41	51	59	66	68	77	62	35	44	13	10	1
	Female	562	–	–	–	–	–	–	–	–	6	6	17	30	37	54	65	66	92	72	63	37	17	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	63	1	–	–	–	–	–	–	1	1	1	–	4	5	9	8	10	8	7	6	2	–	–
	White Male	24	1	–	–	–	–	–	–	1	–	–	–	2	1	4	3	5	3	2	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	1	–	–	1	3	5	4	3	3	5	4	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,244	10	6	1	10	6	13	7	14	16	29	44	68	95	103	139	126	164	186	134	57	16	–
	White Male	557	5	4	–	5	1	1	2	5	6	18	18	30	46	51	81	71	68	72	53	17	3	–
	Female	497	2	1	1	4	3	5	1	2	3	1	15	22	30	32	39	40	80	101	72	32	11	–
	All other Male	103	–	1	–	1	2	4	2	6	3	6	8	7	10	12	13	9	5	7	5	2	–	–
	Female	87	3	–	–	–	–	3	2	1	4	4	3	9	9	8	6	6	11	6	4	6	2	–
400, 401, 403	Hypertension	151	–	–	–	–	–	1	–	1	3	3	6	6	10	7	16	15	17	25	28	9	4	–
	White Male	65	–	–	–	–	–	–	–	–	–	2	3	3	5	3	6	10	8	11	10	3	1	–
	Female	58	–	–	–	–	–	–	–	–	1	1	1	2	2	1	8	3	6	11	16	5	1	–
	All other Male	17	–	–	–	–	–	–	–	1	1	–	1	–	3	2	2	2	1	1	2	–	1	–
	Female	11	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	2	2	–	1	1	–
430–438	Cerebrovascular diseases	5,448	4	3	2	6	10	10	13	24	30	50	89	118	208	372	485	625	940	1,054	847	416	141	1
	White Male	2,050	–	2	2	4	6	7	5	8	11	20	29	43	93	162	244	304	359	345	264	116	25	1
	Female	2,866	1	1	–	2	3	–	4	8	8	16	35	47	71	154	168	258	510	645	552	281	102	–
	All other Male	215	3	–	–	–	–	2	2	6	5	9	13	16	21	22	33	27	19	19	11	3	4	–
	Female	317	–	–	–	–	1	1	2	2	6	5	12	12	23	34	40	36	52	45	20	16	10	–
431	Cerebral hemorrhage	803	3	–	1	1	3	1	3	4	7	18	21	51	62	88	107	99	119	108	78	27	1	1
	White Male	318	–	–	1	1	1	1	2	1	2	10	8	17	30	35	47	49	46	36	20	10	–	1
	Female	390	–	–	–	–	1	–	1	1	1	3	10	21	14	40	47	40	69	68	56	17	1	–
	All other Male	45	3	–	–	–	–	–	–	2	1	5	1	6	9	5	5	5	1	1	1	–	–	–
	Female	50	–	–	–	–	1	–	–	–	3	–	2	7	9	8	8	5	3	3	1	–	–	–
433	Cerebral thrombosis	1,483	–	–	–	–	–	1	–	1	2	1	10	12	19	76	127	162	286	342	264	133	47	–
	White Male	544	–	–	–	–	–	1	–	1	1	–	4	5	9	31	63	71	109	124	87	33	5	–
	Female	823	–	–	–	–	–	–	–	–	–	–	2	4	9	32	46	75	158	200	165	92	40	–
	All other Male	45	–	–	–	–	–	–	–	–	1	1	1	2	–	5	6	8	6	8	5	1	1	–
	Female	71	–	–	–	–	–	–	–	–	–	–	3	1	1	8	12	8	13	10	7	7	1	–
434	Cerebral embolism	37	–	–	–	–	–	–	–	–	–	–	1	–	1	4	5	9	8	6	2	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	3	2	–	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	4	6	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,125	1	3	1	5	7	8	10	19	21	31	57	55	126	204	246	355	527	598	503	255	93	–
	White Male	1,176	–	2	1	3	5	5	3	6	8	10	16	21	54	94	130	181	202	185	157	73	20	–
	Female	1,632	1	1	–	2	2	–	3	7	7	13	23	22	47	81	74	138	279	371	329	171	61	–
	All other Male	125	–	–	–	–	–	2	2	4	3	3	11	8	12	12	22	14	12	10	5	2	3	–
	Female	192	–	–	–	–	–	1	2	2	3	5	7	4	13	17	20	22	34	32	12	9	9	–
440	Arteriosclerosis	657	–	–	–	–	–	1	–	–	1	1	1	5	10	18	31	52	86	167	150	91	43	–
	White Male	231	–	–	–	–	–	–	–	–	–	1	–	4	7	9	16	22	38	52	49	24	9	–
	Female	376	–	–	–	–	–	1	–	–	1	–	–	1	3	5	12	23	43	104	91	59	33	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	5	4	3	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	2	6	6	5	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	881	–	–	–	1	1	3	2	4	5	12	10	30	49	86	97	154	144	144	88	41	10	–
	White Male	513	–	–	–	–	1	1	1	3	2	6	7	20	33	58	70	105	78	77	33	13	5	–
	Female	311	–	–	–	–	–	2	–	1	2	3	2	6	11	23	22	44	58	57	48	27	5	–
	All other Male	30	–	–	–	1	–	–	–	–	1	3	–	1	4	3	3	3	3	6	2	–	–	–
	Female	27	–	–	–	–	–	–	1	–	–	–	1	3	1	2	2	2	5	4	5	1	–	–
466	Acute bronchitis and bronchiolitis	28	3	–	1	–	1	–	–	–	–	–	–	2	3	3	1	4	2	2	4	1	1	–
	White Male	11	1	–	1	–	1	–	–	–	–	–	–	–	1	2	1	1	1	1	1	–	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	3	1	1	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,647	44	17	4	8	8	9	11	17	15	23	29	54	79	109	130	170	249	263	226	141	37	4
	White Male	775	19	7	–	2	5	4	5	5	5	7	14	30	39	56	76	104	116	126	93	48	12	2
	Female	682	15	5	2	4	3	2	2	3	3	7	5	17	23	39	40	52	108	125	119	85	22	1
	All other Male	124	7	3	–	1	–	1	3	6	4	8	6	7	12	12	10	11	14	8	7	2	1	1
	Female	66	3	2	2	1	–	2	1	3	3	1	4	–	5	2	4	3	11	4	7	6	2	–
470–474	Influenza	30	1	–	–	–	1	–	–	–	–	–	–	1	–	1	4	4	2	2	6	7	1	–
	White Male	10	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	1	2	–	–
	Female	20	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	1	2	2	5	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,617	43	17	4	8	7	9	11	17	15	23	29	53	79	108	126	166	247	261	220	134	36	4
	White Male	765	18	7	–	2	5	4	5	5	5	7	14	29	39	55	75	101	116	126	92	46	12	2
	Female	662	15	5	2	4	2	2	2	3	3	7	5	17	23	39	37	51	106	123	114	80	21	1
	All other Male	124	7	3	–	1	–	1	3	6	4	8	6	7	12	12	10	11	14	8	7	2	1	1
	Female	66	3	2	2	1	–	2	1	3	3	1	4	–	5	2	4	3	11	4	7	6	2	–
490–493	Bronchitis, emphysema, and asthma	598	2	1	1	3	–	1	2	2	1	3	9	15	31	57	114	111	107	92	36	6	4	–
	White Male	385	1	–	1	–	–	–	–	1	–	2	1	7	12	34	89	64	80	62	26	4	1	–
	Female	174	–	1	–	1	–	–	1	–	1	1	4	7	14	17	22	41	23	27	10	1	3	–
	All other Male	27	–	–	–	2	–	–	–	–	–	–	2	1	5	5	2	6	2	2	–	–	–	–
	Female	12	1	–	–	–	–	1	1	1	–	–	2	–	–	1	1	–	2	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
490, 491	Chronic and unqualified bronchitis	122	1	1	–	–	–	–	–	1	–	–	–	1	11	12	13	30	20	19	9	3	1	–
	White Male	62	–	–	–	–	–	–	–	–	–	–	–	–	5	5	12	14	13	6	5	2	–	–
	Female	49	–	1	–	–	–	–	–	–	–	–	–	1	3	2	1	15	7	13	4	1	1	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	3	4	–	1	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	441	1	–	1	–	–	–	–	–	1	2	3	14	18	42	97	79	80	70	27	3	3	–
	White Male	316	1	–	1	–	–	–	–	–	–	1	–	7	7	29	76	50	64	56	21	2	1	–
	Female	105	–	–	–	–	–	–	–	–	1	1	2	6	9	12	18	24	12	12	6	–	2	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	5	2	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–
493	Asthma	35	–	–	–	3	–	1	2	1	–	1	6	–	2	3	4	2	7	3	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	3	–	–	–	–	–
	Female	20	–	–	–	1	–	–	1	–	–	–	2	–	2	3	3	2	4	2	–	–	–	–
	All other Male	3	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
531–533	Peptic ulcer	247	–	–	–	–	–	–	1	3	1	2	4	10	16	31	42	31	39	35	21	9	2	–
	White Male	140	–	–	–	–	–	–	1	2	1	–	3	7	9	18	28	17	23	18	9	3	1	–
	Female	84	–	–	–	–	–	–	–	–	–	2	1	1	6	4	8	12	15	17	12	5	1	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	2	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	1	–	4	2	–	1	–	–	1	–	–
540–543	Appendicitis	17	–	–	–	1	–	–	–	–	1	–	1	–	–	4	3	2	–	2	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	1	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	178	10	–	1	–	–	2	1	–	1	6	5	10	7	7	14	18	21	33	29	11	2	–
	White Male	62	3	–	–	–	–	–	1	–	–	3	2	5	1	1	8	7	6	14	7	4	–	–
	Female	93	5	–	–	–	–	1	–	–	1	1	2	1	5	5	5	10	12	16	20	7	2	–
	All other Male	14	2	–	–	–	–	1	–	–	–	1	–	3	1	–	–	1	2	1	2	–	–	–
	Female	9	–	–	1	–	–	–	–	–	–	1	1	1	–	1	1	–	1	2	–	–	–	–
571	Cirrhosis of liver	1,192	–	–	–	–	1	6	16	34	63	70	130	164	196	165	147	84	60	39	14	2	–	1
	White Male	663	–	–	–	–	–	3	9	14	30	25	70	86	112	111	86	50	32	25	8	2	–	–
	Female	341	–	–	–	–	–	–	2	3	11	23	28	47	58	40	51	32	27	13	5	–	–	1
	All other Male	113	–	–	–	–	–	1	4	6	15	15	21	19	15	10	5	–	–	1	1	–	–	–
	Female	75	–	–	–	–	1	2	1	11	7	7	11	12	11	4	5	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	92	–	–	–	–	–	–	1	–	–	1	–	3	4	7	11	18	11	19	15	2	–	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	2	1	4	6	9	5	4	3	1	–	–
	Female	55	–	–	–	–	–	–	1	–	–	1	–	1	3	2	5	9	5	15	12	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	311	2	1	1	–	3	6	4	9	3	5	13	14	18	14	37	57	41	42	23	15	3	–
	White Male	129	1	–	1	–	1	2	2	2	1	–	6	3	10	7	15	25	17	17	12	6	1	–
	Female	113	1	1	–	–	1	1	–	2	1	2	1	2	3	4	17	22	16	20	9	9	1	–
	All other Male	41	–	–	–	–	–	3	2	3	1	1	2	4	3	3	4	5	3	5	1	–	1	–
	Female	28	–	–	–	–	1	–	–	2	–	2	4	5	2	–	1	5	5	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	92	1	1	–	–	–	–	1	2	–	2	2	3	4	6	11	18	10	15	9	5	2	–
	White Male	44	1	–	–	–	–	–	1	1	–	–	1	1	2	4	6	11	3	7	3	2	1	–
	Female	32	–	1	–	–	–	–	–	–	–	1	–	–	1	2	3	3	7	6	5	3	–	–
	All other Male	14	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	4	–	2	1	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	219	1	–	1	–	3	6	3	7	3	3	11	11	14	8	26	39	31	27	14	10	1	–
	White Male	85	–	–	1	–	1	2	1	1	1	–	5	2	8	3	9	14	14	10	9	4	–	–
	Female	81	1	–	–	–	1	1	–	2	1	1	1	2	2	2	14	19	9	14	4	6	1	–
	All other Male	27	–	–	–	–	–	3	2	2	1	–	2	3	2	3	2	1	3	3	–	–	–	–
	Female	26	–	–	–	–	1	–	–	2	–	2	3	4	2	–	1	5	5	–	1	–	–	–
590	Infections of kidney	109	1	–	–	–	–	1	–	–	1	–	–	4	3	10	8	10	20	28	14	7	2	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	5	8	10	1	1	–	–
	Female	66	–	–	–	–	–	1	–	–	–	–	–	1	2	6	4	5	10	16	13	6	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	2	2	–	–	–	–
600	Hyperplasia of prostate	35	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	10	8	3	3	1	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	8	8	3	2	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	–	5	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	–	5	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	395	265	23	16	9	12	5	8	4	2	10	5	8	11	4	8	4	–	1	–	–	–	–
	White Male	176	113	10	6	1	6	4	6	2	2	5	4	4	4	2	3	4	–	–	–	–	–	–
	Female	140	92	9	4	5	4	1	2	1	–	4	1	4	6	2	4	–	–	1	–	–	–	–
	All other Male	42	30	3	3	2	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	37	30	1	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	724	723	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	269	268	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	209	209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	342	341	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	137	136	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	382	382	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	132	132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	722	131	13	1	4	23	67	64	41	31	40	33	44	34	22	30	30	32	27	26	20	8	1
	White Male	302	40	2	1	2	9	38	29	16	11	21	11	15	20	13	14	15	15	13	9	5	2	1
	Female	207	18	4	–	1	5	11	10	5	10	8	16	20	6	7	12	12	15	12	17	14	4	–
	All other Male	130	39	3	–	1	6	12	17	11	7	9	5	3	6	2	4	–	2	1	–	1	1	–
	Female	83	34	4	–	–	3	6	8	9	3	2	1	6	2	–	–	3	–	1	–	–	1	–
Residual	All other diseases	4,042	36	21	16	20	34	51	41	71	85	98	141	197	313	369	442	534	552	530	319	136	34	2
	White Male	1,890	14	9	5	9	15	23	12	29	23	32	59	87	154	185	240	307	251	239	133	51	13	–
	Female	1,611	11	8	9	5	10	9	12	20	19	28	42	71	107	153	153	171	266	259	164	76	18	–
	All other Male	320	5	1	2	3	5	13	11	11	32	22	19	22	37	19	27	33	16	20	12	7	2	1
	Female	221	6	3	–	3	4	6	6	11	11	16	21	17	15	12	22	23	19	12	10	2	1	1
E800–E949	Accidents	2,471	25	72	84	73	309	271	168	114	114	74	114	120	129	107	115	129	131	134	112	58	16	2
	White Male	1,378	12	28	33	32	222	200	104	70	69	46	63	65	76	59	46	80	61	59	36	10	5	2
	Female	733	3	19	30	27	57	38	30	22	23	10	26	32	34	32	47	40	65	69	72	46	11	–
	All other Male	266	6	16	13	10	23	21	28	18	19	15	23	16	13	11	19	6	3	4	1	1	–	–
	Female	94	4	9	8	4	7	12	6	4	3	3	2	7	6	5	3	3	2	2	3	1	–	–
E810–E823	Motor vehicle accidents	1,085	4	17	38	34	224	180	89	57	60	36	58	51	51	45	34	42	34	23	6	1	1	–
	White Male	698	2	10	19	15	165	137	56	33	37	23	37	30	28	24	17	29	18	14	3	–	1	–
	Female	269	–	4	12	14	48	31	18	14	17	5	9	10	17	18	14	10	16	9	2	1	–	–
	All other Male	89	1	2	4	4	8	7	14	9	6	6	11	7	3	2	3	2	–	–	–	–	–	–
	Female	29	1	1	3	1	3	5	1	1	–	2	1	4	3	1	–	1	–	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,386	21	55	46	39	85	91	79	57	54	38	56	69	78	62	81	87	97	111	106	57	15	2
	White Male	680	10	18	14	17	57	63	48	37	32	23	26	35	48	35	29	51	43	45	33	10	4	2
	Female	464	3	15	18	13	9	7	12	8	6	5	17	22	17	14	33	30	49	60	70	45	11	–
	All other Male	177	5	14	9	6	15	14	14	9	13	9	12	9	10	9	16	4	3	4	1	1	–	–
	Female	65	3	8	5	3	4	7	5	3	3	1	1	3	3	4	3	2	2	2	2	1	–	–
E950–E959	Suicide	603	...	...	–	4	35	73	65	51	44	31	50	59	47	34	39	26	23	11	8	2	–	1
	White Male	415	...	...	–	4	28	52	48	34	32	17	33	34	31	23	30	16	17	9	5	2	–	–
	Female	139	...	...	–	–	–	9	12	10	7	13	14	22	14	10	9	10	6	2	1	–	–	–
	All other Male	33	...	...	–	–	4	9	4	5	3	–	3	1	1	1	–	–	–	–	1	–	–	1
	Female	16	...	...	–	–	3	3	1	2	2	1	–	2	1	–	–	–	–	–	1	–	–	–
E960–E978	Homicide	401	5	11	11	7	37	57	48	55	45	27	25	21	13	12	5	12	6	2	1	–	–	1
	White Male	145	–	1	4	3	16	21	14	20	18	10	7	6	5	8	1	6	5	–	–	–	–	–
	Female	55	1	2	3	3	4	1	6	7	5	4	3	4	1	3	1	3	1	2	1	–	–	–
	All other Male	160	4	3	3	1	15	29	24	21	17	11	12	8	7	1	1	3	–	–	–	–	–	–
	Female	41	–	5	1	–	2	6	4	7	5	2	3	3	–	–	2	–	–	–	–	–	–	1
E980–E999	Other external causes	102	1	2	2	1	5	12	11	11	7	5	7	8	9	2	4	3	5	6	1	–	–	–
	White Male	64	1	–	–	1	2	7	7	10	2	4	6	8	4	1	3	3	2	3	–	–	–	–
	Female	19	–	2	–	–	2	2	2	1	–	1	–	–	3	1	–	–	2	2	1	–	–	–
	All other Male	15	–	–	1	–	1	3	2	–	4	–	1	–	1	–	1	–	–	1	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico																							
	All causes	**8,073**	**319**	**73**	**40**	**48**	**224**	**225**	**193**	**165**	**155**	**232**	**290**	**423**	**537**	**660**	**880**	**901**	**854**	**834**	**607**	**315**	**95**	**3**
	White Male	4,332	154	32	18	26	139	144	108	92	83	126	161	234	300	401	532	510	452	394	274	126	25	1
	Female	2,947	95	25	12	14	38	41	39	33	25	62	87	144	187	212	295	336	356	402	309	177	57	1
	All other Male	510	40	7	7	3	32	33	34	27	32	32	33	28	37	31	34	30	27	18	15	6	4	–
	Female	284	30	9	3	5	15	7	12	13	15	12	9	17	13	16	19	25	19	20	9	6	9	1
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	19	10	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	2	1	1	–
	White Male	7	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	1	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	All other Male	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	19	–	–	–	–	–	–	–	1	–	–	–	3	3	3	3	2	1	2	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	10	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	2	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	9	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	40	9	1	–	–	–	–	1	–	–	–	–	4	3	4	5	4	3	2	2	2	–	–
	White Male	17	3	–	–	–	–	–	–	–	–	–	–	2	2	1	4	2	–	1	2	–	–	–
	Female	17	5	1	–	–	–	–	–	–	–	–	–	1	1	3	–	1	3	1	–	1	–	–
	All other Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	21	2	1	2	1	1	1	–	1	2	1	1	1	2	2	1	–	1	–	1	–	–	–
	White Male	10	1	–	1	1	1	1	–	1	–	1	1	–	–	1	–	–	1	–	–	–	–	–
	Female	9	1	–	1	–	–	–	–	–	1	–	–	1	2	1	1	–	–	–	1	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,421	1	1	8	5	8	9	14	12	10	37	66	104	136	171	211	209	180	130	75	30	4	–
	White..... Male	717	1	1	7	2	5	4	10	4	5	10	20	45	66	99	108	121	90	73	31	14	1	–
	Female	627	–	–	–	3	3	4	4	6	2	23	42	53	60	65	94	77	80	53	42	15	1	–
	All other..... Male	40	–	–	1	–	–	–	–	1	1	3	3	2	6	4	5	5	7	1	–	–	1	–
	Female	37	–	–	–	–	–	1	–	1	2	1	1	4	4	3	4	6	3	3	2	1	1	–
140–149	Of buccal cavity and pharynx	32	–	–	–	–	–	–	–	–	–	2	2	1	6	5	6	2	1	4	1	2	–	–
	White..... Male	23	–	–	–	–	–	–	–	–	–	2	2	–	5	1	5	2	–	3	1	2	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	–	1	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	390	1	1	–	–	1	1	–	2	1	8	11	16	32	60	72	64	41	40	29	9	1	–
	White..... Male	179	1	1	–	–	–	–	–	1	1	1	6	8	15	32	30	30	18	22	8	5	–	–
	Female	184	–	–	–	–	1	1	–	1	–	6	2	6	15	24	38	30	22	15	19	4	–	–
	All other..... Male	14	–	–	–	–	–	–	–	–	–	–	2	–	2	1	4	3	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	1	–	2	2	–	1	–
160–163	Of respiratory system	301	–	–	–	–	1	–	–	1	–	4	17	28	37	47	46	51	37	21	7	3	1	–
	White..... Male	205	–	–	–	–	1	–	–	–	–	–	4	19	23	36	34	40	28	15	3	1	1	–
	Female	85	–	–	–	–	–	–	–	1	–	2	13	9	10	10	11	9	8	6	4	2	–	–
	All other..... Male	9	–	–	–	–	–	–	–	–	–	2	–	–	3	1	1	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
174	Of breast	112	–	–	–	–	–	–	1	1	3	8	11	11	10	16	19	10	6	9	4	3	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	105	–	–	–	–	–	–	1	1	2	8	10	11	9	16	17	9	6	8	4	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–	–	–	–	–
180–187	Of genital organs	167	–	–	1	–	–	2	2	1	–	5	2	7	14	12	31	30	26	21	9	3	1	–
	White..... Male	79	–	–	1	–	–	1	1	–	–	–	–	–	1	9	20	14	12	13	4	3	–	–
	Female	76	–	–	–	–	–	1	1	1	–	5	2	6	12	3	11	12	9	8	5	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	2	–	–	–	–	–
188, 189	Of urinary organs	61	–	–	–	–	–	–	–	–	–	1	3	10	8	2	5	11	14	4	2	1	–	–
	White..... Male	41	–	–	–	–	–	–	–	–	–	1	3	5	6	1	4	8	7	4	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	3	7	–	–	1	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	218	–	–	3	1	3	3	5	2	3	5	11	18	20	19	19	26	33	20	18	8	1	–
	White..... Male	119	–	–	3	–	1	2	4	2	2	4	2	11	10	15	7	16	18	9	10	3	–	–
	Female	89	–	–	–	1	2	1	1	–	–	1	8	7	9	2	10	10	14	10	8	4	1	–
	All other..... Male	6	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–
204–207	Leukemia	61	–	–	2	4	2	1	4	2	2	3	3	4	2	3	6	5	9	6	3	–	–	–
	White..... Male	30	–	–	1	2	2	–	4	1	1	1	1	1	1	2	3	3	3	3	1	–	–	–
	Female	25	–	–	–	2	–	–	–	–	–	1	2	3	1	1	3	2	5	3	2	–	–	–
	All other..... Male	4	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	79	–	–	2	–	1	2	2	3	1	1	6	9	7	7	7	10	13	5	2	1	–	–
	White..... Male	39	–	–	2	–	1	1	1	–	1	1	1	1	5	3	5	8	4	3	2	–	–	–
	Female	37	–	–	–	–	–	1	1	2	–	–	5	7	2	4	2	2	8	2	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	31	3	–	–	–	1	–	–	–	2	2	2	2	1	2	3	4	4	3	2	–	–	–
	White..... Male	14	2	–	–	–	–	–	–	–	1	–	1	1	1	–	1	3	2	1	1	–	–	–
	Female	14	1	–	–	–	–	–	–	–	1	2	–	1	–	1	2	1	2	2	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	138	–	–	–	1	–	1	2	2	–	4	4	6	15	18	19	25	13	17	8	2	–	1
	White..... Male	52	–	–	–	–	–	–	–	1	–	1	2	1	8	12	8	7	4	4	3	1	–	–
	Female	70	–	–	–	1	–	1	1	–	–	3	2	4	7	4	7	15	8	13	3	1	–	–
	All other..... Male	11	–	–	–	–	–	–	–	1	–	–	–	1	–	1	4	1	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1
260–269	Avitaminoses and other nutritional deficiencies	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	–	3	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–
	Female	5	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
280–285	Anemias	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	13	8	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	White Male	7	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	2,864	1	3	–	2	1	4	7	13	17	33	57	97	169	246	375	390	438	433	338	190	49	1
	White Male	1,499	–	2	–	1	–	–	4	7	12	21	39	76	101	157	244	206	229	182	142	63	13	–
	Female	1,230	1	1	–	1	–	3	2	4	3	8	12	17	59	76	115	161	185	238	187	120	36	1
	All other Male	80	–	–	–	–	1	–	1	2	1	3	4	3	6	8	8	14	14	6	5	4	–	–
	Female	55	–	–	–	–	–	1	–	–	1	1	2	1	3	5	8	9	10	7	4	3	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,006	1	1	–	2	–	1	4	9	13	25	45	74	139	195	292	273	281	284	213	124	29	1
	White Male	1,136	–	1	–	1	–	–	2	5	10	18	32	66	90	134	197	156	150	126	88	50	10	–
	Female	778	1	–	–	1	–	1	1	2	1	4	9	7	41	52	84	102	111	151	120	70	19	1
	All other Male	56	–	–	–	–	–	–	1	2	1	2	4	1	6	5	6	8	13	3	2	2	–	–
	Female	36	–	–	–	–	–	–	–	–	1	1	–	–	2	4	5	7	7	4	3	2	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	58	–	–	–	–	–	–	1	–	2	3	5	2	6	4	13	10	3	4	4	1	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	1	2	1	2	2	6	6	1	2	3	1	–	–
	Female	24	–	–	–	–	–	–	1	–	–	1	3	1	2	1	7	3	2	2	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	24	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	2	2	4	3	5	1	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	–	2	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	3	3	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,702	–	–	–	–	–	–	1	4	8	20	31	67	116	164	252	241	249	244	176	103	25	1
	White Male	982	–	–	–	–	–	–	1	3	8	16	24	61	77	118	172	137	133	111	71	43	7	–
	Female	652	–	–	–	–	–	–	–	–	–	3	3	5	34	39	70	91	99	129	101	59	18	1
	All other Male	42	–	–	–	–	–	–	–	1	–	–	4	1	3	4	6	7	11	3	2	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	6	6	1	2	1	–	–
410	Acute myocardial infarction	824	–	–	–	–	–	–	1	2	4	10	20	47	66	92	144	129	108	102	60	35	3	1
	White Male	522	–	–	–	–	–	–	1	1	4	7	16	43	42	66	104	73	63	56	28	17	1	–
	Female	272	–	–	–	–	–	–	–	–	–	3	2	4	21	22	37	51	38	44	30	17	2	1
	All other Male	23	–	–	–	–	–	–	–	1	–	–	2	–	2	3	3	4	5	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
412	Chronic ischemic heart disease	874	–	–	–	–	–	–	–	2	4	10	11	20	50	72	108	109	140	142	116	68	22	–
	White Male	457	–	–	–	–	–	–	–	2	4	9	8	18	35	52	68	62	69	55	43	26	6	–
	Female	380	–	–	–	–	–	–	–	–	–	–	1	1	13	17	33	40	61	85	71	42	16	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	3	6	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	4	4	1	1	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	10	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	2	–	3	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
420–423, 425–427, 429	All other forms of heart disease	204	1	1	–	2	–	1	2	5	2	1	8	3	14	25	24	18	25	27	27	15	3	–
	White Male	106	–	1	–	1	–	–	1	2	2	1	6	3	8	13	17	10	14	8	13	4	2	–
	Female	83	1	–	–	1	–	1	–	2	–	–	2	–	5	11	6	7	9	16	13	8	1	–
	All other Male	7	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	1	–	–	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	–	–
400, 401, 403	Hypertension	46	–	–	–	–	–	–	–	–	–	–	2	5	5	2	9	7	10	2	3	–	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	1	6	–	2	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	3	1	6	6	4	2	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	630	–	2	–	–	1	2	3	4	3	8	7	11	17	36	59	80	112	119	103	48	15	–
	White Male	256	–	1	–	–	–	–	2	2	2	3	5	6	5	13	34	33	49	42	47	9	3	–
	Female	337	–	1	–	–	–	1	1	2	1	4	1	3	11	19	22	40	59	71	52	37	12	–
	All other Male	21	–	–	–	–	1	–	–	–	–	1	–	1	–	3	1	5	1	3	3	2	–	–
	Female	16	–	–	–	–	–	1	–	–	–	–	1	1	1	1	2	2	3	3	1	–	–	–
431	Cerebral hemorrhage	70	–	–	–	–	–	1	1	2	–	1	3	4	4	7	10	11	10	8	5	3	–	–
	White Male	32	–	–	–	–	–	–	1	1	–	1	1	3	–	1	5	5	8	3	1	2	–	–
	Female	29	–	–	–	–	–	1	–	1	–	–	1	–	4	4	4	5	1	4	4	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
433	Cerebral thrombosis	94	–	–	–	–	–	–	–	–	–	1	–	–	2	9	12	9	16	17	19	4	5	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	6	5	5	12	–	2	–
	Female	50	–	–	–	–	–	–	–	–	–	1	–	–	1	7	6	2	9	10	7	4	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	464	–	2	–	–	1	1	2	2	3	5	4	7	11	20	37	60	85	94	79	41	10	–
	White Male	184	–	1	–	–	–	–	1	1	2	1	4	3	4	10	23	22	36	34	34	7	1	–
	Female	257	–	1	–	–	–	–	1	1	1	3	–	3	6	8	12	33	48	57	41	33	9	–
	All other Male	14	–	–	–	–	1	–	–	–	–	1	–	1	–	1	1	4	–	1	3	1	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	1	2	1	–	–	–
440	Arteriosclerosis	93	–	–	–	–	–	–	–	–	–	–	–	3	2	2	9	13	16	18	14	13	3	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	7	11	9	2	3	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	6	5	9	12	10	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	89	–	–	–	–	–	1	–	–	1	–	3	4	6	11	6	17	19	10	5	5	1	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	1	1	3	7	5	9	13	5	3	1	–	–
	Female	38	–	–	–	–	–	1	–	–	1	–	2	3	3	4	–	7	6	5	2	3	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	5	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	238	12	4	1	1	–	1	–	1	2	2	8	7	6	15	17	25	25	42	41	22	6	–
	White Male	121	5	2	1	–	–	–	–	1	–	1	3	1	3	9	8	13	15	22	24	11	2	–
	Female	88	1	1	–	–	–	1	–	–	1	–	2	5	1	4	7	12	9	17	15	11	1	–
	All other Male	17	4	–	–	–	–	–	–	–	1	1	2	–	1	2	2	–	1	1	2	–	–	–
	Female	12	2	1	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	2	–	–	3	–
470–474	Influenza	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	235	12	4	1	1	–	1	–	–	2	2	8	7	6	15	16	25	25	41	41	22	6	–
	White Male	119	5	2	1	–	–	–	–	–	–	1	3	1	3	9	8	13	15	21	24	11	2	–
	Female	87	1	1	–	–	–	1	–	–	1	–	2	5	1	4	6	12	9	17	15	11	1	–
	All other Male	17	4	–	–	–	–	–	–	–	1	1	2	–	1	2	2	–	1	1	2	–	–	–
	Female	12	2	1	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	2	–	–	3	–
490–493	Bronchitis, emphysema, and asthma	127	–	1	–	–	–	–	–	1	–	2	2	2	10	11	30	28	20	9	7	3	1	–
	White Male	100	–	1	–	–	–	–	–	1	–	1	2	2	8	8	19	26	16	8	4	3	1	–
	Female	25	–	–	–	–	–	–	–	–	–	1	–	–	2	3	10	2	3	1	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico — Con.																							
490, 491	Chronic and unqualified bronchitis	21	–	1	–	–	–	–	–	–	–	–	1	–	3	2	4	3	3	1	2	1	–	–
	White Male	17	–	1	–	–	–	–	–	–	–	–	1	–	3	2	2	3	3	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	94	–	–	–	–	–	–	–	1	–	2	1	1	7	7	23	21	16	7	5	2	1	–
	White Male	75	–	–	–	–	–	–	–	1	–	1	1	1	5	5	16	19	13	6	4	2	1	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	–	2	2	7	2	2	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	12	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	1	1	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	20	–	–	–	–	–	–	1	–	–	2	1	–	2	2	3	1	3	3	2	–	–	–
	White Male	13	–	–	–	–	–	–	1	–	–	2	1	–	1	2	1	1	2	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	1	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	30	1	1	–	–	–	–	–	–	–	1	–	1	1	–	3	5	5	5	6	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	3	1	–	–	–
	Female	16	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	4	1	1	5	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
571	Cirrhosis of liver	171	–	–	–	–	–	–	5	11	14	21	21	23	26	16	11	10	4	7	2	–	–	–
	White Male	96	–	–	–	–	–	–	1	5	6	11	13	13	13	10	10	7	2	3	2	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	2	3	7	8	6	1	3	2	4	–	–	–	–
	All other Male	23	–	–	–	–	–	–	2	3	6	5	2	1	4	–	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	2	3	2	3	3	2	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	20	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	1	3	6	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	1	–	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	47	–	–	–	–	–	–	–	–	–	1	2	–	6	7	3	5	8	6	6	1	2	–
	White Male	21	–	–	–	–	–	–	–	–	–	1	1	–	1	4	–	2	5	2	2	1	2	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	2	3	3	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	2	–	2	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	36	–	–	–	–	–	–	–	–	–	1	2	–	5	5	3	4	6	5	4	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	1	3	2	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	2	2	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	3	4	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	79	52	7	4	1	2	2	3	1	1	–	2	1	–	–	1	1	1	–	–	–	–	–
	White Male	33	20	4	1	1	2	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	29	18	2	2	–	–	1	1	–	1	–	1	1	–	–	–	1	1	–	–	–	–	–
	All other Male	10	8	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	155	154	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	80	79	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	75	74	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	40	39	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	445	37	1	1	–	4	5	1	7	3	9	10	27	29	44	50	50	44	51	30	18	24	–
	White Male	236	22	–	–	–	2	2	1	1	–	6	6	17	19	26	34	29	23	21	14	9	4	–
	Female	140	9	1	–	–	1	1	–	1	–	2	2	7	7	11	11	12	18	22	12	7	16	–
	All other Male	49	2	–	1	–	–	2	–	4	3	1	2	3	2	7	3	6	2	5	3	1	2	–
	Female	20	4	–	–	–	1	–	–	1	–	–	–	–	1	–	2	3	1	3	1	1	2	–
Residual	All other diseases	822	15	8	5	5	11	9	25	18	28	35	42	63	63	65	91	96	71	85	55	27	5	–
	White Male	453	9	4	2	4	4	5	10	8	13	18	25	28	35	36	55	61	43	52	30	11	–	–
	Female	266	5	3	–	–	3	1	8	–	6	6	12	28	18	24	30	28	26	30	22	15	1	–
	All other Male	71	–	1	2	–	1	3	5	7	7	9	4	5	10	4	4	2	1	1	3	1	1	–
	Female	32	1	–	1	1	3	–	2	3	2	2	1	2	–	1	2	5	1	2	–	–	3	–
E800–E949	Accidents	912	6	38	18	30	151	122	91	56	46	44	51	57	40	35	32	27	20	21	15	9	2	1
	White Male	555	2	16	6	15	98	82	53	34	26	30	34	38	24	23	22	15	13	9	8	5	1	1
	Female	193	4	13	9	9	23	16	15	11	6	8	7	8	11	6	7	11	7	10	7	4	1	–
	All other Male	116	–	4	1	3	22	20	19	8	8	4	9	7	3	3	3	1	–	1	–	–	–	–
	Female	48	–	5	2	3	8	4	4	3	6	2	1	4	2	3	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	563	1	20	12	13	121	102	59	38	33	23	30	33	26	14	13	15	5	3	1	–	–	1
	White Male	339	–	7	3	4	79	71	31	21	18	15	18	20	15	12	8	9	3	3	1	–	–	1
	Female	110	1	7	8	6	19	13	11	9	4	4	4	6	7	1	2	6	2	–	–	–	–	–
	All other Male	78	–	2	–	1	15	14	13	6	6	3	7	5	2	1	3	–	–	–	–	–	–	–
	Female	36	–	4	1	2	8	4	4	2	5	1	1	2	2	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	349	5	18	6	17	30	20	32	18	13	21	21	24	14	21	19	12	15	18	14	9	2	–
	White Male	216	2	9	3	11	19	11	22	13	8	15	16	18	9	11	14	6	10	6	7	5	1	–
	Female	83	3	6	1	3	4	3	4	2	2	4	3	2	4	5	5	5	5	10	7	4	1	–
	All other Male	38	–	2	1	2	7	6	6	2	2	1	2	2	1	2	–	1	–	1	–	–	–	–
	Female	12	–	1	1	1	–	–	–	1	1	1	–	2	–	3	–	–	–	1	–	–	–	–
E950–E959	Suicide	226	...	...	–	1	29	45	21	24	15	19	8	9	18	11	9	7	2	4	3	1	–	–
	White Male	160	...	...	–	1	20	33	16	18	8	9	6	5	14	7	7	6	2	4	3	1	–	–
	Female	37	...	...	–	–	4	7	2	4	2	5	1	3	4	2	2	1	–	–	–	–	–	–
	All other Male	25	...	...	–	–	4	5	3	1	5	3	1	1	–	2	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	129	3	3	1	–	13	20	21	13	12	16	10	8	4	2	1	1	–	1	–	–	–	–
	White Male	75	1	–	–	–	6	12	11	9	10	11	6	3	3	1	–	1	–	1	–	–	–	–
	Female	25	1	1	–	–	2	5	6	4	1	1	–	3	–	1	–	–	–	–	–	–	–	–
	All other Male	20	–	1	1	–	4	2	2	–	–	3	4	1	1	–	1	–	–	–	–	–	–	–
	Female	9	1	1	–	–	1	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	29	–	–	–	1	1	5	1	4	2	2	–	2	2	3	2	–	1	1	1	–	1	–
	White Male	16	–	–	–	1	1	3	–	1	2	2	–	–	–	2	1	–	1	1	–	–	1	–
	Female	7	–	–	–	–	–	1	–	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York																							
	All causes	**168,739**	**3,466**	**571**	**403**	**494**	**1,346**	**1,829**	**1,872**	**1,844**	**2,121**	**2,950**	**4,946**	**7,683**	**10,934**	**14,789**	**18,319**	**21,135**	**23,167**	**23,012**	**17,053**	**8,165**	**2,565**	**75**
	White ..... Male	78,550	1,312	245	175	247	796	1,079	916	864	872	1,289	2,368	3,904	5,662	7,995	9,834	10,902	10,837	9,677	6,253	2,619	658	46
	Female	71,393	957	171	124	149	310	336	362	409	556	791	1,462	2,293	3,489	4,921	6,612	8,415	10,735	12,203	10,111	5,206	1,755	26
	All other ..... Male	10,481	679	86	67	70	160	288	401	403	451	535	691	866	1,021	1,061	1,025	930	787	540	264	107	48	1
	Female	8,315	518	69	37	28	80	126	193	168	242	335	425	620	762	812	848	888	808	592	425	233	104	2
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	127	41	9	–	–	2	1	–	–	1	3	3	1	4	8	3	10	9	13	14	5	–	–
	White ..... Male	44	14	3	–	–	1	1	–	–	–	2	1	1	3	3	–	4	3	2	5	1	–	–
	Female	62	11	6	–	–	1	–	–	–	–	1	1	–	1	5	2	6	6	9	9	4	–	–
	All other ..... Male	9	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	12	8	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–
010–019	Tuberculosis, all forms	270	–	1	1	1	1	–	1	10	8	7	9	21	32	31	36	33	28	25	14	10	1	–
	White ..... Male	106	–	1	–	–	1	–	–	–	1	1	–	5	13	13	14	21	12	15	6	3	–	–
	Female	61	–	–	–	1	–	–	–	–	4	–	2	5	4	3	8	5	11	7	4	6	1	–
	All other ..... Male	75	–	–	1	–	–	–	1	10	2	3	5	7	9	9	11	6	5	1	4	1	–	–
	Female	28	–	–	–	–	–	–	–	–	1	3	2	4	6	6	3	1	–	2	–	–	–	–
010–012	Tuberculosis of respiratory system	225	–	–	1	1	1	–	1	6	7	6	8	16	30	26	32	27	21	19	13	9	1	–
	White ..... Male	89	–	–	–	–	1	–	–	–	1	1	–	5	12	9	13	17	10	12	6	2	–	–
	Female	51	–	–	–	1	–	–	–	–	3	–	2	4	4	2	7	4	7	6	4	6	1	–
	All other ..... Male	62	–	–	1	–	–	–	1	6	2	3	5	5	8	9	9	5	4	–	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	1	2	1	2	6	6	3	1	–	1	–	–	–	–
013–019	Tuberculosis, other forms	45	–	1	–	–	–	–	–	4	1	1	1	5	2	5	4	6	7	6	1	1	–	–
	White ..... Male	17	–	1	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	3	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	4	1	–	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	4	–	–	–	2	1	–	2	1	1	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	24	6	4	1	–	2	–	1	–	1	–	1	1	3	1	–	1	2	–	–	–	–	–
	White ..... Male	9	4	1	–	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	10	1	2	1	–	1	–	1	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
038	Septicemia	527	59	1	1	–	–	3	4	6	5	11	3	22	26	40	46	59	78	63	59	36	5	–
	White ..... Male	228	23	–	–	–	–	2	2	2	1	1	1	6	13	19	15	29	38	33	25	16	2	–
	Female	198	10	–	1	–	–	1	1	3	4	3	1	9	8	11	21	23	29	25	29	17	2	–
	All other ..... Male	60	16	1	–	–	–	–	–	–	–	5	1	5	2	7	4	4	5	3	3	3	1	–
	Female	41	10	–	–	–	–	–	1	1	–	2	–	2	3	3	6	3	6	2	2	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	327	11	7	11	3	6	5	11	11	8	21	13	24	22	22	32	35	27	28	22	5	3	–
	White ..... Male	129	5	2	4	1	3	2	5	4	3	6	4	7	11	10	12	13	10	13	12	1	1	–
	Female	131	3	4	5	2	2	2	1	2	2	5	7	11	5	6	13	20	13	12	10	4	2	–
	All other ..... Male	30	2	–	2	–	1	–	1	3	1	4	1	4	2	1	3	1	3	1	–	–	–	–
	Female	37	1	1	–	–	–	1	4	2	2	6	1	2	4	5	4	1	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	36,482	3	43	66	67	106	125	165	250	377	696	1,469	2,460	3,655	4,678	5,407	5,327	4,832	3,867	2,036	691	152	10
	White ..... Male	16,947	2	21	33	33	58	64	75	101	122	240	552	1,001	1,567	2,241	2,746	2,685	2,421	1,775	872	278	55	5
	Female	15,846	1	12	26	21	30	46	67	111	195	308	652	1,055	1,588	1,891	2,166	2,200	2,076	1,858	1,079	379	80	5
	All other ..... Male	2,043	–	6	2	9	7	8	11	21	22	76	138	205	276	319	288	248	201	139	43	15	9	–
	Female	1,646	–	4	5	4	11	7	12	17	38	72	127	199	224	227	207	194	134	95	42	19	8	–
140–149	Of buccal cavity and pharynx	835	–	–	–	1	–	2	–	5	7	21	70	86	105	145	126	91	78	63	22	10	2	1
	White ..... Male	476	–	–	–	1	–	1	–	1	4	12	32	43	53	78	84	61	48	38	15	5	–	–
	Female	217	–	–	–	–	–	1	–	2	–	1	11	20	30	40	30	22	23	24	7	4	1	1
	All other ..... Male	113	–	–	–	–	–	–	–	1	3	6	23	19	16	23	10	5	6	1	–	–	–	–
	Female	29	–	–	–	–	–	–	–	1	–	2	4	4	6	4	2	3	1	–	–	1	1	–
150–159	Of digestive organs and peritoneum	10,884	–	3	1	1	2	6	24	28	54	141	269	525	936	1,311	1,637	1,685	1,644	1,429	842	290	55	1
	White ..... Male	4,982	–	1	–	–	1	1	9	11	27	58	120	253	436	675	815	794	742	566	342	109	21	1
	Female	4,775	–	2	1	–	1	3	8	9	17	49	96	176	352	448	659	731	781	772	472	169	29	–
	All other ..... Male	655	–	–	–	1	–	1	7	6	7	22	34	49	94	118	86	88	74	49	11	5	3	–
	Female	472	–	–	–	–	–	1	–	2	3	12	19	47	54	70	77	72	47	42	17	7	2	–
160–163	Of respiratory system	8,447	–	–	–	–	2	2	11	24	46	168	388	704	1,022	1,348	1,465	1,321	1,042	589	234	65	14	2
	White ..... Male	5,517	–	–	–	–	1	2	2	11	23	79	208	386	607	846	1,010	948	783	415	153	37	4	2
	Female	2,048	–	–	–	–	–	–	6	7	16	49	113	170	259	355	331	285	207	146	70	26	8	–
	All other ..... Male	667	–	–	–	–	1	–	1	5	4	30	43	102	118	117	101	69	41	24	7	2	2	–
	Female	215	–	–	–	–	–	–	2	1	3	10	24	46	38	30	23	19	11	4	4	–	–	–
174	Of breast	3,676	–	–	–	–	–	1	3	47	88	113	266	411	492	440	463	453	363	283	178	54	19	2
	White ..... Male	33	–	–	–	–	–	1	–	–	–	–	–	6	3	7	3	4	3	3	2	–	1	–
	Female	3,336	–	–	–	–	–	–	3	41	75	95	227	355	444	391	433	419	346	270	167	50	18	2
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	305	–	–	–	–	–	–	–	6	13	18	39	49	45	42	27	30	14	9	9	4	–	–
180–187	Of genital organs	3,862	–	1	–	2	7	14	17	26	39	51	130	203	316	419	527	567	617	533	260	99	33	1
	White ..... Male	1,551	–	1	–	–	5	7	9	6	1	1	8	18	49	104	207	258	323	310	170	57	17	–
	Female	1,822	–	–	–	–	1	5	4	16	25	36	93	156	218	250	259	236	227	171	80	35	9	1
	All other ..... Male	209	–	–	–	1	–	–	–	1	1	2	1	2	8	22	35	41	44	35	8	5	3	–
	Female	280	–	–	–	1	1	2	4	3	12	12	28	27	41	43	26	32	23	17	2	2	4	–
188, 189	Of urinary organs	1,719	1	2	2	3	2	1	6	3	5	19	37	111	114	191	234	260	265	257	139	57	9	1
	White ..... Male	1,065	1	1	1	1	1	–	4	2	2	12	27	71	78	118	155	167	170	160	66	25	3	–
	Female	545	–	1	1	1	–	–	1	1	3	6	5	24	31	66	62	77	78	88	64	31	4	1
	All other ..... Male	66	–	–	–	–	–	1	–	–	–	–	5	13	3	5	10	6	11	4	7	–	1	–
	Female	43	–	–	–	1	1	–	1	–	–	1	–	3	2	2	7	10	6	5	2	1	1	–
170–173, 190–199	Of all other and unspecified sites	3,778	1	22	20	21	46	36	35	59	74	107	179	240	396	458	522	507	445	365	171	62	12	–
	White ..... Male	1,774	1	13	10	5	26	19	17	38	33	48	86	127	196	242	252	238	193	149	47	27	7	–
	Female	1,663	–	5	8	13	14	13	16	16	32	41	64	91	158	177	216	230	222	191	117	34	5	–
	All other ..... Male	187	–	2	–	3	3	3	1	4	3	6	23	13	19	23	29	26	13	11	4	1	–	–
	Female	154	–	2	2	–	3	1	1	1	6	12	6	9	23	16	25	13	17	14	3	–	–	–
204–207	Leukemia	1,341	–	11	37	30	27	41	28	29	27	30	57	69	83	119	150	160	162	147	100	25	7	2
	White ..... Male	673	–	3	17	20	12	21	14	12	15	10	33	39	47	59	90	84	76	66	40	11	2	2
	Female	561	–	3	16	6	9	16	12	13	10	16	18	22	29	47	53	65	75	75	57	14	5	–
	All other ..... Male	57	–	3	2	3	2	3	–	3	1	3	3	2	4	4	5	6	7	4	2	–	–	–
	Female	50	–	2	2	1	4	1	2	1	1	1	3	6	3	9	2	5	4	2	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,940	1	4	6	9	20	22	41	29	37	46	73	111	191	247	283	283	216	201	90	29	1	–
	White ..... Male	876	–	2	5	6	12	12	20	20	17	20	38	58	98	112	130	131	83	68	37	7	–	–
	Female	879	1	1	–	1	5	8	17	6	17	15	25	41	67	117	123	135	117	121	45	16	1	–
	All other ..... Male	87	–	1	–	1	1	–	2	1	3	7	6	4	14	7	12	7	5	10	4	2	–	–
	Female	98	–	–	1	1	2	2	2	2	–	4	4	8	12	11	18	10	11	2	4	4	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	548	8	3	3	7	7	8	11	6	10	19	24	25	41	59	71	80	75	60	21	7	2	1
	White ..... Male	245	3	2	1	2	2	5	8	6	1	5	9	11	20	30	33	36	30	30	9	2	–	–
	Female	234	3	1	1	2	4	1	1	–	3	9	9	11	15	23	29	38	38	29	10	5	1	1
	All other ..... Male	29	2	–	1	1	–	–	1	–	2	3	2	1	2	1	5	4	2	–	1	–	1	–
	Female	40	–	–	–	2	1	2	1	–	4	2	4	2	4	5	4	2	5	1	1	–	–	–
250	Diabetes mellitus	3,220	2	2	2	4	4	10	19	21	50	61	85	156	208	318	381	482	478	498	300	120	18	1
	White ..... Male	1,206	1	1	1	1	1	5	8	10	14	20	38	68	98	135	155	186	180	171	76	33	4	–
	Female	1,518	–	–	–	2	2	3	5	6	14	21	25	38	60	120	169	234	241	286	200	78	13	1
	All other ..... Male	218	1	1	–	1	–	–	4	4	12	12	13	22	20	36	22	26	23	11	9	1	–	–
	Female	278	–	–	1	–	1	2	2	1	10	8	9	28	30	27	35	36	34	30	15	8	1	–
260–269	Avitaminoses and other nutritional deficiencies	153	1	4	1	2	–	–	–	1	1	2	1	5	9	10	7	18	26	22	19	11	13	–
	White ..... Male	54	–	1	–	2	–	–	–	1	–	–	–	2	4	6	–	10	10	7	7	2	2	–
	Female	83	–	–	–	–	–	–	–	–	1	2	1	3	5	2	6	4	15	15	12	7	10	–
	All other ..... Male	10	1	3	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
280–285	Anemias	238	1	8	2	1	7	11	10	3	2	4	5	7	8	14	18	19	36	41	25	12	4	–
	White Male	87	–	2	2	–	3	4	2	2	–	1	–	2	4	6	9	10	14	13	7	5	1	–
	Female	109	1	1	–	1	3	2	2	1	–	–	2	3	3	8	5	7	18	28	17	6	1	–
	All other Male	19	–	4	–	–	1	1	5	–	1	1	–	2	–	–	3	1	–	–	–	–	–	–
	Female	23	–	1	–	–	–	4	1	–	1	2	3	–	1	–	1	1	4	–	1	1	2	–
320	Meningitis	130	24	11	1	5	1	7	1	1	4	3	6	4	7	13	8	11	9	5	6	2	1	–
	White Male	49	8	3	1	1	1	2	–	1	3	1	1	2	2	8	1	5	4	1	4	–	–	–
	Female	45	7	4	–	3	–	4	–	–	–	–	4	–	2	4	2	4	4	4	1	1	1	–
	All other Male	20	6	2	–	–	–	1	–	–	1	1	–	2	3	–	1	1	1	–	–	1	–	–
	Female	16	3	2	–	1	–	–	1	–	–	1	1	–	–	1	4	1	–	–	1	–	–	–
390–448	Major cardiovascular diseases	87,635	62	27	8	23	49	83	126	221	392	773	1,675	2,964	4,698	6,895	9,224	11,628	13,999	14,832	11,925	6,014	1,984	33
	White Male	40,588	31	14	3	8	22	34	50	110	192	437	1,028	1,847	2,857	4,114	5,206	6,047	6,241	5,893	4,093	1,856	486	19
	Female	40,015	16	9	2	11	19	21	30	51	79	142	309	619	1,119	1,960	3,134	4,627	6,866	8,287	7,375	3,935	1,391	13
	All other Male	3,454	5	1	1	2	4	15	19	39	80	110	203	286	406	447	470	448	403	274	151	63	27	–
	Female	3,578	10	3	2	2	4	13	27	21	41	84	135	212	316	374	414	506	489	378	306	160	80	1
390–398, 402, 404, 410–429	Diseases of heart	70,212	52	22	3	14	33	49	79	157	281	647	1,424	2,540	4,058	5,913	7,749	9,443	11,141	11,441	9,069	4,578	1,492	27
	White Male	33,816	26	10	1	4	16	18	38	92	161	397	936	1,667	2,577	3,639	4,481	5,036	5,064	4,608	3,186	1,464	377	18
	Female	30,958	13	8	–	7	12	12	15	30	39	110	221	493	911	1,608	2,545	3,695	5,379	6,359	5,539	2,933	1,021	8
	All other Male	2,768	5	1	1	1	3	11	12	26	62	83	170	229	334	365	388	343	321	212	125	52	24	–
	Female	2,670	8	3	1	2	2	8	14	9	19	57	97	151	236	301	335	369	377	262	219	129	70	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,221	–	–	1	4	4	8	19	8	18	31	49	99	121	162	204	195	151	88	41	14	4	–
	White Male	454	–	–	–	–	1	2	7	3	8	17	25	48	53	66	72	67	47	22	11	5	–	–
	Female	681	–	–	–	3	–	1	5	4	7	11	20	42	58	84	124	120	99	63	27	9	4	–
	All other Male	36	–	–	1	1	1	2	1	1	2	–	2	5	4	6	4	2	2	–	2	–	–	–
	Female	50	–	–	–	–	2	3	6	–	1	3	2	4	6	6	4	6	3	3	1	–	–	–
402	Hypertensive heart disease	535	–	–	–	–	–	1	2	2	7	3	11	23	34	49	79	61	73	101	58	28	2	1
	White Male	165	–	–	–	–	–	1	–	–	2	1	4	7	12	22	33	22	17	28	10	4	1	1
	Female	270	–	–	–	–	–	–	1	–	1	1	1	10	11	14	22	33	47	63	42	23	1	–
	All other Male	43	–	–	–	–	–	–	1	1	3	1	3	3	9	6	4	1	2	6	3	–	–	–
	Female	57	–	–	–	–	–	–	–	1	1	–	3	3	2	7	20	5	7	4	3	1	–	–
404	Hypertensive heart and renal disease	164	–	–	–	–	–	–	–	–	–	–	4	5	3	8	16	20	26	32	29	16	5	–
	White Male	60	–	–	–	–	–	–	–	–	–	–	–	2	1	5	4	10	11	10	7	8	2	–
	Female	88	–	–	–	–	–	–	–	–	–	–	1	–	–	3	9	9	14	22	20	7	3	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	3	1	–	3	1	–	–	2	–	–	–
410–413	Ischemic heart disease	65,004	3	–	–	2	–	12	24	96	215	541	1,263	2,270	3,698	5,399	7,095	8,777	10,443	10,786	8,571	4,354	1,430	25
	White Male	31,576	1	–	–	1	–	5	13	67	134	345	855	1,542	2,392	3,384	4,178	4,747	4,789	4,354	3,007	1,391	354	17
	Female	28,596	2	–	–	1	–	1	2	9	22	78	186	393	786	1,426	2,264	3,379	5,014	5,999	5,250	2,791	986	7
	All other Male	2,464	–	–	–	–	–	4	6	15	45	71	141	201	305	322	362	319	297	194	112	47	23	–
	Female	2,368	–	–	–	–	–	2	3	5	14	47	81	134	215	267	291	332	343	239	202	125	67	1
410	Acute myocardial infarction	27,421	1	–	–	–	–	6	14	39	113	268	660	1,196	1,932	2,831	3,579	4,213	4,463	3,952	2,671	1,155	313	15
	White Male	14,752	1	–	–	–	–	4	9	27	83	194	475	890	1,339	1,865	2,209	2,398	2,077	1,706	991	383	92	9
	Female	10,998	–	–	–	–	–	–	2	7	12	35	94	200	409	752	1,149	1,577	2,147	2,107	1,582	715	205	5
	All other Male	843	–	–	–	–	–	2	1	3	17	24	60	55	106	110	114	117	116	64	35	13	6	–
	Female	828	–	–	–	–	–	–	2	2	1	15	31	51	78	104	107	121	123	75	63	44	10	1
411	Other acute and subacute forms of ischemic heart disease	267	1	–	–	1	–	–	–	–	–	2	10	10	19	35	39	33	35	34	24	20	4	–
	White Male	147	–	–	–	–	–	–	–	–	–	2	9	6	14	25	19	23	16	18	9	6	–	–
	Female	109	1	–	–	1	–	–	–	–	–	–	1	2	5	9	18	8	17	15	14	14	4	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–	1	–	–	–
412	Chronic ischemic heart disease	37,307	1	–	–	1	–	6	10	57	102	271	593	1,063	1,747	2,531	3,476	4,530	5,944	6,798	5,875	3,179	1,113	10
	White Male	16,670	–	–	–	1	–	1	4	40	51	149	371	645	1,039	1,492	1,949	2,325	2,695	2,629	2,007	1,002	262	8
	Female	17,487	1	–	–	–	–	1	–	2	10	43	91	191	372	665	1,097	1,794	2,850	3,876	3,653	2,062	777	2
	All other Male	1,616	–	–	–	–	–	2	5	12	28	47	81	146	199	212	246	201	180	129	77	34	17	–
	Female	1,534	–	–	–	–	–	2	1	3	13	32	50	81	137	162	184	210	219	164	138	81	57	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	2	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	231	4	2	–	1	2	1	3	6	5	7	6	10	15	22	29	22	34	27	20	12	3	–
	White Male	116	3	2	–	–	–	1	1	4	3	3	5	7	11	11	15	13	12	11	9	4	1	–
	Female	94	–	–	–	1	2	–	1	2	1	2	–	2	4	6	11	7	20	16	10	7	2	–
	All other Male	10	–	–	–	–	–	–	1	–	–	2	1	1	–	3	1	1	–	–	–	–	–	–
	Female	11	1	–	–	–	–	–	–	–	1	–	–	–	–	2	2	1	2	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York — Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,057	45	20	2	7	27	27	31	45	36	65	91	133	187	273	326	368	414	407	350	154	48	1
	White ..... Male	1,445	22	8	1	3	15	9	17	18	14	31	47	61	108	151	179	177	188	183	142	52	19	–
	Female	1,229	11	8	–	2	10	10	6	15	8	18	13	46	52	75	115	147	185	196	190	96	25	1
	All other ..... Male	211	5	1	–	–	2	5	3	9	12	9	22	19	15	28	17	20	19	12	8	4	1	–
	Female	172	7	3	1	2	–	3	5	3	2	7	9	7	12	19	15	24	22	16	10	2	3	–
400, 401, 403	Hypertension	452	–	–	–	–	–	1	3	4	7	8	12	10	18	28	34	60	57	79	99	27	5	–
	White ..... Male	183	–	–	–	–	–	–	1	–	3	2	2	3	8	12	16	19	22	42	41	11	1	–
	Female	211	–	–	–	–	–	–	1	1	1	2	3	3	3	11	13	34	29	34	56	16	4	–
	All other ..... Male	24	–	–	–	–	–	1	–	–	2	2	4	2	4	2	2	2	1	2	–	–	–	–
	Female	34	–	–	–	–	–	–	1	3	1	2	3	2	3	3	3	5	5	1	2	–	–	–
430–438	Cerebrovascular diseases	12,931	9	5	5	6	12	27	36	51	90	102	192	342	488	710	1,076	1,631	2,171	2,555	2,092	996	331	4
	White ..... Male	4,716	4	4	2	1	2	13	10	14	19	31	69	135	188	313	491	715	828	920	626	258	73	–
	Female	6,948	3	1	2	4	7	7	10	18	37	24	69	108	174	279	460	718	1,182	1,500	1,387	709	245	4
	All other ..... Male	532	–	–	–	1	1	2	6	11	14	24	27	46	59	57	63	81	69	41	19	8	3	–
	Female	735	2	–	1	–	2	5	10	8	20	23	27	53	67	61	62	117	92	94	60	21	10	–
431	Cerebral hemorrhage	1,958	7	–	–	3	1	8	10	14	29	47	60	115	134	187	203	283	289	286	190	67	25	–
	White ..... Male	719	2	–	–	1	–	3	–	3	6	18	11	42	53	77	91	121	102	99	61	21	8	–
	Female	959	3	–	–	1	1	1	3	4	10	8	26	34	45	80	96	130	162	172	123	45	15	–
	All other ..... Male	126	–	–	–	1	–	–	4	3	6	12	14	18	16	14	11	13	9	3	1	1	–	–
	Female	154	2	–	–	–	–	4	3	4	7	9	9	21	20	16	5	19	16	12	5	–	2	–
433	Cerebral thrombosis	3,242	–	–	1	–	–	1	2	3	5	10	15	42	69	135	246	361	586	697	646	317	104	2
	White ..... Male	1,216	–	–	–	–	–	–	1	2	1	2	10	18	35	78	131	180	240	244	180	76	18	–
	Female	1,852	–	–	1	–	–	–	1	1	2	3	2	12	24	41	96	154	314	434	449	233	83	2
	All other ..... Male	73	–	–	–	–	–	–	–	–	1	4	1	6	7	8	9	9	14	6	5	2	1	–
	Female	101	–	–	–	–	–	1	–	–	1	1	2	6	3	8	10	18	18	13	12	6	2	–
434	Cerebral embolism	63	–	–	–	1	–	–	–	–	–	–	2	2	2	3	8	8	7	8	17	5	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	1	8	1	–	–
	Female	39	–	–	–	1	–	–	–	–	–	–	1	1	1	1	5	6	5	5	9	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,668	2	5	4	2	11	18	24	34	56	45	115	183	283	385	619	979	1,289	1,564	1,239	607	202	2
	White ..... Male	2,760	2	4	2	–	2	10	9	9	12	11	47	74	99	156	266	413	484	576	377	160	47	–
	Female	4,098	–	1	1	2	6	6	6	13	25	13	40	61	104	157	263	428	701	889	806	427	147	2
	All other ..... Male	332	–	–	–	–	1	2	2	8	7	8	12	22	36	35	43	58	46	32	13	5	2	–
	Female	478	–	–	1	–	2	–	7	4	12	13	16	26	44	37	47	80	58	67	43	15	6	–
440	Arteriosclerosis	1,919	–	–	–	–	–	1	–	1	3	2	4	12	27	64	105	172	254	412	447	291	122	2
	White ..... Male	718	–	–	–	–	–	–	–	1	3	1	3	8	13	34	54	81	99	162	147	85	26	1
	Female	1,093	–	–	–	–	–	–	–	–	–	1	1	2	8	20	38	73	141	233	279	200	96	1
	All other ..... Male	52	–	–	–	–	–	1	–	–	–	–	–	1	4	6	8	12	8	6	5	1	–	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	6	6	11	16	5	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,121	1	–	–	3	4	5	8	8	11	14	43	60	107	180	260	322	376	345	218	122	34	–
	White ..... Male	1,155	1	–	–	3	4	3	1	3	6	6	18	34	71	116	164	196	228	161	93	38	9	–
	Female	805	–	–	–	–	–	2	4	2	2	5	15	13	23	42	78	107	135	161	114	77	25	–
	All other ..... Male	78	–	–	–	–	–	–	1	2	2	1	2	8	5	17	9	10	4	13	2	2	–	–
	Female	83	–	–	–	–	–	–	2	1	1	2	8	5	8	5	9	9	9	10	9	5	–	–
466	Acute bronchitis and bronchiolitis	71	3	2	2	–	1	1	–	1	2	1	–	1	2	6	11	8	6	13	8	1	2	–
	White ..... Male	34	2	1	1	–	–	–	–	–	–	1	–	–	2	4	6	3	6	6	1	–	1	–
	Female	31	1	1	–	–	–	1	–	–	1	–	–	1	–	2	5	5	–	6	7	–	1	–
	All other ..... Male	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
470–474, 480–486	Influenza and pneumonia	5,401	127	27	16	27	14	32	34	36	47	76	112	140	210	281	402	522	752	981	884	506	173	2
	White ..... Male	2,435	42	11	8	12	8	15	9	12	9	24	51	56	84	155	204	279	388	461	378	183	44	2
	Female	2,266	30	7	4	9	5	4	8	9	10	15	21	42	65	77	132	182	302	463	462	298	121	–
	All other ..... Male	429	37	7	1	5	1	8	9	12	17	26	29	26	38	31	41	38	33	33	22	10	5	–
	Female	271	18	2	3	1	–	5	8	3	11	11	11	16	23	18	25	23	29	24	22	15	3	–
470–474	Influenza	43	2	–	–	–	–	1	–	1	–	–	–	1	2	1	4	2	8	4	10	7	–	–
	White ..... Male	15	–	–	–	–	–	1	–	1	–	–	–	1	1	–	4	1	2	–	3	1	–	–
	Female	28	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	6	4	7	6	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	5,358	125	27	16	27	14	31	34	35	47	76	112	139	208	280	398	520	744	977	874	499	173	2
	White ..... Male	2,420	42	11	8	12	8	14	9	11	9	24	51	55	83	155	200	278	386	461	375	182	44	2
	Female	2,238	28	7	4	9	5	4	8	9	10	15	21	42	64	76	132	181	296	459	455	292	121	–
	All other ..... Male	429	37	7	1	5	1	8	9	12	17	26	29	26	38	31	41	38	33	33	22	10	5	–
	Female	271	18	2	3	1	–	5	8	3	11	11	11	16	23	18	25	23	29	24	22	15	3	–
490–493	Bronchitis, emphysema, and asthma	1,748	2	6	1	5	4	3	6	7	14	29	32	60	94	208	294	319	269	232	121	35	7	–
	White ..... Male	1,125	2	4	–	3	1	–	2	2	1	8	8	32	53	115	202	228	191	156	93	21	3	–
	Female	496	–	1	–	1	2	–	2	4	7	7	13	20	31	77	76	78	67	68	24	14	4	–
	All other ..... Male	76	–	–	–	1	1	2	–	–	1	4	8	7	6	11	10	11	6	5	3	–	–	–
	Female	51	–	1	1	–	–	1	2	1	5	10	3	1	4	5	6	2	5	3	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York – Con.																							
490, 491	Chronic and unqualified bronchitis	354	2	3	–	1	1	1	–	1	4	4	5	9	9	44	59	48	63	52	32	13	3	–
	White ..... Male	221	2	2	–	1	–	–	–	1	–	–	1	7	6	20	40	27	41	39	25	7	2	–
	Female	111	–	1	–	–	–	–	–	–	2	–	1	2	2	22	17	18	20	13	6	6	1	–
	All other ..... Male	13	–	–	–	–	1	1	–	–	1	2	2	–	1	1	1	2	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	1	1	–	1	–	–	–
492	Emphysema	1,203	–	–	–	–	–	–	1	–	2	8	11	36	75	146	212	251	187	166	83	21	4	–
	White ..... Male	846	–	–	–	–	–	–	–	–	1	4	6	20	45	89	153	192	144	113	64	14	1	–
	Female	305	–	–	–	–	–	–	–	–	1	3	3	14	25	47	51	51	37	46	17	7	3	–
	All other ..... Male	43	–	–	–	–	–	–	–	–	–	–	2	2	4	9	8	7	4	5	2	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	1	2	2	–	–	–	–
493	Asthma	191	–	3	1	4	3	2	5	6	8	17	16	15	10	18	23	20	19	14	6	1	–	–
	White ..... Male	58	–	2	–	2	1	–	2	1	–	4	1	5	2	6	9	9	6	4	4	–	–	–
	Female	80	–	–	–	1	2	–	2	4	4	4	9	4	4	8	8	9	10	9	1	1	–	–
	All other ..... Male	20	–	–	–	1	–	1	–	–	–	2	4	5	1	1	1	2	1	–	1	–	–	–
	Female	33	–	1	1	–	–	1	1	1	4	7	2	1	3	3	5	–	2	1	–	–	–	–
531–533	Peptic ulcer	670	1	1	1	–	–	–	7	6	9	9	18	23	38	65	73	96	89	126	77	24	7	–
	White ..... Male	357	–	–	1	–	–	–	3	1	5	1	8	17	25	42	49	53	51	63	31	5	2	–
	Female	248	1	1	–	–	–	–	1	1	3	3	6	5	6	14	17	31	32	60	44	19	4	–
	All other ..... Male	42	–	–	–	–	–	–	3	3	1	4	4	–	7	4	4	6	3	2	1	–	–	–
	Female	23	–	–	–	–	–	–	–	1	–	1	–	1	–	5	3	6	3	1	1	–	1	–
540–543	Appendicitis	70	–	1	3	1	–	3	1	1	2	2	1	2	5	6	9	9	8	9	5	2	–	–
	White ..... Male	26	–	–	–	1	–	–	–	1	1	1	–	–	2	2	4	5	6	1	2	–	–	–
	Female	28	–	–	–	–	–	–	–	–	1	–	1	2	–	3	2	4	2	8	3	2	–	–
	All other ..... Male	11	–	–	2	–	–	2	1	–	–	1	–	–	2	–	3	–	–	–	–	–	–	–
	Female	5	–	1	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	514	35	4	1	1	2	1	3	2	3	5	9	16	20	29	47	54	77	86	66	39	14	–
	White ..... Male	196	18	3	–	1	–	–	–	–	1	3	2	5	7	17	20	21	29	35	22	7	5	–
	Female	259	10	–	–	–	1	1	–	–	–	1	5	10	11	10	19	25	38	48	40	31	9	–
	All other ..... Male	28	4	–	1	–	1	–	1	–	1	1	1	–	1	1	4	5	5	1	1	–	–	–
	Female	31	3	1	–	–	–	–	2	2	1	–	1	1	1	1	4	3	5	2	3	1	–	–
571	Cirrhosis of liver	3,616	1	–	1	2	4	20	88	142	199	295	439	514	486	456	421	295	153	69	23	6	1	1
	White ..... Male	1,774	–	–	–	–	2	9	31	47	66	123	195	258	243	254	235	171	86	42	11	1	–	–
	Female	872	–	–	–	1	–	1	9	18	24	50	101	95	126	126	131	98	53	21	12	4	1	1
	All other ..... Male	678	–	–	1	–	–	5	32	55	75	84	114	113	81	52	37	20	6	3	–	–	–	–
	Female	292	1	–	–	1	2	5	16	22	34	38	29	48	36	24	18	6	8	3	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	264	–	–	–	–	–	1	2	1	1	3	3	5	9	13	24	41	40	42	49	23	7	–
	White ..... Male	112	–	–	–	–	–	–	–	1	–	1	1	1	6	5	14	22	17	16	20	5	3	–
	Female	136	–	–	–	–	–	1	–	–	1	–	–	4	2	7	9	14	23	25	28	18	4	–
	All other ..... Male	6	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	3	–	–	1	–	–	–
580–584	Nephritis and nephrosis	772	7	–	–	1	3	4	13	14	11	28	20	39	52	77	78	115	99	108	71	23	9	–
	White ..... Male	309	1	–	–	–	2	2	4	3	3	7	5	13	8	32	33	51	47	56	27	11	4	–
	Female	267	3	–	–	1	–	–	1	2	3	5	5	11	20	19	22	43	38	43	40	8	3	–
	All other ..... Male	101	2	–	–	–	–	2	5	6	–	11	6	9	11	12	12	8	7	6	2	2	–	–
	Female	95	1	–	–	–	1	–	3	3	5	5	4	6	13	14	11	13	7	3	2	2	2	–
580, 581	Acute nephritis and nephrotic syndrome	149	6	–	–	1	1	1	–	3	2	4	3	3	9	11	10	22	25	24	18	5	1	–
	White ..... Male	62	–	–	–	–	1	–	–	1	–	1	–	2	1	6	6	9	13	11	8	3	–	–
	Female	61	3	–	–	1	–	–	–	–	2	1	2	–	5	3	4	9	8	12	9	2	–	–
	All other ..... Male	15	2	–	–	–	–	1	–	2	–	–	1	1	2	–	–	1	3	1	1	–	–	–
	Female	11	1	–	–	–	–	–	–	–	–	2	–	–	1	2	–	3	1	–	–	–	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	623	1	–	–	–	2	3	13	11	9	24	17	36	43	66	68	93	74	84	53	18	8	–
	White ..... Male	247	1	–	–	–	1	2	4	2	3	6	5	11	7	26	27	42	34	45	19	8	4	–
	Female	206	–	–	–	–	–	–	1	2	1	4	3	11	15	16	18	34	30	31	31	6	3	–
	All other ..... Male	86	–	–	–	–	–	1	5	4	–	11	5	8	9	12	12	7	4	5	1	2	–	–
	Female	84	–	–	–	–	1	–	3	3	5	3	4	6	12	12	11	10	6	3	2	2	1	–
590	Infections of kidney	277	1	–	–	–	–	–	1	1	–	5	7	7	11	16	32	35	37	48	45	27	4	–
	White ..... Male	106	–	–	–	–	–	–	–	–	–	–	1	1	6	8	14	16	12	23	18	6	1	–
	Female	139	–	–	–	–	–	–	1	–	–	4	4	6	4	5	10	15	24	22	23	18	3	–
	All other ..... Male	11	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	3	1	1	1	1	–	–
	Female	21	1	–	–	–	–	–	–	–	–	1	2	–	–	3	6	1	–	2	3	2	–	–
600	Hyperplasia of prostate	93	–	–	–	–	–	–	–	–	–	–	–	–	1	6	9	12	18	19	19	7	2	–
	White ..... Male	76	–	–	–	–	–	–	–	–	–	–	–	–	1	5	7	9	15	13	18	6	2	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	6	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	24	–	–	–	–	3	4	8	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	9	–	–	–	–	1	1	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	15	–	–	–	–	2	3	4	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York — Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	23	–	–	–	–	3	3	8	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	1	1	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	14	–	–	–	–	2	2	4	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	975	591	92	30	20	36	21	20	10	11	18	18	22	17	18	15	11	12	7	3	–	–	3
	White Male	409	252	28	5	7	13	13	12	3	8	5	10	10	9	7	7	4	7	5	1	–	–	3
	Female	357	196	39	17	11	15	7	6	6	2	8	6	9	4	8	8	7	4	2	2	–	–	–
	All other Male	114	83	11	5	1	5	–	2	–	–	3	–	1	2	1	–	–	–	–	–	–	–	–
	Female	95	60	14	3	1	3	1	–	1	1	2	2	2	2	2	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,864	1,859	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	706	703	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	508	507	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	363	363	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	287	286	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	947	942	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	379	376	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	248	247	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	188	188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	132	131	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	917	917	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	327	327	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	260	260	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	175	175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,951	442	31	7	16	76	174	167	128	116	104	95	112	112	80	79	63	46	42	29	17	8	7
	White Male	836	142	11	4	8	44	94	93	66	41	34	34	48	53	32	39	21	26	18	13	8	2	5
	Female	603	101	8	–	4	21	40	28	25	42	36	40	38	44	34	33	39	18	22	16	8	5	1
	All other Male	304	112	8	2	2	5	31	25	22	21	21	10	18	9	11	3	1	1	1	–	–	1	–
	Female	208	87	4	1	2	6	9	21	15	12	13	11	8	6	3	4	2	1	1	–	1	–	1
Residual	All other diseases	10,613	112	66	48	64	81	140	176	192	210	251	387	522	655	946	1,160	1,390	1,461	1,337	912	379	117	7
	White Male	4,821	42	39	20	33	40	61	65	66	55	90	155	225	298	451	571	731	741	606	378	119	32	3
	Female	4,267	35	16	18	25	24	33	41	44	51	64	132	165	222	359	448	526	598	652	496	238	76	4
	All other Male	822	20	4	6	2	7	22	41	54	62	55	61	69	78	71	70	66	64	44	16	6	4	–
	Female	703	15	7	4	4	10	24	29	28	42	42	39	63	57	65	71	67	58	35	22	16	5	–
E800–E949	Accidents	5,734	31	166	161	192	600	594	418	304	221	231	213	249	280	297	254	317	392	363	262	151	31	7
	White Male	3,285	8	80	83	107	428	454	279	200	124	133	113	137	155	162	134	165	185	182	100	42	8	6
	Female	1,757	11	46	43	48	133	89	74	48	46	53	61	66	76	101	99	130	183	171	155	102	22	–
	All other Male	488	3	23	29	33	26	39	52	41	42	36	25	35	32	23	12	13	10	5	6	2	–	1
	Female	204	9	17	6	4	13	12	13	15	9	9	14	11	17	11	9	9	14	5	1	5	1	–
E810–E823	Motor vehicle accidents	2,471	4	55	88	88	421	420	240	164	97	114	89	99	103	100	84	100	83	82	30	8	–	2
	White Male	1,557	1	28	44	51	303	321	159	106	53	64	48	57	57	54	45	52	45	51	13	3	–	2
	Female	648	3	13	24	22	95	75	55	32	24	33	27	30	25	37	33	42	34	26	15	3	–	–
	All other Male	193	–	10	17	12	14	16	22	19	16	15	8	9	16	5	4	3	1	3	2	1	–	–
	Female	73	–	4	3	3	9	8	4	7	4	2	6	3	5	4	2	3	3	2	–	1	–	–
E800–E807, E825–E949	All other accidents	3,263	27	111	73	104	179	174	178	140	124	117	124	150	177	197	170	217	309	281	232	143	31	5
	White Male	1,728	7	52	39	56	125	133	120	94	71	69	65	80	98	108	89	113	140	131	87	39	8	4
	Female	1,109	8	33	19	26	38	14	19	16	22	20	34	36	51	64	66	88	149	145	140	99	22	–
	All other Male	295	3	13	12	21	12	23	30	22	26	21	17	26	16	18	8	10	9	2	4	1	–	1
	Female	131	9	13	3	1	4	4	9	8	5	7	8	8	12	7	7	6	11	3	1	4	1	–
E950–E959	Suicide	1,625	...	...	–	16	99	184	179	142	138	95	132	125	115	90	104	78	59	43	18	8	–	–
	White Male	1,042	...	...	–	13	73	133	101	87	87	53	79	81	72	58	69	51	39	27	13	6	–	–
	Female	443	...	...	–	–	17	36	46	41	34	35	38	35	37	28	30	25	19	15	5	2	–	–
	All other Male	99	...	...	–	3	9	12	24	9	11	5	7	6	5	1	4	1	1	1	–	–	–	–
	Female	41	...	...	–	–	–	3	8	5	6	2	8	3	1	3	1	1	–	–	–	–	–	–
E960–E978	Homicide	1,897	15	16	10	17	193	311	312	238	215	139	105	94	66	57	34	29	23	13	7	2	–	1
	White Male	816	4	3	2	5	71	134	132	101	104	68	44	39	27	31	17	12	13	4	4	–	–	1
	Female	209	5	2	3	6	22	26	20	23	19	8	7	11	15	8	4	9	8	8	3	2	–	–
	All other Male	711	2	5	3	5	83	124	136	95	81	51	45	36	17	15	7	5	1	–	–	–	–	–
	Female	161	4	6	2	1	17	27	24	19	11	12	9	8	7	3	6	3	1	1	–	–	–	–
E980–E999	Other external causes	870	20	34	25	19	45	83	88	84	59	59	59	62	48	48	40	36	24	20	13	2	–	2
	White Male	388	4	11	6	9	21	45	35	36	30	23	27	29	18	29	18	13	13	10	7	2	–	2
	Female	184	4	10	3	–	7	16	13	13	8	11	9	18	15	9	12	16	6	9	5	–	–	–
	All other Male	207	11	10	8	5	9	16	26	28	16	18	17	12	11	6	5	5	3	1	–	–	–	–
	Female	91	1	3	8	5	8	6	14	7	5	7	6	3	4	4	5	2	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina																							
	All causes	**46,623**	**1,335**	**241**	**174**	**207**	**558**	**756**	**641**	**668**	**757**	**1,133**	**1,659**	**2,673**	**3,789**	**4,645**	**5,544**	**5,650**	**5,611**	**4,980**	**3,416**	**1,588**	**591**	**7**
	White ..... Male	19,863	414	75	75	82	298	386	283	285	323	493	764	1,273	1,879	2,330	2,687	2,540	2,213	1,825	1,074	433	130	1
	Female	14,784	290	57	43	48	114	106	82	138	130	221	350	596	871	1,086	1,415	1,722	2,122	2,307	1,830	917	338	1
	All other ..... Male	6,919	366	60	35	48	105	194	205	172	183	267	336	491	642	770	863	762	642	420	221	86	48	3
	Female	5,057	265	49	21	29	41	70	71	73	121	152	209	313	397	459	579	626	634	428	291	152	75	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	49	18	2	1	–	–	3	–	–	–	–	1	1	1	2	4	1	4	1	5	3	2	–
	White ..... Male	17	6	1	–	–	–	2	–	–	–	–	–	–	–	2	2	–	1	1	2	–	–	–
	Female	11	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	1	–	2	2	1	–
	All other ..... Male	10	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	11	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	1	1	–
010–019	Tuberculosis, all forms	90	–	–	–	–	–	1	–	2	2	5	9	7	12	11	13	8	8	9	3	–	–	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	3	2	3	2	6	3	4	–	4	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	5	–	1	–	1	2	–	–	–	–
	All other ..... Male	41	–	–	–	–	–	–	–	1	1	2	6	4	4	4	8	2	5	3	1	–	–	–
	Female	10	–	–	–	–	–	1	–	1	1	–	–	–	1	1	1	2	2	–	–	–	–	–
010–012	Tuberculosis of respiratory system	60	–	–	–	–	–	1	–	–	1	3	6	3	8	9	9	4	6	7	3	–	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	2	2	2	2	5	2	1	–	3	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	–	1	4	1	4	3	7	1	4	2	1	–	–	–
	Female	8	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	2	2	–	–	–	–	–
013–019	Tuberculosis, other forms	30	–	–	–	–	–	–	–	2	1	2	3	4	4	2	4	4	2	2	–	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	3	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	–	1	–	–	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	1	1	1	2	3	–	1	1	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	6	5	–	2	–	–	–	–	1	–	–	1	1	–	1	–	1	–	–	–	–	–
	White ..... Male	6	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	1	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
038	Septicemia	205	29	4	2	–	1	1	3	1	4	2	8	6	6	17	25	22	27	25	11	9	2	–
	White ..... Male	69	9	3	1	–	–	1	1	–	2	1	3	1	3	8	13	2	9	7	4	1	–	–
	Female	58	10	–	–	–	1	–	–	1	–	1	–	1	1	1	7	8	7	7	6	6	1	–
	All other ..... Male	37	3	–	1	–	–	–	1	–	–	–	4	1	–	5	2	8	4	7	1	–	–	–
	Female	41	7	1	–	–	–	–	1	–	2	–	1	3	2	3	3	4	7	4	–	2	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	136	7	5	2	–	2	4	5	7	6	5	6	10	17	7	16	8	7	9	8	2	3	–
	White ..... Male	42	1	4	1	–	1	2	1	–	–	–	3	2	6	4	5	4	3	2	3	–	–	–
	Female	47	4	1	–	–	1	2	2	2	2	–	2	2	4	1	7	2	3	6	3	1	2	–
	All other ..... Male	20	1	–	1	–	–	–	1	2	–	1	1	2	4	2	4	–	–	–	–	–	1	–
	Female	27	1	–	–	–	–	–	1	3	4	4	–	4	3	–	–	2	1	1	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,584	2	18	15	20	33	29	54	90	100	219	369	718	1,024	1,198	1,362	1,168	956	717	351	101	40	–
	White Male	3,620	–	9	7	6	15	15	26	35	37	79	129	279	414	572	632	526	382	293	124	29	11	–
	Female	2,946	2	4	5	7	7	7	14	36	32	78	142	244	344	360	425	365	352	298	155	52	17	–
	All other Male	1,189	–	3	–	6	7	1	4	7	16	28	39	118	158	163	187	179	142	81	39	6	5	–
	Female	829	–	2	3	1	4	6	10	12	15	34	59	77	108	103	118	98	80	45	33	14	7	–
140–149	Of buccal cavity and pharynx	196	–	–	–	1	–	–	–	–	2	6	10	23	28	32	30	20	20	17	6	1	–	–
	White Male	106	–	–	–	–	–	–	–	–	–	2	6	14	18	23	15	9	12	3	3	1	–	–
	Female	57	–	–	–	–	–	–	–	–	1	–	1	1	6	6	13	7	7	12	3	–	–	–
	All other Male	27	–	–	–	1	–	–	–	–	1	2	3	7	4	3	1	2	1	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,030	–	–	1	–	1	3	4	12	22	37	62	131	224	267	313	287	273	229	113	34	17	–
	White Male	771	–	–	–	–	–	–	1	5	12	18	17	54	95	104	125	116	90	86	35	8	5	–
	Female	742	–	–	1	–	–	1	1	4	3	5	22	37	60	84	107	106	123	102	58	22	6	–
	All other Male	291	–	–	–	–	1	–	–	3	5	8	9	25	37	50	47	37	31	24	8	2	4	–
	Female	226	–	–	–	–	–	2	2	–	2	6	14	15	32	29	34	28	29	17	12	2	2	–
160–163	Of respiratory system	2,105	–	–	–	1	–	–	4	10	17	49	100	235	303	365	397	298	184	94	34	11	3	–
	White Male	1,346	–	–	–	–	–	–	1	7	9	27	64	132	170	246	275	205	125	61	17	5	2	–
	Female	319	–	–	–	–	–	–	1	1	2	8	19	49	43	55	45	30	28	21	10	6	1	–
	All other Male	378	–	–	–	1	–	–	1	2	5	11	13	44	77	55	69	58	27	11	4	–	–	–
	Female	62	–	–	–	–	–	–	1	–	1	3	4	10	13	9	8	5	4	1	3	–	–	–
174	Of breast	737	–	–	–	–	–	1	3	9	17	44	61	86	121	88	109	77	44	42	19	13	3	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	573	–	–	–	–	–	1	–	6	13	35	50	67	94	72	87	54	35	36	16	6	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	160	–	–	–	–	–	–	3	3	4	9	11	19	26	16	20	22	9	6	3	7	2	–
180–187	Of genital organs	1,068	–	–	–	–	1	2	7	12	10	24	40	54	93	128	158	161	162	132	61	14	9	–
	White Male	312	–	–	–	–	–	1	4	–	2	1	–	2	14	28	55	47	55	67	24	8	4	–
	Female	399	–	–	–	–	–	1	2	7	5	14	24	36	56	59	52	50	46	28	14	2	3	–
	All other Male	213	–	–	–	–	1	–	–	–	–	–	–	4	8	19	28	46	54	29	21	3	–	–
	Female	144	–	–	–	–	–	–	1	5	3	9	16	12	15	22	23	18	7	8	2	1	2	–
188, 189	Of urinary organs	338	–	4	1	–	–	–	1	1	–	8	5	22	32	45	57	52	46	39	15	9	1	–
	White Male	185	–	1	1	–	–	–	1	–	–	4	3	13	21	30	32	27	20	23	6	3	–	–
	Female	92	–	2	–	–	–	–	–	1	–	3	1	2	6	6	16	17	15	13	6	4	–	–
	All other Male	36	–	1	–	–	–	–	–	–	–	–	1	5	3	5	9	4	5	2	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	–	2	2	4	–	4	6	1	2	2	1	–
170–173, 190–199	Of all other and unspecified sites	1,317	1	8	4	11	18	6	22	28	19	35	68	122	157	176	182	168	131	91	55	12	3	–
	White Male	562	–	3	2	3	11	2	14	13	8	17	32	49	66	93	83	69	50	25	21	1	–	–
	Female	468	1	2	1	6	2	2	3	10	6	8	18	36	57	47	61	70	53	49	24	9	3	–
	All other Male	154	–	1	–	2	3	–	3	2	3	6	9	25	19	20	20	18	14	7	2	–	–	–
	Female	133	–	2	1	–	2	2	2	3	2	4	9	12	15	16	18	11	14	10	8	2	–	–
204–207	Leukemia	342	1	4	8	6	9	7	8	10	6	6	7	16	21	39	50	47	37	35	18	5	2	–
	White Male	154	–	3	4	2	2	3	5	5	1	4	3	6	14	23	19	25	10	15	7	3	–	–
	Female	124	1	–	2	1	4	1	3	4	1	1	4	5	5	9	18	15	20	17	10	1	2	–
	All other Male	34	–	1	–	2	2	1	–	–	2	1	–	1	1	4	6	5	4	2	1	1	–	–
	Female	30	–	–	2	1	1	2	–	1	2	–	–	4	1	3	7	2	3	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	451	–	2	1	1	4	10	5	8	7	10	16	29	45	58	66	58	59	38	30	2	2	–
	White Male	182	–	2	–	1	2	9	–	5	5	6	4	9	16	25	27	27	20	13	11	–	–	–
	Female	172	–	–	1	–	1	1	4	3	1	4	3	11	17	22	26	16	25	20	14	2	1	–
	All other Male	54	–	–	–	–	–	–	–	–	–	–	4	7	8	7	6	9	6	4	2	–	1	–
	Female	43	–	–	–	–	1	–	1	–	1	–	5	2	4	4	7	6	8	1	3	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	133	–	–	3	1	2	–	3	2	4	5	8	10	12	19	19	16	15	10	4	–	–	–
	White Male	49	–	–	3	1	–	–	–	–	3	1	3	5	5	5	10	6	3	3	1	–	–	–
	Female	57	–	–	–	–	1	–	1	2	–	2	3	3	6	11	5	7	9	5	2	–	–	–
	All other Male	9	–	–	–	–	–	–	1	–	–	1	–	–	1	2	2	1	–	1	–	–	–	–
	Female	18	–	–	–	–	1	–	1	–	1	1	2	2	–	1	2	2	3	1	1	–	–	–
250	Diabetes mellitus	826	–	–	–	3	3	3	3	9	10	15	25	59	77	96	133	124	122	76	49	15	3	1
	White Male	235	–	–	–	–	2	2	1	4	3	6	7	18	26	32	35	25	32	22	17	2	1	–
	Female	314	–	–	–	2	–	–	1	3	4	3	6	22	22	30	41	53	53	37	24	11	2	–
	All other Male	92	–	–	–	1	1	1	–	1	2	2	5	2	7	11	19	18	16	5	1	–	–	–
	Female	185	–	–	–	–	–	–	1	1	1	4	7	17	22	23	38	28	21	12	7	2	–	1
260–269	Avitaminoses and other nutritional deficiencies	42	2	–	–	–	–	–	–	–	–	–	–	1	4	2	2	6	5	9	5	6	–	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	2	5	2	3	–	–
	All other Male	6	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
280–285	Anemias	91	2	–	1	2	2	3	5	1	1	3	2	3	4	11	9	10	8	12	8	3	1	–
	White Male	31	–	–	–	–	–	2	–	–	–	2	1	–	1	6	1	5	3	5	4	1	–	–
	Female	26	–	–	1	1	–	–	–	–	–	–	–	–	2	4	1	4	3	4	4	1	1	–
	All other Male	18	2	–	–	–	1	1	3	1	1	1	–	–	–	–	5	1	1	1	–	–	–	–
	Female	16	–	–	–	1	1	–	2	–	–	–	1	3	1	1	2	–	1	2	–	1	–	–
320	Meningitis	41	13	7	4	1	–	–	1	1	1	1	1	3	1	–	2	1	2	2	–	–	–	–
	White Male	12	1	3	4	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
	Female	8	3	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
	All other Male	10	4	2	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	Female	11	5	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–
390–448	Major cardiovascular diseases	23,456	30	8	12	8	22	33	44	83	170	364	615	1,094	1,694	2,293	2,964	3,252	3,493	3,277	2,416	1,164	420	–
	White Male	10,017	11	2	5	2	10	14	12	39	75	186	349	608	964	1,204	1,478	1,467	1,334	1,146	719	297	95	–
	Female	7,993	4	3	4	2	5	4	6	14	18	44	79	170	275	461	693	982	1,358	1,583	1,354	693	241	–
	All other Male	2,895	7	1	2	2	5	7	14	20	43	85	125	195	291	387	465	415	352	252	137	61	29	–
	Female	2,551	8	2	1	2	2	8	12	10	34	49	62	121	164	241	328	388	449	296	206	113	55	–
390–398, 402, 404, 410–429	Diseases of heart	16,966	22	7	8	7	18	20	28	56	128	283	484	899	1,391	1,832	2,257	2,408	2,417	2,181	1,545	721	254	–
	White Male	7,889	7	1	3	2	10	7	9	32	61	159	297	555	846	1,039	1,206	1,159	958	796	481	202	59	–
	Female	5,362	4	3	3	1	2	2	4	6	12	29	57	127	210	338	515	694	920	1,035	843	416	141	–
	All other Male	2,070	6	1	1	2	5	6	11	13	30	65	89	141	216	291	324	306	248	174	80	37	24	–
	Female	1,645	5	2	1	2	1	5	4	5	25	30	41	76	119	164	212	249	291	176	141	66	30	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	291	–	–	–	2	4	4	3	8	10	15	16	16	32	54	30	36	34	15	10	2	–	–
	White Male	107	–	–	–	–	2	–	1	4	3	3	7	2	19	22	10	10	15	4	4	1	–	–
	Female	113	–	–	–	1	–	–	1	1	2	4	6	11	7	22	11	21	14	6	5	1	–	–
	All other Male	38	–	–	–	1	2	3	1	3	2	2	–	1	4	5	7	2	3	2	–	–	–	–
	Female	33	–	–	–	–	–	1	–	–	3	6	3	2	2	5	2	3	2	3	1	–	–	–
402	Hypertensive heart disease	160	–	–	–	–	–	–	–	1	1	4	6	11	13	23	22	24	18	19	12	6	–	–
	White Male	36	–	–	–	–	–	–	–	1	–	1	–	3	3	10	6	2	4	3	1	2	–	–
	Female	46	–	–	–	–	–	–	–	–	–	–	2	1	–	2	7	4	9	12	7	2	–	–
	All other Male	34	–	–	–	–	–	–	–	–	–	2	1	4	5	3	4	11	1	2	1	–	–	–
	Female	44	–	–	–	–	–	–	–	–	1	1	3	3	5	8	5	7	4	2	3	2	–	–
404	Hypertensive heart and renal disease	88	–	–	–	–	–	–	–	–	–	1	1	4	5	6	6	16	11	16	15	4	3	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	6	2	7	3	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	4	5	8	4	3	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	5	4	2	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	3	1	2	2	–	–	–
410–413	Ischemic heart disease	14,990	1	–	–	–	2	5	10	34	94	216	409	777	1,215	1,610	2,046	2,165	2,179	1,965	1,386	645	231	–
	White Male	7,156	–	–	–	–	2	2	5	22	55	137	267	499	770	943	1,116	1,071	863	726	440	185	53	–
	Female	4,723	–	–	–	–	–	–	1	2	8	18	44	96	169	291	452	624	831	929	756	375	127	–
	All other Male	1,733	1	–	–	–	–	–	3	8	18	43	73	120	180	247	284	259	224	157	64	30	22	–
	Female	1,378	–	–	–	–	–	3	1	2	13	18	25	62	96	129	194	211	261	153	126	55	29	–
410	Acute myocardial infarction	8,227	–	–	–	–	1	3	7	22	71	157	290	554	853	1,049	1,287	1,244	1,083	839	515	192	60	–
	White Male	4,532	–	–	–	–	1	2	5	14	48	107	204	382	591	666	762	697	482	332	171	56	12	–
	Female	2,267	–	–	–	–	–	–	1	1	4	10	29	58	112	186	279	352	415	393	280	109	38	–
	All other Male	863	–	–	–	–	–	–	1	5	13	30	46	73	101	137	151	112	91	66	23	9	5	–
	Female	565	–	–	–	–	–	1	–	2	6	10	11	41	49	60	95	83	95	48	41	18	5	–
411	Other acute and subacute forms of ischemic heart disease	61	–	–	–	–	–	1	–	2	2	4	3	4	6	6	13	4	8	6	–	1	1	–
	White Male	32	–	–	–	–	–	–	–	2	–	3	3	4	4	3	6	1	2	3	–	–	1	–
	Female	16	–	–	–	–	–	–	–	–	2	1	–	–	–	1	4	2	3	2	–	1	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	1	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	6,697	1	–	–	–	1	1	3	10	21	55	116	219	354	555	746	916	1,088	1,119	870	452	170	–
	White Male	2,588	–	–	–	–	1	–	–	6	7	27	60	113	173	274	348	372	379	391	268	129	40	–
	Female	2,439	–	–	–	–	–	–	–	1	2	7	15	38	57	104	169	270	413	533	476	265	89	–
	All other Male	861	1	–	–	–	–	–	2	3	5	13	27	47	79	108	131	146	130	90	41	21	17	–
	Female	809	–	–	–	–	–	1	1	–	7	8	14	21	45	69	98	128	166	105	85	37	24	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	89	–	2	1	1	–	–	1	1	1	4	3	10	6	4	7	12	5	18	5	2	6	–
	White Male	30	–	1	–	1	–	–	–	–	1	2	–	2	5	2	4	5	1	5	1	–	–	–
	Female	35	–	–	–	–	–	–	–	1	–	1	–	5	–	2	1	5	1	11	4	1	3	–
	All other Male	12	–	–	1	–	–	–	–	–	–	1	1	2	–	–	1	1	1	1	–	1	2	–
	Female	12	–	1	–	–	–	–	1	–	–	–	2	1	1	–	1	1	2	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,348	21	5	7	4	12	11	14	12	22	43	49	81	120	135	146	155	170	148	117	62	14	–
	White Male	536	7	–	3	1	6	5	3	5	2	16	23	46	49	59	70	65	73	51	32	14	6	–
	Female	414	4	3	3	–	2	2	2	2	2	6	5	14	31	20	43	38	61	72	63	33	8	–
	All other Male	232	5	1	–	1	3	3	7	2	10	17	14	14	26	34	23	28	15	10	13	6	–	–
	Female	166	5	1	1	2	1	1	2	3	8	4	7	7	14	22	10	24	21	15	9	9	–	–
400, 401, 403	Hypertension	184	–	–	–	–	–	–	–	1	3	2	5	6	11	14	28	31	26	30	16	6	5	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	1	–	5	3	6	8	9	10	4	2	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	12	7	8	9	3	3	–
	All other Male	45	–	–	–	–	–	–	–	–	3	–	1	4	3	4	11	7	4	5	2	–	1	–
	Female	40	–	–	–	–	–	–	–	1	–	2	3	2	2	5	5	4	6	7	1	1	1	–
430–438	Cerebrovascular diseases	5,023	6	–	4	1	4	10	15	25	32	65	111	158	233	351	538	639	856	855	685	326	109	–
	White Male	1,567	3	–	2	–	–	6	3	6	8	21	43	44	76	117	185	230	275	258	195	70	25	–
	Female	2,099	–	–	1	1	3	1	1	8	6	12	20	33	56	102	151	221	368	452	399	202	62	–
	All other Male	637	1	–	1	–	–	1	3	7	10	18	30	47	64	72	105	80	78	60	37	19	4	–
	Female	720	2	–	–	–	1	2	8	4	8	14	18	34	37	60	97	108	135	85	54	35	18	–
431	Cerebral hemorrhage	528	2	–	2	–	–	4	2	11	11	26	37	35	45	51	73	65	69	53	24	10	8	–
	White Male	174	1	–	1	–	–	1	–	4	2	8	15	10	14	16	28	25	26	15	6	1	1	–
	Female	193	–	–	–	–	–	1	–	1	2	3	7	8	12	18	22	29	28	30	18	8	6	–
	All other Male	81	1	–	1	–	–	1	–	4	4	8	9	10	11	7	11	3	7	2	–	1	1	–
	Female	80	–	–	–	–	–	1	2	2	3	7	6	7	8	10	12	8	8	6	–	–	–	–
433	Cerebral thrombosis	1,202	1	–	–	–	2	–	1	1	1	7	15	26	41	64	112	144	232	226	191	99	39	–
	White Male	377	–	–	–	–	–	–	–	–	1	2	6	5	13	25	45	47	71	68	58	27	9	–
	Female	509	–	–	–	–	2	–	–	1	–	1	2	5	10	11	27	49	100	118	110	54	19	–
	All other Male	146	–	–	–	–	–	–	–	–	–	4	5	10	14	18	20	23	20	17	9	4	2	–
	Female	170	1	–	–	–	–	–	1	–	–	–	2	6	4	10	20	25	41	23	14	14	9	–
434	Cerebral embolism	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	2	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,281	3	–	2	1	2	6	12	13	20	32	59	97	147	234	351	427	553	574	470	216	62	–
	White Male	1,012	2	–	1	–	–	5	3	2	5	11	22	29	49	75	112	156	178	174	131	42	15	–
	Female	1,390	–	–	1	1	1	–	1	6	4	8	11	20	34	72	101	142	238	303	271	139	37	–
	All other Male	410	–	–	–	–	–	–	3	3	6	6	16	27	39	47	74	54	51	41	28	14	1	–
	Female	469	1	–	–	–	1	1	5	2	5	7	10	21	25	40	64	75	86	56	40	21	9	–
440	Arteriosclerosis	620	–	–	–	–	–	–	–	–	–	2	3	5	12	23	42	68	84	133	124	83	41	–
	White Male	192	–	–	–	–	–	–	–	–	–	2	2	2	10	8	22	19	30	48	25	18	6	–
	Female	290	–	–	–	–	–	–	–	–	–	–	–	1	1	3	8	27	32	56	80	53	29	–
	All other Male	60	–	–	–	–	–	–	–	–	–	–	1	–	1	7	8	10	9	8	12	4	–	–
	Female	78	–	–	–	–	–	–	–	–	–	–	–	2	–	5	4	12	13	21	7	8	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	663	2	1	–	–	–	3	1	1	7	12	12	26	47	73	99	106	110	78	46	28	11	–
	White Male	321	1	1	–	–	–	1	–	1	6	4	6	7	27	37	59	51	62	34	14	5	5	–
	Female	191	–	–	–	–	–	1	1	–	–	3	2	9	7	16	13	28	31	32	23	19	6	–
	All other Male	83	–	–	–	–	–	–	–	–	–	2	4	3	7	13	17	12	13	5	6	1	–	–
	Female	68	1	–	–	–	–	1	–	–	1	3	–	7	6	7	10	15	4	7	3	3	–	–
466	Acute bronchitis and bronchiolitis	20	5	2	1	–	–	–	1	–	–	–	1	–	–	–	3	2	1	1	2	1	–	–
	White Male	10	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	1	–	–
	Female	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	4	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,340	38	7	2	9	11	9	11	10	15	22	37	47	68	76	85	166	190	208	184	96	49	–
	White Male	545	12	1	2	4	3	3	3	3	6	4	14	17	34	33	44	82	92	75	71	34	8	–
	Female	472	8	1	–	2	3	2	2	1	5	6	10	5	9	18	16	42	67	94	95	57	29	–
	All other Male	202	11	2	–	1	1	3	4	5	3	8	9	15	16	17	15	29	21	23	9	3	7	–
	Female	121	7	3	–	2	4	1	2	1	1	4	4	10	9	8	10	13	10	16	9	2	5	–
470–474	Influenza	77	–	–	1	2	1	–	1	–	1	–	1	1	7	5	6	9	4	14	9	12	3	–
	White Male	26	–	–	1	1	–	–	–	–	–	–	–	1	1	2	5	5	1	4	–	5	–	–
	Female	35	–	–	–	1	–	–	–	–	1	–	1	–	1	3	1	1	1	8	8	6	3	–
	All other Male	8	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	1	2	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	1	1	–	–	1	–	–
480–486	Pneumonia	1,263	38	7	1	7	10	9	10	10	14	22	36	46	61	71	79	157	186	194	175	84	46	–
	White Male	519	12	1	1	3	3	3	3	3	6	4	14	16	33	31	39	77	91	71	71	29	8	–
	Female	437	8	1	–	1	3	2	2	1	4	6	9	5	8	15	15	41	66	86	87	51	26	–
	All other Male	194	11	2	–	1	–	3	4	5	3	8	9	15	15	17	15	27	20	21	8	3	7	–
	Female	113	7	3	–	2	4	1	1	1	1	4	4	10	5	8	10	12	9	16	9	1	5	–
490–493	Bronchitis, emphysema, and asthma	485	2	2	1	1	2	7	1	1	2	6	12	21	53	76	75	86	68	44	20	5	–	–
	White Male	309	–	–	–	1	1	2	–	–	–	2	6	16	30	55	55	57	41	32	8	3	–	–
	Female	122	1	–	1	–	–	–	–	–	–	2	4	5	16	15	19	22	15	11	10	1	–	–
	All other Male	45	1	2	–	–	–	5	1	1	1	1	2	–	6	5	1	6	10	1	1	1	–	–
	Female	9	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–	1	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
490, 491	Chronic and unqualified bronchitis	96	1	1	1	–	1	3	–	–	–	–	1	4	4	15	17	13	15	16	4	–	–	–
	White Male	53	–	–	–	–	1	–	–	–	–	–	1	3	1	9	11	7	8	12	–	–	–	–
	Female	31	–	–	1	–	–	–	–	–	–	–	–	1	3	5	5	4	4	4	4	–	–	–
	All other Male	12	1	1	–	–	–	3	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	324	1	–	–	–	–	1	–	1	1	2	8	13	39	54	45	64	49	26	15	5	–	–
	White Male	234	–	–	–	–	–	–	–	–	–	2	3	11	27	43	38	47	33	19	8	3	–	–
	Female	64	1	–	–	–	–	–	–	–	–	–	4	2	9	7	7	13	9	6	5	1	–	–
	All other Male	24	–	–	–	–	–	1	–	1	1	–	1	–	3	3	–	4	7	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
493	Asthma	65	–	1	–	1	1	3	1	–	1	4	3	4	10	7	13	9	4	2	1	–	–	–
	White Male	22	–	–	–	1	–	2	–	–	–	–	2	2	2	3	6	3	–	1	–	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	–	2	4	3	7	5	2	1	1	–	–	–
	All other Male	9	–	1	–	–	–	1	1	–	–	1	1	–	3	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	2	–	–	–	–	–
531–533	Peptic ulcer	125	–	1	–	–	–	–	1	–	–	4	7	3	15	19	20	13	17	10	10	5	–	–
	White Male	59	–	–	–	–	–	–	1	–	–	1	5	1	6	11	12	7	7	5	3	–	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	2	5	2	6	3	7	3	6	4	–	–
	All other Male	19	–	1	–	–	–	–	–	–	–	–	1	–	4	5	2	2	2	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	1	1	–	1	–	–
540–543	Appendicitis	24	–	–	1	–	–	1	–	–	1	2	1	1	2	5	2	2	2	2	2	–	–	–
	White Male	8	–	–	1	–	–	–	–	–	1	1	–	–	–	3	1	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	133	12	2	–	1	–	–	2	2	1	–	4	2	3	10	12	18	20	19	17	5	3	–
	White Male	40	4	1	–	–	–	–	1	1	–	–	–	1	–	4	4	5	4	8	5	1	1	–
	Female	56	5	–	–	1	–	–	1	–	–	–	–	–	1	2	3	8	12	7	11	3	2	–
	All other Male	20	2	–	–	–	–	–	–	–	1	–	1	–	2	3	5	2	2	1	1	–	–	–
	Female	17	1	1	–	–	–	–	–	1	–	–	3	1	–	1	–	3	2	3	–	1	–	–
571	Cirrhosis of liver	727	–	–	–	–	1	4	10	42	46	79	98	105	115	88	75	42	16	5	–	1	–	–
	White Male	329	–	–	–	–	–	–	2	10	11	34	50	57	50	46	40	20	8	1	–	–	–	–
	Female	157	–	–	–	–	–	3	1	3	5	16	14	17	34	24	17	15	5	3	–	–	–	–
	All other Male	143	–	–	–	–	–	–	6	21	14	17	22	18	15	12	11	4	2	–	–	1	–	–
	Female	98	–	–	–	–	1	1	1	8	16	12	12	13	16	6	7	3	1	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	68	–	–	–	–	–	–	1	–	1	1	3	–	5	4	8	14	11	5	9	6	–	–
	White Male	34	–	–	–	–	–	–	1	–	–	–	1	–	4	4	4	10	6	1	1	2	–	–
	Female	23	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	3	3	2	7	4	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	1	–	–	–
580–584	Nephritis and nephrosis	310	4	–	1	1	3	5	6	4	6	4	14	23	33	30	44	40	39	29	13	9	2	–
	White Male	85	3	–	1	–	–	1	3	1	3	2	2	1	8	6	15	11	10	9	4	4	1	–
	Female	78	–	–	–	–	–	1	–	–	2	1	3	6	3	6	12	13	10	11	5	4	1	–
	All other Male	80	–	–	–	–	3	2	1	2	–	1	5	5	11	10	10	11	12	4	2	1	–	–
	Female	67	1	–	–	1	–	1	2	1	1	–	4	11	11	8	7	5	7	5	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	42	2	–	–	1	1	1	–	–	1	1	3	2	2	4	3	10	5	2	2	2	–	–
	White Male	14	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	4	1	2	1	–	–
	Female	12	–	–	–	–	–	1	–	–	1	–	–	1	1	1	1	4	1	–	–	1	–	–
	All other Male	11	–	–	–	–	1	–	–	–	–	–	2	1	1	1	1	3	–	1	–	–	–	–
	Female	5	1	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	268	2	–	1	–	2	4	6	4	5	3	11	21	31	26	41	30	34	27	11	7	2	–
	White Male	71	2	–	1	–	–	1	3	1	3	1	2	1	8	6	14	8	6	8	2	3	1	–
	Female	66	–	–	–	–	–	–	–	–	1	1	3	5	2	5	11	9	9	11	5	3	1	–
	All other Male	69	–	–	–	–	2	2	1	2	–	1	3	4	10	9	9	8	12	3	2	1	–	–
	Female	62	–	–	–	–	–	1	2	1	1	–	3	11	11	6	7	5	7	5	2	–	–	–
590	Infections of kidney	120	–	–	–	–	–	–	–	1	1	–	1	3	4	13	15	16	19	21	17	7	2	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	3	5	5	4	2	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	1	–	3	5	7	9	14	8	4	2	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	3	3	2	1	1	–	–
	Female	19	–	–	–	–	–	–	–	1	1	–	1	1	2	1	3	3	2	–	4	–	–	–
600	Hyperplasia of prostate	25	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	6	5	1	5	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	3	1	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	–	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	310	205	26	6	8	9	7	3	3	8	2	3	7	7	5	3	3	2	1	2	–	–	–
	White Male	122	79	10	2	3	4	4	1	2	5	–	–	3	3	3	–	1	1	–	1	–	–	–
	Female	94	62	9	2	1	2	2	1	–	2	1	2	2	2	–	2	2	1	–	1	–	–	–
	All other Male	53	33	5	1	1	2	–	1	–	1	1	1	2	1	2	1	–	–	1	–	–	–	–
	Female	41	31	2	1	3	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	678	678	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	202	202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	145	145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	191	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	353	353	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	325	325	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	545	181	9	1	3	3	11	14	9	19	14	14	24	31	29	35	23	37	29	20	20	17	2
	White Male	159	47	2	–	–	–	2	2	3	3	4	3	12	10	12	13	11	13	11	3	5	2	1
	Female	136	26	1	–	2	1	–	3	3	4	1	3	4	14	6	11	3	12	13	12	7	10	–
	All other Male	152	70	3	1	–	1	3	7	1	6	5	3	3	4	10	6	7	8	2	3	5	3	1
	Female	98	38	3	–	1	1	6	2	2	6	4	5	5	3	1	5	2	4	3	2	3	2	–
Residual	All other diseases	3,508	58	33	23	15	27	44	49	68	88	119	149	226	312	384	417	447	405	349	185	78	31	1
	White Male	1,515	21	10	9	5	14	16	11	22	32	40	54	88	148	173	217	214	191	151	64	28	7	–
	Female	1,028	12	11	10	5	6	10	9	16	11	19	32	52	67	92	93	132	149	153	89	39	20	1
	All other Male	599	17	7	2	4	4	12	18	21	31	39	44	59	60	79	67	50	41	23	15	4	2	–
	Female	366	8	5	2	1	3	6	11	9	14	21	19	27	37	40	40	51	24	22	17	7	2	–
E800–E949	Accidents	3,102	37	101	91	114	346	389	254	170	155	144	160	190	182	165	137	128	112	98	65	45	16	3
	White Male	1,520	12	25	39	49	203	218	140	95	81	73	77	95	98	80	58	51	47	36	23	16	4	–
	Female	625	4	23	18	21	70	52	25	22	23	20	22	29	35	33	35	44	40	46	30	24	9	–
	All other Male	716	10	29	22	30	60	100	79	47	38	45	44	50	36	37	37	18	17	4	8	2	1	2
	Female	241	11	24	12	14	13	19	10	6	13	6	17	16	13	15	7	15	8	12	4	3	2	1
E810–E823	Motor vehicle accidents	1,440	8	41	52	56	235	266	156	92	77	64	59	68	64	61	45	35	23	19	13	3	2	1
	White Male	744	5	7	18	26	134	146	84	49	42	30	32	34	38	31	18	17	13	11	7	1	1	–
	Female	292	2	12	13	14	62	39	20	14	12	13	8	12	13	12	14	16	7	5	2	1	1	–
	All other Male	333	1	14	14	10	32	71	48	27	21	18	14	16	10	14	12	2	2	2	3	1	–	1
	Female	71	–	8	7	6	7	10	4	2	2	3	5	6	3	4	1	–	1	1	1	–	–	–
E800–E807, E825–E949	All other accidents	1,662	29	60	39	58	111	123	98	78	78	80	101	122	118	104	92	93	89	79	52	42	14	2
	White Male	776	7	18	21	23	69	72	56	46	39	43	45	61	60	49	40	34	34	25	16	15	3	–
	Female	333	2	11	5	7	8	13	5	8	11	7	14	17	22	21	21	28	33	41	28	23	8	–
	All other Male	383	9	15	8	20	28	29	31	20	17	27	30	34	26	23	25	16	15	2	5	1	1	1
	Female	170	11	16	5	8	6	9	6	4	11	3	12	10	10	11	6	15	7	11	3	3	2	1
E950–E959	Suicide	723	...	...	–	3	46	85	66	69	52	55	62	71	65	60	42	23	16	2	5	1	–	–
	White Male	488	...	...	–	3	25	60	46	37	34	34	35	48	48	48	32	20	11	1	5	1	–	–
	Female	155	...	...	–	–	13	9	9	23	12	15	20	20	15	9	6	2	2	–	–	–	–	–
	All other Male	65	...	...	–	–	6	15	8	8	5	5	5	2	2	3	2	1	2	1	–	–	–	–
	Female	15	...	...	–	–	2	1	3	1	1	1	2	1	–	–	2	–	1	–	–	–	–	–
E960–E978	Homicide	627	2	8	6	12	42	107	96	84	59	60	45	29	34	20	12	3	2	2	3	1	–	–
	White Male	232	–	1	–	5	19	38	30	30	24	19	18	14	16	9	6	2	1	–	–	–	–	–
	Female	74	1	2	2	3	4	9	4	10	7	9	5	4	3	5	2	–	–	1	2	1	–	–
	All other Male	242	1	3	2	2	12	44	53	32	20	24	17	11	15	4	2	–	–	–	–	–	–	–
	Female	79	–	2	2	2	7	16	9	12	8	8	5	–	–	2	2	1	1	1	1	–	–	–
E980–E999	Other external causes	62	2	1	1	2	3	6	5	6	4	2	4	8	6	3	4	2	–	2	1	–	–	–
	White Male	23	–	–	–	1	1	4	1	3	3	1	1	4	1	–	–	1	–	1	1	–	–	–
	Female	18	1	–	–	1	–	1	1	–	1	1	–	3	4	1	2	1	–	1	–	–	–	–
	All other Male	15	1	–	1	–	2	–	3	1	–	–	1	1	1	2	2	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota																							
	All causes	**5,201**	**156**	**28**	**20**	**18**	**77**	**75**	**45**	**28**	**45**	**81**	**112**	**159**	**255**	**390**	**557**	**653**	**691**	**716**	**630**	**349**	**116**	–
	White Male	2,926	82	16	11	11	48	54	32	16	26	41	70	97	178	253	373	417	379	367	290	125	40	–
	White Female	2,104	51	9	5	4	22	16	10	7	11	27	31	50	63	130	170	222	302	338	338	222	76	–
	All other Male	105	12	3	2	1	4	3	3	4	7	6	5	12	10	6	8	3	8	7	–	1	–	–
	All other Female	66	11	–	2	2	3	2	–	1	1	7	6	–	4	1	6	11	2	4	2	1	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	8	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	1	2	–	–	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	13	2	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	–	2	1	–
	White Male	7	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	2	–	–
	White Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	14	1	–	1	–	1	–	–	–	1	–	–	1	2	2	1	1	1	1	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–
	White Female	9	–	–	1	–	1	–	–	–	–	–	–	1	2	1	1	–	–	1	–	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	986	–	3	2	1	5	1	4	4	5	23	26	41	72	121	158	151	143	109	72	41	4	–
	White ..... Male	520	–	3	1	1	1	–	4	3	4	9	13	18	44	60	91	93	71	60	33	11	–	–
	Female	443	–	–	1	–	3	1	–	1	1	14	12	21	24	59	62	54	70	47	39	30	4	–
	All other ..... Male	12	–	–	–	–	1	–	–	–	–	–	–	2	2	2	2	1	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	3	1	1	–	–	–	–
140–149	Of buccal cavity and pharynx	14	–	–	–	–	–	–	–	–	–	–	2	1	1	7	–	–	–	3	–	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	2	–	1	7	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	308	–	–	–	1	–	–	1	–	2	4	9	11	25	28	46	41	59	39	25	16	1	–
	White ..... Male	157	–	–	–	1	–	–	1	–	1	3	5	4	18	13	25	25	25	21	11	4	–	–
	Female	143	–	–	–	–	–	–	–	–	1	1	3	6	5	14	19	16	33	18	14	12	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–
160–163	Of respiratory system	164	–	–	–	–	–	–	1	–	1	3	4	11	18	26	34	24	21	14	6	1	–	–
	White ..... Male	134	–	–	–	–	–	–	1	–	1	2	3	9	14	20	30	21	18	11	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	1	2	4	5	1	1	2	3	3	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
174	Of breast	96	–	–	–	–	–	–	–	1	–	9	3	5	7	11	21	15	10	5	4	4	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	95	–	–	–	–	–	–	–	1	–	9	3	5	7	11	20	15	10	5	4	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	134	–	–	–	–	–	–	–	2	–	2	5	5	4	17	16	29	17	15	12	10	–	–
	White ..... Male	76	–	–	–	–	–	–	–	2	–	1	1	2	–	7	7	20	9	12	10	5	–	–
	Female	55	–	–	–	–	–	–	–	–	–	1	4	3	3	10	9	7	8	3	2	5	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
188, 189	Of urinary organs	57	–	1	–	–	–	–	–	–	–	2	–	2	3	7	9	11	9	5	6	2	–	–
	White ..... Male	33	–	1	–	–	–	–	–	–	–	1	–	2	1	2	5	10	6	2	2	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	–	–	2	5	4	1	3	3	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	93	–	–	1	–	3	–	–	–	2	3	1	4	6	10	17	10	9	13	8	5	1	–
	White ..... Male	46	–	–	–	–	1	–	–	–	2	2	1	1	4	5	13	5	4	6	2	–	–	–
	Female	46	–	–	1	–	2	–	–	–	–	1	–	3	2	5	4	5	5	6	6	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
204–207	Leukemia	44	–	–	1	–	1	–	1	–	–	–	1	–	1	4	7	8	8	5	5	1	1	–
	White ..... Male	26	–	–	1	–	–	–	1	–	–	–	1	–	1	1	3	6	5	4	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	3	1	2	1	1	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	76	–	2	–	–	1	1	1	1	–	–	1	2	7	11	8	13	10	10	6	2	–	–
	White ..... Male	36	–	2	–	–	–	–	1	1	–	–	–	–	5	5	7	6	4	3	2	–	–	–
	Female	37	–	–	–	–	1	1	–	–	–	–	1	1	1	6	1	7	6	6	4	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	97	–	–	–	–	–	–	–	–	1	1	1	4	6	7	15	18	12	20	10	2	–	–
	White ..... Male	39	–	–	–	–	–	–	–	–	–	–	–	2	2	1	7	5	8	10	4	–	–	–
	Female	47	–	–	–	–	–	–	–	–	–	1	–	1	3	5	7	11	3	9	5	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
280–285	Anemias	14	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	2	5	2	1	–	–
	White..... Male	8	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,665	1	1	–	–	2	3	3	3	3	18	38	61	115	176	264	372	399	448	450	226	82	–
	White..... Male	1,512	1	1	–	–	1	2	1	2	2	9	31	49	89	132	196	247	228	222	195	75	29	–
	Female	1,117	–	–	–	–	–	1	2	–	–	6	5	8	20	41	68	121	167	221	254	150	53	–
	All other..... Male	23	–	–	–	–	–	–	–	1	1	3	–	4	4	3	–	–	4	3	–	–	–	–
	Female	13	–	–	–	–	1	–	–	–	–	–	2	–	2	–	–	4	–	2	1	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,967	–	1	–	–	1	2	1	2	3	15	34	56	91	150	216	285	302	310	306	142	50	–
	White..... Male	1,191	–	1	–	–	1	1	1	1	2	8	29	45	73	117	165	200	180	158	137	52	20	–
	Female	748	–	–	–	–	–	1	–	–	–	4	5	7	14	30	51	82	118	149	168	89	30	–
	All other..... Male	21	–	–	–	–	–	–	–	1	1	3	–	4	3	3	–	–	4	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	38	–	–	–	–	–	–	–	–	–	1	1	5	1	4	5	7	4	4	4	1	1	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	1	1	2	1	1	3	5	2	–	1	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	3	–	3	2	2	2	4	3	1	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	4	2	7	3	–	–
	White..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–
	White..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,682	–	–	–	–	–	–	1	2	3	12	28	40	85	135	186	251	260	259	255	123	42	–
	White..... Male	1,034	–	–	–	–	–	–	1	1	2	7	26	34	69	106	146	176	153	133	116	46	18	–
	Female	628	–	–	–	–	–	–	–	–	–	3	2	4	13	27	40	72	104	124	139	76	24	–
	All other..... Male	15	–	–	–	–	–	–	–	1	1	2	–	2	2	2	–	–	3	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	1	–	–
410	Acute myocardial infarction	1,042	–	–	–	–	–	–	1	2	3	10	22	37	70	107	138	170	168	139	120	40	15	–
	White..... Male	696	–	–	–	–	–	–	1	1	2	7	20	32	56	84	111	123	100	75	65	12	7	–
	Female	332	–	–	–	–	–	–	–	–	–	2	2	3	12	22	27	46	65	63	55	27	8	–
	All other..... Male	11	–	–	–	–	–	–	–	1	1	1	–	2	1	1	–	–	3	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	639	–	–	–	–	–	–	–	–	–	2	6	3	15	28	47	81	92	120	135	83	27	–
	White..... Male	338	–	–	–	–	–	–	–	–	–	–	6	2	13	22	35	53	53	58	51	34	11	–
	Female	295	–	–	–	–	–	–	–	–	–	1	–	1	1	5	12	26	39	61	84	49	16	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 426	Chronic disease of endocardium and other myocardial insufficiency	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	5	1	–	1	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	209	–	–	–	–	1	2	–	–	–	1	5	11	5	11	22	23	27	43	37	14	7	–
	White Male	123	–	–	–	–	1	1	–	–	–	–	2	9	3	10	13	17	18	24	17	6	2	–
	Female	78	–	–	–	–	–	1	–	–	–	–	3	–	1	–	9	6	8	18	19	8	5	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
400, 401, 403	Hypertension	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	2	3	1	3	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	495	–	–	–	–	1	1	2	1	–	2	1	4	21	16	37	65	75	90	107	55	17	–
	White Male	218	–	–	–	–	–	1	–	1	–	–	–	3	14	8	22	30	33	40	48	13	5	–
	Female	271	–	–	–	–	–	–	2	–	–	2	–	1	6	8	15	34	42	48	59	42	12	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
431	Cerebral hemorrhage	68	–	–	–	–	–	–	–	–	–	–	–	1	6	4	7	12	9	15	11	2	1	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	–	1	6	3	4	3	3	5	6	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	9	6	9	5	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
433	Cerebral thrombosis	74	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	12	17	18	12	3	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	3	12	9	1	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	9	5	9	11	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	353	–	–	–	–	1	1	2	1	–	2	1	3	15	11	25	47	54	58	78	41	13	–
	White Male	151	–	–	–	–	–	1	–	1	–	–	–	2	8	5	15	21	27	23	33	11	4	–
	Female	197	–	–	–	–	–	–	2	–	–	2	–	1	6	6	10	25	27	34	45	30	9	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	114	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	9	12	28	28	18	14	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	7	8	14	7	6	4	–
	Female	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	14	21	12	10	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	73	1	–	–	–	–	–	–	–	–	1	3	1	2	8	6	9	8	17	8	8	1	–
	White Male	43	1	–	–	–	–	–	–	–	–	1	2	1	1	6	5	7	5	8	2	4	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	9	6	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	154	2	1	–	1	–	–	1	–	–	–	2	3	3	5	18	8	25	32	20	26	7	–
	White Male	80	–	–	–	1	–	–	–	–	–	–	–	1	3	4	13	5	12	17	10	12	2	–
	Female	71	1	1	–	–	–	–	1	–	–	–	2	2	–	1	4	2	13	15	10	14	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
470–474	Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	150	2	1	–	1	–	–	1	–	–	–	2	3	3	5	17	8	25	32	20	23	7	–
	White Male	78	–	–	–	1	–	–	–	–	–	–	–	1	3	4	12	5	12	17	10	11	2	–
	Female	69	1	1	–	–	–	–	1	–	–	–	2	2	–	1	4	2	13	15	10	12	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	63	–	–	–	–	–	–	–	–	–	–	–	1	8	5	11	10	9	10	7	2	–	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	–	6	2	9	9	5	9	4	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	4	1	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota – Con.																							
490, 491	Chronic and unqualified bronchitis	16	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	3	2	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	2	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	42	–	–	–	–	–	–	–	–	–	–	–	1	6	3	7	8	5	7	4	1	–	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	4	2	7	7	4	7	3	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	17	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	–	2	2	3	2	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	1	–	2	2	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	29	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	4	6	6	5	–	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	2	–	–
	Female	18	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	6	3	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	60	–	–	–	–	–	–	–	2	4	5	3	5	12	9	9	6	2	1	2	–	–	–
	White Male	34	–	–	–	–	–	–	–	1	1	1	2	2	8	5	6	5	–	1	2	–	–	–
	Female	19	–	–	–	–	–	–	–	1	1	1	1	2	4	4	2	1	2	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	21	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	3	5	3	2	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	1	–	1	–
	Female	13	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	2	2	3	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	18	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	5	3	2	–	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	8	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	6	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	35	28	3	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	White Male	22	19	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	8	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	76	16	1	–	–	–	–	–	–	–	2	1	–	–	5	6	4	8	4	10	10	9	–
	White Male	36	8	1	–	–	–	–	–	–	–	1	1	–	–	4	4	3	3	2	5	3	1	–
	Female	34	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	2	5	6	8	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	343	8	3	1	–	3	5	2	4	6	7	10	19	16	24	38	53	47	49	29	12	7	–
	White Male	191	4	–	1	–	–	1	1	1	2	3	3	8	10	17	22	33	25	30	19	6	5	–
	Female	132	1	2	–	–	3	4	–	2	3	2	4	10	5	7	15	19	21	16	10	6	2	–
	All other Male	15	1	1	–	–	–	–	1	–	1	1	2	1	1	–	1	1	1	3	–	–	–	–
	Female	5	2	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	384	7	13	12	12	55	48	29	10	19	15	19	16	15	16	21	14	21	16	11	11	4	–
	White Male	261	2	5	7	7	38	38	23	8	13	11	14	11	11	14	12	8	16	7	9	5	2	–
	Female	89	5	6	2	3	12	7	4	1	4	1	2	2	2	2	6	6	5	9	2	6	2	–
	All other Male	25	–	2	2	1	3	2	2	1	2	1	2	3	2	–	2	–	–	–	–	–	–	–
	Female	9	–	–	1	1	2	1	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	191	1	6	4	6	40	36	21	8	10	7	12	6	6	3	8	5	7	2	2	1	–	–
	White Male	135	1	1	2	2	27	27	16	6	6	5	10	4	5	2	6	4	6	2	2	1	–	–
	Female	39	–	4	–	3	10	7	3	1	4	1	–	1	–	1	2	1	1	–	–	–	–	–
	All other Male	13	–	1	2	–	2	1	2	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	193	6	7	8	6	15	12	8	2	9	8	7	10	9	13	13	9	14	14	9	10	4	–
	White Male	126	1	4	5	5	11	11	7	2	7	6	4	7	6	12	6	4	10	5	7	4	2	–
	Female	50	5	2	2	–	2	–	1	–	–	–	2	1	2	1	4	5	4	9	2	6	2	–
	All other Male	12	–	1	–	1	1	1	–	–	2	1	–	2	1	–	2	–	–	–	–	–	–	–
	Female	5	–	–	1	–	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
E950–E959	Suicide	69	...	...	–	–	9	16	3	3	4	7	5	3	4	6	4	1	1	1	1	1	–	–
	White Male	56	...	...	–	–	8	13	2	1	3	6	4	2	4	4	4	1	1	1	1	1	–	–
	Female	9	...	...	–	–	1	2	1	1	–	–	1	1	–	2	–	–	–	–	–	–	–	–
	All other Male	4	...	...	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	6	–	1	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	17	–	–	–	1	1	–	1	2	1	–	2	1	–	5	1	1	1	–	–	–	–	–
	White Male	8	–	–	–	1	–	–	1	–	–	–	1	1	–	3	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	1	1	–	1	–	–	2	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio																							
	All causes	**97,045**	**2,245**	**393**	**266**	**301**	**974**	**1,202**	**1,024**	**947**	**1,043**	**1,642**	**2,753**	**4,782**	**6,629**	**8,731**	**10,557**	**11,890**	**12,524**	**12,805**	**9,921**	**4,857**	**1,549**	**10**
	White ..... Male	47,228	1,006	183	143	165	609	779	593	497	503	806	1,437	2,631	3,762	4,995	5,803	6,289	5,877	5,434	3,699	1,595	418	4
	Female	40,324	772	135	79	98	232	242	242	269	316	508	826	1,473	2,071	2,803	3,636	4,522	5,634	6,626	5,760	3,061	1,016	3
	All other ..... Male	5,427	275	39	26	21	96	130	145	123	150	200	286	423	481	551	665	617	527	375	188	74	33	2
	Female	4,066	192	36	18	17	37	51	44	58	74	128	204	255	315	382	453	462	486	370	274	127	82	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	74	20	4	–	–	2	–	–	1	–	1	1	4	1	4	6	4	4	9	8	5	–	–
	White ..... Male	30	5	3	–	–	2	–	–	1	–	–	–	3	–	2	2	1	3	4	3	1	–	–
	Female	33	8	1	–	–	–	–	–	–	–	1	1	1	1	2	4	1	1	4	5	3	–	–
	All other ..... Male	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	105	–	1	–	–	–	1	–	3	–	3	1	4	13	12	7	13	10	17	13	5	2	–
	White ..... Male	48	–	–	–	–	–	1	–	1	–	2	–	1	8	6	2	8	8	5	3	2	1	–
	Female	32	–	1	–	–	–	–	–	1	–	–	–	1	3	5	3	2	1	6	7	2	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	1	–	1	1	1	–	1	2	1	1	3	3	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	3	–	–	1	–
010–012	Tuberculosis of respiratory system	90	–	–	–	–	–	1	–	3	–	3	1	2	13	10	5	13	6	15	11	5	2	–
	White ..... Male	42	–	–	–	–	–	1	–	1	–	2	–	–	8	6	1	8	5	4	3	2	1	–
	Female	27	–	–	–	–	–	–	–	1	–	–	–	1	3	4	2	2	1	6	5	2	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	1	–	1	1	–	–	–	2	1	–	3	3	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	2	–	–	1	–
013–019	Tuberculosis, other forms	15	–	1	–	–	–	–	–	–	–	–	–	2	–	2	2	–	4	2	2	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	3	1	–	–	–	1	–	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–
	White ..... Male	8	2	1	–	–	–	1	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
038	Septicemia	338	63	5	3	–	1	1	2	2	3	8	8	15	19	24	31	39	40	32	31	6	4	1
	White ..... Male	152	30	3	–	–	–	1	2	–	3	4	6	6	12	10	18	9	18	15	13	2	–	–
	Female	125	17	2	3	–	1	–	–	1	–	2	–	4	6	10	9	23	17	11	14	3	2	–
	All other ..... Male	32	10	–	–	–	–	–	–	–	–	2	1	3	–	–	3	3	4	2	2	1	–	1
	Female	29	6	–	–	–	–	–	–	1	–	–	1	2	1	4	1	4	1	4	2	–	2	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	1	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	185	10	4	4	1	4	7	3	5	5	8	7	8	15	20	23	17	18	11	9	4	2	–
	White ..... Male	75	5	3	2	–	1	3	1	4	2	3	2	1	8	8	12	5	8	6	1	–	–	–
	Female	75	2	1	1	–	1	2	2	–	1	2	4	6	6	7	4	10	9	5	7	4	1	–
	All other ..... Male	15	1	–	–	–	1	1	–	–	–	1	–	1	1	3	4	2	–	–	–	–	–	–
	Female	20	2	–	1	1	1	1	–	1	2	2	1	–	–	2	3	–	1	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,686	5	45	55	43	60	83	97	140	206	410	826	1,490	2,128	2,699	2,888	2,799	2,317	1,879	1,057	373	85	1
	White Male	9,527	3	22	31	18	27	44	42	57	80	140	337	680	1,027	1,420	1,468	1,493	1,115	861	486	147	29	–
	Female	8,112	2	21	16	22	28	35	46	66	99	199	363	620	860	980	1,097	1,036	991	866	508	209	47	1
	All other Male	1,189	–	–	6	–	3	2	2	6	14	25	62	104	147	178	210	176	124	89	29	9	3	–
	Female	858	–	2	2	3	2	2	7	11	13	46	64	86	94	121	113	94	87	63	34	8	6	–
140–149	Of buccal cavity and pharynx	401	–	–	1	2	1	–	3	–	3	1	24	39	50	72	75	50	35	24	14	6	1	–
	White Male	240	–	–	1	1	1	–	3	–	1	–	9	21	33	45	49	32	20	13	7	3	1	–
	Female	112	–	–	–	1	–	–	–	–	1	–	5	10	10	17	20	14	14	10	7	3	–	–
	All other Male	37	–	–	–	–	–	–	–	–	1	–	7	6	5	8	5	4	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	3	2	2	2	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	5,298	1	1	–	1	2	1	12	22	33	82	158	305	468	617	797	829	786	653	363	143	24	–
	White Male	2,474	1	–	–	–	1	–	3	12	14	40	77	158	247	316	395	424	323	258	153	44	8	–
	Female	2,210	–	1	–	1	–	1	6	6	9	20	51	107	154	216	305	321	376	344	186	92	14	–
	All other Male	331	–	–	–	–	–	–	1	1	8	13	18	21	38	40	61	53	43	25	6	3	–	–
	Female	283	–	–	–	–	1	–	2	3	2	9	12	19	29	45	36	31	44	26	18	4	2	–
160–163	Of respiratory system	4,989	–	1	–	–	2	1	–	10	34	93	239	469	712	914	854	731	456	297	127	40	9	–
	White Male	3,401	–	–	–	–	1	–	–	4	17	50	143	306	465	633	593	540	332	199	89	24	5	–
	Female	1,031	–	1	–	–	1	–	–	3	12	22	57	93	161	172	167	122	91	81	33	13	2	–
	All other Male	438	–	–	–	–	–	1	–	1	3	6	28	54	72	88	81	58	25	14	3	3	1	–
	Female	119	–	–	–	–	–	–	–	2	2	15	11	16	14	21	13	11	8	3	2	–	1	–
174	Of breast	1,849	–	–	–	–	–	1	5	28	38	80	144	201	238	247	254	184	159	133	92	33	12	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	2	3	4	2	2	1	2	–	1	1	–	–
	Female	1,670	–	–	–	–	–	1	3	27	33	69	127	176	213	227	234	164	144	123	88	30	11	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	161	–	–	–	–	–	–	2	1	5	11	15	22	21	18	18	19	13	10	3	2	1	–
180–187	Of genital organs	2,223	–	–	–	1	2	13	18	15	17	43	60	137	206	229	290	323	315	300	187	56	11	–
	White Male	866	–	–	–	–	2	6	9	3	3	3	1	10	27	62	102	141	169	183	104	37	4	–
	Female	1,079	–	–	–	–	–	6	7	7	13	36	50	111	156	143	144	135	110	79	61	15	6	–
	All other Male	164	–	–	–	–	–	–	–	–	–	–	–	4	10	10	26	34	30	30	16	3	1	–
	Female	114	–	–	–	1	–	1	2	5	1	4	9	12	13	14	18	13	6	8	6	1	–	–
188, 189	Of urinary organs	927	–	1	2	2	–	–	1	4	3	6	27	50	78	118	116	160	122	126	76	28	7	–
	White Male	567	–	–	1	–	–	–	1	2	2	2	15	33	52	75	66	101	80	77	47	10	3	–
	Female	293	–	1	1	2	–	–	–	2	1	3	9	11	20	28	43	49	34	40	28	17	4	–
	All other Male	41	–	–	–	–	–	–	–	–	–	1	1	2	4	9	5	7	6	6	–	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	2	4	2	6	2	3	2	3	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	2,152	4	24	22	18	25	30	20	31	45	48	110	172	210	288	289	272	221	175	91	47	10	–
	White Male	1,049	2	12	10	7	11	20	6	19	23	25	51	90	106	169	147	134	94	59	41	18	5	–
	Female	936	2	10	8	10	12	10	14	9	18	19	44	64	87	100	115	122	111	102	47	29	3	–
	All other Male	92	–	–	3	–	1	–	–	3	2	2	5	12	12	12	16	7	8	7	2	–	–	–
	Female	75	–	2	1	1	1	–	–	–	2	2	10	6	5	7	11	9	8	7	1	–	2	–
204–207	Leukemia	781	–	15	28	15	15	18	20	15	18	24	23	47	51	74	62	94	96	83	64	13	6	–
	White Male	393	–	9	18	6	5	7	13	7	11	4	13	20	29	39	36	46	46	41	33	8	2	–
	Female	331	–	6	7	8	9	10	5	7	6	19	8	22	19	30	19	39	42	39	28	5	3	–
	All other Male	29	–	–	2	–	1	–	1	1	–	–	1	2	2	3	3	5	5	1	1	–	1	–
	Female	28	–	–	1	1	–	1	1	–	1	1	1	3	1	2	4	4	3	2	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,066	–	3	2	4	13	19	18	15	15	33	41	70	115	140	151	156	127	88	43	7	5	1
	White Male	519	–	1	1	4	6	11	7	10	9	16	26	39	64	79	78	74	49	31	11	2	1	–
	Female	450	–	2	–	–	6	7	11	5	6	11	12	26	40	47	50	70	69	48	30	5	4	1
	All other Male	57	–	–	1	–	1	1	–	–	–	3	2	3	4	8	13	8	6	6	1	–	–	–
	Female	40	–	–	–	–	–	–	–	–	–	3	1	2	7	6	10	4	3	3	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	187	2	1	1	5	3	3	6	4	2	5	7	13	12	18	22	33	16	20	14	–	–	–
	White Male	77	2	–	1	3	1	1	4	–	1	1	2	3	6	5	11	16	10	7	3	–	–	–
	Female	83	–	1	–	2	1	2	1	2	1	3	4	7	3	11	10	12	4	11	8	–	–	–
	All other Male	15	–	–	–	–	1	–	–	1	–	1	–	1	1	2	–	4	2	1	1	–	–	–
	Female	12	–	–	–	–	–	–	1	1	–	–	1	2	2	–	1	1	–	1	2	–	–	–
250	Diabetes mellitus	1,955	3	1	1	1	–	6	10	8	12	21	41	78	134	203	267	311	344	259	167	70	18	–
	White Male	723	1	–	1	1	–	2	4	3	6	7	19	33	64	89	111	120	122	69	47	19	5	–
	Female	1,018	2	1	–	–	–	4	6	2	3	9	16	26	50	91	119	160	193	165	113	46	12	–
	All other Male	58	–	–	–	–	–	–	–	2	2	3	2	5	10	3	11	7	3	8	1	1	–	–
	Female	156	–	–	–	–	–	–	–	1	1	2	4	14	10	20	26	24	26	17	6	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	151	–	1	–	–	–	1	–	2	–	1	1	3	4	10	11	16	25	28	27	15	6	–
	White Male	51	–	–	–	–	–	–	–	1	–	–	–	1	2	4	3	10	7	8	8	6	1	–
	Female	81	–	–	–	–	–	1	–	1	–	–	1	1	2	4	6	5	13	19	17	7	4	–
	All other Male	11	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	4	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	1	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
280–285	Anemias	163	1	3	1	4	5	4	1	1	2	4	2	4	7	7	13	22	18	23	30	9	2	–
	White Male	61	–	–	1	1	1	1	–	–	–	–	–	1	1	4	8	12	3	7	15	5	1	–
	Female	84	–	1	–	2	3	–	–	1	–	2	1	3	5	3	4	10	15	14	15	4	1	–
	All other Male	11	–	2	–	1	–	2	1	–	1	1	1	–	–	–	–	–	–	2	–	–	–	–
	Female	7	1	–	–	–	1	1	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
320	Meningitis	63	19	9	5	2	–	1	2	2	1	3	2	2	2	1	1	3	3	1	2	2	–	–
	White Male	28	7	5	4	2	–	1	–	–	–	3	1	–	1	1	1	2	–	–	–	–	–	–
	Female	23	10	2	1	–	–	–	1	2	–	–	1	1	–	–	–	1	–	1	2	1	–	–
	All other Male	7	1	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–	–	–
	Female	5	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
390–448	Major cardiovascular diseases	51,365	51	15	12	9	27	47	71	128	244	528	1,005	1,958	2,867	4,077	5,423	6,613	7,752	8,568	7,096	3,655	1,216	3
	White Male	24,504	26	5	6	3	14	21	33	64	140	331	635	1,285	1,830	2,500	3,169	3,500	3,547	3,487	2,486	1,118	303	1
	Female	22,860	15	5	3	6	11	14	28	35	57	106	199	415	714	1,175	1,733	2,533	3,616	4,651	4,303	2,406	833	2
	All other Male	2,127	5	1	–	–	1	9	7	23	34	60	106	171	189	244	287	307	297	204	118	45	19	–
	Female	1,874	5	4	3	–	1	3	3	6	13	31	65	87	134	158	234	273	292	226	189	86	61	–
390–398, 402, 404, 410–429	Diseases of heart	38,440	39	11	10	5	16	20	49	90	184	438	831	1,678	2,453	3,382	4,371	5,121	5,676	6,020	4,747	2,469	828	2
	White Male	19,279	20	3	4	1	10	12	29	49	113	291	568	1,151	1,628	2,136	2,631	2,742	2,666	2,556	1,691	771	206	1
	Female	16,169	11	3	3	4	6	2	12	21	34	68	134	309	561	934	1,351	1,940	2,604	3,165	2,845	1,599	562	1
	All other Male	1,612	5	1	–	–	–	6	6	16	27	55	83	148	162	192	207	237	208	140	73	32	14	–
	Female	1,380	3	4	3	–	–	–	2	4	10	24	46	70	102	120	182	202	198	159	138	67	46	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	707	–	–	–	1	3	3	9	9	11	22	27	67	74	95	108	123	61	56	30	8	–	–
	White Male	275	–	–	–	–	2	2	6	3	4	11	12	25	29	40	39	46	28	13	10	5	–	–
	Female	379	–	–	–	1	1	–	2	3	6	8	9	37	39	53	60	67	30	42	18	3	–	–
	All other Male	29	–	–	–	–	–	1	1	3	–	1	2	4	4	–	4	6	3	–	–	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	2	4	1	2	2	5	4	–	1	2	–	–	–
402	Hypertensive heart disease	441	–	–	–	–	–	–	3	3	6	9	15	19	28	31	54	66	63	62	53	26	3	–
	White Male	141	–	–	–	–	–	–	3	1	–	4	8	7	9	18	21	22	18	17	7	6	–	–
	Female	212	–	–	–	–	–	–	–	–	2	–	2	5	11	6	22	28	32	41	44	16	3	–
	All other Male	42	–	–	–	–	–	–	–	2	2	5	4	3	3	4	2	6	8	1	1	1	–	–
	Female	46	–	–	–	–	–	–	–	–	2	–	1	4	5	3	9	10	5	3	1	3	–	–
404	Hypertensive heart and renal disease	401	–	–	–	–	–	–	–	–	–	3	2	9	11	27	40	55	65	65	75	32	17	–
	White Male	170	–	–	–	–	–	–	–	–	–	2	1	5	5	16	22	25	27	26	27	13	1	–
	Female	165	–	–	–	–	–	–	–	–	–	1	–	1	2	4	9	19	24	33	41	17	14	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	–	3	2	6	6	7	6	5	3	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	4	8	1	4	1	2	–
410–413	Ischemic heart disease	34,506	1	–	–	1	3	4	15	54	132	364	706	1,475	2,180	3,028	3,928	4,598	5,172	5,503	4,327	2,247	766	2
	White Male	17,587	–	–	–	1	2	3	7	34	92	253	503	1,053	1,507	1,958	2,408	2,513	2,451	2,356	1,550	697	198	1
	Female	14,415	1	–	–	–	1	–	5	10	16	51	102	236	455	804	1,188	1,716	2,378	2,879	2,590	1,465	517	1
	All other Male	1,348	–	–	–	–	–	1	2	7	19	41	63	129	141	161	183	198	176	125	62	28	12	–
	Female	1,156	–	–	–	–	–	–	1	3	5	19	38	57	77	105	149	171	167	143	125	57	39	–
410	Acute myocardial infarction	15,671	–	–	–	1	2	2	9	38	83	241	466	917	1,353	1,754	2,205	2,349	2,328	2,016	1,244	514	148	1
	White Male	9,280	–	–	–	1	2	1	6	25	63	180	374	710	994	1,220	1,431	1,393	1,188	958	505	178	50	1
	Female	5,606	–	–	–	–	–	–	2	8	10	31	58	133	275	441	664	858	1,032	988	694	321	91	–
	All other Male	462	–	–	–	–	–	1	–	4	7	20	22	55	59	57	62	62	56	31	18	7	1	–
	Female	323	–	–	–	–	–	–	1	1	3	10	12	19	25	36	48	36	52	39	27	8	6	–
411	Other acute and subacute forms of ischemic heart disease	150	1	–	–	–	–	1	–	1	1	–	1	10	13	15	17	18	12	24	22	12	2	–
	White Male	72	–	–	–	–	–	1	–	1	1	–	1	7	7	12	12	6	5	10	5	3	1	–
	Female	70	1	–	–	–	–	–	–	–	–	–	–	1	3	3	5	10	7	14	17	8	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
412	Chronic ischemic heart disease	18,679	–	–	–	–	1	1	6	15	48	123	239	547	814	1,259	1,705	2,230	2,832	3,462	3,060	1,721	615	1
	White Male	8,233	–	–	–	–	–	1	1	8	28	73	128	336	506	726	964	1,114	1,258	1,387	1,040	516	147	–
	Female	8,736	–	–	–	–	1	–	3	2	6	20	44	101	177	360	519	848	1,339	1,877	1,878	1,136	424	1
	All other Male	881	–	–	–	–	–	–	2	3	12	21	41	73	79	104	121	135	120	94	44	21	11	–
	Female	829	–	–	–	–	–	–	–	2	2	9	26	37	52	69	101	133	115	104	98	48	33	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	177	1	1	1	1	1	1	4	3	1	2	6	4	11	9	13	19	25	21	27	22	4	–
	White Male	80	–	–	1	–	1	–	2	1	–	2	2	2	1	6	10	11	16	7	12	4	2	–
	Female	88	1	1	–	1	–	–	2	2	–	–	3	2	8	3	3	7	8	14	14	17	2	–
	All other Male	4	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,208	37	10	9	2	9	12	18	21	34	38	75	104	149	192	228	260	290	313	235	134	38	–
	White Male	1,026	20	3	3	–	5	7	11	10	17	19	42	59	77	98	131	125	126	137	85	46	5	–
	Female	910	9	2	3	2	4	2	3	6	10	8	18	28	46	64	69	103	132	156	138	81	26	–
	All other Male	150	5	1	–	–	–	3	3	4	6	8	13	9	12	21	12	19	15	9	6	2	2	–
	Female	122	3	4	3	–	–	–	1	1	1	3	2	8	14	9	16	13	17	11	6	5	5	–
400, 401, 403	Hypertension	314	–	–	–	–	–	1	–	1	6	2	11	12	10	20	24	38	46	54	55	27	7	–
	White Male	127	–	–	–	–	–	1	–	–	1	2	5	4	4	13	8	19	19	22	17	12	–	–
	Female	133	–	–	–	–	–	–	–	–	2	–	2	4	2	4	11	15	18	25	32	12	6	–
	All other Male	28	–	–	–	–	–	–	–	1	1	–	2	3	1	1	1	4	5	4	2	3	–	–
	Female	26	–	–	–	–	–	–	–	–	2	–	2	1	3	2	4	–	4	3	4	–	1	–
430–438	Cerebrovascular diseases	9,364	10	4	2	4	11	20	17	33	38	74	132	196	301	515	774	1,097	1,544	1,892	1,673	801	226	–
	White Male	3,585	6	2	2	2	4	7	3	12	17	30	43	87	135	251	357	530	614	657	555	214	57	–
	Female	5,023	2	2	–	2	5	8	12	14	14	33	54	79	118	195	315	461	786	1,143	1,053	567	160	–
	All other Male	384	–	–	–	–	1	2	1	5	6	5	20	17	22	40	63	49	69	44	29	8	3	–
	Female	372	2	–	–	–	1	3	1	2	1	6	15	13	26	29	39	57	75	48	36	12	6	–
431	Cerebral hemorrhage	1,255	3	1	1	2	2	4	1	14	17	21	47	61	83	103	158	166	188	175	146	49	13	–
	White Male	508	1	1	1	1	–	1	–	5	9	12	17	23	40	49	70	76	82	56	45	15	4	–
	Female	610	1	–	–	1	2	1	1	4	5	5	17	23	29	36	70	73	94	112	95	32	9	–
	All other Male	80	–	–	–	–	–	1	–	4	3	1	8	8	7	9	14	11	6	5	2	1	–	–
	Female	57	1	–	–	–	–	1	–	1	–	3	5	7	7	9	4	6	6	2	4	1	–	–
433	Cerebral thrombosis	2,337	–	–	–	–	–	–	1	1	1	4	12	25	55	112	160	286	410	510	465	234	61	–
	White Male	880	–	–	–	–	–	–	–	–	1	1	2	16	22	52	84	144	143	182	157	63	13	–
	Female	1,292	–	–	–	–	–	–	1	1	–	2	7	7	22	43	53	123	220	308	293	165	47	–
	All other Male	88	–	–	–	–	–	–	–	–	–	–	2	1	5	12	17	5	23	12	7	4	–	–
	Female	77	–	–	–	–	–	–	–	–	–	1	1	1	6	5	6	14	24	8	8	2	1	–
434	Cerebral embolism	32	–	–	–	–	–	–	–	–	–	1	–	–	–	5	3	1	11	3	6	2	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	4	2	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	5	1	5	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,740	7	3	1	2	9	16	15	18	20	48	73	110	163	295	453	644	935	1,204	1,056	516	152	–
	White Male	2,184	5	1	1	1	4	6	3	7	7	17	24	48	73	147	202	309	385	417	352	135	40	–
	Female	3,104	1	2	–	1	3	7	10	9	9	25	30	49	67	114	190	265	467	722	660	369	104	–
	All other Male	215	–	–	–	–	1	1	1	1	3	4	10	8	10	19	32	33	39	27	20	3	3	–
	Female	237	1	–	–	–	1	2	1	1	1	2	9	5	13	15	29	37	44	38	24	9	5	–
440	Arteriosclerosis	1,793	–	–	–	–	–	–	–	1	–	1	4	6	20	40	64	141	245	376	472	290	132	1
	White Male	674	–	–	–	–	–	–	–	1	–	1	2	6	12	19	39	66	100	137	161	96	34	–
	Female	1,017	–	–	–	–	–	–	–	–	–	–	2	–	6	16	17	65	126	214	291	186	93	1
	All other Male	54	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	6	9	14	11	2	1	–
	Female	48	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	10	11	9	6	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,454	2	–	–	–	–	6	5	3	16	13	27	66	83	120	190	216	241	226	149	68	23	–
	White Male	839	–	–	–	–	–	1	1	2	9	7	17	37	51	81	134	143	148	115	62	25	6	–
	Female	518	2	–	–	–	–	4	4	–	7	5	7	23	27	26	39	52	82	104	82	42	12	–
	All other Male	49	–	–	–	–	–	1	–	1	–	–	1	3	2	7	11	11	6	2	3	–	1	–
	Female	48	–	–	–	–	–	–	–	–	–	1	2	3	3	6	6	10	5	5	2	1	4	–
466	Acute bronchitis and bronchiolitis	28	5	2	–	–	–	1	1	–	–	–	–	2	–	–	2	5	4	3	3	–	–	–
	White Male	15	1	2	–	–	–	–	1	–	–	–	–	2	–	–	1	4	3	1	–	–	–	–
	Female	9	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	2	3	–	–	–
	All other Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,331	65	16	6	7	13	14	13	12	18	23	35	66	88	92	176	212	309	444	401	238	83	–
	White Male	1,085	28	6	3	3	6	8	10	5	8	10	14	32	48	43	85	113	162	222	155	98	26	–
	Female	1,023	23	6	3	3	5	3	3	5	6	8	11	24	21	36	62	77	122	197	229	128	51	–
	All other Male	135	10	–	–	1	2	2	–	1	3	5	6	7	13	7	17	16	13	16	9	4	3	–
	Female	88	4	4	–	–	–	1	–	1	1	–	4	3	6	6	12	6	12	9	8	8	3	–
470–474	Influenza	60	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	3	4	15	15	8	7	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	3	3	3	3	3	–
	Female	38	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	11	12	5	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,271	65	16	6	7	13	14	13	12	18	23	34	66	87	89	173	209	305	429	386	230	76	–
	White Male	1,064	28	6	3	3	6	8	10	5	8	10	13	32	47	43	84	110	159	219	152	95	23	–
	Female	985	23	6	3	3	5	3	3	5	6	8	11	24	21	33	60	77	121	186	217	123	47	–
	All other Male	134	10	–	–	1	2	2	–	1	3	5	6	7	13	7	17	16	13	15	9	4	3	–
	Female	88	4	4	–	–	–	1	–	1	1	–	4	3	6	6	12	6	12	9	8	8	3	–
490–493	Bronchitis, emphysema, and asthma	1,278	4	2	–	2	2	2	–	3	5	7	18	54	89	166	221	242	211	138	89	21	2	–
	White Male	885	3	1	–	2	–	1	–	1	1	1	5	29	63	112	154	175	159	108	58	11	1	–
	Female	329	–	–	–	–	1	–	–	2	4	5	9	22	22	49	54	53	45	24	29	9	1	–
	All other Male	50	–	–	–	–	–	–	–	–	–	1	3	2	3	5	11	13	6	5	1	–	–	–
	Female	14	1	1	–	–	1	1	–	–	–	–	1	1	1	–	2	1	1	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
490, 491	Chronic and unqualified bronchitis	274	3	1	–	1	–	1	–	–	1	2	7	14	19	38	41	43	40	35	23	4	1	–
	White Male	175	2	1	–	1	–	–	–	–	–	–	2	10	13	26	25	32	25	23	14	–	1	–
	Female	87	–	–	–	–	–	–	–	–	1	1	5	3	5	12	15	11	14	10	7	3	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	2	1	–	–	–
	Female	6	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–
492	Emphysema	944	1	–	–	–	–	–	–	–	3	3	8	33	66	125	170	191	166	99	63	16	–	–
	White Male	695	1	–	–	–	–	–	–	–	1	–	3	19	49	86	125	142	131	84	43	11	–	–
	Female	204	–	–	–	–	–	–	–	–	2	3	3	13	15	34	34	35	29	11	20	5	–	–
	All other Male	42	–	–	–	–	–	–	–	–	–	–	2	1	2	5	11	13	5	3	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
493	Asthma	60	–	1	–	1	2	1	–	3	1	2	3	7	4	3	10	8	5	4	3	1	1	–
	White Male	15	–	–	–	1	–	1	–	1	–	1	–	–	1	–	4	1	3	1	1	–	–	–
	Female	38	–	–	–	–	1	–	–	2	1	1	1	6	2	3	5	7	2	3	2	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	280	–	–	–	–	–	2	2	–	3	–	9	13	13	29	39	46	37	45	28	11	3	–
	White Male	142	–	–	–	–	–	–	1	–	1	–	7	6	10	16	23	22	17	21	11	5	2	–
	Female	113	–	–	–	–	–	2	1	–	1	–	–	3	3	9	15	19	18	21	15	5	1	–
	All other Male	14	–	–	–	–	–	–	–	–	1	–	2	3	–	–	1	4	1	1	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	1	2	2	–	–	–
540–543	Appendicitis	31	1	1	–	–	1	–	–	–	–	1	–	1	3	2	2	4	3	9	2	1	–	–
	White Male	11	1	–	–	–	1	–	–	–	–	–	–	–	1	1	1	2	1	2	1	–	–	–
	Female	15	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	7	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	290	34	–	–	1	4	1	1	–	1	2	4	8	8	13	25	36	39	45	44	16	8	–
	White Male	90	14	–	–	–	1	1	1	–	–	1	1	1	2	6	10	12	6	11	16	5	2	–
	Female	177	20	–	–	1	3	–	–	–	–	1	2	7	4	3	13	21	31	28	26	11	6	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	4	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	2	1	2	2	–	–	–
571	Cirrhosis of liver	1,278	1	–	–	1	–	3	7	30	42	70	119	188	207	216	173	108	57	43	10	3	–	–
	White Male	683	–	–	–	1	–	2	3	13	9	35	57	100	109	137	109	58	28	16	5	1	–	–
	Female	390	–	–	–	–	–	–	2	4	12	21	33	56	67	50	52	42	22	22	5	2	–	–
	All other Male	112	–	–	–	–	–	1	2	10	10	5	14	22	18	12	7	3	5	3	–	–	–	–
	Female	93	1	–	–	–	–	–	–	3	11	9	15	10	13	17	5	5	2	2	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	116	–	–	–	–	–	–	–	–	1	1	3	7	4	2	6	15	22	24	18	13	–	–
	White Male	48	–	–	–	–	–	–	–	–	–	1	–	3	4	–	4	8	9	10	6	3	–	–
	Female	63	–	–	–	–	–	–	–	–	1	–	3	3	–	2	2	7	10	13	12	10	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
580–584	Nephritis and nephrosis	467	2	–	2	1	2	5	4	3	7	10	18	21	41	40	52	58	64	57	53	20	7	–
	White Male	199	–	–	1	1	2	3	1	1	1	2	6	10	19	20	16	23	30	30	23	8	2	–
	Female	158	–	–	1	–	–	1	2	1	5	4	4	7	9	12	17	18	23	20	23	8	3	–
	All other Male	57	1	–	–	–	–	–	–	1	1	3	3	1	6	4	12	11	4	4	3	2	1	–
	Female	53	1	–	–	–	–	1	1	–	–	1	5	3	7	4	7	6	7	3	4	2	1	–
580, 581	Acute nephritis and nephrotic syndrome	89	2	–	1	–	–	–	1	–	–	1	3	3	7	8	15	11	13	8	11	4	1	–
	White Male	41	–	–	–	–	–	–	1	–	–	–	–	3	5	6	7	3	4	6	4	2	–	–
	Female	24	–	–	1	–	–	–	–	–	–	1	–	–	1	1	4	3	5	1	6	1	–	–
	All other Male	15	1	–	–	–	–	–	–	–	–	–	1	–	–	1	4	5	2	–	1	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	2	1	–	1	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	378	–	–	1	1	2	5	3	3	7	9	15	18	34	32	37	47	51	49	42	16	6	–
	White Male	158	–	–	1	1	2	3	–	1	1	2	6	7	14	14	9	20	26	24	19	6	2	–
	Female	134	–	–	–	–	–	1	2	1	5	3	4	7	8	11	13	15	18	19	17	7	3	–
	All other Male	42	–	–	–	–	–	–	–	1	1	3	2	1	6	3	8	6	2	4	2	2	1	–
	Female	44	–	–	–	–	–	1	1	–	–	1	3	3	6	4	7	6	5	2	4	1	–	–
590	Infections of kidney	214	–	–	–	1	–	–	2	1	–	1	2	3	10	6	21	35	37	42	35	15	3	–
	White Male	82	–	–	–	–	–	–	–	–	–	1	1	1	2	2	3	14	15	24	14	4	1	–
	Female	108	–	–	–	1	–	–	2	1	–	–	1	1	5	4	11	16	19	18	16	11	2	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	1	–	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	2	–	3	–	–	–
600	Hyperplasia of prostate	58	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	9	17	10	9	2	–
	White Male	54	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	9	16	9	8	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	2	5	4	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	11	–	–	–	–	2	2	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
640–645	Abortions	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	4	4	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	11	–	–	–	–	2	2	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	646	404	65	14	17	17	19	11	9	7	2	8	11	16	14	9	6	10	2	3	1	1	–
	White Male	300	181	35	8	9	8	12	4	2	4	–	4	6	5	7	4	3	6	–	1	1	–	–
	Female	279	184	22	4	6	6	4	5	5	3	2	2	5	11	6	4	2	4	1	2	–	1	–
	All other Male	41	25	3	2	1	1	3	–	1	–	–	2	–	–	–	1	1	–	1	–	–	–	–
	Female	26	14	5	–	1	2	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,157	1,155	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	506	506	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	385	384	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	154	154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	112	111	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	595	594	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	281	281	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	194	194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	46	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	562	561	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	225	225	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	191	190	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,551	220	29	5	12	71	88	79	62	60	67	89	100	106	102	91	77	73	74	77	44	24	1
	White Male	779	105	17	1	5	38	52	44	34	29	34	47	45	63	56	43	49	36	31	30	12	7	1
	Female	481	61	6	2	3	19	21	16	19	18	18	22	31	23	21	29	24	29	40	41	24	14	–
	All other Male	194	34	3	1	3	11	9	13	6	9	9	15	20	16	16	12	3	5	2	4	2	1	–
	Female	97	20	3	1	1	3	6	6	3	4	6	5	4	4	9	7	1	3	1	2	6	2	–
Residual	All other diseases	6,347	126	27	28	36	63	88	58	84	89	147	223	353	446	615	752	892	819	744	491	218	47	1
	White Male	3,097	61	8	15	17	37	46	23	36	16	60	96	165	235	329	373	479	417	344	224	94	22	–
	Female	2,499	27	14	11	11	13	27	24	29	40	49	75	129	145	219	294	342	330	346	243	112	19	–
	All other Male	425	20	1	1	5	5	9	4	11	19	26	28	31	42	47	54	41	39	23	12	3	3	1
	Female	326	18	4	1	3	8	6	7	8	14	12	24	28	24	20	31	30	33	31	12	9	3	–
E800–E949	Accidents	4,302	42	141	121	136	523	509	320	228	168	151	169	202	223	216	186	195	220	242	186	94	29	1
	White Male	2,592	23	68	64	85	367	393	232	159	112	91	104	115	139	131	98	91	96	109	67	38	10	–
	Female	1,275	13	44	33	37	113	82	57	45	34	31	36	54	59	65	69	87	103	127	114	55	17	–
	All other Male	301	2	19	14	7	35	27	26	15	18	20	21	23	18	11	16	10	12	4	–	1	2	–
	Female	134	4	10	10	7	8	7	5	9	4	9	8	10	7	9	3	7	9	2	5	–	–	1
E810–E823	Motor vehicle accidents	1,861	7	48	66	67	360	344	196	139	86	70	64	69	88	72	51	40	44	32	10	7	1	–
	White Male	1,251	3	19	33	41	257	274	139	102	58	39	38	40	59	40	35	19	24	22	4	5	–	–
	Female	450	4	20	19	22	83	55	38	26	16	16	16	20	23	26	14	19	14	10	6	2	1	–
	All other Male	117	–	4	8	3	17	12	15	8	8	9	9	8	5	4	2	1	4	–	–	–	–	–
	Female	43	–	5	6	1	3	3	4	3	4	6	1	1	1	2	–	1	2	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,441	35	93	55	69	163	165	124	89	82	81	105	133	135	144	135	155	176	210	176	87	28	1
	White Male	1,341	20	49	31	44	110	119	93	57	54	52	66	75	80	91	63	72	72	87	63	33	10	–
	Female	825	9	24	14	15	30	27	19	19	18	15	20	34	36	39	55	68	89	117	108	53	16	–
	All other Male	184	2	15	6	4	18	15	11	7	10	11	12	15	13	7	14	9	8	4	–	1	2	–
	Female	91	4	5	4	6	5	4	1	6	–	3	7	9	6	7	3	6	7	2	5	–	–	1
E950–E959	Suicide	1,397	...	...	–	7	98	160	167	107	92	85	105	113	124	98	82	66	49	26	11	4	3	–
	White Male	970	...	...	–	6	71	121	126	70	62	49	72	72	75	62	60	49	40	19	11	3	2	–
	Female	329	...	...	–	1	16	23	28	23	21	29	26	36	47	28	20	15	8	7	–	–	1	–
	All other Male	76	...	...	–	–	6	12	13	13	7	3	4	5	2	6	1	2	1	–	–	1	–	–
	Female	22	...	...	–	–	5	4	–	1	2	4	3	–	–	2	1	–	–	–	–	–	–	–
E960–E978	Homicide	803	7	16	8	13	70	137	141	91	62	64	40	43	30	29	17	13	10	3	4	3	2	–
	White Male	309	2	3	5	6	28	55	50	38	23	21	14	17	14	15	8	4	1	1	1	2	1	–
	Female	113	2	5	1	3	9	16	10	13	7	11	9	8	–	6	2	4	5	–	2	–	–	–
	All other Male	324	3	6	2	3	29	52	72	31	27	31	14	17	13	7	7	5	2	–	1	1	1	–
	Female	57	–	2	–	1	4	14	9	9	5	1	3	1	3	1	–	–	2	2	–	–	–	–
E980–E999	Other external causes	161	2	3	–	2	6	13	22	18	9	18	10	15	17	9	5	4	3	–	1	2	–	2
	White Male	93	–	1	–	2	4	9	11	7	4	9	7	11	13	6	2	1	1	–	1	2	–	2
	Female	35	–	1	–	–	–	2	4	9	2	4	3	–	4	2	1	1	2	–	–	–	–	–
	All other Male	22	1	1	–	–	1	1	5	1	3	2	–	2	–	1	2	2	–	–	–	–	–	–
	Female	11	1	–	–	–	1	1	2	1	–	3	–	2	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma																							
	All causes	**26,791**	**621**	**122**	**84**	**106**	**346**	**370**	**319**	**323**	**344**	**427**	**725**	**1,074**	**1,660**	**2,163**	**2,895**	**3,325**	**3,547**	**3,561**	**2,824**	**1,390**	**543**	**22**
	White Male	13,422	269	53	41	53	218	232	193	185	177	236	404	622	943	1,320	1,689	1,859	1,739	1,558	1,019	448	154	10
	White Female	10,617	203	40	34	28	84	77	63	80	100	115	195	316	504	641	912	1,171	1,501	1,744	1,613	860	331	5
	All other Male	1,568	87	16	6	14	29	43	40	36	48	50	83	88	139	116	162	158	151	138	107	32	21	4
	All other Female	1,184	62	13	3	11	15	18	23	22	19	26	43	48	74	86	132	137	156	121	85	50	37	3
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	17	2	–	–	–	–	1	–	–	1	–	–	–	1	1	2	1	1	1	5	1	–	–
	White Male	6	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	44	–	–	–	–	–	1	–	–	1	–	3	1	4	6	7	6	6	2	3	4	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	2	–	1	4	7	3	2	2	2	3	–	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	–	1	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	2	–	–	–	1	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	34	–	–	–	–	–	1	–	–	1	–	2	1	3	5	4	5	3	2	3	4	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	4	4	2	2	2	2	3	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	2	–	–	–	1	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	3	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	White Male	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	111	26	2	3	1	1	3	2	4	1	1	–	5	4	3	8	11	7	14	7	7	1	–
	White Male	54	11	1	2	1	–	2	1	2	–	–	–	5	3	1	3	4	4	7	4	3	–	–
	White Female	36	9	–	1	–	1	1	–	–	–	1	–	–	1	1	3	5	–	6	2	4	1	–
	All other Male	8	3	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	All other Female	13	3	–	–	–	–	–	1	1	1	–	–	–	–	–	2	2	2	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	67	6	2	–	1	–	5	1	4	3	1	2	4	3	7	4	7	8	4	5	–	–	–
	White Male	36	4	1	–	1	–	3	–	3	2	1	2	2	1	4	2	3	5	1	1	–	–	–
	White Female	23	1	1	–	–	–	2	–	–	1	–	–	2	2	3	1	2	3	2	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	2	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,122	2	10	12	16	12	15	22	27	65	89	192	318	501	658	790	770	657	517	308	113	27	1
	White Male	2,693	1	3	9	7	7	11	10	15	29	36	90	155	272	372	434	446	343	254	138	53	8	–
	Female	1,983	–	5	2	6	2	2	7	10	30	44	73	126	182	236	281	277	260	227	145	53	14	1
	All other Male	257	–	1	–	2	–	2	1	1	1	5	17	22	27	29	45	31	32	19	18	3	1	–
	Female	189	1	1	1	1	3	–	4	1	5	4	12	15	20	21	30	16	22	17	7	4	4	–
140–149	Of buccal cavity and pharynx	103	–	–	–	–	–	–	–	–	1	1	5	8	8	15	13	21	9	11	9	1	1	–
	White Male	68	–	–	–	–	–	–	–	–	1	–	4	5	6	10	10	14	6	6	5	–	1	–
	Female	26	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	6	3	4	4	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,234	–	2	–	–	–	1	3	4	11	13	39	61	101	141	187	193	186	165	84	34	9	–
	White Male	575	–	–	–	–	–	1	–	3	8	6	22	32	57	77	88	90	81	65	27	17	1	–
	Female	524	–	2	–	–	–	–	2	1	3	4	12	14	28	48	76	84	87	89	51	15	8	–
	All other Male	84	–	–	–	–	–	–	–	–	–	2	5	11	11	10	12	13	9	6	4	1	–	–
	Female	51	–	–	–	–	–	–	1	–	–	1	–	4	5	6	11	6	9	5	2	1	–	–
160–163	Of respiratory system	1,430	–	–	–	–	1	–	1	4	8	20	60	110	177	247	259	227	174	93	36	11	1	1
	White Male	1,025	–	–	–	–	–	–	1	4	4	13	36	73	130	187	186	174	121	69	23	4	–	–
	Female	298	–	–	–	–	–	–	–	–	4	4	14	27	36	43	52	43	41	17	9	7	–	1
	All other Male	87	–	–	–	–	–	–	–	–	–	3	8	8	8	15	17	10	10	5	3	–	–	–
	Female	20	–	–	–	–	1	–	–	–	–	–	2	2	3	2	4	–	2	2	1	–	1	–
174	Of breast	384	–	–	–	–	–	–	–	5	5	18	19	50	53	59	52	32	33	32	18	6	2	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	345	–	–	–	–	–	–	–	4	4	17	17	43	47	54	46	30	29	29	17	6	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	–	–	–	–	–	–	–	1	1	1	2	7	6	4	6	2	4	2	1	–	–	–
180–187	Of genital organs	580	–	–	–	1	–	1	3	5	7	9	15	18	32	52	85	90	103	75	61	18	5	–
	White Male	277	–	–	–	–	–	–	1	2	–	1	1	1	8	22	36	47	57	49	35	13	4	–
	Female	242	–	–	–	–	–	1	2	3	5	7	9	17	19	26	38	38	35	20	18	4	–	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	–	–	2	–	7	2	9	4	6	–	–	–
	Female	31	–	–	–	1	–	–	–	–	2	1	5	–	3	4	4	3	2	2	2	1	1	–
188, 189	Of urinary organs	239	–	–	–	–	–	–	–	–	3	5	6	11	24	17	40	40	32	28	22	10	1	–
	White Male	162	–	–	–	–	–	–	–	–	1	4	5	10	18	8	32	27	22	13	15	7	–	–
	Female	64	–	–	–	–	–	–	–	–	2	1	1	1	6	7	6	10	6	14	7	2	1	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	677	2	4	3	10	3	5	8	4	20	14	33	40	60	83	99	95	62	59	44	25	4	–
	White Male	327	1	1	3	4	3	3	3	3	11	8	13	21	30	42	52	55	30	21	16	6	1	–
	Female	292	–	1	–	4	–	1	2	–	7	5	16	15	28	38	39	36	29	31	22	16	2	–
	All other Male	33	–	1	–	2	–	1	1	1	–	–	3	2	–	1	6	2	2	4	5	1	1	–
	Female	25	1	1	–	–	–	–	2	–	2	1	1	2	2	2	2	2	1	3	1	2	–	–
204–207	Leukemia	214	–	4	7	4	4	5	4	1	7	4	4	10	17	13	25	34	16	30	18	5	2	–
	White Male	115	–	2	4	2	1	4	2	1	2	1	2	5	8	10	15	17	7	19	9	4	–	–
	Female	85	–	2	2	2	1	–	1	–	4	3	1	5	6	3	8	17	9	11	9	1	–	–
	All other Male	5	–	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–
	Female	9	–	–	1	–	2	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	2	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	261	–	–	2	1	4	3	3	4	3	5	11	10	29	31	30	38	42	24	16	3	2	–
	White Male	142	–	–	2	1	3	3	3	2	2	3	7	8	15	15	15	22	19	11	8	2	1	–
	Female	107	–	–	–	–	1	–	–	2	1	2	3	2	12	14	14	13	21	12	8	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	72	2	1	2	2	–	1	2	2	2	6	1	5	7	3	7	7	3	10	6	3	–	–
	White Male	37	1	–	–	1	–	–	1	–	1	3	1	4	3	2	3	4	3	4	5	1	–	–
	Female	29	1	–	2	1	–	1	1	2	–	3	–	1	4	–	4	2	–	5	1	1	–	–
	All other Male	5	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
250	Diabetes mellitus	411	–	–	–	1	–	–	3	7	4	4	10	15	27	42	53	72	60	54	41	14	4	–
	White Male	132	–	–	–	–	–	–	2	3	1	2	–	6	9	18	18	27	18	14	11	2	1	–
	Female	191	–	–	–	1	–	–	1	1	1	–	4	3	10	14	22	32	32	32	26	10	2	–
	All other Male	39	–	–	–	–	–	–	–	2	2	–	3	4	3	6	4	6	3	2	3	1	–	–
	Female	49	–	–	–	–	–	–	–	1	–	2	3	2	5	4	9	7	7	6	1	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	42	3	–	–	–	–	–	–	1	–	–	–	–	1	2	2	7	8	7	6	3	2	–
	White Male	11	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	3	–	1	1	–	–
	Female	23	1	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	6	4	1	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
280–285	Anemias	25	–	–	–	–	1	1	–	1	–	–	1	3	1	–	3	3	4	3	3	1	–	–
	White Male	12	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	1	1	2	2	1	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	3	1	1	–	–	–
	All other Male	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
320	Meningitis	23	6	5	2	–	–	–	1	–	–	–	–	1	1	1	2	1	–	1	1	1	–	–
	White Male	6	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–
	Female	12	2	3	2	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
	All other Male	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	13,622	10	4	4	2	15	7	14	24	61	122	222	391	715	974	1,463	1,790	2,123	2,337	1,945	1,007	384	8
	White Male	6,570	6	–	1	1	4	1	9	15	36	85	151	256	428	636	902	992	1,008	969	662	297	108	3
	Female	5,878	–	4	3	1	6	3	4	7	15	22	43	85	186	243	421	635	935	1,207	1,163	654	238	3
	All other Male	634	2	–	–	–	2	2	1	2	8	10	21	31	70	50	78	87	82	95	60	21	12	–
	Female	540	2	–	–	–	3	1	–	–	2	5	7	19	31	45	62	76	98	66	60	35	26	2
390–398, 402, 404, 410–429	Diseases of heart	9,961	8	3	3	1	9	6	11	13	56	107	194	329	595	808	1,209	1,341	1,514	1,595	1,271	636	246	6
	White Male	5,137	5	–	–	–	3	1	7	8	35	79	141	225	380	552	773	763	739	707	457	189	71	2
	Female	3,974	–	3	3	1	2	2	3	4	12	15	33	62	136	183	339	453	646	773	741	408	152	3
	All other Male	475	2	–	–	–	2	2	1	1	7	10	14	28	55	39	58	68	62	66	38	15	7	–
	Female	375	1	–	–	–	2	1	–	–	2	3	6	14	24	34	39	57	67	49	35	24	16	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	111	–	–	–	–	1	–	2	1	2	4	3	7	14	12	12	15	14	14	8	1	1	–
	White Male	57	–	–	–	–	–	–	2	1	1	2	–	4	8	6	7	9	6	6	3	1	1	–
	Female	45	–	–	–	–	–	–	–	–	1	2	3	3	3	6	4	5	7	6	5	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	1	2	–	–	–	–
402	Hypertensive heart disease	87	–	–	–	–	–	1	–	–	–	1	2	4	5	5	10	9	12	10	14	11	3	–
	White Male	22	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	2	5	1	7	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	2	3	2	6	2	5	9	5	9	2	–
	All other Male	8	–	–	–	–	–	1	–	–	–	–	1	1	2	–	1	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	2	–	2	1	1	–
404	Hypertensive heart and renal disease	58	–	–	–	–	–	–	–	–	–	–	1	2	2	3	5	5	7	13	12	7	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	4	2	3	4	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	6	7	3	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	2	–	–	–
410–413	Ischemic heart disease	8,746	–	–	1	–	2	–	6	10	41	93	173	283	533	725	1,091	1,202	1,357	1,403	1,078	542	201	5
	White Male	4,641	–	–	–	–	2	–	3	7	28	71	131	201	354	510	711	693	666	636	397	165	64	2
	Female	3,425	–	–	1	–	–	–	2	2	6	11	27	45	117	155	297	407	580	684	625	342	121	3
	All other Male	397	–	–	–	–	–	–	1	1	6	9	11	25	44	35	51	57	54	51	32	15	5	–
	Female	283	–	–	–	–	–	–	–	–	1	2	4	12	18	25	32	45	57	32	24	20	11	–
410	Acute myocardial infarction	4,866	–	–	–	–	–	–	4	7	30	53	114	176	347	469	702	730	772	746	462	193	59	2
	White Male	2,821	–	–	–	–	–	–	2	4	21	39	89	134	238	347	467	445	401	358	190	64	21	1
	Female	1,680	–	–	–	–	–	–	1	2	3	8	15	22	72	87	188	232	311	342	246	118	32	1
	All other Male	214	–	–	–	–	–	–	1	1	5	5	8	12	27	19	30	29	26	29	16	4	2	–
	Female	151	–	–	–	–	–	–	–	–	1	1	2	8	10	16	17	24	34	17	10	7	4	–
411	Other acute and subacute forms of ischemic heart disease	367	–	–	1	–	–	–	–	–	3	5	13	32	44	43	62	46	39	35	25	13	5	1
	White Male	220	–	–	–	–	–	–	–	–	3	4	11	21	28	28	43	25	22	20	6	7	1	1
	Female	108	–	–	1	–	–	–	–	–	–	–	2	6	10	9	14	16	12	13	15	6	4	–
	All other Male	25	–	–	–	–	–	–	–	–	–	–	–	4	6	5	3	2	2	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	3	3	1	2	–	–	–
412	Chronic ischemic heart disease	3,510	–	–	–	–	2	–	2	3	8	35	45	75	142	213	327	426	545	622	590	336	137	2
	White Male	1,598	–	–	–	–	2	–	1	3	4	28	30	46	88	135	201	223	243	258	200	94	42	–
	Female	1,636	–	–	–	–	–	–	1	–	3	3	10	17	35	59	95	159	256	329	364	218	85	2
	All other Male	158	–	–	–	–	–	–	–	–	1	4	3	9	11	11	18	26	26	21	14	11	3	–
	Female	118	–	–	–	–	–	–	–	–	–	–	2	3	8	8	13	18	20	14	12	13	7	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	58	–	–	–	–	–	–	–	–	–	1	1	1	4	9	6	8	6	3	9	7	3	–
	White Male	22	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	4	1	1	5	3	1	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	2	5	2	3	4	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
420–423, 425–427, 429	All other forms of heart disease	901	8	3	2	1	6	5	3	2	13	8	14	32	37	54	85	102	118	152	150	68	37	1
	White Male	376	5	–	–	–	1	1	2	–	6	4	9	19	16	31	49	53	57	61	42	15	5	–
	Female	407	–	3	2	1	2	2	1	2	5	2	2	11	11	16	27	35	47	66	96	50	26	–
	All other Male	60	2	–	–	–	2	1	–	–	1	1	2	1	7	3	5	8	8	11	6	–	2	–
	Female	58	1	–	–	–	1	1	–	–	1	1	1	1	3	4	4	6	6	14	6	3	4	1
400, 401, 403	Hypertension	62	–	–	–	–	–	–	–	2	–	–	–	1	2	7	6	11	10	10	7	4	2	–
	White Male	24	–	–	–	–	–	–	–	1	–	–	–	–	1	4	1	8	4	3	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	5	3	4	2	1	–
	All other Male	10	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	3	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	2	–	–
430–438	Cerebrovascular diseases	2,823	1	1	1	–	6	1	2	7	4	12	23	45	95	122	195	352	474	594	522	271	94	1
	White Male	1,057	–	–	1	–	1	–	1	4	1	4	8	23	34	57	94	165	205	199	159	72	28	1
	Female	1,516	–	1	–	–	4	1	1	3	2	6	10	15	44	49	66	153	230	362	328	184	57	–
	All other Male	119	–	–	–	–	–	–	–	–	1	–	4	3	12	6	17	18	16	19	16	6	1	–
	Female	131	1	–	–	–	1	–	–	–	–	2	1	4	5	10	18	16	23	14	19	9	8	–
431	Cerebral hemorrhage	283	–	–	–	–	2	–	–	1	–	–	6	13	17	21	16	46	44	54	45	13	5	–
	White Male	116	–	–	–	–	–	–	–	1	–	–	2	8	4	10	9	24	28	16	8	6	–	–
	Female	132	–	–	–	–	2	–	–	–	–	–	2	3	7	6	4	18	14	34	31	7	4	–
	All other Male	20	–	–	–	–	–	–	–	–	–	–	2	1	6	2	1	1	1	2	4	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	3	1	2	2	–	1	–
433	Cerebral thrombosis	493	–	1	–	–	–	1	1	–	–	1	2	7	19	20	38	59	73	106	88	56	21	–
	White Male	177	–	–	–	–	–	–	1	–	–	–	1	3	6	11	16	25	30	36	25	18	5	–
	Female	291	–	1	–	–	–	1	–	–	–	1	1	4	11	6	18	30	40	67	60	36	15	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	3	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	2	–	3	2	1	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	4	1	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,033	1	–	1	–	4	–	1	6	4	11	15	25	59	80	141	244	356	431	385	201	67	1
	White Male	758	–	–	1	–	1	–	–	3	1	4	5	12	24	36	69	115	146	146	124	48	22	1
	Female	1,086	–	–	–	–	2	–	1	3	2	5	7	8	26	36	44	104	176	259	235	140	38	–
	All other Male	90	–	–	–	–	–	–	–	–	1	–	2	2	5	4	15	14	14	14	12	6	1	–
	Female	99	1	–	–	–	1	–	–	–	–	2	1	3	4	4	13	11	20	12	14	7	6	–
440	Arteriosclerosis	426	–	–	–	–	–	–	–	–	–	1	1	3	4	12	22	26	68	84	98	73	34	–
	White Male	164	–	–	–	–	–	–	–	–	–	1	1	3	1	7	14	12	24	35	29	30	7	–
	Female	235	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7	14	37	44	63	43	23	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	4	2	–	2	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	4	1	4	–	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	350	1	–	–	1	–	–	1	2	1	2	4	13	19	25	31	60	57	54	47	23	8	1
	White Male	188	1	–	–	1	–	–	1	2	–	1	1	5	12	16	20	44	36	25	15	6	2	–
	Female	133	–	–	–	–	–	–	–	–	1	1	–	7	5	6	8	14	17	25	27	17	5	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	3	–	2	2	2	–	1	3	3	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	1	2	–	–	1
466	Acute bronchitis and bronchiolitis	10	1	1	–	1	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	1	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	7	1	–	–	1	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	783	18	1	1	4	3	3	3	3	6	10	18	19	26	37	48	83	126	117	123	84	49	1
	White Male	381	10	–	1	1	1	1	1	–	3	5	13	9	11	26	28	54	70	54	45	36	12	–
	Female	338	3	–	–	3	2	2	–	2	1	4	2	6	10	10	15	20	47	60	76	44	31	–
	All other Male	38	4	1	–	–	–	–	1	–	2	1	3	3	1	1	4	3	5	1	1	3	3	1
	Female	26	1	–	–	–	–	–	1	1	–	–	–	1	4	–	1	6	4	2	1	1	3	–
470–474	Influenza	15	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	4	2	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	768	18	1	1	4	3	3	3	3	6	10	18	18	24	36	47	83	122	115	120	83	49	1
	White Male	376	10	–	1	1	1	1	1	–	3	5	13	9	10	26	28	54	69	53	44	35	12	–
	Female	330	3	–	–	3	2	2	–	2	1	4	2	6	9	9	14	20	45	59	74	44	31	–
	All other Male	36	4	1	–	–	–	–	1	–	2	1	3	2	1	1	4	3	4	1	1	3	3	1
	Female	26	1	–	–	–	–	–	1	1	–	–	–	1	4	–	1	6	4	2	1	1	3	–
490–493	Bronchitis, emphysema, and asthma	306	2	–	–	–	–	–	–	1	2	1	4	11	19	38	55	62	55	37	15	4	–	–
	White Male	217	1	–	–	–	–	–	–	–	–	1	1	7	13	19	44	44	43	29	11	4	–	–
	Female	75	1	–	–	–	–	–	–	1	1	–	3	3	4	18	8	18	10	6	2	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	2	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
490, 491	Chronic and unqualified bronchitis	37	2	–	–	–	–	–	–	–	–	–	–	–	2	5	6	10	7	4	1	–	–	–
	White Male	21	1	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	2	3	–	–	–	–
	Female	14	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	250	–	–	–	–	–	–	–	–	1	1	3	9	15	29	48	50	44	33	13	4	–	–
	White Male	189	–	–	–	–	–	–	–	–	–	1	1	7	11	16	38	37	37	26	11	4	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	2	1	3	13	7	13	6	5	1	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
493	Asthma	19	–	–	–	–	–	–	–	1	1	–	1	2	2	4	1	2	4	–	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	4	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	1	–	1	2	–	3	–	2	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	67	1	–	–	–	–	–	2	1	–	1	3	6	5	4	5	9	12	9	8	1	–	–
	White Male	34	–	–	–	–	–	–	2	–	–	1	–	4	4	2	3	5	6	4	3	–	–	–
	Female	24	–	–	–	–	–	–	–	1	–	–	2	2	–	2	1	3	6	4	3	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	82	4	–	–	–	–	–	–	–	–	2	1	2	2	5	8	9	12	18	12	4	2	1
	White Male	18	2	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	2	4	3	1	–	–
	Female	56	–	–	–	–	–	–	–	–	–	1	1	1	1	3	6	8	8	14	8	3	2	–
	All other Male	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
571	Cirrhosis of liver	341	–	–	–	–	–	1	11	10	10	22	39	45	59	53	29	33	11	13	4	1	–	–
	White Male	172	–	–	–	–	–	–	3	3	3	10	22	21	27	34	12	20	4	10	2	1	–	–
	Female	84	–	–	–	–	–	1	1	–	1	2	4	13	17	9	15	9	7	3	2	–	–	–
	All other Male	55	–	–	–	–	–	–	4	3	5	7	11	6	11	3	1	4	–	–	–	–	–	–
	Female	30	–	–	–	–	–	–	3	4	1	3	2	5	4	7	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	53	–	–	–	–	1	–	–	–	1	–	2	–	–	2	4	13	8	11	6	4	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	6	2	7	3	1	–	–
	Female	25	–	–	–	–	1	–	–	–	1	–	–	–	–	1	3	4	4	4	3	3	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	140	–	1	–	–	–	1	1	3	2	4	1	3	6	11	14	15	21	21	20	12	4	–
	White Male	59	–	1	–	–	–	1	–	3	–	2	–	3	3	3	7	8	5	10	8	4	1	–
	Female	45	–	–	–	–	–	–	1	–	–	1	–	–	2	4	2	3	12	6	8	5	1	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	2	3	–	2	–
	Female	22	–	–	–	–	–	–	–	–	2	1	–	–	–	2	4	2	4	3	1	3	–	–
580, 581	Acute nephritis and nephrotic syndrome	29	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	8	5	4	4	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	2	3	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	111	–	1	–	–	–	1	1	3	2	4	1	3	6	8	11	14	13	16	16	8	3	–
	White Male	51	–	1	–	–	–	1	–	3	–	2	–	3	3	3	7	7	3	8	7	3	–	–
	Female	32	–	–	–	–	–	–	1	–	–	1	–	–	2	3	1	3	8	4	5	3	1	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	2	3	–	2	–
	Female	15	–	–	–	–	–	–	–	–	2	1	–	–	–	1	2	2	2	2	1	2	–	–
590	Infections of kidney	73	–	–	–	–	–	–	–	1	–	–	1	–	2	2	3	3	21	16	19	3	2	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	7	4	2	1	–
	Female	38	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	15	7	11	1	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	1	–	–	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	1	4	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	156	100	18	6	4	6	5	3	3	1	1	–	3	1	1	1	1	2	–	–	–	–	–
	White Male	75	43	11	4	4	2	4	1	2	–	1	–	–	1	–	1	–	1	–	–	–	–	–
	Female	56	38	4	2	–	2	1	1	1	1	–	–	3	–	1	–	1	1	–	–	–	–	–
	All other Male	14	10	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	9	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	285	284	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	99	98	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	178	177	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	63	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	410	95	2	1	1	6	7	6	7	6	4	15	11	19	17	21	29	30	42	37	29	23	2
	White Male	173	42	1	–	–	5	4	4	5	2	–	4	6	9	12	9	10	17	18	12	8	3	2
	Female	183	31	1	–	–	–	3	2	2	1	4	4	3	9	5	7	15	12	20	24	21	19	–
	All other Male	31	12	–	–	–	1	–	–	–	3	–	5	2	1	–	4	2	–	1	–	–	–	–
	Female	23	10	–	1	1	–	–	–	–	–	–	2	–	–	–	1	2	1	3	1	–	1	–
Residual	All other diseases	2,077	27	11	11	10	21	23	20	30	36	44	67	95	144	186	235	291	285	237	194	74	33	3
	White Male	1,076	11	5	5	4	14	12	8	8	10	23	25	59	88	118	132	167	158	109	77	24	16	3
	Female	757	8	1	4	4	3	5	7	11	15	12	23	25	41	58	81	98	102	102	98	45	14	–
	All other Male	135	6	2	1	1	1	4	1	8	7	5	8	9	10	9	12	13	13	11	10	2	2	–
	Female	109	2	3	1	1	3	2	4	3	4	4	11	2	5	1	10	13	12	15	9	3	1	–
E800–E949	Accidents	1,691	25	52	36	55	226	207	138	104	82	75	81	78	74	62	95	73	72	76	51	18	7	4
	White Male	1,019	12	26	18	29	154	136	100	68	54	46	51	52	42	38	56	39	30	41	21	3	1	2
	Female	460	7	18	14	11	53	38	22	24	19	11	20	22	20	15	29	27	33	29	27	14	6	1
	All other Male	147	4	3	4	8	15	21	11	9	8	15	7	3	9	8	6	2	8	2	3	–	–	1
	Female	65	2	5	–	7	4	12	5	3	1	3	3	1	3	1	4	5	1	4	–	1	–	–
E810–E823	Motor vehicle accidents	899	6	22	19	21	171	152	88	73	35	41	38	42	33	31	40	22	25	25	12	1	–	2
	White Male	555	3	9	9	9	115	96	61	47	23	25	24	29	19	16	21	11	10	17	8	1	–	2
	Female	237	2	11	8	6	45	32	17	18	9	7	9	13	8	7	14	10	11	6	4	–	–	–
	All other Male	77	1	–	2	4	9	17	6	5	2	6	4	–	5	7	3	1	4	1	–	–	–	–
	Female	30	–	2	–	2	2	7	4	3	1	3	1	–	1	1	2	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	792	19	30	17	34	55	55	50	31	47	34	43	36	41	31	55	51	47	51	39	17	7	2
	White Male	464	9	17	9	20	39	40	39	21	31	21	27	23	23	22	35	28	20	24	13	2	1	–
	Female	223	5	7	6	5	8	6	5	6	10	4	11	9	12	8	15	17	22	23	23	14	6	1
	All other Male	70	3	3	2	4	6	4	5	4	6	9	3	3	4	1	3	1	4	1	3	–	–	1
	Female	35	2	3	–	5	2	5	1	–	–	–	2	1	2	–	2	5	1	3	–	1	–	–
E950–E959	Suicide	429	...	...	1	3	30	49	48	54	31	23	36	39	23	35	22	21	8	5	1	–	–	–
	White Male	288	...	...	1	2	19	35	33	37	18	12	25	21	15	22	17	18	7	5	1	–	–	–
	Female	111	...	...	–	–	6	10	11	11	11	8	10	16	7	12	5	3	1	–	–	–	–	–
	All other Male	22	...	...	–	1	4	4	4	3	1	2	–	2	1	–	–	–	–	–	–	–	–	–
	Female	8	...	...	–	–	1	–	–	3	1	1	1	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	254	3	5	5	4	24	33	36	30	27	15	23	15	9	8	8	3	1	3	–	–	–	2
	White Male	123	1	1	–	1	12	14	14	17	17	6	16	8	7	2	3	2	–	2	–	–	–	–
	Female	40	1	–	4	–	8	7	4	3	1	2	3	1	1	3	1	–	–	1	–	–	–	–
	All other Male	70	–	1	1	2	3	9	17	7	8	4	4	5	1	3	3	1	–	–	–	–	–	1
	Female	21	1	3	–	1	1	3	1	3	1	3	–	1	–	–	1	–	1	–	–	–	–	1
E980–E999	Other external causes	42	3	4	–	–	–	7	5	5	1	2	2	3	3	2	1	1	1	–	2	–	–	–
	White Male	23	2	–	–	–	–	7	4	2	1	1	–	1	1	2	–	–	1	–	1	–	–	–
	Female	12	1	2	–	–	–	–	–	2	–	–	2	1	2	–	1	–	–	–	1	–	–	–
	All other Male	5	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon																							
	All causes	**20,481**	**456**	**115**	**77**	**81**	**249**	**336**	**274**	**229**	**245**	**292**	**461**	**832**	**1,214**	**1,787**	**2,270**	**2,398**	**2,685**	**2,713**	**2,213**	**1,186**	**369**	**7**
	White ..... Male	11,256	272	59	45	54	171	242	193	145	153	181	265	510	738	1,157	1,385	1,443	1,472	1,360	870	432	107	2
	Female	8,776	154	55	28	23	69	77	62	76	81	96	178	283	439	585	843	910	1,169	1,329	1,313	745	258	3
	All other ..... Male	270	16	1	1	1	5	13	12	6	9	8	9	33	25	27	25	21	26	11	11	6	2	2
	Female	179	14	–	3	3	4	4	7	2	2	7	9	6	12	18	17	16	18	13	19	3	2	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	18	2	–	–	–	–	–	–	–	–	–	–	2	–	–	4	3	2	3	–	1	1	–
	White ..... Male	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	1	1	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	16	–	–	–	–	–	–	–	–	–	1	1	–	2	4	1	4	1	1	–	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	14	–	–	–	–	–	–	–	–	–	1	1	–	1	4	1	4	1	–	–	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	3	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	46	11	1	–	–	2	–	–	1	–	–	1	1	3	2	5	3	7	4	3	1	1	–
	White ..... Male	25	6	1	–	–	2	–	–	–	–	–	1	1	1	1	1	2	5	3	–	1	–	–
	Female	20	5	–	–	–	–	–	–	1	–	–	–	–	2	–	4	1	2	1	3	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	53	5	3	1	1	3	–	3	1	1	2	1	4	4	4	5	7	2	4	2	–	–	–
	White ..... Male	29	3	1	1	1	–	–	2	1	1	2	–	2	2	2	3	3	2	3	–	–	–	–
	Female	21	–	2	–	–	3	–	–	–	–	–	1	2	2	2	2	4	–	1	2	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,210	–	9	11	7	20	20	16	29	40	71	131	267	354	584	686	635	526	434	253	95	21	1
	White ..... Male	2,272	–	6	8	6	12	12	9	10	23	35	59	125	160	330	387	384	293	225	132	49	7	–
	Female	1,865	–	3	3	1	8	8	7	19	16	35	70	133	185	245	290	237	223	207	117	44	13	1
	All other ..... Male	43	–	–	–	–	–	–	–	–	1	–	–	5	4	5	6	8	7	2	2	2	1	–
	Female	30	–	–	–	–	–	–	–	–	–	1	2	4	5	4	3	6	3	–	2	–	–	–
140–149	Of buccal cavity and pharynx	82	–	–	–	–	1	–	–	–	–	1	1	8	8	21	8	12	6	5	9	1	1	–
	White ..... Male	49	–	–	–	–	1	–	–	–	–	1	–	6	6	14	5	7	2	3	4	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	2	2	6	3	4	3	2	5	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	966	–	–	–	–	1	2	3	1	4	12	22	39	60	132	157	164	129	125	77	34	4	–
	White ..... Male	534	–	–	–	–	1	–	2	–	2	8	11	19	37	84	98	101	66	58	34	13	–	–
	Female	415	–	–	–	–	–	2	1	1	2	4	11	18	21	48	57	57	59	67	42	21	4	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	3	2	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	1	–	–	–
160–163	Of respiratory system	1,076	–	–	–	–	–	–	1	2	4	16	42	76	112	189	219	167	123	81	35	7	1	1
	White ..... Male	758	–	–	–	–	–	–	1	–	1	10	28	54	67	131	154	122	99	64	21	5	1	–
	Female	301	–	–	–	–	–	–	–	2	3	6	14	21	42	55	60	42	22	17	14	2	–	1
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	2	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
174	Of breast	345	–	–	–	–	–	–	1	6	5	9	20	44	53	44	56	31	32	23	14	4	3	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	338	–	–	–	–	–	–	1	6	5	9	19	43	53	41	55	31	32	23	13	4	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–	–	1	–	–	–
180–187	Of genital organs	555	–	–	–	–	2	1	3	5	3	8	14	21	43	68	68	80	81	69	62	25	2	–
	White ..... Male	274	–	–	–	–	1	1	1	2	2	1	1	2	6	22	32	48	45	44	42	22	2	–
	Female	272	–	–	–	–	1	–	2	3	1	6	13	19	35	46	36	30	36	24	19	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	206	–	1	1	–	–	–	–	–	1	2	4	14	16	23	29	41	29	29	13	3	–	–
	White ..... Male	134	–	–	1	–	–	–	–	–	1	–	2	9	10	16	19	28	17	19	11	1	–	–
	Female	69	–	1	–	–	–	–	–	–	–	2	2	5	6	7	10	13	10	10	1	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	532	–	4	6	4	9	9	4	9	9	13	15	47	38	66	70	73	66	49	21	13	7	–
	White ..... Male	267	–	2	3	4	6	6	2	4	7	7	9	26	20	41	33	38	30	12	11	4	2	–
	Female	253	–	2	3	–	3	3	2	5	2	6	6	16	16	24	37	33	35	37	10	9	4	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	1	–	–	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–	–	–	–	–
204–207	Leukemia	172	–	4	3	2	4	2	2	3	4	4	4	4	6	17	31	24	22	22	7	5	2	–
	White ..... Male	105	–	4	3	1	2	1	2	2	3	3	3	2	4	7	22	14	14	10	4	3	1	–
	Female	64	–	–	–	1	2	1	–	1	1	1	–	2	2	9	9	10	8	11	3	2	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	276	–	–	1	1	3	6	2	3	10	6	9	14	18	24	48	43	38	31	15	3	1	–
	White ..... Male	151	–	–	1	1	1	4	1	2	7	5	5	7	10	15	24	26	20	15	5	1	1	–
	Female	123	–	–	–	–	2	2	1	1	2	1	4	7	8	9	23	17	18	16	10	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	64	–	2	–	3	–	4	–	–	2	–	1	3	6	4	5	10	11	10	2	1	–	–
	White ..... Male	37	–	1	–	1	–	2	–	–	1	–	–	2	4	1	3	6	7	8	1	–	–	–
	Female	23	–	1	–	2	–	1	–	–	1	–	1	–	2	2	2	4	3	2	1	1	–	–
	All other ..... Male	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
250	Diabetes mellitus	274	–	–	1	–	–	2	2	1	5	3	5	8	17	21	38	44	39	48	29	10	1	–
	White ..... Male	114	–	–	–	–	–	2	2	1	1	1	4	3	6	10	17	20	11	17	14	5	–	–
	Female	150	–	–	1	–	–	–	–	–	4	1	–	5	8	10	19	24	27	30	15	5	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	1	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	37	1	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	4	4	8	5	3	1
	White ..... Male	12	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	1	2	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	3	7	4	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon – Con.																							
280–285	Anemias	35	–	–	–	–	1	–	–	1	1	–	–	1	3	2	4	–	5	5	5	6	1	–
	White Male	15	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	–	3	4	1	–	–	–
	Female	20	–	–	–	–	1	–	–	–	1	–	–	–	1	–	3	–	2	1	4	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	17	5	6	–	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–
	White Male	9	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	8	2	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,102	4	5	2	1	3	12	10	18	43	74	151	281	495	783	1,054	1,210	1,592	1,707	1,539	844	272	2
	White Male	5,285	4	3	–	1	1	8	7	13	26	50	98	206	355	544	678	731	839	807	556	284	73	1
	Female	4,648	–	1	1	–	2	3	2	5	14	16	49	66	126	216	356	459	728	887	963	558	196	–
	All other Male	101	–	1	–	–	–	–	–	–	3	6	2	9	12	12	12	12	17	5	6	2	1	1
	Female	68	–	–	1	–	–	1	1	–	–	2	2	–	2	11	8	8	8	8	14	–	2	–
390–398, 402, 404, 410–429	Diseases of heart	7,243	4	4	–	1	2	8	3	13	34	63	123	245	417	653	844	911	1,146	1,141	960	500	170	1
	White Male	4,113	4	2	–	1	1	6	3	11	24	47	88	188	315	475	568	577	639	573	365	177	48	1
	Female	3,012	–	1	–	–	1	1	–	2	7	12	32	51	90	162	258	322	492	558	580	323	120	–
	All other Male	70	–	1	–	–	–	–	–	–	3	4	1	6	10	7	10	8	12	5	2	–	1	–
	Female	48	–	–	–	–	–	1	–	–	–	–	2	–	2	9	8	4	3	5	13	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	179	–	–	–	1	–	1	–	–	2	5	3	8	13	17	21	29	31	23	17	5	3	–
	White Male	82	–	–	–	1	–	–	–	–	2	4	1	4	7	7	12	15	13	7	6	3	–	–
	Female	95	–	–	–	–	–	1	–	–	–	1	2	4	6	9	8	14	18	16	11	2	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	41	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	6	5	9	5	4	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	5	2	1	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	4	4	3	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	57	–	–	–	–	–	–	–	–	–	–	–	1	1	5	1	7	7	6	14	9	6	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	3	4	5	2	2	2	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	1	11	7	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
410–413	Ischemic heart disease	6,534	–	–	–	–	–	3	1	10	31	48	111	218	373	588	776	822	1,040	1,042	867	459	145	–
	White Male	3,755	–	–	–	–	–	3	1	10	22	36	84	173	284	435	530	526	584	531	329	166	41	–
	Female	2,677	–	–	–	–	–	–	–	–	6	9	24	39	80	140	229	284	443	503	525	293	102	–
	All other Male	61	–	–	–	–	–	–	–	–	3	3	1	6	7	7	10	8	10	3	2	–	1	–
	Female	41	–	–	–	–	–	–	–	–	–	–	2	–	2	6	7	4	3	5	11	–	1	–
410	Acute myocardial infarction	2,553	–	–	–	–	–	3	–	5	13	27	58	110	174	270	355	372	419	360	238	111	38	–
	White Male	1,623	–	–	–	–	–	3	–	5	8	18	39	91	136	203	245	253	256	202	102	51	11	–
	Female	896	–	–	–	–	–	–	–	–	3	8	18	16	33	63	105	116	159	156	132	60	27	–
	All other Male	22	–	–	–	–	–	–	–	–	2	1	–	3	3	3	2	3	3	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	1	1	3	–	–	–
411	Other acute and subacute forms of ischemic heart disease	21	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	2	3	2	2	2	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,958	–	–	–	–	–	–	1	5	18	21	52	108	197	314	419	447	618	679	627	346	106	–
	White Male	2,117	–	–	–	–	–	–	1	5	14	18	44	82	148	229	283	270	326	326	226	115	30	–
	Female	1,773	–	–	–	–	–	–	–	–	3	1	6	23	45	76	124	168	283	347	392	231	74	–
	All other Male	39	–	–	–	–	–	–	–	–	1	2	1	3	4	4	8	5	7	2	1	–	1	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	–	–	5	4	4	2	4	8	–	1	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	23	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	3	5	7	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	3	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	4	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
420–423, 425–427, 429	All other forms of heart disease	409	4	4	–	–	2	4	2	3	1	10	7	16	27	39	41	44	58	54	55	22	15	1
	White ..... Male	225	4	2	–	–	1	3	2	1	–	7	2	10	23	27	24	28	34	22	25	5	4	1
	Female	173	–	1	–	–	1	–	–	2	1	2	5	6	2	11	17	16	22	30	29	17	11	–
	All other ..... Male	8	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	2	2	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
400, 401, 403	Hypertension	41	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	6	7	6	5	6	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	5	2	2	3	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	4	3	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,085	–	1	2	–	1	3	4	3	9	10	27	25	60	89	146	219	330	423	435	231	66	1
	White ..... Male	805	–	1	–	–	–	1	1	1	2	2	10	12	29	39	68	103	143	162	145	67	19	–
	Female	1,238	–	–	1	–	1	2	2	2	7	4	16	11	30	43	76	112	178	258	286	163	46	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	2	1	2	1	5	2	2	4	–	3	1	–	1
	Female	18	–	–	1	–	–	–	1	–	–	2	–	–	–	2	–	2	5	3	1	–	1	–
431	Cerebral hemorrhage	214	–	–	–	–	1	2	1	1	1	3	10	5	17	20	20	25	27	42	28	9	2	–
	White ..... Male	81	–	–	–	–	–	1	–	1	–	1	3	3	8	7	11	14	5	19	6	1	1	–
	Female	126	–	–	–	–	1	1	–	–	1	–	6	2	9	12	8	11	21	23	22	8	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
433	Cerebral thrombosis	437	–	–	–	–	–	–	–	–	1	–	2	6	10	16	28	47	68	100	90	54	14	1
	White ..... Male	181	–	–	–	–	–	–	–	–	1	–	1	4	3	11	14	23	29	48	29	14	4	–
	Female	250	–	–	–	–	–	–	–	–	–	–	1	2	7	4	13	24	38	52	60	39	10	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	2	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,426	–	1	2	–	–	1	3	2	7	7	15	13	33	52	98	147	232	279	316	168	50	–
	White ..... Male	541	–	1	–	–	–	–	1	–	1	1	6	5	18	20	43	66	108	95	110	52	14	–
	Female	856	–	–	1	–	–	1	2	2	6	4	9	6	14	27	55	77	117	181	203	116	35	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	1	–	2	1	4	–	2	4	–	3	–	–	–
	Female	12	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	2	3	3	–	–	1	–
440	Arteriosclerosis	455	–	–	–	–	–	–	–	–	–	–	–	2	5	8	20	32	69	88	112	86	33	–
	White ..... Male	179	–	–	–	–	–	–	–	–	–	–	–	1	5	6	13	14	28	44	35	29	4	–
	Female	269	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	14	40	44	76	57	29	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	278	–	–	–	–	–	1	3	2	–	1	1	8	11	29	40	42	40	49	27	21	3	–
	White ..... Male	167	–	–	–	–	–	1	3	1	–	1	–	4	5	21	27	35	24	26	9	8	2	–
	Female	110	–	–	–	–	–	–	–	1	–	–	1	4	5	8	13	7	16	23	18	13	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–
	White ..... Male	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	556	8	3	–	2	1	2	1	1	3	3	5	12	14	20	34	60	72	107	112	70	26	–
	White ..... Male	294	5	2	–	1	–	–	–	1	1	2	5	7	7	17	22	39	43	58	50	25	9	–
	Female	248	3	1	–	1	1	2	1	–	2	1	–	2	7	3	10	21	27	47	60	42	17	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	–	–
470–474	Influenza	22	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	5	3	5	4	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	–	3	–	–
	Female	11	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	1	4	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	534	8	3	–	2	1	1	1	1	3	3	5	12	14	20	34	57	67	104	107	66	25	–
	White ..... Male	284	5	2	–	1	–	–	–	1	1	2	5	7	7	17	22	37	40	56	50	22	9	–
	Female	237	3	1	–	1	1	1	1	–	2	1	–	2	7	3	10	20	25	46	56	41	16	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	3	–	–
490–493	Bronchitis, emphysema, and asthma	300	–	–	–	–	1	–	–	–	–	1	4	7	23	28	41	63	66	36	17	13	–	–
	White ..... Male	201	–	–	–	–	–	–	–	–	–	–	–	6	11	19	23	42	54	29	8	9	–	–
	Female	95	–	–	–	–	1	–	–	–	–	1	4	1	11	9	17	21	12	5	9	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
490, 491	Chronic and unqualified bronchitis	60	–	–	–	–	1	–	–	–	–	–	–	2	3	3	5	9	16	10	8	3	–	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	5	11	7	2	2	–	–
	Female	24	–	–	–	–	1	–	–	–	–	–	–	1	1	1	2	4	5	2	6	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	225	–	–	–	–	–	–	–	–	–	1	3	5	17	24	35	50	47	24	9	10	–	–
	White Male	161	–	–	–	–	–	–	–	–	–	–	–	5	8	17	20	34	42	22	6	7	–	–
	Female	61	–	–	–	–	–	–	–	–	–	1	3	–	8	7	14	16	5	1	3	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
493	Asthma	15	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	4	3	2	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	2	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	64	–	–	–	–	–	–	–	–	–	1	2	5	4	10	5	11	7	9	4	5	1	–
	White Male	42	–	–	–	–	–	–	–	–	–	1	2	5	4	9	4	7	4	3	1	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	6	3	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	9	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	3	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	55	3	–	–	–	–	–	–	1	–	–	2	1	–	3	3	6	9	10	10	4	3	–
	White Male	24	2	–	–	–	–	–	–	1	–	–	1	–	–	1	1	3	5	4	5	1	–	–
	Female	31	1	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	4	6	5	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	358	–	–	–	–	–	1	3	4	8	18	26	55	79	51	53	35	15	7	1	1	–	1
	White Male	220	–	–	–	–	–	–	1	2	2	8	16	35	55	34	35	16	9	6	1	–	–	–
	Female	116	–	–	–	–	–	1	–	–	4	9	8	15	21	13	17	19	6	1	–	1	–	1
	All other Male	15	–	–	–	–	–	–	2	1	–	–	–	5	2	4	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	25	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	5	4	7	4	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	4	3	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	63	3	–	–	–	–	–	–	1	1	3	3	2	2	6	10	4	7	11	5	4	1	–
	White Male	36	–	–	–	–	–	–	–	–	1	1	3	1	1	2	7	2	3	10	2	3	–	–
	Female	23	2	–	–	–	–	–	–	1	–	2	–	–	1	3	3	1	4	1	3	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	3	–	–	–	–	–	–	–	–	1	–	–	–	3	2	1	2	2	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–
	Female	7	2	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	49	–	–	–	–	–	–	–	1	1	2	3	2	2	3	8	3	5	9	5	4	1	–
	White Male	31	–	–	–	–	–	–	–	–	1	1	3	1	1	2	5	2	2	8	2	3	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	–	–	1	–	3	1	3	1	3	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	39	–	1	–	–	–	–	–	–	–	–	–	–	1	3	1	5	6	6	12	3	1	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	1	–	–
	Female	30	–	1	–	–	–	–	–	–	–	–	–	–	1	3	1	4	4	5	8	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	3	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	152	93	12	10	3	4	4	3	–	–	–	2	3	4	2	2	1	4	2	1	1	–	1
	White Male	87	53	5	7	1	2	2	2	–	–	–	–	2	2	2	2	1	3	2	–	–	–	1
	Female	61	37	7	3	2	2	1	1	–	–	–	2	1	2	–	–	–	1	–	1	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	191	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	415	87	7	–	–	1	6	5	3	4	3	5	20	31	27	33	34	34	48	33	16	17	1
	White Male	226	50	3	–	–	–	6	4	2	2	2	3	12	16	19	21	24	15	23	14	4	6	–
	Female	174	30	4	–	–	1	–	1	1	2	–	1	7	14	8	11	10	18	24	18	12	11	1
	All other Male	11	5	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	1	1	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Residual	All other diseases	1,374	18	11	4	6	11	15	15	16	13	21	40	64	76	140	206	169	199	168	112	58	12	–
	White Male	804	10	6	2	3	8	9	11	12	8	13	25	37	43	89	119	99	124	103	52	25	6	–
	Female	541	4	5	2	3	1	6	3	3	5	8	12	25	31	49	82	69	73	64	59	31	6	–
	All other Male	21	2	–	–	–	2	–	1	1	–	–	2	2	2	1	4	–	1	–	1	2	–	–
	Female	8	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–	–	–
E800–E949	Accidents	1,377	19	48	42	51	163	194	129	96	69	51	48	58	55	60	45	50	51	59	47	36	6	–
	White Male	914	9	24	25	34	118	149	97	66	50	39	28	40	37	43	32	32	29	30	17	13	2	–
	Female	417	10	24	15	14	40	37	25	27	14	12	19	15	15	14	13	17	22	27	30	23	4	–
	All other Male	30	–	–	1	–	2	7	4	2	5	–	1	1	2	3	–	1	–	1	–	–	–	–
	Female	16	–	–	1	3	3	1	3	1	–	–	–	2	1	–	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	680	3	19	18	20	114	136	73	55	33	28	20	25	27	27	17	19	19	17	9	1	–	–
	White Male	444	1	10	11	12	76	97	48	35	23	21	11	18	16	21	12	12	8	7	4	1	–	–
	Female	209	2	9	6	7	34	32	19	18	8	7	9	6	10	6	5	6	11	9	5	–	–	–
	All other Male	17	–	–	–	–	1	6	4	1	2	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	10	–	–	1	1	3	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	697	16	29	24	31	49	58	56	41	36	23	28	33	28	33	28	31	32	42	38	35	6	–
	White Male	470	8	14	14	22	42	52	49	31	27	18	17	22	21	22	20	20	21	23	13	12	2	–
	Female	208	8	15	9	7	6	5	6	9	6	5	10	9	5	8	8	11	11	18	25	23	4	–
	All other Male	13	–	–	1	–	1	1	–	1	3	–	1	1	1	3	–	–	–	1	–	–	–	–
	Female	6	–	–	–	2	–	–	1	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
E950–E959	Suicide	394	...	...	–	2	21	45	57	40	31	26	20	22	24	27	24	21	15	13	4	2	–	–
	White Male	297	...	...	–	1	17	36	45	26	20	16	14	15	19	22	21	16	12	11	4	2	–	–
	Female	92	...	...	–	–	4	8	11	14	11	10	5	6	5	5	3	5	3	2	–	–	–	–
	All other Male	3	...	...	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	123	1	2	6	1	12	23	13	6	16	10	6	9	6	3	–	1	4	3	1	–	–	–
	White Male	70	1	1	2	1	6	11	6	1	14	8	2	5	5	3	–	–	2	2	–	–	–	–
	Female	33	–	1	3	–	4	8	4	3	2	–	2	–	1	–	–	1	2	1	1	–	–	–
	All other Male	14	–	–	–	–	1	4	1	2	–	–	2	4	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	1	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	79	1	3	–	2	5	8	11	10	5	4	6	4	8	–	2	4	–	1	4	1	–	–
	White Male	53	1	2	–	2	5	5	5	8	3	3	3	3	5	–	1	3	–	–	3	1	–	–
	Female	21	–	1	–	–	–	2	3	2	2	1	3	1	3	–	1	1	–	1	–	–	–	–
	All other Male	4	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania																							
	All causes	119,233	2,157	332	274	310	979	1,156	957	1,029	1,182	1,770	3,295	5,572	8,049	11,438	14,292	15,488	16,076	15,984	11,612	5,485	1,755	41
	White ..... Male	58,002	975	153	127	158	630	759	546	555	586	841	1,723	2,998	4,469	6,476	7,945	8,160	7,588	6,726	4,337	1,787	444	19
	Female	50,079	693	113	101	102	263	232	195	237	320	504	947	1,741	2,606	3,837	5,078	6,085	7,273	8,395	6,725	3,441	1,175	16
	All other ..... Male	6,316	270	31	31	33	59	120	155	170	164	262	394	497	580	657	737	701	637	416	250	106	43	3
	Female	4,836	219	35	15	17	27	45	61	67	112	163	231	336	394	468	532	542	578	447	300	151	93	3
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	78	22	2	–	–	3	1	1	–	1	–	1	–	3	3	4	1	10	13	10	2	1	–
	White ..... Male	26	6	2	–	–	1	–	–	–	–	–	–	–	1	1	1	1	5	6	2	–	–	–
	Female	40	10	–	–	–	2	–	1	–	1	–	–	–	2	2	–	–	5	7	7	2	1	–
	All other ..... Male	8	5	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	183	–	–	–	–	–	–	1	6	2	7	8	14	16	21	30	23	22	22	6	4	1	–
	White ..... Male	92	–	–	–	–	–	–	–	4	1	3	2	6	6	9	18	16	13	11	1	2	–	–
	Female	44	–	–	–	–	–	–	–	–	1	1	4	4	3	5	6	1	4	8	4	2	1	–
	All other ..... Male	35	–	–	–	–	–	–	1	2	–	1	2	1	5	6	4	6	4	2	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	–	3	2	1	2	–	1	1	–	–	–	–
010–012	Tuberculosis of respiratory system	162	–	–	–	–	–	–	–	6	2	7	7	11	15	17	27	21	19	20	6	3	1	–
	White ..... Male	86	–	–	–	–	–	–	–	4	1	3	2	5	6	8	17	15	12	10	1	2	–	–
	Female	37	–	–	–	–	–	–	–	–	1	1	3	3	3	3	5	1	4	7	4	1	1	–
	All other ..... Male	29	–	–	–	–	–	–	–	2	–	1	2	–	5	5	4	5	2	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	2	–	3	1	1	1	–	1	1	–	–	–	–
013–019	Tuberculosis, other forms	21	–	–	–	–	–	–	1	–	–	–	1	3	1	4	3	2	3	2	–	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	1	–	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	–	2	–	–	–	1	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	White ..... Male	5	–	2	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	649	54	4	–	1	2	2	2	4	9	9	16	23	34	50	67	81	93	79	80	31	8	–
	White ..... Male	243	27	1	–	1	2	–	–	1	3	2	8	7	11	16	29	35	31	28	25	12	4	–
	Female	265	14	1	–	–	–	1	2	3	2	2	5	9	14	21	21	29	42	36	46	15	2	–
	All other ..... Male	71	9	1	–	–	–	–	–	–	2	3	2	4	6	4	11	9	6	7	4	2	1	–
	Female	70	4	1	–	–	–	1	–	–	2	2	1	3	3	9	6	8	14	8	5	2	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	13	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	4	3	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	222	9	2	3	1	7	2	3	5	3	8	11	16	18	20	26	21	19	23	15	8	2	–
	White ..... Male	89	3	1	2	–	3	2	2	2	1	2	7	5	5	10	12	9	5	11	7	–	–	–
	Female	100	6	1	1	1	4	–	1	3	–	3	2	6	6	9	10	9	10	11	8	7	2	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	2	1	2	3	1	1	–	2	1	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	2	1	1	3	4	–	3	3	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	24,155	3	23	36	54	65	62	90	161	199	437	904	1,702	2,420	3,339	3,860	3,654	3,034	2,335	1,303	396	77	1
	White Male	11,552	2	13	14	27	38	39	49	61	80	147	343	733	1,097	1,673	1,999	1,870	1,498	1,124	576	145	24	–
	Female	10,296	1	8	16	20	25	18	32	80	82	214	417	743	1,066	1,333	1,500	1,475	1,272	1,075	649	225	44	1
	All other Male	1,322	–	1	4	5	1	1	4	5	10	35	75	119	147	198	210	195	165	80	45	17	5	–
	Female	985	–	1	2	2	1	4	5	15	27	41	69	107	110	135	151	114	99	56	33	9	4	–
140–149	Of buccal cavity and pharynx	502	–	–	–	–	–	1	1	1	5	4	27	58	59	97	87	62	44	30	19	5	2	–
	White Male	319	–	–	–	–	–	–	1	1	2	2	16	37	39	62	57	37	33	14	14	3	1	–
	Female	119	–	–	–	–	–	1	–	–	2	–	4	14	11	20	21	17	9	14	3	2	1	–
	All other Male	50	–	–	–	–	–	–	–	–	1	2	6	3	7	12	7	6	2	2	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	4	2	3	2	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	6,703	–	–	2	1	4	7	9	19	33	75	169	376	571	819	1,081	1,112	965	821	468	142	29	–
	White Male	3,174	–	–	1	–	3	3	5	9	14	34	82	188	289	444	553	538	429	342	186	47	7	–
	Female	2,894	–	–	–	1	1	4	2	8	15	32	56	123	211	298	416	479	462	425	256	85	20	–
	All other Male	356	–	–	1	–	–	–	1	1	2	6	17	37	43	45	62	56	40	26	13	5	1	–
	Female	279	–	–	–	–	–	–	1	1	2	3	14	28	28	32	50	39	34	28	13	5	1	–
160–163	Of respiratory system	5,540	–	–	1	–	–	1	1	12	33	95	236	472	675	1,004	1,020	861	611	353	133	26	6	–
	White Male	3,773	–	–	–	–	–	1	1	7	19	48	134	289	446	666	730	635	434	248	94	18	3	–
	Female	1,161	–	–	–	–	–	–	–	5	5	22	54	111	154	220	195	160	109	84	32	8	2	–
	All other Male	483	–	–	1	–	–	–	–	–	4	15	41	55	61	91	74	55	60	21	5	–	–	–
	Female	123	–	–	–	–	–	–	–	–	5	10	7	17	14	27	21	11	8	–	2	–	1	–
174	Of breast	2,270	–	–	–	–	–	–	4	25	31	87	147	236	316	322	318	264	231	143	101	38	7	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	–	1	2	–	–	–
	Female	2,065	–	–	–	–	–	–	3	20	25	73	127	214	284	296	297	249	209	130	96	36	6	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	–	–	–	–	–
	Female	186	–	–	–	–	–	–	1	5	6	14	20	18	29	24	18	12	21	12	3	2	1	–
180–187	Of genital organs	2,647	–	–	–	2	3	9	12	26	25	50	89	145	216	286	345	448	386	316	207	70	12	–
	White Male	1,105	–	–	–	–	3	8	7	9	5	2	5	8	34	78	123	219	217	197	144	38	8	–
	Female	1,241	–	–	–	2	–	1	4	13	12	39	72	115	159	169	182	176	125	100	46	24	2	–
	All other Male	152	–	–	–	–	–	–	–	–	–	–	2	2	5	15	19	39	32	15	14	8	1	–
	Female	149	–	–	–	–	–	–	1	4	8	9	10	20	18	24	21	14	12	4	3	–	1	–
188, 189	Of urinary organs	1,086	–	1	–	–	1	–	–	3	7	16	30	64	83	126	184	162	158	125	92	31	3	–
	White Male	654	–	–	–	–	1	–	–	3	4	9	17	40	48	82	112	100	100	76	47	13	2	–
	Female	355	–	1	–	–	–	–	–	–	2	4	9	15	30	37	55	53	46	45	41	16	1	–
	All other Male	39	–	–	–	–	–	–	–	–	–	1	1	5	3	4	7	4	9	3	1	1	–	–
	Female	38	–	–	–	–	–	–	–	–	1	2	3	4	2	3	10	5	3	1	3	1	–	–
170–173, 190–199	Of all other and unspecified sites	3,326	2	11	14	21	26	19	29	36	37	72	134	222	331	440	506	457	389	344	173	51	12	–
	White Male	1,493	1	6	5	8	10	11	17	19	21	30	59	104	151	209	256	201	176	145	47	16	1	–
	Female	1,567	1	3	7	9	15	5	12	14	11	34	60	100	149	198	204	216	189	186	111	34	9	–
	All other Male	149	–	1	1	2	1	1	–	2	1	6	5	9	19	19	28	23	14	8	7	–	2	–
	Female	117	–	1	1	2	–	2	–	1	4	2	10	9	12	14	18	17	10	5	8	1	–	–
204–207	Leukemia	867	1	11	17	21	20	14	9	17	9	17	32	44	68	84	110	117	101	92	63	17	3	–
	White Male	450	1	7	7	14	16	8	4	5	4	10	12	22	37	52	61	63	46	51	25	5	–	–
	Female	357	–	4	8	5	4	5	4	11	3	4	16	18	27	27	42	45	48	37	36	11	2	–
	All other Male	33	–	–	1	2	–	–	1	1	1	2	2	2	2	2	3	6	3	1	2	1	1	–
	Female	27	–	–	1	–	–	1	–	–	1	1	2	2	2	3	4	3	4	3	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,214	–	–	2	9	11	11	25	22	19	21	40	85	101	161	209	171	149	111	47	16	3	1
	White Male	570	–	–	1	5	5	8	14	8	11	12	18	43	52	78	104	74	63	50	17	5	2	–
	Female	537	–	–	1	3	5	2	7	9	7	6	19	33	41	68	88	80	75	54	28	9	1	1
	All other Male	55	–	–	–	1	–	–	2	1	1	3	1	4	5	10	10	6	4	4	1	2	–	–
	Female	52	–	–	–	–	1	1	2	4	–	–	2	5	3	5	7	11	7	3	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	390	1	1	6	5	3	3	3	4	9	12	15	33	27	56	44	57	38	34	23	15	–	1
	White Male	174	–	–	1	3	2	1	1	3	5	5	6	12	8	32	22	28	16	11	10	8	–	–
	Female	178	–	1	4	1	–	2	1	1	4	5	7	17	14	19	20	26	20	17	13	5	–	1
	All other Male	19	–	–	–	1	–	–	–	–	–	1	2	2	3	3	2	–	1	3	–	1	–	–
	Female	19	1	–	1	–	1	–	1	–	–	1	–	2	2	2	–	3	1	3	–	1	–	–
250	Diabetes mellitus	2,156	–	–	1	–	4	3	6	10	21	24	38	99	141	206	297	363	345	315	183	77	23	–
	White Male	719	–	–	–	–	1	3	4	8	7	9	15	42	63	72	108	140	96	74	53	17	7	–
	Female	1,186	–	–	1	–	3	–	1	–	6	6	14	40	52	111	148	192	213	214	117	55	13	–
	All other Male	95	–	–	–	–	–	–	1	–	2	4	7	6	10	6	15	16	14	10	3	1	–	–
	Female	156	–	–	–	–	–	–	–	2	6	5	2	11	16	17	26	15	22	17	10	4	3	–
260–269	Avitaminoses and other nutritional deficiencies	151	1	–	1	–	–	–	2	–	–	2	1	2	8	4	15	14	18	28	24	21	10	–
	White Male	60	1	–	–	–	–	–	–	–	–	1	1	1	6	1	9	5	7	9	9	8	2	–
	Female	78	–	–	1	–	–	–	2	–	–	–	–	1	2	2	6	6	10	17	14	11	6	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
280–285	Anemias	179	–	2	1	3	2	5	2	5	2	1	5	6	5	7	12	26	26	33	19	16	1	–
	White Male	81	–	–	1	–	–	–	1	2	–	–	4	3	2	6	7	12	14	15	5	9	–	–
	Female	74	–	–	–	2	1	1	–	–	1	–	–	3	2	–	5	11	12	15	13	7	1	–
	All other Male	14	–	2	–	1	–	2	1	1	1	1	1	–	–	–	–	2	–	2	–	–	–	–
	Female	10	–	–	–	–	1	2	–	2	–	–	–	–	1	1	–	1	–	1	1	–	–	–
320	Meningitis	69	17	8	2	–	3	1	2	1	–	1	–	–	4	6	6	6	4	5	3	–	–	–
	White Male	26	6	5	1	–	–	–	1	–	–	–	–	–	3	1	4	3	–	2	–	–	–	–
	Female	25	5	3	1	–	1	–	1	1	–	1	–	–	1	2	2	1	2	1	3	–	–	–
	All other Male	13	4	–	–	–	2	1	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
390–448	Major cardiovascular diseases	62,579	52	19	15	12	20	39	82	123	270	538	1,165	2,206	3,494	5,291	7,070	8,366	9,662	10,499	8,133	4,117	1,385	21
	White Male	29,793	28	6	6	4	10	23	36	62	158	330	767	1,441	2,240	3,297	4,047	4,386	4,371	4,109	2,845	1,280	340	7
	Female	28,769	15	6	7	7	6	10	26	37	68	108	246	522	937	1,620	2,519	3,438	4,685	5,902	4,976	2,669	955	10
	All other Male	2,041	2	2	1	–	3	4	14	14	31	64	99	141	188	203	289	270	293	211	125	61	24	2
	Female	1,976	7	5	1	1	1	2	6	10	13	36	53	102	129	171	215	272	313	277	187	107	66	2
390–398, 402, 404, 410–429	Diseases of heart	48,518	49	12	8	7	17	22	56	87	204	444	961	1,895	2,960	4,419	5,760	6,614	7,309	7,719	5,914	3,046	1,002	13
	White Male	24,221	26	4	3	2	8	11	23	52	134	299	678	1,303	1,969	2,879	3,381	3,579	3,425	3,088	2,140	979	234	4
	Female	21,411	15	5	4	4	6	6	18	19	38	78	171	413	744	1,282	1,997	2,638	3,473	4,291	3,545	1,948	708	8
	All other Male	1,510	2	1	–	–	2	4	11	9	25	46	75	111	151	143	223	208	200	144	89	46	19	1
	Female	1,376	6	2	1	1	1	1	4	7	7	21	37	68	96	115	159	189	211	196	140	73	41	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,000	–	1	–	2	2	5	7	3	13	27	43	83	124	137	150	157	100	93	34	14	5	–
	White Male	372	–	1	–	1	–	1	1	–	6	13	20	37	56	63	53	53	26	30	5	5	1	–
	Female	566	–	–	–	1	2	2	3	2	6	13	16	37	64	66	87	96	70	60	28	9	4	–
	All other Male	37	–	–	–	–	–	2	2	–	1	1	7	5	3	4	6	2	–	3	1	–	–	–
	Female	25	–	–	–	–	–	–	1	1	–	–	–	4	1	4	4	6	4	–	–	–	–	–
402	Hypertensive heart disease	388	–	–	–	–	–	–	2	1	1	7	12	13	31	37	60	50	68	56	30	13	7	–
	White Male	126	–	–	–	–	–	–	2	–	–	3	4	8	14	20	24	19	16	10	4	2	–	–
	Female	210	–	–	–	–	–	–	–	–	–	2	4	3	10	13	27	25	44	42	24	10	6	–
	All other Male	25	–	–	–	–	–	–	–	1	1	–	2	1	5	2	4	3	3	1	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	2	1	2	2	5	3	5	3	–	1	1	–
404	Hypertensive heart and renal disease	258	–	–	–	–	–	–	–	1	–	–	–	3	6	13	12	28	43	54	58	33	7	–
	White Male	114	–	–	–	–	–	–	–	–	–	–	–	2	–	8	2	15	22	28	20	15	2	–
	Female	130	–	–	–	–	–	–	–	1	–	–	–	1	3	3	9	12	17	25	36	18	5	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	2	–	–	–
410–413	Ischemic heart disease	42,932	–	–	1	–	1	6	20	55	150	353	808	1,621	2,516	3,850	5,075	5,890	6,580	6,952	5,363	2,763	917	11
	White Male	21,773	–	–	–	–	1	3	12	46	109	261	611	1,160	1,745	2,585	3,063	3,236	3,118	2,789	1,940	874	216	4
	Female	18,884	–	–	1	–	–	1	5	4	24	51	119	324	588	1,062	1,710	2,328	3,128	3,876	3,221	1,783	652	7
	All other Male	1,187	–	–	–	–	–	1	3	5	12	30	52	86	112	120	175	174	168	117	77	39	16	–
	Female	1,088	–	–	–	–	–	1	–	–	5	11	26	51	71	83	127	152	166	170	125	67	33	–
410	Acute myocardial infarction	21,978	–	–	–	–	1	4	18	39	107	267	612	1,187	1,842	2,663	3,257	3,433	3,258	2,736	1,715	658	177	4
	White Male	12,708	–	–	–	–	1	3	12	33	85	204	478	870	1,313	1,845	2,056	1,982	1,637	1,212	661	258	57	1
	Female	8,243	–	–	–	–	–	–	3	3	13	33	90	234	425	701	1,050	1,306	1,471	1,435	991	377	108	3
	All other Male	570	–	–	–	–	–	1	3	3	5	23	30	54	62	67	94	74	78	33	28	13	2	–
	Female	457	–	–	–	–	–	–	–	–	4	7	14	29	42	50	57	71	72	56	35	10	10	–
411	Other acute and subacute forms of ischemic heart disease	214	–	–	–	–	–	–	–	–	1	–	5	10	17	27	31	28	29	26	20	16	4	–
	White Male	126	–	–	–	–	–	–	–	–	1	–	4	8	14	21	21	18	11	15	7	6	–	–
	Female	76	–	–	–	–	–	–	–	–	–	–	1	2	3	4	9	5	15	11	13	10	3	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
412	Chronic ischemic heart disease	20,724	–	–	1	–	–	2	2	16	42	85	190	422	655	1,158	1,785	2,427	3,292	4,189	3,627	2,088	736	7
	White Male	8,932	–	–	–	–	–	–	–	13	23	56	129	281	417	718	985	1,236	1,470	1,561	1,271	610	159	3
	Female	10,559	–	–	1	–	–	1	2	1	11	18	28	88	159	356	650	1,016	1,641	2,430	2,217	1,395	541	4
	All other Male	607	–	–	–	–	–	–	–	2	7	7	21	32	50	53	80	95	88	84	49	26	13	–
	Female	626	–	–	–	–	–	1	–	–	1	4	12	21	29	31	70	80	93	114	90	57	23	–
413	Angina pectoris	16	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	2	1	1	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	246	5	1	–	–	1	1	7	2	4	3	4	12	22	24	16	24	35	37	25	17	6	–
	White Male	107	2	–	–	–	–	–	–	1	1	–	1	7	9	16	8	10	15	15	14	7	1	–
	Female	116	–	–	–	–	1	1	3	–	2	3	3	4	11	8	8	12	15	21	11	8	5	–
	All other Male	10	2	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	3	–	–	1	–	–
	Female	13	1	1	–	–	–	–	2	1	1	–	–	–	1	–	–	2	2	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,694	44	10	7	5	13	10	20	25	36	54	94	163	261	358	447	465	483	527	404	206	60	2
	White Male	1,729	24	3	3	1	7	7	8	5	18	22	42	89	145	187	231	246	228	216	157	76	14	–
	Female	1,505	15	5	3	3	3	2	7	12	6	9	29	44	68	130	156	165	199	267	225	120	36	1
	All other Male	246	–	1	–	–	2	1	4	3	11	15	14	18	28	17	37	29	24	23	9	6	3	1
	Female	214	5	1	1	1	1	–	1	5	1	8	9	12	20	24	23	25	32	21	13	4	7	–
400, 401, 403	Hypertension	294	–	–	–	–	–	–	3	2	4	5	5	15	7	22	23	35	41	57	43	25	7	–
	White Male	119	–	–	–	–	–	–	2	–	2	1	2	4	3	10	11	17	15	25	16	10	1	–
	Female	135	–	–	–	–	–	–	–	–	–	2	1	4	2	10	11	16	16	29	25	15	4	–
	All other Male	23	–	–	–	–	–	–	1	2	2	–	1	4	1	2	–	–	6	2	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	2	1	3	1	–	1	2	4	1	–	–	2	–
430–438	Cerebrovascular diseases	10,292	2	5	7	4	2	11	17	29	53	71	157	243	399	645	969	1,332	1,757	2,068	1,581	721	214	5
	White Male	3,850	1	1	3	1	1	7	7	9	17	26	66	103	197	287	454	572	657	710	466	205	59	1
	Female	5,549	–	1	3	3	–	3	7	15	27	24	59	94	144	265	407	639	950	1,238	1,050	480	138	2
	All other Male	417	–	1	1	–	1	–	2	2	4	13	18	21	30	47	57	52	72	53	26	14	2	1
	Female	476	1	2	–	–	–	1	1	3	5	8	14	25	28	46	51	69	78	67	39	22	15	1
431	Cerebral hemorrhage	1,395	–	3	2	3	1	2	5	10	14	22	65	86	101	157	166	185	210	197	120	33	13	–
	White Male	537	–	–	–	1	1	1	2	5	2	9	26	35	52	74	77	75	63	60	39	13	2	–
	Female	722	–	1	2	2	–	1	2	3	8	5	27	33	38	66	73	93	132	129	77	19	11	–
	All other Male	64	–	–	–	–	–	–	1	2	2	5	9	8	3	12	8	6	6	1	1	–	–	–
	Female	72	–	2	–	–	–	–	–	–	2	3	3	10	8	5	8	11	9	7	3	1	–	–
433	Cerebral thrombosis	2,530	–	–	–	–	–	–	2	2	6	7	14	34	70	129	212	334	456	536	450	223	55	–
	White Male	999	–	–	–	–	–	–	–	–	3	3	6	18	36	76	99	149	172	207	152	64	14	–
	Female	1,355	–	–	–	–	–	–	1	2	3	1	3	9	23	41	92	167	246	298	288	147	34	–
	All other Male	87	–	–	–	–	–	–	1	–	–	2	3	2	7	8	9	9	24	13	6	3	–	–
	Female	89	–	–	–	–	–	–	–	–	–	1	2	5	4	4	12	9	14	18	4	9	7	–
434	Cerebral embolism	56	–	–	–	–	–	–	–	1	–	–	3	3	7	7	7	5	8	8	4	1	2	–
	White Male	18	–	–	–	–	–	–	–	1	–	–	1	1	2	3	3	2	3	1	1	–	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	2	2	5	4	4	3	5	7	2	1	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,311	2	2	5	1	1	9	10	16	33	42	75	120	221	352	584	808	1,083	1,327	1,007	464	144	5
	White Male	2,296	1	1	3	–	–	6	5	3	12	14	33	49	107	134	275	346	419	442	274	128	43	1
	Female	3,435	–	–	1	1	–	2	4	10	16	18	27	50	78	154	238	376	567	804	683	313	91	2
	All other Male	265	–	1	1	–	1	–	–	–	2	6	6	11	20	27	40	37	42	39	18	11	2	1
	Female	315	1	–	–	–	–	1	1	3	3	4	9	10	16	37	31	49	55	42	32	12	8	1
440	Arteriosclerosis	1,794	–	–	–	–	–	–	–	–	–	2	2	12	23	43	89	143	260	394	414	263	147	2
	White Male	684	–	–	–	–	–	–	–	–	–	1	2	6	15	16	51	69	111	158	148	70	36	1
	Female	1,024	–	–	–	–	–	–	–	–	–	–	–	4	7	22	32	65	129	223	258	182	102	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	6	6	4	1	1	–
	Female	60	–	–	–	–	–	–	–	–	–	1	–	2	1	5	2	5	14	7	4	10	8	1
441–448	Other diseases of arteries, arterioles, and capillaries	1,681	1	2	–	1	1	6	6	5	9	16	40	41	105	162	229	242	295	261	181	62	15	1
	White Male	919	1	1	–	1	1	5	4	1	5	3	19	25	56	105	150	149	163	128	75	16	10	1
	Female	650	–	–	–	–	–	1	1	3	3	4	15	7	40	41	72	80	117	121	98	44	3	–
	All other Male	65	–	–	–	–	–	–	–	1	–	5	5	5	6	11	5	6	9	6	4	–	2	–
	Female	47	–	1	–	–	–	–	1	–	1	4	1	4	3	5	2	7	6	6	4	2	–	–
466	Acute bronchitis and bronchiolitis	35	1	3	2	–	–	–	–	–	1	1	–	–	2	1	1	3	5	4	6	4	1	–
	White Male	16	–	2	–	–	–	–	–	–	–	–	–	–	2	1	–	3	5	2	1	–	–	–
	Female	17	–	1	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	5	4	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,771	61	23	13	8	19	13	12	23	27	18	44	79	113	160	229	289	416	531	386	222	81	4
	White Male	1,348	26	12	6	5	6	11	4	12	12	7	18	39	58	89	134	152	232	252	169	83	19	2
	Female	1,146	24	6	7	1	10	1	5	5	9	7	8	21	32	52	66	107	152	256	193	128	54	2
	All other Male	167	8	3	–	–	1	1	–	4	3	3	12	15	15	14	19	25	17	7	11	7	2	–
	Female	110	3	2	–	2	2	–	3	2	3	1	6	4	8	5	10	5	15	16	13	4	6	–
470–474	Influenza	40	1	–	–	–	–	–	–	–	–	2	2	1	1	4	2	4	1	11	5	3	3	–
	White Male	14	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	1	–	2	3	1	1	–
	Female	25	1	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	1	9	2	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,731	60	23	13	8	19	13	12	23	27	16	42	78	112	156	227	285	415	520	381	219	78	4
	White Male	1,334	26	12	6	5	6	11	4	12	12	5	17	38	58	87	134	151	232	250	166	82	18	2
	Female	1,121	23	6	7	1	10	1	5	5	9	7	7	21	32	50	64	104	151	247	191	126	52	2
	All other Male	167	8	3	–	–	1	1	–	4	3	3	12	15	15	14	19	25	17	7	11	7	2	–
	Female	109	3	2	–	2	2	–	3	2	3	1	6	4	7	5	10	5	15	16	13	4	6	–
490–493	Bronchitis, emphysema, and asthma	1,114	4	3	1	1	2	1	3	2	2	6	25	32	77	141	195	213	197	128	59	19	3	–
	White Male	793	2	3	–	–	–	1	–	2	1	5	6	23	52	90	143	165	156	90	42	11	1	–
	Female	264	1	–	1	–	1	–	3	–	1	–	13	6	18	43	45	35	38	34	16	7	2	–
	All other Male	35	1	–	–	–	1	–	–	–	–	–	4	1	5	5	5	11	–	1	1	–	–	–
	Female	22	–	–	–	1	–	–	–	–	–	1	2	2	2	3	2	2	3	3	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
490, 491	Chronic and unqualified bronchitis	188	2	3	1	–	–	–	3	–	–	–	7	4	14	23	36	26	23	21	16	8	1	–
	White Male	112	–	3	–	–	–	–	–	–	–	–	3	3	6	11	26	16	15	14	11	3	1	–
	Female	67	1	–	1	–	–	–	3	–	–	–	4	–	6	11	9	8	8	6	5	5	–	–
	All other Male	5	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–
492	Emphysema	846	1	–	–	–	–	–	–	1	–	6	15	23	57	112	153	169	159	97	42	9	2	–
	White Male	643	1	–	–	–	–	–	–	1	–	5	2	16	43	77	113	139	136	73	30	7	–	–
	Female	165	–	–	–	–	–	–	–	–	–	–	8	6	10	28	34	21	23	21	11	1	2	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	4	–	4	4	4	8	–	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	1	–	2	–	1	–	–
493	Asthma	80	1	–	–	1	2	1	–	1	2	–	3	5	6	6	6	18	15	10	1	2	–	–
	White Male	38	1	–	–	–	–	1	–	1	1	–	1	4	3	2	4	10	5	3	1	1	–	–
	Female	32	–	–	–	–	1	–	–	–	1	–	1	–	2	4	2	6	7	7	–	1	–	–
	All other Male	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
	Female	6	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	–	–
531–533	Peptic ulcer	322	1	2	–	–	1	1	–	1	3	4	7	18	20	33	45	59	44	48	27	7	1	–
	White Male	182	1	1	–	–	–	1	–	1	–	3	4	15	16	19	27	34	23	23	12	2	–	–
	Female	121	–	–	–	–	–	–	–	–	3	1	3	2	1	13	15	21	17	25	14	5	1	–
	All other Male	10	–	1	–	–	1	–	–	–	–	–	–	1	2	1	1	1	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	–	1	–	–	–
540–543	Appendicitis	35	–	1	1	1	1	–	–	–	–	1	–	3	–	5	2	9	6	3	1	–	1	–
	White Male	20	–	–	1	1	1	–	–	–	–	1	–	1	–	5	1	5	2	1	–	–	1	–
	Female	13	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	3	4	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	342	28	–	2	2	1	1	2	3	–	1	9	6	13	16	40	38	32	52	52	32	12	–
	White Male	112	8	–	–	–	–	1	2	3	–	1	6	1	7	4	16	9	12	9	17	12	4	–
	Female	199	15	–	1	2	1	–	–	–	–	–	1	3	5	10	20	23	18	42	32	18	8	–
	All other Male	13	1	–	1	–	–	–	–	–	–	–	1	1	1	1	1	2	2	–	2	–	–	–
	Female	18	4	–	–	–	–	–	–	–	–	–	1	1	–	1	3	4	–	1	1	2	–	–
571	Cirrhosis of liver	1,683	–	–	–	1	–	3	21	39	70	98	168	209	261	288	224	137	84	57	15	6	1	1
	White Male	993	–	–	–	1	–	2	6	16	32	55	86	118	169	191	134	85	49	38	7	3	1	–
	Female	437	–	–	–	–	–	–	2	3	12	13	39	51	64	76	76	42	30	17	8	3	–	1
	All other Male	170	–	–	–	–	–	–	10	13	17	18	28	29	20	16	9	5	3	2	–	–	–	–
	Female	83	–	–	–	–	–	1	3	7	9	12	15	11	8	5	5	5	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	152	–	–	–	–	–	1	–	2	1	1	1	5	4	11	20	18	20	27	30	8	3	–
	White Male	57	–	–	–	–	–	1	–	1	–	1	–	2	1	1	10	9	11	11	6	3	–	–
	Female	87	–	–	–	–	–	–	–	1	1	–	1	2	3	9	9	8	9	15	21	5	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–
580–584	Nephritis and nephrosis	556	2	1	–	1	5	3	2	8	7	10	13	26	45	45	74	88	73	73	59	16	5	–
	White Male	250	1	1	–	–	3	1	1	3	3	2	3	14	15	20	38	33	39	33	30	9	1	–
	Female	211	–	–	–	1	2	–	–	2	3	2	5	6	15	17	27	43	27	29	24	5	3	–
	All other Male	60	1	–	–	–	–	1	–	3	–	6	3	3	10	4	5	9	5	7	2	1	–	–
	Female	35	–	–	–	–	–	1	1	–	1	–	2	3	5	4	4	3	2	4	3	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	134	2	–	–	–	1	1	–	1	–	–	2	8	8	10	22	22	22	17	13	4	1	–
	White Male	56	1	–	–	–	–	–	–	–	–	–	–	2	6	3	13	7	9	7	7	1	–	–
	Female	63	–	–	–	–	1	–	–	–	–	–	2	3	1	6	8	12	11	10	5	3	1	–
	All other Male	11	1	–	–	–	–	–	–	1	–	–	–	1	1	–	1	3	2	–	1	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	422	–	1	–	1	4	2	2	7	7	10	11	18	37	35	52	66	51	56	46	12	4	–
	White Male	194	–	1	–	–	3	1	1	3	3	2	3	12	9	17	25	26	30	26	23	8	1	–
	Female	148	–	–	–	1	1	–	–	2	3	2	3	3	14	11	19	31	16	19	19	2	2	–
	All other Male	49	–	–	–	–	–	1	–	2	–	6	3	2	9	4	4	6	3	7	1	1	–	–
	Female	31	–	–	–	–	–	–	1	–	1	–	2	1	5	3	4	3	2	4	3	1	1	–
590	Infections of kidney	154	–	–	–	–	–	–	–	1	1	–	4	4	9	11	22	18	22	26	25	10	1	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	2	–	3	7	5	4	6	12	7	2	–	–
	Female	92	–	–	–	–	–	–	–	–	1	–	2	3	6	3	15	10	12	13	18	8	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	2	–	–	–	–	–	–
600	Hyperplasia of prostate	36	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	8	7	5	6	1	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	7	6	5	6	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	1	2	4	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	–	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	–	2	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania – Con.																							
640–645	Abortions	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	13	–	–	–	–	–	2	3	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	612	388	44	14	13	16	15	7	9	9	11	9	12	13	13	8	10	8	4	3	4	1	1
	White Male	275	194	18	4	8	10	5	3	3	2	2	6	3	1	6	1	3	4	–	–	1	–	1
	Female	251	142	20	8	4	2	8	4	3	7	5	2	8	9	7	6	5	3	1	3	3	1	–
	All other Male	41	23	2	2	–	2	2	–	3	–	1	1	1	1	–	1	1	–	1	–	–	–	–
	Female	45	29	4	–	1	2	–	–	–	–	3	–	–	2	–	–	1	1	2	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,184	1,183	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	526	526	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	361	360	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	164	164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	133	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	606	605	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	187	186	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	578	578	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	251	251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	174	174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	3,248	223	9	3	1	7	22	17	35	56	111	196	279	309	400	408	355	316	240	154	80	25	2
	White Male	1,277	96	5	2	–	3	11	5	11	14	26	69	107	129	175	184	151	120	95	50	18	4	2
	Female	768	68	1	1	1	4	1	3	1	5	18	22	34	46	74	89	86	93	88	77	46	10	–
	All other Male	742	35	2	–	–	–	8	7	17	24	43	69	98	83	100	78	64	51	36	14	8	5	–
	Female	461	24	1	–	–	–	2	2	6	13	24	36	40	51	51	57	54	52	21	13	8	6	–
Residual	All other diseases	8,797	69	40	32	34	55	65	93	102	121	151	265	398	579	892	1,196	1,274	1,247	1,075	739	291	75	4
	White Male	4,773	33	20	16	13	27	31	37	44	56	59	129	184	319	496	747	787	692	600	345	114	21	3
	Female	3,122	22	9	11	14	21	20	31	26	32	47	66	151	189	290	361	400	465	416	341	164	45	1
	All other Male	529	9	5	3	5	2	8	7	22	22	30	43	32	44	62	57	53	54	32	32	3	4	–
	Female	373	5	6	2	2	5	6	18	10	11	15	27	31	27	44	31	34	36	27	21	10	5	–
E800–E949	Accidents	4,984	28	122	122	153	576	583	334	251	185	170	222	237	273	289	271	264	262	282	231	92	35	2
	White Male	3,095	12	58	71	85	411	440	252	194	115	113	155	151	164	169	157	144	130	120	98	41	14	1
	Female	1,441	9	50	35	44	146	107	46	29	42	35	43	62	73	91	87	91	119	146	119	47	20	–
	All other Male	318	4	7	12	17	14	29	32	27	21	16	17	18	21	18	20	20	7	8	5	3	1	1
	Female	130	3	7	4	7	5	7	4	1	7	6	7	6	15	11	7	9	6	8	9	1	–	–
E810–E823	Motor vehicle accidents	2,147	6	43	64	67	416	397	195	149	93	84	97	94	93	95	76	60	47	43	24	2	1	1
	White Male	1,471	2	21	37	37	297	295	152	119	62	58	67	63	65	52	40	38	27	27	10	1	–	1
	Female	554	3	18	17	24	112	80	29	21	24	18	22	27	26	37	30	17	20	14	13	1	1	–
	All other Male	92	–	–	9	4	4	20	13	8	5	6	6	4	2	4	5	2	–	–	–	–	–	–
	Female	30	1	4	1	2	3	2	1	1	2	2	2	–	–	2	1	3	–	2	1	–	–	–
E800–E807, E825–E949	All other accidents	2,837	22	79	58	86	160	186	139	102	92	86	125	143	180	194	195	204	215	239	207	90	34	1
	White Male	1,624	10	37	34	48	114	145	100	75	53	55	88	88	99	117	117	106	103	93	88	40	14	–
	Female	887	6	32	18	20	34	27	17	8	18	17	21	35	47	54	57	74	99	132	106	46	19	–
	All other Male	226	4	7	3	13	10	9	19	19	16	10	11	14	19	14	15	18	7	8	5	3	1	1
	Female	100	2	3	3	5	2	5	3	–	5	4	5	6	15	9	6	6	6	6	8	1	–	–
E950–E959	Suicide	1,399	...	...	–	8	89	189	130	121	96	91	98	108	113	85	100	67	49	36	15	1	–	3
	White Male	976	...	...	–	6	72	129	93	83	58	53	61	67	73	68	79	48	39	33	11	1	–	2
	Female	324	...	...	–	–	13	36	23	25	26	28	33	37	36	15	20	18	8	3	3	–	–	–
	All other Male	64	...	...	–	1	3	18	8	12	6	5	2	2	2	2	1	1	–	–	1	–	–	–
	Female	35	...	...	–	1	1	6	6	1	6	5	2	2	2	–	–	–	2	–	–	–	–	1
E960–E978	Homicide	664	5	11	14	7	68	91	101	87	64	43	48	37	26	21	11	17	8	2	3	–	–	–
	White Male	204	1	–	1	1	20	29	26	28	27	10	17	14	7	6	6	9	1	–	1	–	–	–
	Female	88	–	2	3	3	14	18	6	10	5	4	5	6	1	4	–	3	2	1	1	–	–	–
	All other Male	299	3	2	5	3	28	36	62	41	24	24	21	14	13	9	4	5	4	–	1	–	–	–
	Female	73	1	7	5	–	6	8	7	8	8	5	5	3	5	2	1	–	1	1	–	–	–	–
E980–E999	Other external causes	292	4	9	5	4	29	47	36	21	18	14	22	17	19	17	10	7	5	3	3	–	1	1
	White Male	158	2	3	1	3	20	27	23	11	11	4	8	9	9	7	4	7	4	1	3	–	–	1
	Female	66	–	2	1	1	6	9	3	3	5	4	9	1	8	9	2	–	–	2	–	–	1	–
	All other Male	49	–	3	3	–	1	8	8	6	1	5	3	6	1	–	3	–	1	–	–	–	–	–
	Female	19	2	1	–	–	2	3	2	1	1	1	2	1	1	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island																							
	All causes	**9,068**	**141**	**35**	**18**	**27**	**67**	**87**	**90**	**76**	**76**	**136**	**236**	**393**	**596**	**810**	**987**	**1,192**	**1,242**	**1,280**	**968**	**432**	**177**	**2**
	White ..... Male	4,691	76	22	10	15	50	61	55	51	38	78	141	233	349	487	593	676	613	569	373	143	58	–
	Female	4,145	44	8	6	9	16	21	29	19	25	49	77	143	228	309	374	498	607	694	585	287	115	2
	All other ..... Male	131	12	3	1	1	1	5	3	3	11	7	8	10	15	7	10	8	12	10	2	–	2	–
	Female	101	9	2	1	2	–	–	3	3	2	2	10	7	4	7	10	10	10	7	8	2	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other *diarrheal diseases*	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–
	White ..... Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	1	–	–	–	1	–	2	2	–	1	1	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	26	3	–	–	–	–	–	1	–	–	–	1	1	2	3	1	4	2	4	2	2	–	–
	White ..... Male	18	2	–	–	–	–	–	1	–	–	–	1	–	1	2	1	3	1	2	2	2	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	15	–	–	–	–	2	–	–	–	–	1	–	–	1	–	4	–	2	–	3	2	–	–
	White ..... Male	8	–	–	–	–	1	–	–	–	–	1	–	–	–	–	3	–	–	–	2	1	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,224	–	2	3	4	5	8	14	10	20	43	80	155	236	275	333	317	286	237	132	48	16	–
	White..... Male	1,155	–	1	2	4	4	5	6	5	7	18	37	80	103	151	192	182	154	121	62	12	9	–
	Female	1,006	–	1	1	–	1	3	6	4	11	24	37	67	123	117	130	130	129	113	67	36	6	–
	All other..... Male	33	–	–	–	–	–	–	1	–	2	1	2	5	8	2	5	2	3	1	–	–	1	–
	Female	30	–	–	–	–	–	–	1	1	–	–	4	3	2	5	6	3	–	2	3	–	–	–
140–149	Of buccal cavity and pharynx	47	–	–	–	–	1	–	–	–	–	1	3	7	11	6	4	2	2	6	1	3	–	–
	White..... Male	34	–	–	–	–	–	–	–	–	–	–	3	5	8	5	3	1	1	5	1	2	–	–
	Female	10	–	–	–	–	1	–	–	–	–	1	–	1	2	–	1	1	1	1	–	1	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	718	–	–	–	–	–	–	1	3	2	10	15	38	62	90	98	123	96	107	51	18	4	–
	White..... Male	370	–	–	–	–	–	–	1	1	–	6	7	20	37	54	58	65	44	49	22	5	1	–
	Female	331	–	–	–	–	–	–	–	2	1	4	8	15	22	34	36	56	51	58	28	13	3	–
	All other..... Male	9	–	–	–	–	–	–	–	–	1	–	–	2	3	–	2	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	–	1	–	–	–
160–163	Of respiratory system	507	–	–	–	–	–	–	–	–	5	11	26	47	56	81	97	74	66	22	17	4	1	–
	White..... Male	373	–	–	–	–	–	–	–	–	3	7	18	32	36	55	76	63	51	17	13	1	1	–
	Female	119	–	–	–	–	–	–	–	–	2	3	7	13	17	24	20	9	13	4	4	3	–	–
	All other..... Male	12	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	2	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
174	Of breast	227	–	–	–	–	–	–	1	1	2	9	17	22	41	21	31	28	23	11	14	6	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–
	Female	215	–	–	–	–	–	–	1	–	2	8	15	21	41	21	27	26	22	11	14	6	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	2	1	–	–	2	1	–	–	–	–	–	–
180–187	Of genital organs	245	–	–	–	–	1	2	2	–	–	2	5	11	25	19	37	33	40	33	22	9	4	–
	White..... Male	110	–	–	–	–	1	2	1	–	–	1	–	2	5	4	13	19	24	20	12	3	3	–
	Female	131	–	–	–	–	–	–	1	–	–	1	4	9	20	14	24	14	16	12	9	6	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
188, 189	Of urinary organs	96	–	–	–	–	–	1	–	–	1	–	1	4	8	12	12	14	15	19	6	–	3	–
	White..... Male	64	–	–	–	–	–	1	–	–	–	–	1	2	4	10	6	9	11	13	5	–	2	–
	Female	28	–	–	–	–	–	–	–	–	1	–	–	2	4	2	3	5	4	6	1	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	210	–	1	2	2	3	1	3	1	5	6	9	18	17	23	32	19	26	21	14	4	3	–
	White..... Male	110	–	–	1	2	3	–	2	1	1	1	6	12	8	6	22	14	12	11	6	–	2	–
	Female	92	–	1	1	–	–	1	1	–	3	5	2	5	7	16	10	5	14	9	7	4	1	–
	All other..... Male	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	1	–	–	–
204–207	Leukemia	73	–	1	1	1	–	3	2	1	2	1	3	3	3	8	8	9	10	11	4	1	1	–
	White..... Male	39	–	1	1	1	–	1	–	–	1	–	2	3	2	7	4	3	5	5	2	1	–	–
	Female	32	–	–	–	–	–	2	1	1	1	1	1	–	1	1	3	6	5	6	2	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	101	–	–	–	1	–	1	5	4	3	3	1	5	13	15	14	15	8	7	3	3	–	–
	White..... Male	50	–	–	–	1	–	1	2	3	2	2	–	4	3	10	8	7	5	1	1	–	–	–
	Female	48	–	–	–	–	–	–	2	1	1	1	–	1	9	5	6	8	3	6	2	3	–	–
	All other..... Male	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	30	–	–	–	–	–	1	2	–	–	3	1	1	1	3	4	5	4	2	3	–	–	–
	White..... Male	11	–	–	–	–	–	1	–	–	–	2	–	1	1	–	–	2	1	1	2	–	–	–
	Female	18	–	–	–	–	–	–	2	–	–	1	1	–	–	3	4	2	3	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	185	–	–	–	–	–	–	–	3	1	1	3	3	12	21	21	23	38	30	18	9	2	–
	White..... Male	67	–	–	–	–	–	–	–	2	1	1	2	1	6	10	14	8	7	9	3	3	–	–
	Female	114	–	–	–	–	–	–	–	1	–	–	1	2	6	11	7	15	28	20	15	6	2	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
280–285	Anemias	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	4,834	8	1	2	2	–	3	9	9	10	41	90	151	234	397	484	655	746	852	685	312	141	2
	White Male	2,434	5	–	1	–	–	1	4	5	8	29	63	104	176	262	301	366	362	363	242	102	40	–
	Female	2,325	2	–	1	2	–	1	5	4	2	8	21	42	53	131	176	281	371	479	437	209	98	2
	All other Male	38	–	–	–	–	–	1	–	–	–	2	3	4	3	2	4	3	7	7	1	–	1	–
	Female	37	1	1	–	–	–	–	–	–	–	2	3	1	2	2	3	5	6	3	5	1	2	–
390–398, 402, 404, 410–429	Diseases of heart	3,780	6	1	–	2	–	3	6	7	7	36	77	132	212	338	393	528	570	630	498	226	107	1
	White Male	1,990	3	–	–	–	–	1	4	4	6	28	57	94	158	222	244	309	285	285	182	78	30	–
	Female	1,733	2	–	–	2	–	1	2	3	1	6	15	33	50	113	145	213	274	337	312	147	76	1
	All other Male	30	–	–	–	–	–	1	–	–	–	1	3	4	2	2	2	2	6	6	–	–	1	–
	Female	27	1	1	–	–	–	–	–	–	–	1	2	1	2	1	2	4	5	2	4	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	78	–	–	–	–	–	2	–	2	–	1	–	5	6	6	14	13	13	7	4	3	2	–
	White Male	33	–	–	–	–	–	1	–	1	–	–	–	2	2	2	7	6	5	5	1	–	1	–
	Female	44	–	–	–	–	–	1	–	1	–	1	–	3	4	4	7	7	7	2	3	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	26	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	6	5	4	2	2	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	2	1	–	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	4	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,543	–	–	–	–	–	–	–	4	6	33	71	120	194	317	363	506	533	598	480	216	101	1
	White Male	1,874	–	–	–	–	–	–	–	2	6	27	54	87	150	207	225	295	269	274	177	73	28	–
	Female	1,619	–	–	–	–	–	–	–	2	–	5	12	28	40	107	135	205	254	316	299	142	73	1
	All other Male	27	–	–	–	–	–	–	–	–	–	1	3	4	2	2	2	2	5	6	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	4	5	2	4	1	–	–
410	Acute myocardial infarction	1,577	–	–	–	–	–	–	–	3	5	21	44	75	105	180	177	270	249	223	146	55	23	1
	White Male	916	–	–	–	–	–	–	–	2	5	19	33	60	82	120	124	153	123	106	62	15	12	–
	Female	636	–	–	–	–	–	–	–	1	–	2	9	12	21	58	51	114	118	115	83	40	11	1
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	3	2	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	3	5	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	19	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	3	2	2	3	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	1	1	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,944	–	–	–	–	–	–	–	1	1	12	26	45	87	133	184	233	279	373	331	161	78	–
	White Male	943	–	–	–	–	–	–	–	–	1	8	20	27	66	83	101	141	142	167	113	58	16	–
	Female	976	–	–	–	–	–	–	–	1	–	3	3	16	19	49	82	89	135	200	215	102	62	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	2	2	4	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	2	3	1	–	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island – Con.																							
420–423, 425–427, 429	All other forms of heart disease	120	5	1	–	2	–	1	6	1	1	2	6	6	11	11	12	6	18	15	9	5	2	–
	White Male	66	3	–	–	–	–	–	4	1	–	1	3	4	6	9	9	6	9	4	3	4	–	–
	Female	49	1	–	–	2	–	–	2	–	1	–	3	2	5	2	3	–	9	11	6	1	1	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	23	–	–	–	–	–	–	–	–	–	1	–	1	–	3	2	–	4	5	4	2	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	1	1	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
430–438	Cerebrovascular diseases	762	–	–	2	–	–	–	2	2	2	3	9	12	16	35	58	95	131	165	147	59	23	1
	White Male	291	–	–	1	–	–	–	–	1	1	1	2	5	13	21	31	39	53	53	44	18	8	–
	Female	457	–	–	1	–	–	–	2	1	1	1	6	7	3	13	24	54	76	110	102	41	14	1
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	1	–	–	1	–
431	Cerebral hemorrhage	87	–	–	1	–	–	–	–	–	–	1	2	3	5	9	8	13	12	16	13	4	–	–
	White Male	46	–	–	1	–	–	–	–	–	–	1	1	2	4	5	5	6	6	7	6	2	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	7	6	9	7	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	217	–	–	–	–	–	–	–	–	–	–	1	1	5	9	14	28	35	53	44	18	8	1
	White Male	88	–	–	–	–	–	–	–	–	–	–	1	1	5	5	9	14	13	18	13	6	3	–
	Female	128	–	–	–	–	–	–	–	–	–	–	–	–	–	4	5	14	22	34	31	12	5	1
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	451	–	–	1	–	–	–	2	2	2	2	6	8	6	16	36	53	82	95	89	36	15	–
	White Male	156	–	–	–	–	–	–	–	1	1	–	–	2	4	10	17	19	34	28	25	10	5	–
	Female	283	–	–	1	–	–	–	2	1	1	1	5	6	2	6	16	32	46	66	63	26	9	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	1	–	–	1	–
440	Arteriosclerosis	128	–	–	–	–	–	–	–	–	–	–	3	4	4	4	12	7	18	27	23	19	7	–
	White Male	56	–	–	–	–	–	–	–	–	–	–	3	4	4	3	8	4	8	10	6	5	1	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	10	17	16	14	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	141	2	–	–	–	–	–	1	–	1	1	1	2	2	17	19	25	23	25	13	6	3	–
	White Male	87	2	–	–	–	–	–	–	–	1	–	1	–	1	13	16	14	15	14	8	1	1	–
	Female	53	–	–	–	–	–	–	1	–	–	1	–	2	–	4	3	11	8	11	5	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	144	5	1	1	–	–	–	–	1	2	–	3	–	3	9	11	10	25	24	24	17	8	–
	White Male	78	2	1	–	–	–	–	–	1	1	–	2	–	2	5	8	3	15	15	11	8	4	–
	Female	63	3	–	1	–	–	–	–	–	–	–	–	–	1	4	3	7	9	9	13	9	4	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	144	5	1	1	–	–	–	–	1	2	–	3	–	3	9	11	10	25	24	24	17	8	–
	White Male	78	2	1	–	–	–	–	–	1	1	–	2	–	2	5	8	3	15	15	11	8	4	–
	Female	63	3	–	1	–	–	–	–	–	–	–	–	–	1	4	3	7	9	9	13	9	4	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	53	1	–	–	–	–	–	–	–	–	–	1	–	8	3	7	15	5	5	4	4	–	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	1	–	7	1	3	12	4	3	3	3	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	1	2	1	1	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
490, 491	Chronic and unqualified bronchitis	17	1	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	1	2	2	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	1	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	32	–	–	–	–	–	–	–	–	–	–	–	–	6	2	4	10	4	2	2	2	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	5	1	2	8	4	1	1	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	28	–	–	1	–	–	–	–	–	–	–	–	–	3	1	1	6	4	5	6	1	–	–
	White Male	15	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	3	1	3	5	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	3	2	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	26	1	–	–	–	–	1	–	–	–	–	–	–	2	3	1	4	2	6	1	5	–	–
	White Male	11	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	2	–	1	–	–
	Female	14	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	4	1	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	157	–	–	–	–	–	–	2	2	4	8	14	23	21	23	23	20	12	4	–	1	–	–
	White Male	96	–	–	–	–	–	–	2	2	2	5	12	17	12	13	14	10	5	2	–	–	–	–
	Female	55	–	–	–	–	–	–	–	–	1	1	2	5	8	9	9	10	7	2	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	2	2	3	3	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	2	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	42	–	–	–	–	–	1	–	1	1	–	–	–	4	1	5	10	6	7	3	2	1	–
	White Male	17	–	–	–	–	–	–	–	–	1	–	–	–	1	–	4	5	1	2	1	2	–	–
	Female	23	–	–	–	–	–	1	–	–	–	–	–	–	3	1	1	4	5	5	2	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	33	–	–	–	–	–	1	–	1	1	–	–	–	4	1	3	9	5	5	2	–	1	–
	White Male	13	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	4	1	2	1	–	–	–
	Female	18	–	–	–	–	–	1	–	–	–	–	–	–	3	1	–	4	4	3	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	7	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	51	30	8	–	1	–	2	1	–	–	–	3	1	2	2	–	–	1	–	–	–	–	–
	White Male	25	17	4	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	24	11	4	–	–	–	1	1	–	–	–	2	1	2	1	–	–	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	27	9	1	–	–	2	1	2	–	–	1	–	–	1	1	–	4	2	1	1	–	1	–
	White Male	15	4	1	–	–	–	1	2	–	–	1	–	–	1	–	–	2	1	1	1	–	–	–
	Female	10	3	–	–	–	2	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	533	6	5	3	2	3	6	5	7	10	12	19	24	40	44	58	77	77	61	48	22	4	–
	White Male	277	3	3	–	–	3	4	1	2	4	4	10	10	23	26	32	53	40	25	24	7	3	–
	Female	226	1	2	2	1	–	1	4	3	2	6	6	12	16	17	24	23	35	33	23	14	1	–
	All other Male	18	1	–	–	–	–	1	–	2	3	2	1	1	1	1	1	–	1	2	1	–	–	–
	Female	12	1	–	1	1	–	–	–	–	1	–	2	1	–	–	1	1	1	1	–	1	–	–
E800–E949	Accidents	359	5	12	8	13	35	45	32	17	14	8	11	21	17	12	20	20	17	27	20	2	3	–
	White Male	231	–	9	6	8	27	33	24	16	8	7	6	14	9	6	12	13	10	12	9	–	2	–
	Female	112	3	1	1	3	7	10	6	1	4	1	4	7	8	5	8	7	7	15	11	2	1	–
	All other Male	13	1	1	1	1	1	2	2	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	159	–	1	6	6	28	32	19	12	4	6	5	8	8	4	5	3	4	4	4	–	–	–
	White Male	109	–	–	4	4	20	22	14	11	2	5	2	5	4	2	5	2	3	4	–	–	–	–
	Female	44	–	1	1	1	7	9	4	1	2	1	2	3	4	2	–	1	1	–	4	–	–	–
	All other Male	6	–	–	1	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	200	5	11	2	7	7	13	13	5	10	2	6	13	9	8	15	17	13	23	16	2	3	–
	White Male	122	–	9	2	4	7	11	10	5	6	2	4	9	5	4	7	11	7	8	9	–	2	–
	Female	68	3	–	–	2	–	1	2	–	2	–	2	4	4	3	8	6	6	15	7	2	1	–
	All other Male	7	1	1	–	–	–	1	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	139	...	...	–	3	16	14	13	19	7	10	7	9	5	8	10	10	3	4	1	–	–	–
	White Male	88	...	...	–	1	13	11	9	13	3	5	4	3	4	4	6	7	2	3	–	–	–	–
	Female	48	...	...	–	2	3	3	3	5	3	5	3	6	1	4	4	3	1	1	1	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	41	3	3	–	2	4	4	5	4	5	5	1	1	2	–	–	1	–	1	–	–	–	–
	White Male	22	–	1	–	1	2	3	4	2	2	3	1	1	1	–	–	–	–	1	–	–	–	–
	Female	11	2	–	–	1	2	–	1	1	1	2	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	8	1	2	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	–	–	–	–	–	1	3	3	2	3	–	2	–	–	–	–	–	–	–	–	–	–
	White Male	11	–	–	–	–	–	1	2	3	1	2	–	2	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina																							
	All causes	**24,293**	**878**	**150**	**117**	**101**	**374**	**450**	**398**	**391**	**464**	**614**	**938**	**1,444**	**2,115**	**2,633**	**2,969**	**3,053**	**2,709**	**2,141**	**1,452**	**671**	**224**	**7**
	White Male	9,190	213	43	33	38	191	190	148	137	177	228	382	596	910	1,106	1,230	1,233	987	736	419	155	38	–
	White Female	6,926	175	36	31	19	79	75	56	72	80	117	179	320	395	575	670	845	946	955	804	391	105	1
	All other Male	4,515	236	35	31	34	74	147	148	126	120	169	237	326	496	528	590	483	327	220	100	54	30	4
	All other Female	3,662	254	36	22	10	30	38	46	56	87	100	140	202	314	424	479	492	449	230	129	71	51	2
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	32	19	1	1	–	–	–	–	–	–	–	–	1	2	–	2	1	1	2	1	–	1	–
	White Male	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	White Female	7	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–
	All other Male	8	5	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	12	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	46	–	–	–	–	–	1	–	–	–	3	4	2	3	6	5	8	4	5	3	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	–	1	–	1	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
	All other Male	28	–	–	–	–	–	1	–	–	–	3	4	2	–	4	4	4	3	3	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	38	–	–	–	–	–	1	–	–	–	2	4	2	3	5	3	6	3	4	3	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	–	1	–	1	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–
	All other Male	23	–	–	–	–	–	1	–	–	–	2	4	2	–	4	2	3	2	3	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	12	3	5	–	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Female	7	2	2	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	120	30	2	1	–	–	2	–	2	–	–	5	5	5	10	18	11	15	6	5	1	2	–
	White Male	25	8	2	–	–	–	–	–	–	–	–	–	1	1	1	3	4	5	–	–	–	–	–
	White Female	38	8	–	1	–	–	–	–	–	–	–	2	1	1	3	3	2	6	4	5	1	1	–
	All other Male	30	9	–	–	–	–	1	–	1	–	–	3	2	3	2	5	1	2	1	–	–	–	–
	All other Female	27	5	–	–	–	–	1	–	1	–	–	–	1	–	4	7	4	2	1	–	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	73	9	6	5	1	3	5	5	5	1	2	3	2	3	2	10	3	2	4	1	1	–	–
	White Male	19	–	–	3	–	2	–	1	–	–	–	–	–	2	–	5	1	1	3	–	1	–	–
	White Female	22	1	–	1	1	1	2	–	1	1	1	3	1	1	1	2	2	1	1	1	–	–	–
	All other Male	19	5	1	–	–	–	2	3	4	–	1	–	–	–	–	3	–	–	–	–	–	–	–
	All other Female	13	3	5	1	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,247	3	5	11	10	16	11	32	45	78	103	230	348	536	649	671	598	436	272	142	36	14	1
	White Male	1,708	–	4	6	5	8	3	12	10	24	38	86	126	210	283	273	273	182	103	49	10	3	–
	Female	1,304	2	1	2	2	3	3	10	20	24	37	67	122	145	185	179	169	134	118	63	14	4	–
	All other Male	697	–	–	1	2	2	4	6	4	8	16	33	51	98	116	134	97	58	34	17	12	4	–
	Female	538	1	–	2	1	3	1	4	11	22	12	44	49	83	65	85	59	62	17	13	–	3	1
140–149	Of buccal cavity and pharynx	110	–	–	–	1	1	–	–	–	–	3	7	7	20	22	20	14	6	6	–	2	1	–
	White Male	62	–	–	–	–	–	–	–	–	–	–	3	2	12	15	12	11	3	3	–	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	3	2	6	4	2	1	2	–	1	1	–
	All other Male	15	–	–	–	1	–	–	–	–	–	1	3	1	4	–	4	–	–	1	–	–	–	–
	Female	10	–	–	–	–	1	–	–	–	–	2	–	1	2	1	–	1	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,036	–	–	–	–	3	2	5	10	12	20	45	74	130	145	196	150	118	71	47	5	2	1
	White Male	389	–	–	–	–	1	1	1	2	8	12	17	29	49	61	69	58	40	23	17	–	1	–
	Female	293	–	–	–	–	–	–	1	2	1	6	6	20	31	31	47	44	43	35	24	1	1	–
	All other Male	203	–	–	–	–	2	1	2	3	1	1	11	15	29	35	50	24	14	9	2	4	–	–
	Female	151	–	–	–	–	–	–	1	3	2	1	11	10	21	18	30	24	21	4	4	–	–	1
160–163	Of respiratory system	1,074	–	–	–	–	–	–	–	2	13	24	68	121	158	209	186	157	72	41	17	4	2	–
	White Male	640	–	–	–	–	–	–	–	1	5	11	31	67	93	125	120	98	52	26	10	1	–	–
	Female	176	–	–	–	–	–	–	–	–	2	4	20	24	21	36	23	25	8	5	5	3	–	–
	All other Male	209	–	–	–	–	–	–	–	–	2	9	11	22	36	39	38	32	11	7	1	–	1	–
	Female	49	–	–	–	–	–	–	–	1	4	–	6	8	8	9	5	2	1	3	1	–	1	–
174	Of breast	361	–	–	–	–	–	–	1	5	15	18	33	45	57	44	47	38	27	19	9	3	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	253	–	–	–	–	–	–	1	3	7	16	20	31	38	37	32	29	17	15	6	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	Female	103	–	–	–	–	–	–	–	2	8	2	13	14	18	7	15	9	10	3	2	–	–	–
180–187	Of genital organs	532	–	–	–	–	2	1	4	8	16	6	19	27	43	78	79	79	89	42	28	8	3	–
	White Male	142	–	–	–	–	1	–	2	–	1	–	3	1	8	15	18	28	35	18	9	3	–	–
	Female	169	–	–	–	–	–	–	2	5	8	3	8	13	15	31	21	18	22	15	6	1	1	–
	All other Male	127	–	–	–	–	–	–	–	–	–	–	2	6	8	18	26	24	21	7	9	4	2	–
	Female	94	–	–	–	–	1	1	–	3	7	3	6	7	12	14	14	9	11	2	4	–	–	–
188, 189	Of urinary organs	160	–	–	–	–	–	–	2	–	2	1	7	11	12	20	23	29	17	19	6	8	3	–
	White Male	71	–	–	–	–	–	–	–	–	2	1	5	5	5	5	12	18	8	6	1	3	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	5	4	1	2	8	4	11	4	2	–	–
	All other Male	28	–	–	–	–	–	–	–	–	–	–	–	–	1	10	6	2	2	2	1	3	1	–
	Female	20	–	–	–	–	–	–	2	–	–	–	2	1	2	4	3	1	3	–	–	–	2	–
170–173, 190–199	Of all other and unspecified sites	584	1	4	4	5	5	4	12	12	11	17	33	40	70	83	79	73	59	44	21	5	2	–
	White Male	233	–	3	1	2	3	2	7	5	4	7	17	12	26	37	29	36	20	12	7	1	2	–
	Female	212	–	1	1	1	2	–	3	5	3	5	8	18	22	28	31	19	27	24	10	4	–	–
	All other Male	65	–	–	–	1	–	2	2	1	3	4	4	5	9	9	4	10	5	4	2	–	–	–
	Female	74	1	–	2	1	–	–	–	1	1	1	4	5	13	9	15	8	7	4	2	–	–	–
204–207	Leukemia	170	2	1	5	4	4	2	3	2	4	7	5	9	19	21	15	23	18	18	7	1	–	–
	White Male	81	–	1	4	3	2	–	1	–	2	4	4	4	9	11	6	8	9	11	2	–	–	–
	Female	57	2	–	1	1	1	2	1	2	1	1	1	3	5	6	5	8	5	6	5	1	–	–
	All other Male	16	–	–	–	–	–	–	–	–	1	–	–	1	4	2	3	3	1	1	–	–	–	–
	Female	16	–	–	–	–	1	–	1	–	–	2	–	1	1	2	1	4	3	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	220	–	–	2	–	1	2	5	6	5	7	13	14	27	27	26	35	30	12	7	–	1	–
	White Male	88	–	–	1	–	1	–	1	2	2	3	6	6	8	14	7	16	15	4	2	–	–	–
	Female	80	–	–	–	–	–	1	2	3	2	2	3	5	7	9	14	16	7	5	3	–	1	–
	All other Male	31	–	–	1	–	–	1	2	–	1	1	2	1	6	3	3	2	4	2	2	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	2	2	6	1	2	1	4	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	42	–	1	–	–	1	–	–	1	–	3	2	4	8	4	2	8	3	4	–	–	1	–
	White Male	13	–	–	–	–	1	–	–	1	–	1	1	1	3	1	1	2	1	–	–	–	–	–
	Female	14	–	1	–	–	–	–	–	–	–	–	–	1	3	–	1	3	2	3	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	2	–	1	–	–	1	–
250	Diabetes mellitus	476	–	–	–	1	–	3	2	4	5	10	12	33	46	69	79	76	65	46	14	8	3	–
	White Male	119	–	–	–	–	–	–	–	1	3	2	4	6	12	21	16	25	10	12	4	1	2	–
	Female	136	–	–	–	–	–	–	–	1	–	2	2	5	6	11	27	19	29	23	6	5	–	–
	All other Male	79	–	–	–	–	–	–	1	2	1	2	4	9	11	10	16	9	9	3	–	1	1	–
	Female	142	–	–	–	1	–	3	1	–	1	4	2	13	17	27	20	23	17	8	4	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	28	1	–	–	–	–	–	–	–	–	1	–	–	1	4	5	3	1	6	3	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	–	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
280–285	Anemias	48	–	–	1	1	2	2	–	–	2	–	4	1	3	3	9	4	7	4	3	2	–	–
	White Male	11	–	–	–	1	–	–	–	–	1	–	1	–	–	–	3	1	2	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	4	3	2	2	–	–
	All other Male	11	–	–	1	–	1	2	–	–	–	–	3	1	1	–	1	–	1	–	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	1	–	–	–	2	1	2	1	–	–	–	–	–	–
320	Meningitis	27	9	4	1	–	–	1	–	–	1	2	1	–	2	1	1	2	–	–	2	–	–	–
	White Male	8	3	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	3	–	1	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	–	–
	Female	9	2	1	–	–	–	1	–	–	1	–	1	–	1	–	1	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	11,944	20	6	5	3	17	30	34	43	115	197	365	633	993	1,319	1,610	1,791	1,672	1,400	1,038	504	148	1
	White Male	4,435	6	–	1	2	2	6	6	9	39	72	163	290	454	574	675	689	586	449	281	107	24	–
	Female	3,748	4	3	1	1	7	8	2	8	16	30	55	97	153	264	326	509	609	659	607	311	78	–
	All other Male	1,878	3	–	2	–	5	13	16	16	33	53	92	159	242	253	314	270	182	125	55	31	13	1
	Female	1,883	7	3	1	–	3	3	10	10	27	42	55	87	144	228	295	323	295	167	95	55	33	–
390–398, 402, 404, 410–429	Diseases of heart	8,642	17	5	4	3	9	21	29	29	86	149	277	516	778	1,032	1,248	1,301	1,164	927	650	310	87	–
	White Male	3,508	6	–	1	2	1	4	6	7	36	62	147	267	393	500	578	526	418	297	184	60	13	–
	Female	2,564	2	3	1	1	3	6	2	5	12	16	36	75	119	207	255	384	419	423	365	186	44	–
	All other Male	1,333	3	–	2	–	3	9	11	10	20	40	58	119	166	188	219	191	126	92	43	25	8	–
	Female	1,237	6	2	–	–	2	2	10	7	18	31	36	55	100	137	196	200	201	115	58	39	22	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	116	–	–	–	–	–	3	5	2	3	3	7	8	9	18	20	20	6	6	4	2	–	–
	White Male	46	–	–	–	–	–	–	–	2	1	–	2	1	7	5	10	11	3	3	1	–	–	–
	Female	39	–	–	–	–	–	–	–	–	1	1	3	5	2	8	3	6	3	2	3	2	–	–
	All other Male	16	–	–	–	–	–	2	2	–	–	1	–	2	–	4	3	1	–	1	–	–	–	–
	Female	15	–	–	–	–	–	1	3	–	1	1	2	–	–	1	4	2	–	–	–	–	–	–
402	Hypertensive heart disease	110	–	–	–	–	–	–	1	–	–	4	5	7	11	14	22	12	13	13	5	2	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	4	3	1	–	1	3	1	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	1	4	3	5	4	3	5	3	1	–	–
	All other Male	24	–	–	–	–	–	–	1	–	–	2	–	1	–	4	5	7	1	2	1	–	–	–
	Female	41	–	–	–	–	–	–	–	–	–	1	5	4	3	4	11	1	8	3	–	–	1	–
404	Hypertensive heart and renal disease	56	–	–	–	–	–	–	–	–	–	–	–	1	5	8	9	11	7	7	4	3	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	4	1	2	1	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	5	2	2	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	5	2	1	1	1	–	–
410–413	Ischemic heart disease	7,200	–	–	–	–	–	6	10	14	57	109	224	422	615	855	1,029	1,120	1,020	798	566	279	76	–
	White Male	3,049	–	–	–	–	–	–	1	5	27	50	133	237	326	439	497	471	378	255	159	59	12	–
	Female	2,199	–	–	–	–	–	3	–	2	5	14	24	55	92	166	218	343	372	377	326	164	38	–
	All other Male	1,011	–	–	–	–	–	3	7	5	16	24	44	91	121	147	169	144	107	71	31	24	7	–
	Female	941	–	–	–	–	–	–	2	2	9	21	23	39	76	103	145	162	163	95	50	32	19	–
410	Acute myocardial infarction	4,074	–	–	–	–	–	6	7	11	43	81	165	309	457	587	625	620	505	350	199	94	15	–
	White Male	1,983	–	–	–	–	–	–	1	4	19	41	108	182	251	317	340	292	211	127	67	21	2	–
	Female	1,105	–	–	–	–	–	3	–	1	5	10	17	40	68	119	130	194	197	159	105	50	7	–
	All other Male	553	–	–	–	–	–	3	5	4	11	17	28	60	88	96	87	67	37	29	12	9	–	–
	Female	433	–	–	–	–	–	–	1	2	8	13	12	27	50	55	68	67	60	35	15	14	6	–
411	Other acute and subacute forms of ischemic heart disease	48	–	–	–	–	–	–	–	–	3	3	3	5	5	4	7	5	2	5	4	2	–	–
	White Male	17	–	–	–	–	–	–	–	–	2	1	1	2	2	2	2	2	1	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	1	–	–
	All other Male	17	–	–	–	–	–	–	–	–	1	2	1	2	1	2	3	1	1	–	2	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	–	1	1	–	–	–
412	Chronic ischemic heart disease	3,074	–	–	–	–	–	–	3	3	11	25	56	107	153	264	395	494	513	443	363	183	61	–
	White Male	1,046	–	–	–	–	–	–	–	1	6	8	24	52	73	120	153	177	166	126	92	38	10	–
	Female	1,088	–	–	–	–	–	–	–	1	–	4	7	14	24	47	87	149	175	216	220	113	31	–
	All other Male	441	–	–	–	–	–	–	2	1	4	5	15	29	32	49	79	76	69	42	17	14	7	–
	Female	499	–	–	–	–	–	–	1	–	1	8	10	12	24	48	76	92	103	59	34	18	13	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	67	1	–	–	–	2	2	2	–	1	1	3	2	5	4	10	5	8	6	9	5	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	1	1	–	5	–	2	1	1	–	–	–
	Female	23	–	–	–	–	–	1	1	–	1	–	–	–	1	1	2	3	–	3	4	5	1	–
	All other Male	9	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	2	–	1	1	–	–	–
	Female	23	1	–	–	–	1	1	1	–	–	1	1	–	3	2	2	–	6	1	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,093	16	5	4	3	7	10	11	13	25	32	38	76	133	133	158	133	110	97	62	19	8	–
	White ..... Male	381	6	–	1	2	1	4	5	–	8	12	11	27	55	52	64	44	33	35	20	–	1	–
	Female	259	2	3	1	1	3	2	1	3	5	–	9	14	20	27	26	27	39	32	28	12	4	–
	All other ..... Male	256	3	–	2	–	2	4	1	5	4	13	13	24	41	32	37	32	16	15	10	1	1	–
	Female	197	5	2	–	–	1	–	4	5	8	7	5	11	17	22	31	30	22	15	4	6	2	–
400, 401, 403	Hypertension	60	–	–	–	–	–	–	1	1	4	3	2	4	11	6	6	5	3	7	6	–	1	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	2	2	3	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	–	4	2	–	–	–
	All other ..... Male	17	–	–	–	–	–	–	1	–	–	1	1	1	6	2	1	2	1	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	4	1	–	2	2	2	3	–	–	–	1	–	–	–
430–438	Cerebrovascular diseases	2,682	3	1	1	–	5	6	4	13	22	39	79	99	166	235	300	394	417	395	306	152	44	1
	White ..... Male	716	–	–	–	–	1	1	–	2	2	7	13	18	42	54	70	130	132	125	74	39	6	–
	Female	964	2	–	–	–	1	1	–	3	3	11	15	19	28	49	58	105	157	196	194	98	24	–
	All other ..... Male	458	–	–	–	–	2	3	4	6	12	12	33	36	61	55	84	58	46	28	9	4	4	1
	Female	544	1	1	1	–	1	1	–	2	5	9	18	26	35	77	88	101	82	46	29	11	10	–
431	Cerebral hemorrhage	446	1	–	–	–	1	4	1	8	8	18	31	37	43	53	50	56	57	40	25	10	3	–
	White ..... Male	107	–	–	–	–	1	1	–	1	1	4	4	7	14	14	11	15	18	10	4	1	1	–
	Female	141	–	–	–	–	–	–	–	3	–	4	3	7	10	10	10	26	23	20	18	6	1	–
	All other ..... Male	104	–	–	–	–	–	3	1	3	6	8	12	13	14	15	17	3	6	3	–	–	–	–
	Female	94	1	–	–	–	–	–	–	1	1	2	12	10	5	14	12	12	10	7	3	3	1	–
433	Cerebral thrombosis	583	–	1	–	–	1	–	–	–	1	1	6	9	29	49	60	83	96	103	84	49	11	–
	White ..... Male	172	–	–	–	–	–	–	–	–	–	1	–	1	4	16	17	32	40	28	19	12	2	–
	Female	241	–	–	–	–	1	–	–	–	–	–	1	–	3	10	16	18	36	55	60	33	8	–
	All other ..... Male	80	–	–	–	–	–	–	–	–	1	–	5	7	13	8	14	12	9	9	1	–	1	–
	Female	90	–	1	–	–	–	–	–	–	–	–	–	1	9	15	13	21	11	11	4	4	–	–
434	Cerebral embolism	4	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,649	2	–	1	–	3	1	3	5	13	20	41	53	94	133	190	254	263	252	197	93	30	1
	White ..... Male	436	–	–	–	–	–	–	–	1	1	2	8	10	24	24	42	83	74	87	51	26	3	–
	Female	580	2	–	–	–	–	–	–	–	3	7	11	12	15	29	32	61	97	121	116	59	15	–
	All other ..... Male	273	–	–	–	–	2	–	3	3	5	4	16	16	34	32	53	42	31	16	8	4	3	1
	Female	360	–	–	1	–	1	1	–	1	4	7	6	15	21	48	63	68	61	28	22	4	9	–
440	Arteriosclerosis	226	–	–	–	–	–	–	–	–	1	1	3	3	9	9	15	25	41	32	42	32	13	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	–	2	1	2	3	2	6	12	13	9	8	2	–
	Female	103	–	–	–	–	–	–	–	–	–	1	1	–	–	2	3	8	16	15	30	18	9	–
	All other ..... Male	33	–	–	–	–	–	–	–	–	1	–	–	1	3	2	6	7	6	2	2	2	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	1	4	2	4	4	7	2	1	4	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	334	–	–	–	–	3	3	–	–	2	5	4	11	29	37	41	66	47	39	34	10	3	–
	White ..... Male	137	–	–	–	–	–	1	–	–	1	3	1	4	14	16	25	25	22	12	11	–	2	–
	Female	104	–	–	–	–	3	1	–	–	1	1	2	2	6	5	8	11	17	21	16	9	1	–
	All other ..... Male	37	–	–	–	–	–	1	–	–	–	–	–	2	6	6	4	12	3	2	1	–	–	–
	Female	56	–	–	–	–	–	–	–	–	–	1	1	3	3	10	4	18	5	4	6	1	–	–
466	Acute bronchitis and bronchiolitis	11	2	2	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	679	52	6	6	1	4	8	4	9	8	11	12	27	41	41	67	61	112	97	61	36	15	–
	White ..... Male	241	11	–	1	–	1	2	2	3	–	1	5	3	13	14	34	22	50	45	22	9	3	–
	Female	189	5	4	1	–	1	3	1	–	1	4	–	11	6	2	13	18	31	29	31	22	6	–
	All other ..... Male	146	17	2	1	–	1	2	1	3	4	4	3	8	15	15	10	14	16	17	6	4	3	–
	Female	103	19	–	3	1	1	1	–	3	3	2	4	5	7	10	10	7	15	6	2	1	3	–
470–474	Influenza	52	1	1	–	–	–	–	–	–	1	1	1	–	5	4	5	7	7	4	10	5	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	2	2	1	–	–
	Female	22	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	4	3	–	7	4	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	1	–	–	2	3	2	1	–	1	–	–	–	–
480–486	Pneumonia	627	51	5	6	1	4	8	4	9	7	10	11	27	36	37	62	54	105	93	51	31	15	–
	White ..... Male	227	11	–	1	–	1	2	2	3	–	1	5	3	12	14	32	20	46	43	20	8	3	–
	Female	167	4	3	1	–	1	3	1	–	1	4	–	11	5	2	12	14	28	29	24	18	6	–
	All other ..... Male	141	17	2	1	–	1	2	1	3	4	4	2	8	14	14	10	14	16	16	5	4	3	–
	Female	92	19	–	3	1	1	1	–	3	2	1	4	5	5	7	8	6	15	5	2	1	3	–
490–493	Bronchitis, emphysema, and asthma	234	2	2	1	1	3	3	2	–	3	–	7	16	21	21	41	36	39	24	6	4	2	–
	White ..... Male	134	1	–	–	1	1	1	2	–	–	–	2	7	14	15	27	23	21	11	3	4	1	–
	Female	51	–	–	–	–	–	1	–	–	2	–	2	5	3	2	8	8	5	11	3	–	1	–
	All other ..... Male	36	–	1	–	–	1	1	–	–	1	–	2	4	4	4	5	2	9	2	–	–	–	–
	Female	13	1	1	1	–	1	–	–	–	–	–	1	–	–	–	1	3	4	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	45	2	1	1	–	2	–	1	–	3	–	2	3	3	–	9	3	9	6	–	–	–	–
	White..... Male	21	1	–	–	–	1	–	1	–	–	–	1	1	1	–	5	2	5	3	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	2	–	1	2	1	–	1	1	–	3	–	–	–	–
	All other..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	2	–	–	–	–	–
	Female	7	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
492	Emphysema	172	–	–	–	–	–	–	–	–	–	–	4	12	17	19	32	31	28	17	6	4	2	–
	White..... Male	106	–	–	–	–	–	–	–	–	–	–	1	6	12	13	22	21	15	8	3	4	1	–
	Female	36	–	–	–	–	–	–	–	–	–	–	1	2	2	2	7	7	4	7	3	–	1	–
	All other..... Male	26	–	–	–	–	–	–	–	–	–	–	1	4	3	4	3	2	7	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
493	Asthma	17	–	1	–	1	1	3	1	–	–	–	1	1	1	2	–	2	2	1	–	–	–	–
	White..... Male	7	–	–	–	1	–	1	1	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
	All other..... Male	4	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
531–533	Peptic ulcer	58	1	2	–	–	–	–	1	–	1	3	1	3	4	8	13	9	7	3	2	–	–	–
	White..... Male	28	–	1	–	–	–	–	–	–	–	3	1	1	1	2	8	5	3	1	2	–	–	–
	Female	14	1	1	–	–	–	–	–	–	–	–	–	2	1	2	2	–	3	2	–	–	–	–
	All other..... Male	9	–	–	–	–	–	–	1	–	1	–	–	–	2	1	2	2	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–
	White..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	68	3	–	–	1	–	1	–	–	1	2	–	3	1	9	9	13	10	5	6	3	1	–
	White..... Male	17	2	–	–	1	–	–	–	–	–	1	–	1	–	1	1	4	3	1	1	1	–	–
	Female	32	1	–	–	–	–	–	–	–	–	1	–	1	1	4	6	5	6	3	2	2	–	–
	All other..... Male	10	–	–	–	–	–	1	–	–	–	–	–	1	–	2	1	2	1	–	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	2	–	1	1	–	1	–
571	Cirrhosis of liver	303	1	–	–	–	–	2	2	9	10	39	36	57	56	44	25	15	5	2	–	–	–	–
	White..... Male	139	–	–	–	–	–	–	–	1	4	16	13	32	29	22	9	9	3	1	–	–	–	–
	Female	77	1	–	–	–	–	2	–	1	4	9	4	15	13	11	11	3	2	1	–	–	–	–
	All other..... Male	53	–	–	–	–	–	–	–	3	1	7	12	8	10	6	4	2	–	–	–	–	–	–
	Female	34	–	–	–	–	–	–	2	4	1	7	7	2	4	5	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	32	–	–	–	–	–	–	–	–	–	2	2	1	2	2	6	6	4	2	4	–	1	–
	White..... Male	18	–	–	–	–	–	–	–	–	–	1	2	1	1	1	3	3	3	1	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	2	–	1	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	162	2	1	–	–	1	–	1	4	1	4	3	12	20	28	19	23	22	11	6	3	1	–
	White..... Male	37	–	–	–	–	–	–	–	–	–	1	1	6	4	4	4	8	3	2	4	–	–	–
	Female	27	–	1	–	–	–	–	–	–	–	1	2	1	1	3	4	–	5	5	1	3	–	–
	All other..... Male	49	1	–	–	–	1	–	1	4	1	1	–	2	8	7	4	10	7	1	–	–	1	–
	Female	49	1	–	–	–	–	–	–	–	–	1	–	3	7	14	7	5	7	3	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	20	2	–	–	–	–	–	–	–	–	1	–	1	3	–	2	4	2	1	3	1	–	–
	White..... Male	10	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	1	–	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–
	All other..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	142	–	1	–	–	1	–	1	4	1	3	3	11	17	28	17	19	20	10	3	2	1	–
	White..... Male	27	–	–	–	–	–	–	–	–	–	–	1	5	2	4	2	7	3	1	2	–	–	–
	Female	23	–	1	–	–	–	–	–	–	–	1	2	1	–	3	4	–	4	5	–	2	–	–
	All other..... Male	46	–	–	–	–	1	–	1	4	1	1	–	2	8	7	4	9	6	1	–	–	1	–
	Female	46	–	–	–	–	–	–	–	–	–	1	–	3	7	14	7	3	7	3	1	–	–	–
590	Infections of kidney	56	–	–	1	–	–	–	–	–	–	–	–	2	3	8	8	7	8	8	9	1	1	–
	White..... Male	20	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	1	4	3	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	–	6	1	6	–	1	–
	All other..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	2	–	–	–	–
	Female	8	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	1	–	–
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	7	–	–	–	–	2	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	192	117	21	8	3	7	3	8	4	5	4	1	5	1	2	–	–	2	–	1	–	–	–
	White Male	65	36	7	2	1	5	1	4	2	2	1	1	1	1	1	–	–	–	–	–	–	–	–
	Female	49	34	5	–	1	1	1	1	1	1	1	–	1	–	–	–	–	2	–	–	–	–	–
	All other Male	33	16	5	1	1	1	1	3	–	–	1	–	2	–	1	–	–	–	–	1	–	–	–
	Female	45	31	4	5	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	467	467	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	133	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	127	127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	265	265	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	202	202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	740	88	4	4	2	2	4	9	11	22	23	31	39	63	88	78	82	65	53	30	26	13	3
	White Male	204	10	1	–	–	–	–	1	5	8	4	7	13	27	31	24	26	15	20	7	4	1	–
	Female	133	13	1	2	1	1	1	2	1	3	3	3	7	6	9	16	15	12	16	9	8	4	–
	All other Male	225	28	1	1	1	1	1	5	4	6	8	13	12	23	25	25	23	20	9	6	4	7	2
	Female	178	37	1	1	–	–	2	1	1	5	8	8	7	7	23	13	18	18	8	8	10	1	1
Residual	All other diseases	1,611	22	14	13	7	29	29	28	43	45	51	83	106	152	174	184	198	168	143	82	29	11	–
	White Male	617	4	5	5	2	10	8	6	12	11	23	29	35	61	59	89	88	70	60	28	11	1	–
	Female	452	7	3	4	1	9	6	4	5	5	6	17	23	31	45	39	57	68	59	43	15	5	–
	All other Male	307	5	3	3	2	3	6	11	16	19	13	27	27	33	43	35	25	14	13	8	–	1	–
	Female	235	6	3	1	2	7	9	7	10	10	9	10	21	27	27	21	28	16	11	3	3	4	–
E800–E949	Accidents	1,808	26	65	56	63	243	222	160	131	110	97	95	89	89	97	67	68	46	35	26	14	8	1
	White Male	803	9	17	12	23	140	119	75	52	56	36	42	38	40	42	29	21	20	14	10	5	3	–
	Female	348	5	14	19	10	49	29	18	20	18	11	18	18	11	18	15	24	16	11	14	7	2	1
	All other Male	519	10	18	19	27	46	65	59	50	27	42	32	24	30	29	14	14	2	8	1	2	–	–
	Female	138	2	16	6	3	8	9	8	9	9	8	3	9	8	8	9	9	8	2	1	–	3	–
E810–E823	Motor vehicle accidents	954	9	30	40	33	171	153	106	74	61	42	38	42	40	39	26	24	11	10	4	–	–	1
	White Male	471	4	10	9	17	103	86	52	29	36	19	22	20	18	16	10	8	6	4	2	–	–	–
	Female	206	4	10	15	8	43	26	15	13	8	7	9	9	4	7	8	10	3	4	2	–	–	1
	All other Male	232	1	5	11	8	18	36	34	28	13	15	7	12	15	14	5	6	2	2	–	–	–	–
	Female	45	–	5	5	–	7	5	5	4	4	1	–	1	3	2	3	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	854	17	35	16	30	72	69	54	57	49	55	57	47	49	58	41	44	35	25	22	14	8	–
	White Male	332	5	7	3	6	37	33	23	23	20	17	20	18	22	26	19	13	14	10	8	5	3	–
	Female	142	1	4	4	2	6	3	3	7	10	4	9	9	7	11	7	14	13	7	12	7	2	–
	All other Male	287	9	13	8	19	28	29	25	22	14	27	25	12	15	15	9	8	–	6	1	2	–	–
	Female	93	2	11	1	3	1	4	3	5	5	7	3	8	5	6	6	9	8	2	1	–	3	–
E950–E959	Suicide	355	...	...	–	3	18	57	39	37	24	25	23	27	28	20	23	17	9	5	–	–	–	–
	White Male	230	...	...	–	2	10	32	21	22	20	11	17	20	18	17	17	14	5	4	–	–	–	–
	Female	78	...	...	–	1	4	12	10	9	3	11	4	6	7	2	4	3	2	–	–	–	–	–
	All other Male	41	...	...	–	–	3	12	7	6	1	3	1	1	3	–	2	–	1	1	–	–	–	–
	Female	6	...	...	–	–	1	1	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
E960–E978	Homicide	358	1	3	2	4	23	57	59	38	30	29	16	27	24	16	13	8	3	1	3	–	–	1
	White Male	128	–	2	2	–	9	12	16	19	9	15	6	13	8	6	4	5	1	–	1	–	–	–
	Female	40	–	–	–	1	2	7	6	5	2	–	–	2	4	5	3	1	1	–	1	–	–	–
	All other Male	151	–	1	–	1	9	32	29	10	15	12	8	12	8	4	6	2	–	–	1	–	–	1
	Female	39	1	–	–	2	3	6	8	4	4	2	2	–	4	1	–	–	1	1	–	–	–	–
E980–E999	Other external causes	39	–	–	1	–	2	8	8	3	2	2	2	–	6	3	2	–	–	–	–	–	–	–
	White Male	18	–	–	1	–	2	5	2	–	–	1	1	–	4	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	16	–	–	–	–	–	3	5	3	2	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota																							
	All causes	**6,295**	**197**	**39**	**32**	**30**	**72**	**104**	**71**	**56**	**56**	**93**	**134**	**215**	**299**	**461**	**602**	**727**	**856**	**903**	**791**	**417**	**140**	–
	White ..... Male	3,372	89	18	13	21	41	67	41	22	30	44	84	143	195	296	378	439	448	457	349	156	41	–
	Female	2,512	66	14	10	4	14	16	16	10	13	23	28	52	80	132	195	261	382	425	425	249	97	–
	All other ..... Male	251	25	4	5	2	13	17	8	15	4	22	12	13	15	17	18	18	18	12	9	3	1	–
	Female	160	17	3	4	3	4	4	6	9	9	4	10	7	9	16	11	9	8	9	8	9	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	8	–	–	–	–	–	1	1	–	1	–	–	–	–	3	–	–	1	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	White ..... Male	4	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,203	–	3	2	3	2	9	6	5	7	19	27	53	93	155	149	199	189	141	103	31	7	–
	White Male	666	–	3	–	1	–	7	4	–	3	10	13	26	47	97	81	121	102	85	50	13	3	–
	Female	511	–	–	2	1	1	2	2	4	3	9	14	26	43	54	64	74	84	54	52	18	4	–
	All other Male	14	–	–	–	–	1	–	–	–	–	–	–	1	2	2	2	3	1	2	–	–	–	–
	Female	12	–	–	–	1	–	–	–	1	1	–	–	–	1	2	2	1	2	–	1	–	–	–
140–149	Of buccal cavity and pharynx	17	–	–	–	–	–	–	–	–	–	–	–	–	1	7	4	1	2	1	–	–	1	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	348	–	–	–	–	1	–	–	–	3	3	8	11	22	38	39	63	65	42	37	12	4	–
	White Male	188	–	–	–	–	–	–	–	–	1	2	5	5	11	24	21	31	39	24	18	5	2	–
	Female	148	–	–	–	–	–	–	–	–	1	1	3	6	9	12	17	30	24	18	18	7	2	–
	All other Male	5	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	1	–	–	–
160–163	Of respiratory system	253	–	–	–	–	–	–	–	–	1	6	3	20	28	45	39	47	33	22	6	3	–	–
	White Male	197	–	–	–	–	–	–	–	–	1	5	3	17	20	37	27	41	24	17	3	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	1	–	3	7	7	10	5	9	4	3	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	112	–	–	–	–	–	–	–	1	1	3	4	11	10	12	18	14	12	11	12	3	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	111	–	–	–	–	–	–	–	–	1	3	4	11	10	12	18	14	12	11	12	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	159	–	–	–	–	–	4	2	1	1	2	3	3	10	17	13	26	26	27	19	5	–	–
	White Male	93	–	–	–	–	–	3	1	–	–	–	–	1	3	9	7	18	14	20	14	3	–	–
	Female	65	–	–	–	–	–	1	1	1	1	2	3	1	7	8	6	8	12	7	5	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	47	–	–	–	–	–	–	–	–	–	–	2	1	3	3	5	14	6	7	4	1	1	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	10	4	4	3	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	4	2	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	139	–	2	2	2	–	3	4	2	1	3	3	4	11	18	13	14	24	16	12	4	1	–
	White Male	69	–	2	–	1	–	3	3	–	1	2	2	–	6	9	7	8	10	9	4	2	–	–
	Female	65	–	–	2	–	–	–	1	2	–	1	1	4	5	8	5	5	13	7	8	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
204–207	Leukemia	43	–	1	–	1	–	–	–	1	–	1	–	–	3	6	4	3	10	4	7	2	–	–
	White Male	27	–	1	–	–	–	–	–	–	–	1	–	–	1	6	4	3	3	3	5	–	–	–
	Female	16	–	–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	7	1	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	85	–	–	–	–	1	2	–	–	–	1	4	3	5	9	14	17	11	11	6	1	–	–
	White Male	49	–	–	–	–	–	1	–	–	–	–	2	2	3	5	9	10	6	8	3	–	–	–
	Female	36	–	–	–	–	1	1	–	–	–	1	2	1	2	4	5	7	5	3	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	18	–	–	–	–	1	–	–	–	1	–	–	2	4	2	2	1	3	1	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	1	1	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	111	–	–	–	–	–	3	–	–	2	1	1	7	11	10	13	14	12	15	12	8	2	–
	White Male	48	–	–	–	–	–	2	–	–	1	–	–	1	8	1	6	8	6	4	5	6	–	–
	Female	52	–	–	–	–	–	–	–	–	1	1	–	3	3	4	7	5	6	11	7	2	2	–
	All other Male	5	–	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	3	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
280–285	Anemias	18	–	–	–	–	1	1	–	–	1	–	–	–	1	2	2	–	2	1	4	2	1	–
	White Male	7	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	–	–
	Female	8	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	1	1	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
320	Meningitis	7	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,287	7	–	1	2	1	4	3	6	13	25	42	81	110	207	313	401	510	604	548	300	109	–
	White Male	1,763	1	–	–	2	–	1	–	2	9	15	35	68	88	137	215	247	268	304	234	106	31	–
	Female	1,429	5	–	1	–	–	2	3	1	4	7	6	10	18	60	86	140	230	289	303	187	77	–
	All other Male	55	1	–	–	–	–	–	–	1	–	2	1	1	1	5	9	10	9	5	8	2	–	–
	Female	40	–	–	–	–	1	1	–	2	–	1	–	2	3	5	3	4	3	6	3	5	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,450	6	–	1	2	1	2	3	5	9	19	38	73	100	173	258	317	392	419	364	194	74	–
	White Male	1,403	1	–	–	2	–	–	–	1	7	11	32	63	83	117	181	205	212	231	165	73	19	–
	Female	974	5	–	1	–	–	1	3	1	2	5	5	7	13	49	71	101	171	181	189	115	54	–
	All other Male	41	–	–	–	–	–	–	–	1	–	2	1	1	1	3	4	9	7	3	7	2	–	–
	Female	32	–	–	–	–	1	1	–	2	–	1	–	2	3	4	2	2	2	4	3	4	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	30	–	–	–	–	–	1	–	–	2	–	3	–	3	1	6	5	3	4	1	1	–	–
	White Male	21	–	–	–	–	–	–	–	–	1	–	2	–	3	1	5	4	2	2	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	15	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	5	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	5	4	4	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	–	2	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,169	3	–	–	–	–	1	1	2	6	13	32	67	85	159	226	286	351	370	330	173	64	–
	White Male	1,259	1	–	–	–	–	–	–	1	5	9	27	59	70	109	160	190	189	206	151	65	17	–
	Female	863	2	–	–	–	–	1	1	1	1	2	4	6	12	45	61	87	158	159	172	104	47	–
	All other Male	26	–	–	–	–	–	–	–	–	–	2	1	1	–	2	3	7	3	1	5	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	2	1	4	2	3	–	–
410	Acute myocardial infarction	1,329	3	–	–	–	–	–	–	1	5	11	26	53	68	121	174	212	235	200	143	58	19	–
	White Male	831	1	–	–	–	–	–	–	–	4	7	23	47	55	83	128	145	127	115	68	25	3	–
	Female	468	2	–	–	–	–	–	–	1	1	2	2	4	10	34	43	62	104	85	71	31	16	–
	All other Male	18	–	–	–	–	–	–	–	–	–	2	1	1	–	2	1	4	3	–	3	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	1	1	–	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	13	–	–	–	–	–	1	–	–	–	–	2	–	1	–	1	1	2	2	2	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–
	Female	8	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	827	–	–	–	–	–	–	1	1	1	2	4	14	16	38	51	73	114	168	185	115	44	–
	White Male	424	–	–	–	–	–	–	–	1	1	2	4	12	14	26	32	45	60	91	83	40	13	–
	Female	387	–	–	–	–	–	–	1	–	–	–	–	2	2	11	18	24	54	72	99	73	31	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	2	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	21	1	–	–	–	–	–	1	–	–	1	–	–	1	2	1	2	5	3	1	1	2	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	5	1	1	1	–	–
	Female	9	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	2	–	–	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	197	2	–	1	2	1	–	1	3	1	5	2	5	11	10	23	21	30	32	25	15	7	–
	White Male	98	–	–	–	2	–	–	–	–	1	2	2	3	9	6	14	9	15	18	12	4	1	–
	Female	78	2	–	1	–	–	–	1	–	–	2	–	1	1	3	9	10	10	13	11	9	5	–
	All other Male	12	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	4	1	1	1	–	–
	Female	9	–	–	–	–	1	–	–	2	–	1	–	1	–	–	–	–	1	–	1	1	1	–
400, 401, 403	Hypertension	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	2	–	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	2	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	643	1	–	–	–	–	2	–	–	3	5	4	7	10	24	36	64	92	143	147	82	23	–
	White Male	268	–	–	–	–	–	1	–	–	1	3	3	4	5	15	23	30	45	55	52	25	6	–
	Female	362	–	–	–	–	–	1	–	–	2	2	1	3	5	9	10	32	44	86	94	56	17	–
	All other Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
431	Cerebral hemorrhage	75	–	–	–	–	–	–	–	–	1	–	1	1	1	5	2	11	12	18	10	11	2	–
	White Male	34	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	6	4	8	4	3	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	8	10	6	8	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
433	Cerebral thrombosis	100	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	12	11	23	28	11	4	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	6	7	9	11	5	1	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	4	14	17	6	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
430, 432, 435–438	All other cerebrovascular diseases	461	1	–	–	–	–	2	–	–	2	5	3	5	8	15	28	41	67	101	108	58	17	–
	White Male	185	–	–	–	–	–	1	–	–	–	3	2	2	4	10	16	18	33	38	37	16	5	–
	Female	265	–	–	–	–	–	1	–	–	2	2	1	3	4	5	9	22	31	61	70	42	12	–
	All other Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
440	Arteriosclerosis	90	–	–	–	–	–	–	–	1	–	–	–	–	–	3	4	4	7	24	21	17	9	–
	White Male	31	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	2	9	8	5	3	–
	Female	55	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	13	13	12	6	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	87	–	–	–	–	–	–	–	–	1	1	–	1	–	7	14	14	15	12	14	7	1	–
	White Male	53	–	–	–	–	–	–	–	–	1	1	–	1	–	4	9	9	9	7	8	3	1	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	6	5	6	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
	White Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	180	8	3	–	1	–	–	–	1	–	1	3	5	4	6	12	10	28	27	31	29	11	–
	White Male	92	1	–	–	–	–	–	–	1	–	–	1	4	3	4	9	5	17	13	19	11	4	–
	Female	68	–	2	–	1	–	–	–	–	–	–	1	–	–	–	3	4	11	13	11	16	6	–
	All other Male	11	4	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	1	–	–	1	–
	Female	9	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	–
470–474	Influenza	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	173	8	3	–	1	–	–	–	1	–	1	3	5	4	6	12	10	27	24	31	26	11	–
	White Male	92	1	–	–	–	–	–	–	1	–	–	1	4	3	4	9	5	17	13	19	11	4	–
	Female	61	–	2	–	1	–	–	–	–	–	–	1	–	–	–	3	4	10	10	11	13	6	–
	All other Male	11	4	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	1	–	–	1	–
	Female	9	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	–
490–493	Bronchitis, emphysema, and asthma	86	–	–	–	–	–	1	1	–	–	–	1	3	6	11	12	13	12	17	9	–	–	–
	White Male	65	–	–	–	–	–	–	1	–	–	–	1	2	4	11	7	11	9	11	8	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	1	2	6	1	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	16	–	–	–	–	–	1	–	–	–	–	–	1	–	2	1	2	3	4	2	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	68	–	–	–	–	–	–	1	–	–	–	1	2	6	8	10	11	9	13	7	–	–	–
	White Male	54	–	–	–	–	–	–	1	–	–	–	1	1	4	8	6	9	7	10	7	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	1	3	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
493	Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	15	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	2	8	1	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	3	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	27	1	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	3	4	5	5	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	–	3	–	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	5	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	85	–	–	1	–	–	–	3	7	6	6	13	13	7	9	9	8	2	–	1	–	–	–
	White Male	44	–	–	–	–	–	–	2	1	2	1	6	7	6	4	8	6	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	4	–	2	1	2	1	–	1	–	–	–
	All other Male	11	–	–	1	–	–	–	–	2	–	3	3	1	–	1	–	–	–	–	–	–	–	–
	Female	19	–	–	–	–	–	–	1	4	4	2	4	1	1	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	16	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	3	2	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	17	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	3	6	3	–	1	–
	White Male	8	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	2	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	2	–	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–
	White Male	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
590	Infections of kidney	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	54	38	5	1	1	–	1	1	1	–	–	–	2	–	1	1	1	1	–	–	–	–	–
	White Male	27	21	2	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	Female	21	13	2	–	1	–	1	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	All other Male	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	109	109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	72	13	2	–	1	1	2	–	–	3	–	–	3	7	3	7	6	1	6	11	5	1	–
	White Male	29	6	1	–	–	1	–	–	–	1	–	–	2	3	1	4	3	–	1	4	2	–	–
	Female	23	3	–	–	1	–	2	–	–	–	–	–	–	–	1	1	1	–	4	6	3	1	–
	All other Male	15	3	1	–	–	–	–	–	–	1	–	–	1	3	–	2	1	1	1	1	–	–	–
	Female	5	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–
Residual	All other diseases	384	7	4	3	1	3	4	4	3	8	8	16	17	19	27	41	41	51	53	43	27	4	–
	White Male	182	3	3	2	1	1	1	1	1	3	4	8	8	10	16	24	23	22	23	18	9	1	–
	Female	154	1	1	–	–	1	–	3	1	2	–	3	5	7	6	14	17	23	28	24	15	3	–
	All other Male	29	1	–	1	–	1	1	–	1	1	4	3	3	2	3	1	1	5	–	–	1	–	–
	Female	19	2	–	–	–	–	2	–	–	2	–	2	1	–	2	2	–	1	2	1	2	–	–
E800–E949	Accidents	444	5	18	21	21	54	66	37	19	9	22	22	21	17	17	25	15	19	13	14	5	4	–
	White Male	265	2	7	9	17	34	50	23	9	8	9	14	14	10	12	16	9	8	6	6	1	1	–
	Female	98	3	7	7	–	11	7	4	4	–	5	2	2	1	3	4	6	11	7	7	4	3	–
	All other Male	59	–	3	2	2	6	9	7	5	1	7	3	4	5	2	3	–	–	–	–	–	–	–
	Female	22	–	1	3	2	3	–	3	1	–	1	3	1	1	–	2	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	214	1	9	10	11	34	50	23	11	4	14	8	8	3	6	4	6	4	3	5	–	–	–
	White Male	123	–	4	4	9	20	39	13	4	3	5	3	5	1	3	3	2	2	1	2	–	–	–
	Female	52	1	5	5	–	8	6	4	3	–	4	1	2	–	1	1	4	2	2	3	–	–	–
	All other Male	26	–	–	1	–	3	5	4	3	1	4	2	–	1	2	–	–	–	–	–	–	–	–
	Female	13	–	–	–	2	3	–	2	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	230	4	9	11	10	20	16	14	8	5	8	14	13	14	11	21	9	15	10	9	5	4	–
	White Male	142	2	3	5	8	14	11	10	5	5	4	11	9	9	9	13	7	6	5	4	1	1	–
	Female	46	2	2	2	–	3	1	–	1	–	1	1	–	1	2	3	2	9	5	4	4	3	–
	All other Male	33	–	3	1	2	3	4	3	2	–	3	1	4	4	–	3	–	–	–	–	–	–	–
	Female	9	–	1	3	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–
E950–E959	Suicide	72	...	...	–	–	5	7	4	9	2	10	5	2	11	3	5	3	4	1	–	1	–	–
	White Male	51	...	...	–	–	3	4	3	6	1	5	4	2	10	3	4	1	3	1	–	1	–	–
	Female	9	...	...	–	–	–	–	1	–	1	1	1	–	1	–	1	2	1	–	–	–	–	–
	All other Male	10	...	...	–	–	2	2	–	2	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	25	1	1	–	–	2	3	5	4	2	1	1	1	2	1	–	–	–	1	–	–	–	–
	White Male	8	–	–	–	–	1	1	2	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	6	1	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	All other Male	8	–	–	–	–	1	2	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	12	–	1	–	–	2	1	3	1	–	–	1	–	2	–	–	1	–	–	–	–	–	–
	White Male	5	–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	All other Male	4	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee																							
	All causes	**39,145**	**1,026**	**167**	**111**	**166**	**466**	**564**	**493**	**498**	**511**	**803**	**1,228**	**1,919**	**2,625**	**3,419**	**4,543**	**5,031**	**5,067**	**4,660**	**3,528**	**1,745**	**571**	**4**
	White ..... Male	18,245	413	68	55	93	285	337	274	254	275	389	642	997	1,457	1,846	2,409	2,468	2,222	1,838	1,247	542	133	1
	Female	13,926	284	46	35	38	96	103	94	125	119	229	320	528	633	919	1,286	1,641	2,019	2,189	1,892	1,005	325	–
	All other ..... Male	3,830	193	25	14	26	59	88	92	68	78	118	160	238	319	369	480	493	400	302	179	90	37	2
	Female	3,144	136	28	7	9	26	36	33	51	39	67	106	156	216	285	368	429	426	331	210	108	76	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	41	12	2	–	–	–	–	–	–	–	–	1	2	3	3	3	2	3	1	6	3	–	–
	White ..... Male	13	3	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	2	1	–	–
	Female	18	4	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	1	4	2	–	–
	All other ..... Male	5	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	123	–	1	–	–	–	1	–	–	1	1	6	3	6	11	23	27	17	10	9	5	2	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	–	2	1	5	10	14	15	11	4	3	1	1	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	2	1	1	4	8	4	5	3	3	1	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	1	1	2	–	–	–	3	2	1	–	–	1	–	–
	Female	12	–	1	–	–	–	1	–	–	–	–	1	–	–	–	2	2	1	1	3	–	–	–
010–012	Tuberculosis of respiratory system	101	–	–	–	–	–	–	–	–	1	–	4	3	3	10	19	22	15	9	9	4	2	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	–	1	1	3	9	13	14	10	4	3	1	1	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	5	4	4	3	2	1	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	2	–	–	–	3	2	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–
013–019	Tuberculosis, other forms	22	–	1	–	–	–	1	–	–	–	1	2	–	3	1	4	5	2	1	–	1	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	1	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	1	–	–	–	1	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	10	3	1	2	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
	White ..... Male	5	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	127	51	–	–	–	–	–	2	1	–	2	3	2	4	8	8	10	13	6	14	2	1	–
	White ..... Male	43	19	–	–	–	–	–	2	–	–	–	1	2	1	4	3	3	3	–	5	–	–	–
	Female	32	8	–	–	–	–	–	–	1	–	1	1	–	–	–	2	5	6	3	3	1	1	–
	All other ..... Male	32	17	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	3	4	–	–	–
	Female	20	7	–	–	–	–	–	–	–	–	1	–	–	3	3	1	–	2	–	2	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	2	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	74	5	3	2	5	2	–	1	2	1	1	4	2	7	7	5	12	5	6	3	1	–	–
	White ..... Male	31	2	2	1	4	1	–	–	1	–	–	1	2	2	2	2	6	3	–	2	–	–	–
	Female	16	1	–	1	–	–	–	–	–	–	1	2	–	–	–	1	3	–	5	1	1	–	–
	All other ..... Male	15	1	–	–	1	1	–	1	–	–	–	1	–	3	4	1	1	1	–	–	–	–	–
	Female	12	1	1	–	–	–	–	–	1	1	–	–	–	2	1	1	2	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,494	4	15	15	14	19	34	37	55	82	167	353	564	836	994	1,189	1,095	919	575	378	123	25	1
	White Male	3,518	1	8	10	7	13	21	23	17	30	64	143	239	415	498	604	548	424	256	144	44	9	–
	Female	2,683	2	3	3	4	3	9	10	30	40	75	145	223	257	337	368	352	333	232	187	60	10	–
	All other Male	753	1	3	1	2	1	2	–	1	3	12	34	54	106	88	131	129	87	53	28	12	4	1
	Female	540	–	1	1	1	2	2	4	7	9	16	31	48	58	71	86	66	75	34	19	7	2	–
140–149	Of buccal cavity and pharynx	176	–	–	–	–	–	–	–	3	–	1	7	16	28	27	25	13	22	20	12	–	2	–
	White Male	103	–	–	–	–	–	–	–	2	–	–	3	11	14	22	16	7	10	10	7	–	1	–
	Female	43	–	–	–	–	–	–	–	1	–	1	1	2	2	3	8	3	10	7	4	–	1	–
	All other Male	25	–	–	–	–	–	–	–	–	–	–	3	2	11	2	1	2	–	3	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,829	–	1	–	–	1	2	3	4	17	29	54	121	188	222	286	295	271	171	123	34	6	1
	White Male	772	–	1	–	–	1	1	2	1	7	11	23	53	94	102	123	126	108	71	36	10	2	–
	Female	712	–	–	–	–	–	1	–	2	8	11	19	43	45	87	98	111	117	74	71	21	4	–
	All other Male	186	–	–	–	–	–	–	–	–	1	4	8	14	30	17	30	36	25	9	10	1	–	1
	Female	159	–	–	–	–	–	–	1	1	1	3	4	11	19	16	35	22	21	17	6	2	–	–
160–163	Of respiratory system	2,032	–	–	–	–	1	2	–	8	19	44	121	179	282	346	390	311	180	87	45	13	4	–
	White Male	1,355	–	–	–	–	1	1	–	3	8	27	73	110	184	234	277	221	132	51	26	5	2	–
	Female	360	–	–	–	–	–	1	–	4	8	12	30	35	52	59	44	43	25	24	16	5	2	–
	All other Male	261	–	–	–	–	–	–	–	–	2	4	13	26	39	44	59	41	19	10	1	3	–	–
	Female	56	–	–	–	–	–	–	–	1	1	1	5	8	7	9	10	6	4	2	2	–	–	–
174	Of breast	576	–	–	–	–	–	–	2	9	16	18	44	75	81	71	72	64	47	33	31	11	2	–
	White Male	6	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	–	–	1	–	–	–	–
	Female	481	–	–	–	–	–	–	1	8	12	15	40	64	67	57	61	53	35	29	29	10	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	88	–	–	–	–	–	–	1	1	3	3	4	11	12	12	11	11	11	3	2	1	2	–
180–187	Of genital organs	907	–	1	–	1	1	5	2	9	7	19	35	47	61	99	136	142	144	114	59	21	4	–
	White Male	323	–	1	–	–	1	4	–	1	–	–	1	4	14	18	47	62	65	63	26	15	1	–
	Female	376	–	–	–	1	–	1	1	6	5	15	21	33	32	63	58	47	45	29	16	2	1	–
	All other Male	118	–	–	–	–	–	–	–	–	–	1	–	3	8	6	17	29	19	17	13	3	2	–
	Female	90	–	–	–	–	–	–	1	2	2	3	13	7	7	12	14	4	15	5	4	1	–	–
188, 189	Of urinary organs	287	–	–	–	–	–	–	–	–	1	7	10	15	25	28	52	39	53	23	26	6	2	–
	White Male	170	–	–	–	–	–	–	–	–	–	5	8	9	13	21	31	24	29	13	13	3	1	–
	Female	82	–	–	–	–	–	–	–	–	1	1	1	5	7	5	11	11	18	7	12	2	1	–
	All other Male	24	–	–	–	–	–	–	–	–	–	–	1	1	3	2	7	2	4	2	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	2	2	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	975	1	10	2	6	8	12	21	19	10	32	59	68	99	119	119	130	106	72	51	27	4	–
	White Male	447	–	5	2	3	3	8	15	9	6	16	25	36	52	57	52	63	42	24	21	7	1	–
	Female	347	1	2	–	1	3	2	5	7	2	12	23	22	33	30	48	45	34	37	25	14	1	–
	All other Male	92	–	2	–	2	1	1	–	1	–	3	8	5	7	13	12	8	16	7	–	4	2	–
	Female	89	–	1	–	–	1	1	1	2	2	1	3	5	7	19	7	14	14	4	5	2	–	–
204–207	Leukemia	290	2	3	12	7	4	6	6	2	7	10	8	15	26	32	32	39	36	22	14	6	1	–
	White Male	138	1	1	8	4	3	4	3	–	5	2	4	5	13	15	17	17	15	9	9	2	1	–
	Female	113	1	1	3	2	–	1	3	2	2	4	2	8	6	14	14	15	18	9	5	3	–	–
	All other Male	18	–	1	–	–	–	–	–	–	–	–	1	1	4	1	1	5	1	3	–	–	–	–
	Female	21	–	–	1	1	1	1	–	–	–	4	1	1	3	2	–	2	2	1	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	422	1	–	1	–	4	7	3	1	5	7	15	28	46	50	77	62	60	33	17	5	–	–
	White Male	204	–	–	–	–	4	3	3	1	3	3	6	11	29	27	41	28	23	14	6	2	–	–
	Female	169	–	–	–	–	–	3	–	–	2	4	8	11	13	19	26	24	31	16	9	3	–	–
	All other Male	28	1	–	1	–	–	1	–	–	–	–	–	2	4	3	4	6	2	2	2	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	4	–	1	6	4	4	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	74	3	–	2	1	1	1	1	1	2	2	3	3	2	7	13	12	9	5	5	–	1	–
	White Male	24	3	–	–	1	1	–	–	–	–	1	1	1	1	3	3	4	3	2	–	–	–	–
	Female	32	–	–	1	–	–	1	1	1	1	1	2	1	1	1	5	3	5	3	5	–	–	–
	All other Male	10	–	–	1	–	–	–	–	–	1	–	–	1	–	2	2	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–	1	–
250	Diabetes mellitus	560	–	–	–	–	–	–	4	6	12	10	14	25	32	53	72	85	88	90	46	20	3	–
	White Male	161	–	–	–	–	–	–	2	1	3	7	3	14	7	14	25	22	27	19	13	3	1	–
	Female	270	–	–	–	–	–	–	1	5	5	1	6	7	10	18	32	48	42	52	29	13	1	–
	All other Male	46	–	–	–	–	–	–	1	–	3	2	3	4	8	8	3	4	5	3	2	–	–	–
	Female	83	–	–	–	–	–	–	–	–	1	–	2	–	7	13	12	11	14	16	2	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	42	1	–	–	–	–	–	–	1	–	–	–	–	1	2	1	6	3	8	12	4	3	–
	White Male	17	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	4	1	4	4	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	8	2	1	–
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
280–285	Anemias	49	2	3	2	–	–	–	2	1	2	1	–	1	5	4	3	5	6	3	7	1	1	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	1	3	1	4	1	–	–
	Female	14	–	–	1	–	–	–	–	1	1	–	–	–	2	–	–	3	2	1	3	–	–	–
	All other ..... Male	6	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–
	Female	11	1	3	1	–	–	–	1	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–
320	Meningitis	29	13	4	1	–	1	2	–	–	–	–	–	1	2	1	–	1	2	–	1	–	–	–
	White ..... Male	12	5	2	–	–	–	1	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
	Female	9	2	2	1	–	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	20,100	17	8	7	6	16	23	31	82	115	256	432	803	1,163	1,613	2,319	2,864	3,114	3,098	2,398	1,305	430	–
	White ..... Male	8,966	10	1	4	5	8	12	11	44	54	128	260	449	691	895	1,234	1,386	1,330	1,148	802	393	101	–
	Female	7,717	1	4	1	1	5	4	10	17	27	62	68	162	224	373	627	930	1,291	1,557	1,347	763	243	–
	All other ..... Male	1,684	4	1	1	–	2	4	5	10	22	39	58	122	127	192	252	257	221	171	105	67	24	–
	Female	1,733	2	2	1	–	1	3	5	11	12	27	46	70	121	153	206	291	272	222	144	82	62	–
390–398, 402, 404, 410–429	Diseases of heart	14,371	14	6	1	5	12	18	20	60	84	212	364	662	963	1,307	1,820	2,126	2,150	1,977	1,507	792	271	–
	White ..... Male	6,912	7	1	1	4	7	11	7	37	43	114	237	399	618	759	1,025	1,089	951	762	530	246	64	–
	Female	5,099	1	3	–	1	2	2	6	10	16	45	54	115	164	291	468	656	872	969	815	454	155	–
	All other ..... Male	1,217	4	1	–	–	2	3	5	6	16	34	43	97	89	149	181	191	159	109	74	37	17	–
	Female	1,143	2	1	–	–	1	2	2	7	9	19	30	51	92	108	146	190	168	137	88	55	35	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	186	–	1	–	1	3	1	4	4	2	4	10	15	18	21	26	35	15	17	8	1	–	–
	White ..... Male	72	–	–	–	1	2	–	2	1	–	–	5	4	4	8	12	19	6	3	4	1	–	–
	Female	81	–	1	–	–	–	–	–	1	1	4	1	6	11	8	13	14	7	10	4	–	–	–
	All other ..... Male	15	–	–	–	–	1	–	1	1	1	–	1	3	–	3	–	–	–	4	–	–	–	–
	Female	18	–	–	–	–	–	1	1	1	–	–	3	2	3	2	1	2	2	–	–	–	–	–
402	Hypertensive heart disease	83	–	–	–	–	–	–	–	–	–	1	–	6	4	5	9	13	12	12	11	5	5	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	2	2	1	5	3	4	1	4	3	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	7	9	6	2	3	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	5	–	–	1	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	3	1	2	–	–	1	–
404	Hypertensive heart and renal disease	56	–	–	–	–	–	–	–	2	–	–	1	–	1	1	4	10	10	13	11	1	2	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	7	1	–	–	–
	Female	29	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	5	4	4	10	1	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	1	–	–	–	–
410–413	Ischemic heart disease	13,009	–	–	–	–	–	10	9	35	66	185	327	585	868	1,199	1,671	1,936	1,983	1,796	1,381	714	244	–
	White ..... Male	6,345	–	–	–	–	–	6	4	27	34	104	217	369	567	710	952	1,005	881	704	492	216	57	–
	Female	4,579	–	–	–	–	–	2	2	5	13	37	50	95	139	254	422	595	803	873	738	413	138	–
	All other ..... Male	1,085	–	–	–	–	–	2	2	2	12	27	39	83	85	135	172	168	141	98	70	33	16	–
	Female	1,000	–	–	–	–	–	–	1	1	7	17	21	38	77	100	125	168	158	121	81	52	33	–
410	Acute myocardial infarction	7,706	–	–	–	–	–	7	8	32	52	134	247	430	619	858	1,141	1,235	1,139	885	593	251	75	–
	White ..... Male	4,329	–	–	–	–	–	4	3	24	27	86	179	297	444	576	712	708	530	402	238	83	16	–
	Female	2,505	–	–	–	–	–	2	2	5	13	28	41	71	97	181	300	380	480	404	305	149	47	–
	All other ..... Male	485	–	–	–	–	–	1	2	2	7	16	20	48	41	61	83	76	59	39	22	3	5	–
	Female	387	–	–	–	–	–	–	1	1	5	4	7	14	37	40	46	71	70	40	28	16	7	–
411	Other acute and subacute forms of ischemic heart disease	32	–	–	–	–	–	–	–	–	–	1	2	1	2	5	2	1	7	5	5	1	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	2	–	1	4	1	1	2	4	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	3	1	3	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	5,270	–	–	–	–	–	3	1	3	14	50	78	154	247	335	528	700	837	906	783	462	169	–
	White ..... Male	1,998	–	–	–	–	–	2	1	3	7	18	36	72	122	129	239	296	349	298	252	133	41	–
	Female	2,063	–	–	–	–	–	–	–	–	–	8	9	23	42	72	122	215	320	468	430	263	91	–
	All other ..... Male	597	–	–	–	–	–	1	–	–	5	11	19	35	43	74	88	92	81	59	48	30	11	–
	Female	612	–	–	–	–	–	–	–	–	2	13	14	24	40	60	79	97	87	81	53	36	26	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	105	–	2	1	–	–	–	–	2	2	2	2	3	–	6	11	13	14	16	13	16	2	–
	White ..... Male	48	–	–	1	–	–	–	–	1	–	1	1	–	–	1	6	7	9	7	4	8	2	–
	Female	40	–	2	–	–	–	–	–	1	1	–	–	1	–	2	3	4	4	7	8	7	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	1	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
420–423, 425–427, 429	All other forms of heart disease	932	14	3	–	4	9	7	7	17	14	20	24	53	72	75	99	119	116	123	83	55	18	–
	White ..... Male	407	7	1	–	3	5	5	1	8	9	9	14	24	45	39	48	51	50	40	25	18	5	–
	Female	336	1	–	–	1	2	–	4	2	1	4	2	12	14	23	29	36	47	66	49	31	12	–
	All other ..... Male	95	4	1	–	–	1	1	2	3	2	5	3	8	4	10	7	18	14	6	3	3	–	–
	Female	94	2	1	–	–	1	1	–	4	2	2	5	9	9	3	15	14	5	11	6	3	1	–
400, 401, 403	Hypertension	138	–	–	–	–	–	2	1	2	3	2	5	10	8	9	16	17	25	16	10	9	3	–
	White ..... Male	40	–	–	–	–	–	1	–	1	2	1	–	1	–	4	4	5	11	6	1	2	1	–
	Female	48	–	–	–	–	–	–	–	–	–	–	1	4	3	1	4	3	12	6	6	6	2	–
	All other ..... Male	20	–	–	–	–	–	1	–	–	1	1	1	2	4	2	2	2	–	1	2	1	–	–
	Female	30	–	–	–	–	–	–	1	1	–	–	3	3	1	2	6	7	2	3	1	–	–	–
430–438	Cerebrovascular diseases	4,547	2	2	4	–	1	2	6	14	21	36	50	111	153	240	400	596	777	919	716	389	108	–
	White ..... Male	1,571	2	–	3	–	–	–	2	4	6	11	15	35	49	98	162	230	291	309	215	114	25	–
	Female	2,108	–	1	1	–	1	2	4	6	8	15	12	42	47	68	126	224	346	489	428	230	58	–
	All other ..... Male	380	–	–	–	–	–	–	–	3	4	4	12	19	30	36	63	55	52	53	24	20	5	–
	Female	488	–	1	–	–	–	–	–	1	3	6	11	15	27	38	49	87	88	68	49	25	20	–
431	Cerebral hemorrhage	491	1	1	1	–	1	–	1	3	6	14	13	38	34	52	64	63	63	58	52	22	4	–
	White ..... Male	173	1	–	1	–	–	–	1	2	2	5	4	10	4	23	26	26	22	23	16	7	–	–
	Female	202	–	1	–	–	1	–	–	1	2	6	–	13	15	16	20	25	28	32	27	12	3	–
	All other ..... Male	59	–	–	–	–	–	–	–	–	1	1	5	8	7	6	13	5	7	2	3	1	–	–
	Female	57	–	–	–	–	–	–	–	–	1	2	4	7	8	7	5	7	6	1	6	2	1	–
433	Cerebral thrombosis	965	1	–	–	–	–	–	1	1	1	3	4	10	21	46	69	119	185	227	163	84	30	–
	White ..... Male	357	1	–	–	–	–	–	–	–	–	1	2	5	8	18	32	49	77	76	53	28	7	–
	Female	466	–	–	–	–	–	–	1	1	1	1	–	3	5	16	24	47	78	122	100	48	19	–
	All other ..... Male	62	–	–	–	–	–	–	–	–	–	1	1	2	5	6	5	10	11	13	4	4	–	–
	Female	80	–	–	–	–	–	–	–	–	–	–	1	–	3	6	8	13	19	16	6	4	4	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	3	5	2	–	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,075	–	1	3	–	–	2	4	10	14	19	33	63	95	142	264	411	524	632	501	283	74	–
	White ..... Male	1,034	–	–	2	–	–	–	1	2	4	5	9	20	35	57	103	154	189	210	146	79	18	–
	Female	1,432	–	–	1	–	–	2	3	4	5	8	12	26	26	36	81	150	238	333	301	170	36	–
	All other ..... Male	258	–	–	–	–	–	–	–	3	3	2	6	9	18	24	44	40	34	38	17	15	5	–
	Female	351	–	1	–	–	–	–	–	1	2	4	6	8	16	25	36	67	63	51	37	19	15	–
440	Arteriosclerosis	570	–	–	–	–	–	–	–	–	–	–	1	5	6	10	26	55	91	117	117	102	40	–
	White ..... Male	203	–	–	–	–	–	–	–	–	–	–	1	3	3	3	13	25	38	44	36	27	10	–
	Female	299	–	–	–	–	–	–	–	–	–	–	–	–	2	5	10	23	35	63	72	65	24	–
	All other ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	4	8	3	4	8	2	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	10	7	5	2	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	474	1	–	2	1	3	1	4	6	7	6	12	15	33	47	57	70	71	69	48	13	8	–
	White ..... Male	240	1	–	–	1	1	–	2	2	3	2	7	11	21	31	30	37	39	27	20	4	1	–
	Female	163	–	–	–	–	2	–	–	1	3	2	1	1	8	8	19	24	26	30	26	8	4	–
	All other ..... Male	31	–	–	1	–	–	–	–	1	1	–	2	2	3	3	4	5	2	5	1	1	–	–
	Female	40	–	–	1	–	–	1	2	2	–	2	2	1	1	5	4	4	4	7	1	–	3	–
466	Acute bronchitis and bronchiolitis	8	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	2	–	1	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,064	31	8	6	8	3	4	7	7	5	11	14	27	35	50	83	108	158	191	173	98	37	–
	White ..... Male	517	10	4	2	2	1	3	3	2	2	6	6	12	23	31	48	68	80	96	72	36	10	–
	Female	402	8	1	4	3	–	1	2	2	–	3	5	7	10	13	19	25	56	72	87	61	23	–
	All other ..... Male	89	7	1	–	1	2	–	1	2	1	2	1	4	1	4	11	12	15	12	8	1	3	–
	Female	56	6	2	–	2	–	–	1	1	2	–	2	4	1	2	5	3	7	11	6	–	1	–
470–474	Influenza	40	–	–	–	2	1	1	–	–	–	1	–	–	2	3	5	1	10	4	7	1	2	–
	White ..... Male	14	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	–	5	1	1	–	1	–
	Female	21	–	–	–	–	–	1	–	–	–	1	–	–	–	2	2	1	4	3	5	1	1	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	1,024	31	8	6	6	2	3	7	7	5	10	14	27	33	47	78	107	148	187	166	97	35	–
	White ..... Male	503	10	4	2	1	1	3	3	2	2	6	6	12	21	30	46	68	75	95	71	36	9	–
	Female	381	8	1	4	3	–	–	2	2	–	2	5	7	10	11	17	24	52	69	82	60	22	–
	All other ..... Male	86	7	1	–	1	1	–	1	2	1	2	1	4	1	4	11	12	14	12	7	1	3	–
	Female	54	6	2	–	1	–	–	1	1	2	–	2	4	1	2	4	3	7	11	6	–	1	–
490–493	Bronchitis, emphysema, and asthma	472	–	–	1	2	3	–	–	2	–	5	13	16	41	57	88	88	58	57	30	8	2	1
	White ..... Male	320	–	–	–	–	1	–	–	1	–	3	5	8	23	41	63	66	42	43	20	3	–	1
	Female	114	–	–	–	2	–	–	–	–	–	2	4	6	9	13	22	16	14	11	9	4	2	–
	All other ..... Male	22	–	–	–	–	1	–	–	1	–	–	3	1	5	1	2	4	2	2	–	–	–	–
	Female	16	–	–	1	–	1	–	–	–	–	–	1	1	4	2	1	2	–	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
490, 491	Chronic and unqualified bronchitis	108	–	–	–	1	1	–	–	–	–	1	2	4	12	14	11	22	12	13	11	4	–	–
	White ..... Male	69	–	–	–	–	1	–	–	–	–	1	2	1	7	11	5	18	8	7	7	1	–	–
	Female	31	–	–	–	1	–	–	–	–	–	–	–	2	4	3	4	2	4	4	4	3	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
492	Emphysema	321	–	–	–	–	–	–	–	1	–	3	9	9	24	38	70	61	41	41	18	3	2	1
	White ..... Male	239	–	–	–	–	–	–	–	1	–	2	3	5	16	28	56	45	33	34	13	2	–	1
	Female	68	–	–	–	–	–	–	–	–	–	1	4	3	4	9	13	14	7	6	4	1	2	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	2	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
493	Asthma	43	–	–	1	1	2	–	–	1	–	1	2	3	5	5	7	5	5	3	1	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	3	1	2	–	–	–	–
	Female	15	–	–	–	1	–	–	–	–	–	1	–	1	1	1	5	–	3	1	1	–	–	–
	All other ..... Male	6	–	–	–	–	1	–	–	1	–	–	1	–	2	–	–	–	1	–	–	–	–	–
	Female	10	–	–	1	–	1	–	–	–	–	–	1	–	2	2	–	2	–	–	–	1	–	–
531–533	Peptic ulcer	108	–	–	–	–	–	–	3	1	1	4	4	5	8	11	15	13	22	9	8	4	–	–
	White ..... Male	59	–	–	–	–	–	–	2	1	1	2	3	3	3	7	8	7	12	4	5	1	–	–
	Female	33	–	–	–	–	–	–	1	–	–	1	1	1	1	2	4	5	8	4	2	3	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
540–543	Appendicitis	23	–	–	–	1	–	1	–	–	2	–	1	2	2	3	3	3	1	2	2	–	–	–
	White ..... Male	11	–	–	–	1	–	1	–	–	2	–	1	1	1	1	1	2	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	98	9	–	–	1	–	2	–	–	1	1	1	1	4	4	8	12	20	13	16	3	2	–
	White ..... Male	26	1	–	–	–	–	–	–	–	–	1	1	–	1	1	4	5	3	5	4	–	–	–
	Female	50	5	–	–	–	–	2	–	–	–	–	–	1	1	3	2	5	11	6	10	2	2	–
	All other ..... Male	15	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	4	2	1	1	–	–
	Female	7	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	1	2	–	1	–	–	–
571	Cirrhosis of liver	411	1	–	–	–	1	1	5	10	19	37	35	60	44	52	66	38	23	7	11	1	–	–
	White ..... Male	224	–	–	–	–	–	–	4	3	9	16	23	35	31	32	38	18	9	1	5	–	–	–
	Female	120	–	–	–	–	–	1	–	4	3	12	7	12	9	13	20	18	11	4	5	1	–	–
	All other ..... Male	43	1	–	–	–	–	–	1	3	6	5	3	7	3	5	4	2	1	2	–	–	–	–
	Female	24	–	–	–	–	1	–	–	–	1	4	2	6	1	2	4	–	2	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	74	–	–	–	–	–	–	1	–	–	–	3	2	5	2	10	16	8	11	12	4	–	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	3	1	3	–	4	8	2	4	5	1	–	–
	Female	33	–	–	–	–	–	–	1	–	–	–	–	–	2	2	4	7	6	5	4	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	–	–	–
580–584	Nephritis and nephrosis	190	1	2	2	1	–	–	3	2	5	4	4	11	11	17	24	24	31	22	20	6	–	–
	White ..... Male	73	1	–	–	–	–	–	1	–	3	–	–	5	8	7	9	6	12	9	9	3	–	–
	Female	48	–	1	1	1	–	–	–	–	–	1	1	1	–	2	8	6	10	6	7	3	–	–
	All other ..... Male	36	–	–	1	–	–	–	–	1	1	2	2	3	2	2	4	7	5	2	4	–	–	–
	Female	33	–	1	–	–	–	–	2	1	1	1	1	2	1	6	3	5	4	5	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	36	–	–	1	–	–	–	–	–	2	–	–	–	2	4	4	8	5	4	6	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	2	2	1	–	–	–
	Female	11	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	4	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	4	2	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	154	1	2	1	1	–	–	3	2	3	4	4	11	9	13	20	16	26	18	14	6	–	–
	White ..... Male	61	1	–	–	–	–	–	1	–	2	–	–	5	7	5	7	5	10	7	8	3	–	–
	Female	37	–	1	–	1	–	–	–	–	–	1	1	1	–	1	6	5	9	5	3	3	–	–
	All other ..... Male	27	–	–	1	–	–	–	–	1	–	2	2	3	1	2	4	3	3	2	3	–	–	–
	Female	29	–	1	–	–	–	–	2	1	1	1	1	2	1	5	3	3	4	4	–	–	–	–
590	Infections of kidney	113	–	–	–	–	1	–	–	–	–	2	1	1	5	9	9	18	16	24	17	6	4	–
	White ..... Male	33	–	–	–	–	–	–	–	–	–	1	1	–	2	3	3	2	4	9	3	2	3	–
	Female	57	–	–	–	–	1	–	–	–	–	1	–	–	2	4	3	10	10	9	12	4	1	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	2	3	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	3	–	–	–	–
600	Hyperplasia of prostate	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	5	9	4	3	–	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	3	7	4	3	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	6	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	6	–	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	6	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	6	–	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	263	186	12	8	6	4	4	2	5	2	4	5	4	5	3	3	3	2	1	1	2	1	–
	White ..... Male	111	79	6	2	4	1	1	–	2	1	3	2	2	4	1	2	–	–	–	1	–	–	–
	Female	95	67	1	3	–	2	2	1	3	1	1	3	1	1	2	1	2	2	1	–	1	–	–
	All other ..... Male	40	30	3	2	2	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	17	10	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	481	481	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	193	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	124	124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	245	245	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	236	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	869	116	4	–	1	2	2	4	3	12	17	30	40	60	84	88	104	106	89	61	25	21	–
	White ..... Male	419	46	2	–	1	–	2	4	–	4	9	21	27	32	56	49	47	47	35	25	8	4	–
	Female	290	30	1	–	–	1	–	–	3	4	6	6	8	14	17	24	41	43	43	27	11	11	–
	All other ..... Male	81	19	–	–	–	1	–	–	–	4	2	2	4	9	6	5	9	8	8	2	1	1	–
	Female	79	21	1	–	–	–	–	–	–	–	–	1	1	5	5	10	7	8	3	7	5	5	–
Residual	All other diseases	2,585	48	21	12	16	30	31	30	55	48	66	89	137	157	246	329	348	304	293	214	83	28	–
	White ..... Male	1,158	23	3	6	8	17	12	8	16	21	26	34	62	82	122	169	169	133	133	78	33	3	–
	Female	919	15	9	5	2	8	9	14	11	12	18	30	43	48	81	103	113	117	118	102	41	20	–
	All other ..... Male	302	6	5	1	4	3	5	3	12	10	15	14	19	21	30	37	42	29	23	16	4	3	–
	Female	206	4	4	–	2	2	5	5	16	5	7	11	13	6	13	20	24	25	19	18	5	2	–
E800–E949	Accidents	2,462	37	81	49	93	306	301	201	156	107	106	127	114	109	117	122	95	109	109	75	37	10	1
	White ..... Male	1,504	13	38	28	54	202	211	130	113	88	67	82	78	68	76	74	51	45	44	33	8	1	–
	Female	585	15	23	12	22	67	49	33	22	9	19	23	24	22	23	30	31	45	45	36	26	9	–
	All other ..... Male	266	4	10	7	14	29	35	33	16	9	15	19	5	16	12	11	8	9	9	3	1	–	1
	Female	107	5	10	2	3	8	6	5	5	1	5	3	7	3	6	7	5	10	11	3	2	–	–
E810–E823	Motor vehicle accidents	1,232	8	27	26	50	220	210	124	88	56	53	69	56	49	47	55	30	32	17	12	3	–	–
	White ..... Male	805	3	11	15	28	145	147	83	64	46	31	43	38	27	32	38	21	15	8	10	–	–	–
	Female	266	3	9	7	15	52	38	22	15	5	13	14	12	12	10	12	8	9	6	2	2	–	–
	All other ..... Male	130	1	4	4	4	18	22	16	6	5	7	11	3	9	5	5	1	5	3	–	1	–	–
	Female	31	1	3	–	3	5	3	3	3	–	2	1	3	1	–	–	–	3	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,230	29	54	23	43	86	91	77	68	51	53	58	58	60	70	67	65	77	92	63	34	10	1
	White ..... Male	699	10	27	13	26	57	64	47	49	42	36	39	40	41	44	36	30	30	36	23	8	1	–
	Female	319	12	14	5	7	15	11	11	7	4	6	9	12	10	13	18	23	36	39	34	24	9	–
	All other ..... Male	136	3	6	3	10	11	13	17	10	4	8	8	2	7	7	6	7	4	6	3	–	–	1
	Female	76	4	7	2	–	3	3	2	2	1	3	2	4	2	6	7	5	7	11	3	2	–	–
E950–E959	Suicide	587	...	...	–	7	27	64	71	48	44	47	47	48	45	39	38	26	21	12	3	–	–	–
	White ..... Male	411	...	...	–	5	21	42	49	26	32	30	31	28	33	28	34	19	20	10	3	–	–	–
	Female	132	...	...	–	1	3	12	14	18	11	13	12	19	9	8	4	7	–	1	–	–	–	–
	All other ..... Male	33	...	...	–	1	2	7	7	2	–	3	3	1	3	2	–	–	1	1	–	–	–	–
	Female	11	...	...	–	–	1	3	1	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	479	2	1	1	1	42	80	75	55	39	51	35	34	28	13	11	4	2	3	1	–	–	1
	White ..... Male	196	1	–	–	–	15	26	27	25	18	21	15	19	14	3	6	3	2	1	–	–	–	–
	Female	49	1	–	1	1	3	8	3	5	3	7	3	6	3	2	1	–	–	2	–	–	–	–
	All other ..... Male	185	–	1	–	–	16	35	37	20	15	19	13	9	9	6	3	1	–	–	1	–	–	–
	Female	49	–	–	–	–	8	11	8	5	3	4	4	–	2	2	1	–	–	–	–	–	–	1
E980–E999	Other external causes	79	1	1	1	2	6	7	11	1	10	6	3	10	3	6	4	3	1	2	1	–	–	–
	White ..... Male	55	1	1	–	1	4	5	8	1	7	3	3	6	2	4	4	1	1	2	1	–	–	–
	Female	17	–	–	1	–	1	2	2	–	2	3	–	3	1	2	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas																							
	All causes	**100,185**	**3,369**	**615**	**418**	**440**	**1,408**	**1,887**	**1,606**	**1,409**	**1,608**	**2,060**	**3,306**	**4,993**	**6,516**	**8,433**	**10,892**	**12,277**	**12,736**	**11,741**	**8,714**	**4,278**	**1,446**	**33**
	White ..... Male	48,752	1,544	289	226	230	940	1,218	951	798	796	1,034	1,733	2,693	3,665	4,715	5,967	6,384	5,987	4,832	3,100	1,268	353	29
	Female	37,725	1,046	202	111	125	285	343	301	316	457	578	933	1,423	1,877	2,450	3,430	4,224	5,134	5,899	4,974	2,696	920	1
	All other ..... Male	7,813	414	72	52	66	136	225	246	198	239	287	414	527	586	750	848	930	841	515	283	112	70	2
	Female	5,895	365	52	29	19	47	101	108	97	116	161	226	350	388	518	647	739	774	495	357	202	103	1
004, 006	Bacillary dysentery and amebiasis	11	1	2	3	1	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	7	1	1	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	140	59	3	2	–	1	–	1	1	1	2	–	5	1	–	8	7	13	12	14	9	1	–
	White ..... Male	53	28	1	2	–	–	–	–	–	1	–	–	3	–	–	3	1	5	4	4	1	–	–
	Female	63	14	1	–	–	1	–	–	1	–	2	–	2	1	–	4	6	6	7	10	7	1	–
	All other ..... Male	13	9	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	11	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
010–019	Tuberculosis, all forms	180	1	–	–	1	1	2	3	2	8	7	9	18	17	15	14	25	18	18	17	3	1	–
	White ..... Male	90	1	–	–	–	–	1	–	–	3	4	6	7	6	8	7	15	11	11	9	1	–	–
	Female	49	–	–	–	1	–	–	2	1	1	1	–	6	6	3	5	5	4	5	6	2	1	–
	All other ..... Male	26	–	–	–	–	–	–	–	–	3	2	3	3	4	3	2	2	3	1	–	–	–	–
	Female	15	–	–	–	–	1	1	1	1	1	–	–	2	1	1	–	3	–	1	2	–	–	–
010–012	Tuberculosis of respiratory system	139	1	–	–	–	–	–	2	2	6	4	9	15	13	11	11	21	12	14	15	2	1	–
	White ..... Male	73	1	–	–	–	–	–	–	–	3	3	6	6	4	6	4	13	8	9	9	1	–	–
	Female	36	–	–	–	–	–	–	1	1	1	–	–	5	4	1	5	4	2	4	6	1	1	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	2	1	3	2	4	3	2	2	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	1	1	–	–	–	2	1	1	–	2	–	1	–	–	–	–
013–019	Tuberculosis, other forms	41	–	–	–	1	1	2	1	–	2	3	–	3	4	4	3	4	6	4	2	1	–	–
	White ..... Male	17	–	–	–	–	–	1	–	–	–	1	–	1	2	2	3	2	3	2	–	–	–	–
	Female	13	–	–	–	1	–	–	1	–	–	1	–	1	2	2	–	1	2	1	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	–	–	–
	Female	6	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–
033	Whooping cough	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	29	11	9	–	1	2	–	–	1	1	–	–	–	–	1	1	1	–	1	–	–	–	–
	White ..... Male	15	7	4	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	11	3	4	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	492	89	5	1	3	5	4	2	4	7	9	14	23	30	32	30	54	60	59	38	19	4	–
	White ..... Male	225	50	3	–	–	5	3	1	1	3	7	5	10	16	17	13	23	26	20	14	8	–	–
	Female	170	18	1	1	2	–	1	1	2	1	1	6	8	4	9	9	24	22	29	18	11	2	–
	All other ..... Male	53	11	1	–	–	–	–	–	1	3	1	2	3	6	3	6	2	6	4	4	–	–	–
	Female	44	10	–	–	1	–	–	–	–	–	–	1	2	4	3	2	5	6	6	2	–	2	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	12	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	5	3	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	257	20	7	7	3	9	4	7	6	10	16	13	18	18	19	20	25	12	16	16	10	1	–
	White ..... Male	117	8	4	1	2	4	2	4	3	5	5	6	9	11	9	11	14	4	6	5	4	–	–
	Female	96	7	1	6	–	1	1	2	2	4	8	3	6	5	7	3	8	6	9	11	5	1	–
	All other ..... Male	22	2	1	–	–	2	–	–	1	–	2	2	1	2	2	3	2	1	–	–	1	–	–
	Female	22	3	1	–	1	2	1	1	–	1	1	2	2	–	1	3	1	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,257	11	38	64	58	86	98	148	171	262	466	861	1,501	1,912	2,439	3,009	2,885	2,390	1,627	856	285	89	1
	White.....Male	9,273	8	19	36	36	48	53	72	68	86	168	355	653	921	1,244	1,579	1,487	1,169	765	370	109	26	1
	Female	7,469	2	16	21	16	26	32	52	80	131	217	366	604	735	858	1,045	1,030	913	726	406	148	45	–
	All other.....Male	1,464	1	–	5	5	8	7	7	10	16	41	90	131	157	204	232	236	171	82	41	12	8	–
	Female	1,051	–	3	2	1	4	6	17	13	29	40	50	113	99	133	153	132	137	54	39	16	10	–
140–149	Of buccal cavity and pharynx	418	–	–	–	–	1	–	1	–	–	12	19	43	58	68	65	66	37	25	13	8	1	1
	White.....Male	256	–	–	–	–	–	–	1	–	–	7	10	24	36	41	44	43	24	16	7	2	–	1
	Female	103	–	–	–	–	–	–	–	–	–	1	2	10	15	23	14	12	7	9	4	5	1	–
	All other.....Male	46	–	–	–	–	1	–	–	–	–	3	7	5	6	2	6	9	5	–	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	4	1	2	1	2	1	–	1	–	–	–
150–159	Of digestive organs and peritoneum	4,730	1	4	1	–	6	8	18	30	50	80	160	289	396	558	734	740	720	546	275	91	23	–
	White.....Male	2,175	–	3	1	–	2	3	9	14	20	41	77	144	214	298	354	350	302	217	97	22	7	–
	Female	1,891	1	1	–	–	2	3	5	11	20	21	49	88	132	170	272	290	318	285	152	59	12	–
	All other.....Male	368	–	–	–	–	2	1	1	–	4	9	25	34	29	60	61	60	47	22	9	3	1	–
	Female	296	–	–	–	–	–	1	3	5	6	9	9	23	21	30	47	40	53	22	17	7	3	–
160–163	Of respiratory system	5,069	1	–	1	–	–	1	10	14	45	114	272	499	632	819	935	750	509	289	134	36	8	–
	White.....Male	3,373	–	–	1	–	–	–	6	6	23	52	150	299	383	548	688	542	358	209	82	21	5	–
	Female	1,076	–	–	–	–	–	1	–	4	10	36	71	127	153	173	156	124	106	61	41	10	3	–
	All other.....Male	494	1	–	–	–	–	–	1	4	6	18	39	58	80	77	79	68	36	14	9	4	–	–
	Female	126	–	–	–	–	–	–	3	–	6	8	12	15	16	21	12	16	9	5	2	1	–	–
174	Of breast	1,609	–	–	–	–	–	4	12	28	36	85	121	210	192	209	222	174	134	88	54	27	13	–
	White.....Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	1	1	–	–	–
	Female	1,413	–	–	–	–	–	4	10	23	31	75	106	177	178	186	187	151	122	79	47	26	11	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	188	–	–	–	–	–	–	2	5	5	10	15	32	13	23	32	22	12	8	6	1	2	–
180–187	Of genital organs	2,231	–	–	1	–	4	18	24	19	32	45	70	118	171	217	330	360	363	253	151	36	19	–
	White.....Male	901	–	–	–	–	3	12	9	5	2	4	5	13	33	67	114	169	198	141	92	26	8	–
	Female	958	–	–	1	–	1	5	12	12	23	34	57	85	104	105	157	127	104	78	41	7	5	–
	All other.....Male	202	–	–	–	–	–	–	–	–	–	–	–	1	10	21	33	49	43	25	13	2	5	–
	Female	170	–	–	–	–	–	1	3	2	7	7	8	19	24	24	26	15	18	9	5	1	1	–
188, 189	Of urinary organs	791	2	–	1	1	1	–	3	3	6	11	16	45	56	85	133	155	127	83	43	12	8	–
	White.....Male	466	2	–	1	–	–	–	1	2	2	7	11	19	35	60	76	93	80	44	28	5	–	–
	Female	226	–	–	–	–	–	–	2	1	2	2	3	18	12	15	38	44	35	29	13	7	5	–
	All other.....Male	60	–	–	–	–	–	–	–	–	2	2	2	6	5	6	13	9	6	7	2	–	–	–
	Female	39	–	–	–	1	1	–	–	–	–	–	–	2	4	4	6	9	6	3	–	–	3	–
170–173, 190–199	Of all other and unspecified sites	2,471	4	17	18	19	36	28	31	42	64	84	132	193	261	267	340	330	266	183	98	50	8	–
	White.....Male	1,173	3	7	13	7	19	16	21	22	25	39	63	101	141	130	178	152	107	72	33	21	3	–
	Female	1,008	1	8	3	9	15	8	6	17	34	38	56	58	87	100	128	137	121	99	57	22	4	–
	All other.....Male	160	–	–	1	3	1	2	3	2	3	5	10	21	17	22	18	21	17	7	4	2	1	–
	Female	130	–	2	1	–	1	2	1	1	2	2	3	13	16	15	16	20	21	5	4	5	–	–
204–207	Leukemia	825	3	17	31	28	27	24	25	14	15	11	37	30	50	68	91	119	98	72	42	16	7	–
	White.....Male	421	3	9	14	19	16	10	11	8	7	4	23	16	27	38	48	64	47	31	16	8	2	–
	Female	327	–	7	15	7	6	9	10	5	7	5	10	10	20	22	35	48	38	40	23	7	3	–
	All other.....Male	46	–	–	1	2	4	4	2	1	–	–	4	1	2	4	5	6	6	1	2	–	1	–
	Female	31	–	1	1	–	1	1	2	–	1	2	–	3	1	4	3	1	7	–	1	1	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,113	–	–	11	10	11	15	24	21	14	24	34	74	96	148	159	191	136	88	46	9	2	–
	White.....Male	500	–	–	6	10	8	12	14	11	7	14	16	36	51	62	74	73	53	34	14	4	1	–
	Female	467	–	–	2	–	2	2	7	7	4	5	12	31	34	64	58	97	62	46	28	5	1	–
	All other.....Male	88	–	–	3	–	–	–	–	3	1	4	3	5	8	12	17	14	11	6	1	–	–	–
	Female	58	–	–	–	–	1	1	3	–	2	1	3	2	3	10	10	7	10	2	3	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	210	2	2	3	–	5	2	3	3	4	10	10	10	14	19	34	27	22	27	8	4	1	–
	White.....Male	85	1	–	–	–	1	–	2	2	2	3	2	4	6	9	18	9	9	11	3	2	1	–
	Female	95	–	2	2	–	1	2	1	1	2	4	5	4	6	7	13	13	11	14	5	2	–	–
	All other.....Male	17	1	–	1	–	2	–	–	–	–	2	1	1	1	2	2	2	–	2	–	–	–	–
	Female	13	–	–	–	–	1	–	–	–	–	1	2	1	1	1	1	3	2	–	–	–	–	–
250	Diabetes mellitus	1,610	1	1	3	5	4	3	16	12	21	21	48	73	129	152	228	282	249	193	117	43	9	–
	White.....Male	580	–	–	–	–	–	1	8	5	8	10	15	35	59	60	86	105	83	57	36	12	–	–
	Female	771	1	–	2	5	3	1	4	6	9	9	20	20	41	61	97	136	125	125	70	27	9	–
	All other.....Male	81	–	–	1	–	–	1	–	–	2	2	3	5	6	15	13	16	10	3	3	1	–	–
	Female	178	–	1	–	–	1	–	4	1	2	–	10	13	23	16	32	25	31	8	8	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	141	5	1	3	–	–	–	2	–	–	1	1	1	4	6	8	14	24	20	24	17	10	–
	White.....Male	44	1	–	2	–	–	–	2	–	–	–	1	–	3	3	3	9	4	9	4	2	1	–
	Female	82	3	–	–	–	–	–	–	–	–	1	–	1	1	3	4	3	18	8	19	13	8	–
	All other.....Male	8	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
280–285	Anemias	193	4	4	2	3	3	7	2	4	2	2	2	9	8	14	15	31	26	31	20	3	1	–
	White Male	71	1	–	1	–	–	–	–	1	1	1	1	3	3	3	3	17	15	14	7	–	–	–
	Female	78	–	–	–	1	1	2	–	1	–	1	–	4	3	9	8	10	9	15	10	3	1	–
	All other Male	14	–	2	1	1	2	1	1	–	1	–	–	1	1	–	1	–	–	1	1	–	–	–
	Female	30	3	2	–	1	–	4	1	2	–	–	1	1	1	2	3	4	2	1	2	–	–	–
320	Meningitis	119	44	19	6	3	3	1	2	2	5	1	3	5	4	4	4	7	3	2	–	1	–	–
	White Male	43	17	12	1	1	2	–	1	1	–	–	2	2	–	1	1	1	1	–	–	–	–	–
	Female	40	15	1	2	2	1	1	1	1	3	–	–	1	3	2	1	2	2	1	–	1	–	–
	All other Male	17	1	3	1	–	–	–	–	–	1	1	1	2	1	1	2	3	–	–	–	–	–	–
	Female	19	11	3	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
390–448	Major cardiovascular diseases	47,064	86	25	18	15	41	65	97	162	318	582	1,100	1,909	2,637	3,783	5,195	6,407	7,317	7,395	5,878	3,033	999	2
	White Male	21,731	39	13	12	6	19	25	50	82	153	324	636	1,161	1,618	2,206	2,872	3,283	3,329	2,860	1,958	853	232	–
	Female	19,306	32	7	2	5	13	15	15	30	70	121	226	385	585	972	1,563	2,185	3,068	3,904	3,499	1,956	653	–
	All other Male	3,150	6	4	1	2	7	11	18	33	63	88	146	216	259	343	414	492	463	291	172	76	44	1
	Female	2,877	9	1	3	2	2	14	14	17	32	49	92	147	175	262	346	447	457	340	249	148	70	1
390–398, 402, 404, 410–429	Diseases of heart	33,637	61	20	12	8	25	44	71	119	237	462	894	1,598	2,233	3,073	4,078	4,713	5,048	4,812	3,691	1,842	594	2
	White Male	16,778	29	10	7	3	10	18	34	63	127	277	560	1,040	1,433	1,906	2,336	2,534	2,436	1,963	1,294	547	151	–
	Female	12,701	21	5	1	3	9	8	10	19	40	82	144	279	453	715	1,193	1,545	2,042	2,461	2,131	1,161	379	–
	All other Male	2,261	3	4	1	1	4	8	17	25	49	68	118	175	211	265	312	342	297	180	105	49	26	1
	Female	1,897	8	1	3	1	2	10	10	12	21	35	72	104	136	187	237	292	273	208	161	85	38	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	425	–	–	1	1	4	5	5	13	11	18	25	37	31	52	65	56	52	29	15	4	1	–
	White Male	168	–	–	–	–	1	1	2	5	6	6	11	13	12	25	28	24	21	8	3	1	1	–
	Female	204	–	–	–	–	1	1	1	5	3	9	10	17	15	22	32	29	26	19	11	3	–	–
	All other Male	25	–	–	–	–	2	1	–	1	2	1	3	3	3	2	2	2	2	1	–	–	–	–
	Female	28	–	–	1	1	–	2	2	2	–	2	1	4	1	3	3	1	3	1	1	–	–	–
402	Hypertensive heart disease	341	–	–	–	–	–	–	3	–	1	6	3	16	19	30	42	45	56	60	31	21	8	–
	White Male	110	–	–	–	–	–	–	2	–	1	1	2	10	7	10	16	17	16	10	12	4	2	–
	Female	154	–	–	–	–	–	–	–	–	–	1	1	1	8	10	10	17	28	43	16	15	4	–
	All other Male	30	–	–	–	–	–	–	1	–	–	–	–	3	2	4	8	2	3	3	2	1	1	–
	Female	47	–	–	–	–	–	–	–	–	–	4	–	2	2	6	8	9	9	4	1	1	1	–
404	Hypertensive heart and renal disease	137	–	–	–	–	–	–	–	–	–	1	2	1	4	5	8	15	35	30	24	11	1	–
	White Male	53	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	6	19	8	11	2	–	–
	Female	60	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	12	20	12	8	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	2	–	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	3	3	–	1	1	–	–
410–413	Ischemic heart disease	27,318	2	–	–	–	2	8	22	59	165	332	705	1,270	1,803	2,515	3,308	3,853	4,177	4,024	3,065	1,521	485	2
	White Male	13,801	–	–	–	–	–	3	9	35	96	218	465	857	1,194	1,596	1,918	2,076	2,027	1,667	1,068	453	119	–
	Female	10,378	2	–	–	–	2	–	2	5	18	44	96	204	349	557	962	1,282	1,702	2,080	1,792	964	317	–
	All other Male	1,711	–	–	–	–	–	3	9	13	33	51	92	135	159	215	241	263	237	126	79	34	20	1
	Female	1,428	–	–	–	–	–	2	2	6	18	19	52	74	101	147	187	232	211	151	126	70	29	1
410	Acute myocardial infarction	13,995	2	–	–	–	2	5	13	32	95	191	413	703	1,071	1,476	1,993	2,194	2,157	1,831	1,211	482	123	1
	White Male	7,852	–	–	–	–	–	2	5	22	63	133	304	511	759	1,008	1,208	1,274	1,125	809	454	147	28	–
	Female	4,936	2	–	–	–	2	–	2	3	10	27	54	124	209	331	604	724	845	921	694	305	79	–
	All other Male	664	–	–	–	–	–	2	4	6	13	23	37	46	57	77	107	100	105	47	22	12	6	–
	Female	543	–	–	–	–	–	1	2	1	9	8	18	22	46	60	74	96	82	54	41	18	10	1
411	Other acute and subacute forms of ischemic heart disease	104	–	–	–	–	–	–	–	–	–	3	2	2	7	6	15	17	20	12	14	6	–	–
	White Male	53	–	–	–	–	–	–	–	–	–	2	2	2	5	2	10	9	12	5	4	–	–	–
	Female	39	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	4	7	6	9	6	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–
412	Chronic ischemic heart disease	13,209	–	–	–	–	–	3	9	27	70	138	290	564	725	1,033	1,299	1,641	1,997	2,179	1,839	1,032	362	1
	White Male	5,891	–	–	–	–	–	1	4	13	33	83	159	343	430	586	699	792	889	852	610	306	91	–
	Female	5,399	–	–	–	–	–	–	–	2	8	16	42	80	140	224	354	554	849	1,152	1,088	652	238	–
	All other Male	1,040	–	–	–	–	–	1	5	7	20	28	55	89	101	137	134	160	131	79	56	22	14	1
	Female	879	–	–	–	–	–	1	–	5	9	11	34	52	54	86	112	135	128	96	85	52	19	–
413	Angina pectoris	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	237	3	2	–	1	2	–	3	3	3	2	4	6	8	18	19	18	32	38	37	24	14	–
	White Male	95	1	1	–	1	1	–	2	1	1	1	3	3	3	6	9	12	18	13	10	7	2	–
	Female	110	1	1	–	–	1	–	1	–	1	1	1	3	2	9	6	4	12	19	24	15	9	–
	All other Male	16	–	–	–	–	–	–	–	2	1	–	–	–	3	1	3	–	1	2	2	–	1	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	4	1	2	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	5,179	56	18	11	6	17	31	38	44	57	103	155	268	368	453	636	726	696	631	519	261	85	–
	White Male	2,551	28	9	7	2	8	14	19	22	23	50	78	157	215	267	364	399	335	257	190	80	27	–
	Female	1,795	18	4	1	3	5	7	6	9	18	27	36	54	79	115	179	211	262	280	276	156	49	–
	All other Male	469	3	4	1	1	2	4	7	9	13	16	23	34	43	43	57	71	53	46	22	14	3	–
	Female	364	7	1	2	–	2	6	6	4	3	10	18	23	31	28	36	45	46	48	31	11	6	–
400, 401, 403	Hypertension	275	–	–	–	–	1	2	–	1	4	4	3	9	9	15	28	45	33	49	43	15	14	–
	White Male	84	–	–	–	–	–	1	–	–	–	1	1	4	3	3	13	17	11	11	14	3	2	–
	Female	119	–	–	–	–	1	1	–	–	1	1	–	3	3	4	7	13	12	26	24	12	11	–
	All other Male	39	–	–	–	–	–	–	–	1	1	1	2	1	1	6	2	9	6	5	3	–	1	–
	Female	33	–	–	–	–	–	–	–	–	2	1	–	1	2	2	6	6	4	7	2	–	–	–
430–438	Cerebrovascular diseases	10,289	17	5	5	5	12	15	18	33	68	96	163	249	321	530	863	1,299	1,833	1,971	1,664	864	258	–
	White Male	3,658	7	3	4	2	7	3	12	13	21	38	52	90	145	213	379	551	696	665	491	212	54	–
	Female	5,112	8	2	1	2	2	6	4	8	26	31	73	89	102	195	299	496	842	1,119	1,051	581	175	–
	All other Male	729	1	–	–	1	3	3	1	7	13	18	21	36	41	63	92	125	139	80	53	23	9	–
	Female	790	1	–	–	–	–	3	1	5	8	9	17	34	33	59	93	127	156	107	69	48	20	–
431	Cerebral hemorrhage	1,200	10	1	4	3	4	5	4	9	19	23	46	57	74	109	142	169	162	145	131	59	24	–
	White Male	435	4	–	3	1	3	2	1	3	8	9	13	26	27	37	63	76	61	44	39	11	4	–
	Female	581	5	1	1	2	1	1	3	1	4	8	19	18	28	51	57	72	82	87	82	41	17	–
	All other Male	97	–	–	–	–	–	1	–	2	6	4	8	8	11	13	11	10	10	6	6	1	–	–
	Female	87	1	–	–	–	–	1	–	3	1	2	6	5	8	8	11	11	9	8	4	6	3	–
433	Cerebral thrombosis	1,668	1	–	–	–	1	2	2	1	4	7	17	24	38	71	138	240	295	351	278	155	43	–
	White Male	598	1	–	–	–	–	–	2	1	–	3	5	8	20	31	61	104	120	122	75	37	8	–
	Female	852	–	–	–	–	–	–	–	–	3	2	7	8	10	22	44	93	132	205	188	108	30	–
	All other Male	119	–	–	–	–	1	2	–	–	1	2	3	7	6	11	20	21	22	10	6	5	2	–
	Female	99	–	–	–	–	–	–	–	–	–	–	2	1	2	7	13	22	21	14	9	5	3	–
434	Cerebral embolism	37	–	–	–	–	–	–	–	1	–	–	–	2	3	1	4	3	10	4	4	4	1	–
	White Male	15	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	6	3	–	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	3	1	3	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,384	6	4	1	2	7	8	12	22	45	66	100	166	206	349	579	887	1,366	1,471	1,251	646	190	–
	White Male	2,610	2	3	1	1	4	1	9	8	13	26	34	56	97	145	254	370	509	496	377	162	42	–
	Female	3,663	3	1	–	–	1	5	1	7	19	21	47	61	63	121	196	330	625	826	778	431	127	–
	All other Male	510	1	–	–	1	2	–	1	5	6	12	10	21	23	39	61	94	107	64	40	16	7	–
	Female	601	–	–	–	–	–	2	1	2	7	7	9	28	23	44	68	93	125	85	56	37	14	–
440	Arteriosclerosis	1,632	–	–	–	–	–	–	–	–	–	2	6	16	14	54	78	138	229	373	358	254	110	–
	White Male	580	–	–	–	–	–	–	–	–	–	1	2	8	4	22	33	63	96	140	113	75	23	–
	Female	895	–	–	–	–	–	–	–	–	–	1	2	4	6	21	35	56	107	205	223	163	72	–
	All other Male	61	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	6	12	17	6	4	5	–
	Female	96	–	–	–	–	–	–	–	–	–	–	–	3	2	8	7	13	14	11	16	12	10	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,231	8	–	1	2	3	4	8	9	9	18	34	37	60	111	148	212	174	190	122	58	23	–
	White Male	631	3	–	1	1	2	3	4	6	5	7	21	19	33	62	111	118	90	81	46	16	2	–
	Female	479	3	–	–	–	1	–	1	3	3	6	7	10	21	37	29	75	65	93	70	39	16	–
	All other Male	60	2	–	–	–	–	–	–	–	–	1	3	3	4	6	5	10	9	9	5	–	3	–
	Female	61	–	–	–	1	–	1	3	–	1	4	3	5	2	6	3	9	10	7	1	3	2	–
466	Acute bronchitis and bronchiolitis	34	3	5	1	–	1	–	1	–	1	–	–	3	–	3	3	2	6	–	3	–	2	–
	White Male	14	–	1	–	–	1	–	1	–	–	–	–	1	–	1	2	1	4	–	2	–	–	–
	Female	16	3	2	1	–	–	–	–	–	–	–	–	2	–	2	–	1	2	–	1	–	2	–
	All other Male	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,754	130	38	11	13	19	14	15	28	25	33	50	68	94	113	179	286	369	486	421	247	115	–
	White Male	1,284	56	23	7	8	8	6	9	15	8	16	18	35	57	60	108	159	178	223	167	83	40	–
	Female	1,182	45	12	4	5	6	3	3	6	9	11	17	21	24	31	51	97	150	234	233	153	67	–
	All other Male	183	16	2	–	–	4	3	2	3	6	4	12	11	11	13	11	18	26	18	12	6	5	–
	Female	105	13	1	–	–	1	2	1	4	2	2	3	1	2	9	9	12	15	11	9	5	3	–
470–474	Influenza	68	1	2	–	3	–	–	–	–	–	1	–	1	1	2	3	5	7	11	19	8	4	–
	White Male	27	–	1	–	1	–	–	–	–	–	1	–	1	1	–	1	4	3	5	6	1	2	–
	Female	37	–	1	–	2	–	–	–	–	–	–	–	–	–	2	2	1	3	5	12	7	2	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
480–486	Pneumonia	2,686	129	36	11	10	19	14	15	28	25	32	50	67	93	111	176	281	362	475	402	239	111	–
	White Male	1,257	56	22	7	7	8	6	9	15	8	15	18	34	56	60	107	155	175	218	161	82	38	–
	Female	1,145	45	11	4	3	6	3	3	6	9	11	17	21	24	29	49	96	147	229	221	146	65	–
	All other Male	181	15	2	–	–	4	3	2	3	6	4	12	11	11	13	11	18	26	17	12	6	5	–
	Female	103	13	1	–	–	1	2	1	4	2	2	3	1	2	9	9	12	14	11	8	5	3	–
490–493	Bronchitis, emphysema, and asthma	1,264	6	1	4	2	1	4	4	2	8	6	22	48	102	141	215	216	218	147	83	26	8	–
	White Male	857	4	1	–	1	–	2	1	–	2	3	10	24	65	88	149	166	165	110	51	12	3	–
	Female	326	1	–	3	1	–	1	2	–	3	3	6	14	29	43	54	43	44	31	29	14	5	–
	All other Male	52	–	–	1	–	1	–	1	–	2	–	3	6	4	9	7	4	5	6	3	–	–	–
	Female	29	1	–	–	–	–	1	–	2	1	–	3	4	4	1	5	3	4	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
490, 491	Chronic and unqualified bronchitis	206	5	1	1	–	–	–	1	1	–	2	7	8	15	22	32	23	32	28	19	6	3	–
	White Male	118	3	1	–	–	–	–	–	–	–	1	1	3	10	13	21	17	23	15	7	2	1	–
	Female	74	1	–	1	–	–	–	1	–	–	1	4	4	4	7	9	4	8	12	12	4	2	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	–	1	–	–	–	–
	Female	5	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–
492	Emphysema	974	1	–	1	–	–	1	–	–	2	1	11	33	80	117	174	187	171	111	60	19	5	–
	White Male	709	1	–	–	–	–	–	–	–	1	1	9	19	53	74	125	146	136	91	41	10	2	–
	Female	218	–	–	1	–	–	1	–	–	–	–	2	7	21	35	42	37	28	16	16	9	3	–
	All other Male	35	–	–	–	–	–	–	–	–	1	–	–	5	3	7	5	3	4	4	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	1	3	–	–	–	–	–
493	Asthma	84	–	–	2	2	1	3	3	1	6	3	4	7	7	2	9	6	15	8	4	1	–	–
	White Male	30	–	–	–	1	–	2	1	–	1	1	–	2	2	1	3	3	6	4	3	–	–	–
	Female	34	–	–	1	1	–	–	1	–	3	2	–	3	4	1	3	2	8	3	1	1	–	–
	All other Male	8	–	–	1	–	1	–	1	–	1	–	2	–	–	–	–	–	1	1	–	–	–	–
	Female	12	–	–	–	–	–	1	–	1	1	–	2	2	1	–	3	1	–	–	–	–	–	–
531–533	Peptic ulcer	262	–	1	–	–	–	1	3	–	2	4	6	14	19	26	38	33	37	34	32	9	3	–
	White Male	148	–	–	–	–	–	1	1	–	1	2	4	10	12	19	22	21	22	15	12	5	1	–
	Female	93	–	1	–	–	–	–	1	–	1	1	–	3	6	7	11	11	12	15	19	4	1	–
	All other Male	13	–	–	–	–	–	–	1	–	–	1	2	1	1	–	4	1	–	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	1	–
540–543	Appendicitis	38	1	–	2	1	–	–	2	–	–	1	3	4	2	2	7	2	5	5	1	–	–	–
	White Male	15	–	–	1	1	–	–	1	–	–	–	–	–	1	1	2	2	4	2	–	–	–	–
	Female	15	1	–	–	–	–	–	–	–	–	1	1	3	1	1	3	–	1	2	1	–	–	–
	All other Male	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	318	32	1	2	1	1	2	–	1	2	8	3	11	17	17	25	34	54	41	42	21	3	–
	White Male	112	17	1	1	1	1	–	–	1	2	1	3	5	7	6	3	20	20	12	9	1	1	–
	Female	155	12	–	1	–	–	2	–	–	–	2	–	4	8	6	15	7	22	27	29	18	2	–
	All other Male	29	1	–	–	–	–	–	–	–	–	2	–	1	2	1	3	6	9	1	3	–	–	–
	Female	22	2	–	–	–	–	–	–	–	–	3	–	1	–	4	4	1	3	1	1	2	–	–
571	Cirrhosis of liver	1,396	1	2	1	1	1	7	20	31	76	99	170	194	201	201	157	119	56	35	19	4	1	–
	White Male	840	–	1	1	1	–	4	9	20	42	51	100	109	125	136	107	74	26	17	16	1	–	–
	Female	376	–	1	–	–	–	2	5	5	15	21	44	58	63	44	38	40	19	15	2	3	1	–
	All other Male	112	1	–	–	–	1	–	5	4	10	18	16	17	10	9	8	2	9	2	–	–	–	–
	Female	68	–	–	–	–	–	1	1	2	9	9	10	10	3	12	4	3	2	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	154	1	–	–	1	–	1	–	–	–	2	4	7	2	5	15	24	30	23	23	12	4	–
	White Male	67	–	–	–	1	–	–	–	–	–	2	2	3	–	2	7	16	15	10	6	2	1	–
	Female	76	1	–	–	–	–	1	–	–	–	–	1	2	1	3	8	5	13	12	16	10	3	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	1	–	–	–
580–584	Nephritis and nephrosis	445	5	2	–	–	1	4	2	2	6	11	11	20	26	41	61	63	69	55	47	16	3	–
	White Male	175	4	1	–	–	–	–	1	–	3	5	3	5	4	22	24	24	30	20	20	7	2	–
	Female	165	–	1	–	–	1	1	1	–	–	1	4	5	10	10	17	26	27	29	22	9	1	–
	All other Male	43	1	–	–	–	–	1	–	1	1	2	3	6	4	2	10	4	3	2	3	–	–	–
	Female	62	–	–	–	–	–	2	–	1	2	3	1	4	8	7	10	9	9	4	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	116	4	–	–	–	–	–	–	–	1	1	4	2	4	9	14	21	22	16	12	5	1	–
	White Male	50	3	–	–	–	–	–	–	–	1	–	1	–	1	5	7	7	7	9	7	2	–	–
	Female	49	–	–	–	–	–	–	–	–	–	–	2	2	1	3	5	9	11	7	5	3	1	–
	All other Male	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	3	4	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	329	1	2	–	–	1	4	2	2	5	10	7	18	22	32	47	42	47	39	35	11	2	–
	White Male	125	1	1	–	–	–	–	1	–	2	5	2	5	3	17	17	17	23	11	13	5	2	–
	Female	116	–	1	–	–	1	1	1	–	–	1	2	3	9	7	12	17	16	22	17	6	–	–
	All other Male	38	–	–	–	–	–	1	–	1	1	2	2	6	4	2	9	2	3	2	3	–	–	–
	Female	50	–	–	–	–	–	2	–	1	2	2	1	4	6	6	9	6	5	4	2	–	–	–
590	Infections of kidney	253	–	–	1	–	1	–	1	–	1	4	4	6	5	15	14	26	45	53	52	17	8	–
	White Male	75	–	–	–	–	–	–	1	–	–	1	3	–	2	5	5	8	17	14	13	4	2	–
	Female	144	–	–	–	–	1	–	–	–	–	2	–	5	3	7	7	12	19	35	36	12	5	–
	All other Male	20	–	–	1	–	–	–	–	–	1	–	1	1	–	1	1	3	6	2	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	3	2	–	1	1	–
600	Hyperplasia of prostate	41	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	8	8	10	8	2	2	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	7	7	8	7	2	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	23	–	–	–	–	3	6	8	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	15	–	–	–	–	3	4	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	–	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
640–645	Abortions	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	21	–	–	–	–	3	5	8	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	14	–	–	–	–	3	4	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	–	1	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	848	598	64	24	14	17	17	17	12	10	6	10	6	10	7	11	8	5	3	4	2	1	2
	White Male	412	291	24	15	7	12	6	9	7	5	5	4	5	5	5	3	2	2	1	2	–	–	2
	Female	312	223	23	8	5	5	6	3	4	3	1	4	1	4	1	7	5	2	2	2	2	1	–
	All other Male	59	36	7	1	2	–	4	4	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–
	Female	65	48	10	–	–	–	1	1	–	2	–	1	–	–	–	1	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,672	1,671	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	749	748	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	490	490	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	246	246	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	967	966	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	456	455	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	293	293	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	705	705	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	293	293	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	197	197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	3,404	323	31	6	5	11	30	28	45	61	68	122	163	227	281	384	434	391	322	245	155	65	7
	White Male	1,671	138	13	3	3	5	17	10	17	24	35	72	99	140	172	244	218	183	123	87	43	18	7
	Female	1,135	89	10	3	1	6	12	11	12	22	15	27	43	56	67	84	136	127	147	134	95	38	–
	All other Male	349	48	5	–	1	–	–	4	7	12	10	15	15	19	31	28	48	49	34	11	8	4	–
	Female	249	48	3	–	–	–	1	3	9	3	8	8	6	12	11	28	32	32	18	13	9	5	–
Residual	All other diseases	7,008	133	83	39	47	75	81	90	94	135	165	243	325	501	654	791	883	954	849	537	241	87	1
	White Male	3,461	63	40	27	23	34	40	39	44	58	73	129	173	253	364	453	478	480	388	202	79	20	1
	Female	2,639	45	28	5	16	24	22	24	24	38	46	68	95	170	196	265	306	385	387	297	144	54	–
	All other Male	497	16	11	4	6	8	9	14	9	23	26	24	35	42	58	43	57	43	42	19	4	4	–
	Female	411	9	4	3	2	9	10	13	17	16	20	22	22	36	36	30	42	46	32	19	14	9	–
E800–E949	Accidents	6,902	115	245	200	231	837	941	619	422	313	276	346	304	325	290	311	261	291	241	195	95	28	16
	White Male	4,303	56	116	106	128	612	697	420	290	206	182	217	190	219	174	168	144	134	106	85	34	4	15
	Female	1,672	36	84	49	53	152	152	105	70	63	47	78	67	65	66	93	89	118	112	96	57	19	1
	All other Male	707	15	29	30	41	61	71	74	54	36	40	40	34	31	39	39	21	24	15	7	2	4	–
	Female	220	8	16	15	9	12	21	20	8	8	7	11	13	10	11	11	7	15	8	7	2	1	–
E810–E823	Motor vehicle accidents	3,618	21	103	102	121	594	658	377	225	181	155	185	159	155	133	142	118	98	50	32	7	–	2
	White Male	2,365	12	54	51	68	432	484	264	147	115	108	115	93	103	82	75	66	42	33	16	3	–	2
	Female	834	8	31	29	28	125	112	74	47	38	27	47	44	33	30	47	40	42	15	13	4	–	–
	All other Male	334	1	13	14	20	31	48	29	25	24	19	18	16	15	18	16	11	11	2	3	–	–	–
	Female	85	–	5	8	5	6	14	10	6	4	1	5	6	4	3	4	1	3	–	–	–	–	–
E800–E807, E825–E949	All other accidents	3,284	94	142	98	110	243	283	242	197	132	121	161	145	170	157	169	143	193	191	163	88	28	14
	White Male	1,938	44	62	55	60	180	213	156	143	91	74	102	97	116	92	93	78	92	73	69	31	4	13
	Female	838	28	53	20	25	27	40	31	23	25	20	31	23	32	36	46	49	76	97	83	53	19	1
	All other Male	373	14	16	16	21	30	23	45	29	12	21	22	18	16	21	23	10	13	13	4	2	4	–
	Female	135	8	11	7	4	6	7	10	2	4	6	6	7	6	8	7	6	12	8	7	2	1	–
E950–E959	Suicide	1,771	...	...	–	4	131	249	213	174	146	122	124	150	130	90	75	76	46	27	12	2	–	–
	White Male	1,242	...	...	–	2	101	185	152	115	90	80	75	98	90	65	53	62	39	23	10	2	–	–
	Female	433	...	...	–	1	24	37	40	44	52	38	45	49	35	24	20	13	5	4	2	–	–	–
	All other Male	71	...	...	–	–	5	21	15	9	4	3	2	3	3	1	2	1	2	–	–	–	–	–
	Female	25	...	..	–	1	1	6	6	6	–	1	2	–	2	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,777	13	20	14	25	136	327	292	215	171	128	119	92	74	58	32	32	13	9	2	2	–	3
	White Male	889	3	7	6	8	76	162	154	120	88	50	60	45	38	31	15	17	2	2	1	1	–	3
	Female	221	5	5	1	10	14	42	22	19	24	20	10	9	10	9	3	9	4	4	1	–	–	–
	All other Male	536	1	4	3	6	34	95	98	64	53	42	44	32	21	12	14	4	6	2	–	1	–	–
	Female	131	4	4	4	1	12	28	18	12	6	16	5	6	5	6	–	2	1	1	–	–	–	–
E980–E999	Other external causes	101	3	2	–	2	13	15	8	11	9	10	6	6	6	3	4	–	2	–	–	–	–	1
	White Male	63	2	1	–	1	9	13	3	6	4	6	2	4	4	2	4	–	2	–	–	–	–	–
	Female	22	–	1	–	–	2	1	2	3	4	4	2	1	1	1	–	–	–	–	–	–	–	–
	All other Male	8	–	–	–	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	Female	8	1	–	–	–	1	–	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah																							
	All causes	**7,617**	**382**	**81**	**31**	**49**	**129**	**145**	**134**	**105**	**113**	**108**	**204**	**299**	**468**	**606**	**712**	**912**	**903**	**976**	**750**	**396**	**114**	–
	White Male	4,207	223	41	17	33	91	111	91	65	70	73	128	183	290	384	459	532	476	462	300	144	34	–
	White Female	3,226	141	35	13	14	29	24	35	30	33	29	69	102	173	210	243	366	414	506	439	244	77	–
	All other Male	114	6	3	1	2	7	7	7	9	5	5	5	6	4	6	7	6	8	7	6	5	2	–
	All other Female	70	12	2	–	–	2	3	1	1	5	1	2	8	1	6	3	8	5	1	5	3	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Female	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	37	12	–	–	–	–	–	–	1	–	–	1	1	2	1	3	5	3	3	3	1	1	–
	White Male	20	7	–	–	–	–	–	–	1	–	–	–	–	1	1	2	4	1	1	–	1	1	–
	White Female	15	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	23	2	1	1	–	–	–	–	1	–	–	1	1	1	6	1	1	4	1	–	2	–	–
	White Male	10	2	–	–	–	–	–	–	1	–	–	1	1	1	2	–	1	1	–	–	–	–	–
	White Female	13	–	1	1	–	–	–	–	–	–	–	–	–	–	4	1	–	3	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,255	–	9	5	9	6	4	10	13	14	18	47	83	128	156	176	182	157	147	65	22	4	–
	White Male	630	–	4	3	5	5	2	6	6	8	10	23	37	55	77	99	92	85	71	29	11	2	–
	Female	599	–	4	2	4	1	2	4	7	6	7	22	40	72	77	73	87	71	75	36	7	2	–
	All other Male	12	–	1	–	–	–	–	–	–	–	1	1	1	–	–	2	1	1	1	–	3	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	5	1	2	2	2	–	–	–	1	–	–
140–149	Of buccal cavity and pharynx	22	–	–	–	1	–	–	–	–	–	–	1	2	4	3	3	4	3	–	–	1	–	–
	White Male	13	–	–	–	1	–	–	–	–	–	–	1	–	3	2	2	2	1	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	321	–	–	–	–	–	–	–	3	1	2	9	17	31	53	42	46	46	42	21	7	1	–
	White Male	162	–	–	–	–	–	–	–	1	–	2	4	10	12	31	25	25	24	15	9	3	1	–
	Female	151	–	–	–	–	–	–	–	2	1	–	4	6	18	20	17	21	22	26	12	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	1	–	–
160–163	Of respiratory system	182	–	–	–	–	–	–	–	1	1	1	9	14	18	30	38	30	18	15	4	3	–	–
	White Male	148	–	–	–	–	–	–	–	1	–	1	7	10	14	24	30	25	15	15	4	2	–	–
	Female	30	–	–	–	–	–	–	–	–	1	–	2	3	4	6	7	4	3	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	142	–	–	–	–	–	–	–	1	3	4	9	16	23	15	14	18	10	17	10	1	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	142	–	–	–	–	–	–	–	1	3	4	9	16	23	15	14	18	10	17	10	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	174	–	–	–	–	–	–	3	–	–	–	4	8	10	21	24	32	28	26	12	6	–	–
	White Male	86	–	–	–	–	–	–	2	–	–	–	2	1	2	7	10	17	20	16	7	2	–	–
	Female	86	–	–	–	–	–	–	1	–	–	–	2	6	8	14	14	15	8	10	5	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	65	–	–	–	–	1	–	–	2	1	–	2	2	7	3	11	7	9	14	4	–	2	–
	White Male	39	–	–	–	–	1	–	–	1	–	–	2	2	5	1	7	3	6	8	2	–	1	–
	Female	24	–	–	–	–	–	–	–	1	1	–	–	–	2	2	3	4	2	6	2	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	198	–	3	–	2	3	3	4	3	4	7	5	15	19	17	30	27	24	20	8	4	–	–
	White Male	98	–	1	–	1	2	1	3	2	4	4	3	10	11	4	18	8	9	10	4	3	–	–
	Female	98	–	2	–	1	1	2	1	1	–	3	2	5	8	13	11	18	15	10	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
204–207	Leukemia	73	–	4	5	3	1	–	2	2	2	3	3	1	8	9	5	8	7	7	3	–	–	–
	White Male	44	–	3	3	1	1	–	1	1	2	2	2	–	5	4	4	6	3	5	1	–	–	–
	Female	28	–	1	2	2	–	–	1	1	–	–	1	1	3	5	1	2	4	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	78	–	2	–	3	1	1	1	1	2	1	5	8	8	5	9	10	12	6	3	–	–	–
	White Male	40	–	–	–	2	1	1	–	–	2	1	2	4	3	4	3	6	7	2	2	–	–	–
	Female	31	–	1	–	1	–	–	1	1	–	–	2	1	5	1	5	3	5	4	1	–	–	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	19	1	–	–	1	–	1	–	–	1	–	1	–	1	3	2	4	3	–	–	1	–	–
	White Male	9	–	–	–	–	–	1	–	–	–	–	1	–	–	2	1	2	2	–	–	–	–	–
	Female	10	1	–	–	1	–	–	–	–	1	–	–	–	1	1	1	2	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	166	–	1	–	–	–	1	5	5	3	2	10	7	8	10	8	29	26	32	14	5	–	–
	White Male	62	–	1	–	–	–	–	2	3	3	1	6	2	3	3	1	12	12	7	3	3	–	–
	Female	99	–	–	–	–	–	1	3	2	–	1	4	4	4	6	7	16	13	25	11	2	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	20	1	–	1	–	–	–	–	–	–	–	–	1	–	–	1	4	3	3	2	3	1	–
	White Male	5	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
	Female	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah – Con.																							
280–285	Anemias	23	–	–	–	1	–	–	–	–	–	1	–	1	–	1	3	–	3	5	7	1	–	–
	White Male	11	–	–	–	1	–	–	–	–	–	1	–	1	–	–	2	–	1	2	2	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	21	12	4	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White Male	10	4	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	9	6	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,426	6	1	1	1	1	9	5	7	15	27	54	101	197	275	343	467	518	556	493	274	75	–
	White Male	1,875	4	–	–	1	1	6	3	5	11	22	40	79	149	204	244	288	258	261	188	90	21	–
	Female	1,505	2	1	1	–	–	2	1	2	2	5	12	18	46	66	98	175	254	289	299	181	51	–
	All other Male	32	–	–	–	–	–	1	1	–	2	–	2	3	2	2	1	3	3	5	4	1	2	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	3	1	2	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,516	3	–	–	1	–	2	4	2	11	24	47	87	170	228	279	364	360	385	311	185	53	–
	White Male	1,459	1	–	–	1	–	2	3	1	8	20	37	71	133	178	208	225	187	192	125	54	13	–
	Female	1,029	2	–	–	–	–	–	1	1	1	4	8	13	36	47	70	136	170	189	184	129	38	–
	All other Male	22	–	–	–	–	–	–	–	–	2	–	2	2	1	1	1	2	2	4	2	1	2	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	96	–	–	–	1	–	1	1	1	–	2	1	3	15	15	9	19	11	12	3	2	–	–
	White Male	45	–	–	–	1	–	1	–	–	–	–	–	3	8	7	2	10	4	8	–	1	–	–
	Female	51	–	–	–	–	–	–	1	1	–	2	1	–	7	8	7	9	7	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	3	1	3	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,139	–	–	–	–	–	–	1	–	9	20	44	74	140	195	241	319	309	329	262	152	44	–
	White Male	1,277	–	–	–	–	–	–	1	–	7	18	36	62	113	158	189	202	169	163	104	46	9	–
	Female	836	–	–	–	–	–	–	–	–	–	2	6	9	26	34	51	114	138	162	156	104	34	–
	All other Male	21	–	–	–	–	–	–	–	–	2	–	2	2	1	1	1	2	2	4	2	1	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	1	–	–
410	Acute myocardial infarction	1,065	–	–	–	–	–	–	–	–	8	15	29	45	96	122	151	160	175	127	88	40	9	–
	White Male	712	–	–	–	–	–	–	–	–	7	14	26	37	78	98	122	104	101	73	36	12	4	–
	Female	341	–	–	–	–	–	–	–	–	–	1	3	6	17	22	29	56	72	52	52	27	4	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	2	2	–	1	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	104	–	–	–	–	–	–	1	–	–	2	1	10	13	12	15	24	16	4	4	2	–	–
	White Male	75	–	–	–	–	–	–	1	–	–	2	1	10	9	9	11	17	10	1	3	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	4	2	3	7	6	3	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	970	–	–	–	–	–	–	–	–	1	3	14	19	31	61	75	135	118	198	170	110	35	–
	White Male	490	–	–	–	–	–	–	–	–	–	2	9	15	26	51	56	81	58	89	65	33	5	–
	Female	468	–	–	–	–	–	–	–	–	–	1	3	3	5	10	19	51	60	107	103	76	30	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	2	–	2	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	15	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	1	1	5	–	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	4	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
420–423, 425–427, 429	All other forms of heart disease	246	3	–	–	–	–	1	2	1	2	2	2	7	14	16	27	24	34	35	43	24	9	–
	White Male	119	1	–	–	–	–	1	2	1	1	2	1	4	12	11	15	12	13	14	20	5	4	–
	Female	125	2	–	–	–	–	–	–	–	1	–	1	3	2	5	12	12	20	21	23	19	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
400, 401, 403	Hypertension	25	–	–	–	–	–	1	–	1	–	–	–	–	2	4	3	1	2	3	6	–	2	–
	White Male	12	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	–	1	3	–	–	2	–
	Female	12	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	1	1	–	5	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	674	2	1	1	–	1	4	1	2	2	2	5	10	19	34	47	76	130	124	135	63	15	–
	White Male	285	2	–	–	–	1	2	–	1	1	2	2	4	10	20	23	41	58	43	45	25	5	–
	Female	376	–	1	1	–	–	1	–	1	1	–	3	5	9	12	24	34	69	80	88	38	9	–
	All other Male	7	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–
431	Cerebral hemorrhage	79	2	–	1	–	–	3	1	1	–	2	2	3	3	13	3	13	11	9	9	2	1	–
	White Male	34	2	–	–	–	–	2	–	1	–	2	–	1	2	6	2	5	4	3	2	2	–	–
	Female	44	–	–	1	–	–	1	–	–	–	–	2	2	1	7	1	8	7	6	7	–	1	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	111	–	–	–	–	–	–	–	–	–	–	1	–	3	3	9	14	23	19	23	13	3	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	7	10	5	9	4	1	–
	Female	62	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	7	13	14	12	9	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	478	–	1	–	–	1	1	–	1	2	–	2	6	12	17	35	49	96	94	103	47	11	–
	White Male	203	–	–	–	–	1	–	–	–	1	–	2	3	5	12	15	29	44	34	34	19	4	–
	Female	266	–	1	–	–	–	–	–	1	1	–	–	2	7	4	20	19	49	59	69	28	6	–
	All other Male	5	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
440	Arteriosclerosis	105	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	7	14	22	32	19	4	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	4	11	14	8	1	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	10	11	17	11	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	106	1	–	–	–	–	2	–	2	2	1	2	4	6	7	9	19	12	22	9	7	1	–
	White Male	73	1	–	–	–	–	2	–	2	2	–	1	4	5	3	8	18	8	12	4	3	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	–	–	4	1	1	4	9	5	3	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	221	6	3	1	1	–	1	1	1	5	–	4	6	8	7	11	17	27	43	42	27	10	–
	White Male	116	3	1	1	1	–	1	–	1	1	–	2	3	5	5	3	12	16	27	21	9	4	–
	Female	100	3	1	–	–	–	–	1	–	3	–	2	3	3	1	8	5	11	15	20	18	6	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
470–474	Influenza	7	–	1	–	–	–	–	1	–	1	–	–	1	–	–	2	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	214	6	2	1	1	–	1	–	1	4	–	4	5	8	7	9	16	27	43	42	27	10	–
	White Male	115	3	1	1	1	–	1	–	1	1	–	2	3	5	5	3	11	16	27	21	9	4	–
	Female	95	3	1	–	–	–	–	–	–	2	–	2	2	3	1	6	5	11	15	20	18	6	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	118	1	–	–	–	–	–	–	1	–	–	2	6	6	12	21	26	11	17	11	3	1	–
	White Male	85	–	–	–	–	–	–	–	–	–	–	2	3	6	10	17	17	9	11	8	2	–	–
	Female	32	1	–	–	–	–	–	–	1	–	–	–	3	–	2	4	8	2	6	3	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah — Con.																							
490, 491	Chronic and unqualified bronchitis	31	1	–	–	–	–	–	–	1	–	–	–	2	2	4	5	6	2	3	3	1	1	–
	White ... Male	20	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	2	2	3	1	–	–	–
	Female	11	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	4	–	–	2	1	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	84	–	–	–	–	–	–	–	–	–	–	2	4	4	8	16	19	9	12	8	2	–	–
	White ... Male	64	–	–	–	–	–	–	–	–	–	–	2	2	4	6	12	15	7	7	7	2	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	3	2	5	1	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	29	1	–	–	–	–	–	–	–	–	1	1	1	1	2	3	3	4	4	5	2	1	–
	White ... Male	17	1	–	–	–	–	–	–	–	–	1	1	1	1	1	3	2	1	2	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	2	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
540–543	Appendicitis	4	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	White ... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	38	8	–	–	–	–	–	–	–	1	1	1	–	–	3	2	4	4	9	3	2	–	–
	White ... Male	15	5	–	–	–	–	–	–	–	–	1	1	–	–	3	2	1	1	–	–	1	–	–
	Female	23	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	3	9	3	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	111	–	–	–	–	–	–	1	5	4	3	18	17	23	16	10	8	5	1	–	–	–	–
	White ... Male	55	–	–	–	–	–	–	1	1	1	1	9	7	14	8	7	3	3	–	–	–	–	–
	Female	46	–	–	–	–	–	–	–	–	1	1	7	9	9	8	3	5	2	1	–	–	–	–
	All other ... Male	7	–	–	–	–	–	–	–	3	1	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	2	–	1	–
	White ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	22	2	–	–	–	–	–	–	3	2	–	–	–	1	1	1	3	3	3	2	1	–	–
	White ... Male	9	1	–	–	–	–	–	–	2	1	–	–	–	–	1	1	1	1	1	–	–	–	–
	Female	12	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	2	2	2	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	17	1	–	–	–	–	–	–	3	2	–	–	–	1	–	–	2	3	3	1	1	–	–
	White ... Male	6	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	2	2	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
590	Infections of kidney	9	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	3	1	2	1	–	–
	White ... Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	4	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	128	93	12	1	3	4	3	3	–	2	1	–	2	–	1	1	1	1	–	–	–	–	–
	White ..... Male	66	50	6	–	2	3	–	2	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	56	38	6	1	1	1	3	–	–	1	–	–	2	–	1	1	–	1	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	155	154	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	93	92	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	90	89	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	57	56	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	197	51	3	–	2	9	2	4	3	3	3	6	2	7	7	8	15	9	18	20	16	9	–
	White ..... Male	96	34	2	–	2	6	2	3	2	2	2	2	2	3	3	2	7	2	4	7	7	2	–
	Female	92	14	–	–	–	2	–	1	1	1	1	4	–	4	3	5	7	7	14	12	9	7	–
	All other ..... Male	4	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	5	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Residual	All other diseases	674	17	7	2	6	7	4	9	8	14	16	21	30	41	53	74	99	82	100	59	20	5	–
	White ..... Male	385	11	2	–	2	5	2	4	3	8	12	12	15	22	32	43	59	56	57	29	10	1	–
	Female	276	6	5	2	4	2	2	5	4	4	4	8	14	19	21	29	39	23	43	28	10	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	3	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–	1	–	–	–
E800–E949	Accidents	645	8	34	17	22	83	87	61	35	28	17	21	19	31	30	31	31	29	27	16	12	6	–
	White ..... Male	437	5	18	10	16	55	69	46	25	19	10	16	17	22	21	23	19	18	14	4	7	3	–
	Female	178	2	14	6	4	21	11	12	8	8	6	5	2	9	8	7	12	10	13	12	5	3	–
	All other ..... Male	24	–	1	1	2	7	5	3	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	6	1	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	333	4	23	9	13	54	58	36	20	14	7	13	9	15	11	17	10	11	6	3	–	–	–
	White ..... Male	216	2	11	6	8	30	42	27	13	9	3	9	7	9	9	13	6	6	4	2	–	–	–
	Female	96	1	10	3	3	20	10	8	6	4	3	4	2	6	1	3	4	5	2	1	–	–	–
	All other ..... Male	16	–	1	–	2	4	4	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	312	4	11	8	9	29	29	25	15	14	10	8	10	16	19	14	21	18	21	13	12	6	–
	White ..... Male	221	3	7	4	8	25	27	19	12	10	7	7	10	13	12	10	13	12	10	2	7	3	–
	Female	82	1	4	3	1	1	1	4	2	4	3	1	–	3	7	4	8	5	11	11	5	3	–
	All other ..... Male	8	–	–	1	–	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E950–E959	Suicide	173	...	...	–	2	14	24	22	13	16	13	13	13	8	15	7	7	3	1	2	–	–	–
	White ..... Male	138	...	...	–	2	14	21	18	9	13	9	10	11	5	9	5	6	3	1	2	–	–	–
	Female	29	...	...	–	–	–	1	4	2	3	3	3	2	3	6	2	–	–	–	–	–	–	–
	All other ..... Male	5	...	...	–	–	–	1	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	54	2	5	1	1	4	7	7	5	3	4	2	4	1	2	2	2	–	1	1	–	–	–
	White ..... Male	34	2	3	1	1	2	6	4	3	2	2	2	2	1	–	1	2	–	–	–	–	–	–
	Female	11	–	2	–	–	2	1	–	1	–	–	–	2	–	1	–	–	–	1	1	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	3	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	–	–	–	–	1	1	–	4	–	–	1	1	3	1	1	1	–	–	–	–	–	–
	White ..... Male	8	–	–	–	–	–	1	–	3	–	–	–	1	2	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont																							
	All causes	**4,210**	**70**	**13**	**13**	**10**	**49**	**58**	**47**	**31**	**32**	**60**	**96**	**137**	**251**	**320**	**448**	**551**	**607**	**591**	**475**	**253**	**97**	**1**
	White Male	2,293	48	9	8	8	31	43	32	23	20	36	59	82	164	201	293	353	322	267	178	89	26	1
	Female	1,905	22	4	5	2	18	15	13	7	11	24	35	54	87	117	153	198	284	324	297	164	71	–
	All other Male	8	–	–	–	–	–	–	2	–	1	–	2	1	–	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	4	–	–	–	2	–	–	–	–	–	–	1	–	–	2	3	–	3	–	1	–	–
	White Male	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–
	Female	8	1	–	–	–	2	–	–	–	–	–	–	1	–	–	2	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	11	–	–	1	–	–	–	–	–	1	–	1	1	–	–	2	1	1	–	1	1	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	1	–
	Female	5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	891	–	–	3	1	–	8	3	5	8	17	28	51	90	85	147	143	118	96	58	22	8	–
	White — Male	476	–	–	2	–	–	3	3	3	4	7	11	28	52	42	89	89	60	44	29	8	2	–
	Female	413	–	–	1	1	–	5	–	1	4	10	17	23	38	43	57	54	58	52	29	14	6	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	22	–	–	–	–	–	–	–	–	–	2	–	1	3	3	7	2	1	2	1	–	–	–
	White — Male	16	–	–	–	–	–	–	–	–	–	2	–	–	2	3	6	–	1	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	–	–	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	230	–	–	–	–	–	–	–	1	1	3	4	9	21	15	37	28	41	37	23	7	3	–
	White — Male	117	–	–	–	–	–	–	–	1	1	1	2	8	13	6	19	15	20	18	10	2	1	–
	Female	113	–	–	–	–	–	–	–	–	–	2	2	1	8	9	18	13	21	19	13	5	2	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	224	–	–	–	1	–	–	–	–	1	4	9	18	33	24	48	43	23	8	9	3	–	–
	White — Male	172	–	–	–	–	–	–	–	–	1	2	5	9	27	20	37	39	17	6	7	2	–	–
	Female	51	–	–	–	1	–	–	–	–	–	2	4	9	6	4	10	4	6	2	2	1	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	85	–	–	–	–	–	1	–	1	2	1	6	5	8	11	14	11	7	7	6	4	1	–
	White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	–	–	–	–	–	1	–	–	2	1	6	5	8	11	14	11	7	7	6	4	1	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	106	–	–	–	–	–	1	1	–	–	–	3	2	5	16	9	21	20	17	8	2	1	–
	White — Male	54	–	–	–	–	–	1	1	–	–	–	1	–	1	5	7	14	10	7	6	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	2	2	4	11	2	7	10	10	2	1	1	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	52	–	–	–	–	–	–	–	–	–	1	1	2	4	5	6	11	8	6	4	3	1	–
	White — Male	35	–	–	–	–	–	–	–	–	–	1	1	2	3	2	4	7	5	4	3	2	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	3	2	1	1	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	93	–	–	1	–	–	3	–	1	2	3	4	9	11	6	14	16	6	10	3	2	2	–
	White — Male	47	–	–	–	–	–	2	–	1	1	–	1	6	5	4	9	10	3	4	–	1	–	–
	Female	46	–	–	1	–	–	1	–	–	1	3	3	3	6	2	5	6	3	6	3	1	2	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	28	–	–	1	–	–	–	2	–	–	2	–	2	–	1	2	5	6	5	1	1	–	–
	White — Male	15	–	–	1	–	–	–	2	–	–	1	–	–	–	1	2	2	2	3	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	3	4	2	–	1	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	51	–	–	1	–	–	3	–	2	2	1	1	3	5	4	10	6	6	4	3	–	–	–
	White — Male	20	–	–	1	–	–	–	–	1	1	–	1	3	1	1	5	2	2	1	1	–	–	–
	Female	31	–	–	–	–	–	3	–	1	1	1	–	–	4	3	5	4	4	3	2	–	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	18	1	–	–	–	–	–	–	–	1	–	–	1	3	–	1	3	–	2	4	2	–	–
	White — Male	10	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	1	–	1	1	1	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	65	–	–	–	–	–	–	1	–	1	2	3	1	2	4	12	10	8	10	8	2	1	–
	White — Male	21	–	–	–	–	–	–	1	–	–	1	–	1	–	2	4	3	3	3	2	1	–	–
	Female	42	–	–	–	–	–	–	–	–	1	1	2	–	2	2	7	7	5	7	6	1	1	–
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	White — Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
280–285	Anemias	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–
	White Male	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,127	1	2	–	1	–	2	4	3	7	18	32	42	96	168	191	290	342	377	308	177	66	–
	White Male	1,113	–	–	–	–	–	1	3	2	5	14	26	26	69	114	134	189	178	161	112	61	18	–
	Female	1,010	1	2	–	1	–	1	1	1	2	4	6	15	27	52	57	101	163	216	196	116	48	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,552	1	–	–	–	–	–	3	3	5	14	27	32	81	144	157	219	259	252	204	112	39	–
	White Male	876	–	–	–	–	–	–	3	2	4	12	24	23	64	101	109	150	143	117	75	38	11	–
	Female	674	1	–	–	–	–	–	–	1	1	2	3	9	17	41	48	69	116	135	129	74	28	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	37	–	–	–	–	–	–	1	1	–	1	–	2	3	2	7	11	3	3	2	1	–	–
	White Male	18	–	–	–	–	–	–	1	1	–	1	–	2	–	–	3	6	1	1	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	3	2	4	5	2	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	2	1	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,377	–	–	–	–	–	–	1	1	4	10	23	27	73	125	141	191	235	229	183	96	38	–
	White Male	779	–	–	–	–	–	–	1	1	4	8	21	19	60	91	99	132	129	106	67	30	11	–
	Female	596	–	–	–	–	–	–	–	–	–	2	2	8	13	32	42	59	106	123	116	66	27	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
410	Acute myocardial infarction	600	–	–	–	–	–	–	–	1	2	9	17	14	46	84	82	90	102	79	54	15	5	–
	White Male	375	–	–	–	–	–	–	–	1	2	7	16	12	38	60	62	55	51	42	20	6	3	–
	Female	224	–	–	–	–	–	–	–	–	–	2	1	2	8	23	20	35	51	37	34	9	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	15	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	6	1	2	–	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	758	–	–	–	–	–	–	1	–	2	1	6	12	25	40	56	93	132	148	128	81	33	–
	White Male	389	–	–	–	–	–	–	1	–	2	1	5	6	20	30	34	73	77	62	46	24	8	–
	Female	368	–	–	–	–	–	–	–	–	–	–	1	6	5	9	22	20	55	86	82	57	25	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	3	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
420–423, 425–427, 429	All other forms of heart disease	118	1	–	–	–	–	–	1	1	1	2	2	3	5	15	8	14	18	19	16	11	1	–
	White Male	68	–	–	–	–	–	–	1	–	–	2	2	2	4	9	6	9	13	10	5	5	–	–
	Female	50	1	–	–	–	–	–	–	1	1	–	–	1	1	6	2	5	5	9	11	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	3	5	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	384	–	1	–	1	–	2	–	–	2	3	2	8	11	13	23	54	56	89	63	41	15	–
	White Male	158	–	–	–	–	–	1	–	–	1	1	–	1	3	5	16	29	23	33	27	16	2	–
	Female	224	–	1	–	1	–	1	–	–	1	2	2	6	8	8	7	25	32	56	36	25	13	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
431	Cerebral hemorrhage	45	–	–	–	1	–	1	–	–	–	1	–	2	5	–	4	3	9	5	9	5	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	2	5	5	–	–
	Female	24	–	–	–	1	–	1	–	–	–	1	–	1	3	–	3	1	6	3	4	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	95	–	–	–	–	–	–	–	–	–	–	–	–	–	5	6	14	14	24	16	11	5	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	9	4	5	8	5	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	10	19	8	6	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	244	–	1	–	–	–	1	–	–	2	2	2	6	6	8	13	37	33	60	38	25	10	–
	White Male	100	–	–	–	–	–	1	–	–	1	1	–	1	1	2	11	18	16	26	14	6	2	–
	Female	143	–	1	–	–	–	–	–	–	1	1	2	5	5	6	2	19	16	34	24	19	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
440	Arteriosclerosis	101	–	–	–	–	–	–	–	–	–	–	1	–	–	2	8	6	10	21	22	20	11	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	1	–	–	2	6	3	3	3	3	5	4	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	7	18	19	15	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	72	–	1	–	–	–	–	1	–	–	1	2	2	4	7	3	10	12	12	14	2	1	–
	White Male	42	–	–	–	–	–	–	–	–	–	1	1	2	2	4	3	6	8	7	6	1	1	–
	Female	30	–	1	–	–	–	–	1	–	–	–	1	–	2	3	–	4	4	5	8	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	128	4	1	–	–	2	–	–	–	1	–	1	3	5	6	4	7	20	25	24	18	7	–
	White Male	68	3	1	–	–	2	–	–	–	1	–	1	1	5	5	4	5	11	14	9	6	–	–
	Female	60	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	9	11	15	12	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	128	4	1	–	–	2	–	–	–	1	–	1	3	5	6	4	7	20	25	24	18	7	–
	White Male	68	3	1	–	–	2	–	–	–	1	–	1	1	5	5	4	5	11	14	9	6	–	–
	Female	60	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	9	11	15	12	7	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	44	–	–	–	–	–	–	–	1	–	1	–	3	5	5	6	8	7	3	3	2	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	6	5	3	3	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	–	2	2	2	2	2	2	–	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
490, 491	Chronic and unqualified bronchitis	10	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–	2	–	2	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	30	–	–	–	–	–	–	–	–	–	–	–	2	3	4	5	7	5	3	1	–	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	6	3	3	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	21	–	–	–	–	–	1	–	–	–	1	2	–	1	–	1	3	6	2	2	1	1	–
	White Male	14	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	3	5	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	17	1	–	–	–	–	–	1	–	–	–	–	–	1	1	1	2	5	–	2	3	–	–
	White Male	9	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	1	–	–	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	46	–	–	–	–	–	–	–	–	–	3	9	4	4	8	7	3	7	–	1	–	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	3	6	3	3	6	3	2	2	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	3	1	1	2	4	1	5	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	4	3	–	2	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	1	2	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	2	–	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	7	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	6	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	17	12	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	14	10	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	34	8	–	–	–	1	–	–	1	–	–	1	–	1	3	5	5	2	2	1	–	4	–
	White Male	25	5	–	–	–	1	–	–	1	–	–	1	–	1	2	4	4	2	2	–	–	2	–
	Female	9	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	362	1	2	1	–	1	2	4	3	1	8	8	13	27	26	49	55	66	42	34	18	1	–
	White Male	214	–	1	–	–	1	1	1	3	1	7	3	7	17	16	34	34	43	24	12	8	1	–
	Female	147	1	1	1	–	–	1	3	–	–	1	4	6	10	10	15	21	23	18	22	10	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	218	–	6	5	7	32	34	20	10	6	6	4	12	9	4	9	8	13	15	10	2	6	–
	White Male	142	–	5	4	7	19	28	15	9	4	2	3	9	6	4	7	4	8	5	2	–	1	–
	Female	73	–	1	1	–	13	6	3	1	1	4	1	3	3	–	2	4	5	10	8	2	5	–
	All other Male	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	101	–	3	2	1	23	25	13	8	3	3	1	6	3	–	3	4	2	1	–	–	–	–
	White Male	72	–	3	2	1	13	20	9	7	2	–	1	5	2	–	3	2	1	1	–	–	–	–
	Female	27	–	–	–	–	10	5	2	1	1	3	–	1	1	–	–	2	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	117	–	3	3	6	9	9	7	2	3	3	3	6	6	4	6	4	11	14	10	2	6	–
	White Male	70	–	2	2	6	6	8	6	2	2	2	2	4	4	4	4	2	7	4	2	–	1	–
	Female	46	–	1	1	–	3	1	1	–	–	1	1	2	2	–	2	2	4	10	8	2	5	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	65	...	...	–	–	5	9	12	5	4	2	5	3	2	4	4	1	4	2	2	–	–	1
	White Male	49	...	...	–	–	4	7	8	3	3	2	4	2	2	2	4	1	2	2	2	–	–	1
	Female	16	...	...	–	–	1	2	4	2	1	–	1	1	–	2	–	–	2	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	16	1	–	1	–	3	2	1	1	2	1	1	1	–	2	–	–	–	–	–	–	–	–
	White Male	11	1	–	1	–	2	2	–	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	5	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	White Male	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia																							
	All causes	**39,939**	**1,181**	**163**	**138**	**157**	**528**	**600**	**505**	**494**	**609**	**863**	**1,390**	**2,235**	**3,104**	**3,908**	**4,589**	**4,837**	**4,868**	**4,389**	**3,184**	**1,621**	**568**	**8**
	White ..... Male	17,306	431	63	56	68	296	321	256	242	269	396	670	1,051	1,543	1,928	2,261	2,222	2,061	1,643	995	421	109	4
	Female	13,501	303	42	32	48	105	115	89	104	137	194	344	588	781	978	1,302	1,507	1,803	1,988	1,721	978	342	–
	All other ..... Male	5,222	249	24	30	28	85	130	118	109	139	158	252	368	494	647	624	569	488	384	198	84	41	3
	Female	3,910	198	34	20	13	42	34	42	39	64	115	124	228	286	355	402	539	516	374	270	138	76	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	45	14	–	–	–	–	–	–	–	–	–	1	1	4	1	1	5	3	5	5	5	–	–
	White ..... Male	13	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	1	2	–	–
	Female	17	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	3	1	2	2	3	–	–
	All other ..... Male	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	2	–	–	–
010–019	Tuberculosis, all forms	72	1	–	–	–	–	2	1	2	3	2	3	4	6	11	9	7	5	10	3	2	1	–
	White ..... Male	19	–	–	–	–	–	–	–	1	–	–	1	–	1	6	2	–	2	4	1	–	1	–
	Female	17	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	3	2	4	2	1	–	–
	All other ..... Male	27	–	–	–	–	–	2	1	1	2	1	1	4	2	4	3	3	1	1	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	1	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	54	1	–	–	–	–	–	1	2	3	–	3	3	5	9	6	4	5	7	2	2	1	–
	White ..... Male	14	–	–	–	–	–	–	–	1	–	–	1	–	1	4	1	–	2	2	1	–	1	–
	Female	14	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	2	2	3	1	1	–	–
	All other ..... Male	20	–	–	–	–	–	–	1	1	2	–	1	3	2	4	1	2	1	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	2	–	–	–	2	–	1	1	2	3	3	–	3	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other ..... Male	7	–	–	–	–	–	2	–	–	–	1	–	1	–	–	2	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	212	31	–	–	–	–	–	2	2	3	6	10	15	14	23	24	13	34	14	14	4	2	1
	White ..... Male	79	14	–	–	–	–	–	1	1	1	4	3	5	6	9	8	4	11	7	3	1	1	–
	Female	62	8	–	–	–	–	–	–	–	1	–	2	4	3	8	4	4	13	6	7	1	1	–
	All other ..... Male	50	6	–	–	–	–	–	1	1	1	–	4	4	4	5	7	4	8	1	2	2	–	–
	Female	21	3	–	–	–	–	–	–	–	–	2	1	2	1	1	5	1	2	–	2	–	–	1
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	3	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	95	8	4	2	3	4	2	4	4	1	1	8	10	6	6	7	7	7	6	4	1	–	–
	White ..... Male	36	4	1	1	–	2	–	1	1	–	–	2	5	4	2	4	3	1	3	1	1	–	–
	Female	27	1	1	–	1	1	1	1	2	1	–	4	2	1	1	2	2	2	1	3	–	–	–
	All other ..... Male	17	3	2	1	1	1	–	1	1	–	–	–	–	–	2	1	1	2	1	–	–	–	–
	Female	15	–	–	–	1	–	1	1	–	–	1	2	3	1	1	–	1	2	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,022	8	13	28	15	37	29	35	72	96	179	357	653	940	1,102	1,197	1,107	982	680	331	129	32	–
	White Male	3,413	6	6	10	4	13	19	17	35	32	55	130	235	395	465	562	512	457	293	119	42	6	–
	Female	2,831	1	6	7	6	7	7	11	26	40	77	128	259	329	365	369	337	340	270	160	69	17	–
	All other Male	1,065	1	–	6	3	10	1	6	2	10	20	61	87	138	174	172	150	115	75	21	10	3	–
	Female	713	–	1	5	2	7	2	1	9	14	27	38	72	78	98	94	108	70	42	31	8	6	–
140–149	Of buccal cavity and pharynx	197	1	–	1	–	–	1	–	–	–	4	17	20	41	26	32	16	20	8	4	4	2	–
	White Male	101	–	–	–	–	–	1	–	–	–	–	4	8	26	15	24	8	10	2	3	–	–	–
	Female	46	–	–	–	–	–	–	–	–	–	2	7	4	5	5	4	5	4	4	1	3	2	–
	All other Male	43	1	–	–	–	–	–	–	–	–	1	6	7	6	6	4	3	6	2	–	1	–	–
	Female	7	–	–	1	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,974	2	2	–	–	3	2	3	10	14	30	64	127	220	273	277	278	293	215	102	46	13	–
	White Male	755	2	2	–	–	–	1	1	4	3	9	27	46	80	104	123	107	112	79	39	14	2	–
	Female	740	–	–	–	–	1	1	1	2	4	8	19	38	73	92	88	107	124	101	48	26	7	–
	All other Male	283	–	–	–	–	2	–	1	1	3	10	12	24	45	48	45	37	28	21	4	–	2	–
	Female	196	–	–	–	–	–	–	–	3	4	3	6	19	22	29	21	27	29	14	11	6	2	–
160–163	Of respiratory system	2,079	–	–	–	–	1	1	3	6	17	40	98	204	315	355	396	302	201	99	29	11	1	–
	White Male	1,258	–	–	–	–	1	1	–	5	8	17	44	108	178	206	252	209	136	68	21	4	–	–
	Female	399	–	–	–	–	–	–	1	1	5	13	17	53	70	74	66	38	32	18	4	6	1	–
	All other Male	333	–	–	–	–	–	–	2	–	2	6	28	31	54	64	65	40	27	11	2	1	–	–
	Female	89	–	–	–	–	–	–	–	–	2	4	9	12	13	11	13	15	6	2	2	–	–	–
174	Of breast	661	–	–	–	–	–	–	1	12	19	33	44	86	86	92	84	66	50	38	34	12	4	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
	Female	525	–	–	–	–	–	–	1	10	12	24	37	68	69	72	67	52	42	27	31	12	1	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	129	–	–	–	–	–	–	–	2	6	9	7	18	16	19	17	13	6	10	3	–	3	–
180–187	Of genital organs	926	–	–	–	–	3	9	5	7	10	17	25	57	68	96	126	151	145	120	54	28	5	–
	White Male	323	–	–	–	–	3	8	4	2	2	–	3	3	12	23	34	51	70	63	31	11	3	–
	Female	320	–	–	–	–	–	1	1	5	6	13	15	38	44	37	52	37	25	29	7	9	1	–
	All other Male	173	–	–	–	–	–	–	–	–	–	1	1	2	5	20	27	39	36	24	10	7	1	–
	Female	110	–	–	–	–	–	–	–	–	2	3	6	14	7	16	13	24	14	4	6	1	–	–
188, 189	Of urinary organs	327	–	–	–	–	–	–	–	2	–	8	7	18	32	33	53	61	49	39	20	3	2	–
	White Male	179	–	–	–	–	–	–	–	2	–	5	3	8	21	20	26	34	28	21	9	2	–	–
	Female	90	–	–	–	–	–	–	–	–	–	1	1	5	5	9	13	13	17	16	7	1	2	–
	All other Male	35	–	–	–	–	–	–	–	–	–	1	3	3	4	2	7	10	1	2	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	2	2	2	7	4	3	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,146	3	8	9	8	16	4	11	20	21	33	71	97	113	147	145	142	132	87	59	16	4	–
	White Male	473	2	3	3	–	3	–	8	12	13	17	33	39	51	64	55	58	60	35	9	8	–	–
	Female	445	1	4	2	5	4	3	2	3	7	11	23	38	41	50	55	56	53	36	41	7	3	–
	All other Male	125	–	–	3	1	4	1	1	1	1	–	9	18	14	21	17	15	10	6	3	–	–	–
	Female	103	–	1	1	2	5	–	–	4	–	5	6	2	7	12	18	13	9	10	6	1	1	–
204–207	Leukemia	290	1	3	16	5	10	6	8	7	5	4	9	19	24	25	29	38	27	32	14	7	1	–
	White Male	133	1	1	6	3	5	5	2	4	1	2	7	10	11	8	20	20	13	9	2	2	1	–
	Female	107	–	2	5	–	1	–	3	3	2	2	1	7	6	8	6	11	13	21	12	4	–	–
	All other Male	32	–	–	2	2	4	–	2	–	2	–	–	1	6	6	1	2	1	2	–	1	–	–
	Female	18	–	–	3	–	–	1	1	–	–	–	1	1	1	3	2	5	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	422	1	–	2	2	4	6	4	8	10	10	22	25	41	55	55	53	65	42	15	2	–	–
	White Male	187	1	–	1	1	1	3	2	6	5	5	9	13	15	25	28	24	26	16	5	1	–	–
	Female	159	–	–	–	1	1	2	2	2	4	3	8	8	16	18	18	18	30	18	9	1	–	–
	All other Male	38	–	–	1	–	–	–	–	–	1	1	2	1	4	6	6	4	6	6	–	–	–	–
	Female	38	–	–	–	–	2	1	–	–	–	1	3	3	6	6	3	7	3	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	96	3	–	1	1	2	–	–	3	2	2	5	4	13	7	13	17	10	3	7	2	1	–
	White Male	31	–	–	–	1	2	–	–	1	1	–	2	–	6	3	3	4	3	1	4	–	–	–
	Female	39	2	–	1	–	–	–	–	1	–	–	3	2	4	1	7	7	6	1	1	2	1	–
	All other Male	11	1	–	–	–	–	–	–	–	1	2	–	1	1	2	1	2	–	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	1	–	–	–	1	2	1	2	4	1	1	2	–	–	–
250	Diabetes mellitus	631	–	1	–	2	1	3	5	5	7	14	16	31	53	85	84	89	100	80	38	15	2	–
	White Male	193	–	–	–	–	–	–	1	2	5	6	10	12	21	28	26	20	30	20	10	2	–	–
	Female	242	–	1	–	2	–	1	3	1	2	3	4	7	16	26	31	37	43	36	18	9	2	–
	All other Male	58	–	–	–	–	–	1	–	1	–	1	2	3	5	10	9	9	5	6	5	1	–	–
	Female	138	–	–	–	–	1	1	1	1	–	4	–	9	11	21	18	23	22	18	5	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	63	–	1	–	–	1	–	–	–	–	1	1	–	4	–	4	7	9	13	16	5	1	–
	White Male	22	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	3	3	6	6	1	–	–
	Female	24	–	1	–	–	–	–	–	–	–	–	1	–	3	–	1	1	3	6	5	3	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	1	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
280–285	Anemias	70	–	2	–	3	–	4	2	1	–	1	–	4	2	7	6	7	12	6	5	7	1	–
	White Male	25	–	–	–	1	–	–	–	1	–	–	–	1	1	2	2	5	5	3	–	4	–	–
	Female	20	–	–	–	1	–	–	–	–	–	–	–	1	–	2	4	1	6	1	3	–	1	–
	All other Male	11	–	2	–	1	–	3	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	–
	Female	14	–	–	–	–	–	1	2	–	–	1	–	1	1	–	–	1	1	1	2	3	–	–
320	Meningitis	35	13	3	2	3	–	–	–	–	1	4	1	1	1	2	–	–	3	1	–	–	–	–
	White Male	9	4	1	1	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	10	5	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	All other Male	10	3	1	1	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
	Female	6	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–
390–448	Major cardiovascular diseases	19,602	13	3	5	6	17	26	35	75	138	257	527	897	1,337	1,843	2,385	2,649	2,858	2,784	2,187	1,140	417	3
	White Male	8,355	4	1	2	2	7	7	14	33	59	141	302	507	750	987	1,218	1,211	1,151	964	645	274	76	–
	Female	7,136	3	1	2	2	2	5	9	11	27	36	90	157	250	372	654	856	1,113	1,339	1,237	712	258	–
	All other Male	2,148	3	–	1	1	4	8	7	25	31	45	86	145	214	313	301	282	253	228	117	55	26	3
	Female	1,963	3	1	–	1	4	6	5	6	21	35	49	88	123	171	212	300	341	253	188	99	57	–
390–398, 402, 404, 410–429	Diseases of heart	14,502	10	2	2	4	10	14	23	49	101	203	436	769	1,130	1,512	1,874	1,979	2,049	1,909	1,439	713	272	2
	White Male	6,639	2	1	–	2	5	4	9	26	54	124	272	463	673	859	998	940	855	695	426	175	56	–
	Female	4,968	3	–	2	1	–	2	6	4	13	25	63	118	192	284	512	636	816	896	799	442	154	–
	All other Male	1,594	2	–	–	–	3	7	4	15	22	32	67	122	174	243	222	204	166	166	84	38	21	2
	Female	1,301	3	1	–	1	2	1	4	4	12	22	34	66	91	126	142	199	212	152	130	58	41	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	221	–	–	–	–	2	3	1	2	8	3	8	22	17	26	23	35	37	18	8	6	2	–
	White Male	86	–	–	–	–	2	1	–	1	1	1	2	7	10	14	13	13	12	6	1	1	1	–
	Female	100	–	–	–	–	–	1	1	1	3	1	5	9	5	7	8	18	20	10	5	5	1	–
	All other Male	16	–	–	–	–	–	1	–	–	2	–	–	4	1	3	2	–	–	1	2	–	–	–
	Female	19	–	–	–	–	–	–	–	–	2	1	1	2	1	2	–	4	5	1	–	–	–	–
402	Hypertensive heart disease	129	–	–	–	–	–	–	–	–	1	4	2	15	7	12	27	17	16	13	8	6	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	3	3	4	8	5	4	1	2	–	–	–
	Female	40	–	–	–	–	–	–	–	–	–	1	1	2	1	–	5	5	8	7	5	4	1	–
	All other Male	26	–	–	–	–	–	–	–	–	–	2	–	6	3	4	4	2	1	3	–	1	–	–
	Female	33	–	–	–	–	–	–	–	–	1	1	1	4	–	4	10	5	3	2	1	1	–	–
404	Hypertensive heart and renal disease	95	–	–	–	–	–	–	–	–	–	–	–	6	4	6	11	10	22	13	12	11	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	5	5	5	3	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	6	7	7	–	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	3	6	1	–	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	3	3	2	3	2	6	1	–	–	–	–
410–413	Ischemic heart disease	12,767	–	–	–	–	1	1	8	34	66	171	386	630	988	1,327	1,667	1,770	1,809	1,725	1,299	635	248	2
	White Male	6,018	–	–	–	–	–	–	5	20	47	115	250	403	613	777	921	860	774	636	389	157	51	–
	Female	4,389	–	–	–	–	–	–	–	2	4	17	51	89	164	246	451	562	721	819	724	397	142	–
	All other Male	1,305	–	–	–	–	1	1	3	10	11	23	59	89	139	199	187	179	144	137	73	31	17	2
	Female	1,055	–	–	–	–	–	–	–	2	4	16	26	49	72	105	108	169	170	133	113	50	38	–
410	Acute myocardial infarction	6,106	–	–	–	–	1	–	7	17	44	104	237	394	588	792	967	885	845	647	387	143	47	1
	White Male	3,309	–	–	–	–	–	–	4	10	33	76	167	260	386	492	548	460	398	285	134	43	13	–
	Female	1,824	–	–	–	–	–	–	–	–	2	10	26	57	107	156	275	283	323	287	196	79	23	–
	All other Male	587	–	–	–	–	1	–	3	5	7	10	33	54	62	102	98	78	59	38	22	9	5	1
	Female	386	–	–	–	–	–	–	–	2	2	8	11	23	33	42	46	64	65	37	35	12	6	–
411	Other acute and subacute forms of ischemic heart disease	620	–	–	–	–	–	1	–	4	2	17	36	63	83	90	90	81	62	46	29	12	4	–
	White Male	292	–	–	–	–	–	–	–	2	1	6	22	41	42	43	41	36	25	16	14	3	–	–
	Female	107	–	–	–	–	–	–	–	–	–	4	4	8	12	7	16	15	13	12	6	8	2	–
	All other Male	145	–	–	–	–	–	1	–	2	–	4	6	11	20	28	18	20	16	14	5	–	–	–
	Female	76	–	–	–	–	–	–	–	–	1	3	4	3	9	12	15	10	8	4	4	1	2	–
412	Chronic ischemic heart disease	6,036	–	–	–	–	–	–	1	13	20	49	113	172	317	445	609	804	901	1,032	883	479	197	1
	White Male	2,416	–	–	–	–	–	–	1	8	13	32	61	102	185	242	332	364	351	335	241	111	38	–
	Female	2,455	–	–	–	–	–	–	–	2	2	3	21	24	45	83	159	264	384	520	522	309	117	–
	All other Male	572	–	–	–	–	–	–	–	3	4	9	20	23	57	69	71	81	69	85	46	22	12	1
	Female	593	–	–	–	–	–	–	–	–	1	5	11	23	30	51	47	95	97	92	74	37	30	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	127	–	–	–	1	2	3	3	2	4	2	4	10	13	12	15	12	19	9	10	5	1	–
	White Male	47	–	–	–	1	1	1	–	–	1	1	1	6	7	4	8	5	6	4	1	–	–	–
	Female	29	–	–	–	–	–	–	2	–	–	–	–	–	1	1	4	4	7	3	4	2	1	–
	All other Male	28	–	–	–	–	–	2	–	1	3	1	1	4	3	6	1	1	1	1	2	1	–	–
	Female	23	–	–	–	–	1	–	1	1	–	–	2	–	2	1	2	2	5	1	3	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,163	10	2	2	3	5	7	11	11	22	23	36	86	101	129	131	135	146	131	102	50	20	–
	White Male	434	2	1	–	1	2	2	4	5	5	7	19	42	40	60	45	56	54	43	28	14	4	–
	Female	380	3	–	2	1	–	1	3	1	6	6	6	18	21	30	43	43	55	51	54	27	9	–
	All other Male	198	2	–	–	–	2	3	1	4	6	6	7	18	27	27	24	19	14	23	7	4	4	–
	Female	151	3	1	–	1	1	1	3	1	5	4	4	8	13	12	19	17	23	14	13	5	3	–
400, 401, 403	Hypertension	110	–	–	–	–	–	–	1	–	–	3	2	9	7	7	12	12	13	17	15	7	5	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	1	2	3	3	2	4	5	3	5	3	1	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	3	3	8	5	4	3	–
	All other Male	22	–	–	–	–	–	–	1	–	–	2	1	1	3	–	4	4	1	3	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	4	1	3	2	1	4	3	3	–	1	–
430–438	Cerebrovascular diseases	3,863	2	1	2	1	5	9	10	22	33	47	78	91	163	263	387	517	615	674	558	296	88	1
	White Male	1,235	1	–	2	–	2	2	4	6	4	14	26	25	57	90	146	200	208	203	162	69	14	–
	Female	1,646	–	1	–	–	1	2	3	7	12	11	23	29	46	72	114	169	236	342	334	183	61	–
	All other Male	439	1	–	–	1	1	1	2	7	9	11	15	20	32	62	64	57	67	52	20	12	4	1
	Female	543	–	–	–	–	1	4	1	2	8	11	14	17	28	39	63	91	104	77	42	32	9	–
431	Cerebral hemorrhage	557	1	–	1	1	1	3	5	7	14	18	33	23	47	62	71	74	69	64	37	21	5	–
	White Male	181	–	–	1	–	–	–	4	1	2	7	10	5	9	20	34	32	24	20	8	3	1	–
	Female	204	–	–	–	–	1	–	1	–	5	2	10	7	21	15	21	23	22	32	25	16	3	–
	All other Male	96	1	–	–	1	–	1	–	5	4	4	10	7	9	18	9	7	12	5	2	1	–	–
	Female	76	–	–	–	–	–	2	–	1	3	5	3	4	8	9	7	12	11	7	2	1	1	–
433	Cerebral thrombosis	827	–	–	–	–	1	–	–	–	1	1	11	7	24	47	75	127	149	151	139	76	18	–
	White Male	262	–	–	–	–	1	–	–	–	–	1	4	–	9	20	34	55	44	43	34	14	3	–
	Female	388	–	–	–	–	–	–	–	–	1	–	4	2	7	11	13	41	69	78	97	53	12	–
	All other Male	62	–	–	–	–	–	–	–	–	–	–	2	3	3	5	10	11	12	13	1	2	–	–
	Female	115	–	–	–	–	–	–	–	–	–	–	1	2	5	11	18	20	24	17	7	7	3	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	2	1	1	4	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,465	1	1	1	–	3	6	5	15	18	27	32	61	91	153	240	314	396	458	378	199	65	1
	White Male	787	1	–	1	–	1	2	–	5	2	5	11	20	39	50	77	112	140	139	120	52	10	–
	Female	1,049	–	1	–	–	–	2	2	7	6	9	9	20	18	46	80	104	144	232	209	114	46	–
	All other Male	279	–	–	–	–	1	–	2	2	5	7	2	10	19	39	45	39	43	34	17	9	4	1
	Female	350	–	–	–	–	1	2	1	1	5	6	10	11	15	18	38	59	69	53	32	24	5	–
440	Arteriosclerosis	612	–	–	–	–	–	–	1	–	1	–	2	4	10	18	29	60	100	124	126	96	41	–
	White Male	194	–	–	–	–	–	–	1	–	–	–	2	3	3	10	12	22	42	42	35	18	4	–
	Female	308	–	–	–	–	–	–	–	–	–	–	–	–	5	2	11	23	32	66	71	65	33	–
	All other Male	51	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	9	11	3	11	5	1	–
	Female	59	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	6	15	13	9	8	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	515	1	–	1	1	2	3	–	4	3	4	9	24	27	43	83	81	81	60	49	28	11	–
	White Male	255	1	–	–	–	–	1	–	1	1	3	1	14	14	25	60	45	41	21	17	9	1	–
	Female	181	–	–	–	1	1	1	–	–	2	–	4	8	7	13	13	25	26	27	28	18	7	–
	All other Male	42	–	–	1	–	–	–	–	3	–	–	3	1	4	4	6	8	8	4	–	–	–	–
	Female	37	–	–	–	–	1	1	–	–	–	1	1	1	2	1	4	3	6	8	4	1	3	–
466	Acute bronchitis and bronchiolitis	14	3	–	1	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	3	–	1	–
	White Male	6	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,119	37	3	2	5	3	6	6	9	9	12	19	40	52	62	96	115	161	180	145	116	41	–
	White Male	464	14	1	–	1	–	3	3	–	2	3	7	13	21	28	48	60	82	76	57	35	10	–
	Female	399	7	1	1	3	2	–	1	2	1	4	3	12	6	17	25	22	47	84	69	70	22	–
	All other Male	167	8	–	–	–	1	2	–	7	6	3	7	10	20	13	17	21	18	13	12	5	4	–
	Female	89	8	1	1	1	–	1	2	–	–	2	2	5	5	4	6	12	14	7	7	6	5	–
470–474	Influenza	23	1	–	–	–	–	1	1	–	–	–	–	2	2	2	2	–	1	1	3	4	3	–
	White Male	9	1	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	1	–	2	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	3	1	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
480–486	Pneumonia	1,096	36	3	2	5	3	5	5	9	9	12	19	38	50	60	94	115	160	179	142	112	38	–
	White Male	455	13	1	–	1	–	3	2	–	2	3	7	12	20	27	47	60	82	76	56	35	8	–
	Female	389	7	1	1	3	2	–	1	2	1	4	3	11	6	17	24	22	46	83	67	67	21	–
	All other Male	165	8	–	–	–	1	1	–	7	6	3	7	10	19	13	17	21	18	13	12	5	4	–
	Female	87	8	1	1	1	–	1	2	–	–	2	2	5	5	3	6	12	14	7	7	5	5	–
490–493	Bronchitis, emphysema, and asthma	409	–	1	2	2	3	3	1	4	7	3	7	13	41	46	74	77	55	38	23	9	–	–
	White Male	250	–	1	–	–	2	1	1	–	2	2	–	4	19	28	50	55	41	28	12	4	–	–
	Female	100	–	–	1	1	–	–	–	3	–	–	4	7	12	14	15	15	9	6	8	5	–	–
	All other Male	47	–	–	1	1	–	2	–	1	4	–	3	2	6	2	8	7	5	3	2	–	–	–
	Female	12	–	–	–	–	1	–	–	–	1	1	–	–	4	2	1	–	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia — Con.																							
490, 491	Chronic and unqualified bronchitis	107	–	–	1	–	2	–	–	2	2	–	3	5	11	12	16	24	8	10	7	4	–	–
	White Male	59	–	–	–	–	2	–	–	–	1	–	–	2	5	7	11	16	5	7	2	1	–	–
	Female	33	–	–	1	–	–	–	–	2	–	–	1	2	4	4	3	6	2	1	4	3	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	2	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
492	Emphysema	261	–	1	–	–	–	–	–	–	3	1	1	6	26	28	53	52	43	27	16	4	–	–
	White Male	180	–	1	–	–	–	–	–	–	1	1	–	1	14	19	37	39	34	20	10	3	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	1	5	7	8	11	8	5	5	4	1	–	–
	All other Male	25	–	–	–	–	–	–	–	–	2	–	–	–	5	1	5	5	4	2	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
493	Asthma	41	–	–	1	2	1	3	1	2	2	2	3	2	4	6	5	1	4	1	–	1	–	–
	White Male	11	–	–	–	–	–	1	1	–	–	1	–	1	–	2	2	–	2	1	–	–	–	–
	Female	12	–	–	–	1	–	–	–	1	–	–	2	–	1	2	1	1	2	–	–	1	–	–
	All other Male	11	–	–	1	1	–	2	–	1	1	–	1	1	–	1	2	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	1	1	–	–	3	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	117	–	–	–	–	–	–	–	1	3	2	3	6	7	16	14	22	16	12	6	7	2	–
	White Male	57	–	–	–	–	–	–	–	1	1	2	2	3	4	8	8	12	7	7	2	–	–	–
	Female	39	–	–	–	–	–	–	–	–	1	–	1	–	3	3	3	7	6	4	2	7	2	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	2	1	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1	2	–	–	–	–	–
540–543	Appendicitis	20	–	2	1	1	–	1	–	–	1	–	2	–	2	1	2	1	2	–	3	1	–	–
	White Male	4	–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	1	1	–	–
	All other Male	6	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	101	12	1	–	–	1	1	1	2	1	3	2	4	4	11	9	7	13	14	9	4	2	–
	White Male	36	8	1	–	–	1	1	–	–	–	–	2	2	2	4	1	1	5	3	1	3	1	–
	Female	38	2	–	–	–	–	–	1	–	–	1	–	1	1	4	3	5	6	6	7	1	–	–
	All other Male	13	2	–	–	–	–	–	–	1	1	–	–	1	–	1	3	–	2	2	–	–	–	–
	Female	14	–	–	–	–	–	–	–	1	–	2	–	–	1	2	2	1	–	3	1	–	1	–
571	Cirrhosis of liver	538	1	–	–	–	–	–	8	16	26	48	65	97	99	64	52	35	22	3	2	–	–	–
	White Male	276	–	–	–	–	–	–	3	7	12	19	34	54	55	33	30	18	9	1	1	–	–	–
	Female	135	–	–	–	–	–	–	2	3	3	9	15	22	25	17	14	15	8	1	1	–	–	–
	All other Male	72	–	–	–	–	–	–	2	1	8	13	8	12	11	9	5	1	1	1	–	–	–	–
	Female	55	1	–	–	–	–	–	1	5	3	7	8	9	8	5	3	1	4	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	53	–	–	–	–	–	1	1	–	1	1	2	2	4	4	7	5	5	10	7	2	1	–
	White Male	17	–	–	–	–	–	–	–	–	1	–	–	1	1	1	4	1	1	3	4	–	–	–
	Female	25	–	–	–	–	–	1	1	–	–	1	–	1	2	3	3	2	2	5	2	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	–	–
580–584	Nephritis and nephrosis	192	2	–	–	–	2	2	2	–	7	3	3	8	17	21	16	39	24	26	13	5	2	–
	White Male	66	1	–	–	–	1	1	–	–	3	–	1	2	4	7	5	16	6	11	5	3	–	–
	Female	42	–	–	–	–	–	–	1	–	–	1	2	4	3	4	1	5	7	7	4	1	2	–
	All other Male	46	–	–	–	–	–	1	1	–	4	1	–	–	4	6	6	10	6	2	4	1	–	–
	Female	38	1	–	–	–	1	–	–	–	–	1	–	2	6	4	4	8	5	6	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	45	2	–	–	–	–	–	–	–	1	1	–	1	4	7	2	12	3	5	5	2	–	–
	White Male	21	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	6	–	3	4	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	1	–	–	1	3	1	1	3	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	147	–	–	–	–	2	2	2	–	6	2	3	7	13	14	14	27	21	21	8	3	2	–
	White Male	45	–	–	–	–	1	1	–	–	3	–	1	2	3	3	5	10	6	8	1	1	–	–
	Female	37	–	–	–	–	–	–	1	–	–	1	2	3	2	4	1	3	7	7	3	1	2	–
	All other Male	35	–	–	–	–	–	1	1	–	3	–	–	–	3	3	5	9	3	2	4	1	–	–
	Female	30	–	–	–	–	1	–	–	–	–	1	–	2	5	4	3	5	5	4	–	–	–	–
590	Infections of kidney	65	–	–	–	–	–	–	–	–	–	1	–	3	3	7	3	14	7	9	13	4	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	3	1	1	5	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	8	4	2	7	2	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	5	–	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	1	1	2	–	–
600	Hyperplasia of prostate	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	5	5	1	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	1	1	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	8	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia – Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	8	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	308	213	25	9	2	7	8	7	3	5	2	3	3	6	3	3	4	1	–	3	1	–	–
	White Male	123	84	8	3	1	4	5	4	1	3	–	–	1	4	–	–	2	–	–	3	–	–	–
	Female	102	73	8	5	–	2	1	1	–	1	1	2	1	1	1	2	2	1	–	–	–	–	–
	All other Male	42	27	2	1	1	–	2	2	1	1	1	1	1	–	1	–	–	–	–	–	1	–	–
	Female	41	29	7	–	–	1	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	616	614	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	212	210	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	144	144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	318	317	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	129	128	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	298	297	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	83	82	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	452	140	7	1	–	2	7	6	6	5	7	9	16	16	19	39	37	22	37	33	29	14	–
	White Male	162	58	1	–	–	1	1	3	2	1	2	2	5	6	9	17	15	8	10	8	11	2	–
	Female	150	34	3	–	–	1	4	3	2	1	1	2	4	4	2	8	13	8	16	23	14	7	–
	All other Male	76	30	1	–	–	–	1	–	–	1	3	4	4	5	5	7	6	1	4	1	1	2	–
	Female	64	18	2	1	–	–	1	–	2	2	1	1	3	1	3	7	3	5	7	1	3	3	–
Residual	All other diseases	3,037	44	16	11	15	32	25	29	39	49	75	113	169	238	339	354	434	372	343	216	89	34	1
	White Male	1,340	12	7	5	6	18	15	8	11	15	30	50	68	109	177	176	201	174	151	71	25	10	1
	Female	997	15	3	4	4	6	4	5	12	13	14	31	48	71	86	102	126	132	141	111	51	18	–
	All other Male	399	10	2	1	4	4	6	6	11	12	17	20	37	40	45	45	48	36	27	21	4	3	–
	Female	301	7	4	1	1	4	–	10	5	9	14	12	16	18	31	31	59	30	24	13	9	3	–
E800–E949	Accidents	2,601	16	68	66	90	331	308	191	123	125	121	135	149	159	141	117	98	116	102	89	41	13	2
	White Male	1,359	5	31	30	45	200	187	115	80	72	69	71	72	78	71	56	49	44	39	30	11	2	2
	Female	590	6	15	11	24	63	55	23	16	17	17	28	31	30	32	31	26	39	48	45	24	9	–
	All other Male	494	2	9	15	15	52	58	49	26	27	26	29	38	35	33	23	14	22	10	7	3	1	–
	Female	158	3	13	10	6	16	8	4	1	9	9	7	8	16	5	7	9	11	5	7	3	1	–
E810–E823	Motor vehicle accidents	1,191	4	27	33	46	228	228	121	72	55	65	50	52	52	55	32	28	22	12	7	1	–	1
	White Male	665	1	12	15	26	133	135	70	43	31	41	28	25	27	25	14	14	11	8	5	–	–	1
	Female	251	3	6	8	13	55	44	18	13	11	10	10	12	10	12	8	10	4	2	1	1	–	–
	All other Male	213	–	4	6	7	29	42	29	15	9	9	9	12	8	16	8	3	4	2	1	–	–	–
	Female	62	–	5	4	–	11	7	4	1	4	5	3	3	7	2	2	1	3	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,410	12	41	33	44	103	80	70	51	70	56	85	97	107	86	85	70	94	90	82	40	13	1
	White Male	694	4	19	15	19	67	52	45	37	41	28	43	47	51	46	42	35	33	31	25	11	2	1
	Female	339	3	9	3	11	8	11	5	3	6	7	18	19	20	20	23	16	35	46	44	23	9	–
	All other Male	281	2	5	9	8	23	16	20	11	18	17	20	26	27	17	15	11	18	8	6	3	1	–
	Female	96	3	8	6	6	5	1	–	–	5	4	4	5	9	3	5	8	8	5	7	3	1	–
E950–E959	Suicide	802	...	...	–	3	47	92	99	73	55	68	61	76	53	62	54	28	15	6	7	2	–	1
	White Male	538	...	...	–	2	34	61	60	47	38	41	36	50	46	43	34	19	15	4	5	2	–	1
	Female	179	...	...	–	1	9	19	19	17	12	20	17	20	5	12	17	8	–	2	1	–	–	–
	All other Male	71	...	...	–	–	3	10	17	7	5	6	8	4	1	6	3	1	–	–	–	–	–	–
	Female	14	...	...	–	–	1	2	3	2	–	1	–	2	1	1	–	–	–	–	1	–	–	–
E960–E978	Homicide	483	4	10	6	5	34	78	66	49	60	46	34	26	21	17	11	9	4	1	1	1	–	–
	White Male	161	2	2	2	4	9	18	25	16	19	20	14	8	5	8	4	3	1	1	–	–	–	–
	Female	77	–	–	–	1	9	16	5	5	13	7	3	3	8	2	1	1	2	–	–	1	–	–
	All other Male	189	1	4	2	–	10	33	25	23	24	15	15	11	6	7	6	5	1	–	1	–	–	–
	Female	56	1	4	2	–	6	11	11	5	4	4	2	4	2	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	25	1	–	–	1	2	1	1	3	1	4	3	3	1	3	–	1	–	–	–	–	–	–
	White Male	11	–	–	–	–	1	1	–	2	1	1	1	2	1	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	1	1	–	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington																							
	All causes	**29,831**	**692**	**129**	**115**	**103**	**353**	**498**	**402**	**362**	**344**	**448**	**825**	**1,295**	**1,968**	**2,573**	**3,107**	**3,559**	**3,712**	**3,832**	**3,160**	**1,744**	**607**	**3**
	White..... Male	15,930	354	69	68	58	233	373	263	200	197	249	467	749	1,179	1,592	1,908	2,128	1,966	1,787	1,261	625	202	2
	Female	12,737	259	48	40	36	87	94	95	128	105	150	274	457	683	869	1,115	1,338	1,645	1,987	1,838	1,093	395	1
	All other..... Male	726	46	7	6	8	20	23	34	21	26	30	56	55	67	76	54	61	59	31	29	14	3	–
	Female	438	33	5	1	1	13	8	10	13	16	19	28	34	39	36	30	32	42	27	32	12	7	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	31	5	–	2	–	–	–	–	–	2	–	–	1	–	2	2	3	2	4	2	5	1	–
	White..... Male	14	3	–	2	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	3	–	–
	Female	17	2	–	–	–	–	–	–	–	2	–	–	–	–	1	1	2	2	3	1	2	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	29	–	1	–	–	–	–	–	–	–	3	1	4	4	4	1	3	5	2	1	–	–	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	1	1	3	3	3	1	1	2	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	3	–	1	–	–	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	22	–	1	–	–	–	–	–	–	–	3	1	2	3	3	–	2	4	2	1	–	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	1	1	2	2	3	–	–	2	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–	–	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	–	–	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	69	11	1	1	–	1	3	–	–	2	3	1	1	2	4	7	9	4	6	6	7	–	–
	White..... Male	36	7	1	1	–	1	2	–	–	–	2	–	1	–	3	4	8	3	3	–	–	–	–
	Female	25	3	–	–	–	–	1	–	–	–	–	1	–	1	1	1	1	1	3	5	7	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	62	5	3	4	1	1	2	4	3	3	–	4	3	6	2	3	6	2	5	2	2	1	–
	White..... Male	26	1	1	3	1	–	–	–	1	3	–	3	1	2	–	2	4	–	1	2	1	–	–
	Female	28	1	1	1	–	1	2	3	2	–	–	1	1	2	2	1	2	2	4	–	1	1	–
	All other..... Male	7	3	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,425	3	9	23	11	20	30	36	53	64	109	229	438	655	847	932	942	763	608	442	178	33	–
	White Male	3,328	2	3	18	7	10	20	22	17	26	45	87	208	306	471	535	534	421	299	200	82	15	–
	Female	2,897	1	4	4	4	9	8	14	35	34	61	125	208	326	353	372	380	319	297	232	93	18	–
	All other Male	116	–	1	1	–	–	1	–	–	2	1	10	11	9	13	17	20	16	6	7	1	–	–
	Female	84	–	1	–	–	1	1	–	1	2	2	7	11	14	10	8	8	7	6	3	2	–	–
140–149	Of buccal cavity and pharynx	127	–	–	–	–	–	–	1	1	1	–	4	14	25	20	13	17	11	9	6	5	–	–
	White Male	72	–	–	–	–	–	–	1	–	1	–	2	9	13	15	9	11	4	4	1	2	–	–
	Female	49	–	–	–	–	–	–	–	1	–	–	2	4	10	4	4	5	6	5	5	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,648	–	–	–	2	1	–	2	7	13	19	37	85	140	208	252	267	226	176	140	61	12	–
	White Male	822	–	–	–	1	–	–	1	4	8	12	15	37	76	127	131	141	108	78	53	26	4	–
	Female	777	–	–	–	1	1	–	1	3	4	6	18	45	60	74	114	116	113	94	85	34	8	–
	All other Male	27	–	–	–	–	–	–	–	–	1	–	2	3	3	1	4	5	3	2	2	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	2	–	1	6	3	5	2	2	–	–	–	–
160–163	Of respiratory system	1,649	–	–	–	–	–	1	3	1	10	27	71	132	214	291	297	248	172	111	53	16	2	–
	White Male	1,174	–	–	–	–	–	1	2	–	4	13	35	97	132	206	225	192	137	86	34	10	–	–
	Female	427	–	–	–	–	–	–	1	–	5	14	29	31	75	78	65	49	32	24	17	5	2	–
	All other Male	40	–	–	–	–	–	–	–	–	1	–	7	3	3	7	7	6	3	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	1	4	–	–	1	–	–	–	1	–	–
174	Of breast	569	–	–	–	–	–	–	2	6	11	16	36	64	74	79	62	67	41	58	35	16	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	2	–	–	–	–
	Female	550	–	–	–	–	–	–	2	6	11	16	33	60	74	77	58	66	39	56	34	16	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	3	4	–	–	1	1	2	–	1	–	–	–
180–187	Of genital organs	769	–	–	–	–	4	7	5	7	6	8	21	37	64	80	92	112	111	93	91	22	9	–
	White Male	378	–	–	–	–	3	5	2	1	2	–	1	3	11	26	44	63	72	59	60	18	8	–
	Female	359	–	–	–	–	–	2	3	6	2	8	19	31	48	53	44	43	36	31	28	4	1	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	6	2	1	1	–	–	–
	Female	18	–	–	–	–	1	–	–	–	2	–	1	3	5	1	–	–	1	2	2	–	–	–
188, 189	Of urinary organs	309	1	1	–	–	–	1	–	2	1	2	6	18	21	28	47	51	46	40	30	11	3	–
	White Male	196	1	–	–	–	–	–	–	–	–	1	4	13	13	16	34	39	31	20	17	6	1	–
	Female	103	–	1	–	–	–	–	–	2	1	1	1	4	8	10	12	10	15	18	13	5	2	–
	All other Male	7	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	719	1	5	10	4	6	10	11	16	10	28	37	57	78	82	87	80	77	49	42	26	3	–
	White Male	354	–	1	8	4	4	8	8	5	5	13	19	27	39	48	45	41	35	22	13	7	2	–
	Female	342	1	2	2	–	2	2	3	11	5	14	17	25	37	34	37	38	39	26	28	18	1	–
	All other Male	12	–	1	–	–	–	–	–	–	–	1	1	3	–	–	2	–	3	–	1	–	–	–
	Female	11	–	1	–	–	–	–	–	–	–	–	–	2	2	–	3	1	–	1	–	1	–	–
204–207	Leukemia	279	1	3	10	5	6	7	3	5	5	5	10	11	13	23	28	39	39	33	20	11	2	–
	White Male	160	1	2	8	2	2	4	2	2	3	4	8	9	8	17	18	19	18	16	10	7	–	–
	Female	113	–	1	2	3	4	2	1	3	2	–	2	2	4	5	10	20	20	16	10	4	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	356	–	–	3	–	3	4	9	8	7	4	7	20	26	36	54	61	40	39	25	10	–	–
	White Male	165	–	–	2	–	1	2	6	5	3	2	3	13	14	14	26	28	16	12	12	6	–	–
	Female	177	–	–	–	–	2	2	3	3	4	2	4	6	10	18	28	33	19	27	12	4	–	–
	All other Male	10	–	–	1	–	–	–	–	–	–	–	–	1	1	2	–	–	4	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	67	2	–	–	3	1	–	–	–	2	4	5	4	4	2	11	7	7	7	6	1	1	–
	White Male	29	–	–	–	1	1	–	–	–	1	2	3	–	2	1	3	4	3	5	2	–	1	–
	Female	36	2	–	–	2	–	–	–	–	1	1	2	4	2	1	7	3	4	2	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	469	–	–	1	1	–	1	3	6	2	8	13	24	30	35	51	82	69	77	42	23	1	–
	White Male	199	–	–	1	–	–	–	–	3	1	4	7	13	14	19	22	36	29	30	15	4	1	–
	Female	255	–	–	–	1	–	1	3	3	1	4	3	9	14	15	28	43	39	46	26	19	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	1	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	51	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	4	4	11	10	11	5	–
	White Male	16	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	6	2	–	3	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	5	8	10	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
280–285	Anemias	46	–	–	1	1	–	–	–	–	1	–	1	1	–	2	1	3	7	13	8	5	2	–
	White..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	4	6	1	1	–
	Female	27	–	–	1	1	–	–	–	–	–	–	1	–	–	1	–	2	5	9	2	4	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	19	5	2	1	1	–	–	–	–	–	–	1	–	3	2	2	1	–	–	1	–	–	–
	White..... Male	7	2	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	11	3	1	–	1	–	–	–	–	–	–	1	–	2	–	1	1	–	–	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,719	14	6	1	1	10	12	22	28	57	116	268	473	772	1,102	1,467	1,855	2,181	2,499	2,163	1,215	457	–
	White..... Male	7,666	10	3	–	–	7	6	14	16	35	75	193	336	559	743	931	1,138	1,117	1,108	804	424	147	–
	Female	6,640	4	3	1	1	1	5	7	10	18	27	54	106	166	302	493	675	1,004	1,360	1,323	778	302	–
	All other..... Male	251	–	–	–	–	–	1	1	1	2	6	17	23	34	39	26	27	34	15	16	7	2	–
	Female	162	–	–	–	–	2	–	–	1	2	8	4	8	13	18	17	15	26	16	20	6	6	–
390–398, 402, 404, 410–429	Diseases of heart	10,717	13	3	–	–	6	8	13	21	45	94	227	401	661	915	1,127	1,402	1,543	1,736	1,414	797	291	–
	White..... Male	5,944	9	2	–	–	5	5	9	13	31	66	172	306	497	641	752	871	843	792	548	287	95	–
	Female	4,465	4	1	–	–	–	2	3	6	10	18	37	73	128	227	344	496	660	922	845	501	188	–
	All other..... Male	192	–	–	–	–	–	1	1	1	2	4	15	18	27	32	21	23	21	11	9	4	2	–
	Female	116	–	–	–	–	1	–	–	1	2	6	3	4	9	15	10	12	19	11	12	5	6	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	246	–	–	–	–	2	–	1	1	1	8	4	12	21	28	22	39	38	43	17	9	–	–
	White..... Male	118	–	–	–	–	1	–	1	–	–	3	2	10	13	17	11	16	11	19	10	4	–	–
	Female	125	–	–	–	–	–	–	–	1	1	3	2	2	8	11	11	23	27	24	7	5	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	121	–	–	–	–	–	–	–	–	–	–	4	6	8	10	10	12	19	27	11	12	2	–
	White..... Male	42	–	–	–	–	–	–	–	–	–	–	1	2	3	5	7	2	6	7	5	3	1	–
	Female	71	–	–	–	–	–	–	–	–	–	–	3	2	3	4	3	10	12	20	6	7	1	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
404	Hypertensive heart and renal disease	42	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	5	2	14	4	5	6	–
	White..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	9	2	3	2	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	5	2	2	4	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	9,305	1	–	–	–	–	2	5	12	38	75	187	337	546	775	995	1,239	1,365	1,525	1,258	696	249	–
	White..... Male	5,210	1	–	–	–	–	1	4	11	28	57	152	265	424	552	671	789	751	695	483	250	76	–
	Female	3,850	–	–	–	–	–	–	1	–	7	12	19	55	98	187	295	421	579	812	756	441	167	–
	All other..... Male	157	–	–	–	–	–	1	–	1	2	4	14	15	18	24	20	18	18	9	8	3	2	–
	Female	88	–	–	–	–	–	–	–	–	1	2	2	2	6	12	9	11	17	9	11	2	4	–
410	Acute myocardial infarction	4,223	1	–	–	–	–	2	3	9	25	53	129	202	320	442	545	636	627	601	409	170	49	–
	White..... Male	2,607	1	–	–	–	–	1	3	8	17	38	105	164	253	319	394	411	370	288	159	63	13	–
	Female	1,505	–	–	–	–	–	–	–	–	6	9	14	31	56	105	137	215	244	306	243	105	34	–
	All other..... Male	77	–	–	–	–	–	1	–	1	2	4	8	6	10	10	9	7	10	2	5	1	1	–
	Female	34	–	–	–	–	–	–	–	–	–	2	2	1	1	8	5	3	3	5	2	1	1	–
411	Other acute and subacute forms of ischemic heart disease	28	–	–	–	–	–	–	–	–	–	–	–	1	3	2	7	4	5	2	2	1	1	–
	White..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	3	3	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	1	1	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,049	–	–	–	–	–	–	2	3	13	22	56	134	222	331	443	599	732	922	847	524	199	–
	White..... Male	2,584	–	–	–	–	–	–	1	3	11	19	46	100	170	232	270	375	377	407	323	187	63	–
	Female	2,332	–	–	–	–	–	–	1	–	1	3	4	24	40	81	158	205	333	504	512	334	132	–
	All other..... Male	79	–	–	–	–	–	–	–	–	–	–	6	9	7	14	11	11	8	7	3	2	1	–
	Female	54	–	–	–	–	–	–	–	–	1	–	–	1	5	4	4	8	14	4	9	1	3	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	1	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	61	–	–	–	–	–	–	–	1	–	–	2	2	2	5	5	7	5	14	8	5	5	–
	White..... Male	26	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	5	2	5	4	2	2	–
	Female	33	–	–	–	–	–	–	–	1	–	–	–	1	–	4	4	2	3	8	4	3	3	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
420–423, 425–427, 429	All other forms of heart disease	942	12	3	–	–	4	6	7	7	6	11	30	43	82	96	93	100	114	113	116	70	29	–
	White..... Male	526	8	2	–	–	4	4	4	2	3	6	16	28	55	66	60	56	72	57	44	25	14	–
	Female	367	4	1	–	–	–	2	2	4	2	3	13	12	17	21	31	38	38	53	70	43	13	–
	All other..... Male	30	–	–	–	–	–	–	1	–	–	–	1	1	7	8	1	5	2	2	1	1	–	–
	Female	19	–	–	–	–	–	–	–	1	1	2	–	2	3	1	1	1	2	1	1	1	2	–
400, 401, 403	Hypertension	78	–	–	–	–	–	–	1	–	–	1	–	1	4	1	5	11	20	11	9	13	1	–
	White..... Male	34	–	–	–	–	–	–	–	–	–	1	–	–	3	–	4	3	7	5	5	5	1	–
	Female	44	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	8	13	6	4	8	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,891	1	3	1	1	4	4	7	6	9	19	35	51	87	131	245	311	468	572	545	290	101	–
	White..... Male	1,175	1	1	–	–	2	1	4	2	3	6	17	16	43	67	120	171	203	225	169	90	34	–
	Female	1,631	–	2	1	1	1	3	3	4	6	9	15	27	34	58	116	135	250	338	364	197	67	–
	All other..... Male	47	–	–	–	–	–	–	–	–	–	2	2	4	7	4	3	4	11	4	4	2	–	–
	Female	38	–	–	–	–	1	–	–	–	–	2	1	4	3	2	6	1	4	5	8	1	–	–
431	Cerebral hemorrhage	301	–	1	–	1	3	–	1	–	1	6	11	12	27	21	43	40	34	45	33	13	9	–
	White..... Male	129	–	–	–	–	1	–	1	–	1	–	5	5	11	9	19	20	19	19	9	7	3	–
	Female	153	–	1	–	1	1	–	–	–	–	3	5	2	13	11	22	19	15	25	23	6	6	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	1	1	3	3	–	–	–	–	–	–	–	–	–
	Female	11	–	–	–	–	1	–	–	–	–	2	–	2	–	1	2	1	–	1	1	–	–	–
433	Cerebral thrombosis	645	–	–	–	–	–	–	–	–	1	1	3	5	14	17	53	74	110	126	152	67	22	–
	White..... Male	252	–	–	–	–	–	–	–	–	1	–	1	2	8	9	24	48	49	39	46	14	11	–
	Female	378	–	–	–	–	–	–	–	–	–	–	2	2	5	7	28	26	57	85	103	52	11	–
	All other..... Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	4	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	2	1	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,937	1	2	1	–	1	4	6	6	7	12	21	34	44	93	148	196	323	401	358	209	70	–
	White..... Male	793	1	1	–	–	1	1	3	2	1	6	11	9	24	49	77	103	135	167	114	68	20	–
	Female	1,094	–	1	1	–	–	3	3	4	6	6	8	23	15	40	65	89	177	228	236	139	50	–
	All other..... Male	29	–	–	–	–	–	–	–	–	–	–	1	–	4	3	3	4	7	3	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	–	4	3	5	1	–	–
440	Arteriosclerosis	589	–	–	–	–	–	–	–	–	–	–	–	5	3	24	20	56	77	117	131	100	56	–
	White..... Male	232	–	–	–	–	–	–	–	–	–	–	–	4	2	15	7	34	24	52	46	33	15	–
	Female	346	–	–	–	–	–	–	–	–	–	–	–	1	1	6	12	22	49	65	83	66	41	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	2	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	444	–	–	–	–	–	–	1	1	3	2	6	15	17	31	70	75	73	63	64	15	8	–
	White..... Male	281	–	–	–	–	–	–	1	1	1	2	4	10	14	20	48	59	40	34	36	9	2	–
	Female	154	–	–	–	–	–	–	–	–	2	–	2	4	2	10	20	14	32	29	27	6	6	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	12	–	1	1	–	–	1	–	–	–	–	2	–	–	1	1	–	3	1	1	–	–	–
	White..... Male	7	–	–	1	–	–	1	–	–	–	–	1	–	–	1	1	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	815	23	5	5	4	5	2	2	8	5	–	9	15	26	28	54	61	113	156	143	108	43	–
	White..... Male	401	10	3	2	–	3	1	–	3	1	–	2	9	14	14	39	39	67	79	66	36	13	–
	Female	370	7	1	2	4	2	1	–	2	3	–	2	5	12	11	13	19	43	72	73	69	29	–
	All other..... Male	30	6	1	1	–	–	–	2	2	–	–	3	1	–	2	1	3	2	3	1	2	–	–
	Female	14	–	–	–	–	–	–	–	1	1	–	2	–	–	1	1	–	1	2	3	1	1	–
470–474	Influenza	39	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	3	5	6	10	7	2	–
	White..... Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	2	5	–	–	–
	Female	23	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	3	4	5	7	2	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	776	23	5	5	4	5	2	2	7	5	–	9	14	25	27	52	58	108	150	133	101	41	–
	White..... Male	385	10	3	2	–	3	1	–	3	1	–	2	8	14	13	37	36	65	77	61	36	13	–
	Female	347	7	1	2	4	2	1	–	1	3	–	2	5	11	11	13	19	40	68	68	62	27	–
	All other..... Male	30	6	1	1	–	–	–	2	2	–	–	3	1	–	2	1	3	2	3	1	2	–	–
	Female	14	–	–	–	–	–	–	–	1	1	–	2	–	–	1	1	–	1	2	3	1	1	–
490–493	Bronchitis, emphysema, and asthma	432	–	2	1	–	1	1	–	–	1	5	9	6	31	59	70	81	87	35	25	12	6	–
	White..... Male	295	–	1	–	–	1	–	–	–	–	3	4	2	19	38	54	56	64	28	14	10	1	–
	Female	130	–	1	1	–	–	1	–	–	1	2	5	4	12	19	16	23	21	7	11	2	4	–
	All other..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
490, 491	Chronic and unqualified bronchitis	72	–	1	1	–	–	–	–	–	–	–	3	1	4	7	10	11	15	5	7	1	6	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	2	1	1	3	7	9	12	3	2	–	1	–
	Female	30	–	1	1	–	–	–	–	–	–	–	1	–	3	4	3	2	3	2	5	1	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	324	–	–	–	–	–	–	–	–	–	4	5	5	25	49	52	61	69	30	15	9	–	–
	White Male	240	–	–	–	–	–	–	–	–	–	3	2	1	17	34	43	45	51	25	11	8	–	–
	Female	80	–	–	–	–	–	–	–	–	–	1	3	4	8	13	9	16	16	5	4	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	36	–	1	–	–	1	1	–	–	1	1	1	–	2	3	8	9	3	–	3	2	–	–
	White Male	14	–	1	–	–	1	–	–	–	–	–	–	–	1	1	4	2	1	–	1	2	–	–
	Female	20	–	–	–	–	–	1	–	–	1	1	1	–	1	2	4	5	2	–	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	95	–	–	–	–	–	–	–	–	–	2	1	5	3	10	15	14	8	21	13	1	2	–
	White Male	52	–	–	–	–	–	–	–	–	–	2	1	1	3	7	12	9	5	7	4	1	–	–
	Female	42	–	–	–	–	–	–	–	–	–	–	–	4	–	3	3	4	3	14	9	–	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	1	–	–	–	–	–	–	2	–	1	1	1	–	3	–	1	–	2	–
	White Male	10	–	–	–	1	–	–	–	–	–	–	2	–	1	1	1	–	2	–	1	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	110	11	1	1	–	–	1	1	1	1	–	1	3	2	11	8	5	16	20	20	4	3	–
	White Male	51	6	–	1	–	–	1	1	1	–	–	1	–	–	6	4	3	10	7	9	1	–	–
	Female	58	5	1	–	–	–	–	–	–	1	–	–	3	2	4	4	2	6	13	11	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	492	–	–	–	–	1	1	2	8	17	25	46	71	94	86	67	37	17	12	2	4	2	–
	White Male	274	–	–	–	–	1	–	1	2	10	9	26	40	51	53	34	23	13	8	1	–	2	–
	Female	168	–	–	–	–	–	1	–	2	2	8	14	23	33	29	31	13	3	4	1	4	–	–
	All other Male	30	–	–	–	–	–	–	–	1	4	6	3	4	7	3	1	–	1	–	–	–	–	–
	Female	20	–	–	–	–	–	–	1	3	1	2	3	4	3	1	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	34	1	–	–	–	–	–	–	–	1	–	1	1	1	1	2	1	1	8	3	11	2	–
	White Male	14	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	1	3	1	5	–	–
	Female	19	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	4	2	6	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	90	–	1	–	–	1	1	2	2	–	2	3	10	7	4	11	11	12	7	8	8	–	–
	White Male	39	–	1	–	–	1	–	1	1	–	–	1	3	1	2	7	5	2	5	3	6	–	–
	Female	39	–	–	–	–	–	1	–	–	–	2	1	5	4	2	4	4	7	2	5	2	–	–
	All other Male	4	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	3	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	80	–	1	–	–	1	1	2	2	–	2	3	10	6	3	9	9	9	6	8	8	–	–
	White Male	35	–	1	–	–	1	–	1	1	–	–	1	3	1	1	5	4	2	5	3	6	–	–
	Female	34	–	–	–	–	–	1	–	–	–	2	1	5	3	2	4	3	5	1	5	2	–	–
	All other Male	4	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	2	–	–	–	–	–
590	Infections of kidney	43	–	–	–	–	1	–	–	1	–	–	–	–	–	2	1	4	10	6	9	7	2	–
	White Male	20	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	6	3	4	3	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	3	5	4	2	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	228	138	16	6	5	6	3	7	3	3	3	5	2	7	10	5	2	2	2	2	1	–	–
	White Male	112	67	9	1	2	3	2	5	1	1	1	3	1	4	4	3	1	1	1	1	1	–	–
	Female	106	63	7	4	3	3	1	2	1	2	2	2	1	3	6	2	1	1	1	1	–	–	–
	All other Male	6	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	286	285	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	160	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	91	90	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	170	169	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	57	56	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	243	136	1	–	2	2	4	6	2	2	3	5	3	9	5	6	7	12	19	11	6	2	–
	White Male	115	66	–	–	1	1	3	5	1	1	2	1	–	8	3	3	3	4	8	4	1	–	–
	Female	100	49	1	–	1	1	1	–	1	1	–	2	3	1	1	3	4	7	11	7	4	2	–
	All other Male	15	12	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	13	9	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Residual	All other diseases	2,139	32	15	11	8	16	21	23	19	37	33	72	95	161	212	267	318	281	221	175	93	29	–
	White Male	1,205	12	9	7	4	13	15	14	9	17	20	34	51	94	132	164	195	157	127	89	33	9	–
	Female	831	15	5	4	4	2	2	7	9	8	11	24	33	56	70	98	117	119	88	82	57	20	–
	All other Male	55	3	1	–	–	–	3	1	–	7	1	9	4	7	6	4	2	2	3	1	1	–	–
	Female	48	2	–	–	–	1	1	1	1	5	1	5	7	4	4	1	4	3	3	3	2	–	–
E800–E949	Accidents	2,022	16	61	53	55	233	304	196	151	96	82	89	85	101	94	80	65	76	75	58	39	13	–
	White Male	1,308	6	35	29	35	151	239	141	104	72	51	59	51	69	52	53	37	37	39	27	13	8	–
	Female	572	10	21	20	12	58	54	35	37	20	16	23	24	28	36	24	25	37	35	27	25	5	–
	All other Male	110	–	2	3	8	18	8	15	7	3	12	4	9	2	6	3	3	2	1	3	1	–	–
	Female	32	–	3	1	–	6	3	5	3	1	3	3	1	2	–	–	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	988	6	28	27	30	161	210	110	81	49	39	34	33	43	30	27	27	22	19	11	1	–	–
	White Male	642	2	13	16	17	101	164	73	53	35	24	22	16	30	12	18	15	12	11	7	1	–	–
	Female	271	4	13	10	8	42	41	24	20	12	10	10	11	12	12	9	12	10	8	3	–	–	–
	All other Male	58	–	–	1	5	12	4	10	6	2	4	2	5	–	6	–	–	–	–	1	–	–	–
	Female	17	–	2	–	–	6	1	3	2	–	1	–	1	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,034	10	33	26	25	72	94	86	70	47	43	55	52	58	64	53	38	54	56	47	38	13	–
	White Male	666	4	22	13	18	50	75	68	51	37	27	37	35	39	40	35	22	25	28	20	12	8	–
	Female	301	6	8	10	4	16	13	11	17	8	6	13	13	16	24	15	13	27	27	24	25	5	–
	All other Male	52	–	2	2	3	6	4	5	1	1	8	2	4	2	–	3	3	2	1	2	1	–	–
	Female	15	–	1	1	–	–	2	2	1	1	2	3	–	1	–	–	–	–	–	1	–	–	–
E950–E959	Suicide	531	...	...	–	1	31	73	62	55	32	37	38	32	37	34	33	30	21	12	2	1	–	–
	White Male	379	...	...	–	1	27	61	42	34	22	24	26	20	23	27	24	23	15	8	2	–	–	–
	Female	129	...	...	–	–	2	8	17	16	7	12	10	12	13	7	9	6	6	3	–	1	–	–
	All other Male	18	...	...	–	–	1	3	3	3	2	1	2	–	1	–	–	1	–	1	–	–	–	–
	Female	5	...	...	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	170	3	2	2	5	13	27	29	12	12	9	13	12	7	7	6	4	1	1	1	1	–	3
	White Male	85	2	1	1	2	7	15	13	3	5	6	7	5	4	4	5	2	1	–	–	–	–	2
	Female	50	1	1	1	2	5	6	6	4	3	3	1	7	2	2	1	2	–	1	–	1	–	1
	All other Male	29	–	–	–	–	1	5	9	4	3	–	5	–	–	1	–	–	–	–	1	–	–	–
	Female	6	–	–	–	1	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	73	1	1	1	3	9	10	7	8	3	3	6	5	5	4	1	2	4	–	–	–	–	–
	White Male	37	–	1	–	3	5	7	4	4	1	1	4	2	1	2	–	1	1	–	–	–	–	–
	Female	20	1	–	1	–	2	–	1	4	–	1	1	2	2	–	1	1	3	–	–	–	–	–
	All other Male	12	–	–	–	–	–	2	1	–	2	1	1	1	2	2	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia																							
	All causes	**19,330**	**439**	**73**	**42**	**59**	**212**	**227**	**198**	**205**	**227**	**324**	**576**	**935**	**1,324**	**1,877**	**2,217**	**2,500**	**2,490**	**2,423**	**1,714**	**954**	**310**	**4**
	White ... Male	10,466	243	38	19	34	152	169	137	132	145	197	323	578	811	1,175	1,371	1,422	1,268	1,076	728	341	105	2
	Female	7,894	170	29	17	22	49	49	50	55	66	117	220	314	454	598	720	947	1,082	1,251	909	584	190	1
	All other ... Male	549	15	3	3	3	11	7	4	16	11	4	22	27	32	63	69	79	78	49	37	11	5	–
	Female	421	11	3	3	–	–	2	7	2	5	6	11	16	27	41	57	52	62	47	40	18	10	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	20	6	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	1	2	3	–	3	–
	White ... Male	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
	Female	11	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	1	–	2	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	37	–	–	–	–	–	–	–	–	–	–	1	3	6	5	7	2	4	5	3	–	1	–
	White ... Male	27	–	–	–	–	–	–	–	–	–	–	1	3	3	5	7	1	2	3	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–
	All other ... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	29	–	–	–	–	–	–	–	–	–	–	1	2	6	3	6	1	3	4	2	–	1	–
	White ... Male	20	–	–	–	–	–	–	–	–	–	–	1	2	3	3	6	–	2	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–
	All other ... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	1	–	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	62	3	–	–	–	1	1	1	1	–	1	3	5	2	3	7	9	12	6	6	–	1	–
	White ... Male	30	1	–	–	–	–	–	1	–	–	–	2	4	1	3	2	5	5	3	2	–	1	–
	Female	27	2	–	–	–	1	1	–	1	–	1	1	1	–	–	4	4	6	2	3	–	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	39	4	2	1	–	3	2	–	–	–	1	3	2	3	2	1	8	2	1	2	2	–	–
	White ... Male	12	1	–	–	–	–	1	–	–	–	1	1	1	2	–	–	4	–	–	1	–	–	–
	Female	22	3	2	–	–	1	1	–	–	–	–	1	1	1	1	1	4	2	1	1	2	–	–
	All other ... Male	3	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,580	–	3	7	9	12	10	19	35	39	75	151	258	357	490	525	537	440	331	212	59	11	–
	White..... Male	1,914	–	2	2	6	6	8	12	18	15	29	51	127	181	297	315	316	232	162	106	23	6	–
	Female	1,521	–	1	5	3	6	2	5	16	22	45	91	125	165	172	188	195	187	159	96	33	5	–
	All other..... Male	85	–	–	–	–	–	–	1	1	1	1	4	2	5	14	11	19	10	5	9	2	–	–
	Female	60	–	–	–	–	–	–	1	–	1	–	5	4	6	7	11	7	11	5	1	1	–	–
140–149	Of buccal cavity and pharynx	58	–	–	–	–	–	–	1	–	1	1	2	4	7	13	11	5	6	2	2	3	–	–
	White..... Male	33	–	–	–	–	–	–	1	–	1	1	1	4	5	6	7	2	2	1	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	2	5	1	3	4	1	1	2	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	872	–	–	–	–	2	1	3	4	5	13	19	49	82	97	136	140	124	109	69	14	5	–
	White..... Male	439	–	–	–	–	1	–	2	3	4	4	7	30	47	65	75	65	52	45	29	7	3	–
	Female	393	–	–	–	–	1	1	–	1	–	9	9	17	32	30	55	70	66	62	33	5	2	–
	All other..... Male	27	–	–	–	–	–	–	–	–	1	–	2	1	2	1	3	5	3	2	6	1	–	–
	Female	13	–	–	–	–	–	–	1	–	–	–	1	1	1	1	3	–	3	–	1	1	–	–
160–163	Of respiratory system	961	–	–	–	–	–	–	1	2	7	14	37	82	123	172	178	165	88	59	22	8	3	–
	White..... Male	705	–	–	–	–	–	–	1	2	4	10	23	51	89	128	133	133	70	40	15	4	2	–
	Female	223	–	–	–	–	–	–	–	–	3	4	14	30	29	37	39	25	13	18	7	3	1	–
	All other..... Male	25	–	–	–	–	–	–	–	–	–	–	–	1	3	6	3	7	3	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	2	–	–	–	–	–
174	Of breast	264	–	–	–	–	–	–	1	5	9	10	29	31	40	37	26	30	20	16	7	3	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–
	Female	246	–	–	–	–	–	–	1	5	9	10	28	28	38	35	25	25	18	15	6	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	4	2	1	–	–	–	–
180–187	Of genital organs	401	–	–	–	–	2	4	2	5	4	9	21	22	27	35	46	53	59	57	41	12	2	–
	White..... Male	180	–	–	–	–	2	4	2	2	–	–	–	2	2	10	23	21	40	33	32	6	1	–
	Female	202	–	–	–	–	–	–	–	3	4	9	20	20	24	20	22	28	16	21	8	6	1	–
	All other..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	1	2	1	–	–	–	–
188, 189	Of urinary organs	172	–	–	–	–	–	–	1	–	–	4	11	12	10	29	28	22	24	16	12	2	1	–
	White..... Male	115	–	–	–	–	–	–	1	–	–	2	6	8	6	25	20	19	14	11	3	–	–	–
	Female	54	–	–	–	–	–	–	–	–	–	2	5	4	4	4	8	2	9	4	9	2	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	537	–	1	2	4	3	2	4	11	10	15	24	41	44	68	68	68	84	46	32	10	–	–
	White..... Male	263	–	1	–	2	1	1	1	7	4	7	11	21	18	40	39	39	38	20	11	2	–	–
	Female	252	–	–	2	2	2	1	2	4	5	7	11	18	26	26	26	25	42	25	20	8	–	–
	All other..... Male	11	–	–	–	–	–	–	1	–	–	1	–	–	–	2	1	3	2	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	2	2	–	–	2	1	2	1	–	–	–	–
204–207	Leukemia	142	–	2	5	3	3	–	3	6	3	4	4	6	8	11	17	23	15	12	14	3	–	–
	White..... Male	79	–	1	2	2	–	–	2	3	2	3	1	4	6	7	10	15	6	7	7	1	–	–
	Female	61	–	1	3	1	3	–	1	3	1	1	2	2	2	4	6	8	9	5	7	2	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	173	–	–	–	2	2	3	3	2	–	5	4	11	16	28	15	31	20	14	13	4	–	–
	White..... Male	96	–	–	–	2	2	3	2	1	–	2	2	5	8	16	8	21	10	5	7	2	–	–
	Female	71	–	–	–	–	–	–	1	–	–	3	2	6	8	11	6	9	10	8	5	2	–	–
	All other..... Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	62	2	–	–	–	1	–	1	–	3	3	1	2	6	6	8	10	11	3	3	2	–	–
	White..... Male	29	1	–	–	–	–	–	1	–	2	2	–	1	3	2	4	4	6	1	2	–	–	–
	Female	31	1	–	–	–	1	–	–	–	1	1	1	–	3	4	4	5	5	2	1	2	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	332	–	–	–	1	1	1	2	5	2	4	6	14	22	33	40	48	53	57	28	15	–	–
	White..... Male	130	–	–	–	1	1	–	–	2	1	2	2	9	6	14	15	22	20	21	9	5	–	–
	Female	175	–	–	–	–	–	1	1	2	–	2	4	4	15	15	18	23	31	34	16	9	–	–
	All other..... Male	10	–	–	–	–	–	–	1	–	1	–	–	–	–	1	3	1	–	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	–	1	1	3	4	2	2	1	2	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	46	1	1	–	–	–	1	–	–	–	1	1	–	–	3	4	2	6	12	13	1	–	–
	White..... Male	16	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	4	5	4	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	1	–	–	3	3	2	2	7	9	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia – Con.																							
280–285	Anemias	30	–	1	–	–	1	–	–	–	–	–	–	–	–	3	2	1	7	9	4	2	–	–
	White Male	11	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	2	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	4	4	1	2	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
320	Meningitis	11	7	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,178	8	10	4	6	5	6	14	30	58	114	209	368	609	952	1,150	1,389	1,521	1,608	1,178	693	243	3
	White Male	5,285	7	6	2	3	1	3	9	24	41	83	136	255	416	605	718	765	754	665	476	238	77	1
	Female	4,372	1	3	1	3	3	2	2	3	14	25	57	97	165	290	368	545	676	874	653	437	152	1
	All other Male	263	–	–	–	–	1	1	–	3	1	2	13	12	12	31	31	42	49	36	20	4	5	–
	Female	258	–	1	1	–	–	–	3	–	2	4	3	4	16	26	33	37	42	33	29	14	9	1
390–398, 402, 404, 410–429	Diseases of heart	7,921	6	9	–	3	3	4	10	23	48	89	174	328	536	795	946	1,091	1,155	1,188	854	481	175	3
	White Male	4,308	5	5	–	2	–	2	6	18	35	69	120	229	372	515	616	611	582	504	374	181	61	1
	Female	3,214	1	3	–	1	2	1	2	3	10	17	41	86	139	234	285	417	502	633	445	288	103	1
	All other Male	215	–	–	–	–	1	1	–	2	1	2	10	10	11	27	22	37	41	26	17	2	5	–
	Female	184	–	1	–	–	–	–	2	–	2	1	3	3	14	19	23	26	30	25	18	10	6	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	129	–	1	–	2	–	1	1	3	7	3	6	6	19	23	14	13	8	11	6	5	–	–
	White Male	59	–	1	–	2	–	–	1	1	3	1	3	–	8	14	9	5	5	4	–	2	–	–
	Female	65	–	–	–	–	–	–	–	2	4	2	3	6	10	9	5	6	2	7	6	3	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
402	Hypertensive heart disease	77	–	–	–	–	–	–	–	1	1	1	2	3	6	7	8	9	13	11	12	1	2	–
	White Male	29	–	–	–	–	–	–	–	1	1	–	–	3	–	5	3	5	5	2	3	–	1	–
	Female	39	–	–	–	–	–	–	–	–	–	1	1	–	3	–	4	3	8	9	9	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–	1	–
404	Hypertensive heart and renal disease	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	6	6	3	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6	4	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	7,119	–	1	–	–	–	–	6	16	32	76	156	290	467	713	854	993	1,058	1,093	766	435	160	3
	White Male	3,930	–	–	–	–	–	–	4	14	27	62	112	211	337	462	565	568	540	464	341	165	57	1
	Female	2,837	–	1	–	–	–	–	1	–	4	12	33	69	110	209	246	373	454	581	391	258	94	1
	All other Male	192	–	–	–	–	–	–	–	2	–	2	8	8	11	25	20	32	36	24	17	2	5	–
	Female	160	–	–	–	–	–	–	1	–	1	–	3	2	9	17	23	20	28	24	17	10	4	1
410	Acute myocardial infarction	3,569	–	1	–	–	–	–	3	8	20	55	108	200	326	445	525	562	492	425	260	105	34	–
	White Male	2,172	–	–	–	–	–	–	3	7	19	45	83	149	231	308	374	329	254	191	128	39	12	–
	Female	1,248	–	1	–	–	–	–	–	–	1	8	19	44	81	117	133	210	210	215	123	65	21	–
	All other Male	92	–	–	–	–	–	–	–	1	–	2	5	6	7	10	12	15	16	13	4	–	1	–
	Female	57	–	–	–	–	–	–	–	–	–	–	1	1	7	10	6	8	12	6	5	1	–	–
411	Other acute and subacute forms of ischemic heart disease	25	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	2	7	7	–	1	–	–
	White Male	15	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	1	3	3	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,523	–	–	–	–	–	–	3	7	12	21	48	89	139	265	327	429	559	660	506	329	126	3
	White Male	1,743	–	–	–	–	–	–	1	6	8	17	29	61	104	152	189	238	283	270	213	126	45	1
	Female	1,581	–	–	–	–	–	–	1	–	3	4	14	25	29	92	113	163	241	362	268	192	73	1
	All other Male	96	–	–	–	–	–	–	–	1	–	–	3	2	4	14	8	16	19	10	13	2	4	–
	Female	103	–	–	–	–	–	–	1	–	1	–	2	1	2	7	17	12	16	18	12	9	4	1
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	46	–	–	–	–	–	1	–	–	2	–	–	2	3	7	1	7	4	3	11	2	3	–
	White Male	20	–	–	–	–	–	1	–	–	1	–	–	–	–	3	1	2	4	2	4	1	1	–
	Female	24	–	–	–	–	–	–	–	–	1	–	–	2	3	3	–	5	–	1	7	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia – Con.																							
420–423, 425–427, 429	All other forms of heart disease	528	6	7	–	1	3	2	3	3	6	9	10	27	40	43	67	68	71	64	53	35	10	–
	White..... Male	262	5	4	–	–	–	1	1	2	3	6	5	15	26	29	37	30	27	32	24	13	2	–
	Female	235	1	2	–	1	2	1	1	1	1	2	4	9	13	13	29	30	38	29	28	22	8	–
	All other..... Male	18	–	–	–	–	1	–	–	–	1	–	1	2	–	1	1	5	4	2	–	–	–	–
	Female	13	–	1	–	–	–	–	1	–	1	1	–	1	1	–	–	3	2	1	1	–	–	–
400, 401, 403	Hypertension	60	–	–	–	–	–	–	–	–	–	–	3	1	4	3	4	8	9	13	11	3	1	–
	White..... Male	28	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	3	4	5	6	1	1	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	4	8	5	2	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,681	2	1	4	2	1	2	4	7	9	18	25	27	50	120	152	229	275	322	234	156	41	–
	White..... Male	703	2	1	2	1	–	1	3	6	5	10	10	16	27	64	74	112	124	122	71	40	12	–
	Female	881	–	–	1	1	1	1	–	–	4	5	14	8	21	47	62	106	134	184	152	113	27	–
	All other..... Male	33	–	–	–	–	–	–	–	1	–	–	1	2	–	3	7	3	6	8	2	–	–	–
	Female	64	–	–	1	–	–	–	1	–	–	3	–	1	2	6	9	8	11	8	9	3	2	–
431	Cerebral hemorrhage	239	1	–	4	1	1	–	–	3	4	8	5	9	13	27	20	36	38	33	19	15	2	–
	White..... Male	109	1	–	2	–	–	–	–	3	1	5	2	5	9	15	11	15	19	11	5	5	–	–
	Female	116	–	–	1	1	1	–	–	–	3	1	3	4	4	11	6	18	19	20	12	10	2	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	12	–	–	1	–	–	–	–	–	–	2	–	–	–	1	2	3	–	1	2	–	–	–
433	Cerebral thrombosis	362	–	–	–	–	–	–	–	–	–	3	3	2	5	20	35	46	62	70	64	43	9	–
	White..... Male	158	–	–	–	–	–	–	–	–	–	3	2	1	4	11	18	21	33	31	24	8	2	–
	Female	181	–	–	–	–	–	–	–	–	–	–	1	–	1	7	14	22	23	35	37	34	7	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	3	2	1	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,074	1	1	–	1	–	2	4	4	5	7	17	16	32	73	96	145	174	217	151	98	30	–
	White..... Male	436	1	1	–	1	–	1	3	3	4	2	6	10	14	38	45	76	72	80	42	27	10	–
	Female	579	–	–	–	–	–	1	–	–	1	4	10	4	16	29	42	64	91	127	103	69	18	–
	All other..... Male	23	–	–	–	–	–	–	–	1	–	–	1	2	–	2	4	2	4	6	1	–	–	–
	Female	36	–	–	–	–	–	–	1	–	–	1	–	–	2	4	5	3	7	4	5	2	2	–
440	Arteriosclerosis	271	–	–	–	–	–	–	–	–	–	1	2	1	5	8	15	25	46	49	62	39	18	–
	White..... Male	113	–	–	–	–	–	–	–	–	–	–	2	1	4	7	10	15	20	19	21	13	1	–
	Female	149	–	–	–	–	–	–	–	–	–	1	–	–	1	1	4	10	25	28	38	25	16	–
	All other..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	245	–	–	–	1	1	–	–	–	1	6	5	11	14	26	33	36	36	36	17	14	8	–
	White..... Male	133	–	–	–	–	1	–	–	–	1	4	3	9	10	18	15	24	24	15	4	3	2	–
	Female	102	–	–	–	1	–	–	–	–	–	2	1	2	4	7	16	9	11	21	13	9	6	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	7	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	White..... Male	6	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	532	24	3	–	2	2	1	4	1	6	4	5	11	23	27	47	57	80	83	68	66	18	–
	White..... Male	292	14	3	–	–	2	–	1	1	3	2	2	7	14	17	30	36	43	43	34	31	9	–
	Female	217	9	–	–	2	–	1	3	–	2	2	2	3	7	9	14	17	32	39	32	34	9	–
	All other..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	4	–	1	1	–	–
	Female	10	1	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	1	1	1	–	–	–
470–474	Influenza	8	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	–	1	1	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	524	24	3	–	2	2	1	3	1	6	4	5	11	22	25	45	57	79	82	68	66	18	–
	White..... Male	289	14	3	–	–	2	–	1	1	3	2	2	7	14	16	28	36	43	43	34	31	9	–
	Female	213	9	–	–	2	–	1	2	–	2	2	2	3	6	9	14	17	31	38	32	34	9	–
	All other..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	4	–	1	1	–	–
	Female	10	1	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	1	1	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	258	1	1	–	–	1	–	–	1	1	3	7	8	22	36	49	49	29	32	12	5	1	–
	White..... Male	177	1	–	–	–	–	–	–	1	1	2	4	4	9	24	34	38	21	25	10	3	–	–
	Female	73	–	1	–	–	–	–	–	–	–	1	3	4	11	11	14	10	6	7	2	2	1	–
	All other..... Male	8	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	1	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia — Con.																							
490, 491	Chronic and unqualified bronchitis	47	1	1	–	–	–	–	–	1	–	–	2	1	1	7	10	10	7	5	–	–	1	–
	White ..... Male	30	1	–	–	–	–	–	–	1	–	–	1	–	–	5	8	7	3	4	–	–	–	–
	Female	16	–	1	–	–	–	–	–	–	–	–	1	1	1	2	2	3	3	1	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	188	–	–	–	–	–	–	–	–	1	2	5	6	18	25	37	35	21	24	10	4	–	–
	White ..... Male	137	–	–	–	–	–	–	–	–	1	2	3	4	8	16	26	30	17	19	9	2	–	–
	Female	46	–	–	–	–	–	–	–	–	–	–	2	2	9	8	10	4	3	5	1	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	23	–	–	–	–	1	–	–	–	–	1	–	1	3	4	2	4	1	3	2	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	2	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	3	–	1	1	–	–	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	57	–	–	–	–	1	–	–	–	3	2	2	3	4	7	6	7	8	8	5	1	–	–
	White ..... Male	36	–	–	–	–	1	–	–	–	2	–	2	3	4	6	5	4	3	2	3	1	–	–
	Female	19	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	3	5	5	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
540–543	Appendicitis	10	–	–	1	–	–	–	–	1	–	–	–	1	–	–	2	1	1	1	2	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	1	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	57	5	1	1	–	–	–	–	1	1	–	1	2	2	6	7	2	12	5	5	4	2	–
	White ..... Male	26	4	1	–	–	–	–	–	–	–	–	–	–	2	4	3	2	6	2	–	2	–	–
	Female	29	1	–	–	–	–	–	–	1	1	–	1	1	–	2	4	–	6	3	5	2	2	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	286	–	1	–	–	–	–	2	8	9	19	33	47	46	48	33	16	12	4	5	2	1	–
	White ..... Male	194	–	1	–	–	–	–	2	5	6	13	21	33	34	31	22	10	10	3	2	1	–	–
	Female	75	–	–	–	–	–	–	–	–	1	6	9	12	11	14	8	6	2	1	3	1	1	–
	All other ..... Male	12	–	–	–	–	–	–	–	2	1	–	2	1	1	3	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	36	1	–	–	–	–	–	–	–	2	1	1	2	–	–	3	5	3	9	4	4	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	6	1	1	–	–
	Female	15	1	–	–	–	–	–	–	–	1	1	1	1	–	–	–	2	1	2	2	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	77	1	1	1	2	–	–	–	1	–	1	2	2	5	7	10	5	18	14	6	1	–	–
	White ..... Male	35	–	1	–	1	–	–	–	1	–	1	–	2	2	2	3	2	11	7	2	–	–	–
	Female	33	1	–	–	1	–	–	–	–	–	–	2	–	3	3	4	3	6	5	4	1	–	–
	All other ..... Male	6	–	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	22	–	1	1	1	–	–	–	1	–	–	1	1	–	3	4	–	6	2	1	–	–	–
	White ..... Male	14	–	1	–	1	–	–	–	1	–	–	–	1	–	2	1	–	4	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	–	–
	All other ..... Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	55	1	–	–	1	–	–	–	–	–	1	1	1	5	4	6	5	12	12	5	1	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	2	7	5	1	–	–	–
	Female	27	1	–	–	1	–	–	–	–	–	–	1	–	3	2	2	3	4	5	4	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
590	Infections of kidney	38	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	8	7	5	10	2	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	3	2	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	5	2	7	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	2	–	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	2	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	118	81	8	2	3	5	1	2	1	1	1	2	1	1	7	–	–	–	1	–	1	–	–
	White Male	55	40	2	1	1	3	1	2	–	–	–	–	1	–	3	–	–	–	–	–	1	–	–
	Female	56	36	6	1	2	2	–	–	1	1	1	1	–	1	3	–	–	–	1	–	–	–	–
	All other Male	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	230	229	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	130	129	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	130	129	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	74	73	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	317	44	2	–	1	–	2	1	4	4	6	5	13	17	26	36	36	34	28	26	20	12	–
	White Male	168	26	–	–	1	–	1	–	3	3	5	4	10	10	17	24	16	15	11	10	8	4	–
	Female	130	15	2	–	–	–	–	1	1	1	1	1	3	7	6	8	17	18	17	13	12	7	–
	All other Male	12	3	–	–	–	–	1	–	–	–	–	–	–	–	1	4	1	–	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	1	–	1	–
Residual	All other diseases	1,436	15	11	4	4	10	15	20	18	17	22	53	95	106	133	207	236	174	151	85	49	11	–
	White Male	808	6	3	2	–	6	5	9	7	9	12	30	48	63	93	130	142	94	83	43	19	4	–
	Female	543	8	6	2	4	3	8	8	11	6	8	22	38	38	35	59	83	70	63	38	26	7	–
	All other Male	62	–	2	–	–	1	2	1	–	2	1	1	6	5	4	13	9	9	3	2	1	–	–
	Female	23	1	–	–	–	–	–	2	–	–	1	–	3	–	1	5	2	1	2	2	3	–	–
E800–E949	Accidents	1,060	2	25	19	29	144	148	92	55	52	42	53	60	60	49	44	47	40	40	31	25	3	–
	White Male	745	1	16	11	20	114	123	75	42	44	30	39	45	39	32	28	28	21	19	12	5	1	–
	Female	275	1	7	7	6	28	21	16	9	5	12	14	12	15	14	16	18	14	21	18	19	2	–
	All other Male	29	–	1	–	3	2	2	1	4	3	–	–	3	4	3	–	–	2	–	–	1	–	–
	Female	11	–	1	1	–	–	2	–	–	–	–	–	–	2	–	–	1	3	–	1	–	–	–
E810–E823	Motor vehicle accidents	503	–	7	9	14	98	101	68	30	19	26	26	19	30	19	10	10	5	9	2	–	1	–
	White Male	375	–	5	5	9	77	87	53	23	13	18	16	15	19	12	7	6	2	6	1	–	1	–
	Female	115	–	2	4	4	20	13	14	6	4	8	10	4	8	6	3	3	2	3	1	–	–	–
	All other Male	10	–	–	–	1	1	–	1	1	2	–	–	–	2	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	557	2	18	10	15	46	47	24	25	33	16	27	41	30	30	34	37	35	31	29	25	2	–
	White Male	370	1	11	6	11	37	36	22	19	31	12	23	30	20	20	21	22	19	13	11	5	–	–
	Female	160	1	5	3	2	8	8	2	3	1	4	4	8	7	8	13	15	12	18	17	19	2	–
	All other Male	19	–	1	–	2	1	2	–	3	1	–	–	3	2	2	–	–	1	–	–	1	–	–
	Female	8	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	3	–	1	–	–	–
E950–E959	Suicide	225	...	...	–	–	13	22	24	19	14	11	22	19	22	19	19	10	8	2	–	–	1	–
	White Male	165	...	...	–	–	12	15	15	13	10	8	16	14	15	12	17	7	8	2	–	–	1	–
	Female	60	...	...	–	–	1	7	9	6	4	3	6	5	7	7	2	3	–	–	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	117	1	–	–	–	6	12	11	19	10	8	10	11	6	10	5	4	1	2	–	–	–	1
	White Male	78	1	–	–	–	3	9	8	11	5	6	8	7	4	6	5	3	–	1	–	–	–	1
	Female	26	–	–	–	–	1	2	3	2	4	2	2	3	2	3	–	1	1	–	–	–	–	–
	All other Male	12	–	–	–	–	2	1	–	6	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E980–E999	Other external causes	53	–	–	1	1	4	3	4	4	5	5	5	3	3	4	2	5	3	–	1	–	–	–
	White Male	36	–	–	–	1	3	2	2	3	3	1	4	1	3	2	2	5	3	–	1	–	–	–
	Female	13	–	–	–	–	1	1	1	1	2	3	–	2	–	2	–	–	–	–	–	–	–	–
	All other Male	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin																							
	All causes	**39,347**	**777**	**175**	**108**	**126**	**426**	**440**	**373**	**315**	**343**	**488**	**893**	**1,448**	**2,283**	**3,106**	**4,205**	**4,889**	**5,542**	**5,780**	**4,555**	**2,337**	**734**	**4**
	White Male	21,009	400	93	68	82	303	317	223	175	181	301	499	864	1,443	1,921	2,593	2,898	2,986	2,742	1,870	843	206	1
	White Female	17,325	287	66	29	33	99	91	113	107	129	160	339	503	782	1,094	1,506	1,900	2,481	2,974	2,633	1,478	520	1
	All other Male	597	52	6	8	8	13	15	23	21	21	19	34	53	33	59	63	56	42	35	23	11	2	–
	All other Female	416	38	10	3	3	11	17	14	12	12	8	21	28	25	32	43	35	33	29	29	5	6	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	50	9	3	–	–	–	1	2	1	1	1	1	–	1	2	2	3	4	9	7	3	–	–
	White Male	18	–	2	–	–	–	1	1	1	–	1	–	–	1	–	1	2	2	2	2	2	–	–
	White Female	26	5	1	–	–	–	–	1	–	1	–	1	–	–	2	1	1	1	7	4	1	–	–
	All other Male	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	35	1	–	–	–	–	–	–	–	–	2	2	1	4	5	1	4	3	7	1	3	1	–
	White Male	19	1	–	–	–	–	–	–	–	–	–	–	1	3	3	–	2	2	4	1	1	1	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	1	3	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	27	1	–	–	–	–	–	–	–	–	2	1	1	3	3	–	3	3	6	–	3	1	–
	White Male	17	1	–	–	–	–	–	–	–	–	–	–	1	3	2	–	2	2	4	–	1	1	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	–	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	5	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	8	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	105	9	2	1	–	1	1	–	–	1	–	2	5	9	11	10	4	17	19	9	3	1	–
	White Male	55	5	1	–	–	1	1	–	–	1	–	1	4	5	7	4	3	9	9	3	1	–	–
	White Female	46	3	1	–	–	–	–	–	–	–	–	1	1	4	4	6	1	7	9	6	2	1	–
	All other Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	77	4	3	2	2	4	3	1	2	4	3	2	6	7	8	4	4	7	7	2	1	1	–
	White Male	42	1	–	2	–	3	2	1	–	2	1	2	5	5	4	2	1	5	4	1	1	–	–
	White Female	27	2	3	–	1	1	1	–	–	1	1	–	1	2	2	2	3	2	3	1	–	1	–
	All other Male	3	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	1	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,136	3	19	14	22	27	37	40	56	69	139	273	488	744	991	1,186	1,179	1,091	955	551	211	41	–
	White Male	4,270	1	10	12	17	19	26	17	22	17	63	103	223	377	527	654	707	624	472	266	97	16	–
	Female	3,666	1	7	2	4	6	7	20	31	49	70	153	237	348	443	496	452	452	472	281	112	23	–
	All other Male	121	1	1	–	–	–	3	1	1	1	3	12	18	12	12	23	12	9	8	3	1	–	–
	Female	79	–	1	–	1	2	1	2	2	2	3	5	10	7	9	13	8	6	3	1	1	2	–
140–149	Of buccal cavity and pharynx	175	–	–	1	–	–	–	–	–	–	3	7	11	17	36	34	21	19	16	6	4	–	–
	White Male	115	–	–	1	–	–	–	–	–	–	1	4	9	10	24	25	15	14	8	3	1	–	–
	Female	57	–	–	–	–	–	–	–	–	–	2	3	1	7	11	9	6	4	8	3	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,256	–	1	–	–	1	2	2	8	9	31	49	125	191	238	314	348	331	331	185	75	15	–
	White Male	1,197	–	1	–	–	–	1	1	4	3	20	21	63	107	140	176	215	174	160	76	30	5	–
	Female	1,004	–	–	–	–	1	1	–	2	5	9	23	55	79	96	131	127	150	166	106	45	8	–
	All other Male	28	–	–	–	–	–	–	1	1	–	1	4	5	2	–	2	3	5	2	2	–	–	–
	Female	27	–	–	–	–	–	–	–	1	1	1	1	2	3	2	5	3	2	3	1	–	2	–
160–163	Of respiratory system	1,667	–	–	–	1	–	2	–	1	5	25	70	136	206	276	297	282	202	106	46	12	–	–
	White Male	1,258	–	–	–	1	–	2	–	1	1	15	39	89	148	194	239	229	170	86	35	9	–	–
	Female	353	–	–	–	–	–	–	–	–	4	7	25	38	48	73	47	46	31	20	11	3	–	–
	All other Male	47	–	–	–	–	–	–	–	–	–	2	5	7	9	7	10	6	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	1	–	–	–	–	–	–
174	Of breast	818	–	–	–	–	–	–	4	12	17	27	52	66	99	102	114	92	73	85	56	12	7	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	1	–	1	–	–	–
	Female	801	–	–	–	–	–	–	4	12	16	26	50	63	99	99	112	90	72	85	55	11	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	1	–	2	–	1	2	2	–	–	–	1	–	–
180–187	Of genital organs	955	–	–	–	1	–	4	9	4	11	13	18	42	67	111	119	120	152	155	98	25	6	–
	White Male	474	–	–	–	–	–	2	5	2	4	2	2	2	13	35	44	63	104	101	74	17	4	–
	Female	458	–	–	–	–	–	2	4	2	7	11	15	38	53	73	70	53	47	51	23	7	2	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	–	3	1	1	–	–
	Female	9	–	–	–	1	–	–	–	–	–	–	1	1	1	1	2	1	1	–	–	–	–	–
188, 189	Of urinary organs	435	–	–	1	–	–	–	–	–	1	3	11	17	35	41	55	53	79	60	49	26	4	–
	White Male	288	–	–	–	–	–	–	–	–	1	2	6	13	30	31	41	37	53	28	27	17	2	–
	Female	143	–	–	1	–	–	–	–	–	–	1	4	4	5	10	13	16	24	32	22	9	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	987	3	14	7	4	14	17	13	18	18	25	34	52	78	100	146	143	113	93	59	29	7	–
	White Male	479	1	7	6	3	10	13	7	11	5	17	12	21	37	48	72	80	54	38	24	9	4	–
	Female	475	1	6	1	1	2	2	6	7	13	8	19	25	39	48	68	62	56	53	35	20	3	–
	All other Male	18	1	1	–	–	–	1	–	–	–	–	2	3	1	2	4	–	1	2	–	–	–	–
	Female	15	–	–	–	–	2	1	–	–	–	–	1	3	1	2	2	1	2	–	–	–	–	–
204–207	Leukemia	354	–	4	4	12	9	5	6	7	4	6	10	11	18	27	35	48	58	44	24	20	2	–
	White Male	201	–	2	4	10	8	3	2	3	1	1	5	7	12	20	17	33	29	21	11	11	1	–
	Female	149	–	1	–	2	1	1	3	3	3	5	5	4	6	7	18	15	29	23	13	9	1	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	489	–	–	1	4	3	7	6	6	4	6	22	28	33	60	72	72	64	65	28	8	–	–
	White Male	252	–	–	1	3	1	5	2	1	2	5	12	19	20	33	40	35	25	30	15	3	–	–
	Female	226	–	–	–	1	2	1	3	5	1	1	9	9	12	26	28	37	39	34	13	5	–	–
	All other Male	7	–	–	–	–	–	1	–	–	1	–	–	–	–	1	3	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	71	2	1	–	–	–	–	3	2	1	–	2	1	4	7	10	8	10	14	6	–	–	–
	White Male	24	–	–	–	–	–	–	2	1	1	–	–	–	1	1	3	3	6	5	1	–	–	–
	Female	47	2	1	–	–	–	–	1	1	–	–	2	1	3	6	7	5	4	9	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	702	–	–	–	–	1	5	7	4	11	13	20	16	35	65	75	119	90	121	77	32	11	–
	White Male	285	–	–	–	–	–	2	3	3	6	11	11	8	17	28	37	46	39	40	26	8	–	–
	Female	392	–	–	–	–	1	1	3	1	5	2	7	6	16	33	35	70	48	80	49	24	11	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–
	Female	19	–	–	–	–	–	2	–	–	–	–	2	1	2	2	2	2	3	1	2	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	75	–	1	–	–	–	–	–	1	–	–	–	1	4	4	6	3	6	13	18	11	7	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	3	9	3	4	4	–
	Female	40	–	1	–	–	–	–	–	1	–	–	–	–	–	2	4	–	3	4	15	7	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
280–285	Anemias	50	–	1	1	–	–	1	–	–	1	–	–	–	1	2	7	3	11	9	7	5	1	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	9	5	4	–	–	–
	Female	22	–	1	–	–	–	1	–	–	–	–	–	–	–	–	4	1	2	4	3	5	1	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	26	9	6	–	1	–	–	–	–	–	–	–	1	1	3	–	2	2	1	–	–	–	–
	White Male	12	1	3	–	1	–	–	–	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–
	Female	11	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	21,197	17	4	3	8	6	13	29	38	73	143	302	572	994	1,398	2,190	2,759	3,440	3,794	3,174	1,703	534	3
	White Male	11,091	10	1	2	5	2	6	15	21	54	99	213	409	727	966	1,452	1,615	1,784	1,744	1,254	580	132	–
	Female	9,751	5	3	1	3	4	6	12	13	16	38	74	138	245	391	685	1,092	1,617	2,007	1,888	1,113	399	1
	All other Male	193	2	–	–	–	–	1	2	3	2	5	8	14	10	26	32	28	19	22	11	7	1	–
	Female	162	–	–	–	–	–	–	–	1	1	1	7	11	12	15	21	24	20	21	21	3	2	2
390–398, 402, 404, 410–429	Diseases of heart	15,695	17	3	2	7	2	8	18	30	51	118	247	485	835	1,182	1,764	2,136	2,524	2,654	2,100	1,154	356	2
	White Male	8,601	10	1	1	4	–	4	10	18	42	87	188	369	630	830	1,193	1,290	1,329	1,242	857	411	85	–
	Female	6,827	5	2	1	3	2	3	6	8	6	25	49	97	186	320	529	803	1,168	1,385	1,224	734	270	1
	All other Male	153	2	–	–	–	–	1	2	3	2	5	6	10	9	22	26	23	14	14	8	6	–	–
	Female	114	–	–	–	–	–	–	–	1	1	1	4	9	10	10	16	20	13	13	11	3	1	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	288	–	–	–	2	–	–	2	1	5	7	9	10	20	32	44	48	44	39	17	8	–	–
	White Male	143	–	–	–	1	–	–	2	1	4	4	3	5	9	19	26	23	21	15	5	5	–	–
	Female	143	–	–	–	1	–	–	–	–	1	3	6	5	11	12	18	25	23	23	12	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	156	–	–	–	–	–	–	–	1	–	3	2	4	11	13	25	28	27	22	6	11	3	–
	White Male	74	–	–	–	–	–	–	–	–	–	2	1	3	8	9	15	10	14	5	2	4	1	–
	Female	76	–	–	–	–	–	–	–	1	–	–	1	1	2	4	8	17	12	17	4	7	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	70	–	–	–	–	–	–	–	–	1	–	–	2	3	1	4	5	7	13	20	10	4	–
	White Male	32	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	1	4	9	6	4	2	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	4	3	4	13	6	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	13,705	–	–	1	–	–	2	9	18	34	92	198	395	692	989	1,513	1,856	2,249	2,375	1,912	1,041	327	2
	White Male	7,483	–	–	1	–	–	1	6	12	27	69	160	309	535	706	1,024	1,128	1,182	1,115	771	361	76	–
	Female	5,996	–	–	–	–	–	–	2	4	4	19	30	70	141	256	454	689	1,044	1,236	1,123	673	250	1
	All other Male	125	–	–	–	–	–	1	1	2	2	4	5	9	8	19	21	20	11	11	7	4	–	–
	Female	101	–	–	–	–	–	–	–	–	1	–	3	7	8	8	14	19	12	13	11	3	1	1
410	Acute myocardial infarction	6,344	–	–	1	–	–	1	6	10	23	56	116	263	437	613	926	1,038	1,081	896	573	243	61	–
	White Male	3,921	–	–	1	–	–	1	4	5	17	42	101	211	349	449	642	660	615	458	251	100	15	–
	Female	2,349	–	–	–	–	–	–	2	4	4	12	13	44	85	155	270	368	453	433	318	142	46	–
	All other Male	43	–	–	–	–	–	–	–	1	1	2	2	5	1	6	8	5	8	1	3	–	–	–
	Female	31	–	–	–	–	–	–	–	–	1	–	–	3	2	3	6	5	5	4	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	70	–	–	–	–	–	–	–	–	2	2	–	9	7	10	6	5	10	10	6	–	3	–
	White Male	48	–	–	–	–	–	–	–	–	2	2	–	7	5	8	6	4	6	5	2	–	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	4	5	4	–	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,284	–	–	–	–	–	1	3	8	9	34	82	123	247	365	580	811	1,157	1,469	1,332	798	263	2
	White Male	3,511	–	–	–	–	–	–	2	7	8	25	59	91	180	248	376	463	561	652	518	261	60	–
	Female	3,622	–	–	–	–	–	–	–	–	–	7	17	24	55	99	183	319	586	798	800	531	202	1
	All other Male	81	–	–	–	–	–	1	1	1	1	2	3	4	6	13	13	15	3	10	4	4	–	–
	Female	70	–	–	–	–	–	–	–	–	–	–	3	4	6	5	8	14	7	9	10	2	1	1
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	98	3	–	–	–	–	–	–	2	–	–	1	3	2	8	5	6	10	27	16	12	3	–
	White Male	46	–	–	–	–	–	–	–	2	–	–	–	1	1	4	3	3	6	13	5	6	2	–
	Female	52	3	–	–	–	–	–	–	–	–	–	1	2	1	4	2	3	4	14	11	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,378	14	3	1	5	2	6	7	8	11	16	37	71	107	139	173	193	187	178	129	72	19	–
	White Male	823	10	1	–	3	–	3	2	3	10	12	24	51	76	91	122	125	102	85	68	31	4	–
	Female	524	2	2	1	2	2	3	4	3	1	3	11	17	29	44	47	65	82	91	61	39	15	–
	All other Male	22	2	–	–	–	–	–	1	1	–	1	1	1	1	2	4	2	2	2	–	2	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	1	2	1	2	–	1	1	–	–	–	–	–
400, 401, 403	Hypertension	134	–	–	–	–	–	–	–	–	–	–	4	2	6	3	5	16	27	25	26	14	6	–
	White Male	69	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	12	15	13	16	4	1	–
	Female	62	–	–	–	–	–	–	–	–	–	–	2	–	3	2	3	4	12	12	9	10	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
430–438	Cerebrovascular diseases	4,049	–	1	1	1	2	5	11	7	19	23	39	62	117	163	311	469	707	866	781	353	110	1
	White Male	1,767	–	–	1	1	1	2	5	3	10	12	17	27	70	99	179	230	329	371	279	106	25	–
	Female	2,212	–	1	–	–	1	3	6	4	9	11	18	31	45	56	124	231	367	484	491	247	83	–
	All other Male	29	–	–	–	–	–	–	–	–	–	–	1	3	–	4	3	4	5	5	3	–	1	–
	Female	41	–	–	–	–	–	–	–	–	–	–	3	1	2	4	5	4	6	6	8	–	1	1
431	Cerebral hemorrhage	509	–	–	–	–	–	3	4	1	4	7	16	21	33	44	51	70	86	78	64	22	5	–
	White Male	230	–	–	–	–	–	1	1	–	2	4	8	10	20	29	26	34	35	29	24	6	1	–
	Female	273	–	–	–	–	–	2	3	1	2	3	8	11	12	15	25	34	49	48	40	16	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
433	Cerebral thrombosis	857	–	–	–	–	–	–	–	–	–	2	5	5	12	34	68	104	154	205	170	81	17	–
	White Male	409	–	–	–	–	–	–	–	–	–	1	3	–	6	22	49	52	78	107	61	23	7	–
	Female	438	–	–	–	–	–	–	–	–	–	1	1	4	5	11	19	51	75	97	106	58	10	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
434	Cerebral embolism	20	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	2	6	5	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	4	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,663	–	1	1	1	2	2	7	6	15	13	18	36	72	83	191	292	465	577	542	250	88	1
	White Male	1,119	–	–	1	1	1	1	4	3	8	7	6	17	44	46	104	142	215	233	192	77	17	–
	Female	1,490	–	1	–	–	1	1	3	3	7	6	9	16	28	30	79	145	242	335	342	173	69	–
	All other Male	20	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	3	4	3	1	–	1	–
	Female	34	–	–	–	–	–	–	–	–	–	–	3	1	–	4	5	2	4	6	7	–	1	1
440	Arteriosclerosis	723	–	–	–	–	–	–	–	–	–	–	2	7	7	16	31	50	75	148	195	143	49	–
	White Male	313	–	–	–	–	–	–	–	–	–	–	2	3	4	12	23	24	40	63	72	52	18	–
	Female	400	–	–	–	–	–	–	–	–	–	–	–	4	2	3	7	25	34	82	122	90	31	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	596	–	–	–	–	2	–	–	1	3	2	10	16	29	34	79	88	107	101	72	39	13	–
	White Male	341	–	–	–	–	1	–	–	–	2	–	5	9	20	24	55	59	71	55	30	7	3	–
	Female	250	–	–	–	–	1	–	–	1	1	2	5	6	9	10	22	29	36	44	42	32	10	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
466	Acute bronchitis and bronchiolitis	20	2	1	–	–	–	–	1	–	–	–	2	–	–	3	1	2	1	1	4	–	2	–
	White Male	13	1	1	–	–	–	–	1	–	–	–	1	–	–	3	1	2	1	–	–	–	2	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	4	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,062	28	8	2	2	1	4	7	2	6	10	10	21	34	47	50	90	145	202	223	123	47	–
	White Male	557	19	4	1	–	–	2	2	–	3	7	6	15	21	28	36	60	81	109	99	47	17	–
	Female	481	8	3	1	1	1	2	5	1	1	2	3	4	12	18	13	29	63	91	120	74	29	–
	All other Male	17	1	–	–	1	–	–	–	–	1	1	–	2	1	1	1	1	–	1	4	2	–	–
	Female	7	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	1	1	–	–	1	–
470–474	Influenza	65	–	1	–	–	–	1	–	–	–	1	2	1	–	7	2	4	5	15	16	9	1	–
	White Male	23	–	1	–	–	–	–	–	–	–	1	1	–	–	3	2	2	4	3	4	2	–	–
	Female	42	–	–	–	–	–	1	–	–	–	–	1	1	–	4	–	2	1	12	12	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	997	28	7	2	2	1	3	7	2	6	9	8	20	34	40	48	86	140	187	207	114	46	–
	White Male	534	19	3	1	–	–	2	2	–	3	6	5	15	21	25	34	58	77	106	95	45	17	–
	Female	439	8	3	1	1	1	1	5	1	1	2	2	3	12	14	13	27	62	79	108	67	28	–
	All other Male	17	1	–	–	1	–	–	–	–	1	1	–	2	1	1	1	1	–	1	4	2	–	–
	Female	7	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	1	1	–	–	1	–
490–493	Bronchitis, emphysema, and asthma	357	–	–	–	–	–	–	–	4	3	1	6	13	14	35	60	87	71	38	16	9	–	–
	White Male	264	–	–	–	–	–	–	–	3	3	1	4	5	11	24	45	65	52	35	9	7	–	–
	Female	86	–	–	–	–	–	–	–	1	–	–	1	8	3	11	15	19	16	3	7	2	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
490, 491	Chronic and unqualified bronchitis	57	–	–	–	–	–	–	–	2	1	–	1	2	1	4	5	17	13	5	3	3	–	–
	White Male	36	–	–	–	–	–	–	–	2	1	–	1	–	–	4	4	11	7	4	1	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	6	5	1	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	274	–	–	–	–	–	–	–	1	2	1	4	9	12	29	51	65	52	33	9	6	–	–
	White Male	216	–	–	–	–	–	–	–	–	2	1	3	5	10	19	38	50	44	31	7	6	–	–
	Female	53	–	–	–	–	–	–	–	1	–	–	1	4	2	10	13	12	6	2	2	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	26	–	–	–	–	–	–	–	1	–	–	1	2	1	2	4	5	6	–	4	–	–	–
	White Male	12	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	4	1	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	5	–	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	117	–	–	–	–	1	–	1	–	1	2	4	3	7	19	18	19	10	15	11	5	1	–
	White Male	65	–	–	–	–	–	–	–	–	1	2	1	2	7	11	11	13	8	3	4	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	3	1	–	8	7	6	2	12	7	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	19	1	–	1	–	–	–	–	–	–	–	–	2	–	4	1	2	3	–	3	2	–	–
	White Male	13	1	–	1	–	–	–	–	–	–	–	–	2	–	3	1	1	3	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	125	4	1	–	–	2	1	–	–	–	–	5	1	1	5	8	15	18	21	19	22	2	–
	White Male	44	2	1	–	–	1	1	–	–	–	–	2	–	–	3	5	7	6	5	3	7	1	–
	Female	80	2	–	–	–	1	–	–	–	–	–	3	1	1	2	3	8	12	16	15	15	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
571	Cirrhosis of liver	473	1	–	1	–	–	–	3	10	16	20	39	62	80	86	72	39	27	9	8	–	–	–
	White Male	297	1	–	1	–	–	–	2	5	9	15	24	38	51	54	47	27	17	2	4	–	–	–
	Female	158	–	–	–	–	–	–	–	3	7	5	10	21	25	30	24	12	10	7	4	–	–	–
	All other Male	13	–	–	–	–	–	–	1	2	–	–	4	1	3	2	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	75	–	–	–	–	–	–	–	–	–	–	–	1	5	3	5	10	11	16	14	6	4	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	1	5	3	2	6	5	7	4	1	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	6	8	10	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	135	1	–	–	–	–	1	–	2	3	2	7	1	6	10	20	18	21	24	9	10	–	–
	White Male	76	–	–	–	–	–	1	–	1	1	2	–	–	6	3	9	13	10	17	5	8	–	–
	Female	46	1	–	–	–	–	–	–	1	–	–	4	1	–	4	10	4	8	7	4	2	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	27	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	4	5	2	5	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	–	3	2	4	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	108	1	–	–	–	–	1	–	2	3	2	7	1	5	9	16	13	17	19	7	5	–	–
	White Male	59	–	–	–	–	–	1	–	1	1	2	–	–	5	2	7	9	10	14	3	4	–	–
	Female	37	1	–	–	–	–	–	–	1	–	–	4	1	–	4	8	3	5	5	4	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
590	Infections of kidney	72	–	–	–	–	1	–	–	–	–	–	–	3	1	–	2	11	11	16	18	7	2	–
	White Male	31	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	5	4	8	8	2	2	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	6	7	8	10	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	34	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	6	4	9	5	5	1	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	4	9	5	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	–	–	2	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	–	–	2	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	283	181	25	6	6	5	8	7	4	5	2	6	3	8	4	4	5	1	2	1	–	–	–
	White Male	139	92	9	3	5	3	3	3	3	2	–	4	2	4	2	2	2	–	–	–	–	–	–
	Female	130	79	13	3	1	2	4	4	1	3	2	2	1	4	2	2	3	1	2	1	–	–	–
	All other Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	6	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	332	332	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	178	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	410	118	5	1	1	1	4	1	1	4	2	3	6	8	16	18	21	52	42	58	29	19	–
	White Male	224	60	4	1	1	–	2	1	–	1	2	2	4	5	10	14	15	32	25	28	11	6	–
	Female	155	36	1	–	–	1	1	–	–	3	–	1	2	3	5	4	6	18	15	29	18	12	–
	All other Male	18	12	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–
	Female	13	10	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Residual	All other diseases	2,613	26	21	15	9	22	18	24	27	28	40	71	116	181	237	321	357	374	338	236	110	42	–
	White Male	1,377	12	15	9	4	16	10	12	11	13	24	35	60	91	136	183	202	206	175	97	47	19	–
	Female	1,149	11	6	5	4	5	6	7	12	9	14	30	45	83	93	132	147	161	160	133	63	23	–
	All other Male	59	2	–	1	1	1	–	1	4	2	–	5	11	4	6	4	7	5	2	3	–	–	–
	Female	28	1	–	–	–	–	2	4	–	4	2	1	–	3	2	2	1	2	1	3	–	–	–
E800–E949	Accidents	1,894	17	63	59	65	276	231	152	95	67	69	78	74	76	95	94	79	90	91	70	35	17	1
	White Male	1,281	8	37	34	42	208	186	109	69	44	50	54	55	54	63	56	56	55	49	37	10	4	1
	Female	533	5	20	17	17	62	38	36	21	17	15	21	15	20	27	34	22	35	42	33	24	12	–
	All other Male	57	3	2	5	5	5	3	6	4	5	4	2	2	2	5	2	1	–	–	–	–	1	–
	Female	23	1	4	3	1	1	4	1	1	1	–	1	2	–	–	2	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	948	3	24	30	29	209	163	108	61	44	35	36	37	25	36	25	27	30	17	7	1	–	1
	White Male	657	1	15	20	17	153	131	79	44	29	23	22	24	17	20	12	16	17	10	6	–	–	1
	Female	264	2	6	9	12	52	30	27	16	12	12	13	11	7	13	10	11	13	7	1	–	–	–
	All other Male	18	–	1	1	–	3	–	2	1	2	–	1	1	1	3	2	–	–	–	–	–	–	–
	Female	9	–	2	–	–	1	2	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–
E800–E807, E825–E949	All other accidents	946	14	39	29	36	67	68	44	34	23	34	42	37	51	59	69	52	60	74	63	34	17	–
	White Male	624	7	22	14	25	55	55	30	25	15	27	32	31	37	43	44	40	38	39	31	10	4	–
	Female	269	3	14	8	5	10	8	9	5	5	3	8	4	13	14	24	11	22	35	32	24	12	–
	All other Male	39	3	1	4	5	2	3	4	3	3	4	1	1	1	2	–	1	–	–	–	–	1	–
	Female	14	1	2	3	1	–	2	1	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–
E950–E959	Suicide	594	...	...	–	3	56	82	66	47	38	32	46	41	48	40	31	32	18	6	6	2	–	–
	White Male	414	...	...	–	2	43	60	48	26	22	21	27	22	39	33	19	28	15	3	4	2	–	–
	Female	154	...	...	–	1	11	16	16	14	12	9	18	17	9	7	12	4	3	3	2	–	–	–
	All other Male	15	...	...	–	–	–	2	2	5	4	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	11	...	...	–	–	2	4	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	151	5	6	1	4	18	23	25	13	8	6	9	8	9	4	4	4	2	1	1	–	–	–
	White Male	62	1	4	1	2	3	11	5	8	1	2	7	4	6	2	1	1	1	1	1	–	–	–
	Female	39	2	1	–	1	4	7	6	3	2	2	1	1	3	1	2	2	1	–	–	–	–	–
	All other Male	33	–	1	–	–	7	4	9	2	4	1	1	2	–	1	–	1	–	–	–	–	–	–
	Female	17	2	–	–	1	4	1	5	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–
E980–E999	Other external causes	33	2	2	–	2	4	7	2	1	2	1	3	1	1	1	2	2	–	–	–	–	–	–
	White Male	18	1	–	–	2	3	3	1	1	–	–	2	1	1	–	1	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–
	All other Male	4	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming																							
	All causes	**3,048**	**115**	**23**	**16**	**17**	**49**	**83**	**70**	**48**	**63**	**64**	**92**	**160**	**182**	**241**	**290**	**332**	**344**	**372**	**297**	**140**	**49**	**1**
	White Male	1,779	60	14	11	13	31	61	55	31	34	38	58	101	128	152	182	209	183	198	145	54	20	1
	Female	1,183	50	8	5	4	15	11	13	15	21	24	27	53	45	82	104	119	157	168	149	85	28	–
	All other Male	59	3	1	–	–	2	7	1	1	7	2	3	6	7	4	1	3	4	4	2	1	–	–
	Female	27	2	–	–	–	1	4	1	1	1	–	4	–	2	3	3	1	–	2	1	–	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	10	1	–	–	1	1	–	–	–	–	3	1	–	–	–	2	1	–	–	–	–	–	–
	White Male	6	–	–	–	1	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	553	2	–	2	–	1	2	2	3	12	14	19	42	49	58	84	85	66	62	38	11	1	–
	White..... Male	317	–	–	2	–	1	–	2	–	5	7	9	22	28	36	48	56	39	35	21	6	–	–
	Female	225	2	–	–	–	–	2	–	3	6	7	8	19	20	21	34	29	26	25	17	5	1	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	8	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	–	–	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	137	–	–	–	–	–	–	–	1	2	3	6	10	10	16	16	23	20	14	14	2	–	–
	White..... Male	70	–	–	–	–	–	–	–	–	1	2	5	7	5	8	8	11	8	9	5	1	–	–
	Female	63	–	–	–	–	–	–	–	1	–	1	–	3	4	7	8	12	12	5	9	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	140	–	–	–	–	–	–	–	–	1	3	4	13	16	18	23	30	17	13	1	1	–	–
	White..... Male	106	–	–	–	–	–	–	–	–	1	2	1	8	13	16	17	24	15	8	1	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	1	3	5	3	2	6	6	1	5	–	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	39	–	–	–	–	–	–	–	1	2	–	2	4	4	5	7	1	4	4	4	–	1	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	37	–	–	–	–	–	–	–	1	2	–	1	4	4	5	7	–	4	4	4	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	66	–	–	–	–	–	–	–	1	2	2	1	4	2	5	14	8	6	10	8	3	–	–
	White..... Male	36	–	–	–	–	–	–	–	–	–	–	–	1	–	2	7	6	5	7	7	1	–	–
	Female	29	–	–	–	–	–	–	–	1	2	2	1	3	2	3	6	2	1	3	1	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
188, 189	Of urinary organs	34	–	–	–	–	–	–	–	–	–	–	2	2	2	3	4	5	7	5	3	1	–	–
	White..... Male	27	–	–	–	–	–	–	–	–	–	–	2	–	2	3	4	2	6	4	3	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	1	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	74	1	–	1	–	–	–	1	–	5	4	4	5	10	2	13	11	6	5	3	3	–	–
	White..... Male	36	–	–	1	–	–	–	1	–	3	2	1	3	5	1	6	7	1	1	2	2	–	–
	Female	37	1	–	–	–	–	–	–	–	2	2	3	2	5	1	7	4	5	3	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
204–207	Leukemia	21	1	–	1	–	1	2	–	–	–	1	–	1	1	2	1	2	2	2	4	–	–	–
	White..... Male	12	–	–	1	–	1	–	–	–	–	–	–	1	1	1	1	–	2	1	3	–	–	–
	Female	9	1	–	–	–	–	2	–	–	–	1	–	–	–	1	–	2	–	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	34	–	–	–	–	–	–	1	–	–	1	–	3	3	4	5	4	3	8	1	1	–	–
	White..... Male	22	–	–	–	–	–	–	1	–	–	1	–	2	2	2	4	4	1	4	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	2	3	1	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspeci-fied nature	11	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	4	–	–	–	1	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	52	–	–	–	–	–	–	1	2	–	–	2	2	1	6	9	7	6	12	3	1	–	–
	White..... Male	16	–	–	–	–	–	–	–	2	–	–	–	–	–	1	3	2	1	5	1	1	–	–
	Female	34	–	–	–	–	–	–	1	–	–	–	2	2	1	4	5	5	5	7	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	1	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
280–285	Anemias	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,345	3	–	–	1	2	–	1	6	9	17	34	63	78	100	118	158	188	230	202	104	31	–
	White Male	751	2	–	–	–	1	–	–	1	4	12	26	50	62	67	78	101	99	112	88	37	11	–
	Female	569	1	–	–	1	1	–	1	5	3	5	7	12	10	31	40	53	86	115	112	66	20	–
	All other Male	21	–	–	–	–	–	–	–	–	2	–	1	1	5	1	–	3	3	3	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,000	1	–	–	1	–	–	–	4	7	14	29	56	72	84	95	116	139	161	132	64	25	–
	White Male	596	–	–	–	–	–	–	–	1	4	11	24	48	58	59	67	77	74	83	62	20	8	–
	Female	385	1	–	–	1	–	–	–	3	3	3	4	8	9	23	28	37	62	75	68	43	17	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	1	3	3	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	21	–	–	–	–	–	–	–	–	1	1	–	1	2	2	3	1	8	1	–	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	4	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	4	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	–	–	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	842	–	–	–	–	–	–	–	1	5	13	25	50	64	70	80	102	113	137	110	51	21	–
	White Male	508	–	–	–	–	–	–	–	1	4	11	21	43	53	48	58	67	58	69	52	16	7	–
	Female	318	–	–	–	–	–	–	–	–	1	2	3	7	7	20	22	34	53	65	56	34	14	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	2	3	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
410	Acute myocardial infarction	473	–	–	–	–	–	–	–	–	5	10	16	43	56	54	56	54	70	62	30	13	4	–
	White Male	328	–	–	–	–	–	–	–	–	4	8	14	37	49	39	46	41	39	32	14	3	2	–
	Female	132	–	–	–	–	–	–	–	–	1	2	2	6	4	13	10	12	29	28	14	9	2	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	2	2	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	–	–	–	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	362	–	–	–	–	–	–	–	1	–	2	7	7	8	15	22	48	43	75	79	38	17	–
	White Male	174	–	–	–	–	–	–	–	1	–	2	5	6	4	9	10	26	19	37	37	13	5	–
	Female	185	–	–	–	–	–	–	–	–	–	–	1	1	3	6	12	22	24	37	42	25	12	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	3	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
420–423, 425–427, 429	All other forms of heart disease	120	1	–	–	1	–	–	–	3	1	–	2	5	5	10	11	10	16	20	21	11	3	–
	White Male	69	–	–	–	–	–	–	–	–	–	–	1	4	4	7	7	7	11	13	10	4	1	–
	Female	48	1	–	–	1	–	–	–	3	1	–	1	1	–	3	4	2	4	7	11	7	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	6	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	252	2	–	–	–	2	–	1	1	–	3	4	6	5	13	16	29	35	51	54	26	4	–
	White Male	113	2	–	–	–	1	–	–	–	–	1	2	2	4	7	9	16	18	20	18	11	2	–
	Female	136	–	–	–	–	1	–	1	1	–	2	2	3	1	6	7	11	17	31	36	15	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	31	1	–	–	–	–	–	–	–	–	–	2	2	1	1	4	5	3	7	4	1	–	–
	White Male	16	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	1	3	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	2	4	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	37	–	–	–	–	–	–	–	–	–	–	–	1	3	5	1	3	7	5	8	4	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	2	3	3	2	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	2	6	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	184	1	–	–	–	2	–	1	1	–	3	2	3	1	7	11	21	25	39	42	21	4	–
	White Male	80	1	–	–	–	1	–	–	–	–	1	1	1	1	3	8	9	14	14	15	9	2	–
	Female	102	–	–	–	–	1	–	1	1	–	2	1	2	–	4	3	10	11	25	27	12	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	10	12	7	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	6	1	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6	5	6	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	48	–	–	–	–	–	–	–	–	1	–	1	1	1	2	5	11	7	7	4	7	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	6	4	2	5	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	4	1	3	2	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	92	5	–	1	–	–	1	–	–	–	1	3	2	–	7	10	8	9	15	18	7	5	–
	White Male	66	5	–	1	–	–	–	–	–	–	–	2	2	–	5	6	5	6	11	14	5	4	–
	Female	23	–	–	–	–	–	1	–	–	–	–	1	–	–	1	4	3	3	3	4	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
470–474	Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	87	5	–	1	–	–	1	–	–	–	1	3	2	–	5	9	8	9	14	17	7	5	–
	White Male	62	5	–	1	–	–	–	–	–	–	–	2	2	–	3	6	5	6	10	13	5	4	–
	Female	22	–	–	–	–	–	1	–	–	–	–	1	–	–	1	3	3	3	3	4	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	40	–	–	–	–	–	1	–	–	–	–	–	1	1	5	6	7	6	9	4	–	–	–
	White Male	30	–	–	–	–	–	1	–	–	–	–	–	1	1	3	4	5	5	7	3	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming — Con.																							
490, 491	Chronic and unqualified bronchitis	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	32	–	–	–	–	–	–	–	–	–	–	–	1	–	4	5	5	5	8	4	–	–	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	4	5	6	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	11	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	2	2	–	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	10	3	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	1	1	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	47	–	–	–	–	–	1	–	3	5	2	5	5	11	6	7	1	–	–	1	–	–	–
	White ..... Male	27	–	–	–	–	–	–	–	–	2	2	3	–	8	4	6	1	–	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	1	2	–	1	4	3	1	1	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1977–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	27	17	5	–	–	1	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	White Male	9	3	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	35	12	–	–	–	–	1	2	–	1	–	–	1	1	1	2	4	2	3	1	2	2	–
	White Male	21	8	–	–	–	–	1	1	–	1	–	–	1	1	–	2	1	1	2	–	1	1	–
	Female	13	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	1	1	1	1	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	269	9	4	2	4	2	2	3	6	6	3	7	11	20	26	30	43	38	25	16	9	3	–
	White Male	170	8	3	–	3	–	2	2	3	3	–	4	8	15	19	22	27	20	16	9	4	2	–
	Female	97	1	1	2	1	2	–	1	3	2	3	3	3	5	7	8	16	18	9	6	5	1	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	346	10	12	11	10	35	60	48	19	17	12	13	19	13	19	4	10	16	6	7	3	2	–
	White Male	241	8	5	8	8	21	48	39	16	12	8	8	9	11	11	4	7	9	4	3	–	2	–
	Female	85	2	6	3	2	11	5	7	3	4	3	3	8	2	7	–	3	7	2	4	3	–	–
	All other Male	14	–	1	–	–	2	5	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	2	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	201	3	4	4	6	29	48	34	13	10	6	6	10	8	8	2	5	3	1	1	–	–	–
	White Male	135	2	1	3	4	17	37	26	11	6	3	4	3	6	4	2	3	2	1	–	–	–	–
	Female	53	1	3	1	2	11	5	6	2	4	2	1	5	2	4	–	2	1	–	1	–	–	–
	All other Male	9	–	–	–	–	1	4	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	145	7	8	7	4	6	12	14	6	7	6	7	9	5	11	2	5	13	5	6	3	2	–
	White Male	106	6	4	5	4	4	11	13	5	6	5	4	6	5	7	2	4	7	3	3	–	2	–
	Female	32	1	3	2	–	–	–	1	1	–	1	2	3	–	3	–	1	6	2	3	3	–	–
	All other Male	5	–	1	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E950–E959	Suicide	62	...	...	–	–	3	7	8	5	7	5	7	8	2	2	3	1	2	1	–	–	–	1
	White Male	44	...	...	–	–	3	4	8	5	3	2	5	5	1	1	3	1	1	1	–	–	–	1
	Female	14	...	...	–	–	–	1	–	–	2	3	2	3	1	1	–	–	1	–	–	–	–	–
	All other Male	4	...	...	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	19	–	1	–	–	–	3	3	–	3	4	1	2	–	–	2	–	–	–	–	–	–	–
	White Male	15	–	–	–	–	–	3	3	–	3	4	–	1	–	–	1	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	22	–	1	–	–	3	3	1	4	2	2	–	4	–	–	1	–	1	–	–	–	–	–
	White Male	15	–	1	–	–	3	2	–	4	1	1	–	2	–	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	1	–	1	1	–	2	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
All causes	1,902,106	34,571	1,646	18,557	21,196	170,753	18,498	25,814	4,952	8,981	93,596	43,335	4,721
Bacillary dysentery and amebiasis—004,006	55	–	–	5	–	11	1	–	–	–	4	2	–
Enteritis and other diarrheal diseases—008,009	1,858	50	1	26	31	170	18	24	3	12	86	62	5
Tuberculosis, all forms—010–019	2,972	79	4	44	42	235	19	23	5	28	164	97	10
Tuberculosis of respiratory system—010–012	2,327	66	3	29	34	164	12	16	5	24	131	79	8
Tuberculosis, other forms—013–019	645	13	1	15	8	71	7	7	–	4	33	18	2
Whooping cough—033	10	–	–	–	–	1	–	–	–	–	1	1	–
Streptococcal sore throat and scarlet fever—034	14	–	–	–	–	2	–	–	–	–	1	–	–
Meningococcal infections—036	340	18	3	2	4	22	3	4	–	1	26	13	1
Septicemia—038	7,125	133	6	61	80	463	84	103	20	67	267	226	35
Acute poliomyelitis—040–043	16	–	1	2	–	3	–	–	–	–	3	–	–
Measles—055	16	–	–	1	–	2	–	1	–	–	1	1	–
Syphilis and its sequelae—090–097	196	6	1	1	3	24	–	1	–	2	13	6	–
Other infective and parasitic diseases—Remainder of 000–136	4,363	94	6	85	68	423	45	67	9	41	201	127	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	386,990	6,143	219	3,592	3,847	37,046	3,425	6,109	1,151	2,286	20,084	7,502	1,150
Malignant neoplasms of buccal cavity and pharynx—140–149	8,459	117	3	82	66	861	56	144	32	85	475	185	36
Malignant neoplasms of digestive organs and peritoneum—150–159	103,026	1,431	56	875	880	9,621	955	1,721	285	631	5,120	1,734	418
Malignant neoplasms of respiratory system—160–163	95,233	1,658	57	913	1,020	9,347	706	1,396	342	564	5,532	2,025	246
Malignant neoplasm of breast—174	34,780	465	19	295	291	3,448	299	633	92	205	1,614	619	81
Malignant neoplasms of genital organs—180–187	44,294	749	19	396	466	4,165	378	662	116	237	2,352	846	81
Malignant neoplasms of urinary organs—188,189	17,391	239	7	201	170	1,587	167	274	49	98	997	264	32
Malignant neoplasms of all other and unspecified sites—170–173,190–199	47,329	885	45	460	592	4,409	447	715	148	260	2,165	1,122	132
Leukemia—204–207	15,372	271	7	145	154	1,446	180	226	37	78	756	339	51
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21,106	328	6	225	208	2,162	237	338	50	128	1,073	368	73
Benign neoplasms and neoplasms of unspecified nature—210–239	4,934	76	–	65	59	495	58	97	12	37	203	118	9
Diabetes mellitis—250	33,024	643	10	274	314	2,225	260	443	112	138	1,446	724	87
Avitaminoses and other nutritional deficiencies—260–269	2,606	39	3	22	25	235	42	26	–	18	117	73	8
Anemias—280–285	3,130	59	2	17	33	263	24	30	5	30	196	84	5
Meningitis—320	1,529	36	7	20	20	143	16	18	4	13	61	40	10
Major cardiovascular diseases—390–448	962,714	16,099	437	8,078	11,173	82,762	8,545	13,324	2,470	3,524	47,571	21,592	1,946
Diseases of heart—390–398,402,404,410–429	719,828	11,132	326	6,119	7,884	60,492	6,290	10,068	1,983	2,585	35,346	15,271	1,468
Active rheumatic fever and chronic rheumatic heart disease—390–398	12,827	139	12	153	73	1,473	182	198	18	64	679	194	64
Hypertensive heart disease—402	6,913	160	2	62	99	661	51	96	16	38	248	195	13
Hypertensive heart and renal disease—404	3,531	52	–	13	26	196	103	28	10	20	105	108	4
Ischemic heart disease—410–413	639,270	8,837	265	5,448	6,421	55,193	5,395	8,804	1,834	2,212	32,646	12,641	1,292
Acute myocardial infarction—410	306,822	5,169	140	2,332	3,911	21,777	2,768	4,151	749	582	14,392	7,303	551
Other acute and subacute forms of ischemic heart disease—411	4,005	34	2	401	8	228	43	8	8	2	174	101	6
Chronic ischemic heart disease—412	328,236	3,628	123	2,712	2,500	33,181	2,583	4,643	1,076	1,626	18,070	5,232	735
Angina pectoris—413	207	6	–	3	2	7	1	2	1	2	10	5	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4,032	101	3	21	43	346	26	30	7	19	140	104	13
All other forms of heart disease—420–423,425–427,429	53,255	1,843	44	422	1,222	2,623	533	912	98	232	1,528	2,029	82

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	5,698	144	3	39	68	446	50	76	20	22	283	175	6
Cerebrovascular diseases—430–438	182,076	4,007	71	1,455	2,659	16,754	1,520	2,318	323	624	9,230	5,089	372
Cerebral hemorrhage—431	23,880	550	16	231	277	2,033	175	300	42	137	1,068	874	90
Cerebral thrombosis—433	42,035	944	10	246	391	4,317	268	711	75	138	2,623	1,126	88
Cerebral embolism—434	731	5	–	4	5	50	6	7	1	2	42	18	–
All other cerebrovascular diseases—430,432,435–438	115,430	2,508	45	974	1,986	10,354	1,071	1,300	205	347	5,497	3,071	194
Arteriosclerosis—440	28,758	421	17	224	285	2,479	362	443	80	175	1,236	510	25
Other diseases of arteries, arterioles, and capillaries—441–448	26,354	395	20	241	277	2,591	323	419	64	118	1,476	547	75
Acute bronchitis and bronchiolitis—466	700	16	2	7	8	75	4	6	–	1	38	13	3
Influenza and pneumonia—470–474,480–486	51,232	881	38	525	556	4,277	648	661	106	236	2,146	1,368	151
Influenza—470–474	1,304	77	–	6	29	88	34	8	–	–	44	60	2
Pneumonia—480–486	49,928	804	38	519	527	4,189	614	653	106	236	2,102	1,308	149
Bronchitis, emphysema, and asthma—490–493	22,374	422	5	382	230	2,455	300	241	49	59	1,349	486	56
Chronic and unqualified bronchitis—490,491	4,315	59	2	71	45	504	65	56	7	8	240	124	11
Emphysema—492	16,384	327	2	290	176	1,780	216	163	37	45	1,028	324	32
Asthma—493	1,675	36	1	21	9	171	19	22	5	6	81	38	13
Peptic ulcer—531–533	5,909	66	3	47	50	649	74	86	12	23	257	121	20
Appendicitis—540–543	749	21	–	5	7	71	9	2	2	6	45	30	3
Hernia and intestinal obstruction—550–553,560	5,707	71	8	55	64	494	67	71	9	41	236	135	11
Cirrhosis of liver—571	30,879	358	39	368	154	4,316	287	464	113	363	1,771	562	78
Cholelithiasis, cholecystitis and cholangitis—574,575	2,960	52	2	25	45	271	42	39	8	11	155	79	8
Nephritis and nephrosis—580–584	8,525	231	2	83	115	551	67	79	18	57	411	227	19
Acute nephritis and nephrotic syndrome—580,581	1,835	28	1	11	33	124	13	16	5	8	123	45	2
Chronic and unqualified nephritis and renal sclerosis—582–584	6,690	203	1	72	82	427	54	63	13	49	288	182	17
Infections of kidney—590	3,713	110	1	34	41	333	30	29	12	16	175	108	12
Hyperplasia of prostate—600	998	26	–	3	13	102	13	8	1	4	49	24	1
Complications of pregnancy, childbirth, and the puerperium—630–678	373	10	1	5	4	34	6	2	1	7	18	18	–
Abortions—640–645	20	–	–	–	–	1	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	353	10	1	5	4	33	6	2	1	7	17	18	–
Congenital anomalies—740–759	13,051	271	26	168	119	1,363	180	167	28	110	495	328	57
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	23,427	456	35	275	223	1,815	232	272	63	318	855	586	93
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	12,648	258	18	163	141	1,040	114	124	30	165	449	360	39
Other causes of mortality in early infancy—Remainder of 760–778	10,779	198	17	112	82	775	118	148	33	153	406	226	54
Symptoms and ill-defined conditions—780–796	32,201	2,336	49	266	887	1,173	141	235	26	97	1,405	614	69
All other diseases—Residual	130,568	2,345	126	1,554	1,303	11,249	1,650	1,768	344	752	6,766	3,352	322
Accidents—E800–E949	103,646	2,389	463	1,666	1,179	10,248	1,437	948	255	355	4,246	3,140	311
Motor vehicle accidents—E810–E823	49,740	1,225	127	969	540	5,127	738	455	122	86	2,104	1,484	164
All other accidents—E800–E807,E825–E949	53,906	1,164	336	697	639	5,121	699	493	133	269	2,142	1,656	147
Suicide—E950–E959	28,715	393	85	494	243	3,896	536	266	71	77	1,598	718	118
Homicide—E960–E978	20,015	533	44	244	188	2,559	190	136	37	198	931	745	59
Other external causes—E980–E999	4,472	109	17	56	68	297	45	64	6	53	205	13	44

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977 – Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
All causes	**6,132**	**101,189**	**47,050**	**26,458**	**20,718**	**33,424**	**34,882**	**10,047**	**31,339**	**52,053**	**73,173**	**32,725**	**22,602**
Bacillary dysentery and amebiasis – 004,006	–	1	–	1	–	1	2	–	1	–	–	–	1
Enteritis and other diarrheal diseases – 008,009	4	89	41	21	34	25	50	10	23	38	55	40	34
Tuberculosis, all forms – 010–019	2	166	71	17	16	79	89	10	68	58	99	21	42
Tuberculosis of respiratory system – 010–012	2	120	50	13	15	66	73	8	53	46	68	12	34
Tuberculosis, other forms – 013–019	–	46	21	4	1	13	16	2	15	12	31	9	8
Whooping cough – 033	–	–	–	–	1	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	1	–	–	–	–	1	–	–	–	1	1	–
Meningococcal infections – 036	1	9	5	1	–	6	18	–	–	9	8	8	5
Septicemia – 038	14	262	140	71	51	121	227	33	176	265	281	100	73
Acute poliomyelitis – 040–043	–	3	–	–	–	–	–	–	1	–	–	–	–
Measles – 055	–	–	1	–	–	–	–	–	1	–	–	–	–
Syphilis and its sequelae – 090–097	–	5	9	–	3	–	6	–	2	1	3	3	6
Other infective and parasitic diseases – Remainder of 000–136	15	174	99	53	52	65	80	15	87	122	157	71	81
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	1,098	20,311	9,150	5,237	3,969	6,205	6,601	2,117	7,047	11,647	14,970	6,836	3,821
Malignant neoplasms of buccal cavity and pharynx – 140–149	18	481	161	98	89	138	159	49	179	269	288	113	75
Malignant neoplasms of digestive organs and peritoneum – 150–159	239	5,739	2,343	1,558	1,047	1,649	1,563	582	1,839	3,359	3,920	1,937	943
Malignant neoplasms of respiratory system – 160–163	239	4,843	2,341	1,117	910	1,753	1,790	510	1,725	2,606	3,766	1,352	1,042
Malignant neoplasm of breast – 174	109	1,904	836	479	371	459	500	177	664	1,190	1,347	645	258
Malignant neoplasms of genital organs – 180–187	151	2,345	1,073	655	501	742	677	263	808	1,263	1,693	869	519
Malignant neoplasms of urinary organs – 188,189	53	882	415	264	201	277	271	128	286	526	656	338	136
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	176	2,312	1,160	512	442	671	1,049	235	933	1,420	1,895	736	510
Leukemia – 204–207	50	744	395	223	164	235	252	54	252	431	582	367	148
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	63	1,061	426	331	244	281	340	119	361	583	823	479	190
Benign neoplasms and neoplasms of unspecified nature – 210–239	26	209	91	43	41	60	120	43	117	228	146	87	36
Diabetes mellitus – 250	114	1,715	1,012	473	389	634	759	145	614	964	1,612	456	368
Avitaminoses and other nutritional deficiencies – 260–269	9	103	52	37	44	39	63	18	33	68	115	63	32
Anemias – 280–285	15	175	70	46	34	46	62	9	71	73	125	65	42
Meningitis – 320	10	67	44	15	11	31	38	8	18	36	57	23	19
Major cardiovascular diseases – 390–448	2,820	54,233	25,309	14,559	10,856	17,589	16,982	5,340	15,517	26,638	37,641	17,001	10,516
Diseases of heart – 390–398,402,404,410–429	1,960	42,217	18,058	10,595	7,950	12,962	12,480	4,030	12,238	20,456	28,467	12,258	7,453
Active rheumatic fever and chronic rheumatic heart disease – 390–398	34	598	291	135	97	130	119	81	235	415	468	268	64
Hypertensive heart disease – 402	12	532	181	80	62	78	119	44	97	242	323	102	90
Hypertensive heart and renal disease – 404	20	181	229	93	41	62	64	21	35	38	92	33	34
Ischemic heart disease – 410–413	1,706	38,460	15,976	9,520	7,075	11,269	10,781	3,659	10,797	18,385	25,660	10,884	6,095
Acute myocardial infarction – 410	930	16,558	8,708	5,324	3,817	6,806	5,244	2,219	4,439	8,901	13,249	5,373	3,293
Other acute and subacute forms of ischemic heart disease – 411	6	204	48	31	13	27	44	7	39	31	80	61	43
Chronic ischemic heart disease – 412	769	21,689	7,216	4,165	3,242	4,433	5,488	1,433	6,316	9,445	12,323	5,442	2,757
Angina pectoris – 413	1	9	4	–	3	3	5	–	3	8	8	8	2
Chronic disease of endocardium and other myocardial insufficiency – 424,428	20	214	132	68	71	79	80	42	274	81	108	85	38
All other forms of heart disease – 420–423,425–427,429	168	2,232	1,249	699	604	1,344	1,317	183	800	1,295	1,816	886	1,132

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	19	462	156	94	56	92	74	16	61	148	224	91	86
Cerebrovascular diseases—430–438	600	9,028	5,303	2,897	2,104	3,631	3,446	941	2,333	4,572	6,726	3,502	2,494
Cerebral hemorrhage—431	49	1,424	797	287	267	454	365	199	285	797	847	391	246
Cerebral thrombosis—433	92	2,473	1,128	595	389	774	698	198	473	1,339	1,760	692	488
Cerebral embolism—434	7	25	25	12	7	14	14	4	3	26	31	13	4
All other cerebrovascular diseases—430,432,435–438	452	5,106	3,353	2,003	1,441	2,389	2,369	540	1,572	2,410	4,088	2,406	1,756
Arteriosclerosis—440	140	1,338	1,104	563	451	491	601	169	420	730	1,156	586	261
Other diseases of arteries, arterioles, and capillaries—441–448	101	1,188	688	410	295	413	381	184	465	732	1,068	564	222
Acute bronchitis and bronchiolitis—466	4	39	20	10	7	13	11	9	9	14	21	13	8
Influenza and pneumonia—470–474,480–486	153	2,913	1,121	831	578	932	840	277	640	1,892	1,635	977	568
Influenza—470–474	8	53	32	25	29	22	31	8	6	9	21	23	19
Pneumonia—480–486	145	2,860	1,089	806	549	910	809	269	634	1,883	1,614	954	549
Bronchitis, emphysema, and asthma—490–493	95	1,223	619	380	252	359	367	132	258	493	918	325	209
Chronic and unqualified bronchitis—490,491	9	220	107	66	47	73	49	35	52	105	170	68	33
Emphysema—492	76	911	484	288	181	256	276	88	179	348	672	237	162
Asthma—493	10	92	28	26	24	30	42	9	27	40	76	20	14
Peptic ulcer—531–533	12	345	162	77	61	111	86	25	62	170	237	103	53
Appendicitis—540–543	3	42	13	6	12	11	14	5	18	9	17	11	8
Hernia and intestinal obstruction—550–553,560	19	276	140	118	80	103	94	35	109	144	219	119	61
Cirrhosis of liver—571	80	1,736	539	262	204	335	418	149	528	909	1,355	383	176
Cholelithiasis, cholecystitis and cholangitis—574,575	13	139	59	57	36	61	41	22	37	85	91	67	46
Nephritis and nephrosis—580–584	16	465	179	105	89	130	234	32	197	213	331	132	98
Acute nephritis and nephrotic syndrome—580,581	3	104	27	23	32	28	31	8	46	48	78	32	19
Chronic and unqualified nephritis and renal sclerosis—582–584	13	361	152	82	57	102	203	24	151	165	253	100	79
Infections of kidney—590	9	202	96	51	55	81	85	30	32	104	84	37	82
Hyperplasia of prostate—600	11	65	35	20	10	21	15	7	17	15	26	20	20
Complications of pregnancy, childbirth, and the puerperium—630–678	2	20	5	5	3	6	9	1	4	3	11	4	7
Abortions—640–645	–	3	–	–	–	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	17	5	5	3	6	9	1	4	3	11	3	7
Congenital anomalies—740–759	40	688	299	182	120	221	294	61	182	279	518	277	127
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	55	1,447	573	287	223	353	716	56	362	444	1,031	335	416
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	31	844	297	155	111	175	372	31	154	214	512	191	238
Other causes of mortality in early infancy—Remainder of 760–778	24	603	276	132	112	178	344	25	208	230	519	144	178
Symptoms and ill-defined conditions—780–796	159	694	460	119	225	260	394	64	370	559	492	402	2,012
All other diseases—Residual	475	5,926	2,926	1,625	1,587	2,406	2,536	730	2,352	3,690	4,703	2,241	1,434
Accidents—E800–E949	652	4,599	2,534	1,313	1,172	2,259	2,471	486	1,488	2,100	3,874	1,852	1,573
Motor vehicle accidents—E810–E823	341	2,151	1,268	643	576	979	1,110	216	699	790	1,962	864	750
All other accidents—E800–E807,E825–E949	311	2,448	1,266	670	596	1,280	1,361	270	789	1,310	1,912	988	823
Suicide—E950–E959	143	1,154	684	335	286	480	504	141	487	541	1,265	456	240
Homicide—E960–E978	52	1,261	397	63	165	320	633	28	323	174	933	114	343
Other external causes—E980–E999	11	432	95	38	52	61	22	9	88	68	142	82	45

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977 — Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
All causes	49,840	6,321	14,482	5,257	7,118	64,341	8,039	168,190	46,932	5,499	96,666	26,086	20,550
Bacillary dysentery and amebiasis—004,006	1	–	–	–	–	1	2	2	–	–	–	–	1
Enteritis and other diarrheal diseases—008,009	40	4	19	7	10	42	20	121	48	8	70	18	17
Tuberculosis, all forms—010-019	71	4	16	7	7	102	17	272	90	3	100	41	16
Tuberculosis of respiratory system—010–012	59	3	12	7	5	83	10	227	62	2	87	33	14
Tuberculosis, other forms—013–019	12	1	4	–	2	19	7	45	28	1	13	8	2
Whooping cough—033	–	–	–	–	–	–	–	–	1	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	1	–	–	1	–	1
Meningococcal infections—036	4	2	2	–	–	12	2	23	18	–	13	6	5
Septicemia—038	197	6	31	8	19	259	37	523	204	11	334	107	49
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	1	–	–	–	–	1
Measles—055	1	–	–	–	–	1	–	–	1	–	–	–	1
Syphilis and its sequelae—090–097	7	–	–	1	–	6	2	6	9	–	8	6	–
Other infective and parasitic diseases—Remainder of 000–136	126	14	27	9	11	123	18	341	135	15	185	63	51
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	9,644	1,147	2,912	1,012	1,564	14,079	1,353	36,928	8,652	1,103	19,694	4,936	4,228
Malignant neoplasms of buccal cavity and pharynx—140–149	194	20	54	21	26	295	33	858	197	12	409	97	82
Malignant neoplasms of digestive organs and peritoneum—150–159	2,419	316	836	248	443	4,219	365	10,952	2,056	341	5,306	1,203	952
Malignant neoplasms of respiratory system—160–163	2,346	266	644	299	382	3,364	288	8,520	2,112	201	4,983	1,377	1,092
Malignant neoplasm of breast—174	774	88	267	90	136	1,458	103	3,700	735	101	1,841	364	351
Malignant neoplasms of genital organs—180–187	1,158	146	330	95	186	1,530	164	3,941	1,079	146	2,233	549	543
Malignant neoplasms of urinary organs—188,189	447	57	140	39	80	677	54	1,729	340	58	922	232	209
Malignant neoplasms of all other and unspecified sites—170–173,190–199	1,330	145	278	128	172	1,453	216	3,846	1,317	108	2,160	663	533
Leukemia—204–207	442	52	159	42	60	441	54	1,392	352	53	775	205	181
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	534	57	204	50	79	642	76	1,990	464	83	1,065	246	285
Benign neoplasms and neoplasms of unspecified nature—210–239	88	12	30	7	22	132	27	557	133	8	181	69	64
Diabetes mellitis—250	874	89	214	89	154	1,262	138	3,201	825	99	1,955	399	279
Avitaminoses and other nutritional deficiencies—260–269	87	16	43	6	7	80	11	153	44	7	151	39	37
Anemias—280–285	86	15	27	5	13	88	9	241	92	10	170	24	36
Meningitis—320	32	2	10	3	1	28	16	134	42	6	60	22	19
Major cardiovascular diseases—390–448	25,246	2,947	7,555	2,347	3,641	34,668	2,812	86,890	23,637	2,777	51,146	13,293	10,094
Diseases of heart—390–398,402,404,410–429	18,533	2,125	5,301	1,785	2,632	27,526	1,973	69,728	17,120	2,040	38,236	9,741	7,205
Active rheumatic fever and chronic rheumatic heart disease—390–398	315	54	96	39	52	553	61	1,225	309	40	709	111	183
Hypertensive heart disease—402	182	21	57	12	27	222	25	535	160	24	443	87	43
Hypertensive heart and renal disease—404	175	5	59	3	18	102	7	158	91	9	413	58	57
Ischemic heart disease—410–413	16,290	1,663	4,609	1,591	2,298	25,407	1,663	64,576	15,116	1,738	34,304	8,546	6,502
Acute myocardial infarction—410	7,812	893	2,363	722	1,314	11,522	809	27,274	8,305	1,088	15,481	4,746	2,511
Other acute and subacute forms of ischemic heart disease—411	57	11	32	8	9	65	3	269	56	1	141	385	16
Chronic ischemic heart disease—412	8,393	759	2,213	860	974	13,816	851	37,023	6,750	649	18,676	3,412	3,975
Angina pectoris—413	28	–	1	1	1	4	–	10	5	–	6	3	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	114	32	26	7	9	58	8	232	88	10	175	57	22
All other forms of heart disease—420–423,425–427,429	1,457	350	454	133	228	1,184	209	3,002	1,356	219	2,192	882	398

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	177	14	48	8	35	149	48	448	186	16	312	58	41
Cerebrovascular diseases—430–438	5,093	576	1,592	405	653	5,485	622	12,736	5,043	530	9,350	2,748	2,110
Cerebral hemorrhage—431	649	51	183	54	99	799	66	1,940	525	70	1,254	278	221
Cerebral thrombosis—433	1,116	104	303	72	140	1,482	97	3,209	1,212	74	2,345	470	442
Cerebral embolism—434	37	4	9	4	2	39	2	61	13	–	30	15	7
All other cerebrovascular diseases—430,432,435–438	3,291	417	1,097	275	412	3,165	457	7,526	3,293	386	5,721	1,985	1,440
Arteriosclerosis—440	783	144	351	84	200	667	87	1,871	619	115	1,797	415	454
Other diseases of arteries, arterioles, and capillaries—441–448	660	88	263	65	121	841	82	2,107	669	76	1,451	331	284
Acute bronchitis and bronchiolitis—466	12	5	4	–	1	28	5	70	21	1	29	10	9
Influenza and pneumonia—470–474,480–486	1,320	150	454	97	185	1,630	246	5,363	1,341	165	2,337	765	552
Influenza—470–474	35	8	19	2	3	31	5	38	76	4	61	11	23
Pneumonia—480–486	1,285	142	435	95	182	1,599	241	5,325	1,265	161	2,276	754	529
Bronchitis, emphysema, and asthma—490–493	490	115	170	71	101	594	119	1,730	485	65	1,273	295	291
Chronic and unqualified bronchitis—490,491	102	14	45	6	27	121	20	348	94	16	276	35	59
Emphysema—492	360	94	116	62	70	440	88	1,192	327	44	939	243	218
Asthma—493	28	7	9	3	4	33	11	190	64	5	58	17	14
Peptic ulcer—531–533	138	25	60	15	30	234	20	675	123	19	274	62	65
Appendicitis—540–543	26	1	7	2	2	17	6	69	24	3	33	7	9
Hernia and intestinal obstruction—550–553,560	156	20	57	17	22	180	28	513	134	32	292	78	55
Cirrhosis of liver—571	567	95	182	164	137	1,177	167	3,607	743	67	1,290	330	358
Cholelithiasis, cholecystitis and cholangitis—574,575	90	10	24	7	11	91	18	262	65	9	118	52	27
Nephritis and nephrosis—580–584	248	20	41	10	14	308	46	763	313	21	471	140	66
Acute nephritis and nephrotic syndrome—580,581	55	5	13	2	4	93	11	148	44	3	93	28	15
Chronic and unqualified nephritis and renal sclerosis—582–584	193	15	28	8	10	215	35	615	269	18	378	112	51
Infections of kidney—590	120	10	30	4	14	104	13	278	121	9	212	68	39
Hyperplasia of prostate—600	21	1	7	1	1	33	6	96	23	5	58	12	12
Complications of pregnancy, childbirth, and the puerperium—630–678	9	1	3	2	2	8	1	25	8	1	17	3	5
Abortions—640–645	1	–	–	–	–	–	–	1	1	–	2	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	8	1	3	2	2	8	1	24	7	1	15	3	5
Congenital anomalies—740–759	323	27	115	28	30	324	72	1,022	314	31	670	148	162
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	632	75	171	65	57	659	133	1,886	672	93	1,193	280	203
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	421	35	101	46	31	308	65	953	348	47	621	175	125
Other causes of mortality in early infancy—Remainder of 760–778	211	40	70	19	26	351	68	933	324	46	572	105	78
Symptoms and ill-defined conditions—780–796	1,926	208	224	70	100	695	484	1,921	538	72	1,548	401	416
All other diseases—Residual	3,462	500	1,002	363	479	3,920	797	10,546	3,520	374	6,338	1,996	1,375
Accidents—E800–E949	2,542	592	776	512	329	2,410	1,026	5,544	3,148	392	4,109	1,685	1,403
Motor vehicle accidents—E810–E823	1,235	321	359	290	150	1,089	648	2,351	1,477	199	1,795	887	696
All other accidents—E800–E807,E825–E949	1,307	271	417	222	179	1,321	378	3,193	1,671	193	2,314	798	707
Suicide—E950–E959	638	139	162	209	119	581	225	1,620	722	70	1,385	432	400
Homicide—E960–E978	477	53	60	101	16	376	137	1,916	626	6	794	256	120
Other external causes—E980–E999	139	16	47	18	19	89	26	890	60	17	157	43	84

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	118,670	9,207	23,599	6,187	41,511	101,795	8,004	4,291	39,386	30,055	19,333	39,357	2,978
Bacillary dysentery and amebiasis—004,006	2	–	1	–	–	12	1	–	1	–	1	–	–
Enteritis and other diarrheal diseases—008,009	86	8	32	7	45	143	6	7	44	31	23	49	1
Tuberculosis, all forms—010–019	186	7	43	3	126	181	8	6	77	28	35	36	2
Tuberculosis of respiratory system—010–012	166	6	35	2	105	139	4	4	54	21	28	27	1
Tuberculosis, other forms—013–019	20	1	8	1	21	42	4	2	23	7	7	9	1
Whooping cough—033	1	–	–	–	1	1	–	–	1	1	–	–	–
Streptococcal sore throat and scarlet fever—034	2	–	–	–	–	2	–	–	–	–	–	–	–
Meningococcal infections—036	8	–	11	2	13	32	2	2	5	–	3	8	–
Septicemia—038	668	27	114	9	153	505	38	17	196	71	71	108	4
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles—055	–	–	–	–	1	2	–	–	–	–	–	1	–
Syphilis and its sequelae—090–097	13	2	2	1	9	12	2	–	8	1	2	3	1
Other infective and parasitic diseases—Remainder of 000–136	227	14	67	6	96	268	25	11	92	65	36	73	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	24,209	2,241	4,002	1,190	8,124	19,634	1,344	905	7,849	6,512	3,577	8,099	489
Malignant neoplasms of buccal cavity and pharynx—140–149	499	46	104	17	193	424	23	22	189	133	66	177	9
Malignant neoplasms of digestive organs and peritoneum—150–159	6,697	721	985	346	1,945	4,795	340	244	1,926	1,671	879	2,254	122
Malignant neoplasms of respiratory system—160–163	5,539	506	1,005	249	2,219	5,128	203	230	2,049	1,664	981	1,658	128
Malignant neoplasm of breast—174	2,275	227	346	115	604	1,648	148	77	650	566	264	819	33
Malignant neoplasms of genital organs—180–187	2,646	244	509	154	964	2,269	185	104	910	778	401	944	60
Malignant neoplasms of urinary organs—188,189	1,089	97	151	47	322	805	69	56	318	308	173	428	26
Malignant neoplasms of all other and unspecified sites—170–173,190–199	3,347	217	550	136	1,055	2,535	206	95	1,118	725	516	979	70
Leukemia—204–207	889	73	150	41	355	876	88	28	272	301	136	357	11
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	1,228	110	202	85	467	1,154	82	49	417	366	161	483	30
Benign neoplasms and neoplasms of unspecified nature—210–239	404	30	41	13	90	217	23	21	86	64	61	69	9
Diabetes mellitis—250	2,143	195	463	101	582	1,626	169	67	642	466	312	700	49
Avitaminoses and other nutritional deficiencies—260–269	148	6	27	10	42	144	20	4	62	50	45	77	6
Anemias—280–285	179	7	47	15	52	199	23	10	68	52	29	49	3
Meningitis—320	73	5	27	7	37	123	20	3	36	18	11	27	2
Major cardiovascular diseases—390–448	61,975	4,904	11,672	3,227	20,940	47,742	3,524	2,155	19,483	14,808	10,121	21,248	1,340
Diseases of heart—390–398,402,404,410–429	48,033	3,831	8,461	2,414	14,904	34,146	2,572	1,584	14,429	10,794	7,876	15,745	1,006
Active rheumatic fever and chronic rheumatic heart disease—390–398	1,003	78	105	22	204	470	96	36	214	243	125	284	16
Hypertensive heart disease—402	382	23	112	14	87	342	14	12	126	120	76	158	6
Hypertensive heart and renal disease—404	255	6	51	18	56	137	7	7	92	44	22	70	3
Ischemic heart disease—410–413	42,434	3,598	7,023	2,152	13,487	27,687	2,192	1,404	12,722	9,357	7,083	13,721	852
Acute myocardial infarction—410	21,718	1,586	4,022	1,323	8,018	14,171	1,098	592	6,084	4,258	3,565	6,360	501
Other acute and subacute forms of ischemic heart disease—411	201	18	42	14	29	97	110	15	659	26	22	65	5
Chronic ischemic heart disease—412	20,501	1,991	2,955	815	5,439	13,409	984	793	5,975	5,067	3,493	7,290	346
Angina pectoris—413	14	3	4	–	1	10	–	4	4	6	3	6	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	247	7	65	18	108	245	15	2	124	62	47	100	9
All other forms of heart disease—420–423,425–427,429	3,712	119	1,105	190	962	5,265	248	123	1,151	968	523	1,412	120

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1977—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	289	25	58	20	143	283	25	16	111	79	58	135	5
Cerebrovascular diseases—430–438	10,184	771	2,610	624	4,769	10,370	710	382	3,844	2,897	1,671	4,063	239
Cerebral hemorrhage—431	1,375	88	441	75	529	1,225	81	42	546	305	241	513	29
Cerebral thrombosis—433	2,501	213	551	99	999	1,668	114	95	815	646	350	848	34
Cerebral embolism—434	56	7	3	7	18	37	7	–	13	9	6	20	–
All other cerebrovascular diseases—430,432,435–438	6,252	463	1,615	443	3,223	7,440	508	245	2,470	1,937	1,074	2,682	176
Arteriosclerosis—440	1,789	130	224	91	587	1,656	107	101	596	592	267	724	40
Other diseases of arteries, arterioles, and capillaries—441–448	1,680	147	319	78	537	1,287	110	72	503	446	249	581	50
Acute bronchitis and bronchiolitis—466	35	5	9	3	9	35	1	3	15	12	5	21	1
Influenza and pneumonia—470–474,480–486	2,779	150	654	170	1,145	2,785	224	131	1,086	830	554	1,076	93
Influenza—470–474	42	–	51	7	42	69	7	–	22	38	6	65	5
Pneumonia—480–486	2,737	150	603	163	1,103	2,716	217	131	1,064	792	548	1,011	88
Bronchitis, emphysema, and asthma—490–493	1,114	52	230	80	506	1,284	125	43	411	436	244	351	35
Chronic and unqualified bronchitis—490,491	191	16	45	15	122	211	32	9	108	75	44	53	5
Emphysema—492	841	31	169	63	342	986	90	30	260	323	179	272	27
Asthma—493	82	5	16	2	42	87	3	4	43	38	21	26	3
Peptic ulcer—531–533	325	26	56	13	120	269	30	24	115	96	55	116	12
Appendicitis—540–543	32	3	7	1	23	39	4	2	19	12	9	20	2
Hernia and intestinal obstruction—550–553,560	338	27	63	25	108	323	43	16	95	113	56	129	8
Cirrhosis of liver—571	1,682	167	282	83	451	1,417	116	51	505	494	294	463	43
Cholelithiosis, cholecystitis and cholangitis—574,575	153	19	33	17	84	156	11	7	50	34	37	77	7
Nephritis and nephrosis—580–584	562	42	149	13	213	456	24	17	190	97	75	139	6
Acute nephritis and nephrotic syndrome—580,581	135	8	16	4	43	117	6	5	43	9	19	27	1
Chronic and unqualified nephritis and renal sclerosis—582–584	427	34	133	9	170	339	18	12	147	88	56	112	5
Infections of kidney—590	157	10	55	5	116	255	9	15	63	44	36	71	6
Hyperplasia of prostate—600	35	4	6	3	32	41	1	1	17	11	11	34	–
Complications of pregnancy, childbirth, and the puerperium—630–678	18	–	8	1	18	23	7	1	7	5	3	9	2
Abortions—640–645	4	–	–	–	1	2	–	–	1	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	14	–	8	1	17	21	7	1	6	5	3	9	1
Congenital anomalies—740–759	633	55	182	50	302	888	152	13	279	228	108	280	15
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	1,224	84	456	116	564	1,694	177	29	577	284	227	320	35
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	630	45	256	76	288	977	111	9	293	168	121	152	20
Other causes of mortality in early infancy—Remainder of 760–778	594	39	200	40	276	717	66	20	284	116	106	168	15
Symptoms and ill-defined conditions—780–796	3,276	23	754	70	866	3,441	195	31	443	240	316	403	32
All other diseases—Residual	8,795	540	1,544	401	2,811	7,134	724	373	2,946	2,148	1,468	2,605	245
Accidents—E800–E949	4,860	361	1,812	436	2,661	7,016	713	240	2,591	2,034	1,094	1,933	417
Motor vehicle accidents—E810–E823	2,035	155	962	225	1,351	3,638	377	108	1,182	981	527	958	254
All other accidents—E800–E807,E825–E949	2,825	206	850	211	1,310	3,378	336	132	1,409	1,053	567	975	163
Suicide—E950–E959	1,384	138	350	76	599	1,787	175	65	809	529	234	590	66
Homicide—E960–E978	657	41	362	24	493	1,806	53	16	501	171	125	141	17
Other external causes—E980–E999	287	14	38	9	79	103	15	5	17	70	55	31	22

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
All causes	1,232,880	1,074	5,612	653	6,978	2,251	5,236	1,601
Bacillary dysentery and amebiasis – 004,006	35	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	1,078	2	3	–	5	5	–	1
Tuberculosis, all forms – 010–019	2,022	–	5	2	8	4	11	4
Tuberculosis of respiratory system – 010–012	1,583	–	5	1	6	2	10	4
Tuberculosis, other forms – 013–019	439	–	–	1	2	2	1	–
Whooping cough – 033	7	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	7	–	–	–	–	–	–	–
Meningococcal infections – 036	215	–	2	–	2	1	1	–
Septicemia – 038	5,043	2	21	3	19	12	22	6
Acute poliomyelitis – 040–043	12	–	–	–	–	–	–	–
Measles – 055	13	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	128	1	1	1	–	1	–	1
Other infective and parasitic diseases – Remainder of 000–136	2,856	1	9	1	9	8	10	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	260,797	187	1,162	107	1,572	461	1,099	304
Malignant neoplasms of buccal cavity and pharynx – 140–149	6,028	4	27	1	34	10	24	8
Malignant neoplasms of digestive organs and peritoneum – 150–159	70,231	45	318	23	475	102	293	72
Malignant neoplasms of respiratory system – 160–163	64,283	44	301	25	383	104	252	79
Malignant neoplasm of breast – 174	24,562	14	100	10	138	40	106	24
Malignant neoplasms of genital organs – 180–187	28,797	24	117	17	168	60	122	33
Malignant neoplasms of urinary organs – 188,189	11,623	10	47	4	77	23	50	16
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	31,215	28	113	19	152	71	142	41
Leukemia – 204–207	9,964	8	59	3	70	19	46	12
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	14,094	10	80	5	75	32	64	19
Benign neoplasms and neoplasms of unspecified nature – 210–239	3,400	–	10	–	26	8	14	5
Diabetes mellitis – 250	21,407	20	122	15	150	45	91	28
Avitaminoses and other nutritional deficiencies – 260–269	1,594	1	12	1	8	4	7	2
Anemias – 280–285	2,025	1	13	1	12	1	7	3
Meningitis – 320	1,027	1	8	–	3	5	3	–
Major cardiovascular diseases – 390–448	615,735	526	2,818	335	3,678	770	2,884	895
Diseases of heart – 390–398,402,404,410–429	467,009	384	2,073	208	2,886	538	2,260	702
Active rheumatic fever and chronic rheumatic heart disease – 390–398	8,991	5	48	5	57	16	45	16
Hypertensive heart disease – 402	4,616	10	23	4	16	4	11	10
Hypertensive heart and renal disease – 404	1,978	7	9	1	5	2	4	5
Ischemic heart disease – 410–413	418,552	283	1,828	190	2,658	455	2,047	637
Acute myocardial infarction – 410	185,665	173	847	77	1,178	182	1,047	326
Other acute and subacute forms of ischemic heart disease – 411	2,554	–	6	–	6	–	3	1
Chronic ischemic heart disease – 412	230,218	110	975	113	1,474	273	997	310
Angina pectoris – 413	115	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2,332	2	9	–	10	2	9	2
All other forms of heart disease – 420–423,425–427,429	30,540	77	156	8	140	59	144	32

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3,585	2	8	3	34	16	17	9
Cerebrovascular diseases—430–438	111,214	112	548	109	562	164	427	133
Cerebral hemorrhage—431	15,000	14	93	34	107	21	72	27
Cerebral thrombosis—433	27,128	9	125	25	139	20	135	42
Cerebral embolism—434	451	–	–	–	5	1	3	–
All other cerebrovascular diseases—430,432,435–438	68,635	89	330	50	311	122	217	64
Arteriosclerosis—440	17,192	14	100	7	77	25	99	22
Other diseases of arteries, arterioles, and capillaries—441–448	16,735	14	89	8	119	27	81	29
Acute bronchitis and bronchiolitis—466	435	1	2	–	1	2	–	–
Influenza and pneumonia—470–474,480–486	32,591	30	116	14	185	56	107	28
Influenza—470–474	568	1	2	–	–	1	1	–
Pneumonia—480–486	32,023	29	114	14	185	55	106	28
Bronchitis, emphysema, and asthma—490–493	14,009	19	50	7	93	34	47	20
Chronic and unqualified bronchitis—490,491	2,792	4	12	2	17	7	8	6
Emphysema—492	10,144	14	35	5	72	24	35	13
Asthma—493	1,073	1	3	–	4	3	4	1
Peptic ulcer—531–533	3,831	5	13	4	29	1	15	5
Appendicitis—540–543	465	–	1	1	2	–	1	–
Hernia and intestinal obstruction—550–553,560	3,526	6	16	3	18	9	9	6
Cirrhosis of liver—571	23,295	12	63	9	119	44	67	19
Cholelithiasis, cholecystitis and cholangitis—574,575	1,788	2	9	1	16	8	2	7
Nephritis and nephrosis—580–584	5,575	2	22	2	26	21	20	4
Acute nephritis and nephrotic syndrome—580,581	1,169	2	7	–	3	3	7	4
Chronic and unqualified nephritis and renal sclerosis—582–584	4,406	–	15	2	23	18	13	–
Infections of kidney—590	2,214	2	11	1	10	4	7	4
Hyperplasia of prostate—600	569	1	2	2	4	1	3	2
Complications of pregnancy, childbirth, and the puerperium—630–678	248	–	–	–	–	–	–	–
Abortions—640–645	13	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	235	–	–	–	–	–	–	–
Congenital anomalies—740–759	8,744	6	40	3	32	22	34	10
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	15,656	16	56	7	82	36	52	22
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	8,326	8	38	4	46	15	21	11
Other causes of mortality in early infancy—Remainder of 760–778	7,330	8	18	3	36	21	31	11
Symptoms and ill-defined conditions—780–796	18,450	51	412	6	48	110	30	7
All other diseases—Residual	84,958	74	365	38	442	257	363	110
Accidents—E800–E949	60,680	78	145	58	288	187	231	76
Motor vehicle accidents—E810–E823	28,047	32	64	15	135	111	124	41
All other accidents—E800–E807,E825–E949	32,633	46	81	43	153	76	107	35
Suicide—E950–E959	19,690	15	87	13	69	88	79	25
Homicide—E960–E978	15,392	10	14	10	16	36	16	4
Other external causes—E980–E999	3,363	2	2	–	6	10	4	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
All causes	1,273	10,699	1,163	1,220	2,209	1,540	10,917	2,349
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	–	10	–	2	1	1	11	2
Tuberculosis, all forms—010–019	1	8	1	4	1	1	28	3
Tuberculosis of respiratory system—010–012	1	6	1	2	1	–	19	3
Tuberculosis, other forms—013–019	–	2	–	2	–	1	9	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	2	–	–	1	1	1	2	–
Septicemia—038	3	14	3	5	5	5	89	13
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	1	–	–	–
Syphilis and its sequelae—090–097	–	1	–	–	1	–	2	1
Other infective and parasitic diseases—Remainder of 000–136	6	22	1	6	5	1	42	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	228	2,514	236	272	446	291	2,027	501
Malignant neoplasms of buccal cavity and pharynx—140–149	1	68	4	5	8	4	53	9
Malignant neoplasms of digestive organs and peritoneum—150–159	59	593	64	62	127	73	488	152
Malignant neoplasms of respiratory system—160–163	56	656	64	72	79	68	530	115
Malignant neoplasm of breast—174	17	238	20	20	52	25	193	51
Malignant neoplasms of genital organs—180–187	30	278	28	30	51	35	195	52
Malignant neoplasms of urinary organs—188,189	12	120	10	21	34	16	91	23
Malignant neoplasms of all other and unspecified sites—170–173,190–199	33	291	29	35	48	44	289	49
Leukemia—204–207	10	109	10	14	21	11	92	20
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	10	161	7	13	26	15	96	30
Benign neoplasms and neoplasms of unspecified nature—210–239	3	29	2	4	1	8	38	6
Diabetes mellitus—250	22	97	24	19	41	22	161	43
Avitaminoses and other nutritional deficiencies—260–269	3	11	2	3	3	4	23	1
Anemias—280–285	3	17	–	6	1	4	19	4
Meningitis—320	–	10	1	1	5	1	8	2
Major cardiovascular diseases—390–448	648	5,261	638	565	1,220	757	5,099	1,304
Diseases of heart—390–398,402,404,410–429	486	3,864	463	415	912	519	3,768	1,050
Active rheumatic fever and chronic rheumatic heart disease—390–398	5	105	7	6	14	16	72	8
Hypertensive heart disease—402	4	34	3	6	8	7	27	2
Hypertensive heart and renal disease—404	–	9	6	–	2	1	9	7
Ischemic heart disease—410–413	441	3,566	413	368	813	447	3,034	993
Acute myocardial infarction—410	290	1,840	206	232	380	206	1,427	504
Other acute and subacute forms of ischemic heart disease—411	1	7	3	1	5	–	29	–
Chronic ischemic heart disease—412	149	1,719	203	134	428	241	1,578	489
Angina pectoris—413	1	–	1	1	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	22	4	1	3	3	32	3
All other forms of heart disease—420–423,425–427,429	34	128	30	34	72	45	594	37

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	22	6	–	8	14	41	7
Cerebrovascular diseases—430–438	126	1,051	126	119	226	161	1,062	193
Cerebral hemorrhage—431	15	125	19	12	24	21	179	28
Cerebral thrombosis—433	15	244	37	17	36	49	204	48
Cerebral embolism—434	–	8	–	–	–	1	3	–
All other cerebrovascular diseases—430,432,435–438	96	674	70	90	166	90	676	117
Arteriosclerosis—440	20	136	32	11	38	26	102	20
Other diseases of arteries, arterioles, and capillaries—441–448	12	188	11	20	36	37	126	34
Acute bronchitis and bronchiolitis—466	1	3	1	1	1	1	4	–
Influenza and pneumonia—470–474,480–486	53	216	10	23	52	52	364	46
Influenza—470–474	1	1	–	–	5	6	13	–
Pneumonia—480–486	52	215	10	23	47	46	351	46
Bronchitis, emphysema, and asthma—490–493	22	140	18	15	22	20	136	11
Chronic and unqualified bronchitis—490,491	1	27	2	6	3	4	44	–
Emphysema—492	21	100	14	6	19	14	84	10
Asthma—493	–	13	2	3	–	2	8	1
Peptic ulcer—531–533	4	40	2	7	8	5	33	5
Appendicitis—540–543	1	5	–	–	–	1	6	–
Hernia and intestinal obstruction—550–553,560	4	26	1	1	3	5	39	5
Cirrhosis of liver—571	23	246	9	19	23	21	194	53
Cholelithiasis, cholecystitis and cholangitis—574,575	3	16	1	1	6	2	20	1
Nephritis and nephrosis—580–584	2	32	5	3	9	6	59	5
Acute nephritis and nephrotic syndrome—580,581	–	8	–	1	2	–	12	1
Chronic and unqualified nephritis and renal sclerosis—582–584	2	24	5	2	7	6	47	4
Infections of kidney—590	1	18	1	–	6	7	18	2
Hyperplasia of prostate—600	–	8	–	–	1	–	3	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	3	–	–	–	–	4	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	3	–	–	–	–	4	–
Congenital anomalies—740–759	9	93	8	12	18	5	92	10
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	14	149	11	20	23	18	149	30
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	13	86	6	9	16	13	79	16
Other causes of mortality in early infancy—Remainder of 760–778	1	63	5	11	7	5	70	14
Symptoms and ill-defined conditions—780–796	8	45	19	13	24	29	110	27
All other diseases—Residual	86	618	72	86	133	137	934	131
Accidents—E800–E949	86	702	68	86	104	80	755	104
Motor vehicle accidents—E810–E823	47	350	32	49	62	28	336	39
All other accidents—E800–E807,E825–E949	39	352	36	37	42	52	419	65
Suicide—E950–E959	17	245	20	33	41	34	220	16
Homicide—E960–E978	19	88	5	11	3	18	224	14
Other external causes—E980–E999	–	12	4	1	–	3	4	8

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
All causes	2,300	2,138	2,938	18,475	2,268	954	2,794	737
Bacillary dysentery and amebiasis – 004,006	–	1	–	1	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	2	8	17	2	1	5	1
Tuberculosis, all forms – 010–019	7	4	7	45	6	–	–	1
Tuberculosis of respiratory system – 010–012	6	2	6	35	5	–	–	1
Tuberculosis, other forms – 013–019	1	2	1	10	1	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	3	1	–	–
Septicemia – 038	17	8	11	130	17	1	9	1
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	1	–	2	2	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	12	6	5	46	1	2	9	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	438	442	608	4,240	450	193	576	153
Malignant neoplasms of buccal cavity and pharynx – 140–149	10	6	9	127	12	3	11	2
Malignant neoplasms of digestive organs and peritoneum – 150–159	108	107	170	1,133	117	33	133	37
Malignant neoplasms of respiratory system – 160–163	132	119	182	1,063	115	50	166	39
Malignant neoplasm of breast – 174	41	39	34	363	39	15	49	13
Malignant neoplasms of genital organs – 180–187	38	56	69	482	45	21	65	17
Malignant neoplasms of urinary organs – 188,189	18	18	25	179	18	7	24	7
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	60	60	67	562	69	50	73	24
Leukemia – 204–207	19	14	22	137	14	4	24	6
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	23	30	194	21	10	31	8
Benign neoplasms and neoplasms of unspecified nature – 210–239	5	6	5	66	8	1	9	2
Diabetes mellitus – 250	38	25	52	399	25	11	42	8
Avitaminoses and other nutritional deficiencies – 260–269	2	1	4	23	3	1	2	1
Anemias – 280–285	3	2	2	45	5	2	3	1
Meningitis – 320	4	1	2	12	5	2	1	–
Major cardiovascular diseases – 390–448	1,090	1,027	1,394	8,918	1,176	502	1,328	361
Diseases of heart – 390–398,402,404,410–429	764	677	1,060	7,223	939	405	970	261
Active rheumatic fever and chronic rheumatic heart disease – 390–398	13	9	26	134	12	4	12	9
Hypertensive heart disease – 402	24	5	32	40	2	1	25	3
Hypertensive heart and renal disease – 404	3	1	1	16	5	–	4	–
Ischemic heart disease – 410–413	667	568	950	6,427	871	368	738	197
Acute myocardial infarction – 410	327	274	336	2,532	187	191	386	95
Other acute and subacute forms of ischemic heart disease – 411	4	5	–	9	2	–	2	2
Chronic ischemic heart disease – 412	335	289	613	3,884	682	177	350	100
Angina pectoris – 413	1	–	1	2	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	5	7	38	3	1	11	–
All other forms of heart disease – 420–423,425–427,429	55	89	44	568	46	31	180	52

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	4	8	40	2	1	9	2
Cerebrovascular diseases—430–438	265	204	242	1,205	187	70	252	70
Cerebral hemorrhage—431	74	22	34	168	15	17	46	6
Cerebral thrombosis—433	88	30	67	154	25	19	57	16
Cerebral embolism—434	–	–	1	–	–	1	1	1
All other cerebrovascular diseases—430,432,435–438	103	152	140	883	147	33	148	47
Arteriosclerosis—440	14	110	37	169	20	15	60	16
Other diseases of arteries, arterioles, and capillaries—441–448	39	32	47	281	28	11	37	12
Acute bronchitis and bronchiolitis—466	1	1	–	4	–	–	–	3
Influenza and pneumonia—470–474,480–486	65	59	64	378	30	10	64	18
Influenza—470–474	–	1	3	3	1	1	2	2
Pneumonia—480–486	65	58	61	375	29	9	62	16
Bronchitis, emphysema, and asthma—490–493	21	36	39	133	12	18	40	8
Chronic and unqualified bronchitis—490,491	5	4	9	27	2	1	4	–
Emphysema—492	14	27	30	91	7	17	34	6
Asthma—493	2	5	–	15	3	–	2	2
Peptic ulcer—531–533	7	4	11	36	6	3	5	3
Appendicitis—540–543	2	–	1	9	2	–	1	1
Hernia and intestinal obstruction—550–553,560	7	10	5	62	11	4	6	2
Cirrhosis of liver—571	38	27	72	335	25	16	35	14
Cholelithiasis, cholecystitis and cholangitis—574,575	2	–	2	21	3	2	4	1
Nephritis and nephrosis—580–584	16	5	8	145	16	3	11	1
Acute nephritis and nephrotic syndrome—580,581	3	1	–	32	2	–	2	–
Chronic and unqualified nephritis and renal sclerosis—582–584	13	4	8	113	14	3	9	1
Infections of kidney—590	2	1	5	23	4	–	12	1
Hyperplasia of prostate—600	1	–	1	8	–	–	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	1	1	–	4	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	1	–	4	–	–	–	–
Congenital anomalies—740–759	17	22	25	110	30	8	18	3
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	35	20	41	241	35	9	63	13
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	22	10	28	108	18	4	36	7
Other causes of mortality in early infancy—Remainder of 760–778	13	10	13	133	17	5	27	6
Symptoms and ill-defined conditions—780–796	65	50	7	227	13	5	83	18
All other diseases—Residual	176	143	205	1,439	133	66	175	47
Accidents—E800–E949	143	142	234	819	154	75	183	48
Motor vehicle accidents—E810–E823	79	68	136	320	65	40	89	27
All other accidents—E800–E807,E825–E949	64	74	98	499	89	35	94	21
Suicide—E950–E959	35	54	66	252	36	14	59	17
Homicide—E960–E978	43	37	51	225	53	3	46	7
Other external causes—E980–E999	3	1	1	60	4	1	4	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
All causes	1,253	2,670	7,742	890	1,030	29,567	6,569	3,043
Bacillary dysentery and amebiasis – 004,006	–	1	–	–	1	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	1	12	1	–	25	4	2
Tuberculosis, all forms – 010–019	–	2	15	–	–	41	8	2
Tuberculosis of respiratory system – 010–012	–	2	14	–	–	34	6	2
Tuberculosis, other forms – 013–019	–	–	1	–	–	7	2	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	1	–	–	5	1	1
Septicemia – 038	4	11	33	–	–	160	22	16
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	1	–
Syphilis and its sequelae – 090–097	–	–	3	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	9	2	23	1	2	76	14	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	272	571	1,544	170	204	6,614	1,673	654
Malignant neoplasms of buccal cavity and pharynx – 140–149	8	14	24	8	6	177	41	16
Malignant neoplasms of digestive organs and peritoneum – 150–159	72	149	364	40	44	1,884	464	190
Malignant neoplasms of respiratory system – 160–163	75	139	450	42	46	1,526	377	123
Malignant neoplasm of breast – 174	17	45	132	20	26	675	168	70
Malignant neoplasms of genital organs – 180–187	28	57	162	23	22	690	194	67
Malignant neoplasms of urinary organs – 188,189	11	36	61	3	9	287	78	28
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	36	64	201	19	31	807	193	106
Leukemia – 204–207	12	30	70	8	9	249	59	19
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	13	37	80	7	11	319	99	35
Benign neoplasms and neoplasms of unspecified nature – 210–239	2	9	11	1	4	131	32	10
Diabetes mellitis – 250	20	51	136	9	8	525	126	54
Avitaminoses and other nutritional deficiencies – 260–269	3	3	4	–	–	41	7	2
Anemias – 280–285	2	5	15	1	5	43	5	4
Meningitis – 320	1	1	5	1	–	24	8	1
Major cardiovascular diseases – 390–448	588	1,457	3,243	535	470	14,865	3,289	1,569
Diseases of heart – 390–398,402,404,410–429	486	1,144	2,157	388	331	11,473	2,454	1,230
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	18	44	3	7	254	60	25
Hypertensive heart disease – 402	1	12	47	6	1	144	23	10
Hypertensive heart and renal disease – 404	2	6	8	4	–	17	7	2
Ischemic heart disease – 410–413	315	1,059	1,717	356	309	10,247	2,222	1,100
Acute myocardial infarction – 410	139	508	913	168	176	5,194	1,083	424
Other acute and subacute forms of ischemic heart disease – 411	–	3	2	2	3	15	4	3
Chronic ischemic heart disease – 412	176	548	800	186	130	5,034	1,133	671
Angina pectoris – 413	–	–	2	–	–	4	2	2
Chronic disease of endocardium and other myocardial insufficiency – 424,428	1	5	17	–	2	60	8	5
All other forms of heart disease – 420–423,425–427,429	161	44	324	19	12	751	134	88

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	11	52	3	7	86	23	11
Cerebrovascular diseases—430–438	75	227	858	113	80	2,467	591	261
Cerebral hemorrhage—431	10	25	81	20	3	424	78	40
Cerebral thrombosis—433	18	58	176	32	14	691	133	77
Cerebral embolism—434	1	1	1	–	–	12	2	4
All other cerebrovascular diseases—430,432,435–438	46	143	600	61	63	1,340	378	140
Arteriosclerosis—440	11	31	84	16	31	426	111	24
Other diseases of arteries, arterioles, and capillaries—441–448	15	44	92	15	21	413	110	43
Acute bronchitis and bronchiolitis—466	–	1	4	1	1	10	1	–
Influenza and pneumonia—470–474,480–486	31	72	210	20	36	1,181	156	92
Influenza—470–474	1	2	18	–	2	3	3	–
Pneumonia—480–486	30	70	192	20	34	1,178	153	92
Bronchitis, emphysema, and asthma—490–493	18	42	86	8	10	277	55	29
Chronic and unqualified bronchitis—490,491	1	9	13	1	3	60	14	10
Emphysema—492	15	32	66	6	5	189	36	15
Asthma—493	2	1	7	1	2	28	5	4
Peptic ulcer—531–533	4	8	17	1	1	91	19	9
Appendicitis—540–543	–	1	5	–	–	7	1	1
Hernia and intestinal obstruction—550–553,560	5	8	14	3	3	80	15	4
Cirrhosis of liver—571	22	37	73	13	24	542	107	59
Cholelithiasis, cholecystitis and cholangitis—574,575	2	4	13	2	2	40	16	9
Nephritis and nephrosis—580–584	3	4	71	1	1	129	15	13
Acute nephritis and nephrotic syndrome—580,581	–	–	5	–	–	31	4	4
Chronic and unqualified nephritis and renal sclerosis—582–584	3	4	66	1	1	98	11	9
Infections of kidney—590	3	4	24	–	2	52	8	3
Hyperplasia of prostate—600	2	2	7	–	1	9	6	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	1	–	3	–	–
Abortions—640–645	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	–	–	3	–	–
Congenital anomalies—740–759	11	13	58	6	12	126	41	23
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	22	24	83	14	11	243	75	28
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	16	44	7	9	113	34	13
Other causes of mortality in early infancy—Remainder of 760–778	7	8	39	7	2	130	41	15
Symptoms and ill-defined conditions—780–796	14	31	701	4	19	362	49	33
All other diseases—Residual	80	156	602	57	92	2,216	471	204
Accidents—E800–E949	93	115	485	31	83	1,165	239	160
Motor vehicle accidents—E810–E823	50	58	221	17	38	439	99	75
All other accidents—E800–E807,E825–E949	43	57	264	14	45	726	140	85
Suicide—E950–E959	20	29	78	4	27	309	62	40
Homicide—E960–E978	21	1	146	5	10	117	33	12
Other external causes—E980–E999	1	3	19	–	1	58	10	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
All causes	1,226	436	12,795	3,443	1,172	890	2,320	2,272
Bacillary dysentery and amebiasis – 004,006	1	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	7	1	11	4	2	4	3	1
Tuberculosis, all forms – 010–019	5	1	17	3	3	–	6	4
Tuberculosis of respiratory system – 010–012	2	1	16	3	2	–	4	4
Tuberculosis, other forms – 013–019	3	–	1	–	1	–	2	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	3	–	–	–	2	–
Septicemia – 038	10	–	35	8	3	3	22	7
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	5	–	26	4	5	2	4	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	208	92	2,772	667	247	156	466	443
Malignant neoplasms of buccal cavity and pharynx – 140–149	5	5	71	14	6	5	11	14
Malignant neoplasms of digestive organs and peritoneum – 150–159	48	27	820	182	80	35	106	121
Malignant neoplasms of respiratory system – 160–163	50	21	682	145	54	39	131	123
Malignant neoplasm of breast – 174	13	8	278	74	25	17	46	23
Malignant neoplasms of genital organs – 180–187	27	13	284	76	29	18	59	46
Malignant neoplasms of urinary organs – 188,189	9	4	123	36	8	6	23	25
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	38	7	258	76	21	22	56	64
Leukemia – 204–207	11	3	100	32	7	6	14	13
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	7	4	156	32	17	8	20	14
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	1	34	8	3	2	4	9
Diabetes mellitis – 250	28	10	266	59	20	16	45	27
Avitaminoses and other nutritional deficiencies – 260–269	2	–	17	6	2	–	5	4
Anemias – 280–285	2	–	20	5	2	–	4	3
Meningitis – 320	1	1	9	1	2	1	6	4
Major cardiovascular diseases – 390–448	487	192	6,807	1,893	602	470	1,044	1,207
Diseases of heart – 390–398,402,404,410–429	350	129	5,177	1,427	449	320	831	988
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	1	111	31	10	8	16	18
Hypertensive heart disease – 402	1	–	27	24	2	8	14	3
Hypertensive heart and renal disease – 404	–	–	15	4	–	–	2	4
Ischemic heart disease – 410–413	265	119	4,798	1,284	405	283	703	898
Acute myocardial infarction – 410	126	59	2,526	521	202	137	310	372
Other acute and subacute forms of ischemic heart disease – 411	–	–	10	5	–	5	12	2
Chronic ischemic heart disease – 412	139	60	2,261	758	203	141	381	524
Angina pectoris – 413	–	–	1	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	3	19	8	–	1	6	4
All other forms of heart disease – 420–423,425–427,429	76	6	207	76	32	20	90	61

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	–	40	18	7	6	2	5
Cerebrovascular diseases—430–438	98	52	1,296	332	111	87	176	172
Cerebral hemorrhage—431	15	4	139	51	14	6	33	35
Cerebral thrombosis—433	21	8	460	84	14	16	37	27
Cerebral embolism—434	–	–	5	2	–	1	–	3
All other cerebrovascular diseases—430,432,435–438	62	40	692	195	83	64	106	107
Arteriosclerosis—440	18	5	140	66	17	42	13	14
Other diseases of arteries, arterioles, and capillaries—441–448	19	6	154	50	18	15	22	28
Acute bronchitis and bronchiolitis—466	–	–	6	1	1	1	1	1
Influenza and pneumonia—470–474,480–486	28	12	310	99	25	22	53	50
Influenza—470–474	–	–	3	1	–	–	4	1
Pneumonia—480–486	28	12	307	98	25	22	49	49
Bronchitis, emphysema, and asthma—490–493	8	6	196	42	14	24	19	20
Chronic and unqualified bronchitis—490,491	1	1	39	8	3	3	2	2
Emphysema—492	7	5	143	31	11	20	17	15
Asthma—493	–	–	14	3	–	1	–	3
Peptic ulcer—531–533	1	2	40	7	3	3	3	7
Appendicitis—540–543	–	–	7	–	–	–	1	1
Hernia and intestinal obstruction—550–553,560	10	1	53	9	6	1	5	8
Cirrhosis of liver—571	19	7	214	44	13	10	46	54
Cholelithiasis, cholecystitis and cholangitis—574,575	3	–	20	6	5	4	2	6
Nephritis and nephrosis—580–584	7	3	37	11	3	5	20	7
Acute nephritis and nephrotic syndrome—580,581	–	1	6	2	–	1	2	2
Chronic and unqualified nephritis and renal sclerosis—582–584	7	2	31	9	3	4	18	5
Infections of kidney—590	3	1	34	11	3	4	1	2
Hyperplasia of prostate—600	2	–	6	1	1	–	1	2
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	1	1	–	1	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	1	1	–	1	–	–
Congenital anomalies—740–759	15	3	71	22	10	9	27	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	27	7	132	40	15	16	52	20
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	5	55	25	7	13	28	8
Other causes of mortality in early infancy—Remainder of 760–778	10	2	77	15	8	3	24	12
Symptoms and ill-defined conditions—780–796	120	38	131	24	4	6	21	19
All other diseases—Residual	100	20	814	237	87	62	185	162
Accidents—E800–E949	84	29	462	157	57	39	191	136
Motor vehicle accidents—E810–E823	41	20	175	70	28	19	101	67
All other accidents—E800–E807,E825–E949	43	9	287	87	29	20	90	69
Suicide—E950–E959	18	6	109	54	29	17	44	33
Homicide—E960–E978	19	3	84	17	1	11	37	6
Other external causes—E980–E999	1	–	51	2	4	1	–	12

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
All causes	3,265	3,112	61,478	13,199	18,620	1,606	546	2,587
Bacillary dysentery and amebiasis—004,006	–	–	1	–	–	1	–	–
Enteritis and other diarrheal diseases—008,009	4	2	49	12	12	3	–	2
Tuberculosis, all forms—010–019	8	10	126	18	20	4	–	7
Tuberculosis of respiratory system—010–012	7	7	85	13	18	4	–	6
Tuberculosis, other forms—013–019	1	3	41	5	2	–	–	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	1	–	–	–
Meningococcal infections—036	1	–	6	2	3	–	–	1
Septicemia—038	13	12	214	37	77	10	2	15
Acute poliomyelitis—040–043	–	–	2	–	–	–	–	–
Measles—055	–	1	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	3	–	4	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	11	4	122	33	42	3	2	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	641	582	12,744	2,868	3,961	307	109	462
Malignant neoplasms of buccal cavity and pharynx—140–149	19	12	331	67	75	2	1	9
Malignant neoplasms of digestive organs and peritoneum—150–159	151	169	3,655	750	1,133	80	33	105
Malignant neoplasms of respiratory system—160–163	167	155	3,032	790	978	60	28	113
Malignant neoplasm of breast—174	52	30	1,238	275	422	41	8	39
Malignant neoplasms of genital organs—180–187	69	64	1,385	315	445	40	15	61
Malignant neoplasms of urinary organs—188,189	24	33	559	134	174	12	1	22
Malignant neoplasms of all other and unspecified sites—170–173,190–199	97	64	1,419	284	416	32	10	68
Leukemia—204–207	30	24	455	104	133	20	7	20
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	32	31	670	149	185	20	6	25
Benign neoplasms and neoplasms of unspecified nature—210–239	8	11	122	24	43	5	3	3
Diabetes mellitis—250	64	57	1,075	233	353	17	5	41
Avitaminoses and other nutritional deficiencies—260–269	2	2	44	23	28	1	–	2
Anemias—280–285	8	5	110	17	32	2	–	6
Meningitis—320	1	2	51	11	14	2	–	2
Major cardiovascular diseases—390–448	1,545	1,624	31,984	6,856	9,708	714	272	1,297
Diseases of heart—390–398,402,404,410–429	1,108	1,153	25,753	5,304	7,401	501	186	982
Active rheumatic fever and chronic rheumatic heart disease—390–398	22	15	387	76	165	13	2	11
Hypertensive heart disease—402	9	7	331	85	93	3	2	18
Hypertensive heart and renal disease—404	11	4	74	11	21	2	–	5
Ischemic heart disease—410–413	964	1,026	23,623	4,895	6,674	445	158	851
Acute myocardial infarction—410	450	763	9,078	1,788	2,225	179	86	524
Other acute and subacute forms of ischemic heart disease—411	–	2	131	12	13	21	1	1
Chronic ischemic heart disease—412	514	261	14,411	3,093	4,434	245	70	326
Angina pectoris—413	–	–	3	2	2	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	5	1	95	13	52	2	–	8
All other forms of heart disease—420–423,425–427,429	97	100	1,243	224	396	36	24	89

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	11	245	23	52	2	2	5
Cerebrovascular diseases—430–438	323	374	4,788	1,173	1,599	158	68	255
Cerebral hemorrhage—431	39	35	793	144	231	17	8	44
Cerebral thrombosis—433	58	53	1,417	300	466	20	25	60
Cerebral embolism—434	2	–	17	12	6	1	–	–
All other cerebrovascular diseases—430,432,435–438	224	286	2,561	717	896	120	35	151
Arteriosclerosis—440	57	55	538	185	393	29	6	19
Other diseases of arteries, arterioles, and capillaries—441–448	49	31	660	171	263	24	10	36
Acute bronchitis and bronchiolitis—466	1	1	21	6	6	–	–	1
Influenza and pneumonia—470–474,480–486	110	85	1,755	326	425	47	20	76
Influenza—470–474	3	3	8	9	10	–	–	7
Pneumonia—480–486	107	82	1,747	317	415	47	20	69
Bronchitis, emphysema, and asthma—490–493	33	37	593	140	219	38	10	18
Chronic and unqualified bronchitis—490,491	6	7	114	30	42	6	3	4
Emphysema—492	24	26	423	105	166	32	7	14
Asthma—493	3	4	56	5	11	–	–	–
Peptic ulcer—531–533	11	5	196	42	68	10	2	7
Appendicitis—540–543	1	1	22	2	4	–	1	1
Hernia and intestinal obstruction—550–553,560	10	6	140	50	49	5	2	6
Cirrhosis of liver—571	87	29	1,331	188	356	18	4	40
Cholelithiasis, cholecystitis and cholangitis—574,575	5	8	64	18	23	3	2	1
Nephritis and nephrosis—580–584	37	29	337	62	104	3	1	26
Acute nephritis and nephrotic syndrome—580,581	6	8	76	15	24	–	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	31	21	261	47	80	3	1	25
Infections of kidney—590	4	3	100	29	40	5	1	4
Hyperplasia of prostate—600	7	1	38	13	7	2	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	2	–	11	3	5	–	–	–
Abortions—640–645	–	–	1	–	2	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	–	10	3	3	–	–	–
Congenital anomalies—740–759	21	19	479	85	117	22	1	19
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	56	32	1,017	131	188	25	18	52
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	29	13	610	73	89	12	7	26
Other causes of mortality in early infancy—Remainder of 760–778	27	19	407	58	99	13	11	26
Symptoms and ill-defined conditions—780–796	26	27	418	57	73	21	4	17
All other diseases—Residual	214	230	3,541	968	1,219	142	34	168
Accidents—E800–E949	205	197	2,615	632	804	133	33	186
Motor vehicle accidents—E810–E823	89	99	1,157	213	310	61	17	93
All other accidents—E800–E807,E825–E949	116	98	1,458	419	494	72	16	93
Suicide—E950–E959	53	51	686	173	281	46	12	64
Homicide—E960–E978	63	38	1,085	118	305	14	7	47
Other external causes—E980–E999	13	1	376	22	29	3	1	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
All causes	1,947	7,258	2,163	12,268	3,251	6,665	1,199	9,247
Bacillary dysentery and amebiasis – 004,006	–	–	–	2	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	3	1	16	2	9	3	6
Tuberculosis, all forms – 010–019	7	8	6	21	1	6	1	10
Tuberculosis of respiratory system – 010–012	6	7	6	16	1	5	1	5
Tuberculosis, other forms – 013–019	1	1	–	5	–	1	–	5
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	3	–	–	5	–	–	–	–
Septicemia – 038	10	52	9	71	8	17	1	45
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	1	–	–	–	–
Syphilis and its sequelae – 090–097	–	1	–	2	–	1	–	–
Other infective and parasitic diseases – Remainder of 000–136	5	13	5	30	2	10	1	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	349	1,533	456	2,436	617	1,370	234	1,774
Malignant neoplasms of buccal cavity and pharynx – 140–149	15	25	9	48	14	23	8	33
Malignant neoplasms of digestive organs and peritoneum – 150–159	80	416	106	576	169	342	71	499
Malignant neoplasms of respiratory system – 160–163	95	393	124	662	161	401	57	375
Malignant neoplasm of breast – 174	16	157	38	227	45	119	13	153
Malignant neoplasms of genital organs – 180–187	46	182	53	242	76	175	36	194
Malignant neoplasms of urinary organs – 188,189	13	58	19	101	22	54	5	85
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	50	183	63	305	77	137	30	232
Leukemia – 204–207	13	61	15	118	24	52	6	82
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	21	58	29	157	29	67	8	121
Benign neoplasms and neoplasms of unspecified nature – 210–239	6	18	7	20	7	21	1	29
Diabetes mellitus – 250	38	134	62	153	62	147	27	122
Avitaminoses and other nutritional deficiencies – 260–269	3	19	1	15	4	7	4	24
Anemias – 280–285	5	9	6	24	6	14	4	11
Meningitis – 320	2	4	2	14	1	7	3	10
Major cardiovascular diseases – 390–448	976	3,526	970	5,715	1,832	3,331	633	4,189
Diseases of heart – 390–398,402,404,410–429	661	2,539	742	4,175	1,418	2,524	414	3,099
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	46	10	58	19	51	12	91
Hypertensive heart disease – 402	12	33	6	21	8	29	20	31
Hypertensive heart and renal disease – 404	3	189	4	10	9	9	3	79
Ischemic heart disease – 410–413	529	2,038	667	3,662	1,274	2,263	283	2,594
Acute myocardial infarction – 410	316	1,093	261	1,559	772	1,041	125	1,308
Other acute and subacute forms of ischemic heart disease – 411	33	10	1	16	1	8	5	10
Chronic ischemic heart disease – 412	180	934	405	2,084	501	1,213	151	1,276
Angina pectoris – 413	–	1	–	3	–	1	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	10	11	2	27	3	12	8	13
All other forms of heart disease – 420–423,425–427,429	101	222	53	397	105	160	88	291

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa-Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	14	30	3	28	18	18	9	30
Cerebrovascular diseases—430–438	261	720	177	1,176	316	603	161	715
Cerebral hemorrhage—431	47	64	25	124	44	91	24	87
Cerebral thrombosis—433	80	140	24	209	78	118	52	133
Cerebral embolism—434	1	4	1	3	2	1	2	4
All other cerebrovascular diseases—430,432,435–438	133	512	127	840	192	393	83	491
Arteriosclerosis—440	21	121	26	187	34	101	33	187
Other diseases of arteries, arterioles, and capillaries—441–448	19	116	22	149	46	85	16	158
Acute bronchitis and bronchiolitis—466	1	–	–	5	1	3	–	2
Influenza and pneumonia—470–474,480–486	50	146	50	329	72	164	29	324
Influenza—470–474	2	3	2	2	1	3	1	19
Pneumonia—480–486	48	143	48	327	71	161	28	305
Bronchitis, emphysema, and asthma—490–493	15	88	40	162	38	92	43	142
Chronic and unqualified bronchitis—490,491	2	24	4	40	7	24	4	34
Emphysema—492	11	59	35	111	30	63	37	98
Asthma—493	2	5	1	11	1	5	2	10
Peptic ulcer—531–533	9	12	7	36	13	20	9	26
Appendicitis—540–543	5	3	1	4	3	–	1	5
Hernia and intestinal obstruction—550–553,560	3	25	4	35	17	24	6	31
Cirrhosis of liver—571	26	80	28	167	32	94	9	175
Cholelithiasis, cholecystitis and cholangitis—574,575	–	5	2	15	12	4	1	20
Nephritis and nephrosis—580–584	13	46	4	54	10	37	1	40
Acute nephritis and nephrotic syndrome—580,581	1	9	2	10	1	4	–	7
Chronic and unqualified nephritis and renal sclerosis—582–584	12	37	2	44	9	33	1	33
Infections of kidney—590	7	13	7	45	7	9	1	10
Hyperplasia of prostate—600	1	2	–	8	2	2	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	1	2	3	–	–	3
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	1	2	3	–	–	3
Congenital anomalies—740–759	19	55	10	129	25	42	4	83
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	34	105	45	212	35	107	16	118
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	47	30	118	21	55	10	50
Other causes of mortality in early infancy—Remainder of 760–778	19	58	15	94	14	52	6	68
Symptoms and ill-defined conditions—780–796	22	482	36	283	23	91	19	75
All other diseases—Residual	158	488	157	899	174	516	81	879
Accidents—E800–E949	116	249	163	774	183	336	49	636
Motor vehicle accidents—E810–E823	57	98	94	407	91	154	19	311
All other accidents—E800–E807,E825–E949	59	151	69	367	92	182	30	325
Suicide—E950–E959	19	108	46	279	42	96	14	302
Homicide—E960–E978	39	20	35	287	10	83	1	107
Other external causes—E980–E999	1	10	2	18	7	5	3	25

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
All causes	2,445	33,918	780	2,674	1,586	2,309	2,498	1,672
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	18	2	4	1	4	1	4
Tuberculosis, all forms – 010–019	–	58	–	2	1	9	3	–
Tuberculosis of respiratory system – 010–012	–	44	–	1	1	7	2	–
Tuberculosis, other forms – 013–019	–	14	–	1	–	2	1	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	1	–	–
Meningococcal infections – 036	1	2	–	–	1	2	2	3
Septicemia – 038	12	152	1	6	16	12	7	3
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	1	–	–	–
Syphilis and its sequelae – 090–097	–	1	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	5	97	1	7	5	3	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	500	7,173	172	517	319	445	535	366
Malignant neoplasms of buccal cavity and pharynx – 140–149	15	146	3	10	4	10	17	7
Malignant neoplasms of digestive organs and peritoneum – 150–159	133	1,919	53	154	79	120	141	69
Malignant neoplasms of respiratory system – 160–163	136	1,886	37	113	87	106	120	90
Malignant neoplasm of breast – 174	34	691	23	36	32	49	42	23
Malignant neoplasms of genital organs – 180–187	55	789	14	66	36	44	63	54
Malignant neoplasms of urinary organs – 188,189	16	300	5	33	14	16	27	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	57	834	22	49	43	57	71	61
Leukemia – 204–207	21	252	4	29	13	17	23	12
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	33	356	11	27	11	26	31	29
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	77	2	8	3	2	11	8
Diabetes mellitus – 250	38	718	18	47	24	53	38	26
Avitaminoses and other nutritional deficiencies – 260–269	2	43	2	4	–	9	4	2
Anemias – 280–285	4	58	2	4	5	7	3	4
Meningitis – 320	1	25	1	–	2	4	4	1
Major cardiovascular diseases – 390–448	1,258	16,980	409	1,434	747	893	1,366	809
Diseases of heart – 390–398,402,404,410–429	972	13,341	287	1,073	567	645	1,046	598
Active rheumatic fever and chronic rheumatic heart disease – 390–398	21	216	10	13	11	20	23	16
Hypertensive heart disease – 402	5	151	1	11	5	11	6	3
Hypertensive heart and renal disease – 404	12	22	–	–	3	2	4	–
Ischemic heart disease – 410–413	875	12,147	260	952	481	548	927	538
Acute myocardial infarction – 410	520	5,678	100	425	260	245	491	214
Other acute and subacute forms of ischemic heart disease – 411	6	47	3	2	4	2	8	1
Chronic ischemic heart disease – 412	349	6,418	157	524	216	301	428	323
Angina pectoris – 413	–	4	–	1	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	43	1	3	2	7	8	4
All other forms of heart disease – 420–423,425–427,429	55	762	15	94	65	57	78	37

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	86	5	9	4	6	12	4
Cerebrovascular diseases—430–438	204	2,823	93	258	131	178	235	136
Cerebral hemorrhage—431	15	364	10	31	16	30	32	13
Cerebral thrombosis—433	33	882	27	61	22	25	63	38
Cerebral embolism—434	–	11	1	2	–	1	1	–
All other cerebrovascular diseases—430,432,435–438	156	1,566	55	164	93	122	139	85
Arteriosclerosis—440	39	281	16	46	26	30	38	44
Other diseases of arteries, arterioles, and capillaries—441–448	35	449	8	48	19	34	35	27
Acute bronchitis and bronchiolitis—466	1	8	–	1	–	1	–	–
Influenza and pneumonia—470–474,480–486	62	779	19	89	48	75	62	43
Influenza—470–474	2	3	–	4	1	–	–	1
Pneumonia—480–486	60	776	19	85	47	75	62	42
Bronchitis, emphysema, and asthma—490–493	48	372	8	33	17	25	22	31
Chronic and unqualified bronchitis—490,491	10	65	3	4	3	8	5	7
Emphysema—492	35	271	5	27	11	13	16	23
Asthma—493	3	36	–	2	3	4	1	1
Peptic ulcer—531–533	9	128	2	9	8	7	9	6
Appendicitis—540–543	1	8	–	–	1	2	1	–
Hernia and intestinal obstruction—550–553,560	11	88	3	8	5	9	8	4
Cirrhosis of liver—571	33	826	10	36	28	47	37	19
Cholelithiasis, cholecystitis and cholangitis—574,575	8	37	1	4	–	7	3	1
Nephritis and nephrosis—580–584	9	175	3	9	12	17	12	3
Acute nephritis and nephrotic syndrome—580,581	3	38	–	3	–	2	1	–
Chronic and unqualified nephritis and renal sclerosis—582–584	6	137	3	6	12	15	11	3
Infections of kidney—590	10	35	1	4	2	9	4	5
Hyperplasia of prostate—600	1	7	–	–	1	1	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	6	–	–	–	1	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	6	–	–	–	1	–	1
Congenital anomalies—740–759	28	240	10	13	12	46	18	14
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	30	507	13	22	16	59	36	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	251	11	13	7	34	15	13
Other causes of mortality in early infancy—Remainder of 760–778	13	256	2	9	9	25	21	8
Symptoms and ill-defined conditions—780–796	18	208	3	28	10	39	12	15
All other diseases—Residual	163	2,182	48	183	150	253	153	106
Accidents—E800–E949	117	1,500	46	146	94	180	104	119
Motor vehicle accidents—E810–E823	57	700	21	70	43	91	66	72
All other accidents—E800–E807,E825–E949	60	800	25	76	51	89	38	47
Suicide—E950–E959	40	623	2	42	37	44	30	43
Homicide—E960–E978	24	688	–	8	17	43	9	9
Other external causes—E980–E999	7	99	1	6	3	–	1	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
All causes	2,504	4,311	892	1,182	3,734	9,988	1,746	2,180
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	–	1	3	1	5	5	3	3
Tuberculosis, all forms—010–019	1	3	–	–	4	14	3	3
Tuberculosis of respiratory system—010–012	1	1	–	–	2	12	2	2
Tuberculosis, other forms—013–019	–	2	–	–	2	2	1	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	1	–	–	–
Meningococcal infections—036	–	–	–	2	2	1	1	–
Septicemia—038	10	16	6	3	14	25	7	6
Acute poliomyelitis—040–043	–	–	–	–	–	1	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	7	7	2	5	8	18	8	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	493	938	198	203	730	2,428	339	452
Malignant neoplasms of buccal cavity and pharynx—140–149	10	11	4	4	13	56	9	12
Malignant neoplasms of digestive organs and peritoneum—150–159	127	273	67	50	181	670	88	108
Malignant neoplasms of respiratory system—160–163	132	206	28	52	200	651	87	112
Malignant neoplasm of breast—174	42	86	20	16	60	185	19	42
Malignant neoplasms of genital organs—180–187	56	125	28	34	79	293	33	52
Malignant neoplasms of urinary organs—188,189	31	48	15	4	24	110	16	26
Malignant neoplasms of all other and unspecified sites—170–173,190–199	55	100	12	27	104	240	50	65
Leukemia—204–207	17	33	7	8	31	85	18	18
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	23	56	17	8	38	138	19	17
Benign neoplasms and neoplasms of unspecified nature—210–239	3	12	3	2	5	26	6	5
Diabetes mellitis—250	57	100	5	13	87	150	17	44
Avitaminoses and other nutritional deficiencies—260–269	–	7	–	1	4	11	2	1
Anemias—280–285	3	7	3	–	7	37	2	3
Meningitis—320	1	1	1	3	2	4	2	6
Major cardiovascular diseases—390–448	1,400	2,399	463	513	1,915	5,073	841	1,184
Diseases of heart—390–398,402,404,410–429	991	1,863	325	353	1,422	3,844	606	855
Active rheumatic fever and chronic rheumatic heart disease—390–398	21	21	13	5	19	80	10	9
Hypertensive heart disease—402	3	35	6	3	23	22	6	7
Hypertensive heart and renal disease—404	17	3	3	2	8	9	2	13
Ischemic heart disease—410–413	907	1,722	267	322	1,257	3,586	517	763
Acute myocardial infarction—410	512	874	171	174	783	1,566	294	418
Other acute and subacute forms of ischemic heart disease—411	1	3	–	2	2	17	33	3
Chronic ischemic heart disease—412	394	845	95	146	472	2,002	190	342
Angina pectoris—413	–	–	1	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	8	1	4	–	6	13	3	3
All other forms of heart disease—420–423,425–427,429	35	81	32	21	109	134	68	60

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	11	10	5	13	10	39	6	3
Cerebrovascular diseases—430–438	311	424	103	128	367	911	180	250
Cerebral hemorrhage—431	75	112	8	21	55	131	12	27
Cerebral thrombosis—433	71	115	19	31	76	262	49	44
Cerebral embolism—434	2	1	–	–	4	6	–	–
All other cerebrovascular diseases—430,432,435–438	163	196	76	76	232	512	119	179
Arteriosclerosis—440	58	46	14	12	71	102	22	45
Other diseases of arteries, arterioles, and capillaries—441–448	29	56	16	7	45	177	27	31
Acute bronchitis and bronchiolitis—466	3	2	–	1	1	2	–	1
Influenza and pneumonia—470–474,480–486	61	120	21	31	70	178	38	43
Influenza—470–474	4	1	–	2	–	2	1	–
Pneumonia—480–486	57	119	21	29	70	176	37	43
Bronchitis, emphysema, and asthma—490–493	35	35	11	14	55	114	17	15
Chronic and unqualified bronchitis—490,491	8	9	1	3	6	26	2	5
Emphysema—492	23	24	10	9	42	81	15	9
Asthma—493	4	2	–	2	7	7	–	1
Peptic ulcer—531–533	6	12	4	4	10	21	2	2
Appendicitis—540–543	–	1	–	–	1	7	–	–
Hernia and intestinal obstruction—550–553,560	8	17	3	4	5	28	9	7
Cirrhosis of liver—571	39	63	7	19	39	210	18	34
Cholelithiasis, cholecystitis and cholangitis—574,575	4	9	–	2	1	19	5	–
Nephritis and nephrosis—580–584	3	14	6	7	11	27	4	5
Acute nephritis and nephrotic syndrome—580,581	–	1	1	–	4	8	1	–
Chronic and unqualified nephritis and renal sclerosis—582–584	3	13	5	7	7	19	3	5
Infections of kidney—590	8	7	–	3	3	13	2	6
Hyperplasia of prostate—600	5	2	1	–	1	2	2	2
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	1	2	2	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	2	2	–	–
Congenital anomalies—740–759	15	23	8	14	24	42	11	16
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	27	33	7	35	67	80	20	36
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	15	2	18	33	39	13	22
Other causes of mortality in early infancy—Remainder of 760–778	12	18	5	17	34	41	7	14
Symptoms and ill-defined conditions—780–796	11	35	10	21	33	47	151	19
All other diseases—Residual	121	256	58	94	259	749	115	122
Accidents—E800–E949	128	142	52	122	233	357	88	105
Motor vehicle accidents—E810–E823	39	67	29	57	130	162	46	50
All other accidents—E800–E807,E825–E949	89	75	23	65	103	195	42	55
Suicide—E950–E959	37	39	14	22	77	187	16	35
Homicide—E960–E978	16	9	3	41	54	92	11	19
Other external causes—E980–E999	2	1	3	1	4	18	6	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
All causes	6,314	3,662	1,007	740	1,528	4,968	4,306	669
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	4	4	3	–	–	3	7	1
Tuberculosis, all forms—010–019	10	8	5	1	6	17	2	–
Tuberculosis of respiratory system—010–012	8	5	4	1	6	10	–	–
Tuberculosis, other forms—013–019	2	3	1	–	–	7	2	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	–	–	–	–	–	1	1
Septicemia—038	33	15	2	4	6	12	20	–
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	–	–	–	1	1	–	–
Other infective and parasitic diseases—Remainder of 000–136	16	16	1	2	3	9	4	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	1,334	758	183	143	340	1,026	858	125
Malignant neoplasms of buccal cavity and pharynx—140–149	33	11	5	3	13	15	13	3
Malignant neoplasms of digestive organs and peritoneum—150–159	303	189	45	34	78	254	212	43
Malignant neoplasms of respiratory system—160–163	371	208	42	45	106	270	195	28
Malignant neoplasm of breast—174	122	57	20	10	25	95	100	9
Malignant neoplasms of genital organs—180–187	151	94	19	16	31	133	97	10
Malignant neoplasms of urinary organs—188,189	45	29	6	4	14	37	41	6
Malignant neoplasms of all other and unspecified sites—170–173,190–199	170	98	24	15	49	131	107	13
Leukemia—204–207	58	28	8	5	14	45	33	4
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	81	44	14	11	10	46	60	9
Benign neoplasms and neoplasms of unspecified nature—210–239	14	7	3	2	4	13	9	2
Diabetes mellitis—250	101	47	19	17	20	149	86	8
Avitaminoses and other nutritional deficiencies—260–269	5	8	–	1	2	4	5	1
Anemias—280–285	12	3	3	1	4	3	8	1
Meningitis—320	6	1	1	2	2	4	1	–
Major cardiovascular diseases—390–448	2,987	1,679	534	318	698	2,407	2,275	271
Diseases of heart—390–398,402,404,410–429	2,077	1,211	405	216	549	1,797	1,645	195
Active rheumatic fever and chronic rheumatic heart disease—390–398	36	29	5	9	4	29	30	5
Hypertensive heart disease—402	14	16	3	3	6	27	7	2
Hypertensive heart and renal disease—404	8	7	4	–	7	1	8	–
Ischemic heart disease—410–413	1,829	1,097	351	176	478	1,637	1,478	143
Acute myocardial infarction—410	767	399	185	95	177	895	786	65
Other acute and subacute forms of ischemic heart disease—411	5	36	–	1	1	5	4	4
Chronic ischemic heart disease—412	1,057	662	166	80	300	737	688	74
Angina pectoris—413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	15	7	1	–	–	10	4	22
All other forms of heart disease—420–423,425–427,429	175	55	41	28	54	93	118	23

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	15	10	1	3	5	16	17	–
Cerebrovascular diseases—430–438	696	350	105	81	108	477	415	51
Cerebral hemorrhage—431	69	47	17	9	12	89	59	8
Cerebral thrombosis—433	97	115	54	22	12	101	113	6
Cerebral embolism—434	1	–	–	–	–	1	2	–
All other cerebrovascular diseases—430,432,435–438	529	188	34	50	84	286	241	37
Arteriosclerosis—440	134	46	10	12	14	59	115	21
Other diseases of arteries, arterioles, and capillaries—441–448	65	62	13	6	22	58	83	4
Acute bronchitis and bronchiolitis—466	3	5	–	–	–	1	1	–
Influenza and pneumonia—470–474,480–486	161	99	22	9	27	99	97	13
Influenza—470–474	2	–	1	1	–	1	3	–
Pneumonia—480–486	159	99	21	8	27	98	94	13
Bronchitis, emphysema, and asthma—490–493	80	65	13	18	20	85	50	10
Chronic and unqualified bronchitis—490,491	13	11	1	5	5	7	16	3
Emphysema—492	60	49	10	12	14	75	33	7
Asthma—493	7	5	2	1	1	3	1	–
Peptic ulcer—531–533	18	15	2	1	2	15	13	2
Appendicitis—540–543	3	1	–	1	–	–	4	–
Hernia and intestinal obstruction—550–553,560	20	14	2	3	3	14	14	4
Cirrhosis of liver—571	119	72	18	9	27	88	62	11
Cholelithiasis, cholecystitis and cholangitis—574,575	8	9	–	1	2	6	6	–
Nephritis and nephrosis—580–584	22	13	4	3	7	24	15	1
Acute nephritis and nephrotic syndrome—580,581	6	4	–	–	3	4	2	1
Chronic and unqualified nephritis and renal sclerosis—582–584	16	9	4	3	4	20	13	–
Infections of kidney—590	13	6	1	2	1	6	9	1
Hyperplasia of prostate—600	1	5	–	–	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	–	1	1	1	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	–	1	1	1	–	–
Congenital anomalies—740–759	55	24	4	4	10	32	39	7
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	87	54	13	9	25	102	54	16
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	52	27	6	8	16	53	25	9
Other causes of mortality in early infancy—Remainder of 760–778	35	27	7	1	9	49	29	7
Symptoms and ill-defined conditions—780–796	44	16	9	24	11	41	49	63
All other diseases—Residual	459	259	77	68	117	272	300	50
Accidents—E800–E949	425	288	64	61	122	317	240	62
Motor vehicle accidents—E810–E823	209	189	37	24	51	152	120	42
All other accidents—E800–E807,E825–E949	216	99	27	37	71	165	120	20
Suicide—E950–E959	133	68	11	11	27	73	50	13
Homicide—E960–E978	118	92	13	19	33	127	23	3
Other external causes—E980–E999	19	10	–	5	7	17	2	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
All causes	1,127	5,208	2,650	1,859	3,896	6,665	3,319	15,518
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	4
Enteritis and other diarrheal diseases – 008,009	2	5	2	1	1	9	4	14
Tuberculosis, all forms – 010–019	–	5	2	1	6	4	4	32
Tuberculosis of respiratory system – 010–012	–	4	2	1	6	2	3	23
Tuberculosis, other forms – 013–019	–	1	–	–	–	2	1	9
Whooping cough – 033	–	–	–	–	–	–	–	1
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	–	1	1	7
Septicemia – 038	2	20	9	6	23	33	31	101
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	1	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	2	13	5	4	9	20	16	44
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	201	1,030	471	365	780	1,616	858	3,144
Malignant neoplasms of buccal cavity and pharynx – 140–149	5	12	9	4	22	41	35	87
Malignant neoplasms of digestive organs and peritoneum – 150–159	56	257	118	77	191	437	314	755
Malignant neoplasms of respiratory system – 160–163	40	236	112	111	187	383	187	908
Malignant neoplasm of breast – 174	19	84	43	31	65	175	56	281
Malignant neoplasms of genital organs – 180–187	29	135	56	47	83	167	58	317
Malignant neoplasms of urinary organs – 188,189	8	40	11	18	35	74	23	113
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	29	174	76	49	116	181	95	373
Leukemia – 204–207	9	43	23	10	33	69	39	119
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	6	49	23	18	48	89	51	191
Benign neoplasms and neoplasms of unspecified nature – 210–239	2	16	6	1	11	21	5	28
Diabetes mellitis – 250	27	98	36	28	66	104	68	206
Avitaminoses and other nutritional deficiencies – 260–269	2	6	5	3	9	5	5	19
Anemias – 280–285	2	12	5	3	4	12	5	26
Meningitis – 320	3	1	–	1	2	3	6	37
Major cardiovascular diseases – 390–448	636	2,624	1,332	971	2,103	3,302	1,355	6,769
Diseases of heart – 390–398,402,404,410–429	451	1,940	966	699	1,625	2,436	1,017	4,880
Active rheumatic fever and chronic rheumatic heart disease – 390–398	5	42	16	14	30	43	43	88
Hypertensive heart disease – 402	4	23	7	11	11	13	7	44
Hypertensive heart and renal disease – 404	1	2	2	9	3	8	3	10
Ischemic heart disease – 410–413	321	1,718	837	630	1,468	2,214	898	4,179
Acute myocardial infarction – 410	138	1,033	566	306	927	934	366	1,605
Other acute and subacute forms of ischemic heart disease – 411	–	5	1	3	6	–	4	14
Chronic ischemic heart disease – 412	183	680	270	321	534	1,280	528	2,558
Angina pectoris – 413	–	–	–	–	1	–	–	2
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	7	8	1	6	5	10	30
All other forms of heart disease – 420–423,425–427,429	117	148	96	34	107	153	56	529

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	11	1	8	13	18	3	37
Cerebrovascular diseases—430–438	134	548	302	179	344	600	268	1,476
Cerebral hemorrhage—431	15	47	40	17	33	73	65	193
Cerebral thrombosis—433	38	139	50	22	40	216	65	294
Cerebral embolism—434	2	2	–	–	2	2	–	4
All other cerebrovascular diseases—430,432,435–438	79	360	212	140	269	309	138	985
Arteriosclerosis—440	27	46	27	58	58	129	15	189
Other diseases of arteries, arterioles, and capillaries—441–448	21	79	36	27	63	119	52	187
Acute bronchitis and bronchiolitis—466	–	2	–	–	1	1	2	7
Influenza and pneumonia—470–474,480–486	29	152	115	50	100	177	100	329
Influenza—470–474	4	12	6	1	2	–	2	12
Pneumonia—480–486	25	140	109	49	98	177	98	317
Bronchitis, emphysema, and asthma—490–493	14	54	20	23	33	75	40	170
Chronic and unqualified bronchitis—490,491	–	12	3	9	2	15	10	30
Emphysema—492	14	32	15	13	28	55	22	128
Asthma—493	–	10	2	1	3	5	8	12
Peptic ulcer—531–533	3	15	9	5	16	25	15	42
Appendicitis—540–543	1	2	–	1	1	–	3	3
Hernia and intestinal obstruction—550–553,560	4	14	6	6	7	20	10	48
Cirrhosis of liver—571	17	104	33	26	55	126	60	329
Cholelithiasis, cholecystitis and cholangitis—574,575	1	5	5	2	2	11	5	17
Nephritis and nephrosis—580–584	3	38	10	7	15	17	9	70
Acute nephritis and nephrotic syndrome—580,581	–	6	2	1	3	2	2	21
Chronic and unqualified nephritis and renal sclerosis—582–584	3	32	8	6	12	15	7	49
Infections of kidney—590	1	15	6	–	5	8	12	20
Hyperplasia of prostate—600	–	2	–	1	–	–	1	6
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	–	1	1	–	5
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	–	1	1	–	5
Congenital anomalies—740–759	6	37	24	21	18	35	43	168
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	14	71	54	24	38	64	77	336
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	7	32	36	8	18	32	30	167
Other causes of mortality in early infancy—Remainder of 760–778	7	39	18	16	20	32	47	169
Symptoms and ill-defined conditions—780–796	15	51	22	8	20	89	28	297
All other diseases—Residual	61	365	198	124	315	496	214	1,119
Accidents—E800–E949	67	292	183	119	190	252	173	1,189
Motor vehicle accidents—E810–E823	33	123	91	54	91	128	94	605
All other accidents—E800–E807,E825–E949	34	169	92	65	99	124	79	584
Suicide—E950–E959	10	77	54	41	47	69	94	411
Homicide—E960–E978	1	80	36	12	15	49	48	508
Other external causes—E980–E999	1	1	1	5	3	20	27	12

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
All causes	2,792	1,623	9,568	1,294	2,240	4,800	6,164	2,916
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	1	11	–	3	9	6	2
Tuberculosis, all forms – 010–019	4	4	15	2	11	10	18	5
Tuberculosis of respiratory system – 010–012	4	3	13	1	8	6	14	4
Tuberculosis, other forms – 013–019	–	1	2	1	3	4	4	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	3	1	–	–	2	1	–
Septicemia – 038	8	3	41	3	5	29	32	10
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	1	–	1	–	1	1	–	–
Other infective and parasitic diseases – Remainder of 000–136	5	6	31	1	5	14	12	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	531	270	1,955	260	432	1,003	1,283	488
Malignant neoplasms of buccal cavity and pharynx – 140–149	9	12	32	4	11	33	28	11
Malignant neoplasms of digestive organs and peritoneum – 150–159	117	69	472	56	95	235	367	148
Malignant neoplasms of respiratory system – 160–163	168	67	547	71	118	286	310	99
Malignant neoplasm of breast – 174	35	20	173	23	29	95	121	47
Malignant neoplasms of genital organs – 180–187	56	30	212	31	47	112	159	58
Malignant neoplasms of urinary organs – 188,189	33	13	80	10	15	36	52	27
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	67	32	256	32	63	117	164	61
Leukemia – 204–207	17	11	85	12	18	33	43	15
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	29	16	98	21	36	56	39	22
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	7	17	2	6	7	14	10
Diabetes mellitis – 250	58	29	200	25	32	92	146	56
Avitaminoses and other nutritional deficiencies – 260–269	5	1	7	3	5	4	3	1
Anemias – 280–285	2	2	15	3	7	11	12	4
Meningitis – 320	3	2	12	3	1	3	3	1
Major cardiovascular diseases – 390–448	1,523	757	4,886	676	1,010	2,181	3,325	1,623
Diseases of heart – 390–398,402,404,410–429	1,173	525	3,601	481	722	1,687	2,813	1,243
Active rheumatic fever and chronic rheumatic heart disease – 390–398	22	3	68	4	5	27	58	23
Hypertensive heart disease – 402	8	5	39	4	9	21	18	23
Hypertensive heart and renal disease – 404	5	2	30	7	1	5	4	13
Ischemic heart disease – 410–413	1,064	366	3,140	439	619	1,537	2,590	1,100
Acute myocardial infarction – 410	561	204	1,438	221	380	534	977	567
Other acute and subacute forms of ischemic heart disease – 411	3	–	7	–	1	3	18	2
Chronic ischemic heart disease – 412	500	162	1,693	217	238	999	1,595	529
Angina pectoris – 413	–	–	2	1	–	1	–	2
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	6	9	1	3	4	10	7
All other forms of heart disease – 420–423,425–427,429	70	143	315	26	85	93	133	[illegible]

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	14	7	20	–	4	13	10	5
Cerebrovascular diseases—430–438	265	183	906	136	233	384	406	281
Cerebral hemorrhage—431	21	41	115	6	42	69	67	39
Cerebral thrombosis—433	57	38	183	31	61	103	112	71
Cerebral embolism—434	–	–	4	1	–	1	5	–
All other cerebrovascular diseases—430,432,435–438	187	104	604	98	130	211	222	171
Arteriosclerosis—440	32	26	227	41	28	26	43	59
Other diseases of arteries, arterioles, and capillaries—441–448	39	16	132	18	23	71	53	35
Acute bronchitis and bronchiolitis—466	1	–	4	–	–	5	2	2
Influenza and pneumonia—470–474,480–486	60	25	239	32	59	135	122	52
Influenza—470–474	1	2	4	–	1	2	1	–
Pneumonia—480–486	59	23	235	32	58	133	121	52
Bronchitis, emphysema, and asthma—490–493	44	22	96	16	29	57	37	42
Chronic and unqualified bronchitis—490,491	13	3	19	4	1	10	5	4
Emphysema—492	27	16	76	11	25	45	31	33
Asthma—493	4	3	1	1	3	2	1	5
Peptic ulcer—531–533	11	1	29	4	7	15	24	3
Appendicitis—540–543	2	1	4	–	–	2	3	1
Hernia and intestinal obstruction—550–553,560	11	8	23	5	7	8	24	5
Cirrhosis of liver—571	39	19	126	17	18	140	148	45
Cholelithiasis, cholecystitis and cholangitis—574,575	3	4	11	1	6	9	14	6
Nephritis and nephrosis—580–584	17	8	42	5	8	31	48	13
Acute nephritis and nephrotic syndrome—580,581	7	1	9	–	1	5	14	3
Chronic and unqualified nephritis and renal sclerosis—582–584	10	7	33	5	7	26	34	10
Infections of kidney—590	6	3	18	–	6	16	8	2
Hyperplasia of prostate—600	1	–	6	–	1	2	5	4
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	–	1	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	–	1	–	–	–
Congenital anomalies—740–759	18	18	66	8	11	47	37	14
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	18	25	121	17	28	77	74	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	10	18	65	7	22	45	37	13
Other causes of mortality in early infancy—Remainder of 760–778	8	7	56	10	6	32	37	8
Symptoms and ill-defined conditions—780–796	40	117	57	15	97	47	130	12
All other diseases—Residual	179	112	732	93	198	369	355	257
Accidents—E800–E949	138	119	504	63	146	263	164	197
Motor vehicle accidents—E810–E823	46	68	246	31	73	112	58	48
All other accidents—E800–E807,E825–E949	92	51	258	32	73	151	106	149
Suicide—E950–E959	28	30	150	30	38	101	45	34
Homicide—E960–E978	24	17	113	8	56	96	58	3
Other external causes—E980–E999	5	9	34	2	6	14	11	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
All causes	1,345	10,815	1,011	3,738	748	837	764	1,250
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	1	–	–
Enteritis and other diarrheal diseases—008,009	1	10	–	2	–	1	–	4
Tuberculosis, all forms—010–019	3	16	1	18	–	–	–	2
Tuberculosis of respiratory system—010–012	2	15	1	16	–	–	–	2
Tuberculosis, other forms—013–019	1	1	–	2	–	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	2	–	1	–	–	–	–
Septicemia—038	7	45	3	7	2	4	2	3
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	3	–	–	–	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	1	29	3	5	2	4	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	286	2,164	191	719	159	181	159	235
Malignant neoplasms of buccal cavity and pharynx—140–149	5	47	5	19	7	5	1	4
Malignant neoplasms of digestive organs and peritoneum—150–159	57	524	47	164	46	34	35	57
Malignant neoplasms of respiratory system—160–163	78	538	56	206	33	58	42	76
Malignant neoplasm of breast—174	37	214	15	47	19	13	24	19
Malignant neoplasms of genital organs—180–187	35	227	20	83	16	14	9	14
Malignant neoplasms of urinary organs—188,189	10	102	12	37	2	7	9	14
Malignant neoplasms of all other and unspecified sites—170–173,190–199	30	293	21	98	17	31	19	30
Leukemia—204–207	13	107	9	27	11	11	13	12
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21	112	6	38	8	8	7	9
Benign neoplasms and neoplasms of unspecified nature—210–239	3	31	–	6	3	3	2	9
Diabetes mellitus—250	21	188	17	47	10	8	15	31
Avitaminoses and other nutritional deficiencies—260–269	4	18	2	4	4	2	–	–
Anemias—280–285	1	18	3	4	1	1	2	1
Meningitis—320	1	9	1	1	–	3	–	1
Major cardiovascular diseases—390–448	672	5,177	582	1,713	362	368	406	615
Diseases of heart—390–398,402,404,410–429	494	3,729	445	1,165	282	266	275	407
Active rheumatic fever and chronic rheumatic heart disease—390–398	11	72	8	25	7	3	4	6
Hypertensive heart disease—402	2	31	5	6	4	6	2	6
Hypertensive heart and renal disease—404	2	12	3	5	–	–	–	2
Ischemic heart disease—410–413	449	3,268	415	1,066	255	213	259	344
Acute myocardial infarction—410	225	1,439	182	601	101	99	153	180
Other acute and subacute forms of ischemic heart disease—411	–	14	3	4	–	–	–	1
Chronic ischemic heart disease—412	224	1,815	229	461	154	114	106	162
Angina pectoris—413	–	–	1	–	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	17	1	7	–	–	1	2
All other forms of heart disease—420–423,425–427,429	28	329	13	56	16	44	9	47

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	6	29	7	13	–	1	2	3
Cerebrovascular diseases—430–438	129	1,107	100	444	56	67	90	151
Cerebral hemorrhage—431	6	102	18	46	2	5	9	16
Cerebral thrombosis—433	27	202	22	97	10	16	27	18
Cerebral embolism—434	–	2	2	–	–	–	–	2
All other cerebrovascular diseases—430,432,435–438	96	801	58	301	44	46	54	115
Arteriosclerosis—440	24	185	16	46	7	29	25	34
Other diseases of arteries, arterioles, and capillaries—441–448	19	127	14	45	17	5	14	20
Acute bronchitis and bronchiolitis—466	–	2	–	1	–	–	–	–
Influenza and pneumonia—470–474,480–486	45	238	29	86	24	24	13	25
Influenza—470–474	–	9	1	11	–	2	–	2
Pneumonia—480–486	45	229	28	75	24	22	13	23
Bronchitis, emphysema, and asthma—490–493	23	106	11	44	8	8	12	25
Chronic and unqualified bronchitis—490,491	6	18	1	16	3	1	–	1
Emphysema—492	12	80	10	23	5	6	12	20
Asthma—493	5	8	–	5	–	1	–	4
Peptic ulcer—531–533	2	31	4	14	5	4	4	2
Appendicitis—540–543	–	1	–	2	–	1	–	–
Hernia and intestinal obstruction—550–553,560	1	40	1	9	2	1	2	2
Cirrhosis of liver—571	18	136	22	36	11	4	9	13
Cholelithiasis, cholecystitis and cholangitis—574,575	1	14	1	4	1	1	–	3
Nephritis and nephrosis—580–584	6	65	2	8	4	2	2	11
Acute nephritis and nephrotic syndrome—580,581	1	17	–	1	1	1	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	5	48	2	7	3	1	2	10
Infections of kidney—590	3	22	3	7	3	–	1	3
Hyperplasia of prostate—600	1	3	–	2	–	–	–	1
Complications of pregnancy, childbirth, and the puerperium—630–678	1	5	–	2	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	5	–	2	–	–	–	–
Congenital anomalies—740–759	11	83	6	22	6	12	5	16
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	31	175	8	23	5	32	10	35
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	19	114	4	11	1	18	7	13
Other causes of mortality in early infancy—Remainder of 760–778	12	61	4	12	4	14	3	22
Symptoms and ill-defined conditions—780–796	9	407	3	417	4	5	20	12
All other diseases—Residual	87	846	44	237	81	63	45	86
Accidents—E800–E949	76	551	56	209	41	69	36	59
Motor vehicle accidents—E810–E823	37	259	37	116	20	31	16	28
All other accidents—E800–E807,E825–E949	39	292	19	93	21	38	20	31
Suicide—E950–E959	22	179	10	45	8	21	13	25
Homicide—E960–E978	6	152	7	35	2	13	4	26
Other external causes—E980–E999	2	49	1	8	–	1	–	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
All causes	3,042	2,456	566	2,569	639	1,441	1,526	1,290
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	1	2	5	–	1	3	5
Tuberculosis, all forms – 010–019	1	–	1	2	1	6	1	1
Tuberculosis of respiratory system – 010–012	1	–	1	2	1	5	1	1
Tuberculosis, other forms – 013–019	–	–	–	–	–	1	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	1	–	1	1
Septicemia – 038	13	17	6	5	2	9	–	3
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	1	1	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	2	4	1	6	1	3	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	633	501	98	555	132	307	341	252
Malignant neoplasms of buccal cavity and pharynx – 140–149	16	6	3	12	3	11	9	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	169	148	26	133	28	88	97	78
Malignant neoplasms of respiratory system – 160–163	127	93	14	159	35	93	88	50
Malignant neoplasm of breast – 174	63	42	20	49	14	16	30	30
Malignant neoplasms of genital organs – 180–187	65	54	14	48	15	31	41	27
Malignant neoplasms of urinary organs – 188,189	32	29	6	27	5	9	17	11
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	98	80	9	75	20	33	30	23
Leukemia – 204–207	25	24	4	25	6	10	12	8
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	38	25	2	27	6	16	17	19
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	4	4	2	2	1	2	4
Diabetes mellitis – 250	54	50	23	48	15	18	38	24
Avitaminoses and other nutritional deficiencies – 260–269	2	6	1	2	2	1	2	2
Anemias – 280–285	1	4	2	3	–	2	9	2
Meningitis – 320	4	1	2	–	1	–	2	1
Major cardiovascular diseases – 390–448	1,691	1,232	218	1,111	267	708	789	676
Diseases of heart – 390–398,402,404,410–429	1,269	895	164	861	204	544	566	473
Active rheumatic fever and chronic rheumatic heart disease – 390–398	30	26	2	25	3	7	8	6
Hypertensive heart disease – 402	3	15	4	8	2	6	5	4
Hypertensive heart and renal disease – 404	7	5	–	1	2	4	1	1
Ischemic heart disease – 410–413	1,122	766	135	763	185	479	520	406
Acute myocardial infarction – 410	533	443	70	331	121	229	251	171
Other acute and subacute forms of ischemic heart disease – 411	1	5	1	3	2	2	1	5
Chronic ischemic heart disease – 412	588	318	64	429	62	248	268	230
Angina pectoris – 413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	5	5	1	2	1	3	4	3
All other forms of heart disease – 420–423,425–427,429	102	78	22	62	11	45	28	53

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	9	11	–	5	2	1	9	4
Cerebrovascular diseases – 430–438	285	216	40	197	48	128	153	147
Cerebral hemorrhage – 431	36	23	8	25	4	24	34	6
Cerebral thrombosis – 433	51	46	13	42	13	22	23	19
Cerebral embolism – 434	3	2	–	2	–	–	–	3
All other cerebrovascular diseases – 430,432,435–438	195	145	27	128	31	82	96	119
Arteriosclerosis – 440	73	59	2	28	4	19	37	31
Other diseases of arteries, arterioles, and capillaries – 441–448	55	51	4	20	9	16	24	21
Acute bronchitis and bronchiolitis – 466	–	2	–	–	–	–	1	1
Influenza and pneumonia – 470–474,480–486	81	60	24	36	26	44	35	30
Influenza – 470–474	2	–	–	1	1	–	1	1
Pneumonia – 480–486	79	60	24	35	25	44	34	29
Bronchitis, emphysema, and asthma – 490–493	29	37	7	28	6	14	18	24
Chronic and unqualified bronchitis – 490,491	5	7	2	4	1	4	3	9
Emphysema – 492	23	28	5	23	4	8	15	15
Asthma – 493	1	2	–	1	1	2	–	–
Peptic ulcer – 531–533	10	8	3	6	1	4	6	1
Appendicitis – 540–543	1	–	–	–	–	–	1	1
Hernia and intestinal obstruction – 550–553,560	9	10	1	5	6	6	2	3
Cirrhosis of liver – 571	31	34	10	90	9	21	15	17
Cholelithiasis, cholecystitis and cholangitis – 574,575	5	3	3	3	1	1	3	1
Nephritis and nephrosis – 580–584	13	6	6	5	3	11	4	2
Acute nephritis and nephrotic syndrome – 580,581	3	4	3	2	–	3	–	1
Chronic and unqualified nephritis and renal sclerosis – 582–584	10	2	3	3	3	8	4	1
Infections of kidney – 590	1	3	1	3	4	2	4	–
Hyperplasia of prostate – 600	2	2	1	–	–	1	3	–
Complications of pregnancy, childbirth, and the puerperium – 630–678	–	1	–	1	–	–	–	1
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	–	1	–	1	–	–	–	1
Congenital anomalies – 740–759	15	26	7	23	7	18	8	11
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	28	43	18	37	13	16	17	8
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	16	10	7	21	8	11	8	8
Other causes of mortality in early infancy – Remainder of 760–778	12	33	11	16	5	5	9	–
Symptoms and ill-defined conditions – 780–796	24	21	31	30	9	5	17	20
All other diseases – Residual	212	158	39	174	63	109	89	88
Accidents – E800–E949	139	144	39	207	33	86	79	76
Motor vehicle accidents – E810–E823	66	85	18	108	18	37	40	40
All other accidents – E800–E807,E825–E949	73	59	21	99	15	49	39	36
Suicide – E950–E959	26	50	10	98	20	25	25	21
Homicide – E960–E978	4	23	7	72	11	21	6	5
Other external causes – E980–E999	2	5	1	11	2	1	2	6

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	2,913	1,946	57,672	7,897	1,290	1,281	1,902	1,788
Bacillary dysentery and amebiasis—004,006	–	–	8	1	–	–	–	–
Enteritis and other diarrheal diseases—008,009	6	4	64	5	1	1	4	3
Tuberculosis, all forms—010–019	6	2	78	24	2	2	3	2
Tuberculosis of respiratory system—010–012	5	1	54	20	1	2	3	1
Tuberculosis, other forms—013–019	1	1	24	4	1	–	–	1
Whooping cough—033	–	–	1	–	–	–	1	–
Streptococcal sore throat and scarlet fever—034	–	–	1	–	–	–	–	–
Meningococcal infections—036	–	–	10	2	–	–	–	–
Septicemia—038	14	7	138	35	4	7	7	6
Acute poliomyelitis—040–043	–	–	2	–	–	–	–	–
Measles—055	–	–	1	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	9	1	–	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	11	2	145	13	3	4	8	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	564	404	12,313	1,641	215	278	313	390
Malignant neoplasms of buccal cavity and pharynx—140–149	12	8	292	50	4	8	13	11
Malignant neoplasms of digestive organs and peritoneum—150–159	134	109	3,281	448	51	71	69	98
Malignant neoplasms of respiratory system—160–163	141	94	3,000	474	53	74	76	81
Malignant neoplasm of breast—174	41	37	1,224	132	19	20	25	49
Malignant neoplasms of genital organs—180–187	70	43	1,422	187	27	34	30	49
Malignant neoplasms of urinary organs—188,189	21	27	526	62	5	11	15	18
Malignant neoplasms of all other and unspecified sites—170–173,190–199	88	49	1,386	163	35	37	53	44
Leukemia—204–207	23	12	466	62	11	11	16	13
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	34	25	716	63	10	12	16	27
Benign neoplasms and neoplasms of unspecified nature—210–239	8	5	119	23	2	–	5	6
Diabetes mellitus—250	48	30	829	140	15	21	36	22
Avitaminoses and other nutritional deficiencies—260–269	4	6	65	9	2	–	4	3
Anemias—280–285	7	3	116	10	2	1	3	2
Meningitis—320	4	2	47	8	1	–	3	–
Major cardiovascular diseases—390–448	1,439	961	29,155	3,990	593	638	945	917
Diseases of heart—390–398,402,404,410–429	1,009	753	21,835	2,866	442	428	614	668
Active rheumatic fever and chronic rheumatic heart disease—390–398	12	12	417	44	3	4	8	20
Hypertensive heart disease—402	8	15	258	24	2	2	19	6
Hypertensive heart and renal disease—404	6	3	76	17	2	5	4	3
Ischemic heart disease—410–413	785	675	20,254	2,513	288	383	437	565
Acute myocardial infarction—410	457	279	6,845	1,448	128	160	291	261
Other acute and subacute forms of ischemic heart disease—411	–	30	50	3	–	11	–	3
Chronic ischemic heart disease—412	328	366	13,359	1,062	160	212	144	301
Angina pectoris—413	–	–	–	–	–	–	2	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	2	112	25	–	3	7	2
All other forms of heart disease—420–423,425–427,429	196	46	718	243	147	31	139	72

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	8	193	41	3	5	7	4
Cerebrovascular diseases—430–438	340	135	5,646	879	123	169	239	182
Cerebral hemorrhage—431	30	18	722	89	10	49	81	23
Cerebral thrombosis—433	88	23	1,576	201	25	49	33	48
Cerebral embolism—434	1	1	13	4	–	–	1	3
All other cerebrovascular diseases—430,432,435–438	221	93	3,335	585	88	71	124	108
Arteriosclerosis—440	46	28	787	107	10	16	46	28
Other diseases of arteries, arterioles, and capillaries—441–448	41	37	694	97	15	20	39	35
Acute bronchitis and bronchiolitis—466	2	–	19	2	–	1	1	2
Influenza and pneumonia—470–474,480–486	63	55	1,161	230	30	31	71	48
Influenza—470–474	2	1	18	2	1	1	1	–
Pneumonia—480–486	61	54	1,143	228	29	30	70	48
Bronchitis, emphysema, and asthma—490–493	25	31	691	94	31	24	22	16
Chronic and unqualified bronchitis—490,491	5	5	147	14	2	11	2	3
Emphysema—492	18	25	487	74	28	11	19	12
Asthma—493	2	1	57	6	1	2	1	1
Peptic ulcer—531–533	7	4	217	8	3	6	4	2
Appendicitis—540–543	2	2	22	4	–	–	1	–
Hernia and intestinal obstruction—550–553,560	8	3	132	32	3	2	4	4
Cirrhosis of liver—571	36	27	1,520	110	14	12	35	21
Cholelithiasis, cholecystitis and cholangitis—574,575	8	3	80	14	4	–	4	3
Nephritis and nephrosis—580–584	12	10	177	28	1	5	15	5
Acute nephritis and nephrotic syndrome—580,581	1	–	38	4	–	1	3	2
Chronic and unqualified nephritis and renal sclerosis—582–584	11	10	139	24	1	4	12	3
Infections of kidney—590	7	6	113	20	2	1	5	1
Hyperplasia of prostate—600	–	1	37	1	1	1	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	3	14	1	–	–	2	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	3	14	1	–	–	2	–
Congenital anomalies—740–759	26	21	480	47	20	4	22	22
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	55	38	722	88	40	14	24	12
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	28	17	413	40	18	5	18	5
Other causes of mortality in early infancy—Remainder of 760–778	27	21	309	48	22	9	6	7
Symptoms and ill-defined conditions—780–796	82	48	403	53	22	13	17	19
All other diseases—Residual	191	105	3,246	613	99	93	154	128
Accidents—E800–E949	157	110	3,005	407	106	72	118	98
Motor vehicle accidents—E810–E823	66	56	1,429	163	63	37	62	53
All other accidents—E800–E807,E825–E949	91	54	1,576	244	43	35	56	45
Suicide—E950–E959	58	26	1,269	139	32	31	32	48
Homicide—E960–E978	44	22	1,218	92	42	18	36	6
Other external causes—E980–E999	18	5	45	12	–	1	1	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
All causes	2,144	1,143	1,414	6,922	14,974	450	11,469	13,083
Bacillary dysentery and amebiasis—004,006	–	–	–	–	1	–	–	–
Enteritis and other diarrheal diseases—008,009	2	–	4	8	8	–	19	17
Tuberculosis, all forms—010–019	5	1	6	16	29	1	17	10
Tuberculosis of respiratory system—010–012	2	–	4	11	20	1	14	6
Tuberculosis, other forms—013–019	3	1	2	5	9	–	3	4
Whooping cough—033	–	–	–	–	1	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	1	–	–	–	–	–
Meningococcal infections—036	–	1	1	3	6	–	1	3
Septicemia—038	10	2	11	50	65	–	46	51
Acute poliomyelitis—040–043	–	–	–	–	1	–	–	–
Measles—055	–	–	1	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	1	6	5	–	1	2
Other infective and parasitic diseases—Remainder of 000–136	3	4	9	17	32	3	26	26
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	506	219	218	1,374	3,393	70	2,541	2,820
Malignant neoplasms of buccal cavity and pharynx—140–149	10	6	2	34	95	3	66	60
Malignant neoplasms of digestive organs and peritoneum—150–159	150	53	51	322	939	20	686	746
Malignant neoplasms of respiratory system—160–163	125	49	46	370	815	15	568	607
Malignant neoplasm of breast—174	37	17	17	109	309	6	259	298
Malignant neoplasms of genital organs—180–187	52	27	38	147	366	10	279	344
Malignant neoplasms of urinary organs—188,189	29	13	12	53	170	2	122	145
Malignant neoplasms of all other and unspecified sites—170–173,190–199	62	27	26	213	365	10	309	304
Leukemia—204–207	16	12	10	63	131	2	98	135
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	25	15	16	63	203	2	154	181
Benign neoplasms and neoplasms of unspecified nature—210–239	7	1	4	22	43	2	27	34
Diabetes mellitis—250	37	31	46	86	258	9	226	167
Avitaminoses and other nutritional deficiencies—260–269	1	4	3	4	15	–	13	21
Anemias—280–285	3	4	3	9	28	–	19	23
Meningitis—320	–	1	3	9	4	1	8	17
Major cardiovascular diseases—390–448	1,055	635	650	3,385	7,404	203	5,929	6,585
Diseases of heart—390–398,402,404,410–429	721	466	486	2,391	5,877	154	4,466	4,768
Active rheumatic fever and chronic rheumatic heart disease—390–398	18	7	8	39	125	4	94	111
Hypertensive heart disease—402	2	3	3	9	41	1	47	37
Hypertensive heart and renal disease—404	12	27	2	5	7	–	14	19
Ischemic heart disease—410–413	652	410	392	2,116	5,422	105	4,032	4,298
Acute myocardial infarction—410	379	223	236	756	2,237	60	1,560	1,678
Other acute and subacute forms of ischemic heart disease—411	4	–	2	7	24	–	15	20
Chronic ischemic heart disease—412	269	187	154	1,353	3,159	45	2,454	2,598
Angina pectoris—413	–	–	–	–	2	–	3	2
Chronic disease of endocardium and other myocardial insufficiency—424,428	3	–	3	11	20	4	19	18
All other forms of heart disease—420–423,425–427,429	34	19	78	211	262	40	260	285

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	12	7	7	28	38	1	31	39
Cerebrovascular diseases—430–438	196	128	128	796	1,174	40	1,100	1,305
Cerebral hemorrhage—431	33	11	22	104	141	3	149	153
Cerebral thrombosis—433	42	32	32	201	401	20	250	235
Cerebral embolism—434	1	–	1	1	5	2	5	9
All other cerebrovascular diseases—430,432,435–438	120	85	73	490	627	15	696	908
Arteriosclerosis—440	83	23	19	85	106	4	183	252
Other diseases of arteries, arterioles, and capillaries—441–448	43	11	10	85	209	4	149	221
Acute bronchitis and bronchiolitis—466	–	1	–	1	3	–	9	5
Influenza and pneumonia—470–474,480–486	60	11	39	159	349	17	314	380
Influenza—470–474	–	1	–	6	5	1	5	9
Pneumonia—480–486	60	10	39	153	344	16	309	371
Bronchitis, emphysema, and asthma—490–493	34	18	13	69	204	5	82	129
Chronic and unqualified bronchitis—490,491	5	6	1	15	30	–	20	27
Emphysema—492	27	10	11	44	157	5	55	96
Asthma—493	2	2	1	10	17	–	7	6
Peptic ulcer—531–533	7	3	3	19	47	2	32	49
Appendicitis—540–543	–	–	1	5	7	–	8	4
Hernia and intestinal obstruction—550–553,560	7	5	3	15	38	–	41	34
Cirrhosis of liver—571	50	17	22	79	306	13	164	207
Cholelithiasis, cholecystitis and cholangitis—574,575	4	1	2	9	23	–	22	18
Nephritis and nephrosis—580–584	5	5	3	43	93	2	53	47
Acute nephritis and nephrotic syndrome—580,581	2	1	1	8	33	–	10	10
Chronic and unqualified nephritis and renal sclerosis—582–584	3	4	2	35	60	2	43	37
Infections of kidney—590	1	2	5	27	23	1	18	12
Hyperplasia of prostate—600	1	2	–	4	11	–	7	6
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	–	1	7	–	3	2
Abortions—640–645	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	–	1	6	–	3	2
Congenital anomalies—740–759	11	5	15	76	87	9	86	99
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	18	20	27	125	124	9	91	134
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	12	14	12	65	51	4	36	80
Other causes of mortality in early infancy—Remainder of 760–778	6	6	15	60	73	5	55	54
Symptoms and ill-defined conditions—780–796	58	21	98	99	46	5	104	220
All other diseases—Residual	142	61	90	542	1,166	32	824	930
Accidents—E800–E949	80	36	95	405	575	39	433	678
Motor vehicle accidents—E810–E823	29	21	53	203	270	23	191	282
All other accidents—E800–E807,E825–E949	51	15	42	202	305	16	242	396
Suicide—E950–E959	31	4	15	107	336	14	210	219
Homicide—E960–E978	3	1	19	146	233	12	74	78
Other external causes—E980–E999	1	26	3	2	3	1	21	56

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
All causes	3,732	1,932	1,189	2,068	1,076	1,315	4,913	6,723
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	–	1	1	–	–	1	4
Tuberculosis, all forms – 010–019	8	3	7	6	3	1	7	7
Tuberculosis of respiratory system – 010–012	7	2	6	5	1	1	6	5
Tuberculosis, other forms – 013–019	1	1	1	1	2	–	1	2
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	8	–	–	1	–	–	4	1
Septicemia – 038	19	3	3	9	8	7	24	29
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	2	–	1	–	–	1	1	1
Other infective and parasitic diseases – Remainder of 000–136	8	3	3	2	3	2	6	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	720	386	193	382	210	259	1,051	1,544
Malignant neoplasms of buccal cavity and pharynx – 140–149	18	8	7	5	3	9	26	37
Malignant neoplasms of digestive organs and peritoneum – 150–159	169	88	32	103	51	75	266	444
Malignant neoplasms of respiratory system – 160–163	214	107	54	86	58	63	316	348
Malignant neoplasm of breast – 174	52	33	15	42	18	23	71	149
Malignant neoplasms of genital organs – 180–187	79	37	26	54	24	26	128	169
Malignant neoplasms of urinary organs – 188,189	30	17	8	10	8	11	34	73
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	93	50	37	46	35	34	117	182
Leukemia – 204–207	34	22	6	13	5	8	32	54
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	31	24	8	23	8	10	61	88
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	8	2	2	5	4	7	25
Diabetes mellitus – 250	73	36	20	38	11	36	74	108
Avitaminoses and other nutritional deficiencies – 260–269	9	3	1	1	7	–	5	5
Anemias – 280–285	8	3	2	6	3	2	6	3
Meningitis – 320	4	–	1	2	3	3	1	8
Major cardiovascular diseases – 390–448	1,783	926	515	914	540	709	2,443	3,610
Diseases of heart – 390–398,402,404,410–429	1,352	657	389	601	399	511	1,805	2,856
Active rheumatic fever and chronic rheumatic heart disease – 390–398	11	11	–	9	9	10	19	56
Hypertensive heart disease – 402	15	1	1	19	3	9	15	44
Hypertensive heart and renal disease – 404	8	–	3	2	1	1	6	6
Ischemic heart disease – 410–413	1,190	608	278	510	361	460	1,640	2,253
Acute myocardial infarction – 410	615	288	169	282	185	233	995	1,065
Other acute and subacute forms of ischemic heart disease – 411	18	1	1	3	–	–	6	2
Chronic ischemic heart disease – 412	556	318	107	225	176	227	639	1,186
Angina pectoris – 413	1	1	1	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	6	8	–	5	4	3	31	9
All other forms of heart disease – 420–423,425–427,429	122	29	107	56	21	28	94	488

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	10	1	6	9	4	6	18	14
Cerebrovascular diseases—430–438	326	217	93	239	102	145	493	578
Cerebral hemorrhage—431	47	12	14	27	13	19	55	87
Cerebral thrombosis—433	84	65	16	53	28	46	102	182
Cerebral embolism—434	–	–	–	–	–	–	4	3
All other cerebrovascular diseases—430,432,435–438	195	140	63	159	61	80	332	306
Arteriosclerosis—440	54	29	16	34	15	29	59	67
Other diseases of arteries, arterioles, and capillaries—441–448	41	22	11	31	20	18	68	95
Acute bronchitis and bronchiolitis—466	2	3	–	1	–	–	–	3
Influenza and pneumonia—470–474,480–486	68	69	26	56	36	25	126	142
Influenza—470–474	1	–	1	6	3	–	6	2
Pneumonia—480–486	67	69	25	50	33	25	120	140
Bronchitis, emphysema, and asthma—490–493	64	22	10	26	20	11	63	55
Chronic and unqualified bronchitis—490,491	5	5	1	5	6	–	16	12
Emphysema—492	53	17	8	21	13	11	44	37
Asthma—493	6	–	1	–	1	–	3	6
Peptic ulcer—531–533	4	9	1	2	5	3	11	18
Appendicitis—540–543	2	1	1	1	–	–	2	–
Hernia and intestinal obstruction—550–553,560	6	10	1	4	3	7	17	17
Cirrhosis of liver—571	44	38	18	36	13	19	66	130
Cholelithiasis, cholecystitis and cholangitis—574,575	6	2	–	4	2	–	9	8
Nephritis and nephrosis—580–584	21	2	4	15	4	7	26	26
Acute nephritis and nephrotic syndrome—580,581	2	2	–	2	1	2	5	5
Chronic and unqualified nephritis and renal sclerosis—582–584	19	–	4	13	3	5	21	21
Infections of kidney—590	11	3	3	9	1	–	18	3
Hyperplasia of prostate—600	2	2	–	2	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	2	–	–	–	–	–	5	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	–	–	–	–	–	5	1
Congenital anomalies—740–759	37	16	15	12	8	7	24	39
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	54	11	40	32	10	21	67	62
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	35	10	24	21	6	12	31	32
Other causes of mortality in early infancy—Remainder of 760–778	19	1	16	11	4	9	36	30
Symptoms and ill-defined conditions—780–796	94	5	95	183	17	11	32	58
All other diseases—Residual	265	140	70	129	79	90	338	459
Accidents—E800–E949	241	169	55	118	53	65	297	215
Motor vehicle accidents—E810–E823	111	93	26	58	29	32	134	97
All other accidents—E800–E807,E825–E949	130	76	29	60	24	33	163	118
Suicide—E950–E959	42	31	13	23	20	15	78	67
Homicide—E960–E978	100	27	8	40	8	9	88	37
Other external causes—E980–E999	13	1	–	11	4	1	14	15

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
All causes	10,188	105,674	15,637	2,018	5,046	695	902	5,516
Bacillary dysentery and amebiasis — 004,006	1	1	1	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	12	74	11	2	6	2	–	5
Tuberculosis, all forms — 010–019	37	201	26	5	14	5	–	14
Tuberculosis of respiratory system — 010–012	32	172	22	3	11	4	–	11
Tuberculosis, other forms — 013–019	5	29	4	2	3	1	–	3
Whooping cough — 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–
Meningococcal infections — 036	8	13	2	1	2	1	–	2
Septicemia — 038	74	350	69	16	39	2	6	24
Acute poliomyelitis — 040–043	–	1	–	–	–	–	–	–
Measles — 055	–	–	1	–	–	–	–	–
Syphilis and its sequelae — 090–097	–	5	3	–	2	–	–	–
Other infective and parasitic diseases — Remainder of 000–136	21	218	44	10	15	1	1	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140–209	2,067	23,010	3,478	461	1,009	145	146	1,116
Malignant neoplasms of buccal cavity and pharynx — 140–149	67	557	89	9	28	3	2	32
Malignant neoplasms of digestive organs and peritoneum — 150–159	491	6,985	1,057	112	262	29	46	256
Malignant neoplasms of respiratory system — 160–163	543	5,197	773	133	265	53	25	329
Malignant neoplasm of breast — 174	183	2,356	384	29	78	16	16	92
Malignant neoplasms of genital organs — 180–187	163	2,403	365	50	113	15	15	119
Malignant neoplasms of urinary organs — 188,189	93	1,046	157	19	45	5	12	38
Malignant neoplasms of all other and unspecified sites — 170–173,190–199	357	2,447	364	67	130	13	15	153
Leukemia — 204–207	66	818	119	19	36	4	9	50
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	104	1,201	170	23	52	7	6	47
Benign neoplasms and neoplasms of unspecified nature — 210–239	44	364	39	11	5	1	2	18
Diabetes mellitis — 250	280	1,992	348	35	80	9	20	80
Avitaminoses and other nutritional deficiencies — 260–269	21	71	22	1	8	2	3	8
Anemias — 280–285	13	151	26	5	6	–	4	2
Meningitis — 320	4	99	9	2	6	1	1	8
Major cardiovascular diseases — 390–448	4,806	54,065	8,075	916	2,419	193	384	2,639
Diseases of heart — 390–398,402,404,410–429	3,727	44,736	6,381	723	1,820	128	294	1,948
Active rheumatic fever and chronic rheumatic heart disease — 390–398	40	720	152	10	34	3	14	26
Hypertensive heart disease — 402	34	324	87	9	22	1	–	15
Hypertensive heart and renal disease — 404	19	77	31	9	37	–	–	18
Ischemic heart disease — 410–413	3,221	41,849	5,765	621	1,501	100	262	1,691
Acute myocardial infarction — 410	1,435	16,169	2,570	324	702	56	138	700
Other acute and subacute forms of ischemic heart disease — 411	4	59	9	27	158	1	5	214
Chronic ischemic heart disease — 412	1,780	25,615	3,186	270	641	43	119	776
Angina pectoris — 413	2	6	–	–	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency — 424,428	30	97	14	5	55	1	3	9
All other forms of heart disease — 420–423,425–427,429	383	1,669	332	69	171	23	15	189

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	17	217	41	6	19	–	2	10
Cerebrovascular diseases—430–438	850	6,964	1,342	144	467	52	68	521
Cerebral hemorrhage—431	100	1,108	191	15	77	7	10	60
Cerebral thrombosis—433	189	1,569	363	26	108	4	14	119
Cerebral embolism—434	1	38	11	–	2	–	–	1
All other cerebrovascular diseases—430,432,435–438	560	4,249	777	103	280	41	44	341
Arteriosclerosis—440	113	1,034	134	19	65	4	10	79
Other diseases of arteries, arterioles, and capillaries—441–448	99	1,114	177	24	48	9	10	81
Acute bronchitis and bronchiolitis—466	7	40	11	1	1	2	–	4
Influenza and pneumonia—470–474,480–486	223	3,697	382	71	126	9	23	148
Influenza—470–474	6	21	6	3	–	–	–	2
Pneumonia—480–486	217	3,676	376	68	126	9	23	146
Bronchitis, emphysema, and asthma—490–493	113	816	165	19	41	8	9	69
Chronic and unqualified bronchitis—490,491	17	181	28	5	8	1	2	10
Emphysema—492	84	502	128	10	29	6	7	54
Asthma—493	12	133	9	4	4	1	–	5
Peptic ulcer—531–533	27	446	53	2	12	4	6	14
Appendicitis—540–543	3	40	7	1	1	–	–	4
Hernia and intestinal obstruction—550–553,560	25	310	42	9	11	3	9	14
Cirrhosis of liver—571	179	2,702	308	31	86	12	22	76
Cholelithiasis, cholecystitis and cholangitis—574,575	10	169	23	4	–	–	2	9
Nephritis and nephrosis—580–584	81	544	85	11	28	2	2	28
Acute nephritis and nephrotic syndrome—580,581	8	102	21	–	6	–	1	4
Chronic and unqualified nephritis and renal sclerosis—582–584	73	442	64	11	22	2	1	24
Infections of kidney—590	22	158	31	3	10	–	2	15
Hyperplasia of prostate—600	9	63	10	–	1	–	–	2
Complications of pregnancy, childbirth, and the puerperium—630–678	3	22	5	–	–	–	1	2
Abortions—640–645	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	3	21	5	–	–	–	1	2
Congenital anomalies—740–759	73	636	109	14	63	5	10	34
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	205	1,221	209	35	118	11	15	83
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	110	634	92	14	59	8	6	42
Other causes of mortality in early infancy—Remainder of 760–778	95	587	117	21	59	3	9	41
Symptoms and ill-defined conditions—780–796	70	1,443	161	20	65	101	28	102
All other diseases—Residual	778	6,400	992	154	379	52	97	434
Accidents—E800–E949	579	3,011	582	113	288	94	80	328
Motor vehicle accidents—E810–E823	232	1,203	207	53	121	50	36	165
All other accidents—E800–E807,E825–E949	347	1,808	375	60	167	44	44	163
Suicide—E950–E959	144	927	128	33	112	14	20	139
Homicide—E960–E978	245	1,663	156	31	88	14	8	69
Other external causes—E980–E999	4	751	24	1	5	2	1	11

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Paterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
All causes	4,428	4,508	777	2,835	11,842	1,900	3,086	1,041
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	4	4	3	4	6	3	3	1
Tuberculosis, all forms — 010–019	6	6	2	4	12	5	2	5
Tuberculosis of respiratory system — 010–012	4	5	1	4	11	5	2	3
Tuberculosis, other forms — 013–019	2	1	1	–	1	–	–	2
Whooping cough — 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–
Meningococcal infections — 036	2	–	–	–	4	1	–	–
Septicemia — 038	14	14	3	9	35	12	7	4
Acute poliomyelitis — 040–043	–	–	–	–	–	–	1	–
Measles — 055	–	1	–	–	–	–	–	–
Syphilis and its sequelae — 090–097	–	–	–	–	1	–	–	–
Other infective and parasitic diseases — Remainder of 000–136	11	14	1	6	14	7	5	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140–209	916	1,028	146	617	2,798	382	650	209
Malignant neoplasms of buccal cavity and pharynx — 140–149	24	29	2	9	60	10	6	3
Malignant neoplasms of digestive organs and peritoneum — 150–159	244	239	36	151	814	81	192	51
Malignant neoplasms of respiratory system — 160–163	243	296	30	188	626	118	155	59
Malignant neoplasm of breast — 174	93	102	14	59	304	21	59	16
Malignant neoplasms of genital organs — 180–187	69	91	23	61	304	48	70	22
Malignant neoplasms of urinary organs — 188,189	46	46	10	24	138	24	28	5
Malignant neoplasms of all other and unspecified sites — 170–173,190–199	83	126	16	59	289	46	74	34
Leukemia — 204–207	54	31	4	28	109	14	30	7
Other neoplasms of lymphatic and hematopoietic tissues — 200–203,208,209	60	68	11	38	154	20	36	12
Benign neoplasms and neoplasms of unspecified nature — 210–239	7	4	3	14	26	6	11	5
Diabetes mellitis — 250	75	56	22	38	230	27	31	19
Avitaminoses and other nutritional deficiencies — 260–269	6	8	1	2	15	3	9	2
Anemias — 280–285	7	13	–	7	16	4	8	4
Meningitis — 320	6	2	3	5	7	4	–	1
Major cardiovascular diseases — 390–448	2,219	2,165	380	1,297	6,379	920	1,593	528
Diseases of heart — 390–398,402,404,410–429	1,634	1,660	292	935	5,076	689	1,133	386
Active rheumatic fever and chronic rheumatic heart disease — 390–398	32	30	6	33	110	13	23	5
Hypertensive heart disease — 402	20	15	–	6	41	10	18	5
Hypertensive heart and renal disease — 404	8	6	4	1	10	1	4	6
Ischemic heart disease — 410–413	1,445	1,507	253	841	4,732	614	1,014	339
Acute myocardial infarction — 410	628	661	123	328	2,223	304	594	123
Other acute and subacute forms of ischemic heart disease — 411	9	4	–	1	10	4	7	39
Chronic ischemic heart disease — 412	807	842	130	512	2,496	306	413	176
Angina pectoris — 413	1	–	–	–	3	–	–	1
Chronic disease of endocardium and other myocardial insufficiency — 424,428	3	6	12	2	9	2	5	3
All other forms of heart disease — 420–423,425–427,429	126	96	17	52	174	49	69	28

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Paterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	18	14	4	5	19	5	10	5
Cerebrovascular diseases—430–438	395	379	58	282	1,005	179	338	117
Cerebral hemorrhage—431	51	50	4	33	137	16	48	10
Cerebral thrombosis—433	83	75	9	50	300	23	46	35
Cerebral embolism—434	4	4	–	–	5	1	–	1
All other cerebrovascular diseases—430,432,435–438	257	250	45	199	563	139	244	71
Arteriosclerosis—440	93	46	10	42	104	30	60	7
Other diseases of arteries, arterioles, and capillaries—441–448	79	66	16	33	175	17	52	13
Acute bronchitis and bronchiolitis—466	2	1	–	4	4	–	1	1
Influenza and pneumonia—470–474,480–486	123	154	20	55	281	42	116	14
Influenza—470–474	1	3	1	2	6	–	3	–
Pneumonia—480–486	122	151	19	53	275	42	113	14
Bronchitis, emphysema, and asthma—490–493	53	61	10	54	108	30	30	11
Chronic and unqualified bronchitis—490,491	15	7	6	12	29	4	4	–
Emphysema—492	35	54	3	40	72	23	23	8
Asthma—493	3	–	1	2	7	3	3	3
Peptic ulcer—531–533	21	15	2	7	45	4	5	5
Appendicitis—540–543	2	1	–	1	2	2	–	1
Hernia and intestinal obstruction—550–553,560	14	8	2	7	23	5	12	–
Cirrhosis of liver—571	76	89	13	75	182	35	37	14
Cholelithiasis, cholecystitis and cholangitis—574,575	6	11	1	5	23	5	3	1
Nephritis and nephrosis—580–584	6	19	–	13	35	6	12	4
Acute nephritis and nephrotic syndrome—580,581	3	8	–	–	12	2	–	–
Chronic and unqualified nephritis and renal sclerosis—582–584	3	11	–	13	23	4	12	4
Infections of kidney—590	11	12	3	12	18	1	9	4
Hyperplasia of prostate—600	2	1	–	1	9	2	–	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	1	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	1	–	–	–
Congenital anomalies—740–759	42	40	7	36	66	15	16	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	75	50	9	36	95	32	58	22
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	41	33	4	16	45	19	32	7
Other causes of mortality in early infancy—Remainder of 760–778	34	17	5	20	50	13	26	15
Symptoms and ill-defined conditions—780–796	45	23	4	16	152	18	16	3
All other diseases—Residual	300	340	53	223	705	146	203	76
Accidents—E800–E949	269	240	63	180	395	127	185	73
Motor vehicle accidents—E810–E823	123	140	17	122	155	58	80	37
All other accidents—E800–E807,E825–E949	146	100	46	58	240	69	105	36
Suicide—E950–E959	52	71	17	73	95	34	35	12
Homicide—E960–E978	38	50	8	31	38	15	21	10
Other external causes—E980–E999	18	7	1	3	22	7	7	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
All causes	45,205	9,999	817	24,192	1,482	1,939	9,708	7,733
Bacillary dysentery and amebiasis – 004,006	1	–	–	1	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	48	11	–	12	2	1	3	3
Tuberculosis, all forms – 010–019	75	25	2	33	–	1	7	8
Tuberculosis of respiratory system – 010–012	65	16	2	29	–	1	7	7
Tuberculosis, other forms – 013–019	10	9	–	4	–	–	–	1
Whooping cough – 033	1	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	1	–
Meningococcal infections – 036	2	1	–	3	1	–	–	–
Septicemia – 038	322	26	3	142	3	4	20	24
Acute poliomyelitis – 040–043	–	1	–	–	–	–	1	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	6	–	–	4	–	–	–	1
Other infective and parasitic diseases – Remainder of 000–136	111	44	1	45	7	4	30	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	9,572	2,070	175	5,192	338	460	2,037	1,893
Malignant neoplasms of buccal cavity and pharynx – 140–149	208	52	3	106	6	10	40	41
Malignant neoplasms of digestive organs and peritoneum – 150–159	2,661	483	43	1,395	99	119	470	617
Malignant neoplasms of respiratory system – 160–163	2,320	523	50	1,249	90	115	522	435
Malignant neoplasm of breast – 174	938	189	11	480	26	43	187	198
Malignant neoplasms of genital organs – 180–187	1,035	217	24	561	38	59	248	197
Malignant neoplasms of urinary organs – 188,189	407	121	9	219	17	20	93	81
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	1,261	255	25	742	33	56	234	181
Leukemia – 204–207	310	80	2	176	12	14	92	61
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	432	150	8	264	17	24	151	82
Benign neoplasms and neoplasms of unspecified nature – 210–239	158	37	–	84	4	8	24	26
Diabetes mellitis – 250	741	142	11	431	39	24	113	168
Avitaminoses and other nutritional deficiencies – 260–269	55	14	1	34	1	1	11	5
Anemias – 280–285	78	12	1	32	1	1	14	5
Meningitis – 320	31	9	1	9	1	2	10	4
Major cardiovascular diseases – 390–448	21,296	4,515	445	13,390	722	1,010	4,815	4,128
Diseases of heart – 390–398,402,404,410–429	16,487	3,373	302	10,485	533	766	3,475	3,252
Active rheumatic fever and chronic rheumatic heart disease – 390–398	371	93	4	208	15	20	97	61
Hypertensive heart disease – 402	138	34	13	79	6	7	18	22
Hypertensive heart and renal disease – 404	84	4	–	46	3	5	19	4
Ischemic heart disease – 410–413	14,314	3,048	236	9,406	464	696	3,138	3,050
Acute myocardial infarction – 410	7,257	1,270	81	4,526	264	414	1,057	1,343
Other acute and subacute forms of ischemic heart disease – 411	54	281	2	22	–	–	9	19
Chronic ischemic heart disease – 412	6,998	1,497	153	4,855	200	282	2,070	1,685
Angina pectoris – 413	5	–	–	3	–	–	2	3
Chronic disease of endocardium and other myocardial insufficiency – 424,428	67	10	1	44	2	2	9	7
All other forms of heart disease – 420–423,425–427,429	1,513	184	48	702	43	36	194	108

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	110	24	1	60	5	1	18	19
Cerebrovascular diseases—430–438	3,573	873	126	2,184	135	181	989	634
Cerebral hemorrhage—431	484	139	18	293	22	24	109	68
Cerebral thrombosis—433	769	130	17	623	17	46	233	168
Cerebral embolism—434	14	3	–	12	–	–	2	6
All other cerebrovascular diseases—430,432,435–438	2,306	601	91	1,256	96	111	645	392
Arteriosclerosis—440	511	117	9	311	24	29	206	108
Other diseases of arteries, arterioles, and capillaries—441–448	615	128	7	350	25	33	127	115
Acute bronchitis and bronchiolitis—466	15	5	–	5	–	–	4	4
Influenza and pneumonia—470–474,480–486	1,218	272	13	539	58	66	251	118
Influenza—470–474	9	3	–	6	–	–	8	–
Pneumonia—480–486	1,209	269	13	533	58	66	243	118
Bronchitis, emphysema, and asthma—490–493	347	221	5	218	13	20	123	44
Chronic and unqualified bronchitis—490,491	78	30	1	30	–	8	23	14
Emphysema—492	249	181	4	174	13	12	96	26
Asthma—493	20	10	–	14	–	–	4	4
Peptic ulcer—531–533	126	23	2	38	6	1	27	23
Appendicitis—540–543	13	3	–	5	–	1	5	3
Hernia and intestinal obstruction—550–553,560	138	25	5	53	5	7	31	20
Cirrhosis of liver—571	729	181	5	375	27	26	226	139
Cholelithiasis, cholecystitis and cholangitis—574,575	42	12	1	44	4	7	16	15
Nephritis and nephrosis—580–584	225	45	10	128	2	9	38	38
Acute nephritis and nephratic syndrome—580,581	56	5	1	25	–	4	5	9
Chronic and unqualified nephritis and renal sclerosis—582–584	169	40	9	103	2	5	33	29
Infections of kidney—590	53	19	2	28	2	7	18	10
Hyperplasia of prostate—600	10	3	–	4	–	2	4	2
Complications of pregnancy, childbirth, and the puerperium—630–678	13	1	–	3	–	–	3	–
Abortions—640–645	3	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	10	1	–	3	–	–	3	–
Congenital anomalies—740–759	261	79	8	107	9	11	78	32
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	588	162	13	217	17	6	73	55
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	285	98	10	119	9	2	43	30
Other causes of mortality in early infancy—Remainder of 760–778	303	64	3	98	8	4	30	25
Symptoms and ill-defined conditions—780–796	2,805	104	11	135	10	14	196	20
All other diseases—Residual	3,208	803	54	1,571	109	150	614	468
Accidents—E800–E949	1,733	725	31	845	84	66	601	306
Motor vehicle accidents—E810–E823	681	397	13	342	31	25	306	132
All other accidents—E800–E807,E825–E949	1,052	328	18	503	53	41	295	174
Suicide—E950–E959	577	268	6	262	17	22	193	113
Homicide—E960–E978	449	124	11	116	–	8	68	34
Other external causes—E980–E999	158	17	–	87	–	–	53	11

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
All causes	898	1,039	1,345	1,799	2,992	1,274	4,865	1,820
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	–	4	–	–	1	4	5
Tuberculosis, all forms – 010–019	–	2	2	4	4	3	8	6
Tuberculosis of respiratory system – 010–012	–	2	1	4	3	3	6	4
Tuberculosis, other forms – 013–019	–	–	1	–	1	–	2	2
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	1	1	–	–	–	–
Septicemia – 038	7	5	4	11	15	3	31	10
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	1	–	–	–	–	–	2	1
Other infective and parasitic diseases – Remainder of 000–136	3	–	2	7	11	2	13	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	121	182	273	370	622	269	1,028	350
Malignant neoplasms of buccal cavity and pharynx – 140–149	1	4	6	14	9	7	28	10
Malignant neoplasms of digestive organs and peritoneum – 150–159	36	53	79	77	188	57	226	88
Malignant neoplasms of respiratory system – 160–163	12	39	58	83	136	80	283	95
Malignant neoplasm of breast – 174	13	16	36	50	65	31	87	25
Malignant neoplasms of genital organs – 180–187	17	17	26	41	74	24	130	44
Malignant neoplasms of urinary organs – 188,189	6	13	17	13	30	11	40	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	25	22	25	57	67	29	149	38
Leukemia – 204–207	6	9	11	13	17	11	28	11
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	5	9	15	22	36	19	57	18
Benign neoplasms and neoplasms of unspecified nature – 210–239	3	6	1	4	10	3	10	3
Diabetes mellitis – 250	18	19	24	32	42	15	75	23
Avitaminoses and other nutritional deficiencies – 260–269	1	1	4	3	5	3	6	3
Anemias – 280–285	3	2	1	3	5	1	13	3
Meningitis – 320	5	–	–	3	1	1	8	1
Major cardiovascular diseases – 390–448	417	491	705	843	1,701	564	2,339	905
Diseases of heart – 390–398,402,404,410–429	304	370	508	601	1,310	425	1,746	682
Active rheumatic fever and chronic rheumatic heart disease – 390–398	10	13	12	15	21	13	23	15
Hypertensive heart disease – 402	1	1	7	4	4	1	18	5
Hypertensive heart and renal disease – 404	–	5	3	1	5	–	10	1
Ischemic heart disease – 410–413	259	336	451	537	1,220	394	1,549	611
Acute myocardial infarction – 410	153	182	220	267	667	158	625	252
Other acute and subacute forms of ischemic heart disease – 411	4	1	2	–	1	2	116	77
Chronic ischemic heart disease – 412	102	153	228	270	552	234	808	282
Angina pectoris – 413	–	–	1	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	1	4	5	2	2	6	2
All other forms of heart disease – 420–423,425–427,429	32	14	31	39	58	15	140	48

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
Major cardiovascular diseases — Con.								
Hypertension — 400,401,403	4	2	7	5	10	2	13	4
Cerebrovascular diseases — 430–438	82	89	146	189	277	106	445	155
Cerebral hemorrhage — 431	7	12	21	19	34	11	60	21
Cerebral thrombosis — 433	9	28	32	29	76	19	81	34
Cerebral embolism — 434	–	–	–	1	–	–	3	–
All other cerebrovascular diseases — 430,432,435–438	66	49	93	140	167	76	301	100
Arteriosclerosis — 440	16	13	24	24	55	14	73	40
Other diseases of arteries, arterioles, and capillaries — 441–448	11	17	20	24	49	17	62	24
Acute bronchitis and bronchiolitis — 466	1	–	1	–	2	–	1	–
Influenza and pneumonia — 470–474,480–486	27	41	24	54	77	36	160	61
Influenza — 470–474	1	1	2	3	4	–	1	2
Pneumonia — 480–486	26	40	22	51	73	36	159	59
Bronchitis, emphysema, and asthma — 490–493	18	16	13	21	22	14	33	15
Chronic and unqualified bronchitis — 490,491	4	3	2	5	3	1	11	6
Emphysema — 492	14	13	11	14	18	12	15	9
Asthma — 493	–	–	–	2	1	1	7	–
Peptic ulcer — 531–533	2	7	5	3	9	4	15	10
Appendicitis — 540–543	–	1	1	1	1	1	3	–
Hernia and intestinal obstruction — 550–553,560	10	3	–	5	8	4	14	4
Cirrhosis of liver — 571	10	29	19	36	32	44	56	27
Cholelithiasis, cholecystitis and cholangitis — 574,575	3	3	1	4	4	2	5	3
Nephritis and nephrosis — 580–584	2	4	–	11	12	3	26	10
Acute nephritis and nephrotic syndrome — 580,581	–	–	–	1	2	–	8	1
Chronic and unqualified nephritis and renal sclerosis — 582–584	2	4	–	10	10	3	18	9
Infections of kidney — 590	1	4	3	3	4	1	6	4
Hyperplasia of prostate — 600	1	–	1	–	2	1	1	–
Complications of pregnancy, childbirth, and the puerperium — 630–678	–	1	–	1	–	–	1	–
Abortions — 640–645	–	–	–	1	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium — 630–639,650–678	–	1	–	–	–	–	–	–
Congenital anomalies — 740–759	24	8	12	12	10	6	34	17
Certain causes of mortality in early infancy — 760–769.2,769.4–772,774–778	30	12	15	37	22	15	76	27
Birth injury, difficult labor, and other anoxic and hypoxic conditions — 764–768,772,776	19	9	7	19	7	13	31	19
Other causes of mortality in early infancy — Remainder of 760–778	11	3	8	18	15	2	45	8
Symptoms and ill-defined conditions — 780–796	29	6	15	19	12	11	32	35
All other diseases — Residual	71	83	95	135	181	96	407	145
Accidents — E800–E949	66	68	78	113	121	94	298	90
Motor vehicle accidents — E810–E823	34	33	41	62	51	48	105	32
All other accidents — E800–E807,E825–E949	32	35	37	51	70	46	193	58
Suicide — E950–E959	18	34	27	33	44	62	81	44
Homicide — E960–E978	3	8	11	27	9	15	77	17
Other external causes — E980–E999	1	3	3	3	4	–	2	–

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.
All causes	516	7,525	2,204	6,913	1,708	1,030	21,786	1,919
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	2	5	3	1	–	11	2
Tuberculosis, all forms—010-019	1	9	–	13	2	–	33	4
Tuberculosis of respiratory system—010-012	1	7	–	8	2	–	31	3
Tuberculosis, other forms—013-019	–	2	–	5	–	–	2	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	2	–	2	1	–	1	–
Septicemia—038	1	40	1	24	2	5	78	6
Acute poliomyelitis—040-043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090-097	–	–	–	2	–	–	3	–
Other infective and parasitic diseases—Remainder of 000-136	3	17	7	13	2	1	47	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	134	1,672	447	1,569	306	193	4,459	384
Malignant neoplasms of buccal cavity and pharynx—140-149	2	36	4	41	1	7	89	5
Malignant neoplasms of digestive organs and peritoneum—150-159	43	454	123	372	73	43	1,162	86
Malignant neoplasms of respiratory system—160-163	18	405	99	426	92	42	1,092	100
Malignant neoplasm of breast—174	16	155	42	134	30	31	396	34
Malignant neoplasms of genital organs—180-187	18	188	48	156	25	25	534	48
Malignant neoplasms of urinary organs—188,189	2	78	22	72	12	7	211	17
Malignant neoplasms of all other and unspecified sites—170-173,190-199	10	175	55	207	36	22	576	49
Leukemia—204-207	13	65	27	72	21	3	176	17
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	12	116	27	89	16	13	223	28
Benign neoplasms and neoplasms of unspecified nature—210-239	1	29	9	19	8	3	33	13
Diabetes mellitus—250	12	117	29	87	38	11	456	30
Avitaminoses and other nutritional deficiencies—260-269	1	12	3	7	3	4	32	4
Anemias—280-285	3	8	6	6	4	1	44	3
Meningitis—320	1	3	2	7	1	–	15	1
Major cardiovascular diseases—390-448	205	3,719	1,166	3,181	909	573	11,300	974
Diseases of heart—390-398,402,404,410-429	152	2,748	825	2,377	658	415	8,634	694
Active rheumatic fever and chronic rheumatic heart disease—390-398	8	54	16	71	15	8	148	15
Hypertensive heart disease—402	–	31	4	25	6	1	82	1
Hypertensive heart and renal disease—404	–	2	6	7	5	9	49	7
Ischemic heart disease—410-413	133	2,429	762	2,105	583	358	7,902	637
Acute myocardial infarction—410	58	1,126	387	979	333	162	3,529	285
Other acute and subacute forms of ischemic heart disease—411	3	32	1	7	2	–	17	2
Chronic ischemic heart disease—412	72	1,271	374	1,119	248	196	4,355	350
Angina pectoris—413	–	–	–	–	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	11	11	17	3	2	33	2
All other forms of heart disease—420-423,425-427,429	9	221	26	152	46	37	420	32

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	17	10	18	8	6	101	5
Cerebrovascular diseases—430–438	35	707	255	608	176	102	1,988	193
Cerebral hemorrhage—431	7	109	29	58	13	13	284	26
Cerebral thrombosis—433	4	173	56	125	43	17	575	30
Cerebral embolism—434	–	1	2	1	1	–	7	–
All other cerebrovascular diseases—430,432,435–438	24	424	168	424	119	72	1,122	137
Arteriosclerosis—440	5	116	41	74	37	33	325	56
Other diseases of arteries, arterioles, and capillaries—441–448	12	131	35	104	30	17	252	26
Acute bronchitis and bronchiolitis—466	–	2	2	3	1	–	6	2
Influenza and pneumonia—470–474,480–486	11	283	41	178	26	21	509	48
Influenza—470–474	–	3	–	3	1	3	3	2
Pneumonia—480–486	11	280	41	175	25	18	506	46
Bronchitis, emphysema, and asthma—490–493	5	86	23	106	21	8	225	28
Chronic and unqualified bronchitis—490,491	3	16	3	19	7	1	52	6
Emphysema—492	2	66	19	83	13	6	158	21
Asthma—493	–	4	1	4	1	1	15	1
Peptic ulcer—531–533	2	19	10	32	6	2	41	4
Appendicitis—540–543	–	2	1	1	–	1	20	1
Hernia and intestinal obstruction—550–553,560	1	32	10	19	6	5	56	4
Cirrhosis of liver—571	6	83	37	195	33	9	340	18
Cholelithiasis, cholecystitis and cholangitis—574,575	–	8	4	15	1	4	28	2
Nephritis and nephrosis—580–584	–	38	8	30	5	6	101	9
Acute nephritis and nephrotic syndrome—580,581	–	7	1	10	1	–	19	6
Chronic and unqualified nephritis and renal sclerosis—582–584	–	31	7	20	4	6	82	3
Infections of kidney—590	3	7	6	9	3	6	41	4
Hyperplasia of prostate—600	–	4	–	5	1	–	8	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	1	–	–	–	4	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	1	–	–	–	4	–
Congenital anomalies—740–759	2	48	17	59	12	3	149	15
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	8	90	24	61	26	15	259	22
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	5	37	14	32	15	10	156	13
Other causes of mortality in early infancy—Remainder of 760–778	3	53	10	29	11	5	103	9
Symptoms and ill-defined conditions—780–796	23	68	8	63	9	28	394	61
All other diseases—Residual	52	623	165	474	113	77	1,419	119
Accidents—E800–E949	30	322	115	453	111	46	1,009	113
Motor vehicle accidents—E810–E823	17	148	55	245	62	23	470	50
All other accidents—E800–E807,E825–E949	13	174	60	208	49	23	539	63
Suicide—E950–E959	8	106	44	174	27	4	280	31
Homicide—E960–E978	1	55	8	84	30	2	323	9
Other external causes—E980–E999	1	18	5	19	–	2	62	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
All causes	1,769	3,788	723	6,874	11,931	12,101	26,245	6,796
Bacillary dysentery and amebiasis – 004,006	–	–	–	1	2	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	1	–	14	9	12	18	4
Tuberculosis, all forms – 010–019	2	5	1	20	14	17	39	8
Tuberculosis of respiratory system – 010–012	1	2	–	18	11	6	30	4
Tuberculosis, other forms – 013–019	1	3	1	2	3	11	9	4
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	1
Meningococcal infections – 036	–	–	–	4	1	1	3	2
Septicemia – 038	2	19	4	56	25	35	104	13
Acute poliomyelitis – 040–043	–	–	–	–	–	–	1	–
Measles – 055	–	–	–	–	1	–	–	–
Syphilis and its sequelae – 090–097	2	–	–	–	–	1	5	–
Other infective and parasitic diseases – Remainder of 000–136	7	15	1	20	21	32	73	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	381	685	134	1,410	2,342	2,725	5,923	1,474
Malignant neoplasms of buccal cavity and pharynx – 140–149	10	15	1	32	51	61	134	40
Malignant neoplasms of digestive organs and peritoneum – 150–159	114	174	34	389	567	704	1,687	346
Malignant neoplasms of respiratory system – 160–163	96	108	29	301	597	690	1,430	357
Malignant neoplasm of breast – 174	42	75	12	115	194	269	562	150
Malignant neoplasms of genital organs – 180–187	25	96	14	183	305	279	650	160
Malignant neoplasms of urinary organs – 188,189	13	33	8	64	131	129	226	57
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	46	102	24	176	270	327	702	213
Leukemia – 204–207	12	36	1	59	96	111	206	54
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	23	46	11	91	131	155	326	97
Benign neoplasms and neoplasms of unspecified nature – 210–239	5	12	–	16	34	40	88	29
Diabetes mellitis – 250	21	86	10	154	153	122	331	92
Avitaminoses and other nutritional deficiencies – 260–269	2	12	3	7	17	17	37	8
Anemias – 280–285	2	10	1	14	16	18	37	6
Meningitis – 320	4	10	–	4	14	15	14	11
Major cardiovascular diseases – 390–448	773	1,693	385	3,071	5,841	5,681	12,466	3,141
Diseases of heart – 390–398,402,404,410–429	536	1,248	218	2,248	4,153	3,952	9,027	2,263
Active rheumatic fever and chronic rheumatic heart disease – 390–398	10	53	2	30	112	114	227	55
Hypertensive heart disease – 402	2	10	3	24	55	35	102	9
Hypertensive heart and renal disease – 404	1	–	–	3	13	12	29	6
Ischemic heart disease – 410–413	489	1,049	191	1,907	3,708	3,609	8,196	2,067
Acute myocardial infarction – 410	258	460	135	1,125	1,702	1,517	3,073	751
Other acute and subacute forms of ischemic heart disease – 411	3	89	–	7	25	5	20	4
Chronic ischemic heart disease – 412	228	500	56	775	1,981	2,087	5,100	1,312
Angina pectoris – 413	–	–	–	–	–	–	3	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	6	1	13	33	27	43	9
All other forms of heart disease – 420–423,425–427,429	31	130	21	271	232	155	430	117

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	13	2	23	22	40	55	14
Cerebrovascular diseases—430–438	180	315	139	614	1,280	1,279	2,504	667
Cerebral hemorrhage—431	25	43	6	82	144	145	326	72
Cerebral thrombosis—433	53	64	21	92	389	337	658	115
Cerebral embolism—434	–	3	–	5	1	3	15	2
All other cerebrovascular diseases—430,432,435–438	102	205	112	435	746	794	1,505	478
Arteriosclerosis—440	23	55	14	94	185	201	440	85
Other diseases of arteries, arterioles, and capillaries—441–448	29	62	12	92	201	209	440	112
Acute bronchitis and bronchiolitis—466	–	–	–	–	6	2	15	3
Influenza and pneumonia—470–474,480–486	63	112	14	199	405	295	683	226
Influenza—470–474	–	5	1	3	5	6	20	6
Pneumonia—480–486	63	107	13	196	400	289	663	220
Bronchitis, emphysema, and asthma—490–493	36	59	20	67	168	214	392	85
Chronic and unqualified bronchitis—490,491	6	19	4	10	29	47	94	20
Emphysema—492	30	37	16	53	130	146	266	55
Asthma—493	–	3	–	4	9	21	32	10
Peptic ulcer—531–533	6	11	2	10	51	47	89	21
Appendicitis—540–543	2	3	–	6	3	5	14	4
Hernia and intestinal obstruction—550–553,560	1	11	2	16	36	38	82	25
Cirrhosis of liver—571	49	57	11	135	251	276	762	195
Cholelithiasis, cholecystitis and cholangitis—574,575	5	4	3	6	16	25	45	11
Nephritis and nephrosis—580–584	4	9	2	42	30	40	90	17
Acute nephritis and nephrotic syndrome—580,581	–	–	–	10	11	5	14	3
Chronic and unqualified nephritis and renal sclerosis—582–584	4	9	2	32	19	35	76	14
Infections of kidney—590	3	5	–	11	31	21	55	9
Hyperplasia of prostate—600	1	–	2	2	5	8	13	1
Complications of pregnancy, childbirth, and the puerperium—630–678	1	2	–	1	3	3	6	3
Abortions—640–645	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	2	–	1	3	3	6	2
Congenital anomalies—740–759	15	60	5	82	95	96	173	55
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	30	59	11	116	124	113	182	78
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	36	7	67	81	56	107	43
Other causes of mortality in early infancy—Remainder of 760–778	15	23	4	49	43	57	75	35
Symptoms and ill-defined conditions—780–796	15	80	10	128	108	116	141	28
All other diseases—Residual	122	338	35	511	890	797	1,831	510
Accidents—E800–E949	125	286	55	459	769	849	1,418	421
Motor vehicle accidents—E810–E823	64	152	21	248	448	400	587	233
All other accidents—E800–E807,E825–E949	61	134	34	211	321	449	831	188
Suicide—E950–E959	47	101	9	116	237	291	670	209
Homicide—E960–E978	40	35	3	169	172	120	339	80
Other external causes—E980–E999	1	8	–	7	41	29	106	6

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

(See headnote at beginning of table)

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
All causes	2,209	2,409	1,779	2,858	11,248	928	2,847	1,044
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	4	3	1	3	9	–	3	–
Tuberculosis, all forms – 010–019	1	3	4	9	11	–	9	1
Tuberculosis of respiratory system – 010–012	1	3	4	8	7	–	6	1
Tuberculosis, other forms – 013–019	–	–	–	1	4	–	3	–
Whooping cough – 033	–	–	–	–	1	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	–	–	1	–
Septicemia – 038	7	8	8	7	27	3	28	6
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	1	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	1	4	5	3	24	–	10	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	500	529	355	570	2,417	178	562	227
Malignant neoplasms of buccal cavity and pharynx – 140–149	10	18	13	15	56	3	9	2
Malignant neoplasms of digestive organs and peritoneum – 150–159	135	139	72	180	624	43	137	66
Malignant neoplasms of respiratory system – 160–163	111	106	92	119	592	47	150	48
Malignant neoplasm of breast – 174	62	53	34	62	205	18	47	30
Malignant neoplasms of genital organs – 180–187	56	51	50	61	287	17	71	34
Malignant neoplasms of urinary organs – 188,189	17	18	8	24	131	6	27	11
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	52	84	46	63	294	21	69	17
Leukemia – 204–207	17	22	13	22	95	11	16	8
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	40	38	27	24	133	12	36	11
Benign neoplasms and neoplasms of unspecified nature – 210–239	10	11	4	8	23	5	5	–
Diabetes mellitis – 250	31	32	31	50	166	5	75	16
Avitaminoses and other nutritional deficiencies – 260–269	3	3	4	5	20	–	13	1
Anemias – 280–285	1	2	3	3	17	4	11	2
Meningitis – 320	1	1	3	–	5	–	7	–
Major cardiovascular diseases – 390–448	1,111	1,124	861	1,559	5,524	458	1,324	541
Diseases of heart – 390–398,402,404,410–429	801	802	614	1,251	4,006	333	970	395
Active rheumatic fever and chronic rheumatic heart disease – 390–398	24	30	9	30	95	–	10	3
Hypertensive heart disease – 402	2	8	11	19	56	–	19	6
Hypertensive heart and renal disease – 404	1	3	8	13	9	–	1	4
Ischemic heart disease – 410–413	729	698	553	1,122	3,501	296	821	360
Acute myocardial infarction – 410	311	368	290	519	1,388	141	255	179
Other acute and subacute forms of ischemic heart disease – 411	3	2	1	9	4	1	5	3
Chronic ischemic heart disease – 412	415	328	262	593	2,108	154	561	178
Angina pectoris – 413	–	–	–	1	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	5	4	26	15	1	6	5
All other forms of heart disease – 420–423,425–427,429	42	58	29	41	330	36	113	17

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	7	9	7	35	1	5	6
Cerebrovascular diseases—430–438	239	224	190	218	1,098	102	293	103
Cerebral hemorrhage—431	26	23	27	36	141	21	28	12
Cerebral thrombosis—433	47	40	67	57	227	27	62	28
Cerebral embolism—434	–	–	–	–	4	–	–	–
All other cerebrovascular diseases—430,432,435–438	166	161	96	125	726	54	203	63
Arteriosclerosis—440	29	45	18	56	215	14	25	18
Other diseases of arteries, arterioles, and capillaries—441–448	40	46	30	27	170	8	31	19
Acute bronchitis and bronchiolitis—466	1	–	–	–	4	–	1	–
Influenza and pneumonia—470–474,480–486	51	96	47	32	372	18	83	26
Influenza—470–474	2	3	–	3	12	–	3	1
Pneumonia—480–486	49	93	47	29	360	18	80	25
Bronchitis, emphysema, and asthma—490–493	38	39	16	52	146	10	24	24
Chronic and unqualified bronchitis—490,491	9	9	4	10	30	6	2	3
Emphysema—492	27	27	11	38	103	4	18	21
Asthma—493	2	3	1	4	13	–	4	–
Peptic ulcer—531–533	12	6	5	6	35	1	4	5
Appendicitis—540–543	2	–	2	–	2	3	2	–
Hernia and intestinal obstruction—550–553,560	9	17	8	8	40	5	11	3
Cirrhosis of liver—571	45	44	27	46	231	10	35	17
Cholelithiasis, cholecystitis and cholangitis—574,575	5	5	2	4	11	5	6	2
Nephritis and nephrosis—580–584	6	4	6	16	33	4	19	2
Acute nephritis and nephrotic syndrome—580,581	2	–	–	6	6	2	4	–
Chronic and unqualified nephritis and renal sclerosis—582–584	4	4	6	10	27	2	15	2
Infections of kidney—590	6	2	3	3	13	8	8	1
Hyperplasia of prostate—600	1	1	–	–	3	–	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	2	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	2	–	–	–
Congenital anomalies—740–759	13	14	11	14	72	5	14	10
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	16	23	23	16	115	13	52	19
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	12	12	8	69	7	25	11
Other causes of mortality in early infancy—Remainder of 760–770	5	11	11	8	46	6	27	8
Symptoms and ill-defined conditions—780–796	11	19	11	106	86	65	18	7
All other diseases—Residual	154	202	167	211	830	60	237	50
Accidents—E800–E949	111	142	103	92	672	51	191	57
Motor vehicle accidents—E810–E823	50	85	49	34	293	25	90	25
All other accidents—E800–E807,E825–E949	61	57	54	58	379	26	101	32
Suicide—E950–E959	41	55	32	26	226	14	30	19
Homicide—E960–E978	13	13	35	6	73	3	60	4
Other external causes—E980–E999	4	6	2	3	38	–	2	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
All causes	803	2,517	2,746	1,660	1,544	1,473	5,125	1,696
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	1	–	–	–
Enteritis and other diarrheal diseases – 008,009	1	4	2	–	2	2	4	–
Tuberculosis, all forms – 010–019	–	4	1	3	3	8	3	2
Tuberculosis of respiratory system – 010–012	–	2	1	1	–	7	3	1
Tuberculosis, other forms – 013–019	–	2	–	2	3	1	–	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	1	–	–	–	–	–	2	–
Septicemia – 038	–	8	8	1	8	1	19	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	1	–	–	1	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	1	3	8	–	5	2	10	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	178	514	621	346	292	296	1,131	327
Malignant neoplasms of buccal cavity and pharynx – 140–149	–	10	7	6	11	6	26	3
Malignant neoplasms of digestive organs and peritoneum – 150–159	50	138	167	104	77	81	336	84
Malignant neoplasms of respiratory system – 160–163	36	118	163	82	68	74	252	87
Malignant neoplasm of breast – 174	20	45	58	35	20	25	111	32
Malignant neoplasms of genital organs – 180–187	29	60	71	36	32	34	125	37
Malignant neoplasms of urinary organs – 188,189	6	24	32	15	12	19	51	20
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	21	67	57	37	42	32	133	33
Leukemia – 204–207	4	27	31	14	12	12	35	8
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	25	35	17	18	13	62	23
Benign neoplasms and neoplasms of unspecified nature – 210–239	3	9	1	7	4	4	20	6
Diabetes mellitis – 250	14	38	38	39	21	43	117	49
Avitaminoses and other nutritional deficiencies – 260–269	–	2	5	5	2	–	8	2
Anemias – 280–285	2	6	4	–	1	4	8	2
Meningitis – 320	1	2	1	–	2	–	3	–
Major cardiovascular diseases – 390–448	418	1,374	1,328	885	741	828	2,646	896
Diseases of heart – 390–398,402,404,410–429	316	961	901	625	512	552	2,020	696
Active rheumatic fever and chronic rheumatic heart disease – 390–398	5	19	25	9	15	16	39	14
Hypertensive heart disease – 402	1	11	10	9	2	3	16	4
Hypertensive heart and renal disease – 404	–	2	6	3	2	–	2	8
Ischemic heart disease – 410–413	299	867	784	580	472	499	1,845	639
Acute myocardial infarction – 410	166	437	474	238	230	260	693	313
Other acute and subacute forms of ischemic heart disease – 411	–	2	3	2	–	–	5	2
Chronic ischemic heart disease – 412	133	428	306	340	242	239	1,145	324
Angina pectoris – 413	–	–	1	–	–	–	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	1	3	3	2	4	5	2
All other forms of heart disease – 420–423,425–427,429	9	61	73	21	19	30	113	29

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	11	9	8	4	7	11	3
Cerebrovascular diseases—430–438	74	317	295	200	180	232	496	162
Cerebral hemorrhage—431	12	35	28	22	17	27	79	28
Cerebral thrombosis—433	14	62	53	61	33	118	204	38
Cerebral embolism—434	–	2	–	–	2	1	2	1
All other cerebrovascular diseases—430,432,435–438	48	218	214	117	128	86	211	95
Arteriosclerosis—440	17	34	90	25	28	14	56	17
Other diseases of arteries, arterioles, and capillaries—441–448	8	51	33	27	17	23	63	18
Acute bronchitis and bronchiolitis—466	–	1	1	1	1	–	1	–
Influenza and pneumonia—470–474,480–486	17	53	83	43	47	30	153	39
Influenza—470–474	–	1	–	–	–	4	2	–
Pneumonia—480–486	17	52	83	43	47	26	151	39
Bronchitis, emphysema, and asthma—490–493	7	23	51	29	11	15	40	31
Chronic and unqualified bronchitis—490,491	–	4	4	3	4	1	4	11
Emphysema—492	7	17	43	25	7	14	32	20
Asthma—493	–	2	4	1	–	–	4	–
Peptic ulcer—531–533	1	10	6	9	6	7	25	6
Appendicitis—540–543	–	–	–	2	–	–	–	–
Hernia and intestinal obstruction—550–553,560	4	6	13	3	1	2	20	4
Cirrhosis of liver—571	12	35	44	18	8	24	100	26
Cholelithiasis, cholecystitis and cholangitis—574,575	3	3	6	–	3	–	9	1
Nephritis and nephrosis—580–584	3	4	7	3	4	5	17	7
Acute nephritis and nephrotic syndrome—580,581	1	–	1	1	3	1	4	5
Chronic and unqualified nephritis and renal sclerosis—582–584	2	4	6	2	1	4	13	2
Infections of kidney—590	–	3	3	1	1	5	4	5
Hyperplasia of prostate—600	1	3	2	1	2	1	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	1	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	1	–	–	–	–
Congenital anomalies—740–759	8	20	22	11	6	12	33	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	36	29	17	20	13	40	20
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	16	14	16	12	9	6	17	6
Other causes of mortality in early infancy—Remainder of 760–778	3	22	13	5	11	7	23	14
Symptoms and ill-defined conditions—780–796	6	41	20	18	114	3	68	14
All other diseases—Residual	43	147	224	99	112	78	335	127
Accidents—E800–E949	45	116	145	84	81	58	217	87
Motor vehicle accidents—E810–E823	28	55	68	26	36	23	63	42
All other accidents—E800–E807,E825–E949	17	61	77	58	45	35	154	45
Suicide—E950–E959	10	33	55	24	29	19	62	17
Homicide—E960–E978	5	14	14	4	12	12	26	11
Other external causes—E980–E999	–	4	3	6	3	1	4	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Ark.	Toledo, Ohio-Mich.
All causes	2,760	5,333	3,331	726	15,987	2,052	1,017	6,416
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	3	6	4	2	13	1	1	2
Tuberculosis, all forms — 010-019	8	6	1	2	31	4	1	6
Tuberculosis of respiratory system — 010-012	5	3	–	1	29	4	1	5
Tuberculosis, other forms — 013-019	3	3	1	1	2	–	–	1
Whooping cough — 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–
Meningococcal infections — 036	1	–	–	–	3	1	2	–
Septicemia — 038	5	19	8	3	38	7	5	17
Acute poliomyelitis — 040-043	–	–	–	–	–	–	–	–
Measles — 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae — 090-097	–	–	–	–	1	1	–	–
Other infective and parasitic diseases — Remainder of 000-136	3	10	7	1	25	2	4	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140-209	567	1,239	735	144	3,481	372	205	1,206
Malignant neoplasms of buccal cavity and pharynx — 140-149	16	21	15	5	90	12	3	34
Malignant neoplasms of digestive organs and peritoneum — 150-159	125	339	173	36	911	98	47	316
Malignant neoplasms of respiratory system — 160-163	151	305	199	39	942	104	69	291
Malignant neoplasm of breast — 174	39	130	67	12	286	30	13	111
Malignant neoplasms of genital organs — 180-187	66	150	89	16	401	45	24	144
Malignant neoplasms of urinary organs — 188,189	22	57	36	6	185	10	5	50
Malignant neoplasms of all other and unspecified sites — 170-173,190-199	72	126	83	22	379	44	23	136
Leukemia — 204-207	27	42	35	3	127	15	10	46
Other neoplasms of lymphatic and hematopoietic tissues — 200-203,208,209	49	69	38	5	160	14	11	78
Benign neoplasms and neoplasms of unspecified nature — 210-239	7	13	9	2	36	6	2	7
Diabetes mellitis — 250	45	92	62	14	182	49	14	168
Avitaminoses and other nutritional deficiencies — 260-269	10	12	8	4	28	5	2	9
Anemias — 280-285	5	7	5	–	26	3	2	12
Meningitis — 320	–	4	2	2	5	2	1	2
Major cardiovascular diseases — 390-448	1,264	2,767	1,665	301	8,433	1,141	527	3,502
Diseases of heart — 390-398,402,404,410-429	908	2,064	1,218	203	5,870	753	381	2,618
Active rheumatic fever and chronic rheumatic heart disease — 390-398	23	36	23	14	96	7	3	42
Hypertensive heart disease — 402	13	27	13	4	30	7	24	22
Hypertensive heart and renal disease — 404	5	1	–	1	38	12	–	21
Ischemic heart disease — 410-413	819	1,716	1,104	143	5,466	670	214	2,408
Acute myocardial infarction — 410	303	812	575	66	2,181	371	107	1,249
Other acute and subacute forms of ischemic heart disease — 411	12	2	8	–	9	2	–	4
Chronic ischemic heart disease — 412	504	902	520	77	3,274	297	107	1,155
Angina pectoris — 413	–	–	1	–	2	–	–	–
Chronic disease of endocardium and other myocardial insufficiency — 424,428	12	13	5	4	18	18	–	8
All other forms of heart disease — 420-423,425-427,429	36	271	73	37	222	39	140	117

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	10	15	5	4	53	9	3	19
Cerebrovascular diseases—430–438	253	525	338	71	1,946	299	119	643
Cerebral hemorrhage—431	41	60	25	8	158	69	17	86
Cerebral thrombosis—433	50	122	97	4	599	71	16	187
Cerebral embolism—434	–	5	–	–	14	3	–	–
All other cerebrovascular diseases—430,432,435–438	162	338	216	59	1,175	156	86	370
Arteriosclerosis—440	41	70	57	14	280	51	11	123
Other diseases of arteries, arterioles, and capillaries—441–448	52	93	47	9	284	29	13	99
Acute bronchitis and bronchiolitis—466	1	2	2	–	9	–	–	3
Influenza and pneumonia—470–474,480–486	85	122	66	33	439	63	27	142
Influenza—470–474	2	–	2	2	7	4	1	1
Pneumonia—480–486	83	122	64	31	432	59	26	141
Bronchitis, emphysema, and asthma—490–493	37	61	46	9	254	36	12	130
Chronic and unqualified bronchitis—490,491	8	9	8	2	54	4	1	30
Emphysema—492	27	47	38	6	186	30	10	96
Asthma—493	2	5	–	1	14	2	1	4
Peptic ulcer—531–533	13	18	5	2	49	5	–	12
Appendicitis—540–543	2	1	1	2	3	1	1	1
Hernia and intestinal obstruction—550–553,560	5	8	9	2	45	2	3	12
Cirrhosis of liver—571	72	70	63	10	275	30	9	93
Cholelithiasis, cholecystitis and cholangitis—574,575	5	8	3	–	28	–	3	5
Nephritis and nephrosis—580–584	10	25	14	5	71	7	3	26
Acute nephritis and nephrotic syndrome—580,581	4	3	–	2	21	1	1	5
Chronic and unqualified nephritis and renal sclerosis—582–584	6	22	14	3	50	6	2	21
Infections of kidney—590	6	2	4	2	40	9	4	13
Hyperplasia of prostate—600	3	2	2	–	6	1	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	1	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	1	–	–	1
Congenital anomalies—740–759	30	28	35	10	65	10	7	57
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	30	72	37	14	130	10	9	80
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	14	36	20	9	68	6	5	40
Other causes of mortality in early infancy—Remainder of 760–778	16	36	17	5	62	4	4	40
Symptoms and ill-defined conditions—780–796	28	70	19	20	349	15	32	21
All other diseases—Residual	222	362	208	62	1,089	148	62	381
Accidents—E800–E949	207	225	219	57	483	85	58	286
Motor vehicle accidents—E810–E823	104	121	108	28	213	42	25	134
All other accidents—E800–E807,E825–E949	103	104	111	29	270	43	33	152
Suicide—E950–E959	49	57	63	13	236	27	10	136
Homicide—E960–E978	28	16	26	8	101	9	10	67
Other external causes—E980–E999	9	9	3	2	12	–	1	7

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica–Rome, N.Y.	Vallejo–Napa, Calif.
All causes	1,366	2,772	3,489	4,439	1,025	1,094	3,215	2,161
Bacillary dysentery and amebiasis—004,006	–	–	2	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	1	1	2	2	2	5	2
Tuberculosis, all forms—010–019	–	7	10	5	6	2	5	1
Tuberculosis of respiratory system—010–012	–	7	8	4	5	2	5	1
Tuberculosis, other forms—013–019	–	–	2	1	1	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	1	–	–	–	–	2	–
Septicemia—038	4	9	9	20	3	4	4	12
Acute poliomyelitis—040–043	–	–	1	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	–	–	1	–	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	2	5	21	15	3	3	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	280	652	718	877	216	213	647	479
Malignant neoplasms of buccal cavity and pharynx—140–149	2	13	11	10	1	1	14	10
Malignant neoplasms of digestive organs and peritoneum—150–159	70	183	183	211	57	39	200	127
Malignant neoplasms of respiratory system—160–163	71	153	190	271	57	64	140	119
Malignant neoplasm of breast—174	25	74	59	83	14	14	80	44
Malignant neoplasms of genital organs—180–187	36	78	77	86	28	37	76	50
Malignant neoplasms of urinary organs—188,189	11	38	36	44	3	13	28	17
Malignant neoplasms of all other and unspecified sites—170–173,190–199	34	60	80	91	34	25	57	64
Leukemia—204–207	10	16	38	34	7	9	25	20
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21	37	44	47	15	11	27	28
Benign neoplasms and neoplasms of unspecified nature—210–239	4	7	7	8	1	4	14	7
Diabetes mellitis—250	26	55	57	63	21	12	64	25
Avitaminoses and other nutritional deficiencies—260–269	1	4	2	5	1	2	6	7
Anemias—280–285	4	1	2	4	–	1	4	–
Meningitis—320	1	1	2	5	2	1	–	3
Major cardiovascular diseases—390–448	671	1,393	1,542	2,179	487	579	1,791	980
Diseases of heart—390–398,402,404,410–429	478	1,103	1,205	1,587	313	425	1,334	703
Active rheumatic fever and chronic rheumatic heart disease—390–398	7	29	33	28	3	5	31	22
Hypertensive heart disease—402	4	8	15	8	10	9	16	4
Hypertensive heart and renal disease—404	–	5	3	4	2	1	13	2
Ischemic heart disease—410–413	434	1,037	1,054	1,413	262	269	1,205	631
Acute myocardial infarction—410	193	400	397	691	137	127	663	300
Other acute and subacute forms of ischemic heart disease—411	1	11	4	22	–	2	1	3
Chronic ischemic heart disease—412	240	626	652	700	124	140	541	327
Angina pectoris—413	–	–	1	–	1	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	2	3	5	1	1	4	1
All other forms of heart disease—420–423,425–427,429	29	22	97	129	35	140	65	43

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica–Rome, N.Y.	Vallejo–Napa, Calif.
Major cardiovascular diseases — Con.								
Hypertension — 400,401,403	6	10	6	9	6	9	28	7
Cerebrovascular diseases — 430–438	130	224	240	456	138	115	318	220
Cerebral hemorrhage — 431	29	40	33	36	22	16	65	31
Cerebral thrombosis — 433	31	53	54	72	35	22	70	55
Cerebral embolism — 434	–	2	1	3	–	–	–	–
All other cerebrovascular diseases — 430,432,435–438	70	129	152	345	81	77	183	134
Arteriosclerosis — 440	34	27	49	65	18	17	65	15
Other diseases of arteries, arterioles, and capillaries — 441–448	23	29	42	62	12	13	46	35
Acute bronchitis and bronchiolitis — 466	1	1	1	1	–	–	–	1
Influenza and pneumonia — 470–474,480–486	33	67	104	117	28	24	75	72
Influenza — 470–474	–	1	1	2	1	3	–	–
Pneumonia — 480–486	33	66	103	115	27	21	75	72
Bronchitis, emphysema, and asthma — 490–493	18	34	73	46	17	13	77	36
Chronic and unqualified bronchitis — 490,491	5	9	17	6	3	3	15	6
Emphysema — 492	12	24	50	38	14	10	60	29
Asthma — 493	1	1	6	2	–	–	2	1
Peptic ulcer — 531–533	2	11	10	10	–	5	9	8
Appendicitis — 540–543	1	1	–	1	–	–	2	1
Hernia and intestinal obstruction — 550–553,560	2	5	8	14	–	2	8	7
Cirrhosis of liver — 571	16	63	70	69	17	9	47	68
Cholelithiasis, cholecystitis and cholangitis — 574,575	2	4	7	6	–	–	2	4
Nephritis and nephrosis — 580–584	6	7	14	26	8	6	4	9
Acute nephritis and nephrotic syndrome — 580,581	2	3	2	10	1	1	2	2
Chronic and unqualified nephritis and renal sclerosis — 582–584	4	4	12	16	7	5	2	7
Infections of kidney — 590	5	5	6	15	3	3	6	4
Hyperplasia of prostate — 600	–	–	–	–	1	–	1	3
Complications of pregnancy, childbirth, and the puerperium — 630–678	–	–	1	–	3	–	–	–
Abortions — 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium — 630–639,650–678	–	–	1	–	3	–	–	–
Congenital anomalies — 740–759	10	15	34	24	11	4	14	15
Certain causes of mortality in early infancy — 760–769,2,769.4–772,774–778	23	28	23	55	7	18	24	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions — 764–768,772,776	11	12	13	47	7	13	11	11
Other causes of mortality in early infancy — Remainder of 760–778	12	16	10	8	–	5	13	3
Symptoms and ill-defined conditions — 780–796	14	53	35	61	51	11	21	14
All other diseases — Residual	128	162	319	382	62	73	188	197
Accidents — E800–E949	65	110	237	276	55	74	134	123
Motor vehicle accidents — E810–E823	33	54	152	147	32	40	64	51
All other accidents — E800–E807,E825–E949	32	56	85	129	23	34	70	72
Suicide — E950–E959	28	29	97	88	10	15	48	47
Homicide — E960–E978	14	34	52	57	8	14	3	16
Other external causes — E980–E999	3	7	24	7	2	–	5	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
All causes	1,215	1,649	18,875	985	5,802	2,200	3,006	987
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	3	16	–	1	3	3	–
Tuberculosis, all forms—010–019	2	2	44	1	9	4	2	3
Tuberculosis of respiratory system—010–012	2	1	35	1	8	3	2	2
Tuberculosis, other forms—013–019	–	1	9	–	1	1	–	1
Whooping cough—033	–	–	–	–	–	–	1	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	2	–	2	–	–	–
Septicemia—038	5	8	98	4	18	10	4	3
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	1	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	4	–	–	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	5	4	61	2	13	5	5	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	246	310	4,412	192	1,343	444	617	169
Malignant neoplasms of buccal cavity and pharynx—140–149	3	6	139	2	12	10	17	6
Malignant neoplasms of digestive organs and peritoneum—150–159	63	89	1,197	63	372	124	156	36
Malignant neoplasms of respiratory system—160–163	65	78	1,057	43	328	94	155	51
Malignant neoplasm of breast—174	31	22	444	16	126	46	64	11
Malignant neoplasms of genital organs—180–187	30	38	440	25	176	43	67	13
Malignant neoplasms of urinary organs—188,189	2	12	175	13	69	23	27	5
Malignant neoplasms of all other and unspecified sites—170–173,190–199	29	37	575	9	150	57	68	24
Leukemia—204–207	9	15	145	10	43	15	23	5
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	14	13	240	11	67	32	40	18
Benign neoplasms and neoplasms of unspecified nature—210–239	3	3	56	1	16	9	10	6
Diabetes mellitus—250	20	26	312	18	85	34	50	14
Avitaminoses and other nutritional deficiencies—260–269	6	1	27	–	5	–	11	1
Anemias—280–285	2	3	44	2	7	4	8	1
Meningitis—320	–	3	17	1	3	1	1	1
Major cardiovascular diseases—390–448	637	789	8,328	540	3,049	1,174	1,496	507
Diseases of heart—390–398,402,404,410–429	508	564	6,235	363	2,111	954	1,089	379
Active rheumatic fever and chronic rheumatic heart disease—390–398	7	4	112	3	51	21	12	6
Hypertensive heart disease—402	2	6	84	4	21	3	8	9
Hypertensive heart and renal disease—404	6	3	34	3	–	1	11	1
Ischemic heart disease—410–413	461	368	5,315	338	1,955	867	977	308
Acute myocardial infarction—410	226	202	1,751	184	899	439	535	193
Other acute and subacute forms of ischemic heart disease—411	–	–	69	2	55	2	2	–
Chronic ischemic heart disease—412	234	164	3,493	152	1,000	426	440	115
Angina pectoris—413	1	2	2	–	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	2	241	3	6	3	4	3
All other forms of heart disease—420–423,425–427,429	30	181	449	12	78	59	77	52

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	5	35	6	17	6	8	4
Cerebrovascular diseases—430–438	90	174	1,470	128	689	160	303	95
Cerebral hemorrhage—431	10	10	259	13	72	23	37	8
Cerebral thrombosis—433	19	31	357	23	255	43	55	27
Cerebral embolism—434	–	–	6	1	2	–	1	–
All other cerebrovascular diseases—430,432,435–438	61	133	848	91	360	94	210	60
Arteriosclerosis—440	23	31	353	30	139	18	45	17
Other diseases of arteries, arterioles, and capillaries—441–448	14	15	235	13	93	36	51	12
Acute bronchitis and bronchiolitis—466	1	–	6	–	5	–	–	1
Influenza and pneumonia—470–474,480–486	20	59	457	19	102	76	64	30
Influenza—470–474	–	1	4	–	3	1	3	–
Pneumonia—480–486	20	58	453	19	99	75	61	30
Bronchitis, emphysema, and asthma—490–493	12	19	160	14	84	25	32	18
Chronic and unqualified bronchitis—490,491	1	1	33	2	15	6	6	2
Emphysema—492	10	14	108	10	63	17	25	16
Asthma—493	1	4	19	2	6	2	1	–
Peptic ulcer—531–533	6	6	47	3	11	7	10	1
Appendicitis—540–543	–	–	13	–	2	1	3	–
Hernia and intestinal obstruction—550–553,560	3	4	70	3	14	7	12	7
Cirrhosis of liver—571	16	11	543	17	125	37	38	22
Cholelithiasis, cholecystitis and cholangitis—574,575	–	2	24	3	9	6	2	1
Nephritis and nephrosis—580–584	13	12	92	1	17	8	14	3
Acute nephritis and nephrotic syndrome—580,581	4	2	21	–	4	2	6	–
Chronic and unqualified nephritis and renal sclerosis—582–584	9	10	71	1	13	6	8	3
Infections of kidney—590	1	6	25	3	7	4	9	1
Hyperplasia of prostate—600	–	–	10	–	2	2	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	8	–	1	–	1	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	8	–	1	–	1	1
Congenital anomalies—740–759	9	8	147	7	31	7	25	6
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	17	14	401	27	53	17	54	16
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9	7	183	17	27	7	28	9
Other causes of mortality in early infancy—Remainder of 760–778	8	7	218	10	26	10	26	7
Symptoms and ill-defined conditions—780–796	15	81	223	5	37	25	31	16
All other diseases—Residual	72	130	1,428	56	355	168	218	57
Accidents—E800–E949	71	97	1,042	46	249	80	169	69
Motor vehicle accidents—E810–E823	38	44	449	26	127	34	84	34
All other accidents—E800–E807,E825–E949	33	53	593	20	122	46	85	35
Suicide—E950–E959	25	24	368	15	85	23	56	21
Homicide—E960–E978	4	22	317	4	47	12	40	11
Other external causes—E980–E999	2	2	72	1	15	7	17	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
All causes	4,106	4,160	1,072	5,897	3,132	5,144	145,065	66,446
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	2	1
Enteritis and other diarrheal diseases—008,009	1	3	1	7	1	3	99	52
Tuberculosis, all forms—010–019	12	1	–	6	1	3	265	143
Tuberculosis of respiratory system—010–012	11	1	–	3	–	3	223	95
Tuberculosis, other forms—013–019	1	–	–	3	1	–	42	48
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	–	–	–	–	21	6
Septicemia—038	11	19	2	32	12	14	513	226
Acute poliomyelitis—040–043	–	–	–	–	–	–	1	2
Measles—055	–	–	–	–	–	–	1	–
Syphilis and its sequelae—090–097	1	–	–	1	1	–	9	4
Other infective and parasitic diseases—Remainder of 000–136	5	7	4	9	2	13	307	131
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	770	919	200	1,223	649	979	31,983	13,770
Malignant neoplasms of buccal cavity and pharynx—140–149	15	19	4	20	9	25	773	346
Malignant neoplasms of digestive organs and peritoneum—150–159	243	235	44	371	197	299	9,642	3,909
Malignant neoplasms of respiratory system—160–163	161	262	55	242	121	230	7,257	3,302
Malignant neoplasm of breast—174	62	81	10	146	70	81	3,298	1,333
Malignant neoplasms of genital organs—180–187	86	89	24	139	66	94	3,359	1,518
Malignant neoplasms of urinary organs—188,189	39	43	11	64	36	46	1,458	596
Malignant neoplasms of all other and unspecified sites—170–173,190–199	95	110	34	141	96	104	3,420	1,550
Leukemia—204–207	33	40	7	40	22	42	1,139	500
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	36	40	11	60	32	58	1,637	716
Benign neoplasms and neoplasms of unspecified nature—210–239	8	12	4	28	10	8	452	135
Diabetes mellitis—250	83	101	17	94	47	137	2,816	1,224
Avitaminoses and other nutritional deficiencies—260–269	5	1	1	6	5	12	120	48
Anemias—280–285	5	3	2	6	4	9	209	113
Meningitis—320	3	4	2	2	3	1	121	55
Major cardiovascular diseases—390–448	2,191	2,111	530	3,174	1,663	2,843	74,835	34,391
Diseases of heart—390–398,402,404,410–429	1,791	1,691	384	2,439	1,306	2,132	61,422	27,550
Active rheumatic fever and chronic rheumatic heart disease—390–398	32	27	2	27	28	48	1,108	416
Hypertensive heart disease—402	13	21	3	22	8	18	482	358
Hypertensive heart and renal disease—404	22	8	–	7	14	12	126	75
Ischemic heart disease—410–413	1,628	1,549	352	2,221	1,164	1,915	57,152	25,260
Acute myocardial infarction—410	776	652	192	967	568	1,074	22,879	9,973
Other acute and subacute forms of ischemic heart disease—411	4	7	–	5	2	9	105	136
Chronic ischemic heart disease—412	848	889	160	1,248	594	832	34,159	15,148
Angina pectoris—413	–	1	–	1	–	–	9	3
Chronic disease of endocardium and other myocardial insufficiency—424,428	10	9	3	2	5	7	135	105
All other forms of heart disease—420–423,425–427,429	86	77	24	160	87	132	2,419	1,336

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1977—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	13	2	17	3	16	300	261
Cerebrovascular diseases—430–438	302	278	118	539	242	505	10,137	5,265
Cerebral hemorrhage—431	45	29	7	75	25	59	1,568	882
Cerebral thrombosis—433	66	66	45	153	60	138	2,473	1,518
Cerebral embolism—434	4	–	1	4	2	1	62	18
All other cerebrovascular diseases—430,432,435–438	187	183	65	307	155	307	6,034	2,847
Arteriosclerosis—440	46	64	16	93	68	115	1,379	597
Other diseases of arteries, arterioles, and capillaries—441–448	44	65	10	86	44	75	1,597	718
Acute bronchitis and bronchiolitis—466	–	–	1	–	2	3	60	22
Influenza and pneumonia—470–474,480–486	75	88	28	195	86	119	4,634	1,854
Influenza—470–474	1	–	2	3	–	–	36	9
Pneumonia—480–486	74	88	26	192	86	119	4,598	1,845
Bronchitis, emphysema, and asthma—490–493	43	40	12	66	33	66	1,159	678
Chronic and unqualified bronchitis—490,491	5	6	1	16	12	12	252	121
Emphysema—492	32	29	11	47	18	50	756	498
Asthma—493	6	5	–	3	3	4	151	59
Peptic ulcer—531–533	10	11	1	20	15	16	584	211
Appendicitis—540–543	4	3	–	1	–	4	53	22
Hernia and intestinal obstruction—550–553,560	8	10	5	14	11	13	416	154
Cirrhosis of liver—571	59	90	15	80	22	85	3,450	1,419
Cholelithiasis, cholecystitis and cholangitis—574,575	5	5	–	10	2	9	235	70
Nephritis and nephrosis—580–584	11	23	7	26	10	24	729	361
Acute nephritis and nephrotic syndrome—580,581	6	3	–	6	3	3	157	80
Chronic and unqualified nephritis and renal sclerosis—582–584	5	20	7	20	7	21	572	281
Infections of kidney—590	8	11	3	27	5	12	228	106
Hyperplasia of prostate—600	–	–	1	3	–	1	90	38
Complications of pregnancy, childbirth, and the puerperium—630–678	–	2	–	–	1	–	28	12
Abortions—640–645	–	1	–	–	–	–	1	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	1	–	27	11
Congenital anomalies—740–759	19	26	6	34	22	27	885	511
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	21	48	17	65	35	62	1,651	1,119
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	23	8	36	22	35	830	663
Other causes of mortality in early infancy—Remainder of 760–778	10	25	9	29	13	27	821	456
Symptoms and ill-defined conditions—780–796	22	30	12	29	11	35	1,930	459
All other diseases—Residual	557	295	79	403	267	303	8,780	3,813
Accidents—E800–E949	120	195	75	260	162	211	4,372	2,932
Motor vehicle accidents—E810–E823	51	101	33	101	95	96	1,733	1,309
All other accidents—E800–E807,E825–E949	69	94	42	159	67	115	2,639	1,623
Suicide—E950–E959	38	66	21	58	38	69	1,272	759
Homicide—E960–E978	6	29	24	16	9	58	1,937	1,212
Other external causes—E980–E999	5	7	2	2	3	5	818	393

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**United States**	**1,899,597**	**2,968**	**196**	**13,766**	**386,686**	**102,951**	**95,182**	**34,762**	**44,273**	**17,382**	**15,329**	**76,807**	**32,989**	**961,539**	**718,850**	**12,770**	**10,435**
02	Urban places	1,058,853	1,878	121	8,180	219,942	59,871	54,065	20,503	24,662	9,709	8,224	42,908	18,516	532,044	400,324	7,418	5,823
03	Balance of area	840,744	1,090	75	5,586	166,744	43,080	41,117	14,259	19,611	7,673	7,105	33,899	14,473	429,495	318,526	5,352	4,612
04	Metropolitan counties	1,232,880	2,022	128	9,266	260,797	70,231	64,283	24,562	28,797	11,623	9,964	51,337	21,407	615,735	467,009	8,991	6,594
05	Urban places	904,249	1,652	104	7,104	189,814	51,907	46,786	17,816	20,998	8,294	7,047	36,966	15,882	451,820	342,952	6,481	4,966
06	Balance of area	328,631	370	24	2,162	70,983	18,324	17,497	6,746	7,799	3,329	2,917	14,371	5,525	163,915	124,057	2,510	1,628
07	Nonmetropolitan counties	666,717	946	68	4,500	125,889	32,720	30,899	10,200	15,476	5,759	5,365	25,470	11,582	345,804	251,841	3,779	3,841
08	Urban places	154,604	226	17	1,076	30,128	7,964	7,279	2,687	3,664	1,415	1,177	5,942	2,634	80,224	57,372	937	857
09	Balance of area	512,113	720	51	3,424	95,761	24,756	23,620	7,513	11,812	4,344	4,188	19,528	8,948	265,580	194,469	2,842	2,984
10	**Alabama**	**34,827**	**76**	**6**	**296**	**6,235**	**1,458**	**1,680**	**472**	**753**	**244**	**280**	**1,348**	**639**	**16,193**	**11,204**	**144**	**212**
11	Urban places	14,711	43	4	142	2,776	706	723	253	325	98	131	540	299	6,707	4,554	56	104
12	Balance of area	20,116	33	2	154	3,459	752	957	219	428	146	149	808	340	9,486	6,650	88	108
13	Metropolitan counties	17,692	47	5	150	3,397	822	945	281	386	126	146	691	323	8,003	5,536	75	128
14	Urban places	11,065	37	4	100	2,167	559	566	197	249	80	105	411	223	5,016	3,404	43	85
15	Balance of area	6,627	10	1	50	1,230	263	379	84	137	46	41	280	100	2,987	2,132	32	43
16	Nonmetropolitan counties	17,135	29	1	146	2,838	636	735	191	367	118	134	657	316	8,190	5,668	69	84
17	Urban places	3,646	6	–	42	609	147	157	56	76	18	26	129	76	1,691	1,150	13	19
18	Balance of area	13,489	23	1	104	2,229	489	578	135	291	100	108	528	240	6,499	4,518	56	65
19	Autauga	224	–	–	–	27	7	9	–	4	–	–	7	8	123	92	1	2
20	Prattville	90	–	–	–	11	4	5	–	–	–	–	2	4	49	36	–	–
21	Balance of county	134	–	–	–	16	3	4	–	4	–	–	5	4	74	56	1	2
22	Baldwin	655	–	1	4	118	29	32	5	16	4	2	30	12	329	242	2	3
23	Barbour	284	1	–	2	38	8	11	1	7	4	–	7	9	124	87	–	5
24	Bibb	141	1	–	1	27	8	7	–	3	–	2	7	1	67	46	1	–
25	Blount	281	1	–	2	46	8	9	5	5	–	3	16	4	143	102	1	–
26	Bullock	150	–	–	3	25	2	10	–	3	1	–	9	4	77	55	–	1
27	Butler	289	1	–	–	40	8	13	4	2	1	3	9	6	132	86	–	1
28	Calhoun	987	1	–	10	182	44	50	12	23	6	8	39	14	531	362	5	7
29	Anniston	479	–	–	6	77	20	22	7	10	2	2	14	6	267	176	4	1
30	Balance of county	508	1	–	4	105	24	28	5	13	4	6	25	8	264	186	1	6
31	Chambers	402	1	–	2	64	10	18	2	6	3	4	21	6	209	129	–	1
32	Cherokee	198	–	–	2	31	4	8	1	4	–	3	11	–	100	76	1	3
33	Chilton	320	–	–	1	59	21	15	2	3	3	3	12	9	143	98	–	1
34	Choctaw	166	1	–	–	32	6	5	3	6	–	4	8	3	76	57	1	–
35	Clarke	263	–	–	1	44	10	11	4	7	2	1	9	7	152	125	4	–
36	Clay	134	–	–	1	16	4	2	–	3	1	1	5	4	66	43	1	–
37	Cleburne	130	–	–	–	19	6	4	1	3	1	–	4	3	57	43	1	3
38	Coffee	306	–	–	2	52	14	8	2	11	1	–	16	6	153	108	–	2
39	Enterprise	122	–	–	1	19	6	2	1	3	–	–	7	2	61	45	–	1
40	Balance of county	184	–	–	1	33	8	6	1	8	1	–	9	4	92	63	–	1
41	Colbert	476	1	–	3	81	19	19	7	7	6	6	17	4	245	158	2	1
42	Sheffield	141	1	–	1	29	10	6	3	3	3	1	3	–	72	49	–	–
43	Balance of county	335	–	–	2	52	9	13	4	4	3	5	14	4	173	109	2	1
44	Conecuh	158	1	–	1	29	3	4	4	2	3	2	11	2	90	61	1	–
45	Coosa	120	1	–	1	22	5	4	2	3	2	3	3	–	58	38	1	–
46	Covington	429	–	–	6	80	21	23	8	6	4	3	15	7	219	153	1	1
47	Andalusia	103	–	–	3	15	4	6	3	–	–	1	1	2	50	39	–	–
48	Balance of county	326	–	–	3	65	17	17	5	6	4	2	14	5	169	114	1	1
49	Crenshaw	184	–	–	3	25	4	5	3	1	1	1	10	5	75	40	1	–
50	Cullman	527	2	–	2	107	22	26	11	18	1	7	22	7	273	187	3	1
51	Cullman	132	1	–	–	31	8	7	4	5	1	2	4	2	68	46	2	–
52	Balance of county	395	1	–	2	76	14	19	7	13	–	5	18	5	205	141	1	1
53	Dale	303	–	–	1	40	6	16	6	6	2	–	4	6	135	104	2	5
54	Ozark	126	–	–	1	15	2	3	3	4	1	–	2	2	59	48	1	3
55	Balance of county	177	–	–	–	25	4	13	3	2	1	–	2	4	76	56	1	2
56	Dallas	577	1	–	4	85	21	16	8	9	3	6	22	15	279	169	2	2
57	Selma	384	–	–	4	56	12	12	7	4	2	3	16	8	190	117	–	2
58	Balance of county	193	1	–	–	29	9	4	1	5	1	3	6	7	89	52	2	–
59	De Kalb	462	–	–	1	87	20	16	6	13	3	3	26	5	215	171	1	1
60	Elmore	362	–	–	2	61	16	19	4	6	4	–	12	10	174	135	1	1
61	Escambia	360	2	–	3	60	14	13	6	6	2	1	18	7	192	122	3	2
62	Etowah	1,007	5	–	6	183	45	42	20	19	6	8	43	19	534	405	5	7
63	Gadsden	597	5	–	4	108	26	22	14	11	3	6	26	11	316	241	3	4
64	Balance of county	410	–	–	2	75	19	20	6	8	3	2	17	8	218	164	2	3
65	Fayette	206	–	–	2	33	8	7	–	6	3	2	7	5	105	64	–	1
66	Franklin	332	–	–	1	61	14	13	3	10	4	2	15	4	174	140	–	1
67	Geneva	244	2	–	–	42	3	18	3	5	2	2	9	3	120	93	3	2
68	Greene	138	–	1	4	24	3	5	3	6	1	1	5	1	66	48	1	1
69	Hale	203	–	–	–	39	11	12	4	5	1	–	6	7	88	33	–	3
70	Henry	168	–	–	1	18	1	9	1	3	–	1	3	–	101	69	–	–
71	Houston	588	1	–	7	100	28	24	9	10	4	4	21	14	216	140	–	2
72	Dothan	397	1	–	6	64	18	15	7	7	–	2	15	11	141	93	–	2
73	Balance of county	191	–	–	1	36	10	9	2	3	4	2	6	3	75	47	–	–
74	Jackson	440	–	–	3	73	16	26	3	9	4	–	15	1	210	148	2	2
75	Jefferson	6,670	15	3	52	1,373	326	391	121	148	53	64	270	125	2,825	1,848	40	50
76	Bessemer	417	2	1	5	82	20	21	8	11	2	4	16	12	184	126	3	4
77	Birmingham	3,598	9	2	31	738	194	208	60	81	31	34	130	74	1,467	920	18	31

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
638,427	57,218	5,695	181,934	28,754	26,306	51,193	22,363	5,900	30,848	8,519	373	12,983	23,401	32,149	157,416	49,510	53,692	28,681	19,968	4,457	01
358,247	28,836	3,264	98,758	15,220	14,478	28,913	11,979	3,372	20,620	4,963	222	7,185	13,597	16,886	88,586	21,053	27,693	15,926	14,144	3,033	02
280,180	28,382	2,431	83,176	13,534	11,828	22,280	10,384	2,528	10,228	3,556	151	5,798	9,804	15,263	68,830	28,457	25,999	12,755	5,824	1,424	03
418,552	32,872	3,585	111,214	17,192	16,735	32,591	14,009	3,831	23,295	5,575	248	8,744	15,656	18,450	102,001	28,047	32,633	19,690	15,392	3,363	04
307,662	23,843	2,683	81,604	12,446	12,135	24,583	10,022	2,857	18,467	4,300	196	6,170	11,721	13,782	75,353	17,413	23,359	13,924	12,979	2,747	05
110,890	9,029	902	29,610	4,746	4,600	8,008	3,987	974	4,828	1,275	52	2,574	3,935	4,668	26,648	10,634	9,274	5,766	2,413	616	06
219,875	24,346	2,110	70,720	11,562	9,571	18,602	8,354	2,069	7,553	2,944	125	4,239	7,745	13,699	55,415	21,463	21,059	8,991	4,576	1,094	07
50,585	4,993	581	17,154	2,774	2,343	4,330	1,957	515	2,153	663	26	1,015	1,876	3,104	13,233	3,640	4,334	2,002	1,165	286	08
169,290	19,353	1,529	53,566	8,788	7,228	14,272	6,397	1,554	5,400	2,281	99	3,224	5,869	10,595	42,182	17,823	16,725	6,989	3,411	808	09
8,911	1,937	142	4,026	419	402	879	420	64	353	228	11	254	478	2,328	2,865	1,244	1,218	396	537	107	10
3,667	727	80	1,720	186	167	341	171	20	180	111	5	111	193	1,038	1,248	362	463	168	287	42	11
5,244	1,210	62	2,306	233	235	538	249	44	173	117	6	143	285	1,290	1,617	882	755	228	250	65	12
4,547	786	89	1,937	232	209	424	229	28	213	132	6	146	225	1,161	1,516	537	568	197	331	54	13
2,777	499	67	1,275	149	121	249	135	15	146	91	3	80	146	717	953	263	326	126	231	37	14
1,770	287	22	662	83	88	175	94	13	67	41	3	66	79	444	563	274	242	71	100	17	15
4,364	1,151	53	2,089	187	193	455	191	36	140	96	5	108	253	1,167	1,349	707	650	199	206	53	16
890	228	13	445	37	46	92	36	5	34	20	2	31	47	321	295	99	137	42	56	5	17
3,474	923	40	1,644	150	147	363	155	31	106	76	3	77	206	846	1,054	608	513	157	150	48	18
47	42	1	18	10	2	1	2	1	3	1	–	1	1	8	20	9	11	5	2	1	19
19	17	–	4	7	2	–	1	–	1	–	–	–	1	3	5	3	5	4	2	1	20
28	25	1	14	3	–	1	1	1	2	1	–	1	–	5	15	6	6	1	–	–	21
211	26	2	64	9	12	14	8	1	8	4	1	3	13	14	54	32	24	6	8	1	22
67	15	1	31	–	5	5	4	2	4	4	–	1	3	33	22	7	15	5	5	–	23
26	19	–	17	2	2	2	–	–	–	1	–	1	1	4	20	10	2	2	–	1	24
89	12	–	27	7	7	7	7	2	3	–	–	–	3	3	25	10	15	3	6	1	25
44	10	–	18	1	3	8	2	1	1	3	–	–	4	4	10	2	5	1	–	–	26
76	9	–	39	2	5	19	1	–	3	4	–	1	2	31	21	12	5	3	6	2	27
299	51	3	145	8	13	16	16	2	14	3	–	7	20	12	68	33	24	12	20	2	28
145	26	3	78	4	6	6	6	1	5	2	–	4	10	7	39	15	9	6	12	1	29
154	25	–	67	4	7	10	10	1	9	1	–	3	10	5	29	18	15	6	8	1	30
115	13	2	74	2	2	20	7	–	3	3	–	2	7	7	27	16	13	8	5	2	31
48	24	–	23	1	–	4	3	–	–	1	–	1	2	8	23	11	5	5	–	2	32
67	30	–	42	–	3	12	3	–	4	1	–	2	6	14	26	19	10	3	4	4	33
51	5	–	15	–	4	4	1	–	–	4	–	2	5	4	14	6	12	1	1	–	34
106	15	–	22	2	3	6	1	–	1	1	–	2	6	2	16	9	9	–	3	3	35
37	5	–	16	2	5	2	4	1	3	1	–	2	1	13	11	4	4	1	–	–	36
29	10	–	14	–	–	4	1	–	–	1	–	1	3	13	8	11	4	3	2	–	37
60	46	2	34	6	3	10	5	–	2	2	–	3	4	8	32	13	6	3	5	–	38
27	17	–	13	1	2	4	–	–	1	–	–	2	2	3	12	8	2	1	4	–	39
33	29	2	21	5	1	6	5	–	1	2	–	1	2	5	20	5	4	2	1	–	40
117	38	2	78	3	4	16	12	–	3	5	–	5	3	27	31	12	21	3	3	1	41
36	13	2	19	1	1	6	3	–	1	1	–	3	–	9	9	3	2	–	1	–	42
81	25	–	59	2	3	10	9	–	2	4	–	2	3	18	22	9	19	3	2	1	43
37	23	–	25	2	2	5	–	1	1	–	–	–	2	2	7	6	8	1	2	–	44
20	17	1	19	–	–	3	1	2	3	–	–	2	1	1	12	2	6	3	2	–	45
134	17	2	52	6	6	12	6	2	1	2	–	1	4	27	39	12	9	–	1	1	46
35	4	1	8	–	2	4	1	–	–	–	–	–	1	9	13	3	2	–	–	–	47
99	13	1	44	6	4	8	5	2	1	2	–	1	3	18	26	9	7	–	1	1	48
31	8	2	29	1	3	6	3	1	2	1	–	–	–	13	20	14	12	–	1	3	49
136	47	–	67	8	11	13	6	2	1	–	–	7	8	7	47	16	16	11	2	–	50
38	6	–	15	2	5	1	3	–	–	–	–	2	–	2	17	1	3	1	–	–	51
98	41	–	52	6	6	12	3	2	1	–	–	5	8	5	30	15	13	10	2	–	52
68	29	3	17	8	3	11	3	–	3	2	–	5	6	38	21	14	10	2	6	–	53
33	11	1	7	3	–	5	2	–	2	–	–	2	1	18	10	3	3	–	3	–	54
35	18	2	10	5	3	6	1	–	1	2	–	3	5	20	11	11	7	2	3	–	55
110	55	1	91	12	6	19	6	–	7	3	1	3	3	54	44	11	28	5	8	1	56
78	37	–	60	9	4	14	4	–	6	2	1	3	1	33	34	5	17	2	4	–	57
32	18	1	31	3	2	5	2	–	1	1	–	–	2	21	10	6	11	3	4	1	58
138	31	–	39	1	4	17	3	1	3	1	–	5	4	32	39	25	12	5	6	1	59
122	11	–	24	5	10	13	5	–	2	2	–	2	5	26	20	11	13	6	10	–	60
93	24	4	56	3	7	6	6	1	3	1	–	1	5	4	35	15	10	3	5	1	61
351	42	1	105	10	13	22	13	2	18	4	–	4	13	9	87	37	27	11	13	–	62
206	28	1	61	4	9	11	8	–	11	3	–	2	9	3	53	18	15	9	11	–	63
145	14	–	44	6	4	11	5	2	7	1	–	2	4	6	34	19	12	2	2	–	64
51	12	–	36	2	3	6	–	1	–	–	–	2	1	10	16	11	11	1	1	1	65
116	23	–	26	5	3	14	7	1	1	2	–	–	6	7	14	14	13	8	4	1	66
74	14	–	24	2	1	9	2	1	4	2	–	–	5	4	20	15	5	5	5	–	67
43	3	–	14	3	1	3	–	–	1	–	–	–	4	20	2	3	5	1	3	–	68
27	3	1	47	4	3	3	–	–	2	1	–	1	2	25	14	9	7	2	3	–	69
63	6	–	27	1	4	3	1	–	4	1	–	–	3	6	19	4	6	–	1	–	70
117	21	3	66	3	4	14	3	–	3	4	–	6	14	89	56	21	27	5	7	1	71
78	13	3	42	–	3	11	2	–	3	3	–	4	12	63	35	13	19	5	4	–	72
39	8	–	24	3	1	3	1	–	–	1	–	2	2	26	21	8	8	–	3	1	73
104	40	1	52	5	4	9	5	3	1	2	–	2	9	19	40	32	16	12	2	1	74
1,459	299	48	763	83	83	180	78	13	65	67	1	50	70	544	609	163	218	67	137	15	75
97	22	4	48	5	1	14	3	1	4	4	–	4	3	26	43	4	12	4	9	–	76
704	167	34	426	45	42	83	38	7	29	42	1	20	48	341	342	79	113	33	95	6	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alabama—Con.																	
	Jefferson—Con.																	
01	Fairfield	153	–	–	–	35	6	13	2	6	1	1	6	1	68	46	–	1
02	Homewood	194	–	–	4	48	11	12	6	5	4	3	7	4	89	58	1	1
03	Mountain Brook	152	–	–	1	30	12	5	4	1	1	2	5	2	80	51	1	1
04	Balance of county	2,156	4	–	11	440	83	132	41	44	14	20	106	32	937	647	17	12
05	Lamar	204	–	–	1	38	10	10	2	4	1	–	11	3	114	78	–	3
06	Lauderdale	657	1	–	8	120	19	35	10	16	5	7	28	8	308	224	6	3
07	Florence	384	1	–	6	68	10	22	5	9	2	4	16	6	179	126	1	2
08	Balance of county	273	–	–	2	52	9	13	5	7	3	3	12	2	129	98	5	1
09	Lawrence	227	–	–	4	48	14	8	1	5	2	3	15	5	102	78	1	1
10	Lee	446	1	–	5	70	15	18	5	7	3	6	16	10	144	98	1	3
11	Auburn	102	–	–	1	15	7	1	–	3	–	–	4	3	30	19	–	1
12	Opelika	182	–	–	3	31	5	7	3	3	1	3	9	4	60	42	1	1
13	Balance of county	162	1	–	1	24	3	10	2	1	2	3	3	3	54	37	–	1
14	Limestone	412	3	–	4	54	11	12	3	6	3	1	18	8	209	134	–	2
15	Athens	171	3	–	2	21	4	4	2	3	–	–	8	2	88	50	–	–
16	Balance of county	241	–	–	2	33	7	8	1	3	3	1	10	6	121	84	–	2
17	Lowndes	95	–	–	1	9	3	2	–	2	1	–	1	2	25	16	–	–
18	Macon	293	–	–	8	37	13	5	4	5	3	1	6	6	137	94	1	6
19	Tuskegee	135	–	–	4	21	6	3	2	4	2	1	3	3	55	40	1	1
20	Balance of county	158	–	–	4	16	7	2	2	1	1	–	3	3	82	54	–	5
21	Madison	1,211	1	–	9	216	58	55	17	24	10	10	42	21	548	391	3	5
22	Huntsville	891	–	–	6	161	46	39	12	18	9	7	30	19	407	293	2	4
23	Balance of county	320	1	–	3	55	12	16	5	6	1	3	12	2	141	98	1	1
24	Marengo	276	–	–	4	44	9	13	2	4	1	4	11	5	121	76	–	1
25	Marion	296	–	–	4	45	9	11	1	9	1	5	9	3	136	102	–	–
26	Marshall	595	1	–	7	99	20	28	9	16	5	4	17	14	293	200	4	2
27	Mobile	3,077	8	1	34	602	140	182	47	63	26	32	112	61	1,454	1,110	9	20
28	Mobile	1,991	4	1	21	394	89	116	39	39	21	22	68	46	976	734	4	15
29	Prichard	338	1	–	9	58	17	13	3	7	–	5	13	10	155	125	1	1
30	Balance of county	748	3	–	4	150	34	53	5	17	5	5	31	5	323	251	4	4
31	Monroe	213	1	–	3	36	12	10	1	5	2	3	3	10	106	83	–	–
32	Montgomery	1,706	6	–	11	321	87	67	38	48	6	13	62	28	740	466	8	20
33	Montgomery	1,550	5	–	11	292	83	61	32	42	5	13	56	25	676	422	8	18
34	Balance of county	156	1	–	–	29	4	6	6	6	1	–	6	3	64	44	–	2
35	Morgan	718	3	–	10	124	21	41	7	14	4	8	29	14	316	223	–	1
36	Decatur	327	1	–	2	64	13	21	4	6	2	4	14	9	145	107	–	1
37	Balance of county	391	2	–	8	60	8	20	3	8	2	4	15	5	171	116	–	–
38	Perry	175	–	–	–	24	3	6	2	3	3	–	7	4	93	56	1	1
39	Pickens	239	1	–	3	33	9	10	2	4	2	1	5	4	115	66	2	1
40	Pike	276	–	–	2	47	9	17	2	9	1	–	9	1	165	110	1	6
41	Troy	105	–	–	1	21	1	6	2	4	1	–	7	–	59	33	–	3
42	Balance of county	171	–	–	1	26	8	11	–	5	–	–	2	1	106	77	1	3
43	Randolph	198	–	–	1	34	9	8	1	7	3	1	5	5	99	71	–	–
44	Russell	495	3	–	3	82	15	29	1	14	3	3	17	7	285	183	–	3
45	Phenix City	313	3	–	1	53	9	18	1	9	1	3	12	6	186	123	–	–
46	Balance of county	182	–	–	2	29	6	11	–	5	2	–	5	1	99	60	–	3
47	St. Clair	341	–	–	1	54	14	15	3	3	2	4	13	5	147	101	3	1
48	Shelby	404	–	–	8	67	15	21	4	8	3	2	14	2	176	135	–	2
49	Sumter	160	–	–	3	26	7	4	1	6	–	–	8	2	67	47	1	–
50	Talladega	621	2	–	7	117	25	34	8	17	4	5	24	12	256	173	4	1
51	Sylacauga	125	–	–	–	25	5	7	2	3	1	3	4	5	60	43	–	–
52	Talladega	173	1	–	2	32	8	8	3	8	–	–	5	4	71	45	1	–
53	Balance of county	323	1	–	5	60	12	19	3	6	3	2	15	3	125	85	3	1
54	Tallapoosa	389	–	–	2	54	21	9	1	6	2	4	11	9	197	147	3	1
55	Alexander City	139	–	–	1	15	8	4	–	–	–	–	3	5	75	46	2	1
56	Balance of county	250	–	–	1	39	13	5	1	6	2	4	8	4	122	101	1	–
57	Tuscaloosa	1,025	6	–	8	216	57	57	14	28	3	7	50	21	487	313	3	12
58	Tuscaloosa	561	5	–	3	130	37	31	9	14	1	4	34	10	265	173	2	4
59	Balance of county	464	1	–	5	86	20	26	5	14	2	3	16	11	222	140	1	8
60	Walker	668	–	–	9	104	23	38	7	6	5	4	21	9	242	174	4	3
61	Jasper	139	–	–	2	17	5	3	5	2	1	1	–	1	59	42	–	1
62	Balance of county	529	–	–	7	87	18	35	2	4	4	3	21	8	183	132	4	2
63	Washington	142	–	–	2	24	4	8	–	3	2	2	5	4	66	48	1	–
64	Wilcox	183	–	–	–	19	4	1	2	3	–	–	9	4	66	41	1	1
65	Winston	201	1	–	–	28	7	6	3	4	2	–	6	9	103	89	–	1
66	**Alaska**[1]	**1,615**	**4**	**1**	**18**	**244**	**57**	**66**	**19**	**23**	**8**	**11**	**60**	**9**	**429**	**317**	**15**	**2**
67	Urban places	685	1	1	9	103	21	35	14	7	4	5	17	3	184	141	6	–
68	Balance of area	930	3	–	9	141	36	31	5	16	4	6	43	6	245	176	9	2
69	Nonmetropolitan counties	1,615	4	1	18	244	57	66	19	23	8	11	60	9	429	317	15	2
70	Urban places	685	1	1	9	103	21	35	14	7	4	5	17	3	184	141	6	–
71	Balance of area	930	3	–	9	141	36	31	5	16	4	6	43	6	245	176	9	2
72	Dist. 1, Prince of Wales	16	–	–	1	1	–	–	–	–	–	–	1	–	7	5	–	–
73	Dist. 2, Ketchikan	86	–	–	1	12	3	3	1	2	–	1	2	–	39	28	–	–
74	Dist. 3, Wrangell–Petersburg	34	–	–	–	5	1	3	1	–	–	–	–	2	9	7	–	–
75	Dist. 4, Sitka	35	–	–	–	5	1	1	–	1	–	–	2	–	13	8	–	–
76	Dist. 5, Juneau	88	1	–	–	18	4	5	–	2	1	2	4	–	29	18	–	–
77	Dist. 6, Lynn Canal–Icy Straits	24	–	–	–	3	1	1	–	–	–	–	1	–	11	8	–	–
78	Dist. 7, Cordova–McCarthy	9	–	–	–	2	–	–	–	1	–	–	1	–	4	2	–	–
79	Dist. 8, Valdez–Chittina–Whittier	35	–	–	–	4	2	2	–	–	–	–	–	–	6	5	1	–
80	Dist. 9, Palmer–Wasilla–Talkeetna	85	–	–	–	13	3	4	–	2	1	1	2	1	27	23	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
37	8	–	16	4	2	3	1	–	4	–	–	1	1	12	15	3	5	1	3	–	01
47	9	1	23	4	3	8	4	–	6	1	–	1	1	6	13	3	2	3	1	–	02
44	5	1	23	4	1	6	2	–	4	1	–	3	1	3	13	1	2	2	–	1	03
530	88	8	227	21	34	66	30	5	18	19	–	21	16	156	183	73	84	24	29	8	04
64	11	–	33	–	3	1	2	–	–	–	–	3	4	6	8	11	7	3	2	1	05
186	29	1	73	5	5	14	2	1	2	4	1	2	4	61	58	18	23	10	10	2	06
108	15	1	48	–	4	10	–	1	2	3	–	1	3	35	35	8	12	7	7	–	07
78	14	–	25	5	1	4	2	–	–	1	1	1	1	26	23	10	11	3	3	2	08
43	33	–	24	–	–	6	4	–	1	1	–	1	5	5	21	12	10	1	–	1	09
83	11	–	40	1	5	8	1	–	5	4	–	3	6	100	29	19	21	10	7	3	10
15	3	–	10	–	1	3	1	–	2	2	–	1	–	23	9	3	3	2	3	1	11
35	5	–	15	1	2	3	–	–	2	2	–	2	4	37	11	7	10	4	2	–	12
33	3	–	15	–	2	2	–	–	1	–	–	–	2	40	9	9	8	4	2	2	13
81	51	3	57	13	2	11	7	–	3	–	–	5	4	30	36	16	12	5	3	2	14
28	22	1	29	8	–	4	1	–	1	–	–	2	–	11	12	9	8	4	2	1	15
53	29	2	28	5	2	7	6	–	2	–	–	3	4	19	24	7	4	1	1	1	16
15	1	1	8	–	–	1	–	–	–	–	–	–	2	28	10	6	7	–	3	1	17
72	15	2	39	1	1	15	2	–	3	2	1	2	5	12	31	9	14	2	7	–	18
33	5	1	13	–	1	7	1	–	1	–	1	2	4	5	16	3	7	2	3	–	19
39	10	1	26	1	–	8	1	–	2	2	–	–	1	7	15	6	7	–	4	–	20
285	98	4	126	13	14	14	15	1	16	8	–	13	21	87	104	52	39	25	14	7	21
216	71	2	93	9	10	11	13	1	13	8	–	6	13	54	78	33	29	21	11	7	22
69	27	2	33	4	4	3	2	–	3	–	–	7	8	33	26	19	10	4	3	–	23
64	11	1	36	5	3	7	5	1	2	–	–	1	8	30	20	11	12	2	1	2	24
86	16	–	27	5	2	12	8	–	–	–	1	3	1	20	28	15	11	5	1	3	25
157	37	4	70	14	5	12	2	1	10	8	–	2	8	34	40	30	15	12	6	1	26
979	102	8	262	45	29	54	56	3	36	17	1	34	41	80	270	79	106	36	92	12	27
650	65	6	184	33	19	35	30	3	28	9	–	17	23	56	169	35	66	15	56	7	28
111	12	2	28	–	–	6	5	–	–	2	–	7	9	7	34	8	11	5	10	1	29
218	25	–	50	12	10	13	21	–	8	6	1	10	9	17	67	36	29	16	26	4	30
71	12	2	17	2	2	2	3	–	3	1	–	–	2	5	14	7	15	1	4	–	31
388	50	9	215	29	21	43	21	2	34	13	–	10	27	157	141	47	47	17	30	11	32
354	42	9	200	26	19	39	20	2	33	11	–	8	26	138	126	41	44	17	25	11	33
34	8	–	15	3	2	4	1	–	1	2	–	2	1	19	15	6	3	–	5	–	34
164	58	2	73	10	8	15	7	3	4	1	–	3	5	80	61	24	35	9	3	1	35
83	23	1	27	4	6	4	5	1	2	1	–	–	2	39	20	8	19	4	1	–	36
81	35	1	46	6	2	11	2	2	2	–	–	3	3	41	41	16	16	5	2	1	37
37	17	1	32	3	1	1	2	1	2	1	–	2	5	11	12	8	9	–	–	–	38
50	13	1	44	1	3	12	3	1	–	3	–	2	3	30	12	8	7	–	2	–	39
90	13	1	40	9	5	6	1	–	2	1	–	1	3	6	14	14	7	1	3	2	40
26	4	–	20	4	2	4	1	–	1	–	–	–	1	3	6	3	4	–	1	–	41
64	9	1	20	5	3	2	–	–	1	1	–	1	2	3	8	11	3	1	2	2	42
68	3	1	21	3	3	5	–	–	2	–	1	2	5	1	16	10	8	5	3	1	43
151	29	4	88	6	4	15	1	2	6	5	–	6	11	6	30	10	13	3	7	–	44
102	21	3	55	4	1	8	1	1	3	4	–	5	6	4	13	3	10	3	3	–	45
49	8	1	33	2	3	7	–	1	3	1	–	1	5	2	17	7	3	–	4	–	46
60	37	–	34	8	4	9	3	1	4	3	–	–	3	24	36	18	23	4	5	1	47
111	22	–	37	1	3	4	1	2	1	–	–	5	7	57	27	16	21	4	5	1	48
24	22	2	15	2	1	2	4	–	–	1	–	1	7	17	6	9	9	1	5	–	49
150	18	1	80	–	2	15	10	–	7	2	–	4	8	72	38	32	21	7	9	2	50
41	2	–	17	–	–	2	2	–	–	–	–	–	1	12	6	2	8	1	1	–	51
37	7	–	25	–	1	4	4	–	3	2	–	2	3	15	10	8	5	1	4	2	52
72	9	1	38	–	1	9	4	–	4	–	–	2	4	45	22	22	8	5	4	–	53
104	39	–	41	3	6	11	3	2	3	5	–	4	4	20	31	18	14	4	6	2	54
23	20	–	24	1	4	4	–	2	2	2	–	3	1	5	8	3	7	2	4	–	55
81	19	–	17	2	2	7	3	–	1	3	–	1	3	15	23	15	7	2	2	2	56
262	36	6	138	18	12	28	17	–	17	8	3	11	7	51	70	32	23	10	8	2	57
142	25	2	76	3	11	12	9	–	9	5	2	4	4	30	33	19	6	8	5	2	58
120	11	4	62	15	1	16	8	–	8	3	1	7	3	21	37	13	17	2	3	–	59
147	20	4	58	–	6	26	7	2	7	4	–	3	6	100	68	42	25	7	4	3	60
39	2	1	13	–	3	9	–	–	1	1	–	–	2	26	9	7	3	1	–	1	61
108	18	3	45	–	3	17	7	2	6	3	–	3	4	74	59	35	22	6	4	2	62
43	4	1	15	2	–	5	3	–	–	1	–	3	5	7	9	5	5	–	3	–	63
34	5	3	16	1	5	5	3	–	1	1	–	–	7	43	17	6	6	–	5	–	64
59	29	–	11	–	3	2	2	–	5	–	–	3	5	6	19	9	9	–	–	–	65
250	**50**	**3**	**72**	**17**	**20**	**38**	**7**	**3**	**41**	**3**	**1**	**34**	**39**	**50**	**156**	**123**	**275**	**85**	**41**	**14**	**66**
114	21	1	29	3	10	18	5	2	27	1	–	15	14	22	62	66	73	52	20	7	67
136	29	2	43	14	10	20	2	1	14	2	1	19	25	28	94	57	202	33	21	7	68
250	50	3	72	17	20	38	7	3	41	3	1	34	39	50	156	123	275	85	41	14	69
114	21	1	29	3	10	18	5	2	27	1	–	15	14	22	62	66	73	52	20	7	70
136	29	2	43	14	10	20	2	1	14	2	1	19	25	28	94	57	202	33	21	7	71
5	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	3	2	–	–	72
24	4	–	8	3	–	2	–	–	2	–	–	2	–	3	14	1	9	1	–	–	73
5	2	–	1	1	–	1	–	–	1	–	–	–	1	1	5	2	6	1	–	–	74
6	2	–	3	2	–	3	–	–	1	–	–	1	1	–	4	1	5	1	–	–	75
16	2	–	6	2	3	2	–	–	1	1	1	2	–	3	9	1	14	5	1	–	76
7	1	–	2	–	1	–	–	–	–	1	–	1	–	1	2	1	–	3	1	–	77
2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	78
4	–	–	1	–	–	–	–	–	1	–	–	1	2	1	3	7	8	1	1	–	79
17	5	–	3	–	1	3	–	–	–	–	–	1	4	3	5	5	20	3	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alaska—Con.																	
01	Dist. 10, Anchorage	555	1	1	6	90	19	30	12	5	1	4	19	3	150	121	6	1
02	Anchorage	491	1	1	6	79	16	27	12	5	1	4	14	2	139	110	5	–
03	Balance of district	64	–	–	–	11	3	3	–	–	–	–	5	1	11	11	1	1
04	Dist. 11, Seward	29	1	–	–	7	2	2	–	2	–	–	1	–	7	6	1	–
05	Dist. 12, Kenai–Cook Inlet	66	–	–	–	14	2	2	2	1	–	–	7	1	16	11	–	–
06	Dist. 13, Kodiak	48	–	–	1	4	2	–	–	2	–	–	–	1	11	8	–	–
07	Dist. 14, Aleutian Islands	22	–	–	–	2	–	1	–	–	–	–	1	–	10	6	–	–
08	Dist. 15, Bristol Bay	28	–	–	–	2	–	1	–	–	–	–	1	–	7	4	–	–
09	Dist. 16, Bethel	44	–	–	–	8	1	–	–	1	1	–	5	–	6	5	2	1
10	Dist. 17, Kuskokwim	20	–	–	1	3	2	–	–	–	1	–	–	–	3	2	1	–
11	Dist. 18, Yukon–Koyukuk	23	–	–	–	3	–	2	1	–	–	–	–	–	6	5	–	–
12	Dist. 19, Fairbanks	227	–	–	3	28	6	8	2	3	3	2	4	1	50	34	1	–
13	Fairbanks	194	–	–	3	24	5	8	2	2	3	1	3	1	45	31	1	–
14	Balance of district	33	–	–	–	4	1	–	–	1	–	1	1	–	5	3	–	–
15	Dist. 20, Upper Yukon	18	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
16	Dist. 21, Barrow	19	–	–	–	2	–	–	–	–	–	–	2	–	1	–	–	–
17	Dist. 22, Kobuk	36	–	–	2	1	1	–	–	–	–	–	–	–	4	4	1	–
18	Dist. 23, Nome	50	1	–	2	13	4	1	–	1	–	1	6	–	8	5	–	–
19	Dist. 24, Wade Hampton	18	–	–	1	4	3	–	–	–	–	–	1	–	3	1	1	–
20	**Arizona**	**18,028**	**43**	**1**	**173**	**3,572**	**879**	**910**	**295**	**392**	**197**	**139**	**760**	**268**	**7,757**	**5,845**	**158**	**72**
21	Urban places	12,428	32	1	105	2,557	631	652	220	277	133	106	538	186	5,547	4,160	115	53
22	Balance of area	5,600	11	–	68	1,015	248	258	75	115	64	33	222	82	2,210	1,685	43	19
23	Metropolitan counties	13,488	35	–	117	2,788	666	713	248	294	157	118	592	199	6,057	4,578	126	56
24	Urban places	11,389	31	–	96	2,347	569	598	212	252	129	100	487	169	5,096	3,853	110	51
25	Balance of area	2,099	4	–	21	441	97	115	36	42	28	18	105	30	961	725	16	5
26	Nonmetropolitan counties	4,540	8	1	56	784	213	197	47	98	40	21	168	69	1,700	1,267	32	16
27	Urban places	1,039	1	1	9	210	62	54	8	25	4	6	51	17	451	307	5	2
28	Balance of area	3,501	7	–	47	574	151	143	39	73	36	15	117	52	1,249	960	27	14
29	Apache	317	1	–	5	28	10	1	2	6	2	1	6	2	53	41	3	1
30	Cochise	549	1	–	2	121	45	26	5	13	5	3	24	13	219	170	4	–
31	Douglas	126	–	–	2	27	11	5	–	3	–	–	8	4	56	44	–	–
32	Balance of county	423	1	–	–	94	34	21	5	10	5	3	16	9	163	126	4	–
33	Coconino	311	–	–	8	44	10	8	4	9	2	–	11	3	96	75	–	1
34	Flagstaff	116	–	–	2	22	6	4	2	5	–	–	5	3	36	30	–	–
35	Balance of county	195	–	–	6	22	4	4	2	4	2	–	6	–	60	45	–	1
36	Gila	334	–	–	2	58	15	13	8	6	2	2	12	7	141	118	2	2
37	Graham	159	–	–	4	23	7	4	2	3	1	–	6	–	67	50	–	1
38	Greenlee	59	–	–	–	8	1	3	1	1	1	–	1	3	20	12	2	–
39	Maricopa	9,999	25	–	83	2,070	483	523	189	217	121	80	457	142	4,515	3,373	93	38
40	Chandler	162	1	–	2	26	9	5	2	2	–	1	7	4	65	51	–	–
41	Glendale	458	1	–	9	99	13	25	15	7	10	5	24	6	171	123	4	1
42	Mesa	1,139	2	–	9	248	64	43	18	38	8	12	65	13	544	399	12	4
43	Phoenix	5,506	17	–	51	1,090	260	294	100	114	63	35	224	81	2,471	1,854	53	26
44	Scottsdale	650	1	–	2	153	30	43	13	13	13	6	35	11	292	224	9	–
45	Tempe	364	–	–	–	82	21	17	6	11	4	6	17	4	144	106	1	2
46	Balance of county	1,720	3	–	10	372	86	96	35	32	23	15	85	23	828	616	14	5
47	Mohave	436	1	–	4	96	18	34	3	14	5	4	18	6	187	141	5	1
48	Navajo	386	1	–	12	42	9	12	1	5	4	2	9	4	99	73	2	2
49	Pima	3,489	10	–	34	718	183	190	59	77	36	38	135	57	1,542	1,205	33	18
50	Tucson	3,110	9	–	23	649	172	171	58	67	31	35	115	50	1,409	1,096	31	18
51	Balance of county	379	1	–	11	69	11	19	1	10	5	3	20	7	133	109	2	–
52	Pinal	642	2	–	11	101	26	25	7	12	4	2	25	11	225	167	2	1
53	Casa Grande	115	–	–	1	26	7	6	1	–	1	1	10	2	47	33	–	1
54	Balance of county	527	2	–	10	75	19	19	6	12	3	1	15	9	178	134	2	–
55	Santa Cruz	123	–	–	1	28	8	6	3	3	3	–	5	–	54	43	4	3
56	Yavapai	669	1	–	2	132	34	39	7	13	9	3	27	6	314	214	3	2
57	Prescott	332	–	–	2	59	16	18	1	8	2	1	13	1	168	97	1	–
58	Balance of county	337	1	–	–	73	18	21	6	5	7	2	14	5	146	117	2	2
59	Yuma	555	1	1	5	103	30	26	4	13	2	4	24	14	225	163	5	2
60	Yuma	350	1	1	2	76	22	21	4	9	1	4	15	7	144	103	4	1
61	Balance of county	205	–	–	3	27	8	5	–	4	1	–	9	7	81	60	1	1
62	**Arkansas**	**21,364**	**40**	**2**	**190**	**3,983**	**905**	**1,056**	**296**	**483**	**172**	**153**	**918**	**310**	**11,109**	**7,843**	**79**	**117**
63	Urban places	7,422	19	1	69	1,410	325	367	114	182	69	50	303	121	3,810	2,650	33	46
64	Balance of area	13,942	21	1	121	2,573	580	689	182	301	103	103	615	189	7,299	5,193	46	71
65	Metropolitan counties	5,609	11	–	58	1,092	269	285	69	135	45	38	251	86	2,741	1,904	24	50
66	Urban places	4,123	9	–	44	805	199	215	57	98	33	29	174	61	2,051	1,430	18	38
67	Balance of area	1,486	2	–	14	287	70	70	12	37	12	9	77	25	690	474	6	12
68	Nonmetropolitan counties	15,755	29	2	132	2,891	636	771	227	348	127	115	667	224	8,368	5,939	55	67
69	Urban places	3,299	10	1	25	605	126	152	57	84	36	21	129	60	1,759	1,220	15	8
70	Balance of area	12,456	19	1	107	2,286	510	619	170	264	91	94	538	164	6,609	4,719	40	59
71	Arkansas	230	–	–	5	36	8	7	5	6	4	–	6	6	126	85	–	1
72	Stuttgart	108	–	–	3	17	3	3	2	3	2	–	4	3	55	40	–	–
73	Balance of county	122	–	–	2	19	5	4	3	3	2	–	2	3	71	45	–	1
74	Ashley	226	–	–	3	40	5	11	3	6	5	–	10	5	105	76	2	4
75	Baxter	314	–	–	7	70	12	18	8	10	1	4	17	2	166	111	1	–
76	Benton	694	–	–	2	119	25	29	17	15	6	6	21	12	357	237	4	–
77	Rogers	184	–	–	2	31	9	8	2	4	2	2	4	3	96	53	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
98	16	1	20	1	7	11	4	2	24	1	–	12	12	12	41	54	63	49	18	1	01
91	14	1	20	1	7	9	4	2	22	1	–	7	7	10	39	47	53	44	18	–	02
7	2	–	–	–	–	2	–	–	2	–	–	5	5	2	2	7	10	5	–	1	03
5	–	–	1	–	–	–	–	–	1	–	–	–	2	–	2	2	6	–	1	–	04
10	1	1	3	1	–	2	1	–	–	–	–	2	2	2	3	9	12	–	1	1	05
7	1	1	1	–	1	–	–	–	–	–	–	–	1	1	6	5	16	–	2	–	06
5	1	–	1	1	2	–	–	–	–	–	–	1	–	–	4	–	4	–	1	–	07
3	1	–	2	1	–	–	1	–	–	–	–	–	–	–	4	2	11	–	1	–	08
–	2	–	1	–	–	1	–	–	1	–	–	2	–	1	8	–	14	1	2	–	09
–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	9	2	1	–	10
5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	3	7	–	1	–	11
25	8	–	11	2	3	9	1	–	5	–	–	8	9	13	26	21	31	8	5	9	12
23	7	–	9	2	3	9	1	–	5	–	–	8	7	12	23	19	20	8	2	7	13
2	1	–	2	–	–	–	–	–	–	–	–	–	2	1	3	2	11	–	3	2	14
–	1	–	1	–	–	1	–	–	2	–	–	–	1	2	1	1	4	1	3	–	15
–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	3	1	6	1	–	3	16
2	1	–	–	–	–	–	–	–	1	–	–	–	–	3	3	2	16	4	–	–	17
4	1	–	2	1	–	–	–	–	–	–	–	1	3	1	6	3	8	2	2	–	18
–	–	–	1	–	1	1	–	–	–	–	–	–	1	1	4	–	3	–	–	–	19
5,173	**442**	**36**	**1,426**	**221**	**229**	**525**	**367**	**47**	**365**	**84**	**5**	**166**	**262**	**255**	**1,805**	**894**	**653**	**493**	**240**	**53**	20
3,713	279	29	1,026	171	161	361	259	29	224	55	2	105	187	113	1,236	499	390	332	167	41	21
1,460	163	7	400	50	68	164	108	18	141	29	3	61	75	142	569	395	263	161	73	12	22
4,102	294	30	1,113	166	170	376	294	33	251	59	2	113	185	139	1,296	549	413	365	176	41	23
3,442	250	28	918	147	150	322	245	27	207	50	2	99	167	101	1,120	452	349	312	157	40	24
660	44	2	195	19	20	54	49	6	44	9	–	14	18	38	176	97	64	53	19	1	25
1,071	148	6	313	55	59	149	73	14	114	25	3	53	77	116	509	345	240	128	64	12	26
271	29	1	108	24	11	39	14	2	17	5	–	6	20	12	116	47	41	20	10	1	27
800	119	5	205	31	48	110	59	12	97	20	3	47	57	104	393	298	199	108	54	11	28
19	18	–	10	–	2	17	–	–	4	2	–	4	8	29	48	61	33	13	7	2	29
144	22	–	41	1	7	11	10	1	16	2	–	8	8	5	63	27	23	9	9	1	30
39	5	–	10	1	1	3	4	–	3	–	–	1	1	1	16	2	3	1	1	1	31
105	17	–	31	–	6	8	6	1	13	2	–	7	7	4	47	25	20	8	8	–	32
60	14	–	12	2	7	13	2	–	12	1	–	3	10	13	31	35	26	9	4	1	33
27	3	–	5	1	–	2	2	–	3	–	–	–	8	1	5	15	11	6	–	–	34
33	11	–	7	1	7	11	–	–	9	1	–	3	2	12	26	20	15	3	4	1	35
108	6	–	16	3	4	5	11	–	10	3	1	4	6	4	28	28	11	11	3	1	36
45	4	1	15	–	1	7	4	–	1	1	–	3	3	7	16	11	8	2	1	1	37
8	2	–	6	2	–	2	1	1	1	–	–	1	–	3	5	7	2	3	2	–	38
3,048	194	24	873	117	128	272	221	23	181	45	1	79	162	104	942	397	328	268	124	17	39
49	2	–	12	1	1	7	4	–	8	1	–	3	1	2	14	10	5	4	3	2	40
113	5	2	30	6	10	15	8	2	12	4	–	3	12	1	49	29	17	13	6	1	41
360	23	5	109	19	12	32	27	1	9	4	–	11	14	9	107	34	35	29	9	2	42
1,660	115	11	471	66	69	156	120	15	102	23	1	38	106	62	533	221	183	145	81	10	43
200	15	2	47	6	13	13	16	–	13	3	–	6	4	4	59	22	24	20	6	1	44
100	3	2	30	2	4	5	3	1	5	2	–	7	10	3	44	18	11	19	6	–	45
566	31	2	174	17	19	44	43	4	32	8	–	11	15	23	136	63	53	38	13	1	46
120	15	–	34	3	9	3	8	2	10	1	–	2	5	2	43	29	17	14	5	1	47
61	8	–	23	–	3	20	4	1	18	3	–	10	11	21	46	41	28	18	4	3	48
1,054	100	6	240	49	42	104	73	10	70	14	1	34	23	35	354	152	85	97	52	24	49
960	87	6	219	47	41	94	67	8	58	13	1	31	20	20	314	118	74	82	46	24	50
94	13	–	21	2	1	10	6	2	12	1	–	3	3	15	40	34	11	15	6	–	51
138	26	1	36	12	9	21	19	3	18	5	2	5	11	18	67	58	27	21	16	1	52
29	3	–	11	2	1	2	1	–	2	1	–	–	3	3	13	8	1	3	2	–	53
109	23	1	25	10	8	19	18	3	16	4	2	5	8	15	54	50	26	18	14	1	54
36	–	1	7	1	2	4	–	–	2	1	–	2	2	2	14	4	4	4	1	–	55
196	13	1	65	25	9	28	8	3	14	2	–	3	8	1	89	18	21	14	5	–	56
91	5	1	50	14	6	19	4	1	6	1	–	1	4	1	44	6	6	7	2	–	57
105	8	–	15	11	3	9	4	2	8	1	–	2	4	–	45	12	15	7	3	–	58
136	20	2	48	6	6	18	6	3	8	4	–	8	5	11	59	26	40	10	7	1	59
85	13	–	32	6	3	13	3	1	3	3	–	4	4	6	38	16	20	3	5	–	60
51	7	2	16	–	3	5	3	2	5	1	–	4	1	5	21	10	20	7	2	1	61
6,394	**1,253**	**68**	**2,634**	**280**	**284**	**550**	**237**	**53**	**162**	**122**	**5**	**126**	**252**	**885**	**1,640**	**549**	**642**	**251**	**188**	**68**	62
2,108	463	23	938	103	96	170	86	12	85	36	1	47	109	251	620	161	201	107	81	25	63
4,286	790	45	1,696	177	188	380	151	41	77	86	4	79	143	634	1,020	388	441	144	107	43	64
1,453	377	10	675	73	79	117	55	11	60	32	1	47	90	283	459	122	163	86	70	25	65
1,088	286	8	506	52	55	86	42	7	51	20	1	35	72	149	351	88	109	66	59	17	66
365	91	2	169	21	24	31	13	4	9	12	–	12	18	134	108	34	54	20	11	8	67
4,941	876	58	1,959	207	205	433	182	42	102	90	4	79	162	602	1,181	427	479	165	118	43	68
1,020	177	15	432	51	41	84	44	5	34	16	–	12	37	102	269	73	92	41	22	8	69
3,921	699	43	1,527	156	164	349	138	37	68	74	4	67	125	500	912	354	387	124	96	35	70
70	14	–	36	–	5	4	1	–	–	1	–	1	2	17	13	5	10	1	1	1	71
33	7	–	12	–	3	3	–	–	–	–	–	–	2	8	8	2	5	1	1	–	72
37	7	–	24	–	2	1	1	–	–	1	–	1	–	9	5	3	5	–	–	1	73
63	7	–	26	–	3	7	4	–	2	3	–	2	6	21	9	5	9	2	3	–	74
93	17	3	39	5	8	6	3	2	1	–	–	2	–	3	32	7	5	6	1	1	75
207	26	1	96	8	15	22	10	1	6	–	–	2	10	46	50	27	18	7	3	2	76
43	7	–	35	5	3	9	3	–	2	–	–	–	1	11	16	3	3	3	–	1	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
	Benton—Con.																	
01	Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
02	Balance of county	510	–	–	–	88	16	21	15	11	4	4	17	9	261	184	1	–
03	Boone	251	–	–	2	51	8	16	1	5	2	3	16	2	137	89	–	2
04	Bradley	165	–	–	1	39	11	8	3	7	2	4	4	3	79	65	1	–
05	Calhoun	85	1	–	3	12	2	2	–	1	1	–	6	1	44	31	–	–
06	Carroll	176	–	–	–	41	7	11	4	8	1	3	7	3	83	57	1	–
07	Chicot	246	1	–	1	36	7	8	1	4	–	2	14	4	112	85	1	2
08	Clark	246	1	–	2	32	11	6	–	5	1	2	7	3	130	90	1	–
09	Clay	247	–	–	2	46	8	13	3	9	–	3	10	2	148	107	–	1
10	Cleburne	144	–	–	2	29	6	9	3	4	1	–	6	3	77	56	1	–
11	Cleveland	69	–	–	–	10	1	7	1	1	–	–	–	2	34	26	–	–
12	Columbia	316	–	–	3	52	5	14	5	9	2	2	15	3	175	111	–	1
13	Magnolia	118	–	–	2	18	2	5	3	3	1	–	4	3	65	48	–	–
14	Balance of county	198	–	–	1	34	3	9	2	6	1	2	11	–	110	63	–	1
15	Conway	177	1	–	2	26	4	6	2	2	1	2	9	3	106	82	–	1
16	Craighead	541	1	–	4	94	21	30	4	9	5	5	20	3	313	203	2	–
17	Jonesboro	290	1	–	3	51	8	17	2	6	4	4	10	2	168	107	–	–
18	Balance of county	251	–	–	1	43	13	13	2	3	1	1	10	1	145	96	2	–
19	Crawford	295	–	–	5	63	20	14	2	10	2	2	13	4	113	77	2	1
20	Crittenden	432	–	–	5	71	18	16	4	7	4	4	18	5	200	132	–	–
21	West Memphis	214	–	–	3	39	8	11	3	2	2	3	10	3	104	68	–	–
22	Balance of county	218	–	–	2	32	10	5	1	5	2	1	8	2	96	64	–	–
23	Cross	185	–	–	1	37	10	12	3	4	1	–	7	3	88	62	–	1
24	Dallas	125	–	–	–	24	5	4	2	3	–	4	6	2	57	42	1	–
25	Desha	198	1	–	–	35	6	14	1	6	2	1	5	6	108	70	–	7
26	Drew	182	–	–	1	39	6	6	4	8	–	2	13	3	91	70	1	1
27	Faulkner	307	2	–	3	58	9	15	6	5	2	2	19	7	159	115	4	–
28	Conway	130	1	–	1	25	3	7	4	2	2	–	7	5	73	52	2	–
29	Balance of county	177	1	–	2	33	6	8	2	3	–	2	12	2	86	63	2	–
30	Franklin	167	1	–	–	37	6	12	2	7	1	1	8	1	85	67	–	–
31	Fulton	108	1	–	1	19	1	10	–	2	1	–	5	6	60	43	–	–
32	Garland	890	3	–	4	203	40	54	20	27	8	5	49	9	456	343	7	6
33	Hot Springs	649	2	–	3	141	25	40	17	18	5	2	34	8	329	241	5	5
34	Balance of county	241	1	–	1	62	15	14	3	9	3	3	15	1	127	102	2	1
35	Grant	133	1	–	1	25	6	9	1	4	–	–	5	1	69	48	–	–
36	Greene	296	1	–	3	52	13	5	8	7	3	2	14	9	168	142	–	–
37	Paragould	175	1	–	–	32	11	–	5	6	1	1	8	7	102	85	–	–
38	Balance of county	121	–	–	3	20	2	5	3	1	2	1	6	2	66	57	–	–
39	Hempstead	245	–	–	3	40	14	9	1	2	1	4	9	4	149	116	–	1
40	Hot Spring	240	1	–	6	36	8	10	3	8	1	–	6	1	153	114	–	3
41	Howard	140	–	–	1	21	12	3	–	2	1	–	3	1	83	63	1	–
42	Independence	286	1	–	3	64	12	20	5	2	2	1	22	2	163	126	2	1
43	Izard	115	–	–	–	22	6	3	4	1	2	–	6	1	69	44	–	1
44	Jackson	235	–	–	1	44	12	12	2	4	1	5	8	5	122	83	1	2
45	Jefferson	817	2	–	4	175	43	50	11	24	9	2	36	11	445	302	4	13
46	Pine Bluff	636	2	–	3	130	35	37	8	18	5	2	25	9	359	245	4	11
47	Balance of county	181	–	–	1	45	8	13	3	6	4	–	11	2	86	57	–	2
48	Johnson	181	–	–	1	46	9	10	5	2	3	2	15	3	84	60	–	–
49	Lafayette	110	–	–	3	18	5	4	2	1	1	–	5	1	33	19	1	–
50	Lawrence	205	–	–	1	49	8	20	3	3	3	1	11	3	107	81	–	2
51	Lee	177	–	–	1	29	5	8	2	5	1	1	7	3	97	74	–	–
52	Lincoln	116	–	1	–	21	10	7	–	1	–	–	3	2	59	43	–	–
53	Little River	126	–	–	1	25	5	7	1	3	–	1	8	–	62	49	–	–
54	Logan	233	–	–	1	34	7	5	3	3	3	3	10	4	135	101	3	–
55	Lonoke	284	–	–	1	49	16	6	3	8	–	2	14	2	152	84	1	–
56	Madison	116	–	–	1	25	6	5	3	6	3	–	2	4	42	22	–	1
57	Marion	144	–	–	2	28	6	7	4	4	–	–	7	2	57	39	–	–
58	Miller	370	1	–	5	84	25	26	3	10	3	3	14	7	173	121	1	22
59	Texarkana[2]	237	–	–	4	54	16	15	3	8	2	2	8	2	112	85	1	14
60	Balance of county	133	1	–	1	30	9	11	–	2	1	1	6	5	61	36	–	8
61	Mississippi	580	2	–	6	110	25	32	3	11	7	4	28	7	290	213	2	1
62	Blytheville	238	1	–	4	42	10	14	1	5	3	1	8	4	116	86	1	–
63	Balance of county	342	1	–	2	68	15	18	2	6	4	3	20	3	174	127	1	1
64	Monroe	203	–	–	3	34	10	9	2	3	–	–	10	3	122	86	–	–
65	Montgomery	73	–	–	–	11	5	1	1	1	–	–	3	1	44	26	–	–
66	Nevada	144	–	–	5	29	5	7	5	4	–	1	7	2	74	55	1	–
67	Newton	60	–	–	–	19	6	5	3	4	–	–	1	–	25	19	–	1
68	Ouachita	308	1	1	3	48	10	17	2	6	5	3	5	3	148	103	1	1
69	Camden	162	1	1	1	26	7	9	1	3	2	3	1	1	76	48	1	–
70	Balance of county	146	–	–	2	22	3	8	1	3	3	–	4	2	72	55	–	1
71	Perry	77	–	–	2	11	2	3	–	–	2	1	3	2	47	31	3	–
72	Phillips	431	–	–	5	77	19	15	9	12	4	2	16	10	242	170	–	2
73	Helena	132	–	–	1	27	6	5	2	7	2	–	5	5	73	50	–	–
74	West Helena	125	–	–	–	20	7	5	1	2	2	–	3	2	73	52	–	1
75	Balance of county	174	–	–	4	30	6	5	6	3	–	2	8	3	96	68	–	1
76	Pike	101	2	–	–	15	7	4	1	1	–	1	1	–	49	34	–	–
77	Poinsett	275	1	–	4	49	8	15	4	1	4	2	15	2	139	99	2	1
78	Polk	205	–	–	–	33	10	7	–	2	1	1	12	6	132	107	1	15
79	Pope	282	–	–	2	50	13	15	2	5	2	5	8	1	166	113	1	–
80	Russellville	123	–	–	–	20	3	7	–	4	1	2	3	1	74	49	–	–
81	Balance of county	159	–	–	2	30	10	8	2	1	1	3	5	–	92	64	1	–
82	Prairie	110	–	–	1	18	4	5	–	2	–	1	6	2	56	34	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
164	19	1	61	3	12	13	7	1	4	–	–	2	9	35	34	24	15	4	3	1	02
74	13	2	36	4	6	11	6	2	–	–	–	1	–	–	17	6	12	4	–	–	03
59	5	–	13	1	–	6	3	–	–	4	–	1	3	4	14	5	2	–	1	–	04
28	3	–	12	–	1	–	–	1	1	2	–	2	–	4	6	3	3	–	2	–	05
51	5	–	20	3	3	3	1	1	3	1	–	2	1	3	16	3	7	6	1	1	06
75	7	1	18	4	4	7	6	–	1	2	–	–	4	34	17	8	8	1	4	–	07
74	15	–	37	3	–	3	3	1	3	–	–	–	3	32	14	8	8	1	1	1	08
101	5	1	33	3	4	6	4	–	1	1	–	1	–	5	18	7	4	2	–	–	09
50	5	1	17	1	2	9	1	–	2	1	–	–	1	–	8	3	3	2	2	1	10
24	2	1	7	–	–	5	–	–	–	–	–	1	–	4	4	3	3	–	3	–	11
91	19	4	54	4	2	4	4	–	1	2	–	2	4	6	28	13	9	5	3	2	12
38	10	–	14	2	1	1	2	–	1	–	–	–	3	1	12	2	4	3	1	–	13
53	9	4	40	2	1	3	2	–	–	2	–	2	1	5	16	11	5	2	2	2	14
69	12	2	19	–	3	7	–	–	3	–	–	1	–	4	8	8	4	1	2	1	15
185	16	2	92	9	7	15	7	1	4	5	–	1	–	10	47	16	10	6	3	1	16
95	12	1	52	5	3	10	5	–	2	2	–	1	–	3	29	7	2	2	1	1	17
90	4	1	40	4	4	5	2	1	2	3	–	–	–	7	18	9	8	4	2	–	18
64	10	1	27	1	7	3	3	1	1	1	–	1	5	49	23	5	12	1	2	3	19
70	62	1	62	1	4	7	7	–	3	7	–	3	7	43	35	15	13	7	3	1	20
38	30	–	33	–	3	3	5	–	2	2	–	2	3	16	17	8	2	3	1	1	21
32	32	1	29	1	1	4	2	–	1	5	–	1	4	27	18	7	11	4	2	–	22
52	9	–	22	1	3	6	5	–	2	2	–	–	2	14	7	9	4	3	2	–	23
37	4	–	12	1	2	6	–	–	1	–	–	3	3	11	11	3	3	1	–	–	24
59	4	–	28	7	3	2	1	3	2	1	–	1	3	3	17	10	4	–	1	–	25
58	10	–	18	1	2	7	3	–	1	4	–	–	4	3	13	5	4	3	–	1	26
90	21	–	40	1	3	10	1	1	1	1	–	2	4	19	23	5	6	2	3	–	27
39	11	–	20	–	1	2	–	–	–	–	–	2	1	5	9	2	3	1	–	–	28
51	10	–	20	1	2	8	1	1	1	1	–	–	3	14	14	3	3	1	3	–	29
54	13	–	17	–	1	7	1	2	1	1	–	–	–	8	12	2	2	3	4	–	30
33	10	–	11	6	–	3	–	–	–	–	–	–	1	5	7	–	1	3	1	–	31
255	75	–	94	12	7	25	18	3	9	6	–	2	5	10	73	13	30	13	6	2	32
177	54	–	74	9	5	22	14	2	8	5	–	1	4	7	59	5	21	10	6	2	33
78	21	–	20	3	2	3	4	1	1	1	–	1	1	3	14	8	9	3	–	–	34
47	1	–	17	3	1	5	2	–	–	–	–	1	2	2	10	2	7	5	–	–	35
128	14	1	17	2	6	6	5	1	3	–	–	–	4	2	14	7	16	4	1	–	36
74	11	1	11	1	4	3	2	1	2	–	–	–	2	1	9	1	8	3	1	–	37
54	3	–	6	1	2	3	3	–	1	–	–	–	2	1	5	6	8	1	–	–	38
105	10	1	20	6	6	5	5	1	–	1	–	1	1	–	15	5	13	1	1	–	39
91	20	1	32	5	1	5	3	–	1	–	–	–	2	3	15	4	6	1	3	–	40
56	6	–	16	2	2	4	–	–	1	2	–	–	–	4	15	3	5	–	–	–	41
100	23	2	30	3	2	11	2	–	1	2	–	2	5	1	10	7	6	2	4	–	42
37	6	–	22	2	1	2	–	–	–	1	–	1	–	2	10	6	1	–	–	–	43
67	13	–	37	1	1	6	2	–	–	2	–	1	2	4	24	8	10	2	2	–	44
236	49	1	126	9	7	13	5	2	5	10	–	8	13	11	65	13	18	6	11	–	45
189	41	1	101	6	6	9	4	1	3	7	–	5	12	6	52	5	16	4	9	–	46
47	8	–	25	3	1	4	1	1	2	3	–	3	1	5	13	8	2	2	2	–	47
49	11	–	17	3	4	5	1	2	1	1	–	1	3	3	13	4	5	2	3	3	48
16	2	1	12	–	1	2	1	2	–	–	–	4	3	15	24	1	2	–	1	–	49
75	4	1	20	1	4	3	3	1	2	2	–	–	–	1	20	5	3	2	2	1	50
50	24	–	18	3	2	17	2	–	2	–	–	1	3	2	6	2	9	–	2	1	51
37	6	–	14	2	–	3	2	1	1	2	–	–	2	3	9	1	7	2	–	–	52
46	3	–	11	–	2	3	–	–	1	–	1	–	1	2	13	5	5	1	6	–	53
63	35	3	27	2	2	3	2	1	–	–	–	2	1	9	28	3	7	1	2	–	54
67	16	2	58	1	7	11	2	–	–	1	1	1	5	13	24	6	11	2	3	–	55
18	3	–	11	7	2	8	2	–	–	–	–	1	1	2	12	8	3	5	1	1	56
33	6	1	13	1	3	7	1	1	1	1	–	1	1	18	4	5	8	1	3	3	57
77	21	1	35	8	8	17	6	–	5	1	–	3	1	8	30	6	13	4	5	1	58
55	15	1	19	4	3	11	5	–	4	1	–	2	1	4	21	3	7	2	4	–	59
22	6	–	16	4	5	6	1	–	1	–	–	1	–	4	9	3	6	2	1	1	60
190	20	–	69	3	5	8	7	–	4	4	–	6	10	25	41	23	24	5	7	1	61
79	6	–	27	–	3	1	3	–	2	–	–	1	4	12	18	14	10	1	4	1	62
111	14	–	42	3	2	7	4	–	2	4	–	5	6	13	23	9	14	4	3	–	63
68	18	2	24	5	5	1	4	–	–	1	–	–	1	6	17	2	5	3	1	–	64
24	2	–	16	2	–	1	2	–	–	–	–	–	–	6	5	1	–	1	–	1	65
31	23	–	18	1	–	2	1	–	1	2	–	1	3	2	15	2	3	1	1	–	66
12	6	–	6	–	–	1	–	–	–	1	–	–	1	2	4	3	2	2	–	–	67
89	12	1	36	5	3	4	5	–	3	3	–	2	5	36	16	13	12	1	3	1	68
43	4	1	23	2	2	3	2	–	2	1	–	1	3	21	13	5	5	–	–	–	69
46	8	–	13	3	1	1	3	–	1	2	–	1	2	15	3	8	7	1	3	1	70
26	2	–	15	1	–	4	2	–	–	–	–	–	–	2	4	1	1	1	–	–	71
148	20	13	54	3	2	6	3	–	2	4	1	2	5	21	28	6	11	3	4	1	72
43	7	8	15	–	–	2	–	–	1	1	–	1	1	6	9	1	2	1	1	–	73
43	8	1	17	2	1	1	1	–	–	1	–	–	3	8	6	2	5	2	1	–	74
62	5	4	22	1	1	3	2	–	1	2	1	1	1	7	13	3	4	–	2	1	75
23	11	–	10	5	–	7	1	–	–	–	–	–	2	2	15	4	4	–	–	–	76
68	28	–	37	2	1	3	3	1	4	3	–	2	5	12	14	12	14	2	1	4	77
83	8	–	16	7	2	3	1	1	–	–	–	2	2	3	11	5	6	–	–	–	78
96	16	1	45	2	5	5	4	1	3	1	–	3	3	8	16	8	8	2	1	–	79
43	6	–	23	1	1	1	4	–	1	–	–	1	1	4	5	6	3	2	–	–	80
53	10	1	22	1	4	4	–	1	2	1	–	2	2	4	11	2	5	–	1	–	81
30	4	–	19	2	1	1	2	–	–	–	–	–	3	11	8	2	3	2	–	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
01	Pulaski	2,613	6	–	28	516	124	129	37	66	20	21	119	37	1,274	878	12	10
02	Jacksonville	109	–	–	–	16	4	3	1	2	–	–	6	4	51	40	2	–
03	Little Rock	1,516	4	–	18	296	72	74	23	45	14	10	58	15	731	498	7	7
04	North Little Rock	663	2	–	8	140	38	37	8	12	4	8	33	12	327	227	–	3
05	Balance of county	325	–	–	2	64	10	15	5	7	2	3	22	6	165	113	3	–
06	Randolph	160	–	–	–	24	4	7	1	3	2	1	6	3	95	74	–	–
07	St. Francis	331	1	–	3	59	15	17	2	10	1	2	12	10	149	92	–	–
08	Forrest City	159	1	–	1	25	6	2	2	6	1	–	8	7	74	48	–	–
09	Balance of county	172	–	–	2	34	9	15	–	4	–	2	4	3	75	44	–	–
10	Saline	300	–	–	3	48	10	12	4	4	1	2	15	11	165	131	–	4
11	Benton	142	–	–	1	21	2	6	3	1	–	1	8	6	69	55	–	3
12	Balance of county	158	–	–	2	27	8	6	1	3	1	1	7	5	96	76	–	1
13	Scott	106	–	–	1	18	5	7	–	1	1	–	4	2	56	43	–	–
14	Searcy	107	–	–	1	17	4	3	2	5	1	1	1	1	66	49	–	–
15	Sebastian	782	2	–	8	135	29	38	8	14	6	4	36	11	371	263	5	–
16	Fort Smith	606	1	–	7	109	24	32	8	10	6	3	26	10	298	212	4	–
17	Balance of county	176	1	–	1	26	5	6	–	4	–	1	10	1	73	51	1	–
18	Sevier	126	–	–	1	27	4	11	1	3	–	1	7	1	62	48	–	–
19	Sharp	126	–	–	–	22	4	5	1	3	1	1	7	2	71	60	–	–
20	Stone	87	–	–	–	19	7	1	3	1	–	1	6	1	50	39	–	1
21	Union	537	1	–	5	84	22	23	6	10	5	4	14	3	315	221	3	2
22	El Dorado	315	1	–	3	49	12	11	4	5	4	3	10	–	185	123	1	1
23	Balance of county	222	–	–	2	35	10	12	2	5	1	1	4	3	130	98	2	1
24	Van Buren	128	–	–	–	30	8	6	1	1	3	2	9	3	67	45	2	1
25	Washington	730	2	–	4	146	25	46	16	17	9	4	29	12	389	275	2	1
26	Fayetteville	218	1	–	1	40	6	6	8	3	1	3	13	5	111	73	1	–
27	Springdale, part	173	–	–	–	41	8	13	3	7	3	–	7	4	89	65	1	1
28	Springdale, total	173	–	–	–	41	8	13	3	7	3	–	7	4	89	65	1	1
29	Balance of county	339	1	–	3	65	11	27	5	7	5	1	9	3	189	137	–	–
30	White	475	1	–	6	84	18	27	9	10	5	2	13	4	209	121	–	1
31	Woodruff	138	–	–	1	19	8	5	3	1	–	–	2	–	89	63	1	1
32	Yell	184	1	–	–	25	4	6	2	2	2	2	7	1	116	88	–	1
33	**California**	**170,399**	**235**	**24**	**1,094**	**36,848**	**9,562**	**9,301**	**3,424**	**4,142**	**1,576**	**1,435**	**7,408**	**2,233**	**82,479**	**60,288**	**1,444**	**857**
34	Urban places	127,255	192	16	860	27,385	7,222	6,851	2,599	3,034	1,153	1,048	5,478	1,671	62,447	45,681	1,067	632
35	Balance of area	43,144	43	8	234	9,463	2,340	2,450	825	1,108	423	387	1,930	562	20,032	14,607	377	225
36	Metropolitan counties	155,032	214	23	989	33,685	8,788	8,424	3,194	3,759	1,443	1,312	6,765	2,038	75,274	55,084	1,309	775
37	Urban places	123,448	184	16	817	26,611	7,012	6,662	2,544	2,944	1,127	1,017	5,305	1,611	60,626	44,394	1,042	620
38	Balance of area	31,584	30	7	172	7,074	1,776	1,762	650	815	316	295	1,460	427	14,648	10,690	267	155
39	Nonmetropolitan counties	15,367	21	1	105	3,163	774	877	230	383	133	123	643	195	7,205	5,204	135	82
40	Urban places	3,807	8	–	43	774	210	189	55	90	26	31	173	60	1,821	1,287	25	12
41	Balance of area	11,560	13	1	62	2,389	564	688	175	293	107	92	470	135	5,384	3,917	110	70
42	Alameda	8,657	14	2	74	1,862	497	472	179	222	74	57	361	99	4,225	3,138	70	59
43	Alameda	520	–	–	7	114	37	34	6	10	9	1	17	3	261	202	5	7
44	Albany	153	1	–	3	26	9	7	2	2	2	–	4	3	90	69	–	2
45	Berkeley	789	2	–	7	168	46	38	13	28	5	6	32	9	408	289	7	5
46	Fremont	539	–	–	1	122	30	31	16	12	3	6	24	8	239	176	5	4
47	Hayward	826	2	–	12	190	39	59	11	24	10	3	44	9	397	296	6	5
48	Livermore	243	–	–	–	48	14	10	8	8	–	–	8	4	89	62	1	2
49	Newark	104	–	–	1	23	13	3	–	1	–	1	5	–	38	30	1	–
50	Oakland	3,571	6	2	31	718	195	175	79	89	27	24	129	49	1,758	1,318	26	25
51	Piedmont	106	–	–	–	29	6	4	2	6	2	2	7	1	53	36	2	1
52	Pleasanton	135	–	–	3	31	11	8	5	1	–	–	6	1	64	48	–	–
53	San Leandro	767	3	–	5	178	49	47	17	19	8	5	33	6	383	292	8	3
54	Union City	143	–	–	1	32	4	10	2	1	2	2	11	3	57	42	–	–
55	Balance of county	761	–	–	3	183	44	46	18	21	6	7	41	3	388	278	9	5
56	Alpine	6	–	–	–	1	–	–	–	1	–	–	–	–	2	1	–	–
57	Amador	165	–	–	–	32	5	8	2	4	2	3	8	1	94	65	2	1
58	Butte	1,285	1	–	5	256	63	66	16	32	12	8	59	13	657	443	9	2
59	Chico	199	–	–	1	29	11	7	1	3	1	1	5	3	114	82	–	–
60	Balance of county	1,086	1	–	4	227	52	59	15	29	11	7	54	10	543	361	9	2
61	Calaveras	159	–	–	–	36	10	10	2	7	–	1	6	–	79	63	3	1
62	Colusa	122	–	–	–	22	5	8	–	4	1	–	4	–	62	51	1	–
63	Contra Costa	4,237	3	1	20	995	291	265	94	105	35	39	166	54	1,978	1,422	35	19
64	Antioch	215	–	–	2	41	13	12	–	5	3	2	6	5	92	69	–	–
65	Concord	541	–	1	2	156	46	42	15	15	6	6	26	5	230	176	5	–
66	El Cerrito	219	–	–	2	50	13	11	8	8	2	2	6	1	110	86	5	1
67	Lafayette	133	–	–	1	34	8	9	4	5	2	–	6	2	57	40	2	1
68	Martinez	146	–	–	1	39	12	9	4	2	–	3	9	1	60	43	1	1
69	Pinole	61	–	–	–	11	1	5	1	3	–	–	1	–	25	21	–	–
70	Pittsburg	225	–	–	1	43	10	14	7	6	1	–	5	9	93	68	2	–
71	Pleasant Hill	186	–	–	1	39	7	12	6	4	1	2	7	2	89	59	1	–
72	Richmond	699	2	–	6	148	50	45	12	15	2	5	19	12	333	241	3	6
73	San Pablo	237	–	–	–	46	11	13	5	5	1	2	9	–	112	82	3	–
74	Walnut Creek	553	–	–	1	132	43	26	7	18	5	8	25	4	290	188	6	2
75	Balance of county	1,022	1	–	3	256	77	67	25	19	12	9	47	13	487	349	7	8
76	Del Norte	170	–	–	2	30	6	10	5	2	5	1	1	7	82	65	3	–
77	El Dorado	492	–	–	3	113	24	30	9	14	3	3	30	2	217	150	4	2
78	South Lake Tahoe	83	–	–	1	17	–	5	–	3	–	1	8	–	30	19	1	–
79	Balance of county	409	–	–	2	96	24	25	9	11	3	2	22	2	187	131	3	2
80	Fresno	3,662	8	–	35	758	189	208	57	94	29	28	153	47	1,679	1,211	29	23
81	Clovis	165	–	–	–	41	6	9	3	6	2	4	11	–	74	55	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
669	187	3	314	41	38	54	22	5	34	12	1	24	50	76	215	60	84	55	43	17	01
21	17	–	10	–	1	8	–	–	–	–	–	2	6	3	7	3	3	3	1	2	02
378	106	3	182	28	20	29	18	3	21	9	–	16	27	44	135	38	42	35	29	6	03
181	43	–	83	6	11	10	4	2	11	1	1	3	12	16	48	14	23	13	11	5	04
89	21	–	39	7	6	7	–	–	2	2	–	3	5	13	25	5	16	4	2	4	05
73	1	–	16	3	2	3	1	–	1	2	–	1	1	6	11	7	3	1	1	–	06
76	16	–	52	2	3	12	2	1	2	2	1	2	7	15	35	9	17	–	2	2	07
41	7	–	24	–	2	3	1	–	2	1	–	1	2	5	23	6	6	–	1	–	08
35	9	–	28	2	1	9	1	1	–	1	1	1	5	10	12	3	11	–	1	2	09
116	11	–	26	5	3	9	3	2	2	–	–	2	5	6	26	6	7	3	1	1	10
47	5	–	11	1	2	4	1	–	2	–	–	2	3	3	18	5	3	2	1	1	11
69	6	–	15	4	1	5	2	2	–	–	–	–	2	3	8	1	4	1	–	–	12
33	10	–	9	1	3	2	1	–	–	–	–	–	–	3	12	2	5	3	1	–	13
21	28	–	16	1	–	3	–	–	–	–	–	1	–	10	3	2	2	–	1	–	14
221	37	3	85	8	12	14	9	1	10	1	–	6	9	90	65	17	16	10	5	2	15
179	29	3	67	7	9	12	5	1	8	–	–	3	8	57	53	12	13	4	3	2	16
42	8	–	18	1	3	2	4	–	2	1	–	3	1	33	12	5	3	6	2	–	17
37	11	–	14	–	–	–	–	1	2	1	–	1	2	1	13	6	8	–	–	–	18
46	14	–	10	–	1	2	2	–	2	1	–	–	–	4	14	3	2	1	–	–	19
25	13	–	10	–	1	–	2	–	–	–	–	–	1	2	5	2	2	2	–	1	20
189	27	3	70	12	9	21	6	–	6	7	–	3	3	6	40	17	8	5	7	–	21
106	15	1	45	9	7	13	2	–	6	2	–	1	3	5	24	10	3	4	4	–	22
83	12	2	25	3	2	8	4	–	–	5	–	2	–	1	16	7	5	1	3	–	23
38	4	–	17	1	4	8	3	–	–	1	–	–	1	2	2	4	2	3	2	–	24
252	20	5	76	21	12	19	8	3	10	3	–	5	9	8	55	16	22	15	1	3	25
64	8	1	22	12	3	8	1	2	2	3	–	1	6	1	15	6	9	5	–	1	26
59	4	1	18	3	2	2	4	–	3	–	–	1	1	4	14	1	3	3	1	2	27
59	4	1	18	3	2	2	4	–	3	–	–	1	1	4	14	1	3	3	1	2	28
129	8	3	36	6	7	9	3	1	5	–	–	3	2	3	26	9	10	7	–	–	29
109	11	2	68	5	13	21	2	2	1	1	–	2	3	54	45	14	14	6	2	4	30
36	25	–	22	4	–	3	2	–	2	1	–	1	3	2	8	3	3	–	1	–	31
81	6	–	25	1	2	6	1	4	–	–	–	1	–	1	14	4	5	3	1	1	32
55,007	**2,980**	**449**	**16,694**	**2,475**	**2,573**	**4,257**	**2,449**	**654**	**4,309**	**549**	**34**	**1,349**	**1,821**	**1,187**	**13,700**	**5,275**	**5,145**	**3,883**	**2,564**	**310**	33
41,864	2,118	346	12,699	1,828	1,893	3,123	1,774	472	3,355	401	26	1,008	1,383	843	10,033	3,379	3,710	2,904	2,039	234	34
13,143	862	103	3,995	647	680	1,134	675	182	954	148	8	341	438	344	3,667	1,896	1,435	979	525	76	35
50,367	2,633	419	15,242	2,215	2,314	3,818	2,162	584	3,980	485	34	1,239	1,684	1,035	12,314	4,586	4,610	3,572	2,412	294	36
40,703	2,029	339	12,286	1,770	1,837	3,002	1,693	453	3,254	388	26	981	1,351	808	9,706	3,270	3,591	2,835	1,996	229	37
9,664	604	80	2,956	445	477	816	469	131	726	97	8	258	333	227	2,608	1,316	1,019	737	416	65	38
4,640	347	30	1,452	260	259	439	287	70	329	64	–	110	137	152	1,386	689	535	311	152	16	39
1,161	89	7	413	58	56	121	81	19	101	13	–	27	32	35	327	109	119	69	43	5	40
3,479	258	23	1,039	202	203	318	206	51	228	51	–	83	105	117	1,059	580	416	242	109	11	41
2,863	146	21	755	183	128	208	127	28	236	31	1	76	65	72	690	232	287	188	108	32	42
174	16	1	43	12	3	11	4	4	22	1	–	2	3	3	38	16	19	9	2	1	43
64	3	–	13	2	6	1	2	–	3	–	–	–	–	–	13	4	4	3	–	–	44
259	18	1	80	25	13	20	10	2	20	4	–	3	6	3	61	18	23	15	8	2	45
161	6	–	50	7	6	20	7	1	8	–	–	7	4	5	44	30	18	17	5	3	46
271	14	–	62	31	8	19	19	3	21	3	–	10	9	9	48	19	28	19	5	4	47
55	4	1	21	2	3	12	7	2	8	2	–	8	3	–	29	14	8	6	3	–	48
27	2	–	5	1	2	–	2	–	1	1	–	2	1	6	10	8	2	8	–	1	49
1,207	60	12	320	55	53	83	48	11	115	15	1	29	32	35	293	68	128	60	75	14	50
33	–	–	10	4	3	–	1	1	3	–	–	1	–	–	8	–	4	4	–	1	51
46	2	–	10	4	2	4	2	1	2	–	–	1	–	–	8	8	5	2	1	2	52
273	8	2	59	11	19	19	14	1	12	2	–	9	–	2	68	23	16	20	3	3	53
40	2	–	10	3	2	2	1	–	3	–	–	1	2	4	17	10	7	2	1	–	54
253	11	4	72	26	8	17	10	2	18	3	–	3	5	5	53	14	25	23	5	1	55
1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	56
58	4	3	18	3	5	5	4	–	1	–	–	–	–	–	16	8	3	1	–	–	57
397	35	2	166	23	23	34	26	1	16	8	–	8	7	7	123	58	27	21	16	1	58
78	4	–	28	2	2	7	4	–	6	–	–	2	3	1	16	8	1	3	1	–	59
319	31	2	138	21	21	27	22	1	10	8	–	6	4	6	107	50	26	18	15	1	60
54	5	2	9	2	3	2	2	–	7	–	–	–	–	1	10	12	6	3	1	–	61
46	4	1	8	–	2	8	2	1	4	–	–	1	–	1	9	6	5	–	1	–	62
1,286	82	10	401	70	75	97	78	20	98	14	2	29	30	19	353	138	148	101	53	6	63
65	4	–	14	4	5	8	4	–	4	1	–	1	1	3	22	10	14	4	2	1	64
159	12	2	35	10	7	16	7	3	9	1	1	5	4	5	43	17	13	19	3	1	65
75	5	1	14	5	4	6	9	–	3	1	–	–	–	–	17	6	6	8	–	–	66
37	–	–	16	1	–	3	2	1	4	–	–	–	–	–	12	5	8	4	–	–	67
38	3	–	13	2	2	7	4	–	5	–	–	1	–	1	11	2	4	5	5	–	68
19	2	–	3	–	1	1	2	–	2	1	–	1	–	–	5	7	4	–	2	–	69
63	3	–	19	5	1	5	–	3	9	–	–	2	4	–	20	15	14	2	5	–	70
55	3	1	20	5	4	2	7	–	3	–	–	4	–	1	19	8	5	2	4	–	71
218	14	4	68	7	13	8	13	6	22	3	–	2	6	5	56	9	33	17	17	1	72
75	4	–	23	2	5	5	6	3	6	1	–	1	3	1	24	7	12	6	4	–	73
170	10	1	75	13	13	15	11	1	10	3	–	–	3	1	48	11	8	13	1	1	74
312	22	1	101	16	20	21	13	3	21	3	1	12	9	2	76	41	27	21	10	2	75
53	9	–	12	2	3	2	1	–	2	1	–	1	3	8	12	12	6	–	1	–	76
135	9	–	43	15	9	14	8	3	6	2	–	7	4	5	42	22	21	19	4	–	77
16	2	–	9	1	1	1	1	1	2	1	–	–	–	4	7	8	5	4	1	–	78
119	7	–	34	14	8	13	7	2	4	1	–	7	4	1	35	14	16	15	3	–	79
1,097	62	10	350	46	62	99	65	15	72	13	1	24	54	16	318	189	99	68	92	10	80
48	3	1	15	3	–	4	4	2	2	2	–	2	1	–	14	10	4	4	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Fresno—Con.																	
01	Fresno	1,870	5	–	19	344	87	101	27	36	14	13	66	19	906	641	19	10
02	Sanger	88	–	–	1	21	8	6	1	3	1	–	2	–	47	35	1	–
03	Balance of county	1,539	3	–	15	352	88	92	26	49	12	11	74	28	652	480	7	11
04	Glenn	219	1	–	–	55	13	18	5	6	3	2	8	1	104	72	1	–
05	Humboldt	825	3	–	6	143	34	37	7	22	8	–	35	14	388	285	4	2
06	Eureka	243	1	–	3	40	13	8	4	4	1	–	10	4	119	81	–	–
07	Balance of county	582	2	–	3	103	21	29	3	18	7	–	25	10	269	204	4	2
08	Imperial	617	3	–	8	129	32	31	13	15	5	8	25	13	239	172	5	5
09	Brawley	107	–	–	2	20	5	4	1	4	–	–	6	5	46	33	2	–
10	Calexico	62	–	–	2	13	9	1	–	2	–	1	–	1	28	18	–	–
11	El Centro	145	1	–	1	39	10	7	3	2	4	5	8	1	53	37	–	2
12	Balance of county	303	2	–	3	57	8	19	9	7	1	2	11	6	112	84	3	3
13	Inyo	180	1	–	1	43	8	12	4	3	3	2	11	1	88	62	1	1
14	Kern	2,938	7	2	24	608	170	182	34	69	25	22	106	52	1,394	1,060	26	33
15	Bakersfield	819	4	–	5	163	48	54	4	18	12	3	24	11	392	307	7	9
16	Delano	123	2	–	–	27	8	9	3	1	2	1	3	5	51	35	–	1
17	Balance of county	1,996	1	2	19	418	114	119	27	50	11	18	79	36	951	718	19	23
18	Kings	531	1	1	8	92	21	21	7	12	7	6	18	10	244	169	6	1
19	Hanford	194	1	–	5	39	12	6	2	6	2	3	8	4	88	63	1	1
20	Balance of county	337	–	1	3	53	9	15	5	6	5	3	10	6	156	106	5	–
21	Lake	449	–	–	4	98	24	32	4	13	6	4	15	4	207	150	4	1
22	Lassen	173	–	–	1	26	7	8	–	4	–	–	7	1	82	64	2	1
23	Los Angeles	57,672	78	9	370	12,313	3,281	3,000	1,224	1,422	526	466	2,394	829	29,155	21,835	417	334
24	Alhambra	665	–	–	–	129	35	27	13	14	4	7	29	11	415	336	5	–
25	Arcadia	467	1	–	2	110	29	24	10	12	7	5	23	8	264	198	3	3
26	Artesia	108	–	–	–	18	6	3	4	1	1	–	3	2	65	56	–	–
27	Azusa	167	–	–	–	35	6	13	3	7	2	–	4	2	80	65	–	–
28	Baldwin Park	316	–	–	1	68	17	18	8	5	2	2	16	8	151	103	–	–
29	Bell	233	1	–	–	35	9	13	2	2	1	–	8	2	126	107	1	–
30	Bellflower	442	1	–	1	101	25	31	11	10	5	3	16	7	218	181	8	2
31	Bell Gardens	201	–	1	1	29	5	13	2	2	2	1	4	5	98	76	3	–
32	Beverly Hills	388	2	–	–	100	23	17	15	12	2	4	27	3	226	178	6	4
33	Burbank	901	2	–	6	218	56	63	18	23	7	3	48	11	457	348	5	4
34	Carson	401	1	–	4	92	20	25	10	11	1	4	21	7	173	126	–	1
35	Cerritos	97	–	–	–	25	7	8	7	–	–	–	3	–	32	22	–	–
36	Claremont	188	–	–	–	38	13	7	5	5	–	1	7	2	110	67	–	1
37	Commerce	45	–	–	2	9	4	–	1	1	1	–	2	2	20	16	–	1
38	Compton	552	1	–	10	78	23	23	6	7	–	1	18	16	212	159	2	6
39	Covina	327	–	–	2	82	19	20	7	9	5	5	17	8	165	135	3	1
40	Cudahy	107	–	–	–	19	4	6	–	1	2	1	5	2	50	34	–	1
41	Culver City	302	–	–	2	75	18	18	10	8	3	1	17	6	145	109	1	–
42	Downey	636	–	–	2	167	43	51	14	18	12	4	25	10	315	240	8	1
43	Duarte	167	–	–	–	25	9	7	2	1	1	3	2	2	92	65	–	–
44	El Monte	576	–	–	4	110	29	29	12	11	1	6	22	5	280	213	6	1
45	El Segundo	108	–	–	–	35	8	8	5	3	2	2	7	–	48	37	1	–
46	Gardena	532	1	–	5	94	24	22	8	8	7	1	24	9	272	206	3	6
47	Glendale	1,500	3	–	3	312	83	71	34	42	15	11	56	19	864	630	14	8
48	Glendora	277	–	–	–	62	14	15	8	4	5	1	15	1	154	118	3	1
49	Hawthorne	404	–	–	4	96	25	25	10	8	2	6	20	10	188	139	2	3
50	Hermosa Beach	128	–	–	–	24	3	6	2	2	1	2	8	2	75	58	2	2
51	Huntington Park	411	1	–	2	74	26	16	11	6	2	3	10	5	212	170	–	1
52	Inglewood	799	–	–	6	160	35	43	15	15	17	2	33	10	398	303	7	3
53	Lakewood	480	1	–	3	138	34	48	18	9	10	3	16	8	224	175	8	6
54	La Mirada	186	–	–	–	48	10	10	7	5	4	2	10	1	77	62	2	–
55	La Puente	287	–	–	1	64	18	11	8	10	4	1	12	3	109	80	1	1
56	La Verne	146	–	–	1	31	7	6	4	5	–	1	8	3	85	50	1	1
57	Lawndale	166	–	–	1	42	6	15	6	6	–	3	6	1	69	59	–	–
58	Lomita	169	1	–	–	42	6	14	2	5	3	2	10	1	81	55	–	3
59	Long Beach	4,057	2	–	29	839	207	234	66	89	46	32	165	39	2,155	1,630	33	13
60	Los Angeles	25,017	36	6	182	5,286	1,529	1,198	516	642	211	200	990	374	12,461	9,344	183	172
61	Lynwood	351	–	–	3	69	11	28	5	7	3	2	13	4	177	140	6	2
62	Manhattan Beach	187	–	–	1	49	9	10	11	3	–	3	13	–	84	61	–	–
63	Maywood	115	–	–	–	22	8	3	2	6	–	1	2	3	59	50	–	–
64	Monrovia	300	–	–	3	52	12	11	5	13	1	1	9	6	153	96	–	2
65	Montebello	347	1	–	1	73	24	15	7	7	2	3	15	6	190	155	1	1
66	Monterey Park	325	–	–	1	67	18	15	11	6	3	3	11	5	175	125	1	1
67	Norwalk	509	1	–	4	103	24	34	6	9	2	5	23	10	236	191	2	2
68	Palos Verdes Estates	79	–	–	–	17	3	4	2	3	1	–	4	1	44	28	–	1
69	Paramount	251	1	–	1	46	12	14	5	5	2	1	7	6	121	98	4	–
70	Pasadena	1,317	2	1	8	260	76	49	27	29	17	9	53	17	761	500	10	12
71	Pico Rivera	280	–	–	2	55	16	16	4	3	1	3	12	6	139	116	2	3
72	Pomona	691	–	–	4	123	36	27	9	14	3	6	28	9	353	240	2	5
73	Redondo Beach	429	–	–	3	115	23	36	8	15	3	6	24	2	202	144	2	2
74	Rosemead	334	–	–	1	62	13	8	10	10	2	3	16	8	170	132	1	4
75	San Dimas	121	–	–	2	32	4	7	2	7	3	–	9	2	56	47	1	–
76	San Fernando	177	1	–	2	32	8	7	1	4	1	1	10	2	91	69	2	–
77	San Gabriel	398	2	–	5	89	22	20	10	12	4	6	15	4	211	153	–	–
78	San Marino	121	–	–	–	32	8	5	7	5	–	1	6	1	64	44	–	2
79	Santa Fe Springs	64	–	–	–	21	4	4	3	1	–	3	6	1	25	19	1	–
80	Santa Monica	1,075	–	–	7	249	61	67	23	25	15	12	46	12	589	424	8	10
81	Sierra Madre	84	–	–	1	16	4	8	2	–	–	–	2	1	50	37	–	2
82	South El Monte	77	1	–	–	14	4	3	1	2	1	–	3	1	35	25	1	–
83	South Gate	592	–	–	3	122	38	41	7	10	5	4	17	5	326	245	8	4
84	South Pasadena	186	–	–	3	42	14	4	3	6	3	1	11	4	110	72	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
578	34	5	196	23	41	53	33	6	39	7	1	13	29	8	172	72	44	36	59	5	01
34	–	–	10	2	–	3	2	–	1	–	–	2	–	1	4	4	–	–	1	1	02
437	25	4	129	18	21	39	26	7	30	4	–	7	24	7	128	103	51	28	31	4	03
69	2	1	21	8	2	4	4	–	5	–	–	4	1	5	20	9	3	2	1	–	04
261	18	2	72	11	18	20	13	6	21	8	–	6	5	9	78	38	38	17	7	5	05
75	6	–	29	3	6	7	6	5	9	–	–	–	–	2	23	6	10	3	4	1	06
186	12	2	43	8	12	13	7	1	12	8	–	6	5	7	55	32	28	14	3	4	07
142	20	1	54	3	9	23	11	2	20	6	–	9	6	9	60	31	34	6	8	–	08
26	5	–	8	2	3	4	4	1	3	1	–	2	–	–	14	3	–	1	1	–	09
17	1	–	9	–	1	1	2	–	1	1	–	–	2	–	8	1	2	–	–	–	10
29	6	–	13	–	3	9	–	–	6	–	–	1	1	3	12	3	6	2	7	–	11
70	8	1	24	1	2	9	5	1	10	4	–	6	3	6	26	24	26	3	–	–	12
55	5	–	20	1	5	2	6	–	7	1	–	–	1	–	13	5	8	3	–	–	13
950	51	8	242	37	47	64	39	11	72	8	–	25	41	7	232	136	98	66	51	1	14
274	17	2	61	8	14	26	6	3	22	3	–	7	8	1	76	31	29	15	17	–	15
32	2	–	14	–	2	2	3	–	2	–	–	1	3	–	11	7	3	4	2	–	16
644	32	6	167	29	31	36	30	8	48	5	–	17	30	6	145	98	66	47	32	1	17
152	10	–	51	16	8	8	9	3	9	1	–	8	11	6	51	25	27	13	3	1	18
57	4	–	15	7	3	3	3	–	5	1	–	2	2	1	17	7	10	5	1	–	19
95	6	–	36	9	5	5	6	3	4	–	–	6	9	5	34	18	17	8	2	1	20
136	9	1	42	3	11	9	18	2	12	2	–	–	–	2	37	21	16	13	3	1	21
52	9	–	12	3	3	5	2	–	4	1	–	1	2	2	15	12	10	5	4	–	22
20,254	830	193	5,646	787	694	1,161	691	217	1,520	177	14	480	722	403	3,996	1,429	1,576	1,269	1,218	45	23
324	7	1	66	4	8	18	6	3	6	2	–	4	2	–	40	5	12	7	5	–	24
187	5	3	49	5	9	5	5	–	4	4	–	2	4	2	27	10	10	7	2	–	25
54	2	–	6	–	3	–	–	–	–	–	–	1	–	–	12	4	2	3	1	–	26
63	2	–	11	1	3	4	3	1	4	1	–	2	4	1	12	7	4	3	4	–	27
95	8	1	31	12	4	7	3	–	13	1	–	1	2	5	20	11	9	6	9	1	28
103	3	1	14	–	4	7	5	–	9	1	–	1	3	1	21	6	6	5	4	–	29
164	7	–	29	5	3	11	9	1	9	2	–	3	5	4	32	12	9	10	6	1	30
69	4	1	17	2	2	8	1	–	11	–	–	–	7	6	14	4	7	3	6	–	31
164	4	2	38	6	2	1	4	1	4	–	–	2	–	–	23	8	5	7	2	–	32
332	7	4	77	15	13	27	15	5	32	2	–	3	3	1	54	17	17	21	10	–	33
117	8	3	33	8	3	9	3	1	8	1	–	9	9	5	30	17	12	8	12	–	34
21	1	–	7	1	2	4	1	–	3	–	–	1	2	1	6	9	4	6	3	–	35
64	2	2	34	5	2	6	3	–	1	–	–	1	2	1	15	2	5	1	1	–	36
15	–	–	4	–	–	–	–	–	1	–	–	2	–	–	3	4	–	–	2	–	37
136	15	1	45	4	3	9	3	2	16	5	–	7	36	12	42	20	29	14	39	1	38
127	4	–	22	5	3	7	2	2	6	–	–	1	6	2	21	12	5	6	–	–	39
32	1	–	14	–	2	1	1	–	4	–	–	1	4	1	6	4	5	5	4	–	40
105	3	1	27	4	4	8	2	1	6	–	–	4	6	2	20	6	8	4	7	–	41
222	9	1	59	6	9	12	8	3	21	1	–	3	3	3	31	13	22	19	3	–	42
59	6	–	15	10	2	3	4	1	5	1	–	1	1	2	12	5	7	4	1	1	43
201	5	1	55	2	9	15	9	2	22	1	–	7	13	9	40	19	21	10	9	–	44
34	2	–	7	2	2	–	1	–	2	–	–	2	–	–	5	6	6	2	1	–	45
191	6	2	45	8	11	13	8	2	17	–	–	7	9	3	35	11	13	21	11	1	46
587	21	3	172	38	21	24	18	8	35	2	–	7	6	4	100	26	26	37	4	2	47
110	4	1	26	3	6	3	4	3	8	2	–	4	4	–	10	13	3	6	–	–	48
132	2	2	35	6	6	10	7	3	11	1	–	7	5	4	24	8	11	9	5	1	49
50	4	–	15	–	2	2	2	–	1	–	–	–	2	–	6	1	7	4	2	–	50
164	5	3	32	5	2	9	6	1	21	1	1	4	7	5	29	8	12	6	6	1	51
275	18	3	82	4	6	19	11	2	17	4	–	9	11	8	45	22	25	22	29	1	52
157	4	2	36	4	7	4	7	–	6	2	–	6	1	1	34	14	12	11	7	1	53
56	4	–	11	1	3	4	2	1	2	2	–	–	3	1	12	19	6	7	1	–	54
69	9	–	27	–	2	5	4	–	4	2	–	11	9	3	24	14	14	5	15	–	55
48	–	1	31	2	1	3	2	1	1	–	–	–	1	1	7	4	2	2	2	–	56
59	–	–	8	2	–	5	5	1	6	–	–	2	–	2	13	7	4	4	3	1	57
50	2	1	13	11	1	1	6	1	9	1	–	1	–	2	10	2	4	4	2	1	58
1,537	47	15	407	50	53	90	63	15	115	13	1	24	37	29	281	52	102	87	82	2	59
8,619	370	79	2,427	322	289	528	259	96	668	82	8	201	329	177	1,810	563	697	579	656	19	60
127	5	4	27	3	3	4	2	3	7	–	–	2	11	2	26	11	11	7	11	1	61
61	–	–	20	3	–	4	3	–	9	–	–	1	2	–	13	4	7	8	2	–	62
48	2	3	4	2	–	5	3	1	3	–	–	4	4	–	5	1	4	–	1	–	63
91	3	1	45	3	8	6	12	–	13	–	–	2	4	2	26	4	4	8	5	–	64
148	5	2	29	1	3	4	7	2	7	1	–	1	3	1	20	12	6	5	7	–	65
118	5	1	37	7	5	7	3	1	10	1	–	5	3	–	19	7	8	6	7	–	66
179	8	3	38	2	2	6	7	2	16	1	–	5	6	8	45	28	15	8	8	–	67
25	2	–	12	–	4	4	–	–	1	–	–	1	–	–	5	2	1	3	–	–	68
93	1	1	18	1	3	8	2	2	12	1	–	3	3	2	18	8	9	4	4	–	69
457	21	5	210	28	18	22	22	9	18	3	–	8	13	10	89	15	27	16	15	1	70
108	3	–	23	–	–	3	2	3	9	3	–	3	4	4	15	15	8	6	3	–	71
227	6	–	92	6	15	8	4	1	17	5	–	8	10	8	56	24	20	12	28	1	72
135	5	6	36	11	5	6	4	1	14	–	–	3	8	4	27	15	6	12	6	1	73
121	6	1	26	3	8	6	7	–	9	–	–	5	6	3	33	7	8	4	5	–	74
44	2	–	7	1	1	4	2	1	2	–	–	–	2	1	8	4	2	3	–	–	75
63	4	3	16	1	2	3	3	2	9	2	–	3	1	1	13	4	5	–	2	1	76
149	4	1	49	4	4	11	4	1	7	–	–	–	4	1	28	9	11	6	5	–	77
40	2	–	18	1	1	1	5	2	1	1	–	–	–	1	9	2	2	–	–	–	78
18	–	–	5	1	–	1	–	–	5	–	–	1	1	–	5	1	1	–	2	–	79
390	16	7	116	30	12	19	14	2	26	1	–	3	8	5	59	11	25	33	10	2	80
33	2	1	9	1	2	1	–	–	2	1	–	1	–	–	4	–	5	–	1	1	81
22	2	1	9	–	–	–	–	–	2	–	1	1	3	–	4	6	2	2	5	–	82
227	6	1	62	5	13	9	6	1	21	–	–	4	4	2	43	20	8	12	6	–	83
65	5	–	28	9	1	2	2	1	1	–	–	1	–	–	14	–	4	2	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–155)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Los Angeles—Con.																	
01	Temple City	262	–	–	4	54	9	19	5	6	3	2	10	1	153	100	1	–
02	Torrance	832	1	–	4	189	49	55	18	16	6	6	39	10	436	316	5	1
03	West Covina	387	1	–	1	85	16	24	12	7	5	2	19	4	189	145	4	2
04	Whittier	822	1	–	1	203	40	50	22	17	11	14	49	13	436	327	3	5
05	Balance of county	5,006	12	1	31	1,110	280	258	116	155	41	45	215	80	2,354	1,786	41	25
06	Madera	434	–	–	4	78	26	22	1	12	3	2	12	6	211	171	1	2
07	Madera	179	–	–	4	32	10	9	1	5	–	1	6	4	94	75	–	–
08	Balance of county	255	–	–	–	46	16	13	–	7	3	1	6	2	117	96	1	2
09	Marin	1,504	3	–	13	371	96	69	50	44	14	13	85	21	686	463	14	3
10	Larkspur	31	–	–	1	12	4	1	1	1	2	–	3	1	12	10	–	–
11	Mill Valley	169	–	–	1	41	11	6	2	6	–	2	14	2	76	50	1	–
12	Novato	222	–	–	3	52	9	9	7	4	2	3	18	2	97	61	4	1
13	San Anselmo	101	–	–	–	18	8	5	1	–	–	–	4	2	49	33	1	–
14	San Rafael	434	2	–	4	102	31	21	15	13	2	4	16	5	196	127	3	1
15	Balance of county	547	1	–	4	146	33	27	24	20	8	4	30	9	256	182	5	1
16	Mariposa	99	–	–	–	22	1	7	2	3	–	4	5	1	51	36	–	1
17	Mendocino	491	1	–	2	112	24	35	8	14	5	4	22	10	218	157	5	5
18	Ukiah	114	1	–	–	27	6	9	2	4	1	–	5	1	55	41	–	–
19	Balance of county	377	–	–	2	85	18	26	6	10	4	4	17	9	163	116	5	5
20	Merced	828	3	–	6	186	48	51	17	19	6	5	40	10	345	271	9	1
21	Atwater	73	1	–	–	14	3	3	1	1	1	1	4	1	32	28	–	–
22	Merced	232	1	–	3	53	17	11	6	1	1	1	16	2	96	71	1	–
23	Balance of county	523	1	–	3	119	28	37	10	17	4	3	20	7	217	172	8	1
24	Modoc	103	–	–	–	14	1	5	–	5	1	–	2	2	46	34	1	–
25	Mono	31	–	–	–	5	1	2	–	–	–	–	2	–	11	7	1	–
26	Monterey	1,769	2	2	11	381	114	96	42	25	13	12	79	21	773	536	10	3
27	Monterey	185	–	–	1	36	15	9	4	–	1	2	5	2	89	63	1	–
28	Pacific Grove	182	–	–	–	38	10	6	9	4	–	1	8	2	86	58	–	–
29	Salinas	540	2	1	6	109	34	27	11	7	3	2	25	5	231	154	1	1
30	Seaside	145	–	–	1	25	7	4	4	2	–	–	8	3	66	46	–	1
31	Balance of county	717	–	1	3	173	48	50	14	12	9	7	33	9	301	215	8	1
32	Napa	868	–	–	3	217	53	54	11	25	8	9	57	8	419	300	7	2
33	Napa	473	–	–	1	123	25	33	7	16	7	3	32	4	230	169	6	2
34	Balance of county	395	–	–	2	94	28	21	4	9	1	6	25	4	189	131	1	–
35	Nevada	450	–	–	4	104	29	25	11	9	4	2	24	3	226	165	3	6
36	Orange	10,699	8	1	46	2,514	593	656	238	278	120	109	520	97	5,261	3,864	105	43
37	Anaheim	1,307	1	–	5	294	73	93	20	35	11	12	50	12	642	482	14	4
38	Brea	132	–	–	1	30	8	5	4	6	2	–	5	1	72	63	3	1
39	Buena Park	314	–	–	1	79	14	24	8	8	2	6	17	3	141	102	5	1
40	Costa Mesa	502	1	–	–	123	34	27	12	15	5	4	26	5	244	168	7	6
41	Cypress	144	–	–	2	22	10	6	1	–	2	2	1	1	72	55	3	–
42	Fountain Valley	207	–	–	1	55	16	13	4	1	3	3	15	2	91	62	–	–
43	Fullerton	577	–	–	–	149	41	39	21	17	5	6	20	5	293	205	7	2
44	Garden Grove	719	1	–	4	159	24	53	21	13	13	6	29	8	339	253	5	2
45	Huntington Beach	725	–	–	5	174	36	37	18	16	8	13	46	7	327	236	4	2
46	Laguna Beach	168	–	–	1	32	6	9	6	3	–	–	8	–	90	69	2	1
47	La Habra	295	–	–	1	70	15	20	4	8	1	3	19	2	158	118	–	1
48	Los Alamitos	108	–	–	–	22	6	7	3	2	–	–	4	–	45	33	–	–
49	Newport Beach	432	1	–	–	109	17	24	14	11	6	7	30	3	210	161	7	4
50	Orange	509	–	–	–	113	29	27	8	19	4	–	26	4	269	195	6	3
51	Placentia	130	1	–	–	29	4	7	3	2	–	1	12	–	62	49	2	1
52	San Clemente	231	–	–	2	55	16	17	3	4	3	2	10	1	125	91	5	–
53	Santa Ana	1,270	2	1	9	264	56	76	25	28	15	10	54	13	592	425	9	6
54	Seal Beach	529	–	–	1	119	32	24	9	19	7	5	23	2	314	215	2	2
55	Stanton	123	1	–	–	22	5	7	1	2	1	1	5	–	73	61	2	1
56	Tustin	225	–	–	1	67	14	20	7	8	1	5	12	5	115	86	3	–
57	Westminster	351	–	–	4	86	25	24	9	5	6	2	15	4	167	134	5	1
58	Yorba Linda	85	–	–	–	24	7	6	3	2	2	–	4	–	34	16	–	–
59	Balance of county	1,616	–	–	8	417	105	91	34	54	23	21	89	19	786	585	14	5
60	Placer	814	2	–	2	224	50	62	13	24	11	15	49	6	355	262	9	4
61	Roseville	218	1	–	–	59	13	13	4	6	7	5	11	–	109	83	3	1
62	Balance of county	596	1	–	2	165	37	49	9	18	4	10	38	6	246	179	6	3
63	Plumas	157	–	–	1	27	5	5	7	3	1	2	4	2	72	58	1	4
64	Riverside	5,738	11	–	18	1,161	265	316	97	147	70	47	219	59	2,866	2,049	58	27
65	Banning	173	1	–	1	35	10	7	4	8	1	–	5	1	87	58	–	1
66	Corona	209	2	–	–	35	7	13	3	3	2	–	7	5	96	63	2	3
67	Hemet	545	1	–	–	116	28	25	6	22	8	3	24	4	323	227	6	–
68	India	135	–	–	1	19	4	6	–	3	–	2	4	1	54	36	3	–
69	Norco	84	–	–	–	20	4	8	1	–	3	–	4	1	33	22	–	–
70	Palm Springs	408	–	–	4	102	25	24	15	13	6	4	15	2	205	148	5	5
71	Riverside	1,172	3	–	3	217	56	60	25	20	6	12	38	17	605	425	9	5
72	Balance of county	3,012	4	–	9	617	131	173	43	78	44	26	122	28	1,463	1,070	33	13
73	Sacramento	5,340	8	1	35	1,186	289	316	107	109	52	54	259	67	2,496	1,872	58	25
74	Sacramento	3,075	8	–	22	660	175	172	50	68	24	34	137	38	1,499	1,126	37	17
75	Balance of county	2,265	–	1	13	526	114	144	57	41	28	20	122	29	997	746	21	8
76	San Benito	166	–	–	1	38	13	9	4	5	1	1	5	3	65	51	1	–
77	San Bernardino	6,193	3	–	41	1,181	302	281	97	158	61	49	233	94	2,975	2,104	54	41
78	Barstow	113	–	–	–	20	4	7	2	5	–	–	1	2	52	44	2	1
79	Chino	160	–	–	3	31	6	8	1	7	–	2	7	5	77	56	–	1
80	Colton	184	–	–	1	26	7	3	3	3	–	1	9	1	90	65	3	2
81	Fontana	281	–	–	–	50	9	15	6	8	4	3	5	6	127	90	4	3
82	Montclair	105	1	–	2	19	6	3	1	3	2	–	4	1	47	33	–	–
83	Ontario	523	–	–	3	88	22	17	6	11	6	5	21	11	254	174	3	4
84	Redlands	318	–	–	–	64	16	11	4	9	3	2	19	5	164	107	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
95	4	4	39	6	4	7	3	2	3	1	–	5	4	1	14	3	4	2	1	–	01
296	14	2	81	27	10	9	11	3	24	1	–	7	7	3	54	28	23	16	6	–	02
128	11	2	26	13	3	10	5	2	8	3	–	–	8	5	22	16	12	10	6	–	03
308	11	1	88	11	9	14	6	–	11	1	–	10	6	4	57	23	21	11	4	–	04
1,646	74	9	449	54	56	95	60	18	145	17	3	52	61	37	339	184	174	118	112	3	05
166	2	–	28	6	6	6	11	2	14	–	–	4	12	6	35	20	12	9	4	–	06
74	1	–	13	3	3	3	6	1	6	–	–	1	1	3	13	4	3	3	1	–	07
92	1	–	15	3	3	3	5	1	8	–	–	3	11	3	22	16	9	6	3	–	08
420	26	6	170	25	22	49	18	2	40	3	1	9	6	4	130	34	44	49	12	9	09
10	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	10
48	1	–	23	1	2	4	3	–	4	1	–	3	1	1	20	2	5	3	1	1	11
52	4	–	30	1	5	2	6	–	6	1	1	1	2	1	20	10	8	6	1	3	12
30	2	–	10	3	3	8	2	–	2	–	–	2	–	–	7	2	4	4	1	–	13
112	11	3	52	8	6	22	3	2	11	–	–	2	1	1	37	11	14	15	5	1	14
168	8	3	54	12	5	13	4	–	17	1	–	1	2	1	45	9	13	17	4	4	15
34	1	–	13	1	1	3	2	1	2	–	–	–	1	–	5	3	5	1	2	–	16
139	8	–	42	10	9	20	16	3	11	–	–	4	5	3	37	16	23	9	1	–	17
39	2	–	11	2	1	6	2	1	2	–	–	–	1	1	9	3	3	2	–	–	18
100	6	–	31	8	8	14	14	2	9	–	–	4	4	2	28	13	20	7	1	–	19
248	13	1	56	10	7	22	17	6	25	4	–	8	12	5	79	42	28	13	12	5	20
27	1	–	4	–	–	5	1	–	2	–	–	1	2	–	4	2	2	1	4	1	21
68	2	–	20	3	2	6	5	3	10	3	–	2	2	2	23	5	8	2	3	3	22
153	10	1	32	7	5	11	11	3	13	1	–	5	8	3	52	35	18	10	5	1	23
28	5	–	9	2	1	1	–	1	2	1	–	2	1	3	6	10	8	3	3	–	24
6	–	–	3	1	–	–	–	1	2	–	–	–	–	–	2	7	2	–	–	1	25
489	34	5	180	23	29	63	36	6	49	4	1	15	30	15	147	64	61	47	40	1	26
57	5	–	22	1	3	8	2	–	5	–	–	1	2	2	16	4	10	7	–	–	27
56	2	–	24	4	–	9	5	–	4	–	–	1	–	–	25	4	3	5	–	–	28
137	15	1	59	5	12	17	15	5	14	1	–	3	7	6	51	20	18	15	13	1	29
43	2	1	16	–	3	4	2	–	5	–	–	5	2	–	6	4	7	4	11	–	30
196	10	3	59	13	11	25	12	1	21	3	1	5	19	7	49	32	23	16	16	–	31
270	21	5	93	6	15	34	14	2	22	3	–	7	3	3	65	23	20	18	6	1	32
147	14	3	44	4	10	20	5	–	13	1	–	5	1	2	33	11	12	9	3	–	33
123	7	2	49	2	5	14	9	2	9	2	–	2	2	1	32	12	8	9	3	1	34
147	9	–	40	7	14	4	10	1	11	3	–	1	1	5	33	24	10	9	1	–	35
3,566	150	22	1,051	136	188	216	140	40	246	32	3	93	149	45	761	350	352	245	88	12	36
436	28	4	129	14	13	32	15	4	33	3	1	10	20	7	93	42	47	32	10	4	37
57	2	–	7	1	1	4	2	–	3	1	–	1	1	–	5	3	5	3	–	–	38
93	3	–	28	2	9	3	2	1	13	–	–	1	4	2	19	14	21	9	1	–	39
151	4	2	59	5	10	5	8	1	10	1	–	10	4	4	40	12	14	15	5	–	40
47	5	1	13	1	2	1	2	1	5	1	–	4	1	1	11	6	9	3	2	–	41
60	2	–	21	3	5	3	6	1	6	–	–	2	6	2	10	6	9	5	1	1	42
189	7	2	69	9	8	7	11	–	7	1	–	2	6	6	29	15	21	20	5	–	43
239	7	2	62	12	10	13	10	3	19	2	–	9	19	1	65	28	22	8	7	2	44
219	11	1	72	5	13	10	12	4	19	3	–	5	14	2	55	29	26	27	6	–	45
63	3	–	12	6	3	4	2	3	1	1	–	2	–	1	18	2	6	3	2	–	46
113	4	1	30	3	6	4	1	–	7	4	–	3	5	1	13	9	6	9	1	1	47
33	–	–	8	4	–	2	1	1	9	1	–	1	1	–	14	4	4	3	–	–	48
148	2	–	39	2	8	14	8	–	13	1	–	2	3	–	27	7	18	14	2	–	49
181	5	1	58	5	10	11	5	1	9	3	–	2	3	2	32	21	18	11	5	–	50
41	5	–	7	5	1	4	2	–	1	1	–	2	4	1	5	6	8	3	–	1	51
83	3	–	23	3	8	2	3	1	4	–	–	1	1	1	12	11	5	7	–	–	52
384	26	2	127	16	22	25	20	8	44	3	1	18	28	5	97	56	38	17	28	1	53
203	8	2	71	13	13	19	6	2	4	2	–	–	–	–	43	3	6	7	1	–	54
58	–	–	7	1	4	2	2	–	2	–	–	–	2	–	8	2	2	4	3	–	55
83	–	1	23	3	2	3	2	–	3	–	–	2	3	1	7	8	5	3	–	–	56
121	7	–	22	4	7	8	6	2	8	1	1	4	7	1	24	6	12	8	2	–	57
15	1	–	13	2	3	–	2	–	–	–	–	1	3	–	9	4	2	5	1	–	58
549	17	3	151	17	30	40	12	7	26	3	–	11	14	7	125	56	48	29	6	2	59
238	11	3	72	6	12	20	6	3	13	2	–	5	9	4	77	31	25	25	4	1	60
77	2	–	24	–	2	5	1	1	1	–	–	2	1	–	21	7	5	2	2	1	61
161	9	3	48	6	10	15	5	2	12	2	–	3	8	4	56	24	20	23	2	–	62
46	7	–	9	2	3	6	–	2	5	–	–	–	–	4	17	8	12	–	1	–	63
1,823	141	8	595	108	106	202	81	31	119	12	2	34	51	51	498	202	154	118	67	1	64
52	5	–	25	1	3	6	4	1	4	–	–	1	4	–	15	1	7	–	5	–	65
52	6	–	25	3	5	11	2	–	4	–	–	3	2	4	17	16	7	4	1	–	66
210	11	–	73	13	10	18	3	2	7	1	–	–	–	1	47	3	10	7	2	–	67
31	2	–	11	4	3	3	1	1	1	–	–	2	6	1	16	16	5	2	6	–	68
21	1	–	7	2	2	3	2	–	–	1	–	1	2	2	5	8	2	3	1	–	69
127	11	1	32	15	9	14	5	2	12	2	–	1	1	2	28	9	8	8	3	–	70
378	33	1	130	25	24	51	12	6	18	3	–	4	14	18	94	42	31	22	12	–	71
952	72	6	292	45	50	96	52	19	73	5	2	22	22	23	276	107	84	72	37	1	72
1,648	141	14	471	60	79	124	84	26	161	25	–	47	47	55	421	179	165	129	68	16	73
994	78	7	285	32	49	72	48	16	107	16	–	21	16	32	232	81	88	67	40	12	74
654	63	7	186	28	30	52	36	10	54	9	–	26	31	23	189	98	77	62	28	4	75
47	3	–	11	–	3	9	2	2	5	4	–	1	1	1	16	8	2	6	2	–	76
1,885	124	14	685	77	95	203	87	20	132	18	1	61	73	57	570	246	167	119	105	40	77
37	4	2	4	1	1	1	–	–	2	–	–	3	–	1	13	9	4	2	3	1	78
48	7	1	17	2	1	3	2	–	5	1	–	3	7	–	7	10	2	2	1	1	79
53	7	–	16	5	4	10	2	–	9	–	–	–	2	1	26	7	3	2	4	–	80
76	7	1	28	2	6	14	1	–	7	–	–	4	3	2	35	12	5	7	6	2	81
33	–	–	9	3	2	1	5	–	1	–	–	2	3	1	8	5	5	2	1	1	82
160	7	1	55	14	10	13	11	2	10	–	–	14	11	4	46	18	17	5	10	6	83
100	3	–	44	8	5	17	3	1	9	2	–	–	3	–	20	5	11	5	7	2	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	San Bernardino—Con.																	
01	Rialto	214	–	–	3	36	5	8	4	5	2	3	9	3	109	82	1	–
02	San Bernardino	1,076	1	–	11	196	56	46	21	23	10	3	37	13	511	356	10	5
03	Upland	246	–	–	2	55	11	15	5	7	2	3	12	3	126	90	4	2
04	Victorville	123	–	–	–	25	6	6	1	3	1	2	6	1	64	45	–	1
05	Balance of county	2,850	1	–	16	571	154	142	43	74	31	24	103	43	1,354	962	24	21
06	San Diego	12,101	17	1	80	2,725	704	690	269	279	129	111	543	122	5,681	3,952	114	47
07	Carlsbad	185	–	–	1	33	6	11	2	3	1	3	7	1	106	82	5	3
08	Chula Vista	570	–	–	3	137	32	42	12	16	9	3	23	10	258	191	4	2
09	Coronado	140	–	–	2	29	7	10	1	3	1	–	7	3	75	47	2	1
10	El Cajon	524	–	1	6	109	27	26	9	7	4	11	25	5	243	166	2	3
11	Escondido	571	2	–	3	154	44	40	7	20	10	2	31	6	257	189	7	1
12	Imperial Beach	109	–	–	–	25	7	10	3	2	–	1	2	–	42	32	2	2
13	La Mesa	365	–	–	–	90	25	22	7	7	4	1	24	3	188	122	3	3
14	National City	263	–	–	–	50	16	10	5	6	3	1	9	8	125	93	3	1
15	Oceanside	506	2	–	3	134	31	44	6	17	6	3	27	7	214	158	5	4
16	San Diego	5,787	12	–	41	1,255	333	300	135	118	63	65	241	52	2,788	1,891	57	17
17	Vista	363	1	–	2	94	20	29	11	10	5	3	16	3	168	120	5	–
18	Balance of county	2,718	–	–	19	615	156	146	71	70	23	18	131	24	1,217	861	19	10
19	San Francisco (excl. with San Francisco city	7,750	14	1	73	1,684	527	375	148	173	57	60	344	105	3,677	2,675	61	37
20	San Joaquin	2,760	8	–	12	567	125	151	39	66	22	27	137	45	1,264	908	23	18
21	Lodi	317	–	–	3	62	9	17	6	6	5	5	14	9	175	114	3	3
22	Manteca	109	–	–	–	24	4	6	1	3	–	3	7	1	32	25	1	–
23	Stockton	1,235	7	–	5	241	48	69	14	31	6	11	62	22	557	396	14	10
24	Tracy	157	–	–	–	33	9	12	1	3	–	1	7	1	69	53	–	1
25	Balance of county	942	1	–	4	207	55	47	17	23	11	7	47	12	431	320	5	4
26	San Luis Obispo	1,155	–	–	9	238	70	60	12	31	5	10	50	10	563	399	14	12
27	San Luis Obispo	214	–	–	4	39	9	9	2	5	1	–	13	3	120	84	1	2
28	Balance of county	941	–	–	5	199	61	51	10	26	4	10	37	7	443	315	13	10
29	San Mateo	4,097	5	1	19	1,011	276	249	91	106	46	37	206	52	1,900	1,379	47	13
30	Belmont	129	1	–	2	32	10	6	5	5	1	2	3	2	53	36	1	–
31	Burlingame	320	–	–	1	75	20	18	9	10	6	3	9	3	179	130	5	2
32	Daly City	467	1	–	2	99	31	22	9	14	3	1	19	8	220	162	7	1
33	Menlo Park	322	–	–	1	79	21	20	11	9	1	3	14	5	157	108	6	–
34	Millbrae	134	–	–	–	32	9	12	1	2	1	–	7	1	68	46	2	1
35	Pacifica	169	–	–	2	40	13	12	3	3	–	–	9	5	66	48	2	1
36	Redwood City	562	1	–	4	126	28	30	10	15	9	5	29	9	259	178	9	1
37	San Bruno	215	–	–	–	63	15	24	5	4	–	3	12	4	101	76	1	1
38	San Carlos	203	–	–	2	49	13	13	2	5	3	1	12	1	94	63	2	2
39	San Mateo	680	1	–	3	182	48	42	17	17	12	9	37	7	307	212	7	2
40	South San Francisco	292	–	1	1	78	28	18	3	6	6	2	15	4	120	91	2	–
41	Balance of county	604	1	–	1	156	40	32	16	16	4	8	40	3	276	179	3	2
42	Santa Barbara	2,209	1	–	12	500	135	111	62	56	17	17	102	31	1,111	801	24	3
43	Lompoc	126	–	–	1	22	4	13	2	3	–	–	–	–	64	50	–	–
44	Santa Barbara	920	–	–	6	203	55	41	20	30	1	5	51	14	472	328	8	–
45	Santa Maria	307	1	–	2	66	15	13	8	9	4	3	14	1	167	127	4	1
46	Balance of county	856	–	–	3	209	61	44	32	14	12	9	37	16	408	296	12	2
47	Santa Clara	6,796	8	–	40	1,474	346	357	150	160	57	54	350	92	3,141	2,263	55	15
48	Campbell	211	–	–	1	45	16	11	4	3	–	2	9	2	93	66	2	–
49	Cupertino	185	–		1	51	11	14	5	5	1	4	11	2	82	55	1	–
50	Gilroy	119	–	–	1	26	9	9	2	–	1	–	5	2	44	34	1	–
51	Los Altos	209	–	–	–	55	13	7	6	13	–	2	14	1	100	69	2	–
52	Los Gatos	260	–	–	–	57	11	14	8	9	3	3	9	1	144	95	1	2
53	Milpitas	119	–	–	1	32	6	13	2	–	–	3	8	4	48	38	–	1
54	Mountain View	381	–	–	3	72	12	22	7	7	2	1	21	3	178	135	6	1
55	Palo Alto	427	–	–	–	100	21	23	15	15	4	4	18	5	235	152	8	1
56	San Jose	3,210	7	–	23	658	169	155	58	63	22	24	167	48	1,451	1,082	24	6
57	Santa Clara	479	–	–	4	107	28	24	15	16	6	–	18	8	220	166	3	2
58	Saratoga	197	–	–	–	57	17	11	4	5	4	–	16	2	100	66	–	–
59	Sunnyvale	627	1	–	3	132	22	29	15	14	9	3	40	9	297	205	3	1
60	Balance of county	372	–	–	3	82	11	25	9	10	5	8	14	5	149	100	4	1
61	Santa Cruz	1,570	1	–	10	338	96	80	29	41	12	14	66	15	795	566	13	15
62	Santa Cruz	467	1	–	4	106	32	23	9	11	3	3	25	3	238	163	4	2
63	Watsonville	237	–	–	1	53	13	14	4	8	3	3	8	3	108	74	1	3
64	Balance of county	866	–	–	5	179	51	43	16	22	6	8	33	9	449	329	8	10
65	Shasta	858	1	–	7	176	41	51	12	19	7	8	38	16	378	280	8	7
66	Redding	335	1	–	5	71	15	18	4	13	3	3	15	10	152	114	2	1
67	Balance of county	523	–	–	2	105	26	33	8	6	4	5	23	6	226	166	6	6
68	Sierra	26	–	–	1	6	3	1	1	–	–	–	1	–	6	4	–	–
69	Siskiyou	361	–	–	1	80	17	27	3	10	3	5	15	6	167	110	4	2
70	Solano	1,293	1	–	16	262	74	65	33	25	9	11	45	17	561	403	15	4
71	Fairfield	185	–	–	–	37	11	10	1	2	4	2	7	–	86	60	4	1
72	Vacaville	160	–	–	2	39	16	8	6	4	1	–	4	3	60	44	2	–
73	Vallejo	684	1	–	12	133	35	32	20	14	3	6	23	12	292	207	6	2
74	Balance of county	264	–	–	2	53	12	15	6	5	1	3	11	2	123	92	3	1
75	Sonoma	2,409	3	1	15	529	139	106	53	51	18	22	140	32	1,124	802	30	11
76	Petaluma	247	–	–	7	62	21	17	4	4	2	2	12	3	106	69	3	2
77	Santa Rosa	822	2	–	4	191	50	35	27	17	6	10	46	13	390	283	14	1
78	Balance of county	1,340	1	1	4	276	68	54	22	30	10	10	82	16	628	450	13	8
79	Stanislaus	1,932	3	–	6	386	88	107	33	37	17	22	82	36	926	657	11	1
80	Modesto	740	2	–	4	161	35	50	16	14	8	6	32	8	347	247	4	–
81	Turlock	215	–	–	–	32	10	7	2	4	–	2	7	3	126	97	3	–
82	Balance of county	977	1	–	2	193	43	50	15	19	9	14	43	25	453	313	4	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
79	2	1	25	–	1	5	3	–	–	3	–	1	3	–	19	9	7	9	4	–	01
319	22	3	129	10	13	44	15	5	31	1	1	6	13	13	98	29	32	20	28	8	02
83	1	–	32	3	1	3	5	1	3	–	–	3	–	3	19	9	3	6	3	2	03
43	1	–	18	–	1	2	2	1	4	1	–	1	1	–	9	5	4	2	1	–	04
854	63	5	308	29	50	90	38	10	51	10	–	24	27	32	270	128	74	57	37	17	05
3,609	182	40	1,279	201	209	295	214	47	276	40	3	96	113	116	986	400	449	291	120	29	06
68	6	–	20	3	1	4	1	1	7	–	–	–	1	–	13	7	7	2	1	–	07
177	8	–	53	7	7	12	8	1	16	1	–	3	13	4	49	23	16	11	5	–	08
41	3	2	16	3	7	5	3	2	2	–	–	–	2	–	10	–	4	–	2	1	09
157	4	–	61	8	8	14	12	3	15	5	–	2	6	7	35	17	28	13	2	1	10
170	11	2	46	10	10	20	10	2	5	4	–	6	2	3	55	16	13	9	3	1	11
27	1	1	7	–	2	2	1	1	2	–	–	4	2	4	9	9	3	4	–	1	12
108	8	3	50	8	5	8	13	1	3	–	–	2	–	2	29	12	7	6	1	–	13
83	6	–	27	1	4	5	4	1	8	1	1	5	4	7	20	6	8	7	3	–	14
146	3	2	40	5	9	4	10	2	11	–	1	4	11	7	41	22	17	9	6	1	15
1,743	74	18	667	106	106	139	99	19	143	18	–	43	46	49	470	164	227	144	62	16	16
110	5	2	33	6	7	12	6	–	4	1	–	3	3	3	29	9	10	8	7	–	17
779	53	10	259	44	43	70	47	14	60	10	1	24	23	30	226	115	109	78	28	8	18
2,424	153	13	749	109	131	220	110	28	263	26	2	31	48	29	715	97	238	218	131	40	19
819	48	10	253	41	52	85	37	13	72	10	–	30	30	28	266	104	103	49	28	9	20
100	8	–	45	5	11	8	3	1	5	–	–	4	3	2	27	3	6	4	2	–	21
23	1	–	6	–	1	6	4	3	5	1	–	2	4	1	14	6	3	3	–	–	22
352	20	6	114	22	19	34	14	5	37	5	–	15	13	17	121	42	60	18	17	5	23
52	–	1	12	1	2	7	2	1	1	–	–	–	2	1	25	6	3	5	1	–	24
292	19	3	76	13	19	30	14	3	24	4	–	9	8	7	79	47	31	19	8	4	25
347	26	2	113	18	31	35	22	6	21	5	–	7	6	3	132	44	24	23	7	–	26
75	6	2	29	1	4	3	2	–	5	2	–	1	–	–	22	8	4	1	–	–	27
272	20	–	84	17	27	32	20	6	16	3	–	6	6	3	110	36	20	22	7	–	28
1,203	66	5	429	53	84	109	59	11	125	16	–	28	33	17	343	86	114	114	35	19	29
34	1	–	12	2	3	3	1	–	7	2	–	1	–	–	9	5	3	8	–	–	30
116	7	–	40	3	6	8	4	–	9	1	–	–	2	1	19	2	8	5	3	–	31
145	9	1	44	5	8	6	8	1	13	4	–	3	5	7	42	10	13	13	9	3	32
94	8	–	42	3	4	14	4	3	7	2	–	1	4	–	22	4	9	9	1	–	33
42	1	–	18	1	3	3	2	–	3	–	–	1	–	2	14	2	4	1	–	1	34
43	2	1	12	2	3	3	3	–	3	1	–	3	3	–	17	9	5	5	2	2	35
163	5	–	56	5	20	22	9	–	17	–	–	4	2	1	58	14	14	16	6	–	36
70	4	–	15	5	5	5	2	1	8	–	–	1	1	–	17	2	5	5	–	–	37
55	4	–	26	2	3	3	2	2	10	–	–	1	5	1	21	1	5	6	–	–	38
196	7	1	71	9	14	30	13	–	13	2	–	7	5	2	59	12	18	12	4	3	39
83	6	–	22	3	4	5	2	–	20	1	–	1	4	1	24	4	9	12	1	4	40
162	12	2	71	13	11	7	9	4	15	3	–	5	2	2	41	21	21	22	9	6	41
729	45	2	239	29	40	51	38	12	45	6	–	13	16	11	193	50	61	41	13	4	42
46	4	–	7	1	6	3	2	2	1	–	–	3	–	–	18	3	2	2	3	–	43
305	15	–	120	13	11	23	18	4	20	2	–	5	4	6	88	9	23	19	2	2	44
115	7	–	25	7	8	11	1	3	5	1	–	1	3	1	21	8	6	7	2	–	45
263	19	2	87	8	15	14	17	3	19	3	–	4	9	4	66	30	30	13	6	2	46
2,067	126	14	667	85	112	226	85	21	195	17	3	55	78	28	617	233	188	209	80	6	47
63	1	1	21	1	4	5	4	–	7	1	–	2	2	2	29	7	2	8	1	–	48
51	3	1	20	2	4	7	3	1	3	–	–	3	–	–	12	6	4	8	1	1	49
33	–	–	6	1	3	5	1	–	6	–	–	1	2	1	12	7	3	5	3	–	50
60	7	–	23	3	5	7	4	2	2	1	–	4	1	–	14	1	10	6	–	1	51
87	5	–	37	6	6	9	7	–	6	1	–	–	–	–	16	5	6	7	1	–	52
37	–	–	9	–	1	2	4	–	3	1	–	–	4	1	4	2	5	7	1	–	53
119	9	2	32	2	7	13	4	1	11	–	–	3	4	2	31	18	11	21	5	1	54
136	7	1	57	16	9	15	2	–	6	–	–	–	2	1	33	9	7	12	–	–	55
984	68	6	285	36	42	111	35	14	102	9	3	29	54	17	309	116	80	95	47	2	56
153	8	2	36	5	11	10	7	1	16	2	–	2	3	1	48	14	18	10	8	–	57
63	3	–	31	2	1	6	2	–	3	2	–	–	–	–	15	3	1	5	1	–	58
190	11	1	70	7	14	19	9	–	24	–	–	8	1	2	60	22	17	16	7	–	59
91	4	–	40	4	5	17	3	2	6	–	–	3	5	1	34	23	24	9	5	1	60
501	37	5	183	27	14	54	21	5	27	3	–	4	16	20	139	40	42	30	10	–	61
147	10	2	70	1	2	14	8	–	10	2	–	2	1	5	40	6	15	9	3	–	62
64	6	–	23	9	2	5	7	–	7	–	–	1	5	2	22	10	5	7	1	–	63
290	21	3	90	17	10	35	6	5	10	1	–	1	10	13	77	24	22	14	6	–	64
245	20	2	67	20	9	15	25	4	14	2	–	4	5	18	102	28	33	21	9	–	65
99	12	1	28	6	3	6	14	3	6	–	–	1	3	6	28	4	12	11	2	–	66
146	8	1	39	14	6	9	11	1	8	2	–	3	2	12	74	24	21	10	7	–	67
4	–	–	2	–	–	1	–	1	1	–	–	–	1	–	3	2	3	1	–	–	68
98	6	–	46	6	5	9	5	2	4	1	–	2	4	2	27	21	12	14	4	–	69
361	23	2	127	9	20	38	22	6	46	6	–	8	11	11	169	28	52	29	10	–	70
53	2	–	21	2	3	3	1	–	5	–	–	1	6	2	23	7	10	4	–	–	71
40	2	–	15	–	1	4	4	–	5	–	–	1	1	1	21	6	7	5	1	–	72
188	11	2	65	6	12	25	11	4	29	4	–	4	4	4	97	7	23	15	7	–	73
80	8	–	26	1	4	6	6	2	7	2	–	2	–	4	28	8	12	5	2	–	74
698	63	7	224	45	46	96	39	6	44	4	–	14	23	19	244	85	57	55	13	6	75
60	4	1	26	5	5	7	3	–	6	–	–	1	2	1	26	16	2	3	1	1	76
245	23	3	78	10	16	35	15	2	14	–	–	5	6	4	76	21	18	23	1	2	77
393	36	3	120	30	25	54	21	4	24	4	–	8	15	14	142	48	37	29	11	3	78
608	37	1	217	29	22	69	22	9	38	2	–	16	11	5	175	93	76	31	27	1	79
224	19	–	88	5	7	26	7	4	17	–	–	10	4	–	72	24	32	10	11	1	80
90	4	–	24	3	2	8	1	–	5	–	–	2	1	1	15	12	7	1	1	–	81
294	14	1	105	21	13	35	14	5	16	2	–	4	6	4	88	57	37	20	15	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
01	Sutter	419	1	–	3	87	16	24	3	13	6	4	21	5	202	139	8	2
02	Yuba City	176	–	–	3	29	6	11	–	4	2	–	6	3	89	57	6	1
03	Balance of county	243	1	–	–	58	10	13	3	9	4	4	15	2	113	82	2	1
04	Tehama	331	–	–	3	78	15	36	4	4	1	4	14	4	162	118	–	–
05	Trinity	98	–	–	1	18	5	7	1	2	1	–	2	–	46	36	1	–
06	Tulare	1,766	3	–	12	357	86	102	27	39	16	16	71	24	809	575	15	5
07	Porterville	178	–	–	–	33	10	11	2	4	1	1	4	1	86	56	2	–
08	Tulare	222	–	–	2	46	6	18	7	5	–	1	9	3	91	63	1	–
09	Visalia	347	–	–	2	74	23	15	6	5	2	6	17	8	182	128	3	–
10	Balance of county	1,019	3	–	8	204	47	58	12	25	13	8	41	12	450	328	9	5
11	Tuolumne	272	–	–	–	52	8	16	7	5	3	2	11	6	132	91	5	–
12	Ventura	2,835	4	–	19	617	151	188	59	61	24	28	106	38	1,297	935	33	7
13	Camarillo	181	–	–	2	49	9	11	8	6	3	3	9	1	80	53	1	–
14	Oxnard	550	–	–	4	108	19	37	12	14	8	6	12	11	235	158	6	3
15	Port Hueneme	101	1	–	–	19	4	6	3	1	–	–	5	–	47	36	1	1
16	Santa Paula	205	–	–	2	31	8	11	3	2	–	2	5	2	111	77	5	1
17	Simi Valley	274	–	–	2	71	15	28	4	6	1	3	14	2	92	73	4	–
18	Thousand Oaks	194	–	–	2	50	14	17	4	4	–	3	8	4	98	72	4	–
19	Ventura	566	2	–	5	118	26	35	11	10	7	2	27	10	278	203	5	1
20	Balance of county	764	1	–	2	171	56	43	14	18	5	9	26	8	356	263	7	1
21	Yolo	759	3	1	5	159	33	48	14	23	9	3	29	14	330	243	4	3
22	Davis	104	–	–	–	29	5	4	1	8	2	1	8	1	40	26	2	–
23	Woodland	230	2	–	1	46	7	17	5	5	1	1	10	4	107	82	–	2
24	Balance of county	425	1	1	4	84	21	27	8	10	6	1	11	9	183	135	2	1
25	Yuba	359	1	–	2	71	17	21	7	10	3	2	11	5	155	124	–	3
26	**Colorado**	**17,897**	**18**	**–**	**138**	**3,302**	**927**	**684**	**287**	**366**	**168**	**164**	**706**	**249**	**8,281**	**6,088**	**168**	**155**
27	Urban places	11,608	13	–	91	2,181	607	439	200	250	113	112	460	140	5,412	3,964	117	124
28	Balance of area	6,289	5	–	47	1,121	320	245	87	116	55	52	246	109	2,869	2,124	51	31
29	Metropolitan counties	11,892	16	–	94	2,263	632	474	210	251	110	111	475	158	5,394	3,970	117	121
30	Urban places	10,157	12	–	84	1,917	538	388	176	219	93	100	403	126	4,679	3,435	105	115
31	Balance of area	1,735	4	–	10	346	94	86	34	32	17	11	72	32	715	535	12	6
32	Nonmetropolitan counties	6,005	2	–	44	1,039	295	210	77	115	58	53	231	91	2,887	2,118	51	34
33	Urban places	1,451	1	–	7	264	69	51	24	31	20	12	57	14	733	529	12	9
34	Balance of area	4,554	1	–	37	775	226	159	53	84	38	41	174	77	2,154	1,589	39	25
35	Adams	1,098	2	–	11	219	56	52	22	12	10	10	57	16	432	332	8	13
36	Arvada, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
37	Aurora, part	152	–	–	2	30	3	8	4	3	2	1	9	–	64	53	–	3
38	Commerce City	142	–	–	1	27	7	4	5	1	1	2	7	1	49	38	1	2
39	North Glenn	94	1	–	1	17	4	4	2	–	–	2	5	3	38	29	–	2
40	Thornton	107	–	–	1	16	6	3	1	2	–	2	2	1	46	34	2	3
41	Westminster	156	–	–	3	41	9	10	3	3	2	1	13	–	57	48	1	3
42	Balance of county	445	1	–	3	88	27	23	7	3	5	2	21	11	176	129	4	–
43	Alamosa	91	–	–	–	20	6	6	1	–	2	3	2	1	40	30	–	3
44	Arapahoe	1,053	–	–	7	197	55	54	15	15	9	10	39	9	502	365	7	13
45	Aurora, part	343	–	–	2	60	17	12	5	8	1	5	12	2	162	121	5	8
46	Aurora, total	495	–	–	4	90	20	20	9	11	3	6	21	2	226	174	5	11
47	Englewood	274	–	–	2	56	15	18	6	2	5	2	8	1	138	100	1	1
48	Littleton	258	–	–	1	46	12	16	2	2	2	–	12	2	130	83	1	2
49	Balance of county	178	–	–	2	35	11	8	2	3	1	3	7	4	72	61	–	2
50	Archuleta	17	–	–	1	3	2	–	–	–	–	–	1	–	5	4	–	–
51	Baca	53	–	–	–	7	2	1	1	–	–	1	2	1	24	21	–	–
52	Bent	58	–	–	–	6	2	2	–	–	–	–	2	–	29	21	–	–
53	Boulder	895	–	–	5	171	51	29	18	19	10	5	39	19	411	275	8	1
54	Boulder	392	–	–	4	69	18	10	7	11	5	3	15	12	183	110	4	1
55	Longmont	248	–	–	–	51	17	9	4	4	3	2	12	2	124	92	2	–
56	Balance of county	255	–	–	1	51	16	10	7	4	2	–	12	5	104	73	2	–
57	Chaffee	116	–	–	–	14	3	2	2	1	2	1	3	1	49	36	1	–
58	Cheyenne	12	–	–	–	2	–	1	1	–	–	–	–	–	3	3	–	–
59	Clear Creek	29	–	–	–	7	2	2	1	1	–	–	1	1	9	6	–	1
60	Conejos	69	–	–	2	13	4	3	1	2	–	–	3	2	28	20	1	–
61	Costilla	20	–	–	–	5	2	–	1	1	1	–	–	–	7	6	–	–
62	Crowley	52	–	–	2	8	4	3	–	–	–	–	1	–	25	18	–	–
63	Custer	6	–	–	–	1	–	1	–	–	–	–	–	–	2	1	–	–
64	Delta	215	–	–	2	40	8	10	4	5	1	2	10	2	103	76	1	–
65	Denver, coext. with Denver city	4,533	7	–	39	831	254	165	59	101	39	38	175	57	2,099	1,567	52	60
66	Dolores	9	–	–	1	–	–	–	–	–	–	–	–	1	5	4	–	–
67	Douglas	71	–	–	–	22	5	4	3	2	–	1	7	–	32	20	–	1
68	Eagle	39	–	–	1	5	–	2	–	2	–	1	–	–	6	5	1	–
69	Elbert	31	–	–	–	4	1	1	2	–	–	–	–	–	18	15	1	1
70	El Paso	1,606	4	–	17	307	80	60	41	40	12	20	54	17	714	501	13	5
71	Colorado Springs	1,274	2	–	14	250	64	44	33	34	10	18	47	14	574	401	12	4
72	Balance of county	332	2	–	3	57	16	16	8	6	2	2	7	3	140	100	1	1
73	Fremont	385	–	–	–	59	13	11	–	12	4	8	11	5	209	138	3	2
74	Garfield	145	–	–	2	24	4	12	1	1	–	1	5	4	66	48	3	–
75	Gilpin	10	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–
76	Grand	38	–	–	1	7	1	1	–	–	–	–	5	–	14	11	–	1
77	Gunnison	46	–	–	–	6	2	–	1	1	–	–	2	1	26	15	–	–
78	Hinsdale	6	–	–	–	2	–	1	–	–	–	–	1	–	2	2	–	–
79	Huerfano	81	–	–	–	17	8	3	1	2	–	–	3	1	40	33	1	2
80	Jackson	10	–	–	–	2	2	–	–	–	–	–	–	–	6	6	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
106	23	–	44	7	12	7	10	1	6	1	–	3	2	2	34	35	12	4	4	–	01
40	10	–	22	4	6	4	8	–	3	–	–	2	1	–	16	10	5	1	2	–	02
66	13	–	22	3	6	3	2	1	3	1	–	1	1	2	18	25	7	3	2	–	03
111	7	1	28	10	5	9	5	1	2	1	–	2	2	3	24	14	14	6	1	–	04
34	1	–	9	–	1	2	3	1	2	1	–	–	1	2	5	5	7	2	2	–	05
531	24	4	169	36	25	74	21	10	48	7	–	20	25	16	146	69	55	35	35	–	06
53	1	–	22	5	3	18	–	1	5	1	–	–	1	1	14	4	6	4	3	–	07
58	4	1	19	3	5	5	4	1	9	1	–	4	3	3	21	11	10	2	6	–	08
119	6	1	41	6	6	14	4	2	4	–	–	5	4	1	18	6	12	8	3	–	09
301	13	2	87	22	11	37	13	6	30	5	–	11	17	11	93	48	27	21	23	–	10
79	7	1	26	7	7	12	5	–	2	–	–	1	–	1	25	16	11	7	2	–	11
841	54	5	282	42	33	55	54	7	75	13	–	36	36	16	281	122	58	73	31	3	12
50	2	–	20	1	6	7	3	1	1	–	–	4	–	2	15	9	–	5	1	1	13
142	7	1	61	8	7	11	7	2	29	5	–	8	11	8	50	28	8	6	19	–	14
33	1	1	6	3	1	6	2	–	3	1	–	–	1	–	13	4	3	1	–	–	15
65	6	–	24	8	2	4	3	–	7	2	–	1	1	–	24	9	2	3	3	–	16
64	5	–	14	1	4	5	4	–	8	–	–	6	8	2	26	19	11	16	1	1	17
65	3	–	22	3	1	3	4	–	6	1	–	–	3	–	8	5	5	5	–	–	18
180	17	1	61	6	7	6	10	2	9	3	–	5	5	1	64	9	14	22	3	–	19
242	13	2	74	12	5	13	21	2	12	1	–	12	7	3	81	39	15	15	4	1	20
219	17	1	65	8	13	34	16	3	21	3	–	7	5	4	67	35	18	20	12	2	21
23	1	–	12	–	2	5	–	–	–	1	–	3	–	–	9	2	2	8	3	1	22
77	3	–	20	4	1	12	6	–	3	1	–	2	1	1	18	11	3	7	4	1	23
119	13	1	33	4	10	17	10	3	18	1	–	2	4	3	40	22	13	5	5	–	24
112	9	1	25	–	5	14	6	1	11	1	–	2	2	3	31	18	16	15	3	2	25
5,223	**542**	**46**	**1,483**	**362**	**302**	**635**	**301**	**73**	**281**	**68**	**6**	**162**	**216**	**145**	**1,891**	**707**	**678**	**530**	**174**	**42**	26
3,381	342	31	990	223	204	409	189	45	217	49	5	108	145	94	1,263	358	388	353	119	29	27
1,842	200	15	493	139	98	226	112	28	64	19	1	54	71	51	628	349	290	177	55	13	28
3,375	357	34	962	229	199	412	196	43	222	47	4	113	155	102	1,294	405	432	382	129	31	29
2,906	309	28	843	199	174	357	168	38	203	40	4	96	133	88	1,111	300	354	312	108	27	30
469	48	6	119	30	25	55	28	5	19	7	–	17	22	14	183	105	78	70	21	4	31
1,848	185	12	521	133	103	223	105	30	59	21	2	49	61	43	597	302	246	148	45	11	32
475	33	3	147	24	30	52	21	7	14	9	1	12	12	6	152	58	34	41	11	2	33
1,373	152	9	374	109	73	171	84	23	45	12	1	37	49	37	445	244	212	107	34	9	34
267	44	3	69	13	15	53	16	1	22	8	–	13	22	12	127	45	42	39	17	1	35
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36
44	6	–	10	–	1	4	4	–	6	–	–	3	4	2	15	3	4	8	3	–	37
28	7	–	9	–	2	6	1	–	6	–	–	1	5	4	19	11	4	5	2	–	38
23	4	1	5	2	1	4	2	–	1	1	–	1	–	–	12	8	2	2	1	–	39
25	4	1	9	1	1	4	2	–	2	–	–	3	1	2	9	6	7	3	3	1	40
39	5	–	7	1	1	8	1	–	2	2	–	1	2	1	17	4	7	8	2	–	41
107	18	1	28	9	9	27	6	1	5	5	–	4	10	3	55	13	18	13	6	–	42
25	2	–	9	–	1	1	2	–	1	–	–	–	1	1	10	5	4	5	–	–	43
320	25	7	100	18	12	26	19	4	14	5	–	12	17	5	105	38	43	39	7	4	44
99	9	2	29	5	5	6	4	1	3	–	–	4	7	2	46	13	8	17	3	3	45
143	15	2	39	5	6	10	8	1	9	–	–	7	11	4	61	16	12	25	6	3	46
90	8	1	29	5	3	7	6	2	7	2	–	4	4	–	23	5	11	5	1	–	47
74	6	4	33	6	4	8	7	1	2	2	–	2	2	3	17	11	20	3	–	1	48
57	2	–	9	2	–	5	2	–	2	1	–	2	4	–	19	9	4	14	3	–	49
4	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	2	1	1	1	–	50
18	3	–	2	1	–	4	–	–	–	–	–	–	1	–	6	7	3	–	–	–	51
19	2	–	7	1	–	7	2	–	1	1	–	–	–	1	6	–	4	–	1	–	52
234	32	3	85	32	16	28	9	1	9	3	1	12	6	10	94	45	36	28	5	2	53
95	10	1	45	18	9	11	–	1	3	3	1	6	2	2	48	14	15	14	3	1	54
79	11	1	18	9	4	9	3	–	4	–	–	2	1	3	26	11	7	5	–	–	55
60	11	1	22	5	3	8	6	–	2	–	–	4	3	5	20	20	14	9	2	1	56
34	1	–	7	4	2	8	1	2	–	–	–	–	3	4	14	4	10	6	–	–	57
3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	1	1	–	–	1	58
5	–	1	2	–	–	1	–	–	–	–	–	–	1	–	2	3	4	1	–	–	59
17	2	1	5	1	1	3	–	–	2	1	–	1	–	1	5	4	2	3	1	1	60
4	2	–	–	–	1	1	–	–	–	1	–	–	–	–	3	1	–	1	1	–	61
17	1	–	4	2	1	1	4	1	–	–	–	–	2	–	5	1	2	1	–	–	62
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	63
70	5	2	19	1	5	12	7	3	1	1	–	3	1	–	16	9	9	5	1	–	64
1,288	167	12	339	93	88	162	74	15	110	19	2	37	54	32	524	106	142	139	70	14	65
3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	66
18	1	–	10	1	1	1	–	–	–	–	–	1	–	–	6	3	2	1	3	–	67
3	1	–	–	1	–	1	1	–	–	1	–	1	1	2	6	8	4	2	–	–	68
12	1	–	2	–	1	–	1	1	–	–	–	–	1	–	1	2	2	1	–	–	69
445	38	2	158	29	24	47	38	10	18	3	–	22	25	21	167	61	72	46	14	3	70
353	32	–	130	23	20	40	32	8	16	3	–	18	22	16	132	40	50	32	10	1	71
92	6	2	28	6	4	7	6	2	2	–	–	4	3	5	35	21	22	14	4	2	72
125	8	–	41	22	8	13	8	6	3	2	1	1	–	1	39	16	8	7	7	–	73
39	6	–	12	2	4	3	–	–	1	–	–	1	–	3	25	8	5	1	1	1	74
3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	75
9	1	–	1	1	1	–	–	–	1	–	–	–	1	–	2	7	4	1	–	–	76
11	4	–	8	2	1	1	–	–	–	–	–	1	–	–	5	2	2	1	–	1	77
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	78
29	1	–	4	2	1	4	–	–	2	–	–	1	–	–	10	2	2	2	–	–	79
6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Colorado—Con.																	
01	Jefferson	1,668	1	–	10	356	83	75	39	47	17	19	76	21	745	560	16	23
02	Arvada, part	295	–	–	1	71	16	11	9	8	4	8	15	4	118	84	5	1
03	Arvada, total	297	–	–	1	71	16	11	9	8	4	8	15	4	120	85	5	1
04	Lakewood	668	–	–	2	141	34	31	14	18	8	5	31	9	299	235	4	17
05	Wheat Ridge	281	–	–	6	50	11	7	9	7	2	2	12	2	154	112	2	2
06	Balance of county	424	1	–	1	94	22	26	7	14	3	4	18	6	174	129	5	3
07	Kiowa	17	–	–	–	2	1	–	–	–	–	–	1	–	11	5	–	–
08	Kit Carson	77	–	–	2	15	8	–	1	–	1	1	4	1	34	25	–	–
09	Lake	35	–	–	–	6	1	1	–	–	–	2	2	–	12	9	–	–
10	La Plata	172	–	–	1	36	10	7	2	9	1	2	5	3	80	54	–	–
11	Durango	101	–	–	–	22	5	5	2	5	1	2	2	1	52	35	–	–
12	Balance of county	71	–	–	1	14	5	2	–	4	–	–	3	2	28	19	–	–
13	Larimer	785	1	–	7	147	48	28	8	13	8	7	35	6	404	301	12	6
14	Fort Collins	335	–	–	–	63	21	12	4	6	4	2	14	2	178	131	4	3
15	Loveland	210	1	–	2	36	14	3	2	4	1	4	8	3	109	81	4	2
16	Balance of county	240	–	–	5	48	13	13	2	3	3	1	13	1	117	89	4	1
17	Las Animas	189	–	–	1	30	15	3	–	8	1	1	2	3	100	71	1	–
18	Lincoln	43	–	–	–	7	2	–	2	–	–	1	2	–	29	21	–	1
19	Logan	146	–	–	1	23	4	1	3	3	3	2	7	2	84	66	2	2
20	Sterling	105	–	–	1	15	2	1	2	1	–	2	7	–	62	47	–	1
21	Balance of county	41	–	–	–	8	2	–	1	2	3	–	–	2	22	19	2	1
22	Mesa	636	–	–	2	119	30	31	7	14	10	2	25	10	307	204	10	2
23	Grand Junction	356	–	–	–	68	13	21	4	9	8	2	11	3	174	117	1	1
24	Balance of county	280	–	–	2	51	17	10	3	5	2	–	14	7	133	87	9	1
25	Mineral	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
26	Moffat	70	–	–	1	12	2	2	4	2	1	–	1	2	29	24	–	1
27	Montezuma	139	–	–	1	20	6	3	1	3	2	–	5	2	60	45	2	–
28	Montrose	175	1	–	1	30	8	8	–	6	1	2	5	5	76	55	–	1
29	Morgan	197	–	–	1	40	12	3	1	6	3	3	12	2	97	73	1	2
30	Otero	277	–	–	2	47	18	10	3	2	3	–	11	8	141	101	1	–
31	Ouray	18	–	–	–	–	–	–	–	–	–	–	–	–	14	11	1	–
32	Park	19	–	–	–	4	3	–	–	1	–	–	–	–	7	3	–	–
33	Phillips	65	–	–	–	7	3	1	1	1	–	–	1	2	40	37	–	–
34	Pitkin	27	–	–	1	6	2	1	–	1	–	–	2	–	4	3	–	–
35	Prowers	121	–	–	1	19	3	4	2	2	1	1	6	2	65	48	–	1
36	Pueblo	1,039	2	–	5	182	53	39	16	17	13	9	35	19	491	370	13	6
37	Pueblo	938	2	–	5	161	51	36	13	15	9	9	28	16	442	327	13	6
38	Balance of county	101	–	–	–	21	2	3	3	2	4	–	7	3	49	43	–	–
39	Rio Blanco	33	–	–	2	8	1	1	2	1	2	–	1	–	11	9	–	–
40	Rio Grande	110	–	–	–	13	2	5	3	–	–	2	1	1	55	40	3	–
41	Routt	61	–	–	–	13	4	3	2	–	–	–	4	2	27	21	–	1
42	Saguache	29	–	–	–	4	–	1	–	–	–	–	3	1	15	9	1	–
43	San Juan	10	–	–	–	1	1	–	–	–	–	–	–	–	2	1	–	–
44	San Miguel	17	–	–	–	6	4	–	–	1	–	–	1	–	6	5	–	–
45	Sedgwick	41	–	–	–	6	2	1	–	1	1	1	–	2	19	13	–	–
46	Summit	22	–	–	–	3	–	–	–	1	–	–	2	–	1	1	–	–
47	Teller	40	–	–	–	7	2	3	–	1	–	1	–	1	15	10	–	1
48	Washington	55	–	–	1	8	2	–	–	–	–	–	6	1	33	24	–	–
49	Weld	655	–	–	7	107	23	25	13	8	8	5	25	13	304	248	5	5
50	Greeley	344	–	–	4	60	14	9	10	6	6	–	15	5	158	118	3	2
51	Balance of county	311	–	–	3	47	9	16	3	2	2	5	10	8	146	130	2	3
52	Yuma	113	–	–	–	18	7	2	2	1	2	1	3	2	54	39	–	–
53	**Connecticut**	**25,638**	**22**	**1**	**196**	**6,055**	**1,714**	**1,379**	**619**	**660**	**265**	**230**	**1,188**	**443**	**13,220**	**10,032**	**197**	**120**
54	Urban places	17,664	15	1	137	4,189	1,208	950	415	458	191	152	815	306	9,174	6,962	122	102
55	Balance of area	7,974	7	–	59	1,866	506	429	204	202	74	78	373	137	4,046	3,070	75	18
56	Metropolitan counties	19,957	19	1	161	4,833	1,345	1,108	492	530	225	182	951	338	10,201	7,746	159	101
57	Urban places	16,122	15	1	130	3,862	1,083	886	381	420	182	142	768	283	8,315	6,335	117	92
58	Balance of area	3,835	4	–	31	971	262	222	111	110	43	40	183	55	1,886	1,411	42	9
59	Nonmetropolitan counties	5,681	3	–	35	1,222	369	271	127	130	40	48	237	105	3,019	2,286	38	19
60	Urban places	1,542	–	–	7	327	125	64	34	38	9	10	47	23	859	627	5	10
61	Balance of area	4,139	3	–	28	895	244	207	93	92	31	38	190	82	2,160	1,659	33	9
62	Fairfield	6,569	8	–	42	1,673	464	377	168	194	78	59	333	126	3,289	2,454	60	30
63	Bridgeport	1,561	2	–	10	349	108	71	33	44	11	10	72	32	792	589	9	7
64	Danbury	458	–	–	3	126	31	25	7	15	8	8	32	9	237	195	6	2
65	Darien town†	139	–	–	1	44	11	6	8	6	3	–	10	1	56	42	1	–
66	Fairfield town†	435	–	–	3	115	37	26	11	11	3	8	19	6	230	162	5	4
67	Greenwich town†	476	1	–	6	138	36	38	9	12	7	4	32	10	232	183	8	2
68	Norwalk	569	–	–	5	156	35	43	15	19	5	2	37	8	281	222	3	7
69	Shelton	192	–	–	–	45	11	14	1	6	2	5	6	3	107	78	1	1
70	Stamford	904	3	–	7	205	64	34	27	24	16	6	34	17	438	316	9	1
71	Stratford town†	475	1	–	2	123	30	32	8	12	8	1	32	12	246	180	2	4
72	Trumbull town†	229	–	–	–	56	20	12	8	6	2	1	7	7	131	93	4	–
73	Westport town†	172	–	–	–	54	15	12	5	9	4	–	9	4	71	52	1	2
74	Balance of county	959	1	–	5	262	66	64	36	30	9	14	43	17	468	342	11	–
75	Hartford	6,665	4	–	63	1,616	437	383	175	167	74	69	311	104	3,302	2,436	43	21
76	Bristol	413	–	–	5	93	17	23	11	9	6	5	22	7	215	162	2	1
77	East Hartford town†	421	–	–	3	106	29	26	13	10	3	3	22	14	192	139	4	2
78	Enfield town†	267	–	–	1	63	20	13	8	3	5	3	11	8	133	98	2	1
79	Hartford	1,452	–	–	23	312	85	91	20	33	7	14	62	18	696	537	9	1
80	Manchester town†	401	–	–	1	109	41	22	18	7	5	3	13	5	200	135	2	6
81	New Britain	744	–	–	7	169	42	44	13	25	10	6	29	8	378	288	4	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
485	36	5	122	31	27	55	24	5	20	5	–	9	19	16	174	77	62	57	8	4	01
70	8	1	24	4	5	10	6	–	4	–	–	2	5	6	27	12	14	13	1	1	02
71	8	1	25	4	5	10	6	–	4	–	–	2	5	6	27	12	14	13	1	1	03
199	15	1	42	12	9	30	7	1	7	4	–	3	9	8	78	26	20	19	3	2	04
105	3	1	28	8	5	9	4	2	2	–	–	2	3	1	26	4	9	7	–	–	05
111	10	2	28	7	8	6	7	2	7	1	–	2	2	1	43	35	19	18	4	1	06
3	2	–	4	1	1	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–	07
23	2	–	6	2	1	2	3	–	1	–	–	1	–	1	10	3	2	2	–	–	08
7	2	–	2	1	–	–	2	1	–	–	–	–	1	–	3	5	2	3	–	–	09
51	3	–	18	2	6	8	1	–	–	2	–	3	3	–	15	6	6	5	3	–	10
35	–	–	13	1	3	4	–	–	–	2	–	3	1	–	7	2	3	2	2	–	11
16	3	–	5	1	3	4	1	–	–	–	–	–	2	–	8	4	3	3	1	–	12
266	17	1	73	12	17	21	13	1	6	5	–	8	5	5	73	38	22	21	2	–	13
116	8	–	32	7	8	9	5	–	–	2	–	4	2	1	35	14	10	9	1	–	14
71	4	1	20	4	3	9	4	–	4	3	–	2	–	2	19	8	4	4	–	–	15
79	5	–	21	1	6	3	4	1	2	–	–	2	3	2	19	16	8	8	1	–	16
63	7	2	21	4	2	11	6	1	4	1	–	3	4	1	12	1	3	5	1	2	17
18	2	–	6	1	1	–	3	–	1	–	–	–	–	–	–	1	2	–	–	–	18
56	6	–	11	2	5	2	–	2	2	–	1	–	1	1	7	9	8	1	1	1	19
41	5	–	10	2	3	2	–	2	2	–	1	–	1	1	4	7	4	1	1	1	20
15	1	–	1	–	2	–	–	–	–	–	–	–	–	–	3	2	4	–	–	–	21
174	18	1	83	7	12	19	10	3	9	2	–	6	5	2	70	27	19	20	5	1	22
105	10	1	45	3	8	12	6	2	6	1	–	2	2	1	44	12	7	12	3	1	23
69	8	–	38	4	4	7	4	1	3	1	–	4	3	1	26	15	12	8	2	–	24
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
19	4	2	2	1	–	3	–	–	1	–	–	–	4	–	6	2	5	4	1	–	26
33	10	–	11	2	2	3	6	–	2	–	–	–	4	3	20	5	7	3	1	2	27
46	8	–	10	7	4	6	2	–	–	–	–	1	3	2	27	5	10	4	1	1	28
66	4	–	12	10	2	10	1	–	1	–	–	1	2	–	20	13	8	1	–	–	29
96	4	–	30	5	5	12	4	–	7	–	–	3	2	–	27	7	12	3	2	–	30
8	2	1	1	–	1	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	31
3	–	–	3	1	–	2	–	–	–	–	–	–	–	–	1	1	2	2	–	–	32
35	2	–	1	2	–	3	2	–	–	–	–	–	–	–	5	5	1	–	–	–	33
2	1	–	1	–	–	–	1	–	–	–	–	1	–	–	3	6	3	2	–	–	34
45	2	–	9	8	–	5	5	–	–	–	–	2	–	1	11	6	4	–	–	–	35
336	15	2	89	13	17	41	16	7	29	4	1	8	12	6	103	33	35	34	8	3	36
294	14	2	85	12	16	39	15	7	28	4	1	7	12	6	92	26	34	32	6	3	37
42	1	–	4	1	1	2	1	–	1	–	–	1	–	–	11	7	1	2	2	–	38
7	2	–	–	1	1	4	–	–	–	–	–	–	–	–	4	–	3	1	–	–	39
33	4	–	12	1	2	6	2	–	2	–	–	1	3	2	12	2	8	2	1	–	40
14	6	–	3	3	–	–	–	–	–	–	–	1	–	1	3	10	2	2	–	–	41
8	–	–	4	1	1	2	–	–	1	–	–	–	2	–	3	–	1	–	–	–	42
1	–	–	1	–	–	2	–	–	1	–	–	1	–	–	1	1	1	–	–	–	43
4	1	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	44
11	2	–	5	1	–	–	–	1	2	1	–	1	–	–	4	2	–	2	1	–	45
1	–	–	–	–	–	1	–	–	1	–	–	–	1	1	2	5	6	–	1	–	46
8	1	–	3	1	1	4	–	1	–	–	–	–	–	2	5	2	1	2	–	–	47
23	1	–	7	2	–	–	1	–	–	–	–	–	–	1	5	1	3	1	–	–	48
222	16	1	38	8	9	22	12	5	6	3	–	2	7	4	67	42	25	21	8	–	49
107	6	1	27	7	5	16	6	3	2	1	–	1	6	1	43	15	6	13	4	–	50
115	10	–	11	1	4	6	6	2	4	2	–	1	1	3	24	27	19	8	4	–	51
26	13	–	8	6	1	11	2	1	–	–	–	2	1	–	10	7	4	1	–	–	52
8,793	**922**	**76**	**2,266**	**424**	**422**	**638**	**240**	**83**	**455**	**76**	**2**	**166**	**268**	**239**	**2,100**	**465**	**502**	**268**	**138**	**61**	53
6,054	684	56	1,574	282	300	405	156	64	328	60	1	103	179	162	1,475	259	332	170	111	37	54
2,739	238	20	692	142	122	233	84	19	127	16	1	63	89	77	625	206	170	98	27	24	55
6,689	797	55	1,769	307	324	475	185	62	363	58	2	115	201	196	1,679	324	382	198	119	45	56
5,472	654	48	1,415	252	265	373	146	56	299	53	1	90	165	157	1,357	227	307	150	102	33	57
1,217	143	7	354	55	59	102	39	6	64	5	1	25	36	39	322	97	75	48	17	12	58
2,104	125	21	497	117	98	163	55	21	92	18	–	51	67	43	421	141	120	70	19	16	59
582	30	8	159	30	35	32	10	8	29	7	–	13	14	5	118	32	25	20	9	4	60
1,522	95	13	338	87	63	131	45	13	63	11	–	38	53	38	303	109	95	50	10	12	61
2,222	142	23	591	111	110	156	55	19	107	15	–	41	75	49	570	99	140	62	33	10	62
541	32	6	137	37	23	40	10	5	25	5	–	8	23	16	163	14	31	13	18	5	63
176	11	3	27	5	7	9	2	–	3	–	–	1	3	6	31	15	9	3	1	–	64
38	3	1	7	3	3	5	1	–	6	1	–	1	1	1	12	2	6	1	–	–	65
148	5	1	52	7	8	9	2	2	3	1	–	–	4	2	35	7	11	4	1	–	66
158	15	1	34	5	9	11	1	1	6	–	–	2	3	5	34	4	15	6	–	1	67
198	14	1	47	5	6	10	6	2	13	1	–	3	6	3	49	7	13	3	3	–	68
73	3	1	23	4	1	10	3	–	4	–	–	–	1	–	12	3	2	1	1	–	69
290	16	3	87	11	21	25	11	1	23	4	–	14	19	6	88	11	19	8	4	1	70
162	12	2	48	10	6	10	5	2	9	2	–	3	5	1	32	9	9	4	–	–	71
85	4	1	25	7	5	5	1	1	1	–	–	–	–	2	17	1	3	3	1	–	72
47	2	1	13	2	3	4	3	2	5	–	–	2	–	1	15	6	3	2	–	–	73
306	25	2	91	15	18	18	10	3	9	1	–	7	10	6	82	20	19	14	4	3	74
2,214	158	18	600	129	119	177	75	25	126	17	1	35	64	89	577	128	124	69	49	20	75
152	7	1	37	7	8	10	6	2	9	2	–	2	1	4	34	11	7	3	2	–	76
127	6	1	32	8	12	13	10	1	8	–	–	4	2	5	42	7	5	4	3	2	77
89	6	2	27	3	3	4	2	–	3	–	–	1	2	4	24	9	7	3	–	3	78
490	37	–	110	28	21	33	10	8	35	6	1	7	28	29	140	17	29	19	35	6	79
115	12	3	39	16	7	10	10	1	9	–	–	2	6	–	33	4	9	1	–	1	80
251	31	3	64	17	6	19	7	8	15	3	–	5	2	13	68	14	15	9	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Connecticut—Con.																	
	Hartford—Con.																	
01	Newington town†	212	1	–	4	67	16	13	9	7	5	2	15	1	101	77	–	1
02	Plainville town†	122	–	–	4	32	12	5	2	1	3	3	6	3	52	39	1	–
03	Southington town†	187	–	–	–	50	14	11	7	4	1	4	9	1	98	68	1	1
04	West Hartford town†	659	–	–	2	174	48	31	26	16	5	6	42	8	363	259	2	1
05	Wethersfield town†	265	–	–	3	66	18	14	6	9	4	4	11	7	134	100	–	1
06	Windsor Locks town†	65	1	–	1	13	5	4	1	2	1	–	–	1	33	26	2	–
07	Balance of county	1,457	2	–	9	362	90	86	41	41	19	16	69	23	707	508	14	4
08	Litchfield	1,415	1	–	6	284	78	60	28	37	9	16	56	32	777	611	14	6
09	Torrington	338	–	–	1	60	21	11	5	9	–	3	11	4	205	150	2	3
10	Balance of county	1,077	1	–	5	224	57	49	23	28	9	13	45	28	572	461	12	3
11	Middlesex	992	1	–	9	208	60	47	29	15	2	12	43	22	521	403	7	4
12	Middletown	288	–	–	–	60	18	14	10	4	–	5	9	10	150	114	1	2
13	Balance of county	704	1	–	9	148	42	33	19	11	2	7	34	12	371	289	6	2
14	New Haven	6,723	7	1	56	1,544	444	348	149	169	73	54	307	108	3,610	2,856	56	50
15	Ansonia	210	1	–	3	48	18	11	3	3	4	–	9	4	106	84	1	1
16	Derby	133	–	–	–	31	9	11	1	2	–	–	8	–	74	57	1	–
17	East Haven town†	178	–	–	1	58	17	19	5	2	1	2	12	4	89	69	1	–
18	Hamden town†	465	–	–	5	122	36	21	15	12	8	6	24	6	271	215	5	–
19	Meriden	483	1	–	2	108	22	29	8	20	8	2	19	6	260	170	1	3
20	Milford	390	1	–	–	96	25	20	12	14	3	8	14	7	208	153	2	1
21	Naugatuck	230	–	–	–	44	13	9	3	6	4	2	7	7	131	97	1	3
22	New Haven	1,302	3	1	14	261	81	54	19	25	12	7	63	29	706	589	12	7
23	Wallingford town†	293	–	–	1	54	14	12	2	9	1	2	14	6	165	130	2	–
24	Waterbury	1,119	–	–	7	245	67	53	38	29	14	7	37	16	630	516	7	28
25	West Haven town†	501	–	–	6	130	36	37	9	8	3	8	29	8	259	215	6	2
26	Balance of county	1,419	1	–	17	347	106	72	34	39	15	10	71	15	711	561	17	5
27	New London	1,841	1	–	10	438	147	92	37	46	14	11	91	25	978	709	6	8
28	New London	334	–	–	3	81	40	13	3	10	3	2	10	1	192	129	–	2
29	Norwich	361	–	–	1	78	32	16	10	7	3	–	10	6	202	157	1	3
30	Balance of county	1,146	1	–	6	279	75	63	24	29	8	9	71	18	584	423	5	3
31	Tolland	576	–	–	6	127	36	28	13	16	5	5	24	11	272	202	5	1
32	Vernon town†	137	–	–	2	30	8	8	2	4	3	–	5	2	67	46	1	–
33	Balance of county	439	–	–	4	97	28	20	11	12	2	5	19	9	205	156	4	1
34	Windham	857	–	–	4	165	48	44	20	16	10	4	23	15	471	361	6	–
35	Willimantic	84	–	–	–	18	6	2	4	4	–	–	2	–	43	31	–	–
36	Balance of county	773	–	–	4	147	42	42	16	12	10	4	21	15	428	330	6	–
37	**Delaware**	**4,738**	**4**	**–**	**30**	**1,042**	**269**	**292**	**82**	**115**	**46**	**36**	**202**	**111**	**2,414**	**1,942**	**28**	**24**
38	Urban places	1,995	1	–	15	430	114	124	33	40	15	19	85	50	1,016	818	14	12
39	Balance of area	2,743	3	–	15	612	155	168	49	75	31	17	117	61	1,398	1,124	14	12
40	Metropolitan counties	3,162	1	–	23	710	181	202	62	71	30	33	131	80	1,610	1,299	18	20
41	Urban places	1,840	1	–	15	395	105	114	28	37	14	19	78	47	948	765	14	11
42	Balance of area	1,322	–	–	8	315	76	88	34	34	16	14	53	33	662	534	4	9
43	Nonmetropolitan counties	1,576	3	–	7	332	88	90	20	44	16	3	71	31	804	643	10	4
44	Urban places	155	–	–	–	35	9	10	5	3	1	–	7	3	68	53	–	1
45	Balance of area	1,421	3	–	7	297	79	80	15	41	15	3	64	28	736	590	10	3
46	Kent	628	2	–	3	130	29	35	9	18	4	2	33	10	325	259	4	3
47	Dover	155	–	–	–	35	9	10	5	3	1	–	7	3	68	53	–	1
48	Balance of county	473	2	–	3	95	20	25	4	15	3	2	26	7	257	206	4	2
49	New Castle	3,162	1	–	23	710	181	202	62	71	30	33	131	80	1,610	1,299	18	20
50	Newark	232	–	–	1	57	9	20	7	3	2	4	12	5	105	82	–	–
51	Wilmington	1,608	1	–	14	338	96	94	21	34	12	15	66	42	843	683	14	11
52	Balance of county	1,322	–	–	8	315	76	88	34	34	16	14	53	33	662	534	4	9
53	Sussex	948	1	–	4	202	59	55	11	26	12	1	38	21	479	384	6	1
54	**District of Columbia**	**7,186**	**29**	**2**	**88**	**1,591**	**487**	**378**	**140**	**178**	**65**	**36**	**307**	**120**	**3,036**	**2,210**	**31**	**52**
55	**Florida**	**91,760**	**164**	**13**	**589**	**20,212**	**5,155**	**5,542**	**1,654**	**2,360**	**1,002**	**748**	**3,751**	**1,415**	**46,119**	**34,102**	**675**	**357**
56	Urban places	48,630	95	7	335	10,550	2,778	2,754	892	1,224	527	375	2,000	755	24,634	18,160	367	188
57	Balance of area	43,130	69	6	254	9,662	2,377	2,788	762	1,136	475	373	1,751	660	21,485	15,942	308	169
58	Metropolitan counties	59,425	107	7	399	13,345	3,517	3,520	1,146	1,519	650	472	2,521	881	29,844	22,157	445	234
59	Urban places	40,225	81	5	282	8,829	2,393	2,277	740	1,016	429	305	1,669	628	20,420	15,144	303	157
60	Balance of area	19,200	26	2	117	4,516	1,124	1,243	406	503	221	167	852	253	9,424	7,013	142	77
61	Nonmetropolitan counties	32,335	57	6	190	6,867	1,638	2,022	508	841	352	276	1,230	534	16,275	11,945	230	123
62	Urban places	8,405	14	2	53	1,721	385	477	152	208	98	70	331	127	4,214	3,016	64	31
63	Balance of area	23,930	43	4	137	5,146	1,253	1,545	356	633	254	206	899	407	12,061	8,929	166	92
64	Alachua	740	1	–	6	143	34	45	10	16	4	5	29	17	318	216	9	3
65	Gainesville	404	1	–	4	86	18	32	4	9	2	3	18	8	178	116	5	2
66	Balance of county	336	–	–	2	57	16	13	6	7	2	2	11	9	140	100	4	1
67	Baker	75	–	–	–	16	4	5	–	4	–	–	3	4	31	26	1	–
68	Bay	695	–	–	9	134	35	37	13	12	5	7	25	7	316	222	1	5
69	Panama City	372	–	–	4	76	19	20	9	10	3	3	12	5	172	126	1	3
70	Balance of county	323	–	–	5	58	16	17	4	2	2	4	13	2	144	96	–	2
71	Bradford	178	–	–	1	34	7	10	3	7	–	2	5	2	90	61	–	2
72	Brevard	1,997	3	–	10	465	94	137	36	61	17	28	92	27	1,016	770	19	14
73	Cocoa	175	–	–	1	38	9	10	7	6	–	1	5	1	75	55	1	1
74	Melbourne	423	–	–	2	98	17	31	3	14	4	10	19	11	230	179	4	2
75	Rockledge	79	–	–	–	14	4	3	3	–	–	1	3	–	46	38	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
75	1	1	16	2	5	4	3	–	2	1	–	1	2	1	14	7	2	1	–	–	01
37	1	–	9	2	2	8	–	–	1	–	–	1	–	1	15	1	1	2	1	–	02
62	4	2	22	–	6	2	1	1	4	–	–	1	1	2	12	5	5	3	–	1	03
247	9	1	71	15	17	17	6	2	4	2	–	1	2	6	46	6	13	5	–	2	04
93	6	–	26	5	3	12	2	1	3	1	–	–	2	5	18	2	2	6	1	–	05
22	2	–	4	2	1	4	–	–	3	–	–	–	4	–	3	2	–	–	–	–	06
454	36	4	143	24	28	41	18	1	30	2	–	10	12	19	128	43	29	13	3	5	07
565	26	5	107	26	28	38	18	4	20	2	–	14	15	12	111	26	31	15	3	6	08
135	10	3	29	13	10	5	6	1	5	1	–	2	5	1	29	5	2	4	2	–	09
430	16	2	78	13	18	33	12	3	15	1	–	12	10	11	82	21	29	11	1	6	10
367	25	3	87	12	16	33	8	3	18	4	–	7	5	9	84	24	14	15	4	3	11
105	6	–	28	1	7	3	1	2	7	1	–	4	1	1	33	3	4	5	1	2	12
262	19	3	59	11	9	30	7	1	11	3	–	3	4	8	51	21	10	10	3	1	13
2,253	497	14	578	67	95	142	55	18	130	26	1	39	62	58	532	97	118	67	37	15	14
77	5	–	17	4	1	8	2	–	6	1	–	1	2	–	19	4	4	–	1	–	15
51	5	–	13	4	–	5	1	1	1	–	–	–	–	–	15	1	3	1	–	–	16
44	24	1	15	1	3	1	1	–	2	–	–	–	–	2	13	1	3	3	–	–	17
144	66	–	43	4	9	3	2	1	5	–	–	2	2	8	25	2	6	3	1	1	18
142	24	2	75	7	6	10	9	4	11	2	–	3	5	4	38	4	7	5	4	–	19
143	7	1	35	7	12	5	3	2	6	1	–	2	2	3	33	10	4	3	2	2	20
84	9	1	26	–	7	2	1	1	4	1	–	2	3	–	19	3	7	1	2	2	21
392	178	1	96	5	15	26	9	3	27	8	–	9	17	14	105	15	26	13	12	4	22
105	23	2	22	3	8	14	3	–	5	1	–	2	2	3	19	5	9	4	–	–	23
454	27	5	81	10	18	17	9	3	24	4	–	9	3	9	96	13	18	10	4	2	24
160	47	–	35	6	3	8	4	1	14	6	–	1	12	1	38	5	4	3	1	–	25
457	82	1	120	16	13	43	11	2	25	2	1	8	14	14	112	34	27	21	10	4	26
634	61	8	188	40	33	41	12	5	36	7	–	16	21	14	124	44	33	24	8	4	27
117	10	1	46	9	7	7	1	1	7	1	–	1	4	–	16	4	5	4	5	1	28
149	4	4	30	4	7	10	2	1	8	3	–	2	3	1	23	9	9	3	–	–	29
368	47	3	112	27	19	24	9	3	21	3	–	13	14	13	85	31	19	17	3	3	30
189	7	2	46	10	12	11	7	3	11	5	–	7	7	5	51	26	19	7	–	1	31
45	–	–	16	2	3	2	–	2	2	1	–	3	1	2	10	6	3	4	–	–	32
144	7	2	30	8	9	9	7	1	9	4	–	4	6	3	41	20	16	3	–	1	33
349	6	3	69	29	9	40	10	6	7	–	–	7	19	3	51	21	23	9	4	2	34
31	–	–	10	1	1	5	–	1	–	–	–	1	–	–	7	5	2	–	1	1	35
318	6	3	59	28	8	35	10	5	7	–	–	6	19	3	44	16	21	9	3	1	36
1,790	**100**	**19**	**319**	**74**	**60**	**93**	**45**	**11**	**105**	**20**	**2**	**33**	**61**	**25**	**382**	**115**	**125**	**76**	**36**	**8**	**37**
753	39	8	133	34	23	43	24	5	51	6	1	12	31	16	156	36	50	35	16	1	38
1,037	61	11	186	40	37	50	21	6	54	14	1	21	30	9	226	79	75	41	20	7	39
1,191	70	10	201	56	44	54	32	6	73	16	2	20	40	17	253	66	78	52	24	5	40
704	36	5	126	31	21	33	22	4	47	6	1	10	28	16	141	33	45	33	15	–	41
487	34	5	75	25	23	21	10	2	26	10	1	10	12	1	112	33	33	19	9	5	42
599	30	9	118	18	16	39	13	5	32	4	–	13	21	8	129	49	47	24	12	3	43
49	3	3	7	3	2	10	2	1	4	–	–	2	3	–	15	3	5	2	1	1	44
550	27	6	111	15	14	29	11	4	28	4	–	11	18	8	114	46	42	22	11	2	45
243	9	4	46	7	9	22	4	2	13	–	–	5	6	2	48	22	22	7	4	1	46
49	3	3	7	3	2	10	2	1	4	–	–	2	3	–	15	3	5	2	1	1	47
194	6	1	39	4	7	12	2	1	9	–	–	3	3	2	33	19	17	5	3	–	48
1,191	70	10	201	56	44	54	32	6	73	16	2	20	40	17	253	66	78	52	24	5	49
76	6	–	19	1	3	3	5	–	3	1	–	–	5	1	17	8	10	8	3	–	50
628	30	5	107	30	18	30	17	4	44	5	1	10	23	15	124	25	35	25	12	–	51
487	34	5	75	25	23	21	10	2	26	10	1	10	12	1	112	33	33	19	9	5	52
356	21	5	72	11	7	17	9	3	19	4	–	8	15	6	81	27	25	17	8	2	53
1,938	**189**	**17**	**560**	**170**	**79**	**214**	**53**	**18**	**321**	**54**	**4**	**45**	**184**	**82**	**737**	**87**	**225**	**63**	**187**	**46**	**54**
31,390	**1,680**	**280**	**9,083**	**1,233**	**1,421**	**2,155**	**1,326**	**252**	**1,749**	**415**	**17**	**497**	**850**	**1,296**	**7,912**	**2,007**	**2,093**	**1,557**	**930**	**192**	**55**
16,739	866	147	4,948	592	787	1,213	671	132	988	237	8	250	433	586	4,335	872	1,073	828	537	91	56
14,651	814	133	4,135	641	634	942	655	120	761	178	9	247	417	710	3,577	1,135	1,020	729	393	101	57
20,406	1,072	186	5,814	755	932	1,441	831	165	1,199	272	12	341	569	611	5,171	1,134	1,278	1,074	661	83	58
13,969	715	118	4,017	482	659	1,026	545	110	834	196	7	203	365	412	3,539	668	859	696	461	59	59
6,437	357	68	1,797	273	273	415	286	55	365	76	5	138	204	199	1,632	466	419	378	200	24	60
10,984	608	94	3,269	478	489	714	495	87	550	143	5	156	281	685	2,741	873	815	483	269	109	61
2,770	151	29	931	110	128	187	126	22	154	41	1	47	68	174	796	204	214	132	76	32	62
8,214	457	65	2,338	368	361	527	369	65	396	102	4	109	213	511	1,945	669	601	351	193	77	63
176	28	3	81	12	6	9	18	1	9	3	1	4	9	24	81	24	37	11	19	5	64
93	16	2	48	10	2	2	5	1	4	2	–	4	5	13	42	12	20	3	11	3	65
83	12	1	33	2	4	7	13	–	5	1	1	–	4	11	39	12	17	8	8	2	66
23	2	–	5	–	–	2	1	–	–	3	–	–	4	1	5	1	5	1	1	–	67
194	22	3	65	13	13	12	17	1	17	3	–	8	8	11	77	22	26	13	9	5	68
109	13	2	33	6	5	8	8	–	6	2	–	4	3	4	43	7	13	9	6	2	69
85	9	1	32	7	8	4	9	1	11	1	–	4	5	7	34	15	13	4	3	3	70
53	6	2	23	3	1	3	3	–	4	–	–	1	4	2	22	3	6	–	2	1	71
712	25	5	179	26	36	38	21	5	40	8	1	11	10	1	166	65	47	37	15	11	72
51	2	1	13	2	4	5	3	1	10	–	1	2	1	–	15	8	6	4	3	1	73
168	5	–	39	7	5	9	–	2	6	–	–	–	2	–	39	8	5	5	3	3	74
38	–	–	6	1	1	–	1	–	1	2	–	2	–	–	6	1	4	1	–	1	75

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
	Brevard—Con.																	
01	Titusville	297	1	–	2	67	10	25	4	9	2	3	14	–	150	101	3	3
02	Balance of county	1,023	2	–	5	248	54	68	19	32	11	13	51	15	515	397	11	8
03	Broward	9,988	14	–	50	2,428	670	651	185	293	110	85	434	150	5,073	3,844	80	31
04	Deerfield Beach	406	–	–	4	97	33	27	6	6	4	3	18	7	202	154	4	1
05	Fort Lauderdale	2,539	3	–	15	599	168	168	47	69	24	18	105	32	1,242	899	22	7
06	Hallandale	602	1	–	2	180	57	37	16	22	12	6	30	7	304	245	5	1
07	Hollywood	1,646	1	–	6	381	113	93	27	46	18	15	69	27	884	699	11	7
08	Lauderdale Lakes	261	1	–	1	61	17	12	2	11	2	1	16	8	136	106	1	–
09	Miramar	259	–	–	1	57	14	20	3	7	3	1	9	3	139	120	1	1
10	Oakland Park	125	–	–	2	34	8	8	2	5	–	–	11	2	59	38	1	–
11	Pembroke Pines	225	–	–	–	56	13	17	4	7	3	5	7	4	112	90	1	–
12	Plantation	251	–	–	1	69	20	15	6	9	3	5	11	3	118	83	3	1
13	Pompano Beach	801	4	–	5	209	59	56	21	27	8	5	33	8	403	295	13	6
14	Wilton Manor	144	–	–	2	22	6	5	–	2	4	–	5	3	80	62	–	–
15	Balance of county	2,729	4	–	11	663	162	193	51	82	29	26	120	46	1,394	1,053	18	7
16	Calhoun	80	–	–	–	13	3	2	–	2	–	2	4	–	43	33	1	1
17	Charlotte	764	–	–	1	172	55	40	13	23	10	8	23	14	441	343	13	1
18	Citrus	598	–	–	4	153	40	38	6	19	11	7	32	5	310	205	5	1
19	Clay	381	–	–	1	54	13	14	3	8	2	3	11	7	233	179	1	2
20	Collier	714	3	1	7	163	29	60	18	16	8	–	32	8	308	254	10	–
21	Naples	291	–	1	2	72	11	21	12	6	6	–	16	3	147	115	6	–
22	Balance of county	423	3	–	5	91	18	39	6	10	2	–	16	5	161	139	4	–
23	Columbia	263	1	–	1	46	18	11	3	2	4	1	7	7	112	68	1	1
24	Lake City	129	–	–	–	28	13	6	2	2	1	1	3	5	52	33	1	–
25	Balance of county	134	1	–	1	18	5	5	1	–	3	–	4	2	60	35	–	1
26	Dade	14,974	29	5	114	3,393	939	815	309	366	170	131	663	258	7,404	5,877	125	48
27	Coral Gables	372	–	–	2	110	36	22	9	12	9	1	21	5	172	135	1	1
28	Hialeah	922	1	–	9	229	60	60	19	25	7	13	45	22	406	337	3	5
29	Homestead	139	1	–	2	27	8	8	2	2	1	2	4	3	56	39	–	–
30	Miami	4,406	14	2	42	953	246	270	85	100	35	40	177	90	2,050	1,606	30	16
31	Miami Beach	2,594	3	–	12	555	196	98	43	56	26	17	119	43	1,538	1,290	27	3
32	Miami Springs	134	–	–	1	32	6	11	1	2	3	3	6	2	76	49	1	–
33	North Miami	619	–	–	5	118	25	30	16	14	11	4	18	11	353	272	5	1
34	North Miami Beach	977	1	–	7	230	72	45	18	24	21	7	43	17	566	456	16	2
35	Opa-Locka	123	1	1	1	31	9	10	–	6	2	1	3	3	40	34	1	–
36	South Miami	81	–	–	–	22	5	8	3	4	–	–	2	3	33	26	–	–
37	Balance of county	4,607	8	2	33	1,086	276	253	113	121	55	43	225	59	2,114	1,633	41	20
38	De Soto	190	1	–	–	38	9	16	4	–	3	2	4	1	85	65	–	–
39	Dixie	61	–	–	–	12	2	5	1	1	1	–	2	1	33	21	–	–
40	Duval, coext. with Jacksonville city	4,800	10	1	54	1,003	235	286	95	112	36	33	206	92	2,181	1,687	27	26
41	Escambia	1,599	5	–	22	330	73	102	19	44	16	13	63	25	763	572	10	10
42	Pensacola	694	4	–	9	125	30	42	4	18	6	4	21	11	345	263	5	8
43	Balance of county	905	1	–	13	205	43	60	15	26	10	9	42	14	418	309	5	2
44	Flagler	86	–	–	1	15	5	3	3	2	–	–	2	2	48	41	–	–
45	Franklin	93	–	–	1	18	–	8	2	5	1	–	2	2	39	28	2	–
46	Gadsden	350	1	–	4	55	8	19	3	6	4	1	14	6	160	113	4	2
47	Gilchrist	49	–	–	–	7	3	2	–	–	–	1	1	1	32	22	–	–
48	Glades	34	–	–	–	8	2	4	–	1	–	–	1	1	13	9	–	–
49	Gulf	88	1	1	1	14	6	4	–	1	1	–	2	2	41	29	–	1
50	Hamilton	89	–	–	–	20	6	7	–	3	–	1	3	1	39	29	–	1
51	Hardee	173	–	–	2	29	10	9	1	5	1	–	3	–	82	65	4	–
52	Hendry	133	–	–	–	30	5	7	5	5	1	3	4	2	57	44	1	–
53	Hernando	426	–	–	–	88	19	27	7	10	3	6	16	2	199	137	2	–
54	Highlands	591	2	–	1	126	24	29	7	28	8	4	26	14	297	211	5	1
55	Hillsborough	5,078	11	–	37	1,175	279	363	104	134	54	35	206	78	2,389	1,739	21	27
56	Plant City	184	–	–	1	28	4	10	4	4	–	1	5	4	101	66	1	1
57	Tampa	3,253	9	–	27	739	180	217	69	85	38	24	126	55	1,556	1,122	17	20
58	Balance of county	1,641	2	–	9	408	95	136	31	45	16	10	75	19	732	551	3	6
59	Holmes	154	–	–	–	26	6	7	1	3	2	2	5	2	84	73	–	–
60	Indian River	550	–	–	3	116	34	27	10	16	6	5	18	11	273	211	5	4
61	Vero Beach	205	–	–	2	45	13	12	5	5	–	2	8	3	106	82	2	1
62	Balance of county	345	–	–	1	71	21	15	5	11	6	3	10	8	167	129	3	3
63	Jackson	382	–	–	5	60	17	16	7	3	2	3	12	7	206	149	2	2
64	Jefferson	100	–	–	1	17	6	4	3	–	1	–	3	1	41	26	–	2
65	Lafayette	39	–	–	1	8	–	1	1	2	–	–	4	–	19	11	–	–
66	Lake	1,228	2	–	10	251	49	87	10	30	15	13	47	23	641	454	5	10
67	Leesburg	205	–	–	3	40	5	11	1	4	4	1	14	1	100	77	3	3
68	Balance of county	1,023	2	–	7	211	44	76	9	26	11	12	33	22	541	377	2	7
69	Lee	1,932	2	–	11	464	102	151	37	47	17	21	89	29	961	726	18	11
70	Fort Myers	450	1	–	3	92	25	21	6	5	4	4	27	4	218	156	6	2
71	Balance of county	1,482	1	–	8	372	77	130	31	42	13	17	62	25	743	570	12	9
72	Leon	726	2	–	6	144	36	39	12	16	6	3	32	14	301	203	14	5
73	Tallahassee	511	1	–	4	99	29	27	6	9	5	–	23	13	217	145	12	5
74	Balance of county	215	1	–	2	45	7	12	6	7	1	3	9	1	84	58	2	–
75	Levy	210	–	–	2	47	15	16	3	4	2	1	6	1	101	61	1	–
76	Liberty	45	–	–	1	6	–	3	–	1	–	–	2	2	24	18	–	–
77	Madison	159	–	–	2	24	3	7	1	6	1	2	4	5	85	69	2	2
78	Manatee	1,933	3	1	8	408	111	101	30	54	19	19	74	31	975	724	15	2
79	Bradenton	600	–	1	3	107	29	20	8	20	5	8	17	14	310	218	5	1
80	Balance of county	1,333	3	–	5	301	82	81	22	34	14	11	57	17	665	506	10	1
81	Marion	1,077	3	–	5	220	52	75	15	26	10	7	35	21	533	322	11	4
82	Ocala	391	2	–	1	78	16	28	4	8	5	2	15	9	198	106	4	1
83	Balance of county	686	1	–	4	142	36	47	11	18	5	5	20	12	335	216	7	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
89	6	1	36	6	6	5	3	1	3	3	–	1	–	–	31	11	10	6	1	2	01
366	12	3	85	10	20	19	14	1	20	3	–	6	7	1	75	37	22	21	8	4	02
3,586	147	39	911	102	177	178	114	21	210	27	2	42	80	47	898	162	195	187	92	18	03
145	4	–	38	3	7	7	3	1	10	1	–	1	4	3	43	5	10	5	2	1	04
833	37	10	261	29	43	38	27	4	64	10	1	7	22	8	245	57	59	62	35	9	05
232	7	–	40	5	14	14	7	–	8	1	–	2	2	3	48	6	7	6	4	–	06
657	24	6	139	6	34	37	15	3	27	2	1	4	11	5	147	24	24	29	15	3	07
98	7	–	22	3	5	7	5	1	1	2	–	2	3	–	20	3	4	4	2	–	08
114	4	–	14	2	3	6	3	–	7	–	–	1	–	1	20	3	6	9	3	–	09
37	–	1	16	2	2	1	2	–	1	–	–	–	1	1	10	4	1	5	1	1	10
86	3	1	15	3	3	5	4	–	4	–	–	3	1	2	27	1	3	2	1	–	11
76	3	–	25	3	7	4	2	–	8	2	–	1	–	–	25	4	7	6	1	–	12
264	12	2	77	10	19	10	14	2	19	2	–	–	5	5	75	7	15	9	9	–	13
60	2	–	14	3	1	4	3	–	9	–	–	–	3	–	11	2	–	5	–	–	14
984	44	19	250	33	39	45	29	10	52	7	–	21	28	19	227	46	59	45	19	4	15
27	4	–	6	1	3	4	2	–	2	1	–	1	3	1	3	3	2	1	1	–	16
319	10	3	58	19	18	24	10	3	9	1	–	1	1	5	51	7	13	6	1	4	17
192	7	1	86	6	12	2	3	–	4	3	–	–	2	7	53	16	14	12	9	1	18
169	7	1	47	3	3	9	5	–	11	–	–	2	4	5	24	10	7	7	2	–	19
238	6	1	45	2	6	20	18	–	28	1	–	8	1	1	67	19	27	19	15	–	20
105	4	1	26	1	4	6	7	–	4	1	–	1	–	–	22	6	8	8	3	–	21
133	2	–	19	1	2	14	11	–	24	–	–	7	1	1	45	13	19	11	12	–	22
60	6	2	29	9	4	3	7	–	5	1	–	3	6	14	20	8	10	9	8	2	23
28	4	2	12	4	1	–	3	–	2	1	–	2	4	6	14	2	2	4	3	1	24
32	2	–	17	5	3	3	4	–	3	–	–	1	2	8	6	6	8	5	5	1	25
5,422	282	38	1,174	106	209	349	204	47	306	93	7	87	124	46	1,361	270	305	336	233	3	26
121	12	1	32	2	2	10	7	2	6	1	–	1	1	–	25	10	7	11	2	–	27
311	18	2	56	2	9	27	18	4	18	7	–	7	15	2	79	20	22	22	14	–	28
36	3	1	12	1	3	5	–	–	3	–	–	1	3	1	16	5	5	4	7	–	29
1,456	104	13	325	40	66	113	55	13	131	31	4	20	35	18	495	80	95	77	88	–	30
1,223	37	8	183	12	45	66	29	8	25	14	–	4	–	3	183	24	32	48	7	–	31
46	2	–	24	2	1	1	2	–	1	1	–	–	–	–	14	1	1	2	–	–	32
255	11	1	65	6	9	13	7	2	11	3	–	2	2	1	49	7	15	12	6	2	33
423	15	1	91	4	14	5	13	3	7	4	–	4	2	1	64	12	13	20	8	–	34
29	4	1	3	–	2	9	1	1	2	2	–	1	4	1	11	2	1	2	9	–	35
25	1	–	5	1	1	–	1	–	3	–	–	–	2	1	12	–	1	1	2	–	36
1,497	75	10	378	36	57	100	71	14	99	30	3	47	60	18	413	109	113	137	90	1	37
61	4	–	14	1	5	11	4	1	2	2	1	2	3	1	16	10	7	1	3	1	38
21	–	–	12	–	–	–	2	–	–	–	–	–	–	1	3	3	3	1	2	–	39
1,537	97	13	384	26	71	135	57	15	140	31	–	47	77	47	436	112	151	101	96	14	40
510	42	4	147	26	14	33	25	4	30	5	–	12	26	14	152	38	64	30	15	6	41
236	14	2	62	14	4	17	11	2	13	3	–	3	9	4	64	14	32	14	8	6	42
274	28	2	85	12	10	16	14	2	17	2	–	9	17	10	88	24	32	16	7	–	43
36	5	–	4	–	3	–	–	–	–	1	–	–	2	3	7	4	–	1	1	1	44
20	6	1	8	1	1	1	3	2	1	1	–	1	–	10	3	5	4	–	1	1	45
89	18	3	41	3	–	10	5	–	4	3	–	3	17	15	30	14	16	2	4	1	46
22	–	–	7	2	1	–	–	1	1	–	–	–	–	–	6	–	1	–	–	–	47
9	–	1	2	–	1	1	–	–	1	2	–	–	–	1	–	3	2	1	–	1	48
27	1	1	8	2	1	–	2	–	–	1	1	1	2	2	7	3	8	–	1	–	49
26	2	–	7	1	2	2	–	–	3	–	–	–	2	5	14	1	2	–	–	–	50
53	8	–	11	4	2	9	3	–	1	3	–	2	3	4	13	10	6	2	2	2	51
41	2	3	6	3	1	2	–	1	4	–	–	1	5	1	11	4	8	2	3	2	52
123	12	–	45	10	7	14	7	2	13	2	–	2	4	28	31	13	10	7	4	–	53
194	11	3	64	11	8	11	19	4	7	3	–	3	5	10	50	12	12	8	7	–	54
1,594	97	11	491	73	75	166	64	14	95	20	–	40	75	60	476	125	110	83	56	4	55
61	3	–	25	7	3	4	1	2	4	3	–	1	3	3	14	9	4	–	2	–	56
1,018	67	8	321	49	56	117	39	8	69	11	–	21	51	38	315	48	72	44	33	1	57
515	27	3	145	17	16	45	24	4	22	6	–	18	21	19	147	68	34	39	21	3	58
71	2	–	8	1	2	2	1	–	1	–	–	2	3	7	11	4	7	1	1	2	59
184	18	1	46	6	9	14	4	3	10	2	–	1	9	12	47	23	13	6	3	–	60
73	6	1	16	2	5	2	2	2	6	1	–	1	3	1	19	6	4	2	–	–	61
111	12	–	30	4	4	12	2	1	4	1	–	–	6	11	28	17	9	4	3	–	62
132	13	2	43	2	10	8	6	2	3	4	–	3	2	9	28	11	21	3	2	2	63
19	5	–	12	–	3	5	1	–	1	–	–	1	3	4	10	5	7	3	–	–	64
10	1	–	6	1	1	–	1	–	2	–	–	–	–	1	1	5	–	–	1	–	65
415	24	4	130	27	26	21	17	4	16	4	–	5	8	10	116	33	28	21	16	2	66
65	6	1	17	2	3	5	4	–	1	2	–	2	3	1	22	8	4	6	2	1	67
350	18	3	113	25	23	16	13	4	15	2	–	3	5	9	94	25	24	15	14	1	68
670	27	4	180	25	26	55	33	2	35	5	–	9	16	11	154	43	44	38	16	4	69
140	8	1	46	8	7	15	9	1	6	3	–	5	4	2	44	11	12	12	8	–	70
530	19	3	134	17	19	40	24	1	29	2	–	4	12	9	110	32	32	26	8	4	71
143	41	4	71	14	9	33	9	2	10	5	–	10	14	20	76	28	29	13	8	2	72
100	28	3	51	11	7	25	7	2	8	3	–	7	10	15	50	15	21	6	6	2	73
43	13	1	20	3	2	8	2	–	2	2	–	3	4	5	26	13	8	7	2	–	74
58	2	–	29	9	2	3	7	–	3	2	–	4	4	5	15	5	3	6	1	1	75
13	5	–	6	–	–	–	–	–	1	–	–	–	1	3	4	1	2	–	–	–	76
64	1	–	10	2	4	2	1	–	–	1	1	1	6	4	15	6	4	1	1	–	77
675	32	7	197	25	22	43	26	5	18	7	–	3	15	134	155	34	36	19	5	7	78
202	10	3	76	11	2	16	7	–	10	3	–	2	8	44	50	8	9	4	1	3	79
473	22	4	121	14	20	27	19	5	8	4	–	1	7	90	105	26	27	15	4	4	80
295	12	–	171	9	31	25	13	8	19	9	–	5	8	3	104	36	32	15	12	6	81
94	7	–	74	5	13	9	4	3	8	3	–	3	2	1	31	11	14	4	7	3	82
201	5	–	97	4	18	16	9	5	11	6	–	2	6	2	73	25	18	11	5	3	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
01	Martin	652	2	–	7	156	40	40	12	21	7	7	29	11	323	239	4	–
02	Monroe	546	3	–	–	126	24	53	9	16	6	3	15	12	234	181	2	2
03	Key West	245	1	–	–	50	10	15	5	9	1	2	8	7	117	92	1	1
04	Balance of county	301	2	–	–	76	14	38	4	7	5	1	7	5	117	89	1	1
05	Nassau	203	1	–	1	47	8	15	6	7	2	–	9	3	89	63	2	–
06	Okaloosa	487	1	–	3	108	23	31	9	11	3	5	26	6	207	166	4	1
07	Fort Walton Beach	103	–	–	–	29	5	8	4	2	1	1	8	–	35	29	1	1
08	Balance of county	384	1	–	3	79	18	23	5	9	2	4	18	6	172	137	3	–
09	Okeechobee	166	1	–	1	36	8	14	2	3	1	2	6	4	80	66	3	–
10	Orange	3,468	4	–	26	782	188	224	71	73	33	22	171	44	1,648	1,255	20	15
11	Orlando	1,419	–	–	12	325	84	79	24	38	12	6	82	14	670	508	6	4
12	Winter Park	305	1	–	–	60	15	13	9	3	4	3	13	5	173	118	4	–
13	Balance of county	1,744	3	–	14	397	89	132	38	32	17	13	76	25	805	629	10	11
14	Osceola	469	2	–	–	90	20	39	9	7	4	3	8	8	269	213	2	2
15	Palm Beach	5,802	9	–	34	1,343	372	328	126	176	69	43	229	85	3,049	2,111	51	21
16	Belle Glade	152	2	–	2	24	2	13	–	6	–	1	2	5	61	39	–	–
17	Boca Raton	505	–	–	4	133	32	32	13	16	8	3	29	7	264	199	6	3
18	Boynton Beach	507	1	–	2	133	40	22	12	18	10	8	23	6	242	170	5	1
19	Delray Beach	443	1	–	2	112	28	29	14	17	6	5	13	5	219	152	1	4
20	Lake Worth	538	–	–	4	112	35	19	11	15	9	1	22	4	308	183	9	–
21	Riviera Beach	225	1	–	1	38	13	11	3	4	2	2	3	5	121	82	4	3
22	West Palm Beach	1,018	1	–	6	227	63	55	19	26	12	7	45	17	527	346	6	–
23	Balance of county	2,414	3	–	13	564	159	147	54	74	22	16	92	36	1,307	940	20	10
24	Pasco	2,332	2	–	7	487	147	137	20	61	33	17	72	42	1,287	951	15	5
25	Pinellas	10,909	20	1	42	2,306	632	579	182	267	131	92	423	104	6,044	4,131	75	41
26	Clearwater	1,179	2	–	6	241	71	52	17	32	16	11	42	9	638	433	12	3
27	Dunedin	441	1	–	–	94	31	20	7	13	7	4	12	1	262	155	3	1
28	Largo	682	–	–	4	153	35	49	8	20	9	4	28	10	370	261	2	3
29	Pinellas Park	383	–	–	3	86	30	24	2	6	4	3	17	3	202	151	2	2
30	St. Petersburg	4,617	14	1	15	881	237	208	82	103	45	32	174	47	2,628	1,765	27	17
31	Balance of county	3,607	3	–	14	851	228	226	66	93	50	38	150	34	1,944	1,366	29	15
32	Polk	3,017	4	1	31	564	119	149	47	79	41	28	101	60	1,472	1,066	8	7
33	Bartow	144	–	–	–	24	5	9	–	3	5	1	1	2	74	49	–	–
34	Lakeland	722	–	–	8	133	28	39	17	18	10	6	15	11	360	261	3	1
35	Winter Haven	337	1	–	3	61	13	12	7	9	4	5	11	8	179	129	1	1
36	Balance of county	1,814	3	1	20	346	73	89	23	49	22	16	74	39	859	627	4	5
37	Putnam	499	2	–	1	112	21	43	10	14	5	4	15	14	246	176	5	6
38	St. Johns	508	1	–	3	109	22	34	6	18	7	2	20	12	232	158	1	5
39	St. Augustine	229	–	–	–	48	9	17	4	5	4	–	9	6	105	65	–	2
40	Balance of county	279	1	–	3	61	13	17	2	13	3	2	11	6	127	93	1	3
41	St. Lucie	838	6	–	7	189	49	50	11	22	15	6	36	13	392	293	7	6
42	Fort Pierce	463	5	–	5	87	17	21	4	6	9	3	27	7	209	149	4	4
43	Balance of county	375	1	–	2	102	32	29	7	16	6	3	9	6	183	144	3	2
44	Santa Rosa	301	–	–	1	52	8	16	2	4	8	1	13	2	157	117	3	1
45	Sarasota	2,570	1	1	14	645	168	178	46	68	28	26	131	40	1,323	966	21	6
46	Sarasota	826	–	–	5	190	39	55	15	27	9	6	39	10	422	295	8	2
47	Balance of county	1,744	1	1	9	455	129	123	31	41	19	20	92	30	901	671	13	4
48	Seminole	1,040	2	–	7	246	51	72	31	18	13	9	52	12	517	405	10	6
49	Sanford	339	1	–	2	58	10	17	7	6	2	3	13	4	188	148	3	2
50	Balance of county	701	1	–	5	188	41	55	24	12	11	6	39	8	329	257	7	4
51	Sumter	218	3	–	–	44	7	14	3	4	5	1	10	2	101	67	–	2
52	Suwannee	203	–	–	–	33	9	13	1	5	1	–	4	6	98	78	1	–
53	Taylor	142	–	1	1	38	9	13	1	3	2	–	10	1	61	43	3	–
54	Union	62	–	–	–	15	2	3	–	2	2	3	3	–	31	22	–	1
55	Volusia	3,127	6	–	18	645	154	187	64	82	33	17	108	43	1,651	1,214	21	9
56	Daytona Beach	846	1	–	4	165	44	39	13	22	10	5	32	7	457	340	4	–
57	De Land	315	1	–	1	59	17	19	3	4	–	5	11	7	157	117	1	–
58	New Smyrna Beach	228	–	–	2	45	10	15	3	5	5	–	7	4	121	75	3	2
59	Ormond Beach	330	1	–	2	75	17	20	13	9	6	–	10	2	174	129	2	–
60	Balance of county	1,408	3	–	9	301	66	94	32	42	12	7	48	23	742	553	11	7
61	Wakulla	76	–	–	1	18	5	3	2	1	1	1	5	–	26	17	–	–
62	Walton	173	–	–	1	29	5	13	3	2	–	2	4	4	103	76	1	1
63	Washington	130	–	–	1	19	6	4	1	2	1	–	5	4	82	71	1	1
64	**Georgia**	**42,691**	**95**	**6**	**422**	**7,424**	**1,715**	**1,999**	**613**	**841**	**270**	**341**	**1,645**	**720**	**21,257**	**15,044**	**196**	**299**
65	Urban places	17,412	43	5	192	3,085	748	762	272	369	114	131	689	317	8,662	6,111	87	136
66	Balance of area	25,279	52	1	230	4,339	967	1,237	341	472	156	210	956	403	12,595	8,933	109	163
67	Metropolitan counties	18,679	47	5	224	3,447	807	906	307	357	143	155	772	315	8,874	6,361	113	124
68	Urban places	12,788	33	5	165	2,313	571	565	203	258	92	92	532	230	6,205	4,427	73	97
69	Balance of area	5,891	14	–	59	1,134	236	341	104	99	51	63	240	85	2,669	1,934	40	27
70	Nonmetropolitan counties	24,012	48	1	198	3,977	908	1,093	306	484	127	186	873	405	12,383	8,683	83	175
71	Urban places	4,624	10	–	27	772	177	197	69	111	22	39	157	87	2,457	1,684	14	39
72	Balance of area	19,388	38	1	171	3,205	731	896	237	373	105	147	716	318	9,926	6,999	69	136
73	Appling	126	1	–	–	19	5	5	–	3	1	–	5	8	65	52	–	1
74	Atkinson	65	–	–	–	17	5	4	–	1	–	–	7	2	32	25	–	–
75	Bacon	83	–	–	2	17	4	6	2	2	1	1	1	3	40	33	–	–
76	Baker	39	–	–	1	5	2	2	–	1	–	–	–	2	17	10	–	–
77	Baldwin	254	–	–	5	43	13	4	5	5	1	–	15	2	119	85	–	1
78	Milledgeville	142	–	–	2	21	7	2	5	3	–	–	4	–	73	53	–	–
79	Balance of county	112	–	–	3	22	6	2	–	2	1	–	11	2	46	32	–	1
80	Banks	70	–	–	–	14	1	3	2	1	3	–	4	1	36	28	–	–
81	Barrow	201	–	–	1	34	14	10	1	–	1	1	7	4	96	70	1	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
222	13	1	65	9	9	10	8	5	14	2	–	3	2	11	60	5	19	9	4	1	01
164	13	1	44	3	5	9	14	1	21	1	–	2	3	5	52	29	12	14	3	5	02
85	5	–	22	–	3	5	5	–	7	1	–	1	3	2	27	10	4	4	1	–	03
79	8	1	22	3	2	4	9	1	14	–	–	1	–	3	25	19	8	10	2	5	04
58	3	–	17	6	3	7	7	2	5	1	–	1	4	2	15	7	5	4	1	1	05
151	10	1	32	4	4	13	5	–	12	2	–	9	13	3	32	26	27	9	7	4	06
25	2	–	4	1	1	2	2	–	8	–	–	2	1	–	8	3	9	1	2	1	07
126	8	1	28	3	3	11	3	–	4	2	–	7	12	3	24	23	18	8	5	3	08
56	7	–	12	1	1	6	6	–	2	2	–	1	2	–	4	7	8	6	–	–	09
1,143	77	10	292	40	51	122	54	12	70	14	–	30	39	21	329	99	71	60	40	3	10
468	30	4	124	13	21	62	25	2	23	7	–	12	18	12	135	31	26	26	18	1	11
107	7	1	40	8	6	12	–	1	4	1	–	3	–	3	34	1	4	2	1	–	12
568	40	5	128	19	24	48	29	9	43	6	–	15	21	6	160	67	41	32	21	2	13
202	7	–	43	4	9	11	6	–	7	1	–	1	5	1	40	11	11	4	2	–	14
1,955	84	17	689	139	93	102	84	11	125	17	1	31	53	37	425	127	122	85	47	15	15
37	2	1	15	4	2	6	4	–	6	1	–	1	5	–	11	10	6	1	5	2	16
184	6	1	55	3	6	5	10	–	4	2	–	1	1	4	39	7	14	9	–	1	17
159	5	2	58	6	6	15	10	1	16	4	–	3	6	5	36	8	8	7	4	–	18
143	4	–	60	4	3	9	5	–	10	2	–	4	4	5	34	7	9	6	7	2	19
170	4	2	87	27	9	12	6	2	8	–	–	2	6	1	43	12	9	8	–	1	20
68	7	1	26	9	3	4	2	–	7	–	–	3	–	8	13	2	9	5	6	–	21
325	15	1	129	31	20	16	14	3	27	3	–	9	11	2	83	30	18	10	11	3	22
869	41	9	259	55	44	35	33	5	47	5	1	8	20	12	166	51	49	39	14	6	23
890	41	5	238	56	37	36	36	2	35	9	–	8	12	79	177	48	27	27	9	2	24
3,872	143	42	1,455	207	209	273	190	35	180	51	1	25	55	289	839	88	160	153	45	8	25
404	14	3	162	14	26	31	33	5	19	5	–	1	8	21	104	8	21	21	5	1	26
148	3	1	82	10	14	10	7	1	2	1	–	–	2	9	34	3	3	9	–	2	27
246	10	4	76	12	17	16	8	1	10	4	–	7	2	10	62	6	9	10	–	–	28
140	7	3	32	6	10	4	11	3	6	3	–	–	1	15	24	5	4	12	1	–	29
1,665	56	16	691	78	78	132	70	16	83	26	1	9	26	140	325	37	80	58	26	2	30
1,269	53	15	412	87	64	80	61	9	60	12	–	8	16	94	290	29	43	43	13	3	31
1,017	34	15	302	57	32	72	43	12	45	5	–	15	45	106	256	97	88	56	35	10	32
45	4	–	21	2	2	1	1	1	3	1	–	–	4	2	15	7	5	1	3	–	33
248	9	3	77	10	9	18	12	4	8	1	–	2	6	42	59	25	20	9	3	1	34
124	3	2	35	8	5	3	2	1	6	–	–	1	5	2	35	7	10	9	4	–	35
600	18	10	169	37	16	50	28	6	28	3	–	12	30	60	147	58	53	37	25	9	36
159	6	1	51	13	5	16	8	–	7	2	–	2	3	2	36	12	20	5	9	2	37
131	21	–	58	7	9	9	11	2	7	4	–	2	2	30	47	14	12	6	3	2	38
54	9	–	32	3	5	5	7	1	3	1	–	1	–	10	26	7	3	4	1	1	39
77	12	–	26	4	4	4	4	1	4	3	–	1	2	20	21	7	9	2	2	1	40
262	18	2	77	9	11	18	12	4	19	2	–	3	6	10	72	26	27	19	8	5	41
130	11	1	46	6	7	13	9	1	10	2	–	2	5	7	49	17	17	11	4	3	42
132	7	1	31	3	4	5	3	3	9	–	–	1	1	3	23	9	10	8	4	2	43
104	9	1	32	4	3	9	5	–	5	1	–	3	6	4	26	20	5	4	–	1	44
895	44	6	279	32	40	63	37	5	34	11	–	12	8	15	234	41	43	30	6	7	45
275	10	2	104	10	11	26	13	1	15	4	–	8	2	9	80	7	19	8	4	3	46
620	34	4	175	22	29	37	24	4	19	7	–	4	6	6	154	34	24	22	2	4	47
364	25	4	87	6	15	32	7	3	19	5	–	10	11	2	72	41	29	11	10	4	48
133	10	2	32	1	5	10	2	1	6	1	–	4	4	1	22	14	11	3	5	2	49
231	15	2	55	5	10	22	5	2	13	4	–	6	7	1	50	27	18	8	5	2	50
62	3	–	28	3	3	4	4	3	5	1	–	1	1	1	27	8	6	2	5	–	51
68	9	–	16	2	2	6	4	1	5	4	–	1	1	5	16	13	7	–	1	2	52
36	4	–	13	3	2	2	3	–	2	1	–	1	–	3	14	4	4	2	3	1	53
19	2	–	7	2	–	3	1	–	3	–	–	–	–	–	4	2	1	2	–	–	54
1,128	56	12	338	36	51	65	41	6	57	18	1	9	12	75	284	70	57	39	20	10	55
318	18	2	95	8	12	17	10	–	16	6	–	–	9	15	90	13	15	8	11	2	56
111	5	1	32	2	5	6	3	–	7	–	–	1	2	17	28	8	12	2	2	2	57
70	–	2	39	1	4	4	3	2	4	2	–	1	1	4	20	7	2	4	2	–	58
123	4	3	30	4	8	7	8	1	4	2	–	3	–	5	23	6	7	6	2	2	59
506	29	4	142	21	22	31	17	3	26	8	1	4	–	34	123	36	21	19	3	4	60
13	4	–	8	1	–	2	2	–	1	3	–	–	–	2	9	5	2	4	1	–	61
68	6	2	20	3	2	4	2	–	1	1	–	–	1	–	16	4	2	2	3	–	62
68	1	–	11	–	–	2	3	–	2	–	–	1	–	3	7	2	4	–	–	–	63
12,461	**2,088**	**176**	**4,992**	**505**	**540**	**1,341**	**492**	**115**	**562**	**224**	**18**	**334**	**568**	**625**	**3,988**	**1,455**	**1,586**	**704**	**735**	**20**	**64**
4,896	992	85	2,026	202	238	572	178	56	293	98	9	124	245	175	1,758	396	588	230	378	8	65
7,565	1,096	91	2,966	303	302	769	314	59	269	126	9	210	323	450	2,230	1,059	998	474	357	12	66
5,158	966	77	1,997	201	238	589	218	58	321	107	9	163	252	181	1,893	569	678	343	378	8	67
3,506	751	66	1,412	132	168	423	126	39	236	74	6	98	180	114	1,328	290	440	172	305	6	68
1,652	215	11	585	69	70	166	92	19	85	33	3	65	72	67	565	279	238	171	73	2	69
7,303	1,122	99	2,995	304	302	752	274	57	241	117	9	171	316	444	2,095	886	908	361	357	12	70
1,390	241	19	614	70	70	149	52	17	57	24	3	26	65	61	430	106	148	58	73	2	71
5,913	881	80	2,381	234	232	603	222	40	184	93	6	145	251	383	1,665	780	760	303	284	10	72
37	14	–	10	1	2	7	–	–	–	–	–	1	2	1	13	3	4	1	1	–	73
25	–	–	7	–	–	3	1	–	–	–	–	1	1	2	3	1	–	1	1	–	74
33	–	–	4	1	2	3	2	–	1	–	–	–	–	1	8	1	5	–	–	–	75
8	2	–	6	–	1	4	1	–	1	–	–	–	–	3	1	2	2	–	–	–	76
76	8	2	27	2	3	19	1	–	3	2	–	1	1	1	23	15	7	5	7	–	77
47	6	2	15	1	2	14	–	–	2	–	–	–	1	–	13	6	3	4	3	–	78
29	2	–	12	1	1	5	1	–	1	2	–	1	–	1	10	9	4	1	4	–	79
27	1	1	6	–	1	1	1	1	1	–	–	1	–	–	7	3	3	–	1	–	80
55	10	2	22	1	1	11	–	–	–	–	–	3	2	2	22	9	6	3	8	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Bartow	328	–	–	1	57	13	16	1	7	3	2	15	2	185	130	1	1
02	Ben Hill	181	–	–	1	27	4	8	3	6	3	–	3	4	102	58	–	1
03	Berrien	127	1	–	–	20	2	8	–	5	1	–	4	1	69	53	–	–
04	Bibb	1,500	3	1	16	233	48	52	21	24	11	15	62	30	771	488	5	17
05	Macon	1,365	3	1	15	211	46	47	17	22	9	12	58	28	712	442	5	16
06	Balance of county	135	–	–	1	22	2	5	4	2	2	3	4	2	59	46	–	1
07	Bleckley	105	–	–	2	13	3	5	–	1	1	1	2	2	57	40	–	–
08	Brantley	74	–	–	–	12	2	4	1	2	–	1	2	2	41	29	–	–
09	Brooks	179	1	–	1	26	9	6	3	4	–	–	4	–	106	73	–	3
10	Bryan	70	–	–	–	10	2	3	–	2	–	–	3	1	30	20	–	–
11	Bulloch	255	–	–	2	39	8	16	1	4	1	3	6	3	122	69	2	–
12	Statesboro	111	–	–	–	16	3	5	1	3	–	1	3	1	59	34	1	–
13	Balance of county	144	–	–	2	23	5	11	–	1	1	2	3	2	63	35	1	–
14	Burke	213	1	–	2	39	14	9	2	3	–	1	10	1	124	77	1	2
15	Butts	115	–	–	1	17	5	4	2	2	1	–	3	3	59	46	1	2
16	Calhoun	73	–	–	–	8	3	1	1	1	–	1	1	3	41	18	–	–
17	Camden	83	–	–	1	22	11	6	–	1	–	–	4	4	31	17	–	–
18	Candler	79	–	–	–	13	3	4	3	1	–	–	2	3	42	23	–	–
19	Carroll	443	2	–	5	80	25	12	4	11	2	5	21	19	199	145	2	–
20	Carrollton	128	–	–	–	25	10	3	3	4	–	1	4	7	54	39	1	–
21	Balance of county	315	2	–	5	55	15	9	1	7	2	4	17	12	145	106	1	–
22	Catoosa	237	–	–	1	47	6	21	2	3	–	3	12	4	121	90	–	2
23	Charlton	65	–	–	–	10	1	3	1	3	–	–	2	2	34	28	–	–
24	Chatham	1,779	4	–	14	355	72	92	34	50	8	13	86	31	861	614	9	19
25	Savannah	1,356	2	–	12	263	59	65	23	40	5	6	65	26	670	475	6	16
26	Balance of county	423	2	–	2	92	13	27	11	10	3	7	21	5	191	139	3	3
27	Chattahoochee	50	–	–	2	7	1	4	–	–	1	–	1	–	11	9	–	1
28	Chattooga	237	1	–	3	28	8	4	3	2	3	3	5	1	128	89	3	2
29	Cherokee	314	1	–	2	60	11	20	5	8	1	1	14	5	150	101	1	2
30	Clarke	458	–	–	5	76	29	23	6	4	6	1	7	9	226	155	3	1
31	Athens	365	–	–	3	59	23	20	4	3	3	1	5	5	186	127	2	1
32	Balance of county	93	–	–	2	17	6	3	2	1	3	–	2	4	40	28	1	–
33	Clay	46	1	–	–	4	1	1	–	–	–	–	2	–	31	17	–	–
34	Clayton	632	2	–	1	127	29	43	9	7	7	5	27	5	268	201	3	3
35	College Park, part	36	1	–	–	9	5	2	1	–	–	1	–	1	11	8	–	–
36	Forest Park	155	–	–	–	35	6	15	3	2	1	1	7	–	69	59	1	–
37	Balance of county	441	1	–	1	83	18	26	5	5	6	3	20	4	188	134	2	3
38	Clinch	81	–	–	–	11	1	4	–	–	–	1	5	–	45	33	–	–
39	Cobb	1,347	5	–	14	260	50	83	18	18	9	16	66	18	610	445	11	–
40	Marietta	388	2	–	4	77	17	22	4	6	5	5	18	2	193	138	5	–
41	Smyrna	165	–	–	2	47	11	12	4	–	3	3	14	2	67	47	1	–
42	Balance of county	794	3	–	8	136	22	49	10	12	1	8	34	14	350	260	5	–
43	Coffee	237	3	–	–	39	8	10	5	3	1	4	8	3	137	98	1	3
44	Douglas	100	1	–	–	15	3	4	3	1	–	2	2	–	57	40	–	1
45	Balance of county	137	2	–	–	24	5	6	2	2	1	2	6	3	80	58	1	2
46	Colquitt	356	–	–	3	60	13	19	2	5	3	5	13	16	182	126	2	7
47	Moultrie	182	–	–	2	34	8	8	2	3	3	3	7	9	93	60	–	5
48	Balance of county	174	–	–	1	26	5	11	–	2	–	2	6	7	89	66	2	2
49	Columbia	162	–	–	–	32	3	8	1	7	2	1	10	–	77	60	–	–
50	Cook	113	–	–	–	25	8	10	2	1	1	1	2	1	45	31	–	–
51	Coweta	394	–	–	–	67	18	9	6	8	2	3	21	6	194	133	1	1
52	Newnan	157	–	–	–	29	10	1	2	4	1	1	10	4	82	55	1	1
53	Balance of county	237	–	–	–	38	8	8	4	4	1	2	11	2	112	78	–	–
54	Crawford	61	–	–	2	7	–	–	–	1	–	–	6	1	29	23	–	2
55	Crisp	217	1	–	2	33	5	7	5	5	1	3	7	5	119	67	–	–
56	Cordele	145	1	–	1	24	2	5	4	5	–	3	5	4	81	51	–	–
57	Balance of county	72	–	–	1	9	3	2	1	–	1	–	2	1	38	16	–	–
58	Dade	87	–	–	–	22	7	1	1	4	–	2	7	1	37	28	–	–
59	Dawson	47	–	–	1	6	1	2	–	–	1	–	2	–	24	21	–	–
60	Decatur	264	–	–	1	35	7	12	2	7	–	–	7	4	154	128	1	2
61	Bainbridge	150	–	–	–	21	4	6	2	5	–	–	4	2	86	73	1	2
62	Balance of county	114	–	–	1	14	3	6	–	2	–	–	3	2	68	55	–	–
63	De Kalb	2,665	4	–	30	555	135	145	62	48	24	27	114	34	1,243	891	21	8
64	Atlanta, part	782	1	–	14	155	39	41	14	16	7	10	28	13	370	268	3	4
65	Decatur	443	1	–	4	89	22	19	12	12	4	3	17	5	201	148	4	1
66	Balance of county	1,440	2	–	12	311	74	85	36	20	13	14	69	16	672	475	14	3
67	Dodge	173	1	–	1	34	2	7	2	7	–	2	14	1	73	44	1	1
68	Dooly	126	–	–	6	19	5	8	1	1	–	1	3	3	62	41	–	–
69	Dougherty	653	2	1	4	107	23	25	10	17	4	3	25	15	335	208	5	5
70	Albany	585	2	1	3	92	20	20	10	13	4	3	22	12	310	192	5	5
71	Balance of county	68	–	–	1	15	3	5	–	4	–	–	3	3	25	16	–	–
72	Douglas	286	1	–	2	54	7	22	4	5	2	3	11	4	129	101	1	–
73	Early	136	–	–	–	29	4	12	–	5	1	2	5	7	74	46	–	–
74	Echols	17	–	–	1	2	–	–	–	2	–	–	–	–	9	6	–	–
75	Effingham	115	1	–	–	17	2	6	2	4	1	–	2	–	59	32	–	3
76	Elbert	210	–	–	2	31	5	13	2	4	–	1	6	6	116	87	1	1
77	Emanuel	201	–	–	4	27	7	8	3	6	–	1	2	3	105	81	1	–
78	Evans	79	–	–	2	12	1	3	–	4	–	1	3	–	46	24	–	1
79	Fannin	150	1	–	2	28	10	6	2	7	1	1	1	3	76	60	1	1
80	Fayette	126	–	–	–	18	3	4	1	1	2	–	7	2	61	40	–	1
81	Floyd	764	2	–	9	124	35	26	12	13	5	2	31	8	400	256	1	11
82	Rome	443	1	–	5	79	24	17	7	11	1	2	17	2	237	142	1	5
83	Balance of county	321	1	–	4	45	11	9	5	2	4	–	14	6	163	114	–	6
84	Forsyth	169	–	–	3	26	9	8	1	2	–	3	3	–	80	62	–	–
85	Franklin	136	–	–	1	23	8	5	3	1	1	–	5	1	76	59	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
99	29	–	48	2	5	2	6	2	1	–	–	3	3	4	28	10	10	9	5	–	01
52	5	–	40	1	3	6	5	–	3	–	–	1	2	3	15	3	6	2	1	–	02
44	9	–	14	–	2	1	3	–	–	–	1	4	1	1	11	4	5	3	2	–	03
336	130	6	205	37	35	59	13	3	22	12	2	17	15	12	145	46	48	24	28	–	04
300	121	5	196	36	33	54	11	3	20	11	2	15	15	11	126	37	40	23	27	–	05
36	9	1	9	1	2	5	2	–	2	1	–	2	–	1	19	9	8	1	1	–	06
35	5	1	11	3	2	10	3	–	–	–	–	–	1	1	7	4	3	–	2	–	07
22	7	2	7	1	2	2	3	1	1	–	–	1	1	–	5	2	3	–	–	–	08
58	12	1	28	1	3	11	–	1	1	–	–	–	1	4	12	8	4	2	1	–	09
17	3	1	7	1	1	2	2	1	–	–	–	3	2	3	7	6	3	–	–	–	10
61	6	2	42	5	4	8	2	–	4	–	–	2	2	21	25	6	8	7	4	–	11
28	5	–	23	1	1	5	1	–	3	–	–	1	1	10	7	–	2	4	1	–	12
33	1	2	19	4	3	3	1	–	1	–	–	1	1	11	18	6	6	3	3	–	13
70	4	–	42	3	2	1	1	2	1	2	–	3	3	2	13	8	5	2	3	–	14
43	–	–	9	3	1	4	1	–	2	–	–	1	3	–	15	3	4	1	1	–	15
18	–	–	21	–	2	2	1	–	1	–	–	1	1	1	9	2	1	1	1	–	16
16	1	1	11	1	1	2	–	–	1	1	–	–	1	4	10	1	5	–	–	–	17
22	1	–	13	4	2	4	1	–	1	–	–	1	–	2	7	–	3	1	1	–	18
133	10	1	46	4	3	13	6	1	2	3	–	4	4	10	39	22	18	6	10	–	19
37	1	–	15	–	–	1	2	1	1	1	–	1	2	4	16	4	6	–	3	–	20
96	9	1	31	4	3	12	4	–	1	2	–	3	2	6	23	18	12	6	7	–	21
75	13	–	28	2	1	5	5	–	–	–	–	2	4	2	19	6	13	4	4	–	22
27	1	–	5	–	1	–	1	–	3	–	–	1	1	5	2	1	1	1	3	–	23
553	33	9	190	18	30	47	16	5	27	6	–	11	23	11	196	49	54	32	35	2	24
426	27	9	151	12	23	41	11	3	22	5	–	10	18	6	156	27	37	19	27	1	25
127	6	–	39	6	7	6	5	2	5	1	–	1	5	5	40	22	17	13	8	1	26
8	–	–	1	–	1	–	1	–	1	–	1	1	3	1	4	9	1	5	3	–	27
68	16	–	37	–	2	15	3	–	3	1	–	1	3	2	31	7	7	2	1	–	28
81	17	1	40	3	5	5	6	1	5	1	1	8	6	1	33	13	9	6	1	–	29
143	8	2	60	5	4	16	5	1	9	6	–	5	6	1	43	19	13	7	11	–	30
117	7	2	49	5	3	16	5	1	9	6	–	4	5	1	34	9	7	5	10	–	31
26	1	–	11	–	1	–	–	–	–	–	–	1	1	–	9	10	6	2	1	–	32
15	2	–	14	–	–	–	–	–	1	1	–	1	1	1	3	–	2	–	–	–	33
179	16	1	54	5	7	15	7	2	7	3	1	15	12	6	60	27	30	35	9	–	34
7	1	–	2	–	1	–	–	–	–	1	–	2	1	–	3	3	1	2	1	–	35
54	4	–	8	1	1	3	–	1	4	2	–	2	2	2	13	4	6	8	4	–	36
118	11	1	44	4	5	12	7	1	3	–	1	11	9	4	44	20	23	25	4	–	37
33	–	1	9	2	–	6	1	–	4	2	–	–	–	–	5	2	2	1	2	–	38
390	44	1	135	18	11	38	26	2	16	7	–	13	19	13	134	64	61	33	14	–	39
122	11	–	47	4	4	15	2	–	6	2	–	2	9	3	32	10	16	9	4	–	40
39	7	1	18	1	–	5	2	–	3	1	–	–	1	3	14	8	7	1	2	–	41
229	26	–	70	13	7	18	22	2	7	4	–	11	9	7	88	46	38	23	8	–	42
83	11	–	31	2	6	5	1	1	1	2	–	–	5	2	22	3	9	–	4	–	43
32	7	–	13	–	4	4	1	1	–	1	–	–	3	1	9	1	4	–	2	–	44
51	4	–	18	2	2	1	–	–	1	1	–	–	2	1	13	2	5	–	2	–	45
97	20	2	45	5	4	13	8	–	3	–	–	2	4	6	23	16	12	4	4	–	46
42	13	2	24	4	3	7	3	–	2	–	–	2	2	1	14	1	9	1	2	–	47
55	7	–	21	1	1	6	5	–	1	–	–	–	2	5	9	15	3	3	2	–	48
56	4	2	15	–	–	3	6	–	–	–	–	2	5	1	12	11	7	3	1	2	49
28	3	1	12	1	–	4	4	–	2	–	–	2	1	8	6	3	7	3	1	1	50
123	8	2	53	3	3	6	6	2	4	1	1	2	5	24	32	19	13	6	6	–	51
52	1	1	23	–	3	2	2	–	2	–	1	1	–	13	6	6	5	3	1	–	52
71	7	1	30	3	–	4	4	2	2	1	–	1	5	11	26	13	8	3	5	–	53
14	7	–	6	–	–	1	1	–	–	–	–	1	–	4	8	3	4	–	–	–	54
61	6	–	39	10	3	11	–	–	1	–	–	1	8	1	14	10	5	2	4	–	55
47	4	–	21	8	1	7	–	–	1	–	–	–	3	1	11	4	3	2	2	–	56
14	2	–	18	2	2	4	–	–	–	–	–	1	5	–	3	6	2	–	2	–	57
20	8	–	8	1	–	2	–	–	2	–	–	–	1	3	8	2	6	3	–	–	58
14	7	–	1	1	1	1	–	–	1	–	–	–	–	1	6	6	–	1	–	–	59
119	6	2	20	–	4	8	1	1	1	1	–	3	5	3	16	10	13	5	3	–	60
66	4	1	11	–	1	6	1	1	–	–	–	2	1	1	11	5	9	2	2	–	61
53	2	1	9	–	3	2	–	–	1	1	–	1	4	2	5	5	4	3	1	–	62
753	109	7	274	27	44	78	42	9	41	15	2	23	38	14	251	79	94	62	49	2	63
226	35	1	81	8	12	24	12	1	8	6	1	4	13	2	81	15	32	7	23	–	64
114	29	2	43	3	5	14	5	2	8	2	1	6	13	3	42	11	15	6	14	1	65
413	45	4	150	16	27	40	25	6	25	7	–	13	12	9	128	53	47	49	12	1	66
37	5	1	25	–	3	5	–	–	3	1	–	1	–	18	23	4	3	3	2	–	67
38	3	2	15	–	4	7	–	–	2	–	–	–	2	2	9	5	5	–	4	–	68
190	8	3	109	7	8	14	7	4	9	2	–	3	7	6	48	15	43	13	18	–	69
175	7	3	101	6	8	13	7	4	7	2	–	1	7	6	44	11	34	11	18	–	70
15	1	–	8	1	–	1	–	–	2	–	–	2	–	–	4	4	9	2	–	–	71
89	11	1	18	6	3	5	6	1	3	–	–	3	6	2	25	17	13	10	5	–	72
44	2	2	23	2	1	1	4	–	–	–	–	–	3	–	11	3	3	1	–	–	73
4	2	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	74
21	8	–	19	5	3	4	–	1	–	–	–	–	4	2	12	4	3	4	4	–	75
77	8	2	23	2	2	3	1	–	1	2	–	1	–	4	20	11	3	4	5	–	76
71	9	–	19	1	4	11	2	–	2	1	–	2	6	1	14	10	8	3	2	–	77
19	4	1	20	–	1	3	2	–	–	–	–	–	–	2	6	1	3	1	1	–	78
54	4	–	14	1	1	7	2	–	1	2	–	–	1	2	11	4	6	2	2	–	79
33	6	–	19	1	1	4	1	–	1	1	–	–	–	2	17	7	5	5	2	–	80
228	16	3	120	8	13	20	11	5	8	4	1	7	10	3	80	28	22	14	8	–	81
127	9	1	81	5	8	9	7	4	4	2	1	6	2	2	46	10	12	7	7	–	82
101	7	2	39	3	5	11	4	1	4	2	–	1	8	1	34	18	10	7	1	–	83
54	8	–	17	1	–	6	1	–	1	1	–	1	1	5	14	18	6	4	2	–	84
56	3	1	12	1	3	2	4	–	–	1	1	1	1	1	15	2	6	1	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Fulton	5,574	15	2	90	936	247	215	90	104	48	32	200	98	2,666	2,007	35	24
02	Atlanta, part	4,436	14	2	74	739	200	160	72	90	34	23	160	80	2,138	1,625	29	21
03	Atlanta, total	5,218	15	2	88	894	239	201	86	106	41	33	188	93	2,508	1,893	32	25
04	College Park, part	256	–	–	5	45	13	10	2	4	3	2	11	4	109	80	2	–
05	College Park, total	292	1	–	5	54	18	12	3	4	3	3	11	5	120	88	2	–
06	East Point	314	–	–	5	58	11	18	7	4	2	3	13	8	140	97	–	1
07	Balance of county	568	1	–	6	94	23	27	9	6	9	4	16	6	279	205	4	2
08	Gilmer	102	–	–	1	20	3	3	3	3	–	1	7	–	48	35	2	1
09	Glascock	20	–	–	–	2	–	1	–	1	–	–	–	–	12	12	–	–
10	Glynn	472	3	–	3	73	16	23	6	11	1	3	13	10	245	184	3	3
11	Brunswick	249	2	–	1	31	7	10	3	5	–	1	5	8	128	94	1	1
12	Balance of county	223	1	–	2	42	9	13	3	6	1	2	8	2	117	90	2	2
13	Gordon	261	1	–	1	38	3	12	5	1	1	3	13	6	142	95	–	1
14	Grady	194	–	–	2	24	9	5	–	1	–	1	8	4	112	83	–	3
15	Greene	130	1	–	–	25	7	7	2	3	1	–	5	2	67	49	–	–
16	Gwinnett	699	2	–	9	149	27	44	14	18	3	12	31	6	312	224	2	1
17	Habersham	192	–	–	–	33	7	7	3	5	2	3	6	2	110	76	2	1
18	Hall	543	–	–	5	85	20	19	7	8	1	7	23	7	285	231	5	6
19	Gainesville	201	–	–	2	30	6	8	1	4	–	2	9	5	107	85	2	1
20	Balance of county	342	–	–	3	55	14	11	6	4	1	5	14	2	178	146	3	5
21	Hancock	114	1	–	–	13	6	1	1	–	1	1	3	3	70	59	–	–
22	Haralson	165	–	–	2	24	5	8	–	1	2	2	6	2	90	64	–	–
23	Harris	126	–	–	1	26	3	12	1	1	–	4	5	1	68	39	–	7
24	Hart	177	–	–	–	38	13	8	3	9	1	1	3	3	81	65	1	–
25	Heard	67	–	–	–	13	3	1	1	1	1	–	6	1	28	21	1	–
26	Henry	229	1	–	4	44	12	10	2	4	1	1	14	5	106	65	2	2
27	Houston	402	–	–	4	80	21	24	4	6	4	1	20	6	174	126	3	6
28	Warner Robins	232	–	–	1	48	17	16	3	2	1	1	8	3	95	69	1	4
29	Balance of county	170	–	–	3	32	4	8	1	4	3	–	12	3	79	57	2	2
30	Irwin	92	–	–	2	17	4	6	1	2	–	–	4	–	46	27	2	–
31	Jackson	220	–	–	1	37	7	6	3	7	2	3	9	6	111	77	2	1
32	Jasper	78	–	–	–	11	6	1	–	–	–	1	3	1	35	30	–	–
33	Jeff Davis	109	–	–	–	22	2	11	1	1	1	2	4	2	62	40	–	–
34	Jefferson	182	–	–	–	35	6	12	4	4	–	2	7	5	83	66	3	3
35	Jenkins	107	–	–	2	13	3	2	1	2	–	1	4	–	64	41	–	–
36	Johnson	69	1	–	1	12	–	5	–	1	–	2	4	–	21	15	–	–
37	Jones	96	–	–	–	6	2	2	–	–	–	–	2	2	47	32	–	–
38	Lamar	113	1	–	–	20	6	4	1	2	1	–	6	3	61	42	–	2
39	Lanier	45	1	–	–	7	1	4	–	–	–	1	1	–	17	12	1	–
40	Laurens	380	1	–	4	54	10	18	4	6	–	2	14	5	221	178	–	6
41	Dublin	179	1	–	3	22	4	6	2	2	–	1	7	3	103	79	–	2
42	Balance of county	201	–	–	1	32	6	12	2	4	–	1	7	2	118	99	–	4
43	Lee	61	1	–	–	10	1	6	1	2	–	–	–	1	30	24	–	1
44	Liberty	143	–	–	5	27	7	9	3	3	–	–	5	–	58	42	–	–
45	Lincoln	68	–	–	–	8	1	2	1	1	–	–	3	1	32	22	–	1
46	Long	27	–	–	–	7	–	4	–	3	–	–	–	–	9	6	–	–
47	Lowndes	492	1	–	4	87	18	24	10	9	2	3	21	8	272	193	1	15
48	Valdosta	301	1	–	2	52	11	16	7	5	1	3	9	3	168	119	–	10
49	Balance of county	191	–	–	2	35	7	8	3	4	1	–	12	5	104	74	1	5
50	Lumpkin	81	–	–	–	11	5	2	1	2	–	–	1	–	44	27	2	1
51	McDuffie	159	–	–	1	21	4	7	2	–	–	2	6	1	94	55	–	–
52	McIntosh	73	–	–	1	15	4	4	–	–	–	1	6	–	35	30	–	–
53	Macon	134	–	–	2	14	4	2	1	3	–	1	3	1	80	56	1	6
54	Madison	153	–	–	1	31	7	7	4	3	–	3	7	3	74	61	–	–
55	Marion	45	–	–	2	8	3	3	–	–	–	–	2	1	22	12	–	–
56	Meriwether	214	–	–	2	31	11	5	4	2	2	2	5	2	136	83	1	2
57	Miller	65	1	–	–	6	2	–	–	–	1	1	2	3	35	24	–	2
58	Mitchell	193	–	–	–	31	6	14	4	2	–	–	5	1	96	60	1	1
59	Monroe	118	–	–	1	17	8	5	–	–	–	–	4	3	55	33	1	–
60	Montgomery	61	–	–	–	5	–	3	–	–	–	–	2	–	41	27	–	1
61	Morgan	101	–	–	1	18	4	6	1	4	1	–	2	–	53	32	–	1
62	Murray	140	–	–	–	28	5	9	2	1	1	2	8	1	60	43	–	–
63	Muscogee	1,402	4	–	16	260	64	62	15	32	9	10	68	31	680	469	6	11
64	Columbus	1,360	4	–	16	256	64	61	15	29	9	10	68	31	661	457	6	11
65	Balance of county	42	–	–	–	4	–	1	–	3	–	–	–	–	19	12	–	–
66	Newton	260	–	–	1	37	8	7	6	4	2	4	6	3	134	100	1	–
67	Covington	96	–	–	–	15	2	4	4	1	1	2	1	2	44	33	1	–
68	Balance of county	164	–	–	1	22	6	3	2	3	1	2	5	1	90	67	–	–
69	Oconee	79	–	–	–	19	2	4	3	5	1	1	3	–	38	26	–	–
70	Oglethorpe	89	–	–	2	14	2	3	–	–	–	–	9	4	41	27	–	–
71	Paulding	192	–	–	1	39	9	14	2	3	1	3	7	6	77	55	–	1
72	Peach	167	–	–	5	30	6	9	2	3	–	2	8	1	90	72	–	15
73	Pickens	92	–	–	1	15	5	3	1	3	–	3	–	2	46	29	–	–
74	Pierce	103	–	–	1	16	2	8	1	1	–	–	4	3	59	43	–	–
75	Pike	75	–	–	–	12	5	3	1	1	1	–	1	1	44	37	–	–
76	Polk	366	1	–	8	63	15	15	9	6	2	3	13	1	184	142	3	1
77	Pulaski	82	–	–	–	16	4	6	1	1	–	2	2	1	46	26	–	3
78	Putnam	89	–	–	2	6	2	–	1	–	1	1	1	1	46	40	1	–
79	Quitman	20	–	–	–	3	–	–	1	1	–	–	1	1	3	1	–	–
80	Rabun	99	1	–	–	21	4	6	1	3	1	1	5	4	46	32	1	–
81	Randolph	115	–	–	3	18	2	5	–	4	1	2	4	3	51	27	–	–
82	Richmond	1,481	6	1	20	290	67	94	25	24	9	14	57	26	703	503	11	25
83	Augusta	915	3	1	10	189	41	57	16	18	5	9	43	15	459	322	5	18
84	Balance of county	566	3	–	10	101	26	37	9	6	4	5	14	11	244	181	6	7

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,520	428	32	523	48	56	206	53	16	123	31	1	35	73	61	608	134	209	75	140	2	01
1,213	362	26	409	35	43	155	40	13	103	24	1	29	57	49	490	92	161	51	122	2	02
1,439	397	27	490	43	55	179	52	14	111	30	2	33	70	51	571	107	193	58	145	2	03
64	14	2	20	3	4	17	4	–	5	1	–	3	6	1	30	10	8	4	4	–	04
71	15	2	22	3	5	17	4	–	5	2	–	5	7	1	33	13	9	6	5	–	05
72	24	1	35	–	7	13	5	1	7	3	–	2	3	5	33	5	13	8	5	–	06
171	28	3	59	10	2	21	4	2	8	3	–	1	7	6	55	27	27	12	9	–	07
31	1	–	10	3	–	7	–	–	2	1	–	–	1	3	10	5	2	1	1	–	08
12	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	–	1	–	–	–	09
124	54	1	50	4	6	20	7	2	10	5	–	1	8	6	26	13	18	11	9	2	10
63	29	1	27	2	4	8	2	2	8	3	–	1	7	5	15	6	9	6	5	2	11
61	25	–	23	2	2	12	5	–	2	2	–	–	1	1	11	7	9	5	4	–	12
59	35	1	34	7	5	13	3	–	5	1	–	2	2	2	25	9	3	6	2	–	13
71	9	–	26	2	1	5	2	–	4	2	–	–	3	3	11	11	6	1	3	1	14
46	3	3	14	1	–	1	1	–	–	–	–	1	4	1	14	5	5	1	2	–	15
192	29	–	76	4	8	27	8	4	7	3	–	6	7	16	59	32	25	15	12	–	16
70	3	1	30	1	2	6	1	1	1	–	–	2	2	2	8	8	12	3	1	–	17
201	19	2	39	5	8	18	3	–	8	3	–	3	3	6	44	27	22	16	8	–	18
73	9	1	14	2	5	7	1	–	3	1	–	–	2	1	19	10	6	6	1	–	19
128	10	1	25	3	3	11	2	–	5	2	–	3	1	5	25	17	16	10	7	–	20
54	5	1	9	–	1	1	–	–	–	1	–	2	1	–	12	5	2	1	2	–	21
59	5	3	19	3	1	4	5	–	3	–	–	–	–	5	9	8	4	8	1	–	22
25	7	1	18	6	4	3	1	1	1	1	–	–	–	3	10	4	4	2	–	–	23
53	11	–	14	–	2	11	1	–	5	1	–	1	2	2	17	3	5	4	3	–	24
18	2	–	6	1	–	3	–	–	–	1	–	–	–	1	10	2	3	2	3	–	25
59	2	–	39	1	1	8	6	–	4	1	–	1	4	3	18	8	8	5	3	–	26
101	16	1	34	9	4	12	9	1	13	3	–	5	9	5	40	16	8	8	8	1	27
58	6	–	20	4	2	8	4	1	6	2	–	5	5	2	25	11	4	5	6	1	28
43	10	1	14	5	2	4	5	–	7	1	–	–	4	3	15	5	4	3	2	–	29
24	1	–	17	1	1	3	1	–	–	–	–	–	3	1	5	1	6	1	5	1	30
68	6	1	29	3	1	7	2	–	1	–	1	5	1	2	16	10	11	4	5	–	31
23	7	–	5	–	–	3	–	–	1	3	–	–	–	6	8	2	5	–	3	–	32
31	9	–	18	1	3	1	–	–	–	–	–	–	1	–	8	6	3	2	2	–	33
55	5	1	8	3	5	1	1	–	2	2	–	–	3	3	25	8	9	2	2	1	34
37	4	1	20	1	1	2	–	–	–	1	–	1	2	1	8	4	6	1	2	–	35
11	4	–	6	–	–	3	1	–	1	–	–	–	1	8	9	4	1	3	3	–	36
22	10	–	13	1	1	4	2	–	1	–	–	–	1	1	9	8	12	–	3	–	37
34	6	1	13	4	1	4	2	–	1	–	–	2	1	2	7	1	4	3	1	–	38
11	–	–	2	2	1	–	–	1	–	–	–	–	2	6	2	4	1	1	3	–	39
105	67	2	32	4	5	13	2	1	3	–	–	4	6	3	32	14	8	4	4	1	40
46	31	1	15	4	4	7	2	1	1	–	–	2	2	1	19	4	4	1	3	–	41
59	36	1	17	–	1	6	–	–	2	–	–	2	4	2	13	10	4	3	1	1	42
23	–	–	4	2	–	2	1	–	–	2	–	2	–	–	4	1	4	–	3	–	43
35	7	–	14	1	1	4	–	–	1	1	–	2	8	2	9	13	7	1	5	–	44
20	1	–	7	2	1	2	1	–	1	1	–	–	2	–	12	3	4	–	1	–	45
6	–	–	2	–	1	–	–	–	–	–	–	1	1	–	2	1	2	1	3	–	46
101	76	3	56	11	9	8	4	–	8	1	–	4	9	3	47	12	15	4	5	–	47
57	52	3	32	8	6	6	4	–	7	–	–	2	8	3	29	6	5	2	3	–	48
44	24	–	24	3	3	2	–	–	1	1	–	2	1	–	18	6	10	2	2	–	49
21	3	1	15	1	–	3	2	–	1	1	–	–	–	–	10	4	2	1	2	–	50
45	10	3	31	2	3	3	1	–	–	2	–	–	7	4	10	8	3	2	2	–	51
21	9	–	3	–	2	3	1	2	–	–	–	–	2	2	1	4	5	1	1	–	52
42	7	2	13	5	4	4	–	1	–	1	–	1	–	1	17	2	5	4	1	–	53
55	6	–	11	1	1	1	1	–	–	–	–	1	–	3	18	10	6	3	1	–	54
8	4	–	8	1	1	1	–	–	–	–	–	–	–	1	7	1	2	–	–	–	55
70	10	4	44	3	2	6	1	–	–	1	–	–	–	2	14	5	8	3	3	–	56
16	6	–	10	–	1	2	1	1	2	–	–	–	–	2	6	4	1	1	–	–	57
50	8	1	31	3	1	9	2	–	3	1	–	–	3	6	18	6	11	2	3	1	58
28	4	–	18	4	–	5	2	–	1	1	–	–	–	4	16	6	6	1	–	–	59
23	3	–	13	1	–	2	1	–	2	–	–	1	–	1	3	2	2	–	1	–	60
24	7	–	20	–	1	3	–	–	1	1	–	1	1	–	6	4	8	4	–	–	61
32	11	–	14	1	2	7	3	–	2	–	–	1	1	1	10	13	7	4	2	–	62
370	82	10	172	15	14	35	13	7	19	8	1	12	20	15	157	38	45	11	29	1	63
361	79	10	167	14	13	33	13	7	18	8	1	11	17	14	152	35	43	10	29	1	64
9	3	–	5	1	1	2	–	–	1	–	–	1	3	1	5	3	2	1	–	–	65
88	11	–	27	3	4	7	5	1	1	3	–	–	2	14	31	5	5	5	6	–	66
25	7	–	8	1	2	4	2	–	–	1	–	–	2	6	13	2	2	1	2	–	67
63	4	–	19	2	2	3	3	1	1	2	–	–	–	8	18	3	3	4	4	–	68
23	3	–	11	1	–	3	1	–	–	–	–	1	1	2	6	8	–	–	–	–	69
24	3	–	12	2	–	3	3	–	–	–	–	–	1	1	6	4	4	1	5	–	70
47	7	–	17	–	5	11	1	1	1	2	–	2	4	2	17	7	17	1	3	–	71
52	5	–	12	5	1	4	1	–	2	–	–	2	1	4	15	5	5	1	1	–	72
27	2	–	13	4	–	3	1	–	4	–	–	–	–	–	6	5	8	–	1	–	73
37	6	–	12	1	3	3	2	–	1	1	–	1	–	2	9	2	3	–	–	–	74
22	15	–	7	–	–	–	–	–	2	–	1	–	2	2	6	3	2	–	–	–	75
129	9	2	30	4	6	16	5	–	5	2	–	1	3	1	44	6	12	7	7	–	76
19	4	2	15	2	1	1	–	–	6	1	–	1	–	3	3	1	1	2	–	–	77
32	7	–	3	–	3	3	–	1	2	–	–	1	2	–	7	9	6	1	2	–	78
1	–	–	2	–	–	–	–	–	–	–	–	–	–	5	5	1	1	1	–	–	79
30	1	–	12	–	2	2	3	–	–	1	–	1	1	–	7	6	5	–	1	–	80
23	4	1	19	4	–	5	1	–	2	–	–	–	2	17	10	1	–	–	2	–	81
434	33	7	168	6	19	46	14	5	30	11	1	13	22	13	146	40	44	19	31	–	82
275	24	6	114	5	12	28	10	3	19	4	–	6	13	7	87	11	23	8	19	–	83
159	9	1	54	1	7	18	4	2	11	7	1	7	9	6	59	29	21	11	12	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Rockdale	182	1	–	1	43	8	16	2	6	1	1	9	3	85	73	–	1
02	Schley	33	–	–	–	8	3	1	2	2	–	–	–	1	14	7	–	–
03	Screven	150	–	–	–	25	5	8	2	1	–	2	7	3	90	70	–	–
04	Seminole	80	1	–	–	4	1	–	–	1	–	–	2	1	55	39	1	–
05	Spalding	435	1	–	6	75	13	17	10	10	–	3	22	6	211	140	3	3
06	Griffin	290	1	–	2	53	10	13	5	9	–	3	13	4	147	90	1	2
07	Balance of county	145	–	–	4	22	3	4	5	1	–	–	9	2	64	50	2	1
08	Stephens	259	–	–	–	39	10	8	3	4	2	4	8	4	117	79	1	2
09	Stewart	91	–	–	–	11	3	5	–	–	–	1	2	1	35	24	1	–
10	Sumter	280	1	–	1	44	13	12	2	4	3	4	6	8	157	118	–	–
11	Americus	185	–	–	–	27	9	9	1	1	2	3	2	6	107	85	–	–
12	Balance of county	95	1	–	1	17	4	3	1	3	1	1	4	2	50	33	–	–
13	Talbot	62	–	–	1	10	2	4	1	2	–	–	1	–	22	11	–	–
14	Taliaferro	41	–	–	–	9	–	3	3	–	–	–	3	–	18	13	–	–
15	Tattnall	187	–	–	–	31	8	9	3	3	1	1	6	1	98	75	1	–
16	Taylor	97	–	–	–	11	2	1	2	1	–	1	4	3	63	43	–	–
17	Telfair	151	–	–	1	28	8	4	2	5	2	1	6	2	85	64	1	1
18	Terrell	136	1	–	–	19	7	4	–	6	–	–	2	6	75	46	1	–
19	Thomas	401	2	–	–	66	9	18	4	14	4	5	12	12	227	123	1	2
20	Thomasville	231	1	–	–	40	4	11	1	11	1	3	9	7	138	78	1	–
21	Balance of county	170	1	–	–	26	5	7	3	3	3	2	3	5	89	45	–	2
22	Tift	288	1	–	2	50	12	16	3	5	1	2	11	2	153	98	1	3
23	Tifton	143	1	–	–	26	5	9	1	5	1	–	5	1	73	45	1	1
24	Balance of county	145	–	–	2	24	7	7	2	–	–	2	6	1	80	53	–	2
25	Toombs	202	1	–	2	26	4	11	3	2	1	–	5	4	104	78	1	–
26	Towns	49	–	–	1	7	3	3	–	1	–	–	–	–	28	19	–	–
27	Treutlen	58	–	–	1	5	2	1	1	1	–	–	–	1	35	29	–	1
28	Troup	458	–	–	6	64	15	18	6	7	3	5	10	10	268	200	1	3
29	La Grange	244	–	–	2	34	7	9	3	4	3	4	4	5	149	112	–	3
30	Balance of county	214	–	–	4	30	8	9	3	3	–	1	6	5	119	88	1	–
31	Turner	100	–	–	1	14	4	2	3	1	–	1	3	1	55	36	–	–
32	Twiggs	72	–	–	–	13	6	2	–	3	–	–	2	1	36	16	–	–
33	Union	87	–	–	2	15	3	5	1	2	2	–	2	–	45	37	1	–
34	Upson	305	–	1	3	49	8	9	4	10	3	1	14	3	160	96	1	1
35	Thomaston	155	–	–	1	26	5	3	1	4	1	–	12	2	85	51	–	1
36	Balance of county	150	–	1	2	23	3	6	3	6	2	1	2	1	75	45	1	–
37	Walker	495	–	–	4	88	23	23	5	9	6	7	15	15	240	176	2	4
38	Walton	263	1	–	2	53	10	18	2	7	5	1	10	6	131	98	3	–
39	Ware	344	–	–	2	73	9	21	4	15	4	3	17	5	168	121	–	5
40	Waycross	219	–	–	–	46	7	13	3	11	1	2	9	4	108	78	–	3
41	Balance of county	125	–	–	2	27	2	8	1	4	3	1	8	1	60	43	–	2
42	Warren	79	–	–	1	13	3	5	–	2	–	1	2	2	37	22	1	–
43	Washington	201	1	–	3	31	6	10	2	7	1	3	2	1	97	72	–	–
44	Wayne	178	–	–	1	34	10	8	6	5	2	2	1	3	92	65	1	6
45	Webster	15	–	–	–	3	–	1	–	1	–	1	–	–	6	3	–	–
46	Wheeler	57	–	–	–	6	1	2	–	1	–	–	2	4	35	25	–	–
47	White	81	–	–	2	12	3	–	5	–	–	1	3	1	45	36	–	–
48	Whitfield	452	1	–	4	92	16	29	6	13	4	1	23	6	211	148	–	2
49	Dalton	208	–	–	1	47	6	15	4	7	3	1	11	3	92	61	–	–
50	Balance of county	244	1	–	3	45	10	14	2	6	1	–	12	3	119	87	–	2
51	Wilcox	76	–	–	–	9	3	5	1	–	–	–	–	2	40	25	–	1
52	Wilkes	144	–	–	2	27	6	5	2	6	1	2	5	3	80	50	–	1
53	Wilkinson	112	1	–	–	18	5	2	3	4	1	–	3	1	55	42	–	–
54	Worth	140	–	–	2	26	4	9	1	2	–	–	10	5	75	49	–	–
55	**Hawaii**	**4,436**	**10**	–	**59**	**1,119**	**410**	**238**	**77**	**76**	**32**	**48**	**238**	**87**	**1,793**	**1,337**	**55**	**16**
56	Urban places	2,970	2	–	42	779	297	162	49	51	20	36	164	57	1,232	919	37	12
57	Balance of area	1,466	8	–	17	340	113	76	28	25	12	12	74	30	561	418	18	4
58	Metropolitan counties	3,319	4	–	52	858	314	187	56	58	23	39	181	68	1,355	1,017	43	10
59	Urban places	2,724	1	–	40	724	278	153	41	46	19	33	154	51	1,136	854	34	10
60	Balance of area	595	3	–	12	134	36	34	15	12	4	6	27	17	219	163	9	–
61	Nonmetropolitan counties	1,117	6	–	7	261	96	51	21	18	9	9	57	19	438	320	12	6
62	Urban places	246	1	–	2	55	19	9	8	5	1	3	10	6	96	65	3	2
63	Balance of area	871	5	–	5	206	77	42	13	13	8	6	47	13	342	255	9	4
64	Hawaii	545	3	–	3	133	43	31	12	5	3	8	31	10	210	144	6	2
65	Hilo[3]	246	1	–	2	55	19	9	8	5	1	3	10	6	96	65	3	2
66	Balance of county	299	2	–	1	78	24	22	4	–	2	5	21	4	114	79	3	–
67	Honolulu	3,319	4	–	52	858	314	187	56	58	23	39	181	68	1,355	1,017	43	10
68	Aiea	108	–	–	1	34	15	9	1	2	3	–	4	1	39	24	–	–
69	Honolulu[3]	2,014	1	–	33	546	211	112	36	33	11	25	118	37	862	658	22	5
70	Kailua	148	–	–	1	35	12	8	2	4	1	1	7	4	58	42	3	2
71	Kaneohe	164	–	–	–	41	19	10	1	3	2	1	5	4	62	46	4	–
72	Pearl City	80	–	–	1	15	5	–	1	1	1	1	6	1	31	22	1	–
73	Schofield Barracks	14	–	–	–	4	1	–	–	–	–	2	1	–	1	1	–	–
74	Wahiawa	99	–	–	1	26	8	8	–	1	1	1	7	2	44	35	3	2
75	Waipahu	97	–	–	3	23	7	6	–	2	–	2	6	2	39	26	1	1
76	Balance of county	595	3	–	12	134	36	34	15	12	4	6	27	17	219	163	9	–
77	Kauai	206	3	–	1	47	19	7	4	5	5	–	7	2	86	73	3	–
78	Maui	366	–	–	3	81	34	13	5	8	1	1	19	7	142	103	3	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
65	7	–	9	1	2	4	3	–	1	1	–	1	7	1	21	–	8	1	1	–	01
6	1	2	4	1	–	1	–	–	–	–	–	–	1	–	4	3	–	1	–	–	02
66	4	2	15	–	3	–	–	1	1	5	–	–	4	–	9	3	4	4	1	–	03
33	5	1	13	1	1	1	–	–	–	–	–	–	1	2	6	2	6	–	1	–	04
124	10	–	58	4	9	20	12	3	2	3	–	1	5	1	34	17	14	9	15	–	05
80	7	–	49	3	5	13	5	2	2	1	–	–	4	1	20	8	12	4	11	–	06
44	3	–	9	1	4	7	7	1	–	2	–	1	1	–	14	9	2	5	4	–	07
70	6	2	31	–	5	12	1	1	3	–	–	2	2	1	18	10	46	2	1	–	08
23	–	–	9	1	1	1	1	–	–	1	–	–	–	29	6	1	2	1	2	–	09
110	8	1	25	10	3	5	1	2	1	7	–	1	4	–	22	8	11	2	5	–	10
81	4	1	11	7	3	4	1	1	1	5	–	1	4	–	17	4	7	–	–	–	11
29	4	–	14	3	–	1	–	1	–	2	–	–	–	–	5	4	4	2	5	–	12
11	–	–	9	1	1	1	1	–	–	1	–	–	–	12	3	8	2	–	1	–	13
12	1	–	4	1	–	1	1	–	–	–	–	–	1	2	5	–	2	2	–	–	14
67	7	1	20	2	–	9	3	–	2	–	–	2	1	5	14	6	8	3	3	1	15
34	9	–	17	3	–	2	–	–	–	–	–	–	1	1	6	5	5	–	–	–	16
55	7	–	20	–	1	3	2	–	1	–	1	2	–	1	9	5	9	1	1	–	17
43	2	–	22	3	4	6	2	–	2	–	–	–	4	3	11	5	–	1	1	–	18
106	14	4	87	11	2	12	6	1	3	1	–	3	9	3	35	8	9	2	2	–	19
65	12	1	49	8	2	5	3	1	2	1	–	1	4	2	14	2	8	1	1	–	20
41	2	3	38	3	–	7	3	–	1	–	–	2	5	1	21	6	1	1	1	–	21
84	10	1	41	9	4	4	2	2	1	–	1	1	4	1	28	7	17	6	6	–	22
38	5	1	22	4	1	1	1	1	1	–	1	1	3	–	19	–	8	4	2	–	23
46	5	–	19	5	3	3	1	1	–	–	–	–	1	1	9	7	9	2	4	–	24
65	12	–	23	1	2	11	3	–	4	–	–	–	5	6	18	–	11	3	3	1	25
19	–	–	7	–	2	–	–	1	2	–	–	1	–	1	5	3	–	–	–	–	26
11	17	–	6	–	–	1	1	–	1	–	–	–	–	–	6	4	3	–	–	–	27
177	19	1	61	3	3	12	1	2	5	4	–	3	2	6	45	11	9	2	8	–	28
102	7	–	34	2	1	8	–	–	2	1	–	–	1	3	25	3	6	1	4	–	29
75	12	1	27	1	2	4	1	2	3	3	–	3	1	3	20	8	3	1	4	–	30
34	2	–	18	1	–	5	1	1	–	1	–	–	4	–	8	1	4	1	3	–	31
10	6	–	17	2	1	–	–	2	–	–	–	1	–	2	5	7	5	–	–	–	32
35	1	–	7	–	1	4	1	–	2	1	–	–	1	–	7	3	4	2	–	–	33
80	14	1	57	1	5	10	5	–	1	2	–	5	7	3	32	9	9	3	3	–	34
44	6	–	30	1	3	5	5	–	–	–	–	–	4	1	18	1	5	–	2	–	35
36	8	1	27	–	2	5	–	–	1	2	–	5	3	2	14	8	4	3	1	–	36
132	38	–	56	7	1	12	9	–	6	6	–	9	4	8	45	20	16	11	2	–	37
89	6	–	29	4	–	5	2	–	4	1	–	4	5	7	16	7	5	9	5	–	38
106	10	–	41	3	3	10	2	1	5	1	–	3	7	4	32	6	13	7	5	–	39
67	8	–	26	1	3	5	2	1	3	1	–	1	3	3	26	2	8	3	3	–	40
39	2	–	15	2	–	5	–	–	2	–	–	2	4	1	6	4	5	4	2	–	41
19	2	–	12	2	1	4	2	–	–	1	–	–	1	3	7	4	4	–	–	–	42
69	3	–	17	2	6	9	1	–	1	–	–	2	5	5	22	5	8	4	6	–	43
50	8	–	22	3	2	2	1	1	1	2	–	7	2	2	12	3	8	3	4	–	44
2	1	–	1	–	2	–	–	–	1	–	–	–	–	1	1	3	–	–	–	–	45
20	5	2	6	–	2	2	2	1	1	–	–	–	–	–	3	2	1	–	–	–	46
30	6	–	9	–	–	5	–	1	–	–	–	2	1	2	4	1	3	1	1	–	47
122	24	2	43	9	9	13	3	–	4	1	–	1	3	3	57	22	19	6	6	–	48
54	7	1	22	3	5	5	2	–	3	–	–	–	1	1	29	12	8	1	3	–	49
68	17	1	21	6	4	8	1	–	1	1	–	1	2	2	28	10	11	5	3	–	50
24	–	–	11	2	2	6	–	2	–	–	–	–	–	–	8	2	4	–	3	–	51
43	6	1	22	5	2	2	1	–	1	–	–	2	3	3	13	1	4	2	–	–	52
37	5	–	11	1	1	3	3	–	1	1	–	–	1	–	7	8	3	5	5	–	53
42	7	–	23	2	1	4	2	–	3	1	–	–	1	2	7	5	4	1	2	–	54
1,177	**89**	**6**	**357**	**25**	**68**	**152**	**55**	**19**	**74**	**19**	**–**	**53**	**91**	**63**	**373**	**143**	**120**	**115**	**56**	**35**	**55**
810	60	4	245	13	51	103	36	15	51	9	–	31	61	28	244	73	67	81	35	24	56
367	29	2	112	12	17	49	19	4	23	10	–	22	30	35	129	70	53	34	21	11	57
898	66	3	268	15	52	100	40	15	60	9	–	43	77	28	268	94	79	94	48	27	58
755	55	3	226	8	45	88	33	14	48	6	–	29	57	22	228	62	56	74	33	22	59
143	11	–	42	7	7	12	7	1	12	3	–	14	20	6	40	32	23	20	15	5	60
279	23	3	89	10	16	52	15	4	14	10	–	10	14	35	105	49	41	21	8	8	61
55	5	1	19	5	6	15	3	1	3	3	–	2	4	6	16	11	11	7	2	2	62
224	18	2	70	5	10	37	12	3	11	7	–	8	10	29	89	38	30	14	6	6	63
119	17	1	45	8	12	27	7	2	6	5	–	4	8	22	43	27	18	10	2	5	64
55	5	1	19	5	6	15	3	1	3	3	–	2	4	6	16	11	11	7	2	2	65
64	12	–	26	3	6	12	4	1	3	2	–	2	4	16	27	16	7	3	–	3	66
898	66	3	268	15	52	100	40	15	60	9	–	43	77	28	268	94	79	94	48	27	67
22	2	–	15	–	–	4	4	–	2	–	–	2	4	–	9	2	3	3	–	–	68
584	47	3	160	7	34	69	23	10	32	5	–	20	26	13	164	35	39	57	24	18	69
37	–	–	14	–	2	1	3	2	8	1	–	–	5	2	14	4	2	5	2	1	70
42	–	–	14	–	2	3	1	–	2	–	–	2	8	5	15	9	5	2	3	2	71
16	5	–	5	1	3	6	–	1	1	–	–	2	5	1	7	5	1	2	1	–	72
1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	1	1	–	–	–	73
30	–	–	6	–	3	2	–	1	2	–	–	1	3	1	8	4	3	1	–	–	74
23	1	–	12	–	1	3	2	–	1	–	–	1	3	–	8	2	2	4	3	1	75
143	11	–	42	7	7	12	7	1	12	3	–	14	20	6	40	32	23	20	15	5	76
68	2	–	9	1	3	10	4	1	2	1	–	2	2	6	14	8	9	3	2	3	77
92	4	2	35	1	1	15	4	1	6	4	–	4	4	7	48	14	14	8	4	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Idaho**	6,462	2	–	39	1,173	253	261	114	159	51	60	275	114	2,972	2,071	39	33
02	Urban places	2,719	1	–	16	513	108	96	58	67	26	30	128	43	1,294	866	16	14
03	Balance of area	3,743	1	–	23	660	145	165	56	92	25	30	147	71	1,678	1,205	23	19
04	Metropolitan counties	1,030	–	–	3	204	44	46	26	22	9	9	48	8	470	331	7	1
05	Urban places	870	–	–	3	173	37	36	25	16	8	9	42	8	394	278	6	1
06	Balance of area	160	–	–	–	31	7	10	1	6	1	–	6	–	76	53	1	–
07	Nonmetropolitan counties	5,432	2	–	36	969	209	215	88	137	42	51	227	106	2,502	1,740	32	32
08	Urban places	1,849	1	–	13	340	71	60	33	51	18	21	86	35	900	588	10	13
09	Balance of area	3,583	1	–	23	629	138	155	55	86	24	30	141	71	1,602	1,152	22	19
10	Ada	1,030	–	–	3	204	44	46	26	22	9	9	48	8	470	331	7	1
11	Boise City	870	–	–	3	173	37	36	25	16	8	9	42	8	394	278	6	1
12	Balance of county	160	–	–	–	31	7	10	1	6	1	–	6	–	76	53	1	–
13	Adams	26	–	–	–	5	–	3	–	–	–	–	2	–	15	13	1	–
14	Bannock	386	–	–	5	81	13	10	11	12	4	7	24	8	161	117	3	1
15	Pocatello	314	–	–	5	65	9	9	10	10	3	5	19	8	139	99	3	1
16	Balance of county	72	–	–	–	16	4	1	1	2	1	2	5	–	22	18	–	–
17	Bear Lake	79	–	–	–	17	1	4	7	2	–	–	3	1	39	26	–	–
18	Benewah	84	–	–	–	18	4	6	1	1	1	1	4	1	43	31	–	–
19	Bingham	206	–	–	–	32	11	5	4	5	–	2	5	1	83	61	–	–
20	Blaine	43	–	–	–	9	2	4	–	1	–	–	2	–	16	10	1	–
21	Boise	27	–	–	–	1	–	–	–	–	–	–	1	–	10	10	1	–
22	Bonner	178	–	–	1	35	6	11	4	6	–	–	8	5	85	69	1	14
23	Bonneville	330	–	–	1	51	12	11	3	8	–	2	15	8	125	95	1	2
24	Idaho Falls	270	–	–	–	44	12	8	3	8	–	1	12	6	102	76	1	2
25	Balance of county	60	–	–	1	7	–	3	–	–	–	1	3	2	23	19	–	–
26	Boundary	50	–	–	–	10	3	–	–	1	–	1	5	–	20	15	–	–
27	Butte	27	–	–	–	4	–	1	1	1	–	–	1	1	11	8	–	–
28	Camas	4	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–
29	Canyon	658	1	–	7	134	29	27	11	18	7	9	33	3	317	213	4	4
30	Caldwell	178	–	–	2	29	1	5	3	6	1	3	10	1	97	58	2	1
31	Nampa	264	1	–	1	60	18	10	7	4	4	4	13	–	128	87	–	2
32	Balance of county	216	–	–	4	45	10	12	1	8	2	2	10	2	92	68	2	1
33	Caribou	46	–	–	–	5	1	1	–	1	1	1	–	2	23	16	1	–
34	Cassia	125	–	–	–	20	6	2	1	5	–	2	4	–	41	28	1	–
35	Clark	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
36	Clearwater	61	–	–	1	5	1	1	–	–	–	1	2	2	20	16	–	–
37	Custer	30	–	–	–	5	2	–	1	–	–	1	1	–	17	15	–	–
38	Elmore	107	–	–	1	17	4	7	1	2	1	1	1	3	42	31	1	–
39	Franklin	75	–	–	1	13	4	–	2	4	–	2	1	1	37	24	1	–
40	Fremont	78	–	–	1	12	2	2	2	2	–	–	4	1	38	29	1	–
41	Gem	98	–	–	2	14	2	6	–	2	–	–	4	3	48	31	1	–
42	Gooding	130	–	–	–	19	4	6	2	2	–	1	4	6	69	44	2	–
43	Idaho	119	–	–	1	17	3	5	–	2	–	1	6	2	56	40	1	–
44	Jefferson	98	–	–	2	17	4	–	1	4	2	–	6	2	40	24	–	–
45	Jerome	113	–	–	1	26	9	5	2	3	4	–	3	4	45	33	–	2
46	Kootenai	390	–	–	1	80	19	16	12	8	8	3	14	5	200	118	1	4
47	Coeur d'Alene	199	–	–	–	28	7	3	3	4	2	1	8	3	122	66	1	4
48	Balance of county	191	–	–	1	52	12	13	9	4	6	2	6	2	78	52	–	–
49	Latah	173	–	–	2	29	5	4	2	9	–	6	3	3	96	63	1	–
50	Moscow	92	–	–	1	15	–	1	1	6	–	5	2	1	55	34	–	–
51	Balance of county	81	–	–	1	14	5	3	1	3	–	1	1	2	41	29	1	–
52	Lemhi	56	–	–	1	9	3	3	–	3	–	–	–	–	23	16	–	–
53	Lewis	31	–	–	–	7	2	3	–	1	–	1	–	3	14	10	–	–
54	Lincoln	32	–	–	–	9	1	4	–	2	1	–	1	–	15	11	1	–
55	Madison	91	–	–	–	7	3	1	2	–	–	–	1	–	46	33	1	–
56	Minidoka	102	–	–	–	23	2	6	1	4	3	–	7	2	33	26	–	1
57	Nez Perce	326	–	–	2	61	15	11	2	9	5	1	18	9	154	104	2	2
58	Lewiston	284	–	–	2	57	15	11	2	9	5	–	15	7	134	91	2	2
59	Balance of county	42	–	–	–	4	–	–	–	–	–	1	3	2	20	13	–	–
60	Oneida	42	–	–	–	7	2	1	–	2	–	–	2	3	18	11	–	–
61	Owyhee	52	–	–	–	9	3	3	–	1	–	1	1	1	25	17	–	–
62	Payette	156	–	–	1	23	2	9	3	2	–	–	7	6	81	56	2	–
63	Power	35	–	–	–	4	–	–	2	–	1	–	1	2	20	13	–	–
64	Shoshone	172	1	–	–	35	11	10	1	4	–	2	7	3	88	64	–	1
65	Teton	33	–	–	–	6	1	1	1	–	–	1	2	1	13	8	–	–
66	Twin Falls	431	–	–	4	71	15	20	6	8	4	2	16	10	215	144	2	1
67	Twin Falls	248	–	–	2	42	9	13	4	4	3	2	7	9	123	77	1	1
68	Balance of county	183	–	–	2	29	6	7	2	4	1	–	9	1	92	67	1	–
69	Valley	38	–	–	–	8	1	3	–	1	–	2	1	1	15	10	–	–
70	Washington	91	–	–	1	13	1	2	2	1	–	–	7	3	41	33	1	–
71	**Illinois**	103,423	170	5	561	20,822	5,847	4,975	1,930	2,380	906	796	3,988	1,754	55,207	42,943	625	735
72	Urban places	71,030	136	3	426	14,435	4,149	3,434	1,399	1,634	610	524	2,685	1,218	37,440	29,420	444	488
73	Balance of area	32,393	34	2	135	6,387	1,698	1,541	531	746	296	272	1,303	536	17,767	13,523	181	247
74	Metropolitan counties	78,373	141	3	465	16,120	4,553	3,861	1,544	1,791	694	596	3,081	1,354	41,058	32,342	499	550
75	Urban places	65,076	130	2	407	13,311	3,843	3,170	1,289	1,483	561	479	2,486	1,133	34,124	27,019	415	452
76	Balance of area	13,297	11	1	58	2,809	710	691	255	308	133	117	595	221	6,934	5,323	84	98
77	Nonmetropolitan counties	25,050	29	2	96	4,702	1,294	1,114	386	589	212	200	907	400	14,149	10,601	126	185
78	Urban places	5,954	6	1	19	1,124	306	264	110	151	49	45	199	85	3,316	2,401	29	36
79	Balance of area	19,096	23	1	77	3,578	988	850	276	438	163	155	708	315	10,833	8,200	97	149

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,795	**204**	**20**	**631**	**140**	**110**	**167**	**98**	**12**	**88**	**20**	**2**	**65**	**76**	**161**	**637**	**314**	**321**	**142**	**48**	**11**	01
761	75	11	278	81	58	77	41	4	47	7	–	26	35	48	266	108	114	56	18	5	02
1,034	129	9	353	59	52	90	57	8	41	13	2	39	41	113	371	206	207	86	30	6	03
309	14	7	80	31	21	36	10	1	24	1	–	12	11	19	110	38	45	27	10	1	04
262	9	5	70	22	19	31	8	1	24	1	–	11	11	16	91	30	37	23	7	1	05
47	5	2	10	9	2	5	2	–	–	–	–	1	–	3	19	8	8	4	3	–	06
1,486	190	13	551	109	89	131	88	11	64	19	2	53	65	142	527	276	276	115	38	10	07
499	66	6	208	59	39	46	33	3	23	6	–	15	24	32	175	78	77	33	11	4	08
987	124	7	343	50	50	85	55	8	41	13	2	38	41	110	352	198	199	82	27	6	09
309	14	7	80	31	21	36	10	1	24	1	–	12	11	19	110	38	45	27	10	1	10
262	9	5	70	22	19	31	8	1	24	1	–	11	11	16	91	30	37	23	7	1	11
47	5	2	10	9	2	5	2	–	–	–	–	1	–	3	19	8	8	4	3	–	12
9	3	–	2	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	13
104	9	2	30	6	6	4	9	–	3	2	–	3	7	5	45	21	19	9	2	2	14
86	9	2	27	5	6	3	8	–	2	–	–	3	6	4	36	13	14	7	1	–	15
18	–	–	3	1	–	1	1	–	1	2	–	–	1	1	9	8	5	2	1	2	16
23	3	–	11	1	1	1	1	–	1	–	–	1	1	–	10	3	3	1	–	–	17
27	4	–	9	1	2	1	2	–	1	1	–	1	–	–	2	7	3	3	1	–	18
45	16	–	20	1	1	3	2	1	4	–	–	8	2	10	23	17	11	5	4	–	19
9	–	–	5	–	1	–	1	–	–	–	–	1	3	–	3	2	7	–	1	–	20
6	3	–	–	–	–	1	1	–	–	–	–	–	–	2	4	2	3	1	2	–	21
46	8	–	11	4	1	4	2	–	–	1	–	–	–	1	17	7	14	4	–	2	22
77	15	–	18	8	4	15	8	–	3	2	–	2	13	22	24	23	21	9	3	–	23
60	13	–	14	8	4	11	5	–	3	2	–	2	11	19	18	18	20	7	2	–	24
17	2	–	4	–	–	4	3	–	–	–	–	–	2	3	6	5	1	2	1	–	25
11	4	–	5	–	–	1	2	–	1	–	–	–	2	3	6	3	2	–	–	–	26
8	–	–	3	–	–	–	–	–	2	–	–	1	–	–	4	–	4	–	–	–	27
2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
197	8	3	67	17	17	19	8	1	7	–	–	5	5	10	67	32	23	10	7	2	29
55	–	2	22	11	4	7	1	–	1	–	–	1	1	2	17	6	7	2	2	2	30
78	7	–	28	3	10	4	5	1	5	–	–	3	3	4	27	9	6	4	3	–	31
64	1	1	17	3	3	8	2	–	1	–	–	1	1	4	23	17	10	4	2	–	32
11	4	–	5	–	2	–	–	–	1	–	–	1	1	1	2	5	3	2	–	–	33
26	1	–	10	2	1	4	–	–	1	–	–	1	2	21	18	3	10	4	–	–	34
–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	35
14	2	–	1	1	2	–	1	–	1	–	–	1	1	12	4	4	5	2	2	–	36
15	–	–	1	1	–	–	1	–	–	–	–	–	–	1	3	3	–	–	–	–	37
27	3	–	6	3	2	1	2	–	2	1	–	1	1	4	13	9	9	1	–	–	38
17	6	–	11	2	–	2	–	–	1	–	–	3	–	1	9	2	4	1	–	–	39
27	1	–	7	2	–	2	2	–	1	–	–	1	1	–	8	3	5	3	–	–	40
28	2	–	10	4	3	3	2	1	–	1	–	–	1	–	9	6	7	1	–	–	41
39	3	1	21	2	1	4	1	1	2	1	–	1	–	1	10	6	6	2	1	–	42
30	9	–	13	–	3	3	1	1	3	–	–	–	2	8	13	3	6	2	1	–	43
21	3	–	14	1	1	3	2	1	2	1	–	1	–	–	9	7	4	4	3	–	44
29	2	–	8	1	3	4	2	2	–	–	–	–	2	2	11	6	6	2	–	–	45
97	16	3	69	7	3	7	8	–	4	2	–	3	3	7	30	21	7	9	1	2	46
48	13	2	45	6	3	6	1	–	2	1	–	1	–	2	19	8	3	3	–	–	47
49	3	1	24	1	–	1	7	–	2	1	–	2	3	5	11	13	4	6	1	2	48
56	6	–	25	5	3	5	2	1	–	–	–	–	–	2	13	3	6	11	–	–	49
29	5	–	16	4	1	4	2	1	–	–	–	–	–	–	7	1	2	3	–	–	50
27	1	–	9	1	2	1	–	–	–	–	–	–	–	2	6	2	4	8	–	–	51
15	1	–	5	–	2	–	1	–	1	–	–	1	1	1	6	5	6	–	1	–	52
5	5	–	4	–	–	2	–	–	–	–	–	–	–	–	3	1	1	–	–	–	53
10	–	–	1	1	2	2	–	–	–	–	–	–	–	–	4	1	1	–	–	–	54
27	5	1	10	1	1	4	1	–	1	–	2	3	2	–	12	5	8	–	–	–	55
23	2	–	6	–	1	1	1	–	1	1	–	1	3	3	10	7	14	1	1	–	56
85	15	1	28	15	6	5	7	1	7	3	–	3	3	1	32	12	18	5	3	–	57
72	15	–	24	14	5	3	7	–	5	2	–	3	3	1	26	10	16	5	3	–	58
13	–	1	4	1	1	2	–	1	2	1	–	–	–	–	6	2	2	–	–	–	59
10	1	–	7	–	–	1	1	–	–	–	–	–	2	–	8	–	2	–	–	–	60
12	5	–	8	–	–	2	1	–	–	–	–	1	–	2	3	1	2	5	–	–	61
51	3	–	20	3	2	5	2	–	3	–	–	1	–	4	16	4	6	2	2	–	62
8	5	1	4	1	1	1	1	–	–	–	–	–	–	–	4	1	–	1	1	–	63
61	2	1	18	1	4	3	1	–	2	1	–	1	1	3	11	9	6	6	1	–	64
8	–	–	3	1	1	–	1	–	–	–	–	1	2	–	4	3	2	–	–	–	65
132	9	–	45	15	11	16	11	1	8	2	–	3	3	2	41	21	14	6	1	2	66
71	4	–	32	8	6	8	4	1	5	1	–	2	–	–	25	13	9	2	–	2	67
61	5	–	13	7	5	8	7	–	3	1	–	1	3	2	16	8	5	4	1	–	68
6	4	–	4	1	–	–	–	–	1	–	–	1	–	–	7	2	2	1	–	–	69
32	–	–	6	1	1	1	–	–	–	–	–	1	1	12	7	4	5	2	–	–	70
39,063	**2,520**	**470**	**9,202**	**1,360**	**1,232**	**2,951**	**1,238**	**353**	**1,780**	**478**	**21**	**738**	**1,492**	**741**	**7,443**	**2,223**	**2,572**	**1,167**	**1,270**	**437**	71
26,831	1,657	317	6,095	781	827	2,098	760	248	1,426	366	13	510	1,096	507	5,122	1,213	1,727	755	1,145	386	72
12,232	863	153	3,107	579	405	853	478	105	354	112	8	228	396	234	2,321	1,010	845	412	125	51	73
29,513	1,780	340	6,624	855	897	2,176	831	258	1,554	391	17	603	1,262	538	5,587	1,565	1,926	914	1,198	412	74
24,680	1,472	284	5,437	644	740	1,892	655	221	1,357	346	13	486	1,041	445	4,614	1,110	1,580	706	1,125	378	75
4,833	308	56	1,187	211	157	284	176	37	197	45	4	117	221	93	973	455	346	208	73	34	76
9,550	740	130	2,578	505	335	775	407	95	226	87	4	135	230	203	1,856	658	646	253	72	25	77
2,151	185	33	658	137	87	206	105	27	69	20	–	24	55	62	508	103	147	49	20	8	78
7,399	555	97	1,920	368	248	569	302	68	157	67	4	111	175	141	1,348	555	499	204	52	17	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Adams	871	1	–	6	153	39	33	14	21	4	8	34	11	486	356	2	3
02	Quincy	659	–	–	3	115	26	25	12	18	3	6	25	9	367	263	–	2
03	Balance of county	212	1	–	3	38	13	8	2	3	1	2	9	2	119	93	2	1
04	Alexander	198	–	–	1	38	9	8	4	5	2	1	9	4	102	81	1	2
05	Bond	162	–	–	–	45	12	7	4	8	2	4	8	2	79	56	–	2
06	Boone	213	–	–	1	49	15	8	5	7	2	1	11	4	105	78	3	1
07	Belvidere	150	–	–	1	41	11	7	5	4	2	1	11	4	67	50	1	–
08	Balance of county	63	–	–	–	8	4	1	–	3	–	–	–	–	38	28	2	1
09	Brown	89	–	–	1	17	7	2	1	1	1	3	2	2	61	53	–	–
10	Bureau	466	1	–	1	92	30	15	13	11	4	6	13	8	266	217	4	3
11	Calhoun	80	1	–	–	17	4	7	1	1	1	1	2	2	46	28	1	1
12	Carroll	234	–	–	1	43	15	8	4	4	3	1	8	4	130	89	–	5
13	Cass	189	–	–	2	27	6	8	2	4	1	1	5	1	117	95	–	3
14	Champaign	890	–	–	9	156	35	39	17	18	6	6	35	16	470	320	8	8
15	Champaign	343	–	–	2	63	15	17	8	6	4	1	12	4	180	105	4	3
16	Rantoul	62	–	–	–	9	6	1	1	–	–	–	1	1	31	23	–	–
17	Urbana	206	–	–	5	34	5	9	6	3	1	1	9	4	112	77	–	2
18	Balance of county	279	–	–	2	50	9	12	2	9	1	4	13	7	147	115	4	3
19	Christian	462	1	–	1	82	19	27	4	9	6	2	15	4	255	208	3	8
20	Taylorville	167	–	–	1	24	4	8	1	3	3	1	4	–	94	83	1	4
21	Balance of county	295	1	–	–	58	15	19	3	6	3	1	11	4	161	125	2	4
22	Clark	230	1	1	–	32	19	6	–	2	–	1	4	7	137	88	1	2
23	Clay	194	–	–	–	25	4	11	3	3	2	–	2	4	119	87	–	–
24	Clinton	280	–	–	–	50	14	11	6	6	1	3	9	9	149	121	1	3
25	Centralia, part	25	–	–	–	8	1	1	–	3	–	–	3	1	6	6	–	1
26	Balance of county	255	–	–	–	42	13	10	6	3	1	3	6	8	143	115	1	2
27	Coles	509	1	–	2	95	30	26	7	11	3	5	13	9	304	202	2	2
28	Charleston	123	1	–	–	25	10	4	2	3	–	1	5	3	74	48	–	1
29	Mattoon	253	–	–	–	47	15	15	4	5	2	1	5	2	150	97	2	–
30	Balance of county	133	–	–	2	23	5	7	1	3	1	3	3	4	80	57	–	1
31	Cook	50,432	117	3	332	10,441	3,064	2,520	998	1,133	439	362	1,925	883	26,216	21,385	318	333
32	Alsip	91	1	–	–	20	5	8	1	–	2	–	4	2	44	36	–	3
33	Arlington Heights, part	440	–	–	2	106	28	21	14	9	6	3	25	4	263	205	3	1
34	Arlington Heights, total	440	–	–	2	106	28	21	14	9	6	3	25	4	263	205	3	1
35	Bellwood	157	–	–	2	37	11	12	3	3	3	1	4	1	87	75	–	–
36	Bensenville, part	4	–	–	–	1	–	–	–	–	–	–	1	–	2	1	–	–
37	Berwyn	725	–	–	3	159	50	41	8	19	5	7	29	12	421	350	3	8
38	Blue Island	271	–	–	2	57	18	13	5	5	4	3	9	6	154	134	–	–
39	Bridge View	121	1	–	2	18	2	5	2	–	–	1	8	2	66	53	1	–
40	Brookfield	202	–	–	1	45	9	11	3	9	2	1	10	2	113	93	–	–
41	Buffalo Grove, part	44	–	–	–	15	5	5	2	1	–	–	2	1	19	18	–	–
42	Buffalo Grove, total	46	–	–	–	15	5	5	2	1	–	–	2	1	20	18	–	–
43	Calumet City	363	–	–	1	91	20	24	9	7	4	5	22	6	200	167	4	4
44	Calumet Park	82	–	–	1	17	5	4	1	2	–	–	5	3	42	39	1	1
45	Chicago, part	32,617	100	2	235	6,424	1,972	1,565	566	704	252	224	1,141	571	16,704	13,800	183	238
46	Chicago, total	32,617	100	2	235	6,424	1,972	1,565	566	704	252	224	1,141	571	16,704	13,800	183	238
47	Chicago Heights	349	1	–	2	62	15	11	8	6	4	2	16	8	185	131	2	1
48	Cicero	849	1	–	3	173	40	48	15	20	7	5	38	24	475	406	8	5
49	Deerfield, part	16	–	–	–	5	1	–	1	1	–	–	2	–	5	4	–	–
50	Des Plaines	544	1	–	7	121	32	25	9	15	6	4	30	8	292	215	3	1
51	Dolton	222	1	–	3	39	6	5	4	8	4	2	10	8	111	82	–	3
52	Elgin, part	37	–	–	–	4	1	3	–	–	–	–	–	–	18	13	1	–
53	Elk Grove Village, part	103	–	–	–	27	8	2	6	1	3	–	7	1	48	39	1	1
54	Elk Grove Village, total	103	–	–	–	27	8	2	6	1	3	–	7	1	48	39	1	1
55	Elmwood Park	258	–	–	2	55	20	12	4	9	1	–	9	9	133	104	2	1
56	Evanston	805	2	–	5	176	54	30	23	25	9	6	29	19	450	365	5	6
57	Evergreen Park	282	–	–	–	71	24	14	10	13	2	2	6	3	151	124	3	1
58	Forest Park	222	–	–	1	53	12	15	5	8	–	4	9	2	128	94	4	1
59	Franklin Park	178	–	–	–	35	12	7	4	4	2	1	5	6	104	84	3	–
60	Glencoe	50	–	–	1	18	2	5	7	–	–	–	4	–	20	17	–	–
61	Glenview	288	–	–	1	73	20	15	9	10	4	1	14	7	156	107	2	1
62	Hanover Park, part	65	–	–	1	14	3	5	1	1	–	1	3	1	22	20	–	–
63	Hanover Park, total	81	–	–	1	17	3	8	1	1	–	1	3	1	27	24	–	–
64	Harvey	280	1	–	3	67	24	17	8	6	5	2	5	7	119	101	4	4
65	Hazel Crest	92	–	–	2	22	7	7	3	1	–	–	4	1	41	31	–	1
66	Hickory Hills	78	–	–	–	19	6	3	3	–	1	–	6	1	41	33	–	–
67	Hinsdale, part	17	–	–	–	8	2	4	2	–	–	–	–	–	6	6	–	–
68	Hoffman Estates	96	–	–	–	22	4	11	4	–	–	–	3	–	41	32	–	–
69	Homewood	209	–	–	1	53	13	17	8	2	4	1	8	4	107	80	2	–
70	La Grange	188	1	–	–	40	7	11	6	6	1	2	7	4	102	78	1	–
71	La Grange Park	138	–	–	–	41	11	10	6	2	2	2	8	2	74	58	2	–
72	Lansing	196	–	–	2	39	7	16	2	4	1	2	7	10	98	80	–	1
73	Lincolnwood	85	–	–	1	24	6	6	3	2	2	3	2	–	47	39	–	–
74	Lyons	99	–	–	–	20	6	5	–	2	3	1	3	3	50	40	–	–
75	Markham	90	–	–	–	19	6	6	1	1	1	–	4	2	42	39	1	1
76	Maywood	211	–	–	4	44	14	13	2	2	1	3	9	2	103	71	1	1
77	Melrose Park	233	–	–	1	56	15	16	6	7	–	3	9	5	109	88	2	2
78	Midlothian	95	–	–	1	17	4	4	3	–	–	–	6	3	49	44	1	1
79	Morton Grove	166	–	–	1	37	12	6	6	2	3	4	4	2	94	74	4	–
80	Mount Prospect	281	–	–	–	76	16	11	14	7	3	7	18	5	144	117	1	5
81	Niles	344	1	–	2	67	15	18	9	4	1	2	18	8	195	153	3	2
82	Norridge	156	–	–	1	33	12	8	4	1	1	–	7	1	91	73	3	–
83	Northbrook	211	–	–	–	44	9	9	3	10	1	1	11	4	113	85	2	–
84	Northlake, part	158	–	–	–	26	11	7	2	1	–	1	4	1	84	72	1	–
85	Northlake, total	159	–	–	–	27	11	7	3	1	–	1	4	1	84	72	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
331	20	5	98	19	8	44	11	2	13	2	–	6	8	11	73	10	22	11	1	–	01
246	15	5	76	16	7	36	7	–	10	2	–	3	6	11	63	1	19	6	1	–	02
85	5	–	22	3	1	8	4	2	3	–	–	3	2	–	10	9	3	5	–	–	03
73	5	–	18	2	1	6	4	2	3	–	–	1	3	3	12	5	7	1	5	1	04
53	1	–	16	2	5	6	5	–	–	–	–	1	1	–	15	4	2	1	1	–	05
65	9	1	21	1	4	4	1	–	2	1	–	4	5	1	18	8	5	5	–	–	06
42	7	1	12	–	4	3	1	–	2	1	–	3	3	–	16	3	3	2	–	–	07
23	2	–	9	1	–	1	–	–	–	–	–	1	2	1	2	5	2	3	–	–	08
52	1	1	4	3	–	2	–	–	–	–	–	–	–	–	3	1	2	–	–	–	09
156	54	5	26	12	6	11	8	1	9	–	–	4	2	–	24	26	9	4	–	–	10
23	3	–	14	3	1	–	3	–	1	–	–	1	–	–	6	2	1	–	–	–	11
81	3	1	29	7	4	3	4	–	2	1	–	–	1	2	28	6	6	2	1	–	12
91	1	–	21	1	–	5	4	1	1	2	–	–	5	–	12	2	7	1	1	1	13
283	21	6	87	42	15	22	24	3	10	5	1	9	16	6	75	19	20	17	11	1	14
93	5	3	44	20	8	11	10	2	5	2	1	5	1	2	30	2	8	8	7	–	15
20	3	1	5	2	–	1	1	–	–	–	–	3	3	2	2	4	3	1	1	–	16
66	9	2	16	11	6	5	6	–	2	1	–	1	2	2	18	2	4	5	3	–	17
104	4	–	22	9	1	5	7	1	3	2	–	–	10	–	25	11	5	3	–	1	18
184	13	3	34	6	4	11	7	1	6	5	–	6	1	–	46	16	12	7	1	–	19
75	3	1	8	2	–	5	3	–	2	3	–	2	–	–	22	3	5	3	–	–	20
109	10	2	26	4	4	6	4	1	4	2	–	4	1	–	24	13	7	4	1	–	21
81	4	–	37	6	6	12	3	–	2	1	–	–	3	1	14	9	2	4	–	1	22
80	7	3	24	1	4	6	6	2	1	3	–	–	2	2	15	3	4	2	–	–	23
107	10	1	21	3	3	7	3	–	3	4	–	–	2	2	30	11	9	1	–	–	24
5	–	–	–	–	–	3	–	–	1	–	–	–	–	–	5	1	–	–	–	–	25
102	10	1	21	3	3	4	3	–	2	4	–	–	2	2	25	10	9	1	–	–	26
189	9	2	81	11	8	17	13	3	2	1	–	1	5	4	31	7	9	3	1	1	27
44	3	1	18	7	–	2	3	–	1	–	–	–	1	1	5	–	5	1	–	1	28
92	3	1	44	2	6	12	8	2	1	1	–	–	3	1	16	5	3	1	1	–	29
53	3	–	19	2	2	3	2	1	–	–	–	1	1	2	10	2	1	1	–	–	30
19,657	1,077	203	3,702	400	526	1,494	440	171	1,154	299	10	359	829	349	3,505	776	1,180	504	1,022	348	31
33	–	–	7	1	–	–	3	1	–	–	–	1	3	1	6	5	3	1	–	–	32
198	3	–	49	3	6	4	2	1	5	1	–	4	3	–	22	8	5	7	2	1	33
198	3	–	49	3	6	4	2	1	5	1	–	4	3	–	22	8	5	7	2	1	34
72	3	–	9	1	2	3	1	–	3	–	–	–	–	1	15	3	2	2	–	–	35
1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	36
328	11	7	50	5	9	15	8	6	12	2	–	3	3	2	45	8	12	6	3	5	37
126	8	–	16	–	4	9	3	–	3	–	–	2	4	1	18	3	3	2	1	3	38
51	1	–	11	2	–	2	2	–	3	1	–	3	2	–	9	1	5	2	1	1	39
92	1	1	17	1	1	7	1	1	–	3	–	–	–	–	18	3	7	1	–	–	40
18	–	–	1	–	–	–	–	1	–	–	–	–	1	–	3	1	3	–	–	–	41
18	–	–	2	–	–	–	–	1	–	–	–	–	1	–	4	1	3	–	–	–	42
154	5	–	26	5	2	1	2	1	8	–	–	3	7	4	17	5	5	6	4	2	43
36	1	–	2	–	1	3	–	1	1	1	–	–	2	–	4	1	1	1	2	2	44
12,649	730	132	2,245	240	287	1,012	251	107	848	227	10	231	603	277	2,296	421	832	290	914	262	45
12,649	730	132	2,245	240	287	1,012	251	107	848	227	10	231	603	277	2,296	421	832	290	914	262	46
119	9	1	34	12	7	8	6	1	7	2	–	3	10	8	19	6	8	5	7	1	47
373	20	4	48	4	13	21	10	4	24	1	–	3	4	3	60	9	19	8	4	3	48
4	–	–	1	–	–	1	–	–	–	–	–	1	2	–	2	–	–	–	–	–	49
201	10	3	57	6	11	13	7	2	9	1	–	7	5	1	37	15	9	5	–	4	50
76	3	2	23	1	3	9	2	1	3	–	–	1	6	2	20	6	3	4	2	1	51
11	1	–	5	–	–	1	–	–	–	1	–	–	1	–	5	4	–	1	1	1	52
37	–	1	7	–	1	–	–	–	3	–	–	2	1	–	6	5	8	1	–	1	53
37	–	1	7	–	1	–	–	–	3	–	–	2	1	–	6	5	8	1	–	1	54
94	7	–	26	2	1	7	2	–	2	–	–	1	2	1	25	5	4	6	3	1	55
337	17	4	66	3	12	29	10	2	12	5	–	2	5	2	55	7	13	6	3	2	56
113	7	2	20	3	2	6	4	3	8	4	–	1	3	–	13	8	4	1	–	2	57
88	1	1	22	5	6	9	–	–	7	–	–	2	2	–	7	3	5	1	1	1	58
77	4	1	15	–	4	1	6	–	4	–	–	3	1	–	12	1	4	–	1	–	59
15	2	–	3	–	–	2	–	–	1	–	–	–	1	–	4	2	–	–	–	1	60
98	6	–	36	5	8	6	4	1	5	2	–	3	–	–	15	3	4	6	1	1	61
18	2	–	2	–	–	6	–	–	1	–	–	2	1	1	4	6	4	2	–	–	62
22	2	–	3	–	–	6	1	–	1	–	–	3	1	1	6	8	5	3	–	–	63
89	4	–	14	1	3	14	1	–	6	2	–	2	5	4	21	5	13	3	3	4	64
29	1	–	7	2	1	5	5	–	3	–	–	1	2	–	5	3	–	1	–	1	65
32	1	1	6	–	1	4	–	–	–	–	–	1	–	1	6	–	–	2	–	3	66
6	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	67
31	1	–	6	1	2	3	4	–	–	1	–	1	3	–	10	6	4	1	–	–	68
75	3	1	21	3	2	2	2	–	3	–	–	2	–	1	21	5	2	2	3	1	69
74	3	1	14	5	4	7	2	1	5	1	–	–	1	1	19	2	2	–	–	–	70
56	–	1	11	2	2	1	–	2	2	–	–	–	–	–	12	–	2	1	–	1	71
76	3	–	16	–	2	9	2	1	2	1	–	–	2	–	13	11	3	2	1	–	72
39	–	–	8	–	–	2	2	–	–	–	–	–	–	–	6	1	–	1	1	–	73
38	2	–	9	–	1	1	2	1	5	–	–	–	3	1	5	4	2	–	–	2	74
33	4	1	1	–	1	2	1	1	2	1	–	–	2	4	4	3	2	2	3	–	75
64	5	–	28	2	2	12	2	1	2	1	–	4	5	2	11	3	6	2	6	1	76
78	6	–	17	1	3	9	2	1	7	4	–	3	4	1	19	3	2	5	1	1	77
39	3	1	4	–	–	8	2	–	1	–	–	–	3	1	2	3	4	1	–	–	78
68	2	–	13	1	6	3	2	–	1	1	–	–	2	–	12	3	2	4	1	1	79
105	6	–	21	3	3	4	3	2	5	1	–	2	4	1	11	6	5	5	4	3	80
139	9	–	34	4	4	15	3	1	3	1	–	3	1	1	33	3	4	2	–	1	81
67	3	1	15	1	1	6	–	–	1	–	–	–	–	–	18	2	3	–	–	–	82
77	6	2	21	2	3	5	2	1	2	1	–	1	2	–	19	2	5	6	–	4	83
71	–	–	9	–	3	6	4	3	3	–	–	2	3	–	15	1	2	4	4	–	84
71	–	–	9	–	3	6	4	3	3	–	–	2	3	–	15	1	2	4	4	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Cook—Con.																	
01	Oak Forest	109	1	–	2	28	8	8	1	3	2	1	5	1	48	42	–	1
02	Oak Lawn	565	–	–	2	145	29	35	11	23	10	4	33	12	299	247	5	3
03	Oak Park	648	1	–	4	149	38	25	17	22	5	7	35	9	361	270	10	5
04	Palatine	225	–	–	1	45	7	13	11	4	4	–	6	6	120	85	3	–
05	Park Forest, part	125	–	–	1	32	5	10	4	3	2	3	5	3	60	50	1	–
06	Park Forest, total	134	–	–	1	36	7	11	4	4	2	3	5	4	63	52	1	–
07	Park Ridge	359	–	–	–	81	31	15	10	4	5	–	16	6	212	166	–	–
08	Riverdale	187	1	–	3	48	17	5	4	8	3	3	8	2	99	85	2	2
09	River Forest	127	–	–	–	38	12	8	3	3	3	2	7	1	65	48	–	–
10	River Grove	113	–	–	1	23	9	6	4	1	1	–	2	3	62	43	–	2
11	Riverside	98	–	–	–	20	5	10	2	2	–	–	1	2	63	48	–	1
12	Rolling Meadows	68	–	–	–	15	7	4	2	1	–	–	1	1	37	26	–	–
13	Schaumburg, part	162	–	–	1	28	8	5	6	2	–	1	6	1	77	62	2	–
14	Schaumburg, total	165	–	–	1	30	9	5	7	2	–	1	6	1	78	63	2	–
15	Schiller Park	61	–	–	1	14	1	4	3	–	3	–	3	–	29	24	–	–
16	Skokie	526	2	–	2	134	45	28	19	14	7	3	18	6	299	252	6	3
17	South Holland	193	–	–	–	49	15	10	3	9	2	1	9	–	102	87	–	1
18	Streamwood	64	–	–	1	13	5	4	–	1	1	–	2	–	22	19	1	–
19	Summit	82	–	–	–	17	5	7	1	3	–	–	1	3	45	35	2	–
20	Tinley Park, part	179	–	–	2	30	8	8	2	4	–	3	5	4	103	85	2	4
21	Tinley Park, total	180	–	–	2	30	8	8	2	4	–	3	5	4	103	85	2	4
22	Westchester	177	–	–	1	42	15	2	11	6	3	1	4	3	102	76	–	2
23	Western Springs	97	–	–	1	24	7	5	3	2	2	2	3	1	46	35	–	–
24	Wheeling	109	–	–	1	23	8	6	1	2	1	–	5	2	49	40	1	–
25	Wilmette	231	–	–	1	51	10	9	5	5	1	1	20	2	125	97	–	–
26	Winnetka	103	–	–	1	29	8	7	1	1	1	3	8	–	51	39	2	1
27	Worth	119	–	–	–	25	8	6	2	1	1	1	6	1	68	46	1	1
28	Balance of county	2,897	1	1	12	648	171	169	57	69	32	19	131	43	1,509	1,208	23	13
29	Crawford	254	–	–	2	46	9	8	5	6	1	1	16	2	156	112	–	2
30	Cumberland	136	1	–	–	29	7	9	3	3	2	–	5	3	59	33	–	–
31	De Kalb	483	1	–	1	80	30	16	7	9	5	2	11	8	255	189	5	3
32	De Kalb	130	–	–	1	15	5	2	2	1	2	1	2	3	59	45	2	–
33	Balance of county	353	1	–	–	65	25	14	5	8	3	1	9	5	196	144	3	3
34	De Witt	215	–	–	–	39	10	10	5	3	1	1	9	4	121	81	3	1
35	Douglas	195	1	–	2	27	7	8	3	4	–	–	5	3	119	87	1	–
36	Du Page	3,316	1	–	20	787	197	178	83	84	36	31	178	43	1,670	1,268	20	6
37	Addison	122	1	–	1	25	7	8	2	2	–	2	4	4	58	44	–	–
38	Bensenville, part	138	–	–	1	29	5	5	6	5	1	1	6	3	68	52	2	–
39	Bensenville, total	142	–	–	1	30	5	5	6	5	1	1	7	3	70	53	2	–
40	Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Downers Grove	315	–	–	1	73	18	19	5	11	1	3	16	3	177	130	3	1
42	Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Elmhurst	349	–	–	3	87	25	20	7	13	4	1	17	4	189	140	1	1
44	Glendale Heights	48	–	–	–	12	2	5	1	1	1	1	1	–	15	12	–	–
45	Glen Ellyn	149	–	–	–	42	9	9	8	3	–	2	11	–	71	52	1	1
46	Hanover Park, part	16	–	–	–	3	–	3	–	–	–	–	–	–	5	4	–	–
47	Hinsdale, part	121	–	–	1	25	9	6	3	1	–	2	4	1	65	53	4	–
48	Hinsdale, total	138	–	–	1	33	11	10	5	1	–	2	4	1	71	59	4	–
49	Lombard	264	–	–	–	70	21	12	5	7	4	2	19	5	138	110	1	1
50	Naperville	176	–	–	2	43	11	8	1	7	1	2	13	2	79	59	1	–
51	Northlake, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
52	Schaumburg, part	3	–	–	–	2	1	–	1	–	–	–	–	–	1	1	–	–
53	Villa Park	171	–	–	1	43	10	6	5	7	3	1	11	–	94	73	2	–
54	West Chicago	111	–	–	–	18	2	5	3	3	2	–	3	5	60	41	–	–
55	Wheaton	243	–	–	–	58	14	13	7	4	4	3	13	3	136	100	1	–
56	Woodridge	49	–	–	1	10	3	3	–	1	–	2	1	–	25	20	–	–
57	Balance of county	1,040	–	–	9	246	60	56	28	19	15	9	59	13	489	377	4	2
58	Edgar	258	–	–	2	49	12	11	4	5	4	2	11	4	150	103	–	2
59	Edwards	124	2	–	–	17	7	7	–	–	1	–	2	5	74	54	–	3
60	Effingham	280	–	–	1	57	14	16	1	6	4	2	14	5	143	97	1	2
61	Fayette	266	–	–	–	49	15	7	4	9	2	–	12	8	163	112	2	–
62	Ford	203	–	–	1	35	9	6	3	3	3	2	9	–	118	94	3	4
63	Franklin	594	–	–	1	123	31	27	7	13	10	3	32	9	336	254	2	5
64	Fulton	489	–	–	–	94	21	23	10	13	4	9	14	2	297	245	4	6
65	Canton	183	–	–	–	42	10	12	5	6	1	4	4	–	107	85	–	3
66	Balance of county	306	–	–	–	52	11	11	5	7	3	5	10	2	190	160	4	3
67	Gallatin	97	–	–	–	23	7	10	–	2	1	–	3	–	47	38	–	1
68	Greene	234	–	–	2	47	14	9	–	6	–	2	16	2	144	102	2	2
69	Grundy	229	1	–	1	46	10	10	7	6	2	1	10	2	121	103	–	4
70	Hamilton	116	–	–	2	15	6	2	–	1	–	1	5	1	68	56	–	–
71	Hancock	267	–	–	2	50	19	9	6	6	2	2	6	3	165	120	3	9
72	Hardin	71	–	–	–	6	3	2	–	–	–	–	1	1	36	32	–	–
73	Henderson	92	1	–	1	18	5	3	1	3	1	2	3	1	46	35	–	1
74	Henry	583	–	–	–	110	34	28	4	19	3	2	20	12	340	246	5	4
75	Kewanee	231	–	–	–	51	19	13	1	7	2	1	8	7	132	92	1	1
76	Balance of county	352	–	–	–	59	15	15	3	12	1	1	12	5	208	154	4	3
77	Iroquois	354	1	–	2	74	19	12	9	12	4	3	15	3	189	142	–	–
78	Jackson	452	–	–	–	77	25	19	5	5	2	3	18	1	270	181	2	2
79	Carbondale	138	–	–	–	26	10	6	3	2	–	1	4	–	74	49	–	–
80	Murphysboro	128	–	–	–	20	6	5	1	1	1	1	5	1	86	51	2	–
81	Balance of county	186	–	–	–	31	9	8	1	2	1	1	9	–	110	81	–	2
82	Jasper	114	–	–	–	14	4	6	–	1	1	1	1	3	71	46	–	1
83	Jefferson	437	–	–	1	84	27	21	5	10	4	3	14	7	233	179	2	2
84	Mount Vernon	266	–	–	–	50	18	8	5	7	4	1	7	3	149	118	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
38	3	–	6	–	–	7	1	–	2	–	–	3	1	–	9	1	–	4	1	–	01
231	8	3	34	5	10	15	9	1	8	4	–	3	9	–	31	4	10	8	3	2	02
240	15	3	72	8	8	23	6	1	11	1	–	6	8	2	38	9	13	2	1	3	03
79	3	1	28	1	5	6	–	–	3	–	–	1	5	1	15	8	8	4	1	1	04
44	5	3	7	–	–	2	3	–	4	–	–	–	2	1	5	5	6	1	–	–	05
46	5	3	8	–	–	2	3	–	4	–	–	–	2	1	5	5	7	1	–	–	06
161	5	3	32	3	8	7	3	1	2	2	–	–	2	2	24	5	6	5	–	1	07
76	5	2	7	3	2	4	2	1	4	–	–	–	–	1	10	2	2	6	–	2	08
45	3	1	9	2	5	3	2	1	–	–	–	–	–	–	11	3	3	–	–	–	09
40	1	–	15	1	3	2	1	–	1	1	–	2	–	–	8	4	2	1	–	2	10
44	3	–	13	1	1	1	1	1	–	–	–	–	–	1	6	–	1	2	–	–	11
24	2	–	9	2	–	–	3	–	1	–	–	1	2	1	3	1	2	1	–	–	12
56	4	–	12	1	2	5	1	–	7	2	–	4	4	1	11	12	3	2	1	2	13
57	4	–	12	1	2	5	1	–	7	2	–	4	4	1	11	12	3	2	1	2	14
21	3	1	2	–	2	1	1	–	3	1	–	–	1	–	4	2	2	2	–	–	15
232	11	2	41	–	4	11	3	3	6	3	–	2	–	1	36	5	4	5	3	1	16
83	3	–	13	1	1	4	–	–	1	3	–	–	3	–	18	6	4	3	–	–	17
16	2	–	3	–	–	1	1	1	2	1	–	1	7	–	6	3	3	–	1	1	18
31	2	1	7	1	1	–	–	1	4	–	–	1	1	–	5	1	1	2	1	–	19
76	3	1	12	2	3	9	1	–	2	–	–	3	5	–	10	6	2	1	–	1	20
76	3	1	12	2	3	9	1	–	2	–	–	3	5	–	10	6	3	1	–	1	21
71	3	3	22	1	–	1	1	–	2	1	–	1	1	–	13	4	1	2	1	1	22
35	–	–	10	–	1	2	1	–	–	–	–	1	2	–	9	4	2	3	1	–	23
38	1	–	8	1	–	–	2	–	2	–	–	5	1	1	7	9	3	4	–	–	24
92	5	–	21	1	6	9	5	4	2	–	–	1	–	–	17	3	7	3	1	–	25
36	–	–	8	–	4	1	–	–	1	1	–	–	–	–	11	2	4	2	–	–	26
42	2	–	15	2	5	3	2	–	1	–	–	3	1	1	5	3	4	1	–	1	27
1,101	71	11	222	37	31	83	26	8	62	13	–	20	60	14	193	69	61	32	30	12	28
104	6	2	37	2	3	13	3	–	2	2	–	2	1	1	13	2	4	4	1	–	29
32	1	–	20	2	4	7	4	1	–	–	–	2	–	1	14	3	10	1	1	–	30
164	17	3	48	7	8	11	8	6	3	–	–	4	5	6	50	21	9	12	3	–	31
38	5	–	12	–	2	3	2	5	2	–	–	2	3	2	18	9	2	4	–	–	32
126	12	3	36	7	6	8	6	1	1	–	–	2	2	4	32	12	7	8	3	–	33
72	5	1	37	1	1	8	2	1	1	–	–	–	1	–	21	10	4	3	–	–	34
79	7	3	22	3	4	6	1	2	–	1	–	1	2	4	13	6	6	1	–	–	35
1,169	73	12	311	33	46	79	46	6	48	9	1	38	46	18	239	98	78	68	10	11	36
42	2	1	10	2	1	2	2	–	3	–	–	3	6	–	13	2	1	1	–	–	37
50	–	1	15	–	–	8	2	–	1	3	–	2	2	–	12	3	3	–	–	1	38
51	–	1	16	–	–	8	2	–	1	3	–	3	2	–	12	3	3	–	–	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
121	5	–	39	2	6	6	3	1	3	1	–	2	3	2	20	7	9	3	–	1	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
128	10	–	38	3	8	7	6	–	3	1	–	3	3	3	22	6	4	7	1	–	43
11	1	–	3	–	–	–	1	1	3	–	–	–	2	1	5	1	5	2	–	–	44
46	4	1	14	1	3	6	2	1	4	–	–	–	2	–	11	4	1	4	1	–	45
4	–	–	1	–	–	–	1	–	–	–	–	1	–	–	2	2	1	1	–	–	46
47	2	1	8	1	2	3	3	–	1	–	–	1	1	–	9	4	6	1	–	–	47
53	2	1	8	1	2	4	3	–	2	–	–	1	1	–	10	4	6	1	–	–	48
103	5	–	23	1	4	2	5	–	9	–	–	2	3	–	13	8	3	5	1	–	49
56	2	–	15	1	4	4	2	1	3	–	–	6	–	–	17	5	6	4	1	1	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
66	5	–	20	1	–	6	3	–	1	–	–	–	1	2	11	3	3	2	1	–	53
39	2	1	16	1	1	5	3	–	–	–	–	2	5	–	2	5	2	2	2	–	54
92	7	1	23	8	4	5	–	–	5	1	1	3	5	–	16	2	4	3	–	1	55
20	–	–	4	1	–	1	–	–	1	1	–	1	2	–	2	2	1	1	–	1	56
343	28	6	82	11	13	24	13	2	11	2	–	12	11	10	84	44	29	32	3	6	57
93	8	2	40	3	2	5	8	–	1	–	–	–	1	1	16	13	6	2	–	–	58
49	2	–	18	2	–	3	2	–	–	–	–	–	1	–	11	2	4	3	–	–	59
83	11	1	31	8	6	18	4	1	1	2	–	3	5	1	19	8	9	2	1	–	60
102	8	2	42	–	7	5	6	1	5	–	–	1	2	1	15	6	2	2	–	–	61
79	8	1	14	8	1	9	3	2	2	1	–	–	2	–	15	8	2	5	–	–	62
238	9	1	63	10	8	12	8	5	7	2	–	1	4	3	48	8	19	5	3	–	63
176	59	2	35	8	7	13	7	4	3	1	1	3	3	3	28	15	11	3	–	1	64
56	26	1	15	4	2	4	2	–	1	–	–	1	1	2	12	5	5	–	–	1	65
120	33	1	20	4	5	9	5	4	2	1	1	2	2	1	16	10	6	3	–	–	66
33	4	–	8	1	–	10	2	1	–	–	–	1	3	–	8	–	1	1	–	–	67
78	20	3	22	14	3	6	5	1	–	–	–	1	2	–	13	2	7	2	–	–	68
88	11	1	12	4	1	6	4	1	6	–	1	2	5	1	15	7	7	2	–	1	69
55	1	2	8	1	1	2	4	–	1	–	–	–	1	1	11	2	2	5	1	–	70
103	5	–	38	5	2	4	1	–	3	–	–	3	3	1	15	7	8	–	2	–	71
30	2	–	4	–	–	7	2	1	–	–	–	–	–	–	13	3	1	1	–	–	72
25	9	–	9	–	2	1	1	–	2	–	–	–	–	4	8	2	5	1	1	–	73
223	14	4	73	6	11	11	7	2	2	4	1	2	4	4	41	18	18	7	–	–	74
83	7	1	29	4	6	5	2	–	1	2	–	1	–	1	14	6	6	3	–	–	75
140	7	3	44	2	5	6	5	2	1	2	1	1	4	3	27	12	12	4	–	–	76
130	12	2	41	–	4	8	8	–	4	1	–	1	7	1	27	16	6	4	1	1	77
168	9	3	67	12	7	13	10	2	2	3	–	7	3	2	32	9	8	8	3	2	78
46	3	1	20	4	–	2	2	1	2	1	–	4	1	–	12	4	3	3	2	1	79
46	3	2	25	5	3	6	4	1	–	–	–	1	–	–	7	–	2	–	–	–	80
76	3	–	22	3	4	5	4	–	–	2	–	2	2	2	13	5	3	5	1	1	81
43	2	3	15	6	1	2	5	–	1	–	–	–	2	–	5	4	4	3	–	–	82
154	21	1	41	2	10	16	13	1	3	2	–	2	5	3	42	8	13	4	–	–	83
101	15	1	26	–	4	12	6	–	1	1	–	–	3	3	27	3	7	1	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Jefferson—Con.																	
01	Balance of county	171	–	–	1	34	9	13	–	3	–	2	7	4	84	61	2	–
02	Jersey	170	–	–	2	29	8	4	4	7	–	–	6	1	96	75	1	2
03	Jo Daviess	237	–	–	2	49	13	12	4	5	2	4	9	5	129	92	1	5
04	Johnson	105	–	–	–	27	12	5	1	3	–	2	4	1	53	38	–	1
05	Kane	2,009	2	–	19	402	109	71	43	58	27	18	76	33	1,091	807	11	9
06	Aurora	739	–	–	11	137	30	25	11	22	11	4	34	12	400	296	1	3
07	Carpentersville	95	–	–	1	18	5	5	2	1	2	2	1	3	46	36	4	–
08	Elgin, part	504	1	–	2	101	28	22	11	15	8	4	13	7	286	199	2	1
09	Elgin, total	541	1	–	2	105	29	25	11	15	8	4	13	7	304	212	3	1
10	St. Charles	110	–	–	–	27	10	4	4	1	–	4	4	2	53	44	–	1
11	Balance of county	561	1	–	5	119	36	15	15	19	6	4	24	9	306	232	4	4
12	Kankakee	870	1	–	8	174	46	47	13	19	9	4	36	16	450	374	3	4
13	Kankakee	357	1	–	2	75	18	21	7	10	5	1	13	3	192	157	1	–
14	Balance of county	513	–	–	6	99	28	26	6	9	4	3	23	13	258	217	2	4
15	Kendall	178	–	–	1	42	15	6	3	6	3	3	6	2	79	58	–	1
16	Knox	672	–	–	2	113	27	34	11	12	4	4	21	5	404	268	3	4
17	Galesburg	384	–	–	2	74	17	23	7	9	2	3	13	3	221	147	–	3
18	Balance of county	288	–	–	–	39	10	11	4	3	2	1	8	2	183	121	3	1
19	Lake	2,647	3	–	9	514	132	115	58	44	24	23	118	48	1,318	994	17	37
20	Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Buffalo Grove, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
22	Deerfield, part	102	–	–	–	24	8	8	3	3	–	1	1	2	57	37	–	1
23	Deerfield, total	118	–	–	–	29	9	8	4	4	–	1	3	2	62	41	–	1
24	Highland Park	201	–	–	3	41	16	3	8	4	2	2	6	1	112	75	2	2
25	Lake Forest	93	1	–	1	16	3	3	1	1	3	1	4	1	55	41	1	1
26	Libertyville	119	–	–	–	24	5	4	2	4	1	2	6	4	69	55	1	–
27	Mundelein	99	–	–	–	25	4	6	3	2	–	–	10	1	42	32	1	2
28	North Chicago	114	–	–	1	22	5	9	2	4	–	–	2	3	50	38	–	2
29	Waukegan	605	1	–	2	90	21	27	9	8	4	2	19	11	296	225	6	11
30	Zion	174	–	–	–	25	8	5	2	2	2	–	6	4	92	52	–	1
31	Balance of county	1,138	1	–	2	247	62	50	28	16	12	15	64	21	544	439	6	17
32	La Salle	1,252	3	–	1	255	82	52	16	37	13	9	46	21	702	501	5	1
33	La Salle	164	–	–	–	39	13	8	6	2	4	1	5	2	88	69	1	–
34	Ottawa	251	1	–	–	53	12	12	4	13	–	1	11	4	141	95	–	–
35	Peru	117	–	–	–	23	9	3	–	5	1	–	5	–	71	52	1	–
36	Streator, part	193	–	–	1	37	15	7	2	3	5	–	5	8	111	69	2	1
37	Streator, total	194	–	–	1	37	15	7	2	3	5	–	5	8	111	69	2	1
38	Balance of county	527	2	–	–	103	33	22	4	14	3	7	20	7	291	216	1	–
39	Lawrence	280	–	–	1	39	4	14	6	6	2	–	7	3	177	139	1	2
40	Lee	390	–	–	3	58	19	9	5	6	3	4	12	11	221	175	–	2
41	Dixon	208	–	–	1	34	13	6	3	5	–	–	7	4	119	97	–	2
42	Balance of county	182	–	–	2	24	6	3	2	1	3	4	5	7	102	78	–	–
43	Livingston	437	–	–	6	99	22	18	10	15	6	2	26	3	228	174	4	3
44	Streator, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of county	436	–	–	6	99	22	18	10	15	6	2	26	3	228	174	4	3
46	Logan	359	–	–	2	74	16	19	5	5	1	8	20	5	204	158	–	1
47	Lincoln	199	–	–	2	42	7	13	3	2	–	4	13	4	109	81	–	1
48	Balance of county	160	–	–	–	32	9	6	2	3	1	4	7	1	95	77	–	–
49	McDonough	342	–	–	–	66	9	12	10	13	5	2	15	8	193	146	4	2
50	Macomb	136	–	–	–	30	5	6	2	6	4	1	6	4	74	56	1	–
51	Balance of county	206	–	–	–	36	4	6	8	7	1	1	9	4	119	90	3	2
52	McHenry	1,041	2	–	6	219	51	46	22	25	14	10	51	16	575	448	6	5
53	Crystal Lake	123	–	–	–	30	7	6	4	5	1	2	5	4	58	45	3	–
54	Woodstock	149	–	–	1	28	8	7	2	1	2	–	8	–	97	71	–	1
55	Balance of county	769	2	–	5	161	36	33	16	19	11	8	38	12	420	332	3	4
56	McLean	890	–	–	2	170	40	42	20	23	3	8	34	9	535	388	3	10
57	Bloomington	402	–	–	2	70	19	18	8	10	1	1	13	6	250	181	–	7
58	Normal	155	–	–	–	36	12	4	7	3	1	2	7	1	92	64	1	–
59	Balance of county	333	–	–	–	64	9	20	5	10	1	5	14	2	193	143	2	3
60	Macon	1,199	1	–	5	234	71	57	13	36	5	6	46	27	633	414	12	23
61	Decatur	1,001	1	–	4	195	61	45	11	30	4	5	39	23	520	340	11	19
62	Balance of county	198	–	–	1	39	10	12	2	6	1	1	7	4	113	74	1	4
63	Macoupin	512	1	–	1	100	23	22	10	14	2	5	24	14	293	215	–	4
64	Madison	2,231	5	–	8	467	117	125	43	59	20	17	86	40	1,162	910	13	15
65	Alton	449	1	–	4	88	24	21	6	12	3	3	19	16	230	176	4	6
66	Collinsville, part	211	–	–	–	54	9	20	10	7	2	1	5	3	115	93	–	–
67	Collinsville, total	226	–	–	–	57	9	21	11	7	2	1	6	3	124	101	–	–
68	Edwardsville	166	–	–	–	32	10	5	5	3	2	1	6	2	94	72	1	–
69	Granite City	385	2	–	2	74	18	20	9	6	3	2	16	4	198	166	3	1
70	Wood River	109	–	–	1	30	6	9	2	2	1	3	7	2	48	34	–	1
71	Balance of county	911	2	–	1	189	50	50	11	29	9	7	33	13	477	369	5	7
72	Marion	492	1	–	2	98	27	22	12	14	–	4	19	9	276	229	5	3
73	Centralia, part	176	–	–	2	34	11	7	7	4	–	2	3	4	90	79	2	1
74	Centralia, total	201	–	–	2	42	12	8	7	7	–	2	6	5	96	85	2	2
75	Balance of county	316	1	–	–	64	16	15	5	10	–	2	16	5	186	150	3	2
76	Marshall	146	1	–	–	22	5	8	2	4	1	–	2	3	79	57	3	2
77	Mason	191	–	–	1	36	15	9	1	7	2	–	2	2	114	94	3	1
78	Massac	165	–	–	–	25	8	9	2	1	1	1	3	3	92	71	2	–
79	Menard	117	–	–	1	17	4	6	–	3	2	–	2	–	68	58	–	–
80	Mercer	211	–	–	–	50	10	12	2	11	3	4	8	2	121	100	–	1
81	Monroe	217	–	–	–	53	18	17	5	4	–	2	7	8	121	100	–	4
82	Montgomery	360	–	–	1	65	19	20	4	8	3	4	7	6	220	158	1	1
83	Morgan	405	–	–	3	75	22	17	5	4	5	6	16	4	255	178	1	5
84	Jacksonville	284	–	–	2	43	15	8	4	3	2	4	7	4	188	133	1	5
85	Balance of county	121	–	–	1	32	7	9	1	1	3	2	9	–	67	45	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
53	6	–	15	2	6	4	7	1	2	1	–	2	2	–	15	5	6	3	–	–	01
63	9	–	13	7	1	4	1	–	1	–	–	1	1	6	18	5	5	–	–	–	02
77	9	2	24	6	5	10	2	1	3	2	–	2	2	1	12	4	9	4	–	–	03
35	2	–	15	–	–	3	2	–	–	–	–	–	1	2	12	2	1	1	–	–	04
749	38	5	247	12	20	49	29	4	33	4	–	18	33	9	121	70	62	19	10	1	05
275	17	2	92	5	5	25	12	3	10	2	–	7	14	3	40	22	28	7	5	1	06
31	1	1	7	–	2	2	3	–	5	–	–	2	3	–	5	3	3	1	–	–	07
189	7	–	76	3	8	14	5	–	10	–	–	3	5	2	30	16	13	6	3	–	08
200	8	–	81	3	8	15	5	–	10	1	–	3	6	2	35	20	13	7	4	1	09
42	1	–	8	1	–	2	–	–	4	–	–	1	3	1	12	3	2	–	–	–	10
212	12	2	64	3	5	6	9	1	4	2	–	5	8	3	34	26	16	5	2	–	11
339	28	1	64	6	5	28	10	3	10	3	–	6	10	12	73	18	24	16	8	–	12
144	12	–	27	5	3	8	6	2	4	1	–	1	5	7	32	4	7	3	4	–	13
195	16	1	37	1	2	20	4	1	6	2	–	5	5	5	41	14	17	13	4	–	14
55	2	–	14	3	4	1	1	–	–	2	–	2	7	1	14	8	10	2	4	2	15
259	2	8	86	34	8	13	20	3	8	2	–	3	8	4	49	18	12	5	2	1	16
142	2	2	54	15	3	9	11	2	7	1	–	1	2	1	31	4	11	2	1	1	17
117	–	6	32	19	5	4	9	1	1	1	–	2	6	3	18	14	1	3	1	–	18
866	74	10	244	36	34	73	26	9	51	11	–	37	50	23	210	104	73	57	17	14	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	21
31	5	–	13	7	–	2	–	1	–	1	–	2	1	–	6	3	2	1	–	–	22
35	5	–	14	7	–	3	–	1	–	1	–	3	3	–	8	3	2	1	–	–	23
66	5	1	32	1	3	4	4	–	2	–	–	–	–	4	15	5	5	3	–	2	24
35	4	1	9	1	3	2	2	–	3	–	–	–	–	1	7	1	2	1	–	–	25
45	9	–	12	1	1	7	1	–	1	–	–	–	2	–	7	1	1	2	–	–	26
27	2	–	8	–	2	4	–	–	3	–	–	2	1	1	7	6	3	2	1	1	27
32	4	–	8	1	3	7	1	–	2	1	–	3	5	1	8	3	3	2	1	1	28
191	17	4	52	7	8	15	6	3	13	3	–	14	16	5	53	26	22	18	6	5	29
47	4	1	35	3	1	9	1	2	2	2	–	2	3	1	15	4	3	4	3	2	30
392	24	3	74	15	13	23	11	3	25	4	–	14	22	10	91	55	32	24	6	3	31
471	24	6	145	28	22	44	24	7	15	3	–	5	8	5	73	39	28	13	3	3	32
65	3	–	15	2	2	6	1	–	4	1	–	1	1	3	9	4	2	3	–	–	33
92	3	2	32	6	6	13	5	1	4	–	–	2	1	–	14	3	5	3	–	1	34
50	1	–	15	1	3	4	2	1	2	1	–	1	–	–	7	–	1	3	–	1	35
61	5	2	31	3	6	6	4	1	1	–	–	–	1	1	15	3	4	–	–	–	36
61	5	2	31	3	6	6	4	1	1	–	–	–	1	1	16	3	4	–	–	–	37
203	12	2	52	16	5	15	12	4	4	1	–	1	5	1	28	29	16	4	3	1	38
132	4	–	31	4	3	16	4	–	2	1	–	–	3	1	10	7	12	4	–	–	39
165	8	2	33	5	6	5	6	–	4	–	–	1	5	4	36	22	11	2	1	–	40
91	4	1	14	4	3	2	2	–	2	–	–	–	2	2	25	6	7	1	1	–	41
74	4	1	19	1	3	3	4	–	2	–	–	1	3	2	11	16	4	1	–	–	42
161	6	3	37	8	6	17	4	1	3	3	–	2	1	6	35	8	15	6	–	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	44
161	6	3	37	8	6	17	4	1	3	3	–	2	1	6	34	8	15	6	–	–	45
143	14	–	21	20	5	6	7	–	1	1	–	–	3	11	25	9	7	4	–	–	46
73	7	–	13	14	1	5	3	–	1	–	–	–	1	8	14	4	4	2	–	–	47
70	7	–	8	6	4	1	4	–	–	1	–	–	2	3	11	5	3	2	–	–	48
133	7	1	37	5	4	8	3	2	3	4	–	–	3	2	25	10	11	3	1	–	49
51	4	–	13	3	2	3	2	–	1	2	–	–	–	–	11	4	3	1	1	–	50
82	3	1	24	2	2	5	1	2	2	2	–	–	3	2	14	6	8	2	–	–	51
421	16	9	92	13	13	26	18	3	17	3	–	6	15	4	56	44	16	12	2	1	52
40	2	–	11	1	1	2	3	1	2	1	–	–	3	1	10	7	1	–	–	–	53
69	1	4	15	5	2	5	1	–	5	–	–	2	1	–	4	2	1	1	1	–	54
312	13	5	66	7	10	19	14	2	10	2	–	4	11	3	42	35	14	11	1	1	55
356	19	3	113	16	15	20	8	1	13	1	1	6	14	4	66	17	14	4	5	–	56
163	11	–	56	6	7	6	2	–	5	–	–	1	6	–	35	7	8	–	4	–	57
61	2	1	24	1	2	3	–	–	2	1	–	1	4	–	8	3	2	2	–	–	58
132	6	2	33	9	6	11	6	1	6	–	1	4	4	4	23	7	4	2	1	–	59
283	96	9	161	33	16	29	43	9	9	1	–	4	16	19	102	19	30	14	1	3	60
231	79	8	132	30	10	27	35	8	9	1	–	3	15	15	93	15	23	12	1	1	61
52	17	1	29	3	6	2	8	1	–	–	–	1	1	4	9	4	7	2	–	2	62
195	16	1	57	11	9	14	11	–	3	1	–	1	5	3	33	19	8	2	2	1	63
824	58	9	187	32	24	40	28	7	30	11	1	18	27	18	206	62	48	33	14	6	64
152	14	2	38	7	7	11	8	3	3	1	–	2	6	2	34	12	12	9	6	1	65
89	4	4	12	3	3	1	–	1	4	2	–	1	1	1	14	6	3	4	–	1	66
97	4	4	13	3	3	1	–	1	4	2	–	2	1	1	14	8	3	4	–	1	67
69	2	1	16	1	4	6	–	–	2	1	–	1	2	1	13	4	4	1	3	–	68
152	10	1	24	5	2	5	3	1	6	3	–	5	7	4	43	8	12	5	–	3	69
31	2	1	10	1	2	–	1	–	2	–	–	–	–	1	15	3	4	2	–	–	70
331	26	–	87	15	6	17	16	2	13	4	1	9	11	9	87	29	13	12	5	1	71
198	23	2	30	6	9	9	5	6	2	1	–	1	2	5	39	15	14	3	3	1	72
65	11	–	7	1	3	6	2	2	1	1	–	1	1	2	16	5	7	–	2	–	73
70	11	–	7	1	3	9	2	2	2	1	–	1	1	2	21	6	7	–	2	–	74
133	12	2	23	5	6	3	3	4	1	–	–	–	1	3	23	10	7	3	1	1	75
52	–	–	15	4	3	7	2	2	2	1	–	2	1	–	11	7	5	1	–	–	76
85	5	–	13	5	2	7	1	–	1	–	–	2	1	1	13	4	7	1	–	–	77
65	4	–	15	4	2	8	1	3	1	–	–	3	1	–	15	5	7	1	–	–	78
57	1	–	10	–	–	7	3	–	1	–	–	1	–	–	11	3	4	1	–	–	79
90	9	1	13	4	3	7	1	1	1	2	–	–	–	1	12	8	4	–	1	–	80
91	5	–	12	8	1	1	2	–	3	–	–	3	1	4	6	5	7	1	2	–	81
149	7	3	50	6	3	15	6	1	1	–	–	–	2	1	21	6	8	6	–	1	82
159	13	1	41	32	3	13	4	–	2	1	–	1	7	1	25	4	5	3	2	–	83
117	10	1	29	23	2	10	2	–	2	–	–	–	4	1	18	2	5	2	1	–	84
42	3	–	12	9	1	3	2	–	–	1	–	1	3	–	7	2	–	1	1	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Moultrie	167	–	–	2	27	7	6	1	3	1	–	9	2	106	78	–	2
02	Ogle	402	–	–	–	76	20	24	4	8	4	–	16	12	220	163	2	6
03	Peoria	1,877	–	–	9	413	121	114	38	48	17	15	60	14	969	672	14	12
04	Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05	Peoria	1,271	–	–	4	269	81	75	25	34	11	6	37	9	654	454	13	5
06	Balance of county	606	–	–	5	144	40	39	13	14	6	9	23	5	315	218	1	7
07	Perry	267	–	–	1	58	15	11	7	8	2	3	12	4	152	125	–	2
08	Piatt	173	1	–	–	38	11	10	1	6	1	2	7	3	80	58	–	1
09	Pike	261	–	–	1	55	18	10	4	7	2	1	13	3	156	108	2	1
10	Pope	62	–	–	1	8	1	4	1	–	–	–	2	3	29	21	–	–
11	Pulaski	146	–	–	1	29	6	9	1	4	–	3	6	1	72	57	2	–
12	Putnam	43	–	–	–	9	1	3	2	2	–	–	1	1	22	17	–	–
13	Randolph	376	–	–	2	68	13	24	5	13	2	3	8	6	211	164	1	10
14	Richland	185	–	–	1	38	14	8	3	4	–	2	7	2	109	81	1	1
15	Rock Island	1,526	1	–	6	304	81	78	25	32	12	9	67	26	878	702	8	8
16	East Moline	169	–	–	2	19	1	7	–	6	1	–	4	2	110	90	1	1
17	Moline	472	–	–	2	105	34	16	8	14	3	3	27	5	278	221	1	2
18	Rock Island	527	1	–	1	110	29	36	9	9	3	6	18	11	299	234	3	4
19	Balance of county	358	–	–	1	70	17	19	8	3	5	–	18	8	191	157	3	1
20	St. Clair	2,626	3	–	11	492	101	124	48	65	21	22	111	50	1,412	1,026	15	33
21	Belleville	601	–	–	3	134	27	26	11	22	10	5	33	5	341	232	7	6
22	Cahokia	143	1	–	1	22	6	3	1	1	2	1	8	4	67	54	1	2
23	Centreville	83	–	–	1	14	3	5	2	3	–	–	1	5	37	29	1	–
24	Collinsville, part	15	–	–	–	3	–	1	1	–	–	–	1	–	9	8	–	–
25	East St. Louis	718	1	–	2	111	18	27	12	19	3	7	25	15	359	245	3	13
26	Balance of county	1,066	1	–	4	208	47	62	21	20	6	9	43	21	599	458	3	12
27	Saline	466	–	–	3	93	22	25	4	11	6	6	19	8	281	214	2	3
28	Sangamon	1,660	3	–	1	346	104	82	35	36	15	14	60	39	885	625	9	12
29	Springfield	1,162	3	–	1	235	69	50	27	28	13	8	40	27	635	459	8	10
30	Balance of county	498	–	–	–	111	35	32	8	8	2	6	20	12	250	166	1	2
31	Schuyler	122	–	–	–	24	9	3	2	4	1	1	4	–	77	65	1	–
32	Scott	74	1	–	–	8	3	1	–	1	–	–	3	–	52	31	1	1
33	Shelby	260	1	–	1	53	15	12	6	5	2	–	13	4	132	87	1	1
34	Stark	81	–	–	1	15	3	3	1	5	1	–	2	1	47	40	–	–
35	Stephenson	472	2	–	–	95	26	18	11	19	4	6	11	8	253	195	8	1
36	Freeport	303	2	–	–	51	11	12	8	10	3	2	5	5	158	121	5	1
37	Balance of county	169	–	–	–	44	15	6	3	9	1	4	6	3	95	74	3	–
38	Tazewell	934	2	–	4	191	60	36	17	18	9	12	39	10	479	368	8	4
39	East Peoria	175	–	–	1	32	12	6	3	2	3	1	5	–	99	78	1	1
40	Morton	98	–	–	–	20	7	4	3	3	2	–	1	1	53	36	–	–
41	Pekin, part	305	–	–	1	62	22	11	4	5	1	4	15	2	160	127	2	2
42	Pekin, total	305	–	–	1	62	22	11	4	5	1	4	15	2	160	127	2	2
43	Balance of county	356	2	–	2	77	19	15	7	8	3	7	18	7	167	127	5	1
44	Union	212	–	–	1	30	10	5	4	3	–	2	6	3	128	96	1	–
45	Vermilion	1,025	1	1	3	207	57	50	12	29	8	10	41	10	521	359	9	9
46	Danville	545	1	1	2	119	29	32	8	19	4	4	23	4	269	177	7	4
47	Balance of county	480	–	–	1	88	28	18	4	10	4	6	18	6	252	182	2	5
48	Wabash	174	–	–	–	18	5	3	1	1	3	1	4	2	120	98	1	2
49	Warren	210	–	–	1	29	5	5	6	5	1	2	5	4	131	98	2	2
50	Monmouth	121	–	–	–	16	3	2	4	2	1	1	3	3	77	53	–	2
51	Balance of county	89	–	–	1	13	2	3	2	3	–	1	2	1	54	45	2	–
52	Washington	197	–	–	–	44	12	7	5	5	6	–	9	7	114	90	–	–
53	Wayne	196	1	–	1	29	4	9	4	3	3	–	6	3	127	107	1	2
54	White	245	–	–	–	46	14	12	3	5	1	1	10	9	140	116	1	–
55	Whiteside	557	–	–	–	103	36	17	11	13	4	5	17	10	294	220	3	6
56	Rock Falls	112	–	–	–	22	3	4	4	4	–	1	6	2	63	42	–	1
57	Sterling	158	–	–	–	28	11	4	3	3	–	2	5	3	82	64	–	2
58	Balance of county	287	–	–	–	53	22	9	4	6	4	2	6	5	149	114	3	3
59	Will	2,033	1	–	8	381	102	102	34	41	19	11	72	52	1,114	851	15	15
60	Joliet	898	–	–	6	147	45	41	14	12	5	5	25	24	531	391	7	7
61	Park Forest, part	9	–	–	–	4	2	1	–	1	–	–	–	1	3	2	–	–
62	Romeoville	59	–	–	–	14	3	2	1	2	1	–	5	2	20	14	–	–
63	Tinley Park, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Balance of county	1,066	1	–	2	216	52	58	19	26	13	6	42	25	560	444	8	8
65	Williamson	645	1	–	3	121	24	41	8	9	9	8	22	18	368	279	5	2
66	Marion	173	–	–	–	32	9	10	3	2	2	1	5	6	97	64	1	–
67	Balance of county	472	1	–	3	89	15	31	5	7	7	7	17	12	271	215	4	2
68	Winnebago	1,991	–	–	12	398	108	91	37	41	20	26	75	25	1,061	747	13	9
69	Loves Park	77	–	–	–	19	8	3	2	1	–	3	2	1	35	22	–	1
70	Rockford	1,383	–	–	8	272	73	60	27	26	13	19	54	17	763	536	9	8
71	Balance of county	531	–	–	4	107	27	28	8	14	7	4	19	7	263	189	4	–
72	Woodford	275	–	–	3	46	11	5	4	4	2	3	17	7	145	93	1	6
73	**Indiana**	**47,109**	**77**	**9**	**300**	**9,192**	**2,333**	**2,338**	**839**	**1,082**	**421**	**417**	**1,762**	**999**	**25,117**	**17,946**	**288**	**407**
74	Urban places	25,577	53	4	183	5,119	1,269	1,346	469	587	215	214	999	558	13,452	9,601	170	199
75	Balance of area	21,532	24	5	117	4,073	1,044	992	370	495	206	203	763	441	11,665	8,345	118	208
76	Metropolitan counties	27,913	51	-5	193	5,634	1,397	1,512	515	636	249	240	1,085	594	14,603	10,551	183	194
77	Urban places	19,785	45	4	147	4,060	1,015	1,098	365	450	168	165	799	433	10,286	7,441	136	137
78	Balance of area	8,128	6	1	46	1,574	382	414	150	186	81	75	286	161	4,317	3,110	47	57
79	Nonmetropolitan counties	19,196	26	4	107	3,558	936	826	324	446	172	177	677	405	10,514	7,395	105	213
80	Urban places	5,792	8	–	36	1,059	274	248	104	137	47	49	200	125	3,166	2,160	34	62
81	Balance of area	13,404	18	4	71	2,499	662	578	220	309	125	128	477	280	7,348	5,235	71	151

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth, and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
72	4	–	22	3	3	4	3	2	2	2	–	–	1	–	8	3	3	1	–	1	01
150	5	3	36	9	9	7	5	2	1	1	1	4	1	4	38	12	11	7	–	–	02
604	42	4	224	35	34	74	22	–	25	9	–	10	37	4	143	40	69	22	14	3	03
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	04
404	32	2	156	14	28	57	15	–	19	7	–	7	24	3	103	24	46	15	14	1	05
200	10	2	68	21	6	17	7	–	6	2	–	3	13	1	40	16	23	7	–	2	06
119	4	–	19	2	6	13	5	–	4	–	1	2	–	1	13	6	4	2	1	–	07
53	4	3	17	–	2	6	4	–	2	2	–	2	4	5	17	3	4	2	–	–	08
103	2	4	30	12	2	7	5	1	–	1	–	1	2	1	13	7	6	2	–	–	09
16	5	–	8	–	–	3	–	–	1	1	–	–	–	–	8	4	3	–	1	–	10
45	10	–	13	2	–	6	2	–	2	2	–	1	1	2	7	8	9	2	1	–	11
16	1	–	3	–	2	1	1	–	–	–	–	1	–	–	1	4	2	–	1	–	12
141	12	2	35	7	3	6	4	2	2	1	–	5	7	12	22	8	16	3	–	1	13
77	2	2	17	5	4	6	2	1	1	–	–	2	2	1	13	4	1	1	–	1	14
634	52	10	132	16	18	32	16	9	17	2	–	15	14	14	90	45	34	15	5	3	15
82	6	2	13	1	4	4	–	3	1	–	–	–	1	3	16	4	4	–	–	–	16
198	20	–	45	7	5	11	8	1	8	1	–	4	3	4	20	7	9	3	1	2	17
206	21	6	47	7	5	14	4	2	4	1	–	7	6	3	31	13	11	4	4	1	18
148	5	2	27	1	4	3	4	3	4	–	–	4	4	4	23	21	10	8	–	–	19
931	47	26	290	46	24	67	30	7	50	7	–	26	55	13	171	67	81	35	44	5	20
214	5	10	77	15	7	20	4	–	12	–	–	2	9	3	39	13	9	7	–	–	21
47	4	1	11	1	–	4	3	1	3	–	–	1	4	1	7	12	6	4	2	–	22
28	–	–	7	1	–	5	2	–	1	–	–	–	–	1	2	2	9	1	3	–	23
8	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	24
214	15	6	96	7	5	22	10	2	15	6	–	9	31	4	56	11	26	7	29	2	25
420	23	9	98	22	12	16	11	4	19	1	–	13	11	4	67	27	31	16	10	3	26
204	5	–	52	9	6	18	4	1	4	–	–	–	5	3	29	3	11	1	1	1	27
580	24	8	200	25	27	43	29	9	18	3	1	11	17	18	119	26	58	24	4	6	28
423	18	7	132	19	18	30	19	6	15	2	–	7	11	13	77	15	42	15	4	5	29
157	6	1	68	6	9	13	10	3	3	1	1	4	6	5	42	11	16	9	–	1	30
63	1	–	9	1	2	–	1	–	1	1	–	1	–	–	6	4	5	2	–	–	31
24	5	3	14	3	1	1	–	–	–	–	–	–	1	3	5	1	2	–	–	–	32
80	5	5	31	6	3	17	1	–	2	1	–	3	–	–	23	8	12	2	–	–	33
40	–	–	7	–	–	–	2	1	2	–	–	–	1	1	5	2	3	–	–	–	34
176	10	5	45	3	5	19	12	2	5	1	–	–	2	3	43	14	8	2	2	1	35
111	4	3	27	2	5	17	10	2	4	1	–	–	1	2	31	8	8	1	1	1	36
65	6	2	18	1	–	2	2	–	1	–	–	–	1	1	12	6	–	1	1	–	37
328	28	3	82	13	13	34	4	4	8	3	–	4	15	8	88	34	26	11	6	3	38
69	7	–	16	2	3	4	–	1	3	–	–	–	1	1	15	7	5	5	1	–	39
36	–	–	11	3	3	2	1	1	2	–	–	–	–	–	6	8	3	–	–	1	40
111	12	–	30	–	3	16	2	1	2	3	–	1	5	3	22	6	9	3	5	2	41
111	12	–	30	–	3	16	2	1	2	3	–	1	5	3	22	6	9	3	5	2	42
112	9	3	25	8	4	12	1	1	1	–	–	3	9	4	45	13	9	3	–	–	43
93	2	–	22	9	1	7	4	–	5	1	–	2	3	4	15	3	5	1	–	–	44
289	52	7	118	19	18	29	24	5	9	5	–	8	16	19	107	13	28	13	5	1	45
138	28	4	64	10	14	17	11	3	7	3	–	2	12	10	55	4	14	6	4	1	46
151	24	3	54	9	4	12	13	2	2	2	–	6	4	9	52	9	14	7	1	–	47
93	2	–	14	8	–	6	1	1	2	–	–	1	–	2	8	6	3	2	1	1	48
88	6	1	22	7	3	2	2	2	1	1	–	1	1	2	15	10	3	4	1	–	49
46	5	1	16	5	2	2	–	2	1	1	–	–	–	1	8	7	2	1	–	–	50
42	1	–	6	2	1	–	2	–	–	–	–	1	1	1	7	3	1	3	1	–	51
84	6	1	19	1	3	4	1	–	2	3	–	–	2	1	8	3	5	3	–	–	52
103	1	2	13	3	2	8	1	–	5	1	–	–	–	–	15	–	4	1	–	–	53
113	2	–	20	3	1	9	3	–	2	1	–	–	5	–	13	9	7	1	–	–	54
197	14	3	55	5	11	26	4	1	3	1	–	6	9	5	44	29	19	3	–	–	55
39	2	1	16	1	3	4	2	–	1	–	–	1	2	–	6	5	2	2	–	–	56
56	6	2	13	1	2	5	1	1	1	–	–	1	4	3	14	7	8	–	–	–	57
102	6	–	26	3	6	17	1	–	1	1	–	4	3	2	24	17	9	1	–	–	58
761	60	6	192	44	21	34	34	3	28	11	–	21	44	15	122	65	49	26	24	1	59
347	30	4	101	25	10	17	18	2	16	4	–	5	24	9	49	15	8	8	15	–	60
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	61
14	–	–	4	1	1	4	–	–	–	–	–	1	1	–	4	5	6	2	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	63
398	30	2	86	18	10	13	16	1	12	7	–	15	19	6	69	45	33	16	9	1	64
258	14	4	66	7	12	12	14	2	11	–	–	5	4	4	51	4	18	8	1	–	65
61	2	1	28	1	3	4	4	1	5	–	–	–	–	1	14	2	6	–	1	–	66
197	12	3	38	6	9	8	10	1	6	–	–	5	4	3	37	2	12	8	–	–	67
697	28	9	234	40	31	37	22	10	35	7	1	13	19	7	190	47	55	39	8	5	68
21	–	–	9	–	4	2	2	–	1	–	–	1	3	–	8	1	1	2	–	1	69
502	17	8	174	29	16	30	12	9	21	4	1	10	7	3	137	27	35	20	3	4	70
174	11	1	51	11	11	5	8	1	13	3	–	2	9	4	45	19	19	17	5	–	71
82	4	3	32	12	5	8	4	1	4	–	–	2	6	4	25	6	10	2	1	1	72
15,870	**1,381**	**153**	**5,242**	**1,086**	**690**	**1,134**	**610**	**166**	**559**	**184**	**5**	**319**	**593**	**465**	**3,594**	**1,303**	**1,298**	**691**	**399**	**95**	73
8,542	690	86	2,810	578	377	614	329	84	382	108	2	159	362	253	1,953	531	674	380	311	66	74
7,328	691	67	2,432	508	313	520	281	82	177	76	3	160	231	212	1,641	772	624	311	88	29	75
9,413	761	85	3,015	556	396	654	363	77	399	101	2	189	371	252	2,144	689	782	422	319	69	76
6,654	514	64	2,093	415	273	455	243	57	320	81	2	125	280	178	1,505	391	543	296	280	54	77
2,759	247	21	922	141	123	199	120	20	79	20	–	64	91	74	639	298	239	126	39	15	78
6,457	620	68	2,227	530	294	480	247	89	160	83	3	130	222	213	1,450	614	516	269	80	26	79
1,888	176	22	717	163	104	159	86	27	62	27	–	34	82	75	448	140	131	84	31	12	80
4,569	444	46	1,510	367	190	321	161	62	98	56	3	96	140	138	1,002	474	385	185	49	14	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Adams	234	–	1	1	43	9	6	3	6	–	5	14	1	136	93	1	1
02	Allen	2,180	3	–	14	452	108	112	42	52	26	18	94	44	1,184	855	9	20
03	Fort Wayne	1,710	3	–	8	353	83	88	29	43	22	14	74	36	931	681	8	18
04	Balance of county	470	–	–	6	99	25	24	13	9	4	4	20	8	253	174	1	2
05	Bartholomew	396	1	–	3	78	21	22	10	5	3	4	13	6	182	117	–	–
06	Columbus	246	1	–	3	55	15	16	9	4	1	1	9	2	118	74	–	–
07	Balance of county	150	–	–	–	23	6	6	1	1	2	3	4	4	64	43	–	–
08	Benton	117	–	–	–	19	5	3	1	1	–	1	8	2	73	45	1	1
09	Blackford	150	–	–	2	21	3	7	3	1	1	–	6	6	92	61	4	2
10	Boone	299	–	–	1	63	17	16	6	9	3	3	9	5	154	122	1	1
11	Brown	73	–	–	–	16	6	5	2	1	–	–	2	2	41	31	–	2
12	Carroll	198	–	–	2	43	14	9	3	5	1	2	9	5	100	64	2	–
13	Cass	419	–	–	3	84	23	17	12	7	3	4	18	12	217	154	5	3
14	Logansport	269	–	–	2	57	15	11	7	6	3	4	11	11	141	106	3	2
15	Balance of county	150	–	–	1	27	8	6	5	1	–	–	7	1	76	48	2	1
16	Clark	677	1	1	9	139	35	39	11	14	7	5	28	12	363	258	4	3
17	Clarksville	110	–	–	–	27	9	9	2	1	–	–	6	2	51	31	–	–
18	Jeffersonville	276	–	1	2	62	13	18	3	5	5	4	14	6	148	113	3	2
19	Balance of county	291	1	–	7	50	13	12	6	8	2	1	8	4	164	114	1	1
20	Clay	325	–	–	–	56	18	19	1	6	–	5	7	9	188	107	1	2
21	Clinton	340	1	–	2	50	14	6	5	7	2	1	15	12	199	119	–	–
22	Frankfort	209	–	–	2	30	11	4	3	3	–	–	9	10	119	70	–	–
23	Balance of county	131	1	–	–	20	3	2	2	4	2	1	6	2	80	49	–	–
24	Crawford	98	–	–	1	23	5	5	1	3	1	1	7	–	59	46	2	1
25	Daviess	307	1	–	1	46	14	12	3	4	3	2	8	5	194	134	–	3
26	Washington	171	1	–	1	28	7	10	1	3	1	–	6	1	102	67	–	1
27	Balance of county	136	–	–	–	18	7	2	2	1	2	2	2	4	92	67	–	2
28	Dearborn	310	–	–	–	54	9	16	9	8	5	–	7	1	178	139	1	1
29	Decatur	216	–	–	1	48	11	13	6	3	2	–	13	4	107	77	–	1
30	De Kalb	291	–	–	2	47	11	7	2	4	6	6	11	5	159	118	1	16
31	Delaware	1,076	3	–	11	210	51	58	18	24	8	5	46	11	540	399	9	4
32	Muncie	766	3	–	8	144	39	37	12	18	6	1	31	9	394	295	7	4
33	Balance of county	310	–	–	3	66	12	21	6	6	2	4	15	2	146	104	2	–
34	Dubois	280	–	–	1	51	22	10	3	5	2	3	6	3	154	107	1	2
35	Elkhart	1,066	1	1	14	206	63	37	16	30	15	7	38	19	593	396	5	5
36	Elkhart	466	–	–	6	90	20	20	6	13	6	4	21	5	256	175	1	5
37	Goshen	208	1	–	2	36	14	5	2	8	2	2	3	2	128	78	1	–
38	Balance of county	392	–	1	6	80	29	12	8	9	7	1	14	12	209	143	3	–
39	Fayette	249	–	–	2	47	14	11	4	8	1	2	7	3	133	89	1	2
40	Connersville	181	–	–	2	36	11	7	4	6	1	2	5	2	95	59	1	2
41	Balance of county	68	–	–	–	11	3	4	–	2	–	–	2	1	38	30	–	–
42	Floyd	545	2	–	1	94	28	25	8	5	6	4	18	4	307	226	5	7
43	New Albany	444	2	–	1	74	23	21	8	2	6	3	11	3	255	189	5	7
44	Balance of county	101	–	–	–	20	5	4	–	3	–	1	7	1	52	37	–	–
45	Fountain	208	–	–	1	29	7	6	3	4	–	1	8	6	102	67	1	1
46	Franklin	147	–	–	2	19	5	4	–	2	–	1	7	3	91	70	2	2
47	Fulton	184	1	–	–	35	7	7	5	9	1	–	6	1	93	68	1	3
48	Gibson	396	–	–	1	81	26	24	4	8	3	4	12	6	231	185	2	3
49	Grant	705	2	–	–	122	32	36	13	13	6	3	19	14	376	260	4	38
50	Marion	424	1	–	–	73	20	24	7	6	5	1	10	7	223	169	1	30
51	Balance of county	281	1	–	–	49	12	12	6	7	1	2	9	7	153	91	3	8
52	Greene	329	1	–	3	66	11	24	8	6	3	1	13	6	191	143	2	4
53	Hamilton	487	1	–	2	104	23	29	11	14	7	2	18	10	241	172	5	9
54	Hancock	295	–	–	3	45	9	10	3	6	4	4	9	7	168	126	2	2
55	Harrison	232	–	–	–	35	4	13	2	6	1	3	6	9	136	94	1	–
56	Hendricks	434	–	–	2	84	28	19	3	10	3	3	18	10	223	167	2	6
57	Henry	521	1	–	2	106	25	29	13	11	3	6	19	7	287	199	5	1
58	New Castle	257	1	–	2	50	18	14	3	5	1	2	7	5	136	92	1	–
59	Balance of county	264	–	–	–	56	7	15	10	6	2	4	12	2	151	107	4	1
60	Howard	645	–	–	3	128	30	34	11	18	3	11	21	18	339	231	8	2
61	Kokomo	481	–	–	1	97	23	29	6	13	3	8	15	13	248	160	6	1
62	Balance of county	164	–	–	2	31	7	5	5	5	–	3	6	5	91	71	2	1
63	Huntington	330	–	–	1	70	17	17	5	12	5	3	11	7	179	121	3	3
64	Huntington	167	–	–	–	35	9	9	3	3	3	2	6	6	91	66	1	2
65	Balance of county	163	–	–	1	35	8	8	2	9	2	1	5	1	88	55	2	1
66	Jackson	309	–	–	2	62	16	10	6	10	6	3	11	11	158	123	2	2
67	Seymour	144	–	–	2	26	6	5	3	4	2	1	5	3	84	58	–	–
68	Balance of county	165	–	–	–	36	10	5	3	6	4	2	6	8	74	65	2	2
69	Jasper	194	–	–	1	41	9	5	7	6	3	1	10	5	99	74	–	–
70	Jay	231	–	–	–	36	12	6	4	4	1	2	7	6	140	91	3	1
71	Jefferson	270	1	1	–	51	13	16	4	5	2	5	6	5	145	97	1	1
72	Madison	146	1	–	–	28	6	8	2	3	2	3	4	1	82	57	1	–
73	Balance of county	124	–	1	–	23	7	8	2	2	–	2	2	4	63	40	–	1
74	Jennings	187	–	–	2	43	15	14	1	6	2	1	4	–	88	67	2	6
75	Johnson	519	–	–	5	113	28	35	6	11	5	6	22	11	258	176	6	3
76	Franklin	142	–	–	3	28	4	8	1	3	2	3	7	4	67	50	1	1
77	Greenwood	156	–	–	1	41	13	9	2	3	2	2	10	4	72	49	2	2
78	Balance of county	221	–	–	1	44	11	18	3	5	1	1	5	3	119	77	3	–
79	Knox	492	–	–	2	78	18	23	8	3	5	5	16	11	280	194	3	3
80	Vincennes	251	–	–	2	32	9	6	6	2	3	–	6	7	142	94	3	–
81	Balance of county	241	–	–	–	46	9	17	2	1	2	5	10	4	138	100	–	3
82	Kosciusko	451	1	–	2	80	22	6	7	13	5	6	21	14	237	169	3	4
83	Lagrange	165	–	–	1	29	6	9	3	3	1	1	6	4	87	68	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
87	4	–	32	9	2	4	3	1	1	–	–	6	3	4	10	11	7	1	1	–	01
763	63	3	250	45	31	43	15	2	34	5	–	16	36	19	153	50	55	35	19	1	02
608	47	1	189	34	26	39	11	2	29	3	–	8	30	16	118	35	45	28	14	1	03
155	16	2	61	11	5	4	4	–	5	2	–	8	6	3	35	15	10	7	5	–	04
103	14	–	47	12	6	13	3	1	1	3	–	2	9	7	50	20	8	7	1	1	05
65	9	–	31	10	3	9	3	–	1	2	–	1	5	3	29	7	3	4	–	–	06
38	5	–	16	2	3	4	–	1	–	1	–	1	4	4	21	13	5	3	1	1	07
41	2	–	20	5	3	3	–	–	1	1	–	–	1	1	6	4	6	–	–	–	08
49	6	2	25	2	2	3	2	1	2	–	–	–	2	3	10	2	2	2	–	–	09
112	8	–	24	4	4	9	1	–	3	1	–	4	5	–	33	8	9	1	2	–	10
27	2	–	5	2	3	–	–	1	2	–	–	–	1	–	4	3	3	–	–	–	11
56	6	–	27	5	4	5	6	–	2	1	–	–	–	3	21	3	5	2	–	–	12
130	16	1	48	7	7	2	8	1	3	1	–	5	1	6	43	15	12	5	1	–	13
89	12	1	26	2	6	1	7	1	3	1	–	2	–	3	25	7	5	3	–	–	14
41	4	–	22	5	1	1	1	–	–	–	–	3	1	3	18	8	7	2	1	–	15
228	23	2	82	7	14	18	12	–	8	2	–	9	7	5	45	16	16	8	3	3	16
27	4	–	18	2	–	3	–	–	3	–	–	1	2	–	13	2	3	3	–	–	17
100	8	1	25	5	4	7	6	–	4	1	–	5	–	2	16	4	6	4	1	1	18
101	11	1	39	–	10	8	6	–	1	1	–	3	5	3	16	10	7	1	2	2	19
93	11	2	72	4	3	11	6	–	3	2	–	2	2	2	32	2	4	6	–	–	20
106	13	1	56	16	7	12	4	1	3	3	–	–	4	6	20	9	9	2	2	1	21
59	11	–	34	10	5	8	1	1	2	3	–	–	4	5	9	4	8	1	1	1	22
47	2	1	22	6	2	4	3	–	1	–	–	–	–	1	11	5	1	1	1	–	23
40	3	–	9	4	–	2	1	–	1	1	–	–	1	1	7	–	1	–	–	–	24
116	15	2	43	11	4	5	3	–	4	–	–	2	–	–	23	7	10	5	–	1	25
60	6	1	28	3	3	3	3	–	3	–	–	1	–	–	15	3	6	3	–	1	26
56	9	1	15	8	1	2	–	–	1	–	–	1	–	–	8	4	4	2	–	–	27
115	22	1	32	1	5	9	4	1	2	2	–	2	1	2	19	10	17	8	–	–	28
71	5	1	26	2	1	8	2	–	2	1	–	2	3	8	15	8	5	1	1	–	29
87	14	1	30	5	5	5	4	1	3	2	–	2	3	2	27	12	9	7	1	–	30
361	25	4	102	15	20	36	20	5	13	4	–	8	10	17	103	29	24	20	8	4	31
267	17	4	71	12	12	29	17	4	10	3	–	3	5	8	71	18	14	15	7	4	32
94	8	–	31	3	8	7	3	1	3	1	–	5	5	9	32	11	10	5	1	–	33
95	9	–	30	12	5	7	2	–	4	1	–	1	4	2	25	10	9	6	–	–	34
371	15	2	146	41	8	13	18	5	6	3	–	7	13	3	72	38	30	14	6	4	35
161	8	1	63	12	5	7	11	3	4	2	–	4	5	–	32	14	16	5	4	2	36
75	2	1	27	20	2	3	3	2	1	–	–	–	6	–	10	8	4	2	–	–	37
135	5	–	56	9	1	3	4	–	1	1	–	3	2	3	30	16	10	7	2	2	38
80	6	2	28	8	6	5	4	–	3	1	–	2	4	3	25	3	8	2	2	2	39
50	6	1	23	7	5	4	4	–	1	–	–	1	3	2	21	1	5	1	1	2	40
30	–	1	5	1	1	1	–	–	2	1	–	1	1	1	4	2	3	1	1	–	41
207	7	1	63	9	8	20	12	–	8	1	–	3	7	9	37	10	18	7	4	1	42
171	6	1	49	9	7	16	11	–	6	1	–	3	6	8	31	6	12	4	4	1	43
36	1	–	14	–	1	4	1	–	2	–	–	–	1	1	6	4	6	3	–	–	44
56	9	1	24	3	7	10	2	1	1	–	–	1	3	2	28	12	8	2	–	–	45
62	4	–	14	4	3	3	4	2	1	1	–	–	1	1	10	3	1	3	2	–	46
62	2	1	16	7	1	3	2	1	3	–	–	1	3	1	16	12	10	2	–	–	47
167	13	2	24	16	4	8	7	3	2	–	–	3	–	4	22	10	14	3	1	–	48
200	18	3	86	16	11	17	13	3	8	5	1	1	6	22	52	23	22	16	2	–	49
125	13	2	37	6	9	14	9	2	6	5	–	1	3	16	28	12	11	11	2	–	50
75	5	1	49	10	2	3	4	1	2	–	1	–	3	6	24	11	11	5	–	–	51
125	12	–	36	6	6	11	4	2	1	2	–	5	2	–	14	8	8	3	2	–	52
136	22	1	47	16	5	10	9	2	4	–	–	5	5	–	45	22	20	5	–	2	53
112	10	–	30	7	5	8	1	1	3	–	–	2	2	6	26	10	8	3	1	1	54
89	4	6	29	5	2	6	3	–	–	5	–	2	–	2	10	5	15	2	1	1	55
144	15	1	39	10	6	14	6	2	1	–	–	2	5	5	35	22	11	12	–	–	56
161	32	3	63	5	17	15	4	3	2	3	–	2	1	7	41	11	17	7	3	2	57
70	21	3	30	3	8	9	2	2	1	1	–	–	–	5	19	4	11	4	3	2	58
91	11	–	33	2	9	6	2	1	1	2	–	2	1	2	22	7	6	3	–	–	59
205	16	1	75	24	8	13	4	–	7	–	–	5	14	15	57	13	13	10	6	–	60
145	8	1	62	18	7	11	3	–	6	–	–	2	12	12	46	8	11	7	4	–	61
60	8	–	13	6	1	2	1	–	1	–	–	3	2	3	11	5	2	3	2	–	62
109	6	1	46	8	3	8	4	–	2	1	–	1	3	6	29	6	11	2	–	–	63
59	4	1	17	5	2	3	1	–	2	–	–	1	3	3	14	1	6	1	–	–	64
50	2	–	29	3	1	5	3	–	–	1	–	–	–	3	15	5	5	1	–	–	65
114	5	–	25	2	8	6	2	1	3	2	–	1	2	1	26	16	9	7	–	–	66
54	4	–	17	2	7	–	2	1	2	–	–	–	–	–	15	2	3	4	–	–	67
60	1	–	8	–	1	6	–	–	1	2	–	1	2	1	11	14	6	3	–	–	68
71	3	1	18	5	1	2	1	2	2	–	–	1	5	2	8	12	8	4	1	–	69
78	9	2	35	10	2	6	4	1	1	1	1	–	4	6	13	4	5	2	1	–	70
86	9	–	30	16	2	14	3	–	1	2	–	2	2	2	27	4	5	4	1	–	71
52	4	–	17	7	1	6	1	–	1	2	–	1	1	2	15	2	1	2	–	–	72
34	5	–	13	9	1	8	2	–	–	–	–	1	1	–	12	2	4	2	1	–	73
53	6	–	16	2	3	10	2	2	–	–	–	3	–	3	21	4	7	2	–	–	74
155	12	2	49	23	8	15	6	4	9	5	–	2	5	2	48	13	14	5	2	2	75
44	4	1	9	6	1	4	1	2	–	2	–	1	–	1	22	3	2	1	1	–	76
42	3	–	14	6	3	5	2	–	4	2	–	–	4	–	11	4	2	3	–	1	77
69	5	1	26	11	4	6	3	2	5	1	–	1	1	1	15	6	10	1	1	1	78
156	32	3	63	13	7	17	5	3	3	4	–	2	5	4	37	17	13	6	3	2	79
75	16	1	37	4	6	12	3	2	2	3	–	1	3	4	16	8	8	3	2	1	80
81	16	2	26	9	1	5	2	1	1	1	–	1	2	–	21	9	5	3	1	1	81
151	11	1	49	13	5	3	10	2	3	3	–	3	13	5	29	22	13	9	2	–	82
60	6	–	12	6	1	2	1	–	–	–	–	–	6	4	17	5	7	1	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Lake	4,305	16	1	23	874	224	233	76	109	30	37	165	134	2,087	1,557	23	25
02	Crown Point	139	1	–	–	27	9	4	4	3	1	–	6	2	80	70	–	–
03	East Chicago	440	3	1	3	80	23	15	8	14	1	3	16	25	220	142	1	2
04	Gary	1,518	9	–	5	312	76	88	28	48	7	10	55	52	627	460	5	12
05	Griffith	89	–	–	–	19	6	6	–	1	1	2	3	2	50	42	–	–
06	Hammond	813	2	–	7	169	43	51	14	16	9	6	30	18	425	321	4	6
07	Highland	137	–	–	1	30	6	11	3	2	–	2	6	4	75	57	2	1
08	Hobart	179	–	–	3	40	9	8	7	6	1	2	7	4	105	74	4	–
09	Munster	120	–	–	–	25	9	6	3	2	1	1	3	4	71	50	–	–
10	Balance of county	870	1	–	4	172	43	44	9	17	9	11	39	23	434	341	7	4
11	La Porte	983	2	–	5	178	42	33	20	29	12	9	33	13	559	413	6	9
12	La Porte	257	1	–	1	50	11	7	5	8	5	3	11	1	146	110	1	2
13	Michigan City	417	–	–	2	66	11	13	10	10	3	5	14	8	249	184	3	5
14	Balance of county	309	1	–	2	62	20	13	5	11	4	1	8	4	164	119	2	2
15	Lawrence	447	–	–	1	86	18	18	8	11	5	6	20	13	233	162	2	7
16	Bedford	196	–	–	1	31	8	9	2	4	–	–	8	6	106	74	1	5
17	Balance of county	251	–	–	–	55	10	9	6	7	5	6	12	7	127	88	1	2
18	Madison	1,163	1	–	4	236	64	64	20	28	10	10	40	24	638	463	7	9
19	Anderson	675	1	–	3	138	39	36	12	14	6	6	25	10	369	268	4	5
20	Elwood	114	–	–	–	23	8	7	–	4	–	1	3	4	62	34	–	1
21	Balance of county	374	–	–	1	75	17	21	8	10	4	3	12	10	207	161	3	3
22	Marion	6,804	14	1	65	1,423	333	411	131	152	48	62	286	139	3,452	2,569	51	41
23	Beech Grove	115	–	–	1	23	4	4	3	2	1	2	7	1	68	45	1	–
24	Indianapolis	6,471	14	1	64	1,365	324	396	126	146	43	59	271	131	3,268	2,435	48	39
25	Lawrence	43	–	–	–	7	–	3	–	–	1	–	3	1	26	21	1	–
26	Speedway	58	–	–	–	13	2	4	1	3	1	–	2	2	30	23	1	–
27	Balance of county	117	–	–	–	15	3	4	1	1	2	1	3	4	60	45	–	2
28	Marshall	380	–	–	3	63	18	13	7	5	3	3	14	6	220	152	1	3
29	Martin	104	–	–	–	18	8	3	2	2	1	–	2	4	60	44	1	2
30	Miami	313	1	–	2	35	8	10	5	3	–	–	9	11	189	120	1	1
31	Peru	175	1	–	2	20	3	5	5	2	–	–	5	7	103	62	1	–
32	Balance of county	138	–	–	–	15	5	5	–	1	–	–	4	4	86	58	–	1
33	Monroe	512	–	–	2	120	27	31	7	19	4	5	27	13	264	175	4	1
34	Bloomington	305	–	–	1	78	14	17	6	15	3	3	20	8	154	100	3	–
35	Balance of county	207	–	–	1	42	13	14	1	4	1	2	7	5	110	75	1	1
36	Montgomery	357	1	–	–	60	22	15	2	6	3	3	9	8	211	140	1	1
37	Crawfordsville	185	–	–	–	27	7	10	–	3	–	2	5	4	107	71	–	1
38	Balance of county	172	1	–	–	33	15	5	2	3	3	1	4	4	104	69	1	–
39	Morgan	367	–	–	2	59	17	13	7	5	1	2	14	6	199	141	1	3
40	Newton	159	–	–	1	32	11	6	4	4	1	2	4	2	89	62	–	1
41	Noble	301	–	–	1	53	15	13	5	7	2	1	10	11	162	114	–	–
42	Ohio	44	–	–	–	8	1	2	1	2	–	1	1	1	24	19	–	–
43	Orange	183	–	–	4	31	9	7	2	4	2	–	7	4	99	70	–	2
44	Owen	117	1	–	3	19	4	5	1	6	–	–	3	2	57	35	–	–
45	Parke	195	–	–	–	33	9	11	1	3	2	1	6	–	119	88	–	13
46	Perry	213	–	–	1	30	10	4	1	4	3	2	6	2	121	82	–	1
47	Pike	182	1	–	2	33	14	9	1	1	2	1	5	3	96	63	–	–
48	Porter	663	1	–	1	152	30	37	19	24	7	8	27	15	320	240	6	3
49	Portage	137	–	–	–	40	7	9	2	8	–	2	12	2	52	43	–	–
50	Valparaiso	192	1	–	–	45	12	10	7	5	2	1	8	4	108	82	2	–
51	Balance of county	334	–	–	1	67	11	18	10	11	5	5	7	9	160	115	4	3
52	Posey	254	–	–	3	44	13	8	1	10	3	1	8	3	145	106	2	1
53	Pulaski	173	–	–	4	35	8	13	–	3	1	2	8	4	93	74	–	–
54	Putnam	232	1	–	2	46	12	19	2	3	2	1	7	5	118	79	1	4
55	Randolph	286	1	–	2	44	16	8	3	6	2	4	5	5	177	138	1	16
56	Ripley	251	1	–	1	39	9	15	2	2	2	4	5	9	135	109	2	1
57	Rush	194	–	–	2	42	6	12	6	4	1	4	9	7	115	85	1	2
58	St. Joseph	2,137	4	–	13	451	120	105	38	55	21	24	88	32	1,154	809	18	10
59	Mishawaka	380	2	–	2	71	22	15	7	12	3	1	11	5	212	155	3	4
60	South Bend	1,248	2	–	9	260	66	65	17	25	13	16	58	20	671	456	13	6
61	Balance of county	509	–	–	2	120	32	25	14	18	5	7	19	7	271	198	2	–
62	Scott	193	1	–	1	43	6	11	3	7	2	4	10	3	77	52	1	2
63	Shelby	363	–	–	4	64	17	14	6	5	9	3	10	12	191	128	–	4
64	Shelbyville	176	–	–	1	37	11	9	5	1	4	2	5	3	97	57	–	4
65	Balance of county	187	–	–	3	27	6	5	1	4	5	1	5	9	94	71	–	–
66	Spencer	203	1	–	–	41	12	7	5	2	4	2	9	3	109	79	1	–
67	Starke	242	–	–	1	41	10	14	2	3	2	3	7	4	130	99	–	–
68	Steuben	222	–	1	2	42	15	8	3	5	3	1	7	6	120	88	2	4
69	Sullivan	274	–	–	1	43	9	11	3	9	4	2	5	4	171	110	–	1
70	Switzerland	73	–	–	1	7	1	1	2	–	–	1	2	1	46	27	–	–
71	Tippecanoe	764	–	1	3	159	35	42	24	9	9	13	27	15	406	275	4	2
72	Lafayette	477	–	–	3	99	23	31	14	1	6	7	17	14	246	166	2	2
73	West Lafayette	88	–	–	–	19	8	3	–	4	–	1	3	1	50	34	–	–
74	Balance of county	199	–	1	–	41	4	8	10	4	3	5	7	–	110	75	2	–
75	Tipton	177	–	–	1	43	14	7	6	7	1	2	6	3	101	75	–	11
76	Union	43	–	–	–	11	3	2	1	2	–	1	2	–	20	14	–	–
77	Vanderburgh	1,840	1	–	16	368	91	99	35	41	23	11	68	38	1,047	720	19	12
78	Evansville	1,718	1	–	15	346	86	92	34	39	21	10	64	37	977	672	16	10
79	Balance of county	122	–	–	1	22	5	7	1	2	2	1	4	1	70	48	3	2
80	Vermillion	214	2	–	2	42	16	12	2	2	–	1	9	5	115	89	2	2
81	Vigo	1,239	2	1	8	231	55	62	24	28	6	7	49	31	667	447	4	14
82	Terre Haute	854	1	1	7	143	38	35	13	19	3	4	31	23	479	326	3	11
83	Balance of county	385	1	–	1	88	17	27	11	9	3	3	18	8	188	121	1	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,424	85	15	416	53	46	81	76	11	82	23	1	29	92	34	283	117	146	59	120	16	01
69	1	–	8	–	2	2	1	2	1	1	–	–	2	1	11	3	2	3	–	–	02
131	8	2	68	5	3	10	9	–	9	1	–	5	4	3	20	14	20	2	10	1	03
419	24	4	136	14	13	30	24	2	46	16	–	8	54	19	105	42	55	14	88	10	04
40	2	–	8	–	–	1	4	–	1	–	–	–	1	–	6	5	–	–	–	–	05
288	23	3	74	20	7	18	13	5	11	–	1	7	10	5	55	11	30	15	9	2	06
52	2	–	15	2	1	1	2	–	1	–	–	1	2	1	6	5	3	3	2	–	07
69	1	1	23	3	4	2	4	–	–	1	–	1	1	–	5	7	2	3	1	–	08
46	4	1	14	2	4	–	–	–	3	1	–	–	2	–	6	2	3	3	–	–	09
310	20	4	70	7	12	17	19	2	10	3	–	7	16	5	69	28	31	16	10	3	10
372	26	6	111	14	15	14	13	6	13	6	–	7	24	14	56	26	17	21	9	–	11
103	4	2	26	4	4	4	6	1	6	1	–	3	4	3	15	4	3	7	1	–	12
166	10	3	52	4	6	5	5	1	4	3	–	2	14	8	18	11	5	9	7	–	13
103	12	1	33	6	5	5	2	4	3	2	–	2	6	3	23	11	9	5	1	–	14
142	11	2	57	4	8	15	4	5	6	–	–	3	6	6	36	14	10	6	3	–	15
62	6	2	25	1	4	8	2	2	4	–	–	1	4	2	17	5	3	2	2	–	16
80	5	–	32	3	4	7	2	3	2	–	–	2	2	4	19	9	7	4	1	–	17
413	34	6	126	32	11	10	18	2	9	5	–	8	11	19	81	32	36	20	5	4	18
235	24	4	77	16	4	3	12	2	6	2	–	5	7	10	49	14	26	12	3	3	19
32	1	2	18	7	1	3	1	–	1	1	–	–	–	6	5	3	3	1	–	1	20
146	9	–	31	9	6	4	5	–	2	2	–	3	4	3	27	15	7	7	2	–	21
2,239	238	13	628	148	94	161	64	16	99	36	1	45	92	37	591	144	180	110	107	27	22
40	4	1	20	1	1	–	1	–	–	–	–	1	–	–	13	4	1	–	2	–	23
2,123	225	12	589	142	90	157	61	16	96	35	1	42	89	36	558	130	171	105	104	27	24
17	3	–	3	1	1	1	–	–	1	–	–	–	1	–	2	1	3	–	–	–	25
21	1	–	5	1	1	–	–	–	1	1	–	–	1	–	8	–	1	1	–	–	26
38	5	–	11	3	1	3	2	–	1	–	–	2	1	1	10	9	4	4	1	–	27
138	10	–	59	6	3	13	3	–	7	1	–	2	3	2	29	15	11	–	1	1	28
41	–	–	10	3	3	3	3	1	–	–	–	1	1	–	4	5	2	2	–	–	29
106	12	–	37	27	5	7	9	–	–	1	–	4	6	1	22	15	6	3	1	–	30
58	3	–	18	18	5	5	7	–	–	1	–	2	2	–	9	11	2	2	1	–	31
48	9	–	19	9	–	2	2	–	–	–	–	2	4	1	13	4	4	1	–	–	32
156	14	1	67	10	11	15	3	1	2	1	–	7	7	6	31	17	15	7	–	1	33
90	7	–	43	4	7	10	2	–	1	–	–	3	3	3	22	9	7	3	–	1	34
66	7	1	24	6	4	5	1	1	1	1	–	4	4	3	9	8	8	4	–	–	35
114	24	2	51	13	5	17	3	–	–	–	–	–	1	3	26	13	5	7	2	–	36
56	14	1	28	5	2	12	1	–	–	–	–	–	–	2	18	6	4	4	–	–	37
58	10	1	23	8	3	5	2	–	–	–	–	–	1	1	8	7	1	3	2	–	38
124	13	3	40	10	5	13	6	1	5	–	–	1	5	3	40	13	7	6	–	1	39
50	11	1	16	6	4	4	3	1	1	–	–	1	2	2	9	7	2	2	–	1	40
106	8	1	34	8	5	5	5	3	–	1	–	2	3	1	27	16	3	8	–	–	41
17	2	1	1	3	–	–	–	–	–	–	–	–	–	1	4	3	1	1	1	–	42
57	11	–	21	4	4	11	2	1	5	1	–	–	1	–	9	5	8	2	–	–	43
30	5	–	18	3	1	6	3	–	–	1	–	–	–	2	12	4	5	2	–	–	44
67	8	1	23	7	–	5	2	2	1	–	–	2	–	1	12	6	4	2	5	1	45
71	10	2	19	14	4	10	3	1	3	1	–	1	5	2	18	5	5	4	1	–	46
57	6	–	23	7	3	5	2	2	2	1	–	–	3	–	15	5	10	2	–	–	47
213	18	1	61	6	12	18	9	4	6	1	–	3	10	7	40	35	19	14	7	1	48
42	1	–	5	1	3	5	–	–	–	–	–	2	2	–	11	8	5	6	3	1	49
71	9	1	20	2	3	3	3	1	3	1	–	1	3	1	13	2	2	1	–	–	50
100	8	–	36	3	6	10	6	3	3	–	–	–	5	6	16	25	12	7	4	–	51
100	3	–	30	6	3	6	7	1	2	1	–	1	2	5	22	7	3	2	–	–	52
67	7	–	12	4	3	3	1	2	1	–	–	1	5	–	18	1	4	–	–	1	53
61	13	3	26	6	4	9	–	2	2	2	–	–	1	2	19	7	8	6	2	–	54
112	9	–	25	6	8	9	6	2	2	1	–	3	–	3	13	10	3	4	1	–	55
91	15	–	22	3	1	7	3	2	2	3	–	5	4	2	23	5	5	4	1	–	56
77	5	–	19	4	7	7	1	1	–	1	–	2	1	–	13	–	–	1	–	1	57
729	52	11	258	28	48	40	20	10	28	3	–	18	33	39	153	40	50	33	13	3	58
141	7	3	39	7	8	8	1	5	6	1	–	2	5	6	30	5	11	8	–	–	59
408	29	7	165	17	26	27	14	4	17	2	–	10	20	24	97	15	27	17	11	1	60
180	16	1	54	4	14	5	5	1	5	–	–	6	8	9	26	20	12	8	2	2	61
44	5	–	21	1	3	8	–	1	4	2	1	–	4	5	18	10	8	4	3	–	62
118	6	–	49	9	5	9	3	3	2	–	–	5	2	4	31	14	9	8	1	1	63
50	3	–	32	5	3	5	2	1	–	–	–	2	1	2	11	3	4	6	1	–	64
68	3	–	17	4	2	4	1	2	2	–	–	3	1	2	20	11	5	2	–	1	65
73	5	1	24	4	1	6	5	2	3	2	–	2	1	–	10	10	8	–	–	–	66
85	14	–	25	4	2	5	6	–	3	2	–	1	4	1	15	18	5	2	3	1	67
76	6	1	21	4	6	2	3	1	3	–	–	3	2	2	16	9	7	3	–	–	68
103	6	–	55	2	4	7	7	–	3	2	–	2	1	1	19	1	8	3	1	–	69
26	1	–	10	5	4	3	1	1	1	–	–	–	1	–	7	2	2	–	–	–	70
259	10	2	90	25	14	13	12	4	9	2	–	5	10	20	52	16	20	13	4	–	71
155	7	1	53	19	7	10	8	4	8	1	–	5	6	14	26	7	11	11	4	–	72
34	–	–	11	3	2	1	–	–	–	–	–	–	2	4	6	1	4	–	–	–	73
70	3	1	26	3	5	2	4	–	1	1	–	–	2	2	20	8	5	2	–	–	74
61	3	2	20	2	2	3	2	1	–	–	–	3	1	1	9	4	5	–	–	–	75
13	1	–	3	3	–	3	1	–	1	–	–	–	1	1	3	–	–	2	–	–	76
661	28	9	251	46	21	42	26	4	37	3	–	9	16	5	110	24	61	22	11	–	77
623	23	8	233	43	21	35	24	4	35	3	–	8	14	5	105	21	58	20	10	–	78
38	5	1	18	3	–	7	2	–	2	–	–	1	2	–	5	3	3	2	1	–	79
79	6	–	21	2	3	3	5	–	2	–	–	1	–	4	20	4	3	4	2	–	80
395	34	7	151	43	19	42	18	5	22	3	–	5	7	8	106	35	28	14	6	–	81
289	23	6	102	30	15	30	11	3	18	2	–	4	6	6	75	16	17	7	5	–	82
106	11	1	49	13	4	12	7	2	4	1	–	1	1	2	31	19	11	7	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Wabash	360	1	–	1	63	18	6	13	9	2	4	11	13	178	104	4	1
02	Wabash	140	–	–	–	23	9	1	4	2	1	1	5	3	72	46	4	–
03	Balance of county	220	1	–	1	40	9	5	9	7	1	3	6	10	106	58	–	1
04	Warren	93	1	–	–	24	7	8	2	4	1	–	2	3	42	36	–	–
05	Warrick	253	–	–	–	55	14	18	5	5	4	2	7	9	132	104	2	7
06	Washington	218	1	–	1	24	4	7	1	4	2	1	5	1	140	109	3	10
07	Wayne	766	–	–	4	155	38	33	15	24	9	12	24	19	394	283	4	8
08	Richmond	497	–	–	4	91	27	18	10	14	2	5	15	13	264	188	2	6
09	Balance of county	269	–	–	–	64	11	15	5	10	7	7	9	6	130	95	2	2
10	Wells	209	–	–	–	41	8	6	4	6	3	1	13	3	125	91	1	1
11	White	227	–	–	1	47	9	14	5	8	2	1	8	6	130	95	–	–
12	Whitley	240	1	–	–	57	19	7	10	7	3	2	9	2	138	93	–	–
13	**Iowa**	**26,770**	**17**	**–**	**151**	**5,336**	**1,570**	**1,144**	**494**	**657**	**252**	**238**	**981**	**469**	**14,696**	**10,693**	**140**	**172**
14	Urban places	10,305	7	–	70	2,059	616	473	190	226	94	92	368	170	5,507	4,004	63	63
15	Balance of area	16,465	10	–	81	3,277	954	671	304	431	158	146	613	299	9,189	6,689	77	109
16	Metropolitan counties	8,232	6	–	60	1,685	485	408	155	196	70	75	296	149	4,318	3,227	55	48
17	Urban places	6,798	5	–	51	1,374	393	327	130	158	59	62	245	127	3,571	2,645	45	42
18	Balance of area	1,434	1	–	9	311	92	81	25	38	11	13	51	22	747	582	10	6
19	Nonmetropolitan counties	18,538	11	–	91	3,651	1,085	736	339	461	182	163	685	320	10,378	7,466	85	124
20	Urban places	3,507	2	–	19	685	223	146	60	68	35	30	123	43	1,936	1,359	18	21
21	Balance of area	15,031	9	–	72	2,966	862	590	279	393	147	133	562	277	8,442	6,107	67	103
22	Adair	123	–	–	1	19	7	1	1	3	1	4	2	–	77	63	–	1
23	Adams	68	–	–	–	10	7	2	–	1	–	–	–	–	44	31	–	1
24	Allamakee	174	1	–	1	32	9	4	2	2	3	3	9	3	94	72	–	–
25	Appanoose	206	–	–	3	32	6	9	2	5	–	2	8	8	121	87	–	–
26	Audubon	103	–	–	–	19	6	4	3	1	2	1	2	3	62	46	–	–
27	Benton	247	–	–	3	46	13	12	2	6	3	3	7	3	138	106	2	1
28	Black Hawk	985	1	–	6	192	63	43	16	25	13	10	22	18	540	363	3	7
29	Cedar Falls	199	–	–	2	42	10	5	3	8	5	2	9	2	104	62	1	2
30	Waterloo	650	1	–	3	120	44	29	10	14	7	8	8	13	365	248	2	4
31	Balance of county	136	–	–	1	30	9	9	3	3	1	–	5	3	71	53	–	1
32	Boone	282	–	–	1	50	17	8	6	8	4	2	5	2	175	123	–	2
33	Boone	160	–	–	–	24	11	5	3	–	3	1	1	2	102	73	–	1
34	Balance of county	122	–	–	1	26	6	3	3	8	1	1	4	–	73	50	–	1
35	Bremer	215	–	–	2	48	11	5	7	9	1	4	11	4	109	77	–	1
36	Buchanan	222	–	–	1	47	12	8	6	7	6	3	5	5	105	80	–	1
37	Buena Vista	203	–	–	–	39	9	6	1	9	2	1	11	4	124	91	–	2
38	Butler	178	–	–	3	32	8	7	2	2	1	1	11	5	101	71	1	–
39	Calhoun	174	–	–	3	35	7	7	4	9	–	1	7	7	82	51	1	1
40	Carroll	254	–	–	–	58	21	13	8	1	4	3	8	7	140	104	1	–
41	Cass	210	–	–	–	39	6	9	4	9	1	4	6	8	120	69	–	2
42	Cedar	180	1	–	–	32	9	6	4	4	3	1	5	1	109	69	2	1
43	Cerro Gordo	492	–	–	3	96	37	19	9	12	2	4	13	9	249	180	3	–
44	Mason City	337	–	–	2	77	33	13	8	9	2	4	8	7	157	115	1	–
45	Balance of county	155	–	–	1	19	4	6	1	3	–	–	5	2	92	65	2	–
46	Cherokee	168	–	–	–	40	6	12	8	6	–	–	8	2	93	62	–	1
47	Chickasaw	154	1	–	2	32	3	8	2	6	3	2	8	4	81	66	1	–
48	Clarke	90	–	–	2	15	4	3	–	2	–	–	6	3	58	47	1	–
49	Clay	155	–	–	1	32	12	9	3	2	1	–	5	2	85	64	3	–
50	Spencer	92	–	–	1	19	6	6	1	1	1	–	4	–	52	41	2	–
51	Balance of county	63	–	–	–	13	6	3	2	1	–	–	1	2	33	23	1	–
52	Clayton	243	–	–	1	41	12	9	4	3	–	2	11	2	129	89	1	–
53	Clinton	528	–	–	7	100	32	22	6	13	6	8	13	8	292	206	4	5
54	Clinton	327	–	–	5	60	21	15	2	6	5	5	6	4	186	127	1	3
55	Balance of county	201	–	–	2	40	11	7	4	7	1	3	7	4	106	79	3	2
56	Crawford	187	–	–	1	46	13	9	6	8	4	–	6	5	95	82	–	1
57	Dallas	266	–	–	2	54	21	9	2	8	5	3	6	5	149	107	3	4
58	Davis	91	–	–	–	18	8	1	2	4	–	1	2	–	62	51	–	–
59	Decatur	114	–	–	1	16	5	5	1	1	–	1	3	5	64	44	–	–
60	Delaware	154	–	–	–	22	3	6	–	3	–	2	8	1	89	61	–	–
61	Des Moines	461	1	–	2	93	32	18	6	10	2	4	21	8	235	167	1	3
62	Burlington	321	1	–	2	67	23	12	5	8	1	3	15	5	162	117	1	2
63	Balance of county	140	–	–	–	26	9	6	1	2	1	1	6	3	73	50	–	1
64	Dickinson	172	–	–	3	36	11	7	1	6	1	–	10	3	107	71	2	1
65	Dubuque	780	–	–	4	172	53	37	23	14	5	4	36	18	409	287	10	1
66	Dubuque	567	–	–	4	124	37	29	16	10	3	3	26	12	307	216	7	1
67	Balance of county	213	–	–	–	48	16	8	7	4	2	1	10	6	102	71	3	–
68	Emmet	138	–	–	–	22	8	7	3	2	1	–	1	3	89	70	1	–
69	Fayette	265	–	–	–	53	21	10	6	3	1	3	9	5	156	107	1	–
70	Floyd	218	–	–	–	52	20	8	2	5	4	6	7	6	110	78	–	1
71	Franklin	157	–	–	1	29	8	5	4	5	1	1	5	2	96	71	–	–
72	Fremont	132	–	–	1	23	9	4	–	4	–	3	3	1	76	69	3	7
73	Greene	156	–	–	2	34	10	9	4	–	–	1	10	–	105	86	3	2
74	Grundy	142	–	–	–	30	8	3	4	8	3	–	4	2	89	59	2	1
75	Guthrie	145	–	–	–	32	4	11	1	6	3	1	6	4	80	56	–	1
76	Hamilton	193	–	–	–	42	14	8	4	2	1	2	11	6	109	83	1	2
77	Hancock	153	–	–	2	25	7	5	3	5	–	1	4	7	87	67	–	2
78	Hardin	233	–	–	1	47	12	12	6	5	2	–	10	1	134	108	1	–
79	Harrison	212	–	–	1	36	6	7	4	3	1	3	12	3	130	111	4	–
80	Henry	180	–	–	–	32	7	7	3	5	1	4	5	6	108	81	3	1
81	Howard	130	–	–	3	22	6	6	1	1	1	1	6	1	73	48	–	–
82	Humboldt	128	–	–	1	22	8	5	1	3	1	1	3	1	75	57	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
88	11	1	59	10	4	7	4	3	2	–	–	6	4	5	30	17	13	9	4	–	01
40	2	–	20	5	1	2	2	2	2	–	–	4	4	2	11	5	4	2	2	–	02
48	9	1	39	5	3	5	2	1	–	–	–	2	–	3	19	12	9	7	2	–	03
32	4	–	4	–	2	4	1	1	1	2	–	–	–	–	11	–	1	2	–	–	04
92	3	1	20	5	2	9	4	–	–	–	–	1	4	2	13	7	8	6	2	1	05
94	2	1	27	3	–	5	1	1	3	1	–	4	1	–	14	6	10	5	–	–	06
256	15	2	78	19	12	27	9	7	14	4	–	4	7	6	65	22	15	9	3	2	07
174	6	1	56	13	6	23	8	7	10	3	–	4	6	–	44	8	5	4	1	2	08
82	9	1	22	6	6	4	1	–	4	1	–	–	1	6	21	14	10	5	2	–	09
82	7	2	26	5	1	1	2	–	1	–	–	2	1	1	20	1	5	3	–	3	10
87	8	–	19	12	4	3	1	–	1	2	–	3	2	1	14	5	7	3	1	–	11
82	11	1	35	4	5	4	3	–	3	–	–	–	2	3	14	7	4	2	–	–	12
9,596	**785**	**95**	**2,920**	**563**	**425**	**823**	**377**	**79**	**267**	**104**	**5**	**186**	**295**	**126**	**2,070**	**659**	**671**	**336**	**65**	**38**	13
3,612	266	47	1,089	191	176	306	158	34	139	33	4	89	147	61	832	214	250	156	47	22	14
5,984	519	48	1,831	372	249	517	219	45	128	71	1	97	148	65	1,238	445	421	180	18	16	15
2,917	207	41	792	136	122	202	124	27	108	23	2	80	127	43	659	203	222	134	42	18	16
2,392	166	38	662	117	109	171	103	25	97	23	2	67	111	39	544	147	178	111	39	13	17
525	41	3	130	19	13	31	21	2	11	–	–	13	16	4	115	56	44	23	3	5	18
6,679	578	54	2,128	427	303	621	253	52	159	81	3	106	168	83	1,411	456	449	202	23	20	19
1,220	100	9	427	74	67	135	55	9	42	10	2	22	36	22	288	67	72	45	8	9	20
5,459	478	45	1,701	353	236	486	198	43	117	71	1	84	132	61	1,123	389	377	157	15	11	21
54	8	–	10	1	3	6	1	–	–	1	–	1	2	–	10	1	3	1	–	–	22
26	4	3	5	4	1	2	2	1	1	–	–	–	–	–	6	–	1	1	–	–	23
66	6	1	16	3	2	13	1	–	2	1	–	1	1	2	6	3	10	3	–	–	24
78	9	–	24	6	4	6	3	1	1	–	–	–	2	3	15	1	4	6	–	–	25
34	12	1	10	5	–	2	1	–	–	–	–	3	–	–	9	2	1	1	–	–	26
98	5	–	27	1	4	6	2	3	3	–	–	2	1	–	24	10	2	3	1	–	27
338	15	6	128	30	13	19	14	3	17	1	–	7	27	5	69	26	20	15	4	1	28
55	4	1	30	7	4	5	2	–	1	1	–	3	8	2	14	7	5	1	–	–	29
233	9	5	84	22	6	10	11	3	14	–	–	4	17	3	47	11	12	12	4	–	30
50	2	–	14	1	3	4	1	–	2	–	–	–	2	–	8	8	3	2	–	1	31
112	9	1	40	7	4	10	1	–	2	–	–	–	2	–	22	4	7	5	–	1	32
66	6	1	22	3	3	9	1	–	1	–	–	–	1	–	13	3	2	1	–	1	33
46	3	–	18	4	1	1	–	–	1	–	–	–	1	–	9	1	5	4	–	–	34
68	8	–	27	–	5	7	4	1	3	3	–	1	3	–	14	9	2	5	–	–	35
69	10	–	18	1	6	14	4	–	3	–	–	3	3	2	16	6	9	4	–	–	36
86	3	–	17	11	5	4	7	1	–	2	–	1	1	–	12	4	4	–	–	–	37
67	3	–	29	–	1	5	5	–	–	1	–	–	1	1	16	2	3	3	–	–	38
45	4	1	25	4	1	8	3	–	5	1	–	2	–	–	16	4	6	2	–	–	39
99	4	–	32	3	1	5	1	2	1	1	–	2	2	1	23	5	5	1	–	–	40
61	6	2	28	18	3	6	9	1	3	–	–	1	2	–	11	1	5	4	–	–	41
58	8	1	27	5	7	5	1	–	–	–	–	1	2	–	18	4	6	–	–	–	42
166	11	1	56	5	7	23	11	2	11	1	–	–	2	4	46	13	12	9	1	–	43
104	10	1	31	4	6	15	5	2	9	1	–	–	2	3	33	8	7	8	1	–	44
62	1	–	25	1	1	8	6	–	2	–	–	–	–	1	13	5	5	1	–	–	45
56	5	–	20	5	6	5	3	–	2	1	–	–	1	1	12	3	4	1	–	–	46
60	5	1	14	–	–	8	2	–	1	1	–	2	1	–	11	2	4	2	–	–	47
44	2	–	4	5	2	2	1	–	–	1	–	1	–	–	4	–	2	1	–	–	48
55	6	–	9	7	5	4	2	–	–	–	–	–	–	2	17	–	3	3	3	1	49
36	3	–	5	3	3	1	2	–	–	–	–	–	–	–	12	–	–	3	2	–	50
19	3	–	4	4	2	3	–	–	–	–	–	–	–	2	5	–	3	–	1	1	51
77	11	–	32	4	4	13	1	–	1	2	–	3	1	2	24	5	14	3	–	1	52
187	10	–	68	10	8	23	4	3	7	2	–	2	9	2	41	12	11	4	1	–	53
114	9	–	47	7	5	14	4	1	4	1	–	1	5	1	28	3	7	3	–	–	54
73	1	–	21	3	3	9	–	2	3	1	–	1	4	1	13	9	4	1	1	–	55
73	8	–	10	1	2	2	5	2	2	–	–	1	2	1	14	6	3	2	–	–	56
94	6	1	32	5	4	9	5	2	–	1	–	1	4	2	22	8	1	1	–	–	57
50	1	–	6	3	2	1	–	1	1	–	–	–	–	–	5	1	2	–	–	–	58
38	6	–	15	3	2	8	–	1	1	–	–	1	–	2	9	–	3	3	–	–	59
54	7	–	25	2	1	6	1	–	–	3	–	1	1	–	15	4	11	–	–	–	60
151	12	2	47	13	6	24	9	1	3	2	–	5	5	1	42	10	9	8	1	2	61
110	4	2	32	7	4	19	6	1	3	2	–	3	3	1	27	5	7	4	1	2	62
41	8	–	15	6	2	5	3	–	–	–	–	2	2	–	15	5	2	4	–	–	63
66	2	–	30	3	3	5	1	–	2	2	–	2	2	–	3	2	2	1	–	1	64
260	16	5	93	16	8	19	8	2	10	3	–	10	13	3	60	21	25	2	–	1	65
197	11	5	64	14	8	17	4	2	8	3	–	9	11	3	36	10	14	2	–	1	66
63	5	–	29	2	–	2	4	–	2	–	–	1	2	–	24	11	11	–	–	–	67
61	8	1	11	3	4	1	1	–	1	–	–	–	2	–	8	4	3	2	2	–	68
100	6	2	38	8	1	12	4	1	3	2	–	–	3	1	14	1	8	2	–	–	69
72	5	2	24	5	1	11	5	1	2	–	–	1	4	1	18	2	4	1	–	–	70
71	–	1	20	3	1	2	1	1	1	1	–	–	–	1	17	1	3	1	–	–	71
52	7	–	6	–	1	5	5	2	1	1	–	–	1	–	8	2	5	1	–	–	72
78	3	1	13	4	1	1	–	–	2	–	–	2	–	1	3	2	2	2	–	–	73
52	4	1	22	4	3	3	–	–	3	–	–	–	2	–	8	3	1	1	–	–	74
52	3	1	17	3	3	7	1	–	2	–	–	–	1	–	9	2	4	3	–	–	75
71	9	–	21	3	2	6	2	–	3	1	–	–	–	–	12	3	6	3	–	–	76
60	5	–	17	–	3	7	–	–	3	–	–	–	1	1	14	4	1	1	–	–	77
102	5	1	18	5	2	5	3	2	2	1	–	2	4	–	18	3	8	2	–	–	78
106	1	–	16	1	2	2	3	–	3	1	–	1	2	–	14	9	5	2	–	–	79
74	3	–	22	3	2	4	2	1	–	1	–	1	1	1	16	1	4	1	1	–	80
43	5	–	19	2	4	2	–	1	–	3	–	–	–	1	8	10	5	1	–	–	81
48	9	1	11	2	4	8	–	–	–	1	–	1	–	1	8	5	3	1	–	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Iowa—Con.																	
01	Ida	124	–	–	2	28	6	6	6	5	–	–	5	4	69	58	1	–
02	Iowa	178	–	–	3	36	8	7	3	6	3	–	9	2	99	81	3	–
03	Jackson	208	–	–	1	63	20	10	8	7	3	4	11	2	112	87	–	3
04	Jasper	341	1	–	4	64	25	16	6	2	3	3	9	3	189	133	4	1
05	Newton	184	1	–	1	35	10	12	4	1	1	2	5	–	105	71	3	–
06	Balance of county	157	–	–	3	29	15	4	2	1	2	1	4	3	84	62	1	1
07	Jefferson	159	–	–	1	23	8	4	1	5	–	2	3	1	93	63	–	–
08	Johnson	377	–	–	2	70	22	12	4	9	3	4	16	3	213	160	2	3
09	Iowa City	220	–	–	1	34	12	6	2	3	1	1	9	2	135	96	2	–
10	Balance of county	157	–	–	1	36	10	6	2	6	2	3	7	1	78	64	–	3
11	Jones	168	–	–	–	39	15	11	4	2	–	2	5	2	80	61	–	1
12	Keokuk	154	–	–	–	21	5	3	2	2	2	1	6	–	81	61	–	1
13	Kossuth	207	1	–	1	33	13	9	1	3	1	3	3	–	121	82	3	2
14	Lee	489	1	–	–	80	20	23	10	6	6	2	13	7	309	240	1	5
15	Fort Madison	168	–	–	–	24	6	3	4	1	1	1	8	3	111	88	–	3
16	Keokuk	188	–	–	–	32	7	12	3	2	3	1	4	–	114	82	–	2
17	Balance of county	133	1	–	–	24	7	8	3	3	2	–	1	4	84	70	1	–
18	Linn	1,172	3	–	10	247	80	54	25	29	8	7	44	20	602	449	10	2
19	Cedar Rapids	836	2	–	8	161	53	36	18	18	6	4	26	19	441	329	8	1
20	Marion	110	–	–	–	27	10	3	5	2	1	–	6	–	51	36	–	1
21	Balance of county	226	1	–	2	59	17	15	2	9	1	3	12	1	110	84	2	–
22	Louisa	128	–	–	–	26	9	7	2	4	–	2	2	4	66	52	–	3
23	Lucas	126	–	–	–	25	5	4	2	4	–	3	7	1	76	67	1	–
24	Lyon	113	–	–	1	24	3	6	4	3	3	–	5	2	61	43	–	–
25	Madison	152	–	–	–	24	4	4	4	3	1	4	4	1	88	59	1	–
26	Mahaska	281	–	–	1	57	16	11	7	9	1	1	12	3	162	101	2	1
27	Oskaloosa	165	–	–	–	31	10	4	3	5	1	–	8	–	96	62	1	1
28	Balance of county	116	–	–	1	26	6	7	4	4	–	1	4	3	66	39	1	–
29	Marion	277	–	–	1	39	13	8	1	6	2	1	8	8	162	105	2	–
30	Marshall	364	–	–	2	74	22	16	5	2	6	1	22	8	201	135	2	2
31	Marshalltown	245	–	–	2	51	18	11	3	1	4	1	13	4	133	90	1	1
32	Balance of county	119	–	–	–	23	4	5	2	1	2	–	9	4	68	45	1	1
33	Mills	123	–	–	1	24	5	8	1	6	1	–	3	5	62	46	–	–
34	Mitchell	122	–	–	–	30	11	3	2	9	1	1	3	3	62	43	1	–
35	Monona	147	–	–	–	32	7	8	4	3	5	1	4	1	81	66	–	4
36	Monroe	122	–	–	1	33	13	4	3	–	3	1	9	–	59	45	–	1
37	Montgomery	162	–	–	–	27	7	7	3	4	–	–	6	3	102	47	1	–
38	Muscatine	364	1	–	–	72	22	11	7	9	4	3	16	5	192	136	1	3
39	Muscatine	235	–	–	–	47	15	7	1	7	4	2	11	3	124	90	1	1
40	Balance of county	129	1	–	–	25	7	4	6	2	–	1	5	2	68	46	–	2
41	O'Brien	182	–	–	–	40	16	6	2	4	1	2	9	1	112	75	1	5
42	Osceola	91	–	–	–	19	5	4	3	2	1	–	4	1	56	41	1	1
43	Page	228	–	–	1	40	16	8	6	1	6	–	3	7	143	112	–	2
44	Palo Alto	145	–	–	1	39	18	5	3	3	4	1	5	2	75	54	–	2
45	Plymouth	233	–	–	1	52	12	11	7	9	3	–	10	3	123	69	2	2
46	Pocahontas	147	–	–	–	26	8	6	1	5	–	2	4	1	80	67	–	–
47	Polk	2,445	–	–	18	500	133	136	34	55	16	21	105	38	1,258	972	21	17
48	Des Moines	1,895	–	–	15	391	108	104	27	43	12	16	81	30	965	741	17	11
49	Urbandale	38	–	–	–	13	2	4	1	2	2	–	2	–	16	13	–	–
50	West Des Moines	153	–	–	–	22	4	5	2	1	–	1	9	4	86	62	1	5
51	Balance of county	359	–	–	3	74	19	23	4	9	2	4	13	4	191	156	3	1
52	Pottawattamie	785	1	–	9	162	45	38	14	15	10	12	28	16	417	335	2	6
53	Council Bluffs	578	1	–	9	125	29	28	13	13	7	11	24	12	293	231	1	3
54	Balance of county	207	–	–	–	37	16	10	1	2	3	1	4	4	124	104	1	3
55	Poweshiek	198	–	–	–	41	12	6	5	5	4	2	7	5	112	79	–	–
56	Ringgold	86	–	–	–	19	9	–	5	1	–	–	4	2	52	34	–	1
57	Sac	164	–	–	1	37	14	7	2	7	1	2	4	2	96	50	1	–
58	Scott	1,142	–	–	6	203	54	55	16	25	7	13	33	24	614	470	6	5
59	Bettendorf	114	–	–	–	21	5	4	2	2	3	1	4	–	57	43	2	–
60	Davenport	886	–	–	6	155	42	45	12	17	4	10	25	22	488	372	3	4
61	Balance of county	142	–	–	–	27	7	6	2	6	–	2	4	2	69	55	1	1
62	Shelby	151	–	–	–	30	8	–	4	7	3	1	7	2	92	70	2	1
63	Sioux	231	–	–	–	42	12	6	2	7	3	2	10	5	124	86	–	3
64	Story	390	–	–	–	81	26	17	5	12	2	1	18	5	201	148	–	3
65	Ames	168	–	–	–	34	8	8	4	6	1	1	6	2	84	58	–	2
66	Balance of county	222	–	–	–	47	18	9	1	6	1	–	12	3	117	90	–	1
67	Tama	222	–	–	–	61	15	14	5	7	4	2	14	6	101	68	–	5
68	Taylor	118	–	–	–	20	6	2	3	3	1	–	5	1	65	43	1	1
69	Union	182	–	–	2	51	14	11	7	5	6	3	5	2	78	63	–	2
70	Van Buren	111	–	–	–	22	8	3	2	1	–	1	7	3	63	46	–	1
71	Wapello	477	–	–	3	104	30	29	14	10	4	4	13	8	260	178	3	5
72	Ottumwa	377	–	–	3	84	26	22	11	9	4	2	10	6	207	141	3	4
73	Balance of county	100	–	–	–	20	4	7	3	1	–	2	3	2	53	37	–	1
74	Warren	220	2	–	–	45	16	7	2	6	–	2	12	6	133	86	–	7
75	Washington	188	–	–	–	37	4	8	3	7	6	2	7	1	108	88	1	3
76	Wayne	120	–	–	1	20	3	5	2	5	–	–	5	3	74	38	–	1
77	Webster	459	–	–	2	94	25	16	8	15	5	6	19	8	236	162	3	1
78	Fort Dodge	320	–	–	2	66	17	10	6	9	3	6	15	5	168	108	2	1
79	Balance of county	139	–	–	–	28	8	6	2	6	2	–	4	3	68	54	1	–
80	Winnebago	141	–	–	1	22	6	3	4	4	2	–	3	6	82	61	–	–
81	Winneshiek	197	–	–	1	27	10	6	2	2	1	2	4	1	112	83	–	1
82	Woodbury	923	1	–	7	209	57	45	27	33	11	8	28	15	478	351	3	10
83	Sioux City	772	1	–	4	173	49	35	21	28	9	6	25	13	398	292	3	10
84	Balance of county	151	–	–	3	36	8	10	6	5	2	2	3	2	80	59	–	–
85	Worth	89	–	–	–	19	7	4	1	2	–	1	4	–	57	40	–	1
86	Wright	186	1	–	1	39	11	9	3	5	2	1	8	6	97	66	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
54	3	–	6	2	3	1	–	–	1	1	–	1	–	1	7	7	1	1	–	–	01
72	6	1	12	1	4	11	1	–	1	1	–	2	2	1	11	2	6	–	–	–	02
81	3	–	19	1	5	5	–	–	1	–	–	–	–	–	13	5	6	–	–	–	03
112	16	–	45	9	2	9	9	1	1	1	–	1	3	2	27	16	7	3	–	–	04
60	8	–	26	7	1	3	7	1	1	1	–	–	2	1	14	7	2	3	–	–	05
52	8	–	19	2	1	6	2	–	–	–	–	1	1	1	13	9	5	–	–	–	06
58	5	2	21	2	5	4	3	–	–	2	–	4	3	2	15	2	4	2	–	–	07
141	14	1	28	13	11	12	2	–	5	1	1	2	9	1	25	17	7	6	–	1	08
87	7	1	19	12	7	8	1	–	5	1	1	1	5	1	12	5	5	2	–	1	09
54	7	–	9	1	4	4	1	–	–	–	–	1	4	–	13	12	2	4	–	–	10
51	9	–	15	2	2	7	1	–	2	–	–	1	2	–	16	9	3	5	1	–	11
53	7	–	15	1	4	3	2	–	1	–	–	1	1	3	20	11	4	6	–	–	12
72	5	1	23	5	10	11	2	–	7	–	–	–	–	1	14	5	9	2	–	–	13
216	18	–	55	6	8	10	6	–	5	2	–	5	12	5	24	5	13	3	1	1	14
80	5	–	19	3	1	2	2	–	1	1	–	3	5	2	8	2	1	2	1	–	15
78	2	–	24	2	6	7	3	–	3	–	–	2	4	3	9	2	7	1	–	1	16
58	11	–	12	1	1	1	1	–	1	1	–	–	3	–	7	1	5	–	–	–	17
405	32	7	111	17	18	25	14	3	13	3	–	10	15	4	112	28	29	29	1	4	18
297	23	5	82	13	12	19	9	2	11	3	–	8	11	1	74	20	21	22	1	3	19
32	3	2	8	1	4	3	2	1	2	–	–	2	2	3	13	–	2	1	–	1	20
76	6	–	21	3	2	3	3	–	–	–	–	–	2	–	25	8	6	6	–	–	21
44	5	–	13	–	1	2	5	–	–	4	–	2	1	–	9	4	4	1	–	–	22
61	5	–	5	1	3	2	1	1	–	–	–	1	1	–	7	4	4	2	–	1	23
38	5	–	16	1	1	1	1	1	–	2	–	1	–	1	5	7	6	–	–	–	24
52	6	1	19	6	3	4	4	1	2	1	–	1	2	1	14	4	2	2	–	1	25
89	9	–	53	5	3	10	2	1	2	1	–	3	2	2	21	5	5	3	–	1	26
53	7	–	28	3	3	8	2	–	2	–	–	–	1	2	15	3	3	1	–	1	27
36	2	–	25	2	–	2	–	1	–	1	–	3	1	–	6	2	2	2	–	–	28
92	11	4	45	2	6	17	4	1	3	1	–	–	–	–	26	2	5	5	2	1	29
123	8	2	42	14	8	11	8	2	4	2	–	1	2	1	27	10	3	5	3	–	30
82	6	1	29	6	7	6	7	1	4	1	–	–	2	1	22	3	2	5	1	–	31
41	2	1	13	8	1	5	1	1	–	1	–	1	–	–	5	7	1	–	2	–	32
43	3	–	12	2	2	4	3	–	3	1	–	–	–	–	11	5	3	1	–	–	33
35	7	–	15	2	2	2	1	1	1	1	–	–	1	1	10	6	2	1	–	–	34
52	10	1	13	–	1	3	7	–	1	1	–	–	2	1	7	7	3	1	–	–	35
41	3	1	9	4	–	8	1	–	–	1	–	–	–	1	12	2	3	1	–	–	36
40	6	–	25	26	4	5	3	–	2	–	–	1	2	–	11	5	–	1	–	–	37
123	9	1	42	8	5	20	6	1	4	4	–	6	4	–	29	5	7	5	1	2	38
82	6	1	30	2	1	16	3	1	2	1	–	5	1	–	19	4	4	3	–	2	39
41	3	–	12	6	4	4	3	–	2	3	–	1	3	–	10	1	3	2	1	–	40
56	13	1	24	9	3	2	1	–	2	–	–	–	2	2	10	4	5	1	–	–	41
37	2	–	11	2	2	4	–	–	–	2	–	1	–	–	4	3	1	–	–	–	42
105	5	1	24	6	–	7	2	1	1	1	–	2	1	1	16	2	3	–	–	–	43
49	3	–	16	3	2	–	–	–	–	–	–	–	2	–	10	12	2	2	–	–	44
58	7	1	38	9	6	4	3	–	1	2	–	3	3	3	14	10	9	1	–	1	45
64	3	–	10	3	–	14	3	–	2	1	–	–	1	–	12	3	3	–	1	–	46
875	59	8	204	39	35	62	48	9	33	9	–	28	30	18	206	57	60	40	24	7	47
669	44	7	161	29	27	48	38	7	29	9	–	19	19	16	160	42	51	31	21	4	48
13	–	–	1	–	2	–	–	–	–	–	–	1	1	–	3	2	–	2	–	–	49
51	5	1	17	3	3	6	2	1	1	–	–	3	4	–	14	3	3	2	2	–	50
142	10	–	25	7	3	8	8	1	3	–	–	5	6	2	29	10	6	5	1	3	51
302	25	5	53	9	15	25	7	3	8	1	–	10	10	2	53	24	24	9	4	–	52
210	17	4	40	6	12	19	5	2	8	1	–	6	10	2	40	16	18	8	3	–	53
92	8	1	13	3	3	6	2	1	–	–	–	4	–	–	13	8	6	1	1	–	54
72	7	1	24	8	–	4	4	2	–	–	–	–	2	–	13	5	5	4	–	1	55
33	–	1	14	1	2	1	–	1	1	–	–	–	1	–	4	3	2	–	–	–	56
47	2	–	35	9	2	4	1	–	–	–	–	–	–	2	13	3	5	–	–	–	57
417	42	4	111	12	17	29	15	2	13	4	2	8	17	5	103	28	40	20	5	4	58
36	5	–	13	–	1	1	2	–	2	–	–	2	4	–	10	4	4	6	–	1	59
333	32	3	89	9	15	21	12	2	7	4	2	4	11	4	81	20	30	11	4	2	60
48	5	1	9	3	1	7	1	–	4	–	–	2	2	1	12	4	6	3	1	1	61
67	–	1	15	4	2	2	2	2	–	–	–	–	1	–	13	3	3	1	–	–	62
76	7	1	29	4	4	8	4	–	1	1	1	3	3	1	23	7	6	1	–	1	63
130	15	–	43	5	5	17	8	–	3	–	–	1	7	3	32	16	9	4	2	1	64
53	3	–	21	1	4	8	4	–	2	–	–	1	2	1	16	8	4	1	–	1	65
77	12	–	22	4	1	9	4	–	1	–	–	–	5	2	16	8	5	3	2	–	66
60	3	–	23	7	3	2	4	1	1	–	–	2	1	1	21	13	4	4	–	–	67
40	1	–	9	7	6	1	4	1	4	–	–	–	2	–	15	2	3	–	–	–	68
60	1	–	11	2	2	10	3	–	2	2	–	–	3	2	11	3	9	4	–	–	69
40	5	–	16	1	–	3	2	–	1	1	–	–	1	–	8	2	3	1	–	1	70
154	16	–	60	9	13	16	2	1	2	–	–	5	1	5	37	13	14	5	1	–	71
122	12	–	48	8	10	12	2	1	2	–	–	4	1	4	27	8	11	4	1	–	72
32	4	–	12	1	3	4	–	–	–	–	–	1	–	1	10	5	3	1	–	–	73
69	10	1	26	19	1	2	3	–	1	1	–	1	1	1	15	3	4	2	–	–	74
78	6	–	14	2	4	2	2	1	2	2	–	1	2	–	14	6	6	4	–	–	75
30	7	1	28	4	3	4	1	–	1	–	–	2	3	–	6	2	3	–	–	–	76
143	15	2	55	9	8	14	6	1	5	2	1	4	7	4	49	8	11	6	1	–	77
93	12	2	46	6	6	7	6	1	3	1	1	2	2	2	33	6	10	4	1	–	78
50	3	–	9	3	2	7	–	–	2	1	–	2	5	2	16	2	1	2	–	–	79
52	9	–	17	3	1	7	2	–	1	–	–	1	1	–	10	4	4	–	–	–	80
80	2	–	22	3	4	15	2	–	–	1	–	1	–	–	23	3	8	3	–	–	81
320	18	6	92	13	16	23	18	5	14	2	–	7	15	6	56	19	24	19	4	1	82
266	13	5	73	13	15	22	16	5	14	2	–	6	13	5	52	12	18	13	4	1	83
54	5	1	19	–	1	1	2	–	–	–	–	1	2	1	4	7	6	6	–	–	84
38	1	1	13	2	1	5	1	–	–	–	–	–	–	–	5	–	1	1	–	–	85
64	1	1	25	2	3	3	4	–	1	–	–	1	3	–	14	7	8	1	–	–	86

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Kansas**	21,362	15	3	150	4,183	1,078	961	392	516	217	183	836	396	11,086	8,104	106	99
02	Urban places	10,535	9	3	71	2,144	547	537	204	261	92	79	424	190	5,339	3,876	49	52
03	Balance of area	10,827	6	–	79	2,039	531	424	188	255	125	104	412	206	5,747	4,228	57	47
04	Metropolitan counties	7,472	4	2	47	1,576	375	392	166	166	78	66	333	137	3,680	2,704	35	35
05	Urban places	6,281	4	2	36	1,328	320	346	136	139	58	53	276	124	3,094	2,279	30	27
06	Balance of area	1,191	–	–	11	248	55	46	30	27	20	13	57	13	586	425	5	8
07	Nonmetropolitan counties	13,890	11	1	103	2,607	703	569	226	350	139	117	503	259	7,406	5,400	71	64
08	Urban places	4,254	5	1	35	816	227	191	68	122	34	26	148	66	2,245	1,597	19	25
09	Balance of area	9,636	6	–	68	1,791	476	378	158	228	105	91	355	193	5,161	3,803	52	39
10	Allen	209	–	–	1	40	13	4	5	6	–	–	12	5	115	90	2	–
11	Anderson	127	–	–	–	24	8	2	2	4	5	–	3	5	77	68	–	–
12	Atchison	227	–	–	–	45	14	12	5	8	2	1	3	4	129	92	3	5
13	Atchison	156	–	–	–	30	7	8	5	7	2	–	1	3	91	66	1	4
14	Balance of county	71	–	–	–	15	7	4	–	1	–	1	2	1	38	26	2	1
15	Barber	97	–	–	–	12	2	3	2	–	1	–	4	4	44	36	–	–
16	Barton	322	–	–	2	81	19	18	7	10	3	4	20	8	151	114	–	3
17	Great Bend	156	–	–	2	42	9	10	5	5	1	1	11	3	70	54	–	1
18	Balance of county	166	–	–	–	39	10	8	2	5	2	3	9	5	81	60	–	2
19	Bourbon	208	–	–	2	37	11	14	1	3	2	1	5	4	129	83	2	–
20	Brown	180	–	–	2	22	6	4	1	6	1	1	3	7	113	86	–	1
21	Butler	350	–	–	1	78	22	15	6	12	5	1	17	3	186	123	–	3
22	El Dorado	122	–	–	1	25	7	6	3	4	3	–	2	2	73	45	–	2
23	Balance of county	228	–	–	–	53	15	9	3	8	2	1	15	1	113	78	–	1
24	Chase	41	–	–	–	10	2	3	–	–	2	2	1	1	20	15	–	2
25	Chautauqua	61	1	–	1	17	3	5	3	1	–	1	4	–	26	20	–	–
26	Cherokee	275	1	–	1	55	13	11	4	11	4	1	11	6	133	98	2	1
27	Cheyenne	45	–	–	–	5	1	3	–	1	–	–	–	2	25	22	1	–
28	Clark	30	–	–	–	4	1	–	–	–	1	–	2	–	17	17	–	–
29	Clay	132	–	–	–	21	6	4	3	2	–	1	5	4	75	50	–	1
30	Cloud	183	–	–	–	31	9	10	–	3	–	5	4	4	114	83	1	–
31	Coffey	113	–	–	1	17	5	4	2	3	–	–	3	1	70	61	–	–
32	Comanche	39	1	–	–	8	2	1	–	1	–	–	4	–	21	17	–	–
33	Cowley	378	1	–	2	61	18	15	4	6	3	4	11	7	201	126	–	1
34	Arkansas City	154	–	–	–	24	9	6	–	1	2	3	3	1	84	45	–	1
35	Winfield	124	1	–	1	18	5	3	2	2	–	1	5	4	69	46	–	–
36	Balance of county	100	–	–	1	19	4	6	2	3	1	–	3	2	48	35	–	–
37	Crawford	498	–	–	5	83	31	17	6	7	6	4	12	11	306	234	1	3
38	Pittsburg	247	–	–	1	33	10	9	3	5	3	1	2	6	161	121	–	3
39	Balance of county	251	–	–	4	50	21	8	3	2	3	3	10	5	145	113	1	–
40	Decatur	50	–	–	–	7	2	1	1	–	–	–	3	–	27	23	–	–
41	Dickinson	234	–	–	3	48	11	10	5	8	3	3	8	2	118	78	4	2
42	Doniphan	110	–	–	2	18	3	4	3	2	2	3	1	1	63	45	2	–
43	Douglas	348	–	–	5	60	17	13	7	9	4	1	9	7	171	121	1	–
44	Lawrence	254	–	–	3	44	12	11	5	6	3	1	6	4	126	88	–	–
45	Balance of county	94	–	–	2	16	5	2	2	3	1	–	3	3	45	33	1	–
46	Edwards	55	–	–	–	8	3	2	1	–	–	–	2	2	34	28	–	–
47	Elk	70	–	–	–	6	2	1	1	–	2	–	–	–	50	34	–	–
48	Ellis	150	–	–	3	38	10	8	1	5	2	2	10	6	60	45	–	–
49	Hays	87	–	–	2	23	6	6	1	3	1	1	5	2	37	27	–	–
50	Balance of county	63	–	–	1	15	4	2	–	2	1	1	5	4	23	18	–	–
51	Ellsworth	85	–	–	–	11	5	1	1	1	–	1	2	2	48	32	1	–
52	Finney	160	–	–	4	33	16	6	3	5	–	1	2	–	70	49	1	–
53	Garden City	134	–	–	4	29	13	6	3	5	–	–	2	–	59	39	1	–
54	Balance of county	26	–	–	–	4	3	–	–	–	–	1	–	–	11	10	–	–
55	Ford	210	1	–	1	38	12	7	3	6	3	2	5	2	96	77	–	1
56	Dodge City	147	1	–	1	25	5	6	3	5	1	1	4	1	69	53	–	–
57	Balance of county	63	–	–	–	13	7	1	–	1	2	1	1	1	27	24	–	1
58	Franklin	257	–	–	3	51	12	12	4	9	3	1	10	4	135	95	–	5
59	Ottawa	152	–	–	1	31	8	7	1	7	1	–	7	3	84	59	–	3
60	Balance of county	105	–	–	2	20	4	5	3	2	2	1	3	1	51	36	–	2
61	Geary	219	–	–	2	35	9	7	4	4	1	3	7	7	90	73	1	6
62	Junction City	158	–	–	1	27	6	6	4	2	1	1	7	7	81	66	1	6
63	Balance of county	61	–	–	1	8	3	1	–	2	–	2	–	–	9	7	–	–
64	Gove	42	–	–	1	7	1	1	1	1	–	1	2	–	26	25	2	–
65	Graham	36	1	–	–	6	2	2	–	–	–	–	2	–	20	17	1	3
66	Grant	28	–	–	–	4	–	1	1	–	2	–	–	–	13	11	–	–
67	Gray	33	–	–	–	9	–	2	1	3	–	–	3	2	15	12	–	–
68	Greeley	17	–	–	–	2	1	1	–	–	–	–	–	1	8	6	–	–
69	Greenwood	127	–	–	1	33	5	8	6	5	1	1	7	3	61	44	–	–
70	Hamilton	28	–	–	–	2	1	–	–	–	–	–	1	2	13	8	–	–
71	Harper	102	–	–	2	20	3	4	2	1	–	2	8	–	61	33	1	1
72	Harvey	255	–	–	–	45	13	9	3	8	2	2	8	5	144	97	1	–
73	Newton	158	–	–	–	29	9	5	2	6	1	–	6	2	88	61	–	–
74	Balance of county	97	–	–	–	16	4	4	1	2	1	2	2	3	56	36	1	–
75	Haskell	25	–	–	–	6	–	1	–	–	2	–	3	–	10	7	–	–
76	Hodgeman	27	–	–	–	5	1	–	1	1	1	–	1	–	10	6	1	–
77	Jackson	138	1	–	1	29	12	5	–	4	2	1	5	6	69	52	–	1
78	Jefferson	155	–	–	1	25	5	8	1	7	1	1	2	5	80	58	–	–
79	Jewell	85	–	–	1	14	1	5	2	2	1	–	3	4	40	28	–	1
80	Johnson	1,403	–	–	13	331	63	78	35	29	24	19	83	27	657	480	9	4
81	Leawood	86	–	–	–	20	3	7	4	–	1	2	3	–	42	32	2	–
82	Merriam	61	–	–	–	14	4	7	1	1	–	–	1	5	23	18	–	–
83	Olathe	141	–	–	1	28	7	9	4	2	1	1	4	2	74	52	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
7,198	701	55	2,158	456	313	576	250	65	217	95	3	138	275	247	1,962	586	608	292	165	50	01
3,441	334	26	1,085	195	157	247	115	26	137	51	2	77	153	131	985	260	269	172	119	35	02
3,757	367	29	1,073	261	156	329	135	39	80	44	1	61	122	116	977	326	339	120	46	15	03
2,412	222	17	728	118	113	157	84	19	98	37	3	60	123	93	709	191	198	131	94	29	04
2,025	197	14	605	102	94	135	66	19	83	31	2	46	103	81	602	145	153	116	85	26	05
387	25	3	123	16	19	22	18	–	15	6	1	14	20	12	107	46	45	15	9	3	06
4,786	479	38	1,430	338	200	419	166	46	119	58	–	78	152	154	1,253	395	410	161	71	21	07
1,416	137	12	480	93	63	112	49	7	54	20	–	31	50	50	383	115	116	56	34	9	08
3,370	342	26	950	245	137	307	117	39	65	38	–	47	102	104	870	280	294	105	37	12	09
77	11	2	19	1	3	10	2	1	3	–	–	1	4	1	18	5	3	–	–	–	10
62	6	1	6	1	1	3	–	–	1	2	–	2	1	3	7	1	1	–	–	–	11
76	8	1	28	5	3	9	4	–	2	1	–	–	3	5	14	3	4	2	1	1	12
57	4	–	19	3	3	5	4	–	2	1	–	–	1	1	12	1	2	1	1	1	13
19	4	1	9	2	–	4	–	–	–	–	–	–	2	4	2	2	2	1	–	–	14
30	6	–	5	2	1	2	2	1	1	–	–	–	4	–	18	2	6	1	–	–	15
103	8	1	29	3	4	5	3	–	9	–	–	2	1	6	19	15	13	6	1	–	16
49	4	–	12	2	2	2	2	–	6	–	–	2	–	5	8	7	5	2	–	–	17
54	4	1	17	1	2	3	1	–	3	–	–	–	1	1	11	8	8	4	1	–	18
75	6	1	43	2	–	4	2	–	–	1	–	–	4	2	14	1	8	–	–	–	19
85	–	2	10	15	–	5	2	–	3	–	–	1	3	–	13	3	2	2	2	–	20
113	7	–	47	9	7	3	4	–	4	2	–	2	5	2	25	13	11	9	2	–	21
40	3	–	21	6	1	1	2	–	–	–	–	–	2	–	6	3	1	5	1	–	22
73	4	–	26	3	6	2	2	–	4	2	–	2	3	2	19	10	10	4	1	–	23
13	–	–	3	2	–	–	2	–	–	1	–	–	–	–	4	1	1	1	–	–	24
18	2	–	4	2	–	2	–	–	–	–	–	–	–	1	8	3	1	1	–	–	25
81	14	–	22	9	4	11	5	3	3	–	–	2	1	5	28	8	9	4	–	–	26
21	–	–	2	–	1	6	–	–	1	–	–	–	1	–	3	1	1	–	–	–	27
15	2	–	–	–	–	1	–	1	–	–	–	–	–	–	3	1	1	1	–	1	28
37	12	–	21	4	–	3	–	2	2	3	–	1	–	2	14	–	4	1	–	–	29
82	–	–	18	12	1	3	1	–	–	–	–	2	3	1	20	3	1	–	–	–	30
55	6	1	7	1	–	5	3	1	1	–	–	1	1	–	5	2	2	3	–	–	31
15	2	–	3	1	–	–	–	–	–	1	–	–	1	2	3	–	2	–	–	–	32
105	20	2	61	6	6	10	6	–	6	6	–	5	7	3	34	9	14	3	3	–	33
41	3	–	32	4	3	2	3	–	1	2	–	–	4	2	16	–	9	3	3	–	34
36	10	2	18	1	2	2	3	–	3	1	–	4	–	–	12	3	3	–	–	–	35
28	7	–	11	1	1	6	–	–	2	3	–	1	3	1	6	6	2	–	–	–	36
217	13	1	59	6	6	7	1	2	7	1	–	1	3	3	41	13	10	4	–	–	37
107	11	1	37	1	1	1	–	–	4	–	–	–	1	2	22	9	6	1	–	–	38
110	2	–	22	5	5	6	1	2	3	1	–	1	2	1	19	4	4	3	–	–	39
23	–	–	2	1	1	3	–	–	–	–	–	–	–	–	9	–	2	2	–	–	40
68	4	–	25	10	5	6	2	2	1	1	–	1	2	1	26	11	5	4	1	–	41
41	2	–	13	2	3	1	–	–	–	1	–	1	3	1	12	3	3	–	–	1	42
110	10	1	40	3	6	7	5	1	4	–	–	2	2	8	32	12	14	9	5	4	43
79	9	1	31	3	3	6	2	–	3	–	–	2	1	4	22	10	12	6	5	4	44
31	1	–	9	–	3	1	3	1	1	–	–	–	1	4	10	2	2	3	–	–	45
28	–	1	2	–	3	1	1	–	–	–	–	–	–	–	6	1	–	2	–	–	46
32	2	1	6	5	4	3	1	–	–	–	–	–	–	–	6	3	–	1	–	–	47
40	5	–	11	1	3	5	–	1	1	1	–	1	2	–	23	5	2	1	1	–	48
26	1	–	8	1	1	3	–	–	–	–	–	1	1	–	12	3	1	1	1	–	49
14	4	–	3	–	2	2	–	1	1	1	–	–	1	–	11	2	1	–	–	–	50
21	10	1	11	3	1	7	3	–	–	1	–	1	–	–	8	2	1	–	1	–	51
45	3	–	13	6	2	6	2	–	5	–	–	2	4	2	12	7	6	5	2	–	52
35	3	–	12	6	2	6	2	–	4	–	–	1	4	2	11	3	3	4	2	–	53
10	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	4	3	1	–	–	54
66	10	1	11	5	2	8	4	–	2	1	–	1	4	–	19	15	7	6	5	–	55
44	9	1	8	5	2	4	1	–	1	1	–	1	4	–	12	11	5	5	5	–	56
22	1	–	3	–	–	4	3	–	1	–	–	–	–	–	7	4	2	1	–	–	57
82	8	1	25	8	6	10	4	1	–	2	–	1	2	5	24	5	9	–	–	1	58
49	7	–	16	6	3	7	3	–	–	1	–	1	1	2	13	1	3	–	–	1	59
33	1	1	9	2	3	3	1	1	–	1	–	–	1	3	11	4	6	–	–	–	60
60	6	–	10	4	3	4	3	–	–	–	–	4	7	8	13	16	16	5	8	1	61
55	4	–	9	3	3	2	3	–	–	–	–	2	3	2	10	6	5	4	5	–	62
5	2	–	1	1	–	2	–	–	–	–	–	2	4	6	3	10	11	1	3	1	63
22	1	–	1	–	–	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	64
13	–	–	1	–	2	2	1	–	–	1	–	1	–	–	4	–	–	–	–	–	65
10	1	–	2	–	–	1	–	–	–	–	–	–	4	–	2	–	3	1	–	–	66
10	2	1	1	1	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	67
6	–	–	–	1	1	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	68
43	1	–	14	2	1	3	1	–	–	–	–	–	–	–	15	–	9	1	–	–	69
6	2	–	4	–	1	–	–	1	–	–	–	–	2	1	2	3	1	1	–	–	70
29	2	–	25	3	–	1	–	1	2	–	–	–	1	2	8	3	1	–	–	–	71
92	4	–	39	5	3	13	3	2	2	1	–	–	1	–	25	8	1	2	2	1	72
59	2	–	20	4	3	9	2	1	2	–	–	–	–	–	18	4	1	1	1	–	73
33	2	–	19	1	–	4	1	1	–	1	–	–	1	–	7	4	–	1	1	1	74
6	1	–	2	1	–	–	–	–	–	–	–	–	–	4	3	1	1	–	–	–	75
3	2	–	4	–	–	–	4	–	1	–	–	–	–	–	3	1	3	–	–	–	76
48	3	–	15	2	–	3	2	2	2	–	–	2	1	1	7	2	7	2	1	–	77
56	2	1	14	2	5	10	5	1	1	–	–	3	1	1	12	4	3	3	–	–	78
25	2	–	9	1	2	7	2	1	–	–	–	–	–	–	9	3	2	1	–	1	79
429	38	1	140	18	18	30	16	4	15	6	1	12	16	20	129	45	42	26	9	4	80
28	2	–	8	1	1	1	–	–	1	–	–	1	1	–	10	4	5	1	–	–	81
18	–	–	5	–	–	2	–	–	1	2	–	–	–	–	7	5	2	1	–	–	82
48	3	–	19	2	1	3	–	2	1	–	–	2	1	2	12	3	5	5	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
	Johnson—Con.																	
01	Overland Park	355	–	–	3	98	22	24	4	11	5	6	26	5	144	113	2	1
02	Prairie Village	172	–	–	1	40	5	9	9	4	1	2	10	4	86	61	1	2
03	Shawnee	116	–	–	1	26	4	6	1	2	3	3	7	3	56	44	1	–
04	Balance of county	472	–	–	7	105	18	16	12	9	13	5	32	8	232	160	2	1
05	Kearny	21	–	–	–	6	–	1	2	1	–	–	2	–	8	3	–	–
06	Kingman	102	–	–	–	29	4	6	4	5	–	3	7	2	49	40	–	–
07	Kiowa	36	–	–	–	9	4	1	1	2	1	–	–	3	14	8	1	–
08	Labette	304	1	–	1	55	16	11	3	9	3	1	12	–	189	145	–	2
09	Parsons	170	1	–	1	27	7	4	–	8	2	1	5	–	113	87	–	1
10	Balance of county	134	–	–	–	28	9	7	3	1	1	–	7	–	76	58	–	1
11	Lane	25	–	–	1	5	2	–	1	–	–	1	1	–	13	10	–	–
12	Leavenworth	430	–	–	4	99	33	23	12	9	4	2	16	4	191	153	6	2
13	Leavenworth	282	–	–	3	66	22	18	6	5	–	1	14	2	119	94	3	2
14	Balance of county	148	–	–	1	33	11	5	6	4	4	1	2	2	72	59	3	–
15	Lincoln	47	–	–	–	8	3	1	–	2	–	–	2	2	24	19	–	–
16	Linn	114	–	–	2	26	7	8	1	3	3	1	3	2	63	55	1	2
17	Logan	52	–	–	1	8	1	2	–	–	–	–	5	–	30	21	1	–
18	Lyon	299	2	–	1	47	11	11	5	2	2	3	13	2	170	119	–	–
19	Emporia	215	2	–	–	36	9	8	4	2	–	3	10	2	118	82	–	–
20	Balance of county	84	–	–	1	11	2	3	1	–	2	–	3	–	52	37	–	–
21	McPherson	274	–	–	–	54	14	9	7	9	4	3	8	4	159	114	4	–
22	McPherson	108	–	–	–	26	7	8	2	4	1	1	3	3	62	46	4	–
23	Balance of county	166	–	–	–	28	7	1	5	5	3	2	5	1	97	68	–	–
24	Marion	182	–	–	–	31	8	5	3	3	1	3	8	6	92	71	3	1
25	Marshall	213	–	–	1	45	11	10	2	9	2	6	5	5	126	105	–	–
26	Meade	54	–	–	–	8	3	1	–	2	–	–	2	–	25	22	–	–
27	Miami	213	–	–	3	37	6	14	–	7	1	1	8	4	111	88	1	2
28	Mitchell	119	–	–	1	25	10	2	1	6	1	–	5	3	59	33	1	–
29	Montgomery	554	–	–	1	102	28	26	6	14	6	3	19	4	301	214	2	1
30	Coffeyville	204	–	–	1	33	11	8	1	7	–	1	5	3	119	96	1	1
31	Independence	161	–	–	–	35	9	9	3	5	3	1	5	–	86	57	–	–
32	Balance of county	189	–	–	–	34	8	9	2	2	3	1	9	1	96	61	1	–
33	Morris	80	–	–	–	15	3	3	2	1	3	1	2	–	43	28	–	1
34	Morton	33	–	–	–	8	3	3	–	1	–	–	1	–	9	9	–	–
35	Nemaha	133	–	–	2	29	6	11	1	4	–	1	6	4	73	49	1	1
36	Neosho	238	–	–	5	49	11	11	3	5	5	3	11	4	131	86	–	2
37	Chanute	146	–	–	2	29	4	7	2	2	3	1	10	2	82	54	–	2
38	Balance of county	92	–	–	3	20	7	4	1	3	2	2	1	2	49	32	–	–
39	Ness	55	–	–	–	9	1	2	–	2	2	–	2	2	33	25	2	–
40	Norton	89	–	–	1	22	5	3	2	5	1	–	6	–	43	29	–	1
41	Osage	181	–	–	2	36	6	6	1	5	6	–	12	3	102	73	2	–
42	Osborne	95	–	–	1	11	2	5	1	–	2	1	–	3	54	39	–	–
43	Ottawa	71	–	–	–	11	5	1	1	1	–	1	2	3	43	21	–	–
44	Pawnee	105	–	–	1	14	2	2	4	3	–	1	2	2	65	47	–	1
45	Phillips	109	–	–	–	24	9	3	3	1	1	–	7	1	59	43	2	–
46	Pottawatomie	127	–	–	1	23	5	3	5	1	–	1	8	2	73	50	1	–
47	Manhattan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Balance of county	127	–	–	1	23	5	3	5	1	–	1	8	2	73	50	1	–
49	Pratt	107	1	–	1	17	3	5	–	2	–	3	4	4	55	35	–	1
50	Rawlins	35	–	–	–	6	2	1	–	–	1	1	1	2	19	16	–	–
51	Reno	602	–	–	6	123	32	24	16	19	5	3	24	11	312	218	1	2
52	Hutchinson	420	–	–	3	91	25	19	11	11	5	2	18	8	216	150	1	1
53	Balance of county	182	–	–	3	32	7	5	5	8	–	1	6	3	96	68	–	1
54	Republic	131	–	–	1	21	9	2	3	2	1	1	3	6	66	51	1	–
55	Rice	167	–	–	–	25	10	5	2	3	2	–	3	2	105	83	–	–
56	Riley	255	–	1	2	57	16	13	3	9	4	1	11	2	123	78	2	–
57	Manhattan, part	173	–	1	1	40	12	10	2	7	2	–	7	1	85	51	1	–
58	Manhattan, total	173	–	1	1	40	12	10	2	7	2	–	7	1	85	51	1	–
59	Balance of county	82	–	–	1	17	4	3	1	2	2	1	4	1	38	27	1	–
60	Rooks	92	–	–	1	16	4	2	1	3	2	1	3	2	52	38	1	–
61	Rush	69	–	–	–	13	4	3	1	1	1	1	2	–	40	32	–	–
62	Russell	128	–	–	–	26	7	3	3	3	–	–	10	5	72	55	–	1
63	Saline	401	–	–	6	74	21	15	4	14	2	6	12	2	210	149	7	–
64	Salina	334	–	–	6	61	17	13	3	13	2	4	9	2	174	127	6	–
65	Balance of county	67	–	–	–	13	4	2	1	1	–	2	3	–	36	22	1	–
66	Scott	52	–	–	1	13	1	7	2	1	–	–	2	1	22	15	–	1
67	Sedgwick	2,656	2	1	12	539	134	140	58	55	22	22	108	47	1,310	966	12	16
68	Wichita	2,368	2	1	9	494	122	132	49	49	21	20	101	43	1,165	853	10	10
69	Balance of county	288	–	–	3	45	12	8	9	6	1	2	7	4	145	113	2	6
70	Seward	121	–	–	2	20	7	4	–	5	–	1	3	7	55	30	–	–
71	Liberal	114	–	–	2	17	5	4	–	4	–	1	3	7	52	28	–	–
72	Balance of county	7	–	–	–	3	2	–	–	1	–	–	–	–	3	2	–	–
73	Shawnee	1,366	–	1	7	280	70	71	25	36	11	10	57	26	671	478	7	4
74	Topeka	1,252	–	1	6	253	64	65	21	34	8	7	54	26	616	436	7	4
75	Balance of county	114	–	–	1	27	6	6	4	2	3	3	3	–	55	42	–	–
76	Sheridan	34	–	–	–	7	2	–	–	–	1	1	3	–	18	13	–	–
77	Sherman	62	–	–	–	7	1	–	–	3	–	1	2	1	39	29	–	–
78	Smith	86	–	–	–	20	4	6	2	2	1	–	5	–	40	27	–	–
79	Stafford	82	–	–	–	9	4	–	1	–	–	2	2	–	57	49	–	–
80	Stanton	15	–	–	–	1	–	–	–	–	–	1	–	–	7	6	–	–
81	Stevens	40	–	–	1	8	4	–	2	–	–	–	2	–	22	12	–	–
82	Sumner	259	–	–	3	47	15	16	4	2	4	1	5	4	146	103	1	2
83	Thomas	81	–	–	–	21	9	4	2	1	–	–	5	3	30	24	–	–
84	Trego	48	–	–	–	4	–	2	–	1	–	1	–	1	24	11	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more, urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
96	14	–	23	3	5	10	5	1	5	2	–	3	7	5	30	12	7	11	6	1	01
54	4	–	19	3	3	1	1	1	–	–	–	1	–	5	16	9	2	3	1	1	02
37	6	–	11	1	–	3	1	–	3	1	–	1	1	1	12	4	2	1	–	–	03
148	9	1	55	8	8	10	9	–	5	1	1	4	6	7	42	8	19	4	2	2	04
2	1	–	5	–	–	–	1	–	–	–	–	–	2	–	4	–	–	–	–	–	05
33	7	1	6	1	1	1	4	–	2	1	–	–	–	–	9	1	2	1	–	1	06
5	2	–	1	2	3	1	1	–	–	–	–	–	–	–	6	–	2	–	–	–	07
132	11	–	25	14	5	6	4	–	3	3	–	1	2	–	20	2	13	3	1	–	08
85	1	–	16	8	2	2	2	–	3	1	–	–	2	–	9	–	8	1	–	–	09
47	10	–	9	6	3	4	2	–	–	2	–	1	–	–	11	2	5	2	1	–	10
10	–	–	3	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	11
136	9	1	33	2	2	12	7	1	9	1	–	2	9	7	44	10	15	9	3	3	12
83	6	–	23	1	1	8	6	–	7	1	–	2	6	5	33	5	8	7	2	2	13
53	3	1	10	1	1	4	1	1	2	–	–	–	3	2	11	5	7	2	1	1	14
18	1	–	3	2	–	1	2	–	–	–	–	–	–	1	3	1	2	–	3	–	15
45	7	–	8	–	–	6	–	–	–	–	–	1	1	3	5	2	2	–	1	–	16
19	1	–	7	1	1	1	–	–	1	–	–	–	–	1	6	1	3	–	–	–	17
112	7	–	35	5	11	10	5	1	2	3	–	1	3	–	32	9	6	2	3	–	18
78	4	–	25	3	8	8	3	1	1	3	–	–	3	–	27	5	2	2	2	–	19
34	3	–	10	2	3	2	2	–	1	–	–	1	–	–	5	4	4	–	1	–	20
99	11	–	28	11	6	9	1	–	2	–	–	2	2	–	23	6	8	4	–	–	21
41	1	–	11	3	2	3	1	–	2	–	–	–	–	–	5	1	2	3	–	–	22
58	10	–	17	8	4	6	–	–	–	–	–	2	2	–	18	5	6	1	–	–	23
57	10	1	13	3	4	7	3	1	4	2	–	–	–	2	15	4	8	3	4	–	24
97	8	–	14	6	1	4	–	–	2	1	–	–	2	3	17	3	2	1	–	1	25
21	1	–	2	1	–	1	–	1	1	–	–	1	–	–	7	8	1	1	–	–	26
75	10	–	14	7	2	17	2	–	–	–	–	1	3	3	17	2	6	6	1	–	27
27	5	–	12	12	2	6	1	–	–	–	–	–	1	1	19	1	2	–	–	–	28
186	25	7	57	17	6	11	3	1	8	5	–	3	5	24	39	16	19	10	1	1	29
82	12	3	14	4	2	4	2	–	2	3	–	2	2	1	18	4	8	2	–	–	30
54	3	1	19	7	2	3	–	–	3	1	–	–	2	13	8	2	4	2	1	1	31
50	10	3	24	6	2	4	1	1	3	1	–	1	1	10	13	10	7	6	–	–	32
25	2	–	8	4	3	3	–	–	–	1	–	–	–	2	10	3	3	–	–	–	33
8	1	–	–	–	–	1	1	1	1	–	–	–	1	1	4	4	2	–	–	–	34
45	2	–	14	9	1	3	1	–	1	–	–	–	–	1	11	5	2	1	–	–	35
75	9	1	30	9	5	4	3	2	–	–	–	2	1	4	20	8	4	1	–	–	36
44	8	1	18	4	5	4	1	1	–	–	–	2	1	2	13	5	2	–	–	–	37
31	1	–	12	5	–	–	2	1	–	–	–	–	–	2	7	3	2	1	–	–	38
21	2	–	6	1	1	1	–	–	1	–	–	1	–	–	4	2	2	–	–	–	39
24	4	–	9	1	4	6	1	–	1	1	–	–	–	–	9	1	4	–	–	–	40
67	4	–	16	6	7	4	2	1	1	–	–	–	–	–	15	8	4	3	–	–	41
33	6	–	13	1	1	6	2	–	–	1	–	–	–	–	12	4	–	–	1	–	42
20	1	–	21	–	1	–	1	–	1	–	–	–	–	2	7	2	1	–	–	–	43
45	1	–	12	1	5	3	–	–	–	–	–	4	2	–	1	3	3	4	3	–	44
34	7	–	10	2	4	6	2	–	–	–	–	–	1	–	12	1	–	2	1	–	45
48	1	1	18	3	1	2	2	1	1	–	–	1	4	–	5	3	8	–	1	–	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
48	1	1	18	3	1	2	2	1	1	–	–	1	4	–	5	3	8	–	1	–	48
28	6	2	13	5	–	5	3	1	–	–	–	–	1	6	7	2	3	1	–	–	49
12	4	–	2	1	–	1	–	–	–	–	–	–	–	–	5	1	1	–	–	–	50
193	22	–	77	10	7	18	8	3	2	1	–	3	9	10	46	15	23	8	2	2	51
132	16	–	56	4	6	13	5	1	2	1	–	3	6	8	35	11	11	5	1	–	52
61	6	–	21	6	1	5	3	2	–	–	–	–	3	2	11	4	12	3	1	2	53
47	3	–	13	2	–	8	2	–	–	–	–	–	1	–	15	3	6	1	1	–	54
75	8	–	20	–	2	6	3	1	–	1	–	–	–	1	12	6	5	–	–	–	55
72	4	–	34	6	5	8	2	–	1	2	–	3	3	1	28	7	8	7	–	–	56
49	1	–	26	4	4	5	1	–	1	2	–	3	2	–	19	5	3	4	–	–	57
49	1	–	26	4	4	5	1	–	1	2	–	3	2	–	19	5	3	4	–	–	58
23	3	–	8	2	1	3	1	–	–	–	–	–	1	1	9	2	5	3	–	–	59
36	1	–	6	5	3	4	1	–	–	–	–	–	4	1	7	3	1	–	–	–	60
31	1	–	6	1	1	4	2	–	–	–	–	–	–	–	5	1	3	1	–	–	61
45	9	–	14	–	3	1	1	–	–	–	–	–	1	–	15	4	3	–	–	–	62
130	12	3	42	13	3	10	3	1	6	2	–	6	3	–	40	13	14	4	7	–	63
109	12	2	34	10	1	10	3	1	6	2	–	5	3	–	36	9	11	2	3	–	64
21	–	1	8	3	2	–	–	–	–	–	–	1	–	–	4	4	3	2	4	–	65
13	1	–	4	1	2	–	–	–	–	–	–	–	–	3	6	5	1	–	–	–	66
864	74	8	256	36	44	61	28	10	34	12	1	23	49	29	251	71	74	47	38	17	67
763	70	6	233	33	40	54	22	10	32	10	1	20	41	29	222	53	68	43	33	16	68
101	4	2	23	3	4	7	6	–	2	2	–	3	8	–	29	18	6	4	5	1	69
24	6	–	17	6	2	3	–	2	1	–	–	–	3	1	12	11	2	–	2	–	70
22	6	–	16	6	2	3	–	2	1	–	–	–	3	1	12	10	2	–	2	–	71
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	72
434	33	6	130	34	23	33	18	2	16	6	–	10	23	14	149	33	32	28	14	3	73
395	30	6	119	32	23	31	17	2	14	5	–	8	21	13	142	27	27	26	14	3	74
39	3	–	11	2	–	2	1	–	2	1	–	2	2	1	7	6	5	2	–	–	75
13	–	–	4	–	1	–	2	–	–	–	–	–	1	–	1	3	2	–	–	–	76
23	6	–	9	1	–	1	1	1	–	1	–	–	1	–	4	3	3	–	–	–	77
27	–	–	12	–	1	5	2	1	1	1	–	1	1	–	8	2	4	–	–	–	78
48	1	–	7	1	–	–	–	–	–	–	–	–	–	1	9	2	4	–	–	–	79
6	–	–	1	–	–	1	1	–	–	1	–	–	1	–	1	1	–	–	–	1	80
9	3	–	8	2	–	1	–	–	1	1	–	–	–	–	3	1	–	2	–	–	81
82	18	1	28	8	6	5	3	1	1	1	–	3	2	4	27	9	1	1	–	1	82
23	1	–	3	3	–	1	1	–	2	–	–	–	4	–	12	2	2	3	–	–	83
10	1	–	12	1	–	2	–	–	1	–	–	1	2	–	7	–	5	1	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
01	Wabaunsee	67	–	–	–	12	–	2	2	1	2	1	4	–	37	26	1	1
02	Wallace	21	–	–	1	8	2	2	1	2	–	1	–	–	8	5	–	–
03	Washington	123	–	–	1	21	5	5	2	4	2	1	2	2	64	52	1	1
04	Wichita	18	–	–	–	4	1	1	1	–	1	–	–	–	8	8	–	1
05	Wilson	153	–	–	–	33	6	11	5	2	–	3	6	2	83	67	–	1
06	Woodson	75	–	–	1	16	4	3	1	5	–	–	3	3	42	33	–	–
07	Wyandotte	1,697	2	–	14	348	86	88	42	34	16	14	68	34	856	657	7	8
08	Kansas City	1,608	2	–	14	330	82	81	40	32	15	12	68	34	815	625	6	8
09	Balance of county	89	–	–	–	18	4	7	2	2	1	2	–	–	41	32	1	–
10	**Kentucky**	**33,493**	**79**	**–**	**219**	**6,287**	**1,668**	**1,779**	**445**	**750**	**278**	**245**	**1,122**	**615**	**17,582**	**12,939**	**137**	**141**
11	Urban places	11,325	33	–	82	2,222	626	610	174	273	94	79	366	214	5,939	4,318	48	61
12	Balance of area	22,168	46	–	137	4,065	1,042	1,169	271	477	184	166	756	401	11,643	8,621	89	80
13	Metropolitan counties	12,492	34	–	82	2,568	715	727	192	300	102	93	439	253	6,332	4,627	61	54
14	Urban places	8,455	29	–	64	1,696	501	464	129	209	64	54	275	172	4,328	3,183	37	45
15	Balance of area	4,037	5	–	18	872	214	263	63	91	38	39	164	81	2,004	1,444	24	9
16	Nonmetropolitan counties	21,001	45	–	137	3,719	953	1,052	253	450	176	152	683	362	11,250	8,312	76	87
17	Urban places	2,870	4	–	18	526	125	146	45	64	30	25	91	42	1,611	1,135	11	16
18	Balance of area	18,131	41	–	119	3,193	828	906	208	386	146	127	592	320	9,639	7,177	65	71
19	Adair	163	2	–	1	21	9	4	2	2	–	1	3	3	101	73	–	–
20	Allen	161	1	–	2	23	5	7	1	6	–	–	4	3	98	78	–	1
21	Anderson	99	–	–	1	25	7	8	1	2	3	3	1	–	46	25	1	–
22	Ballard	118	–	–	–	23	2	12	–	5	–	2	2	2	67	47	2	–
23	Barren	320	–	–	1	56	14	21	4	4	1	1	11	4	174	134	1	1
24	Glasgow	141	–	–	–	29	8	10	4	–	1	1	5	2	71	54	–	–
25	Balance of county	179	–	–	1	27	6	11	–	4	–	–	6	2	103	80	1	1
26	Bath	107	–	–	–	17	2	4	2	4	–	–	5	1	63	50	–	–
27	Bell	368	2	–	2	58	13	17	1	11	3	4	9	3	212	156	1	1
28	Middlesborough	146	1	–	1	28	5	6	–	6	2	3	6	1	82	62	1	–
29	Balance of county	222	1	–	1	30	8	11	1	5	1	1	3	2	130	94	–	1
30	Boone	299	–	–	1	58	17	15	3	7	1	1	14	4	162	114	–	–
31	Florence	131	–	–	–	25	9	6	–	3	–	1	6	2	65	47	–	–
32	Balance of county	168	–	–	1	33	8	9	3	4	1	–	8	2	97	67	–	–
33	Bourbon	178	–	–	2	41	11	10	4	7	2	1	6	4	95	71	–	1
34	Boyd	583	1	–	3	119	35	34	7	14	4	5	20	15	315	247	3	1
35	Ashland	375	1	–	2	77	26	22	4	9	2	2	12	9	211	166	3	–
36	Balance of county	208	–	–	1	42	9	12	3	5	2	3	8	6	104	81	–	1
37	Boyle	215	–	–	2	40	8	13	4	5	2	1	7	7	114	82	1	–
38	Danville	138	–	–	2	25	6	8	3	2	1	1	4	5	68	47	1	–
39	Balance of county	77	–	–	–	15	2	5	1	3	1	–	3	2	46	35	–	–
40	Bracken	120	–	–	–	16	6	2	1	5	–	1	1	1	74	56	–	1
41	Breathitt	127	1	–	1	13	4	5	–	2	–	–	2	4	74	65	1	–
42	Breckinridge	168	–	–	3	25	9	5	3	2	2	1	3	1	106	67	1	1
43	Bullitt	194	–	–	–	29	6	9	5	3	–	2	4	4	90	61	–	2
44	Butler	129	–	–	1	25	9	7	2	1	1	2	3	1	60	41	–	–
45	Caldwell	184	–	–	3	24	5	5	2	5	3	–	4	1	109	78	2	–
46	Calloway	327	1	–	–	55	14	12	6	7	2	3	11	5	198	124	1	–
47	Murray	142	–	–	–	25	5	4	3	5	1	2	5	1	90	56	1	–
48	Balance of county	185	1	–	–	30	9	8	3	2	1	1	6	4	108	68	–	–
49	Campbell	918	2	–	4	183	59	43	12	22	13	4	30	31	501	351	5	2
50	Fort Thomas	189	–	–	–	48	17	8	3	7	3	2	8	6	98	76	1	1
51	Newport	278	2	–	2	53	22	13	3	7	4	–	4	11	148	103	1	1
52	Balance of county	451	–	–	2	82	20	22	6	8	6	2	18	14	255	172	3	–
53	Carlisle	73	–	–	–	14	4	3	1	2	–	–	4	–	42	34	–	–
54	Carroll	117	–	–	–	20	4	2	2	3	3	2	4	1	65	42	2	–
55	Carter	199	–	–	–	39	16	12	–	2	2	–	7	6	104	74	1	–
56	Casey	152	–	–	1	24	5	7	2	4	2	1	3	6	72	56	–	–
57	Christian	576	3	–	9	92	27	16	9	8	6	5	21	10	278	200	3	3
58	Hopkinsville	347	2	–	5	59	19	11	4	5	5	2	13	5	187	135	2	3
59	Balance of county	229	1	–	4	33	8	5	5	3	1	3	8	5	91	65	1	–
60	Clark	256	–	–	1	54	15	17	5	3	4	2	8	7	133	103	–	7
61	Winchester	184	–	–	–	43	11	16	3	3	3	1	6	5	96	75	–	4
62	Balance of county	72	–	–	1	11	4	1	2	–	1	1	2	2	37	28	–	3
63	Clay	188	1	–	3	33	9	10	1	4	1	–	8	8	92	68	–	3
64	Clinton	91	–	–	–	18	1	6	3	1	–	–	7	3	44	36	1	1
65	Crittenden	119	1	–	–	22	5	7	2	2	1	1	4	1	69	57	–	–
66	Cumberland	82	–	–	–	12	3	2	1	2	–	2	2	2	50	43	–	–
67	Daviess	777	2	–	7	146	36	30	14	23	10	4	29	22	380	292	6	4
68	Owensboro	570	2	–	4	108	23	22	12	19	8	3	21	15	287	225	2	4
69	Balance of county	207	–	–	3	38	13	8	2	4	2	1	8	7	93	67	4	–
70	Edmonson	110	–	–	1	15	9	2	1	2	1	–	–	2	52	36	2	–
71	Elliott	47	–	–	–	8	3	–	1	2	1	1	–	2	23	15	–	–
72	Estill	137	1	–	1	19	4	6	1	2	1	–	5	1	88	61	–	–
73	Fayette	1,441	6	–	13	307	88	93	16	31	9	10	60	18	708	544	7	10
74	Lexington	1,341	6	–	13	287	85	86	15	27	9	8	57	17	659	506	7	10
75	Balance of county	100	–	–	–	20	3	7	1	4	–	2	3	1	49	38	–	–
76	Fleming	141	1	–	3	20	4	6	–	1	1	1	7	1	89	67	–	–
77	Floyd	344	–	–	2	62	17	25	1	3	3	–	13	3	173	139	1	1
78	Franklin	331	–	–	2	56	12	14	5	6	4	4	11	3	185	139	3	1
79	Frankfort	243	–	–	1	40	8	10	4	4	2	4	8	2	137	104	3	1
80	Balance of county	88	–	–	1	16	4	4	1	2	2	–	3	1	48	35	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
21	3	–	7	4	–	5	1	–	–	1	–	1	1	–	6	1	2	–	–	–	01
5	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	02
46	4	–	6	5	1	5	1	–	1	1	–	2	2	–	16	–	5	2	–	–	03
5	2	–	–	–	–	1	–	–	–	1	–	–	–	1	1	1	–	1	–	–	04
62	4	–	14	2	–	3	3	–	–	–	–	–	–	–	17	5	4	1	2	–	05
29	4	–	6	1	2	2	1	1	–	–	–	–	–	1	3	2	2	1	–	–	06
572	70	2	155	21	21	30	18	3	29	11	1	13	30	28	155	29	39	21	31	5	07
546	65	2	147	21	20	29	18	3	27	11	1	10	29	26	145	25	34	20	30	5	08
26	5	–	8	–	1	1	–	–	2	–	–	3	1	2	10	4	5	1	1	–	09
11,248	**1,413**	**93**	**3,630**	**493**	**427**	**956**	**369**	**108**	**338**	**134**	**6**	**231**	**405**	**270**	**2,980**	**944**	**1,201**	**475**	**318**	**56**	**10**
3,781	428	40	1,245	185	151	306	114	34	165	55	2	69	111	73	1,036	198	378	157	126	11	11
7,467	985	53	2,385	308	276	650	255	74	173	79	4	162	294	197	1,864	746	823	318	192	45	12
4,110	402	49	1,312	184	160	317	124	28	184	52	2	88	140	78	1,148	252	453	208	137	12	13
2,814	287	33	880	129	103	226	86	23	137	44	2	55	84	57	794	134	291	123	100	10	14
1,296	115	16	432	55	57	91	38	5	47	8	–	33	56	21	354	118	162	85	37	2	15
7,138	1,011	44	2,318	309	267	639	245	80	154	82	4	143	265	192	1,752	692	748	267	181	44	16
967	141	7	365	56	48	80	28	11	28	11	–	14	27	16	242	64	87	34	26	1	17
6,171	870	37	1,953	253	219	559	217	69	126	71	4	129	238	176	1,510	628	661	233	155	43	18
63	10	–	21	4	3	4	2	2	–	1	–	–	4	1	10	3	5	2	1	–	19
69	8	–	17	1	2	8	2	–	1	–	–	–	–	–	8	5	6	4	–	–	20
18	6	–	17	2	2	2	2	–	1	–	–	1	4	1	11	1	4	–	–	–	21
42	3	–	17	1	2	5	2	1	1	1	–	–	–	1	8	4	2	1	–	–	22
107	25	1	33	3	3	5	3	–	2	–	–	1	4	3	32	17	11	6	1	–	23
46	8	1	14	1	1	–	1	–	2	–	–	1	1	–	21	9	3	1	–	–	24
61	17	–	19	2	2	5	2	–	–	–	–	–	3	3	11	8	8	5	1	–	25
33	17	–	9	2	2	6	–	–	–	1	–	–	–	1	11	1	3	1	1	1	26
113	41	–	37	15	4	14	2	1	2	1	–	3	3	5	24	13	13	3	6	1	27
52	9	–	15	4	1	7	1	–	–	–	–	–	1	2	4	8	6	1	3	–	28
61	32	–	22	11	3	7	1	1	2	1	–	3	2	3	20	5	7	2	3	1	29
111	3	–	40	4	4	2	3	–	3	1	–	2	6	3	23	11	12	6	2	–	30
46	1	–	16	2	–	–	2	–	3	1	–	2	3	2	9	6	9	1	1	–	31
65	2	–	24	2	4	2	1	–	–	–	–	–	3	1	14	5	3	5	1	–	32
66	4	–	20	3	1	6	2	1	–	–	–	–	1	–	15	5	4	2	–	–	33
216	27	2	46	10	10	7	6	4	5	8	–	5	1	7	45	8	25	5	4	–	34
143	20	1	35	2	7	2	3	2	2	6	–	4	–	4	28	4	15	3	2	–	35
73	7	1	11	8	3	5	3	2	3	2	–	1	1	3	17	4	10	2	2	–	36
78	3	–	23	8	1	2	6	1	–	1	–	–	1	2	18	8	9	1	3	–	37
44	2	–	15	6	–	2	5	1	–	1	–	–	1	1	13	6	5	1	2	–	38
34	1	–	8	2	1	–	1	–	–	–	–	–	–	1	5	2	4	–	1	–	39
50	5	–	18	–	–	2	1	–	–	1	–	1	–	2	13	5	1	3	–	–	40
60	4	–	8	–	1	1	2	2	–	–	–	3	–	2	7	4	6	3	4	–	41
62	3	1	31	2	5	3	–	1	–	1	–	–	1	1	10	10	3	3	–	–	42
50	9	–	21	5	3	6	2	–	4	1	–	1	5	3	18	21	4	5	1	–	43
37	4	–	18	–	1	8	–	2	–	–	–	1	–	1	16	5	4	3	2	–	44
74	2	1	29	–	1	10	3	3	1	–	–	1	–	5	8	4	8	3	1	–	45
91	32	2	63	3	6	7	2	1	1	2	–	2	3	2	24	10	8	5	1	–	46
41	14	1	26	2	5	5	1	1	–	2	–	1	–	–	10	–	5	1	–	–	47
50	18	1	37	1	1	2	1	–	1	–	–	1	3	2	14	10	3	4	1	–	48
324	20	1	122	11	16	16	5	2	11	1	1	4	14	8	70	16	35	8	5	1	49
70	4	–	16	1	5	5	2	1	2	–	1	1	1	3	14	1	3	1	2	–	50
97	4	1	36	6	2	7	–	1	6	1	–	2	5	–	21	3	9	4	2	1	51
157	12	–	70	4	9	4	3	–	3	–	–	1	8	5	35	12	23	3	1	–	52
32	2	1	5	1	1	2	–	–	1	–	–	–	–	2	6	3	3	–	–	–	53
35	5	–	21	2	–	8	–	1	–	1	–	–	–	2	10	1	4	3	1	–	54
51	22	–	24	4	2	4	4	3	2	2	–	–	1	2	15	4	9	1	1	2	55
48	8	1	15	–	–	5	6	–	1	–	–	–	3	3	10	7	8	4	1	1	56
174	20	–	56	11	11	22	6	1	9	–	–	11	16	6	55	15	27	6	9	1	57
116	14	–	36	9	7	12	3	–	5	–	–	3	6	–	28	7	16	1	8	–	58
58	6	–	20	2	4	10	3	1	4	–	–	8	10	6	27	8	11	5	1	1	59
91	5	2	20	3	5	3	3	2	2	–	–	2	4	1	21	8	6	6	3	–	60
66	5	2	12	2	5	2	2	2	2	–	–	2	2	1	14	4	5	3	1	–	61
25	–	–	8	1	–	1	1	–	–	–	–	–	2	–	7	4	1	3	2	–	62
58	7	–	20	3	1	7	2	–	1	–	–	1	3	6	15	8	4	2	2	–	63
32	2	–	6	1	1	1	2	1	1	1	–	1	3	–	10	2	3	–	1	–	64
51	6	–	9	1	2	9	1	–	–	–	–	–	1	–	7	4	3	1	–	–	65
40	3	1	5	1	–	1	1	2	–	–	–	–	2	–	5	1	5	–	1	–	66
253	29	4	58	10	16	20	10	2	13	–	–	7	9	4	66	17	46	17	8	1	67
199	20	2	39	7	14	17	7	2	11	–	–	4	5	3	43	12	31	12	6	1	68
54	9	2	19	3	2	3	3	–	2	–	–	3	4	1	23	5	15	5	2	–	69
32	2	–	13	2	1	8	1	–	1	1	–	1	–	–	10	13	2	3	–	–	70
10	5	–	6	1	1	1	–	1	–	–	–	–	1	1	3	5	2	–	–	–	71
55	6	3	22	1	1	1	–	–	–	1	–	2	2	–	9	2	6	1	3	–	72
479	48	1	128	19	16	44	14	4	21	11	–	18	16	5	123	37	49	25	21	1	73
444	45	1	118	19	15	40	13	4	20	11	–	17	16	5	115	33	43	23	18	1	74
35	3	–	10	–	1	4	1	–	1	–	–	1	–	–	8	4	6	2	3	–	75
62	5	–	20	1	1	3	1	1	–	–	–	–	1	–	12	2	4	3	–	–	76
125	12	1	26	3	4	9	1	1	5	3	–	2	3	2	43	6	19	3	6	1	77
130	5	2	32	3	9	8	2	–	8	1	–	7	1	4	30	7	11	2	3	1	78
97	3	1	21	3	8	6	2	–	7	1	–	4	1	2	26	4	6	1	2	1	79
33	2	1	11	–	1	2	–	–	1	–	–	3	–	2	4	3	5	1	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Fulton	180	1	–	1	26	8	8	2	4	1	–	3	4	92	62	1	3
02	Gallatin	50	–	–	–	14	2	4	1	1	1	2	3	1	25	17	–	1
03	Garrard	101	–	–	1	18	3	7	1	1	–	1	5	3	57	42	–	–
04	Grant	119	–	–	1	24	9	2	1	4	2	1	5	8	54	42	–	–
05	Graves	400	1	–	1	61	18	14	2	11	2	5	9	6	238	167	1	3
06	Mayfield	162	–	–	1	26	11	6	1	5	1	2	–	1	101	70	1	2
07	Balance of county	238	1	–	–	35	7	8	1	6	1	3	9	5	137	97	–	1
08	Grayson	193	–	–	1	35	10	14	–	2	1	–	8	2	102	78	1	–
09	Green	109	2	–	–	23	8	2	1	1	–	–	11	1	63	38	–	1
10	Greenup	309	–	–	2	67	11	25	2	10	4	3	12	7	162	121	3	2
11	Hancock	58	–	–	1	16	3	2	1	2	1	1	6	1	21	15	–	–
12	Hardin	405	–	–	5	89	29	34	5	3	2	4	12	5	180	134	3	1
13	Elizabethtown	102	–	–	1	23	8	7	2	2	–	1	3	1	54	37	–	1
14	Balance of county	303	–	–	4	66	21	27	3	1	2	3	9	4	126	97	3	–
15	Harlan	505	2	–	2	64	12	25	5	7	4	2	9	19	250	210	1	2
16	Harrison	190	–	–	1	31	9	9	1	2	–	2	8	2	120	89	1	–
17	Hart	154	1	–	1	30	8	8	2	5	2	1	4	1	80	64	1	–
18	Henderson	411	–	–	1	70	22	15	2	10	4	4	13	10	221	167	–	1
19	Henderson	277	–	–	1	48	15	9	2	7	3	4	8	6	153	113	–	–
20	Balance of county	134	–	–	–	22	7	6	–	3	1	–	5	4	68	54	–	1
21	Henry	141	1	–	1	24	5	7	3	6	–	1	2	2	75	47	1	1
22	Hickman	90	–	–	2	20	7	5	–	3	–	1	4	1	48	35	–	2
23	Hopkins	473	–	–	5	77	18	27	5	5	5	3	14	5	260	203	1	3
24	Madisonville	203	–	–	–	34	8	10	3	3	3	2	5	2	106	83	–	1
25	Balance of county	270	–	–	5	43	10	17	2	2	2	1	9	3	154	120	1	2
26	Jackson	104	–	–	2	14	5	3	2	2	–	–	2	3	66	55	–	1
27	Jefferson	6,675	21	–	46	1,408	385	410	113	168	49	53	230	124	3,320	2,382	35	31
28	Louisville	4,212	15	–	35	839	259	223	68	107	25	28	129	84	2,141	1,534	18	26
29	St. Matthews	167	1	–	–	37	6	11	4	6	2	1	7	4	91	68	–	–
30	Shively	130	1	–	1	29	8	11	2	4	–	–	4	2	69	49	2	–
31	Balance of county	2,166	4	–	10	503	112	165	39	51	22	24	90	34	1,019	731	15	5
32	Jessamine	165	2	–	1	37	6	18	2	4	1	–	6	–	74	58	–	–
33	Johnson	208	–	–	1	44	10	11	2	6	2	2	11	4	100	68	–	–
34	Kenton	1,388	2	–	7	277	73	87	25	25	12	12	43	29	725	530	5	5
35	Covington	710	1	–	5	131	29	47	14	12	7	4	18	12	373	270	3	3
36	Erlanger	75	–	–	1	14	2	6	2	1	1	1	1	4	33	26	–	–
37	Balance of county	603	1	–	1	132	42	34	9	12	4	7	24	13	319	234	2	2
38	Knott	150	1	–	–	23	7	7	1	3	–	1	4	2	82	67	1	1
39	Knox	303	–	–	1	42	12	16	–	4	3	2	5	8	160	128	–	–
40	Larue	101	–	–	2	22	7	7	3	2	1	–	2	2	44	32	–	1
41	Laurel	299	1	–	–	51	4	18	2	8	3	3	13	5	168	120	2	1
42	Lawrence	152	–	–	–	31	10	8	4	5	–	–	4	4	69	57	1	–
43	Lee	84	–	–	–	12	4	1	–	2	1	1	3	1	40	27	1	1
44	Leslie	87	–	–	1	13	2	2	–	4	3	1	1	–	45	38	–	–
45	Letcher	237	1	–	2	39	11	10	3	5	2	1	7	3	121	98	–	–
46	Lewis	136	–	–	3	17	4	5	1	1	–	1	5	2	83	66	1	–
47	Lincoln	200	–	–	5	31	10	7	1	4	4	2	3	3	98	77	–	–
48	Livingston	127	1	–	1	23	4	8	1	3	–	1	6	1	67	45	1	–
49	Logan	246	–	–	5	39	18	6	2	4	2	2	5	4	128	79	–	1
50	Lyon	67	–	–	–	14	3	6	–	1	–	–	4	–	42	35	–	1
51	McCracken	683	–	–	–	131	29	40	14	18	7	4	19	17	402	272	4	1
52	Paducah	481	–	–	–	91	19	27	11	15	5	2	12	11	286	194	2	1
53	Balance of county	202	–	–	–	40	10	13	3	3	2	2	7	6	116	78	2	–
54	McCreary	179	1	–	1	33	7	11	1	6	1	1	6	4	85	63	1	–
55	McLean	113	–	–	–	16	5	7	–	2	–	1	1	1	68	52	–	–
56	Madison	340	–	–	2	61	15	19	6	6	2	2	11	1	184	139	–	–
57	Richmond	133	–	–	2	21	5	4	2	4	–	2	4	–	80	63	–	–
58	Balance of county	207	–	–	–	40	10	15	4	2	2	–	7	1	104	76	–	–
59	Magoffin	86	–	–	–	15	6	–	2	3	1	–	3	1	41	29	1	–
60	Marion	172	2	–	–	25	8	3	3	3	–	2	6	10	90	74	–	4
61	Marshall	256	1	–	3	63	14	15	6	6	4	3	15	5	135	114	2	–
62	Martin	76	–	–	1	12	1	7	1	1	–	–	2	2	31	26	–	–
63	Mason	231	–	–	–	45	9	5	9	7	2	2	11	2	136	108	–	–
64	Meade	99	–	–	1	15	5	6	1	3	–	–	–	4	53	37	1	–
65	Menifee	41	–	–	–	6	2	3	–	–	1	–	–	1	19	9	–	–
66	Mercer	189	–	–	1	35	11	11	2	2	3	2	4	2	107	80	–	1
67	Metcalfe	87	–	–	–	10	2	5	1	1	–	–	1	3	51	37	–	–
68	Monroe	135	1	–	–	30	10	6	–	5	2	1	6	1	72	51	1	–
69	Montgomery	158	–	–	–	38	11	9	5	6	–	1	6	1	83	58	–	–
70	Morgan	98	–	–	1	13	4	1	4	2	1	–	1	1	56	39	–	–
71	Muhlenberg	352	–	–	2	73	17	18	8	9	2	5	14	5	183	127	–	1
72	Nelson	219	–	–	–	46	13	13	4	3	3	3	7	4	106	79	3	–
73	Nicholas	77	–	–	1	13	4	4	–	2	–	–	3	–	43	26	1	–
74	Ohio	245	–	–	1	53	16	9	2	4	7	3	12	2	111	87	1	1
75	Oldham	151	–	–	2	30	8	6	3	5	–	–	8	2	77	57	–	–
76	Owen	101	–	–	–	18	4	7	2	–	–	1	4	2	59	43	–	–
77	Owsley	64	–	–	–	16	3	4	1	1	1	1	5	3	32	19	–	–
78	Pendleton	125	–	–	–	16	2	7	–	4	–	2	1	4	75	58	–	–
79	Perry	294	–	–	–	48	11	24	3	4	1	2	3	6	159	143	2	1
80	Pike	612	–	–	7	100	24	30	7	16	3	6	14	7	338	249	5	3
81	Powell	72	–	–	1	15	2	6	–	3	–	–	4	2	34	27	–	1
82	Pulaski	399	–	–	5	74	15	28	5	9	3	2	12	6	215	141	1	1
83	Somerset	122	–	–	2	29	5	12	1	4	2	–	5	4	66	41	–	1
84	Balance of county	277	–	–	3	45	10	16	4	5	1	2	7	2	149	100	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
56	2	1	20	8	1	2	5	–	4	1	–	1	2	3	19	1	13	2	1	2	01
14	2	–	4	2	2	1	2	–	–	–	–	–	2	–	1	2	–	2	–	–	02
28	14	–	12	2	1	4	–	–	–	–	–	–	–	–	10	6	–	1	1	–	03
38	4	–	9	2	1	3	1	–	1	–	–	–	1	–	17	1	7	1	–	–	04
104	59	3	55	11	2	15	6	–	–	2	–	1	3	3	35	10	10	7	1	–	05
47	20	–	25	5	1	3	3	–	–	1	–	–	1	1	13	3	6	2	–	–	06
57	39	3	30	6	1	12	3	–	–	1	–	1	2	2	22	7	4	5	1	–	07
73	4	–	22	–	2	4	2	1	1	–	–	2	5	1	16	12	8	1	–	–	08
28	9	–	16	5	4	1	1	1	–	–	–	1	–	1	7	4	1	2	1	–	09
110	6	–	29	6	6	10	6	2	2	2	–	3	6	2	17	5	11	3	2	–	10
15	–	–	4	1	1	3	–	–	–	–	–	2	3	3	6	–	2	–	–	–	11
107	23	–	35	1	10	12	2	1	3	1	1	13	6	6	29	22	16	11	3	–	12
27	9	–	11	–	6	5	–	–	–	–	–	–	–	1	9	4	2	1	1	–	13
80	14	–	24	1	4	7	2	1	3	1	1	13	6	5	20	18	14	10	2	–	14
191	16	–	29	4	7	19	11	2	9	1	–	2	4	5	65	14	25	4	6	1	15
82	6	1	22	5	3	7	3	1	–	–	–	2	1	1	8	3	8	2	–	–	16
56	7	–	14	2	–	5	2	1	1	1	–	2	4	–	9	6	4	5	1	–	17
154	12	1	40	7	6	10	5	2	2	–	–	5	7	4	33	8	20	9	3	1	18
106	7	1	29	6	4	6	4	2	1	–	–	5	3	4	21	3	12	5	2	1	19
48	5	–	11	1	2	4	1	–	1	–	–	–	4	–	12	5	8	4	1	–	20
38	7	1	21	2	4	4	2	–	–	2	–	–	3	–	16	4	5	2	–	–	21
28	5	1	7	4	1	3	1	–	–	1	–	1	1	–	4	3	5	–	–	–	22
183	16	1	41	10	5	15	6	2	3	1	–	2	3	5	52	11	9	8	9	–	23
74	8	–	17	3	3	10	3	–	1	–	–	–	1	2	28	2	3	6	5	–	24
109	8	1	24	7	2	5	3	2	2	1	–	2	2	3	24	9	6	2	4	–	25
51	3	–	9	2	–	2	1	–	–	–	–	2	–	1	3	3	6	–	1	–	26
2,078	238	38	734	91	75	192	70	8	94	25	1	35	74	39	654	137	210	124	85	8	27
1,323	167	24	482	57	44	126	41	6	71	18	1	10	40	30	429	65	134	60	62	5	28
62	6	1	15	5	2	3	2	–	–	1	–	2	2	–	15	1	4	3	–	1	29
43	4	–	16	3	1	3	2	–	2	1	–	2	–	–	14	–	–	4	–	–	30
650	61	13	221	26	28	60	25	2	21	5	–	21	32	9	196	71	72	57	23	2	31
55	3	–	11	1	4	9	3	2	1	–	–	1	3	1	11	7	11	2	–	–	32
61	7	–	24	5	3	2	2	1	2	1	–	2	1	4	15	8	9	3	5	4	33
495	25	2	144	32	17	26	11	6	35	6	–	12	13	8	134	18	56	14	9	–	34
255	9	2	71	21	9	15	10	5	17	5	–	5	6	4	78	3	28	7	5	–	35
26	–	–	7	–	–	2	–	–	2	–	–	1	3	2	7	3	3	–	–	–	36
214	16	–	66	11	8	9	1	1	16	1	–	6	4	2	49	12	25	7	4	–	37
63	2	–	13	2	–	4	4	–	4	–	–	–	2	–	14	4	7	2	1	–	38
108	20	–	30	–	2	13	2	1	2	1	1	1	6	2	36	4	14	5	4	–	39
25	6	–	10	–	2	3	2	1	–	–	–	–	1	–	11	3	6	2	2	–	40
110	7	1	41	2	4	8	4	–	–	1	–	4	4	–	24	9	10	5	2	3	41
48	8	–	9	–	3	3	3	2	–	–	–	2	1	1	15	9	10	1	1	–	42
22	3	–	11	–	2	5	–	–	–	2	–	–	1	–	7	10	4	–	2	–	43
31	7	–	5	1	1	3	–	–	–	1	–	2	1	–	4	7	7	1	2	–	44
89	9	1	21	–	1	2	5	–	3	3	–	3	6	1	22	8	11	2	4	1	45
63	2	–	15	1	1	3	3	1	1	1	–	1	4	–	8	6	2	1	–	–	46
68	9	–	16	3	2	16	1	2	1	1	–	2	–	–	13	15	6	3	2	1	47
37	7	2	17	1	2	8	1	–	–	2	–	1	1	–	11	5	3	–	2	–	48
67	11	1	43	3	2	13	5	–	1	2	–	2	–	15	20	4	4	2	2	–	49
33	1	–	4	–	3	2	–	–	–	1	–	–	1	1	1	1	2	1	–	1	50
228	39	1	108	12	9	18	5	3	8	4	–	3	7	2	44	12	10	13	3	1	51
163	28	1	80	6	5	14	4	3	7	4	–	–	5	2	32	4	8	9	1	–	52
65	11	–	28	6	4	4	1	–	1	–	–	3	2	–	12	8	2	4	2	1	53
40	22	–	20	–	2	6	3	–	3	1	–	–	3	1	16	8	7	1	4	2	54
27	25	–	16	–	–	2	1	–	1	–	–	–	1	1	10	6	5	1	–	–	55
127	12	1	32	6	6	15	5	2	4	2	–	1	5	4	28	9	10	3	4	–	56
58	5	–	12	3	2	4	–	2	1	–	–	–	–	1	12	2	6	1	1	–	57
69	7	1	20	3	4	11	5	–	3	2	–	1	5	3	16	7	4	2	3	–	58
23	5	–	11	–	1	1	1	–	1	–	–	–	–	1	8	7	8	–	2	–	59
70	–	1	12	1	2	3	–	–	5	–	–	2	5	3	5	8	8	1	3	2	60
105	7	–	18	2	1	4	2	2	1	–	–	2	1	1	16	13	4	2	1	–	61
23	3	–	5	–	–	2	1	–	–	1	–	–	3	4	9	6	3	1	–	–	62
105	3	–	22	–	6	4	7	–	2	2	–	1	1	1	20	6	2	1	1	–	63
33	3	–	15	1	–	2	2	–	–	–	–	1	4	3	9	4	–	1	–	–	64
6	3	–	8	2	–	2	2	1	1	–	–	–	–	1	5	2	1	–	–	–	65
72	7	–	18	4	5	4	–	1	3	1	–	–	4	1	14	5	6	3	2	–	66
31	6	–	12	2	–	3	1	–	1	–	–	–	3	1	8	2	2	2	–	–	67
38	12	1	14	3	3	3	2	1	2	–	–	1	1	1	12	2	6	–	–	–	68
54	4	–	19	4	2	5	2	–	1	–	1	1	–	3	10	5	6	–	2	–	69
33	6	–	13	2	2	2	–	1	–	1	–	–	3	1	8	4	4	1	1	1	70
97	29	–	48	7	1	7	4	1	–	1	–	6	3	2	35	13	12	3	2	–	71
67	9	1	21	3	2	13	2	2	1	1	–	2	5	4	15	4	8	3	3	–	72
24	1	–	13	4	–	2	1	–	–	1	–	2	1	1	7	–	3	1	1	–	73
75	10	1	19	2	2	17	3	3	2	–	–	2	3	1	23	12	9	2	1	–	74
55	2	1	14	2	3	5	–	1	–	1	–	–	2	2	10	9	6	2	1	1	75
43	–	–	13	2	1	1	–	–	–	–	–	–	–	1	7	5	6	2	–	–	76
18	1	–	7	4	2	1	–	–	1	–	–	–	–	4	5	1	1	–	–	–	77
47	11	–	12	3	2	3	1	–	–	1	–	–	3	–	12	3	4	2	–	1	78
127	13	–	15	1	–	4	2	–	5	–	–	3	4	3	17	12	17	4	8	2	79
207	34	1	69	6	13	13	9	3	3	4	–	2	16	4	48	13	23	10	7	5	80
23	3	–	5	–	2	2	2	–	–	–	–	1	1	1	9	–	2	–	2	–	81
133	6	–	68	3	3	7	4	1	2	2	–	5	10	3	33	10	14	3	2	3	82
37	3	–	22	1	2	1	–	–	–	1	–	1	2	1	7	4	3	1	–	–	83
96	3	–	46	2	1	6	4	1	2	1	–	4	8	2	26	6	11	2	2	3	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Robertson	27	–	–	1	6	1	1	–	3	–	1	–	1	12	10	–	–
02	Rockcastle	137	2	–	–	26	5	12	–	5	1	–	3	2	75	61	1	–
03	Rowan	133	2	–	2	26	9	6	2	1	1	–	7	4	68	48	–	–
04	Russell	143	–	–	–	34	12	5	1	3	2	4	7	–	69	53	1	–
05	Scott	191	1	–	1	36	10	7	3	6	2	1	7	6	93	67	1	1
06	Shelby	238	–	–	1	42	7	14	1	5	4	–	11	4	141	88	–	–
07	Simpson	160	1	–	–	27	8	5	3	4	2	–	5	–	86	70	1	7
08	Spencer	52	–	–	1	9	1	2	1	–	1	–	4	3	21	14	–	–
09	Taylor	189	–	–	–	30	9	6	1	6	1	2	5	4	94	74	–	1
10	Todd	142	–	–	2	23	8	4	–	2	2	–	7	2	79	62	–	–
11	Trigg	123	1	–	1	19	5	8	–	1	–	1	4	1	63	52	–	–
12	Trimble	50	–	–	–	9	3	3	–	–	1	–	2	–	28	15	1	–
13	Union	173	–	–	1	36	13	7	3	3	–	2	8	4	94	62	1	–
14	Warren	534	2	–	4	98	23	24	8	10	6	3	24	4	295	182	1	2
15	Bowling Green	326	1	–	3	53	7	15	4	6	4	2	15	2	187	114	–	2
16	Balance of county	208	1	–	1	45	16	9	4	4	2	1	9	2	108	68	1	–
17	Washington	112	–	–	1	17	5	2	3	2	1	1	3	4	71	51	–	–
18	Wayne	153	–	–	–	22	2	8	–	4	2	1	5	4	96	74	–	11
19	Webster	193	1	–	–	36	10	11	3	5	2	–	5	2	97	78	1	1
20	Whitley	319	2	–	1	58	13	15	1	10	4	4	11	6	169	137	–	–
21	Wolfe	71	–	–	–	14	2	2	1	2	2	2	3	1	36	29	–	–
22	Woodford	123	–	–	1	31	10	4	3	4	2	1	7	1	64	49	–	–
23	**Louisiana**	**34,693**	**88**	**6**	**379**	**6,568**	**1,543**	**1,773**	**505**	**671**	**271**	**258**	**1,547**	**757**	**16,957**	**12,470**	**122**	**184**
24	Urban places	16,964	59	2	203	3,295	802	857	283	331	133	105	784	411	8,166	6,114	62	95
25	Balance of area	17,729	29	4	176	3,273	741	916	222	340	138	153	763	346	8,791	6,356	60	89
26	Metropolitan parishes	18,499	61	1	209	3,688	868	996	316	333	167	125	883	439	8,804	6,698	71	98
27	Urban places	13,677	51	1	168	2,704	654	706	232	260	115	83	654	352	6,510	4,975	52	79
28	Balance of area	4,822	10	–	41	984	214	290	84	73	52	42	229	87	2,294	1,723	19	19
29	Nonmetropolitan parishes	16,194	27	5	170	2,880	675	777	189	338	104	133	664	318	8,153	5,772	51	86
30	Urban places	3,287	8	1	35	591	148	151	51	71	18	22	130	59	1,656	1,139	10	16
31	Balance of area	12,907	19	4	135	2,289	527	626	138	267	86	111	534	259	6,497	4,633	41	70
32	Acadia	476	–	–	6	73	22	26	3	5	3	1	13	10	257	172	–	–
33	Crowley	163	–	–	2	21	8	8	–	2	1	–	2	4	91	56	–	–
34	Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Balance of parish	313	–	–	4	52	14	18	3	3	2	1	11	6	166	116	–	–
36	Allen	246	–	–	4	44	9	8	5	5	1	1	15	6	124	89	1	–
37	Ascension	283	1	–	2	46	11	10	4	8	1	–	12	5	144	112	1	3
38	Assumption	169	–	–	–	37	8	14	1	6	1	1	6	–	81	63	–	2
39	Avoyelles	457	–	–	6	87	26	16	6	10	4	8	17	13	227	166	–	–
40	Beauregard	266	–	–	1	48	5	23	4	3	1	1	11	7	143	87	–	1
41	Bienville	212	1	–	1	36	15	9	1	1	–	1	9	5	109	71	2	2
42	Bossier	469	2	–	5	98	26	23	9	12	7	5	16	7	220	155	2	2
43	Bossier City	244	1	–	3	54	16	13	7	4	5	2	7	2	110	79	–	–
44	Shreveport, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of parish	224	1	–	2	44	10	10	2	8	2	3	9	5	110	76	2	2
46	Caddo	2,378	7	–	37	464	111	127	38	59	20	11	98	68	1,104	815	8	18
47	Shreveport, part	2,009	6	–	32	398	95	113	32	50	16	7	85	53	930	685	7	14
48	Shreveport, total	2,010	6	–	32	398	95	113	32	50	16	7	85	53	930	685	7	14
49	Balance of parish	369	1	–	5	66	16	14	6	9	4	4	13	15	174	130	1	4
50	Calcasieu	1,250	2	–	11	235	57	76	19	14	14	12	43	31	615	407	6	8
51	Lake Charles	697	2	–	8	127	30	40	12	6	8	7	24	23	352	222	5	5
52	Sulphur	133	–	–	1	32	8	13	2	–	2	–	7	2	67	52	–	1
53	Balance of parish	420	–	–	2	76	19	23	5	8	4	5	12	6	196	133	1	2
54	Caldwell	124	–	–	–	16	5	5	2	–	–	1	3	3	67	50	1	4
55	Cameron	57	–	–	1	6	1	2	–	2	–	–	1	1	28	25	–	–
56	Catahoula	139	–	–	–	29	8	9	2	2	–	1	7	–	70	39	–	–
57	Claiborne	252	–	–	3	38	11	7	1	3	3	3	10	2	139	105	–	1
58	Concordia	193	1	–	1	33	2	12	3	5	2	1	8	4	97	66	–	–
59	De Soto	289	–	–	3	39	11	9	3	10	–	2	4	6	168	97	1	1
60	East Baton Rouge	2,268	6	–	23	450	117	115	39	45	18	14	102	25	1,176	939	12	7
61	Baton Rouge	1,792	5	–	19	348	97	85	30	37	9	8	82	18	952	756	10	5
62	Balance of parish	476	1	–	4	102	20	30	9	8	9	6	20	7	224	183	2	2
63	East Carroll	131	1	–	1	21	4	3	2	3	4	1	4	4	62	33	–	–
64	East Feliciana	190	–	–	5	25	6	7	1	4	1	2	4	5	107	82	1	–
65	Evangeline	367	–	–	7	67	14	23	3	5	2	4	16	9	184	138	–	1
66	Franklin	214	2	–	–	48	14	13	1	7	1	2	10	8	107	77	–	–
67	Grant	166	–	–	1	32	7	10	–	7	–	1	7	2	93	66	–	1
68	Iberia	516	–	–	8	111	31	32	8	9	3	6	22	8	238	167	4	3
69	New Iberia	302	–	–	6	60	19	14	5	6	1	1	14	6	132	87	2	1
70	Balance of parish	214	–	–	2	51	12	18	3	3	2	5	8	2	106	80	2	2
71	Iberville	308	–	–	–	63	17	12	3	10	1	1	19	7	158	121	1	18
72	Jackson	192	–	–	4	27	2	13	2	2	–	1	7	6	104	51	2	–
73	Jefferson	2,712	6	–	28	574	115	158	56	31	29	23	162	66	1,264	952	9	11
74	Gretna	328	1	–	3	84	20	23	7	4	2	1	27	11	133	104	–	1
75	Harahan	93	–	–	1	16	2	5	2	1	2	1	3	1	51	36	–	–
76	Kenner	245	–	–	3	49	8	12	3	4	2	2	18	11	99	74	1	2
77	Westwego	119	–	–	–	18	2	6	2	–	1	–	7	6	59	45	–	–
78	Balance of parish	1,927	5	–	21	407	83	112	42	22	22	19	107	37	922	693	8	8
79	Jefferson Davis	284	–	–	2	56	15	9	5	8	5	3	11	8	140	95	1	1
80	Jennings	118	–	–	1	22	3	3	2	4	2	2	6	–	52	38	–	1
81	Balance of parish	166	–	–	1	34	12	6	3	4	3	1	5	8	88	57	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
10	–	–	2	–	–	1	–	–	–	–	–	–	–	1	2	–	2	1	–	–	01
43	17	1	10	1	2	2	5	2	1	1	–	–	1	–	12	3	2	–	2	1	02
36	12	–	15	3	2	4	2	–	1	–	–	2	–	1	12	4	2	–	3	–	03
44	8	–	13	2	1	3	4	1	3	1	–	1	–	–	13	10	3	–	1	–	04
61	4	–	19	5	2	4	2	–	2	–	–	1	4	2	21	1	15	2	–	–	05
86	2	1	42	7	3	9	1	–	2	–	–	3	1	–	19	3	4	5	3	–	06
54	8	–	15	1	–	13	2	–	2	–	–	–	1	2	16	5	4	1	–	–	07
14	–	–	5	2	–	4	1	–	–	–	–	–	1	1	6	1	2	1	1	–	08
66	7	1	18	–	1	11	1	–	1	2	–	–	2	2	23	7	7	4	–	1	09
57	5	–	13	2	2	4	–	2	1	–	–	–	–	–	12	7	4	4	2	–	10
45	7	–	8	2	1	4	–	–	–	1	–	–	1	–	19	3	6	1	2	1	11
13	1	–	9	3	1	1	–	–	–	–	1	–	2	1	3	5	–	–	–	–	12
59	2	1	23	3	5	1	2	–	4	–	–	–	3	2	13	4	7	2	–	–	13
154	25	2	87	16	8	12	7	3	4	2	–	2	9	4	39	14	24	8	2	1	14
99	13	1	59	11	2	9	3	2	3	1	–	2	6	2	25	7	13	5	2	–	15
55	12	1	28	5	6	3	4	1	1	1	–	–	3	2	14	7	11	3	–	1	16
48	3	–	16	1	3	2	1	–	–	1	–	–	–	2	8	2	1	1	1	–	17
54	9	–	18	3	1	2	–	–	–	–	–	–	1	1	15	2	7	2	1	–	18
68	8	1	14	3	1	10	–	–	1	–	–	1	–	–	18	18	2	6	1	–	19
98	39	–	26	4	2	10	6	–	1	3	–	–	6	1	22	8	18	4	3	1	20
28	1	–	6	–	1	3	1	1	–	–	–	1	–	1	6	1	3	1	2	–	21
48	1	–	11	2	2	3	1	–	1	–	–	1	1	1	10	2	5	1	–	–	22
10,773	**1,391**	**75**	**3,438**	**596**	**378**	**846**	**358**	**83**	**403**	**227**	**9**	**294**	**703**	**403**	**3,048**	**1,069**	**1,349**	**493**	**631**	**22**	**23**
5,235	722	34	1,597	254	167	406	170	47	225	124	3	134	369	190	1,599	371	584	211	383	12	24
5,538	669	41	1,841	342	211	440	188	36	178	103	6	160	334	213	1,449	698	765	282	248	10	25
5,748	781	34	1,641	237	194	411	192	44	274	133	3	160	399	213	1,675	472	635	269	405	12	26
4,238	606	27	1,209	161	138	305	137	37	204	104	2	109	303	162	1,292	289	444	171	323	9	27
1,510	175	7	432	76	56	106	55	7	70	29	1	51	96	51	383	183	191	98	82	3	28
5,025	610	41	1,797	359	184	435	166	39	129	94	6	134	304	190	1,373	597	714	224	226	10	29
997	116	7	388	93	29	101	33	10	21	20	1	25	66	28	307	82	140	40	60	3	30
4,028	494	34	1,409	266	155	334	133	29	108	74	5	109	238	162	1,066	515	574	184	166	7	31
153	19	1	54	24	6	15	5	–	4	5	1	7	10	1	39	15	15	9	4	–	32
48	8	–	19	15	1	6	1	–	1	1	–	2	4	–	18	5	4	2	1	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
105	11	1	35	9	5	9	4	–	3	4	1	5	6	1	21	10	11	7	3	–	35
81	7	–	29	2	4	4	5	–	–	1	–	3	2	1	25	11	7	6	3	–	36
93	15	1	25	3	3	5	3	1	4	1	–	3	1	–	32	17	10	4	4	–	37
56	5	–	13	2	3	2	4	1	1	–	–	2	4	2	16	8	8	1	2	–	38
141	25	1	40	12	8	7	8	1	4	2	–	4	6	2	47	12	19	7	5	–	39
81	5	–	50	3	3	5	2	2	2	–	–	1	–	4	25	12	8	3	3	–	40
49	18	1	28	5	4	9	4	1	–	1	–	1	5	5	19	5	5	3	2	–	41
122	29	1	43	14	7	11	3	–	6	2	–	3	6	7	40	18	25	7	8	1	42
64	15	–	23	4	4	6	2	–	4	1	–	2	4	3	22	10	11	4	5	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	44
58	14	1	20	10	3	5	1	–	2	1	–	1	2	4	18	8	14	3	2	1	45
699	90	4	250	11	24	72	21	4	29	17	–	11	46	11	263	72	76	23	52	1	46
583	81	3	213	10	19	53	17	4	26	16	–	9	40	9	231	53	67	18	46	1	47
583	81	3	213	10	19	53	17	4	26	16	–	9	40	9	231	53	67	18	47	1	48
116	9	1	37	1	5	19	4	–	3	1	–	2	6	2	32	19	9	5	6	–	49
344	49	3	151	34	20	25	25	2	13	11	–	16	35	12	106	28	31	25	26	1	50
183	29	2	92	25	11	14	11	2	5	4	–	7	18	6	57	12	15	16	17	1	51
47	4	–	14	–	1	3	4	–	2	1	–	2	1	–	13	3	1	–	1	–	52
114	16	1	45	9	8	8	10	–	6	6	–	7	16	6	36	13	15	9	8	–	53
45	–	1	11	3	2	2	1	1	5	2	–	2	–	3	8	4	7	–	3	–	54
24	1	–	2	1	–	3	2	–	1	–	–	–	–	–	4	6	5	–	–	–	55
36	3	–	26	4	1	4	–	–	–	1	–	1	3	1	18	2	8	1	1	–	56
100	4	–	30	2	2	5	2	–	–	6	–	–	4	1	29	5	15	1	2	–	57
57	9	–	29	2	–	6	–	1	5	2	–	1	7	–	13	9	8	2	3	–	58
75	20	–	54	10	7	8	1	–	5	1	–	1	7	2	19	4	15	–	9	1	59
871	49	2	187	20	28	30	12	6	25	16	–	30	35	13	174	65	89	36	53	4	60
704	37	1	152	18	25	20	11	5	20	10	–	19	32	10	142	40	68	30	40	3	61
167	12	1	35	2	3	10	1	1	5	6	–	11	3	3	32	25	21	6	13	1	62
31	2	–	16	11	2	4	1	–	2	2	–	1	1	3	15	2	5	3	3	–	63
70	11	1	17	2	5	7	–	–	–	–	–	3	1	–	17	4	7	6	3	–	64
120	17	2	32	7	5	10	2	–	3	1	1	3	8	1	33	13	12	11	2	–	65
70	7	1	24	2	3	9	3	–	2	2	–	1	4	4	12	1	9	–	2	–	66
53	12	1	22	2	2	4	3	1	–	1	–	–	4	–	16	2	5	–	2	–	67
139	21	–	50	14	7	11	2	1	4	1	–	5	16	6	49	19	28	4	5	–	68
71	13	–	31	9	5	7	–	1	2	–	–	3	11	4	34	14	15	3	4	–	69
68	8	–	19	5	2	4	2	–	2	1	–	2	5	2	15	5	13	1	1	–	70
98	4	–	29	6	2	3	2	1	5	4	–	5	4	6	24	14	8	3	1	–	71
44	5	1	47	3	2	7	2	1	3	–	–	1	3	1	14	4	7	3	5	–	72
858	74	1	241	44	26	47	30	8	44	11	1	19	55	25	224	85	119	50	53	3	73
92	11	–	23	4	2	8	2	2	6	–	–	1	7	3	32	9	15	4	7	–	74
34	2	–	13	1	1	1	1	–	2	–	–	1	–	2	10	2	4	1	–	–	75
67	4	–	22	1	2	3	4	1	3	–	–	3	7	4	21	15	8	5	8	1	76
44	1	–	9	5	–	3	–	1	2	1	–	1	2	2	11	1	9	1	1	1	77
621	56	1	174	33	21	32	23	4	31	10	1	13	39	14	150	58	83	39	37	1	78
79	14	–	30	14	1	9	8	2	3	1	–	1	3	9	25	6	6	4	1	–	79
31	6	–	11	3	–	5	4	–	2	1	–	–	1	6	15	1	4	3	1	–	80
48	8	–	19	11	1	4	4	2	1	–	–	1	2	3	10	5	2	1	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Louisiana—Con.																	
01	Lafayette	837	–	–	10	181	34	58	13	14	7	11	44	8	368	266	3	6
02	Lafayette	582	–	–	7	128	24	37	10	9	5	10	33	8	256	185	2	6
03	Balance of parish	255	–	–	3	53	10	21	3	5	2	1	11	–	112	81	1	–
04	Lafourche	502	–	–	3	91	21	22	11	12	3	4	18	12	236	177	1	3
05	Thibodaux	118	–	–	–	24	7	4	4	1	–	1	7	3	57	39	–	–
06	Balance of parish	384	–	–	3	67	14	18	7	11	3	3	11	9	179	138	1	3
07	La Salle	164	–	–	2	34	9	10	2	4	1	3	5	1	83	60	–	4
08	Lincoln	291	–	1	3	57	10	12	3	8	–	2	22	3	142	90	–	–
09	Ruston	136	–	1	1	28	5	7	2	4	–	–	10	–	69	42	–	–
10	Balance of parish	155	–	–	2	29	5	5	1	4	–	2	12	3	73	48	–	–
11	Livingston	340	–	–	3	57	13	15	3	9	4	2	11	4	157	116	–	–
12	Madison	188	1	–	2	35	7	9	3	4	2	3	7	1	96	70	–	–
13	Morehouse	346	2	–	2	65	14	18	6	11	4	2	10	4	186	110	2	10
14	Bastrop	212	1	–	1	39	10	6	5	7	2	1	8	2	121	72	2	4
15	Balance of parish	134	1	–	1	26	4	12	1	4	2	1	2	2	65	38	–	6
16	Natchitoches	395	1	–	3	64	14	15	4	10	3	5	13	7	223	142	–	1
17	Natchitoches	145	1	–	1	21	5	5	4	2	1	–	4	1	92	58	–	1
18	Balance of parish	250	–	–	2	43	9	10	–	8	2	5	9	6	131	84	–	–
19	Orleans, coext. with New Orleans city	6,423	30	–	83	1,271	317	317	113	121	51	40	312	197	3,032	2,375	26	40
20	Ouachita	1,109	7	1	7	193	32	54	15	26	8	6	52	20	515	389	–	4
21	Monroe	635	4	1	7	112	15	23	10	20	5	5	34	16	284	226	–	4
22	West Monroe	218	2	–	–	36	7	14	1	3	2	–	9	2	116	83	–	–
23	Balance of parish	256	1	–	–	45	10	17	4	3	1	1	9	2	115	80	–	–
24	Plaquemines	179	–	–	3	37	5	13	3	2	2	3	9	4	76	65	1	–
25	Pointe Coupee	217	–	–	5	41	8	9	1	5	–	1	17	2	118	89	1	1
26	Rapides	1,205	5	1	8	186	37	52	14	23	4	11	45	23	636	446	9	3
27	Alexandria	596	5	–	5	85	21	23	7	13	1	4	16	12	310	222	3	1
28	Balance of parish	609	–	1	3	101	16	29	7	10	3	7	29	11	326	224	6	2
29	Red River	124	–	–	1	24	10	–	3	2	–	2	7	4	62	43	–	–
30	Richland	257	1	–	3	40	9	7	2	6	4	1	11	6	129	96	–	–
31	Sabine	261	–	–	2	40	9	11	2	1	–	2	15	2	130	96	1	3
32	St. Bernard	404	–	–	–	92	21	29	9	7	3	2	21	6	206	171	1	–
33	St. Charles	226	–	–	7	39	10	17	3	–	3	2	4	2	102	79	1	–
34	St. Helena	93	–	–	–	6	1	3	–	–	–	–	2	10	42	38	–	1
35	St. James	164	2	–	4	34	9	7	2	3	2	2	9	3	75	55	–	–
36	St. John the Baptist	187	1	–	3	36	7	3	4	4	2	2	14	7	78	55	1	1
37	St. Landry	755	–	–	8	159	45	42	7	17	5	5	38	20	370	285	3	4
38	Eunice, part	113	–	–	1	25	7	9	2	2	1	–	4	4	53	44	–	1
39	Eunice, total	113	–	–	1	25	7	9	2	2	1	–	4	4	53	44	–	1
40	Opelousas	201	–	–	2	46	11	13	3	4	1	1	13	7	89	64	–	–
41	Balance of parish	441	–	–	5	88	27	20	2	11	3	4	21	9	228	177	3	3
42	St. Martin	300	1	–	4	61	18	22	3	5	–	1	12	4	143	107	1	1
43	St. Mary	492	–	1	3	99	24	33	4	8	4	4	22	14	244	174	–	1
44	Morgan City	139	–	–	3	23	9	5	–	3	1	–	5	5	73	51	–	1
45	Balance of parish	353	–	1	–	76	15	28	4	5	3	4	17	9	171	123	–	–
46	St. Tammany	649	1	–	5	130	38	39	5	4	10	1	33	11	304	229	4	2
47	Slidell	158	–	–	1	31	13	5	1	1	5	–	6	2	69	53	1	1
48	Balance of parish	491	1	–	4	99	25	34	4	3	5	1	27	9	235	176	3	1
49	Tangipahoa	783	3	–	11	121	16	28	8	17	3	8	41	8	423	293	3	4
50	Hammond	145	1	–	3	25	3	8	2	2	–	2	8	1	78	52	–	–
51	Balance of parish	638	2	–	8	96	13	20	6	15	3	6	33	7	345	241	3	4
52	Tensas	102	–	–	3	22	3	8	1	3	–	–	7	–	62	45	–	–
53	Terrebonne	632	1	–	9	104	29	29	10	9	3	6	18	12	304	201	–	2
54	Houma	354	–	–	7	60	16	18	6	4	2	3	11	5	168	108	–	2
55	Balance of parish	278	1	–	2	44	13	11	4	5	1	3	7	7	136	93	–	–
56	Union	194	1	–	2	43	8	9	2	6	2	4	12	4	102	75	1	–
57	Vermilion	428	–	–	4	89	19	19	9	11	6	7	18	9	190	143	1	2
58	Abbeville	134	–	–	2	27	6	7	2	4	–	2	6	2	60	43	–	–
59	Balance of parish	294	–	–	2	62	13	12	7	7	6	5	12	7	130	100	1	2
60	Vernon	316	–	–	4	34	11	10	1	7	1	1	3	8	136	95	1	–
61	Washington	445	1	–	2	80	17	29	4	12	3	1	14	7	229	179	4	3
62	Bogalusa	230	–	–	–	42	12	11	2	7	2	1	7	3	121	97	2	2
63	Balance of parish	215	1	–	2	38	5	18	2	5	1	–	7	4	108	82	2	1
64	Webster	472	1	1	3	94	18	25	9	10	3	5	24	11	237	164	3	2
65	Minden	181	–	–	–	43	6	10	5	6	3	4	9	4	90	66	1	2
66	Balance of parish	291	1	1	3	51	12	15	4	4	–	1	15	7	147	98	2	–
67	West Baton Rouge	163	–	–	3	33	10	9	2	4	1	1	6	2	76	52	–	2
68	West Carroll	148	–	–	1	25	5	6	2	2	3	–	7	2	75	55	1	–
69	West Feliciana	64	–	–	2	8	3	2	–	–	1	–	2	–	29	26	–	–
70	Winn	230	–	1	1	40	12	11	1	8	2	1	5	3	115	79	1	–
71	**Maine**	**10,069**	**9**	**–**	**57**	**2,178**	**595**	**516**	**181**	**275**	**130**	**61**	**420**	**146**	**5,339**	**4,023**	**84**	**65**
72	Urban places	3,149	2	–	24	720	185	177	66	90	50	14	138	45	1,678	1,275	29	20
73	Balance of area	6,920	7	–	33	1,458	410	339	115	185	80	47	282	101	3,661	2,748	55	45
74	Metropolitan counties	1,939	1	–	9	460	119	115	43	59	20	14	90	24	1,010	766	20	12
75	Urban places	1,106	–	–	6	268	69	65	26	35	12	5	56	13	602	462	10	7
76	Balance of area	833	1	–	3	192	50	50	17	24	8	9	34	11	408	304	10	5
77	Nonmetropolitan counties	8,130	8	–	48	1,718	476	401	138	216	110	47	330	122	4,329	3,257	64	53
78	Urban places	2,043	2	–	18	452	116	112	40	55	38	9	82	32	1,076	813	19	13
79	Balance of area	6,087	6	–	30	1,266	360	289	98	161	72	38	248	90	3,253	2,444	45	40

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
213	44	1	67	29	5	24	8	4	4	2	–	12	32	5	75	31	38	21	13	1	01
145	32	1	45	21	4	18	6	2	3	2	–	8	20	4	55	20	24	11	9	1	02
68	12	–	22	8	1	6	2	2	1	–	–	4	12	1	20	11	14	10	4	–	03
159	14	–	37	17	5	10	6	1	6	4	–	2	11	6	35	30	24	8	16	1	04
37	2	–	9	7	2	1	–	–	1	–	–	1	2	–	13	3	6	4	3	–	05
122	12	–	28	10	3	9	6	1	5	4	–	1	9	6	22	27	18	4	13	1	06
52	4	–	20	1	2	3	2	–	3	–	–	2	1	–	18	3	8	2	2	–	07
79	11	5	35	7	5	8	6	3	1	2	1	1	5	5	17	17	16	1	2	–	08
37	5	1	18	4	4	4	3	3	–	1	–	1	3	2	8	3	7	1	1	–	09
42	6	4	17	3	1	4	3	–	1	1	1	–	2	3	9	14	9	–	1	–	10
94	22	3	32	3	3	9	5	–	2	–	–	4	11	17	21	20	15	9	4	2	11
62	8	–	21	4	1	8	2	–	–	1	–	–	5	3	17	3	6	–	7	1	12
84	14	1	58	13	4	16	2	2	4	3	1	2	6	2	26	3	14	2	4	–	13
54	12	1	41	6	1	9	2	2	1	1	1	–	4	2	16	–	7	1	2	–	14
30	2	–	17	7	3	7	–	–	3	2	–	2	2	–	10	3	7	1	2	–	15
133	8	2	73	3	3	8	4	1	2	–	–	2	6	2	32	11	15	6	7	1	16
53	4	–	32	1	1	3	1	–	–	–	–	1	3	1	12	1	5	–	2	–	17
80	4	2	41	2	2	5	3	1	2	–	–	1	3	1	20	10	10	6	5	1	18
2,014	295	15	523	60	59	146	70	19	114	65	2	44	131	41	624	106	197	71	179	1	19
278	107	6	93	16	11	26	10	1	18	4	–	15	40	95	81	26	29	13	8	–	20
149	73	4	46	5	3	15	6	1	11	2	–	7	27	61	46	10	15	6	4	–	21
68	15	–	23	5	5	8	1	–	3	2	–	3	8	16	12	1	4	1	3	–	22
61	19	2	24	6	3	3	3	–	4	–	–	5	5	18	23	15	10	6	1	–	23
48	16	–	8	1	2	5	3	1	2	1	–	1	4	1	16	11	10	4	–	–	24
77	10	1	19	5	4	1	2	–	1	1	–	4	2	1	15	10	10	4	–	–	25
406	28	1	153	22	14	50	14	4	14	8	–	11	20	1	112	31	46	14	21	–	26
202	16	–	74	8	6	32	6	1	8	5	–	6	9	1	57	10	20	6	18	–	27
204	12	1	79	14	8	18	8	3	6	3	–	5	11	–	55	21	26	8	3	–	28
38	5	–	13	5	1	1	–	–	–	–	–	–	2	15	5	–	6	3	1	–	29
90	6	4	27	1	1	15	1	–	1	2	–	1	3	2	30	8	11	1	3	–	30
83	9	–	25	6	3	12	4	–	1	2	–	2	1	2	20	16	20	1	6	–	31
148	22	–	28	2	5	7	5	–	11	2	–	3	7	–	31	11	8	10	5	–	32
61	17	1	17	4	1	3	2	1	1	3	–	2	7	1	26	15	7	5	3	–	33
34	3	–	3	1	–	1	2	–	–	2	–	2	1	1	9	12	3	–	2	–	34
48	7	1	18	–	1	1	3	–	–	–	–	3	10	3	15	7	4	–	–	–	35
45	8	–	15	6	2	6	3	1	1	–	–	2	3	3	19	8	9	5	2	–	36
259	19	–	65	11	9	20	7	1	4	4	–	10	9	1	65	28	28	14	6	1	37
38	5	–	7	2	–	1	4	–	–	1	–	2	–	1	10	5	6	–	–	–	38
38	5	–	7	2	–	1	4	–	–	1	–	2	–	1	10	5	6	–	–	–	39
62	2	–	18	4	3	8	1	–	2	–	–	4	7	–	17	5	4	4	4	1	40
159	12	–	40	5	6	11	2	1	2	3	–	4	2	–	38	18	18	10	2	–	41
94	11	–	31	2	3	7	–	–	3	3	–	2	8	2	23	13	19	3	4	–	42
156	17	–	46	17	7	10	5	–	1	3	–	2	6	4	39	14	29	11	7	–	43
41	9	–	18	2	2	1	–	–	–	2	–	1	2	1	10	2	5	5	6	–	44
115	8	–	28	15	5	9	5	–	1	1	–	1	4	3	29	12	24	6	1	–	45
201	22	1	58	7	9	23	8	–	10	3	–	7	12	4	57	30	23	13	8	–	46
44	7	1	11	2	2	7	2	–	3	–	–	2	6	1	16	7	6	3	2	–	47
157	15	–	47	5	7	16	6	–	7	3	–	5	6	3	41	23	17	10	6	–	48
253	33	2	113	6	9	21	3	3	5	1	–	9	12	10	55	29	31	13	25	–	49
48	4	–	24	2	–	4	1	–	–	–	–	1	1	2	10	3	8	1	6	–	50
205	29	2	89	4	9	17	2	3	5	1	–	8	11	8	45	26	23	12	19	–	51
42	3	–	12	4	1	2	1	1	–	1	–	–	1	1	6	1	1	–	–	–	52
187	12	1	51	48	3	10	12	–	3	2	–	5	20	7	43	38	45	9	7	1	53
98	8	–	34	26	–	8	6	–	2	2	–	2	10	5	27	17	23	6	5	1	54
89	4	1	17	22	3	2	6	–	1	–	–	3	10	2	16	21	22	3	2	–	55
64	10	1	25	1	–	6	2	–	2	1	–	–	2	3	6	7	7	4	2	–	56
118	22	–	32	6	9	18	3	1	–	3	–	4	12	2	43	18	22	7	3	–	57
35	8	–	14	1	2	3	1	1	–	2	–	1	5	–	15	5	8	1	1	–	58
83	14	–	18	5	7	15	2	–	–	1	–	3	7	2	28	13	14	6	2	–	59
73	21	2	29	5	5	7	1	–	6	3	1	7	14	32	17	12	20	6	8	–	60
153	19	2	36	7	5	12	2	2	6	1	1	–	3	3	42	17	26	7	4	–	61
86	7	2	18	2	2	8	2	1	2	1	–	–	1	2	25	6	12	2	2	–	62
67	12	–	18	5	3	4	–	1	4	–	1	–	2	1	17	11	14	5	2	–	63
144	15	3	63	7	–	6	4	1	2	6	–	1	8	4	46	19	14	7	6	1	64
56	7	3	20	1	–	1	1	1	–	3	–	–	3	1	20	2	6	1	4	1	65
88	8	–	43	6	–	5	3	–	2	3	–	1	5	3	26	17	8	6	2	–	66
48	2	–	13	8	3	3	–	–	1	1	–	3	3	2	9	9	10	4	3	1	67
52	2	–	17	2	1	6	–	1	1	–	–	1	4	–	15	5	10	1	1	–	68
26	–	–	2	–	1	3	–	–	–	1	–	1	3	–	13	2	2	–	–	–	69
68	10	–	30	2	4	8	5	1	3	1	–	2	8	2	19	5	9	2	5	–	70
3,641	233	18	944	172	182	272	131	25	158	34	1	64	58	72	908	191	251	140	27	8	71
1,167	59	3	294	52	54	90	39	7	59	7	1	16	19	21	283	33	56	38	9	2	72
2,474	174	15	650	120	128	182	92	18	99	27	–	48	39	51	625	158	195	102	18	6	73
696	38	1	181	29	33	66	20	1	26	9	–	11	6	14	186	25	41	22	8	–	74
422	23	–	105	17	18	33	9	1	16	3	–	5	4	7	98	6	20	10	5	–	75
274	15	1	76	12	15	33	11	–	10	6	–	6	2	7	88	19	21	12	3	–	76
2,945	195	17	763	143	149	206	111	24	132	25	1	53	52	58	722	166	210	118	19	8	77
745	36	3	189	35	36	57	30	6	43	4	1	11	15	14	185	27	36	28	4	2	78
2,200	159	14	574	108	113	149	81	18	89	21	–	42	37	44	537	139	174	90	15	6	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maine—Con.																	
01	Androscoggin	871	1	–	8	182	48	44	21	23	15	4	27	16	498	402	8	3
02	Auburn	229	–	–	4	45	5	12	5	6	6	1	10	1	131	106	4	1
03	Lewiston	392	–	–	3	79	22	19	11	9	8	2	8	8	231	188	3	–
04	Balance of county	250	1	–	1	58	21	13	5	8	1	1	9	7	136	108	1	2
05	Aroostook	739	1	–	5	151	43	31	11	20	8	4	34	9	382	303	3	–
06	Caribou	88	–	–	–	16	4	4	1	1	2	–	4	2	50	45	–	–
07	Presque Isle	92	–	–	–	19	5	4	1	4	–	1	4	–	42	30	–	–
08	Balance of county	559	1	–	5	116	34	23	9	15	6	3	26	7	290	228	3	–
09	Cumberland	1,939	1	–	9	460	119	115	43	59	20	14	90	24	1,010	766	20	12
10	Portland	773	–	–	5	185	50	47	20	22	7	4	35	5	420	316	8	4
11	South Portland	206	–	–	–	50	11	10	4	7	4	1	13	4	117	98	1	3
12	Westbrook	127	–	–	1	33	8	8	2	6	1	–	8	4	65	48	1	–
13	Balance of county	833	1	–	3	192	50	50	17	24	8	9	34	11	408	304	10	5
14	Franklin	198	–	–	–	49	14	15	2	5	3	1	9	3	113	81	2	–
15	Hancock	422	–	–	2	88	21	20	8	12	7	3	17	5	224	171	5	2
16	Kennebec	936	–	–	5	202	48	46	15	28	15	8	42	22	467	355	9	2
17	Augusta	232	–	–	–	62	13	15	5	10	4	2	13	4	114	93	4	1
18	Waterville	183	–	–	4	34	8	6	4	4	2	1	9	1	97	60	–	–
19	Balance of county	521	–	–	1	106	27	25	6	14	9	5	20	17	256	202	5	1
20	Knox	355	–	–	1	75	25	18	7	6	7	1	11	5	183	125	1	7
21	Lincoln	282	1	–	–	64	16	14	7	16	5	1	5	1	162	127	1	–
22	Oxford	465	–	–	2	97	26	21	7	18	3	2	20	4	255	190	6	4
23	Penobscot	1,151	2	–	9	245	70	68	13	25	14	9	46	13	584	427	6	9
24	Bangor	343	1	–	3	87	19	26	7	9	6	2	18	3	161	106	–	3
25	Balance of county	808	1	–	6	158	51	42	6	16	8	7	28	10	423	321	6	6
26	Piscataquis	181	–	–	2	36	11	10	3	3	1	–	8	2	92	64	4	3
27	Sagadahoc	273	1	–	1	60	17	12	1	6	4	3	17	3	136	98	2	2
28	Somerset	412	1	–	2	82	14	22	7	9	4	2	24	3	221	151	4	3
29	Waldo	255	–	–	1	38	12	6	4	8	1	–	7	7	145	111	–	1
30	Washington	415	–	–	1	76	26	15	9	11	2	1	12	7	249	198	–	3
31	York	1,175	1	–	9	273	85	59	23	26	21	8	51	22	618	454	13	14
32	Biddeford	195	1	–	2	42	18	11	–	4	3	–	6	5	93	67	2	6
33	Saco	128	–	–	1	25	6	6	2	5	1	–	5	1	74	52	2	1
34	Sanford	161	–	–	1	43	16	9	4	3	6	–	5	7	83	66	4	1
35	Balance of county	691	–	–	5	163	45	33	17	14	11	8	35	9	368	269	5	6
36	**Maryland**	**32,225**	**70**	**2**	**294**	**7,336**	**1,916**	**1,854**	**685**	**819**	**298**	**252**	**1,512**	**624**	**15,775**	**12,458**	**232**	**138**
37	Urban places	12,995	33	1	143	2,930	778	751	255	322	113	97	614	265	6,192	4,947	97	55
38	Balance of area	19,230	37	1	151	4,406	1,138	1,103	430	497	185	155	898	359	9,583	7,511	135	83
39	Metropolitan counties	25,713	56	2	253	5,968	1,573	1,480	553	642	245	206	1,269	516	12,292	9,830	186	104
40	Urban places	11,377	32	1	131	2,575	673	663	219	277	105	86	552	243	5,324	4,283	86	50
41	Balance of area	14,336	24	1	122	3,393	900	817	334	365	140	120	717	273	6,968	5,547	100	54
42	Nonmetropolitan counties	6,512	14	–	41	1,368	343	374	132	177	53	46	243	108	3,483	2,628	46	34
43	Urban places	1,618	1	–	12	355	105	88	36	45	8	11	62	22	868	664	11	5
44	Balance of area	4,894	13	–	29	1,013	238	286	96	132	45	35	181	86	2,615	1,964	35	29
45	Allegany	960	1	–	7	193	53	48	27	23	8	6	28	6	581	492	3	4
46	Cumberland	424	–	–	3	89	29	20	12	10	3	2	13	3	255	215	1	1
47	Balance of county	536	1	–	4	104	24	28	15	13	5	4	15	3	326	277	2	3
48	Anne Arundel	2,064	3	–	24	498	125	133	39	51	29	12	109	46	959	705	13	3
49	Annapolis	279	–	–	5	71	16	19	7	9	3	2	15	3	141	95	2	–
50	Balance of county	1,785	3	–	19	427	109	114	32	42	26	10	94	43	818	610	11	3
51	Baltimore	5,033	11	1	42	1,212	337	292	112	144	52	37	238	117	2,560	2,117	39	12
52	Baltimore city	9,501	30	1	117	2,117	559	554	175	230	80	70	449	205	4,451	3,627	70	40
53	Calvert	262	2	–	3	51	10	15	2	2	5	4	13	5	123	70	1	1
54	Caroline	265	1	–	–	58	16	11	7	7	–	3	14	6	144	114	2	1
55	Carroll	621	–	–	3	146	51	23	18	21	9	7	17	15	311	239	2	1
56	Cecil	441	–	–	3	88	27	23	4	12	2	3	17	9	229	186	3	7
57	Charles	369	1	–	5	73	18	26	12	4	2	–	11	9	162	132	2	4
58	Dorchester	365	1	–	1	86	27	18	7	11	5	1	17	3	191	158	1	2
59	Cambridge	126	–	–	1	31	13	9	1	3	1	1	3	–	61	54	1	–
60	Balance of county	239	1	–	–	55	14	9	6	8	4	–	14	3	130	104	–	2
61	Frederick	824	1	–	9	173	44	49	12	25	7	5	31	20	441	339	11	3
62	Frederick	279	–	–	4	62	17	15	5	10	–	3	12	6	144	108	4	–
63	Balance of county	545	1	–	5	111	27	34	7	15	7	2	19	14	297	231	7	3
64	Garrett	260	–	–	2	44	10	8	4	8	1	3	10	5	158	114	2	1
65	Harford	801	1	–	2	181	42	41	13	21	8	9	47	11	410	348	5	–
66	Aberdeen	94	–	–	–	24	4	3	1	5	3	1	7	2	39	32	–	–
67	Balance of county	707	1	–	2	157	38	38	12	16	5	8	40	9	371	316	5	–
68	Howard	455	–	–	6	86	19	20	6	15	1	2	23	5	227	187	5	–
69	Kent	197	–	–	1	39	10	11	2	8	1	1	6	3	101	86	2	–
70	Montgomery	3,402	5	–	25	853	213	189	108	78	38	30	197	37	1,645	1,239	27	24
71	Rockville	423	1	–	2	112	30	27	14	9	10	3	19	10	192	140	5	3
72	Takoma Park, part	134	–	–	–	30	7	7	5	2	1	–	8	3	65	54	2	1
73	Takoma Park, total	182	–	–	–	37	10	7	6	3	1	1	9	3	90	73	2	2
74	Balance of county	2,845	4	–	23	711	176	155	89	67	27	27	170	24	1,388	1,045	20	20
75	Prince Georges	3,395	6	–	31	787	200	205	78	70	26	36	172	71	1,500	1,182	22	17
76	Bowie	116	–	–	1	33	7	7	2	4	2	2	9	3	46	38	–	–
77	College Park	98	–	–	–	22	9	4	3	1	–	1	4	2	49	40	1	1
78	Greenbelt	73	–	–	–	17	5	5	1	3	–	–	3	–	32	26	–	–
79	Hyattsville	425	–	–	5	98	23	25	8	9	5	5	23	10	202	153	3	3
80	Laurel	137	1	–	–	33	9	8	2	2	1	1	10	5	60	41	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
383	8	1	73	8	14	17	18	3	11	2	–	5	4	5	63	12	8	16	2	–	01
100	1	–	23	–	2	4	6	–	3	1	–	3	2	3	20	1	2	3	–	–	02
181	4	–	32	5	6	7	9	1	5	1	–	1	1	1	25	8	3	9	–	–	03
102	3	1	18	3	6	6	3	2	3	–	–	1	1	1	18	3	3	4	2	–	04
286	14	1	59	5	14	12	12	3	19	2	–	4	4	3	62	27	29	11	2	1	05
43	2	–	3	–	2	1	1	2	3	–	–	–	1	–	5	1	4	1	1	–	06
29	1	–	7	2	3	2	2	–	4	–	–	–	–	1	8	6	6	2	–	–	07
214	11	1	49	3	9	9	9	1	12	2	–	4	3	2	49	20	19	8	1	1	08
696	38	1	181	29	33	66	20	1	26	9	–	11	6	14	186	25	41	22	8	–	09
292	12	–	82	13	9	25	4	1	11	2	–	2	3	5	76	5	13	7	4	–	10
88	6	–	14	2	3	2	4	–	3	–	–	2	1	1	14	1	4	2	1	–	11
42	5	–	9	2	6	6	1	–	2	1	–	1	–	1	8	–	3	1	–	–	12
274	15	1	76	12	15	33	11	–	10	6	–	6	2	7	88	19	21	12	3	–	13
76	3	1	19	6	6	5	3	–	3	–	–	–	1	1	10	5	4	–	–	1	14
159	5	–	40	8	5	8	6	–	8	3	–	2	1	1	42	12	10	9	1	–	15
321	23	2	85	11	14	29	17	4	17	2	–	6	7	14	86	15	21	18	2	2	16
84	4	1	16	–	4	8	5	–	3	–	–	1	1	3	20	3	3	2	1	2	17
57	3	–	34	1	2	3	3	–	5	–	–	–	3	3	21	1	5	3	–	–	18
180	16	1	35	10	8	18	9	4	9	2	–	5	3	8	45	11	13	13	1	–	19
111	6	2	45	6	5	7	4	1	8	1	–	7	–	7	24	12	18	2	–	–	20
122	4	–	23	5	7	6	5	2	–	1	–	–	2	–	23	5	7	3	–	–	21
170	10	1	38	18	8	9	3	–	8	2	–	5	3	2	44	7	13	10	1	–	22
382	30	3	113	12	29	45	17	3	21	4	–	8	10	8	119	24	24	13	2	–	23
95	8	1	38	6	10	19	4	1	7	2	–	2	2	1	36	4	8	2	–	–	24
287	22	2	75	6	19	26	13	2	14	2	–	6	8	7	83	20	16	11	2	–	25
51	6	–	22	1	5	7	2	–	2	2	–	1	–	1	20	2	8	3	–	1	26
87	7	–	29	3	6	11	5	–	1	–	–	2	–	2	26	7	14	2	2	–	27
128	16	1	48	12	9	10	1	2	4	3	–	3	5	8	33	11	15	6	1	1	28
98	12	2	20	9	3	3	5	2	3	1	–	3	3	1	22	5	11	4	–	1	29
180	15	–	43	5	3	5	2	1	1	1	–	2	4	2	44	7	5	4	3	1	30
391	36	3	106	34	21	32	11	3	26	1	1	5	8	3	104	15	23	17	3	–	31
53	6	–	14	10	2	5	–	1	4	–	1	2	4	1	26	1	2	3	2	–	32
47	2	1	12	7	2	5	–	1	5	–	–	1	–	1	12	–	–	2	–	–	33
56	5	–	10	4	3	3	–	–	4	–	–	1	1	–	12	2	3	1	–	–	34
235	23	2	70	13	14	19	11	1	13	1	–	1	3	1	54	12	18	11	1	–	35
10,973	**1,115**	**65**	**2,352**	**408**	**492**	**658**	**262**	**65**	**560**	**193**	**4**	**204**	**455**	**384**	**2,872**	**682**	**844**	**500**	**347**	**94**	36
4,329	466	32	892	132	189	281	106	27	266	100	1	75	199	189	1,265	169	355	161	193	44	37
6,644	649	33	1,460	276	303	377	156	38	294	93	3	129	256	195	1,607	513	489	339	154	50	38
8,552	988	52	1,760	277	373	523	188	48	466	171	4	164	384	320	2,348	516	676	428	308	82	39
3,698	449	26	753	106	156	245	89	20	240	95	1	66	183	173	1,124	150	328	139	177	41	40
4,854	539	26	1,007	171	217	278	99	28	226	76	3	98	201	147	1,224	366	348	289	131	41	41
2,421	127	13	592	131	119	135	74	17	94	22	–	40	71	64	524	166	168	72	39	12	42
631	17	6	139	26	33	36	17	7	26	5	–	9	16	16	141	19	27	22	16	3	43
1,790	110	7	453	105	86	99	57	10	68	17	–	31	55	48	383	147	141	50	23	9	44
470	15	–	65	10	14	18	5	4	11	5	–	5	8	4	71	14	16	8	3	–	45
210	3	–	29	5	6	8	1	3	4	2	–	3	3	3	34	3	3	5	2	–	46
260	12	–	36	5	8	10	4	1	7	3	–	2	5	1	37	11	13	3	1	–	47
626	63	5	175	34	40	30	14	4	33	24	2	14	31	23	189	53	52	40	18	7	48
82	11	2	33	5	6	5	2	–	2	4	–	2	4	5	28	1	5	1	–	–	49
544	52	3	142	29	34	25	12	4	31	20	2	12	27	18	161	52	47	39	18	7	50
1,925	141	5	308	44	86	105	36	11	65	24	1	32	42	41	417	82	114	75	34	11	51
3,165	352	22	603	70	129	207	69	19	213	87	1	51	154	148	950	106	275	99	166	35	52
59	9	1	10	32	10	11	2	–	6	1	–	–	2	3	23	12	8	7	3	–	53
106	5	2	20	4	4	5	4	1	1	2	–	2	3	5	21	4	4	3	1	–	54
223	13	3	50	9	10	11	5	1	6	5	–	5	6	2	47	27	16	12	2	1	55
170	6	3	32	4	4	14	1	1	6	1	–	3	5	10	35	14	7	10	4	1	56
116	10	1	19	6	4	5	8	1	6	2	–	5	9	5	31	23	13	6	4	1	57
147	8	–	22	1	10	7	4	2	2	1	–	–	4	3	37	6	12	3	2	–	58
50	3	–	4	–	3	2	1	1	–	1	–	–	1	3	18	–	4	1	1	–	59
97	5	–	18	1	7	5	3	1	2	–	–	–	3	–	19	6	8	2	1	–	60
309	16	2	75	11	14	14	16	3	12	2	–	6	5	8	58	20	19	12	3	2	61
99	5	1	22	6	7	7	12	2	6	1	–	1	2	–	17	6	2	5	1	1	62
210	11	1	53	5	7	7	4	1	6	1	–	5	3	8	41	14	17	7	2	1	63
110	1	–	29	9	6	4	–	2	3	–	–	3	2	–	17	9	10	–	1	–	64
328	15	4	42	8	8	14	5	1	10	3	–	5	5	9	63	35	27	11	3	5	65
29	3	1	5	1	–	1	–	–	3	1	–	2	1	2	8	4	5	–	2	–	66
299	12	3	37	7	8	13	5	1	7	2	–	3	4	7	55	31	22	11	1	5	67
160	22	1	27	4	8	11	4	–	8	2	–	3	3	4	46	17	15	15	2	1	68
80	4	–	10	–	5	6	1	1	3	–	–	–	3	–	22	7	7	3	–	–	69
947	241	4	296	56	50	63	34	7	46	14	–	23	45	39	290	75	75	100	16	10	70
120	12	–	37	5	10	4	6	–	5	–	–	5	6	5	38	9	12	13	1	2	71
24	27	–	7	3	1	5	2	–	–	–	–	1	4	–	12	5	1	4	1	1	72
37	32	–	12	4	1	5	3	–	–	–	–	1	8	2	17	7	1	5	2	1	73
803	202	4	252	48	39	54	26	7	41	14	–	17	35	34	240	61	62	83	14	7	74
1,008	135	5	227	48	38	68	20	4	79	11	–	28	93	44	311	107	95	66	63	11	75
33	5	1	4	2	1	1	2	–	2	–	–	2	–	1	8	4	5	5	2	1	76
35	3	–	6	2	1	3	1	1	1	1	–	–	–	2	5	3	3	5	–	–	77
21	5	–	5	1	–	4	2	–	1	1	–	–	1	2	7	2	1	2	1	–	78
128	19	–	34	12	3	11	2	–	10	1	–	3	2	2	48	9	13	7	1	1	79
35	4	–	12	4	3	3	2	–	1	–	–	–	5	3	10	3	8	1	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maryland—Con.																	
	Prince Georges—Con.																	
01	New Carrollton	49	–	–	1	11	1	4	–	2	–	–	4	–	22	18	2	–
02	Takoma Park, part	48	–	–	–	7	3	–	1	1	–	1	1	–	25	19	–	1
03	Balance of county	2,449	5	–	24	566	143	152	61	48	18	26	118	51	1,064	847	15	11
04	Queen Annes	229	–	–	–	47	9	18	3	7	2	1	7	8	111	94	–	–
05	St. Marys	322	–	–	–	75	18	26	8	9	2	1	11	2	138	93	–	3
06	Somerset	259	1	–	2	57	18	12	7	9	–	2	9	8	134	93	–	3
07	Talbot	286	1	–	2	62	18	11	5	10	6	2	10	4	163	115	2	2
08	Washington	995	1	–	3	212	62	64	19	17	6	8	36	17	558	409	17	6
09	Hagerstown	527	–	–	2	119	37	30	10	12	3	5	22	10	272	197	4	4
10	Balance of county	468	1	–	1	93	25	34	9	5	3	3	14	7	286	212	13	2
11	Wicomico	609	3	–	3	140	19	42	12	26	7	7	27	9	298	198	2	1
12	Salisbury	262	1	–	2	54	9	14	8	10	1	–	12	3	136	90	1	–
13	Balance of county	347	2	–	1	86	10	28	4	16	6	7	15	6	162	108	1	1
14	Worcester	310	1	–	3	58	11	15	5	11	1	2	13	3	180	121	1	3
15	**Massachusetts**	**51,814**	**57**	**1**	**429**	**11,478**	**3,305**	**2,572**	**1,173**	**1,256**	**524**	**410**	**2,238**	**967**	**26,603**	**20,423**	**400**	**276**
16	Urban places	36,897	46	–	306	8,162	2,394	1,856	822	878	372	276	1,564	704	18,887	14,568	300	222
17	Balance of area	14,917	11	1	123	3,316	911	716	351	378	152	134	674	263	7,716	5,855	100	54
18	Metropolitan counties	49,425	55	1	411	10,898	3,153	2,439	1,114	1,184	495	388	2,125	929	25,375	19,558	381	267
19	Urban places	36,897	46	–	306	8,162	2,394	1,856	822	878	372	276	1,564	704	18,887	14,568	300	222
20	Balance of area	12,528	9	1	105	2,736	759	583	292	306	123	112	561	225	6,488	4,990	81	45
21	Nonmetropolitan counties	2,389	2	–	18	580	152	133	59	72	29	22	113	38	1,228	865	19	9
22	Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Balance of area	2,389	2	–	18	580	152	133	59	72	29	22	113	38	1,228	865	19	9
24	Barnstable	1,591	1	–	11	405	103	90	45	52	18	16	81	27	808	548	11	6
25	Berkshire	1,482	–	–	13	338	99	90	26	38	17	12	56	39	722	533	15	9
26	North Adams	187	–	–	–	51	14	18	3	5	–	2	9	8	90	72	1	–
27	Pittsfield	555	–	–	4	118	37	36	9	11	6	1	18	11	291	218	10	4
28	Balance of county	740	–	–	9	169	48	36	14	22	11	9	29	20	341	243	4	5
29	Bristol	4,311	3	–	24	938	273	206	86	125	48	33	167	100	2,399	1,863	21	38
30	Attleboro	288	1	–	2	56	19	14	4	5	2	3	9	3	151	110	2	2
31	Fall River	1,017	1	–	5	247	71	56	20	36	13	5	46	27	559	443	4	2
32	New Bedford	1,183	1	–	5	248	73	55	22	38	12	7	41	35	687	530	5	19
33	Somerset town†	120	–	–	–	29	8	5	2	1	2	–	11	–	60	49	1	–
34	Taunton	411	–	–	1	86	22	21	12	8	4	7	12	6	231	175	3	3
35	Balance of county	1,292	–	–	11	272	80	55	26	37	15	11	48	29	711	556	6	12
36	Dukes	81	–	–	1	22	7	4	1	–	2	–	8	1	45	36	–	–
37	Essex	6,005	5	–	40	1,241	347	280	129	147	56	50	232	120	3,218	2,389	38	36
38	Beverly	304	–	–	3	60	20	10	5	5	1	2	17	7	161	128	–	–
39	Danvers town†	192	–	–	2	35	9	9	4	4	2	2	5	3	97	66	2	–
40	Gloucester	278	–	–	3	66	17	19	11	7	3	3	6	5	134	97	1	2
41	Haverhill	524	1	–	1	93	31	15	12	15	3	1	16	8	259	186	5	2
42	Lawrence	792	–	–	5	144	43	26	15	20	3	5	32	26	443	328	2	10
43	Lynn	963	1	–	7	183	42	58	20	21	12	7	23	16	572	436	2	4
44	Marblehead town†	194	–	–	3	49	14	10	5	4	2	3	11	–	105	66	–	5
45	Methuen town†	343	–	–	1	78	21	15	9	9	8	3	13	12	178	124	3	2
46	Newburyport	177	–	–	3	40	16	8	4	4	2	1	5	1	94	78	2	2
47	Peabody	353	1	–	2	76	22	16	10	8	1	6	13	6	188	135	–	–
48	Salem	416	–	–	3	101	29	22	7	12	5	3	23	11	213	151	7	3
49	Saugus town†	195	–	–	1	47	17	10	5	2	2	–	11	3	99	81	1	1
50	Swampscott town†	130	–	–	–	31	6	7	5	5	–	–	8	1	71	54	1	1
51	Balance of county	1,144	2	–	6	238	60	55	17	31	12	14	49	21	604	459	12	4
52	Franklin	656	1	–	5	138	40	32	13	19	9	5	20	10	342	259	6	3
53	Hampden	4,139	3	–	27	917	269	208	87	105	44	27	177	94	2,123	1,617	31	15
54	Chicopee	507	–	–	3	119	38	36	6	14	6	4	15	10	259	211	3	2
55	Holyoke	578	–	–	2	126	35	23	14	23	5	4	22	22	294	240	4	5
56	Longmeadow town†	133	–	–	1	32	8	7	5	3	3	–	6	–	72	52	–	1
57	Springfield	1,661	3	–	16	375	106	88	36	40	16	14	75	38	848	612	19	5
58	Westfield	247	–	–	–	50	16	5	4	10	2	1	12	4	115	83	–	–
59	West Springfield town†	272	–	–	1	55	14	13	7	2	5	1	13	9	143	109	–	1
60	Balance of county	741	–	–	4	160	52	36	15	13	7	3	34	11	392	310	5	1
61	Hampshire	986	–	–	8	214	67	44	24	20	7	8	44	23	523	403	8	3
62	Amherst town†	101	–	–	1	22	9	1	2	2	–	1	7	2	54	43	1	–
63	Northampton	283	–	–	3	61	23	15	6	3	2	3	9	10	144	107	2	2
64	Balance of county	602	–	–	4	131	35	28	16	15	5	4	28	11	325	253	5	1
65	Middlesex	11,306	13	–	103	2,624	745	616	290	260	105	103	505	196	5,645	4,352	106	53
66	Arlington town†	468	1	–	8	110	37	24	5	12	3	7	22	6	226	163	7	5
67	Belmont town†	284	–	–	3	71	19	13	10	6	2	2	19	4	135	105	1	1
68	Billerica town†	180	–	–	–	40	9	14	3	2	1	2	9	4	87	68	6	1
69	Burlington town†	87	–	–	1	17	4	3	4	2	2	–	2	1	42	30	2	–
70	Cambridge	832	1	–	7	206	55	55	26	21	5	10	34	16	366	296	6	12
71	Chelmsford town†	195	–	–	–	48	14	6	7	5	4	1	11	2	104	73	1	–
72	Everett	384	–	–	4	81	17	20	9	8	5	5	17	8	195	158	3	5
73	Framingham town†	475	–	–	6	95	29	20	8	12	4	5	17	5	222	169	4	–
74	Lexington town†	229	–	–	1	60	18	13	9	2	1	–	17	3	96	72	1	–
75	Lowell	980	3	–	5	203	59	51	20	20	4	3	46	28	541	409	9	8
76	Malden	588	1	–	8	144	41	33	12	8	9	6	35	15	298	239	7	–
77	Marlborough	206	–	–	2	46	18	6	5	3	3	1	10	2	109	84	1	–
78	Medford	613	1	–	7	149	52	27	18	17	7	3	25	6	320	258	7	–
79	Melrose	294	1	–	4	69	23	14	7	8	5	2	10	2	164	111	1	–
80	Natick town†	225	–	–	2	54	14	12	5	6	3	3	11	5	103	76	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
13	3	–	2	–	2	1	–	–	2	–	–	–	2	1	5	2	–	1	1	–	01
13	5	–	5	1	–	–	1	–	–	–	–	–	4	2	5	2	–	1	1	–	02
730	91	4	159	26	28	45	10	3	62	8	–	23	79	31	223	82	65	44	56	8	03
89	5	–	12	3	2	5	5	–	–	1	–	2	3	2	26	11	3	3	–	2	04
77	13	–	30	8	7	13	–	2	4	2	–	5	11	6	31	9	14	6	3	1	05
83	7	–	35	4	2	3	7	–	3	–	–	–	1	4	16	4	12	2	2	3	06
99	12	1	37	5	5	4	5	–	7	–	–	–	1	2	16	7	9	2	1	–	07
372	14	5	105	23	16	20	6	1	21	2	–	8	8	10	81	13	21	8	4	1	08
184	5	5	50	9	11	13	2	1	11	–	–	4	6	6	51	5	14	7	4	–	09
188	9	–	55	14	5	7	4	–	10	2	–	4	2	4	30	8	7	1	–	1	10
191	4	–	76	11	13	16	5	–	9	1	–	2	9	11	55	15	12	7	12	2	11
88	1	–	34	6	6	6	1	–	5	1	–	1	4	4	21	5	4	4	8	2	12
103	3	–	42	5	7	10	4	–	4	–	–	1	5	7	34	10	8	3	4	–	13
113	4	1	47	4	7	4	6	–	6	3	–	2	2	1	19	12	8	2	–	–	14
18,381	**1,366**	**146**	**4,561**	**741**	**732**	**1,882**	**491**	**171**	**912**	**213**	**3**	**258**	**446**	**558**	**4,416**	**818**	**1,301**	**556**	**182**	**72**	15
13,069	977	97	3,203	506	513	1,411	342	119	672	165	3	166	308	432	3,197	479	918	368	153	59	16
5,312	389	49	1,358	235	219	471	149	52	240	48	–	92	138	126	1,219	339	383	188	29	13	17
17,599	1,311	140	4,322	669	686	1,799	460	163	871	201	3	248	426	537	4,248	776	1,252	525	180	67	18
13,069	977	97	3,203	506	513	1,411	342	119	672	165	3	166	308	432	3,197	479	918	368	153	59	19
4,530	334	43	1,119	163	173	388	118	44	199	36	–	82	118	105	1,051	297	334	157	27	8	20
782	55	6	239	72	46	83	31	8	41	12	–	10	20	21	168	42	49	31	2	5	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
782	55	6	239	72	46	83	31	8	41	12	–	10	20	21	168	42	49	31	2	5	23
495	36	3	167	53	37	44	17	6	23	11	–	7	9	14	114	34	36	19	1	4	24
464	45	5	135	24	25	58	13	6	27	2	–	9	17	10	127	31	53	17	–	–	25
70	1	1	11	2	4	5	1	1	1	–	–	–	1	2	18	2	5	2	–	–	26
181	23	2	52	9	10	22	7	1	8	–	–	5	8	7	42	7	17	7	–	–	27
213	21	2	72	13	11	31	5	4	18	2	–	4	8	1	67	22	31	8	–	–	28
1,722	82	10	424	46	56	120	35	12	63	14	–	23	33	35	321	67	75	39	9	1	29
100	6	3	32	5	1	20	1	–	7	–	–	2	2	2	20	5	9	6	1	–	30
418	19	1	85	16	14	20	6	3	13	7	–	4	8	5	80	7	13	10	1	1	31
489	17	3	128	11	15	24	13	5	23	4	–	5	7	6	83	8	17	8	4	–	32
48	–	–	7	1	3	2	1	–	2	–	–	2	3	1	15	2	–	2	1	–	33
159	10	–	45	5	6	13	6	1	7	–	–	1	5	7	26	8	13	–	–	–	34
508	30	3	127	8	17	41	8	3	11	3	–	9	8	14	97	37	23	13	2	–	35
33	3	–	7	2	–	4	3	–	–	–	–	–	–	–	2	–	1	1	–	1	36
2,144	171	27	575	148	79	187	59	16	91	20	–	31	41	101	511	103	146	57	12	6	37
125	3	–	25	4	4	13	1	1	5	–	–	–	4	–	32	8	7	2	–	–	38
59	5	–	15	14	2	9	1	3	2	1	–	2	1	1	20	6	8	1	–	–	39
89	5	4	27	1	5	10	5	–	2	–	–	3	2	10	22	4	9	3	–	–	40
151	28	3	53	11	6	17	2	2	8	5	–	1	2	55	50	7	7	4	2	–	41
301	15	6	79	20	10	18	9	1	14	5	–	2	9	7	66	13	15	9	5	1	42
407	23	3	111	11	11	33	11	3	16	3	–	5	2	6	68	7	22	7	1	–	43
56	5	1	26	8	4	7	2	–	1	–	–	–	2	–	12	3	5	5	–	–	44
117	2	1	41	7	5	11	2	1	7	1	–	3	1	2	31	9	4	2	–	–	45
68	6	1	8	6	1	5	1	1	–	1	–	2	3	2	16	–	5	2	1	–	46
117	18	1	28	21	3	12	1	2	10	1	–	1	1	2	32	5	5	3	2	3	47
119	22	3	45	8	6	9	7	–	10	–	–	1	2	2	25	8	20	3	–	1	48
71	8	1	12	1	4	7	1	1	2	1	–	–	3	–	18	5	5	1	–	1	49
48	4	–	12	4	1	–	1	–	–	–	–	1	–	–	17	2	5	1	–	–	50
416	27	3	93	32	17	36	15	1	14	2	–	10	9	14	102	26	29	14	1	–	51
236	14	3	57	15	8	34	11	1	17	1	–	3	9	6	49	8	10	10	1	–	52
1,492	79	8	402	45	51	124	32	21	79	13	–	28	34	64	342	47	120	45	22	4	53
199	7	–	43	1	4	17	5	2	16	–	–	6	4	–	46	6	6	8	–	–	54
220	11	–	41	6	7	20	3	1	12	–	–	6	3	6	53	3	18	5	4	–	55
47	4	–	17	1	2	4	2	–	2	–	–	–	1	3	6	3	5	2	–	–	56
564	24	5	189	17	25	48	12	13	29	6	–	9	17	11	127	17	59	17	14	2	57
70	13	–	24	5	3	11	2	–	5	–	–	–	2	30	18	4	4	1	–	1	58
103	5	–	27	4	3	6	3	1	2	3	–	3	3	3	22	3	8	4	3	–	59
289	15	3	61	11	7	18	5	4	13	4	–	4	4	11	70	11	20	8	1	1	60
353	39	3	94	11	12	29	8	4	21	4	–	5	6	4	66	16	34	17	4	–	61
38	4	–	9	–	2	4	–	–	2	1	–	–	1	–	6	–	5	3	–	–	62
92	11	2	29	4	2	14	4	–	4	–	–	1	–	–	22	5	10	4	1	–	63
223	24	1	56	7	8	11	4	4	15	3	–	4	5	4	38	11	19	10	3	–	64
3,936	257	33	973	141	146	427	120	35	211	48	2	56	95	117	1,007	162	275	125	25	20	65
142	9	2	50	8	3	16	9	1	7	1	–	5	4	3	46	2	18	5	–	–	66
99	4	–	17	6	7	15	5	2	2	–	–	2	4	2	29	2	5	3	–	–	67
57	4	–	14	3	2	12	2	–	3	–	1	3	1	1	17	6	2	–	1	–	68
27	1	–	10	–	2	3	–	–	2	–	1	–	6	3	6	3	2	–	–	–	69
259	19	1	57	7	5	48	16	3	18	2	–	1	11	12	78	5	21	14	5	2	70
70	2	–	20	7	4	4	2	1	4	1	–	2	–	–	15	3	4	3	1	1	71
138	12	1	31	3	2	14	6	2	8	2	–	–	2	1	43	–	13	2	1	2	72
158	7	3	37	6	7	41	1	2	10	2	–	3	4	6	55	7	6	8	–	2	73
68	3	–	20	3	1	15	–	2	3	2	–	1	2	2	29	2	6	4	–	1	74
381	11	3	82	32	15	13	11	3	26	5	–	4	6	6	71	12	32	7	2	2	75
215	17	–	46	3	10	13	7	1	18	3	–	4	4	10	36	5	14	6	–	1	76
76	7	–	21	2	2	8	–	–	2	–	–	3	1	4	14	8	5	1	1	–	77
240	11	3	47	3	9	17	6	1	9	5	–	2	5	6	54	6	10	6	2	1	78
95	15	3	45	2	3	6	3	1	3	2	–	4	2	3	18	2	6	4	–	–	79
71	4	1	19	1	6	10	2	2	2	2	–	–	2	5	27	4	5	–	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Massachusetts—Con.																	
	Middlesex—Con.																	
01	Newton	733	–	–	2	178	53	30	18	23	7	9	38	14	379	309	6	2
02	Reading town†	169	–	–	–	43	10	9	7	3	3	3	8	2	86	69	1	–
03	Somerville	818	2	–	10	198	55	61	17	15	13	3	34	8	424	339	12	7
04	Stoneham town†	179	–	–	2	41	11	12	3	4	1	2	8	4	86	54	2	–
05	Wakefield town†	252	1	–	3	45	10	14	8	4	4	1	4	8	122	99	2	–
06	Waltham	540	–	–	4	117	35	35	17	7	4	4	15	6	275	215	4	–
07	Watertown town†	340	–	–	2	82	25	19	7	8	4	2	17	8	168	122	4	2
08	Winchester town†	160	–	–	1	42	18	9	5	5	–	1	4	1	87	59	2	–
09	Woburn	304	1	–	4	70	19	22	7	10	1	1	10	6	141	111	6	6
10	Balance of county	1,771	1	–	17	415	100	94	53	49	10	27	82	32	869	664	11	3
11	Nantucket	61	–	–	1	15	2	7	–	1	–	1	4	–	33	22	2	–
12	Norfolk	5,150	4	–	36	1,243	339	263	140	131	57	47	266	78	2,632	2,020	50	26
13	Braintree town†	350	–	–	1	75	17	15	8	10	4	4	17	4	213	161	2	2
14	Brookline town†	620	1	–	8	146	41	24	22	15	6	6	32	8	309	237	8	5
15	Dedham town†	203	–	–	–	59	16	10	12	6	2	1	12	2	95	71	1	1
16	Holbrook town†	77	–	–	1	18	5	4	3	–	–	1	5	2	34	28	3	–
17	Milton town†	285	–	–	–	60	19	17	4	5	3	–	12	10	151	118	–	2
18	Needham town†	212	–	–	1	56	22	14	6	5	–	2	7	4	101	79	2	2
19	Norwood town†	268	–	–	2	83	28	16	7	5	4	4	19	5	119	77	6	1
20	Quincy	962	2	–	5	218	56	44	21	24	12	11	50	19	516	413	10	8
21	Randolph town†	218	–	–	2	42	11	9	6	4	2	1	9	2	120	92	1	–
22	Wellesley town†	194	–	–	–	61	18	14	5	12	2	3	7	2	80	60	1	1
23	Weymouth town†	472	–	–	3	106	21	25	13	14	10	3	20	3	268	198	6	1
24	Balance of county	1,289	1	–	13	319	85	71	33	31	12	11	76	17	626	486	10	3
25	Plymouth	3,043	2	–	25	654	190	123	70	67	28	19	157	54	1,569	1,230	25	12
26	Brockton	841	–	–	6	175	58	26	19	15	8	5	44	15	435	344	6	6
27	Rockland town†	129	–	–	2	28	5	5	3	5	1	–	9	2	66	50	1	–
28	Whitman town†	86	–	–	1	20	6	3	1	3	2	1	4	4	43	31	–	–
29	Balance of county	1,987	2	–	16	431	121	89	47	44	17	13	100	33	1,025	805	18	6
30	Suffolk	7,106	19	–	87	1,506	453	367	116	152	69	49	300	131	3,370	2,712	60	46
31	Boston	6,240	18	–	86	1,332	398	333	103	136	59	42	261	114	2,911	2,327	55	36
32	Chelsea	286	1	–	1	63	21	14	3	5	5	3	12	9	137	112	1	2
33	Revere	366	–	–	–	82	23	16	8	11	3	2	19	5	192	160	4	7
34	Winthrop town†	214	–	–	–	29	11	4	2	–	2	2	8	3	130	113	–	1
35	Worcester	5,897	6	1	48	1,223	371	242	146	139	64	40	221	94	3,174	2,439	27	29
36	Clinton town†	147	–	–	–	32	8	6	2	5	3	3	5	2	74	54	1	–
37	Fitchburg	374	–	–	6	87	28	16	18	12	–	–	13	11	188	147	–	–
38	Gardner	226	–	–	–	48	14	7	6	10	4	1	6	1	134	98	3	2
39	Leominster	290	–	–	2	61	21	8	10	5	3	2	12	6	143	121	1	2
40	Worcester	1,898	3	–	15	394	122	86	39	43	20	14	70	23	1,040	805	12	15
41	Balance of county	2,962	3	1	25	601	178	119	71	64	34	20	115	51	1,595	1,214	10	10
42	**Michigan**	**74,198**	**97**	**3**	**505**	**15,140**	**3,953**	**3,818**	**1,357**	**1,712**	**659**	**600**	**3,041**	**1,614**	**38,228**	**28,918**	**477**	**413**
43	Urban places	42,186	66	2	327	8,665	2,334	2,239	795	964	384	291	1,658	903	21,427	16,367	276	231
44	Balance of area	32,012	31	1	178	6,475	1,619	1,579	562	748	275	309	1,383	711	16,801	12,551	201	182
45	Metropolitan counties	53,198	76	2	404	11,005	2,854	2,842	1,060	1,205	469	418	2,157	1,122	26,934	20,652	344	286
46	Urban places	38,923	63	2	313	8,033	2,165	2,087	749	883	351	262	1,536	820	19,697	15,146	252	213
47	Balance of area	14,275	13	–	91	2,972	689	755	311	322	118	156	621	302	7,237	5,506	92	73
48	Nonmetropolitan counties	21,000	21	1	101	4,135	1,099	976	297	507	190	182	884	492	11,294	8,266	133	127
49	Urban places	3,263	3	–	14	632	169	152	46	81	33	29	122	83	1,730	1,221	24	18
50	Balance of area	17,737	18	1	87	3,503	930	824	251	426	157	153	762	409	9,564	7,045	109	109
51	Alcona	114	–	–	–	16	5	5	–	2	–	–	4	1	64	43	1	–
52	Alger	107	–	–	1	16	3	2	–	3	–	1	7	–	57	42	–	1
53	Allegan	583	–	–	1	117	36	28	9	15	5	6	18	16	312	235	3	4
54	Holland, part	10	–	–	–	1	1	–	–	–	–	–	–	1	4	4	–	–
55	Balance of county	573	–	–	1	116	35	28	9	15	5	6	18	15	308	231	3	4
56	Alpena	270	–	–	4	62	20	11	5	7	1	4	14	3	135	103	2	–
57	Alpena	126	–	–	2	30	7	7	–	4	–	3	9	2	65	48	1	–
58	Balance of county	144	–	–	2	32	13	4	5	3	1	1	5	1	70	55	1	–
59	Antrim	192	–	–	3	45	8	13	–	5	6	3	10	2	96	66	–	–
60	Arenac	134	–	–	–	20	4	7	1	6	–	–	2	2	81	54	1	1
61	Baraga	97	–	–	–	15	2	3	2	2	1	–	5	8	47	34	2	2
62	Barry	355	1	–	1	73	15	15	9	10	3	1	20	7	183	136	4	3
63	Bay	954	–	–	5	193	33	50	15	21	7	4	63	11	502	405	4	1
64	Bay City	511	–	–	1	101	18	25	6	9	2	1	40	4	283	234	3	–
65	Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Balance of county	443	–	–	4	92	15	25	9	12	5	3	23	7	219	171	1	1
67	Benzie	124	–	–	2	24	6	6	1	3	–	2	6	2	70	52	1	–
68	Berrien	1,526	2	–	12	300	89	74	18	43	12	11	53	28	814	612	9	8
69	Benton Harbor	172	–	–	1	31	14	4	2	4	1	–	6	4	75	56	3	1
70	Niles	188	–	–	2	27	13	4	1	3	–	2	4	2	91	63	–	–
71	St. Joseph	139	–	–	–	23	7	6	3	7	–	–	–	4	91	69	1	–
72	Balance of county	1,027	2	–	9	219	55	60	12	29	11	9	43	18	557	424	5	7
73	Branch	386	2	–	1	78	16	26	6	12	1	–	17	16	203	146	5	2
74	Calhoun	1,284	4	–	7	246	65	66	16	23	15	7	54	47	652	480	8	10
75	Albion	97	1	–	–	21	5	7	1	2	2	–	4	2	45	29	–	1
76	Battle Creek	554	1	–	5	99	24	27	5	12	6	2	23	21	282	207	3	4
77	Balance of county	633	2	–	2	126	36	32	10	9	7	5	27	24	325	244	5	5
78	Cass	405	–	–	–	80	15	23	4	12	6	4	16	4	220	176	1	2
79	Charlevoix	201	–	–	–	45	10	7	4	4	5	2	13	4	119	83	1	1
80	Cheboygan	211	–	–	1	46	11	17	4	5	–	1	8	4	114	88	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more, urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
281	20	4	53	6	7	29	3	4	4	3	–	–	2	4	70	7	22	8	2	2	01
59	9	–	15	1	1	9	3	1	1	–	–	–	–	–	15	1	3	5	–	–	02
297	23	1	65	8	11	23	7	–	19	8	–	2	5	18	62	6	15	6	4	1	03
49	3	1	26	4	1	5	3	–	4	1	–	2	2	2	16	3	4	3	1	–	04
87	10	–	17	2	4	12	4	–	7	2	–	1	3	2	27	3	8	3	–	1	05
200	11	–	52	2	6	23	7	2	14	1	–	2	6	5	45	13	17	2	–	1	06
107	9	2	30	4	10	17	–	2	8	–	–	1	2	4	29	6	6	5	–	–	07
56	1	–	20	5	3	5	–	–	2	–	–	2	–	2	11	1	4	2	–	–	08
95	4	–	25	3	2	11	5	1	10	2	–	2	1	–	26	11	8	5	–	–	09
609	41	8	154	20	23	58	18	4	25	4	–	10	20	16	168	44	39	23	5	3	10
18	2	–	8	2	1	1	–	1	1	–	–	–	2	1	3	–	2	1	–	–	11
1,800	144	15	444	65	88	181	46	19	76	23	–	17	28	83	407	82	126	55	7	7	12
150	7	3	37	3	9	15	2	1	6	1	–	1	1	1	18	–	7	2	1	1	13
189	35	–	52	10	10	35	3	2	5	3	–	–	–	14	59	5	14	8	–	–	14
66	3	2	14	4	4	3	2	–	1	1	–	1	–	6	17	3	7	6	–	–	15
22	3	–	3	2	1	1	–	–	1	–	–	–	1	–	12	2	3	1	1	–	16
108	8	1	25	1	6	10	6	1	4	4	–	2	–	4	20	4	7	1	1	–	17
67	8	1	13	6	2	5	6	–	–	2	–	1	1	7	13	3	8	4	–	–	18
64	6	–	26	6	10	5	2	3	5	–	–	1	1	7	23	4	6	2	–	–	19
371	24	2	79	14	8	25	7	4	30	4	–	2	3	15	75	9	19	3	2	4	20
86	5	2	16	2	8	9	1	–	4	2	–	2	3	4	14	6	6	1	–	–	21
57	1	1	15	1	3	10	2	–	1	1	–	–	4	5	15	3	6	4	–	–	22
185	6	1	58	4	7	12	5	3	5	1	–	1	2	4	38	7	8	6	–	–	23
435	36	2	106	12	20	51	10	5	14	4	–	6	12	16	103	36	35	17	2	2	24
1,100	93	11	261	24	43	92	29	9	59	13	–	23	28	33	239	75	85	40	12	2	25
302	30	1	65	11	14	34	8	3	12	5	–	9	12	14	67	14	18	11	3	–	26
44	5	–	13	2	1	2	2	–	5	–	–	1	1	2	7	2	6	1	1	1	27
26	5	–	9	1	2	1	2	–	1	2	–	2	–	–	7	1	1	–	1	–	28
728	53	10	174	10	26	55	17	6	41	6	–	11	15	17	158	58	60	28	7	1	29
2,367	239	11	475	72	100	386	52	21	164	38	1	22	79	61	728	92	179	72	73	25	30
2,029	207	9	416	67	92	351	47	20	145	33	1	19	70	54	640	81	156	68	70	24	31
100	9	–	22	2	1	9	1	1	6	2	–	1	4	2	33	4	9	1	1	1	32
131	18	2	23	2	5	17	3	–	9	3	–	–	5	1	32	6	8	1	2	–	33
107	5	–	14	1	2	9	1	–	4	–	–	2	–	4	23	1	6	2	–	–	34
2,221	162	17	539	93	86	195	66	20	80	26	–	34	65	29	500	101	159	58	16	2	35
51	2	–	15	3	2	4	1	–	4	–	–	1	4	2	14	3	5	1	–	–	36
134	13	–	26	8	7	12	6	1	2	3	–	1	–	1	32	8	9	3	4	–	37
87	6	2	23	5	6	8	5	–	3	–	–	–	–	1	13	6	2	4	1	–	38
106	12	–	20	–	2	12	4	2	2	3	–	1	2	1	38	7	4	2	–	–	39
734	44	4	179	27	25	72	14	4	21	12	–	7	22	12	155	25	61	12	5	1	40
1,109	85	11	276	50	44	87	36	13	48	8	–	24	37	12	248	52	78	36	6	1	41
26,055	**1,973**	**225**	**6,825**	**1,163**	**1,097**	**1,657**	**934**	**241**	**1,361**	**332**	**11**	**527**	**1,036**	**529**	**5,664**	**1,999**	**1,954**	**1,278**	**948**	**140**	42
14,798	1,062	124	3,800	537	599	983	463	147	954	200	7	276	657	312	3,293	854	1,057	688	804	101	43
11,257	911	101	3,025	626	498	674	471	94	407	132	4	251	379	217	2,371	1,145	897	590	144	39	44
18,663	1,359	146	4,676	702	758	1,180	640	185	1,097	242	10	398	805	376	4,122	1,318	1,341	963	860	118	45
13,716	965	109	3,443	443	556	898	423	135	905	187	7	253	609	287	3,033	771	962	653	774	98	46
4,947	394	37	1,233	259	202	282	217	50	192	55	3	145	196	89	1,089	547	379	310	86	20	47
7,392	614	79	2,149	461	339	477	294	56	264	90	1	129	231	153	1,542	681	613	315	88	22	48
1,082	97	15	357	94	43	85	40	12	49	13	–	23	48	25	260	83	95	35	30	3	49
6,310	517	64	1,792	367	296	392	254	44	215	77	1	106	183	128	1,262	598	518	260	58	19	50
38	4	2	15	2	2	1	2	1	1	–	–	–	1	–	13	11	2	1	–	–	51
40	1	–	11	4	–	2	4	–	4	–	–	1	–	–	14	4	2	2	–	–	52
213	15	3	59	10	5	10	10	1	3	5	1	2	6	10	45	23	13	6	1	1	53
4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	54
209	15	3	59	10	5	10	10	1	3	5	1	2	6	9	45	23	10	6	1	1	55
98	3	1	23	2	6	4	2	1	3	2	–	3	5	1	24	6	9	6	–	–	56
44	3	1	11	1	4	1	–	–	1	2	–	1	3	1	11	2	3	2	–	–	57
54	–	–	12	1	2	3	2	1	2	–	–	2	2	–	13	4	6	4	–	–	58
63	3	1	21	4	4	10	1	1	–	–	–	–	2	1	14	3	12	1	–	1	59
49	3	1	19	6	1	2	–	1	3	1	–	1	1	–	9	6	5	2	–	–	60
29	1	2	11	–	–	7	–	–	2	1	–	–	–	3	4	7	2	1	–	–	61
115	14	–	32	7	8	9	9	1	6	2	–	2	1	2	25	17	10	5	–	1	62
368	32	1	70	15	11	10	18	3	16	3	–	8	9	5	78	40	35	14	3	1	63
213	18	–	37	12	–	9	13	2	10	3	–	3	4	4	39	13	17	4	1	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
155	14	1	33	3	11	1	5	1	6	–	–	5	5	1	39	27	18	10	2	1	66
49	2	–	10	2	6	6	3	–	1	–	–	–	–	–	7	5	1	2	1	–	67
552	43	1	140	31	30	33	18	6	14	5	–	9	19	12	119	31	52	33	18	1	68
45	7	–	15	2	2	6	1	2	2	1	–	5	7	5	17	1	8	1	5	–	69
59	4	–	15	7	6	6	6	1	3	–	–	1	3	1	18	8	11	6	2	–	70
64	4	–	17	4	1	4	–	1	3	–	–	–	–	–	5	2	5	1	–	–	71
384	28	1	93	18	21	17	11	2	6	4	–	3	9	6	79	20	28	25	11	1	72
120	19	–	40	9	8	9	12	1	1	1	–	3	6	–	31	15	3	4	–	–	73
424	38	5	128	26	13	32	18	4	31	11	–	12	14	14	96	25	39	15	16	1	74
23	5	–	14	1	1	3	–	1	–	2	–	1	1	1	15	–	3	1	–	–	75
187	13	4	56	8	7	13	9	1	16	6	–	5	9	8	41	9	12	4	13	–	76
214	20	1	58	17	5	16	9	2	15	3	–	6	4	5	40	16	24	10	3	1	77
160	13	–	32	6	6	10	6	–	6	–	–	1	2	8	31	10	13	10	3	1	78
76	5	2	23	6	5	2	2	–	6	–	–	–	1	1	11	4	4	2	–	–	79
79	6	–	16	6	4	6	2	–	–	2	–	2	–	–	17	8	4	5	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Chippewa	312	–	–	–	79	19	18	7	13	4	–	18	8	163	136	2	3
02	Sault Ste. Marie	191	–	–	–	44	10	9	4	9	3	–	9	5	102	83	1	1
03	Balance of county	121	–	–	–	35	9	9	3	4	1	–	9	3	[illegible]	53	1	2
04	Clare	239	–	–	–	43	14	8	4	2	–	1	14	1	143	122	2	1
05	Clinton	328	–	–	2	69	22	12	7	9	3	5	11	11	167	131	4	4
06	Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
07	Balance of county	328	–	–	2	69	22	12	7	9	3	5	11	11	167	131	4	4
08	Crawford	86	1	–	1	15	7	3	–	2	–	1	2	3	48	37	3	3
09	Delta	393	–	–	2	62	15	22	5	8	3	2	7	9	219	164	4	2
10	Escanaba	169	–	–	–	25	6	8	1	3	2	1	4	5	96	71	2	1
11	Balance of county	224	–	–	2	37	9	14	4	5	1	1	3	4	123	93	2	1
12	Dickinson	329	–	–	–	79	27	15	4	9	3	2	19	3	183	126	1	–
13	Eaton	489	–	–	5	100	27	16	11	12	6	5	23	5	259	184	4	6
14	Lansing, part	9	–	–	–	1	–	–	–	–	–	–	1	1	4	3	–	–
15	Balance of county	480	–	–	5	99	27	16	11	12	6	5	22	4	255	181	4	6
16	Emmet	222	–	–	2	47	13	11	1	3	4	4	11	6	108	80	1	–
17	Genesee	3,271	4	–	26	633	152	182	49	66	23	28	133	70	1,683	1,255	17	28
18	Flint	1,654	2	–	19	290	76	77	28	36	10	10	53	32	882	657	11	16
19	Balance of county	1,617	2	–	7	343	76	105	21	30	13	18	80	38	801	598	6	12
20	Gladwin	204	1	–	3	41	14	9	1	2	3	–	12	5	116	99	2	1
21	Gogebic	287	–	–	–	58	21	13	3	4	4	2	11	6	159	133	1	6
22	Grand Traverse	394	1	–	1	69	17	13	4	9	1	4	21	9	226	160	7	1
23	Traverse City	183	–	–	–	25	8	2	2	5	–	3	5	7	114	78	2	–
24	Balance of county	211	1	–	1	44	9	11	2	4	1	1	16	2	112	82	5	1
25	Gratiot	333	–	1	–	58	15	14	4	6	4	6	9	8	192	121	–	8
26	Hillsdale	347	–	–	2	72	16	17	5	9	5	4	16	14	156	121	4	2
27	Houghton	427	–	–	1	81	22	21	1	12	7	5	13	10	246	190	3	2
28	Huron	409	–	–	3	60	19	8	8	11	3	3	8	11	249	168	1	5
29	Ingham	1,639	–	–	15	332	99	65	24	33	20	14	77	34	806	580	18	10
30	East Lansing	102	–	–	–	30	13	3	3	2	1	–	8	–	44	32	–	–
31	Lansing, part	1,010	–	–	11	206	63	40	11	20	16	7	49	23	484	346	13	7
32	Lansing, total	1,019	–	–	11	207	63	40	11	20	16	7	50	24	488	349	13	7
33	Balance of county	527	–	–	4	96	23	22	10	11	3	7	20	11	278	202	5	3
34	Ionia	417	2	–	4	82	21	16	8	11	4	3	19	14	215	150	1	–
35	Iosco	283	–	–	–	58	19	9	5	8	2	2	13	1	161	124	1	3
36	Iron	190	–	–	–	37	9	9	3	3	–	2	11	1	118	82	–	1
37	Isabella	330	–	–	3	70	16	15	3	10	5	7	14	8	181	139	4	1
38	Mount Pleasant	113	–	–	1	24	4	7	1	3	2	2	5	1	70	57	3	–
39	Balance of county	217	–	–	2	46	12	8	2	7	3	5	9	7	111	82	1	1
40	Jackson	1,294	2	–	4	260	56	71	23	31	10	12	57	25	676	481	4	11
41	Jackson	546	–	–	2	113	27	29	7	19	6	4	21	13	289	205	1	3
42	Balance of county	748	2	–	2	147	29	42	16	12	4	8	36	12	387	276	3	8
43	Kalamazoo	1,345	3	–	9	286	57	78	37	35	10	13	56	21	672	494	11	4
44	Kalamazoo	648	2	–	4	133	26	37	19	13	6	5	27	11	329	241	6	3
45	Portage	143	1	–	3	44	12	11	5	7	–	1	8	2	53	44	1	–
46	Balance of county	554	–	–	2	109	19	30	13	15	4	7	21	8	290	209	4	1
47	Kalkaska	92	–	–	1	20	1	6	–	3	3	1	6	2	49	34	–	–
48	Kent	3,370	2	–	29	685	168	161	75	79	33	25	144	69	1,799	1,297	22	10
49	East Grand Rapids	91	–	–	1	20	6	4	5	2	1	1	1	1	47	36	1	–
50	Grand Rapids	1,848	1	–	17	378	97	87	41	46	19	11	77	39	987	699	8	6
51	Grandville	79	–	–	1	11	3	4	2	2	–	–	–	–	53	43	–	–
52	Kentwood	131	–	–	1	28	4	3	4	3	–	3	11	3	58	38	–	–
53	Walker	97	–	–	1	16	4	3	2	1	–	–	6	3	56	39	2	–
54	Wyoming	350	–	–	1	76	23	25	9	3	4	2	10	8	190	138	8	2
55	Balance of county	774	1	–	7	156	31	35	12	22	9	8	39	15	408	304	3	2
56	Keweenaw	31	–	–	–	7	1	–	2	2	–	1	1	1	13	8	1	–
57	Lake	115	–	–	–	25	5	5	2	4	3	1	5	3	66	51	1	2
58	Lapeer	463	–	–	4	97	29	18	11	13	1	3	22	17	232	167	2	3
59	Leelanau	126	–	–	–	27	6	6	3	6	–	–	6	3	73	57	–	2
60	Lenawee	707	–	–	3	143	36	26	15	22	9	14	21	23	372	278	6	9
61	Adrian	197	–	–	1	47	11	11	5	4	4	5	7	7	97	64	2	3
62	Balance of county	510	–	–	2	96	25	15	10	18	5	9	14	16	275	214	4	6
63	Livingston	508	1	–	3	110	33	26	12	7	6	5	21	10	247	181	3	2
64	Luce	88	–	–	–	21	5	4	1	1	1	–	9	–	49	35	–	–
65	Mackinac	115	–	–	–	23	6	3	4	2	4	2	2	1	65	48	1	–
66	Macomb	4,118	5	–	27	927	234	228	85	113	41	46	180	75	2,052	1,591	29	13
67	Center Line	95	–	–	–	14	3	4	3	–	2	–	2	5	55	44	1	–
68	East Detroit	425	1	–	3	105	31	29	5	14	6	3	17	7	230	175	6	–
69	Fraser	102	–	–	2	26	5	5	2	7	–	2	5	2	54	44	–	1
70	Mount Clemens	302	1	–	3	73	12	13	8	17	2	5	16	5	131	103	4	1
71	Roseville	394	–	–	1	85	19	19	11	6	5	4	21	5	203	154	1	2
72	St. Clair Shores	605	1	–	1	139	37	36	11	16	5	5	29	9	329	240	7	2
73	Sterling Heights	333	–	–	–	79	23	16	6	10	5	3	16	10	154	130	2	2
74	Warren	955	–	–	7	221	67	55	28	15	8	14	34	14	462	354	7	1
75	Balance of county	907	2	–	10	185	37	51	11	28	8	10	40	18	434	347	1	4
76	Manistee	273	–	–	3	40	10	6	4	11	1	2	6	3	164	110	3	2
77	Marquette	529	1	–	4	93	26	24	8	6	3	5	21	5	287	212	1	2
78	Marquette	163	1	–	1	34	5	9	4	2	2	2	10	–	92	63	1	2
79	Balance of county	366	–	–	3	59	21	15	4	4	1	3	11	5	195	149	–	–
80	Mason	248	–	–	–	54	14	11	1	10	6	1	11	8	134	104	1	2
81	Mecosta	214	1	–	–	40	14	8	4	3	–	2	9	7	117	92	1	3
82	Big Rapids	62	–	–	–	8	2	1	2	1	–	1	1	4	38	32	1	3
83	Balance of county	152	1	–	–	32	12	7	2	2	–	1	8	3	79	60	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
123	8	–	22	2	3	11	5	1	1	–	–	1	2	1	18	5	9	6	2	–	01
75	6	–	14	2	3	11	2	1	1	–	–	1	–	1	12	2	5	2	2	–	02
48	2	–	8	–	–	–	3	–	–	–	–	–	2	–	6	3	4	4	–	–	03
115	4	1	17	–	3	3	3	2	4	1	–	1	2	2	16	8	4	5	1	–	04
113	10	1	19	11	5	8	4	–	6	–	–	1	8	–	21	11	8	7	4	1	05
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	06
113	10	1	19	11	5	8	4	–	6	–	–	1	8	–	21	11	8	7	4	1	07
30	1	–	9	–	2	–	2	–	1	–	–	2	1	1	4	2	4	1	–	–	08
135	23	–	33	16	6	6	2	1	6	2	–	2	5	1	32	16	17	9	2	–	09
55	13	–	16	8	1	4	2	–	3	–	–	1	3	–	17	3	5	5	–	–	10
80	10	–	17	8	5	2	–	1	3	2	–	1	2	1	15	13	12	4	2	–	11
113	12	1	44	9	3	7	6	–	3	1	–	–	1	2	23	6	10	5	–	–	12
157	17	3	44	17	11	13	14	1	1	–	1	5	6	3	43	16	8	4	4	1	13
3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	14
154	17	3	44	17	10	13	14	1	1	–	1	5	5	3	43	15	7	4	4	1	15
77	2	2	23	1	2	3	5	–	3	–	–	4	1	–	16	12	10	4	1	–	16
1,110	100	10	317	63	38	58	53	9	36	8	2	21	61	29	244	116	91	70	53	4	17
582	48	7	163	35	20	35	23	3	16	5	1	6	38	21	124	35	49	29	42	2	18
528	52	3	154	28	18	23	30	6	20	3	1	15	23	8	120	81	42	41	11	2	19
93	3	–	13	2	2	5	2	–	–	2	–	1	5	–	8	5	6	4	–	–	20
117	9	–	16	3	7	4	5	1	3	2	–	1	7	1	22	6	7	5	–	–	21
145	7	2	49	6	9	13	5	1	6	1	–	1	4	2	23	16	11	4	1	–	22
75	1	1	27	3	5	8	1	–	1	1	–	–	2	–	7	7	9	–	1	–	23
70	6	1	22	3	4	5	4	1	5	–	–	1	2	2	16	9	2	4	–	–	24
101	12	3	53	11	4	3	2	–	4	1	–	4	5	4	26	14	7	4	–	–	25
105	10	–	21	8	6	15	8	1	4	4	–	2	5	–	36	8	8	10	1	1	26
175	10	–	45	4	7	13	6	2	8	1	–	1	5	3	25	3	9	6	4	3	27
150	12	3	70	6	2	7	4	1	7	1	–	3	6	4	30	11	10	1	–	1	28
496	56	7	153	31	35	39	19	7	27	6	–	20	29	18	129	58	43	39	15	3	29
31	1	–	8	3	1	5	1	1	2	–	–	–	1	–	9	1	5	2	1	–	30
294	32	3	93	16	26	18	13	2	19	3	–	14	21	15	84	32	28	22	13	2	31
297	32	3	93	16	27	18	13	2	19	3	–	14	22	15	84	33	29	22	13	2	32
171	23	4	52	12	8	16	5	4	6	3	–	6	7	3	36	25	10	15	1	1	33
136	13	3	51	4	7	12	7	1	5	5	–	2	4	4	31	14	8	6	1	–	34
114	6	1	26	3	7	6	1	2	2	1	–	1	4	3	17	10	12	4	–	–	35
79	2	–	31	1	4	4	3	–	3	1	–	1	1	–	8	8	3	2	–	–	36
130	4	1	35	4	2	4	–	–	4	–	–	2	2	3	21	14	13	3	2	–	37
52	2	1	10	1	1	1	–	–	2	–	–	1	2	1	4	2	2	2	–	–	38
78	2	–	25	3	1	3	–	–	2	–	–	1	–	2	17	12	11	1	2	–	39
439	27	–	136	41	18	32	16	4	17	5	–	8	17	15	110	31	32	30	8	2	40
190	11	–	65	13	6	18	6	1	12	3	–	2	11	5	39	6	11	11	3	1	41
249	16	–	71	28	12	14	10	3	5	2	–	6	6	10	71	25	21	19	5	1	42
449	30	6	129	24	19	45	23	2	18	6	1	11	31	9	102	37	39	22	6	2	43
221	11	3	64	11	10	19	10	1	13	4	–	6	16	6	50	18	18	5	1	2	44
38	5	–	6	2	1	4	–	–	–	–	–	2	5	–	12	2	8	7	–	–	45
190	14	3	59	11	8	22	13	1	5	2	1	3	10	3	40	17	13	10	5	–	46
31	3	–	12	2	1	3	–	–	1	–	–	–	–	1	7	2	1	3	1	1	47
1,170	95	11	329	97	65	83	42	10	56	14	–	26	41	21	260	90	87	35	19	2	48
34	1	–	9	1	1	2	2	–	1	1	–	–	2	–	10	2	1	1	–	–	49
633	52	10	187	57	34	48	18	6	40	9	–	11	22	15	138	32	53	17	16	1	50
43	–	1	7	–	2	3	1	–	–	–	–	1	–	–	4	4	1	–	–	–	51
36	2	–	13	1	6	1	1	–	–	1	–	1	3	1	22	4	2	3	1	1	52
35	2	–	14	1	2	4	–	–	–	–	–	3	2	–	6	2	2	2	–	–	53
116	12	–	33	12	7	5	4	2	5	2	–	2	6	1	25	12	6	4	1	–	54
273	26	–	66	25	13	20	16	2	10	1	–	8	6	4	55	34	22	8	1	–	55
7	–	–	4	–	1	2	–	–	–	1	–	–	–	–	2	2	3	–	–	–	56
43	5	1	10	1	3	2	3	–	–	1	–	–	1	–	8	3	1	1	–	1	57
147	15	–	50	8	7	12	2	1	3	3	–	3	6	4	45	14	12	7	1	–	58
52	3	1	12	2	1	4	–	–	–	1	–	–	–	–	9	4	4	1	–	–	59
237	26	3	48	27	16	9	10	–	6	2	–	2	8	12	62	20	22	8	5	–	60
50	9	2	14	12	5	1	4	–	1	–	–	–	2	3	17	7	7	1	2	–	61
187	17	1	34	15	11	8	6	–	5	2	–	2	6	9	45	13	15	7	3	–	62
160	16	–	48	8	10	14	7	1	6	1	–	5	9	3	39	20	11	16	4	1	63
30	5	–	8	3	3	1	1	–	1	–	–	1	2	1	2	4	5	–	–	–	64
45	2	–	14	3	–	4	1	–	2	1	–	–	3	–	6	4	4	1	–	–	65
1,428	121	9	327	54	71	80	53	7	76	22	–	37	64	23	339	107	86	95	36	7	66
41	2	–	7	1	3	2	–	–	2	2	–	1	3	1	7	1	1	1	–	–	67
156	13	3	36	6	10	4	5	–	4	2	–	1	1	2	31	9	8	6	6	–	68
41	2	–	6	1	3	2	2	–	1	–	–	–	–	–	10	2	–	1	–	–	69
87	11	–	19	3	6	4	6	1	10	1	–	5	8	1	28	9	6	6	4	–	70
139	12	–	33	6	10	7	3	1	11	–	–	1	6	–	34	8	9	13	7	–	71
216	15	3	68	9	9	11	12	2	12	3	–	2	3	–	48	8	14	8	3	–	72
120	6	–	21	2	1	8	2	–	6	2	–	4	11	4	28	8	6	8	1	2	73
317	29	1	78	11	18	28	13	1	15	7	–	8	15	9	75	24	18	28	7	3	74
311	31	2	59	15	11	14	10	2	15	5	–	15	17	6	78	38	24	24	8	2	75
101	4	–	37	10	7	5	3	–	3	1	–	2	1	1	28	3	10	5	–	1	76
200	9	3	57	12	3	15	9	2	12	1	–	3	9	4	42	14	19	6	2	1	77
57	3	2	21	6	–	3	2	–	2	–	–	–	4	–	15	3	3	1	1	1	78
143	6	1	36	6	3	12	7	2	10	1	–	3	5	4	27	11	16	5	1	–	79
88	13	4	17	2	7	8	2	–	2	1	–	1	5	–	15	4	10	4	–	–	80
76	12	–	17	5	3	6	2	1	2	–	–	3	3	–	17	8	3	4	–	–	81
20	8	–	5	1	–	1	–	–	1	–	–	1	–	–	7	1	–	1	–	–	82
56	4	–	12	4	3	5	2	1	1	–	–	2	3	–	10	7	3	3	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Menominee	309	–	–	1	51	19	12	2	6	3	1	8	7	175	127	–	–
02	Menominee	134	–	–	–	30	16	3	1	3	2	1	4	3	70	51	–	–
03	Balance of county	175	–	–	1	21	3	9	1	3	1	–	4	4	105	76	–	–
04	Midland	419	–	–	1	91	20	25	10	12	3	4	17	5	207	145	1	3
05	Midland, part	218	–	–	–	48	8	17	6	7	3	2	5	4	110	80	–	1
06	Midland, total	218	–	–	–	48	8	17	6	7	3	2	5	4	110	80	–	1
07	Balance of county	201	–	–	1	43	12	8	4	5	–	2	12	1	97	65	1	2
08	Missaukee	78	–	–	–	12	2	4	–	1	1	–	4	1	48	35	2	–
09	Monroe	948	–	–	4	167	38	42	19	18	4	6	40	31	499	385	3	4
10	Monroe	265	–	–	1	49	9	9	6	6	1	–	18	10	142	107	–	1
11	Balance of county	683	–	–	3	118	29	33	13	12	3	6	22	21	357	278	3	3
12	Montcalm	431	–	–	6	60	17	15	4	9	1	4	10	10	237	164	3	3
13	Montmorency	77	–	–	–	14	–	4	–	5	–	2	3	2	46	35	–	1
14	Muskegon	1,315	1	1	9	259	75	63	23	26	11	8	53	36	709	511	10	10
15	Muskegon	577	–	1	3	94	29	20	6	10	4	1	24	15	324	220	3	6
16	Muskegon Heights	158	–	–	1	36	12	12	2	–	3	2	5	8	74	51	–	–
17	Norton Shores	92	–	–	–	24	8	5	5	4	–	–	2	1	45	37	1	1
18	Balance of county	488	1	–	5	105	26	26	10	12	4	5	22	12	266	203	6	3
19	Newaygo	315	1	–	1	71	19	17	2	11	2	3	17	13	162	109	1	–
20	Oakland	6,636	9	–	42	1,511	410	346	182	151	65	57	300	144	3,341	2,589	60	28
21	Berkley	150	–	–	1	41	10	9	4	4	1	–	13	3	79	59	3	1
22	Beverly Hills	68	–	–	2	16	–	2	4	2	1	2	5	2	35	27	1	–
23	Birmingham	243	–	–	2	49	13	7	7	6	4	3	9	7	131	98	3	–
24	Clawson	116	–	–	–	30	10	8	2	4	–	–	6	2	60	47	2	–
25	Farmington	131	–	–	1	26	5	8	1	5	1	–	6	2	74	61	1	–
26	Ferndale	306	1	–	1	64	19	20	7	8	3	–	7	7	152	119	1	3
27	Hazel Park	202	1	–	1	42	10	14	2	5	–	3	8	4	102	87	1	1
28	Madison Heights	187	–	–	–	38	10	10	4	2	2	–	10	7	86	72	2	1
29	Oak Park	324	–	–	1	86	24	13	13	8	4	4	20	6	164	133	2	–
30	Pontiac	705	3	–	5	141	34	41	8	12	6	4	36	20	301	232	2	7
31	Royal Oak	619	–	–	3	158	44	42	20	14	3	6	29	12	323	252	2	2
32	Southfield	616	1	–	6	136	55	15	20	12	5	6	23	9	333	246	7	4
33	Troy	300	–	–	3	77	15	19	8	5	4	5	21	5	151	115	5	1
34	Balance of county	2,669	3	–	16	607	161	138	82	64	31	24	107	58	1,350	1,041	28	8
35	Oceana	232	–	–	2	38	10	13	–	2	–	2	11	6	118	79	1	2
36	Ogemaw	191	–	–	1	39	9	10	2	8	3	1	6	5	106	80	–	2
37	Ontonagon	111	–	–	1	26	7	4	3	2	1	–	9	4	56	31	1	–
38	Osceola	180	–	–	–	41	6	8	1	3	2	2	19	4	100	75	–	–
39	Oscoda	72	–	–	1	13	1	3	1	2	1	1	4	3	44	36	1	1
40	Otsego	88	–	–	–	22	9	4	3	2	1	–	3	3	42	36	2	–
41	Ottawa	936	–	–	3	173	44	34	25	18	8	8	36	17	476	348	8	5
42	Grand Haven	151	–	–	–	39	15	7	6	3	2	1	5	–	81	54	2	1
43	Holland, part	217	–	–	2	34	9	10	5	2	3	–	5	3	126	90	2	–
44	Holland, total	227	–	–	2	35	10	10	5	2	3	–	5	4	130	94	2	–
45	Balance of county	568	–	–	1	100	20	17	14	13	3	7	26	14	269	204	4	4
46	Presque Isle	143	–	–	1	30	7	9	1	4	1	2	6	2	80	60	–	1
47	Roscommon	190	–	–	–	49	12	14	2	2	2	7	10	5	106	78	–	3
48	Saginaw	1,708	2	–	6	306	73	92	30	25	12	21	53	38	909	658	15	11
49	Saginaw	859	1	–	5	141	38	47	11	10	5	9	21	22	454	313	9	7
50	Balance of county	849	1	–	1	165	35	45	19	15	7	12	32	16	455	345	6	4
51	St. Clair	1,170	2	–	2	244	73	52	22	21	9	12	55	31	616	432	7	2
52	Port Huron	375	–	–	1	82	20	19	6	8	4	5	20	8	203	116	3	1
53	Balance of county	795	2	–	1	162	53	33	16	13	5	7	35	23	413	316	4	1
54	St. Joseph	453	–	–	1	89	22	21	8	13	3	3	19	13	230	171	2	1
55	Sanilac	397	–	–	1	73	22	17	5	12	4	2	11	10	221	148	2	–
56	Schoolcraft	106	–	–	–	17	6	4	1	1	–	1	4	2	60	40	–	–
57	Shiawassee	508	1	–	1	112	25	27	9	14	3	2	32	10	269	174	3	1
58	Owosso	172	–	–	–	33	8	11	2	4	2	–	6	3	85	50	1	–
59	Balance of county	336	1	–	1	79	17	16	7	10	1	2	26	7	184	124	2	1
60	Tuscola	460	–	–	5	96	25	26	6	10	1	7	21	12	256	183	2	2
61	Van Buren	620	–	–	6	114	34	29	11	13	4	1	22	13	309	234	7	5
62	Washtenaw	1,220	4	–	14	272	62	72	20	30	21	14	53	19	565	415	6	6
63	Ann Arbor	421	2	–	3	98	22	26	8	12	10	3	17	7	203	153	4	1
64	Ypsilanti	203	1	–	2	46	11	12	2	6	6	2	7	3	87	65	–	1
65	Balance of county	596	1	–	9	128	29	34	10	12	5	9	29	9	275	197	2	4
66	Wayne	23,164	44	1	200	4,735	1,275	1,312	424	525	194	149	856	499	11,587	9,161	127	132
67	Allen Park	326	–	–	1	74	22	12	10	10	4	4	12	7	178	159	–	–
68	Dearborn	1,052	1	–	7	217	62	58	21	13	11	6	46	17	588	450	9	3
69	Dearborn Heights	520	–	–	4	128	27	43	8	11	3	7	29	15	257	207	3	3
70	Detroit	14,562	38	–	139	2,861	787	795	236	345	120	75	503	316	7,170	5,626	63	105
71	Ecorse	181	–	–	3	35	12	12	1	4	1	–	5	5	84	59	1	–
72	Garden City	202	–	–	4	38	7	12	5	–	–	1	13	4	101	73	2	–
73	Grosse Pointe Farms	109	–	–	–	31	9	11	3	3	1	1	3	–	63	48	1	1
74	Grosse Pointe Park	129	–	–	2	32	9	4	9	–	1	4	5	2	68	48	–	1
75	Grosse Pointe Woods	169	–	–	1	44	13	6	3	7	5	2	8	1	93	67	2	–
76	Hamtramck	383	2	–	2	60	14	20	6	6	1	1	12	14	219	182	1	3
77	Harper Woods	203	–	–	–	44	12	13	2	9	1	1	6	4	113	87	3	–
78	Highland Park	328	1	–	3	62	17	17	8	7	3	2	8	6	156	115	3	2
79	Inkster	238	1	1	4	52	12	11	8	4	3	1	13	6	96	77	4	1
80	Lincoln Park	351	1	–	4	75	18	24	5	11	2	2	13	6	188	156	–	1
81	Livonia	611	–	–	4	134	35	29	16	13	6	3	32	6	335	276	7	–
82	Melvindale	107	–	–	–	22	7	7	4	1	1	–	2	6	54	46	3	–
83	Plymouth	130	–	–	1	24	8	5	5	1	1	–	4	1	70	59	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
114	13	3	27	16	2	7	3	–	4	–	–	1	1	–	29	10	13	5	2	–	01
47	4	3	13	2	1	3	2	–	3	–	–	–	–	–	14	3	5	1	–	–	02
67	9	–	14	14	1	4	1	–	1	–	–	1	1	–	15	7	8	4	2	–	03
131	10	3	43	8	8	9	2	2	6	2	–	5	9	2	37	19	16	5	1	–	04
74	5	–	23	4	3	5	–	2	2	–	–	1	4	2	24	10	3	2	1	–	05
74	5	–	23	4	3	5	–	2	2	–	–	1	4	2	24	10	3	2	1	–	06
57	5	3	20	4	5	4	2	–	4	2	–	4	5	–	13	9	13	3	–	–	07
33	–	–	8	2	3	1	3	1	1	–	–	2	–	1	5	2	1	–	–	–	08
348	30	1	80	19	14	13	22	1	14	6	–	11	10	3	73	32	34	22	5	1	09
99	7	–	26	5	4	5	5	–	3	1	–	2	3	–	27	3	6	5	3	–	10
249	23	1	54	14	10	8	17	1	11	5	–	9	7	3	46	29	28	17	2	1	11
136	22	3	53	7	10	9	3	1	5	3	–	2	8	3	40	17	18	9	–	–	12
30	4	–	7	3	1	1	2	–	–	1	–	–	1	1	4	2	1	2	–	–	13
460	31	6	145	29	18	25	11	3	19	7	–	7	21	11	106	32	33	15	9	1	14
198	13	2	77	14	11	12	4	1	8	1	–	3	4	7	65	12	13	4	6	–	15
48	3	–	21	1	1	1	1	–	4	–	–	1	5	1	12	4	6	2	2	–	16
32	3	–	5	3	–	4	1	–	–	1	–	1	2	–	5	2	4	2	–	–	17
182	12	4	42	11	6	8	5	2	7	5	–	2	10	3	24	14	10	7	1	1	18
97	11	1	34	10	8	7	3	–	–	1	–	4	3	–	24	9	9	7	–	–	19
2,340	161	16	588	55	93	145	94	22	103	27	1	49	93	28	485	167	166	155	51	3	20
51	4	–	17	–	3	2	2	–	1	2	–	1	1	–	4	3	3	5	2	–	21
25	1	–	6	–	2	–	–	–	1	1	–	1	1	–	4	1	2	2	–	–	22
93	2	–	23	4	6	8	2	–	1	1	–	–	2	1	18	6	6	8	1	–	23
39	6	–	12	–	1	4	1	–	2	–	–	–	2	–	5	3	–	5	2	–	24
58	2	–	11	1	1	2	–	2	1	–	–	–	–	–	12	2	6	3	–	–	25
104	11	–	26	2	5	13	5	1	6	2	–	1	1	–	30	6	8	8	–	–	26
78	7	1	13	–	1	5	1	3	2	–	–	1	4	–	22	3	3	6	2	–	27
58	11	–	12	–	2	4	3	–	6	1	–	3	1	1	13	7	9	6	2	–	28
126	5	1	23	1	6	5	4	1	5	2	–	2	4	–	26	7	6	3	2	–	29
203	20	4	52	8	5	25	16	4	14	3	–	5	14	7	60	23	26	13	25	–	30
233	15	3	55	3	10	8	9	3	8	1	1	1	10	3	43	8	19	7	1	1	31
223	12	1	67	6	13	10	8	–	5	–	–	7	13	1	38	12	15	16	4	2	32
107	2	1	28	1	6	2	5	1	3	2	–	3	9	1	16	8	3	10	1	–	33
942	63	5	243	29	32	57	38	7	48	12	–	24	31	14	194	78	60	63	9	–	34
72	4	1	27	6	5	7	11	–	5	2	–	–	1	8	15	10	5	3	1	–	35
73	5	1	14	6	5	3	3	–	3	–	–	1	1	3	19	5	2	–	–	–	36
24	6	–	13	10	2	1	2	1	2	–	–	1	1	–	3	5	7	1	–	–	37
65	10	–	22	1	2	4	5	–	1	3	–	3	1	–	8	5	4	1	–	–	38
27	7	–	6	2	–	–	1	–	–	–	–	–	2	1	4	3	–	–	–	–	39
31	3	–	5	1	–	1	3	1	2	–	–	3	1	1	2	6	–	1	–	–	40
308	27	6	86	18	18	14	8	3	6	1	–	13	13	28	99	30	33	15	4	–	41
41	10	1	21	2	3	3	–	–	1	–	–	1	–	3	16	2	3	2	–	–	42
85	3	1	24	5	6	1	1	–	–	–	–	1	3	11	18	9	6	2	–	–	43
89	3	1	24	5	6	1	1	–	–	–	–	1	3	12	18	9	9	2	–	–	44
182	14	4	41	11	9	10	7	3	5	1	–	11	10	14	65	19	24	11	4	–	45
55	4	1	17	1	1	4	2	–	–	3	–	–	–	–	11	6	3	1	–	–	46
67	8	–	16	8	4	1	6	–	4	–	–	1	3	–	8	3	1	3	–	–	47
583	49	8	176	37	30	26	21	6	33	5	–	12	26	9	141	62	49	27	30	–	48
275	22	5	89	26	21	14	11	1	20	1	–	4	18	7	78	25	23	11	23	–	49
308	27	3	87	11	9	12	10	5	13	4	–	8	8	2	63	37	26	16	7	–	50
402	21	5	129	40	10	30	15	5	23	2	–	5	15	5	76	43	29	17	5	5	51
106	6	1	60	24	2	9	6	1	7	–	–	3	4	1	23	12	8	3	2	2	52
296	15	4	69	16	8	21	9	4	16	2	–	2	11	4	53	31	21	14	3	3	53
154	14	2	39	9	9	17	3	–	5	–	–	4	5	3	36	15	25	6	–	1	54
134	12	3	55	7	8	4	4	2	9	2	–	1	2	3	30	17	14	4	–	–	55
36	4	2	12	5	1	4	1	–	1	1	–	–	1	–	10	5	3	1	–	–	56
156	14	3	65	15	12	9	8	4	2	4	–	4	10	–	32	24	11	6	1	–	57
45	4	–	26	8	1	6	5	2	1	1	–	2	4	–	13	11	3	2	1	–	58
111	10	3	39	7	11	3	3	2	1	3	–	2	6	–	19	13	8	4	–	–	59
169	10	–	56	8	9	3	4	–	6	1	–	5	1	–	30	20	10	4	7	–	60
206	16	4	54	10	7	14	10	4	5	2	–	4	3	17	47	31	23	14	4	–	61
368	35	–	119	11	20	23	15	7	19	3	–	12	20	13	103	49	37	33	11	1	62
128	20	–	40	4	6	6	7	1	6	1	–	1	8	6	38	13	10	10	1	–	63
58	6	–	20	–	2	4	1	2	4	2	–	4	4	1	18	4	10	6	3	1	64
182	9	–	59	7	12	13	7	4	9	–	–	7	8	6	47	32	17	17	7	–	65
8,379	523	61	1,908	172	285	554	225	99	647	126	5	154	350	157	1,744	426	548	373	601	89	66
153	6	–	17	–	2	9	4	2	5	–	–	3	1	2	15	8	5	9	3	–	67
426	12	4	106	12	16	33	7	5	18	10	–	10	9	2	74	12	22	15	5	–	68
196	5	2	36	6	6	14	4	–	6	4	–	7	3	–	33	19	12	13	–	1	69
5,096	362	37	1,228	100	179	359	131	62	474	84	5	70	233	112	1,175	221	341	202	514	55	70
54	4	3	21	–	1	3	3	3	5	1	–	5	6	3	11	2	7	3	–	2	71
64	7	–	25	–	3	1	1	2	2	–	–	1	4	2	17	11	5	5	2	2	72
43	3	–	9	4	2	1	3	–	–	–	–	–	–	1	4	1	3	2	–	–	73
45	2	–	14	5	1	3	4	–	–	–	–	3	1	–	9	–	2	3	–	–	74
63	2	2	18	4	2	1	–	1	3	–	–	2	1	1	7	1	8	3	2	–	75
171	7	2	28	4	3	8	3	2	18	2	–	1	3	3	20	4	6	5	8	3	76
74	10	1	20	4	1	5	1	1	7	1	–	1	1	2	13	3	3	2	–	2	77
103	7	2	33	3	3	8	4	–	11	3	–	2	8	3	25	6	14	3	12	1	78
71	1	1	15	–	3	10	3	1	6	4	–	4	5	1	24	2	5	4	9	–	79
145	10	2	20	1	9	6	3	–	6	2	–	2	3	2	28	6	4	6	6	3	80
258	11	–	53	2	4	13	7	3	11	1	–	3	12	2	40	12	15	10	3	–	81
39	4	–	4	–	4	1	–	1	5	–	–	1	1	–	4	5	4	2	–	1	82
58	1	–	8	1	2	–	–	1	2	–	–	1	1	–	12	9	4	4	–	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–167)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
	Wayne—Con.																	
01	River Rouge	185	–	–	–	38	7	17	–	9	–	2	3	6	82	70	1	1
02	Riverview	68	–	–	–	13	5	–	1	2	–	1	4	1	44	33	1	–
03	Southgate	168	–	–	–	37	11	7	3	7	3	1	5	3	90	76	3	1
04	Taylor	413	–	–	5	94	23	26	5	11	5	6	18	10	179	142	4	2
05	Trenton	137	–	–	2	32	9	8	3	4	1	1	6	3	67	58	–	2
06	Wayne	159	–	–	1	29	10	7	2	2	–	–	8	7	76	62	3	1
07	Westland	473	–	–	3	117	31	34	14	8	7	6	17	16	213	168	1	2
08	Wyandotte	379	–	–	1	86	27	28	4	7	5	3	12	6	209	165	2	–
09	Balance of county	1,581	–	–	9	356	81	106	42	30	9	19	69	31	794	652	10	3
10	Wexford	213	–	–	1	36	8	9	3	3	2	1	10	4	120	82	3	2
11	**Minnesota**	**32,303**	**21**	**3**	**202**	**6,683**	**1,918**	**1,325**	**623**	**864**	**329**	**350**	**1,274**	**451**	**16,909**	**12,233**	**241**	**135**
12	Urban places	16,317	14	2	123	3,501	949	733	353	438	177	176	675	214	8,387	6,085	138	62
13	Balance of area	15,986	7	1	79	3,182	969	592	270	426	152	174	599	237	8,522	6,148	103	73
14	Metropolitan counties	16,209	13	2	120	3,472	949	732	356	433	178	176	648	222	8,171	5,943	132	70
15	Urban places	13,759	11	2	104	2,941	788	623	307	369	147	149	558	179	6,994	5,068	114	51
16	Balance of area	2,450	2	–	16	531	161	109	49	64	31	27	90	43	1,177	875	18	19
17	Nonmetropolitan counties	16,094	8	1	82	3,211	969	593	267	431	151	174	626	229	8,738	6,290	109	65
18	Urban places	2,558	3	–	19	560	161	110	46	69	30	27	117	35	1,393	1,017	24	11
19	Balance of area	13,536	5	1	63	2,651	808	483	221	362	121	147	509	194	7,345	5,273	85	54
20	Aitkin	182	–	–	–	37	14	6	–	5	4	3	5	8	103	71	–	–
21	Anoka	672	1	1	5	129	37	30	15	11	3	7	26	8	315	245	7	–
22	Anoka	108	1	–	–	13	4	3	2	–	–	1	3	–	58	41	1	–
23	Blaine, part	59	–	–	–	9	2	2	1	2	–	–	2	–	21	19	–	–
24	Blaine, total	59	–	–	–	9	2	2	1	2	–	–	2	–	21	19	–	–
25	Columbia Heights	137	–	–	2	31	13	6	4	–	2	1	5	5	62	48	2	–
26	Coon Rapids	91	–	1	–	19	4	4	1	2	1	2	5	–	41	34	2	–
27	Fridley	125	–	–	2	27	7	6	3	3	–	2	6	1	61	51	1	–
28	Balance of county	152	–	–	1	30	7	9	4	4	–	1	5	2	72	52	1	–
29	Becker	263	1	–	1	44	14	9	8	4	1	1	7	–	152	120	2	–
30	Beltrami	242	–	–	2	43	18	8	–	6	1	2	8	2	136	103	3	2
31	Bemidji	106	–	–	2	20	7	5	–	3	1	1	3	1	58	42	2	1
32	Balance of county	136	–	–	–	23	11	3	–	3	–	1	5	1	78	61	1	1
33	Benton	210	–	–	1	42	11	10	4	6	2	3	6	3	119	95	2	–
34	St. Cloud, part	38	–	–	1	7	3	2	1	–	1	–	–	–	22	20	2	–
35	Balance of county	172	–	–	–	35	8	8	3	6	1	3	6	3	97	75	–	–
36	Big Stone	78	–	–	–	14	4	3	2	2	1	1	1	1	47	35	2	–
37	Blue Earth	409	–	–	3	94	23	18	9	14	5	5	20	5	240	163	1	1
38	Mankato	221	–	–	2	58	12	12	6	8	2	4	14	2	126	89	–	1
39	Balance of county	188	–	–	1	36	11	6	3	6	3	1	6	3	114	74	1	–
40	Brown	324	1	–	–	71	22	9	4	8	7	4	17	5	184	124	–	5
41	New Ulm	158	1	–	–	38	9	4	3	6	7	1	8	4	85	55	–	1
42	Balance of county	166	–	–	–	33	13	5	1	2	–	3	9	1	99	69	–	4
43	Carlton	240	–	–	–	53	15	12	7	5	5	4	5	6	130	93	3	1
44	Carver	210	–	–	2	37	18	3	5	4	1	1	5	2	102	69	1	–
45	Cass	296	1	–	1	47	9	14	6	3	2	1	12	5	153	114	1	–
46	Chippewa	147	–	–	1	41	4	9	6	11	2	2	7	1	58	42	–	–
47	Chisago	204	–	–	–	48	16	10	6	5	2	1	8	3	101	73	1	–
48	Clay	358	–	–	4	82	27	11	10	14	7	2	11	2	180	125	3	6
49	Moorhead	202	–	–	4	44	12	8	6	10	2	–	6	2	100	69	3	2
50	Balance of county	156	–	–	–	38	15	3	4	4	5	2	5	–	80	56	–	4
51	Clearwater	96	–	–	1	6	2	–	–	1	1	–	2	2	60	41	–	2
52	Cook	31	–	–	–	4	1	–	–	–	–	1	2	–	14	10	–	–
53	Cottonwood	157	–	–	2	29	7	8	1	2	1	3	7	4	84	68	1	3
54	Crow Wing	414	–	–	3	95	25	17	7	10	9	4	23	4	210	166	1	2
55	Brainerd	146	–	–	3	44	13	7	4	4	5	2	9	3	77	56	1	–
56	Balance of county	268	–	–	–	51	12	10	3	6	4	2	14	1	133	110	–	2
57	Dakota	738	–	–	5	163	44	26	10	24	6	15	38	10	369	263	5	5
58	Burnsville	60	–	–	–	18	2	2	1	4	–	3	6	–	23	16	–	–
59	Hastings, part	111	–	–	–	24	8	3	2	2	1	3	5	2	61	43	–	3
60	Hastings, total	111	–	–	–	24	8	3	2	2	1	3	5	2	61	43	–	3
61	Inver Grove Heights	62	–	–	–	9	3	1	–	1	–	2	2	–	36	25	–	1
62	South St. Paul	148	–	–	1	34	6	9	1	8	4	–	6	3	75	50	3	–
63	West St. Paul	150	–	–	1	38	8	7	2	7	–	3	11	1	78	58	2	–
64	Balance of county	207	–	–	3	40	17	4	4	2	1	4	8	4	96	71	–	1
65	Dodge	107	–	–	–	21	7	5	1	2	1	1	4	2	55	36	1	–
66	Douglas	266	–	–	1	54	15	5	3	10	2	1	18	2	137	107	1	–
67	Faribault	222	–	–	1	46	12	8	3	8	1	2	12	1	130	93	1	1
68	Fillmore	241	–	–	–	36	13	5	2	8	1	–	7	3	139	101	6	1
69	Freeborn	304	–	–	–	69	21	14	3	8	7	1	15	4	156	111	1	1
70	Albert Lea	175	–	–	–	34	11	9	2	5	2	–	5	2	95	69	1	–
71	Balance of county	129	–	–	–	35	10	5	1	3	5	1	10	2	61	42	–	1
72	Goodhue	360	1	–	4	79	23	14	7	13	4	4	14	4	194	138	6	2
73	Red Wing	156	–	–	3	33	7	9	2	5	1	2	7	2	87	68	1	1
74	Balance of county	204	1	–	1	46	16	5	5	8	3	2	7	2	107	70	5	1
75	Grant	75	–	–	–	21	6	2	–	4	2	2	5	1	39	29	–	–
76	Hennepin	7,496	5	1	51	1,631	429	333	182	197	92	83	315	93	3,673	2,625	69	34
77	Bloomington	354	–	–	2	78	15	20	10	8	1	7	17	3	195	137	6	1
78	Brooklyn Center	155	–	–	1	51	14	10	6	10	1	6	4	–	62	51	1	1
79	Brooklyn Park	111	–	–	–	23	7	2	5	4	–	1	4	1	37	27	1	–
80	Crystal	124	–	–	1	35	9	14	2	1	4	1	4	1	60	48	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
65	3	–	9	1	2	8	2	1	7	1	–	2	2	2	13	3	7	2	9	–	01
30	2	–	9	1	1	1	1	1	2	–	–	1	–	–	2	–	–	1	–	1	02
70	2	1	8	1	4	–	4	1	2	1	–	1	2	–	10	6	3	6	–	2	03
132	4	1	32	3	1	16	4	–	12	–	–	6	11	4	33	19	10	6	4	–	04
55	1	–	9	–	–	1	1	–	1	–	–	–	–	3	8	4	7	4	3	1	05
53	5	–	13	–	1	6	4	–	3	–	–	1	2	3	11	3	4	7	2	–	06
150	15	–	36	1	8	9	3	3	10	1	–	8	9	2	31	13	12	13	4	6	07
154	9	–	37	1	6	7	4	2	9	2	–	2	3	2	23	5	8	9	1	–	08
611	28	3	100	18	21	31	24	7	22	9	–	17	29	5	102	51	37	34	14	9	09
67	10	–	25	10	3	9	7	1	–	–	–	1	3	–	19	3	6	2	1	–	10
10,877	**980**	**88**	**3,483**	**583**	**522**	**983**	**320**	**99**	**372**	**120**	**3**	**218**	**325**	**409**	**2,689**	**890**	**956**	**462**	**112**	**76**	**11**
5,464	421	46	1,674	306	276	484	162	56	245	63	2	106	160	260	1,414	307	433	247	83	54	12
5,413	559	42	1,809	277	246	499	158	43	127	57	1	112	165	149	1,275	583	523	215	29	22	13
5,335	406	52	1,603	293	280	485	166	60	241	57	2	115	164	271	1,378	371	478	270	87	64	14
4,577	326	41	1,389	256	240	418	143	51	212	49	2	91	138	246	1,195	255	375	218	82	53	15
758	80	11	214	37	40	67	23	9	29	8	–	24	26	25	183	116	103	52	5	11	16
5,542	574	36	1,880	290	242	498	154	39	131	63	1	103	161	138	1,311	519	478	192	25	12	17
887	95	5	285	50	36	66	19	5	33	14	–	15	22	14	219	52	58	29	1	1	18
4,655	479	31	1,595	240	206	432	135	34	98	49	1	88	139	124	1,092	467	420	163	24	11	19
64	7	–	25	5	2	5	1	1	1	–	–	–	1	2	14	3	3	3	–	–	20
214	24	–	54	9	7	21	6	2	12	–	–	15	20	4	57	26	28	18	2	2	21
36	4	–	13	2	2	6	–	–	2	–	–	2	3	1	13	4	1	2	1	1	22
17	2	–	1	1	–	2	2	–	–	–	–	4	4	–	6	6	4	1	–	–	23
17	2	–	1	1	–	2	2	–	–	–	–	4	4	–	6	6	4	1	–	–	24
41	5	–	12	2	–	7	–	1	4	–	–	1	1	1	12	2	3	3	1	1	25
29	3	–	6	1	–	1	1	–	3	–	–	3	5	–	5	4	6	2	–	–	26
47	3	–	8	1	1	4	2	–	1	–	–	1	5	1	6	6	4	4	–	–	27
44	7	–	14	2	4	1	1	1	2	–	–	4	2	1	15	4	10	6	–	–	28
106	12	1	25	–	6	12	2	1	1	–	–	2	2	5	20	8	8	3	–	1	29
91	7	1	24	5	3	6	4	2	5	1	–	1	3	1	19	9	5	1	1	1	30
38	1	–	13	2	1	3	–	–	5	1	–	1	1	–	10	–	3	1	–	–	31
53	6	1	11	3	2	3	4	2	–	–	–	–	2	1	9	9	2	–	1	1	32
91	2	–	20	2	2	2	3	–	1	–	–	2	2	–	18	9	4	2	2	–	33
18	–	–	1	1	–	–	1	–	1	–	–	–	1	–	1	3	1	–	–	–	34
73	2	–	19	1	2	2	2	–	–	–	–	2	1	–	17	6	3	2	2	–	35
30	3	–	9	2	1	1	–	–	–	1	–	1	–	–	10	–	2	1	–	–	36
154	7	2	60	8	7	9	2	1	3	1	–	–	5	–	26	4	11	5	–	–	37
84	4	1	26	7	3	5	1	–	1	–	–	–	3	–	14	1	6	2	–	–	38
70	3	1	34	1	4	4	1	1	2	1	–	–	2	–	12	3	5	3	–	–	39
98	21	–	51	6	3	12	2	1	3	1	–	2	3	2	21	6	10	–	–	–	40
48	6	–	26	3	1	6	1	–	3	–	–	–	2	2	11	2	3	–	–	–	41
50	15	–	25	3	2	6	1	1	–	1	–	2	1	–	10	4	7	–	–	–	42
80	9	–	26	5	6	6	1	–	1	1	–	1	2	1	14	8	10	5	1	–	43
62	6	–	23	5	5	15	5	–	1	1	–	1	2	3	21	7	9	2	–	–	44
98	15	1	31	1	6	18	4	2	6	–	–	–	3	1	30	10	10	4	1	–	45
38	4	–	13	–	3	7	–	2	–	1	–	1	3	2	10	13	3	2	–	2	46
66	6	1	24	2	1	8	2	1	1	–	–	3	3	1	16	9	3	4	1	–	47
108	8	4	39	4	8	14	6	1	3	2	–	3	1	5	32	12	5	4	1	1	48
61	3	1	23	3	4	7	4	1	3	1	–	2	–	5	18	6	1	3	1	–	49
47	5	3	16	1	4	7	2	–	–	1	–	1	1	–	14	6	4	1	–	1	50
36	3	–	18	1	–	4	1	–	1	–	–	1	1	–	12	–	4	3	–	–	51
10	–	–	3	–	1	–	–	–	–	–	–	–	–	2	5	2	4	–	–	–	52
60	4	–	7	9	–	5	–	–	1	1	1	1	2	1	16	5	4	1	–	–	53
151	12	–	37	4	3	12	2	1	1	1	–	9	3	1	36	14	16	4	2	–	54
52	3	–	16	2	3	1	–	–	1	1	–	3	–	–	7	2	3	1	–	–	55
99	9	–	21	2	–	11	2	1	–	–	–	6	3	1	29	12	13	3	2	–	56
225	28	3	74	15	14	13	10	3	10	4	–	5	9	8	54	33	25	9	2	6	57
15	1	–	4	1	2	–	1	1	1	1	–	–	1	2	3	5	3	1	–	–	58
35	5	1	9	7	1	4	1	–	1	–	–	–	1	1	8	1	3	2	1	1	59
35	5	1	9	7	1	4	1	–	1	–	–	–	1	1	8	1	3	2	1	1	60
21	3	–	8	2	1	1	2	–	–	1	–	–	1	1	6	3	–	1	–	1	61
44	3	1	14	4	6	5	1	–	3	1	–	1	2	–	11	4	5	–	–	2	62
49	7	–	18	–	2	2	2	1	4	1	–	–	1	2	10	4	2	2	1	–	63
61	9	1	21	1	2	1	3	1	1	–	–	4	3	2	16	16	12	3	–	2	64
31	4	–	15	1	3	4	1	–	–	–	–	–	3	–	11	4	4	2	–	–	65
98	8	–	21	4	5	14	3	–	1	–	–	2	1	6	23	10	11	1	–	–	66
83	8	–	30	6	1	6	1	–	2	–	–	2	2	–	16	9	–	4	1	1	67
92	2	–	33	2	3	15	1	–	3	–	–	3	2	1	24	7	3	4	–	–	68
90	19	2	34	4	5	8	3	1	7	2	–	2	3	6	24	9	5	4	–	1	69
56	12	1	18	3	4	8	2	1	4	1	–	1	1	3	17	2	2	2	–	–	70
34	7	1	16	1	1	–	1	–	3	1	–	1	2	3	7	7	3	2	–	1	71
118	12	2	47	3	4	10	3	1	–	–	–	–	4	2	33	11	10	4	–	–	72
63	3	–	15	1	3	8	2	1	–	–	–	–	–	–	11	3	5	1	–	–	73
55	9	2	32	2	1	2	1	–	–	–	–	–	4	2	22	8	5	3	–	–	74
28	1	–	6	2	2	3	1	–	–	1	–	–	2	–	5	1	1	–	–	–	75
2,371	151	23	747	148	130	233	79	29	132	28	2	52	63	180	661	130	236	144	48	25	76
125	5	1	38	11	8	5	3	–	3	1	–	5	3	3	28	4	16	3	1	1	77
45	4	–	9	1	1	3	–	–	1	2	–	1	6	2	11	4	3	6	1	1	78
23	3	–	7	2	1	1	2	–	1	–	–	4	5	4	12	7	4	8	2	–	79
46	1	–	9	2	1	3	–	–	1	–	–	2	–	3	8	–	3	4	3	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
	Hennepin—Con.																	
01	Edina	323	–	–	2	82	23	17	11	9	3	3	16	2	171	115	2	–
02	Golden Valley	159	–	–	–	43	11	13	5	6	1	4	3	2	73	56	3	–
03	Hopkins	137	–	–	–	31	5	6	2	4	3	1	10	3	74	52	2	–
04	Minneapolis	4,568	3	1	37	927	247	186	101	108	55	46	184	59	2,236	1,608	40	23
05	Minnetonka	147	–	–	–	34	2	11	3	6	2	1	9	4	68	49	–	2
06	New Hope	91	–	–	–	20	3	2	5	4	2	2	2	–	36	27	1	–
07	Plymouth	74	–	–	1	17	9	2	2	3	–	–	1	1	35	25	1	–
08	Richfield	243	1	–	2	52	14	11	8	4	2	2	11	–	122	88	1	1
09	Robbinsdale	135	–	–	1	27	8	6	2	2	2	2	5	2	77	55	3	–
10	St. Louis Park	359	1	–	–	90	27	16	8	11	8	2	18	6	194	125	2	1
11	Balance of county	516	–	–	4	121	35	17	12	17	8	5	27	9	233	162	5	5
12	Houston	182	–	–	1	27	8	4	3	3	1	–	8	4	105	76	–	–
13	Hubbard	147	–	–	1	32	14	8	1	3	–	1	5	4	78	61	–	–
14	Isanti	154	–	–	2	22	6	5	3	6	1	–	1	4	86	58	1	1
15	Itasca	385	–	–	4	64	21	12	5	10	2	3	11	5	186	130	7	–
16	Jackson	142	–	–	1	29	9	6	2	5	2	2	3	2	78	57	–	1
17	Kanabec	107	–	–	2	23	10	3	1	2	1	–	6	1	59	48	–	–
18	Kandiyohi	290	2	–	1	49	14	9	4	10	2	2	8	6	158	110	4	1
19	Willmar	135	1	–	–	21	7	4	3	3	–	–	4	4	71	48	3	1
20	Balance of county	155	1	–	1	28	7	5	1	7	2	2	4	2	87	62	1	–
21	Kittson	84	–	–	–	11	1	3	2	1	–	1	3	1	40	30	–	–
22	Koochiching	158	–	–	–	28	8	7	–	6	1	1	5	1	74	53	–	–
23	Lac qui Parle	147	–	–	1	26	10	5	1	3	3	2	2	–	98	71	1	–
24	Lake	95	–	1	3	18	5	3	3	1	2	1	3	1	51	34	1	–
25	Lake of the Woods	43	–	–	–	6	1	2	1	–	–	–	2	1	25	23	–	2
26	Le Sueur	206	–	–	1	58	21	13	5	5	2	3	9	3	98	70	2	–
27	Lincoln	75	–	–	1	10	6	2	1	1	–	–	–	1	45	25	1	–
28	Lyon	206	–	–	2	44	13	4	3	5	2	2	15	1	109	73	1	–
29	McLeod	221	–	–	–	46	14	6	6	2	2	6	10	7	127	80	–	2
30	Mahnomen	65	–	–	–	13	4	2	–	4	–	–	3	3	33	27	1	–
31	Marshall	142	–	–	–	17	6	6	–	3	1	–	1	–	86	58	1	–
32	Martin	249	–	–	1	48	16	7	4	5	3	4	9	6	152	107	3	–
33	Fairmont	109	–	–	–	23	8	3	1	3	2	3	3	2	65	46	1	–
34	Balance of county	140	–	–	1	25	8	4	3	2	1	1	6	4	87	61	2	–
35	Meeker	207	–	–	1	33	8	4	5	–	1	3	12	2	119	80	1	–
36	Mille Lacs	189	–	–	2	45	12	13	5	7	2	–	6	2	96	68	2	–
37	Morrison	272	–	–	–	48	13	8	4	5	1	1	16	3	147	102	1	3
38	Mower	414	–	–	1	78	15	19	11	7	5	4	17	4	230	170	2	2
39	Austin	275	–	–	1	51	10	15	7	4	3	1	11	2	153	107	2	2
40	Balance of county	139	–	–	–	27	5	4	4	3	2	3	6	2	77	63	–	–
41	Murray	111	–	–	–	14	3	3	1	2	1	1	3	3	71	44	–	–
42	Nicollet	190	–	–	1	42	10	6	7	2	3	2	12	1	104	75	–	–
43	Nobles	205	–	–	–	44	15	5	4	4	1	3	12	6	108	78	1	–
44	Norman	119	–	–	–	29	11	4	4	2	2	3	3	1	65	49	1	–
45	Olmsted	516	1	–	5	134	43	18	16	18	2	13	24	12	205	152	8	–
46	Rochester	391	1	–	5	97	32	13	14	12	–	9	17	8	156	112	5	–
47	Balance of county	125	–	–	–	37	11	5	2	6	2	4	7	4	49	40	3	–
48	Otter Tail	514	1	–	7	115	41	22	5	15	6	6	20	5	274	216	8	1
49	Fergus Falls	131	–	–	3	27	8	8	–	5	1	2	3	1	62	47	3	–
50	Balance of county	383	1	–	4	88	33	14	5	10	5	4	17	4	212	169	5	1
51	Pennington	157	–	–	1	29	5	3	5	3	–	4	9	4	84	43	1	1
52	Pine	194	–	–	1	39	9	11	2	2	2	4	9	4	90	70	–	–
53	Pipestone	144	–	–	–	33	4	7	4	6	4	5	3	–	77	48	–	–
54	Polk	415	–	–	1	75	24	14	4	7	2	6	18	9	235	148	–	4
55	Pope	128	–	–	2	17	5	1	2	6	–	1	2	2	76	49	–	1
56	Ramsey	3,665	4	–	35	789	208	196	83	93	39	27	143	52	1,973	1,455	25	13
57	Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	Maplewood	151	–	–	2	37	10	5	2	3	3	2	12	4	76	54	1	–
59	New Brighton	108	–	–	–	25	5	6	4	4	1	1	4	4	42	31	1	–
60	North St. Paul	63	–	–	–	13	4	4	–	2	1	1	1	1	35	24	–	–
61	Roseville	207	1	–	–	52	12	11	7	4	3	4	11	2	114	80	–	1
62	St. Paul	2,810	3	–	31	584	152	150	60	73	26	17	106	39	1,540	1,140	22	12
63	Shoreview	34	–	–	1	8	2	1	1	1	–	–	3	–	14	12	–	–
64	White Bear Lake, part	122	–	–	1	27	8	9	2	2	1	2	3	1	59	44	–	–
65	White Bear Lake, total	123	–	–	1	27	8	9	2	2	1	2	3	1	59	44	–	–
66	Balance of county	170	–	–	–	43	15	10	7	4	4	–	3	1	93	70	1	–
67	Red Lake	63	–	–	–	8	2	2	–	2	–	1	1	1	41	23	1	–
68	Redwood	219	–	–	1	42	10	7	2	15	4	1	3	3	128	73	2	–
69	Renville	228	–	–	2	51	13	6	4	11	4	4	9	3	130	98	1	–
70	Rice	357	1	–	3	80	30	13	4	10	–	4	19	4	179	129	4	1
71	Faribault	182	1	–	2	38	20	6	1	4	–	2	5	2	85	62	3	–
72	Northfield	99	–	–	1	22	6	3	3	2	–	–	8	1	55	41	–	1
73	Balance of county	76	–	–	–	20	4	4	–	4	–	2	6	1	39	26	1	–
74	Rock	102	–	–	–	19	5	6	–	4	–	–	4	–	60	47	–	1
75	Roseau	128	–	–	1	23	10	6	2	2	1	–	2	2	72	48	2	1
76	St. Louis	2,252	2	–	14	436	133	96	32	57	24	26	68	41	1,201	898	10	8
77	Duluth	1,067	–	–	4	213	59	41	18	34	8	14	39	12	600	438	3	3
78	Hibbing	223	–	–	2	38	12	6	1	8	4	1	6	5	133	95	2	–
79	Virginia	184	–	–	1	37	15	5	3	2	5	2	5	4	82	60	–	–
80	Balance of county	778	2	–	7	148	47	44	10	13	7	9	18	20	386	305	5	5
81	Scott	241	–	–	3	47	15	6	6	7	1	2	10	6	115	80	2	1
82	Sherburne	171	–	–	–	34	14	6	3	5	–	1	5	2	96	76	1	–
83	St. Cloud, part	31	–	–	–	5	2	–	–	1	–	–	2	–	24	18	–	–
84	Balance of county	140	–	–	–	29	12	6	3	4	–	1	3	2	72	58	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
104	9	2	38	8	8	9	6	2	1	2	–	–	–	4	27	4	6	5	–	–	01
47	6	–	10	–	7	2	1	–	3	–	–	–	2	–	17	4	6	6	–	–	02
47	3	–	17	3	2	5	–	1	4	1	–	2	–	1	13	–	2	–	–	–	03
1,452	93	16	449	91	72	162	55	21	89	20	2	23	34	142	413	64	147	76	38	19	04
44	3	–	16	2	1	2	1	–	2	1	–	2	–	1	14	5	8	2	1	2	05
24	2	–	8	–	1	10	–	–	1	–	–	2	–	1	15	3	1	1	1	–	06
22	2	–	7	1	2	3	–	–	1	–	–	–	2	2	2	5	3	2	–	–	07
85	1	1	22	4	7	7	4	–	6	–	–	2	2	2	21	4	7	9	1	1	08
47	5	–	18	1	3	3	1	–	1	–	–	1	–	1	14	1	5	1	–	–	09
117	5	1	55	7	6	6	1	2	8	1	–	1	1	4	21	3	12	8	–	–	10
143	9	2	44	15	10	12	5	3	10	–	–	7	8	10	45	22	13	13	–	1	11
73	3	–	22	3	4	10	2	1	1	1	–	–	–	–	16	6	8	–	–	–	12
52	9	–	12	–	5	5	–	–	3	–	–	–	–	2	13	3	5	1	–	–	13
53	3	1	24	2	1	10	1	–	–	1	–	1	3	–	12	4	7	1	–	–	14
116	7	–	43	5	8	16	10	–	6	2	–	5	6	3	35	25	15	2	1	–	15
50	6	1	16	4	–	10	1	1	–	2	–	–	1	1	9	2	4	1	–	–	16
46	2	–	9	–	2	3	1	–	–	2	–	–	–	1	6	3	4	2	–	–	17
96	9	1	40	3	4	9	3	1	5	3	–	4	2	–	26	13	6	2	–	–	18
42	2	–	19	3	1	3	2	–	2	2	–	1	2	–	14	8	3	1	–	–	19
54	7	1	21	–	3	6	1	1	3	1	–	3	–	–	12	5	3	1	–	–	20
22	8	–	9	–	1	7	1	1	1	1	–	–	1	–	10	2	6	2	–	–	21
51	2	2	17	1	1	6	1	1	4	–	–	–	–	3	21	2	13	4	–	–	22
65	5	–	20	4	3	3	2	–	3	–	–	–	–	–	8	2	3	1	–	–	23
29	4	–	13	2	2	1	–	–	–	1	–	–	1	–	9	4	2	3	–	–	24
19	2	–	2	–	–	–	3	–	–	–	–	1	–	–	2	2	1	1	1	–	25
54	14	2	21	4	1	5	2	–	2	–	–	3	2	1	18	5	5	3	–	–	26
22	2	1	13	3	3	3	1	–	–	–	–	1	1	–	7	–	2	3	–	–	27
64	8	–	27	4	5	7	1	2	1	1	–	–	5	2	21	1	8	1	–	–	28
69	9	2	31	12	2	6	4	–	1	1	–	1	1	1	16	5	2	1	1	1	29
24	2	–	4	1	1	3	2	–	–	–	–	1	–	3	4	1	1	1	–	–	30
54	3	–	19	4	5	5	–	–	–	1	–	1	1	1	11	8	8	3	–	–	31
91	13	1	40	1	3	3	1	–	1	–	–	–	–	3	20	4	5	5	–	–	32
42	3	–	16	1	2	2	1	–	1	–	–	–	–	2	8	2	1	2	–	–	33
49	10	1	24	–	1	1	–	–	–	–	–	–	–	1	12	2	4	3	–	–	34
70	9	1	31	5	2	3	2	1	–	3	–	1	2	10	14	6	9	1	–	–	35
65	1	–	23	3	2	14	3	–	–	1	–	1	4	–	8	3	8	1	1	–	36
93	5	1	38	2	4	5	2	2	5	3	–	2	3	2	28	12	7	3	–	–	37
126	40	–	50	5	5	11	–	2	6	4	–	5	3	5	36	15	10	4	–	–	38
75	28	–	38	4	4	9	–	2	5	1	–	5	1	1	30	8	5	1	–	–	39
51	12	–	12	1	1	2	–	–	1	3	–	–	2	4	6	7	5	3	–	–	40
39	5	1	17	3	6	4	3	–	2	–	–	1	1	–	6	3	3	–	–	–	41
69	6	1	26	–	2	1	2	–	1	–	–	1	2	2	12	4	14	2	1	–	42
70	7	1	23	4	2	5	–	1	2	2	–	–	3	–	19	8	4	3	–	–	43
46	2	–	13	2	1	2	–	–	–	–	–	–	–	1	15	2	3	1	–	–	44
133	11	1	35	5	12	11	5	2	6	–	–	2	8	23	62	17	13	8	1	1	45
97	10	1	28	4	11	8	3	1	5	–	–	1	7	19	52	12	11	4	–	1	46
36	1	–	7	1	1	3	2	1	1	–	–	1	1	4	10	5	2	4	1	–	47
192	15	–	46	4	8	14	3	2	3	–	–	1	3	3	54	9	14	5	1	–	48
37	7	–	14	–	1	6	–	1	–	–	–	–	1	–	22	–	5	3	–	–	49
155	8	–	32	4	7	8	3	1	3	–	–	1	2	3	32	9	9	2	1	–	50
38	3	–	29	8	4	3	1	–	3	1	–	1	1	1	10	10	5	3	–	–	51
55	15	1	15	2	2	6	6	–	–	2	–	4	–	2	23	9	2	6	–	–	52
43	5	1	21	2	5	4	1	–	2	–	–	–	3	2	14	6	1	1	–	–	53
136	8	–	63	20	4	12	5	2	2	–	–	5	2	1	31	17	13	4	1	–	54
45	3	–	21	3	3	8	1	–	–	–	–	–	–	1	7	10	4	–	–	–	55
1,334	83	11	376	73	58	95	29	14	47	14	–	22	35	27	301	64	78	39	26	21	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
50	3	–	18	2	2	1	1	–	–	1	–	–	1	2	15	5	3	–	–	3	58
30	–	–	7	3	1	5	–	–	3	2	–	2	5	2	12	–	5	–	–	1	59
24	–	–	5	5	1	1	1	–	2	–	–	–	–	1	4	2	3	–	–	–	60
75	4	2	23	6	3	4	1	–	3	–	–	3	2	1	8	3	8	3	2	–	61
1,040	66	9	289	52	50	73	24	13	34	10	–	12	20	19	247	41	50	33	21	16	62
11	1	–	1	1	–	3	–	–	1	–	–	–	3	–	3	1	–	–	–	–	63
40	4	–	15	–	–	5	–	1	1	–	–	5	1	1	6	7	4	1	1	1	64
40	4	–	15	–	–	5	–	1	1	–	–	5	1	1	7	7	4	1	1	1	65
64	5	–	18	4	1	3	2	–	3	1	–	–	3	1	6	5	5	2	2	–	66
22	–	–	15	1	2	–	–	–	1	–	–	–	1	3	5	1	1	1	–	–	67
64	7	1	46	6	2	6	1	1	1	1	–	2	1	3	15	9	4	1	–	–	68
86	11	–	22	5	5	4	3	–	2	1	–	2	–	1	15	4	7	3	–	–	69
113	11	1	34	8	7	6	3	–	2	5	–	4	4	1	32	21	7	5	–	–	70
51	8	1	19	1	2	3	2	–	2	2	–	3	1	1	25	9	3	3	–	–	71
39	1	–	8	5	1	3	–	–	–	3	–	–	1	–	4	3	4	2	–	–	72
23	2	–	7	2	4	–	1	–	–	–	–	1	2	–	3	9	–	–	–	–	73
44	2	–	11	–	2	5	3	1	1	–	–	1	2	–	7	2	1	–	–	–	74
41	4	–	21	3	–	–	2	–	2	–	–	1	1	–	12	3	6	2	–	1	75
796	84	8	224	32	39	80	26	8	25	8	–	11	21	23	180	60	64	39	7	6	76
395	37	3	117	20	22	30	15	5	9	2	–	5	14	13	86	18	19	17	4	1	77
84	9	–	32	2	4	10	3	–	5	–	–	1	2	–	15	3	3	3	–	–	78
54	6	2	15	1	4	9	4	1	2	1	–	–	2	4	24	2	7	3	1	–	79
263	32	3	60	9	9	31	4	2	9	5	–	5	3	6	55	37	35	16	2	5	80
67	10	–	25	3	7	6	1	–	3	1	–	4	4	4	18	10	6	7	4	2	81
72	3	–	16	2	2	4	2	1	3	1	–	1	1	2	10	10	1	3	–	–	82
17	1	–	4	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	83
55	2	–	12	1	1	3	2	1	3	1	–	1	1	2	9	10	1	3	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402 404)
	Minnesota—Con.																	
01	Sibley	163	–	–	–	36	15	7	2	6	1	2	3	1	95	55	–	–
02	Stearns	591	–	–	2	119	44	16	8	22	4	7	18	13	314	238	4	2
03	St. Cloud, part	180	–	–	1	40	13	4	3	7	1	2	10	4	93	75	2	1
04	St. Cloud, total	249	–	–	2	52	18	6	4	8	2	2	12	4	139	113	4	1
05	Balance of county	411	–	–	1	79	31	12	5	15	3	5	8	9	221	163	2	1
06	Steele	226	–	–	1	51	11	9	8	6	2	4	11	2	113	84	1	1
07	Owatonna	147	–	–	–	41	8	8	7	3	2	3	10	–	77	60	1	–
08	Balance of county	79	–	–	1	10	3	1	1	3	–	1	1	2	36	24	–	1
09	Stevens	94	–	–	–	20	5	5	3	2	–	–	5	2	48	39	1	–
10	Swift	131	–	–	2	31	8	8	3	5	–	3	4	2	70	51	–	5
11	Todd	257	–	–	–	41	10	11	7	2	1	2	8	3	149	109	3	1
12	Traverse	68	–	–	–	9	2	–	3	1	–	3	–	1	45	36	–	–
13	Wabasha	196	–	–	2	38	12	6	4	8	1	2	5	1	104	79	2	3
14	Wadena	130	–	–	–	30	9	7	2	6	2	1	3	2	67	53	1	1
15	Waseca	149	–	–	–	43	16	10	–	5	1	2	9	2	80	58	2	–
16	Washington	512	–	–	1	108	28	22	8	19	5	3	23	4	255	180	5	4
17	Cottage Grove	41	–	–	–	14	6	2	–	3	1	–	2	–	15	15	–	–
18	Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Stillwater	124	–	–	–	20	8	3	2	2	–	1	4	1	72	46	2	–
20	White Bear Lake, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Balance of county	346	–	–	1	74	14	17	6	14	4	2	17	3	168	119	3	4
22	Watonwan	138	–	–	–	40	15	6	5	4	2	5	3	3	68	54	–	–
23	Wilkin	68	–	–	1	15	2	8	–	2	1	–	2	–	33	24	1	–
24	Winona	404	–	–	1	90	30	16	5	9	4	5	21	6	231	171	4	3
25	Winona	269	–	–	–	58	17	11	3	6	2	4	15	5	158	114	2	2
26	Balance of county	135	–	–	1	32	13	5	2	3	2	1	6	1	73	57	2	1
27	Wright	386	–	–	1	75	20	12	–	13	3	6	21	5	205	168	3	3
28	Yellow Medicine	149	–	–	1	26	9	4	4	2	2	1	4	–	88	64	–	2
29	**Mississippi**	**23,014**	**45**	**6**	**208**	**3,939**	**949**	**1,066**	**269**	**538**	**139**	**169**	**809**	**373**	**10,694**	**7,524**	**73**	**124**
30	Urban places	7,170	24	1	63	1,313	335	359	96	154	54	60	255	109	3,245	2,277	28	39
31	Balance of area	15,844	21	5	145	2,626	614	707	173	384	85	109	554	264	7,449	5,247	45	85
32	Metropolitan counties	3,493	11	1	26	704	167	193	46	75	26	30	167	52	1,598	1,208	11	13
33	Urban places	2,353	11	1	18	478	115	132	34	48	19	25	105	33	1,112	847	9	11
34	Balance of area	1,140	–	–	8	226	52	61	12	27	7	5	62	19	486	361	2	2
35	Nonmetropolitan counties	19,521	34	5	182	3,235	782	873	223	463	113	139	642	321	9,096	6,316	62	111
36	Urban places	4,817	13	–	45	835	220	227	62	106	35	35	150	76	2,133	1,430	19	28
37	Balance of area	14,704	21	5	137	2,400	562	646	161	357	78	104	492	245	6,963	4,886	43	83
38	Adams	371	1	–	3	66	24	17	4	9	3	4	5	12	172	129	1	3
39	Natchez	256	1	–	2	52	20	12	3	6	2	4	5	6	122	92	1	2
40	Balance of county	115	–	–	1	14	4	5	1	3	1	–	–	6	50	37	–	1
41	Alcorn	297	–	1	2	48	15	11	3	4	1	4	10	2	148	112	1	3
42	Corinth	142	–	–	2	26	11	7	2	1	–	2	3	–	81	57	–	2
43	Balance of county	155	–	1	–	22	4	4	1	3	1	2	7	2	67	55	1	1
44	Amite	150	–	–	3	20	4	4	1	6	–	–	5	2	48	30	–	–
45	Attala	240	–	–	1	37	9	11	5	–	4	3	5	5	133	93	1	2
46	Benton	63	–	–	–	15	2	4	1	1	1	3	3	2	25	19	–	–
47	Bolivar	498	1	–	7	75	21	19	8	14	–	3	10	8	233	148	4	1
48	Cleveland	149	–	–	–	20	8	3	4	1	–	1	3	3	67	47	2	1
49	Balance of county	349	1	–	7	55	13	16	4	13	–	2	7	5	166	101	2	–
50	Calhoun	164	–	–	2	29	6	6	3	3	–	2	9	4	80	54	–	1
51	Carroll	97	–	–	–	15	3	6	–	3	1	–	2	2	54	44	–	2
52	Chickasaw	208	1	1	–	36	5	11	3	5	1	3	8	4	112	82	–	1
53	Choctaw	101	–	–	1	16	3	3	3	3	1	–	3	1	47	36	–	–
54	Claiborne	103	–	–	3	13	3	2	1	3	–	–	4	1	47	31	–	2
55	Clarke	161	–	–	1	22	6	7	–	2	1	–	6	2	86	55	–	–
56	Clay	190	1	–	2	30	9	7	1	5	1	1	6	2	94	72	2	1
57	Coahoma	433	2	–	4	68	14	20	3	7	2	4	18	9	154	95	2	1
58	Clarksdale	258	2	–	2	46	12	12	2	7	2	2	9	8	89	61	2	1
59	Balance of county	175	–	–	2	22	2	8	1	–	–	2	9	1	65	34	–	–
60	Copiah	313	2	–	4	49	9	13	1	11	1	1	13	4	148	92	2	2
61	Covington	181	–	–	1	39	6	16	1	3	2	4	7	3	88	62	–	–
62	De Soto	328	1	–	1	51	11	13	8	8	1	–	10	3	115	77	–	–
63	Forrest	625	–	–	3	125	27	38	8	22	5	6	19	16	275	194	2	3
64	Hattiesburg, part	420	–	–	2	88	21	27	5	16	3	3	13	10	175	132	1	2
65	Hattiesburg, total	421	–	–	2	89	21	27	5	16	3	3	14	10	175	132	1	2
66	Balance of county	205	–	–	1	37	6	11	3	6	2	3	6	6	100	62	1	1
67	Franklin	113	–	–	1	28	3	7	2	5	3	1	7	3	46	37	–	–
68	George	139	–	–	–	26	6	5	3	3	–	–	9	3	76	52	–	–
69	Greene	107	–	–	1	15	5	6	1	1	–	1	1	1	73	53	–	–
70	Grenada	221	–	–	1	35	8	14	1	6	–	1	5	4	105	58	–	–
71	Hancock	206	–	–	2	38	8	12	4	3	3	3	5	6	109	86	–	–
72	Harrison	1,253	–	–	13	272	72	75	17	28	11	12	57	20	588	486	6	3
73	Biloxi	366	–	–	2	74	19	23	4	8	4	5	11	5	158	126	2	1
74	Gulfport	450	–	–	7	102	26	28	7	9	3	7	22	8	230	193	2	2
75	Balance of county	437	–	–	4	96	27	24	6	11	4	–	24	7	200	167	2	–
76	Hinds	1,857	11	1	10	370	87	99	27	37	12	17	91	24	861	626	5	8
77	Jackson, part	1,536	11	1	9	302	70	81	23	31	12	13	72	20	723	528	5	8
78	Jackson, total	1,537	11	1	9	302	70	81	23	31	12	13	72	20	724	528	5	8
79	Balance of county	321	–	–	1	68	17	18	4	6	–	4	19	4	138	98	–	–
80	Holmes	270	1	–	5	46	11	10	2	14	3	–	6	5	128	82	–	5
81	Humphreys	167	–	–	1	29	7	8	2	7	1	–	4	1	81	61	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
45	10	–	32	3	5	4	1	–	–	–	–	–	–	8	6	7	2	2	1	–	01
216	16	2	50	19	5	11	12	3	8	1	–	1	17	10	37	18	17	8	–	–	02
70	2	1	12	4	1	1	4	–	4	–	–	–	3	4	14	3	6	3	–	–	03
105	3	1	17	6	2	2	5	–	5	–	–	–	4	4	16	6	7	3	–	–	04
146	14	1	38	15	4	10	8	3	4	1	–	1	14	6	23	15	11	5	–	–	05
77	5	–	17	9	3	3	2	–	1	–	–	1	2	–	23	10	11	6	–	–	06
56	3	–	13	3	1	–	1	–	–	–	–	1	2	–	14	2	4	5	–	–	07
21	2	–	4	6	2	3	1	–	1	–	–	–	–	–	9	8	7	1	–	–	08
33	5	–	8	1	–	4	–	–	–	–	–	2	1	1	9	2	4	1	–	–	09
41	5	1	13	1	4	9	1	–	1	–	–	1	1	–	7	–	4	2	–	–	10
96	9	1	30	4	5	7	2	–	–	2	–	–	2	4	24	11	10	2	–	–	11
32	4	–	8	–	1	3	–	–	1	–	–	–	1	1	4	2	1	–	–	–	12
61	13	1	15	7	2	7	5	–	2	–	–	1	2	–	23	4	3	4	–	–	13
51	–	–	8	4	2	2	–	–	–	–	–	1	–	3	9	6	8	1	1	–	14
51	5	–	18	3	1	1	1	–	–	–	–	2	1	–	8	5	5	1	–	–	15
154	17	2	54	7	12	18	5	1	6	1	–	5	7	1	31	29	29	9	–	2	16
12	3	–	–	–	–	–	–	–	1	–	–	3	1	–	3	2	–	2	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
42	2	–	20	3	3	9	1	–	2	–	–	–	1	–	5	6	7	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	20
100	12	2	34	4	9	9	4	1	3	1	–	2	5	1	22	21	22	7	–	2	21
49	5	–	14	–	–	4	–	–	1	1	–	1	–	–	12	1	4	3	–	–	22
23	–	–	8	–	1	–	1	–	1	–	–	–	–	–	6	2	9	–	–	–	23
147	17	1	35	14	10	9	2	–	4	3	–	–	7	2	29	7	9	2	1	1	24
99	11	1	27	9	7	7	2	–	4	3	–	–	3	1	16	4	4	2	1	1	25
48	6	–	8	5	3	2	–	–	–	–	–	–	4	1	13	3	5	–	–	–	26
147	15	–	30	4	3	17	2	1	3	1	–	3	8	5	21	17	13	8	1	–	27
52	10	–	24	–	–	–	3	1	1	2	–	1	2	2	14	3	3	–	1	1	28
6,165	**1,162**	**90**	**2,567**	**273**	**240**	**578**	**199**	**57**	**182**	**111**	**9**	**147**	**434**	**1,975**	**1,865**	**761**	**806**	**245**	**335**	**45**	29
1,842	368	33	775	89	71	169	59	20	86	36	6	39	142	579	631	171	223	87	152	15	30
4,323	794	57	1,792	184	169	409	140	37	96	75	3	108	292	1,396	1,234	590	583	158	183	30	31
934	250	5	308	39	38	90	47	11	40	11	1	22	50	111	337	123	116	58	77	7	32
667	160	3	208	28	26	58	29	9	28	10	1	16	30	32	245	64	73	41	60	4	33
267	90	2	100	11	12	32	18	2	12	1	–	6	20	79	92	59	43	17	17	3	34
5,231	912	85	2,259	234	202	488	152	46	142	100	8	125	384	1,864	1,528	638	690	187	258	38	35
1,175	208	30	567	61	45	111	30	11	58	26	5	23	112	547	386	107	150	46	92	11	36
4,056	704	55	1,692	173	157	377	122	35	84	74	3	102	272	1,317	1,142	531	540	141	166	27	37
113	12	1	34	5	3	8	2	1	5	3	–	2	5	20	29	16	17	3	6	–	38
81	8	1	23	3	3	7	1	1	2	–	–	–	4	14	18	8	11	3	4	–	39
32	4	–	11	2	–	1	1	–	3	3	–	2	1	6	11	8	6	–	2	–	40
85	23	3	27	3	3	15	1	2	3	–	–	1	3	16	21	21	10	2	1	–	41
47	8	3	18	2	1	7	1	2	1	–	–	–	1	7	10	1	2	–	1	–	42
38	15	–	9	1	2	8	–	–	2	–	–	1	2	9	11	20	8	2	–	–	43
27	3	2	12	1	3	–	–	1	3	–	–	–	1	47	9	8	5	1	2	–	44
75	15	–	36	1	3	2	4	–	–	–	–	–	1	17	14	7	9	2	7	1	45
17	2	–	6	–	–	1	–	–	–	–	–	–	–	12	4	1	3	–	–	–	46
108	35	2	76	4	3	18	3	–	2	–	–	2	15	53	37	11	19	5	8	1	47
34	10	–	19	1	–	2	2	–	1	–	–	2	5	14	12	5	10	2	4	–	48
74	25	2	57	3	3	16	1	–	1	–	–	–	10	39	25	6	9	3	4	1	49
45	8	–	22	3	1	8	1	–	1	–	1	–	3	11	12	4	3	3	2	–	50
38	4	2	8	–	–	2	1	–	–	–	–	1	2	4	13	–	2	1	–	–	51
70	11	–	27	3	–	3	2	1	–	2	–	–	4	15	8	5	9	2	2	1	52
35	1	–	10	–	1	3	1	–	–	1	–	1	1	1	13	7	6	2	–	–	53
16	13	–	12	4	–	4	–	–	–	1	–	–	3	9	10	5	4	–	2	1	54
44	11	2	27	2	–	7	–	–	–	–	–	1	3	11	17	4	5	1	1	–	55
64	5	1	19	1	1	5	1	2	2	2	–	2	2	13	12	8	9	–	3	–	56
76	16	4	49	3	3	8	1	–	3	3	–	2	13	96	33	7	19	2	9	–	57
48	10	2	22	2	2	5	1	–	2	1	–	2	9	52	15	6	9	–	9	–	58
28	6	2	27	1	1	3	–	–	1	2	–	–	4	44	18	1	10	2	–	–	59
75	13	1	45	5	5	9	4	–	2	2	–	3	6	18	36	7	11	2	6	–	60
61	1	2	21	3	–	1	1	–	1	1	–	2	5	15	10	7	5	1	1	–	61
57	20	–	32	2	4	11	5	1	1	1	–	1	12	54	22	16	18	9	5	1	62
171	18	3	62	9	7	21	6	–	6	2	–	1	17	66	45	19	11	3	7	2	63
114	15	3	31	5	4	13	4	–	6	1	–	–	12	49	27	16	9	1	5	2	64
114	15	3	31	5	4	13	4	–	6	1	–	–	12	49	27	16	9	1	5	2	65
57	3	–	31	4	3	8	2	–	–	1	–	1	5	17	18	3	2	2	2	–	66
32	5	–	6	3	–	3	–	2	–	–	–	2	2	2	15	–	6	2	1	–	67
37	15	1	17	–	6	1	1	1	1	–	–	2	1	9	10	4	3	–	1	–	68
47	6	1	16	3	–	3	–	1	–	–	–	1	3	1	4	2	1	–	–	1	69
56	2	–	44	2	1	6	3	–	4	2	–	1	5	26	11	8	6	3	1	–	70
57	29	–	14	3	6	5	2	–	2	–	–	1	–	10	15	6	8	1	1	–	71
315	162	1	75	11	15	31	18	4	22	3	–	11	22	14	100	50	43	20	21	1	72
94	29	–	24	4	4	15	7	2	5	1	–	2	5	7	46	13	14	4	5	1	73
117	72	1	27	4	5	4	4	1	7	2	–	6	7	5	27	10	12	10	8	–	74
104	61	–	24	3	6	12	7	1	10	–	–	3	10	2	27	27	17	6	8	–	75
538	75	3	191	20	21	47	23	6	16	8	1	9	24	30	208	57	61	32	53	5	76
456	59	2	156	20	17	39	18	6	16	7	1	8	18	20	172	41	47	27	47	3	77
456	59	2	157	20	17	39	18	6	16	7	1	8	18	20	172	41	47	27	47	3	78
82	16	1	35	–	4	8	5	–	–	1	–	1	6	10	36	16	14	5	6	2	79
57	20	1	38	6	1	8	–	–	2	5	–	3	4	32	18	1	8	–	4	–	80
49	10	–	12	7	1	4	1	–	–	–	–	3	2	10	14	8	7	3	2	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Issaquena	25	–	–	–	8	4	3	–	–	–	–	1	–	9	6	–	–
02	Itawamba	192	–	–	1	45	13	12	4	6	–	4	6	1	106	72	–	1
03	Jackson	696	1	–	3	122	26	39	11	10	5	5	26	11	294	234	–	3
04	Moss Point	125	–	–	–	21	3	6	2	3	–	1	6	3	54	39	–	–
05	Pascagoula	247	1	–	–	40	10	17	2	–	2	1	8	4	108	82	–	2
06	Balance of county	324	–	–	3	61	13	16	7	7	3	3	12	4	132	113	–	1
07	Jasper	165	–	–	2	18	4	3	1	1	2	1	6	1	96	77	–	2
08	Jefferson	95	–	–	–	19	4	6	–	4	–	–	5	1	45	29	–	–
09	Jefferson Davis	148	–	–	1	23	9	3	1	1	2	–	7	2	68	46	–	–
10	Jones	573	1	–	6	99	21	28	6	14	2	5	23	4	251	170	–	2
11	Laurel	265	1	–	4	43	10	11	3	7	2	1	9	3	119	78	–	–
12	Balance of county	308	–	–	2	56	11	17	3	7	–	4	14	1	132	92	–	2
13	Kemper	127	–	–	1	19	8	4	3	3	–	1	–	3	49	37	–	1
14	Lafayette	214	2	–	4	38	5	9	5	8	–	5	6	5	80	56	2	2
15	Oxford	76	–	–	2	19	3	4	2	3	–	2	5	1	31	21	2	1
16	Balance of county	138	2	–	2	19	2	5	3	5	–	3	1	4	49	35	–	1
17	Lamar	139	–	–	1	28	5	8	3	3	–	1	8	1	56	43	1	–
18	Hattiesburg, part	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
19	Balance of county	138	–	–	1	27	5	8	3	3	–	1	7	1	56	43	1	–
20	Lauderdale	763	3	–	9	116	25	37	10	13	5	3	23	8	274	165	4	5
21	Meridian	551	2	–	6	82	19	23	8	9	4	3	16	6	207	124	4	3
22	Balance of county	212	1	–	3	34	6	14	2	4	1	–	7	2	67	41	–	2
23	Lawrence	137	–	–	1	28	7	13	2	1	–	–	5	2	59	46	–	1
24	Leake	218	–	–	2	41	12	11	1	5	–	3	9	10	119	81	1	4
25	Lee	510	1	–	4	89	28	20	3	10	1	2	25	3	289	226	1	4
26	Tupelo	213	1	–	2	41	11	8	3	4	1	1	13	–	110	82	–	2
27	Balance of county	297	–	–	2	48	17	12	–	6	–	1	12	3	179	144	1	2
28	Leflore	455	–	–	6	68	14	22	4	10	1	3	14	7	217	157	1	1
29	Greenwood	278	–	–	3	41	8	15	4	6	1	2	5	2	141	96	1	1
30	Balance of county	177	–	–	3	27	6	7	–	4	–	1	9	5	76	61	–	–
31	Lincoln	288	–	–	2	35	12	7	3	5	1	1	6	5	151	109	2	1
32	Brookhaven	132	–	–	2	16	5	2	2	3	1	1	2	3	63	49	2	–
33	Balance of county	156	–	–	–	19	7	5	1	2	–	–	4	2	88	60	–	1
34	Lowndes	454	1	–	8	82	21	18	5	8	5	3	22	11	188	123	6	3
35	Columbus	284	1	–	5	51	14	10	2	6	2	2	15	5	126	74	2	3
36	Balance of county	170	–	–	3	31	7	8	3	2	3	1	7	6	62	49	4	–
37	Madison	325	–	–	3	52	8	12	4	13	–	2	13	8	134	92	1	7
38	Canton	144	–	–	–	21	4	5	1	7	–	–	4	5	64	48	–	3
39	Balance of county	181	–	–	3	31	4	7	3	6	–	2	9	3	70	44	1	4
40	Marion	262	–	–	2	42	7	17	5	3	–	1	9	3	118	71	–	2
41	Marshall	252	–	–	4	33	6	11	2	5	1	1	7	2	103	68	–	–
42	Monroe	324	1	–	2	51	15	10	5	6	2	1	12	2	168	107	1	1
43	Montgomery	163	–	1	1	29	9	2	2	6	–	3	7	3	93	70	1	–
44	Neshoba	221	3	–	–	31	1	8	7	5	4	1	5	2	112	75	–	–
45	Newton	246	–	–	1	33	7	5	4	6	1	1	9	7	130	86	2	–
46	Noxubee	153	–	–	4	26	3	5	2	6	1	2	7	2	59	42	1	1
47	Oktibbeha	224	–	–	1	41	7	12	3	6	3	1	9	2	101	66	1	2
48	Starkville	95	–	–	–	20	4	6	2	1	3	–	4	1	40	26	–	1
49	Balance of county	129	–	–	1	21	3	6	1	5	–	1	5	1	61	40	1	1
50	Panola	322	2	–	3	48	17	12	2	5	–	1	11	11	163	117	1	8
51	Pearl River	307	1	–	3	49	8	13	3	11	3	5	6	4	135	101	–	–
52	Picayune	119	1	–	1	15	3	4	–	4	1	1	2	2	50	35	–	–
53	Balance of county	188	–	–	2	34	5	9	3	7	2	4	4	2	85	66	–	–
54	Perry	77	–	–	–	14	4	4	1	4	–	–	1	2	34	25	–	–
55	Pike	412	2	–	4	75	16	20	10	13	2	4	10	8	203	114	2	1
56	McComb	179	2	–	2	37	9	9	6	5	2	1	5	3	85	43	1	1
57	Balance of county	233	–	–	2	38	7	11	4	8	–	3	5	5	118	71	1	–
58	Pontotoc	205	–	–	–	39	14	7	1	3	–	1	13	–	120	102	1	–
59	Prentiss	230	–	–	6	39	12	7	1	4	2	4	9	4	98	70	2	1
60	Quitman	145	–	–	2	20	5	5	1	3	–	1	5	2	76	56	1	5
61	Rankin	383	–	–	3	62	8	19	2	10	3	1	19	8	149	96	–	2
62	Jackson, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
63	Balance of county	382	–	–	3	62	8	19	2	10	3	1	19	8	148	96	–	2
64	Scott	269	2	–	2	40	8	10	2	8	2	3	7	5	132	85	2	–
65	Sharkey	93	–	–	–	13	4	4	1	4	–	–	–	4	50	38	–	–
66	Simpson	232	–	–	1	46	18	17	–	3	1	1	6	–	96	65	1	1
67	Smith	147	–	–	1	16	4	6	–	2	–	1	3	1	86	54	–	2
68	Stone	89	–	–	–	17	2	8	–	3	–	2	2	1	47	37	–	–
69	Sunflower	389	3	2	6	63	16	13	5	13	5	2	9	7	197	147	–	2
70	Tallahatchie	201	–	–	4	29	3	15	2	1	–	–	8	1	104	74	3	2
71	Tate	194	–	–	1	41	11	12	2	9	–	–	7	3	82	58	–	2
72	Tippah	206	–	–	1	35	9	7	2	8	2	2	5	3	107	84	1	1
73	Tishomingo	165	–	–	2	24	7	2	1	2	1	3	8	6	81	66	–	1
74	Tunica	101	–	–	–	14	6	2	1	2	1	–	2	1	55	37	–	–
75	Union	227	–	–	5	32	10	5	2	3	2	1	9	6	107	71	1	1
76	Walthall	132	–	–	2	22	3	7	1	6	2	–	3	1	57	41	2	2
77	Warren	464	1	–	4	89	24	28	4	10	4	3	16	10	213	134	1	1
78	Vicksburg	306	1	–	3	63	17	18	4	8	3	3	10	4	149	91	–	1
79	Balance of county	158	–	–	1	26	7	10	–	2	1	–	6	6	64	43	1	–
80	Washington	701	–	–	8	118	40	33	6	11	7	5	16	7	282	188	2	4
81	Greenville	421	–	–	4	76	21	25	4	7	5	4	10	3	184	118	1	2
82	Balance of county	280	–	–	4	42	19	8	2	4	2	1	6	4	98	70	1	2
83	Wayne	178	–	–	1	29	7	5	2	6	2	1	6	2	99	69	–	3
84	Webster	116	–	–	–	25	3	9	1	4	1	–	7	–	62	37	–	–
85	Wilkinson	113	–	–	–	19	5	5	1	4	–	1	3	4	53	41	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
5	1	–	2	–	1	–	–	–	–	–	–	1	–	2	2	–	1	1	1	–	01
70	1	1	30	3	–	–	2	1	4	–	–	3	1	7	9	5	4	1	2	–	02
196	35	–	47	6	7	14	8	3	12	4	–	7	20	55	57	19	30	15	19	2	03
36	3	–	11	3	1	4	–	–	2	–	–	3	2	11	10	–	9	1	4	1	04
67	13	–	23	2	1	2	6	1	4	2	–	1	10	14	22	7	11	5	8	1	05
93	19	–	13	1	5	8	2	2	6	2	–	3	8	30	25	12	10	9	7	–	06
67	8	–	18	–	1	3	3	–	–	2	–	–	6	10	10	6	5	–	1	2	07
23	6	–	11	2	3	3	–	1	1	1	–	1	1	2	8	6	2	2	2	–	08
40	6	–	18	3	1	7	1	1	–	1	–	1	5	5	16	4	8	1	4	–	09
143	25	3	71	1	6	18	4	–	5	3	–	2	13	66	53	17	24	2	5	–	10
67	11	2	36	1	2	9	–	–	1	1	–	1	8	36	27	1	8	1	2	–	11
76	14	1	35	–	4	9	4	–	4	2	–	1	5	30	26	16	16	1	3	–	12
36	–	1	8	1	2	7	4	1	–	–	–	–	1	15	17	4	4	–	2	–	13
45	7	–	16	4	4	6	2	1	–	1	1	2	5	36	20	4	6	1	–	–	14
17	1	–	6	3	1	1	–	–	–	1	1	1	–	8	9	–	2	–	–	–	15
28	6	–	10	1	3	5	2	1	–	–	–	1	5	28	11	4	4	1	–	–	16
40	2	–	9	3	1	5	1	2	–	–	–	–	1	22	14	3	2	2	1	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
40	2	–	9	3	1	5	1	2	–	–	–	–	1	22	14	3	2	2	1	–	19
141	15	6	96	5	2	26	6	2	10	3	1	4	14	163	63	16	21	7	15	2	20
106	11	4	73	4	2	21	4	2	7	2	1	3	7	117	45	10	11	6	10	2	21
35	4	2	23	1	–	5	2	–	3	1	–	1	7	46	18	6	10	1	5	–	22
39	6	–	10	1	2	2	2	–	2	–	–	–	1	17	10	6	6	–	1	–	23
65	11	2	31	5	–	5	2	–	–	2	–	2	2	4	11	10	7	1	–	–	24
213	8	1	47	9	6	9	6	2	5	1	–	4	12	3	32	20	19	4	5	2	25
78	2	–	19	4	5	4	2	–	5	–	–	2	6	1	14	11	6	4	3	1	26
135	6	1	28	5	1	5	4	2	–	1	–	2	6	2	18	9	13	–	2	1	27
91	64	5	46	6	3	8	3	–	6	–	1	4	13	31	40	14	24	4	9	–	28
56	38	4	36	3	2	5	2	–	6	–	1	2	7	13	28	6	10	3	8	–	29
35	26	1	10	3	1	3	1	–	–	–	–	2	6	18	12	8	14	1	1	–	30
100	6	–	39	1	2	9	1	–	2	1	–	1	4	36	28	4	5	1	2	1	31
45	2	–	14	–	–	3	–	–	2	–	–	1	1	20	14	3	2	–	1	1	32
55	4	–	25	1	2	6	1	–	–	1	–	–	3	16	14	1	3	1	1	–	33
101	13	3	50	7	5	8	2	2	5	5	–	4	13	36	39	17	18	6	7	2	34
60	9	3	39	6	4	3	1	2	4	4	–	–	10	19	27	7	10	3	5	1	35
41	4	–	11	1	1	5	1	–	1	1	–	4	3	17	12	10	8	3	2	1	36
54	30	2	34	3	3	14	1	1	2	2	1	–	3	42	28	5	19	4	5	1	37
28	17	1	12	2	1	4	–	1	–	1	1	–	2	16	14	2	6	2	5	–	38
26	13	1	22	1	2	10	1	–	2	1	–	–	1	26	14	3	13	2	–	1	39
50	19	2	43	2	–	10	–	–	3	–	–	1	3	26	25	9	12	2	5	1	40
51	17	–	28	3	4	6	2	1	1	2	–	6	3	51	15	12	4	3	2	2	41
99	6	1	56	3	1	10	2	3	3	3	–	1	5	19	27	9	13	2	3	–	42
64	5	–	22	–	1	3	–	1	–	–	–	1	–	5	8	8	6	3	1	–	43
66	9	2	30	2	3	5	–	–	3	1	–	2	4	17	17	9	6	4	4	1	44
73	11	2	33	3	6	4	–	–	–	–	–	3	5	21	20	12	7	1	2	–	45
33	7	–	14	1	2	4	–	–	1	–	1	1	3	29	10	4	8	1	–	–	46
55	8	1	30	3	1	3	3	1	2	1	–	1	11	15	16	10	8	3	5	–	47
24	1	–	11	2	1	–	1	–	2	1	–	–	6	5	8	3	3	3	2	–	48
31	7	1	19	1	–	3	2	1	–	–	–	1	5	10	8	7	5	–	3	–	49
96	12	1	36	7	2	7	4	–	–	1	–	4	10	13	30	8	12	3	2	1	50
87	14	1	22	7	4	11	3	1	5	6	–	1	5	33	21	16	6	5	1	1	51
30	5	1	8	3	3	5	–	1	2	4	–	–	3	12	10	6	3	4	–	–	52
57	9	–	14	4	1	6	3	–	3	2	–	1	2	21	11	10	3	1	1	1	53
21	4	–	7	–	2	–	–	–	–	1	–	1	–	11	9	–	2	1	1	1	54
97	14	2	76	4	7	6	4	–	4	–	–	1	5	53	25	6	12	1	3	–	55
32	9	2	35	3	2	3	2	–	3	–	–	–	1	23	11	1	4	–	2	–	56
65	5	–	41	1	5	3	2	–	1	–	–	1	4	30	14	5	8	1	1	–	57
88	13	–	15	3	–	8	3	–	–	–	–	–	2	3	16	4	4	4	1	1	58
57	10	–	22	3	3	1	3	1	2	3	–	1	1	26	24	3	14	3	–	1	59
36	14	–	16	2	2	6	1	1	2	2	–	1	1	2	10	8	6	1	4	–	60
81	13	1	42	8	2	12	6	1	2	–	–	2	4	67	29	16	12	6	3	1	61
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
81	13	1	41	8	2	12	6	1	2	–	–	2	4	67	29	16	12	6	3	1	63
66	17	1	33	10	3	9	4	1	1	2	–	3	7	20	18	11	8	2	2	–	64
36	2	–	12	–	–	–	1	–	1	–	1	1	2	6	5	3	3	–	3	–	65
58	5	–	25	–	6	8	2	1	2	2	–	2	4	18	22	12	9	2	5	–	66
39	13	–	24	2	6	4	2	–	–	–	–	2	1	11	8	8	5	–	2	–	67
35	2	1	7	–	2	1	1	1	1	1	–	–	1	4	6	1	5	1	1	–	68
127	18	2	41	3	4	6	–	1	2	2	–	3	18	17	29	3	17	7	6	–	69
66	3	2	24	3	1	4	3	–	–	1	–	1	4	18	19	5	6	–	1	1	70
45	11	–	19	3	2	5	1	–	1	1	–	1	3	22	12	15	3	2	1	–	71
72	10	1	14	4	4	2	3	–	1	2	–	2	5	4	17	8	7	5	4	–	72
61	4	1	10	3	1	2	4	–	1	–	–	–	1	11	14	9	7	1	2	–	73
35	2	–	14	1	3	2	–	–	–	1	–	1	4	7	3	2	7	2	1	1	74
61	8	1	26	7	2	4	1	–	1	–	–	1	3	22	22	13	5	3	2	–	75
27	10	1	13	1	1	5	2	–	–	2	–	2	2	11	16	3	1	3	3	–	76
99	33	2	64	6	7	8	5	1	2	3	–	1	9	29	37	22	14	5	10	1	77
68	22	1	46	6	5	7	2	–	2	2	–	–	7	20	25	7	7	2	5	–	78
31	11	1	18	–	2	1	3	1	–	1	–	1	2	9	12	15	7	3	5	1	79
164	18	2	88	1	3	15	–	–	4	6	–	5	17	122	54	16	27	5	12	3	80
107	8	1	62	1	2	6	–	–	4	4	–	4	11	60	32	6	12	4	9	2	81
57	10	1	26	–	1	9	–	–	–	2	–	1	6	62	22	10	15	1	3	1	82
53	13	5	21	1	3	5	1	–	1	2	–	1	3	3	9	10	8	1	3	–	83
33	4	–	25	–	–	3	1	1	–	–	–	1	3	1	13	6	–	–	–	–	84
30	11	–	9	1	2	5	1	–	2	–	–	1	2	4	14	5	3	–	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Winston	223	–	–	1	32	6	9	2	4	2	1	8	8	111	80	1	1
02	Yalobusha	166	–	–	2	26	5	4	1	7	1	1	7	2	74	48	1	–
03	Yazoo	302	–	–	5	34	9	9	3	4	2	2	5	7	126	69	–	1
04	Yazoo City	156	–	–	3	16	7	3	1	2	1	–	2	4	68	35	–	–
05	Balance of county	146	–	–	2	18	2	6	2	2	1	2	3	3	58	34	–	1
06	**Missouri**	**48,880**	**66**	**7**	**361**	**9,295**	**2,382**	**2,264**	**755**	**1,118**	**431**	**407**	**1,938**	**866**	**25,083**	**18,423**	**298**	**358**
07	Urban places	23,618	36	6	177	4,618	1,212	1,089	416	536	211	198	956	451	11,986	8,822	162	135
08	Balance of area	25,262	30	1	184	4,677	1,170	1,175	339	582	220	209	982	415	13,097	9,601	136	223
09	Metropolitan counties	27,764	42	6	204	5,579	1,472	1,353	501	646	252	233	1,122	530	13,976	10,403	201	130
10	Urban places	20,449	35	6	151	4,016	1,063	952	366	464	180	167	824	410	10,327	7,631	149	105
11	Balance of area	7,315	7	–	53	1,563	409	401	135	182	72	66	298	120	3,649	2,772	52	25
12	Nonmetropolitan counties	21,116	24	1	157	3,716	910	911	254	472	179	174	816	336	11,107	8,020	97	228
13	Urban places	3,169	1	–	26	602	149	137	50	72	31	31	132	41	1,659	1,191	13	30
14	Balance of area	17,947	23	1	131	3,114	761	774	204	400	148	143	684	295	9,448	6,829	84	198
15	Adair	198	–	–	4	43	8	7	7	8	4	1	8	4	88	59	1	2
16	Kirksville	144	–	–	3	35	6	6	7	7	2	1	6	4	56	38	1	2
17	Balance of county	54	–	–	1	8	2	1	–	1	2	–	2	–	32	21	–	–
18	Andrew	140	–	–	–	21	5	3	3	5	1	–	4	2	90	60	1	–
19	Atchison	86	–	–	1	17	6	3	–	3	1	–	4	2	53	33	1	–
20	Audrain	274	–	–	1	38	10	11	3	4	1	1	8	4	148	114	1	6
21	Mexico	151	–	–	–	28	8	6	3	3	1	1	6	2	80	63	1	3
22	Balance of county	123	–	–	1	10	2	5	–	1	–	–	2	2	68	51	–	3
23	Barry	297	1	–	2	56	16	18	2	6	2	–	12	3	155	109	1	3
24	Barton	171	–	–	1	23	5	7	2	1	–	2	6	2	104	83	–	–
25	Bates	209	–	–	2	51	9	20	3	6	1	4	8	–	84	60	1	1
26	Benton	175	–	–	–	38	6	13	2	6	2	3	6	3	80	54	–	1
27	Bollinger	114	–	–	–	22	5	6	1	7	–	–	3	1	61	40	–	–
28	Boone	546	–	–	4	109	33	28	8	15	1	7	17	5	272	186	2	2
29	Columbia	347	–	–	2	73	20	15	7	9	1	5	16	4	168	111	–	2
30	Balance of county	199	–	–	2	36	13	13	1	6	–	2	1	1	104	75	2	–
31	Buchanan	1,030	–	–	6	193	43	42	31	25	7	3	42	11	573	415	8	10
32	St. Joseph	954	–	–	6	182	41	40	29	23	7	3	39	9	531	381	8	8
33	Balance of county	76	–	–	–	11	2	2	2	2	–	–	3	2	42	34	–	2
34	Butler	425	–	–	3	71	22	16	3	7	4	4	15	8	201	149	2	–
35	Poplar Bluff	243	–	–	1	39	12	10	1	4	–	3	9	2	123	94	–	–
36	Balance of county	182	–	–	2	32	10	6	2	3	4	1	6	6	78	55	2	–
37	Caldwell	124	–	–	1	24	8	5	–	3	2	2	4	4	58	48	–	1
38	Callaway	279	–	–	1	61	15	14	2	6	3	4	17	6	122	83	–	5
39	Fulton	116	–	–	–	23	7	3	1	2	2	2	6	2	52	35	–	3
40	Jefferson City, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	161	–	–	1	38	8	11	1	4	1	2	11	4	70	48	–	2
42	Camden	185	–	–	1	37	9	10	1	9	–	1	7	4	97	70	3	1
43	Cape Girardeau	455	–	–	4	78	21	16	6	8	2	4	21	4	258	188	3	4
44	Cape Girardeau	282	–	–	2	57	16	10	3	6	2	3	17	2	155	106	1	3
45	Balance of county	173	–	–	2	21	5	6	3	2	–	1	4	2	103	82	2	1
46	Carroll	150	–	–	1	27	11	5	–	2	1	1	7	3	73	50	–	2
47	Carter	67	–	–	1	9	1	4	–	–	1	–	3	1	26	20	–	–
48	Cass	329	–	–	1	66	17	20	4	7	–	3	15	4	150	103	4	1
49	Cedar	181	–	–	1	26	7	7	2	3	–	3	4	7	113	50	–	–
50	Chariton	174	–	1	2	29	6	7	1	4	3	–	8	2	95	73	2	5
51	Christian	195	1	–	1	31	6	6	2	4	1	1	11	1	102	71	2	3
52	Clark	122	–	–	1	17	4	2	1	1	2	1	6	1	63	46	1	–
53	Clay	813	1	–	4	171	43	53	16	14	9	11	25	15	404	294	9	4
54	Gladstone	60	–	–	–	13	1	5	2	1	–	3	1	–	24	20	4	–
55	Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Kansas City, part	310	–	–	2	78	25	18	10	5	5	3	12	8	142	103	3	1
57	Liberty	117	1	–	–	22	5	10	–	1	–	1	5	3	66	48	–	1
58	Balance of county	326	–	–	2	58	12	20	4	7	4	4	7	4	172	123	2	2
59	Clinton	177	–	–	–	27	6	6	6	1	1	2	5	3	106	76	4	1
60	Cole	412	–	–	1	70	24	16	5	9	5	3	8	4	241	183	3	–
61	Jefferson City, part	305	–	–	1	52	17	11	4	9	3	2	6	3	182	137	3	–
62	Jefferson City, total	307	–	–	1	52	17	11	4	9	3	2	6	3	182	137	3	–
63	Balance of county	107	–	–	–	18	7	5	1	–	2	1	2	1	59	46	–	–
64	Cooper	173	–	–	–	30	7	3	4	4	3	2	7	4	95	75	–	1
65	Crawford	187	–	–	–	33	11	7	–	3	1	1	10	1	111	88	–	2
66	Dade	100	–	–	–	20	5	7	–	2	2	1	3	–	55	44	–	1
67	Dallas	137	1	–	2	29	6	7	2	3	–	1	10	2	71	61	1	4
68	Daviess	124	–	–	1	20	6	2	–	4	3	1	4	3	74	49	–	4
69	De Kalb	93	–	–	2	10	2	3	1	1	1	–	2	–	60	40	–	–
70	Dent	148	–	–	1	23	3	7	–	3	1	1	8	3	70	57	1	5
71	Douglas	119	–	–	1	22	2	3	–	2	2	1	12	2	61	48	2	1
72	Dunklin	432	3	–	6	76	17	23	4	9	2	1	20	9	202	163	2	3
73	Franklin	603	–	–	1	103	26	27	8	13	4	6	19	10	312	245	3	5
74	Gasconade	184	–	–	2	41	7	8	3	8	1	4	10	5	105	78	1	1
75	Gentry	130	–	–	–	28	4	9	2	6	1	1	5	2	71	54	–	–
76	Greene	1,544	3	–	17	292	77	68	20	32	12	12	71	21	741	512	15	4
77	Springfield	1,270	3	–	15	237	61	55	19	25	9	8	60	16	609	409	14	4
78	Balance of county	274	–	–	2	55	16	13	1	7	3	4	11	5	132	103	1	–
79	Grundy	186	–	–	1	42	14	6	6	7	2	2	5	6	91	72	–	14
80	Harrison	148	–	–	3	27	5	7	–	6	–	3	6	2	75	57	–	7

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
70	8	–	25	3	3	7	3	–	1	1	–	2	4	8	17	13	10	4	1	–	01
42	5	–	22	1	3	7	2	1	1	–	–	–	3	16	13	7	4	4	2	2	02
58	10	4	38	8	7	2	2	1	2	3	1	2	2	66	18	6	12	3	10	–	03
30	5	2	23	5	3	–	1	1	2	2	1	1	–	36	8	1	5	2	5	–	04
28	5	2	15	3	4	2	1	–	–	1	–	1	2	30	10	5	7	1	5	–	05
16,228	**1,539**	**177**	**5,060**	**782**	**641**	**1,322**	**493**	**127**	**539**	**240**	**9**	**275**	**539**	**1,873**	**4,061**	**1,188**	**1,292**	**627**	**476**	**141**	06
7,960	565	100	2,365	407	292	581	227	62	329	122	4	130	303	805	2,026	443	560	306	360	86	07
8,268	974	77	2,695	375	349	741	266	65	210	118	5	145	236	1,068	2,035	745	732	321	116	55	08
9,402	670	104	2,673	460	336	668	268	61	373	142	6	173	359	868	2,318	602	705	389	398	97	09
6,914	463	83	2,010	356	247	498	187	51	291	107	4	115	272	662	1,752	385	492	264	346	78	10
2,488	207	21	663	104	89	170	81	10	82	35	2	58	87	206	566	217	213	125	52	19	11
6,826	869	73	2,387	322	305	654	225	66	166	98	3	102	180	1,005	1,743	586	587	238	78	44	12
1,046	102	17	355	51	45	83	40	11	38	15	–	15	31	143	274	58	68	42	14	8	13
5,780	767	56	2,032	271	260	571	185	55	128	83	3	87	149	862	1,469	528	519	196	64	36	14
50	6	–	25	3	1	3	3	1	–	1	–	4	4	8	20	5	5	4	1	–	15
31	4	–	15	2	1	3	3	1	–	–	–	3	3	4	16	5	4	3	1	–	16
19	2	–	10	1	–	–	–	–	–	1	–	1	1	4	4	–	1	1	–	–	17
57	2	–	28	–	2	6	–	–	1	–	–	–	1	1	13	1	–	4	–	–	18
32	–	–	19	–	1	2	1	–	–	–	–	–	1	–	4	2	1	1	1	–	19
99	8	3	24	4	3	8	12	1	2	–	–	3	4	13	24	2	5	6	2	1	20
54	5	1	13	1	2	4	6	1	2	–	–	2	1	6	12	–	3	3	1	–	21
45	3	2	11	3	1	4	6	–	–	–	–	1	3	7	12	2	2	3	1	1	22
100	5	–	35	8	3	10	1	1	2	2	–	1	4	16	22	6	13	1	–	1	23
81	2	1	14	4	2	4	5	–	1	–	–	1	2	10	11	3	3	1	–	–	24
43	15	–	18	–	6	12	3	1	3	4	–	–	1	14	17	6	8	3	–	–	25
39	14	–	17	5	4	5	2	–	3	–	–	–	2	5	21	5	5	5	1	–	26
37	3	–	21	–	–	1	1	–	–	1	–	1	1	2	13	4	6	–	–	–	27
158	24	2	68	6	10	20	10	2	4	1	–	1	18	4	43	17	16	12	7	1	28
93	16	1	43	6	7	13	7	2	2	1	–	1	15	2	26	9	10	5	7	–	29
65	8	1	25	–	3	7	3	–	2	–	–	–	3	2	17	8	6	7	–	1	30
358	39	6	102	33	17	21	8	2	9	6	–	3	15	28	101	23	23	4	2	2	31
329	36	6	96	32	16	20	7	2	9	5	–	3	15	25	92	18	23	3	2	2	32
29	3	–	6	1	1	1	1	–	–	1	–	–	–	3	9	5	–	1	–	–	33
122	25	1	43	4	4	15	2	–	8	1	–	4	1	49	30	6	16	7	1	2	34
78	16	1	24	3	1	9	–	–	5	1	–	2	–	27	18	2	5	7	–	2	35
44	9	–	19	1	3	6	2	–	3	–	–	2	1	22	12	4	11	–	1	–	36
45	2	–	7	3	–	3	3	1	–	1	–	–	1	7	9	3	7	1	1	–	37
67	11	–	30	3	6	7	2	1	5	2	–	–	2	5	26	22	12	4	1	–	38
27	5	–	12	2	3	5	2	–	3	–	–	–	–	–	12	10	5	2	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	40
40	6	–	18	1	3	2	–	1	2	2	–	–	2	4	13	12	7	2	1	–	41
62	4	–	23	1	3	3	–	–	2	–	–	–	–	2	16	9	6	2	6	–	42
172	9	4	52	6	8	7	4	2	2	2	–	5	3	21	36	4	9	9	7	–	43
98	4	3	35	5	6	4	4	1	1	1	–	2	3	10	21	2	4	7	6	–	44
74	5	1	17	1	2	3	–	1	1	1	–	3	–	11	15	2	5	2	1	–	45
37	11	2	15	4	2	4	1	–	1	–	–	1	1	8	18	3	4	5	–	–	46
17	3	–	5	–	1	4	–	–	–	–	–	–	–	15	8	3	–	–	–	–	47
86	12	–	40	2	5	10	5	2	3	5	–	2	6	22	23	9	13	5	2	1	48
46	4	–	60	1	2	4	1	–	–	2	–	–	2	6	13	1	2	1	1	1	49
58	8	2	16	3	1	7	–	2	1	–	–	–	1	4	17	6	5	2	–	–	50
63	3	–	26	3	2	5	4	1	–	–	–	–	2	11	21	9	3	3	–	–	51
37	8	1	15	1	–	3	1	1	–	–	–	1	–	9	5	7	10	1	–	2	52
260	21	–	88	12	10	16	10	1	8	3	–	8	12	5	69	30	32	20	2	2	53
15	1	–	4	–	–	–	1	–	–	1	–	1	1	1	6	4	3	2	1	2	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
87	12	–	29	5	5	8	4	1	4	1	–	4	2	2	30	10	8	5	1	–	56
45	2	–	15	2	1	1	2	–	1	–	–	2	4	1	4	7	3	–	–	–	57
113	6	–	40	5	4	7	3	–	3	1	–	1	5	1	29	9	18	13	–	–	58
58	13	1	21	5	3	2	3	–	–	1	–	–	1	3	18	2	8	3	–	–	59
170	10	–	48	7	3	12	4	–	4	–	–	2	3	5	39	10	11	4	2	–	60
128	6	–	37	6	2	8	4	–	3	–	–	1	2	4	28	9	6	1	1	–	61
128	6	–	37	6	2	8	4	–	3	–	–	1	2	5	29	9	6	1	1	–	62
42	4	–	11	1	1	4	–	–	1	–	–	1	1	1	11	1	5	3	1	–	63
66	8	1	13	1	5	6	2	–	3	2	–	1	2	2	14	4	5	–	–	3	64
77	9	1	21	–	1	3	3	–	–	1	–	1	1	10	14	4	4	1	–	–	65
31	12	1	9	1	–	6	–	–	1	–	–	–	–	8	2	2	6	–	–	–	66
52	4	–	8	–	2	5	–	1	1	1	–	–	–	3	11	4	3	2	1	–	67
39	6	–	20	4	1	5	4	–	1	–	–	–	–	2	8	2	3	–	1	–	68
33	7	–	18	1	1	2	1	–	–	1	–	–	–	4	10	2	1	–	–	–	69
49	2	–	10	2	1	5	–	1	–	–	–	2	1	18	14	6	3	–	–	1	70
33	12	–	13	–	–	1	3	–	1	–	–	–	1	4	7	9	5	1	1	–	71
135	23	1	29	2	7	13	3	1	6	3	–	2	6	29	39	15	14	1	2	2	72
222	15	2	53	4	8	16	4	1	7	2	–	4	2	39	41	29	18	11	2	1	73
71	5	1	24	1	1	4	–	–	2	–	–	–	1	4	15	3	–	1	–	1	74
50	4	–	14	2	1	3	4	1	–	–	–	–	3	–	11	2	4	1	–	–	75
472	21	4	180	28	17	47	11	6	8	4	–	6	20	114	129	36	45	29	12	3	76
374	17	3	156	26	15	34	8	6	8	4	–	5	18	106	103	29	35	21	10	3	77
98	4	1	24	2	2	13	3	–	–	–	–	1	2	8	26	7	10	8	2	–	78
52	6	–	18	1	–	7	1	1	2	1	–	–	1	7	17	3	6	–	–	–	79
45	5	–	13	1	4	4	1	1	–	2	–	2	1	4	13	4	5	4	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	Henry	274	–	–	3	44	10	8	4	7	4	2	9	–	158	107	–	1
02	Hickory	72	–	–	1	6	3	1	–	–	–	–	2	1	38	25	–	–
03	Holt	86	–	–	2	15	4	2	2	5	–	–	2	4	48	32	–	1
04	Howard	146	1	–	–	30	13	5	–	5	1	1	5	–	72	41	–	–
05	Howell	309	1	–	2	59	16	13	2	7	3	3	15	3	141	103	–	1
06	Iron	130	–	–	–	22	8	6	–	2	1	1	4	2	61	44	–	–
07	Jackson	6,318	13	3	51	1,199	306	288	112	139	51	58	245	105	2,996	2,122	43	24
08	Grandview	94	–	–	1	14	2	4	1	3	–	2	2	2	43	36	2	–
09	Independence, part	851	1	1	6	178	38	44	17	24	8	12	35	17	410	298	6	2
10	Independence, total	851	1	1	6	178	38	44	17	24	8	12	35	17	410	298	6	2
11	Kansas City, part	4,592	10	2	39	862	234	209	71	94	36	36	182	81	2,147	1,489	27	21
12	Kansas City, total	4,972	10	2	42	962	263	233	84	100	42	40	200	90	2,310	1,606	30	22
13	Lee's Summit	247	1	–	1	34	5	5	9	3	4	3	5	3	148	107	4	1
14	Raytown	229	–	–	1	57	12	14	8	7	2	2	12	–	105	76	1	–
15	Balance of county	305	1	–	3	54	15	12	6	8	1	3	9	2	143	116	3	–
16	Jasper	1,018	–	–	13	173	39	50	8	19	11	10	36	9	511	371	6	12
17	Carthage	160	–	–	1	29	7	11	1	–	1	3	6	1	91	63	1	–
18	Joplin, part	487	–	–	8	84	19	22	6	10	6	3	18	4	235	172	–	7
19	Joplin, total	536	1	–	9	94	23	25	6	12	6	3	19	5	262	193	2	7
20	Balance of county	371	–	–	4	60	13	17	1	9	4	4	12	4	185	136	5	5
21	Jefferson	818	1	–	4	165	38	54	11	18	11	6	27	13	420	308	6	3
22	Johnson	264	1	–	3	44	12	10	3	5	2	4	8	1	169	114	–	1
23	Warrensburg	93	–	–	2	14	2	3	2	2	1	2	2	1	65	42	–	–
24	Balance of county	171	1	–	1	30	10	7	1	3	1	2	6	–	104	72	–	1
25	Knox	80	–	–	–	14	5	4	–	–	2	1	2	4	47	39	–	3
26	Laclede	236	–	–	2	39	13	12	2	4	3	1	4	3	131	106	2	1
27	Lafayette	336	1	–	4	45	11	8	3	4	6	4	9	6	188	134	3	2
28	Lawrence	316	–	–	4	49	10	19	3	6	2	1	8	2	173	126	3	–
29	Lewis	130	–	–	1	22	7	4	2	1	2	–	6	–	78	53	–	–
30	Lincoln	219	1	–	3	41	13	11	3	2	–	2	10	4	109	78	–	3
31	Linn	264	1	–	1	41	14	6	2	3	–	3	13	8	162	110	2	3
32	Livingston	192	–	–	–	29	6	6	3	4	3	1	6	7	106	68	1	1
33	McDonald	194	–	–	–	46	5	11	8	8	1	2	11	2	90	66	1	2
34	Macon	209	–	–	2	34	8	14	2	5	–	1	4	3	123	93	1	13
35	Madison	130	–	–	–	23	5	10	–	4	–	2	2	3	64	45	1	–
36	Maries	65	–	–	2	7	1	4	–	–	–	–	2	1	32	21	1	–
37	Marion	363	2	–	2	75	15	15	9	11	4	4	17	4	178	125	–	3
38	Hannibal, part	241	–	–	2	57	10	14	8	6	3	4	12	2	114	81	–	2
39	Hannibal, total	242	–	–	2	57	10	14	8	6	3	4	12	2	115	82	–	2
40	Balance of county	122	2	–	–	18	5	1	1	5	1	–	5	2	64	44	–	1
41	Mercer	70	–	–	–	7	–	4	–	1	–	1	1	5	45	33	–	–
42	Miller	207	–	–	1	34	8	9	2	6	2	–	7	2	119	81	1	–
43	Mississippi	203	–	–	–	24	4	7	4	3	1	–	5	5	100	70	–	1
44	Moniteau	146	–	–	–	20	5	7	–	3	1	1	3	2	95	80	–	–
45	Monroe	128	–	–	–	17	3	6	1	2	–	–	5	3	76	51	1	–
46	Montgomery	174	–	–	1	38	11	6	7	2	3	3	6	2	100	74	–	2
47	Morgan	164	–	–	1	39	7	10	3	7	1	1	10	1	72	48	–	1
48	New Madrid	270	–	–	4	43	12	7	2	12	2	2	6	–	129	94	–	1
49	Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	Balance of county	270	–	–	4	43	12	7	2	12	2	2	6	–	129	94	–	1
51	Newton	349	1	–	3	51	10	13	3	10	2	1	12	4	176	129	4	1
52	Joplin, part	49	1	–	1	10	4	3	–	2	–	–	1	1	27	21	2	–
53	Balance of county	300	–	–	2	41	6	10	3	8	2	1	11	3	149	108	2	1
54	Nodaway	213	–	–	2	35	10	6	4	5	2	1	7	2	133	95	1	3
55	Oregon	135	–	–	2	17	6	3	1	1	1	1	4	–	86	65	–	2
56	Osage	128	–	–	–	26	6	2	1	5	2	2	8	4	56	41	–	–
57	Ozark	103	–	–	1	21	6	6	2	2	1	–	4	1	42	27	1	–
58	Pemiscot	310	1	–	4	47	7	17	–	5	4	2	12	4	138	97	2	1
59	Perry	186	–	–	3	31	7	6	2	7	–	1	8	2	107	90	–	–
60	Pettis	435	–	–	1	75	15	19	3	9	5	3	21	8	251	184	3	8
61	Sedalia	307	–	–	–	55	11	15	3	7	3	2	14	4	182	127	1	7
62	Balance of county	128	–	–	1	20	4	4	–	2	2	1	7	4	69	57	2	1
63	Phelps	314	–	–	2	58	14	11	3	7	3	7	13	9	147	109	4	3
64	Rolla	95	–	–	–	13	6	–	1	–	1	–	5	3	50	37	–	2
65	Balance of county	219	–	–	2	45	8	11	2	7	2	7	8	6	97	72	4	1
66	Pike	204	–	–	2	44	10	11	7	4	2	3	7	3	107	77	1	10
67	Platte	255	–	–	3	49	9	11	5	4	2	2	16	3	114	73	–	2
68	Kansas City, part	70	–	–	1	22	4	6	3	1	1	1	6	1	21	14	–	–
69	Balance of county	185	–	–	2	27	5	5	2	3	1	1	10	2	93	59	–	2
70	Polk	235	–	–	4	46	14	11	4	4	3	1	9	10	121	90	2	3
71	Pulaski	208	–	–	1	36	6	7	4	3	–	1	15	2	92	61	1	3
72	Putnam	107	–	–	–	20	6	7	3	3	–	–	1	4	66	39	1	2
73	Ralls	88	–	–	1	13	3	2	1	4	1	–	2	2	46	27	–	1
74	Hannibal, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
75	Balance of county	87	–	–	1	13	3	2	1	4	1	–	2	2	45	26	–	1
76	Randolph	313	–	–	4	77	14	14	5	12	3	5	24	4	145	104	–	2
77	Moberly	204	–	–	3	56	11	11	3	10	2	4	15	3	93	65	–	1
78	Balance of county	109	–	–	1	21	3	3	2	2	1	1	9	1	52	39	–	1
79	Ray	207	–	–	1	25	4	6	1	5	2	1	6	4	107	73	–	2
80	Reynolds	69	–	–	–	13	2	6	–	2	–	1	2	–	35	31	3	1
81	Ripley	168	1	–	–	25	5	6	1	5	2	–	6	4	85	62	–	–
82	St. Charles	701	2	–	1	149	33	39	17	15	6	7	32	3	341	262	3	3
83	St. Charles	324	–	–	1	74	17	18	7	7	3	1	21	3	152	117	1	1
84	Balance of county	377	2	–	–	75	16	21	10	8	3	6	11	–	189	145	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
80	26	2	42	5	2	6	1	–	–	2	–	2	1	10	23	10	11	3	–	–	01
17	8	–	10	1	2	2	–	–	1	–	–	1	–	11	6	3	1	–	1	–	02
24	7	1	10	2	3	1	–	–	–	–	–	1	2	1	5	1	4	2	–	–	03
33	8	–	14	13	4	8	3	–	1	1	–	1	3	1	12	6	5	2	–	–	04
96	6	1	23	4	10	11	5	1	2	–	–	–	6	22	28	14	11	–	2	1	05
40	4	2	6	5	4	5	1	–	–	–	–	1	1	13	13	7	4	–	–	–	06
1,860	195	25	661	119	69	146	54	19	78	40	2	46	107	312	607	138	159	103	105	35	07
29	5	–	5	2	–	1	–	–	2	–	–	1	1	6	12	5	1	4	1	–	08
273	17	1	88	12	11	17	7	4	11	2	–	6	21	17	81	21	20	20	4	7	09
273	17	1	88	12	11	17	7	4	11	2	–	6	21	17	81	21	20	20	4	7	10
1,297	144	24	486	96	52	114	37	13	60	37	2	32	72	267	436	88	106	65	95	27	11
1,397	157	24	519	104	57	122	42	15	67	38	2	36	76	272	471	100	116	73	97	29	12
94	8	–	34	4	3	3	2	–	1	–	–	–	1	8	25	4	12	4	–	–	13
70	5	–	26	2	1	5	6	–	3	–	–	2	3	5	27	7	4	2	2	–	14
97	16	–	22	3	2	6	2	2	1	1	–	5	9	9	26	13	16	8	3	1	15
325	28	1	103	18	18	33	4	4	17	7	–	1	13	64	100	26	22	15	3	3	16
59	3	–	22	2	4	3	2	2	1	2	–	–	1	10	12	1	2	2	–	–	17
151	14	–	45	9	9	14	2	1	10	4	–	–	9	34	55	9	8	6	1	3	18
169	15	–	49	11	9	14	2	1	11	4	–	–	9	36	56	11	10	7	1	3	19
115	11	1	36	7	5	16	–	1	6	1	–	1	3	20	33	16	12	7	2	–	20
280	19	3	87	12	10	17	15	–	9	5	1	9	13	10	65	25	30	10	3	3	21
98	15	4	34	8	9	3	4	–	–	–	–	–	3	2	18	7	4	4	1	–	22
39	3	4	12	5	2	–	–	–	–	–	–	–	1	1	4	3	1	1	–	–	23
59	12	–	22	3	7	3	4	–	–	–	–	–	2	1	14	4	3	3	1	–	24
30	6	–	7	–	1	2	1	–	–	–	–	1	–	2	7	–	–	1	1	–	25
95	8	1	17	2	5	14	5	–	1	–	–	–	1	8	18	3	5	2	3	1	26
107	22	1	39	11	3	8	3	2	1	1	–	2	3	15	31	5	15	4	–	2	27
116	7	2	32	9	4	6	3	2	2	1	–	5	–	26	23	10	8	2	–	–	28
48	5	1	20	1	3	5	1	–	–	1	–	3	1	–	14	2	2	–	–	–	29
70	5	–	27	3	1	6	2	1	1	–	–	1	2	20	12	12	3	–	–	1	30
84	21	4	40	4	4	3	4	2	1	1	–	1	1	3	18	7	5	3	1	1	31
60	6	1	31	4	2	6	3	4	2	–	–	–	–	–	25	2	7	1	–	–	32
43	20	–	16	2	6	7	3	–	1	2	–	1	1	11	16	7	5	1	1	–	33
67	12	–	23	4	3	8	4	1	1	–	–	1	1	4	15	3	4	5	–	–	34
41	3	–	16	–	3	7	1	–	–	–	–	–	1	9	10	4	1	2	1	4	35
16	4	–	8	–	3	2	–	–	1	3	–	2	1	9	2	2	1	–	–	–	36
112	10	1	43	6	3	12	8	2	4	2	–	2	4	16	35	4	10	3	–	–	37
71	8	1	25	4	3	5	4	1	2	1	–	2	2	12	27	2	7	1	–	–	38
72	8	1	25	4	3	5	4	1	2	1	–	2	2	12	27	2	7	1	–	–	39
41	2	–	18	2	–	7	4	1	2	1	–	–	2	4	8	2	3	2	–	–	40
25	8	1	6	3	2	–	–	–	–	1	–	–	–	1	5	2	4	–	–	–	41
67	13	–	29	5	4	5	–	–	1	1	–	2	4	6	19	4	3	5	–	1	42
64	5	–	29	–	1	6	–	1	2	–	–	2	3	17	22	5	8	5	3	–	43
72	8	–	13	1	1	4	–	–	–	2	–	–	–	1	16	5	1	–	–	–	44
46	4	1	20	3	1	7	3	1	2	–	–	–	1	5	7	3	2	–	1	–	45
61	11	–	17	7	2	5	–	–	2	2	–	3	1	2	13	1	2	1	–	1	46
44	3	–	15	4	5	3	6	1	3	–	–	2	1	1	20	5	6	3	–	–	47
85	8	–	29	4	2	7	2	–	2	1	–	2	5	30	17	9	10	6	2	1	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
85	8	–	29	4	2	7	2	–	2	1	–	2	5	30	17	9	10	6	2	1	50
110	14	1	29	8	9	15	2	3	3	–	–	3	–	31	25	17	11	2	2	–	51
18	1	–	4	2	–	–	–	–	1	–	–	–	–	2	1	2	2	1	–	–	52
92	13	1	25	6	9	15	2	3	2	–	–	3	–	29	24	15	9	1	2	–	53
85	6	2	28	1	7	6	2	–	–	1	–	–	2	1	19	5	3	1	–	1	54
60	3	1	18	–	2	3	1	–	–	–	–	1	–	3	8	6	6	1	–	1	55
37	4	1	12	1	1	6	–	–	1	1	–	2	2	3	15	6	5	1	–	–	56
24	2	–	12	3	–	2	2	–	–	–	–	–	–	13	9	6	5	1	–	–	57
62	32	1	36	1	3	8	3	–	6	2	–	4	1	49	22	1	8	8	3	1	58
84	6	3	11	1	2	3	2	1	4	2	–	1	2	1	11	6	6	3	–	1	59
159	14	1	57	2	7	9	8	1	4	4	–	1	4	4	36	9	12	5	1	2	60
110	9	1	47	2	5	5	7	1	3	3	–	1	3	3	21	5	9	2	1	2	61
49	5	–	10	–	2	4	1	–	1	1	–	–	1	1	15	4	3	3	–	–	62
94	8	–	27	6	5	15	4	1	3	4	1	3	3	20	22	8	7	4	3	–	63
31	4	–	10	1	2	2	–	–	2	–	–	1	1	9	8	1	3	2	–	–	64
63	4	–	17	5	3	13	4	1	1	4	1	2	2	11	14	7	4	2	3	–	65
55	11	–	20	7	3	10	1	–	2	–	–	2	2	11	12	4	3	–	1	–	66
61	10	1	23	13	4	6	3	2	3	–	1	2	4	20	21	8	7	4	3	2	67
13	1	–	4	3	–	–	1	1	3	–	–	–	2	3	5	2	2	3	1	2	68
48	9	1	19	10	4	6	2	1	–	–	1	2	2	17	16	6	5	1	2	–	69
76	9	–	28	1	2	3	2	–	1	–	–	1	2	15	13	10	4	3	–	–	70
54	3	1	29	1	–	1	2	–	5	–	–	1	5	23	13	10	10	2	3	2	71
26	10	–	21	5	1	3	–	–	–	2	–	–	–	–	8	1	2	1	–	–	72
24	2	–	11	7	1	4	2	–	2	–	–	1	–	2	12	1	1	1	–	–	73
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74
23	2	–	11	7	1	4	2	–	2	–	–	1	–	2	12	1	1	1	–	–	75
84	18	2	33	4	2	13	4	4	1	1	–	1	4	21	17	6	5	3	3	–	76
53	11	2	21	4	1	9	2	2	1	1	–	–	2	11	13	4	1	2	1	–	77
31	7	–	12	–	1	4	2	2	–	–	–	1	2	10	4	2	4	1	2	–	78
51	20	1	20	10	3	7	3	–	3	–	–	–	2	13	21	8	7	6	–	–	79
23	4	–	4	–	–	6	–	–	–	–	–	1	–	5	5	2	2	–	–	–	80
58	4	–	20	–	3	11	2	1	5	–	–	1	1	4	15	2	7	3	–	1	81
237	19	–	61	10	8	34	5	–	10	2	–	6	16	34	40	20	17	13	8	–	82
113	2	–	23	6	6	19	3	–	1	1	–	3	6	12	21	10	8	6	4	–	83
124	17	–	38	4	2	15	2	–	9	1	–	3	10	22	19	10	9	7	4	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	St. Clair	131	–	–	–	24	7	7	1	7	–	–	2	1	75	51	–	1
02	St. Francois	539	1	–	2	83	22	25	8	7	1	5	15	17	300	224	1	6
03	St. Louis	7,454	7	1	62	1,708	471	381	159	198	93	67	339	151	3,823	2,934	65	23
04	Ballwin	96	–	–	1	20	2	1	6	3	3	1	4	2	37	26	–	–
05	Bellefontaine Neighbors	139	–	–	2	38	10	2	3	5	1	3	14	2	73	54	1	1
06	Berkeley	75	–	–	1	19	9	3	1	–	1	1	4	–	38	29	–	–
07	Brentwood	79	–	–	1	14	6	1	2	1	2	2	–	3	35	25	–	1
08	Bridgeton	138	–	–	1	26	6	9	4	2	1	2	2	2	77	52	–	1
09	Clayton	168	–	–	1	39	16	5	2	7	2	–	7	2	94	67	1	1
10	Crestwood	92	–	1	–	21	4	3	5	4	2	–	3	1	43	33	1	1
11	Ferguson	232	1	–	1	47	10	15	5	5	1	3	8	4	138	107	4	1
12	Florissant	502	1	–	6	125	36	34	7	17	6	4	21	12	237	187	6	2
13	Hazelwood	91	–	–	1	18	5	6	1	2	–	1	3	1	50	37	1	–
14	Jennings	258	1	–	–	52	19	8	6	5	6	2	6	9	129	112	4	1
15	Kirkwood	306	–	–	2	57	16	13	3	8	7	1	9	5	186	133	2	1
16	Ladue	70	–	–	–	20	2	5	1	1	1	–	10	–	35	23	1	–
17	Maplewood	146	–	–	1	26	7	7	–	1	2	1	8	1	81	70	1	–
18	Overland	255	–	–	3	56	10	20	6	5	2	2	11	9	127	105	4	1
19	Richmond Heights	162	1	–	1	41	14	6	5	6	3	3	4	3	87	69	2	–
20	St. Ann	141	–	–	–	33	7	6	4	7	2	2	5	4	75	62	2	–
21	University City	437	–	–	3	89	27	12	8	10	4	5	23	10	255	183	5	2
22	Webster Groves	244	–	–	1	54	16	11	4	6	2	3	12	4	134	99	1	2
23	Balance of county	3,823	3	–	36	913	249	214	86	103	45	31	185	77	1,892	1,461	29	8
24	St. Louis city	7,353	15	2	50	1,375	376	342	110	166	56	51	274	189	3,830	2,949	43	49
25	Ste. Genevieve	142	–	–	1	19	8	2	–	3	1	–	5	3	82	57	–	–
26	Saline	283	–	–	1	49	16	8	7	5	3	1	9	6	159	116	3	2
27	Marshall	127	–	–	1	21	7	5	4	–	2	1	2	3	69	49	3	–
28	Balance of county	156	–	–	–	28	9	3	3	5	1	–	7	3	90	67	–	2
29	Schuyler	73	–	–	–	11	–	2	1	2	–	1	5	1	37	29	1	–
30	Scotland	87	–	–	1	15	4	5	1	1	–	2	2	1	46	28	–	1
31	Scott	382	–	–	2	77	21	19	3	7	4	5	18	8	180	137	1	3
32	Sikeston, part	162	–	–	1	29	6	7	3	4	2	–	7	4	84	60	–	–
33	Sikeston, total	162	–	–	1	29	6	7	3	4	2	–	7	4	84	60	–	–
34	Balance of county	220	–	–	1	48	15	12	–	3	2	5	11	4	96	77	1	3
35	Shannon	103	–	–	2	16	1	5	2	3	2	–	3	2	52	42	1	–
36	Shelby	120	–	–	–	15	3	3	2	2	–	2	3	1	82	49	–	19
37	Stoddard	324	–	–	3	65	15	14	7	4	1	1	23	2	157	102	4	5
38	Stone	159	2	–	–	30	4	9	2	3	3	2	7	6	68	49	2	–
39	Sullivan	107	–	–	–	21	7	8	1	1	1	–	3	1	61	44	–	–
40	Taney	228	–	–	3	52	17	11	5	2	1	2	14	3	117	89	1	–
41	Texas	246	1	–	2	49	8	14	2	6	2	3	14	5	134	99	–	9
42	Vernon	289	–	–	2	47	11	15	6	5	3	3	4	5	156	100	1	7
43	Warren	141	–	–	–	26	5	9	4	4	1	2	1	1	80	63	1	–
44	Washington	187	–	–	3	39	13	10	2	3	3	–	8	1	80	61	1	1
45	Wayne	155	2	–	1	36	14	6	4	3	2	1	6	2	55	41	–	–
46	Webster	203	–	–	1	38	11	6	–	7	5	3	6	2	116	81	–	1
47	Worth	58	–	–	–	7	–	3	–	1	1	–	2	2	35	30	–	–
48	Wright	221	1	–	2	40	11	8	2	4	1	4	10	4	121	90	1	1
49	**Montana**	**6,403**	**4**	**–**	**29**	**1,190**	**318**	**279**	**90**	**150**	**60**	**62**	**231**	**89**	**2,967**	**2,135**	**57**	**24**
50	Urban places	2,303	–	–	8	469	121	108	40	54	23	27	96	29	1,042	757	25	7
51	Balance of area	4,100	4	–	21	721	197	171	50	96	37	35	135	60	1,925	1,378	32	17
52	Metropolitan counties	1,406	1	–	6	278	80	67	22	27	13	10	59	16	632	456	14	5
53	Urban places	1,052	–	–	4	215	65	55	15	18	9	10	43	14	461	332	10	3
54	Balance of area	354	1	–	2	63	15	12	7	9	4	–	16	2	171	124	4	2
55	Nonmetropolitan counties	4,997	3	–	23	912	238	212	68	123	47	52	172	73	2,335	1,679	43	19
56	Urban places	1,251	–	–	4	254	56	53	25	36	14	17	53	15	581	425	15	4
57	Balance of area	3,746	3	–	19	658	182	159	43	87	33	35	119	58	1,754	1,254	28	15
58	Beaverhead	70	–	–	–	11	2	3	2	1	1	1	1	2	31	23	–	–
59	Big Horn	97	–	–	1	8	1	3	–	–	1	–	3	2	38	32	1	1
60	Blaine	85	–	–	1	12	–	3	–	2	1	1	5	–	35	20	2	–
61	Broadwater	32	–	–	–	7	3	1	–	–	–	–	3	–	17	13	–	1
62	Carbon	88	–	–	–	17	6	3	1	4	3	–	–	1	47	32	–	1
63	Carter	18	–	–	–	2	2	–	–	–	–	–	–	–	11	6	–	–
64	Cascade	669	–	–	4	125	43	28	9	10	6	4	25	8	271	195	5	2
65	Great Falls	548	–	–	3	106	37	25	9	8	4	4	19	8	230	163	4	1
66	Balance of county	121	–	–	1	19	6	3	–	2	2	–	6	–	41	32	1	1
67	Chouteau	57	–	–	–	9	5	2	–	1	–	–	1	2	25	21	1	–
68	Custer	122	–	–	1	21	5	10	–	2	1	1	2	2	63	45	–	–
69	Daniels	27	–	–	–	6	1	2	–	2	–	–	1	–	13	10	1	1
70	Dawson	98	–	–	1	19	7	6	2	1	2	–	1	2	48	36	1	–
71	Deer Lodge	149	–	–	2	28	9	6	4	2	–	1	6	1	65	45	1	–
72	Fallon	31	–	–	3	8	1	3	1	1	–	–	2	1	14	12	–	–
73	Fergus	134	–	–	–	22	7	3	1	3	2	–	6	1	65	41	–	–
74	Flathead	388	–	–	1	68	15	18	7	7	4	3	14	1	198	137	3	1
75	Kalispell	137	–	–	–	30	6	7	4	3	2	2	6	–	70	52	1	1
76	Balance of county	251	–	–	1	38	9	11	3	4	2	1	8	1	128	85	2	–
77	Gallatin	216	–	–	1	48	14	7	4	10	1	6	6	4	109	73	2	1
78	Bozeman	132	–	–	1	25	6	2	3	7	–	2	5	1	71	45	1	–
79	Balance of county	84	–	–	–	23	8	5	1	3	1	4	1	3	38	28	1	1
80	Garfield	13	–	–	–	2	1	–	–	1	–	–	–	–	9	6	–	1
81	Glacier	112	1	–	–	19	2	7	–	1	1	–	8	1	39	34	–	–
82	Golden Valley	13	1	–	–	4	–	1	1	–	–	1	1	–	7	6	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
41	9	–	21	1	2	3	–	–	–	–	–	–	1	5	11	6	4	–	1	–	01
209	8	–	60	7	9	20	9	2	4	4	–	1	5	28	28	12	14	7	2	–	02
2,686	160	31	645	117	96	148	83	11	93	29	–	50	62	123	569	170	164	114	60	26	03
26	–	1	5	2	3	4	2	–	1	1	–	–	3	6	3	6	3	6	1	–	04
51	1	–	17	–	2	4	1	–	–	2	–	–	1	2	5	2	3	4	–	–	05
25	4	1	6	2	–	3	–	–	1	–	–	–	2	–	7	2	–	–	2	–	06
24	–	–	9	1	–	2	1	–	3	–	–	1	–	4	10	1	3	–	1	–	07
47	4	–	17	2	6	1	1	–	1	–	–	2	2	1	9	3	4	5	2	1	08
61	4	1	16	5	5	3	2	–	3	–	–	–	1	–	13	1	5	4	–	–	09
28	3	–	8	2	–	2	3	–	3	1	–	2	–	2	4	3	1	4	1	–	10
98	4	1	22	5	3	5	1	–	1	–	–	–	2	4	12	5	2	4	2	3	11
174	5	3	34	3	10	10	5	1	9	–	–	4	7	6	37	16	14	6	3	3	12
33	3	–	11	–	2	1	1	–	1	–	–	2	1	1	5	1	3	3	2	–	13
101	6	2	13	2	–	5	7	1	7	–	–	–	–	2	35	4	4	2	–	–	14
118	12	3	36	11	3	4	4	1	5	1	–	2	2	3	19	6	4	3	–	2	15
21	1	1	8	2	1	1	–	1	1	–	–	–	–	2	6	1	–	2	–	1	16
69	–	–	9	1	1	3	3	–	1	–	–	1	–	6	12	3	4	1	3	–	17
99	1	1	18	2	1	5	2	–	2	1	–	2	–	4	28	7	5	3	–	1	18
64	3	1	13	2	2	3	1	–	1	1	–	–	–	1	15	1	3	2	1	–	19
59	1	–	11	1	1	2	3	1	–	1	–	1	1	1	9	2	4	3	1	–	20
169	7	3	59	8	2	10	2	2	3	1	–	1	5	2	24	7	10	6	6	1	21
93	3	–	24	5	6	8	3	–	2	1	–	1	–	3	21	3	4	2	1	2	22
1,326	98	13	309	61	48	72	41	4	48	19	–	31	35	73	295	96	88	54	34	12	23
2,722	135	30	665	104	82	187	60	15	141	45	2	36	84	157	610	97	181	64	192	21	24
55	2	–	20	1	4	2	2	–	1	–	1	1	2	3	14	5	4	1	1	–	25
101	10	4	29	6	4	14	5	2	2	2	1	–	2	2	24	4	9	–	1	–	26
41	5	3	16	1	–	7	2	1	2	1	–	–	1	1	12	2	3	–	1	–	27
60	5	1	13	5	4	7	3	1	–	1	1	–	1	1	12	2	6	–	–	–	28
21	7	–	8	–	–	2	5	2	–	–	–	–	–	1	9	1	3	1	–	–	29
18	9	–	14	1	3	5	–	1	1	2	–	–	1	1	4	6	3	–	–	–	30
125	8	2	33	2	6	13	3	–	4	2	–	1	5	19	33	16	13	4	1	1	31
56	4	1	17	2	4	5	2	–	2	1	–	1	2	8	13	1	5	2	1	1	32
56	4	1	17	2	4	5	2	–	2	1	–	1	2	8	13	1	5	2	1	1	33
69	4	1	16	–	2	8	1	–	2	1	–	–	3	11	20	15	8	2	–	–	34
38	3	–	8	1	1	2	2	–	–	1	–	–	2	3	8	8	3	2	–	–	35
28	2	4	20	4	5	3	3	–	–	1	–	–	–	3	9	1	2	–	–	–	36
79	14	1	42	9	3	12	3	2	2	1	–	1	3	16	35	7	10	3	2	–	37
47	–	–	10	4	5	3	–	–	1	–	–	1	1	25	11	4	3	3	1	–	38
32	12	1	16	–	–	6	–	–	–	1	–	–	–	2	5	7	3	–	–	–	39
75	13	1	19	3	5	6	–	3	3	1	–	–	3	9	16	6	4	2	–	–	40
81	9	2	30	2	1	4	3	–	1	–	–	1	–	6	16	9	8	4	2	1	41
82	10	–	47	2	7	12	2	1	1	2	–	3	1	13	25	7	9	3	–	–	42
55	7	–	15	2	–	5	1	–	–	2	–	–	4	3	8	2	4	5	–	–	43
55	4	–	14	4	1	11	1	1	–	2	–	1	–	10	17	6	14	–	–	1	44
37	4	–	9	2	3	9	–	–	4	3	–	–	1	14	16	4	5	3	–	–	45
76	4	–	32	3	–	4	–	–	1	1	–	–	1	1	22	12	1	3	–	–	46
28	2	–	3	–	2	3	–	–	1	–	–	–	–	–	4	5	1	–	–	–	47
86	2	–	30	–	1	7	4	1	–	–	–	1	4	3	19	2	4	4	2	2	48
1,681	**373**	**15**	**582**	**144**	**91**	**157**	**115**	**26**	**97**	**26**	**1**	**38**	**85**	**196**	**608**	**298**	**273**	**140**	**52**	**12**	**49**
593	132	3	196	60	26	55	39	10	40	6	–	18	40	96	220	93	68	52	15	3	50
1,088	241	12	386	84	65	102	76	16	57	20	1	20	45	100	388	205	205	88	37	9	51
340	97	2	121	37	16	31	18	5	25	2	–	10	29	81	119	69	41	30	10	3	52
240	79	2	91	26	10	20	12	5	20	1	–	10	20	63	96	50	28	22	8	3	53
100	18	–	30	11	6	11	6	–	5	1	–	–	9	18	23	19	13	8	2	–	54
1,341	276	13	461	107	75	126	97	21	72	24	1	28	56	115	489	229	232	110	42	9	55
353	53	1	105	34	16	35	27	5	20	5	–	8	20	33	124	43	40	30	7	–	56
988	223	12	356	73	59	91	70	16	52	19	1	20	36	82	365	186	192	80	35	9	57
21	2	–	5	2	1	1	3	1	1	1	–	–	–	1	8	4	5	1	–	–	58
19	11	–	3	2	1	2	3	–	3	2	–	–	4	3	11	6	8	2	3	1	59
14	4	–	12	3	–	2	–	–	1	–	–	1	–	4	11	7	8	2	–	1	60
8	4	–	1	–	3	1	–	–	1	1	–	–	–	–	2	1	2	–	–	–	61
22	9	2	10	2	1	4	2	–	–	–	–	–	–	–	7	1	3	5	1	–	62
6	–	–	4	–	1	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	63
143	45	–	51	21	4	13	10	2	11	1	–	7	16	63	59	42	20	13	3	1	64
117	41	–	45	19	3	11	6	2	9	–	–	7	12	48	49	31	14	9	2	1	65
26	4	–	6	2	1	2	4	–	2	1	–	–	4	15	10	11	6	4	1	–	66
16	4	–	1	1	2	3	3	–	1	–	–	3	1	2	3	4	–	1	–	–	67
33	12	–	15	1	2	7	1	1	–	–	–	1	–	–	17	4	3	1	–	–	68
8	–	–	2	1	–	1	1	–	–	–	–	1	–	–	1	1	2	1	–	–	69
27	8	–	11	1	–	1	1	–	1	–	–	1	–	1	10	3	7	3	–	–	70
32	12	1	15	1	3	8	6	–	3	–	–	–	3	2	17	1	9	4	–	–	71
8	4	–	2	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	–	–	72
36	5	–	14	8	2	5	1	1	–	2	–	–	–	5	25	3	4	–	–	–	73
109	24	1	40	13	7	7	6	1	2	–	–	2	9	8	28	20	16	16	4	1	74
45	5	–	9	6	3	5	2	–	–	–	–	1	6	2	9	4	5	3	–	–	75
64	19	1	31	7	4	2	4	1	2	–	–	1	3	6	19	16	11	13	4	1	76
60	10	–	27	6	3	5	5	2	–	1	–	–	5	1	19	6	3	6	1	–	77
36	8	–	20	5	1	3	4	1	–	1	–	–	3	–	13	2	2	4	1	–	78
24	2	–	7	1	2	2	1	1	–	–	–	–	2	1	6	4	1	2	–	–	79
4	1	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	80
27	7	–	5	–	–	4	2	–	4	1	–	1	4	4	8	14	4	2	4	–	81
3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Montana—Con.																	
01	Granite	30	–	–	–	5	2	1	–	–	1	–	1	–	18	16	–	–
02	Hill	152	–	–	–	27	6	8	1	5	–	4	3	3	65	56	–	1
03	Havre	103	–	–	–	15	3	3	1	3	–	3	2	3	53	46	–	1
04	Balance of county	49	–	–	–	12	3	5	–	2	–	1	1	–	12	10	–	–
05	Jefferson	56	–	–	–	11	3	1	1	3	–	–	3	2	23	17	2	–
06	Judith Basin	22	–	–	1	3	–	1	–	1	–	–	1	–	5	4	–	–
07	Lake	173	–	–	1	41	11	8	1	9	1	3	8	1	78	56	4	–
08	Lewis and Clark	325	–	–	2	55	12	18	6	4	2	3	10	8	144	106	3	–
09	Helena	233	–	–	1	42	8	14	6	3	2	3	6	2	99	74	3	–
10	Balance of county	92	–	–	1	13	4	4	–	1	–	–	4	6	45	32	–	–
11	Liberty	13	–	–	–	2	1	–	–	1	–	–	–	–	7	4	–	–
12	Lincoln	112	–	–	2	22	5	5	–	3	2	1	6	–	52	38	–	–
13	McCone	18	–	–	–	2	1	–	–	–	1	–	–	–	11	10	–	–
14	Madison	55	–	–	–	13	4	3	1	–	1	1	3	–	23	12	1	–
15	Meagher	17	–	–	–	–	–	–	–	–	–	–	–	–	10	8	–	–
16	Mineral	23	–	–	1	6	2	1	–	1	–	–	2	–	6	4	1	–
17	Missoula	440	–	–	1	105	22	19	15	10	7	7	25	7	183	133	6	2
18	Missoula	295	–	–	1	72	16	14	8	8	5	4	17	5	126	96	5	2
19	Balance of county	145	–	–	–	33	6	5	7	2	2	3	8	2	57	37	1	–
20	Musselshell	47	–	–	–	8	5	–	2	–	–	1	–	–	28	20	–	–
21	Park	143	–	–	–	19	7	6	2	3	–	–	1	2	85	60	4	–
22	Petroleum	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Phillips	63	–	–	–	12	2	3	1	2	–	3	1	1	28	23	1	1
24	Pondera	54	–	–	–	11	1	2	–	–	2	3	3	3	19	14	–	–
25	Powder River	22	–	–	–	6	1	1	1	–	–	–	3	–	14	9	–	–
26	Powell	66	–	–	–	13	2	4	4	–	–	–	3	1	28	25	–	4
27	Prairie	14	–	–	–	3	–	1	–	–	–	–	2	–	10	8	–	1
28	Ravalli	185	–	–	–	31	7	8	2	8	–	2	4	8	100	72	–	–
29	Richland	92	–	–	1	20	9	5	1	1	1	2	1	–	38	24	1	–
30	Roosevelt	111	1	–	1	12	5	4	–	2	–	1	–	1	51	41	–	–
31	Rosebud	82	–	–	1	11	–	3	–	–	3	2	3	–	25	20	1	–
32	Sanders	76	–	–	–	9	4	1	1	1	–	–	2	1	39	29	–	–
33	Sheridan	51	–	–	–	13	2	4	–	2	1	1	3	1	25	22	–	–
34	Silver Bow	411	–	–	1	80	22	14	3	15	6	3	17	5	192	131	5	–
35	Butte	351	–	–	1	70	17	13	3	12	5	3	17	4	162	112	5	–
36	Balance of county	60	–	–	–	10	5	1	–	3	1	–	–	1	30	19	–	–
37	Stillwater	68	–	–	–	19	5	6	1	3	–	1	3	3	35	20	1	–
38	Sweet Grass	45	–	–	–	3	–	1	–	1	1	–	–	–	30	13	–	–
39	Teton	75	–	–	–	15	5	5	1	3	–	–	1	1	40	29	–	1
40	Toole	51	–	–	–	5	2	1	–	2	–	–	–	–	28	23	–	1
41	Treasure	4	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
42	Valley	102	–	–	–	10	4	–	–	4	1	–	1	4	38	28	1	1
43	Wheatland	26	–	–	–	6	2	–	1	1	–	–	2	1	13	5	–	–
44	Wibaux	19	–	–	–	2	2	–	–	–	–	–	–	–	9	6	–	–
45	Yellowstone	737	1	–	2	153	37	39	13	17	7	6	34	8	361	261	9	3
46	Billings	504	–	–	1	109	28	30	6	10	5	6	24	6	231	169	6	2
47	Balance of county	233	1	–	1	44	9	9	7	7	2	–	10	2	130	92	3	1
48	Yellowstone National Park	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
49	**Nebraska**	**14,331**	**15**	**–**	**79**	**2,844**	**823**	**628**	**253**	**328**	**137**	**158**	**517**	**213**	**7,524**	**5,278**	**94**	**118**
50	Urban places	6,367	9	–	37	1,319	357	327	132	135	61	65	242	100	3,268	2,304	46	36
51	Balance of area	7,964	6	–	42	1,525	466	301	121	193	76	93	275	113	4,256	2,974	48	82
52	Metropolitan counties	5,054	6	–	35	1,024	286	258	112	82	47	50	189	84	2,541	1,816	36	27
53	Urban places	4,477	6	–	29	910	256	226	98	76	42	44	168	77	2,282	1,626	33	25
54	Balance of area	577	–	–	6	114	30	32	14	6	5	6	21	7	259	190	3	2
55	Nonmetropolitan counties	9,277	9	–	44	1,820	537	370	141	246	90	108	328	129	4,983	3,462	58	91
56	Urban places	1,890	3	–	8	409	101	101	34	59	19	21	74	23	986	678	13	11
57	Balance of area	7,387	6	–	36	1,411	436	269	107	187	71	87	254	106	3,997	2,784	45	80
58	Adams	330	–	–	1	78	20	17	6	10	1	6	18	2	185	135	3	2
59	Hastings	276	–	–	1	66	17	16	4	8	1	4	16	2	153	112	3	1
60	Balance of county	54	–	–	–	12	3	1	2	2	–	2	2	–	32	23	–	1
61	Antelope	98	–	–	–	13	4	2	4	2	1	–	–	–	69	51	–	2
62	Arthur	9	–	–	1	2	1	–	–	–	–	–	1	–	5	4	–	1
63	Banner	6	–	–	–	2	2	–	–	–	–	–	–	–	4	2	–	–
64	Blaine	7	–	–	–	6	2	–	1	1	–	2	–	–	1	1	–	–
65	Boone	94	–	–	2	24	7	4	4	3	1	–	5	2	39	31	2	–
66	Box Butte	136	–	–	–	23	8	5	1	4	2	1	2	1	73	48	–	–
67	Boyd	39	–	–	–	9	1	3	2	1	1	–	1	1	24	16	–	–
68	Brown	44	–	–	–	5	–	1	1	1	1	–	1	–	27	22	–	–
69	Buffalo	292	2	–	2	58	16	14	2	13	2	2	9	3	135	98	1	1
70	Kearney	160	1	–	–	31	10	8	1	6	2	–	4	2	71	51	1	1
71	Balance of county	132	1	–	2	27	6	6	1	7	–	2	5	1	64	47	–	–
72	Burt	121	–	–	–	20	5	3	1	1	1	5	4	–	76	52	–	1
73	Butler	111	1	–	1	18	4	2	1	5	2	1	3	–	56	43	2	–
74	Cass	199	–	–	–	38	15	7	3	5	1	2	5	4	113	71	–	1
75	Cedar	119	–	–	2	28	9	6	3	2	1	1	6	2	66	36	–	2
76	Chase	51	–	–	–	11	4	3	1	2	–	–	1	2	24	16	1	4
77	Cherry	57	–	–	–	7	3	2	1	–	–	1	–	1	27	15	–	1
78	Cheyenne	112	–	–	1	15	4	1	1	2	1	1	5	2	62	41	–	9
79	Clay	98	–	–	–	16	9	1	3	1	–	–	2	2	62	46	2	1
80	Colfax	116	–	–	–	29	10	8	2	4	–	–	5	2	54	34	1	–
81	Cuming	127	–	–	1	26	12	3	1	3	3	2	2	2	65	49	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
8	8	–	2	–	–	–	–	–	1	–	–	–	–	–	5	1	–	–	–	–	01
50	5	–	7	1	1	4	2	1	1	1	–	1	2	14	10	15	3	3	–	–	02
42	3	–	6	–	1	3	1	1	1	1	–	1	1	8	7	6	1	1	–	–	03
8	2	–	1	1	–	1	1	–	–	–	–	–	1	6	3	9	2	2	–	–	04
14	1	–	3	2	1	1	–	–	3	–	–	–	–	3	7	1	5	–	–	–	05
1	3	–	1	–	–	–	–	1	2	–	–	–	–	3	4	–	2	1	–	–	06
42	10	–	16	1	5	2	5	1	3	–	–	1	2	–	15	11	11	1	–	–	07
88	15	–	26	7	5	10	8	–	13	1	–	–	3	15	32	6	14	10	4	–	08
58	13	–	17	6	2	9	8	–	7	1	–	–	3	10	27	5	10	7	2	–	09
30	2	–	9	1	3	1	–	–	6	–	–	–	–	5	5	1	4	3	2	–	10
4	–	1	1	–	1	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	11
30	8	1	6	3	4	–	4	1	–	2	–	2	–	4	8	7	6	2	–	–	12
7	3	–	1	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	13
10	1	–	7	3	1	1	–	–	–	1	–	–	–	4	6	3	1	2	–	1	14
4	4	–	1	–	1	1	1	–	–	–	–	–	–	–	2	2	–	–	1	–	15
2	1	–	1	–	1	2	–	–	–	–	–	–	–	1	2	3	1	1	–	–	16
112	13	2	38	2	8	10	10	2	7	1	–	4	4	4	41	25	21	14	1	–	17
81	8	1	22	2	5	7	5	2	6	1	–	2	4	4	24	14	11	10	1	–	18
31	5	1	16	–	3	3	5	–	1	–	–	2	–	–	17	11	10	4	–	–	19
18	2	–	6	2	–	–	–	–	–	–	–	1	–	1	2	2	4	1	–	–	20
51	5	1	16	6	2	2	2	1	1	1	–	–	1	–	11	6	9	2	1	–	21
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	22
20	1	–	4	1	–	1	–	1	1	1	–	–	–	–	5	9	1	2	1	–	23
9	5	–	5	–	–	4	–	1	2	–	–	1	1	–	5	1	5	–	1	–	24
4	5	–	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	25
19	2	–	2	1	–	2	2	–	–	–	–	–	–	1	11	2	2	2	–	2	26
6	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
68	4	1	24	2	1	4	1	2	–	1	–	–	2	2	17	4	10	2	1	–	28
13	10	1	10	1	2	4	2	–	1	–	1	–	3	1	7	7	4	3	–	–	29
38	3	–	6	2	2	6	–	–	5	1	–	3	1	1	12	6	5	2	2	1	30
16	3	–	1	–	4	7	–	–	1	–	–	–	–	2	6	11	8	4	5	1	31
25	4	–	10	–	–	–	3	–	2	2	–	–	1	2	6	2	6	2	1	–	32
22	–	–	1	–	2	–	–	–	2	1	–	–	1	–	5	–	1	1	1	–	33
108	18	–	36	20	5	9	8	1	6	1	–	4	5	13	50	13	14	6	3	–	34
91	16	–	31	15	4	8	7	1	6	1	–	4	3	9	44	12	11	5	3	–	35
17	2	–	5	5	1	1	1	–	–	–	–	–	2	4	6	1	3	1	–	–	36
18	1	–	12	3	–	–	–	1	–	–	–	1	1	2	6	–	–	–	–	–	37
12	1	–	17	–	–	–	1	–	–	–	–	–	1	2	4	3	1	–	–	–	38
23	5	–	10	–	1	–	–	1	–	–	–	–	2	–	6	3	4	3	–	–	39
19	3	1	4	–	–	1	2	–	–	–	–	–	–	2	5	2	4	1	1	–	40
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	41
22	4	–	6	4	–	1	7	1	2	1	–	–	–	1	15	7	8	1	5	1	42
1	4	1	4	3	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	43
3	3	–	2	–	1	1	–	–	1	1	–	–	–	1	4	–	–	–	–	–	44
197	52	2	70	16	12	18	8	3	14	1	–	3	13	18	60	27	21	17	7	2	45
123	38	2	46	7	7	9	6	3	11	1	–	3	8	15	47	19	14	13	6	2	46
74	14	–	24	9	5	9	2	–	3	–	–	–	5	3	13	8	7	4	1	–	47
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	48
4,594	**472**	**46**	**1,580**	**358**	**262**	**447**	**170**	**59**	**172**	**39**	**3**	**106**	**151**	**222**	**1,228**	**372**	**421**	**162**	**58**	**46**	**49**
2,039	183	23	682	152	107	177	85	32	106	9	1	58	78	93	535	136	185	77	40	22	50
2,555	289	23	898	206	155	270	85	27	66	30	2	48	73	129	693	236	236	85	18	24	51
1,589	164	17	500	120	88	131	76	19	88	7	1	46	77	64	416	145	166	64	39	25	52
1,432	136	17	457	108	74	118	64	19	82	5	1	41	57	55	374	109	137	51	39	21	53
157	28	–	43	12	14	13	12	–	6	2	–	5	20	9	42	36	29	13	–	4	54
3,005	308	29	1,080	238	174	316	94	40	84	32	2	60	74	158	812	227	255	98	19	21	55
607	47	6	225	44	33	59	21	13	24	4	–	17	21	38	161	27	48	26	1	1	56
2,398	261	23	855	194	141	257	73	27	60	28	2	43	53	120	651	200	207	72	18	20	57
128	2	–	43	3	4	11	6	2	–	1	–	1	1	1	34	2	4	1	–	–	58
107	1	–	36	1	4	8	5	2	–	1	–	1	1	1	30	1	3	1	–	–	59
21	1	–	7	2	–	3	1	–	–	–	–	–	–	–	4	1	1	–	–	–	60
47	2	–	11	6	1	3	–	–	1	–	–	–	3	–	6	1	2	–	–	–	61
3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	62
1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	64
25	4	–	7	1	–	6	1	–	1	–	–	–	–	–	11	6	1	1	–	–	65
45	3	–	11	8	6	2	2	1	5	–	–	2	4	1	8	5	7	1	–	1	66
12	4	–	7	–	1	1	1	–	–	–	–	–	–	–	1	1	1	–	–	–	67
22	–	–	5	–	–	5	–	–	1	–	–	1	–	–	–	3	2	–	–	–	68
87	9	1	26	4	6	11	3	2	5	1	–	2	5	1	37	11	11	3	–	–	69
44	5	1	14	1	4	7	3	2	5	–	–	2	5	1	19	1	7	3	–	–	70
43	4	–	12	3	2	4	–	–	–	1	–	–	–	–	18	10	4	–	–	–	71
45	6	–	17	4	3	4	1	1	–	–	–	1	–	–	9	6	2	1	–	–	72
40	1	–	11	1	1	5	–	1	1	2	–	–	–	3	12	5	1	3	2	–	73
61	9	–	32	7	3	7	2	1	2	1	–	2	2	3	15	4	3	–	1	1	74
32	2	–	17	9	4	2	–	1	2	–	–	–	–	–	6	5	5	–	–	–	75
8	3	–	8	–	–	1	–	–	–	–	–	–	–	–	6	5	1	1	–	–	76
11	3	–	8	1	3	4	3	–	3	–	–	1	1	–	5	1	2	1	–	1	77
30	2	–	12	3	6	2	2	2	2	–	–	1	–	1	14	1	6	–	–	1	78
30	13	–	13	3	–	1	–	–	1	–	–	1	–	–	12	1	2	–	–	–	79
29	4	–	18	1	1	4	2	–	–	1	–	–	–	10	6	2	2	3	–	1	80
48	–	–	11	2	3	7	–	–	1	–	–	2	1	1	13	4	3	1	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250) *	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Custer	173	–	–	–	32	9	5	2	4	–	3	9	2	86	68	–	1
02	Dakota	121	–	–	1	18	9	3	3	1	–	–	2	1	63	44	–	–
03	Dawes	99	–	–	–	23	8	6	1	2	2	2	2	3	47	31	–	–
04	Dawson	211	–	–	1	35	11	8	2	4	4	2	4	1	117	87	2	4
05	Deuel	31	–	–	1	8	6	1	–	–	–	–	1	2	12	9	–	1
06	Dixon	72	–	–	1	13	5	2	1	2	–	2	1	1	46	33	–	–
07	Dodge	410	–	–	4	86	21	23	11	6	–	6	19	5	208	137	4	2
08	Fremont	267	–	–	3	60	13	17	9	6	–	4	11	2	134	85	–	1
09	Balance of county	143	–	–	1	26	8	6	2	–	–	2	8	3	74	52	4	1
10	Douglas	3,363	5	–	20	697	187	194	71	50	33	36	126	54	1,686	1,215	28	20
11	Omaha	3,196	5	–	20	660	180	178	66	50	32	34	120	52	1,624	1,163	28	20
12	Balance of county	167	–	–	–	37	7	16	5	–	1	2	6	2	62	52	–	–
13	Dundy	44	–	–	–	10	2	–	2	2	–	1	3	1	19	16	–	–
14	Fillmore	119	–	–	–	16	6	3	–	4	–	2	1	1	74	52	–	–
15	Franklin	64	–	–	–	10	2	3	1	–	1	1	2	–	41	30	–	–
16	Frontier	35	–	–	1	5	1	1	1	–	1	1	–	1	17	15	–	–
17	Furnas	127	–	–	–	14	6	2	1	–	1	1	3	–	68	49	–	2
18	Gage	286	–	–	1	61	20	14	4	6	4	6	7	4	156	117	3	4
19	Beatrice	175	–	–	1	32	13	5	2	2	3	4	3	3	95	71	1	4
20	Balance of county	111	–	–	–	29	7	9	2	4	1	2	4	1	61	46	2	–
21	Garden	39	–	–	1	11	3	1	1	–	–	3	3	–	22	19	–	3
22	Garfield	47	–	–	1	8	2	2	–	–	3	1	–	–	29	13	–	–
23	Gosper	11	–	–	–	3	–	–	–	–	–	–	3	–	5	3	1	–
24	Grant	8	–	–	–	2	–	1	–	–	–	–	1	–	3	1	–	–
25	Greeley	62	–	–	–	10	2	3	1	1	–	–	3	1	27	20	–	1
26	Hall	417	–	–	3	86	20	18	9	17	3	3	16	6	211	130	1	2
27	Grand Island	337	–	–	1	65	14	17	6	13	3	3	9	4	181	114	1	2
28	Balance of county	80	–	–	2	21	6	1	3	4	–	–	7	2	30	16	–	–
29	Hamilton	87	–	–	1	15	6	–	2	2	–	–	5	1	52	29	–	–
30	Harlan	47	–	–	–	10	4	1	–	2	1	2	–	1	22	18	1	–
31	Hayes	9	–	–	–	2	–	1	–	–	–	–	1	–	5	5	–	–
32	Hitchcock	45	–	–	1	7	2	3	1	–	–	–	1	–	26	15	–	3
33	Holt	140	–	–	1	19	4	9	1	1	–	1	3	1	81	56	4	–
34	Hooker	10	–	–	–	2	1	1	–	–	–	–	–	–	5	4	–	–
35	Howard	66	–	–	–	14	3	5	1	1	1	–	3	1	32	23	–	–
36	Jefferson	134	–	–	2	23	7	5	–	3	3	–	5	1	73	53	1	2
37	Johnson	75	–	–	–	9	3	1	–	1	1	1	2	5	51	17	1	1
38	Kearney	67	–	–	–	12	2	1	1	1	1	1	5	1	40	24	–	–
39	Keith	75	–	–	–	11	4	4	–	1	–	–	2	–	44	37	1	1
40	Keya Paha	14	–	–	1	1	–	–	1	–	–	–	–	–	10	9	1	–
41	Kimball	38	–	–	–	10	3	2	–	4	–	–	1	–	18	13	–	1
42	Knox	158	–	–	1	29	9	4	4	3	–	4	5	2	96	70	–	1
43	Lancaster	1,290	1	–	12	252	78	50	30	27	11	8	48	24	676	473	6	5
44	Lincoln	1,183	1	–	9	232	74	44	28	24	10	8	44	24	619	430	4	5
45	Balance of county	107	–	–	3	20	4	6	2	3	1	–	4	–	57	43	2	–
46	Lincoln	268	1	–	–	54	12	13	1	8	4	3	13	2	127	83	3	2
47	North Platte	203	–	–	–	37	6	11	1	5	4	2	8	1	104	66	3	–
48	Balance of county	65	1	–	–	17	6	2	–	3	–	1	5	1	23	17	–	2
49	Logan	8	–	–	–	3	1	–	–	2	–	–	–	–	2	1	–	–
50	Loup	9	–	–	–	2	–	1	1	–	–	–	–	–	4	4	–	–
51	McPherson	6	–	–	–	–	–	–	–	–	–	–	–	–	5	3	–	–
52	Madison	312	1	–	1	64	16	12	9	9	2	2	14	4	172	118	1	–
53	Norfolk	187	1	–	–	41	9	10	6	7	2	–	7	1	108	74	1	–
54	Balance of county	125	–	–	1	23	7	2	3	2	–	2	7	3	64	44	–	–
55	Merrick	97	–	–	–	21	8	4	–	5	2	2	–	–	56	39	–	–
56	Morrill	69	–	–	1	8	–	–	1	2	–	2	3	1	45	32	2	4
57	Nance	66	–	–	–	13	2	5	1	–	–	2	3	–	43	29	–	1
58	Nemaha	93	–	–	–	26	5	8	4	4	2	1	2	1	50	30	–	–
59	Nuckolls	92	–	–	–	20	4	5	1	6	2	–	2	2	49	24	1	2
60	Otoe	167	–	–	–	34	12	9	3	1	1	1	7	2	83	64	2	–
61	Pawnee	48	–	–	1	15	10	–	–	–	1	1	3	–	23	16	–	2
62	Perkins	47	–	–	–	15	4	1	–	6	3	–	1	–	23	16	–	7
63	Phelps	107	–	–	–	24	3	4	1	6	2	1	7	–	55	40	1	–
64	Pierce	82	2	–	–	17	8	1	1	2	–	1	4	2	37	25	–	–
65	Platte	222	1	–	1	47	15	11	5	4	2	2	8	4	118	92	2	1
66	Columbus	150	1	–	1	38	9	10	5	4	2	2	6	3	79	64	1	1
67	Balance of county	72	–	–	–	9	6	1	–	–	–	–	2	1	39	28	1	–
68	Polk	84	–	–	–	17	7	3	1	3	1	1	1	1	42	21	–	1
69	Red Willow	136	–	–	–	23	6	2	–	2	6	2	5	1	72	47	1	1
70	Richardson	206	–	–	1	38	11	11	1	6	2	2	5	3	120	80	3	3
71	Rock	17	–	–	–	1	1	–	–	–	–	–	–	–	12	10	–	–
72	Saline	175	–	–	1	35	8	7	5	3	1	4	7	6	93	59	1	1
73	Sarpy	280	–	–	2	57	12	11	8	4	3	6	13	5	116	84	2	2
74	Bellevue	98	–	–	–	18	2	4	4	2	–	2	4	1	39	33	1	–
75	Balance of county	182	–	–	2	39	10	7	4	2	3	4	9	4	77	51	1	2
76	Saunders	171	–	–	1	43	14	11	2	6	1	–	9	3	91	56	1	–
77	Scotts Bluff	307	–	–	2	68	21	12	1	11	6	2	15	15	142	106	3	1
78	Scottsbluff	135	–	–	1	39	10	7	–	8	2	2	10	5	61	41	2	1
79	Balance of county	172	–	–	1	29	11	5	1	3	4	–	5	10	81	65	1	–
80	Seward	145	–	–	–	26	8	4	2	5	1	1	5	5	85	58	1	2
81	Sheridan	96	1	–	1	13	5	–	2	3	–	1	2	1	45	36	–	–
82	Sherman	55	–	–	–	14	6	3	–	1	–	1	3	–	31	27	1	–
83	Sioux	14	–	–	–	–	–	–	–	–	–	–	–	–	11	10	–	1
84	Stanton	46	–	–	–	10	4	2	–	–	–	2	2	1	22	15	–	–
85	Thayer	108	–	–	1	25	9	5	4	3	–	1	3	2	62	54	–	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
58	9	–	12	3	3	9	1	2	–	1	–	1	1	2	22	8	6	–	–	–	01
40	4	–	11	5	3	3	6	–	3	–	–	3	4	1	3	6	8	–	–	1	02
30	1	–	11	1	4	2	1	–	–	–	–	1	1	4	13	–	2	2	–	–	03
76	5	–	15	12	3	7	2	–	–	–	–	1	3	4	22	7	5	2	2	2	04
8	–	–	2	–	1	–	–	1	–	1	–	–	1	–	2	3	–	–	–	–	05
30	3	1	8	1	3	–	–	–	–	–	–	–	2	–	4	2	1	2	–	–	06
119	12	2	59	7	3	8	4	2	4	–	–	3	3	23	31	11	13	4	1	–	07
78	6	1	41	6	1	7	2	1	2	–	–	2	2	15	20	5	10	2	–	–	08
41	6	1	18	1	2	1	2	1	2	–	–	1	1	8	11	6	3	2	1	–	09
1,082	85	13	321	81	56	95	41	18	64	4	–	31	56	31	284	82	107	40	32	16	10
1,035	80	13	315	79	54	87	39	18	62	4	–	30	48	30	272	67	98	35	32	13	11
47	5	–	6	2	2	8	2	–	2	–	–	1	8	1	12	15	9	5	–	3	12
15	1	–	1	–	2	6	1	–	1	–	–	1	–	–	3	–	2	–	–	–	13
49	3	1	14	2	5	3	–	–	–	–	–	1	–	–	17	1	3	2	–	1	14
21	9	–	8	3	–	3	1	–	–	–	–	–	–	1	7	1	–	–	–	–	15
13	2	–	2	–	–	3	–	1	1	–	–	–	1	2	3	–	–	–	–	–	16
45	2	–	13	1	5	8	1	1	2	1	–	–	–	4	21	3	4	–	–	–	17
102	8	–	28	6	5	8	4	1	3	1	–	1	2	3	18	7	6	8	1	1	18
64	2	–	17	4	3	5	3	1	3	1	–	1	1	3	14	3	5	4	–	–	19
38	6	–	11	2	2	3	1	–	–	–	–	–	1	–	4	4	1	4	1	1	20
15	1	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	21
13	–	–	14	2	–	–	1	–	–	1	–	1	1	–	4	1	–	–	–	–	22
2	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	23
1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	24
16	3	–	3	2	2	4	–	–	–	1	–	–	–	4	8	2	4	1	–	–	25
117	10	1	53	16	11	19	2	1	8	3	–	2	3	15	33	12	10	2	1	–	26
102	9	–	43	14	10	13	2	1	8	1	–	1	2	15	27	6	7	2	1	–	27
15	1	1	10	2	1	6	–	–	–	2	–	1	1	–	6	6	3	–	–	–	28
28	1	–	16	6	1	5	1	–	–	–	–	–	–	1	5	–	3	1	–	2	29
15	2	–	4	–	–	7	–	–	–	–	–	–	1	2	2	–	2	–	–	–	30
2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	31
10	2	–	4	6	1	4	1	–	1	–	–	1	1	–	1	–	1	1	–	–	32
46	6	–	18	3	4	6	1	2	–	1	–	–	–	3	16	4	5	–	–	–	33
3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	34
21	2	–	7	1	1	8	–	–	1	–	–	–	–	–	4	2	3	–	–	1	35
47	3	1	16	1	2	4	2	–	3	2	–	–	1	5	14	2	–	–	–	2	36
15	–	1	29	2	2	–	–	–	–	–	–	2	–	–	4	2	1	1	–	–	37
22	2	2	10	2	2	3	–	–	–	1	–	–	–	2	5	1	2	–	–	–	38
35	–	–	6	–	1	4	1	–	2	–	–	1	–	–	7	–	5	–	–	–	39
6	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	40
11	1	–	3	–	2	1	–	–	–	–	–	–	–	–	7	1	1	–	–	–	41
58	11	–	23	2	1	5	–	–	1	–	–	1	1	–	12	3	4	2	1	–	42
406	56	4	147	31	21	30	24	1	17	2	1	11	8	20	103	40	36	21	5	6	43
369	52	4	137	29	19	29	23	1	17	1	1	10	8	19	95	34	34	15	5	6	44
37	4	–	10	2	2	1	1	–	–	1	–	1	–	1	8	6	2	6	–	–	45
70	8	3	32	5	4	9	2	4	2	–	–	5	6	1	33	4	11	6	1	–	46
55	8	3	28	4	3	7	2	4	2	–	–	4	5	1	22	4	5	5	–	–	47
15	–	–	4	1	1	2	–	–	–	–	–	1	1	–	11	–	6	1	1	–	48
1	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	49
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	50
1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	51
110	7	–	34	12	8	11	3	3	–	–	–	1	5	2	23	6	12	2	1	1	52
69	4	–	23	8	3	3	2	2	–	–	–	–	4	1	13	3	6	1	–	1	53
41	3	–	11	4	5	8	1	1	–	–	–	1	1	1	10	3	6	1	1	–	54
37	2	–	15	1	1	2	2	–	–	2	–	1	–	2	2	4	2	2	–	1	55
23	3	–	12	–	1	–	–	1	1	–	–	–	2	1	7	–	2	–	–	–	56
27	1	3	11	–	–	2	1	–	–	–	–	1	–	–	2	1	2	1	–	–	57
28	2	–	14	5	1	–	1	–	1	–	1	–	–	1	8	2	1	1	–	–	58
19	2	–	19	4	2	1	4	–	–	–	–	1	1	1	6	2	4	–	–	1	59
53	9	–	13	2	4	3	2	–	2	2	–	–	–	9	18	3	4	1	2	2	60
13	1	–	6	1	–	3	2	–	1	1	–	–	–	–	2	–	–	–	–	–	61
8	1	1	3	2	1	1	2	–	–	–	–	1	–	1	2	–	2	–	–	–	62
35	4	–	11	1	3	4	1	–	1	1	–	–	1	–	10	3	6	1	–	–	63
24	1	–	9	1	2	1	–	1	1	–	–	2	1	1	10	1	3	3	–	–	64
80	9	1	19	2	4	3	2	–	2	1	–	5	1	–	12	12	7	6	–	–	65
56	6	1	10	2	2	3	2	–	2	–	–	4	–	–	7	3	2	5	–	–	66
24	3	–	9	–	2	–	–	–	–	1	–	1	1	–	5	9	5	1	–	–	67
16	4	2	14	2	3	1	–	1	–	1	–	–	–	7	13	1	–	–	–	–	68
41	4	–	12	11	2	6	–	1	2	–	–	–	–	2	15	6	6	2	–	–	69
71	3	–	28	6	6	15	4	–	3	–	–	1	–	–	11	2	6	1	–	1	70
10	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	71
47	10	–	20	10	4	7	2	–	2	–	–	1	–	10	12	2	2	1	1	–	72
61	19	–	21	3	8	3	5	–	4	1	–	1	9	12	26	17	15	3	2	2	73
28	4	–	5	–	1	2	2	–	3	–	–	1	1	6	7	8	5	1	2	2	74
33	15	–	16	3	7	1	3	–	1	1	–	–	8	6	19	9	10	2	–	–	75
52	3	3	25	4	3	2	1	1	3	–	–	–	1	–	14	6	3	2	–	–	76
91	11	–	24	6	6	9	2	–	3	3	–	4	2	3	30	9	8	7	–	–	77
32	6	–	13	4	3	6	–	–	2	1	–	2	1	1	9	1	3	3	–	–	78
59	5	–	11	2	3	3	2	–	1	2	–	2	1	2	21	8	5	4	–	–	79
49	6	2	18	7	–	3	–	1	1	1	–	–	2	2	13	1	4	1	–	–	80
31	5	–	6	2	1	7	1	1	1	–	1	–	3	1	9	4	5	2	–	–	81
25	1	–	3	–	1	1	–	1	–	–	–	–	–	1	5	1	–	1	–	–	82
9	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	83
12	3	–	5	2	–	1	–	–	–	–	–	1	2	1	4	–	1	3	–	–	84
51	–	–	7	–	1	1	2	–	1	–	–	–	1	1	9	2	1	–	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Thomas	6	–	–	–	2	–	1	–	–	–	1	–	–	3	3	–	–
02	Thurston	93	–	–	–	14	5	2	2	1	1	1	2	2	50	40	1	–
03	Valley	78	–	–	–	6	1	1	1	2	–	–	1	1	46	28	–	–
04	Washington	123	–	–	1	24	7	6	2	2	1	1	5	2	67	48	1	1
05	Wayne	87	–	–	–	20	5	2	–	5	1	2	5	–	46	32	1	–
06	Webster	81	–	–	–	13	3	3	2	1	1	–	3	–	45	35	–	1
07	Wheeler	13	–	–	–	5	1	2	–	2	–	–	–	–	5	3	–	–
08	York	157	–	–	–	35	7	7	2	8	3	1	7	1	91	64	–	2
09	**Nevada**	**4,876**	**7**	**1**	**26**	**1,031**	**251**	**306**	**90**	**92**	**43**	**44**	**205**	**82**	**2,099**	**1,572**	**44**	**15**
10	Urban places	2,972	4	1	17	625	134	187	60	61	31	22	130	50	1,297	972	32	5
11	Balance of area	1,904	3	–	9	406	117	119	30	31	12	22	75	32	802	600	12	10
12	Metropolitan counties	3,843	5	1	22	824	190	239	80	72	38	36	169	63	1,675	1,286	38	10
13	Urban places	2,784	4	1	16	572	116	173	57	55	29	22	120	47	1,218	922	28	5
14	Balance of area	1,059	1	–	6	252	74	66	23	17	9	14	49	16	457	364	10	5
15	Nonmetropolitan counties	1,033	2	–	4	207	61	67	10	20	5	8	36	19	424	286	6	5
16	Urban places	188	–	–	1	53	18	14	3	6	2	–	10	3	79	50	4	–
17	Balance of area	845	2	–	3	154	43	53	7	14	3	8	26	16	345	236	2	5
18	Churchill	135	1	–	–	24	6	8	–	3	2	3	2	1	74	49	–	2
19	Clark	2,569	2	1	16	555	133	159	49	48	27	25	114	48	1,111	861	25	9
20	Henderson	113	–	–	1	27	4	3	3	3	1	1	12	4	51	37	1	1
21	Las Vegas	1,304	–	1	6	270	58	80	26	24	13	11	58	26	548	418	11	3
22	North Las Vegas	248	1	–	4	44	7	17	–	6	6	2	6	4	109	88	3	–
23	Balance of county	904	1	–	5	214	64	59	20	15	7	11	38	14	403	318	10	5
24	Douglas	78	–	–	–	14	6	4	–	–	–	1	3	1	31	26	–	–
25	Elko	132	–	–	–	25	6	8	–	3	1	–	7	2	37	22	–	–
26	Esmeralda	9	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–
27	Eureka	8	–	–	–	2	–	–	–	–	–	–	2	–	4	2	–	–
28	Humboldt	71	–	–	–	16	6	4	1	1	–	–	4	–	30	22	1	2
29	Lander	32	–	–	–	10	3	6	–	–	–	–	1	1	7	6	–	–
30	Lincoln	24	–	–	–	4	2	1	1	–	–	–	–	–	9	4	–	–
31	Lyon	93	1	–	1	21	4	8	1	2	–	2	4	–	30	21	–	–
32	Mineral	67	–	–	–	10	3	2	1	–	–	2	2	4	30	23	–	–
33	Nye	60	–	–	2	7	1	6	–	–	–	–	–	1	25	16	–	1
34	Ormsby, coext. with Carson City	188	–	–	1	53	18	14	3	6	2	–	10	3	79	50	4	–
35	Pershing	36	–	–	–	9	1	5	–	2	–	–	1	1	15	11	–	–
36	Storey	14	–	–	–	1	–	1	–	–	–	–	–	–	8	4	1	–
37	Washoe	1,274	3	–	6	269	57	80	31	24	11	11	55	15	564	425	13	1
38	Reno	894	3	–	4	188	38	61	23	16	7	6	37	9	412	299	10	1
39	Sparks	225	–	–	1	43	9	12	5	6	2	2	7	4	98	80	3	–
40	Balance of county	155	–	–	1	38	10	7	3	2	2	3	11	2	54	46	–	–
41	White Pine	86	–	–	–	11	5	–	3	3	–	–	–	5	41	28	–	–
42	**New Hampshire**	**7,268**	**8**	**–**	**48**	**1,597**	**452**	**399**	**136**	**179**	**82**	**64**	**285**	**152**	**3,682**	**2,665**	**56**	**44**
43	Urban places	3,152	6	–	20	704	219	170	61	72	34	29	119	67	1,616	1,146	19	16
44	Balance of area	4,116	2	–	28	893	233	229	75	107	48	35	166	85	2,066	1,519	37	28
45	Metropolitan counties	2,144	5	–	15	506	150	125	37	52	29	16	97	37	1,055	721	18	14
46	Urban places	1,495	4	–	9	342	109	83	29	30	19	13	59	29	745	504	9	11
47	Balance of area	649	1	–	6	164	41	42	8	22	10	3	38	8	310	217	9	3
48	Nonmetropolitan counties	5,124	3	–	33	1,091	302	274	99	127	53	48	188	115	2,627	1,944	38	30
49	Urban places	1,657	2	–	11	362	110	87	32	42	15	16	60	38	871	642	10	5
50	Balance of area	3,467	1	–	22	729	192	187	67	85	38	32	128	77	1,756	1,302	28	25
51	Belknap	365	–	–	–	62	15	18	6	6	3	4	10	8	205	152	7	1
52	Laconia	148	–	–	–	27	8	8	1	2	2	2	4	4	76	51	3	–
53	Balance of county	217	–	–	–	35	7	10	5	4	1	2	6	4	129	101	4	1
54	Carroll	266	–	–	–	46	9	12	6	6	3	3	7	5	143	100	–	2
55	Cheshire	513	–	–	2	114	24	25	11	20	7	2	25	16	273	205	4	2
56	Keene	206	–	–	1	43	10	8	8	7	2	1	7	5	108	76	–	–
57	Balance of county	307	–	–	1	71	14	17	3	13	5	1	18	11	165	129	4	2
58	Coos	402	–	–	3	89	28	22	4	13	4	3	15	8	189	149	4	1
59	Berlin	166	–	–	3	44	13	10	3	5	1	2	10	3	75	68	1	1
60	Balance of county	236	–	–	–	45	15	12	1	8	3	1	5	5	114	81	3	–
61	Grafton	584	–	–	6	129	33	25	17	17	5	9	23	12	301	223	4	2
62	Hillsborough	2,144	5	–	15	506	150	125	37	52	29	16	97	37	1,055	721	18	14
63	Manchester	1,010	2	–	4	208	68	56	14	15	11	7	37	18	541	360	7	9
64	Nashua	485	2	–	5	134	41	27	15	15	8	6	22	11	204	144	2	2
65	Balance of county	649	1	–	6	164	41	42	8	22	10	3	38	8	310	217	9	3
66	Merrimack	838	2	–	6	178	52	45	13	18	9	7	34	21	442	294	6	4
67	Concord	372	2	–	1	70	18	15	5	10	2	5	15	8	214	143	3	2
68	Balance of county	466	–	–	5	108	34	30	8	8	7	2	19	13	228	151	3	2
69	Rockingham	1,183	1	–	8	258	78	70	22	27	10	10	41	20	573	434	6	13
70	Portsmouth	208	–	–	2	43	16	11	3	6	–	2	5	1	112	79	–	–
71	Balance of county	975	1	–	6	215	62	59	19	21	10	8	36	19	461	355	6	13
72	Strafford	635	–	–	6	155	48	39	18	11	6	7	26	16	309	237	4	4
73	Dover	193	–	–	3	48	15	10	5	3	5	2	8	4	88	67	1	–
74	Rochester	210	–	–	–	52	20	14	5	3	1	–	9	8	106	81	2	1
75	Balance of county	232	–	–	3	55	13	15	8	5	–	5	9	4	115	89	1	3
76	Sullivan	338	–	–	2	60	15	18	2	9	6	3	7	9	192	150	3	1
77	Claremont	154	–	–	1	35	10	11	2	6	2	2	2	5	92	77	–	1
78	Balance of county	184	–	–	1	25	5	7	–	3	4	1	5	4	100	73	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	01
28	11	–	9	–	1	4	2	–	1	–	–	1	4	2	5	4	3	–	1	–	02
25	3	–	11	4	3	2	1	1	2	1	–	1	2	–	8	4	2	1	–	–	03
45	1	1	13	3	2	7	2	–	–	–	–	–	–	1	8	2	3	3	3	–	04
28	3	1	10	3	–	2	–	1	–	–	–	1	–	1	7	1	6	2	–	–	05
32	2	–	9	1	–	1	5	1	1	–	–	–	–	–	14	–	1	–	–	–	06
3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	07
50	12	–	19	6	2	1	3	–	1	–	–	2	–	5	10	3	3	1	1	–	08
1,389	**124**	**10**	**375**	**81**	**61**	**96**	**69**	**12**	**154**	**10**	**1**	**33**	**62**	**68**	**401**	**219**	**199**	**193**	**98**	**15**	09
879	56	6	247	39	33	67	32	5	102	5	1	17	45	33	256	123	106	115	67	4	10
510	68	4	128	42	28	29	37	7	52	5	–	16	17	35	145	96	93	78	31	11	11
1,157	81	7	303	42	37	72	42	10	134	8	1	29	52	41	305	156	145	160	87	11	12
837	52	6	235	28	27	63	27	5	95	5	1	17	41	33	247	114	101	108	66	3	13
320	29	1	68	14	10	9	15	5	39	3	–	12	11	8	58	42	44	52	21	8	14
232	43	3	72	39	24	24	27	2	20	2	–	4	10	27	96	63	54	33	11	4	15
42	4	–	12	11	6	4	5	–	7	–	–	–	4	–	9	9	5	7	1	1	16
190	39	3	60	28	18	20	22	2	13	2	–	4	6	27	87	54	49	26	10	3	17
40	7	1	9	11	4	3	6	–	3	–	–	–	–	–	10	5	6	2	–	–	18
763	64	5	197	28	20	36	28	6	90	5	1	23	37	30	192	108	99	98	72	11	19
33	2	–	11	2	1	1	2	–	2	–	–	1	2	4	7	6	1	3	1	–	20
377	27	3	108	10	9	23	13	2	50	1	1	11	18	13	117	57	58	45	42	2	21
77	8	1	15	3	2	4	2	–	7	1	–	1	7	7	18	12	6	8	12	1	22
276	27	1	63	13	8	8	11	4	31	3	–	10	10	6	50	33	34	42	17	8	23
24	2	–	1	3	1	1	–	–	1	–	–	1	1	5	9	8	5	1	–	–	24
16	6	1	13	1	–	6	3	–	2	1	–	–	1	6	15	11	13	6	3	1	25
2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	26
–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	27
16	3	–	6	–	2	1	2	–	–	–	–	–	2	4	5	2	5	2	1	1	28
5	1	–	–	–	1	–	1	1	–	–	–	–	–	3	3	3	2	1	–	–	29
4	–	–	5	–	–	–	2	–	–	–	–	–	–	1	4	1	2	–	1	–	30
17	4	–	4	3	2	2	4	–	1	–	–	1	1	4	13	6	2	3	3	–	31
18	5	1	3	1	2	2	1	1	–	–	–	–	–	–	9	4	3	2	1	–	32
11	4	–	7	2	–	–	–	–	3	–	–	1	1	1	8	4	2	3	1	1	33
42	4	–	12	11	6	4	5	–	7	–	–	–	4	–	9	9	5	7	1	1	34
10	1	–	1	1	2	2	2	–	2	–	–	–	–	–	1	2	1	1	–	–	35
3	–	–	2	1	1	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	36
394	17	2	106	14	17	36	14	4	44	3	–	6	15	11	113	48	46	62	15	–	37
274	14	2	86	12	13	29	8	2	30	2	–	4	10	5	83	26	29	43	7	–	38
76	1	–	15	1	2	6	2	1	6	1	–	–	4	4	22	13	7	9	4	–	39
44	2	–	5	1	2	1	4	1	8	–	–	2	1	2	8	9	10	10	4	–	40
24	4	–	6	4	3	3	1	–	1	1	–	1	–	2	7	3	7	3	–	–	41
2,343	**222**	**32**	**664**	**193**	**128**	**200**	**101**	**30**	**141**	**17**	**2**	**46**	**61**	**107**	**595**	**151**	**174**	**120**	**17**	**19**	42
1,036	75	16	291	100	63	76	43	14	67	9	2	17	21	59	254	45	74	50	3	5	43
1,307	147	16	373	93	65	124	58	16	74	8	–	29	40	48	341	106	100	70	14	14	44
652	37	12	196	83	43	60	34	7	50	5	2	11	18	58	166	29	51	31	3	1	45
458	26	9	142	60	30	39	25	5	35	4	2	4	8	49	123	14	38	19	–	1	46
194	11	3	54	23	13	21	9	2	15	1	–	7	10	9	43	15	13	12	3	–	47
1,691	185	20	468	110	85	140	67	23	91	12	–	35	43	49	429	122	123	89	14	18	48
578	49	7	149	40	33	37	18	9	32	5	–	13	13	10	131	31	36	31	3	4	49
1,113	136	13	319	70	52	103	49	14	59	7	–	22	30	39	298	91	87	58	11	14	50
138	6	5	23	16	9	10	5	1	5	5	–	4	3	2	29	6	8	8	2	2	51
43	5	2	10	8	5	2	1	1	3	4	–	2	3	1	13	1	3	5	1	1	52
95	1	3	13	8	4	8	4	–	2	1	–	2	–	1	16	5	5	3	1	1	53
83	15	–	36	5	2	7	6	1	5	–	–	–	1	–	25	10	6	11	–	–	54
188	11	3	50	9	6	10	1	2	10	–	–	2	4	–	41	15	7	9	3	4	55
72	4	2	22	5	3	3	–	–	4	–	–	1	–	–	26	2	2	7	2	2	56
116	7	1	28	4	3	7	1	2	6	–	–	1	4	–	15	13	5	2	1	2	57
136	8	1	31	7	1	10	7	2	7	1	–	2	2	5	36	15	15	9	–	2	58
61	5	1	6	–	–	4	1	1	2	1	–	1	2	3	10	5	7	3	–	1	59
75	3	–	25	7	1	6	6	1	5	–	–	1	–	2	26	10	8	6	–	1	60
192	25	2	52	17	7	17	5	4	6	3	–	2	5	11	54	6	12	10	–	1	61
652	37	12	196	83	43	60	34	7	50	5	2	11	18	58	166	29	51	31	3	1	62
328	16	8	95	51	27	21	19	2	26	3	1	2	4	44	79	9	15	11	–	1	63
130	10	1	47	9	3	18	6	3	9	1	1	2	4	5	44	5	23	8	–	–	64
194	11	3	54	23	13	21	9	2	15	1	–	7	10	9	43	15	13	12	3	–	65
270	14	4	109	22	13	20	12	2	10	–	–	4	8	3	70	19	20	16	2	3	66
130	8	–	53	12	6	10	6	1	3	–	–	2	3	–	30	6	6	10	–	–	67
140	6	4	56	10	7	10	6	1	7	–	–	2	5	3	40	13	14	6	2	3	68
340	75	4	101	13	21	41	21	4	25	1	–	8	11	19	99	30	33	20	6	5	69
65	14	1	25	3	4	8	4	1	5	–	–	–	–	4	16	3	6	3	–	–	70
275	61	3	76	10	17	33	17	3	20	1	–	8	11	15	83	27	27	17	6	5	71
223	6	1	42	12	17	17	9	3	15	–	–	11	8	4	51	14	11	4	1	1	72
63	3	–	11	5	5	8	3	2	7	–	–	4	–	–	17	3	4	2	–	–	73
78	–	1	16	1	7	2	3	1	4	–	–	3	4	1	15	6	4	1	–	–	74
82	3	–	15	6	5	7	3	–	4	–	–	4	4	3	19	5	3	1	1	1	75
121	25	–	24	9	9	8	1	4	8	2	–	2	1	5	24	7	11	2	–	–	76
66	10	–	6	6	3	–	–	2	4	–	–	–	1	1	4	5	4	–	–	–	77
55	15	–	18	3	6	8	1	2	4	2	–	2	–	4	20	2	7	2	–	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**New Jersey**	65,831	103	7	489	14,854	4,247	3,510	1,521	1,631	701	524	2,620	1,268	34,821	27,684	589	327
02	Urban places	45,790	80	6	354	10,199	2,989	2,405	1,064	1,106	472	356	1,807	933	24,265	19,421	401	240
03	Balance of area	20,041	23	1	135	4,655	1,358	1,105	457	525	229	168	813	335	10,556	8,263	188	87
04	Metropolitan counties	49,121	81	6	370	10,926	3,191	2,526	1,169	1,212	511	380	1,937	977	25,835	20,666	442	264
05	Urban places	37,167	69	5	296	8,217	2,399	1,918	875	904	378	283	1,460	780	19,618	15,804	328	204
06	Balance of area	11,954	12	1	74	2,709	792	608	294	308	133	97	477	197	6,217	4,862	114	60
07	Nonmetropolitan counties	16,710	22	1	119	3,928	1,156	984	352	419	190	144	683	291	8,986	7,018	147	63
08	Urban places	8,623	11	1	58	1,982	590	487	189	202	94	73	347	153	4,647	3,617	73	36
09	Balance of area	8,087	11	–	61	1,946	566	497	163	217	96	71	336	138	4,339	3,401	74	27
10	Atlantic	2,349	3	1	16	501	152	115	51	52	23	20	88	43	1,304	1,050	8	9
11	Atlantic City	825	2	–	5	159	55	32	23	15	5	4	25	15	479	391	1	4
12	Hammonton	104	–	–	1	27	10	6	3	1	2	1	4	1	49	37	1	–
13	Margate City	133	–	–	2	24	8	5	1	4	1	2	3	2	84	64	1	–
14	Pleasantville	197	–	–	2	40	15	8	1	5	–	2	9	3	110	84	1	–
15	Ventnor City	168	–	–	–	38	7	10	6	1	2	3	9	4	97	76	–	–
16	Balance of county	922	1	1	6	213	57	54	17	26	13	8	38	18	485	398	4	5
17	Bergen	7,659	5	–	38	1,868	544	421	211	203	88	74	327	131	4,147	3,285	71	32
18	Bergenfield	239	–	–	1	56	17	13	11	5	2	2	6	2	124	101	2	2
19	Cliffside Park	219	–	–	3	60	22	14	7	4	2	2	9	7	117	97	1	2
20	Dumont	187	–	–	1	44	14	7	4	7	2	3	7	3	99	79	2	2
21	East Paterson	206	–	–	3	43	12	9	5	3	7	2	5	4	117	86	–	–
22	Englewood	231	1	–	1	61	22	11	8	6	5	2	7	2	120	89	1	2
23	Fair Lawn	331	–	–	2	81	19	17	17	6	4	4	14	4	184	153	2	–
24	Fairview	101	–	–	–	20	9	2	3	2	–	–	4	1	53	42	2	1
25	Fort Lee	259	2	–	1	72	19	9	11	7	2	3	21	4	132	97	5	–
26	Garfield	320	–	–	1	62	23	11	6	6	–	2	14	8	191	160	1	1
27	Glen Rock	88	–	–	–	23	7	4	2	1	2	1	6	–	51	38	1	1
28	Hackensack	396	–	–	3	100	22	27	13	13	4	5	16	7	210	167	1	2
29	Hasbrouck Heights	134	–	–	–	30	7	7	7	4	1	1	3	2	79	63	3	–
30	Hillsdale	73	–	–	1	17	5	4	2	–	2	1	3	1	43	36	1	–
31	Lodi	186	–	–	2	51	12	17	3	4	4	4	7	6	97	77	2	1
32	Lyndhurst township†	210	1	–	2	53	14	18	5	6	4	2	4	6	117	102	1	3
33	Maywood	100	–	–	–	31	13	6	–	7	1	–	4	2	52	44	1	1
34	New Milford	172	–	–	–	49	20	10	1	7	2	4	5	–	94	75	–	–
35	North Arlington	186	–	–	–	50	12	12	6	5	2	6	7	3	101	80	2	2
36	Oakland	59	–	–	–	19	5	3	4	3	1	–	3	1	31	21	1	–
37	Palisades Park	116	–	–	1	22	12	5	–	2	–	1	2	3	68	58	1	–
38	Paramus	232	1	–	–	54	13	13	7	4	2	2	13	3	126	100	3	1
39	Ramsey	92	–	–	–	25	8	4	4	5	1	1	2	–	52	38	1	1
40	Ridgefield	97	–	–	–	26	9	4	3	5	–	–	5	1	53	43	3	1
41	Ridgefield Park	143	–	–	–	39	8	12	1	7	2	1	8	3	74	58	–	1
42	Ridgewood	188	–	–	1	47	11	7	6	4	–	4	15	4	88	73	–	1
43	River Edge	114	–	–	1	26	6	11	2	5	–	–	2	3	63	54	2	–
44	Rutherford	228	–	–	1	47	24	6	4	4	1	1	7	1	125	92	1	–
45	Saddle Brook township†	121	–	–	–	30	6	6	3	5	2	1	7	2	66	55	1	1
46	Teaneck township†	331	–	–	2	74	26	15	5	7	7	2	12	9	193	160	3	1
47	Tenafly	120	–	–	1	31	9	8	5	4	1	–	4	2	67	50	–	–
48	Waldwick	76	–	–	–	20	5	9	3	–	–	–	3	–	41	32	1	–
49	Wallington	103	–	–	2	24	1	9	1	4	1	–	8	2	57	51	1	1
50	Washington township†	48	–	–	2	11	4	3	–	–	1	–	3	–	27	21	2	–
51	Westwood	98	–	–	–	21	7	5	4	1	3	–	1	–	62	46	1	1
52	Wyckoff township†	124	–	–	1	29	7	7	4	1	2	1	7	–	67	53	–	–
53	Balance of county	1,731	–	–	5	420	114	96	44	49	18	16	83	35	906	674	22	3
54	Burlington	2,227	3	–	14	487	151	109	63	52	19	18	75	28	1,149	889	24	13
55	Burlington	132	–	–	–	28	7	6	3	5	4	–	3	–	70	51	2	1
56	Cinnaminson township†	102	–	–	–	21	10	5	2	1	–	–	3	1	58	46	1	1
57	Maple Shade township†	140	–	–	4	30	8	6	3	5	–	3	5	4	71	58	1	3
58	Mount Holly township†	123	1	–	3	22	7	6	2	3	–	1	3	1	62	46	3	–
59	New Hanover township†	4	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	–
60	Willingboro township†	134	–	–	–	40	10	10	8	5	2	1	4	2	57	43	3	–
61	Balance of county	1,592	2	–	7	345	109	75	45	33	13	13	57	20	828	642	14	8
62	Camden	4,103	4	1	54	913	244	244	82	106	50	27	160	44	2,104	1,704	32	20
63	Audubon	132	–	–	2	28	10	5	3	2	2	3	3	–	83	66	–	–
64	Bellmawr	104	–	–	2	27	8	8	3	–	3	2	3	3	52	45	1	1
65	Camden	1,007	1	1	17	192	64	44	9	30	7	4	34	18	465	365	7	–
66	Cherry Hill township†	376	1	–	6	79	20	14	17	6	6	3	13	1	195	161	1	3
67	Collingswood	243	1	–	1	56	15	14	5	4	4	2	12	–	138	112	3	1
68	Gloucester	156	–	–	–	39	7	14	2	6	1	1	8	2	80	69	3	1
69	Gloucester township†	185	–	–	2	47	8	15	5	6	2	1	10	–	93	70	2	–
70	Haddonfield	139	–	–	4	32	7	7	4	4	2	1	7	–	76	56	1	–
71	Haddon township†	143	–	–	–	31	11	10	4	2	1	–	3	–	81	70	–	1
72	Lindenwold	98	–	–	–	17	4	7	–	1	2	–	3	–	54	46	1	–
73	Pennsauken township†	356	–	–	3	95	30	27	3	14	3	3	15	5	184	152	3	3
74	Runnemede	76	–	–	2	19	1	8	4	3	–	–	3	2	36	28	–	1
75	Balance of county	1,088	1	–	15	251	59	71	23	28	17	7	46	13	567	464	10	9
76	Cape May	1,082	1	–	7	216	63	50	12	29	14	7	41	12	658	510	5	5
77	Ocean City	229	–	–	1	49	12	7	6	5	2	3	14	–	146	112	1	4
78	Balance of county	853	1	–	6	167	51	43	6	24	12	4	27	12	512	398	4	1
79	Cumberland	1,215	2	–	11	246	63	65	31	30	2	9	46	20	637	508	7	8
80	Bridgeton	241	–	–	2	51	10	11	5	9	1	1	14	6	117	104	–	2
81	Millville	267	1	–	3	56	9	18	9	3	1	2	14	5	135	109	1	2
82	Vineland	146	–	–	2	34	8	6	5	4	–	2	9	2	67	47	1	3
83	Balance of county	561	1	–	4	105	36	30	12	14	–	4	9	7	318	248	5	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
25,461	1,307	151	5,448	657	881	1,647	598	247	1,192	311	10	395	724	722	4,866	1,085	1,386	603	401	102	01
17,823	957	105	3,738	436	565	1,094	395	168	880	230	8	279	516	558	3,445	609	985	385	323	78	02
7,638	350	46	1,710	221	316	553	203	79	312	81	2	116	208	164	1,421	476	401	218	78	24	03
18,951	1,009	117	3,967	465	620	1,197	453	180	908	236	9	309	594	637	3,676	775	1,079	434	356	83	04
14,469	803	87	2,969	324	434	872	329	134	719	192	8	231	447	507	2,791	472	818	301	295	66	05
4,482	206	30	998	141	186	325	124	46	189	44	1	78	147	130	885	303	261	133	61	17	06
6,510	298	34	1,481	192	261	450	145	67	284	75	1	86	130	85	1,190	310	307	169	45	19	07
3,354	154	18	769	112	131	222	66	34	161	38	–	48	69	51	654	137	167	84	28	12	08
3,156	144	16	712	80	130	228	79	33	123	37	1	38	61	34	536	173	140	85	17	7	09
993	40	7	193	20	34	46	11	5	53	5	–	10	30	27	152	39	65	16	14	8	10
372	14	4	70	7	7	21	3	4	22	2	–	1	6	14	50	9	18	3	7	5	11
34	2	2	9	–	1	2	–	–	1	–	–	–	2	–	7	5	5	3	1	–	12
58	5	–	18	1	1	1	1	–	4	1	–	1	1	2	7	–	1	1	1	–	13
79	4	–	18	4	4	5	–	–	2	1	–	1	3	1	15	5	4	1	2	2	14
73	3	–	13	2	6	1	2	–	3	–	–	1	–	3	11	2	5	1	–	–	15
377	12	1	65	6	15	16	5	1	21	1	–	6	18	7	62	18	32	7	3	1	16
3,055	127	14	664	62	122	182	68	29	108	17	1	33	46	104	533	103	137	64	28	17	17
94	3	1	15	2	5	5	5	1	4	1	–	2	3	5	20	1	7	2	–	–	18
91	3	–	17	–	3	5	2	–	4	–	–	–	–	–	15	4	2	–	–	–	19
70	5	1	12	2	5	5	1	–	2	–	–	2	2	1	17	5	4	–	–	1	20
83	3	–	24	2	5	7	4	–	3	–	–	2	–	1	14	4	3	–	–	1	21
83	3	–	24	4	3	7	1	1	4	–	–	3	1	1	18	4	1	2	2	1	22
146	5	–	24	3	4	9	3	1	1	1	–	1	3	4	25	5	5	1	–	1	23
38	1	–	8	1	2	4	1	–	5	–	–	–	–	–	11	2	1	2	–	1	24
87	5	1	22	6	6	7	–	1	3	–	–	1	1	7	14	2	5	4	2	1	25
154	4	1	23	4	3	7	3	1	2	–	–	3	–	1	30	2	6	3	–	–	26
36	–	–	10	2	1	1	–	1	1	–	–	–	–	2	6	1	1	–	1	–	27
160	4	–	34	3	6	5	3	2	6	–	–	–	2	9	29	4	7	6	2	1	28
56	4	1	9	3	3	3	1	–	2	–	–	–	1	3	4	–	5	2	2	–	29
30	5	–	4	1	2	2	–	1	–	–	–	–	–	1	4	1	1	–	–	1	30
73	1	1	16	–	3	3	1	–	–	1	1	–	2	4	13	–	4	1	–	–	31
89	9	1	12	–	2	3	2	2	4	1	–	–	1	1	12	2	2	–	1	–	32
40	2	–	6	1	1	–	–	–	–	–	–	–	–	1	9	1	3	1	–	–	33
72	3	–	15	–	4	7	2	1	4	1	–	–	–	1	6	3	2	1	–	1	34
70	6	–	16	1	4	3	1	–	2	1	–	–	1	2	13	2	3	2	–	2	35
19	1	–	6	–	4	–	1	–	–	1	–	–	–	2	2	1	–	–	–	1	36
55	2	–	7	2	1	3	1	–	1	1	–	–	1	2	12	–	1	–	–	–	37
92	4	–	20	3	3	5	3	–	–	2	–	1	2	2	14	8	6	4	1	–	38
35	1	–	12	–	2	5	–	1	3	–	–	–	–	–	4	1	1	–	–	–	39
38	1	–	8	1	1	3	–	–	–	1	–	1	–	2	7	–	3	–	–	–	40
56	1	1	12	1	2	3	2	–	1	–	–	–	–	3	14	1	–	3	–	–	41
70	2	–	13	–	2	7	3	2	4	–	–	3	1	3	17	6	2	–	–	–	42
51	1	–	8	–	1	4	2	1	–	–	–	–	1	1	9	–	3	–	–	–	43
87	4	2	25	1	5	5	2	3	8	1	–	1	–	6	20	2	–	4	2	–	44
50	3	1	9	1	–	–	1	–	3	–	–	1	1	–	10	1	3	2	1	–	45
151	5	1	30	1	1	6	4	1	5	–	–	–	–	7	12	7	7	2	2	–	46
46	4	–	14	–	3	4	1	1	4	–	–	–	1	–	4	1	1	2	–	–	47
28	3	–	7	–	2	2	1	–	–	–	–	1	–	2	6	–	2	1	–	–	48
49	–	–	5	1	–	–	–	–	4	–	–	–	2	–	9	–	–	2	–	1	49
17	2	–	6	–	–	1	1	–	–	–	–	–	2	–	4	–	–	–	–	–	50
42	2	–	13	1	2	2	1	1	–	–	–	1	1	1	6	–	1	1	–	–	51
53	–	1	11	–	2	4	4	1	2	–	–	–	–	1	8	3	3	1	–	–	52
644	25	1	167	15	29	45	11	6	26	5	–	10	17	28	115	29	42	15	12	4	53
820	32	9	186	24	41	75	23	7	35	3	2	17	43	8	193	57	43	29	9	2	54
43	5	–	17	1	1	7	3	1	2	–	–	2	2	–	12	2	–	1	2	–	55
42	2	–	6	2	4	2	–	–	2	–	–	1	–	–	12	2	3	–	–	–	56
51	3	–	11	–	2	2	1	–	4	–	–	2	5	1	13	1	1	1	–	–	57
43	–	–	12	1	3	3	1	–	2	–	–	2	3	–	9	6	5	1	1	1	58
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
40	–	1	11	–	2	7	1	–	3	1	1	2	5	–	8	2	1	3	1	–	60
598	22	8	129	20	29	54	17	6	22	2	1	8	28	7	139	44	33	23	5	1	61
1,503	149	8	305	41	46	122	41	14	62	18	–	31	68	42	333	71	110	38	27	6	62
64	2	–	10	6	1	3	2	–	1	–	–	–	–	1	7	–	4	1	–	–	63
43	–	–	6	–	1	2	1	–	1	1	–	–	–	1	8	1	3	1	1	–	64
320	38	3	81	8	8	40	14	5	25	5	–	9	37	15	85	8	42	11	15	2	65
139	18	–	26	3	5	8	3	2	7	1	–	4	4	4	40	10	6	3	2	–	66
94	14	–	16	6	4	11	1	2	4	–	–	1	1	1	15	1	5	3	1	1	67
62	3	–	7	3	1	3	–	1	1	2	–	2	1	2	12	2	4	4	1	–	68
57	11	–	19	–	4	5	1	–	1	–	–	–	2	3	17	4	8	1	1	–	69
50	5	–	17	1	2	2	–	1	2	1	–	2	–	–	13	2	3	1	–	–	70
64	5	–	9	–	2	4	2	–	3	–	–	–	–	1	9	3	7	1	1	–	71
38	7	–	4	2	2	5	2	–	–	–	–	2	–	–	10	5	1	2	–	–	72
134	12	1	26	1	4	11	1	1	1	2	–	1	5	1	30	6	6	3	1	–	73
24	3	–	7	1	–	–	2	–	3	–	–	–	3	–	6	–	2	1	–	–	74
414	31	4	77	10	12	28	12	2	13	6	–	10	15	13	81	29	19	6	4	3	75
492	8	3	109	21	15	17	9	8	19	7	–	1	5	3	80	20	11	4	3	1	76
106	1	1	26	4	3	3	1	1	3	1	–	–	–	–	20	2	2	–	–	–	77
386	7	2	83	17	12	14	8	7	16	6	–	1	5	3	60	18	9	4	3	1	78
461	32	2	90	23	14	20	12	6	16	13	1	9	17	15	88	38	33	25	4	2	79
97	5	–	10	2	1	6	5	–	4	5	–	2	6	2	14	10	6	4	1	–	80
96	10	1	15	6	4	3	–	4	3	2	–	3	1	3	22	9	8	7	1	1	81
37	6	1	14	2	3	4	–	–	2	1	1	2	3	2	15	5	5	1	–	–	82
231	11	–	51	13	6	7	7	2	7	5	–	2	7	8	37	14	14	13	2	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Essex	8,274	15	3	85	1,738	508	400	206	185	78	56	305	198	4,235	3,373	72	65
02	Belleville	310	–	–	2	53	14	13	10	5	1	3	7	8	182	147	1	–
03	Bloomfield	526	–	–	3	113	33	23	14	12	9	4	18	13	303	239	5	6
04	Cedar Grove township†	97	–	–	2	26	8	5	4	2	3	2	2	3	46	29	–	–
05	East Orange	499	1	–	9	127	36	32	13	13	4	2	27	9	231	187	2	5
06	Irvington	700	–	–	5	134	41	29	13	12	8	6	25	15	415	333	5	2
07	Livingston township†	175	–	–	2	44	9	6	8	8	4	1	8	2	95	73	1	3
08	Maplewood township†	224	–	–	4	51	16	11	7	8	1	1	7	3	122	90	–	1
09	Millburn township†	185	–	–	–	53	11	8	10	8	2	4	10	3	97	74	1	1
10	Montclair	466	–	–	1	109	22	27	18	18	4	3	17	8	263	188	4	4
11	Newark	3,123	13	3	47	573	169	149	57	57	19	17	105	94	1,439	1,182	23	31
12	Nutley	290	1	–	2	69	20	13	7	8	3	6	12	7	156	130	4	1
13	Orange	351	–	–	4	80	31	21	8	9	2	–	9	6	169	135	7	–
14	South Orange	155	–	–	1	39	8	9	10	5	1	2	4	2	83	72	3	–
15	Verona	154	–	–	–	39	12	6	6	3	1	–	11	1	90	67	5	1
16	West Caldwell	72	–	–	–	19	6	2	1	3	–	1	6	3	32	23	1	–
17	West Orange	401	–	–	2	94	34	21	8	9	7	–	15	16	214	171	5	4
18	Balance of county	546	–	–	1	115	38	25	12	5	9	4	22	5	298	233	5	6
19	Gloucester	1,511	4	–	15	303	89	69	32	40	13	7	53	33	796	624	13	5
20	Glassboro	118	1	–	3	21	5	1	5	4	1	2	3	3	66	49	2	–
21	Pitman	98	–	–	1	14	5	1	–	3	1	–	4	–	59	47	–	–
22	Woodbury	130	–	–	1	25	9	10	2	2	1	–	1	3	71	56	1	–
23	Balance of county	1,165	3	–	10	243	70	57	25	31	10	5	45	27	600	472	10	5
24	Hudson	6,164	18	–	51	1,283	367	310	121	159	52	43	231	146	3,325	2,813	58	22
25	Bayonne	820	–	–	10	192	54	42	18	21	7	8	42	24	450	373	8	–
26	Harrison	156	–	–	1	40	8	7	3	9	3	2	8	3	82	66	1	–
27	Hoboken	557	1	–	4	118	39	29	9	13	5	5	18	8	301	256	7	1
28	Jersey City	2,475	10	–	21	477	130	124	43	58	15	19	88	56	1,300	1,114	24	12
29	Kearny	395	2	–	3	97	24	27	16	13	2	1	14	13	194	165	5	2
30	North Bergen township†	537	1	–	4	111	25	38	13	8	9	2	16	16	303	254	5	2
31	Secaucus	122	1	–	–	17	2	5	5	–	–	–	5	3	74	63	1	2
32	Union City	484	1	–	2	107	37	18	7	20	4	1	20	12	268	223	4	1
33	Weehawken township†	120	–	–	1	20	7	4	1	3	2	–	3	1	70	62	2	–
34	West New York	377	1	–	3	76	27	12	4	12	4	2	15	8	222	186	1	2
35	Balance of county	121	1	–	2	28	14	4	2	2	1	3	2	2	61	51	–	–
36	Hunterdon	633	–	–	4	164	55	34	18	24	5	6	22	18	315	244	3	2
37	Mercer	2,772	7	–	16	652	183	153	74	78	38	16	110	55	1,393	1,103	29	13
38	Ewing township†	315	–	–	2	87	23	24	13	12	3	–	12	6	166	135	3	2
39	Hamilton township†	670	1	–	5	166	48	38	16	22	7	5	30	14	341	278	7	2
40	Princeton	80	–	–	–	20	2	2	3	3	3	1	6	–	46	34	2	–
41	Trenton	1,147	5	–	7	249	78	62	26	22	16	8	37	26	562	444	11	6
42	Balance of county	560	1	–	2	130	32	27	16	19	9	2	25	9	278	212	6	3
43	Middlesex	4,314	7	–	40	1,058	320	260	95	100	50	38	195	75	2,247	1,825	55	12
44	Carteret	195	–	–	1	47	19	13	2	5	1	1	6	3	110	90	3	–
45	East Brunswick township†	185	–	–	4	45	10	13	5	2	2	2	11	3	92	73	4	1
46	Edison township†	213	–	–	2	54	20	9	4	7	2	3	9	2	98	82	–	1
47	Highland Park	117	–	–	–	29	13	2	–	3	2	–	9	3	58	47	1	–
48	Madison township†	235	–	–	1	55	16	11	6	9	3	4	6	3	130	107	2	–
49	Metuchen	120	–	–	–	21	5	9	1	–	–	1	5	2	76	68	3	–
50	Middlesex	118	–	–	–	34	10	6	3	5	–	1	9	1	58	46	–	1
51	New Brunswick	356	–	–	5	78	17	29	5	6	3	4	14	5	182	139	2	1
52	Perth Amboy	411	1	–	4	90	32	18	9	5	6	2	18	14	213	172	4	2
53	Piscataway township†	203	–	–	3	47	13	8	2	7	6	1	10	1	109	92	3	–
54	Sayreville	247	1	–	1	55	11	17	6	3	6	–	12	7	129	99	5	–
55	South Plainfield	126	–	–	2	34	11	10	1	3	–	1	8	–	58	42	2	–
56	South River	147	1	–	2	32	7	11	4	4	1	1	4	2	80	59	2	1
57	Woodbridge township†	684	–	–	6	198	67	43	27	10	9	9	33	11	345	285	8	2
58	Balance of county	957	4	–	9	239	69	61	20	31	9	8	41	18	509	424	16	3
59	Monmouth	4,604	5	1	33	1,062	308	275	104	100	52	45	178	87	2,473	1,834	36	25
60	Asbury Park	295	–	–	3	53	16	14	4	3	3	–	13	6	170	125	2	5
61	Eatontown	96	–	–	1	22	5	8	1	4	1	2	1	1	53	36	1	–
62	Freehold	150	1	–	2	29	6	5	2	6	2	1	7	1	83	62	1	3
63	Hazlet township†	167	–	–	–	34	10	10	1	2	2	1	8	6	81	59	–	–
64	Long Branch	318	2	–	2	78	21	20	13	5	2	2	15	6	154	115	2	2
65	Matawan township†	85	1	–	–	17	3	11	1	1	–	–	1	2	47	33	1	–
66	Middletown township†	382	–	–	2	93	28	17	9	17	2	–	20	3	208	155	2	1
67	Neptune township†	402	–	1	3	82	31	19	6	10	5	6	5	8	236	166	2	3
68	Ocean township†	154	–	–	–	40	13	10	6	3	3	1	4	6	73	55	2	–
69	Red Bank	203	–	–	–	42	14	10	4	2	3	2	7	1	120	78	3	–
70	Balance of county	2,352	1	–	20	572	161	151	57	47	29	30	97	47	1,248	950	20	11
71	Morris	2,545	1	–	16	612	198	113	57	72	25	23	124	38	1,295	964	33	13
72	Dover	156	–	–	–	33	7	9	2	5	2	1	7	3	78	58	1	1
73	Madison	117	–	–	–	29	9	4	2	1	1	1	11	4	64	40	2	1
74	Morristown	199	–	–	1	46	15	12	2	3	1	1	12	1	103	61	3	1
75	Parsippany–Troy Hills township†	179	–	–	–	36	10	9	3	2	–	1	11	1	87	62	3	–
76	Pequannock township†	79	–	–	–	15	5	1	2	2	3	–	2	3	43	32	2	–
77	Balance of county	1,815	1	–	15	453	152	78	46	59	18	19	81	26	920	711	22	10
78	Ocean	3,824	5	–	24	902	262	238	67	110	48	34	143	58	2,133	1,691	24	8
79	Brick township†	439	2	–	2	106	41	26	6	13	4	3	13	12	233	189	–	1
80	Dover township†	704	–	–	2	161	38	47	14	20	11	10	21	12	391	310	5	4
81	Lakewood township†	534	1	–	4	118	35	25	10	19	7	2	20	12	299	244	2	–
82	Point Pleasant	229	–	–	1	38	9	9	5	7	–	2	6	4	142	100	–	1
83	Balance of county	1,918	2	–	15	479	139	131	32	51	26	17	83	18	1,068	848	17	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
3,029	207	21	705	63	73	174	99	25	166	57	4	62	128	92	657	103	234	61	124	14	01
136	10	–	30	3	2	7	4	2	7	–	1	1	2	–	28	1	5	2	2	3	02
216	12	2	48	9	5	11	10	1	8	1	–	1	3	–	37	7	8	6	1	–	03
29	–	–	15	–	2	5	1	1	2	1	–	–	–	–	6	–	2	1	1	–	04
168	12	1	40	2	1	11	9	1	7	1	1	7	11	6	40	7	10	4	7	–	05
305	21	–	74	2	6	15	4	1	12	3	–	1	4	6	47	7	15	8	7	1	06
64	5	–	17	4	1	3	3	–	1	–	–	–	2	2	12	3	5	1	–	–	07
86	3	1	30	–	1	9	3	–	3	3	–	2	1	1	10	–	8	3	1	–	08
68	4	–	17	2	4	4	3	–	2	–	–	–	2	1	9	5	3	3	–	–	09
174	6	–	64	5	6	8	5	2	2	4	–	3	3	2	32	3	15	3	2	1	10
1,019	109	9	204	20	24	64	25	10	85	33	2	38	80	59	298	38	118	14	84	6	11
123	2	2	19	4	1	5	4	2	5	–	–	2	3	–	23	2	5	1	3	–	12
122	6	–	25	1	8	5	6	–	10	5	–	3	7	4	32	4	9	1	5	1	13
68	1	1	4	3	3	2	1	1	2	1	–	–	–	–	16	3	2	2	–	–	14
59	2	–	21	–	2	–	5	–	1	–	–	1	2	1	10	–	1	3	–	–	15
21	1	1	8	–	–	–	3	–	–	1	–	–	1	1	4	3	3	1	–	1	16
158	4	3	33	4	3	12	3	2	2	3	–	2	4	1	23	10	9	3	1	–	17
213	9	1	56	4	4	13	10	2	17	1	–	1	3	8	30	10	16	5	10	1	18
567	39	9	109	32	22	40	10	6	20	9	–	8	19	41	98	57	30	16	6	–	19
43	4	2	12	1	2	3	–	1	1	1	–	–	4	1	6	1	5	–	1	–	20
45	2	–	7	4	1	1	1	–	–	1	–	1	–	5	7	5	–	2	1	–	21
53	2	–	10	3	2	4	1	2	–	–	–	1	–	5	7	4	4	2	–	–	22
426	31	7	80	24	17	32	8	3	19	7	–	6	15	30	78	47	21	12	4	–	23
2,590	143	10	406	43	53	122	37	24	148	48	–	37	74	130	443	58	106	45	58	11	24
345	20	–	63	5	9	15	6	2	19	10	–	2	7	8	43	6	18	6	–	2	25
64	1	1	10	1	4	1	1	–	7	2	–	–	3	–	11	1	3	–	1	–	26
235	13	2	34	6	3	12	3	2	10	5	–	7	6	20	40	3	3	4	9	1	27
1,009	69	4	149	15	18	51	15	13	53	20	–	14	40	77	205	17	48	16	36	6	28
155	3	1	24	3	1	5	3	2	17	1	–	1	5	6	30	2	6	6	2	–	29
233	14	1	40	3	5	13	2	–	13	4	–	4	3	7	34	9	9	4	–	–	30
58	2	–	8	3	–	4	1	1	2	–	–	1	–	1	9	4	2	2	–	–	31
210	8	1	34	3	7	7	1	2	15	4	–	4	5	6	31	4	7	–	7	1	32
56	4	–	6	1	1	4	1	–	2	–	–	1	1	1	11	3	1	2	1	–	33
176	7	–	33	–	3	8	3	2	8	2	–	2	4	4	20	5	6	2	1	–	34
49	2	–	5	3	2	2	1	–	2	–	–	1	–	–	9	4	3	3	1	1	35
221	18	2	51	6	12	21	10	4	10	2	–	1	2	3	45	12	13	6	2	1	36
1,037	24	10	224	27	29	67	34	11	63	7	–	15	28	53	191	54	56	29	34	7	37
129	1	1	24	6	–	4	5	–	6	–	–	1	5	3	15	3	5	4	3	–	38
262	7	–	49	5	9	14	11	2	9	4	–	4	2	13	45	15	10	7	4	3	39
32	–	–	9	1	2	1	–	–	–	–	–	–	–	1	6	1	5	–	–	–	40
414	13	8	91	8	11	35	8	5	37	3	–	4	19	24	86	17	27	8	22	3	41
200	3	1	51	7	7	13	10	4	11	–	–	6	2	12	39	18	9	10	5	1	42
1,670	88	9	305	56	52	96	21	12	89	13	–	26	44	37	304	87	75	56	18	9	43
82	5	–	16	2	2	5	1	1	2	1	–	1	1	2	12	–	5	2	–	1	44
63	5	1	12	3	3	4	1	–	5	1	–	2	2	–	14	4	3	3	2	–	45
77	4	1	11	3	1	4	3	–	4	1	–	1	9	4	22	4	2	3	–	–	46
43	3	–	9	–	2	5	–	–	3	2	–	–	1	–	7	4	2	2	1	–	47
102	3	–	19	2	2	6	–	–	3	1	–	4	1	–	13	9	7	2	–	–	48
60	5	–	5	2	1	4	1	1	2	–	–	–	–	1	7	2	1	2	–	–	49
42	3	–	9	1	2	4	1	1	3	–	–	–	3	–	7	2	4	–	–	–	50
127	9	1	33	3	6	7	1	–	12	–	–	5	5	7	26	4	8	4	6	1	51
159	7	–	32	5	4	8	3	2	12	–	–	–	5	3	35	4	11	2	1	3	52
67	2	–	11	5	1	3	1	1	2	–	–	2	2	2	12	7	5	3	2	1	53
86	8	1	18	3	8	4	2	1	7	–	–	2	2	5	17	4	3	6	1	–	54
38	2	–	10	4	2	6	1	–	–	–	–	–	2	–	15	2	1	3	–	2	55
54	2	1	17	3	–	4	–	–	3	1	–	1	–	1	13	3	2	1	–	1	56
265	10	1	40	10	9	8	3	3	13	3	–	3	5	8	44	15	9	8	2	–	57
385	20	3	63	10	9	24	3	2	18	3	–	5	6	4	60	23	12	15	3	–	58
1,693	80	7	478	77	77	138	47	23	76	31	1	25	35	12	332	78	93	36	13	3	59
106	12	–	41	2	2	8	–	1	4	3	–	–	2	2	34	1	5	–	3	–	60
34	1	–	13	2	2	4	3	–	–	–	–	–	1	–	5	1	2	1	2	–	61
57	1	1	16	–	4	7	2	–	5	4	–	–	1	1	8	1	3	2	–	–	62
57	2	–	16	3	3	8	1	1	4	2	–	–	–	1	11	8	8	2	–	–	63
110	1	–	24	9	6	13	2	3	6	2	–	1	2	–	31	4	9	2	–	1	64
30	2	–	11	2	1	–	1	1	–	2	–	1	2	–	6	3	2	–	–	–	65
145	7	1	35	12	5	14	5	3	13	–	–	1	1	–	20	7	8	3	–	1	66
153	8	–	54	5	11	7	2	2	5	4	–	6	1	1	32	3	5	3	1	–	67
52	1	–	13	2	3	1	1	1	2	–	–	4	1	–	14	3	5	2	1	–	68
71	4	1	28	8	5	9	2	3	1	1	–	–	1	–	19	1	1	1	1	–	69
878	41	4	227	32	35	67	28	8	36	13	1	12	23	7	152	46	45	20	5	1	70
875	43	5	258	22	46	88	29	14	46	9	–	19	42	9	193	45	49	29	8	3	71
55	1	–	16	–	4	4	3	1	5	–	–	3	4	1	12	2	6	1	–	–	72
35	2	–	21	1	2	4	–	–	–	1	–	1	1	–	8	1	3	1	–	–	73
57	–	–	35	3	4	8	1	2	7	1	–	–	5	2	11	2	4	2	3	–	74
54	5	–	19	–	6	6	5	2	5	2	–	4	5	–	15	2	5	4	–	–	75
29	1	–	7	1	3	3	1	2	1	–	–	–	1	–	7	1	1	1	–	–	76
645	34	5	160	17	27	63	19	7	28	5	–	11	26	6	140	37	30	20	5	3	77
1,598	61	8	351	16	67	98	34	11	58	15	–	14	26	19	270	60	59	31	4	3	78
182	6	1	38	1	4	11	6	1	9	1	–	3	3	–	38	3	6	2	1	–	79
288	13	1	62	4	14	22	5	–	15	3	–	2	3	3	58	10	9	6	2	–	80
236	6	1	45	1	8	12	3	3	6	2	–	1	3	5	39	10	12	4	–	–	81
97	2	2	34	4	2	2	6	1	5	–	–	1	3	–	15	5	4	2	–	–	82
795	34	3	172	6	39	51	14	6	23	9	–	7	14	11	120	32	28	17	1	3	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Passaic	4,183	7	1	21	930	270	205	93	101	50	35	176	99	2,232	1,791	39	19
02	Clifton	830	2	–	5	205	58	33	25	24	17	7	41	16	479	387	7	5
03	Hawthorne	186	–	–	2	47	12	13	3	4	3	4	8	5	102	78	1	–
04	Little Falls township†	107	–	–	1	25	9	3	1	5	2	–	5	5	56	47	1	1
05	Passaic	574	–	–	1	118	45	26	10	8	5	1	23	15	308	248	5	3
06	Paterson	1,410	5	1	9	285	78	72	27	34	13	9	52	38	713	587	11	7
07	Pompton Lakes	73	–	–	–	20	7	7	1	–	3	1	1	1	40	32	1	–
08	Ringwood	46	–	–	1	10	4	2	1	1	–	1	1	–	22	21	2	–
09	Totowa	96	–	–	1	23	5	6	4	3	1	2	2	5	53	39	–	–
10	Wayne township†	295	–	–	–	70	14	15	10	2	3	7	19	3	152	124	3	1
11	West Paterson	68	–	–	–	16	3	5	1	–	–	2	5	3	39	29	3	–
12	Balance of county	498	–	–	1	111	35	23	10	20	3	1	19	8	268	199	5	2
13	Salem	557	–	–	3	121	27	37	15	6	11	4	21	12	272	206	6	2
14	Somerset	1,434	1	–	9	356	99	91	38	28	15	12	73	25	744	591	13	4
15	Bound Brook	116	–	–	–	25	6	6	5	2	1	1	4	1	60	49	1	–
16	Bridgewater township†	169	–	–	–	36	8	9	6	2	–	1	10	4	96	72	1	1
17	Franklin township†	185	–	–	–	44	15	5	7	5	1	3	8	3	100	84	5	1
18	Manville	80	1	–	–	19	5	7	1	3	–	1	2	2	36	33	2	–
19	North Plainfield	173	–	–	2	42	11	11	5	2	2	–	11	5	98	73	1	–
20	Somerville	156	–	–	2	35	12	12	2	2	2	2	3	1	83	66	–	1
21	Balance of county	555	–	–	5	155	42	41	12	12	9	4	35	9	271	214	3	1
22	Sussex	819	3	–	2	170	49	36	18	28	6	2	31	16	416	323	11	7
23	Union	4,818	10	–	27	1,128	351	260	121	108	54	40	194	112	2,545	2,044	47	40
24	Berkeley Heights township†	61	–	–	–	14	3	4	3	1	1	–	2	–	29	25	1	–
25	Clark township†	133	–	–	3	34	13	10	3	1	1	3	3	2	65	57	2	2
26	Cranford township†	223	–	–	1	59	20	12	5	6	4	3	9	7	120	91	3	–
27	Elizabeth	1,147	4	–	10	236	85	55	19	19	7	8	43	25	621	495	11	9
28	Hillside township†	190	–	–	3	45	7	8	6	8	–	2	14	6	91	72	1	–
29	Linden	404	1	–	1	98	26	20	13	6	6	2	25	8	218	176	1	8
30	New Providence	90	1	–	–	22	7	3	3	–	2	–	7	2	45	35	2	1
31	Plainfield	394	–	–	3	91	25	25	12	8	4	4	13	12	181	141	1	2
32	Rahway	278	1	–	–	71	21	18	5	7	4	4	12	10	143	127	2	1
33	Roselle	208	–	–	–	58	27	15	6	3	–	2	5	6	112	86	1	1
34	Roselle Park	119	–	–	1	25	9	7	–	3	1	–	5	–	69	53	1	1
35	Scotch Plains township†	163	–	–	2	38	12	6	4	5	4	1	6	6	80	67	2	2
36	Springfield township†	162	1	–	–	39	15	8	4	5	4	1	2	4	98	73	–	–
37	Summit	184	–	–	–	51	14	13	4	6	1	2	11	6	92	67	2	2
38	Union township†	562	1	–	1	131	38	35	14	16	8	3	17	14	311	261	8	6
39	Westfield	231	1	–	1	45	9	10	5	8	4	2	7	2	137	110	5	2
40	Balance of county	269	–	–	1	71	20	11	15	6	3	3	13	2	133	108	4	3
41	Warren	744	2	–	3	144	44	25	12	20	8	8	27	18	401	312	3	3
42	Phillipsburg	215	1	–	1	41	15	5	–	10	–	–	11	5	118	88	2	–
43	Balance of county	529	1	–	2	103	29	20	12	10	8	8	16	13	283	224	1	3
44	**New Mexico**	**8,073**	**19**	**2**	**84**	**1,421**	**390**	**301**	**112**	**167**	**61**	**61**	**329**	**138**	**2,864**	**2,086**	**58**	**32**
45	Urban places	4,525	8	1	45	882	221	204	75	116	32	35	199	81	1,644	1,135	34	14
46	Balance of area	3,548	11	1	39	539	169	97	37	51	29	26	130	57	1,220	871	24	18
47	Metropolitan counties	2,251	4	1	26	461	102	104	40	60	23	19	113	45	770	538	16	6
48	Urban places	2,194	3	1	26	449	99	103	40	58	19	19	111	44	758	530	15	5
49	Balance of area	57	1	–	–	12	3	1	–	2	4	–	2	1	12	8	1	1
50	Nonmetropolitan counties	5,822	15	1	58	960	288	197	72	107	38	42	216	93	2,094	1,468	42	26
51	Urban places	2,331	5	–	19	433	122	101	35	58	13	16	88	37	886	605	19	9
52	Balance of area	3,491	10	1	39	527	166	96	37	49	25	26	128	56	1,208	863	23	17
53	Bernalillo	2,251	4	1	26	461	102	104	40	60	23	19	113	45	770	538	16	6
54	Albuquerque	2,194	3	1	26	449	99	103	40	58	19	19	111	44	758	530	15	5
55	Balance of county	57	1	–	–	12	3	1	–	2	4	–	2	1	12	8	1	1
56	Catron	27	–	–	–	7	2	1	–	–	–	–	4	–	9	6	–	–
57	Chaves	470	–	–	1	73	23	23	4	10	1	2	10	9	170	108	6	2
58	Roswell	407	–	–	1	60	21	16	3	9	–	2	9	6	151	94	5	1
59	Balance of county	63	–	–	–	13	2	7	1	1	1	–	1	3	19	14	1	1
60	Colfax	122	–	–	1	24	8	5	3	2	–	–	6	1	52	32	4	–
61	Curry	293	1	–	2	55	20	12	1	5	3	3	11	2	119	81	4	2
62	Clovis	251	1	–	2	47	18	11	–	4	3	2	9	1	105	71	3	2
63	Balance of county	42	–	–	–	8	2	1	1	1	–	1	2	1	14	10	1	–
64	De Baca	27	–	–	–	2	–	1	–	–	–	–	1	–	16	15	–	–
65	Dona Ana	444	3	–	10	101	20	18	8	21	5	3	26	11	148	100	–	3
66	Las Cruces	246	3	–	4	56	12	6	7	14	2	2	13	7	87	60	–	2
67	Balance of county	198	–	–	6	45	8	12	1	7	3	1	13	4	61	40	–	1
68	Eddy	369	–	–	2	64	13	18	9	4	1	5	14	6	158	115	2	1
69	Artesia	100	–	–	–	16	4	5	2	2	–	1	2	4	45	33	–	1
70	Carlsbad	236	–	–	1	38	6	13	7	1	1	4	6	2	102	73	2	–
71	Balance of county	33	–	–	1	10	3	–	–	1	–	–	6	–	11	9	–	–
72	Grant	166	–	–	1	32	12	6	–	4	4	–	6	3	67	45	–	–
73	Guadalupe	43	–	–	–	5	3	–	–	2	–	–	–	2	17	14	1	–
74	Harding	16	–	–	–	2	–	–	1	–	–	–	1	–	7	3	–	–
75	Hidalgo	53	1	–	1	5	2	1	–	–	–	–	2	1	21	13	–	–
76	Lea	368	1	–	4	65	19	16	6	7	1	5	11	6	149	112	1	–
77	Hobbs	238	–	–	1	42	12	14	1	6	–	3	6	3	91	64	1	–
78	Balance of county	130	1	–	3	23	7	2	5	1	1	2	5	3	58	48	–	–
79	Lincoln	88	–	–	1	12	3	2	2	1	–	–	4	–	33	25	–	2
80	Los Alamos	47	–	–	1	5	–	–	1	1	1	1	1	–	14	12	–	–
81	Luna	155	–	–	3	21	8	–	4	1	–	2	6	4	71	52	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

[populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,677	56	5	341	42	53	99	40	16	74	18	–	33	49	48	315	52	103	31	10	5	01
369	6	2	68	9	13	21	6	7	7	3	–	3	5	4	44	5	10	7	1	–	02
77	–	1	13	5	5	1	3	–	3	1	–	1	–	2	12	2	5	–	–	–	03
41	4	–	8	1	–	3	–	1	2	1	–	–	–	–	10	2	1	–	–	–	04
233	7	–	50	4	6	15	3	2	20	2	–	2	13	9	40	5	15	2	4	–	05
546	23	1	102	10	13	34	13	3	30	9	–	12	25	30	127	15	42	11	4	4	06
28	3	–	7	–	1	2	3	–	–	–	–	–	–	1	3	1	2	–	–	–	07
19	–	–	1	–	–	3	–	–	2	–	–	–	1	–	4	3	–	–	–	–	08
37	2	1	6	3	4	3	–	–	1	–	–	1	–	1	5	–	1	2	–	–	09
119	1	–	23	2	3	3	3	–	7	–	–	4	1	–	32	5	9	5	–	1	10
24	2	–	7	1	2	–	2	–	–	–	–	–	–	–	6	–	2	–	–	–	11
184	8	–	56	7	6	14	7	3	2	2	–	10	4	1	32	14	16	4	1	–	12
188	10	–	45	4	17	20	7	4	11	6	–	3	3	3	56	21	9	4	1	1	13
546	28	4	115	8	26	56	12	4	21	4	–	11	8	7	92	23	35	21	4	1	14
45	3	–	10	–	1	1	1	1	1	1	–	1	2	1	14	3	3	–	–	1	15
70	–	–	16	1	7	2	3	–	1	1	–	1	–	1	16	1	3	4	–	–	16
72	6	–	14	1	1	8	–	–	2	–	–	3	4	–	5	3	7	4	2	–	17
29	2	1	–	–	2	4	1	–	1	–	–	1	–	2	7	1	3	2	–	–	18
68	4	2	19	3	1	7	1	1	1	1	–	1	–	–	10	1	1	2	–	–	19
61	4	–	12	2	3	7	2	1	6	–	–	–	1	1	8	2	6	1	–	–	20
201	9	1	44	1	11	27	4	1	9	1	–	4	1	2	32	12	12	8	2	–	21
290	15	1	72	8	12	24	12	5	11	3	–	8	10	4	67	30	21	15	1	1	22
1,861	96	15	379	49	58	120	37	14	96	19	1	28	39	60	362	59	92	38	24	7	23
21	3	–	3	–	1	2	1	–	–	1	–	–	–	–	8	2	2	2	–	–	24
47	6	–	8	–	–	3	1	–	3	1	–	5	1	–	8	6	1	–	–	–	25
82	6	2	23	4	–	3	–	1	8	1	–	–	–	1	18	1	3	–	–	–	26
455	20	6	101	9	10	27	9	–	33	2	–	7	6	21	88	5	30	10	12	1	27
70	1	–	17	1	1	3	–	–	4	–	1	2	3	3	20	–	5	1	2	1	28
159	8	2	32	2	6	7	1	–	7	1	–	1	4	5	30	4	8	5	3	2	29
31	1	–	8	–	2	1	1	–	2	–	–	1	–	1	7	2	4	1	–	–	30
132	6	–	24	9	7	15	3	3	8	2	–	3	9	9	31	8	8	3	5	–	31
119	5	1	13	1	1	6	1	–	6	1	–	–	3	1	22	7	4	2	–	–	32
76	8	2	16	4	4	4	2	–	2	–	–	–	3	1	12	3	3	1	1	–	33
47	4	1	11	1	3	3	1	–	1	2	–	–	1	–	11	1	3	1	–	–	34
62	1	–	7	4	2	8	1	1	2	–	–	–	–	3	13	2	1	4	–	2	35
70	3	–	19	1	5	–	2	–	1	2	–	–	–	1	10	2	1	1	–	–	36
61	2	1	20	1	3	10	1	1	5	–	–	3	2	2	7	–	3	1	–	–	37
236	11	–	43	5	2	18	5	7	6	6	–	3	3	6	33	7	6	2	1	1	38
95	8	–	17	4	6	5	2	–	4	–	–	2	3	3	19	4	3	–	–	–	39
98	3	–	17	3	5	5	6	1	4	–	–	1	1	3	25	5	7	4	–	–	40
295	11	2	62	13	12	22	5	5	10	7	–	4	8	5	62	18	12	9	9	–	41
80	6	–	23	5	2	9	1	–	4	3	–	1	–	1	20	5	2	2	1	–	42
215	5	2	39	8	10	13	4	5	6	4	–	3	8	4	42	13	10	7	8	–	43
1,702	**214**	**46**	**630**	**93**	**89**	**238**	**127**	**20**	**171**	**47**	**1**	**79**	**155**	**445**	**966**	**563**	**349**	**226**	**129**	**29**	**44**
985	102	34	366	56	53	135	71	10	83	28	–	42	80	223	540	250	177	136	73	16	45
717	112	12	264	37	36	103	56	10	88	19	1	37	75	222	426	313	172	90	56	13	46
455	61	16	164	25	27	56	34	1	44	21	–	22	36	110	299	111	76	88	36	10	47
451	59	16	163	25	24	56	32	1	43	20	–	22	35	108	288	106	72	86	36	8	48
4	2	–	1	–	3	–	2	–	1	1	–	–	1	2	11	5	4	2	–	2	49
1,247	153	30	466	68	62	182	93	19	127	26	1	57	119	335	667	452	273	138	93	19	50
534	43	18	203	31	29	79	39	9	40	8	–	20	45	115	252	144	105	50	37	8	51
713	110	12	263	37	33	103	54	10	87	18	1	37	74	220	415	308	168	88	56	11	52
455	61	16	164	25	27	56	34	1	44	21	–	22	36	110	299	111	76	88	36	10	53
451	59	16	163	25	24	56	32	1	43	20	–	22	35	108	288	106	72	86	36	8	54
4	2	–	1	–	3	–	2	–	1	1	–	–	1	2	11	5	4	2	–	2	55
5	1	–	2	1	–	1	–	–	–	–	–	1	3	–	2	2	1	1	–	–	56
91	9	4	42	8	8	16	10	3	11	–	–	2	8	55	54	17	18	8	12	3	57
81	7	4	38	8	7	13	9	1	9	–	–	2	4	49	50	15	16	7	11	3	58
10	2	–	4	–	1	3	1	2	2	–	–	–	4	6	4	2	2	1	1	–	59
26	2	2	13	3	2	4	2	1	4	–	–	–	2	1	14	4	5	6	–	1	60
70	5	2	32	3	1	7	9	1	1	1	–	2	11	4	33	20	17	5	2	1	61
61	5	2	28	3	1	7	7	1	1	1	–	1	7	4	25	18	15	5	2	1	62
9	–	–	4	–	–	–	2	–	–	–	–	1	4	–	8	2	2	–	–	–	63
14	1	–	1	–	–	2	–	–	1	–	–	–	–	–	3	2	–	1	–	–	64
85	12	3	33	8	4	13	10	2	8	3	–	7	9	13	47	30	18	6	4	1	65
53	5	1	21	1	4	8	6	2	4	1	–	1	6	8	21	17	8	4	3	–	66
32	7	2	12	7	–	5	4	–	4	2	–	6	3	5	26	13	10	2	1	1	67
106	6	2	34	6	1	15	3	1	3	–	–	1	4	21	55	12	17	5	2	–	68
31	1	1	10	–	1	1	1	1	1	–	–	–	–	5	11	7	8	–	–	–	69
66	5	1	23	5	–	13	2	–	1	–	–	1	3	12	41	4	9	5	2	–	70
9	–	–	1	1	–	1	–	–	1	–	–	–	1	4	3	1	–	–	–	–	71
42	3	–	17	1	4	8	3	1	3	–	–	2	4	5	17	9	8	2	–	1	72
10	3	–	3	–	–	1	–	–	–	–	–	–	1	5	3	3	3	2	1	–	73
3	–	–	4	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	–	–	74
11	2	1	6	1	–	4	2	–	–	–	–	1	–	5	5	3	3	–	1	–	75
96	15	3	27	3	4	7	7	1	5	1	–	7	10	10	33	25	20	7	10	–	76
58	5	3	20	2	2	6	2	–	4	1	–	7	8	8	21	17	14	5	8	–	77
38	10	–	7	1	2	1	5	1	1	–	–	–	2	2	12	8	6	2	2	–	78
21	2	–	8	–	–	–	2	1	3	1	–	–	1	10	11	2	2	6	2	1	79
10	2	–	1	–	1	1	–	–	–	1	–	1	–	4	6	7	3	4	–	–	80
51	1	1	16	1	1	3	3	–	1	–	–	–	6	7	19	11	2	3	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Mexico—Con.																	
01	McKinley	325	4	–	8	32	12	4	3	2	1	1	9	4	64	45	2	2
02	Gallup	107	–	–	3	13	3	3	1	1	–	–	5	1	32	22	–	1
03	Balance of county	218	4	–	5	19	9	1	2	1	1	1	4	3	32	23	2	1
04	Mora	30	–	–	–	4	–	1	–	1	–	–	2	1	11	8	–	–
05	Otero	237	–	–	1	40	8	6	3	4	2	2	15	1	87	63	1	–
06	Alamogordo	145	–	–	–	33	6	5	2	4	2	2	12	–	51	37	–	–
07	Balance of county	92	–	–	1	7	2	1	1	–	–	–	3	1	36	26	1	–
08	Quay	111	–	–	–	12	2	4	–	2	1	–	3	1	60	51	3	–
09	Rio Arriba	233	1	–	2	21	7	3	1	–	1	1	8	5	80	52	2	–
10	Roosevelt	135	–	–	2	22	5	2	–	7	2	–	6	–	64	48	–	3
11	Portales	95	–	–	2	18	4	2	–	5	2	–	5	–	47	32	–	1
12	Balance of county	40	–	–	–	4	1	–	–	2	–	–	1	–	17	16	–	2
13	Sandoval	180	–	–	2	28	10	6	1	2	3	–	6	6	53	33	–	–
14	San Juan	440	1	–	6	72	20	15	5	11	2	5	14	6	124	87	5	1
15	Farmington	182	–	–	1	37	11	9	3	5	1	–	8	3	67	45	5	–
16	Balance of county	258	1	–	5	35	9	6	2	6	1	5	6	3	57	42	–	1
17	San Miguel	196	–	1	–	30	7	7	3	–	–	4	9	2	71	47	2	2
18	Santa Fe	392	1	–	4	86	29	20	9	8	3	1	16	11	122	86	3	2
19	Santa Fe	324	1	–	4	73	25	17	9	7	2	–	13	10	108	74	3	1
20	Balance of county	68	–	–	–	13	4	3	–	1	1	1	3	1	14	12	–	1
21	Sierra	136	–	–	–	21	6	5	1	1	–	2	6	1	59	44	–	1
22	Socorro	104	–	–	1	24	12	3	–	1	3	2	3	1	36	21	–	2
23	Taos	131	–	–	–	25	9	6	2	4	2	2	–	3	51	34	2	1
24	Torrance	58	–	–	–	10	4	2	–	–	1	–	3	–	23	16	–	–
25	Union	58	–	–	3	9	3	2	1	2	–	–	1	1	24	18	2	–
26	Valencia	368	2	–	2	51	21	8	4	4	1	1	12	5	114	82	2	2
27	**New York**	**168,739**	**270**	**5**	**1,009**	**36,482**	**10,884**	**8,447**	**3,676**	**3,862**	**1,719**	**1,341**	**6,553**	**3,220**	**87,635**	**70,212**	**1,221**	**699**
28	Urban places	112,094	229	5	709	23,598	7,213	5,412	2,329	2,528	1,045	818	4,253	2,176	57,957	47,262	733	453
29	Balance of area	56,645	41	–	300	12,884	3,671	3,035	1,347	1,334	674	523	2,300	1,044	29,678	22,950	488	246
30	Metropolitan counties	143,845	248	5	893	31,420	9,407	7,236	3,178	3,316	1,444	1,148	5,691	2,726	74,092	59,929	1,027	569
31	Urban places	105,420	221	5	681	22,264	6,812	5,090	2,184	2,385	975	773	4,045	2,033	54,274	44,526	674	414
32	Balance of area	38,425	27	–	212	9,156	2,595	2,146	994	931	469	375	1,646	693	19,818	15,403	353	155
33	Nonmetropolitan counties	24,894	22	–	116	5,062	1,477	1,211	498	546	275	193	862	494	13,543	10,283	194	130
34	Urban places	6,674	8	–	28	1,334	401	322	145	143	70	45	208	143	3,683	2,736	59	39
35	Balance of area	18,220	14	–	88	3,728	1,076	889	353	403	205	148	654	351	9,860	7,547	135	91
36	Albany	2,843	5	–	16	642	195	166	57	63	26	32	103	42	1,507	1,190	28	8
37	Albany	1,400	4	–	13	299	91	68	34	25	14	17	50	21	750	585	14	1
38	Cohoes	237	–	–	–	50	14	22	3	5	–	1	5	4	134	118	3	–
39	Watervliet	134	–	–	–	31	13	6	3	2	1	–	6	1	76	62	1	2
40	Balance of county	1,072	1	–	3	262	77	70	17	31	11	14	42	16	547	425	10	5
41	Allegany	443	–	–	6	96	21	27	13	8	5	3	19	10	210	148	3	–
42	Broome	1,980	2	–	12	425	113	108	34	37	30	24	79	36	1,086	842	14	13
43	Binghamton	749	1	–	6	158	39	50	9	18	9	11	22	7	422	324	9	7
44	Endicott	211	–	–	–	53	14	11	8	3	7	4	6	11	111	95	1	1
45	Johnson City	206	–	–	2	41	7	11	2	1	3	2	15	2	116	92	–	2
46	Balance of county	814	1	–	4	173	53	36	15	15	11	7	36	16	437	331	4	3
47	Cattaraugus	908	1	–	2	195	61	36	28	14	14	5	37	20	475	331	9	3
48	Olean	236	–	–	–	56	13	12	10	4	6	1	10	2	128	90	1	–
49	Balance of county	672	1	–	2	139	48	24	18	10	8	4	27	18	347	241	8	3
50	Cayuga	757	–	–	6	135	40	32	15	14	9	6	19	21	408	323	8	4
51	Auburn	399	–	–	2	65	24	18	8	5	3	2	5	13	226	180	5	4
52	Balance of county	358	–	–	4	70	16	14	7	9	6	4	14	8	182	143	3	–
53	Chautauqua	1,530	1	–	9	274	82	69	30	32	11	6	44	30	864	642	10	15
54	Dunkirk	176	–	–	1	28	12	2	6	3	1	1	3	1	110	84	2	3
55	Fredonia	64	–	–	–	13	6	4	2	–	–	–	1	6	31	26	–	–
56	Jamestown	497	–	–	2	88	26	23	13	8	3	2	13	9	290	206	4	9
57	Balance of county	793	1	–	6	145	38	40	9	21	7	3	27	14	433	326	4	3
58	Chemung	953	–	–	4	204	60	61	12	23	7	8	33	8	520	387	9	3
59	Elmira	472	–	–	1	95	29	32	2	10	5	3	14	2	261	199	3	1
60	Balance of county	481	–	–	3	109	31	29	10	13	2	5	19	6	259	188	6	2
61	Chenango	490	1	–	3	100	31	25	9	14	2	8	11	17	268	213	3	1
62	Clinton	590	–	–	3	120	31	29	6	16	5	4	29	9	304	242	7	1
63	Plattsburgh	189	–	–	2	42	8	8	2	7	2	2	13	1	96	80	2	–
64	Balance of county	401	–	–	1	78	23	21	4	9	3	2	16	8	208	162	5	1
65	Columbia	672	–	–	2	132	35	29	19	16	10	2	21	6	393	295	6	6
66	Cortland	393	1	–	3	62	16	17	5	10	3	3	8	10	211	156	5	3
67	Cortland	198	1	–	1	27	8	6	3	4	1	2	3	5	116	85	4	2
68	Balance of county	195	–	–	2	35	8	11	2	6	2	1	5	5	95	71	1	1
69	Delaware	526	–	–	3	87	24	18	9	9	4	4	19	7	288	235	1	4
70	Dutchess	1,939	2	–	9	480	149	101	60	53	28	13	76	42	1,000	810	18	8
71	Beacon	163	1	–	–	38	12	10	7	5	–	–	4	6	77	61	–	–
72	Poughkeepsie	465	–	–	2	112	41	21	17	12	5	3	13	9	246	191	3	3
73	Balance of county	1,311	1	–	7	330	96	70	36	36	23	10	59	27	677	558	15	5
74	Erie	10,597	15	–	67	2,292	692	555	232	227	97	82	407	232	5,646	4,283	94	39
75	Buffalo	5,279	12	–	38	1,093	333	284	107	104	42	29	194	122	2,816	2,128	43	23
76	Depew	138	–	–	1	26	7	8	1	3	1	1	5	1	71	59	1	–
77	Hamburg	119	–	–	–	24	12	1	3	5	1	1	1	2	69	52	1	–
78	Kenmore	234	–	–	2	58	15	12	8	8	3	2	10	3	127	97	2	2
79	Lackawanna	264	2	–	1	51	21	12	4	3	1	–	10	16	128	101	1	1
80	Lancaster	133	–	–	1	41	10	11	7	2	–	1	10	2	62	50	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix I

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
30	11	4	11	1	3	16	2	–	19	3	–	7	8	14	55	45	25	13	4	2	01
15	6	3	4	1	2	6	1	–	3	–	–	3	2	4	11	11	7	7	1	2	02
15	5	1	7	–	1	10	1	–	16	3	–	4	6	10	44	34	18	6	3	–	03
5	3	–	3	–	–	1	–	1	–	–	–	1	–	2	3	3	2	1	–	–	04
55	7	–	18	1	5	8	4	1	8	2	–	4	10	5	29	17	10	4	5	1	05
36	1	–	10	1	3	8	2	1	2	–	–	3	7	3	15	8	6	2	3	1	06
19	6	–	8	–	2	–	2	–	6	2	–	1	3	2	14	9	4	2	2	–	07
39	9	–	7	1	1	3	2	–	3	–	–	1	–	3	13	6	2	4	1	–	08
45	5	–	22	2	4	7	1	–	7	2	–	5	4	13	34	27	8	6	9	1	09
43	2	–	9	3	4	4	5	–	3	–	–	–	1	7	11	7	6	3	–	–	10
29	2	–	9	3	3	3	2	–	2	–	–	–	1	3	8	4	5	–	–	–	11
14	–	–	–	–	1	1	3	–	1	–	–	–	–	4	3	3	1	3	–	–	12
28	5	–	16	3	1	4	–	–	6	1	1	1	4	19	20	18	7	4	5	1	13
71	10	2	28	2	5	10	7	2	4	3	–	3	8	25	47	74	22	12	12	2	14
38	2	2	14	2	4	4	2	1	1	1	–	–	5	5	18	23	6	6	2	–	15
33	8	–	14	–	1	6	5	1	3	2	–	3	3	20	29	51	16	6	10	2	16
41	2	–	19	3	2	10	2	–	5	1	–	3	3	18	27	6	4	7	5	1	17
77	4	1	28	5	2	12	6	2	14	4	–	2	3	21	43	28	16	10	6	1	18
66	4	1	26	5	2	10	5	2	12	4	–	2	2	14	31	20	11	9	5	1	19
11	–	–	2	–	–	2	1	–	2	–	–	–	1	7	12	8	5	1	1	–	20
38	5	1	9	5	–	6	5	2	–	–	–	–	3	14	19	3	2	–	1	–	21
16	3	–	11	3	1	1	–	–	3	–	–	1	3	8	8	9	6	2	1	–	22
24	7	1	15	–	1	4	–	–	6	–	–	–	5	2	14	8	9	4	–	–	23
15	1	1	3	2	1	2	1	–	1	–	–	–	1	5	1	8	2	2	2	–	24
12	4	–	3	1	2	1	1	–	1	3	–	–	–	1	9	1	3	1	–	–	25
67	11	2	25	1	4	11	6	–	7	–	–	5	7	37	30	42	31	9	7	2	26
65,004	**3,288**	**452**	**12,931**	**1,919**	**2,121**	**5,401**	**1,748**	**670**	**3,616**	**772**	**24**	**975**	**1,864**	**1,951**	**12,971**	**2,471**	**3,263**	**1,625**	**1,897**	**870**	27
43,931	2,145	278	7,991	1,181	1,245	3,970	1,050	463	2,779	569	23	654	1,330	1,351	8,609	1,150	1,966	998	1,732	776	28
21,073	1,143	174	4,940	738	876	1,431	698	207	837	203	1	321	534	600	4,362	1,321	1,297	627	165	94	29
55,563	2,770	362	10,577	1,525	1,699	4,735	1,367	568	3,265	677	24	839	1,644	1,807	10,976	1,894	2,644	1,340	1,838	843	30
41,409	2,029	241	7,305	1,081	1,121	3,771	947	429	2,660	531	23	615	1,267	1,313	8,077	1,073	1,825	932	1,713	766	31
14,154	741	121	3,272	444	578	964	420	139	605	146	1	224	377	494	2,899	821	819	408	125	77	32
9,441	518	90	2,354	394	422	666	381	102	351	95	–	136	220	144	1,995	577	619	285	59	27	33
2,522	116	37	686	100	124	199	103	34	119	38	–	39	63	38	532	77	141	66	19	10	34
6,919	402	53	1,668	294	298	467	278	68	232	57	–	97	157	106	1,463	500	478	219	40	17	35
1,069	85	10	228	25	54	82	33	12	33	10	–	13	36	19	240	41	73	25	10	4	36
525	45	7	123	9	26	42	17	5	23	4	–	9	15	12	113	6	42	13	9	3	37
109	6	–	13	2	1	4	4	1	3	–	–	2	5	–	21	4	3	2	–	–	38
56	3	–	10	–	4	4	1	–	2	–	–	–	2	–	15	–	2	–	–	–	39
379	31	3	82	14	23	32	11	6	5	6	–	2	14	7	91	31	26	10	1	1	40
136	9	–	43	11	8	15	8	2	1	1	–	3	6	1	53	13	12	5	1	–	41
779	36	10	174	23	37	54	33	7	26	3	–	9	17	21	144	42	37	22	1	3	42
288	20	2	72	13	11	27	11	2	14	1	–	2	7	11	47	10	14	7	1	1	43
93	–	3	11	1	1	4	4	–	2	–	–	1	3	–	9	7	5	1	–	–	44
89	1	1	20	1	2	7	2	1	4	2	–	–	2	5	12	3	3	4	–	–	45
309	15	4	71	8	23	16	16	4	6	–	–	6	5	5	76	22	15	10	–	2	46
306	13	6	100	22	16	28	21	4	18	4	–	7	8	7	55	20	31	5	5	2	47
87	2	3	28	3	4	15	4	1	6	2	–	–	1	1	9	1	6	4	–	–	48
219	11	3	72	19	12	13	17	3	12	2	–	7	7	6	46	19	25	1	5	2	49
299	12	2	61	8	14	20	11	2	13	1	–	6	11	4	64	12	29	12	1	1	50
165	6	1	33	3	9	10	7	1	11	1	–	3	4	4	31	1	12	6	1	1	51
134	6	1	28	5	5	10	4	1	2	–	–	3	7	–	33	11	17	6	–	–	52
575	42	8	164	25	25	50	29	7	21	10	–	9	15	9	118	31	34	12	5	2	53
74	5	–	17	5	4	6	5	2	2	1	–	–	1	1	14	1	2	–	1	–	54
26	–	–	2	1	2	–	2	–	2	–	–	–	1	–	6	2	1	–	–	–	55
183	10	4	68	6	6	21	10	4	4	2	–	4	3	1	41	2	11	3	1	1	56
292	27	4	77	13	13	23	12	1	13	7	–	5	10	7	57	26	20	9	3	1	57
364	11	2	107	6	18	36	19	3	8	4	–	2	3	8	100	11	7	9	3	4	58
188	7	1	48	4	9	20	9	2	5	2	–	2	3	3	55	1	4	2	1	4	59
176	4	1	59	2	9	16	10	1	3	2	–	–	–	5	45	10	3	7	2	–	60
199	10	2	34	8	11	10	10	2	4	3	–	2	1	1	39	11	9	7	2	–	61
224	10	1	42	13	6	23	8	6	8	–	–	5	6	5	49	15	20	6	1	2	62
73	5	–	12	2	2	9	2	3	1	–	–	–	2	–	18	4	7	1	–	1	63
151	5	1	30	11	4	14	6	3	7	–	–	5	4	5	31	11	13	5	1	1	64
273	10	4	76	5	13	11	15	7	9	–	–	3	7	4	34	19	17	12	–	1	65
143	5	1	38	5	11	11	5	3	4	2	–	2	7	1	44	9	13	5	–	–	66
78	1	1	24	3	3	5	5	1	2	1	–	2	3	–	21	5	2	1	–	–	67
65	4	–	14	2	8	6	–	2	2	1	–	–	4	1	23	4	11	4	–	–	68
193	37	2	37	4	10	15	12	2	4	1	–	3	6	3	53	16	20	4	2	–	69
749	35	1	149	17	23	46	19	9	32	4	–	10	13	6	143	50	43	20	9	2	70
56	5	–	8	8	–	3	3	1	2	1	–	–	2	–	13	2	11	1	1	1	71
177	8	1	49	2	3	13	4	1	10	2	–	3	2	–	37	9	6	4	5	–	72
516	22	–	92	7	20	30	12	7	20	1	–	7	9	6	93	39	26	15	3	1	73
3,951	199	29	1,078	126	130	257	158	33	169	34	–	59	102	116	841	137	235	87	70	47	74
1,943	119	12	538	71	67	138	84	16	96	20	–	18	61	75	423	50	122	24	46	25	75
57	1	–	12	–	–	2	3	–	3	1	–	2	1	3	14	4	–	4	2	–	76
49	2	–	11	4	2	–	1	–	3	–	–	1	–	–	11	4	4	–	–	–	77
90	3	2	20	3	5	8	1	1	6	1	–	–	2	1	17	2	2	3	–	–	78
91	8	1	23	1	2	7	–	–	6	2	–	8	4	3	22	1	4	3	3	3	79
43	6	1	11	–	–	2	2	–	1	1	–	3	2	1	7	1	6	1	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
	Erie—Con.																	
01	Tonawanda	167	–	–	–	36	15	6	3	3	1	2	6	3	82	62	1	1
02	Balance of county	4,263	1	–	24	963	279	221	99	99	48	46	171	83	2,291	1,734	44	12
03	Essex	419	1	–	1	84	17	22	5	9	9	5	17	6	221	176	1	–
04	Franklin	508	1	–	4	99	29	29	6	16	1	3	15	10	284	226	3	–
05	Fulton	590	1	–	3	123	39	27	15	13	4	6	19	14	319	226	6	–
06	Gloversville	248	1	–	1	53	19	9	5	8	2	3	7	7	132	83	2	–
07	Johnstown	126	–	–	1	29	8	8	6	3	1	1	2	1	72	60	3	–
08	Balance of county	216	–	–	1	41	12	10	4	2	1	2	10	6	115	83	1	–
09	Genesee	508	1	–	2	109	28	29	9	15	7	4	17	8	281	205	4	4
10	Batavia	202	1	–	1	47	6	14	5	8	5	1	8	1	112	80	–	2
11	Balance of county	306	–	–	1	62	22	15	4	7	2	3	9	7	169	125	4	2
12	Greene	498	2	–	1	96	24	25	9	10	4	2	22	13	281	230	3	3
13	Hamilton	67	–	–	1	17	3	5	1	3	1	1	3	4	29	24	–	–
14	Herkimer	711	3	–	5	135	37	29	16	16	11	3	23	15	405	296	8	12
15	Jefferson	987	–	–	2	188	62	46	17	14	13	8	28	37	573	398	3	2
16	Watertown	387	–	–	1	86	30	27	5	6	5	2	11	15	224	160	1	–
17	Balance of county	600	–	–	1	102	32	19	12	8	8	6	17	22	349	238	2	2
18	Lewis	234	–	–	2	37	14	6	2	4	2	3	6	12	136	100	1	–
19	Livingston	479	1	–	1	111	24	38	11	17	7	4	10	4	245	184	3	–
20	Madison	543	–	–	4	133	35	35	17	15	5	4	22	12	273	216	7	–
21	Oneida	140	–	–	1	33	8	10	4	1	2	–	8	4	77	56	–	–
22	Balance of county	403	–	–	3	100	27	25	13	14	3	4	14	8	196	160	7	–
23	Monroe	6,029	5	–	56	1,337	360	315	121	143	60	52	286	102	2,972	2,175	41	30
24	Rochester	3,134	4	–	26	661	178	161	49	85	27	21	140	67	1,544	1,133	16	22
25	Balance of county	2,895	1	–	30	676	182	154	72	58	33	31	146	35	1,428	1,042	25	8
26	Montgomery	688	1	–	2	148	44	33	11	19	10	10	21	11	378	272	7	5
27	Amsterdam	378	1	–	2	80	28	18	5	11	6	4	8	7	208	155	6	2
28	Balance of county	310	–	–	–	68	16	15	6	8	4	6	13	4	170	117	1	3
29	Nassau	11,199	13	–	71	2,722	772	646	302	264	138	124	476	177	5,941	4,791	98	42
30	East Rockaway	92	–	–	–	21	4	7	2	1	4	1	2	2	49	41	1	–
31	Floral Park	194	2	–	1	41	11	8	4	8	2	1	7	2	109	85	1	1
32	Freeport	335	–	–	1	82	26	19	6	11	3	4	13	5	171	136	1	5
33	Garden City	200	–	–	3	51	17	10	8	5	1	2	8	4	103	73	2	–
34	Glen Cove	253	4	–	2	55	17	15	5	7	4	3	4	5	133	105	–	–
35	Great Neck	123	–	–	1	26	5	4	3	1	4	4	5	2	69	57	2	1
36	Hempstead	388	–	–	3	83	28	21	6	13	1	3	11	7	184	147	2	3
37	Long Beach	578	–	–	1	89	22	22	7	8	5	5	20	9	375	312	5	–
38	Lynbrook	207	–	–	1	45	10	15	5	5	4	–	6	2	120	99	3	–
39	Malverne	84	–	–	1	25	6	5	6	4	1	–	3	1	44	37	–	–
40	Massapequa Park	143	1	–	1	32	7	7	4	3	–	1	10	7	78	65	1	–
41	Mineola	185	1	–	–	38	12	10	4	6	3	–	3	2	90	76	2	1
42	New Hyde Park	111	–	–	–	28	5	8	3	4	2	1	5	1	61	57	2	–
43	Rockville Centre	267	–	–	–	66	17	24	5	5	1	4	10	2	145	107	1	2
44	Valley Stream	364	–	–	2	89	29	24	9	8	3	3	13	3	211	169	2	3
45	Westbury	150	–	–	1	45	14	15	4	4	1	2	5	–	63	51	–	1
46	Balance of county	7,525	5	–	53	1,906	542	432	221	171	99	90	351	123	3,936	3,174	73	25
47	New York City	75,948	175	5	499	15,863	4,926	3,476	1,586	1,695	702	539	2,939	1,453	38,646	32,405	452	284
48	Bronx Borough, Bronx County	12,906	26	–	94	2,548	821	540	243	256	118	88	482	315	6,345	5,433	87	45
49	Brooklyn Borough, Kings County	23,147	52	3	170	4,635	1,504	1,013	455	492	193	148	830	476	11,941	10,230	117	91
50	Manhattan Borough, New York County	17,149	67	2	119	3,568	1,086	758	339	398	149	117	721	309	8,136	6,634	94	59
51	Queens Borough, Queens County	19,985	29	–	101	4,485	1,323	1,017	480	482	223	159	801	310	10,784	8,872	131	82
52	Richmond Borough, Richmond County	2,761	1	–	15	627	192	148	69	67	19	27	105	43	1,440	1,236	23	7
53	Niagara	2,198	2	–	8	480	128	127	46	57	26	18	78	34	1,161	894	17	3
54	Lockport	278	–	–	2	52	14	8	4	8	3	4	11	4	163	126	2	–
55	Niagara Falls	919	1	–	3	195	58	54	18	22	9	8	26	12	486	351	7	1
56	North Tonawanda	300	1	–	2	73	18	26	8	6	2	4	9	3	159	136	4	2
57	Balance of county	701	–	–	1	160	38	39	16	21	12	2	32	15	353	281	4	–
58	Oneida	2,504	2	–	11	512	163	111	64	60	17	22	75	49	1,386	1,038	23	17
59	Rome	400	–	–	1	59	17	13	6	6	4	1	12	14	216	163	4	2
60	Utica	1,051	1	–	5	225	71	54	25	25	9	6	35	20	612	460	9	9
61	Balance of county	1,053	1	–	5	228	75	44	33	29	4	15	28	15	558	415	10	6
62	Onondaga	3,758	4	–	27	910	252	220	90	113	46	35	154	59	1,936	1,435	19	21
63	Syracuse	1,947	3	–	19	416	115	104	26	58	24	15	74	30	1,043	766	10	10
64	Balance of county	1,811	1	–	8	494	137	116	64	55	22	20	80	29	893	669	9	11
65	Ontario	771	–	–	5	176	64	34	22	16	6	6	28	9	406	289	10	9
66	Canandaigua	141	–	–	–	33	8	8	10	2	1	1	3	1	74	46	2	1
67	Geneva	166	–	–	1	43	17	9	1	3	3	2	8	5	85	62	1	3
68	Balance of county	464	–	–	4	100	39	17	11	11	2	3	17	3	247	181	7	5
69	Orange	2,227	3	–	10	437	136	116	36	41	22	9	77	52	1,254	974	22	12
70	Middletown	265	–	–	1	56	14	14	6	5	4	1	12	7	143	109	4	3
71	Newburgh	359	2	–	2	62	14	19	2	8	2	–	17	14	194	146	1	1
72	Balance of county	1,603	1	–	7	319	108	83	28	28	16	8	48	31	917	719	17	8
73	Orleans	355	3	–	–	71	28	15	8	7	2	1	10	3	193	153	4	2
74	Oswego	1,032	2	–	4	196	52	50	23	22	6	3	40	21	558	413	10	7
75	Fulton	166	–	–	1	33	10	9	5	2	–	–	7	1	87	75	1	2
76	Oswego	250	2	–	–	51	13	17	5	4	1	–	11	8	144	105	2	2
77	Balance of county	616	–	–	3	112	29	24	13	16	5	3	22	12	327	233	7	3
78	Otsego	590	–	–	3	108	37	18	12	11	1	5	24	9	305	233	5	3
79	Oneonta	150	–	–	1	22	8	4	3	2	–	2	3	3	89	68	1	–
80	Balance of county	440	–	–	2	86	29	14	9	9	1	3	21	6	216	165	4	3
81	Putnam	476	1	–	2	135	33	23	10	13	14	8	34	4	238	205	6	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
57	3	1	18	1	–	6	4	–	2	–	–	3	1	2	16	2	5	2	2	1	01
1,621	57	12	445	46	54	94	63	16	52	9	–	24	31	31	331	73	92	50	17	18	02
170	5	–	29	12	4	19	5	1	10	1	–	–	2	2	37	10	13	5	–	1	03
205	18	–	46	6	6	14	10	4	9	3	–	2	2	3	30	12	14	6	–	1	04
212	8	4	65	10	14	15	21	2	9	7	–	2	6	2	41	8	11	5	1	–	05
80	1	1	35	5	8	7	11	–	3	3	–	2	1	1	15	2	5	3	1	–	06
52	5	1	7	2	2	2	3	–	1	2	–	–	–	1	10	1	2	1	–	–	07
80	2	2	23	3	4	6	7	2	5	2	–	–	5	–	16	5	4	1	–	–	08
191	6	2	59	5	10	6	9	1	3	1	–	2	8	3	32	19	16	6	1	–	09
74	4	–	24	2	6	4	1	–	3	–	–	2	4	2	13	2	6	3	–	–	10
117	2	2	35	3	4	2	8	1	–	1	–	–	4	1	19	17	10	3	1	–	11
216	8	1	38	6	6	11	10	1	5	1	–	1	3	4	41	12	7	8	–	1	12
24	–	–	1	–	4	4	–	1	–	–	–	–	–	–	6	2	2	1	–	–	13
257	19	10	64	27	8	16	15	2	12	–	–	2	4	4	48	11	16	16	2	–	14
384	9	8	133	7	27	20	9	7	16	2	–	3	4	5	79	12	16	11	1	2	15
155	4	4	47	3	10	5	4	4	8	1	–	1	1	2	21	3	5	5	–	1	16
229	5	4	86	4	17	15	5	3	8	1	–	2	3	3	58	9	11	6	1	1	17
94	5	–	30	2	4	7	3	–	2	–	–	–	1	1	19	9	1	3	–	1	18
171	10	–	43	7	11	25	11	2	3	3	–	4	4	2	32	8	17	6	–	–	19
198	11	3	45	5	4	6	14	5	10	2	–	3	13	1	29	14	11	10	1	2	20
55	1	1	19	1	–	1	3	1	1	1	–	2	–	–	9	1	1	2	1	2	21
143	10	2	26	4	4	5	11	4	9	1	–	1	13	1	20	13	10	8	–	–	22
1,907	197	14	576	99	108	225	60	16	65	33	1	35	76	55	603	107	125	87	52	17	23
992	103	6	309	49	47	119	30	8	39	15	1	20	44	41	317	37	74	33	48	6	24
915	94	8	267	50	61	106	30	8	26	18	–	15	32	14	286	70	51	54	4	11	25
247	13	4	85	10	7	16	6	5	6	6	–	6	1	7	49	13	24	8	1	–	26
144	3	1	42	6	4	12	3	5	4	4	–	3	–	4	28	3	10	4	–	–	27
103	10	3	43	4	3	4	3	–	2	2	–	3	1	3	21	10	14	4	1	–	28
4,485	166	28	861	111	150	282	92	44	186	52	1	53	93	276	737	160	166	84	36	13	29
40	–	–	5	2	1	5	2	–	1	1	–	1	–	2	4	–	4	–	–	–	30
77	6	–	18	1	5	5	1	–	3	1	–	–	2	3	16	2	4	2	–	–	31
126	4	1	27	6	1	10	2	1	8	1	–	2	9	15	7	6	13	1	1	–	32
70	1	1	25	1	3	5	3	–	1	1	–	–	–	4	17	4	2	2	–	–	33
103	2	2	24	–	2	4	4	2	3	4	–	–	3	4	17	5	3	5	–	–	34
50	4	–	7	1	4	4	–	–	2	–	–	1	–	5	11	2	–	–	–	–	35
132	10	–	25	7	5	11	3	–	11	2	–	2	8	19	37	3	6	4	4	1	36
303	4	2	52	2	7	13	3	1	9	3	1	2	4	16	35	4	7	5	1	–	37
92	4	–	14	4	3	2	–	3	3	2	–	2	2	3	13	2	3	3	–	1	38
36	1	–	4	2	1	1	–	–	2	–	–	1	–	1	5	1	–	1	1	–	39
64	–	1	10	–	2	–	1	–	2	–	–	–	–	2	11	1	6	1	–	–	40
73	–	–	11	1	2	4	–	2	9	2	–	1	3	8	19	4	1	1	–	–	41
49	6	–	3	–	1	4	2	–	2	1	–	1	–	1	7	1	1	–	1	–	42
103	1	1	30	6	1	10	1	1	3	–	–	2	1	3	22	4	5	2	–	–	43
158	6	2	29	4	7	10	3	1	6	2	–	1	2	8	17	3	1	4	1	–	44
48	2	–	7	2	3	4	1	–	3	–	–	–	3	4	15	6	5	–	–	–	45
2,961	115	18	570	72	102	190	66	33	118	32	–	37	56	178	484	112	105	53	27	11	46
30,350	1,319	135	4,628	750	728	2,963	572	335	2,109	416	17	458	951	935	5,704	724	1,210	691	1,526	696	47
5,051	250	25	685	75	127	512	106	83	361	68	4	78	189	150	1,059	116	214	121	376	141	48
9,627	395	41	1,200	269	201	943	151	80	539	142	8	171	415	367	1,655	249	322	158	467	203	49
6,142	339	30	1,038	254	180	709	130	80	737	94	2	78	138	189	1,419	151	281	236	483	221	50
8,395	264	35	1,540	137	200	711	160	80	421	97	3	109	177	214	1,345	172	351	158	172	106	51
1,135	71	4	165	15	20	88	25	12	51	15	–	22	32	15	226	36	42	18	28	25	52
847	27	11	218	14	24	53	38	7	45	3	1	12	30	15	179	38	52	22	14	4	53
123	1	3	30	1	3	3	7	1	2	–	–	2	3	2	23	5	6	2	1	–	54
337	6	7	112	5	11	28	15	4	27	3	1	5	13	5	77	9	17	8	7	3	55
123	7	–	18	3	2	6	8	–	3	–	–	1	6	3	16	4	12	2	1	–	56
264	13	1	58	5	8	16	8	2	13	–	–	4	8	5	63	20	17	10	5	1	57
948	50	18	254	38	38	59	62	7	35	4	–	12	20	17	183	53	54	32	1	5	58
150	7	3	38	6	6	11	10	–	7	–	–	4	4	2	41	14	10	5	–	2	59
423	19	6	116	14	16	23	19	3	14	2	–	4	8	6	60	12	23	14	–	–	60
375	24	9	100	18	16	25	33	4	14	2	–	4	8	9	82	27	21	13	1	3	61
1,160	235	7	378	48	68	97	30	9	50	20	–	21	45	63	309	71	54	37	12	4	62
605	141	3	210	24	40	60	15	2	26	13	–	5	20	37	184	17	33	12	10	2	63
555	94	4	168	24	28	37	15	7	24	7	–	16	25	26	125	54	21	25	2	2	64
242	28	3	79	23	12	19	10	4	15	1	–	2	4	4	68	25	15	7	1	–	65
38	5	1	17	5	5	7	–	2	3	–	–	–	–	2	13	5	1	–	–	–	66
58	–	1	15	4	3	2	1	–	5	1	–	–	3	1	9	5	5	–	–	–	67
146	23	1	47	14	4	10	9	2	7	–	–	2	1	1	46	15	9	7	1	–	68
896	44	11	191	39	39	42	27	7	38	7	–	20	28	9	157	55	49	26	5	1	69
96	6	1	25	3	5	5	6	2	6	–	–	5	3	–	21	3	4	3	–	–	70
138	6	4	35	4	5	12	4	–	9	3	–	3	6	2	27	4	6	4	5	–	71
662	32	6	131	32	29	25	17	5	23	4	–	12	19	7	109	48	39	19	–	1	72
136	11	–	29	6	5	8	5	–	6	–	–	3	3	5	35	7	11	2	–	–	73
358	38	5	102	17	21	19	17	4	10	3	–	4	14	6	83	36	39	10	3	3	74
64	8	1	9	2	–	5	5	–	4	–	–	1	1	–	12	7	6	2	1	–	75
93	8	–	33	3	3	6	4	2	2	1	–	–	–	1	21	4	3	1	–	–	76
201	22	4	60	12	18	8	8	2	4	2	–	3	13	5	50	25	30	7	2	3	77
212	13	3	47	11	11	32	13	4	6	4	–	1	7	4	58	13	12	10	1	–	78
65	2	2	11	4	4	4	4	–	3	1	–	–	2	1	15	2	1	2	–	–	79
147	11	1	36	7	7	28	9	4	3	3	–	1	5	3	43	11	11	8	1	–	80
190	8	–	26	3	4	10	5	1	7	–	–	2	8	2	29	17	9	4	1	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
01	Rensselaer	1,519	1	–	6	327	100	86	24	35	15	16	51	40	809	628	14	5
02	Rensselaer	133	–	–	–	31	9	7	3	1	2	3	6	5	63	51	1	–
03	Troy	721	–	–	2	155	52	43	11	17	4	6	22	20	392	288	7	–
04	Balance of county	665	1	–	4	141	39	36	10	17	9	7	23	15	354	289	6	5
05	Rockland	1,680	3	–	12	381	107	79	45	36	18	20	76	36	861	657	17	8
06	Spring Valley	148	–	–	1	32	8	5	6	3	1	3	6	2	78	55	1	–
07	Balance of county	1,532	3	–	11	349	99	74	39	33	17	17	70	34	783	602	16	8
08	St. Lawrence	982	1	–	3	190	51	44	18	16	13	9	39	15	542	434	10	15
09	Massena	122	–	–	1	30	5	7	3	1	1	3	10	1	61	47	–	1
10	Ogdensburg	140	1	–	1	24	9	4	3	2	2	2	2	3	73	62	4	1
11	Balance of county	720	–	–	1	136	37	33	12	13	10	4	27	11	408	325	6	13
12	Saratoga	1,071	–	–	6	242	62	58	23	31	13	7	48	24	533	405	5	3
13	Saratoga Springs	210	–	–	1	40	14	10	4	3	3	1	5	4	105	75	–	1
14	Balance of county	861	–	–	5	202	48	48	19	28	10	6	43	20	428	330	5	2
15	Schenectady	1,545	2	–	7	361	118	73	34	39	23	15	59	44	829	663	10	5
16	Schenectady	939	2	–	5	204	73	44	18	20	13	6	30	33	499	410	8	2
17	Balance of county	606	–	–	2	157	45	29	16	19	10	9	29	11	330	253	2	3
18	Schoharie	270	–	–	2	52	13	11	4	5	3	2	14	9	146	104	1	1
19	Schuyler	153	1	–	2	29	3	10	4	6	1	1	4	3	79	63	3	1
20	Seneca	284	–	–	1	60	15	15	7	7	5	2	9	4	153	115	1	3
21	Steuben	970	1	–	2	193	44	52	21	23	15	11	27	21	503	365	9	3
22	Corning	152	–	–	–	29	6	5	3	5	3	2	5	5	86	57	2	–
23	Hornell	149	–	–	1	26	6	9	4	1	3	–	3	6	79	60	4	–
24	Balance of county	669	1	–	1	138	32	38	14	17	9	9	19	10	338	248	3	3
25	Suffolk	8,875	5	–	32	2,126	600	553	241	201	104	67	360	177	4,551	3,619	85	34
26	Babylon	101	–	–	–	23	2	11	2	2	1	–	5	2	56	50	3	–
27	Lindenhurst	231	–	–	1	57	13	23	8	3	2	–	8	4	124	105	2	–
28	Patchogue	113	–	–	–	22	6	6	2	3	1	–	4	2	67	54	1	–
29	Balance of county	8,430	5	–	31	2,024	579	513	229	193	100	67	343	169	4,304	3,410	79	34
30	Sullivan	719	–	–	3	160	53	43	15	11	6	7	25	16	387	318	3	9
31	Tioga	345	–	–	2	83	21	16	7	10	5	4	20	9	179	142	4	2
32	Tompkins	528	2	–	2	102	28	17	11	13	7	4	22	12	285	196	3	1
33	Ithaca	211	–	–	1	42	9	9	4	8	2	3	7	6	107	73	1	–
34	Balance of county	317	2	–	1	60	19	8	7	5	5	1	15	6	178	123	2	1
35	Ulster	1,516	–	–	7	297	90	70	24	30	14	10	59	29	859	667	6	6
36	Kingston	397	–	–	2	70	23	13	5	7	3	2	17	6	238	175	1	3
37	Balance of county	1,119	–	–	5	227	67	57	19	23	11	8	42	23	621	492	5	3
38	Warren	574	–	–	1	98	27	33	8	12	4	2	12	4	314	232	4	2
39	Glens Falls	222	–	–	–	38	12	9	5	5	1	–	6	1	125	91	2	–
40	Balance of county	352	–	–	1	60	15	24	3	7	3	2	6	3	189	141	2	2
41	Washington	539	–	–	1	113	32	29	14	15	7	6	10	6	307	241	1	1
42	Wayne	662	–	–	4	153	42	37	15	21	9	8	21	8	309	236	6	1
43	Newark	112	–	–	1	25	8	9	2	1	–	3	2	–	59	41	1	–
44	Balance of county	550	–	–	3	128	34	28	13	20	9	5	19	8	250	195	5	1
45	Westchester	7,972	5	–	43	1,918	580	443	182	207	84	68	354	149	4,066	3,264	68	33
46	Dobbs Ferry	83	–	–	–	19	7	2	3	2	1	1	3	–	44	37	–	–
47	Mamaroneck	155	–	–	–	31	8	11	4	3	–	1	4	2	81	65	2	–
48	Mount Vernon	683	–	–	1	159	50	34	11	26	3	5	30	20	335	270	4	7
49	New Rochelle	693	2	–	2	172	60	35	24	17	9	2	25	10	361	269	4	4
50	Ossining	183	1	–	1	41	12	9	–	5	1	6	8	3	90	75	–	–
51	Peekskill	244	–	–	–	50	13	13	2	7	3	1	11	4	125	103	1	–
52	Port Chester	269	–	–	1	56	17	18	4	5	2	1	9	11	141	111	5	1
53	Rye	138	–	–	–	28	9	7	2	2	1	5	2	4	83	68	1	–
54	Scarsdale	166	–	–	–	49	13	9	10	7	1	1	8	2	79	66	2	–
55	Tarrytown	92	–	–	2	24	9	6	1	–	1	1	6	2	48	35	–	–
56	White Plains	525	–	–	8	129	45	27	12	21	4	2	18	7	258	204	2	2
57	Yonkers	2,003	2	–	14	479	135	113	46	50	17	22	96	31	1,040	876	19	6
58	Balance of county	2,738	–	–	14	681	202	159	63	62	41	20	134	53	1,381	1,085	28	13
59	Wyoming	335	–	–	3	66	20	17	8	7	6	3	5	4	181	108	1	–
60	Yates	260	–	–	1	60	21	13	3	8	2	4	9	2	141	100	2	1
61	**North Carolina**	**46,623**	**90**	**8**	**410**	**8,584**	**2,030**	**2,105**	**737**	**1,068**	**338**	**342**	**1,964**	**826**	**23,456**	**16,966**	**291**	**248**
62	Urban places	15,658	30	3	144	3,009	748	725	246	368	127	111	684	270	7,790	5,539	93	89
63	Balance of area	30,965	60	5	266	5,575	1,282	1,380	491	700	211	231	1,280	556	15,666	11,427	198	159
64	Metropolitan counties	15,652	19	1	136	3,054	731	748	269	374	122	125	685	270	7,559	5,472	113	74
65	Urban places	9,665	12	1	90	1,898	468	469	149	245	79	77	411	163	4,655	3,336	64	53
66	Balance of area	5,987	7	–	46	1,156	263	279	120	129	43	48	274	107	2,904	2,136	49	21
67	Nonmetropolitan counties	30,971	71	7	274	5,530	1,299	1,357	468	694	216	217	1,279	556	15,897	11,494	178	174
68	Urban places	5,993	18	2	54	1,111	280	256	97	123	48	34	273	107	3,135	2,203	29	36
69	Balance of area	24,978	53	5	220	4,419	1,019	1,101	371	571	168	183	1,006	449	12,762	9,291	149	138
70	Alamance	836	–	–	11	192	53	47	16	24	8	6	38	17	429	297	7	–
71	Burlington	348	–	–	8	86	27	21	8	11	3	1	15	4	182	127	3	–
72	Balance of county	488	–	–	3	106	26	26	8	13	5	5	23	13	247	170	4	–
73	Alexander	157	–	–	–	36	7	9	4	8	1	2	5	1	76	56	–	1
74	Alleghany	100	2	–	1	19	5	1	–	4	–	1	8	1	49	30	2	–
75	Anson	233	2	1	2	39	8	8	4	5	–	1	13	5	123	91	2	2
76	Ashe	208	–	–	1	36	7	11	4	2	4	–	8	3	107	81	2	–
77	Avery	126	–	1	1	18	3	4	2	2	1	2	4	1	66	46	6	–
78	Beaufort	481	2	–	9	80	13	33	4	12	2	2	14	10	238	164	2	5
79	Bertie	232	–	–	3	39	11	9	3	4	2	3	7	6	116	81	–	3
80	Bladen	282	1	–	4	41	3	7	3	10	1	4	13	11	140	97	2	1
81	Brunswick	228	–	–	3	46	12	14	1	4	4	2	9	4	114	89	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
573	36	12	132	18	19	20	21	4	32	5	–	7	17	8	122	46	31	20	3	–	01
45	5	1	7	1	3	4	2	–	3	–	–	2	–	4	10	3	2	3	1	–	02
266	15	8	78	11	7	11	14	3	21	1	–	4	11	1	56	11	15	4	–	–	03
262	16	3	47	6	9	5	5	1	8	4	–	1	6	3	56	32	14	13	2	–	04
596	36	2	156	20	26	59	13	2	40	10	1	8	22	7	127	40	35	12	6	5	05
48	6	–	19	1	3	3	1	–	4	2	1	–	4	–	10	3	1	1	3	2	06
548	30	2	137	19	23	56	12	2	36	8	–	8	18	7	117	37	34	11	3	3	07
388	21	4	84	9	11	21	14	2	16	6	–	1	9	12	89	14	21	24	2	–	08
46	–	–	11	2	1	1	2	–	–	1	–	–	1	2	8	4	5	4	1	–	09
56	1	1	8	–	2	4	–	–	6	4	–	–	3	2	11	1	2	5	–	–	10
286	20	3	65	7	8	16	12	2	10	1	–	1	5	8	70	9	14	15	1	–	11
381	16	5	87	12	24	35	13	5	28	6	–	8	19	10	81	25	24	10	1	1	12
71	3	1	22	3	4	7	4	1	8	2	–	2	5	–	22	1	3	5	–	–	13
310	13	4	65	9	20	28	9	4	20	4	–	6	14	10	59	24	21	5	1	1	14
635	13	7	115	22	22	48	26	8	26	5	–	4	10	11	99	23	25	14	2	1	15
391	9	4	60	13	12	34	15	5	16	3	–	2	8	7	64	13	16	10	2	1	16
244	4	3	55	9	10	14	11	3	10	2	–	2	2	4	35	10	9	4	–	–	17
98	4	–	31	5	6	7	5	1	5	1	–	–	–	–	25	5	10	1	1	–	18
56	3	–	11	3	2	5	4	1	1	–	–	3	–	–	17	2	4	2	–	–	19
105	6	1	25	7	5	10	1	1	5	1	–	3	3	3	20	7	8	3	–	1	20
324	29	4	100	8	26	29	13	5	13	5	–	8	7	7	93	31	23	13	3	–	21
50	5	2	20	1	6	4	1	1	4	–	–	3	1	1	10	1	4	2	–	–	22
47	9	–	13	1	5	3	2	1	1	–	–	3	2	2	14	6	3	–	–	–	23
227	15	2	67	6	15	22	10	3	8	5	–	2	4	4	69	24	16	11	3	–	24
3,384	116	21	716	79	116	193	53	29	175	39	1	60	95	163	630	169	240	69	49	19	25
45	2	1	4	–	1	1	–	1	2	–	–	–	–	1	9	2	3	1	–	–	26
101	2	–	17	–	2	4	–	1	7	–	–	1	1	6	11	3	7	–	1	3	27
50	3	–	8	2	3	1	1	–	1	1	–	–	1	6	6	1	3	–	1	–	28
3,188	109	20	687	77	110	187	52	27	165	38	1	59	93	150	604	163	227	68	47	16	29
285	21	2	48	13	6	12	9	1	11	4	–	2	7	3	66	12	19	4	2	1	30
129	7	1	31	–	5	9	5	–	4	–	–	1	6	5	23	6	11	2	–	–	31
188	4	1	55	26	7	9	6	1	9	2	–	5	6	1	45	19	12	9	1	–	32
71	1	1	17	13	3	4	3	1	5	2	–	–	3	1	20	4	5	6	1	–	33
117	3	–	38	13	4	5	3	–	4	–	–	5	3	–	25	15	7	3	–	–	34
617	38	8	143	16	25	39	21	1	19	11	–	9	11	12	113	28	39	16	4	1	35
161	10	6	45	4	8	13	6	–	7	4	–	1	2	1	33	2	9	1	1	1	36
456	28	2	98	12	17	26	15	1	12	7	–	8	9	11	80	26	30	15	3	–	37
217	9	3	54	13	12	24	5	3	13	–	–	4	13	7	52	12	19	4	1	–	38
84	5	–	25	4	5	8	1	2	6	–	–	2	9	3	19	1	6	1	–	–	39
133	4	3	29	9	7	16	4	1	7	–	–	2	4	4	33	11	13	3	1	–	40
229	10	–	50	9	7	12	6	1	5	–	–	2	4	1	39	14	20	6	2	–	41
215	14	3	59	4	7	25	10	1	9	2	–	6	7	6	60	26	21	11	3	1	42
38	2	1	17	–	–	5	2	–	2	–	–	–	3	1	7	1	3	1	2	–	43
177	12	2	42	4	7	20	8	1	7	2	–	6	4	5	53	25	18	10	1	1	44
3,034	129	31	603	74	94	200	86	36	192	27	2	57	60	62	667	110	157	71	46	18	45
37	–	–	4	1	2	5	–	1	4	–	–	1	1	2	4	2	–	–	–	–	46
63	–	–	11	4	1	5	2	–	6	–	1	–	–	–	23	–	2	1	–	1	47
249	10	–	50	6	9	22	11	1	26	1	1	5	4	4	56	2	18	6	9	2	48
255	6	4	68	10	10	13	5	2	13	3	–	4	6	5	57	10	15	6	5	2	49
65	10	2	9	–	4	4	2	–	4	–	–	1	5	2	20	3	4	1	–	1	50
102	–	1	17	1	3	5	7	1	7	–	–	3	4	–	19	7	6	3	2	1	51
103	2	1	19	6	4	5	3	–	7	1	–	1	4	2	24	3	5	2	1	2	52
61	6	–	14	1	–	2	3	1	–	–	–	1	–	2	5	2	2	3	–	2	53
63	1	1	8	1	3	7	–	–	–	–	–	2	1	–	8	3	11	2	1	1	54
35	–	–	10	2	1	1	2	–	1	1	–	–	2	1	6	1	–	–	1	–	55
190	10	3	44	3	4	13	7	7	13	6	–	4	2	5	44	6	8	3	5	–	56
802	49	8	124	12	20	51	18	12	48	7	–	15	13	21	172	20	33	13	12	2	57
1,009	35	11	225	27	33	67	26	11	63	8	–	20	18	18	229	51	53	31	10	4	58
98	9	–	40	23	10	9	9	–	2	1	–	3	2	2	20	18	10	1	2	2	59
92	5	2	33	4	2	9	3	–	4	1	–	3	1	1	18	1	10	5	–	–	60
14,990	**1,437**	**184**	**5,023**	**620**	**663**	**1,340**	**485**	**125**	**727**	**310**	**10**	**310**	**678**	**545**	**4,205**	**1,440**	**1,662**	**723**	**627**	**62**	61
4,908	449	66	1,753	207	225	449	158	44	345	122	3	94	222	162	1,488	338	518	203	236	30	62
10,082	988	118	3,270	413	438	891	327	81	382	188	7	216	456	383	2,717	1,102	1,144	520	391	32	63
4,821	464	57	1,598	207	225	475	171	47	310	118	4	107	250	168	1,409	435	546	277	270	26	64
2,926	293	35	1,003	133	148	299	102	31	226	88	2	57	144	107	921	219	315	145	171	19	65
1,895	171	22	595	74	77	176	69	16	84	30	2	50	106	61	488	216	231	132	99	7	66
10,169	973	127	3,425	413	438	865	314	78	417	192	6	203	428	377	2,796	1,005	1,116	446	357	36	67
1,982	156	31	750	74	77	150	56	13	119	34	1	37	78	55	567	119	203	58	65	11	68
8,187	817	96	2,675	339	361	715	258	65	298	158	5	166	350	322	2,229	886	913	388	292	25	69
270	20	3	105	10	14	16	3	–	13	5	–	4	1	6	84	20	21	6	6	2	70
114	10	2	43	6	4	5	1	–	10	3	–	3	–	2	32	1	5	2	3	1	71
156	10	1	62	4	10	11	2	–	3	2	–	1	1	4	52	19	16	4	3	1	72
53	2	1	13	4	2	1	–	1	2	1	–	4	1	2	17	6	3	3	3	–	73
24	4	–	16	–	3	8	–	–	1	–	–	–	1	1	10	5	2	–	–	–	74
81	6	3	26	1	2	5	–	–	3	4	–	1	4	7	20	9	2	1	5	–	75
73	6	–	15	9	2	2	3	–	1	–	–	3	2	–	24	6	11	7	2	–	76
37	3	1	14	1	4	12	2	1	2	1	–	2	1	1	10	3	4	–	–	–	77
136	21	1	60	7	6	19	5	2	5	2	–	3	4	14	43	21	11	8	5	–	78
66	12	–	34	–	1	10	2	1	2	–	–	2	2	3	21	9	13	2	1	–	79
81	13	–	34	6	3	11	–	–	3	1	2	2	3	2	26	16	9	2	7	1	80
80	8	–	23	1	1	1	3	–	1	–	–	2	5	7	15	12	8	3	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Buncombe	1,540	1	–	8	291	73	68	25	35	16	11	63	22	757	519	16	8
02	Asheville	792	1	–	6	149	36	39	13	18	9	4	30	11	373	246	6	2
03	Balance of county	748	–	–	2	142	37	29	12	17	7	7	33	11	384	273	10	6
04	Burke	500	–	–	5	106	23	20	13	14	5	7	24	10	239	178	1	3
05	Hickory, part	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
06	Morganton	111	–	–	2	29	7	6	2	4	1	2	7	1	55	43	–	1
07	Balance of county	387	–	–	3	76	15	14	11	10	4	5	17	9	184	135	1	2
08	Cabarrus	779	–	–	4	143	36	29	10	17	6	7	38	10	418	305	5	2
09	Concord	227	–	–	–	42	17	9	3	2	3	1	7	3	120	95	1	1
10	Balance of county	552	–	–	4	101	19	20	7	15	3	6	31	7	298	210	4	1
11	Caldwell	481	–	–	4	75	17	19	9	8	3	6	13	20	250	185	5	–
12	Lenoir	170	–	–	1	32	7	7	6	5	–	2	5	6	90	70	–	–
13	Balance of county	311	–	–	3	43	10	12	3	3	3	4	8	14	160	115	5	–
14	Camden	66	1	–	–	14	4	4	–	–	1	–	5	1	33	21	–	–
15	Carteret	367	–	–	4	79	16	24	4	3	4	2	26	5	190	148	1	–
16	Caswell	171	1	–	1	33	7	7	3	7	–	2	7	4	81	46	1	2
17	Catawba	760	1	1	7	150	32	35	12	21	9	5	36	11	368	269	2	3
18	Hickory, part	264	1	1	2	41	8	8	3	7	4	1	10	2	138	90	1	2
19	Hickory, total	266	1	1	2	42	9	8	3	7	4	1	10	2	138	90	1	2
20	Balance of county	496	–	–	5	109	24	27	9	14	5	4	26	9	230	179	1	1
21	Chatham	294	1	–	5	56	15	7	5	6	2	6	15	4	144	100	2	1
22	Cherokee	169	–	–	–	28	8	13	1	1	–	–	5	4	85	64	–	–
23	Chowan	110	1	–	2	22	6	13	–	–	–	–	3	1	52	36	2	1
24	Clay	66	–	–	–	12	2	6	1	2	–	1	–	1	42	40	1	–
25	Cleveland	708	1	1	6	117	33	29	9	15	2	4	25	10	403	307	5	3
26	Shelby	205	1	–	2	35	6	11	4	5	2	1	6	3	117	85	2	2
27	Balance of county	503	–	1	4	82	27	18	5	10	–	3	19	7	286	222	3	1
28	Columbus	521	1	–	1	70	8	23	5	7	2	5	20	9	288	208	1	4
29	Craven	460	–	–	2	87	22	20	6	11	5	4	19	4	196	138	4	3
30	New Bern	178	–	–	–	39	10	5	2	8	1	2	11	–	70	52	1	2
31	Balance of county	282	–	–	2	48	12	15	4	3	4	2	8	4	126	86	3	1
32	Cumberland	1,182	–	–	11	203	50	52	16	34	4	8	39	13	513	353	5	5
33	Fayetteville	575	–	–	7	107	28	30	4	21	2	1	21	7	262	174	1	3
34	Balance of county	607	–	–	4	96	22	22	12	13	2	7	18	6	251	179	4	2
35	Currituck	107	–	–	–	28	5	9	4	6	–	–	4	2	42	33	–	–
36	Dare	106	–	–	–	26	6	5	2	1	2	–	10	3	54	40	–	1
37	Davidson	805	–	–	7	138	33	29	12	12	7	5	40	7	441	336	2	2
38	High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
39	Lexington	161	–	–	1	27	8	5	2	2	–	1	9	2	95	75	–	1
40	Thomasville	174	–	–	2	27	6	6	2	1	2	1	9	4	87	60	–	–
41	Balance of county	468	–	–	4	84	19	18	8	9	5	3	22	1	258	200	2	1
42	Davie	172	–	–	2	35	8	6	5	5	2	2	7	3	87	64	1	1
43	Duplin	399	–	–	5	62	13	21	6	10	–	5	7	14	221	152	4	1
44	Durham	1,206	1	–	14	250	64	67	26	29	10	11	43	9	580	437	5	6
45	Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Durham	960	1	–	12	200	58	55	21	22	9	7	28	6	458	342	4	6
47	Balance of county	246	–	–	2	50	6	12	5	7	1	4	15	3	122	95	1	–
48	Edgecombe	526	6	–	3	101	24	21	10	17	4	–	25	7	256	162	5	1
49	Rocky Mount, part	161	2	–	1	36	8	7	5	5	3	–	8	–	82	58	1	1
50	Balance of county	365	4	–	2	65	16	14	5	12	1	–	17	7	174	104	4	–
51	Forsyth	1,890	3	1	16	388	105	66	39	49	10	17	102	46	922	699	21	5
52	Winston-Salem	1,313	2	1	14	274	71	47	30	36	7	13	70	31	636	475	14	5
53	Balance of county	577	1	–	2	114	34	19	9	13	3	4	32	15	286	224	7	–
54	Franklin	305	1	–	–	34	8	11	4	4	3	–	4	6	171	129	1	1
55	Gaston	1,241	3	–	8	214	46	51	16	22	12	11	56	22	671	511	5	10
56	Gastonia	470	2	–	4	80	15	23	7	13	4	2	16	10	250	183	1	7
57	Balance of county	771	1	–	4	134	31	28	9	9	8	9	40	12	421	328	4	3
58	Gates	92	–	–	2	12	4	3	1	2	–	1	1	1	58	45	–	1
59	Graham	54	–	–	–	13	3	5	1	1	–	–	3	–	28	18	–	–
60	Granville	297	–	–	4	39	8	11	2	3	1	2	12	4	151	123	–	3
61	Greene	129	–	–	–	19	4	2	2	1	4	1	5	–	72	54	1	1
62	Guilford	2,480	1	–	16	488	119	131	33	65	26	21	93	37	1,260	937	17	17
63	Greensboro	1,237	–	–	11	239	67	58	11	33	13	13	44	16	620	443	8	11
64	High Point, part	650	–	–	3	110	21	37	7	12	6	4	23	10	346	270	3	3
65	High Point, total	654	–	–	3	110	21	37	7	12	6	4	23	10	348	272	3	3
66	Balance of county	593	1	–	2	139	31	36	15	20	7	4	26	11	294	224	6	3
67	Halifax	613	2	–	4	114	20	30	8	26	2	2	26	9	319	221	2	6
68	Roanoke Rapids	152	–	–	–	33	6	8	3	3	1	–	12	1	88	68	1	1
69	Balance of county	461	2	–	4	81	14	22	5	23	1	2	14	8	231	153	1	5
70	Harnett	471	1	–	5	73	20	17	4	9	3	4	16	3	262	196	1	4
71	Haywood	425	1	–	3	78	22	19	6	8	5	5	13	10	223	161	9	–
72	Henderson	543	1	–	5	100	24	22	8	16	5	3	22	5	296	212	4	4
73	Hertford	240	3	–	5	46	8	12	6	7	1	3	9	4	113	82	1	2
74	Hoke	149	–	–	3	22	6	6	1	4	2	–	3	1	70	52	–	2
75	Hyde	79	–	–	1	13	4	–	1	3	1	1	3	2	40	29	–	–
76	Iredell	703	1	–	5	115	27	23	11	15	5	7	27	15	374	272	1	6
77	Statesville	260	–	–	–	46	13	7	8	3	4	2	9	2	139	98	–	2
78	Balance of county	443	1	–	5	69	14	16	3	12	1	5	18	13	235	174	1	4
79	Jackson	213	–	–	1	44	10	7	7	8	5	1	6	4	92	68	4	1
80	Johnston	736	5	–	10	135	34	32	10	17	6	8	28	11	377	295	4	6
81	Jones	93	–	–	–	15	2	4	–	2	1	–	6	1	55	38	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
447	48	14	161	26	37	52	20	5	21	6	–	5	18	29	170	28	52	34	18	3	01
204	34	10	88	16	13	35	7	2	15	4	–	2	12	21	99	8	21	14	9	3	02
243	14	4	73	10	24	17	13	3	6	2	–	3	6	8	71	20	31	20	9	–	03
172	2	–	41	11	9	10	5	2	11	4	–	4	3	3	47	9	29	7	6	–	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	05
40	2	–	8	2	2	1	1	1	1	–	–	–	1	1	9	2	5	2	–	–	06
132	–	–	33	9	7	9	4	1	10	4	–	4	2	2	37	7	24	5	6	–	07
275	23	3	95	2	13	16	14	3	14	5	–	4	5	9	80	10	26	12	5	1	08
86	7	2	20	–	3	4	5	–	6	–	–	–	2	3	23	3	9	5	1	1	09
189	16	1	75	2	10	12	9	3	8	5	–	4	3	6	57	7	17	7	4	–	10
165	15	1	41	12	11	13	3	1	4	2	1	–	6	3	49	17	11	9	11	2	11
61	9	–	15	2	3	8	–	–	1	–	–	–	2	2	17	4	2	1	3	1	12
104	6	1	26	10	8	5	3	1	3	2	1	–	4	1	32	13	9	8	8	1	13
21	–	–	10	2	–	–	1	–	–	1	–	–	–	–	6	2	6	1	–	–	14
138	9	1	32	2	7	10	3	1	6	–	–	5	4	5	28	8	7	3	8	1	15
38	5	–	29	2	4	5	–	1	1	2	–	–	2	1	17	10	7	3	2	–	16
249	15	4	76	11	8	18	7	4	18	5	–	6	9	6	79	21	30	12	5	2	17
85	2	2	39	5	2	7	1	1	10	3	–	1	4	1	27	7	13	1	2	1	18
85	2	2	39	5	2	7	1	1	10	3	–	1	4	1	28	7	13	1	2	1	19
164	13	2	37	6	6	11	6	3	8	2	–	5	5	5	52	14	17	11	3	1	20
88	9	2	29	8	5	7	2	1	2	1	–	1	1	4	39	17	7	1	1	–	21
58	6	–	15	4	2	10	1	–	3	–	–	2	2	2	15	6	6	2	3	–	22
24	9	1	13	1	1	4	1	–	1	1	–	3	2	1	14	3	2	–	–	–	23
38	1	–	2	–	–	–	–	–	1	–	–	–	1	–	3	2	2	2	–	–	24
284	15	–	77	11	8	10	4	5	6	3	–	7	15	3	46	31	21	12	6	1	25
81	–	–	28	4	–	3	1	3	2	2	–	1	5	–	11	10	4	3	1	1	26
203	15	–	49	7	8	7	3	2	4	1	–	6	10	3	35	21	17	9	5	–	27
153	50	2	70	3	5	15	5	–	7	5	–	3	7	14	41	20	21	4	6	4	28
115	16	1	47	3	7	19	3	–	11	6	–	3	15	5	55	21	16	7	10	–	29
44	5	–	14	1	3	9	1	–	5	4	–	–	5	3	24	4	7	3	4	–	30
71	11	1	33	2	4	10	2	–	6	2	–	3	10	2	31	17	9	4	6	–	31
322	21	13	128	12	7	31	14	4	19	7	1	14	35	21	110	57	65	22	41	1	32
163	7	10	65	8	5	14	9	1	15	3	1	6	13	13	55	15	28	4	15	–	33
159	14	3	63	4	2	17	5	3	4	4	–	8	22	8	55	42	37	18	26	1	34
31	2	–	8	–	1	1	4	–	–	–	–	–	1	7	10	5	3	2	2	–	35
35	4	–	8	2	4	3	1	–	2	–	–	1	–	–	12	1	2	1	–	–	36
290	42	3	81	10	11	20	6	–	9	3	–	6	10	10	71	19	26	17	13	2	37
1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	38
62	12	1	16	2	1	4	1	–	–	–	–	–	3	3	10	3	7	1	2	2	39
56	4	–	21	3	3	5	–	–	6	–	–	1	1	2	26	3	4	2	4	–	40
171	26	2	44	5	7	11	5	–	3	3	–	5	5	5	35	13	15	14	7	–	41
59	3	–	22	–	1	10	3	–	1	–	–	–	2	1	12	3	7	2	4	–	42
143	4	4	60	3	2	7	3	2	6	2	–	3	5	3	36	17	8	1	4	–	43
370	56	3	104	21	15	40	12	6	23	12	–	10	11	6	125	30	34	25	15	3	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
285	47	1	83	19	13	24	9	5	18	10	–	7	9	6	112	22	32	16	11	2	46
85	9	2	21	2	2	16	3	1	5	2	–	3	2	–	13	8	2	9	4	1	47
142	14	2	74	6	12	13	1	1	8	2	–	2	13	7	54	18	22	7	5	–	48
49	7	–	23	–	1	6	1	–	1	–	–	1	4	3	16	3	4	–	1	–	49
93	7	2	51	6	11	7	–	1	7	2	–	1	9	4	38	15	18	7	4	–	50
621	52	6	178	9	30	61	19	6	43	19	–	17	19	15	170	41	53	21	29	1	51
422	34	5	131	5	20	38	14	4	34	16	–	8	12	13	116	28	35	12	24	1	52
199	18	1	47	4	10	23	5	2	9	3	–	9	7	2	54	13	18	9	5	–	53
123	4	–	36	1	5	6	2	–	4	1	–	4	6	3	32	11	12	7	4	1	54
461	35	7	125	14	14	33	14	4	13	7	–	11	21	3	103	35	41	16	18	4	55
161	14	1	56	5	5	13	5	–	7	2	–	2	11	1	44	11	17	4	6	1	56
300	21	6	69	9	9	20	9	4	6	5	–	9	10	2	59	24	24	12	12	3	57
40	4	–	10	2	1	2	1	–	–	1	–	–	1	–	9	5	–	–	–	–	58
15	3	–	8	2	–	–	–	–	–	–	–	–	–	–	5	1	3	4	–	–	59
109	11	1	25	1	1	17	2	–	3	3	–	1	2	6	30	9	11	10	5	–	60
47	5	1	14	3	–	2	3	1	1	–	1	1	2	2	10	7	5	2	1	–	61
833	70	3	261	24	35	69	27	8	50	14	–	14	41	26	206	57	86	42	38	–	62
388	36	–	140	15	22	37	17	3	28	9	–	6	19	9	106	30	48	20	19	–	63
248	16	2	64	5	5	20	6	4	15	2	–	6	9	11	55	11	20	9	13	–	64
250	16	2	64	5	5	20	6	4	15	3	–	6	10	11	55	11	20	9	13	–	65
197	18	1	57	4	8	12	4	1	7	3	–	2	13	6	45	16	18	13	6	–	66
200	13	2	76	15	5	15	7	3	11	4	–	3	7	6	56	20	18	8	7	–	67
64	2	–	17	2	1	4	3	1	2	1	–	1	2	–	12	1	1	1	1	–	68
136	11	2	59	13	4	11	4	2	9	3	–	2	5	6	44	19	17	7	6	–	69
174	17	4	49	4	9	6	4	1	5	1	–	1	4	2	46	21	21	10	5	–	70
142	10	2	46	3	11	13	11	–	4	2	–	1	7	1	35	13	19	3	1	–	71
193	11	3	58	14	9	26	10	2	4	2	–	2	1	4	55	8	10	7	5	–	72
64	15	1	25	1	4	6	1	1	2	1	–	2	6	4	17	12	12	1	3	1	73
47	3	2	13	2	1	5	3	1	3	2	–	–	1	4	14	5	9	2	4	–	74
26	3	–	10	1	–	4	–	1	–	1	–	–	1	3	6	2	5	–	–	–	75
245	20	6	83	6	7	25	9	1	11	4	–	5	7	2	72	18	19	13	6	1	76
89	7	3	34	2	2	6	3	1	11	–	–	3	2	1	32	5	6	2	1	–	77
156	13	3	49	4	5	19	6	–	–	4	–	2	5	1	40	13	13	11	5	1	78
58	5	1	16	4	3	9	6	3	3	2	–	3	4	2	14	8	8	6	4	–	79
243	42	3	62	3	14	23	8	–	6	3	–	2	8	10	63	19	30	13	13	–	80
33	2	–	13	–	4	2	2	–	–	–	–	–	1	1	8	3	4	1	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Lee	276	1	–	1	40	10	9	5	4	1	1	10	12	147	96	1	3
02	Sanford	130	–	–	1	23	5	6	2	1	1	1	7	6	63	37	–	2
03	Balance of county	146	1	–	–	17	5	3	3	3	–	–	3	6	84	59	1	1
04	Lenoir	571	4	–	3	108	29	22	9	15	3	2	28	7	298	191	2	8
05	Kinston	308	3	–	2	59	12	10	5	13	2	–	17	2	165	101	1	5
06	Balance of county	263	1	–	1	49	17	12	4	2	1	2	11	5	133	90	1	3
07	Lincoln	332	–	–	5	64	16	15	6	10	–	–	17	4	171	117	3	2
08	McDowell	236	–	–	–	43	8	12	2	5	1	2	13	4	129	80	1	2
09	Macon	187	–	–	–	32	8	9	4	3	2	1	5	4	101	80	1	3
10	Madison	157	–	–	1	23	7	5	2	4	1	–	4	3	89	67	–	–
11	Martin	258	2	–	2	36	8	14	2	5	1	1	5	5	145	117	1	3
12	Mecklenburg	2,823	8	–	22	560	137	151	40	61	19	28	124	53	1,311	972	21	18
13	Charlotte	2,248	5	–	15	430	104	112	29	52	15	19	99	44	1,040	758	16	15
14	Balance of county	575	3	–	7	130	33	39	11	9	4	9	25	9	271	214	5	3
15	Mitchell	148	–	–	1	22	5	6	3	5	–	1	2	3	70	49	2	1
16	Montgomery	183	–	–	–	26	2	4	7	7	–	1	5	2	96	77	1	–
17	Moore	477	–	–	3	73	22	16	10	9	5	3	8	2	268	184	4	8
18	Nash	618	5	–	7	107	19	25	8	16	4	2	33	6	318	220	2	4
19	Rocky Mount, part	226	2	–	3	29	4	7	2	2	3	–	11	4	129	89	1	–
20	Rocky Mount, total	387	4	–	4	65	12	14	7	7	6	–	19	4	211	147	2	1
21	Balance of county	392	3	–	4	78	15	18	6	14	1	2	22	2	189	131	1	4
22	New Hanover	844	–	–	4	154	32	41	9	20	7	5	40	13	416	295	1	3
23	Wilmington	496	–	–	3	92	21	20	2	16	5	4	24	6	248	173	–	2
24	Balance of county	348	–	–	1	62	11	21	7	4	2	1	16	7	168	122	1	1
25	Northampton	224	–	–	3	44	9	12	5	1	2	–	15	3	113	88	5	1
26	Onslow	448	1	–	9	80	20	23	4	6	6	2	19	3	162	125	2	1
27	Jacksonville	105	–	–	3	18	5	6	1	–	–	–	6	–	45	35	–	–
28	Balance of county	343	1	–	6	62	15	17	3	6	6	2	13	3	117	90	2	1
29	Orange	380	–	–	10	69	15	20	6	7	4	2	15	15	167	130	6	2
30	Chapel Hill, part	130	–	–	4	22	3	8	1	3	1	1	5	6	53	39	3	1
31	Chapel Hill, total	130	–	–	4	22	3	8	1	3	1	1	5	6	53	39	3	1
32	Balance of county	250	–	–	6	47	12	12	5	4	3	1	10	9	114	91	3	1
33	Pamlico	104	–	–	4	18	5	7	1	3	–	–	2	1	50	37	1	–
34	Pasquotank	269	2	–	2	56	15	15	1	4	3	2	16	5	126	91	2	–
35	Elizabeth City	172	2	–	1	38	10	9	1	4	2	2	10	2	84	64	1	–
36	Balance of county	97	–	–	1	18	5	6	–	–	1	–	6	3	42	27	1	–
37	Pender	218	1	–	2	42	12	16	1	4	1	–	8	8	102	66	1	–
38	Perquimans	98	–	–	–	24	7	7	2	3	2	–	3	1	50	33	–	2
39	Person	230	–	–	–	36	12	12	2	3	1	1	5	2	122	90	–	2
40	Pitt	681	1	–	4	126	26	28	18	18	3	7	26	11	342	248	3	5
41	Greenville	260	–	–	1	50	11	13	10	4	1	2	9	4	133	97	2	2
42	Balance of county	421	1	–	3	76	15	15	8	14	2	5	17	7	209	151	1	3
43	Polk	174	–	–	1	45	8	10	5	8	1	3	10	1	89	55	1	1
44	Randolph	610	1	–	4	116	28	28	9	14	3	5	29	6	337	236	3	3
45	Asheboro	128	–	–	2	23	2	8	2	3	1	2	5	2	79	55	3	1
46	High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
47	Balance of county	480	1	–	2	93	26	20	7	11	2	3	24	4	257	180	–	2
48	Richmond	426	–	–	5	72	14	24	4	17	–	–	13	8	230	165	3	1
49	Robeson	900	1	1	7	121	30	26	10	23	5	6	21	30	468	315	4	6
50	Lumberton	233	–	–	1	30	5	10	2	3	1	1	8	10	133	87	2	–
51	Balance of county	667	1	1	6	91	25	16	8	20	4	5	13	20	335	228	2	6
52	Rockingham	826	2	–	8	143	36	32	11	6	4	10	44	22	433	311	5	3
53	Eden	220	–	–	2	37	9	7	1	1	2	1	16	9	122	91	1	1
54	Reidsville	179	1	–	2	35	12	6	2	1	1	2	11	4	98	63	1	–
55	Balance of county	427	1	–	4	71	15	19	8	4	1	7	17	9	213	157	3	2
56	Rowan	878	–	–	4	167	49	35	15	18	4	8	38	25	465	335	6	6
57	Salisbury	280	–	–	–	55	16	11	4	4	1	3	16	10	148	93	1	2
58	Balance of county	598	–	–	4	112	33	24	11	14	3	5	22	15	317	242	5	4
59	Rutherford	495	–	–	6	96	27	17	11	10	5	5	21	9	250	187	1	1
60	Sampson	464	1	–	6	76	12	26	6	6	5	2	19	15	243	181	2	2
61	Scotland	270	1	1	3	45	12	5	4	4	2	2	16	9	142	90	1	4
62	Stanly	422	–	–	3	83	20	27	10	5	1	4	16	6	223	162	–	–
63	Albemarle	121	–	–	2	21	6	8	2	1	–	1	3	–	68	45	–	–
64	Balance of county	301	–	–	1	62	14	19	8	4	1	3	13	6	155	117	–	–
65	Stokes	228	1	–	2	34	8	9	1	6	1	1	8	3	123	96	4	2
66	Surry	478	–	–	9	87	15	21	5	10	3	–	33	6	228	168	–	1
67	Swain	101	–	–	–	19	3	4	–	4	–	1	7	1	54	39	1	–
68	Transylvania	180	–	–	2	34	12	6	5	4	2	–	5	2	84	63	2	1
69	Tyrrell	42	–	–	–	4	2	–	2	–	–	–	–	1	22	12	–	–
70	Union	442	–	–	7	81	14	16	12	8	5	2	24	11	234	136	1	2
71	Monroe	123	–	–	4	29	6	8	3	1	2	1	8	4	64	36	–	–
72	Balance of county	319	–	–	3	52	8	8	9	7	3	1	16	7	170	100	1	2
73	Vance	343	1	–	2	62	8	22	8	6	4	–	14	6	180	134	5	2
74	Henderson	179	1	–	2	37	4	12	5	3	3	–	10	2	91	65	3	1
75	Balance of county	164	–	–	–	25	4	10	3	3	1	–	4	4	89	69	2	1
76	Wake	1,799	4	–	19	370	77	83	50	41	13	13	93	32	843	601	15	5
77	Raleigh	1,011	3	–	9	223	51	47	26	28	9	8	54	20	475	324	6	4
78	Balance of county	788	1	–	10	147	26	36	24	13	4	5	39	12	368	277	9	1
79	Warren	217	–	–	3	46	9	16	3	9	1	1	7	3	101	76	–	1
80	Washington	125	–	–	–	30	9	7	3	4	2	3	2	1	60	47	1	2
81	Watauga	172	1	–	1	35	5	5	4	9	1	1	10	4	81	63	1	3
82	Wayne	759	4	1	11	134	39	31	11	15	3	5	30	15	377	263	3	1
83	Goldsboro	347	2	1	7	59	25	11	2	6	1	2	12	7	176	116	2	1
84	Balance of county	412	2	–	4	75	14	20	9	9	2	3	18	8	201	147	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
90	2	2	36	7	6	4	2	–	7	4	–	3	8	2	20	10	4	4	7	–	01
34	1	1	18	3	4	2	2	–	4	3	–	3	1	2	10	2	2	2	4	–	02
56	1	1	18	4	2	2	–	–	3	1	–	–	7	–	10	8	2	2	3	–	03
167	14	6	88	7	6	18	3	1	13	2	–	1	4	2	50	16	25	8	8	–	04
92	3	2	54	2	6	10	1	–	8	2	–	1	1	1	26	5	18	1	3	–	05
75	11	4	34	5	–	8	2	1	5	–	–	–	3	1	24	11	7	7	5	–	06
109	3	1	47	4	2	11	–	1	6	3	–	2	8	3	25	14	9	6	–	–	07
69	8	4	39	4	2	6	3	1	2	–	–	–	2	3	24	6	8	3	2	–	08
73	3	1	13	2	5	3	3	–	2	1	–	–	5	1	24	3	5	2	1	–	09
58	9	–	16	2	4	10	–	2	–	1	–	2	3	–	11	2	7	1	2	–	10
101	12	3	20	3	2	13	1	2	4	5	–	3	10	1	17	5	3	–	4	–	11
850	83	6	262	28	43	95	31	9	84	36	2	20	49	22	228	76	97	47	61	12	12
662	65	5	216	21	40	77	18	8	67	29	1	16	41	18	195	60	83	39	51	11	13
188	18	1	46	7	3	18	13	1	17	7	1	4	8	4	33	16	14	8	10	1	14
42	4	1	16	3	1	6	5	3	–	5	–	2	1	–	25	1	2	1	1	–	15
73	3	1	16	2	–	7	1	1	–	3	–	–	2	2	16	13	11	2	1	–	16
157	15	2	60	15	7	11	8	1	16	1	–	4	8	4	41	15	12	3	7	–	17
203	11	1	88	4	5	16	5	–	4	6	1	2	8	12	63	19	24	9	6	–	18
84	4	–	36	1	3	4	4	–	–	–	–	1	3	1	28	8	7	2	1	–	19
133	11	–	59	1	4	10	5	–	1	–	–	2	7	4	44	11	11	2	2	–	20
119	7	1	52	3	2	12	1	–	4	6	1	1	5	11	35	11	17	7	5	–	21
272	19	2	95	15	9	27	9	1	14	7	–	4	12	5	83	21	34	18	20	2	22
159	12	–	59	12	4	14	4	1	6	5	–	2	8	4	54	11	14	8	15	1	23
113	7	2	36	3	5	13	5	–	8	2	–	2	4	1	29	10	20	10	5	1	24
80	2	1	17	5	2	6	1	–	–	2	–	1	5	6	17	8	8	5	2	–	25
108	14	–	30	3	4	13	5	–	4	–	–	11	25	11	39	37	29	12	6	1	26
28	7	–	7	2	1	3	1	–	–	–	–	4	3	–	10	6	8	1	2	1	27
80	7	–	23	1	3	10	4	–	4	–	–	7	22	11	29	31	21	11	4	–	28
111	11	1	27	5	4	8	5	2	5	–	–	2	5	4	44	13	17	12	2	–	29
30	5	1	10	1	2	4	2	1	3	–	–	–	2	–	19	7	5	2	–	–	30
30	5	1	10	1	2	4	2	1	3	–	–	–	2	–	19	7	5	2	–	–	31
81	6	–	17	4	2	4	3	1	2	–	–	2	3	4	25	6	12	10	2	–	32
33	3	–	10	–	3	5	1	–	–	–	–	–	–	1	11	6	5	2	–	–	33
88	1	–	34	–	1	4	–	1	4	3	–	4	3	4	31	8	11	2	3	–	34
62	1	–	20	–	–	1	–	1	3	2	–	2	2	2	18	5	7	1	1	–	35
26	–	–	14	–	1	3	–	–	1	1	–	2	1	2	13	3	4	1	2	–	36
63	2	1	27	–	8	4	3	–	3	3	–	–	4	3	19	9	12	2	1	–	37
28	3	1	13	1	2	4	3	–	1	–	–	–	–	1	7	2	3	–	2	–	38
86	2	–	26	2	4	5	2	–	2	3	–	5	7	6	17	11	7	4	1	–	39
225	15	4	74	6	10	18	9	4	10	4	–	10	14	4	64	9	27	16	7	1	40
89	4	2	28	3	3	5	2	2	5	2	–	2	4	–	25	3	15	6	1	–	41
136	11	2	46	3	7	13	7	2	5	2	–	8	10	4	39	6	12	10	6	1	42
49	4	–	28	3	3	4	3	–	1	–	–	–	–	–	17	3	7	2	1	–	43
206	24	–	82	11	8	15	4	1	7	3	–	3	7	6	41	18	23	8	10	–	44
46	5	–	19	3	2	2	1	–	–	2	–	–	1	–	10	4	1	–	1	–	45
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	46
159	19	–	63	8	6	13	3	1	7	–	–	3	6	6	31	14	22	8	9	–	47
149	12	1	55	3	6	6	7	4	3	6	–	2	3	7	35	14	15	3	6	–	48
281	24	4	102	34	13	24	5	3	12	8	–	5	19	13	65	39	45	12	17	5	49
78	7	2	29	11	4	4	3	2	5	–	–	2	4	1	17	6	6	4	4	1	50
203	17	2	73	23	9	20	2	1	7	8	–	3	15	12	48	33	39	8	13	4	51
275	28	2	90	16	14	19	9	–	17	5	–	6	9	15	64	22	28	14	10	–	52
81	8	–	27	2	2	9	4	–	4	1	–	–	1	3	15	3	7	1	2	–	53
56	6	2	24	2	7	2	3	–	4	3	–	2	–	4	14	4	1	1	1	–	54
138	14	–	39	12	5	8	2	–	9	1	–	4	8	8	35	15	20	12	7	–	55
299	24	4	98	13	15	26	8	–	16	1	–	6	10	10	75	24	24	15	2	–	56
84	6	3	37	9	6	7	3	–	6	–	–	1	3	1	28	4	9	5	–	–	57
215	18	1	61	4	9	19	5	–	10	1	–	5	7	9	47	20	15	10	2	–	58
160	25	1	51	8	3	17	5	1	9	2	–	3	4	8	34	26	15	2	7	1	59
165	12	–	52	5	5	9	3	–	4	3	–	3	9	5	40	18	14	8	7	–	60
80	5	3	27	17	5	6	6	–	8	4	–	5	2	7	14	5	4	4	4	–	61
154	8	3	49	3	6	8	3	1	3	5	–	1	5	6	38	14	13	5	5	–	62
42	3	–	22	–	1	4	–	–	–	1	–	–	3	3	12	3	1	–	3	–	63
112	5	3	27	3	5	4	3	1	3	4	–	1	2	3	26	11	12	5	2	–	64
80	10	1	20	1	5	9	2	–	2	1	–	1	4	4	23	7	6	3	3	–	65
156	11	1	46	6	7	15	3	–	2	3	–	2	4	–	55	25	23	13	3	–	66
35	3	–	8	5	2	3	–	–	–	–	–	–	2	1	5	4	6	3	2	1	67
53	7	–	12	4	5	5	3	2	4	1	–	–	2	3	15	8	8	5	–	2	68
11	1	1	5	2	2	3	–	–	1	–	–	–	–	–	7	–	4	–	–	–	69
114	19	2	61	29	6	15	2	2	3	1	–	1	7	4	33	13	19	6	2	1	70
33	3	–	15	11	2	2	1	1	1	–	–	–	2	1	7	2	3	1	1	–	71
81	16	2	46	18	4	13	1	1	2	1	–	1	5	3	26	11	16	5	1	1	72
117	10	3	36	1	6	7	1	1	5	–	–	4	5	4	30	2	20	4	8	1	73
57	4	3	18	1	4	4	1	1	2	–	–	3	2	2	14	–	9	1	6	1	74
60	6	–	18	–	2	3	–	–	3	–	–	1	3	2	16	2	11	3	2	–	75
537	44	5	189	24	24	54	21	3	36	11	1	12	37	19	161	62	51	33	27	3	76
285	29	1	113	17	20	32	14	1	24	7	–	4	16	11	93	21	25	20	12	1	77
252	15	4	76	7	4	22	7	2	12	4	1	8	21	8	68	41	26	13	15	2	78
70	5	1	20	–	4	6	2	1	–	3	–	–	1	5	20	15	8	–	2	1	79
37	7	–	10	–	3	4	3	–	2	2	–	–	1	2	14	2	2	2	–	–	80
54	5	–	13	3	2	5	2	1	1	–	–	1	2	2	14	6	13	3	–	–	81
225	34	5	97	6	6	20	14	1	12	8	–	3	14	11	60	14	39	9	12	–	82
104	9	4	51	4	1	6	5	–	8	5	–	2	3	6	29	7	17	2	5	–	83
121	25	1	46	2	5	14	9	1	4	3	–	1	11	5	31	7	22	7	7	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Wilkes	430	2	–	2	85	23	19	4	7	3	2	27	5	194	162	1	1
02	Wilson	575	1	–	6	117	29	30	7	15	3	4	29	13	271	185	6	2
03	Wilson	348	1	–	4	66	17	17	3	11	2	3	13	9	166	115	3	2
04	Balance of county	227	–	–	2	51	12	13	4	4	1	1	16	4	105	70	3	–
05	Yadkin	228	–	–	2	38	5	11	3	7	1	–	11	9	105	68	1	–
06	Yancey	146	1	–	–	27	11	4	2	1	1	2	6	2	74	48	–	–
07	**North Dakota**	**5,201**	**3**	**–**	**35**	**986**	**308**	**164**	**96**	**134**	**57**	**44**	**183**	**97**	**2,665**	**1,967**	**38**	**29**
08	Urban places	1,577	1	–	18	322	100	62	29	38	19	14	60	32	749	525	17	6
09	Balance of area	3,624	2	–	17	664	208	102	67	96	38	30	123	65	1,916	1,442	21	23
10	Metropolitan counties	534	–	–	7	116	40	17	10	14	8	5	22	3	283	200	10	3
11	Urban places	390	–	–	5	91	30	15	9	10	6	5	16	3	202	134	6	–
12	Balance of area	144	–	–	2	25	10	2	1	4	2	–	6	–	81	66	4	3
13	Nonmetropolitan counties	4,667	3	–	28	870	268	147	86	120	49	39	161	94	2,382	1,767	28	26
14	Urban places	1,187	1	–	13	231	70	47	20	28	13	9	44	29	547	391	11	6
15	Balance of area	3,480	2	–	15	639	198	100	66	92	36	30	117	65	1,835	1,376	17	20
16	Adams	46	–	–	–	8	3	3	1	–	–	–	1	–	24	21	1	1
17	Barnes	137	–	–	1	25	13	2	–	5	–	2	3	–	83	60	–	–
18	Benson	77	–	–	–	13	2	5	–	3	–	1	2	–	29	25	–	–
19	Billings	9	–	–	–	2	1	–	–	–	1	–	–	–	4	4	–	–
20	Bottineau	103	–	–	–	25	6	2	3	4	3	2	5	2	56	44	–	5
21	Bowman	35	–	–	–	3	1	–	–	1	–	–	1	2	15	11	–	–
22	Burke	38	–	–	–	9	1	–	3	2	–	–	3	1	13	11	–	–
23	Burleigh	295	–	–	4	65	21	12	3	8	4	3	14	9	136	94	2	–
24	Bismarck	248	–	–	4	57	19	11	3	7	4	1	12	6	115	80	2	–
25	Balance of county	47	–	–	–	8	2	1	–	1	–	2	2	3	21	14	–	–
26	Cass	534	–	–	7	116	40	17	10	14	8	5	22	3	283	200	10	3
27	Fargo	390	–	–	5	91	30	15	9	10	6	5	16	3	202	134	6	–
28	Balance of county	144	–	–	2	25	10	2	1	4	2	–	6	–	81	66	4	3
29	Cavalier	66	–	–	–	13	5	2	–	1	–	–	5	1	39	24	–	–
30	Dickey	89	–	–	1	18	6	3	2	2	–	1	4	1	58	44	–	1
31	Divide	36	–	–	–	7	3	1	–	2	1	–	–	–	20	13	–	–
32	Dunn	38	–	–	–	6	1	–	–	3	1	–	1	–	16	14	–	1
33	Eddy	57	–	–	2	10	4	1	1	2	–	1	1	1	23	19	–	–
34	Emmons	50	–	–	–	12	4	1	1	1	1	–	4	2	25	22	–	1
35	Foster	47	–	–	–	10	4	–	–	1	1	1	3	–	27	16	1	–
36	Golden Valley	23	–	–	–	3	2	–	–	–	–	–	1	1	14	12	1	–
37	Grand Forks	376	1	–	3	74	24	12	7	8	6	1	16	11	174	135	4	5
38	Grand Forks	267	1	–	1	49	14	8	4	6	4	1	12	9	121	86	3	1
39	Balance of county	109	–	–	2	25	10	4	3	2	2	–	4	2	53	49	1	4
40	Grant	39	–	–	–	4	1	–	–	1	1	–	1	–	26	21	–	1
41	Griggs	40	–	–	–	10	2	2	1	1	–	1	3	–	22	19	–	–
42	Hettinger	48	–	–	–	10	–	2	2	2	1	1	2	–	19	15	1	–
43	Kidder	36	–	–	1	4	1	1	1	–	–	–	1	1	18	16	1	1
44	La Moure	79	1	–	–	12	3	1	2	1	4	–	1	–	51	37	–	–
45	Logan	30	–	–	–	6	2	1	1	–	–	–	2	–	21	18	–	–
46	McHenry	79	–	–	–	26	5	3	3	9	2	–	4	2	38	30	1	–
47	McIntosh	55	–	–	–	8	3	2	2	1	–	–	–	–	34	29	1	–
48	McKenzie	58	–	–	–	13	4	1	–	–	1	–	7	–	23	17	1	–
49	McLean	119	–	–	–	17	5	4	2	2	1	2	1	1	71	53	–	–
50	Mercer	70	–	–	–	16	4	6	–	1	1	2	2	–	29	25	–	–
51	Morton	158	–	–	–	32	10	7	2	4	3	2	4	2	71	52	–	2
52	Mandan	88	–	–	–	20	6	7	1	1	–	2	3	1	38	29	–	1
53	Balance of county	70	–	–	–	12	4	–	1	3	3	–	1	1	33	23	–	1
54	Mountrail	80	1	–	–	13	4	–	2	3	–	1	3	4	35	20	1	–
55	Nelson	65	–	–	–	16	5	3	3	–	–	3	2	1	39	29	–	–
56	Oliver	14	–	–	–	2	–	1	–	1	–	–	–	–	8	7	–	–
57	Pembina	118	–	–	1	13	4	3	1	1	1	–	3	2	71	46	–	–
58	Pierce	52	–	–	–	14	6	2	2	–	1	–	3	1	23	20	–	–
59	Ramsey	116	–	–	–	27	9	4	2	4	–	2	6	–	60	44	3	1
60	Ransom	73	–	–	–	16	2	3	2	5	–	–	4	2	43	33	–	1
61	Renville	40	–	–	–	9	2	3	2	1	–	–	1	–	20	15	–	–
62	Richland	189	–	–	2	30	12	2	4	4	3	3	2	6	102	68	1	–
63	Rolette	98	–	–	1	14	4	4	–	2	–	–	4	5	41	35	–	–
64	Sargent	69	–	–	–	14	4	1	2	3	–	2	2	1	38	30	–	–
65	Sheridan	36	–	–	–	6	2	1	1	–	–	–	2	–	20	12	–	–
66	Sioux	46	–	–	–	5	1	2	1	–	1	–	–	5	9	6	–	1
67	Slope	6	–	–	–	2	1	1	–	–	–	–	–	–	3	3	–	–
68	Stark	158	–	–	4	31	6	5	6	6	5	–	3	2	85	61	1	2
69	Dickinson	92	–	–	3	19	4	3	4	4	3	–	1	1	53	36	–	2
70	Balance of county	66	–	–	1	12	2	2	2	2	2	–	2	1	32	25	1	–
71	Steele	29	–	–	–	6	2	–	2	1	–	1	–	–	15	9	–	–
72	Stutsman	226	–	–	–	42	10	12	4	5	1	4	6	9	110	75	3	–
73	Jamestown	150	–	–	–	26	8	6	2	4	–	3	3	5	71	49	3	–
74	Balance of county	76	–	–	–	16	2	6	2	1	1	1	3	4	39	26	–	–
75	Towner	37	–	–	–	7	4	1	–	1	–	–	1	1	20	16	–	–
76	Traill	110	–	–	–	12	5	3	–	2	1	–	1	3	71	53	–	–
77	Walsh	171	–	–	1	24	10	1	5	2	1	–	5	4	101	71	–	–
78	Ward	347	–	–	5	60	18	11	6	11	1	3	10	8	158	113	4	2
79	Minot	237	–	–	3	41	13	8	6	4	1	2	7	5	102	75	3	2
80	Balance of county	110	–	–	2	19	5	3	–	7	–	1	3	3	56	38	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
103	57	–	28	1	3	11	7	1	7	4	–	2	3	24	37	20	16	7	3	–	01
158	19	2	71	3	10	18	5	1	17	–	1	2	11	10	58	10	22	7	5	–	02
98	12	1	45	–	5	14	4	–	8	–	1	1	5	7	37	6	12	4	3	–	03
60	7	1	26	3	5	4	1	1	9	–	–	1	6	3	21	4	10	3	2	–	04
58	9	2	27	2	6	7	4	–	4	2	–	3	4	4	23	7	7	6	3	–	05
46	2	–	21	2	3	7	3	–	–	–	–	–	–	1	11	1	10	6	3	–	06
1,682	**218**	**16**	**495**	**114**	**73**	**154**	**63**	**17**	**60**	**21**	**2**	**35**	**85**	**76**	**426**	**191**	**193**	**69**	**6**	**17**	07
462	40	4	152	39	29	44	19	5	23	7	–	13	28	29	139	47	65	30	2	4	08
1,220	178	12	343	75	44	110	44	12	37	14	2	22	57	47	287	144	128	39	4	13	09
159	28	1	64	10	8	7	5	3	4	4	–	5	6	5	37	17	18	10	2	2	10
108	20	1	52	9	6	3	4	2	3	3	–	4	4	3	30	12	13	6	1	1	11
51	8	–	12	1	2	4	1	1	1	1	–	1	2	2	7	5	5	4	1	1	12
1,523	190	15	431	104	65	147	58	14	56	17	2	30	79	71	389	174	175	59	4	15	13
354	20	3	100	30	23	41	15	3	20	4	–	9	24	26	109	35	52	24	1	3	14
1,169	170	12	331	74	42	106	43	11	36	13	2	21	55	45	280	139	123	35	3	12	15
13	6	–	3	–	–	4	–	–	1	–	–	–	1	1	4	1	2	–	–	–	16
51	9	1	15	3	4	7	–	1	2	–	–	2	1	–	10	2	3	–	–	–	17
22	3	–	3	1	–	3	–	–	2	–	–	–	1	–	12	8	4	4	1	–	18
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	19
33	6	–	11	–	1	3	2	–	–	2	–	–	1	–	5	5	2	–	–	–	20
10	1	–	2	2	–	1	1	–	–	–	–	–	–	–	5	4	4	–	–	–	21
11	–	–	2	–	–	1	2	–	–	–	–	–	–	1	6	3	2	–	–	–	22
85	7	2	25	9	6	8	2	1	4	–	–	1	7	4	21	12	13	5	1	2	23
71	7	–	23	7	5	8	2	1	4	–	–	1	3	3	19	7	10	5	1	2	24
14	–	2	2	2	1	–	–	–	–	–	–	–	4	1	2	5	3	–	–	–	25
159	28	1	64	10	8	7	5	3	4	4	–	5	6	5	37	17	18	10	2	2	26
108	20	1	52	9	6	3	4	2	3	3	–	4	4	3	30	12	13	6	1	1	27
51	8	–	12	1	2	4	1	1	1	1	–	1	2	2	7	5	5	4	1	1	28
21	3	–	10	4	1	–	–	–	–	1	–	–	–	1	5	–	4	1	–	1	29
36	7	–	10	4	–	1	–	–	1	–	–	–	–	–	6	–	2	1	–	–	30
11	2	1	3	1	2	1	1	–	–	1	–	–	–	1	1	2	2	–	–	–	31
12	1	–	1	1	–	–	–	–	–	–	–	1	1	1	5	4	2	2	–	–	32
17	2	–	2	1	1	2	1	–	1	–	–	–	1	3	7	4	2	–	–	–	33
14	7	–	3	–	–	–	–	1	1	–	–	1	1	–	4	2	–	1	–	–	34
14	1	–	10	–	1	4	1	–	–	–	–	–	–	–	2	–	2	1	–	–	35
11	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	1	1	–	1	36
119	7	–	26	4	9	15	7	–	5	1	–	3	14	2	29	12	15	9	–	1	37
79	3	–	23	4	8	12	6	–	4	1	–	2	11	2	21	8	12	6	–	1	38
40	4	–	3	–	1	3	1	–	1	–	–	1	3	–	8	4	3	3	–	–	39
20	–	–	5	–	–	1	–	1	1	–	–	–	–	–	2	–	3	1	–	–	40
9	10	1	2	–	–	2	1	–	–	–	–	–	–	–	3	1	1	–	–	–	41
12	2	–	4	–	–	5	1	–	1	–	–	–	2	1	8	1	–	–	–	–	42
9	5	–	2	–	–	2	3	–	1	–	–	–	–	1	2	–	2	–	1	–	43
30	7	–	13	1	–	3	1	–	–	–	–	–	1	–	7	3	–	–	–	–	44
17	1	–	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	45
29	–	–	4	3	1	–	2	1	–	–	–	–	–	1	6	2	1	–	–	–	46
25	3	–	5	–	–	1	–	–	1	2	–	–	1	2	4	–	2	–	–	–	47
10	6	–	6	–	–	3	2	–	–	–	1	–	–	–	9	3	3	1	–	–	48
52	1	–	17	–	1	5	3	–	2	–	–	–	2	2	7	5	2	2	–	–	49
25	–	–	4	–	–	–	–	1	2	–	–	1	1	7	7	4	2	–	–	–	50
45	5	1	14	2	2	4	2	2	3	1	–	1	7	1	15	3	8	6	–	–	51
25	3	–	7	–	2	2	1	–	2	–	–	–	5	1	6	1	6	5	–	–	52
20	2	1	7	2	–	2	1	2	1	1	–	1	2	–	9	2	2	1	–	–	53
14	5	3	10	1	1	5	4	1	1	1	–	1	–	1	3	7	2	1	–	–	54
25	4	–	8	2	–	2	–	–	1	–	–	–	1	1	4	–	–	–	–	–	55
4	3	–	1	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	56
42	4	–	17	8	–	1	–	–	–	1	–	1	1	2	9	5	8	1	–	2	57
19	1	–	2	–	1	2	–	–	1	1	–	1	1	1	3	4	–	–	–	–	58
39	1	–	12	3	1	2	1	–	3	–	–	–	4	1	7	2	7	–	–	2	59
25	7	1	7	2	–	–	1	1	–	–	–	1	–	–	6	1	2	–	–	–	60
15	–	–	4	1	–	1	–	–	–	1	–	–	–	–	4	2	2	1	–	–	61
59	8	–	17	12	5	9	1	–	2	2	–	2	–	1	14	8	8	1	–	1	62
27	8	–	4	1	1	1	1	–	1	–	–	2	8	4	8	2	7	2	–	1	63
27	3	–	4	3	1	–	3	1	1	–	–	–	–	1	5	1	3	–	–	1	64
12	–	–	5	2	1	2	1	–	–	–	–	1	1	–	2	2	1	–	–	–	65
4	1	–	2	–	1	1	–	–	1	–	–	2	2	4	8	3	5	–	–	1	66
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	67
58	–	1	18	3	2	–	3	–	3	–	–	–	1	2	11	9	6	1	–	–	68
34	–	1	11	3	2	–	2	–	–	–	–	–	–	1	6	5	2	–	–	–	69
24	–	–	7	–	–	–	1	–	3	–	–	–	1	1	5	4	4	1	–	–	70
6	3	1	4	–	1	2	–	1	–	–	–	–	–	–	3	1	–	1	–	–	71
66	6	–	23	8	4	10	–	–	–	2	1	–	1	2	26	9	10	3	1	–	72
42	4	–	13	6	3	6	–	–	–	2	–	–	1	2	20	6	8	3	–	–	73
24	2	–	10	2	1	4	–	–	–	–	1	–	–	–	6	3	2	–	1	–	74
11	5	–	1	1	2	3	–	–	1	–	–	–	–	1	3	1	–	–	–	–	75
46	7	–	13	2	3	4	2	–	–	–	–	–	2	–	9	3	1	3	–	–	76
62	9	–	24	4	2	6	2	–	1	–	–	–	5	1	11	5	5	4	–	1	77
102	5	2	27	10	6	9	5	1	8	1	–	6	4	17	36	10	15	4	–	–	78
68	2	2	14	8	3	8	3	1	7	1	–	4	2	17	26	2	11	4	–	–	79
34	3	–	13	2	3	1	2	–	1	–	–	2	2	–	10	8	4	–	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Dakota—Con.																	
01	Wells	89	–	–	–	19	7	4	3	1	1	–	3	1	49	34	1	1
02	Williams	165	–	–	2	27	9	6	1	2	1	–	8	2	82	66	–	–
03	Williston	105	–	–	2	19	6	4	–	2	1	–	6	2	47	36	–	–
04	Balance of county	60	–	–	–	8	3	2	1	–	–	–	2	–	35	30	–	–
05	**Ohio**	**97,045**	**105**	**8**	**610**	**19,686**	**5,298**	**4,989**	**1,849**	**2,223**	**927**	**781**	**3,619**	**1,955**	**51,365**	**38,440**	**707**	**842**
06	Urban places	59,497	67	7	391	12,209	3,371	3,151	1,168	1,351	533	460	2,175	1,215	31,094	23,237	447	582
07	Balance of area	37,548	38	1	219	7,477	1,927	1,838	681	872	394	321	1,444	740	20,271	15,203	260	260
08	Metropolitan counties	73,163	83	7	473	15,170	4,107	3,887	1,467	1,716	691	578	2,724	1,491	38,070	28,692	563	681
09	Urban places	51,935	61	7	352	10,732	3,001	2,759	1,030	1,205	464	401	1,872	1,064	26,926	20,245	400	529
10	Balance of area	21,228	22	–	121	4,438	1,106	1,128	437	511	227	177	852	427	11,144	8,447	165	152
11	Nonmetropolitan counties	23,882	22	1	137	4,516	1,191	1,102	382	507	236	203	895	464	13,295	9,748	142	161
12	Urban places	7,562	6	–	39	1,477	370	392	138	146	69	59	303	151	4,168	2,992	47	53
13	Balance of area	16,320	16	1	98	3,039	821	710	244	361	167	144	592	313	9,127	6,756	95	108
14	Adams	266	1	–	1	45	15	7	3	6	2	1	11	2	143	115	1	1
15	Allen	983	–	–	1	225	54	64	18	31	11	7	40	25	510	366	6	3
16	Lima	573	–	–	1	129	32	36	10	24	4	3	20	16	290	209	5	3
17	Balance of county	410	–	–	–	96	22	28	8	7	7	4	20	9	220	157	1	–
18	Ashland	397	–	–	5	75	22	16	8	6	4	3	16	10	216	156	3	3
19	Ashland	199	–	–	2	40	10	9	3	3	2	2	11	7	113	82	2	1
20	Balance of county	198	–	–	3	35	12	7	5	3	2	1	5	3	103	74	1	2
21	Ashtabula	952	–	–	2	190	47	46	18	25	6	10	38	14	518	391	7	7
22	Ashtabula	269	–	–	–	52	16	13	8	5	2	4	4	7	146	104	2	6
23	Conneaut	129	–	–	–	25	6	10	2	3	1	–	3	2	72	58	–	–
24	Balance of county	554	–	–	2	113	25	23	8	17	3	6	31	5	300	229	5	1
25	Athens	420	1	–	3	86	27	19	4	7	4	4	21	9	222	162	–	2
26	Athens	73	–	–	–	17	4	2	1	–	–	2	8	–	42	33	–	–
27	Balance of county	347	1	–	3	69	23	17	3	7	4	2	13	9	180	129	–	2
28	Auglaize	365	–	–	6	62	20	20	2	5	–	4	11	6	205	147	4	5
29	Belmont	999	2	–	10	205	47	48	23	22	12	3	50	16	527	415	2	1
30	Martins Ferry	149	–	–	–	36	10	6	2	6	1	1	10	2	72	56	–	–
31	Balance of county	850	2	–	10	169	37	42	21	16	11	2	40	14	455	359	2	1
32	Brown	295	–	–	3	51	14	11	5	5	4	5	7	7	167	132	1	4
33	Butler	1,859	1	–	11	365	77	111	31	47	18	10	71	28	971	699	14	20
34	Fairfield	112	–	–	2	24	7	7	2	3	–	–	5	4	57	43	1	1
35	Hamilton	700	–	–	1	130	25	44	9	16	7	3	26	8	386	277	2	15
36	Middletown	435	–	–	4	97	22	33	8	10	4	5	15	8	207	134	3	–
37	Oxford	62	–	–	2	12	3	3	–	4	1	–	1	–	33	22	1	–
38	Balance of county	550	1	–	2	102	20	24	12	14	6	2	24	8	288	223	7	4
39	Carroll	200	–	–	6	40	9	11	5	2	1	1	11	4	107	80	1	9
40	Champaign	313	–	–	2	60	13	16	6	7	2	1	15	2	180	125	1	2
41	Urbana	138	–	–	–	31	7	8	3	3	1	1	8	–	78	51	1	1
42	Balance of county	175	–	–	2	29	6	8	3	4	1	–	7	2	102	74	–	1
43	Clark	1,473	8	–	5	296	81	74	25	34	19	12	51	43	828	552	16	3
44	Springfield	938	6	–	3	204	48	56	16	27	16	6	35	32	519	371	9	2
45	Balance of county	535	2	–	2	92	33	18	9	7	3	6	16	11	309	181	7	1
46	Clermont	765	2	–	4	157	40	45	17	19	9	5	22	20	358	282	5	4
47	Clinton	350	1	–	1	57	11	14	2	7	6	2	15	5	205	147	2	2
48	Wilmington	138	1	–	1	23	4	5	2	1	2	1	8	1	85	55	1	2
49	Balance of county	212	–	–	–	34	7	9	–	6	4	1	7	4	120	92	1	–
50	Columbiana	1,212	1	–	4	212	53	59	16	24	10	7	43	15	742	582	9	9
51	East Liverpool	263	–	–	2	47	11	9	6	5	5	2	9	3	159	129	2	2
52	Salem	183	–	–	–	30	8	9	3	1	–	2	7	2	115	85	3	1
53	Balance of county	766	1	–	2	135	34	41	7	18	5	3	27	10	468	368	4	6
54	Coshocton	355	–	–	2	64	20	15	5	7	4	2	11	15	201	137	2	2
55	Coshocton	169	–	–	1	30	8	9	3	1	1	1	7	7	98	67	2	1
56	Balance of county	186	–	–	1	34	12	6	2	6	3	1	4	8	103	70	–	1
57	Crawford	485	–	–	3	88	22	18	10	6	5	6	21	6	263	168	3	3
58	Bucyrus	144	–	–	1	26	6	5	2	2	2	1	8	2	88	61	1	–
59	Galion	149	–	–	2	29	7	6	2	2	3	3	6	–	67	43	1	1
60	Balance of county	192	–	–	–	33	9	7	6	2	–	2	7	4	108	64	1	2
61	Cuyahoga	16,132	19	4	119	3,419	1,006	837	367	379	150	113	567	305	8,475	6,464	145	104
62	Bay Village	127	–	–	–	28	4	8	5	5	–	–	6	1	64	47	–	3
63	Bedford	149	–	–	1	37	14	7	3	4	2	–	7	–	80	65	4	2
64	Bedford Heights	97	–	1	1	26	5	6	5	2	1	1	6	1	44	32	1	–
65	Berea	157	–	–	1	27	9	3	3	2	3	–	7	6	88	54	–	1
66	Broadview Heights	59	–	–	–	12	1	1	4	4	–	1	1	–	37	31	–	1
67	Brooklyn	110	–	–	–	32	9	6	4	2	1	2	8	–	55	43	1	2
68	Brook Park	137	–	–	–	30	4	7	3	5	–	2	9	1	63	46	–	–
69	Cleveland	7,713	13	3	69	1,509	473	400	145	175	57	33	226	138	3,918	3,030	56	55
70	Cleveland Heights	586	–	–	6	126	40	20	10	22	9	5	20	4	334	232	10	–
71	East Cleveland	322	–	–	2	75	19	25	6	7	3	1	14	3	160	115	2	3
72	Euclid	646	1	–	6	135	31	34	19	15	6	6	24	18	367	282	11	2
73	Fairview Park	207	–	–	2	44	14	9	2	4	3	–	12	5	121	91	1	1
74	Garfield Heights	376	–	–	1	90	25	21	9	11	2	1	21	5	206	156	4	–
75	Lakewood	727	–	–	5	152	35	29	20	15	13	6	34	20	392	299	8	6
76	Lyndhurst	172	–	–	1	37	11	10	4	5	1	1	5	3	98	77	3	–
77	Maple Heights	273	–	–	2	72	22	16	13	8	3	2	8	7	140	103	3	–
78	Mayfield Heights	260	–	–	1	53	15	12	5	3	5	4	9	7	152	124	3	1
79	Middleburg Heights	93	–	–	2	21	4	5	1	2	1	2	6	2	49	37	–	1
80	North Olmstead	240	1	–	2	63	12	20	5	4	2	4	16	2	128	99	2	2
81	North Royalton	96	–	–	1	20	7	6	–	1	3	2	1	3	51	42	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
30	2	1	12	1	1	2	–	–	1	–	–	–	2	1	3	5	5	–	–	1	01
60	6	–	12	2	2	8	1	1	3	–	–	2	3	2	16	10	4	2	–	–	02
35	1	–	9	2	–	5	1	1	3	–	–	2	2	–	11	6	3	1	–	–	03
25	5	–	3	–	2	3	–	–	–	–	–	–	1	2	5	4	1	1	–	–	04
34,506	**2,385**	**314**	**9,364**	**1,793**	**1,454**	**2,331**	**1,278**	**280**	**1,278**	**467**	**17**	**646**	**1,157**	**1,551**	**7,648**	**1,861**	**2,441**	**1,397**	**803**	**161**	05
20,776	1,432	210	5,648	1,103	896	1,410	786	175	907	307	14	383	748	1,105	4,808	858	1,430	828	655	100	06
13,730	953	104	3,716	690	558	921	492	105	371	160	3	263	409	446	2,840	1,003	1,011	569	148	61	07
25,706	1,740	229	6,784	1,318	1,047	1,715	933	215	1,081	354	14	493	857	1,295	5,867	1,297	1,807	1,089	730	122	08
18,072	1,244	171	4,797	954	759	1,202	673	154	841	275	13	330	637	1,029	4,207	735	1,248	734	631	84	09
7,634	496	58	1,987	364	288	513	260	61	240	79	1	163	220	266	1,660	562	559	355	99	38	10
8,800	645	85	2,580	475	407	616	345	65	197	113	3	153	300	256	1,781	564	634	308	73	39	11
2,704	188	39	851	149	137	208	113	21	66	32	1	53	111	76	601	123	182	94	24	16	12
6,096	457	46	1,729	326	270	408	232	44	131	81	2	100	189	180	1,180	441	452	214	49	23	13
110	3	–	26	2	–	6	4	1	3	–	–	1	8	2	19	9	12	6	3	–	14
337	20	3	104	19	18	25	9	3	10	4	–	4	10	13	74	22	24	18	5	1	15
191	10	3	56	11	11	15	6	–	8	3	–	1	6	9	45	11	16	11	5	1	16
146	10	–	48	8	7	10	3	3	2	1	–	3	4	4	29	11	8	7	–	–	17
138	12	1	52	3	4	8	5	1	4	1	–	3	–	3	34	6	14	6	2	4	18
72	7	1	27	1	2	2	–	–	3	–	–	2	–	2	18	2	5	1	–	2	19
66	5	–	25	2	2	6	5	1	1	1	–	1	–	1	16	4	9	5	2	2	20
352	25	2	103	8	14	25	6	3	8	3	–	4	11	14	79	24	28	12	8	3	21
92	4	2	32	3	5	3	2	2	6	–	–	2	4	2	26	4	9	1	2	1	22
55	3	–	14	–	–	2	1	–	–	–	–	–	3	1	12	–	5	3	2	1	23
205	18	–	57	5	9	20	3	1	2	3	–	2	4	11	41	20	14	8	4	1	24
148	12	2	45	9	4	8	8	1	2	–	–	4	5	5	37	6	19	3	1	–	25
30	3	1	7	–	1	–	1	1	–	–	–	–	–	1	7	–	3	1	–	–	26
118	9	1	38	9	3	8	7	–	2	–	–	4	5	4	30	6	16	2	1	–	27
130	8	–	44	7	7	5	4	1	4	4	–	2	9	1	39	4	5	5	1	2	28
384	28	2	88	10	12	35	14	4	15	4	–	2	2	17	94	17	18	11	3	3	29
47	9	–	13	3	–	8	3	1	6	–	–	1	–	4	11	1	3	1	–	–	30
337	19	2	75	7	12	27	11	3	9	4	–	1	2	13	83	16	15	10	3	3	31
111	16	1	27	5	2	11	8	1	1	1	1	1	3	2	16	13	4	2	3	–	32
630	35	8	179	58	27	50	23	5	26	7	–	21	24	8	142	54	65	41	12	5	33
39	2	–	11	3	–	4	1	–	1	–	–	–	3	–	11	2	1	1	1	–	34
248	12	5	66	25	13	17	7	3	13	4	–	9	13	3	45	15	27	15	3	1	35
121	10	1	50	18	4	14	10	1	4	1	–	5	4	3	40	12	13	6	4	2	36
19	2	–	9	1	1	3	–	–	–	1	–	–	2	–	7	1	1	–	–	–	37
203	9	2	43	11	9	12	5	1	8	1	–	7	2	2	39	24	23	19	4	2	38
68	2	1	20	1	5	6	2	–	–	–	–	1	4	2	16	6	6	–	–	–	39
115	7	–	40	7	8	15	4	–	3	2	–	2	3	1	17	8	7	7	–	–	40
47	2	–	21	–	6	8	3	–	1	–	–	–	–	–	5	4	5	3	–	–	41
68	5	–	19	7	2	7	1	–	2	2	–	2	3	1	12	4	2	4	–	–	42
499	34	7	232	14	23	30	15	7	24	5	–	12	13	3	94	23	35	19	12	1	43
334	26	4	119	11	14	19	9	4	18	4	–	7	10	1	52	11	23	6	9	1	44
165	8	3	113	3	9	11	6	3	6	1	–	5	3	2	42	12	12	13	3	–	45
256	17	1	57	6	12	30	12	2	12	4	–	6	10	5	72	24	26	14	6	1	46
137	6	6	36	9	7	11	4	2	2	1	–	3	5	4	29	7	8	5	–	–	47
50	2	4	17	5	4	3	2	1	1	1	–	2	1	1	10	1	3	1	–	–	48
87	4	2	19	4	3	8	2	1	1	–	–	1	4	3	19	6	5	4	–	–	49
547	17	4	113	24	19	18	23	4	16	6	–	8	21	3	70	30	32	7	–	–	50
120	5	1	18	6	5	7	2	–	3	2	–	2	1	1	22	4	8	–	–	–	51
80	1	1	18	7	4	1	6	1	5	1	–	–	6	2	7	6	–	1	–	–	52
347	11	2	77	11	10	10	15	3	8	3	–	6	14	–	41	20	24	6	–	–	53
119	14	1	44	11	8	8	6	1	2	3	–	1	7	3	20	4	15	2	1	–	54
57	7	–	23	3	5	3	3	–	–	1	–	–	6	–	9	1	7	2	1	–	55
62	7	1	21	8	3	5	3	1	2	2	–	1	1	3	11	3	8	–	–	–	56
142	20	1	61	18	15	11	15	2	4	–	–	7	7	2	34	11	18	11	2	1	57
55	5	1	18	4	4	3	2	–	1	–	–	4	–	1	8	2	1	4	1	–	58
37	4	–	13	4	7	6	5	1	1	–	–	1	4	–	11	6	10	5	–	1	59
50	11	–	30	10	4	2	8	1	2	–	–	2	3	1	15	3	7	2	1	–	60
5,849	366	48	1,389	354	220	373	177	60	318	94	4	94	152	39	1,263	235	422	245	293	22	61
42	2	–	11	3	3	5	3	–	2	–	–	2	–	1	11	5	4	1	–	–	62
55	4	1	8	5	1	1	3	–	4	1	–	–	–	1	11	3	5	1	1	–	63
30	1	–	11	1	–	4	–	–	1	–	–	–	2	–	6	2	7	2	–	–	64
51	2	1	21	8	4	5	1	–	2	–	–	1	1	–	13	3	5	2	2	–	65
28	2	–	6	–	–	–	–	–	–	–	–	1	–	–	4	1	3	1	–	–	66
37	3	–	7	2	3	1	1	–	2	–	–	–	–	–	6	3	6	2	2	–	67
43	3	1	13	1	2	4	3	–	–	–	–	2	1	1	12	7	5	6	2	–	68
2,723	196	26	602	160	100	187	83	29	198	59	2	44	97	23	651	121	202	105	246	16	69
207	15	–	70	19	13	18	4	1	6	3	–	3	4	–	41	6	19	6	5	–	70
103	7	1	33	8	3	6	1	2	5	4	–	2	7	1	25	7	5	4	12	1	71
245	24	1	60	16	8	15	6	5	10	1	1	8	4	–	39	7	15	5	3	–	72
86	3	2	20	5	3	3	5	1	3	–	–	–	1	1	12	4	3	2	–	–	73
143	9	–	35	8	7	6	4	2	5	1	–	4	2	2	24	2	8	11	3	–	74
276	9	–	66	20	7	13	13	1	14	3	–	3	4	2	60	6	20	14	3	2	75
73	1	–	14	4	3	8	1	–	1	4	–	–	–	–	11	2	4	1	1	–	76
93	7	1	31	3	2	7	3	1	4	1	–	1	1	1	21	1	6	2	1	2	77
109	11	2	20	3	3	4	1	1	1	–	–	3	–	–	23	2	6	4	2	–	78
33	3	–	12	–	–	3	1	–	3	–	–	–	1	–	5	1	3	2	–	–	79
93	2	–	23	4	2	5	1	2	4	–	–	3	1	–	14	2	7	5	–	–	80
41	1	–	8	1	–	–	1	–	3	–	–	1	1	–	9	2	3	1	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
	Cuyahoga—Con.																	
01	Parma	849	–	–	3	210	69	54	21	22	12	5	27	26	443	341	12	10
02	Parma Heights	247	–	–	2	46	12	12	7	4	1	2	8	4	146	98	2	–
03	Rocky River	230	–	–	–	54	17	8	8	5	2	2	12	5	134	98	1	–
04	Seven Hills	104	1	–	1	27	8	5	2	2	1	1	8	1	51	40	–	–
05	Shaker Heights	352	–	–	3	84	24	19	15	7	1	6	12	8	197	141	3	5
06	Solon	91	–	–	1	23	6	4	2	2	2	1	6	2	48	37	1	1
07	South Euclid	272	1	–	3	61	22	15	8	3	3	4	6	5	143	117	5	1
08	Strongsville	134	1	–	1	31	8	4	6	4	2	2	5	3	56	47	1	–
09	University Heights	133	–	–	–	37	14	1	5	8	1	3	5	2	71	54	2	1
10	Warrensville Heights	88	–	–	–	19	8	4	4	2	1	–	–	2	44	36	1	–
11	Westlake	194	–	–	1	34	10	7	8	1	1	2	5	5	116	88	2	3
12	Balance of county	891	1	–	1	204	54	59	15	23	8	12	33	16	479	362	6	3
13	Darke	477	–	–	4	102	28	28	4	8	8	4	22	6	258	202	5	4
14	Greenville	185	–	–	2	35	9	12	1	2	2	2	7	4	103	78	1	2
15	Balance of county	292	–	–	2	67	19	16	3	6	6	2	15	2	155	124	4	2
16	Defiance	307	1	–	1	53	10	13	5	9	4	2	10	9	160	111	4	2
17	Defiance	148	1	–	1	24	5	5	2	4	1	2	5	3	79	57	1	1
18	Balance of county	159	–	–	–	29	5	8	3	5	3	–	5	6	81	54	3	1
19	Delaware	367	–	–	2	75	25	14	12	14	3	–	7	8	202	134	1	2
20	Delaware	147	–	–	1	31	11	4	5	5	–	–	6	3	82	58	–	–
21	Westerville, part	15	–	–	1	4	1	1	2	–	–	–	–	–	7	1	–	–
22	Balance of county	205	–	–	–	40	13	9	5	9	3	–	1	5	113	75	1	2
23	Erie	699	1	–	5	141	37	34	18	18	4	3	27	14	337	231	1	8
24	Sandusky	367	1	–	2	80	17	21	11	13	3	1	14	4	167	109	–	6
25	Balance of county	332	–	–	3	61	20	13	7	5	1	2	13	10	170	122	1	2
26	Fairfield	689	–	–	7	144	40	37	14	11	7	8	27	16	373	276	8	4
27	Lancaster	363	–	–	5	79	22	20	9	4	3	5	16	9	194	143	3	2
28	Balance of county	326	–	–	2	65	18	17	5	7	4	3	11	7	179	133	5	2
29	Fayette	290	–	–	3	32	9	11	3	4	1	1	3	5	180	110	3	2
30	Washington	169	–	–	3	16	6	4	1	1	1	1	2	5	102	65	3	2
31	Balance of county	121	–	–	–	16	3	7	2	3	–	–	1	–	78	45	–	–
32	Franklin	6,564	8	1	62	1,396	372	363	139	160	53	58	251	115	3,159	2,295	43	215
33	Bexley	129	–	–	3	27	8	6	3	4	1	–	5	1	77	63	–	8
34	Columbus	4,759	7	1	46	978	271	266	81	115	32	37	176	83	2,258	1,637	29	181
35	Gahanna	78	1	–	–	27	5	5	6	1	–	1	9	1	30	26	1	3
36	Grove City	108	–	–	–	21	2	4	4	1	2	2	6	4	60	33	–	–
37	Reynoldsburg, part	81	–	–	1	16	3	3	1	2	2	3	2	1	46	31	1	1
38	Reynoldsburg, total	89	–	–	1	18	3	3	2	3	2	3	2	1	50	35	1	2
39	Upper Arlington	284	–	–	1	72	21	17	11	10	4	2	7	3	156	116	2	3
40	Westerville, part	86	–	–	–	13	4	4	1	2	–	1	1	1	48	35	–	1
41	Westerville, total	101	–	–	1	17	5	5	3	2	–	1	1	1	55	36	–	1
42	Whitehall	133	–	–	2	33	13	10	1	3	2	2	2	–	61	42	4	2
43	Worthington	89	–	–	–	21	5	3	6	–	–	3	4	–	46	31	1	–
44	Balance of county	817	–	–	9	188	40	45	25	22	10	7	39	21	377	281	5	16
45	Fulton	280	1	–	2	48	17	2	7	9	3	2	8	3	163	117	–	1
46	Gallia	271	–	–	1	54	11	14	3	4	2	1	19	2	158	126	2	1
47	Geauga	430	1	–	2	88	23	27	11	8	1	2	16	7	237	179	2	–
48	Greene	714	1	–	7	143	37	46	19	13	7	4	17	16	337	242	6	4
49	Fairborn	168	–	–	3	30	10	9	5	4	–	–	2	4	79	58	–	–
50	Xenia	192	–	–	2	33	10	6	4	2	4	–	7	3	99	70	1	1
51	Balance of county	354	1	–	2	80	17	31	10	7	3	4	8	9	159	114	5	3
52	Guernsey	435	1	–	3	83	17	21	7	9	7	3	19	7	239	177	2	1
53	Cambridge	181	–	–	–	29	4	8	2	5	4	–	6	1	109	85	2	1
54	Balance of county	254	1	–	3	54	13	13	5	4	3	3	13	6	130	92	–	–
55	Hamilton	8,904	10	–	66	2,029	525	555	196	226	88	76	363	135	4,584	3,636	58	82
56	Cheviot	147	–	–	2	27	4	10	4	2	1	1	5	–	94	75	–	–
57	Cincinnati	5,291	7	–	45	1,165	300	324	112	134	43	43	209	74	2,722	2,171	32	50
58	Forest Park	41	–	–	–	9	1	3	–	2	1	1	1	–	18	14	–	–
59	North College Hill	126	–	–	1	30	7	10	4	3	–	1	5	3	69	53	2	1
60	Norwood	338	–	–	5	80	20	23	10	10	4	3	10	4	176	135	6	4
61	Reading	94	–	–	2	16	3	2	4	2	1	1	3	1	56	47	–	1
62	Sharonville	47	–	–	1	8	3	1	–	1	–	1	2	–	22	18	1	–
63	Balance of county	2,820	3	–	10	694	187	182	62	72	38	25	128	53	1,427	1,123	17	26
64	Hancock	557	–	–	1	84	19	14	11	12	5	5	18	19	303	207	2	7
65	Findlay	351	–	–	–	46	9	9	7	5	2	2	12	12	190	127	2	5
66	Fostoria, part	16	–	–	–	2	–	1	–	1	–	–	–	1	10	6	–	–
67	Balance of county	190	–	–	1	36	10	4	4	6	3	3	6	6	103	74	–	2
68	Hardin	297	–	–	1	72	17	24	4	13	3	1	10	2	166	120	2	2
69	Harrison	232	–	–	1	33	9	7	4	4	2	2	5	9	137	104	–	5
70	Henry	255	–	–	1	51	18	10	5	3	7	1	7	2	144	96	–	4
71	Highland	384	–	–	1	69	21	17	4	12	1	1	13	5	229	155	4	1
72	Hocking	232	–	–	–	37	7	10	4	5	2	2	7	6	124	100	2	2
73	Holmes	211	1	–	1	31	8	5	6	5	2	3	2	3	127	100	1	–
74	Huron	413	1	1	2	69	18	16	8	8	4	2	13	5	243	177	2	1
75	Norwalk	122	–	–	–	24	7	7	–	4	1	–	5	1	78	50	–	–
76	Balance of county	291	1	1	2	45	11	9	8	4	3	2	8	4	165	127	2	1
77	Jackson	341	–	–	2	65	18	19	1	4	5	4	14	4	199	156	–	–
78	Jefferson	1,087	2	–	2	213	56	59	25	23	12	6	32	33	588	459	7	10
79	Steubenville	399	1	–	–	78	22	26	9	5	4	1	11	12	219	172	3	2
80	Balance of county	688	1	–	2	135	34	33	16	18	8	5	21	21	369	287	4	8
81	Knox	408	–	–	2	82	20	19	7	10	5	6	15	9	223	162	1	2
82	Mount Vernon	164	–	–	2	42	12	10	3	6	3	2	6	2	85	62	–	–
83	Balance of county	244	–	–	–	40	8	9	4	4	2	4	9	7	138	100	1	2

See footnotes at end of table

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
301	18	4	53	29	16	10	12	6	13	3	–	7	6	1	65	11	18	14	1	–	01
95	1	3	32	6	7	7	2	–	3	2	–	1	4	–	20	4	2	4	–	–	02
94	3	1	26	4	5	2	2	–	4	1	–	–	1	–	15	2	5	5	–	–	03
39	1	–	9	2	–	2	2	1	3	1	–	–	1	–	7	–	3	3	–	–	04
126	7	2	37	12	5	13	3	–	7	2	–	1	1	1	18	1	6	5	2	–	05
34	1	1	7	3	–	2	–	–	–	1	–	–	–	–	8	2	2	2	–	–	06
107	4	–	22	1	3	8	4	3	2	2	–	1	3	–	17	6	8	3	2	–	07
43	3	–	4	3	2	3	2	–	3	–	–	2	5	1	13	4	5	3	1	–	08
50	1	–	12	2	3	2	–	–	–	–	1	–	–	–	15	–	2	1	2	–	09
33	2	–	7	–	1	1	1	–	2	–	–	–	–	1	9	–	3	6	–	–	10
79	4	–	25	2	1	4	5	1	1	2	–	–	1	–	12	4	3	5	–	–	11
337	16	1	84	19	13	24	9	4	12	3	–	4	3	2	66	14	29	17	2	1	12
177	16	2	39	7	8	10	5	3	3	2	–	3	4	2	36	16	12	8	3	–	13
71	4	1	17	3	4	5	2	–	2	1	–	1	2	1	14	5	6	1	1	–	14
106	12	1	22	4	4	5	3	3	1	1	–	2	2	1	22	11	6	7	2	–	15
95	10	2	34	5	8	13	3	–	2	4	–	3	4	3	29	11	9	1	–	1	16
50	5	1	14	3	4	10	1	–	1	2	–	1	3	1	12	3	5	–	–	1	17
45	5	1	20	2	4	3	2	–	1	2	–	2	1	2	17	8	4	1	–	–	18
121	10	2	52	4	10	9	1	–	1	2	–	2	4	9	30	7	10	4	–	1	19
54	4	1	13	3	7	3	1	–	–	1	–	1	–	4	14	2	4	–	–	–	20
1	–	–	6	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	21
66	6	1	33	1	3	6	–	–	1	1	–	1	3	5	16	5	4	4	–	1	22
206	16	3	68	25	10	21	6	3	8	2	–	3	10	54	45	17	19	8	2	3	23
95	8	1	36	15	6	9	1	3	4	2	–	3	8	30	28	9	9	3	2	2	24
111	8	2	32	10	4	12	5	–	4	–	–	–	2	24	17	8	10	5	–	1	25
240	24	3	71	16	7	16	7	2	6	6	–	10	6	7	43	17	10	14	3	2	26
126	12	3	36	9	3	10	2	1	4	3	–	7	4	2	26	4	7	4	2	–	27
114	12	–	35	7	4	6	5	1	2	3	–	3	2	5	17	13	3	10	1	2	28
97	8	4	58	4	4	10	6	1	2	–	–	1	3	4	24	8	11	–	–	–	29
57	3	–	32	3	2	5	3	–	1	–	–	1	3	3	15	3	9	–	–	–	30
40	5	4	26	1	2	5	3	1	1	–	–	–	–	1	9	5	2	–	–	–	31
1,823	214	28	623	112	101	135	84	11	77	42	1	48	97	465	527	82	129	97	20	8	32
48	7	1	8	2	3	2	1	–	1	–	–	–	–	4	10	2	–	1	–	–	33
1,270	157	22	457	77	65	104	67	7	66	33	1	28	86	381	378	48	97	66	18	6	34
19	3	–	4	–	–	2	2	1	2	–	–	2	1	1	3	2	2	1	–	–	35
31	2	–	23	3	1	1	–	–	–	1	–	1	1	2	6	3	4	4	–	–	36
28	1	–	13	1	1	–	1	–	–	–	–	–	–	4	5	3	1	3	–	–	37
31	1	–	13	1	1	1	1	–	–	–	–	–	1	4	5	3	1	3	–	–	38
101	10	–	27	7	6	7	3	1	–	2	–	–	–	3	28	3	4	1	–	–	39
30	4	3	7	–	3	2	–	–	1	–	–	1	–	4	10	3	1	2	–	–	40
31	4	3	13	–	3	2	–	–	1	–	–	1	1	4	10	3	3	2	–	–	41
35	1	1	14	2	2	1	2	–	–	1	–	5	3	10	10	2	2	1	–	–	42
29	1	–	9	5	1	3	1	–	–	1	–	2	–	4	6	2	1	1	1	–	43
232	28	1	61	15	19	13	7	2	7	4	–	9	6	52	71	14	17	17	1	2	44
109	7	2	29	8	7	3	2	–	2	1	–	6	6	–	21	9	10	3	–	–	45
117	6	–	24	5	3	4	5	–	3	–	–	1	3	4	19	6	8	3	–	–	46
165	12	2	38	10	8	5	2	2	6	3	–	6	6	5	32	16	6	6	–	–	47
217	15	4	67	15	9	13	18	–	15	4	–	6	9	17	65	16	28	16	2	1	48
51	7	–	13	6	2	4	5	–	4	–	–	2	6	4	19	2	2	4	–	–	49
65	3	–	25	1	3	2	7	–	6	1	–	–	–	5	17	5	10	1	–	1	50
101	5	4	29	8	4	7	6	–	5	3	–	4	3	8	29	9	16	11	2	–	51
159	15	2	48	5	7	15	9	3	5	–	–	3	5	2	29	9	13	9	–	–	52
75	7	1	21	2	–	5	4	2	2	–	–	2	2	–	14	4	5	2	–	–	53
84	8	1	27	3	7	10	5	1	3	–	–	1	3	2	15	5	8	7	–	–	54
3,361	135	17	698	120	113	230	102	30	121	47	2	53	80	27	791	116	252	118	92	19	55
71	4	–	14	4	1	2	3	1	3	–	–	–	–	–	8	2	3	1	1	–	56
2,003	86	9	400	71	71	145	53	14	81	33	2	27	47	22	486	54	158	70	70	16	57
14	–	–	4	–	–	–	2	–	–	–	–	1	2	–	4	2	1	2	–	–	58
50	–	–	15	–	1	1	–	–	1	–	–	–	–	–	12	3	4	–	2	–	59
122	3	1	33	5	2	7	5	1	7	3	–	1	1	–	25	1	14	6	1	1	60
45	1	–	5	1	3	3	2	–	1	1	–	–	1	–	6	1	2	2	–	–	61
16	1	–	4	–	–	1	2	–	2	–	–	–	1	–	4	2	2	1	1	–	62
1,040	40	7	223	39	35	71	35	14	26	10	–	24	28	5	246	51	68	36	17	2	63
180	18	3	70	14	9	31	7	–	1	2	–	4	8	1	54	8	18	15	1	–	64
106	14	3	45	9	6	21	3	–	1	2	–	3	5	–	38	6	11	12	1	–	65
5	1	–	3	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	66
69	3	–	22	5	2	10	3	–	–	–	–	1	3	1	15	1	7	3	–	–	67
113	3	2	39	–	5	5	–	–	–	2	–	3	4	1	24	3	6	7	1	–	68
95	4	2	23	4	4	7	2	–	2	1	–	2	3	1	20	3	6	4	1	–	69
89	3	–	33	9	6	6	7	–	–	1	–	3	1	3	18	12	4	1	1	–	70
140	10	1	60	10	3	10	2	1	1	1	–	5	1	4	31	9	13	2	–	–	71
79	17	–	15	4	5	4	5	3	3	–	–	1	2	16	24	3	2	2	–	–	72
91	8	–	19	6	2	6	1	1	2	–	–	–	7	1	12	8	6	3	1	–	73
156	18	–	46	15	5	6	8	2	4	–	–	–	3	4	28	13	14	7	1	2	74
43	7	–	19	5	4	1	1	1	–	–	–	–	–	–	8	3	2	2	1	–	75
113	11	–	27	10	1	5	7	1	4	–	–	–	3	4	20	10	12	5	–	2	76
151	5	1	32	6	4	14	3	–	3	2	–	2	3	3	20	6	10	5	–	–	77
419	23	2	105	7	15	17	21	4	14	2	–	6	16	7	93	23	30	9	7	–	78
158	9	1	38	1	7	3	11	1	4	1	–	2	5	4	38	6	10	–	4	–	79
261	14	1	67	6	8	14	10	3	10	1	–	4	11	3	55	17	20	9	3	–	80
141	18	2	41	8	10	22	6	–	2	2	–	1	2	2	30	10	13	–	–	2	81
56	6	2	14	3	4	6	3	–	1	–	–	–	2	2	13	2	4	–	–	–	82
85	12	–	27	5	6	16	3	–	1	2	–	1	–	–	17	8	9	–	–	2	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402–404)
	Ohio—Con.																	
01	Lake	1,409	–	–	8	316	75	81	28	39	16	12	65	28	686	516	14	7
02	Eastlake	149	–	–	–	33	4	12	4	3	3	1	6	2	79	65	–	2
03	Mentor	239	–	–	2	54	13	18	4	8	1	2	8	5	114	88	2	1
04	Painesville	184	–	–	1	31	9	8	–	4	1	2	7	4	94	72	1	1
05	Wickliffe	113	–	–	–	34	15	5	1	4	2	2	5	1	58	39	1	2
06	Willoughby	159	–	–	1	46	9	13	8	3	2	2	9	4	63	47	3	–
07	Willowick	131	–	–	1	32	8	5	2	7	4	–	6	5	63	50	3	–
08	Balance of county	434	–	–	3	86	17	20	9	10	3	3	24	7	215	155	4	1
09	Lawrence	636	1	–	2	120	27	38	8	11	9	5	22	15	359	283	6	2
10	Ironton	221	–	–	1	42	10	14	2	6	1	1	8	6	133	102	–	1
11	Balance of county	415	1	–	1	78	17	24	6	5	8	4	14	9	226	181	6	1
12	Licking	1,002	3	–	13	212	53	56	26	18	8	11	40	21	517	372	9	9
13	Newark	488	–	–	6	111	24	33	12	12	2	5	23	10	244	168	3	6
14	Reynoldsburg, part	8	–	–	–	2	–	–	1	1	–	–	–	–	4	4	–	1
15	Balance of county	506	3	–	7	99	29	23	13	5	6	6	17	11	269	200	6	2
16	Logan	443	1	–	5	101	33	25	6	9	5	3	20	7	215	149	2	2
17	Bellefontaine	147	1	–	–	30	16	7	1	–	1	–	5	4	74	54	–	1
18	Balance of county	296	–	–	5	71	17	18	5	9	4	3	15	3	141	95	2	1
19	Lorain	1,946	2	–	13	404	109	94	37	43	27	12	82	30	961	753	12	18
20	Avon Lake	92	–	–	–	18	7	6	1	1	–	1	2	1	48	39	1	1
21	Elyria	460	1	–	1	92	19	24	10	10	7	1	21	9	222	169	3	3
22	Lorain	631	–	–	4	134	44	32	11	13	10	4	20	11	299	242	1	4
23	North Ridgeville	78	–	–	2	12	3	1	2	–	1	1	4	–	37	28	2	–
24	Balance of county	685	1	–	6	148	36	31	13	19	9	5	35	9	355	275	5	10
25	Lucas	4,757	5	–	22	903	251	217	75	100	42	36	182	127	2,600	1,924	35	29
26	Maumee	96	–	–	1	18	6	4	2	1	1	–	4	1	49	35	–	–
27	Oregon	193	–	–	1	30	13	5	3	3	1	1	4	8	108	83	1	2
28	Sylvania	111	–	–	1	24	8	6	1	1	2	1	5	2	62	38	2	1
29	Toledo	3,915	5	–	15	741	201	184	59	81	34	32	150	111	2,151	1,603	28	24
30	Balance of county	442	–	–	4	90	23	18	10	14	4	2	19	5	230	165	4	2
31	Madison	276	2	–	3	50	8	20	3	1	2	3	13	4	166	92	2	2
32	Mahoning	3,126	2	–	19	598	176	147	53	58	32	25	107	91	1,707	1,238	29	19
33	Alliance, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1
34	Campbell	131	–	–	–	22	6	6	–	1	–	–	9	5	66	52	1	–
35	Struthers	141	–	–	–	30	11	8	2	3	2	–	4	4	79	57	1	–
36	Youngstown, part	1,634	2	–	13	313	109	77	23	31	14	10	49	54	877	628	14	11
37	Youngstown, total	1,636	2	–	13	313	109	77	23	31	14	10	49	54	879	629	14	11
38	Balance of county	1,219	–	–	6	233	50	56	28	23	16	15	45	28	684	500	13	7
39	Marion	588	1	–	3	113	32	38	7	10	2	3	21	10	318	228	5	3
40	Marion	367	1	–	–	79	18	30	5	8	1	2	15	5	199	147	3	–
41	Balance of county	221	–	–	3	34	14	8	2	2	1	1	6	5	119	81	2	3
42	Medina	649	–	–	6	138	29	33	16	19	7	6	28	13	310	242	4	3
43	Brunswick	111	–	–	2	14	3	5	3	–	–	1	2	2	46	34	–	1
44	Medina	126	–	–	1	31	6	5	3	6	3	1	7	2	59	42	–	–
45	Wadsworth	115	–	–	2	25	7	9	3	–	1	1	4	5	50	40	1	1
46	Balance of county	297	–	–	1	68	13	14	7	13	3	3	15	4	155	126	3	1
47	Meigs	257	–	–	1	42	12	10	2	10	2	–	6	6	146	101	1	–
48	Mercer	317	1	–	2	66	22	12	4	11	5	2	10	10	169	112	–	3
49	Miami	778	–	–	3	154	32	58	9	17	5	5	28	31	428	332	5	5
50	Piqua	219	–	–	–	50	13	18	3	5	3	1	7	15	114	90	2	2
51	Troy	172	–	–	–	30	6	13	2	1	–	2	6	7	93	80	2	–
52	Balance of county	387	–	–	3	74	13	27	4	11	2	2	15	9	221	162	1	3
53	Monroe	147	–	–	–	18	2	1	3	2	2	2	6	4	91	63	1	1
54	Montgomery	4,860	5	1	25	1,017	264	286	85	134	38	41	169	91	2,394	1,824	37	27
55	Centerville	75	–	–	1	21	5	5	4	2	–	1	4	3	27	23	2	–
56	Dayton	2,386	4	1	11	462	129	123	32	70	18	20	70	52	1,182	892	11	12
57	Kettering	496	–	–	–	131	29	33	15	15	5	6	28	6	251	196	7	6
58	Miamisburg	124	–	–	–	23	8	8	–	2	1	1	3	4	66	47	–	1
59	Oakwood	102	–	–	–	18	8	3	1	–	–	–	6	–	65	48	2	–
60	Vandalia	66	–	–	2	16	1	8	3	2	1	–	1	1	24	17	–	1
61	West Carrollton	77	–	–	–	15	1	8	1	2	–	–	3	1	33	30	–	–
62	Balance of county	1,534	1	–	11	331	83	98	29	41	13	13	54	24	746	571	15	7
63	Morgan	145	–	–	1	26	7	2	3	7	2	–	5	2	79	66	–	–
64	Morrow	209	–	–	1	31	7	7	4	3	1	3	6	2	131	79	–	1
65	Muskingum	853	–	–	3	185	45	52	19	22	10	5	32	27	454	331	9	6
66	Zanesville	472	–	–	1	108	22	32	11	10	6	2	25	11	242	174	6	3
67	Balance of county	381	–	–	2	77	23	20	8	12	4	3	7	16	212	157	3	3
68	Noble	110	–	–	2	20	8	5	1	–	2	–	4	2	67	49	1	–
69	Ottawa	404	–	–	1	94	28	21	4	9	9	4	19	4	215	162	–	4
70	Paulding	147	–	–	–	24	7	5	2	2	2	–	6	1	83	67	1	2
71	Perry	306	–	–	1	55	12	13	7	8	1	5	9	10	189	145	2	2
72	Pickaway	327	–	–	4	62	19	16	6	8	2	3	8	11	165	110	2	5
73	Circleville	111	–	–	–	24	6	11	3	2	1	–	1	5	54	38	2	2
74	Balance of county	216	–	–	4	38	13	5	3	6	1	3	7	6	111	72	–	3
75	Pike	239	–	–	3	35	4	5	1	8	2	4	11	9	143	114	–	3
76	Portage	833	–	–	5	172	42	40	13	20	8	9	40	21	452	358	14	1
77	Kent	150	–	–	1	33	9	7	4	3	2	2	6	6	78	55	2	–
78	Ravenna	128	–	–	–	24	4	7	2	1	1	2	7	2	80	65	1	–
79	Balance of county	555	–	–	4	115	29	26	7	16	5	5	27	13	294	238	11	1
80	Preble	313	–	–	1	56	9	11	6	11	4	2	13	9	172	126	3	2
81	Putnam	245	–	–	3	42	15	8	7	2	3	1	6	6	126	97	1	3
82	Richland	1,143	1	–	7	219	53	49	17	27	13	12	48	31	635	466	7	30
83	Mansfield	653	–	–	4	128	36	28	11	12	10	7	24	22	346	251	5	20
84	Balance of county	490	1	–	3	91	17	21	6	15	3	5	24	9	289	215	2	10

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–776)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
453	42	2	127	14	27	37	33	5	24	5	1	10	16	16	113	38	46	18	4	5	01
58	5	–	10	2	2	5	3	–	1	–	–	3	1	3	10	3	3	3	–	–	02
77	8	1	18	1	6	4	5	2	5	–	–	1	5	3	20	7	4	3	2	3	03
67	3	–	19	2	1	3	6	–	4	2	–	–	3	3	23	6	3	–	1	–	04
33	3	–	16	1	2	2	1	1	2	–	–	1	–	–	8	2	2	1	–	–	05
38	6	1	14	–	1	5	7	1	2	–	1	2	4	1	10	2	4	4	1	1	06
42	5	–	7	2	4	6	5	–	1	–	–	–	1	1	5	1	9	1	–	–	07
138	12	–	43	6	11	12	6	1	9	3	–	3	2	5	37	17	21	6	–	1	08
257	18	7	59	4	6	11	11	2	5	1	–	4	2	3	51	11	24	8	6	–	09
93	8	6	21	2	2	4	5	1	2	1	–	1	–	–	17	–	5	3	–	–	10
164	10	1	38	2	4	7	6	1	3	–	–	3	2	3	34	11	19	5	6	–	11
323	31	5	102	16	22	30	21	1	13	6	–	4	8	6	89	15	25	11	5	2	12
148	11	3	61	5	7	17	11	–	9	1	–	4	2	1	46	6	14	3	2	1	13
3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	14
172	20	2	41	11	15	12	10	1	4	5	–	–	5	5	43	9	11	8	3	1	15
136	9	–	46	11	9	13	7	1	5	7	–	3	9	2	42	9	12	3	1	–	16
48	5	–	14	5	1	7	1	–	2	–	–	2	4	1	15	2	3	1	–	–	17
88	4	–	32	6	8	6	6	1	3	7	–	1	5	1	27	7	9	2	1	–	18
675	48	8	135	28	37	55	31	4	27	10	3	21	38	48	136	56	54	26	22	5	19
35	2	–	7	1	1	3	–	–	3	–	–	1	2	1	5	4	2	2	1	1	20
149	14	4	32	5	12	11	7	1	4	5	–	8	10	10	38	11	11	7	11	1	21
222	15	2	40	3	12	20	16	3	9	1	3	4	14	22	49	9	21	4	7	1	22
26	–	–	6	2	1	3	1	–	1	–	–	2	1	2	6	5	1	5	–	–	23
243	17	2	50	17	11	18	7	–	10	4	–	6	11	13	38	27	19	8	3	2	24
1,787	73	15	505	86	70	101	100	10	72	18	–	38	60	16	333	78	108	102	58	6	25
34	1	–	13	–	1	3	1	–	2	–	–	2	1	–	7	2	3	4	2	–	26
79	1	–	17	4	4	3	5	1	2	1	–	–	1	1	17	7	3	3	2	–	27
35	–	1	15	6	2	1	1	1	2	–	–	4	1	–	6	2	1	3	–	–	28
1,487	64	13	416	64	55	81	86	8	62	14	–	26	52	15	282	44	86	81	50	5	29
152	7	1	44	12	8	13	7	–	4	3	–	6	5	–	21	23	15	11	4	1	30
82	6	–	61	9	4	4	2	1	1	1	–	2	3	5	11	9	6	6	–	–	31
1,111	79	10	330	77	52	74	39	7	58	14	–	16	40	19	235	54	73	40	38	2	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
47	4	2	9	3	–	4	–	1	3	2	–	1	2	2	11	3	4	3	2	–	34
53	3	–	14	6	2	1	2	2	3	1	–	2	–	1	9	3	1	2	–	1	35
551	52	6	176	34	33	39	19	2	34	9	–	9	26	12	125	17	38	16	29	–	36
552	52	6	177	34	33	39	19	2	34	9	–	9	26	12	125	17	38	16	29	–	37
460	20	2	131	34	17	30	18	2	18	2	–	4	12	4	90	31	30	19	7	1	38
204	16	2	74	10	4	16	10	–	5	1	–	4	10	–	45	19	18	12	3	–	39
134	10	2	45	4	1	10	5	–	3	1	–	2	8	–	28	10	7	7	2	–	40
70	6	–	29	6	3	6	5	–	2	–	–	2	2	–	17	9	11	5	1	–	41
207	28	–	45	15	8	10	7	1	8	2	–	7	14	13	57	21	20	12	8	2	42
24	9	–	6	4	2	4	1	–	2	1	–	2	6	–	15	5	4	1	6	–	43
37	5	–	12	3	2	2	3	–	–	–	–	2	3	1	10	2	5	4	1	–	44
37	1	–	7	2	1	1	–	1	2	–	–	1	2	4	11	2	4	5	–	–	45
109	13	–	20	6	3	3	3	–	4	1	–	2	3	8	21	12	7	2	1	2	46
86	14	–	33	8	4	4	3	1	4	4	–	–	1	2	19	4	9	6	3	2	47
101	8	1	37	8	11	9	4	1	6	3	–	1	5	4	19	10	6	1	–	–	48
274	48	2	65	18	11	13	8	4	9	6	–	5	7	3	67	17	14	7	2	–	49
74	12	1	17	3	3	5	1	2	1	2	–	1	1	1	14	6	5	1	–	–	50
64	14	–	8	3	2	5	1	–	4	1	–	2	1	1	20	3	4	–	–	–	51
136	22	1	40	12	6	3	6	2	4	3	–	2	5	1	33	8	5	6	2	–	52
59	2	–	21	7	–	6	1	2	1	–	–	–	1	1	8	2	7	4	1	–	53
1,657	103	11	433	65	61	128	61	15	70	25	–	26	89	70	459	110	127	68	77	2	54
20	1	–	3	1	–	–	–	1	1	1	–	1	3	2	3	6	2	2	–	1	55
818	51	3	218	31	38	65	27	8	38	23	–	11	41	43	242	35	54	29	57	1	56
169	14	2	40	9	4	8	6	–	4	–	–	–	5	3	47	8	17	7	3	–	57
42	4	1	16	1	1	2	2	–	1	–	–	2	1	–	12	6	4	1	–	–	58
46	–	–	13	3	1	4	1	–	2	–	–	–	–	–	6	1	2	1	2	–	59
15	1	–	6	1	–	2	–	–	–	–	–	–	1	3	8	4	3	2	–	–	60
27	3	–	3	–	–	1	1	–	3	–	–	1	3	1	8	3	4	–	3	–	61
520	29	5	134	19	17	46	24	6	21	1	–	11	35	18	133	47	41	26	12	–	62
58	8	1	10	–	2	3	5	–	–	–	–	1	2	4	10	6	1	5	–	–	63
72	6	5	34	9	4	6	3	1	1	–	1	2	4	3	8	5	8	2	–	–	64
299	17	5	73	24	21	15	27	–	7	4	–	4	13	8	68	13	14	5	4	2	65
161	4	3	45	10	10	10	20	–	2	2	–	3	6	7	41	7	5	3	2	2	66
138	13	2	28	14	11	5	7	–	5	2	–	1	7	1	27	6	9	2	2	–	67
45	3	–	16	–	2	4	2	–	1	–	–	–	–	–	6	2	2	2	–	–	68
153	5	–	45	2	6	8	1	–	4	2	–	2	3	7	39	14	6	4	–	–	69
57	7	–	14	1	1	6	1	–	–	2	–	–	2	2	11	2	5	4	3	1	70
134	7	1	36	2	5	8	3	–	3	1	–	2	1	1	18	5	5	2	–	2	71
94	9	–	45	5	5	2	3	1	2	2	–	5	4	8	29	9	12	7	–	1	72
30	4	–	13	2	1	1	2	–	1	–	–	2	3	2	12	3	2	–	–	–	73
64	5	–	32	3	4	1	1	1	1	2	–	3	1	6	17	6	10	7	–	1	74
100	11	–	20	4	5	5	2	–	2	2	–	1	2	4	16	5	8	–	2	–	75
319	24	3	73	12	6	12	8	–	5	6	–	9	13	12	55	19	25	16	3	–	76
50	3	1	17	3	2	4	–	–	1	1	–	1	5	2	11	2	3	–	2	–	77
61	3	–	14	–	1	2	–	–	1	–	–	1	1	2	7	–	6	2	–	–	78
208	18	2	42	9	3	6	8	–	3	5	–	7	7	8	37	17	16	14	1	–	79
115	6	1	38	3	4	10	5	1	–	2	–	5	2	1	16	11	13	5	2	2	80
88	5	–	21	7	1	7	3	–	3	–	–	4	5	2	22	11	8	2	–	1	81
410	19	7	128	23	11	11	18	3	17	5	1	5	20	21	82	21	15	4	1	26	82
220	6	4	70	14	7	5	11	2	13	4	1	3	15	15	48	8	8	3	1	16	83
190	13	3	58	9	4	6	7	1	4	1	–	2	5	6	34	13	7	1	–	10	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Ross	629	1	–	4	131	32	39	5	15	7	5	28	10	367	269	7	1
02	Chillicothe	326	–	–	1	78	19	23	2	9	4	3	18	5	183	125	3	–
03	Balance of county	303	1	–	3	53	13	16	3	6	3	2	10	5	184	144	4	1
04	Sandusky	581	1	–	1	118	30	27	9	18	5	6	23	13	313	257	2	6
05	Fremont	210	–	–	–	47	10	13	4	7	3	2	8	7	113	95	–	3
06	Balance of county	371	1	–	1	71	20	14	5	11	2	4	15	6	200	162	2	3
07	Scioto	940	–	–	4	179	51	36	15	26	9	9	33	28	521	405	2	2
08	Portsmouth	406	–	–	2	71	17	18	6	9	2	4	15	9	239	182	–	1
09	Balance of county	534	–	–	2	108	34	18	9	17	7	5	18	19	282	223	2	1
10	Seneca	533	1	–	1	93	26	32	6	11	4	1	13	13	311	256	2	4
11	Fostoria, part	142	1	–	–	23	7	5	3	4	2	–	2	3	79	63	–	–
12	Fostoria, total	168	1	–	–	29	7	6	3	6	2	–	5	4	94	74	–	–
13	Tiffin	191	–	–	1	35	10	14	2	2	2	–	5	7	118	96	–	1
14	Balance of county	200	–	–	–	35	9	13	1	5	–	1	6	3	114	97	2	3
15	Shelby	312	1	–	–	65	19	11	11	3	2	3	16	3	162	121	3	1
16	Sidney	152	–	–	–	32	9	7	6	1	–	1	8	1	76	51	1	1
17	Balance of county	160	1	–	–	33	10	4	5	2	2	2	8	2	86	70	2	–
18	Stark	3,443	3	–	16	667	182	145	74	76	36	32	122	59	1,893	1,427	31	28
19	Alliance, part	325	–	–	–	63	19	21	8	7	–	3	5	5	173	129	7	2
20	Alliance, total	326	–	–	–	63	19	21	8	7	–	3	5	5	174	130	7	3
21	Canton	1,230	1	–	7	215	65	43	20	26	10	7	44	15	712	519	12	14
22	Massillon	376	1	–	3	78	25	15	7	3	6	3	19	5	192	141	–	4
23	North Canton	147	–	–	–	35	9	5	9	3	1	3	5	8	77	57	2	1
24	Balance of county	1,365	1	–	6	276	64	61	30	37	19	16	49	26	739	581	10	7
25	Summit	4,779	5	1	30	990	276	261	87	97	39	50	180	101	2,366	1,715	34	31
26	Akron	2,760	5	–	16	528	140	141	49	50	17	29	102	67	1,359	976	18	21
27	Barberton	324	–	–	4	69	17	20	6	4	6	3	13	8	164	120	1	2
28	Cuyahoga Falls	369	–	1	1	84	24	21	8	12	2	6	11	8	186	129	3	2
29	Norton	78	–	–	2	16	7	6	1	1	–	1	–	–	45	34	–	–
30	Stow	113	–	–	–	21	5	5	6	3	–	1	1	1	58	48	1	–
31	Tallmadge	97	–	–	1	22	10	4	–	3	–	–	5	1	44	33	1	1
32	Balance of county	1,038	–	–	6	250	73	64	17	24	14	10	48	16	510	375	10	5
33	Trumbull	2,018	1	–	11	381	123	83	28	36	14	17	80	46	1,136	894	19	11
34	Girard	117	–	–	–	27	9	3	1	3	–	4	7	3	69	52	1	–
35	Niles	239	–	–	1	47	16	11	2	4	5	1	8	3	144	107	1	–
36	Warren	658	1	–	1	135	43	31	10	17	6	7	21	11	362	285	7	2
37	Youngstown, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
38	Balance of county	1,002	–	–	9	172	55	38	15	12	3	5	44	29	559	449	10	9
39	Tuscarawas	854	–	–	4	161	40	48	13	14	5	7	34	17	471	343	4	5
40	Dover	132	–	–	–	24	5	6	4	1	2	–	6	2	74	50	3	–
41	New Philadelphia	205	–	–	1	44	13	12	4	6	1	–	8	4	111	75	–	–
42	Balance of county	517	–	–	3	93	22	30	5	7	2	7	20	11	286	218	1	5
43	Union	248	–	–	1	43	13	8	4	6	4	2	6	2	145	107	2	2
44	Van Wert	298	1	–	3	74	28	16	5	8	3	4	10	7	153	103	1	–
45	Van Wert	126	1	–	1	28	13	5	–	6	–	2	2	2	67	44	1	–
46	Balance of county	172	–	–	2	46	15	11	5	2	3	2	8	5	86	59	–	–
47	Vinton	112	–	–	–	23	8	3	1	7	–	1	3	1	60	44	2	–
48	Warren	615	2	–	2	110	27	29	13	8	6	6	21	13	348	252	2	2
49	Franklin	102	–	–	–	19	5	4	3	–	2	2	3	2	54	42	1	–
50	Balance of county	513	2	–	2	91	22	25	10	8	4	4	18	11	294	210	1	2
51	Washington	549	–	–	2	111	28	27	10	10	9	6	21	15	310	217	–	1
52	Marietta	198	–	–	1	35	13	6	3	3	3	2	5	7	119	78	–	1
53	Balance of county	351	–	–	1	76	15	21	7	7	6	4	16	8	191	139	–	–
54	Wayne	723	–	–	4	134	42	25	11	10	9	8	29	13	395	286	6	3
55	Wooster	198	–	–	2	31	9	4	3	2	1	4	8	3	113	80	1	1
56	Balance of county	525	–	–	2	103	33	21	8	8	8	4	21	10	282	206	5	2
57	Williams	353	–	–	1	58	15	10	2	6	5	11	9	8	209	173	5	2
58	Wood	711	1	–	2	136	27	32	17	26	4	4	26	10	403	309	4	10
59	Bowling Green	110	–	–	–	24	5	5	3	5	1	1	4	2	57	37	–	–
60	Fostoria, part	10	–	–	–	4	–	–	–	1	–	–	3	–	5	5	–	–
61	Balance of county	591	1	–	2	108	22	27	14	20	3	3	19	8	341	267	4	10
62	Wyandot	217	–	–	–	48	10	11	4	6	2	2	13	1	116	71	1	–
63	**Oklahoma**	**26,791**	**44**	**6**	**202**	**5,122**	**1,234**	**1,430**	**384**	**580**	**239**	**214**	**1,041**	**411**	**13,622**	**9,961**	**111**	**145**
64	Urban places	12,973	20	4	99	2,604	609	754	229	280	120	102	510	189	6,401	4,622	54	56
65	Balance of area	13,818	24	2	103	2,518	625	676	155	300	119	112	531	222	7,221	5,339	57	89
66	Metropolitan counties	11,263	21	2	93	2,266	534	670	198	229	95	102	438	160	5,442	4,005	60	56
67	Urban places	8,944	16	2	70	1,802	420	543	166	181	67	77	348	128	4,287	3,145	45	33
68	Balance of area	2,319	5	–	23	464	114	127	32	48	28	25	90	32	1,155	860	15	23
69	Nonmetropolitan counties	15,528	23	4	109	2,856	700	760	186	351	144	112	603	251	8,180	5,956	51	89
70	Urban places	4,029	4	2	29	802	189	211	63	99	53	25	162	61	2,114	1,477	9	23
71	Balance of area	11,499	19	2	80	2,054	511	549	123	252	91	87	441	190	6,066	4,479	42	66
72	Adair	206	1	–	4	26	8	6	2	2	1	1	6	2	110	77	2	–
73	Alfalfa	115	–	–	–	23	6	7	1	2	–	2	5	1	77	59	–	–
74	Atoka	122	–	–	–	17	4	7	–	1	2	–	3	2	69	55	–	–
75	Beaver	51	–	–	1	8	3	3	–	–	1	–	1	3	23	18	–	–
76	Beckham	267	–	–	–	53	10	16	4	5	1	1	16	8	126	92	–	4
77	Blaine	187	–	–	3	36	7	7	4	6	–	4	8	1	95	69	2	1
78	Bryan	330	–	–	3	66	16	21	7	10	3	1	8	9	196	143	–	–
79	Durant	132	–	–	3	19	8	5	2	2	–	–	2	4	83	62	–	–
80	Balance of county	198	–	–	–	47	8	16	5	8	3	1	6	5	113	81	–	–
81	Caddo	352	1	–	1	58	19	14	3	7	4	–	11	9	158	113	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
248	13	2	65	20	11	18	3	2	5	2	1	2	9	7	45	8	6	6	2	–	01
113	9	1	41	9	7	12	3	1	1	1	1	–	5	3	23	2	3	3	1	–	02
135	4	1	24	11	4	6	–	1	4	1	–	2	4	4	22	6	3	3	1	–	03
239	10	3	36	5	12	10	6	3	4	4	–	3	12	3	41	21	17	10	1	–	04
89	3	1	12	1	4	4	–	1	2	2	–	–	6	2	15	2	5	4	–	–	05
150	7	2	24	4	8	6	6	2	2	2	–	3	6	1	26	19	12	6	1	–	06
375	26	3	81	13	19	17	19	–	8	7	–	6	14	4	79	17	20	8	4	5	07
162	19	2	38	7	10	7	9	–	3	4	–	4	4	2	36	3	4	5	1	3	08
213	7	1	43	6	9	10	10	–	5	3	–	2	10	2	43	14	16	3	3	2	09
242	8	–	41	7	7	11	9	–	5	3	–	–	5	1	33	14	17	12	4	–	10
62	1	–	11	3	2	2	4	–	1	2	–	–	4	–	8	4	5	4	2	–	11
72	2	–	14	3	3	2	5	–	1	2	–	–	4	–	10	5	5	4	2	–	12
92	3	–	17	2	3	4	1	–	1	–	–	–	1	1	11	2	4	4	1	–	13
88	4	–	13	2	2	5	4	–	3	1	–	–	–	–	14	8	8	4	1	–	14
105	12	–	23	9	9	3	7	1	1	–	–	2	5	7	29	12	12	2	–	–	15
47	2	–	16	6	3	3	2	1	–	–	–	2	4	3	18	5	3	2	–	–	16
58	10	–	7	3	6	–	5	–	1	–	–	–	1	4	11	7	9	–	–	–	17
1,284	84	18	332	66	50	99	42	7	44	11	1	22	40	24	285	70	87	54	17	2	18
115	5	3	30	10	1	11	6	2	4	–	–	1	4	4	33	11	5	3	–	–	19
115	5	3	30	10	1	11	6	2	4	–	–	1	4	4	33	11	5	3	–	–	20
463	30	8	135	23	27	33	15	3	15	3	–	7	21	4	97	20	28	21	13	–	21
129	8	1	37	7	6	9	1	1	6	3	–	3	5	1	41	4	14	7	2	–	22
51	3	1	12	4	3	2	–	–	–	–	–	4	–	4	9	2	4	2	–	–	23
526	38	5	118	22	13	44	20	1	19	5	1	7	10	11	105	33	36	21	2	2	24
1,509	141	5	475	88	83	104	42	13	58	16	–	31	43	400	394	45	56	71	11	2	25
847	90	3	281	53	46	56	28	11	40	11	–	14	27	274	233	21	28	33	8	1	26
109	8	–	32	3	9	6	2	–	3	–	–	2	3	22	33	2	1	3	1	1	27
111	13	–	35	13	9	14	1	–	1	2	–	3	–	20	33	1	8	6	–	–	28
34	–	–	7	1	3	–	–	–	2	–	–	3	1	4	4	–	1	–	–	–	29
43	4	–	8	1	1	5	1	–	–	–	–	–	2	9	10	3	–	3	–	–	30
30	1	–	10	–	1	2	–	1	–	–	–	3	–	10	7	3	2	1	–	–	31
335	25	2	102	17	14	21	10	1	12	3	–	6	10	61	74	15	16	25	2	–	32
804	60	6	175	38	23	45	27	9	27	10	–	11	22	16	140	42	42	29	20	3	33
49	2	2	13	–	2	3	1	–	1	–	–	1	2	–	6	1	1	1	1	–	34
96	10	2	31	2	2	8	3	2	2	1	–	1	2	2	13	3	3	4	–	–	35
259	17	1	58	12	6	12	13	2	12	2	–	3	10	7	43	10	17	5	11	1	36
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
399	31	1	72	24	13	22	10	5	12	7	–	6	8	7	78	28	21	19	8	2	38
312	22	3	95	17	13	13	8	5	12	4	–	4	8	6	77	22	25	15	2	–	39
47	–	1	17	4	2	6	1	–	1	1	–	–	1	–	15	3	1	3	–	–	40
71	4	2	29	2	3	3	1	2	2	1	–	–	3	2	17	4	6	4	–	–	41
194	18	–	49	11	8	4	6	3	9	2	–	4	4	4	45	15	18	8	2	–	42
99	4	–	25	9	4	14	1	–	1	2	–	1	3	3	15	7	7	3	–	–	43
95	7	6	28	11	5	3	6	3	2	–	–	–	2	2	22	7	7	5	1	–	44
41	2	2	11	6	4	2	3	2	1	–	–	–	1	1	7	3	4	2	1	–	45
54	5	4	17	5	1	1	3	1	1	–	–	–	1	1	15	4	3	3	–	–	46
38	4	–	14	1	1	2	1	–	–	–	–	2	1	2	9	2	5	2	1	1	47
233	15	1	80	11	4	13	3	1	4	1	–	6	7	4	52	18	21	5	4	1	48
41	–	–	8	2	2	2	–	–	1	–	–	2	1	1	11	4	3	2	–	–	49
192	15	1	72	9	2	11	3	1	3	1	–	4	6	3	41	14	18	3	4	1	50
206	10	2	68	14	9	15	5	2	3	4	–	4	6	3	35	14	10	8	1	1	51
72	5	–	31	6	4	3	2	2	–	–	–	1	4	1	16	–	5	2	–	–	52
134	5	2	37	8	5	12	3	–	3	4	–	3	2	2	19	14	5	6	1	1	53
264	13	3	83	8	15	28	15	4	3	4	–	10	9	14	48	13	14	11	1	3	54
76	2	1	29	–	3	9	5	1	2	2	–	4	4	3	8	3	3	3	–	2	55
188	11	2	54	8	12	19	10	3	1	2	–	6	5	11	40	10	11	8	1	1	56
155	11	1	29	3	3	4	5	2	2	3	–	3	3	2	25	13	11	4	–	–	57
273	22	3	58	18	15	28	8	1	7	2	1	8	10	2	42	24	10	12	4	–	58
36	1	1	14	3	2	6	1	1	2	2	1	–	1	–	7	3	–	3	–	–	59
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	60
232	21	2	44	15	13	22	7	–	5	–	–	8	9	2	34	21	10	9	4	–	61
56	14	–	38	3	4	9	1	2	2	–	–	2	3	1	19	5	6	2	–	–	62
8,746	959	62	2,823	426	350	783	306	67	341	140	3	156	285	410	2,477	899	792	429	254	42	63
4,090	422	27	1,373	189	190	360	144	32	180	65	2	81	171	187	1,254	358	383	266	150	23	64
4,656	537	35	1,450	237	160	423	162	35	161	75	1	75	114	223	1,223	541	409	163	104	19	65
3,521	368	23	1,093	161	160	312	126	25	161	59	2	69	157	184	1,095	354	321	252	141	21	66
2,782	285	18	867	126	131	246	105	22	140	45	2	55	135	138	881	241	267	220	123	19	67
739	83	5	226	35	29	66	21	3	21	14	–	14	22	46	214	113	54	32	18	2	68
5,225	591	39	1,730	265	190	471	180	42	180	81	1	87	128	226	1,382	545	471	177	113	21	69
1,308	137	9	506	63	59	114	39	10	40	20	–	26	36	49	373	117	116	46	27	4	70
3,917	454	30	1,224	202	131	357	141	32	140	61	1	61	92	177	1,009	428	355	131	86	17	71
68	7	–	26	2	5	9	2	2	3	1	–	–	2	4	23	5	9	1	2	–	72
54	5	–	10	8	–	1	–	–	2	1	–	–	–	2	3	2	3	–	–	–	73
48	7	–	14	–	–	8	–	–	3	1	1	–	–	1	14	2	4	–	–	–	74
14	4	–	4	–	1	1	1	–	–	2	–	–	1	–	2	5	2	1	1	–	75
82	6	–	28	6	–	10	8	–	2	–	–	–	1	29	10	10	4	2	2	2	76
57	9	1	11	8	6	9	1	–	4	–	–	1	1	1	19	8	7	–	1	–	77
129	14	–	34	11	8	5	3	1	3	–	–	1	1	3	26	2	5	3	3	–	78
55	7	–	13	4	4	2	1	1	1	–	–	–	–	2	10	1	3	1	1	–	79
74	7	–	21	7	4	3	2	–	2	–	–	1	1	1	16	1	2	2	2	–	80
103	9	–	39	1	5	4	8	2	9	1	–	5	2	7	42	23	17	5	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Canadian	354	–	–	4	82	13	22	3	14	5	6	19	5	183	129	3	1
02	El Reno	174	–	–	1	37	4	11	1	8	3	3	7	3	93	67	1	–
03	Oklahoma City, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
04	Balance of county	179	–	–	3	44	8	11	2	6	2	3	12	2	90	62	2	1
05	Carter	491	–	–	–	105	20	37	9	8	5	3	23	8	250	169	–	5
06	Ardmore	341	–	–	–	79	15	30	6	5	4	2	17	5	170	108	–	3
07	Balance of county	150	–	–	–	26	5	7	3	3	1	1	6	3	80	61	–	2
08	Cherokee	235	2	–	4	46	8	12	1	8	4	2	11	3	116	80	–	1
09	Choctaw	233	–	–	1	39	9	10	1	2	2	–	15	4	137	115	–	8
10	Cimarron	38	–	–	–	10	3	2	–	1	1	3	–	–	21	16	–	–
11	Cleveland	534	–	–	7	101	23	29	9	9	3	7	21	11	255	180	–	3
12	Moore	104	–	–	3	17	3	4	3	1	1	1	4	1	49	38	–	1
13	Norman	317	–	–	2	60	15	17	4	5	2	5	12	5	159	114	–	1
14	Oklahoma City, part	10	–	–	–	1	–	1	–	–	–	–	–	–	3	2	–	–
15	Balance of county	103	–	–	2	23	5	7	2	3	–	1	5	5	44	26	–	1
16	Coal	94	–	–	1	22	4	7	1	2	1	1	6	–	44	32	–	1
17	Comanche	639	1	1	4	132	28	35	14	15	5	6	29	15	267	204	3	4
18	Lawton	514	1	1	4	103	22	29	11	10	3	5	23	10	220	169	3	2
19	Balance of county	125	–	–	–	29	6	6	3	5	2	1	6	5	47	35	–	2
20	Cotton	91	–	–	–	11	1	2	2	1	1	1	3	–	50	31	–	–
21	Craig	221	–	–	–	34	8	13	2	6	–	3	2	3	119	81	3	–
22	Creek	558	–	–	6	99	27	26	7	14	6	2	17	12	294	221	2	2
23	Sapulpa	228	–	–	1	37	11	9	1	6	1	1	8	6	128	90	–	1
24	Balance of county	330	–	–	5	62	16	17	6	8	5	1	9	6	166	131	2	1
25	Custer	247	1	–	1	40	11	12	1	2	2	2	10	10	132	93	1	2
26	Delaware	249	1	–	2	47	10	16	2	2	–	4	13	5	131	104	–	–
27	Dewey	85	–	–	1	13	2	2	1	1	2	–	5	3	38	27	–	–
28	Ellis	64	–	–	–	10	2	1	1	1	1	–	4	1	37	26	1	–
29	Garfield	608	1	–	2	122	32	37	8	19	4	2	20	12	328	242	6	5
30	Enid	497	1	–	2	99	23	34	7	14	4	1	16	9	268	198	5	5
31	Balance of county	111	–	–	–	23	9	3	1	5	–	1	4	3	60	44	1	–
32	Garvin	328	–	–	2	58	12	16	6	10	1	2	11	2	162	116	1	4
33	Grady	415	–	1	3	80	14	22	7	13	9	3	12	8	207	137	1	1
34	Chickasha	263	–	–	2	51	8	13	5	7	9	2	7	3	129	85	–	1
35	Balance of county	152	–	1	1	29	6	9	2	6	–	1	5	5	78	52	1	–
36	Grant	98	–	–	–	12	1	5	1	1	2	–	2	–	58	45	–	–
37	Greer	121	–	–	–	19	5	4	–	3	–	2	5	–	74	44	–	–
38	Harmon	58	–	–	1	5	1	2	–	1	1	–	–	–	42	36	–	–
39	Harper	50	–	–	–	12	4	5	1	1	1	–	–	–	29	23	–	–
40	Haskell	116	–	–	1	13	2	6	–	3	–	1	1	–	73	54	1	–
41	Hughes	237	1	–	2	31	9	8	1	3	2	3	5	2	130	81	–	1
42	Jackson	244	–	–	2	51	14	14	4	6	2	3	8	8	117	80	–	5
43	Altus	173	–	–	2	41	12	10	3	5	2	2	7	4	79	57	–	4
44	Balance of county	71	–	–	–	10	2	4	1	1	–	1	1	4	38	23	–	1
45	Jefferson	107	–	–	–	25	7	5	2	4	2	1	4	3	53	38	1	–
46	Johnston	140	–	–	–	23	5	12	2	1	–	–	3	1	79	60	2	–
47	Kay	517	2	1	2	119	29	24	7	21	9	6	23	7	271	215	3	1
48	Ponca City	247	1	1	1	62	20	10	5	10	3	2	12	3	127	100	2	1
49	Balance of county	270	1	–	1	57	9	14	2	11	6	4	11	4	144	115	1	–
50	Kingfisher	126	–	–	1	15	6	6	–	–	1	1	1	1	76	54	–	1
51	Kiowa	174	–	–	–	30	6	8	1	4	3	1	7	2	99	70	–	–
52	Latimer	101	1	–	–	17	3	3	–	3	1	2	5	–	54	41	–	–
53	Le Flore	418	–	–	3	97	31	16	7	7	5	9	22	1	220	158	1	3
54	Lincoln	252	–	1	2	37	9	7	1	5	5	–	10	7	153	122	–	4
55	Logan	252	–	–	2	45	16	13	5	3	–	1	7	2	137	96	–	1
56	Love	62	–	–	–	9	1	4	1	1	–	–	2	3	27	17	–	–
57	McClain	162	–	–	–	24	7	4	–	6	1	2	4	–	83	48	–	–
58	Oklahoma City, part	6	–	–	–	1	–	–	–	1	–	–	–	–	3	–	–	–
59	Balance of county	156	–	–	–	23	7	4	–	5	1	2	4	–	80	48	–	–
60	McCurtain	364	4	–	4	59	17	13	2	7	1	2	17	6	184	142	4	4
61	McIntosh	194	–	–	5	37	11	7	2	4	1	1	11	4	107	76	3	–
62	Major	70	–	–	–	11	3	–	–	4	1	–	3	3	31	24	–	–
63	Marshall	127	–	–	1	24	3	8	1	2	4	1	5	1	80	50	–	–
64	Mayes	287	1	–	3	65	12	19	7	7	2	2	16	5	147	104	2	2
65	Murray	125	1	–	–	26	4	5	1	2	1	3	10	4	53	36	1	–
66	Muskogee	779	–	–	4	162	40	37	11	23	8	6	37	12	388	287	1	3
67	Muskogee	553	–	–	3	107	29	26	8	14	6	5	19	6	279	202	1	2
68	Balance of county	226	–	–	1	55	11	11	3	9	2	1	18	6	109	85	–	1
69	Noble	136	–	–	1	34	11	9	3	5	1	3	2	1	73	56	–	2
70	Nowata	174	–	–	2	33	7	9	2	6	–	1	8	3	98	55	2	1
71	Okfuskee	127	1	–	–	25	5	4	2	4	1	1	8	2	69	60	–	1
72	Oklahoma	4,628	14	–	35	933	220	278	80	96	30	37	192	64	2,201	1,639	23	29
73	Bethany	138	–	–	–	35	9	12	2	4	2	–	6	3	67	53	–	–
74	Del City	150	–	–	1	33	8	11	5	2	2	1	4	2	68	59	–	–
75	Edmond	162	–	–	–	36	11	5	5	2	2	2	9	1	76	51	1	–
76	Midwest City	268	3	–	3	59	12	21	7	5	1	2	11	4	117	89	1	3
77	Oklahoma City, part	3,636	10	–	27	730	171	217	59	80	23	30	150	52	1,736	1,281	17	15
78	Oklahoma City, total	3,654	11	–	27	733	172	218	59	81	23	30	150	52	1,742	1,283	17	15
79	The Village	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1
80	Balance of county	271	1	–	4	40	9	12	2	3	–	2	12	2	135	104	4	10
81	Okmulgee	460	–	–	5	73	22	16	5	12	1	2	15	6	261	218	–	2
82	Okmulgee	218	–	–	2	36	10	6	2	9	1	1	7	3	121	87	–	–
83	Balance of county	242	–	–	3	37	12	10	3	3	–	1	8	3	140	131	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
110	15	–	38	7	9	8	4	2	6	–	–	1	1	1	29	15	7	5	1	–	01
60	6	–	21	2	3	5	3	1	5	–	–	–	–	–	16	5	4	–	1	–	02
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
50	9	–	17	5	6	3	1	1	1	–	–	1	1	1	13	10	3	5	–	–	04
143	21	3	68	7	3	23	6	–	3	1	–	4	5	6	41	17	16	4	2	–	05
91	14	2	53	4	3	16	4	–	3	1	–	3	5	3	26	9	12	3	2	–	06
52	7	1	15	3	–	7	2	–	–	–	–	1	–	3	15	8	4	1	–	–	07
73	6	1	26	1	8	7	2	2	2	1	–	1	2	4	24	9	4	3	3	–	08
89	18	1	16	2	3	1	6	–	4	3	–	1	2	–	13	8	7	1	5	1	09
12	4	–	3	2	–	2	–	–	–	–	–	–	–	–	2	2	–	–	1	–	10
164	13	–	56	8	11	15	8	1	9	3	–	–	14	15	41	22	19	9	3	1	11
34	3	–	9	2	–	1	1	–	–	–	–	–	4	1	12	4	6	3	2	–	12
104	9	–	37	1	7	11	5	–	8	2	–	–	7	8	19	12	12	5	1	1	13
2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	2	2	1	–	–	–	14
24	1	–	10	5	3	3	2	1	–	1	–	–	3	6	8	4	–	1	–	–	15
30	1	–	6	3	3	3	1	1	1	1	–	–	–	–	15	2	2	1	–	–	16
185	12	2	48	4	9	26	6	1	9	3	–	7	13	9	79	18	15	20	11	2	17
153	11	1	41	3	6	20	4	1	9	2	–	7	11	8	64	12	10	18	7	2	18
32	1	1	7	1	3	6	2	–	–	1	–	–	2	1	15	6	5	2	4	–	19
29	2	1	17	–	1	4	3	–	1	1	–	–	–	2	10	6	3	–	–	–	20
68	10	–	34	–	4	11	2	1	1	2	–	4	2	3	24	5	7	1	2	–	21
206	11	–	63	4	6	18	6	2	3	4	–	2	2	3	50	34	9	6	7	1	22
86	3	–	32	3	3	5	3	1	2	1	–	1	2	2	20	7	3	4	5	–	23
120	8	–	31	1	3	13	3	1	1	3	–	1	–	1	30	27	6	2	2	1	24
81	9	2	25	6	6	10	2	1	8	2	–	1	3	5	14	6	8	1	2	–	25
83	21	–	17	10	–	5	4	–	3	1	–	1	1	6	19	9	8	5	1	–	26
26	1	1	7	1	2	8	1	–	4	2	–	–	1	–	8	4	1	1	–	–	27
23	2	–	8	3	–	2	2	–	1	–	–	2	–	–	5	3	–	1	–	–	28
205	26	2	71	7	6	9	8	2	5	1	–	5	4	14	43	23	18	6	4	1	29
165	23	1	62	3	4	9	7	1	5	–	–	4	4	11	38	18	12	4	4	1	30
40	3	1	9	4	2	–	1	1	–	1	–	1	–	3	5	5	6	2	–	–	31
99	12	1	34	8	3	23	5	–	2	3	–	3	1	4	28	13	10	6	3	3	32
123	12	–	53	11	6	16	2	1	1	3	–	–	3	7	43	19	10	5	5	1	33
77	7	–	34	6	4	10	1	–	–	3	–	–	2	5	27	15	7	4	3	1	34
46	5	–	19	5	2	6	1	1	1	–	–	–	1	2	16	4	3	1	2	–	35
39	6	–	10	2	1	5	2	–	1	–	–	–	–	–	10	4	4	–	2	–	36
43	1	–	17	9	4	3	–	–	–	1	–	–	–	1	14	5	2	2	–	–	37
34	2	1	4	–	1	1	1	–	–	–	–	–	–	–	6	1	–	1	–	–	38
18	5	–	4	1	1	2	1	–	–	–	–	1	1	–	4	–	–	–	–	–	39
47	6	–	17	2	–	3	–	–	1	–	–	–	–	5	13	1	3	1	2	–	40
73	7	–	44	3	2	12	2	–	3	2	–	1	3	6	19	5	11	5	2	–	41
69	6	–	33	2	2	6	1	–	3	1	–	3	2	1	19	9	12	5	4	–	42
47	6	–	19	1	2	3	1	–	2	1	–	2	2	1	12	7	8	5	3	–	43
22	–	–	14	1	–	3	–	–	1	–	–	1	–	–	7	2	4	–	1	–	44
35	2	–	14	–	1	–	2	1	1	–	–	–	1	1	11	3	2	4	–	–	45
54	4	–	15	2	2	3	–	1	1	–	–	–	1	–	17	5	5	2	2	–	46
194	17	1	44	3	8	15	13	4	3	2	–	2	3	3	41	15	8	6	–	–	47
85	12	–	19	3	5	6	9	2	2	1	–	–	1	1	17	5	4	4	–	–	48
109	5	1	25	–	3	9	4	2	1	1	–	2	2	2	24	10	4	2	–	–	49
49	4	–	16	4	2	6	1	–	2	–	–	–	2	1	11	6	3	–	1	–	50
58	12	–	20	3	6	11	1	–	1	1	–	1	2	1	13	4	5	3	–	–	51
37	4	–	10	3	–	3	–	–	2	–	–	1	–	–	11	8	3	–	1	–	52
137	17	1	42	12	7	10	5	–	4	2	–	2	2	10	37	14	7	1	2	1	53
101	17	–	27	3	1	6	1	–	1	–	–	2	3	3	16	11	5	2	2	–	54
92	3	1	35	4	1	10	3	1	4	–	–	–	2	3	20	8	7	4	3	1	55
16	1	–	7	1	2	10	–	–	–	–	–	1	–	–	6	5	–	–	1	–	56
45	3	1	25	7	2	3	2	–	–	3	–	1	2	7	11	8	12	2	3	1	57
–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	58
45	3	–	24	6	2	3	2	–	–	3	–	1	2	7	10	7	12	2	3	1	59
111	23	3	25	12	2	7	2	1	5	1	–	3	3	6	32	14	17	7	8	1	60
68	5	1	28	–	2	2	1	–	2	–	–	1	–	–	16	5	10	1	2	1	61
22	2	–	5	–	2	2	1	–	1	1	–	3	1	1	7	2	2	3	1	–	62
47	3	–	26	3	1	3	–	–	–	1	–	1	–	2	4	4	5	1	–	–	63
92	8	1	40	–	2	7	5	1	1	–	–	2	3	1	23	12	4	2	3	2	64
25	10	–	11	3	3	4	3	2	1	1	–	–	1	2	16	4	4	3	–	–	65
269	14	4	80	10	7	22	5	2	11	6	–	6	5	9	83	28	16	11	8	1	66
190	9	3	59	9	6	17	4	2	7	6	–	6	4	5	68	15	10	7	6	1	67
79	5	1	21	1	1	5	1	–	4	–	–	–	1	4	15	13	6	4	2	–	68
47	7	–	10	4	3	1	–	–	1	–	–	1	–	–	13	7	4	–	–	–	69
33	19	–	42	1	–	5	1	–	–	–	–	2	–	2	15	7	5	1	–	–	70
56	3	–	9	–	–	–	2	–	1	2	–	–	–	2	13	1	7	2	–	–	71
1,417	170	10	427	64	61	125	57	11	61	25	2	33	68	86	448	128	137	125	65	10	72
52	1	–	9	2	3	3	2	–	1	–	–	–	2	3	11	7	3	1	–	–	73
50	9	–	7	1	1	5	6	–	1	–	–	1	3	1	15	8	3	2	1	–	74
46	4	–	21	1	3	5	1	1	1	–	–	2	5	3	16	6	3	4	1	1	75
74	11	1	23	3	1	13	6	1	4	–	–	2	2	5	22	9	8	7	3	–	76
1,111	138	9	340	55	51	94	40	9	49	23	2	24	53	63	356	87	115	102	55	9	77
1,113	138	10	341	56	52	94	40	9	50	23	2	24	53	63	359	90	116	102	55	9	78
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	79
83	7	–	27	2	2	5	2	–	4	2	–	4	3	11	28	11	5	9	5	–	80
208	8	–	33	3	7	10	2	1	8	1	–	2	6	3	47	12	15	4	4	–	81
81	6	–	27	3	4	6	–	1	2	–	–	–	1	1	24	5	11	2	3	–	82
127	2	–	6	–	3	4	2	–	6	1	–	2	5	2	23	7	4	2	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Osage	314	1	–	3	58	16	21	6	6	5	1	3	8	166	133	2	–
02	Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
03	Tulsa, part	8	–	–	–	–	–	–	–	–	–	–	–	1	4	4	–	–
04	Balance of county	306	1	–	3	58	16	21	6	6	5	1	3	7	162	129	2	–
05	Ottawa	355	1	–	4	64	13	18	7	7	2	2	15	7	184	131	–	3
06	Miami	154	–	–	1	31	7	4	5	5	2	–	8	2	78	52	–	–
07	Balance of county	201	1	–	3	33	6	14	2	2	–	2	7	5	106	79	–	3
08	Pawnee	156	–	–	3	24	4	6	2	2	–	2	8	2	73	63	3	1
09	Payne	393	–	–	8	74	25	13	8	8	5	1	14	2	203	140	–	1
10	Stillwater	167	–	–	3	33	8	6	4	5	3	–	7	1	86	50	–	1
11	Balance of county	226	–	–	5	41	17	7	4	3	2	1	7	1	117	90	–	–
12	Pittsburg	463	–	–	1	86	23	27	6	11	5	3	11	2	253	179	–	1
13	McAlester	252	–	–	1	46	12	16	2	4	4	1	7	1	141	95	–	–
14	Balance of county	211	–	–	–	40	11	11	4	7	1	2	4	1	112	84	–	1
15	Pontotoc	360	1	1	6	76	17	20	5	10	1	3	20	3	180	127	–	1
16	Ada	219	–	1	5	46	9	11	3	6	–	2	15	2	112	76	–	1
17	Balance of county	141	1	–	1	30	8	9	2	4	1	1	5	1	68	51	–	–
18	Pottawatomie	490	2	–	5	81	26	22	1	6	9	1	16	15	275	182	1	2
19	Oklahoma City, part	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Shawnee	310	1	–	2	48	12	15	1	5	4	1	10	10	185	120	–	2
21	Balance of county	179	–	–	3	33	14	7	–	1	5	–	6	5	90	62	1	–
22	Pushmataha	134	–	–	–	22	11	6	–	–	–	2	3	–	73	47	1	–
23	Roger Mills	61	1	–	–	15	7	7	–	–	–	–	1	–	28	23	–	1
24	Rogers	281	–	–	1	50	13	15	3	5	2	–	12	3	156	114	–	3
25	Seminole	359	–	–	1	58	13	14	6	11	2	3	9	8	203	173	–	8
26	Sequoyah	251	1	–	3	44	8	19	2	2	3	3	7	1	137	108	2	4
27	Stephens	413	–	–	3	89	21	20	8	10	9	3	18	7	200	154	1	1
28	Duncan	216	–	–	1	46	7	8	5	6	7	1	12	5	106	78	1	–
29	Balance of county	197	–	–	2	43	14	12	3	4	2	2	6	2	94	76	–	1
30	Texas	161	–	–	1	29	5	7	2	4	1	–	10	3	74	51	–	–
31	Tillman	147	–	–	2	29	7	7	1	4	1	1	8	1	73	50	–	–
32	Tulsa	3,567	4	1	28	720	168	224	70	66	33	31	128	43	1,719	1,233	24	10
33	Broken Arrow	138	–	–	–	36	8	11	3	3	1	2	8	1	62	40	–	–
34	Sand Springs	139	–	–	1	27	10	9	2	1	–	–	5	2	67	41	–	1
35	Tulsa, part	2,954	2	1	27	590	135	186	63	54	26	25	101	37	1,436	1,045	22	8
36	Tulsa, total	2,962	2	1	27	590	135	186	63	54	26	25	101	38	1,440	1,049	22	8
37	Balance of county	336	2	–	–	67	15	18	2	8	6	4	14	3	154	107	2	1
38	Wagoner	226	–	–	–	41	11	10	2	6	2	2	8	7	114	86	2	2
39	Washington	411	–	–	4	81	16	21	6	5	4	7	22	5	213	151	–	5
40	Bartlesville, part	280	–	–	1	57	9	17	5	1	4	5	16	3	147	107	–	3
41	Bartlesville, total	280	–	–	1	57	9	17	5	1	4	5	16	3	147	107	–	3
42	Balance of county	131	–	–	3	24	7	4	1	4	–	2	6	2	66	44	–	2
43	Washita	144	–	–	2	26	5	6	1	6	2	2	4	1	78	52	3	–
44	Woods	128	–	–	–	20	6	9	1	1	1	–	2	5	57	49	2	–
45	Woodward	157	–	–	1	31	8	5	2	4	2	–	10	3	71	57	–	–
46	**Oregon**	**20,481**	**16**	–	**126**	**4,210**	**966**	**1,076**	**345**	**555**	**206**	**172**	**890**	**274**	**10,102**	**7,243**	**179**	**98**
47	Urban places	9,459	8	–	63	1,856	431	467	138	243	86	81	410	121	4,763	3,371	90	37
48	Balance of area	11,022	8	–	63	2,354	535	609	207	312	120	91	480	153	5,339	3,872	89	61
49	Metropolitan counties	12,086	11	–	76	2,520	555	637	223	322	118	109	556	156	5,980	4,304	114	43
50	Urban places	7,060	8	–	43	1,396	297	354	115	188	65	63	314	87	3,544	2,514	73	19
51	Balance of area	5,026	3	–	33	1,124	258	283	108	134	53	46	242	69	2,436	1,790	41	24
52	Nonmetropolitan counties	8,395	5	–	50	1,690	411	439	122	233	88	63	334	118	4,122	2,939	65	55
53	Urban places	2,399	–	–	20	460	134	113	23	55	21	18	96	34	1,219	857	17	18
54	Balance of area	5,996	5	–	30	1,230	277	326	99	178	67	45	238	84	2,903	2,082	48	37
55	Baker	186	–	–	–	39	7	5	1	10	1	–	15	2	96	81	–	1
56	Benton	279	–	–	1	62	14	13	6	4	3	3	19	6	135	86	2	1
57	Albany, part	2	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–
58	Corvallis	170	–	–	1	33	10	4	4	1	2	3	9	6	89	54	1	–
59	Balance of county	107	–	–	–	28	4	9	2	3	1	–	9	–	45	31	1	1
60	Clackamas	1,524	1	–	9	345	81	74	34	42	19	10	85	22	770	556	9	14
61	Lake Oswego, part	128	–	–	–	33	9	7	2	2	2	–	11	2	58	40	1	–
62	Lake Oswego, total	131	–	–	–	34	9	7	3	2	2	–	11	2	59	41	1	–
63	Milwaukie, part	200	–	–	2	34	10	7	4	5	2	1	5	3	104	75	1	–
64	Milwaukie, total	200	–	–	2	34	10	7	4	5	2	1	5	3	104	75	1	–
65	Portland, part	8	–	–	–	–	–	–	–	–	–	–	–	–	7	3	–	–
66	Balance of county	1,188	1	–	7	278	62	60	28	35	15	9	69	17	601	438	7	14
67	Clatsop	339	1	–	–	73	21	18	3	9	5	2	15	6	175	114	1	2
68	Astoria	124	–	–	–	26	10	9	–	4	1	–	2	2	66	42	1	–
69	Balance of county	215	1	–	–	47	11	9	3	5	4	2	13	4	109	72	–	2
70	Columbia	279	–	–	4	50	9	18	5	6	1	2	9	–	146	100	3	2
71	Coos	522	–	–	3	118	33	31	8	10	7	2	27	6	230	172	4	2
72	Coos Bay	163	–	–	2	35	9	9	2	3	2	–	10	1	73	54	1	1
73	Balance of county	359	–	–	1	83	24	22	6	7	5	2	17	5	157	118	3	1
74	Crook	118	1	–	–	20	3	9	–	4	1	1	2	–	55	39	1	–
75	Curry	149	–	–	–	30	4	5	1	5	4	2	9	1	79	52	1	–
76	Deschutes	455	–	–	2	101	23	31	10	19	4	1	13	4	234	160	5	–
77	Bend	191	–	–	2	36	10	9	1	7	2	1	6	3	103	67	2	–
78	Balance of county	264	–	–	–	65	13	22	9	12	2	–	7	1	131	93	3	–
79	Douglas	701	–	–	5	141	28	45	14	24	4	7	19	16	312	233	4	3
80	Roseburg	226	–	–	2	38	8	10	1	10	–	1	8	5	119	88	1	–
81	Balance of county	475	–	–	3	103	20	35	13	14	4	6	11	11	193	145	3	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
120	11	–	25	6	2	8	3	–	5	1	–	–	2	6	29	15	5	4	–	–	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	03
117	10	–	25	6	2	8	3	–	5	1	–	–	2	6	29	14	4	3	–	–	04
105	23	–	42	9	2	7	3	–	9	2	–	2	4	10	27	17	10	3	1	–	05
43	9	–	24	2	–	1	–	–	4	1	–	2	3	3	14	7	4	2	1	–	06
62	14	–	18	7	2	6	3	–	5	1	–	–	1	7	13	10	6	1	–	–	07
50	9	–	7	3	–	3	3	–	3	1	–	1	3	1	22	6	7	3	–	1	08
135	4	2	47	5	9	14	2	–	6	1	–	7	6	3	36	10	15	5	1	–	09
46	3	–	25	4	7	5	–	–	1	–	–	5	4	2	15	2	6	4	–	–	10
89	1	2	22	1	2	9	2	–	5	1	–	2	2	1	21	8	9	1	1	–	11
167	11	1	62	4	7	13	8	2	9	7	–	2	7	3	45	10	10	3	1	1	12
87	8	–	38	3	5	6	4	1	3	3	–	1	4	–	27	5	7	1	–	1	13
80	3	1	24	1	2	7	4	1	6	4	–	1	3	3	18	5	3	2	1	–	14
120	6	1	46	3	3	16	3	2	4	1	–	2	5	3	32	7	10	5	1	2	15
71	4	1	31	3	1	8	2	1	2	–	–	1	2	2	23	4	6	1	1	–	16
49	2	–	15	–	2	8	1	1	2	1	–	1	3	1	9	3	4	4	–	2	17
166	13	3	80	7	3	15	9	1	5	3	–	–	4	6	35	14	13	4	3	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
110	8	1	57	4	3	7	4	1	4	3	–	–	1	3	22	6	9	3	1	–	20
56	5	2	23	3	–	8	5	–	1	–	–	–	3	3	13	8	4	1	2	–	21
35	11	–	23	2	1	4	4	1	2	1	–	–	2	1	8	8	6	–	1	1	22
20	2	–	4	–	1	3	–	–	1	–	–	–	1	2	2	4	3	1	–	–	23
100	11	1	32	3	6	7	2	1	3	1	–	2	1	4	18	15	9	4	3	1	24
155	10	–	27	3	–	7	4	–	2	4	–	3	3	4	26	11	15	4	6	–	25
95	7	1	26	1	1	11	–	–	3	–	–	2	4	2	20	10	7	4	2	–	26
121	31	–	33	5	8	18	3	–	6	1	–	1	5	9	41	11	11	4	4	–	27
64	13	–	20	3	5	10	2	–	1	–	–	1	2	7	21	7	4	2	1	–	28
57	18	–	13	2	3	8	1	–	5	1	–	–	3	2	20	4	7	2	3	–	29
47	4	–	16	7	–	6	5	2	2	–	–	–	4	1	14	9	9	2	–	–	30
46	4	–	16	6	1	2	4	2	2	1	–	2	1	1	19	4	2	–	2	–	31
1,087	112	9	368	55	54	91	37	8	61	21	–	22	51	52	362	98	115	78	50	6	32
30	10	–	17	3	2	7	–	–	–	–	–	3	1	1	11	2	4	5	4	1	33
39	1	–	21	1	4	7	2	–	3	–	–	–	1	1	13	6	7	2	–	–	34
937	78	7	289	49	46	70	32	8	55	17	–	15	44	42	304	73	87	66	43	5	35
940	79	7	289	49	46	70	32	8	55	17	–	15	44	42	304	74	88	67	43	5	36
81	23	2	41	2	2	7	3	–	3	4	–	4	5	8	34	17	17	5	3	–	37
72	10	2	23	1	2	2	4	–	3	6	–	–	2	2	28	6	6	4	1	–	38
136	10	2	40	14	6	9	1	1	3	1	–	1	1	5	45	15	17	7	2	–	39
96	8	–	24	10	6	8	–	–	3	1	–	1	1	3	28	10	13	3	1	–	40
96	8	–	24	10	6	8	–	–	3	1	–	1	1	3	28	10	13	3	1	–	41
40	2	2	16	4	–	1	1	1	–	–	–	–	–	2	17	5	4	4	1	–	42
42	7	1	15	6	4	5	–	–	2	–	–	–	1	5	9	5	6	3	1	–	43
36	11	–	7	1	–	4	5	1	2	–	–	–	2	4	20	3	3	2	–	–	44
51	6	–	8	4	2	3	1	2	–	1	–	1	3	4	16	13	3	4	–	–	45
6,534	**432**	**41**	**2,085**	**455**	**278**	**556**	**300**	**64**	**358**	**63**	**5**	**152**	**191**	**415**	**1,676**	**680**	**697**	**394**	**123**	**79**	**46**
3,044	200	21	1,026	215	130	263	134	28	227	31	3	67	72	220	790	237	270	190	71	45	47
3,490	232	20	1,059	240	148	293	166	36	131	32	2	85	119	195	886	443	427	204	52	34	48
3,893	254	26	1,216	273	161	320	164	33	240	46	4	97	110	260	942	373	371	248	79	56	49
2,269	153	17	743	170	100	193	96	18	192	28	3	53	51	183	556	171	189	156	57	36	50
1,624	101	9	473	103	61	127	68	15	48	18	1	44	59	77	386	202	182	92	22	20	51
2,641	178	15	869	182	117	236	136	31	118	17	1	55	81	155	734	307	326	146	44	23	52
775	47	4	283	45	30	70	38	10	35	3	–	14	21	37	234	66	81	34	14	9	53
1,866	131	11	586	137	87	166	98	21	83	14	1	41	60	118	500	241	245	112	30	14	54
77	3	–	9	5	1	5	–	–	1	–	–	1	–	3	12	8	9	8	1	1	55
77	6	–	40	3	6	3	4	1	5	–	–	2	7	4	29	9	6	4	–	1	56
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
48	5	–	31	1	3	1	3	–	3	–	–	1	4	1	18	4	3	2	–	1	58
28	1	–	9	2	3	2	1	1	2	–	–	1	3	3	11	5	3	2	–	–	59
504	29	3	170	25	16	51	13	7	14	6	–	13	13	20	94	58	52	27	3	6	60
37	2	3	12	2	1	4	3	1	–	1	–	–	1	–	11	4	3	5	–	2	61
38	2	3	12	2	1	4	3	1	–	1	–	–	1	–	11	4	3	6	–	2	62
72	2	–	27	1	1	10	–	2	3	–	–	2	1	7	17	6	4	4	1	–	63
72	2	–	27	1	1	10	–	2	3	–	–	2	1	7	17	6	4	4	1	–	64
3	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	65
392	25	–	129	22	12	37	10	3	11	5	–	11	11	13	66	48	45	18	2	4	66
99	12	–	49	9	3	7	4	1	7	–	–	3	3	3	34	9	10	2	–	1	67
36	5	–	21	3	–	5	1	1	1	–	–	–	1	–	13	3	4	–	–	1	68
63	7	–	28	6	3	2	3	–	6	–	–	3	2	3	21	6	6	2	–	–	69
85	10	–	31	10	5	6	4	2	2	1	–	2	6	6	23	12	9	5	–	1	70
155	11	2	40	10	6	11	17	1	8	1	–	4	4	12	45	19	26	10	5	2	71
51	1	–	12	4	3	3	3	–	2	1	–	–	–	4	22	7	7	3	–	–	72
104	10	2	28	6	3	8	14	1	6	–	–	4	4	8	23	12	19	7	5	2	73
38	–	–	8	7	1	6	5	–	3	–	–	1	1	1	11	7	7	–	–	–	74
45	6	–	12	10	5	2	3	–	4	–	–	–	1	4	12	7	3	1	1	1	75
148	7	1	53	11	9	11	8	2	2	3	–	2	4	4	29	21	16	8	2	2	76
63	2	–	27	6	3	4	5	1	1	–	–	–	1	–	8	5	11	7	2	2	77
85	5	1	26	5	6	7	3	1	1	3	–	2	3	4	21	16	5	1	–	–	78
210	16	2	58	10	9	18	13	1	6	2	1	5	9	14	63	44	29	16	4	2	79
82	5	–	23	4	4	7	2	–	1	1	–	3	3	3	20	8	6	5	2	1	80
128	11	2	35	6	5	11	11	1	5	1	1	2	6	11	43	36	23	11	2	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oregon—Con.																	
01	Gilliam	26	–	–	–	3	1	1	1	–	–	–	–	–	18	10	–	–
02	Grant	72	–	–	–	10	2	6	1	–	–	–	1	1	34	23	–	1
03	Harney	69	–	–	–	14	3	2	–	5	1	–	3	–	21	16	–	1
04	Hood River	142	–	–	1	30	7	5	2	7	2	–	7	2	69	39	2	–
05	Jackson	1,056	–	–	9	217	68	55	11	24	9	13	37	12	530	401	11	16
06	Ashland	99	–	–	1	25	6	4	3	1	1	4	6	2	46	33	1	–
07	Medford	443	–	–	5	81	25	22	5	8	3	4	14	5	231	182	6	10
08	Balance of county	514	–	–	3	111	37	29	3	15	5	5	17	5	253	186	4	6
09	Jefferson	90	–	–	–	9	–	1	1	4	1	1	1	2	39	32	1	–
10	Josephine	549	1	–	5	110	23	26	8	14	6	5	28	5	272	198	6	6
11	Grants Pass	203	–	–	–	36	10	8	1	4	3	–	10	–	107	72	1	2
12	Balance of county	346	1	–	5	74	13	18	7	10	3	5	18	5	165	126	5	4
13	Klamath	448	1	–	6	90	23	20	6	10	8	4	19	7	191	136	4	3
14	Klamath Falls	183	–	–	3	23	7	7	1	1	1	–	6	3	82	57	1	2
15	Balance of county	265	1	–	3	67	16	13	5	9	7	4	13	4	109	79	3	1
16	Lake	50	–	–	–	6	–	2	1	1	2	–	–	2	24	16	1	–
17	Lane	1,672	–	–	11	366	69	90	23	54	21	12	97	26	809	598	16	3
18	Eugene	678	–	–	5	140	21	24	7	20	7	7	54	12	349	257	10	1
19	Springfield	276	–	–	–	49	8	17	4	8	5	–	7	2	140	94	–	1
20	Balance of county	718	–	–	6	177	40	49	12	26	9	5	36	12	320	247	6	1
21	Lincoln	358	–	–	–	74	16	24	9	9	4	1	11	9	177	108	2	1
22	Linn	653	–	–	2	133	33	34	5	12	6	6	37	9	314	218	4	3
23	Albany, part	203	–	–	1	39	12	8	2	3	2	2	10	2	98	63	–	–
24	Albany, total	205	–	–	1	40	12	8	2	3	2	2	11	2	99	64	–	–
25	Balance of county	450	–	–	1	94	21	26	3	9	4	4	27	7	216	155	4	3
26	Malheur	218	–	–	4	46	14	9	5	6	3	1	8	5	93	71	1	1
27	Marion	1,564	3	–	9	315	70	86	26	42	12	14	65	22	788	572	12	8
28	Salem, part	813	2	–	4	159	36	39	14	21	7	9	33	7	404	288	8	3
29	Salem, total	914	2	–	4	176	39	43	16	23	9	9	37	10	463	319	10	3
30	Balance of county	751	1	–	5	156	34	47	12	21	5	5	32	15	384	284	4	5
31	Morrow	55	–	–	–	10	1	2	1	3	1	–	2	–	33	24	–	1
32	Multnomah	5,785	6	–	37	1,163	245	311	108	152	56	58	233	64	2,862	2,044	58	17
33	Lake Oswego, part	3	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–
34	Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Portland, part	4,520	6	–	32	896	186	241	78	125	39	44	183	50	2,262	1,613	47	14
36	Portland, total	4,534	6	–	32	896	186	241	78	125	39	44	183	50	2,273	1,619	47	14
37	Balance of county	1,262	–	–	5	266	59	70	29	27	17	14	50	14	599	430	11	3
38	Polk	355	1	–	2	69	16	14	8	6	5	3	17	8	186	122	3	–
39	Salem, part	101	–	–	–	17	3	4	2	2	2	–	4	3	59	31	2	–
40	Balance of county	254	1	–	2	52	13	10	6	4	3	3	13	5	127	91	1	–
41	Sherman	13	–	–	–	3	–	1	–	1	–	–	1	2	7	6	–	–
42	Tillamook	198	–	–	2	40	11	8	3	3	5	1	9	1	115	87	1	–
43	Umatilla	457	–	–	4	82	23	20	2	14	6	4	13	8	231	165	7	6
44	Pendleton	130	–	–	3	27	8	4	–	5	2	2	6	2	56	46	–	3
45	Balance of county	327	–	–	1	55	15	16	2	9	4	2	7	6	175	119	7	3
46	Union	181	–	–	–	31	4	7	5	8	1	–	6	2	100	82	1	–
47	Wallowa	69	–	–	–	7	3	1	–	–	–	–	3	1	43	28	–	–
48	Wasco	218	1	–	–	51	11	17	4	7	1	2	9	4	118	90	1	3
49	City of the Dalles	151	–	–	–	34	9	13	1	3	1	–	7	3	90	67	1	–
50	Balance of county	67	1	–	–	17	2	4	3	4	–	2	2	1	28	23	–	3
51	Washington	1,186	–	–	8	262	74	62	24	26	5	12	59	14	565	412	16	1
52	Beaverton	168	–	–	–	34	10	10	3	3	–	–	8	5	79	56	4	–
53	Hillsboro	159	–	–	–	33	14	5	–	2	1	2	9	3	77	53	–	–
54	Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Portland, part	6	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–
56	Balance of county	853	–	–	8	195	50	47	21	21	4	10	42	6	405	300	12	1
57	Wheeler	19	–	–	1	6	2	1	–	1	–	1	1	–	6	3	–	–
58	Yamhill	426	–	–	1	84	24	22	9	13	2	4	10	5	225	149	2	2
59	McMinnville	111	–	–	–	26	10	6	2	5	1	1	1	–	58	31	1	–
60	Balance of county	315	–	–	1	58	14	16	7	8	1	3	9	5	167	118	1	2
61	**Pennsylvania**	119,233	183	13	962	24,155	6,703	5,540	2,270	2,647	1,086	867	5,042	2,156	62,579	48,518	1,000	646
62	Urban places	61,629	111	10	605	12,904	3,525	3,152	1,207	1,400	556	416	2,648	1,088	30,889	24,078	513	327
63	Balance of area	57,604	72	3	357	11,251	3,178	2,388	1,063	1,247	530	451	2,394	1,068	31,690	24,440	487	319
64	Metropolitan counties	93,434	151	12	792	19,430	5,365	4,538	1,839	2,099	853	676	4,060	1,610	48,104	37,406	785	507
65	Urban places	56,871	104	9	582	11,981	3,268	2,939	1,121	1,289	512	392	2,460	978	28,185	21,991	459	296
66	Balance of area	36,563	47	3	210	7,449	2,097	1,599	718	810	341	284	1,600	632	19,919	15,415	326	211
67	Nonmetropolitan counties	25,799	32	1	170	4,725	1,338	1,002	431	548	233	191	982	546	14,475	11,112	215	139
68	Urban places	4,758	7	1	23	923	257	213	86	111	44	24	188	110	2,704	2,087	54	31
69	Balance of area	21,041	25	–	147	3,802	1,081	789	345	437	189	167	794	436	11,771	9,025	161	108
70	Adams	566	–	–	3	96	27	16	16	8	4	5	20	9	323	234	7	5
71	Allegheny	16,336	27	3	155	3,599	941	907	333	376	154	120	768	286	8,927	7,079	144	86
72	Baldwin	178	–	–	2	49	11	12	6	5	4	1	10	3	91	78	1	–
73	Bellevue	141	–	–	1	28	10	10	5	–	–	1	2	2	83	71	2	–
74	Bethel Park	219	–	–	–	71	11	14	9	11	5	5	16	1	100	85	–	–
75	Brentwood	139	–	–	1	26	2	7	2	4	2	1	8	2	85	63	1	2
76	Carnegie	154	1	–	2	31	9	5	2	2	2	3	8	2	89	74	1	1
77	Castle Shannon	85	–	–	1	20	4	5	2	5	–	–	4	1	50	34	1	–
78	Clairton	173	1	–	3	38	15	10	1	6	–	1	5	3	93	74	2	–
79	Dormont	131	–	–	–	36	10	8	2	3	1	1	11	2	62	46	2	1
80	Duquesne	163	–	–	3	32	9	9	2	3	–	1	8	2	97	77	1	1
81	Harrison township†	172	–	–	1	32	6	11	3	3	–	2	7	2	103	81	–	1
82	McKees Rocks	130	–	–	3	19	3	5	1	1	–	1	8	4	74	55	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
10	–	–	6	1	1	–	–	–	–	–	–	1	–	–	1	2	–	–	1	–	01
22	–	–	9	1	1	4	–	–	1	–	–	–	2	1	10	4	3	1	1	–	02
14	1	–	4	1	–	6	2	–	3	–	–	1	–	6	6	–	5	4	–	1	03
36	1	–	23	3	4	6	–	–	2	–	–	1	1	3	21	1	1	2	–	2	04
350	24	2	98	14	15	20	12	4	11	1	–	11	8	36	92	27	41	18	4	3	05
31	1	–	11	–	2	4	1	–	–	–	–	3	2	4	7	1	2	1	–	–	06
152	14	1	37	7	4	11	4	2	5	–	–	3	3	15	42	8	19	5	2	2	07
167	9	1	50	7	9	5	7	2	6	1	–	5	3	17	43	18	20	12	2	1	08
28	3	–	5	1	1	3	1	–	3	2	–	–	1	4	6	10	3	4	2	1	09
179	7	–	49	14	11	11	6	5	5	–	–	–	5	7	54	20	26	14	3	–	10
67	2	–	26	6	3	4	2	3	2	–	–	–	3	1	28	6	6	4	1	–	11
112	5	–	23	8	8	7	4	2	3	–	–	–	2	6	26	14	20	10	2	–	12
123	6	1	41	10	3	16	10	1	17	–	–	3	1	3	48	23	22	5	4	–	13
52	2	1	19	4	1	9	5	–	9	–	–	2	–	1	28	9	6	1	2	–	14
71	4	–	22	6	2	7	5	1	8	–	–	1	1	2	20	14	16	4	2	–	15
14	1	–	6	–	2	–	1	1	–	–	–	–	1	2	2	4	4	2	–	1	16
538	41	4	136	44	27	43	31	6	19	3	1	14	21	15	131	72	47	43	9	5	17
225	21	3	61	17	11	20	11	1	11	1	–	6	8	5	54	20	12	17	5	1	18
86	7	–	30	9	7	4	3	1	5	1	–	3	3	5	17	12	14	13	3	1	19
227	13	1	45	18	9	19	17	4	3	1	1	5	10	5	60	40	21	13	1	3	20
89	16	2	42	18	7	8	8	1	6	2	–	2	5	4	33	8	13	7	1	–	21
202	9	2	83	7	4	18	9	2	15	1	–	1	8	5	66	31	22	14	2	1	22
60	3	–	30	3	2	4	6	–	8	–	–	–	2	1	21	9	7	2	2	1	23
61	3	–	30	3	2	4	6	–	8	–	–	–	2	1	21	9	7	2	2	1	24
142	6	2	53	4	2	14	3	2	7	1	–	1	6	4	45	22	15	12	–	–	25
68	1	1	16	3	2	4	6	2	2	1	–	1	2	6	21	7	11	3	3	1	26
522	30	2	145	46	23	44	23	2	18	6	–	14	17	53	119	45	48	28	6	4	27
261	16	–	72	29	15	29	11	1	16	3	–	6	4	39	65	16	23	18	5	1	28
289	17	2	94	33	15	29	13	2	16	4	–	6	5	41	74	17	27	19	5	1	29
261	14	2	73	17	8	15	12	1	2	3	–	8	13	14	54	29	25	10	1	3	30
22	1	–	5	3	1	1	2	–	–	–	–	1	1	–	3	1	1	1	1	–	31
1,843	126	12	608	120	78	147	74	9	174	23	2	39	41	135	482	151	172	120	48	36	32
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
1,454	98	9	481	99	60	113	60	7	151	20	2	29	32	115	362	98	123	90	42	30	35
1,459	99	9	483	100	62	113	60	8	151	20	2	30	32	115	363	98	123	90	42	30	36
388	28	3	127	21	18	34	14	2	23	3	–	10	9	20	120	53	49	29	6	6	37
115	4	3	48	10	3	4	5	2	–	3	–	1	5	8	34	5	15	3	3	1	38
28	1	2	22	4	–	–	2	1	–	1	–	–	1	2	9	1	4	1	–	–	39
87	3	1	26	6	3	4	3	1	–	2	–	1	4	6	25	4	11	2	3	1	40
6	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
81	5	–	21	1	6	5	2	1	1	1	–	2	1	7	10	–	7	2	1	–	42
144	8	1	54	9	2	33	8	4	6	1	–	5	4	4	37	9	13	6	1	1	43
42	1	1	8	–	1	12	3	1	2	1	–	1	1	2	13	1	3	2	–	–	44
102	7	–	46	9	1	21	5	3	4	–	–	4	3	2	24	8	10	4	1	1	45
74	7	–	15	1	2	5	2	–	2	–	–	1	–	4	16	2	10	3	3	–	46
25	3	–	10	4	1	5	–	–	–	–	–	1	1	1	6	1	3	–	–	–	47
82	4	–	21	4	3	3	1	1	2	–	–	2	2	2	13	5	8	2	3	–	48
63	3	–	17	4	2	1	–	1	–	–	–	–	1	2	9	2	3	2	3	–	49
19	1	–	4	–	1	2	1	–	2	–	–	2	1	–	4	3	5	–	–	–	50
371	24	2	109	28	14	31	18	7	15	5	1	16	13	29	82	42	37	27	10	4	51
48	4	–	17	5	1	7	3	2	3	–	–	3	–	5	13	7	3	3	1	–	52
52	1	–	19	3	2	6	3	1	3	1	1	3	1	5	7	7	3	4	–	1	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	55
269	18	2	73	19	11	18	12	4	9	4	–	9	12	19	61	28	31	20	9	3	56
3	–	–	3	–	–	2	1	–	1	–	–	–	–	1	–	–	1	–	–	–	57
135	10	1	57	12	6	17	6	1	3	1	–	2	3	8	31	16	17	4	1	1	58
27	3	1	21	3	2	5	3	1	1	–	–	1	–	3	5	3	4	–	–	1	59
108	7	–	36	9	4	12	3	–	2	1	–	1	3	5	26	13	13	4	1	–	60
42,932	**3,940**	**294**	**10,292**	**1,794**	**1,681**	**2,771**	**1,114**	**322**	**1,683**	**556**	**16**	**612**	**1,184**	**3,248**	**10,340**	**2,147**	**2,837**	**1,399**	**664**	**292**	61
21,131	2,107	143	5,045	767	856	1,468	513	153	1,026	330	13	301	680	2,710	5,243	741	1,393	727	514	210	62
21,801	1,833	151	5,247	1,027	825	1,303	601	169	657	226	3	311	504	538	5,097	1,406	1,444	672	150	82	63
33,121	2,993	235	7,861	1,294	1,308	2,207	833	231	1,397	443	16	485	959	3,105	8,031	1,497	2,134	1,139	595	263	64
19,296	1,940	130	4,608	678	778	1,369	458	138	971	311	13	277	637	2,680	4,847	660	1,280	684	504	203	65
13,825	1,053	105	3,253	616	530	838	375	93	426	132	3	208	322	425	3,184	837	854	455	91	60	66
9,811	947	59	2,431	500	373	564	281	91	286	113	–	127	225	143	2,309	650	703	260	69	29	67
1,835	167	13	437	89	78	99	55	15	55	19	–	24	43	30	396	81	113	43	10	7	68
7,976	780	46	1,994	411	295	465	226	76	231	94	–	103	182	113	1,913	569	590	217	59	22	69
213	9	1	61	22	5	19	8	2	5	1	–	5	6	1	44	26	11	6	1	–	70
6,351	498	43	1,388	187	230	387	142	19	272	89	2	80	152	67	1,252	210	319	177	91	80	71
70	7	–	9	2	2	4	2	1	3	–	–	1	1	1	15	1	3	–	1	–	72
64	5	–	6	3	3	5	1	–	2	1	–	–	1	1	6	–	9	1	–	–	73
80	5	1	13	1	–	4	1	1	2	3	1	1	–	–	18	6	4	6	–	–	74
53	7	1	18	1	2	5	2	–	1	–	–	–	–	–	13	2	1	1	–	–	75
65	7	1	9	4	1	3	–	–	2	1	–	1	2	1	13	2	3	1	–	–	76
33	–	–	10	–	6	3	1	–	–	2	–	2	–	–	1	–	1	2	1	–	77
68	4	–	14	1	4	2	3	–	3	2	–	1	2	1	12	2	2	2	2	1	78
41	2	–	13	–	3	3	–	–	5	3	–	2	1	–	10	1	5	1	–	–	79
72	3	–	18	–	2	3	2	–	4	–	–	1	–	–	10	2	5	–	1	1	80
76	4	–	18	2	2	2	1	–	2	2	–	1	2	–	18	–	2	4	–	–	81
50	4	–	17	1	1	5	1	–	5	2	–	–	–	–	11	–	4	1	1	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
	Allegheny—Con.																	
01	McKeesport	495	2	–	2	101	23	26	8	13	3	4	24	10	274	237	3	4
02	Monroeville	211	–	–	1	49	15	9	6	2	5	3	9	5	109	90	2	1
03	Mount Lebanon township	328	–	–	6	88	24	18	8	8	6	3	21	–	182	145	2	2
04	Munhall	192	–	–	2	39	10	9	6	4	3	2	5	4	121	102	2	–
05	North Braddock	133	–	–	2	31	12	6	2	3	2	–	6	2	75	61	–	4
06	North Versailles township	77	–	–	–	19	4	6	–	2	–	1	6	1	46	38	–	3
07	Penn Hills township	423	–	–	4	98	23	22	13	6	4	6	24	7	236	191	4	1
08	Pittsburgh	6,139	13	2	73	1,282	326	367	105	136	51	34	263	118	3,296	2,626	52	36
09	Pleasant Hills	64	–	–	1	13	2	3	3	2	–	1	2	–	42	34	–	–
10	Plum	98	–	–	–	20	4	10	–	1	–	1	4	1	64	53	3	–
11	Ross township	290	1	1	1	71	19	21	5	8	–	3	15	4	153	119	–	2
12	Scott township	187	–	–	2	30	8	6	5	3	2	–	6	2	114	89	1	–
13	Shaler township	292	–	–	2	85	22	20	10	8	5	6	14	6	148	110	2	–
14	Stowe township	93	–	–	2	23	7	6	2	–	3	–	5	2	51	44	–	1
15	Swissvale	167	–	–	3	37	7	10	5	3	2	–	10	6	93	73	–	–
16	Upper St. Clair township	86	–	–	1	24	3	4	3	3	2	1	8	–	47	37	3	–
17	West Mifflin	227	–	–	4	59	18	14	6	5	2	1	13	7	107	93	1	–
18	Whitehall	132	–	–	–	35	7	7	6	6	5	2	2	3	61	49	–	–
19	Wilkinsburg	307	–	–	4	59	18	20	4	7	–	–	10	1	188	139	1	2
20	Balance of county	4,710	9	–	28	1,054	299	227	101	113	45	35	234	83	2,593	2,011	56	24
21	Armstrong	804	2	–	7	163	43	39	10	30	6	7	28	7	451	354	9	2
22	Beaver	1,972	1	–	6	422	125	88	41	43	17	16	92	28	1,105	861	19	15
23	Aliquippa	265	1	–	1	58	19	6	7	9	1	3	13	7	133	104	2	2
24	Ambridge	150	–	–	1	34	11	6	5	3	–	–	9	3	85	64	2	2
25	Beaver Falls	195	–	–	–	38	11	9	4	2	2	3	7	3	110	86	1	2
26	Ellwood City, part	8	–	–	–	3	1	–	–	–	1	–	1	1	4	3	–	–
27	Balance of county	1,354	–	–	4	289	83	67	25	29	13	10	62	14	773	604	14	9
28	Bedford	403	–	–	2	76	20	14	8	14	4	1	15	8	242	191	3	2
29	Berks	2,992	4	–	26	622	188	136	65	74	30	17	112	42	1,701	1,310	21	9
30	Reading	1,076	1	–	10	233	85	57	21	27	9	4	30	13	608	473	5	2
31	Balance of county	1,916	3	–	16	389	103	79	44	47	21	13	82	29	1,093	837	16	7
32	Blair	1,601	4	1	10	304	72	79	24	33	16	12	68	28	895	702	16	15
33	Altoona	795	1	1	5	172	36	47	16	17	7	7	42	15	426	337	4	9
34	Balance of county	806	3	–	5	132	36	32	8	16	9	5	26	13	469	365	12	6
35	Bradford	573	–	–	2	103	29	27	11	6	2	4	24	9	322	208	2	5
36	Bucks	3,106	1	–	27	637	157	145	68	66	23	34	144	46	1,522	1,157	20	11
37	Bensalem township	216	–	–	2	57	11	21	3	5	2	–	15	3	98	81	2	–
38	Bristol	146	–	–	2	29	5	10	1	2	1	4	6	2	77	63	1	1
39	Bristol township	314	–	–	1	59	13	15	5	5	3	1	17	5	141	111	1	2
40	Falls township	138	–	–	2	29	7	6	1	4	1	2	8	3	53	40	–	–
41	Lower Southampton township	78	–	–	2	12	1	3	2	2	1	–	3	2	51	41	1	–
42	Middletown township	144	–	–	2	34	7	11	3	2	1	4	6	4	68	53	3	–
43	Morrisville	114	–	–	1	23	6	4	5	5	2	–	1	4	53	42	–	2
44	Upper Southampton township	47	–	–	–	11	–	2	2	2	1	1	3	1	24	18	2	–
45	Warminster township	162	–	–	2	39	12	6	4	4	1	3	9	2	72	60	2	–
46	Balance of county	1,747	1	–	13	344	95	67	42	35	10	19	76	20	885	648	8	6
47	Butler	1,151	2	–	8	242	58	50	24	31	14	10	55	21	622	486	12	5
48	Butler	223	–	–	1	60	19	13	3	10	4	3	8	3	114	88	3	1
49	Balance of county	928	2	–	7	182	39	37	21	21	10	7	47	18	508	398	9	4
50	Cambria	2,020	4	–	13	352	110	75	30	35	20	13	69	46	1,093	844	12	10
51	Johnstown	708	–	–	7	119	27	25	9	14	11	4	29	9	404	299	5	3
52	Balance of county	1,312	4	–	6	233	83	50	21	21	9	9	40	37	689	545	7	7
53	Cameron	74	–	–	–	14	3	7	1	1	1	1	–	1	44	33	–	–
54	Carbon	663	1	–	5	135	43	25	9	17	3	6	32	29	358	284	1	4
55	Centre	636	–	–	4	116	39	22	12	8	7	3	25	11	362	285	8	4
56	State College	115	–	–	–	16	5	4	3	–	2	–	2	4	64	49	2	–
57	Balance of county	521	–	–	4	100	34	18	9	8	5	3	23	7	298	236	6	4
58	Chester	2,201	2	–	14	461	135	88	41	53	22	16	106	32	1,129	882	26	17
59	Coatesville	182	–	–	5	43	13	7	5	5	1	–	12	3	83	67	2	4
60	Phoenixville	150	–	–	2	33	8	2	1	7	4	–	11	–	80	56	2	1
61	West Chester	187	1	–	2	25	8	3	–	3	1	3	7	3	99	73	6	–
62	Balance of county	1,682	1	–	5	360	106	76	35	38	16	13	76	26	867	686	16	12
63	Clarion	390	–	–	2	76	15	19	4	14	3	3	18	9	202	161	–	4
64	Clearfield	890	–	–	4	146	48	33	12	19	5	6	23	19	539	389	8	4
65	Du Bois	96	–	–	–	16	2	6	2	–	1	–	5	5	58	44	1	1
66	Balance of county	794	–	–	4	130	46	27	10	19	4	6	18	14	481	345	7	3
67	Clinton	379	–	–	1	77	20	10	6	8	3	2	28	3	213	174	1	3
68	Lock Haven	122	–	–	–	24	5	4	1	3	–	1	10	3	73	63	–	1
69	Balance of county	257	–	–	1	53	15	6	5	5	3	1	18	–	140	111	1	2
70	Columbia	571	–	–	2	97	20	21	8	14	8	4	22	17	335	249	5	1
71	Berwick	158	–	–	–	29	3	7	3	4	1	2	9	5	94	68	2	–
72	Bloomsburg	106	–	–	1	14	2	3	2	2	2	–	3	5	62	48	1	–
73	Balance of county	307	–	–	1	54	15	11	3	8	5	2	10	7	179	133	2	1
74	Crawford	842	2	1	4	171	60	30	21	15	11	4	30	12	455	350	17	2
75	Meadville	199	1	1	1	43	9	13	6	5	4	–	6	2	111	86	6	–
76	Balance of county	643	1	–	3	128	51	17	15	10	7	4	24	10	344	264	11	2
77	Cumberland	1,302	1	–	7	263	69	63	21	25	14	11	60	18	702	541	10	4
78	Carlisle	178	–	–	2	39	11	9	4	3	3	2	7	2	98	67	1	1
79	Balance of county	1,124	1	–	5	224	58	54	17	22	11	9	53	16	604	474	9	3
80	Dauphin	2,307	4	–	24	467	111	110	42	51	20	20	113	37	1,254	968	18	8
81	Harrisburg	827	1	–	10	181	40	51	17	18	8	7	40	13	423	318	6	4
82	Lower Paxton township	198	–	–	1	33	9	5	4	2	3	1	9	3	123	96	1	–
83	Balance of county	1,282	3	–	13	253	62	54	21	31	9	12	64	21	708	554	11	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
219	11	2	24	5	6	10	4	1	8	2	–	2	5	1	40	6	10	5	8	4	01
82	5	–	16	1	2	3	3	–	3	3	–	3	1	2	12	8	1	7	–	1	02
138	3	–	29	3	5	7	3	–	4	3	–	–	1	–	19	1	5	8	1	–	03
93	7	–	15	2	2	3	–	–	2	–	–	1	1	–	13	1	2	2	–	1	04
55	2	–	11	2	1	1	1	–	2	1	–	–	1	–	8	1	2	4	–	2	05
34	1	–	7	–	1	2	1	1	1	–	–	1	–	–	4	–	–	–	–	1	06
175	11	2	34	4	5	6	5	–	7	2	–	1	5	1	32	5	6	5	1	2	07
2,314	224	16	494	70	90	181	28	8	109	40	1	18	76	26	511	68	142	56	51	40	08
33	1	1	5	1	1	–	1	–	–	–	–	–	–	–	4	3	–	–	–	–	09
48	2	–	8	1	2	–	1	–	1	–	–	1	1	1	3	4	1	–	–	–	10
112	5	1	27	1	5	5	5	–	6	2	–	2	1	–	25	3	3	4	2	1	11
77	11	1	19	3	2	8	3	–	3	–	–	1	3	–	13	3	2	–	1	2	12
98	10	–	23	5	10	4	5	1	6	2	–	2	3	–	9	1	7	11	–	–	13
42	1	–	6	–	1	1	–	–	–	–	–	2	2	2	6	1	1	–	–	–	14
71	2	–	14	3	3	1	2	–	5	–	–	1	–	1	12	3	2	1	–	–	15
33	1	–	5	3	2	2	1	–	–	–	–	2	–	–	6	1	1	1	–	–	16
83	9	–	11	1	2	1	3	–	5	1	–	2	3	2	20	3	4	2	2	2	17
45	4	–	8	3	1	3	3	–	5	1	–	–	2	1	12	–	–	4	–	2	18
130	6	1	42	2	4	5	8	–	4	1	–	1	1	2	25	3	4	–	1	–	19
1,797	134	16	445	62	59	105	51	6	72	15	–	30	37	24	351	79	87	48	18	20	20
300	43	2	73	13	9	20	10	5	8	3	–	4	6	4	73	12	20	6	3	–	21
765	62	2	192	23	27	39	31	8	28	12	–	8	23	9	152	32	37	23	8	–	22
94	6	–	24	3	2	7	5	1	5	4	–	1	6	–	24	1	5	5	1	–	23
56	4	–	18	1	2	3	2	–	3	–	–	–	2	–	11	1	2	2	1	–	24
74	9	–	21	1	2	1	1	1	5	–	–	–	3	2	18	5	5	2	1	–	25
2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
539	42	1	129	18	21	28	23	6	15	8	–	7	12	7	99	25	25	14	5	–	27
182	4	1	36	8	6	6	8	–	3	3	–	2	6	2	20	8	12	2	2	1	28
1,220	60	10	277	55	49	77	22	9	32	12	–	10	22	12	223	51	70	44	9	4	29
446	20	3	95	18	19	22	8	2	15	4	–	5	11	4	82	13	22	12	9	2	30
774	40	7	182	37	30	55	14	7	17	8	–	5	11	8	141	38	48	32	–	2	31
637	34	9	133	22	29	28	20	5	19	4	–	10	22	7	139	41	35	25	4	–	32
301	23	4	60	13	12	16	11	4	13	3	–	4	8	7	64	18	12	13	2	–	33
336	11	5	73	9	17	12	9	1	6	1	–	6	14	–	75	23	23	12	2	–	34
164	37	2	48	49	15	13	5	3	7	3	–	6	4	4	53	19	13	6	1	–	35
1,001	125	12	258	53	42	92	26	12	38	14	1	21	40	185	243	87	60	39	12	3	36
73	6	–	11	1	5	7	1	2	3	–	–	2	3	10	18	5	–	5	–	–	37
55	6	–	8	5	1	2	2	–	–	–	–	1	2	8	11	–	7	–	3	–	38
91	17	1	18	5	6	6	3	–	8	3	1	–	3	37	23	9	7	4	4	–	39
38	2	–	10	1	2	1	1	–	2	1	–	1	3	18	11	5	4	2	2	–	40
36	4	–	8	1	1	3	1	–	1	–	–	–	–	–	4	–	1	1	–	–	41
40	10	–	10	4	1	5	2	–	3	–	–	–	1	6	10	4	1	3	–	1	42
39	1	1	9	1	–	3	1	1	–	1	–	2	1	8	10	4	–	2	–	–	43
15	1	1	4	–	1	2	1	–	1	–	–	–	1	1	3	–	–	2	–	–	44
48	10	–	8	1	3	5	–	–	1	–	–	2	3	3	17	7	7	2	–	–	45
566	68	9	172	34	22	58	14	9	19	9	–	13	23	94	136	53	33	18	3	2	46
437	32	–	85	35	16	40	14	–	12	6	–	3	15	4	90	21	30	18	1	2	47
78	6	–	12	11	3	7	3	–	2	1	–	1	5	1	17	1	6	1	–	–	48
359	26	–	73	24	13	33	11	–	10	5	–	2	10	3	73	20	24	17	1	2	49
763	59	4	182	39	24	27	26	3	33	10	–	11	13	8	207	30	117	23	3	1	50
270	21	3	82	13	7	13	11	–	11	6	–	2	5	6	54	4	43	11	2	1	51
493	38	1	100	26	17	14	15	3	22	4	–	9	8	2	153	26	74	12	1	–	52
29	4	1	9	–	1	1	–	–	2	–	–	1	–	1	3	5	2	–	–	–	53
262	17	–	58	10	6	7	–	4	7	5	–	1	5	4	72	12	15	3	–	–	54
256	17	–	59	11	7	6	12	4	8	2	–	3	8	5	39	25	16	14	1	–	55
43	4	–	12	2	1	2	4	1	1	1	–	1	2	2	10	4	2	1	–	–	56
213	13	–	47	9	6	4	8	3	7	1	–	2	6	3	29	21	14	13	1	–	57
783	56	7	170	44	26	69	25	1	21	5	–	12	18	42	194	61	57	36	13	9	58
57	4	1	10	1	4	7	3	–	3	–	–	1	2	2	17	2	6	2	1	2	59
49	4	–	19	5	–	6	–	–	1	–	–	1	1	4	15	2	2	3	–	–	60
65	2	–	20	5	1	9	4	–	4	–	–	1	2	5	11	7	12	2	–	–	61
612	46	6	121	33	21	47	18	1	13	5	–	9	13	31	151	50	37	29	12	7	62
147	10	–	27	11	3	6	–	4	1	2	–	1	4	1	40	21	15	6	–	–	63
338	39	1	109	26	14	15	18	3	13	3	–	3	7	3	66	25	15	10	1	–	64
35	7	–	11	2	1	3	–	–	2	–	–	–	–	–	9	1	2	–	–	–	65
303	32	1	98	24	13	12	18	3	11	3	–	3	7	3	57	24	13	10	1	–	66
155	15	3	29	3	4	4	7	–	4	2	–	4	7	1	28	12	11	5	–	–	67
59	3	2	8	–	–	2	2	–	1	2	–	–	–	–	5	5	4	1	–	–	68
96	12	1	21	3	4	2	5	–	3	–	–	4	7	1	23	7	7	4	–	–	69
224	19	2	61	12	11	14	9	2	4	4	–	3	4	–	48	9	16	3	1	3	70
62	4	–	20	4	2	4	3	1	1	1	–	–	–	–	10	4	2	2	1	1	71
44	3	1	8	2	3	2	1	–	1	1	–	2	–	–	12	1	2	1	–	1	72
118	12	1	33	6	6	8	5	1	2	2	–	1	4	–	26	4	12	–	–	1	73
318	13	2	75	12	16	17	15	3	12	1	–	5	9	7	69	27	21	10	1	–	74
76	4	1	14	2	8	5	2	–	5	–	–	1	1	1	19	3	2	1	–	–	75
242	9	1	61	10	8	12	13	3	7	1	–	4	8	6	50	24	19	9	1	–	76
504	23	2	124	19	16	26	9	9	14	5	–	11	12	7	108	48	34	23	5	–	77
64	1	–	26	3	2	3	1	4	3	1	–	–	–	–	15	4	3	3	–	–	78
440	22	2	98	16	14	23	8	5	11	4	–	11	12	7	93	44	31	20	5	–	79
861	81	10	198	36	42	62	19	4	38	9	1	6	23	13	222	39	54	18	10	3	80
292	16	4	77	10	14	14	7	2	26	4	–	2	10	6	78	13	22	7	7	1	81
90	5	1	16	5	5	4	2	1	2	–	–	–	2	–	20	1	3	3	–	–	82
479	60	5	105	21	23	44	10	1	10	5	1	4	11	7	124	25	29	8	3	2	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Delaware	5,661	9	–	43	1,231	345	295	125	119	59	47	241	92	2,894	2,234	63	23
02	Aston township†	110	–	–	1	24	9	4	2	3	1	3	2	1	52	43	–	–
03	Chester	593	2	–	6	104	21	34	6	13	5	4	21	10	277	223	6	3
04	Collingdale	103	–	–	–	26	5	8	–	3	1	1	8	2	50	40	–	1
05	Darby	189	–	–	–	33	6	7	4	2	3	1	10	9	97	77	3	1
06	Darby township†	46	–	–	2	6	1	2	–	1	–	–	2	1	23	17	–	–
07	Haverford township†	483	–	–	4	109	30	26	14	11	5	6	17	4	253	200	5	–
08	Lansdowne	183	–	–	1	45	12	10	6	2	4	1	10	4	98	74	2	3
09	Marple township†	163	1	–	2	37	6	9	8	2	–	–	12	–	94	71	2	–
10	Nether Providence township†	96	–	–	–	20	2	3	1	1	4	1	8	1	57	41	–	1
11	Radnor township†	175	1	–	1	45	14	9	7	7	3	1	4	2	95	66	–	–
12	Ridley township†	216	–	–	5	43	11	7	8	2	1	2	12	3	115	96	3	–
13	Springfield township†	225	–	–	1	61	20	14	10	7	3	1	6	5	107	82	2	–
14	Upper Chichester township†	75	2	–	–	18	7	9	–	–	–	–	2	–	37	33	1	–
15	Upper Darby township†	963	2	–	6	226	71	56	15	21	12	10	41	12	484	378	20	7
16	Yeadon	138	–	–	–	21	6	5	2	1	1	1	5	3	77	60	1	1
17	Balance of county	1,903	1	–	14	413	124	92	42	43	16	15	81	35	978	733	18	6
18	Elk	317	–	–	4	63	25	13	4	3	3	1	14	13	155	114	5	2
19	Erie	2,498	3	–	12	535	141	120	42	63	27	23	119	38	1,366	1,046	23	10
20	Erie	1,373	2	–	8	311	86	72	25	32	14	12	70	16	746	574	17	4
21	Millcreek township†	292	–	–	1	69	19	14	7	10	5	1	13	4	154	123	2	2
22	Balance of county	833	1	–	3	155	36	34	10	21	8	10	36	18	466	349	4	4
23	Fayette	1,874	5	–	13	314	73	60	31	49	16	15	70	48	1,092	857	15	6
24	Connellsville	176	–	–	1	23	4	3	2	5	1	–	8	3	119	90	3	1
25	Uniontown	288	1	–	3	51	14	8	5	7	2	2	13	7	160	120	4	1
26	Balance of county	1,410	4	–	9	240	55	49	24	37	13	13	49	38	813	647	8	4
27	Forest	53	–	–	2	10	1	1	1	1	2	–	4	2	27	18	–	2
28	Franklin	965	2	–	4	200	64	45	19	20	10	4	38	21	509	382	10	4
29	Chambersburg	219	1	–	–	54	16	15	7	4	1	–	11	8	111	84	2	2
30	Waynesboro	112	–	–	–	28	11	5	2	3	4	–	3	4	63	46	–	–
31	Balance of county	634	1	–	4	118	37	25	10	13	5	4	24	9	335	252	8	2
32	Fulton	101	–	–	–	21	5	6	–	5	–	1	4	5	50	42	–	–
33	Greene	468	1	–	6	68	11	18	7	7	5	5	15	14	271	226	1	1
34	Huntingdon	382	2	–	5	66	18	17	2	9	3	4	13	7	205	161	1	5
35	Indiana	739	–	–	8	132	54	27	10	12	3	7	19	4	426	324	8	1
36	Indiana	88	–	–	–	22	14	2	1	2	–	2	1	–	42	32	1	–
37	Balance of county	651	–	–	8	110	40	25	9	10	3	5	18	4	384	292	7	1
38	Jefferson	524	–	–	–	103	39	17	9	5	3	6	24	9	315	242	3	5
39	Juniata	191	–	–	2	35	9	3	5	6	3	–	9	6	112	91	2	3
40	Lackawanna	2,858	9	–	13	570	180	119	62	61	24	22	102	50	1,559	1,251	30	32
41	Carbondale	153	–	–	4	30	12	7	3	2	4	–	2	2	81	68	2	–
42	Dunmore	196	–	–	–	36	9	8	4	5	–	2	8	5	111	84	3	1
43	Scranton	1,346	7	–	6	289	93	56	38	33	10	8	51	29	729	576	13	11
44	Balance of county	1,163	2	–	3	215	66	48	17	21	10	12	41	14	638	523	12	20
45	Lancaster	3,042	1	–	15	633	169	127	63	65	32	25	152	54	1,691	1,269	30	10
46	Columbia	148	–	–	–	25	9	7	3	3	1	1	1	3	83	52	–	–
47	Lancaster	690	–	–	6	152	48	31	13	14	6	6	32	5	368	273	8	4
48	Lancaster township†	106	–	–	1	23	3	5	1	3	2	1	8	2	63	49	2	1
49	Balance of county	2,098	1	–	8	433	109	84	46	45	21	17	111	44	1,177	895	20	5
50	Lawrence	1,087	–	–	8	199	55	37	21	29	5	6	46	19	634	491	10	12
51	Ellwood City, part	93	–	–	1	11	–	5	1	2	–	–	3	3	55	48	–	–
52	Ellwood City, total	101	–	–	1	14	1	5	1	2	1	–	4	4	59	51	–	–
53	New Castle	465	–	–	4	91	26	21	9	13	3	2	17	7	273	200	6	7
54	Balance of county	529	–	–	3	97	29	11	11	14	2	4	26	9	306	243	4	5
55	Lebanon	925	1	–	5	160	37	41	17	16	12	5	32	24	554	455	11	4
56	Lebanon	308	1	–	1	68	15	22	8	8	2	1	12	6	176	146	4	1
57	Balance of county	617	–	–	4	92	22	19	9	8	10	4	20	18	378	309	7	3
58	Lehigh	2,348	4	–	16	482	128	113	51	54	16	21	99	44	1,291	1,009	25	6
59	Allentown	1,156	3	–	7	236	68	53	17	27	8	11	52	19	642	500	10	4
60	Bethlehem, part	186	–	–	–	33	8	11	5	2	2	1	4	6	110	81	3	–
61	Emmaus	98	–	–	1	23	5	6	3	2	1	1	5	–	52	45	3	–
62	Balance of county	908	1	–	8	190	47	43	26	23	5	8	38	19	487	383	9	2
63	Luzerne	4,106	12	1	17	770	243	161	62	86	39	33	146	83	2,191	1,791	32	35
64	Hazleton	405	1	–	1	66	17	15	9	6	3	3	13	11	196	147	1	1
65	Kingston	205	–	–	–	50	24	9	2	5	2	1	7	4	111	94	1	3
66	Nanticoke	199	4	–	–	36	14	3	6	4	2	1	6	1	88	82	2	1
67	Pittston	153	1	–	2	29	13	4	–	2	2	1	7	5	76	56	1	3
68	Wilkes-Barre	749	1	–	4	130	42	26	10	12	3	8	29	14	427	351	3	5
69	Balance of county	2,395	5	1	10	459	133	104	35	57	27	19	84	48	1,293	1,061	24	22
70	Lycoming	1,085	–	–	11	189	52	40	18	16	8	10	45	19	602	478	9	5
71	Williamsport	345	–	–	5	58	18	16	7	6	–	3	8	8	191	151	3	4
72	Balance of county	740	–	–	6	131	34	24	11	10	8	7	37	11	411	327	6	1
73	McKean	588	–	–	1	114	31	27	13	16	10	3	14	7	365	273	6	2
74	Bradford	195	–	–	–	40	14	9	4	7	2	–	4	–	132	109	1	–
75	Balance of county	393	–	–	1	74	17	18	9	9	8	3	10	7	233	164	5	2
76	Mercer	1,282	1	–	10	267	81	49	22	31	13	14	57	17	690	549	13	12
77	Farrell	106	1	–	2	26	7	4	2	5	3	–	5	2	43	34	2	2
78	Sharon	264	–	–	1	67	26	12	2	10	2	2	13	4	143	113	3	5
79	Balance of county	912	–	–	7	174	48	33	18	16	8	12	39	11	504	402	8	5
80	Mifflin	454	1	–	5	75	15	21	6	13	6	3	11	3	261	206	1	3
81	Lewistown	145	–	–	–	23	4	9	3	3	2	–	2	1	85	66	1	–
82	Balance of county	309	1	–	5	52	11	12	3	10	4	3	9	2	176	140	–	3
83	Monroe	607	1	–	5	96	24	25	8	14	4	5	16	4	326	253	4	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,032	116	10	506	64	80	119	59	17	96	22	1	27	58	180	501	77	99	77	21	38	01
39	4	–	9	–	–	2	1	–	1	–	–	1	2	5	14	1	1	3	–	1	02
202	12	–	44	6	4	10	4	2	10	5	1	2	11	38	66	10	16	3	9	7	03
37	2	–	6	1	3	2	1	–	1	–	–	–	–	4	10	1	1	5	–	–	04
67	6	2	16	1	1	8	–	–	3	1	–	–	2	13	14	–	4	2	2	1	05
16	1	–	6	–	–	1	–	1	1	1	–	–	2	3	3	1	–	–	–	1	06
183	12	1	43	5	4	3	11	3	6	–	–	–	1	13	40	10	14	8	1	3	07
68	1	–	18	2	4	5	1	–	4	1	–	–	–	2	10	5	5	2	–	–	08
67	2	–	14	7	2	4	2	–	–	1	–	2	–	3	12	1	1	3	–	–	09
38	2	–	14	–	2	3	–	–	1	1	–	–	1	2	5	–	–	1	–	4	10
62	4	–	24	2	3	6	1	–	2	1	–	1	–	3	10	1	–	5	–	1	11
89	4	–	15	2	2	5	3	–	3	–	–	2	–	6	15	4	6	3	–	3	12
76	4	1	22	2	–	8	2	1	2	1	–	2	8	8	13	2	2	1	–	1	13
31	1	–	3	–	1	4	–	1	1	–	–	1	–	1	7	3	–	–	–	–	14
332	19	1	80	5	20	15	10	3	21	4	–	4	11	25	91	12	9	19	2	7	15
57	1	–	13	2	2	3	1	–	2	–	–	–	1	1	19	1	6	1	1	1	16
668	41	5	179	29	32	40	22	6	38	6	–	12	19	53	172	25	34	21	6	8	17
103	4	–	31	3	7	7	4	–	10	2	–	2	4	2	25	11	13	1	–	1	18
927	86	12	235	38	35	62	22	9	37	12	–	18	36	12	192	66	38	30	9	1	19
507	46	7	129	21	15	31	13	6	26	8	–	9	17	5	118	22	20	10	4	1	20
108	11	1	24	3	3	9	2	1	2	1	–	4	6	1	20	8	4	6	–	–	21
312	29	4	82	14	17	22	7	2	9	3	–	5	13	6	54	36	14	14	5	–	22
711	125	4	190	15	26	46	12	3	21	7	–	6	15	9	151	41	62	20	7	2	23
71	15	–	24	2	3	3	–	1	1	1	–	1	–	1	16	1	2	3	–	–	24
93	22	–	32	1	7	4	1	–	4	–	–	1	4	1	24	9	11	4	2	1	25
547	88	4	134	12	16	39	11	2	16	6	–	4	11	7	111	31	49	13	5	1	26
14	2	–	6	1	2	1	1	–	–	1	–	–	–	–	6	2	–	–	1	–	27
341	27	4	95	14	14	29	6	5	9	5	–	4	11	6	82	29	29	9	5	–	28
76	4	1	22	1	3	3	2	1	4	2	–	–	4	–	18	2	7	1	1	–	29
39	7	–	7	3	7	2	2	–	–	1	–	–	–	1	7	1	3	–	–	–	30
226	16	3	66	10	4	24	2	4	5	2	–	4	7	5	57	26	19	8	4	–	31
41	1	–	4	3	1	6	2	–	–	–	–	–	2	1	5	5	2	2	–	–	32
194	30	–	28	6	11	7	6	1	7	1	–	4	2	1	38	12	20	8	1	–	33
145	10	1	32	5	6	8	5	3	2	3	–	2	3	3	25	19	16	4	3	1	34
290	25	–	67	17	18	9	8	3	4	1	–	2	7	6	71	23	25	9	–	1	35
29	2	–	7	2	1	2	1	–	–	–	–	2	2	–	9	4	1	3	–	–	36
261	23	–	60	15	17	7	7	3	4	1	–	–	5	6	62	19	24	6	–	1	37
200	34	–	52	13	8	9	3	1	5	1	–	2	4	–	39	11	17	4	1	–	38
78	8	–	20	1	–	5	5	–	2	–	–	–	–	2	14	1	5	1	–	1	39
1,122	67	7	218	56	27	32	52	6	46	16	–	14	16	106	242	34	58	26	6	3	40
60	6	–	11	2	–	5	2	–	5	2	–	1	2	1	13	1	2	–	2	–	41
79	1	–	17	7	3	3	2	–	4	1	–	3	–	3	20	–	7	1	–	–	42
521	31	4	114	22	13	9	28	3	18	9	–	5	6	56	92	18	23	14	3	2	43
462	29	3	76	25	11	15	20	3	19	4	–	5	8	46	117	15	26	11	1	1	44
1,122	107	9	285	73	55	81	29	10	31	13	–	15	28	24	246	66	73	26	4	2	45
51	1	1	24	4	2	6	2	–	2	–	–	1	1	2	15	5	2	1	–	–	46
231	30	2	68	12	13	25	7	3	9	3	–	1	3	10	54	17	17	7	3	–	47
42	4	1	7	6	–	2	–	–	–	1	–	–	–	–	9	2	1	1	–	1	48
798	72	5	186	51	40	48	20	7	20	9	–	13	24	12	168	42	53	17	1	1	49
431	38	5	101	17	20	34	6	4	10	8	–	4	8	5	93	21	18	11	5	–	50
44	4	1	4	–	2	2	1	1	1	–	–	1	2	1	10	–	3	1	–	–	51
46	5	2	4	–	2	2	1	1	1	–	–	1	2	1	10	–	3	1	–	–	52
176	11	1	53	10	9	19	4	1	4	2	–	2	2	2	35	7	7	4	1	–	53
211	23	3	44	7	9	13	1	2	5	6	–	1	4	2	48	14	8	6	4	–	54
410	30	–	72	16	11	20	4	4	6	2	–	6	2	4	82	22	21	2	–	6	55
135	6	–	23	4	3	4	1	2	1	–	–	1	1	2	29	5	7	–	–	3	56
275	24	–	49	12	8	16	3	2	5	2	–	5	1	2	53	17	14	2	–	3	57
926	52	9	193	43	37	49	24	5	33	5	–	14	24	14	180	58	59	41	4	1	58
461	25	5	100	13	24	29	10	2	16	2	–	9	12	10	89	20	28	20	2	–	59
73	5	–	16	10	3	6	1	–	4	–	–	–	3	1	15	1	3	2	–	1	60
41	1	2	5	–	–	–	1	–	3	–	–	–	–	–	12	1	5	–	–	–	61
351	21	2	72	20	10	14	12	3	10	3	–	5	9	3	64	36	23	19	2	–	62
1,628	96	8	302	46	44	75	43	10	59	11	–	19	21	22	603	51	69	38	6	5	63
141	4	–	39	3	7	17	5	1	5	1	–	2	–	2	72	4	13	7	1	–	64
87	3	–	14	2	1	4	2	1	–	1	–	–	–	–	26	1	3	1	1	–	65
75	4	–	3	2	1	6	2	–	4	1	–	3	–	–	48	3	3	–	–	–	66
46	6	1	14	1	4	1	–	–	4	1	–	–	2	1	27	1	3	–	–	–	67
331	12	2	53	10	11	11	14	1	21	–	–	2	6	7	88	4	14	4	1	–	68
948	67	5	179	28	20	36	20	7	25	7	–	12	13	12	342	38	33	26	3	5	69
432	32	3	101	8	12	25	14	2	10	8	–	5	17	8	104	25	29	15	2	–	70
132	12	2	33	3	2	5	4	–	5	–	–	1	7	4	36	7	9	5	–	–	71
300	20	1	68	5	10	20	10	2	5	8	–	4	10	4	68	18	20	10	2	–	72
250	15	4	47	31	10	13	5	3	6	1	–	6	2	1	30	9	16	6	2	1	73
101	7	–	15	5	3	3	1	1	1	–	–	1	1	–	7	–	5	2	–	1	74
149	8	4	32	26	7	10	4	2	5	1	–	5	1	1	23	9	11	4	2	–	75
502	22	5	112	12	12	23	21	6	13	11	–	11	7	4	111	29	39	13	9	–	76
29	1	1	6	1	1	2	2	1	4	–	–	–	1	1	9	–	5	2	5	–	77
102	3	1	22	3	4	4	4	–	4	3	–	2	1	1	16	7	7	–	–	–	78
371	18	3	84	8	7	17	15	5	5	8	–	9	5	2	86	22	27	11	4	–	79
184	18	–	43	4	8	9	9	1	3	2	–	2	10	6	39	12	13	2	–	1	80
58	7	–	15	1	3	1	4	–	1	1	–	2	1	3	14	4	5	–	–	–	81
126	11	–	28	3	5	8	5	1	2	1	–	–	9	3	25	8	8	2	–	1	82
212	36	–	61	4	8	24	3	1	9	2	–	6	7	4	75	18	15	6	4	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Montgomery	5,527	5	–	37	1,209	343	283	123	127	50	48	235	102	2,888	2,179	61	25
02	Abington township	503	1	–	8	122	32	33	7	13	4	3	30	11	266	190	6	1
03	Cheltenham township	340	–	–	4	79	18	16	13	9	2	6	15	8	189	155	5	2
04	Conshohocken	112	–	–	–	33	10	11	2	3	2	–	5	1	53	44	1	2
05	East Norriton township	80	–	–	–	15	5	5	2	1	1	1	–	2	42	34	1	–
06	Lansdale	182	–	–	–	33	8	9	3	3	2	1	7	2	108	80	5	–
07	Lower Merion township	505	–	–	2	114	35	25	14	17	4	5	14	15	265	198	7	2
08	Lower Moreland township	59	–	–	–	14	7	–	–	1	–	1	5	3	28	18	1	–
09	Norristown	451	–	–	5	84	19	29	10	6	1	5	14	10	214	173	3	–
10	Plymouth township	90	–	–	–	16	5	2	1	4	–	–	4	1	49	36	2	1
11	Pottstown	274	1	–	5	46	12	10	7	5	3	2	7	1	151	122	2	3
12	Springfield township	214	–	–	1	52	18	11	5	4	–	2	12	2	119	91	2	1
13	Upper Moreland township	145	–	–	–	27	8	5	1	5	3	1	4	5	76	56	1	1
14	West Norriton township	91	–	–	–	20	4	8	2	1	1	–	4	2	49	34	1	1
15	Balance of county	2,481	3	–	12	554	162	119	56	55	27	21	114	39	1,279	948	24	11
16	Montour	188	–	–	1	32	10	8	2	2	2	1	7	5	94	65	4	–
17	Northampton	2,144	5	–	14	473	121	114	43	48	26	17	104	29	1,192	939	17	6
18	Bethlehem, part	565	2	–	3	122	38	30	6	14	1	2	31	6	313	240	2	2
19	Bethlehem, total	751	2	–	3	155	46	41	11	16	3	3	35	12	423	321	5	2
20	Easton	381	–	–	–	74	18	16	5	11	7	1	16	4	221	174	4	1
21	Balance of county	1,198	3	–	11	277	65	68	32	23	18	14	57	19	658	525	11	3
22	Northumberland	1,247	2	–	4	209	50	49	26	13	10	5	56	40	697	520	4	4
23	Shamokin	179	–	–	–	36	6	7	5	3	4	1	10	9	101	79	–	–
24	Sunbury	173	–	–	1	21	9	5	1	1	–	–	5	6	100	67	2	–
25	Balance of county	895	2	–	3	152	35	37	20	9	6	4	41	25	496	374	2	4
26	Perry	287	1	–	2	50	11	14	2	7	1	2	13	11	147	116	2	2
27	Philadelphia, coext. with Philadelphia city	20,869	47	5	281	4,331	1,197	1,087	404	472	171	113	887	364	8,814	6,818	132	108
28	Pike	215	–	–	2	41	11	8	6	7	2	2	5	5	127	93	4	1
29	Potter	175	–	–	3	29	6	12	2	3	1	–	5	2	103	84	–	1
30	Schuylkill	2,113	6	–	15	384	122	78	34	38	16	12	84	71	1,067	823	14	12
31	Pottsville	262	2	–	1	40	14	8	4	1	2	1	10	10	142	118	3	2
32	Balance of county	1,851	4	–	14	344	108	70	30	37	14	11	74	61	925	705	11	10
33	Snyder	252	–	–	1	31	6	12	1	4	2	1	5	9	151	110	2	3
34	Somerset	896	1	–	1	136	38	24	17	23	7	2	25	10	530	399	11	26
35	Sullivan	77	–	–	–	11	2	2	–	1	2	1	3	2	51	32	1	–
36	Susquehanna	345	–	–	2	63	15	15	4	10	1	2	16	6	192	160	–	3
37	Tioga	403	–	–	3	77	27	14	5	11	6	6	8	7	224	172	2	–
38	Union	270	–	–	4	41	11	6	2	5	6	1	10	6	163	110	2	2
39	Venango	710	–	–	1	134	34	27	14	18	5	8	28	7	413	312	7	7
40	Oil City	161	–	–	–	34	7	5	3	4	1	2	12	–	94	63	3	2
41	Balance of county	549	–	–	1	100	27	22	11	14	4	6	16	7	319	249	4	5
42	Warren	502	–	–	3	85	25	21	6	9	3	7	14	14	292	214	5	3
43	Warren	160	–	–	–	28	7	7	–	3	1	2	8	5	98	75	1	1
44	Balance of county	342	–	–	3	57	18	14	6	6	2	5	6	9	194	139	4	2
45	Washington	2,318	2	1	16	447	113	101	38	59	11	14	111	49	1,302	978	16	11
46	Canonsburg	139	–	–	–	28	6	6	3	3	–	2	8	3	84	72	2	–
47	Washington	291	1	–	2	51	10	12	2	9	1	2	15	6	160	120	1	2
48	Balance of county	1,888	1	1	14	368	97	83	33	47	10	10	88	40	1,058	786	13	9
49	Wayne	371	1	–	2	71	24	9	8	4	5	6	15	6	200	148	4	2
50	Westmoreland	3,566	3	–	26	724	216	153	68	83	37	26	141	68	2,056	1,567	29	13
51	Greensburg	244	–	–	1	42	13	5	3	7	2	2	10	5	149	99	4	2
52	Hempfield township	298	–	–	1	70	14	18	13	10	5	3	7	3	174	134	2	–
53	Jeannette	156	–	–	2	33	14	6	2	3	2	2	4	6	93	72	2	–
54	Latrobe	130	–	–	3	25	7	7	3	2	2	1	3	1	73	57	2	–
55	Lower Burrell	100	–	–	–	17	5	6	1	–	–	–	5	3	59	44	–	–
56	Monessen	166	–	–	–	35	8	7	–	6	3	3	8	3	89	74	1	2
57	New Kensington	237	–	–	1	47	12	8	7	7	1	1	11	6	137	89	2	1
58	North Huntington township	185	1	–	3	38	8	12	4	4	–	2	8	2	101	82	1	–
59	Balance of county	2,050	2	–	15	417	135	84	35	44	22	12	85	39	1,181	916	15	8
60	Wyoming	258	2	–	1	52	18	12	6	4	–	1	11	4	154	103	1	–
61	York	2,566	1	1	12	553	170	105	54	58	32	17	117	38	1,340	1,072	21	17
62	Hanover	201	–	–	–	48	13	8	6	6	3	1	11	3	102	79	6	4
63	Spring Garden township	125	–	–	–	29	11	4	4	6	–	3	1	–	77	69	–	3
64	York	621	1	–	3	131	39	28	11	15	8	3	27	13	330	261	8	3
65	Balance of county	1,619	–	1	9	345	107	65	33	31	21	10	78	22	831	663	7	7
66	**Rhode Island**	**9,068**	**8**	**2**	**47**	**2,224**	**718**	**507**	**227**	**245**	**96**	**73**	**358**	**185**	**4,834**	**3,780**	**78**	**32**
67	Urban places	7,244	7	–	35	1,768	574	400	184	187	81	56	286	155	3,865	3,016	57	29
68	Balance of area	1,824	1	2	12	456	144	107	43	58	15	17	72	30	969	764	21	3
69	Metropolitan counties	7,733	8	1	40	1,893	617	435	198	197	81	61	304	168	4,128	3,252	61	26
70	Urban places	6,657	7	–	31	1,627	536	366	169	169	72	51	264	150	3,561	2,802	52	24
71	Balance of area	1,076	1	1	9	266	81	69	29	28	9	10	40	18	567	450	9	2
72	Nonmetropolitan counties	1,335	–	1	7	331	101	72	29	48	15	12	54	17	706	528	17	6
73	Urban places	587	–	–	4	141	38	34	15	18	9	5	22	5	304	214	5	5
74	Balance of area	748	–	1	3	190	63	38	14	30	6	7	32	12	402	314	12	1
75	Bristol	379	1	–	3	94	38	18	11	7	2	1	17	21	180	129	4	3
76	Barrington	114	–	–	–	35	17	4	6	2	–	–	6	1	55	36	3	1
77	Bristol	155	1	–	3	35	11	8	3	4	–	1	8	12	74	57	1	2
78	Warren	106	–	–	–	24	10	6	2	1	2	–	3	8	47	32	–	–
79	Balance of county	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–
80	Kent	1,248	1	1	10	325	102	83	30	31	12	8	59	26	672	548	10	2
81	Warwick	767	–	–	4	209	61	59	18	22	5	5	39	19	410	325	4	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,939	154	16	528	69	96	151	48	16	77	16	1	34	59	106	456	92	125	86	13	6	01
172	11	–	53	11	12	7	3	1	3	2	–	2	1	–	50	3	13	10	–	–	02
135	13	1	26	2	5	3	3	1	4	1	–	3	–	8	30	3	2	2	–	–	03
39	2	–	8	–	1	4	–	–	5	1	1	1	1	1	6	3	2	–	–	–	04
29	4	–	6	1	1	3	2	–	1	1	–	1	–	3	8	–	2	–	–	–	05
66	9	1	21	3	3	6	2	–	–	–	–	–	3	2	15	2	5	4	–	–	06
180	9	1	45	11	10	20	5	4	6	–	–	1	2	8	37	3	9	13	–	1	07
17	–	1	7	2	–	3	1	2	1	–	–	–	–	–	4	–	1	2	–	–	08
158	12	1	31	1	8	14	8	2	11	–	–	3	16	8	41	8	16	6	4	1	09
30	3	–	11	1	1	1	1	–	2	1	–	1	–	4	8	5	1	–	–	–	10
103	14	–	23	2	4	5	–	1	6	1	–	2	2	11	25	8	6	1	2	–	11
83	5	–	22	5	1	8	3	–	1	–	–	–	1	3	18	1	5	–	–	–	12
49	5	2	13	2	3	5	–	–	2	1	–	1	4	3	13	2	1	3	2	–	13
29	3	–	12	–	3	–	1	–	2	–	–	2	1	1	7	1	2	1	1	1	14
849	64	9	250	28	44	72	19	5	33	8	–	17	28	54	194	53	60	44	4	3	15
54	7	–	22	1	6	8	–	2	1	–	–	2	8	–	25	4	4	2	–	–	16
826	90	6	172	43	32	36	18	5	24	8	–	16	20	11	174	48	36	29	3	3	17
218	18	1	50	14	8	10	7	1	10	1	–	1	7	2	54	5	12	8	1	–	18
291	23	1	66	24	11	16	8	1	14	1	–	1	10	3	69	6	15	10	1	1	19
139	30	–	30	10	7	4	2	1	3	3	–	5	5	4	37	8	2	6	1	1	20
469	42	5	92	19	17	22	9	3	11	4	–	10	8	5	83	35	22	15	1	2	21
480	32	2	129	24	22	21	10	7	20	5	–	5	2	9	155	20	31	8	1	1	22
76	3	–	14	3	5	1	1	3	1	–	–	–	–	2	15	–	9	1	–	–	23
57	8	–	22	9	2	6	2	–	1	–	–	3	–	2	25	3	–	3	–	–	24
347	21	2	93	12	15	14	7	4	18	5	–	2	2	5	115	17	22	4	1	1	25
103	9	1	22	3	5	12	5	3	3	1	–	1	3	–	27	4	11	6	–	–	26
5,669	909	39	1,511	184	262	550	115	53	380	138	8	111	283	2,201	1,783	179	528	256	348	94	27
73	15	1	24	5	4	2	3	–	6	–	–	–	–	3	13	7	3	3	–	–	28
73	10	1	10	1	7	4	1	1	1	1	–	–	1	1	14	6	5	1	–	2	29
709	88	10	189	24	21	50	30	8	34	6	–	4	13	13	301	38	55	10	6	2	30
101	12	1	15	6	2	7	4	1	6	–	–	1	4	4	28	5	5	2	–	–	31
608	76	9	174	18	19	43	26	7	28	6	–	3	9	9	273	33	50	8	6	2	32
90	15	–	35	3	3	10	2	1	3	–	–	–	1	–	17	11	10	5	–	–	33
337	25	1	99	20	11	25	16	–	12	3	–	3	8	4	86	18	32	11	–	–	34
29	2	1	16	2	–	–	1	–	–	–	–	–	1	–	5	–	1	5	–	–	35
151	6	–	22	8	2	9	4	1	7	1	–	3	1	5	27	10	9	5	–	–	36
163	7	–	44	1	7	4	1	1	5	–	–	1	4	6	28	21	11	7	2	1	37
101	5	–	46	4	3	7	5	–	1	3	–	3	1	–	23	5	1	4	3	–	38
280	18	1	74	19	7	14	8	2	5	2	–	7	9	5	58	18	18	9	–	–	39
56	2	–	24	6	1	2	4	1	2	–	–	–	4	1	8	6	–	5	–	–	40
224	16	1	50	13	6	12	4	1	3	2	–	7	5	4	50	12	18	4	–	–	41
189	17	1	56	17	4	12	4	–	6	5	–	3	5	5	37	13	14	3	1	–	42
63	10	1	14	6	2	4	2	–	2	3	–	1	1	–	8	1	7	–	–	–	43
126	7	–	42	11	2	8	2	–	4	2	–	2	4	5	29	12	7	3	1	–	44
870	81	6	237	33	48	54	15	1	33	15	1	5	18	19	202	34	69	27	6	2	45
63	7	–	10	1	1	2	–	–	6	–	–	–	1	–	8	–	5	1	–	1	46
112	5	–	25	4	11	11	1	–	2	2	–	2	5	3	30	1	10	2	2	–	47
695	69	6	202	28	36	41	14	1	25	13	1	3	12	16	164	33	54	24	4	1	48
132	10	1	35	11	5	5	3	4	4	2	–	3	3	2	31	11	16	3	3	1	49
1,420	105	9	367	68	45	59	30	10	42	12	–	14	24	40	263	66	78	35	11	5	50
87	6	1	35	9	5	3	1	–	6	–	–	–	7	3	12	3	6	4	2	–	51
126	6	2	33	5	–	3	–	1	6	–	–	–	2	2	18	8	4	3	1	2	52
68	2	1	15	3	2	1	1	–	2	–	–	–	–	3	8	1	5	1	–	–	53
53	2	–	13	1	2	1	1	–	–	2	–	–	1	2	12	4	4	1	–	–	54
40	4	–	11	2	2	1	1	1	2	2	–	–	1	1	8	1	2	1	–	–	55
56	15	–	10	5	–	8	1	2	6	1	–	1	–	1	13	3	2	1	–	–	56
79	7	1	37	5	5	3	3	–	3	1	–	1	1	6	18	1	6	3	–	–	57
76	5	–	17	2	–	3	1	1	5	1	–	1	3	2	14	1	5	3	–	–	58
835	58	4	196	36	29	36	21	5	12	5	–	11	9	20	160	44	44	18	8	3	59
88	14	1	20	28	2	3	1	–	2	–	–	1	1	1	11	10	8	4	2	1	60
951	83	2	181	46	39	67	25	13	17	9	1	17	29	10	265	69	56	32	8	3	61
65	4	–	14	4	5	9	1	1	1	1	–	2	5	1	24	1	1	1	–	–	62
62	4	–	5	2	1	2	–	–	–	–	–	–	–	–	10	5	1	1	–	–	63
226	24	–	52	11	6	15	8	6	4	3	–	6	4	1	72	4	13	5	2	–	64
598	51	2	110	29	27	41	16	6	12	5	1	9	20	8	159	59	41	25	6	3	65
3,543	**127**	**23**	**762**	**128**	**141**	**144**	**53**	**28**	**157**	**42**	–	**51**	**66**	**27**	**647**	**159**	**200**	**139**	**41**	**14**	**66**
2,821	**109**	**20**	**610**	**109**	**110**	**117**	**35**	**24**	**136**	**33**	–	**42**	**57**	**20**	**519**	**116**	**154**	**110**	**38**	**13**	**67**
722	**18**	**3**	**152**	**19**	**31**	**27**	**18**	**4**	**21**	**9**	–	**9**	**9**	**7**	**128**	**43**	**46**	**29**	**3**	**1**	**68**
3,050	**115**	**19**	**634**	**108**	**115**	**118**	**44**	**23**	**139**	**38**	–	**32**	**55**	**20**	**562**	**132**	**174**	**113**	**34**	**11**	**69**
2,624	**102**	**17**	**542**	**100**	**100**	**104**	**32**	**21**	**125**	**31**	–	**28**	**51**	**18**	**481**	**106**	**142**	**98**	**34**	**10**	**70**
426	**13**	**2**	**92**	**8**	**15**	**14**	**12**	**2**	**14**	**7**	–	**4**	**4**	**2**	**81**	**26**	**32**	**15**	–	**1**	**71**
493	**12**	**4**	**128**	**20**	**26**	**26**	**9**	**5**	**18**	**4**	–	**19**	**11**	**7**	**85**	**27**	**26**	**26**	**7**	**3**	**72**
197	**7**	**3**	**68**	**9**	**10**	**13**	**3**	**3**	**11**	**2**	–	**14**	**6**	**2**	**38**	**10**	**12**	**12**	**4**	**3**	**73**
296	**5**	**1**	**60**	**11**	**16**	**13**	**6**	**2**	**7**	**2**	–	**5**	**5**	**5**	**47**	**17**	**14**	**14**	**3**	–	**74**
117	**5**	**2**	**35**	**9**	**5**	**5**	**3**	–	**7**	**2**	–	**1**	**2**	–	**32**	**7**	**13**	**6**	**1**	**1**	**75**
29	**3**	**1**	**13**	**2**	**3**	**2**	–	–	–	–	–	–	**1**	–	**12**	**3**	**1**	**4**	–	–	**76**
53	**1**	**1**	**11**	**4**	**1**	**2**	–	–	**6**	**1**	–	–	–	–	**10**	**2**	**8**	–	–	**1**	**77**
32	–	–	**11**	**3**	**1**	**1**	**3**	–	**1**	**1**	–	**1**	**1**	–	**10**	**2**	**4**	**2**	**1**	–	**78**
3	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	**79**
520	**16**	–	**96**	**14**	**14**	**9**	**8**	**2**	**19**	**4**	–	**4**	**10**	**3**	**83**	**24**	**22**	**19**	**3**	**3**	**80**
309	**11**	–	**67**	**9**	**9**	**6**	**5**	**1**	**7**	**2**	–	**3**	**5**	**1**	**54**	**11**	**15**	**10**	**3**	**2**	**81**

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Rhode Island—Con.																	
	Kent—Con.																	
01	West Warwick town†	216	1	–	–	54	24	9	4	4	3	1	9	4	130	114	4	–
02	Balance of county	265	–	1	6	62	17	15	8	5	4	2	11	3	132	109	2	1
03	Newport	686	–	1	3	177	51	42	9	32	9	7	27	3	350	262	6	5
04	Middletown town†	117	–	–	2	30	12	3	3	7	2	1	2	1	56	42	1	–
05	Newport	319	–	–	1	74	20	22	4	7	4	2	15	1	172	122	1	4
06	Balance of county	250	–	1	–	73	19	17	2	18	3	4	10	1	122	98	4	1
07	Providence	6,106	6	–	27	1,474	477	334	157	159	67	52	228	121	3,276	2,575	47	21
08	Central Falls	198	–	–	–	46	16	9	7	2	3	–	9	4	109	87	2	–
09	Cranston	728	–	–	5	196	71	46	14	23	13	6	23	9	388	302	5	5
10	Cumberland town†	211	–	–	–	49	13	8	6	3	5	2	12	3	118	92	2	2
11	East Providence	488	–	–	3	133	40	24	15	19	3	4	28	5	258	210	3	1
12	North Providence town†	229	1	–	1	66	19	19	9	7	1	3	8	6	111	91	1	1
13	Pawtucket	878	–	–	4	227	73	49	32	27	8	9	29	18	475	377	7	3
14	Providence	2,016	4	–	10	431	146	100	43	39	20	14	69	43	1,093	835	15	6
15	Woonsocket	551	–	–	1	122	35	25	10	16	9	6	21	18	293	244	5	2
16	Balance of county	807	1	–	3	204	64	54	21	23	5	8	29	15	431	337	7	1
17	Washington	649	–	–	4	154	50	30	20	16	6	5	27	14	356	266	11	1
18	North Kingstown town†	151	–	–	1	37	6	9	8	4	3	2	5	3	76	50	3	1
19	Balance of county	498	–	–	3	117	44	21	12	12	3	3	22	11	280	216	8	–
20	**South Carolina**	**24,293**	**46**	**2**	**238**	**4,247**	**1,036**	**1,074**	**361**	**532**	**160**	**170**	**914**	**476**	**11,944**	**8,642**	**116**	**166**
21	Urban places	6,073	12	1	49	1,079	276	266	100	135	43	42	217	121	3,012	2,190	21	45
22	Balance of area	18,220	34	1	189	3,168	760	808	261	397	117	128	697	355	8,932	6,452	95	121
23	Metropolitan counties	8,376	16	–	89	1,547	370	394	144	190	65	62	322	134	4,060	3,040	45	50
24	Urban places	3,190	8	–	28	587	150	147	57	73	26	22	112	59	1,567	1,163	13	22
25	Balance of area	5,186	8	–	61	960	220	247	87	117	39	40	210	75	2,493	1,877	32	28
26	Nonmetropolitan counties	15,917	30	2	149	2,700	666	680	217	342	95	108	592	342	7,884	5,602	71	116
27	Urban places	2,883	4	1	21	492	126	119	43	62	17	20	105	62	1,445	1,027	8	23
28	Balance of area	13,034	26	1	128	2,208	540	561	174	280	78	88	487	280	6,439	4,575	63	93
29	Abbeville	249	–	–	4	37	12	6	2	4	–	1	12	1	131	101	1	1
30	Aiken	819	1	–	12	148	41	38	16	14	9	5	25	12	387	261	2	2
31	Aiken	180	–	–	2	30	10	6	3	2	4	2	3	–	91	55	–	–
32	North Augusta	104	1	–	3	22	6	7	4	1	–	–	4	–	51	40	–	–
33	Balance of county	535	–	–	7	96	25	25	9	11	5	3	18	12	245	166	2	2
34	Allendale	116	–	–	–	15	3	4	–	2	1	1	4	3	64	45	–	1
35	Anderson	1,095	2	–	14	174	42	37	9	22	11	6	47	17	499	342	6	5
36	Anderson	374	–	–	3	49	13	10	4	6	2	2	12	3	172	119	1	2
37	Balance of county	721	2	–	11	125	29	27	5	16	9	4	35	14	327	223	5	3
38	Bamberg	170	1	–	–	29	4	7	1	2	7	–	8	1	89	59	–	–
39	Barnwell	172	–	–	1	24	3	7	2	2	2	–	8	4	96	59	–	1
40	Beaufort	339	1	–	5	72	23	22	5	7	1	4	10	7	135	98	2	8
41	Berkeley	442	1	–	4	78	16	20	8	10	2	3	19	8	220	175	3	1
42	Calhoun	118	–	–	–	20	7	6	–	3	–	–	4	1	65	48	–	3
43	Charleston	1,878	5	–	27	388	90	111	38	49	21	11	68	37	824	656	13	15
44	Charleston	883	3	–	12	177	43	45	17	22	11	4	35	23	410	317	4	8
45	Balance of county	995	2	–	15	211	47	66	21	27	10	7	33	14	414	339	9	7
46	Cherokee	378	–	–	2	64	21	12	4	10	4	1	12	10	185	138	2	4
47	Gaffney	179	–	–	–	34	13	8	1	6	2	–	4	6	88	61	–	1
48	Balance of county	199	–	–	2	30	8	4	3	4	2	1	8	4	97	77	2	3
49	Chester	350	–	–	4	64	15	20	7	11	–	3	8	5	202	144	1	1
50	Chesterfield	347	1	–	6	58	14	12	3	7	1	7	14	13	157	111	1	6
51	Clarendon	261	–	–	–	40	8	8	7	6	–	3	8	5	126	91	–	2
52	Colleton	338	1	1	2	54	13	10	4	8	3	3	13	13	147	100	1	2
53	Darlington	555	2	–	4	87	32	16	8	14	2	3	12	10	287	209	3	1
54	Dillon	265	1	–	6	40	10	10	2	7	2	2	7	4	108	79	2	1
55	Dorchester	346	2	–	–	63	14	16	6	9	3	2	13	10	170	110	3	4
56	Edgefield	172	–	–	2	28	5	7	2	4	–	2	8	1	99	66	1	–
57	Fairfield	206	–	–	1	31	6	6	2	8	1	1	7	5	106	70	1	1
58	Florence	957	7	–	8	152	34	55	10	16	5	6	26	27	492	378	4	4
59	Florence	396	2	–	–	62	17	18	2	8	3	3	11	7	209	165	2	3
60	Balance of county	561	5	–	8	90	17	37	8	8	2	3	15	20	283	213	2	1
61	Georgetown	334	–	–	8	69	20	19	9	5	1	2	13	8	149	106	–	8
62	Georgetown	93	–	–	2	19	9	2	5	2	–	1	–	4	45	30	–	2
63	Balance of county	241	–	–	6	50	11	17	4	3	1	1	13	4	104	76	–	6
64	Greenville	2,153	1	–	13	390	98	99	34	48	8	17	86	28	1,075	784	12	6
65	Greenville	714	1	–	4	129	36	34	10	16	3	5	25	6	361	263	4	5
66	Greer, part	91	–	–	–	14	3	6	1	1	–	–	3	2	48	33	–	–
67	Greer, total	147	–	–	1	24	7	10	2	2	–	–	3	4	71	49	–	1
68	Balance of county	1,348	–	–	9	247	59	59	23	31	5	12	58	20	666	488	8	1
69	Greenwood	506	–	–	1	83	21	21	8	12	2	7	12	11	274	179	2	10
70	Greenwood	255	–	–	1	39	9	10	3	7	1	3	6	7	140	89	–	5
71	Balance of county	251	–	–	–	44	12	11	5	5	1	4	6	4	134	90	2	5
72	Hampton	170	–	–	3	30	9	10	–	4	–	1	6	6	85	60	3	2
73	Horry	750	1	–	5	124	33	35	13	13	3	2	25	18	348	255	6	5
74	Jasper	138	–	–	2	24	5	7	1	1	–	1	9	–	68	47	1	1
75	Kershaw	323	–	–	1	58	17	13	8	8	–	2	10	10	130	87	1	–
76	Lancaster	352	2	–	3	53	11	13	2	7	1	3	16	5	197	150	2	2
77	Laurens	543	–	–	3	100	21	24	7	13	5	4	26	14	293	210	–	3
78	Laurens	142	–	–	1	30	5	8	2	2	1	2	10	4	76	47	–	–
79	Balance of county	401	–	–	2	70	16	16	5	11	4	2	16	10	217	163	–	3
80	Lee	182	2	–	3	33	9	6	3	6	1	1	7	4	81	63	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
108	2	–	10	3	3	2	1	1	7	–	–	–	2	–	7	1	2	3	–	1	01
103	3	–	19	2	2	1	2	–	5	2	–	1	3	2	22	12	5	6	–	–	02
246	5	3	67	9	9	11	3	5	8	2	–	13	9	4	50	15	15	13	4	–	03
40	1	1	12	–	1	3	1	1	1	–	–	6	2	–	10	2	1	1	–	–	04
113	4	2	37	6	5	6	–	2	6	2	–	6	4	2	22	6	6	7	2	–	05
93	–	–	18	3	3	2	2	2	1	–	–	1	3	2	18	7	8	5	2	–	06
2,413	94	17	503	85	96	104	33	21	113	32	–	27	43	17	447	101	139	88	30	7	07
80	5	–	16	3	3	3	–	–	5	1	–	2	1	1	15	6	1	2	2	–	08
282	10	2	68	5	11	12	1	2	9	2	–	2	3	–	60	7	13	15	2	2	09
83	5	1	18	4	3	4	–	–	3	1	–	2	2	2	14	7	4	2	–	–	10
199	7	–	34	7	7	6	3	–	10	3	–	1	4	–	38	12	8	2	1	1	11
86	3	–	17	1	2	5	1	–	5	2	–	1	–	–	16	7	2	4	1	–	12
353	14	2	62	19	15	16	3	3	14	2	–	4	6	3	57	13	20	12	–	1	13
780	34	9	186	31	32	35	8	12	45	11	–	10	19	7	150	31	52	30	23	2	14
230	7	1	29	9	10	10	7	2	13	5	–	2	7	4	38	4	12	12	1	–	15
320	9	2	73	6	13	13	10	2	9	5	–	3	1	–	59	14	27	9	–	1	16
247	7	1	61	11	17	15	6	–	10	2	–	6	2	3	35	12	11	13	3	3	17
44	2	–	19	3	4	4	2	–	4	–	–	2	–	–	6	2	5	4	2	3	18
203	5	1	42	8	13	11	4	–	6	2	–	4	2	3	29	10	6	9	1	–	19
7,200	**1,160**	**60**	**2,682**	**226**	**334**	**679**	**234**	**58**	**303**	**162**	**8**	**192**	**467**	**740**	**1,937**	**954**	**854**	**355**	**358**	**39**	20
1,844	280	16	659	57	90	180	61	16	98	49	2	37	106	153	548	147	224	77	92	9	21
5,356	880	44	2,023	169	244	499	173	42	205	113	6	155	361	587	1,389	807	630	278	266	30	22
2,624	321	9	830	67	114	263	64	21	127	61	1	74	171	112	699	324	295	178	132	8	23
996	132	4	322	25	53	105	22	6	59	27	1	17	55	37	298	96	122	51	41	4	24
1,628	189	5	508	42	61	158	42	15	68	34	–	57	116	75	401	228	173	127	91	4	25
4,576	839	51	1,852	159	220	416	170	37	176	101	7	118	296	628	1,238	630	559	177	226	31	26
848	148	12	337	32	37	75	39	10	39	22	1	20	51	116	250	51	102	26	51	5	27
3,728	691	39	1,515	127	183	341	131	27	137	79	6	98	245	512	988	579	457	151	175	26	28
77	22	–	27	–	3	4	4	–	1	1	–	–	7	26	12	9	9	2	1	–	29
233	24	1	97	8	20	19	7	2	8	5	–	4	13	52	59	39	20	16	12	3	30
52	3	–	30	1	5	2	–	–	3	1	–	1	1	13	14	8	5	4	4	1	31
38	2	–	9	–	2	3	1	–	1	–	–	–	5	5	8	4	–	–	–	–	32
143	19	1	58	7	13	14	6	2	4	4	–	3	7	34	37	27	15	12	8	2	33
42	2	–	18	–	1	3	–	1	3	4	–	–	4	–	10	4	–	–	5	–	34
302	29	2	129	9	17	41	12	1	9	6	1	8	24	107	81	34	40	15	5	5	35
109	7	1	46	3	3	9	3	1	5	4	–	4	14	39	41	7	12	5	2	1	36
193	22	1	83	6	14	32	9	–	4	2	1	4	10	68	40	27	28	10	3	4	37
56	3	2	26	1	1	6	2	–	3	1	–	1	2	2	15	6	4	2	6	–	38
52	6	–	33	2	2	3	–	–	2	2	–	4	2	4	13	4	7	1	3	2	39
75	13	4	27	2	4	9	2	2	6	1	–	2	11	4	37	19	18	7	1	–	40
146	25	–	39	5	1	11	2	2	5	2	–	9	14	3	28	29	11	7	8	–	41
42	3	1	14	–	2	5	1	–	–	–	–	1	–	3	10	4	6	2	–	–	42
557	71	2	137	8	21	42	17	1	41	18	–	18	38	18	187	72	79	37	29	–	43
274	31	2	72	3	16	19	7	–	20	10	–	7	12	4	106	26	34	8	5	–	44
283	40	–	65	5	5	23	10	1	21	8	–	11	26	14	81	46	45	29	24	–	45
116	16	3	31	7	6	8	12	2	6	4	–	1	6	7	28	16	16	5	4	2	46
51	9	2	19	2	4	4	4	1	4	2	–	1	2	1	15	5	9	1	2	–	47
65	7	1	12	5	2	4	8	1	2	2	–	–	4	6	13	11	7	4	2	2	48
116	26	1	41	12	4	7	6	1	3	4	–	3	2	2	21	7	14	3	2	–	49
87	17	–	39	4	3	14	2	1	4	2	1	4	7	12	27	16	12	6	4	–	50
77	12	–	31	–	4	9	3	1	3	3	1	2	5	10	20	15	17	–	1	–	51
85	12	–	39	3	5	5	1	–	7	6	–	3	4	28	25	16	15	4	6	–	52
180	25	–	70	3	5	12	5	–	6	3	–	6	11	9	45	32	24	5	7	–	53
62	14	2	22	1	4	5	2	–	2	–	–	2	8	36	28	9	8	2	4	–	54
92	11	1	51	4	4	8	5	1	4	2	–	5	8	6	21	22	13	1	4	1	55
60	5	–	24	4	5	5	1	–	2	–	–	2	1	6	16	5	–	2	1	1	56
59	9	1	27	4	4	7	1	–	3	1	–	1	5	15	8	11	8	1	2	–	57
326	44	4	90	6	14	31	12	2	11	4	2	7	33	6	58	31	45	11	14	4	58
137	23	2	34	4	4	16	5	1	5	1	–	2	13	1	28	6	22	6	9	1	59
189	21	2	56	2	10	15	7	1	6	3	2	5	20	5	30	25	23	5	5	3	60
69	29	1	39	3	–	2	7	1	6	4	1	4	9	6	23	21	12	2	2	–	61
21	7	–	13	2	–	–	1	–	1	1	1	1	1	1	8	3	4	–	1	–	62
48	22	1	26	1	–	2	6	1	5	3	–	3	8	5	15	18	8	2	1	–	63
684	82	1	233	25	32	87	16	9	27	8	1	20	44	16	189	73	80	44	31	1	64
219	35	1	76	7	14	35	4	2	10	4	1	3	15	6	66	19	30	5	12	1	65
28	5	–	14	1	–	2	1	1	2	–	–	1	1	–	3	5	5	5	1	–	66
43	5	–	20	1	1	2	1	1	3	–	–	2	1	3	8	8	5	6	7	–	67
437	42	–	143	17	18	50	11	6	15	4	–	16	28	10	120	49	45	34	18	–	68
154	13	3	75	7	10	14	5	1	3	4	–	6	5	6	50	10	13	7	12	1	69
76	8	2	41	3	5	7	4	1	1	2	–	4	1	2	32	2	6	1	5	–	70
78	5	1	34	4	5	7	1	–	2	2	–	2	4	4	18	8	7	6	7	1	71
46	9	–	16	6	3	3	3	1	–	–	–	1	5	5	15	4	5	1	3	–	72
152	92	3	74	2	14	15	10	–	9	2	–	8	23	15	72	48	27	10	14	1	73
38	7	1	16	1	3	6	2	–	2	1	–	–	2	2	12	11	5	1	–	–	74
73	13	1	34	2	6	6	1	2	3	–	–	2	2	51	28	11	9	6	3	–	75
133	13	1	35	5	6	9	1	2	4	–	–	1	2	3	24	22	15	4	4	1	76
183	24	2	57	11	13	15	3	–	5	4	–	2	6	7	46	21	12	3	7	2	77
45	2	–	18	6	5	6	–	–	3	1	–	–	1	4	13	1	2	–	–	–	78
138	22	2	39	5	8	9	3	–	2	3	–	2	5	3	33	20	10	3	7	2	79
52	10	–	14	–	4	7	3	–	–	1	1	2	1	2	14	12	8	2	6	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Carolina—Con.																	
01	Lexington	808	2	–	15	152	34	42	10	16	7	3	40	9	399	306	6	4
02	McCormick	90	–	–	–	16	5	3	2	–	–	1	5	–	46	31	1	–
03	Marion	367	2	–	7	49	13	7	4	9	2	1	13	7	205	141	1	3
04	Marlboro	296	–	–	5	50	16	10	3	11	1	3	6	4	144	91	2	–
05	Newberry	347	–	–	4	56	17	13	5	4	1	4	12	3	174	113	2	–
06	Oconee	402	–	–	1	79	21	24	6	7	1	6	14	7	201	144	–	6
07	Orangeburg	758	1	–	14	117	16	36	9	14	6	4	32	26	380	235	8	3
08	Orangeburg	144	–	–	4	30	3	10	4	1	1	–	11	4	75	49	2	–
09	Balance of county	614	1	–	10	87	13	26	5	13	5	4	21	22	305	186	6	3
10	Pickens	497	1	–	3	81	20	13	9	8	3	6	22	8	257	182	4	3
11	Easley	121	–	–	1	20	4	2	4	2	1	–	7	3	59	41	–	1
12	Balance of county	376	1	–	2	61	16	11	5	6	2	6	15	5	198	141	4	2
13	Richland	1,779	5	–	15	310	71	71	29	45	15	17	62	32	898	676	5	19
14	Columbia	1,097	3	–	6	195	48	47	18	29	7	11	35	25	547	414	5	8
15	Balance of county	682	2	–	9	115	23	24	11	16	8	6	27	7	351	262	–	11
16	Saluda	148	–	–	1	23	7	5	2	4	2	–	3	3	77	52	–	1
17	Spartanburg	1,677	1	–	10	315	71	79	33	36	12	9	75	35	790	594	6	18
18	Greer, part	56	–	–	1	10	4	4	1	1	–	–	–	2	23	16	–	1
19	Spartanburg	458	–	–	3	84	20	21	9	13	1	4	16	8	215	153	2	8
20	Balance of county	1,163	1	–	6	221	47	54	23	22	11	5	59	25	552	425	4	9
21	Sumter	639	1	–	7	104	21	23	6	16	3	5	30	20	315	237	1	3
22	Sumter	328	1	–	4	55	9	11	3	8	2	4	18	10	163	128	1	–
23	Balance of county	311	–	–	3	49	12	12	3	8	1	1	12	10	152	109	–	3
24	Union	312	–	–	3	49	16	13	1	10	1	–	8	7	156	116	1	1
25	Union	114	–	–	–	19	8	2	1	3	–	–	5	2	63	48	–	1
26	Balance of county	198	–	–	3	30	8	11	–	7	1	–	3	5	93	68	1	–
27	Williamsburg	300	–	–	1	49	13	16	3	4	–	3	10	3	169	123	3	2
28	York	849	2	1	8	167	38	42	18	16	10	4	39	14	444	320	2	3
29	Rock Hill	344	1	1	2	61	16	15	8	5	4	1	12	5	176	122	–	–
30	Balance of county	505	1	–	6	106	22	27	10	11	6	3	27	9	268	198	2	3
31	**South Dakota**	**6,295**	**3**	**1**	**23**	**1,203**	**348**	**253**	**112**	**159**	**47**	**43**	**241**	**111**	**3,287**	**2,450**	**30**	**33**
32	Urban places	1,800	–	–	7	380	111	80	33	56	16	7	77	30	951	700	9	2
33	Balance of area	4,495	3	1	16	823	237	173	79	103	31	36	164	81	2,336	1,750	21	31
34	Metropolitan counties	803	–	–	3	178	50	36	20	29	6	4	33	14	418	316	5	1
35	Urban places	633	–	–	3	134	36	29	17	20	4	1	27	11	324	252	5	–
36	Balance of area	170	–	–	–	44	14	7	3	9	2	3	6	3	94	64	–	1
37	Nonmetropolitan counties	5,492	3	1	20	1,025	298	217	92	130	41	39	208	97	2,869	2,134	25	32
38	Urban places	1,167	–	–	4	246	75	51	16	36	12	6	50	19	627	448	4	2
39	Balance of area	4,325	3	1	16	779	223	166	76	94	29	33	158	78	2,242	1,686	21	30
40	Aurora	36	–	–	–	7	3	1	–	–	–	1	2	1	20	16	–	–
41	Beadle	201	–	–	–	48	14	10	2	5	2	3	12	4	115	67	–	2
42	Huron	148	–	–	–	36	11	5	2	4	2	2	10	3	85	49	–	2
43	Balance of county	53	–	–	–	12	3	5	–	1	–	1	2	1	30	18	–	–
44	Bennett	40	–	–	–	4	1	1	1	–	–	–	1	2	19	15	1	–
45	Bon Homme	99	–	–	–	28	9	5	1	1	–	1	11	3	57	42	–	1
46	Brookings	171	–	–	–	38	8	6	3	10	2	1	8	–	89	65	–	1
47	Brookings	93	–	–	–	23	4	3	1	6	2	–	7	–	49	33	–	–
48	Balance of county	78	–	–	–	15	4	3	2	4	–	1	1	–	40	32	–	1
49	Brown	310	–	–	1	57	19	13	4	5	4	–	12	5	183	148	2	–
50	Aberdeen	210	–	–	1	41	14	10	3	4	2	–	8	5	121	98	2	–
51	Balance of county	100	–	–	–	16	5	3	1	1	2	–	4	–	62	50	–	–
52	Brule	63	–	–	–	10	2	5	–	1	–	–	2	1	32	21	–	–
53	Buffalo	22	–	–	–	3	–	1	1	1	–	–	–	1	4	1	–	–
54	Butte	87	–	–	–	11	2	4	1	2	–	1	1	3	40	31	–	–
55	Campbell	23	–	–	–	2	–	–	–	–	–	–	2	–	14	10	–	–
56	Charles Mix	113	–	–	–	17	6	3	2	1	2	1	2	1	60	47	1	6
57	Clark	60	–	–	1	15	8	1	1	3	–	1	1	–	36	24	–	–
58	Clay	81	–	–	–	20	6	4	–	5	–	1	4	1	47	36	–	2
59	Codington	192	–	–	1	36	12	6	3	6	–	1	8	1	109	86	–	1
60	Watertown	158	–	–	–	30	12	5	2	5	–	1	5	–	92	71	–	–
61	Balance of county	34	–	–	1	6	–	1	1	1	–	–	3	1	17	15	–	1
62	Corson	54	–	–	–	6	–	2	1	1	–	–	2	–	21	17	–	1
63	Custer	49	–	–	–	8	–	4	–	–	1	1	2	1	31	24	–	–
64	Davison	186	–	–	–	40	8	14	1	7	2	1	7	1	103	77	2	–
65	Mitchell	161	–	–	–	36	7	14	1	6	2	–	6	1	87	64	2	–
66	Balance of county	25	–	–	–	4	1	–	–	1	–	1	1	–	16	13	–	–
67	Day	107	–	–	–	26	7	8	2	2	1	1	5	1	53	40	–	–
68	Deuel	66	–	1	1	15	4	3	2	3	1	–	2	–	34	23	1	–
69	Dewey	48	–	–	–	7	4	1	–	1	–	1	–	1	15	11	–	–
70	Douglas	36	–	–	–	5	2	2	–	–	–	–	1	–	19	13	–	1
71	Edmunds	54	–	–	–	9	6	1	–	–	–	–	2	–	35	23	–	–
72	Fall River	115	–	–	–	25	7	7	2	2	–	3	4	2	47	33	1	1
73	Faulk	48	–	–	–	8	1	1	–	2	1	–	3	1	26	20	–	–
74	Grant	96	–	–	–	16	6	3	1	1	–	1	4	–	63	56	1	–
75	Gregory	77	–	–	–	9	2	2	–	–	1	1	3	1	52	45	–	1
76	Haakon	30	–	–	–	7	3	1	1	–	–	–	2	–	15	12	–	–
77	Hamlin	87	–	–	1	21	8	4	–	4	1	–	4	2	52	39	–	–
78	Hand	42	–	–	–	10	3	–	1	1	1	–	4	1	24	11	–	–
79	Hanson	33	–	–	–	5	2	–	–	1	–	–	2	–	21	16	–	–
80	Harding	11	–	–	–	3	1	1	–	–	–	–	1	–	7	6	–	–
81	Hughes	96	–	–	2	17	5	4	1	3	1	–	3	2	45	33	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
269	27	1	76	5	11	20	6	4	7	7	–	12	16	5	61	39	20	24	9	1	01
20	10	–	15	–	–	2	–	–	1	2	–	–	3	1	8	3	2	3	3	–	02
126	11	4	54	3	3	6	6	–	5	3	–	3	10	8	23	11	11	1	8	2	03
79	10	–	45	3	5	5	2	–	2	4	–	–	9	9	30	15	6	2	8	1	04
99	12	1	47	8	5	7	5	4	1	3	–	–	1	28	31	11	9	8	2	–	05
114	24	1	49	3	4	10	5	1	4	–	–	6	4	8	33	15	15	6	5	2	06
192	32	2	123	8	12	25	6	2	10	8	–	4	12	25	58	23	32	6	9	–	07
41	6	–	23	2	1	2	3	1	2	1	–	–	1	1	10	2	6	–	2	–	08
151	26	2	100	6	11	23	3	1	8	7	–	4	11	24	48	21	26	6	7	–	09
153	22	–	69	2	4	28	4	–	6	2	–	4	10	6	42	18	12	10	5	–	10
35	5	–	17	1	–	4	1	–	1	–	–	1	1	–	10	9	5	5	1	–	11
118	17	–	52	1	4	24	3	–	5	2	–	3	9	6	32	9	7	5	4	–	12
582	70	4	179	14	25	56	12	3	33	19	–	7	36	12	133	54	73	40	38	3	13
350	51	1	104	12	16	40	8	3	22	12	–	4	20	9	91	25	43	24	18	2	14
232	19	3	75	2	9	16	4	–	11	7	–	3	16	3	42	29	30	16	20	1	15
45	6	1	20	–	4	3	2	–	3	–	–	–	1	3	18	3	6	3	2	–	16
451	119	4	154	19	19	48	14	3	18	10	–	12	19	99	130	63	46	20	38	6	17
15	–	–	6	–	1	–	–	–	1	–	–	1	–	3	5	3	–	1	6	–	18
108	35	2	46	4	10	13	6	1	5	2	–	3	8	41	33	8	14	2	9	3	19
328	84	2	102	15	8	35	8	2	12	8	–	8	11	55	92	52	32	17	23	3	20
140	93	3	66	2	7	14	6	2	8	6	–	5	10	25	46	24	26	10	10	–	21
85	42	1	32	1	1	8	4	2	5	4	–	1	3	11	27	5	13	8	4	–	22
55	51	2	34	1	6	6	2	–	3	2	–	4	7	14	19	19	13	2	6	–	23
109	5	–	38	–	2	7	2	4	5	1	–	5	6	20	23	7	11	2	4	–	24
44	3	–	15	–	–	3	–	1	2	1	–	2	1	5	8	1	5	–	1	–	25
65	2	–	23	–	2	4	2	3	3	–	–	3	5	15	15	6	6	2	3	–	26
97	21	–	43	1	2	13	2	–	–	1	–	–	9	10	22	7	10	2	2	–	27
298	17	2	99	13	10	17	14	2	12	3	–	5	17	12	57	28	23	9	14	–	28
116	6	2	44	5	3	7	9	1	5	3	–	1	6	7	30	8	9	2	10	–	29
182	11	–	55	8	7	10	5	1	7	–	–	4	11	5	27	20	14	7	4	–	30
2,169	**218**	**17**	**643**	**90**	**87**	**180**	**86**	**15**	**85**	**17**	**1**	**54**	**109**	**72**	**495**	**214**	**230**	**72**	**25**	**12**	31
649	40	7	191	33	20	47	25	6	32	4	1	22	39	12	122	50	42	19	8	3	32
1,520	178	10	452	57	67	133	61	9	53	13	–	32	70	60	373	164	188	53	17	9	33
299	11	3	74	17	8	17	7	1	12	3	–	8	19	6	57	28	17	10	5	–	34
239	8	2	50	14	6	16	6	1	11	2	–	8	15	5	46	20	17	9	5	–	35
60	3	1	24	3	2	1	1	–	1	1	–	–	4	1	11	8	–	1	–	–	36
1,870	207	14	569	73	79	163	79	14	73	14	1	46	90	66	438	186	213	62	20	12	37
410	32	5	141	19	14	31	19	5	21	2	1	14	24	7	76	30	25	10	3	3	38
1,460	175	9	428	54	65	132	60	9	52	12	–	32	66	59	362	156	188	52	17	9	39
13	3	–	1	2	1	1	1	–	–	–	–	–	–	2	2	1	1	–	–	–	40
61	4	4	40	2	2	7	4	1	3	–	–	1	4	–	9	2	3	–	–	–	41
46	1	2	30	2	2	3	3	1	3	–	–	1	2	–	7	1	3	–	–	–	42
15	3	2	10	–	–	4	1	–	–	–	–	–	2	–	2	1	–	–	–	–	43
11	3	–	3	–	1	2	–	–	–	–	–	1	–	2	4	3	3	–	–	–	44
40	1	–	13	1	1	1	1	–	1	–	–	–	1	–	6	–	1	–	–	–	45
50	14	–	22	–	2	3	3	1	6	–	–	1	5	1	11	6	7	–	–	–	46
27	6	–	15	–	1	3	2	1	4	–	–	–	1	1	4	2	3	–	–	–	47
23	8	–	7	–	1	–	1	–	2	–	–	1	4	–	7	4	4	–	–	–	48
135	11	–	25	6	4	7	3	1	6	–	–	1	5	–	21	12	5	2	1	–	49
89	7	–	16	5	2	7	2	1	5	–	–	1	2	–	15	5	3	–	1	–	50
46	4	–	9	1	2	–	1	–	1	–	–	–	3	–	6	7	2	2	–	–	51
20	1	–	11	–	–	1	1	–	1	–	–	–	4	2	4	3	2	2	–	–	52
–	1	–	3	–	–	2	–	–	2	–	–	–	1	2	3	2	2	–	–	–	53
29	2	–	5	4	–	5	1	2	–	1	–	2	–	3	7	6	3	2	1	–	54
7	3	–	4	–	–	–	1	–	–	–	–	–	–	1	3	1	1	–	–	–	55
37	3	–	13	–	–	4	2	–	4	1	–	1	2	3	5	4	6	1	1	1	56
24	–	–	9	1	2	–	–	–	–	–	–	1	–	–	4	2	–	1	–	–	57
28	6	–	10	1	–	2	4	–	–	–	–	–	–	–	4	2	1	–	–	–	58
82	3	1	14	1	7	2	3	1	4	–	–	6	1	1	12	6	3	5	–	1	59
70	1	–	14	1	6	2	3	–	2	–	–	5	1	1	8	6	3	4	–	1	60
12	2	1	–	–	1	–	–	1	2	–	–	1	–	–	4	–	–	1	–	–	61
11	5	–	3	–	1	–	–	–	3	–	–	1	3	–	8	5	2	1	3	1	62
22	2	–	5	–	2	3	–	1	1	–	–	–	–	–	3	1	–	–	–	–	63
74	1	1	19	6	–	6	5	–	1	–	–	2	5	1	14	1	4	2	–	1	64
61	1	1	18	4	–	6	5	–	1	–	–	1	5	1	12	1	2	2	–	1	65
13	–	–	1	2	–	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	66
36	4	–	11	–	2	4	–	1	1	–	–	1	1	–	12	3	1	–	1	2	67
20	2	–	10	–	1	4	1	–	1	–	–	2	1	–	1	1	3	1	–	–	68
11	–	–	2	–	2	–	–	–	1	–	–	–	1	5	4	4	8	2	–	–	69
6	6	–	3	2	1	–	–	–	1	–	–	–	2	2	6	1	–	–	–	–	70
22	1	–	12	–	–	–	–	–	–	–	–	–	1	–	4	3	1	1	–	–	71
28	3	–	8	2	4	9	–	–	1	1	–	–	2	3	12	3	5	5	–	–	72
15	5	–	5	–	1	1	–	–	–	1	–	–	–	3	6	–	2	–	–	–	73
55	–	–	6	–	1	–	–	–	–	–	–	1	–	–	8	4	2	2	–	–	74
39	5	–	5	1	1	2	1	–	–	–	–	1	–	–	6	1	4	–	–	–	75
8	4	–	1	–	2	–	–	–	–	–	–	–	2	1	3	–	1	1	–	–	76
35	4	1	7	1	4	1	3	–	1	–	–	1	–	–	4	–	1	–	–	–	77
10	1	1	9	3	–	–	1	–	–	–	–	–	–	–	3	–	2	1	–	–	78
15	1	–	3	1	1	2	–	1	–	–	–	–	–	1	1	1	1	–	–	–	79
5	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80
28	4	–	8	3	1	1	1	–	–	–	–	1	4	1	10	3	9	–	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Dakota—Con.																	
01	Hutchinson	112	–	–	–	25	6	1	4	2	2	3	7	3	63	45	–	–
02	Hyde	16	–	–	–	1	–	–	1	–	–	–	–	–	10	5	–	–
03	Jackson	15	–	–	–	2	–	1	–	1	–	–	–	–	7	4	–	–
04	Jerauld	46	–	–	1	9	3	1	3	1	–	–	1	2	22	16	2	–
05	Jones	10	–	–	–	5	2	–	–	1	–	–	2	1	4	4	–	–
06	Kingsbury	90	–	–	–	17	6	5	1	–	–	–	5	6	43	34	1	1
07	Lake	111	–	–	–	16	7	4	1	–	–	–	4	1	64	47	1	2
08	Lawrence	203	–	–	1	36	8	6	10	5	1	–	6	4	101	72	2	–
09	Lincoln	128	–	–	–	26	9	4	3	6	–	1	3	1	73	59	1	–
10	Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Balance of county	128	–	–	–	26	9	4	3	6	–	1	3	1	73	59	1	–
12	Lyman	34	–	–	–	1	1	–	–	–	–	–	–	–	14	9	–	–
13	McCook	91	–	–	2	13	4	2	2	3	–	–	2	2	46	27	1	–
14	McPherson	53	–	–	–	10	4	4	1	1	–	–	–	2	31	27	–	–
15	Marshall	49	–	–	1	5	1	1	–	2	–	–	1	3	30	23	–	–
16	Meade	112	–	–	–	22	3	4	3	4	2	–	6	1	65	51	–	4
17	Mellette	28	–	–	–	–	–	–	–	–	–	–	–	–	14	12	–	1
18	Miner	47	–	–	–	12	4	3	2	1	–	–	2	1	24	13	–	–
19	Minnehaha	803	–	–	3	178	50	36	20	29	6	4	33	14	418	316	5	1
20	Sioux Falls, part	633	–	–	3	134	36	29	17	20	4	1	27	11	324	252	5	–
21	Sioux Falls, total	633	–	–	3	134	36	29	17	20	4	1	27	11	324	252	5	–
22	Balance of county	170	–	–	–	44	14	7	3	9	2	3	6	3	94	64	–	1
23	Moody	88	–	–	–	14	4	2	1	2	1	2	2	1	59	53	2	–
24	Pennington	373	–	–	3	83	24	18	7	12	5	3	14	7	160	117	–	–
25	Rapid City	287	–	–	2	64	19	13	5	10	3	3	11	7	127	94	–	–
26	Balance of county	86	–	–	1	19	5	5	2	2	2	–	3	–	33	23	–	–
27	Perkins	52	–	–	–	10	5	1	1	–	1	–	2	3	22	17	–	–
28	Potter	47	–	–	–	6	1	–	1	2	1	–	1	4	23	14	–	1
29	Roberts	128	–	–	–	26	6	2	5	2	4	4	3	–	64	48	2	–
30	Sanborn	32	–	–	–	9	1	4	2	–	–	1	1	1	19	16	–	1
31	Shannon	90	3	–	2	5	3	–	–	–	–	–	2	1	19	12	–	–
32	Spink	120	–	–	–	24	5	6	5	3	2	–	3	1	78	48	–	–
33	Stanley	12	–	–	–	3	1	2	–	–	–	–	–	–	4	3	–	1
34	Sully	12	–	–	–	4	–	3	–	–	–	–	1	–	5	5	–	1
35	Todd	69	–	–	1	5	2	1	1	–	–	–	1	3	15	13	–	1
36	Tripp	88	–	–	–	15	5	5	–	–	–	1	4	4	38	35	–	–
37	Turner	134	–	–	–	30	4	8	3	5	–	2	8	3	75	56	2	–
38	Union	106	–	–	–	21	4	7	1	5	1	–	3	1	56	46	1	–
39	Walworth	74	–	–	–	10	5	1	1	–	–	1	2	2	34	30	1	1
40	Washabaugh	23	–	–	–	4	1	–	–	2	–	1	–	–	7	4	–	–
41	Yankton	145	–	–	1	20	10	2	2	2	1	–	3	3	85	54	–	–
42	Yankton	110	–	–	1	16	8	1	2	1	1	–	3	3	66	39	–	–
43	Balance of county	35	–	–	–	4	2	1	–	1	–	–	–	–	19	15	–	–
44	Ziebach	21	–	–	1	3	–	1	–	–	–	–	2	–	7	7	–	–
45	**Tennessee**	**39,145**	**123**	**9**	**254**	**7,494**	**1,829**	**2,032**	**576**	**907**	**287**	**290**	**1,573**	**560**	**20,100**	**14,371**	**186**	**139**
46	Urban places	18,866	57	7	153	3,786	950	1,026	278	455	150	140	787	255	9,443	6,725	101	59
47	Balance of area	20,279	66	2	101	3,708	879	1,006	298	452	137	150	786	305	10,657	7,646	85	80
48	Metropolitan counties	17,758	51	7	138	3,567	880	1,008	248	406	147	135	743	244	8,725	6,206	96	53
49	Urban places	14,668	42	6	118	2,981	744	836	209	358	120	116	598	202	7,246	5,165	81	43
50	Balance of area	3,090	9	1	20	586	136	172	39	48	27	19	145	42	1,479	1,041	15	10
51	Nonmetropolitan counties	21,387	72	2	116	3,927	949	1,024	328	501	140	155	830	316	11,375	8,165	90	86
52	Urban places	4,198	15	1	35	805	206	190	69	97	30	24	189	53	2,197	1,560	20	16
53	Balance of area	17,189	57	1	81	3,122	743	834	259	404	110	131	641	263	9,178	6,605	70	70
54	Anderson	503	1	–	2	99	27	24	5	10	4	5	24	9	208	138	4	2
55	Oak Ridge, part	184	–	–	–	44	12	8	2	6	4	3	9	3	78	53	3	1
56	Oak Ridge, total	187	–	–	–	45	12	8	2	6	4	3	10	3	78	53	3	1
57	Balance of county	319	1	–	2	55	15	16	3	4	–	2	15	6	130	85	1	1
58	Bedford	299	1	–	3	48	11	10	1	7	4	4	11	2	158	108	–	3
59	Shelbyville	158	1	–	2	25	5	4	1	5	3	2	5	2	78	56	–	2
60	Balance of county	141	–	–	1	23	6	6	–	2	1	2	6	–	80	52	–	1
61	Benton	166	–	–	–	27	7	8	2	2	2	1	5	2	111	95	–	3
62	Bledsoe	68	–	–	–	13	4	2	–	1	1	–	5	1	34	33	–	–
63	Blount	604	5	–	3	91	19	22	5	9	6	5	25	8	367	233	3	5
64	Maryville	221	2	–	–	31	7	9	1	2	3	2	7	3	140	90	2	3
65	Balance of county	383	3	–	3	60	12	13	4	7	3	3	18	5	227	143	1	2
66	Bradley	422	1	–	6	71	13	16	8	6	2	3	23	4	225	136	5	1
67	Cleveland	246	–	–	3	38	6	6	4	2	1	2	17	3	135	84	4	1
68	Balance of county	176	1	–	3	33	7	10	4	4	1	1	6	1	90	52	1	–
69	Campbell	322	1	–	–	71	14	30	4	5	–	6	12	7	150	111	–	2
70	Cannon	100	–	–	1	10	2	1	2	2	–	1	2	1	57	48	–	–
71	Carroll	282	1	–	1	52	10	15	2	9	2	2	12	1	162	114	–	3
72	Carter	436	1	–	2	75	19	17	3	9	4	6	17	13	231	153	1	–
73	Elizabethton	131	–	–	1	30	10	6	–	6	1	2	5	2	68	47	–	–
74	Balance of county	305	1	–	1	45	9	11	3	3	3	4	12	11	163	106	1	–
75	Cheatham	132	1	–	–	30	8	8	4	1	2	2	5	1	64	51	–	–
76	Chester	112	–	–	1	24	4	7	1	4	1	1	6	2	63	47	–	–
77	Claiborne	249	2	–	–	44	11	12	3	8	3	–	7	2	126	97	2	–
78	Clay	73	–	–	–	11	1	1	3	2	–	–	4	–	48	34	–	–
79	Cocke	317	1	–	–	47	14	15	3	6	2	–	7	7	166	125	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
34	11	–	15	3	–	1	1	–	2	–	–	1	2	1	6	4	3	–	–	–	01
5	–	–	3	2	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	02
3	1	–	2	1	–	1	–	–	–	–	–	2	–	–	2	1	–	–	–	–	03
14	–	–	6	–	–	–	2	–	–	–	–	–	1	–	5	–	4	–	–	–	04
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
30	2	–	5	3	1	6	1	–	1	–	–	1	–	–	8	4	2	1	–	–	06
37	7	–	13	–	4	2	1	–	–	1	–	–	2	1	12	3	7	1	–	–	07
63	7	1	19	4	5	3	9	1	1	–	–	1	4	3	16	5	13	5	–	–	08
54	4	–	12	1	1	4	1	–	1	2	–	–	–	1	14	1	4	–	–	–	09
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
54	4	–	12	1	1	4	1	–	1	2	–	–	–	1	14	1	4	–	–	–	11
6	3	–	5	–	–	2	1	–	2	–	–	–	–	1	5	3	3	–	2	–	12
24	2	–	16	1	2	8	3	–	–	1	–	1	–	–	11	2	1	1	–	–	13
26	1	–	4	–	–	3	–	1	1	–	–	1	–	–	2	–	2	–	–	–	14
22	1	1	4	1	1	1	1	–	–	–	–	–	–	–	3	–	4	1	–	–	15
45	2	–	11	2	1	2	2	–	2	1	–	–	–	1	3	7	4	1	–	1	16
8	3	–	1	–	1	–	–	–	–	–	–	2	–	1	6	2	3	–	–	–	17
12	1	–	10	–	1	–	2	–	–	–	–	–	–	–	6	–	1	–	–	1	18
299	11	3	74	17	8	17	7	1	12	3	–	8	19	6	57	28	17	10	5	–	19
239	8	2	50	14	6	16	6	1	11	2	–	8	15	5	46	20	17	9	5	–	20
239	8	2	50	14	6	16	6	1	11	2	–	8	15	5	46	20	17	9	5	–	21
60	3	1	24	3	2	1	1	–	1	1	–	–	4	1	11	8	–	1	–	–	22
49	2	–	4	2	–	–	–	–	3	–	–	–	–	–	6	1	4	–	–	–	23
103	14	2	35	3	3	9	4	2	8	1	1	6	15	5	27	19	14	5	3	1	24
80	14	2	26	3	2	6	2	2	6	1	1	5	11	3	22	13	10	2	2	1	25
23	–	–	9	–	1	3	2	–	2	–	–	1	4	2	5	6	4	3	1	–	26
17	–	–	4	–	1	2	3	–	–	–	–	–	1	1	3	3	4	–	–	–	27
11	2	–	8	–	1	2	1	–	–	–	–	1	2	–	3	3	1	1	–	–	28
43	3	1	13	–	2	5	1	–	–	–	–	–	2	2	14	6	6	2	–	–	29
15	–	–	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	30
5	7	–	4	2	1	8	–	–	8	–	–	2	2	3	14	5	12	2	3	1	31
46	2	–	26	1	3	–	–	–	–	–	–	1	–	2	8	6	–	–	–	–	32
2	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	2	–	1	–	–	33
2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	34
7	5	–	–	1	1	2	1	–	4	–	–	–	3	3	12	6	9	1	3	1	35
30	5	1	1	–	1	7	2	–	1	1	–	–	1	1	10	2	5	1	–	–	36
50	4	–	15	4	–	3	2	–	–	–	–	–	–	1	10	3	5	2	–	–	37
40	5	–	8	–	2	6	–	1	–	1	–	–	3	1	5	2	6	2	1	–	38
26	2	–	4	–	–	7	1	–	–	–	–	–	2	–	8	3	5	1	–	1	39
4	–	–	2	–	1	1	1	–	1	–	–	1	1	1	2	2	2	–	–	–	40
50	4	–	25	4	2	5	2	–	–	2	–	2	2	2	11	4	2	3	1	–	41
37	2	–	22	4	1	4	2	–	–	1	–	1	2	1	8	2	1	2	–	–	42
13	2	–	3	–	1	1	–	–	–	1	–	1	–	1	3	2	1	1	1	–	43
6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	2	1	–	–	44
13,009	**1,037**	**138**	**4,547**	**570**	**474**	**1,064**	**472**	**108**	**411**	**190**	**15**	**263**	**481**	**869**	**3,125**	**1,232**	**1,230**	**587**	**479**	**79**	45
6,099	466	77	2,153	249	239	477	214	53	224	100	8	127	255	435	1,625	468	576	256	322	25	46
6,910	571	61	2,394	321	235	587	258	55	187	90	7	136	226	434	1,500	764	654	331	157	54	47
5,646	411	69	1,989	237	224	437	197	49	201	93	8	129	236	524	1,519	517	527	263	302	24	48
4,697	344	61	1,632	201	187	355	157	43	175	83	6	101	198	358	1,299	370	428	207	277	16	49
949	67	8	357	36	37	82	40	6	26	10	2	28	38	166	220	147	99	56	25	8	50
7,363	626	69	2,558	333	250	627	275	59	210	97	7	134	245	345	1,606	715	703	324	177	55	51
1,402	122	16	521	48	52	122	57	10	49	17	2	26	57	77	326	98	148	49	45	9	52
5,961	504	53	2,037	285	198	505	218	49	161	80	5	108	188	268	1,280	617	555	275	132	46	53
123	9	1	55	7	7	8	6	–	4	–	1	4	2	69	42	18	14	13	1	2	54
44	5	–	19	3	3	2	2	–	1	–	–	1	–	21	17	7	4	3	1	–	55
44	5	–	19	3	3	2	2	–	1	–	–	2	–	22	17	7	4	3	1	–	56
79	4	1	36	4	4	6	4	–	3	–	1	3	2	48	25	11	10	10	–	2	57
94	11	3	41	2	4	16	9	1	2	1	–	1	4	4	21	10	10	4	3	1	58
49	5	3	16	1	2	7	6	1	2	1	–	1	1	2	11	6	7	2	2	1	59
45	6	–	25	1	2	9	3	–	–	–	–	–	3	2	10	4	3	2	1	–	60
90	2	–	13	–	3	1	–	–	1	–	–	1	–	–	8	5	5	2	2	1	61
32	1	–	1	–	–	5	1	1	–	1	–	1	1	1	2	2	2	3	–	–	62
221	4	4	102	18	10	14	12	3	5	1	–	3	1	4	36	19	12	7	10	3	63
83	2	–	38	8	4	8	4	1	1	–	–	1	–	–	14	4	3	2	6	1	64
138	2	4	64	10	6	6	8	2	4	1	–	2	1	4	22	15	9	5	4	2	65
110	20	1	77	5	6	11	4	1	6	2	–	5	9	10	30	11	17	8	–	1	66
68	11	–	48	1	2	7	4	–	2	2	–	1	4	8	20	9	8	2	–	–	67
42	9	1	29	4	4	4	–	1	4	–	–	4	5	2	10	2	9	6	–	1	68
96	13	1	29	5	4	16	3	–	6	3	–	3	3	5	31	6	9	7	1	–	69
42	6	–	8	–	1	3	–	–	1	1	–	2	1	2	8	8	4	–	1	–	70
98	13	1	42	4	1	5	3	2	3	–	–	1	3	3	24	12	5	3	1	–	71
140	12	3	65	7	3	14	12	–	8	3	1	3	4	1	26	10	16	14	2	–	72
43	4	1	17	3	–	2	2	–	4	–	–	–	–	–	10	2	9	1	–	–	73
97	8	2	48	4	3	12	10	–	4	3	1	3	4	1	16	8	7	13	2	–	74
49	2	–	9	2	2	3	1	–	–	1	–	–	1	–	11	12	2	3	2	–	75
44	3	–	15	1	–	–	–	–	–	1	–	–	1	–	5	4	3	5	2	1	76
92	3	–	26	2	1	18	2	2	1	–	–	1	3	2	20	12	10	4	–	–	77
33	1	–	13	1	–	2	–	–	–	–	–	–	1	–	5	5	–	–	1	–	78
115	9	1	31	5	4	8	3	2	5	2	–	–	5	3	36	13	7	6	5	1	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Coffee	305	–	–	1	60	17	13	3	9	1	1	16	12	137	97	–	–
02	Tullahoma, part	126	–	–	–	26	5	3	2	4	1	1	10	7	50	37	–	–
03	Tullahoma, total	126	–	–	–	26	5	3	2	4	1	1	10	7	50	37	–	–
04	Balance of county	179	–	–	1	34	12	10	1	5	–	–	6	5	87	60	–	–
05	Crockett	174	–	1	1	26	7	9	1	4	–	3	2	1	110	73	1	–
06	Cumberland	235	–	–	1	40	6	8	4	17	–	1	4	3	118	83	–	1
07	Davidson, coext. with Nashville city	3,968	7	1	29	869	218	256	62	109	29	27	168	65	1,934	1,443	17	19
08	Decatur	108	–	–	1	25	6	8	1	2	1	–	7	1	48	39	–	–
09	De Kalb	131	1	–	–	19	2	7	2	2	–	1	5	3	82	56	1	1
10	Dickson	267	–	–	–	49	9	9	5	5	–	7	14	3	151	128	1	1
11	Dyer	380	–	–	5	70	21	16	3	8	2	2	18	7	183	128	2	1
12	Dyersburg	195	–	–	5	38	9	7	1	4	2	1	14	2	94	63	–	1
13	Balance of county	185	–	–	–	32	12	9	2	4	–	1	4	5	89	65	2	–
14	Fayette	207	–	–	4	30	8	6	4	3	1	3	5	4	115	73	1	2
15	Fentress	136	–	–	4	20	3	9	2	3	1	–	2	2	68	50	1	–
16	Franklin	292	1	–	1	62	20	15	7	5	5	1	9	7	141	104	1	–
17	Tullahoma, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Balance of county	292	1	–	1	62	20	15	7	5	5	1	9	7	141	104	1	–
19	Gibson	564	–	–	–	98	29	26	7	16	1	2	17	6	342	241	3	6
20	Humboldt	107	–	–	–	16	4	3	2	5	–	1	1	–	67	46	–	–
21	Balance of county	457	–	–	–	82	25	23	5	11	1	1	16	6	275	195	3	6
22	Giles	270	–	–	–	46	10	12	4	6	2	2	10	3	141	93	3	1
23	Grainger	140	–	–	–	20	6	4	1	2	1	–	6	3	65	46	–	–
24	Greene	466	–	–	4	97	21	26	7	14	2	4	23	6	246	199	1	4
25	Greeneville	131	–	–	2	26	6	7	–	5	–	2	6	–	69	57	–	1
26	Balance of county	335	–	–	2	71	15	19	7	9	2	2	17	6	177	142	1	3
27	Grundy	149	1	–	–	25	7	5	1	4	2	2	4	2	80	56	–	–
28	Hamblen	368	2	–	3	61	15	14	4	10	1	2	15	2	195	120	3	–
29	Morristown	218	1	–	2	41	11	10	3	6	1	1	9	2	109	64	1	–
30	Balance of county	150	1	–	1	20	4	4	1	4	–	1	6	–	86	56	2	–
31	Hamilton	2,617	10	–	15	494	146	132	25	55	27	17	92	42	1,384	977	13	7
32	Chattanooga	1,824	7	–	12	332	103	83	14	43	19	13	57	29	984	674	9	4
33	East Ridge	148	2	–	–	26	6	10	3	1	–	1	5	3	91	67	2	1
34	Red Bank	104	–	–	–	29	10	7	–	4	2	–	6	–	55	43	–	–
35	Balance of county	541	1	–	3	107	27	32	8	7	6	3	24	10	254	193	2	2
36	Hancock	79	–	–	–	13	5	4	1	1	–	–	2	–	45	32	1	–
37	Hardeman	229	–	–	1	49	14	14	3	2	2	2	12	2	106	74	3	2
38	Hardin	203	–	–	1	47	9	12	5	6	–	2	13	–	110	76	–	–
39	Hawkins	331	2	–	–	54	15	15	5	10	–	3	6	9	184	151	4	4
40	Kingsport, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
41	Balance of county	330	2	–	–	54	15	15	5	10	–	3	6	9	183	150	4	4
42	Haywood	213	1	–	3	38	9	11	1	3	3	4	7	2	120	75	–	2
43	Henderson	196	–	–	2	36	8	13	–	4	2	1	8	7	107	55	–	–
44	Henry	342	2	–	4	56	12	12	12	7	1	–	12	5	180	131	2	2
45	Hickman	123	2	–	–	20	3	7	1	2	–	1	6	1	68	52	–	–
46	Houston	78	1	–	–	18	6	7	1	2	–	1	1	3	34	24	–	–
47	Humphreys	143	–	–	–	26	6	9	1	2	1	–	7	2	69	61	–	1
48	Jackson	97	–	–	–	20	2	6	1	3	1	–	7	2	56	43	–	–
49	Jefferson	242	2	–	–	45	16	10	4	4	1	1	9	2	127	79	1	1
50	Johnson	118	–	–	–	14	1	2	–	1	1	2	7	1	69	42	–	1
51	Knox	2,631	12	–	10	529	118	160	37	64	27	17	106	30	1,138	794	18	4
52	Knoxville	1,823	8	–	8	370	83	117	24	55	16	13	62	20	765	531	12	1
53	Balance of county	808	4	–	2	159	35	43	13	9	11	4	44	10	373	263	6	3
54	Lake	98	–	–	1	18	2	5	1	3	1	2	4	1	46	31	–	1
55	Lauderdale	264	–	–	4	41	10	12	4	7	–	4	4	3	135	94	2	2
56	Lawrence	292	1	–	4	54	11	15	3	7	3	2	13	3	150	124	–	2
57	Lewis	101	1	–	2	15	7	4	1	–	–	–	3	–	50	39	–	–
58	Lincoln	293	1	–	1	54	17	10	8	4	2	2	11	7	135	76	1	1
59	Loudon	277	3	–	2	46	6	18	5	7	2	2	6	3	161	128	–	1
60	McMinn	355	2	–	2	74	22	16	6	14	2	1	13	13	176	135	3	4
61	Athens	100	2	–	1	13	2	5	–	1	–	1	4	2	55	37	1	–
62	Balance of county	255	–	–	1	61	20	11	6	13	2	–	9	11	121	98	2	4
63	McNairy	241	1	–	1	45	10	11	4	9	5	2	4	1	144	106	1	1
64	Macon	156	1	–	–	28	3	6	3	8	1	1	6	3	83	60	–	–
65	Madison	748	3	–	5	160	34	44	22	14	5	4	37	4	431	267	2	4
66	Jackson	520	3	–	3	112	26	31	17	7	4	2	25	3	302	190	2	4
67	Balance of county	228	–	–	2	48	8	13	5	7	1	2	12	1	129	77	–	–
68	Marion	228	1	–	2	37	10	11	4	4	2	1	5	2	128	91	1	–
69	Marshall	217	–	–	1	41	5	11	4	11	–	1	9	3	105	80	–	1
70	Maury	532	2	–	3	86	23	26	7	12	4	4	10	5	284	213	2	1
71	Columbia	276	1	–	1	47	14	13	4	8	3	–	5	4	148	117	1	–
72	Balance of county	256	1	–	2	39	9	13	3	4	1	4	5	1	136	96	1	1
73	Meigs	50	1	–	–	5	1	–	–	1	1	–	2	1	31	21	–	–
74	Monroe	246	2	–	–	40	9	8	2	5	2	2	12	3	144	110	2	2
75	Montgomery	516	–	–	6	100	25	30	10	12	3	2	18	7	231	177	–	1
76	Clarksville	306	–	–	3	51	11	15	7	7	1	–	10	2	134	103	–	1
77	Balance of county	210	–	–	3	49	14	15	3	5	2	2	8	5	97	74	–	–
78	Moore	36	–	–	–	10	1	3	–	4	–	–	2	1	17	11	–	–
79	Morgan	143	2	–	1	28	2	10	2	6	3	1	4	3	64	44	1	–
80	Obion	378	2	–	–	69	20	18	11	4	4	1	11	5	219	149	1	1
81	Union City	126	1	–	–	24	9	4	4	2	1	–	4	1	71	49	1	1
82	Balance of county	252	1	–	–	45	11	14	7	2	3	1	7	4	148	100	–	–
83	Overton	168	1	–	1	29	7	7	2	2	–	2	9	5	91	83	1	–
84	Perry	62	–	–	–	11	3	4	2	–	–	–	2	3	29	22	–	–
85	Pickett	36	1	–	1	7	2	–	1	2	–	–	2	–	21	16	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
85	12	1	32	5	2	10	2	2	6	3	–	2	8	7	30	14	6	2	2	1	01
35	2	–	8	4	1	5	1	–	3	2	–	–	–	4	15	5	5	1	2	–	02
35	2	–	8	4	1	5	1	–	3	2	–	–	–	4	15	5	5	1	2	–	03
50	10	1	24	1	1	5	1	2	3	1	–	2	8	3	15	9	1	1	–	1	04
70	2	–	36	1	–	6	–	–	–	1	–	2	–	1	13	4	4	4	–	–	05
79	3	–	29	4	2	14	1	1	1	1	–	1	1	2	18	11	12	7	2	1	06
1,333	74	14	373	50	54	95	52	10	60	20	5	16	58	13	349	98	128	64	85	10	07
33	6	–	7	2	–	7	2	–	2	1	–	–	1	–	7	8	2	3	–	–	08
48	6	–	22	3	1	2	1	–	1	1	–	1	–	3	11	2	2	2	–	–	09
123	3	1	21	–	1	7	2	–	1	1	–	2	2	1	19	11	6	8	4	–	10
110	15	4	46	1	4	12	7	1	3	2	–	2	8	24	32	2	14	7	1	–	11
53	9	2	25	1	3	4	4	1	1	1	–	–	5	13	13	–	9	4	1	–	12
57	6	2	21	–	1	8	3	–	2	1	–	2	3	11	19	2	5	3	–	–	13
67	3	1	37	2	2	3	2	2	2	–	1	–	7	7	13	8	5	1	2	1	14
44	5	–	15	1	2	8	3	1	1	–	–	2	4	2	9	9	1	1	1	–	15
92	11	3	29	4	1	6	7	–	5	1	–	–	3	7	29	11	4	4	1	2	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
92	11	3	29	4	1	6	7	–	5	1	–	–	3	7	29	11	4	4	1	2	18
228	4	2	83	10	6	14	11	1	3	3	2	4	5	3	41	12	9	7	3	–	19
45	1	–	18	2	1	2	–	–	1	–	2	2	1	1	8	3	2	1	1	–	20
183	3	2	65	8	5	12	11	1	2	3	–	2	4	2	33	9	7	6	2	–	21
78	11	–	39	5	4	16	4	2	3	1	–	1	3	2	26	7	8	4	3	–	22
44	2	–	16	2	1	5	3	–	–	–	–	2	2	16	12	4	6	–	–	2	23
185	9	1	40	2	4	9	5	1	8	–	–	3	5	3	42	12	13	8	2	2	24
51	5	1	10	–	1	3	–	–	4	–	–	–	2	1	15	2	5	–	1	1	25
134	4	–	30	2	3	6	5	1	4	–	–	3	3	2	27	10	8	8	1	1	26
50	6	–	14	9	1	2	1	1	2	–	–	2	2	4	9	3	8	1	5	1	27
114	3	3	68	–	4	15	8	1	4	–	–	3	7	2	29	12	9	3	10	2	28
60	3	2	41	–	2	9	6	–	2	–	–	–	3	1	21	6	4	–	10	1	29
54	–	1	27	–	2	6	2	1	2	–	–	3	4	1	8	6	5	3	–	1	30
894	63	11	318	48	30	73	28	5	23	23	–	10	28	19	225	79	82	40	36	1	31
616	45	6	242	38	24	52	20	5	17	17	–	6	22	13	155	38	59	25	31	–	32
62	2	2	19	2	1	2	1	–	1	1	–	1	–	3	10	2	2	1	1	1	33
40	3	1	10	1	–	2	1	–	–	1	–	–	2	–	10	2	2	–	–	–	34
176	13	2	47	7	5	17	6	–	5	4	–	3	4	3	50	37	19	14	4	–	35
30	1	–	12	1	–	2	–	–	–	–	–	1	–	3	4	2	4	2	1	2	36
60	9	–	25	4	3	11	1	2	1	–	–	1	4	12	16	9	8	4	2	–	37
68	8	2	28	3	1	2	2	–	–	–	–	2	1	1	17	8	9	–	1	2	38
138	5	1	22	7	3	14	7	1	3	3	–	3	1	1	21	10	2	14	1	1	39
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
137	5	1	22	7	3	14	7	1	3	3	–	3	1	1	21	10	2	14	1	1	41
68	5	1	39	4	1	1	7	–	2	4	–	2	2	3	13	7	4	2	2	–	42
52	3	4	44	3	1	3	5	–	2	1	–	1	5	3	7	8	4	4	1	–	43
124	3	–	45	2	2	2	5	2	3	–	–	1	2	2	44	12	16	4	2	–	44
46	6	1	15	–	–	1	1	–	2	–	–	2	1	1	9	4	7	3	–	1	45
19	5	–	9	1	–	3	3	–	–	2	–	–	–	–	8	2	2	1	–	1	46
56	4	1	4	2	1	4	4	–	1	–	–	–	2	4	15	2	12	1	–	1	47
43	–	–	11	2	–	1	1	–	2	–	–	–	–	2	6	3	3	1	–	–	48
72	5	3	32	10	3	3	6	–	1	–	–	–	–	14	17	8	8	3	3	3	49
31	10	–	20	3	4	5	1	–	1	–	–	1	2	1	13	3	6	1	–	–	50
722	50	8	287	21	28	64	26	11	27	7	1	15	20	344	199	79	67	25	24	3	51
477	41	8	195	14	17	48	21	9	22	6	–	8	13	250	148	41	52	17	15	2	52
245	9	–	92	7	11	16	5	2	5	1	1	7	7	94	51	38	15	8	9	1	53
26	4	1	11	1	2	2	4	1	–	–	–	2	2	–	9	1	6	4	1	–	54
82	8	–	33	5	3	9	2	–	2	1	–	2	6	7	26	8	11	3	3	1	55
108	14	–	22	1	3	6	4	–	4	2	1	2	1	1	26	13	12	5	2	1	56
32	7	–	9	–	2	5	2	1	2	–	–	2	–	1	10	5	2	2	1	–	57
61	13	2	51	5	1	5	7	–	1	3	–	1	–	19	30	15	8	4	2	–	58
119	8	–	23	8	2	5	4	1	4	1	–	3	4	–	17	9	11	1	2	–	59
114	14	–	36	3	2	12	5	–	2	5	–	7	2	3	22	7	12	5	6	–	60
33	3	–	16	2	–	4	1	–	1	3	–	1	1	2	6	–	4	1	3	–	61
81	11	–	20	1	2	8	4	–	1	2	–	6	1	1	16	7	8	4	3	–	62
97	7	3	28	2	5	3	3	–	2	–	–	1	3	1	13	9	11	2	1	–	63
56	4	–	15	3	5	6	2	–	1	1	–	–	1	–	16	5	4	5	–	–	64
251	10	2	138	13	11	12	7	1	6	3	–	4	15	5	49	15	15	4	6	3	65
175	9	2	95	7	8	7	5	1	4	2	–	4	9	4	37	9	7	2	5	1	66
76	1	–	43	6	3	5	2	–	2	1	–	–	6	1	12	6	8	2	1	2	67
77	13	–	35	1	1	1	1	–	1	2	–	–	7	1	15	7	14	2	6	1	68
72	7	2	18	2	3	7	1	–	2	1	–	2	2	3	19	15	8	6	1	–	69
192	18	1	58	5	7	15	6	2	2	3	–	1	5	5	46	9	46	7	4	1	70
108	8	–	26	2	3	6	3	2	1	–	–	1	3	3	22	3	24	4	3	–	71
84	10	1	32	3	4	9	3	–	1	3	–	–	2	2	24	6	22	3	1	1	72
20	1	–	6	1	3	2	–	–	2	–	–	1	–	–	6	–	1	–	–	–	73
96	10	2	22	7	3	8	2	–	1	1	–	–	3	4	16	8	5	4	3	2	74
163	13	2	41	4	7	17	2	3	3	2	–	7	14	24	38	22	19	14	5	2	75
92	10	1	25	3	2	13	2	2	3	1	–	6	11	14	25	12	10	11	4	2	76
71	3	1	16	1	5	4	–	1	–	1	–	1	3	10	13	10	9	3	1	–	77
9	2	–	5	1	–	4	–	–	1	1	–	–	–	–	1	1	–	–	–	–	78
38	5	1	16	3	–	2	1	–	–	1	–	–	2	10	12	4	3	5	5	–	79
137	10	1	59	4	6	9	6	1	3	2	–	4	3	2	26	11	12	3	1	–	80
43	4	–	19	1	2	3	4	–	2	1	–	1	1	–	8	2	5	1	1	–	81
94	6	1	40	3	4	6	2	1	1	1	–	3	2	2	18	9	7	2	–	–	82
81	1	–	4	2	2	7	–	–	–	1	–	–	2	2	10	5	6	5	2	1	83
18	4	–	3	4	–	3	–	–	–	–	–	1	–	2	7	5	1	–	–	–	84
15	1	–	3	1	1	1	–	–	–	–	–	–	–	–	1	1	1	1	1	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Polk	124	–	–	–	21	7	4	2	1	1	2	4	–	71	52	–	–
02	Putnam	368	2	–	1	72	21	16	7	8	7	2	11	8	200	130	1	2
03	Cookeville	130	–	–	–	25	4	5	5	2	3	–	6	3	66	47	1	–
04	Balance of county	238	2	–	1	47	17	11	2	6	4	2	5	5	134	83	–	2
05	Rhea	209	–	–	2	32	8	10	3	3	1	1	6	2	122	90	2	1
06	Roane	380	1	–	–	82	24	21	5	10	1	–	21	4	175	123	2	1
07	Oak Ridge, part	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
08	Balance of county	377	1	–	–	81	24	21	5	10	1	–	20	4	175	123	2	1
09	Robertson	297	–	–	2	48	19	10	1	6	1	3	8	7	180	131	1	1
10	Rutherford	531	3	–	3	118	24	28	10	19	6	3	28	7	261	183	2	2
11	Murfreesboro	265	1	–	2	63	15	15	6	8	3	2	14	5	133	90	2	1
12	Balance of county	266	2	–	1	55	9	13	4	11	3	1	14	2	128	93	–	1
13	Scott	158	–	–	–	31	5	10	4	2	–	–	10	5	77	63	–	–
14	Sequatchie	62	1	–	–	12	1	4	1	1	–	1	4	1	25	21	–	–
15	Sevier	290	3	–	1	55	16	13	2	11	2	1	10	2	149	120	2	–
16	Shelby	6,490	16	6	73	1,303	304	354	105	140	49	59	292	81	3,185	2,259	39	14
17	Memphis	6,042	16	5	65	1,212	291	323	97	130	45	54	272	76	2,996	2,128	36	13
18	Millington	56	–	–	2	14	1	5	2	2	–	1	3	–	25	12	–	–
19	Balance of county	392	–	1	6	77	12	26	6	8	4	4	17	5	164	119	3	1
20	Smith	140	–	–	–	29	4	10	2	3	1	–	9	1	92	63	–	1
21	Stewart	88	–	–	–	13	1	4	2	1	–	3	2	2	47	40	2	–
22	Sullivan	1,182	1	1	10	240	69	52	17	32	4	11	55	16	625	474	12	2
23	Bristol[4]	284	–	–	4	57	22	11	3	7	1	2	11	6	165	131	4	–
24	Kingsport, part	360	1	1	3	80	24	16	5	9	1	4	21	5	176	132	1	1
25	Kingsport, total	361	1	1	3	80	24	16	5	9	1	4	21	5	177	133	1	1
26	Balance of county	538	–	–	3	103	23	25	9	16	2	5	23	5	284	211	7	1
27	Sumner	548	–	–	1	105	28	39	5	8	4	5	16	6	285	210	1	1
28	Gallatin	145	–	–	–	31	9	11	2	2	1	2	4	2	81	64	–	1
29	Balance of county	403	–	–	1	74	19	28	3	6	3	3	12	4	204	146	1	–
30	Tipton	274	1	–	–	48	13	8	1	7	3	4	12	4	155	106	–	1
31	Trousdale	56	–	–	–	9	–	6	1	1	–	–	1	2	28	12	–	–
32	Unicoi	172	1	–	1	35	8	12	2	2	–	1	10	3	86	59	2	–
33	Union	94	1	–	–	11	1	5	1	1	1	1	1	3	53	39	2	–
34	Van Buren	36	1	–	–	6	3	2	–	–	–	–	1	–	16	7	–	–
35	Warren	250	3	–	1	38	10	9	6	2	3	2	6	4	139	108	1	1
36	McMinnville	114	2	–	1	21	6	6	2	1	2	1	3	1	60	48	–	–
37	Balance of county	136	1	–	–	17	4	3	4	1	1	1	3	3	79	60	1	1
38	Washington	724	3	–	4	134	34	35	8	13	8	3	33	6	396	286	3	8
39	Johnson City	401	2	–	2	71	17	23	3	8	2	–	18	3	216	161	2	3
40	Balance of county	323	1	–	2	63	17	12	5	5	6	3	15	3	180	125	1	5
41	Wayne	104	–	–	–	20	3	4	4	2	2	–	5	2	56	41	–	–
42	Weakley	320	2	–	1	66	12	15	9	9	3	4	14	5	178	113	1	–
43	White	197	–	–	1	31	7	8	3	5	–	1	7	5	124	79	1	–
44	Williamson	330	–	–	2	71	18	18	8	7	1	4	15	7	153	115	1	2
45	Wilson	397	–	–	5	77	20	21	4	11	1	–	20	3	224	152	1	1
46	Lebanon	153	–	–	2	23	4	7	2	4	1	–	5	1	97	60	–	–
47	Balance of county	244	–	–	3	54	16	14	2	7	–	–	15	2	127	92	1	1
48	**Texas**	**100,185**	**180**	**12**	**934**	**19,257**	**4,730**	**5,069**	**1,609**	**2,231**	**791**	**825**	**4,002**	**1,610**	**47,064**	**33,637**	**425**	**478**
49	Urban places	61,863	133	6	622	12,173	2,989	3,238	1,102	1,347	504	495	2,498	1,016	28,550	20,400	304	258
50	Balance of area	38,322	47	6	312	7,084	1,741	1,831	507	884	287	330	1,504	594	18,514	13,237	121	220
51	Metropolitan counties	66,358	138	6	667	13,169	3,186	3,527	1,162	1,473	525	549	2,747	1,072	30,240	21,865	323	276
52	Urban places	54,027	118	5	550	10,732	2,630	2,863	988	1,170	433	443	2,205	895	24,747	17,784	271	217
53	Balance of area	12,331	20	1	117	2,437	556	664	174	303	92	106	542	177	5,493	4,081	52	59
54	Nonmetropolitan counties	33,827	42	6	267	6,088	1,544	1,542	447	758	266	276	1,255	538	16,824	11,772	102	202
55	Urban places	7,836	15	1	72	1,441	359	375	114	177	71	52	293	121	3,803	2,616	33	41
56	Balance of area	25,991	27	5	195	4,647	1,185	1,167	333	581	195	224	962	417	13,021	9,156	69	161
57	Anderson	426	1	–	2	66	15	12	9	7	6	5	12	3	232	178	3	5
58	Palestine	235	1	–	2	34	10	6	5	4	2	2	5	1	127	95	–	2
59	Balance of county	191	–	–	–	32	5	6	4	3	4	3	7	2	105	83	3	3
60	Andrews	101	–	–	–	16	5	8	–	–	–	–	3	3	48	35	–	–
61	Angelina	498	–	–	–	94	18	27	4	17	–	3	25	5	242	144	–	1
62	Lufkin	265	–	–	–	49	10	13	3	11	–	1	11	5	136	86	–	1
63	Balance of county	233	–	–	–	45	8	14	1	6	–	2	14	–	106	58	–	–
64	Aransas	111	–	–	–	26	4	9	1	4	2	2	4	1	57	44	1	–
65	Archer	71	1	–	1	14	2	5	–	1	–	–	6	–	38	26	–	–
66	Armstrong	34	–	–	–	4	2	–	–	–	1	1	–	1	20	15	–	–
67	Atascosa	201	–	–	2	35	6	13	4	5	–	2	5	4	95	57	1	2
68	Austin	219	–	–	2	43	16	7	6	3	–	2	9	2	103	70	1	2
69	Bailey	78	–	–	1	11	2	3	–	2	1	2	1	1	36	23	1	–
70	Bandera	84	–	–	2	12	4	4	–	1	–	–	3	3	42	29	1	1
71	Bastrop	278	1	–	–	51	12	14	3	8	1	–	13	4	127	108	1	1
72	Baylor	90	–	–	–	15	7	3	–	2	–	2	1	1	56	32	–	–
73	Bee	174	–	–	–	35	7	10	2	4	5	1	6	4	86	48	–	–
74	Beeville	115	–	–	–	22	4	6	2	3	4	1	2	3	62	34	–	–
75	Balance of county	59	–	–	–	13	3	4	–	1	1	–	4	1	24	14	–	–
76	Bell	953	2	–	11	172	30	53	11	15	9	4	50	4	423	339	1	3
77	Killeen	153	1	–	–	32	4	11	1	6	1	–	9	–	51	41	–	–
78	Temple	394	–	–	5	74	18	21	4	4	6	1	20	2	203	175	1	1
79	Balance of county	406	1	–	6	66	8	21	6	5	2	3	21	2	169	123	–	2
80	Bexar	6,535	18	–	92	1,350	374	286	112	177	60	58	283	144	2,911	2,120	29	26
81	San Antonio	5,709	17	–	80	1,157	317	246	100	151	56	45	242	130	2,569	1,865	26	26
82	Balance of county	826	1	–	12	193	57	40	12	26	4	13	41	14	342	255	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
51	1	–	17	1	1	2	4	1	2	1	–	3	1	2	7	6	3	–	–	–	01
108	19	–	53	10	7	6	4	1	3	1	–	1	7	5	21	16	11	4	2	3	02
40	6	–	16	2	1	3	2	–	2	–	–	–	4	4	7	7	3	1	2	1	03
68	13	–	37	8	6	3	2	1	1	1	–	1	3	1	14	9	8	3	–	2	04
80	7	–	26	3	3	8	3	–	2	1	–	3	3	–	17	7	4	2	1	–	05
110	10	–	45	4	3	15	3	1	6	1	–	1	5	12	26	16	22	3	6	1	06
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	07
110	10	–	45	4	3	15	3	1	6	1	–	–	5	11	26	16	22	3	6	1	08
124	5	1	25	14	9	6	2	2	3	2	–	1	8	1	19	7	7	2	–	–	09
164	15	2	61	5	10	11	6	4	8	3	–	6	3	3	31	18	30	6	10	–	10
83	4	2	33	4	4	5	2	2	2	1	–	3	1	–	19	6	13	3	4	–	11
81	11	–	28	1	6	6	4	2	6	2	–	3	2	3	12	12	17	3	6	–	12
57	6	1	10	2	1	5	4	–	1	2	–	1	2	–	11	9	6	2	2	–	13
20	1	–	3	1	–	2	2	–	1	–	–	1	–	–	7	5	1	1	3	–	14
114	4	1	22	2	4	15	3	–	3	–	–	–	4	3	18	10	15	6	3	–	15
2,046	160	27	734	84	81	152	62	19	76	36	1	73	118	56	612	188	189	100	143	1	16
1,926	153	27	684	81	76	138	54	17	68	35	1	64	101	51	574	172	169	91	136	1	17
10	2	–	11	–	2	1	–	–	2	–	–	2	2	1	4	–	3	–	–	–	18
110	5	–	39	3	3	13	8	2	6	1	–	7	15	4	34	16	17	9	7	–	19
57	5	–	21	7	1	2	–	–	–	–	–	–	–	–	7	5	3	–	1	–	20
38	–	–	6	–	1	3	1	1	1	2	–	–	–	2	7	3	–	4	2	–	21
439	21	2	118	16	15	47	19	4	19	3	–	7	11	10	75	25	39	21	5	4	22
121	6	–	23	6	5	6	4	–	1	1	–	1	4	1	16	3	7	4	2	2	23
125	5	–	35	3	6	18	6	–	8	1	–	1	5	1	25	7	16	5	1	–	24
126	5	–	35	3	6	18	6	–	8	1	–	1	5	1	25	7	16	5	1	–	25
193	10	2	60	7	4	23	9	4	10	1	–	5	2	8	34	15	16	12	2	2	26
196	12	2	61	6	6	25	7	1	3	1	–	5	5	17	27	27	22	7	2	2	27
61	2	1	11	3	2	5	1	1	1	–	–	1	–	6	6	4	3	1	2	–	28
135	10	1	50	3	4	20	6	–	2	1	–	4	5	11	21	23	19	6	–	2	29
93	12	–	42	4	3	3	2	1	2	1	–	–	3	4	21	15	12	–	2	–	30
11	1	–	13	1	2	1	–	–	4	–	–	–	1	–	4	2	3	–	1	1	31
51	6	1	21	2	3	6	2	1	2	1	–	2	2	1	14	5	6	4	–	–	32
32	5	–	12	–	2	7	–	–	–	–	–	–	1	1	9	5	1	1	1	–	33
6	1	–	5	1	3	1	1	–	1	–	–	–	–	–	2	5	2	–	1	–	34
91	15	1	27	1	2	4	4	–	2	1	–	–	3	5	18	10	5	4	9	–	35
41	7	–	11	–	1	1	3	–	1	–	–	–	1	2	10	5	2	2	2	–	36
50	8	1	16	1	1	3	1	–	1	1	–	–	2	3	8	5	3	2	7	–	37
241	34	2	73	16	19	28	5	1	10	4	–	5	4	26	55	19	15	6	2	1	38
136	20	2	39	6	8	17	2	1	5	1	–	3	1	15	38	11	8	4	1	–	39
105	14	–	34	10	11	11	3	–	5	3	–	2	3	11	17	8	7	2	1	1	40
32	9	–	5	8	2	3	–	–	1	2	–	1	–	1	8	4	4	–	2	–	41
111	1	1	42	19	3	4	2	2	–	–	–	–	–	15	28	6	3	5	1	2	42
75	3	1	37	6	1	5	1	1	–	–	1	–	–	2	8	7	5	4	1	1	43
102	10	–	28	7	3	12	8	2	7	2	1	3	1	–	21	17	14	6	1	2	44
111	39	2	59	3	8	6	4	–	3	5	–	3	4	2	29	9	13	7	1	2	45
45	15	2	30	1	4	2	1	–	2	3	–	1	–	–	12	2	3	3	–	1	46
66	24	–	29	2	4	4	3	–	1	2	–	2	4	2	17	7	10	4	1	1	47
27,318	**5,416**	**275**	**10,289**	**1,632**	**1,231**	**2,754**	**1,264**	**262**	**1,396**	**445**	**23**	**848**	**1,672**	**3,404**	**8,509**	**3,618**	**3,284**	**1,771**	**1,777**	**101**	48
17,097	2,741	167	6,222	1,009	752	1,647	772	151	1,047	268	14	610	1,141	1,510	5,403	2,042	2,065	1,212	1,407	74	49
10,221	2,675	108	4,067	623	479	1,107	492	111	349	177	9	238	531	1,894	3,106	1,576	1,219	559	370	27	50
18,273	2,993	172	6,369	1,036	798	1,690	845	173	1,113	289	17	661	1,212	1,652	5,782	2,392	2,280	1,399	1,479	82	51
15,068	2,228	148	5,286	871	658	1,394	685	129	975	232	13	547	998	1,115	4,766	1,783	1,817	1,138	1,322	66	52
3,205	765	24	1,083	165	140	296	160	44	138	57	4	114	214	537	1,016	609	463	261	157	16	53
9,045	2,423	103	3,920	596	433	1,064	419	89	283	156	6	187	460	1,752	2,727	1,226	1,004	372	298	19	54
2,029	513	19	936	138	94	253	87	22	72	36	1	63	143	395	637	259	248	74	85	8	55
7,016	1,910	84	2,984	458	339	811	332	67	211	120	5	124	317	1,357	2,090	967	756	298	213	11	56
156	14	2	45	2	5	10	6	–	3	5	–	3	7	21	39	9	14	2	3	–	57
87	6	2	25	2	3	5	4	–	2	4	–	2	5	9	22	5	8	1	3	–	58
69	8	–	20	–	2	5	2	–	1	1	–	1	2	12	17	4	6	1	–	–	59
30	5	–	7	5	1	2	2	2	1	–	–	–	2	3	7	4	6	5	–	–	60
120	23	–	86	3	9	12	2	3	4	1	–	5	9	44	33	11	22	8	3	–	61
74	11	–	45	1	4	4	2	1	2	–	–	2	5	26	18	2	10	2	1	–	62
46	12	–	41	2	5	8	–	2	2	1	–	3	4	18	15	9	12	6	2	–	63
39	4	2	9	–	2	1	1	–	–	–	–	–	1	6	8	5	3	2	–	–	64
22	4	–	2	8	2	–	–	1	2	–	–	–	2	–	2	7	2	1	–	–	65
14	1	–	3	2	–	–	1	–	–	–	–	–	–	1	–	4	3	–	–	–	66
46	8	–	22	9	7	8	1	–	2	2	–	3	5	10	17	8	3	3	3	–	67
48	19	2	24	5	2	15	4	1	1	1	–	2	–	17	13	2	7	2	4	–	68
20	2	–	10	3	–	3	–	–	1	2	–	2	1	3	5	6	5	1	–	–	69
24	3	–	8	3	2	2	–	–	1	–	–	–	–	5	9	4	3	1	–	–	70
68	38	–	12	4	3	16	6	1	3	1	1	1	5	13	16	7	14	7	4	–	71
28	4	–	20	2	2	2	6	–	–	–	–	–	2	1	5	–	1	1	–	–	72
31	17	1	33	3	1	3	–	1	–	1	–	2	–	4	18	14	3	2	1	–	73
21	13	1	24	3	–	2	–	1	–	1	–	1	–	3	10	6	2	1	1	–	74
10	4	–	9	–	1	1	–	–	–	–	–	1	–	1	8	8	1	1	–	–	75
178	157	8	54	13	9	27	5	–	8	2	–	11	26	71	74	67	26	12	11	1	76
33	8	–	6	2	2	4	–	–	–	–	–	8	18	3	8	12	9	4	3	–	77
77	96	1	20	4	3	13	3	–	5	1	–	–	1	27	41	11	5	2	1	–	78
68	53	7	28	7	4	10	2	–	3	1	–	3	7	41	25	44	12	6	7	1	79
1,812	253	23	587	93	88	190	56	10	129	39	1	80	115	113	571	238	200	107	164	7	80
1,591	222	23	516	86	79	164	51	9	115	34	1	68	100	95	500	201	166	95	151	6	81
221	31	–	71	7	9	26	5	1	14	5	–	12	15	18	71	37	34	12	13	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Blanco	78	–	–	–	14	6	2	–	1	–	3	2	1	41	32	–	1
02	Borden	7	–	–	–	1	1	–	–	–	–	–	–	–	5	4	–	–
03	Bosque	187	–	–	2	27	11	5	5	2	–	1	3	6	111	77	–	2
04	Bowie	647	–	–	7	121	22	43	10	14	2	7	23	7	354	260	2	2
05	Texarkana[3]	335	–	–	2	59	10	26	4	6	1	4	8	5	180	135	2	1
06	Balance of county	312	–	–	5	62	12	17	6	8	1	3	15	2	174	125	–	1
07	Brazoria	767	4	–	3	180	40	57	7	17	7	7	45	4	301	206	2	2
08	Alvin	89	1	–	–	26	5	8	1	3	1	3	5	1	34	25	1	–
09	Freeport	83	–	–	–	24	5	3	3	1	1	–	11	–	23	14	–	–
10	Lake Jackson	75	–	–	–	20	4	5	1	3	2	–	5	–	27	18	–	–
11	Balance of county	520	3	–	3	110	26	41	2	10	3	4	24	3	217	149	1	2
12	Brazos	436	1	–	1	92	27	21	8	13	4	3	16	10	192	129	1	–
13	Bryan	310	1	–	1	66	22	14	4	10	3	2	11	8	141	91	–	–
14	College Station	63	–	–	–	13	1	4	4	1	–	–	3	1	25	21	–	–
15	Balance of county	63	–	–	–	13	4	3	–	2	1	1	2	1	26	17	1	–
16	Brewster	71	–	–	–	10	5	3	–	–	–	1	1	1	27	16	–	1
17	Briscoe	25	–	–	2	1	–	–	–	–	1	–	–	1	8	4	–	–
18	Brooks	70	1	–	1	17	2	6	–	4	2	1	2	3	28	18	–	–
19	Brown	358	–	–	3	61	17	11	5	10	5	1	12	6	181	139	–	1
20	Brownwood	240	–	–	3	39	10	5	3	8	4	–	9	3	117	88	–	–
21	Balance of county	118	–	–	–	22	7	6	2	2	1	1	3	3	64	51	–	1
22	Burleson	132	–	–	4	21	5	8	–	2	–	–	6	–	61	51	1	4
23	Burnet	224	–	–	2	43	10	16	1	3	2	4	7	2	101	67	–	–
24	Caldwell	232	–	–	3	40	13	9	–	7	–	2	9	8	122	82	–	15
25	Calhoun	127	–	–	4	29	7	10	1	3	1	2	5	1	57	40	–	–
26	Port Lavaca	76	–	–	2	15	5	4	–	3	–	1	2	1	34	25	–	–
27	Balance of county	51	–	–	2	14	2	6	1	–	1	1	3	–	23	15	–	–
28	Callahan	129	–	–	–	20	7	5	2	1	–	–	5	1	75	59	–	–
29	Cameron	1,226	5	–	23	208	48	50	13	27	9	11	50	28	487	350	6	1
30	Brownsville	449	1	–	5	78	15	18	8	11	4	6	16	9	161	120	4	–
31	Harlingen	301	1	–	9	47	9	12	3	5	1	2	15	5	135	102	–	–
32	San Benito	148	1	–	5	31	9	7	–	6	2	1	6	7	62	31	–	–
33	Balance of county	328	2	–	4	52	15	13	2	5	2	2	13	7	129	97	2	1
34	Camp	121	–	–	–	20	6	5	1	2	–	3	3	7	54	36	–	1
35	Carson	56	–	–	–	6	1	1	–	1	–	–	3	1	26	18	–	–
36	Cass	290	1	–	2	45	14	7	–	6	3	2	13	3	155	103	–	1
37	Castro	49	–	–	1	11	5	1	–	4	–	–	1	–	22	14	–	–
38	Chambers	120	–	–	1	31	6	11	1	2	1	3	7	–	49	37	–	1
39	Cherokee	435	1	–	2	79	15	21	5	10	2	5	21	3	202	135	1	2
40	Childress	86	–	–	–	10	3	4	1	1	–	–	1	3	46	24	–	1
41	Clay	112	–	–	–	29	7	9	3	3	1	1	5	2	52	42	–	1
42	Cochran	46	–	–	–	7	2	3	–	1	–	1	–	1	23	16	–	–
43	Coke	44	–	–	–	6	2	1	1	1	–	–	1	2	21	16	–	–
44	Coleman	172	–	–	1	33	6	11	3	4	–	1	8	4	98	72	1	–
45	Collin	628	–	–	2	121	26	34	13	14	3	7	24	9	304	215	3	–
46	McKinney	179	–	–	–	29	5	7	5	7	1	–	4	3	104	77	1	–
47	Plano	133	–	–	–	28	8	7	2	1	1	5	4	2	45	29	–	–
48	Richardson, part	15	–	–	–	9	2	2	2	–	–	1	2	–	1	1	–	–
49	Balance of county	301	–	–	2	55	11	18	4	6	1	1	14	4	154	108	2	–
50	Collingsworth	74	–	–	1	14	2	4	2	2	1	–	3	1	45	28	–	–
51	Colorado	193	–	1	1	31	5	6	4	5	–	2	9	7	112	73	–	–
52	Comal	295	1	–	2	57	14	17	–	10	3	3	10	1	161	114	–	3
53	New Braunfels	213	1	–	2	38	11	9	–	8	–	3	7	1	115	78	–	2
54	Balance of county	82	–	–	–	19	3	8	–	2	3	–	3	–	46	36	–	1
55	Comanche	192	–	–	2	31	10	10	3	3	1	1	3	3	94	56	1	1
56	Concho	42	–	–	–	9	3	2	–	1	–	–	3	2	17	10	–	–
57	Cooke	242	–	–	1	44	6	12	6	6	4	–	10	8	135	92	1	1
58	Gainesville	166	–	–	–	27	3	8	5	2	2	–	7	4	101	66	–	1
59	Balance of county	76	–	–	1	17	3	4	1	4	2	–	3	4	34	26	1	–
60	Coryell	240	–	–	2	41	16	5	–	6	1	2	11	3	112	69	1	–
61	Copperas Cove	63	–	–	2	9	–	3	–	2	1	–	3	–	16	10	–	–
62	Balance of county	177	–	–	–	32	16	2	–	4	–	2	8	3	96	59	1	–
63	Cottle	31	–	–	–	5	2	–	–	–	1	–	2	1	20	15	1	–
64	Crane	40	–	–	–	6	1	3	–	1	–	–	1	–	16	7	–	–
65	Crockett	29	–	–	–	2	–	2	–	–	–	–	–	–	9	5	–	–
66	Crosby	91	1	–	–	12	4	2	1	2	–	–	3	1	54	41	–	–
67	Culberson	25	–	–	1	5	2	–	–	–	1	–	2	–	7	5	–	–
68	Dallam	66	–	–	1	8	2	3	–	2	–	–	1	–	29	25	–	–
69	Dallas	9,976	18	2	105	2,014	476	542	192	197	82	99	426	113	4,662	3,423	50	26
70	Balch Springs	71	–	–	1	12	2	4	1	1	–	–	4	–	28	22	–	–
71	Carrollton, part	103	–	–	1	24	4	6	1	1	1	1	10	1	35	29	–	1
72	Carrollton, total	112	–	–	1	25	4	6	1	1	1	1	11	1	38	32	1	1
73	Dallas	7,130	15	1	74	1,412	338	382	132	147	57	60	296	87	3,356	2,459	33	20
74	Duncanville	103	–	–	1	18	6	4	3	1	–	1	3	–	49	35	–	–
75	Farmers Branch	97	–	–	2	19	5	8	2	1	–	1	2	–	44	32	1	1
76	Garland	501	1	1	7	99	29	23	10	6	4	5	22	5	222	158	3	–
77	Grand Prairie, part	317	1	–	4	69	14	17	6	9	4	7	12	4	143	110	2	2
78	Grand Prairie, total	351	1	–	5	76	15	21	7	10	4	7	12	5	161	123	2	2
79	Highland Park	95	–	–	1	19	3	6	1	3	–	–	6	1	55	42	1	1
80	Irving	462	–	–	1	106	23	30	11	7	3	7	25	8	200	140	2	–
81	Lancaster	105	–	–	2	19	3	5	2	1	4	1	3	–	64	40	1	1
82	Mesquite	297	–	–	4	67	14	21	7	6	2	7	10	3	127	102	2	–
83	Richardson, part	213	1	–	–	59	8	17	7	3	2	4	18	–	84	65	–	–
84	Richardson, total	228	1	–	–	68	10	19	9	3	2	5	20	–	85	66	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
24	7	–	7	1	1	3	–	–	–	2	–	1	2	3	4	1	4	2	–	–	01
4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	02
53	22	–	29	5	–	9	1	2	3	1	–	–	–	2	10	8	5	–	–	–	03
137	119	2	84	3	5	10	6	–	4	2	–	4	8	24	50	19	20	6	5	–	04
74	58	2	40	1	2	6	1	–	4	1	–	2	4	15	31	7	11	3	4	–	05
63	61	–	44	2	3	4	5	–	–	1	–	2	4	9	19	12	9	3	1	–	06
157	45	1	75	4	15	19	7	2	7	3	1	7	14	34	79	51	36	10	4	1	07
21	3	1	6	1	1	2	–	–	1	1	–	2	–	1	11	6	3	–	–	–	08
11	3	–	8	–	1	1	3	–	–	–	–	–	4	6	13	5	4	–	–	–	09
15	3	–	9	–	–	2	1	–	1	–	–	1	2	1	8	8	2	–	2	–	10
110	36	–	52	3	13	14	3	2	5	2	1	4	8	26	47	32	27	10	2	1	11
119	9	–	52	5	6	12	6	2	7	3	–	3	7	38	24	20	9	6	3	–	12
85	6	–	42	4	4	7	4	1	4	–	–	1	7	30	18	8	7	3	3	–	13
18	3	–	4	–	–	3	1	–	3	1	–	1	–	5	3	4	1	2	–	–	14
16	–	–	6	1	2	2	1	1	–	2	–	1	–	3	3	8	1	1	–	–	15
11	4	–	8	3	–	1	3	–	4	–	–	1	2	2	8	6	5	–	1	–	16
3	1	–	4	–	–	–	1	–	–	–	–	–	1	3	4	–	3	1	–	–	17
16	2	–	8	1	1	3	1	–	–	1	–	–	1	5	6	1	–	2	–	–	18
117	21	–	34	4	4	6	9	–	3	2	–	2	–	33	26	8	9	6	3	–	19
75	13	–	25	3	1	3	8	–	2	2	–	2	–	23	20	7	7	1	3	–	20
42	8	–	9	1	3	3	1	–	1	–	–	–	–	10	6	1	2	5	–	–	21
39	7	1	8	–	1	2	–	–	1	–	–	2	–	20	11	3	4	2	1	–	22
60	7	–	25	6	3	6	2	1	1	–	–	1	3	25	23	5	5	3	1	–	23
54	13	–	35	2	3	3	2	–	4	2	–	1	2	9	14	9	6	–	7	–	24
35	5	–	10	4	3	2	5	–	1	–	–	–	5	–	7	11	3	–	2	–	25
21	4	–	5	3	1	1	3	–	1	–	–	–	2	–	6	8	2	–	1	–	26
14	1	–	5	1	2	1	2	–	–	–	–	–	3	–	1	3	1	–	1	–	27
42	17	–	12	3	1	2	–	1	2	1	–	–	3	4	9	3	6	2	–	–	28
265	78	2	98	18	19	28	8	1	19	7	1	15	27	120	127	41	43	18	19	1	29
107	9	1	32	1	7	8	3	1	9	3	1	6	8	65	45	16	12	7	11	–	30
69	33	–	23	7	3	7	2	–	5	1	–	5	2	14	32	13	14	4	4	1	31
26	5	1	17	9	4	3	1	–	–	1	–	1	2	10	14	2	3	4	1	–	32
63	31	–	26	1	5	10	2	–	5	2	–	3	15	31	36	10	14	3	3	–	33
29	6	1	15	–	2	6	–	–	1	1	–	1	2	14	8	1	2	2	2	–	34
13	5	–	6	1	1	3	1	–	1	–	–	–	2	2	7	3	3	1	–	–	35
81	21	1	44	3	4	7	5	1	–	1	–	1	1	8	31	15	9	3	2	–	36
9	5	–	7	–	1	1	2	1	1	–	–	1	2	1	1	2	2	–	1	–	37
26	10	–	8	1	3	8	1	–	2	–	–	–	3	6	12	1	3	–	3	–	38
104	28	1	51	12	3	12	4	2	1	2	–	1	9	30	40	19	19	4	5	–	39
22	1	1	19	–	2	1	2	1	1	–	–	–	2	1	12	3	2	2	–	–	40
37	4	–	8	–	2	2	1	1	1	1	–	1	2	7	7	3	2	1	–	–	41
13	3	–	7	–	–	2	–	–	–	–	–	2	–	2	7	1	1	–	–	–	42
7	9	–	3	1	1	–	4	–	–	–	–	–	–	2	4	–	5	–	–	–	43
53	18	–	24	–	2	9	1	1	–	–	–	–	1	1	19	–	4	–	–	–	44
186	26	1	79	9	–	26	10	–	2	2	–	8	16	10	55	26	13	18	5	1	45
64	12	1	23	3	–	10	1	–	–	–	–	1	1	2	15	8	3	1	1	–	46
24	5	–	14	2	–	6	3	–	–	–	–	4	6	2	11	8	6	10	1	1	47
1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	48
97	9	–	42	4	–	10	6	–	2	2	–	2	7	6	28	9	4	7	3	–	49
28	–	–	16	1	–	3	–	–	–	–	–	–	1	–	2	3	3	–	1	–	50
56	17	–	30	4	5	3	4	–	4	–	–	–	1	2	12	6	5	1	3	–	51
85	26	1	27	13	6	14	2	3	4	–	–	3	2	2	22	8	4	5	4	–	52
60	16	–	24	8	5	12	1	3	2	–	–	2	1	1	21	6	2	3	2	–	53
25	10	1	3	5	1	2	1	–	2	–	–	1	1	1	1	2	2	2	2	–	54
42	12	2	23	5	8	6	3	–	1	1	–	–	2	19	20	8	1	1	–	–	55
10	–	–	6	1	–	2	–	–	1	–	–	–	–	3	6	1	1	–	–	–	56
69	21	–	39	3	1	9	6	–	2	–	–	–	1	3	15	10	6	1	1	–	57
49	16	–	32	2	1	7	4	–	1	–	–	–	1	1	9	6	4	1	–	–	58
20	5	–	7	1	–	2	2	–	1	–	–	–	–	2	6	4	2	–	1	–	59
49	19	1	33	6	3	8	3	–	2	1	–	6	9	5	27	9	10	1	1	–	60
7	3	–	3	1	2	4	–	–	1	1	–	6	5	2	9	3	4	–	1	–	61
42	16	1	30	5	1	4	3	–	1	–	–	–	4	3	18	6	6	1	–	–	62
13	1	–	4	–	1	1	1	–	–	–	–	–	–	2	1	–	–	–	–	–	63
7	–	1	6	1	1	2	–	–	–	–	–	1	1	1	6	2	5	–	–	–	64
4	1	–	4	–	–	–	–	1	3	–	–	–	1	7	3	3	–	–	–	–	65
30	11	–	10	2	1	4	1	–	–	1	–	–	1	1	7	5	2	1	–	–	66
5	–	–	2	–	–	2	–	–	–	–	–	–	1	1	6	–	–	2	–	–	67
18	7	–	3	–	1	4	3	–	3	–	–	–	1	2	8	5	–	1	1	–	68
3,050	297	26	930	151	132	249	125	25	151	46	2	106	178	168	875	317	303	235	268	14	69
18	4	–	3	2	1	3	1	–	1	1	–	2	–	–	8	3	6	4	1	–	70
27	1	–	6	–	–	3	4	–	3	–	–	2	7	1	7	7	4	1	3	–	71
29	1	–	6	–	–	3	4	–	3	–	–	2	9	1	7	8	5	2	3	–	72
2,193	213	21	692	98	86	170	86	18	108	30	2	61	107	122	641	202	232	164	230	12	73
33	2	–	12	–	2	3	1	1	2	1	–	3	1	1	9	6	4	2	1	–	74
30	–	–	6	5	1	3	1	–	2	–	–	1	2	–	13	2	3	3	1	1	75
139	16	1	51	3	9	15	2	2	6	3	–	8	22	16	41	17	14	9	10	1	76
101	5	–	17	11	5	10	5	–	6	3	–	2	7	3	21	20	9	5	5	–	77
113	6	–	20	13	5	11	5	–	7	3	–	3	7	3	22	21	10	6	5	–	78
34	6	–	12	1	–	5	3	–	1	1	–	–	–	1	5	–	2	1	–	–	79
121	17	1	38	12	9	10	5	4	7	3	–	11	12	7	39	21	9	13	6	–	80
36	2	–	20	3	1	2	–	–	2	–	–	1	1	3	6	2	1	1	1	–	81
91	9	1	14	2	8	5	7	–	6	1	–	9	6	2	28	12	7	9	4	–	82
55	10	–	17	1	1	7	1	–	1	–	–	3	8	3	16	9	5	13	3	–	83
56	10	–	17	1	1	7	1	–	1	–	–	4	10	3	17	10	5	13	3	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Dallas—Con.																	
01	University Park	160	–	–	2	33	10	8	3	4	–	2	6	3	93	61	4	–
02	Balance of county	322	–	–	5	58	17	11	6	7	5	3	9	1	162	128	1	–
03	Dawson	175	–	–	–	19	6	7	3	1	1	1	–	2	103	75	1	–
04	Lamesa	147	–	–	–	16	5	6	3	1	–	1	–	2	86	59	1	–
05	Balance of county	28	–	–	–	3	1	1	–	–	1	–	–	–	17	16	–	–
06	Deaf Smith	119	–	–	1	18	6	4	1	3	1	–	3	1	48	38	1	1
07	Hereford	95	–	–	–	15	5	3	1	2	1	–	3	1	38	29	1	–
08	Balance of county	24	–	–	1	3	1	1	–	1	–	–	–	–	10	9	–	1
09	Delta	92	–	–	–	10	4	2	1	3	–	–	–	1	55	39	1	2
10	Denton	600	–	–	5	119	34	33	9	12	5	4	22	5	283	205	4	2
11	Carrollton, part	9	–	–	–	1	–	–	–	–	–	–	1	–	3	3	1	–
12	Denton	259	–	–	2	48	14	13	4	3	2	2	10	3	123	92	1	1
13	Balance of county	332	–	–	3	70	20	20	5	9	3	2	11	2	157	110	2	1
14	De Witt	283	1	–	4	58	24	15	–	4	2	2	11	6	143	104	–	1
15	Dickens	47	–	–	–	11	1	3	–	5	–	1	1	–	19	15	–	–
16	Dimmit	68	–	–	1	6	–	1	1	1	1	1	1	–	32	24	1	–
17	Donley	62	–	–	–	11	5	3	1	–	2	–	–	–	36	24	–	–
18	Duval	103	–	–	1	16	3	3	3	–	–	3	4	–	47	39	1	–
19	Eastland	323	–	–	1	49	12	11	5	5	6	–	10	5	207	129	–	–
20	Ector	695	5	–	6	145	29	53	16	15	5	4	23	9	193	128	3	1
21	Odessa	620	4	–	5	137	28	48	16	15	5	3	22	7	179	119	3	1
22	Balance of county	75	1	–	1	8	1	5	–	–	–	1	1	2	14	9	–	–
23	Edwards	19	–	–	–	3	1	–	–	2	–	–	–	1	7	6	–	–
24	Ellis	532	1	–	9	90	24	17	6	9	6	5	23	12	218	152	1	2
25	Ennis	135	–	–	4	22	7	5	1	2	–	1	6	8	49	32	–	–
26	Waxahachie	162	1	–	–	32	7	5	3	2	2	3	10	2	70	44	–	1
27	Balance of county	235	–	–	5	36	10	7	2	5	4	1	7	2	99	76	1	1
28	El Paso	2,309	9	–	22	445	120	106	49	44	16	17	93	53	893	645	20	13
29	El Paso	2,179	7	–	19	427	116	101	46	41	15	16	92	50	849	610	19	13
30	Balance of county	130	2	–	3	18	4	5	3	3	1	1	1	3	44	35	1	–
31	Erath	196	1	–	–	33	10	7	2	3	1	–	10	6	98	72	–	–
32	Falls	233	–	–	1	44	12	14	2	8	2	1	5	3	132	73	1	2
33	Fannin	357	–	1	2	69	16	15	7	11	2	5	13	7	192	136	–	2
34	Fayette	292	–	–	2	49	19	6	4	7	2	1	10	5	163	115	–	2
35	Fisher	84	–	–	1	12	6	–	1	3	–	1	1	1	55	29	–	1
36	Floyd	102	–	–	2	18	4	4	1	1	–	3	5	–	43	25	–	–
37	Foard	43	–	–	–	5	2	3	–	–	–	–	–	1	21	15	–	–
38	Fort Bend	480	–	–	5	103	22	15	10	16	4	4	32	9	197	145	1	5
39	Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Rosenburg	141	–	–	2	26	6	5	3	3	2	–	7	2	56	41	–	1
41	Balance of county	339	–	–	3	77	16	10	7	13	2	4	25	7	141	104	1	4
42	Franklin	82	–	–	2	16	6	3	1	3	–	–	3	1	45	30	–	–
43	Freestone	181	–	–	1	31	5	6	2	5	1	1	11	3	97	82	–	1
44	Frio	99	–	–	1	15	5	5	–	1	–	–	4	4	47	32	–	1
45	Gaines	77	–	–	–	15	4	2	1	2	1	3	2	3	31	22	–	–
46	Galveston	1,528	6	1	9	340	78	106	25	31	14	14	72	20	698	549	4	13
47	Galveston	702	2	–	6	152	38	46	9	15	7	7	30	7	342	266	1	5
48	La Marque	124	1	–	–	31	7	9	2	3	–	3	7	3	54	39	–	2
49	League City	55	–	1	2	12	1	3	–	1	1	1	5	–	25	20	–	–
50	Texas City	270	1	–	–	48	8	12	7	7	4	1	9	7	116	88	1	2
51	Balance of county	377	2	–	1	97	24	36	7	5	2	2	21	3	161	136	2	4
52	Garza	47	–	–	1	8	1	1	1	2	–	–	3	1	26	18	–	–
53	Gillespie	156	1	1	–	34	9	6	4	3	4	–	8	5	90	71	–	2
54	Glasscock	6	–	–	–	1	–	–	–	–	1	–	–	–	3	1	–	–
55	Goliad	57	–	–	1	11	4	2	2	2	–	–	1	1	31	24	–	–
56	Gonzales	204	–	–	2	48	13	14	5	3	2	1	10	1	96	71	–	4
57	Gray	275	–	–	2	70	11	16	10	7	7	4	15	11	124	91	1	4
58	Pampa	214	–	–	2	52	6	11	9	5	5	4	12	10	100	71	1	3
59	Balance of county	61	–	–	–	18	5	5	1	2	2	–	3	1	24	20	–	1
60	Grayson	928	–	–	3	178	43	47	18	17	6	11	36	5	458	333	–	–
61	Denison	284	–	–	–	57	14	13	5	2	3	3	17	4	137	96	–	–
62	Sherman	319	–	–	1	64	18	16	9	8	2	4	7	1	168	118	–	–
63	Balance of county	325	–	–	2	57	11	18	4	7	1	4	12	–	153	119	–	–
64	Gregg	808	1	–	7	163	38	47	14	21	7	4	32	10	376	231	1	5
65	Longview	459	1	–	5	95	24	25	10	10	3	1	22	4	212	122	1	1
66	Balance of county	349	–	–	2	68	14	22	4	11	4	3	10	6	164	109	–	2
67	Grimes	169	–	–	1	33	6	11	1	6	1	1	7	1	80	59	1	4
68	Guadalupe	339	2	–	3	60	15	15	3	6	4	1	16	10	160	128	1	1
69	Seguin	159	–	–	1	31	8	8	2	2	4	1	6	8	74	59	1	–
70	Balance of county	180	2	–	2	29	7	7	1	4	–	–	10	2	86	69	–	1
71	Hale	304	–	–	4	53	14	12	3	9	3	4	8	3	148	85	1	2
72	Plainview	193	–	–	4	31	8	9	2	5	2	1	4	2	100	56	1	1
73	Balance of county	111	–	–	–	22	6	3	1	4	1	3	4	1	48	29	–	1
74	Hall	84	–	–	1	20	6	5	–	4	–	1	4	2	33	22	–	1
75	Hamilton	152	–	–	1	32	11	7	1	4	–	3	6	1	77	61	1	1
76	Hansford	45	–	–	–	7	1	3	1	–	–	–	2	–	18	15	–	–
77	Hardeman	105	–	–	–	17	3	4	–	2	–	5	3	–	66	42	1	–
78	Hardin	287	–	–	3	44	10	13	3	4	2	1	11	6	127	92	–	1
79	Harris	13,281	28	–	155	2,677	649	780	253	264	93	102	536	179	5,905	4,272	80	42
80	Baytown	365	2	–	4	75	17	19	11	9	2	4	13	3	180	142	2	–
81	Bellaire	137	–	–	1	34	5	13	3	5	–	–	8	3	58	40	1	–
82	Deer Park	72	–	–	1	13	4	2	2	1	–	–	4	2	31	18	–	–
83	Galena Park	61	–	–	–	15	1	8	–	–	–	–	6	2	28	24	1	–
84	Houston, part	10,462	25	–	125	2,065	532	602	200	198	74	69	390	143	4,709	3,357	64	39

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
52	5	2	15	8	7	4	1	–	–	–	–	–	–	1	15	3	4	1	–	–	01
120	7	–	27	5	2	9	8	–	6	3	–	3	5	8	26	13	3	9	3	–	02
70	4	–	20	5	3	9	2	–	1	1	–	–	4	6	10	8	6	–	4	–	03
55	3	–	19	5	3	8	2	–	1	1	–	–	4	6	7	5	6	–	3	–	04
15	1	–	1	–	–	1	–	–	–	–	–	–	–	–	3	3	–	–	1	–	05
30	6	1	8	–	1	5	1	1	1	1	–	2	10	2	10	7	8	2	1	–	06
24	4	1	7	–	1	5	1	1	1	–	–	2	8	2	8	6	6	1	–	–	07
6	2	–	1	–	–	–	–	–	–	1	–	–	2	–	2	1	2	1	1	–	08
25	11	1	10	5	–	2	–	–	–	2	–	–	–	2	11	6	3	–	–	–	09
154	45	–	59	10	9	20	8	6	5	2	–	7	8	13	59	23	20	12	3	2	10
2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	–	11
71	19	–	23	4	4	11	4	3	4	2	–	–	1	2	31	8	9	3	3	2	12
81	26	–	36	6	5	9	4	3	1	–	–	7	5	11	28	14	10	8	–	–	13
86	17	1	27	7	4	15	3	–	2	–	1	–	1	9	28	6	3	1	2	–	14
11	4	–	3	–	1	–	–	–	1	–	–	–	1	2	6	1	4	1	1	–	15
21	2	–	2	3	3	4	1	–	2	1	–	1	4	1	6	3	3	1	2	–	16
17	7	–	11	1	–	5	–	–	–	–	–	1	–	3	4	–	2	–	–	–	17
30	8	–	6	1	1	2	3	–	2	4	–	1	2	4	9	7	3	1	1	–	18
94	35	–	68	6	4	10	3	–	1	1	–	–	2	14	17	3	5	4	1	–	19
100	24	–	52	4	9	9	8	4	12	2	–	5	11	101	61	50	44	14	14	2	20
93	22	–	47	4	9	7	8	3	12	1	–	5	7	85	54	40	40	13	11	2	21
7	2	–	5	–	–	2	–	1	–	1	–	–	4	16	7	10	4	1	3	–	22
6	–	–	1	–	–	1	–	–	–	–	–	–	1	1	5	–	–	–	–	–	23
125	24	–	54	8	4	15	7	4	2	3	–	3	6	69	46	21	15	5	5	1	24
30	2	–	14	2	1	3	1	–	–	2	–	–	–	19	16	2	5	3	1	–	25
34	9	–	21	4	1	6	4	1	–	–	–	1	3	18	10	6	5	2	1	–	26
61	13	–	19	2	2	6	2	3	2	1	–	2	3	32	20	13	5	–	3	1	27
548	64	6	178	30	34	75	25	7	47	17	1	46	59	39	304	91	89	44	43	–	28
520	58	6	170	30	33	74	24	7	45	17	1	43	53	36	287	79	79	44	38	–	29
28	6	–	8	–	1	1	1	–	2	–	–	3	6	3	17	12	10	–	5	–	30
52	20	–	15	4	7	11	7	–	2	–	–	2	–	4	14	7	6	4	1	–	31
53	17	1	49	6	3	7	3	1	2	1	–	–	1	2	20	9	3	3	1	–	32
110	24	1	44	7	4	9	6	–	2	3	–	–	1	28	27	5	2	1	2	–	33
83	30	1	34	9	4	7	2	–	–	1	–	1	–	20	19	7	7	8	1	–	34
24	4	1	15	9	1	2	1	–	–	–	–	1	1	2	5	–	2	–	1	–	35
19	6	–	13	4	1	9	4	–	–	–	–	1	2	–	10	8	3	2	–	–	36
14	1	1	4	–	1	2	–	1	1	–	–	1	–	–	7	4	–	–	–	–	37
97	42	4	36	3	9	17	6	–	6	1	–	7	10	10	38	30	20	10	11	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
28	12	1	11	1	2	4	1	–	3	–	–	1	4	1	14	6	12	4	5	–	40
69	30	3	25	2	7	13	5	–	3	1	–	6	6	9	24	24	8	6	6	–	41
25	5	1	11	1	2	1	1	2	2	–	–	–	–	–	8	1	1	2	–	–	42
62	19	–	12	1	2	10	3	1	1	–	–	–	4	4	12	10	2	2	–	–	43
24	7	–	8	7	–	4	2	–	–	2	–	–	2	4	9	3	2	3	1	–	44
15	7	–	7	2	–	2	1	–	1	–	–	1	6	5	6	2	3	1	–	–	45
478	54	5	108	14	22	27	20	2	27	7	1	10	25	11	135	51	71	27	33	7	46
238	22	3	57	6	10	11	8	1	12	2	–	4	11	2	66	12	31	10	21	2	47
35	2	–	12	2	1	2	3	1	1	–	–	–	2	2	10	4	3	1	4	2	48
20	–	–	4	–	1	–	–	–	3	–	–	2	–	–	3	–	4	2	1	–	49
75	10	1	16	4	7	8	7	–	5	3	1	2	6	4	21	12	18	5	3	3	50
110	20	1	19	2	3	6	2	–	6	2	–	2	6	3	35	23	15	9	4	–	51
13	5	–	5	1	2	–	1	–	1	–	–	1	–	–	3	1	4	–	–	–	52
58	11	–	9	10	–	2	1	1	–	–	–	1	–	–	8	3	7	2	–	–	53
1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	54
21	3	–	5	1	1	–	1	–	–	–	–	–	–	2	6	2	2	–	–	–	55
60	7	–	23	2	–	5	1	–	3	1	–	1	3	20	12	7	2	1	1	–	56
71	15	2	21	5	5	6	6	–	1	–	1	–	2	5	20	13	9	3	–	2	57
57	10	2	19	3	5	4	2	–	–	–	1	–	2	4	15	11	7	2	–	2	58
14	5	–	2	2	–	2	4	–	1	–	–	–	–	1	5	2	2	1	–	–	59
296	37	1	102	14	8	18	10	1	10	4	–	5	13	65	90	25	26	14	3	–	60
81	15	1	31	5	4	5	5	–	4	1	–	1	2	15	26	9	11	5	2	–	61
110	8	–	43	4	3	6	2	1	2	–	–	2	5	13	36	7	5	5	1	–	62
105	14	–	28	5	1	7	3	–	4	3	–	2	6	37	28	9	10	4	–	–	63
202	25	4	123	9	9	20	7	2	10	3	1	5	9	53	64	25	23	14	14	1	64
106	14	3	75	5	7	10	4	–	5	3	–	3	8	25	40	15	11	5	12	1	65
96	11	1	48	4	2	10	3	2	5	–	1	2	1	28	24	10	12	9	2	–	66
39	15	1	14	5	1	7	2	1	1	1	–	1	3	13	9	5	8	1	2	–	67
95	31	–	27	1	4	9	11	–	6	3	–	2	1	15	22	10	11	9	5	–	68
42	16	–	13	1	1	4	4	–	1	1	–	1	1	4	11	6	5	2	5	–	69
53	15	–	14	–	3	5	7	–	5	2	–	1	–	11	11	4	6	7	–	–	70
75	7	3	58	1	1	7	5	2	1	–	–	2	10	24	15	17	8	3	2	–	71
51	3	2	40	1	1	2	2	2	1	–	–	1	6	12	11	12	5	1	1	–	72
24	4	1	18	–	–	5	3	–	–	–	–	1	4	12	4	5	3	2	1	–	73
16	5	–	11	–	–	4	1	–	2	–	–	1	1	3	11	3	2	–	–	–	74
47	12	–	11	1	4	10	–	–	–	–	–	–	1	4	19	3	1	2	1	–	75
11	4	–	1	1	1	2	1	–	–	–	–	2	4	1	3	3	2	–	2	–	76
36	5	1	21	1	1	6	–	1	1	–	–	1	1	1	8	1	2	–	–	–	77
80	11	–	26	6	3	19	4	1	3	3	–	1	3	29	19	13	10	1	1	–	78
3,739	411	31	1,283	164	155	272	189	34	310	61	3	148	298	131	1,128	464	491	374	475	9	79
124	16	–	30	2	6	10	5	1	5	1	–	5	10	3	26	10	6	11	8	–	80
39	–	–	14	1	3	3	1	2	1	1	–	1	1	3	13	3	6	6	–	–	81
16	2	–	10	3	–	3	2	–	–	–	–	2	1	1	5	4	2	4	–	1	82
22	1	–	3	–	1	1	1	–	–	–	–	–	–	1	5	4	1	1	2	–	83
2,939	315	28	1,055	139	130	221	105	24	265	54	3	114	239	92	916	322	372	261	400	7	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Harris—Con.																	
01	Houston, total	10,462	25	–	125	2,065	532	602	200	198	74	69	390	143	4,709	3,357	64	39
02	Pasadena	525	–	–	9	112	22	33	9	8	4	10	26	10	220	159	2	1
03	South Houston	78	–	–	–	22	4	6	1	1	1	2	7	1	28	23	–	–
04	West University Place	56	–	–	–	13	4	4	–	–	–	2	3	–	35	26	2	–
05	Balance of county	1,525	1	–	15	328	60	93	27	42	12	15	79	15	616	483	8	2
06	Harrison	505	1	–	3	85	22	11	13	12	6	5	16	7	269	194	2	4
07	Marshall	287	–	–	3	50	16	7	7	6	4	2	8	5	161	115	2	4
08	Balance of county	218	1	–	–	35	6	4	6	6	2	3	8	2	108	79	–	–
09	Hartley	21	–	–	–	5	–	1	2	–	–	1	1	–	13	12	–	–
10	Haskell	126	–	–	–	24	7	6	1	1	3	1	5	7	73	32	–	–
11	Hays	203	1	–	4	42	8	14	3	3	1	3	10	2	96	66	–	–
12	San Marcos	121	1	–	2	25	6	7	1	2	–	2	7	1	59	40	–	–
13	Balance of county	82	–	–	2	17	2	7	2	1	1	1	3	1	37	26	–	–
14	Hemphill	29	–	–	–	4	2	–	–	–	–	–	2	–	18	8	–	–
15	Henderson	407	1	–	1	76	14	19	3	11	4	5	20	6	168	124	2	1
16	Hidalgo	1,414	6	1	27	218	51	46	17	38	12	10	44	46	650	486	8	5
17	Edinburg	157	2	–	4	22	3	6	–	5	2	1	5	3	84	66	–	–
18	McAllen	326	1	–	11	52	8	9	6	10	5	–	14	7	143	104	3	1
19	Mission	127	–	–	1	24	9	5	2	1	–	3	4	7	54	36	1	–
20	Pharr	126	1	–	–	18	5	4	2	3	2	–	2	4	56	41	2	2
21	Weslaco	124	1	–	1	16	6	4	1	–	–	2	3	5	66	47	1	–
22	Balance of county	554	1	1	10	86	20	18	6	19	3	4	16	20	247	192	1	2
23	Hill	384	–	–	1	50	14	8	2	7	4	4	11	6	230	162	–	1
24	Hockley	122	–	–	1	28	8	8	3	1	1	3	4	3	52	43	1	–
25	Levelland	81	–	–	–	19	5	5	3	1	–	2	3	1	32	26	–	–
26	Balance of county	41	–	–	1	9	3	3	–	–	1	1	1	2	20	17	1	–
27	Hood	119	–	–	3	26	6	10	2	4	1	1	2	1	57	45	–	–
28	Hopkins	293	–	–	2	65	16	16	3	6	5	4	15	1	160	93	–	–
29	Sulphur Springs	171	–	–	1	33	7	9	3	4	1	3	6	1	95	58	–	–
30	Balance of county	122	–	–	1	32	9	7	–	2	4	1	9	–	65	35	–	–
31	Houston	260	–	–	1	39	6	10	5	1	–	3	14	2	147	105	2	3
32	Howard	341	–	–	3	48	14	12	2	7	5	4	4	3	135	87	3	1
33	Big Spring	261	–	–	3	37	9	9	2	7	3	4	3	3	96	60	3	1
34	Balance of county	80	–	–	–	11	5	3	–	–	2	–	1	–	39	27	–	–
35	Hudspeth	12	–	–	–	3	2	1	–	–	–	–	–	–	6	6	–	–
36	Hunt	538	2	–	4	94	27	24	3	9	7	4	20	9	260	183	4	2
37	Greenville	264	2	–	2	44	12	14	2	5	3	–	8	4	125	87	1	1
38	Balance of county	274	–	–	2	50	15	10	1	4	4	4	12	5	135	96	3	1
39	Hutchinson	219	–	–	1	54	15	13	5	4	1	1	15	4	93	64	1	1
40	Borger	148	–	–	–	38	9	10	5	3	1	1	9	3	58	37	1	–
41	Balance of county	71	–	–	1	16	6	3	–	1	–	–	6	1	35	27	–	1
42	Irion	11	–	–	–	2	1	1	–	–	–	–	–	–	7	5	–	–
43	Jack	114	–	–	1	29	5	9	2	6	2	1	4	–	60	41	–	1
44	Jackson	125	–	–	1	20	4	4	1	2	1	1	7	1	70	54	–	–
45	Jasper	272	–	–	2	54	12	16	2	7	3	1	13	5	111	83	1	1
46	Jeff Davis	11	–	–	–	2	1	–	1	–	–	–	–	–	5	5	–	–
47	Jefferson	2,276	–	–	19	474	109	135	42	55	22	17	94	32	1,130	819	10	25
48	Beaumont	1,203	–	–	13	247	59	57	20	31	11	11	58	17	596	433	5	20
49	Groves	127	–	–	–	30	8	11	4	1	1	1	4	–	65	53	1	1
50	Nederland	109	–	–	2	24	8	7	6	–	2	–	1	3	56	35	–	1
51	Port Arthur	597	–	–	4	121	24	44	7	14	7	3	22	8	299	209	4	2
52	Port Neches	91	–	–	–	22	2	10	3	4	–	–	3	2	42	30	–	–
53	Balance of county	149	–	–	–	30	8	6	2	5	1	2	6	2	72	59	–	1
54	Jim Hogg	27	–	–	–	7	2	1	–	–	–	–	4	1	9	7	–	–
55	Jim Wells	280	1	–	4	46	11	17	3	6	1	2	6	3	144	100	3	1
56	Alice	191	1	–	2	36	9	13	1	6	1	1	5	2	95	64	2	1
57	Balance of county	89	–	–	2	10	2	4	2	–	–	1	1	1	49	36	1	–
58	Johnson	553	1	–	2	95	25	21	7	13	3	5	21	21	295	214	8	1
59	Cleburne	238	1	–	1	42	12	8	5	4	2	2	9	9	133	94	2	–
60	Fort Worth, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Balance of county	315	–	–	1	53	13	13	2	9	1	3	12	12	162	120	6	1
62	Jones	239	–	–	1	36	13	8	3	5	1	–	6	3	131	105	–	6
63	Abilene, part	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
64	Balance of county	238	–	–	1	35	13	8	3	4	1	–	6	3	131	105	–	6
65	Karnes	127	–	–	1	16	1	4	–	4	3	–	4	2	79	65	–	–
66	Kaufman	443	2	–	3	75	13	28	6	9	4	2	13	13	212	153	–	1
67	Terrell	170	2	–	1	24	6	6	3	3	3	–	3	5	86	63	–	–
68	Balance of county	273	–	–	2	51	7	22	3	6	1	2	10	8	126	90	–	1
69	Kendall	125	–	–	1	26	5	10	3	–	2	–	6	1	64	49	1	–
70	Kenedy	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
71	Kent	15	–	–	–	2	1	–	1	–	–	–	–	2	6	6	–	–
72	Kerr	355	1	–	2	74	18	22	6	15	2	4	7	3	177	115	2	1
73	Kerrville	261	1	–	–	51	13	15	4	10	1	1	7	3	133	84	2	–
74	Balance of county	94	–	–	2	23	5	7	2	5	1	3	–	–	44	31	–	1
75	Kimble	57	–	–	–	13	5	4	–	2	1	–	1	1	27	25	–	–
76	King	3	–	–	1	–	–	–	–	–	–	–	–	–	2	2	–	–
77	Kinney	18	–	–	1	1	–	–	1	–	–	–	–	–	9	6	–	–
78	Kleberg	189	–	1	2	33	8	11	1	1	1	1	10	4	85	60	2	1
79	Kingsville	161	–	1	2	27	8	8	1	–	1	–	9	3	78	54	2	1
80	Balance of county	28	–	–	–	6	–	3	–	1	–	1	1	1	7	6	–	–
81	Knox	68	–	–	–	9	–	3	1	2	–	1	2	1	42	19	–	–
82	Lamar	467	–	–	4	81	22	17	9	10	1	3	19	4	218	142	2	8
83	Paris	328	–	–	4	58	12	14	7	10	–	2	13	2	152	96	2	6
84	Balance of county	139	–	–	–	23	10	3	2	–	1	1	6	2	66	46	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,939	315	28	1,055	139	130	221	105	24	265	54	3	114	239	92	916	322	372	261	400	7	01
137	19	1	51	7	2	12	4	–	8	1	–	8	10	7	39	25	26	24	10	–	02
22	1	–	5	–	–	1	1	–	2	–	–	–	–	–	8	2	2	7	3	1	03
23	1	–	7	2	–	–	1	–	2	–	–	–	–	–	4	1	–	–	–	–	04
417	56	2	108	10	13	21	19	7	27	4	–	18	37	24	112	93	76	60	52	–	05
146	42	3	65	4	3	17	4	–	6	2	–	–	10	13	51	11	11	6	9	–	06
85	24	1	41	3	1	6	3	–	4	1	–	–	6	4	29	1	6	1	7	–	07
61	18	2	24	1	2	11	1	–	2	1	–	–	4	9	22	10	5	5	2	–	08
9	3	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	09
26	6	–	37	4	–	3	1	–	1	1	–	1	–	3	5	3	1	1	1	1	10
53	13	1	21	6	2	5	–	1	5	–	–	4	4	4	12	12	5	3	3	–	11
33	7	1	15	1	2	4	–	1	2	–	–	2	3	2	5	6	4	2	2	–	12
20	6	–	6	5	–	1	–	–	3	–	–	2	1	2	7	6	1	1	1	–	13
7	1	–	9	–	1	–	–	–	–	–	–	–	1	–	1	1	3	–	1	–	14
98	23	3	31	3	7	17	10	3	4	–	–	2	5	52	24	12	11	9	6	–	15
392	81	7	128	19	10	39	13	3	22	3	–	15	27	98	114	53	42	15	19	3	16
51	15	–	16	2	–	6	–	–	3	1	–	1	1	10	7	4	6	2	1	–	17
89	11	–	31	6	2	7	3	–	7	–	–	2	9	25	32	6	11	4	6	–	18
31	4	1	15	1	1	2	1	1	4	–	–	2	2	8	12	4	2	3	–	–	19
29	8	–	11	2	2	2	1	–	2	–	–	1	3	17	11	3	2	1	3	1	20
40	6	–	16	2	1	5	2	–	1	–	–	1	1	3	8	9	3	2	–	–	21
152	37	6	39	6	4	17	6	2	5	2	–	8	11	35	44	27	18	3	9	2	22
119	42	–	44	18	6	9	4	1	2	3	–	–	3	17	39	8	7	1	3	–	23
36	6	–	7	2	–	1	2	–	–	–	–	–	3	12	6	5	4	3	2	–	24
23	3	–	4	2	–	1	2	–	–	–	–	–	1	11	6	4	3	–	1	–	25
13	3	–	3	–	–	–	–	–	–	–	–	–	2	1	–	1	1	3	1	–	26
38	7	–	10	–	2	5	1	–	–	–	–	–	1	5	11	2	4	1	2	–	27
79	14	–	58	7	2	6	1	–	2	–	–	2	2	10	19	9	10	2	1	1	28
47	11	–	30	6	1	4	1	–	2	–	–	2	2	7	13	2	7	1	–	–	29
32	3	–	28	1	1	2	–	–	–	–	–	–	–	3	6	7	3	1	1	1	30
85	15	2	39	–	1	11	4	–	1	1	–	–	2	18	20	3	9	1	–	1	31
74	9	1	41	5	1	13	6	1	6	2	–	2	15	43	36	7	9	8	4	–	32
50	6	1	30	4	1	9	4	1	6	2	–	2	13	35	29	5	6	8	2	–	33
24	3	–	11	1	–	4	2	–	–	–	–	–	2	8	7	2	3	–	2	–	34
4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	35
150	27	1	55	12	9	12	6	2	2	2	–	2	5	35	46	19	27	4	3	4	36
74	11	–	25	9	4	8	2	2	1	1	–	–	3	20	25	7	16	–	–	2	37
76	16	1	30	3	5	4	4	–	1	1	–	2	2	15	21	12	11	4	3	2	38
53	9	–	22	2	5	5	8	1	2	2	–	2	3	7	16	11	4	3	3	–	39
31	5	–	15	2	3	4	4	1	2	1	–	1	3	5	12	8	3	3	2	–	40
22	4	–	6	–	2	1	4	–	–	1	–	1	–	2	4	3	1	–	1	–	41
5	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	42
35	5	1	9	6	3	5	2	–	1	–	–	–	2	–	8	4	–	2	–	–	43
34	20	–	12	2	2	2	3	–	–	–	–	–	1	3	10	4	7	3	–	–	44
59	22	–	24	2	2	3	4	1	–	4	–	1	2	31	25	14	13	1	1	–	45
3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	46
620	164	8	222	51	30	51	30	5	30	10	–	15	46	25	178	67	77	43	41	3	47
341	67	7	119	29	8	30	23	–	19	5	–	11	24	18	84	33	32	23	28	–	48
39	12	–	9	2	1	1	–	–	1	–	–	1	2	–	11	5	5	3	3	–	49
26	8	–	15	1	5	1	–	2	–	–	–	1	1	–	5	5	4	4	–	1	50
144	59	1	63	17	9	14	4	2	8	3	–	2	12	7	55	14	27	6	9	2	51
26	4	–	7	1	4	2	1	–	1	1	–	–	1	–	12	3	3	1	–	–	52
44	14	–	9	1	3	3	2	1	1	1	–	–	6	–	11	7	6	6	1	–	53
7	–	–	1	–	1	1	–	–	2	–	–	–	–	1	4	–	1	1	–	–	54
80	16	–	33	10	1	11	8	–	1	1	–	1	4	6	21	15	6	4	4	–	55
49	12	–	23	8	–	9	5	–	1	1	–	1	3	6	8	9	6	3	3	–	56
31	4	–	10	2	1	2	3	–	–	–	–	–	1	–	13	6	–	1	1	–	57
175	30	–	65	11	5	15	6	4	2	–	–	4	6	4	48	15	20	9	3	3	58
78	14	–	32	4	3	5	1	–	–	–	–	2	4	1	19	5	8	3	3	1	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
97	16	–	33	7	2	10	5	4	2	–	–	2	2	3	29	10	12	6	–	2	61
89	10	–	23	1	2	6	3	3	2	–	–	2	1	31	6	3	4	6	1	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
89	10	–	23	1	2	6	3	3	2	–	–	2	1	31	6	3	4	6	1	–	64
50	15	–	13	–	1	5	1	–	1	2	–	–	–	2	9	4	2	1	2	–	65
125	27	1	48	7	3	15	9	–	7	1	–	5	3	22	37	16	11	7	5	–	66
49	14	1	19	3	–	9	2	–	3	–	–	1	1	8	11	5	5	3	4	–	67
76	13	–	29	4	3	6	7	–	4	1	–	4	2	14	26	11	6	4	1	–	68
44	4	–	14	–	1	4	5	1	1	–	–	–	–	–	7	7	7	1	–	–	69
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	70
3	3	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	71
86	26	2	39	10	11	18	5	1	1	–	–	3	2	4	36	13	10	4	1	–	72
67	15	1	33	8	7	13	5	1	–	–	–	3	2	4	30	5	7	2	1	–	73
19	11	1	6	2	4	5	–	–	1	–	–	–	–	–	6	8	3	2	–	–	74
19	6	–	1	–	1	–	–	–	–	1	–	–	–	–	5	4	2	2	2	–	75
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	76
6	–	–	2	–	1	1	–	–	–	–	–	–	–	4	1	1	–	–	–	–	77
44	13	–	20	4	1	4	5	2	5	2	–	–	7	15	10	4	7	2	1	–	78
39	12	–	19	4	1	3	3	2	5	2	–	–	6	11	8	3	5	1	1	–	79
5	1	–	1	–	–	1	2	–	–	–	–	–	1	4	2	1	2	1	–	–	80
15	4	–	17	5	1	4	–	–	–	–	–	–	–	2	6	2	2	–	–	–	81
100	32	–	60	11	5	17	5	–	2	3	–	3	5	50	34	13	16	4	6	2	82
68	20	–	42	9	5	14	4	–	1	3	–	2	3	37	22	5	11	2	6	2	83
32	12	–	18	2	–	3	1	–	1	–	–	1	2	13	12	8	5	2	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Lamb	169	1	–	3	29	8	6	3	2	3	3	4	2	88	57	–	–
02	Lampasas	145	–	–	2	25	5	9	–	3	2	1	5	1	78	61	–	–
03	La Salle	53	–	–	–	16	6	1	2	1	1	–	5	1	26	22	–	–
04	Lavaca	283	1	–	2	45	11	11	1	7	2	3	10	4	150	123	1	2
05	Lee	124	–	–	2	22	9	5	1	3	2	1	1	–	74	59	–	4
06	Leon	142	–	–	–	33	10	10	3	4	2	1	3	4	60	44	–	–
07	Liberty	445	–	–	2	78	21	20	6	8	3	3	17	10	178	117	2	3
08	Limestone	261	–	–	3	50	13	14	3	6	1	2	11	3	131	102	–	9
09	Lipscomb	28	–	–	1	8	5	1	–	–	–	1	1	–	13	8	–	–
10	Live Oak	75	–	–	1	15	8	3	–	2	–	–	2	2	42	30	1	–
11	Llano	128	–	–	–	26	8	9	3	2	1	1	2	3	56	41	–	1
12	Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Lubbock	1,290	2	–	8	215	51	53	19	27	5	11	49	15	593	442	3	4
14	Lubbock	1,088	1	–	6	180	42	46	16	20	5	10	41	12	496	370	2	3
15	Balance of county	202	1	–	2	35	9	7	3	7	–	1	8	3	97	72	1	1
16	Lynn	75	–	–	1	9	–	2	1	2	1	1	2	–	35	24	–	–
17	McCulloch	130	–	–	1	21	8	6	–	2	1	–	4	4	72	59	–	2
18	McLennan	1,649	2	–	15	310	89	78	22	38	12	15	56	26	789	564	4	9
19	Waco	1,175	2	–	11	224	63	60	17	30	7	8	39	23	569	401	2	7
20	Balance of county	474	–	–	4	86	26	18	5	8	5	7	17	3	220	163	2	2
21	McMullen	7	–	–	–	2	1	–	1	–	–	–	–	–	2	1	–	–
22	Madison	105	–	–	1	21	8	4	2	4	–	–	3	2	51	38	–	–
23	Marion	103	–	–	–	14	3	2	–	2	–	1	6	4	44	33	1	–
24	Martin	37	–	–	–	5	1	2	1	1	–	–	–	–	13	6	–	–
25	Mason	59	–	–	1	10	2	–	–	4	–	–	4	–	28	21	–	–
26	Matagorda	301	–	–	3	65	22	13	9	6	4	1	10	4	150	114	–	7
27	Bay City	135	–	–	2	33	11	6	3	5	2	1	5	2	61	43	–	6
28	Balance of county	166	–	–	1	32	11	7	6	1	2	–	5	2	89	71	–	1
29	Maverick	153	1	–	1	31	9	6	2	2	1	1	10	3	62	39	1	1
30	Eagle Pass	124	1	–	1	26	7	5	2	1	1	1	9	3	53	34	1	1
31	Balance of county	29	–	–	–	5	2	1	–	1	–	–	1	–	9	5	–	–
32	Medina	198	2	–	3	42	11	14	1	7	–	2	7	2	94	67	1	2
33	Menard	37	–	–	1	6	–	2	3	1	–	–	–	2	15	11	–	1
34	Midland	450	1	–	3	70	20	15	6	10	2	2	15	9	203	154	4	1
35	Midland	424	1	–	2	68	20	14	6	10	2	2	14	9	191	145	4	1
36	Balance of county	26	–	–	1	2	–	1	–	–	–	–	1	–	12	9	–	–
37	Milam	260	1	–	–	45	12	12	3	6	2	1	9	–	139	109	–	1
38	Mills	82	–	–	–	14	3	4	1	1	–	–	5	3	47	29	–	1
39	Mitchell	124	–	–	2	20	4	4	4	5	2	–	1	5	56	38	1	–
40	Montague	251	–	–	2	52	13	12	5	5	5	2	10	5	137	95	2	1
41	Montgomery	545	–	–	6	106	23	36	5	12	6	3	21	4	188	140	3	2
42	Conroe	153	–	–	1	31	6	14	1	3	2	–	5	1	56	40	1	1
43	Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Balance of county	392	–	–	5	75	17	22	4	9	4	3	16	3	132	100	2	1
45	Moore	88	–	–	1	18	4	5	2	2	–	1	4	–	33	23	–	1
46	Morris	150	–	–	–	35	13	6	4	3	2	1	6	1	61	47	–	–
47	Motley	28	–	–	–	6	2	2	–	–	–	1	1	1	17	11	–	–
48	Nacogdoches	429	1	–	4	95	22	30	6	9	3	2	23	10	194	134	2	–
49	Nacogdoches	231	–	–	3	49	12	13	2	6	2	1	13	8	103	74	1	–
50	Balance of county	198	1	–	1	46	10	17	4	3	1	1	10	2	91	60	1	–
51	Navarro	455	–	–	9	74	22	18	5	6	3	4	16	15	223	143	4	3
52	Corsicana	289	–	–	6	46	13	14	2	3	3	2	9	10	142	91	4	2
53	Balance of county	166	–	–	3	28	9	4	3	3	–	2	7	5	81	52	–	1
54	Newton	61	–	–	3	12	4	4	1	–	1	–	2	2	21	18	–	–
55	Nolan	196	–	–	1	36	9	9	3	3	–	1	11	1	83	63	–	–
56	Sweetwater	143	–	–	–	27	7	5	2	3	–	1	9	1	61	47	–	–
57	Balance of county	53	–	–	1	9	2	4	1	–	–	–	2	–	22	16	–	–
58	Nueces	1,788	5	–	13	378	86	106	34	44	15	11	82	53	799	614	9	6
59	Corpus Christi	1,537	4	–	12	329	79	91	31	37	10	10	71	40	690	531	9	6
60	Robstown	102	1	–	1	14	2	3	2	3	–	–	4	9	50	39	–	–
61	Balance of county	149	–	–	–	35	5	12	1	4	5	1	7	4	59	44	–	–
62	Ochiltree	73	–	–	–	11	2	2	1	1	–	–	5	1	32	27	–	–
63	Oldham	14	–	–	–	3	1	–	1	1	–	–	–	–	7	7	–	–
64	Orange	518	–	–	4	102	24	31	7	10	2	7	21	10	198	151	2	4
65	Orange	192	–	–	2	31	8	8	2	4	1	3	5	2	78	59	–	2
66	Balance of county	326	–	–	2	71	16	23	5	6	1	4	16	8	120	92	2	2
67	Palo Pinto	280	1	–	4	46	8	16	2	9	3	2	6	4	118	73	2	–
68	Mineral Wells, part	186	1	–	4	29	4	12	1	6	1	1	4	2	77	44	2	–
69	Mineral Wells, total	186	1	–	4	29	4	12	1	6	1	1	4	2	77	44	2	–
70	Balance of county	94	–	–	–	17	4	4	1	3	2	1	2	2	41	29	–	–
71	Panola	221	–	–	–	51	16	10	5	8	2	3	7	5	104	70	2	–
72	Parker	361	–	–	3	67	22	16	4	8	4	3	10	8	198	127	2	1
73	Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
74	Weatherford	193	–	–	2	31	10	9	1	5	2	2	2	5	108	70	2	–
75	Balance of county	168	–	–	1	36	12	7	3	3	2	1	8	3	90	57	–	1
76	Parmer	77	–	–	2	9	5	–	–	2	–	1	1	3	43	35	1	–
77	Pecos	92	–	–	2	13	2	3	–	1	1	1	5	1	39	29	–	–
78	Polk	244	–	–	5	36	8	12	1	6	1	3	5	4	115	93	1	10
79	Potter	934	1	–	10	162	44	43	11	23	9	6	26	19	469	359	4	3
80	Amarillo, part	916	1	–	10	159	44	42	11	22	8	6	26	19	456	349	4	3
81	Amarillo, total	1,182	1	–	11	211	59	51	16	27	10	8	40	22	597	451	5	3
82	Balance of county	18	–	–	–	3	–	1	–	1	1	–	–	–	13	10	–	–
83	Presidio	40	1	–	1	5	–	2	1	1	–	–	1	1	19	11	–	–
84	Rains	53	–	–	–	10	4	2	–	1	–	–	3	1	26	18	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
46	11	–	30	–	1	2	–	1	–	–	–	3	4	10	13	4	5	2	2	–	01
47	14	–	14	–	3	2	3	1	3	–	–	–	–	9	11	6	3	–	–	1	02
19	3	–	2	–	2	2	–	–	–	–	–	–	1	2	2	2	1	–	–	–	03
95	25	–	22	3	2	8	2	–	–	3	–	–	4	22	26	5	8	3	–	–	04
24	31	–	11	1	3	7	2	1	–	–	–	1	–	3	11	1	–	–	–	–	05
36	8	–	10	3	3	7	2	1	1	–	–	–	2	14	8	3	4	1	2	–	06
88	24	–	41	15	5	7	9	2	–	3	–	1	7	57	39	19	14	5	12	2	07
77	16	1	22	4	2	4	5	–	2	3	–	–	4	14	19	5	12	4	2	–	08
5	3	–	4	–	1	–	–	–	–	–	–	–	–	5	–	1	–	–	–	–	09
19	10	–	11	–	1	2	–	–	–	–	–	–	–	5	4	3	1	–	–	–	10
31	9	–	12	2	1	4	4	–	1	1	–	–	1	6	12	5	8	1	–	–	11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
288	147	3	123	10	15	30	31	3	14	1	–	20	40	22	116	63	43	32	42	–	13
242	123	3	101	9	13	26	24	–	10	–	–	18	37	19	100	54	37	29	39	–	14
46	24	–	22	1	2	4	7	3	4	1	–	2	3	3	16	9	6	3	3	–	15
20	4	–	8	–	3	1	1	–	–	1	–	1	4	6	11	3	2	–	–	–	16
52	5	3	8	–	2	2	1	2	1	–	–	–	1	1	14	4	3	2	1	–	17
368	183	5	174	31	15	59	19	6	11	12	–	8	14	81	152	44	53	24	22	2	18
274	118	4	130	25	9	42	16	4	10	9	–	3	10	59	95	23	37	20	16	2	19
94	65	1	44	6	6	17	3	2	1	3	–	5	4	22	57	21	16	4	6	–	20
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	21
28	10	–	10	1	2	6	1	–	1	–	–	–	–	6	9	4	1	1	1	–	22
20	12	1	7	–	3	5	2	–	1	1	–	1	–	12	11	4	2	1	1	–	23
6	–	1	3	2	1	–	1	–	2	–	–	–	5	2	4	1	3	–	1	–	24
12	9	–	5	2	–	2	2	–	1	1	–	–	–	3	7	–	4	–	–	–	25
74	33	2	31	1	2	6	1	–	5	1	–	3	9	6	18	22	7	1	–	–	26
28	9	1	16	–	1	4	1	–	1	1	–	3	4	2	11	7	3	–	–	–	27
46	24	1	15	1	1	2	–	–	4	–	–	–	5	4	7	15	4	1	–	–	28
23	14	–	21	1	1	5	–	1	2	–	–	1	9	9	9	5	11	2	1	–	29
21	11	–	18	1	–	5	–	1	2	–	–	–	7	6	7	3	7	1	1	–	30
2	3	–	3	–	1	–	–	–	–	–	–	1	2	3	2	2	4	1	–	–	31
50	14	1	21	3	2	6	1	1	1	3	–	2	3	7	15	6	5	3	1	1	32
10	–	–	1	3	–	–	2	–	–	1	–	–	–	3	4	3	–	–	–	–	33
105	44	1	40	4	4	17	5	2	13	2	–	9	9	5	36	23	16	14	12	1	34
99	41	1	38	4	3	16	5	2	13	1	–	7	8	5	35	21	14	13	12	1	35
6	3	–	2	–	1	1	–	–	–	1	–	2	1	–	1	2	2	1	–	–	36
82	26	–	22	6	2	14	1	1	2	3	–	1	1	8	19	12	8	2	3	–	37
28	–	–	6	12	–	1	2	1	1	1	–	–	2	1	5	3	–	1	–	–	38
33	4	–	14	2	2	1	1	1	1	1	–	–	3	17	11	2	2	–	1	–	39
73	19	2	34	1	5	4	3	2	1	–	–	1	1	1	22	11	6	2	1	–	40
98	37	1	41	3	3	14	9	4	6	2	1	5	7	65	46	41	23	12	6	–	41
28	10	1	12	1	2	4	3	2	1	–	–	3	1	24	12	5	4	3	2	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
70	27	–	29	2	1	10	6	2	5	2	1	2	6	41	34	36	19	9	4	–	44
17	5	–	8	1	1	–	1	–	1	–	–	1	3	5	18	5	1	1	–	–	45
41	6	–	11	1	2	5	–	1	1	1	–	–	1	9	16	10	2	3	4	–	46
7	4	–	4	–	2	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	47
102	30	–	49	2	9	13	1	–	5	3	–	1	1	12	48	13	20	3	5	–	48
56	17	–	21	1	7	9	–	–	4	2	–	1	1	3	28	8	8	1	3	–	49
46	13	–	28	1	2	4	1	–	1	1	–	–	–	9	20	5	12	2	2	–	50
101	35	3	69	3	5	12	3	1	1	–	–	4	3	40	41	8	9	5	7	–	51
64	21	–	46	2	3	6	1	1	1	–	–	2	2	27	26	6	5	4	4	–	52
37	14	3	23	1	2	6	2	–	–	–	–	2	1	13	15	2	4	1	3	–	53
13	5	1	1	1	–	1	2	–	1	–	–	–	1	5	7	1	4	1	–	–	54
40	23	–	15	5	–	7	2	1	1	–	–	1	1	23	19	5	7	1	7	–	55
30	17	–	10	4	–	7	1	1	1	–	–	–	1	16	11	3	6	1	6	–	56
10	6	–	5	1	–	–	1	–	–	–	–	1	–	7	8	2	1	–	1	–	57
552	47	2	145	24	14	40	36	7	24	2	1	9	44	14	155	81	54	41	31	1	58
479	37	2	123	21	13	34	31	6	20	1	1	9	40	10	135	69	46	33	26	1	59
33	6	–	10	1	–	1	4	–	2	–	–	–	2	1	10	2	1	1	3	–	60
40	4	–	12	2	1	5	1	1	2	1	–	–	2	3	10	10	7	7	2	–	61
18	9	–	4	–	1	1	2	–	–	–	–	1	3	3	4	8	4	3	–	–	62
5	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	63
118	27	1	30	9	7	13	10	–	5	1	–	3	17	58	36	22	17	16	5	1	64
46	11	1	13	3	2	6	3	–	4	1	–	1	6	27	15	6	3	2	5	–	65
72	16	–	17	6	5	7	7	–	1	–	–	2	11	31	21	16	14	14	–	1	66
55	16	–	40	4	1	22	6	–	6	3	–	2	3	20	23	8	8	2	4	–	67
36	6	–	31	1	1	14	3	–	3	1	–	2	3	13	17	6	7	1	3	–	68
36	6	–	31	1	1	14	3	–	3	1	–	2	3	13	17	6	7	1	3	–	69
19	10	–	9	3	–	8	3	–	3	2	–	–	–	7	6	2	1	1	1	–	70
62	6	1	25	3	5	3	1	–	3	–	–	3	2	8	18	17	3	1	2	–	71
103	21	1	45	17	8	11	3	1	5	1	–	2	1	6	19	11	12	7	6	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	73
54	14	–	21	12	5	7	2	1	2	1	–	2	–	3	12	7	5	3	2	–	74
49	7	1	24	5	3	4	1	–	3	–	–	–	1	3	7	4	7	4	4	–	75
31	3	–	6	–	2	–	–	–	–	1	–	–	–	3	8	4	2	1	1	–	76
24	5	–	8	2	–	7	1	–	4	–	–	–	4	1	5	8	2	4	1	–	77
47	35	1	15	–	6	9	1	–	3	3	–	–	3	14	24	12	8	2	5	–	78
322	30	1	88	14	7	42	17	3	17	1	1	8	11	7	77	37	29	10	13	–	79
313	29	1	85	14	7	42	17	3	17	1	1	8	11	7	76	37	29	9	13	–	80
408	35	3	115	19	9	52	21	4	23	2	1	9	12	8	93	45	37	16	17	–	81
9	1	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	82
9	2	–	6	2	–	2	1	–	1	–	–	–	1	2	4	1	–	–	1	–	83
13	5	–	6	–	2	4	1	–	2	–	–	–	–	1	5	–	3	–	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Randall	339	–	–	1	66	15	13	6	7	3	4	18	3	179	127	1	1
02	Amarillo, part	266	–	–	1	52	15	9	5	5	2	2	14	3	141	102	1	–
03	Balance of county	73	–	–	–	14	–	4	1	2	1	2	4	–	38	25	–	1
04	Reagan	27	–	–	–	5	–	4	–	–	1	–	–	–	14	13	–	–
05	Real	20	–	–	–	3	2	–	–	–	–	–	1	–	10	8	–	–
06	Red River	203	2	–	3	44	9	7	4	8	2	3	11	2	87	46	–	–
07	Reeves	103	1	–	–	15	2	4	–	2	–	–	7	2	53	41	–	1
08	Pecos	82	1	–	–	10	2	3	–	1	–	–	4	1	47	38	–	1
09	Balance of county	21	–	–	–	5	–	1	–	1	–	–	3	1	6	3	–	–
10	Refugio	99	–	–	–	17	4	6	1	2	1	2	1	3	45	31	2	–
11	Roberts	8	–	–	–	3	1	–	–	–	–	1	1	–	4	4	–	–
12	Robertson	214	–	–	1	31	11	6	2	5	–	2	5	3	122	68	–	–
13	Rockwall	89	–	–	1	17	3	8	1	1	1	1	2	1	36	27	–	–
14	Runnels	155	2	–	1	26	7	7	3	4	–	–	5	3	96	49	1	2
15	Rusk	463	–	–	3	95	20	29	10	13	7	4	12	2	229	162	2	2
16	Henderson	134	–	–	–	29	6	11	2	2	4	1	3	–	74	48	–	–
17	Balance of county	329	–	–	3	66	14	18	8	11	3	3	9	2	155	114	2	2
18	Sabine	95	–	–	–	18	8	2	1	3	–	–	4	2	50	36	–	–
19	San Augustine	97	–	–	1	23	8	10	1	2	–	1	1	1	53	47	1	–
20	San Jacinto	68	–	–	2	9	1	2	–	1	1	1	3	–	26	16	–	1
21	San Patricio	375	1	–	2	78	20	18	4	9	4	4	19	9	171	128	1	4
22	San Saba	87	–	–	3	11	–	4	2	1	1	–	3	2	48	35	–	–
23	Schleicher	21	–	–	1	5	1	1	–	1	–	–	2	–	10	5	–	–
24	Scurry	176	–	–	3	27	10	3	2	6	–	1	5	4	79	54	1	2
25	Snyder	129	–	–	1	20	8	3	2	2	–	1	4	3	57	40	1	1
26	Balance of county	47	–	–	2	7	2	–	–	4	–	–	1	1	22	14	–	1
27	Shackelford	52	1	–	–	10	2	3	1	1	–	–	3	–	33	21	–	1
28	Shelby	309	–	–	–	62	18	10	7	7	5	3	12	9	156	110	–	1
29	Sherman	24	–	–	–	5	–	–	2	–	–	1	2	–	15	13	–	–
30	Smith	1,094	2	–	9	213	39	64	14	37	13	9	37	12	579	425	5	10
31	Tyler	633	1	–	5	129	20	38	11	24	7	5	24	10	327	245	3	3
32	Balance of county	461	1	–	4	84	19	26	3	13	6	4	13	2	252	180	2	7
33	Somervell	45	–	–	–	8	1	1	4	–	–	–	2	–	21	13	–	–
34	Starr	119	–	–	–	16	3	4	–	1	–	3	5	3	50	38	–	1
35	Stephens	158	–	–	1	25	7	2	5	3	1	2	5	6	85	55	–	2
36	Sterling	15	–	–	–	2	1	1	–	–	–	–	–	2	6	6	–	1
37	Stonewall	36	–	–	–	6	1	–	2	2	–	–	1	–	15	11	–	–
38	Sutton	33	–	–	–	3	–	–	2	1	–	–	–	1	14	6	–	–
39	Swisher	90	–	–	–	16	6	2	–	3	–	2	3	2	43	24	–	–
40	Tarrant	5,761	9	1	52	1,239	278	350	115	138	42	53	263	80	2,692	1,863	28	21
41	Arlington	583	–	–	6	127	26	40	10	10	2	11	28	6	268	202	3	–
42	Bedford	54	–	–	1	17	2	2	1	2	3	–	7	–	24	13	–	–
43	Euless	93	–	–	1	16	3	5	3	2	1	–	2	–	39	36	1	2
44	Fort Worth, part	3,666	8	1	33	754	190	204	67	92	27	33	141	50	1,730	1,185	18	17
45	Fort Worth, total	3,666	8	1	33	754	190	204	67	92	27	33	141	50	1,730	1,185	18	17
46	Grand Prairie, part	34	–	–	1	7	1	4	1	1	–	–	–	1	18	13	–	–
47	Haltom City	171	–	–	–	42	7	16	4	2	1	1	11	1	79	49	–	–
48	Hurst	125	–	–	1	35	8	8	–	3	–	2	14	3	52	35	1	–
49	North Richland Hills	97	–	–	1	21	4	10	4	1	–	1	1	3	45	27	1	–
50	White Settlement	100	–	–	–	16	2	6	–	3	–	–	5	3	52	24	–	–
51	Balance of county	838	1	–	8	204	35	55	25	22	8	5	54	13	385	279	4	2
52	Taylor	835	–	1	4	151	32	36	11	19	9	8	36	17	395	279	5	11
53	Abilene, part	711	–	1	3	134	30	29	10	14	9	8	34	15	333	237	5	7
54	Abilene, total	712	–	1	3	135	30	29	10	15	9	8	34	15	333	237	5	7
55	Balance of county	124	–	–	1	17	2	7	1	5	–	–	2	2	62	42	–	4
56	Terrell	17	–	–	–	2	1	–	–	–	1	–	–	1	7	5	–	1
57	Terry	112	–	–	1	20	4	4	1	4	1	1	5	–	48	36	1	1
58	Throckmorton	41	–	–	–	7	2	–	–	1	–	–	4	–	17	11	–	–
59	Titus	225	1	–	–	29	4	6	1	4	1	4	9	2	116	84	–	1
60	Tom Green	723	1	–	5	134	34	29	12	14	8	1	36	10	385	218	2	3
61	San Angelo	635	1	–	4	123	31	27	10	13	7	1	34	10	343	190	2	2
62	Balance of county	88	–	–	1	11	3	2	2	1	1	–	2	–	42	28	–	1
63	Travis	2,138	4	–	17	442	107	119	39	56	18	14	89	25	1,027	677	9	6
64	Austin	1,899	4	–	16	387	96	106	34	47	17	12	75	24	911	600	7	5
65	Balance of county	239	–	–	1	55	11	13	5	9	1	2	14	1	116	77	2	1
66	Trinity	125	–	–	2	19	3	4	4	2	2	–	4	3	64	50	–	1
67	Tyler	167	–	–	1	34	6	11	–	5	2	2	8	3	82	58	–	–
68	Upshur	284	1	–	–	50	11	14	4	5	–	2	14	8	133	90	1	1
69	Upton	33	–	–	–	5	1	1	–	2	–	–	1	–	17	10	–	–
70	Uvalde	177	–	–	3	33	10	9	2	5	1	–	6	6	71	53	1	2
71	Uvalde	111	–	–	1	22	7	4	2	4	1	–	4	4	47	37	–	1
72	Balance of county	66	–	–	2	11	3	5	–	1	–	–	2	2	24	16	1	1
73	Val Verde	201	1	–	1	39	9	6	5	6	3	2	8	5	92	62	2	4
74	Del Rio	173	1	–	1	33	8	5	4	4	3	2	7	5	81	54	1	3
75	Balance of county	28	–	–	–	6	1	1	1	2	–	–	1	–	11	8	1	1
76	Van Zandt	346	–	–	1	48	11	15	2	5	1	2	12	3	190	142	–	–
77	Victoria	450	1	–	5	82	25	21	6	7	3	3	17	9	240	186	–	1
78	Victoria	348	1	–	5	65	18	17	5	5	3	2	15	6	183	142	–	–
79	Balance of county	102	–	–	–	17	7	4	1	2	–	1	2	3	57	44	–	1
80	Walker	214	1	–	3	40	8	12	2	5	3	2	8	1	99	72	–	1
81	Huntsville	111	1	–	–	20	4	6	1	–	2	2	5	1	57	45	–	–
82	Balance of county	103	–	–	3	20	4	6	1	5	1	–	3	–	42	27	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
119	6	3	38	6	5	11	5	1	6	1	–	1	3	1	28	10	10	7	6	–	01
95	6	2	30	5	2	10	4	1	6	1	–	1	1	1	17	8	8	7	4	–	02
24	–	1	8	1	3	1	1	–	–	–	–	–	2	–	11	2	2	–	2	–	03
10	3	1	–	–	–	–	–	–	1	–	–	1	–	–	3	3	–	–	–	–	04
6	2	–	2	–	–	–	–	–	1	1	–	1	–	1	2	–	–	1	–	–	05
42	4	–	36	–	5	3	3	1	1	–	–	2	1	23	15	11	1	3	1	–	06
32	8	–	8	3	1	3	1	–	1	–	–	1	4	5	6	3	6	2	–	–	07
30	7	–	6	3	–	2	1	–	1	–	–	1	3	3	4	2	4	2	–	–	08
2	1	–	2	–	1	1	–	–	–	–	–	–	1	2	2	1	2	–	–	–	09
21	8	–	6	7	1	3	–	–	1	–	–	–	–	10	9	4	3	3	1	–	10
2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
57	11	2	32	15	5	13	1	–	–	1	1	–	2	13	10	4	8	1	3	–	12
22	5	–	6	2	1	4	3	1	–	–	–	–	1	1	12	4	5	2	1	–	13
40	6	–	46	1	–	4	1	1	1	1	–	1	–	1	11	2	2	2	–	–	14
141	17	2	58	1	6	8	5	–	4	2	–	1	8	32	30	19	11	7	7	–	15
42	6	2	22	1	1	3	3	–	1	2	–	–	1	6	6	2	4	–	3	–	16
99	11	–	36	–	5	5	2	–	3	–	–	1	7	26	24	17	7	7	4	–	17
30	6	–	12	1	1	2	3	–	2	1	–	–	–	3	7	2	2	–	3	–	18
43	3	–	4	–	2	2	–	–	–	1	–	1	–	1	5	6	2	–	1	–	19
11	4	–	4	3	3	5	–	–	–	–	–	1	1	10	7	3	1	1	2	–	20
115	8	1	32	2	8	10	4	–	4	2	–	1	1	22	32	13	15	5	4	1	21
23	12	–	11	1	1	2	1	–	–	–	–	2	1	3	5	4	3	2	–	–	22
5	–	–	3	2	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	23
41	10	–	20	3	2	10	1	–	–	–	–	1	2	14	18	5	9	2	1	–	24
32	6	–	14	3	–	9	1	–	–	–	–	1	2	8	13	4	7	2	1	–	25
9	4	–	6	–	2	1	–	–	–	–	–	–	–	6	5	1	2	–	–	–	26
14	6	–	12	–	–	–	–	–	1	–	–	–	–	1	2	–	4	–	–	–	27
80	29	–	39	–	7	5	5	–	2	1	–	–	3	10	27	14	10	1	4	–	28
10	3	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	29
269	141	9	115	17	13	24	13	5	9	6	–	4	18	11	86	40	34	15	14	–	30
169	70	4	65	7	6	12	11	4	6	1	–	4	14	5	51	14	21	9	9	–	31
100	71	5	50	10	7	12	2	1	3	5	–	–	4	6	35	26	13	6	5	–	32
8	5	1	7	–	–	5	1	–	–	–	–	1	2	1	4	–	–	1	–	1	33
34	3	–	8	3	1	3	1	–	1	3	–	4	1	19	7	7	3	–	1	–	34
43	10	1	23	4	2	–	4	–	4	1	–	–	2	7	13	3	5	1	–	1	35
1	4	–	–	–	–	–	1	–	–	1	–	–	–	–	1	2	–	–	–	–	36
8	3	–	4	–	–	1	–	1	–	2	–	–	2	5	1	2	1	–	–	–	37
3	3	–	6	2	–	–	–	–	1	–	–	–	1	2	4	3	4	–	–	–	38
20	4	3	10	5	1	2	3	–	–	–	–	2	1	6	6	4	2	1	2	–	39
1,654	160	15	631	123	60	146	74	14	117	22	2	51	81	40	496	194	196	124	115	16	40
187	12	2	44	13	7	12	4	2	14	2	–	3	7	5	58	25	20	19	3	2	41
12	1	1	8	–	2	1	–	–	1	–	–	–	–	–	5	1	1	2	1	–	42
31	2	–	1	–	2	3	2	–	–	–	–	–	1	–	9	10	6	5	1	–	43
1,038	112	9	425	76	35	104	55	7	81	16	–	31	55	24	316	105	130	60	96	10	44
1,038	112	9	425	76	35	104	55	7	81	16	–	31	55	24	316	105	130	60	96	10	45
12	1	–	3	2	–	1	–	–	1	–	–	1	–	–	1	1	1	1	–	–	46
46	3	–	25	2	3	3	2	–	2	–	–	1	1	4	19	7	4	2	4	–	47
33	1	1	12	1	3	2	3	–	2	1	–	2	2	–	6	6	5	5	–	–	48
25	1	1	16	1	–	1	1	1	2	1	–	1	–	–	12	4	–	3	–	1	49
22	2	1	21	5	1	4	–	2	3	–	–	2	1	–	8	1	1	4	3	–	50
248	25	–	76	23	7	15	7	2	11	2	2	10	14	7	62	34	28	23	7	3	51
194	69	2	89	13	12	24	16	2	10	2	–	4	15	20	83	29	42	9	9	2	52
168	57	2	75	9	10	21	14	1	9	2	–	4	13	15	73	21	35	7	9	1	53
168	57	2	75	9	10	21	14	1	9	2	–	4	13	15	73	21	35	7	9	1	54
26	12	–	14	4	2	3	2	1	1	–	–	–	2	5	10	8	7	2	–	1	55
2	2	–	2	–	–	–	2	–	–	–	–	–	–	2	1	2	–	–	–	–	56
30	4	1	7	3	1	5	–	–	1	1	–	1	5	2	14	7	6	1	–	–	57
7	4	–	4	2	–	1	1	–	1	–	–	1	1	1	6	4	1	–	–	–	58
57	26	3	23	6	–	10	9	1	1	2	–	2	3	9	18	7	7	3	5	–	59
191	22	2	139	14	12	14	20	2	11	2	–	5	11	10	46	21	34	9	3	–	60
167	19	–	129	14	10	12	17	2	11	–	–	5	9	10	37	15	26	7	3	–	61
24	3	2	10	–	2	2	3	–	–	2	–	–	2	–	9	6	8	2	–	–	62
568	94	4	204	110	32	59	36	4	27	5	1	22	20	50	165	68	74	54	37	1	63
504	84	2	181	98	30	55	32	4	25	5	1	18	19	47	146	59	63	46	36	1	64
64	10	2	23	12	2	4	4	–	2	–	–	4	1	3	19	9	11	8	1	–	65
37	12	–	11	1	2	–	–	–	1	1	–	–	–	5	15	6	7	1	1	–	66
50	8	2	16	3	3	4	–	–	2	–	–	–	2	18	8	5	6	1	1	–	67
56	32	–	37	2	4	7	3	1	4	2	1	–	4	23	20	11	10	3	3	–	68
7	3	–	4	2	1	1	1	–	1	–	–	–	1	–	3	1	2	–	1	–	69
40	10	–	12	5	1	5	2	1	3	–	–	–	–	21	22	4	4	1	1	–	70
32	4	–	7	3	–	2	1	1	3	–	–	–	–	11	14	2	2	1	–	–	71
8	6	–	5	2	1	3	1	–	–	–	–	–	–	10	8	2	2	–	1	–	72
40	16	–	27	1	2	10	1	–	2	2	–	2	1	10	13	10	8	3	1	–	73
37	13	–	24	1	2	9	1	–	2	2	–	2	1	5	10	10	6	3	1	–	74
3	3	–	3	–	–	1	–	–	–	–	–	–	–	5	3	–	2	–	–	–	75
97	45	–	41	6	1	15	3	1	–	3	–	1	4	25	21	17	6	5	3	–	76
169	16	–	46	4	4	7	1	–	3	3	–	7	6	2	28	23	19	11	3	–	77
128	14	–	34	3	4	5	–	–	3	3	–	5	5	2	24	17	14	8	2	–	78
41	2	–	12	1	–	2	1	–	–	–	–	2	1	–	4	6	5	3	1	–	79
53	18	–	20	2	5	12	2	–	1	1	–	2	2	7	25	9	4	1	3	1	80
34	11	–	9	1	2	7	–	–	–	–	–	1	1	1	13	5	3	–	–	1	81
19	7	–	11	1	3	5	2	–	1	1	–	1	1	6	12	4	1	1	3	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Waller	166	1	–	–	30	7	9	2	4	–	2	6	1	82	60	2	1
02	Ward	99	–	–	–	12	1	2	–	–	2	–	7	2	37	28	–	1
03	Washington	250	–	1	–	54	12	12	5	6	4	5	10	4	121	70	–	4
04	Webb	566	1	–	9	98	26	14	20	14	6	4	14	23	218	164	2	4
05	Laredo	543	1	–	9	94	26	13	19	14	5	4	13	23	208	157	1	4
06	Balance of county	23	–	–	–	4	–	1	1	–	1	–	1	–	10	7	1	–
07	Wharton	396	–	1	7	63	17	13	6	16	1	2	8	11	209	140	2	4
08	Wheeler	98	–	–	1	14	5	3	1	3	1	–	1	2	57	47	–	2
09	Wichita	916	2	–	3	155	34	46	11	12	5	5	42	14	469	353	6	10
10	Wichita Falls	717	2	–	1	119	23	36	8	10	4	4	34	9	370	284	5	8
11	Balance of county	199	–	–	2	36	11	10	3	2	1	1	8	5	99	69	1	2
12	Wilbarger	177	–	–	–	44	15	11	2	4	2	1	9	3	88	66	1	–
13	Vernon	145	–	–	–	35	13	11	1	2	1	1	6	3	70	53	–	–
14	Balance of county	32	–	–	–	9	2	–	1	2	1	–	3	–	18	13	1	–
15	Willacy	130	–	–	2	27	4	4	4	4	–	–	11	3	61	53	–	–
16	Williamson	439	–	–	1	83	16	25	6	9	3	2	22	5	250	160	1	1
17	Wilson	139	–	–	–	24	7	5	2	2	–	–	8	2	88	60	1	–
18	Winkler	87	–	–	1	18	4	5	1	3	–	–	5	–	38	31	–	–
19	Wise	227	–	–	2	35	7	10	1	3	2	2	10	1	129	86	1	1
20	Wood	316	–	–	2	61	12	24	8	5	2	4	6	6	171	103	–	–
21	Yoakum	59	–	–	–	9	1	1	–	2	1	2	2	–	28	26	1	–
22	Young	248	–	–	3	37	7	12	2	8	2	3	3	3	116	88	4	2
23	Zapata	44	–	–	–	1	–	–	1	–	–	–	–	2	17	13	–	–
24	Zavala	89	1	–	1	17	6	1	1	3	–	1	5	2	43	30	–	–
25	**Utah**	**7,617**	**7**	**2**	**68**	**1,255**	**321**	**182**	**142**	**174**	**65**	**73**	**298**	**166**	**3,426**	**2,516**	**96**	**20**
26	Urban places	3,820	3	–	37	635	172	96	71	89	41	30	136	89	1,782	1,308	48	8
27	Balance of area	3,797	4	2	31	620	149	86	71	85	24	43	162	77	1,644	1,208	48	12
28	Metropolitan counties	5,588	5	1	54	952	256	145	104	128	51	51	217	124	2,494	1,846	77	11
29	Urban places	3,480	3	–	35	563	159	90	61	77	34	25	117	83	1,619	1,196	46	7
30	Balance of area	2,108	2	1	19	389	97	55	43	51	17	26	100	41	875	650	31	4
31	Nonmetropolitan counties	2,029	2	1	14	303	65	37	38	46	14	22	81	42	932	670	19	9
32	Urban places	340	–	–	2	72	13	6	10	12	7	5	19	6	163	112	2	1
33	Balance of area	1,689	2	1	12	231	52	31	28	34	7	17	62	36	769	558	17	8
34	Beaver	38	–	–	1	1	–	–	–	–	–	–	1	–	28	18	1	–
35	Box Elder	205	–	–	1	46	10	2	5	6	5	3	15	2	88	62	–	1
36	Brigham City	99	–	–	1	25	5	1	1	4	3	2	9	–	47	35	–	–
37	Balance of county	106	–	–	–	21	5	1	4	2	2	1	6	2	41	27	–	1
38	Cache	296	–	–	2	47	10	1	8	8	4	6	10	6	149	90	–	3
39	Logan	157	–	–	1	29	5	–	7	5	3	3	6	2	80	46	–	1
40	Balance of county	139	–	–	1	18	5	1	1	3	1	3	4	4	69	44	–	2
41	Carbon	183	–	–	1	24	6	4	6	4	–	–	4	4	84	68	1	1
42	Daggett	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Davis	477	–	–	6	86	18	19	9	12	4	6	18	11	223	168	6	–
44	Bountiful	142	–	–	3	23	5	6	2	4	–	3	3	2	72	50	4	–
45	Clearfield	52	–	–	–	7	2	2	1	1	–	–	1	–	20	15	–	–
46	Layton	84	–	–	–	20	4	6	1	4	1	1	3	2	33	24	–	–
47	Balance of county	199	–	–	3	36	7	5	5	3	3	2	11	7	98	79	2	–
48	Duchesne	76	–	–	–	13	–	4	–	–	1	4	4	2	25	22	1	–
49	Emery	48	–	–	–	7	1	–	2	2	–	–	2	–	20	16	–	–
50	Garfield	28	–	–	–	5	2	–	1	2	–	–	–	–	14	10	–	1
51	Grand	41	–	–	1	4	–	2	–	–	–	–	2	–	17	15	–	–
52	Iron	85	–	–	1	11	5	1	1	1	2	1	–	2	34	25	2	–
53	Juab	36	–	–	1	4	1	1	1	1	–	–	–	1	17	11	–	–
54	Kane	30	–	–	–	5	1	1	–	1	–	1	1	–	16	9	–	–
55	Millard	66	–	–	1	7	1	1	–	4	–	–	1	1	27	17	1	–
56	Morgan	25	–	–	–	4	4	–	–	–	–	–	–	–	11	11	1	–
57	Piute	8	–	–	–	1	–	–	–	–	–	–	1	–	4	1	–	–
58	Rich	9	–	–	–	3	1	–	–	1	–	–	1	–	4	4	1	–
59	Salt Lake	3,311	5	–	29	599	156	89	66	84	29	30	145	75	1,470	1,080	47	10
60	Murray	157	1	–	1	30	6	3	5	9	2	–	5	6	82	62	1	1
61	Salt Lake City	1,886	2	–	18	321	92	49	32	44	18	12	74	47	900	665	27	6
62	Balance of county	1,268	2	–	10	248	58	37	29	31	9	18	66	22	488	353	19	3
63	San Juan	62	1	–	2	6	–	2	–	1	–	–	3	2	17	11	1	–
64	Sanpete	139	–	–	–	22	4	1	4	2	1	2	8	2	58	44	2	–
65	Sevier	113	–	–	–	17	2	3	2	3	–	1	6	5	65	44	3	–
66	Summit	49	–	–	–	9	2	1	2	2	–	–	2	1	21	17	–	1
67	Tooele	130	–	–	–	23	3	6	2	4	1	–	7	6	57	47	2	–
68	Tooele	84	–	–	–	18	3	5	2	3	1	–	4	4	36	31	2	–
69	Balance of county	46	–	–	–	5	–	1	–	1	–	–	3	2	21	16	–	–
70	Uintah	144	1	1	1	15	5	3	2	–	–	2	3	5	54	45	–	–
71	Utah	898	–	1	12	121	36	12	13	17	6	6	31	18	417	304	10	1
72	Orem	154	–	–	3	15	3	1	4	1	1	1	4	3	64	49	–	–
73	Provo	261	–	–	5	33	11	4	3	3	2	2	8	4	132	94	5	–
74	Balance of county	483	–	1	4	73	22	7	6	13	3	3	19	11	221	161	5	1
75	Wasatch	44	–	–	1	7	2	1	–	1	–	–	3	–	25	14	1	–
76	Washington	161	–	–	1	21	4	3	2	3	–	2	7	3	90	64	2	2
77	Wayne	10	–	–	–	1	1	–	–	–	–	–	–	–	7	5	–	–
78	Weber	902	–	–	7	146	46	25	16	15	12	9	23	20	384	294	14	–
79	Ogden	678	–	–	5	104	32	17	13	10	10	6	16	17	293	216	9	–
80	Roy	66	–	–	–	10	4	2	–	1	–	–	3	2	23	21	–	–
81	Balance of county	158	–	–	2	32	10	6	3	4	2	3	4	1	68	57	5	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
35	22	1	17	3	1	5	3	–	2	2	–	–	4	5	14	6	5	2	4	–	01
18	9	1	5	1	2	1	2	1	5	1	–	2	5	3	13	9	5	–	1	–	02
53	13	–	41	8	2	8	1	1	1	–	–	3	1	7	29	9	6	3	1	–	03
135	23	–	48	2	4	24	7	3	10	6	–	7	18	31	54	18	21	10	7	1	04
129	23	–	45	2	4	23	7	3	10	6	–	7	18	30	53	17	17	10	7	–	05
6	–	–	3	–	–	1	–	–	–	–	–	–	–	1	1	1	4	–	–	1	06
109	25	2	61	2	4	15	6	–	2	1	–	2	6	26	23	10	9	3	2	–	07
41	4	–	10	–	–	2	–	–	–	–	–	–	1	–	11	3	3	3	1	–	08
286	51	4	93	9	10	30	18	–	20	3	1	6	14	16	74	27	33	20	11	–	09
236	35	4	67	7	8	24	13	–	14	3	1	5	12	11	58	22	25	17	11	–	10
50	16	–	26	2	2	6	5	–	6	–	–	1	2	5	16	5	8	3	–	–	11
51	14	–	14	4	4	6	3	1	–	–	–	1	1	3	9	8	6	1	3	–	12
42	11	–	10	3	4	5	3	1	–	–	–	1	1	3	9	7	5	–	2	–	13
9	3	–	4	1	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–	14
48	5	–	5	1	2	7	1	1	–	1	–	1	–	1	17	3	2	2	1	–	15
149	9	1	75	11	3	10	3	1	5	1	–	7	4	5	28	15	13	6	2	–	16
48	11	2	25	–	1	3	–	2	1	–	–	1	–	3	10	2	2	1	–	–	17
23	8	–	4	2	1	2	–	3	–	–	–	1	3	5	8	4	2	–	2	–	18
74	10	–	35	2	6	3	4	1	2	2	–	–	6	12	13	8	4	5	–	–	19
81	22	–	61	4	3	9	3	1	–	–	–	–	5	12	27	4	11	4	–	–	20
21	4	1	1	–	–	6	1	–	–	–	–	–	1	2	6	4	1	–	1	–	21
51	31	2	16	7	3	13	11	–	2	1	–	–	1	2	34	10	10	2	3	–	22
7	6	–	4	–	–	–	–	1	2	1	–	–	–	8	6	2	2	1	1	–	23
27	3	–	9	3	1	2	1	–	–	1	–	–	2	2	7	4	4	–	2	–	24
2,139	**261**	**25**	**674**	**105**	**106**	**221**	**118**	**29**	**111**	**22**	**5**	**128**	**155**	**197**	**821**	**333**	**312**	**173**	**54**	**14**	25
1,131	121	14	349	49	62	116	63	14	68	8	4	46	64	84	438	125	130	79	30	5	26
1,008	140	11	325	56	44	105	55	15	43	14	1	82	91	113	383	208	182	94	24	9	27
1,570	188	19	465	81	83	162	86	19	89	13	3	94	104	137	624	222	210	139	46	10	28
1,032	111	12	309	47	55	109	58	13	65	8	3	43	59	76	404	114	117	74	29	5	29
538	77	7	156	34	28	53	28	6	24	5	–	51	45	61	220	108	93	65	17	5	30
569	73	6	209	24	23	59	32	10	22	9	2	34	51	60	197	111	102	34	8	4	31
99	10	2	40	2	7	7	5	1	3	–	1	3	5	8	34	11	13	5	1	–	32
470	63	4	169	22	16	52	27	9	19	9	1	31	46	52	163	100	89	29	7	4	33
15	2	–	7	1	2	1	–	–	–	–	–	–	–	–	2	1	2	1	–	1	34
55	6	2	21	1	2	3	4	2	5	–	–	3	3	5	27	7	5	4	–	–	35
30	5	1	9	1	1	1	1	1	2	–	–	2	1	2	12	3	–	1	–	–	36
25	1	1	12	–	1	2	3	1	3	–	–	1	2	3	15	4	5	3	–	–	37
80	7	3	50	3	3	7	7	1	1	1	2	3	5	9	25	9	16	4	2	–	38
40	5	1	29	1	3	4	3	–	1	–	1	–	3	5	12	6	7	2	1	–	39
40	2	2	21	2	–	3	4	1	–	1	1	3	2	4	13	3	9	2	1	–	40
64	2	–	13	2	1	10	1	1	4	–	–	2	7	6	18	8	11	2	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	42
146	16	–	37	9	9	10	5	1	3	2	1	16	11	8	40	17	21	14	1	1	43
41	5	–	17	2	3	7	3	–	1	–	–	1	3	3	13	3	4	4	–	–	44
15	–	–	4	–	1	1	–	–	–	1	–	4	1	2	6	4	5	1	–	–	45
21	3	–	4	1	4	2	1	–	1	1	1	2	4	–	8	1	3	4	1	–	46
69	8	–	12	6	1	–	1	1	1	–	–	9	3	3	13	9	9	5	–	1	47
20	1	–	1	1	1	2	1	–	1	–	–	–	4	2	5	16	4	1	–	–	48
14	2	–	3	–	1	1	1	–	–	1	–	1	1	3	6	3	3	1	–	–	49
7	2	–	4	–	–	–	1	1	1	–	–	–	1	–	3	1	1	–	–	–	50
13	2	–	1	–	1	–	3	–	–	1	–	2	1	–	5	3	4	–	–	–	51
22	1	–	7	2	–	3	2	3	1	1	–	1	2	6	9	2	4	3	–	–	52
11	–	–	5	1	–	2	3	–	1	1	–	1	–	3	–	2	–	–	–	–	53
7	2	–	7	–	–	–	–	–	–	–	–	–	–	1	3	2	2	1	–	–	54
11	5	–	9	1	–	5	1	–	–	1	–	1	2	2	8	4	6	–	–	–	55
10	–	–	–	–	–	–	–	–	–	1	–	–	1	–	6	1	1	–	–	–	56
1	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	57
2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	58
903	120	13	278	46	53	102	54	10	54	7	1	44	48	72	365	135	113	87	34	7	59
54	6	1	14	4	1	1	2	–	4	1	–	4	1	2	12	5	2	3	–	–	60
556	76	8	169	24	34	63	40	7	31	2	1	15	17	36	221	54	49	38	20	4	61
293	38	4	95	18	18	38	12	3	19	4	–	25	30	34	132	76	62	46	14	3	62
7	3	–	5	–	1	1	1	–	1	–	–	3	2	2	5	13	3	2	1	–	63
38	4	1	7	2	4	8	–	2	–	–	–	–	6	7	16	8	4	4	–	2	64
34	7	–	20	1	–	1	–	–	–	–	–	2	1	3	10	6	3	–	–	–	65
11	5	–	2	2	–	2	–	–	–	1	–	2	1	1	2	2	4	2	–	1	66
44	1	–	6	1	3	2	2	–	2	–	–	3	2	2	18	3	7	2	1	–	67
29	–	–	2	–	3	2	1	–	–	–	–	1	1	1	10	2	6	2	–	–	68
15	1	–	4	1	–	–	1	–	2	–	–	2	1	1	8	1	1	–	1	–	69
41	4	–	7	2	–	4	1	–	5	1	–	6	9	3	12	10	10	4	2	–	70
259	34	4	82	16	11	27	18	2	10	2	–	24	30	29	99	34	32	18	3	1	71
45	4	1	12	2	–	5	2	–	2	1	–	6	12	4	15	7	10	4	1	–	72
85	4	–	29	5	4	8	4	–	5	1	–	3	9	6	28	9	8	6	–	–	73
129	26	3	41	9	7	14	12	2	3	–	–	15	9	19	56	18	14	8	2	1	74
9	4	–	7	2	2	1	–	–	–	–	–	2	1	–	1	2	2	1	1	–	75
49	11	–	22	2	2	5	4	–	–	–	–	2	1	3	15	8	5	2	1	–	76
4	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	77
262	18	2	68	10	10	23	9	6	22	2	1	10	15	28	120	36	44	20	8	1	78
197	10	2	59	9	7	19	6	5	20	1	1	7	10	20	90	28	36	9	6	1	79
18	3	–	1	–	1	3	–	1	1	–	–	1	2	3	11	3	–	5	1	–	80
47	5	–	8	1	2	1	3	–	1	1	–	2	3	5	19	5	8	6	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Vermont**	**4,210**	**6**	–	**35**	**891**	**230**	**224**	**85**	**106**	**52**	**28**	**166**	**65**	**2,127**	**1,552**	**37**	**17**
02	Urban places	676	3	–	6	148	41	36	16	14	11	3	27	10	349	250	9	3
03	Balance of area	3,534	3	–	29	743	189	188	69	92	41	25	139	55	1,778	1,302	28	14
04	Nonmetropolitan counties	4,210	6	–	35	891	230	224	85	106	52	28	166	65	2,127	1,552	37	17
05	Urban places	676	3	–	6	148	41	36	16	14	11	3	27	10	349	250	9	3
06	Balance of area	3,534	3	–	29	743	189	188	69	92	41	25	139	55	1,778	1,302	28	14
07	Addison	217	–	–	–	50	12	10	6	5	6	2	9	4	112	80	3	2
08	Bennington	308	–	–	6	55	13	15	8	7	2	1	9	5	170	127	3	1
09	Caledonia	257	–	–	5	45	10	7	2	5	3	3	15	5	125	79	4	1
10	Chittenden	671	1	–	10	142	36	35	18	13	10	2	28	12	305	230	6	2
11	Burlington	311	–	–	3	61	14	15	8	5	4	2	13	4	150	113	6	1
12	Balance of county	360	1	–	7	81	22	20	10	8	6	–	15	8	155	117	–	1
13	Essex	60	–	–	–	18	2	7	3	2	3	–	1	1	29	23	–	–
14	Franklin	305	–	–	2	51	10	15	2	10	2	2	10	3	168	137	2	–
15	Grand Isle	33	–	–	1	10	3	3	1	–	–	1	2	2	11	11	–	–
16	Lamoille	134	–	–	1	39	11	8	4	6	–	1	9	2	67	53	3	2
17	Orange	160	–	–	–	33	10	4	–	7	2	1	9	2	83	53	3	1
18	Orleans	219	–	–	1	58	13	18	10	10	2	2	3	3	86	56	2	–
19	Rutland	560	1	–	4	119	29	30	9	16	10	7	18	5	315	229	4	3
20	Rutland	234	1	–	3	54	14	12	5	8	5	1	9	2	133	95	2	2
21	Balance of county	326	–	–	1	65	15	18	4	8	5	6	9	3	182	134	2	1
22	Washington	458	2	–	2	110	39	26	13	8	6	–	18	10	234	164	3	1
23	Barre	131	2	–	–	33	13	9	3	1	2	–	5	4	66	42	1	–
24	Balance of county	327	–	–	2	77	26	17	10	7	4	–	13	6	168	122	2	1
25	Windham	376	1	–	1	69	26	19	–	7	3	1	13	5	199	144	3	4
26	Windsor	452	1	–	2	92	16	27	9	10	3	5	22	6	223	166	1	–
27	**Virginia**	**39,939**	**72**	**10**	**360**	**8,022**	**1,974**	**2,079**	**661**	**926**	**327**	**290**	**1,765**	**631**	**19,602**	**14,502**	**221**	**224**
28	Urban places	17,214	38	6	180	3,594	891	938	297	415	151	117	785	269	8,333	6,187	90	131
29	Balance of area	22,725	34	4	180	4,428	1,083	1,141	364	511	176	173	980	362	11,269	8,315	131	93
30	Metropolitan counties	20,963	44	7	209	4,516	1,107	1,194	373	507	187	155	993	337	9,892	7,389	123	154
31	Urban places	14,650	37	6	162	3,117	774	823	256	357	126	100	681	225	6,986	5,221	78	125
32	Balance of area	6,313	7	1	47	1,399	333	371	117	150	61	55	312	112	2,906	2,168	45	29
33	Nonmetropolitan counties	18,976	28	3	151	3,506	867	885	288	419	140	135	772	294	9,710	7,113	98	70
34	Urban places	2,564	1	–	18	477	117	115	41	58	25	17	104	44	1,347	966	12	6
35	Balance of area	16,412	27	3	133	3,029	750	770	247	361	115	118	668	250	8,363	6,147	86	64
36	Accomack	421	1	–	4	79	21	28	4	9	3	3	11	7	200	138	2	3
37	Albemarle	303	1	–	4	58	11	14	4	4	2	3	20	5	154	108	1	4
38	Alleghany	122	1	–	1	26	6	11	2	1	–	–	6	–	63	40	1	–
39	Amelia	87	–	–	–	19	7	3	–	3	–	1	5	–	48	33	–	–
40	Amherst	202	–	–	2	42	7	12	4	5	–	5	9	5	100	62	2	–
41	Appomattox	107	–	–	1	19	7	7	–	1	–	1	3	2	58	42	3	–
42	Arlington†	1,051	–	–	8	274	72	58	35	33	10	10	56	18	495	370	5	4
43	Augusta	456	–	–	2	89	17	29	13	6	5	5	14	6	233	165	1	2
44	Bath	53	–	–	–	11	4	2	–	–	–	–	5	–	18	15	–	–
45	Bedford	276	1	–	1	57	12	15	3	7	7	4	9	6	126	90	–	1
46	Bland	55	–	–	1	7	1	1	1	1	–	1	2	–	28	20	1	–
47	Botetourt	200	–	–	–	37	7	12	6	6	1	–	5	2	105	65	2	–
48	Brunswick	166	–	–	1	32	8	5	4	2	2	1	10	4	90	72	1	–
49	Buchanan	276	1	–	1	53	13	16	3	5	4	1	11	2	139	110	2	4
50	Buckingham	127	–	–	2	22	6	4	1	4	1	2	4	2	63	45	–	1
51	Campbell	352	–	–	3	70	19	22	4	8	2	2	13	8	191	139	1	2
52	Caroline	169	–	–	2	37	11	9	2	5	–	–	10	2	76	53	–	3
53	Carroll	257	–	–	2	38	8	9	4	8	2	1	6	2	145	103	1	–
54	Charles City	60	–	–	1	8	1	2	–	–	1	2	2	–	32	19	–	–
55	Charlotte	154	–	–	–	28	6	11	2	1	–	2	6	3	77	53	–	1
56	Chesterfield	546	1	–	4	114	24	30	11	17	4	6	22	9	258	200	4	4
57	Clarke	106	1	–	–	28	4	10	–	5	1	2	6	1	45	34	–	–
58	Craig	32	–	–	–	6	4	–	1	–	–	–	1	–	20	18	1	–
59	Culpeper	211	–	–	4	52	14	13	4	4	–	–	17	1	97	66	1	–
60	Cumberland	85	–	–	–	16	6	5	1	2	–	–	2	–	48	39	–	–
61	Dickenson	154	–	–	–	30	6	12	–	5	–	1	6	3	64	47	–	1
62	Dinwiddie	165	1	–	2	36	10	12	–	2	–	1	11	2	67	52	–	3
63	Essex	102	–	–	1	20	7	5	4	2	–	–	2	1	54	45	–	–
64	Fairfax	1,975	2	–	13	480	128	112	37	43	18	21	121	31	847	629	19	8
65	Vienna	84	–	–	1	28	10	9	2	–	–	–	7	–	40	29	2	1
66	Balance of county	1,891	2	–	12	452	118	103	35	43	18	21	114	31	807	600	17	7
67	Fauquier	241	–	–	–	51	14	10	6	5	–	–	16	3	120	86	1	–
68	Floyd	100	–	–	–	15	4	5	1	3	–	–	2	2	45	34	–	–
69	Fluvanna	102	–	–	1	25	4	6	4	5	2	–	4	–	44	35	2	1
70	Franklin	248	–	–	2	38	12	4	2	6	6	1	7	–	135	85	2	–
71	Frederick	195	2	–	1	48	4	20	8	4	1	3	8	1	85	62	–	–
72	Giles	173	1	–	2	29	9	9	2	3	1	1	4	6	83	72	–	1
73	Gloucester	157	–	–	1	34	6	10	3	5	2	2	6	–	71	58	–	1
74	Goochland	95	–	–	2	25	4	5	2	6	–	1	7	–	46	34	–	1
75	Grayson	166	–	–	2	22	7	5	–	1	–	–	9	6	82	58	1	1
76	Greene	65	–	–	1	9	2	2	–	1	–	1	3	–	30	23	–	–
77	Greensville	109	–	–	2	13	2	4	–	–	–	–	7	1	57	46	–	–
78	Halifax	342	–	1	3	66	13	13	8	8	2	2	20	10	175	125	2	2
79	Hanover	350	–	–	1	81	17	29	7	6	3	–	19	6	163	118	–	–

See footnotes at end of table

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,377	121	18	384	101	72	128	44	21	46	15	1	17	35	34	441	101	117	65	16	5	01
222	16	7	59	22	11	18	8	3	5	5	–	1	4	5	69	16	15	7	3	1	02
1,155	105	11	325	79	61	110	36	18	41	10	1	16	31	29	372	85	102	58	13	4	03
1,377	121	18	384	101	72	128	44	21	46	15	1	17	35	34	441	101	117	65	16	5	04
222	16	7	59	22	11	18	8	3	5	5	–	1	4	5	69	16	15	7	3	1	05
1,155	105	11	325	79	61	110	36	18	41	10	1	16	31	29	372	85	102	58	13	4	06
66	9	1	21	6	4	7	1	2	–	2	–	1	1	1	16	7	7	6	–	–	07
119	4	–	29	4	10	9	2	3	2	–	–	2	2	1	31	7	6	6	1	–	08
59	15	2	36	3	5	5	–	–	4	–	–	1	1	13	33	5	9	3	3	–	09
197	25	1	55	8	11	23	8	4	7	3	1	3	8	7	83	16	24	8	4	2	10
92	14	1	26	6	4	7	4	3	2	1	–	1	3	5	44	9	9	3	2	–	11
105	11	–	29	2	7	16	4	1	5	2	1	2	5	2	39	7	15	5	2	2	12
21	2	–	4	1	1	1	–	–	–	1	–	–	–	1	6	1	–	1	1	–	13
124	11	–	16	13	2	15	2	1	3	–	–	1	1	3	32	4	13	5	–	1	14
11	–	–	–	–	–	3	–	–	–	–	–	–	–	1	2	1	2	–	–	–	15
46	2	–	8	3	3	5	1	–	1	1	–	–	–	–	8	7	2	–	–	–	16
41	8	–	23	3	4	4	–	–	3	–	–	2	2	–	16	5	6	3	1	–	17
50	4	1	25	2	2	9	3	2	1	1	–	1	2	–	33	8	5	5	1	–	18
213	9	4	48	25	9	12	3	1	8	1	–	1	6	1	54	7	14	5	1	2	19
90	1	1	18	14	5	5	2	–	2	1	–	–	–	–	22	4	3	1	–	1	20
123	8	3	30	11	4	7	1	1	6	–	–	1	6	1	32	3	11	4	1	1	21
152	8	7	49	9	5	12	9	1	8	4	–	2	3	–	35	11	8	5	2	–	22
40	1	5	15	2	2	6	2	–	1	3	–	–	1	–	3	3	3	3	1	–	23
112	7	2	34	7	3	6	7	1	7	1	–	2	2	–	32	8	5	2	1	–	24
127	10	1	29	17	8	10	9	3	4	–	–	3	2	1	46	8	9	6	–	–	25
151	14	1	41	7	8	13	6	4	5	2	–	–	7	5	46	14	12	12	2	–	26
12,767	1,290	110	3,863	612	515	1,119	409	117	538	192	9	308	616	452	3,571	1,191	1,410	802	483	25	27
5,332	634	49	1,627	256	214	474	158	56	285	84	5	141	292	209	1,567	350	588	324	250	11	28
7,435	656	61	2,236	356	301	645	251	61	253	108	4	167	324	243	2,004	841	822	478	233	14	29
6,426	686	61	1,884	299	259	575	196	68	323	97	5	191	371	226	1,836	565	747	452	292	14	30
4,472	546	45	1,328	216	176	396	136	49	237	72	5	128	267	163	1,332	292	525	277	229	9	31
1,954	140	16	556	83	83	179	60	19	86	25	–	63	104	63	504	273	222	175	63	5	32
6,341	604	49	1,979	313	256	544	213	49	215	95	4	117	245	226	1,735	626	663	350	191	11	33
860	88	4	299	40	38	78	22	7	48	12	–	13	25	46	235	58	63	47	21	2	34
5,481	516	45	1,680	273	218	466	191	42	167	83	4	104	220	180	1,500	568	600	303	170	9	35
124	9	1	48	7	6	9	9	–	4	–	–	2	9	3	48	17	12	9	8	–	36
84	19	1	35	5	5	9	3	–	2	2	1	4	3	3	33	4	6	8	3	–	37
35	4	–	20	1	2	5	1	–	2	–	–	2	2	6	6	3	3	–	1	–	38
29	4	–	13	1	1	3	–	–	–	–	–	–	1	2	7	6	1	–	–	–	39
57	3	1	29	5	3	4	3	1	2	2	–	1	2	2	15	8	7	3	3	–	40
38	1	–	15	1	–	1	2	–	–	2	–	–	–	1	8	8	3	1	1	–	41
340	21	3	85	26	11	19	17	4	23	2	3	5	8	5	89	15	37	20	8	1	42
150	12	–	56	5	7	15	7	2	6	1	–	–	6	1	42	14	16	14	2	–	43
10	5	–	2	–	1	4	1	1	1	–	–	–	–	1	9	2	2	2	1	–	44
85	4	–	23	7	6	7	3	1	2	1	–	–	4	5	29	7	14	8	4	–	45
12	7	–	7	–	1	2	1	–	–	–	–	–	2	–	10	–	1	3	–	–	46
60	3	–	33	5	2	4	4	1	1	–	–	3	3	–	21	4	6	9	–	–	47
68	3	1	13	3	1	6	–	–	1	–	–	1	1	3	11	3	8	2	3	–	48
100	4	–	24	1	4	8	3	–	1	2	–	1	9	3	24	14	11	2	2	–	49
34	10	1	11	3	3	2	2	–	–	1	–	–	3	2	14	5	9	–	–	–	50
128	8	1	42	6	3	10	4	–	2	1	–	1	7	4	20	16	3	8	4	–	51
49	1	–	17	5	1	2	2	1	3	–	–	2	2	3	11	10	11	4	1	–	52
96	6	–	29	11	2	6	2	1	1	1	–	2	2	2	33	5	9	1	5	–	53
18	1	–	11	2	–	1	–	1	1	–	–	2	–	–	4	7	1	1	1	–	54
47	5	–	19	2	3	5	1	–	1	2	–	1	2	1	18	9	6	–	–	–	55
174	18	2	41	7	8	5	3	1	5	3	–	7	12	1	49	31	17	20	5	1	56
31	3	–	10	–	1	1	2	–	1	–	–	–	3	2	11	7	2	2	–	–	57
15	2	–	1	1	–	–	1	–	–	–	–	–	–	1	2	–	2	–	–	–	58
55	10	–	25	4	2	4	1	–	3	1	–	4	1	4	20	7	8	3	–	1	59
32	7	–	6	3	–	1	2	–	1	1	–	–	1	2	7	–	2	3	1	–	60
42	4	–	14	2	1	6	3	–	–	–	–	–	3	2	16	3	17	3	4	–	61
46	3	1	11	–	3	1	1	1	4	–	–	1	4	–	19	13	6	2	5	–	62
41	4	1	4	2	2	2	2	–	–	–	–	2	2	–	9	2	2	2	3	–	63
552	50	1	161	28	28	49	20	8	37	3	1	20	34	16	146	88	84	79	15	2	64
22	4	–	9	2	–	1	–	1	–	–	1	1	–	–	5	3	1	1	1	–	65
530	46	1	152	26	28	48	20	7	37	3	–	19	34	16	141	85	83	78	14	2	66
83	2	1	21	9	3	5	3	–	8	1	–	1	1	2	18	10	10	5	3	–	67
30	4	–	9	2	–	7	2	–	3	–	–	–	–	1	9	11	3	1	1	–	68
22	10	–	5	2	2	2	1	–	–	1	–	2	–	3	10	5	2	3	3	–	69
76	7	1	34	9	6	5	2	–	2	–	–	7	2	3	24	14	9	4	1	–	70
57	5	–	19	3	1	6	5	1	3	1	–	–	3	6	13	6	5	6	3	–	71
65	6	–	8	2	1	4	4	–	3	3	1	–	3	5	16	5	4	2	2	–	72
52	5	–	9	1	3	2	2	1	1	3	–	2	3	2	15	7	5	6	2	–	73
29	4	–	11	–	1	3	–	–	–	–	–	–	2	–	9	3	2	1	2	–	74
52	4	–	21	2	1	8	5	–	–	3	–	1	1	–	21	5	4	5	1	–	75
18	5	–	5	1	1	1	1	–	–	1	–	2	–	1	8	7	2	–	2	–	76
45	1	1	6	2	2	4	–	1	–	1	–	1	–	1	16	4	3	3	2	–	77
105	16	3	43	3	1	5	1	2	5	4	–	2	4	3	28	16	12	1	2	2	78
107	11	–	37	6	2	13	3	–	3	3	–	2	3	2	37	20	6	–	6	1	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402–404)
	Virginia—Con.																	
01	Henrico	1,295	2	–	12	289	63	78	19	40	18	11	60	27	630	476	6	5
02	Henry	344	–	–	3	65	17	10	3	6	2	4	23	4	153	110	1	–
03	Highland	28	–	–	–	9	1	1	1	4	1	–	1	–	16	12	–	–
04	Isle of Wight	172	–	–	–	36	7	13	1	4	3	3	5	6	85	67	2	–
05	James City	124	–	–	2	25	3	11	2	1	4	–	4	1	47	26	1	1
06	King and Queen	68	–	–	3	9	2	2	2	1	–	–	2	1	42	31	–	1
07	King George	67	–	–	–	9	4	–	–	3	–	–	2	2	37	27	–	–
08	King William	85	–	–	–	25	6	7	3	4	1	–	4	3	41	29	1	–
09	Lancaster	152	1	–	2	33	8	11	1	1	1	1	10	2	78	57	–	1
10	Lee	302	–	–	2	49	16	12	2	3	1	2	13	1	186	136	4	1
11	Loudoun	316	–	–	2	64	19	17	6	3	2	–	17	6	151	119	2	2
12	Louisa	193	–	–	4	49	16	8	8	6	3	–	8	–	83	61	1	1
13	Lunenburg	141	–	–	1	28	6	5	2	4	2	1	8	3	73	59	–	–
14	Madison	93	–	–	1	23	4	5	2	1	–	1	10	–	46	33	–	–
15	Mathews	125	–	–	1	22	7	6	3	1	1	1	3	3	72	49	–	–
16	Mecklenburg	331	1	–	4	58	16	16	3	9	1	3	10	4	178	135	1	–
17	Middlesex	99	1	–	–	27	9	7	2	1	2	–	6	–	46	37	–	–
18	Montgomery	340	–	–	–	61	15	14	6	11	2	7	6	6	193	148	2	2
19	Nansemond[a]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Nelson	151	1	–	3	11	2	2	–	4	1	–	2	2	89	67	–	–
21	New Kent	48	–	–	–	6	–	3	2	–	–	–	1	1	23	18	–	–
22	Northampton	195	1	–	1	46	16	12	2	8	–	1	7	6	93	63	–	2
23	Northumberland	143	–	–	2	31	8	7	1	8	3	–	4	3	69	42	–	–
24	Nottoway	197	2	–	1	38	8	9	3	5	1	–	12	1	105	78	3	3
25	Orange	182	–	–	1	29	5	8	2	4	–	2	8	4	90	69	1	–
26	Page	204	–	–	3	41	12	11	2	5	2	2	7	5	117	91	2	–
27	Patrick	154	–	1	1	29	5	6	2	5	–	–	11	4	80	51	3	–
28	Pittsylvania	504	2	–	1	95	18	29	10	10	2	5	21	8	267	191	4	2
29	Powhatan	68	–	–	1	12	1	7	1	2	–	–	1	2	35	22	–	1
30	Prince Edward	156	1	–	–	39	13	4	3	6	1	4	8	2	80	50	–	–
31	Prince George	103	–	–	1	18	2	5	3	2	1	–	5	4	45	29	–	2
32	Prince William	478	1	1	5	102	15	31	15	10	5	2	24	5	183	142	1	3
33	Pulaski	273	–	–	6	38	11	9	2	–	1	3	12	12	138	111	1	–
34	Pulaski	96	–	–	2	13	3	3	–	–	1	–	6	3	51	40	–	–
35	Balance of county	177	–	–	4	25	8	6	2	–	–	3	6	9	87	71	1	–
36	Rappahannock	70	–	–	2	8	4	–	–	1	–	–	3	2	43	33	1	1
37	Richmond	77	–	–	2	17	5	6	3	1	–	–	2	1	38	30	1	1
38	Roanoke	418	–	–	1	83	26	20	9	8	4	3	13	7	222	167	10	–
39	Rockbridge	165	1	–	2	28	7	7	2	4	2	–	6	3	89	66	1	1
40	Rockingham	447	–	–	5	64	21	9	7	4	2	4	17	13	257	193	2	2
41	Russell	250	–	–	–	41	8	11	4	3	–	1	14	8	128	91	1	–
42	Scott	246	–	1	–	37	16	6	2	3	3	1	6	–	125	80	1	1
43	Shenandoah	293	–	–	1	56	13	14	3	6	5	2	13	3	163	132	2	–
44	Smyth	302	1	–	1	44	9	8	6	8	3	2	8	7	173	144	2	4
45	Southampton	163	1	–	–	30	5	8	2	4	–	–	11	3	81	65	–	–
46	Spotsylvania	163	–	–	1	29	9	4	2	3	1	1	9	1	78	60	3	–
47	Stafford	189	–	–	4	36	11	5	7	6	–	2	5	1	89	74	3	–
48	Surry	52	–	–	–	9	2	2	–	3	–	1	1	1	31	16	–	–
49	Sussex	127	1	–	2	23	8	7	1	1	2	–	4	2	52	32	–	–
50	Tazewell	474	1	–	7	75	18	18	6	8	1	4	20	2	237	179	1	1
51	Warren	182	1	–	2	40	12	11	3	6	1	–	7	3	81	66	1	1
52	Washington	362	–	–	1	60	13	14	2	9	2	4	16	5	201	143	1	1
53	Westmoreland	142	–	–	–	24	9	5	2	1	2	1	4	1	74	53	2	–
54	Wise	440	1	–	6	76	17	24	7	8	3	3	14	5	196	161	4	–
55	Wythe	262	–	–	1	33	9	7	4	4	1	2	6	5	150	111	2	1
56	York	197	–	–	2	48	13	12	4	6	4	4	5	2	89	64	2	1
	Independent Cities[7]																	
57	Alexandria	836	1	1	6	201	49	51	17	20	9	6	49	21	364	269	5	7
58	Bedford	107	–	–	–	22	3	6	–	5	1	1	6	5	48	31	1	–
59	Bristol[a]	208	–	–	1	35	10	11	3	6	2	2	1	3	120	87	–	–
60	Buena Vista	60	–	–	–	10	1	3	4	1	–	–	1	–	33	25	–	–
61	Charlottesville	368	1	–	3	64	14	14	4	7	3	1	21	7	184	127	–	4
62	Chesapeake	721	2	1	6	144	27	43	13	21	9	4	27	10	363	281	8	11
63	Clifton Forge	98	1	–	–	17	3	4	4	2	1	–	3	1	59	45	1	–
64	Colonial Heights	110	–	–	2	26	8	5	3	4	1	–	5	3	59	44	–	1
65	Covington	135	–	–	1	23	6	6	3	–	–	1	7	–	68	45	–	–
66	Danville	498	–	–	–	95	22	21	11	14	7	3	17	13	265	185	4	–
67	Emporia	53	–	–	–	8	3	2	–	1	–	–	2	1	33	30	–	–
68	Fairfax	113	–	–	–	27	5	11	4	2	–	2	3	2	51	34	–	1
69	Falls Church	123	–	–	–	33	9	5	4	3	2	2	8	1	56	41	–	–
70	Franklin	69	–	–	2	17	6	4	–	2	2	1	2	2	34	29	–	–
71	Fredericksburg	163	–	–	1	39	12	6	1	5	2	1	12	2	91	68	1	1
72	Galax	65	–	–	–	10	6	3	1	–	–	–	–	–	30	19	–	–
73	Hampton	799	–	–	10	194	42	61	11	16	10	8	46	10	365	304	3	9
74	Harrisonburg	146	–	–	1	30	8	3	3	7	1	1	7	2	77	52	2	–
75	Hopewell	186	–	–	1	36	11	11	2	2	1	3	6	2	99	82	–	3
76	Lexington	58	–	–	–	7	1	–	–	1	1	1	3	1	35	26	–	1
77	Lynchburg	727	2	–	7	166	45	40	12	21	9	4	35	8	347	227	1	5
78	Martinsville	209	–	–	1	39	8	14	6	3	3	–	5	1	97	69	–	–
79	Newport News	1,022	5	–	17	219	57	60	14	28	5	7	48	23	462	355	5	8
80	Norfolk	2,313	7	1	25	450	135	126	30	45	18	11	85	35	1,129	838	16	15
81	Norton	51	–	–	1	8	–	2	1	1	–	1	3	1	25	21	–	–
82	Petersburg	477	4	–	2	93	20	26	8	12	2	3	22	8	258	179	5	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
447	18	5	115	18	16	53	11	5	15	5	–	8	18	6	115	28	39	23	9	–	01
99	10	1	35	6	1	11	4	–	6	–	–	2	10	7	25	25	11	8	10	–	02
12	–	–	4	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	03
61	4	1	15	1	1	2	2	–	2	1	–	–	3	1	14	8	5	3	4	–	04
22	2	–	11	6	4	4	3	–	2	3	–	1	4	2	15	8	6	1	–	–	05
27	3	–	9	–	2	1	–	–	–	1	–	–	1	–	5	–	2	2	1	–	06
24	3	–	7	2	1	2	1	1	1	–	–	–	1	–	4	3	3	1	2	–	07
25	3	1	8	3	–	–	–	–	2	1	–	1	–	–	8	1	1	1	1	–	08
50	6	–	17	1	3	5	3	–	2	–	–	–	3	–	7	3	11	1	1	–	09
122	9	1	37	5	7	9	2	1	3	–	–	2	1	2	20	7	9	3	5	–	10
108	7	–	26	3	3	6	3	–	3	2	–	3	6	13	19	17	11	6	4	–	11
50	9	1	16	1	4	7	2	–	1	–	–	–	2	3	11	12	7	8	3	1	12
50	9	–	12	2	–	3	–	1	–	1	–	–	4	2	8	6	6	1	4	–	13
30	3	–	11	2	–	7	–	–	–	–	–	1	–	1	7	1	4	1	1	–	14
43	6	4	15	3	1	3	2	–	–	–	–	–	1	1	8	1	7	2	2	–	15
123	11	–	37	3	3	11	1	3	5	2	–	–	5	3	29	8	10	3	6	–	16
36	1	1	5	2	1	2	2	–	1	–	–	1	–	–	12	3	3	1	–	–	17
132	12	–	39	3	3	7	3	–	5	2	–	1	8	–	22	10	14	2	6	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
64	3	–	16	2	4	2	–	–	2	1	–	–	1	5	15	6	8	4	1	–	20
17	1	–	5	–	–	1	–	–	2	–	–	2	–	1	3	4	4	–	1	–	21
58	3	2	22	4	2	5	3	–	3	2	–	1	3	3	13	4	5	4	2	–	22
37	5	–	23	1	3	4	–	–	–	1	–	1	2	–	14	4	10	–	2	–	23
61	11	–	21	4	2	4	–	–	2	3	–	3	–	2	22	3	8	3	–	–	24
55	13	–	15	3	3	4	3	–	2	1	–	1	3	3	12	12	10	6	1	–	25
81	8	–	19	1	6	3	1	–	1	–	–	–	1	–	10	8	8	4	2	–	26
45	3	1	21	6	1	2	2	–	–	1	–	1	–	1	17	3	9	2	1	–	27
169	16	1	62	9	4	15	8	1	5	3	–	5	5	4	39	16	20	6	3	1	28
16	5	–	11	1	1	–	–	–	–	–	–	–	–	–	8	3	4	3	–	–	29
45	5	1	20	7	2	1	3	1	1	1	–	–	2	1	13	8	3	–	–	–	30
26	1	–	15	–	1	1	2	–	–	3	–	3	2	–	7	6	7	3	1	–	31
125	13	1	32	1	7	17	2	1	10	2	–	8	8	12	40	31	26	14	9	1	32
102	8	–	23	1	3	3	2	–	6	1	–	–	8	5	28	12	9	4	1	–	33
37	3	–	10	–	1	2	1	–	2	–	–	–	2	2	9	4	3	2	–	–	34
65	5	–	13	1	2	1	1	–	4	1	–	–	6	3	19	8	6	2	1	–	35
29	2	–	10	–	–	1	–	–	1	–	–	1	–	1	2	2	4	2	1	–	36
23	5	1	5	1	1	5	2	–	–	–	–	–	1	–	4	2	3	1	1	–	37
151	6	2	39	9	5	13	4	3	4	1	–	9	5	5	28	6	12	14	1	–	38
58	6	1	15	5	2	1	–	–	1	3	–	3	1	3	16	7	4	3	–	–	39
165	24	–	46	15	3	13	4	1	4	2	–	2	1	5	37	20	9	10	–	–	40
79	11	–	29	2	6	8	1	3	1	1	–	3	4	2	25	5	11	6	3	–	41
77	1	1	29	10	5	13	2	1	2	–	–	2	5	1	33	2	16	3	3	–	42
115	15	1	24	–	6	6	6	1	3	3	–	2	2	1	23	13	6	4	–	–	43
130	8	–	22	2	5	12	7	3	2	3	–	–	6	–	25	2	9	6	1	–	44
60	5	–	11	2	3	6	1	–	–	2	–	2	3	–	11	10	11	1	1	–	45
54	3	–	16	1	1	3	1	–	2	–	–	–	10	2	12	16	4	3	1	–	46
68	3	2	9	2	2	4	1	–	2	–	–	2	4	2	16	10	8	8	2	–	47
15	1	–	13	1	1	1	–	–	–	1	–	–	1	–	4	–	2	–	2	–	48
30	2	3	13	1	3	6	1	–	–	–	–	–	1	1	13	9	12	–	4	–	49
172	5	2	44	2	10	17	9	–	5	4	–	6	7	7	53	14	18	11	1	–	50
61	3	–	11	1	3	4	2	2	2	–	–	–	3	10	15	3	6	7	–	1	51
136	5	2	40	10	6	15	3	2	7	1	1	2	2	2	34	4	7	12	2	1	52
47	4	–	14	4	3	2	1	1	1	–	–	1	5	4	17	3	1	6	1	–	53
146	11	1	27	3	4	18	8	2	7	1	1	3	4	3	62	13	15	12	5	2	54
105	3	1	28	7	3	11	5	2	3	1	–	2	–	4	21	6	12	5	1	–	55
55	6	2	17	2	4	8	4	–	1	–	–	1	3	2	14	12	5	4	2	–	56
228	29	4	62	16	13	16	9	5	21	3	–	8	21	11	76	19	26	14	13	–	57
28	2	1	9	6	1	6	3	–	1	1	–	2	1	1	9	3	1	2	2	–	58
83	4	1	26	2	4	8	4	1	3	2	–	–	1	1	14	–	7	7	1	–	59
21	4	1	6	1	–	1	–	–	3	–	–	–	1	1	6	–	1	3	1	–	60
98	25	–	38	13	6	13	2	1	8	2	–	3	2	5	38	6	13	11	4	1	61
227	35	4	68	5	5	19	7	2	5	3	–	12	17	11	49	21	18	14	16	1	62
43	1	1	10	–	3	6	–	–	3	–	–	1	1	–	8	–	1	–	–	–	63
34	9	–	13	2	–	1	3	1	–	–	–	1	1	–	7	4	2	–	–	–	64
41	4	2	16	1	4	2	2	1	5	2	–	1	–	6	19	2	2	1	–	–	65
166	15	–	66	6	8	10	3	–	8	3	–	5	10	7	42	11	12	9	5	–	66
27	3	–	2	1	–	1	–	–	–	–	–	–	1	–	3	–	6	–	–	–	67
30	3	–	14	3	–	1	1	–	–	–	–	5	1	1	6	7	8	3	–	–	68
39	2	–	7	2	6	4	1	–	3	1	–	2	1	–	6	3	6	3	2	1	69
26	3	–	4	–	1	1	–	–	1	1	–	–	1	1	6	–	–	1	2	–	70
62	4	–	15	6	2	1	1	–	2	–	–	–	3	–	10	5	4	2	1	1	71
18	1	–	9	1	1	5	1	–	–	–	–	–	1	4	12	–	–	1	1	–	72
265	27	1	49	5	6	28	8	1	15	4	–	5	13	6	84	13	16	15	11	1	73
42	8	–	20	4	1	2	–	1	1	1	–	1	3	3	12	6	3	–	3	–	74
75	4	1	10	2	4	4	2	–	3	1	–	1	2	–	15	10	6	4	–	–	75
23	2	–	6	1	2	1	–	–	1	1	–	–	–	1	7	–	1	3	–	–	76
198	23	3	98	5	14	17	17	5	8	2	–	2	5	7	64	13	25	20	11	1	77
65	4	1	22	2	3	10	1	–	7	1	–	2	1	8	20	9	6	3	3	–	78
301	41	3	78	12	14	35	7	1	15	7	–	8	19	12	93	28	39	14	18	–	79
695	112	10	235	27	19	63	17	6	48	15	–	27	54	30	204	37	71	45	47	2	80
20	1	–	4	–	–	2	2	–	2	–	–	–	–	–	4	1	4	–	1	–	81
158	14	3	68	3	5	7	3	3	7	–	–	2	13	3	48	4	15	3	4	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402 404)
	Virginia—Con.																	
	Independent Cities—Con.																	
01	Portsmouth	995	3	–	15	200	54	48	12	23	9	7	47	15	484	369	4	27
02	Radford	98	–	–	–	17	3	4	–	2	–	2	6	3	52	41	–	–
03	Richmond	2,674	5	2	31	544	122	146	50	67	15	11	133	33	1,288	952	13	19
04	Roanoke	1,193	6	1	12	217	51	55	14	31	13	6	47	16	579	435	4	4
05	Salem	209	–	–	3	50	11	20	2	5	4	2	6	–	104	80	1	2
06	South Boston	81	–	–	1	10	5	2	1	1	1	–	–	2	46	36	1	2
07	Staunton	239	–	–	4	43	8	17	3	4	4	3	4	3	122	85	2	1
08	Suffolk[6]	470	–	–	6	97	22	28	5	16	4	3	19	10	232	164	2	5
09	Virginia Beach	1,017	2	–	16	215	46	48	23	24	9	14	51	20	443	332	6	6
10	Waynesboro	136	–	–	2	27	7	7	2	2	1	3	5	1	71	52	–	–
11	Williamsburg	79	–	–	–	16	3	2	2	3	–	2	4	–	35	24	1	–
12	Winchester	268	–	–	2	52	16	9	5	8	1	–	13	6	149	115	3	–
13	**Washington**	**29,831**	**29**	**1**	**163**	**6,425**	**1,648**	**1,649**	**569**	**769**	**309**	**279**	**1,202**	**469**	**14,719**	**10,717**	**246**	**163**
14	Urban places	16,176	15	–	87	3,396	868	864	311	407	172	155	619	236	8,186	5,840	136	95
15	Balance of area	13,655	14	1	76	3,029	780	785	258	362	137	124	583	233	6,533	4,877	110	68
16	Metropolitan counties	18,538	13	–	99	4,040	1,034	1,029	351	475	212	173	766	279	9,135	6,588	157	99
17	Urban places	11,982	9	–	66	2,531	638	652	225	298	138	114	466	177	6,035	4,305	99	66
18	Balance of area	6,556	4	–	33	1,509	396	377	126	177	74	59	300	102	3,100	2,283	58	33
19	Nonmetropolitan counties	11,293	16	1	64	2,385	614	620	218	294	97	106	436	190	5,584	4,129	89	64
20	Urban places	4,194	6	–	21	865	230	212	86	109	34	41	153	59	2,151	1,535	37	29
21	Balance of area	7,099	10	1	43	1,520	384	408	132	185	63	65	283	131	3,433	2,594	52	35
22	Adams	91	–	–	–	20	2	5	2	2	1	2	6	1	44	35	1	–
23	Asotin	189	1	–	5	35	10	6	5	5	2	3	4	4	98	76	3	2
24	Benton	506	2	–	3	118	28	30	18	14	2	4	22	16	217	159	7	1
25	Kennewick	188	2	–	–	40	9	12	6	5	–	1	7	8	80	58	–	1
26	Richland	172	–	–	1	41	9	9	5	5	1	3	9	5	77	58	4	–
27	Balance of county	146	–	–	2	37	10	9	7	4	1	–	6	3	60	43	3	–
28	Chelan	441	–	–	–	88	24	20	5	16	7	3	13	9	243	176	5	2
29	Wenatchee	239	–	–	–	51	12	10	4	10	6	3	6	4	131	91	4	1
30	Balance of county	202	–	–	–	37	12	10	1	6	1	–	7	5	112	85	1	1
31	Clallam	426	1	–	4	85	17	24	5	14	7	3	15	4	212	169	5	2
32	Port Angeles	184	–	–	1	34	7	10	4	6	2	1	4	1	102	75	4	1
33	Balance of county	242	1	–	3	51	10	14	1	8	5	2	11	3	110	94	1	1
34	Clark	1,213	–	–	1	267	70	75	21	28	13	12	48	13	618	463	14	5
35	Vancouver	556	–	–	–	120	34	34	7	14	7	7	17	6	287	211	8	4
36	Balance of county	657	–	–	1	147	36	41	14	14	6	5	31	7	331	252	6	1
37	Columbia	55	–	–	–	10	4	1	1	3	–	–	1	1	30	21	–	1
38	Cowlitz	635	–	–	4	130	44	32	10	10	2	6	26	9	315	214	4	1
39	Kelso	134	–	–	1	26	8	5	1	1	2	1	8	2	67	42	1	–
40	Longview	289	–	–	2	60	25	15	4	5	–	3	8	3	148	106	1	1
41	Balance of county	212	–	–	1	44	11	12	5	4	–	2	10	4	100	66	2	–
42	Douglas	138	–	–	–	31	7	6	1	3	3	1	10	1	65	52	2	1
43	Ferry	43	–	–	–	7	2	2	1	1	–	–	1	–	17	13	–	–
44	Franklin	207	–	–	–	43	8	14	3	3	2	4	9	5	84	61	1	–
45	Pasco	162	–	–	–	31	4	12	2	3	1	2	7	5	67	51	1	–
46	Balance of county	45	–	–	–	12	4	2	1	–	1	2	2	–	17	10	–	–
47	Garfield	24	–	–	–	6	2	2	1	–	1	–	–	–	13	12	–	–
48	Grant	325	–	–	3	69	13	15	6	14	1	4	16	10	153	106	1	2
49	Moses Lake	87	–	–	2	16	3	1	2	3	1	1	5	–	44	29	–	1
50	Balance of county	238	–	–	1	53	10	14	4	11	–	3	11	10	109	77	1	1
51	Grays Harbor	623	–	–	2	137	43	34	10	13	9	3	25	11	319	248	1	6
52	Aberdeen	214	–	–	1	44	9	11	4	8	3	–	9	3	120	89	1	2
53	Hoquiam	117	–	–	–	31	9	9	2	3	1	1	6	2	55	45	–	–
54	Balance of county	292	–	–	1	62	25	14	4	2	5	2	10	6	144	114	–	4
55	Island	257	1	–	2	77	21	20	8	3	3	4	18	4	113	84	2	–
56	Jefferson	138	–	–	2	25	2	8	3	3	1	1	7	4	69	56	1	–
57	King	9,233	9	–	56	1,985	491	485	170	231	109	81	418	128	4,523	3,302	71	51
58	Auburn	201	–	–	–	48	15	11	6	4	7	–	5	5	94	67	2	–
59	Bellevue	366	1	–	1	84	28	18	4	9	2	3	20	1	178	120	2	2
60	Kent	130	–	–	1	22	4	4	1	1	3	2	7	–	57	46	–	1
61	Kirkland	163	–	–	1	36	9	10	4	5	1	2	5	2	73	51	4	1
62	Mercer Island city	92	–	–	1	31	6	8	3	3	1	2	8	–	36	29	–	–
63	Redmond	85	–	–	1	24	4	5	8	2	1	2	2	–	29	23	2	–
64	Renton	222	–	–	3	59	15	16	10	5	5	2	6	4	98	77	1	2
65	Seattle	5,403	6	–	31	1,100	267	282	84	138	53	40	236	72	2,754	1,993	42	29
66	Balance of county	2,571	2	–	17	581	143	131	50	64	36	28	129	44	1,204	896	18	16
67	Kitsap	961	3	1	10	199	45	60	22	25	2	8	37	10	503	416	6	4
68	Bremerton	362	2	–	2	71	19	22	12	2	–	6	10	1	194	154	3	1
69	Balance of county	599	1	1	8	128	26	38	10	23	2	2	27	9	309	262	3	3
70	Kittitas	201	–	–	–	44	12	8	5	7	4	1	7	3	99	77	3	1
71	Ellensburg	83	–	–	–	17	3	3	2	2	3	1	3	1	46	37	2	–
72	Balance of county	118	–	–	–	27	9	5	3	5	1	–	4	2	53	40	1	1
73	Klickitat	121	–	–	–	20	3	3	1	4	1	3	5	4	60	47	–	–
74	Lewis	552	–	–	4	102	28	33	9	8	5	4	15	8	287	207	9	4
75	Centralia	193	–	–	1	30	11	6	4	4	1	–	4	4	104	72	4	3
76	Balance of county	359	–	–	3	72	17	27	5	4	4	4	11	4	183	135	5	1
77	Lincoln	108	–	–	–	21	9	1	2	2	–	2	5	1	58	38	1	–
78	Mason	219	–	–	–	56	19	12	3	8	3	1	10	1	111	88	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
288	50	3	93	7	12	24	8	3	17	6	–	6	29	16	80	19	38	16	15	1	01
38	3	–	8	1	2	3	–	1	2	–	–	–	–	3	8	5	1	2	1	–	02
821	99	6	252	42	36	89	16	9	33	15	1	17	43	23	273	26	131	38	57	–	03
390	37	2	99	28	15	39	9	5	20	9	–	7	20	30	120	23	40	26	14	–	04
70	7	–	17	3	4	9	2	2	3	–	–	1	2	–	18	3	6	4	2	–	05
31	2	–	8	1	1	3	2	–	1	–	–	1	1	1	6	1	4	1	1	–	06
77	5	–	31	3	3	11	3	1	4	1	–	–	1	4	30	2	5	5	–	–	07
144	13	1	55	5	7	20	5	1	4	1	–	2	8	4	41	11	15	4	9	–	08
291	29	2	71	26	12	20	9	1	16	4	–	18	18	8	95	44	40	37	10	1	09
48	4	–	14	2	3	6	1	–	1	–	–	1	1	2	16	2	2	2	1	–	10
22	1	–	8	2	1	2	–	2	–	–	–	–	1	–	14	6	1	2	–	–	11
103	9	–	33	–	1	10	4	1	5	–	–	–	1	5	17	6	5	3	2	–	12
9,305	**1,003**	**78**	**2,891**	**589**	**444**	**815**	**432**	**95**	**492**	**90**	**5**	**228**	**286**	**243**	**2,543**	**988**	**1,034**	**531**	**170**	**73**	**13**
5,128	481	53	1,710	344	239	494	232	59	294	53	2	117	139	119	1,431	357	529	289	99	42	14
4,177	522	25	1,181	245	205	321	200	36	198	37	3	111	147	124	1,112	631	505	242	71	31	15
5,809	523	50	1,833	395	269	543	261	50	361	58	3	139	187	137	1,574	524	601	363	120	51	16
3,802	338	34	1,261	261	174	390	156	34	253	39	1	75	110	85	1,051	241	388	229	79	33	17
2,007	185	16	572	134	95	153	105	16	108	19	2	64	77	52	523	283	213	134	41	18	18
3,496	480	28	1,058	194	175	272	171	45	131	32	2	89	99	106	969	464	433	168	50	22	19
1,326	143	19	449	83	65	104	76	25	41	14	1	42	29	34	380	116	141	60	20	9	20
2,170	337	9	609	111	110	168	95	20	90	18	1	47	70	72	589	348	292	108	30	13	21
28	6	–	7	–	2	4	–	–	–	–	–	2	1	1	5	5	7	–	1	–	22
63	8	–	17	2	3	4	2	–	2	–	–	1	1	1	13	10	7	3	2	–	23
136	15	2	44	2	10	9	11	5	4	2	–	8	3	6	40	28	23	7	1	3	24
52	5	2	14	1	5	4	4	1	2	–	–	3	2	2	12	9	14	2	1	2	25
51	3	–	13	1	5	4	5	4	2	2	–	5	1	1	11	7	3	2	–	1	26
33	7	–	17	–	–	1	2	–	–	–	–	–	–	3	17	12	6	3	–	–	27
164	5	–	48	13	6	13	3	–	7	2	–	1	1	1	30	20	18	4	1	–	28
85	1	–	26	12	2	10	1	–	6	2	–	–	1	1	18	5	6	2	1	–	29
79	4	–	22	1	4	3	2	–	1	–	–	1	–	–	12	15	12	2	–	–	30
133	29	2	37	1	3	4	4	1	8	–	–	3	8	4	38	27	16	6	–	1	31
60	10	2	25	–	–	2	1	1	1	–	–	–	5	–	21	8	5	2	–	–	32
73	19	–	12	1	3	2	3	–	7	–	–	3	3	4	17	19	11	4	–	1	33
420	24	1	102	33	19	22	18	4	23	4	–	10	6	12	93	55	34	19	7	7	34
188	11	1	49	19	7	13	6	1	13	3	–	3	2	7	41	22	18	8	4	2	35
232	13	–	53	14	12	9	12	3	10	1	–	7	4	5	52	33	16	11	3	5	36
18	2	1	5	2	1	2	2	–	1	–	–	–	2	–	5	–	2	–	–	–	37
187	22	2	70	14	15	21	16	3	4	–	1	9	5	1	51	18	31	14	3	–	38
38	3	1	17	3	4	4	4	1	1	–	–	–	1	–	13	2	5	5	2	–	39
96	8	–	28	7	7	9	5	1	2	–	1	6	1	–	25	6	13	6	1	–	40
53	11	1	25	4	4	8	7	1	1	–	–	3	3	1	13	10	13	3	–	–	41
45	4	–	10	1	2	5	2	–	–	–	–	3	5	1	10	5	10	–	–	–	42
10	3	–	2	–	2	–	–	–	–	–	–	–	–	2	4	7	5	1	–	–	43
55	5	1	17	3	2	8	5	3	3	1	–	1	2	2	22	8	8	7	5	–	44
45	5	1	11	2	2	5	5	3	2	1	–	1	2	1	17	5	6	6	5	–	45
10	–	–	6	1	–	3	–	–	1	–	–	–	–	1	5	3	2	1	–	–	46
9	3	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	47
93	10	–	32	8	7	5	7	2	4	–	–	1	3	4	29	12	14	6	2	1	48
25	3	–	11	2	2	3	–	1	–	–	–	–	1	3	8	2	4	2	–	1	49
68	7	–	21	6	5	2	7	1	4	–	–	1	2	1	21	10	10	4	2	–	50
221	20	2	54	7	8	15	5	1	6	2	–	3	7	3	54	23	25	8	2	–	51
80	6	1	26	1	3	3	2	1	2	1	–	1	2	1	20	4	6	3	–	–	52
41	4	1	7	1	1	4	1	–	–	–	–	–	–	–	11	3	6	3	1	–	53
100	10	–	21	5	4	8	2	–	4	1	–	2	5	2	23	16	13	2	1	–	54
77	5	–	21	3	5	3	3	1	1	1	–	3	3	3	17	10	7	4	2	2	55
50	5	–	10	2	1	5	–	–	3	–	–	1	–	4	7	13	2	2	–	1	56
2,900	280	29	913	144	135	326	118	32	204	27	2	56	96	61	806	222	308	178	61	35	57
61	4	1	21	1	4	5	4	2	2	–	–	2	2	–	19	4	8	5	1	–	58
107	9	1	46	5	6	19	4	–	5	–	–	2	5	1	31	7	15	11	1	–	59
43	2	–	7	2	2	6	–	–	8	–	–	2	1	2	10	9	6	6	–	–	60
42	4	–	13	3	6	7	5	–	–	–	–	–	6	–	22	3	5	2	1	–	61
27	2	–	5	2	–	3	–	–	–	–	–	1	–	–	11	3	2	4	–	–	62
19	2	1	5	–	–	2	2	–	1	1	1	1	1	1	11	4	4	2	–	–	63
69	5	–	15	3	3	10	–	–	6	2	–	1	4	–	14	4	10	6	–	1	64
1,751	171	18	583	82	78	204	64	21	134	18	–	22	45	40	469	79	177	95	45	27	65
781	81	8	218	46	36	70	39	9	48	6	1	25	32	17	219	109	81	47	13	7	66
334	72	3	67	7	10	17	14	2	12	1	–	7	9	6	85	38	23	14	5	2	67
128	22	3	31	3	3	4	7	2	4	1	–	5	1	1	31	15	10	7	2	2	68
206	50	–	36	4	7	13	7	–	8	–	–	2	8	5	54	23	13	7	3	–	69
68	5	–	15	4	3	1	3	2	3	2	1	1	–	4	18	6	12	2	–	–	70
32	3	–	6	2	1	–	2	–	1	2	–	–	–	1	9	1	2	1	–	–	71
36	2	–	9	2	2	1	1	2	2	–	1	1	–	3	9	5	10	1	–	–	72
42	5	–	8	4	1	4	5	–	1	–	–	1	3	1	9	3	8	2	–	–	73
160	34	2	60	8	10	12	5	1	8	2	–	3	2	6	60	21	22	6	3	–	74
50	15	2	20	6	4	6	4	–	2	1	–	1	–	2	26	4	5	2	1	–	75
110	19	–	40	2	6	6	1	1	6	1	–	2	2	4	34	17	17	4	2	–	76
26	11	1	8	8	3	2	1	–	1	2	–	–	1	2	7	5	3	3	–	1	77
68	18	–	20	2	1	2	2	–	3	1	–	2	2	–	22	11	5	1	–	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Washington—Con.																	
01	Okanogan	240	–	–	1	57	8	19	9	6	1	1	13	5	111	95	3	–
02	Pacific	217	–	–	2	57	15	20	5	6	2	1	8	3	95	68	–	2
03	Pend Oreille	69	1	–	–	14	5	3	3	–	–	–	3	–	31	22	–	–
04	Pierce	3,331	1	–	19	735	173	199	67	89	36	35	136	62	1,665	1,218	23	13
05	Puyallup	195	–	–	2	42	15	13	1	3	2	4	4	7	110	88	3	–
06	Tacoma	1,660	–	–	7	354	80	87	37	46	18	21	65	35	843	599	9	9
07	Balance of county	1,476	1	–	10	339	78	99	29	40	16	10	67	20	712	531	11	4
08	San Juan	50	–	–	–	18	5	5	2	2	–	1	3	–	16	8	1	–
09	Skagit	571	1	–	–	123	27	35	13	14	6	7	21	13	289	208	3	1
10	Skamania	44	1	–	–	9	1	2	1	1	1	–	3	2	18	14	1	1
11	Snohomish	2,015	2	–	5	432	133	107	35	56	22	14	65	38	1,001	704	24	14
12	Edmonds	224	–	–	1	45	17	10	4	4	6	2	2	6	121	89	3	3
13	Everett	579	–	–	2	118	34	32	12	15	9	1	15	11	294	186	6	3
14	Lynnwood	130	1	–	–	28	10	4	5	–	–	2	7	1	61	47	1	1
15	Mountlake Terrace	55	–	–	–	15	2	9	–	–	–	1	3	1	26	21	–	–
16	Balance of county	1,027	1	–	2	226	70	52	14	37	7	8	38	19	499	361	14	7
17	Spokane	2,746	1	–	18	621	167	163	58	71	32	31	99	38	1,328	901	25	16
18	Spokane	1,921	1	–	15	405	98	109	39	49	23	23	64	26	974	658	16	11
19	Balance of county	825	–	–	3	216	69	54	19	22	9	8	35	12	354	243	9	5
20	Stevens	193	–	–	–	38	6	9	2	9	2	3	7	3	96	69	4	–
21	Thurston	782	1	–	5	173	36	48	16	22	7	11	33	14	392	296	5	7
22	Olympia	306	1	–	3	75	14	16	9	10	3	6	17	3	135	99	2	5
23	Balance of county	476	–	–	2	98	22	32	7	12	4	5	16	11	257	197	3	2
24	Wahkiakum	31	–	–	–	4	2	1	–	–	1	–	–	–	13	11	–	–
25	Walla Walla	469	–	–	–	102	32	18	13	18	1	4	16	3	251	157	5	1
26	Walla Walla	333	–	–	–	72	23	13	10	14	–	2	10	3	182	115	2	1
27	Balance of county	136	–	–	–	30	9	5	3	4	1	2	6	–	69	42	3	–
28	Whatcom	728	2	–	5	147	51	27	8	21	6	7	27	13	382	290	6	7
29	Bellingham	421	1	–	1	83	26	16	7	11	3	3	17	6	232	168	3	4
30	Balance of county	307	1	–	4	64	25	11	1	10	3	4	10	7	150	122	3	3
31	Whitman	206	–	–	2	55	13	14	7	7	3	1	10	2	97	60	1	1
32	Pullman	42	–	–	2	12	4	2	–	2	1	–	3	–	17	10	1	–
33	Balance of county	164	–	–	–	43	9	12	7	5	2	1	7	2	80	50	–	1
34	Yakima	1,433	2	–	10	265	70	83	18	30	11	13	40	26	683	476	8	15
35	Yakima	668	–	–	4	131	35	40	8	15	6	7	20	8	350	236	4	8
36	Balance of county	765	2	–	6	134	35	43	10	15	5	6	20	18	333	240	4	7
37	**West Virginia**	**19,330**	**37**	**2**	**124**	**3,580**	**872**	**961**	**264**	**401**	**172**	**142**	**768**	**332**	**10,178**	**7,921**	**129**	**99**
38	Urban places	5,623	8	–	40	1,097	289	291	88	126	55	32	216	86	3,088	2,412	47	26
39	Balance of area	13,707	29	2	84	2,483	583	670	176	275	117	110	552	246	7,090	5,509	82	73
40	Metropolitan counties	5,655	8	1	37	1,088	281	293	73	112	64	34	231	89	3,011	2,407	57	22
41	Urban places	3,234	6	–	25	659	179	175	47	73	37	18	130	47	1,717	1,369	37	12
42	Balance of area	2,421	2	1	12	429	102	118	26	39	27	16	101	42	1,294	1,038	20	10
43	Nonmetropolitan counties	13,675	29	1	87	2,492	591	668	191	289	108	108	537	243	7,167	5,514	72	77
44	Urban places	2,389	2	–	15	438	110	116	41	53	18	14	86	39	1,371	1,043	10	14
45	Balance of area	11,286	27	1	72	2,054	481	552	150	236	90	94	451	204	5,796	4,471	62	63
46	Barbour	187	–	–	3	28	4	8	5	3	2	2	4	–	85	66	–	1
47	Berkeley	411	2	–	2	78	20	24	1	10	1	5	17	11	209	141	4	–
48	Martinsburg	228	2	–	1	39	10	15	–	4	–	3	7	6	119	83	2	–
49	Balance of county	183	–	–	1	39	10	9	1	6	1	2	10	5	90	58	2	–
50	Boone	278	1	–	4	51	7	16	2	8	3	–	15	4	132	96	–	1
51	Braxton	165	–	–	1	28	4	11	1	4	–	2	6	2	89	65	1	1
52	Brooke	243	–	–	3	44	8	11	2	7	2	1	13	5	130	96	3	1
53	Weirton, part	34	–	–	1	6	1	4	–	–	–	–	1	–	19	15	–	–
54	Balance of county	209	–	–	2	38	7	7	2	7	2	1	12	5	111	81	3	1
55	Cabell	1,199	–	1	10	222	46	73	15	26	14	3	45	23	646	491	10	7
56	Huntington, part	901	–	–	9	169	32	58	10	20	13	2	34	14	489	372	9	6
57	Huntington, total	962	–	–	9	184	34	60	11	22	13	3	41	15	528	402	10	6
58	Balance of county	298	–	1	1	53	14	15	5	6	1	1	11	9	157	119	1	1
59	Calhoun	93	–	–	1	17	6	4	–	2	1	1	3	2	48	39	1	2
60	Clay	105	1	–	–	17	4	6	–	1	–	–	6	1	48	39	3	–
61	Doddridge	92	–	–	–	19	7	5	1	1	2	1	2	3	48	31	–	2
62	Fayette	638	1	1	4	115	30	33	12	11	1	2	26	9	335	263	3	2
63	Gilmer	79	–	–	–	11	1	2	1	3	–	2	2	1	46	30	1	–
64	Grant	104	–	–	–	18	2	5	2	3	–	2	4	1	57	49	–	–
65	Greenbrier	389	1	–	3	77	14	21	6	6	4	4	22	6	204	150	–	1
66	Hampshire	143	–	–	–	23	4	9	2	3	2	–	3	1	79	61	–	1
67	Hancock	366	–	–	2	70	20	17	5	7	6	1	14	11	178	141	4	1
68	Weirton, part	197	–	–	1	43	13	8	4	5	3	1	9	5	87	67	3	–
69	Weirton, total	231	–	–	2	49	14	12	4	5	3	1	10	5	106	82	3	–
70	Balance of county	169	–	–	1	27	7	9	1	2	3	–	5	6	91	74	1	1
71	Hardy	100	1	–	–	17	3	3	2	2	2	1	4	5	54	44	–	1
72	Harrison	880	1	–	8	160	53	47	9	14	7	6	24	10	506	375	6	5
73	Clarksburg	371	–	–	2	59	16	20	2	5	5	–	11	2	229	162	1	1
74	Balance of county	509	1	–	6	101	37	27	7	9	2	6	13	8	277	213	5	4
75	Jackson	201	–	–	1	43	12	6	4	5	1	2	13	3	107	81	2	–
76	Jefferson	251	–	–	3	35	11	5	1	8	2	1	7	5	146	103	–	1
77	Kanawha	2,272	4	–	13	443	121	123	23	46	25	13	92	27	1,207	988	18	7
78	Charleston	863	4	–	7	186	48	59	8	25	7	7	32	9	447	354	6	3
79	St. Albans	171	–	–	1	35	10	8	2	2	3	–	10	–	92	77	2	–
80	South Charleston	156	–	–	–	38	16	7	4	1	3	–	7	3	81	68	2	–
81	Balance of county	1,082	–	–	5	184	47	49	9	18	12	6	43	15	587	489	8	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
81	11	–	11	2	3	5	5	–	5	1	–	1	1	5	16	11	5	7	4	–	01
47	19	–	14	4	9	3	4	–	2	2	–	1	–	1	18	7	15	6	–	1	02
20	2	–	6	3	–	2	–	–	–	2	–	1	1	1	8	4	3	1	–	–	03
1,104	78	5	338	57	47	66	46	5	63	14	–	35	37	19	253	108	111	63	26	3	04
84	1	–	16	4	2	1	2	–	5	1	–	3	2	–	8	6	4	2	–	–	05
540	41	3	191	25	25	39	23	4	34	9	–	12	16	8	142	33	57	28	15	1	06
480	36	2	131	28	20	26	21	1	24	4	–	20	19	11	103	69	50	33	11	2	07
6	1	–	6	–	2	1	1	–	1	–	–	–	1	1	4	2	4	1	–	–	08
181	23	1	59	11	10	16	11	–	5	–	–	5	2	–	69	13	13	9	1	1	09
12	–	–	2	1	1	1	–	–	2	–	–	–	–	–	1	1	7	2	–	–	10
601	65	6	185	71	35	46	28	3	27	6	–	16	19	25	162	71	71	48	12	3	11
74	9	1	21	6	4	7	–	–	–	–	–	3	2	1	22	7	2	7	–	–	12
161	16	2	60	38	8	14	16	2	9	1	–	3	3	7	53	11	21	11	3	–	13
41	4	–	10	–	4	4	1	–	2	–	–	1	5	2	7	8	5	3	–	1	14
18	3	–	4	1	–	1	–	–	2	–	–	1	–	1	4	3	–	1	–	–	15
307	33	3	90	26	19	20	11	1	14	5	–	8	9	14	76	42	43	26	9	2	16
784	76	9	295	90	33	83	51	6	44	7	1	22	29	20	260	68	77	55	14	3	17
577	54	6	215	70	25	55	29	4	32	4	–	18	16	15	187	38	54	38	9	1	18
207	22	3	80	20	8	28	22	2	12	3	1	4	13	5	73	30	23	17	5	2	19
57	8	–	18	5	4	6	4	1	6	–	–	–	1	2	14	8	6	4	1	3	20
246	38	3	72	7	14	14	6	7	10	1	–	5	9	12	63	31	25	12	–	2	21
84	8	1	25	4	6	5	4	3	5	–	–	3	4	6	34	9	8	8	–	–	22
162	30	2	47	3	8	9	2	4	5	1	–	2	5	6	29	22	17	4	–	2	23
11	–	–	1	1	–	2	1	–	–	–	–	–	–	–	6	–	3	1	1	–	24
121	30	2	70	13	9	9	10	4	2	2	–	3	1	5	37	12	17	8	2	1	25
91	21	2	49	9	7	5	8	1	2	1	–	3	1	4	27	6	12	5	–	1	26
30	9	–	21	4	2	4	2	3	–	1	–	–	–	1	10	6	5	3	2	–	27
256	21	4	59	21	8	19	8	6	5	–	–	6	8	6	58	26	24	11	1	1	28
150	11	2	42	16	4	12	4	5	3	–	–	5	4	4	39	4	14	3	1	–	29
106	10	2	17	5	4	7	4	1	2	–	–	1	4	2	19	22	10	8	–	1	30
55	3	–	27	5	5	8	–	1	2	1	–	1	–	2	13	12	7	3	–	–	31
9	–	–	5	1	1	–	–	–	–	–	–	–	–	–	1	6	3	1	–	–	32
46	3	–	22	4	4	8	–	1	2	1	–	1	–	2	12	6	4	2	–	–	33
416	37	2	160	30	15	50	31	5	19	7	–	16	17	19	135	65	56	12	13	2	34
209	15	1	93	12	8	24	19	1	6	3	–	9	3	7	57	20	19	–	5	2	35
207	22	1	67	18	7	26	12	4	13	4	–	7	14	12	78	45	37	12	8	–	36
7,119	**574**	**60**	**1,681**	**271**	**245**	**532**	**258**	**57**	**286**	**77**	**3**	**118**	**230**	**317**	**1,744**	**503**	**557**	**225**	**117**	**53**	37
2,210	129	21	491	71	93	165	60	12	106	18	–	38	54	54	459	110	121	60	31	16	38
4,909	445	39	1,190	200	152	367	198	45	180	59	3	80	176	263	1,285	393	436	165	86	37	39
2,192	136	15	461	50	78	155	68	17	117	24	–	28	54	64	485	130	155	68	33	23	40
1,256	64	9	256	28	55	97	41	8	72	10	–	18	27	31	270	66	79	31	19	11	41
936	72	6	205	22	23	58	27	9	45	14	–	10	27	33	215	64	76	37	14	12	42
4,927	438	45	1,220	221	167	377	190	40	169	53	3	90	176	253	1,259	373	402	157	84	30	43
954	65	12	235	43	38	68	19	4	34	8	–	20	27	23	189	44	42	29	12	5	44
3,973	373	33	985	178	129	309	171	36	135	45	3	70	149	230	1,070	329	360	128	72	25	45
63	2	–	16	2	1	14	2	1	4	3	–	–	3	9	16	4	9	4	2	–	46
127	10	1	45	15	7	8	4	1	8	1	–	7	3	2	38	18	8	6	3	2	47
74	7	1	27	4	4	5	1	–	5	–	–	6	1	2	22	6	4	5	2	2	48
53	3	–	18	11	3	3	3	1	3	1	–	1	2	–	16	12	4	1	1	–	49
87	8	1	26	5	4	4	9	1	3	–	–	4	2	7	29	10	6	5	3	3	50
55	8	–	15	8	1	4	1	–	2	1	–	1	–	3	20	6	3	2	1	1	51
89	3	–	31	1	2	10	4	–	5	2	–	–	2	1	19	6	7	4	–	1	52
15	–	–	3	1	–	1	1	–	1	–	–	–	–	1	1	–	2	1	–	–	53
74	3	–	28	–	2	9	3	–	4	2	–	–	2	–	18	6	5	3	–	1	54
455	19	4	121	11	19	38	22	4	25	5	–	8	13	11	96	20	34	8	10	3	55
345	12	3	89	9	16	33	18	2	18	3	–	6	9	9	69	15	24	5	7	2	56
373	13	3	96	11	16	33	18	2	18	4	–	6	9	9	71	16	25	6	7	2	57
110	7	1	32	2	3	5	4	2	7	2	–	2	4	2	27	5	10	3	3	1	58
31	5	–	8	1	–	7	1	1	1	–	–	–	1	1	7	3	1	–	2	–	59
34	2	–	7	–	2	3	–	2	1	1	–	–	–	12	11	4	2	2	–	–	60
28	1	–	15	1	1	–	–	1	3	–	–	–	–	2	11	1	2	2	–	–	61
237	21	2	54	3	13	20	12	3	5	3	1	1	8	3	72	18	17	5	4	1	62
23	6	–	13	2	1	1	4	–	–	–	–	–	1	2	5	4	1	2	1	–	63
43	6	–	4	2	2	3	–	–	3	2	–	1	–	3	8	4	2	2	–	–	64
141	8	1	42	7	4	16	9	2	4	–	–	2	2	3	33	10	11	4	2	–	65
54	6	–	16	1	1	6	3	1	3	–	–	–	2	–	11	5	5	4	–	–	66
131	5	1	26	9	1	12	6	2	7	3	–	2	2	6	35	13	8	4	4	1	67
62	2	–	14	6	–	8	3	1	6	–	–	1	–	5	22	6	4	2	2	1	68
77	2	–	17	7	–	9	4	1	7	–	–	1	–	6	23	6	6	3	2	1	69
69	3	1	12	3	1	4	3	1	1	3	–	1	2	1	13	7	4	2	2	–	70
38	5	–	8	1	1	3	1	–	1	–	–	–	1	–	10	1	4	1	–	1	71
339	25	5	89	25	12	19	10	4	9	3	–	4	6	16	67	17	22	12	4	2	72
150	10	2	52	8	5	9	4	1	5	–	–	2	3	8	30	5	4	4	3	1	73
189	15	3	37	17	7	10	6	3	4	3	–	2	3	8	37	12	18	8	1	1	74
74	5	1	18	4	3	6	4	–	–	–	–	–	2	–	14	11	6	4	–	–	75
96	6	3	28	6	6	3	4	2	1	–	–	–	5	1	25	6	10	2	3	–	76
898	65	5	172	14	28	50	20	7	54	7	–	12	20	19	202	67	69	33	6	12	77
326	19	2	70	3	18	20	10	2	21	2	–	7	4	7	75	25	21	6	4	6	78
70	5	1	11	2	1	8	1	1	3	1	–	–	1	–	12	6	6	4	–	–	79
63	3	–	11	–	2	2	–	–	6	1	–	–	4	2	11	4	1	3	–	–	80
439	38	2	80	9	7	20	9	4	24	3	–	5	11	10	104	32	41	20	2	6	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	West Virginia—Con.																	
01	Lewis	229	–	–	1	34	7	13	3	4	2	1	4	4	129	92	1	–
02	Lincoln	224	–	–	2	41	7	12	3	5	3	6	5	5	113	79	–	–
03	Logan	438	1	–	5	90	11	29	7	16	5	5	17	8	165	128	2	1
04	McDowell	582	4	–	4	84	22	24	4	4	7	3	20	16	254	197	3	3
05	Marion	737	1	–	5	135	39	21	14	16	4	6	35	10	423	317	4	5
06	Fairmont	337	–	–	3	65	21	10	8	11	1	1	13	2	195	143	1	3
07	Balance of county	400	1	–	2	70	18	11	6	5	3	5	22	8	228	174	3	2
08	Marshall	401	1	–	1	78	27	14	4	5	4	4	20	11	218	183	7	1
09	Moundsville	172	1	–	–	33	13	3	3	3	2	2	7	8	95	83	2	1
10	Balance of county	229	–	–	1	45	14	11	1	2	2	2	13	3	123	100	5	–
11	Mason	267	1	–	2	49	8	16	3	9	3	3	7	6	139	111	1	4
12	Mercer	764	–	–	7	126	36	36	12	10	3	7	22	17	406	312	3	4
13	Bluefield	233	–	–	4	39	11	13	3	2	1	3	6	5	134	101	1	–
14	Balance of county	531	–	–	3	87	25	23	9	8	2	4	16	12	272	211	2	4
15	Mineral	249	–	–	1	47	12	16	2	3	–	1	13	5	137	112	1	–
16	Mingo	399	4	–	1	65	8	30	4	8	4	1	10	11	191	161	2	1
17	Monongalia	526	2	–	3	106	21	27	10	10	4	4	30	9	269	208	3	1
18	Morgantown	231	–	–	–	53	9	14	6	7	2	1	14	4	120	92	1	–
19	Balance of county	295	2	–	3	53	12	13	4	3	2	3	16	5	149	116	2	1
20	Monroe	152	–	–	–	25	7	4	2	1	1	1	9	1	80	60	1	–
21	Morgan	102	–	–	2	21	10	3	–	3	1	–	4	1	48	37	1	–
22	Nicholas	253	–	–	2	58	12	14	5	7	1	5	14	4	125	96	1	3
23	Ohio	800	1	–	7	161	50	32	19	16	7	8	29	7	429	356	12	2
24	Wheeling	679	1	–	6	134	44	26	15	15	6	5	23	7	368	303	12	2
25	Balance of county	121	–	–	1	27	6	6	4	1	1	3	6	–	61	53	–	–
26	Pendleton	90	–	–	2	15	4	2	3	1	–	1	4	1	50	37	1	–
27	Pleasants	73	–	–	–	7	1	3	–	–	1	–	2	5	39	30	–	2
28	Pocahontas	120	–	–	2	20	3	4	1	1	1	2	8	2	66	51	2	–
29	Preston	292	–	–	–	50	14	13	5	5	3	–	10	11	157	124	2	–
30	Putnam	247	–	–	2	61	16	8	7	8	2	4	16	1	127	109	1	2
31	Raleigh	875	4	–	4	151	42	36	16	24	9	3	21	17	462	394	4	10
32	Beckley	344	–	–	2	54	16	13	6	9	4	1	5	6	203	174	–	3
33	Balance of county	531	4	–	2	97	26	23	10	15	5	2	16	11	259	220	4	7
34	Randolph	322	1	–	–	55	14	17	4	3	–	3	14	6	191	137	4	2
35	Ritchie	143	–	–	–	29	6	8	–	5	3	2	5	1	84	69	1	1
36	Roane	166	–	–	1	27	6	11	2	2	1	1	4	1	93	62	1	–
37	Summers	184	–	–	1	35	10	5	1	4	1	1	13	3	104	79	1	–
38	Taylor	191	2	–	2	45	12	14	2	8	1	1	7	5	78	57	1	2
39	Tucker	91	–	–	–	16	3	7	1	2	–	1	2	1	52	36	1	2
40	Tyler	126	–	–	3	24	2	5	3	1	–	1	12	–	63	49	1	1
41	Upshur	212	–	–	–	38	9	9	2	5	3	3	7	1	119	94	2	2
42	Wayne	374	2	–	1	70	9	23	5	5	6	4	18	5	203	152	3	3
43	Huntington, part	61	–	–	–	15	2	2	1	2	–	1	7	1	39	30	1	–
44	Balance of county	313	2	–	1	55	7	21	4	3	6	3	11	4	164	122	2	3
45	Webster	114	1	–	1	25	4	6	1	4	5	–	5	3	55	46	–	–
46	Wetzel	222	–	–	1	51	14	9	4	8	2	3	11	2	113	87	2	–
47	Wirt	54	–	–	–	7	3	3	–	–	–	1	–	–	34	24	–	2
48	Wood	843	–	–	3	168	35	43	18	19	7	6	40	18	476	370	4	8
49	Parkersburg	577	–	–	2	112	22	24	15	15	5	5	26	11	336	264	4	6
50	Vienna	68	–	–	1	17	5	7	1	–	–	–	4	3	35	24	–	1
51	Balance of county	198	–	–	–	39	8	12	2	4	2	1	10	4	105	82	–	1
52	Wyoming	272	–	–	–	50	11	15	3	9	3	1	8	4	132	116	–	3
53	**Wisconsin**	**39,347**	**35**	**3**	**245**	**8,136**	**2,256**	**1,667**	**818**	**955**	**435**	**354**	**1,651**	**702**	**21,197**	**15,695**	**288**	**226**
54	Urban places	19,565	24	2	143	4,242	1,163	899	445	488	209	169	869	361	10,365	7,652	145	100
55	Balance of area	19,782	11	1	102	3,894	1,093	768	373	467	226	185	782	341	10,832	8,043	143	126
56	Metropolitan counties	20,119	23	2	145	4,282	1,160	932	453	479	222	175	861	373	10,584	7,907	163	110
57	Urban places	15,401	19	2	117	3,334	897	751	351	373	158	125	679	286	8,085	6,010	124	83
58	Balance of area	4,718	4	–	28	948	263	181	102	106	64	50	182	87	2,499	1,897	39	27
59	Nonmetropolitan counties	19,228	12	1	100	3,854	1,096	735	365	476	213	179	790	329	10,613	7,788	125	116
60	Urban places	4,164	5	–	26	908	266	148	94	115	51	44	190	75	2,280	1,642	21	17
61	Balance of area	15,064	7	1	74	2,946	830	587	271	361	162	135	600	254	8,333	6,146	104	99
62	Adams	134	–	–	–	30	8	12	2	5	–	1	2	4	75	62	–	–
63	Ashland	229	–	–	1	46	15	7	8	5	4	1	6	5	131	97	1	1
64	Barron	386	–	–	1	69	19	12	9	5	5	4	15	7	215	152	2	2
65	Bayfield	165	–	–	1	33	6	9	4	1	1	2	10	1	88	62	2	1
66	Brown	1,127	–	–	6	201	56	40	19	29	8	9	40	27	636	451	5	5
67	De Pere	74	–	–	–	14	2	2	1	3	1	1	4	2	45	31	–	1
68	Green Bay	709	–	–	4	116	34	25	9	17	4	4	23	15	413	289	4	3
69	Balance of county	344	–	–	2	71	20	13	9	9	3	4	13	10	178	131	1	1
70	Buffalo	147	–	–	1	26	6	5	5	3	1	1	5	–	89	78	–	2
71	Burnett	129	–	–	1	24	9	3	2	2	–	–	8	–	71	48	–	2
72	Calumet	210	–	–	2	47	14	4	5	6	4	6	8	3	106	89	–	2
73	Appleton, part	6	–	–	–	3	2	–	–	–	–	–	1	–	–	–	–	–
74	Balance of county	204	–	–	2	44	12	4	5	6	4	6	7	3	106	89	–	2
75	Chippewa	447	–	–	–	78	25	17	6	8	4	4	14	8	263	199	2	1
76	Chippewa Falls	146	–	–	–	27	10	9	1	1	1	1	4	4	86	71	–	–
77	Eau Claire, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
78	Balance of county	300	–	–	–	51	15	8	5	7	3	3	10	4	177	128	2	1
79	Clark	319	–	–	3	57	15	12	5	9	3	3	10	14	165	119	4	1
80	Columbia	422	–	–	1	80	19	19	9	8	2	3	20	5	244	192	3	1
81	Crawford	164	–	–	2	30	11	6	2	2	2	2	5	–	82	66	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
74	17	–	34	1	2	7	3	–	3	2	–	1	–	1	24	6	4	5	3	2	01
71	8	1	21	9	3	5	5	–	1	–	–	1	4	1	21	10	6	3	6	–	02
113	12	–	25	7	5	6	2	–	7	5	–	6	9	51	41	21	12	3	5	1	03
168	23	2	44	3	8	16	9	1	9	2	–	2	15	11	93	23	22	5	12	–	04
288	20	7	66	22	11	22	10	1	15	5	–	7	7	9	57	9	10	5	5	1	05
130	9	3	32	10	7	11	5	–	6	3	–	4	3	6	17	7	2	5	3	–	06
158	11	4	34	12	4	11	5	1	9	2	–	3	4	3	40	2	8	–	2	1	07
161	14	1	24	3	7	14	4	2	5	1	–	–	4	4	36	6	9	3	2	2	08
72	8	–	8	1	3	4	2	1	2	–	–	–	2	3	14	–	4	1	1	1	09
89	6	1	16	2	4	10	2	1	3	1	–	–	2	1	22	6	5	2	1	1	10
96	10	1	23	3	1	4	7	1	1	1	–	4	6	2	21	9	9	5	–	–	11
270	35	1	70	16	7	18	7	2	12	5	–	7	7	10	82	15	29	8	6	–	12
92	8	–	26	2	5	6	3	–	2	–	–	2	4	–	20	5	8	1	–	–	13
178	27	1	44	14	2	12	4	2	10	5	–	5	3	10	62	10	21	7	6	–	14
106	5	–	19	4	2	7	4	1	–	1	–	4	1	3	20	8	6	3	–	1	15
143	15	–	26	2	2	1	19	1	8	1	–	1	13	12	37	8	14	7	5	–	16
187	17	2	46	8	5	17	7	1	16	1	–	3	7	7	47	7	13	8	1	2	17
84	7	1	20	6	1	6	3	1	5	–	–	–	2	3	22	4	2	5	1	–	18
103	10	1	26	2	4	11	4	–	11	1	–	3	5	4	25	3	11	3	–	2	19
56	3	–	15	2	3	5	4	1	–	–	–	1	–	4	21	1	5	3	–	1	20
34	2	1	10	–	–	2	2	–	2	–	–	–	–	–	12	5	3	1	3	–	21
78	14	–	24	4	1	11	5	1	1	–	–	–	4	1	27	6	6	2	–	–	22
322	20	3	48	5	17	27	7	1	17	3	–	5	11	4	72	11	19	9	7	2	23
275	14	3	43	4	15	21	6	1	15	2	–	4	7	4	64	9	16	8	5	1	24
47	6	–	5	1	2	6	1	–	2	1	–	1	4	–	8	2	3	1	2	1	25
33	3	1	10	2	–	–	2	–	–	1	–	–	2	–	4	4	7	1	1	–	26
26	2	–	7	2	–	2	1	–	1	–	–	1	2	2	6	4	1	1	–	1	27
47	2	–	10	2	3	6	–	–	3	–	–	1	–	3	12	2	1	1	–	1	28
117	5	1	23	4	5	4	5	–	3	1	–	1	4	5	28	5	15	3	–	–	29
99	7	–	14	2	2	4	1	2	2	–	–	–	4	2	13	15	10	3	–	–	30
370	10	–	53	6	9	36	7	1	9	6	–	6	14	6	83	22	35	9	3	–	31
169	2	–	22	3	4	19	1	–	4	3	–	3	2	2	27	6	9	2	1	–	32
201	8	–	31	3	5	17	6	1	5	3	–	3	12	4	56	16	26	7	2	–	33
127	4	2	39	11	2	6	6	–	4	2	–	2	1	12	19	7	6	2	1	1	34
66	1	1	13	–	1	9	–	–	–	–	–	1	–	–	8	6	5	–	–	–	35
53	8	–	29	–	2	9	1	1	2	–	–	2	2	1	15	3	5	2	–	1	36
72	6	–	17	3	5	5	1	2	2	2	–	2	1	3	17	3	2	–	1	–	37
50	4	–	14	4	3	7	4	2	2	1	–	–	4	18	15	1	5	–	–	–	38
30	3	1	13	–	2	3	2	1	1	–	–	–	1	2	6	3	1	1	–	1	39
45	2	–	11	1	2	10	–	–	1	–	1	2	1	5	9	4	3	–	–	–	40
75	15	–	19	2	4	4	1	–	2	–	–	4	4	4	11	8	12	1	1	2	41
136	10	1	39	7	4	4	5	1	4	3	–	1	2	19	25	7	9	7	4	2	42
28	1	–	7	2	–	–	–	–	–	1	–	–	–	–	2	1	1	1	–	–	43
108	9	1	32	5	4	4	5	1	4	2	–	1	2	19	23	6	8	6	4	2	44
35	11	–	8	–	1	4	–	–	–	–	1	–	–	1	11	7	1	3	1	–	45
73	12	1	21	2	2	2	2	–	2	–	–	1	5	7	22	3	7	3	–	1	46
21	1	2	7	1	–	2	1	–	–	–	–	–	1	–	5	1	3	–	–	–	47
327	31	7	72	14	13	17	3	2	8	2	–	8	16	3	70	15	20	9	2	3	48
235	19	4	50	9	9	10	2	2	6	2	–	3	12	2	46	10	10	7	2	2	49
20	3	1	6	1	3	2	–	–	1	–	–	–	–	–	5	1	3	–	–	–	50
72	9	2	16	4	1	5	1	–	1	–	–	5	4	1	19	4	7	2	–	1	51
107	6	–	13	1	2	9	5	–	4	1	–	2	5	3	25	10	15	3	3	1	52
13,705	**1,476**	**134**	**4,049**	**723**	**596**	**1,062**	**357**	**117**	**473**	**135**	**8**	**283**	**332**	**410**	**3,180**	**948**	**946**	**594**	**151**	**33**	53
6,813	594	70	1,991	362	290	543	177	51	287	69	4	137	172	176	1,622	327	426	312	99	26	54
6,892	882	64	2,058	361	306	519	180	66	186	66	4	146	160	234	1,558	621	520	282	52	7	55
7,008	626	61	1,978	337	301	529	173	60	288	77	3	158	169	189	1,676	447	452	357	105	27	56
5,339	464	50	1,535	267	223	417	127	40	236	64	3	112	133	143	1,311	253	338	268	90	23	57
1,669	162	11	443	70	78	112	46	20	52	13	–	46	36	46	365	194	114	89	15	4	58
6,697	850	73	2,071	386	295	533	184	57	185	58	5	125	163	221	1,504	501	494	237	46	6	59
1,474	130	20	456	95	67	126	50	11	51	5	1	25	39	33	311	74	88	44	9	3	60
5,223	720	53	1,615	291	228	407	134	46	134	53	4	100	124	188	1,193	427	406	193	37	3	61
53	9	1	10	2	–	3	1	–	1	1	–	1	–	–	7	2	7	2	–	–	62
82	13	–	27	3	4	10	1	1	–	–	–	1	–	8	17	1	3	3	1	–	63
132	16	2	47	9	5	8	5	3	4	–	–	2	5	4	36	6	15	4	2	–	64
51	8	1	18	2	5	2	4	–	–	–	–	2	–	4	19	6	3	2	–	–	65
321	120	3	134	27	21	29	14	3	17	3	–	6	14	15	77	33	34	10	1	1	66
19	11	–	8	4	2	–	–	–	1	–	–	–	1	–	6	2	1	1	1	–	67
206	76	3	90	19	12	21	10	3	13	2	–	2	8	13	52	11	20	6	–	–	68
96	33	–	36	4	7	8	4	–	3	1	–	4	5	2	19	20	13	3	–	1	69
68	8	–	7	1	3	4	2	–	–	–	–	–	–	1	13	8	3	–	–	–	70
39	7	2	16	3	2	2	7	–	–	–	–	1	1	1	9	4	5	2	–	1	71
80	7	2	12	2	1	4	4	2	1	1	–	2	1	1	20	10	3	3	–	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	73
80	7	2	12	2	1	4	4	2	1	1	–	2	–	1	19	9	3	3	–	–	74
185	11	–	50	5	9	17	2	2	5	1	–	3	7	6	26	15	9	5	–	–	75
67	4	–	12	–	3	4	–	1	1	–	–	–	2	2	7	6	4	2	–	–	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	77
118	7	–	38	5	6	13	2	1	4	1	–	3	5	4	19	8	5	3	–	–	78
95	19	1	30	8	7	12	2	1	1	1	–	2	6	4	24	14	9	4	–	–	79
177	11	–	36	7	9	11	1	1	4	2	–	2	1	4	33	10	14	7	2	–	80
38	25	1	12	2	1	8	2	1	3	2	–	2	2	4	13	6	5	1	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Dane	1,788	2	–	10	390	98	81	49	49	18	13	82	22	917	668	20	9
02	Madison	1,022	1	–	7	236	51	54	35	26	7	10	53	14	518	377	10	2
03	Monona	65	–	–	1	20	7	6	1	1	2	–	3	1	25	14	–	–
04	Balance of county	701	1	–	2	134	40	21	13	22	9	3	26	7	374	277	10	7
05	Dodge	682	–	–	3	142	49	21	15	15	10	4	28	7	367	281	5	4
06	Beaver Dam	163	–	–	–	38	14	4	5	2	2	2	9	4	97	79	–	2
07	Watertown, part	62	–	–	–	15	8	2	1	2	–	–	2	–	30	10	–	–
08	Balance of county	457	–	–	3	89	27	15	9	11	8	2	17	3	240	192	5	2
09	Door	273	–	–	1	58	19	10	6	6	5	6	6	5	114	74	1	–
10	Douglas	422	–	–	3	81	21	17	4	9	9	3	18	6	233	175	3	3
11	Superior	323	–	–	2	59	18	15	3	7	6	1	9	4	180	132	1	2
12	Balance of county	99	–	–	1	22	3	2	1	2	3	2	9	2	53	43	2	1
13	Dunn	227	–	–	1	40	12	6	5	2	–	3	12	3	131	102	1	1
14	Menomonie	75	–	–	–	17	2	2	4	1	–	2	6	–	41	32	–	–
15	Balance of county	152	–	–	1	23	10	4	1	1	–	1	6	3	90	70	1	1
16	Eau Claire	622	–	–	5	123	34	27	12	18	2	8	22	6	339	246	4	2
17	Eau Claire, part	419	–	–	4	81	24	17	10	11	–	4	15	3	238	159	3	2
18	Eau Claire, total	420	–	–	4	81	24	17	10	11	–	4	15	3	238	159	3	2
19	Balance of county	203	–	–	1	42	10	10	2	7	2	4	7	3	101	87	1	–
20	Florence	48	–	–	1	7	3	1	–	–	–	–	3	2	25	13	–	–
21	Fond du Lac	790	–	–	3	170	46	21	25	21	11	8	38	18	423	315	3	6
22	Fond du Lac	379	–	–	1	81	21	7	13	14	7	2	17	8	209	150	2	3
23	Balance of county	411	–	–	2	89	25	14	12	7	4	6	21	10	214	165	1	3
24	Forest	115	–	–	4	23	2	5	2	5	2	–	7	1	62	40	–	–
25	Grant	468	–	–	2	78	20	12	6	11	6	6	17	2	272	182	3	2
26	Green	310	–	–	2	63	16	14	4	14	1	2	12	4	185	141	1	5
27	Green Lake	231	1	–	2	45	15	5	5	7	1	3	9	5	140	115	3	5
28	Iowa	201	–	–	1	31	12	6	3	2	2	–	6	3	116	70	–	1
29	Iron	101	–	–	1	26	7	6	1	2	2	1	7	3	55	43	–	4
30	Jackson	206	–	–	–	34	8	6	3	6	–	6	5	2	117	84	1	–
31	Jefferson	574	–	–	9	110	39	10	9	19	4	6	23	14	326	227	2	1
32	Watertown, part	137	–	–	–	25	9	–	3	4	1	3	5	3	80	51	–	–
33	Watertown, total	199	–	–	–	40	17	2	4	6	1	3	7	3	110	61	–	–
34	Whitewater, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
35	Balance of county	435	–	–	9	85	30	10	6	15	3	3	18	11	244	174	2	1
36	Juneau	202	–	–	–	41	20	7	3	3	3	2	3	1	116	93	–	3
37	Kenosha	1,011	1	–	6	191	47	56	15	20	12	9	32	17	582	445	8	8
38	Kenosha	724	1	–	5	127	34	37	9	17	6	4	20	13	427	327	3	4
39	Balance of county	287	–	–	1	64	13	19	6	3	6	5	12	4	155	118	5	4
40	Kewaunee	205	–	–	–	49	11	6	9	4	4	5	10	6	116	83	4	1
41	La Crosse	748	–	–	4	159	46	33	19	16	2	11	32	10	362	282	7	4
42	La Crosse	506	–	–	3	113	30	24	14	12	1	9	23	7	240	187	5	4
43	Balance of county	242	–	–	1	46	16	9	5	4	1	2	9	3	122	95	2	–
44	Lafayette	156	–	–	–	28	4	5	3	8	1	1	6	2	74	50	1	1
45	Langlade	202	1	–	1	38	10	7	1	3	3	2	12	1	113	83	1	1
46	Lincoln	281	–	–	2	54	13	11	9	10	2	–	9	4	152	114	2	2
47	Manitowoc	705	2	–	3	149	38	20	14	20	9	8	40	11	405	312	6	5
48	Manitowoc	363	2	–	2	74	24	5	6	8	5	4	22	7	206	154	3	1
49	Two Rivers	104	–	–	–	24	5	5	–	4	3	1	6	2	62	50	1	1
50	Balance of county	238	–	–	1	51	9	10	8	8	1	3	12	2	137	108	2	3
51	Marathon	784	–	–	7	184	43	45	17	23	6	13	37	17	405	312	6	12
52	Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53	Wausau	347	–	–	3	79	13	15	7	12	4	8	20	8	177	133	3	3
54	Balance of county	437	–	–	4	105	30	30	10	11	2	5	17	9	228	179	3	9
55	Marinette	451	1	–	–	93	22	20	6	16	3	4	22	11	258	192	–	3
56	Marinette	162	–	–	–	28	10	3	3	6	2	1	3	6	101	73	–	–
57	Balance of county	289	1	–	–	65	12	17	3	10	1	3	19	5	157	119	–	3
58	Marquette	128	–	–	1	24	8	6	3	–	2	–	5	1	71	43	1	–
59	Menominee	30	–	–	1	2	1	–	–	–	–	–	1	2	10	8	–	–
60	Milwaukee	9,052	14	1	78	2,020	543	465	209	220	87	65	431	188	4,682	3,528	77	52
61	Brown Deer	63	–	–	2	11	2	4	2	–	–	2	1	1	33	23	1	1
62	Cudahy	167	–	–	–	39	10	10	2	5	2	1	9	6	88	73	6	1
63	Franklin	74	–	–	–	22	3	5	4	2	1	–	7	–	31	26	–	–
64	Glendale	171	–	–	–	31	11	5	3	3	1	2	6	1	104	72	1	–
65	Greendale	59	–	–	1	11	–	5	1	4	–	1	–	1	31	24	2	–
66	Greenfield	197	–	–	3	49	15	12	6	6	–	1	9	5	96	75	3	2
67	Milwaukee, part	6,292	11	–	52	1,361	369	320	129	142	58	44	299	138	3,233	2,459	47	41
68	Milwaukee, total	6,293	11	–	52	1,361	369	320	129	142	58	44	299	138	3,234	2,460	47	41
69	Oak Creek	72	–	–	1	24	2	8	7	3	–	1	3	1	24	17	1	–
70	St. Francis	77	–	–	2	16	3	8	1	1	–	–	3	2	45	32	1	–
71	Shorewood	174	–	1	2	50	10	8	5	4	3	4	16	2	88	55	4	1
72	South Milwaukee	156	–	–	1	37	9	7	3	3	2	2	11	3	74	61	2	2
73	Wauwatosa	538	1	–	5	136	40	25	18	23	7	4	19	7	304	223	4	2
74	West Allis	654	2	–	5	143	48	30	15	14	6	1	29	13	356	262	4	2
75	Whitefish Bay	131	–	–	1	36	10	7	7	5	1	1	5	4	63	42	–	–
76	Balance of county	227	–	–	3	54	11	11	6	5	6	1	14	4	112	84	1	–
77	Monroe	323	–	–	1	65	11	11	6	12	7	2	16	4	174	124	–	1
78	Oconto	325	2	–	2	73	20	13	7	11	6	4	12	5	186	127	1	5
79	Oneida	309	–	–	1	76	21	17	5	10	4	6	13	3	167	120	2	1
80	Outagamie	922	–	–	7	178	50	37	23	16	15	9	28	18	518	388	9	3
81	Appleton, part	469	–	–	3	101	30	19	12	10	11	3	16	12	258	189	5	2
82	Appleton, total	475	–	–	3	104	32	19	12	10	11	3	17	12	258	189	5	2
83	Kaukauna	94	–	–	1	20	4	8	2	2	–	2	2	–	51	40	1	–
84	Balance of county	359	–	–	3	57	16	10	9	4	4	4	10	6	209	159	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
565	74	4	182	28	35	48	16	2	21	5	–	22	12	19	149	53	45	48	6	1	01
323	42	3	106	13	19	34	10	1	9	4	–	10	6	10	82	23	24	29	3	1	02
9	5	–	10	–	1	2	–	–	1	–	–	–	2	–	8	1	3	1	–	–	03
233	27	1	66	15	15	12	6	1	11	1	–	12	4	9	59	29	18	18	3	–	04
250	22	2	59	15	10	24	2	5	9	3	–	10	4	5	63	20	15	2	1	–	05
75	2	1	11	3	3	5	–	1	1	1	–	1	1	1	10	–	1	1	1	–	06
8	2	1	14	4	1	4	1	–	1	–	–	2	–	–	7	2	–	–	–	–	07
167	18	–	34	8	6	15	1	4	7	2	–	7	3	4	46	18	14	1	–	–	08
59	14	1	34	2	3	5	3	–	4	–	1	2	1	34	25	3	11	5	1	–	09
156	13	1	34	14	9	9	7	1	11	1	–	2	1	5	36	10	12	3	1	–	10
118	11	1	28	13	6	8	6	1	9	1	–	1	1	3	31	6	10	1	–	–	11
38	2	–	6	1	3	1	1	–	2	–	–	1	–	2	5	4	2	2	1	–	12
93	7	1	20	1	7	9	6	–	1	1	–	1	4	–	14	6	6	3	–	1	13
30	2	–	6	–	3	1	3	–	1	–	–	–	1	–	5	3	2	–	–	1	14
63	5	1	14	1	4	8	3	–	–	1	–	1	3	–	9	3	4	3	–	–	15
225	15	2	71	11	9	23	7	2	12	1	–	4	11	2	38	9	27	13	–	–	16
142	12	2	61	9	7	19	4	1	8	–	–	1	7	2	22	6	15	8	–	–	17
142	12	2	61	9	7	19	4	1	8	–	–	1	7	2	22	7	15	8	–	–	18
83	3	–	10	2	2	4	3	1	4	1	–	3	4	–	16	3	12	5	–	–	19
12	1	–	8	3	1	–	1	–	–	–	–	–	–	–	6	1	2	3	–	–	20
282	24	3	68	19	18	25	10	1	5	3	–	8	8	7	62	17	15	12	2	1	21
134	11	–	41	11	7	12	4	1	3	–	–	3	2	3	33	4	6	7	1	1	22
148	13	3	27	8	11	13	6	–	2	3	–	5	6	4	29	13	9	5	1	–	23
31	9	–	19	1	2	3	–	–	1	–	–	–	–	–	10	3	3	5	–	–	24
156	21	–	67	20	3	20	8	1	6	2	–	2	5	4	41	10	12	2	1	–	25
131	4	1	35	2	6	9	–	2	1	–	–	–	1	1	20	10	7	4	1	–	26
96	11	1	19	2	3	8	3	–	2	1	–	1	–	–	14	7	1	1	–	–	27
67	2	1	36	7	2	4	2	–	2	–	–	2	1	1	19	6	7	6	–	–	28
37	2	–	9	–	3	4	–	–	–	–	–	–	–	–	9	1	1	–	1	–	29
78	5	3	21	7	2	13	–	–	1	–	–	1	3	2	18	7	6	2	–	–	30
206	18	1	69	22	7	6	7	1	7	2	–	4	4	5	40	17	18	4	–	–	31
48	3	–	22	5	2	1	1	–	2	1	–	1	2	2	14	3	2	–	–	–	32
56	5	1	36	9	3	5	2	–	3	1	–	3	2	2	21	5	2	–	–	–	33
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
156	15	1	47	17	5	5	6	1	5	1	–	3	2	3	26	14	16	4	–	–	35
84	6	–	19	3	1	5	–	1	4	–	–	2	3	2	14	5	4	4	–	–	36
415	14	7	100	16	14	29	11	4	22	2	–	6	8	3	55	37	19	10	7	1	37
311	9	5	71	16	8	19	6	2	18	2	–	4	8	3	40	23	12	7	6	1	38
104	5	2	29	–	6	10	5	2	4	–	–	2	–	–	15	14	7	3	1	–	39
70	8	1	17	9	6	1	3	–	1	–	–	–	–	6	7	9	4	3	–	–	40
255	16	–	56	7	17	24	8	5	11	4	–	6	5	4	95	20	21	8	2	–	41
170	8	–	36	5	12	18	7	1	6	2	–	2	3	3	72	7	17	4	1	–	42
85	8	–	20	2	5	6	1	4	5	2	–	4	2	1	23	13	4	4	1	–	43
41	7	–	21	1	2	7	1	3	1	1	–	–	1	5	15	6	9	3	–	–	44
47	34	1	24	1	4	6	3	1	1	–	–	1	1	3	21	5	4	1	1	–	45
95	15	–	29	2	7	4	1	–	5	–	1	3	3	3	27	14	3	4	1	–	46
280	21	5	72	6	10	16	8	2	5	1	–	2	5	5	52	15	17	6	1	–	47
141	9	3	38	5	6	9	5	1	3	–	–	2	2	1	35	5	7	2	–	–	48
47	1	1	11	–	–	3	1	–	–	–	–	–	1	3	4	2	2	–	–	–	49
92	11	1	23	1	4	4	2	1	2	1	–	–	2	1	13	8	8	4	1	–	50
234	60	3	68	8	14	15	5	1	9	2	1	9	10	6	60	22	22	8	1	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
103	24	2	36	3	3	10	3	1	4	1	–	2	6	2	31	6	10	3	1	–	53
131	36	1	32	5	11	5	2	–	5	1	1	7	4	4	29	16	12	5	–	–	54
177	12	3	43	12	8	8	8	1	4	2	–	2	3	3	33	8	11	4	1	–	55
70	3	1	19	4	4	4	2	–	1	–	–	–	1	2	10	1	4	1	1	–	56
107	9	2	24	8	4	4	6	1	3	2	–	2	2	1	23	7	7	3	–	–	57
39	3	–	25	2	1	6	–	–	–	2	–	–	1	1	14	2	1	2	2	–	58
7	1	–	1	1	–	2	–	–	4	–	–	–	–	–	2	1	3	1	2	–	59
3,182	217	22	879	141	112	233	62	22	142	46	3	69	72	75	801	109	189	160	67	19	60
19	2	–	6	1	3	–	–	–	1	1	–	1	–	–	10	1	2	–	–	–	61
61	5	1	8	2	4	4	2	–	4	1	–	2	1	1	12	2	3	1	1	–	62
25	1	–	2	3	–	–	1	–	3	1	–	–	–	1	5	5	5	–	–	–	63
63	8	–	23	9	–	6	–	1	1	1	–	1	–	1	17	2	–	5	–	–	64
19	3	–	6	–	1	3	–	–	2	–	–	–	1	–	6	–	–	3	–	–	65
63	7	–	14	3	4	12	–	1	4	1	–	2	1	1	10	4	5	1	1	1	66
2,229	142	18	598	90	68	154	44	16	100	33	3	47	59	60	576	69	143	113	63	17	67
2,230	142	18	598	90	68	154	44	16	100	33	3	47	59	60	576	69	143	113	63	17	68
16	–	1	5	–	1	2	1	–	1	–	–	1	1	2	6	4	2	2	–	–	69
30	1	–	6	3	4	1	1	–	2	–	–	1	–	–	4	1	2	–	–	–	70
45	5	–	25	5	3	3	1	–	3	2	–	1	–	2	12	1	3	3	–	–	71
51	6	–	10	2	1	2	4	1	4	1	–	1	–	–	16	6	–	5	1	–	72
205	12	–	65	9	7	16	1	–	6	1	–	4	1	–	42	2	7	5	–	–	73
240	16	1	75	10	8	23	6	2	7	3	–	4	5	5	47	7	10	14	1	1	74
40	2	–	14	2	5	4	1	–	–	–	–	1	–	1	15	1	3	1	–	–	75
76	7	1	22	2	3	3	–	1	4	1	–	3	3	1	23	4	4	7	–	–	76
110	13	1	41	3	5	13	2	1	1	1	–	1	1	4	35	5	8	5	1	1	77
91	30	1	44	6	8	6	2	1	2	1	–	2	1	1	22	6	5	5	3	–	78
88	29	–	35	5	7	18	2	–	2	–	–	3	3	–	21	3	5	4	1	–	79
352	24	2	95	15	18	22	11	2	10	5	–	7	10	3	62	32	18	17	2	–	80
170	12	1	48	10	10	11	7	–	7	2	–	5	3	1	25	14	11	8	1	–	81
170	12	1	48	10	10	11	7	–	7	2	–	5	4	1	26	15	11	8	1	–	82
38	1	–	8	2	1	3	1	1	2	1	–	1	2	–	8	2	–	1	–	–	83
144	11	1	39	3	7	8	3	1	1	2	–	1	5	2	29	16	7	8	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965 Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Ozaukee	390	1	–	–	90	22	22	9	6	5	7	19	9	205	151	2	3
02	Mequon	111	–	–	–	26	9	6	–	2	1	1	7	1	60	43	–	–
03	Balance of county	279	1	–	–	64	13	16	9	4	4	6	12	8	145	108	2	3
04	Pepin	75	–	–	–	16	3	–	1	6	1	1	4	1	41	31	1	1
05	Pierce	230	–	–	2	38	7	8	7	7	1	1	7	–	119	90	4	2
06	Polk	322	–	–	2	64	18	14	5	7	6	1	13	9	183	133	5	1
07	Portage	375	–	–	1	85	27	16	7	7	2	5	21	7	197	148	1	1
08	Stevens Point	196	–	–	1	48	12	10	5	6	2	4	9	3	98	75	1	1
09	Balance of county	179	–	–	–	37	15	6	2	1	–	1	12	4	99	73	–	–
10	Price	154	–	–	1	27	7	5	3	2	3	–	7	9	88	67	2	–
11	Racine	1,345	2	–	11	273	79	58	36	26	17	11	46	24	705	508	12	10
12	Racine	820	1	–	8	164	47	32	21	16	11	7	30	12	428	305	8	6
13	Balance of county	525	1	–	3	109	32	26	15	10	6	4	16	12	277	203	4	4
14	Richland	162	–	–	2	40	13	8	3	8	–	1	7	1	94	70	1	–
15	Rock	1,097	2	–	7	235	70	48	21	27	14	9	46	13	599	431	12	7
16	Beloit	322	–	–	2	71	16	19	6	10	4	1	15	3	171	121	1	1
17	Janesville	385	2	–	5	86	24	16	9	5	7	6	19	7	194	141	3	1
18	Balance of county	390	–	–	–	78	30	13	6	12	3	2	12	3	234	169	8	5
19	Rusk	140	–	–	2	23	7	6	1	4	2	–	3	3	75	52	–	–
20	St. Croix	329	–	–	2	70	17	17	5	8	5	4	14	5	163	115	–	3
21	Sauk	438	–	–	2	63	22	15	6	8	4	1	7	13	267	220	4	1
22	Sawyer	135	–	–	–	22	5	9	1	1	1	–	5	1	73	60	1	1
23	Shawano	398	–	–	–	80	20	14	7	7	8	4	20	12	219	152	3	1
24	Sheboygan	947	–	–	3	214	79	31	21	22	11	5	45	18	493	346	7	7
25	Sheboygan	554	–	–	3	133	49	22	14	15	6	2	25	11	285	202	3	1
26	Balance of county	393	–	–	–	81	30	9	7	7	5	3	20	7	208	144	4	6
27	Taylor	175	–	–	1	31	7	7	4	3	1	2	7	3	90	67	1	2
28	Trempealeau	306	1	–	1	61	13	7	10	9	5	6	11	8	159	115	–	–
29	Vernon	326	–	–	–	62	21	7	4	12	3	3	12	8	196	147	3	–
30	Vilas	186	–	–	1	44	13	13	2	4	1	2	9	2	98	74	–	1
31	Walworth	599	1	–	1	114	28	29	10	13	9	4	21	12	331	241	5	6
32	Whitewater, part	45	–	–	–	18	3	4	3	6	–	1	1	1	23	20	–	–
33	Whitewater, total	47	–	–	–	18	3	4	3	6	–	1	1	1	25	22	–	–
34	Balance of county	554	1	–	1	96	25	25	7	7	9	3	20	11	308	221	5	6
35	Washburn	156	–	–	–	30	8	14	2	1	2	–	3	1	97	62	1	–
36	Washington	551	–	–	4	106	27	19	9	16	8	8	19	12	282	197	7	2
37	Milwaukee, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
38	West Bend	138	–	–	–	28	8	3	1	6	2	2	6	3	62	45	2	1
39	Balance of county	412	–	–	4	78	19	16	8	10	6	6	13	9	219	151	5	1
40	Waukesha	1,476	2	–	10	325	94	62	32	37	22	18	60	17	760	590	8	4
41	Brookfield	181	–	–	2	49	12	4	7	6	7	3	10	2	94	71	1	–
42	Menomonee Falls	123	–	–	–	33	8	6	4	5	3	3	4	2	57	44	1	–
43	Muskego	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	New Berlin	120	–	–	2	33	7	7	7	3	1	2	6	–	58	47	–	–
45	Waukesha	307	1	–	2	67	20	18	4	3	2	4	16	–	161	117	3	2
46	Balance of county	744	1	–	4	143	47	27	10	20	9	6	24	13	390	311	3	2
47	Waupaca	482	–	1	1	85	28	17	5	8	6	3	18	7	285	210	5	1
48	Waushara	195	–	–	–	40	10	12	3	2	–	2	11	3	118	88	–	1
49	Winnebago	1,077	1	1	4	221	63	38	24	29	15	6	46	20	596	435	5	5
50	Menasha	110	–	1	1	26	8	2	5	2	3	–	6	2	61	44	–	1
51	Neenah	180	–	–	–	37	8	10	3	7	2	–	7	4	92	64	3	–
52	Oshkosh	492	1	–	1	96	26	19	10	13	7	5	16	8	284	199	1	3
53	Balance of county	295	–	–	2	62	21	7	6	7	3	1	17	6	159	128	1	1
54	Wood	510	1	–	6	111	36	18	6	14	10	4	23	6	286	200	5	2
55	Marshfield, part	143	1	–	3	30	9	3	1	7	5	1	4	1	82	58	–	–
56	Marshfield, total	143	1	–	3	30	9	3	1	7	5	1	4	1	82	58	–	–
57	Wisconsin Rapids	159	–	–	2	33	13	5	3	1	2	1	8	4	98	61	1	1
58	Balance of county	208	–	–	1	48	14	10	2	6	3	2	11	1	106	81	4	1
59	**Wyoming**	**3,048**	**2**	**1**	**18**	**553**	**137**	**140**	**39**	**66**	**34**	**21**	**116**	**52**	**1,345**	**1,000**	**21**	**8**
60	Urban places	1,184	1	–	12	212	41	53	19	35	10	6	48	17	545	405	13	2
61	Balance of area	1,864	1	1	6	341	96	87	20	31	24	15	68	35	800	595	8	6
62	Nonmetropolitan counties	3,048	2	1	18	553	137	140	39	66	34	21	116	52	1,345	1,000	21	8
63	Urban places	1,184	1	–	12	212	41	53	19	35	10	6	48	17	545	405	13	2
64	Balance of area	1,864	1	1	6	341	96	87	20	31	24	15	68	35	800	595	8	6
65	Albany	169	–	–	1	30	7	11	1	5	1	2	3	4	83	62	3	–
66	Laramie	134	–	–	–	24	5	9	1	5	–	2	2	2	69	50	3	–
67	Balance of county	35	–	–	1	6	2	2	–	–	1	–	1	2	14	12	–	–
68	Big Horn	106	–	–	–	23	4	10	–	2	2	–	5	–	59	47	1	1
69	Campbell	93	–	–	1	10	3	2	–	1	–	–	4	–	39	30	–	–
70	Carbon	142	–	–	–	18	3	8	2	2	–	1	2	1	59	45	–	–
71	Converse	80	–	–	–	13	4	5	1	2	1	–	–	1	40	28	–	1
72	Crook	32	–	–	–	5	2	–	1	–	1	–	1	–	10	7	–	–
73	Fremont	234	–	–	1	35	13	7	1	1	2	2	9	9	90	65	1	2
74	Goshen	102	–	–	1	26	5	4	4	3	2	3	5	2	53	41	2	–
75	Hot Springs	67	–	1	–	11	7	1	–	1	–	1	1	2	33	28	–	–
76	Johnson	66	–	–	–	16	6	3	–	–	1	–	6	1	26	16	–	–
77	Laramie	496	1	–	6	90	20	21	7	16	6	2	18	4	219	172	3	1
78	Cheyenne	414	1	–	6	73	14	18	7	14	4	1	15	2	190	148	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
135	11	2	38	9	5	8	3	1	3	–	–	4	3	4	36	7	6	8	1	1	01
40	3	1	8	6	2	4	–	1	1	–	–	–	1	1	10	2	2	2	–	–	02
95	8	1	30	3	3	4	3	–	2	–	–	4	2	3	26	5	4	6	1	1	03
22	7	–	9	1	–	5	1	–	–	–	–	1	–	–	6	2	2	–	–	–	04
78	6	2	23	2	2	11	3	–	1	2	–	1	3	1	26	8	8	5	2	–	05
116	11	4	33	10	3	5	2	1	–	3	–	–	2	2	20	11	10	8	–	–	06
137	9	1	38	5	5	8	2	1	4	1	1	3	4	4	28	10	14	2	3	–	07
69	4	1	15	3	4	6	2	1	4	–	1	3	1	1	16	3	5	2	1	–	08
68	5	–	23	2	1	2	–	–	–	1	–	–	3	3	12	7	9	–	2	–	09
50	15	–	14	3	4	–	1	–	–	2	–	–	1	5	10	4	2	3	–	1	10
451	35	7	146	24	20	24	13	5	19	–	–	12	15	15	108	41	37	27	11	3	11
267	24	5	90	14	14	16	8	2	15	–	–	6	11	8	73	17	25	18	6	2	12
184	11	2	56	10	6	8	5	3	4	–	–	6	4	7	35	24	12	9	5	1	13
67	2	–	18	3	3	2	1	1	1	1	–	1	1	–	12	4	1	–	–	–	14
361	51	2	116	26	24	29	21	3	13	1	–	8	8	8	82	22	26	16	3	1	15
115	4	–	30	13	7	4	8	1	4	1	–	2	1	4	26	8	7	7	2	–	16
112	25	1	39	8	5	16	7	1	5	–	–	2	4	3	31	5	9	6	1	1	17
134	22	1	47	5	12	9	6	1	4	–	–	4	3	1	25	9	10	3	–	–	18
34	18	3	15	4	1	4	2	1	1	–	–	2	1	2	9	7	7	1	–	–	19
102	10	3	34	9	2	16	–	4	1	1	–	6	2	6	27	11	12	2	1	–	20
204	11	–	38	4	5	5	4	2	5	4	–	4	3	2	40	9	8	6	1	–	21
45	13	–	10	–	3	4	1	1	4	–	1	–	1	1	16	5	4	1	–	–	22
120	28	1	44	18	4	8	4	3	2	3	–	1	2	4	31	12	12	4	1	–	23
307	25	5	105	25	12	32	13	3	13	3	–	5	8	6	87	19	24	5	1	–	24
184	14	4	53	18	8	22	8	1	11	1	–	2	6	4	44	8	12	3	–	–	25
123	11	1	52	7	4	10	5	2	2	2	–	3	2	2	43	11	12	2	1	–	26
54	10	2	13	7	1	9	1	–	3	–	–	–	2	2	12	12	6	2	1	–	27
103	12	1	31	9	3	10	2	–	4	1	–	2	3	6	29	5	9	4	1	–	28
131	13	–	38	5	6	9	–	2	2	–	–	1	2	–	20	7	10	7	–	–	29
49	24	–	16	4	4	6	3	–	–	–	–	2	2	3	13	5	1	5	1	–	30
210	20	4	72	9	5	6	2	1	8	1	–	6	7	4	60	13	17	12	3	–	31
17	3	–	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	32
19	3	–	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	33
193	17	4	70	8	5	6	2	1	8	1	–	5	7	4	59	13	17	12	2	–	34
60	1	–	25	6	4	3	2	–	2	–	–	–	2	1	10	–	5	3	–	–	35
167	21	3	52	15	15	11	7	1	9	1	–	5	6	4	49	30	11	12	–	1	36
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
35	7	2	8	1	6	4	–	1	2	–	–	–	5	2	17	7	5	2	–	–	38
131	14	1	44	14	9	7	7	–	7	1	–	5	1	2	32	23	6	10	–	1	39
548	30	4	131	18	17	62	10	8	10	6	–	8	10	21	110	45	36	30	6	–	40
64	6	1	17	4	1	4	2	–	1	–	–	–	–	3	11	6	1	6	–	–	41
40	3	–	13	–	–	4	2	–	1	2	–	1	1	2	7	5	2	4	–	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	43
44	3	1	8	2	–	3	1	1	–	–	–	3	–	2	7	6	2	2	–	–	44
107	5	2	34	2	6	15	3	2	1	1	–	2	2	5	25	4	7	6	3	–	45
293	13	–	59	10	10	36	2	5	7	3	–	2	7	9	60	24	24	12	2	–	46
177	27	2	63	7	3	11	4	–	5	4	–	2	5	20	26	16	7	3	–	–	47
82	5	1	23	4	2	4	1	–	4	1	–	–	2	1	14	4	1	1	1	–	48
381	44	4	119	21	17	26	7	4	12	3	–	9	12	20	78	20	21	21	1	–	49
41	2	2	9	2	4	–	–	–	1	1	–	–	1	4	8	1	1	2	–	–	50
52	9	–	24	1	3	2	–	–	4	–	–	3	2	3	14	5	6	8	–	–	51
178	17	2	62	14	7	19	2	3	6	1	–	6	6	6	36	5	4	7	1	–	52
110	16	–	24	4	3	5	5	1	1	1	–	–	3	7	20	9	10	4	–	–	53
182	11	3	66	12	5	9	3	2	4	–	–	4	6	7	27	25	8	5	–	–	54
54	4	2	18	4	–	1	–	1	2	–	–	2	–	–	10	9	1	–	–	–	55
54	4	2	18	4	–	1	–	1	2	–	–	2	–	–	10	9	1	–	–	–	56
56	3	1	28	4	4	5	1	–	–	–	–	1	2	3	5	2	1	2	–	–	57
72	4	–	20	4	1	3	2	1	2	–	–	1	4	4	12	14	6	3	–	–	58
842	**129**	**6**	**252**	**39**	**48**	**92**	**40**	**11**	**47**	**6**	**4**	**27**	**48**	**35**	**318**	**201**	**145**	**62**	**19**	**22**	**59**
335	55	4	98	14	24	42	18	3	21	–	–	12	18	12	133	61	45	19	4	9	60
507	74	2	154	25	24	50	22	8	26	6	4	15	30	23	185	140	100	43	15	13	61
842	129	6	252	39	48	92	40	11	47	6	4	27	48	35	318	201	145	62	19	22	62
335	55	4	98	14	24	42	18	3	21	–	–	12	18	12	133	61	45	19	4	9	63
507	74	2	154	25	24	50	22	8	26	6	4	15	30	23	185	140	100	43	15	13	64
47	12	–	12	4	5	3	2	–	2	–	–	–	1	–	16	11	9	3	–	4	65
37	10	–	12	4	3	2	2	–	2	–	–	–	1	–	15	7	5	2	–	3	66
10	2	–	–	–	2	1	–	–	–	–	–	–	–	–	1	4	4	1	–	1	67
38	7	1	10	–	1	3	–	–	–	–	–	–	–	2	3	4	11	1	–	–	68
22	8	–	6	2	1	–	2	2	–	–	–	–	3	2	8	14	5	3	2	2	69
41	4	–	11	2	1	1	1	2	6	–	–	4	2	2	14	14	12	3	3	–	70
22	5	–	5	5	2	2	1	–	–	1	–	3	–	–	5	5	8	–	1	–	71
6	1	–	3	–	–	–	1	–	1	–	–	–	1	–	6	3	2	3	–	–	72
51	11	–	17	4	4	9	–	–	6	2	1	2	6	2	19	24	13	12	3	–	73
35	4	–	9	1	2	1	–	1	1	–	–	2	3	–	9	1	2	–	–	–	74
26	2	–	4	–	1	4	3	–	1	1	–	–	–	–	2	6	3	–	–	–	75
15	1	–	7	2	1	1	–	1	–	–	–	–	1	–	15	1	2	–	2	–	76
146	22	1	32	2	12	23	7	2	11	1	–	6	5	1	65	26	15	10	3	1	77
122	22	1	29	2	10	19	5	2	10	–	–	5	5	–	51	19	13	9	3	1	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wyoming—Con.																	
	Laramie—Con.																	
01	Balance of county	82	–	–	–	17	6	3	–	2	2	1	3	2	29	24	–	–
02	Lincoln	66	–	–	–	8	2	2	–	1	1	–	2	1	32	23	–	–
03	Natrona	421	1	–	6	89	22	17	5	16	8	3	18	6	169	123	3	–
04	Casper	340	–	–	6	71	17	12	4	13	4	3	18	5	136	100	3	–
05	Balance of county	81	1	–	–	18	5	5	1	3	4	–	–	1	33	23	–	–
06	Niobrara	36	–	–	–	12	3	1	2	1	1	–	4	1	10	5	1	–
07	Park	151	–	–	–	36	12	12	–	4	2	2	4	1	66	43	–	–
08	Platte	77	–	–	–	12	4	2	1	2	–	–	3	1	36	25	1	–
09	Sheridan	232	–	–	1	47	7	15	9	3	2	1	10	3	116	80	2	2
10	Sheridan	157	–	–	–	26	3	9	4	1	2	–	7	1	87	58	2	1
11	Balance of county	75	–	–	1	21	4	6	5	2	–	1	3	2	29	22	–	1
12	Sublette	18	–	–	–	5	1	2	–	–	1	–	1	–	5	3	–	–
13	Sweetwater	219	–	–	1	28	5	8	3	2	1	–	9	8	97	75	4	–
14	Rock Springs	139	–	–	–	18	2	5	3	2	–	–	6	7	63	49	2	–
15	Balance of county	80	–	–	1	10	3	3	–	–	1	–	3	1	34	26	2	–
16	Teton	38	–	–	–	10	3	1	2	–	1	2	1	1	13	10	–	–
17	Uinta	74	–	–	–	10	1	2	–	3	–	1	3	5	26	20	–	1
18	Washakie	71	–	–	–	9	2	3	–	1	–	–	3	–	36	27	–	–
19	Weston	58	–	–	–	10	1	3	–	–	1	1	4	1	28	25	–	–

‡Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1977–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
24	–	–	3	–	2	4	2	–	1	1	–	1	–	1	14	7	2	1	–	–	01
23	–	–	8	–	1	1	–	–	1	1	2	–	2	2	9	3	3	1	–	–	02
113	7	2	31	6	7	15	9	–	3	–	–	6	11	7	44	27	19	5	–	4	03
93	4	2	24	3	7	13	8	–	3	–	–	6	8	7	34	23	13	4	–	3	04
20	3	–	7	3	–	2	1	–	–	–	–	–	3	–	10	4	6	1	–	1	05
3	1	–	4	–	1	1	–	1	–	–	–	–	1	1	3	5	1	–	–	–	06
40	3	–	20	2	1	4	2	–	2	–	–	–	–	4	15	8	8	4	1	–	07
18	6	–	7	2	2	1	2	–	2	–	–	1	1	–	10	6	1	3	–	1	08
53	23	1	28	5	2	9	4	1	3	–	–	–	–	7	23	6	7	2	–	3	09
38	17	1	21	5	2	6	3	1	2	–	–	–	–	4	16	4	4	1	–	2	10
15	6	–	7	–	–	3	1	–	1	–	–	–	–	3	7	2	3	1	–	1	11
3	–	–	2	–	–	1	2	–	–	–	–	–	–	–	1	1	–	1	–	2	12
67	4	–	20	–	2	3	–	–	4	–	–	2	8	1	25	20	13	4	4	1	13
45	2	–	12	–	2	2	–	–	4	–	–	1	4	1	17	8	10	3	1	–	14
22	2	–	8	–	–	1	–	–	–	–	–	1	4	–	8	12	3	1	3	1	15
8	2	–	3	–	–	4	1	1	–	–	–	–	–	–	3	2	2	1	–	–	16
17	2	1	4	1	–	3	2	–	2	–	1	1	1	1	8	7	1	2	–	4	17
25	2	–	8	1	–	1	1	–	1	–	–	–	1	3	8	5	5	1	–	–	18
23	2	–	1	–	2	2	–	–	1	–	–	–	1	–	7	2	3	3	–	–	19

Section 8.
Guam, Puerto Rico, and Virgin Islands (U.S.)

Table		Page
8–1.	Deaths and death rates: Guam, Puerto Rico, and Virgin Islands, 1940–77	8–3
8–2.	Deaths by month and sex for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–3
8–3.	Deaths from 69 selected causes, by 10-year age groups and sex: Guam, 1977	8–4
8–4.	Deaths from 69 selected causes, by 10-year age groups and sex: Puerto Rico, 1977	8–8
8–5.	Deaths from 69 selected causes, by 10-year age groups, color, and sex: Virgin Islands, 1977	8–12
8–6.	Deaths from motor vehicle accidents, by person injured and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–17
8–7.	Deaths from nontransport accidents, by place of accident and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–17
8–8.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1977	8–18
8–9.	Total, infant, and neonatal deaths for Virgin Islands and specified urban place and Guam; and by color for Virgin Islands and specified urban place: 1977	8–18
8–10.	Deaths under 1 year and under 28 days, by month, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–19
8–11.	Deaths under 1 year, by age and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–19
8–12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1977	8–20

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix, and St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race and color

Deaths are not shown by color for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States, 1977*—discusses other factors concerning these mortality statistics.

Table 8–1. Deaths and Death Rates: Guam, Puerto Rico, and Virgin Islands, 1940–77

[Rates per 1,000 population in each area]

Year	Guam		Puerto Rico		Virgin Islands	
	Number	Rate	Number	Rate	Number	Rate
1977	361	3.3	19,778	6.0	380	4.1
1976	446	4.8	19,286	6.0	447	4.7
1975	427	4.3	17,805	5.8	477	5.0
1974	423	4.4	18,948	6.3	462	5.2
1973	416	4.2	19,479	6.6	459	5.6
1972	409	4.5	19,011	6.7	—	—
1971	338	3.9	17,499	6.3	498	7.0
1970	338	4.0	17,830	6.6	441	7.1
1969	421	4.1	17,667	6.4	477	8.5
1968	356	3.6	17,481	6.4	474	8.5
1967	340	3.7	16,677	6.2	373	6.7
1966	327	4.1	16,891	6.3	387	7.8
1965	336	4.4	17,686	6.7	416	9.6
1964	363	5.3	18,566	7.2	343	8.4
1963	344	5.0	17,350	6.9	383	9.6
1962	315	4.7	16,548	6.7	321	9.2
1961	265	4.1	16,364	6.8	326	9.5
1960	351	5.3	15,791	6.7	332	10.3
1959	285	4.2	15,818	6.8	320	10.3
1958	254	3.8	16,074	7.0	340	11.3
1957	277	4.2	15,978	7.1	324	11.0
1956	246	3.6	16,568	7.4	354	12.5
1955	292	4.3	16,221	7.2	311	11.3
1954	291	4.3	16,783	7.6	301	11.1
1953	390	5.7	17,972	8.2	279	10.4
1952	278	4.4	20,460	9.2	346	12.4
1951	196	3.1	22,374	10.0	375	13.5
1950	230	3.9	21,895	9.9	374	14.0
1949	—	—	23,389	10.6	362	13.6
1948	—	—	26,209	12.0	340	12.6
1947	—	—	25,407	11.8	394	14.5
1946	—	—	27,517	12.9	408	15.1
1945	—	—	28,837	13.7	401	15.0
1944	—	—	29,795	14.4	402	14.8
1943	—	—	29,019	14.3	389	14.2
1942	—	—	32,220	16.2	483	18.5
1941	—	—	35,492	18.3	468	18.1
1940	—	—	34,468	18.4	553	22.2

Table 8–2. Deaths by Month and Sex for Guam, Puerto Rico, Virgin Islands; and by Color for Virgin Islands: 1977

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Guam	361	30	30	28	28	26	30	35	28	28	28	45	25
Male	229	20	21	15	15	14	18	25	18	19	15	30	19
Female	132	10	9	13	13	12	12	10	10	9	13	15	6
Puerto Rico	19,778	1,579	1,412	1,616	1,490	1,607	1,615	1,605	1,620	1,619	1,762	1,786	2,067
Male	11,468	924	826	950	855	891	915	894	945	952	1,028	1,063	1,225
Female	8,310	655	586	666	635	716	700	711	675	667	734	723	842
Virgin Islands	380	39	28	29	21	37	33	35	31	38	28	36	25
Male	200	16	15	17	10	16	13	18	15	23	15	23	19
Female	180	23	13	12	11	21	20	17	16	15	13	13	6
White	65	9	5	6	5	7	3	3	6	7	4	2	8
Male	45	5	3	3	2	4	2	3	6	6	2	2	7
Female	20	4	2	3	3	3	1	–	–	1	2	–	1
All other	315	30	23	23	16	30	30	32	25	31	24	34	17
Male	155	11	12	14	8	12	11	15	9	17	13	21	12
Female	160	19	11	9	8	18	19	17	16	14	11	13	5

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1977

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	361	45	3	5	36	29	27	42	63	57	36	18	–
Male	229	24	–	5	29	23	14	36	46	32	14	6	–
Female	132	21	3	–	7	6	13	6	17	25	22	12	–
Bacillary dysentery and amebiasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, all forms 010–019	7	–	–	–	–	–	–	1	3	2	1	–	–
Male	3	–	–	–	–	–	–	1	1	1	–	–	–
Female	4	–	–	–	–	–	–	–	2	1	1	–	–
Tuberculosis of respiratory system 010–012	5	–	–	–	–	–	–	1	3	–	1	–	–
Male	2	–	–	–	–	–	–	1	1	–	–	–	–
Female	3	–	–	–	–	–	–	–	2	–	1	–	–
Tuberculosis, other forms 013–019	2	–	–	–	–	–	–	–	–	2	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	4	1	–	–	–	1	–	1	–	1	–	–	–
Male	3	–	–	–	–	1	–	1	–	1	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090–097	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000–136	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140–209	32	–	–	–	–	–	4	4	10	10	3	1	–
Male	22	–	–	–	–	–	1	4	8	7	2	–	–
Female	10	–	–	–	–	–	3	–	2	3	1	1	–
Malignant neoplasms of buccal cavity and pharynx 140–149	2	–	–	–	–	–	–	–	1	–	1	–	–
Male	2	–	–	–	–	–	–	–	1	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum 150–159	11	–	–	–	–	–	1	2	4	3	1	–	–
Male	10	–	–	–	–	–	1	2	4	2	1	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of respiratory system 160–163	5	–	–	–	–	–	–	1	2	2	–	–	–
Male	4	–	–	–	–	–	–	1	1	2	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasm of breast 174	3	–	–	–	–	–	1	–	1	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	1	–	1	–	1	–	–
Malignant neoplasms of genital organs 180–187	5	–	–	–	–	–	1	–	–	3	–	1	–
Male	2	–	–	–	–	–	–	–	–	2	–	–	–
Female	3	–	–	–	–	–	1	–	–	1	–	1	–
Malignant neoplasms of urinary organs 188–189	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	4	–	–	–	–	–	1	1	1	1	–	–	–
Male	2	–	–	–	–	–	–	1	1	–	–	–	–
Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Leukemia 204–207	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210–239	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Diabetes mellitus 250	7	–	–	–	–	–	–	–	2	3	1	1	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	5	–	–	–	–	–	–	–	1	2	1	1	–
Avitaminoses and other nutritional deficiencies 260–269	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias 280–285	1	–	–	–	1	–	–	–	–	–	–	–	–
Male	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis 320	2	–	–	–	2	–	–	–	–	–	–	–	–
Male	2	–	–	–	2	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases 390–448	97	–	–	–	–	2	8	19	28	18	17	5	–
Male	58	–	–	–	–	1	6	16	20	8	6	1	–
Female	39	–	–	–	–	1	2	3	8	10	11	4	–
Diseases of heart 390–398,402,404,410–429	69	–	–	–	–	2	7	14	18	12	13	3	–
Male	44	–	–	–	–	1	5	13	13	7	4	1	–
Female	25	–	–	–	–	1	2	1	5	5	9	2	–
Active rheumatic fever and chronic rheumatic heart disease 390–398	6	–	–	–	–	1	1	1	–	2	1	–	–
Male	2	–	–	–	–	–	–	1	–	1	–	–	–
Female	4	–	–	–	–	1	1	–	–	1	1	–	–
Hypertensive heart disease 402	1	–	–	–	–	–	–	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease 404	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease 410–413	59	–	–	–	–	1	6	12	17	10	10	3	–
Male	40	–	–	–	–	1	5	11	13	6	3	1	–
Female	19	–	–	–	–	–	1	1	4	4	7	2	–
Acute myocardial infarction 410	25	–	–	–	–	1	4	4	10	4	2	–	–
Male	16	–	–	–	–	1	3	4	6	2	–	–	–
Female	9	–	–	–	–	–	1	–	4	2	2	–	–
Other acute and subacute forms of ischemic heart disease 411	1	–	–	–	–	–	–	1	–	–	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease 412	33	–	–	–	–	–	2	7	7	6	8	3	–
Male	23	–	–	–	–	–	2	6	7	4	3	1	–
Female	10	–	–	–	–	–	–	1	–	2	5	2	–
Angina pectoris 413	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency 424,428	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease 420–423,425–427,429	3	–	–	–	–	–	–	–	1	–	2	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Hypertension 400,401,403	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases 430–438	24	–	–	–	–	–	1	5	10	4	3	1	–
Male	12	–	–	–	–	–	1	3	7	–	1	–	–
Female	12	–	–	–	–	–	–	2	3	4	2	1	–
Cerebral hemorrhage 431	8	–	–	–	–	–	1	2	2	2	1	–	–
Male	4	–	–	–	–	–	1	1	2	–	–	–	–
Female	4	–	–	–	–	–	–	1	–	2	1	–	–
Cerebral thrombosis 433	5	–	–	–	–	–	–	–	4	–	1	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	4	–	–	–	–	–	–	–	3	–	1	–	–
Cerebral embolism 434	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other cerebrovascular diseases 430,432,435–438	11	–	–	–	–	–	–	3	4	2	1	1	–
Male	7	–	–	–	–	–	–	2	4	–	1	–	–
Female	4	–	–	–	–	–	–	1	–	2	–	1	–
Arteriosclerosis 440	2	–	–	–	–	–	–	–	–	–	1	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of arteries, arterioles, and capillaries 441–448	2	–	–	–	–	–	–	–	–	2	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Acute bronchitis and bronchiolitis 466	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Influenza and pneumonia 470–474,480–486	22	3	–	2	1	1	1	1	2	3	6	2	–
Male	13	1	–	2	1	1	1	1	1	2	3	–	–
Female	9	2	–	–	–	–	–	–	1	1	3	2	–
Influenza 470–474	4	–	–	1	–	–	–	–	–	1	–	2	–
Male	2	–	–	1	–	–	–	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	–	–	2	–
Pneumonia 480–486	18	3	–	1	1	1	1	1	2	2	6	–	–
Male	11	1	–	1	1	1	1	1	1	1	3	–	–
Female	7	2	–	–	–	–	–	–	1	1	3	–	–
Bronchitis, emphysema, and asthma 490–493	6	–	–	–	–	–	–	–	–	5	1	–	–
Male	3	–	–	–	–	–	–	–	–	2	1	–	–
Female	3	–	–	–	–	–	–	–	–	3	–	–	–
Chronic and unqualified bronchitis 490,491	4	–	–	–	–	–	–	–	–	3	1	–	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	2	–	–	–	–	–	–	–	–	2	–	–	–
Emphysema 492	2	–	–	–	–	–	–	–	–	2	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Asthma 493	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Peptic ulcer 531–533	5	–	–	–	–	–	–	2	–	–	2	1	–
Male	4	–	–	–	–	–	–	2	–	–	1	1	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Appendicitis 540–543	1	–	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction 550–553,560	2	1	–	–	–	–	–	–	–	–	–	1	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Cirrhosis of liver 571	9	–	–	–	–	–	–	3	6	–	–	–	–
Male	8	–	–	–	–	–	–	3	5	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Cholelithiasis, cholecystitis and cholangitis 574,575	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Nephritis and nephrosis 580–584	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Acute nephritis and nephrotic syndrome 580,581	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis 582–584	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Infections of kidney 590	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate 600	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium 630–678	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Abortions 640–645	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium 630–639,650–678	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies 740–759	11	9	–	–	1	–	1	–	–	–	–	–	–
Male	5	5	–	–	–	–	–	–	–	–	–	–	–
Female	6	4	–	–	1	–	1	–	–	–	–	–	–
Certain causes of mortality in early infancy 760–769.2,769.4–772,774–778	19	19	–	–	–	–	–	–	–	–	–	–	–
Male	13	13	–	–	–	–	–	–	–	–	–	–	–
Female	6	6	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions 764–768,772,776	11	11	–	–	–	–	–	–	–	–	–	–	–
Male	8	8	–	–	–	–	–	–	–	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy Remainder of 760–778	8	8	–	–	–	–	–	–	–	–	–	–	–
Male	5	5	–	–	–	–	–	–	–	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions 780–796	8	4	1	–	2	–	–	–	–	–	1	–	–
Male	3	1	–	–	2	–	–	–	–	–	–	–	–
Female	5	3	1	–	–	–	–	–	–	–	1	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All other diseases — Residual	40	3	–	–	4	1	3	6	8	8	2	5	–
Male	20	1	–	–	1	–	–	4	7	5	–	2	–
Female	20	2	–	–	3	1	3	2	1	3	2	3	–
Accidents — E800–E949	55	5	1	3	13	16	7	4	2	3	–	1	–
Male	41	2	–	3	11	12	5	3	1	3	–	1	–
Female	14	3	1	–	2	4	2	1	1	–	–	–	–
Motor vehicle accidents — E810–E823	34	3	–	2	10	9	6	2	1	1	–	–	–
Male	25	1	–	2	9	6	5	1	–	1	–	–	–
Female	9	2	–	–	1	3	1	1	1	–	–	–	–
All other accidents — E800–E807, E825–E949	21	2	1	1	3	7	1	2	1	2	–	1	–
Male	16	1	–	1	2	6	–	2	1	2	–	1	–
Female	5	1	1	–	1	1	1	–	–	–	–	–	–
Suicide — E950–E959	14	–	–	–	4	3	2	–	2	2	1	–	–
Male	12	–	–	–	4	3	1	–	2	1	1	–	–
Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Homicide — E960–E978	8	–	–	–	2	4	–	1	–	1	–	–	–
Male	8	–	–	–	2	4	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other external causes — E980–E999	8	–	–	–	6	1	–	–	–	–	1	–	–
Male	6	–	–	–	5	1	–	–	–	–	–	–	–
Female	2	–	–	–	1	–	–	–	–	–	1	–	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1977

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	19,778	1,514	149	262	621	680	909	1,493	2,586	3,793	3,923	3,790	48
Male	11,468	876	77	165	466	497	631	981	1,650	2,236	2,141	1,710	38
Female	8,310	638	72	97	155	183	278	512	946	1,557	1,782	2,080	10
Bacillary dysentery and amebiasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	105	56	3	2	–	–	1	–	7	8	12	15	1
Male	51	23	2	1	–	–	1	–	4	4	7	8	1
Female	54	33	1	1	–	–	–	–	3	4	5	7	–
Tuberculosis, all forms 010–019	185	1	–	1	2	6	6	30	41	40	36	21	1
Male	123	–	–	1	–	4	3	21	24	27	25	17	1
Female	62	1	–	–	2	2	3	9	17	13	11	4	–
Tuberculosis of respiratory system 010–012	168	–	–	1	2	5	4	28	38	39	31	19	1
Male	115	–	–	1	–	4	2	20	22	26	23	16	1
Female	53	–	–	–	2	1	2	8	16	13	8	3	–
Tuberculosis, other forms 013–019	17	1	–	–	–	1	2	2	3	1	5	2	–
Male	8	–	–	–	–	–	1	1	2	1	2	1	–
Female	9	1	–	–	–	1	1	1	1	–	3	1	–
Whooping cough 033	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	183	114	–	2	2	1	3	4	8	20	14	13	2
Male	106	63	–	2	1	–	2	3	5	12	9	8	1
Female	77	51	–	–	1	1	1	1	3	8	5	5	1
Acute poliomyelitis 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	1	–	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090–097	3	1	–	–	–	–	–	2	–	–	–	–	–
Male	2	1	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000–136	66	13	2	4	5	5	1	5	5	13	5	8	–
Male	41	10	1	3	2	2	1	3	2	9	3	5	–
Female	25	3	1	1	3	3	–	2	3	4	2	3	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140–209	2,995	5	18	35	32	45	125	314	605	815	651	349	1
Male	1,764	4	8	21	12	24	51	170	368	499	395	212	–
Female	1,231	1	10	14	20	21	74	144	237	316	256	137	1
Malignant neoplasms of buccal cavity and pharynx 140–149	176	1	–	–	–	1	1	23	51	42	32	24	1
Male	136	1	–	–	–	1	–	17	46	34	24	13	–
Female	40	–	–	–	–	–	1	6	5	8	8	11	1
Malignant neoplasms of digestive organs and peritoneum 150–159	1,070	1	–	1	3	11	26	99	209	308	269	143	–
Male	675	1	–	1	1	6	15	58	145	204	164	80	–
Female	395	–	–	–	2	5	11	41	64	104	105	63	–
Malignant neoplasms of respiratory system 160–163	396	1	–	2	1	4	14	43	104	126	78	23	–
Male	280	1	–	2	1	2	9	35	73	95	46	16	–
Female	116	–	–	–	–	2	5	8	31	31	32	7	–
Malignant neoplasm of breast 174	122	–	–	–	–	3	18	30	28	22	17	4	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	121	–	–	–	–	3	18	30	27	22	17	4	–
Malignant neoplasms of genital organs 180–187	414	–	–	1	2	3	18	32	62	117	105	74	–
Male	225	–	–	–	–	–	2	9	22	57	78	57	–
Female	189	–	–	1	2	3	16	23	40	60	27	17	–
Malignant neoplasms of urinary organs 188,189	95	–	–	1	–	–	4	3	19	32	24	12	–
Male	63	–	–	1	–	–	3	3	13	24	15	4	–
Female	32	–	–	–	–	–	1	–	6	8	9	8	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	421	1	6	6	7	12	23	53	82	100	73	58	–
Male	214	1	3	4	2	7	10	28	40	46	38	35	–
Female	207	–	3	2	5	5	13	25	42	54	35	23	–
Leukemia 204–207	149	1	9	21	14	7	12	18	19	26	19	3	–
Male	84	–	4	11	3	5	7	11	11	16	14	2	–
Female	65	1	5	10	11	2	5	7	8	10	5	1	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	152	–	3	3	5	4	9	13	31	42	34	8	–
Male	86	–	1	2	5	3	5	9	17	23	16	5	–
Female	66	–	2	1	–	1	4	4	14	19	18	3	–
Benign neoplasms and neoplasms of unspecified nature 210–239	95	1	2	4	3	6	4	10	14	21	18	12	–
Male	54	1	2	2	1	5	1	7	8	13	10	4	–
Female	41	–	–	2	2	1	3	3	6	8	8	8	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Diabetes mellitus 250	741	1	–	3	4	4	12	40	120	222	205	128	2
Male	281	1	–	–	1	2	9	24	54	84	67	39	–
Female	460	–	–	3	3	2	3	16	66	138	138	89	2
Avitaminoses and other nutritional deficiencies 260–269	75	–	–	–	1	3	2	1	6	13	20	29	–
Male	39	–	–	–	1	–	1	1	4	8	8	16	–
Female	36	–	–	–	–	3	1	–	2	5	12	13	–
Anemias 280–285	86	3	2	1	6	1	3	9	12	6	17	26	–
Male	42	1	1	1	3	1	1	3	6	4	9	12	–
Female	44	2	1	–	3	–	2	6	6	2	8	14	–
Meningitis 320	44	15	2	4	3	3	1	5	3	4	2	2	–
Male	30	8	2	3	2	2	1	5	2	3	2	–	–
Female	14	7	–	1	1	1	–	–	1	1	–	2	–
Major cardiovascular diseases 390–448	7,865	15	8	13	32	58	184	417	993	1,730	2,097	2,301	17
Male	4,156	6	3	7	22	34	124	253	619	1,004	1,086	984	14
Female	3,709	9	5	6	10	24	60	164	374	726	1,011	1,317	3
Diseases of heart 390–398,402,404,410–429	5,469	13	4	6	14	41	135	316	782	1,281	1,414	1,451	12
Male	2,969	5	2	3	11	26	93	200	499	747	739	634	10
Female	2,500	8	2	3	3	15	42	116	283	534	675	817	2
Active rheumatic fever and chronic rheumatic heart disease 390–398	74	–	–	–	3	4	10	10	18	16	7	6	–
Male	40	–	–	–	3	2	5	5	11	7	4	3	–
Female	34	–	–	–	–	2	5	5	7	9	3	3	–
Hypertensive heart disease 402	421	–	–	–	–	4	16	38	77	124	78	82	2
Male	227	–	–	–	–	2	12	26	45	67	42	31	2
Female	194	–	–	–	–	2	4	12	32	57	36	51	–
Hypertensive heart and renal disease 404	11	–	–	–	–	–	–	1	3	2	1	4	–
Male	8	–	–	–	–	–	–	1	2	2	–	3	–
Female	3	–	–	–	–	–	–	–	1	–	1	1	–
Ischemic heart disease 410–413	4,159	–	–	1	2	19	88	226	581	971	1,137	1,125	9
Male	2,273	–	–	–	2	13	65	148	378	572	594	494	7
Female	1,886	–	–	1	–	6	23	78	203	399	543	631	2
Acute myocardial infarction 410	2,263	–	–	1	2	16	79	185	431	618	536	393	2
Male	1,318	–	–	–	2	10	60	124	285	368	304	163	2
Female	945	–	–	1	–	6	19	61	146	250	232	230	–
Other acute and subacute forms of ischemic heart disease 411	59	–	–	–	–	1	4	6	8	11	11	18	–
Male	35	–	–	–	–	1	3	3	7	9	5	7	–
Female	24	–	–	–	–	–	1	3	1	2	6	11	–
Chronic ischemic heart disease 412	1,833	–	–	–	–	2	5	34	142	340	589	714	7
Male	918	–	–	–	–	2	2	21	86	194	284	324	5
Female	915	–	–	–	–	–	3	13	56	146	305	390	2
Angina pectoris 413	4	–	–	–	–	–	–	1	–	2	1	–	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	2	–	–	–	–	–	–	1	–	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency 424,428	164	1	1	2	1	2	5	9	28	43	28	44	–
Male	92	–	1	2	1	2	1	5	12	27	21	20	–
Female	72	1	–	–	–	–	4	4	16	16	7	24	–
All other forms of heart disease 420–423,425–427,429	640	12	3	3	8	12	16	32	75	125	163	190	1
Male	329	5	1	1	5	7	10	15	51	72	78	83	1
Female	311	7	2	2	3	5	6	17	24	53	85	107	–
Hypertension 400,401,403	62	–	1	–	1	1	–	7	14	9	17	12	–
Male	32	–	–	–	1	1	–	3	7	5	9	6	–
Female	30	–	1	–	–	–	–	4	7	4	8	6	–
Cerebrovascular diseases 430–438	1,708	2	3	7	17	11	42	85	171	346	511	509	4
Male	846	1	1	4	10	4	27	44	95	196	252	209	3
Female	862	1	2	3	7	7	15	41	76	150	259	300	1
Cerebral hemorrhage 431	495	2	1	2	7	8	26	42	83	111	109	101	3
Male	259	1	–	2	5	4	17	21	47	59	62	38	3
Female	236	1	1	–	2	4	9	21	36	52	47	63	–
Cerebral thrombosis 433	316	–	–	–	–	–	6	8	20	67	103	112	–
Male	150	–	–	–	–	–	4	2	12	39	47	46	–
Female	166	–	–	–	–	–	2	6	8	28	56	66	–
Cerebral embolism 434	8	–	–	–	1	1	–	–	1	–	2	3	–
Male	3	–	–	–	1	–	–	–	1	–	1	–	–
Female	5	–	–	–	–	1	–	–	–	–	1	3	–
All other cerebrovascular diseases 430,432,435–438	889	–	2	5	9	2	10	35	67	168	297	293	1
Male	434	–	1	2	4	–	6	21	35	98	142	125	–
Female	455	–	1	3	5	2	4	14	32	70	155	168	1
Arteriosclerosis 440	447	–	–	–	–	1	–	–	9	57	97	282	1
Male	194	–	–	–	–	1	–	–	5	31	48	108	1
Female	253	–	–	–	–	–	–	–	4	26	49	174	–
Other diseases of arteries, arterioles, and capillaries 441–448	179	–	–	–	–	4	7	9	17	37	58	47	–
Male	115	–	–	–	–	2	4	6	13	25	38	27	–
Female	64	–	–	–	–	2	3	3	4	12	20	20	–
Acute bronchitis and bronchiolitis 466	5	2	–	–	–	–	–	–	–	–	–	3	–
Male	2	1	–	–	–	–	–	–	–	–	–	1	–
Female	3	1	–	–	–	–	–	–	–	–	–	2	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Influenza and pneumonia 470–474,480–486	1,134	168	26	23	26	23	32	43	84	151	231	324	3
Male	603	91	11	11	20	16	21	26	58	81	125	141	2
Female	531	77	15	12	6	7	11	17	26	70	106	183	1
Influenza 470–474	28	–	–	1	2	–	1	–	2	2	3	17	–
Male	16	–	–	–	2	–	1	–	1	2	2	8	–
Female	12	–	–	1	–	–	–	–	1	–	1	9	–
Pneumonia 480–486	1,106	168	26	22	24	23	31	43	82	149	228	307	3
Male	587	91	11	11	18	16	20	26	57	79	123	133	2
Female	519	77	15	11	6	7	11	17	25	70	105	174	1
Bronchitis, emphysema, and asthma 490–493	299	4	3	4	5	5	15	23	35	69	76	60	–
Male	166	2	–	2	4	3	5	13	16	42	40	39	–
Female	133	2	3	2	1	2	10	10	19	27	36	21	–
Chronic and unqualified bronchitis 490,491	69	4	2	2	–	1	3	1	5	15	21	15	–
Male	37	2	–	1	–	1	2	1	2	9	11	8	–
Female	32	2	2	1	–	–	1	–	3	6	10	7	–
Emphysema 492	133	–	–	–	1	1	3	11	14	31	39	33	–
Male	86	–	–	–	1	1	1	7	6	23	24	23	–
Female	47	–	–	–	–	–	2	4	8	8	15	10	–
Asthma 493	97	–	1	2	4	3	9	11	16	23	16	12	–
Male	43	–	–	1	3	1	2	5	8	10	5	8	–
Female	54	–	1	1	1	2	7	6	8	13	11	4	–
Peptic ulcer 531–533	65	–	1	–	–	1	3	7	6	19	14	14	–
Male	34	–	1	–	–	1	3	3	3	9	11	3	–
Female	31	–	–	–	–	–	–	4	3	10	3	11	–
Appendicitis 540–543	12	–	1	–	1	3	2	1	2	–	2	–	–
Male	11	–	1	–	1	3	1	1	2	–	2	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Hernia and intestinal obstruction 550–553,560	70	10	2	–	2	2	2	3	8	9	15	17	–
Male	41	4	1	–	1	1	1	1	6	6	10	10	–
Female	29	6	1	–	1	1	1	2	2	3	5	7	–
Cirrhosis of liver 571	778	–	–	1	4	31	110	187	209	152	54	26	4
Male	612	–	–	–	4	23	89	157	168	116	41	10	4
Female	166	–	–	1	–	8	21	30	41	36	13	16	–
Cholelithiasis, cholecystitis and cholangitis 574,575	24	–	–	–	–	–	1	1	6	5	9	2	–
Male	12	–	–	–	–	–	–	–	4	3	5	–	–
Female	12	–	–	–	–	–	1	1	2	2	4	2	–
Nephritis and nephrosis 580–584	109	2	–	3	5	6	13	13	14	22	20	10	1
Male	68	1	–	3	1	5	7	7	9	16	12	6	1
Female	41	1	–	–	4	1	6	6	5	6	8	4	–
Acute nephritis and nephrotic syndrome 580,581	13	1	–	–	2	–	1	1	2	2	3	1	–
Male	9	1	–	–	1	–	1	–	2	2	1	1	–
Female	4	–	–	–	1	–	–	1	–	–	2	–	–
Chronic and unqualified nephritis and renal sclerosis 582–584	96	1	–	3	3	6	12	12	12	20	17	9	1
Male	59	–	–	3	–	5	6	7	7	14	11	5	1
Female	37	1	–	–	3	1	6	5	5	6	6	4	–
Infections of kidney 590	33	1	–	1	2	1	–	–	7	8	8	5	–
Male	16	–	–	1	2	–	–	–	2	3	4	4	–
Female	17	1	–	–	–	1	–	–	5	5	4	1	–
Hyperplasia of prostate 600	12	–	–	–	–	–	–	–	1	2	7	2	–
Male	12	–	–	–	–	–	–	–	1	2	7	2	–
Complications of pregnancy, childbirth, and the puerperium 630–678	16	–	–	–	4	7	5	–	–	–	–	–	–
Female	16	–	–	–	4	7	5	–	–	–	–	–	–
Abortions 640–645	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium 630–639,650–678	15	–	–	–	4	6	5	–	–	–	–	–	–
Female	15	–	–	–	4	6	5	–	–	–	–	–	–
Congenital anomalies 740–759	296	230	18	18	12	4	2	5	3	3	1	–	–
Male	163	130	11	8	5	3	1	3	2	–	–	–	–
Female	133	100	7	10	7	1	1	2	1	3	1	–	–
Certain causes of mortality in early infancy 760–769.2,769.4–772,774–778	771	771	–	–	–	–	–	–	–	–	–	–	–
Male	475	475	–	–	–	–	–	–	–	–	–	–	–
Female	296	296	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions 764–768,772,776	443	443	–	–	–	–	–	–	–	–	–	–	–
Male	287	287	–	–	–	–	–	–	–	–	–	–	–
Female	156	156	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy Remainder of 760–778	328	328	–	–	–	–	–	–	–	–	–	–	–
Male	188	188	–	–	–	–	–	–	–	–	–	–	–
Female	140	140	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions 780–796	338	23	2	4	9	7	5	16	26	43	54	147	2
Male	177	12	1	2	4	4	2	10	15	24	33	68	2
Female	161	11	1	2	5	3	3	6	11	19	21	79	–
All other diseases Residual	1,458	46	19	24	54	85	113	175	203	277	253	207	2
Male	827	21	7	11	30	46	74	117	120	153	154	93	1
Female	631	25	12	13	24	39	39	58	83	124	99	114	1

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex		Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Accidents	E800–E949	1,077	28	39	100	210	149	121	91	102	91	80	62	4
Male		832	20	25	76	180	121	105	73	80	70	57	21	4
Female		245	8	14	24	30	28	16	18	22	21	23	41	–
Motor vehicle accidents	E810–E823	504	3	15	44	129	83	62	46	51	34	28	7	2
Male		405	1	11	31	108	67	53	39	40	27	22	4	2
Female		99	2	4	13	21	16	9	7	11	7	6	3	–
All other accidents	E800–E807,E825–E949	573	25	24	56	81	66	59	45	51	57	52	55	2
Male		427	19	14	45	72	54	52	34	40	43	35	17	2
Female		146	6	10	11	9	12	7	11	11	14	17	38	–
Suicide	E950–E959	269	–	–	4	37	66	34	43	36	33	11	5	–
Male		235	–	–	3	31	60	29	38	31	29	9	5	–
Female		34	–	–	1	6	6	5	5	5	4	2	–	–
Homicide	E960–E978	442	1	–	6	129	128	94	39	25	7	7	2	4
Male		388	1	–	2	115	110	86	34	23	6	6	2	3
Female		54	–	–	4	14	18	8	5	2	1	1	–	1
Other external causes	E980–E999	124	1	–	5	31	30	15	9	15	10	4	–	4
Male		105	–	–	5	23	27	12	7	14	9	4	–	4
Female		19	1	–	–	8	3	3	2	1	1	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1977

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	380	55	8	3	18	17	23	44	58	64	52	38	–
White — Male	45	2	–	1	2	3	4	8	8	11	5	1	–
Female	20	1	–	–	–	1	1	1	6	6	–	4	–
All other — Male	155	31	6	2	11	6	8	19	22	27	17	6	–
Female	160	21	2	–	5	7	10	16	22	20	30	27	–
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	2	–	1	–	1	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	2	–	1	–	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, all forms — 010–019	1	1	–	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system — 010–012	1	1	–	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, other forms — 013–019	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough — 033	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections — 036	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia — 038	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis — 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles — 055	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae — 090–097	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases — Remainder of 000–136	2	–	–	–	1	–	–	–	–	1	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	1	–	–	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140–209	43	–	–	–	1	1	2	6	18	13	2	–	–
White — Male	6	–	–	–	–	–	–	1	2	2	1	–	–
Female	2	–	–	–	–	–	–	–	2	–	–	–	–
All other — Male	14	–	–	–	1	–	–	3	6	3	1	–	–
Female	21	–	–	–	–	1	2	2	8	8	–	–	–
Malignant neoplasms of buccal cavity and pharynx — 140–149	2	–	–	–	–	–	–	1	–	–	1	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	2	–	–	–	–	–	–	1	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum — 150–159	14	–	–	–	1	–	1	–	8	4	–	–	–
White — Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	6	–	–	–	1	–	–	–	4	1	–	–	–
Female	7	–	–	–	–	–	1	–	3	3	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Malignant neoplasms—Con.													
Malignant neoplasms of respiratory system 160–163	9	–	–	–	–	–	–	3	3	2	1	–	–
White—Male	4	–	–	–	–	–	–	1	1	1	1	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	3	–	–	–	–	–	–	2	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasm of breast 174	5	–	–	–	–	1	1	1	1	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	5	–	–	–	–	1	1	1	1	1	–	–	–
Malignant neoplasms of genital organs 180–187	6	–	–	–	–	–	–	1	2	3	–	–	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	5	–	–	–	–	–	–	1	2	2	–	–	–
Malignant neoplasms of urinary organs 188,189	1	–	–	–	–	–	–	–	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	5	–	–	–	–	–	–	–	3	2	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	3	–	–	–	–	–	–	–	1	2	–	–	–
Leukemia 204–207	1	–	–	–	–	–	–	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210–239	2	–	–	–	–	1	–	–	–	–	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	1	–	–	–	–	–	1	–
Diabetes mellitus 250	18	–	–	1	–	–	2	1	5	3	5	1	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	7	–	–	1	–	–	1	–	–	2	3	–	–
Female	10	–	–	–	–	–	1	1	5	–	2	1	–
Avitaminoses and other nutritional deficiencies 260–269	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias 280–285	1	–	–	–	1	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	1	–	–	–	–	–	–	–	–
Meningitis 320	1	1	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases 390–448	154	–	–	–	1	2	7	16	22	36	38	32	–
White—Male	22	–	–	–	–	1	2	5	3	6	4	1	–
Female	10	–	–	–	–	–	–	–	2	5	–	3	–
All other—Male	54	–	–	–	–	–	3	7	11	16	11	6	–
Female	68	–	–	–	1	1	2	4	6	9	23	22	–
Diseases of heart 390–398,402,404,410–429	113	–	–	–	1	–	5	11	14	25	31	26	–
White—Male	20	–	–	–	–	–	2	5	3	5	4	1	–
Female	7	–	–	–	–	–	–	–	2	3	–	2	–
All other—Male	38	–	–	–	–	–	2	4	7	10	10	5	–
Female	48	–	–	–	1	–	1	2	2	7	17	18	–
Active rheumatic fever and chronic rheumatic heart disease 390–398	3	–	–	–	1	–	1	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	1	–	–	–	–	–	–	–	–
Hypertensive heart disease 402	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Major cardiovascular diseases—Con.													
Diseases of heart—Con.													
Hypertensive heart and renal disease—404	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease—410–413	109	–	–	–	–	–	4	11	13	24	31	26	–
White—Male	20	–	–	–	–	–	2	5	3	5	4	1	–
Female	6	–	–	–	–	–	–	–	2	2	–	2	–
All other—Male	36	–	–	–	–	–	1	4	6	10	10	5	–
Female	47	–	–	–	–	–	1	2	2	7	17	18	–
Acute myocardial infarction—410	34	–	–	–	–	–	3	8	6	10	7	–	–
White—Male	13	–	–	–	–	–	2	5	1	3	2	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
All other—Male	13	–	–	–	–	–	1	3	4	4	1	–	–
Female	6	–	–	–	–	–	–	–	–	2	4	–	–
Other acute and subacute forms of ischemic heart disease—411	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease—412	75	–	–	–	–	–	1	3	7	14	24	26	–
White—Male	7	–	–	–	–	–	–	–	2	2	2	1	–
Female	4	–	–	–	–	–	–	–	1	1	–	2	–
All other—Male	23	–	–	–	–	–	–	1	2	6	9	5	–
Female	41	–	–	–	–	–	1	2	2	5	13	18	–
Angina pectoris—413	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease—420–423,425–427,429	1	–	–	–	–	–	–	–	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension—400,401,403	6	–	–	–	–	1	2	2	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	1	1	1	–	–	–	–
Female	3	–	–	–	–	1	1	1	–	–	–	–	–
Cerebrovascular diseases—430–438	29	–	–	–	–	1	–	3	6	9	6	4	–
White—Male	2	–	–	–	–	1	–	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
All other—Male	13	–	–	–	–	–	–	2	3	6	1	1	–
Female	12	–	–	–	–	–	–	1	3	1	5	2	–
Cerebral hemorrhage—431	6	–	–	–	–	1	–	1	1	2	–	1	–
White—Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	4	–	–	–	–	–	–	1	1	1	–	1	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Cerebral thrombosis—433	5	–	–	–	–	–	–	2	1	2	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	–	1	–	2	–	–	–
Female	2	–	–	–	–	–	–	1	1	–	–	–	–
Cerebral embolism—434	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other cerebrovascular diseases—430,432,435–438	18	–	–	–	–	–	–	–	4	5	6	3	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
All other—Male	6	–	–	–	–	–	–	–	2	3	1	–	–
Female	9	–	–	–	–	–	–	–	2	–	5	2	–
Artenosclerosis—440	2	–	–	–	–	–	–	–	–	–	1	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Other diseases of arteries, arterioles, and capillaries—441–448	4	–	–	–	–	–	–	–	1	2	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	–	1	1	–	1	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis—466	1	–	1	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza and pneumonia—470–474,480–486	11	2	1	–	–	–	1	3	1	1	2	–	–
White—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	1	–	–	–	–	–	1	1	–	–	–	–
Female	7	1	1	–	–	–	–	2	–	1	2	–	–
Influenza—470–474	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia—480–486	11	2	1	–	–	–	1	3	1	1	2	–	–
White—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	1	–	–	–	–	–	1	1	–	–	–	–
Female	7	1	1	–	–	–	–	2	–	1	2	–	–
Bronchitis, emphysema, and asthma—490–493	2	–	–	–	–	–	1	–	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified bronchitis—490,491	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema—492	2	–	–	–	–	–	1	–	1	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma—493	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Peptic ulcer—531–533	3	–	–	–	–	–	–	–	–	3	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	–	–	–	–	–	–	–	–	3	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis—540–543	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction—550–553,560	4	–	–	–	–	1	1	1	–	–	1	–	–
White—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	2	–	–	–	–	1	–	–	–	–	1	–	–
Cirrhosis of liver—571	12	–	–	–	–	2	2	4	3	1	–	–	–
White—Male	4	–	–	–	–	1	–	–	2	1	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other—Male	4	–	–	–	–	1	–	3	–	–	–	–	–
Female	3	–	–	–	–	–	1	1	1	–	–	–	–
Cholelithiasis, cholecystitis and cholangitis—574,575	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and nephrosis—580–584	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis and nephrotic syndrome—580,581	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis—582–584	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney—590	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1977—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Hyperplasia of prostate — 600	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium — 630–678	1	–	–	–	–	1	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Abortions — 640–645	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium — 630–639,650–678	1	–	–	–	–	1	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Congenital anomalies — 740–759	13	9	4	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	8	5	3	–	–	–	–	–	–	–	–	–	–
Female	4	3	1	–	–	–	–	–	–	–	–	–	–
Certain causes of mortality in early infancy — 760–769.2,769.4–772,774–778	36	36	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	23	23	–	–	–	–	–	–	–	–	–	–	–
Female	13	13	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions — 764–768,772,776	18	18	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	11	11	–	–	–	–	–	–	–	–	–	–	–
Female	7	7	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy — Remainder of 760–778	18	18	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	12	12	–	–	–	–	–	–	–	–	–	–	–
Female	6	6	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions — 780–796	2	–	–	–	–	–	–	–	1	–	–	1	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other diseases — Residual	33	3	–	–	3	4	2	7	4	5	3	2	–
White — Male	3	–	–	–	–	1	–	1	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other — Male	13	2	–	–	1	2	–	2	2	2	2	–	–
Female	16	1	–	–	2	1	2	4	2	1	1	2	–
Accidents — E800–E949	26	3	1	2	7	1	5	4	1	–	1	1	–
White — Male	4	–	–	1	2	–	–	–	1	–	–	–	–
Female	2	1	–	–	–	–	–	–	–	–	–	1	–
All other — Male	13	–	1	1	5	1	3	2	–	–	–	–	–
Female	7	2	–	–	–	–	2	2	–	–	1	–	–
Motor vehicle accidents — E810–E823	9	–	–	–	5	–	3	1	–	–	–	–	–
White — Male	2	–	–	–	2	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	6	–	–	–	3	–	2	1	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other accidents — E800–E807,E825–E949	17	3	1	2	2	1	2	3	1	–	1	1	–
White — Male	2	–	–	1	–	–	–	–	1	–	–	–	–
Female	2	1	–	–	–	–	–	–	–	–	–	1	–
All other — Male	7	–	1	1	2	1	1	1	–	–	–	–	–
Female	6	2	–	–	–	–	1	2	–	–	1	–	–
Suicide — E950–E959	2	–	–	–	1	1	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other — Male	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Homicide — E960–E978	7	–	–	–	–	3	–	2	1	1	–	–	–
White — Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other — Male	4	–	–	–	–	2	–	–	1	1	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Other external causes — E980–E999	3	–	–	–	2	–	–	–	1	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	3	–	–	–	2	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–6. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1977

[Deaths are those assigned to category numbers E810–E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motor-cyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal or occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Guam	34	1	1	–	–	–	–	2	7	–	23
Male	25	1	1	–	–	–	–	2	5	–	16
Female	9	–	–	–	–	–	–	–	2	–	7
Puerto Rico	504	95	66	4	–	–	3	8	177	–	151
Male	405	87	44	4	–	–	3	8	143	–	116
Female	99	8	22	–	–	–	–	–	34	–	35
Virgin Islands	9	1	–	–	–	–	–	–	3	–	5
White—Male	2	–	–	–	–	–	–	–	–	–	2
Female	–	–	–	–	–	–	–	–	–	–	–
All other—Male	6	1	–	–	–	–	–	–	2	–	3
Female	1	–	–	–	–	–	–	–	1	–	–

Table 8–7. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1977

[Deaths are those assigned to category numbers E850–E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (0)	Farm[2] (1)	Mine and quarry (2)	Industrial place (3)	Place for recreation or sport (4)	Street and highway (5)	Public building (6)	Resident institution (7)	Other specified places (8)	Place not specified (9)
Guam	20	6	–	–	1	3	1	–	1	7	1
Male	15	3	–	–	1	3	1	–	1	5	1
Female	5	3	–	–	–	–	–	–	–	2	–
Puerto Rico	532	99	6	–	15	24	20	2	4	83	279
Male	397	58	6	–	15	21	17	2	4	79	195
Female	135	41	–	–	–	3	3	–	–	4	84
Virgin Islands	17	7	–	–	–	–	–	–	–	–	10
White—Male	2	2	–	–	–	–	–	–	–	–	–
Female	2	1	–	–	–	–	–	–	–	–	1
All other—Male	7	1	–	–	–	–	–	–	–	–	6
Female	6	3	–	–	–	–	–	–	–	–	3

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8–8. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1977

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	19,888	19,778	1,514	1,201	939
Adjuntas	63	110	12	8	6
Aguada	104	181	21	15	7
Aguadilla	499	405	25	20	23
Aguas Buenas	68	121	14	13	7
Aibonito	116	135	7	4	2
Añasco	82	151	10	10	6
Arecibo	1,018	628	35	24	26
Arroyo	93	120	15	12	8
Barceloneta	91	172	15	13	3
Barranquitas	72	116	12	9	8
Bayamón	1,226	1,032	99	86	45
Cabo Rojo	133	261	11	10	8
Caguas	1,019	724	62	56	33
Camuy	85	160	4	3	6
Carolina	309	663	57	43	28
Cataño	113	243	20	16	6
Cayey	177	281	19	17	14
Ceiba	35	64	5	4	4
Ciales	41	84	3	1	6
Cidra	60	138	15	12	8
Coamo	123	196	8	7	8
Comerío	52	90	5	4	6
Corozal	59	139	13	11	13
Culebra	4	4	–	–	–
Dorado	61	119	8	3	4
Fajardo	376	210	21	14	9
Guánica	69	141	10	9	9
Guayama	226	277	33	22	25
Guayanilla	66	131	7	6	10
Guaynabo	143	345	20	17	13
Gurabo	69	143	8	7	10
Hatillo	88	159	7	4	6
Hormigueros	45	74	4	4	2
Humacao	444	333	33	29	21
Isabela	134	227	13	10	15
Jayuya	53	104	13	9	4
Juana Díaz	97	210	19	13	16
Juncos	71	154	16	13	8
Lajas	52	121	12	9	5
Lares	151	198	17	14	11
Las Marías	23	49	4	2	1
Las Piedras	52	142	8	5	5
Loíza	113	246	19	18	13
Luquillo	47	88	6	5	3
Manatí	123	217	16	12	10
Maricao	17	45	–	–	3
Maunabo	42	92	17	16	4
Mayaguez	1,273	684	45	36	25
Moca	91	158	14	11	22
Morovis	50	83	7	5	6
Naguabo	75	128	16	10	9
Naranjito	64	109	9	8	5
Orocovis	65	101	9	8	5
Patillas	59	109	7	5	13
Peñuelas	68	113	10	6	8
Ponce	2,031	1,199	87	66	65
Quebradillas	60	105	8	6	8
Rincón	60	96	1	1	4
Río Grande	82	165	14	12	14
Sabana Grande	58	129	12	11	8
Salinas	110	200	27	16	8
San Germán	293	227	18	13	10
San Juan	5,876	3,628	225	194	119
San Lorenzo	119	200	20	19	5
San Sebastián	114	244	15	13	5
Santa Isabel	73	131	10	5	5
Toa Alta	53	130	20	14	5
Toa Baja	130	287	29	19	18
Trujillo Alto	91	184	15	13	7
Utuado	182	262	16	12	13
Vega Alta	77	135	8	4	8
Vega Baja	160	262	14	7	14
Vieques	46	61	1	1	–
Villalba	69	126	16	12	15
Yabucoa	118	217	13	11	10
Yauco	137	262	30	24	17

Table 8–9. Total, Infant, and Neonatal Deaths for Virgin Islands and Specified Urban Place and Guam; and by Color for Virgin Islands and Specified Urban Place: 1977

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and color	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	408	380	55	47
White	92	65	3	2
All other	316	315	52	45
St. Croix Island	202	194	32	27
White	31	23	–	–
All other	171	171	32	27
St. John and St. Thomas Islands	206	186	23	20
White	61	42	3	2
All other	145	144	20	18
Charlotte Amalie (St. Thomas Island)	—	135	23	20
White	—	24	3	2
All other	—	111	20	18
Balance of area	—	51	–	–
White	—	18	–	–
All other	—	33	–	–
Guam	380	361	45	30

Table 8–10. Deaths Under 1 Year and Under 28 Days, by Month, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1977

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GUAM													
Under 1 year	45	4	7	4	4	3	3	2	4	5	4	3	2
Under 28 days	30	2	6	3	3	3	2	2	3	1	2	1	2
PUERTO RICO													
Under 1 year	1,514	137	107	122	106	95	115	127	131	144	137	127	168
Under 28 days	1,201	105	75	89	91	78	91	115	106	113	112	96	130
VIRGIN ISLANDS													
Under 1 year	55	6	6	3	1	4	7	6	4	9	3	3	3
White	3	–	–	1	–	–	–	–	1	1	–	–	–
All other	52	6	6	2	1	4	7	6	3	8	3	3	3
Under 28 days	47	5	6	2	1	4	5	6	4	6	2	3	3
White	2	–	–	–	–	–	–	–	1	1	–	–	–
All other	45	5	6	2	1	4	5	6	3	5	2	3	3

Table 8–11. Deaths Under 1 Year, by Age and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1977

Area	Guam			Puerto Rico			Virgin Islands								
							Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	45	24	21	1,514	876	638	55	33	22	3	2	1	52	31	21
Under 28 days	30	18	12	1,201	706	495	47	32	15	2	2	–	45	30	15
Under 7 days	26	17	9	1,037	610	427	42	28	14	2	2	–	40	26	14
Under 1 hour	3	1	2	179	113	66	4	4	–	–	–	–	4	4	–
1–23 hours	15	12	3	390	222	168	20	13	7	2	2	–	18	11	7
1 day	5	2	3	149	97	52	5	3	2	–	–	–	5	3	2
2 days	2	1	1	156	90	66	8	4	4	–	–	–	8	4	4
3 days	–	–	–	75	41	34	3	3	–	–	–	–	3	3	–
4 days	–	–	–	36	21	15	–	–	–	–	–	–	–	–	–
5 days	1	1	–	28	18	10	1	–	1	–	–	–	1	–	1
6 days	–	–	–	24	8	16	1	1	–	–	–	–	1	1	–
7–13 days	3	1	2	88	53	35	4	3	1	–	–	–	4	3	1
14–20 days	–	–	–	42	20	22	1	1	–	–	–	–	1	1	–
21–27 days	1	–	1	34	23	11	–	–	–	–	–	–	–	–	–
28–59 days (1 month)	5	3	2	93	59	34	–	–	–	–	–	–	–	–	–
2 months	4	1	3	64	36	28	3	1	2	–	–	–	3	1	2
3 months	1	–	1	36	17	19	1	–	1	1	–	1	–	–	–
4 months	–	–	–	27	12	15	1	–	1	–	–	–	1	–	1
5 months	1	1	–	23	13	10	1	–	1	–	–	–	1	–	1
6 months	–	–	–	18	10	8	–	–	–	–	–	–	–	–	–
7 months	–	–	–	18	10	8	–	–	–	–	–	–	–	–	–
8 months	1	–	1	11	4	7	–	–	–	–	–	–	–	–	–
9 months	–	–	–	7	2	5	–	–	–	–	–	–	–	–	–
10 months	2	–	2	9	4	5	–	–	–	–	–	–	–	–	–
11 months	1	1	–	7	3	4	2	–	2	–	–	–	2	–	2

Table 8–12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1977

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Guam			Puerto Rico			Virgin Islands				
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days		28 days to 11 months	
								White	All other	White	All other
All causes	45	30	15	1,514	1,201	313	55	2	45	1	7
Diarrheal diseases 009	–	–	–	55	11	44	–	–	–	–	–
Whooping cough 033	–	–	–	1	–	1	–	–	–	–	–
Meningococcal infections 036	–	–	–	1	–	1	–	–	–	–	–
Tetanus 037	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	1	1	–	114	86	28	–	–	–	–	–
Viral diseases 040–079	–	–	–	1	1	–	–	–	–	–	–
Congenital syphilis 090	–	–	–	1	1	–	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000–136	–	–	–	14	4	10	1	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140–209	–	–	–	5	2	3	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210–239	–	–	–	1	–	1	–	–	–	–	–
Diseases of thymus gland 254	–	–	–	1	–	1	–	–	–	–	–
Cystic fibrosis 273.0	–	–	–	–	–	–	–	–	–	–	–
Diseases of the blood and blood-forming organs 280–289	–	–	–	5	–	5	–	–	–	–	–
Meningitis 320	–	–	–	15	5	10	1	–	1	–	–
Other diseases of nervous system and sense organs 321–389	–	–	–	16	3	13	–	–	–	–	–
Acute upper respiratory infections 460–465	–	–	–	–	–	–	–	–	–	–	–
Bronchitis and bronchiolitis 466,490,491	–	–	–	6	2	4	–	–	–	–	–
Influenza and pneumonia 470–474,480–486	3	2	1	168	106	62	2	–	2	–	–
Influenza 470–47[illegible]	–	–	–	–	–	–	–	–	–	–	–
Pneumonia 480–4[illegible]	3	2	1	168	106	62	2	–	2	–	–
Other chronic interstitial pneumonia 517	–	–	–	–	–	–	–	–	–	–	–
All other diseases of respiratory system 492,493,500–516,518,519	2	–	2	10	5	5	1	–	–	–	1
Hernia and intestinal obstruction 550–553,560	1	1	–	10	9	1	–	–	–	–	–
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin 535,561,563	–	–	–	1	–	1	–	–	–	–	–
Other diseases of digestive system 520–534,536,537,540–543,562,564–577	–	–	–	13	8	5	2	–	2	–	–
Congenital anomalies 740–759	9	6	3	230	157	73	9	1	4	–	4
Anencephalus 740	3	1	2	25	25	–	–	–	–	–	–
Spina bifida 741	–	–	–	14	9	5	–	–	–	–	–
Congenital hydrocephalus 742	–	–	–	6	5	1	–	–	–	–	–
Other congenital anomalies of central nervous system and eye 743,744	–	–	–	4	2	2	–	–	–	–	–
Congenital anomalies of heart 746	1	–	1	96	54	42	3	–	1	–	2
Other congenital anomalies of circulatory system 747	1	1	–	12	6	6	1	–	1	–	–
Congenital anomalies of respiratory system 748	2	2	–	9	9	–	–	–	–	–	–
Congenital anomalies of digestive system 749–751	1	1	–	11	6	5	1	–	–	–	1
Congenital anomalies of genitourinary system 752,753	–	–	–	7	6	1	1	–	1	–	–
Congenital anomalies of musculoskeletal system 754–756	–	–	–	6	4	2	2	1	1	–	–
Down's disease 759.3	–	–	–	3	1	2	–	–	–	–	–
Other congenital syndromes affecting multiple systems 759.0–759.2,759.4–759.9	1	1	–	30	25	5	–	–	–	–	–
Other and unspecified congenital anomalies 745,757,758	–	–	–	7	5	2	1	–	–	–	1
Certain causes of mortality in early infancy 760–769.2,769.4–772,774–778	19	19	–	771	766	5	36	–	36	–	–
Chronic circulatory and genitourinary diseases in mother 760	–	–	–	–	–	–	–	–	–	–	–
Other maternal conditions unrelated to pregnancy 761	1	1	–	1	1	–	–	–	–	–	–
Syphilis 761.0	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus 761.1	1	1	–	1	1	–	–	–	–	–	–
Rubella 761.3	–	–	–	–	–	–	–	–	–	–	–
All other maternal conditions unrelated to pregnancy 761.2,761.4–761.7,761.9	–	–	–	–	–	–	–	–	–	–	–
Toxemia of pregnancy 762	–	–	–	5	5	–	–	–	–	–	–
Maternal antepartum and intrapartum infection 763	1	1	–	3	3	–	–	–	–	–	–
Difficult labor 764–768	–	–	–	5	5	–	1	–	1	–	–
With mention of birth injury (.0–.3)	–	–	–	2	2	–	–	–	–	–	–
Without mention of birth injury (.4,.9)	–	–	–	3	3	–	1	–	1	–	–
All other complications of pregnancy and childbirth 769.0–769.2,769.4,769.5,769.9	–	–	–	41	41	–	2	–	2	–	–
Conditions of placenta 770	3	3	–	12	12	–	1	–	1	–	–
Conditions of umbilical cord 771	–	–	–	10	10	–	–	–	–	–	–
Birth injury without mention of cause 772	–	–	–	60	60	–	–	–	–	–	–
Hemolytic disease of newborn 774,775	–	–	–	9	9	–	–	–	–	–	–
Hyaline membrane disease 776.1	1	1	–	162	160	2	2	–	2	–	–
Respiratory distress syndrome 776.2	4	4	–	77	77	–	11	–	11	–	–
Asphyxia of newborn, unspecified 776.9	3	3	–	118	118	–	2	–	2	–	–
All other anoxic and hypoxic conditions not elsewhere classifiable 776.0,776.3,776.4	3	3	–	21	21	–	2	–	2	–	–
Immaturity, unqualified 777	3	3	–	127	126	1	5	–	5	–	–
Postmaturity 778.1	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn 778.2	–	–	–	27	27	–	–	–	–	–	–
All other conditions of newborn 778.0,778.3,778.9	–	–	–	93	91	2	10	–	10	–	–
Symptoms and ill-defined conditions 780–796	4	–	4	23	17	6	–	–	–	–	–
Accidents E800–E949	5	–	5	28	7	21	3	–	–	1	2
Inhalation or ingestion of food or other object causing obstruction or suffocation E911,E912	–	–	–	15	–	15	1	–	–	–	1
Accidental mechanical suffocation E913	2	–	2	3	2	1	–	–	–	–	–
Other accidental causes E800–E910,E914–E949	3	–	3	10	5	5	2	–	–	1	1
Homicide E960–E978	–	–	–	1	1	–	–	–	–	–	–
All other causes Residual	1	1	–	23	10	13	–	–	–	–	–