VITAL STATISTICS OF THE UNITED STATES

1978

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
OFFICE OF HEALTH RESEARCH, STATISTICS, AND TECHNOLOGY
NATIONAL CENTER FOR HEALTH STATISTICS
Hyattsville, Maryland 1981

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GAIL F. FISHER, Ph.D., *Associate Director for the Cooperative Health Statistics System*
GARRIE J. LOSEE, *Associate Director for Data Processing and Services*
ALVAN O. ZARATE, Ph.D., *Assistant Director for International Statistics*
E. EARL BRYANT, *Associate Director for Interview and Examination Statistics*
ROBERT C. HUBER, *Associate Director for Management*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
PETER L. HURLEY, *Associate Director for Vital and Health Care Statistics*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
ALICE M. HETZEL, *Deputy Director*
ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, M.S.P.H., *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARSHALL C. EVANS, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Computer Applications Staff*

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1978,* Vol. II, Part B. DHHS Pub. No. (PHS) 82-1102. Public Health Service, Washington. U.S. Government Printing Office, 1982.

DHHS Publication No. (PHS) 82-1102

VITAL STATISTICS OF THE UNITED STATES, 1978
VOLUME II—MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Complete contents pages for Sections 7 and 8 are on pages 7-1 and 8-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1978.* Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1978. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-3	-72	-90	-108	-134	-152	-458	-466	-524
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	[1]1	2	3		5		[2]7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:												
Guam	1	2	3			6	7		[1]9	10	11	12
Puerto Rico	1	2		4		6	7	[1]8		10	11	12
Municipios								[1]8				
Virgin Islands	1	2			5	6	7		[1]9	10	11	12
Islands									[1]9			
Specified urban place									9			
Years:												
1940-78	1											
1978 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry:												
Number of deaths	1	2	3	4	5	6	7	8	9			
Death rates	1											
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	10	11	12
Number of postneonatal deaths											11	12
Number of fetal deaths								8				
Characteristics:												
Age:												
10-year age groups			3	4	5							
Detailed age groups under 1 year											11	
Cause of death:												
65 selected causes of infant mortality												12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

[1]Deaths by place of occurrence and place of residence.

Section 7.
Geographic Detail for Mortality

Table		Page
7–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1978	7–3
7–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1978	7–72
7–3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1978	7–90
7–4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1978	7–108
7–5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1978	7–134
7–6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1978	7–152
7–7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1978	7–458
7–8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1978	7–466
7–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1978	7–524

SYMBOLS USED IN TABLES

Data not available	—
Category not applicable	...
Quantity zero	–
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	°

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,930,627	1,927,788	45,945	31,618	32,301
White	1,692,336	1,689,722	32,212	22,482	22,696
All other	238,291	238,066	13,733	9,136	9,605
Black	221,404	221,340	12,747	8,534	8,734
Alabama	34,478	34,680	969	660	724
White	24,456	24,607	467	338	359
All other	10,022	10,073	502	322	365
Black	10,009	10,062	502	322	364
Autauga	124	220	12	7	8
White	77	141	8	4	6
All other	47	79	4	3	2
Black	47	79	4	3	2
Prattville	---	95	7	3	3
White	---	76	5	2	3
All other	---	19	2	1	-
Black	---	19	2	1	-
Balance of county	---	125	5	4	5
White	---	65	3	2	3
All other	---	60	2	2	2
Black	---	60	2	2	2
Baldwin	561	644	14	5	6
White	483	545	8	4	4
All other	78	99	6	1	2
Black	78	99	6	1	2
Barbour	214	249	2	-	1
White	104	129	-	-	1
All other	110	120	2	-	-
Black	110	120	2	-	-
Bibb	95	143	7	6	2
White	71	109	6	6	1
All other	24	34	1	-	1
Black	23	34	1	-	1
Blount	171	282	8	8	2
Bullock	106	148	5	4	3
White	36	44	1	1	-
All other	70	104	4	3	3
Black	70	104	4	3	3
Butler	285	288	11	4	7
White	192	181	2	1	3
All other	93	107	9	3	4
Black	93	107	9	3	4
Calhoun	991	1,021	23	16	28
White	786	808	13	11	24
All other	205	213	10	5	4
Black	205	213	10	5	4
Anniston	---	512	13	8	9
White	---	351	6	4	6
All other	---	161	7	4	3
Black	---	161	7	4	3
Balance of county	---	509	10	8	19
Chambers	372	431	18	13	10
White	260	304	9	7	5
All other	112	127	9	6	5
Black	112	127	9	6	5
Cherokee	159	206	7	6	4
Chilton	221	321	4	3	9
White	181	269	2	2	4
All other	40	52	2	1	5
Black	40	52	2	1	5
Choctaw	96	162	4	3	6
White	38	80	-	-	2
All other	58	82	4	3	4
Black	58	82	4	3	4
Clarke	284	266	15	8	5
White	139	155	4	3	2
All other	145	111	11	5	3
Black	145	111	11	5	3
Clay	145	170	5	3	2
White	121	141	4	3	1
All other	24	29	1	-	1
Black	23	28	1	-	1
Cleburne	62	109	1	1	1
Coffee	224	287	11	7	8
White	180	238	10	7	6
All other	44	49	1	-	2
Black	44	49	1	-	1
Enterprise	---	97	4	3	5
White	---	70	3	3	3
All other	---	27	1	-	2
Black	---	27	1	-	1
Alabama—Con.					
Coffee—Con.					
Balance of county	---	190	7	4	3
White	---	168	7	4	3
All other	---	22	-	-	-
Black	---	22	-	-	-
Colbert	458	489	12	8	8
White	348	384	10	7	6
All other	110	105	2	1	2
Black	110	105	2	1	2
Sheffield	---	131	4	3	2
White	---	102	4	3	2
All other	---	29	-	-	-
Black	---	29	-	-	-
Balance of county	---	358	8	5	6
White	---	282	6	4	4
All other	---	76	2	1	2
Black	---	76	2	1	2
Conecuh	81	174	1	1	5
White	38	102	1	1	-
All other	43	72	-	-	5
Black	43	72	-	-	5
Coosa	39	110	3	1	-
White	22	82	1	1	-
All other	17	28	2	-	-
Black	17	28	2	-	-
Covington	418	415	10	7	4
White	351	355	7	6	4
All other	67	60	3	1	-
Black	67	60	3	1	-
Andalusia	---	105	4	2	-
White	---	77	3	2	-
All other	---	28	1	-	-
Black	---	28	1	-	-
Balance of county	---	310	6	5	4
White	---	278	4	4	4
All other	---	32	2	1	-
Black	---	32	2	1	-
Crenshaw	144	180	3	2	4
White	94	131	2	2	2
All other	50	49	1	-	2
Black	50	49	1	-	2
Cullman	432	514	13	7	7
Cullman	---	131	1	1	2
Balance of county	---	383	12	6	5
Dale	257	287	11	9	8
White	209	225	5	4	6
All other	48	62	6	5	2
Black	48	61	6	5	2
Ozark	---	113	3	2	2
White	---	78	1	1	1
All other	---	35	2	1	1
Black	---	34	2	1	1
Balance of county	---	174	8	7	6
White	---	147	4	3	5
All other	---	27	4	4	1
Black	---	27	4	4	1
Dallas	631	553	20	11	22
White	286	237	1	1	3
All other	345	316	19	10	19
Black	345	316	19	10	19
Selma	---	365	15	8	12
White	---	164	1	1	2
All other	---	201	14	7	10
Black	---	201	14	7	10
Balance of county	---	188	5	3	10
White	---	73	-	-	1
All other	---	115	5	3	9
Black	---	115	5	3	9
De Kalb	390	500	14	13	6
Elmore	289	378	13	8	8
White	210	276	5	5	5
All other	79	102	8	3	3
Black	79	102	8	3	3
Escambia	295	308	10	5	3
White	215	235	7	5	2
All other	80	73	3	-	1
Black	80	72	3	-	1
Etowah	1,075	1,044	21	15	20
White	891	853	13	9	12
All other	184	191	8	6	8
Black	183	190	8	6	8
Gadsden	---	648	12	11	14
White	---	485	6	5	7
All other	---	163	6	6	7
Black	---	163	6	6	7
Balance of county	---	396	9	4	6

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Fayette	163	191	2	2	–
White	141	165	2	2	–
All other	22	26	–	–	–
Black	22	26	–	–	–
Franklin	276	294	9	5	3
Geneva	155	245	6	5	2
White	136	212	3	2	2
All other	19	33	3	3	–
Black	19	33	3	3	–
Greene	90	124	5	5	3
White	19	21	–	–	–
All other	71	103	5	5	3
Black	71	103	5	5	3
Hale	150	216	5	3	8
White	46	77	1	–	–
All other	104	139	4	3	8
Black	104	139	4	3	8
Henry	77	158	4	2	2
White	43	91	–	–	2
All other	34	67	4	2	–
Black	34	67	4	2	–
Houston	745	572	18	10	17
White	567	426	8	4	11
All other	178	146	10	6	6
Black	177	146	10	6	6
Dothan	---	367	13	7	16
White	---	247	4	1	10
All other	---	120	9	6	6
Black	---	120	9	6	6
Balance of county	---	205	5	3	1
White	---	179	4	3	1
All other	---	26	1	–	–
Black	---	26	1	–	–
Jackson	335	440	11	8	11
Jefferson	7,697	6,396	142	100	156
White	5,090	4,011	54	43	64
All other	2,607	2,385	88	57	92
Black	2,605	2,385	88	57	92
Bessemer	---	396	17	12	6
White	---	176	4	3	3
All other	---	220	13	9	3
Black	---	220	13	9	3
Birmingham	---	3,363	81	53	92
White	---	1,718	19	12	18
All other	---	1,645	62	41	74
Black	---	1,645	62	41	74
Fairfield	---	151	3	2	3
White	---	77	–	–	1
All other	---	74	3	2	2
Black	---	74	3	2	2
Homewood	---	175	1	1	4
Mountain Brook	---	160	1	1	–
Balance of county	---	2,151	39	31	51
White	---	1,718	29	26	39
All other	---	433	10	5	12
Black	---	433	10	5	12
Lamar	128	172	2	–	3
White	114	155	2	–	2
All other	14	17	–	–	1
Black	14	17	–	–	1
Lauderdale	698	637	8	3	10
White	615	557	7	3	9
All other	83	80	1	–	1
Black	82	79	1	–	1
Florence	---	334	5	1	7
White	---	274	4	1	6
All other	---	60	1	–	1
Black	---	59	1	–	1
Balance of county	---	303	3	2	3
Lawrence	174	249	9	5	6
White	138	191	6	4	5
All other	36	58	3	1	1
Black	36	58	3	1	1
Lee	496	507	15	12	9
White	292	292	5	4	2
All other	204	215	10	8	7
Black	204	215	10	8	7
Auburn	---	110	3	2	2
White	---	61	–	–	1
All other	---	49	3	2	1
Black	---	49	3	2	1
Opelika	---	213	5	4	2
White	---	134	1	1	–
All other	---	79	4	3	2
Black	---	79	4	3	2
Balance of county	---	184	7	6	5
White	---	97	4	3	1
All other	---	87	3	3	4
Black	---	87	3	3	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Limestone	317	388	5	3	12
White	265	317	4	3	7
All other	52	71	1	–	5
Black	52	71	1	–	5
Athens	---	155	1	–	5
White	---	122	–	–	3
All other	---	33	1	–	2
Black	---	33	1	–	2
Balance of county	---	233	4	3	7
White	---	195	4	3	4
All other	---	38	–	–	3
Black	---	38	–	–	3
Lowndes	49	131	12	6	10
White	11	38	–	–	1
All other	38	93	12	6	9
Black	38	93	12	6	9
Macon	529	309	15	10	10
White	162	61	2	2	1
All other	367	248	13	8	9
Black	367	248	13	8	9
Tuskegee	---	146	9	6	5
White	---	12	–	–	–
All other	---	134	9	6	5
Black	---	134	9	6	5
Balance of county	---	163	6	4	5
White	---	49	2	2	1
All other	---	114	4	2	4
Black	---	114	4	2	4
Madison	1,464	1,235	43	33	31
White	1,208	993	30	22	20
All other	256	242	13	11	11
Black	254	239	13	11	11
Huntsville	---	912	30	23	20
White	---	718	20	15	14
All other	---	194	10	8	6
Black	---	192	10	8	6
Balance of county	---	323	13	10	11
White	---	275	10	7	6
All other	---	48	3	3	5
Black	---	47	3	3	5
Marengo	238	271	14	7	5
White	91	105	4	2	1
All other	147	166	10	5	4
Black	147	166	10	5	4
Marion	278	328	10	7	9
Marshall	485	536	4	–	5
Mobile	3,324	3,091	113	82	50
White	2,217	2,040	46	30	17
All other	1,107	1,051	67	52	33
Black	1,104	1,049	67	52	33
Mobile	---	1,992	69	50	28
White	---	1,293	24	16	9
All other	---	699	45	34	19
Black	---	697	45	34	19
Prichard	---	335	18	14	5
White	---	108	2	2	–
All other	---	227	16	12	5
Black	---	227	16	12	5
Balance of county	---	764	26	18	17
White	---	639	20	12	8
All other	---	125	6	6	9
Black	---	125	6	6	9
Monroe	201	237	3	1	2
White	122	140	2	1	–
All other	79	97	1	–	2
Black	79	97	1	–	2
Montgomery	2,284	1,819	61	40	42
White	1,362	1,043	22	15	9
All other	922	776	39	25	33
Black	921	775	39	25	33
Montgomery	---	1,617	55	37	35
White	---	949	22	15	8
All other	---	668	33	22	27
Black	---	667	33	22	27
Balance of county	---	202	6	3	7
White	---	94	–	–	1
All other	---	108	6	3	6
Black	---	108	6	3	6
Morgan	689	686	15	11	10
Decatur	---	320	11	8	4
White	---	258	7	5	2
All other	---	62	4	3	2
Black	---	62	4	3	2
Balance of county	---	366	4	3	6
Perry	119	162	7	5	1
White	40	53	–	–	–
All other	79	109	7	5	1
Black	79	109	7	5	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Pickens	129	214	5	4	11
White	63	126	1	1	4
All other	66	88	4	3	7
Black	66	88	4	3	7
Pike	227	269	7	2	5
White	159	170	2	1	2
All other	68	99	5	1	3
Black	68	99	5	1	3
Troy	---	109	4	1	–
White	---	62	2	1	–
All other	---	47	2	–	–
Black	---	47	2	–	–
Balance of county	---	160	3	1	5
White	---	108	–	–	2
All other	---	52	3	1	3
Black	---	52	3	1	3
Randolph	193	230	4	2	4
White	138	174	1	1	3
All other	55	56	3	1	1
Black	55	56	3	1	1
Russell	408	475	15	13	11
White	235	268	3	2	4
All other	173	207	12	11	7
Black	173	207	12	11	7
Phenix City	---	289	9	8	2
White	---	178	1	–	–
All other	---	111	8	8	2
Black	---	111	8	8	2
Balance of county	---	186	6	5	9
White	---	90	2	2	4
All other	---	96	4	3	5
Black	---	96	4	3	5
St. Clair	238	299	2	2	8
White	215	271	2	2	6
All other	23	28	–	–	2
Black	23	28	–	–	2
Shelby	316	408	14	11	5
White	271	356	9	8	4
All other	45	52	5	3	1
Black	45	52	5	3	1
Sumter	115	182	3	3	5
White	37	64	–	–	–
All other	78	118	3	3	5
Black	78	118	3	3	5
Talladega	642	709	30	24	17
White	444	500	15	13	7
All other	198	209	15	11	10
Black	198	209	15	11	10
Sylacauga	---	156	8	8	2
White	---	108	5	5	–
All other	---	48	3	3	2
Black	---	48	3	3	2
Talladega	---	200	11	9	4
White	---	126	5	5	2
All other	---	74	6	4	2
Black	---	74	6	4	2
Balance of county	---	353	11	7	11
White	---	266	5	3	5
All other	---	87	6	4	6
Black	---	87	6	4	6
Tallapoosa	372	425	7	3	11
White	261	299	2	1	6
All other	111	126	5	2	5
Black	111	126	5	2	5
Alexander City	---	156	4	2	7
White	---	102	1	1	4
All other	---	54	3	1	3
Black	---	54	3	1	3
Balance of county	---	269	3	1	4
White	---	197	1	–	2
All other	---	72	2	1	2
Black	---	72	2	1	2
Tuscaloosa	1,192	971	26	23	11
White	830	699	8	7	5
All other	362	272	18	16	6
Black	362	272	18	16	6
Tuscaloosa	---	530	22	20	10
White	---	346	6	5	4
All other	---	184	16	15	6
Black	---	184	16	15	6
Balance of county	---	441	4	3	1
White	---	353	2	2	1
All other	---	88	2	1	–
Black	---	88	2	1	–
Walker	479	651	20	14	6
Jasper	---	143	4	3	–
White	---	117	3	3	–
All other	---	26	1	–	–
Black	---	26	1	–	–
Balance of county	---	508	16	11	6
Alabama—Con.					
Washington	74	158	5	4	6
White	55	122	3	2	5
All other	19	36	2	2	1
Black	19	36	2	2	1
Wilcox	113	177	12	8	7
White	38	56	1	1	1
All other	75	121	11	7	6
Black	75	121	11	7	6
Winston	200	219	3	1	3
Alaska [1]	1,695	1,690	128	83	76
White	1,193	1,186	85	60	47
All other	502	504	43	23	29
Black	49	49	6	5	7
Dist. 1, Prince of Wales	19	13	–	–	–
White	18	6	–	–	–
All other	1	7	–	–	–
Black	–	–	–	–	–
Dist. 2, Ketchikan	72	80	7	6	4
White	51	63	6	5	2
All other	21	17	1	1	2
Black	–	–	–	–	–
Dist. 3, Wrangell–Petersburg	42	44	1	1	1
White	34	33	1	1	1
All other	8	11	–	–	–
Black	–	–	–	–	–
Dist. 4, Sitka	75	61	4	4	1
White	39	30	4	4	–
All other	36	31	–	–	1
Black	–	–	–	–	–
Dist. 5, Juneau	68	74	3	3	3
White	55	61	2	2	2
All other	13	13	1	1	1
Black	1	–	–	–	–
Dist. 6, Lynn Canal–Icy Straits	17	22	–	–	–
White	14	14	–	–	–
All other	3	8	–	–	–
Black	–	–	–	–	–
Dist. 7, Cordova–McCarthy	19	20	–	–	1
White	13	14	–	–	1
All other	6	6	–	–	–
Black	–	–	–	–	–
Dist. 8, Valdez–Chittina–Whittier	23	18	2	2	3
White	20	14	2	2	3
All other	3	4	–	–	–
Black	–	–	–	–	–
Dist. 9, Palmer–Wasilla–Talkeetna	70	81	4	1	3
Dist. 10, Anchorage	617	608	53	37	32
White	494	519	44	31	22
All other	123	89	9	6	10
Black	28	32	5	4	5
Anchorage	---	550	46	32	18
White	---	469	38	27	14
All other	---	81	8	5	4
Black	---	29	4	3	2
Balance of district	---	58	7	5	14
Dist. 11, Seward	27	20	–	–	1
White	25	19	–	–	1
All other	2	1	–	–	–
Black	1	–	–	–	–
Dist. 12, Kenai–Cook Inlet	83	85	6	3	–
Dist. 13, Kodiak	46	48	1	–	3
White	28	28	1	–	1
All other	18	20	–	–	2
Black	–	2	–	–	–
Dist. 14, Aleutian Islands	17	16	1	1	1
White	8	3	–	–	1
All other	9	13	1	1	–
Black	–	–	–	–	–
Dist. 15, Bristol Bay	35	26	2	2	–
White	16	5	–	–	–
All other	19	21	2	2	–
Black	–	–	–	–	–
Dist. 16, Bethel	48	47	4	1	5
White	6	5	–	–	–
All other	42	42	4	1	5
Black	–	–	–	–	–
Dist. 17, Kuskokwim	20	20	–	–	–
White	7	1	–	–	–
All other	13	19	–	–	–
Black	1	–	–	–	–
Dist. 18, Yukon–Koyukuk	40	42	1	1	2
White	24	24	1	1	–
All other	16	18	–	–	2
Black	2	2	–	–	–

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska—Con.					
Dist. 19, Fairbanks	224	212	15	10	14
Fairbanks	---	178	12	8	9
White	---	148	10	7	8
All other	---	30	2	1	1
Black	---	9	-	-	1
Balance of district	---	34	3	2	5
Dist. 20, Upper Yukon	8	16	1	-	-
White	2	5	-	-	-
All other	6	11	1	-	-
Black	-	-	-	-	-
Dist. 21, Barrow	24	23	5	2	-
White	5	-	-	-	-
All other	19	23	5	2	-
Black	-	-	-	-	-
Dist. 22, Kobuk	31	34	4	-	-
White	1	2	-	-	-
All other	30	32	4	-	-
Black	2	-	-	-	-
Dist. 23, Nome	51	58	11	6	2
White	7	7	2	2	-
All other	44	51	9	4	2
Black	1	1	-	-	-
Dist. 24, Wade Hampton	19	22	3	3	-
White	1	-	-	-	-
All other	18	22	3	3	-
Black	-	-	-	-	-
Arizona	19,799	19,198	564	390	305
White	18,292	17,613	448	325	234
All other	1,507	1,585	116	65	71
Black	504	490	35	26	20
Apache	287	378	27	14	13
White	60	71	6	5	-
All other	227	307	21	9	13
Black	1	3	-	-	-
Cochise	456	545	21	15	8
Douglas	---	123	6	3	1
Balance of county	---	422	15	12	7
Coconino	357	315	25	16	10
White	237	199	15	11	2
All other	120	116	10	5	8
Black	6	5	-	-	1
Flagstaff	---	126	11	6	3
White	---	118	9	6	1
All other	---	8	2	-	2
Black	---	4	-	-	-
Balance of county	---	189	14	10	7
White	---	81	6	5	1
All other	---	108	8	5	6
Black	---	1	-	-	1
Gila	256	344	10	6	2
White	223	288	6	4	2
All other	33	56	4	2	-
Black	1	1	-	-	-
Graham	120	154	7	4	2
White	112	135	4	3	2
All other	8	19	3	1	-
Black	2	1	-	-	-
Greenlee	41	53	-	-	3
Maricopa	11,398	10,640	306	220	143
White	10,799	10,175	269	198	121
All other	599	465	37	22	22
Black	317	310	26	19	13
Chandler	---	158	8	6	4
Glendale	---	504	27	17	15
Mesa	---	1,149	34	28	13
Phoenix	---	5,603	175	130	80
White	---	5,260	148	112	66
All other	---	343	27	18	14
Black	---	279	23	16	10
Scottsdale	---	782	11	8	7
Tempe	---	374	12	7	5
Balance of county	---	2,070	39	24	19
Mohave	457	493	11	6	2
Navajo	294	365	27	17	20
White	175	173	9	9	8
All other	119	192	18	8	12
Black	13	8	-	-	1
Pima	4,177	3,717	72	50	65
White	3,954	3,498	63	43	57
All other	223	219	9	7	8
Black	105	97	4	2	3
Tucson	---	2,927	55	34	47
White	---	2,808	50	31	43
All other	---	119	5	3	4
Black	---	89	4	2	3
Balance of county	---	790	17	16	18
Arizona—Con.					
Pinal	478	699	20	13	11
White	394	582	11	6	8
All other	84	117	9	7	3
Black	24	27	3	3	-
Casa Grande	---	106	4	2	1
Balance of county	---	593	16	11	10
White	---	480	8	5	7
All other	---	113	8	6	3
Black	---	26	3	3	-
Santa Cruz	96	118	4	3	4
Yavapai	715	733	11	9	11
Prescott	---	329	2	2	5
Balance of county	---	404	9	7	6
Yuma	667	644	23	17	11
Yuma	---	392	15	11	5
Balance of county	---	252	8	6	6
White	---	224	7	6	3
All other	---	28	1	-	3
Black	---	8	-	-	2
Arkansas	21,742	21,896	569	364	353
White	17,905	17,928	368	241	223
All other	3,837	3,968	201	123	130
Black	3,775	3,931	200	122	128
Arkansas	328	295	7	1	3
White	269	239	4	1	3
All other	59	56	3	-	-
Black	59	55	3	-	-
Stuttgart	---	152	6	1	1
White	---	121	4	1	1
All other	---	31	2	-	-
Black	---	31	2	-	-
Balance of county	---	143	1	-	2
White	---	118	-	-	2
All other	---	25	1	-	-
Black	---	24	1	-	-
Ashley	151	223	6	3	6
White	99	150	3	2	2
All other	52	73	3	1	4
Black	52	73	3	1	4
Baxter	294	326	3	2	7
Benton	612	636	17	9	11
Rogers	---	165	4	2	4
Springdale, part	---	2	-	-	-
Balance of county	---	469	13	7	7
Boone	389	302	5	5	-
Bradley	164	169	2	2	1
White	107	111	1	1	1
All other	57	58	1	1	-
Black	57	58	1	1	-
Calhoun	28	56	3	1	1
White	22	42	2	1	1
All other	6	14	1	-	-
Black	6	14	1	-	-
Carroll	144	188	1	1	4
Chicot	198	217	3	3	1
White	83	80	1	1	-
All other	115	137	2	2	1
Black	115	137	2	2	1
Clark	213	257	3	3	3
White	166	195	1	1	2
All other	47	62	2	2	1
Black	47	62	2	2	1
Clay	137	240	2	1	3
Cleburne	132	172	3	2	1
Cleveland	30	83	-	-	-
White	27	67	-	-	-
All other	3	16	-	-	-
Black	3	16	-	-	-
Columbia	271	319	3	2	4
White	169	206	1	1	2
All other	102	113	2	1	2
Black	102	113	2	1	2
Magnolia	---	114	2	2	1
White	---	74	1	1	1
All other	---	40	1	1	-
Black	---	40	1	1	-
Balance of county	---	205	1	-	3
White	---	132	-	-	1
All other	---	73	1	-	2
Black	---	73	1	-	2
Conway	145	175	5	1	1
White	120	140	2	-	-
All other	25	35	3	1	1
Black	25	35	3	1	1
Craighead	633	515	3	2	6
Jonesboro	---	284	3	2	2
Balance of county	---	231	-	-	4
Crawford	196	290	10	6	4

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Arkansas—Con.					
Crittenden	381	435	22	15	8
White	215	209	5	4	3
All other	166	226	17	11	5
Black	166	226	17	11	5
West Memphis	---	213	10	7	3
White	---	123	2	2	2
All other	---	90	8	5	1
Black	---	90	8	5	1
Balance of county	---	222	12	8	5
White	---	86	3	2	1
All other	---	136	9	6	4
Black	---	136	9	6	4
Cross	189	192	8	4	6
White	120	132	2	2	2
All other	69	60	6	2	4
Black	69	60	6	2	4
Dallas	132	148	1	1	1
White	84	94	-	-	-
All other	48	54	1	1	1
Black	48	54	1	1	1
Desha	207	213	5	4	4
White	123	124	2	2	1
All other	84	89	3	2	3
Black	84	88	3	2	3
Drew	125	158	7	6	4
White	83	107	3	3	3
All other	42	51	4	3	1
Black	42	51	4	3	1
Faulkner	263	299	8	6	5
Conway	---	110	1	1	2
Balance of county	---	189	7	5	3
White	---	176	4	2	3
All other	---	13	3	3	-
Black	---	13	3	3	-
Franklin	119	140	5	5	1
Fulton	159	117	2	2	2
Garland	914	926	7	7	5
Hot Springs	---	701	2	2	3
White	---	640	2	2	3
All other	---	61	-	-	-
Black	---	60	-	-	-
Balance of county	---	225	5	5	2
Grant	59	116	5	2	-
Greene	377	318	9	8	2
Paragould	---	181	1	1	1
Balance of county	---	137	8	7	1
Hempstead	208	255	8	7	2
White	153	179	7	7	2
All other	55	76	1	-	-
Black	55	75	1	-	-
Hot Spring	208	263	1	1	5
White	185	240	1	1	5
All other	23	23	-	-	-
Black	23	23	-	-	-
Howard	152	170	2	1	5
White	116	144	1	1	1
All other	36	26	1	-	4
Black	36	26	1	-	4
Independence	323	295	6	3	6
Izard	89	128	1	1	1
Jackson	191	219	1	-	4
White	158	185	1	-	3
All other	33	34	-	-	1
Black	33	34	-	-	1
Jefferson	846	844	27	20	24
White	515	492	14	11	4
All other	331	352	13	9	20
Black	331	352	13	9	20
Pine Bluff	---	633	19	15	18
White	---	361	11	8	3
All other	---	272	8	7	15
Black	---	272	8	7	15
Balance of county	---	211	8	5	6
White	---	131	3	3	1
All other	---	80	5	2	5
Black	---	80	5	2	5
Johnson	150	198	6	3	2
Lafayette	77	92	-	-	3
White	54	65	-	-	-
All other	23	27	-	-	3
Black	23	27	-	-	3
Lawrence	126	200	4	2	-
Lee	131	171	2	2	2
White	41	69	-	-	2
All other	90	102	2	2	-
Black	90	102	2	2	-
Lincoln	68	129	4	2	1
White	41	85	2	1	1
All other	27	44	2	1	-
Black	27	44	2	1	-
Arkansas—Con.					
Little River	91	122	8	5	1
White	70	90	3	3	-
All other	21	32	5	2	1
Black	21	32	5	2	1
Logan	152	225	3	1	2
Lonoke	155	297	6	1	2
White	118	249	5	1	1
All other	37	48	1	-	1
Black	37	47	1	-	1
Madison	83	111	2	-	2
Marion	118	119	-	-	-
Miller	402	366	10	7	1
White	326	274	4	3	1
All other	76	92	6	4	-
Black	75	92	6	4	-
Texarkana [2]	---	255	8	6	-
White	---	183	2	2	-
All other	---	72	6	4	-
Black	---	72	6	4	-
Balance of county	---	111	2	1	1
White	---	91	2	1	1
All other	---	20	-	-	-
Black	---	20	-	-	-
Mississippi	506	588	28	18	18
White	354	416	14	9	10
All other	152	172	14	9	8
Black	152	172	14	9	8
Blytheville	---	241	15	10	4
White	---	149	6	4	2
All other	---	92	9	6	2
Black	---	92	9	6	2
Balance of county	---	347	13	8	14
White	---	267	8	5	8
All other	---	80	5	3	6
Black	---	80	5	3	6
Monroe	126	181	7	6	4
White	53	88	4	4	1
All other	73	93	3	2	3
Black	73	93	3	2	3
Montgomery	35	95	-	-	2
Nevada	141	164	6	5	2
White	104	118	3	3	-
All other	37	46	3	2	2
Black	37	46	3	2	2
Newton	24	65	2	-	-
Ouachita	325	352	10	6	2
White	200	233	6	5	1
All other	125	119	4	1	1
Black	125	118	4	1	1
Camden	---	187	3	1	1
White	---	119	2	1	1
All other	---	68	1	-	-
Black	---	68	1	-	-
Balance of county	---	165	7	5	1
White	---	114	4	4	-
All other	---	51	3	1	1
Black	---	50	3	1	1
Perry	19	86	2	1	-
Phillips	381	434	16	7	12
White	141	170	6	4	1
All other	240	264	10	3	11
Black	239	263	10	3	11
Helena	---	163	11	6	2
White	---	53	5	4	1
All other	---	110	6	2	1
Black	---	110	6	2	1
West Helena	---	106	1	-	6
White	---	55	-	-	-
All other	---	51	1	-	6
Black	---	51	1	-	6
Balance of county	---	165	4	1	4
White	---	62	1	-	-
All other	---	103	3	1	4
Black	---	102	3	1	4
Pike	99	107	2	1	2
Poinsett	102	263	2	1	5
Polk	176	205	7	3	4
Pope	292	324	6	2	11
Russellville	---	148	4	1	6
Balance of county	---	176	2	1	5
Prairie	36	123	1	-	-
White	28	110	1	-	-
All other	8	13	-	-	-
Black	8	13	-	-	-
Pulaski	4,096	2,727	112	74	66
White	3,157	2,016	58	34	37
All other	939	711	54	40	29
Black	933	709	54	40	28
Jacksonville	---	121	8	5	9

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Pulaski—Con.					
Little Rock	---	1,540	68	43	36
White	---	1,094	26	13	14
All other	---	446	42	30	22
Black	---	446	42	30	22
North Little Rock	---	739	27	21	13
White	---	553	18	14	8
All other	---	186	9	7	5
Black	---	184	9	7	5
Balance of county	---	327	9	5	8
White	---	255	7	3	7
All other	---	72	2	2	1
Black	---	72	2	2	1
Randolph	125	169	4	4	1
St. Francis	258	325	18	14	11
White	149	180	7	6	3
All other	109	145	11	8	8
Black	109	145	11	8	8
Forrest City	---	153	7	6	6
White	---	88	3	3	2
All other	---	65	4	3	4
Black	---	65	4	3	4
Balance of county	---	172	11	8	5
White	---	92	4	3	1
All other	---	80	7	5	4
Black	---	80	7	5	4
Saline	326	354	6	4	4
Benton	---	186	4	3	-
Balance of county	---	168	2	1	4
Scott	58	92	-	-	2
Searcy	21	68	1	-	1
Sebastian	1,368	846	20	14	6
Fort Smith	---	649	16	11	3
Balance of county	---	197	4	3	3
Sevier	195	143	-	-	4
Sharp	58	150	5	5	2
Stone	65	83	3	2	-
Union	546	520	19	9	8
White	380	366	7	5	4
All other	166	154	12	4	4
Black	166	154	12	4	4
El Dorado	---	281	13	6	5
White	---	197	5	4	3
All other	---	84	8	2	2
Black	---	84	8	2	2
Balance of county	---	239	6	3	3
White	---	169	2	1	1
All other	---	70	4	2	2
Black	---	70	4	2	2
Van Buren	96	139	5	2	3
Washington	930	728	23	13	12
Fayetteville	---	214	7	4	6
Springdale, part	---	197	6	5	2
Springdale, total	---	199	6	5	2
Balance of county	---	317	10	4	4
White	494	480	10	8	9
Woodruff	93	164	3	1	4
White	67	111	3	1	2
All other	26	53	-	-	2
Black	26	52	-	-	2
Yell	191	192	5	4	1
California	176,579	176,069	4,210	2,756	3,017
White	160,359	159,829	3,298	2,140	2,298
All other	16,220	16,240	912	616	719
Black	12,219	12,245	753	519	537
Alameda	9,075	8,925	186	115	123
White	7,386	7,230	114	69	48
All other	1,689	1,695	72	46	75
Black	1,424	1,451	65	42	60
Alameda	---	579	14	7	7
Albany	---	151	2	1	-
White	---	137	1	-	-
All other	---	14	1	1	-
Black	---	5	1	1	-
Berkeley	---	771	14	10	7
White	---	555	4	4	2
All other	---	216	10	6	5
Black	---	186	9	6	5
Fremont	---	573	21	18	6
Hayward	---	907	20	12	6
Livermore	---	296	8	6	-
Newark	---	133	5	2	7
Oakland	---	3,596	74	41	68
White	---	2,303	25	12	14
All other	---	1,293	49	29	54
Black	---	1,180	49	29	47
Piedmont	---	103	-	-	-
Pleasanton	---	155	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Alameda—Con.					
San Leandro	---	868	11	5	9
Union City	---	125	8	6	5
Balance of county	---	668	7	5	7
Alpine	3	9	-	-	-
White	3	7	-	-	-
All other	-	2	-	-	-
Black	-	2	-	-	-
Amador	163	181	-	-	-
Butte	1,342	1,336	19	7	20
Chico	---	405	6	4	6
Balance of county	---	931	13	3	14
Calaveras	150	180	2	-	3
Colusa	112	140	4	-	2
Contra Costa	4,125	4,258	90	59	79
White	3,739	3,836	68	43	62
All other	386	422	22	16	17
Black	330	351	18	14	13
Antioch	---	246	7	3	11
Concord	---	555	20	11	6
El Cerrito	---	223	2	2	2
White	---	200	-	-	1
All other	---	23	2	2	1
Black	---	9	-	-	-
Lafayette	---	156	-	-	-
Martinez	---	219	2	2	4
Pinole	---	57	1	-	3
Pittsburg	---	257	10	5	9
White	---	195	6	4	8
All other	---	62	4	1	1
Black	---	54	4	1	1
Pleasant Hill	---	156	1	-	2
Richmond	---	712	19	16	18
White	---	435	7	5	7
All other	---	277	12	11	11
Black	---	262	12	11	10
San Pablo	---	265	5	3	4
Walnut Creek	---	654	7	6	6
Balance of county	---	758	16	11	14
Del Norte	155	159	4	1	3
El Dorado	478	508	13	6	15
South Lake Tahoe	---	84	3	-	4
Balance of county	---	424	10	6	11
Fresno	4,132	3,726	99	69	64
White	3,806	3,417	85	57	58
All other	326	309	14	12	6
Black	231	213	12	10	4
Clovis	---	202	10	7	3
Fresno	---	2,512	61	41	30
White	---	2,265	48	30	25
All other	---	247	13	11	5
Black	---	195	12	10	4
Sanger	---	145	5	4	5
Balance of county	---	867	23	17	26
White	---	815	23	17	25
All other	---	52	-	-	1
Black	---	18	-	-	-
Glenn	129	207	3	3	4
Humboldt	834	850	13	7	19
Eureka	---	381	8	4	4
Balance of county	---	469	5	3	15
Imperial	616	629	12	8	9
Brawley	---	129	3	3	2
Calexico	---	70	2	1	4
El Centro	---	173	2	2	-
Balance of county	---	257	5	2	3
Inyo	217	199	5	3	3
Kern	2,921	3,052	116	76	62
White	2,677	2,816	104	70	52
All other	244	236	12	6	10
Black	191	193	12	6	9
Bakersfield	---	1,760	60	41	37
White	---	1,583	49	35	29
All other	---	177	11	6	8
Black	---	163	11	6	7
Delano	---	124	9	7	6
White	---	96	9	7	6
All other	---	28	-	-	-
Black	---	9	-	-	-
Balance of county	---	1,168	47	28	19
White	---	1,137	46	28	17
All other	---	31	1	-	2
Black	---	21	1	-	2
Kings	447	506	16	10	10
Hanford	---	256	6	5	4
Balance of county	---	250	10	5	6
Lake	332	474	4	1	3
Lassen	128	165	1	1	5
Los Angeles	59,863	59,374	1,591	1,102	1,145
White	51,861	51,287	1,122	771	806
All other	8,002	8,087	469	331	339
Black	6,741	6,831	413	296	276

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Los Angeles—Con.					
Alhambra	---	794	14	8	5
Arcadia	---	518	6	2	5
Artesia	---	107	4	2	2
Azusa	---	268	16	13	4
Baldwin Park	---	330	17	9	8
Bell	---	208	9	7	3
Bellflower	---	455	6	3	7
Bell Gardens	---	223	17	12	6
Beverly Hills	---	393	3	1	2
Burbank	---	848	10	7	8
Carson	---	383	24	17	11
White	---	299	11	8	6
All other	---	84	13	9	5
Black	---	60	10	7	4
Cerritos	---	135	5	5	5
Claremont	---	203	1	1	–
Commerce	---	49	4	3	2
Compton	---	654	48	36	36
White	---	187	12	9	11
All other	---	467	36	27	25
Black	---	462	36	27	25
Covina	---	413	8	5	3
Cudahy	---	102	11	5	4
Culver City	---	353	5	3	4
Downey	---	698	18	13	7
Duarte	---	171	4	2	4
El Monte	---	560	22	16	24
El Segundo	---	102	3	3	1
Gardena	---	552	17	13	11
White	---	440	9	6	8
All other	---	112	8	7	3
Black	---	47	8	7	2
Glendale	---	1,502	14	9	19
Glendora	---	309	8	6	4
Hawthorne	---	406	6	4	9
Hermosa Beach	---	101	–	–	2
Huntington Park	---	467	26	20	20
Inglewood	---	831	28	19	23
White	---	631	4	3	5
All other	---	200	24	16	18
Black	---	190	22	15	18
Lakewood	---	509	3	3	2
La Mirada	---	174	6	4	2
La Puente	---	335	10	7	15
La Verne	---	175	1	–	2
Lawndale	---	163	3	2	3
Lomita	---	183	3	3	3
Long Beach	---	4,181	85	53	48
White	---	3,931	56	31	33
All other	---	250	29	22	15
Black	---	201	24	19	11
Los Angeles	---	27,031	760	533	561
White	---	21,150	472	334	349
All other	---	5,881	288	199	212
Black	---	5,166	259	182	182
Lynwood	---	341	14	13	11
Manhattan Beach	---	157	1	1	2
Maywood	---	154	8	6	5
Monrovia	---	304	9	4	5
White	---	273	8	3	5
All other	---	31	1	1	–
Black	---	30	1	1	–
Montebello	---	365	9	4	13
Monterey Park	---	323	2	1	5
White	---	279	2	1	3
All other	---	44	–	–	2
Black	---	–	–	–	–
Norwalk	---	517	25	20	8
Palos Verdes Estates	---	72	–	–	–
Paramount	---	239	15	10	6
Pasadena	---	1,381	24	15	12
White	---	1,173	17	10	2
All other	---	208	7	5	10
Black	---	181	6	4	7
Pico Rivera	---	301	6	4	12
Pomona	---	805	44	28	21
White	---	714	34	24	17
All other	---	91	10	4	4
Black	---	89	10	4	4
Redondo Beach	---	435	12	10	7
Rosemead	---	323	9	6	7
San Dimas	---	132	4	2	–
San Fernando	---	194	10	8	6
San Gabriel	---	453	7	4	2
San Marino	---	95	1	1	–
Santa Fe Springs	---	60	2	–	3
Santa Monica	---	1,066	7	5	11
Sierra Madre	---	97	–	–	1
South El Monte	---	77	3	2	5
South Gate	---	559	14	10	24
California—Con.					
Los Angeles—Con.					
South Pasadena	---	218	1	1	2
Temple City	---	269	–	–	1
Torrance	---	1,088	19	15	17
West Covina	---	404	10	5	7
Whittier	---	1,098	30	22	21
Balance of county	---	2,961	80	56	56
White	---	2,777	70	48	44
All other	---	184	10	8	12
Black	---	144	10	8	6
Madera	394	502	11	7	7
Madera	---	315	7	6	5
White	---	287	7	6	4
All other	---	28	–	–	1
Black	---	27	–	–	1
Balance of county	---	187	4	1	2
Marin	1,464	1,500	24	20	12
Larkspur	---	52	–	–	–
Mill Valley	---	176	2	2	1
Novato	---	241	11	9	3
San Anselmo	---	105	1	1	1
San Rafael	---	480	5	3	4
Balance of county	---	446	5	5	3
Mariposa	102	111	1	1	–
Mendocino	519	533	6	3	7
Ukiah	---	186	2	1	1
Balance of county	---	347	4	2	6
Merced	720	868	23	11	28
Atwater	---	96	3	1	4
White	---	90	3	1	4
All other	---	6	–	–	–
Black	---	5	–	–	–
Merced	---	340	10	5	12
White	---	309	9	4	9
All other	---	31	1	1	3
Black	---	30	1	1	2
Balance of county	---	432	10	5	12
Modoc	73	88	2	1	1
Mono	74	47	–	–	4
Monterey	1,797	1,875	66	42	44
White	1,662	1,721	51	34	34
All other	135	154	15	8	10
Black	64	66	11	6	5
Monterey	---	214	7	4	2
Pacific Grove	---	175	2	2	–
Salinas	---	684	19	16	20
Seaside	---	142	8	2	3
White	---	98	3	1	1
All other	---	44	5	1	2
Black	---	30	3	–	1
Balance of county	---	660	30	18	19
Napa	1,057	854	15	12	6
Napa	---	584	10	7	4
Balance of county	---	270	5	5	2
Nevada	470	438	5	3	5
Orange	10,571	10,958	294	196	164
White	10,378	10,768	263	176	146
All other	193	190	31	20	18
Black	67	58	10	6	10
Anaheim	---	1,273	30	20	27
Brea	---	129	5	4	–
Buena Park	---	311	5	4	3
Costa Mesa	---	526	19	12	1
Cypress	---	173	6	5	8
Fountain Valley	---	183	8	6	1
Fullerton	---	547	13	9	9
Garden Grove	---	787	38	26	12
Huntington Beach	---	762	18	15	7
Laguna Beach	---	209	–	–	3
La Habra	---	275	6	2	7
Los Alamitos	---	115	3	2	–
Newport Beach	---	472	2	1	4
Orange	---	587	20	13	8
Placentia	---	134	4	3	4
San Clemente	---	209	5	4	5
Santa Ana	---	1,340	58	35	36
White	---	1,293	50	32	31
All other	---	47	8	3	5
Black	---	28	4	2	3
Seal Beach	---	489	–	–	–
Stanton	---	141	2	1	3
Tustin	---	261	12	8	4
Westminster	---	377	13	8	3
Yorba Linda	---	109	3	3	–
Balance of county	---	1,549	24	15	19
Placer	906	862	10	6	14
Roseville	---	252	3	1	4
Balance of county	---	610	7	5	10
Plumas	134	145	4	2	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Riverside	5,463	6,014	114	63	77
White	5,225	5,751	95	53	67
All other	238	263	19	10	10
Black	196	220	17	8	9
Banning	---	224	2	-	1
White	---	205	-	-	1
All other	---	19	2	-	-
Black	---	17	2	-	-
Corona	---	270	11	4	5
Hemet	---	899	5	4	2
Indio	---	205	14	11	6
Norco	---	68	1	1	2
Palm Springs	---	443	7	5	3
Riverside	---	1,448	27	17	27
Balance of county	---	2,457	47	21	31
White	---	2,332	39	17	26
All other	---	125	8	4	5
Black	---	103	8	4	4
Sacramento	5,847	5,706	124	78	74
White	5,343	5,195	93	56	55
All other	504	511	31	22	19
Black	332	351	25	18	11
Sacramento	---	4,083	85	56	51
White	---	3,636	55	35	32
All other	---	447	30	21	19
Black	---	312	25	18	11
Balance of county	---	1,623	39	22	23
White	---	1,559	38	21	23
All other	---	64	1	1	-
Black	---	39	-	-	-
San Benito	133	180	2	-	5
San Bernardino	7,158	6,450	189	119	112
White	6,825	6,188	163	101	95
All other	333	262	26	18	17
Black	296	231	24	18	16
Barstow	---	169	5	3	5
White	---	154	5	3	2
All other	---	15	-	-	3
Black	---	13	-	-	3
Chino	---	221	12	10	6
Colton	---	215	3	2	7
Fontana	---	485	13	9	9
Montclair	---	131	7	6	3
Ontario	---	588	23	14	17
Redlands	---	351	5	5	3
Rialto	---	214	7	5	2
San Bernardino	---	1,322	35	22	19
White	---	1,194	23	13	12
All other	---	128	12	9	7
Black	---	126	12	9	7
Upland	---	287	6	4	5
Victorville	---	124	6	2	3
Balance of county	---	2,343	67	37	33
White	---	2,312	64	35	29
All other	---	31	3	2	4
Black	---	16	3	2	3
San Diego	12,984	12,549	298	186	225
White	12,332	11,913	239	149	176
All other	652	636	59	37	49
Black	488	476	48	28	30
Carlsbad	---	200	3	2	5
Chula Vista	---	771	18	11	15
Coronado	---	152	1	1	2
El Cajon	---	810	19	12	18
Escondido	---	677	14	9	3
Imperial Beach	---	107	11	7	5
La Mesa	---	499	5	5	2
National City	---	280	15	9	11
White	---	257	7	2	8
All other	---	23	8	7	3
Black	---	10	3	2	2
Oceanside	---	544	24	11	21
San Diego	---	5,999	134	78	103
White	---	5,510	97	59	70
All other	---	489	37	19	33
Black	---	408	32	16	19
Vista	---	410	11	6	5
Balance of county	---	2,100	43	35	35
White	---	2,054	42	34	33
All other	---	46	1	1	2
Black	---	12	-	-	2
San Francisco, caext. with San Francisco city	8,087	7,680	110	67	86
White	6,433	6,089	53	30	45
All other	1,654	1,591	57	37	41
Black	809	771	36	26	26
San Joaquin	2,886	2,941	61	41	51
White	2,590	2,638	51	33	42
All other	296	303	10	8	9
Black	166	166	7	6	4
Lodi	---	424	6	4	10
Manteca	---	179	6	4	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
San Joaquin—Con.					
Stockton	---	1,825	35	25	27
White	---	1,562	26	18	21
All other	---	263	9	7	6
Black	---	153	7	6	4
Tracy	---	202	2	1	2
Balance of county	---	311	12	7	6
White	---	296	11	6	6
All other	---	15	1	1	-
Black	---	4	-	-	-
San Luis Obispo	1,109	1,135	13	7	10
San Luis Obispo	---	239	1	1	1
Balance of county	---	896	12	6	9
San Mateo	3,828	4,204	68	40	51
White	3,622	3,909	45	28	34
All other	206	295	23	12	17
Black	110	169	15	8	7
Belmont	---	140	-	-	2
Burlingame	---	294	2	1	1
Daly City	---	507	14	7	9
White	---	434	6	3	4
All other	---	73	8	4	5
Black	---	29	3	1	-
Menlo Park	---	340	7	5	3
White	---	306	2	1	2
All other	---	34	5	4	1
Black	---	30	5	4	-
Millbrae	---	163	-	-	-
Pacifica	---	201	11	6	6
Redwood City	---	578	7	5	9
San Bruno	---	213	3	3	2
San Carlos	---	200	1	1	1
San Mateo	---	716	9	5	7
South San Francisco	---	312	7	2	4
Balance of county	---	540	7	5	7
White	---	458	3	3	3
All other	---	82	4	2	4
Black	---	71	4	2	4
Santa Barbara	2,376	2,335	31	20	33
White	2,289	2,251	26	17	28
All other	87	84	5	3	5
Black	45	43	4	2	5
Lompoc	---	196	4	3	6
Santa Barbara	---	1,310	9	6	10
Santa Maria	---	391	6	3	6
Balance of county	---	438	12	8	11
Santa Clara	7,931	7,231	208	136	131
White	7,517	6,915	184	119	107
All other	414	316	24	17	24
Black	226	150	18	15	17
Campbell	---	221	7	7	2
Cupertino	---	170	2	1	1
Gilroy	---	173	7	5	2
Los Altos	---	238	4	3	1
Los Gatos	---	313	2	2	1
Milpitas	---	113	6	5	3
White	---	102	6	5	3
All other	---	11	-	-	-
Black	---	7	-	-	-
Mountain View	---	424	15	10	14
Palo Alto	---	481	5	4	1
San Jose	---	3,493	117	74	82
White	---	3,323	101	64	69
All other	---	170	16	10	13
Black	---	95	12	10	8
Santa Clara	---	515	17	10	11
Saratoga	---	196	1	1	-
Sunnyvale	---	616	12	7	9
Balance of county	---	278	13	7	4
Santa Cruz	1,500	1,537	20	14	23
Santa Cruz	---	727	6	4	7
Watsonville	---	353	8	4	10
White	---	335	8	4	10
All other	---	18	-	-	-
Black	---	2	-	-	-
Balance of county	---	457	6	6	6
Shasta	960	885	17	14	13
Redding	---	464	10	9	4
Balance of county	---	421	7	5	9
Sierra	35	25	-	-	1
Siskiyou	301	365	5	5	4
Solano	1,385	1,409	33	20	31
White	1,225	1,237	28	18	18
All other	160	172	5	2	13
Black	126	131	4	1	11
Fairfield	---	242	6	4	7
White	---	220	4	3	2
All other	---	22	2	1	5
Black	---	12	1	-	4
Vacaville	---	224	2	2	2

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Solano—Con.					
Vallejo	---	707	16	10	15
White	---	581	14	10	7
All other	---	126	2	–	8
Black	---	103	2	–	7
Balance of county	---	236	9	4	7
Sonoma	2,451	2,530	34	18	32
Petaluma	---	350	4	1	2
Santa Rosa	---	1,041	11	8	11
Balance of county	---	1,139	19	9	19
Stanislaus	2,216	2,107	55	36	34
Modesto	---	1,162	31	22	18
Turlock	---	285	5	4	3
Balance of county	---	660	19	10	13
Sutter	309	410	9	5	4
Yuba City	---	304	6	2	3
Balance of county	---	106	3	3	1
Tehama	298	363	5	2	5
Trinity	66	101	–	–	1
Tulare	1,703	1,894	52	35	44
White	1,644	1,834	52	35	40
All other	59	60	–	–	4
Black	39	43	–	–	2
Porterville	---	348	9	6	11
Tulare	---	282	6	5	5
White	---	259	6	5	4
All other	---	23	–	–	1
Black	---	22	–	–	1
Visalia	---	458	15	11	8
Balance of county	---	806	22	13	20
Tuolumne	259	288	4	2	6
Ventura	2,670	2,900	91	60	76
White	2,608	2,839	90	60	66
All other	62	61	1	–	10
Black	37	37	1	–	4
Camarillo	---	245	3	2	2
Oxnard	---	619	32	18	25
White	---	583	31	18	20
All other	---	36	1	–	5
Black	---	24	1	–	2
Port Hueneme	---	123	3	1	3
Santa Paula	---	211	1	–	3
Simi Valley	---	282	19	16	11
Thousand Oaks	---	197	4	3	5
Ventura	---	636	14	10	17
Balance of county	---	587	15	10	10
Yolo	733	773	18	11	14
Davis	---	150	7	6	3
Woodland	---	266	4	3	3
Balance of county	---	357	7	2	8
Yuba	388	398	10	5	12
Colorado	18,967	18,361	494	306	487
White	18,258	17,689	452	279	425
All other	709	672	42	27	62
Black	553	549	35	23	47
Adams	979	1,118	49	35	53
Arvada, part	---	4	1	–	–
Aurora, part	---	158	8	7	12
Commerce City	---	144	3	3	7
North Glenn	---	92	3	3	4
Thornton	---	100	3	–	5
Westminster	---	161	7	5	9
Balance of county	---	459	24	17	16
Alamosa	90	80	1	1	4
Arapahoe	1,041	1,204	39	25	44
Aurora, part	---	403	20	13	18
Aurora, total	---	561	28	20	30
Englewood	---	308	4	4	13
Littleton	---	258	7	4	8
Balance of county	---	235	8	4	5
Archuleta	13	17	3	3	1
Baca	48	63	1	1	1
Bent	64	51	1	1	1
Boulder	803	858	22	16	16
Boulder	---	356	10	7	4
Longmont	---	249	8	7	2
Balance of county	---	253	4	2	10
Chaffee	117	119	6	2	4
Cheyenne	21	25	–	–	–
Clear Creek	27	30	1	1	1
Conejos	52	59	3	2	–
Costilla	11	23	–	–	–
Crowley	20	42	–	–	–
Custer	5	7	–	–	1
Delta	168	208	2	2	5
Denver, coext. with Denver city	6,275	4,668	89	56	80
White	5,821	4,211	65	38	58
All other	454	457	24	18	22
Black	398	412	21	18	19
Colorado—Con.					
Dolores	3	14	–	–	1
White	3	14	–	–	1
All other	–	–	–	–	–
Black	–	–	–	–	–
Douglas	67	102	2	2	6
Eagle	44	61	1	1	2
Elbert	12	32	3	3	1
El Paso	1,673	1,652	76	45	64
White	1,605	1,582	65	41	44
All other	68	70	11	4	20
Black	57	60	9	2	17
Colorado Springs	---	1,287	54	32	45
Balance of county	---	365	22	13	19
Fremont	358	365	6	4	4
Garfield	129	148	3	2	3
Gilpin	12	15	–	–	–
Grand	49	33	–	–	1
Gunnison	50	39	2	1	3
Hinsdale	2	3	–	–	–
Huerfano	47	61	2	1	2
Jackson	10	14	–	–	–
Jefferson	1,488	1,782	38	22	42
Arvada, part	---	320	8	4	10
Arvada, total	---	324	9	4	10
Lakewood	---	706	11	7	7
Wheat Ridge	---	298	4	2	1
Balance of county	---	458	15	9	24
Kiowa	13	14	–	–	–
Kit Carson	55	69	5	3	4
Lake	34	40	3	1	3
La Plata	210	184	6	4	4
Durango	---	97	3	3	–
Balance of county	---	87	3	1	4
Larimer	726	780	21	7	16
Fort Collins	---	311	8	3	13
Loveland	---	234	5	1	2
Balance of county	---	235	8	3	1
Las Animas	150	185	5	4	3
Lincoln	70	58	2	1	2
Logan	145	150	3	1	1
Sterling	---	104	2	1	–
Balance of county	---	46	1	–	1
Mesa	679	599	9	3	11
Grand Junction	---	335	3	1	7
Balance of county	---	264	6	2	4
Mineral	4	9	–	–	–
Moffat	87	86	5	4	4
Montezuma	125	135	3	2	3
Montrose	186	186	2	1	8
Morgan	168	198	4	3	6
Otero	228	248	4	2	4
Ouray	8	12	1	–	–
Park	18	23	2	2	2
Phillips	47	51	1	–	–
Pitkin	47	35	2	1	2
Prowers	121	152	4	3	6
Pueblo	1,076	1,015	24	19	20
Pueblo	---	899	24	19	15
Balance of county	---	116	–	–	5
Rio Blanco	45	42	2	1	1
Rio Grande	105	102	4	–	2
Routt	38	51	2	1	1
Saguache	10	35	1	–	1
San Juan	13	10	–	–	1
San Miguel	8	9	–	–	–
Sedgwick	31	37	1	–	2
Summit	29	26	1	1	–
Teller	28	36	1	1	3
Washington	16	42	1	1	3
Weld	656	733	22	13	30
Greeley	---	351	6	6	15
Balance of county	---	382	16	7	15
Yuma	113	116	3	1	4
Connecticut	26,160	26,078	433	348	305
White	24,883	24,805	320	260	231
All other	1,277	1,273	113	88	74
Black	1,243	1,237	109	85	74
Fairfield	6,358	6,670	104	82	71
White	5,989	6,278	72	57	53
All other	369	392	32	25	18
Black	361	383	32	25	18
Bridgeport	---	1,540	40	32	10
White	---	1,366	22	18	5
All other	---	174	18	14	5
Black	---	173	18	14	5
Danbury	---	421	7	6	5
Darien town†	---	141	–	–	1
Fairfield town†	---	473	5	3	1
Greenwich town†	---	451	4	4	6

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Connecticut—Con.					
Fairfield—Con.					
Norwalk	---	626	12	7	2
White	---	568	6	4	2
All other	---	58	6	3	-
Black	---	56	6	3	-
Shelton	---	196	1	1	2
Stamford	---	942	11	10	11
White	---	845	8	7	7
All other	---	97	3	3	4
Black	---	95	3	3	4
Stratford town†	---	485	2	1	6
Trumbull town†	---	244	4	3	1
Westport town†	---	187	1	1	1
Balance of county	---	964	17	14	25
Hartford	7,086	6,769	153	121	70
White	6,727	6,410	110	90	51
All other	359	359	43	31	19
Black	353	354	43	31	19
Bristol	---	403	10	7	2
East Hartford town†	---	480	10	6	2
Enfield town†	---	286	10	8	4
Hartford	---	1,384	58	45	24
White	---	1,104	23	19	9
All other	---	280	35	26	15
Black	---	280	35	26	15
Manchester town†	---	460	6	5	2
New Britain	---	792	12	9	5
Newington town†	---	169	3	2	3
Plainville town†	---	123	1	-	-
Southington town†	---	210	8	8	3
West Hartford town†	---	681	3	2	3
Wethersfield town†	---	240	1	1	-
Windsor Locks town†	---	101	1	-	2
Balance of county	---	1,440	30	28	20
Litchfield	1,281	1,442	16	11	16
Torrington	---	334	2	1	3
Balance of county	---	1,108	14	10	13
Middlesex	1,059	1,056	9	9	9
Middletown	---	328	2	2	4
Balance of county	---	728	7	7	5
New Haven	7,306	6,854	94	81	88
White	6,857	6,428	62	53	61
All other	449	426	32	28	27
Black	442	421	30	26	27
Ansonia	---	215	2	1	2
Derby	---	130	1	1	-
East Haven town†	---	190	2	2	4
Hamden town†	---	515	2	1	4
Meriden	---	501	10	9	12
Milford	---	409	6	4	4
Naugatuck	---	203	1	1	1
New Haven	---	1,327	27	23	12
White	---	1,086	8	7	6
All other	---	241	19	16	6
Black	---	239	19	16	6
Wallingford town†	---	329	2	1	3
Waterbury	---	1,093	14	13	15
White	---	1,013	7	6	7
All other	---	80	7	7	8
Black	---	80	7	7	8
West Haven town†	---	490	6	4	5
Balance of county	---	1,452	21	21	26
New London	1,832	1,863	34	29	29
New London	---	313	4	3	1
White	---	290	3	3	-
All other	---	23	1	-	1
Black	---	22	1	-	1
Norwich	---	412	4	2	9
Balance of county	---	1,138	26	24	19
Tolland	440	600	12	8	10
Vernon town†	---	169	6	4	1
Balance of county	---	431	6	4	9
Windham	798	824	11	7	12
Willimantic	---	92	3	1	4
Balance of county	---	732	8	6	8
Delaware	5,099	4,957	115	83	75
White	4,264	4,170	64	45	53
All other	835	787	51	38	22
Black	821	774	50	37	22
Kent	613	709	21	15	17
White	503	590	14	10	13
All other	110	119	7	5	4
Black	108	113	7	5	4
Dover	---	217	6	5	4
White	---	172	3	2	3
All other	---	45	3	3	1
Black	---	41	3	3	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Delaware—Con.					
Kent—Con.					
Balance of county	---	492	15	10	13
White	---	418	11	8	10
All other	---	74	4	2	3
Black	---	72	4	2	3
New Castle	3,498	3,257	68	52	43
White	2,948	2,770	36	28	27
All other	550	487	32	24	16
Black	541	482	31	23	16
Newark	---	225	5	3	1
Wilmington	---	1,490	38	28	16
White	---	1,094	11	9	4
All other	---	396	27	19	12
Black	---	395	27	19	12
Balance of county	---	1,542	25	21	26
White	---	1,463	20	16	22
All other	---	79	5	5	4
Black	---	76	4	4	4
Sussex	988	991	26	16	15
White	813	810	14	7	13
All other	175	181	12	9	2
Black	172	179	12	9	2
District of Columbia	8,766	7,065	256	190	139
White	3,721	2,278	19	16	12
All other	5,045	4,787	237	174	127
Black	5,002	4,755	237	174	127
Florida	97,703	95,595	1,598	1,054	1,156
White	86,898	84,786	961	658	703
All other	10,805	10,809	637	396	453
Black	10,713	10,720	632	392	444
Alachua	1,704	788	28	20	12
White	1,325	564	12	9	9
All other	379	224	16	11	3
Black	377	224	16	11	3
Gainesville	---	395	17	13	5
White	---	279	8	6	5
All other	---	116	9	7	-
Black	---	116	9	7	-
Balance of county	---	393	11	7	7
White	---	285	4	3	4
All other	---	108	7	4	3
Black	---	108	7	4	3
Baker	196	85	3	3	-
White	169	73	3	3	-
All other	27	12	-	-	-
Black	27	12	-	-	-
Bay	745	698	18	10	8
White	648	599	14	8	7
All other	97	99	4	2	1
Black	93	95	4	2	1
Panama City	---	382	10	5	5
White	---	302	7	4	4
All other	---	80	3	1	1
Black	---	77	3	1	1
Balance of county	---	316	8	5	3
Bradford	132	159	1	1	3
White	112	139	1	1	3
All other	20	20	-	-	-
Black	20	20	-	-	-
Brevard	1,899	1,994	37	29	33
White	1,764	1,848	25	22	24
All other	135	146	12	7	9
Black	133	144	11	6	9
Cocoa	---	170	5	2	4
White	---	127	2	2	2
All other	---	43	3	-	2
Black	---	43	3	-	2
Melbourne	---	362	7	5	5
White	---	330	5	5	1
All other	---	32	2	-	4
Black	---	31	2	-	4
Rockledge	---	87	1	1	1
Titusville	---	275	8	7	1
Balance of county	---	1,100	16	14	22
Broward	10,019	10,720	162	111	86
White	9,297	9,941	83	54	47
All other	722	779	79	57	39
Black	718	773	78	56	39
Deerfield Beach	---	536	3	2	2
White	---	486	-	-	-
All other	---	50	3	2	2
Black	---	50	3	2	2
Fort Lauderdale	---	2,685	55	37	17
White	---	2,430	26	18	10
All other	---	255	29	19	7
Black	---	254	28	18	7

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
Broward—Con.					
Hallandale	---	647	4	4	6
White	---	596	1	1	3
All other	---	51	3	3	3
Black	---	51	3	3	3
Hollywood	---	1,600	14	11	13
Lauderdale Lakes	---	314	1	–	1
Miramar	---	257	4	1	3
Oakland Park	---	137	2	2	1
Pembroke Pines	---	218	1	1	3
Plantation	---	298	1	–	4
Pompano Beach	---	843	18	13	7
White	---	755	8	6	3
All other	---	88	10	7	4
Black	---	88	10	7	4
Wilton Manor	---	155	–	–	–
Balance of county	---	3,030	59	40	29
White	---	2,742	29	17	13
All other	---	288	30	23	16
Black	---	283	30	23	16
Calhoun	126	103	3	3	1
White	115	94	2	2	–
All other	11	9	1	1	1
Black	11	9	1	1	1
Charlotte	805	804	4	3	3
Citrus	617	699	4	1	4
Clay	353	428	14	9	7
Collier	871	757	25	13	8
Naples	---	292	4	–	–
Balance of county	---	465	21	13	8
Columbia	466	268	11	6	4
White	321	191	3	2	3
All other	145	77	8	4	1
Black	145	77	8	4	1
Lake City	---	129	9	6	2
White	---	77	2	2	1
All other	---	52	7	4	1
Black	---	52	7	4	1
Balance of county	---	139	2	–	2
White	---	114	1	–	2
All other	---	25	1	–	–
Black	---	25	1	–	–
Dade	16,903	15,456	252	149	197
White	15,016	13,640	140	92	107
All other	1,887	1,816	112	57	90
Black	1,862	1,795	112	57	88
Coral Gables	---	401	2	1	3
Hialeah	---	957	21	14	11
Homestead	---	170	12	3	8
White	---	130	9	3	5
All other	---	40	3	–	3
Black	---	40	3	–	3
Miami	---	4,325	70	40	68
White	---	3,552	27	18	31
All other	---	773	43	22	37
Black	---	765	43	22	37
Miami Beach	---	2,606	3	2	3
Miami Springs	---	142	–	–	1
North Miami	---	647	4	3	3
North Miami Beach	---	1,098	3	3	4
Opa-Locka	---	144	3	1	3
White	---	72	3	1	1
All other	---	72	–	–	2
Black	---	72	–	–	2
South Miami	---	84	–	–	1
White	---	61	–	–	–
All other	---	23	–	–	1
Black	---	23	–	–	1
Balance of county	---	4,882	134	82	92
White	---	4,022	70	49	48
All other	---	860	64	33	44
Black	---	850	64	33	42
De Soto	293	195	3	3	2
White	250	152	–	–	–
All other	43	43	3	3	2
Black	43	43	3	3	2
Dixie	51	73	3	2	–
White	42	59	1	–	–
All other	9	14	2	2	–
Black	9	14	2	2	–
Duval, coext. with Jacksonville city	4,843	4,731	135	91	96
White	3,569	3,435	84	58	57
All other	1,274	1,296	51	33	39
Black	1,267	1,292	50	32	39
Escambia	2,035	1,701	47	29	24
White	1,614	1,285	27	17	12
All other	421	416	20	12	12
Black	419	413	19	11	11

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
Escambia—Con.					
Pensacola	---	719	14	10	10
White	---	487	7	5	5
All other	---	232	7	5	5
Black	---	231	6	4	5
Balance of county	---	982	33	19	14
White	---	798	20	12	7
All other	---	184	13	7	7
Black	---	182	13	7	6
Flagler	86	105	3	1	1
White	69	83	–	–	–
All other	17	22	3	1	1
Black	17	22	3	1	1
Franklin	61	98	3	2	1
White	54	87	3	2	1
All other	7	11	–	–	–
Black	7	11	–	–	–
Gadsden	327	366	14	8	10
White	182	181	6	6	3
All other	145	185	8	2	7
Black	144	185	8	2	7
Gilchrist	28	59	–	–	–
Glades	18	42	2	2	–
White	15	34	2	2	–
All other	3	8	–	–	–
Black	3	6	–	–	–
Gulf	55	90	1	1	1
White	39	68	1	1	1
All other	16	22	–	–	–
Black	16	22	–	–	–
Hamilton	74	88	2	2	5
White	49	53	1	1	2
All other	25	35	1	1	3
Black	25	35	1	1	3
Hardee	97	150	8	6	3
White	93	141	7	5	2
All other	4	9	1	1	1
Black	4	9	1	1	1
Hendry	110	136	9	7	3
White	76	100	2	1	2
All other	34	36	7	6	1
Black	29	32	7	6	1
Hernando	422	466	5	3	4
White	400	446	4	2	2
All other	22	20	1	1	2
Black	22	20	1	1	2
Highlands	598	606	7	3	7
White	545	543	4	1	3
All other	53	63	3	2	4
Black	53	63	3	2	4
Hillsborough	5,866	5,318	107	78	87
White	5,081	4,566	63	46	57
All other	785	752	44	32	30
Black	782	749	44	32	28
Plant City	---	190	4	4	7
White	---	139	2	2	1
All other	---	51	2	2	6
Black	---	50	2	2	6
Tampa	---	3,268	65	46	44
White	---	2,628	26	18	23
All other	---	640	39	28	21
Black	---	639	39	28	21
Balance of county	---	1,860	38	28	36
Holmes	92	170	1	1	1
Indian River	638	595	5	4	5
White	578	531	2	1	2
All other	60	64	3	3	3
Black	60	63	3	3	3
Vero Beach	---	228	–	–	–
Balance of county	---	367	5	4	5
White	---	306	2	1	2
All other	---	61	3	3	3
Black	---	61	3	3	3
Jackson	292	381	10	9	9
White	215	286	7	6	7
All other	77	95	3	3	2
Black	77	95	3	3	2
Jefferson	70	116	3	2	2
White	31	49	–	–	1
All other	39	67	3	2	1
Black	39	67	3	2	1
Lafayette	11	35	1	–	1
White	10	33	1	–	1
All other	1	2	–	–	–
Black	1	2	–	–	–
Lake	1,293	1,266	22	13	10
White	1,149	1,123	15	8	9
All other	144	143	7	5	1
Black	143	142	7	5	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
Lake—Con.					
Leesburg	---	183	3	3	2
White	---	146	2	2	1
All other	---	37	1	1	1
Black	---	36	1	1	1
Balance of county	---	1,083	19	10	8
White	---	977	13	6	8
All other	---	106	6	4	–
Black	---	106	6	4	–
Lee	2,050	2,123	35	22	24
White	1,927	1,990	20	14	17
All other	123	133	15	8	7
Black	123	133	15	8	7
Fort Myers	---	507	15	7	9
White	---	409	7	4	5
All other	---	98	8	3	4
Black	---	98	8	3	4
Balance of county	---	1,616	20	15	15
Leon	1,030	676	30	19	30
White	719	471	10	7	16
All other	311	205	20	12	14
Black	310	204	20	12	14
Tallahassee	---	456	21	14	19
White	---	300	5	5	9
All other	---	156	16	9	10
Black	---	156	16	9	10
Balance of county	---	220	9	5	11
White	---	171	5	2	7
All other	---	49	4	3	4
Black	---	48	4	3	4
Levy	146	188	7	6	3
White	119	158	6	5	1
All other	27	30	1	1	2
Black	27	30	1	1	2
Liberty	6	38	1	–	1
White	4	34	1	–	1
All other	2	4	–	–	–
Black	2	4	–	–	–
Madison	101	159	8	3	2
White	56	87	1	1	1
All other	45	72	7	2	1
Black	45	72	7	2	1
Manatee	2,112	2,048	14	9	15
White	1,979	1,905	8	5	7
All other	133	143	6	4	8
Black	133	143	6	4	8
Bradenton	---	618	7	5	2
White	---	546	3	1	1
All other	---	72	4	4	1
Black	---	72	4	4	1
Balance of county	---	1,430	7	4	13
Marion	1,110	1,109	17	14	13
White	910	900	12	10	8
All other	200	209	5	4	5
Black	200	209	5	4	5
Ocala	---	410	7	6	7
White	---	296	3	3	2
All other	---	114	4	3	5
Black	---	114	4	3	5
Balance of county	---	699	10	8	6
White	---	604	9	7	6
All other	---	95	1	1	–
Black	---	95	1	1	–
Martin	723	662	7	4	5
White	682	625	4	2	4
All other	41	37	3	2	1
Black	41	37	3	2	1
Monroe	470	519	12	8	9
Key West	---	227	8	6	7
White	---	192	7	6	4
All other	---	35	1	–	3
Black	---	35	1	–	3
Balance of county	---	292	4	2	2
Nassau	125	208	8	7	5
White	96	165	6	6	4
All other	29	43	2	1	1
Black	29	43	2	1	1
Okaloosa	510	566	25	20	8
Fort Walton Beach	---	151	5	4	1
Balance of county	---	415	20	16	7
Okeechobee	149	175	3	2	1
White	134	157	2	1	1
All other	15	18	1	1	–
Black	14	18	1	1	–
Orange	4,137	3,648	79	55	67
White	3,619	3,177	55	41	45
All other	518	471	24	14	22
Black	509	467	24	14	22
Florida—Con.					
Orange—Con.					
Orlando	---	1,448	39	26	26
White	---	1,141	20	15	13
All other	---	307	19	11	13
Black	---	307	19	11	13
Winter Park	---	373	2	–	3
White	---	335	1	–	2
All other	---	38	1	–	1
Black	---	38	1	–	1
Balance of county	---	1,827	38	29	38
White	---	1,701	34	26	30
All other	---	126	4	3	8
Black	---	122	4	3	8
Osceola	540	553	8	3	7
Palm Beach	6,260	6,183	83	58	65
White	5,652	5,559	56	42	31
All other	608	624	27	16	34
Black	605	620	27	16	34
Belle Glade	---	121	6	1	7
White	---	39	1	–	2
All other	---	82	5	1	5
Black	---	82	5	1	5
Boca Raton	---	522	5	5	3
Boynton Beach	---	536	4	3	6
White	---	497	2	2	1
All other	---	39	2	1	5
Black	---	39	2	1	5
Delray Beach	---	501	1	1	3
White	---	430	1	1	–
All other	---	71	–	–	3
Black	---	71	–	–	3
Lake Worth	---	560	7	5	1
Riviera Beach	---	260	8	7	5
White	---	149	1	1	–
All other	---	111	7	6	5
Black	---	110	7	6	5
West Palm Beach	---	1,073	19	16	13
White	---	898	9	8	5
All other	---	175	10	8	8
Black	---	175	10	8	8
Balance of county	---	2,610	33	20	27
White	---	2,480	30	20	20
All other	---	130	3	–	7
Black	---	129	3	–	7
Pasco	1,880	2,408	26	20	17
Pinellas	11,805	11,340	71	52	62
White	11,342	10,874	41	28	44
All other	463	466	30	24	18
Black	459	462	30	24	18
Clearwater	---	1,367	12	8	7
White	---	1,301	5	2	4
All other	---	66	7	6	3
Black	---	66	7	6	3
Dunedin	---	499	1	1	1
Largo	---	714	6	4	4
Pinellas Park	---	413	1	1	4
St. Petersburg	---	4,545	31	23	26
White	---	4,199	11	8	13
All other	---	346	20	15	13
Black	---	345	20	15	13
Balance of county	---	3,802	20	15	20
Polk	3,048	2,975	59	32	55
White	2,646	2,564	35	19	32
All other	402	411	24	13	23
Black	401	410	24	13	22
Bartow	---	144	6	3	4
White	---	92	1	–	1
All other	---	52	5	3	3
Black	---	52	5	3	3
Lakeland	---	690	16	8	11
White	---	589	10	5	5
All other	---	101	6	3	6
Black	---	101	6	3	6
Winter Haven	---	348	3	2	3
White	---	286	–	–	1
All other	---	62	3	2	2
Black	---	62	3	2	2
Balance of county	---	1,793	34	19	37
White	---	1,597	24	14	25
All other	---	196	10	5	12
Black	---	195	10	5	11
Putnam	404	496	11	7	9
White	305	378	6	5	6
All other	99	118	5	2	3
Black	99	118	5	2	3

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
St. Johns	486	510	9	5	12
White	412	433	6	4	8
All other	74	77	3	1	4
Black	74	77	3	1	4
St. Augustine	---	202	3	1	4
White	---	165	2	1	4
All other	---	37	1	-	-
Black	---	37	1	-	-
Balance of county	---	308	6	4	8
White	---	268	4	3	4
All other	---	40	2	1	4
Black	---	40	2	1	4
St. Lucie	735	841	16	12	12
White	580	668	1	1	3
All other	155	173	15	11	9
Black	154	172	15	11	9
Fort Pierce	---	482	14	10	7
White	---	315	-	-	1
All other	---	167	14	10	6
Black	---	166	14	10	6
Balance of county	---	359	2	2	5
Santa Rosa	179	306	9	7	9
Sarasota	2,763	2,660	16	11	16
Sarasota	---	902	9	7	9
White	---	832	6	5	5
All other	---	70	3	2	4
Black	---	68	3	2	4
Balance of county	---	1,758	7	4	7
Seminole	944	1,095	30	16	25
White	774	888	15	8	14
All other	170	207	15	8	11
Black	170	205	14	8	11
Sanford	---	289	11	6	8
White	---	186	5	2	4
All other	---	103	6	4	4
Black	---	103	6	4	4
Balance of county	---	806	19	10	17
White	---	702	10	6	10
All other	---	104	9	4	7
Black	---	102	8	4	7
Sumter	81	220	6	6	4
White	62	190	4	4	3
All other	19	30	2	2	1
Black	19	30	2	2	1
Suwannee	151	235	5	4	5
White	111	186	4	3	3
All other	40	49	1	1	2
Black	40	49	1	1	2
Taylor	93	137	3	1	2
White	73	107	2	1	2
All other	20	30	1	-	-
Black	20	30	1	-	-
Union	33	59	2	1	1
White	21	42	1	-	1
All other	12	17	1	1	-
Black	12	17	1	1	-
Volusia	3,170	3,288	35	20	24
White	2,896	2,999	23	15	16
All other	274	289	12	5	8
Black	272	284	12	5	6
Daytona Beach	---	832	10	5	10
White	---	670	2	2	6
All other	---	162	8	3	4
Black	---	161	8	3	3
De Land	---	319	7	4	-
White	---	280	6	4	-
All other	---	39	1	-	-
Black	---	39	1	-	-
New Smyrna Beach	---	267	1	-	3
White	---	240	-	-	3
All other	---	27	1	-	-
Black	---	27	1	-	-
Ormond Beach	---	362	2	1	1
Balance of county	---	1,508	15	10	10
Wakulla	60	77	1	-	2
White	45	67	-	-	1
All other	15	10	1	-	1
Black	15	10	1	-	1
Walton	99	196	6	5	5
White	86	176	5	4	5
All other	13	20	1	1	-
Black	13	20	1	1	-
Washington	107	151	3	-	3
White	91	128	1	-	1
All other	16	23	2	-	2
Black	16	23	2	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia [3]	43,837	43,298	1,297	869	1,169
White	31,164	30,768	621	434	623
All other	12,673	12,530	676	435	546
Black	12,620	12,478	673	433	542
Appling	84	136	6	5	4
White	72	112	3	3	2
All other	12	24	3	2	2
Black	12	24	3	2	2
Atkinson	21	62	4	1	2
White	14	41	1	-	-
All other	7	21	3	1	2
Black	7	21	3	1	2
Bacon	89	97	4	1	1
White	77	87	2	1	-
All other	12	10	2	-	1
Black	12	10	2	-	1
Baker	6	31	-	-	-
White	4	13	-	-	-
All other	2	18	-	-	-
Black	2	18	-	-	-
Baldwin	521	290	11	8	9
White	313	170	2	1	5
All other	208	120	9	7	4
Black	207	119	9	7	4
Milledgeville	---	138	3	2	-
White	---	77	-	-	-
All other	---	61	3	2	-
Black	---	60	3	2	-
Balance of county	---	152	8	6	9
White	---	93	2	1	5
All other	---	59	6	5	4
Black	---	59	6	5	4
Banks	9	68	2	2	1
Barrow	161	213	10	8	2
White	138	179	7	5	2
All other	23	34	3	3	-
Black	23	34	3	3	-
Bartow	268	341	10	5	8
White	237	298	8	4	6
All other	31	43	2	1	2
Black	30	42	2	1	2
Ben Hill	199	190	4	4	5
White	137	131	3	3	2
All other	62	59	1	1	3
Black	61	58	1	1	3
Berrien	76	122	4	3	4
White	68	112	4	3	3
All other	8	10	-	-	1
Black	8	10	-	-	1
Bibb	1,706	1,417	37	25	39
White	1,077	889	13	9	16
All other	629	528	24	16	23
Black	629	528	24	16	23
Macon	---	1,289	35	24	-
White	---	793	11	8	-
All other	---	496	24	16	-
Black	---	496	24	16	-
Balance of county	---	128	2	1	39
White	---	96	2	1	16
All other	---	32	-	-	23
Black	---	32	-	-	23
Bleckley	70	91	3	2	1
White	49	68	1	-	-
All other	21	23	2	2	1
Black	21	23	2	2	1
Brantley	23	76	2	-	1
White	18	64	1	-	1
All other	5	12	1	-	-
Black	5	12	1	-	-
Brooks	121	157	5	2	8
White	79	101	2	1	3
All other	42	56	3	1	5
Black	42	56	3	1	5
Bryan	18	63	5	2	1
White	12	37	2	2	-
All other	6	26	3	-	1
Black	6	26	3	-	1
Bulloch	247	240	9	5	10
White	161	158	2	1	4
All other	86	82	7	4	6
Black	86	82	7	4	6
Statesboro	---	106	5	3	-
White	---	63	1	-	-
All other	---	43	4	3	-
Black	---	43	4	3	-
Balance of county	---	134	4	2	10
White	---	95	1	1	4
All other	---	39	3	1	6
Black	---	39	3	1	6

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Burke	158	182	7	7	7
White	80	85	2	2	1
All other	78	97	5	5	6
Black	78	97	5	5	6
Butts	111	126	2	1	5
White	80	89	–	–	2
All other	31	37	2	1	3
Black	31	37	2	1	3
Calhoun	91	90	4	1	2
White	40	37	1	–	1
All other	51	53	3	1	1
Black	51	52	2	–	1
Camden	41	79	4	1	4
White	24	54	2	1	4
All other	17	25	2	–	–
Black	17	25	2	–	–
Candler	153	77	–	–	1
White	101	53	–	–	–
All other	52	24	–	–	1
Black	52	24	–	–	1
Carroll	401	458	23	16	13
White	347	397	18	12	10
All other	54	61	5	4	3
Black	53	60	5	4	3
Carrollton	---	108	2	2	–
White	---	95	1	1	–
All other	---	13	1	1	–
Black	---	12	1	1	–
Balance of county	---	350	21	14	13
White	---	302	17	11	10
All other	---	48	4	3	3
Black	---	48	4	3	3
Catoosa	479	259	5	5	5
Charlton	84	60	1	–	1
White	67	44	1	–	–
All other	17	16	–	–	1
Black	17	16	–	–	1
Chatham	2,055	1,864	53	40	60
White	1,303	1,141	24	18	24
All other	752	723	29	22	36
Black	748	719	29	22	35
Savannah	---	1,408	42	34	1
White	---	734	15	13	–
All other	---	674	27	21	1
Black	---	670	27	21	1
Balance of county	---	456	11	6	59
White	---	407	9	5	24
All other	---	49	2	1	35
Black	---	49	2	1	34
Chattahoochee	131	37	4	3	1
White	96	21	1	1	–
All other	35	16	3	2	1
Black	33	16	3	2	1
Chattooga	137	232	6	4	2
Cherokee	197	300	8	6	6
Clarke	752	494	13	9	13
White	546	337	3	3	3
All other	206	157	10	6	10
Black	206	157	10	6	10
Athens	---	390	11	9	–
White	---	255	3	3	–
All other	---	135	8	6	–
Black	---	135	8	6	–
Balance of county	---	104	2	–	13
White	---	82	–	–	3
All other	---	22	2	–	10
Black	---	22	2	–	10
Clay	69	52	–	–	3
White	28	19	–	–	2
All other	41	33	–	–	1
Black	41	33	–	–	1
Clayton	515	672	22	14	36
College Park, part	---	31	1	1	–
Forest Park	---	143	5	1	–
Balance of county	---	498	16	12	36
Clinch	59	67	2	1	–
White	40	47	–	–	–
All other	19	20	2	1	–
Black	19	20	2	1	–
Cobb	1,392	1,489	54	39	42
Marietta	---	447	16	11	–
White	---	401	13	9	–
All other	---	46	3	2	–
Black	---	46	3	2	–
Smyrna	---	174	3	2	–
Balance of county	---	868	35	26	42
Coffee	207	219	10	5	10
White	153	160	6	2	6
All other	54	59	4	3	4
Black	54	59	4	3	4
Georgia—Con.					
Coffee—Con.					
Douglas	---	105	2	1	–
White	---	71	1	–	–
All other	---	34	1	1	–
Black	---	34	1	1	–
Balance of county	---	114	8	4	10
White	---	89	5	2	6
All other	---	25	3	2	4
Black	---	25	3	2	4
Colquitt	285	365	13	9	11
White	206	261	9	6	7
All other	79	104	4	3	4
Black	78	102	4	3	4
Moultrie	---	173	5	3	–
White	---	105	3	1	–
All other	---	68	2	2	–
Black	---	67	2	2	–
Balance of county	---	192	8	6	11
White	---	156	6	5	7
All other	---	36	2	1	4
Black	---	35	2	1	4
Columbia	34	198	12	9	6
White	23	150	6	4	3
All other	11	48	6	5	3
Black	11	47	6	5	3
Cook	76	130	2	1	8
White	62	107	2	1	5
All other	14	23	–	–	3
Black	14	23	–	–	3
Coweta	364	353	6	4	3
White	263	254	4	2	2
All other	101	99	2	2	1
Black	101	99	2	2	1
Newnan	---	151	1	–	–
White	---	98	1	–	–
All other	---	53	–	–	–
Black	---	53	–	–	–
Balance of county	---	202	5	4	3
White	---	156	3	2	2
All other	---	46	2	2	1
Black	---	46	2	2	1
Crawford	22	65	3	1	2
White	8	36	1	–	–
All other	14	29	2	1	2
Black	14	29	2	1	2
Crisp	242	222	9	8	11
White	148	129	3	2	2
All other	94	93	6	6	9
Black	94	93	6	6	9
Cordele	---	162	6	6	–
White	---	83	–	–	–
All other	---	79	6	6	–
Black	---	79	6	6	–
Balance of county	---	60	3	2	11
White	---	46	3	2	2
All other	---	14	–	–	9
Black	---	14	–	–	9
Dade	54	88	1	1	1
Dawson	17	45	–	–	–
Decatur	205	227	10	6	8
White	125	131	–	–	4
All other	80	96	10	6	4
Black	79	95	10	6	4
Bainbridge	---	109	7	4	–
White	---	59	–	–	–
All other	---	50	7	4	–
Black	---	50	7	4	–
Balance of county	---	118	3	2	8
White	---	72	–	–	4
All other	---	46	3	2	4
Black	---	45	3	2	4
De Kalb	3,159	2,778	95	62	77
White	2,680	2,171	37	23	41
All other	479	607	58	39	36
Black	476	603	58	39	36
Atlanta, part	---	669	27	15	–
White	---	386	5	2	–
All other	---	283	22	13	–
Black	---	283	22	13	–
Decatur	---	491	28	20	–
White	---	301	2	1	–
All other	---	190	26	19	–
Black	---	190	26	19	–
Balance of county	---	1,618	40	27	77
White	---	1,484	30	20	41
All other	---	134	10	7	36
Black	---	130	10	7	36
Dodge	181	214	4	1	2
White	136	170	2	1	1
All other	45	44	2	–	1
Black	45	44	2	–	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Dooly	98	123	2	2	6
White	44	67	1	1	1
All other	54	56	1	1	5
Black	54	56	1	1	5
Dougherty	881	656	29	18	26
White	486	344	10	10	13
All other	395	312	19	8	13
Black	394	311	19	8	13
Albany	---	589	29	18	-
White	---	298	10	10	-
All other	---	291	19	8	-
Black	---	290	19	8	-
Balance of county	---	67	-	-	26
White	---	46	-	-	13
All other	---	21	-	-	13
Black	---	21	-	-	13
Douglas	257	299	11	7	13
Early	107	141	3	2	7
White	55	76	1	1	1
All other	52	65	2	1	6
Black	52	65	2	1	6
Echols	3	11	-	-	-
White	3	10	-	-	-
All other	-	1	-	-	-
Black	-	1	-	-	-
Effingham	80	134	4	3	5
White	63	106	4	3	3
All other	17	28	-	-	2
Black	17	28	-	-	2
Elbert	152	178	4	3	7
White	106	123	3	2	1
All other	46	55	1	1	6
Black	46	55	1	1	5
Emanuel	175	204	5	3	12
White	128	151	1	1	4
All other	47	53	4	2	8
Black	47	53	4	2	8
Evans	101	80	3	1	2
White	79	54	1	-	-
All other	22	26	2	1	2
Black	22	26	2	1	2
Fannin	90	132	-	-	2
Fayette	45	127	2	2	4
White	38	116	2	2	4
All other	7	11	-	-	-
Black	7	11	-	-	-
Floyd	1,008	763	9	5	13
White	852	627	5	2	10
All other	156	136	4	3	3
Black	155	136	4	3	3
Rome	---	458	7	5	-
White	---	344	3	2	-
All other	---	114	4	3	-
Black	---	114	4	3	-
Balance of county	---	305	2	-	13
Forsyth	106	170	7	6	2
Franklin	133	162	1	1	-
White	122	149	1	1	-
All other	11	13	-	-	-
Black	11	13	-	-	-
Fulton	6,959	5,621	161	118	110
White	4,169	3,111	44	36	40
All other	2,790	2,510	117	82	70
Black	2,780	2,503	117	82	69
Atlanta, part	---	4,415	129	96	-
White	---	2,072	26	22	-
All other	---	2,343	103	74	-
Black	---	2,337	103	74	-
Atlanta, total	---	5,084	156	111	-
White	---	2,458	31	24	-
All other	---	2,626	125	87	-
Black	---	2,620	125	87	-
College Park, part	---	225	11	6	-
White	---	175	4	3	-
All other	---	50	7	3	-
Black	---	50	7	3	-
College Park, total	---	256	12	7	-
White	---	206	5	4	-
All other	---	50	7	3	-
Black	---	50	7	3	-
East Point	---	303	6	4	-
Balance of county	---	678	15	12	110
Gilmer	94	114	1	1	2
Glascock	9	20	-	-	-
White	8	20	-	-	-
All other	1	-	-	-	-
Black	1	-	-	-	-
Glynn	544	496	23	16	19
White	353	324	11	8	12
All other	191	172	12	8	7
Black	190	170	12	8	7
Georgia—Con.					
Glynn—Con.					
Brunswick	---	274	16	12	-
White	---	133	7	6	-
All other	---	141	9	6	-
Black	---	140	9	6	-
Balance of county	---	222	7	4	19
White	---	191	4	2	12
All other	---	31	3	2	7
Black	---	30	3	2	7
Gordon	129	228	5	4	2
Grady	150	198	9	9	4
White	90	121	5	5	2
All other	60	77	4	4	2
Black	60	77	4	4	2
Greene	115	135	3	1	2
White	71	76	-	-	-
All other	44	59	3	1	2
Black	44	59	3	1	2
Gwinnett	498	672	18	12	28
Habersham	149	191	4	4	5
Hall	699	581	8	4	5
White	634	513	5	2	2
All other	65	68	3	2	3
Black	63	65	3	2	3
Gainesville	---	193	2	2	-
White	---	151	2	2	-
All other	---	42	-	-	-
Black	---	41	-	-	-
Balance of county	---	388	6	2	5
Hancock	50	102	-	-	1
White	15	33	-	-	-
All other	35	69	-	-	1
Black	35	69	-	-	1
Haralson	127	155	4	4	3
Harris	47	134	3	1	1
White	27	91	-	-	-
All other	20	43	3	1	1
Black	19	42	2	1	1
Hart	121	168	5	2	2
White	103	139	4	1	1
All other	18	29	1	1	1
Black	18	29	1	1	1
Heard	27	68	4	1	5
White	25	57	3	-	5
All other	2	11	1	1	-
Black	2	11	1	1	-
Henry	88	202	6	5	6
White	66	150	4	4	2
All other	22	52	2	1	4
Black	22	52	2	1	4
Houston	379	390	10	6	19
White	284	297	5	2	13
All other	95	93	5	4	6
Black	95	92	5	4	6
Warner Robins	---	200	2	1	-
Balance of county	---	190	8	5	19
White	---	126	4	2	13
All other	---	64	4	3	6
Black	---	64	4	3	6
Irwin	70	93	1	-	1
White	49	67	1	-	1
All other	21	26	-	-	-
Black	21	26	-	-	-
Jackson	154	210	6	6	9
White	140	189	4	4	8
All other	14	21	2	2	1
Black	14	21	2	2	1
Jasper	53	88	-	-	2
White	31	56	-	-	2
All other	22	32	-	-	-
Black	22	32	-	-	-
Jeff Davis	106	111	1	-	1
White	77	86	1	-	1
All other	29	25	-	-	-
Black	29	25	-	-	-
Jefferson	147	198	6	4	4
White	66	101	2	2	3
All other	81	97	4	2	1
Black	81	97	4	2	1
Jenkins	66	96	4	3	1
White	44	61	3	3	1
All other	22	35	1	-	-
Black	22	35	1	-	-
Johnson	33	91	1	1	2
White	29	70	-	-	1
All other	4	21	1	1	1
Black	4	21	1	1	1
Jones	83	122	2	2	5
White	46	72	1	1	3
All other	37	50	1	1	2
Black	37	50	1	1	2

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Lamar	98	126	5	2	2
White	58	85	2	2	2
All other	40	41	3	–	–
Black	40	41	3	–	–
Lanier	63	47	2	1	2
White	42	39	2	1	–
All other	21	8	–	–	2
Black	21	8	–	–	2
Laurens	607	374	15	9	13
White	410	239	5	3	6
All other	197	135	10	6	7
Black	197	135	10	6	7
Dublin	---	164	7	6	–
White	---	92	2	1	–
All other	---	72	5	5	–
Black	---	72	5	5	–
Balance of county	---	210	8	3	13
White	---	147	3	2	6
All other	---	63	5	1	7
Black	---	63	5	1	7
Lee	12	71	2	1	3
White	9	42	1	–	3
All other	3	29	1	1	–
Black	3	29	1	1	–
Liberty	131	142	18	13	11
White	61	81	15	10	5
All other	70	61	3	3	6
Black	70	61	3	3	6
Lincoln	23	69	2	1	1
White	12	39	–	–	–
All other	11	30	2	1	1
Black	11	30	2	1	1
Long	2	37	2	1	–
White	2	26	2	1	–
All other	–	11	–	–	–
Black	–	11	–	–	–
Lowndes	547	485	18	11	23
White	348	293	8	7	13
All other	199	192	10	4	10
Black	199	192	10	4	10
Valdosta	---	328	9	5	–
White	---	180	1	1	–
All other	---	148	8	4	–
Black	---	148	8	4	–
Balance of county	---	157	9	6	23
White	---	113	7	6	13
All other	---	44	2	–	10
Black	---	44	2	–	10
Lumpkin	87	82	1	–	1
McDuffie	173	176	7	4	3
White	106	107	2	1	2
All other	67	69	5	3	1
Black	67	69	5	3	1
McIntosh	32	90	5	4	2
White	14	41	2	2	1
All other	18	49	3	2	1
Black	18	49	3	2	1
Macon	103	142	3	2	5
White	52	68	–	–	–
All other	51	74	3	2	5
Black	51	74	3	2	5
Madison	22	149	2	1	7
White	21	131	1	1	7
All other	1	18	1	–	–
Black	1	18	1	–	–
Marion	51	59	–	–	–
White	28	32	–	–	–
All other	23	27	–	–	–
Black	23	27	–	–	–
Meriwether	138	215	3	1	9
White	87	126	2	1	3
All other	51	89	1	–	6
Black	50	88	1	–	6
Miller	91	81	1	1	1
White	62	57	1	1	1
All other	29	24	–	–	–
Black	29	24	–	–	–
Mitchell	151	217	12	8	6
White	71	113	1	1	1
All other	80	104	11	7	5
Black	80	104	11	7	5
Monroe	117	110	3	1	–
White	88	68	–	–	–
All other	29	42	3	1	–
Black	29	42	3	1	–
Montgomery	14	84	3	3	4
White	8	61	2	2	3
All other	6	23	1	1	1
Black	6	23	1	1	1
Georgia—Con.					
Morgan	80	120	3	3	2
White	46	63	–	–	1
All other	34	57	3	3	1
Black	34	57	3	3	1
Murray	66	128	7	5	3
Muscogee	1,515	1,346	48	32	30
White	936	867	20	14	15
All other	579	479	28	18	15
Black	574	472	27	17	15
Columbus	---	1,303	42	30	–
White	---	841	18	14	–
All other	---	462	24	16	–
Black	---	455	23	15	–
Balance of county	---	43	6	2	30
White	---	26	2	–	15
All other	---	17	4	2	15
Black	---	17	4	2	15
Newton	216	290	8	5	8
White	169	219	3	2	3
All other	47	71	5	3	5
Black	47	71	5	3	5
Covington	---	107	5	4	–
White	---	69	2	2	–
All other	---	38	3	2	–
Black	---	38	3	2	–
Balance of county	---	183	3	1	8
White	---	150	1	–	3
All other	---	33	2	1	5
Black	---	33	2	1	5
Oconee	6	70	2	–	–
White	6	61	1	–	–
All other	–	9	1	–	–
Black	–	9	1	–	–
Oglethorpe	16	75	3	3	3
White	12	52	–	–	1
All other	4	23	3	3	2
Black	4	23	3	3	2
Paulding	120	154	4	1	2
Peach	147	154	6	5	2
White	82	77	2	2	–
All other	65	77	4	3	2
Black	65	77	4	3	2
Pickens	109	113	–	–	2
Pierce	101	132	6	1	3
White	84	109	5	1	3
All other	17	23	1	–	–
Black	17	23	1	–	–
Pike	17	77	3	2	3
White	10	50	–	–	2
All other	7	27	3	2	1
Black	7	27	3	2	1
Polk	281	365	10	9	5
White	237	314	10	9	4
All other	44	51	–	–	1
Black	44	51	–	–	1
Pulaski	105	90	1	1	2
White	73	55	–	–	1
All other	32	35	1	1	1
Black	32	35	1	1	1
Putnam	108	105	–	–	4
White	56	62	–	–	1
All other	52	43	–	–	3
Black	52	43	–	–	3
Quitman	13	36	2	1	1
White	4	20	–	–	1
All other	9	16	2	1	–
Black	9	16	2	1	–
Rabun	98	93	–	–	–
Randolph	112	126	6	4	6
White	50	51	1	1	1
All other	62	75	5	3	5
Black	61	75	5	3	5
Richmond	2,654	1,475	39	24	46
White	1,706	928	12	9	18
All other	948	547	27	15	28
Black	941	541	27	15	27
Augusta	---	926	26	14	–
White	---	501	7	6	–
All other	---	425	19	8	–
Black	---	422	19	8	–
Balance of county	---	549	13	10	46
White	---	427	5	3	18
All other	---	122	8	7	28
Black	---	119	8	7	27
Rockdale	139	196	3	3	4
White	122	171	–	–	4
All other	17	25	3	3	–
Black	16	25	3	3	–

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Schley	13	29	–	–	–
White	6	15	–	–	–
All other	7	14	–	–	–
Black	7	14	–	–	–
Screven	129	137	2	2	2
White	72	77	–	–	1
All other	57	60	2	2	1
Black	57	60	2	2	1
Seminole	55	84	1	1	2
White	39	64	–	–	2
All other	16	20	1	1	–
Black	16	20	1	1	–
Spalding	466	456	8	7	9
White	352	332	4	3	5
All other	114	124	4	4	4
Black	114	124	4	4	4
Griffin	---	304	4	4	–
White	---	205	–	–	–
All other	---	99	4	4	–
Black	---	99	4	4	–
Balance of county	---	152	4	3	9
White	---	127	4	3	5
All other	---	25	–	–	4
Black	---	25	–	–	4
Stephens	258	219	2	2	4
White	226	188	–	–	4
All other	32	31	2	2	–
Black	32	31	2	2	–
Stewart	52	63	2	1	3
White	20	24	1	–	–
All other	32	39	1	1	3
Black	32	39	1	1	3
Sumter	352	302	14	8	7
White	207	164	3	1	1
All other	145	138	11	7	6
Black	145	138	11	7	6
Americus	---	189	10	6	–
White	---	97	1	1	–
All other	---	92	9	5	–
Black	---	92	9	5	–
Balance of county	---	113	4	2	7
White	---	67	2	–	1
All other	---	46	2	2	6
Black	---	46	2	2	6
Talbot	29	69	–	–	1
White	6	28	–	–	–
All other	23	41	–	–	1
Black	23	41	–	–	1
Taliaferro	1	29	–	–	–
White	–	14	–	–	–
All other	1	15	–	–	–
Black	1	15	–	–	–
Tattnall	98	177	5	4	4
White	72	150	4	3	1
All other	26	27	1	1	3
Black	26	27	1	1	3
Taylor	38	88	2	–	3
White	16	49	–	–	1
All other	22	39	2	–	2
Black	22	39	2	–	2
Telfair	137	142	5	2	4
White	97	92	3	1	2
All other	40	50	2	1	2
Black	40	50	2	1	2
Terrell	117	143	11	6	5
White	47	62	–	–	1
All other	70	81	11	6	4
Black	70	81	11	6	4
Thomas	463	431	17	13	9
White	310	276	8	6	5
All other	153	155	9	7	4
Black	153	155	9	7	4
Thomasville	---	255	10	6	–
White	---	158	5	3	–
All other	---	97	5	3	–
Black	---	97	5	3	–
Balance of county	---	176	7	7	9
White	---	118	3	3	5
All other	---	58	4	4	4
Black	---	58	4	4	4
Tift	329	248	9	7	18
White	252	175	4	3	9
All other	77	73	5	4	9
Black	77	73	5	4	9
Tifton	---	130	7	6	–
White	---	98	4	3	–
All other	---	32	3	3	–
Black	---	32	3	3	–
Balance of county	---	118	2	1	18
White	---	77	–	–	9
All other	---	41	2	1	9
Black	---	41	2	1	9
Georgia—Con.					
Toombs	241	234	3	3	3
White	189	177	3	3	3
All other	52	57	–	–	–
Black	51	56	–	–	–
Towns	62	47	3	3	2
Treutlen	40	68	1	1	4
White	28	56	1	1	1
All other	12	12	–	–	3
Black	12	12	–	–	3
Troup	512	478	11	6	12
White	376	333	3	2	3
All other	136	145	8	4	9
Black	136	145	8	4	9
La Grange	---	244	3	2	–
White	---	164	–	–	–
All other	---	80	3	2	–
Black	---	80	3	2	–
Balance of county	---	234	8	4	12
White	---	169	3	2	3
All other	---	65	5	2	9
Black	---	65	5	2	9
Turner	81	96	6	3	1
White	47	60	–	–	–
All other	34	36	6	3	1
Black	34	36	6	3	1
Twiggs	57	101	2	1	3
White	31	50	–	–	–
All other	26	51	2	1	3
Black	26	51	2	1	3
Union	77	76	1	1	2
Upson	356	274	4	2	5
White	241	200	2	1	1
All other	115	74	2	1	4
Black	115	74	2	1	4
Thomaston	---	148	3	1	–
White	---	121	2	1	–
All other	---	27	1	–	–
Black	---	27	1	–	–
Balance of county	---	126	1	1	5
White	---	79	–	–	1
All other	---	47	1	1	4
Black	---	47	1	1	4
Walker	106	470	4	3	11
Walton	188	256	10	7	5
White	138	192	5	5	2
All other	50	64	5	2	3
Black	50	64	5	2	3
Ware	413	366	17	13	10
White	321	273	10	10	4
All other	92	93	7	3	6
Black	92	93	7	3	6
Waycross	---	248	10	7	–
White	---	159	4	4	–
All other	---	89	6	3	–
Black	---	89	6	3	–
Balance of county	---	118	7	6	10
Warren	31	59	4	1	2
White	13	27	–	–	1
All other	18	32	4	1	1
Black	18	32	4	1	1
Washington	199	233	6	3	5
White	95	110	–	–	1
All other	104	123	6	3	4
Black	104	123	6	3	4
Wayne	214	180	5	3	9
White	163	137	–	–	5
All other	51	43	5	3	4
Black	51	43	5	3	4
Webster	7	28	1	–	–
White	4	14	–	–	–
All other	3	14	1	–	–
Black	3	14	1	–	–
Wheeler	48	53	4	4	1
White	28	36	2	2	–
All other	20	17	2	2	1
Black	20	17	2	2	1
White	48	89	2	2	–
Whitfield	478	479	11	6	18
Dalton	---	211	4	3	–
White	---	186	2	1	–
All other	---	25	2	2	–
Black	---	24	2	2	–
Balance of county	---	268	7	3	18
Wilcox	37	94	5	1	2
White	21	69	2	–	1
All other	16	25	3	1	1
Black	16	25	3	1	1
Wilkes	152	139	3	3	3
White	81	78	1	1	2
All other	71	61	2	2	1
Black	71	61	2	2	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Wilkinson	53	109	3	1	2
White	25	63	1	–	2
All other	28	46	2	1	–
Black	27	46	2	1	–
Worth	112	151	4	2	5
White	59	88	1	1	2
All other	53	63	3	1	3
Black	53	63	3	1	3
Hawaii	4,858	4,563	186	128	185
White	1,680	1,445	45	30	62
All other	3,178	3,118	141	98	123
Black	43	32	5	3	6
Hawaii	504	524	12	7	21
White	172	159	1	1	6
All other	332	365	11	6	15
Black	3	2	–	–	–
Hilo[4]	---	222	6	4	9
White	---	68	1	1	2
All other	---	154	5	3	7
Black	---	1	–	–	–
Balance of county	---	302	6	3	12
White	---	91	–	–	4
All other	---	211	6	3	8
Black	---	1	–	–	–
Honolulu	3,686	3,376	157	110	145
White	1,261	1,099	40	26	52
All other	2,425	2,277	117	84	93
Black	35	29	5	3	5
Aiea	---	65	4	3	10
White	---	23	–	–	3
All other	---	42	4	3	7
Black	---	–	–	–	–
Honolulu[4]	---	2,017	68	47	54
White	---	672	18	12	16
All other	---	1,345	50	35	38
Black	---	14	2	1	1
Kailua	---	153	4	3	7
White	---	83	2	2	5
All other	---	70	2	1	2
Black	---	–	–	–	1
Kaneohe	---	182	6	4	6
White	---	75	–	–	3
All other	---	107	6	4	3
Black	---	3	–	–	–
Pearl City	---	78	5	4	6
White	---	21	2	1	1
All other	---	57	3	3	5
Black	---	1	–	–	–
Schofield Barracks	---	10	3	2	4
White	---	6	1	1	2
All other	---	4	2	1	2
Black	---	1	–	–	1
Wahiawa	---	110	11	8	20
White	---	28	4	3	12
All other	---	82	7	5	8
Black	---	2	2	1	1
Waipahu	---	111	8	7	9
White	---	15	–	–	–
All other	---	96	8	7	9
Black	---	1	–	–	1
Balance of county	---	650	48	32	29
White	---	176	13	7	10
All other	---	474	35	25	19
Black	---	7	1	1	–
Kauai	237	238	9	4	5
White	65	50	2	1	1
All other	172	188	7	3	4
Black	1	–	–	–	–
Maui	431	425	8	7	14
White	182	137	2	2	3
All other	249	288	6	5	11
Black	4	1	–	–	1
Idaho	6,169	6,507	227	142	146
White	6,062	6,398	223	140	144
All other	107	109	4	2	2
Black	19	21	3	1	–
Ada	1,169	1,016	36	24	25
Boise City	---	771	22	14	16
Balance of county	---	245	14	10	9
Adams	12	20	–	–	–
Bannock	447	408	13	7	11
Pocatello	---	325	11	7	6
Balance of county	---	83	2	–	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho—Con.					
Bear Lake	59	63	3	3	4
Benewah	57	74	1	1	3
Bingham	159	243	11	5	13
Blaine	49	43	3	1	2
Boise	15	10	1	–	–
Bonner	129	168	8	5	2
Bonneville	490	368	17	12	8
Idaho Falls	---	277	13	9	6
Balance of county	---	91	4	3	2
Boundary	39	47	–	–	–
Butte	33	28	–	–	–
Camas	3	5	–	–	–
Canyon	644	659	29	16	8
Caldwell	---	161	3	1	2
Nampa	---	267	13	9	3
Balance of county	---	231	13	6	3
Caribou	34	43	3	3	–
Cassia	119	145	9	8	7
Clark	6	6	–	–	1
Clearwater	63	74	2	1	2
Custer	12	20	–	–	–
Elmore	93	88	3	1	3
Franklin	61	81	4	2	2
Fremont	43	66	4	3	2
Gem	100	111	1	1	3
Gooding	76	97	–	–	3
Idaho	119	119	3	2	2
Jefferson	42	113	6	2	6
Jerome	88	97	1	–	2
Kootenai	405	451	16	9	3
Coeur d'Alene	---	256	9	7	1
Balance of county	---	195	7	2	2
Latah	157	169	2	2	4
Moscow	---	76	–	–	2
Balance of county	---	93	2	2	2
Lemhi	64	60	3	3	–
Lewis	7	36	2	2	–
Lincoln	18	29	–	–	–
Madison	57	82	5	2	6
Minidoka	96	119	8	4	7
Nez Perce	295	287	2	1	2
Lewiston	---	239	–	–	1
Balance of county	---	48	2	1	1
White	---	38	2	1	–
All other	---	10	–	–	1
Black	---	–	–	–	–
Oneida	28	42	–	–	1
Owyhee	23	66	1	1	1
Payette	76	156	6	2	2
Power	49	61	1	1	–
Shoshone	158	173	10	9	3
Teton	18	21	–	–	–
Twin Falls	426	411	9	5	6
Twin Falls	---	222	6	4	4
Balance of county	---	189	3	1	2
Valley	44	34	–	–	1
Washington	87	98	4	4	1
Illinois	100,783	103,026	2,744	1,909	1,670
White	87,192	89,298	1,716	1,252	1,101
All other	13,591	13,728	1,028	657	569
Black	13,248	13,382	1,000	635	542
Adams	1,014	851	17	13	8
Quincy	---	628	7	7	6
Balance of county	---	223	10	6	2
Alexander	129	204	1	1	–
White	65	124	1	1	–
All other	64	80	–	–	–
Black	64	80	–	–	–
Bond	150	164	2	1	3
Boone	222	229	8	6	2
Belvidere	---	149	7	5	–
Balance of county	---	80	1	1	2
Brown	13	74	–	–	–
Bureau	436	430	10	8	4
Calhoun	33	85	2	2	–
Carroll	127	186	2	1	4
Cass	145	168	1	1	9
Champaign	1,212	856	24	12	18
White	1,122	772	19	11	13
All other	90	84	5	1	5
Black	89	83	5	1	4
Champaign	---	344	10	7	5
White	---	288	6	6	3
All other	---	56	4	1	2
Black	---	56	4	1	2
Rantoul	---	59	5	1	5

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Champaign—Con.					
Urbana	---	196	3	1	2
White	---	176	2	1	1
All other	---	20	1	–	1
Black	---	20	1	–	–
Balance of county	---	257	6	3	6
Christian	350	418	5	4	4
Taylorville	---	160	1	1	1
Balance of county	---	258	4	3	3
Clark	88	192	5	3	2
Clay	199	235	4	4	4
Clinton	177	277	7	4	5
Centralia, part	---	21	–	–	1
Balance of county	---	256	7	4	4
Coles	549	494	7	6	11
Charleston	---	143	–	–	4
Mattoon	---	253	4	3	3
Balance of county	---	98	3	3	4
Cook	49,352	49,672	1,518	1,033	878
White	38,105	38,375	685	506	430
All other	11,247	11,297	833	527	448
Black	10,972	11,022	817	515	432
Alsip	---	93	2	2	1
Arlington Heights, part	---	432	7	3	–
Arlington Heights, total	---	432	7	3	–
Bellwood	---	141	4	2	1
Bensenville, part	---	8	3	2	1
Berwyn	---	669	7	6	6
Blue Island	---	271	6	5	1
Bridge View	---	117	2	1	–
Brookfield	---	202	3	3	1
Buffalo Grove, part	---	43	3	2	1
Buffalo Grove, total	---	54	4	3	3
Calumet City	---	341	7	6	4
Calumet Park	---	61	1	1	–
Chicago, part	---	31,827	1,131	745	644
White	---	21,390	382	271	245
All other	---	10,437	749	474	399
Black	---	10,211	736	464	390
Chicago, total	---	31,828	1,131	745	644
White	---	21,390	382	271	245
All other	---	10,438	749	474	399
Black	---	10,212	736	464	390
Chicago Heights	---	387	22	15	10
White	---	301	10	9	3
All other	---	86	12	6	7
Black	---	86	12	6	7
Cicero	---	831	14	9	6
Deerfield, part	---	15	–	–	1
Des Plaines	---	518	14	8	7
Dolton	---	233	3	3	3
Elgin, part	---	46	2	1	1
Elk Grove Village, part	---	115	8	5	3
Elk Grove Village, total	---	115	8	5	3
Elmwood Park	---	270	1	–	2
Evanston	---	738	11	7	3
White	---	636	5	4	1
All other	---	102	6	3	2
Black	---	99	6	3	2
Evergreen Park	---	255	–	–	1
Forest Park	---	199	7	7	–
Franklin Park	---	161	2	2	1
Glencoe	---	66	1	1	1
Glenview	---	281	3	2	2
Hanover Park, part	---	51	2	2	–
Hanover Park, total	---	60	5	3	2
Harvey	---	270	26	20	9
White	---	160	8	7	2
All other	---	110	18	13	7
Black	---	110	18	13	7
Hazel Crest	---	91	3	1	3
Hickory Hills	---	79	–	–	–
Hinsdale, part	---	10	1	1	–
Hoffman Estates	---	110	6	5	6
Homewood	---	173	2	2	1
La Grange	---	177	2	1	2
La Grange Park	---	153	–	–	2
Lansing	---	195	4	4	6
Lincolnwood	---	95	–	–	–
Lyons	---	98	2	2	2
Markham	---	82	4	3	5
White	---	31	–	–	3
All other	---	51	4	3	2
Black	---	51	4	3	2
Maywood	---	230	16	13	9
White	---	110	–	–	–
All other	---	120	16	13	9
Black	---	118	16	13	9
Melrose Park	---	236	7	6	5
Midlothian	---	126	2	2	–
Illinois—Con.					
Cook—Con.					
Morton Grove	---	204	1	–	–
Mount Prospect	---	273	–	–	2
Niles	---	356	5	3	1
Norridge	---	176	1	1	1
Northbrook	---	227	6	5	–
Northlake, part	---	131	2	1	–
Northlake, total	---	132	2	1	–
Oak Forest	---	99	7	7	8
Oak Lawn	---	619	8	6	7
Oak Park	---	614	8	8	7
Palatine	---	258	5	3	2
Park Forest, part	---	139	6	6	2
Park Forest, total	---	142	6	6	2
Park Ridge	---	363	3	2	2
Riverdale	---	180	2	2	–
River Forest	---	130	1	–	–
River Grove	---	108	3	2	1
Riverside	---	117	1	1	2
Rolling Meadows	---	103	2	1	1
Schaumburg, part	---	177	9	5	9
Schaumburg, total	---	180	10	6	9
Schiller Park	---	65	2	–	1
Skokie	---	494	7	6	4
South Holland	---	203	5	4	2
Streamwood	---	62	4	4	6
Summit	---	83	4	3	1
White	---	69	3	2	1
All other	---	14	1	1	–
Black	---	14	1	1	–
Tinley Park, part	---	185	4	4	3
Tinley Park, total	---	185	4	4	3
Westchester	---	167	2	2	1
Western Springs	---	91	–	–	1
Wheeling	---	119	3	2	4
Wilmette	---	236	1	1	1
Winnetka	---	86	1	1	–
Worth	---	96	3	3	–
Balance of county	---	3,015	71	50	58
White	---	2,774	51	40	47
All other	---	241	20	10	11
Black	---	235	20	10	9
Crawford	202	257	1	1	6
Cumberland	47	120	4	2	–
De Kalb	513	506	12	12	5
De Kalb	---	151	5	5	2
Balance of county	---	355	7	7	3
De Witt	132	200	–	–	4
Douglas	125	201	4	4	–
Du Page	3,518	3,631	88	69	64
Addison	---	122	2	1	4
Bensenville, part	---	123	2	2	2
Bensenville, total	---	131	5	4	3
Chicago, part	---	1	–	–	–
Downers Grove	---	360	2	2	3
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	385	7	6	3
Glendale Heights	---	57	6	5	5
Glen Ellyn	---	159	4	1	7
Hanover Park, part	---	9	3	1	2
Hinsdale, part	---	125	4	2	1
Hinsdale, total	---	135	5	3	1
Lombard	---	266	4	3	1
Naperville	---	197	5	2	1
Northlake, part	---	1	–	–	–
Schaumburg, part	---	3	1	1	–
Villa Park	---	215	4	3	–
West Chicago	---	127	4	4	5
Wheaton	---	281	4	4	5
Woodridge	---	51	3	3	–
Balance of county	---	1,149	33	29	25
Edgar	231	269	2	1	2
Edwards	39	104	3	2	2
Effingham	333	302	9	4	3
Fayette	208	245	3	3	2
Ford	177	170	1	1	3
Franklin	448	558	4	4	6
Fulton	367	490	9	5	1
Canton	---	188	5	4	–
Balance of county	---	302	4	1	1
Gallatin	36	106	–	–	2
Greene	134	190	4	3	5
Grundy	193	224	5	2	4
Hamilton	83	115	–	–	1
Hancock	206	289	3	1	1
Hardin	62	58	–	–	–
Henderson	19	89	1	1	2
Henry	457	539	7	3	6
Kewanee	---	205	3	2	3
Balance of county	---	334	4	1	3

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Iroquois	289	382	7	6	3
Jackson	532	476	13	8	4
Carbondale	---	156	6	4	3
White	---	115	2	1	1
All other	---	41	4	3	2
Black	---	39	3	2	2
Murphysboro	---	133	5	3	1
Balance of county	---	187	2	1	-
Jasper	52	123	3	2	2
Jefferson	421	415	9	7	5
Mount Vernon	---	250	6	5	4
Balance of county	---	165	3	2	1
Jersey	198	200	2	2	1
Jo Daviess	132	238	6	4	2
Johnson	26	103	2	2	1
Kane	2,321	2,015	58	39	51
Aurora	---	681	18	9	19
Carpentersville	---	108	10	7	5
Elgin, part	---	511	7	4	13
Elgin, total	---	557	9	5	14
St. Charles	---	133	8	8	-
Balance of county	---	582	15	11	14
Kankakee	869	854	31	21	13
White	757	745	21	16	10
All other	112	109	10	5	3
Black	110	108	10	5	3
Kankakee	---	376	10	5	5
White	---	327	5	3	3
All other	---	49	5	2	2
Black	---	49	5	2	2
Balance of county	---	478	21	16	8
White	---	418	16	13	7
All other	---	60	5	3	1
Black	---	59	5	3	1
Kendall	71	189	8	6	4
Knox	695	661	12	10	10
Galesburg	---	420	8	6	8
Balance of county	---	241	4	4	2
Lake	2,718	2,650	100	80	61
White	2,554	2,508	88	72	51
All other	164	142	12	8	10
Black	154	132	12	8	8
Arlington Heights, part	---	-	-	-	-
Buffalo Grove, part	---	11	1	1	2
Deerfield, part	---	97	1	1	1
Deerfield, total	---	112	1	1	2
Highland Park	---	216	2	1	2
Lake Forest	---	97	-	-	1
Libertyville	---	125	5	3	4
Mundelein	---	111	5	4	1
North Chicago	---	110	4	2	4
White	---	76	4	2	2
All other	---	34	-	-	2
Black	---	33	-	-	2
Waukegan	---	574	24	17	18
White	---	504	13	10	12
All other	---	70	11	7	6
Black	---	68	11	7	5
Zion	---	166	2	2	6
White	---	146	2	2	5
All other	---	20	-	-	1
Black	---	17	-	-	1
Balance of county	---	1,143	56	49	22
La Salle	1,210	1,261	21	16	16
La Salle	---	126	1	1	1
Ottawa	---	231	3	2	2
Peru	---	147	2	1	1
Streator, part	---	224	7	6	4
Streator, total	---	225	7	6	4
Balance of county	---	533	8	6	8
Lawrence	217	279	5	3	2
Lee	376	367	7	4	4
Dixon	---	192	4	2	1
Balance of county	---	175	3	2	3
Livingston	325	415	3	2	4
Streator, part	---	1	-	-	-
Balance of county	---	414	3	2	4
Logan	347	346	8	5	4
Lincoln	---	205	4	1	3
Balance of county	---	141	4	4	1
McDonough	301	288	1	1	3
Macomb	---	146	-	-	2
Balance of county	---	142	1	1	1
McHenry	892	1,072	27	20	19
Crystal Lake	---	134	5	3	2
Woodstock	---	128	2	2	1
Balance of county	---	810	20	15	16
McLean	788	846	25	16	14
Bloomington	---	416	11	5	9
Normal	---	132	6	3	2
Balance of county	---	298	8	8	3
Illinois—Con.					
Macon	1,391	1,240	29	25	14
White	1,319	1,163	25	22	10
All other	72	77	4	3	4
Black	72	77	4	3	4
Decatur	---	1,020	24	20	10
White	---	945	20	17	6
All other	---	75	4	3	4
Black	---	75	4	3	4
Balance of county	---	220	5	5	4
Macoupin	416	601	8	7	7
Madison	2,068	2,383	53	37	42
White	1,941	2,239	43	30	36
All other	127	144	10	7	6
Black	125	142	10	7	6
Alton	---	447	15	11	5
White	---	373	6	5	2
All other	---	74	9	6	3
Black	---	74	9	6	3
Collinsville, part	---	229	3	2	2
Collinsville, total	---	248	4	3	2
Edwardsville	---	177	5	4	3
Granite City	---	393	8	5	5
Wood River	---	126	2	1	1
Balance of county	---	1,011	20	14	26
Marion	522	490	6	4	9
Centralia, part	---	190	-	-	3
White	---	178	-	-	1
All other	---	12	-	-	2
Black	---	12	-	-	2
Centralia, total	---	211	-	-	4
Balance of county	---	300	6	4	6
Marshall	66	149	4	4	5
Mason	98	191	4	3	4
Massac	189	206	1	-	3
Menard	79	135	5	3	2
Mercer	139	211	2	2	3
Monroe	95	211	2	1	1
Montgomery	491	426	8	7	3
Morgan	470	416	5	1	2
Jacksonville	---	276	4	1	1
Balance of county	---	140	1	-	1
Moultrie	122	171	3	3	1
Ogle	225	392	10	8	4
Peoria	2,395	1,833	49	32	17
White	2,261	1,702	40	26	14
All other	134	131	9	6	3
Black	131	130	9	6	3
Pekin, part	---	-	-	-	-
Peoria	---	1,211	33	22	11
White	---	1,084	24	16	8
All other	---	127	9	6	3
Black	---	126	9	6	3
Balance of county	---	622	16	10	6
Perry	259	274	2	1	2
Piatt	100	154	2	1	3
Pike	203	249	1	-	3
Pope	17	63	2	1	-
Pulaski	36	141	6	4	-
White	19	92	3	3	-
All other	17	49	3	1	-
Black	17	49	3	1	-
Putnam	14	57	-	-	1
Randolph	452	370	6	5	3
Richland	308	210	4	1	1
Rock Island	1,497	1,435	32	21	23
East Moline	---	192	8	7	3
Moline	---	441	3	1	6
Rock Island	---	511	11	7	7
White	---	469	3	3	3
All other	---	42	8	4	4
Black	---	42	8	4	4
Balance of county	---	291	10	6	7
St. Clair	2,743	2,755	83	61	48
White	2,151	2,072	36	26	16
All other	592	683	47	35	32
Black	590	682	47	35	31
Belleville	---	710	11	9	5
Cahokia	---	144	5	3	1
Centreville	---	82	4	3	2
White	---	10	-	-	1
All other	---	72	4	3	1
Black	---	72	4	3	1
Collinsville, part	---	19	1	1	-
East St. Louis	---	711	42	32	26
White	---	166	1	1	1
All other	---	545	41	31	25
Black	---	545	41	31	25
Balance of county	---	1,089	20	13	14
Saline	471	449	3	2	4

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Sangamon	2,173	1,710	39	29	22
Springfield	---	1,199	29	22	17
Balance of county	---	511	10	7	5
Schuyler	160	129	-	-	1
Scott	28	74	1	-	4
Shelby	132	239	3	1	4
Stark	33	81	1	1	1
Stephenson	471	466	8	6	5
Freeport	---	316	7	6	5
Balance of county	---	150	1	-	-
Tazewell	642	926	26	20	21
East Peoria	---	162	6	5	6
Morton	---	89	1	1	-
Pekin, part	---	308	3	3	2
Pekin, total	---	308	3	3	2
Balance of county	---	367	16	11	13
Union	193	234	2	2	1
Vermilion	1,172	995	29	20	15
Danville	---	542	16	9	10
White	---	495	13	9	9
All other	---	47	3	-	1
Black	---	47	3	-	1
Balance of county	---	453	13	11	5
Wabash	170	164	1	-	5
Warren	203	194	3	3	1
Monmouth	---	115	2	2	-
Balance of county	---	79	1	1	1
Washington	179	201	3	1	3
Wayne	153	207	2	2	-
White	203	247	4	2	2
Whiteside	517	564	16	15	10
Rock Falls	---	114	4	4	3
Sterling	---	161	6	5	3
Balance of county	---	289	6	6	4
Will	1,857	2,089	78	52	42
White	1,733	1,957	62	41	34
All other	124	132	16	11	8
Black	118	127	15	10	8
Joliet	---	915	30	19	15
White	---	828	18	10	10
All other	---	87	12	9	5
Black	---	87	12	9	5
Park Forest, part	---	3	-	-	-
Romeoville	---	55	4	4	2
Tinley Park, part	---	-	-	-	-
Balance of county	---	1,116	44	29	25
Williamson	697	603	12	10	1
Marion	---	142	7	6	-
Balance of county	---	461	5	4	1
Winnebago	2,248	2,047	59	37	32
White	2,113	1,920	42	27	23
All other	135	127	17	10	9
Black	130	123	16	9	9
Loves Park	---	78	5	2	4
Rockford	---	1,422	34	19	19
White	---	1,308	19	9	10
All other	---	114	15	10	9
Black	---	111	14	9	9
Balance of county	---	547	20	16	9
Woodford	180	266	6	3	1
Indiana	47,449	47,548	1,094	722	735
White	44,230	44,273	882	590	606
All other	3,219	3,275	212	132	129
Black	3,196	3,251	209	130	125
Adams	166	240	7	4	11
Allen	2,728	2,278	65	44	45
White	2,570	2,120	48	33	34
All other	158	158	17	11	11
Black	156	157	16	10	11
Fort Wayne	---	1,935	55	37	40
White	---	1,778	38	26	29
All other	---	157	17	11	11
Black	---	156	16	10	11
Balance of county	---	343	10	7	5
Bartholomew	486	430	9	5	6
Columbus	---	284	4	3	4
Balance of county	---	146	5	2	2
Benton	32	109	-	-	1
Blackford	135	154	-	-	1
Boone	212	308	5	1	3
Brown	36	89	1	1	-
Carroll	82	186	4	1	3
Cass	359	403	5	4	8
Logansport	---	236	3	3	4
Balance of county	---	167	2	1	4
Clark	637	702	24	20	14
Clarksville	---	108	4	3	-
Indiana—Con.					
Clark—Con.					
Jeffersonville	---	301	5	3	7
White	---	272	4	3	4
All other	---	29	1	-	3
Black	---	28	1	-	1
Balance of county	---	293	15	14	7
Clay	262	308	4	4	9
Clinton	290	351	4	1	3
Frankfort	---	200	2	-	2
Balance of county	---	151	2	1	1
Crawford	21	93	1	1	2
Daviess	336	318	9	4	6
Washington	---	167	3	2	-
Balance of county	---	151	6	2	6
Dearborn	323	343	3	1	7
Decatur	159	202	4	2	3
De Kalb	241	288	6	4	3
Delaware	1,183	1,128	18	10	12
Muncie	---	792	12	6	8
Balance of county	---	336	6	4	4
Dubois	318	296	6	4	3
Elkhart	1,189	1,160	40	26	21
Elkhart	---	564	17	8	6
Goshen	---	200	6	4	3
Balance of county	---	396	17	14	12
Fayette	218	257	7	5	5
Connersville	---	184	4	2	4
Balance of county	---	73	3	3	1
Floyd	583	562	9	4	3
New Albany	---	449	7	3	2
Balance of county	---	113	2	1	1
Fountain	77	219	1	-	5
Franklin	57	140	3	2	-
Fulton	141	192	2	1	-
Gibson	316	377	4	3	5
Grant	741	664	15	6	13
Marion	---	435	9	4	9
White	---	403	5	2	7
All other	---	32	4	2	2
Black	---	32	4	2	2
Balance of county	---	229	6	2	4
Greene	312	377	1	1	1
Hamilton	340	491	11	3	5
Hancock	301	337	5	4	4
Harrison	134	185	6	4	1
Hendricks	324	367	11	9	8
Henry	408	479	9	4	9
New Castle	---	257	7	3	2
Balance of county	---	222	2	1	7
Howard	676	685	21	14	14
Kokomo	---	547	17	13	11
Balance of county	---	138	4	1	3
Huntington	325	421	9	8	6
Huntington	---	205	4	4	4
Balance of county	---	216	5	4	2
Jackson	282	316	8	7	4
Seymour	---	154	5	5	3
Balance of county	---	162	3	2	1
Jasper	130	179	4	3	4
Jay	155	239	4	1	2
Jefferson	336	259	3	3	4
Madison	---	151	2	2	3
Balance of county	---	108	1	1	1
Jennings	130	182	5	2	1
Johnson	487	542	16	13	1
Franklin	---	147	2	1	1
Greenwood	---	173	6	5	-
Balance of county	---	222	8	7	-
Knox	566	476	4	4	7
Vincennes	---	240	1	1	2
Balance of county	---	236	3	3	5
Kosciusko	310	484	13	6	7
Lagrange	154	185	6	6	5
Lake	4,363	4,297	154	107	112
White	3,434	3,301	87	62	61
All other	929	996	67	45	51
Black	928	995	67	45	51
Crown Point	---	172	4	2	4
East Chicago	---	405	16	12	6
White	---	283	9	8	1
All other	---	122	7	4	5
Black	---	122	7	4	5
Gary	---	1,493	68	44	56
White	---	658	17	10	11
All other	---	835	51	34	45
Black	---	835	51	34	45
Griffith	---	105	3	3	5
Hammond	---	802	24	19	15
Highland	---	147	3	3	2
Hobart	---	206	3	2	3

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana—Con.					
Lake—Con.					
Munster	---	132	4	2	5
Balance of county	---	835	29	20	16
La Porte	1,019	969	27	20	18
La Porte	---	261	1	1	2
Michigan City	---	419	21	17	10
White	---	374	10	8	7
All other	---	45	11	9	3
Black	---	45	11	9	3
Balance of county	---	289	5	2	6
Lawrence	433	455	7	5	2
Bedford	---	201	3	1	1
Balance of county	---	254	4	4	1
Madison	1,075	1,224	32	18	11
Anderson	---	723	17	11	7
White	---	674	12	7	5
All other	---	49	5	4	2
Black	---	49	5	4	2
Elwood	---	126	5	1	-
Balance of county	---	375	10	6	4
White	---	374	10	6	4
All other	---	1	-	-	-
Black	---	1	-	-	-
Marion	8,366	6,767	170	107	97
White	7,064	5,490	101	67	59
All other	1,302	1,277	69	40	38
Black	1,294	1,269	69	40	37
Beech Grove	---	145	1	-	1
Indianapolis	---	6,444	166	105	91
White	---	5,172	97	65	54
All other	---	1,272	69	40	37
Black	---	1,264	69	40	36
Lawrence	---	33	2	2	-
Speedway	---	32	1	-	-
Balance of county	---	113	-	-	5
Marshall	363	367	4	3	7
Martin	26	86	1	1	2
Miami	265	370	11	6	2
Peru	---	201	5	2	1
Balance of county	---	169	6	4	1
Monroe	594	475	9	8	7
Bloomington	---	323	7	7	5
Balance of county	---	152	2	1	2
Montgomery	324	371	2	1	3
Crawfordsville	---	179	2	1	1
Balance of county	---	192	-	-	2
Morgan	244	358	7	3	6
Newton	83	112	1	1	3
Noble	238	317	9	7	6
Ohio	31	53	-	-	-
Orange	143	186	3	2	2
Owen	66	158	-	-	1
Parke	72	197	2	2	1
Perry	170	180	3	2	4
Pike	88	205	-	-	1
Porter	689	691	20	17	12
Portage	---	137	4	4	6
Valparaiso	---	235	7	7	1
Balance of county	---	319	9	6	5
Posey	88	242	6	4	3
Pulaski	100	115	3	2	2
Putnam	178	227	2	1	2
Randolph	217	299	6	4	6
Ripley	180	237	7	7	5
Rush	200	219	1	-	3
St. Joseph	2,366	2,234	53	38	36
White	2,178	2,050	44	32	30
All other	188	184	9	6	6
Black	185	180	9	6	5
Mishawaka	---	388	11	8	7
South Bend	---	1,436	34	24	18
White	---	1,260	26	18	12
All other	---	176	8	6	6
Black	---	173	8	6	5
Balance of county	---	410	8	6	11
Scott	139	181	6	4	8
Shelby	296	346	9	7	9
Shelbyville	---	174	8	6	7
Balance of county	---	172	1	1	2
Spencer	102	168	1	1	1
Starke	222	251	6	4	4
Steuben	213	226	9	5	-
Sullivan	230	302	3	2	4
Switzerland	32	75	1	1	2
Tippecanoe	1,122	777	14	7	9
Lafayette	---	514	6	3	5
West Lafayette	---	110	5	2	-
Balance of county	---	153	3	2	4
Tipton	163	159	4	4	2
Union	23	71	6	4	-
Indiana—Con.					
Vanderburgh	2,414	1,806	24	15	19
White	2,254	1,658	17	12	16
All other	160	148	7	3	3
Black	159	147	7	3	3
Evansville	---	1,689	22	13	18
White	---	1,544	15	10	15
All other	---	145	7	3	3
Black	---	144	7	3	3
Balance of county	---	117	2	2	1
Vermillion	188	221	6	4	1
Vigo	1,448	1,255	29	20	19
Terre Haute	---	899	17	11	16
Balance of county	---	356	12	9	3
Wabash	342	367	8	5	7
Wabash	---	134	6	4	2
Balance of county	---	233	2	1	5
Warren	81	80	-	-	2
Warrick	123	254	7	5	4
Washington	150	187	4	3	2
Wayne	778	726	9	4	7
Richmond	---	474	5	3	4
Balance of county	---	252	4	1	3
Wells	317	222	3	2	-
White	165	255	7	5	2
Whitley	222	207	6	4	4
Iowa	27,035	27,450	562	397	335
White	26,667	27,118	531	376	311
All other	368	332	31	21	24
Black	299	282	23	16	20
Adair	76	111	-	-	1
Adams	84	78	-	-	1
Allamakee	167	179	4	4	4
Appanoose	154	200	2	1	4
Audubon	60	102	1	1	1
Benton	155	245	6	3	1
Black Hawk	1,215	1,087	29	18	15
Cedar Falls	---	235	10	5	3
Waterloo	---	707	17	11	10
Balance of county	---	145	2	2	2
Boone	286	322	6	5	-
Boone	---	190	4	3	-
Balance of county	---	132	2	2	-
Bremer	185	208	9	7	4
Buchanan	151	223	6	4	2
Buena Vista	199	200	2	2	2
Butler	80	177	2	1	4
Calhoun	181	217	2	-	2
Carroll	243	264	4	4	2
Cass	264	253	3	3	2
Cedar	110	202	1	-	1
Cerro Gordo	640	504	9	6	3
Mason City	---	331	7	5	3
Balance of county	---	173	2	1	-
Cherokee	170	185	6	4	2
Chickasaw	116	166	2	1	3
Clarke	77	94	2	2	1
Clay	165	166	2	1	3
Spencer	---	94	1	1	2
Balance of county	---	72	1	-	1
Clayton	149	222	2	2	-
Clinton	581	588	14	12	12
Clinton	---	367	7	7	10
Balance of county	---	221	7	5	2
Crawford	165	201	4	3	4
Dallas	150	246	4	3	4
Davis	126	92	2	1	-
Decatur	117	120	-	-	1
Delaware	155	191	6	5	1
Des Moines	488	457	7	6	2
Burlington	---	339	4	3	2
Balance of county	---	118	3	3	-
Dickinson	130	152	2	2	1
Dubuque	972	826	20	15	15
Dubuque	---	661	15	11	9
Balance of county	---	165	5	4	6
Emmet	122	129	3	2	3
Fayette	205	266	4	3	3
Floyd	232	222	2	2	3
Franklin	145	164	1	1	-
Fremont	92	111	-	-	2
Greene	125	132	1	1	1
Grundy	112	138	5	4	2
Guthrie	92	120	1	1	1
Hamilton	118	181	1	-	3
Hancock	116	135	4	2	3
Hardin	174	234	4	3	2
Harrison	140	170	3	2	3
Henry	156	177	3	1	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa—Con.					
Howard	110	121	–	–	3
Humboldt	95	125	2	2	–
Ida	91	95	3	2	–
Iowa	106	155	1	1	2
Jackson	185	230	4	4	2
Jasper	248	332	7	6	1
Newton	– – –	170	–	–	–
Balance of county	– – –	162	7	6	1
Jefferson	142	148	–	–	2
Johnson	1,477	396	10	7	6
Iowa City	– – –	226	6	4	4
Balance of county	– – –	170	4	3	2
Jones	132	180	3	1	3
Keokuk	76	143	4	4	–
Kossuth	106	213	3	3	2
Lee	475	454	9	6	4
Fort Madison	– – –	132	2	2	–
Keokuk	– – –	188	3	2	2
Balance of county	– – –	134	4	2	2
Linn	1,291	1,244	37	23	21
Cedar Rapids	– – –	871	25	15	17
Marion	– – –	113	4	3	2
Balance of county	– – –	260	8	5	2
Louisa	67	109	–	–	3
Lucas	116	124	–	–	–
Lyon	74	120	2	1	–
Madison	102	135	2	1	2
Mahaska	244	247	4	3	–
Oskaloosa	– – –	158	1	1	–
Balance of county	– – –	89	3	2	–
Marion	258	274	4	3	7
Marshall	428	395	10	7	3
Marshalltown	– – –	272	8	6	2
Balance of county	– – –	123	2	1	1
Mills	56	109	3	3	3
Mitchell	147	151	3	2	–
Monona	169	174	4	4	–
Monroe	64	114	2	2	1
Montgomery	137	169	–	–	1
Muscatine	310	389	9	7	14
Muscatine	– – –	255	2	1	12
Balance of county	– – –	134	7	6	2
O'Brien	182	181	1	–	1
Osceola	88	96	1	–	1
Page	263	244	3	2	3
Palo Alto	127	137	2	1	1
Plymouth	182	221	2	1	–
Pocahontas	135	156	2	1	2
Polk	3,143	2,494	59	40	45
White	3,012	2,367	51	36	39
All other	131	127	8	4	6
Black	121	116	6	3	6
Des Moines	– – –	1,889	43	30	34
White	– – –	1,767	35	26	28
All other	– – –	122	8	4	6
Black	– – –	111	6	3	6
Urbandale	– – –	38	1	–	–
West Des Moines	– – –	153	4	2	5
Balance of county	– – –	414	11	8	6
Pottawattamie	655	757	19	12	6
Council Bluffs	– – –	539	16	9	4
Balance of county	– – –	218	3	3	2
Poweshiek	189	206	2	2	1
Ringgold	107	104	–	–	–
Sac	110	162	3	1	1
Scott	1,160	1,170	41	28	23
Bettendorf	– – –	129	7	5	4
Davenport	– – –	905	28	20	15
Balance of county	– – –	136	6	3	4
Shelby	135	143	1	1	2
Sioux	207	236	9	5	1
Story	457	397	13	11	6
Ames	– – –	174	6	4	3
Balance of county	– – –	223	7	7	3
Tama	121	253	3	3	1
Taylor	59	157	2	2	1
Union	152	165	2	2	1
Van Buren	83	114	3	–	–
Wapello	500	524	5	3	5
Ottumwa	– – –	396	4	2	3
Balance of county	– – –	128	1	1	2
Warren	129	239	7	5	2
Washington	163	207	3	1	–
Wayne	78	112	–	–	2
Webster	545	512	16	9	5
Fort Dodge	– – –	333	10	5	5
Balance of county	– – –	179	6	4	–
Winnebago	112	146	–	–	3
Winneshiek	164	213	2	2	2
Woodbury	1,214	979	39	31	15
Sioux City	– – –	808	35	28	13
Balance of county	– – –	171	4	3	2
Worth	60	117	1	1	–
Wright	169	205	4	3	–
Kansas	**21,046**	**21,665**	**458**	**318**	**318**
White	19,961	20,552	385	269	271
All other	1,085	1,113	73	49	47
Black	1,015	1,049	65	44	40
Allen	227	227	3	2	5
Anderson	105	109	1	1	1
Atchison	212	237	4	4	2
Atchison	– – –	176	2	2	1
Balance of county	– – –	61	2	2	1
Barber	67	86	1	1	1
Barton	342	300	8	6	5
Great Bend	– – –	171	5	4	4
Balance of county	– – –	129	3	2	1
Bourbon	307	230	3	2	3
Brown	136	154	4	3	4
Butler	234	334	2	1	4
El Dorado	– – –	122	1	1	1
Balance of county	– – –	212	1	–	3
Chase	15	44	–	–	–
Chautauqua	84	77	3	3	1
Cherokee	241	300	3	2	1
Cheyenne	19	31	1	1	1
Clark	41	35	–	–	–
Clay	112	125	1	1	1
Cloud	227	197	5	4	3
Coffey	71	130	1	–	2
Comanche	20	32	–	–	–
Cowley	383	389	6	5	8
Arkansas City	– – –	157	2	2	6
Winfield	– – –	129	1	1	–
Balance of county	– – –	103	3	2	2
Crawford	460	493	6	2	3
Pittsburg	– – –	245	3	1	–
Balance of county	– – –	248	3	1	3
Decatur	63	68	–	–	1
Dickinson	212	252	–	–	4
Doniphan	39	121	2	2	1
Douglas	338	348	12	9	4
Lawrence	– – –	250	9	7	2
Balance of county	– – –	98	3	2	2
Edwards	52	55	3	2	–
Elk	22	61	–	–	–
Ellis	232	177	3	3	2
Hays	– – –	108	3	3	1
Balance of county	– – –	69	–	–	1
Ellsworth	99	105	–	–	–
Finney	196	165	10	6	5
Garden City	– – –	138	6	2	4
Balance of county	– – –	27	4	4	1
Ford	204	188	4	3	2
Dodge City	– – –	126	1	1	–
Balance of county	– – –	62	3	2	2
Franklin	197	250	7	4	1
Ottawa	– – –	136	1	–	–
Balance of county	– – –	114	6	4	1
Geary	189	207	15	10	5
White	165	179	11	8	2
All other	24	28	4	2	3
Black	20	24	2	–	2
Junction City	– – –	171	9	7	5
White	– – –	148	5	5	2
All other	– – –	23	4	2	3
Black	– – –	20	2	–	2
Balance of county	– – –	36	6	3	–
White	– – –	31	6	3	–
All other	– – –	5	–	–	–
Black	– – –	4	–	–	–
Gove	34	43	–	–	–
Graham	33	38	1	1	1
Grant	50	44	2	1	2
Gray	13	29	1	–	1
Greeley	16	17	–	–	2
Greenwood	129	159	1	–	–
Hamilton	32	30	–	–	–
Harper	95	90	1	1	–
Harvey	375	269	7	4	4
Newton	– – –	170	5	2	2
Balance of county	– – –	99	2	2	2
Haskell	25	40	1	1	–
Hodgeman	16	23	–	–	–
Jackson	82	149	–	–	2
Jefferson	126	153	1	–	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kansas—Con.					
Jewell	32	71	2	2	–
Johnson	948	1,382	33	28	23
Leawood	---	83	2	2	2
Merriam	---	45	1	1	4
Olathe	---	132	4	4	4
Overland Park	---	366	7	7	6
Prairie Village	---	173	1	1	–
Shawnee	---	124	8	5	4
Balance of county	---	459	10	8	3
Kearny	13	29	–	–	–
Kingman	100	104	–	–	–
Kiowa	49	53	–	–	–
Labette	326	319	4	1	1
Parsons	---	177	3	1	1
Balance of county	---	142	1	–	–
Lane	15	25	–	–	–
Leavenworth	527	450	9	6	10
White	474	412	7	4	8
All other	53	38	2	2	2
Black	52	36	1	1	1
Leavenworth	---	300	7	5	8
White	---	265	5	3	6
All other	---	35	2	2	2
Black	---	33	1	1	1
Balance of county	---	150	2	1	2
Lincoln	51	79	1	1	1
Linn	69	135	–	–	2
Logan	27	32	1	1	1
Lyon	344	290	5	4	6
Emporia	---	203	4	3	5
Balance of county	---	87	1	1	1
McPherson	278	264	7	4	6
McPherson	---	124	3	2	2
Balance of county	---	140	4	2	4
Marion	145	160	1	–	–
Marshall	179	205	4	2	3
Meade	32	53	2	1	–
Miami	226	220	2	1	1
Mitchell	123	113	3	2	–
Montgomery	528	581	10	9	3
Coffeyville	---	216	5	5	1
White	---	198	5	5	1
All other	---	18	–	–	–
Black	---	18	–	–	–
Independence	---	152	3	2	1
White	---	136	3	2	–
All other	---	16	–	–	1
Black	---	16	–	–	1
Balance of county	---	213	2	2	1
Morris	66	105	2	1	–
Morton	11	21	–	–	–
Nemaha	105	136	1	1	–
Neosho	219	251	4	4	4
Chanute	---	158	1	1	1
Balance of county	---	93	3	3	3
Ness	40	45	3	3	–
Norton	87	95	2	–	–
Osage	145	180	2	2	1
Osborne	82	98	1	1	–
Ottawa	87	81	1	–	2
Pawnee	79	94	1	–	–
Phillips	70	87	1	1	2
Pottawatomie	125	144	3	1	3
Manhattan, part	---	1	–	–	–
Balance of county	---	143	3	1	3
Pratt	148	134	1	1	1
Rawlins	27	37	1	1	–
Reno	520	615	14	9	14
Hutchinson	---	403	9	7	9
Balance of county	---	212	5	2	5
Republic	118	123	1	1	2
Rice	104	124	2	2	2
Riley	248	278	10	8	9
Manhattan, part	---	205	9	7	4
Manhattan, total	---	206	9	7	4
Balance of county	---	73	1	1	5
White	---	71	1	1	5
All other	---	2	–	–	–
Black	---	1	–	–	–
Rooks	64	81	–	–	–
Rush	25	71	–	–	–
Russell	101	114	2	1	2
Saline	438	407	4	2	5
Salina	---	360	3	1	3
Balance of county	---	47	1	1	2
Scott	44	35	1	1	3
Sedgwick	3,195	2,740	77	54	53
White	2,937	2,495	59	41	39
All other	258	245	18	13	14
Black	238	229	18	13	12
Kansas—Con.					
Sedgwick—Con.					
Wichita	---	2,376	67	46	39
White	---	2,137	49	33	26
All other	---	239	18	13	13
Black	---	227	18	13	11
Balance of county	---	364	10	8	14
Seward	132	107	6	2	4
Liberal	---	93	6	2	3
Balance of county	---	14	–	–	1
Shawnee	1,683	1,352	37	23	27
White	1,549	1,231	28	19	20
All other	134	121	9	4	7
Black	123	115	8	4	6
Topeka	---	1,217	32	21	24
White	---	1,097	24	17	17
All other	---	120	8	4	7
Black	---	114	7	4	6
Balance of county	---	135	5	2	3
Sheridan	31	34	–	–	–
Sherman	66	69	1	–	1
Smith	74	90	1	1	1
Stafford	75	83	1	1	–
Stanton	9	8	–	–	1
Stevens	42	31	1	1	–
Sumner	243	286	2	1	2
Thomas	55	63	4	1	–
Trego	56	49	–	–	–
Wabaunsee	51	80	–	–	–
Wallace	7	16	–	–	–
Washington	87	122	2	2	2
Wichita	15	22	1	1	2
Wilson	151	163	3	–	1
Woodson	25	80	–	–	–
Wyandotte	1,912	1,738	58	44	34
White	1,539	1,333	33	25	17
All other	373	405	25	19	17
Black	367	402	24	18	17
Kansas City	---	1,640	55	41	34
White	---	1,241	30	22	17
All other	---	399	25	19	17
Black	---	396	24	18	17
Balance of county	---	98	3	3	–
Kentucky	**33,180**	**33,421**	**729**	**494**	**553**
White	30,333	30,584	619	415	462
All other	2,847	2,837	110	79	91
Black	2,831	2,823	106	77	85
Adair	137	149	1	1	1
Allen	123	161	2	1	3
Anderson	45	106	–	–	2
Ballard	34	113	2	1	–
Barren	430	364	5	5	3
Glasgow	---	150	2	2	1
Balance of county	---	214	3	3	2
Bath	36	89	1	1	2
Bell	394	388	15	11	7
Middlesborough	---	165	3	2	2
Balance of county	---	223	12	9	5
Boone	181	293	8	7	4
Florence	---	122	5	5	1
Balance of county	---	171	3	2	3
Bourbon	155	213	5	2	3
White	126	176	5	2	2
All other	29	37	–	–	1
Black	29	37	–	–	1
Boyd	633	543	16	11	7
Ashland	---	331	8	6	2
Balance of county	---	212	8	5	5
Boyle	278	259	3	2	2
White	247	227	2	2	2
All other	31	32	1	–	–
Black	31	32	1	–	–
Danville	---	144	2	1	2
White	---	120	1	1	2
All other	---	24	1	–	–
Black	---	24	1	–	–
Balance of county	---	115	1	1	–
Bracken	37	94	1	1	–
Breathitt	82	130	2	1	1
Breckinridge	138	175	–	–	4
Bullitt	84	224	11	8	7
Butler	80	123	1	1	4
Caldwell	166	164	2	2	1
Calloway	284	302	3	1	4
Murray	---	134	–	–	1
Balance of county	---	168	3	1	3
Campbell	908	938	19	13	14
Fort Thomas	---	182	2	2	1

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kentucky—Con.					
Campbell—Con.					
Newport	---	305	8	7	2
Balance of county	---	451	9	4	11
Carlisle	9	66	-	-	-
Carroll	122	117	4	4	1
Carter	81	241	7	1	1
Casey	80	125	2	1	2
Christian	647	523	21	13	20
White	486	376	8	6	9
All other	161	147	13	7	11
Black	159	146	13	7	10
Hopkinsville	---	314	12	8	12
White	---	229	3	3	4
All other	---	85	9	5	8
Black	---	85	9	5	8
Balance of county	---	209	9	5	8
White	---	147	5	3	5
All other	---	62	4	2	3
Black	---	61	4	2	2
Clark	219	251	10	5	7
Winchester	---	183	7	4	1
White	---	162	7	4	-
All other	---	21	-	-	1
Black	---	21	-	-	1
Balance of county	---	68	3	1	6
Clay	137	168	4	2	9
Clinton	60	73	3	2	-
Crittenden	66	129	2	2	2
Cumberland	79	83	2	2	2
Daviess	930	790	15	9	11
Owensboro	---	578	9	5	9
Balance of county	---	212	6	4	2
Edmonson	27	76	3	2	3
Elliott	31	51	1	-	-
Estill	116	148	4	3	5
Fayette	2,952	1,500	29	20	29
White	2,605	1,221	23	14	19
All other	347	279	6	6	10
Black	346	279	6	6	9
Lexington	---	1,403	28	20	28
White	---	1,143	22	14	18
All other	---	260	6	6	10
Black	---	260	6	6	9
Balance of county	---	97	1	-	1
Fleming	120	128	3	3	1
Floyd	392	362	9	5	7
Franklin	333	377	5	4	2
Frankfort	---	267	1	1	-
White	---	249	-	-	-
All other	---	18	1	1	-
Black	---	18	1	1	-
Balance of county	---	110	4	3	2
Fulton	172	163	4	3	1
White	155	143	1	1	-
All other	17	20	3	2	1
Black	17	20	3	2	1
Gallatin	15	53	3	2	1
Garrard	74	87	1	1	1
Grant	77	127	1	1	-
Graves	304	384	3	1	2
Mayfield	---	155	2	-	-
White	---	141	1	-	-
All other	---	14	1	-	-
Black	---	14	1	-	-
Balance of county	---	229	1	1	2
Grayson	164	214	7	3	3
Green	106	116	-	-	2
Greenup	222	329	5	4	3
Hancock	19	67	1	1	1
Hardin	500	419	24	15	17
Elizabethtown	---	131	5	2	4
Balance of county	---	288	19	13	13
Harlan	397	452	19	11	6
Harrison	188	182	4	2	1
Hart	112	162	1	1	1
Henderson	382	387	11	6	5
Henderson	---	275	9	5	4
White	---	236	7	3	4
All other	---	39	2	2	-
Black	---	38	1	1	-
Balance of county	---	112	2	1	1
Henry	56	148	3	1	-
Hickman	65	73	-	-	2
White	59	69	-	-	2
All other	6	4	-	-	-
Black	6	4	-	-	-
Hopkins	598	483	2	2	4
Madisonville	---	225	1	1	3
White	---	190	-	-	3
All other	---	35	1	1	-
Black	---	35	1	1	-
Kentucky—Con.					
Hopkins—Con.					
Balance of county	---	258	1	1	1
Jackson	40	95	1	1	1
Jefferson	7,579	6,556	150	113	111
White	6,351	5,389	94	72	67
All other	1,228	1,167	56	41	44
Black	1,223	1,162	54	40	40
Louisville	---	4,012	74	55	61
White	---	2,972	34	26	28
All other	---	1,040	40	29	33
Black	---	1,038	40	29	33
St. Matthews	---	172	1	-	1
Shively	---	149	-	-	-
Balance of county	---	2,223	75	58	49
White	---	2,100	59	46	38
All other	---	123	16	12	11
Black	---	120	14	11	7
Jessamine	60	157	4	1	4
Johnson	135	187	6	6	5
Kenton	1,379	1,334	27	22	18
Covington	---	748	16	13	10
Erlanger	---	64	1	1	-
Balance of county	---	522	10	8	8
Knott	69	137	4	3	2
Knox	206	296	8	6	8
Larue	83	141	3	2	4
Laurel	316	314	4	4	3
Lawrence	242	160	5	4	3
Lee	38	75	1	1	1
Leslie	73	98	4	4	3
Letcher	231	296	7	6	5
Lewis	56	150	4	-	2
Lincoln	116	166	1	1	2
Livingston	80	94	-	-	-
Logan	208	257	8	7	2
White	188	231	5	4	1
All other	20	26	3	3	1
Black	20	26	3	3	1
Lyon	28	64	-	-	1
McCracken	1,123	730	13	10	7
White	1,024	653	13	10	7
All other	99	77	-	-	-
Black	98	76	-	-	-
Paducah	---	508	3	3	2
White	---	435	3	3	2
All other	---	73	-	-	-
Black	---	72	-	-	-
Balance of county	---	222	10	7	5
McCreary	66	156	12	6	-
McLean	88	124	1	-	1
Madison	323	323	12	8	12
Richmond	---	124	4	3	5
White	---	112	4	3	5
All other	---	12	-	-	-
Black	---	12	-	-	-
Balance of county	---	199	8	5	7
Magoffin	39	107	5	2	1
Marion	191	173	-	-	4
Marshall	203	249	2	2	2
Martin	33	70	1	1	5
Mason	278	227	1	1	1
Meade	37	104	3	2	-
Menifee	16	38	2	1	-
Mercer	122	159	2	1	5
Metcalfe	32	111	2	1	2
Monroe	130	143	2	-	-
Montgomery	158	170	7	6	6
Morgan	123	115	5	3	1
Muhlenberg	267	317	5	2	4
Nelson	155	209	4	2	5
Nicholas	88	97	-	-	3
Ohio	176	248	2	-	2
Oldham	103	139	3	3	1
Owen	62	96	2	2	2
Owsley	19	53	-	-	3
Pendleton	67	106	2	1	3
Perry	344	318	8	5	4
Pike	644	609	16	12	18
Powell	36	81	3	2	2
Pulaski	491	422	11	7	2
Somerset	---	131	1	1	1
Balance of county	---	291	10	6	1
Robertson	11	33	-	-	-
Rockcastle	82	132	3	2	5
Rowan	237	128	4	2	2
Russell	49	144	3	3	1
Scott	172	191	5	2	3
Shelby	223	227	2	2	1
White	198	201	2	2	1
All other	25	26	-	-	-
Black	25	26	-	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kentucky—Con.					
Simpson	95	150	2	1	5
White	81	131	2	1	3
All other	14	19	–	–	2
Black	14	19	–	–	2
Spencer	20	54	1	–	1
Taylor	179	188	1	1	2
Todd	66	139	2	2	2
White	51	120	2	2	2
All other	15	19	–	–	–
Black	15	19	–	–	–
Trigg	83	109	–	–	2
White	71	96	–	–	2
All other	12	13	–	–	–
Black	12	13	–	–	–
Trimble	17	44	–	–	–
Union	127	171	4	2	6
White	116	151	4	2	3
All other	11	20	–	–	3
Black	11	20	–	–	3
Warren	719	513	15	6	12
Bowling Green	---	301	8	3	4
White	---	260	6	2	2
All other	---	41	2	1	2
Black	---	41	2	1	2
Balance of county	---	212	7	3	8
Washington	48	108	1	–	2
White	43	97	1	–	2
All other	5	11	–	–	–
Black	5	11	–	–	–
Wayne	106	149	1	1	2
Webster	49	196	1	1	3
Whitley	287	336	6	3	8
Wolfe	41	81	4	3	1
Woodford	139	175	1	1	3
White	124	150	1	1	2
All other	15	25	–	–	1
Black	15	25	–	–	1
Louisiana	35,539	35,242	1,295	898	823
White	23,774	23,547	572	426	341
All other	11,765	11,695	723	472	482
Black	11,701	11,635	713	467	477
Acadia	406	515	8	5	14
White	315	416	5	3	11
All other	91	99	3	2	3
Black	91	99	3	2	3
Crowley	---	176	1	1	3
White	---	125	–	–	2
All other	---	51	1	1	1
Black	---	51	1	1	1
Eunice, part	---	–	–	–	–
Balance of parish	---	339	7	4	11
White	---	291	5	3	9
All other	---	48	2	1	2
Black	---	48	2	1	2
Allen	186	245	9	4	7
White	142	188	5	2	2
All other	44	57	4	2	5
Black	44	54	3	2	5
Ascension	201	319	12	8	8
White	138	221	8	7	6
All other	63	98	4	1	2
Black	63	98	4	1	2
Assumption	95	189	8	5	8
White	64	127	5	2	3
All other	31	62	3	3	5
Black	31	62	3	3	5
Avoyelles	381	456	15	13	8
White	284	349	7	5	4
All other	97	107	8	8	4
Black	97	107	8	8	4
Beauregard	202	222	10	7	9
White	164	182	8	6	7
All other	38	40	2	1	2
Black	38	40	2	1	2
Bienville	92	195	7	5	7
White	59	122	2	1	–
All other	33	73	5	4	7
Black	33	73	5	4	7
Bossier	393	523	14	10	11
White	269	358	8	6	7
All other	124	165	6	4	4
Black	124	165	6	4	4
Bossier City	---	291	8	6	8
Shreveport, part	---	–	–	–	–
Balance of parish	---	232	6	4	3
White	---	116	3	2	3
All other	---	116	3	2	–
Black	---	116	3	2	–
Louisiana—Con.					
Caddo	3,476	2,511	87	59	57
White	2,106	1,529	31	24	15
All other	1,370	982	56	35	42
Black	1,370	982	56	35	42
Shreveport, part	---	2,157	71	49	47
White	---	1,299	24	21	10
All other	---	858	47	28	37
Black	---	858	47	28	37
Shreveport, total	---	2,157	71	49	47
White	---	1,299	24	21	10
All other	---	858	47	28	37
Black	---	858	47	28	37
Balance of parish	---	354	16	10	10
White	---	230	7	3	5
All other	---	124	9	7	5
Black	---	124	9	7	5
Calcasieu	1,443	1,339	54	36	24
White	1,076	988	27	19	16
All other	367	351	27	17	8
Black	364	350	27	17	8
Lake Charles	---	727	30	17	12
White	---	461	11	7	7
All other	---	266	19	10	5
Black	---	265	19	10	5
Sulphur	---	149	5	2	2
Balance of parish	---	463	19	17	10
White	---	383	11	10	7
All other	---	80	8	7	3
Black	---	80	8	7	3
Caldwell	87	113	2	1	–
White	71	96	1	1	–
All other	16	17	1	–	–
Black	16	17	1	–	–
Cameron	52	75	4	1	2
Catahoula	92	117	2	1	3
White	60	85	1	–	1
All other	32	32	1	1	2
Black	32	32	1	1	2
Claiborne	176	230	5	3	1
White	110	130	1	1	1
All other	66	100	4	2	–
Black	66	100	4	2	–
Concordia	151	206	9	7	3
White	72	118	5	5	–
All other	79	88	4	2	3
Black	79	88	4	2	3
De Soto	208	316	19	13	4
White	100	140	5	3	1
All other	108	176	14	10	3
Black	107	175	14	10	3
East Baton Rouge	2,764	2,280	100	74	50
White	1,736	1,391	38	34	23
All other	1,028	889	62	40	27
Black	1,025	887	62	40	27
Baton Rouge	---	1,833	82	58	40
White	---	1,132	29	25	17
All other	---	701	53	33	23
Black	---	699	53	33	23
Balance of parish	---	447	18	16	10
White	---	259	9	9	6
All other	---	188	9	7	4
Black	---	188	9	7	4
East Carroll	126	143	6	3	1
White	40	44	1	1	–
All other	86	99	5	2	1
Black	86	99	5	2	1
East Feliciana	243	162	3	2	3
White	151	102	2	2	–
All other	92	60	1	–	3
Black	92	60	1	–	3
Evangeline	300	336	8	4	10
White	241	277	2	2	4
All other	59	59	6	2	6
Black	59	59	6	2	6
Franklin	221	266	9	6	7
White	142	178	1	–	2
All other	79	88	8	6	5
Black	79	88	8	6	5
Grant	64	156	6	3	3
White	42	123	3	2	3
All other	22	33	3	1	–
Black	22	33	3	1	–
Iberia	450	553	22	16	13
White	310	378	12	10	2
All other	140	175	10	6	11
Black	140	175	10	6	11
New Iberia	---	313	14	11	7
White	---	212	7	7	1
All other	---	101	7	4	6
Black	---	101	7	4	6

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana—Con.					
Iberia—Con.					
Balance of parish	---	240	8	5	6
White	---	166	5	3	1
All other	---	74	3	2	5
Black	---	74	3	2	5
Iberville	275	358	12	10	6
White	134	164	2	1	3
All other	141	194	10	9	3
Black	140	194	10	9	3
Jackson	143	191	6	6	4
White	98	132	1	1	2
All other	45	59	5	5	2
Black	45	59	5	5	2
Jefferson	2,424	2,645	95	68	66
White	2,124	2,263	68	51	41
All other	300	382	27	17	25
Black	296	377	26	17	22
Gretna	---	315	13	9	2
White	---	245	7	5	2
All other	---	70	6	4	-
Black	---	69	6	4	-
Harahan	---	85	-	-	-
Kenner	---	266	14	11	7
White	---	210	13	10	5
All other	---	56	1	1	2
Black	---	56	1	1	2
Westwego	---	120	4	3	8
White	---	97	3	2	7
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of parish	---	1,859	64	45	49
White	---	1,627	45	34	27
All other	---	232	19	11	22
Black	---	229	18	11	19
Jefferson Davis	264	298	13	12	5
White	200	230	9	9	1
All other	64	68	4	3	4
Black	63	68	4	3	4
Jennings	---	120	4	4	4
White	---	81	3	3	-
All other	---	39	1	1	4
Black	---	39	1	1	4
Balance of parish	---	178	9	8	1
White	---	149	6	6	1
All other	---	29	3	2	-
Black	---	29	3	2	-
Lafayette	1,270	874	40	27	18
White	930	655	21	16	9
All other	340	219	19	11	9
Black	338	219	19	11	9
Lafayette	---	605	29	19	13
White	---	431	13	10	6
All other	---	174	16	9	7
Black	---	174	16	9	7
Balance of parish	---	269	11	8	5
White	---	224	8	6	3
All other	---	45	3	2	2
Black	---	45	3	2	2
Lafourche	475	488	15	11	22
White	414	413	10	7	12
All other	61	75	5	4	10
Black	60	74	5	4	10
Thibodaux	---	125	4	2	4
White	---	91	1	-	1
All other	---	34	3	2	3
Black	---	34	3	2	3
Balance of parish	---	363	11	9	18
La Salle	118	156	2	1	1
White	105	139	1	1	1
All other	13	17	1	-	-
Black	12	16	1	-	-
Lincoln	276	264	5	4	7
White	194	169	2	1	2
All other	82	95	3	3	5
Black	82	95	3	3	5
Ruston	---	131	4	4	2
White	---	82	1	1	2
All other	---	49	3	3	-
Black	---	49	3	3	-
Balance of parish	---	133	1	-	5
White	---	87	1	-	-
All other	---	46	-	-	5
Black	---	46	-	-	5
Livingston	248	385	15	8	10
White	216	337	9	6	8
All other	32	48	6	2	2
Black	32	47	6	2	2
Madison	108	174	11	7	6
White	26	62	3	2	2
All other	82	112	8	5	4
Black	82	112	8	5	4
Louisiana—Con.					
Morehouse	318	362	10	5	10
White	184	211	5	2	2
All other	134	151	5	3	8
Black	134	151	5	3	8
Bastrop	---	187	6	3	5
White	---	106	2	1	1
All other	---	81	4	2	4
Black	---	81	4	2	4
Balance of parish	---	175	4	2	5
White	---	105	3	1	1
All other	---	70	1	1	4
Black	---	70	1	1	4
Natchitoches	307	397	9	6	9
White	182	240	4	3	3
All other	125	157	5	3	6
Black	125	157	5	3	6
Natchitoches	---	175	3	2	3
White	---	96	1	1	2
All other	---	79	2	1	1
Black	---	79	2	1	1
Balance of parish	---	222	6	4	6
White	---	144	3	2	1
All other	---	78	3	2	5
Black	---	78	3	2	5
Orleans, coext. with New Orleans city	7,735	6,288	227	166	162
White	4,407	3,425	44	38	29
All other	3,328	2,863	183	128	133
Black	3,313	2,851	181	127	133
Ouachita	1,282	1,136	36	26	21
White	839	747	21	16	8
All other	443	389	15	10	13
Black	442	388	15	10	13
Monroe	---	661	19	11	16
White	---	352	6	3	5
All other	---	309	13	8	11
Black	---	309	13	8	11
West Monroe	---	212	10	9	-
White	---	169	8	7	-
All other	---	43	2	2	-
Black	---	42	2	2	-
Balance of parish	---	263	7	6	5
White	---	226	7	6	3
All other	---	37	-	-	2
Black	---	37	-	-	2
Plaquemines	91	177	11	8	8
White	65	126	9	8	5
All other	26	51	2	-	3
Black	24	49	1	-	3
Pointe Coupee	157	217	5	5	5
White	76	109	1	1	2
All other	81	108	4	4	3
Black	81	108	4	4	3
Rapides	1,680	1,195	36	27	29
White	1,150	788	13	12	14
All other	530	407	23	15	15
Black	529	406	23	15	15
Alexandria	---	604	23	16	13
White	---	322	6	5	3
All other	---	282	17	11	10
Black	---	281	17	11	10
Balance of parish	---	591	13	11	16
White	---	466	7	7	11
All other	---	125	6	4	5
Black	---	125	6	4	5
Red River	142	116	4	2	2
White	89	81	1	-	1
All other	53	35	3	2	1
Black	53	35	3	2	1
Richland	262	243	8	5	2
White	179	150	3	2	1
All other	83	93	5	3	1
Black	83	93	5	3	1
Sabine	239	283	7	5	1
White	177	223	4	3	-
All other	62	60	3	2	1
Black	62	60	3	2	1
St. Bernard	274	457	17	13	9
St. Charles	134	199	4	2	12
White	96	143	2	1	7
All other	38	56	2	1	5
Black	38	56	2	1	5
St. Helena	67	103	3	1	1
White	42	65	-	-	-
All other	25	38	3	1	1
Black	25	38	3	1	1
St. James	131	157	4	2	3
White	68	84	2	2	1
All other	63	73	2	-	2
Black	62	73	2	-	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
St. John the Baptist	117	221	12	10	3
White	72	115	2	2	2
All other	45	106	10	8	1
Black	45	106	10	8	1
St. Landry	643	784	34	27	17
White	410	456	13	10	3
All other	233	328	21	17	14
Black	232	326	21	17	14
Eunice, part	---	118	7	5	1
White	---	87	5	5	1
All other	---	31	2	-	-
Black	---	31	2	-	-
Eunice, total	---	118	7	5	1
White	---	87	5	5	1
All other	---	31	2	-	-
Black	---	31	2	-	-
Opelousas	---	209	8	8	6
White	---	98	-	-	-
All other	---	111	8	8	6
Black	---	110	8	8	6
Balance of parish	---	457	19	14	10
White	---	271	8	5	2
All other	---	186	11	9	8
Black	---	185	11	9	8
St. Martin	177	289	15	12	12
White	132	208	7	5	4
All other	45	81	8	7	8
Black	45	81	8	7	8
St. Mary	409	477	20	10	15
White	260	301	11	6	5
All other	149	176	9	4	10
Black	146	173	9	4	10
Morgan City	---	145	7	4	3
White	---	115	6	3	1
All other	---	30	1	1	2
Black	---	30	1	1	2
Balance of parish	---	332	13	6	12
White	---	186	5	3	4
All other	---	146	8	3	8
Black	---	143	8	3	8
St. Tammany	653	754	26	19	9
White	541	621	20	17	6
All other	112	133	6	2	3
Black	111	132	6	2	3
Slidell	---	172	11	9	2
White	---	157	10	8	2
All other	---	15	1	1	-
Black	---	14	1	1	-
Balance of parish	---	582	15	10	7
White	---	464	10	9	4
All other	---	118	5	1	3
Black	---	118	5	1	3
Tangipahoa	679	746	42	26	22
White	441	487	11	6	7
All other	238	259	31	20	15
Black	237	259	31	20	15
Hammond	---	147	7	4	3
White	---	82	1	-	-
All other	---	65	6	4	3
Black	---	65	6	4	3
Balance of parish	---	599	35	22	19
White	---	405	10	6	7
All other	---	194	25	16	12
Black	---	194	25	16	12
Tensas	83	122	-	-	1
White	31	45	-	-	1
All other	52	77	-	-	-
Black	52	77	-	-	-
Terrebonne	555	649	28	17	21
White	429	481	20	13	14
All other	126	168	8	4	7
Black	108	150	6	3	5
Houma	---	343	11	5	8
White	---	250	7	3	4
All other	---	93	4	2	4
Black	---	85	4	2	2
Balance of parish	---	306	17	12	13
White	---	231	13	10	10
All other	---	75	4	2	3
Black	---	65	2	1	3
Union	153	219	4	2	1
White	119	167	-	-	1
All other	34	52	4	2	-
Black	34	52	4	2	-
Vermilion	443	475	14	8	11
White	389	416	10	7	8
All other	54	59	4	1	3
Black	53	58	4	1	3
Louisiana—Con.					
Vermilion—Con.					
Abbeville	---	155	5	1	4
White	---	122	2	-	2
All other	---	33	3	1	2
Black	---	32	3	1	2
Balance of parish	---	320	9	7	7
White	---	294	8	7	6
All other	---	26	1	-	1
Black	---	26	1	-	1
Vernon	197	318	33	22	10
White	162	263	21	12	8
All other	35	55	12	10	2
Black	34	52	9	7	2
Washington	431	502	23	14	13
White	286	323	11	6	3
All other	145	179	12	8	10
Black	144	178	12	8	10
Bogalusa	---	250	8	7	3
White	---	160	4	3	-
All other	---	90	4	4	3
Black	---	89	4	4	3
Balance of parish	---	252	15	7	10
White	---	163	7	3	3
All other	---	89	8	4	7
Black	---	89	8	4	7
Webster	386	488	15	11	6
White	259	311	5	4	3
All other	127	177	10	7	3
Black	127	177	10	7	3
Minden	---	178	3	2	2
White	---	92	1	-	-
All other	---	86	2	2	2
Black	---	86	2	2	2
Balance of parish	---	310	12	9	4
White	---	219	4	4	3
All other	---	91	8	5	1
Black	---	91	8	5	1
West Baton Rouge	74	160	7	4	6
White	38	77	3	3	3
All other	36	83	4	1	3
Black	36	83	4	1	3
West Carroll	74	123	3	1	2
White	66	105	2	1	2
All other	8	18	1	-	-
Black	8	18	1	-	-
West Feliciana	58	75	2	1	1
White	29	29	1	1	-
All other	29	46	1	-	1
Black	29	46	1	-	1
Winn	178	210	3	1	1
White	120	141	1	-	1
All other	58	69	2	1	-
Black	58	69	2	1	-
Maine	10,149	10,179	165	97	142
White	10,113	10,140	164	97	130
All other	36	39	1	-	12
Black	18	20	1	-	-
Androscoggin	846	882	16	9	18
Auburn	---	242	1	-	5
Lewiston	---	414	5	4	5
Balance of county	---	226	10	5	8
Aroostook	676	732	20	15	17
Caribou	---	85	3	2	-
Presque Isle	---	82	4	3	2
Balance of county	---	565	13	10	15
Cumberland	2,414	2,005	31	15	29
Portland	---	810	17	9	7
South Portland	---	229	4	2	2
Westbrook	---	111	1	-	8
Balance of county	---	855	9	4	12
Franklin	190	206	3	2	3
Hancock	394	427	9	6	5
Kennebec	1,265	947	19	14	10
Augusta	---	240	6	5	5
Waterville	---	160	1	1	-
Balance of county	---	547	12	8	5
Knox	386	369	1	-	4
Lincoln	249	331	4	2	5
Oxford	394	463	5	5	2
Penobscot	1,228	1,126	14	5	16
Bangor	---	323	3	1	2
Balance of county	---	803	11	4	14
Piscataquis	153	178	3	1	1
Sagadahoc	195	251	4	3	4
Somerset	341	422	7	5	2
Waldo	137	223	5	4	5
Washington	349	414	6	3	6

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine—Con.					
York	932	1,203	18	8	15
Biddeford	---	231	5	2	2
Saco	---	113	1	-	-
Sanford	---	155	-	-	-
Balance of county	---	704	12	6	13
Maryland	32,402	33,130	814	613	504
White	25,851	26,360	446	333	269
All other	6,551	6,770	368	280	235
Black	6,461	6,673	360	276	230
Allegany	998	998	8	7	9
Cumberland	---	414	3	2	7
Balance of county	---	584	5	5	2
Anne Arundel	1,736	2,174	44	34	29
White	1,521	1,926	35	28	13
All other	215	248	9	6	16
Black	213	244	9	6	15
Annapolis	---	301	4	3	-
White	---	224	2	1	-
All other	---	77	2	2	-
Black	---	76	2	2	-
Balance of county	---	1,873	40	31	29
White	---	1,702	33	27	13
All other	---	171	7	4	16
Black	---	168	7	4	15
Baltimore	4,182	5,161	70	57	57
White	3,936	4,894	52	42	42
All other	246	267	18	15	15
Black	235	252	17	15	15
Baltimore city	11,741	9,741	270	195	130
White	7,518	5,645	80	58	27
All other	4,223	4,096	190	137	103
Black	4,194	4,079	190	137	101
Calvert	195	237	7	7	7
White	152	188	6	6	5
All other	43	49	1	1	2
Black	43	49	1	1	2
Caroline	81	271	1	1	7
White	69	217	1	1	2
All other	12	54	-	-	5
Black	12	54	-	-	5
Carroll	577	640	15	12	7
Cecil	443	407	5	3	10
Charles	264	366	13	7	9
White	184	259	7	4	6
All other	80	107	6	3	3
Black	79	105	6	3	3
Dorchester	355	388	5	4	2
White	260	277	2	2	2
All other	95	111	3	2	-
Black	95	111	3	2	-
Cambridge	---	166	2	1	2
White	---	111	1	1	2
All other	---	55	1	-	-
Black	---	55	1	-	-
Balance of county	---	222	3	3	-
White	---	166	1	1	-
All other	---	56	2	2	-
Black	---	56	2	2	-
Frederick	699	812	17	13	10
Frederick	---	267	6	5	2
White	---	244	4	3	2
All other	---	23	2	2	-
Black	---	22	2	2	-
Balance of county	---	545	11	8	8
Garrett	235	233	9	6	6
Harford	714	826	30	16	14
White	645	740	29	16	9
All other	69	86	1	-	5
Black	69	86	1	-	5
Aberdeen	---	85	5	1	3
White	---	66	5	1	3
All other	---	19	-	-	-
Black	---	19	-	-	-
Balance of county	---	741	25	15	11
Howard	263	486	10	7	5
Kent	166	201	2	2	1
White	133	149	1	1	1
All other	33	52	1	1	-
Black	33	52	1	1	-
Montgomery	3,846	3,522	86	69	51
White	3,558	3,278	66	52	41
All other	288	244	20	17	10
Black	265	217	16	15	9
Rockville	---	480	8	6	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland—Con.					
Montgomery—Con.					
Takoma Park, part	---	126	4	4	3
White	---	111	3	3	1
All other	---	15	1	1	2
Black	---	14	1	1	1
Takoma Park, total	---	161	7	7	6
White	---	142	5	5	3
All other	---	19	2	2	3
Black	---	18	2	2	2
Balance of county	---	2,916	74	59	44
White	---	2,723	56	44	39
All other	---	193	18	15	5
Black	---	172	14	13	5
Prince Georges	2,642	3,644	164	129	105
White	2,099	2,870	73	54	49
All other	543	774	91	75	56
Black	525	751	89	74	55
Bowie	---	130	2	2	4
College Park	---	142	3	2	1
Greenbelt	---	71	5	2	-
Hyattsville	---	465	13	9	7
Laurel	---	137	8	6	11
New Carrollton	---	47	2	2	1
Takoma Park, part	---	35	3	3	3
Balance of county	---	2,617	128	103	78
White	---	1,914	46	35	31
All other	---	703	82	68	47
Black	---	683	81	68	47
Queen Annes	57	211	1	1	2
White	50	175	1	1	2
All other	7	36	-	-	-
Black	7	36	-	-	-
St. Marys	314	357	16	13	16
White	247	273	9	6	11
All other	67	84	7	7	5
Black	66	84	7	7	5
Somerset	152	276	3	3	2
White	107	190	-	-	-
All other	45	86	3	3	2
Black	45	86	3	3	2
Talbot	502	294	4	4	3
White	398	234	3	3	1
All other	104	60	1	1	2
Black	103	60	1	1	2
Washington	1,074	946	17	11	12
Hagerstown	---	454	10	6	5
Balance of county	---	492	7	5	7
Wicomico	1,035	619	14	10	7
White	786	484	9	9	1
All other	249	135	5	1	6
Black	249	135	5	1	6
Salisbury	---	285	3	2	3
White	---	224	2	2	1
All other	---	61	1	-	2
Black	---	61	1	-	2
Balance of county	---	334	11	8	4
White	---	260	7	7	-
All other	---	74	4	1	4
Black	---	74	4	1	4
Worcester	131	320	3	2	3
White	106	238	2	1	-
All other	25	82	1	1	3
Black	25	82	1	1	3
Massachusetts	52,915	52,660	760	558	403
White	51,442	51,192	661	489	381
All other	1,473	1,468	99	69	22
Black	1,379	1,376	97	68	19
Barnstable	1,505	1,590	17	12	10
Berkshire	1,517	1,485	22	17	11
North Adams	---	223	4	2	1
Pittsfield	---	572	10	9	6
Balance of county	---	690	8	6	4
Bristol	4,055	4,498	61	42	35
Attleboro	---	299	3	1	10
Fall River	---	1,108	19	14	8
New Bedford	---	1,178	16	12	-
Somerset town†	---	158	2	2	1
Taunton	---	419	7	4	2
Balance of county	---	1,336	14	9	14
Dukes	95	116	-	-	-
Essex	6,066	6,291	92	68	53
Beverly	---	345	6	5	1
Danvers town†	---	209	6	6	2
Gloucester	---	281	2	1	2
Haverhill	---	611	10	5	6
Lawrence	---	785	9	6	6
Lynn	---	977	19	12	12

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Massachusetts—Con.					
Essex—Con.					
Marblehead town†	---	207	–	–	–
Methuen town†	---	357	7	7	1
Newburyport	---	185	2	2	4
Peabody	---	367	4	3	5
Salem	---	402	4	3	1
Saugus town†	---	213	1	1	3
Swampscott town†	---	132	–	–	–
Balance of county	---	1,220	22	17	10
Franklin	564	658	8	5	2
Hampden	4,504	4,336	54	38	49
White	4,354	4,174	43	30	45
All other	150	162	11	8	4
Black	149	162	11	8	4
Chicopee	---	574	6	4	4
Holyoke	---	631	6	3	10
Longmeadow town†	---	145	–	–	–
Springfield	---	1,662	29	21	21
White	---	1,520	19	14	17
All other	---	142	10	7	4
Black	---	142	10	7	4
Westfield	---	263	8	6	3
West Springfield town†	---	236	1	1	1
Balance of county	---	825	4	3	10
Hampshire	922	1,000	11	9	11
Amherst town†	---	80	1	1	2
Northampton	---	316	2	2	2
Balance of county	---	604	8	6	7
Middlesex	10,494	11,250	153	116	87
White	10,354	11,094	141	106	83
All other	140	156	12	10	4
Black	129	150	11	10	2
Arlington town†	---	470	2	1	4
Belmont town†	---	278	2	2	2
Billerica town†	---	174	4	2	2
Burlington town†	---	109	4	4	3
Cambridge	---	797	10	6	2
Chelmsford town†	---	166	–	–	2
Everett	---	413	3	3	7
Framingham town†	---	467	6	4	7
Lexington town†	---	243	–	–	–
Lowell	---	1,051	27	16	4
Malden	---	622	7	6	2
Marlborough	---	246	3	3	–
Medford	---	610	7	6	2
Melrose	---	331	2	2	1
Natick town†	---	239	6	4	1
Newton	---	762	8	7	–
Reading town†	---	158	1	1	1
Somerville	---	747	9	7	2
Stoneham town†	---	159	–	–	1
Wakefield town†	---	194	1	1	1
Waltham	---	480	5	3	6
Watertown town†	---	325	2	1	2
Winchester town†	---	155	3	3	–
Woburn	---	275	4	4	6
Balance of county	---	1,779	37	30	29
Nantucket	47	54	1	1	–
Norfolk	4,313	5,259	70	52	31
Braintree town†	---	351	5	4	5
Brookline town†	---	655	7	6	1
Dedham town†	---	204	4	4	1
Holbrook town†	---	96	–	–	2
Milton town†	---	259	2	2	1
Needham town†	---	212	1	1	2
Norwood town†	---	284	4	3	2
Quincy	---	986	10	7	7
Randolph town†	---	233	3	1	–
Wellesley town†	---	214	4	3	1
Weymouth town†	---	450	4	4	1
Balance of county	---	1,315	26	17	8
Plymouth	2,688	3,115	51	33	19
Brockton	---	881	13	7	1
Rockland town†	---	139	7	5	1
Whitman town†	---	104	3	2	–
Balance of county	---	1,991	28	19	17
Suffolk	10,349	7,040	126	98	33
White	9,449	6,192	62	52	26
All other	900	848	64	46	7
Black	836	793	63	45	7
Boston	---	6,030	118	92	29
White	---	5,186	54	46	22
All other	---	844	64	46	7
Black	---	790	63	45	7
Chelsea	---	335	4	3	2
Revere	---	430	1	–	2
Winthrop town†	---	245	3	3	–
Worcester	5,796	5,968	94	67	62
Clinton town†	---	142	4	4	3
Fitchburg	---	439	6	5	3
Gardner	---	188	1	1	3
Leominster	---	269	6	5	3
Worcester	---	1,973	28	18	23
Balance of county	---	2,957	49	34	27
Michigan	73,837	74,968	1,923	1,275	1,184
White	64,375	65,467	1,344	893	873
All other	9,462	9,501	579	382	311
Black	9,233	9,277	566	371	301
Alcona	56	126	2	2	1
Alger	69	105	2	2	3
Allegan	452	601	17	9	6
Holland, part	---	31	1	–	–
Balance of county	---	570	16	9	6
Alpena	329	280	6	5	–
Alpena	---	140	4	3	–
Balance of county	---	140	2	2	–
Antrim	88	169	2	2	–
Arenac	108	151	3	2	2
Baraga	98	93	–	–	–
Barry	249	340	10	4	6
Bay	846	916	18	13	13
Bay City	---	447	8	7	4
Midland, part	---	–	–	–	–
Balance of county	---	469	10	6	9
Benzie	94	110	2	2	1
Berrien	1,466	1,532	58	30	18
White	1,272	1,345	37	19	10
All other	194	187	21	11	8
Black	188	184	21	11	8
Benton Harbor	---	135	14	6	7
White	---	48	–	–	–
All other	---	87	14	6	7
Black	---	86	14	6	7
Niles	---	188	2	–	–
St. Joseph	---	155	1	–	–
Balance of county	---	1,054	41	24	11
Branch	380	412	8	1	4
Calhoun	1,312	1,230	31	25	18
White	1,206	1,122	25	21	13
All other	106	108	6	4	5
Black	102	106	6	4	5
Albion	---	96	3	1	3
White	---	74	1	–	1
All other	---	22	2	1	2
Black	---	22	2	1	2
Battle Creek	---	487	12	9	9
White	---	410	8	6	6
All other	---	77	4	3	3
Black	---	76	4	3	3
Balance of county	---	647	16	15	6
Cass	220	396	7	4	11
White	188	333	5	3	7
All other	32	63	2	1	4
Black	30	58	2	1	4
Charlevoix	100	165	4	3	2
Cheboygan	134	202	1	1	–
Chippewa	243	276	3	2	2
Sault Ste. Marie	---	150	3	2	1
Balance of county	---	126	–	–	1
Clare	272	294	4	3	2
Clinton	156	314	6	5	7
Lansing, part	---	–	–	–	–
Balance of county	---	314	6	5	7
Crawford	177	105	2	2	3
Delta	339	403	10	9	2
Escanaba	---	193	3	2	–
Balance of county	---	210	7	7	2
Dickinson	389	281	6	3	3
Eaton	334	500	9	7	12
Lansing, part	---	12	–	–	–
Balance of county	---	488	9	7	12
Emmet	458	226	3	3	3
Genesee	3,519	3,388	113	80	67
White	3,093	2,944	68	46	47
All other	426	444	45	34	20
Black	421	438	44	33	20
Flint	---	1,651	68	44	40
White	---	1,242	26	13	22
All other	---	409	42	31	18
Black	---	406	41	30	18
Balance of county	---	1,737	45	36	27
Gladwin	100	187	5	1	1
Gogebic	272	286	–	–	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan—Con.					
Grand Traverse	746	428	8	6	14
Traverse City	---	205	1	–	6
Balance of county	---	223	7	6	8
Gratiot	379	353	8	4	6
Hillsdale	240	378	7	7	10
Houghton	423	468	2	1	8
Huron	329	422	3	3	6
Ingham	1,960	1,591	46	31	29
White	1,863	1,502	36	23	25
All other	97	89	10	8	4
Black	90	84	9	7	4
East Lansing	---	91	4	3	5
Lansing, part	---	947	26	14	17
White	---	862	17	7	15
All other	---	85	9	7	2
Black	---	82	9	7	2
Lansing, total	---	959	26	14	17
White	---	870	17	7	15
All other	---	89	9	7	2
Black	---	86	9	7	2
Balance of county	---	553	16	14	7
Ionia	283	423	10	6	3
Iosco	218	262	6	4	6
Iron	158	191	3	3	–
Isabella	266	290	9	6	3
Mount Pleasant	---	111	4	2	2
Balance of county	---	179	5	4	1
Jackson	1,118	1,210	28	14	13
Jackson	---	514	14	7	4
White	---	451	11	5	3
All other	---	63	3	2	1
Black	---	63	3	2	1
Balance of county	---	696	14	7	9
Kalamazoo	1,767	1,384	34	24	20
White	1,661	1,315	26	18	18
All other	106	69	8	6	2
Black	100	65	8	6	2
Kalamazoo	---	629	20	13	8
White	---	571	13	7	7
All other	---	58	7	6	1
Black	---	58	7	6	1
Portage	---	164	5	4	6
Balance of county	---	591	9	7	6
Kalkaska	44	94	5	4	1
Kent	3,997	3,536	91	55	55
White	3,787	3,327	76	47	48
All other	210	209	15	8	7
Black	199	199	15	8	7
East Grand Rapids	---	76	2	2	–
Grand Rapids	---	1,976	45	22	37
White	---	1,778	30	14	30
All other	---	198	15	8	7
Black	---	190	15	8	7
Grandville	---	70	1	1	–
Kentwood	---	108	3	3	1
Walker	---	93	2	1	2
Wyoming	---	384	8	3	3
Balance of county	---	829	30	23	12
Keweenaw	4	29	–	–	1
Lake	26	110	–	–	1
White	17	69	–	–	1
All other	9	41	–	–	–
Black	8	40	–	–	–
Lapeer	369	437	18	9	6
Leelanau	65	126	4	2	4
Lenawee	670	718	9	5	11
Adrian	---	222	5	3	4
Balance of county	---	496	4	2	7
Livingston	389	518	19	12	14
Luce	95	70	–	–	1
Mackinac	81	129	2	2	1
Macomb	3,413	4,346	91	68	72
Center Line	---	123	–	–	–
East Detroit	---	343	4	3	3
Fraser	---	92	2	1	–
Mount Clemens	---	287	6	6	12
White	---	269	6	6	9
All other	---	18	–	–	3
Black	---	18	–	–	2
Roseville	---	370	8	8	9
St. Clair Shores	---	676	5	4	5
Sterling Heights	---	409	12	9	7
Warren	---	1,090	24	19	16
Balance of county	---	956	30	18	20
Manistee	216	245	1	1	2
Marquette	598	549	18	15	9
Marquette	---	171	5	5	3
Balance of county	---	378	13	10	6
Mason	240	253	6	3	4
Mecosta	157	217	10	6	5
Big Rapids	---	60	2	1	1
Balance of county	---	157	8	5	4
Menominee	235	287	8	6	1
Menominee	---	130	4	3	–
Balance of county	---	157	4	3	1
Midland	539	455	12	10	10
Midland, part	---	226	8	8	3
Midland, total	---	226	8	8	3
Balance of county	---	229	4	2	7
Missaukee	36	105	2	–	1
Monroe	644	949	22	17	19
Monroe	---	299	5	4	6
Balance of county	---	650	17	13	13
Montcalm	439	463	10	8	3
Montmorency	19	81	–	–	–
Muskegon	1,311	1,319	32	19	26
White	1,192	1,199	24	14	21
All other	119	120	8	5	5
Black	114	115	8	5	5
Muskegon	---	512	11	8	9
White	---	461	8	5	6
All other	---	51	3	3	3
Black	---	47	3	3	3
Muskegon Heights	---	140	7	4	4
White	---	87	2	2	2
All other	---	53	5	2	2
Black	---	53	5	2	2
Norton Shores	---	119	2	1	2
Balance of county	---	548	12	6	11
Newaygo	265	333	6	3	5
Oakland	6,988	6,809	175	115	102
White	6,608	6,543	149	97	87
All other	380	266	26	18	15
Black	369	252	23	15	14
Berkley	---	159	4	4	3
Beverly Hills	---	69	–	–	1
Birmingham	---	225	2	2	4
Clawson	---	131	3	2	–
Farmington	---	136	1	–	2
Ferndale	---	280	6	3	2
Hazel Park	---	180	3	–	4
Madison Heights	---	228	6	6	1
Oak Park	---	328	2	1	5
Pontiac	---	673	47	30	24
White	---	493	30	20	12
All other	---	180	17	10	12
Black	---	179	17	10	12
Royal Oak	---	612	8	6	8
Southfield	---	690	16	15	6
Troy	---	267	6	4	6
Balance of county	---	2,831	71	42	36
Oceana	181	225	5	3	–
Ogemaw	248	212	3	2	2
Ontonagon	92	116	1	1	–
Osceola	166	179	7	4	7
Oscoda	32	79	–	–	–
Otsego	140	115	4	3	1
Ottawa	870	975	23	13	14
Grand Haven	---	138	4	3	1
Holland, part	---	212	3	2	3
Holland, total	---	243	4	2	3
Balance of county	---	625	16	8	10
Presque Isle	107	136	5	2	3
Roscommon	67	183	5	3	6
Saginaw	1,925	1,688	47	37	41
White	1,705	1,457	34	29	34
All other	220	231	13	8	7
Black	216	228	13	8	6
Saginaw	---	777	25	16	14
White	---	584	12	8	8
All other	---	193	13	8	6
Black	---	192	13	8	5
Balance of county	---	911	22	21	27
St. Clair	1,065	1,184	29	16	10
Port Huron	---	358	11	7	4
Balance of county	---	826	18	9	6
St. Joseph	385	468	15	9	8
Sanilac	282	386	6	3	5
Schoolcraft	134	104	4	3	1
Shiawassee	370	459	10	5	5
Owosso	---	164	3	–	1
Balance of county	---	295	7	5	4
Tuscola	312	432	7	4	9
Van Buren	382	589	17	11	12
Washtenaw	2,484	1,305	46	30	42
White	2,231	1,148	30	18	30
All other	253	157	16	12	12
Black	240	150	15	12	11

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan—Con.					
Washtenaw—Con.					
Ann Arbor	---	447	20	12	17
Ypsilanti	---	210	11	10	14
White	---	147	3	2	7
All other	---	63	8	8	7
Black	---	62	8	8	7
Balance of county	---	648	15	8	11
Wayne	23,337	23,242	648	433	352
White	16,469	16,151	257	178	143
All other	6,868	7,091	391	255	209
Black	6,807	7,034	390	254	206
Allen Park	---	307	4	2	3
Dearborn	---	1,034	7	6	9
Dearborn Heights	---	538	12	9	2
Detroit	---	14,386	451	285	232
White	---	7,882	94	53	49
All other	---	6,504	357	232	183
Black	---	6,457	356	231	182
Ecorse	---	162	4	4	5
White	---	94	1	1	2
All other	---	68	3	3	3
Black	---	68	3	3	3
Garden City	---	218	8	5	3
Grosse Pointe Farms	---	119	1	1	-
Grosse Pointe Park	---	150	1	-	2
Grosse Pointe Woods	---	173	2	2	1
Hamtramck	---	372	2	1	1
White	---	334	-	-	1
All other	---	38	2	1	-
Black	---	38	2	1	-
Harper Woods	---	183	1	1	1
Highland Park	---	318	9	7	5
White	---	145	1	1	-
All other	---	173	8	6	5
Black	---	172	8	6	4
Inkster	---	301	11	7	12
White	---	148	3	3	4
All other	---	153	8	4	8
Black	---	153	8	4	8
Lincoln Park	---	378	8	7	4
Livonia	---	679	14	12	10
Melvindale	---	115	1	-	1
Plymouth	---	136	1	1	2
River Rouge	---	143	3	3	3
White	---	91	1	1	-
All other	---	52	2	2	3
Black	---	52	2	2	3
Riverview	---	88	2	2	2
Southgate	---	221	5	4	2
Taylor	---	402	18	11	9
Trenton	---	157	3	2	3
Wayne	---	176	2	2	3
Westland	---	481	15	11	10
Wyandotte	---	359	7	6	4
Balance of county	---	1,646	56	42	23
Wexford	271	225	4	4	6
Minnesota	33,998	33,316	741	513	480
White	33,410	32,752	686	480	441
All other	588	564	55	33	39
Black	334	325	37	21	21
Aitkin	126	159	2	1	1
Anoka	700	684	38	24	18
Anoka	---	114	5	2	2
Blaine, part	---	57	5	3	3
Blaine, total	---	57	5	3	3
Columbia Heights	---	142	4	4	3
Coon Rapids	---	93	7	3	2
Fridley	---	136	6	5	2
Balance of county	---	142	11	7	6
Becker	257	289	6	5	10
Beltrami	248	227	7	4	7
White	221	197	5	3	2
All other	27	30	2	1	5
Black	-	-	-	-	-
Bemidji	---	113	3	2	1
Balance of county	---	114	4	2	6
White	---	87	2	1	1
All other	---	27	2	1	5
Black	---	-	-	-	-
Benton	102	208	6	3	6
St. Cloud, part	---	47	1	1	-
Balance of county	---	161	5	2	6
Big Stone	126	108	1	-	-
Blue Earth	493	417	12	7	7
Mankato	---	239	7	5	1
Balance of county	---	178	5	2	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Minnesota—Con.					
Brown	307	266	4	2	4
New Ulm	---	112	2	1	2
Balance of county	---	154	2	1	2
Carlton	265	241	5	4	1
Carver	208	225	6	4	5
Cass	161	260	6	2	3
Chippewa	146	185	3	2	4
Chisago	225	234	2	2	-
Clay	229	326	9	8	9
Moorhead	---	151	6	5	4
Balance of county	---	175	3	3	5
Clearwater	85	108	-	-	-
Cook	30	29	-	-	1
Cottonwood	154	171	4	4	3
Crow Wing	402	408	10	8	1
Brainerd	---	152	4	3	1
Balance of county	---	256	6	5	-
Dakota	575	853	36	31	22
Burnsville	---	87	5	4	4
Hastings, part	---	100	2	-	1
Hastings, total	---	100	2	-	1
Inver Grove Heights	---	70	10	10	2
South St. Paul	---	170	5	4	-
West St. Paul	---	159	2	2	2
Balance of county	---	267	12	11	13
Dodge	67	118	1	1	2
Douglas	245	230	4	2	3
Faribault	208	247	3	1	-
Fillmore	182	264	5	2	1
Freeborn	339	341	3	2	5
Albert Lea	---	213	1	1	4
Balance of county	---	128	2	1	1
Goodhue	379	377	7	6	2
Red Wing	---	169	2	2	1
Balance of county	---	208	5	4	1
Grant	74	95	3	3	2
Hennepin	8,617	7,478	150	106	87
White	8,340	7,226	121	91	70
All other	277	252	29	15	17
Black	192	189	27	14	13
Bloomington	---	393	14	8	5
Brooklyn Center	---	143	11	8	2
Brooklyn Park	---	98	8	3	7
Crystal	---	136	2	2	-
Edina	---	394	6	5	1
Golden Valley	---	147	1	1	1
Hopkins	---	154	3	3	2
Minneapolis	---	4,397	73	53	43
White	---	4,161	46	38	30
All other	---	236	27	15	13
Black	---	179	25	14	9
Minnetonka	---	156	-	-	3
New Hope	---	112	6	4	2
Plymouth	---	98	4	4	1
Richfield	---	228	4	2	5
Robbinsdale	---	130	1	-	1
St. Louis Park	---	350	3	2	3
Balance of county	---	542	14	11	11
Houston	128	173	2	2	1
Hubbard	152	137	2	2	1
Isanti	200	206	2	2	2
Itasca	374	380	16	12	7
Jackson	132	158	2	-	3
Kanabec	119	136	6	5	-
Kandiyohi	374	310	8	6	4
Willmar	---	155	3	3	1
Balance of county	---	155	5	3	3
Kittson	75	81	1	-	1
Koochiching	126	162	7	5	1
Lac qui Parle	106	129	1	1	5
Lake	101	99	3	1	3
Lake of the Woods	53	50	1	1	1
Le Sueur	149	259	1	1	4
Lincoln	112	99	-	-	1
Lyon	206	222	5	3	1
McLeod	261	251	4	3	2
Mahnomen	47	54	1	-	-
White	35	43	1	-	-
All other	12	11	-	-	-
Black	-	-	-	-	-
Marshall	82	132	-	-	4
Martin	238	239	8	7	2
Fairmont	---	127	5	4	1
Balance of county	---	112	3	3	1
Meeker	216	233	1	1	2
Mille Lacs	202	189	5	-	4
Morrison	259	297	3	2	4
Mower	344	406	9	5	4
Austin	---	267	7	4	3
Balance of county	---	139	2	1	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota—Con.					
Murray	101	123	3	2	1
Nicollet	139	178	4	1	2
Nobles	208	215	2	1	3
Norman	114	131	2	1	–
Olmsted	1,498	560	19	16	16
Rochester	– – –	425	13	10	6
Balance of county	– – –	135	6	6	10
Otter Tail	423	497	8	8	12
Fergus Falls	– – –	124	3	3	1
Balance of county	– – –	373	5	5	11
Pennington	178	144	3	2	5
Pine	130	227	3	2	2
Pipestone	137	156	1	1	1
Polk	350	408	5	2	3
Pope	125	135	2	1	2
Ramsey	4,114	3,851	89	57	60
White	3,974	3,715	80	51	52
All other	140	136	9	6	8
Black	114	114	7	5	6
Blaine, part	– – –	–	–	–	–
Maplewood	– – –	140	3	2	1
New Brighton	– – –	86	3	1	2
North St. Paul	– – –	59	3	3	2
Roseville	– – –	230	6	5	3
St. Paul	– – –	2,937	56	36	46
White	– – –	2,810	48	30	38
All other	– – –	127	8	6	8
Black	– – –	111	7	5	6
Shoreview	– – –	50	6	3	–
White Bear Lake, part	– – –	145	5	5	4
White Bear Lake, total	– – –	146	5	5	4
Balance of county	– – –	204	7	2	2
Red Lake	40	56	–	–	2
Redwood	157	189	2	2	2
Renville	142	216	4	3	1
Rice	422	395	8	5	5
Faribault	– – –	183	–	–	4
Northfield	– – –	111	4	3	–
Balance of county	– – –	101	4	2	1
Rock	95	98	1	1	1
Roseau	113	123	6	5	4
St. Louis	2,445	2,293	46	33	24
Duluth	– – –	1,085	22	16	9
Hibbing	– – –	209	1	1	3
Virginia	– – –	186	3	3	2
Balance of county	– – –	813	20	13	10
Scott	323	275	15	10	4
Sherburne	144	208	7	4	5
St. Cloud, part	– – –	52	3	2	–
Balance of county	– – –	156	4	2	5
Sibley	95	152	3	1	3
Stearns	929	696	15	10	15
St. Cloud, part	– – –	207	4	4	1
St. Cloud, total	– – –	306	8	7	1
Balance of county	– – –	489	11	6	14
Steele	227	256	8	5	2
Owatonna	– – –	169	7	4	–
Balance of county	– – –	87	1	1	2
Stevens	109	119	2	2	–
Swift	127	160	3	3	1
Todd	149	226	5	3	4
Traverse	53	68	2	2	2
Wabasha	202	218	9	7	2
Wadena	188	145	4	2	1
Waseca	111	151	1	–	3
Washington	329	520	17	11	16
Cottage Grove	– – –	38	3	1	–
Hastings, part	– – –	–	–	–	–
Stillwater	– – –	116	3	2	5
White Bear Lake, part	– – –	1	–	–	–
Balance of county	– – –	365	11	8	11
Watonwan	129	162	2	1	1
Wilkin	135	83	–	–	–
Winona	399	415	9	6	4
Winona	– – –	293	5	4	3
Balance of county	– – –	122	4	2	1
Wright	254	368	9	9	9
Yellow Medicine	158	149	1	1	1
Mississippi	22,884	23,350	829	546	669
White	14,334	14,670	261	187	211
All other	8,550	8,680	568	359	458
Black	8,487	8,615	565	357	452
Adams	448	383	11	10	5
White	227	182	3	2	1
All other	221	201	8	8	4
Black	221	201	8	8	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Adams—Con.					
Natchez	– – –	267	9	8	4
White	– – –	126	3	2	–
All other	– – –	141	6	6	4
Black	– – –	141	6	6	4
Balance of county	– – –	116	2	2	1
White	– – –	56	–	–	1
All other	– – –	60	2	2	–
Black	– – –	60	2	2	–
Alcorn	233	305	3	2	5
White	210	275	1	1	5
All other	23	30	2	1	–
Black	23	30	2	1	–
Corinth	– – –	138	3	2	1
White	– – –	118	1	1	1
All other	– – –	20	2	1	–
Black	– – –	20	2	1	–
Balance of county	– – –	167	–	–	4
Amite	41	117	4	2	–
White	24	69	1	–	–
All other	17	48	3	2	–
Black	17	48	3	2	–
Attala	206	232	8	5	4
White	127	139	–	–	1
All other	79	93	8	5	3
Black	77	93	8	5	3
Benton	18	73	3	3	2
White	14	51	2	2	1
All other	4	22	1	1	1
Black	4	22	1	1	1
Bolivar	470	503	25	15	17
White	162	181	3	3	2
All other	308	322	22	12	15
Black	307	321	22	12	15
Cleveland	– – –	151	2	2	4
White	– – –	82	–	–	1
All other	– – –	69	2	2	3
Black	– – –	69	2	2	3
Balance of county	– – –	352	23	13	13
White	– – –	99	3	3	1
All other	– – –	253	20	10	12
Black	– – –	252	20	10	12
Calhoun	116	158	2	–	3
White	100	136	1	–	1
All other	16	22	1	–	2
Black	16	22	1	–	2
Carroll	25	78	4	1	2
White	10	28	–	–	1
All other	15	50	4	1	1
Black	15	50	4	1	1
Chickasaw	174	189	7	4	2
White	119	131	–	–	–
All other	55	58	7	4	2
Black	55	58	7	4	2
Choctaw	59	94	2	–	–
White	35	66	1	–	–
All other	24	28	1	–	–
Black	24	28	1	–	–
Claiborne	89	116	6	4	5
White	23	30	–	–	1
All other	66	86	6	4	4
Black	66	86	6	4	4
Clarke	121	170	4	4	8
White	80	117	1	1	3
All other	41	53	3	3	5
Black	41	53	3	3	5
Clay	187	226	8	6	4
White	95	120	1	1	1
All other	92	106	7	5	3
Black	92	106	7	5	3
Coahoma	469	428	17	12	18
White	174	146	2	2	4
All other	295	282	15	10	14
Black	293	279	15	10	14
Clarksdale	– – –	253	9	6	8
White	– – –	99	–	–	2
All other	– – –	154	9	6	6
Black	– – –	152	9	6	6
Balance of county	– – –	175	8	6	10
White	– – –	47	2	2	2
All other	– – –	128	6	4	8
Black	– – –	127	6	4	8
Copiah	213	304	13	5	15
White	109	160	2	1	2
All other	104	144	11	4	13
Black	104	144	11	4	13

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Covington	100	133	6	3	9
White	70	99	1	–	4
All other	30	34	5	3	5
Black	30	34	5	3	5
De Soto	163	328	12	9	8
White	92	222	8	7	4
All other	71	106	4	2	4
Black	71	106	4	2	4
Forrest	927	676	24	20	16
White	685	485	9	8	5
All other	242	191	15	12	11
Black	240	190	14	11	11
Hattiesburg, part	---	488	16	12	14
White	---	331	3	2	3
All other	---	157	13	10	11
Black	---	156	12	9	11
Hattiesburg, total	---	490	16	12	14
White	---	333	3	2	3
All other	---	157	13	10	11
Black	---	156	12	9	11
Balance of county	---	188	8	8	2
White	---	154	6	6	2
All other	---	34	2	2	–
Black	---	34	2	2	–
Franklin	108	113	–	–	3
White	64	69	–	–	1
All other	44	44	–	–	2
Black	43	43	–	–	2
George	93	125	5	2	2
White	79	101	4	2	2
All other	14	24	1	–	–
Black	14	24	1	–	–
Greene	61	85	4	3	2
White	40	62	2	1	1
All other	21	23	2	2	1
Black	21	23	2	2	1
Grenada	276	259	9	7	6
White	154	148	4	3	2
All other	122	111	5	4	4
Black	122	111	5	4	4
Hancock	171	219	2	–	6
White	150	192	1	–	6
All other	21	27	1	–	–
Black	21	27	1	–	–
Harrison	1,453	1,234	41	29	39
White	1,166	998	22	16	16
All other	287	236	19	13	23
Black	287	236	19	13	23
Biloxi	---	336	18	11	15
White	---	284	9	5	4
All other	---	52	9	6	11
Black	---	52	9	6	11
Gulfport	---	465	13	10	12
White	---	356	5	4	4
All other	---	109	8	6	8
Black	---	109	8	6	8
Balance of county	---	433	10	8	12
White	---	358	8	7	8
All other	---	75	2	1	4
Black	---	75	2	1	4
Hinds	3,279	1,891	53	40	63
White	1,931	1,078	11	8	15
All other	1,348	813	42	32	48
Black	1,340	812	42	32	47
Jackson, part	---	1,533	46	35	51
White	---	893	11	8	11
All other	---	640	35	27	40
Black	---	639	35	27	40
Jackson, total	---	1,533	46	35	51
White	---	893	11	8	11
All other	---	640	35	27	40
Black	---	639	35	27	40
Balance of county	---	358	7	5	12
White	---	185	–	–	4
All other	---	173	7	5	8
Black	---	173	7	5	7
Holmes	260	288	4	3	8
White	72	89	–	–	–
All other	188	199	4	3	8
Black	188	199	4	3	8
Humphreys	151	181	17	13	6
White	38	52	2	2	–
All other	113	129	15	11	6
Black	113	129	15	11	6
Issaquena	5	21	–	–	1
White	1	11	–	–	–
All other	4	10	–	–	1
Black	4	10	–	–	1
Itawamba	146	218	3	1	–
Mississippi—Con.					
Jackson	667	705	39	28	32
White	546	580	20	13	20
All other	121	125	19	15	12
Black	121	125	19	15	12
Moss Point	---	116	12	9	9
White	---	61	1	1	–
All other	---	55	11	8	9
Black	---	55	11	8	9
Pascagoula	---	220	11	9	11
White	---	182	8	6	9
All other	---	38	3	3	2
Black	---	38	3	3	2
Balance of county	---	369	16	10	12
Jasper	113	158	7	4	9
White	66	95	2	2	1
All other	47	63	5	2	8
Black	47	63	5	2	8
Jefferson	53	92	5	4	3
White	11	22	–	–	–
All other	42	70	5	4	3
Black	42	70	5	4	3
Jefferson Davis	102	133	7	3	3
White	53	70	1	1	1
All other	49	63	6	2	2
Black	49	63	6	2	2
Jones	607	593	15	4	25
White	428	429	5	1	14
All other	179	164	10	3	11
Black	179	164	10	3	11
Laurel	---	294	7	1	13
White	---	180	1	–	3
All other	---	114	6	1	10
Black	---	114	6	1	10
Balance of county	---	299	8	3	12
White	---	249	4	1	11
All other	---	50	4	2	1
Black	---	50	4	2	1
Kemper	60	102	6	2	3
White	32	59	–	–	–
All other	28	43	6	2	3
Black	27	39	6	2	3
Lafayette	250	284	6	4	2
White	166	179	1	–	1
All other	84	105	5	4	1
Black	84	105	5	4	1
Oxford	---	147	3	3	–
White	---	97	–	–	–
All other	---	50	3	3	–
Black	---	50	3	3	–
Balance of county	---	137	3	1	2
White	---	82	1	–	1
All other	---	55	2	1	1
Black	---	55	2	1	1
Lamar	67	146	5	4	11
White	55	117	4	4	8
All other	12	29	1	–	3
Black	12	28	1	–	3
Hattiesburg, part	---	2	–	–	–
Balance of county	---	144	5	4	11
White	---	115	4	4	8
All other	---	29	1	–	3
Black	---	28	1	–	3
Lauderdale	1,031	791	28	18	16
White	709	533	12	7	8
All other	322	258	16	11	8
Black	318	258	16	11	8
Meridian	---	567	18	12	11
White	---	374	7	5	6
All other	---	193	11	7	5
Black	---	193	11	7	5
Balance of county	---	224	10	6	5
White	---	159	5	2	2
All other	---	65	5	4	3
Black	---	65	5	4	3
Lawrence	74	115	4	3	4
White	45	78	–	–	2
All other	29	37	4	3	2
Black	29	37	4	3	2
Leake	162	232	7	5	6
White	107	159	4	3	1
All other	55	73	3	2	5
Black	52	66	3	2	5
Lee	726	473	19	12	6
White	594	376	12	7	4
All other	132	97	7	5	2
Black	132	97	7	5	2
Tupelo	---	207	9	6	2
White	---	164	4	3	2
All other	---	43	5	3	–
Black	---	43	5	3	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Lee—Con.					
Balance of county	---	266	10	6	4
White	---	212	8	4	2
All other	---	54	2	2	2
Black	---	54	2	2	2
Leflore	518	480	19	12	11
White	226	219	2	2	1
All other	292	261	17	10	10
Black	288	259	17	10	10
Greenwood	---	312	11	8	5
White	---	145	2	2	1
All other	---	167	9	6	4
Black	---	165	9	6	4
Balance of county	---	168	8	4	6
White	---	74	-	-	-
All other	---	94	8	4	6
Black	---	94	8	4	6
Lincoln	289	306	9	7	2
White	201	211	4	4	1
All other	88	95	5	3	1
Black	88	95	5	3	1
Brookhaven	---	161	4	3	2
White	---	109	-	-	1
All other	---	52	4	3	1
Black	---	52	4	3	1
Balance of county	---	145	5	4	-
White	---	102	4	4	-
All other	---	43	1	-	-
Black	---	43	1	-	-
Lowndes	458	438	12	8	12
White	310	282	6	4	2
All other	148	156	6	4	10
Black	148	156	6	4	10
Columbus	---	294	7	4	7
White	---	184	4	3	1
All other	---	110	3	1	6
Black	---	110	3	1	6
Balance of county	---	144	5	4	5
White	---	98	2	1	1
All other	---	46	3	3	4
Black	---	46	3	3	4
Madison	246	343	11	7	20
White	113	150	2	2	-
All other	133	193	9	5	20
Black	133	193	9	5	20
Canton	---	160	3	2	10
White	---	73	-	-	-
All other	---	87	3	2	10
Black	---	87	3	2	10
Balance of county	---	183	8	5	10
White	---	77	2	2	-
All other	---	106	6	3	10
Black	---	106	6	3	10
Marion	183	259	11	6	3
White	125	170	5	3	2
All other	58	89	6	3	1
Black	58	89	6	3	1
Marshall	160	243	11	6	8
White	80	131	5	3	-
All other	80	112	6	3	8
Black	80	112	6	3	8
Monroe	331	374	10	6	4
White	223	254	3	2	2
All other	108	120	7	4	2
Black	108	120	7	4	2
Montgomery	180	176	3	1	1
White	100	102	1	1	-
All other	80	74	2	-	1
Black	80	74	2	-	1
Neshoba	185	238	9	3	7
White	132	187	3	2	1
All other	53	51	6	1	6
Black	30	33	5	1	2
Newton	181	248	7	5	7
White	130	173	3	3	-
All other	51	75	4	2	7
Black	48	64	3	1	6
Noxubee	126	154	8	4	3
White	37	61	1	1	2
All other	89	93	7	3	1
Black	89	93	7	3	1
Oktibbeha	238	243	12	9	8
White	141	139	2	1	2
All other	97	104	10	8	6
Black	96	103	10	8	6
Starkville	---	124	6	5	4
White	---	78	1	1	2
All other	---	46	5	4	2
Black	---	45	5	4	2
Mississippi—Con.					
Oktibbeha—Con.					
Balance of county	---	119	6	4	4
White	---	61	1	-	-
All other	---	58	5	4	4
Black	---	58	5	4	4
Panola	266	304	12	8	9
White	124	152	-	-	2
All other	142	152	12	8	7
Black	142	152	12	8	7
Pearl River	202	278	6	4	5
White	159	223	4	3	3
All other	43	55	2	1	2
Black	43	55	2	1	2
Picayune	---	99	3	2	3
White	---	59	1	1	1
All other	---	40	2	1	2
Black	---	40	2	1	2
Balance of county	---	179	3	2	2
Perry	80	120	5	3	4
White	68	95	3	2	3
All other	12	25	2	1	1
Black	12	25	2	1	1
Pike	416	435	16	8	17
White	255	264	5	3	1
All other	161	171	11	5	16
Black	159	168	11	5	16
McComb	---	177	6	3	6
White	---	118	1	1	-
All other	---	59	5	2	6
Black	---	57	5	2	6
Balance of county	---	258	10	5	11
White	---	146	4	2	1
All other	---	112	6	3	10
Black	---	111	6	3	10
Pontotoc	127	186	5	4	2
White	104	162	4	3	2
All other	23	24	1	1	-
Black	23	24	1	1	-
Prentiss	143	209	8	5	4
White	127	188	5	4	2
All other	16	21	3	1	2
Black	16	21	3	1	2
Quitman	71	170	10	6	5
White	18	69	-	-	-
All other	53	101	10	6	5
Black	53	101	10	6	5
Rankin	381	501	12	8	16
White	261	372	9	7	8
All other	120	129	3	1	8
Black	120	129	3	1	8
Jackson, part	---	-	-	-	-
Balance of county	---	501	12	8	16
White	---	372	9	7	8
All other	---	129	3	1	8
Black	---	129	3	1	8
Scott	212	280	4	3	5
White	146	192	1	-	1
All other	66	88	3	3	4
Black	66	88	3	3	4
Sharkey	46	73	1	-	6
White	15	30	-	-	-
All other	31	43	1	-	6
Black	31	41	1	-	6
Simpson	195	258	4	3	4
White	154	200	1	1	1
All other	41	58	3	2	3
Black	41	58	3	2	3
Smith	41	110	8	5	2
White	34	94	5	4	-
All other	7	16	3	1	2
Black	7	15	3	1	2
Stone	101	109	5	3	1
White	80	83	2	2	1
All other	21	26	3	1	-
Black	21	26	3	1	-
Sunflower	279	352	22	18	18
White	105	143	2	2	3
All other	174	209	20	16	15
Black	174	208	20	16	15
Tallahatchie	152	209	13	8	7
White	71	101	2	1	1
All other	81	108	11	7	6
Black	81	108	11	7	6
Tate	117	171	8	3	6
White	60	94	2	1	2
All other	57	77	6	2	4
Black	57	77	6	2	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Tippah	189	205	6	4	3
White	159	179	3	2	2
All other	30	26	3	2	1
Black	30	26	3	2	1
Tishomingo	134	199	2	1	5
Tunica	92	116	10	5	1
White	30	25	–	–	–
All other	62	91	10	5	1
Black	62	91	10	5	1
Union	182	170	1	1	4
White	149	141	1	1	3
All other	33	29	–	–	1
Black	33	29	–	–	1
Walthall	147	166	9	7	2
White	91	105	2	1	1
All other	56	61	7	6	1
Black	56	61	7	6	1
Warren	593	478	25	22	25
White	310	246	8	7	6
All other	283	232	17	15	19
Black	281	231	17	15	19
Vicksburg	---	317	18	15	17
White	---	156	5	4	3
All other	---	161	13	11	14
Black	---	161	13	11	14
Balance of county	---	161	7	7	8
White	---	90	3	3	3
All other	---	71	4	4	5
Black	---	70	4	4	5
Washington	720	700	29	18	28
White	280	266	4	4	8
All other	440	434	25	14	20
Black	437	431	25	14	20
Greenville	---	503	15	10	16
White	---	205	3	3	6
All other	---	298	12	7	10
Black	---	296	12	7	10
Balance of county	---	197	14	8	12
White	---	61	1	1	2
All other	---	136	13	7	10
Black	---	135	13	7	10
Wayne	150	173	8	7	6
White	106	121	3	2	–
All other	44	52	5	5	6
Black	44	52	5	5	6
Webster	96	107	4	3	4
White	76	84	2	2	3
All other	20	23	2	1	1
Black	20	23	2	1	1
Wilkinson	137	104	4	3	–
White	67	32	1	1	–
All other	70	72	3	2	–
Black	70	72	3	2	–
Winston	167	217	4	4	5
White	130	152	2	2	1
All other	37	65	2	2	4
Black	37	63	2	2	4
Yalobusha	114	146	6	5	2
White	73	93	2	2	1
All other	41	53	4	3	1
Black	41	53	4	3	1
Yazoo	265	331	15	9	8
White	130	150	3	2	–
All other	135	181	12	7	8
Black	134	180	12	7	8
Yazoo City	---	176	7	4	6
White	---	70	1	1	–
All other	---	106	6	3	6
Black	---	105	6	3	6
Balance of county	---	155	8	5	2
White	---	80	2	1	–
All other	---	75	6	4	2
Black	---	75	6	4	2
Missouri	50,439	49,442	1,080	785	703
White	45,268	44,399	744	550	531
All other	5,171	5,043	336	235	172
Black	5,105	4,981	327	228	164
Adair	393	226	5	5	2
Kirksville	---	153	4	4	1
Balance of county	---	73	1	1	1
Andrew	80	115	–	–	2
Atchison	100	103	2	1	2
Audrain	419	299	2	2	5
Mexico	---	167	2	2	3
Balance of county	---	132	–	–	2
Barry	242	301	2	2	3
Barton	104	153	2	2	1
Missouri—Con.					
Bates	154	228	5	5	–
Benton	96	183	2	2	2
Bollinger	44	124	1	1	5
Boone	1,386	556	18	14	11
Columbia	---	354	16	12	6
Balance of county	---	202	2	2	5
Buchanan	1,335	1,120	35	26	4
St. Joseph	---	1,013	32	24	4
Balance of county	---	107	3	2	–
Butler	787	452	6	4	7
Poplar Bluff	---	248	1	–	4
Balance of county	---	204	5	4	3
Caldwell	60	140	2	2	2
Callaway	305	301	5	3	5
Fulton	---	140	–	–	1
White	---	124	–	–	–
All other	---	16	–	–	1
Black	---	16	–	–	1
Jefferson City, part	---	–	–	–	–
Balance of county	---	161	5	3	4
Camden	201	202	2	1	3
Cape Girardeau	669	473	13	12	7
Cape Girardeau	---	278	10	9	2
Balance of county	---	195	3	3	5
Carroll	113	188	5	2	2
Carter	23	67	–	–	–
Cass	235	370	14	11	7
Cedar	163	167	1	1	–
Chariton	70	154	2	2	2
Christian	74	181	6	5	2
Clark	42	95	2	1	–
Clay	807	846	19	12	20
Gladstone	---	85	2	2	3
Independence, part	---	–	–	–	–
Kansas City, part	---	321	8	4	7
Liberty	---	103	2	2	1
Balance of county	---	337	7	4	9
Clinton	153	143	–	–	–
Cole	614	409	8	8	5
Jefferson City, part	---	297	7	7	3
Jefferson City, total	---	297	7	7	3
Balance of county	---	112	1	1	2
Cooper	150	181	2	–	4
Crawford	178	202	3	2	3
Dade	77	127	2	2	1
Dallas	86	149	–	–	4
Daviess	67	119	1	–	4
De Kalb	40	122	–	–	–
Dent	118	158	6	5	5
Douglas	53	104	1	–	–
Dunklin	308	434	3	3	10
Franklin	467	630	18	12	12
Gasconade	171	187	–	–	4
Gentry	132	133	3	3	–
Greene	2,523	1,600	34	27	24
Springfield	---	1,310	30	24	17
Balance of county	---	290	4	3	7
Grundy	175	175	3	2	2
Harrison	106	153	–	–	–
Henry	352	270	3	2	5
Hickory	20	82	–	–	1
Holt	37	96	1	1	–
Howard	118	139	1	1	2
Howell	294	292	6	4	2
Iron	151	133	1	1	5
Jackson	7,623	6,399	236	179	92
White	6,357	5,184	123	94	52
All other	1,266	1,215	113	85	40
Black	1,249	1,202	109	81	40
Grandview	---	126	9	7	1
Independence, part	---	878	24	17	17
Independence, total	---	878	24	17	17
Kansas City, part	---	4,646	177	132	61
White	---	3,454	66	49	22
All other	---	1,192	111	83	39
Black	---	1,182	107	79	39
Kansas City, total	---	5,029	187	138	72
White	---	3,835	76	55	33
All other	---	1,194	111	83	39
Black	---	1,182	107	79	39
Lee's Summit	---	263	5	4	1
Raytown	---	229	7	7	3
Balance of county	---	257	14	12	9
Jasper	869	1,022	17	14	15
Carthage	---	171	3	2	5
Joplin, part	---	500	9	8	5
Joplin, total	---	536	11	9	6
Balance of county	---	351	5	4	5
Jefferson	496	830	29	20	30

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri—Con.					
Johnson	191	229	10	7	2
Warrensburg	---	71	1	-	-
Balance of county	---	158	9	7	2
Knox	38	95	1	1	1
Laclede	258	285	6	5	3
Lafayette	297	355	9	6	1
Lawrence	364	324	4	3	1
Lewis	51	130	-	-	3
Lincoln	214	234	3	1	3
Linn	266	266	-	-	-
Livingston	281	250	3	3	5
McDonald	45	150	3	-	2
Macon	147	219	1	1	1
Madison	102	140	1	1	2
Marias	28	80	1	1	1
Marion	409	365	6	3	4
Hannibal, part	---	265	5	2	3
Hannibal, total	---	267	5	2	3
Balance of county	---	100	1	1	1
Mercer	34	58	1	1	1
Miller	85	230	1	-	2
Mississippi	86	193	5	2	4
White	67	165	1	-	3
All other	19	28	4	2	1
Black	19	28	4	2	1
Moniteau	71	150	2	1	1
Monroe	67	147	-	-	-
Montgomery	42	165	1	1	2
Morgan	137	188	3	2	5
New Madrid	114	255	8	6	5
White	92	199	3	2	4
All other	22	56	5	4	1
Black	22	56	5	4	1
Sikeston, part	---	-	-	-	-
Balance of county	---	255	8	6	5
White	---	199	3	2	4
All other	---	56	5	4	1
Black	---	56	5	4	1
Newton	529	386	10	6	3
Joplin, part	---	36	2	1	1
Balance of county	---	350	8	5	2
Nodaway	188	215	5	4	4
Oregon	90	151	-	-	4
Osage	43	116	1	1	2
Ozark	28	77	1	1	1
Pemiscot	274	346	11	4	6
White	178	240	6	2	1
All other	96	106	5	2	5
Black	96	105	5	2	5
Perry	152	191	4	3	1
Pettis	500	468	6	5	1
Sedalia	---	349	4	3	1
Balance of county	---	119	2	2	-
Phelps	410	333	5	1	6
Rolla	---	104	3	1	5
Balance of county	---	229	2	-	1
Pike	220	252	7	3	8
Platte	131	248	9	8	6
Kansas City, part	---	62	2	2	4
Balance of county	---	186	7	6	2
Polk	97	205	4	4	3
Pulaski	147	214	13	8	2
Putnam	87	95	1	-	1
Ralls	43	99	1	1	2
Hannibal, part	---	2	-	-	-
Balance of county	---	97	1	1	2
Randolph	256	302	3	3	5
Moberly	---	191	1	1	4
Balance of county	---	111	2	2	1
Ray	164	218	2	2	4
Reynolds	38	69	1	-	1
Ripley	81	141	2	1	-
St. Charles	680	726	20	11	13
St. Charles	---	351	7	5	5
Balance of county	---	375	13	6	8
St. Clair	134	145	2	-	1
St. Francois	624	518	9	8	9
St. Louis	7,417	7,380	143	112	100
White	6,971	6,872	91	73	71
All other	446	508	52	39	29
Black	436	495	48	36	28
Ballwin	---	90	6	5	1
Bellefontaine Neighbors	---	136	-	-	1
Berkeley	---	78	2	1	2
Brentwood	---	75	1	1	-
Bridgeton	---	107	1	-	2
Clayton	---	146	2	1	4
Crestwood	---	87	-	-	1
Ferguson	---	267	2	2	4
Florissant	---	435	7	6	11
Hazelwood	---	104	5	4	6
Missouri—Con.					
St. Louis—Con.					
Jennings	---	214	1	1	3
Kirkwood	---	321	1	1	3
Ladue	---	78	-	-	-
Maplewood	---	123	2	2	2
Overland	---	227	-	-	1
Richmond Heights	---	147	2	2	-
White	---	136	1	1	-
All other	---	11	1	1	-
Black	---	11	1	1	-
St. Ann	---	129	2	1	1
University City	---	385	8	3	-
White	---	334	1	-	-
All other	---	51	7	3	-
Black	---	50	6	3	-
Webster Groves	---	237	7	6	-
Balance of county	---	3,994	94	76	58
White	---	3,616	61	50	43
All other	---	378	33	26	15
Black	---	371	32	25	14
St. Louis city	8,847	7,224	177	123	92
White	6,192	4,743	41	29	21
All other	2,655	2,481	136	94	71
Black	2,641	2,471	136	94	67
Ste. Genevieve	121	134	2	2	1
Saline	295	334	6	3	5
Marshall	---	154	3	1	3
Balance of county	---	180	3	2	2
Schuyler	32	75	1	1	-
Scotland	67	80	-	-	-
Scott	521	392	7	3	14
Sikeston, part	---	178	5	3	6
White	---	163	5	3	4
All other	---	15	-	-	2
Black	---	15	-	-	2
Sikeston, total	---	178	5	3	6
White	---	163	5	3	4
All other	---	15	-	-	2
Black	---	15	-	-	2
Balance of county	---	214	2	-	8
Shannon	26	72	-	-	1
Shelby	56	128	1	1	3
Stoddard	218	300	3	2	3
Stone	64	164	2	2	4
Sullivan	75	126	3	2	1
Taney	257	257	2	-	4
Texas	196	239	1	1	2
Vernon	279	257	4	4	2
Warren	61	134	3	2	3
Washington	102	181	-	-	3
Wayne	77	159	3	2	4
Webster	72	191	4	2	3
Worth	34	52	-	-	1
Wright	99	207	3	2	1
Montana	6,402	6,488	157	99	114
White	6,095	6,171	126	84	93
All other	307	317	31	15	21
Black	9	8	-	-	2
Beaverhead	78	92	3	3	1
Big Horn	83	97	5	2	-
White	47	56	2	-	-
All other	36	41	3	2	-
Black	-	-	-	-	-
Blaine	37	70	-	-	1
White	33	57	-	-	-
All other	4	13	-	-	1
Black	-	-	-	-	-
Broadwater	36	39	-	-	-
Carbon	87	99	1	1	-
Carter	11	19	-	-	-
Cascade	691	628	18	12	15
Great Falls	---	521	13	8	10
Balance of county	---	107	5	4	5
Chouteau	37	54	1	1	2
Custer	205	146	3	1	3
Daniels	27	32	-	-	-
Dawson	82	87	2	1	2
Deer Lodge	149	157	2	2	3
Fallon	23	34	-	-	1
Fergus	155	157	-	-	2
Flathead	447	434	9	6	7
Kalispell	---	136	-	-	2
Balance of county	---	298	9	6	5
Gallatin	229	233	7	3	2
Bozeman	---	136	4	2	2
Balance of county	---	97	3	1	-
Garfield	8	12	-	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Montana—Con.					
Glacier	104	118	3	1	4
White	57	59	–	–	1
All other	47	59	3	1	3
Black	1	–	–	–	–
Golden Valley	2	4	–	–	–
Granite	21	25	–	–	–
Hill	129	132	2	2	4
White	119	123	2	2	3
All other	10	9	–	–	1
Black	–	–	–	–	1
Havre	---	99	2	2	1
Balance of county	---	33	–	–	3
White	---	28	–	–	2
All other	---	5	–	–	1
Black	---	–	–	–	1
Jefferson	41	64	3	2	2
Judith Basin	5	20	–	–	–
Lake	164	206	6	4	3
White	137	171	2	2	–
All other	27	35	4	2	3
Black	1	1	–	–	–
Lewis and Clark	382	331	8	6	7
Helena	---	236	3	3	2
Balance of county	---	95	5	3	5
Liberty	21	15	–	–	–
Lincoln	111	134	3	2	1
McCone	22	24	–	–	–
Madison	44	45	–	–	–
Meagher	9	17	1	1	–
Mineral	24	25	–	–	1
Missoula	514	402	15	10	10
Missoula	---	281	9	6	5
Balance of county	---	121	6	4	5
Musselshell	23	49	1	1	1
Park	125	136	1	1	2
Petroleum	2	5	–	–	–
Phillips	45	59	1	1	–
Pondera	46	58	4	4	1
Powder River	10	12	–	–	1
Powell	60	65	2	2	–
Prairie	12	24	–	–	–
Ravalli	161	194	5	5	2
Richland	83	92	4	2	1
Roosevelt	96	112	5	2	4
White	53	63	3	1	–
All other	43	49	2	1	4
Black	–	–	–	–	–
Rosebud	56	64	7	1	2
White	41	38	–	–	2
All other	15	26	7	1	–
Black	–	–	–	–	–
Sanders	73	87	4	3	–
Sheridan	54	53	–	–	1
Silver Bow	477	497	10	4	3
Butte	---	448	10	4	3
Balance of county	---	49	–	–	–
Stillwater	56	59	1	1	1
Sweet Grass	32	34	–	–	–
Teton	47	61	2	1	2
Toole	32	47	–	–	–
Treasure	2	12	–	–	1
Valley	73	80	1	–	2
Wheatland	22	20	–	–	2
Wibaux	9	17	1	1	1
Yellowstone	827	698	16	10	16
Billings	---	488	12	9	11
Balance of county	---	210	4	1	5
Yellowstone National Park	1	1	–	–	–
Nebraska	14,518	14,443	327	228	227
White	14,087	14,018	284	198	*199
All other	431	425	43	30	28
Black	318	327	32	20	23
Adams	409	355	5	3	–
Hastings	---	299	3	2	–
Balance of county	---	56	2	1	–
Antelope	92	117	6	6	–
Arthur	1	9	–	–	–
Banner	–	4	–	–	–
Blaine	2	11	–	–	–
Boone	66	102	4	3	2
Box Butte	96	108	4	3	7
Boyd	45	49	1	1	–
Brown	57	54	1	1	1
Buffalo	344	312	12	11	1
Kearney	---	162	6	5	1
Balance of county	---	150	6	6	–
Burt	97	138	1	–	–
Nebraska—Con.					
Butler	97	113	2	1	–
Cass	94	188	6	6	3
Cedar	67	142	3	2	1
Chase	51	50	2	–	–
Cherry	57	56	–	–	2
Cheyenne	101	115	1	–	2
Clay	25	77	1	1	–
Colfax	94	112	–	–	1
Cuming	119	132	1	1	1
Custer	139	156	1	1	5
Dakota	63	158	4	4	2
Dawes	110	100	1	–	3
Dawson	171	194	4	2	5
Deuel	16	31	1	–	–
Dixon	76	106	1	1	–
Dodge	318	346	7	6	3
Fremont	---	220	5	4	1
Balance of county	---	126	2	2	2
Douglas	4,190	3,304	104	60	58
White	3,887	3,003	72	41	38
All other	303	301	32	19	20
Black	274	285	31	19	19
Omaha	---	3,143	100	57	56
White	---	2,845	68	38	37
All other	---	298	32	19	19
Black	---	283	31	19	18
Balance of county	---	161	4	3	2
Dundy	46	40	–	–	–
Fillmore	103	121	–	–	–
Franklin	40	61	–	–	1
Frontier	22	34	2	2	2
Furnas	92	95	–	–	–
Gage	251	279	3	2	1
Beatrice	---	172	1	1	1
Balance of county	---	107	2	1	–
Garden	33	41	2	2	–
Garfield	36	35	1	1	1
Gosper	12	18	1	1	–
Grant	1	4	–	–	–
Greeley	29	55	–	–	4
Hall	548	475	12	7	11
Grand Island	---	385	9	6	8
Balance of county	---	90	3	1	3
Hamilton	117	116	3	2	2
Harlan	48	56	3	2	–
Hayes	4	11	–	–	1
Hitchcock	19	43	2	2	–
Holt	107	141	2	1	7
Hooker	10	9	–	–	–
Howard	83	72	2	1	3
Jefferson	116	129	1	1	–
Johnson	89	87	–	–	1
Kearney	50	61	–	–	1
Keith	64	58	–	–	2
Keya Paha	4	14	1	–	1
Kimball	54	54	–	–	1
Knox	100	153	2	2	–
Lancaster	1,581	1,289	32	26	24
Lincoln	---	1,175	29	24	20
Balance of county	---	114	3	2	4
Lincoln	271	289	7	3	9
North Platte	---	204	4	1	3
Balance of county	---	85	3	2	6
Logan	1	4	1	1	–
Loup	1	6	–	–	–
McPherson	1	5	–	–	–
Madison	387	330	7	6	8
Norfolk	---	189	3	2	4
Balance of county	---	141	4	4	4
Merrick	69	94	4	2	–
Morrill	38	53	3	3	–
Nance	64	61	–	–	–
Nemaha	70	94	2	1	–
Nuckolls	59	69	1	1	1
Otoe	187	207	5	5	1
Pawnee	33	38	1	–	–
Perkins	33	35	–	–	–
Phelps	106	111	–	–	1
Pierce	118	83	–	–	1
Platte	200	231	5	4	6
Columbus	---	157	3	2	3
Balance of county	---	74	2	2	3
Polk	53	68	–	–	2
Red Willow	124	158	4	4	1
Richardson	170	187	4	3	3
Rock	25	27	–	–	1
Saline	159	161	1	1	–
Sarpy	233	280	12	7	9
Bellevue	---	110	4	3	4
Balance of county	---	170	8	4	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska—Con.					
Saunders	115	199	4	2	3
Scotts Bluff	381	344	6	5	10
Scottsbluff	---	148	1	1	3
Balance of county	---	196	5	4	7
Seward	127	151	3	2	–
Sheridan	107	85	4	4	–
Sherman	41	55	–	–	2
Sioux	5	20	1	1	–
Stanton	16	56	–	–	1
Thayer	82	115	–	–	1
Thomas	8	15	–	–	–
Thurston	72	102	5	5	2
White	61	67	1	1	1
All other	11	35	4	4	1
Black	–	–	–	–	–
Valley	74	77	2	–	1
Washington	146	128	–	–	1
Wayne	74	85	1	1	2
Webster	84	93	–	–	1
Wheeler	1	6	–	–	–
York	127	131	2	2	–
Nevada	5,470	5,056	137	94	84
White	5,044	4,655	110	75	65
All other	426	401	27	19	19
Black	268	261	23	16	10
Churchill	87	117	4	3	1
Clark	2,851	2,660	80	56	49
White	2,568	2,396	55	38	36
All other	283	264	25	18	13
Black	230	227	23	16	10
Henderson	---	138	4	3	3
Las Vegas	---	1,322	29	23	24
White	---	1,173	24	18	16
All other	---	149	5	5	8
Black	---	134	4	4	5
North Las Vegas	---	253	21	8	9
White	---	177	7	–	5
All other	---	76	14	8	4
Black	---	74	14	8	4
Balance of county	---	947	26	22	13
Douglas	50	103	2	2	1
Elko	159	141	2	2	5
White	140	122	2	2	3
All other	19	19	–	–	2
Black	–	1	–	–	–
Esmeralda	6	8	–	–	–
Eureka	3	4	–	–	1
Humboldt	58	62	3	1	3
White	54	55	3	1	3
All other	4	7	–	–	–
Black	–	–	–	–	–
Lander	11	20	–	–	2
Lincoln	18	35	3	3	1
Lyon	53	104	1	–	1
Mineral	40	51	–	–	1
White	36	46	–	–	1
All other	4	5	–	–	–
Black	1	1	–	–	–
Nye	57	63	1	1	–
Ormsby, coext. with Carson City	289	251	4	2	3
Pershing	37	39	–	–	1
Storey	6	12	–	–	–
Washoe	1,661	1,301	35	22	15
Reno	---	868	24	15	8
Sparks	---	253	4	3	6
Balance of county	---	180	7	4	1
White Pine	84	85	2	2	–
New Hampshire	7,214	7,408	129	100	78
White	7,190	7,385	128	100	78
All other	24	23	1	–	–
Black	17	15	–	–	–
Belknap	380	415	6	4	2
Laconia	---	185	3	2	–
Balance of county	---	230	3	2	2
Carroll	232	268	3	1	4
Cheshire	406	521	5	2	4
Keene	---	194	3	2	1
Balance of county	---	327	2	–	3
Coos	363	407	11	10	1
Berlin	---	191	7	6	–
Balance of county	---	216	4	4	1
Grafton	914	552	5	4	5
Hillsborough	2,232	2,149	41	34	20
Manchester	---	971	18	15	3
Nashua	---	489	11	9	4
New Hampshire—Con.					
Hillsborough—Con.					
Balance of county	---	689	12	10	13
Merrimack	900	861	12	8	8
Concord	---	391	3	3	–
Balance of county	---	470	9	5	8
Rockingham	929	1,276	24	18	22
Portsmouth	---	225	2	2	1
Balance of county	---	1,051	22	16	21
Strafford	641	646	13	11	7
Dover	---	210	4	3	–
Rochester	---	210	7	6	1
Balance of county	---	226	2	2	6
Sullivan	217	313	9	8	5
Claremont	---	146	3	2	2
Balance of county	---	167	6	6	3
New Jersey	64,381	65,993	1,216	873	941
White	57,873	59,302	763	564	609
All other	6,508	6,691	453	309	332
Black	6,332	6,516	438	297	320
Atlantic	2,712	2,495	49	34	20
White	2,265	2,041	25	20	11
All other	447	454	24	14	9
Black	440	446	24	14	9
Atlantic City	---	911	24	14	7
White	---	607	8	5	1
All other	---	304	16	9	6
Black	---	303	16	9	6
Hammonton	---	109	3	3	1
Margate City	---	134	–	–	3
Pleasantville	---	238	5	4	1
White	---	165	1	1	–
All other	---	73	4	3	1
Black	---	72	4	3	1
Ventnor City	---	173	2	1	1
Balance of county	---	930	15	12	7
Bergen	6,196	7,528	66	51	78
White	5,969	7,283	58	46	70
All other	227	245	8	5	8
Black	210	224	5	3	5
Bergenfield	---	239	6	4	1
Cliffside Park	---	248	2	–	1
Dumont	---	162	–	–	4
East Paterson	---	189	2	1	1
Englewood	---	269	1	1	1
White	---	171	1	1	–
All other	---	98	–	–	1
Black	---	98	–	–	1
Fair Lawn	---	299	–	–	1
Fairview	---	116	2	2	1
Fort Lee	---	295	1	–	2
Garfield	---	312	3	2	3
Glen Rock	---	86	3	3	3
Hackensack	---	376	5	4	5
White	---	334	3	3	3
All other	---	42	2	1	2
Black	---	42	2	1	2
Hasbrouck Heights	---	109	–	–	2
Hillsdale	---	32	–	–	1
Lodi	---	197	2	2	4
Lyndhurst township†	---	188	1	1	5
Maywood	---	100	–	–	1
New Milford	---	161	1	1	1
North Arlington	---	209	1	–	1
Oakland	---	71	1	1	2
Palisades Park	---	114	3	3	1
Paramus	---	186	1	1	1
Ramsey	---	39	1	1	2
Ridgefield	---	128	1	1	1
Ridgefield Park	---	135	1	1	–
Ridgewood	---	214	3	2	2
River Edge	---	112	–	–	–
Rutherford	---	187	1	1	–
Saddle Brook township†	---	126	1	1	2
Teaneck township†	---	342	5	4	4
White	---	302	3	2	4
All other	---	40	2	2	–
Black	---	35	1	1	–
Tenafly	---	136	1	1	–
Waldwick	---	64	–	–	–
Wallington	---	105	–	–	1
Washington township†	---	55	1	1	1
Westwood	---	93	2	2	2
Wyckoff township†	---	104	2	2	2
Balance of county	---	1,730	12	8	19
Burlington	2,340	2,347	52	37	37
White	2,174	2,181	44	30	27
All other	166	166	8	7	10
Black	160	160	7	6	9

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Burlington—Con.					
Burlington	---	163	6	4	6
White	---	134	3	2	3
All other	---	29	3	2	3
Black	---	28	3	2	3
Cinnaminson township†	---	97	1	1	–
Maple Shade township†	---	160	–	–	1
Mount Holly township†	---	130	5	4	1
White	---	108	3	2	–
All other	---	22	2	2	1
Black	---	22	2	2	1
New Hanover township†	---	10	–	–	–
White	---	7	–	–	–
All other	---	3	–	–	–
Black	---	3	–	–	–
Willingboro township†	---	171	5	3	2
White	---	145	5	3	2
All other	---	26	–	–	–
Black	---	26	–	–	–
Balance of county	---	1,616	35	25	27
White	---	1,537	32	22	22
All other	---	79	3	3	5
Black	---	75	2	2	4
Camden	3,789	4,026	88	62	59
White	3,305	3,535	49	31	42
All other	484	491	39	31	17
Black	480	488	37	30	17
Audubon	---	103	–	–	–
Bellmawr	---	84	3	2	1
Camden	---	930	45	32	22
White	---	578	13	7	10
All other	---	352	32	25	12
Black	---	351	31	25	12
Cherry Hill township†	---	441	2	1	3
Collingswood	---	198	1	1	1
Gloucester	---	144	3	1	–
Gloucester township†	---	179	1	1	6
Haddonfield	---	118	1	1	2
Haddon township†	---	158	2	2	2
Lindenwold	---	101	6	5	2
Pennsauken township†	---	331	8	4	1
Runnemede	---	88	–	–	1
Balance of county	---	1,151	16	12	18
Cape May	955	1,125	6	4	5
Ocean City	---	220	2	2	–
Balance of county	---	905	4	2	5
Cumberland	1,251	1,242	27	18	33
White	1,080	1,062	20	13	22
All other	171	180	7	5	11
Black	160	170	7	5	11
Bridgeton	---	267	5	3	11
White	---	190	3	1	2
All other	---	77	2	2	9
Black	---	74	2	2	9
Millville	---	238	3	2	8
Vineland	---	157	6	5	9
Balance of county	---	580	13	8	5
White	---	504	11	7	3
All other	---	76	2	1	2
Black	---	69	2	1	2
Essex	9,364	8,452	233	154	156
White	6,959	6,060	66	48	44
All other	2,405	2,392	167	106	112
Black	2,379	2,371	165	104	112
Belleville	---	344	10	8	3
Bloomfield	---	571	1	–	3
Cedar Grove township†	---	101	2	2	–
East Orange	---	521	30	20	22
White	---	254	2	–	1
All other	---	267	28	20	21
Black	---	266	28	20	21
Irvington	---	751	15	10	9
Livingston township†	---	175	2	2	4
Maplewood township†	---	251	3	3	1
Millburn township†	---	165	2	2	–
Montclair	---	458	6	4	3
White	---	317	1	1	2
All other	---	141	5	3	1
Black	---	139	5	3	1
Newark	---	3,158	151	92	92
White	---	1,525	33	23	18
All other	---	1,633	118	69	74
Black	---	1,621	117	68	74
Nutley	---	271	2	2	1
Orange	---	358	7	7	9
White	---	236	1	1	1
All other	---	122	6	6	8
Black	---	122	6	6	8
South Orange	---	152	–	–	3
Verona	---	116	–	–	–
West Caldwell	---	75	–	–	–
New Jersey—Con.					
Essex—Con.					
West Orange	---	431	–	–	5
Balance of county	---	554	2	2	1
Gloucester	1,361	1,512	34	25	28
White	1,231	1,349	23	17	22
All other	130	163	11	8	6
Black	128	159	11	8	6
Glassboro	---	124	5	3	6
White	---	89	4	3	3
All other	---	35	1	–	3
Black	---	35	1	–	3
Pitman	---	108	–	–	–
Woodbury	---	148	3	3	1
White	---	128	2	2	1
All other	---	20	1	1	–
Black	---	20	1	1	–
Balance of county	---	1,132	26	19	21
White	---	1,024	17	12	18
All other	---	108	9	7	3
Black	---	104	9	7	3
Hudson	5,318	6,071	144	109	100
White	4,862	5,564	100	78	58
All other	456	507	44	31	42
Black	429	478	39	27	39
Bayonne	---	850	11	9	8
Harrison	---	121	1	–	3
Hoboken	---	414	10	8	13
Jersey City	---	2,550	85	62	45
White	---	2,104	45	34	15
All other	---	446	40	28	30
Black	---	421	37	26	30
Kearny	---	405	6	6	3
North Bergen township†	---	482	1	1	5
Secaucus	---	118	3	2	2
Union City	---	487	16	14	12
Weehawken township†	---	135	2	2	–
West New York	---	356	6	3	7
Balance of county	---	153	3	2	2
Hunterdon	513	614	6	5	12
Mercer	3,161	2,747	58	37	52
White	2,780	2,370	27	19	28
All other	381	377	31	18	24
Black	368	366	31	18	24
Ewing township†	---	296	3	2	4
Hamilton township†	---	674	8	5	9
Princeton	---	115	–	–	–
White	---	101	–	–	–
All other	---	14	–	–	–
Black	---	12	–	–	–
Trenton	---	1,036	35	22	30
White	---	787	13	7	9
All other	---	249	22	15	21
Black	---	245	22	15	21
Balance of county	---	626	12	8	9
Middlesex	3,453	4,168	86	67	56
White	3,278	3,979	68	54	42
All other	175	189	18	13	14
Black	170	177	17	12	14
Carteret	---	189	5	4	4
East Brunswick township†	---	162	4	2	3
Edison township†	---	202	6	3	5
Highland Park	---	107	–	–	–
Madison township†	---	249	6	5	1
Metuchen	---	131	1	–	3
Middlesex	---	100	2	2	1
New Brunswick	---	326	10	8	10
White	---	255	2	1	3
All other	---	71	8	7	7
Black	---	71	8	7	7
Perth Amboy	---	412	14	12	4
Piscataway township†	---	167	6	6	4
White	---	153	3	3	–
All other	---	14	3	3	4
Black	---	14	3	3	4
Sayreville	---	239	1	1	1
South Plainfield	---	129	1	1	2
South River	---	132	4	3	–
Woodbridge township†	---	668	3	2	10
Balance of county	---	955	23	18	8
Monmouth	4,740	4,511	72	56	45
White	4,368	4,150	47	37	34
All other	372	361	25	19	11
Black	362	351	25	19	10
Asbury Park	---	325	6	4	4
White	---	246	–	–	–
All other	---	79	6	4	4
Black	---	78	6	4	4
Eatontown	---	92	5	5	1
Freehold	---	174	5	5	1
Hazlet township†	---	133	3	3	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Monmouth—Con.					
Long Branch	---	252	3	2	3
White	---	225	2	1	1
All other	---	27	1	1	2
Black	---	27	1	1	2
Matawan township†	---	89	1	1	–
White	---	81	1	1	–
All other	---	8	–	–	–
Black	---	8	–	–	–
Middletown township†	---	405	2	2	3
Neptune township†	---	295	4	2	–
White	---	237	1	–	–
All other	---	58	3	2	–
Black	---	58	3	2	–
Ocean township†	---	159	2	1	–
Red Bank	---	215	6	4	–
White	---	171	–	–	–
All other	---	44	6	4	–
Black	---	44	6	4	–
Balance of county	---	2,372	35	27	32
White	---	2,277	31	24	27
All other	---	95	4	3	5
Black	---	88	4	3	4
Morris	3,132	2,646	40	30	39
White	3,058	2,584	35	26	37
All other	74	62	5	4	2
Black	63	52	5	4	1
Dover	---	135	4	2	2
Madison	---	124	1	–	3
Morristown	---	242	2	1	4
White	---	214	–	–	4
All other	---	28	2	1	–
Black	---	28	2	1	–
Parsippany-Troy Hills township†	---	197	4	4	3
Pequannock township†	---	96	2	2	1
Balance of county	---	1,852	27	21	26
Ocean	3,580	3,986	41	34	39
Brick township†	---	441	2	2	6
Dover township†	---	634	4	4	4
Lakewood township†	---	504	8	6	4
White	---	475	7	5	3
All other	---	29	1	1	1
Black	---	29	1	1	1
Point Pleasant	---	243	1	1	1
Balance of county	---	2,164	26	21	24
Passaic	4,359	4,184	77	53	61
White	4,028	3,838	60	41	36
All other	331	346	17	12	25
Black	319	337	17	12	23
Clifton	---	835	4	1	6
Hawthorne	---	220	3	3	1
Little Falls township†	---	96	–	–	–
Passaic	---	553	16	9	12
White	---	490	14	8	5
All other	---	63	2	1	7
Black	---	62	2	1	5
Paterson	---	1,383	37	24	31
White	---	1,118	22	13	14
All other	---	265	15	11	17
Black	---	261	15	11	17
Pompton Lakes	---	79	2	2	3
Ringwood	---	69	2	2	1
Totowa	---	120	–	–	–
Wayne township†	---	302	3	2	4
West Paterson	---	89	3	3	1
Balance of county	---	438	7	7	2
Salem	613	599	11	8	6
White	542	522	7	5	6
All other	71	77	4	3	–
Black	70	76	4	3	–
Somerset	1,370	1,390	26	20	19
Bound Brook	---	78	–	–	–
Bridgewater township†	---	185	1	1	–
Franklin township†	---	194	10	8	5
White	---	166	5	5	1
All other	---	28	5	3	4
Black	---	28	5	3	4
Manville	---	96	2	2	2
North Plainfield	---	154	3	2	1
Somerville	---	125	3	1	3
White	---	114	2	1	1
All other	---	11	1	–	2
Black	---	11	1	–	2
Balance of county	---	558	7	6	8
Sussex	746	758	17	13	17
Union	4,677	4,742	73	49	73
White	4,250	4,256	39	24	46
All other	427	486	34	25	27
Black	420	481	33	24	27
Berkeley Heights township†	---	76	–	–	1
Clark township†	---	110	–	–	1
New Jersey—Con.					
Union—Con.					
Cranford township†	---	197	5	4	3
Elizabeth	---	1,096	18	13	25
White	---	978	13	9	19
All other	---	118	5	4	6
Black	---	117	4	3	6
Hillside township†	---	230	6	3	8
Linden	---	388	3	2	3
White	---	345	2	1	2
All other	---	43	1	1	1
Black	---	43	1	1	1
New Providence	---	86	1	–	1
Plainfield	---	424	26	18	13
White	---	278	8	6	1
All other	---	146	18	12	12
Black	---	146	18	12	12
Rahway	---	274	4	4	4
White	---	239	1	1	2
All other	---	35	3	3	2
Black	---	35	3	3	2
Roselle	---	206	5	3	–
White	---	173	2	1	–
All other	---	33	3	2	–
Black	---	32	3	2	–
Roselle Park	---	125	2	1	–
Scotch Plains township†	---	137	–	–	2
Springfield township†	---	151	–	–	–
Summit	---	206	1	–	4
Union township†	---	546	1	–	2
Westfield	---	213	–	–	2
Balance of county	---	277	1	1	4
Warren	751	850	10	7	6
Phillipsburg	---	283	4	3	2
Balance of county	---	567	6	4	4
New Mexico	8,409	8,456	338	216	214
White	7,476	7,593	262	177	170
All other	933	863	76	39	44
Black	143	153	19	11	10
Bernalillo	3,113	2,406	81	55	41
White	2,879	2,311	72	51	35
All other	234	95	9	4	6
Black	59	51	5	4	2
Albuquerque	---	2,206	71	49	38
White	---	2,131	64	46	32
All other	---	75	7	3	6
Black	---	49	4	3	2
Balance of county	---	200	10	6	3
Catron	15	21	1	–	1
Chaves	436	467	13	9	4
Roswell	---	390	9	7	4
Balance of county	---	77	4	2	–
Colfax	103	112	2	1	5
Curry	281	301	15	8	4
Clovis	---	255	14	7	3
Balance of county	---	46	1	1	1
De Baca	43	30	–	–	1
Dona Ana	388	456	23	15	16
Las Cruces	---	277	10	9	7
Balance of county	---	179	13	6	9
Eddy	376	401	14	8	10
Artesia	---	88	2	1	5
Carlsbad	---	257	11	6	5
Balance of county	---	56	1	1	–
Grant	205	173	4	4	6
Guadalupe	27	45	1	–	–
Harding	4	13	2	2	–
Hidalgo	23	37	2	–	2
Lea	288	380	22	17	14
Hobbs	---	234	11	8	8
Balance of county	---	146	11	9	6
Lincoln	72	72	–	–	5
Los Alamos	48	49	–	–	1
Luna	107	135	3	2	5
McKinley	430	364	21	10	15
White	142	105	2	1	2
All other	288	259	19	9	13
Black	3	6	–	–	–
Gallup	---	126	4	2	5
White	---	84	2	1	2
All other	---	42	2	1	3
Black	---	3	–	–	–
Balance of county	---	238	17	8	10
White	---	21	–	–	–
All other	---	217	17	8	10
Black	---	3	–	–	–
Mora	22	48	–	–	2
Otero	214	262	15	10	6
Alamogordo	---	143	2	1	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Mexico—Con.					
Otero—Con.					
Balance of county	---	119	13	9	1
White	---	86	9	8	1
All other	---	33	4	1	-
Black	---	3	1	1	-
Quay	116	124	5	5	3
Rio Arriba	183	248	9	5	6
White	170	227	6	2	4
All other	13	21	3	3	2
Black	1	1	-	-	-
Roosevelt	105	150	3	2	6
Portales	---	104	2	2	4
Balance of county	---	46	1	-	2
Sandoval	117	231	7	4	6
White	70	148	3	2	2
All other	47	83	4	2	4
Black	2	2	-	-	-
San Juan	404	459	33	19	25
White	246	295	19	12	15
All other	158	164	14	7	10
Black	2	3	-	-	-
Farmington	---	163	11	6	10
Balance of county	---	296	22	13	15
White	---	143	10	7	7
All other	---	153	12	6	8
Black	---	1	-	-	-
San Miguel	218	200	9	6	5
Santa Fe	467	408	13	7	9
Santa Fe	---	322	11	6	6
Balance of county	---	86	2	1	3
Sierra	107	142	-	-	1
Socorro	89	98	8	8	-
Taos	111	143	4	3	1
Torrance	29	59	3	2	-
Union	53	60	3	3	1
Valencia	215	362	22	11	13
White	173	279	16	8	12
All other	42	83	6	3	1
Black	1	1	-	-	-
New York [5]	166,845	167,572	3,268	2,355	2,457
White	147,544	148,263	2,139	1,590	1,655
All other	19,301	19,309	1,129	765	802
Black	18,241	18,255	1,072	723	761
Albany	3,787	2,916	51	31	35
White	3,625	2,779	37	22	20
All other	162	137	14	9	15
Black	156	134	14	9	14
Albany	---	1,408	32	20	20
White	---	1,285	19	12	6
All other	---	123	13	8	14
Black	---	121	13	8	13
Cohoes	---	245	7	2	1
Watervliet	---	153	3	2	4
Balance of county	---	1,110	9	7	10
Allegany	288	427	7	3	7
Broome	2,272	2,044	34	27	19
Binghamton	---	779	10	9	5
Endicott	---	206	2	1	3
Johnson City	---	224	5	5	-
Balance of county	---	835	17	12	11
Cattaraugus	814	880	12	8	24
Olean	---	234	1	-	7
Balance of county	---	646	11	8	17
Cayuga	740	757	14	12	13
Auburn	---	390	8	6	7
Balance of county	---	367	6	6	6
Chautauqua	1,457	1,498	24	19	30
Dunkirk	---	164	2	2	1
Fredonia	---	92	-	-	2
Jamestown	---	472	10	7	12
Balance of county	---	770	12	10	15
Chemung	1,070	1,043	14	8	10
Elmira	---	478	5	2	6
Balance of county	---	565	9	6	4
Chenango	311	460	9	4	6
Clinton	603	543	23	17	12
Plattsburgh	---	184	5	1	4
Balance of county	---	359	18	16	8
Columbia	626	639	6	5	6
Cortland	425	382	8	5	6
Cortland	---	219	6	3	3
Balance of county	---	163	2	2	3
Delaware	538	505	7	5	8
Dutchess	2,127	1,919	31	23	23
White	1,997	1,817	23	17	19
All other	130	102	8	6	4
Black	123	96	8	6	4
New York—Con.					
Dutchess—Con.					
Beacon	---	139	1	-	4
White	---	126	1	-	4
All other	---	13	-	-	-
Black	---	13	-	-	-
Poughkeepsie	---	451	12	8	8
White	---	404	5	3	5
All other	---	47	7	5	3
Black	---	46	7	5	3
Balance of county	---	1,329	18	15	11
Erie	10,831	10,445	166	131	110
White	9,879	9,511	115	91	82
All other	952	934	51	40	28
Black	905	883	51	40	26
Buffalo	---	5,109	87	69	55
White	---	4,254	40	32	29
All other	---	855	47	37	26
Black	---	832	47	37	25
Depew	---	127	5	4	2
Hamburg	---	115	3	3	2
Kenmore	---	230	4	4	2
Lackawanna	---	274	7	4	4
White	---	250	5	3	3
All other	---	24	2	1	1
Black	---	24	2	1	1
Lancaster	---	159	1	1	2
Tonawanda	---	197	-	-	3
Balance of county	---	4,234	59	46	40
Essex	291	408	1	1	1
Franklin	406	436	6	6	9
Fulton	517	608	11	9	11
Gloversville	---	278	3	3	4
Johnstown	---	115	3	2	1
Balance of county	---	215	5	4	6
Genesee	597	520	10	8	4
Batavia	---	183	2	2	2
Balance of county	---	337	8	6	2
Greene	386	527	7	7	4
Hamilton	24	73	1	1	-
Herkimer	659	748	15	11	7
Jefferson	1,051	1,000	20	13	8
Watertown	---	389	6	5	4
Balance of county	---	611	14	8	4
Lewis	185	245	8	5	3
Livingston	365	464	11	8	10
Madison	472	543	14	11	7
Oneida	---	132	2	2	-
Balance of county	---	411	12	9	7
Monroe	6,226	5,886	119	92	68
White	5,885	5,530	77	62	48
All other	341	356	42	30	20
Black	332	347	41	29	19
Rochester	---	2,966	74	53	41
White	---	2,633	33	24	24
All other	---	333	41	29	17
Black	---	328	41	29	17
Balance of county	---	2,920	45	39	27
Montgomery	518	582	12	9	4
Amsterdam	---	284	4	1	1
Balance of county	---	298	8	8	3
Nassau	10,954	11,364	155	123	113
White	10,416	10,822	109	90	87
All other	538	542	46	33	26
Black	518	513	44	32	23
East Rockaway	---	90	-	-	-
Floral Park	---	174	1	1	-
Freeport	---	328	11	9	6
White	---	278	3	3	2
All other	---	50	8	6	4
Black	---	50	8	6	4
Garden City	---	188	1	1	1
Glen Cove	---	241	4	3	-
Great Neck	---	114	2	2	1
Hempstead	---	387	13	10	4
White	---	280	1	1	-
All other	---	107	12	9	4
Black	---	106	12	9	3
Long Beach	---	596	7	6	3
Lynbrook	---	238	1	1	-
Malverne	---	92	2	2	2
Massapequa Park	---	130	-	-	1
Mineola	---	214	3	3	4
New Hyde Park	---	116	2	2	4
Rockville Centre	---	291	2	2	1
Valley Stream	---	401	4	3	5
Westbury	---	145	2	2	3
Balance of county	---	7,619	100	76	78
White	---	7,315	79	63	64
All other	---	304	21	13	14
Black	---	280	19	12	13

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York—Con.					
New York City	73,042	73,767	1,643	1,146	1,275
White	58,166	58,805	817	597	669
All other	14,876	14,962	826	549	606
Black	14,080	14,164	779	515	581
Bronx Borough, Bronx County	---	12,643	345	244	210
White	---	9,926	176	132	100
All other	---	2,717	169	112	110
Black	---	2,672	168	111	104
Brooklyn Borough, Kings County	---	22,362	667	453	475
White	---	17,583	288	203	231
All other	---	4,779	379	250	244
Black	---	4,654	364	238	243
Manhattan Borough, New York County	---	16,488	265	179	221
White	---	11,563	138	98	102
All other	---	4,925	127	81	119
Black	---	4,479	116	72	111
Queens Borough, Queens County	---	19,568	320	236	312
White	---	17,182	179	140	189
All other	---	2,386	141	96	123
Black	---	2,231	123	86	114
Richmond Borough, Richmond County	---	2,706	46	34	57
White	---	2,551	36	24	47
All other	---	155	10	10	10
Black	---	128	8	8	9
Niagara	2,146	2,221	44	26	29
White	2,071	2,142	38	23	24
All other	75	79	6	3	5
Black	59	64	4	2	5
Lockport	---	320	4	2	4
Niagara Falls	---	931	17	12	11
White	---	877	12	9	7
All other	---	54	5	3	4
Black	---	50	3	2	4
North Tonawanda	---	324	6	6	3
Balance of county	---	646	17	6	11
Oneida	2,730	2,609	42	33	24
Rome	---	391	7	5	7
Utica	---	1,115	16	14	10
Balance of county	---	1,103	19	14	7
Onondaga	4,406	3,950	75	55	58
White	4,198	3,746	56	43	44
All other	208	204	19	12	14
Black	180	179	19	12	12
Syracuse	---	2,082	39	25	24
White	---	1,909	23	16	12
All other	---	173	16	9	12
Black	---	166	16	9	10
Balance of county	---	1,868	36	30	34
Ontario	895	791	17	13	12
Canandaigua	---	131	1	1	3
Geneva	---	183	1	1	1
Balance of county	---	477	15	11	8
Orange	2,366	2,298	53	37	36
White	2,256	2,183	40	31	30
All other	110	115	13	6	6
Black	106	111	13	6	5
Middletown	---	283	5	4	2
Newburgh	---	362	12	6	7
White	---	304	3	2	5
All other	---	58	9	4	2
Black	---	58	9	4	2
Balance of county	---	1,653	36	27	27
Orleans	293	359	6	5	6
Oswego	754	970	19	14	9
Fulton	---	165	3	1	2
Oswego	---	207	2	–	–
Balance of county	---	598	14	13	7
Otsego	681	628	6	5	3
Oneonta	---	141	3	3	–
Balance of county	---	487	3	2	3
Putnam	403	498	11	9	12
Rensselaer	1,259	1,559	25	23	15
Rensselaer	---	139	3	3	1
Troy	---	738	9	9	7
Balance of county	---	682	13	11	7
Rockland	1,885	1,729	46	33	44
White	1,770	1,623	35	26	33
All other	115	106	11	7	11
Black	109	100	11	7	9
Spring Valley	---	170	4	2	4
White	---	136	–	–	3
All other	---	34	4	2	1
Black	---	32	4	2	1
Balance of county	---	1,559	42	31	40
White	---	1,487	35	26	30
All other	---	72	7	5	10
Black	---	68	7	5	8
St. Lawrence	1,004	1,033	21	16	17
Massena	---	124	1	–	2
Ogdensburg	---	174	3	3	3
Balance of county	---	735	17	13	12
Saratoga	603	1,091	17	13	7
Saratoga Springs	---	245	6	5	1
New York—Con.					
Saratoga—Con.					
Balance of county	---	846	11	8	6
Schenectady	1,663	1,548	15	12	14
Schenectady	---	951	11	8	8
Balance of county	---	597	4	4	6
Schoharie	256	277	1	1	2
Schuyler	129	170	3	2	2
Seneca	327	325	7	4	5
Steuben	923	980	19	11	8
Corning	---	152	2	1	–
Hornell	---	178	3	2	2
Balance of county	---	650	14	8	6
Suffolk	9,692	9,126	198	141	150
White	9,205	8,669	163	118	132
All other	487	457	35	23	18
Black	459	438	34	22	16
Babylon	---	96	2	2	–
Lindenhurst	---	205	3	3	–
Patchogue	---	105	2	2	1
Balance of county	---	8,720	191	134	149
White	---	8,271	158	113	131
All other	---	449	33	21	18
Black	---	431	32	20	16
Sullivan	653	729	13	10	11
Tioga	212	388	7	6	3
Tompkins	506	549	9	7	7
Ithaca	---	205	3	3	1
Balance of county	---	344	6	4	6
Ulster	1,251	1,588	19	14	20
Kingston	---	405	4	3	5
Balance of county	---	1,183	15	11	15
Warren	839	558	14	10	5
Glens Falls	---	217	8	6	1
Balance of county	---	341	6	4	4
Washington	333	552	9	7	11
Wayne	522	710	15	9	14
Newark	---	107	1	–	–
Balance of county	---	603	14	9	14
Westchester	8,020	8,113	107	81	92
White	7,191	7,273	73	56	56
All other	829	840	34	25	36
Black	815	825	33	24	35
Dobbs Ferry	---	76	–	–	–
Mamaroneck	---	173	–	–	1
Mount Vernon	---	682	15	9	13
White	---	449	4	1	3
All other	---	233	11	8	10
Black	---	233	11	8	10
New Rochelle	---	753	11	8	9
White	---	616	8	6	3
All other	---	137	3	2	6
Black	---	135	3	2	6
Ossining	---	207	7	5	5
White	---	177	5	4	3
All other	---	30	2	1	2
Black	---	30	2	1	1
Peekskill	---	216	4	3	5
White	---	196	4	3	3
All other	---	20	–	–	2
Black	---	20	–	–	2
Port Chester	---	257	2	–	5
White	---	222	2	–	3
All other	---	35	–	–	2
Black	---	34	–	–	2
Rye	---	144	2	1	1
Scarsdale	---	170	1	1	–
Tarrytown	---	105	–	–	3
White Plains	---	531	4	3	7
White	---	457	2	2	3
All other	---	74	2	1	4
Black	---	74	2	1	4
Yonkers	---	2,015	29	23	18
White	---	1,888	18	14	9
All other	---	132	11	9	9
Black	---	127	11	9	9
Balance of county	---	2,784	32	28	25
White	---	2,637	27	24	24
All other	---	147	5	4	1
Black	---	142	4	3	1
Wyoming	319	358	10	9	5
Yates	193	236	1	1	3
North Carolina	47,717	47,322	1,367	938	920
White	35,676	35,325	724	511	476
All other	12,041	11,997	643	427	444
Black	11,681	11,639	616	409	421
Alamance	712	864	17	13	16
White	595	704	10	9	9
All other	117	160	7	4	7
Black	117	160	7	4	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Alamance—Con.					
Burlington	---	381	6	5	6
White	---	305	2	2	2
All other	---	76	4	3	4
Black	---	76	4	3	4
Balance of county	---	483	11	8	10
White	---	399	8	7	7
All other	---	84	3	1	3
Black	---	84	3	1	3
Alexander	103	189	7	5	4
Alleghany	109	89	1	1	2
Anson	181	260	12	7	7
White	107	144	2	2	1
All other	74	116	10	5	6
Black	74	116	10	5	6
Ashe	163	201	3	-	6
Avery	119	134	3	1	2
Beaufort	452	456	12	8	6
White	321	313	6	3	3
All other	131	143	6	5	3
Black	131	143	6	5	3
Bertie	124	248	7	6	5
White	52	128	-	-	2
All other	72	120	7	6	3
Black	72	120	7	6	3
Bladen	211	264	10	6	2
White	131	158	3	2	2
All other	80	106	7	4	-
Black	77	104	7	4	-
Brunswick	174	259	4	2	5
White	135	199	4	2	2
All other	39	60	-	-	3
Black	39	60	-	-	3
Buncombe	2,215	1,505	26	18	17
White	1,996	1,349	20	13	14
All other	219	156	6	5	3
Black	214	156	6	5	3
Asheville	---	747	13	8	8
White	---	602	7	3	5
All other	---	145	6	5	3
Black	---	145	6	5	3
Balance of county	---	758	13	10	9
Burke	533	505	10	6	12
Hickory, part	---	-	-	-	-
Morganton	---	128	3	2	1
White	---	110	1	1	1
All other	---	18	2	1	-
Black	---	18	2	1	-
Balance of county	---	377	7	4	11
Cabarrus	756	766	14	12	11
White	638	627	8	7	5
All other	118	139	6	5	6
Black	118	138	6	5	6
Concord	---	214	2	1	3
White	---	163	1	1	1
All other	---	51	1	-	2
Black	---	51	1	-	2
Balance of county	---	552	12	11	8
White	---	464	7	6	4
All other	---	88	5	5	4
Black	---	87	5	5	4
Caldwell	362	490	11	9	10
Lenoir	---	192	4	2	3
White	---	161	4	2	2
All other	---	31	-	-	1
Black	---	31	-	-	1
Balance of county	---	298	7	7	7
Camden	9	55	4	4	1
White	7	36	3	3	-
All other	2	19	1	1	1
Black	2	19	1	1	1
Carteret	364	348	9	8	5
White	308	309	7	6	5
All other	56	39	2	2	-
Black	55	39	2	2	-
Caswell	76	177	6	4	7
White	36	92	1	-	-
All other	40	85	5	4	7
Black	40	85	5	4	7
Catawba	761	759	18	13	17
Hickory, part	---	247	7	5	4
White	---	206	3	2	3
All other	---	41	4	3	1
Black	---	41	4	3	1
Hickory, total	---	247	7	5	4
White	---	206	3	2	3
All other	---	41	4	3	1
Black	---	41	4	3	1
Balance of county	---	512	11	8	13
North Carolina—Con.					
Chatham	226	313	9	6	2
White	180	247	6	4	-
All other	46	66	3	2	2
Black	46	66	3	2	2
Cherokee	151	177	2	1	1
Chowan	221	140	2	1	3
White	127	87	-	-	-
All other	94	53	2	1	3
Black	94	53	2	1	3
Clay	18	57	-	-	1
Cleveland	843	737	23	17	13
White	684	579	11	9	7
All other	159	158	12	8	6
Black	159	158	12	8	6
Shelby	---	215	6	3	1
White	---	153	3	3	1
All other	---	62	3	-	-
Black	---	62	3	-	-
Balance of county	---	522	17	14	12
White	---	426	8	6	6
All other	---	96	9	8	6
Black	---	96	9	8	6
Columbus	321	482	10	6	15
White	209	312	4	4	4
All other	112	170	6	2	11
Black	109	166	6	2	10
Craven	557	492	18	13	15
White	399	343	11	7	7
All other	158	149	7	6	8
Black	158	149	7	6	8
New Bern	---	186	1	1	5
White	---	113	-	-	1
All other	---	73	1	1	4
Black	---	73	1	1	4
Balance of county	---	306	17	12	10
White	---	230	11	7	6
All other	---	76	6	5	4
Black	---	76	6	5	4
Cumberland	1,414	1,181	81	60	53
White	923	788	55	39	25
All other	491	393	26	21	28
Black	452	374	23	19	25
Fayetteville	---	598	38	28	24
White	---	354	24	16	10
All other	---	244	14	12	14
Black	---	235	13	11	14
Balance of county	---	583	43	32	29
White	---	434	31	23	15
All other	---	149	12	9	14
Black	---	139	10	8	11
Currituck	31	100	3	3	-
White	24	83	3	3	-
All other	7	17	-	-	-
Black	7	17	-	-	-
Dare	59	103	3	3	-
Davidson	548	778	23	13	16
White	489	694	16	10	13
All other	59	84	7	3	3
Black	57	82	7	3	3
High Point, part	---	1	-	-	-
Lexington	---	179	9	5	-
White	---	144	5	3	-
All other	---	35	4	2	-
Black	---	33	4	2	-
Thomasville	---	138	3	1	6
White	---	109	-	-	4
All other	---	29	3	1	2
Black	---	29	3	1	2
Balance of county	---	460	11	7	10
Davie	140	185	2	1	-
White	126	164	1	1	-
All other	14	21	1	-	-
Black	14	21	1	-	-
Duplin	264	385	13	8	8
White	169	246	4	3	2
All other	95	139	9	5	6
Black	95	139	9	5	6
Durham	2,517	1,241	22	15	23
White	1,658	772	3	3	8
All other	859	469	19	12	15
Black	843	464	19	12	15
Chapel Hill, part	---	-	-	-	-
Durham	---	982	17	12	20
White	---	570	2	2	6
All other	---	412	15	10	14
Black	---	408	15	10	14
Balance of county	---	259	5	3	3
White	---	202	1	1	2
All other	---	57	4	2	1
Black	---	56	4	2	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Edgecombe	332	509	13	9	11
White	170	244	3	3	2
All other	162	265	10	6	9
Black	162	265	10	6	9
Rocky Mount, part	---	201	5	2	3
White	---	81	-	-	1
All other	---	120	5	2	2
Black	---	120	5	2	2
Balance of county	---	308	8	7	8
White	---	163	3	3	1
All other	---	145	5	4	7
Black	---	145	5	4	7
Forsyth	2,851	1,934	50	42	31
White	2,145	1,325	28	23	18
All other	706	609	22	19	13
Black	704	609	22	19	13
Winston-Salem	---	1,375	37	31	21
White	---	794	17	14	9
All other	---	581	20	17	12
Black	---	581	20	17	12
Balance of county	---	559	13	11	10
Franklin	223	312	4	3	-
White	142	193	3	2	-
All other	81	119	1	1	-
Black	81	119	1	1	-
Gaston	972	1,261	40	29	20
White	802	1,058	27	19	14
All other	170	203	13	10	6
Black	170	203	13	10	6
Gastonia	---	491	14	13	9
White	---	385	5	5	6
All other	---	106	9	8	3
Black	---	106	9	8	3
Balance of county	---	770	26	16	11
White	---	673	22	14	8
All other	---	97	4	2	3
Black	---	97	4	2	3
Gates	26	106	-	-	1
White	12	62	-	-	-
All other	14	44	-	-	1
Black	14	44	-	-	1
Graham	22	72	3	3	3
Granville	209	286	3	1	8
White	129	163	-	-	2
All other	80	123	3	1	6
Black	80	123	3	1	6
Greene	41	122	5	1	-
White	25	77	1	-	-
All other	16	45	4	1	-
Black	16	45	4	1	-
Guilford	2,655	2,463	60	40	36
White	2,113	1,909	38	27	14
All other	542	554	22	13	22
Black	538	549	22	13	22
Greensboro	---	1,279	31	21	24
White	---	919	17	13	6
All other	---	360	14	8	18
Black	---	359	14	8	18
High Point, part	---	622	14	10	7
White	---	489	8	6	5
All other	---	133	6	4	2
Black	---	131	6	4	2
High Point, total	---	625	14	10	7
White	---	492	8	6	5
All other	---	133	6	4	2
Black	---	131	6	4	2
Balance of county	---	562	15	9	5
White	---	501	13	8	3
All other	---	61	2	1	2
Black	---	59	2	1	2
Halifax	571	585	32	20	16
White	293	301	5	4	1
All other	278	284	27	16	15
Black	276	277	25	15	12
Roanoke Rapids	---	161	7	5	2
White	---	147	2	1	1
All other	---	14	5	4	1
Black	---	14	5	4	1
Balance of county	---	424	25	15	14
White	---	154	3	3	-
All other	---	270	22	12	14
Black	---	263	20	11	11
Harnett	437	549	19	14	10
White	315	394	11	10	5
All other	122	155	8	4	5
Black	121	152	8	4	5
Haywood	393	408	6	1	4
Henderson	541	562	10	8	6
North Carolina—Con.					
Hertford	288	217	7	3	8
White	144	102	1	1	2
All other	144	115	6	2	6
Black	144	115	6	2	6
Hoke	169	165	10	8	4
White	84	82	5	4	-
All other	85	83	5	4	4
Black	72	70	4	3	1
Hyde	25	66	3	2	-
White	17	38	2	2	-
All other	8	28	1	-	-
Black	8	28	1	-	-
Iredell	653	697	25	19	9
White	540	557	13	10	6
All other	113	140	12	9	3
Black	113	140	12	9	3
Statesville	---	261	7	7	2
White	---	194	3	3	1
All other	---	67	4	4	1
Black	---	67	4	4	1
Balance of county	---	436	18	12	7
White	---	363	10	7	5
All other	---	73	8	5	2
Black	---	73	8	5	2
Jackson	149	178	5	2	4
White	144	164	4	2	4
All other	5	14	1	-	-
Black	4	5	-	-	-
Johnston	486	726	11	6	14
White	380	589	8	5	10
All other	106	137	3	1	4
Black	105	137	3	1	4
Jones	12	94	2	1	2
White	7	59	1	-	-
All other	5	35	1	1	2
Black	5	35	1	1	2
Lee	310	322	12	8	4
White	229	243	6	5	2
All other	81	79	6	3	2
Black	81	79	6	3	2
Sanford	---	149	3	1	1
White	---	113	1	1	-
All other	---	36	2	-	1
Black	---	36	2	-	1
Balance of county	---	173	9	7	3
White	---	130	5	4	2
All other	---	43	4	3	1
Black	---	43	4	3	1
Lenoir	612	517	14	10	14
White	384	317	5	5	4
All other	228	200	9	5	10
Black	227	198	9	5	10
Kinston	---	267	5	4	4
White	---	145	1	1	1
All other	---	122	4	3	3
Black	---	121	4	3	3
Balance of county	---	250	9	6	10
White	---	172	4	4	3
All other	---	78	5	2	7
Black	---	77	5	2	7
Lincoln	265	317	8	3	4
White	230	275	6	2	4
All other	35	42	2	1	-
Black	35	42	2	1	-
McDowell	189	278	12	9	3
Macon	163	181	2	1	4
Madison	63	192	4	3	2
Martin	251	296	6	5	3
White	151	190	1	1	1
All other	100	106	5	4	2
Black	100	106	5	4	2
Mecklenburg	3,401	2,844	109	83	58
White	2,459	1,955	48	37	27
All other	942	889	61	46	31
Black	937	885	61	46	31
Charlotte	---	2,311	93	72	46
White	---	1,510	35	28	18
All other	---	801	58	44	28
Black	---	797	58	44	28
Balance of county	---	533	16	11	12
White	---	445	13	9	9
All other	---	88	3	2	3
Black	---	88	3	2	3
Mitchell	100	133	2	-	5
Montgomery	182	226	8	4	5
White	140	166	4	2	-
All other	42	60	4	2	5
Black	42	60	4	2	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Moore	712	509	10	8	7
White	537	381	5	5	4
All other	175	128	5	3	3
Black	163	125	4	2	3
Nash	655	645	19	10	13
White	366	400	4	2	7
All other	289	245	15	8	6
Black	287	245	15	8	6
Rocky Mount, part	---	221	1	-	3
White	---	159	1	-	2
All other	---	62	-	-	1
Black	---	62	-	-	1
Rocky Mount, total	---	422	6	2	6
White	---	240	1	-	3
All other	---	182	5	2	3
Black	---	182	5	2	3
Balance of county	---	424	18	10	10
White	---	241	3	2	5
All other	---	183	15	8	5
Black	---	183	15	8	5
New Hanover	1,041	844	15	9	9
White	737	615	10	6	5
All other	304	229	5	3	4
Black	300	229	5	3	4
Wilmington	---	514	11	6	5
White	---	317	6	3	2
All other	---	197	5	3	3
Black	---	197	5	3	3
Balance of county	---	330	4	3	4
Northampton	73	247	11	8	7
White	31	100	2	2	1
All other	42	147	9	6	6
Black	42	147	9	6	6
Onslow	394	452	41	24	24
White	319	360	27	14	19
All other	75	92	14	10	5
Black	73	88	13	10	5
Jacksonville	---	110	7	4	4
White	---	81	4	1	3
All other	---	29	3	3	1
Black	---	28	3	3	1
Balance of county	---	342	34	20	20
White	---	279	23	13	16
All other	---	63	11	7	4
Black	---	60	10	7	4
Orange	985	426	9	7	12
White	596	324	7	5	5
All other	389	102	2	2	7
Black	381	101	2	2	7
Chapel Hill, part	---	117	1	1	5
White	---	88	1	1	1
All other	---	29	-	-	4
Black	---	29	-	-	4
Chapel Hill, total	---	117	1	1	5
White	---	88	1	1	1
All other	---	29	-	-	4
Black	---	29	-	-	4
Balance of county	---	309	8	6	7
White	---	236	6	4	4
All other	---	73	2	2	3
Black	---	72	2	2	3
Pamlico	29	115	1	1	2
White	18	81	1	1	-
All other	11	34	-	-	2
Black	11	34	-	-	2
Pasquotank	402	243	7	6	10
White	269	145	3	3	2
All other	133	98	4	3	8
Black	133	98	4	3	8
Elizabeth City	---	161	6	5	7
White	---	91	2	2	1
All other	---	70	4	3	6
Black	---	70	4	3	6
Balance of county	---	82	1	1	3
White	---	54	1	1	1
All other	---	28	-	-	2
Black	---	28	-	-	2
Pender	157	196	13	8	1
White	101	117	2	1	-
All other	56	79	11	7	1
Black	56	78	11	7	1
Perquimans	22	92	1	1	2
White	17	60	-	-	1
All other	5	32	1	1	1
Black	5	32	1	1	1
Person	221	271	7	4	1
White	161	197	3	1	-
All other	60	74	4	3	1
Black	59	74	4	3	1
North Carolina—Con.					
Pitt	713	629	19	14	11
White	411	352	7	6	1
All other	302	277	12	8	10
Black	302	277	12	8	10
Greenville	---	210	7	4	4
White	---	116	4	3	-
All other	---	94	3	1	4
Black	---	94	3	1	4
Balance of county	---	419	12	10	7
White	---	236	3	3	1
All other	---	183	9	7	6
Black	---	183	9	7	6
Polk	187	167	2	1	3
White	168	146	1	1	3
All other	19	21	1	-	-
Black	19	21	1	-	-
Randolph	449	695	14	11	6
Asheboro	---	173	1	1	2
White	---	144	-	-	2
All other	---	29	1	1	-
Black	---	29	1	1	-
High Point, part	---	2	-	-	-
Balance of county	---	520	13	10	4
Richmond	318	468	7	4	11
White	231	342	2	1	4
All other	87	126	5	3	7
Black	87	126	5	3	7
Robeson	740	806	31	22	28
White	375	390	3	3	3
All other	365	416	28	19	25
Black	197	191	13	7	15
Lumberton	---	180	2	2	2
White	---	124	-	-	2
All other	---	56	2	2	-
Black	---	34	1	1	-
Balance of county	---	626	29	20	26
White	---	266	3	3	1
All other	---	360	26	17	25
Black	---	157	12	6	15
Rockingham	620	774	19	8	17
White	457	591	13	6	12
All other	163	183	6	2	5
Black	163	183	6	2	5
Eden	---	172	2	-	6
White	---	150	1	-	5
All other	---	22	1	-	1
Black	---	22	1	-	1
Reidsville	---	184	2	1	2
White	---	110	1	1	-
All other	---	74	1	-	2
Black	---	74	1	-	2
Balance of county	---	418	15	7	9
White	---	331	11	5	7
All other	---	87	4	2	2
Black	---	87	4	2	2
Rowan	991	910	10	8	13
White	783	755	5	4	9
All other	208	155	5	4	4
Black	207	154	5	4	4
Salisbury	---	295	5	3	3
White	---	205	2	1	-
All other	---	90	3	2	3
Black	---	89	3	2	3
Balance of county	---	615	5	5	10
White	---	550	3	3	9
All other	---	65	2	2	1
Black	---	65	2	2	1
Rutherford	441	522	13	7	14
White	386	462	9	5	11
All other	55	60	4	2	3
Black	55	60	4	2	3
Sampson	374	489	14	12	12
White	247	327	5	4	5
All other	127	162	9	8	7
Black	120	153	9	8	7
Scotland	276	279	10	8	10
White	155	162	4	3	3
All other	121	117	6	5	7
Black	95	105	6	5	7
Stanly	351	426	6	5	5
White	295	370	5	4	3
All other	56	56	1	1	2
Black	56	56	1	1	2
Albemarle	---	135	1	-	3
White	---	111	1	-	1
All other	---	24	-	-	2
Black	---	24	-	-	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Stanly—Con.					
Balance of county	---	291	5	5	2
White	---	259	4	4	2
All other	---	32	1	1	-
Black	---	32	1	1	-
Stokes	131	196	6	5	7
Surry	462	516	17	11	8
Swain	100	98	5	1	3
White	77	77	2	-	2
All other	23	21	3	1	1
Black	4	2	-	-	-
Transylvania	138	171	3	3	1
Tyrrell	13	45	-	-	1
White	10	32	-	-	-
All other	3	13	-	-	1
Black	3	13	-	-	1
Union	395	508	16	11	7
White	313	409	11	7	5
All other	82	99	5	4	2
Black	82	99	5	4	2
Monroe	---	144	4	3	2
White	---	98	1	1	1
All other	---	46	3	2	1
Black	---	46	3	2	1
Balance of county	---	364	12	8	5
White	---	311	10	6	4
All other	---	53	2	2	1
Black	---	53	2	2	1
Vance	365	380	13	9	5
White	219	216	2	2	2
All other	146	164	11	7	3
Black	146	164	11	7	3
Henderson	---	204	6	5	3
White	---	116	2	2	2
All other	---	88	4	3	1
Black	---	88	4	3	1
Balance of county	---	176	7	4	2
White	---	100	-	-	-
All other	---	76	7	4	2
Black	---	76	7	4	2
Wake	2,023	1,876	63	42	34
White	1,485	1,359	36	24	20
All other	538	517	27	18	14
Black	536	517	27	18	14
Raleigh	---	1,005	34	26	15
White	---	710	19	15	5
All other	---	295	15	11	10
Black	---	295	15	11	10
Balance of county	---	871	29	16	19
White	---	649	17	9	15
All other	---	222	12	7	4
Black	---	222	12	7	4
Warren	111	201	9	6	2
White	47	98	1	1	1
All other	64	103	8	5	1
Black	63	103	8	5	1
Washington	92	119	4	2	5
White	43	65	1	1	1
All other	49	54	3	1	4
Black	49	54	3	1	4
Watauga	272	191	5	4	5
Wayne	828	839	37	23	21
White	519	529	13	9	5
All other	309	310	24	14	16
Black	306	306	24	14	15
Goldsboro	---	364	19	13	5
White	---	183	2	2	1
All other	---	181	17	11	4
Black	---	179	17	11	4
Balance of county	---	475	18	10	16
White	---	346	11	7	4
All other	---	129	7	3	12
Black	---	127	7	3	11
Wilkes	295	439	10	6	10
Wilson	792	617	25	17	14
White	498	380	6	4	7
All other	294	237	19	13	7
Black	294	237	19	13	7
Wilson	---	336	10	8	6
White	---	185	2	2	2
All other	---	151	8	6	4
Black	---	151	8	6	4
Balance of county	---	281	15	9	8
White	---	195	4	2	5
All other	---	86	11	7	3
Black	---	86	11	7	3
Yadkin	154	239	3	2	3
Yancey	70	124	2	2	2
North Dakota	5,687	5,491	152	108	100
White	5,486	5,317	140	104	87
All other	201	174	12	4	13
Black	3	2	1	1	-
Adams	86	47	-	-	-
Barnes	117	152	-	-	2
Benson	22	94	5	3	2
White	10	67	2	2	1
All other	12	27	3	1	1
Black	-	-	-	-	-
Billings	2	5	-	-	-
Bottineau	89	104	1	1	1
Bowman	37	43	2	-	-
Burke	15	46	1	1	-
Burleigh	517	265	16	12	3
Bismarck	---	227	13	9	3
Balance of county	---	38	3	3	-
Cass	1,103	563	19	14	7
Fargo	---	391	12	10	2
Balance of county	---	172	7	4	5
Cavalier	73	84	2	2	-
Dickey	126	95	1	-	6
Divide	36	48	1	-	1
Dunn	12	34	1	1	-
Eddy	50	51	-	-	-
Emmons	45	52	-	-	2
Foster	59	62	1	-	-
Golden Valley	15	19	-	-	-
Grand Forks	511	382	21	15	9
Grand Forks	---	281	20	14	8
Balance of county	---	101	1	1	1
Grant	39	52	-	-	-
Griggs	36	38	2	2	1
Hettinger	11	48	-	-	-
Kidder	14	44	-	-	1
La Moure	24	80	-	-	1
Logan	3	33	1	1	-
McHenry	13	78	-	-	1
McIntosh	45	45	-	-	1
McKenzie	32	59	2	2	1
McLean	79	114	2	1	5
Mercer	50	74	1	1	1
Morton	126	194	6	4	7
Mandan	---	115	5	3	3
Balance of county	---	79	1	1	4
Mountrail	74	87	3	2	1
Nelson	54	86	-	-	2
Oliver	5	18	-	-	-
Pembina	90	115	1	1	2
Pierce	101	54	1	1	3
Ramsey	147	140	1	1	1
Ransom	63	89	-	-	2
Renville	13	27	1	1	-
Richland	82	155	10	9	-
Ralette	108	120	4	2	5
White	67	66	2	2	1
All other	41	54	2	-	4
Black	-	-	-	-	-
Sargent	18	70	-	-	1
Sheridan	4	21	1	1	-
Sioux	36	44	6	2	3
White	2	6	-	-	-
All other	34	38	6	2	3
Black	-	-	-	-	-
Slope	2	7	-	-	-
Stark	215	179	3	2	6
Dickinson	---	125	2	2	3
Balance of county	---	54	1	-	3
Steele	11	38	-	-	2
Stutsman	217	212	4	1	2
Jamestown	---	135	3	1	2
Balance of county	---	77	1	-	-
Towner	40	53	1	-	-
Traill	112	123	-	-	3
Walsh	164	207	5	3	3
Ward	506	400	21	18	6
Minot	---	266	13	10	2
Balance of county	---	134	8	8	4
Wells	59	76	3	2	2
Williams	179	165	2	2	4
Williston	---	106	1	1	3
Balance of county	---	59	1	1	1
Ohio	96,384	96,569	2,147	1,486	1,509
White	86,947	87,130	1,656	1,141	1,199
All other	9,437	9,439	491	345	310
Black	9,325	9,328	482	339	298
Adams	205	279	4	3	4
Allen	1,342	1,010	32	23	17

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Allen—Con.					
Lima	---	583	16	11	13
White	---	507	11	7	9
All other	---	76	5	4	4
Black	---	76	5	4	4
Balance of county	---	427	16	12	4
Ashland	385	388	9	5	12
Ashland	---	181	5	2	8
Balance of county	---	207	4	3	4
Ashtabula	846	991	18	13	21
Ashtabula	---	289	7	5	3
Conneaut	---	154	1	1	4
Balance of county	---	548	10	7	14
Athens	416	473	10	8	5
Athens	---	99	-	-	-
Balance of county	---	374	10	8	5
Auglaize	296	366	10	6	7
Belmont	803	947	16	11	16
Martins Ferry	---	153	2	2	-
Balance of county	---	794	14	9	16
Brown	292	314	12	7	3
Butler	1,895	1,903	63	42	40
White	1,792	1,795	61	41	34
All other	103	108	2	1	6
Black	102	107	2	1	5
Fairfield	---	123	7	7	4
Hamilton	---	684	22	15	14
Middletown	---	453	12	8	6
White	---	414	11	7	5
All other	---	39	1	1	1
Black	---	39	1	1	1
Oxford	---	51	-	-	-
Balance of county	---	592	22	12	16
Carroll	111	245	4	2	2
Champaign	257	319	7	6	3
Urbana	---	124	4	3	1
Balance of county	---	195	3	3	2
Clark	1,348	1,407	42	30	27
White	1,207	1,263	36	26	22
All other	141	144	6	4	5
Black	141	143	6	4	5
Springfield	---	907	22	15	17
White	---	771	16	11	13
All other	---	136	6	4	4
Black	---	136	6	4	4
Balance of county	---	500	20	15	10
Clermont	484	832	29	21	11
Clinton	338	366	11	8	6
Wilmington	---	127	3	3	-
Balance of county	---	239	8	5	6
Columbiana	1,165	1,190	17	10	16
East Liverpool	---	256	6	4	3
Salem	---	170	-	-	3
Balance of county	---	764	11	6	10
Coshocton	326	377	14	11	5
Coshocton	---	156	8	6	-
Balance of county	---	221	6	5	5
Crawford	424	457	11	8	7
Bucyrus	---	153	8	5	2
Galion	---	150	-	-	1
Balance of county	---	154	3	3	4
Cuyahoga	16,562	15,819	330	235	239
White	13,408	12,698	166	119	147
All other	3,154	3,121	164	116	92
Black	3,129	3,097	160	114	92
Bay Village	---	124	1	1	1
Bedford	---	154	3	2	2
Bedford Heights	---	84	-	-	2
Berea	---	168	2	2	4
Broadview Heights	---	91	2	2	2
Brooklyn	---	114	2	2	2
Brook Park	---	130	6	6	2
Cleveland	---	7,469	211	144	135
White	---	4,767	77	51	63
All other	---	2,702	134	93	72
Black	---	2,693	132	93	72
Cleveland Heights	---	536	7	4	9
East Cleveland	---	311	13	9	6
White	---	135	-	-	-
All other	---	176	13	9	6
Black	---	176	13	9	6
Euclid	---	668	9	9	12
Fairview Park	---	227	2	2	2
Garfield Heights	---	402	6	4	4
Lakewood	---	717	10	8	5
Lyndhurst	---	155	-	-	2
Maple Heights	---	305	4	1	3
Mayfield Heights	---	253	3	3	2
Middleburg Heights	---	99	2	1	1
North Olmstead	---	220	3	2	1
Ohio—Con.					
Cuyahoga—Con.					
North Royalton	---	111	2	2	1
Parma	---	783	10	6	6
Parma Heights	---	235	2	1	2
Rocky River	---	236	-	-	1
Seven Hills	---	82	1	1	1
Shaker Heights	---	321	4	3	5
White	---	269	1	-	3
All other	---	52	3	3	2
Black	---	52	3	3	2
Solon	---	94	1	1	-
South Euclid	---	268	5	4	2
Strongsville	---	124	5	3	3
University Heights	---	141	1	1	2
Warrensville Heights	---	92	3	3	4
White	---	52	-	-	-
All other	---	40	3	3	4
Black	---	37	1	1	4
Westlake	---	165	1	1	3
Balance of county	---	940	9	7	12
Darke	378	477	15	8	12
Greenville	---	161	2	1	6
Balance of county	---	316	13	7	6
Defiance	306	306	10	6	10
Defiance	---	132	8	6	3
Balance of county	---	174	2	-	7
Delaware	371	383	12	9	8
Delaware	---	188	8	6	4
Westerville, part	---	12	-	-	-
Balance of county	---	183	4	3	4
Erie	747	715	11	9	11
Sandusky	---	367	8	7	6
White	---	336	8	7	4
All other	---	31	-	-	2
Black	---	31	-	-	2
Balance of county	---	348	3	2	5
Fairfield	658	709	17	11	9
Lancaster	---	360	9	6	5
Balance of county	---	349	8	5	4
Fayette	324	280	5	2	3
Washington	---	172	3	2	1
Balance of county	---	108	2	-	2
Franklin	7,444	6,560	190	129	105
White	6,462	5,558	149	104	76
All other	982	1,002	41	25	29
Black	969	989	41	25	27
Bexley	---	110	2	2	-
Columbus	---	4,646	141	93	82
White	---	3,679	104	72	54
All other	---	967	37	21	28
Black	---	959	37	21	26
Gahanna	---	85	1	1	2
Grove City	---	105	2	1	5
Reynoldsburg, part	---	87	7	5	3
Reynoldsburg, total	---	92	7	5	3
Upper Arlington	---	319	7	6	-
Westerville, part	---	104	3	2	1
Westerville, total	---	116	3	2	1
Whitehall	---	158	4	4	-
Worthington	---	94	-	-	1
Balance of county	---	852	23	15	11
Fulton	242	310	8	4	10
Gallia	495	274	10	7	6
Geauga	372	417	7	6	7
Greene	711	745	25	19	11
Fairborn	---	173	4	3	4
Xenia	---	207	7	6	5
White	---	168	4	3	5
All other	---	39	3	3	-
Black	---	39	3	3	-
Balance of county	---	365	14	10	2
Guernsey	459	448	12	6	6
Cambridge	---	192	5	3	1
Balance of county	---	256	7	3	5
Hamilton	9,751	8,675	172	122	106
White	8,100	7,057	100	69	68
All other	1,651	1,618	72	53	38
Black	1,637	1,607	71	52	36
Cheviot	---	173	-	-	-
Cincinnati	---	5,118	111	81	72
White	---	3,728	51	36	38
All other	---	1,390	60	45	34
Black	---	1,384	60	45	33
Forest Park	---	51	1	-	1
North College Hill	---	117	1	1	-
Norwood	---	292	9	6	2
Reading	---	102	-	-	-
Sharonville	---	59	2	1	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Hamilton—Con.					
Balance of county	---	2,763	48	33	29
White	---	2,545	38	26	26
All other	---	218	10	7	3
Black	---	215	10	7	2
Hancock	730	570	14	11	9
Findlay	---	350	13	11	5
Fostoria, part	---	35	-	-	-
Balance of county	---	185	1	-	4
Hardin	262	272	2	-	4
Harrison	158	211	1	1	3
Henry	192	269	2	2	3
Highland	261	374	6	4	3
Hocking	185	233	3	3	3
Holmes	296	242	14	9	3
Huron	429	487	9	6	11
Norwalk	---	136	4	2	7
Balance of county	---	351	5	4	4
Jackson	176	331	4	4	7
Jefferson	929	977	14	9	8
Steubenville	---	370	4	4	1
White	---	315	2	2	1
All other	---	55	2	2	-
Black	---	55	2	2	-
Balance of county	---	607	10	5	7
Knox	432	423	6	5	5
Mount Vernon	---	184	2	2	1
Balance of county	---	239	4	3	4
Lake	1,241	1,444	39	28	20
Eastlake	---	138	4	3	2
Mentor	---	237	7	5	5
Painesville	---	189	7	5	1
White	---	172	6	5	1
All other	---	17	1	-	-
Black	---	17	1	-	-
Wickliffe	---	119	-	-	2
Willoughby	---	159	5	3	1
Willowick	---	141	4	4	1
Balance of county	---	461	12	8	8
Lawrence	406	619	9	7	18
Ironton	---	180	2	2	5
Balance of county	---	439	7	5	13
Licking	897	1,059	19	15	14
Newark	---	496	8	6	9
Reynoldsburg, part	---	5	-	-	-
Balance of county	---	558	11	9	5
Logan	364	487	10	7	3
Bellefontaine	---	156	4	2	2
Balance of county	---	331	6	5	1
Lorain	1,867	1,884	68	48	40
White	1,747	1,754	49	36	31
All other	120	130	19	12	9
Black	119	129	19	12	7
Avon Lake	---	84	1	1	1
Elyria	---	434	12	10	13
White	---	395	9	8	8
All other	---	39	3	2	5
Black	---	38	3	2	4
Lorain	---	652	30	20	9
White	---	587	16	11	7
All other	---	65	14	9	2
Black	---	65	14	9	2
North Ridgeville	---	77	5	4	1
Balance of county	---	637	20	13	16
Lucas	5,461	4,698	105	76	72
White	4,938	4,183	74	55	45
All other	523	515	31	21	27
Black	515	508	31	21	26
Maumee	---	98	1	1	3
Oregon	---	175	2	1	2
Sylvania	---	121	3	1	1
Toledo	---	3,825	87	63	58
White	---	3,338	60	46	32
All other	---	487	27	17	26
Black	---	480	27	17	25
Balance of county	---	479	12	10	8
Madison	205	271	6	6	3
Mahoning	2,712	3,099	61	43	36
White	2,355	2,666	37	23	20
All other	357	433	24	20	16
Black	355	430	24	20	16
Alliance, part	---	-	-	-	-
Campbell	---	119	4	3	2
White	---	108	3	2	2
All other	---	11	1	1	-
Black	---	11	1	1	-
Struthers	---	138	2	1	-
Youngstown, part	---	1,602	42	31	26
White	---	1,198	20	12	10
All other	---	404	22	19	16
Black	---	402	22	19	16
Ohio—Con.					
Mahoning—Con.					
Youngstown, total	---	1,604	42	31	26
White	---	1,200	20	12	10
All other	---	404	22	19	16
Black	---	402	22	19	16
Balance of county	---	1,240	13	8	8
Marion	636	592	7	5	9
Marion	---	369	6	5	5
Balance of county	---	223	1	-	4
Medina	640	641	17	14	10
Brunswick	---	111	6	5	1
Medina	---	116	5	5	2
Wadsworth	---	127	-	-	1
Balance of county	---	287	6	4	6
Meigs	137	247	5	3	3
Mercer	302	375	10	6	5
Miami	696	739	18	11	10
Piqua	---	234	7	4	2
Troy	---	175	3	-	3
Balance of county	---	330	8	7	5
Monroe	64	192	4	2	3
Montgomery	5,331	4,616	118	82	81
White	4,557	3,872	62	43	50
All other	774	744	56	39	31
Black	766	738	55	39	31
Centerville	---	79	3	1	2
Dayton	---	2,230	65	46	43
White	---	1,572	18	14	16
All other	---	658	47	32	27
Black	---	658	47	32	27
Kettering	---	451	5	3	6
Miamisburg	---	124	3	1	3
Oakwood	---	103	2	1	1
Vandalia	---	68	1	-	2
West Carrollton	---	60	-	-	-
Balance of county	---	1,501	39	30	24
Morgan	80	140	1	1	1
Morrow	154	198	5	4	6
Muskingum	1,105	855	19	13	10
Zanesville	---	416	6	5	3
Balance of county	---	439	13	8	7
Noble	52	126	1	-	-
Ottawa	283	411	6	5	7
Paulding	119	182	3	1	4
Perry	72	292	3	3	4
Pickaway	255	316	5	2	8
Circleville	---	122	4	2	1
Balance of county	---	194	1	-	7
Pike	204	206	5	2	1
Portage	625	816	28	24	16
Kent	---	130	3	3	1
Ravenna	---	156	4	4	3
Balance of county	---	530	21	17	12
Preble	156	311	8	6	5
Putnam	130	277	6	4	4
Richland	1,029	1,032	24	14	24
Mansfield	---	568	13	7	14
White	---	514	9	5	7
All other	---	54	4	2	7
Black	---	54	4	2	7
Balance of county	---	464	11	7	10
Ross	740	620	7	7	8
Chillicothe	---	311	3	3	4
Balance of county	---	309	4	4	4
Sandusky	526	588	18	6	11
Fremont	---	219	5	2	2
Balance of county	---	369	13	4	9
Scioto	984	985	17	8	13
Portsmouth	---	444	7	3	5
Balance of county	---	541	10	5	8
Seneca	369	576	15	13	11
Fostoria, part	---	149	2	1	5
Fostoria, total	---	192	2	1	5
Tiffin	---	211	6	5	2
Balance of county	---	216	7	7	4
Shelby	294	357	4	1	9
Sidney	---	161	1	-	4
Balance of county	---	196	3	1	5
Stark	3,844	3,549	68	46	51
White	3,645	3,346	49	34	46
All other	199	203	19	12	5
Black	196	201	19	12	5
Alliance, part	---	295	8	3	4
White	---	262	3	1	4
All other	---	33	5	2	-
Black	---	32	5	2	-
Alliance, total	---	295	8	3	4
White	---	262	3	1	4
All other	---	33	5	2	-
Black	---	32	5	2	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Stark—Con.					
Canton	---	1,245	24	14	22
White	---	1,116	14	7	18
All other	---	129	10	7	4
Black	---	129	10	7	4
Massillon	---	386	3	2	4
North Canton	---	116	2	2	1
Balance of county	---	1,507	31	25	20
Summit	4,843	4,805	75	51	64
White	4,409	4,375	58	40	47
All other	434	430	17	11	17
Black	433	428	17	11	17
Akron	---	2,704	46	29	41
White	---	2,305	29	18	27
All other	---	399	17	11	14
Black	---	399	17	11	14
Barberton	---	347	3	2	9
Cuyahoga Falls	---	392	4	3	2
Norton	---	63	1	1	2
Stow	---	126	5	5	3
Tallmadge	---	100	-	-	-
Balance of county	---	1,073	16	11	7
Trumbull	2,201	1,986	27	19	42
White	2,036	1,870	23	18	34
All other	165	116	4	1	8
Black	164	115	4	1	8
Girard	---	127	-	-	2
Niles	---	234	2	2	1
Warren	---	632	10	5	19
White	---	555	7	5	11
All other	---	77	3	-	8
Black	---	77	3	-	8
Youngstown, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	991	15	12	20
Tuscarawas	720	788	19	12	12
Dover	---	137	2	1	-
New Philadelphia	---	166	3	2	3
Balance of county	---	485	14	9	9
Union	189	238	5	3	5
Van Wert	293	322	1	-	4
Van Wert	---	153	-	-	1
Balance of county	---	169	1	-	3
Vinton	37	107	2	2	4
Warren	234	579	21	12	12
Franklin	---	90	4	2	2
Balance of county	---	489	17	10	10
Washington	615	599	11	8	7
Marietta	---	228	5	3	2
Balance of county	---	371	6	5	5
Wayne	619	756	13	10	18
Wooster	---	220	2	2	1
Balance of county	---	536	11	8	17
Williams	269	297	10	7	8
Wood	401	684	12	6	8
Bowling Green	---	115	2	1	1
Fostoria, part	---	8	-	-	-
Balance of county	---	561	10	5	7
Wyandot	180	237	4	2	1
Oklahoma	27,130	27,943	655	413	432
White	24,260	25,036	492	319	324
All other	2,870	2,907	163	94	108
Black	1,905	1,908	100	57	70
Adair	109	172	3	3	7
White	86	137	2	2	3
All other	23	35	1	1	4
Black	-	-	-	-	-
Alfalfa	57	114	-	-	1
Atoka	133	145	6	5	1
White	119	129	6	5	-
All other	14	16	-	-	1
Black	5	5	-	-	1
Beaver	41	55	2	1	1
Beckham	223	228	5	4	-
Blaine	188	218	3	2	2
White	166	185	2	1	1
All other	22	33	1	1	1
Black	7	8	-	-	-
Bryan	240	347	8	8	6
Durant	---	173	1	1	4
Balance of county	---	174	7	7	2
Caddo	223	348	8	5	6
White	190	280	3	2	2
All other	33	68	5	3	4
Black	6	9	-	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Canadian	218	344	10	8	3
El Reno	---	163	3	2	1
White	---	154	3	2	1
All other	---	9	-	-	-
Black	---	5	-	-	-
Oklahoma City, part	---	4	-	-	-
Balance of county	---	177	7	6	2
Carter	549	559	9	3	4
White	478	481	5	1	2
All other	71	78	4	2	2
Black	55	61	4	2	1
Ardmore	---	380	8	3	4
White	---	318	4	1	2
All other	---	62	4	2	2
Black	---	46	4	2	1
Balance of county	---	179	1	-	-
White	---	163	1	-	-
All other	---	16	-	-	-
Black	---	15	-	-	-
Cherokee	255	295	5	4	7
White	189	237	4	4	4
All other	66	58	1	-	3
Black	2	3	-	-	-
Choctaw	178	211	3	-	-
White	140	165	1	-	-
All other	38	46	2	-	-
Black	28	32	2	-	-
Cimarron	28	29	-	-	-
Cleveland	571	579	14	12	16
Moore	---	97	3	3	5
Norman	---	373	7	5	9
Oklahoma City, part	---	10	-	-	-
Balance of county	---	99	4	4	2
Coal	57	89	2	2	1
Comanche	679	618	40	29	26
White	569	528	29	21	20
All other	110	90	11	8	6
Black	54	64	6	5	6
Lawton	---	459	32	22	20
White	---	383	23	16	15
All other	---	76	9	6	5
Black	---	62	6	5	5
Balance of county	---	159	8	7	6
White	---	145	6	5	5
All other	---	14	2	2	1
Black	---	2	-	-	1
Cotton	33	87	-	-	-
Craig	180	200	1	1	1
White	166	183	1	1	1
All other	14	17	-	-	-
Black	6	5	-	-	-
Creek	461	565	11	7	8
Sapulpa	---	214	1	-	3
White	---	191	-	-	3
All other	---	23	1	-	-
Black	---	16	1	-	-
Balance of county	---	351	10	7	5
Custer	318	266	8	3	5
Delaware	216	268	1	-	7
White	200	238	1	-	3
All other	16	30	-	-	4
Black	-	-	-	-	-
Dewey	54	96	3	2	-
Ellis	85	69	-	-	2
Garfield	729	622	20	14	6
Enid	---	501	18	13	6
Balance of county	---	121	2	1	-
Garvin	292	342	6	3	4
Grady	323	368	8	5	9
Chickasha	---	184	5	3	4
White	---	165	4	3	3
All other	---	19	1	-	1
Black	---	16	-	-	1
Balance of county	---	184	3	2	5
Grant	38	100	1	1	-
Greer	107	137	-	-	2
Harmon	67	74	1	1	2
Harper	51	53	3	3	-
Haskell	111	148	1	1	2
Hughes	216	219	2	2	1
White	177	183	1	1	-
All other	39	36	1	1	1
Black	18	11	-	-	-
Jackson	233	252	5	5	8
Altus	---	171	4	4	8
White	---	151	2	2	5
All other	---	20	2	2	3
Black	---	20	2	2	3
Balance of county	---	81	1	1	-
Jefferson	79	130	2	2	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Johnston	92	115	3	2	1
White	82	101	1	–	1
All other	10	14	2	2	–
Black	3	2	–	–	–
Kay	512	548	9	5	5
Ponca City	– – –	268	4	2	1
Balance of county	– – –	280	5	3	4
Kingfisher	99	141	–	–	–
Kiowa	161	202	4	2	1
Latimer	136	106	–	–	2
Le Flore	252	434	6	3	4
Lincoln	204	274	1	1	4
Logan	213	276	8	4	2
White	182	234	4	3	1
All other	31	42	4	1	1
Black	30	42	4	1	1
Love	72	85	1	–	–
McClain	125	165	4	3	–
Oklahoma City, part	– – –	1	–	–	–
Balance of county	– – –	164	4	3	–
McCurtain	303	420	9	6	8
White	254	347	6	5	8
All other	49	73	3	1	–
Black	37	47	3	1	–
McIntosh	115	189	–	–	1
White	97	158	–	–	1
All other	18	31	–	–	–
Black	10	14	–	–	–
Major	80	95	3	3	1
Marshall	103	138	1	–	1
Mayes	246	311	3	2	3
White	234	294	3	2	3
All other	12	17	–	–	–
Black	–	–	–	–	–
Murray	153	143	3	2	–
Muskogee	1,017	786	22	16	8
White	831	621	16	12	5
All other	186	165	6	4	3
Black	166	149	6	4	3
Muskogee	– – –	572	15	12	7
White	– – –	446	9	8	4
All other	– – –	126	6	4	3
Black	– – –	115	6	4	3
Balance of county	– – –	214	7	4	1
White	– – –	175	7	4	1
All other	– – –	39	–	–	–
Black	– – –	34	–	–	–
Noble	103	125	2	1	3
Nowata	107	131	1	–	2
White	91	115	1	–	2
All other	16	16	–	–	–
Black	16	14	–	–	–
Okfuskee	76	169	2	2	–
White	55	116	2	2	–
All other	21	53	–	–	–
Black	10	33	–	–	–
Oklahoma	5,978	4,745	164	97	112
White	5,219	4,125	114	71	80
All other	759	620	50	26	32
Black	623	545	33	19	27
Bethany	– – –	120	3	1	2
Del City	– – –	155	7	6	2
Edmond	– – –	186	4	3	3
Midwest City	– – –	306	11	9	5
Oklahoma City, part	– – –	3,735	125	71	88
White	– – –	3,198	87	53	64
All other	– – –	537	38	18	24
Black	– – –	480	28	15	21
Oklahoma City, total	– – –	3,750	125	71	88
White	– – –	3,212	87	53	64
All other	– – –	538	38	18	24
Black	– – –	480	28	15	21
The Village	– – –	1	–	–	–
Balance of county	– – –	242	14	7	12
Okmulgee	408	479	6	2	7
White	325	381	4	2	5
All other	83	98	2	–	2
Black	64	72	1	–	–
Okmulgee	– – –	218	3	1	–
White	– – –	163	1	1	–
All other	– – –	55	2	–	–
Black	– – –	51	1	–	–
Balance of county	– – –	261	3	1	7
White	– – –	218	3	1	5
All other	– – –	43	–	–	2
Black	– – –	21	–	–	–
Osage	212	287	3	1	2
White	181	247	2	1	1
All other	31	40	1	–	1
Black	11	11	1	–	–
Oklahoma—Con.					
Osage—Con.					
Bartlesville, part	– – –	–	–	–	–
White	– – –	–	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Tulsa, part	– – –	4	–	–	1
White	– – –	4	–	–	1
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	283	3	1	1
White	– – –	243	2	1	–
All other	– – –	40	1	–	1
Black	– – –	11	1	–	–
Ottawa	315	374	6	3	3
Miami	– – –	171	4	3	2
Balance of county	– – –	203	2	–	1
Pawnee	120	169	1	1	1
Payne	396	416	14	9	7
Stillwater	– – –	181	5	5	4
Balance of county	– – –	235	9	4	3
Pittsburg	442	482	11	6	4
White	402	436	8	5	2
All other	40	46	3	1	2
Black	32	36	3	1	1
McAlester	– – –	256	8	4	–
White	– – –	223	5	3	–
All other	– – –	33	3	1	–
Black	– – –	27	3	1	–
Balance of county	– – –	226	3	2	4
Pontotoc	413	388	5	5	2
Ada	– – –	236	4	4	2
Balance of county	– – –	152	1	1	–
Pottawatomie	549	564	9	4	4
Oklahoma City, part	– – –	–	–	–	–
Shawnee	– – –	352	6	4	3
Balance of county	– – –	212	3	–	1
Pushmataha	126	138	1	1	–
Roger Mills	26	41	–	–	–
Rogers	295	317	5	4	3
Seminole	258	364	4	1	2
White	221	305	1	–	1
All other	37	59	3	1	1
Black	20	28	–	–	–
Sequoyah	187	292	10	3	4
White	166	257	8	2	2
All other	21	35	2	1	2
Black	2	10	1	1	1
Stephens	411	478	9	5	11
Duncan	– – –	263	7	4	6
Balance of county	– – –	215	2	1	5
Texas	108	150	5	5	3
Tillman	133	181	1	1	2
White	122	166	–	–	1
All other	11	15	1	1	1
Black	10	14	1	1	1
Tulsa	4,270	3,745	104	59	46
White	3,782	3,294	70	38	29
All other	488	451	34	21	17
Black	415	399	25	14	14
Broken Arrow	– – –	131	6	4	3
Sand Springs	– – –	126	2	2	–
Tulsa, part	– – –	3,121	86	49	38
White	– – –	2,688	53	29	23
All other	– – –	433	33	20	15
Black	– – –	392	25	14	13
Tulsa, total	– – –	3,125	86	49	39
White	– – –	2,692	53	29	24
All other	– – –	433	33	20	15
Black	– – –	392	25	14	13
Balance of county	– – –	367	10	4	5
Wagoner	153	229	5	4	13
White	132	194	4	3	12
All other	21	35	1	1	1
Black	17	30	1	1	1
Washington	430	431	6	3	8
Bartlesville, part	– – –	305	3	1	6
Bartlesville, total	– – –	305	3	1	6
Balance of county	– – –	126	3	2	2
Washita	109	166	2	1	3
Woods	116	139	4	4	2
Woodward	164	168	7	6	8
Oregon	21,007	20,895	501	299	312
White	20,506	20,405	472	284	297
All other	501	490	29	15	15
Black	260	257	16	8	8
Baker	145	162	1	1	1
Benton	379	348	8	5	7
Albany, part	– – –	1	–	–	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Oregon—Con.					
Benton—Con.					
Corvallis	---	208	7	5	5
Balance of county	---	139	1	–	2
Clackamas	1,413	1,585	43	29	24
Lake Oswego, part	---	120	1	1	1
Lake Oswego, total	---	123	1	1	1
Milwaukee, part	---	285	5	4	2
Milwaukee, total	---	289	5	4	2
Portland, part	---	4	–	–	–
Balance of county	---	1,176	37	24	21
Clatsop	297	348	4	1	3
Astoria	---	119	2	1	1
Balance of county	---	229	2	–	2
Columbia	187	287	2	1	1
Coos	507	520	21	9	13
Coos Bay	---	140	4	1	3
Balance of county	---	380	17	8	10
Crook	111	123	2	–	3
Curry	114	150	1	–	5
Deschutes	455	399	18	12	8
Bend	---	146	9	5	4
Balance of county	---	253	9	7	4
Douglas	712	709	21	12	19
Roseburg	---	226	6	5	5
Balance of county	---	483	15	7	14
Gilliam	5	13	–	–	–
Grant	69	74	1	1	2
Harney	70	74	–	–	1
Hood River	135	147	5	4	1
Jackson	1,091	1,057	19	10	11
Ashland	---	93	2	1	–
Medford	---	424	2	1	5
Balance of county	---	540	15	8	6
Jefferson	78	98	3	2	1
White	68	78	–	–	–
All other	10	20	3	2	1
Black	–	–	–	–	–
Josephine	542	571	16	10	10
Grants Pass	---	213	6	3	4
Balance of county	---	358	10	7	6
Klamath	490	479	22	15	7
Klamath Falls	---	223	12	9	3
Balance of county	---	256	10	6	4
Lake	59	71	2	1	1
Lane	1,784	1,749	36	25	33
Eugene	---	688	10	7	11
Springfield	---	290	8	5	6
Balance of county	---	771	18	13	16
Lincoln	323	361	9	5	6
Linn	497	644	23	8	12
Albany, part	---	201	9	2	5
Albany, total	---	202	9	2	5
Balance of county	---	443	14	6	7
Malheur	225	204	6	5	9
Marion	1,581	1,605	37	22	27
Salem, part	---	854	17	9	9
Salem, total	---	959	19	10	10
Balance of county	---	751	20	13	18
Morrow	43	55	1	–	–
Multnomah	6,525	5,793	124	76	45
White	6,207	5,463	106	68	38
All other	318	330	18	8	7
Black	211	228	13	6	7
Lake Oswego, part	---	3	–	–	–
Milwaukee, part	---	4	–	–	–
Portland, part	---	4,639	98	59	29
White	---	4,324	81	52	22
All other	---	315	17	7	7
Black	---	223	13	6	7
Portland, total	---	4,659	100	60	29
White	---	4,343	83	53	22
All other	---	316	17	7	7
Black	---	224	13	6	7
Balance of county	---	1,147	26	17	16
Polk	219	334	7	2	8
Salem, part	---	105	2	1	1
Balance of county	---	229	5	1	7
Sherman	5	15	–	–	–
Tillamook	184	204	6	5	4
Umatilla	429	484	11	8	10
Pendleton	---	113	3	1	2
Balance of county	---	371	8	7	8
Union	172	174	3	2	3
Wallowa	74	69	2	1	–
Wasco	233	208	4	2	2
City of the Dalles	---	134	2	1	1
Balance of county	---	74	2	1	1
Washington	1,445	1,301	34	20	28
Beaverton	---	190	6	3	6
Hillsboro	---	171	4	2	9
Oregon—Con.					
Washington—Con.					
Lake Oswego, part	---	–	–	–	–
Portland, part	---	16	2	1	–
Balance of county	---	924	22	14	13
Wheeler	7	17	–	–	–
Yamhill	402	463	9	5	7
McMinnville	---	137	2	1	–
Balance of county	---	326	7	4	7
Pennsylvania	119,786	120,074	2,089	1,597	1,804
White	109,094	109,446	1,636	1,269	1,280
All other	10,692	10,628	453	328	524
Black	10,570	10,509	442	321	514
Adams	421	549	7	6	9
Allegheny	17,769	16,340	248	189	160
White	15,975	14,595	185	141	93
All other	1,794	1,745	63	48	67
Black	1,772	1,725	61	48	66
Baldwin	---	143	1	1	–
Bellevue	---	130	–	–	1
Bethel Park	---	187	4	3	–
Brentwood	---	106	2	2	–
Carnegie	---	156	2	1	–
Castle Shannon	---	73	1	–	1
Clairton	---	167	3	2	–
White	---	125	–	–	–
All other	---	42	3	2	–
Black	---	42	3	2	–
Dormont	---	101	1	1	–
Duquesne	---	156	3	3	–
White	---	134	1	1	–
All other	---	22	2	2	–
Black	---	21	2	2	–
Harrison township†	---	162	3	3	–
McKees Rocks	---	127	1	–	–
McKeesport	---	534	9	7	–
White	---	487	7	6	–
All other	---	47	2	1	–
Black	---	47	2	1	–
Monroeville	---	169	2	2	–
Mount Lebanon township†	---	268	4	3	1
Munhall	---	166	2	1	1
North Braddock	---	114	–	–	2
White	---	104	–	–	–
All other	---	10	–	–	2
Black	---	10	–	–	2
North Versaille township†	---	99	1	1	–
Penn Hills township†	---	340	3	3	–
Pittsburgh	---	6,321	93	71	25
White	---	5,002	48	36	8
All other	---	1,319	45	35	17
Black	---	1,310	44	35	17
Pleasant Hills	---	65	1	–	–
Plum	---	84	–	–	–
Ross township†	---	227	2	2	–
Scott township†	---	222	3	2	2
Shaler township†	---	254	1	1	1
Stowe township†	---	103	–	–	–
Swissvale	---	153	1	1	1
Upper St. Clair township†	---	71	2	1	–
West Mifflin	---	204	2	1	2
Whitehall	---	128	1	1	1
Wilkinsburg	---	240	2	2	2
White	---	210	2	2	–
All other	---	30	–	–	2
Black	---	29	–	–	2
Balance of county	---	5,070	98	74	120
White	---	4,872	89	67	76
All other	---	198	9	7	44
Black	---	193	9	7	43
Armstrong	559	849	16	11	10
Beaver	1,615	2,054	29	23	32
White	1,513	1,931	26	22	26
All other	102	123	3	1	6
Black	100	121	3	1	6
Aliquippa	---	258	4	2	3
White	---	203	2	1	2
All other	---	55	2	1	1
Black	---	55	2	1	1
Ambridge	---	170	–	–	–
Beaver Falls	---	190	2	1	–
White	---	171	1	1	–
All other	---	19	1	–	–
Black	---	18	1	–	–
Ellwood City, part	---	19	1	1	–
Balance of county	---	1,417	22	19	29
Bedford	314	431	8	5	6

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Pennsylvania—Con.					
Berks	3,067	3,196	49	39	54
Reading	---	1,134	16	12	1
Balance of county	---	2,062	33	27	53
Blair	1,839	1,660	28	24	24
Altoona	---	870	15	13	6
Balance of county	---	790	13	11	18
Bradford	763	588	7	6	7
Bucks	3,197	3,183	62	47	74
Bensalem township†	---	191	5	3	3
Bristol	---	153	5	2	4
Bristol township†	---	249	5	4	5
Falls township†	---	128	6	5	4
Lower Southampton township†	---	94	1	1	–
Middletown township†	---	161	5	3	5
Morrisville	---	88	1	–	–
Upper Southampton township†	---	65	–	–	2
Warminster township†	---	158	–	–	3
Balance of county	---	1,896	34	29	48
Butler	1,128	1,235	22	20	20
Butler	---	255	5	3	2
Balance of county	---	980	17	17	18
Cambria	1,858	1,923	39	36	27
Johnstown	---	604	16	14	3
Balance of county	---	1,319	23	22	24
Cameron	15	59	–	–	2
Carbon	451	644	9	6	6
Centre	754	660	18	17	15
State College	---	98	2	2	2
Balance of county	---	562	16	15	13
Chester	2,081	2,307	66	52	54
White	1,888	2,093	53	43	35
All other	193	214	13	9	19
Black	192	211	13	9	19
Coatesville	---	173	6	6	–
White	---	129	1	1	–
All other	---	44	5	5	–
Black	---	44	5	5	–
Phoenixville	---	148	5	3	1
West Chester	---	212	13	10	1
White	---	169	12	9	1
All other	---	43	1	1	–
Black	---	42	1	1	–
Balance of county	---	1,774	42	33	52
White	---	1,654	36	30	33
All other	---	120	6	3	19
Black	---	119	6	3	19
Clarion	232	401	8	6	10
Clearfield	766	841	19	15	15
Du Bois	---	115	3	3	3
Balance of county	---	726	16	12	12
Clinton	319	382	6	5	6
Lock Haven	---	107	1	1	1
Balance of county	---	275	5	4	5
Columbia	631	630	8	4	8
Berwick	---	162	2	–	–
Bloomsburg	---	109	1	–	2
Balance of county	---	359	5	4	6
Crawford	753	862	20	13	16
Meadville	---	208	3	3	1
Balance of county	---	654	17	10	15
Cumberland	1,365	1,297	15	13	17
Carlisle	---	185	2	2	–
Balance of county	---	1,112	13	11	17
Dauphin	2,870	2,350	46	32	41
White	2,614	2,088	32	22	25
All other	256	262	14	10	16
Black	253	258	14	10	16
Harrisburg	---	788	18	11	6
White	---	575	5	2	2
All other	---	213	13	9	4
Black	---	211	13	9	4
Lower Paxton township†	---	198	3	2	4
Balance of county	---	1,364	25	19	31
Delaware	5,359	5,499	69	60	58
White	4,913	5,072	56	49	35
All other	446	427	13	11	23
Black	437	417	12	10	23
Aston township†	---	108	2	2	–
Chester	---	566	12	9	6
White	---	352	6	5	2
All other	---	214	6	4	4
Black	---	213	6	4	4
Collingdale	---	98	1	1	–
Darby	---	146	2	2	–
White	---	122	2	2	–
All other	---	24	–	–	–
Black	---	24	–	–	–
Darby township†	---	30	–	–	–
White	---	13	–	–	–
All other	---	17	–	–	–
Black	---	17	–	–	–
Pennsylvania—Con.					
Delaware—Con.					
Haverford township†	---	500	2	2	1
Lansdowne	---	151	–	–	1
Marple township†	---	146	–	–	–
Nether Providence township†	---	68	–	–	–
Radnor township†	---	153	1	–	1
Ridley township†	---	144	2	2	1
Springfield township†	---	183	2	2	2
Upper Chichester township†	---	31	–	–	1
Upper Darby township†	---	786	9	9	10
Yeadon	---	115	1	1	–
White	---	103	–	–	–
All other	---	12	1	1	–
Black	---	12	1	1	–
Balance of county	---	2,274	35	30	35
Elk	353	360	7	7	2
Erie	2,686	2,481	69	57	46
Erie	---	1,284	35	27	2
Millcreek township†	---	279	6	6	3
Balance of county	---	918	28	24	41
Fayette	1,681	2,017	30	23	28
Connellsville	---	206	3	3	2
Uniontown	---	290	2	2	1
Balance of county	---	1,521	25	18	25
Forest	17	54	–	–	1
Franklin	924	956	17	13	7
Chambersburg	---	251	5	4	1
Waynesboro	---	99	3	2	–
Balance of county	---	606	9	7	6
Fulton	132	124	2	2	3
Greene	327	469	3	–	6
Huntingdon	324	399	3	2	4
Indiana	631	779	18	12	15
Indiana	---	116	1	1	1
Balance of county	---	663	17	11	14
Jefferson	447	548	14	10	5
Juniata	119	181	3	2	3
Lackawanna	2,907	2,807	34	23	24
Carbondale	---	151	2	1	–
Dunmore	---	181	–	–	–
Scranton	---	1,302	19	12	1
Balance of county	---	1,173	13	10	23
Lancaster	3,077	2,996	72	57	63
Columbia	---	152	1	1	2
Lancaster	---	676	16	14	5
Lancaster township†	---	96	1	1	–
Balance of county	---	2,072	54	41	56
Lawrence	1,095	1,115	18	10	12
Ellwood City, part	---	94	–	–	–
Ellwood City, total	---	113	1	1	–
New Castle	---	513	10	6	–
Balance of county	---	508	8	4	12
Lebanon	1,056	1,018	15	7	15
Lebanon	---	334	9	4	2
Balance of county	---	684	6	3	13
Lehigh	3,215	2,442	43	36	38
Allentown	---	1,189	23	20	8
Bethlehem, part	---	192	1	1	–
Emmaus	---	91	1	1	2
Balance of county	---	970	18	14	28
Luzerne	4,175	4,234	45	35	47
Hazleton	---	385	3	3	–
Kingston	---	239	3	3	–
Nanticoke	---	182	4	4	–
Pittston	---	142	1	1	–
Wilkes-Barre	---	805	8	7	2
Balance of county	---	2,481	26	17	45
Lycoming	1,222	1,154	26	15	20
Williamsport	---	388	10	5	3
Balance of county	---	766	16	10	17
McKean	493	594	5	4	6
Bradford	---	191	1	–	1
Balance of county	---	403	4	4	5
Mercer	1,335	1,241	23	19	19
Farrell	---	107	2	2	1
White	---	83	–	–	–
All other	---	24	2	2	1
Black	---	24	2	2	1
Sharon	---	241	3	3	2
Balance of county	---	893	18	14	16
Mifflin	480	441	8	7	9
Lewistown	---	145	1	1	1
Balance of county	---	296	7	6	8
Monroe	631	572	8	6	8
Montgomery	6,463	5,627	82	63	83
White	6,033	5,369	67	48	65
All other	430	258	15	15	18
Black	420	254	14	14	16
Abington township†	---	475	4	3	2
Cheltenham township†	---	324	3	2	–
Conshohocken	---	110	4	3	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania—Con.					
Montgomery—Con.					
East Norriton township†	---	73	1	1	–
Lansdale	---	179	3	3	3
Lower Merion township†	---	492	3	3	1
Lower Moreland township†	---	41	–	–	–
Norristown	---	431	12	9	2
White	---	367	6	3	2
All other	---	64	6	6	–
Black	---	63	6	6	–
Plymouth township†	---	70	–	–	–
Pottstown	---	289	9	8	1
Springfield township†	---	157	–	–	1
Upper Moreland township†	---	137	2	2	1
West Norriton township†	---	70	3	3	–
Balance of county	---	2,779	38	26	72
Montour	773	175	4	4	2
Northampton	1,311	2,142	34	24	29
Bethlehem, part	---	561	9	5	–
Bethlehem, total	---	753	10	6	–
Easton	---	339	8	4	3
Balance of county	---	1,242	17	15	26
Northumberland	835	1,223	15	11	9
Shamokin	---	174	–	–	–
Sunbury	---	193	4	4	–
Balance of county	---	856	11	7	9
Perry	147	341	10	3	6
Philadelphia, coext. with Philadelphia city	20,929	20,711	457	352	424
White	14,474	14,143	191	162	131
All other	6,455	6,568	266	190	293
Black	6,416	6,526	261	187	291
Pike	82	196	2	2	2
Potter	192	174	1	1	4
Schuylkill	1,967	2,154	19	11	28
Pottsville	---	275	5	4	–
Balance of county	---	1,879	14	7	28
Snyder	157	275	3	3	4
Somerset	798	892	14	9	10
Sullivan	49	71	1	–	–
Susquehanna	233	343	9	9	1
Tioga	340	426	7	5	4
Union	379	283	10	8	3
Venango	690	662	6	6	9
Oil City	---	171	–	–	–
Balance of county	---	491	6	6	9
Warren	469	450	5	4	11
Warren	---	164	2	2	6
Balance of county	---	286	3	2	5
Washington	2,105	2,202	42	26	31
Canonsburg	---	136	1	–	–
Washington	---	306	8	3	–
White	---	274	8	3	–
All other	---	32	–	–	–
Black	---	32	–	–	–
Balance of county	---	1,760	33	23	31
Wayne	333	412	5	4	2
Westmoreland	3,396	3,613	55	41	58
Greensburg	---	202	5	5	–
Hempfield township†	---	249	1	1	2
Jeannette	---	182	1	1	–
Latrobe	---	127	3	3	–
Lower Burrell	---	112	3	3	–
Monessen	---	183	2	2	–
New Kensington	---	219	4	2	–
North Huntington township†	---	182	4	3	4
Balance of county	---	2,157	32	21	52
Wyoming	176	194	7	7	3
York	2,509	2,586	39	28	29
Hanover	---	214	1	–	–
Spring Garden township†	---	112	–	–	–
York	---	594	12	9	3
White	---	524	7	6	2
All other	---	70	5	3	1
Black	---	68	5	3	1
Balance of county	---	1,666	26	19	26
Rhode Island	9,103	8,873	157	122	108
White	8,881	8,653	129	103	96
All other	222	220	28	19	12
Black	189	191	26	17	11
Bristol	259	415	6	4	3
Barrington	---	115	1	1	2
Bristol	---	205	1	1	1
Warren	---	95	4	2	–
Balance of county	---	–	–	–	–
Kent	1,010	1,277	22	19	17
Warwick	---	791	13	10	10
West Warwick town†	---	211	5	5	4
Balance of county	---	275	4	4	3
Rhode Island—Con.					
Newport	525	671	15	13	8
Middletown town†	---	104	4	3	2
Newport	---	289	7	6	4
Balance of county	---	278	4	4	2
Providence	6,683	5,810	103	77	73
White	6,501	5,642	82	65	65
All other	182	168	21	12	8
Black	162	155	21	12	8
Central Falls	---	227	8	7	2
Cranston	---	719	8	8	3
Cumberland town†	---	182	4	2	5
East Providence	---	474	3	3	6
North Providence town†	---	247	–	–	1
Pawtucket	---	843	18	14	10
Providence	---	1,836	35	23	29
White	---	1,711	18	13	21
All other	---	125	17	10	8
Black	---	118	17	10	8
Woonsocket	---	523	15	11	8
Balance of county	---	759	12	9	9
Washington	626	700	11	9	7
North Kingstown town†	---	178	1	1	1
Balance of county	---	522	10	8	6
South Carolina	23,461	24,112	922	616	638
White	15,520	16,041	388	275	287
All other	7,941	8,071	534	341	351
Black	7,928	8,063	534	341	349
Abbeville	165	225	9	7	2
White	104	149	5	4	1
All other	61	76	4	3	1
Black	61	76	4	3	1
Aiken	555	819	27	20	24
White	369	564	14	12	14
All other	186	255	13	8	10
Black	186	255	13	8	10
Aiken	---	185	6	3	–
White	---	105	1	1	–
All other	---	80	5	2	–
Black	---	80	5	2	–
North Augusta	---	104	3	3	–
Balance of county	---	530	18	14	24
White	---	367	10	8	14
All other	---	163	8	6	10
Black	---	163	8	6	10
Allendale	87	108	5	3	4
White	31	43	–	–	1
All other	56	65	5	3	3
Black	56	65	5	3	3
Anderson	995	1,064	36	25	24
White	793	859	20	14	18
All other	202	205	16	11	6
Black	201	204	16	11	6
Anderson	---	365	12	8	6
White	---	269	5	4	2
All other	---	96	7	4	4
Black	---	96	7	4	4
Balance of county	---	699	24	17	18
White	---	590	15	10	16
All other	---	109	9	7	2
Black	---	108	9	7	2
Bamberg	115	160	3	3	3
White	55	88	1	1	–
All other	60	72	2	2	3
Black	60	72	2	2	3
Barnwell	144	183	6	4	5
White	77	104	2	2	2
All other	67	79	4	2	3
Black	67	79	4	2	3
Beaufort	330	352	20	12	10
White	181	196	10	6	5
All other	149	156	10	6	5
Black	149	156	10	6	5
Berkeley	146	400	34	25	18
White	88	253	17	11	10
All other	58	147	17	14	8
Black	58	147	17	14	8
Calhoun	46	108	5	4	2
White	19	51	1	1	–
All other	27	57	4	3	2
Black	27	57	4	3	2
Charleston	2,815	1,904	85	57	58
White	1,669	1,115	37	24	24
All other	1,146	789	48	33	34
Black	1,144	789	48	33	32
Charleston	---	896	33	22	16
White	---	491	8	5	7
All other	---	405	25	17	9
Black	---	405	25	17	9

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Charleston—Con.					
Balance of county	---	1,008	52	35	42
White	---	624	29	19	17
All other	---	384	23	16	25
Black	---	384	23	16	23
Cherokee	295	368	8	6	6
White	231	288	4	3	1
All other	64	80	4	3	5
Black	64	80	4	3	5
Gaffney	---	206	5	4	2
White	---	148	1	1	–
All other	---	58	4	3	2
Black	---	58	4	3	2
Balance of county	---	162	3	2	4
White	---	140	3	2	1
All other	---	22	–	–	3
Black	---	22	–	–	3
Chester	222	324	12	11	7
White	138	206	6	5	4
All other	84	118	6	6	3
Black	84	118	6	6	3
Chesterfield	236	357	16	14	20
White	148	251	5	4	11
All other	88	106	11	10	9
Black	88	106	11	10	9
Clarendon	235	279	15	9	9
White	85	121	5	5	2
All other	150	158	10	4	7
Black	150	158	10	4	7
Colleton	316	313	7	4	6
White	185	181	2	1	2
All other	131	132	5	3	4
Black	131	132	5	3	4
Darlington	510	538	19	17	13
White	336	345	6	6	6
All other	174	193	13	11	7
Black	174	193	13	11	7
Dillon	212	280	18	13	12
White	134	176	9	7	2
All other	78	104	9	6	10
Black	75	102	9	6	10
Dorchester	149	336	18	14	8
White	92	193	10	8	3
All other	57	143	8	6	5
Black	57	143	8	6	5
Edgefield	120	145	5	3	2
White	57	72	–	–	1
All other	63	73	5	3	1
Black	63	73	5	3	1
Fairfield	127	195	12	7	10
White	62	98	2	1	2
All other	65	97	10	6	8
Black	65	97	10	6	8
Florence	1,097	899	54	33	28
White	603	502	17	10	9
All other	494	397	37	23	19
Black	493	397	37	23	19
Florence	---	313	17	12	7
White	---	148	2	1	2
All other	---	165	15	11	5
Black	---	165	15	11	5
Balance of county	---	586	37	21	21
White	---	354	15	9	7
All other	---	232	22	12	14
Black	---	232	22	12	14
Georgetown	299	305	20	13	6
White	166	153	4	2	2
All other	133	152	16	11	4
Black	133	152	16	11	4
Georgetown	---	88	5	5	4
White	---	47	–	–	1
All other	---	41	5	5	3
Black	---	41	5	5	3
Balance of county	---	217	15	8	2
White	---	106	4	2	1
All other	---	111	11	6	1
Black	---	111	11	6	1
Greenville	2,478	2,253	68	45	52
White	1,984	1,813	39	24	32
All other	494	440	29	21	20
Black	493	440	29	21	20
Greenville	---	720	19	14	18
White	---	470	4	2	6
All other	---	250	15	12	12
Black	---	250	15	12	12
Greer, part	---	84	4	2	2
White	---	75	3	1	1
All other	---	9	1	1	1
Black	---	9	1	1	1
South Carolina—Con.					
Greenville—Con.					
Greer, total	---	129	5	2	3
White	---	97	4	1	2
All other	---	32	1	1	1
Black	---	32	1	1	1
Balance of county	---	1,449	45	29	32
White	---	1,268	32	21	25
All other	---	181	13	8	7
Black	---	181	13	8	7
Greenwood	627	496	14	9	8
White	438	343	5	3	4
All other	189	153	9	6	4
Black	189	153	9	6	4
Greenwood	---	214	4	3	4
White	---	145	2	1	2
All other	---	69	2	2	2
Black	---	69	2	2	2
Balance of county	---	282	10	6	4
White	---	198	3	2	2
All other	---	84	7	4	2
Black	---	84	7	4	2
Hampton	118	162	4	1	10
White	59	82	–	–	3
All other	59	80	4	1	7
Black	59	80	4	1	7
Horry	761	773	41	27	16
White	594	596	19	16	10
All other	167	177	22	11	6
Black	166	177	22	11	6
Jasper	77	132	7	4	8
White	31	48	–	–	2
All other	46	84	7	4	6
Black	46	84	7	4	6
Kershaw	227	320	6	4	9
White	138	200	3	2	4
All other	89	120	3	2	5
Black	89	120	3	2	5
Lancaster	358	415	18	13	8
White	274	315	8	7	2
All other	84	100	10	6	6
Black	84	100	10	6	6
Laurens	386	491	14	8	10
White	267	334	5	2	4
All other	119	157	9	6	6
Black	119	157	9	6	6
Laurens	---	112	3	1	2
White	---	67	1	–	1
All other	---	45	2	1	1
Black	---	45	2	1	1
Balance of county	---	379	11	7	8
White	---	267	4	2	3
All other	---	112	7	5	5
Black	---	112	7	5	5
Lee	112	180	6	4	6
White	30	61	–	–	2
All other	82	119	6	4	4
Black	82	119	6	4	4
Lexington	583	735	13	10	15
White	489	632	9	7	12
All other	94	103	4	3	3
Black	93	102	4	3	3
McCormick	36	87	3	2	5
White	21	50	–	–	–
All other	15	37	3	2	5
Black	15	37	3	2	5
Marion	349	338	14	12	14
White	178	159	4	3	2
All other	171	179	10	9	12
Black	171	179	10	9	12
Marlboro	224	271	13	8	6
White	129	153	3	2	2
All other	95	118	10	6	4
Black	95	118	10	6	4
Newberry	240	317	6	4	6
White	169	224	2	2	3
All other	71	93	4	2	3
Black	71	93	4	2	3
Oconee	324	384	14	11	12
White	293	343	11	9	10
All other	31	41	3	2	2
Black	31	41	3	2	2
Orangeburg	745	725	21	9	20
White	383	340	4	1	7
All other	362	385	17	8	13
Black	362	385	17	8	13
Orangeburg	---	151	4	2	5
White	---	82	–	–	1
All other	---	69	4	2	4
Black	---	69	4	2	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina—Con.					
Orangeburg—Con.					
Balance of county	---	574	17	7	15
White	---	258	4	1	6
All other	---	316	13	6	9
Black	---	316	13	6	9
Pickens	352	492	14	8	14
Easley	---	110	3	1	2
White	---	99	1	1	2
All other	---	11	2	-	-
Black	---	11	2	-	-
Balance of county	---	382	11	7	12
Richland	2,904	2,024	67	43	46
White	1,832	1,270	22	17	13
All other	1,072	754	45	26	33
Black	1,069	751	45	26	33
Columbia	---	1,022	25	15	20
White	---	655	7	5	8
All other	---	367	18	10	12
Black	---	366	18	10	12
Balance of county	---	1,002	42	28	26
White	---	615	15	12	5
All other	---	387	27	16	21
Black	---	385	27	16	21
Saluda	74	163	5	2	4
White	55	122	1	-	2
All other	19	41	4	2	2
Black	19	41	4	2	2
Spartanburg	1,562	1,680	48	30	32
White	1,184	1,286	32	21	22
All other	378	394	16	9	10
Black	378	394	16	9	10
Greer, part	---	45	1	-	1
White	---	22	1	-	1
All other	---	23	-	-	-
Black	---	23	-	-	-
Spartanburg	---	462	14	9	4
White	---	295	8	4	2
All other	---	167	6	5	2
Black	---	167	6	5	2
Balance of county	---	1,173	33	21	27
White	---	969	23	17	19
All other	---	204	10	4	8
Black	---	204	10	4	8
Sumter	548	564	27	16	16
White	273	277	9	7	6
All other	275	287	18	9	10
Black	275	287	18	9	10
Sumter	---	241	7	4	7
White	---	137	1	1	1
All other	---	104	6	3	6
Black	---	104	6	3	6
Balance of county	---	323	20	12	9
White	---	140	8	6	5
All other	---	183	12	6	4
Black	---	183	12	6	4
Union	253	305	8	7	8
White	184	223	4	3	2
All other	69	82	4	4	6
Black	69	82	4	4	6
Union	---	106	2	1	4
White	---	73	2	1	1
All other	---	33	-	-	3
Black	---	33	-	-	3
Balance of county	---	199	6	6	4
White	---	150	2	2	1
All other	---	49	4	4	3
Black	---	49	4	4	3
Williamsburg	234	355	17	12	14
White	91	148	3	3	1
All other	143	207	14	9	13
Black	143	207	14	9	13
York	673	788	40	23	22
White	478	572	16	11	9
All other	195	216	24	12	13
Black	195	216	24	12	13
Rock Hill	---	300	18	10	7
White	---	188	4	4	1
All other	---	112	14	6	6
Black	---	112	14	6	6
Balance of county	---	488	22	13	15
White	---	384	12	7	8
All other	---	104	10	6	7
Black	---	104	10	6	7
South Dakota	6,365	6,492	165	115	108
White	5,944	5,997	129	99	84
All other	421	495	36	16	24
Black	9	9	1	-	-
Aurora	19	37	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota—Con.					
Beadle	223	205	2	-	1
Huron	---	153	1	-	1
Balance of county	---	52	1	-	-
Bennett	12	29	-	-	1
White	8	14	-	-	-
All other	4	15	-	-	1
Black	-	-	-	-	-
Bon Homme	70	80	-	-	1
Brookings	134	162	7	5	4
Brookings	---	103	5	4	3
Balance of county	---	59	2	1	1
Brown	387	328	7	5	7
Aberdeen	---	244	7	5	6
Balance of county	---	84	-	-	1
Brule	90	61	-	-	3
Buffalo	6	39	4	1	3
White	2	7	-	-	2
All other	4	32	4	1	1
Black	-	-	-	-	-
Butte	80	88	5	3	-
Campbell	7	17	-	-	-
Charles Mix	112	122	2	-	1
Clark	33	62	-	-	3
Clay	47	71	2	2	-
Codington	282	220	6	4	3
Watertown	---	177	6	4	3
Balance of county	---	43	-	-	-
Corson	17	45	2	-	2
White	7	23	-	-	-
All other	10	22	2	-	2
Black	-	-	-	-	-
Custer	46	54	1	1	1
Davison	213	172	1	1	1
Mitchell	---	148	-	-	-
Balance of county	---	24	1	1	1
Day	78	119	1	-	-
Deuel	40	60	-	-	-
Dewey	31	52	6	4	1
White	7	22	-	-	-
All other	24	30	6	4	1
Black	-	-	-	-	-
Douglas	29	39	1	1	1
Edmunds	46	44	-	-	2
Fall River	150	94	2	-	4
Faulk	32	38	-	-	-
Grant	110	129	2	1	2
Gregory	83	81	-	-	-
Haakon	20	24	-	-	-
Hamlin	39	75	3	2	-
Hand	56	56	-	-	-
Hanson	7	31	-	-	-
Harding	8	21	2	2	-
Hughes	163	118	2	1	3
Hutchinson	140	124	3	3	1
Hyde	8	19	-	-	-
Jackson	26	18	1	-	-
Jerauld	38	36	-	-	-
Jones	1	19	-	-	-
Kingsbury	105	118	-	-	-
Lake	113	119	1	1	-
Lawrence	151	165	2	1	4
Lincoln	96	136	1	1	-
Sioux Falls, part	---	-	-	-	-
Balance of county	---	136	1	1	-
Lyman	11	54	4	3	-
White	9	45	3	3	-
All other	2	9	1	-	-
Black	-	-	-	-	-
McCook	55	96	1	1	-
McPherson	26	39	1	1	1
Marshall	43	60	1	-	1
Meade	150	102	4	3	1
Mellette	17	34	2	-	-
White	8	17	-	-	-
All other	9	17	2	-	-
Black	-	-	-	-	-
Miner	23	43	-	-	-
Minnehaha	1,175	784	28	24	18
Sioux Falls, part	---	603	18	16	12
Sioux Falls, total	---	603	18	16	12
Balance of county	---	181	10	8	6
Moody	70	90	2	2	-
Pennington	500	436	21	16	13
Rapid City	---	324	14	10	7
Balance of county	---	112	7	6	6
Perkins	17	40	-	-	-
Potter	35	44	2	2	-
Roberts	77	130	1	1	4
White	60	113	1	1	2
All other	17	17	-	-	2
Black	-	-	-	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota—Con.					
Sanborn	11	40	1	1	–
Shannon	59	103	6	4	5
White	4	4	–	–	–
All other	55	99	6	4	5
Black	–	–	–	–	–
Spink	78	119	2	2	1
Stanley	6	28	–	–	–
Sully	3	9	–	–	–
Todd	66	94	6	2	5
White	1	6	–	–	–
All other	65	88	6	2	5
Black	–	–	–	–	–
Tripp	71	84	2	2	5
Turner	94	139	1	1	3
Union	43	107	5	4	–
Walworth	94	79	1	1	1
Washabaugh	4	17	–	–	1
White	2	5	–	–	1
All other	2	12	–	–	–
Black	–	–	–	–	–
Yankton	282	175	8	6	–
Yankton	– – –	129	6	5	–
Balance of county	– – –	46	2	1	–
Ziebach	7	19	–	–	–
White	3	10	–	–	–
All other	4	9	–	–	–
Black	–	–	–	–	–
Tennessee	41,122	38,745	987	698	679
White	34,039	32,037	670	468	449
All other	7,083	6,708	317	230	230
Black	7,061	6,685	316	230	226
Anderson	505	529	15	8	5
Oak Ridge, part	– – –	184	4	2	2
Oak Ridge, total	– – –	185	4	2	2
Balance of county	– – –	345	11	6	3
Bedford	236	307	11	6	4
White	202	273	8	5	2
All other	34	34	3	1	2
Black	34	34	3	1	2
Shelbyville	– – –	180	6	3	2
White	– – –	159	4	2	–
All other	– – –	21	2	1	2
Black	– – –	21	2	1	2
Balance of county	– – –	127	5	3	2
Benton	176	168	4	2	–
Bledsoe	51	64	2	1	–
Blount	560	617	7	5	11
Maryville	– – –	220	2	2	4
Balance of county	– – –	397	5	3	7
Bradley	481	468	13	12	13
Cleveland	– – –	289	10	10	7
Balance of county	– – –	179	3	2	6
Campbell	319	342	9	6	6
Cannon	91	98	–	–	2
Carroll	201	305	6	5	5
White	178	275	4	4	4
All other	23	30	2	1	1
Black	23	30	2	1	1
Carter	303	422	6	5	8
Elizabethton	– – –	143	–	–	1
Balance of county	– – –	279	6	5	7
Cheatham	64	133	2	1	5
Chester	31	102	2	1	1
White	24	88	1	1	1
All other	7	14	1	–	–
Black	7	14	1	–	–
Claiborne	233	249	6	3	1
Clay	46	70	1	–	–
Cocke	197	283	4	4	8
Coffee	281	287	5	1	6
Tullahoma, part	– – –	127	1	1	–
Tullahoma, total	– – –	129	1	1	–
Balance of county	– – –	160	4	–	6
Crockett	61	188	8	7	2
White	52	157	1	1	1
All other	9	31	7	6	1
Black	9	31	7	6	1
Cumberland	354	267	5	1	7
Davidson, coext. with Nashville city	5,401	3,806	99	69	68
White	4,290	2,845	54	36	41
All other	1,111	961	45	33	27
Black	1,106	957	45	33	27
Decatur	112	112	1	1	–
De Kalb	129	137	4	2	3
Dickson	285	291	5	3	5
Dyer	403	399	14	9	4
White	336	342	11	7	4
All other	67	57	3	2	–
Black	67	57	3	2	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Dyer—Con.					
Dyersburg	– – –	193	8	6	3
White	– – –	148	7	5	3
All other	– – –	45	1	1	–
Black	– – –	45	1	1	–
Balance of county	– – –	206	6	3	1
Fayette	145	191	8	5	13
White	69	93	–	–	1
All other	76	98	8	5	12
Black	76	98	8	5	12
Fentress	106	166	5	3	2
Franklin	250	285	6	3	6
Tullahoma, part	– – –	2	–	–	–
Balance of county	– – –	283	6	3	6
Gibson	455	501	6	6	6
White	368	405	2	2	3
All other	87	96	4	4	3
Black	87	96	4	4	3
Humboldt	– – –	111	2	2	–
White	– – –	71	1	1	–
All other	– – –	40	1	1	–
Black	– – –	40	1	1	–
Balance of county	– – –	390	4	4	6
White	– – –	334	1	1	3
All other	– – –	56	3	3	3
Black	– – –	56	3	3	3
Giles	191	234	5	–	1
White	162	204	4	–	1
All other	29	30	1	–	–
Black	29	30	1	–	–
Grainger	51	141	3	2	1
Greene	496	457	13	12	13
Greeneville	– – –	163	–	–	2
Balance of county	– – –	294	13	12	11
Grundy	50	137	5	5	4
Hamblen	417	411	6	4	4
Morristown	– – –	218	4	2	2
Balance of county	– – –	193	2	2	2
Hamilton	2,919	2,515	70	53	34
White	2,336	1,937	41	30	19
All other	583	578	29	23	15
Black	583	578	29	23	15
Chattanooga	– – –	1,762	52	41	29
White	– – –	1,194	23	18	14
All other	– – –	568	29	23	15
Black	– – –	568	29	23	15
East Ridge	– – –	158	4	2	–
Red Bank	– – –	93	4	2	–
Balance of county	– – –	502	10	8	5
Hancock	50	76	1	–	3
Hardeman	260	238	11	6	8
White	180	161	–	–	1
All other	80	77	11	6	7
Black	80	77	11	6	7
Hardin	159	188	3	3	4
Hawkins	166	338	8	8	11
Kingsport, part	– – –	2	–	–	–
Balance of county	– – –	336	8	8	11
Haywood	169	219	11	8	7
White	88	99	3	3	1
All other	81	120	8	5	6
Black	81	120	8	5	6
Henderson	172	225	4	2	3
White	156	196	3	2	2
All other	16	29	1	–	1
Black	16	29	1	–	1
Henry	301	326	9	2	3
White	268	287	6	2	2
All other	33	39	3	–	1
Black	33	39	3	–	1
Hickman	85	154	3	1	1
Houston	68	76	1	1	1
Humphreys	108	160	5	4	2
Jackson	74	116	1	–	2
Jefferson	200	230	9	6	3
Johnson	113	138	8	8	–
Knox	3,722	2,729	60	44	41
White	3,431	2,463	51	36	27
All other	291	266	9	8	14
Black	288	262	9	8	13
Knoxville	– – –	1,875	34	26	27
White	– – –	1,618	25	18	14
All other	– – –	257	9	8	13
Black	– – –	253	9	8	12
Balance of county	– – –	854	26	18	14
Lake	48	90	1	–	2
White	39	71	1	–	1
All other	9	19	–	–	1
Black	9	19	–	–	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Tennessee—Con.					
Lauderdale	154	251	5	5	4
White	108	176	2	2	3
All other	46	75	3	3	1
Black	46	74	3	3	1
Lawrence	288	338	9	7	9
Lewis	57	67	2	2	1
Lincoln	237	286	6	2	2
White	204	242	6	2	1
All other	33	44	–	–	1
Black	33	44	–	–	1
Loudon	207	305	5	4	2
McMinn	366	376	11	8	–
Athens	---	124	3	3	–
Balance of county	---	252	8	5	–
McNairy	154	223	3	2	1
Macon	118	164	2	1	2
Madison	1,078	762	12	9	10
White	756	495	3	3	5
All other	322	267	9	6	5
Black	321	266	9	6	5
Jackson	---	523	11	9	3
White	---	327	3	3	1
All other	---	196	8	6	2
Black	---	195	8	6	2
Balance of county	---	239	1	–	7
White	---	168	–	–	4
All other	---	71	1	–	3
Black	---	71	1	–	3
Marion	166	215	3	2	6
Marshall	205	220	5	4	7
White	183	198	3	2	7
All other	22	22	2	2	–
Black	22	22	2	2	–
Maury	438	445	6	4	5
White	360	355	5	4	2
All other	78	90	1	–	3
Black	78	90	1	–	3
Columbia	---	235	3	2	1
White	---	183	3	2	1
All other	---	52	–	–	–
Black	---	52	–	–	–
Balance of county	---	210	3	2	4
White	---	172	2	2	1
All other	---	38	1	–	3
Black	---	38	1	–	3
Meigs	18	48	3	2	1
Monroe	195	263	8	4	3
Montgomery	410	455	15	8	16
White	321	349	10	5	8
All other	89	106	5	3	8
Black	89	104	5	3	7
Clarksville	---	261	10	5	9
White	---	189	5	2	4
All other	---	72	5	3	5
Black	---	70	5	3	4
Balance of county	---	194	5	3	7
White	---	160	5	3	4
All other	---	34	–	–	3
Black	---	34	–	–	3
Moore	4	32	2	2	–
Morgan	53	144	5	3	3
Obion	335	361	8	7	3
Union City	---	132	2	2	1
White	---	112	2	2	1
All other	---	20	–	–	–
Black	---	20	–	–	–
Balance of county	---	229	6	5	2
Overton	141	140	1	1	1
Perry	44	60	2	2	–
Pickett	5	25	–	–	1
Polk	105	132	4	3	1
Putnam	363	387	8	5	5
Cookeville	---	147	6	4	2
Balance of county	---	240	2	1	3
Rhea	146	203	7	6	6
Roane	293	369	10	6	2
Oak Ridge, part	---	1	–	–	–
Balance of county	---	368	10	6	2
Robertson	242	305	6	4	4
White	200	259	4	3	3
All other	42	46	2	1	1
Black	42	45	1	1	1
Rutherford	548	513	16	10	13
White	477	441	14	8	10
All other	71	72	2	2	3
Black	71	72	2	2	3
Murfreesboro	---	231	3	2	5
White	---	194	1	–	3
All other	---	37	2	2	2
Black	---	37	2	2	2
Tennessee—Con.					
Rutherford—Con.					
Balance of county	---	282	13	8	8
White	---	247	13	8	7
All other	---	35	–	–	1
Black	---	35	–	–	1
Scott	182	186	5	3	6
Sequatchie	65	57	1	1	1
Sevier	198	302	10	6	8
Shelby	8,109	6,189	195	145	142
White	4,919	3,462	76	56	42
All other	3,190	2,727	119	89	100
Black	3,183	2,722	119	89	99
Memphis	---	5,788	177	130	128
White	---	3,184	62	45	31
All other	---	2,604	115	85	97
Black	---	2,599	115	85	97
Millington	---	56	8	6	3
Balance of county	---	345	10	9	11
White	---	234	6	5	10
All other	---	111	4	4	1
Black	---	111	4	4	1
Smith	144	157	3	3	–
Stewart	32	83	–	–	–
Sullivan	1,412	1,086	27	21	21
Bristol [6]	---	261	3	2	3
Kingsport, part	---	327	9	6	7
Kingsport, total	---	329	9	6	7
Balance of county	---	498	15	13	11
Sumner	430	544	18	11	7
Gallatin	---	158	7	4	3
White	---	116	5	4	1
All other	---	42	2	–	2
Black	---	42	2	–	2
Balance of county	---	386	11	7	4
Tipton	172	294	16	13	9
White	116	206	6	4	5
All other	56	88	10	9	4
Black	56	88	10	9	4
Trousdale	36	67	1	1	1
White	31	57	1	1	1
All other	5	10	–	–	–
Black	5	10	–	–	–
Unicoi	73	160	2	2	2
Union	44	105	2	–	3
Van Buren	7	45	1	1	–
Warren	256	279	4	3	6
McMinnville	---	136	2	1	2
Balance of county	---	143	2	2	4
Washington	1,229	706	19	15	6
Johnson City	---	404	6	5	4
Balance of county	---	302	13	10	2
Wayne	88	133	5	5	3
Weakley	250	340	5	4	3
White	154	189	2	1	2
Williamson	260	366	10	7	6
White	230	321	8	6	6
All other	30	45	2	1	–
Black	30	45	2	1	–
Wilson	316	383	6	5	6
White	269	319	1	1	4
All other	47	64	5	4	2
Black	47	64	5	4	2
Lebanon	---	148	5	4	3
White	---	115	1	1	2
All other	---	33	4	3	1
Black	---	33	4	3	1
Balance of county	---	235	1	1	3
Texas	105,596	103,845	3,380	2,330	2,175
White	90,818	89,138	2,568	1,768	1,738
All other	14,778	14,707	812	562	437
Black	14,632	14,575	793	548	416
Anderson	369	427	4	4	6
White	273	311	4	4	2
All other	96	116	–	–	4
Black	96	116	–	–	4
Palestine	---	234	3	3	4
White	---	173	3	3	1
All other	---	61	–	–	3
Black	---	61	–	–	3
Balance of county	---	193	1	1	2
White	---	138	1	1	1
All other	---	55	–	–	1
Black	---	55	–	–	1
Andrews	124	97	5	4	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Angelina	595	549	23	17	11
White	496	461	16	14	7
All other	99	88	7	3	4
Black	99	88	7	3	4
Lufkin	---	257	7	4	7
White	---	187	5	4	3
All other	---	70	2	-	4
Black	---	70	2	-	4
Balance of county	---	292	16	13	4
Aransas	49	124	4	3	4
Archer	36	65	-	-	-
Armstrong	31	28	2	2	-
Atascosa	161	186	7	4	6
Austin	177	187	-	-	3
White	158	162	-	-	3
All other	19	25	-	-	-
Black	19	25	-	-	-
Bailey	71	72	3	3	4
Bandera	42	82	1	1	1
Bastrop	187	266	3	3	4
White	136	204	2	2	2
All other	51	62	1	1	2
Black	50	62	1	1	2
Baylor	61	59	-	-	-
Bee	158	190	9	7	3
Beeville	---	124	4	4	3
Balance of county	---	66	5	3	-
Bell	1,591	969	56	38	49
White	1,393	858	39	24	39
All other	198	111	17	14	10
Black	195	108	15	12	7
Killeen	---	183	28	21	33
White	---	154	17	11	23
All other	---	29	11	10	10
Black	---	26	9	8	7
Temple	---	385	4	3	3
White	---	331	3	2	3
All other	---	54	1	1	-
Black	---	54	1	1	-
Balance of county	---	401	24	14	13
White	---	373	19	11	13
All other	---	28	5	3	-
Black	---	28	5	3	-
Bexar	7,791	6,714	234	150	150
White	7,129	6,140	200	131	136
All other	662	574	34	19	14
Black	633	553	31	16	13
San Antonio	---	5,860	199	123	115
White	---	5,312	168	107	108
All other	---	548	31	16	7
Black	---	527	28	13	7
Balance of county	---	854	35	27	35
Blanco	54	53	-	-	1
Borden	1	1	-	-	-
Bosque	193	198	-	-	1
Bowie	710	786	20	14	7
White	532	608	11	6	6
All other	178	178	9	8	1
Black	178	178	9	8	1
Texarkana [7]	---	394	14	10	5
White	---	277	6	2	4
All other	---	117	8	8	1
Black	---	117	8	8	1
Balance of county	---	392	6	4	2
White	---	331	5	4	2
All other	---	61	1	-	-
Black	---	61	1	-	-
Brazoria	644	862	19	15	23
White	549	756	18	14	21
All other	95	106	1	1	2
Black	93	106	1	1	2
Alvin	---	103	3	2	-
Freeport	---	89	3	2	3
White	---	79	3	2	3
All other	---	10	-	-	-
Black	---	10	-	-	-
Lake Jackson	---	75	2	2	4
Balance of county	---	595	11	9	16
White	---	505	10	8	14
All other	---	90	1	1	2
Black	---	90	1	1	2
Brazos	497	509	15	13	10
White	369	373	10	9	8
All other	128	136	5	4	2
Black	128	136	5	4	2
Bryan	---	337	8	7	5
White	---	247	6	6	3
All other	---	90	2	1	2
Black	---	90	2	1	2
Texas—Con.					
Brazos—Con.					
College Station	---	93	6	6	4
Balance of county	---	79	1	-	1
White	---	61	1	-	1
All other	---	18	-	-	-
Black	---	18	-	-	-
Brewster	98	59	2	2	1
Briscoe	4	19	-	-	-
Brooks	69	72	3	3	-
Brown	363	379	8	3	1
Brownwood	---	257	4	2	1
Balance of county	---	122	4	1	-
Burleson	84	150	2	1	1
White	69	115	1	1	-
All other	15	35	1	-	1
Black	15	35	1	-	1
Burnet	201	212	-	-	2
Caldwell	199	251	3	2	7
White	164	209	3	2	4
All other	35	42	-	-	3
Black	35	42	-	-	3
Calhoun	97	123	8	7	4
Port Lavaca	---	76	6	5	1
Balance of county	---	47	2	2	3
Callahan	87	144	2	2	3
Cameron	1,239	1,187	58	47	40
Brownsville	---	455	22	17	13
Harlingen	---	279	16	12	3
San Benito	---	153	6	6	5
Balance of county	---	300	14	12	19
Camp	118	131	2	2	-
White	76	91	1	1	-
All other	42	40	1	1	-
Black	42	40	1	1	-
Carson	52	47	3	2	2
Cass	308	363	6	5	4
White	231	271	3	2	2
All other	77	92	3	3	2
Black	77	92	3	3	2
Castro	50	57	7	5	2
Chambers	90	131	3	3	6
White	74	110	3	3	3
All other	16	21	-	-	3
Black	16	20	-	-	3
Cherokee	442	469	9	6	6
White	344	378	3	2	5
All other	98	91	6	4	1
Black	97	90	6	4	1
Childress	93	102	-	-	-
Clay	70	87	-	-	2
Cochran	18	21	1	1	1
Coke	40	52	-	-	-
Coleman	139	185	4	3	-
Collin	645	737	29	21	15
McKinney	---	217	9	9	2
White	---	189	8	8	-
All other	---	28	1	1	2
Black	---	28	1	1	2
Plano	---	171	14	9	4
Richardson, part	---	12	-	-	-
Balance of county	---	337	6	3	9
Collingsworth	38	54	1	1	3
Colorado	263	241	6	2	4
White	213	183	4	2	3
All other	50	58	2	-	1
Black	50	58	2	-	1
Comal	295	302	6	5	2
New Braunfels	---	235	3	3	2
Balance of county	---	67	3	2	-
Comanche	169	200	2	1	-
Concho	22	33	-	-	-
Cooke	253	299	4	4	3
Gainesville	---	201	2	2	2
Balance of county	---	98	2	2	1
Coryell	160	242	14	10	9
White	153	228	12	8	7
All other	7	14	2	2	2
Black	7	12	-	-	1
Copperas Cove	---	43	8	5	6
Balance of county	---	199	6	5	3
White	---	190	5	4	1
All other	---	9	1	1	2
Black	---	8	-	-	1
Cottle	38	38	-	-	-
White	37	36	-	-	-
All other	1	2	-	-	-
Black	1	1	-	-	-
Crane	43	42	1	1	-
Crockett	39	40	-	-	1
Crosby	74	93	3	2	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Culberson	27	18	1	1	–
Dallam	9	66	–	–	–
Dallas	11,488	10,426	365	255	206
White	9,240	8,357	225	157	139
All other	2,248	2,069	140	98	67
Black	2,236	2,054	139	98	65
Balch Springs	---	91	3	2	2
Carrollton, part	---	117	8	5	3
Carrollton, total	---	125	9	6	3
Dallas	---	7,348	242	170	133
White	---	5,391	112	79	70
All other	---	1,957	130	91	63
Black	---	1,947	129	91	62
Duncanville	---	116	5	2	6
Farmers Branch	---	100	3	2	–
Garland	---	540	36	23	21
Grand Prairie, part	---	337	14	10	10
Grand Prairie, total	---	367	15	10	10
Highland Park	---	90	–	–	–
Irving	---	523	21	13	8
Lancaster	---	124	1	1	2
Mesquite	---	306	10	8	9
Richardson, part	---	209	4	4	1
Richardson, total	---	221	4	4	1
University Park	---	161	2	2	1
Balance of county	---	364	16	13	10
Dawson	117	142	9	6	3
Lamesa	---	120	7	5	3
Balance of county	---	22	2	1	–
Deaf Smith	89	134	5	5	3
Hereford	---	114	3	3	2
Balance of county	---	20	2	2	1
Delta	49	94	–	–	–
White	44	83	–	–	–
All other	5	11	–	–	–
Black	5	11	–	–	–
Denton	635	649	18	15	10
Carrollton, part	---	8	1	1	–
Denton	---	293	4	4	2
Balance of county	---	348	13	10	8
De Witt	232	283	2	–	4
White	202	247	1	–	4
All other	30	36	1	–	–
Black	30	36	1	–	–
Dickens	9	39	1	1	1
Dimmit	115	83	5	2	4
Donley	19	66	2	2	1
Duval	24	123	4	2	2
Eastland	303	314	4	4	2
Ector	700	684	33	24	18
Odessa	---	620	31	22	15
Balance of county	---	64	2	2	3
Edwards	8	17	1	1	1
Ellis	382	541	15	10	11
White	323	440	11	9	5
All other	59	101	4	1	6
Black	59	101	4	1	6
Ennis	---	131	–	–	3
White	---	98	–	–	–
All other	---	33	–	–	3
Black	---	33	–	–	3
Waxahachie	---	167	8	5	4
White	---	126	5	4	1
All other	---	41	3	1	3
Black	---	41	3	1	3
Balance of county	---	243	7	5	4
White	---	216	6	5	4
All other	---	27	1	–	–
Black	---	27	1	–	–
El Paso	2,692	2,419	118	82	103
White	2,611	2,351	109	75	99
All other	81	68	9	7	4
Black	67	58	9	7	3
El Paso	---	2,279	102	72	91
White	---	2,220	96	67	87
All other	---	59	6	5	4
Black	---	50	6	5	3
Balance of county	---	140	16	10	12
Erath	230	256	6	3	2
Falls	373	303	2	–	1
White	264	209	–	–	1
All other	109	94	2	–	–
Black	109	94	2	–	–
Fannin	330	351	3	1	6
Fayette	151	286	2	2	5
White	138	259	2	2	4
All other	13	27	–	–	1
Black	13	27	–	–	1
Fisher	72	93	3	3	–
Floyd	72	102	–	–	3
Texas—Con.					
Foard	26	29	–	–	–
Fort Bend	384	539	27	22	15
White	304	438	23	19	12
All other	80	101	4	3	3
Black	78	98	4	3	2
Houston, part	---	6	1	1	1
Rosenburg	---	118	7	6	2
Balance of county	---	415	19	15	12
White	---	330	16	13	10
All other	---	85	3	2	2
Black	---	82	3	2	1
Franklin	76	90	4	3	–
Freestone	181	186	4	4	2
White	142	144	2	2	–
All other	39	42	2	2	2
Black	39	42	2	2	1
Frio	101	99	5	2	5
Gaines	63	87	5	4	1
Galveston	1,983	1,638	43	29	35
White	1,469	1,272	30	20	25
All other	514	366	13	9	10
Black	512	366	13	9	9
Galveston	---	741	10	7	12
White	---	510	5	2	10
All other	---	231	5	5	2
Black	---	231	5	5	1
La Marque	---	127	9	4	2
White	---	100	6	3	1
All other	---	27	3	1	1
Black	---	27	3	1	1
League City	---	60	2	2	1
Texas City	---	280	5	5	12
White	---	225	3	3	7
All other	---	55	2	2	5
Black	---	55	2	2	5
Balance of county	---	430	17	11	8
White	---	382	14	10	6
All other	---	48	3	1	2
Black	---	48	3	1	2
Garza	31	49	–	–	1
Gillespie	194	166	–	–	4
Glasscock	11	4	–	–	–
Goliad	49	62	–	–	–
White	44	53	–	–	–
All other	5	9	–	–	–
Black	5	9	–	–	–
Gonzales	135	201	5	1	7
White	117	166	4	1	7
All other	18	35	1	–	–
Black	18	35	1	–	–
Gray	258	280	11	9	7
Pampa	---	230	9	7	7
Balance of county	---	50	2	2	–
Grayson	1,065	993	19	8	14
Denison	---	310	7	3	8
White	---	268	7	3	4
All other	---	42	–	–	4
Black	---	40	–	–	4
Sherman	---	310	5	1	3
White	---	284	5	1	3
All other	---	26	–	–	–
Black	---	25	–	–	–
Balance of county	---	373	7	4	3
Gregg	910	831	21	13	12
White	714	647	9	5	6
All other	196	184	12	8	6
Black	196	184	12	8	6
Longview	---	460	12	7	3
White	---	352	6	3	1
All other	---	108	6	4	2
Black	---	108	6	4	2
Balance of county	---	371	9	6	9
White	---	295	3	2	5
All other	---	76	6	4	4
Black	---	76	6	4	4
Grimes	146	182	6	6	1
White	95	129	4	4	1
All other	51	53	2	2	–
Black	51	53	2	2	–
Guadalupe	216	337	11	4	6
Seguin	---	187	6	1	4
White	---	155	6	1	4
All other	---	32	–	–	–
Black	---	32	–	–	–
Balance of county	---	150	5	3	2
Hale	319	322	8	5	8
Plainview	---	215	6	3	5
Balance of county	---	107	2	2	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Hall	88	101	–	–	3
White	83	91	–	–	1
All other	5	10	–	–	2
Black	5	10	–	–	2
Hamilton	127	150	2	2	–
Hansford	26	44	1	1	–
Hardeman	94	111	1	–	3
White	89	105	1	–	3
All other	5	6	–	–	–
Black	5	6	–	–	–
Hardin	182	300	11	9	5
White	150	253	9	8	3
All other	32	47	2	1	2
Black	32	47	2	1	2
Harris	16,059	13,769	592	409	328
White	12,466	10,435	380	264	219
All other	3,593	3,334	212	145	109
Black	3,547	3,294	208	142	105
Baytown	– – –	372	9	5	11
Beltaire	– – –	121	1	1	–
Deer Park	– – –	68	3	1	1
Galena Park	– – –	43	2	1	2
White	– – –	39	1	1	2
All other	– – –	4	1	–	–
Black	– – –	4	1	–	–
Houston, part	– – –	11,029	470	320	248
White	– – –	7,836	268	183	148
All other	– – –	3,193	202	137	100
Black	– – –	3,159	198	134	97
Houston, total	– – –	11,036	471	321	249
White	– – –	7,842	269	184	149
All other	– – –	3,194	202	137	100
Black	– – –	3,160	198	134	97
Pasadena	– – –	531	42	35	11
South Houston	– – –	68	5	2	5
West University Place	– – –	25	–	–	–
Balance of county	– – –	1,512	60	44	50
White	– – –	1,413	53	38	45
All other	– – –	99	7	6	5
Black	– – –	95	7	6	5
Harrison	443	566	16	7	13
White	255	325	2	1	6
All other	188	241	14	6	7
Black	188	241	14	6	7
Marshall	– – –	324	9	5	8
White	– – –	184	2	1	4
All other	– – –	140	7	4	4
Black	– – –	140	7	4	4
Balance of county	– – –	242	7	2	5
White	– – –	141	–	–	2
All other	– – –	101	7	2	3
Black	– – –	101	7	2	3
Hartley	58	20	–	–	–
Haskell	74	94	–	–	2
Hays	147	205	5	4	4
San Marcos	– – –	118	3	3	3
Balance of county	– – –	87	2	1	1
Hemphill	44	40	–	–	–
Henderson	307	424	10	6	4
White	278	376	8	5	3
All other	29	48	2	1	1
Black	29	48	2	1	1
Hidalgo	1,463	1,446	66	45	81
Edinburg	– – –	140	9	6	7
McAllen	– – –	372	12	8	11
Mission	– – –	126	3	2	2
Pharr	– – –	113	6	4	2
Weslaco	– – –	143	7	4	9
Balance of county	– – –	552	29	21	50
Hill	323	371	9	6	2
White	288	333	6	4	2
All other	35	38	3	2	–
Black	35	38	3	2	–
Hockley	98	174	5	4	5
Levelland	– – –	110	2	2	5
Balance of county	– – –	64	3	2	–
Hood	113	143	2	1	–
Hopkins	279	321	7	6	–
White	259	297	5	4	–
All other	20	24	2	2	–
Black	20	24	2	2	–
Sulphur Springs	– – –	191	1	1	–
White	– – –	177	–	–	–
All other	– – –	14	1	1	–
Black	– – –	14	1	1	–
Balance of county	– – –	130	6	5	–
Houston	206	253	5	3	1
White	152	184	2	1	1
All other	54	69	3	2	–
Black	54	69	3	2	–
Texas—Con.					
Howard	495	317	9	8	6
Big Spring	– – –	254	8	7	6
Balance of county	– – –	63	1	1	–
Hudspeth	10	13	1	1	1
Hunt	474	578	8	5	9
White	414	506	5	4	5
All other	60	72	3	1	4
Black	59	71	3	1	4
Greenville	– – –	274	6	3	7
White	– – –	226	3	2	3
All other	– – –	48	3	1	4
Black	– – –	47	3	1	4
Balance of county	– – –	304	2	2	2
White	– – –	280	2	2	2
All other	– – –	24	–	–	–
Black	– – –	24	–	–	–
Hutchinson	185	253	3	1	5
Borger	– – –	158	3	1	4
Balance of county	– – –	95	–	–	1
Irion	3	11	–	–	–
Jack	94	118	1	1	–
Jackson	104	119	6	5	3
White	83	99	6	5	3
All other	21	20	–	–	–
Black	21	20	–	–	–
Jasper	234	285	5	3	6
White	182	226	2	2	5
All other	52	59	3	1	1
Black	52	59	3	1	1
Jeff Davis	1	26	1	1	–
Jefferson	2,414	2,279	69	48	42
White	1,841	1,628	27	20	22
All other	573	651	42	28	20
Black	570	646	41	27	20
Beaumont	– – –	1,149	41	25	28
White	– – –	753	13	8	14
All other	– – –	396	28	17	14
Black	– – –	393	28	17	14
Groves	– – –	130	3	2	1
Nederland	– – –	115	4	4	2
Port Arthur	– – –	680	15	12	11
White	– – –	440	2	1	5
All other	– – –	240	13	11	6
Black	– – –	238	12	10	6
Port Neches	– – –	81	4	4	–
Balance of county	– – –	124	2	1	–
White	– – –	113	1	1	–
All other	– – –	11	1	–	–
Black	– – –	11	1	–	–
Jim Hogg	11	43	1	1	–
Jim Wells	294	279	15	12	1
Alice	– – –	166	10	8	–
Balance of county	– – –	113	5	4	1
Johnson	483	599	10	7	5
Cleburne	– – –	259	3	2	1
Fort Worth, part	– – –	1	–	–	–
White	– – –	1	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	339	7	5	4
Jones	178	204	6	4	1
Abilene, part	– – –	1	–	–	–
Balance of county	– – –	203	6	4	1
Karnes	125	160	3	3	2
Kaufman	444	440	9	5	6
White	374	356	6	3	4
All other	70	84	3	2	2
Black	70	84	3	2	2
Terrell	– – –	172	3	2	2
White	– – –	120	–	–	1
All other	– – –	52	3	2	1
Black	– – –	52	3	2	1
Balance of county	– – –	268	6	3	4
White	– – –	236	6	3	3
All other	– – –	32	–	–	1
Black	– – –	32	–	–	1
Kendall	87	117	1	1	2
Kenedy	4	3	–	–	–
Kent	1	7	–	–	–
Kerr	483	334	3	2	4
Kerrville	– – –	258	2	1	1
Balance of county	– – –	76	1	1	3
Kimble	42	52	1	1	1
King	3	3	–	–	–
Kinney	12	25	–	–	1
Kleberg	185	196	9	5	7
Kingsville	– – –	173	8	4	7
Balance of county	– – –	23	1	1	–
Knox	60	79	1	1	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Lamar	541	509	19	10	10
White	452	415	12	6	9
All other	89	94	7	4	1
Black	88	94	7	4	1
Paris	---	371	12	7	5
White	---	292	7	4	4
All other	---	79	5	3	1
Black	---	79	5	3	1
Balance of county	---	138	7	3	5
White	---	123	5	2	5
All other	---	15	2	1	-
Black	---	15	2	1	-
Lamb	126	187	8	4	6
Lampasas	92	125	3	1	1
La Salle	18	59	1	-	1
Lavaca	284	282	4	4	4
Lee	98	134	3	2	5
White	81	110	1	-	4
All other	17	24	2	2	1
Black	17	24	2	2	1
Leon	65	133	-	-	1
White	44	92	-	-	-
All other	21	41	-	-	1
Black	21	41	-	-	1
Liberty	441	494	22	15	9
White	374	406	15	10	9
All other	67	88	7	5	-
Black	67	88	7	5	-
Limestone	191	250	4	2	7
White	150	196	3	1	5
All other	41	54	1	1	2
Black	41	54	1	1	2
Lipscomb	4	27	-	-	1
Live Oak	49	69	-	-	-
Llano	99	130	-	-	1
Loving	-	2	-	-	-
Lubbock	1,757	1,326	62	41	28
White	1,624	1,201	57	37	24
All other	133	125	5	4	4
Black	132	124	5	4	4
Lubbock	---	1,083	46	28	25
White	---	979	43	25	21
All other	---	104	3	3	4
Black	---	103	3	3	4
Balance of county	---	243	16	13	3
Lynn	43	70	4	3	-
McCulloch	130	134	-	-	3
McLennan	1,564	1,574	41	33	21
White	1,280	1,282	25	19	13
All other	284	292	16	14	8
Black	284	292	16	14	8
Waco	---	1,108	33	27	17
White	---	861	19	15	10
All other	---	247	14	12	7
Black	---	247	14	12	7
Balance of county	---	466	8	6	4
McMullen	8	8	-	-	-
Madison	129	102	-	-	-
White	105	85	-	-	-
All other	24	17	-	-	-
Black	24	17	-	-	-
Marion	114	131	3	3	2
White	52	65	-	-	-
All other	62	66	3	3	2
Black	62	66	3	3	2
Martin	30	41	2	2	5
Mason	26	50	2	1	-
Matagorda	288	325	14	12	8
White	223	250	12	10	5
All other	65	75	2	2	3
Black	65	75	2	2	3
Bay City	---	165	7	6	3
White	---	118	5	4	2
All other	---	47	2	2	1
Black	---	47	2	2	1
Balance of county	---	160	7	6	5
White	---	132	7	6	3
All other	---	28	-	-	2
Black	---	28	-	-	2
Maverick	117	128	10	7	6
Eagle Pass	---	101	7	4	5
Balance of county	---	27	3	3	1
Medina	124	209	8	6	6
Menard	43	56	-	-	1
Midland	412	475	21	17	11
White	367	425	18	14	11
All other	45	50	3	3	-
Black	45	50	3	3	-
Texas—Con.					
Midland—Con.					
Midland	---	424	17	14	10
White	---	374	14	11	10
All other	---	50	3	3	-
Black	---	50	3	3	-
Balance of county	---	51	4	3	1
Milam	218	293	4	4	3
White	183	250	3	3	2
All other	35	43	1	1	1
Black	35	43	1	1	-
Mills	66	67	-	-	-
Mitchell	123	134	4	2	1
Montague	252	278	3	1	6
Montgomery	446	671	24	14	17
White	397	602	21	12	16
All other	49	69	3	2	1
Black	48	68	3	2	1
Conroe	---	192	9	4	4
White	---	157	8	4	3
All other	---	35	1	-	1
Black	---	35	1	-	1
Houston, part	---	1	-	-	-
Balance of county	---	478	15	10	13
White	---	444	13	8	13
All other	---	34	2	2	-
Black	---	33	2	2	-
Moore	70	85	6	5	3
Morris	130	136	3	3	3
White	106	106	2	2	2
All other	24	30	1	1	1
Black	24	30	1	1	1
Motley	6	28	-	-	-
Nacogdoches	437	410	9	6	7
White	333	323	7	5	4
All other	104	87	2	1	3
Black	104	87	2	1	3
Nacogdoches	---	210	4	2	5
White	---	148	2	1	2
All other	---	62	2	1	3
Black	---	62	2	1	3
Balance of county	---	200	5	4	2
White	---	175	5	4	2
All other	---	25	-	-	-
Black	---	25	-	-	-
Navarro	449	479	10	5	4
White	343	360	6	3	3
All other	106	119	4	2	1
Black	106	119	4	2	1
Corsicana	---	310	7	4	2
White	---	229	4	2	1
All other	---	81	3	2	1
Black	---	81	3	2	1
Balance of county	---	169	3	1	2
White	---	131	2	1	2
All other	---	38	1	-	-
Black	---	38	1	-	-
Newton	25	74	2	2	3
White	21	57	1	1	2
All other	4	17	1	1	1
Black	4	17	1	1	1
Nolan	166	192	2	-	1
Sweetwater	---	146	1	-	1
Balance of county	---	46	1	-	-
Nueces	2,112	1,775	83	64	48
White	1,988	1,650	71	54	46
All other	124	125	12	10	2
Black	123	124	12	10	2
Corpus Christi	---	1,552	73	59	40
White	---	1,429	61	49	38
All other	---	123	12	10	2
Black	---	122	12	10	2
Robstown	---	107	6	3	4
Balance of county	---	116	4	2	4
Ochiltree	60	59	3	1	2
Oldham	7	11	-	-	1
Orange	281	491	27	19	18
Orange	---	188	11	7	7
White	---	141	6	4	5
All other	---	47	5	3	2
Black	---	47	5	3	2
Balance of county	---	303	16	12	11
Palo Pinto	215	274	6	4	2
Mineral Wells, part	---	196	5	3	2
Mineral Wells, total	---	196	5	3	2
Balance of county	---	78	1	1	-
Panola	234	242	4	4	1
White	179	198	4	4	1
All other	55	44	-	-	-
Black	55	44	-	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Texas—Con.					
Parker	270	323	4	3	7
Mineral Wells, part	---	–	–	–	–
Weatherford	---	161	3	2	4
Balance of county	---	162	1	1	3
Parmer	49	68	4	1	3
Pecos	95	102	5	4	6
Polk	170	271	8	6	9
White	131	207	5	4	4
All other	39	64	3	2	5
Black	38	63	3	2	5
Potter	1,465	890	29	16	19
Amarillo, part	---	876	29	16	19
Amarillo, total	---	1,138	36	21	26
Balance of county	---	14	–	–	–
Presidio	15	46	2	1	–
Rains	13	48	–	–	1
Randall	140	363	11	7	10
Amarillo, part	---	262	7	5	7
Balance of county	---	101	4	2	3
Reagan	19	32	–	–	2
Real	9	19	–	–	1
Red River	158	232	–	–	2
White	127	189	–	–	1
All other	31	43	–	–	1
Black	31	43	–	–	1
Reeves	76	111	6	5	5
Pecos	---	92	5	4	5
Balance of county	---	19	1	1	–
Refugio	56	76	–	–	1
White	52	72	–	–	1
All other	4	4	–	–	–
Black	4	4	–	–	–
Roberts	4	9	–	–	–
Robertson	134	204	7	6	2
White	84	128	1	–	1
All other	50	76	6	6	1
Black	50	76	6	6	1
Rockwall	11	77	2	1	1
White	11	71	2	1	1
All other	–	6	–	–	–
Black	–	6	–	–	–
Runnels	134	160	5	4	7
Rusk	388	475	8	6	8
White	288	341	6	5	4
All other	100	134	2	1	4
Black	100	134	2	1	4
Henderson	---	151	3	3	3
White	---	111	3	3	2
All other	---	40	–	–	1
Black	---	40	–	–	1
Balance of county	---	324	5	3	5
White	---	230	3	2	2
All other	---	94	2	1	3
Black	---	94	2	1	3
Sabine	40	89	1	1	2
White	33	75	–	–	–
All other	7	14	1	1	2
Black	7	14	1	1	2
San Augustine	85	118	5	3	1
White	61	75	1	1	1
All other	24	43	4	2	–
Black	24	43	4	2	–
San Jacinto	15	96	3	2	–
White	8	64	2	1	–
All other	7	32	1	1	–
Black	7	32	1	1	–
San Patricio	294	391	18	13	20
San Saba	88	106	1	1	2
Schleicher	20	33	3	2	–
Scurry	138	174	3	2	4
Snyder	---	122	3	2	3
Balance of county	---	52	–	–	1
Shackelford	33	50	1	–	–
Shelby	230	311	9	5	2
White	199	264	7	5	2
All other	31	47	2	–	–
Black	31	47	2	–	–
Sherman	11	23	–	–	–
Smith	1,549	1,111	37	23	24
White	1,202	830	19	13	11
All other	347	281	18	10	13
Black	344	278	17	10	13
Tyler	---	640	21	13	15
White	---	486	8	5	7
All other	---	154	13	8	8
Black	---	154	13	8	8
Balance of county	---	471	16	10	9
White	---	344	11	8	4
All other	---	127	5	2	5
Black	---	124	4	2	5
Texas—Con.					
Somervell	28	39	1	–	–
Starr	87	144	3	2	3
Stephens	125	140	4	4	2
Sterling	13	13	–	–	–
Stonewall	30	32	1	1	1
Sutton	34	35	2	1	–
Swisher	68	100	3	2	1
Tarrant	6,456	5,995	191	133	114
White	5,624	5,165	132	86	93
All other	832	830	59	47	21
Black	827	825	57	46	21
Arlington	---	644	23	13	18
Bedford	---	59	4	4	1
Euless	---	74	3	2	4
Fort Worth, part	---	3,809	119	91	62
White	---	3,022	61	44	42
All other	---	787	58	47	20
Black	---	784	57	46	20
Fort Worth, total	---	3,810	119	91	62
White	---	3,023	61	44	42
All other	---	787	58	47	20
Black	---	784	57	46	20
Grand Prairie, part	---	30	1	–	–
White	---	22	1	–	–
All other	---	8	–	–	–
Black	---	8	–	–	–
Haltom City	---	205	6	4	4
Hurst	---	127	5	1	4
North Richland Hills	---	119	4	2	3
White Settlement	---	73	1	–	3
Balance of county	---	855	25	16	15
Taylor	990	856	24	18	23
Abilene, part	---	742	22	16	21
Abilene, total	---	743	22	16	21
Balance of county	---	114	2	2	2
Terrell	5	14	1	–	1
Terry	107	124	6	6	3
Throckmorton	19	31	–	–	–
Titus	230	237	5	5	3
White	197	205	3	3	3
All other	33	32	2	2	–
Black	33	32	2	2	–
Tom Green	802	747	18	10	14
San Angelo	---	681	14	8	14
Balance of county	---	66	4	2	–
Travis	2,472	2,218	67	41	36
White	2,097	1,870	53	33	25
All other	375	348	14	8	11
Black	372	345	14	8	9
Austin	---	1,934	64	39	31
White	---	1,607	50	31	20
All other	---	327	14	8	11
Black	---	324	14	8	9
Balance of county	---	284	3	2	5
Trinity	85	144	3	–	1
White	61	111	2	–	–
All other	24	33	1	–	1
Black	24	33	1	–	1
Tyler	150	177	7	4	–
White	123	152	6	3	–
All other	27	25	1	1	–
Black	27	25	1	1	–
Upshur	171	291	6	3	7
White	145	245	5	3	5
All other	26	46	1	–	2
Black	26	46	1	–	2
Upton	21	36	1	1	2
Uvalde	133	171	5	3	4
Uvalde	---	109	4	3	4
Balance of county	---	62	1	–	–
Val Verde	219	213	15	10	14
Del Rio	---	196	14	9	13
Balance of county	---	17	1	1	1
Van Zandt	176	343	5	2	2
Victoria	572	495	17	10	7
Victoria	---	372	17	10	7
Balance of county	---	123	–	–	–
Walker	203	196	9	6	3
White	139	132	4	2	1
All other	64	64	5	4	2
Black	64	64	5	4	2
Huntsville	---	100	6	5	1
White	---	69	1	1	–
All other	---	31	5	4	1
Black	---	31	5	4	1
Balance of county	---	96	3	1	2
White	---	63	3	1	1
All other	---	33	–	–	1
Black	---	33	–	–	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Waller	91	138	1	1	2
White	58	84	1	1	1
All other	33	54	–	–	1
Black	32	53	–	–	1
Ward	58	111	4	2	2
Washington	326	310	5	3	2
White	242	216	3	2	1
All other	84	94	2	1	1
Black	84	94	2	1	1
Webb	569	546	34	21	23
Laredo	---	513	33	21	23
Balance of county	---	33	1	–	–
Wharton	418	394	12	11	10
White	318	303	10	9	8
All other	100	91	2	2	2
Black	100	91	2	2	2
Wheeler	60	69	1	1	–
Wichita	1,116	1,040	28	21	6
White	1,022	942	23	16	5
All other	94	98	5	5	1
Black	94	98	5	5	1
Wichita Falls	---	808	24	17	6
White	---	718	20	13	5
All other	---	90	4	4	1
Black	---	90	4	4	1
Balance of county	---	232	4	4	–
Wilbarger	214	206	5	4	2
White	202	192	2	2	2
All other	12	14	3	2	–
Black	12	14	3	2	–
Vernon	---	186	5	4	2
White	---	173	2	2	2
All other	---	13	3	2	–
Black	---	13	3	2	–
Balance of county	---	20	–	–	–
Willacy	90	126	2	1	6
Williamson	437	512	10	6	7
White	390	462	10	6	4
All other	47	50	–	–	3
Black	47	50	–	–	3
Wilson	98	126	3	1	1
Winkler	84	83	2	1	1
Wise	175	222	5	3	2
Wood	279	339	9	5	4
White	253	303	9	5	4
All other	26	36	–	–	–
Black	26	36	–	–	–
Yoakum	42	58	4	3	2
Young	238	253	5	3	1
Zapata	25	54	4	3	1
Zavala	8	88	5	3	3
Utah	8,256	7,892	443	301	290
White	8,067	7,708	424	290	272
All other	189	184	19	11	18
Black	60	56	5	4	4
Beaver	37	38	4	3	–
Box Elder	181	210	14	8	9
Brigham City	---	102	5	2	4
Balance of county	---	108	9	6	5
Cache	287	294	16	12	9
Logan	---	148	7	4	4
Balance of county	---	146	9	8	5
Carbon	175	179	7	7	3
Daggett	–	5	–	–	–
Davis	431	503	46	34	26
Bountiful	---	139	6	3	7
Clearfield	---	67	7	5	4
White	---	65	7	5	4
All other	---	2	–	–	–
Black	---	–	–	–	–
Layton	---	102	9	8	9
Balance of county	---	195	24	18	6
Duchesne	79	77	3	2	3
Emery	31	65	3	2	1
Garfield	35	33	2	1	–
Grand	43	49	3	3	1
Iron	95	95	7	5	6
Juab	35	41	1	1	–
Kane	43	32	2	2	–
Millard	70	73	2	1	3
Morgan	17	29	2	1	1
Piute	5	7	–	–	–
Rich	5	8	1	1	–
Salt Lake	3,980	3,386	158	107	117
Murray	---	146	6	3	3
Utah—Con.					
Salt Lake—Con.					
Salt Lake City	---	1,699	51	34	45
Balance of county	---	1,541	101	70	69
San Juan	49	53	7	3	5
White	27	22	3	1	1
All other	22	31	4	2	4
Black	–	–	–	–	–
Sanpete	120	156	8	5	3
Sevier	92	106	5	4	2
Summit	37	43	–	–	1
Tooele	113	145	7	4	8
Tooele	---	101	5	2	3
Balance of county	---	44	2	2	5
Uintah	60	98	5	3	3
White	55	79	4	3	2
All other	5	19	1	–	1
Black	–	–	–	–	–
Utah	974	960	90	61	52
Orem	---	178	29	21	16
Provo	---	270	25	21	22
Balance of county	---	512	36	19	14
Wasatch	72	64	2	1	3
Washington	160	170	7	4	4
Wayne	3	9	–	–	–
Weber	1,027	964	41	26	30
Ogden	---	624	19	13	24
Ray	---	94	10	6	1
Balance of county	---	246	12	7	5
Vermont	4,496	4,426	97	65	48
White	4,491	4,419	95	63	48
All other	5	7	2	2	–
Black	4	6	2	2	–
Addison	131	191	3	3	4
Bennington	356	351	9	7	3
Caledonia	203	254	4	3	2
Chittenden	1,017	700	12	9	9
Burlington	---	322	2	2	1
Balance of county	---	378	10	7	8
Essex	16	70	3	3	1
Franklin	281	315	5	4	2
Grand Isle	12	34	–	–	–
Lamoille	128	132	4	2	1
Orange	112	183	8	3	3
Orleans	228	228	4	3	3
Rutland	610	600	15	9	4
Rutland	---	254	5	4	1
Balance of county	---	346	10	5	3
Washington	510	497	9	8	9
Barre	---	143	3	3	–
Balance of county	---	354	6	5	9
Windham	379	393	8	3	3
Windsor	513	478	13	8	4
Virginia	40,206	40,767	1,010	710	1,127
White	31,002	31,597	628	436	675
All other	9,204	9,170	382	274	452
Black	9,133	9,099	379	272	431
Accomack	190	435	2	2	21
White	138	294	–	–	6
All other	52	141	2	2	15
Black	51	140	2	2	15
Albemarle	929	319	4	3	7
White	721	259	3	2	6
All other	208	60	1	1	1
Black	206	59	1	1	1
Alleghany	67	119	3	3	4
Amelia	28	83	–	–	4
White	15	50	–	–	2
All other	13	33	–	–	2
Black	13	33	–	–	2
Amherst	137	255	5	2	7
White	107	199	3	2	2
All other	30	56	2	–	5
Black	30	56	2	–	5
Appomattox	49	127	2	2	3
White	36	95	1	1	2
All other	13	32	1	1	1
Black	13	32	1	1	1
Arlington†	1,027	1,039	19	16	13
White	939	948	17	15	12
All other	88	91	2	1	1
Black	81	84	2	1	–
Augusta	220	410	9	6	8
Bath	43	60	1	1	–
White	40	55	1	1	–
All other	3	5	–	–	–
Black	3	5	–	–	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Bedford	99	291	4	3	5
White	89	245	1	–	5
All other	10	46	3	3	–
Black	10	46	3	3	–
Bland	15	53	1	1	–
Botetourt	83	196	2	1	6
Brunswick	76	191	5	3	2
White	37	89	2	2	1
All other	39	102	3	1	1
Black	39	102	3	1	1
Buchanan	169	249	21	17	14
Buckingham	43	106	–	–	6
White	30	73	–	–	2
All other	13	33	–	–	4
Black	13	33	–	–	4
Campbell	95	312	8	7	9
White	75	250	6	5	7
All other	20	62	2	2	2
Black	20	62	2	2	2
Caroline	51	164	6	5	2
White	31	90	4	3	–
All other	20	74	2	2	2
Black	20	73	2	2	2
Carroll	66	231	2	–	6
Charles City	20	50	1	1	4
White	3	15	–	–	–
All other	17	35	1	1	4
Black	17	35	1	1	4
Charlotte	58	150	–	–	7
White	37	103	–	–	–
All other	21	47	–	–	7
Black	21	47	–	–	7
Chesterfield	169	577	22	17	27
White	145	503	19	14	23
All other	24	74	3	3	4
Black	24	74	3	3	4
Clarke	37	84	3	3	4
White	30	70	3	3	3
All other	7	14	–	–	1
Black	7	14	–	–	1
Craig	12	36	–	–	–
Culpeper	162	195	3	2	10
White	131	152	2	1	8
All other	31	43	1	1	2
Black	31	43	1	1	2
Cumberland	21	70	5	4	2
White	6	34	1	–	2
All other	15	36	4	4	–
Black	15	36	4	4	–
Dickenson	60	146	3	–	7
Dinwiddie	193	187	–	–	9
White	94	110	–	–	2
All other	99	77	–	–	7
Black	99	77	–	–	6
Essex	158	73	2	2	–
White	91	43	1	1	–
All other	67	30	1	1	–
Black	66	30	1	1	–
Fairfax	1,724	2,160	65	44	90
White	1,606	2,026	53	34	73
All other	118	134	12	10	17
Black	105	114	12	10	11
Vienna	– – –	91	1	1	2
Balance of county	– – –	2,069	64	43	88
White	– – –	1,941	52	33	72
All other	– – –	128	12	10	16
Black	– – –	109	12	10	10
Fauquier	253	272	–	–	8
White	199	206	–	–	6
All other	54	66	–	–	2
Black	53	65	–	–	2
Floyd	37	96	–	–	3
Fluvanna	50	108	3	2	1
White	39	77	1	1	1
All other	11	31	2	1	–
Black	11	31	2	1	–
Franklin	157	263	5	1	5
White	135	231	3	1	4
All other	22	32	2	–	1
Black	21	31	2	–	1
Frederick	27	247	9	6	8
Giles	139	199	7	4	1
Gloucester	178	183	4	4	3
White	135	133	3	3	2
All other	43	50	1	1	1
Black	43	50	1	1	1
Virginia—Con.					
Goochland	28	74	–	–	2
White	21	47	–	–	–
All other	7	27	–	–	2
Black	7	27	–	–	2
Grayson	52	172	2	1	2
Greene	22	68	2	2	5
White	17	57	2	2	5
All other	5	11	–	–	–
Black	5	11	–	–	–
Greensville	33	111	3	2	6
White	15	48	–	–	–
All other	18	63	3	2	6
Black	18	63	3	2	6
Halifax	92	306	5	3	9
White	60	178	4	3	2
All other	32	128	1	–	7
Black	32	127	1	–	7
Hanover	167	372	8	5	12
White	128	288	4	3	9
All other	39	84	4	2	3
Black	39	84	4	2	2
Henrico	1,457	1,335	30	21	35
White	1,269	1,223	24	16	22
All other	188	112	6	5	13
Black	186	111	6	5	13
Henry	84	387	6	2	15
White	60	304	2	1	11
All other	24	83	4	1	4
Black	24	83	4	1	4
Highland	12	30	–	–	–
Isle of Wight	48	166	10	7	5
White	31	96	3	2	1
All other	17	70	7	5	4
Black	17	70	7	5	4
James City	163	152	2	2	8
White	105	94	1	1	3
All other	58	58	1	1	5
Black	58	58	1	1	5
King and Queen	24	68	–	–	1
White	13	44	–	–	–
All other	11	24	–	–	1
Black	11	24	–	–	1
King George	29	71	–	–	3
White	24	54	–	–	1
All other	5	17	–	–	2
Black	5	17	–	–	2
King William	40	107	4	3	1
White	22	59	1	1	–
All other	18	48	3	2	1
Black	18	45	3	2	1
Lancaster	175	113	–	–	1
White	130	82	–	–	–
All other	45	31	–	–	1
Black	45	31	–	–	1
Lee	225	312	4	1	2
Loudoun	250	324	10	7	8
White	212	273	8	5	7
All other	38	51	2	2	1
Black	38	51	2	2	1
Louisa	64	181	2	2	6
White	41	122	–	–	5
All other	23	59	2	2	1
Black	23	59	2	2	1
Lunenburg	51	136	3	2	3
White	37	96	1	–	2
All other	14	40	2	2	1
Black	14	40	2	2	1
Madison	48	100	1	–	–
White	42	80	1	–	–
All other	6	20	–	–	–
Black	6	20	–	–	–
Mathews	51	107	–	–	–
White	42	91	–	–	–
All other	9	16	–	–	–
Black	9	16	–	–	–
Mecklenburg	321	352	11	8	7
White	170	195	4	3	4
All other	151	157	7	5	3
Black	151	157	7	5	3
Middlesex	45	100	1	1	–
White	32	70	–	–	–
All other	13	30	1	1	–
Black	13	30	1	1	–
Montgomery	284	340	7	6	7
Nansemond[8]	–	–	–	–	–
White	–	–	–	–	–
All other	–	–	–	–	–
Black	–	–	–	–	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Nelson	76	185	5	5	4
White	56	136	2	2	2
All other	20	49	3	3	2
Black	19	49	3	3	2
New Kent	18	64	1	1	3
White	12	39	–	–	–
All other	6	25	1	1	3
Black	6	25	1	1	3
Northampton	320	196	3	2	9
White	192	102	–	–	1
All other	128	94	3	2	8
Black	128	94	3	2	8
Northumberland	63	145	2	1	3
White	41	100	–	–	–
All other	22	45	2	1	3
Black	22	45	2	1	3
Nottoway	91	174	–	–	3
White	48	102	–	–	1
All other	43	72	–	–	2
Black	43	72	–	–	2
Orange	123	188	3	3	2
White	100	157	3	3	2
All other	23	31	–	–	–
Black	23	31	–	–	–
Page	128	205	5	4	1
Patrick	114	146	3	3	4
Pittsylvania	169	556	19	15	16
White	100	391	10	8	9
All other	69	165	9	7	7
Black	69	165	9	7	7
Powhatan	28	86	5	3	2
White	18	58	5	3	2
All other	10	28	–	–	–
Black	10	28	–	–	–
Prince Edward	270	195	5	3	2
White	182	116	1	–	–
All other	88	79	4	3	2
Black	88	79	4	3	2
Prince George	44	116	6	5	7
White	31	82	5	4	4
All other	13	34	1	1	3
Black	13	33	1	1	3
Prince William	495	515	30	25	42
Pulaski	265	332	6	6	4
Pulaski	– – –	130	2	2	2
Balance of county	– – –	202	4	4	2
Rappahannock	16	64	–	–	–
White	15	55	–	–	–
All other	1	9	–	–	–
Black	1	9	–	–	–
Richmond	23	104	2	2	1
White	16	68	1	1	–
All other	7	36	1	1	1
Black	7	36	1	1	1
Roanoke	259	459	7	5	9
Rockbridge	60	155	2	1	2
Rockingham	164	443	5	4	8
Russell	148	247	9	6	7
Scott	70	231	3	1	1
Shenandoah	232	306	3	–	6
Smyth	364	322	7	4	2
Southampton	59	209	6	4	5
White	19	93	2	1	–
All other	40	116	4	3	5
Black	40	116	4	3	5
Spotsylvania	77	200	6	3	4
White	63	159	3	2	2
All other	14	41	3	1	2
Black	14	41	3	1	2
Stafford	91	217	12	7	4
Surry	23	75	1	–	1
White	13	41	–	–	–
All other	10	34	1	–	1
Black	10	34	1	–	1
Sussex	41	105	3	1	2
White	16	44	–	–	–
All other	25	61	3	1	2
Black	25	61	3	1	2
Tazewell	362	434	6	5	12
Warren	182	211	5	2	5
Washington	381	407	8	5	11
Westmoreland	41	158	4	3	4
White	30	112	2	1	2
All other	11	46	2	2	2
Black	11	46	2	2	2
Wise	276	422	18	15	7
Wythe	251	251	10	9	1
Virginia—Con.					
York	40	201	4	3	8
White	32	166	3	2	3
All other	8	35	1	1	5
Black	8	35	1	1	5
Independent Cities [9]					
Alexandria	901	789	20	16	23
White	746	627	8	6	13
All other	155	162	12	10	10
Black	150	160	11	9	10
Bedford	203	99	2	2	3
White	166	84	1	1	3
All other	37	15	1	1	–
Black	37	15	1	1	–
Bristol [10]	166	231	7	6	1
Buena Vista	27	58	–	–	–
Charlottesville	393	330	11	7	7
White	336	253	5	3	5
All other	57	77	6	4	2
Black	57	77	6	4	–
Chesapeake	486	746	33	24	22
White	337	521	15	8	16
All other	149	225	18	16	6
Black	149	224	18	16	6
Clifton Forge	266	78	–	–	4
White	240	64	–	–	4
All other	26	14	–	–	–
Black	26	14	–	–	–
Colonial Heights	25	115	4	3	2
Covington	22	112	1	1	1
White	20	100	1	1	–
All other	2	12	–	–	1
Black	2	12	–	–	1
Danville	932	543	10	8	12
White	683	403	4	3	7
All other	249	140	6	5	5
Black	249	140	6	5	5
Emporia	160	65	–	–	1
White	78	45	–	–	–
All other	82	20	–	–	1
Black	82	20	–	–	1
Fairfax	206	111	2	1	5
Falls Church	14	123	1	1	1
Franklin	184	94	4	2	1
White	105	38	–	–	–
All other	79	56	4	2	1
Black	79	56	4	2	1
Fredericksburg	486	168	4	4	5
White	400	142	3	3	3
All other	86	26	1	1	2
Black	86	26	1	1	2
Galax	233	77	–	–	1
Hampton	907	798	24	15	45
White	560	545	14	8	24
All other	347	253	10	7	21
Black	346	251	10	7	21
Harrisonburg	529	151	1	1	1
Hopewell	195	189	–	–	6
White	156	155	–	–	5
All other	39	34	–	–	1
Black	39	34	–	–	1
Lexington	120	71	–	–	–
White	109	61	–	–	–
All other	11	10	–	–	–
Black	11	10	–	–	–
Lynchburg	1,245	706	15	8	18
White	954	530	7	2	8
All other	291	176	8	6	10
Black	291	175	8	6	10
Martinsville	454	200	2	1	4
White	348	123	–	–	1
All other	106	77	2	1	3
Black	106	77	2	1	3
Newport News	1,289	1,055	35	25	32
White	858	647	16	11	15
All other	431	408	19	14	17
Black	426	404	19	14	14
Norfolk	2,895	2,295	82	46	62
White	1,718	1,291	33	19	18
All other	1,177	1,004	49	27	44
Black	1,168	994	48	27	41
Norton	197	53	3	3	1
Petersburg	605	448	8	8	23
White	356	209	1	1	4
All other	249	239	7	7	19
Black	248	239	7	7	18

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia—Con.					
Independent Cities—Con.					
Portsmouth	1,292	1,043	35	22	22
White	839	612	11	6	5
All other	453	431	24	16	17
Black	447	429	24	16	17
Radford	190	97	3	1	3
Richmond	4,183	2,542	51	39	68
White	2,633	1,453	14	11	19
All other	1,550	1,089	37	28	49
Black	1,543	1,088	37	28	48
Roanoke	1,428	1,214	19	15	22
White	1,215	987	13	10	15
All other	213	227	6	5	7
Black	213	227	6	5	7
Salem	819	208	2	2	7
South Boston	310	87	3	3	3
White	194	58	–	–	–
All other	116	29	3	3	3
Black	116	29	3	3	3
Staunton	365	239	3	3	6
White	346	217	2	2	5
All other	19	22	1	1	1
Black	19	22	1	1	1
Suffolk [8]	486	518	14	7	19
White	236	253	4	3	6
All other	250	265	10	4	13
Black	250	265	10	4	13
Virginia Beach	814	1,071	52	36	41
White	654	916	39	28	25
All other	160	155	13	8	16
Black	158	151	13	8	15
Waynesboro	264	142	–	–	4
Williamsburg	234	79	–	–	1
White	149	58	–	–	1
All other	85	21	–	–	–
Black	85	21	–	–	–
Winchester	710	278	8	7	4
Washington	30,730	30,490	737	462	460
White	29,503	29,280	648	412	405
All other	1,227	1,210	89	50	55
Black	584	590	50	27	23
Adams	100	96	4	4	2
Asotin	159	177	–	–	5
Benton	503	524	15	7	11
Kennewick	---	202	7	4	2
Richland	---	175	5	3	4
Balance of county	---	147	3	–	5
Chelan	529	431	7	6	3
Wenatchee	---	217	4	3	3
Balance of county	---	214	3	3	–
Clallam	427	466	6	5	6
Port Angeles	---	195	1	1	2
Balance of county	---	271	5	4	4
Clark	1,173	1,215	27	14	15
Vancouver	---	606	11	5	5
Balance of county	---	609	16	9	10
Columbia	51	54	–	–	1
Cowlitz	654	650	27	15	9
Kelso	---	120	5	2	1
Longview	---	307	8	6	4
Balance of county	---	223	14	7	4
Douglas	57	133	2	2	2
Ferry	21	35	2	1	1
White	16	23	2	1	1
All other	5	12	–	–	–
Black	–	–	–	–	–
Franklin	205	220	10	3	8
Pasco	---	173	8	3	5
White	---	154	7	3	2
All other	---	19	1	–	3
Black	---	18	1	–	2
Balance of county	---	47	2	–	3
Garfield	23	22	2	2	–
Grant	258	336	21	13	15
Moses Lake	---	85	6	3	5
Balance of county	---	251	15	10	10
Grays Harbor	541	623	13	8	8
Aberdeen	---	195	5	4	4
Hoquiam	---	111	3	1	–
Balance of county	---	317	5	3	4
Island	182	288	7	7	2
Jefferson	103	117	–	–	1
King	9,906	9,282	189	126	120
White	9,246	8,643	145	101	103
All other	660	639	44	25	17
Black	368	375	30	15	8
Washington—Con.					
King—Con.					
Auburn	---	199	5	3	2
Bellevue	---	379	4	1	5
Kent	---	149	4	1	2
Kirkland	---	155	5	5	3
Mercer Island city	---	115	1	1	–
Redmond	---	79	3	1	5
Renton	---	222	8	3	10
Seattle	---	5,451	76	48	40
White	---	4,889	40	27	27
All other	---	562	36	21	13
Black	---	352	27	15	6
Balance of county	---	2,533	83	63	53
Kitsap	951	975	20	13	11
Bremerton	---	374	7	6	4
Balance of county	---	601	13	7	7
Kittitas	190	209	1	1	5
Ellensburg	---	102	–	–	2
Balance of county	---	107	1	1	3
Klickitat	95	122	3	1	2
Lewis	503	530	10	3	12
Centralia	---	170	1	1	1
Balance of county	---	360	9	2	11
Lincoln	77	108	–	–	–
Mason	164	211	6	3	2
Okanogan	280	311	9	5	4
Pacific	211	228	4	2	6
Pend Oreille	57	74	–	–	2
Pierce	3,550	3,471	116	71	48
White	3,382	3,302	97	60	40
All other	168	169	19	11	8
Black	110	112	16	10	7
Puyallup	---	196	3	2	1
Tacoma	---	1,668	43	24	15
White	---	1,560	36	20	14
All other	---	108	7	4	1
Black	---	76	7	4	1
Balance of county	---	1,607	70	45	32
White	---	1,552	58	38	25
All other	---	55	12	7	7
Black	---	36	9	6	6
San Juan	38	49	–	–	–
Skagit	638	596	13	7	5
Skamania	23	39	1	–	1
Snohomish	1,897	2,123	52	29	41
Edmonds	---	224	2	1	2
Everett	---	650	16	4	10
Lynnwood	---	133	7	6	3
Mountlake Terrace	---	60	4	1	2
Balance of county	---	1,056	23	17	24
Spokane	3,228	2,755	76	50	42
Spokane	---	1,912	44	30	22
Balance of county	---	843	32	20	20
Stevens	164	217	4	4	8
Thurston	833	878	27	23	13
Olympia	---	348	10	7	5
Balance of county	---	530	17	16	8
Wahkiakum	21	33	–	–	–
Walla Walla	557	430	1	1	5
Walla Walla	---	304	1	1	3
Balance of county	---	126	–	–	2
Whatcom	736	726	10	5	8
Bellingham	---	404	7	4	5
Balance of county	---	322	3	1	3
Whitman	177	228	4	3	2
Pullman	---	38	3	2	2
Balance of county	---	190	1	1	–
Yakima	1,448	1,508	48	28	34
Yakima	---	710	20	11	10
Balance of county	---	798	28	17	24
West Virginia	19,618	19,646	443	301	315
White	18,638	18,656	417	282	290
All other	980	990	26	19	25
Black	974	984	26	19	25
Barbour	172	180	4	2	4
Berkeley	671	434	14	6	8
Martinsburg	---	227	3	1	5
Balance of county	---	207	11	5	3
Boone	175	307	4	3	7
Braxton	50	141	2	1	1
Brooke	198	275	5	4	4
Weirton, part	---	37	1	–	–
Balance of county	---	238	4	4	4
Cabell	1,748	1,281	25	16	11
Huntington, part	---	934	16	10	6
Huntington, total	---	980	16	10	6
Balance of county	---	347	9	6	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia—Con.					
Calhoun	100	101	2	1	2
Clay	47	124	3	3	2
Doddridge	29	88	2	1	–
Fayette	504	671	18	10	16
White	447	596	16	8	16
All other	57	75	2	2	–
Black	57	75	2	2	–
Gilmer	30	105	3	2	–
Grant	91	74	1	1	5
Greenbrier	326	426	14	11	6
Hampshire	90	152	2	2	1
Hancock	213	390	10	5	3
Weirton, part	---	238	2	1	1
Weirton, total	---	275	3	1	1
Balance of county	---	152	8	4	2
Hardy	40	114	2	1	3
Harrison	1,076	915	15	12	16
Clarksburg	---	375	3	2	3
Balance of county	---	540	12	10	13
Jackson	167	178	2	1	3
Jefferson	176	253	5	3	7
White	156	220	4	2	4
All other	20	33	1	1	3
Black	20	33	1	1	3
Kanawha	2,705	2,333	38	31	32
White	2,523	2,147	32	25	27
All other	182	186	6	6	5
Black	180	184	6	6	5
Charleston	---	910	17	16	9
White	---	789	11	10	6
All other	---	121	6	6	3
Black	---	119	6	6	3
St. Albans	---	162	1	1	2
South Charleston	---	161	1	1	3
Balance of county	---	1,100	19	13	18
Lewis	210	218	5	3	3
Lincoln	97	222	1	1	4
Logan	376	435	18	11	9
McDowell	372	519	15	8	15
White	285	391	12	7	11
All other	87	128	3	1	4
Black	87	128	3	1	4
Marion	576	748	16	11	6
Fairmont	---	361	8	6	2
Balance of county	---	387	8	5	4
Marshall	306	388	6	2	6
Moundsville	---	163	–	–	5
Balance of county	---	225	6	2	1
Mason	209	242	6	3	4
Mercer	935	744	22	17	14
Bluefield [11]	---	232	3	1	7
White	---	172	1	–	4
All other	---	60	2	1	3
Black	---	60	2	1	3
Balance of county	---	512	19	16	7
Mineral	134	268	2	1	7
Mingo	192	367	10	7	9
Monongalia	1,103	532	15	9	9
Morgantown	---	228	4	2	5
Balance of county	---	304	11	7	4
Monroe	52	153	2	1	2
Morgan	71	93	1	1	4
Nicholas	213	270	9	5	2
Ohio	1,195	811	21	17	6
Wheeling	---	684	12	9	5
Balance of county	---	127	9	8	1
Pendleton	27	74	3	2	1
Pleasants	79	91	2	1	2
Pocahontas	157	145	3	3	3
Preston	277	309	4	3	6
Putnam	97	237	7	6	4
Raleigh	1,308	876	22	16	14
White	1,163	757	20	16	10
All other	145	119	2	–	4
Black	145	119	2	–	4
Beckley	---	332	4	2	–
White	---	249	2	2	–
All other	---	83	2	–	–
Black	---	83	2	–	–
Balance of county	---	544	18	14	14
Randolph	417	290	3	–	5
Ritchie	68	153	–	–	2
Roane	198	197	5	5	2
Summers	142	174	9	5	2
Taylor	122	185	6	4	1
Tucker	65	111	5	4	–
Tyler	68	123	1	–	2
Upshur	206	232	5	3	6
Wayne	280	343	5	2	5
Huntington, part	---	46	–	–	–
Balance of county	---	297	5	2	5
Webster	78	131	4	3	2
Wetzel	185	208	4	3	3
Wirt	11	50	1	1	–
Wood	1,086	916	27	22	17
Parkersburg	---	577	14	12	9
Vienna	---	79	1	–	1
Balance of county	---	260	12	10	7
Wyoming	98	249	7	5	7
Wisconsin	40,166	40,324	768	524	442
White	39,104	39,267	693	479	417
All other	1,062	1,057	75	45	25
Black	857	850	63	39	17
Adams	118	135	2	2	2
Ashland	215	197	4	3	2
Barron	383	405	7	5	7
Bayfield	96	161	3	1	2
Brown	1,503	1,189	15	9	20
De Pere	---	90	–	–	2
Green Bay	---	747	11	6	11
Balance of county	---	352	4	3	7
Buffalo	81	133	3	2	1
Burnett	109	146	3	1	4
Calumet	152	208	6	2	4
Appleton, part	---	16	1	1	2
Balance of county	---	192	5	1	2
Chippewa	423	445	13	9	10
Chippewa Falls	---	140	4	4	1
Eau Claire, part	---	1	–	–	–
Balance of county	---	304	9	5	9
Clark	225	360	5	4	6
Columbia	380	424	8	5	6
Crawford	141	157	3	2	2
Dane	2,727	1,950	41	27	27
Madison	---	1,103	19	10	18
Monona	---	60	1	–	–
Balance of county	---	787	21	17	9
Dodge	747	706	11	8	10
Beaver Dam	---	174	–	–	2
Watertown, part	---	77	–	–	1
Balance of county	---	455	11	8	7
Door	188	257	7	5	2
Douglas	396	510	10	8	4
Superior	---	383	7	6	4
Balance of county	---	127	3	2	–
Dunn	215	276	5	5	8
Menomonie	---	111	2	2	2
Balance of county	---	165	3	3	6
Eau Claire	737	601	13	7	10
Eau Claire, part	---	423	5	4	7
Eau Claire, total	---	424	5	4	7
Balance of county	---	178	8	3	3
Florence	32	49	1	–	–
Fond du Lac	758	788	15	8	10
Fond du Lac	---	384	6	4	4
Balance of county	---	404	9	4	6
Forest	61	112	4	1	–
Grant	428	493	8	5	4
Green	358	315	5	3	6
Green Lake	177	227	2	2	3
Iowa	168	215	3	2	3
Iron	51	99	2	1	1
Jackson	179	205	–	–	6
Jefferson	433	608	9	7	10
Watertown, part	---	122	3	2	2
Watertown, total	---	199	3	2	3
Whitewater, part	---	2	–	–	–
Balance of county	---	484	6	5	8
Juneau	134	221	3	1	3
Kenosha	866	963	22	15	15
Kenosha	---	696	14	10	13
Balance of county	---	267	8	5	2
Kewaunee	150	179	4	4	4
La Crosse	1,169	802	14	12	7
La Crosse	---	540	4	4	4
Balance of county	---	262	10	8	3
Lafayette	97	157	3	1	–
Langlade	217	240	2	1	2
Lincoln	259	263	10	10	2
Manitowoc	647	750	11	7	8
Manitowoc	---	418	4	3	6
Two Rivers	---	110	3	1	–
Balance of county	---	222	4	3	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1978—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin—Con.					
Marathon	755	837	22	12	20
Marshfield, part	---	1	-	-	-
Wausau	---	358	4	-	4
Balance of county	---	478	18	12	16
Marinette	434	467	14	9	5
Marinette	---	163	6	4	2
Balance of county	---	304	8	5	3
Marquette	70	159	4	2	2
Menominee	13	33	1	1	-
White	2	4	-	-	-
All other	11	29	1	1	-
Black	-	-	-	-	-
Milwaukee	9,556	9,098	140	92	23
White	8,834	8,371	88	60	15
All other	722	727	52	32	8
Black	683	690	49	29	7
Brown Deer	---	62	1	1	-
Cudahy	---	152	2	2	3
Franklin	---	70	2	2	-
Glendale	---	172	-	-	-
Greendale	---	57	1	1	-
Greenfield	---	227	4	3	1
Milwaukee, part	---	6,301	109	67	16
White	---	5,593	57	35	8
All other	---	708	52	32	8
Black	---	678	49	29	7
Milwaukee, total	---	6,301	109	67	16
White	---	5,593	57	35	8
All other	---	708	52	32	8
Black	---	678	49	29	7
Oak Creek	---	83	-	-	1
St. Francis	---	83	2	2	-
Shorewood	---	175	-	-	-
South Milwaukee	---	158	1	1	1
Wauwatosa	---	545	4	2	-
West Allis	---	663	9	6	1
Whitefish Bay	---	110	1	1	-
Balance of county	---	240	4	4	-
Monroe	369	326	8	7	7
Oconto	236	291	8	7	1
Oneida	400	285	5	3	3
Outagamie	903	846	25	18	10
Appleton, part	---	440	15	13	3
Appleton, total	---	456	16	14	5
Kaukauna	---	63	-	-	1
Balance of county	---	343	10	5	6
Ozaukee	307	418	9	6	-
Mequon	---	100	2	2	-
Balance of county	---	318	7	4	-
Pepin	81	92	1	1	2
Pierce	80	205	5	3	5
Polk	330	344	6	2	10
Portage	350	382	11	9	9
Stevens Point	---	196	5	4	4
Balance of county	---	186	6	5	5
Price	169	213	1	1	2
Racine	1,335	1,388	24	18	21
White	1,277	1,322	19	14	18
All other	58	66	5	4	3
Black	57	66	5	4	3
Racine	---	809	23	17	12
White	---	748	18	13	9
All other	---	61	5	4	3
Black	---	61	5	4	3
Balance of county	---	579	1	1	9
Richland	151	182	3	1	1
Rock	1,075	1,175	27	16	19
Beloit	---	390	10	8	2
Janesville	---	363	10	5	8
Balance of county	---	422	7	3	9
Rusk	134	165	5	2	-
St. Croix	320	325	7	4	7
Sauk	432	410	11	6	2
Sawyer	128	144	2	2	1
Shawano	321	401	12	6	4
Sheboygan	880	906	12	10	11
Sheboygan	---	521	5	4	4
Wisconsin—Con.					
Sheboygan—Con.					
Balance of county	---	385	7	6	7
Taylor	159	179	4	1	2
Trempealeau	252	315	2	1	6
Vernon	263	279	2	1	2
Vilas	151	203	-	-	4
Walworth	453	614	17	15	9
Whitewater, part	---	56	1	1	1
Whitewater, total	---	58	1	1	1
Balance of county	---	558	16	14	8
Washburn	167	155	3	1	-
Washington	496	563	8	5	8
Milwaukee, part	---	-	-	-	-
West Bend	---	150	1	-	3
Balance of county	---	413	7	5	5
Waukesha	1,673	1,651	37	31	17
Brookfield	---	201	3	3	2
Menomonee Falls	---	2	1	1	1
Muskego	---	-	-	-	1
New Berlin	---	109	2	2	3
Waukesha	---	344	8	6	4
Balance of county	---	995	23	19	6
Waupaca	457	502	15	12	2
Waushara	194	210	5	5	-
Winnebago	1,121	1,087	22	19	9
Menasha	---	116	1	1	1
Neenah	---	171	2	2	3
Oshkosh	---	496	8	7	1
Balance of county	---	304	11	9	4
Wood	931	528	13	10	7
Marshfield, part	---	150	5	4	3
Marshfield, total	---	151	5	4	3
Wisconsin Rapids	---	168	5	4	1
Balance of county	---	210	3	2	3
Wyoming	3,050	3,112	113	70	63
White	2,966	3,029	109	68	61
All other	84	83	4	2	2
Black	24	22	2	1	1
Albany	165	162	5	2	3
Laramie	---	138	5	2	3
Balance of county	---	24	-	-	-
Big Horn	93	121	2	2	-
Campbell	72	78	6	3	2
Carbon	150	167	8	2	3
Converse	86	84	3	2	-
Crook	19	43	1	1	-
Fremont	232	222	6	4	5
White	189	173	4	3	5
All other	43	49	2	1	-
Black	-	-	-	-	-
Goshen	92	106	1	1	1
Hot Springs	54	69	1	1	1
Johnson	73	75	-	-	-
Laramie	522	478	22	13	12
Cheyenne	---	387	14	9	10
Balance of county	---	91	8	4	2
Lincoln	68	81	5	3	1
Natrona	447	449	18	12	11
Casper	---	344	10	8	7
Balance of county	---	105	8	4	4
Niobrara	28	36	1	-	1
Park	145	132	4	4	1
Platte	70	89	2	1	3
Sheridan	259	242	2	2	2
Sheridan	---	182	-	-	2
Balance of county	---	60	2	2	-
Sublette	29	36	1	-	-
Sweetwater	222	226	15	11	7
Rock Springs	---	142	4	3	5
Balance of county	---	84	11	8	2
Teton	46	27	-	-	-
Uinta	74	69	4	1	6
Washakie	59	65	-	-	1
Weston	45	55	6	5	3

[1] Classified as urban under special rule; see Technical Appendix.
[2] "Districts" shown are election districts, the nearest equivalent to counties.
[3] Includes data for Texarkana, Ark., only.
[4] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of county" and not to specified urban places. Fetal deaths that are assigned to specified urban places are those occurring outside of Georgia; see Technical Appendix.
[5] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[6] Due to a processing error, the number of fetal deaths for New York was undercounted by approximately 3,900 deaths for gestations under 20 weeks and understated by approximately 200 deaths for gestations of 20 weeks and over.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[10] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[11] Includes data for Bristol, Va., only.
[12] Includes data for Bluefield, W. Va., only.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
United States[1]	1,927,788	45,945	13.8	31,618	9.5	32,301	9.7
White	1,689,722	32,212	12.0	22,482	8.4	22,696	8.5
All other	238,066	13,733	21.1	9,136	14.0	9,605	14.7
Urban places	1,077,476	26,293	14.8	18,175	10.2	16,745	9.4
White	908,458	16,420	12.5	11,478	8.7	10,510	8.0
All other	169,018	9,873	21.1	6,697	14.3	6,235	13.3
Balance of area	850,312	19,652	12.7	13,443	8.7	15,556	10.0
White	781,264	15,792	11.5	11,004	8.0	12,186	8.9
All other	69,048	3,860	20.9	2,439	13.2	3,370	18.3
Metropolitan counties	1,249,503	30,386	13.7	21,204	9.6	20,812	9.4
White	1,079,949	20,423	11.8	14,405	8.3	13,995	8.1
All other	169,554	9,963	20.5	6,799	14.0	6,817	14.0
Urban places	918,369	22,570	14.8	15,657	10.2	14,384	9.4
White	767,273	13,744	12.4	9,639	8.7	8,785	7.9
All other	151,096	8,826	20.9	6,018	14.3	5,599	13.3
Balance of area	331,134	7,816	11.4	5,547	8.1	6,428	9.4
White	312,676	6,679	10.7	4,766	7.6	5,210	8.4
All other	18,458	1,137	17.9	781	12.3	1,218	19.1
Nonmetropolitan counties	678,285	15,559	13.9	10,414	9.3	11,489	10.3
White	609,773	11,789	12.4	8,077	8.5	8,701	9.1
All other	68,512	3,770	22.7	2,337	14.0	2,788	16.8
Urban places	159,107	3,723	14.8	2,518	10.0	2,361	9.4
White	141,185	2,676	13.0	1,839	8.9	1,725	8.4
All other	17,922	1,047	23.0	679	14.9	636	14.0
Balance of area	519,178	11,836	13.7	7,896	9.1	9,128	10.5
White	468,588	9,113	12.2	6,238	8.4	6,976	9.4
All other	50,590	2,723	22.5	1,658	13.7	2,152	17.8
Alabama	34,680	969	16.1	660	11.0	724	12.0
White	24,607	467	12.1	338	8.7	359	9.3
All other	10,073	502	23.4	322	15.0	365	17.0
Urban places	14,526	447	18.5	313	13.0	308	12.8
White	9,042	162	13.1	115	9.3	114	9.2
All other	5,484	285	24.3	198	16.9	194	16.5
Balance of area	20,154	522	14.4	347	9.6	416	11.5
White	15,565	305	11.6	223	8.5	245	9.3
All other	4,589	217	22.3	124	12.7	171	17.6
Metropolitan counties	17,500	487	15.5	347	11.0	358	11.4
White	11,987	220	11.2	162	8.2	157	8.0
All other	5,513	267	22.5	185	15.6	201	16.9
Urban places	10,866	323	18.1	235	13.2	224	12.5
White	6,609	109	12.6	78	9.0	70	8.1
All other	4,257	214	23.2	157	17.0	154	16.7
Balance of area	6,634	164	12.0	112	8.2	134	9.8
White	5,378	111	10.1	84	7.6	87	7.9
All other	1,256	53	20.1	28	10.6	47	17.8
Nonmetropolitan counties	17,180	482	16.8	313	10.9	366	12.7
White	12,620	247	12.9	176	9.2	202	10.6
All other	4,560	235	24.5	137	14.3	164	17.1
Urban places	3,660	124	19.9	78	12.5	84	13.5
White	2,433	53	14.2	37	9.9	44	11.8
All other	1,227	71	28.3	41	16.4	40	16.0
Balance of area	13,520	358	15.9	235	10.5	282	12.5
White	10,187	194	12.6	139	9.0	158	10.3
All other	3,333	164	23.1	96	13.5	124	17.5
Alaska	1,690	128	14.4	83	9.4	76	8.6
White	1,186	85	13.5	60	9.6	47	7.5
All other	504	43	16.7	23	8.9	29	11.2
Urban places	728	58	14.3	40	9.9	27	6.7
White	617	48	14.8	34	10.5	22	6.8
All other	111	10	12.2	6	7.3	5	6.1
Balance of area	962	70	14.6	43	8.9	49	10.2
White	569	37	12.2	26	8.5	25	8.2
All other	393	33	18.7	17	9.6	24	13.6
Metropolitan election districts[2]	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan election districts[2]	1,690	128	14.4	83	9.4	76	8.6
White	1,186	85	13.5	60	9.6	47	7.5
All other	504	43	16.7	23	8.9	29	11.2
Urban places	728	58	14.3	40	9.9	27	6.7
White	617	48	14.8	34	10.5	22	6.8
All other	111	10	12.2	6	7.3	5	6.1
Balance of area	962	70	14.6	43	8.9	49	10.2
White	569	37	12.2	26	8.5	25	8.2
All other	393	33	18.7	17	9.6	24	13.6

[1] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of area" and not to "Urban places"; see Technical Appendix.
[2] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Arizona	19,198	564	13.1	390	9.0	305	7.1
White	17,613	448	12.4	325	9.0	234	6.5
All other	1,585	116	16.4	65	9.2	71	10.0
Urban places	12,573	360	13.4	254	9.5	186	6.9
White	12,031	317	13.0	226	9.3	159	6.5
All other	542	43	17.2	28	11.2	27	10.8
Balance of area	6,625	204	12.5	136	8.3	119	7.3
White	5,582	131	11.2	99	8.4	75	6.4
All other	1,043	73	15.9	37	8.1	44	9.6
Metropolitan counties	14,357	378	12.6	270	9.0	208	6.9
White	13,673	332	12.3	241	8.9	178	6.6
All other	684	46	15.6	29	9.8	30	10.2
Urban places	11,497	322	13.2	230	9.4	171	7.0
White	10,995	284	12.8	205	9.2	147	6.6
All other	502	38	16.9	25	11.1	24	10.7
Balance of area	2,860	56	10.0	40	7.2	37	6.6
White	2,678	48	9.9	36	7.4	31	6.4
All other	182	8	11.4	4	5.7	6	8.5
Nonmetropolitan counties	4,841	186	14.2	120	9.2	97	7.4
White	3,940	116	13.0	84	9.4	56	6.3
All other	901	70	16.9	36	8.7	41	9.9
Urban places	1,076	38	16.4	24	10.4	15	6.5
White	1,036	33	15.9	21	10.1	12	5.8
All other	40	5	20.2	3	12.1	3	12.1
Balance of area	3,765	148	13.8	96	8.9	82	7.6
White	2,904	83	12.1	63	9.2	44	6.4
All other	861	65	16.7	33	8.5	38	9.8
Arkansas	21,896	569	16.4	364	10.5	353	10.1
White	17,928	368	14.3	241	9.4	223	8.7
All other	3,968	201	22.1	123	13.5	130	14.3
Urban places	7,735	246	18.8	161	12.3	134	10.2
White	5,965	135	16.0	89	10.5	73	8.7
All other	1,770	111	23.8	72	15.5	61	13.1
Balance of area	14,161	323	14.9	203	9.4	219	10.1
White	11,963	233	13.5	152	8.8	150	8.7
All other	2,198	90	20.2	51	11.4	69	15.5
Metropolitan counties	5,862	207	17.5	140	11.8	113	9.6
White	4,417	112	14.4	72	9.2	59	7.6
All other	1,445	95	23.7	68	16.9	54	13.4
Urban places	4,336	160	19.4	111	13.5	82	9.9
White	3,214	81	16.1	53	10.5	38	7.5
All other	1,122	79	24.6	58	18.1	44	13.7
Balance of area	1,526	47	13.2	29	8.1	31	8.7
White	1,203	31	11.2	19	6.9	21	7.6
All other	323	16	19.8	10	12.4	10	12.4
Nonmetropolitan counties	16,034	362	15.8	224	9.8	240	10.4
White	13,511	256	14.3	169	9.5	164	9.2
All other	2,523	106	20.8	55	10.8	76	14.9
Urban places	3,399	86	17.8	50	10.3	52	10.7
White	2,751	54	15.9	36	10.6	35	10.3
All other	648	32	22.1	14	9.7	17	11.7
Balance of area	12,635	276	15.2	174	9.6	188	10.4
White	10,760	202	14.0	133	9.2	129	8.9
All other	1,875	74	20.3	41	11.2	59	16.2
California	176,069	4,210	11.8	2,756	7.7	3,017	8.5
White	159,829	3,298	11.2	2,140	7.3	2,298	7.8
All other	16,240	912	14.5	616	9.8	719	11.4
Urban places	142,797	3,485	12.1	2,324	8.1	2,453	8.5
White	127,711	2,627	11.4	1,743	7.5	1,796	7.8
All other	15,086	858	15.1	581	10.2	657	11.5
Balance of area	33,272	725	10.6	432	6.3	564	8.3
White	32,118	671	10.8	397	6.4	502	8.1
All other	1,154	54	9.3	35	6.0	62	10.6
Metropolitan counties	160,213	3,925	12.1	2,592	8.0	2,740	8.4
White	144,494	3,024	11.4	1,984	7.5	2,044	7.7
All other	15,719	901	14.8	608	10.0	696	11.4
Urban places	137,187	3,372	12.2	2,250	8.2	2,358	8.5
White	122,320	2,517	11.4	1,672	7.6	1,712	7.8
All other	14,867	855	15.2	578	10.3	646	11.5
Balance of area	23,026	553	11.2	342	6.9	382	7.7
White	22,174	507	11.3	312	7.0	332	7.4
All other	852	46	9.8	30	6.4	50	10.6
Nonmetropolitan counties	15,856	285	9.3	164	5.3	277	9.0
White	15,335	274	9.5	156	5.4	254	8.8
All other	521	11	5.6	8	4.1	23	11.7
Urban places	5,610	113	9.3	74	6.1	95	7.8
White	5,391	110	9.7	71	6.3	84	7.4
All other	219	3	3.6	3	3.6	11	13.1
Balance of area	10,246	172	9.3	90	4.8	182	9.8
White	9,944	164	9.4	85	4.9	170	9.7
All other	302	8	7.1	5	4.4	12	10.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Colorado	18,361	494	11.2	306	6.9	487	11.0
White	17,689	452	11.0	279	6.8	425	10.4
All other	672	42	13.3	27	8.6	62	19.7
Urban places	11,843	291	11.2	188	7.2	277	10.7
White	11,231	252	10.8	163	7.0	233	10.0
All other	612	39	15.1	25	9.6	44	17.0
Balance of area	6,518	203	11.2	118	6.5	210	11.6
White	6,458	200	11.4	116	6.6	192	10.9
All other	60	3	5.4	2	3.6	18	32.4
Metropolitan counties	12,297	337	10.9	218	7.1	319	10.3
White	11,665	295	10.5	191	6.8	266	9.5
All other	632	42	14.7	27	9.5	53	18.6
Urban places	10,411	264	11.4	173	7.5	240	10.4
White	9,802	225	10.9	148	7.2	198	9.6
All other	609	39	15.6	25	10.0	42	16.8
Balance of area	1,886	73	9.4	45	5.8	79	10.2
White	1,863	70	9.4	43	5.8	68	9.2
All other	23	3	8.6	2	5.8	11	31.7
Nonmetropolitan counties	6,064	157	11.9	88	6.7	168	12.7
White	6,024	157	12.2	88	6.8	159	12.3
All other	40	–	–	–	–	9	30.3
Urban places	1,432	27	9.5	15	5.3	37	13.1
White	1,429	27	9.8	15	5.5	35	12.8
All other	3	–	–	–	–	2	22.7
Balance of area	4,632	130	12.5	73	7.0	131	12.6
White	4,595	130	12.8	73	7.2	124	12.2
All other	37	–	–	–	–	7	33.5
Connecticut	26,078	433	11.6	348	9.3	305	8.2
White	24,805	320	10.0	260	8.1	231	7.2
All other	1,273	113	22.0	88	17.1	74	14.4
Urban places	18,085	304	12.9	234	9.9	180	7.6
White	16,930	204	10.7	156	8.2	125	6.5
All other	1,155	100	22.6	78	17.6	55	12.4
Balance of area	7,993	129	9.4	114	8.3	125	9.1
White	7,875	116	8.9	104	8.0	106	8.1
All other	118	13	18.3	10	14.0	19	26.7
Metropolitan counties	20,293	351	12.5	284	10.1	229	8.1
White	19,116	244	10.4	200	8.5	165	7.0
All other	1,177	107	22.8	84	17.9	64	13.6
Urban places	16,437	283	13.4	221	10.5	158	7.5
White	15,338	186	11.0	145	8.5	109	6.4
All other	1,099	97	23.4	76	18.3	49	11.8
Balance of area	3,856	68	9.7	63	8.9	71	10.1
White	3,778	58	8.9	55	8.5	56	8.6
All other	78	10	18.2	8	14.5	15	27.3
Nonmetropolitan counties	5,785	82	9.0	64	7.0	76	8.3
White	5,689	76	8.7	60	6.9	66	7.6
All other	96	6	13.8	4	9.2	10	22.9
Urban places	1,648	21	8.7	13	5.4	22	9.1
White	1,592	18	8.4	11	5.1	16	7.5
All other	56	3	10.9	2	7.3	6	21.9
Balance of area	4,137	61	9.1	51	7.6	54	8.1
White	4,097	58	8.9	49	7.5	50	7.6
All other	40	3	18.5	2	12.3	4	24.7
Delaware	4,957	115	13.2	83	9.6	75	8.6
White	4,170	64	9.9	45	6.9	53	8.2
All other	787	51	23.2	38	17.3	22	10.0
Urban places	1,932	49	21.5	36	15.8	21	9.2
White	1,479	19	16.7	14	12.3	8	7.0
All other	453	30	26.2	22	19.2	13	11.3
Balance of area	3,025	66	10.3	47	7.3	54	8.4
White	2,691	45	8.4	31	5.8	45	8.4
All other	334	21	20.0	16	15.2	9	8.6
Metropolitan counties	3,257	68	12.1	52	9.3	43	7.7
White	2,770	36	8.5	28	6.6	27	6.4
All other	487	32	23.6	24	17.7	16	11.8
Urban places	1,715	43	24.9	31	18.0	17	9.9
White	1,307	16	20.6	12	15.4	5	6.4
All other	408	27	28.5	19	20.0	12	12.7
Balance of area	1,542	25	6.4	21	5.4	26	6.7
White	1,463	20	5.8	16	4.6	22	6.3
All other	79	5	12.3	5	12.3	4	9.9
Nonmetropolitan counties	1,700	47	15.2	31	10.1	32	10.4
White	1,400	28	12.5	17	7.6	26	11.6
All other	300	19	22.5	14	16.6	6	7.1
Urban places	217	6	10.7	5	8.9	4	7.2
White	172	3	8.3	2	5.5	3	8.3
All other	45	3	15.2	3	15.2	1	5.1
Balance of area	1,483	41	16.2	26	10.3	28	11.1
White	1,228	25	13.3	15	8.0	23	12.2
All other	255	16	24.8	11	17.1	5	7.8

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
District of Columbia	7,065	256	27.3	190	20.2	139	14.8
White	2,278	19	13.4	16	11.3	12	8.5
All other	4,787	237	29.7	174	21.8	127	15.9
Urban places	7,065	256	27.3	190	20.2	139	14.8
White	2,278	19	13.4	16	11.3	12	8.5
All other	4,787	237	29.7	174	21.8	127	15.9
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Metropolitan	7,065	256	27.3	190	20.2	139	14.8
White	2,278	19	13.4	16	11.3	12	8.5
All other	4,787	237	29.7	174	21.8	127	15.9
Urban places	7,065	256	27.3	190	20.2	139	14.8
White	2,278	19	13.4	16	11.3	12	8.5
All other	4,787	237	29.7	174	21.8	127	15.9
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Florida	95,595	1,598	14.1	1,054	9.3	1,156	10.2
White	84,786	961	11.8	658	8.1	703	8.6
All other	10,809	637	20.1	396	12.5	453	14.3
Urban places	49,813	790	12.9	521	8.5	558	9.1
White	43,151	410	10.5	282	7.2	300	7.7
All other	6,662	380	17.1	239	10.8	258	11.6
Balance of area	45,782	808	15.5	533	10.3	598	11.5
White	41,635	551	13.0	376	8.9	403	9.5
All other	4,147	257	27.0	157	16.5	195	20.5
Metropolitan counties	61,962	1,033	13.8	685	9.1	760	10.1
White	54,689	595	11.3	409	7.8	446	8.5
All other	7,273	438	19.5	276	12.3	314	14.0
Urban places	41,244	630	12.2	423	8.2	460	8.9
White	35,947	332	10.0	229	6.9	249	7.5
All other	5,297	298	16.0	194	10.4	211	11.3
Balance of area	20,718	403	17.4	262	11.3	300	12.9
White	18,742	263	13.6	180	9.3	197	10.2
All other	1,976	140	36.3	82	21.2	103	26.7
Nonmetropolitan counties	33,633	565	14.7	369	9.6	396	10.3
White	30,097	366	12.5	249	8.5	257	8.8
All other	3,536	199	21.5	120	13.0	139	15.0
Urban places	8,569	160	16.5	98	10.1	98	10.1
White	7,204	78	12.8	53	8.7	51	8.3
All other	1,365	82	22.9	45	12.6	47	13.1
Balance of area	25,064	405	14.1	271	9.4	298	10.4
White	22,893	288	12.5	196	8.5	206	8.9
All other	2,171	117	20.6	75	13.2	92	16.2
Georgia[1]	43,298	1,297	15.4	869	10.3	1,169	13.9
White	30,768	621	11.8	434	8.2	623	11.8
All other	12,530	676	21.5	435	13.8	546	17.4
Urban places	17,308	541	18.9	376	13.1	1	0.0
White	10,317	168	14.1	125	10.5	–	–
All other	6,991	373	22.3	251	15.0	1	0.1
Balance of area	25,990	756	13.6	493	8.9	1,168	21.1
White	20,451	453	11.1	309	7.6	623	15.3
All other	5,539	303	20.6	184	12.5	545	37.1
Metropolitan counties	18,887	574	14.2	396	9.8	525	13.0
White	12,897	253	10.5	180	7.5	279	11.6
All other	5,990	321	19.5	216	13.1	246	14.9
Urban places	12,613	402	18.5	277	12.7	1	0.0
White	7,254	123	14.5	93	11.0	–	–
All other	5,359	279	21.0	184	13.9	1	0.1
Balance of area	6,274	172	9.2	119	6.4	524	28.0
White	5,643	130	8.4	87	5.6	279	18.0
All other	631	42	13.1	32	10.0	245	76.3
Nonmetropolitan counties	24,411	723	16.6	473	10.8	644	14.7
White	17,871	368	12.8	254	8.8	344	12.0
All other	6,540	355	23.7	219	14.6	300	20.1
Urban places	4,695	139	20.1	99	14.3	–	–
White	3,063	45	13.0	32	9.3	–	–
All other	1,632	94	27.0	67	19.3	–	–
Balance of area	19,716	584	15.9	374	10.2	644	17.5
White	14,808	323	12.8	222	8.8	344	13.6
All other	4,908	261	22.7	152	13.2	300	26.1

[1] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore all fetal deaths occurring in Georgia are assigned to "Balance of area" and not to "Urban places"; see Technical Appendix.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Hawaii	4,563	186	11.1	128	7.6	185	11.0
White	1,445	45	10.5	30	7.0	62	14.5
All other	3,118	141	11.3	98	7.9	123	9.9
Urban places	2,948	115	12.2	82	8.7	125	13.2
White	991	28	14.2	20	10.2	44	22.4
All other	1,957	87	11.6	62	8.3	81	10.8
Balance of area	1,615	71	9.7	46	6.3	60	8.2
White	454	17	7.4	10	4.3	18	7.8
All other	1,161	54	10.8	36	7.2	42	8.4
Metropolitan counties	3,376	157	12.0	110	8.4	145	11.1
White	1,099	40	11.4	26	7.4	52	14.8
All other	2,277	117	12.3	84	8.8	93	9.8
Urban places	2,726	109	12.4	78	8.9	116	13.2
White	923	27	14.3	19	10.0	42	22.2
All other	1,803	82	11.9	59	8.5	74	10.7
Balance of area	650	48	11.3	32	7.5	29	6.8
White	176	13	8.0	7	4.3	10	6.1
All other	474	35	13.4	25	9.6	19	7.3
Nonmetropolitan counties	1,187	29	7.8	18	4.8	40	10.8
White	346	5	6.7	4	5.4	10	13.4
All other	841	24	8.1	14	4.7	30	10.1
Urban places	222	6	9.3	4	6.2	9	13.9
White	68	1	13.9	1	13.9	2	27.8
All other	154	5	8.7	3	5.2	7	12.2
Balance of area	965	23	7.5	14	4.6	31	10.1
White	278	4	5.9	3	4.4	8	11.9
All other	687	19	7.9	11	4.6	23	9.6
Idaho	6,507	227	11.7	142	7.3	146	7.5
White	6,398	223	11.8	140	7.4	144	7.6
All other	109	4	7.4	2	3.7	2	3.7
Urban places	2,594	77	12.1	51	8.0	41	6.4
White	2,568	75	12.1	51	8.2	40	6.5
All other	26	2	11.2	–	–	1	5.6
Balance of area	3,913	150	11.5	91	7.0	105	8.1
White	3,830	148	11.7	89	7.0	104	8.2
All other	83	2	5.6	2	5.6	1	2.8
Metropolitan counties	1,016	36	12.3	24	8.2	25	8.5
White	1,005	35	12.3	24	8.4	25	8.8
All other	11	1	11.5	–	–	–	–
Urban places	771	22	12.3	14	7.8	16	8.9
White	761	21	12.2	14	8.1	16	9.3
All other	10	1	13.7	–	–	–	–
Balance of area	245	14	12.2	10	8.7	9	7.9
White	244	14	12.4	10	8.8	9	8.0
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,491	191	11.6	118	7.2	121	7.4
White	5,393	188	11.7	116	7.2	119	7.4
All other	98	3	6.7	2	4.4	2	4.4
Urban places	1,823	55	12.0	37	8.1	25	5.5
White	1,807	54	12.1	37	8.3	24	5.4
All other	16	1	9.4	–	–	1	9.4
Balance of area	3,668	136	11.4	81	6.8	96	8.1
White	3,586	134	11.6	79	6.8	95	8.2
All other	82	2	5.8	2	5.8	1	2.9
Illinois	103,026	2,744	15.7	1,909	10.9	1,670	9.6
White	89,298	1,716	12.8	1,252	9.4	1,101	8.2
All other	13,728	1,028	25.1	657	16.0	569	13.9
Urban places	70,493	2,052	17.5	1,403	12.0	1,193	10.2
White	57,531	1,069	13.6	772	9.8	658	8.4
All other	12,962	983	25.7	631	16.5	535	14.0
Balance of area	32,533	692	12.0	506	8.8	477	8.3
White	31,767	647	11.8	480	8.7	443	8.1
All other	766	45	17.0	26	9.8	34	12.8
Metropolitan counties	78,194	2,309	16.4	1,595	11.3	1,375	9.7
White	65,077	1,317	12.9	959	9.4	826	8.1
All other	13,117	992	25.2	636	16.2	549	13.9
Urban places	64,486	1,928	17.6	1,314	12.0	1,116	10.2
White	51,823	971	13.4	699	9.7	597	8.3
All other	12,663	957	25.6	615	16.5	519	13.9
Balance of area	13,708	381	12.1	281	8.9	259	8.2
White	13,254	346	11.7	260	8.8	229	7.8
All other	454	35	17.3	21	10.4	30	14.8
Nonmetropolitan counties	24,832	435	13.0	314	9.4	295	8.8
White	24,221	399	12.5	293	9.2	275	8.6
All other	611	36	22.4	21	13.0	20	12.4
Urban places	6,007	124	16.7	89	12.0	77	10.4
White	5,708	98	15.2	73	11.3	61	9.5
All other	299	26	26.3	16	16.2	16	16.2
Balance of area	18,825	311	12.0	225	8.6	218	8.4
White	18,513	301	11.9	220	8.7	214	8.4
All other	312	10	16.1	5	8.0	4	6.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Indiana	47,548	1,094	13.1	722	8.6	735	8.8
White	44,273	882	11.9	590	8.0	606	8.2
All other	3,275	212	22.3	132	13.9	129	13.6
Urban places	26,468	656	15.2	432	10.0	414	9.6
White	23,289	449	13.2	302	8.9	289	8.5
All other	3,179	207	22.7	130	14.3	125	13.7
Balance of area	21,080	438	10.8	290	7.1	321	7.9
White	20,984	433	10.8	288	7.2	317	7.9
All other	96	5	12.3	2	4.9	4	9.8
Metropolitan counties	28,265	703	13.7	466	9.1	457	8.9
White	25,261	519	12.1	351	8.2	342	8.0
All other	3,004	184	21.5	115	13.4	115	13.4
Urban places	20,452	522	15.2	342	9.9	331	9.6
White	17,494	342	13.1	229	8.8	217	8.3
All other	2,958	180	21.6	113	13.5	114	13.7
Balance of area	7,813	181	10.7	124	7.3	126	7.5
White	7,767	177	10.6	122	7.3	125	7.5
All other	46	4	17.9	2	9.0	1	4.5
Nonmetropolitan counties	19,283	391	12.1	256	7.9	278	8.6
White	19,012	363	11.6	239	7.6	264	8.4
All other	271	28	29.9	17	18.2	14	15.0
Urban places	6,016	134	15.6	90	10.4	83	9.6
White	5,795	107	13.6	73	9.3	72	9.2
All other	221	27	36.0	17	22.6	11	14.6
Balance of area	13,267	257	10.9	166	7.0	195	8.2
White	13,217	256	10.9	166	7.1	192	8.2
All other	50	1	5.4	–	–	3	16.2
Iowa	27,450	562	12.6	397	8.9	335	7.5
White	27,118	531	12.3	376	8.7	311	7.2
All other	332	31	21.0	21	14.2	24	16.2
Urban places	10,673	270	14.6	185	10.0	164	8.9
White	10,372	240	14.0	165	9.6	141	8.2
All other	301	30	23.4	20	15.6	23	17.9
Balance of area	16,777	292	11.2	212	8.1	171	6.5
White	16,746	291	11.2	211	8.1	170	6.6
All other	31	1	5.1	1	5.1	1	5.1
Metropolitan counties	8,557	244	14.4	167	9.9	140	8.3
White	8,301	215	13.6	147	9.3	120	7.6
All other	256	29	26.4	20	18.2	20	18.2
Urban places	7,048	205	15.8	139	10.7	116	8.9
White	6,799	176	14.7	119	10.0	96	8.0
All other	249	29	27.3	20	18.8	20	18.8
Balance of area	1,509	39	10.0	28	7.2	24	6.2
White	1,502	39	10.1	28	7.3	24	6.2
All other	7	–	–	–	–	–	–
Nonmetropolitan counties	18,893	318	11.5	230	8.3	195	7.0
White	18,817	316	11.6	229	8.4	191	7.0
All other	76	2	5.3	1	2.6	4	10.5
Urban places	3,625	65	11.9	46	8.4	48	8.8
White	3,573	64	12.2	46	8.8	45	8.6
All other	52	1	4.6	–	–	3	13.7
Balance of area	15,268	253	11.4	184	8.3	147	6.6
White	15,244	252	11.4	183	8.3	146	6.6
All other	24	1	6.2	1	6.2	1	6.2
Kansas	21,665	458	12.5	318	8.7	318	8.7
White	20,552	385	11.7	269	8.1	271	8.2
All other	1,113	73	19.7	49	13.2	47	12.7
Urban places	10,647	278	13.5	197	9.6	181	8.8
White	9,641	210	12.1	150	8.6	136	7.8
All other	1,006	68	21.3	47	14.7	45	14.1
Balance of area	11,018	180	11.1	121	7.5	137	8.5
White	10,911	175	11.2	119	7.6	135	8.6
All other	107	5	9.7	2	3.9	2	3.9
Metropolitan counties	7,546	207	13.2	150	9.6	141	9.0
White	6,761	155	11.7	114	8.6	102	7.7
All other	785	52	21.5	36	14.9	39	16.1
Urban places	6,278	178	14.3	129	10.3	118	9.4
White	5,508	127	12.5	93	9.1	80	7.9
All other	770	51	22.0	36	15.5	38	16.4
Balance of area	1,268	29	9.0	21	6.5	23	7.2
White	1,253	28	9.0	21	6.7	22	7.1
All other	15	1	10.5	–	–	1	10.5
Nonmetropolitan counties	14,119	251	11.9	168	8.0	177	8.4
White	13,791	230	11.6	155	7.9	169	8.6
All other	328	21	16.2	13	10.0	8	6.2
Urban places	4,369	100	12.4	68	8.4	63	7.8
White	4,133	83	11.5	57	7.9	56	7.8
All other	236	17	19.5	11	12.6	7	8.0
Balance of area	9,750	151	11.7	100	7.7	114	8.8
White	9,658	147	11.7	98	7.8	113	9.0
All other	92	4	9.5	2	4.7	1	2.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Kentucky	33,421	729	12.7	494	8.6	553	9.6
White	30,584	619	12.0	415	8.0	462	9.0
All other	2,837	110	19.1	79	13.7	91	15.8
Urban places	11,273	212	13.4	150	9.5	157	10.0
White	9,442	141	11.5	99	8.1	103	8.4
All other	1,831	71	20.2	51	14.5	54	15.3
Balance of area	22,148	517	12.4	344	8.3	396	9.5
White	21,142	478	12.2	316	8.0	359	9.1
All other	1,006	39	17.4	28	12.5	37	16.6
Metropolitan counties	12,341	275	12.9	201	9.5	199	9.4
White	10,730	205	11.5	147	8.3	145	8.2
All other	1,611	70	20.2	54	15.6	54	15.6
Urban places	8,341	161	13.5	119	10.0	119	10.0
White	6,887	108	11.8	78	8.5	76	8.3
All other	1,454	53	19.1	41	14.8	43	15.5
Balance of area	4,000	114	12.2	82	8.8	80	8.6
White	3,843	97	11.2	69	8.0	69	8.0
All other	157	17	24.7	13	18.9	11	16.0
Nonmetropolitan counties	21,080	454	12.6	293	8.1	354	9.8
White	19,854	414	12.3	268	7.9	317	9.4
All other	1,226	40	17.4	25	10.9	37	16.1
Urban places	2,932	51	13.2	31	8.0	38	9.9
White	2,555	33	10.7	21	6.8	27	8.7
All other	377	18	23.8	10	13.2	11	14.6
Balance of area	18,148	403	12.5	262	8.1	316	9.8
White	17,299	381	12.4	247	8.0	290	9.4
All other	849	22	14.2	15	9.7	26	16.8
Louisiana	35,242	1,295	17.3	898	12.0	823	11.0
White	23,547	572	12.7	426	9.4	341	7.5
All other	11,695	723	24.3	472	15.9	482	16.2
Urban places	17,257	638	19.0	448	13.3	390	11.6
White	10,569	225	14.0	174	10.8	116	7.2
All other	6,688	413	23.5	274	15.6	274	15.6
Balance of area	17,985	657	15.9	450	10.9	433	10.5
White	12,978	347	11.9	252	8.6	225	7.7
All other	5,007	310	25.5	198	16.3	208	17.1
Metropolitan parishes[2]	18,807	696	16.9	498	12.1	427	10.4
White	12,409	295	12.5	234	9.9	161	6.8
All other	6,398	401	23.0	264	15.1	266	15.2
Urban places	13,881	523	19.2	369	13.5	319	11.7
White	8,448	178	14.1	142	11.3	96	7.6
All other	5,433	345	23.4	227	15.4	223	15.2
Balance of area	4,926	173	12.6	129	9.4	108	7.8
White	3,961	117	10.6	92	8.4	65	5.9
All other	965	56	20.3	37	13.4	43	15.6
Nonmetropolitan parishes[2]	16,435	599	17.7	400	11.8	396	11.7
White	11,138	277	12.8	192	8.9	180	8.3
All other	5,297	322	26.3	208	17.0	216	17.6
Urban places	3,376	115	18.1	79	12.5	71	11.2
White	2,121	47	13.6	32	9.3	20	5.8
All other	1,255	68	23.6	47	16.3	51	17.7
Balance of area	13,059	484	17.6	321	11.7	325	11.8
White	9,017	230	12.7	160	8.8	160	8.8
All other	4,042	254	27.1	161	17.2	165	17.6
Maine	10,179	165	10.4	97	6.1	142	9.0
White	10,140	164	10.5	97	6.2	130	8.3
All other	39	1	3.6	–	–	12	43.2
Urban places	3,195	51	12.0	29	6.8	38	8.9
White	3,181	51	12.2	29	6.9	33	7.9
All other	14	–	–	–	–	5	57.5
Balance of area	6,984	114	9.8	68	5.9	104	9.0
White	6,959	113	9.9	68	6.0	97	8.5
All other	25	1	5.2	–	–	7	36.6
Metropolitan counties	2,005	31	10.8	15	5.2	29	10.1
White	1,999	31	11.0	15	5.3	24	8.6
All other	6	–	–	–	–	5	86.2
Urban places	1,150	22	16.5	11	8.3	17	12.8
White	1,146	22	17.0	11	8.5	13	10.0
All other	4	–	–	–	–	4	108.1
Balance of area	855	9	5.9	4	2.6	12	7.8
White	853	9	6.0	4	2.6	11	7.3
All other	2	–	–	–	–	1	47.6
Nonmetropolitan counties	8,174	134	10.3	82	6.3	113	8.7
White	8,141	133	10.4	82	6.4	106	8.3
All other	33	1	4.5	–	–	7	31.8
Urban places	2,045	29	9.9	18	6.1	21	7.2
White	2,035	29	10.1	18	6.3	20	6.9
All other	10	–	–	–	–	1	20.0
Balance of area	6,129	105	10.4	64	6.4	92	9.2
White	6,106	104	10.5	64	6.5	86	8.7
All other	23	1	5.9	–	–	6	35.3

[2] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Maryland	33,130	814	14.7	613	11.1	504	9.1
White	26,360	446	11.7	333	8.7	269	7.1
All other	6,770	368	21.3	280	16.2	235	13.6
Urban places	13,346	351	20.9	251	14.9	186	11.1
White	8,854	143	18.1	100	12.7	67	8.5
All other	4,492	208	23.4	151	17.0	119	13.4
Balance of area	19,784	463	12.0	362	9.4	318	8.3
White	17,506	303	10.0	233	7.7	202	6.7
All other	2,278	160	19.1	129	15.4	116	13.9
Metropolitan counties	26,601	694	15.2	522	11.5	408	9.0
White	20,791	360	12.0	268	8.9	201	6.7
All other	5,810	334	21.6	254	16.4	207	13.4
Urban places	11,760	327	21.8	235	15.6	167	11.1
White	7,446	124	19.1	87	13.4	50	7.7
All other	4,314	203	23.8	148	17.3	117	13.7
Balance of area	14,841	367	12.0	287	9.4	241	7.9
White	13,345	236	10.0	181	7.7	151	6.4
All other	1,496	131	18.9	106	15.3	90	13.0
Nonmetropolitan counties	6,529	120	12.3	91	9.3	96	9.8
White	5,569	86	10.8	65	8.2	68	8.6
All other	960	34	18.8	26	14.4	28	15.5
Urban places	1,586	24	13.5	16	9.0	19	10.7
White	1,408	19	13.5	13	9.2	17	12.0
All other	178	5	13.8	3	8.3	2	5.5
Balance of area	4,943	96	12.0	75	9.4	77	9.6
White	4,161	67	10.2	52	8.0	51	7.8
All other	782	29	20.1	23	15.9	26	18.0
Massachusetts	52,660	760	11.1	558	8.1	403	5.9
White	51,192	661	10.5	489	7.8	381	6.1
All other	1,468	99	17.0	69	11.9	22	3.8
Urban places	37,525	538	12.0	399	8.9	265	5.9
White	36,200	444	11.2	333	8.4	246	6.2
All other	1,325	94	17.7	66	12.4	19	3.6
Balance of area	15,135	222	9.4	159	6.7	138	5.8
White	14,992	217	9.4	156	6.7	135	5.8
All other	143	5	9.8	3	5.9	3	5.9
Metropolitan counties	50,242	734	11.1	540	8.2	391	5.9
White	48,819	635	10.5	471	7.8	369	6.1
All other	1,423	99	17.4	69	12.1	22	3.9
Urban places	37,525	538	12.0	399	8.9	265	5.9
White	36,200	444	11.2	333	8.4	246	6.2
All other	1,325	94	17.7	66	12.4	19	3.6
Balance of area	12,717	196	9.3	141	6.7	126	6.0
White	12,619	191	9.2	138	6.7	123	5.9
All other	98	5	12.6	3	7.6	3	7.6
Nonmetropolitan counties	2,418	26	10.2	18	7.1	12	4.7
White	2,373	26	10.7	18	7.4	12	4.9
All other	45	–	–	–	–	–	–
Urban places	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–
Balance of area	2,418	26	10.2	18	7.1	12	4.7
White	2,373	26	10.7	18	7.4	12	4.9
All other	45	–	–	–	–	–	–
Michigan	74,968	1,923	13.8	1,275	9.2	1,184	8.5
White	65,467	1,344	11.8	893	7.8	873	7.6
All other	9,501	579	23.2	382	15.3	311	12.5
Urban places	42,202	1,137	15.8	750	10.4	688	9.5
White	33,400	591	12.0	390	7.9	395	8.0
All other	8,802	546	24.1	360	15.9	293	12.9
Balance of area	32,766	786	11.7	525	7.8	496	7.4
White	32,067	753	11.6	503	7.8	478	7.4
All other	699	33	14.8	22	9.8	18	8.1
Metropolitan counties	53,909	1,447	14.1	970	9.5	890	8.7
White	45,060	906	11.4	610	7.7	603	7.6
All other	8,849	541	23.4	360	15.6	287	12.4
Urban places	38,980	1,051	15.7	698	10.4	644	9.6
White	30,415	529	11.8	350	7.8	365	8.1
All other	8,565	522	23.9	348	16.0	279	12.8
Balance of area	14,929	396	11.1	272	7.6	246	6.9
White	14,645	377	11.0	260	7.6	238	7.0
All other	284	19	14.1	12	8.9	8	5.9
Nonmetropolitan counties	21,059	476	12.9	305	8.3	294	8.0
White	20,407	438	12.5	283	8.1	270	7.7
All other	652	38	21.5	22	12.5	24	13.6
Urban places	3,222	86	16.2	52	9.8	44	8.3
White	2,985	62	14.0	40	9.0	30	6.8
All other	237	24	27.3	12	13.6	14	15.9
Balance of area	17,837	390	12.4	253	8.0	250	7.9
White	17,422	376	12.3	243	7.9	240	7.8
All other	415	14	15.8	10	11.3	10	11.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Minnesota	33,316	741	12.0	513	8.3	480	7.7
White	32,752	686	11.6	480	8.1	441	7.5
All other	564	55	18.3	33	11.0	39	12.9
Urban places	16,655	381	13.3	271	9.4	208	7.2
White	16,238	343	12.9	249	9.4	179	6.7
All other	417	38	17.2	22	10.0	29	13.1
Balance of area	16,661	360	10.8	242	7.3	272	8.2
White	16,514	343	10.6	231	7.1	262	8.1
All other	147	17	21.1	11	13.7	10	12.4
Metropolitan counties	16,565	404	12.2	286	8.6	252	7.6
White	16,137	365	11.9	264	8.6	221	7.2
All other	428	39	16.9	22	9.6	31	13.5
Urban places	13,922	320	13.0	225	9.1	184	7.5
White	13,512	282	12.5	203	9.0	156	6.9
All other	410	38	17.8	22	10.3	28	13.1
Balance of area	2,643	84	10.0	61	7.2	68	8.1
White	2,625	83	10.0	61	7.4	65	7.9
All other	18	1	6.2	–	–	3	18.5
Nonmetropolitan counties	16,751	337	11.7	227	7.9	228	7.9
White	16,615	321	11.4	216	7.7	220	7.8
All other	136	16	22.5	11	15.5	8	11.3
Urban places	2,733	61	14.9	46	11.2	24	5.9
White	2,726	61	15.1	46	11.4	23	5.7
All other	7	–	–	–	–	1	14.7
Balance of area	14,018	276	11.1	181	7.3	204	8.2
White	13,889	260	10.8	170	7.0	197	8.1
All other	129	16	24.9	11	17.1	7	10.9
Mississippi	23,350	829	18.7	546	12.3	669	15.1
White	14,670	261	11.5	187	8.3	211	9.3
All other	8,680	568	26.1	359	16.5	458	21.1
Urban places	7,507	256	18.1	182	12.8	231	16.3
White	4,546	71	11.0	53	8.2	61	9.4
All other	2,961	185	24.0	129	16.7	170	22.0
Balance of area	15,843	573	19.0	364	12.0	438	14.5
White	10,124	190	11.7	134	8.3	150	9.3
All other	5,719	383	27.3	230	16.4	288	20.5
Metropolitan counties	3,626	106	12.6	77	9.2	118	14.1
White	2,448	42	9.0	31	6.6	39	8.3
All other	1,178	64	17.3	46	12.4	79	21.3
Urban places	2,334	77	14.1	56	10.2	78	14.2
White	1,533	25	9.3	17	6.3	19	7.1
All other	801	52	18.6	39	14.0	59	21.2
Balance of area	1,292	29	9.9	21	7.2	40	13.7
White	915	17	8.5	14	7.0	20	10.0
All other	377	12	13.0	7	7.6	20	21.7
Nonmetropolitan counties	19,724	723	20.1	469	13.0	551	15.3
White	12,222	219	12.2	156	8.7	172	9.6
All other	7,502	504	27.9	313	17.4	379	21.0
Urban places	5,173	179	20.6	126	14.5	153	17.6
White	3,013	46	12.2	36	9.5	42	11.1
All other	2,160	133	27.0	90	18.3	111	22.6
Balance of area	14,551	544	19.9	343	12.6	398	14.6
White	9,209	173	12.2	120	8.5	130	9.2
All other	5,342	371	28.3	223	17.0	268	20.4
Missouri	49,442	1,080	14.8	785	10.8	703	9.6
White	44,399	744	12.2	550	9.0	531	8.7
All other	5,043	336	28.2	235	19.7	172	14.4
Urban places	23,655	607	18.5	445	13.6	311	9.5
White	19,511	329	14.1	246	10.5	175	7.5
All other	4,144	278	29.4	199	21.0	136	14.4
Balance of area	25,787	473	11.8	340	8.5	392	9.8
White	24,888	415	11.0	304	8.1	356	9.5
All other	899	58	23.8	36	14.7	36	14.7
Metropolitan counties	27,929	752	16.3	555	12.1	411	8.9
White	23,539	442	12.5	333	9.4	264	7.4
All other	4,390	310	29.3	222	21.0	147	13.9
Urban places	20,351	547	18.9	401	13.9	264	9.1
White	16,397	272	13.7	205	10.3	136	6.9
All other	3,954	275	30.2	196	21.5	128	14.1
Balance of area	7,578	205	12.0	154	9.0	147	8.6
White	7,142	170	10.9	128	8.2	128	8.2
All other	436	35	23.7	26	17.6	19	12.9
Nonmetropolitan counties	21,513	328	12.2	230	8.6	292	10.9
White	20,860	302	11.8	217	8.5	267	10.5
All other	653	26	19.5	13	9.8	25	18.8
Urban places	3,304	60	15.3	44	11.3	47	12.0
White	3,114	57	16.1	41	11.6	39	11.0
All other	190	3	8.1	3	8.1	8	21.7
Balance of area	18,209	268	11.7	186	8.1	245	10.7
White	17,746	245	11.1	176	8.0	228	10.4
All other	463	23	23.9	10	10.4	17	17.6

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Montana	6,488	157	11.6	99	7.3	114	8.4
White	6,171	126	10.4	84	6.9	93	7.7
All other	317	31	21.5	15	10.4	21	14.6
Urban places	2,345	53	12.5	34	8.0	36	8.5
White	2,307	46	11.6	29	7.3	29	7.3
All other	38	7	26.1	5	18.7	7	26.1
Balance of area	4,143	104	11.2	65	7.0	78	8.4
White	3,864	80	9.8	55	6.8	64	7.9
All other	279	24	20.5	10	8.5	14	11.9
Metropolitan counties	1,326	34	10.2	22	6.6	31	9.3
White	1,300	27	8.6	17	5.4	25	7.9
All other	26	7	36.6	5	26.2	6	31.4
Urban places	1,009	25	11.8	17	8.0	21	9.9
White	986	18	9.1	12	6.1	16	8.1
All other	23	7	49.0	5	35.0	5	35.0
Balance of area	317	9	7.4	5	4.1	10	8.2
White	314	9	7.7	5	4.3	9	7.7
All other	3	–	–	–	–	1	20.8
Nonmetropolitan counties	5,162	123	12.1	77	7.5	83	8.1
White	4,871	99	11.1	67	7.5	68	7.6
All other	291	24	19.2	10	8.0	15	12.0
Urban places	1,336	28	13.2	17	8.0	15	7.1
White	1,321	28	14.0	17	8.5	13	6.5
All other	15	–	–	–	–	2	16.0
Balance of area	3,826	95	11.8	60	7.4	68	8.4
White	3,550	71	10.2	50	7.2	55	7.9
All other	276	24	21.3	10	8.9	13	11.6
Nebraska	14,443	327	13.0	228	9.1	227	9.0
White	14,018	284	12.1	198	8.4	199	8.5
All other	425	43	25.7	30	17.9	28	16.7
Urban places	6,364	168	14.7	108	9.4	104	9.1
White	6,020	130	12.8	83	8.2	80	7.9
All other	344	38	28.8	25	18.9	24	18.2
Balance of area	8,079	159	11.6	120	8.8	123	9.0
White	7,998	154	11.6	115	8.6	119	8.9
All other	81	5	14.2	5	14.2	4	11.3
Metropolitan counties	5,031	152	13.5	97	8.6	93	8.3
White	4,694	114	11.6	72	7.3	68	6.9
All other	337	38	27.6	25	18.1	25	18.1
Urban places	4,428	133	15.8	84	10.0	80	9.5
White	4,097	95	13.3	59	8.3	56	7.8
All other	331	38	30.0	25	19.7	24	18.9
Balance of area	603	19	6.7	13	4.6	13	4.6
White	597	19	7.0	13	4.8	12	4.4
All other	6	–	–	–	–	1	9.0
Nonmetropolitan counties	9,412	175	12.6	131	9.4	134	9.7
White	9,324	170	12.5	126	9.3	131	9.6
All other	88	5	16.9	5	16.9	3	10.1
Urban places	1,936	35	11.5	24	7.9	24	7.9
White	1,923	35	11.7	24	8.0	24	8.0
All other	13	–	–	–	–	–	–
Balance of area	7,476	140	12.9	107	9.9	110	10.2
White	7,401	135	12.8	102	9.6	107	10.1
All other	75	5	20.7	5	20.7	3	12.4
Nevada	5,056	137	12.5	94	8.6	84	7.6
White	4,655	110	11.9	75	8.1	65	7.0
All other	401	27	15.5	19	10.9	19	10.9
Urban places	3,085	86	12.1	54	7.6	53	7.5
White	2,791	65	11.4	40	7.0	39	6.8
All other	294	21	15.1	14	10.1	14	10.1
Balance of area	1,971	51	13.1	40	10.3	31	8.0
White	1,864	45	12.7	35	9.9	26	7.4
All other	107	6	16.8	5	14.0	5	14.0
Metropolitan counties	3,961	115	12.8	78	8.7	64	7.2
White	3,630	88	11.9	59	8.0	49	6.6
All other	331	27	17.4	19	12.3	15	9.7
Urban places	2,834	82	12.3	52	7.8	50	7.5
White	2,551	61	11.5	38	7.1	36	6.8
All other	283	21	15.5	14	10.3	14	10.3
Balance of area	1,127	33	14.5	26	11.5	14	6.2
White	1,079	27	13.0	21	10.1	13	6.3
All other	48	6	31.4	5	26.2	1	5.2
Nonmetropolitan counties	1,095	22	10.8	16	7.8	20	9.8
White	1,025	22	11.9	16	8.7	16	8.7
All other	70	–	–	–	–	4	20.2
Urban places	251	4	9.6	2	4.8	3	7.2
White	240	4	10.3	2	5.2	3	7.8
All other	11	–	–	–	–	–	–
Balance of area	844	18	11.1	14	8.6	17	10.5
White	785	18	12.4	14	9.6	13	8.9
All other	59	–	–	–	–	4	24.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
New Hampshire	7,408	129	10.4	100	8.0	78	6.3
White	7,385	128	10.5	100	8.2	78	6.4
All other	23	1	5.3	–	–	–	–
Urban places	3,212	61	13.4	50	11.0	12	2.6
White	3,197	61	13.7	50	11.2	12	2.7
All other	15	–	–	–	–	–	–
Balance of area	4,196	68	8.6	50	6.3	66	8.4
White	4,188	67	8.6	50	6.4	66	8.5
All other	8	1	12.0	–	–	–	–
Metropolitan counties	2,149	41	11.0	34	9.1	20	5.4
White	2,146	41	11.2	34	9.3	20	5.5
All other	3	–	–	–	–	–	–
Urban places	1,460	29	13.5	24	11.2	7	3.3
White	1,457	29	13.8	24	11.4	7	3.3
All other	3	–	–	–	–	–	–
Balance of area	689	12	7.6	10	6.4	13	8.3
White	689	12	7.7	10	6.4	13	8.4
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	5,259	88	10.1	66	7.6	58	6.7
White	5,239	87	10.1	66	7.7	58	6.8
All other	20	1	7.6	–	–	–	–
Urban places	1,752	32	13.3	26	10.8	5	2.1
White	1,740	32	13.7	26	11.1	5	2.1
All other	12	–	–	–	–	–	–
Balance of area	3,507	56	8.9	40	6.3	53	8.4
White	3,499	55	8.8	40	6.4	53	8.5
All other	8	1	15.6	–	–	–	–
New Jersey	65,993	1,216	13.0	873	9.3	941	10.1
White	59,302	763	10.5	564	7.8	609	8.4
All other	6,691	453	21.7	309	14.8	332	15.9
Urban places	45,462	912	14.4	644	10.2	684	10.8
White	39,746	499	11.2	364	8.1	382	8.5
All other	5,716	413	22.4	280	15.2	302	16.4
Balance of area	20,531	304	10.0	229	7.5	257	8.5
White	19,556	264	9.5	200	7.2	227	8.1
All other	975	40	16.1	29	11.7	30	12.1
Metropolitan counties	49,441	962	13.7	674	9.6	748	10.6
White	43,487	562	10.8	404	7.8	455	8.7
All other	5,954	400	21.8	270	14.7	293	15.9
Urban places	37,236	776	15.3	537	10.6	597	11.8
White	32,033	409	12.0	290	8.5	322	9.4
All other	5,203	367	22.3	247	15.0	275	16.7
Balance of area	12,205	186	9.4	137	6.9	151	7.6
White	11,454	153	8.5	114	6.4	133	7.4
All other	751	33	17.4	23	12.2	18	9.5
Nonmetropolitan counties	16,552	254	11.0	199	8.6	193	8.4
White	15,815	201	9.8	160	7.8	154	7.5
All other	737	53	20.9	39	15.4	39	15.4
Urban places	8,226	136	10.9	107	8.5	87	6.9
White	7,713	90	8.5	74	7.0	60	5.7
All other	513	46	23.7	33	17.0	27	13.9
Balance of area	8,326	118	11.2	92	8.7	106	10.0
White	8,102	111	11.1	86	8.6	94	9.4
All other	224	7	11.8	6	10.1	12	20.2
New Mexico	8,456	338	14.1	216	9.0	214	8.9
White	7,593	262	13.4	177	9.0	170	8.7
All other	863	76	17.4	39	8.9	44	10.1
Urban places	4,565	158	11.7	104	7.7	100	7.4
White	4,364	138	11.2	96	7.8	84	6.8
All other	201	20	16.4	8	6.5	16	13.1
Balance of area	3,891	180	17.2	112	10.7	114	10.9
White	3,229	124	17.0	81	11.1	86	11.8
All other	662	56	17.8	31	9.9	28	8.9
Metropolitan counties	2,406	81	12.1	55	8.2	41	6.1
White	2,311	72	11.9	51	8.4	35	5.8
All other	95	9	14.3	4	6.3	6	9.5
Urban places	2,206	71	11.1	49	7.7	38	6.0
White	2,131	64	11.0	46	7.9	32	5.5
All other	75	7	12.8	3	5.5	6	11.0
Balance of area	200	10	31.2	6	18.7	3	9.3
White	180	8	33.8	5	21.1	3	12.7
All other	20	2	23.8	1	11.9	–	–
Nonmetropolitan counties	6,050	257	14.9	161	9.3	173	10.0
White	5,282	190	14.1	126	9.3	135	10.0
All other	768	67	18.0	35	9.4	38	10.2
Urban places	2,359	87	12.2	55	7.7	62	8.7
White	2,233	74	11.5	50	7.8	52	8.1
All other	126	13	19.3	5	7.4	10	14.8
Balance of area	3,691	170	16.8	106	10.5	111	11.0
White	3,049	116	16.4	76	10.8	83	11.8
All other	642	54	17.7	30	9.8	28	9.2

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
New York	167,572	3,268	14.0	2,355	10.1	2,457	10.5
White	148,263	2,139	11.9	1,590	8.8	1,655	9.2
All other	19,309	1,129	20.9	765	14.1	802	14.8
Urban places	110,083	2,264	15.4	1,599	10.9	1,697	11.5
White	92,225	1,219	12.5	891	9.2	954	9.8
All other	17,858	1,045	21.0	708	14.2	743	14.9
Balance of area	57,489	1,004	11.6	756	8.7	760	8.7
White	56,038	920	11.1	699	8.5	701	8.5
All other	1,451	84	19.7	57	13.4	59	13.8
Metropolitan counties	142,550	2,824	14.2	2,031	10.2	2,109	10.6
White	123,702	1,728	11.8	1,289	8.8	1,324	9.1
All other	18,848	1,096	20.9	742	14.2	785	15.0
Urban places	103,456	2,150	15.5	1,524	11.0	1,604	11.5
White	85,804	1,131	12.5	834	9.2	870	9.6
All other	17,652	1,019	20.8	690	14.1	734	15.0
Balance of area	39,094	674	11.3	507	8.5	505	8.5
White	37,898	597	10.7	455	8.1	454	8.1
All other	1,196	77	21.8	52	14.7	51	14.5
Nonmetropolitan counties	25,022	444	12.6	324	9.2	348	9.8
White	24,561	411	12.2	301	8.9	331	9.8
All other	461	33	19.8	23	13.8	17	10.2
Urban places	6,627	114	14.3	75	9.4	93	11.6
White	6,421	88	12.4	57	8.1	84	11.9
All other	206	26	28.1	18	19.5	9	9.7
Balance of area	18,395	330	12.1	249	9.1	255	9.3
White	18,140	323	12.1	244	9.2	247	9.3
All other	255	7	9.4	5	6.7	8	10.8
North Carolina	47,322	1,367	16.6	938	11.4	920	11.2
White	35,325	724	13.0	511	9.2	476	8.6
All other	11,997	643	23.9	427	15.9	444	16.5
Urban places	15,852	444	18.7	321	13.5	277	11.7
White	10,758	190	14.6	141	10.8	114	8.7
All other	5,094	254	23.7	180	16.8	163	15.2
Balance of area	31,470	923	15.7	617	10.5	643	11.0
White	24,567	534	12.6	370	8.7	362	8.5
All other	6,903	389	24.0	247	15.3	281	17.4
Metropolitan counties	16,015	472	15.6	342	11.3	294	9.7
White	11,861	274	13.5	197	9.7	151	7.5
All other	4,154	198	19.9	145	14.6	143	14.4
Urban places	9,869	294	18.6	219	13.8	179	11.3
White	6,597	137	16.0	102	11.9	70	8.2
All other	3,272	157	21.6	117	16.1	109	15.0
Balance of area	6,146	178	12.4	123	8.6	115	8.0
White	5,264	137	11.7	95	8.1	81	6.9
All other	882	41	15.3	28	10.5	34	12.7
Nonmetropolitan counties	31,307	895	17.1	596	11.4	626	12.0
White	23,464	450	12.7	314	8.9	325	9.2
All other	7,843	445	26.3	282	16.6	301	17.8
Urban places	5,983	150	18.9	102	12.8	98	12.3
White	4,161	53	11.8	39	8.7	44	9.8
All other	1,822	97	28.1	63	18.3	54	15.7
Balance of area	25,324	745	16.8	494	11.1	528	11.9
White	19,303	397	12.9	275	8.9	281	9.1
All other	6,021	348	25.8	219	16.2	247	18.3
North Dakota	5,491	152	13.5	108	9.6	100	8.9
White	5,317	140	13.4	104	10.0	87	8.3
All other	174	12	13.7	4	4.6	13	14.9
Urban places	1,646	69	16.0	50	11.6	26	6.0
White	1,630	69	16.7	50	12.1	24	5.8
All other	16	–	–	–	–	2	10.3
Balance of area	3,845	83	11.9	58	8.3	74	10.6
White	3,687	71	11.3	54	8.6	63	10.0
All other	158	12	17.6	4	5.9	11	16.2
Metropolitan counties	563	19	13.5	14	9.9	7	5.0
White	559	19	13.8	14	10.2	7	5.1
All other	4	–	–	–	–	–	–
Urban places	391	12	12.6	10	10.5	2	2.1
White	388	12	13.0	10	10.8	2	2.2
All other	3	–	–	–	–	–	–
Balance of area	172	7	15.2	4	8.7	5	10.8
White	171	7	15.6	4	8.9	5	11.1
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	4,928	133	13.5	94	9.5	93	9.4
White	4,758	121	13.4	90	9.9	80	8.8
All other	170	12	14.4	4	4.8	13	15.6
Urban places	1,255	57	16.9	40	11.9	24	7.1
White	1,242	57	17.8	40	12.5	22	6.9
All other	13	–	–	–	–	2	12.0
Balance of area	3,673	76	11.7	54	8.3	69	10.6
White	3,516	64	10.9	50	8.6	58	9.9
All other	157	12	17.9	4	6.0	11	16.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	96,569	2,147	13.3	1,486	9.2	1,509	9.4
White	87,130	1,656	12.1	1,141	8.3	1,199	8.8
All other	9,439	491	20.6	345	14.5	310	13.0
Urban places	58,516	1,328	15.0	928	10.5	905	10.2
White	49,872	875	13.1	614	9.2	616	9.2
All other	8,644	453	21.1	314	14.6	289	13.4
Balance of area	38,053	819	11.3	558	7.7	604	8.3
White	37,258	781	11.1	527	7.5	583	8.3
All other	795	38	16.2	31	13.2	21	8.9
Metropolitan counties	72,092	1,642	13.6	1,149	9.6	1,120	9.3
White	63,082	1,163	11.9	814	8.3	823	8.4
All other	9,010	479	21.1	335	14.7	297	13.1
Urban places	50,880	1,172	15.1	819	10.5	798	10.2
White	42,487	729	12.8	513	9.0	516	9.0
All other	8,393	443	21.3	306	14.7	282	13.5
Balance of area	21,212	470	11.1	330	7.8	322	7.6
White	20,595	434	10.7	301	7.4	307	7.6
All other	617	36	18.7	29	15.1	15	7.8
Nonmetropolitan counties	24,477	505	12.5	337	8.3	389	9.6
White	24,048	493	12.5	327	8.3	376	9.5
All other	429	12	11.0	10	9.2	13	11.9
Urban places	7,636	156	14.7	109	10.3	107	10.1
White	7,385	146	14.7	101	10.2	100	10.1
All other	251	10	15.1	8	12.1	7	10.6
Balance of area	16,841	349	11.6	228	7.6	282	9.4
White	16,663	347	11.7	226	7.7	276	9.3
All other	178	2	4.7	2	4.7	6	14.0
Oklahoma	27,943	655	14.3	413	9.0	432	9.4
White	25,036	492	13.4	319	8.7	324	8.8
All other	2,907	163	17.8	94	10.3	108	11.8
Urban places	13,437	385	15.1	241	9.4	237	9.3
White	11,873	274	13.7	178	8.9	172	8.6
All other	1,564	111	20.1	63	11.4	65	11.8
Balance of area	14,506	270	13.2	172	8.4	195	9.6
White	13,163	218	13.0	141	8.4	152	9.1
All other	1,343	52	14.3	31	8.5	43	11.8
Metropolitan counties	11,609	362	14.8	219	9.0	221	9.1
White	10,276	259	13.6	160	8.4	160	8.4
All other	1,333	103	19.5	59	11.1	61	11.5
Urban places	9,205	290	14.7	177	9.0	180	9.1
White	8,082	202	13.2	127	8.3	131	8.6
All other	1,123	88	19.6	50	11.1	49	10.9
Balance of area	2,404	72	15.5	42	9.0	41	8.8
White	2,194	57	14.8	33	8.6	29	7.5
All other	210	15	18.6	9	11.2	12	14.9
Nonmetropolitan counties	16,334	293	13.6	194	9.0	211	9.8
White	14,760	233	13.2	159	9.0	164	9.3
All other	1,574	60	15.6	35	9.1	47	12.2
Urban places	4,232	95	16.5	64	11.1	57	9.9
White	3,791	72	15.2	51	10.8	41	8.7
All other	441	23	22.4	13	12.7	16	15.6
Balance of area	12,102	198	12.6	130	8.3	154	9.8
White	10,969	161	12.5	108	8.4	123	9.5
All other	1,133	37	13.1	22	7.8	31	11.0
Oregon	20,895	501	12.9	299	7.7	312	8.0
White	20,405	472	12.9	284	7.7	297	8.1
All other	490	29	12.5	15	6.5	15	6.5
Urban places	9,747	219	13.8	128	8.1	112	7.1
White	9,387	200	14.0	119	8.3	102	7.1
All other	360	19	12.3	9	5.8	10	6.5
Balance of area	11,148	282	12.2	171	7.4	200	8.7
White	11,018	272	12.2	165	7.4	195	8.7
All other	130	10	12.9	6	7.7	5	6.5
Metropolitan counties	12,367	281	12.2	174	7.6	165	7.2
White	11,985	263	12.4	166	7.8	155	7.3
All other	382	18	10.3	8	4.6	10	5.7
Urban places	7,369	153	13.1	92	7.9	74	6.3
White	7,033	136	13.1	85	8.2	65	6.3
All other	336	17	12.4	7	5.1	9	6.6
Balance of area	4,998	128	11.4	82	7.3	91	8.1
White	4,952	127	11.7	81	7.4	90	8.3
All other	46	1	2.7	1	2.7	1	2.7
Nonmetropolitan counties	8,528	220	13.7	125	7.8	147	9.2
White	8,420	209	13.5	118	7.6	142	9.2
All other	108	11	19.0	7	12.1	5	8.6
Urban places	2,378	66	15.9	36	8.7	38	9.2
White	2,354	64	16.1	34	8.6	37	9.3
All other	24	2	11.2	2	11.2	1	5.6
Balance of area	6,150	154	13.0	89	7.5	109	9.2
White	6,066	145	12.7	84	7.3	105	9.2
All other	84	9	22.4	5	12.4	4	10.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Pennsylvania	120,074	2,089	13.7	1,597	10.5	1,804	11.8
White	109,446	1,636	12.5	1,269	9.7	1,280	9.8
All other	10,628	453	21.2	328	15.4	524	24.5
Urban places	60,360	1,078	17.7	827	13.5	618	10.1
White	50,722	668	15.7	532	12.5	263	6.2
All other	9,638	410	22.3	295	16.0	355	19.3
Balance of area	59,714	1,011	11.1	770	8.4	1,186	13.0
White	58,724	968	11.0	737	8.4	1,017	11.5
All other	990	43	14.5	33	11.1	169	56.9
Metropolitan counties	93,775	1,663	14.1	1,284	10.9	1,439	12.2
White	83,484	1,223	12.6	966	9.9	936	9.6
All other	10,291	440	21.4	318	15.5	503	24.4
Urban places	55,354	1,000	17.8	772	13.7	586	10.4
White	45,888	601	15.7	486	12.7	234	6.1
All other	9,466	399	22.2	286	15.9	352	19.6
Balance of area	38,421	663	10.8	512	8.3	853	13.9
White	37,596	622	10.6	480	8.2	702	11.9
All other	825	41	15.9	32	12.4	151	58.4
Nonmetropolitan counties	26,299	426	12.4	313	9.1	365	10.6
White	25,962	413	12.3	303	9.0	344	10.2
All other	337	13	16.7	10	12.9	21	27.0
Urban places	5,006	78	16.4	55	11.6	32	6.7
White	4,834	67	15.4	46	10.5	29	6.6
All other	172	11	28.2	9	23.1	3	7.7
Balance of area	21,293	348	11.7	258	8.7	333	11.2
White	21,128	346	11.8	257	8.8	315	10.7
All other	165	2	5.2	1	2.6	18	46.5
Rhode Island	8,873	157	13.6	122	10.6	108	9.4
White	8,653	129	12.2	103	9.8	96	9.1
All other	220	28	29.1	19	19.8	12	12.5
Urban places	7,039	127	14.6	97	11.1	88	10.1
White	6,835	100	12.8	79	10.1	76	9.7
All other	204	27	30.1	18	20.0	12	13.4
Balance of area	1,834	30	10.7	25	8.9	20	7.1
White	1,818	29	10.5	24	8.7	20	7.3
All other	16	1	15.6	1	15.6	–	–
Metropolitan counties	7,502	131	14.3	100	10.9	93	10.1
White	7,328	109	13.0	87	10.4	83	9.9
All other	174	22	27.5	13	16.3	10	12.5
Urban places	6,468	115	15.0	87	11.3	81	10.6
White	6,297	93	13.5	74	10.7	71	10.3
All other	171	22	28.1	13	16.6	10	12.8
Balance of area	1,034	16	10.7	13	8.7	12	8.0
White	1,031	16	10.8	13	8.8	12	8.1
All other	3	–	–	–	–	–	–
Nonmetropolitan counties	1,371	26	11.0	22	9.3	15	6.4
White	1,325	20	9.1	16	7.3	13	5.9
All other	46	6	36.8	6	36.8	2	12.3
Urban places	571	12	11.6	10	9.7	7	6.8
White	538	7	7.6	5	5.5	5	5.5
All other	33	5	43.1	5	43.1	2	17.2
Balance of area	800	14	10.6	12	9.1	8	6.0
White	787	13	10.2	11	8.6	8	6.3
All other	13	1	21.3	1	21.3	–	–
South Carolina	24,112	922	18.6	616	12.4	638	12.8
White	16,041	388	13.3	275	9.4	287	9.9
All other	8,071	534	26.0	341	16.6	351	17.1
Urban places	5,724	185	22.0	119	14.1	111	13.2
White	3,608	54	13.6	35	8.8	39	9.8
All other	2,116	131	29.4	84	18.8	72	16.2
Balance of area	18,388	737	17.9	497	12.1	527	12.8
White	12,433	334	13.3	240	9.5	248	9.9
All other	5,955	403	25.0	257	16.0	279	17.3
Metropolitan counties	8,627	308	16.2	208	11.0	227	12.0
White	6,089	150	12.1	103	8.3	118	9.5
All other	2,538	158	24.0	105	15.9	109	16.5
Urban places	3,121	93	22.0	60	14.2	58	13.7
White	1,987	27	14.1	18	9.4	24	12.5
All other	1,134	66	28.6	42	18.2	34	14.7
Balance of area	5,506	215	14.6	148	10.0	169	11.5
White	4,102	123	11.8	85	8.1	94	9.0
All other	1,404	92	21.5	63	14.7	75	17.5
Nonmetropolitan counties	15,485	614	20.0	408	13.3	411	13.4
White	9,952	238	14.2	172	10.3	169	10.1
All other	5,533	376	27.0	236	16.9	242	17.3
Urban places	2,603	92	21.9	59	14.0	53	12.6
White	1,621	27	13.2	17	8.3	15	7.3
All other	982	65	30.3	42	19.6	38	17.7
Balance of area	12,882	522	19.7	349	13.2	358	13.5
White	8,331	211	14.3	155	10.5	154	10.5
All other	4,551	311	26.4	194	16.4	204	17.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
South Dakota	6,492	165	13.5	115	9.4	108	8.8
White	5,997	129	12.1	99	9.3	84	7.9
All other	495	36	22.4	16	10.0	24	14.9
Urban places	1,881	57	15.1	44	11.7	32	8.5
White	1,842	54	15.3	41	11.6	27	7.6
All other	39	3	12.7	3	12.7	5	21.1
Balance of area	4,611	108	12.8	71	8.4	76	9.0
White	4,155	75	10.6	58	8.2	57	8.0
All other	456	33	24.1	13	9.5	19	13.9
Metropolitan counties	784	28	16.1	24	13.8	18	10.3
White	774	28	16.6	24	14.2	17	10.1
All other	10	–	–	–	–	1	18.2
Urban places	603	18	13.6	16	12.1	12	9.1
White	594	18	14.1	16	12.5	11	8.6
All other	9	–	–	–	–	1	22.2
Balance of area	181	10	23.9	8	19.1	6	14.4
White	180	10	24.5	8	19.6	6	14.7
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,708	137	13.1	91	8.7	90	8.6
White	5,223	101	11.3	75	8.4	67	7.5
All other	485	36	23.2	16	10.3	23	14.8
Urban places	1,278	39	15.9	28	11.4	20	8.2
White	1,248	36	15.9	25	11.1	16	7.1
All other	30	3	15.6	3	15.6	4	20.8
Balance of area	4,430	98	12.2	63	7.8	70	8.7
White	3,975	65	9.7	50	7.5	51	7.6
All other	455	33	24.2	13	9.6	19	14.0
Tennessee	38,745	987	14.8	698	10.5	679	10.2
White	32,037	670	13.1	468	9.1	449	8.8
All other	6,708	317	20.7	230	15.0	230	15.0
Urban places	18,458	485	15.7	353	11.4	321	10.4
White	13,331	258	13.6	183	9.7	152	8.0
All other	5,127	227	18.9	170	14.1	169	14.1
Balance of area	20,287	502	14.1	345	9.7	358	10.1
White	18,706	412	12.7	285	8.8	297	9.2
All other	1,581	90	27.3	60	18.2	61	18.5
Metropolitan counties	17,312	470	14.5	340	10.5	314	9.7
White	12,610	261	12.3	183	8.7	153	7.2
All other	4,702	209	18.6	157	13.9	161	14.3
Urban places	14,248	396	16.0	288	11.6	267	10.8
White	9,749	192	13.7	136	9.7	109	7.8
All other	4,499	204	19.0	152	14.2	158	14.7
Balance of area	3,064	74	9.7	52	6.8	47	6.1
White	2,861	69	9.7	47	6.6	44	6.2
All other	203	5	9.6	5	9.6	3	5.7
Nonmetropolitan counties	21,433	517	15.1	358	10.5	365	10.7
White	19,427	409	13.6	285	9.5	296	9.8
All other	2,006	108	26.6	73	18.0	69	17.0
Urban places	4,210	89	14.3	65	10.4	54	8.7
White	3,582	66	13.4	47	9.5	43	8.7
All other	628	23	17.9	18	14.0	11	8.6
Balance of area	17,223	428	15.3	293	10.5	311	11.1
White	15,845	343	13.6	238	9.4	253	10.0
All other	1,378	85	30.7	55	19.9	58	20.9
Texas	103,845	3,380	14.3	2,330	9.8	2,175	9.2
White	89,138	2,568	12.9	1,768	8.9	1,738	8.7
All other	14,707	812	21.5	562	14.9	437	11.6
Urban places	64,075	2,327	14.4	1,595	9.9	1,403	8.7
White	53,378	1,678	12.8	1,139	8.7	1,070	8.2
All other	10,697	649	21.4	456	15.0	333	11.0
Balance of area	39,770	1,053	13.9	735	9.7	772	10.2
White	35,760	890	13.0	629	9.2	668	9.8
All other	4,010	163	22.1	106	14.3	104	14.1
Metropolitan counties	68,863	2,515	14.0	1,734	9.6	1,568	8.7
White	58,265	1,875	12.5	1,285	8.6	1,246	8.3
All other	10,598	640	21.1	449	14.8	322	10.6
Urban places	55,927	2,066	14.4	1,415	9.9	1,215	8.5
White	46,308	1,476	12.7	1,000	8.6	921	7.9
All other	9,619	590	21.5	415	15.1	294	10.7
Balance of area	12,936	449	12.3	319	8.7	353	9.7
White	11,957	399	11.8	285	8.4	325	9.6
All other	979	50	17.6	34	12.0	28	9.9
Nonmetropolitan counties	34,982	865	15.2	596	10.5	607	10.7
White	30,873	693	14.1	483	9.8	492	10.0
All other	4,109	172	23.0	113	15.1	115	15.4
Urban places	8,148	261	14.8	180	10.2	188	10.7
White	7,070	202	13.7	139	9.5	149	10.1
All other	1,078	59	20.2	41	14.1	39	13.4
Balance of area	26,834	604	15.4	416	10.6	419	10.7
White	23,803	491	14.2	344	10.0	343	9.9
All other	3,031	113	24.8	72	15.8	76	16.7

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Utah	7,892	443	11.4	301	7.8	290	7.5
White	7,708	424	11.3	290	7.7	272	7.3
All other	184	19	14.4	11	8.3	18	13.6
Urban places	3,670	179	12.4	122	8.5	142	9.8
White	3,589	175	12.6	120	8.7	134	9.7
All other	81	4	6.8	2	3.4	8	13.5
Balance of area	4,222	264	10.8	179	7.3	148	6.1
White	4,119	249	10.5	170	7.2	138	5.8
All other	103	15	20.6	9	12.4	10	13.7
Metropolitan counties	5,813	335	11.2	228	7.6	225	7.5
White	5,707	327	11.3	224	7.7	215	7.4
All other	106	8	8.7	4	4.3	10	10.8
Urban places	3,319	162	12.5	114	8.8	131	10.1
White	3,241	158	12.8	112	9.1	123	9.9
All other	78	4	7.3	2	3.7	8	14.7
Balance of area	2,494	173	10.1	114	6.7	94	5.5
White	2,466	169	10.1	112	6.7	92	5.5
All other	28	4	10.6	2	5.3	2	5.3
Nonmetropolitan counties	2,079	108	12.2	73	8.3	65	7.4
White	2,001	97	11.5	66	7.8	57	6.8
All other	78	11	27.8	7	17.7	8	20.3
Urban places	351	17	11.2	8	5.3	11	7.2
White	348	17	11.5	8	5.4	11	7.5
All other	3	–	–	–	–	–	–
Balance of area	1,728	91	12.5	65	8.9	54	7.4
White	1,653	80	11.5	58	8.3	46	6.6
All other	75	11	31.5	7	20.1	8	22.9
Vermont	4,426	97	13.6	65	9.1	48	6.7
White	4,419	95	13.5	63	8.9	48	6.8
All other	7	2	33.9	2	33.9	–	–
Urban places	719	10	11.7	9	10.5	2	2.3
White	717	10	11.9	9	10.8	2	2.4
All other	2	–	–	–	–	–	–
Balance of area	3,707	87	13.9	56	8.9	46	7.3
White	3,702	85	13.7	54	8.7	46	7.4
All other	5	2	51.3	2	51.3	–	–
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	4,426	97	13.6	65	9.1	48	6.7
White	4,419	95	13.5	63	8.9	48	6.8
All other	7	2	33.9	2	33.9	–	–
Urban places	719	10	11.7	9	10.5	2	2.3
White	717	10	11.9	9	10.8	2	2.4
All other	2	–	–	–	–	–	–
Balance of area	3,707	87	13.9	56	8.9	46	7.3
White	3,702	85	13.7	54	8.7	46	7.4
All other	5	2	51.3	2	51.3	–	–
Virginia	40,767	1,010	13.8	710	9.7	1,127	15.3
White	31,597	628	11.5	436	8.0	675	12.4
All other	9,170	382	20.1	274	14.5	452	23.8
Urban places	17,204	455	14.7	319	10.3	464	14.9
White	12,236	230	11.6	158	7.9	227	11.4
All other	4,968	225	20.2	161	14.4	237	21.2
Balance of area	23,563	555	13.1	391	9.2	663	15.6
White	19,361	398	11.5	278	8.0	448	12.9
All other	4,202	157	20.1	113	14.5	215	27.6
Metropolitan counties	21,305	597	13.0	418	9.1	675	14.7
White	15,995	354	10.8	243	7.4	387	11.8
All other	5,310	243	18.7	175	13.5	288	22.2
Urban places	14,583	403	14.3	278	9.9	414	14.7
White	10,059	197	11.2	132	7.5	194	11.0
All other	4,524	206	19.7	146	14.0	220	21.0
Balance of area	6,722	194	11.0	140	7.9	261	14.7
White	5,936	157	10.4	111	7.3	193	12.7
All other	786	37	14.6	29	11.4	68	26.8
Nonmetropolitan counties	19,462	413	14.9	292	10.6	452	16.4
White	15,602	274	12.6	193	8.9	288	13.3
All other	3,860	139	23.3	99	16.6	164	27.5
Urban places	2,621	52	17.6	41	13.9	50	16.9
White	2,177	33	14.7	26	11.6	33	14.7
All other	444	19	26.8	15	21.2	17	24.0
Balance of area	16,841	361	14.6	251	10.2	402	16.3
White	13,425	241	12.4	167	8.6	255	13.1
All other	3,416	120	22.8	84	16.0	147	28.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Washington	30,490	737	12.5	462	7.9	460	7.8
White	29,280	648	12.3	412	7.8	405	7.7
All other	1,210	89	15.0	50	8.5	55	9.3
Urban places	16,428	337	14.1	198	8.3	189	7.9
White	15,562	282	13.7	169	8.2	161	7.8
All other	866	55	16.5	29	8.7	28	8.4
Balance of area	14,062	400	11.5	264	7.6	271	7.8
White	13,718	366	11.3	243	7.5	244	7.6
All other	344	34	13.2	21	8.2	27	10.5
Metropolitan counties	18,846	460	12.9	290	8.1	266	7.4
White	17,948	388	12.4	248	7.9	233	7.4
All other	898	72	16.3	42	9.5	33	7.5
Urban places	12,198	236	14.0	136	8.1	127	7.5
White	11,421	185	13.2	109	7.8	108	7.7
All other	777	51	18.0	27	9.5	19	6.7
Balance of area	6,648	224	11.8	154	8.1	139	7.3
White	6,527	203	11.7	139	8.0	125	7.2
All other	121	21	13.4	15	9.5	14	8.9
Nonmetropolitan counties	11,644	277	12.1	172	7.5	194	8.5
White	11,332	260	12.1	164	7.6	172	8.0
All other	312	17	11.3	8	5.3	22	14.6
Urban places	4,230	101	14.4	62	8.8	62	8.8
White	4,141	97	14.9	60	9.2	53	8.1
All other	89	4	7.9	2	4.0	9	17.9
Balance of area	7,414	176	11.0	110	6.9	132	8.3
White	7,191	163	10.9	104	7.0	119	8.0
All other	223	13	13.0	6	6.0	13	13.0
West Virginia	19,646	443	15.1	301	10.3	315	10.8
White	18,656	417	14.9	282	10.1	290	10.4
All other	990	26	19.4	19	14.2	25	18.7
Urban places	5,746	90	14.8	64	10.5	63	10.4
White	5,284	74	13.6	51	9.4	53	9.7
All other	462	16	25.4	13	20.6	10	15.8
Balance of area	13,900	353	15.2	237	10.2	252	10.9
White	13,372	343	15.2	231	10.3	237	10.5
All other	528	10	14.1	6	8.5	15	21.2
Metropolitan counties	5,821	110	13.8	77	9.6	67	8.4
White	5,512	99	13.2	67	8.9	60	8.0
All other	309	11	22.5	10	20.4	7	14.3
Urban places	3,335	50	14.7	38	11.1	31	9.1
White	3,089	40	13.1	28	9.2	26	8.5
All other	246	10	28.2	10	28.2	5	14.1
Balance of area	2,486	60	13.1	39	8.5	36	7.9
White	2,423	59	13.3	39	8.8	34	7.7
All other	63	1	7.4	–	–	2	14.8
Nonmetropolitan counties	13,825	333	15.6	224	10.5	248	11.6
White	13,144	318	15.6	215	10.5	230	11.2
All other	681	15	17.7	9	10.6	18	21.2
Urban places	2,411	40	15.0	26	9.8	32	12.0
White	2,195	34	14.2	23	9.6	27	11.3
All other	216	6	21.7	3	10.8	5	18.1
Balance of area	11,414	293	15.7	198	10.6	216	11.6
White	10,949	284	15.7	192	10.6	203	11.2
All other	465	9	15.7	6	10.5	13	22.7
Wisconsin	40,324	768	11.2	524	7.6	442	6.4
White	39,267	693	10.9	479	7.6	417	6.6
All other	1,057	75	14.2	45	8.5	25	4.7
Urban places	19,822	337	10.3	233	7.1	166	5.1
White	18,924	268	9.6	189	6.8	148	5.3
All other	898	69	14.9	44	9.5	18	3.9
Balance of area	20,502	431	12.0	291	8.1	276	7.7
White	20,343	425	12.0	290	8.2	269	7.6
All other	159	6	9.4	1	1.6	7	10.9
Metropolitan counties	20,673	373	9.9	262	6.9	165	4.4
White	19,782	307	9.3	221	6.7	148	4.5
All other	891	66	14.3	41	8.9	17	3.7
Urban places	15,494	259	9.8	179	6.8	112	4.3
White	14,638	194	8.9	138	6.3	96	4.4
All other	856	65	14.6	41	9.2	16	3.6
Balance of area	5,179	114	9.9	83	7.2	53	4.6
White	5,144	113	10.0	83	7.3	52	4.6
All other	35	1	5.9	–	–	1	5.9
Nonmetropolitan counties	19,651	395	12.8	262	8.5	277	9.0
White	19,485	386	12.8	258	8.5	269	8.9
All other	166	9	13.7	4	6.1	8	12.2
Urban places	4,328	78	12.4	54	8.6	54	8.6
White	4,286	74	12.1	51	8.3	52	8.5
All other	42	4	21.6	3	16.2	2	10.8
Balance of area	15,323	317	12.9	208	8.5	223	9.1
White	15,199	312	13.0	207	8.6	217	9.0
All other	124	5	10.6	1	2.1	6	12.8

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Wyoming	3,112	113	13.0	70	8.1	63	7.3
White	3,029	109	13.4	68	8.3	61	7.5
All other	83	4	7.7	2	3.9	2	3.9
Urban places	1,193	33	11.9	22	7.9	27	9.8
White	1,175	33	12.7	22	8.4	25	9.6
All other	18	–	–	–	–	2	12.3
Balance of area	1,919	80	13.6	48	8.1	36	6.1
White	1,854	76	13.7	46	8.3	36	6.5
All other	65	4	11.3	2	5.6	–	–
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	3,112	113	13.0	70	8.1	63	7.3
White	3,029	109	13.4	68	8.3	61	7.5
All other	83	4	7.7	2	3.9	2	3.9
Urban places	1,193	33	11.9	22	7.9	27	9.8
White	1,175	33	12.7	22	8.4	25	9.6
All other	18	–	–	–	–	2	12.3
Balance of area	1,919	80	13.6	48	8.1	36	6.1
White	1,854	76	13.7	46	8.3	36	6.5
All other	65	4	11.3	2	5.6	–	–

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	1,927,788	45,945	8,429	12,030	48,500	45,822	58,169	141,395	292,851	452,259	497,326	324,297	765
Male	1,055,290	26,088	4,866	7,494	36,017	32,208	37,212	89,611	186,508	271,633	244,394	118,741	518
Female	872,498	19,857	3,563	4,536	12,483	13,614	20,957	51,784	106,343	180,626	252,932	205,556	247
White	1,689,722	32,212	6,267	9,495	39,886	34,634	43,816	114,675	250,537	398,924	455,000	303,717	559
Male	920,123	18,423	3,673	5,903	29,824	24,468	28,074	73,283	160,982	241,521	223,172	110,412	388
Female	769,599	13,789	2,594	3,592	10,062	10,166	15,742	41,392	89,555	157,403	231,828	193,305	171
All other	238,066	13,733	2,162	2,535	8,614	11,188	14,353	26,720	42,314	53,335	42,326	20,580	206
Male	135,167	7,665	1,193	1,591	6,193	7,740	9,138	16,328	25,526	30,112	21,222	8,329	130
Female	102,899	6,068	969	944	2,421	3,448	5,215	10,392	16,788	23,223	21,104	12,251	76
Metropolitan counties	1,249,503	30,386	5,419	7,633	30,937	31,523	39,450	97,057	196,264	289,025	317,792	203,507	510
Male	673,836	17,235	3,132	4,694	22,807	21,951	25,009	60,891	123,625	170,114	152,024	72,007	347
Female	575,667	13,151	2,287	2,939	8,130	9,572	14,441	36,166	72,639	118,911	165,768	131,500	163
White	1,079,949	20,423	3,916	5,803	24,859	23,065	28,493	76,636	165,075	252,008	289,112	190,189	370
Male	577,550	11,667	2,279	3,578	18,483	16,109	18,036	48,414	104,827	149,256	137,871	66,772	258
Female	502,399	8,756	1,637	2,225	6,376	6,956	10,457	28,222	60,248	102,752	151,241	123,417	112
All other	169,554	9,963	1,503	1,830	6,078	8,458	10,957	20,421	31,189	37,017	28,680	13,318	140
Male	96,286	5,568	853	1,116	4,324	5,842	6,973	12,477	18,798	20,858	14,153	5,235	89
Female	73,268	4,395	650	714	1,754	2,616	3,984	7,944	12,391	16,159	14,527	8,083	51
Nonmetropolitan counties	678,285	15,559	3,010	4,397	17,563	14,299	18,719	44,338	96,587	163,234	179,534	120,790	255
Male	381,454	8,853	1,734	2,800	13,210	10,257	12,203	28,720	62,883	101,519	92,370	46,734	171
Female	296,831	6,706	1,276	1,597	4,353	4,042	6,516	15,618	33,704	61,715	87,164	74,056	84
White	609,773	11,789	2,351	3,692	15,027	11,569	15,323	38,039	85,462	146,916	165,888	113,528	189
Male	342,573	6,756	1,394	2,325	11,341	8,359	10,038	24,869	56,155	92,265	85,301	43,640	130
Female	267,200	5,033	957	1,367	3,686	3,210	5,285	13,170	29,307	54,651	80,587	69,888	59
All other	68,512	3,770	659	705	2,536	2,730	3,396	6,299	11,125	16,318	13,646	7,262	66
Male	38,881	2,097	340	475	1,869	1,898	2,165	3,851	6,728	9,254	7,069	3,094	41
Female	29,631	1,673	319	230	667	832	1,231	2,448	4,397	7,064	6,577	4,168	25
Alabama	34,680	969	194	259	1,002	932	1,255	2,847	5,450	8,529	8,207	5,029	7
Male	19,488	541	120	170	751	680	826	1,849	3,639	5,150	3,932	1,827	3
Female	15,192	428	74	89	251	252	429	998	1,811	3,379	4,275	3,202	4
White	24,607	467	112	167	678	558	803	1,933	3,915	5,947	6,208	3,818	1
Male	13,899	264	68	111	505	423	542	1,300	2,712	3,679	2,933	1,361	1
Female	10,708	203	44	56	173	135	261	633	1,203	2,268	3,275	2,457	-
All other	10,073	502	82	92	324	374	452	914	1,535	2,582	1,999	1,211	6
Male	5,589	277	52	59	246	257	284	549	927	1,471	999	466	2
Female	4,484	225	30	33	78	117	168	365	608	1,111	1,000	745	4
Metropolitan counties	17,500	487	89	134	534	493	649	1,505	2,883	4,300	4,035	2,391	-
Male	9,669	268	52	87	395	346	413	925	1,933	2,539	1,891	820	-
Female	7,831	219	37	47	139	147	236	580	950	1,761	2,144	1,571	-
White	11,987	220	53	85	351	268	380	981	1,980	2,885	2,974	1,810	-
Male	6,626	118	31	58	259	200	256	625	1,365	1,751	1,369	594	-
Female	5,361	102	22	27	92	68	124	356	615	1,134	1,605	1,216	-
All other	5,513	267	36	49	183	225	269	524	903	1,415	1,061	581	-
Male	3,043	150	21	29	136	146	157	300	568	788	522	226	-
Female	2,470	117	15	20	47	79	112	224	335	627	539	355	-
Nonmetropolitan counties	17,180	482	105	125	468	439	606	1,342	2,567	4,229	4,172	2,638	7
Male	9,819	273	68	83	356	334	413	924	1,706	2,611	2,041	1,007	3
Female	7,361	209	37	42	112	105	193	418	861	1,618	2,131	1,631	4
White	12,620	247	59	82	327	290	423	952	1,935	3,062	3,234	2,008	1
Male	7,273	146	37	53	246	223	286	675	1,347	1,928	1,564	767	1
Female	5,347	101	22	29	81	67	137	277	588	1,134	1,670	1,241	-
All other	4,560	235	46	43	141	149	183	390	632	1,167	938	630	6
Male	2,546	127	31	30	110	111	127	249	359	683	477	240	2
Female	2,014	108	15	13	31	38	56	141	273	484	461	390	4
Alaska	1,690	128	23	39	217	175	162	233	253	217	154	87	2
Male	1,126	73	10	24	171	134	125	154	169	137	87	41	1
Female	564	55	13	15	46	41	37	79	84	80	67	46	1
White	1,186	85	13	25	126	131	110	178	194	156	106	60	2
Male	799	50	4	15	102	100	89	123	125	101	58	31	1
Female	387	35	9	10	24	31	21	55	69	55	48	29	1
All other	504	43	10	14	91	44	52	55	59	61	48	27	-
Male	327	23	6	9	69	34	36	31	44	36	29	10	-
Female	177	20	4	5	22	10	16	24	15	25	19	17	-
Metropolitan election districts[1]	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan election districts[1]	1,690	128	23	39	217	175	162	233	253	217	154	87	2
Male	1,126	73	10	24	171	134	125	154	169	137	87	41	1
Female	564	55	13	15	46	41	37	79	84	80	67	46	1
White	1,186	85	13	25	126	131	110	178	194	156	106	60	2
Male	799	50	4	15	102	100	89	123	125	101	58	31	1
Female	387	35	9	10	24	31	21	55	69	55	48	29	1
All other	504	43	10	14	91	44	52	55	59	61	48	27	-
Male	327	23	6	9	69	34	36	31	44	36	29	10	-
Female	177	20	4	5	22	10	16	24	15	25	19	17	-

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Arizona	19,198	564	159	173	768	624	726	1,402	2,914	4,862	4,497	2,475	34
Male	11,335	315	104	110	571	455	460	910	1,886	3,017	2,468	1,008	31
Female	7,863	249	55	63	197	169	266	492	1,028	1,845	2,029	1,467	3
White	17,613	448	122	149	608	477	572	1,224	2,736	4,615	4,291	2,340	31
Male	10,318	247	83	93	443	343	362	795	1,768	2,872	2,345	939	28
Female	7,295	201	39	56	165	134	210	429	968	1,743	1,946	1,401	3
All other	1,585	116	37	24	160	147	154	178	178	247	206	135	3
Male	1,017	68	21	17	128	112	98	115	118	145	123	69	3
Female	568	48	16	7	32	35	56	63	60	102	83	66	–
Metropolitan counties	14,357	378	100	116	501	416	492	1,011	2,186	3,672	3,509	1,968	8
Male	8,318	207	69	73	363	289	314	647	1,420	2,243	1,909	777	7
Female	6,039	171	31	43	138	127	178	364	766	1,429	1,600	1,191	1
White	13,673	332	89	110	452	366	434	930	2,089	3,546	3,414	1,906	5
Male	7,894	185	61	69	324	255	274	591	1,358	2,173	1,855	745	4
Female	5,779	147	28	41	128	111	160	339	731	1,373	1,559	1,161	1
All other	684	46	11	6	49	50	58	81	97	126	95	62	3
Male	424	22	8	4	39	34	40	56	62	70	54	32	3
Female	260	24	3	2	10	16	18	25	35	56	41	30	–
Nonmetropolitan counties	4,841	186	59	57	267	208	234	391	728	1,190	988	507	26
Male	3,017	108	35	37	208	166	146	263	466	774	559	231	24
Female	1,824	78	24	20	59	42	88	128	262	416	429	276	2
White	3,940	116	33	39	156	111	138	294	647	1,069	877	434	26
Male	2,424	62	22	24	119	88	88	204	410	699	490	194	24
Female	1,516	54	11	15	37	23	50	90	237	370	387	240	2
All other	901	70	26	18	111	97	96	97	81	121	111	73	–
Male	593	46	13	13	89	78	58	59	56	75	69	37	–
Female	308	24	13	5	22	19	38	38	25	46	42	36	–
Arkansas	21,896	569	102	161	520	474	637	1,384	3,002	5,371	5,911	3,755	10
Male	12,341	322	52	104	395	343	417	885	1,966	3,348	3,019	1,484	6
Female	9,555	247	50	57	125	131	220	499	1,036	2,023	2,892	2,271	4
White	17,928	368	71	118	396	348	494	1,129	2,459	4,426	4,909	3,206	4
Male	10,142	210	36	74	305	250	326	740	1,651	2,821	2,488	1,238	3
Female	7,786	158	35	44	91	98	168	389	808	1,605	2,421	1,968	1
All other	3,968	201	31	43	124	126	143	255	543	945	1,002	549	6
Male	2,199	112	16	30	90	93	91	145	315	527	531	246	3
Female	1,769	89	15	13	34	33	52	110	228	418	471	303	3
Metropolitan counties	5,862	207	34	44	159	165	211	423	866	1,394	1,460	897	2
Male	3,228	124	21	25	122	123	133	267	545	832	716	318	2
Female	2,634	83	13	19	37	42	78	156	321	562	744	579	–
White	4,417	112	18	28	115	112	152	325	670	1,027	1,132	725	1
Male	2,423	68	9	14	94	85	97	210	432	630	538	245	1
Female	1,994	44	9	14	21	27	55	115	238	397	594	480	–
All other	1,445	95	16	16	44	53	59	98	196	367	328	172	1
Male	805	56	12	11	28	38	36	57	113	202	178	73	1
Female	640	39	4	5	16	15	23	41	83	165	150	99	–
Nonmetropolitan counties	16,034	362	68	117	361	309	426	961	2,136	3,977	4,451	2,858	8
Male	9,113	198	31	79	273	220	284	618	1,421	2,516	2,303	1,166	4
Female	6,921	164	37	38	88	89	142	343	715	1,461	2,148	1,692	4
White	13,511	256	53	90	281	236	342	804	1,789	3,399	3,777	2,481	3
Male	7,719	142	27	60	211	165	229	530	1,219	2,191	1,950	993	2
Female	5,792	114	26	30	70	71	113	274	570	1,208	1,827	1,488	1
All other	2,523	106	15	27	80	73	84	157	347	578	674	377	5
Male	1,394	56	4	19	62	55	55	88	202	325	353	173	2
Female	1,129	50	11	8	18	18	29	69	145	253	321	204	3
California	176,069	4,210	915	1,043	5,338	5,559	5,784	13,359	26,545	39,411	43,437	30,344	124
Male	95,837	2,411	523	660	3,980	3,877	3,751	8,224	16,465	23,489	21,448	10,917	92
Female	80,232	1,799	392	383	1,358	1,682	2,033	5,135	10,080	15,922	21,989	19,427	32
White	159,829	3,298	766	870	4,580	4,557	4,713	11,417	23,777	36,072	40,753	28,917	109
Male	86,146	1,885	453	550	3,447	3,199	3,069	7,034	14,738	21,437	19,964	10,287	83
Female	73,683	1,413	313	320	1,133	1,358	1,644	4,383	9,039	14,635	20,789	18,630	26
All other	16,240	912	149	173	758	1,002	1,071	1,942	2,768	3,339	2,684	1,427	15
Male	9,691	526	70	110	533	678	682	1,190	1,727	2,052	1,484	630	9
Female	6,549	386	79	63	225	324	389	752	1,041	1,287	1,200	797	6
Metropolitan counties	160,213	3,925	814	946	4,791	5,063	5,342	12,288	24,224	35,465	39,568	27,680	107
Male	86,597	2,251	460	601	3,574	3,514	3,456	7,575	14,995	20,987	19,259	9,848	77
Female	73,616	1,674	354	345	1,217	1,549	1,886	4,713	9,229	14,478	20,309	17,832	30
White	144,494	3,024	671	778	4,067	4,088	4,296	10,405	21,539	32,236	36,986	26,312	92
Male	77,247	1,731	393	495	3,070	2,850	2,797	6,418	13,324	19,015	17,842	9,244	68
Female	67,247	1,293	278	283	997	1,238	1,499	3,987	8,215	13,221	19,144	17,068	24
All other	15,719	901	143	168	724	975	1,046	1,883	2,685	3,229	2,582	1,368	15
Male	9,350	520	67	106	504	664	659	1,157	1,671	1,972	1,417	604	9
Female	6,369	381	76	62	220	311	387	726	1,014	1,257	1,165	764	6
Nonmetropolitan counties	15,856	285	101	97	547	496	442	1,071	2,321	3,946	3,869	2,664	17
Male	9,240	160	63	59	406	363	295	649	1,470	2,502	2,189	1,069	15
Female	6,616	125	38	38	141	133	147	422	851	1,444	1,680	1,595	2
White	15,335	274	95	92	513	469	417	1,012	2,238	3,836	3,767	2,605	17
Male	8,899	154	60	55	377	349	272	616	1,414	2,422	2,122	1,043	15
Female	6,436	120	35	37	136	120	145	396	824	1,414	1,645	1,562	2
All other	521	11	6	5	34	27	25	59	83	110	102	59	–
Male	341	6	3	4	29	14	23	33	56	80	67	26	–
Female	180	5	3	1	5	13	2	26	27	30	35	33	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado	18,361	494	107	158	677	622	678	1,312	2,526	3,800	4,499	3,484	4
Male	10,139	273	54	95	497	435	407	851	1,625	2,340	2,279	1,280	3
Female	8,222	221	53	63	180	187	271	461	901	1,460	2,220	2,204	1
White	17,689	452	99	146	637	581	618	1,238	2,427	3,693	4,373	3,421	4
Male	9,734	251	49	89	467	405	365	807	1,556	2,275	2,217	1,250	3
Female	7,955	201	50	57	170	176	253	431	871	1,418	2,156	2,171	1
All other	672	42	8	12	40	41	60	74	99	107	126	63	–
Male	405	22	5	6	30	30	42	44	69	65	62	30	–
Female	267	20	3	6	10	11	18	30	30	42	64	33	–
Metropolitan counties	12,297	337	78	97	458	457	503	952	1,786	2,457	2,950	2,221	1
Male	6,658	193	40	59	342	311	296	615	1,147	1,482	1,411	761	1
Female	5,639	144	38	38	116	146	207	337	639	975	1,539	1,460	–
White	11,665	295	70	85	424	421	444	880	1,691	2,357	2,831	2,166	1
Male	6,278	171	35	53	317	285	255	573	1,080	1,421	1,353	734	1
Female	5,387	124	35	32	107	136	189	307	611	936	1,478	1,432	–
All other	632	42	8	12	34	36	59	72	95	100	119	55	–
Male	380	22	5	6	25	26	41	42	67	61	58	27	–
Female	252	20	3	6	9	10	18	30	28	39	61	28	–
Nonmetropolitan counties	6,064	157	29	61	219	165	175	360	740	1,343	1,549	1,263	3
Male	3,481	80	14	36	155	124	111	236	478	858	868	519	2
Female	2,583	77	15	25	64	41	64	124	262	485	681	744	1
White	6,024	157	29	61	213	160	174	358	736	1,336	1,542	1,255	3
Male	3,456	80	14	36	150	120	110	234	476	854	864	516	2
Female	2,568	77	15	25	63	40	64	124	260	482	678	739	1
All other	40	–	–	–	6	5	1	2	4	7	7	8	–
Male	25	–	–	–	5	4	1	2	2	4	4	3	–
Female	15	–	–	–	1	1	–	–	2	3	3	5	–
Connecticut	26,078	433	69	135	551	470	662	1,798	4,089	5,789	7,006	5,074	2
Male	13,710	231	39	79	400	334	393	1,136	2,603	3,450	3,257	1,786	2
Female	12,368	202	30	56	151	136	269	662	1,486	2,339	3,749	3,288	–
White	24,805	320	58	120	504	397	555	1,610	3,869	5,564	6,824	4,982	2
Male	12,999	170	34	70	374	289	325	1,025	2,464	3,319	3,168	1,759	2
Female	11,806	150	24	50	130	108	230	585	1,405	2,245	3,656	3,223	–
All other	1,273	113	11	15	47	73	107	188	220	225	182	92	–
Male	711	61	5	9	26	45	68	111	139	131	89	27	–
Female	562	52	6	6	21	28	39	77	81	94	93	65	–
Metropolitan counties	20,293	351	55	110	387	368	520	1,389	3,157	4,513	5,465	3,977	1
Male	10,622	192	32	64	284	258	313	874	2,011	2,673	2,512	1,408	1
Female	9,671	159	23	46	103	110	207	515	1,146	1,840	2,953	2,569	–
White	19,116	244	44	96	348	300	420	1,212	2,956	4,302	5,296	3,897	1
Male	9,968	135	27	56	264	217	249	770	1,884	2,551	2,429	1,385	1
Female	9,148	109	17	40	84	83	171	442	1,072	1,751	2,867	2,512	–
All other	1,177	107	11	14	39	68	100	177	201	211	169	80	–
Male	654	57	5	8	20	41	64	104	127	122	83	23	–
Female	523	50	6	6	19	27	36	73	74	89	86	57	–
Nonmetropolitan counties	5,785	82	14	25	164	102	142	409	932	1,276	1,541	1,097	1
Male	3,088	39	7	15	116	76	80	262	592	777	745	378	1
Female	2,697	43	7	10	48	26	62	147	340	499	796	719	–
White	5,689	76	14	24	156	97	135	398	913	1,262	1,528	1,085	1
Male	3,031	35	7	14	110	72	76	255	580	768	739	374	1
Female	2,658	41	7	10	46	25	59	143	333	494	789	711	–
All other	96	6	–	1	8	5	7	11	19	14	13	12	–
Male	57	4	–	1	6	4	4	7	12	9	6	4	–
Female	39	2	–	–	2	1	3	4	7	5	7	8	–
Delaware	4,957	115	22	40	143	109	142	414	815	1,161	1,198	791	7
Male	2,666	69	10	28	105	77	87	241	487	691	569	300	2
Female	2,291	46	12	12	38	32	55	173	328	470	629	491	5
White	4,170	64	16	30	124	82	99	310	669	983	1,059	730	4
Male	2,221	37	8	20	92	60	67	176	402	588	500	270	1
Female	1,949	27	8	10	32	22	32	134	267	395	559	460	3
All other	787	51	6	10	19	27	43	104	146	178	139	61	3
Male	445	32	2	8	13	17	20	65	85	103	69	30	1
Female	342	19	4	2	6	10	23	39	61	75	70	31	2
Metropolitan counties	3,257	68	14	21	97	74	87	277	571	752	772	518	6
Male	1,761	42	7	17	70	52	51	170	347	445	359	199	2
Female	1,496	26	7	4	27	22	36	107	224	307	413	319	4
White	2,770	36	9	18	88	56	64	209	475	643	685	484	3
Male	1,493	23	5	14	65	42	42	124	299	384	314	180	1
Female	1,277	13	4	4	23	14	22	85	176	259	371	304	2
All other	487	32	5	3	9	18	23	68	96	109	87	34	3
Male	268	19	2	3	5	10	9	46	48	61	45	19	1
Female	219	13	3	–	4	8	14	22	48	48	42	15	2
Nonmetropolitan counties	1,700	47	8	19	46	35	55	137	244	409	426	273	1
Male	905	27	3	11	35	25	36	71	140	246	210	101	–
Female	795	20	5	8	11	10	19	66	104	163	216	172	1
White	1,400	28	7	12	36	26	35	101	194	340	374	246	1
Male	728	14	3	6	27	18	25	52	103	204	186	90	–
Female	672	14	4	6	9	8	10	49	91	136	188	156	1
All other	300	19	1	7	10	9	20	36	50	69	52	27	–
Male	177	13	–	5	8	7	11	19	37	42	24	11	–
Female	123	6	1	2	2	2	9	17	13	27	28	16	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
District of Columbia	7,065	256	23	34	110	228	351	737	1,324	1,655	1,437	896	14
Male	3,792	136	14	20	78	160	250	444	830	921	626	303	10
Female	3,273	120	9	14	32	68	101	293	494	734	811	593	4
White	2,278	19	3	5	14	29	41	100	291	531	717	523	5
Male	1,077	12	–	4	12	14	33	56	172	287	318	166	3
Female	1,201	7	3	1	2	15	8	44	119	244	399	357	2
All other	4,787	237	20	29	96	199	310	637	1,033	1,124	720	373	9
Male	2,715	124	14	16	66	146	217	388	658	634	308	137	7
Female	2,072	113	6	13	30	53	93	249	375	490	412	236	2
Metropolitan	7,065	256	23	34	110	228	351	737	1,324	1,655	1,437	896	14
Male	3,792	136	14	20	78	160	250	444	830	921	626	303	10
Female	3,273	120	9	14	32	68	101	293	494	734	811	593	4
White	2,278	19	3	5	14	29	41	100	291	531	717	523	5
Male	1,077	12	–	4	12	14	33	56	172	287	318	166	3
Female	1,201	7	3	1	2	15	8	44	119	244	399	357	2
All other	4,787	237	20	29	96	199	310	637	1,033	1,124	720	373	9
Male	2,715	124	14	16	66	146	217	388	658	634	308	137	7
Female	2,072	113	6	13	30	53	93	249	375	490	412	236	2
Nonmetropolitan	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	95,595	1,598	374	476	1,762	1,805	2,476	6,204	13,743	25,575	26,924	14,646	12
Male	54,631	932	217	305	1,283	1,254	1,548	3,894	8,611	15,753	14,748	6,076	10
Female	40,964	666	157	171	479	551	928	2,310	5,132	9,822	12,176	8,570	2
White	84,786	961	244	339	1,369	1,329	1,728	4,892	11,613	22,921	25,271	14,111	8
Male	48,361	581	150	219	1,002	938	1,084	3,101	7,335	14,204	13,879	5,862	6
Female	36,425	380	94	120	367	391	644	1,791	4,278	8,717	11,392	8,249	2
All other	10,809	637	130	137	393	476	748	1,312	2,130	2,654	1,653	535	4
Male	6,270	351	67	86	281	316	464	793	1,276	1,549	869	214	4
Female	4,539	286	63	51	112	160	284	519	854	1,105	784	321	–
Metropolitan counties	61,962	1,033	254	307	1,101	1,254	1,627	4,112	8,668	16,098	17,764	9,741	3
Male	34,856	592	147	194	795	870	992	2,547	5,385	9,696	9,591	4,045	2
Female	27,106	441	107	113	306	384	635	1,565	3,283	6,402	8,173	5,696	1
White	54,689	595	170	203	835	909	1,092	3,190	7,215	14,357	16,692	9,428	3
Male	30,638	356	101	129	611	638	665	1,988	4,507	8,681	9,034	3,926	2
Female	24,051	239	69	74	224	271	427	1,202	2,708	5,676	7,658	5,502	1
All other	7,273	438	84	104	266	345	535	922	1,453	1,741	1,072	313	–
Male	4,218	236	46	65	184	232	327	559	878	1,015	557	119	–
Female	3,055	202	38	39	82	113	208	363	575	726	515	194	–
Nonmetropolitan counties	33,633	565	120	169	661	551	849	2,092	5,075	9,477	9,160	4,905	9
Male	19,775	340	70	111	488	384	556	1,347	3,226	6,057	5,157	2,031	8
Female	13,858	225	50	58	173	167	293	745	1,849	3,420	4,003	2,874	1
White	30,097	366	74	136	534	420	636	1,702	4,398	8,564	8,579	4,683	5
Male	17,723	225	49	90	391	300	419	1,113	2,828	5,523	4,845	1,936	4
Female	12,374	141	25	46	143	120	217	589	1,570	3,041	3,734	2,747	1
All other	3,536	199	46	33	127	131	213	390	677	913	581	222	4
Male	2,052	115	21	21	97	84	137	234	398	534	312	95	4
Female	1,484	84	25	12	30	47	76	156	279	379	269	127	–
Georgia	43,298	1,297	234	344	1,265	1,360	1,916	3,988	7,484	10,593	9,452	5,346	19
Male	23,999	739	120	214	935	932	1,236	2,552	4,826	6,335	4,359	1,740	11
Female	19,299	558	114	130	330	428	680	1,436	2,658	4,258	5,093	3,606	8
White	30,768	621	127	220	907	773	1,136	2,598	5,105	7,461	7,327	4,487	6
Male	17,230	356	70	137	681	546	753	1,730	3,451	4,658	3,399	1,445	4
Female	13,538	265	57	83	226	227	383	868	1,654	2,803	3,928	3,042	2
All other	12,530	676	107	124	358	587	780	1,390	2,379	3,132	2,125	859	13
Male	6,769	383	50	77	254	386	483	822	1,375	1,677	960	295	7
Female	5,761	293	57	47	104	201	297	568	1,004	1,455	1,165	564	6
Metropolitan counties	18,887	574	110	149	595	687	926	1,929	3,463	4,330	3,928	2,187	9
Male	10,215	322	60	82	438	464	582	1,215	2,139	2,509	1,730	669	5
Female	8,672	252	50	67	157	223	344	714	1,324	1,821	2,198	1,518	4
White	12,897	253	64	89	427	372	515	1,188	2,289	2,923	2,965	1,810	2
Male	7,008	139	34	50	319	257	330	769	1,497	1,764	1,316	531	2
Female	5,889	114	30	39	108	115	185	419	792	1,159	1,649	1,279	–
All other	5,990	321	46	60	168	315	411	741	1,174	1,407	963	377	7
Male	3,207	183	26	32	119	207	252	446	642	745	414	138	3
Female	2,783	138	20	28	49	108	159	295	532	662	549	239	4
Nonmetropolitan counties	24,411	723	124	195	670	673	990	2,059	4,021	6,263	5,524	3,159	10
Male	13,784	417	60	132	497	468	654	1,337	2,687	3,826	2,629	1,071	6
Female	10,627	306	64	63	173	205	336	722	1,334	2,437	2,895	2,088	4
White	17,871	368	63	131	480	401	621	1,410	2,816	4,538	4,362	2,677	4
Male	10,222	217	36	87	362	289	423	961	1,954	2,894	2,083	914	2
Female	7,649	151	27	44	118	112	198	449	862	1,644	2,279	1,763	2
All other	6,540	355	61	64	190	272	369	649	1,205	1,725	1,162	482	6
Male	3,562	200	24	45	135	179	231	376	733	932	546	157	4
Female	2,978	155	37	19	55	93	138	273	472	793	616	325	2

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	4,563	186	28	32	175	174	178	381	756	985	1,017	647	4
Male	2,750	111	16	17	141	133	125	228	489	634	534	318	4
Female	1,813	75	12	15	34	41	53	153	267	351	483	329	-
White	1,445	45	10	5	64	89	67	121	263	316	283	180	2
Male	813	29	5	1	51	64	46	69	163	189	129	65	2
Female	632	16	5	4	13	25	21	52	100	127	154	115	-
All other	3,118	141	18	27	111	85	111	260	493	669	734	467	2
Male	1,937	82	11	16	90	69	79	159	326	445	405	253	2
Female	1,181	59	7	11	21	16	32	101	167	224	329	214	-
Metropolitan counties	3,376	157	23	22	131	126	135	307	565	700	737	469	4
Male	2,017	99	14	11	109	94	94	190	374	441	371	216	4
Female	1,359	58	9	11	22	32	41	117	191	259	366	253	-
White	1,099	40	10	3	46	63	50	98	192	236	220	139	2
Male	622	28	5	-	39	45	35	59	119	146	95	49	2
Female	477	12	5	3	7	18	15	39	73	90	125	90	-
All other	2,277	117	13	19	85	63	85	209	373	464	517	330	2
Male	1,395	71	9	11	70	49	59	131	255	295	276	167	2
Female	882	46	4	8	15	14	26	78	118	169	241	163	-
Nonmetropolitan counties	1,187	29	5	10	44	48	43	74	191	285	280	178	-
Male	733	12	2	6	32	39	31	38	115	193	163	102	-
Female	454	17	3	4	12	9	12	36	76	92	117	76	-
White	346	5	-	2	18	26	17	23	71	80	63	41	-
Male	191	1	-	1	12	19	11	10	44	43	34	16	-
Female	155	4	-	1	6	7	6	13	27	37	29	25	-
All other	841	24	5	8	26	22	26	51	120	205	217	137	-
Male	542	11	2	5	20	20	20	28	71	150	129	86	-
Female	299	13	3	3	6	2	6	23	49	55	88	51	-
Idaho	6,507	227	57	74	259	211	197	384	908	1,435	1,507	1,246	2
Male	3,727	123	39	43	188	145	125	266	582	890	811	513	2
Female	2,780	104	18	31	71	66	72	118	326	545	696	733	-
White	6,398	223	51	69	251	198	187	375	897	1,417	1,492	1,236	2
Male	3,662	121	36	38	182	138	120	261	576	878	802	508	2
Female	2,736	102	15	31	69	60	67	114	321	539	690	728	-
All other	109	4	6	5	8	13	10	9	11	18	15	10	-
Male	65	2	3	5	6	7	5	5	6	12	9	5	-
Female	44	2	3	-	2	6	5	4	5	6	6	5	-
Metropolitan counties	1,016	36	7	13	38	41	22	55	137	209	237	221	-
Male	555	21	4	7	24	29	11	42	88	124	124	81	-
Female	461	15	3	6	14	12	11	13	49	85	113	140	-
White	1,005	35	7	13	37	40	22	55	136	204	235	221	-
Male	547	20	4	7	24	28	11	42	87	121	122	81	-
Female	458	15	3	6	13	12	11	13	49	83	113	140	-
All other	11	1	-	-	1	1	-	-	1	5	2	-	-
Male	8	1	-	-	-	1	-	-	1	3	2	-	-
Female	3	-	-	-	1	-	-	-	-	2	-	-	-
Nonmetropolitan counties	5,491	191	50	61	221	170	175	329	771	1,226	1,270	1,025	2
Male	3,172	102	35	36	164	116	114	224	494	766	687	432	2
Female	2,319	89	15	25	57	54	61	105	277	460	583	593	-
White	5,393	188	44	56	214	158	165	320	761	1,213	1,257	1,015	2
Male	3,115	101	32	31	158	110	109	219	489	757	680	427	2
Female	2,278	87	12	25	56	48	56	101	272	456	577	588	-
All other	98	3	6	5	7	12	10	9	10	13	13	10	-
Male	57	1	3	5	6	6	5	5	5	9	7	5	-
Female	41	2	3	-	1	6	5	4	5	4	6	5	-
Illinois	103,026	2,744	458	605	2,594	2,417	3,174	7,670	15,751	23,287	26,545	17,772	9
Male	55,442	1,539	257	385	1,913	1,700	2,048	4,863	10,107	13,867	12,575	6,179	9
Female	47,584	1,205	201	220	681	717	1,126	2,807	5,644	9,420	13,970	11,593	-
White	89,298	1,716	305	446	2,016	1,655	2,234	5,927	13,342	20,537	24,323	16,790	7
Male	47,558	964	173	285	1,501	1,153	1,439	3,784	8,658	12,302	11,482	5,810	7
Female	41,740	752	132	161	515	502	795	2,143	4,684	8,235	12,841	10,980	-
All other	13,728	1,028	153	159	578	762	940	1,743	2,409	2,750	2,222	982	2
Male	7,884	575	84	100	412	547	609	1,079	1,449	1,565	1,093	369	2
Female	5,844	453	69	59	166	215	331	664	960	1,185	1,129	613	-
Metropolitan counties	78,194	2,309	367	485	2,013	2,025	2,691	6,346	12,716	17,538	19,331	12,365	8
Male	42,018	1,270	205	302	1,481	1,432	1,734	4,004	8,106	10,303	8,921	4,252	8
Female	36,176	1,039	162	183	532	593	957	2,342	4,610	7,235	10,410	8,113	-
White	65,077	1,317	222	330	1,450	1,279	1,769	4,648	10,399	14,926	17,263	11,468	6
Male	34,475	719	126	206	1,078	896	1,136	2,951	6,705	8,817	7,912	3,928	6
Female	30,602	598	96	124	372	383	633	1,697	3,694	6,109	9,351	7,545	-
All other	13,117	992	145	155	563	746	922	1,698	2,317	2,612	2,068	897	2
Male	7,543	551	79	96	403	536	598	1,053	1,401	1,486	1,009	329	2
Female	5,574	441	66	59	160	210	324	645	916	1,126	1,059	568	-
Nonmetropolitan counties	24,832	435	91	120	581	392	483	1,324	3,035	5,749	7,214	5,407	1
Male	13,424	269	52	83	432	268	314	859	2,001	3,564	3,654	1,927	1
Female	11,408	166	39	37	149	124	169	465	1,034	2,185	3,560	3,480	-
White	24,221	399	83	116	566	376	465	1,279	2,943	5,611	7,060	5,322	1
Male	13,083	245	47	79	423	257	303	833	1,953	3,485	3,570	1,887	1
Female	11,138	154	36	37	143	119	162	446	990	2,126	3,490	3,435	-
All other	611	36	8	4	15	16	18	45	92	138	154	85	-
Male	341	24	5	4	9	11	11	26	48	79	84	40	-
Female	270	12	3	-	6	5	7	19	44	59	70	45	-

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indiana	47,548	1,094	226	302	1,195	1,009	1,366	3,414	7,100	10,823	12,646	8,360	13
Male	25,760	641	120	189	875	689	845	2,163	4,571	6,543	6,115	3,006	3
Female	21,788	453	106	113	320	320	521	1,251	2,529	4,280	6,531	5,354	10
White	44,273	882	188	272	1,066	860	1,189	3,022	6,522	10,103	12,088	8,070	11
Male	23,869	525	100	168	780	586	740	1,927	4,192	6,158	5,803	2,888	2
Female	20,404	357	88	104	286	274	449	1,095	2,330	3,945	6,285	5,182	9
All other	3,275	212	38	30	129	149	177	392	578	720	558	290	2
Male	1,891	116	20	21	95	103	105	236	379	385	312	118	1
Female	1,384	96	18	9	34	46	72	156	199	335	246	172	1
Metropolitan counties	28,265	703	139	190	740	637	852	2,209	4,516	6,425	7,283	4,566	5
Male	15,272	396	68	120	537	432	524	1,389	2,911	3,823	3,471	1,600	1
Female	12,993	307	71	70	203	205	328	820	1,605	2,602	3,812	2,966	4
White	25,261	519	104	162	621	498	688	1,847	3,981	5,750	6,781	4,307	3
Male	13,540	295	51	100	451	334	422	1,172	2,563	3,464	3,194	1,494	–
Female	11,721	224	53	62	170	164	266	675	1,418	2,286	3,587	2,813	3
All other	3,004	184	35	28	119	139	164	362	535	675	502	259	2
Male	1,732	101	17	20	86	98	102	217	348	359	277	106	1
Female	1,272	83	18	8	33	41	62	145	187	316	225	153	1
Nonmetropolitan counties	19,283	391	87	112	455	372	514	1,205	2,584	4,398	5,363	3,794	8
Male	10,488	245	52	69	338	257	321	774	1,660	2,720	2,644	1,406	2
Female	8,795	146	35	43	117	115	193	431	924	1,678	2,719	2,388	6
White	19,012	363	84	110	445	362	501	1,175	2,541	4,353	5,307	3,763	8
Male	10,329	230	49	68	329	252	318	755	1,629	2,694	2,609	1,394	2
Female	8,683	133	35	42	116	110	183	420	912	1,659	2,698	2,369	6
All other	271	28	3	2	10	10	13	30	43	45	56	31	–
Male	159	15	3	1	9	5	3	19	31	26	35	12	–
Female	112	13	–	1	1	5	10	11	12	19	21	19	–
Iowa	27,450	562	113	162	548	457	509	1,415	3,296	5,811	8,110	6,465	2
Male	14,752	326	71	99	399	325	316	925	2,101	3,687	4,110	2,393	–
Female	12,698	236	42	63	149	132	193	490	1,195	2,124	4,000	4,072	2
White	27,118	531	110	160	541	439	489	1,382	3,255	5,733	8,054	6,423	1
Male	14,562	311	69	99	394	313	306	902	2,077	3,638	4,081	2,372	–
Female	12,556	220	41	61	147	126	183	480	1,178	2,095	3,973	4,051	1
All other	332	31	3	2	7	18	20	33	41	78	56	42	1
Male	190	15	2	–	5	12	10	23	24	49	29	21	–
Female	142	16	1	2	2	6	10	10	17	29	27	21	1
Metropolitan counties	8,557	244	35	60	177	188	193	524	1,180	1,841	2,386	1,728	1
Male	4,424	143	21	35	126	137	112	333	724	1,131	1,119	543	–
Female	4,133	101	14	25	51	51	81	191	456	710	1,267	1,185	1
White	8,301	215	33	59	171	173	174	495	1,148	1,781	2,351	1,701	–
Male	4,274	129	20	35	122	126	103	312	705	1,093	1,099	530	–
Female	4,027	86	13	24	49	47	71	183	443	688	1,252	1,171	–
All other	256	29	2	1	6	15	19	29	32	60	35	27	1
Male	150	14	1	–	4	11	9	21	19	38	20	13	–
Female	106	15	1	1	2	4	10	8	13	22	15	14	1
Nonmetropolitan counties	18,893	318	78	102	371	269	316	891	2,116	3,970	5,724	4,737	1
Male	10,328	183	50	64	273	188	204	592	1,377	2,556	2,991	1,850	–
Female	8,565	135	28	38	98	81	112	299	739	1,414	2,733	2,887	1
White	18,817	316	77	101	370	266	315	887	2,107	3,952	5,703	4,722	1
Male	10,288	182	49	64	272	187	203	590	1,372	2,545	2,982	1,842	–
Female	8,529	134	28	37	98	79	112	297	735	1,407	2,721	2,880	1
All other	76	2	1	1	1	3	1	4	9	18	21	15	–
Male	40	1	1	–	1	1	1	2	5	11	9	8	–
Female	36	1	–	1	–	2	–	2	4	7	12	7	–
Kansas	21,665	458	95	114	531	410	509	1,195	2,708	4,535	6,269	4,840	1
Male	11,503	246	55	70	402	271	310	770	1,754	2,757	3,156	1,712	–
Female	10,162	212	40	44	129	139	199	425	954	1,778	3,113	3,128	1
White	20,552	385	78	100	488	359	449	1,112	2,543	4,311	6,033	4,694	–
Male	10,880	210	45	60	369	240	268	720	1,660	2,623	3,039	1,646	–
Female	9,672	175	33	40	119	119	181	392	883	1,688	2,994	3,048	–
All other	1,113	73	17	14	43	51	60	83	165	224	236	146	1
Male	623	36	10	10	33	31	42	50	94	134	117	66	–
Female	490	37	7	4	10	20	18	33	71	90	119	80	1
Metropolitan counties	7,546	207	50	55	235	194	216	587	1,093	1,561	1,932	1,415	1
Male	4,023	110	29	34	180	121	136	373	710	942	920	468	–
Female	3,523	97	21	21	55	73	80	214	383	619	1,012	947	1
White	6,761	155	36	43	210	154	174	523	975	1,403	1,776	1,312	–
Male	3,586	85	21	26	163	96	108	335	637	848	845	422	–
Female	3,175	70	15	17	47	58	66	188	338	555	931	890	–
All other	785	52	14	12	25	40	42	64	118	158	156	103	1
Male	437	25	8	8	17	25	28	38	73	94	75	46	–
Female	348	27	6	4	8	15	14	26	45	64	81	57	1
Nonmetropolitan counties	14,119	251	45	59	296	216	293	608	1,615	2,974	4,337	3,425	–
Male	7,480	136	26	36	222	150	174	397	1,044	1,815	2,236	1,244	–
Female	6,639	115	19	23	74	66	119	211	571	1,159	2,101	2,181	–
White	13,791	230	42	57	278	205	275	589	1,568	2,908	4,257	3,382	–
Male	7,294	125	24	34	206	144	160	385	1,023	1,775	2,194	1,224	–
Female	6,497	105	18	23	72	61	115	204	545	1,133	2,063	2,158	–
All other	328	21	3	2	18	11	18	19	47	66	80	43	–
Male	186	11	2	2	16	6	14	12	21	40	42	20	–
Female	142	10	1	–	2	5	4	7	26	26	38	23	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Kentucky	33,421	729	138	215	834	701	1,033	2,438	5,040	7,940	8,797	5,554	2
Male	18,623	433	82	122	638	492	686	1,610	3,308	4,804	4,304	2,143	1
Female	14,798	296	56	93	196	209	347	828	1,732	3,136	4,493	3,411	1
White	30,584	619	126	194	755	607	934	2,187	4,517	7,257	8,184	5,202	2
Male	17,084	367	76	110	574	424	623	1,455	3,002	4,455	3,994	2,003	1
Female	13,500	252	50	84	181	183	311	732	1,515	2,802	4,190	3,199	1
All other	2,837	110	12	21	79	94	99	251	523	683	613	352	–
Male	1,539	66	6	12	64	68	63	155	306	349	310	140	–
Female	1,298	44	6	9	15	26	36	96	217	334	303	212	–
Metropolitan counties	12,341	275	35	71	266	241	341	1,019	1,980	3,017	3,145	1,951	–
Male	6,471	162	19	39	212	165	217	647	1,264	1,723	1,398	625	–
Female	5,870	113	16	32	54	76	124	372	716	1,294	1,747	1,326	–
White	10,730	205	29	57	215	185	282	863	1,649	2,621	2,837	1,787	–
Male	5,584	118	17	31	171	121	177	553	1,072	1,511	1,252	561	–
Female	5,146	87	12	26	44	64	105	310	577	1,110	1,585	1,226	–
All other	1,611	70	6	14	51	56	59	156	331	396	308	164	–
Male	887	44	2	8	41	44	40	94	192	212	146	64	–
Female	724	26	4	6	10	12	19	62	139	184	162	100	–
Nonmetropolitan counties	21,080	454	103	144	568	460	692	1,419	3,060	4,923	5,652	3,603	2
Male	12,152	271	63	83	426	327	469	963	2,044	3,081	2,906	1,518	1
Female	8,928	183	40	61	142	133	223	456	1,016	1,842	2,746	2,085	1
White	19,854	414	97	137	540	422	652	1,324	2,868	4,636	5,347	3,415	2
Male	11,500	249	59	79	403	303	446	902	1,930	2,944	2,742	1,442	1
Female	8,354	165	38	58	137	119	206	422	938	1,692	2,605	1,973	1
All other	1,226	40	6	7	28	38	40	95	192	287	305	188	–
Male	652	22	4	4	23	24	23	61	114	137	164	76	–
Female	574	18	2	3	5	14	17	34	78	150	141	112	–
Louisiana	35,242	1,295	219	295	1,191	1,095	1,267	3,009	5,597	8,673	8,160	4,422	19
Male	19,657	676	130	193	880	767	813	1,901	3,616	5,105	3,948	1,617	11
Female	15,585	619	89	102	311	328	454	1,108	1,981	3,568	4,212	2,805	8
White	23,547	572	103	158	749	611	685	1,866	3,787	5,820	5,891	3,292	13
Male	13,243	306	67	100	558	445	429	1,224	2,561	3,568	2,826	1,153	6
Female	10,304	266	36	58	191	166	256	642	1,226	2,252	3,065	2,139	7
All other	11,695	723	116	137	442	484	582	1,143	1,810	2,853	2,269	1,130	6
Male	6,414	370	63	93	322	322	384	677	1,055	1,537	1,122	464	5
Female	5,281	353	53	44	120	162	198	466	755	1,316	1,147	666	1
Metropolitan parishes[1]	18,807	696	109	157	630	629	699	1,712	3,103	4,523	4,341	2,202	6
Male	10,244	359	66	100	455	436	450	1,060	1,946	2,596	2,020	752	4
Female	8,563	337	43	57	175	193	249	652	1,157	1,927	2,321	1,450	2
White	12,409	295	37	75	346	339	371	1,035	2,088	3,029	3,141	1,649	4
Male	6,762	158	21	46	246	238	233	659	1,369	1,789	1,462	539	2
Female	5,647	137	16	29	100	101	138	376	719	1,240	1,679	1,110	2
All other	6,398	401	72	82	284	290	328	677	1,015	1,494	1,200	553	2
Male	3,482	201	45	54	209	198	217	401	577	807	558	213	2
Female	2,916	200	27	28	75	92	111	276	438	687	642	340	–
Nonmetropolitan parishes[1]	16,435	599	110	138	561	466	568	1,297	2,494	4,150	3,819	2,220	13
Male	9,413	317	64	93	425	331	363	841	1,670	2,509	1,928	865	7
Female	7,022	282	46	45	136	135	205	456	824	1,641	1,891	1,355	6
White	11,138	277	66	83	403	272	314	831	1,699	2,791	2,750	1,643	9
Male	6,481	148	46	54	312	207	196	565	1,192	1,779	1,364	614	4
Female	4,657	129	20	29	91	65	118	266	507	1,012	1,386	1,029	5
All other	5,297	322	44	55	158	194	254	466	795	1,359	1,069	577	4
Male	2,932	169	18	39	113	124	167	276	478	730	564	251	3
Female	2,365	153	26	16	45	70	87	190	317	629	505	326	1
Maine	10,179	165	23	60	213	189	233	696	1,406	2,548	2,757	1,879	10
Male	5,535	87	11	37	158	131	154	442	932	1,558	1,328	694	3
Female	4,644	78	12	23	55	58	79	254	474	990	1,429	1,185	7
White	10,140	164	23	60	211	189	230	689	1,400	2,539	2,751	1,875	9
Male	5,516	87	11	37	156	131	154	439	930	1,552	1,324	692	3
Female	4,624	77	12	23	55	58	76	250	470	987	1,427	1,183	6
All other	39	1	–	–	2	–	3	7	6	9	6	4	1
Male	19	–	–	–	2	–	–	3	2	6	4	2	–
Female	20	1	–	–	–	–	3	4	4	3	2	2	1
Metropolitan counties	2,005	31	2	11	40	39	38	134	293	502	546	369	–
Male	1,060	19	1	7	27	28	23	87	198	282	257	131	–
Female	945	12	1	4	13	11	15	47	95	220	289	238	–
White	1,999	31	2	11	40	39	38	133	293	498	545	369	–
Male	1,056	19	1	7	27	28	23	86	198	280	256	131	–
Female	943	12	1	4	13	11	15	47	95	218	289	238	–
All other	6	–	–	–	–	–	–	1	–	4	1	–	–
Male	4	–	–	–	–	–	–	1	–	2	1	–	–
Female	2	–	–	–	–	–	–	–	–	2	–	–	–
Nonmetropolitan counties	8,174	134	21	49	173	150	195	562	1,113	2,046	2,211	1,510	10
Male	4,475	68	10	30	131	103	131	355	734	1,276	1,071	563	3
Female	3,699	66	11	19	42	47	64	207	379	770	1,140	947	7
White	8,141	133	21	49	171	150	192	556	1,107	2,041	2,206	1,506	9
Male	4,460	68	10	30	129	103	131	353	732	1,272	1,068	561	3
Female	3,681	65	11	19	42	47	61	203	375	769	1,138	945	6
All other	33	1	–	–	2	–	3	6	6	5	5	4	1
Male	15	–	–	–	2	–	–	2	2	4	3	2	–
Female	18	1	–	–	–	–	3	4	4	1	2	2	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Maryland	33,130	814	122	199	801	840	1,146	2,925	5,736	7,913	7,778	4,744	112
Male	18,045	453	75	116	610	614	712	1,847	3,591	4,619	3,695	1,636	77
Female	15,085	361	47	83	191	226	434	1,078	2,145	3,294	4,083	3,108	35
White	26,360	446	82	136	589	501	699	2,036	4,486	6,382	6,689	4,239	75
Male	14,152	252	53	76	453	367	428	1,290	2,835	3,758	3,136	1,449	55
Female	12,208	194	29	60	136	134	271	746	1,651	2,624	3,553	2,790	20
All other	6,770	368	40	63	212	339	447	889	1,250	1,531	1,089	505	37
Male	3,893	201	22	40	157	247	284	557	756	861	559	187	22
Female	2,877	167	18	23	55	92	163	332	494	670	530	318	15
Metropolitan counties	26,601	694	103	158	640	710	997	2,437	4,662	6,329	6,070	3,703	98
Male	14,431	384	63	89	484	523	624	1,538	2,898	3,648	2,863	1,251	66
Female	12,170	310	40	69	156	187	373	899	1,764	2,681	3,207	2,452	32
White	20,791	360	67	104	460	400	579	1,655	3,587	5,032	5,173	3,307	67
Male	11,085	204	43	55	349	298	360	1,049	2,241	2,926	2,406	1,107	47
Female	9,706	156	24	49	111	102	219	606	1,346	2,106	2,767	2,200	20
All other	5,810	334	36	54	180	310	418	782	1,075	1,297	897	396	31
Male	3,346	180	20	34	135	225	264	489	657	722	457	144	19
Female	2,464	154	16	20	45	85	154	293	418	575	440	252	12
Nonmetropolitan counties	6,529	120	19	41	161	130	149	488	1,074	1,584	1,708	1,041	14
Male	3,614	69	12	27	126	91	88	309	693	971	832	385	11
Female	2,915	51	7	14	35	39	61	179	381	613	876	656	3
White	5,569	86	15	32	129	101	120	381	899	1,350	1,516	932	8
Male	3,067	48	10	21	104	69	68	241	594	832	730	342	8
Female	2,502	38	5	11	25	32	52	140	305	518	786	590	–
All other	960	34	4	9	32	29	29	107	175	234	192	109	6
Male	547	21	2	6	22	22	20	68	99	139	102	43	3
Female	413	13	2	3	10	7	9	39	76	95	90	66	3
Massachusetts	52,660	760	141	238	965	933	1,200	3,351	7,575	12,019	14,721	10,747	10
Male	27,048	425	80	141	730	647	776	2,077	4,760	7,068	6,849	3,489	6
Female	25,612	335	61	97	235	286	424	1,274	2,815	4,951	7,872	7,258	4
White	51,192	661	126	218	918	851	1,112	3,175	7,313	11,769	14,456	10,585	8
Male	26,198	372	70	131	696	582	714	1,974	4,596	6,910	6,720	3,428	5
Female	24,994	289	56	87	222	269	398	1,201	2,717	4,859	7,736	7,157	3
All other	1,468	99	15	20	47	82	88	176	262	250	265	162	2
Male	850	53	10	10	34	65	62	103	164	158	129	61	1
Female	618	46	5	10	13	17	26	73	98	92	136	101	1
Metropolitan counties	50,242	734	138	229	923	885	1,155	3,228	7,258	11,401	14,045	10,236	10
Male	25,796	412	78	138	697	617	749	1,991	4,567	6,699	6,513	3,329	6
Female	24,446	322	60	91	226	268	406	1,237	2,691	4,702	7,532	6,907	4
White	48,819	635	123	209	878	804	1,069	3,054	7,004	11,164	13,791	10,080	8
Male	24,974	359	68	128	665	553	689	1,890	4,406	6,548	6,392	3,271	5
Female	23,845	276	55	81	213	251	380	1,164	2,598	4,616	7,399	6,809	3
All other	1,423	99	15	20	45	81	86	174	254	237	254	156	2
Male	822	53	10	10	32	64	60	101	161	151	121	58	1
Female	601	46	5	10	13	17	26	73	93	86	133	98	1
Nonmetropolitan counties	2,418	26	3	9	42	48	45	123	317	618	676	511	–
Male	1,252	13	2	3	33	30	27	86	193	369	336	160	–
Female	1,166	13	1	6	9	18	18	37	124	249	340	351	–
White	2,373	26	3	9	40	47	43	121	309	605	665	505	–
Male	1,224	13	2	3	31	29	25	84	190	362	328	157	–
Female	1,149	13	1	6	9	18	18	37	119	243	337	348	–
All other	45	–	–	–	2	1	2	2	8	13	11	6	–
Male	28	–	–	–	2	1	2	2	3	7	8	3	–
Female	17	–	–	–	–	–	–	–	5	6	3	3	–
Michigan	74,968	1,923	344	512	2,088	1,907	2,326	5,798	11,919	17,004	18,959	12,185	3
Male	41,421	1,123	199	330	1,510	1,344	1,436	3,613	7,562	10,282	9,513	4,506	3
Female	33,547	800	145	182	578	563	890	2,185	4,357	6,722	9,446	7,679	–
White	65,467	1,344	263	411	1,688	1,380	1,715	4,612	10,120	15,089	17,352	11,491	2
Male	35,985	790	157	268	1,252	979	1,051	2,880	6,487	9,166	8,721	4,232	2
Female	29,482	554	106	143	436	401	664	1,732	3,633	5,923	8,631	7,259	–
All other	9,501	579	81	101	400	527	611	1,186	1,799	1,915	1,607	694	1
Male	5,436	333	42	62	258	365	385	733	1,075	1,116	792	274	1
Female	4,065	246	39	39	142	162	226	453	724	799	815	420	–
Metropolitan counties	53,909	1,447	247	384	1,549	1,493	1,816	4,574	8,849	11,804	13,422	8,323	1
Male	29,532	849	141	248	1,118	1,041	1,127	2,846	5,608	7,003	6,572	2,978	1
Female	24,377	598	106	136	431	452	689	1,728	3,241	4,801	6,850	5,345	–
White	45,060	906	173	292	1,172	993	1,233	3,448	7,153	10,036	11,951	7,703	–
Male	24,460	537	101	189	874	694	758	2,152	4,589	5,984	5,847	2,735	–
Female	20,600	369	72	103	298	299	475	1,296	2,564	4,052	6,104	4,968	–
All other	8,849	541	74	92	377	500	583	1,126	1,696	1,768	1,471	620	1
Male	5,072	312	40	59	244	347	369	694	1,019	1,019	725	243	1
Female	3,777	229	34	33	133	153	214	432	677	749	746	377	–
Nonmetropolitan counties	21,059	476	97	128	539	414	510	1,224	3,070	5,200	5,537	3,862	2
Male	11,889	274	58	82	392	303	309	767	1,954	3,279	2,941	1,528	2
Female	9,170	202	39	46	147	111	201	457	1,116	1,921	2,596	2,334	–
White	20,407	438	90	119	516	387	482	1,164	2,967	5,053	5,401	3,788	2
Male	11,525	253	56	79	378	285	293	728	1,898	3,182	2,874	1,497	2
Female	8,882	185	34	40	138	102	189	436	1,069	1,871	2,527	2,291	–
All other	652	38	7	9	23	27	28	60	103	147	136	74	–
Male	364	21	2	3	14	18	16	39	56	97	67	31	–
Female	288	17	5	6	9	9	12	21	47	50	69	43	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Minnesota	33,316	741	136	198	811	621	745	1,846	4,014	7,134	9,458	7,610	2
Male	18,528	429	76	118	603	437	464	1,194	2,617	4,482	4,982	3,124	2
Female	14,788	312	60	80	208	184	281	652	1,397	2,652	4,476	4,486	–
White	32,752	686	119	187	781	570	691	1,790	3,944	7,041	9,381	7,560	2
Male	18,190	393	67	112	582	402	434	1,158	2,572	4,429	4,941	3,098	2
Female	14,562	293	52	75	199	168	257	632	1,372	2,612	4,440	4,462	–
All other	564	55	17	11	30	51	54	56	70	93	77	50	–
Male	338	36	9	6	21	35	30	36	45	53	41	26	–
Female	226	19	8	5	9	16	24	20	25	40	36	24	–
Metropolitan counties	16,565	404	74	97	401	377	422	1,055	2,198	3,484	4,491	3,560	2
Male	8,865	242	41	57	288	249	251	681	1,419	2,095	2,213	1,327	2
Female	7,700	162	33	40	113	128	171	374	779	1,389	2,278	2,233	–
White	16,137	365	59	89	385	332	382	1,012	2,139	3,418	4,435	3,519	2
Male	8,611	215	34	53	278	217	229	652	1,383	2,060	2,184	1,304	2
Female	7,526	150	25	36	107	115	153	360	756	1,358	2,251	2,215	–
All other	428	39	15	8	16	45	40	43	59	66	56	41	–
Male	254	27	7	4	10	32	22	29	36	35	29	23	–
Female	174	12	8	4	6	13	18	14	23	31	27	18	–
Nonmetropolitan counties	16,751	337	62	101	410	244	323	791	1,816	3,650	4,967	4,050	–
Male	9,663	187	35	61	315	188	213	513	1,198	2,387	2,769	1,797	–
Female	7,088	150	27	40	95	56	110	278	618	1,263	2,198	2,253	–
White	16,615	321	60	98	396	238	309	778	1,805	3,623	4,946	4,041	–
Male	9,579	178	33	59	304	185	205	506	1,189	2,369	2,757	1,794	–
Female	7,036	143	27	39	92	53	104	272	616	1,254	2,189	2,247	–
All other	136	16	2	3	14	6	14	13	11	27	21	9	–
Male	84	9	2	2	11	3	8	7	9	18	12	3	–
Female	52	7	–	1	3	3	6	6	2	9	9	6	–
Mississippi	23,350	829	149	180	684	612	864	1,705	3,385	5,585	5,783	3,557	17
Male	13,214	456	88	118	500	444	549	1,134	2,201	3,402	2,970	1,342	10
Female	10,136	373	61	62	184	168	315	571	1,184	2,183	2,813	2,215	7
White	14,670	261	71	95	400	324	490	1,104	2,177	3,620	3,840	2,283	5
Male	8,428	155	44	63	294	233	331	782	1,504	2,277	1,953	788	4
Female	6,242	106	27	32	106	91	159	322	673	1,343	1,887	1,495	1
All other	8,680	568	78	85	284	288	374	601	1,208	1,965	1,943	1,274	12
Male	4,786	301	44	55	206	211	218	352	697	1,125	1,017	554	6
Female	3,894	267	34	30	78	77	156	249	511	840	926	720	6
Metropolitan counties	3,626	106	24	27	125	121	166	327	554	865	824	483	4
Male	2,025	59	15	19	94	82	101	215	359	520	408	151	2
Female	1,601	47	9	8	31	39	65	112	195	345	416	332	2
White	2,448	42	14	16	80	79	99	228	390	576	576	347	1
Male	1,391	25	7	10	60	55	59	158	262	359	296	100	–
Female	1,057	17	7	6	20	24	40	70	128	217	280	247	1
All other	1,178	64	10	11	45	42	67	99	164	289	248	136	3
Male	634	34	8	9	34	27	42	57	97	161	112	51	2
Female	544	30	2	2	11	15	25	42	67	128	136	85	1
Nonmetropolitan counties	19,724	723	125	153	559	491	698	1,378	2,831	4,720	4,959	3,074	13
Male	11,189	397	73	99	406	362	448	919	1,842	2,882	2,562	1,191	8
Female	8,535	326	52	54	153	129	250	459	989	1,838	2,397	1,883	5
White	12,222	219	57	79	320	245	391	876	1,787	3,044	3,264	1,936	4
Male	7,037	130	37	53	234	178	272	624	1,242	1,918	1,657	688	4
Female	5,185	89	20	26	86	67	119	252	545	1,126	1,607	1,248	–
All other	7,502	504	68	74	239	246	307	502	1,044	1,676	1,695	1,138	9
Male	4,152	267	36	46	172	184	176	295	600	964	905	503	4
Female	3,350	237	32	28	67	62	131	207	444	712	790	635	5
Missouri	49,442	1,080	213	264	1,084	995	1,275	3,061	6,744	11,559	13,693	9,458	16
Male	26,738	597	126	169	842	700	812	1,934	4,321	7,062	6,775	3,388	12
Female	22,704	483	87	95	242	295	463	1,127	2,423	4,497	6,918	6,070	4
White	44,399	744	152	220	897	773	1,035	2,552	5,920	10,459	12,700	8,933	14
Male	23,926	422	91	140	687	531	650	1,616	3,854	6,455	6,273	3,196	11
Female	20,473	322	61	80	210	242	385	936	2,066	4,004	6,427	5,737	3
All other	5,043	336	61	44	187	222	240	509	824	1,100	993	525	2
Male	2,812	175	35	29	155	169	162	318	467	607	502	192	1
Female	2,231	161	26	15	32	53	78	191	357	493	491	333	1
Metropolitan counties	27,929	752	132	149	651	663	818	1,949	4,115	6,408	7,400	4,881	11
Male	14,662	421	79	91	507	481	509	1,238	2,558	3,786	3,436	1,548	8
Female	13,267	331	53	58	144	182	309	711	1,557	2,622	3,964	3,333	3
White	23,539	442	77	109	484	457	601	1,496	3,375	5,456	6,582	4,451	9
Male	12,211	255	47	65	367	319	363	950	2,140	3,259	3,052	1,387	7
Female	11,328	187	30	44	117	138	238	546	1,235	2,197	3,530	3,064	2
All other	4,390	310	55	40	167	206	217	453	740	952	818	430	2
Male	2,451	166	32	26	140	162	146	288	418	527	384	161	1
Female	1,939	144	23	14	27	44	71	165	322	425	434	269	1
Nonmetropolitan counties	21,513	328	81	115	433	332	457	1,112	2,629	5,151	6,293	4,577	5
Male	12,076	176	47	78	335	219	303	696	1,763	3,276	3,339	1,840	4
Female	9,437	152	34	37	98	113	154	416	866	1,875	2,954	2,737	1
White	20,860	302	75	111	413	316	434	1,056	2,545	5,003	6,118	4,482	5
Male	11,715	167	44	75	320	212	287	666	1,714	3,196	3,221	1,809	4
Female	9,145	135	31	36	93	104	147	390	831	1,807	2,897	2,673	1
All other	653	26	6	4	20	16	23	56	84	148	175	95	–
Male	361	9	3	3	15	7	16	30	49	80	118	31	–
Female	292	17	3	1	5	9	7	26	35	68	57	64	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Montana	6,488	157	30	38	223	178	174	398	953	1,472	1,511	1,352	2
Male	3,750	82	18	25	160	132	127	264	633	950	805	552	2
Female	2,738	75	12	13	63	46	47	134	320	522	706	800	–
White	6,171	126	24	35	188	153	149	361	906	1,426	1,472	1,330	1
Male	3,555	66	15	23	133	115	107	239	605	925	786	540	1
Female	2,616	60	9	12	55	38	42	122	301	501	686	790	–
All other	317	31	6	3	35	25	25	37	47	46	39	22	1
Male	195	16	3	2	27	17	20	25	28	25	19	12	1
Female	122	15	3	1	8	8	5	12	19	21	20	10	–
Metropolitan counties	1,326	34	5	5	44	30	46	89	194	321	309	249	–
Male	756	22	4	4	34	24	30	59	134	200	147	98	–
Female	570	12	1	1	10	6	16	30	60	121	162	151	–
White	1,300	27	4	5	41	28	42	86	194	317	308	248	–
Male	742	18	4	4	31	23	28	58	134	198	147	97	–
Female	558	9	–	1	10	5	14	28	60	119	161	151	–
All other	26	7	1	–	3	2	4	3	–	4	1	1	–
Male	14	4	–	–	3	1	2	1	–	2	–	1	–
Female	12	3	1	–	–	1	2	2	–	2	1	–	–
Nonmetropolitan counties	5,162	123	25	33	179	148	128	309	759	1,151	1,202	1,103	2
Male	2,994	60	14	21	126	108	97	205	499	750	658	454	2
Female	2,168	63	11	12	53	40	31	104	260	401	544	649	–
White	4,871	99	20	30	147	125	107	275	712	1,109	1,164	1,082	1
Male	2,813	48	11	19	102	92	79	181	471	727	639	443	1
Female	2,058	51	9	11	45	33	28	94	241	382	525	639	–
All other	291	24	5	3	32	23	21	34	47	42	38	21	1
Male	181	12	3	2	24	16	18	24	28	23	19	11	1
Female	110	12	2	1	8	7	3	10	19	19	19	10	–
Nebraska	14,443	327	62	88	288	235	275	791	1,729	3,013	4,290	3,345	–
Male	7,898	170	32	61	208	173	177	505	1,155	1,866	2,249	1,302	–
Female	6,545	157	30	27	80	62	98	286	574	1,147	2,041	2,043	–
White	14,018	284	56	84	270	209	251	743	1,670	2,945	4,191	3,315	–
Male	7,659	153	29	57	192	158	162	475	1,117	1,833	2,193	1,290	–
Female	6,359	131	27	27	78	51	89	268	553	1,112	1,998	2,025	–
All other	425	43	6	4	18	26	24	48	59	68	99	30	–
Male	239	17	3	4	16	15	15	30	38	33	56	12	–
Female	186	26	3	–	2	11	9	18	21	35	43	18	–
Metropolitan counties	5,031	152	32	32	103	109	126	357	737	1,035	1,402	946	–
Male	2,699	76	19	21	77	74	77	239	483	619	674	340	–
Female	2,332	76	13	11	26	35	49	118	254	416	728	606	–
White	4,694	114	27	29	90	89	109	320	689	984	1,322	921	–
Male	2,508	61	17	18	66	63	65	214	450	595	629	330	–
Female	2,186	53	10	11	24	26	44	106	239	389	693	591	–
All other	337	38	5	3	13	20	17	37	48	51	80	25	–
Male	191	15	2	3	11	11	12	25	33	24	45	10	–
Female	146	23	3	–	2	9	5	12	15	27	35	15	–
Nonmetropolitan counties	9,412	175	30	56	185	126	149	434	992	1,978	2,888	2,399	–
Male	5,199	94	13	40	131	99	100	266	672	1,247	1,575	962	–
Female	4,213	81	17	16	54	27	49	168	320	731	1,313	1,437	–
White	9,324	170	29	55	180	120	142	423	981	1,961	2,869	2,394	–
Male	5,151	92	12	39	126	95	97	261	667	1,238	1,564	960	–
Female	4,173	78	17	16	54	25	45	162	314	723	1,305	1,434	–
All other	88	5	1	1	5	6	7	11	11	17	19	5	–
Male	48	2	1	1	5	4	3	5	5	9	11	2	–
Female	40	3	–	–	–	2	4	6	6	8	8	3	–
Nevada	5,056	137	24	47	231	216	234	526	1,042	1,156	949	492	2
Male	3,042	76	14	25	152	162	165	322	667	721	527	209	2
Female	2,014	61	10	22	79	54	69	204	375	435	422	283	–
White	4,655	110	23	37	192	178	190	474	973	1,094	907	475	2
Male	2,794	58	14	21	126	132	134	299	621	683	499	205	2
Female	1,861	52	9	16	66	46	56	175	352	411	408	270	–
All other	401	27	1	10	39	38	44	52	69	62	42	17	–
Male	248	18	–	4	26	30	31	23	46	38	28	4	–
Female	153	9	1	6	13	8	13	29	23	24	14	13	–
Metropolitan counties	3,961	115	20	37	175	179	196	419	836	884	732	367	1
Male	2,368	66	11	22	116	133	141	253	537	544	397	147	1
Female	1,593	49	9	15	59	46	55	166	299	340	335	220	–
White	3,630	88	19	29	145	147	155	376	781	834	701	354	1
Male	2,163	48	11	19	95	107	111	233	501	515	379	143	1
Female	1,467	40	8	10	50	40	44	143	280	319	322	211	–
All other	331	27	1	8	30	32	41	43	55	50	31	13	–
Male	205	18	–	3	21	26	30	20	36	29	18	4	–
Female	126	9	1	5	9	6	11	23	19	21	13	9	–
Nonmetropolitan counties	1,095	22	4	10	56	37	38	107	206	272	217	125	1
Male	674	10	3	3	36	29	24	69	130	177	130	62	1
Female	421	12	1	7	20	8	14	38	76	95	87	63	–
White	1,025	22	4	8	47	31	35	98	192	260	206	121	1
Male	631	10	3	2	31	25	23	66	120	168	120	62	1
Female	394	12	1	6	16	6	12	32	72	92	86	59	–
All other	70	–	–	2	9	6	3	9	14	12	11	4	–
Male	43	–	–	1	5	4	1	3	10	9	10	–	–
Female	27	–	–	1	4	2	2	6	4	3	1	4	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Hampshire	7,408	129	21	35	171	146	168	479	1,072	1,822	2,037	1,327	1
Male	3,961	75	13	17	124	91	101	290	694	1,106	997	452	1
Female	3,447	54	8	18	47	55	67	189	378	716	1,040	875	–
White	7,385	128	19	35	171	145	167	474	1,071	1,817	2,032	1,325	1
Male	3,949	75	11	17	124	91	100	287	694	1,104	993	452	1
Female	3,436	53	8	18	47	54	67	187	377	713	1,039	873	–
All other	23	1	2	–	–	1	1	5	1	5	5	2	–
Male	12	–	2	–	–	–	1	3	–	2	4	–	–
Female	11	1	–	–	–	1	–	2	1	3	1	2	–
Metropolitan counties	2,149	41	5	12	42	39	50	141	319	513	618	369	–
Male	1,135	23	4	6	26	26	28	91	206	309	293	123	–
Female	1,014	18	1	6	16	13	22	50	113	204	325	246	–
White	2,146	41	5	12	42	39	50	141	319	512	616	369	–
Male	1,132	23	4	6	26	26	28	91	206	308	291	123	–
Female	1,014	18	1	6	16	13	22	50	113	204	325	246	–
All other	3	–	–	–	–	–	–	–	–	1	2	–	–
Male	3	–	–	–	–	–	–	–	–	1	2	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,259	88	16	23	129	107	118	338	753	1,309	1,419	958	1
Male	2,826	52	9	11	98	65	73	199	488	797	704	329	1
Female	2,433	36	7	12	31	42	45	139	265	512	715	629	–
White	5,239	87	14	23	129	106	117	333	752	1,305	1,416	956	1
Male	2,817	52	7	11	98	65	72	196	488	796	702	329	1
Female	2,422	35	7	12	31	41	45	137	264	509	714	627	–
All other	20	1	2	–	–	1	1	5	1	4	3	2	–
Male	9	–	2	–	–	–	1	3	–	1	2	–	–
Female	11	1	–	–	–	1	–	2	1	3	1	2	–
New Jersey	65,993	1,216	212	340	1,183	1,195	1,759	5,002	10,624	16,045	17,546	10,820	51
Male	35,196	671	127	200	852	831	1,105	3,157	6,733	9,408	8,296	3,784	32
Female	30,797	545	85	140	331	364	654	1,845	3,891	6,637	9,250	7,036	19
White	59,302	763	144	248	961	877	1,259	4,127	9,354	14,709	16,489	10,344	27
Male	31,356	428	87	146	705	621	775	2,602	5,953	8,625	7,784	3,612	18
Female	27,946	335	57	102	256	256	484	1,525	3,401	6,084	8,705	6,732	9
All other	6,691	453	68	92	222	318	500	875	1,270	1,336	1,057	476	24
Male	3,840	243	40	54	147	210	330	555	780	783	512	172	14
Female	2,851	210	28	38	75	108	170	320	490	553	545	304	10
Metropolitan counties	49,441	962	167	269	913	940	1,374	3,831	8,046	11,745	12,955	8,198	41
Male	26,248	526	102	154	655	659	866	2,405	5,142	6,845	6,009	2,859	26
Female	23,193	436	65	115	258	281	508	1,426	2,904	4,900	6,946	5,339	15
White	43,487	562	103	186	715	654	928	3,053	6,898	10,573	12,015	7,780	20
Male	22,837	314	64	106	523	468	567	1,923	4,438	6,152	5,558	2,710	14
Female	20,650	248	39	80	192	186	361	1,130	2,460	4,421	6,457	5,070	6
All other	5,954	400	64	83	198	286	446	778	1,148	1,172	940	418	21
Male	3,411	212	38	48	132	191	299	482	704	693	451	149	12
Female	2,543	188	26	35	66	95	147	296	444	479	489	269	9
Nonmetropolitan counties	16,552	254	45	71	270	255	385	1,171	2,578	4,300	4,591	2,622	10
Male	8,948	145	25	46	197	172	239	752	1,591	2,563	2,287	925	6
Female	7,604	109	20	25	73	83	146	419	987	1,737	2,304	1,697	4
White	15,815	201	41	62	246	223	331	1,074	2,456	4,136	4,474	2,564	7
Male	8,519	114	23	40	182	153	208	679	1,515	2,473	2,226	902	4
Female	7,296	87	18	22	64	70	123	395	941	1,663	2,248	1,662	3
All other	737	53	4	9	24	32	54	97	122	164	117	58	3
Male	429	31	2	6	15	19	31	73	76	90	61	23	2
Female	308	22	2	3	9	13	23	24	46	74	56	35	1
New Mexico	8,456	338	76	77	462	401	408	705	1,279	1,796	1,785	1,125	4
Male	5,035	198	48	48	354	307	285	450	809	1,093	956	484	3
Female	3,421	140	28	29	108	94	123	255	470	703	829	641	1
White	7,593	262	55	54	364	303	326	615	1,187	1,680	1,691	1,053	3
Male	4,492	148	36	32	287	231	227	397	760	1,025	904	442	3
Female	3,101	114	19	22	77	72	99	218	427	655	787	611	–
All other	863	76	21	23	98	98	82	90	92	116	94	72	1
Male	543	50	12	16	67	76	58	53	49	68	52	42	–
Female	320	26	9	7	31	22	24	37	43	48	42	30	1
Metropolitan counties	2,406	81	16	28	112	115	125	214	376	499	537	301	2
Male	1,388	48	12	16	85	82	85	135	248	287	274	114	2
Female	1,018	33	4	12	27	33	40	79	128	212	263	187	–
White	2,311	72	14	23	104	112	114	204	362	488	524	292	2
Male	1,336	43	10	12	80	81	79	131	240	282	268	108	2
Female	975	29	4	11	24	31	35	73	122	206	256	184	–
All other	95	9	2	5	8	3	11	10	14	11	13	9	–
Male	52	5	2	4	5	1	6	4	8	5	6	6	–
Female	43	4	–	1	3	2	5	6	6	6	7	3	–
Nonmetropolitan counties	6,050	257	60	49	350	286	283	491	903	1,297	1,248	824	2
Male	3,647	150	36	32	269	225	200	315	561	806	682	370	1
Female	2,403	107	24	17	81	61	83	176	342	491	566	454	1
White	5,282	190	41	31	260	191	212	411	825	1,192	1,167	761	1
Male	3,156	105	26	20	207	150	148	266	520	743	636	334	1
Female	2,126	85	15	11	53	41	64	145	305	449	531	427	–
All other	768	67	19	18	90	95	71	80	78	105	81	63	1
Male	491	45	10	12	62	75	52	49	41	63	46	36	–
Female	277	22	9	6	28	20	19	31	37	42	35	27	1

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New York	167,572	3,268	518	822	3,089	3,634	4,843	12,341	25,295	39,009	45,510	29,203	40
Male	88,041	1,870	297	497	2,265	2,458	3,055	7,671	15,464	22,539	21,470	10,426	29
Female	79,531	1,398	221	325	824	1,176	1,788	4,670	9,831	16,470	24,040	18,777	11
White	148,263	2,139	377	598	2,457	2,562	3,289	9,755	21,528	35,113	42,531	27,881	33
Male	77,399	1,220	211	365	1,814	1,754	2,075	6,099	13,310	20,457	20,083	9,988	23
Female	70,864	919	166	233	643	808	1,214	3,656	8,218	14,656	22,448	17,893	10
All other	19,309	1,129	141	224	632	1,072	1,554	2,586	3,767	3,896	2,979	1,322	7
Male	10,642	650	86	132	451	704	980	1,572	2,154	2,082	1,387	438	6
Female	8,667	479	55	92	181	368	574	1,014	1,613	1,814	1,592	884	1
Metropolitan counties	142,550	2,824	447	697	2,555	3,214	4,289	10,778	21,831	33,075	38,522	24,284	34
Male	74,760	1,606	254	418	1,869	2,181	2,714	6,698	13,303	18,991	17,998	8,703	25
Female	67,790	1,218	193	279	686	1,033	1,575	4,080	8,528	14,084	20,524	15,581	9
White	123,702	1,728	312	481	1,941	2,156	2,765	8,250	18,150	29,271	35,617	23,002	29
Male	64,397	976	171	292	1,434	1,485	1,752	5,167	11,203	16,964	16,650	8,282	21
Female	59,305	752	141	189	507	671	1,013	3,083	6,947	12,307	18,967	14,720	8
All other	18,848	1,096	135	216	614	1,058	1,524	2,528	3,681	3,804	2,905	1,282	5
Male	10,363	630	83	126	435	696	962	1,531	2,100	2,027	1,348	421	4
Female	8,485	466	52	90	179	362	562	997	1,581	1,777	1,557	861	1
Nonmetropolitan counties	25,022	444	71	125	534	420	554	1,563	3,464	5,934	6,988	4,919	6
Male	13,281	264	43	79	396	277	341	973	2,161	3,548	3,472	1,723	4
Female	11,741	180	28	46	138	143	213	590	1,303	2,386	3,516	3,196	2
White	24,561	411	65	117	516	406	524	1,505	3,378	5,842	6,914	4,879	4
Male	13,002	244	40	73	380	269	323	932	2,107	3,493	3,433	1,706	2
Female	11,559	167	25	44	136	137	201	573	1,271	2,349	3,481	3,173	2
All other	461	33	6	8	18	14	30	58	86	92	74	40	2
Male	279	20	3	6	16	8	18	41	54	55	39	17	2
Female	182	13	3	2	2	6	12	17	32	37	35	23	–
North Carolina	47,322	1,367	258	346	1,277	1,330	1,840	4,197	8,317	11,577	10,764	6,042	7
Male	26,927	783	154	206	965	925	1,192	2,779	5,516	7,119	5,125	2,158	5
Female	20,395	584	104	140	312	405	648	1,418	2,801	4,458	5,639	3,884	2
White	35,325	724	136	238	900	755	1,136	2,882	6,046	8,735	8,701	5,070	2
Male	20,045	410	81	142	680	527	738	1,952	4,086	5,496	4,169	1,763	1
Female	15,280	314	55	96	220	228	398	930	1,960	3,239	4,532	3,307	1
All other	11,997	643	122	108	377	575	704	1,315	2,271	2,842	2,063	972	5
Male	6,882	373	73	64	285	398	454	827	1,430	1,623	956	395	4
Female	5,115	270	49	44	92	177	250	488	841	1,219	1,107	577	1
Metropolitan counties	16,015	472	84	110	424	484	675	1,519	2,777	3,809	3,640	2,020	1
Male	8,937	275	55	57	325	319	429	983	1,824	2,311	1,705	653	1
Female	7,078	197	29	53	99	165	246	536	953	1,498	1,935	1,367	–
White	11,861	274	48	74	303	275	403	1,033	1,972	2,824	2,942	1,712	1
Male	6,595	154	31	38	232	186	263	674	1,315	1,763	1,399	539	1
Female	5,266	120	17	36	71	89	140	359	657	1,061	1,543	1,173	–
All other	4,154	198	36	36	121	209	272	486	805	985	698	308	–
Male	2,342	121	24	19	93	133	166	309	509	548	306	114	–
Female	1,812	77	12	17	28	76	106	177	296	437	392	194	–
Nonmetropolitan counties	31,307	895	174	236	853	846	1,165	2,678	5,540	7,768	7,124	4,022	6
Male	17,990	508	99	149	640	606	763	1,796	3,692	4,808	3,420	1,505	4
Female	13,317	387	75	87	213	240	402	882	1,848	2,960	3,704	2,517	2
White	23,464	450	88	164	597	480	733	1,849	4,074	5,911	5,759	3,358	1
Male	13,450	256	50	104	448	341	475	1,278	2,771	3,733	2,770	1,224	–
Female	10,014	194	38	60	149	139	258	571	1,303	2,178	2,989	2,134	1
All other	7,843	445	86	72	256	366	432	829	1,466	1,857	1,365	664	5
Male	4,540	252	49	45	192	265	288	518	921	1,075	650	281	4
Female	3,303	193	37	27	64	101	144	311	545	782	715	383	1
North Dakota	5,491	152	27	41	150	132	149	344	614	1,242	1,494	1,143	3
Male	3,171	84	12	26	118	91	90	228	420	791	792	516	3
Female	2,320	68	15	15	32	41	59	116	194	451	702	627	–
White	5,317	140	22	35	137	117	132	319	584	1,216	1,479	1,135	1
Male	3,066	78	11	23	107	82	79	210	404	775	783	513	1
Female	2,251	62	11	12	30	35	53	109	180	441	696	622	–
All other	174	12	5	6	13	15	17	25	30	26	15	8	2
Male	105	6	1	3	11	9	11	18	16	16	9	3	2
Female	69	6	4	3	2	6	6	7	14	10	6	5	–
Metropolitan counties	563	19	1	2	17	25	13	34	67	119	137	129	–
Male	312	9	1	1	13	18	12	24	44	73	60	57	–
Female	251	10	–	1	4	7	1	10	23	46	77	72	–
White	559	19	1	2	17	25	11	33	66	119	137	129	–
Male	308	9	1	1	13	18	10	23	43	73	60	57	–
Female	251	10	–	1	4	7	1	10	23	46	77	72	–
All other	4	–	–	–	–	–	2	1	1	–	–	–	–
Male	4	–	–	–	–	–	2	1	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	4,928	133	26	39	133	107	136	310	547	1,123	1,357	1,014	3
Male	2,859	75	11	25	105	73	78	204	376	718	732	459	3
Female	2,069	58	15	14	28	34	58	106	171	405	625	555	–
White	4,758	121	21	33	120	92	121	286	518	1,097	1,342	1,006	1
Male	2,758	69	10	22	94	64	69	187	361	702	723	456	1
Female	2,000	52	11	11	26	28	52	99	157	395	619	550	–
All other	170	12	5	6	13	15	15	24	29	26	15	8	2
Male	101	6	1	3	11	9	9	17	15	16	9	3	2
Female	69	6	4	3	2	6	6	7	14	10	6	5	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Ohio	96,569	2,147	375	600	2,210	1,879	2,610	7,151	15,250	22,366	25,269	16,709	3
Male	51,935	1,255	213	359	1,646	1,318	1,599	4,447	9,553	13,289	12,189	6,066	1
Female	44,634	892	162	241	564	561	1,011	2,704	5,697	9,077	13,080	10,643	2
White	87,130	1,656	301	513	1,916	1,519	2,089	5,970	13,424	20,300	23,537	15,903	2
Male	46,598	960	171	303	1,444	1,077	1,287	3,750	8,452	12,106	11,322	5,725	1
Female	40,532	696	130	210	472	442	802	2,220	4,972	8,194	12,215	10,178	1
All other	9,439	491	74	87	294	360	521	1,181	1,826	2,066	1,732	806	1
Male	5,337	295	42	56	202	241	312	697	1,101	1,183	867	341	–
Female	4,102	196	32	31	92	119	209	484	725	883	865	465	1
Metropolitan counties	72,092	1,642	260	428	1,654	1,480	2,029	5,598	11,774	16,645	18,706	11,874	2
Male	38,439	950	143	261	1,232	1,021	1,236	3,476	7,334	9,731	8,851	4,203	1
Female	33,653	692	117	167	422	459	793	2,122	4,440	6,914	9,855	7,671	1
White	63,082	1,163	191	343	1,375	1,128	1,522	4,461	10,027	14,662	17,081	11,128	1
Male	33,351	662	103	207	1,042	786	930	2,806	6,284	8,599	8,039	3,892	1
Female	29,731	501	88	136	333	342	592	1,655	3,743	6,063	9,042	7,236	–
All other	9,010	479	69	85	279	352	507	1,137	1,747	1,983	1,625	746	1
Male	5,088	288	40	54	190	235	306	670	1,050	1,132	812	311	–
Female	3,922	191	29	31	89	117	201	467	697	851	813	435	1
Nonmetropolitan counties	24,477	505	115	172	556	399	581	1,553	3,476	5,721	6,563	4,835	1
Male	13,496	305	70	98	414	297	363	971	2,219	3,558	3,338	1,863	–
Female	10,981	200	45	74	142	102	218	582	1,257	2,163	3,225	2,972	1
White	24,048	493	110	170	541	391	567	1,509	3,397	5,638	6,456	4,775	1
Male	13,247	298	68	96	402	291	357	944	2,168	3,507	3,283	1,833	–
Female	10,801	195	42	74	139	100	210	565	1,229	2,131	3,173	2,942	1
All other	429	12	5	2	15	8	14	44	79	83	107	60	–
Male	249	7	2	2	12	6	6	27	51	51	55	30	–
Female	180	5	3	–	3	2	8	17	28	32	52	30	–
Oklahoma	27,943	655	142	178	817	595	809	1,858	3,786	6,518	7,451	5,100	34
Male	15,302	374	82	104	610	412	504	1,206	2,458	3,983	3,687	1,862	20
Female	12,641	281	60	74	207	183	305	652	1,328	2,535	3,764	3,238	14
White	25,036	492	112	147	710	485	654	1,616	3,341	5,884	6,847	4,721	27
Male	13,649	284	67	86	530	326	400	1,061	2,170	3,637	3,370	1,703	15
Female	11,387	208	45	61	180	159	254	555	1,171	2,247	3,477	3,018	12
All other	2,907	163	30	31	107	110	155	242	445	634	604	379	7
Male	1,653	90	15	18	80	86	104	145	288	346	317	159	5
Female	1,254	73	15	13	27	24	51	97	157	288	287	220	2
Metropolitan counties	11,609	362	77	93	372	298	430	927	1,721	2,611	2,828	1,871	19
Male	6,289	202	48	49	283	197	262	605	1,128	1,525	1,325	652	13
Female	5,320	160	29	44	89	101	168	322	593	1,086	1,503	1,219	6
White	10,276	259	53	78	325	243	338	796	1,495	2,354	2,578	1,742	15
Male	5,521	145	34	43	249	151	198	528	975	1,389	1,202	597	10
Female	4,755	114	19	35	76	92	140	268	520	965	1,376	1,145	5
All other	1,333	103	24	15	47	55	92	131	226	257	250	129	4
Male	768	57	14	6	34	46	64	77	153	136	123	55	3
Female	565	46	10	9	13	9	28	54	73	121	127	74	1
Nonmetropolitan counties	16,334	293	65	85	445	297	379	931	2,065	3,907	4,623	3,229	15
Male	9,013	172	34	55	327	215	242	601	1,330	2,458	2,362	1,210	7
Female	7,321	121	31	30	118	82	137	330	735	1,449	2,261	2,019	8
White	14,760	233	59	69	385	242	316	820	1,846	3,530	4,269	2,979	12
Male	8,128	139	33	43	281	175	202	533	1,195	2,248	2,168	1,106	5
Female	6,632	94	26	26	104	67	114	287	651	1,282	2,101	1,873	7
All other	1,574	60	6	16	60	55	63	111	219	377	354	250	3
Male	885	33	1	12	46	40	40	68	135	210	194	104	2
Female	689	27	5	4	14	15	23	43	84	167	160	146	1
Oregon	20,895	501	79	154	554	526	547	1,271	3,022	4,822	5,412	4,004	3
Male	11,675	276	46	99	414	374	376	823	1,897	3,026	2,798	1,544	2
Female	9,220	225	33	55	140	152	171	448	1,125	1,796	2,614	2,460	1
White	20,405	472	75	144	531	493	509	1,219	2,956	4,714	5,321	3,968	3
Male	11,352	258	44	93	400	354	351	784	1,856	2,949	2,738	1,523	2
Female	9,053	214	31	51	131	139	158	435	1,100	1,765	2,583	2,445	1
All other	490	29	4	10	23	33	38	52	66	108	91	36	–
Male	323	18	2	6	14	20	25	39	41	77	60	21	–
Female	167	11	2	4	9	13	13	13	25	31	31	15	–
Metropolitan counties	12,367	281	47	87	310	321	313	764	1,755	2,691	3,301	2,495	2
Male	6,741	153	29	58	219	218	212	486	1,101	1,653	1,671	939	2
Female	5,626	128	18	29	91	103	101	278	654	1,038	1,630	1,556	–
White	11,985	263	43	80	295	302	283	722	1,699	2,599	3,227	2,470	2
Male	6,481	142	27	52	209	208	191	452	1,066	1,592	1,619	921	2
Female	5,504	121	16	28	86	94	92	270	633	1,007	1,608	1,549	–
All other	382	18	4	7	15	19	30	42	56	92	74	25	–
Male	260	11	2	6	10	10	21	34	35	61	52	18	–
Female	122	7	2	1	5	9	9	8	21	31	22	7	–
Nonmetropolitan counties	8,528	220	32	67	244	205	234	507	1,267	2,131	2,111	1,509	1
Male	4,934	123	17	41	195	156	164	337	796	1,373	1,127	605	–
Female	3,594	97	15	26	49	49	70	170	471	758	984	904	1
White	8,420	209	32	64	236	191	226	497	1,257	2,115	2,094	1,498	1
Male	4,871	116	17	41	191	146	160	332	790	1,357	1,119	602	–
Female	3,549	93	15	23	45	45	66	165	467	758	975	896	1
All other	108	11	–	3	8	14	8	10	10	16	17	11	–
Male	63	7	–	–	4	10	4	5	6	16	8	3	–
Female	45	4	–	3	4	4	4	5	4	–	9	8	–

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pennsylvania	120,074	2,089	319	560	2,116	1,938	2,842	8,522	19,566	30,061	32,261	19,717	83
Male	64,411	1,203	181	355	1,574	1,340	1,784	5,442	12,321	17,533	15,406	7,227	45
Female	55,663	886	138	205	542	598	1,058	3,080	7,245	12,528	16,855	12,490	38
White	109,446	1,636	257	468	1,856	1,492	2,231	7,216	17,507	27,603	30,271	18,840	69
Male	58,415	962	149	291	1,379	1,026	1,398	4,642	11,109	16,200	14,344	6,879	36
Female	51,031	674	108	177	477	466	833	2,574	6,398	11,403	15,927	11,961	33
All other	10,628	453	62	92	260	446	611	1,306	2,059	2,458	1,990	877	14
Male	5,996	241	32	64	195	314	386	800	1,212	1,333	1,062	348	9
Female	4,632	212	30	28	65	132	225	506	847	1,125	928	529	5
Metropolitan counties	93,775	1,663	241	400	1,610	1,561	2,267	6,802	15,525	23,474	25,025	15,138	69
Male	50,084	953	138	256	1,170	1,069	1,422	4,347	9,762	13,578	11,885	5,465	39
Female	43,691	710	103	144	440	492	845	2,455	5,763	9,896	13,140	9,673	30
White	83,484	1,223	183	310	1,366	1,123	1,669	5,529	13,515	21,090	23,118	14,302	56
Male	44,278	721	107	193	989	760	1,046	3,563	8,576	12,287	10,870	5,136	30
Female	39,206	502	76	117	377	363	623	1,966	4,939	8,803	12,248	9,166	26
All other	10,291	440	58	90	244	438	598	1,273	2,010	2,384	1,907	836	13
Male	5,806	232	31	63	181	309	376	784	1,186	1,291	1,015	329	9
Female	4,485	208	27	27	63	129	222	489	824	1,093	892	507	4
Nonmetropolitan counties	26,299	426	78	160	506	377	575	1,720	4,041	6,587	7,236	4,579	14
Male	14,327	250	43	99	404	271	362	1,095	2,559	3,955	3,521	1,762	6
Female	11,972	176	35	61	102	106	213	625	1,482	2,632	3,715	2,817	8
White	25,962	413	74	158	490	369	562	1,687	3,992	6,513	7,153	4,538	13
Male	14,137	241	42	98	390	266	352	1,079	2,533	3,913	3,474	1,743	6
Female	11,825	172	32	60	100	103	210	608	1,459	2,600	3,679	2,795	7
All other	337	13	4	2	16	8	13	33	49	74	83	41	1
Male	190	9	1	1	14	5	10	16	26	42	47	19	–
Female	147	4	3	1	2	3	3	17	23	32	36	22	1
Rhode Island	8,873	157	11	30	127	122	199	609	1,300	2,163	2,491	1,661	3
Male	4,632	86	9	19	91	83	125	406	816	1,245	1,168	582	2
Female	4,241	71	2	11	36	39	74	203	484	918	1,323	1,079	1
White	8,653	129	11	26	119	114	186	585	1,269	2,118	2,453	1,640	3
Male	4,507	70	9	16	85	77	117	388	794	1,224	1,151	574	2
Female	4,146	59	2	10	34	37	69	197	475	894	1,302	1,066	1
All other	220	28	–	4	8	8	13	24	31	45	38	21	–
Male	125	16	–	3	6	6	8	18	22	21	17	8	–
Female	95	12	–	1	2	2	5	6	9	24	21	13	–
Metropolitan counties	7,502	131	9	21	100	102	168	492	1,114	1,841	2,139	1,384	1
Male	3,898	71	7	13	72	67	102	328	706	1,044	989	498	1
Female	3,604	60	2	8	28	35	66	164	408	797	1,150	886	–
White	7,328	109	9	19	94	95	158	471	1,091	1,808	2,107	1,366	1
Male	3,798	58	7	12	68	62	96	313	688	1,028	975	490	1
Female	3,530	51	2	7	26	33	62	158	403	780	1,132	876	–
All other	174	22	–	2	6	7	10	21	23	33	32	18	–
Male	100	13	–	1	4	5	6	15	18	16	14	8	–
Female	74	9	–	1	2	2	4	6	5	17	18	10	–
Nonmetropolitan counties	1,371	26	2	9	27	20	31	117	186	322	352	277	2
Male	734	15	2	6	19	16	23	78	110	201	179	84	1
Female	637	11	–	3	8	4	8	39	76	121	173	193	1
White	1,325	20	2	7	25	19	28	114	178	310	346	274	2
Male	709	12	2	4	17	15	21	75	106	196	176	84	1
Female	616	8	–	3	8	4	7	39	72	114	170	190	1
All other	46	6	–	2	2	1	3	3	8	12	6	3	–
Male	25	3	–	2	2	1	2	3	4	5	3	–	–
Female	21	3	–	–	–	–	1	–	4	7	3	3	–
South Carolina	24,112	922	126	189	735	754	1,061	2,323	4,534	6,077	4,819	2,566	6
Male	13,457	522	83	118	541	533	713	1,515	2,965	3,474	2,179	809	5
Female	10,655	400	43	71	194	221	348	808	1,569	2,603	2,640	1,757	1
White	16,041	388	61	112	482	398	579	1,379	2,812	4,086	3,638	2,104	2
Male	9,025	220	41	73	366	294	393	937	1,922	2,477	1,663	637	2
Female	7,016	168	20	39	116	104	186	442	890	1,609	1,975	1,467	–
All other	8,071	534	65	77	253	356	482	944	1,722	1,991	1,181	462	4
Male	4,432	302	42	45	175	239	320	578	1,043	997	516	172	3
Female	3,639	232	23	32	78	117	162	366	679	994	665	290	1
Metropolitan counties	8,627	308	41	77	265	285	393	835	1,649	2,158	1,666	947	3
Male	4,771	177	27	47	197	196	262	529	1,081	1,201	772	280	2
Female	3,856	131	14	30	68	89	131	306	568	957	894	667	1
White	6,089	150	25	55	190	164	220	526	1,089	1,543	1,330	796	1
Male	3,374	86	15	39	140	114	139	341	748	896	626	229	1
Female	2,715	64	10	16	50	50	81	185	341	647	704	567	–
All other	2,538	158	16	22	75	121	173	309	560	615	336	151	2
Male	1,397	91	12	8	57	82	123	188	333	305	146	51	1
Female	1,141	67	4	14	18	39	50	121	227	310	190	100	1
Nonmetropolitan counties	15,485	614	85	112	470	469	668	1,488	2,885	3,919	3,153	1,619	3
Male	8,686	345	56	71	344	337	451	986	1,884	2,273	1,407	529	3
Female	6,799	269	29	41	126	132	217	502	1,001	1,646	1,746	1,090	–
White	9,952	238	36	57	292	234	359	853	1,723	2,543	2,308	1,308	1
Male	5,651	134	26	34	226	180	254	596	1,174	1,581	1,037	408	1
Female	4,301	104	10	23	66	54	105	257	549	962	1,271	900	–
All other	5,533	376	49	55	178	235	309	635	1,162	1,376	845	311	2
Male	3,035	211	30	37	118	157	197	390	710	692	370	121	2
Female	2,498	165	19	18	60	78	112	245	452	684	475	190	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
South Dakota	6,492	165	27	46	150	127	161	400	768	1,328	1,843	1,476	1
Male	3,681	95	13	28	105	92	105	259	506	833	1,020	624	1
Female	2,811	70	14	18	45	35	56	141	262	495	823	852	–
White	5,997	129	18	35	108	85	101	330	712	1,256	1,771	1,451	1
Male	3,390	76	7	22	75	65	71	215	472	791	979	616	1
Female	2,607	53	11	13	33	20	30	115	240	465	792	835	–
All other	495	36	9	11	42	42	60	70	56	72	72	25	–
Male	291	19	6	6	30	27	34	44	34	42	41	8	–
Female	204	17	3	5	12	15	26	26	22	30	31	17	–
Metropolitan counties	784	28	8	7	17	22	10	52	97	169	225	149	–
Male	447	13	3	3	10	16	9	37	63	103	122	68	–
Female	337	15	5	4	7	6	1	15	34	66	103	81	–
White	774	28	7	7	17	21	9	51	93	167	225	149	–
Male	438	13	2	3	10	15	8	36	60	101	122	68	–
Female	336	15	5	4	7	6	1	15	33	66	103	81	–
All other	10	–	1	–	–	1	1	1	4	2	–	–	–
Male	9	–	1	–	–	1	1	1	3	2	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Nonmetropolitan counties	5,708	137	19	39	133	105	151	348	671	1,159	1,618	1,327	1
Male	3,234	82	10	25	95	76	96	222	443	730	898	556	1
Female	2,474	55	9	14	38	29	55	126	228	429	720	771	–
White	5,223	101	11	28	91	64	92	279	619	1,089	1,546	1,302	1
Male	2,952	63	5	19	65	50	63	179	412	690	857	548	1
Female	2,271	38	6	9	26	14	29	100	207	399	689	754	–
All other	485	36	8	11	42	41	59	69	52	70	72	25	–
Male	282	19	5	6	30	26	33	43	31	40	41	8	–
Female	203	17	3	5	12	15	26	26	21	30	31	17	–
Tennessee	38,745	987	152	254	1,070	937	1,284	2,935	6,225	9,410	9,728	5,761	2
Male	21,652	557	77	166	796	678	858	1,900	4,105	5,707	4,729	2,077	2
Female	17,093	430	75	88	274	259	426	1,035	2,120	3,703	4,999	3,684	–
White	32,037	670	110	196	863	698	1,013	2,311	5,072	7,692	8,318	5,093	1
Male	17,987	393	57	125	655	508	690	1,535	3,434	4,758	4,027	1,804	1
Female	14,050	277	53	71	208	190	323	776	1,638	2,934	4,291	3,289	–
All other	6,708	317	42	58	207	239	271	624	1,153	1,718	1,410	668	1
Male	3,665	164	20	41	141	170	168	365	671	949	702	273	1
Female	3,043	153	22	17	66	69	103	259	482	769	708	395	–
Metropolitan counties	17,312	470	82	110	490	457	550	1,433	2,909	4,219	4,184	2,406	2
Male	9,440	262	39	73	347	329	366	901	1,844	2,486	1,993	798	2
Female	7,872	208	43	37	143	128	184	532	1,065	1,733	2,191	1,608	–
White	12,610	261	51	69	344	286	372	941	2,059	3,026	3,217	1,983	1
Male	6,899	157	25	45	248	208	257	620	1,361	1,834	1,516	627	1
Female	5,711	104	26	24	96	78	115	321	698	1,192	1,701	1,356	–
All other	4,702	209	31	41	146	171	178	492	850	1,193	967	423	1
Male	2,541	105	14	28	99	121	109	281	483	652	477	171	1
Female	2,161	104	17	13	47	50	69	211	367	541	490	252	–
Nonmetropolitan counties	21,433	517	70	144	580	480	734	1,502	3,316	5,191	5,544	3,355	–
Male	12,212	295	38	93	449	349	492	999	2,261	3,221	2,736	1,279	–
Female	9,221	222	32	51	131	131	242	503	1,055	1,970	2,808	2,076	–
White	19,427	409	59	127	519	412	641	1,370	3,013	4,666	5,101	3,110	–
Male	11,088	236	32	80	407	300	433	915	2,073	2,924	2,511	1,177	–
Female	8,339	173	27	47	112	112	208	455	940	1,742	2,590	1,933	–
All other	2,006	108	11	17	61	68	93	132	303	525	443	245	–
Male	1,124	59	6	13	42	49	59	84	188	297	225	102	–
Female	882	49	5	4	19	19	34	48	115	228	218	143	–
Texas	103,845	3,380	621	903	3,517	3,194	3,739	8,201	15,121	23,967	25,551	15,618	33
Male	58,367	1,944	372	575	2,647	2,316	2,465	5,301	9,816	14,630	12,736	5,537	28
Female	45,478	1,436	249	328	870	878	1,274	2,900	5,305	9,337	12,815	10,081	5
White	89,138	2,568	467	738	2,905	2,526	2,923	6,707	12,789	20,532	22,654	14,297	32
Male	49,883	1,479	279	472	2,209	1,834	1,935	4,347	8,394	12,671	11,249	4,987	27
Female	39,255	1,089	188	266	696	692	988	2,360	4,395	7,861	11,405	9,310	5
All other	14,707	812	154	165	612	668	816	1,494	2,332	3,435	2,897	1,321	1
Male	8,484	465	93	103	438	482	530	954	1,422	1,959	1,487	550	1
Female	6,223	347	61	62	174	186	286	540	910	1,476	1,410	771	–
Metropolitan counties	68,863	2,515	481	652	2,575	2,470	2,863	6,104	10,583	15,501	15,802	9,298	19
Male	38,658	1,449	286	412	1,908	1,806	1,889	3,928	6,795	9,275	7,635	3,259	16
Female	30,205	1,066	195	240	667	664	974	2,176	3,788	6,226	8,167	6,039	3
White	58,265	1,875	361	520	2,092	1,931	2,170	4,914	8,817	13,165	13,947	8,454	19
Male	32,498	1,078	213	332	1,566	1,412	1,434	3,173	5,712	7,944	6,700	2,918	16
Female	25,767	797	148	188	526	519	736	1,741	3,105	5,221	7,247	5,536	3
All other	10,598	640	120	132	483	539	693	1,190	1,766	2,336	1,855	844	–
Male	6,160	371	73	80	342	394	455	755	1,083	1,331	935	341	–
Female	4,438	269	47	52	141	145	238	435	683	1,005	920	503	–
Nonmetropolitan counties	34,982	865	140	251	942	724	876	2,097	4,538	8,466	9,749	6,320	14
Male	19,709	495	86	163	739	510	576	1,373	3,021	5,355	5,101	2,278	12
Female	15,273	370	54	88	203	214	300	724	1,517	3,111	4,648	4,042	2
White	30,873	693	106	218	813	595	753	1,793	3,972	7,367	8,707	5,843	13
Male	17,385	401	66	140	643	422	501	1,174	2,682	4,727	4,549	2,069	11
Female	13,488	292	40	78	170	173	252	619	1,290	2,640	4,158	3,774	2
All other	4,109	172	34	33	129	129	123	304	566	1,099	1,042	477	1
Male	2,324	94	20	23	96	88	75	199	339	628	552	209	1
Female	1,785	78	14	10	33	41	48	105	227	471	490	268	–

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Utah	7,892	443	90	88	313	243	250	531	1,115	1,608	1,965	1,243	3
Male	4,425	249	57	53	232	174	168	324	722	991	946	508	1
Female	3,467	194	33	35	81	69	82	207	393	617	1,019	735	2
White	7,708	424	86	85	287	232	239	512	1,083	1,588	1,941	1,228	3
Male	4,307	238	53	51	212	168	159	312	700	977	937	499	1
Female	3,401	186	33	34	75	64	80	200	383	611	1,004	729	2
All other	184	19	4	3	26	11	11	19	32	20	24	15	–
Male	118	11	4	2	20	6	9	12	22	14	9	9	–
Female	66	8	–	1	6	5	2	7	10	6	15	6	–
Metropolitan counties	5,813	335	63	61	222	187	187	407	817	1,160	1,480	893	1
Male	3,213	186	39	37	165	136	124	237	529	708	711	341	–
Female	2,600	149	24	24	57	51	63	170	288	452	769	552	1
White	5,707	327	62	61	207	180	183	399	799	1,144	1,459	885	1
Male	3,151	182	38	37	153	132	121	233	519	695	704	337	–
Female	2,556	145	24	24	54	48	62	166	280	449	755	548	1
All other	106	8	1	–	15	7	4	8	18	16	21	8	–
Male	62	4	1	–	12	4	3	4	10	13	7	4	–
Female	44	4	–	–	3	3	1	4	8	3	14	4	–
Nonmetropolitan counties	2,079	108	27	27	91	56	63	124	298	448	485	350	2
Male	1,212	63	18	16	67	38	44	87	193	283	235	167	1
Female	867	45	9	11	24	18	19	37	105	165	250	183	1
White	2,001	97	24	24	80	52	56	113	284	444	482	343	2
Male	1,156	56	15	14	59	36	38	79	181	282	233	162	1
Female	845	41	9	10	21	16	18	34	103	162	249	181	1
All other	78	11	3	3	11	4	7	11	14	4	3	7	–
Male	56	7	3	2	8	2	6	8	12	1	2	5	–
Female	22	4	–	1	3	2	1	3	2	3	1	2	–
Vermont	4,426	97	15	24	122	79	92	263	564	1,026	1,237	906	1
Male	2,343	59	7	12	93	56	57	164	359	616	627	292	1
Female	2,083	38	8	12	29	23	35	99	205	410	610	614	–
White	4,419	95	15	24	119	79	92	262	564	1,026	1,237	905	1
Male	2,341	59	7	12	92	56	57	163	359	616	627	292	1
Female	2,078	36	8	12	27	23	35	99	205	410	610	613	–
All other	7	2	–	–	3	–	–	1	–	–	–	1	–
Male	2	–	–	–	1	–	–	1	–	–	–	–	–
Female	5	2	–	–	2	–	–	–	–	–	–	1	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	4,426	97	15	24	122	79	92	263	564	1,026	1,237	906	1
Male	2,343	59	7	12	93	56	57	164	359	616	627	292	1
Female	2,083	38	8	12	29	23	35	99	205	410	610	614	–
White	4,419	95	15	24	119	79	92	262	564	1,026	1,237	905	1
Male	2,341	59	7	12	92	56	57	163	359	616	627	292	1
Female	2,078	36	8	12	27	23	35	99	205	410	610	613	–
All other	7	2	–	–	3	–	–	1	–	–	–	1	–
Male	2	–	–	–	1	–	–	1	–	–	–	–	–
Female	5	2	–	–	2	–	–	–	–	–	–	1	–
Virginia	40,767	1,010	169	256	1,004	943	1,507	3,517	7,165	9,894	9,555	5,733	14
Male	22,723	574	91	163	750	638	968	2,270	4,621	6,081	4,541	2,015	11
Female	18,044	436	78	93	254	305	539	1,247	2,544	3,813	5,014	3,718	3
White	31,597	628	113	173	772	644	1,041	2,538	5,296	7,644	7,798	4,944	6
Male	17,480	352	66	114	582	441	680	1,658	3,442	4,770	3,683	1,688	4
Female	14,117	276	47	59	190	203	361	880	1,854	2,874	4,115	3,256	2
All other	9,170	382	56	83	232	299	466	979	1,869	2,250	1,757	789	8
Male	5,243	222	25	49	168	197	288	612	1,179	1,311	858	327	7
Female	3,927	160	31	34	64	102	178	367	690	939	899	462	1
Metropolitan counties	21,305	597	102	152	552	539	874	2,018	3,952	5,011	4,686	2,816	6
Male	11,606	338	60	87	404	360	534	1,282	2,517	3,017	2,115	888	4
Female	9,699	259	42	65	148	179	340	736	1,435	1,994	2,571	1,928	2
White	15,995	354	70	98	427	342	570	1,424	2,792	3,733	3,760	2,424	1
Male	8,633	202	43	58	311	233	352	913	1,799	2,282	1,694	746	–
Female	7,362	152	27	40	116	109	218	511	993	1,451	2,066	1,678	1
All other	5,310	243	32	54	125	197	304	594	1,160	1,278	926	392	5
Male	2,973	136	17	29	93	127	182	369	718	735	421	142	4
Female	2,337	107	15	25	32	70	122	225	442	543	505	250	1
Nonmetropolitan counties	19,462	413	67	104	452	404	633	1,499	3,213	4,883	4,869	2,917	8
Male	11,117	236	31	76	346	278	434	988	2,104	3,064	2,426	1,127	7
Female	8,345	177	36	28	106	126	199	511	1,109	1,819	2,443	1,790	1
White	15,602	274	43	75	345	302	471	1,114	2,504	3,911	4,038	2,520	5
Male	8,847	150	23	56	271	208	328	745	1,643	2,488	1,989	942	4
Female	6,755	124	20	19	74	94	143	369	861	1,423	2,049	1,578	1
All other	3,860	139	24	29	107	102	162	385	709	972	831	397	3
Male	2,270	86	8	20	75	70	106	243	461	576	437	185	3
Female	1,590	53	16	9	32	32	56	142	248	396	394	212	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Washington	30,490	737	140	212	865	802	863	2,071	4,556	6,805	7,603	5,834	2
Male	16,913	434	81	134	646	586	517	1,251	2,978	4,185	3,867	2,232	2
Female	13,577	303	59	78	219	216	346	820	1,578	2,620	3,736	3,602	–
White	29,280	648	120	188	801	724	759	1,930	4,339	6,574	7,452	5,743	2
Male	16,154	383	70	121	605	532	453	1,160	2,831	4,025	3,783	2,189	2
Female	13,126	265	50	67	196	192	306	770	1,508	2,549	3,669	3,554	–
All other	1,210	89	20	24	64	78	104	141	217	231	151	91	–
Male	759	51	11	13	41	54	64	91	147	160	84	43	–
Female	451	38	9	11	23	24	40	50	70	71	67	48	–
Metropolitan counties	18,846	460	74	130	505	521	542	1,318	2,872	4,065	4,653	3,704	2
Male	10,227	286	44	78	363	383	337	793	1,856	2,481	2,250	1,354	2
Female	8,619	174	30	52	142	138	205	525	1,016	1,584	2,403	2,350	–
White	17,948	388	60	114	468	465	472	1,202	2,715	3,885	4,544	3,633	2
Male	9,659	243	37	71	340	342	293	719	1,746	2,353	2,192	1,321	2
Female	8,289	145	23	43	128	123	179	483	969	1,532	2,352	2,312	–
All other	898	72	14	16	37	56	70	116	157	180	109	71	–
Male	568	43	7	7	23	41	44	74	110	128	58	33	–
Female	330	29	7	9	14	15	26	42	47	52	51	38	–
Nonmetropolitan counties	11,644	277	66	82	360	281	321	753	1,684	2,740	2,950	2,130	–
Male	6,686	148	37	56	283	203	180	458	1,122	1,704	1,617	878	–
Female	4,958	129	29	26	77	78	141	295	562	1,036	1,333	1,252	–
White	11,332	260	60	74	333	259	287	728	1,624	2,689	2,908	2,110	–
Male	6,495	140	33	50	265	190	160	441	1,085	1,672	1,591	868	–
Female	4,837	120	27	24	68	69	127	287	539	1,017	1,317	1,242	–
All other	312	17	6	8	27	22	34	25	60	51	42	20	–
Male	191	8	4	6	18	13	20	17	37	32	26	10	–
Female	121	9	2	2	9	9	14	8	23	19	16	10	–
West Virginia	19,646	443	73	98	417	426	583	1,435	3,115	4,917	5,057	3,082	–
Male	11,037	249	42	63	309	315	414	918	1,987	2,957	2,539	1,244	–
Female	8,609	194	31	35	108	111	169	517	1,128	1,960	2,518	1,838	–
White	18,656	417	67	91	386	398	557	1,359	2,961	4,669	4,797	2,954	–
Male	10,478	237	39	59	287	293	398	874	1,893	2,816	2,401	1,181	–
Female	8,178	180	28	32	99	105	159	485	1,068	1,853	2,396	1,773	–
All other	990	26	6	7	31	28	26	76	154	248	260	128	–
Male	559	12	3	4	22	22	16	44	94	141	138	63	–
Female	431	14	3	3	9	6	10	32	60	107	122	65	–
Metropolitan counties	5,821	110	12	24	102	126	162	452	992	1,531	1,474	836	–
Male	3,217	64	8	18	72	87	108	279	633	908	730	310	–
Female	2,604	46	4	6	30	39	54	173	359	623	744	526	–
White	5,512	99	12	21	95	120	154	425	937	1,438	1,412	799	–
Male	3,046	57	8	17	67	82	101	265	602	857	700	290	–
Female	2,466	42	4	4	28	38	53	160	335	581	712	509	–
All other	309	11	–	3	7	6	8	27	55	93	62	37	–
Male	171	7	–	1	5	5	7	14	31	51	30	20	–
Female	138	4	–	2	2	1	1	13	24	42	32	17	–
Nonmetropolitan counties	13,825	333	61	74	315	300	421	983	2,123	3,386	3,583	2,246	–
Male	7,820	185	34	45	237	228	306	639	1,354	2,049	1,809	934	–
Female	6,005	148	27	29	78	72	115	344	769	1,337	1,774	1,312	–
White	13,144	318	55	70	291	278	403	934	2,024	3,231	3,385	2,155	–
Male	7,432	180	31	42	220	211	297	609	1,291	1,959	1,701	891	–
Female	5,712	138	24	28	71	67	106	325	733	1,272	1,684	1,264	–
All other	681	15	6	4	24	22	18	49	99	155	198	91	–
Male	388	5	3	3	17	17	9	30	63	90	108	43	–
Female	293	10	3	1	7	5	9	19	36	65	90	48	–
Wisconsin	40,324	768	161	258	943	731	835	2,339	5,323	9,304	11,532	8,122	8
Male	22,094	428	102	163	703	500	512	1,478	3,416	5,687	5,900	3,200	5
Female	18,230	340	59	95	240	231	323	861	1,907	3,617	5,632	4,922	3
White	39,267	693	143	241	900	660	752	2,200	5,131	9,105	11,383	8,052	7
Male	21,480	385	93	150	675	455	467	1,396	3,292	5,575	5,828	3,159	5
Female	17,787	308	50	91	225	205	285	804	1,839	3,530	5,555	4,893	2
All other	1,057	75	18	17	43	71	83	139	192	199	149	70	1
Male	614	43	9	13	28	45	45	82	124	112	72	41	–
Female	443	32	9	4	15	26	38	57	68	87	77	29	1
Metropolitan counties	20,673	373	89	133	486	445	499	1,387	2,974	4,706	5,693	3,885	3
Male	11,092	207	53	84	365	296	302	863	1,873	2,782	2,808	1,458	1
Female	9,581	166	36	49	121	149	197	524	1,101	1,924	2,885	2,427	2
White	19,782	307	72	118	450	384	427	1,269	2,812	4,535	5,576	3,830	2
Male	10,575	171	45	73	342	256	263	794	1,767	2,687	2,749	1,427	1
Female	9,207	136	27	45	108	128	164	475	1,045	1,848	2,827	2,403	1
All other	891	66	17	15	36	61	72	118	162	171	117	55	1
Male	517	36	8	11	23	40	39	69	106	95	59	31	–
Female	374	30	9	4	13	21	33	49	56	76	58	24	1
Nonmetropolitan counties	19,651	395	72	125	457	286	336	952	2,349	4,598	5,839	4,237	5
Male	11,002	221	49	79	338	204	210	615	1,543	2,905	3,092	1,742	4
Female	8,649	174	23	46	119	82	126	337	806	1,693	2,747	2,495	1
White	19,485	386	71	123	450	276	325	931	2,319	4,570	5,807	4,222	5
Male	10,905	214	48	77	333	199	204	602	1,525	2,888	3,079	1,732	4
Female	8,580	172	23	46	117	77	121	329	794	1,682	2,728	2,490	1
All other	166	9	1	2	7	10	11	21	30	28	32	15	–
Male	97	7	1	2	5	5	6	13	18	17	13	10	–
Female	69	2	–	–	2	5	5	8	12	11	19	5	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1978—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wyoming	3,112	113	17	34	140	130	126	220	436	647	744	503	2
Male	1,815	67	7	22	107	103	79	134	278	412	388	217	1
Female	1,297	46	10	12	33	27	47	86	158	235	356	286	1
White	3,029	109	17	30	134	120	117	212	421	636	734	498	1
Male	1,770	64	7	19	101	96	73	133	271	407	383	215	1
Female	1,259	45	10	11	33	24	44	79	150	229	351	283	–
All other	83	4	–	4	6	10	9	8	15	11	10	5	1
Male	45	3	–	3	6	7	6	1	7	5	5	2	–
Female	38	1	–	1	–	3	3	7	8	6	5	3	1
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	3,112	113	17	34	140	130	126	220	436	647	744	503	2
Male	1,815	67	7	22	107	103	79	134	278	412	388	217	1
Female	1,297	46	10	12	33	27	47	86	158	235	356	286	1
White	3,029	109	17	30	134	120	117	212	421	636	734	498	1
Male	1,770	64	7	19	101	96	73	133	271	407	383	215	1
Female	1,259	45	10	11	33	24	44	79	150	229	351	283	–
All other	83	4	–	4	6	10	9	8	15	11	10	5	1
Male	45	3	–	3	6	7	6	1	7	5	5	2	–
Female	38	1	–	1	–	3	3	7	8	6	5	3	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Total, 229 areas	1,249,503	30,386	5,419	7,633	30,937	31,523	39,450	97,057	196,264	289,025	317,792	203,507	510
Male	673,836	17,235	3,132	4,694	22,807	21,951	25,009	60,891	123,625	170,114	152,024	72,007	347
Female	575,667	13,151	2,287	2,939	8,130	9,572	14,441	36,166	72,639	118,911	165,768	131,500	163
White	1,079,949	20,423	3,916	5,803	24,859	23,065	28,493	76,636	165,075	252,008	289,112	190,189	370
Male	577,550	11,667	2,279	3,578	18,483	16,109	18,036	48,414	104,827	149,256	137,871	66,772	258
Female	502,399	8,756	1,637	2,225	6,376	6,956	10,457	28,222	60,248	102,752	151,241	123,417	112
All other	169,554	9,963	1,503	1,830	6,078	8,458	10,957	20,421	31,189	37,017	28,680	13,318	140
Male	96,286	5,568	853	1,116	4,324	5,842	6,973	12,477	18,798	20,858	14,153	5,235	89
Female	73,268	4,395	650	714	1,754	2,616	3,984	7,944	12,391	16,159	14,527	8,083	51
Abilene, Tex	1,060	30	6	5	25	20	33	66	138	261	279	197	–
Male	583	16	4	4	21	13	22	39	90	152	148	74	–
Female	477	14	2	1	4	7	11	27	48	109	131	123	–
White	1,004	28	5	5	25	18	24	63	127	250	263	196	–
Male	551	15	3	4	21	11	17	38	83	147	139	73	–
Female	453	13	2	1	4	7	7	25	44	103	124	123	–
All other	56	2	1	–	–	2	9	3	11	11	16	1	–
Male	32	1	1	–	–	2	5	1	7	5	9	1	–
Female	24	1	–	–	–	–	4	2	4	6	7	–	–
Akron, Ohio	5,621	103	16	30	134	112	138	410	946	1,269	1,515	948	–
Male	3,000	60	7	18	98	76	77	250	571	747	753	343	–
Female	2,621	43	9	12	36	36	61	160	375	522	762	605	–
White	5,174	83	12	27	122	96	112	360	855	1,170	1,425	912	–
Male	2,752	47	4	17	89	62	62	228	521	685	703	334	–
Female	2,422	36	8	10	33	34	50	132	334	485	722	578	–
All other	447	20	4	3	12	16	26	50	91	99	90	36	–
Male	248	13	3	1	9	14	15	22	50	62	50	9	–
Female	199	7	1	2	3	2	11	28	41	37	40	27	–
Albany, Ga	656	29	6	9	33	34	26	52	115	160	118	74	–
Male	350	18	4	6	28	25	19	30	64	84	56	16	–
Female	306	11	2	3	5	9	7	22	51	76	62	58	–
White	344	10	2	5	17	17	14	23	58	74	75	49	–
Male	175	5	1	3	14	15	11	12	33	42	29	10	–
Female	169	5	1	2	3	2	3	11	25	32	46	39	–
All other	312	19	4	4	16	17	12	29	57	86	43	25	–
Male	175	13	3	3	14	10	8	18	31	42	27	6	–
Female	137	6	1	1	2	7	4	11	26	44	16	19	–
Albany–Schenectady–Troy, N.Y	7,114	108	26	36	117	115	121	445	1,066	1,666	2,011	1,402	1
Male	3,738	62	16	16	93	77	79	283	668	965	993	485	1
Female	3,376	46	10	20	24	38	42	162	398	701	1,018	917	–
White	6,895	91	23	35	108	102	112	418	1,027	1,620	1,972	1,386	1
Male	3,617	50	13	16	87	69	72	267	648	943	972	479	1
Female	3,278	41	10	19	21	33	40	151	379	677	1,000	907	–
All other	219	17	3	1	9	13	9	27	39	46	39	16	–
Male	121	12	3	–	6	8	7	16	20	22	21	6	–
Female	98	5	–	1	3	5	2	11	19	24	18	10	–
Albuquerque, N. Mex	2,406	81	16	28	112	115	125	214	376	499	537	301	2
Male	1,388	48	12	16	85	82	85	135	248	287	274	114	2
Female	1,018	33	4	12	27	33	40	79	128	212	263	187	–
White	2,311	72	14	23	104	112	114	204	362	488	524	292	2
Male	1,336	43	10	12	80	81	79	131	240	282	268	108	2
Female	975	29	4	11	24	31	35	73	122	206	256	184	–
All other	95	9	2	5	8	3	11	10	14	11	13	9	–
Male	52	5	2	4	5	1	6	4	8	5	6	6	–
Female	43	4	–	1	3	2	5	6	6	6	7	3	–
Allentown–Bethlehem–Easton, Pa.–N.J	5,434	87	14	23	83	88	108	359	847	1,352	1,546	920	7
Male	2,938	47	7	14	61	59	69	246	523	796	764	347	5
Female	2,496	40	7	9	22	29	39	113	324	556	782	573	2
White	5,365	83	11	22	83	82	100	350	839	1,340	1,532	916	7
Male	2,895	46	6	13	61	55	64	239	518	790	754	344	5
Female	2,470	37	5	9	22	27	36	111	321	550	778	572	2
All other	69	4	3	1	–	6	8	9	8	12	14	4	–
Male	43	1	1	1	–	4	5	7	5	6	10	3	–
Female	26	3	2	–	–	2	3	2	3	6	4	1	–
Altoona, Pa	1,660	28	3	8	31	18	27	109	243	429	449	312	3
Male	897	20	2	7	26	12	18	71	148	254	232	107	–
Female	763	8	1	1	5	6	9	38	95	175	217	205	3
White	1,648	28	3	8	29	18	27	109	240	425	446	312	3
Male	889	20	2	7	24	12	18	71	146	252	230	107	–
Female	759	8	1	1	5	6	9	38	94	173	216	205	3
All other	12	–	–	–	2	–	–	–	3	4	3	–	–
Male	8	–	–	–	2	–	–	–	2	2	2	–	–
Female	4	–	–	–	–	–	–	–	1	2	1	–	–
Amarillo, Tex	1,253	40	8	4	41	39	54	121	176	283	318	169	–
Male	743	26	6	2	28	27	37	85	120	181	168	63	–
Female	510	14	2	2	13	12	17	36	56	102	150	106	–
White	1,186	37	7	4	38	36	47	112	170	264	306	165	–
Male	705	24	6	2	28	25	33	78	116	169	162	62	–
Female	481	13	1	2	10	11	14	34	54	95	144	103	–
All other	67	3	1	–	3	3	7	9	6	19	12	4	–
Male	38	2	–	–	–	2	4	7	4	12	6	1	–
Female	29	1	1	–	3	1	3	2	2	7	6	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Anaheim–Santa Ana–Garden Grove, Calif	10,958	294	50	73	341	335	367	910	1,637	2,299	2,796	1,854	2
Male	5,865	164	31	49	245	224	240	573	1,009	1,312	1,358	659	1
Female	5,093	130	19	24	96	111	127	337	628	987	1,438	1,195	1
White	10,768	263	47	71	335	321	347	890	1,615	2,269	2,766	1,842	2
Male	5,751	146	28	48	242	216	227	557	993	1,295	1,343	655	1
Female	5,017	117	19	23	93	105	120	333	622	974	1,423	1,187	1
All other	190	31	3	2	6	14	20	20	22	30	30	12	–
Male	114	18	3	1	3	8	13	16	16	17	15	4	–
Female	76	13	–	1	3	6	7	4	6	13	15	8	–
Anderson, Ind	1,224	32	7	5	35	29	33	84	193	296	312	198	–
Male	637	18	5	2	27	21	17	55	120	181	136	55	–
Female	587	14	2	3	8	8	16	29	73	115	176	143	–
White	1,174	27	6	4	33	25	30	80	187	287	303	192	–
Male	607	16	4	1	25	18	15	53	116	173	133	53	–
Female	567	11	2	3	8	7	15	27	71	114	170	139	–
All other	50	5	1	1	2	4	3	4	6	9	9	6	–
Male	30	2	1	1	2	3	2	2	4	8	3	2	–
Female	20	3	–	–	–	1	1	2	2	1	6	4	–
Ann Arbor, Mich	1,305	46	5	10	50	56	48	108	199	247	300	236	–
Male	711	33	4	7	35	41	27	65	118	156	141	84	–
Female	594	13	1	3	15	15	21	43	81	91	159	152	–
White	1,148	30	3	6	46	44	38	89	171	217	280	224	–
Male	620	20	3	4	34	30	21	55	105	136	133	79	–
Female	528	10	–	2	12	14	17	34	66	81	147	145	–
All other	157	16	2	4	4	12	10	19	28	30	20	12	–
Male	91	13	1	3	1	11	6	10	13	20	8	5	–
Female	66	3	1	1	3	1	4	9	15	10	12	7	–
Appleton–Oshkosh, Wis	2,141	53	6	12	70	52	57	125	289	489	566	422	–
Male	1,158	28	3	8	57	42	27	63	177	278	303	172	–
Female	983	25	3	4	13	10	30	62	112	211	263	250	–
White	2,121	50	6	12	70	52	57	122	284	484	563	421	–
Male	1,147	27	3	8	57	42	27	61	173	277	300	172	–
Female	974	23	3	4	13	10	30	61	111	207	263	249	–
All other	20	3	–	–	–	–	–	3	5	5	3	1	–
Male	11	1	–	–	–	–	–	2	4	1	3	–	–
Female	9	2	–	–	–	–	–	1	1	4	–	1	–
Asheville, N.C	1,505	26	2	6	31	32	49	119	224	361	402	253	–
Male	810	16	2	1	19	17	34	68	150	230	187	86	–
Female	695	10	–	5	12	15	15	51	74	131	215	167	–
White	1,349	20	2	4	27	27	45	99	193	322	368	242	–
Male	723	12	2	1	16	15	31	55	129	208	173	81	–
Female	626	8	–	3	11	12	14	44	64	114	195	161	–
All other	156	6	–	2	4	5	4	20	31	39	34	11	–
Male	87	4	–	–	3	2	3	13	21	22	14	5	–
Female	69	2	–	2	1	3	1	7	10	17	20	6	–
Atlanta, Ga	11,232	350	65	88	379	439	593	1,155	2,001	2,426	2,374	1,358	4
Male	6,039	195	36	45	270	291	370	724	1,214	1,420	1,059	414	1
Female	5,193	155	29	43	109	148	223	431	787	1,006	1,315	944	3
White	7,957	164	34	51	280	245	338	742	1,358	1,736	1,858	1,150	1
Male	4,305	90	19	27	205	165	209	472	869	1,067	836	345	1
Female	3,652	74	15	24	75	80	129	270	489	669	1,022	805	–
All other	3,275	186	31	37	99	194	255	413	643	690	516	208	3
Male	1,734	105	17	18	65	126	161	252	345	353	223	69	–
Female	1,541	81	14	19	34	68	94	161	298	337	293	139	3
Atlantic City, N.J	2,495	49	9	5	36	35	58	157	354	618	726	445	3
Male	1,316	34	6	1	29	27	40	99	230	348	331	168	3
Female	1,179	15	3	4	7	8	18	58	124	270	395	277	–
White	2,041	25	4	3	28	23	32	116	277	525	609	398	1
Male	1,060	17	3	–	23	17	21	75	179	294	281	149	1
Female	981	8	1	3	5	6	11	41	98	231	328	249	–
All other	454	24	5	2	8	12	26	41	77	93	117	47	2
Male	256	17	3	1	6	10	19	24	51	54	50	19	2
Female	198	7	2	1	2	2	7	17	26	39	67	28	–
Augusta, Ga.–S.C	2,294	66	13	15	68	75	119	222	428	570	476	240	2
Male	1,238	35	7	9	52	57	82	132	273	311	213	65	2
Female	1,056	31	6	6	16	18	37	90	155	259	263	175	–
White	1,492	26	10	10	50	45	59	124	275	370	337	184	2
Male	799	13	6	6	37	33	42	74	179	202	158	47	2
Female	693	13	4	4	13	12	17	50	96	168	179	137	–
All other	802	40	3	5	18	30	60	98	153	200	139	56	–
Male	439	22	1	3	15	24	40	58	94	109	55	18	–
Female	363	18	2	2	3	6	20	40	59	91	84	38	–
Austin, Tex	2,218	67	11	18	114	101	83	190	301	502	464	367	–
Male	1,224	41	5	11	84	71	46	128	204	285	227	122	–
Female	994	26	6	7	30	30	37	62	97	217	237	245	–
White	1,870	53	9	14	101	89	65	159	247	422	396	315	–
Male	1,035	34	4	8	74	62	34	105	172	243	200	99	–
Female	835	19	5	6	27	27	31	54	75	179	196	216	–
All other	348	14	2	4	13	12	18	31	54	80	68	52	–
Male	189	7	1	3	10	9	12	23	32	42	27	23	–
Female	159	7	1	1	3	3	6	8	22	38	41	29	–

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bakersfield, Calif	3,052	116	26	28	112	107	123	273	493	686	653	433	2
Male	1,777	65	16	23	83	76	77	175	323	433	330	175	1
Female	1,275	51	10	5	29	31	46	98	170	253	323	258	1
White	2,816	104	22	26	105	98	113	248	460	635	590	413	2
Male	1,609	56	12	22	81	69	69	159	298	391	287	164	1
Female	1,207	48	10	4	24	29	44	89	162	244	303	249	1
All other	236	12	4	2	7	9	10	25	33	51	63	20	-
Male	168	9	4	1	2	7	8	16	25	42	43	11	-
Female	68	3	-	1	5	2	2	9	8	9	20	9	-
Baltimore, Md	19,028	439	71	103	411	478	694	1,690	3,354	4,662	4,429	2,608	89
Male	10,394	249	43	62	314	355	443	1,076	2,095	2,709	2,086	901	61
Female	8,634	190	28	41	97	123	251	614	1,259	1,953	2,343	1,707	28
White	14,261	216	46	66	269	251	371	1,052	2,436	3,567	3,661	2,265	61
Male	7,678	130	32	36	206	192	238	684	1,538	2,111	1,694	773	44
Female	6,583	86	14	30	63	59	133	368	898	1,456	1,967	1,492	17
All other	4,767	223	25	37	142	227	323	638	918	1,095	768	343	28
Male	2,716	119	11	26	108	163	205	392	557	598	392	128	17
Female	2,051	104	14	11	34	64	118	246	361	497	376	215	11
Baton Rouge, La	2,280	100	18	27	78	99	89	224	367	517	507	254	-
Male	1,200	42	11	16	55	71	54	127	204	300	231	89	-
Female	1,080	58	7	11	23	28	35	97	163	217	276	165	-
White	1,391	38	6	13	45	45	52	127	228	319	345	173	-
Male	761	17	4	7	33	33	35	73	139	204	162	54	-
Female	630	21	2	6	12	12	17	54	89	115	183	119	-
All other	889	62	12	14	33	54	37	97	139	198	162	81	-
Male	439	25	7	9	22	38	19	54	65	96	69	35	-
Female	450	37	5	5	11	16	18	43	74	102	93	46	-
Bay City, Mich	916	18	6	7	29	21	34	57	145	226	227	146	-
Male	508	13	5	4	22	18	20	42	97	140	110	37	-
Female	408	5	1	3	7	3	14	15	48	86	117	109	-
White	904	16	6	7	27	21	31	56	144	226	225	145	-
Male	496	11	5	4	20	18	17	41	96	140	108	36	-
Female	408	5	1	3	7	3	14	15	48	86	117	109	-
All other	12	2	-	-	2	-	3	1	1	-	2	1	-
Male	12	2	-	-	2	-	3	1	1	-	2	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaumont-Port Arthur-Orange, Tex	2,770	96	20	22	93	78	97	231	422	684	677	348	2
Male	1,553	53	10	14	71	59	57	142	257	417	330	141	2
Female	1,217	43	10	8	22	19	40	89	165	267	347	207	-
White	2,070	49	9	15	63	48	56	161	294	524	546	303	2
Male	1,145	29	5	9	48	38	34	96	177	326	265	116	2
Female	925	20	4	6	15	10	22	65	117	198	281	187	-
All other	700	47	11	7	30	30	41	70	128	160	131	45	-
Male	408	24	5	5	23	21	23	46	80	91	65	25	-
Female	292	23	6	2	7	9	18	24	48	69	66	20	-
Billings, Mont	698	16	3	5	24	19	21	47	107	171	163	122	-
Male	403	9	3	4	19	14	14	30	75	108	77	50	-
Female	295	7	-	1	5	5	7	17	32	63	86	72	-
White	691	14	3	5	24	18	20	47	107	169	163	121	-
Male	400	8	3	4	19	13	14	30	75	108	77	49	-
Female	291	6	-	1	5	5	6	17	32	61	86	72	-
All other	7	2	-	-	-	1	1	-	-	2	-	1	-
Male	3	1	-	-	-	1	-	-	-	-	-	1	-
Female	4	1	-	-	-	-	1	-	-	2	-	-	-
Biloxi-Gulfport, Miss	1,234	41	13	9	52	35	58	90	210	286	293	145	2
Male	706	18	6	6	36	25	35	62	143	173	148	53	1
Female	528	23	7	3	16	10	23	28	67	113	145	92	1
White	998	22	10	7	43	29	43	74	166	229	255	120	-
Male	586	11	4	4	29	20	26	55	118	143	131	45	-
Female	412	11	6	3	14	9	17	19	48	86	124	75	-
All other	236	19	3	2	9	6	15	16	44	57	38	25	2
Male	120	7	2	2	7	5	9	7	25	30	17	8	1
Female	116	12	1	-	2	1	6	9	19	27	21	17	1
Binghamton, N.Y.-Pa	2,775	50	7	9	48	35	63	155	419	666	796	526	1
Male	1,485	31	3	7	35	25	41	99	258	392	393	200	1
Female	1,290	19	4	2	13	10	22	56	161	274	403	326	-
White	2,743	50	7	9	47	33	60	154	412	660	785	525	1
Male	1,469	31	3	7	34	24	40	98	253	389	390	199	1
Female	1,274	19	4	2	13	9	20	56	159	271	395	326	-
All other	32	-	-	-	1	2	3	1	7	6	11	1	-
Male	16	-	-	-	1	1	1	1	5	3	3	1	-
Female	16	-	-	-	-	1	2	-	2	3	8	-	-
Birmingham, Ala	7,455	176	32	45	170	193	232	583	1,240	1,877	1,867	1,040	-
Male	4,071	108	18	28	128	134	142	342	827	1,107	877	360	-
Female	3,384	68	14	17	42	59	90	241	413	770	990	680	-
White	4,953	81	19	28	112	94	126	360	827	1,218	1,316	772	-
Male	2,679	46	10	17	85	70	83	217	572	731	591	257	-
Female	2,274	35	9	11	27	24	43	143	255	487	725	515	-
All other	2,502	95	13	17	58	99	106	223	413	659	551	268	-
Male	1,392	62	8	11	43	64	59	125	255	376	286	103	-
Female	1,110	33	5	6	15	35	47	98	158	283	265	165	-

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bloomington–Normal, Ill	846	25	3	3	19	17	10	49	118	188	238	176	–
Male	438	18	3	2	10	12	7	31	62	120	116	57	–
Female	408	7	–	1	9	5	3	18	56	68	122	119	–
White	829	22	3	3	19	16	10	47	116	186	234	173	–
Male	428	17	3	2	10	11	7	29	61	118	114	56	–
Female	401	5	–	1	9	5	3	18	55	68	120	117	–
All other	17	3	–	–	–	1	–	2	2	2	4	3	–
Male	10	1	–	–	–	1	–	2	1	2	2	1	–
Female	7	2	–	–	–	–	–	–	1	–	2	2	–
Boise City, Idaho	1,016	36	7	13	38	41	22	55	137	209	237	221	–
Male	555	21	4	7	24	29	11	42	88	124	124	81	–
Female	461	15	3	6	14	12	11	13	49	85	113	140	–
White	1,005	35	7	13	37	40	22	55	136	204	235	221	–
Male	547	20	4	7	24	28	11	42	87	121	122	81	–
Female	458	15	3	6	13	12	11	13	49	83	113	140	–
All other	11	1	–	–	1	1	–	–	1	5	2	–	–
Male	8	1	–	–	–	1	–	–	1	3	2	–	–
Female	3	–	–	–	1	–	–	–	–	2	–	–	–
Boston–Lowell–Lawrence, Mass	29,840	441	77	116	528	558	694	1,976	4,212	6,724	8,382	6,126	6
Male	15,158	257	52	64	410	402	444	1,201	2,621	3,892	3,837	1,973	5
Female	14,682	184	25	52	118	156	250	775	1,591	2,832	4,545	4,153	1
White	28,758	363	68	102	497	495	622	1,842	4,017	6,548	8,190	6,010	4
Male	14,537	212	45	60	389	353	393	1,122	2,500	3,780	3,745	1,934	4
Female	14,221	151	23	42	108	142	229	720	1,517	2,768	4,445	4,076	–
All other	1,082	78	9	14	31	63	72	134	195	176	192	116	2
Male	621	45	7	4	21	49	51	79	121	112	92	39	1
Female	461	33	2	10	10	14	21	55	74	64	100	77	1
Bridgeport–Stamford–Norwalk, Conn	6,670	104	14	42	142	110	188	436	1,062	1,498	1,782	1,292	–
Male	3,491	53	8	26	106	76	114	264	654	896	838	456	–
Female	3,179	51	6	16	36	34	74	172	408	602	944	836	–
White	6,278	72	10	37	129	94	146	376	995	1,431	1,727	1,261	–
Male	3,269	37	6	24	100	63	87	229	614	856	805	448	–
Female	3,009	35	4	13	29	31	59	147	381	575	922	813	–
All other	392	32	4	5	13	16	42	60	67	67	55	31	–
Male	222	16	2	2	6	13	27	35	40	40	33	8	–
Female	170	16	2	3	7	3	15	25	27	27	22	23	–
Brockton, Mass	3,115	51	10	18	58	61	96	247	464	673	811	626	–
Male	1,609	22	2	5	43	41	60	154	285	403	389	205	–
Female	1,506	29	8	13	15	20	36	93	179	270	422	421	–
White	3,057	46	9	18	56	58	94	242	455	668	800	611	–
Male	1,574	21	2	5	41	39	59	151	277	400	382	197	–
Female	1,483	25	7	13	15	19	35	91	178	268	418	414	–
All other	58	5	1	–	2	3	2	5	9	5	11	15	–
Male	35	1	–	–	2	2	1	3	8	3	7	8	–
Female	23	4	1	–	–	1	1	2	1	2	4	7	–
Brownsville–Harlingen–San Benito, Tex	1,187	58	11	14	36	37	41	76	172	287	296	159	–
Male	700	35	5	10	27	27	24	51	113	184	164	60	–
Female	487	23	6	4	9	10	17	25	59	103	132	99	–
White	1,172	57	11	14	35	37	39	76	171	284	294	154	–
Male	694	34	5	10	27	27	24	51	112	183	163	58	–
Female	478	23	6	4	8	10	15	25	59	101	131	96	–
All other	15	1	–	–	1	–	2	–	1	3	2	5	–
Male	6	1	–	–	–	–	–	–	1	1	1	2	–
Female	9	–	–	–	1	–	2	–	–	2	1	3	–
Bryan–College Station, Tex	509	15	6	5	27	16	22	35	56	117	131	79	–
Male	277	6	2	1	20	11	15	23	34	70	66	29	–
Female	232	9	4	4	7	5	7	12	22	47	65	50	–
White	373	10	5	3	20	12	18	28	38	79	96	64	–
Male	201	3	1	–	14	8	12	19	23	53	44	24	–
Female	172	7	4	3	6	4	6	9	15	26	52	40	–
All other	136	5	1	2	7	4	4	7	18	38	35	15	–
Male	76	3	1	1	6	3	3	4	11	17	22	5	–
Female	60	2	–	1	1	1	1	3	7	21	13	10	–
Buffalo, N.Y	12,666	210	45	64	204	193	290	962	2,154	3,136	3,375	2,023	10
Male	6,680	124	22	31	151	119	183	592	1,318	1,842	1,585	706	7
Female	5,986	86	23	33	53	74	107	370	836	1,294	1,790	1,317	3
White	11,653	153	32	51	180	147	238	823	1,943	2,906	3,220	1,955	5
Male	6,083	86	18	27	138	91	146	509	1,185	1,702	1,499	679	3
Female	5,570	67	14	24	42	56	92	314	758	1,204	1,721	1,276	2
All other	1,013	57	13	13	24	46	52	139	211	230	155	68	5
Male	597	38	4	4	13	28	37	83	133	140	86	27	4
Female	416	19	9	9	11	18	15	56	78	90	69	41	1
Canton, Ohio	3,549	68	8	37	71	58	95	249	555	818	984	606	–
Male	1,920	40	3	22	51	40	67	158	366	480	454	239	–
Female	1,629	28	5	15	20	18	28	91	189	338	530	367	–
White	3,346	49	5	33	66	51	83	217	512	778	956	596	–
Male	1,800	31	1	19	46	35	56	138	340	462	438	234	–
Female	1,546	18	4	14	20	16	27	79	172	316	518	362	–
All other	203	19	3	4	5	7	12	32	43	40	28	10	–
Male	120	9	2	3	5	5	11	20	26	18	16	5	–
Female	83	10	1	1	–	2	1	12	17	22	12	5	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Cedar Rapids, Iowa	1,244	37	5	12	23	21	25	72	168	289	328	264	–
Male	629	18	2	7	16	15	9	47	108	185	144	78	–
Female	615	19	3	5	7	6	16	25	60	104	184	186	–
White	1,228	36	5	12	22	21	24	72	165	285	326	260	–
Male	618	18	2	7	15	15	9	47	105	182	142	76	–
Female	610	18	3	5	7	6	15	25	60	103	184	184	–
All other	16	1	–	–	1	–	1	–	3	4	2	4	–
Male	11	–	–	–	1	–	–	–	3	3	2	2	–
Female	5	1	–	–	–	–	1	–	–	1	–	2	–
Champaign–Urbana, Ill	856	24	4	3	27	23	25	56	129	203	188	174	–
Male	466	13	2	2	19	17	18	36	81	131	83	64	–
Female	390	11	2	1	8	6	7	20	48	72	105	110	–
White	772	19	3	1	22	19	20	49	115	186	178	160	–
Male	424	10	2	–	15	13	16	32	75	123	78	60	–
Female	348	9	1	1	7	6	4	17	40	63	100	100	–
All other	84	5	1	2	5	4	5	7	14	17	10	14	–
Male	42	3	–	2	4	4	2	4	6	8	5	4	–
Female	42	2	1	–	1	–	3	3	8	9	5	10	–
Charleston, S.C	2,304	119	13	22	80	75	110	253	466	613	358	193	2
Male	1,297	68	8	13	62	49	79	162	295	331	169	60	1
Female	1,007	51	5	9	18	26	31	91	171	282	189	133	1
White	1,368	54	5	11	49	39	57	141	235	371	260	146	–
Male	800	31	3	9	40	26	39	101	162	219	125	45	–
Female	568	23	2	2	9	13	18	40	73	152	135	101	–
All other	936	65	8	11	31	36	53	112	231	242	98	47	2
Male	497	37	5	4	22	23	40	61	133	112	44	15	1
Female	439	28	3	7	9	13	13	51	98	130	54	32	1
Charleston, W. Va	2,333	38	6	10	48	57	73	204	434	587	577	299	–
Male	1,322	23	4	9	29	39	52	127	273	365	284	117	–
Female	1,011	15	2	1	19	18	21	77	161	222	293	182	–
White	2,147	32	6	8	44	53	69	188	399	532	539	277	–
Male	1,226	19	4	8	27	36	49	118	255	336	269	105	–
Female	921	13	2	–	17	17	20	70	144	196	270	172	–
All other	186	6	–	2	4	4	4	16	35	55	38	22	–
Male	96	4	–	1	2	3	3	9	18	29	15	12	–
Female	90	2	–	1	2	1	1	7	17	26	23	10	–
Charlotte, N.C	3,352	125	20	23	96	117	146	326	589	781	749	380	–
Male	1,851	70	12	15	80	77	92	203	376	470	337	119	–
Female	1,501	55	8	8	16	40	54	123	213	311	412	261	–
White	2,364	59	12	14	65	55	68	200	389	567	613	322	–
Male	1,300	32	9	10	52	41	43	124	259	352	277	101	–
Female	1,064	27	3	4	13	14	25	76	130	215	336	221	–
All other	988	66	8	9	31	62	78	126	200	214	136	58	–
Male	551	38	3	5	28	36	49	79	117	118	60	18	–
Female	437	28	5	4	3	26	29	47	83	96	76	40	–
Chattanooga, Tenn.–Ga	2,985	74	17	11	77	60	85	264	523	697	757	420	–
Male	1,630	42	9	6	56	38	50	173	342	400	364	150	–
Female	1,355	32	8	5	21	22	35	91	181	297	393	270	–
White	2,390	45	13	9	60	43	66	188	412	536	629	389	–
Male	1,329	27	6	6	45	30	39	130	282	323	302	139	–
Female	1,061	18	7	3	15	13	27	58	130	213	327	250	–
All other	595	29	4	2	17	17	19	76	111	161	128	31	–
Male	301	15	3	–	11	8	11	43	60	77	62	11	–
Female	294	14	1	2	6	9	8	33	51	84	66	20	–
Chicago, Ill	61,129	1,869	277	392	1,599	1,658	2,227	5,203	10,202	13,664	14,857	9,175	6
Male	33,089	1,052	152	245	1,187	1,185	1,445	3,299	6,536	7,970	6,830	3,182	6
Female	28,040	817	125	147	412	473	782	1,904	3,666	5,694	8,027	5,993	–
White	49,458	993	154	256	1,091	984	1,392	3,646	8,115	11,366	13,046	8,410	5
Male	26,354	552	81	162	825	696	900	2,332	5,271	6,673	5,954	2,903	5
Female	23,104	441	73	94	266	288	492	1,314	2,844	4,693	7,092	5,507	–
All other	11,671	876	123	136	508	674	835	1,557	2,087	2,298	1,811	765	1
Male	6,735	500	71	83	362	489	545	967	1,265	1,297	876	279	1
Female	4,936	376	52	53	146	185	290	590	822	1,001	935	486	–
Cincinnati, Ohio–Ky.–Ind	12,994	279	55	54	271	221	355	984	2,018	3,035	3,530	2,192	–
Male	6,714	162	34	38	200	147	216	625	1,245	1,696	1,624	727	–
Female	6,280	117	21	16	71	74	139	359	773	1,339	1,906	1,465	–
White	11,278	201	47	48	231	177	269	790	1,662	2,633	3,159	2,061	–
Male	5,770	111	30	33	174	118	162	504	1,040	1,476	1,448	674	–
Female	5,508	90	17	15	57	59	107	286	622	1,157	1,711	1,387	–
All other	1,716	78	8	6	40	44	86	194	356	402	371	131	–
Male	944	51	4	5	26	29	54	121	205	220	176	53	–
Female	772	27	4	1	14	15	32	73	151	182	195	78	–
Cleveland, Ohio	18,321	393	54	94	377	369	565	1,481	3,115	4,296	4,685	2,892	–
Male	9,750	223	30	57	280	263	342	935	1,922	2,476	2,172	1,050	–
Female	8,571	170	24	37	97	106	223	546	1,193	1,820	2,513	1,842	–
White	15,153	226	30	68	270	231	357	1,046	2,487	3,626	4,157	2,655	–
Male	7,925	118	17	42	203	166	214	676	1,544	2,104	1,886	955	–
Female	7,228	108	13	26	67	65	143	370	943	1,522	2,271	1,700	–
All other	3,168	167	24	26	107	138	208	435	628	670	528	237	–
Male	1,825	105	13	15	77	97	128	259	378	372	286	95	–
Female	1,343	62	11	11	30	41	80	176	250	298	242	142	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado Springs, Colo	1,652	76	8	14	91	61	74	145	247	303	390	243	–
Male	919	37	4	10	69	44	38	85	171	192	185	84	–
Female	733	39	4	4	22	17	36	60	76	111	205	159	–
White	1,582	65	7	13	87	58	68	129	240	294	383	238	–
Male	877	33	3	9	66	42	34	78	166	187	180	79	–
Female	705	32	4	4	21	16	34	51	74	107	203	159	–
All other	70	11	1	1	4	3	6	16	7	9	7	5	–
Male	42	4	1	1	3	2	4	7	5	5	5	5	–
Female	28	7	–	–	1	1	2	9	2	4	2	–	–
Columbia, Mo	556	18	1	3	9	16	20	44	74	101	151	119	–
Male	301	12	1	3	7	12	11	27	43	69	76	40	–
Female	255	6	–	–	2	4	9	17	31	32	75	79	–
White	499	13	1	3	8	14	18	39	67	90	140	106	–
Male	270	9	1	3	6	11	11	22	40	63	72	32	–
Female	229	4	–	–	2	3	7	17	27	27	68	74	–
All other	57	5	–	–	1	2	2	5	7	11	11	13	–
Male	31	3	–	–	1	1	–	5	3	6	4	8	–
Female	26	2	–	–	–	1	2	–	4	5	7	5	–
Columbia, S.C	2,759	80	12	27	94	96	127	252	553	631	563	324	–
Male	1,509	49	11	13	65	64	75	155	366	368	244	99	–
Female	1,250	31	1	14	29	32	52	97	187	263	319	225	–
White	1,902	31	5	21	64	49	71	141	372	443	437	268	–
Male	1,014	16	4	11	42	35	37	80	257	263	193	76	–
Female	888	15	1	10	22	14	34	61	115	180	244	192	–
All other	857	49	7	6	30	47	56	111	181	188	126	56	–
Male	495	33	7	2	23	29	38	75	109	105	51	23	–
Female	362	16	–	4	7	18	18	36	72	83	75	33	–
Columbus, Ga.–Ala	1,858	67	16	18	50	49	83	200	376	459	358	180	2
Male	1,011	38	9	10	38	35	55	123	236	266	137	62	2
Female	847	29	7	8	12	14	28	77	140	193	221	118	–
White	1,156	24	10	14	32	28	39	111	238	269	256	135	–
Male	637	12	5	8	26	21	25	70	160	164	100	46	–
Female	519	12	5	6	6	7	14	41	78	105	156	89	–
All other	702	43	6	4	18	21	44	89	138	190	102	45	2
Male	374	26	4	2	12	14	30	53	76	102	37	16	2
Female	328	17	2	2	6	7	14	36	62	88	65	29	–
Columbus, Ohio	7,259	207	31	45	176	197	227	643	1,146	1,621	1,782	1,184	–
Male	3,842	131	12	28	132	139	130	399	708	962	838	363	–
Female	3,417	76	19	17	44	58	97	244	438	659	944	821	–
White	6,243	165	23	34	146	152	172	523	947	1,402	1,600	1,079	–
Male	3,286	108	9	22	113	108	106	328	585	824	756	327	–
Female	2,957	57	14	12	33	44	66	195	362	578	844	752	–
All other	1,016	42	8	11	30	45	55	120	199	219	182	105	–
Male	556	23	3	6	19	31	24	71	123	138	82	36	–
Female	460	19	5	5	11	14	31	49	76	81	100	69	–
Corpus Christi, Tex	2,166	101	13	16	80	68	83	196	377	512	471	248	1
Male	1,236	55	7	9	57	50	57	128	231	304	250	87	1
Female	930	46	6	7	23	18	26	68	146	208	221	161	–
White	2,030	86	13	15	74	66	81	181	347	480	447	239	1
Male	1,152	46	7	8	51	48	55	116	209	287	239	85	1
Female	878	40	6	7	23	18	26	65	138	193	208	154	–
All other	136	15	–	1	6	2	2	15	30	32	24	9	–
Male	84	9	–	1	6	2	2	12	22	17	11	2	–
Female	52	6	–	–	–	–	–	3	8	15	13	7	–
Dallas, Tex	12,870	438	89	116	438	437	556	1,162	1,971	2,955	2,897	1,809	2
Male	7,062	250	55	73	325	305	356	789	1,247	1,731	1,339	591	1
Female	5,808	188	34	43	113	132	200	373	724	1,224	1,558	1,218	1
White	10,521	287	54	82	321	323	368	890	1,594	2,447	2,510	1,643	2
Male	5,699	160	35	51	236	230	232	608	1,021	1,447	1,153	525	1
Female	4,822	127	19	31	85	93	136	282	573	1,000	1,357	1,118	1
All other	2,349	151	35	34	117	114	188	272	377	508	387	166	–
Male	1,363	90	20	22	89	75	124	181	226	284	186	66	–
Female	986	61	15	12	28	39	64	91	151	224	201	100	–
Davenport–Rock Island–Moline, Iowa–Ill	3,144	80	21	23	69	68	75	198	476	707	824	603	–
Male	1,632	51	8	12	55	44	43	120	296	425	383	195	–
Female	1,512	29	13	11	14	24	32	78	180	282	441	408	–
White	3,042	62	17	22	64	61	67	183	461	694	812	599	–
Male	1,573	39	7	12	52	39	39	109	288	418	376	194	–
Female	1,469	23	10	10	12	22	28	74	173	276	436	405	–
All other	102	18	4	1	5	7	8	15	15	13	12	4	–
Male	59	12	1	–	3	5	4	11	8	7	7	1	–
Female	43	6	3	1	2	2	4	4	7	6	5	3	–
Dayton, Ohio	6,411	169	29	41	183	137	195	529	1,061	1,459	1,591	1,016	1
Male	3,506	98	17	26	135	94	122	333	681	862	753	384	1
Female	2,905	71	12	15	48	43	73	196	380	597	838	632	–
White	5,585	110	22	31	153	102	157	423	894	1,279	1,466	947	1
Male	3,033	68	12	19	117	74	94	270	579	757	692	350	1
Female	2,552	42	10	12	36	28	63	153	315	522	774	597	–
All other	826	59	7	10	30	35	38	106	167	180	125	69	–
Male	473	30	5	7	18	20	28	63	102	105	61	34	–
Female	353	29	2	3	12	15	10	43	65	75	64	35	–

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Decatur, Ill.	1,240	29	9	6	18	15	28	75	167	285	334	274	-
Male	623	13	4	4	12	12	16	48	105	173	144	92	-
Female	617	16	5	2	6	3	12	27	62	112	190	182	-
White	1,163	25	7	4	17	10	26	72	155	269	319	259	-
Male	582	11	4	2	12	8	14	46	98	163	139	85	-
Female	581	14	3	2	5	2	12	26	57	106	180	174	-
All other	77	4	2	2	1	5	2	3	12	16	15	15	-
Male	41	2	-	2	-	4	2	2	7	10	5	7	-
Female	36	2	2	-	1	1	-	1	5	6	10	8	-
Denver, Colo	9,630	237	67	75	342	371	398	735	1,408	1,924	2,279	1,793	1
Male	5,220	140	35	42	253	251	245	480	897	1,162	1,089	625	1
Female	4,410	97	32	33	89	120	153	255	511	762	1,190	1,168	-
White	9,098	206	60	64	314	339	347	680	1,322	1,838	2,181	1,746	1
Male	4,900	122	31	37	232	227	209	446	837	1,109	1,044	605	1
Female	4,198	84	29	27	82	112	138	234	485	729	1,137	1,141	-
All other	532	31	7	11	28	32	51	55	86	86	98	47	-
Male	320	18	4	5	21	24	36	34	60	53	45	20	-
Female	212	13	3	6	7	8	15	21	26	33	53	27	-
Des Moines, Iowa	2,494	59	7	20	50	83	80	160	368	517	681	468	1
Male	1,321	33	7	11	32	61	52	99	231	325	323	147	-
Female	1,173	26	-	9	18	22	28	61	137	192	358	321	1
White	2,367	51	6	20	49	72	71	144	357	486	660	451	-
Male	1,254	30	6	11	32	53	47	89	226	308	312	140	-
Female	1,113	21	-	9	17	19	24	55	131	178	348	311	-
All other	127	8	1	-	1	11	9	16	11	31	21	17	1
Male	67	3	1	-	-	8	5	10	5	17	11	7	-
Female	60	5	-	-	1	3	4	6	6	14	10	10	1
Detroit, Mich	34,397	914	145	213	978	962	1,196	3,109	5,987	7,439	8,524	4,930	-
Male	18,999	522	80	139	700	667	744	1,935	3,779	4,388	4,181	1,864	-
Female	15,398	392	65	74	278	295	452	1,174	2,208	3,051	4,343	3,066	-
White	26,981	494	88	139	669	551	699	2,182	4,537	5,957	7,262	4,403	-
Male	14,776	283	47	93	504	380	433	1,375	2,906	3,538	3,561	1,656	-
Female	12,205	211	41	46	165	171	266	807	1,631	2,419	3,701	2,747	-
All other	7,416	420	57	74	309	411	497	927	1,450	1,482	1,262	527	-
Male	4,223	239	33	46	196	287	311	560	873	850	620	208	-
Female	3,193	181	24	28	113	124	186	367	577	632	642	319	-
Dubuque, Iowa	826	20	5	3	19	5	16	42	103	185	235	193	-
Male	383	16	3	3	13	4	8	23	67	104	88	54	-
Female	443	4	2	-	6	1	8	19	36	81	147	139	-
White	826	20	5	3	19	5	16	42	103	185	235	193	-
Male	383	16	3	3	13	4	8	23	67	104	88	54	-
Female	443	4	2	-	6	1	8	19	36	81	147	139	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth-Superior, Minn.-Wis	2,803	56	13	17	56	43	59	150	404	655	751	598	1
Male	1,522	31	6	9	36	29	39	91	263	403	380	234	1
Female	1,281	25	7	8	20	14	20	59	141	252	371	364	-
White	2,772	55	13	14	54	41	56	147	394	651	749	597	1
Male	1,501	30	6	8	34	28	37	88	256	401	379	233	1
Female	1,271	25	7	6	20	13	19	59	138	250	370	364	-
All other	31	1	-	3	2	2	3	3	10	4	2	1	-
Male	21	1	-	1	2	1	2	3	7	2	1	1	-
Female	10	-	-	2	-	1	1	-	3	2	1	-	-
Durham, N.C	1,667	31	4	7	40	51	68	158	290	407	388	223	-
Male	920	17	2	2	31	35	38	104	191	248	175	77	-
Female	747	14	2	5	9	16	30	54	99	159	213	146	-
White	1,096	10	2	5	27	21	34	79	188	267	289	174	-
Male	589	3	-	1	22	12	17	49	129	167	131	58	-
Female	507	7	2	4	5	9	17	30	59	100	158	116	-
All other	571	21	2	2	13	30	34	79	102	140	99	49	-
Male	331	14	2	1	9	23	21	55	62	81	44	19	-
Female	240	7	-	1	4	7	13	24	40	59	55	30	-
El Paso, Tex	2,419	118	26	21	100	84	100	234	387	508	528	310	3
Male	1,341	65	18	16	69	56	57	149	245	280	259	125	2
Female	1,078	53	8	5	31	28	43	85	142	228	269	185	1
White	2,351	109	24	21	94	80	94	227	383	497	520	299	3
Male	1,300	59	16	16	63	53	54	146	243	272	256	120	2
Female	1,051	50	8	5	31	27	40	81	140	225	264	179	1
All other	68	9	2	-	6	4	6	7	4	11	8	11	-
Male	41	6	2	-	6	3	3	3	2	8	3	5	-
Female	27	3	-	-	-	1	3	4	2	3	5	6	-
Erie, Pa	2,481	69	9	16	43	43	50	197	375	589	673	417	-
Male	1,332	48	6	12	31	28	28	129	237	339	332	142	-
Female	1,149	21	3	4	12	15	22	68	138	250	341	275	-
White	2,393	61	7	14	42	37	43	184	355	577	663	410	-
Male	1,277	44	4	10	31	25	26	120	223	333	324	137	-
Female	1,116	17	3	4	11	12	17	64	132	244	339	273	-
All other	88	8	2	2	1	6	7	13	20	12	10	7	-
Male	55	4	2	2	-	3	2	9	14	6	8	5	-
Female	33	4	-	-	1	3	5	4	6	6	2	2	-

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Eugene, Oreg.	1,749	36	4	18	69	68	49	104	268	402	426	305	–
Male	981	21	3	12	49	46	31	64	163	258	221	113	–
Female	768	15	1	6	20	22	18	40	105	144	205	192	–
White	1,736	36	3	17	67	67	47	104	266	401	424	304	–
Male	972	21	2	12	47	46	30	64	161	257	220	112	–
Female	764	15	1	5	20	21	17	40	105	144	204	192	–
All other	13	–	1	1	2	1	2	–	2	1	2	1	–
Male	9	–	1	–	2	–	1	–	2	1	1	1	–
Female	4	–	–	1	–	1	1	–	–	–	1	–	–
Evansville, Ind.–Ky.	2,447	42	8	15	40	50	63	166	375	594	673	421	–
Male	1,310	21	2	11	29	32	43	99	253	354	309	157	–
Female	1,137	21	6	4	11	18	20	67	122	240	364	264	–
White	2,252	33	7	11	35	45	53	146	341	543	642	396	–
Male	1,212	17	2	8	25	29	39	93	232	325	296	146	–
Female	1,040	16	5	3	10	16	14	53	109	218	346	250	–
All other	195	9	1	4	5	5	10	20	34	51	31	25	–
Male	98	4	–	3	4	3	4	6	21	29	13	11	–
Female	97	5	1	1	1	2	6	14	13	22	18	14	–
Fall River–New Bedford, Mass.	4,498	61	22	22	78	66	84	283	622	1,077	1,317	865	1
Male	2,381	29	9	16	58	43	64	188	417	655	616	286	–
Female	2,117	32	13	6	20	23	20	95	205	422	701	579	1
White	4,441	60	20	19	74	64	81	278	616	1,067	1,305	856	1
Male	2,342	28	8	13	55	41	61	185	412	649	610	280	–
Female	2,099	32	12	6	19	23	20	93	204	418	695	576	1
All other	57	1	2	3	4	2	3	5	6	10	12	9	–
Male	39	1	1	3	3	2	3	3	5	6	6	6	–
Female	18	–	1	–	1	–	–	2	1	4	6	3	–
Fargo–Moorhead, N. Dak.–Minn.	889	28	2	6	24	32	20	49	114	192	228	194	–
Male	512	13	1	3	20	23	17	35	81	120	112	87	–
Female	377	15	1	3	4	9	3	14	33	72	116	107	–
White	884	28	2	6	24	32	18	48	113	191	228	194	–
Male	507	13	1	3	20	23	15	34	80	119	112	87	–
Female	377	15	1	3	4	9	3	14	33	72	116	107	–
All other	5	–	–	–	–	–	2	1	1	1	–	–	–
Male	5	–	–	–	–	–	2	1	1	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Fayetteville, N.C.	1,181	81	15	18	59	53	65	157	209	226	193	105	–
Male	714	53	9	11	48	33	45	107	146	136	91	35	–
Female	467	28	6	7	11	20	20	50	63	90	102	70	–
White	788	55	8	8	36	34	41	102	137	154	133	80	–
Male	490	36	5	6	30	22	33	75	96	99	65	23	–
Female	298	19	3	2	6	12	8	27	41	55	68	57	–
All other	393	26	7	10	23	19	24	55	72	72	60	25	–
Male	224	17	4	5	18	11	12	32	50	37	26	12	–
Female	169	9	3	5	5	8	12	23	22	35	34	13	–
Flint, Mich.	3,825	131	24	36	134	109	152	352	588	872	884	543	–
Male	2,135	76	15	29	93	75	93	217	384	505	461	187	–
Female	1,690	55	9	7	41	34	59	135	204	367	423	356	–
White	3,381	86	19	31	112	78	125	289	516	777	831	517	–
Male	1,877	49	12	25	76	57	74	175	345	448	438	178	–
Female	1,504	37	7	6	36	21	51	114	171	329	393	339	–
All other	444	45	5	5	22	31	27	63	72	95	53	26	–
Male	258	27	3	4	17	18	19	42	39	57	23	9	–
Female	186	18	2	1	5	13	8	21	33	38	30	17	–
Fort Lauderdale–Hollywood, Fla.	10,720	162	39	45	165	207	223	589	1,475	3,177	3,187	1,451	–
Male	6,241	99	23	25	112	150	122	357	917	1,976	1,836	624	–
Female	4,479	63	16	20	53	57	101	232	558	1,201	1,351	827	–
White	9,941	83	31	24	129	165	156	493	1,314	3,016	3,104	1,426	–
Male	5,756	54	16	13	85	119	86	296	808	1,881	1,785	613	–
Female	4,185	29	15	11	44	46	70	197	506	1,135	1,319	813	–
All other	779	79	8	21	36	42	67	96	161	161	83	25	–
Male	485	45	7	12	27	31	36	61	109	95	51	11	–
Female	294	34	1	9	9	11	31	35	52	66	32	14	–
Fort Smith, Ark.–Okla.	1,862	46	3	14	49	35	60	130	258	439	508	320	–
Male	1,045	24	3	9	36	21	34	91	169	273	257	128	–
Female	817	22	–	5	13	14	26	39	89	166	251	192	–
White	1,737	37	3	13	44	29	50	120	233	415	485	308	–
Male	979	19	3	9	33	17	28	84	156	261	247	122	–
Female	758	18	–	4	11	12	22	36	77	154	238	186	–
All other	125	9	–	1	5	6	10	10	25	24	23	12	–
Male	66	5	–	–	3	4	6	7	13	12	10	6	–
Female	59	4	–	1	2	2	4	3	12	12	13	6	–
Fort Wayne, Ind.	2,278	65	16	12	60	53	79	166	318	514	612	380	3
Male	1,183	37	7	10	44	38	46	102	197	299	279	123	1
Female	1,095	28	9	2	16	15	33	64	121	215	333	257	2
White	2,120	48	13	10	53	41	65	145	298	488	586	372	1
Male	1,085	28	6	8	39	30	37	86	185	283	264	119	–
Female	1,035	20	7	2	14	11	28	59	113	205	322	253	1
All other	158	17	3	2	7	12	14	21	20	26	26	8	2
Male	98	9	1	2	5	8	9	16	12	16	15	4	1
Female	60	8	2	–	2	4	5	5	8	10	11	4	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Fort Worth, Tex	6,594	201	40	55	222	198	244	592	997	1,477	1,599	969	–
Male	3,548	115	25	29	161	146	168	365	643	889	704	303	–
Female	3,046	86	15	26	61	52	76	227	354	588	895	666	–
White	5,743	140	32	43	180	156	195	499	861	1,298	1,431	908	–
Male	3,069	77	21	23	131	111	129	312	569	787	631	278	–
Female	2,674	63	11	20	49	45	66	187	292	511	800	630	–
All other	851	61	8	12	42	42	49	93	136	179	168	61	–
Male	479	38	4	6	30	35	39	53	74	102	73	25	–
Female	372	23	4	6	12	7	10	40	62	77	95	36	–
Fresno, Calif	3,726	99	20	24	148	121	141	284	499	798	905	682	5
Male	2,103	62	8	18	115	92	96	184	318	482	451	273	4
Female	1,623	37	12	6	33	29	45	100	181	316	454	409	1
White	3,417	85	18	21	131	111	121	249	448	751	832	646	4
Male	1,914	56	7	16	107	83	82	163	284	453	403	257	3
Female	1,503	29	11	5	24	28	39	86	164	298	429	389	1
All other	309	14	2	3	17	10	20	35	51	47	73	36	1
Male	189	6	1	2	8	9	14	21	34	29	48	16	1
Female	120	8	1	1	9	1	6	14	17	18	25	20	–
Gadsden, Ala	1,044	21	3	11	35	28	36	81	180	281	232	136	–
Male	619	14	2	6	26	17	22	51	130	175	126	50	–
Female	425	7	1	5	9	11	14	30	50	106	106	86	–
White	853	13	2	8	24	19	26	65	152	226	203	115	–
Male	503	9	2	3	17	10	16	43	114	138	109	42	–
Female	350	4	–	5	7	9	10	22	38	88	94	73	–
All other	191	8	1	3	11	9	10	16	28	55	29	21	–
Male	116	5	–	3	9	7	6	8	16	37	17	8	–
Female	75	3	1	–	2	2	4	8	12	18	12	13	–
Gainesville, Fla	788	28	5	10	34	23	24	78	120	170	174	122	–
Male	426	16	2	8	26	16	18	50	69	106	75	40	–
Female	362	12	3	2	8	7	6	28	51	64	99	82	–
White	564	12	2	4	26	14	17	47	80	125	130	107	–
Male	293	9	–	3	18	10	13	27	48	75	58	32	–
Female	271	3	2	1	8	4	4	20	32	50	72	75	–
All other	224	16	3	6	8	9	7	31	40	45	44	15	–
Male	133	7	2	5	8	6	5	23	21	31	17	8	–
Female	91	9	1	1	–	3	2	8	19	14	27	7	–
Galveston–Texas City, Tex	1,638	43	13	15	60	40	67	158	276	434	333	199	–
Male	946	18	9	10	41	27	42	107	175	270	176	71	–
Female	692	25	4	5	19	13	25	51	101	164	157	128	–
White	1,272	30	8	11	50	28	56	120	210	332	261	166	–
Male	735	12	7	7	34	19	34	81	131	211	143	56	–
Female	537	18	1	4	16	9	22	39	79	121	118	110	–
All other	366	13	5	4	10	12	11	38	66	102	72	33	–
Male	211	6	2	3	7	8	8	26	44	59	33	15	–
Female	155	7	3	1	3	4	3	12	22	43	39	18	–
Gary–Hammond–East Chicago, Ind	4,988	174	28	43	188	153	194	451	936	1,100	1,105	614	2
Male	2,858	103	15	27	137	105	129	278	611	644	569	240	–
Female	2,130	71	13	16	51	48	65	173	325	456	536	374	2
White	3,991	107	16	35	139	102	134	322	746	875	948	565	2
Male	2,273	64	10	21	101	69	94	203	483	529	480	219	–
Female	1,718	43	6	14	38	33	40	119	263	346	468	346	2
All other	997	67	12	8	49	51	60	129	190	225	157	49	–
Male	585	39	5	6	36	36	35	75	128	115	89	21	–
Female	412	28	7	2	13	15	25	54	62	110	68	28	–
Grand Rapids, Mich	4,511	114	24	36	104	79	124	288	604	1,027	1,205	906	–
Male	2,340	76	12	18	85	55	73	179	384	596	573	289	–
Female	2,171	38	12	18	19	24	51	109	220	431	632	617	–
White	4,300	99	19	33	95	73	112	252	566	982	1,181	888	–
Male	2,222	67	11	17	78	52	67	151	363	573	558	285	–
Female	2,078	32	8	16	17	21	45	101	203	409	623	603	–
All other	211	15	5	3	9	6	12	36	38	45	24	18	–
Male	118	9	1	1	7	3	6	28	21	23	15	4	–
Female	93	6	4	2	2	3	6	8	17	22	9	14	–
Great Falls, Mont	628	18	2	–	20	11	25	42	87	150	146	127	–
Male	353	13	1	–	15	10	16	29	59	92	70	48	–
Female	275	5	1	–	5	1	9	13	28	58	76	79	–
White	609	13	1	–	17	10	22	39	87	148	145	127	–
Male	342	10	1	–	12	10	14	28	59	90	70	48	–
Female	267	3	–	–	5	–	8	11	28	58	75	79	–
All other	19	5	1	–	3	1	3	3	–	2	1	–	–
Male	11	3	–	–	3	–	2	1	–	2	–	–	–
Female	8	2	1	–	–	1	1	2	–	–	1	–	–
Green Bay, Wis	1,189	15	8	5	26	31	24	92	161	281	334	211	1
Male	686	8	5	4	22	18	16	64	109	188	167	84	1
Female	503	7	3	1	4	13	8	28	52	93	167	127	–
White	1,171	14	6	4	26	30	23	90	157	279	332	209	1
Male	673	7	4	3	22	18	15	63	105	187	165	83	1
Female	498	7	2	1	4	12	8	27	52	92	167	126	–
All other	18	1	2	1	–	1	1	2	4	2	2	2	–
Male	13	1	1	1	–	–	1	1	4	1	2	1	–
Female	5	–	1	–	–	1	–	1	–	1	–	1	–

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro-Winston Salem-High Point, N.C	5,331	127	26	33	124	150	214	502	936	1,288	1,248	683	-
Male	2,979	69	18	12	98	101	141	335	590	773	614	228	-
Female	2,352	58	8	21	26	49	73	167	346	515	634	455	-
White	4,091	80	13	28	89	89	126	371	689	973	1,041	592	-
Male	2,291	42	8	12	71	61	81	252	444	603	523	194	-
Female	1,800	38	5	16	18	28	45	119	245	370	518	398	-
All other	1,240	47	13	5	35	61	88	131	247	315	207	91	-
Male	688	27	10	-	27	40	60	83	146	170	91	34	-
Female	552	20	3	5	8	21	28	48	101	145	116	57	-
Greenville, S.C	2,745	82	12	22	68	89	117	246	480	702	579	348	-
Male	1,525	44	5	18	54	66	77	164	326	389	278	104	-
Female	1,220	38	7	4	14	23	40	82	154	313	301	244	-
White	2,255	51	11	19	58	61	73	192	387	578	509	316	-
Male	1,260	30	5	17	45	44	47	131	272	331	245	93	-
Female	995	21	6	2	13	17	26	61	115	247	264	223	-
All other	490	31	1	3	10	28	44	54	93	124	70	32	-
Male	265	14	-	1	9	22	30	33	54	58	33	11	-
Female	225	17	1	2	1	6	14	21	39	66	37	21	-
Hamilton-Middletown, Ohio	1,903	63	12	12	48	46	55	169	300	436	474	288	-
Male	1,044	38	6	8	39	33	26	107	197	281	231	78	-
Female	859	25	6	4	9	13	29	62	103	155	243	210	-
White	1,795	61	10	10	44	40	50	159	290	412	445	274	-
Male	993	38	5	7	35	29	24	105	190	269	218	73	-
Female	802	23	5	3	9	11	26	54	100	143	227	201	-
All other	108	2	2	2	4	6	5	10	10	24	29	14	-
Male	51	-	1	1	4	4	2	2	7	12	13	5	-
Female	57	2	1	1	-	2	3	8	3	12	16	9	-
Harrisburg, Pa	3,988	71	10	21	61	71	110	287	640	987	1,038	685	7
Male	2,138	44	7	15	44	46	61	196	411	572	506	233	3
Female	1,850	27	3	6	17	25	49	91	229	415	532	452	4
White	3,714	56	10	15	59	57	93	264	583	926	986	660	5
Male	1,986	35	7	10	43	38	53	180	372	543	479	224	2
Female	1,728	21	3	5	16	19	40	84	211	383	507	436	3
All other	274	15	-	6	2	14	17	23	57	61	52	25	2
Male	152	9	-	5	1	8	8	16	39	29	27	9	1
Female	122	6	-	1	1	6	9	7	18	32	25	16	1
Hartford-New Britain-Bristol, Conn	6,769	153	17	38	126	128	180	474	1,056	1,474	1,793	1,330	-
Male	3,573	87	11	22	93	95	104	311	704	884	799	463	-
Female	3,196	66	6	16	33	33	76	163	352	590	994	867	-
White	6,410	110	13	35	115	103	153	415	1,002	1,408	1,746	1,310	-
Male	3,369	61	9	19	87	79	85	279	668	843	781	458	-
Female	3,041	49	4	16	28	24	68	136	334	565	965	852	-
All other	359	43	4	3	11	25	27	59	54	66	47	20	-
Male	204	26	2	3	6	16	19	32	36	41	18	5	-
Female	155	17	2	-	5	9	8	27	18	25	29	15	-
Honolulu, Hawaii	3,376	157	23	22	131	126	135	307	565	700	737	469	4
Male	2,017	99	14	11	109	94	94	190	374	441	371	216	4
Female	1,359	58	9	11	22	32	41	117	191	259	366	253	-
White	1,099	40	10	3	46	63	50	98	192	236	220	139	2
Male	622	28	5	-	39	45	35	59	119	146	95	49	2
Female	477	12	5	3	7	18	15	39	73	90	125	90	-
All other	2,277	117	13	19	85	63	85	209	373	464	517	330	2
Male	1,395	71	9	11	70	49	59	131	255	295	276	167	2
Female	882	46	4	8	15	14	26	78	118	169	241	163	-
Houston, Tex	16,335	684	128	199	754	810	892	1,706	2,682	3,421	3,307	1,747	5
Male	9,449	399	70	130	556	608	617	1,082	1,726	2,064	1,577	616	4
Female	6,886	285	58	69	198	202	275	624	956	1,357	1,730	1,131	1
White	12,637	457	99	147	577	578	620	1,229	2,034	2,669	2,733	1,489	5
Male	7,246	270	52	98	436	437	433	787	1,321	1,621	1,275	512	4
Female	5,391	187	47	49	141	141	187	442	713	1,048	1,458	977	1
All other	3,698	227	29	52	177	232	272	477	648	752	574	258	-
Male	2,203	129	18	32	120	171	184	295	405	443	302	104	-
Female	1,495	98	11	20	57	61	88	182	243	309	272	154	-
Huntington-Ashland, W. Va.-Ky.-Ohio	2,786	55	1	12	62	56	86	198	435	728	724	429	-
Male	1,551	28	-	10	48	42	64	119	286	422	361	171	-
Female	1,235	27	1	2	14	14	22	79	149	306	363	258	-
White	2,695	53	1	12	60	55	84	193	415	697	710	415	-
Male	1,500	26	-	10	47	41	62	117	274	404	356	163	-
Female	1,195	27	1	2	13	14	22	76	141	293	354	252	-
All other	91	2	-	-	2	1	2	5	20	31	14	14	-
Male	51	2	-	-	1	1	2	2	12	18	5	8	-
Female	40	-	-	-	1	-	-	3	8	13	9	6	-
Huntsville, Ala	1,623	48	11	16	62	49	89	158	270	351	357	212	-
Male	912	28	7	13	48	34	56	94	196	198	167	71	-
Female	711	20	4	3	14	15	33	64	74	153	190	141	-
White	1,310	34	9	12	45	38	69	127	220	270	299	187	-
Male	750	18	6	10	35	27	45	83	165	159	143	59	-
Female	560	16	3	2	10	11	24	44	55	111	156	128	-
All other	313	14	2	4	17	11	20	31	50	81	58	25	-
Male	162	10	1	3	13	7	11	11	31	39	24	12	-
Female	151	4	1	1	4	4	9	20	19	42	34	13	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Indianapolis, Ind	9,516	234	55	57	222	221	301	795	1,539	2,114	2,399	1,579	-
Male	5,060	120	29	31	159	144	188	500	990	1,232	1,152	515	-
Female	4,456	114	26	26	63	77	113	295	549	882	1,247	1,064	-
White	8,228	165	41	48	179	164	236	645	1,320	1,820	2,167	1,443	-
Male	4,342	83	21	26	129	105	142	408	858	1,083	1,025	462	-
Female	3,886	82	20	22	50	59	94	237	462	737	1,142	981	-
All other	1,288	69	14	9	43	57	65	150	219	294	232	136	-
Male	718	37	8	5	30	39	46	92	132	149	127	53	-
Female	570	32	6	4	13	18	19	58	87	145	105	83	-
Jackson, Mich	1,210	28	6	9	30	37	23	83	158	298	313	225	-
Male	628	16	3	5	24	23	16	55	93	170	149	74	-
Female	582	12	3	4	6	14	7	28	65	128	164	151	-
White	1,137	25	6	8	27	32	19	76	148	278	298	220	-
Male	586	15	3	4	23	20	12	52	87	158	140	72	-
Female	551	10	3	4	4	12	7	24	61	120	158	148	-
All other	73	3	-	1	3	5	4	7	10	20	15	5	-
Male	42	1	-	1	1	3	4	3	6	12	9	2	-
Female	31	2	-	-	2	2	-	4	4	8	6	3	-
Jackson, Miss	2,392	65	11	18	73	86	108	237	344	579	531	338	2
Male	1,319	41	9	13	58	57	66	153	216	347	260	98	1
Female	1,073	24	2	5	15	29	42	84	128	232	271	240	1
White	1,450	20	4	9	37	50	56	154	224	347	321	227	1
Male	805	14	3	6	31	35	33	103	144	216	165	55	-
Female	645	6	1	3	6	15	23	51	80	131	156	172	1
All other	942	45	7	9	36	36	52	83	120	232	210	111	1
Male	514	27	6	7	27	22	33	50	72	131	95	43	1
Female	428	18	1	2	9	14	19	33	48	101	115	68	-
Jacksonville, Fla	4,731	135	36	36	119	124	190	473	847	1,140	1,053	577	1
Male	2,554	86	24	21	83	79	116	280	516	679	471	198	1
Female	2,177	49	12	15	36	45	74	193	331	461	582	379	-
White	3,435	84	25	22	82	89	109	315	563	802	825	518	1
Male	1,840	54	18	15	57	56	71	186	358	491	356	177	1
Female	1,595	30	7	7	25	33	38	129	205	311	469	341	-
All other	1,296	51	11	14	37	35	81	158	284	338	228	59	-
Male	714	32	6	6	26	23	45	94	158	188	115	21	-
Female	582	19	5	8	11	12	36	64	126	150	113	38	-
Jersey City, N.J.	6,071	144	18	27	111	112	181	495	1,009	1,496	1,576	894	8
Male	3,251	75	12	15	76	83	114	320	652	835	734	328	7
Female	2,820	69	6	12	35	29	67	175	357	661	842	566	1
White	5,564	100	11	17	89	93	135	426	914	1,394	1,507	874	4
Male	2,951	51	8	8	64	72	80	278	591	780	696	319	4
Female	2,613	49	3	9	25	21	55	148	323	614	811	555	-
All other	507	44	7	10	22	19	46	69	95	102	69	20	4
Male	300	24	4	7	12	11	34	42	61	55	38	9	3
Female	207	20	3	3	10	8	12	27	34	47	31	11	1
Johnstown, Pa	2,815	53	6	13	51	34	59	154	480	762	737	463	3
Male	1,540	28	5	7	41	25	40	100	307	461	354	171	1
Female	1,275	25	1	6	10	9	19	54	173	301	383	292	2
White	2,783	48	6	13	48	32	57	151	477	754	733	461	3
Male	1,524	26	5	7	39	24	40	97	305	458	352	170	1
Female	1,259	22	1	6	9	8	17	54	172	296	381	291	2
All other	32	5	-	-	3	2	2	3	3	8	4	2	-
Male	16	2	-	-	2	1	-	3	2	3	2	1	-
Female	16	3	-	-	1	1	2	-	1	5	2	1	-
Kalamazoo, Mich	1,384	34	2	11	37	44	52	85	202	272	376	269	-
Male	727	23	-	7	22	25	30	53	131	170	183	83	-
Female	657	11	2	4	15	19	22	32	71	102	193	186	-
White	1,315	26	1	10	31	39	49	81	192	262	360	264	-
Male	688	18	-	6	19	22	28	50	125	165	176	79	-
Female	627	8	1	4	12	17	21	31	67	97	184	185	-
All other	69	8	1	1	6	5	3	4	10	10	16	5	-
Male	39	5	-	1	3	3	2	3	6	5	7	4	-
Female	30	3	1	-	3	2	1	1	4	5	9	1	-
Kansas City, Mo.-Kans	10,983	369	75	73	317	272	334	818	1,625	2,351	2,839	1,906	4
Male	5,830	204	46	49	238	191	209	535	1,019	1,354	1,356	627	2
Female	5,153	165	29	24	79	81	125	283	606	997	1,483	1,279	2
White	9,330	231	51	50	259	207	271	663	1,361	2,018	2,506	1,711	2
Male	4,940	134	32	33	194	143	166	432	872	1,184	1,196	552	2
Female	4,390	97	19	17	65	64	105	231	489	834	1,310	1,159	-
All other	1,653	138	24	23	58	65	63	155	264	333	333	195	2
Male	890	70	14	16	44	48	43	103	147	170	160	75	-
Female	763	68	10	7	14	17	20	52	117	163	173	120	2
Kenosha, Wis	963	22	3	10	21	26	33	61	147	213	244	183	-
Male	541	15	2	5	19	18	21	41	105	119	131	65	-
Female	422	7	1	5	2	8	12	20	42	94	113	118	-
White	942	20	3	10	21	24	29	58	144	208	243	182	-
Male	530	13	2	5	19	17	20	40	102	117	130	65	-
Female	412	7	1	5	2	7	9	18	42	91	113	117	-
All other	21	2	-	-	-	2	4	3	3	5	1	1	-
Male	11	2	-	-	-	1	1	1	3	2	1	-	-
Female	10	-	-	-	-	1	3	2	-	3	-	1	-

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Knoxville, Tenn	3,875	82	12	21	130	87	117	284	668	952	963	559	–
Male	2,163	48	7	11	91	70	84	172	425	589	482	184	–
Female	1,712	34	5	10	39	17	33	112	243	363	481	375	–
White	3,553	73	10	19	121	76	108	258	593	865	905	525	–
Male	1,990	41	5	9	85	60	78	159	385	541	458	169	–
Female	1,563	32	5	10	36	16	30	99	208	324	447	356	–
All other	322	9	2	2	9	11	9	26	75	87	58	34	–
Male	173	7	2	2	6	10	6	13	40	48	24	15	–
Female	149	2	–	–	3	1	3	13	35	39	34	19	–
La Crosse, Wis	802	14	1	2	20	11	10	43	87	185	254	175	–
Male	403	4	1	1	12	9	10	25	56	111	116	58	–
Female	399	10	–	1	8	2	–	18	31	74	138	117	–
White	802	14	1	2	20	11	10	43	87	185	254	175	–
Male	403	4	1	1	12	9	10	25	56	111	116	58	–
Female	399	10	–	1	8	2	–	18	31	74	138	117	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette, La	874	40	7	9	42	24	33	93	128	198	193	106	1
Male	491	19	5	7	31	17	21	61	86	115	93	35	1
Female	383	21	2	2	11	7	12	32	42	83	100	71	–
White	655	21	2	3	34	20	20	68	107	142	152	85	1
Male	376	8	2	2	23	14	11	48	73	86	80	28	1
Female	279	13	–	1	11	6	9	20	34	56	72	57	–
All other	219	19	5	6	8	4	13	25	21	56	41	21	–
Male	115	11	3	5	8	3	10	13	13	29	13	7	–
Female	104	8	2	1	–	1	3	12	8	27	28	14	–
Lafayette–West Lafayette, Ind	777	14	1	5	19	18	21	52	109	177	214	147	–
Male	435	9	1	2	14	15	12	34	74	111	105	58	–
Female	342	5	–	3	5	3	9	18	35	66	109	89	–
White	771	11	1	5	19	18	21	52	108	175	214	147	–
Male	432	8	1	2	14	15	12	34	73	110	105	58	–
Female	339	3	–	3	5	3	9	18	35	65	109	89	–
All other	6	3	–	–	–	–	–	–	1	2	–	–	–
Male	3	1	–	–	–	–	–	–	1	1	–	–	–
Female	3	2	–	–	–	–	–	–	–	1	–	–	–
Lake Charles, La	1,339	54	8	7	41	36	54	124	223	310	328	154	–
Male	761	30	3	7	31	25	33	72	144	188	166	62	–
Female	578	24	5	–	10	11	21	52	79	122	162	92	–
White	988	27	6	4	29	20	33	82	167	236	261	123	–
Male	559	17	3	4	20	16	19	46	110	146	131	47	–
Female	429	10	3	–	9	4	14	36	57	90	130	76	–
All other	351	27	2	3	12	16	21	42	56	74	67	31	–
Male	202	13	–	3	11	9	14	26	34	42	35	15	–
Female	149	14	2	–	1	7	7	16	22	32	32	16	–
Lancaster, Pa	2,996	72	10	17	62	46	58	154	403	688	838	647	1
Male	1,534	52	5	14	40	28	32	92	246	420	378	227	–
Female	1,462	20	5	3	22	18	26	62	157	268	460	420	1
White	2,941	66	9	16	62	43	53	149	395	677	832	638	1
Male	1,499	46	4	13	40	26	28	90	242	412	375	223	–
Female	1,442	20	5	3	22	17	25	59	153	265	457	415	1
All other	55	6	1	1	–	3	5	5	8	11	6	9	–
Male	35	6	1	1	–	2	4	2	4	8	3	4	–
Female	20	–	–	–	–	1	1	3	4	3	3	5	–
Lansing, Mich	2,405	61	11	25	73	64	73	174	315	535	636	438	–
Male	1,260	38	6	19	55	47	46	102	206	316	285	140	–
Female	1,145	23	5	6	18	17	27	72	109	219	351	298	–
White	2,307	50	11	25	69	59	59	160	300	519	622	433	–
Male	1,202	33	6	19	51	43	35	93	198	307	279	138	–
Female	1,105	17	5	6	18	16	24	67	102	212	343	295	–
All other	98	11	–	–	4	5	14	14	15	16	14	5	–
Male	58	5	–	–	4	4	11	9	8	9	6	2	–
Female	40	6	–	–	–	1	3	5	7	7	8	3	–
Laredo, Tex	546	34	–	2	23	19	11	31	81	113	145	85	2
Male	309	18	–	1	22	17	9	17	47	65	76	35	2
Female	237	16	–	1	1	2	2	14	34	48	69	50	–
White	545	34	–	2	22	19	11	31	81	113	145	85	2
Male	308	18	–	1	21	17	9	17	47	65	76	35	2
Female	237	16	–	1	1	2	2	14	34	48	69	50	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–
Male	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Las Vegas, Nev	2,660	80	17	28	121	110	140	294	597	599	458	215	1
Male	1,611	51	9	14	79	85	100	172	392	376	246	86	1
Female	1,049	29	8	14	42	25	40	122	205	223	212	129	–
White	2,396	55	16	21	97	87	107	258	554	562	432	206	1
Male	1,449	33	9	12	63	65	77	154	365	355	232	83	1
Female	947	22	7	9	34	22	30	104	189	207	200	123	–
All other	264	25	1	7	24	23	33	36	43	37	26	9	–
Male	162	18	–	2	16	20	23	18	27	21	14	3	–
Female	102	7	1	5	8	3	10	18	16	16	12	6	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lawton, Okla	618	40	9	5	30	27	27	58	81	112	130	99	–
Male	337	22	5	4	22	18	15	31	53	64	68	35	–
Female	281	18	4	1	8	9	12	27	28	48	62	64	–
White	528	29	6	5	24	23	19	49	64	101	117	91	–
Male	282	15	3	4	19	14	11	26	41	56	61	32	–
Female	246	14	3	1	5	9	8	23	23	45	56	59	–
All other	90	11	3	–	6	4	8	9	17	11	13	8	–
Male	55	7	2	–	3	4	4	5	12	8	7	3	–
Female	35	4	1	–	3	–	4	4	5	3	6	5	–
Lexington, Ky	1,500	29	4	15	33	31	55	129	256	361	366	221	–
Male	795	15	2	6	29	23	37	83	164	202	158	76	–
Female	705	14	2	9	4	8	18	46	92	159	208	145	–
White	1,221	23	3	10	25	23	44	107	198	292	315	181	–
Male	631	13	2	4	22	17	28	63	126	167	130	59	–
Female	590	10	1	6	3	6	16	44	72	125	185	122	–
All other	279	6	1	5	8	8	11	22	58	69	51	40	–
Male	164	2	–	2	7	6	9	20	38	35	28	17	–
Female	115	4	1	3	1	2	2	2	20	34	23	23	–
Lima, Ohio	1,609	39	6	14	49	28	31	99	201	337	450	355	–
Male	860	25	4	9	37	17	22	58	124	217	216	131	–
Female	749	14	2	5	12	11	9	41	77	120	234	224	–
White	1,526	32	6	14	40	26	23	89	192	321	435	348	–
Male	805	21	4	9	32	17	14	51	119	206	206	126	–
Female	721	11	2	5	8	9	9	38	73	115	229	222	–
All other	83	7	–	–	9	2	8	10	9	16	15	7	–
Male	55	4	–	–	5	–	8	7	5	11	10	5	–
Female	28	3	–	–	4	2	–	3	4	5	5	2	–
Lincoln, Nebr	1,289	32	7	10	23	25	22	85	181	254	360	290	–
Male	668	15	3	7	13	19	11	59	117	145	179	100	–
Female	621	17	4	3	10	6	11	26	64	109	181	190	–
White	1,260	27	7	9	23	24	22	84	176	251	353	284	–
Male	653	13	3	6	13	18	11	58	113	144	175	99	–
Female	607	14	4	3	10	6	11	26	63	107	178	185	–
All other	29	5	–	1	–	1	–	1	5	3	7	6	–
Male	15	2	–	1	–	1	–	1	4	1	4	1	–
Female	14	3	–	–	–	–	–	–	1	2	3	5	–
Little Rock–North Little Rock, Ark	3,081	118	20	23	86	90	120	222	459	726	747	469	1
Male	1,666	66	12	10	68	68	78	142	286	430	355	150	1
Female	1,415	52	8	13	18	22	42	80	173	296	392	319	–
White	2,363	64	12	14	57	65	82	171	369	544	592	393	–
Male	1,267	36	6	5	47	50	54	112	233	336	271	117	–
Female	1,096	28	6	9	10	15	28	59	136	208	321	276	–
All other	718	54	8	9	29	25	38	51	90	182	155	76	1
Male	399	30	6	5	21	18	24	30	53	94	84	33	1
Female	319	24	2	4	8	7	14	21	37	88	71	43	–
Lorain–Elyria, Ohio	1,884	68	10	17	56	37	60	156	328	404	437	311	–
Male	1,004	39	6	8	46	20	34	96	221	237	184	113	–
Female	880	29	4	9	10	17	26	60	107	167	253	198	–
White	1,754	49	9	14	54	33	53	137	307	377	417	304	–
Male	928	25	6	6	44	17	29	85	207	221	180	108	–
Female	826	24	3	8	10	16	24	52	100	156	237	196	–
All other	130	19	1	3	2	4	7	19	21	27	20	7	–
Male	76	14	–	2	2	3	5	11	14	16	4	5	–
Female	54	5	1	1	–	1	2	8	7	11	16	2	–
Los Angeles–Long Beach, Calif	59,374	1,591	310	359	1,717	1,965	2,106	4,696	9,014	12,641	14,491	10,463	21
Male	31,119	894	173	219	1,289	1,362	1,349	2,878	5,504	7,320	6,565	3,553	13
Female	28,255	697	137	140	428	603	757	1,818	3,510	5,321	7,926	6,910	8
White	51,287	1,122	241	268	1,336	1,415	1,544	3,691	7,642	11,004	13,258	9,751	15
Male	26,506	627	141	167	1,024	1,001	997	2,258	4,677	6,365	5,985	3,255	9
Female	24,781	495	100	101	312	414	547	1,433	2,965	4,639	7,273	6,496	6
All other	8,087	469	69	91	381	550	562	1,005	1,372	1,637	1,233	712	6
Male	4,613	267	32	52	265	361	352	620	827	955	580	298	4
Female	3,474	202	37	39	116	189	210	385	545	682	653	414	2
Louisville, Ky.–Ind	7,820	183	22	48	166	154	211	666	1,279	1,955	1,937	1,199	–
Male	4,131	115	11	28	127	102	131	420	805	1,144	861	387	–
Female	3,689	68	11	20	39	52	80	246	474	811	1,076	812	–
White	6,597	125	14	40	126	110	172	536	1,028	1,657	1,702	1,087	–
Male	3,460	77	7	23	95	68	107	346	662	979	753	343	–
Female	3,137	48	7	17	31	42	65	190	366	678	949	744	–
All other	1,223	58	8	8	40	44	39	130	251	298	235	112	–
Male	671	38	4	5	32	34	24	74	143	165	108	44	–
Female	552	20	4	3	8	10	15	56	108	133	127	68	–
Lubbock, Tex	1,326	62	11	20	58	67	58	97	179	276	296	202	–
Male	783	34	7	11	44	57	39	56	124	180	154	77	–
Female	543	28	4	9	14	10	19	41	55	96	142	125	–
White	1,201	57	8	19	48	53	49	84	156	247	285	195	–
Male	703	32	4	11	38	45	34	49	108	163	146	73	–
Female	498	25	4	8	10	8	15	35	48	84	139	122	–
All other	125	5	3	1	10	14	9	13	23	29	11	7	–
Male	80	2	3	–	6	12	5	7	16	17	8	4	–
Female	45	3	–	1	4	2	4	6	7	12	3	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lynchburg, Va	1,273	28	5	8	27	31	46	111	218	288	316	195	–
Male	682	18	2	5	18	22	28	70	145	172	148	54	–
Female	591	10	3	3	9	9	18	41	73	116	168	141	–
White	979	16	4	6	17	21	30	86	160	221	258	160	–
Male	515	10	2	3	10	14	19	53	108	133	119	44	–
Female	464	6	2	3	7	7	11	33	52	88	139	116	–
All other	294	12	1	2	10	10	16	25	58	67	58	35	–
Male	167	8	–	2	8	8	9	17	37	39	29	10	–
Female	127	4	1	–	2	2	7	8	21	28	29	25	–
Macon, Ga	1,807	47	7	11	35	60	80	193	340	465	379	188	2
Male	1,014	26	3	8	25	41	54	127	225	274	170	60	1
Female	793	21	4	3	10	19	26	66	115	191	209	128	1
White	1,186	18	5	6	26	26	40	112	215	306	277	155	–
Male	666	10	2	5	20	18	29	77	149	186	124	46	–
Female	520	8	3	1	6	8	11	35	66	120	153	109	–
All other	621	29	2	5	9	34	40	81	125	159	102	33	2
Male	348	16	1	3	5	23	25	50	76	88	46	14	1
Female	273	13	1	2	4	11	15	31	49	71	56	19	1
Madison, Wis	1,950	41	15	25	50	50	48	134	245	397	540	405	–
Male	1,016	24	9	17	35	30	31	86	139	242	261	142	–
Female	934	17	6	8	15	20	17	48	106	155	279	263	–
White	1,920	38	15	23	46	47	47	130	243	391	537	403	–
Male	997	23	9	15	32	28	30	84	137	239	260	140	–
Female	923	15	6	8	14	19	17	46	106	152	277	263	–
All other	30	3	–	2	4	3	1	4	2	6	3	2	–
Male	19	1	–	2	3	2	1	2	2	3	1	2	–
Female	11	2	–	–	1	1	–	2	–	3	2	–	–
Manchester, N.H	2,149	41	5	12	42	39	50	141	319	513	618	369	–
Male	1,135	23	4	6	26	26	28	91	206	309	293	123	–
Female	1,014	18	1	6	16	13	22	50	113	204	325	246	–
White	2,146	41	5	12	42	39	50	141	319	512	616	369	–
Male	1,132	23	4	6	26	26	28	91	206	308	291	123	–
Female	1,014	18	1	6	16	13	22	50	113	204	325	246	–
All other	3	–	–	–	–	–	–	–	–	1	2	–	–
Male	3	–	–	–	–	–	–	–	–	1	2	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Mansfield, Ohio	1,032	24	10	7	20	16	26	61	178	254	261	174	1
Male	553	11	7	2	14	9	16	33	113	154	133	61	–
Female	479	13	3	5	6	7	10	28	65	100	128	113	1
White	973	20	7	7	20	14	24	53	169	237	256	166	–
Male	521	10	4	2	14	8	15	28	109	143	131	57	–
Female	452	10	3	5	6	6	9	25	60	94	125	109	–
All other	59	4	3	–	–	2	2	8	9	17	5	8	1
Male	32	1	3	–	–	1	1	5	4	11	2	4	–
Female	27	3	–	–	–	1	1	3	5	6	3	4	1
McAllen–Pharr–Edinburg, Tex	1,446	66	9	19	65	38	42	99	192	333	366	214	3
Male	882	38	7	14	56	33	24	66	118	217	203	103	3
Female	564	28	2	5	9	5	18	33	74	116	163	111	–
White	1,439	66	9	19	65	37	42	98	191	332	364	213	3
Male	876	38	7	14	56	32	24	66	117	216	201	102	3
Female	563	28	2	5	9	5	18	32	74	116	163	111	–
All other	7	–	–	–	–	1	–	1	1	1	2	1	–
Male	6	–	–	–	–	1	–	–	1	1	2	1	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Memphis, Tenn.–Ark	6,624	217	36	51	173	213	224	581	1,095	1,644	1,550	838	2
Male	3,566	116	17	39	120	150	147	355	666	938	739	277	2
Female	3,058	101	19	12	53	63	77	226	429	706	811	561	–
White	3,671	81	14	20	85	97	110	301	586	898	921	557	1
Male	1,938	49	9	17	62	63	78	193	375	522	407	162	1
Female	1,733	32	5	3	23	34	32	108	211	376	514	395	–
All other	2,953	136	22	31	88	116	114	280	509	746	629	281	1
Male	1,628	67	8	22	58	87	69	162	291	416	332	115	1
Female	1,325	69	14	9	30	29	45	118	218	330	297	166	–
Miami, Fla	15,456	252	57	67	277	340	415	1,072	2,103	3,793	4,466	2,613	1
Male	8,580	137	31	48	199	217	259	670	1,324	2,239	2,347	1,109	–
Female	6,876	115	26	19	78	123	156	402	779	1,554	2,119	1,504	1
White	13,640	140	30	40	191	220	256	804	1,751	3,389	4,269	2,549	1
Male	7,514	80	18	29	143	139	156	512	1,107	1,993	2,250	1,087	–
Female	6,126	60	12	11	48	81	100	292	644	1,396	2,019	1,462	1
All other	1,816	112	27	27	86	120	159	268	352	404	197	64	–
Male	1,066	57	13	19	56	78	103	158	217	246	97	22	–
Female	750	55	14	8	30	42	56	110	135	158	100	42	–
Midland, Tex	475	21	3	6	21	24	20	53	63	119	100	45	–
Male	284	11	1	3	15	19	14	32	45	79	50	15	–
Female	191	10	2	3	6	5	6	21	18	40	50	30	–
White	425	18	2	5	20	19	19	46	58	107	88	43	–
Male	257	9	–	3	14	14	13	30	44	71	44	15	–
Female	168	9	2	2	6	5	6	16	14	36	44	28	–
All other	50	3	1	1	1	5	1	7	5	12	12	2	–
Male	27	2	1	–	1	5	1	2	1	8	6	–	–
Female	23	1	–	1	–	–	–	5	4	4	6	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Milwaukee, Wis	11,730	194	50	65	249	227	275	812	1,784	2,726	3,264	2,082	2
Male	6,242	110	31	39	182	153	165	506	1,112	1,601	1,578	765	–
Female	5,488	84	19	26	67	74	110	306	672	1,125	1,686	1,317	2
White	11,001	142	35	57	221	182	214	720	1,651	2,583	3,161	2,034	1
Male	5,825	81	24	33	162	121	134	451	1,029	1,521	1,531	738	–
Female	5,176	61	11	24	59	61	80	269	622	1,062	1,630	1,296	1
All other	729	52	15	8	28	45	61	92	133	143	103	48	1
Male	417	29	7	6	20	32	31	55	83	80	47	27	–
Female	312	23	8	2	8	13	30	37	50	63	56	21	1
Minneapolis–St. Paul, Minn	13,386	330	57	77	326	320	351	891	1,767	2,769	3,613	2,884	1
Male	7,132	203	34	47	237	211	202	584	1,134	1,648	1,774	1,057	1
Female	6,254	127	23	30	89	109	149	307	633	1,121	1,839	1,827	–
White	12,988	292	44	70	312	277	314	850	1,717	2,707	3,559	2,845	1
Male	6,898	177	27	43	229	180	182	557	1,104	1,616	1,746	1,036	1
Female	6,090	115	17	27	83	97	132	293	613	1,091	1,813	1,809	–
All other	398	38	13	7	14	43	37	41	50	62	54	39	–
Male	234	26	7	4	8	31	20	27	30	32	28	21	–
Female	164	12	6	3	6	12	17	14	20	30	26	18	–
Mobile, Ala	3,735	127	20	36	142	112	136	353	630	875	792	512	–
Male	2,074	61	11	25	104	84	96	224	410	500	388	171	–
Female	1,661	66	9	11	38	28	40	129	220	375	404	341	–
White	2,585	54	13	22	93	64	85	220	435	601	600	398	–
Male	1,438	27	7	18	65	52	63	141	285	358	297	125	–
Female	1,147	27	6	4	28	12	22	79	150	243	303	273	–
All other	1,150	73	7	14	49	48	51	133	195	274	192	114	–
Male	636	34	4	7	39	32	33	83	125	142	91	46	–
Female	514	39	3	7	10	16	18	50	70	132	101	68	–
Modesto, Calif	2,107	55	19	12	68	62	62	131	315	506	514	361	2
Male	1,220	32	12	8	48	45	41	81	220	310	281	140	2
Female	887	23	7	4	20	17	21	50	95	196	233	221	–
White	2,072	54	19	11	64	62	61	126	312	501	505	355	2
Male	1,199	31	12	7	44	45	40	79	218	307	276	138	2
Female	873	23	7	4	20	17	21	47	94	194	229	217	–
All other	35	1	–	1	4	–	1	5	3	5	9	6	–
Male	21	1	–	1	4	–	1	2	2	3	5	2	–
Female	14	–	–	–	–	–	–	3	1	2	4	4	–
Monroe, La	1,136	36	6	8	21	26	37	91	168	301	263	179	–
Male	625	22	5	6	14	17	21	56	113	162	140	69	–
Female	511	14	1	2	7	9	16	35	55	139	123	110	–
White	747	21	3	4	12	18	25	57	113	196	178	120	–
Male	419	13	2	3	9	10	15	37	80	104	99	47	–
Female	328	8	1	1	3	8	10	20	33	92	79	73	–
All other	389	15	3	4	9	8	12	34	55	105	85	59	–
Male	206	9	3	3	5	7	6	19	33	58	41	22	–
Female	183	6	–	1	4	1	6	15	22	47	44	37	–
Montgomery, Ala	2,197	74	14	17	85	62	100	199	320	532	500	294	–
Male	1,163	41	8	9	59	41	62	132	208	315	201	87	–
Female	1,034	33	6	8	26	21	38	67	112	217	299	207	–
White	1,319	27	5	8	49	28	45	126	188	323	333	187	–
Male	693	14	3	5	35	22	30	87	121	199	127	50	–
Female	626	13	2	3	14	6	15	39	67	124	206	137	–
All other	878	47	9	9	36	34	55	73	132	209	167	107	–
Male	470	27	5	4	24	19	32	45	87	116	74	37	–
Female	408	20	4	5	12	15	23	28	45	93	93	70	–
Muncie, Ind	1,128	18	5	10	39	28	29	90	174	262	298	175	–
Male	621	13	1	7	29	18	19	54	126	174	128	52	–
Female	507	5	4	3	10	10	10	36	48	88	170	123	–
White	1,069	14	5	9	39	27	27	82	162	248	288	168	–
Male	586	10	1	6	29	17	18	48	115	168	123	51	–
Female	483	4	4	3	10	10	9	34	47	80	165	117	–
All other	59	4	–	1	–	1	2	8	12	14	10	7	–
Male	35	3	–	1	–	1	1	6	11	6	5	1	–
Female	24	1	–	–	–	–	1	2	1	8	5	6	–
Muskegon–Muskegon Heights, Mich	1,319	32	6	17	28	31	32	91	218	303	355	206	–
Male	742	17	6	10	17	22	17	56	132	201	189	75	–
Female	577	15	–	7	11	9	15	35	86	102	166	131	–
White	1,199	24	5	13	24	28	26	80	190	279	332	198	–
Male	675	12	5	7	13	20	16	49	116	188	177	72	–
Female	524	12	–	6	11	8	10	31	74	91	155	126	–
All other	120	8	1	4	4	3	6	11	28	24	23	8	–
Male	67	5	1	3	4	2	1	7	16	13	12	3	–
Female	53	3	–	1	–	1	5	4	12	11	11	5	–
Nashville–Davidson, Tenn	4,733	123	24	32	133	123	153	383	780	1,152	1,127	703	–
Male	2,601	72	10	20	96	90	102	257	505	688	525	236	–
Female	2,132	51	14	12	37	33	51	126	275	464	602	467	–
White	3,658	71	17	25	99	86	108	262	586	893	914	597	–
Male	2,031	45	7	15	71	65	73	184	398	547	431	195	–
Female	1,627	26	10	10	28	21	35	78	188	346	483	402	–
All other	1,075	52	7	7	34	37	45	121	194	259	213	106	–
Male	570	27	3	5	25	25	29	73	107	141	94	41	–
Female	505	25	4	2	9	12	16	48	87	118	119	65	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Haven–Waterbury, Conn	6,854	94	24	30	119	130	152	479	1,039	1,541	1,890	1,355	1
Male	3,558	52	13	16	85	87	95	299	653	893	875	489	1
Female	3,296	42	11	14	34	43	57	180	386	648	1,015	866	–
White	6,428	62	21	24	104	103	121	421	959	1,463	1,823	1,326	1
Male	3,330	37	12	13	77	75	77	262	602	852	843	479	1
Female	3,098	25	9	11	27	28	44	159	357	611	980	847	–
All other	426	32	3	6	15	27	31	58	80	78	67	29	–
Male	228	15	1	3	8	12	18	37	51	41	32	10	–
Female	198	17	2	3	7	15	13	21	29	37	35	19	–
New Orleans, La	10,144	365	56	71	360	362	382	941	1,753	2,516	2,244	1,090	4
Male	5,549	202	33	43	260	258	251	597	1,118	1,435	1,005	344	3
Female	4,595	163	23	28	100	104	131	344	635	1,081	1,239	746	1
White	6,741	149	16	33	181	190	192	555	1,158	1,703	1,703	859	2
Male	3,654	87	8	21	129	142	118	360	772	1,004	749	263	1
Female	3,087	62	8	12	52	48	74	195	386	699	954	596	1
All other	3,403	216	40	38	179	172	190	386	595	813	541	231	2
Male	1,895	115	25	22	131	116	133	237	346	431	256	81	2
Female	1,508	101	15	16	48	56	57	149	249	382	285	150	–
New York, N.Y	104,099	2,149	322	503	1,838	2,587	3,460	8,179	15,823	24,104	28,072	17,042	20
Male	54,494	1,225	183	315	1,342	1,768	2,172	5,054	9,593	13,697	12,999	6,131	15
Female	49,605	924	139	188	496	819	1,288	3,125	6,230	10,407	15,073	10,911	5
White	87,192	1,197	215	313	1,284	1,623	2,059	5,905	12,549	20,697	25,446	15,884	20
Male	45,296	679	114	202	944	1,131	1,299	3,682	7,755	11,908	11,806	5,761	15
Female	41,896	518	101	111	340	492	760	2,223	4,794	8,789	13,640	10,123	5
All other	16,907	952	107	190	554	964	1,401	2,274	3,274	3,407	2,626	1,158	–
Male	9,198	546	69	113	398	637	873	1,372	1,838	1,789	1,193	370	–
Female	7,709	406	38	77	156	327	528	902	1,436	1,618	1,433	788	–
Newark, N.J	15,840	346	61	102	306	323	479	1,263	2,608	3,614	4,065	2,657	16
Male	8,337	188	41	59	214	231	303	812	1,623	2,070	1,893	893	10
Female	7,503	158	20	43	92	92	176	451	985	1,544	2,172	1,764	6
White	12,900	140	28	57	192	162	248	860	2,021	3,080	3,640	2,465	7
Male	6,645	82	20	33	137	121	151	557	1,274	1,751	1,685	830	4
Female	6,255	58	8	24	55	41	97	303	747	1,329	1,955	1,635	3
All other	2,940	206	33	45	114	161	231	403	587	534	425	192	9
Male	1,692	106	21	26	77	110	152	255	349	319	208	63	6
Female	1,248	100	12	19	37	51	79	148	238	215	217	129	3
Newport News–Hampton, Va	2,054	63	13	14	64	57	84	232	397	499	397	233	1
Male	1,145	27	8	10	55	38	53	143	256	310	179	65	1
Female	909	36	5	4	9	19	31	89	141	189	218	168	–
White	1,358	33	9	12	48	21	42	129	255	330	290	189	–
Male	761	15	5	8	42	15	29	85	166	208	132	56	–
Female	597	18	4	4	6	6	13	44	89	122	158	133	–
All other	696	30	4	2	16	36	42	103	142	169	107	44	1
Male	384	12	3	2	13	23	24	58	90	102	47	9	1
Female	312	18	1	–	3	13	18	45	52	67	60	35	–
Norfolk–Portsmouth, Va	5,155	202	34	48	132	129	214	502	1,027	1,249	1,060	556	2
Male	2,815	121	23	23	96	88	131	307	637	733	485	170	1
Female	2,340	81	11	25	36	41	83	195	390	516	575	386	1
White	3,340	98	25	29	89	70	117	303	602	795	755	457	–
Male	1,819	56	18	16	65	49	76	184	383	490	344	138	–
Female	1,521	42	7	13	24	21	41	119	219	305	411	319	–
All other	1,815	104	9	19	43	59	97	199	425	454	305	99	2
Male	996	65	5	7	31	39	55	123	254	243	141	32	1
Female	819	39	4	12	12	20	42	76	171	211	164	67	1
Odessa, Tex	684	33	6	5	22	32	35	86	120	145	145	55	–
Male	401	15	2	4	22	19	20	57	74	94	76	18	–
Female	283	18	4	1	–	13	15	29	46	51	69	37	–
White	633	31	5	5	21	27	30	79	108	135	140	52	–
Male	368	13	2	4	21	16	18	53	65	86	74	16	–
Female	265	18	3	1	–	11	12	26	43	49	66	36	–
All other	51	2	1	–	1	5	5	7	12	10	5	3	–
Male	33	2	–	–	1	3	2	4	9	8	2	2	–
Female	18	–	1	–	–	2	3	3	3	2	3	1	–
Ogden, Utah	964	41	4	12	26	19	32	53	146	201	271	159	–
Male	529	25	2	10	23	14	24	29	96	115	130	61	–
Female	435	16	2	2	3	5	8	24	50	86	141	98	–
White	931	40	4	12	22	18	31	52	139	194	262	157	–
Male	512	24	2	10	20	14	23	29	93	110	127	60	–
Female	419	16	2	2	2	4	8	23	46	84	135	97	–
All other	33	1	–	–	4	1	1	1	7	7	9	2	–
Male	17	1	–	–	3	–	1	–	3	5	3	1	–
Female	16	–	–	–	1	1	–	1	4	2	6	1	–
Oklahoma City, Okla	5,668	188	44	50	187	133	238	453	835	1,280	1,340	902	18
Male	3,085	101	29	23	145	90	148	292	542	761	635	307	12
Female	2,583	87	15	27	42	43	90	161	293	519	705	595	6
White	5,023	138	31	43	166	109	189	380	735	1,153	1,216	849	14
Male	2,707	74	21	20	126	72	115	254	471	690	574	281	9
Female	2,316	64	10	23	40	37	74	126	264	463	642	568	5
All other	645	50	13	7	21	24	49	73	100	127	124	53	4
Male	378	27	8	3	19	18	33	38	71	71	61	26	3
Female	267	23	5	4	2	6	16	35	29	56	63	27	1

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Omaha, Nebr.–Iowa	4,341	135	26	25	92	93	110	311	633	915	1,237	764	–
Male	2,354	71	18	16	71	62	70	208	411	563	595	269	–
Female	1,987	64	8	9	21	31	40	103	222	352	642	495	–
White	4,027	102	21	23	79	74	94	274	589	865	1,163	743	–
Male	2,175	58	16	14	60	52	59	183	381	539	554	259	–
Female	1,852	44	5	9	19	22	35	91	208	326	609	484	–
All other	314	33	5	2	13	19	16	37	44	50	74	21	–
Male	179	13	2	2	11	10	11	25	30	24	41	10	–
Female	135	20	3	–	2	9	5	12	14	26	33	11	–
Orlando, Fla	4,743	109	28	32	135	107	173	394	741	1,086	1,218	720	–
Male	2,618	71	15	21	101	79	101	248	457	642	610	273	–
Female	2,125	38	13	11	34	28	72	146	284	444	608	447	–
White	4,065	70	16	22	104	83	120	321	621	914	1,102	692	–
Male	2,217	44	8	12	80	61	67	207	385	541	549	263	–
Female	1,848	26	8	10	24	22	53	114	236	373	553	429	–
All other	678	39	12	10	31	24	53	73	120	172	116	28	–
Male	401	27	7	9	21	18	34	41	72	101	61	10	–
Female	277	12	5	1	10	6	19	32	48	71	55	18	–
Owensboro, Ky	790	15	3	4	12	14	20	61	107	163	222	169	–
Male	413	7	2	3	10	11	13	38	68	97	107	57	–
Female	377	8	1	1	2	3	7	23	39	66	115	112	–
White	754	14	3	3	11	12	19	59	98	161	212	162	–
Male	391	6	2	2	9	9	12	36	64	96	100	55	–
Female	363	8	1	1	2	3	7	23	34	65	112	107	–
All other	36	1	–	1	1	2	1	2	9	2	10	7	–
Male	22	1	–	1	1	2	1	2	4	1	7	2	–
Female	14	–	–	–	–	–	–	–	5	1	3	5	–
Oxnard–Ventura, Calif	2,900	91	21	25	117	92	102	219	443	661	700	426	3
Male	1,595	62	14	15	86	65	69	123	274	383	355	147	2
Female	1,305	29	7	10	31	27	33	96	169	278	345	279	1
White	2,839	90	20	24	113	89	96	208	436	647	690	423	3
Male	1,556	61	13	14	82	63	65	115	270	376	350	145	2
Female	1,283	29	7	10	31	26	31	93	166	271	340	278	1
All other	61	1	1	1	4	3	6	11	7	14	10	3	–
Male	39	1	1	1	4	2	4	8	4	7	5	2	–
Female	22	–	–	–	–	1	2	3	3	7	5	1	–
Paterson–Clifton–Passaic, N.J	11,712	143	32	55	178	198	303	867	1,848	2,764	3,189	2,134	1
Male	6,142	80	18	34	136	140	184	516	1,178	1,658	1,442	756	–
Female	5,570	63	14	21	42	58	119	351	670	1,106	1,747	1,378	1
White	11,121	118	25	48	163	162	248	775	1,725	2,640	3,121	2,095	1
Male	5,797	65	13	31	126	114	147	461	1,104	1,579	1,412	745	–
Female	5,324	53	12	17	37	48	101	314	621	1,061	1,709	1,350	1
All other	591	25	7	7	15	36	55	92	123	124	68	39	–
Male	345	15	5	3	10	26	37	55	74	79	30	11	–
Female	246	10	2	4	5	10	18	37	49	45	38	28	–
Pensacola, Fla	2,007	56	18	18	51	59	80	192	388	458	457	230	–
Male	1,107	26	10	13	41	43	44	104	245	272	219	90	–
Female	900	30	8	5	10	16	36	88	143	186	238	140	–
White	1,574	36	13	16	40	41	52	139	303	357	379	198	–
Male	877	17	8	11	34	30	26	76	198	212	188	77	–
Female	697	19	5	5	6	11	26	63	105	145	191	121	–
All other	433	20	5	2	11	18	28	53	85	101	78	32	–
Male	230	9	2	2	7	13	18	28	47	60	31	13	–
Female	203	11	3	–	4	5	10	25	38	41	47	19	–
Peoria, Ill	3,025	81	18	23	77	57	86	195	438	676	816	558	–
Male	1,611	46	11	14	58	28	51	127	280	418	398	180	–
Female	1,414	35	7	9	19	29	35	68	158	258	418	378	–
White	2,890	72	16	20	72	50	73	185	412	654	790	546	–
Male	1,537	41	11	13	55	26	41	127	261	403	382	177	–
Female	1,353	31	5	7	17	24	32	58	151	251	408	369	–
All other	135	9	2	3	5	7	13	10	26	22	26	12	–
Male	74	5	–	1	3	2	10	–	19	15	16	3	–
Female	61	4	2	2	2	5	3	10	7	7	10	9	–
Petersburg–Colonial Heights, Va	1,055	18	6	16	29	29	40	82	189	296	222	128	–
Male	592	8	2	10	21	22	24	49	132	184	90	50	–
Female	463	10	4	6	8	7	16	33	57	112	132	78	–
White	669	10	1	6	22	12	20	50	104	192	153	99	–
Male	365	6	1	4	15	7	12	31	74	117	59	39	–
Female	304	4	–	2	7	5	8	19	30	75	94	60	–
All other	386	8	5	10	7	17	20	32	85	104	69	29	–
Male	227	2	1	6	6	15	12	18	58	67	31	11	–
Female	159	6	4	4	1	2	8	14	27	37	38	18	–
Philadelphia, Pa.–N.J	45,212	910	136	202	882	924	1,296	3,626	7,580	11,095	11,660	6,868	33
Male	24,018	499	77	119	633	632	819	2,273	4,750	6,353	5,463	2,377	23
Female	21,194	411	59	83	249	292	477	1,353	2,830	4,742	6,197	4,491	10
White	36,846	535	89	136	679	582	817	2,534	5,911	9,151	10,165	6,226	21
Male	19,344	309	51	75	487	395	517	1,607	3,771	5,300	4,684	2,132	16
Female	17,502	226	38	61	192	187	300	927	2,140	3,851	5,481	4,094	5
All other	8,366	375	47	66	203	342	479	1,092	1,669	1,944	1,495	642	12
Male	4,674	190	26	44	146	237	302	666	979	1,053	779	245	7
Female	3,692	185	21	22	57	105	177	426	690	891	716	397	5

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Phoenix, Ariz.	10,640	306	83	96	363	315	374	758	1,632	2,679	2,606	1,421	7
Male	6,218	172	57	65	265	223	239	492	1,052	1,638	1,444	565	6
Female	4,422	134	26	31	98	92	135	266	580	1,041	1,162	856	1
White	10,175	269	76	90	331	283	335	704	1,568	2,599	2,535	1,380	5
Male	5,930	154	52	61	240	201	212	458	1,009	1,594	1,403	542	4
Female	4,245	115	24	29	91	82	123	246	559	1,005	1,132	838	1
All other	465	37	7	6	32	32	39	54	64	80	71	41	2
Male	288	18	5	4	25	22	27	34	43	44	41	23	2
Female	177	19	2	2	7	10	12	20	21	36	30	18	–
Pine Bluff, Ark.	844	27	5	7	21	20	27	64	134	202	205	131	1
Male	489	20	5	6	14	14	16	34	91	125	109	54	1
Female	355	7	–	1	7	6	11	30	43	77	96	77	–
White	492	14	–	1	12	11	20	43	87	107	126	70	1
Male	287	12	–	1	10	9	12	28	58	67	63	26	1
Female	205	2	–	–	2	2	8	15	29	40	63	44	–
All other	352	13	5	6	9	9	7	21	47	95	79	61	–
Male	202	8	5	5	4	5	4	6	33	58	46	28	–
Female	150	5	–	1	5	4	3	15	14	37	33	33	–
Pittsburgh, Pa.	24,209	374	59	93	393	330	528	1,742	4,235	6,093	6,381	3,963	18
Male	13,059	211	29	57	292	231	346	1,100	2,692	3,508	3,041	1,544	8
Female	11,150	163	30	36	101	99	182	642	1,543	2,585	3,340	2,419	10
White	22,173	300	48	71	344	252	423	1,531	3,878	5,625	5,921	3,764	16
Male	11,893	170	26	44	253	170	275	968	2,478	3,250	2,789	1,463	7
Female	10,280	130	22	27	91	82	148	563	1,400	2,375	3,132	2,301	9
All other	2,036	74	11	22	49	78	105	211	357	468	460	199	2
Male	1,166	41	3	13	39	61	71	132	214	258	252	81	1
Female	870	33	8	9	10	17	34	79	143	210	208	118	1
Pittsfield, Mass.	1,485	22	3	12	28	25	29	76	229	354	416	291	–
Male	777	14	–	8	19	17	17	40	141	210	220	91	–
Female	708	8	3	4	9	8	12	36	88	144	196	200	–
White	1,467	21	3	11	28	23	29	74	225	351	414	288	–
Male	767	14	–	7	19	15	17	40	138	208	219	90	–
Female	700	7	3	4	9	8	12	34	87	143	195	198	–
All other	18	1	–	1	–	2	–	2	4	3	2	3	–
Male	10	–	–	1	–	2	–	–	3	2	1	1	–
Female	8	1	–	–	–	–	–	2	1	1	1	2	–
Portland, Maine	2,005	31	2	11	40	39	38	134	293	502	546	369	–
Male	1,060	19	1	7	27	28	23	87	198	282	257	131	–
Female	945	12	1	4	13	11	15	47	95	220	289	238	–
White	1,999	31	2	11	40	39	38	133	293	498	545	369	–
Male	1,056	19	1	7	27	28	23	86	198	280	256	131	–
Female	943	12	1	4	13	11	15	47	95	218	289	238	–
All other	6	–	–	–	–	–	–	1	–	4	1	–	–
Male	4	–	–	–	–	–	–	1	–	2	1	–	–
Female	2	–	–	–	–	–	–	–	–	2	–	–	–
Portland, Oreg.–Wash.	9,894	228	41	66	220	247	236	621	1,444	2,156	2,605	2,028	2
Male	5,363	122	26	44	153	170	153	400	926	1,323	1,297	747	2
Female	4,531	106	15	22	67	77	83	221	518	833	1,308	1,281	–
White	9,532	210	38	60	208	230	207	578	1,391	2,067	2,536	2,005	2
Male	5,120	111	25	38	146	162	134	366	895	1,263	1,247	731	2
Female	4,412	99	13	22	62	68	73	212	496	804	1,289	1,274	–
All other	362	18	3	6	12	17	29	43	53	89	69	23	–
Male	243	11	1	6	7	8	19	34	31	60	50	16	–
Female	119	7	2	–	5	9	10	9	22	29	19	7	–
Providence, R.I.	7,502	131	9	21	100	102	168	492	1,114	1,841	2,139	1,384	1
Male	3,898	71	7	13	72	67	102	328	706	1,044	989	498	1
Female	3,604	60	2	8	28	35	66	164	408	797	1,150	886	–
White	7,328	109	9	19	94	95	158	471	1,091	1,808	2,107	1,366	1
Male	3,798	58	7	12	68	62	96	313	688	1,028	975	490	1
Female	3,530	51	2	7	26	33	62	158	403	780	1,132	876	–
All other	174	22	–	2	6	7	10	21	23	33	32	18	–
Male	100	13	–	1	4	5	6	15	18	16	14	8	–
Female	74	9	–	1	2	2	4	6	5	17	18	10	–
Provo–Orem, Utah	960	90	20	10	49	35	27	51	112	190	250	126	–
Male	533	50	13	5	40	25	17	29	69	115	128	42	–
Female	427	40	7	5	9	10	10	22	43	75	122	84	–
White	953	90	19	10	46	35	25	51	111	190	250	126	–
Male	527	50	12	5	37	25	16	29	68	115	128	42	–
Female	426	40	7	5	9	10	9	22	43	75	122	84	–
All other	7	–	1	–	3	–	2	–	1	–	–	–	–
Male	6	–	1	–	3	–	1	–	1	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Pueblo, Colo.	1,015	24	3	8	25	25	31	72	131	230	281	185	–
Male	519	16	1	7	20	16	13	50	79	128	137	52	–
Female	496	8	2	1	5	9	18	22	52	102	144	133	–
White	985	24	3	8	23	24	29	71	129	225	267	182	–
Male	501	16	1	7	19	16	12	49	77	125	129	50	–
Female	484	8	2	1	4	8	17	22	52	100	138	132	–
All other	30	–	–	–	2	1	2	1	2	5	14	3	–
Male	18	–	–	–	1	–	1	1	2	3	8	2	–
Female	12	–	–	–	1	1	1	–	–	2	6	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Racine, Wis	1,388	24	3	10	39	41	44	93	190	292	360	292	–
Male	764	14	1	8	30	22	28	60	128	174	176	123	–
Female	624	10	2	2	9	19	16	33	62	118	184	169	–
White	1,322	19	3	8	35	31	39	80	177	284	355	291	–
Male	723	12	1	7	30	17	23	53	120	167	171	122	–
Female	599	7	2	1	5	14	16	27	57	117	184	169	–
All other	66	5	–	2	4	10	5	13	13	8	5	1	–
Male	41	2	–	1	–	5	5	7	8	7	5	1	–
Female	25	3	–	1	4	5	–	6	5	1	–	–	–
Raleigh, N.C	1,876	63	12	15	40	64	88	161	326	432	429	246	–
Male	1,067	38	9	10	30	45	57	110	225	270	208	65	–
Female	809	25	3	5	10	19	31	51	101	162	221	181	–
White	1,359	36	8	9	29	36	57	107	236	322	321	198	–
Male	761	20	6	4	25	27	41	74	156	198	158	52	–
Female	598	16	2	5	4	9	16	33	80	124	163	146	–
All other	517	27	4	6	11	28	31	54	90	110	108	48	–
Male	306	18	3	6	5	18	16	36	69	72	50	13	–
Female	211	9	1	–	6	10	15	18	21	38	58	35	–
Reading, Pa	3,196	49	9	14	51	43	72	196	480	824	902	555	1
Male	1,698	29	8	11	36	28	37	131	311	458	442	206	1
Female	1,498	20	1	3	15	15	35	65	169	366	460	349	–
White	3,133	45	8	12	50	41	65	191	467	806	896	551	1
Male	1,658	26	7	9	35	27	33	129	302	447	439	203	1
Female	1,475	19	1	3	15	14	32	62	165	359	457	348	–
All other	63	4	1	2	1	2	7	5	13	18	6	4	–
Male	40	3	1	2	1	1	4	2	9	11	3	3	–
Female	23	1	–	–	–	1	3	3	4	7	3	1	–
Reno, Nev	1,301	35	3	9	54	69	56	125	239	285	274	152	–
Male	757	15	2	8	37	48	41	81	145	168	151	61	–
Female	544	20	1	1	17	21	15	44	94	117	123	91	–
White	1,234	33	3	8	48	60	48	118	227	272	269	148	–
Male	714	15	2	7	32	42	34	79	136	160	147	60	–
Female	520	18	1	1	16	18	14	39	91	112	122	88	–
All other	67	2	–	1	6	9	8	7	12	13	5	4	–
Male	43	–	–	1	5	6	7	2	9	8	4	1	–
Female	24	2	–	–	1	3	1	5	3	5	1	3	–
Richmond, Va	4,826	111	14	24	87	103	193	423	855	1,174	1,152	689	1
Male	2,636	59	10	14	61	70	127	282	563	710	519	220	1
Female	2,190	52	4	10	26	33	66	141	292	464	633	469	–
White	3,467	61	9	14	64	66	109	275	565	846	890	568	–
Male	1,867	35	6	8	44	47	70	186	373	523	405	170	–
Female	1,600	26	3	6	20	19	39	89	192	323	485	398	–
All other	1,359	50	5	10	23	37	84	148	290	328	262	121	1
Male	769	24	4	6	17	23	57	96	190	187	114	50	1
Female	590	26	1	4	6	14	27	52	100	141	148	71	–
Roanoke, Va	1,881	28	6	6	37	39	55	157	319	432	495	307	–
Male	1,037	11	3	4	30	21	36	108	216	279	230	99	–
Female	844	17	3	2	7	18	19	49	103	153	265	208	–
White	1,628	21	3	5	30	29	48	135	260	368	452	277	–
Male	894	9	2	3	24	17	31	97	179	239	209	84	–
Female	734	12	1	2	6	12	17	38	81	129	243	193	–
All other	253	7	3	1	7	10	7	22	59	64	43	30	–
Male	143	2	1	1	6	4	5	11	37	40	21	15	–
Female	110	5	2	–	1	6	2	11	22	24	22	15	–
Rochester, Minn	560	19	6	3	23	14	13	26	51	110	167	128	–
Male	293	8	2	1	16	8	9	13	32	66	83	55	–
Female	267	11	4	2	7	6	4	13	19	44	84	73	–
White	555	19	4	3	23	14	13	26	50	109	167	127	–
Male	290	8	2	1	16	8	9	13	31	65	83	54	–
Female	265	11	2	2	7	6	4	13	19	44	84	73	–
All other	5	–	2	–	–	–	–	–	1	1	–	1	–
Male	3	–	–	–	–	–	–	–	1	1	–	1	–
Female	2	–	2	–	–	–	–	–	–	–	–	–	–
Rochester, N.Y	7,419	151	21	32	163	134	173	464	1,088	1,624	1,980	1,587	2
Male	3,848	83	13	21	111	90	109	300	669	974	919	558	1
Female	3,571	68	8	11	52	44	64	164	419	650	1,061	1,029	1
White	7,007	106	12	27	146	117	140	404	1,001	1,555	1,934	1,563	2
Male	3,585	61	7	16	100	75	87	259	608	931	895	545	1
Female	3,422	45	5	11	46	42	53	145	393	624	1,039	1,018	1
All other	412	45	9	5	17	17	33	60	87	69	46	24	–
Male	263	22	6	5	11	15	22	41	61	43	24	13	–
Female	149	23	3	–	6	2	11	19	26	26	22	11	–
Rockford, Ill	2,276	67	19	21	60	53	81	152	315	471	599	438	–
Male	1,191	34	12	13	39	35	51	97	192	272	291	155	–
Female	1,085	33	7	8	21	18	30	55	123	199	308	283	–
White	2,147	49	16	19	54	47	73	140	293	450	576	430	–
Male	1,114	25	11	12	35	33	46	87	175	259	277	154	–
Female	1,033	24	5	7	19	14	27	53	118	191	299	276	–
All other	129	18	3	2	6	6	8	12	22	21	23	8	–
Male	77	9	1	1	4	2	5	10	17	13	14	1	–
Female	52	9	2	1	2	4	3	2	5	8	9	7	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sacramento, Calif	7,341	152	45	45	244	238	256	594	1,185	1,669	1,748	1,163	2
Male	4,176	100	26	28	174	175	165	355	796	1,044	886	425	2
Female	3,165	52	19	17	70	63	91	239	389	625	862	738	–
White	6,797	119	37	40	214	212	211	523	1,088	1,582	1,654	1,115	2
Male	3,839	80	23	26	151	154	143	315	729	983	829	404	2
Female	2,958	39	14	14	63	58	68	208	359	599	825	711	–
All other	544	33	8	5	30	26	45	71	97	87	94	48	–
Male	337	20	3	2	23	21	22	40	67	61	57	21	–
Female	207	13	5	3	7	5	23	31	30	26	37	27	–
Saginaw, Mich	1,688	47	12	8	55	55	48	158	270	366	392	277	–
Male	959	25	8	5	42	41	40	102	183	227	199	87	–
Female	729	22	4	3	13	14	8	56	87	139	193	190	–
White	1,457	34	9	8	41	33	42	114	230	325	355	266	–
Male	808	19	7	5	33	25	35	71	151	200	180	82	–
Female	649	15	2	3	8	8	7	43	79	125	175	184	–
All other	231	13	3	–	14	22	6	44	40	41	37	11	–
Male	151	6	1	–	9	16	5	31	32	27	19	5	–
Female	80	7	2	–	5	6	1	13	8	14	18	6	–
St. Joseph, Mo	1,120	35	8	5	13	17	19	49	152	280	317	225	–
Male	572	17	6	2	9	10	8	33	95	171	146	75	–
Female	548	18	2	3	4	7	11	16	57	109	171	150	–
White	1,077	33	7	5	13	16	17	47	145	272	307	215	–
Male	554	17	5	2	9	10	7	31	94	167	141	71	–
Female	523	16	2	3	4	6	10	16	51	105	166	144	–
All other	43	2	1	–	–	1	2	2	7	8	10	10	–
Male	18	–	1	–	–	–	1	2	1	4	5	4	–
Female	25	2	–	–	–	1	1	–	6	4	5	6	–
St. Louis, Mo.–Ill	21,928	523	88	104	525	536	645	1,601	3,342	5,120	5,751	3,683	10
Male	11,469	264	54	65	419	389	407	987	2,081	3,030	2,601	1,164	8
Female	10,459	259	34	39	106	147	238	614	1,261	2,090	3,150	2,519	2
White	18,068	276	43	71	376	341	429	1,199	2,691	4,238	5,041	3,355	8
Male	9,281	142	27	43	291	237	268	739	1,702	2,521	2,267	1,038	6
Female	8,787	134	16	28	85	104	161	460	989	1,717	2,774	2,317	2
All other	3,860	247	45	33	149	195	216	402	651	882	710	328	2
Male	2,188	122	27	22	128	152	139	248	379	509	334	126	2
Female	1,672	125	18	11	21	43	77	154	272	373	376	202	–
Salem, Oreg	1,939	44	7	15	56	48	61	105	225	414	569	395	–
Male	1,087	25	2	8	39	33	48	66	141	254	307	164	–
Female	852	19	5	7	17	15	13	39	84	160	262	231	–
White	1,921	44	7	15	55	46	59	103	223	409	566	394	–
Male	1,074	25	2	8	38	31	46	64	139	252	306	163	–
Female	847	19	5	7	17	15	13	39	84	157	260	231	–
All other	18	–	–	–	1	2	2	2	2	5	3	1	–
Male	13	–	–	–	1	2	2	2	2	2	1	1	–
Female	5	–	–	–	–	–	–	–	–	3	2	–	–
Salinas–Monterey, Calif	1,875	66	16	19	75	57	52	149	283	424	426	302	6
Male	1,074	43	8	14	55	41	27	99	172	269	231	111	4
Female	801	23	8	5	20	16	25	50	111	155	195	191	2
White	1,721	51	15	16	63	53	47	126	258	390	406	290	6
Male	963	31	7	11	48	38	26	82	155	244	213	104	4
Female	758	20	8	5	15	15	21	44	103	146	193	186	2
All other	154	15	1	3	12	4	5	23	25	34	20	12	–
Male	111	12	1	3	7	3	1	17	17	25	18	7	–
Female	43	3	–	–	5	1	4	6	8	9	2	5	–
Salt Lake City, Utah	3,889	204	39	39	147	133	128	303	559	769	959	608	1
Male	2,151	111	24	22	102	97	83	179	364	478	453	238	–
Female	1,738	93	15	17	45	36	45	124	195	291	506	370	1
White	3,823	197	39	39	139	127	127	296	549	760	947	602	1
Male	2,112	108	24	22	96	93	82	175	358	470	449	235	–
Female	1,711	89	15	17	43	34	45	121	191	290	498	367	1
All other	66	7	–	–	8	6	1	7	10	9	12	6	–
Male	39	3	–	–	6	4	1	4	6	8	4	3	–
Female	27	4	–	–	2	2	–	3	4	1	8	3	–
San Angelo, Tex	747	18	1	5	26	30	15	44	103	173	199	132	1
Male	390	16	1	2	16	21	9	25	62	99	99	39	1
Female	357	2	–	3	10	9	6	19	41	74	100	93	–
White	709	18	1	3	25	27	13	42	97	160	193	129	1
Male	375	16	1	2	15	19	8	24	59	95	96	39	1
Female	334	2	–	1	10	8	5	18	38	65	97	90	–
All other	38	–	–	2	1	3	2	2	6	13	6	3	–
Male	15	–	–	–	1	2	1	1	3	4	3	–	–
Female	23	–	–	2	–	1	1	1	3	9	3	3	–
San Antonio, Tex	7,051	245	51	69	242	227	268	527	1,104	1,590	1,696	1,032	–
Male	3,897	150	32	45	183	162	180	322	736	924	801	362	–
Female	3,154	95	19	24	59	65	88	205	368	666	895	670	–
White	6,439	211	42	65	226	201	236	464	999	1,439	1,590	966	–
Male	3,554	127	25	43	172	143	163	282	673	840	747	339	–
Female	2,885	84	17	22	54	58	73	182	326	599	843	627	–
All other	612	34	9	4	16	26	32	63	105	151	106	66	–
Male	343	23	7	2	11	19	17	40	63	84	54	23	–
Female	269	11	2	2	5	7	15	23	42	67	52	43	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
San Bernardino–Riverside–Ontario, Calif	12,464	303	73	73	420	324	373	809	1,814	3,085	3,206	1,971	13
Male	7,062	172	43	47	318	221	242	511	1,143	1,897	1,711	746	11
Female	5,402	131	30	26	102	103	131	298	671	1,188	1,495	1,225	2
White	11,939	258	68	63	385	287	342	760	1,736	2,964	3,132	1,931	13
Male	6,730	141	41	37	293	191	223	484	1,089	1,821	1,668	731	11
Female	5,209	117	27	26	92	96	119	276	647	1,143	1,464	1,200	2
All other	525	45	5	10	35	37	31	49	78	121	74	40	–
Male	332	31	2	10	25	30	19	27	54	76	43	15	–
Female	193	14	3	–	10	7	12	22	24	45	31	25	–
San Diego, Calif	12,549	298	67	65	423	394	346	861	1,851	2,944	3,080	2,202	18
Male	6,845	172	39	43	330	268	230	505	1,105	1,765	1,587	787	14
Female	5,704	126	28	22	93	126	116	356	746	1,179	1,493	1,415	4
White	11,913	239	59	56	364	334	313	788	1,758	2,830	2,998	2,157	17
Male	6,465	136	36	37	287	232	208	462	1,046	1,702	1,540	765	14
Female	5,448	103	23	19	77	102	105	326	712	1,128	1,458	1,392	3
All other	636	59	8	9	59	60	33	73	93	114	82	45	1
Male	380	36	3	6	43	36	22	43	59	63	47	22	–
Female	256	23	5	3	16	24	11	30	34	51	35	23	1
San Francisco–Oakland, Calif	26,567	478	84	104	598	848	853	2,053	4,110	5,983	6,702	4,726	28
Male	14,240	255	37	68	443	589	560	1,267	2,502	3,498	3,317	1,686	18
Female	12,327	223	47	36	155	259	293	786	1,608	2,485	3,385	3,040	10
White	22,541	302	55	79	465	630	608	1,584	3,353	5,085	5,982	4,377	21
Male	11,794	162	25	50	349	435	402	983	2,033	2,944	2,878	1,519	14
Female	10,747	140	30	29	116	195	206	601	1,320	2,141	3,104	2,858	7
All other	4,026	176	29	25	133	218	245	469	757	898	720	349	7
Male	2,446	93	12	18	94	154	158	284	469	554	439	167	4
Female	1,580	83	17	7	39	64	87	185	288	344	281	182	3
San Jose, Calif	7,231	208	34	58	244	252	279	635	1,081	1,468	1,688	1,282	2
Male	3,872	122	20	33	185	164	185	399	671	876	786	429	2
Female	3,359	86	14	25	59	88	94	236	410	592	902	853	–
White	6,915	184	29	50	227	231	249	601	1,039	1,416	1,639	1,248	2
Male	3,672	107	20	29	171	147	163	378	641	837	760	417	2
Female	3,243	77	9	21	56	84	86	223	398	579	879	831	–
All other	316	24	5	8	17	21	30	34	42	52	49	34	–
Male	200	15	–	4	14	17	22	21	30	39	26	12	–
Female	116	9	5	4	3	4	8	13	12	13	23	22	–
Santa Barbara, Calif	2,335	31	9	15	56	48	40	138	296	521	670	509	2
Male	1,192	23	7	10	37	35	27	85	179	297	317	173	2
Female	1,143	8	2	5	19	13	13	53	117	224	353	336	–
White	2,251	26	8	14	54	45	37	130	286	498	655	496	2
Male	1,143	19	6	10	36	32	26	80	175	281	306	170	2
Female	1,108	7	2	4	18	13	11	50	111	217	349	326	–
All other	84	5	1	1	2	3	3	8	10	23	15	13	–
Male	49	4	1	–	1	3	1	5	4	16	11	3	–
Female	35	1	–	1	1	–	2	3	6	7	4	10	–
Santa Rosa, Calif	2,530	34	10	18	56	66	75	159	349	615	720	428	–
Male	1,438	21	7	10	42	48	49	88	230	379	401	163	–
Female	1,092	13	3	8	14	18	26	71	119	236	319	265	–
White	2,494	33	9	18	53	63	69	156	344	610	712	427	–
Male	1,415	21	7	10	39	46	46	85	227	375	397	162	–
Female	1,079	12	2	8	14	17	23	71	117	235	315	265	–
All other	36	1	1	–	3	3	6	3	5	5	8	1	–
Male	23	–	–	–	3	2	3	3	3	4	4	1	–
Female	13	1	1	–	–	1	3	–	2	1	4	–	–
Savannah, Ga	1,864	53	6	16	45	64	77	177	353	487	381	205	–
Male	992	32	3	9	36	41	42	108	224	280	161	56	–
Female	872	21	3	7	9	23	35	69	129	207	220	149	–
White	1,141	24	4	7	31	25	43	96	204	284	255	168	–
Male	609	17	2	4	25	15	29	66	142	168	106	35	–
Female	532	7	2	3	6	10	14	30	62	116	149	133	–
All other	723	29	2	9	14	39	34	81	149	203	126	37	–
Male	383	15	1	5	11	26	13	42	82	112	55	21	–
Female	340	14	1	4	3	13	21	39	67	91	71	16	–
Scranton, Pa	2,807	34	2	10	25	24	55	186	510	716	810	432	3
Male	1,477	19	2	7	19	14	29	113	336	428	363	146	1
Female	1,330	15	–	3	6	10	26	73	174	288	447	286	2
White	2,790	32	2	9	25	21	53	186	508	714	807	430	3
Male	1,472	19	2	6	19	12	29	113	336	427	362	146	1
Female	1,318	13	–	3	6	9	24	73	172	287	445	284	2
All other	17	2	–	1	–	3	2	–	2	2	3	2	–
Male	5	–	–	1	–	2	–	–	–	1	1	–	–
Female	12	2	–	–	–	1	2	–	2	1	2	2	–
Seattle–Everett, Wash	11,405	241	41	72	307	324	330	840	1,742	2,400	2,830	2,276	2
Male	6,061	146	24	49	216	240	198	496	1,116	1,441	1,341	792	2
Female	5,344	95	17	23	91	84	132	344	626	959	1,489	1,484	–
White	10,742	191	35	64	285	281	286	757	1,624	2,261	2,738	2,218	2
Male	5,636	120	22	44	203	208	172	442	1,033	1,337	1,290	763	2
Female	5,106	71	13	20	82	73	114	315	591	924	1,448	1,455	–
All other	663	50	6	8	22	43	44	83	118	139	92	58	–
Male	425	26	2	5	13	32	26	54	83	104	51	29	–
Female	238	24	4	3	9	11	18	29	35	35	41	29	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sherman–Denison, Tex	993	19	4	9	21	23	21	73	126	250	272	175	–
Male	535	12	3	6	14	16	14	47	83	139	141	60	–
Female	458	7	1	3	7	7	7	26	43	111	131	115	–
White	918	19	4	9	15	17	20	69	117	232	248	168	–
Male	499	12	3	6	11	11	13	44	80	132	129	58	–
Female	419	7	1	3	4	6	7	25	37	100	119	110	–
All other	75	–	–	–	6	6	1	4	9	18	24	7	–
Male	36	–	–	–	3	5	1	3	3	7	12	2	–
Female	39	–	–	–	3	1	–	1	6	11	12	5	–
Shreveport, La	3,034	101	14	35	88	82	104	239	464	681	806	419	1
Male	1,618	44	9	21	64	48	70	147	281	396	385	153	–
Female	1,416	57	5	14	24	34	34	92	183	285	421	266	1
White	1,887	39	4	18	45	46	49	146	315	433	502	289	1
Male	993	16	2	9	32	23	35	95	195	245	241	100	–
Female	894	23	2	9	13	23	14	51	120	188	261	189	1
All other	1,147	62	10	17	43	36	55	93	149	248	304	130	–
Male	625	28	7	12	32	25	35	52	86	151	144	53	–
Female	522	34	3	5	11	11	20	41	63	97	160	77	–
Sioux City, Iowa–Nebr	1,137	43	8	5	19	20	20	59	138	250	330	245	–
Male	607	20	3	1	17	17	13	42	84	151	167	92	–
Female	530	23	5	4	2	3	7	17	54	99	163	153	–
White	1,112	38	8	5	18	19	17	57	133	244	329	244	–
Male	589	17	3	1	17	16	11	40	82	145	166	91	–
Female	523	21	5	4	1	3	6	17	51	99	163	153	–
All other	25	5	–	–	1	1	3	2	5	6	1	1	–
Male	18	3	–	–	–	1	2	2	2	6	1	1	–
Female	7	2	–	–	1	–	1	–	3	–	–	–	–
Sioux Falls, S. Dak	784	28	8	7	17	22	10	52	97	169	225	149	–
Male	447	13	3	3	10	16	9	37	63	103	122	68	–
Female	337	15	5	4	7	6	1	15	34	66	103	81	–
White	774	28	7	7	17	21	9	51	93	167	225	149	–
Male	438	13	2	3	10	15	8	36	60	101	122	68	–
Female	336	15	5	4	7	6	1	15	33	66	103	81	–
All other	10	–	1	–	–	1	1	1	4	2	–	–	–
Male	9	–	1	–	–	1	1	1	3	2	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
South Bend, Ind	2,601	57	7	19	61	39	54	189	372	583	747	473	–
Male	1,387	31	3	11	43	28	31	117	235	348	362	178	–
Female	1,214	26	4	8	18	11	23	72	137	235	385	295	–
White	2,417	48	7	16	50	31	45	170	332	545	721	452	–
Male	1,269	26	3	9	35	21	27	106	205	323	346	168	–
Female	1,148	22	4	7	15	10	18	64	127	222	375	284	–
All other	184	9	–	3	11	8	9	19	40	38	26	21	–
Male	118	5	–	2	8	7	4	11	30	25	16	10	–
Female	66	4	–	1	3	1	5	8	10	13	10	11	–
Spokane, Wash	2,755	76	9	21	53	47	55	163	414	604	720	593	–
Male	1,521	47	4	12	41	38	39	99	271	381	355	234	–
Female	1,234	29	5	9	12	9	16	64	143	223	365	359	–
White	2,700	73	9	20	52	46	47	155	400	592	715	591	–
Male	1,482	44	4	12	40	38	32	94	261	371	352	234	–
Female	1,218	29	5	8	12	8	15	61	139	221	363	357	–
All other	55	3	–	1	1	1	8	8	14	12	5	2	–
Male	39	3	–	–	1	–	7	5	10	10	3	–	–
Female	16	–	–	1	–	1	1	3	4	2	2	2	–
Springfield, Ill	1,710	39	6	7	41	29	34	97	243	390	470	354	–
Male	876	23	5	4	24	22	18	54	153	236	224	113	–
Female	834	16	1	3	17	7	16	43	90	154	246	241	–
White	1,607	33	4	6	35	26	29	91	226	365	453	339	–
Male	819	20	3	4	19	20	15	50	147	218	217	106	–
Female	788	13	1	2	16	6	14	41	79	147	236	233	–
All other	103	6	2	1	6	3	5	6	17	25	17	15	–
Male	57	3	2	–	5	2	3	4	6	18	7	7	–
Female	46	3	–	1	1	1	2	2	11	7	10	8	–
Springfield, Mo	1,600	34	4	9	20	30	40	79	195	390	477	322	–
Male	867	21	2	3	14	18	26	54	130	249	244	106	–
Female	733	13	2	6	6	12	14	25	65	141	233	216	–
White	1,577	34	4	9	19	30	38	75	193	386	471	318	–
Male	853	21	2	3	13	18	25	52	129	245	239	106	–
Female	724	13	2	6	6	12	13	23	64	141	232	212	–
All other	23	–	–	–	1	–	2	4	2	4	6	4	–
Male	14	–	–	–	1	–	1	2	1	4	5	–	–
Female	9	–	–	–	–	–	1	2	1	–	1	4	–
Springfield, Ohio	1,407	42	5	9	38	30	34	104	204	322	359	260	–
Male	769	26	4	5	31	26	22	66	114	202	180	93	–
Female	638	16	1	4	7	4	12	38	90	120	179	167	–
White	1,263	36	4	7	36	28	31	91	173	283	331	243	–
Male	687	21	3	3	30	25	21	59	98	175	168	84	–
Female	576	15	1	4	6	3	10	32	75	108	163	159	–
All other	144	6	1	2	2	2	3	13	31	39	28	17	–
Male	82	5	1	2	1	1	1	7	16	27	12	9	–
Female	62	1	–	–	1	1	2	6	15	12	16	8	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Springfield–Holyoke, Mass	5,336	65	13	23	107	88	109	340	836	1,194	1,439	1,121	1
Male	2,763	33	5	17	74	60	76	226	543	698	660	370	1
Female	2,573	32	8	6	33	28	33	114	293	496	779	751	–
White	5,166	54	10	21	101	80	100	314	804	1,159	1,410	1,112	1
Male	2,666	28	3	15	69	52	71	211	524	675	650	367	1
Female	2,500	26	7	6	32	28	29	103	280	484	760	745	–
All other	170	11	3	2	6	8	9	26	32	35	29	9	–
Male	97	5	2	2	5	8	5	15	19	23	10	3	–
Female	73	6	1	–	1	–	4	11	13	12	19	6	–
Steubenville–Weirton, Ohio–W. Va.	1,642	29	4	9	33	27	41	129	287	445	423	215	–
Male	917	23	2	4	23	17	26	73	195	260	219	75	–
Female	725	6	2	5	10	10	15	56	92	185	204	140	–
White	1,542	27	3	6	25	24	36	118	277	418	399	209	–
Male	857	21	2	3	17	15	22	68	189	246	202	72	–
Female	685	6	1	3	8	9	14	50	88	172	197	137	–
All other	100	2	1	3	8	3	5	11	10	27	24	6	–
Male	60	2	–	1	6	2	4	5	6	14	17	3	–
Female	40	–	1	2	2	1	1	6	4	13	7	3	–
Stockton, Calif.	2,941	61	19	18	100	93	94	213	455	678	725	484	1
Male	1,746	37	10	11	66	73	59	144	304	434	396	211	1
Female	1,195	24	9	7	34	20	35	69	151	244	329	273	–
White	2,638	51	15	12	91	88	79	185	406	600	652	458	1
Male	1,530	33	8	7	61	70	47	128	267	377	337	194	1
Female	1,108	18	7	5	30	18	32	57	139	223	315	264	–
All other	303	10	4	6	9	5	15	28	49	78	73	26	–
Male	216	4	2	4	5	3	12	16	37	57	59	17	–
Female	87	6	2	2	4	2	3	12	12	21	14	9	–
Syracuse, N.Y.	5,463	108	17	44	117	108	127	376	818	1,228	1,462	1,058	–
Male	2,926	56	10	23	84	74	92	247	509	737	704	390	–
Female	2,537	52	7	21	33	34	35	129	309	491	758	668	–
White	5,248	89	14	39	110	97	105	353	766	1,191	1,439	1,045	–
Male	2,793	48	9	21	78	71	73	231	474	713	688	387	–
Female	2,455	41	5	18	32	26	32	122	292	478	751	658	–
All other	215	19	3	5	7	11	22	23	52	37	23	13	–
Male	133	8	1	2	6	3	19	16	35	24	16	3	–
Female	82	11	2	3	1	8	3	7	17	13	7	10	–
Tacoma, Wash.	3,471	116	19	25	110	108	124	249	534	780	804	602	–
Male	1,955	78	14	11	84	74	80	154	340	477	400	243	–
Female	1,516	38	5	14	26	34	44	95	194	303	404	359	–
White	3,302	97	11	18	96	97	109	227	510	754	792	591	–
Male	1,856	64	9	9	75	65	70	141	323	465	396	239	–
Female	1,446	33	2	9	21	32	39	86	187	289	396	352	–
All other	169	19	8	7	14	11	15	22	24	26	12	11	–
Male	99	14	5	2	9	9	10	13	17	12	4	4	–
Female	70	5	3	5	5	2	5	9	7	14	8	7	–
Tallahassee, Fla.	676	30	3	9	28	28	25	59	110	149	138	97	–
Male	390	11	2	6	22	23	18	39	67	96	70	36	–
Female	286	19	1	3	6	5	7	20	43	53	68	61	–
White	471	10	2	7	22	22	15	35	76	99	101	82	–
Male	270	5	1	5	19	18	9	23	45	62	50	33	–
Female	201	5	1	2	3	4	6	12	31	37	51	49	–
All other	205	20	1	2	6	6	10	24	34	50	37	15	–
Male	120	6	1	1	3	5	9	16	22	34	20	3	–
Female	85	14	–	1	3	1	1	8	12	16	17	12	–
Tampa–St. Petersburg, Fla.	16,658	178	47	66	200	240	366	885	2,097	4,297	5,219	3,063	–
Male	9,311	94	32	38	148	169	230	569	1,301	2,562	2,854	1,314	–
Female	7,347	84	15	28	52	71	136	316	796	1,735	2,365	1,749	–
White	15,440	104	35	50	169	187	278	739	1,855	3,988	5,023	3,012	–
Male	8,608	56	25	30	125	139	179	474	1,158	2,389	2,739	1,294	–
Female	6,832	48	10	20	44	48	99	265	697	1,599	2,284	1,718	–
All other	1,218	74	12	16	31	53	88	146	242	309	196	51	–
Male	703	38	7	8	23	30	51	95	143	173	115	20	–
Female	515	36	5	8	8	23	37	51	99	136	81	31	–
Terre Haute, Ind.	2,086	42	7	15	43	30	43	119	312	508	588	379	–
Male	1,082	25	2	12	34	20	23	78	193	308	257	130	–
Female	1,004	17	5	3	9	10	20	41	119	200	331	249	–
White	2,033	41	6	15	42	29	40	111	303	495	579	372	–
Male	1,052	24	2	12	34	19	21	73	187	303	250	127	–
Female	981	17	4	3	8	10	19	38	116	192	329	245	–
All other	53	1	1	–	1	1	3	8	9	13	9	7	–
Male	30	1	–	–	–	1	2	5	6	5	7	3	–
Female	23	–	1	–	1	–	1	3	3	8	2	4	–
Texarkana, Tex.–Ark.	1,152	30	10	8	37	27	36	71	177	257	320	179	–
Male	644	20	2	5	24	20	26	48	113	161	155	70	–
Female	508	10	8	3	13	7	10	23	64	96	165	109	–
White	882	15	8	8	26	17	22	52	132	198	247	157	–
Male	491	10	1	5	19	13	17	36	85	123	119	63	–
Female	391	5	7	3	7	4	5	16	47	75	128	94	–
All other	270	15	2	–	11	10	14	19	45	59	73	22	–
Male	153	10	1	–	5	7	9	12	28	38	36	7	–
Female	117	5	1	–	6	3	5	7	17	21	37	15	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Toledo, Ohio–Mich	6,331	139	27	52	161	165	164	414	1,010	1,503	1,641	1,054	1
Male	3,368	74	14	28	119	115	97	254	635	863	796	372	1
Female	2,963	65	13	24	42	50	67	160	375	640	845	682	–
White	5,794	108	23	42	145	137	135	353	910	1,370	1,553	1,018	–
Male	3,059	54	11	21	107	98	79	218	573	789	754	355	–
Female	2,735	54	12	21	38	39	56	135	337	581	799	663	–
All other	537	31	4	10	16	28	29	61	100	133	88	36	1
Male	309	20	3	7	12	17	18	36	62	74	42	17	1
Female	228	11	1	3	4	11	11	25	38	59	46	19	–
Topeka, Kans	1,352	37	7	10	47	36	33	109	166	246	362	299	–
Male	690	15	2	6	33	19	18	61	108	151	179	98	–
Female	662	22	5	4	14	17	15	48	58	95	183	201	–
White	1,231	28	3	7	41	31	29	103	150	221	342	276	–
Male	629	11	2	5	31	16	15	58	99	135	169	88	–
Female	602	17	1	2	10	15	14	45	51	86	173	188	–
All other	121	9	4	3	6	5	4	6	16	25	20	23	–
Male	61	4	–	1	2	3	3	3	9	16	10	10	–
Female	60	5	4	2	4	2	1	3	7	9	10	13	–
Trenton, N.J	2,747	58	8	11	46	51	77	208	453	683	719	431	2
Male	1,518	30	4	7	32	33	53	139	304	425	342	148	1
Female	1,229	28	4	4	14	18	24	69	149	258	377	283	1
White	2,370	27	5	6	36	33	46	168	384	596	663	405	1
Male	1,300	15	2	3	25	22	31	115	259	375	315	137	1
Female	1,070	12	3	3	11	11	15	53	125	221	348	268	–
All other	377	31	3	5	10	18	31	40	69	87	56	26	1
Male	218	15	2	4	7	11	22	24	45	50	27	11	–
Female	159	16	1	1	3	7	9	16	24	37	29	15	1
Tucson, Ariz	3,717	72	17	20	138	101	118	253	554	993	903	547	1
Male	2,100	35	12	8	98	66	75	155	368	605	465	212	1
Female	1,617	37	5	12	40	35	43	98	186	388	438	335	–
White	3,498	63	13	20	121	83	99	226	521	947	879	526	–
Male	1,964	31	9	8	84	54	62	133	349	579	452	203	–
Female	1,534	32	4	12	37	29	37	93	172	368	427	323	–
All other	219	9	4	–	17	18	19	27	33	46	24	21	1
Male	136	4	3	–	14	12	13	22	19	26	13	9	1
Female	83	5	1	–	3	6	6	5	14	20	11	12	–
Tulsa, Okla	4,597	118	24	33	136	125	137	367	706	1,047	1,147	756	1
Male	2,434	73	14	18	104	83	83	244	464	587	506	257	1
Female	2,163	45	10	15	32	42	54	123	242	460	641	499	–
White	4,067	80	16	26	119	100	110	322	609	939	1,049	696	1
Male	2,138	52	10	15	95	60	62	212	402	535	459	235	1
Female	1,929	28	6	11	24	40	48	110	207	404	590	461	–
All other	530	38	8	7	17	25	27	45	97	108	98	60	–
Male	296	21	4	3	9	23	21	32	62	52	47	22	–
Female	234	17	4	4	8	2	6	13	35	56	51	38	–
Tuscaloosa, Ala	971	26	6	4	33	34	32	95	154	246	186	155	–
Male	567	7	4	3	25	23	21	65	101	165	91	62	–
Female	404	19	2	1	8	11	11	30	53	81	95	93	–
White	699	8	5	4	23	20	19	65	111	172	149	123	–
Male	410	2	3	3	17	14	15	45	74	118	72	47	–
Female	289	6	2	1	6	6	4	20	37	54	77	76	–
All other	272	18	1	–	10	14	13	30	43	74	37	32	–
Male	157	5	1	–	8	9	6	20	27	47	19	15	–
Female	115	13	–	–	2	5	7	10	16	27	18	17	–
Tyler, Tex	1,111	37	6	6	25	21	43	77	153	269	310	164	–
Male	622	24	5	5	21	12	33	51	96	161	157	57	–
Female	489	13	1	1	4	9	10	26	57	108	153	107	–
White	830	19	3	3	11	13	31	52	117	207	242	132	–
Male	450	12	2	2	11	7	25	35	72	122	118	44	–
Female	380	7	1	1	–	6	6	17	45	85	124	88	–
All other	281	18	3	3	14	8	12	25	36	62	68	32	–
Male	172	12	3	3	10	5	8	16	24	39	39	13	–
Female	109	6	–	–	4	3	4	9	12	23	29	19	–
Utica–Rome, N.Y	3,357	57	9	11	80	52	61	217	509	734	919	708	–
Male	1,782	31	7	7	60	35	41	136	315	438	459	253	–
Female	1,575	26	2	4	20	17	20	81	194	296	460	455	–
White	3,303	51	9	9	78	47	57	213	496	724	913	706	–
Male	1,746	27	7	5	60	31	38	134	307	431	454	252	–
Female	1,557	24	2	4	18	16	19	79	189	293	459	454	–
All other	54	6	–	2	2	5	4	4	13	10	6	2	–
Male	36	4	–	2	–	4	3	2	8	7	5	1	–
Female	18	2	–	–	2	1	1	2	5	3	1	1	–
Vallejo–Napa, Calif	2,263	48	11	10	72	61	73	164	399	487	544	394	–
Male	1,273	27	9	5	58	36	40	108	245	288	287	170	–
Female	990	21	2	5	14	25	33	56	154	199	257	224	–
White	2,086	43	9	9	67	49	59	140	358	454	515	383	–
Male	1,161	24	7	4	55	28	33	90	222	264	270	164	–
Female	925	19	2	5	12	21	26	50	136	190	245	219	–
All other	177	5	2	1	5	12	14	24	41	33	29	11	–
Male	112	3	2	1	3	8	7	18	23	24	17	6	–
Female	65	2	–	–	2	4	7	6	18	9	12	5	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Vineland–Millville–Bridgeton, N.J.	1,242	27	6	11	28	25	24	100	212	300	309	200	–
Male	678	15	3	3	23	16	14	58	141	183	149	73	–
Female	564	12	3	8	5	9	10	42	71	117	160	127	–
White	1,062	20	5	9	21	17	13	81	176	261	276	183	–
Male	575	10	3	3	17	12	9	44	120	156	136	65	–
Female	487	10	2	6	4	5	4	37	56	105	140	118	–
All other	180	7	1	2	7	8	11	19	36	39	33	17	–
Male	103	5	–	–	6	4	5	14	21	27	13	8	–
Female	77	2	1	2	1	4	6	5	15	12	20	9	–
Waco, Tex	1,574	41	6	8	30	25	30	107	211	384	460	272	–
Male	855	22	5	3	23	24	17	71	139	230	226	95	–
Female	719	19	1	5	7	1	13	36	72	154	234	177	–
White	1,282	25	3	5	23	19	23	84	170	304	393	233	–
Male	696	15	3	2	19	18	13	55	115	187	188	81	–
Female	586	10	–	3	4	1	10	29	55	117	205	152	–
All other	292	16	3	3	7	6	7	23	41	80	67	39	–
Male	159	7	2	1	4	6	4	16	24	43	38	14	–
Female	133	9	1	2	3	–	3	7	17	37	29	25	–
Washington, D.C.–Md.–Va	19,292	653	78	123	495	599	880	1,955	3,511	4,293	4,036	2,644	25
Male	10,272	362	46	66	352	417	557	1,201	2,153	2,424	1,817	861	16
Female	9,020	291	32	57	143	182	323	754	1,358	1,869	2,219	1,783	9
White	12,980	273	42	67	343	289	439	1,114	2,222	2,885	3,109	2,185	12
Male	6,658	154	20	37	248	194	262	673	1,345	1,617	1,408	694	6
Female	6,322	119	22	30	95	95	177	441	877	1,268	1,701	1,491	6
All other	6,312	380	36	56	152	310	441	841	1,289	1,408	927	459	13
Male	3,614	208	26	29	104	223	295	528	808	807	409	167	10
Female	2,698	172	10	27	48	87	146	313	481	601	518	292	3
Waterloo, Iowa	1,087	29	2	3	23	20	23	76	157	236	288	230	–
Male	569	15	2	3	15	14	19	50	87	142	146	76	–
Female	518	14	–	–	8	6	4	26	70	94	142	154	–
White	1,033	18	2	3	22	19	19	69	150	220	284	227	–
Male	533	10	2	3	14	14	16	44	82	131	143	74	–
Female	500	8	–	–	8	5	3	25	68	89	141	153	–
All other	54	11	–	–	1	1	4	7	7	16	4	3	–
Male	36	5	–	–	1	–	3	6	5	11	3	2	–
Female	18	6	–	–	–	1	1	1	2	5	1	1	–
West Palm Beach, Fla	6,183	83	21	24	92	126	131	370	787	1,828	1,852	868	1
Male	3,629	52	8	14	63	94	84	230	489	1,124	1,109	361	1
Female	2,554	31	13	10	29	32	47	140	298	704	743	507	–
White	5,559	56	16	18	72	88	89	297	652	1,667	1,759	844	1
Male	3,263	37	7	11	50	66	58	187	400	1,037	1,059	350	1
Female	2,296	19	9	7	22	22	31	110	252	630	700	494	–
All other	624	27	5	6	20	38	42	73	135	161	93	24	–
Male	366	15	1	3	13	28	26	43	89	87	50	11	–
Female	258	12	4	3	7	10	16	30	46	74	43	13	–
Wheeling, W. Va.–Ohio	2,146	43	6	8	33	35	45	150	357	539	569	361	–
Male	1,145	25	4	4	27	26	24	94	223	302	283	133	–
Female	1,001	18	2	4	6	9	21	56	134	237	286	228	–
White	2,085	40	6	8	30	35	44	144	346	523	558	351	–
Male	1,112	24	4	4	24	26	23	90	216	293	276	132	–
Female	973	16	2	4	6	9	21	54	130	230	282	219	–
All other	61	3	–	–	3	–	1	6	11	16	11	10	–
Male	33	1	–	–	3	–	1	4	7	9	7	1	–
Female	28	2	–	–	–	–	–	2	4	7	4	9	–
Wichita, Kans	3,074	79	16	21	89	85	91	233	451	665	769	575	–
Male	1,640	49	7	11	70	59	58	150	295	397	357	187	–
Female	1,434	30	9	10	19	26	33	83	156	268	412	388	–
White	2,829	61	12	19	83	66	72	201	413	619	729	554	–
Male	1,491	38	5	9	65	47	44	132	269	369	336	177	–
Female	1,338	23	7	10	18	19	28	69	144	250	393	377	–
All other	245	18	4	2	6	19	19	32	38	46	40	21	–
Male	149	11	2	2	5	12	14	18	26	28	21	10	–
Female	96	7	2	–	1	7	5	14	12	18	19	11	–
Wichita Falls, Tex	1,105	28	6	8	29	22	26	99	165	237	300	185	–
Male	609	17	5	6	18	17	15	66	105	153	139	68	–
Female	496	11	1	2	11	5	11	33	60	84	161	117	–
White	1,007	23	3	6	24	19	22	86	148	211	287	178	–
Male	554	16	3	5	14	16	13	57	93	139	131	67	–
Female	453	7	–	1	10	3	9	29	55	72	156	111	–
All other	98	5	3	2	5	3	4	13	17	26	13	7	–
Male	55	1	2	1	4	1	2	9	12	14	8	1	–
Female	43	4	1	1	1	2	2	4	5	12	5	6	–
Wilkes Barre–Hazleton, Pa	4,234	45	5	13	46	39	69	285	731	1,226	1,213	560	2
Male	2,269	27	3	9	33	24	47	192	453	739	560	181	1
Female	1,965	18	2	4	13	15	22	93	278	487	653	379	1
White	4,213	44	5	13	46	39	66	281	728	1,221	1,211	557	2
Male	2,258	26	3	9	33	24	44	190	452	736	559	181	1
Female	1,955	18	2	4	13	15	22	91	276	485	652	376	1
All other	21	1	–	–	–	–	3	4	3	5	2	3	–
Male	11	1	–	–	–	–	3	2	1	3	1	–	–
Female	10	–	–	–	–	–	–	2	2	2	1	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wilmington, Del.–N.J.–Md.	4,263	84	16	26	125	105	115	364	731	1,005	1,017	667	8
Male	2,344	48	8	21	93	75	70	222	460	601	484	259	3
Female	1,919	36	8	5	32	30	45	142	271	404	533	408	5
White	3,674	48	11	23	114	82	87	279	620	866	915	626	3
Male	2,013	28	6	18	86	63	57	167	400	520	431	236	1
Female	1,661	20	5	5	28	19	30	112	220	346	484	390	2
All other	589	36	5	3	11	23	28	85	111	139	102	41	5
Male	331	20	2	3	7	12	13	55	60	81	53	23	2
Female	258	16	3	–	4	11	15	30	51	58	49	18	3
Wilmington, N.C	1,103	19	5	8	34	17	45	96	203	314	231	130	1
Male	596	12	3	6	19	11	22	56	146	184	93	43	1
Female	507	7	2	2	15	6	23	40	57	130	138	87	–
White	814	14	3	6	30	13	32	75	140	219	177	104	1
Male	441	9	1	4	16	8	17	45	102	136	72	30	1
Female	373	5	2	2	14	5	15	30	38	83	105	74	–
All other	289	5	2	2	4	4	13	21	63	95	54	26	–
Male	155	3	2	2	3	3	5	11	44	48	21	13	–
Female	134	2	–	–	1	1	8	10	19	47	33	13	–
Worcester, Mass	5,968	94	13	38	124	87	143	306	895	1,379	1,680	1,207	2
Male	3,108	57	10	28	93	54	88	182	560	841	791	404	–
Female	2,860	37	3	10	31	33	55	124	335	538	889	803	2
White	5,930	91	13	38	122	84	143	304	887	1,371	1,672	1,203	2
Male	3,088	56	10	28	92	53	88	181	555	836	786	403	–
Female	2,842	35	3	10	30	31	55	123	332	535	886	800	2
All other	38	3	–	–	2	3	–	2	8	8	8	4	–
Male	20	1	–	–	1	1	–	1	5	5	5	1	–
Female	18	2	–	–	1	2	–	1	3	3	3	3	–
York, Pa	3,135	46	10	23	70	68	69	181	425	749	897	597	–
Male	1,670	24	4	15	48	51	41	128	270	431	439	219	–
Female	1,465	22	6	8	22	17	28	53	155	318	458	378	–
White	3,053	41	9	22	66	59	63	171	412	738	885	587	–
Male	1,618	20	4	14	45	44	37	121	260	424	433	216	–
Female	1,435	21	5	8	21	15	26	50	152	314	452	371	–
All other	82	5	1	1	4	9	6	10	13	11	12	10	–
Male	52	4	–	1	3	7	4	7	10	7	6	3	–
Female	30	1	1	–	1	2	2	3	3	4	6	7	–
Youngstown–Warren, Ohio	5,085	88	9	26	115	108	125	399	880	1,157	1,343	835	–
Male	2,745	42	6	17	85	72	80	246	533	699	647	318	–
Female	2,340	46	3	9	30	36	45	153	347	458	696	517	–
White	4,536	60	6	20	100	85	94	326	797	1,041	1,233	774	–
Male	2,437	28	4	13	78	58	66	204	473	633	594	286	–
Female	2,099	32	2	7	22	27	28	122	324	408	639	488	–
All other	549	28	3	6	15	23	31	73	83	116	110	61	–
Male	308	14	2	4	7	14	14	42	60	66	53	32	–
Female	241	14	1	2	8	9	17	31	23	50	57	29	–
Standard Consolidated Areas													
New York, N.Y.–Northeastern New Jersey[1]	143,280	2,894	446	710	2,541	3,338	4,570	11,303	22,355	33,247	38,301	23,525	50
Male	75,285	1,632	261	437	1,846	2,297	2,863	7,030	13,754	19,010	17,728	8,391	36
Female	67,995	1,262	185	273	695	1,041	1,707	4,273	8,601	14,237	20,573	15,134	14
White	122,096	1,641	292	456	1,828	2,141	2,815	8,426	18,229	29,049	35,079	22,105	35
Male	63,608	925	162	286	1,345	1,504	1,755	5,278	11,402	16,754	16,238	7,933	26
Female	58,488	716	130	170	483	637	1,060	3,148	6,827	12,295	18,841	14,172	9
All other	21,184	1,253	154	254	713	1,197	1,755	2,877	4,126	4,198	3,222	1,420	15
Male	11,677	707	99	151	501	793	1,108	1,752	2,352	2,256	1,490	458	10
Female	9,507	546	55	103	212	404	647	1,125	1,774	1,942	1,732	962	5
Chicago, Ill.–Northwestern Indiana[2]	66,117	2,043	305	435	1,787	1,811	2,421	5,654	11,138	14,764	15,962	9,789	8
Male	35,947	1,155	167	272	1,324	1,290	1,574	3,577	7,147	8,614	7,399	3,422	6
Female	30,170	888	138	163	463	521	847	2,077	3,991	6,150	8,563	6,367	2
White	53,449	1,100	170	291	1,230	1,086	1,526	3,968	8,861	12,241	13,994	8,975	7
Male	28,627	616	91	183	926	765	994	2,535	5,754	7,202	6,434	3,122	5
Female	24,822	484	79	108	304	321	532	1,433	3,107	5,039	7,560	5,853	2
All other	12,668	943	135	144	557	725	895	1,686	2,277	2,523	1,968	814	1
Male	7,320	539	76	89	398	525	580	1,042	1,393	1,412	965	300	1
Female	5,348	404	59	55	159	200	315	644	884	1,111	1,003	514	–

[1] Comprised of four standard metropolitan areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
01	**All causes**	1,927,788	45,945	3,279	2,163	1,652	1,335	54,374	5,649	6,381	21,200	27,300
02	Male	1,055,290	26,088	1,798	1,274	987	807	30,954	3,352	4,142	15,466	20,551
03	Female	872,498	19,857	1,481	889	665	528	23,420	2,297	2,239	5,734	6,749
04	White	1,689,722	32,212	2,397	1,643	1,260	967	38,479	4,386	5,109	18,034	21,852
05	Male	920,123	18,423	1,341	981	754	597	22,096	2,591	3,312	13,221	16,603
06	Female	769,599	13,789	1,056	662	506	370	16,383	1,795	1,797	4,813	5,249
07	All other	238,066	13,733	882	520	392	368	15,895	1,263	1,272	3,166	5,448
08	Male	135,167	7,665	457	293	233	210	8,858	761	830	2,245	3,948
09	Female	102,899	6,068	425	227	159	158	7,037	502	442	921	1,500
10	Bacillary dysentery and amebiasis—004,006	34	3	1	3	2	–	9	–	2	1	–
11	Male	21	2	1	2	1	–	6	–	1	1	–
12	Female	13	1	–	1	1	–	3	–	1	–	–
13	White	22	–	–	3	1	–	4	–	2	–	–
14	Male	13	–	–	2	–	–	2	–	1	–	–
15	Female	9	–	–	1	1	–	2	–	1	–	–
16	All other	12	3	1	–	1	–	5	–	–	1	–
17	Male	8	2	1	–	1	–	4	–	–	1	–
18	Female	4	1	–	–	–	–	1	–	–	–	–
19	Enteritis and other diarrheal diseases—008,009	1,874	733	31	12	7	5	788	12	5	8	9
20	Male	904	413	16	9	4	5	447	7	3	4	6
21	Female	970	320	15	3	3	–	341	5	2	4	3
22	White	1,360	378	19	9	3	2	411	9	4	7	7
23	Male	631	214	12	7	2	2	237	5	2	3	6
24	Female	729	164	7	2	1	–	174	4	2	4	1
25	All other	514	355	12	3	4	3	377	3	1	1	2
26	Male	273	199	4	2	2	3	210	2	1	1	–
27	Female	241	156	8	1	2	–	167	1	–	–	2
28	Tuberculosis, all forms—010-019	2,914	9	4	5	–	1	19	5	2	11	17
29	Male	1,928	6	–	3	–	–	9	1	2	7	9
30	Female	986	3	4	2	–	1	10	4	–	4	8
31	White	2,036	3	3	3	–	1	10	3	–	7	6
32	Male	1,318	2	–	2	–	–	4	–	–	6	3
33	Female	718	1	3	1	–	1	6	3	–	1	3
34	All other	878	6	1	2	–	–	9	2	2	4	11
35	Male	610	4	–	1	–	–	5	1	2	1	6
36	Female	268	2	1	1	–	–	4	1	–	3	5
37	Tuberculosis of respiratory system—010-012	2,256	5	3	1	–	–	9	3	–	6	14
38	Male	1,548	4	–	1	–	–	5	1	–	5	8
39	Female	708	1	3	–	–	–	4	2	–	1	6
40	White	1,566	–	2	1	–	–	3	1	–	5	5
41	Male	1,046	–	–	1	–	–	1	–	–	5	2
42	Female	520	–	2	–	–	–	2	1	–	–	3
43	All other	690	5	1	–	–	–	6	2	–	1	9
44	Male	502	4	–	–	–	–	4	1	–	–	6
45	Female	188	1	1	–	–	–	2	1	–	1	3
46	Tuberculosis, other forms—013-019	658	4	1	4	–	1	10	2	2	5	3
47	Male	380	2	–	2	–	–	4	–	2	2	1
48	Female	278	2	1	2	–	1	6	2	–	3	2
49	White	470	3	1	2	–	1	7	2	–	2	1
50	Male	272	2	–	1	–	–	3	–	–	1	1
51	Female	198	1	1	1	–	1	4	2	–	1	–
52	All other	188	1	–	2	–	–	3	–	2	3	2
53	Male	108	–	–	1	–	–	1	–	2	1	–
54	Female	80	1	–	1	–	–	2	–	–	2	2
55	Whooping cough—033	6	5	–	–	–	–	5	–	–	–	1
56	Male	3	2	–	–	–	–	2	–	–	–	1
57	Female	3	3	–	–	–	–	3	–	–	–	–
58	White	3	2	–	–	–	–	2	–	–	–	1
59	Male	1	–	–	–	–	–	–	–	–	–	1
60	Female	2	2	–	–	–	–	2	–	–	–	–
61	All other	3	3	–	–	–	–	3	–	–	–	–
62	Male	2	2	–	–	–	–	2	–	–	–	–
63	Female	1	1	–	–	–	–	1	–	–	–	–
64	Streptococcal sore throat and scarlet fever—034	5	–	–	1	–	–	1	1	–	1	–
65	Male	4	–	–	1	–	–	1	1	–	1	–
66	Female	1	–	–	–	–	–	–	–	–	–	–
67	White	5	–	–	1	–	–	1	1	–	1	–
68	Male	4	–	–	1	–	–	1	1	–	1	–
69	Female	1	–	–	–	–	–	–	–	–	–	–
70	All other	–	–	–	–	–	–	–	–	–	–	–
71	Male	–	–	–	–	–	–	–	–	–	–	–
72	Female	–	–	–	–	–	–	–	–	–	–	–
73	Meningococcal infections—036	403	97	53	25	18	16	209	17	29	33	14
74	Male	212	57	31	17	6	10	121	10	16	19	6
75	Female	191	40	22	8	12	6	88	7	13	14	8
76	White	323	80	48	19	15	13	175	12	23	24	8
77	Male	174	52	28	15	4	8	107	7	13	11	3
78	Female	149	28	20	4	11	5	68	5	10	13	5
79	All other	80	17	5	6	3	3	34	5	6	9	6
80	Male	38	5	3	2	2	2	14	3	3	8	3
81	Female	42	12	2	4	1	1	20	2	3	1	3

Age, Color, and Sex: United States, 1978

Revision International Classification of Diseases, Adopted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
23,674	22,148	24,682	33,487	53,595	87,800	125,438	167,413	211,228	241,031	251,270	246,056	192,592	97,709	28,895	5,101	765	01
17,103	15,105	16,139	21,073	33,710	55,901	79,943	106,565	130,795	140,838	131,554	112,840	76,007	32,982	8,465	1,287	518	02
6,571	7,043	8,543	12,414	19,885	31,899	45,495	60,848	80,433	100,193	119,716	133,216	116,585	64,727	20,430	3,814	247	03
17,945	16,689	18,431	25,385	42,718	71,957	105,633	144,904	184,575	214,349	226,438	228,562	180,961	92,051	26,560	4,145	559	04
13,072	11,396	12,094	15,980	27,092	46,191	67,907	93,075	115,345	126,176	118,904	104,268	71,013	30,810	7,603	986	388	05
4,873	5,293	6,337	9,405	15,626	25,766	37,726	51,829	69,230	88,173	107,534	124,294	109,948	61,241	18,957	3,159	171	06
5,729	5,459	6,251	8,102	10,877	15,843	19,805	22,509	26,653	26,682	24,832	17,494	11,631	5,658	2,335	956	206	07
4,031	3,709	4,045	5,093	6,618	9,710	12,036	13,490	15,450	14,662	12,650	8,572	4,994	2,172	862	301	130	08
1,698	1,750	2,206	3,009	4,259	6,133	7,769	9,019	11,203	12,020	12,182	8,922	6,637	3,486	1,473	655	76	09
2	1	1	–	1	1	2	1	1	6	1	2	3	–	–	–	–	10
1	1	1	–	1	–	2	1	1	4	1	–	–	–	–	–	–	11
1	–	–	–	–	1	–	–	–	2	–	2	3	–	–	–	–	12
2	1	–	–	–	–	1	1	1	6	1	2	1	–	–	–	–	13
1	1	–	–	–	–	1	1	1	4	1	–	–	–	–	–	–	14
1	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	15
–	–	1	–	1	1	1	–	–	–	–	–	2	–	–	–	–	16
–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	18
13	16	13	20	17	31	50	66	106	121	145	169	152	91	31	10	1	19
8	6	5	14	7	13	24	31	58	55	63	64	51	28	6	3	1	20
5	10	8	6	10	18	26	35	48	66	82	105	101	63	25	7	–	21
12	13	11	17	10	24	39	51	91	110	129	149	141	86	30	8	1	22
7	4	3	13	4	11	16	25	50	48	57	55	48	28	6	2	1	23
5	9	8	4	6	13	23	26	41	62	72	94	93	58	24	6	–	24
1	3	2	3	7	7	11	15	15	11	16	20	11	5	1	2	–	25
1	2	2	1	3	2	8	6	8	7	6	9	3	–	–	1	–	26
–	1	–	2	4	5	3	9	7	4	10	11	8	5	1	1	–	27
29	40	46	80	124	220	260	320	386	361	344	310	216	92	25	4	1	28
18	28	23	55	86	152	190	238	268	248	239	177	122	44	10	1	1	29
11	12	23	25	38	68	70	82	118	113	105	133	96	48	15	3	–	30
10	13	15	34	60	125	158	216	293	273	275	256	187	73	18	3	1	31
6	8	6	20	44	88	112	156	198	188	190	143	105	35	4	1	1	32
4	5	9	14	16	37	46	60	95	85	85	113	82	38	14	2	–	33
19	27	31	46	64	95	102	104	93	88	69	54	31	19	7	1	–	34
12	20	17	35	42	64	78	82	70	60	49	34	17	9	6	–	–	35
7	7	14	11	22	31	24	22	23	28	20	20	14	10	1	1	–	36
18	26	39	64	99	169	203	260	291	274	262	233	184	75	24	3	–	37
12	17	19	47	73	121	157	204	205	192	191	139	103	39	9	1	–	38
6	9	20	17	26	48	46	56	86	82	71	94	81	36	15	2	–	39
6	6	13	24	49	95	119	171	214	204	210	199	159	64	17	2	–	40
5	3	6	15	37	69	90	132	147	142	151	115	89	33	3	1	–	41
1	3	7	9	12	26	29	39	67	62	59	84	70	31	14	1	–	42
12	20	26	40	50	74	84	89	77	70	52	34	25	11	7	1	–	43
7	14	13	32	36	52	67	72	58	50	40	24	14	6	6	–	–	44
5	6	13	8	14	22	17	17	19	20	12	10	11	5	1	1	–	45
11	14	7	16	25	51	57	60	95	87	82	77	34	17	1	1	1	46
6	11	4	8	13	31	33	34	63	56	48	38	19	5	1	–	1	47
5	3	3	8	12	20	24	26	32	31	34	39	15	12	–	1	–	48
4	7	2	10	11	30	39	45	79	69	65	57	28	9	1	1	1	49
1	5	–	5	7	19	22	24	51	46	39	28	16	2	1	–	1	50
3	2	2	5	4	11	17	21	28	23	26	29	12	7	–	1	–	51
7	7	5	6	14	21	18	15	16	18	17	20	6	8	–	–	–	52
5	6	4	3	6	12	11	10	12	10	9	10	3	3	–	–	–	53
2	1	1	3	8	9	7	5	4	8	8	10	3	5	–	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	65
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	66
–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	68
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	72
8	6	11	5	9	10	10	7	9	9	7	5	3	2	–	–	–	73
4	4	5	4	3	4	5	1	5	2	1	1	1	–	–	–	–	74
4	2	6	1	6	6	5	6	4	7	6	4	2	2	–	–	–	75
4	5	6	5	9	7	10	6	5	9	7	4	2	2	–	–	–	76
2	3	4	4	3	4	5	1	3	2	1	1	–	–	–	–	–	77
2	2	2	1	6	3	5	5	2	7	6	3	2	2	–	–	–	78
4	1	5	–	–	3	–	1	4	–	–	1	1	–	–	–	–	79
2	1	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	80
2	–	4	–	–	3	–	1	2	–	–	1	–	–	–	–	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
01	Septicemia—038	7,800	1,093	41	14	7	3	1,158	20	22	44	49
02	Male	4,050	645	23	9	4	1	682	9	11	22	24
03	Female	3,750	448	18	5	3	2	476	11	11	22	25
04	White	6,071	761	29	12	6	1	809	13	15	35	36
05	Male	3,150	466	16	8	4	–	494	4	8	21	22
06	Female	2,921	295	13	4	2	1	315	9	7	14	14
07	All other	1,729	332	12	2	1	2	349	7	7	9	13
08	Male	900	179	7	1	–	1	188	5	3	1	2
09	Female	829	153	5	1	1	1	161	2	4	8	11
10	Acute poliomyelitis—040–043	13	1	–	–	–	–	1	–	–	–	1
11	Male	9	1	–	–	–	–	1	–	–	–	–
12	Female	4	–	–	–	–	–	–	–	–	–	1
13	White	13	1	–	–	–	–	1	–	–	–	1
14	Male	9	1	–	–	–	–	1	–	–	–	–
15	Female	4	–	–	–	–	–	–	–	–	–	1
16	All other	–	–	–	–	–	–	–	–	–	–	–
17	Male	–	–	–	–	–	–	–	–	–	–	–
18	Female	–	–	–	–	–	–	–	–	–	–	–
19	Measles—055	11	1	1	–	–	–	2	–	5	1	–
20	Male	4	–	–	–	–	–	–	–	4	–	–
21	Female	7	1	1	–	–	–	2	–	1	1	–
22	White	9	1	1	–	–	–	2	–	4	1	–
23	Male	3	–	–	–	–	–	–	–	3	–	–
24	Female	6	1	1	–	–	–	2	–	1	1	–
25	All other	2	–	–	–	–	–	–	–	1	–	–
26	Male	1	–	–	–	–	–	–	–	1	–	–
27	Female	1	–	–	–	–	–	–	–	–	–	–
28	Syphilis and its sequelae—090–097	169	6	–	–	–	–	6	–	–	–	–
29	Male	88	1	–	–	–	–	1	–	–	–	–
30	Female	81	5	–	–	–	–	5	–	–	–	–
31	White	98	4	–	–	–	–	4	–	–	–	–
32	Male	53	1	–	–	–	–	1	–	–	–	–
33	Female	45	3	–	–	–	–	3	–	–	–	–
34	All other	71	2	–	–	–	–	2	–	–	–	–
35	Male	35	–	–	–	–	–	–	–	–	–	–
36	Female	36	2	–	–	–	–	2	–	–	–	–
37	Other infective and parasitic diseases—Remainder of 000–136	4,813	320	43	23	32	15	433	80	53	136	126
38	Male	2,426	171	22	10	14	7	224	40	29	63	75
39	Female	2,387	149	21	13	18	8	209	40	24	73	51
40	White	3,861	231	31	17	25	10	314	68	43	107	85
41	Male	1,945	126	17	8	8	6	165	33	23	51	52
42	Female	1,916	105	14	9	17	4	149	35	20	56	33
43	All other	952	89	12	6	7	5	119	12	10	29	41
44	Male	481	45	5	2	6	1	59	7	6	12	23
45	Female	471	44	7	4	1	4	60	5	4	17	18
46	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	396,992	132	138	158	161	142	731	780	720	1,154	1,434
47	Male	215,997	63	74	87	104	78	406	438	428	707	883
48	Female	180,995	69	64	71	57	64	325	342	292	447	551
49	White	352,039	110	119	130	142	124	625	654	597	962	1,232
50	Male	189,956	50	63	69	91	69	342	362	360	578	762
51	Female	162,083	60	56	61	51	55	283	292	237	384	470
52	All other	44,953	22	19	28	19	18	106	126	123	192	202
53	Male	26,041	13	11	18	13	9	64	76	68	129	121
54	Female	18,912	9	8	10	6	9	42	50	55	63	81
55	Malignant neoplasms of buccal cavity and pharynx—140–149	8,341	1	–	–	2	1	4	2	5	14	20
56	Male	5,821	–	–	–	1	–	1	2	2	11	13
57	Female	2,520	1	–	–	1	1	3	–	3	3	7
58	White	7,161	1	–	–	2	1	4	2	5	8	17
59	Male	4,935	–	–	–	1	–	1	2	2	5	11
60	Female	2,226	1	–	–	1	1	3	–	3	3	6
61	All other	1,180	–	–	–	–	–	–	–	–	6	3
62	Male	886	–	–	–	–	–	–	–	–	6	2
63	Female	294	–	–	–	–	–	–	–	–	–	1
64	Malignant neoplasms of digestive organs and peritoneum—150–159	105,427	6	7	7	5	2	27	10	15	49	90
65	Male	55,215	3	4	5	3	2	17	4	10	20	47
66	Female	50,212	3	3	2	2	–	10	6	5	29	43
67	White	92,955	5	5	6	4	2	22	6	13	38	67
68	Male	48,195	3	3	4	3	2	15	3	10	14	30
69	Female	44,760	2	2	2	1	–	7	3	3	24	37
70	All other	12,472	1	2	1	1	–	5	4	2	11	23
71	Male	7,020	–	1	1	–	–	2	1	–	6	17
72	Female	5,452	1	1	–	1	–	3	3	2	5	6
73	Malignant neoplasms of respiratory system—160–163	99,898	4	1	–	1	1	7	2	7	17	29
74	Male	74,772	2	–	–	1	1	4	–	6	10	19
75	Female	25,126	2	1	–	–	–	3	2	1	7	10
76	White	88,752	4	–	–	1	1	6	2	6	13	24
77	Male	65,973	2	–	–	1	1	4	–	5	8	15
78	Female	22,779	2	–	–	–	–	2	2	1	5	9
79	All other	11,146	–	1	–	–	–	1	–	1	4	5
80	Male	8,799	–	–	–	–	–	–	–	1	2	4
81	Female	2,347	–	1	–	–	–	1	–	–	2	1

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
54	80	83	127	168	291	433	578	689	854	970	972	761	331	92	18	6	01
24	37	49	66	97	177	263	301	381	457	500	462	319	131	30	5	3	02
30	43	34	61	71	114	170	277	308	397	470	510	442	200	62	13	3	03
37	52	51	80	100	198	315	453	527	679	782	834	669	289	83	10	4	04
15	24	30	43	58	123	191	238	295	362	411	385	281	114	27	2	2	05
22	28	21	37	42	75	124	215	232	317	371	449	388	175	56	8	2	06
17	28	32	47	68	93	118	125	162	175	188	138	92	42	9	8	2	07
9	13	19	23	39	54	72	63	86	95	89	77	38	17	3	3	1	08
8	15	13	24	29	39	46	62	76	80	99	61	54	25	6	5	1	09
–	1	2	1	1	–	2	3	1	–	–	–	–	–	–	–	–	10
–	–	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–	11
–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	12
–	1	2	1	1	–	2	3	1	–	–	–	–	–	–	–	–	13
–	–	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–	14
–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	21
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	24
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
–	–	1	4	4	5	8	15	27	43	24	20	9	3	–	–	–	28
–	–	–	1	4	2	6	8	16	21	14	9	4	2	–	–	–	29
–	–	1	3	–	3	2	7	11	22	10	11	5	1	–	–	–	30
–	–	–	2	3	1	3	7	16	25	15	15	5	2	–	–	–	31
–	–	–	1	3	–	2	5	9	12	8	8	3	1	–	–	–	32
–	–	–	1	–	1	1	2	7	13	7	7	2	1	–	–	–	33
–	–	1	2	1	4	5	8	11	18	9	5	4	1	–	–	–	34
–	–	–	–	1	2	4	3	7	9	6	1	1	1	–	–	–	35
–	–	1	2	–	2	1	5	4	9	3	4	3	–	–	–	–	36
131	161	149	158	212	289	339	385	497	453	391	383	276	115	37	6	3	37
60	70	78	87	115	158	171	203	280	232	199	182	109	41	9	1	–	38
71	91	71	71	97	131	168	182	217	221	192	201	167	74	28	5	3	39
86	104	95	104	157	214	258	324	437	383	344	342	247	105	35	6	3	40
36	40	49	59	90	124	131	172	245	201	175	163	92	35	8	1	–	41
50	64	46	45	67	90	127	152	192	182	169	179	155	70	27	5	3	42
45	57	54	54	55	75	81	61	60	70	47	41	29	10	2	–	–	43
24	30	29	28	25	34	40	31	35	31	24	19	17	6	1	–	–	44
21	27	25	26	30	41	41	30	25	39	23	22	12	4	1	–	–	45
1,912	2,883	4,292	7,779	15,129	27,638	39,860	51,488	59,875	59,748	50,719	38,801	22,441	7,827	1,544	187	50	46
1,011	1,336	1,921	3,422	7,249	14,350	21,627	29,448	35,014	34,866	28,068	20,091	10,657	3,413	579	55	28	47
901	1,547	2,371	4,357	7,880	13,288	18,233	22,040	24,861	24,882	22,651	18,710	11,784	4,414	965	132	22	48
1,636	2,450	3,528	6,359	12,632	23,409	34,387	45,398	52,987	53,594	45,973	35,904	20,908	7,271	1,365	139	29	49
892	1,169	1,602	2,771	5,956	11,943	18,385	25,746	30,814	31,089	25,268	18,398	9,852	3,123	495	33	16	50
744	1,281	1,926	3,588	6,676	11,466	16,002	19,652	22,173	22,505	20,705	17,506	11,056	4,148	870	106	13	51
276	433	764	1,420	2,497	4,229	5,473	6,090	6,888	6,154	4,746	2,897	1,533	556	179	48	21	52
119	167	319	651	1,293	2,407	3,242	3,702	4,200	3,777	2,800	1,693	805	290	84	22	12	53
157	266	445	769	1,204	1,822	2,231	2,388	2,688	2,377	1,946	1,204	728	266	95	26	9	54
26	35	59	174	427	840	1,126	1,312	1,351	1,096	818	543	318	137	29	4	1	55
12	19	38	130	315	624	806	970	990	743	558	331	167	75	12	1	1	56
14	16	21	44	112	216	320	342	361	353	260	212	151	62	17	3	–	57
22	24	31	106	303	660	925	1,135	1,204	985	756	506	305	132	26	4	1	58
11	12	16	74	225	488	658	832	874	661	515	309	156	72	9	1	1	59
11	12	15	32	78	172	267	303	330	324	241	197	149	60	17	3	–	60
4	11	28	68	124	180	201	177	147	111	62	37	13	5	3	–	–	61
1	7	22	56	90	136	148	138	116	82	43	22	11	3	3	–	–	62
3	4	6	12	34	44	53	39	31	29	19	15	2	2	–	–	–	63
171	380	682	1,336	2,837	5,686	8,889	12,551	15,847	16,979	15,694	12,845	7,876	2,823	550	74	16	64
97	218	392	756	1,673	3,385	5,210	7,406	9,014	9,186	7,696	5,724	3,127	1,033	179	13	8	65
74	162	290	580	1,164	2,301	3,679	5,145	6,833	7,793	7,998	7,121	4,749	1,790	371	61	8	66
124	308	549	1,023	2,249	4,621	7,419	10,875	13,880	15,129	14,177	11,936	7,328	2,643	483	56	9	67
71	179	321	577	1,305	2,725	4,321	6,387	7,889	8,171	6,895	5,273	2,885	957	155	7	5	68
53	129	228	446	944	1,896	3,098	4,488	5,991	6,958	7,282	6,663	4,443	1,686	328	49	4	69
47	72	133	313	588	1,065	1,470	1,676	1,967	1,850	1,517	909	548	180	67	18	7	70
26	39	71	179	368	660	889	1,019	1,125	1,015	801	451	242	76	24	6	3	71
21	33	62	134	220	405	581	657	842	835	716	458	306	104	43	12	4	72
69	233	667	1,788	4,306	8,810	12,950	16,479	18,107	15,858	10,737	6,323	2,669	713	104	12	11	73
44	142	429	1,138	2,893	6,242	9,447	12,422	13,923	12,565	8,339	4,784	1,867	432	50	8	8	74
25	91	238	650	1,413	2,568	3,503	4,057	4,184	3,293	2,398	1,589	802	281	54	4	3	75
60	191	538	1,449	3,564	7,364	11,179	14,644	16,261	14,441	9,886	5,858	2,490	670	89	8	9	76
39	116	334	896	2,353	5,136	8,019	10,951	12,423	11,377	7,675	4,423	1,742	403	42	5	7	77
21	75	204	553	1,211	2,228	3,160	3,693	3,838	3,064	2,211	1,435	748	267	47	3	2	78
9	42	129	339	742	1,446	1,771	1,835	1,846	1,417	851	465	179	43	15	4	2	79
5	26	95	242	540	1,106	1,428	1,471	1,500	1,188	664	361	125	29	8	3	1	80
4	16	34	97	202	340	343	364	346	229	187	104	54	14	7	1	1	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.											
01	Malignant neoplasm of breast—174	34,609	4	–	–	–	–	4	–	–	5	21
02	Male	280	1	–	–	–	–	1	–	–	–	1
03	Female	34,329	3	–	–	–	–	3	–	–	5	20
04	White	31,285	4	–	–	–	–	4	–	–	3	17
05	Male	239	1	–	–	–	–	1	–	–	–	1
06	Female	31,046	3	–	–	–	–	3	–	–	3	16
07	All other	3,324	–	–	–	–	–	–	–	–	2	4
08	Male	41	–	–	–	–	–	–	–	–	–	–
09	Female	3,283	–	–	–	–	–	–	–	–	2	4
10	Malignant neoplasms of genital organs—180–187	45,131	–	–	1	–	1	2	1	10	75	177
11	Male	22,480	–	–	1	–	1	2	–	4	48	108
12	Female	22,651	–	–	–	–	–	–	1	6	27	69
13	White	38,616	–	–	1	–	–	1	1	8	64	155
14	Male	18,925	–	–	1	–	–	1	–	4	42	102
15	Female	19,691	–	–	–	–	–	–	1	4	22	53
16	All other	6,515	–	–	–	–	1	1	–	2	11	22
17	Male	3,555	–	–	–	–	1	1	–	–	6	6
18	Female	2,960	–	–	–	–	–	–	–	2	5	16
19	Malignant neoplasms of urinary organs—188,189	17,574	9	8	5	8	7	37	38	10	14	19
20	Male	11,580	5	3	2	5	5	20	17	4	7	9
21	Female	5,994	4	5	3	3	2	17	21	6	7	10
22	White	16,098	8	7	5	5	5	30	29	7	8	15
23	Male	10,665	4	2	2	3	3	14	13	2	5	5
24	Female	5,433	4	5	3	2	2	16	16	5	3	10
25	All other	1,476	1	1	–	3	2	7	9	3	6	4
26	Male	915	1	1	–	2	2	6	4	2	2	4
27	Female	561	–	–	–	1	–	1	5	1	4	–
28	Malignant neoplasms of all other and unspecified sites—170–173,190–199	48,943	61	61	85	80	64	351	282	268	454	465
29	Male	25,706	32	39	45	46	28	190	161	144	263	288
30	Female	23,237	29	22	40	34	36	161	121	124	191	177
31	White	43,487	53	53	68	73	56	303	235	220	378	403
32	Male	22,786	25	34	34	41	27	161	132	119	211	251
33	Female	20,701	28	19	34	32	29	142	103	101	167	152
34	All other	5,456	8	8	17	7	8	48	47	48	76	62
35	Male	2,920	7	5	11	5	1	29	29	25	52	37
36	Female	2,536	1	3	6	2	7	19	18	23	24	25
37	Leukemia—204–207	15,391	37	55	56	52	61	261	381	319	356	340
38	Male	8,683	14	23	32	35	36	140	210	200	237	214
39	Female	6,708	23	32	24	17	25	121	171	119	119	126
40	White	14,059	27	48	47	46	55	223	330	269	313	296
41	Male	7,909	10	19	27	31	32	119	180	171	204	184
42	Female	6,150	17	29	20	15	23	104	150	98	109	112
43	All other	1,332	10	7	9	6	6	38	51	50	43	44
44	Male	774	4	4	5	4	4	21	30	29	33	30
45	Female	558	6	3	4	2	2	17	21	21	10	14
46	Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21,678	10	6	4	13	5	38	64	86	170	273
47	Male	11,460	6	5	2	13	5	31	44	58	111	184
48	Female	10,218	4	1	2	–	–	7	20	28	59	89
49	White	19,626	8	6	3	11	4	32	49	69	137	238
50	Male	10,329	5	5	1	11	4	26	32	47	89	163
51	Female	9,297	3	1	2	–	–	6	17	22	48	75
52	All other	2,052	2	–	1	2	1	6	15	17	33	35
53	Male	1,131	1	–	1	2	1	5	12	11	22	21
54	Female	921	1	–	–	–	–	1	3	6	11	14
55	Benign neoplasms and neoplasms of unspecified nature—210–239	4,963	57	11	15	3	8	94	40	43	73	63
56	Male	2,340	23	8	10	2	7	50	25	27	36	26
57	Female	2,623	34	3	5	1	1	44	15	16	37	37
58	White	4,364	48	9	12	3	7	79	32	35	66	48
59	Male	2,067	22	7	8	2	6	45	20	21	33	19
60	Female	2,297	26	2	4	1	1	34	12	14	33	29
61	All other	599	9	2	3	–	1	15	8	8	7	15
62	Male	273	1	1	2	–	1	5	5	6	3	7
63	Female	326	8	1	1	–	–	10	3	2	4	8
64	Diabetes mellitis—250	33,841	8	5	2	1	1	17	12	21	37	103
65	Male	13,910	4	2	1	1	–	8	4	8	17	46
66	Female	19,931	4	3	1	–	1	9	8	13	20	57
67	White	28,299	3	5	2	–	–	10	10	18	25	87
68	Male	11,846	1	2	1	–	–	4	4	7	10	41
69	Female	16,453	2	3	1	–	–	6	6	11	15	46
70	All other	5,542	5	–	–	1	1	7	2	3	12	16
71	Male	2,064	3	–	–	1	–	4	–	1	7	5
72	Female	3,478	2	–	–	–	1	3	2	2	5	11
73	Avitaminoses and other nutritional deficiencies—260–269	2,855	69	10	1	2	3	85	7	4	8	13
74	Male	1,161	34	6	1	1	3	45	4	2	2	7
75	Female	1,694	35	4	–	1	–	40	3	2	6	6
76	White	2,418	35	8	1	2	1	47	5	2	5	7
77	Male	952	18	4	1	1	1	25	2	1	1	3
78	Female	1,466	17	4	–	1	–	22	3	1	4	4
79	All other	437	34	2	–	–	2	38	2	2	3	6
80	Male	209	16	2	–	–	2	20	2	1	1	4
81	Female	228	18	–	–	–	–	18	–	1	2	2

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
112	449	782	1,338	2,423	3,702	4,480	4,625	4,334	4,111	3,294	2,509	1,614	635	143	24	4	01
–	1	2	7	14	17	22	41	45	39	33	27	22	7	1	–	–	02
112	448	780	1,331	2,409	3,685	4,458	4,584	4,289	4,072	3,261	2,482	1,592	628	142	24	4	03
89	372	629	1,117	2,098	3,286	4,035	4,221	3,969	3,788	3,055	2,343	1,512	596	128	21	2	04
–	1	1	7	14	14	18	35	34	34	29	25	17	7	1	–	–	05
89	371	628	1,110	2,084	3,272	4,017	4,186	3,935	3,754	3,026	2,318	1,495	589	127	21	2	06
23	77	153	221	325	416	445	404	365	323	239	166	102	39	15	3	2	07
–	–	1	–	–	3	4	6	11	5	4	2	5	–	–	–	–	08
23	77	152	221	325	413	441	398	354	318	235	164	97	39	15	3	2	09
251	336	425	802	1,323	2,201	3,233	4,695	6,219	7,039	7,004	5,980	3,794	1,313	212	29	10	10
94	91	53	59	97	275	675	1,609	2,916	4,032	4,507	4,128	2,637	968	151	19	7	11
157	245	372	743	1,226	1,926	2,558	3,086	3,303	3,007	2,497	1,852	1,157	345	61	10	3	12
208	279	332	642	1,102	1,867	2,722	3,970	5,178	5,983	5,992	5,317	3,441	1,161	173	17	3	13
86	88	50	52	75	225	504	1,273	2,329	3,346	3,775	3,614	2,377	849	120	12	1	14
122	191	282	590	1,027	1,642	2,218	2,697	2,849	2,637	2,217	1,703	1,064	312	53	5	2	15
43	57	93	160	221	334	511	725	1,041	1,056	1,012	663	353	152	39	12	7	16
8	3	3	7	22	50	171	336	587	686	732	514	260	119	31	7	6	17
35	54	90	153	199	284	340	389	454	370	280	149	93	33	8	5	1	18
35	44	75	200	462	814	1,406	1,953	2,592	2,840	2,704	2,249	1,423	534	118	7	–	19
18	26	49	138	332	596	971	1,385	1,786	1,953	1,757	1,398	794	268	48	4	–	20
17	18	26	62	130	218	435	568	806	887	947	851	629	266	70	3	–	21
26	37	59	169	399	725	1,265	1,774	2,337	2,576	2,525	2,125	1,366	509	112	5	–	22
14	24	39	118	290	539	881	1,272	1,630	1,784	1,645	1,320	767	254	46	3	–	23
12	13	20	51	109	186	384	502	707	792	880	805	599	255	66	2	–	24
9	7	16	31	63	89	141	179	255	264	179	124	57	25	6	2	–	25
4	2	10	20	42	57	90	113	156	169	112	78	27	14	2	1	–	26
5	5	6	11	21	32	51	66	99	95	67	46	30	11	4	1	–	27
601	729	923	1,299	2,173	3,557	4,924	5,994	6,646	6,506	5,579	4,398	2,575	955	236	24	4	28
338	441	534	711	1,231	2,053	2,843	3,398	3,671	3,425	2,713	1,822	1,069	321	79	10	1	29
263	288	389	588	942	1,504	2,081	2,596	2,975	3,081	2,866	2,576	1,506	634	157	14	3	30
529	654	801	1,133	1,885	3,067	4,284	5,304	5,840	5,804	5,040	4,077	2,408	884	217	17	4	31
306	397	473	630	1,078	1,773	2,479	2,994	3,225	3,059	2,463	1,673	998	289	69	5	1	32
223	257	328	503	807	1,294	1,805	2,310	2,615	2,745	2,577	2,404	1,410	595	148	12	3	33
72	75	122	166	288	490	640	690	806	702	539	321	167	71	19	7	–	34
32	44	61	81	153	280	364	404	446	366	250	149	71	32	10	5	–	35
40	31	61	85	135	210	276	286	360	336	289	172	96	39	9	2	–	36
309	315	318	367	478	734	961	1,301	1,716	1,979	1,976	1,746	1,041	384	100	8	1	37
193	183	180	193	274	418	566	784	1,022	1,190	1,046	906	510	177	39	–	1	38
116	132	138	174	204	316	395	517	694	789	930	840	531	207	61	8	–	39
274	260	274	309	414	660	854	1,178	1,589	1,835	1,846	1,668	999	367	92	8	1	40
174	159	157	162	239	378	518	708	944	1,098	965	858	483	171	36	–	1	41
100	101	117	147	175	282	336	470	645	737	881	810	516	196	56	8	–	42
35	55	44	58	64	74	107	123	127	144	130	78	42	17	8	–	–	43
19	24	23	31	35	40	48	76	78	92	81	48	27	6	3	–	–	44
16	31	21	27	29	34	59	47	49	52	49	30	15	11	5	–	–	45
338	362	361	475	700	1,294	1,891	2,578	3,063	3,340	2,913	2,208	1,131	333	52	5	3	46
215	215	244	290	420	740	1,087	1,433	1,647	1,733	1,419	971	464	132	20	–	2	47
123	147	117	185	280	554	804	1,145	1,416	1,607	1,494	1,237	667	201	32	5	1	48
304	325	315	411	618	1,159	1,704	2,297	2,729	3,053	2,696	2,074	1,059	309	45	3	–	49
191	193	211	255	377	665	987	1,294	1,466	1,559	1,306	903	427	121	17	–	–	50
113	132	104	156	241	494	717	1,003	1,263	1,494	1,390	1,171	632	188	28	3	–	51
34	37	46	64	82	135	187	281	334	287	217	134	72	24	7	2	3	52
24	22	33	35	43	75	100	139	181	174	113	68	37	11	3	–	2	53
10	15	13	29	39	60	87	142	153	113	104	66	35	13	4	2	1	54
65	86	101	117	200	276	398	513	655	663	605	493	296	152	26	4	–	55
25	48	53	55	101	127	192	257	340	344	262	205	107	50	9	1	–	56
40	38	48	62	99	149	206	256	315	319	343	288	189	102	17	3	–	57
51	74	78	97	158	247	333	445	583	590	547	456	278	142	23	2	–	58
20	42	43	45	83	115	161	226	309	307	233	191	98	49	7	–	–	59
31	32	35	52	75	132	172	219	274	283	314	265	180	93	16	2	–	60
14	12	23	20	42	29	65	68	72	73	58	37	18	10	3	2	–	61
5	6	10	10	18	12	31	31	31	37	29	14	9	1	2	1	–	62
9	6	13	10	24	17	34	37	41	36	29	23	9	9	1	1	–	63
224	340	398	522	811	1,416	2,298	3,265	4,409	5,220	5,356	4,713	3,202	1,196	252	24	5	64
114	204	234	287	432	759	1,136	1,528	1,996	2,182	2,037	1,545	967	331	67	7	1	65
110	136	164	235	379	657	1,162	1,737	2,413	3,038	3,319	3,168	2,235	865	185	17	4	66
171	263	292	383	607	1,035	1,754	2,593	3,558	4,348	4,591	4,254	2,945	1,101	234	16	4	67
84	161	171	215	348	597	905	1,272	1,666	1,893	1,787	1,408	902	306	59	5	1	68
87	102	121	168	259	438	849	1,321	1,892	2,455	2,804	2,846	2,043	795	175	11	3	69
53	77	106	139	204	381	544	672	851	872	765	459	257	95	18	8	1	70
30	43	63	72	84	162	231	256	330	289	250	137	65	25	8	2	–	71
23	34	43	67	120	219	313	416	521	583	515	322	192	70	10	6	1	72
20	13	17	17	37	57	77	133	158	252	403	513	500	387	116	37	1	73
7	5	9	8	22	30	40	70	87	123	165	202	189	114	23	7	–	74
13	8	8	9	15	27	37	63	71	129	238	311	311	273	93	30	1	75
18	9	12	14	24	42	59	108	124	201	353	460	442	358	99	28	1	76
6	3	5	6	12	20	29	59	67	97	147	181	163	104	17	4	–	77
12	6	7	8	12	22	30	49	57	104	206	279	279	254	82	24	1	78
2	4	5	3	13	15	18	25	34	51	50	53	58	29	17	9	–	79
1	2	4	2	10	10	11	11	20	26	18	21	26	10	6	3	–	80
1	2	1	1	3	5	7	14	14	25	32	32	32	19	11	6	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
01	Anemias—280–285	3,300	23	33	18	15	12	101	41	46	64	58
02	Male	1,487	18	16	10	7	8	59	22	20	37	26
03	Female	1,813	5	17	8	8	4	42	19	26	27	32
04	White	2,632	8	6	6	3	4	27	21	32	38	24
05	Male	1,171	7	4	2	–	3	16	12	12	23	11
06	Female	1,461	1	2	4	3	1	11	9	20	15	13
07	All other	668	15	27	12	12	8	74	20	14	26	34
08	Male	316	11	12	8	7	5	43	10	8	14	15
09	Female	352	4	15	4	5	3	31	10	6	12	19
10	Meningitis—320	1,560	532	105	59	37	19	752	49	29	32	26
11	Male	864	312	70	37	22	14	455	24	18	20	18
12	Female	696	220	35	22	15	5	297	25	11	12	8
13	White	1,128	360	80	46	25	15	526	35	18	22	20
14	Male	629	216	55	27	15	11	324	20	8	14	14
15	Female	499	144	25	19	10	4	202	15	10	8	6
16	All other	432	172	25	13	12	4	226	14	11	10	6
17	Male	235	96	15	10	7	3	131	4	10	6	4
18	Female	197	76	10	3	5	1	95	10	1	4	2
19	Major cardiovascular diseases—390–448	966,120	1,058	188	84	61	59	1,450	246	338	664	1,040
20	Male	501,743	588	96	45	37	30	796	126	190	391	603
21	Female	464,377	470	92	39	24	29	654	120	148	273	437
22	White	866,914	719	127	64	41	47	998	191	253	510	733
23	Male	450,248	413	66	35	26	27	567	101	145	303	446
24	Female	416,666	306	61	29	15	20	431	90	108	207	287
25	All other	99,206	339	61	20	20	12	452	55	85	154	307
26	Male	51,495	175	30	10	11	3	229	25	45	88	157
27	Female	47,711	164	31	10	9	9	223	30	40	66	150
28	Diseases of heart—390–398,402,404,410–429	729,510	843	138	56	43	42	1,122	143	214	427	671
29	Male	398,267	466	68	26	22	19	601	70	113	265	407
30	Female	331,243	377	70	30	21	23	521	73	101	162	264
31	White	657,702	586	85	40	28	32	771	108	153	308	455
32	Male	359,700	338	42	18	16	17	431	52	83	193	289
33	Female	298,002	248	43	22	12	15	340	56	70	115	166
34	All other	71,808	257	53	16	15	10	351	35	61	119	216
35	Male	38,567	128	26	8	6	2	170	18	30	72	118
36	Female	33,241	129	27	8	9	8	181	17	31	47	98
37	Active rheumatic fever and chronic rheumatic heart disease—390–398	13,402	3	7	5	1	4	20	10	20	39	87
38	Male	5,814	3	2	1	1	3	10	4	11	27	51
39	Female	7,588	–	5	4	–	1	10	6	9	12	36
40	White	12,222	3	3	2	1	4	13	6	9	20	56
41	Male	5,284	3	1	1	1	3	9	4	6	14	33
42	Female	6,938	–	2	1	–	1	4	2	3	6	23
43	All other	1,180	–	4	3	–	–	7	4	11	19	31
44	Male	530	–	1	–	–	–	1	–	5	13	18
45	Female	650	–	3	3	–	–	6	4	6	6	13
46	Hypertensive heart disease—402	7,087	1	–	–	–	2	3	–	–	–	9
47	Male	2,920	1	–	–	–	2	3	–	–	–	6
48	Female	4,167	–	–	–	–	–	–	–	–	–	3
49	White	5,507	1	–	–	–	2	3	–	–	–	4
50	Male	2,192	1	–	–	–	2	3	–	–	–	3
51	Female	3,315	–	–	–	–	–	–	–	–	–	1
52	All other	1,580	–	–	–	–	–	–	–	–	–	5
53	Male	728	–	–	–	–	–	–	–	–	–	3
54	Female	852	–	–	–	–	–	–	–	–	–	2
55	Hypertensive heart and renal disease—404	3,249	3	–	–	–	–	3	–	1	1	3
56	Male	1,458	2	–	–	–	–	2	–	–	1	3
57	Female	1,791	1	–	–	–	–	1	–	1	–	–
58	White	2,744	2	–	–	–	–	2	–	1	1	2
59	Male	1,213	1	–	–	–	–	1	–	–	1	2
60	Female	1,531	1	–	–	–	–	1	–	1	–	–
61	All other	505	1	–	–	–	–	1	–	–	–	1
62	Male	245	1	–	–	–	–	1	–	–	–	1
63	Female	260	–	–	–	–	–	–	–	–	–	–
64	Ischemic heart disease—410–413	642,270	12	3	1	–	–	16	10	10	33	105
65	Male	353,669	6	2	–	–	–	8	6	5	23	75
66	Female	288,601	6	1	1	–	–	8	4	5	10	30
67	White	583,974	9	3	–	–	–	12	7	6	26	72
68	Male	322,161	5	2	–	–	–	7	4	3	18	55
69	Female	261,813	4	1	–	–	–	5	3	3	8	17
70	All other	58,296	3	–	1	–	–	4	3	4	7	33
71	Male	31,508	1	–	–	–	–	1	2	2	5	20
72	Female	26,788	2	–	1	–	–	3	1	2	2	13
73	Acute myocardial infarction—410	302,664	11	3	1	–	–	15	3	9	26	66
74	Male	184,121	5	2	–	–	–	7	1	5	19	47
75	Female	118,543	6	1	1	–	–	8	2	4	7	19
76	White	279,770	8	3	–	–	–	11	1	5	20	45
77	Male	171,122	4	2	–	–	–	6	–	3	14	33
78	Female	108,648	4	1	–	–	–	5	1	2	6	12
79	All other	22,894	3	–	1	–	–	4	2	4	6	21
80	Male	12,999	1	–	–	–	–	1	1	2	5	14
81	Female	9,895	2	–	1	–	–	3	1	2	1	7

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adopted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
75	61	37	53	72	106	133	193	265	318	437	518	419	226	66	10	1	01
36	35	22	26	39	47	58	91	124	172	189	213	162	78	29	2	–	02
39	26	15	27	33	59	75	102	141	146	248	305	257	148	37	8	1	03
26	28	16	19	42	69	100	157	223	271	386	477	391	216	61	8	–	04
16	17	11	9	21	29	45	77	107	142	169	195	154	76	27	2	–	05
10	11	5	10	21	40	55	80	116	129	217	282	237	140	34	6	–	06
49	33	21	34	30	37	33	36	42	47	51	41	28	10	5	2	1	07
20	18	11	17	18	18	13	14	17	30	20	18	8	2	2	–	–	08
29	15	10	17	12	19	20	22	25	17	31	23	20	8	3	2	1	09
30	31	22	31	39	49	73	68	82	74	77	43	44	5	3	1	–	10
14	17	14	18	23	24	37	37	42	34	33	20	14	1	1	–	–	11
16	14	8	13	16	25	36	31	40	40	44	23	30	4	2	1	–	12
22	19	13	26	28	31	46	55	66	60	58	35	41	4	2	1	–	13
9	11	9	14	16	15	24	32	33	31	26	16	13	–	–	–	–	14
13	8	4	12	12	16	22	23	33	29	32	19	28	4	2	1	–	15
8	12	9	5	11	18	27	13	16	14	19	8	3	1	1	–	–	16
5	6	5	4	7	9	13	5	9	3	7	4	1	1	1	–	–	17
3	6	4	1	4	9	14	8	7	11	12	4	2	–	–	–	–	18
1,490	2,480	4,904	9,446	18,302	33,437	52,687	75,813	103,582	129,211	147,195	156,608	131,119	70,395	21,673	3,775	265	19
896	1,637	3,429	6,816	13,418	24,358	37,536	51,814	66,085	74,933	73,976	67,279	48,199	22,185	6,020	895	161	20
594	843	1,475	2,630	4,884	9,079	15,151	23,999	37,497	54,278	73,219	89,329	82,920	48,210	15,653	2,880	104	21
995	1,782	3,653	7,160	14,624	27,468	44,389	65,578	90,465	115,153	132,962	146,183	123,835	66,618	20,040	3,142	182	22
613	1,196	2,633	5,367	11,138	20,670	32,511	45,820	58,792	67,671	67,223	62,605	45,312	20,860	5,454	706	115	23
382	586	1,020	1,793	3,486	6,798	11,878	19,758	31,673	47,482	65,739	83,578	78,523	45,758	14,586	2,436	67	24
495	698	1,251	2,286	3,678	5,969	8,298	10,235	13,117	14,058	14,233	10,425	7,284	3,777	1,633	633	83	25
283	441	796	1,449	2,280	3,688	5,025	5,994	7,293	7,262	6,753	4,674	2,887	1,325	566	189	46	26
212	257	455	837	1,398	2,281	3,273	4,241	5,824	6,796	7,480	5,751	4,397	2,452	1,067	444	37	27
975	1,823	3,765	7,604	15,403	28,276	44,657	63,228	83,677	100,203	109,224	111,600	90,804	48,207	14,702	2,566	219	28
632	1,305	2,860	5,831	11,874	21,620	32,954	44,466	54,737	59,592	56,288	49,540	34,407	15,721	4,223	624	137	29
343	518	905	1,773	3,529	6,656	11,703	18,762	28,940	40,611	52,936	62,060	56,397	32,486	10,479	1,942	82	30
658	1,312	2,876	5,896	12,600	23,638	38,253	55,415	73,996	90,156	99,266	104,457	85,861	45,599	13,630	2,141	153	31
433	969	2,254	4,711	10,095	18,635	28,961	39,796	49,249	54,276	51,415	46,245	32,403	14,774	3,841	495	100	32
225	343	622	1,185	2,505	5,003	9,292	15,619	24,747	35,880	47,851	58,212	53,458	30,825	9,789	1,646	53	33
317	511	889	1,708	2,803	4,638	6,404	7,813	9,681	10,047	9,958	7,143	4,943	2,608	1,072	425	66	34
199	336	606	1,120	1,779	2,985	3,993	4,670	5,488	5,316	4,873	3,295	2,004	947	382	129	37	35
118	175	283	588	1,024	1,653	2,411	3,143	4,193	4,731	5,085	3,848	2,939	1,661	690	296	29	36
95	145	204	322	503	805	1,205	1,543	1,984	2,054	1,774	1,378	811	314	72	15	2	37
47	81	103	163	238	423	618	705	894	863	692	499	277	95	9	3	1	38
48	64	101	159	265	382	587	838	1,090	1,191	1,082	879	534	219	63	12	1	39
60	103	157	254	418	699	1,081	1,422	1,862	1,939	1,648	1,314	778	303	67	12	1	40
32	59	81	124	212	366	558	662	834	807	643	472	263	94	8	2	1	41
28	44	76	130	206	333	523	760	1,028	1,132	1,005	842	515	209	59	10	–	42
35	42	47	68	85	106	124	121	122	115	126	64	33	11	5	3	1	43
15	22	22	39	26	57	60	43	60	56	49	27	14	1	1	1	–	44
20	20	25	29	59	49	64	78	62	59	77	37	19	10	4	2	1	45
16	36	61	106	171	322	446	667	849	957	1,065	1,037	819	409	99	15	–	46
12	27	39	66	103	196	255	352	434	414	383	318	203	90	18	1	–	47
4	9	22	40	68	126	191	315	415	543	682	719	616	319	81	14	–	48
10	15	26	56	91	211	289	474	640	707	855	915	748	367	88	8	–	49
8	14	20	37	57	135	170	263	330	309	295	269	184	79	15	1	–	50
2	1	6	19	34	76	119	211	310	398	560	646	564	288	73	7	–	51
6	21	35	50	80	111	157	193	209	250	210	122	71	42	11	7	–	52
4	13	19	29	46	61	85	89	104	105	88	49	19	11	3	–	–	53
2	8	16	21	34	50	72	104	105	145	122	73	52	31	8	7	–	54
8	12	7	13	30	45	107	133	247	396	475	668	603	362	116	17	2	55
5	6	5	6	12	25	60	61	133	218	212	291	253	126	36	3	–	56
3	6	2	7	18	20	47	72	114	178	263	377	350	236	80	14	2	57
4	7	3	8	9	20	62	98	184	321	405	592	574	328	105	16	2	58
2	2	2	5	3	14	35	43	109	175	172	262	239	111	32	3	–	59
2	5	1	3	6	6	27	55	75	146	233	330	335	217	73	13	2	60
4	5	4	5	21	25	45	35	63	75	70	76	29	34	11	1	–	61
3	4	3	1	9	11	25	18	24	43	40	29	14	15	4	–	–	62
1	1	1	4	12	14	20	17	39	32	30	47	15	19	7	1	–	63
363	1,032	2,687	6,048	12,862	24,165	38,635	55,379	73,610	88,927	97,915	100,024	81,567	43,253	13,163	2,269	197	64
280	827	2,199	4,868	10,304	18,965	29,224	39,697	48,819	53,542	50,871	44,529	30,855	14,102	3,780	564	126	65
83	205	488	1,180	2,558	5,200	9,411	15,682	24,791	35,385	47,044	55,495	50,712	29,151	9,383	1,705	71	66
250	790	2,159	4,823	10,778	20,427	33,481	48,934	65,583	80,483	89,516	93,970	77,341	41,026	12,248	1,900	142	67
198	643	1,811	4,047	8,935	16,522	25,931	35,771	44,233	49,029	46,752	41,760	29,161	13,289	3,447	449	96	68
52	147	348	776	1,843	3,905	7,550	13,163	21,350	31,454	42,764	52,210	48,180	27,737	8,801	1,451	46	69
113	242	528	1,225	2,084	3,738	5,154	6,445	8,027	8,444	8,399	6,054	4,226	2,227	915	369	55	70
82	184	388	821	1,369	2,443	3,293	3,926	4,586	4,513	4,119	2,769	1,694	813	333	115	30	71
31	58	140	404	715	1,295	1,861	2,519	3,441	3,931	4,280	3,285	2,532	1,414	582	254	25	72
204	640	1,650	3,746	7,993	14,780	23,474	32,793	42,427	47,168	46,497	39,746	26,596	11,352	2,946	473	60	73
161	507	1,360	3,099	6,536	11,861	18,069	23,969	28,755	29,275	25,264	19,033	10,941	4,094	933	146	39	74
43	133	290	647	1,457	2,919	5,405	8,824	13,672	17,893	21,233	20,713	15,655	7,258	2,013	327	21	75
150	513	1,391	3,177	7,075	13,077	21,225	30,003	38,978	43,718	43,433	37,704	25,332	10,769	2,716	385	42	76
115	410	1,172	2,698	5,934	10,741	16,632	22,241	26,771	27,388	23,707	18,025	10,381	3,864	838	119	30	77
35	103	219	479	1,141	2,336	4,593	7,762	12,207	16,330	19,726	19,679	14,951	6,905	1,878	266	12	78
54	127	259	569	918	1,703	2,249	2,790	3,449	3,450	3,064	2,042	1,264	583	230	88	18	79
46	97	188	401	602	1,120	1,437	1,728	1,984	1,887	1,557	1,008	560	230	95	27	9	80
8	30	71	168	316	583	812	1,062	1,465	1,563	1,507	1,034	704	353	135	61	9	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular diseases—Con.											
	Diseases of heart—Con.											
	Ischemic heart disease—Con.											
01	Other acute and subacute forms of ischemic heart disease—411	4,090	–	–	–	–	–	–	3	–	–	1
02	Male	2,623	–	–	–	–	–	–	1	–	–	1
03	Female	1,467	–	–	–	–	–	–	2	–	–	–
04	White	3,534	–	–	–	–	–	–	3	–	–	1
05	Male	2,265	–	–	–	–	–	–	1	–	–	1
06	Female	1,269	–	–	–	–	–	–	2	–	–	–
07	All other	556	–	–	–	–	–	–	–	–	–	–
08	Male	358	–	–	–	–	–	–	–	–	–	–
09	Female	198	–	–	–	–	–	–	–	–	–	–
10	Chronic ischemic heart disease—412	335,263	1	–	–	–	–	1	4	1	6	38
11	Male	166,788	1	–	–	–	–	1	4	–	3	27
12	Female	168,475	–	–	–	–	–	–	–	1	3	11
13	White	300,447	1	–	–	–	–	1	3	1	5	26
14	Male	148,655	1	–	–	–	–	1	3	–	3	21
15	Female	151,792	–	–	–	–	–	–	–	1	2	5
16	All other	34,816	–	–	–	–	–	–	1	–	1	12
17	Male	18,133	–	–	–	–	–	–	1	–	–	6
18	Female	16,683	–	–	–	–	–	–	–	–	1	6
19	Angina pectoris—413	253	–	–	–	–	–	–	–	–	1	–
20	Male	137	–	–	–	–	–	–	–	–	1	–
21	Female	116	–	–	–	–	–	–	–	–	–	–
22	White	223	–	–	–	–	–	–	–	–	1	–
23	Male	119	–	–	–	–	–	–	–	–	1	–
24	Female	104	–	–	–	–	–	–	–	–	–	–
25	All other	30	–	–	–	–	–	–	–	–	–	–
26	Male	18	–	–	–	–	–	–	–	–	–	–
27	Female	12	–	–	–	–	–	–	–	–	–	–
28	Chronic disease of endocardium and other myocardial insufficiency—424,428	4,072	24	10	5	4	1	44	13	22	34	42
29	Male	2,003	14	4	1	4	–	23	7	15	23	23
30	Female	2,069	10	6	4	–	1	21	6	7	11	19
31	White	3,538	18	6	5	2	1	32	10	14	27	30
32	Male	1,712	12	2	1	2	–	17	5	9	21	20
33	Female	1,826	6	4	4	–	1	15	5	5	6	10
34	All other	534	6	4	–	2	–	12	3	8	7	12
35	Male	291	2	2	–	2	–	6	2	6	2	3
36	Female	243	4	2	–	–	–	6	1	2	5	9
37	All other forms of heart disease—420–423,425–427,429	59,430	800	118	45	38	35	1,036	110	161	320	425
38	Male	32,403	440	60	24	17	14	555	53	82	191	249
39	Female	27,027	360	58	21	21	21	481	57	79	129	176
40	White	49,717	553	73	33	25	25	709	85	123	234	291
41	Male	27,138	316	37	16	13	12	394	39	65	139	176
42	Female	22,579	237	36	17	12	13	315	46	58	95	115
43	All other	9,713	247	45	12	13	10	327	25	38	86	134
44	Male	5,265	124	23	8	4	2	161	14	17	52	73
45	Female	4,448	123	22	4	9	8	166	11	21	34	61
46	Hypertension—400,401,403	5,490	1	–	1	–	–	2	–	1	3	14
47	Male	2,585	1	–	–	–	–	1	–	–	1	9
48	Female	2,905	–	–	1	–	–	1	–	1	2	5
49	White	4,410	1	–	1	–	–	2	–	1	3	8
50	Male	2,055	1	–	–	–	–	1	–	–	1	6
51	Female	2,355	–	–	1	–	–	1	–	1	2	2
52	All other	1,080	–	–	–	–	–	–	–	–	–	6
53	Male	530	–	–	–	–	–	–	–	–	–	3
54	Female	550	–	–	–	–	–	–	–	–	–	3
55	Cerebrovascular diseases—430–438	175,629	175	44	23	18	15	275	90	109	191	282
56	Male	73,648	95	25	15	15	10	160	48	69	100	145
57	Female	101,981	80	19	8	3	5	115	42	40	91	137
58	White	153,800	106	37	19	13	13	188	72	86	163	213
59	Male	63,439	57	21	13	10	9	110	43	55	87	117
60	Female	90,361	49	16	6	3	4	78	29	31	76	96
61	All other	21,829	69	7	4	5	2	87	18	23	28	69
62	Male	10,209	38	4	2	5	1	50	5	14	13	28
63	Female	11,620	31	3	2	–	1	37	13	9	15	41
64	Cerebral hemorrhage—431	22,633	116	12	3	3	2	136	29	31	67	98
65	Male	10,218	61	5	2	3	–	71	14	23	31	52
66	Female	12,415	55	7	1	–	2	65	15	8	36	46
67	White	18,980	65	12	3	3	1	84	23	23	58	74
68	Male	8,341	35	5	2	3	–	45	13	17	28	40
69	Female	10,639	30	7	1	–	1	39	10	6	30	34
70	All other	3,653	51	–	–	–	1	52	6	8	9	24
71	Male	1,877	26	–	–	–	–	26	1	6	3	12
72	Female	1,776	25	–	–	–	1	26	5	2	6	12
73	Cerebral thrombosis—433	38,710	7	6	–	–	1	14	4	3	5	21
74	Male	15,942	6	5	–	–	–	11	3	2	4	7
75	Female	22,768	1	1	–	–	1	3	1	1	1	14
76	White	34,730	4	4	–	–	1	9	4	3	5	16
77	Male	14,081	3	3	–	–	–	6	3	2	4	6
78	Female	20,649	1	1	–	–	1	3	1	1	1	10
79	All other	3,980	3	2	–	–	–	5	–	–	–	5
80	Male	1,861	3	2	–	–	–	5	–	–	–	1
81	Female	2,119	–	–	–	–	–	–	–	–	–	4

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
7	11	37	83	169	264	384	457	571	556	506	439	361	173	55	6	7	01
5	10	28	65	142	203	303	343	419	384	288	203	149	60	12	2	5	02
2	1	9	18	27	61	81	114	152	172	218	236	212	113	43	4	2	03
4	9	31	62	138	222	317	387	497	478	433	399	325	165	52	5	6	04
3	8	25	52	118	173	253	292	370	337	247	182	131	56	11	1	4	05
1	1	6	10	20	49	64	95	127	141	186	217	194	109	41	4	2	06
3	2	6	21	31	42	67	70	74	78	73	40	36	8	3	1	1	07
2	2	3	13	24	30	50	51	49	47	41	21	18	4	1	1	1	08
1	–	3	8	7	12	17	19	25	31	32	19	18	4	2	–	–	09
152	380	1,000	2,214	4,692	9,110	14,755	22,104	30,580	41,171	50,858	59,816	54,583	31,720	10,160	1,788	130	10
114	310	811	1,700	3,622	6,894	10,836	15,367	19,624	23,867	25,292	25,284	19,755	9,945	2,834	416	82	11
38	70	189	514	1,070	2,216	3,919	6,737	10,956	17,304	25,566	34,532	34,828	21,775	7,326	1,372	48	12
96	267	737	1,580	3,558	7,119	11,920	18,521	26,083	36,258	45,602	55,845	51,660	30,085	9,478	1,508	94	13
80	225	614	1,294	2,880	5,602	9,032	13,222	17,077	21,290	22,774	23,544	18,639	9,366	2,597	329	62	14
16	42	123	286	678	1,517	2,888	5,299	9,006	14,968	22,828	32,301	33,021	20,719	6,881	1,179	32	15
56	113	263	634	1,134	1,991	2,835	3,583	4,497	4,913	5,256	3,971	2,923	1,635	682	280	36	16
34	85	197	406	742	1,292	1,804	2,145	2,547	2,577	2,518	1,740	1,116	579	237	87	20	17
22	28	66	228	392	699	1,031	1,438	1,950	2,336	2,738	2,231	1,807	1,056	445	193	16	18
–	1	–	5	8	11	22	25	32	32	54	23	27	8	2	2	–	19
–	–	–	4	4	7	16	18	21	16	27	9	10	3	1	–	–	20
–	1	–	1	4	4	6	7	11	16	27	14	17	5	1	2	–	21
–	1	–	4	7	9	19	23	25	29	48	22	24	7	2	2	–	22
–	–	–	3	3	6	14	16	15	14	24	9	10	3	1	–	–	23
–	1	–	1	4	3	5	7	10	15	24	13	14	4	1	2	–	24
–	–	–	1	1	2	3	2	7	3	6	1	3	1	–	–	–	25
–	–	–	1	1	1	2	2	6	2	3	–	–	–	–	–	–	26
–	–	–	–	–	1	1	–	1	1	3	1	3	1	–	–	–	27
49	57	61	80	125	177	227	319	391	450	507	539	496	292	117	29	1	28
31	33	36	47	77	112	146	201	226	242	225	224	182	86	37	7	–	29
18	24	25	33	48	65	81	118	165	208	282	315	314	206	80	22	1	30
36	39	42	51	92	145	181	270	336	402	468	502	459	276	105	21	–	31
22	21	23	30	54	95	121	171	196	213	208	203	166	80	34	3	–	32
14	18	19	21	38	50	60	99	140	189	260	299	293	196	71	18	–	33
13	18	19	29	33	32	46	49	55	48	39	37	37	16	12	8	1	34
9	12	13	17	23	17	25	30	30	29	17	21	16	6	3	4	–	35
4	6	6	12	10	15	21	19	25	19	22	16	21	10	9	4	1	36
444	541	745	1,035	1,712	2,762	4,037	5,187	6,596	7,419	7,488	7,954	6,508	3,577	1,135	221	17	37
257	331	478	681	1,140	1,899	2,651	3,450	4,231	4,313	3,905	3,679	2,637	1,222	343	46	10	38
187	210	267	354	572	863	1,386	1,737	2,365	3,106	3,583	4,275	3,871	2,355	792	175	7	39
298	358	489	704	1,212	2,136	3,159	4,217	5,391	6,304	6,374	7,164	5,961	3,299	1,017	184	8	40
171	230	317	468	834	1,503	2,146	2,886	3,547	3,743	3,345	3,279	2,390	1,121	305	37	3	41
127	128	172	236	378	633	1,013	1,331	1,844	2,561	3,029	3,885	3,571	2,178	712	147	5	42
146	183	256	331	500	626	878	970	1,205	1,115	1,114	790	547	278	118	37	9	43
86	101	161	213	306	396	505	564	684	570	560	400	247	101	38	9	7	44
60	82	95	118	194	230	373	406	521	545	554	390	300	177	80	28	2	45
24	25	61	79	114	178	244	371	482	687	836	955	834	427	128	24	1	46
15	15	34	44	70	94	140	204	243	365	385	427	342	152	37	7	–	47
9	10	27	35	44	84	104	167	239	322	451	528	492	275	91	17	1	48
10	12	22	31	56	93	151	244	344	558	704	859	774	400	117	20	1	49
6	5	13	18	36	52	90	138	177	307	333	378	313	140	35	6	–	50
4	7	9	13	20	41	61	106	167	251	371	481	461	260	82	14	1	51
14	13	39	48	58	85	93	127	138	129	132	96	60	27	11	4	–	52
9	10	21	26	34	42	50	66	66	58	52	49	29	12	2	1	–	53
5	3	18	22	24	43	43	61	72	71	80	47	31	15	9	3	–	54
375	527	909	1,475	2,339	4,009	6,023	9,299	14,691	21,699	28,938	34,036	29,846	15,294	4,492	699	31	55
180	263	444	761	1,203	2,014	3,258	5,087	7,921	10,903	12,851	12,785	9,856	4,301	1,123	160	16	56
195	264	465	714	1,136	1,995	2,765	4,212	6,770	10,796	16,087	21,251	19,990	10,993	3,369	539	15	57
245	368	624	1,008	1,619	2,900	4,498	7,339	11,857	18,450	25,503	31,492	28,048	14,435	4,104	571	17	58
122	176	293	498	803	1,435	2,443	4,039	6,436	9,326	11,349	11,749	9,201	4,031	996	121	9	59
123	192	331	510	816	1,465	2,055	3,300	5,421	9,124	14,154	19,743	18,847	10,404	3,108	450	8	60
130	159	285	467	720	1,109	1,525	1,960	2,834	3,249	3,435	2,544	1,798	859	388	128	14	61
58	87	151	263	400	579	815	1,048	1,485	1,577	1,502	1,036	655	270	127	39	7	62
72	72	134	204	320	530	710	912	1,349	1,672	1,933	1,508	1,143	589	261	89	7	63
130	165	301	519	839	1,302	1,658	2,132	2,579	3,001	3,211	3,063	2,182	932	227	26	5	64
69	99	151	307	445	653	905	1,126	1,339	1,463	1,332	1,092	704	260	66	12	4	65
61	66	150	212	394	649	753	1,006	1,240	1,538	1,879	1,971	1,478	672	161	14	1	66
75	102	185	313	541	940	1,258	1,724	2,137	2,590	2,852	2,846	2,048	879	203	22	3	67
42	60	83	170	271	456	696	897	1,117	1,255	1,173	1,008	656	246	53	12	3	68
33	42	102	143	270	484	562	827	1,020	1,335	1,679	1,838	1,392	633	150	10	–	69
55	63	116	206	298	362	400	408	442	411	359	217	134	53	24	4	2	70
27	39	68	137	174	197	209	229	222	208	159	84	48	14	13	–	1	71
28	24	48	69	124	165	191	179	220	203	200	133	86	39	11	4	1	72
14	24	44	109	194	465	887	1,619	2,898	4,784	6,654	8,403	7,339	3,871	1,172	182	4	73
6	11	23	51	127	282	537	956	1,656	2,444	3,007	3,068	2,317	1,105	280	43	2	74
8	13	21	58	67	183	350	663	1,242	2,340	3,647	5,335	5,022	2,766	892	139	2	75
12	19	29	78	126	342	642	1,277	2,389	4,152	5,943	7,834	6,923	3,702	1,079	144	2	76
6	10	15	38	81	208	394	757	1,357	2,132	2,703	2,847	2,186	1,050	248	27	1	77
6	9	14	40	45	134	248	520	1,032	2,020	3,240	4,987	4,737	2,652	831	117	1	78
2	5	15	31	68	123	245	342	509	632	711	569	416	169	93	38	2	79
–	1	8	13	46	74	143	199	299	312	304	221	131	55	32	16	1	80
2	4	7	18	22	49	102	143	210	320	407	348	285	114	61	22	1	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular diseases—Con.											
	Cerebrovascular diseases—Con.											
01	Cerebral embolism—434	760	–	–	–	–	1	1	–	–	1	4
02	Male	333	–	–	–	–	1	1	–	–	–	3
03	Female	427	–	–	–	–	–	–	–	–	1	1
04	White	703	–	–	–	–	1	1	–	–	1	3
05	Male	302	–	–	–	–	1	1	–	–	–	2
06	Female	401	–	–	–	–	–	–	–	–	1	1
07	All other	57	–	–	–	–	–	–	–	–	–	1
08	Male	31	–	–	–	–	–	–	–	–	–	1
09	Female	26	–	–	–	–	–	–	–	–	–	–
10	All other cerebrovascular diseases—430,432,435-438	113,526	52	26	20	15	11	124	57	75	118	159
11	Male	47,155	28	15	13	12	9	77	31	44	65	83
12	Female	66,371	24	11	7	3	2	47	26	31	53	76
13	White	99,387	37	21	16	10	10	94	45	60	99	120
14	Male	40,715	19	13	11	7	8	58	27	36	55	69
15	Female	58,672	18	8	5	3	2	36	18	24	44	51
16	All other	14,139	15	5	4	5	1	30	12	15	19	39
17	Male	6,440	9	2	2	5	1	19	4	8	10	14
18	Female	7,699	6	3	2	–	–	11	8	7	9	25
19	Arteriosclerosis—440	28,940	1	–	–	–	–	1	–	–	–	3
20	Male	11,541	1	–	–	–	–	1	–	–	–	3
21	Female	17,399	–	–	–	–	–	–	–	–	–	–
22	White	26,813	1	–	–	–	–	1	–	–	–	2
23	Male	10,583	1	–	–	–	–	1	–	–	–	2
24	Female	16,230	–	–	–	–	–	–	–	–	–	–
25	All other	2,127	–	–	–	–	–	–	–	–	–	1
26	Male	958	–	–	–	–	–	–	–	–	–	1
27	Female	1,169	–	–	–	–	–	–	–	–	–	–
28	Other diseases of arteries, arterioles, and capillaries—441-448	26,551	38	6	4	–	2	50	13	14	43	70
29	Male	15,702	25	3	4	–	1	33	8	8	25	39
30	Female	10,849	13	3	–	–	1	17	5	6	18	31
31	White	24,189	25	5	4	–	2	36	11	13	36	55
32	Male	14,471	16	3	4	–	1	24	6	7	22	32
33	Female	9,718	9	2	–	–	1	12	5	6	14	23
34	All other	2,362	13	1	–	–	–	14	2	1	7	15
35	Male	1,231	9	–	–	–	–	9	2	1	3	7
36	Female	1,131	4	1	–	–	–	5	–	–	4	8
37	Acute bronchitis and bronchiolitis—466	756	94	14	9	7	3	127	4	5	10	6
38	Male	417	58	10	3	4	1	76	2	1	5	3
39	Female	339	36	4	6	3	2	51	2	4	5	3
40	White	661	61	13	7	5	3	89	2	3	8	5
41	Male	352	32	10	2	2	1	47	1	–	4	3
42	Female	309	29	3	5	3	2	42	1	3	4	2
43	All other	95	33	1	2	2	–	38	2	2	2	1
44	Male	65	26	–	1	2	–	29	1	1	1	–
45	Female	30	7	1	1	–	–	9	1	1	1	1
46	Influenza and pneumonia—470-474,480-486	58,319	1,533	172	94	59	29	1,887	156	148	244	309
47	Male	30,796	851	83	55	31	10	1,030	82	80	151	177
48	Female	27,523	682	89	39	28	19	857	74	68	93	132
49	White	51,432	963	111	72	41	18	1,205	116	114	184	223
50	Male	26,578	534	51	41	23	6	655	58	62	120	130
51	Female	24,854	429	60	31	18	12	550	58	52	64	93
52	All other	6,887	570	61	22	18	11	682	40	34	60	86
53	Male	4,218	317	32	14	8	4	375	24	18	31	47
54	Female	2,669	253	29	8	10	7	307	16	16	29	39
55	Influenza—470-474	4,052	34	8	6	2	2	52	11	8	9	27
56	Male	1,666	19	2	5	–	1	27	6	3	4	15
57	Female	2,386	15	6	1	2	1	25	5	5	5	12
58	White	3,800	16	7	4	2	2	31	9	6	8	23
59	Male	1,546	8	2	3	–	1	14	4	1	4	13
60	Female	2,254	8	5	1	2	1	17	5	5	4	10
61	All other	252	18	1	2	–	–	21	2	2	1	4
62	Male	120	11	–	2	–	–	13	2	2	–	2
63	Female	132	7	1	–	–	–	8	–	–	1	2
64	Pneumonia—480-486	54,267	1,499	164	88	57	27	1,835	145	140	235	282
65	Male	29,130	832	81	50	31	9	1,003	76	77	147	162
66	Female	25,137	667	83	38	26	18	832	69	63	88	120
67	White	47,632	947	104	68	39	16	1,174	107	108	176	200
68	Male	25,032	526	49	38	23	5	641	54	61	116	117
69	Female	22,600	421	55	30	16	11	533	53	47	60	83
70	All other	6,635	552	60	20	18	11	661	38	32	59	82
71	Male	4,098	306	32	12	8	4	362	22	16	31	45
72	Female	2,537	246	28	8	10	7	299	16	16	28	37
73	Bronchitis, emphysema, and asthma—490-493	21,875	68	18	15	9	7	117	17	46	59	71
74	Male	15,255	47	12	8	6	4	77	12	32	33	34
75	Female	6,620	21	6	7	3	3	40	5	14	26	37
76	White	20,401	49	11	9	5	4	78	11	37	41	50
77	Male	14,228	35	7	5	3	1	51	7	27	23	24
78	Female	6,173	14	4	4	2	3	27	4	10	18	26
79	All other	1,474	19	7	6	4	3	39	6	9	18	21
80	Male	1,027	12	5	3	3	3	26	5	5	10	10
81	Female	447	7	2	3	1	–	13	1	4	8	11

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
2	4	4	6	10	17	30	59	79	99	136	131	107	55	15	–	–	01
2	2	2	2	6	9	21	31	38	61	60	47	34	12	2	–	–	02
–	2	2	4	4	8	9	28	41	38	76	84	73	43	13	–	–	03
–	4	3	5	7	15	20	51	73	93	130	128	103	54	12	–	–	04
–	2	2	1	4	8	14	28	36	55	60	45	33	11	–	–	–	05
–	2	1	4	3	7	6	23	37	38	70	83	70	43	12	–	–	06
2	–	1	1	3	2	10	8	6	6	6	3	4	1	3	–	–	07
2	–	–	1	2	1	7	3	2	6	–	2	1	1	2	–	–	08
–	–	1	–	1	1	3	5	4	–	6	1	3	–	1	–	–	09
229	334	560	841	1,296	2,225	3,448	5,489	9,135	13,815	18,937	22,439	20,218	10,436	3,078	491	22	10
103	151	268	401	625	1,070	1,795	2,974	4,888	6,935	8,452	8,578	6,801	2,924	775	105	10	11
126	183	292	440	671	1,155	1,653	2,515	4,247	6,880	10,485	13,861	13,417	7,512	2,303	386	12	12
158	243	407	612	945	1,603	2,578	4,287	7,258	11,615	16,578	20,684	18,974	9,800	2,810	405	12	13
74	104	193	289	447	763	1,339	2,357	3,926	5,884	7,413	7,849	6,326	2,724	695	82	5	14
84	139	214	323	498	840	1,239	1,930	3,332	5,731	9,165	12,835	12,648	7,076	2,115	323	7	15
71	91	153	229	351	622	870	1,202	1,877	2,200	2,359	1,755	1,244	636	268	86	10	16
29	47	75	112	178	307	456	617	962	1,051	1,039	729	475	200	80	23	5	17
42	44	78	117	173	315	414	585	915	1,149	1,320	1,026	769	436	188	63	5	18
2	4	10	30	63	157	329	663	1,279	2,353	3,905	6,050	6,683	5,044	1,944	412	8	19
2	3	7	23	40	107	214	419	760	1,247	1,780	2,435	2,353	1,540	518	84	5	20
–	1	3	7	23	50	115	244	519	1,106	2,125	3,615	4,330	3,504	1,426	328	3	21
2	4	9	26	52	143	264	555	1,101	2,066	3,541	5,659	6,353	4,852	1,822	354	7	22
2	3	6	21	31	98	176	354	665	1,113	1,619	2,257	2,216	1,476	471	68	4	23
–	1	3	5	21	45	88	201	436	953	1,922	3,402	4,137	3,376	1,351	286	3	24
–	–	1	4	11	14	65	108	178	287	364	391	330	192	122	58	1	25
–	–	1	2	9	9	38	65	95	134	161	178	137	64	47	16	1	26
–	–	–	2	2	5	27	43	83	153	203	213	193	128	75	42	–	27
114	101	159	258	383	817	1,434	2,252	3,453	4,269	4,292	3,967	2,952	1,423	407	74	6	28
67	51	84	157	231	523	970	1,638	2,424	2,826	2,672	2,092	1,241	471	119	20	3	29
47	50	75	101	152	294	464	614	1,029	1,443	1,620	1,875	1,711	952	288	54	3	30
80	86	122	199	297	694	1,223	2,025	3,167	3,923	3,948	3,716	2,799	1,332	367	56	4	31
50	43	67	119	173	450	841	1,493	2,265	2,649	2,507	1,976	1,179	439	111	16	2	32
30	43	55	80	124	244	382	532	902	1,274	1,441	1,740	1,620	893	256	40	2	33
34	15	37	59	86	123	211	227	286	346	344	251	153	91	40	18	2	34
17	8	17	38	58	73	129	145	159	177	165	116	62	32	8	4	1	35
17	7	20	21	28	50	82	82	127	169	179	135	91	59	32	14	1	36
9	11	11	15	19	20	32	33	71	72	77	83	90	50	9	2	–	37
3	8	9	8	13	12	18	21	49	39	45	46	43	14	2	–	–	38
6	3	2	7	6	8	14	12	22	33	32	37	47	36	7	2	–	39
7	11	6	11	16	18	26	29	64	69	74	78	86	49	9	1	–	40
2	8	5	5	10	10	15	19	43	38	43	42	42	13	2	–	–	41
5	3	1	6	6	8	11	10	21	31	31	36	44	36	7	1	–	42
2	–	5	4	3	2	6	4	7	3	3	5	4	1	–	1	–	43
1	–	4	3	3	2	3	2	6	1	2	4	1	1	–	–	–	44
1	–	1	1	–	–	3	2	1	2	1	1	3	–	–	1	–	45
355	386	443	620	914	1,395	2,070	2,890	4,047	5,780	7,886	10,247	9,952	6,107	2,028	440	15	46
220	233	255	395	554	914	1,336	1,899	2,639	3,598	4,384	5,280	4,457	2,313	653	136	10	47
135	153	188	225	360	481	734	991	1,408	2,182	3,502	4,967	5,495	3,794	1,375	304	5	48
232	243	286	399	634	1,010	1,625	2,381	3,427	5,084	7,131	9,566	9,440	5,844	1,898	378	12	49
146	146	157	242	370	643	1,033	1,547	2,202	3,157	3,928	4,879	4,190	2,183	612	111	7	50
86	97	129	157	264	367	592	834	1,225	1,927	3,203	4,687	5,250	3,661	1,286	267	5	51
123	143	157	221	280	385	445	509	620	696	755	681	512	263	130	62	3	52
74	87	98	153	184	271	303	352	437	441	456	401	267	130	41	25	3	53
49	56	59	68	96	114	142	157	183	255	299	280	245	133	89	37	–	54
13	16	19	22	48	68	99	160	228	374	534	799	782	554	186	42	1	55
9	8	8	12	24	42	50	82	127	203	252	326	250	158	51	9	–	56
4	8	11	10	24	26	49	78	101	171	282	473	532	396	135	33	1	57
10	11	15	16	42	58	81	145	209	343	509	772	758	537	179	37	1	58
6	5	6	9	21	38	43	78	117	186	237	310	243	154	49	8	–	59
4	6	9	7	21	20	38	67	92	157	272	462	515	383	130	29	1	60
3	5	4	6	6	10	18	15	19	31	25	27	24	17	7	5	–	61
3	3	2	3	3	4	7	4	10	17	15	16	7	4	2	1	–	62
–	2	2	3	3	6	11	11	9	14	10	11	17	13	5	4	–	63
342	370	424	598	866	1,327	1,971	2,730	3,819	5,406	7,352	9,448	9,170	5,553	1,842	398	14	64
211	225	247	383	530	872	1,286	1,817	2,512	3,395	4,132	4,954	4,207	2,155	602	127	10	65
131	145	177	215	336	455	685	913	1,307	2,011	3,220	4,494	4,963	3,398	1,240	271	4	66
222	232	271	383	592	952	1,544	2,236	3,218	4,741	6,622	8,794	8,682	5,307	1,719	341	11	67
140	141	151	233	349	605	990	1,469	2,085	2,971	3,691	4,569	3,947	2,029	563	103	7	68
82	91	120	150	243	347	554	767	1,133	1,770	2,931	4,225	4,735	3,278	1,156	238	4	69
120	138	153	215	274	375	427	494	601	665	730	654	488	246	123	57	3	70
71	84	96	150	181	267	296	348	427	424	441	385	260	126	39	24	3	71
49	54	57	65	93	108	131	146	174	241	289	269	228	120	84	33	–	72
66	75	96	169	395	768	1,500	2,580	3,613	4,039	3,649	2,637	1,387	487	86	14	4	73
32	41	50	75	211	452	941	1,730	2,634	2,985	2,732	1,933	917	287	38	6	3	74
34	34	46	94	184	316	559	850	979	1,054	917	704	470	200	48	8	1	75
38	47	64	126	326	653	1,362	2,372	3,434	3,837	3,496	2,540	1,333	466	82	6	2	76
20	28	29	54	171	374	847	1,586	2,490	2,816	2,611	1,869	885	275	36	3	2	77
18	19	35	72	155	279	515	786	944	1,021	885	671	448	191	46	3	–	78
28	28	32	43	69	115	138	208	179	202	153	97	54	21	4	8	2	79
12	13	21	21	40	78	94	144	144	169	121	64	32	12	2	3	1	80
16	15	11	22	29	37	44	64	35	33	32	33	22	9	2	5	1	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Bronchitis, emphysema, and asthma—Con.											
01	Chronic and unqualified bronchitis—490,491	4,376	55	12	11	6	3	87	9	12	15	9
02	Male	2,763	38	8	7	3	2	58	6	10	10	5
03	Female	1,613	17	4	4	3	1	29	3	2	5	4
04	White	4,121	41	9	7	3	2	62	6	10	13	7
05	Male	2,602	30	6	5	1	1	43	4	9	9	5
06	Female	1,519	11	3	2	2	1	19	2	1	4	2
07	All other	255	14	3	4	3	1	25	3	2	2	2
08	Male	161	8	2	2	2	1	15	2	1	1	–
09	Female	94	6	1	2	1	–	10	1	1	1	2
10	Emphysema—492	15,627	8	–	1	1	–	10	1	1	1	4
11	Male	11,755	4	–	–	1	–	5	1	–	1	3
12	Female	3,872	4	–	1	–	–	5	–	1	–	1
13	White	14,792	5	–	1	1	–	7	1	1	–	3
14	Male	11,070	2	–	–	1	–	3	1	2	–	2
15	Female	3,722	3	–	1	–	–	4	–	1	–	1
16	All other	835	3	–	–	–	–	3	–	–	1	1
17	Male	685	2	–	–	–	–	2	–	–	1	1
18	Female	150	1	–	–	–	–	1	–	–	–	–
19	Asthma—493	1,872	5	6	3	2	4	20	7	33	43	58
20	Male	737	5	4	1	2	2	14	5	22	22	26
21	Female	1,135	–	2	2	–	2	6	2	11	21	32
22	White	1,488	3	2	1	1	2	9	4	26	28	40
23	Male	556	3	1	–	1	–	5	2	18	14	17
24	Female	932	–	1	1	–	2	4	2	8	14	23
25	All other	384	2	4	2	1	2	11	3	7	15	18
26	Male	181	2	3	1	1	2	9	3	4	8	9
27	Female	203	–	1	1	–	–	2	–	3	7	9
28	Peptic ulcer—531–533	5,545	24	3	1	–	1	29	2	6	14	16
29	Male	3,233	16	3	–	–	–	19	–	4	8	10
30	Female	2,312	8	–	1	–	1	10	2	2	6	6
31	White	5,004	16	2	1	–	–	19	1	3	11	11
32	Male	2,882	12	2	–	–	–	14	–	2	7	7
33	Female	2,122	4	–	1	–	–	5	1	1	4	4
34	All other	541	8	1	–	–	1	10	1	3	3	5
35	Male	351	4	1	–	–	–	5	–	2	1	3
36	Female	190	4	–	–	–	1	5	1	1	2	2
37	Appendicitis—540–543	735	5	3	6	3	4	21	14	18	15	18
38	Male	412	4	1	3	2	1	11	5	11	10	10
39	Female	323	1	2	3	1	3	10	9	7	5	8
40	White	599	3	–	5	3	3	14	10	14	10	14
41	Male	339	2	–	2	2	–	6	3	8	9	8
42	Female	260	1	–	3	1	3	8	7	6	1	6
43	All other	136	2	3	1	–	1	7	4	4	5	4
44	Male	73	2	1	1	–	1	5	2	3	1	2
45	Female	63	–	2	–	–	–	2	2	1	4	2
46	Hernia and intestinal obstruction—550–553,560	5,568	495	14	9	4	2	524	6	12	20	28
47	Male	2,354	296	7	7	2	1	313	3	10	12	17
48	Female	3,214	199	7	2	2	1	211	3	2	8	11
49	White	4,847	398	8	7	4	2	419	4	9	16	21
50	Male	1,977	228	4	6	2	1	241	2	8	10	13
51	Female	2,870	170	4	1	2	1	178	2	1	6	8
52	All other	721	97	6	2	–	–	105	2	3	4	7
53	Male	377	68	3	1	–	–	72	1	2	2	4
54	Female	344	29	3	1	–	–	33	1	1	2	3
55	Cirrhosis of liver—571	30,066	27	5	3	3	5	43	6	7	19	103
56	Male	19,693	13	2	1	1	3	20	5	6	8	61
57	Female	10,373	14	3	2	2	2	23	1	1	11	42
58	White	24,877	19	3	2	3	4	31	5	5	11	63
59	Male	16,413	10	1	1	1	2	15	4	4	5	39
60	Female	8,464	9	2	1	2	2	16	1	1	6	24
61	All other	5,189	8	2	1	–	1	12	1	2	8	40
62	Male	3,280	3	1	–	–	1	5	1	2	3	22
63	Female	1,909	5	1	1	–	–	7	–	–	5	18
64	Cholelithiasis, cholecystitis and cholangitis—574,575	2,941	4	–	–	–	–	4	1	1	2	5
65	Male	1,314	3	–	–	–	–	3	–	–	1	–
66	Female	1,627	1	–	–	–	–	1	1	1	1	5
67	White	2,698	4	–	–	–	–	4	1	1	2	5
68	Male	1,214	3	–	–	–	–	3	–	–	1	–
69	Female	1,484	1	–	–	–	–	1	1	1	1	5
70	All other	243	–	–	–	–	–	–	–	–	–	–
71	Male	100	–	–	–	–	–	–	–	–	–	–
72	Female	143	–	–	–	–	–	–	–	–	–	–
73	Nephritis and nephrosis—580–584	8,868	62	9	6	4	5	86	15	16	36	68
74	Male	4,765	38	7	4	1	2	52	6	8	14	39
75	Female	4,103	24	2	2	3	3	34	9	8	22	29
76	White	6,559	44	7	4	4	3	62	14	14	25	44
77	Male	3,608	31	6	2	1	–	40	5	7	9	28
78	Female	2,951	13	1	2	3	3	22	9	7	16	16
79	All other	2,309	18	2	2	–	2	24	1	2	11	24
80	Male	1,157	7	1	2	–	2	12	1	1	5	11
81	Female	1,152	11	1	–	–	–	12	–	1	6	13

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adopted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
22	15	18	25	59	134	274	464	656	739	696	571	377	151	37	5	1	01
13	12	8	11	27	65	165	294	438	505	457	380	210	72	16	1	–	02
9	3	10	14	32	69	109	170	218	234	239	191	167	79	21	4	1	03
15	11	13	22	47	117	253	433	626	710	674	551	366	145	37	3	–	04
8	9	5	10	21	56	151	274	417	482	442	365	207	68	16	1	–	05
7	2	8	12	26	61	102	159	209	228	232	186	159	77	21	2	–	06
7	4	5	3	12	17	21	31	30	29	22	20	11	6	–	2	1	07
5	3	3	1	6	9	14	20	21	23	15	15	3	4	–	–	–	08
2	1	2	2	6	8	7	11	9	6	7	5	8	2	–	2	1	09
4	9	34	76	242	515	1,055	1,919	2,722	3,085	2,754	1,918	927	296	45	6	3	10
2	7	23	49	150	340	721	1,366	2,091	2,392	2,197	1,495	682	202	21	4	3	11
2	2	11	27	92	175	334	553	631	693	557	423	245	94	24	2	–	12
3	8	25	61	215	452	969	1,782	2,607	2,933	2,650	1,857	889	285	41	1	2	13
2	6	16	36	127	289	652	1,260	1,989	2,259	2,106	1,450	655	195	19	1	2	14
1	2	9	25	88	163	317	522	618	674	544	407	234	90	22	–	–	15
1	1	9	15	27	63	86	137	115	152	104	61	38	11	4	5	1	16
–	1	7	13	23	51	69	106	102	133	91	45	27	7	2	3	1	17
1	–	2	2	4	12	17	31	13	19	13	16	11	4	2	2	–	18
40	51	44	68	94	119	171	197	235	215	199	148	83	40	4	3	–	19
17	22	19	15	34	47	55	70	105	88	78	58	25	13	1	1	–	20
23	29	25	53	60	72	116	127	130	127	121	90	58	27	3	2	–	21
20	28	26	43	64	84	140	157	201	194	172	132	78	36	4	2	–	22
10	13	8	8	23	29	44	52	84	75	63	54	23	12	1	1	–	23
10	15	18	35	41	55	96	105	117	119	109	78	55	24	3	1	–	24
20	23	18	25	30	35	31	40	34	21	27	16	5	4	–	1	–	25
7	9	11	7	11	18	11	18	21	13	15	4	2	1	–	–	–	26
13	14	7	18	19	17	20	22	13	8	12	12	3	3	–	1	–	27
21	43	53	94	153	252	374	524	671	766	825	778	588	275	52	5	4	28
17	31	39	62	102	177	265	360	435	465	471	384	250	111	18	3	2	29
4	12	14	32	51	75	109	164	236	301	354	394	338	164	34	2	2	30
16	34	46	72	127	214	314	460	605	692	760	739	560	266	48	3	3	31
12	23	35	45	81	150	222	319	386	422	433	357	237	111	16	2	1	32
4	11	11	27	46	64	92	141	219	270	327	382	323	155	32	1	2	33
5	9	7	22	26	38	60	64	66	74	65	39	28	9	4	2	1	34
5	8	4	17	21	27	43	41	49	43	38	27	13	–	2	1	1	35
–	1	3	5	5	11	17	23	17	31	27	12	15	9	2	1	–	36
10	11	8	12	27	36	48	57	82	98	97	74	49	28	12	–	–	37
6	8	3	7	14	29	25	37	51	57	48	45	22	11	2	–	–	38
4	3	5	5	13	7	23	20	31	41	49	29	27	17	10	–	–	39
9	7	4	7	18	24	37	43	72	85	84	65	46	25	11	–	–	40
6	5	1	5	11	19	22	28	44	51	42	40	21	9	1	–	–	41
3	2	3	2	7	5	15	15	28	34	42	25	25	16	10	–	–	42
1	4	4	5	9	12	11	14	10	13	13	9	3	3	1	–	–	43
–	3	2	2	3	10	3	9	7	6	6	5	1	2	1	–	–	44
1	1	2	3	6	2	8	5	3	7	7	4	2	1	–	–	–	45
19	31	48	55	92	148	213	347	447	601	764	932	765	402	97	12	5	46
8	17	19	27	50	76	101	179	220	290	299	328	257	102	19	3	4	47
11	14	29	28	42	72	112	168	227	311	465	604	508	300	78	9	1	48
16	21	37	33	67	105	167	293	378	516	675	858	729	378	92	10	3	49
7	11	14	16	37	49	80	150	183	246	263	292	244	91	16	1	3	50
9	10	23	17	30	56	87	143	195	270	412	566	485	287	76	9	–	51
3	10	11	22	25	43	46	54	69	85	89	74	36	24	5	2	2	52
1	6	5	11	13	27	21	29	37	44	36	36	13	11	3	2	1	53
2	4	6	11	12	16	25	25	32	41	53	38	23	13	2	–	1	54
371	809	1,403	2,103	3,152	4,301	4,511	4,485	3,780	2,429	1,440	692	300	76	20	1	15	55
246	549	946	1,394	2,059	2,792	3,021	2,997	2,574	1,560	861	379	152	42	10	–	11	56
125	260	457	709	1,093	1,509	1,490	1,488	1,206	869	579	313	148	34	10	1	4	57
220	429	880	1,442	2,417	3,528	3,832	3,975	3,403	2,243	1,343	664	285	72	17	1	11	58
152	309	606	973	1,613	2,310	2,573	2,676	2,333	1,442	803	360	141	39	7	–	9	59
68	120	274	469	804	1,218	1,259	1,299	1,070	801	540	304	144	33	10	1	2	60
151	380	523	661	735	773	679	510	377	186	97	28	15	4	3	–	4	61
94	240	340	421	446	482	448	321	241	118	58	19	11	3	3	–	2	62
57	140	183	240	289	291	231	189	136	68	39	9	4	1	–	–	2	63
8	11	17	25	46	94	98	166	310	409	464	535	453	216	66	10	–	64
3	6	10	18	21	56	52	93	175	223	210	197	168	66	10	2	–	65
5	5	7	7	25	38	46	73	135	186	254	338	285	150	56	8	–	66
6	7	15	20	35	78	81	147	271	368	434	514	432	206	63	8	–	67
3	5	10	15	15	50	47	85	157	205	198	186	159	64	10	1	–	68
3	2	5	5	20	28	34	62	114	163	236	328	273	142	53	7	–	69
2	4	2	5	11	16	17	19	39	41	30	21	21	10	3	2	–	70
–	1	–	3	6	6	5	8	18	18	12	11	9	2	–	1	–	71
2	3	2	2	5	10	12	11	21	23	18	10	12	8	3	1	–	72
97	108	121	141	247	407	589	777	1,022	1,237	1,299	1,218	863	403	100	16	2	73
55	59	67	88	136	223	298	420	564	700	733	650	415	185	48	4	1	74
42	49	54	53	111	184	291	357	458	537	566	568	448	218	52	12	1	75
59	57	66	72	135	247	341	536	731	937	1,014	1,014	758	341	80	10	2	76
35	28	35	45	77	151	185	297	423	540	583	554	373	153	36	3	1	77
24	29	31	27	58	96	156	239	308	397	431	460	385	188	44	7	1	78
38	51	55	69	112	160	248	241	291	300	285	204	105	62	20	6	–	79
20	31	32	43	59	72	113	123	141	160	150	96	42	32	12	1	–	80
18	20	23	26	53	88	135	118	150	140	135	108	63	30	8	5	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Nephritis and nephrosis—Con.											
01	Acute nephritis and nephrotic syndrome—580,581	2,073	56	6	2	–	3	67	2	2	8	10
02	Male	1,131	34	5	1	–	2	42	–	–	4	7
03	Female	942	22	1	1	–	1	25	2	2	4	3
04	White	1,702	39	5	1	–	1	46	2	2	5	7
05	Male	921	27	4	–	–	–	31	–	–	2	5
06	Female	781	12	1	1	–	1	15	2	2	3	2
07	All other	371	17	1	1	–	2	21	–	–	3	3
08	Male	210	7	1	1	–	2	11	–	–	2	2
09	Female	161	10	–	–	–	–	10	–	–	1	1
10	Chronic and unqualified nephritis and renal sclerosis—582–584	6,795	6	3	4	4	2	19	13	14	28	58
11	Male	3,634	4	2	3	1	–	10	6	8	10	32
12	Female	3,161	2	1	1	3	2	9	7	6	18	26
13	White	4,857	5	2	3	4	2	16	12	12	20	37
14	Male	2,687	4	2	2	1	–	9	5	7	7	23
15	Female	2,170	1	–	1	3	2	7	7	5	13	14
16	All other	1,938	1	1	1	–	–	3	1	2	8	21
17	Male	947	–	–	1	–	–	1	1	1	3	9
18	Female	991	1	1	–	–	–	2	–	1	5	12
19	Infections of kidney—590	3,096	6	3	–	–	–	9	1	5	1	7
20	Male	1,250	2	–	–	–	–	2	–	1	–	3
21	Female	1,846	4	3	–	–	–	7	1	4	1	4
22	White	2,661	3	3	–	–	–	6	1	4	–	5
23	Male	1,048	–	–	–	–	–	–	–	1	–	2
24	Female	1,613	3	3	–	–	–	6	1	3	–	3
25	All other	435	3	–	–	–	–	3	–	1	1	2
26	Male	202	2	–	–	–	–	2	–	–	–	1
27	Female	233	1	–	–	–	–	1	–	1	1	1
28	Hyperplasia of prostate—600	854	–	–	–	–	–	–	–	–	–	–
29	Male	854	–	–	–	–	–	–	–	–	–	–
30	White	731	–	–	–	–	–	–	–	–	–	–
31	Male	731	–	–	–	–	–	–	–	–	–	–
32	All other	123	–	–	–	–	–	–	–	–	–	–
33	Male	123	–	–	–	–	–	–	–	–	–	–
34	Complications of pregnancy, childbirth, and the puerperium—630–678	321	–	–	–	–	–	–	–	3	44	73
35	Female	321	–	–	–	–	–	–	–	3	44	73
36	White	171	–	–	–	–	–	–	–	2	17	39
37	Female	171	–	–	–	–	–	–	–	2	17	39
38	All other	150	–	–	–	–	–	–	–	1	27	34
39	Female	150	–	–	–	–	–	–	–	1	27	34
40	Abortions—640–645	16	–	–	–	–	–	–	–	–	4	2
41	Female	16	–	–	–	–	–	–	–	–	4	2
42	White	4	–	–	–	–	–	–	–	–	–	–
43	Female	4	–	–	–	–	–	–	–	–	–	–
44	All other	12	–	–	–	–	–	–	–	–	4	2
45	Female	12	–	–	–	–	–	–	–	–	4	2
46	Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	305	–	–	–	–	–	–	–	3	40	71
47	Female	305	–	–	–	–	–	–	–	3	40	71
48	White	167	–	–	–	–	–	–	–	2	17	39
49	Female	167	–	–	–	–	–	–	–	2	17	39
50	All other	138	–	–	–	–	–	–	–	1	23	32
51	Female	138	–	–	–	–	–	–	–	1	23	32
52	Congenital anomalies—740–759	12,968	8,404	530	243	158	96	9,431	350	300	374	274
53	Male	6,902	4,500	273	134	90	62	5,059	182	160	212	154
54	Female	6,066	3,904	257	109	68	34	4,372	168	140	162	120
55	White	10,710	6,830	421	208	135	78	7,672	274	246	319	227
56	Male	5,714	3,674	224	120	79	56	4,153	144	128	183	128
57	Female	4,996	3,156	197	88	56	22	3,519	130	118	136	99
58	All other	2,258	1,574	109	35	23	18	1,759	76	54	55	47
59	Male	1,188	826	49	14	11	6	906	38	32	29	26
60	Female	1,070	748	60	21	12	12	853	38	22	26	21
61	Certain causes of mortality in early infancy—760–769.2, 769.4–772, 774–778	22,033	21,987	21	3	–	–	22,011	3	–	2	–
62	Male	12,693	12,664	16	2	–	–	12,682	3	–	1	–
63	Female	9,340	9,323	5	1	–	–	9,329	–	–	1	–
64	White	15,030	14,997	15	1	–	–	15,013	2	–	1	–
65	Male	8,733	8,712	13	1	–	–	8,726	2	–	–	–
66	Female	6,297	6,285	2	–	–	–	6,287	–	–	1	–
67	All other	7,003	6,990	6	2	–	–	6,998	1	–	1	–
68	Male	3,960	3,952	3	1	–	–	3,956	1	–	1	–
69	Female	3,043	3,038	3	1	–	–	3,042	–	–	–	–
70	Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11,710	11,675	19	3	–	–	11,697	1	–	1	–
71	Male	6,982	6,958	15	2	–	–	6,975	1	–	1	–
72	Female	4,728	4,717	4	1	–	–	4,722	–	–	–	–
73	White	8,291	8,264	15	1	–	–	8,280	1	–	–	–
74	Male	4,957	4,938	13	1	–	–	4,952	1	–	–	–
75	Female	3,334	3,326	2	–	–	–	3,328	–	–	–	–
76	All other	3,419	3,411	4	2	–	–	3,417	–	–	1	–
77	Male	2,025	2,020	2	1	–	–	2,023	–	–	1	–
78	Female	1,394	1,391	2	1	–	–	1,394	–	–	–	–

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
14	16	22	22	35	59	112	166	236	294	332	322	226	94	27	6	1	01
9	7	10	13	18	35	66	91	143	167	193	167	102	38	17	1	1	02
5	9	12	9	17	24	46	75	93	127	139	155	124	56	10	5	–	03
7	7	15	18	27	39	75	134	191	250	281	281	201	83	24	6	1	04
4	2	6	9	11	25	50	72	114	144	164	145	90	31	14	1	1	05
3	5	9	9	16	14	25	62	77	106	117	136	111	52	10	5	–	06
7	9	7	4	8	20	37	32	45	44	51	41	25	11	3	–	–	07
5	5	4	4	7	10	16	19	29	23	29	22	12	7	3	–	–	08
2	4	3	–	1	10	21	13	16	21	22	19	13	4	–	–	–	09
83	92	99	119	212	348	477	611	786	943	967	896	637	309	73	10	1	10
46	52	57	75	118	188	232	329	421	533	540	483	313	147	31	3	–	11
37	40	42	44	94	160	245	282	365	410	427	413	324	162	42	7	1	12
52	50	51	54	108	208	266	402	540	687	733	733	557	258	56	4	1	13
31	26	29	36	66	126	135	225	309	396	419	409	283	122	22	2	–	14
21	24	22	18	42	82	131	177	231	291	314	324	274	136	34	2	1	15
31	42	48	65	104	140	211	209	246	256	234	163	80	51	17	6	–	16
15	26	28	39	52	62	97	104	112	137	121	74	30	25	9	1	–	17
16	16	20	26	52	78	114	105	134	119	113	89	50	26	8	5	–	18
13	14	27	18	54	64	108	158	268	358	497	601	538	262	77	16	–	19
6	6	9	8	26	19	40	62	118	164	209	239	218	92	23	5	–	20
7	8	18	10	28	45	68	96	150	194	288	362	320	170	54	11	–	21
10	8	19	15	41	49	85	126	207	297	418	551	493	242	69	15	–	22
5	4	7	8	18	14	30	51	88	134	171	212	194	85	19	5	–	23
5	4	12	7	23	35	55	75	119	163	247	339	299	157	50	10	–	24
3	6	8	3	13	15	23	32	61	61	79	50	45	20	8	1	–	25
1	2	2	–	8	5	10	11	30	30	38	27	24	7	4	–	–	26
2	4	6	3	5	10	13	21	31	31	41	23	21	13	4	1	–	27
1	–	–	–	–	–	5	23	53	110	155	218	179	85	23	2	–	28
1	–	–	–	–	–	5	23	53	110	155	218	179	85	23	2	–	29
1	–	–	–	–	–	3	16	33	91	135	189	163	78	21	1	–	30
1	–	–	–	–	–	3	16	33	91	135	189	163	78	21	1	–	31
–	–	–	–	–	–	2	7	20	19	20	29	16	7	2	1	–	32
–	–	–	–	–	–	2	7	20	19	20	29	16	7	2	1	–	33
97	49	40	13	1	1	–	–	–	–	–	–	–	–	–	–	–	34
97	49	40	13	1	1	–	–	–	–	–	–	–	–	–	–	–	35
51	31	22	8	1	–	–	–	–	–	–	–	–	–	–	–	–	36
51	31	22	8	1	–	–	–	–	–	–	–	–	–	–	–	–	37
46	18	18	5	–	1	–	–	–	–	–	–	–	–	–	–	–	38
46	18	18	5	–	1	–	–	–	–	–	–	–	–	–	–	–	39
4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	40
4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	44
1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	45
93	46	38	12	1	1	–	–	–	–	–	–	–	–	–	–	–	46
93	46	38	12	1	1	–	–	–	–	–	–	–	–	–	–	–	47
48	30	22	8	1	–	–	–	–	–	–	–	–	–	–	–	–	48
48	30	22	8	1	–	–	–	–	–	–	–	–	–	–	–	–	49
45	16	16	4	–	1	–	–	–	–	–	–	–	–	–	–	–	50
45	16	16	4	–	1	–	–	–	–	–	–	–	–	–	–	–	51
222	191	143	153	178	203	227	218	233	132	137	94	53	16	8	–	31	52
137	94	72	89	91	106	122	103	101	64	60	44	21	10	4	–	17	53
85	97	71	64	87	97	105	115	132	68	77	50	32	6	4	–	14	54
182	161	125	131	154	184	205	195	207	120	125	86	50	15	8	–	24	55
116	77	64	77	77	96	107	89	85	55	52	39	19	9	4	–	12	56
66	84	61	54	77	88	98	106	122	65	73	47	31	6	4	–	12	57
40	30	18	22	24	19	22	23	26	12	12	8	3	1	–	–	7	58
21	17	8	12	14	10	15	14	16	9	8	5	2	1	–	–	5	59
19	13	10	10	10	9	7	9	10	3	4	3	1	–	–	–	2	60
3	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	11	61
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	5	62
2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	6	63
3	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	8	64
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	65
2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	5	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	69
2	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	6	70
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	71
1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	3	72
2	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	5	73
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	74
1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	3	75
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	78

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years
	Certain causes of mortality in early infancy—Con.											
01	Other causes of mortality in early infancy—Remainder of 760–778	10,323	10,312	2	–	–	–	10,314	2	–	1	–
02	Male	5,711	5,706	1	–	–	–	5,707	2	–	–	–
03	Female	4,612	4,606	1	–	–	–	4,607	–	–	1	–
04	White	6,739	6,733	–	–	–	–	6,733	1	–	1	–
05	Male	3,776	3,774	–	–	–	–	3,774	1	–	–	–
06	Female	2,963	2,959	–	–	–	–	2,959	–	–	1	–
07	All other	3,584	3,579	2	–	–	–	3,581	1	–	–	–
08	Male	1,935	1,932	1	–	–	–	1,933	1	–	–	–
09	Female	1,649	1,647	1	–	–	–	1,648	–	–	–	–
10	Symptoms and ill-defined conditions—780–796	31,324	5,713	188	59	22	24	6,006	62	90	306	512
11	Male	17,998	3,386	108	35	12	15	3,556	34	50	210	323
12	Female	13,326	2,327	80	24	10	9	2,450	28	40	96	189
13	White	22,876	3,725	127	40	13	14	3,919	35	62	250	357
14	Male	13,184	2,258	71	26	7	8	2,370	19	31	171	227
15	Female	9,692	1,467	56	14	6	6	1,549	16	31	79	130
16	All other	8,448	1,988	61	19	9	10	2,087	27	28	56	155
17	Male	4,814	1,128	37	9	5	7	1,186	15	19	39	96
18	Female	3,634	860	24	10	4	3	901	12	9	17	59
19	All other diseases—Residual	137,396	1,869	366	246	171	127	2,779	658	621	1,149	1,477
20	Male	77,426	1,052	218	145	95	74	1,584	347	337	717	866
21	Female	59,970	817	148	101	76	53	1,195	311	284	432	611
22	White	118,815	1,334	281	191	143	100	2,049	549	497	912	1,094
23	Male	66,836	741	166	111	79	56	1,153	289	268	596	669
24	Female	51,979	593	115	80	64	44	896	260	229	316	425
25	All other	18,581	535	85	55	28	27	730	109	124	237	383
26	Male	10,590	311	52	34	16	18	431	58	69	121	197
27	Female	7,991	224	33	21	12	9	299	51	55	116	186
28	Accidents—E800–E949	105,561	1,262	1,106	937	772	689	4,766	2,842	3,276	12,765	13,857
29	Male	73,881	690	606	568	483	433	2,780	1,849	2,345	9,749	11,130
30	Female	31,680	572	500	369	289	256	1,986	993	931	3,016	2,727
31	White	90,392	880	829	708	589	489	3,495	2,193	2,689	11,533	12,172
32	Male	62,868	488	462	443	371	318	2,082	1,424	1,912	8,798	9,785
33	Female	27,524	392	367	265	218	171	1,413	769	777	2,735	2,387
34	All other	15,169	382	277	229	183	200	1,271	649	587	1,232	1,685
35	Male	11,013	202	144	125	112	115	698	425	433	951	1,345
36	Female	4,156	180	133	104	71	85	573	224	154	281	340
37	Motor vehicle accidents—E810–E823	52,411	264	384	313	280	310	1,551	1,452	1,678	9,470	9,694
38	Male	38,139	123	194	178	163	190	848	899	1,137	7,005	7,632
39	Female	14,272	141	190	135	117	120	703	553	541	2,465	2,062
40	White	45,974	212	304	243	212	226	1,197	1,155	1,467	8,788	8,680
41	Male	33,341	102	156	140	123	145	666	710	993	6,499	6,839
42	Female	12,633	110	148	103	89	81	531	445	474	2,289	1,841
43	All other	6,437	52	80	70	68	84	354	297	211	682	1,014
44	Male	4,798	21	38	38	40	45	182	189	144	506	793
45	Female	1,639	31	42	32	28	39	172	108	67	176	221
46	All other accidents—E800–E807, E825–E949	53,150	998	722	624	492	379	3,215	1,390	1,598	3,295	4,163
47	Male	35,742	567	412	390	320	243	1,932	950	1,208	2,744	3,498
48	Female	17,408	431	310	234	172	136	1,283	440	390	551	665
49	White	44,418	668	525	465	377	263	2,298	1,038	1,222	2,745	3,492
50	Male	29,527	386	306	303	248	173	1,416	714	919	2,299	2,946
51	Female	14,891	282	219	162	129	90	882	324	303	446	546
52	All other	8,732	330	197	159	115	116	917	352	376	550	671
53	Male	6,215	181	106	87	72	70	516	236	289	445	552
54	Female	2,517	149	91	72	43	46	401	116	87	105	119
55	Suicide—E950–E959	27,294	...	...	...	...	...	...	2	151	1,686	3,429
56	Male	20,188	...	...	...	...	...	...	2	117	1,367	2,776
57	Female	7,106	...	...	...	...	...	...	–	34	319	653
58	White	25,250	...	...	...	...	...	...	1	134	1,537	3,021
59	Male	18,619	...	...	...	...	...	...	1	107	1,244	2,445
60	Female	6,631	...	...	...	...	...	...	–	27	293	576
61	All other	2,044	...	...	...	...	...	...	1	17	149	408
62	Male	1,569	...	...	...	...	...	...	1	10	123	331
63	Female	475	...	...	...	...	...	...	–	7	26	77
64	Homicide—E960–E978	20,432	161	111	83	75	44	474	170	284	1,868	3,575
65	Male	15,838	82	55	48	42	27	254	90	161	1,397	2,830
66	Female	4,594	79	56	35	33	17	220	80	123	471	745
67	White	11,200	94	54	49	38	16	251	96	181	1,088	1,817
68	Male	8,429	48	29	27	22	9	135	51	103	786	1,416
69	Female	2,771	46	25	22	16	7	116	45	78	302	401
70	All other	9,232	67	57	34	37	28	223	74	103	780	1,758
71	Male	7,409	34	26	21	20	18	119	39	58	611	1,414
72	Female	1,823	33	31	13	17	10	104	35	45	169	344
73	Other external causes—E980–E999	4,163	84	52	29	19	15	199	30	73	319	518
74	Male	2,870	46	32	19	15	11	123	19	60	244	388
75	Female	1,293	38	20	10	4	4	76	11	13	75	130
76	White	3,213	48	27	14	11	8	108	17	48	259	389
77	Male	2,200	26	21	8	9	6	70	10	40	200	296
78	Female	1,013	22	6	6	2	2	38	7	8	59	93
79	All other	950	36	25	15	8	7	91	13	25	60	129
80	Male	670	20	11	11	6	5	53	9	20	44	92
81	Female	280	16	14	4	2	2	38	4	5	16	37

Age, Color, and Sex: United States, 1978—Con.

Revision International Classification of Diseases, Adopted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-49 years	60-64 years	65-69 years	70-74 years	75-79 year	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	02
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	03
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	05
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	06
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	07
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	08
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	09
623	580	596	739	1,003	1,417	1,841	2,278	2,674	2,895	2,722	2,569	2,231	1,352	553	207	68	10
404	372	363	478	644	954	1,248	1,561	1,726	1,741	1,501	1,216	878	458	175	56	50	11
219	208	233	261	359	463	593	717	948	1,154	1,221	1,353	1,353	894	378	151	18	12
423	402	384	479	674	995	1,334	1,729	2,021	2,141	2,066	2,042	1,820	1,127	447	123	46	13
275	250	235	303	441	673	931	1,222	1,357	1,324	1,151	925	704	371	132	36	36	14
148	152	149	176	233	322	403	507	664	817	915	1,117	1,116	756	315	87	10	15
200	178	212	260	329	422	507	549	653	754	656	527	411	225	106	84	22	16
129	122	128	175	203	281	317	339	369	417	350	291	174	87	43	20	14	17
71	56	84	85	126	141	190	210	284	337	306	236	237	138	63	64	8	18
1,662	1,811	2,289	2,958	4,414	6,645	9,326	12,729	16,464	18,608	18,837	16,576	11,674	5,132	1,335	211	41	19
959	1,015	1,320	1,661	2,539	3,919	5,613	7,841	10,210	11,227	10,717	8,722	5,319	1,976	441	67	29	20
703	796	969	1,297	1,875	2,726	3,713	4,888	6,254	7,381	8,120	7,854	6,355	3,156	894	144	12	21
1,093	1,191	1,476	2,007	3,328	5,232	7,692	10,944	14,503	16,719	17,102	15,378	10,877	4,783	1,208	153	28	22
634	679	846	1,105	1,917	3,096	4,618	6,718	9,020	10,149	9,798	8,066	4,918	1,834	396	46	21	23
459	512	630	902	1,411	2,136	3,074	4,226	5,483	6,570	7,304	7,312	5,959	2,949	812	107	7	24
569	620	813	951	1,086	1,413	1,634	1,785	1,961	1,889	1,735	1,198	797	349	127	58	13	25
325	336	474	556	622	823	995	1,123	1,190	1,078	919	656	401	142	45	21	8	26
244	284	339	395	464	590	639	662	771	811	816	542	396	207	82	37	5	27
9,054	6,479	5,094	4,397	4,405	4,769	4,837	4,763	4,602	4,470	4,492	4,464	3,607	1,872	541	87	122	28
7,291	5,143	3,985	3,325	3,267	3,518	3,436	3,282	2,959	2,682	2,469	2,117	1,501	723	201	25	104	29
1,763	1,336	1,109	1,072	1,138	1,251	1,401	1,481	1,643	1,788	2,023	2,347	2,106	1,149	340	62	18	30
7,694	5,450	4,182	3,500	3,605	3,923	4,061	4,027	3,938	3,912	4,004	4,167	3,403	1,779	495	72	98	31
6,209	4,323	3,267	2,630	2,665	2,870	2,872	2,748	2,507	2,311	2,152	1,949	1,400	682	176	20	86	32
1,485	1,127	915	870	940	1,053	1,189	1,279	1,431	1,601	1,852	2,218	2,003	1,097	319	52	12	33
1,360	1,029	912	897	800	846	776	736	664	558	488	297	204	93	46	15	24	34
1,082	820	718	695	602	648	564	534	452	371	317	168	101	41	25	5	18	35
278	209	194	202	198	198	212	202	212	187	171	129	103	52	21	10	6	36
5,808	3,840	2,703	2,223	2,052	2,114	2,051	1,831	1,685	1,532	1,273	885	418	98	10	4	39	37
4,607	2,976	2,063	1,644	1,498	1,508	1,401	1,241	1,046	951	788	512	268	71	6	3	35	38
1,201	864	640	579	554	606	650	590	639	581	485	373	150	27	4	1	4	39
5,037	3,292	2,296	1,854	1,735	1,794	1,757	1,583	1,464	1,391	1,136	826	391	90	8	3	30	40
3,988	2,549	1,741	1,371	1,263	1,262	1,192	1,055	877	841	678	470	250	64	4	3	26	41
1,049	743	555	483	472	532	565	528	587	550	458	356	141	26	4	–	4	42
771	548	407	369	317	320	294	248	221	141	137	59	27	8	2	1	9	43
619	427	322	273	235	246	209	186	169	110	110	42	18	7	2	–	9	44
152	121	85	96	82	74	85	62	52	31	27	17	9	1	–	1	–	45
3,246	2,639	2,391	2,174	2,353	2,655	2,786	2,932	2,917	2,938	3,219	3,579	3,189	1,774	531	83	83	46
2,684	2,167	1,922	1,681	1,769	2,010	2,035	2,041	1,913	1,731	1,681	1,605	1,233	652	195	22	69	47
562	472	469	493	584	645	751	891	1,004	1,207	1,538	1,974	1,956	1,122	336	61	14	48
2,657	2,158	1,886	1,646	1,870	2,129	2,304	2,444	2,474	2,521	2,868	3,341	3,012	1,689	487	69	68	49
2,221	1,774	1,526	1,259	1,402	1,608	1,680	1,693	1,630	1,470	1,474	1,479	1,150	618	172	17	60	50
436	384	360	387	468	521	624	751	844	1,051	1,394	1,862	1,862	1,071	315	52	8	51
589	481	505	528	483	526	482	488	443	417	351	238	177	85	44	14	15	52
463	393	396	422	367	402	355	348	283	261	207	126	83	34	23	5	9	53
126	88	109	106	116	124	127	140	160	156	144	112	94	51	21	9	6	54
3,159	2,491	2,036	1,817	1,896	2,080	1,997	1,751	1,542	1,270	962	599	310	86	13	1	16	55
2,444	1,829	1,417	1,178	1,248	1,386	1,361	1,331	1,148	999	748	492	251	69	11	1	13	56
715	662	619	639	648	694	636	420	394	271	214	107	59	17	2	–	3	57
2,782	2,245	1,841	1,696	1,774	1,970	1,924	1,684	1,485	1,229	933	583	299	83	13	1	15	58
2,143	1,643	1,273	1,086	1,154	1,315	1,311	1,283	1,104	967	727	480	246	66	11	1	12	59
639	602	568	610	620	655	613	401	381	262	206	103	53	17	2	–	3	60
377	246	195	121	122	110	73	67	57	41	29	16	11	3	–	–	1	61
301	186	144	92	94	71	50	48	44	32	21	12	5	3	–	–	1	62
76	60	51	29	28	39	23	19	13	9	8	4	6	–	–	–	–	63
3,304	2,417	1,887	1,519	1,210	1,097	790	599	435	310	196	128	75	17	5	1	71	64
2,674	1,961	1,525	1,209	979	880	626	474	321	195	105	59	36	8	1	–	53	65
630	456	362	310	231	217	164	125	114	115	91	69	39	9	4	1	18	66
1,620	1,211	992	856	707	645	484	383	272	211	144	103	62	14	4	–	59	67
1,294	956	798	662	542	498	371	301	199	125	69	42	32	6	1	–	42	68
326	255	194	194	165	147	113	82	73	86	75	61	30	8	3	–	17	69
1,684	1,206	895	663	503	452	306	216	163	99	52	25	13	3	1	1	12	70
1,380	1,005	727	547	437	382	255	173	122	70	36	17	4	2	–	–	11	71
304	201	168	116	66	70	51	43	41	29	16	8	9	1	1	1	1	72
526	432	293	277	262	277	240	187	172	113	97	61	35	20	5	–	27	73
378	305	205	190	158	187	146	123	120	66	60	41	22	11	3	–	21	74
148	127	88	87	104	90	94	64	52	47	37	20	13	9	2	–	6	75
413	320	214	208	203	212	204	169	147	95	77	54	33	15	5	–	23	76
304	222	144	140	116	134	120	109	101	56	49	38	22	9	3	–	17	77
109	98	70	68	87	78	84	60	46	39	28	16	11	6	2	–	6	78
113	112	79	69	59	65	36	18	25	18	20	7	2	5	–	–	4	79
74	83	61	50	42	53	26	14	19	10	11	3	–	2	–	–	4	80
39	29	18	19	17	12	10	4	6	8	9	4	2	3	–	–	–	81

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama																							
	All causes	34,680	969	194	128	131	445	557	497	435	522	733	1,121	1,726	2,332	3,118	4,006	4,523	4,349	3,858	2,939	1,494	596	7
	White ..... Male	13,899	264	68	44	67	239	266	229	194	231	311	504	796	1,125	1,587	1,797	1,882	1,635	1,298	888	363	110	1
	Female	10,708	203	44	34	22	83	90	63	72	112	149	248	385	532	671	959	1,309	1,550	1,725	1,422	753	282	-
	All other ..... Male	5,589	277	52	27	32	91	155	152	105	119	165	221	328	426	501	727	744	575	424	258	138	70	2
	Female	4,484	225	30	23	10	32	46	53	64	60	108	148	217	249	359	523	588	589	411	371	240	134	4
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	46	24	1	-	-	-	-	-	1	-	-	-	2	2	2	3	2	4	2	2	-	1	-
	White ..... Male	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	Female	15	2	1	-	-	-	-	-	1	-	-	-	1	2	-	2	1	-	2	2	-	1	-
	All other ..... Male	11	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Female	13	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
010-019	Tuberculosis, all forms	90	-	-	-	-	1	-	2	-	1	1	5	10	12	9	10	10	11	10	8	-	-	-
	White ..... Male	33	-	-	-	-	-	-	-	-	1	1	1	3	3	5	2	5	1	6	5	-	-	-
	Female	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	3	1	-	-	-
	All other ..... Male	29	-	-	-	-	-	-	-	-	-	-	2	5	6	3	4	2	4	1	2	-	-	-
	Female	14	-	-	-	-	1	-	2	-	-	-	1	2	2	-	2	1	3	-	-	-	-	-
010-012	Tuberculosis of respiratory system	79	-	-	-	-	-	-	1	-	1	1	5	8	10	8	9	9	10	10	7	-	-	-
	White ..... Male	30	-	-	-	-	-	-	-	-	1	1	1	2	3	5	2	4	1	6	4	-	-	-
	Female	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	3	1	-	-	-
	All other ..... Male	27	-	-	-	-	-	-	-	-	-	-	2	5	5	2	4	2	4	1	2	-	-	-
	Female	8	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	2	-	-	-	-	-
013-019	Tuberculosis, other forms	11	-	-	-	-	1	-	1	-	-	-	-	2	2	1	1	1	1	-	1	-	-	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	5	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White ..... Male	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
038	Septicemia	140	34	2	-	-	-	1	1	1	1	6	6	2	13	12	5	13	16	8	9	8	2	-
	White ..... Male	49	9	2	-	-	-	1	-	-	-	-	1	1	7	6	1	6	5	3	3	2	2	-
	Female	38	10	-	-	-	-	-	-	-	1	-	1	-	2	2	1	2	10	2	5	2	-	-
	All other ..... Male	30	8	-	-	-	-	-	1	-	-	2	1	1	3	3	2	4	1	3	-	1	-	-
	Female	23	7	-	-	-	-	-	-	1	-	4	3	-	1	1	1	1	-	-	1	3	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	85	5	4	4	3	1	1	4	4	1	4	9	3	11	5	7	8	4	3	2	1	1	-
	White ..... Male	32	1	2	1	1	-	-	-	1	-	3	5	2	4	2	2	5	2	1	-	-	-	-
	Female	27	1	-	1	1	1	-	1	2	-	-	1	1	3	2	5	3	1	1	1	1	1	-
	All other ..... Male	7	-	1	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-
	Female	19	3	1	2	-	-	1	2	1	-	1	3	-	3	-	-	-	1	1	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,494	4	9	15	14	19	19	25	42	86	155	273	458	695	848	1,098	1,046	726	533	280	106	42	1
	White ..... Male	2,673	1	4	7	5	4	6	11	14	29	58	102	182	295	408	489	446	280	192	93	37	10	–
	Female	2,056	2	2	5	5	7	6	7	17	34	46	86	147	215	220	292	310	267	217	119	40	12	–
	All other ..... Male	1,001	1	3	2	2	7	5	1	1	11	13	44	70	121	121	184	167	112	74	35	17	10	–
	Female	764	–	–	1	2	1	2	6	10	12	38	41	59	64	99	133	123	67	50	33	12	10	1
140-149	Of buccal cavity and pharynx	127	–	–	–	–	1	1	–	–	–	5	8	12	13	17	20	17	11	12	6	2	2	–
	White ..... Male	68	–	–	–	–	–	–	–	–	–	3	3	4	8	10	15	10	7	5	2	1	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	2	2	2	4	3	5	4	6	3	–	2	–
	All other ..... Male	19	–	–	–	–	1	1	–	–	–	–	2	5	3	2	2	1	–	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	1	–	–	–	1	–	–
150-159	Of digestive organs and peritoneum	1,525	–	1	–	2	1	1	2	9	8	24	44	96	131	188	253	271	189	177	84	29	14	1
	White ..... Male	539	–	–	–	–	1	–	–	3	6	10	19	38	51	78	84	97	59	51	27	12	3	–
	Female	521	–	1	–	1	–	–	1	3	–	6	11	23	37	48	74	96	81	85	39	13	2	–
	All other ..... Male	260	–	–	–	–	–	1	–	–	2	4	8	24	29	35	53	37	30	23	7	3	4	–
	Female	205	–	–	–	1	–	–	1	3	–	4	6	11	14	27	42	41	19	18	11	1	5	1
160-163	Of respiratory system	1,756	–	–	–	–	1	–	1	3	14	37	81	165	251	295	369	250	149	84	39	11	6	–
	White ..... Male	1,074	–	–	–	–	–	–	1	–	8	21	38	97	142	203	241	156	90	52	15	8	2	–
	Female	283	–	–	–	–	–	–	–	2	1	5	17	34	41	37	41	41	28	17	15	2	2	–
	All other ..... Male	335	–	–	–	–	1	–	–	–	4	5	22	25	61	46	74	50	27	12	6	1	1	–
	Female	64	–	–	–	–	–	–	–	1	1	6	4	9	7	9	13	3	4	3	3	–	1	–
174	Of breast	479	–	–	–	–	–	–	1	8	16	18	26	49	61	60	77	61	35	33	24	8	2	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	352	–	–	–	–	–	–	1	4	12	11	19	37	49	40	57	44	28	29	15	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	125	–	–	–	–	–	–	–	4	4	7	7	12	12	20	20	16	7	4	8	3	1	–
180-187	Of genital organs	798	–	–	–	1	3	2	4	6	8	25	32	37	57	80	107	147	121	79	53	26	10	–
	White ..... Male	222	–	–	–	–	–	–	–	–	–	3	1	–	4	17	27	52	46	35	24	8	5	–
	Female	254	–	–	–	1	2	–	–	5	5	10	16	24	33	34	34	37	25	14	9	5	–	–
	All other ..... Male	175	–	–	–	–	1	–	–	–	–	–	1	1	5	12	29	36	35	25	15	12	3	–
	Female	147	–	–	–	–	–	2	4	1	3	12	14	12	15	17	17	22	15	5	5	1	2	–
188, 189	Of urinary organs	219	–	1	–	–	–	–	–	1	–	2	7	9	12	28	43	49	32	18	11	5	1	–
	White ..... Male	96	–	1	–	–	–	–	–	–	–	2	1	5	7	14	19	19	17	5	4	2	–	–
	Female	61	–	–	–	–	–	–	–	–	–	–	1	–	3	5	10	13	11	10	6	1	1	–
	All other ..... Male	33	–	–	–	–	–	–	–	–	–	–	3	3	1	3	5	13	2	1	1	1	–	–
	Female	29	–	–	–	–	–	–	–	1	–	–	2	1	1	6	9	4	2	2	–	1	–	–
170-173, 190-199	Of all other and unspecified sites	964	3	3	7	6	5	2	10	8	24	31	53	61	101	116	158	143	109	66	33	19	6	–
	White ..... Male	410	1	1	2	2	2	1	6	5	11	10	28	30	49	59	73	57	37	20	13	3	–	–
	Female	323	1	1	3	2	1	1	3	2	9	12	16	13	30	32	47	45	47	27	15	13	3	–
	All other ..... Male	106	1	1	1	1	1	–	–	1	4	4	4	8	14	14	17	14	11	6	2	–	2	–
	Female	125	–	–	1	1	1	–	1	–	–	5	5	10	8	11	21	27	14	13	3	3	1	–
204-207	Leukemia	280	1	4	7	3	6	7	2	4	8	7	8	15	23	20	29	40	39	35	17	4	1	–
	White ..... Male	115	–	2	4	2	1	2	2	3	1	6	5	3	11	6	15	19	12	15	4	2	–	–
	Female	105	1	–	2	1	3	3	–	1	4	–	1	8	6	7	11	11	19	15	10	1	1	–
	All other ..... Male	36	–	2	1	–	2	2	–	–	–	–	1	3	2	4	–	9	5	3	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	3	1	1	1	4	3	3	1	3	2	1	1	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	346	–	–	1	2	2	6	5	3	8	6	14	14	46	44	42	68	41	29	13	2	–	–
	White ..... Male	147	–	–	1	1	–	3	2	3	3	3	7	5	23	21	15	35	12	9	3	1	–	–
	Female	124	–	–	–	–	1	2	2	–	3	2	3	6	14	13	15	18	24	14	7	–	–	–
	All other ..... Male	37	–	–	–	1	1	1	1	–	1	–	3	1	6	5	4	7	2	3	1	–	–	–
	Female	38	–	–	–	–	–	–	–	–	1	1	1	2	3	5	8	8	3	3	2	1	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	93	1	2	1	–	–	1	2	1	–	4	4	9	10	12	14	9	7	4	4	7	1	–
	White ..... Male	29	–	1	–	–	–	1	1	1	–	1	–	3	5	5	4	2	2	–	1	1	1	–
	Female	34	1	1	1	–	–	–	–	–	–	1	3	4	2	4	3	4	2	2	3	3	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	2	–	–	–	–	–	–
	Female	20	–	–	–	–	–	–	1	–	–	2	1	1	1	2	3	1	3	2	–	3	–	–
250	Diabetes mellitus	632	–	–	–	–	–	–	2	4	8	16	14	21	38	67	85	101	114	75	55	24	8	–
	White ..... Male	161	–	–	–	–	–	–	–	2	2	6	4	7	6	21	25	17	36	21	8	3	3	–
	Female	245	–	–	–	–	–	–	1	–	4	6	3	3	11	24	21	44	41	31	37	16	3	–
	All other ..... Male	65	–	–	–	–	–	–	1	–	–	2	1	1	6	6	17	13	10	6	1	–	1	–
	Female	161	–	–	–	–	–	–	–	2	2	2	6	10	15	16	22	27	27	17	9	5	1	–
260-269	Avitaminoses and other nutritional deficiencies	64	1	–	–	–	1	–	–	–	2	–	–	2	2	4	4	9	10	10	13	5	1	–
	White ..... Male	8	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–
	Female	25	–	–	–	–	–	–	–	–	2	–	–	–	2	1	–	1	3	4	8	4	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	1	4	–	1	–
	Female	17	1	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	2	3	1	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama—Con.																							
280–285	Anemias	61	-	3	-	-	-	-	2	-	-	1	2	4	3	4	9	1	8	7	9	5	3	-
	White ..... Male	26	-	1	-	-	-	-	1	-	-	-	-	1	2	1	4	1	2	5	6	1	1	-
	Female	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	4	1	3	3	2	-
	All other ..... Male	8	-	2	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-
	Female	9	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	1	1	-	1	-	-
320	Meningitis	35	12	4	1	-	-	1	-	-	-	1	1	-	4	3	2	2	3	-	1	-	-	-
	White ..... Male	12	3	4	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-
	Female	7	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	1	-	-	-
	All other ..... Male	8	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
390–448	Major cardiovascular diseases	16,121	25	6	3	4	15	17	30	51	82	185	347	634	904	1,348	1,868	2,343	2,510	2,416	1,935	1,001	392	5
	White ..... Male	6,316	6	1	-	-	7	7	11	23	39	83	179	323	479	713	878	981	924	779	576	242	65	-
	Female	5,608	5	2	1	2	4	-	9	8	15	35	55	113	162	256	429	695	921	1,162	996	529	209	-
	All other ..... Male	2,119	4	3	1	2	1	5	7	13	18	39	73	122	161	215	308	352	314	227	130	87	35	2
	Female	2,078	10	-	1	-	3	5	3	7	10	28	40	76	102	164	253	315	351	248	233	143	83	3
390–398, 402, 404, 410–429	Diseases of heart	11,340	20	5	2	3	6	12	21	37	52	145	259	514	731	1,057	1,422	1,681	1,734	1,569	1,179	646	241	4
	White ..... Male	4,892	5	1	-	-	2	6	8	20	33	75	158	291	418	610	718	735	672	538	386	173	43	-
	Female	3,700	5	1	1	1	3	-	7	4	8	24	31	89	117	185	315	510	629	738	582	319	131	-
	All other ..... Male	1,440	3	3	1	2	-	3	4	9	8	28	50	86	118	151	213	240	219	150	74	59	18	1
	Female	1,308	7	-	-	-	1	3	2	4	3	18	20	48	78	111	176	196	214	143	137	95	49	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	154	-	-	-	-	-	-	2	1	2	11	6	13	5	17	15	30	17	18	12	4	1	-
	White ..... Male	61	-	-	-	-	-	-	1	-	1	2	1	3	3	8	9	11	5	9	7	-	1	-
	Female	54	-	-	-	-	-	-	-	1	1	4	4	5	1	5	4	13	4	6	3	3	-	-
	All other ..... Male	20	-	-	-	-	-	-	-	-	-	3	1	4	1	2	-	3	3	2	1	-	-	-
	Female	19	-	-	-	-	-	-	1	-	-	2	-	1	-	2	2	3	5	1	1	1	-	-
402	Hypertensive heart disease	134	-	-	-	-	-	-	-	1	-	5	4	4	6	11	15	16	24	17	18	10	3	-
	White ..... Male	28	-	-	-	-	-	-	-	-	-	1	-	3	3	3	4	5	2	3	2	1	1	-
	Female	53	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	3	15	9	11	5	1	-
	All other ..... Male	23	-	-	-	-	-	-	-	1	-	1	3	-	1	1	2	5	3	3	1	2	-	-
	Female	30	-	-	-	-	-	-	-	-	-	3	1	-	2	4	4	3	4	2	4	2	1	-
404	Hypertensive heart and renal disease	54	-	-	-	-	-	-	1	1	-	-	-	1	1	2	7	12	5	10	8	2	4	-
	White ..... Male	14	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	-	3	3	-	2	-
	Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	1	1	-
	All other ..... Male	16	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	5	2	3	-	-	1	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	1	1	-	-
410–413	Ischemic heart disease	9,064	-	-	-	-	1	6	6	18	28	87	174	387	566	834	1,128	1,364	1,452	1,319	962	542	188	2
	White ..... Male	3,994	-	-	-	-	1	4	3	11	20	51	123	233	328	490	583	617	575	459	315	149	32	-
	Female	3,016	-	-	-	-	-	-	1	1	3	9	14	59	98	145	254	411	530	631	479	274	107	-
	All other ..... Male	1,088	-	-	-	-	-	2	2	5	4	19	27	61	88	121	165	183	177	115	59	48	12	-
	Female	966	-	-	-	-	-	-	-	1	1	8	10	34	52	78	126	153	170	114	109	71	37	2
410	Acute myocardial infarction	5,156	-	-	-	-	1	5	5	13	24	69	141	282	414	561	724	817	799	636	407	206	51	1
	White ..... Male	2,571	-	-	-	-	1	3	2	8	17	45	102	171	241	359	403	404	356	249	143	59	8	-
	Female	1,582	-	-	-	-	-	-	1	1	3	7	12	44	80	100	168	248	277	303	203	105	30	-
	All other ..... Male	547	-	-	-	-	-	2	2	3	3	14	18	39	52	60	84	93	88	45	26	13	5	-
	Female	456	-	-	-	-	-	-	-	1	1	3	9	28	41	42	69	72	78	39	35	29	8	1
411	Other acute and subacute forms of ischemic heart disease	64	-	-	-	-	-	-	1	-	-	2	1	2	5	7	12	9	7	6	8	2	2	-
	White ..... Male	22	-	-	-	-	-	-	1	-	-	-	-	2	1	4	9	2	1	1	1	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	1	2	-
	All other ..... Male	20	-	-	-	-	-	-	-	-	-	1	-	-	4	3	2	3	2	3	2	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	1	1	1	-	-
412	Chronic ischemic heart disease	3,838	-	-	-	-	-	1	-	5	4	16	32	103	147	264	392	537	645	676	547	333	135	1
	White ..... Male	1,399	-	-	-	-	-	1	-	3	3	6	21	60	86	126	171	211	218	208	171	90	24	-
	Female	1,419	-	-	-	-	-	-	-	-	-	2	1	15	18	45	85	162	250	327	272	167	75	-
	All other ..... Male	519	-	-	-	-	-	-	-	2	1	4	9	22	32	57	79	86	87	67	31	35	7	-
	Female	501	-	-	-	-	-	-	-	-	-	4	1	6	11	36	57	78	90	74	73	41	29	1
413	Angina pectoris	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	87	-	1	-	-	1	-	1	-	1	2	4	3	3	3	6	4	8	17	22	6	5	-
	White ..... Male	27	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	4	7	6	1	2	-
	Female	42	-	-	-	-	1	-	1	-	-	1	1	2	-	1	1	3	1	10	14	5	1	-
	All other ..... Male	8	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	1	-	1	-
	Female	10	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	2	-	1	-	1	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,847	20	4	2	3	4	6	11	16	21	40	71	106	150	190	251	255	228	188	157	82	40	2
	White ..... Male	768	5	1	–	–	1	2	3	9	12	20	34	51	83	107	118	99	86	57	53	22	5	–
	Female	521	5	1	1	1	2	–	5	2	4	10	12	22	18	31	49	78	78	79	71	31	21	–
	All other ..... Male	285	3	2	1	2	–	1	2	2	4	5	17	20	28	25	44	43	33	27	12	9	4	1
	Female	273	7	–	–	–	1	3	1	3	1	5	8	13	21	27	40	35	31	25	21	20	10	1
400, 401, 403	Hypertension	123	–	–	–	–	–	–	1	1	2	3	7	3	7	5	16	21	15	19	13	6	4	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	5	4	2	4	1	2	–
	Female	35	–	–	–	–	–	–	–	1	1	–	1	–	1	2	3	4	3	8	4	5	2	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	1	1	2	2	3	1	4	5	4	5	–	–	–	–
	Female	36	–	–	–	–	–	–	1	–	–	2	3	1	–	2	7	7	4	4	5	–	–	–
430–438	Cerebrovascular diseases	3,833	5	1	1	1	7	5	6	9	25	32	72	96	145	238	343	534	652	679	603	269	110	–
	White ..... Male	1,068	1	–	–	–	4	1	2	1	5	7	16	21	46	76	107	182	200	190	149	47	13	–
	Female	1,552	–	1	–	1	1	–	2	1	6	8	20	17	40	58	93	154	258	342	333	165	57	–
	All other ..... Male	565	1	–	–	–	–	2	2	4	8	10	19	33	37	58	81	92	81	59	46	17	15	–
	Female	648	3	–	1	–	2	2	–	3	6	7	17	25	22	46	62	106	118	88	75	40	25	–
431	Cerebral hemorrhage	502	3	–	–	1	4	1	–	4	6	14	30	28	40	52	51	59	67	74	45	18	5	–
	White ..... Male	128	–	–	–	–	2	–	–	1	1	2	8	5	12	17	14	19	16	17	10	3	1	–
	Female	166	–	–	–	1	1	–	–	–	2	3	8	5	8	10	16	9	27	38	25	12	1	–
	All other ..... Male	101	1	–	–	–	–	–	–	2	2	5	6	10	11	16	10	16	10	5	2	3	2	–
	Female	107	2	–	–	–	1	1	–	1	1	4	8	8	9	9	11	15	14	14	8	–	1	–
433	Cerebral thrombosis	873	1	–	–	–	–	–	1	1	4	1	4	7	23	48	76	123	163	168	167	54	32	–
	White ..... Male	280	1	–	–	–	–	–	1	–	–	–	1	2	13	18	28	47	61	44	49	13	2	–
	Female	370	–	–	–	–	–	–	–	–	1	–	1	1	2	16	19	39	60	93	86	33	19	–
	All other ..... Male	114	–	–	–	–	–	–	–	–	–	–	1	3	5	11	22	19	21	12	15	2	3	–
	Female	109	–	–	–	–	–	–	–	1	3	1	1	1	3	3	7	18	21	19	17	6	8	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,449	1	1	1	–	3	4	5	4	15	17	38	61	82	138	214	350	419	436	391	196	73	–
	White ..... Male	657	–	–	–	–	2	1	1	–	4	5	7	14	21	41	64	116	122	129	90	30	10	–
	Female	1,014	–	1	–	–	–	–	2	1	3	5	11	11	30	32	57	106	165	211	222	120	37	–
	All other ..... Male	348	–	–	–	–	–	2	2	2	6	5	12	20	21	31	49	55	50	42	29	12	10	–
	Female	430	1	–	1	–	1	1	–	1	2	2	8	16	10	34	44	73	82	54	50	34	16	–
440	Arteriosclerosis	441	–	–	–	–	–	–	–	–	1	1	2	4	4	12	27	38	51	100	108	62	31	–
	White ..... Male	137	–	–	–	–	–	–	–	–	1	–	1	1	2	3	13	17	20	31	27	16	5	–
	Female	212	–	–	–	–	–	–	–	–	–	–	1	3	1	5	6	10	19	57	61	31	18	–
	All other ..... Male	45	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	9	4	8	8	9	2	–
	Female	47	–	–	–	–	–	–	–	–	–	1	–	–	1	3	4	2	8	4	12	6	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	384	–	–	–	–	2	–	2	4	2	4	7	17	17	36	60	69	58	49	32	18	6	1
	White ..... Male	195	–	–	–	–	1	–	1	2	–	1	3	10	10	24	38	42	28	18	10	5	2	–
	Female	109	–	–	–	–	–	–	–	2	–	3	2	4	3	6	12	17	17	17	16	9	1	–
	All other ..... Male	41	–	–	–	–	1	–	1	–	1	–	2	1	3	4	6	6	6	5	2	2	–	1
	Female	39	–	–	–	–	–	–	–	–	1	–	–	2	1	2	4	4	7	9	4	2	3	–
466	Acute bronchitis and bronchiolitis	10	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	2	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	969	40	11	5	1	3	4	5	4	10	17	12	28	33	55	71	100	151	144	145	98	32	–
	White ..... Male	383	8	5	1	–	3	1	2	1	1	5	3	14	17	26	29	43	72	53	66	23	10	–
	Female	340	5	1	1	1	–	1	1	1	1	3	–	4	6	12	19	29	55	64	63	57	16	–
	All other ..... Male	154	19	4	2	–	–	1	1	1	6	9	9	5	7	13	16	15	14	16	7	7	2	–
	Female	92	8	1	1	–	–	1	1	1	2	–	–	5	3	4	7	13	10	11	9	11	4	–
470–474	Influenza	101	3	1	–	1	–	1	–	1	–	–	–	3	–	5	6	11	9	23	20	12	5	–
	White ..... Male	34	–	1	–	–	–	1	–	–	–	–	–	1	–	1	2	2	5	7	8	3	3	–
	Female	47	–	–	–	1	–	–	–	1	–	–	–	1	–	2	3	3	4	12	11	8	1	–
	All other ..... Male	10	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	3	–	–	1	–
	Female	10	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	1	1	–	–
480–486	Pneumonia	868	37	10	5	–	3	3	5	3	10	17	12	25	33	50	65	89	142	121	125	86	27	–
	White ..... Male	349	8	4	1	–	3	–	2	1	1	5	3	13	17	25	27	41	67	46	58	20	7	–
	Female	293	5	1	1	–	–	1	1	–	1	3	–	3	6	10	16	26	51	52	52	49	15	–
	All other ..... Male	144	18	4	2	–	–	1	1	1	6	9	9	4	7	12	15	13	14	13	7	7	1	–
	Female	82	6	1	1	–	–	1	1	1	2	–	–	5	3	3	7	9	10	10	8	10	4	–
490–493	Bronchitis, emphysema, and asthma	331	–	2	–	2	–	2	–	2	2	3	7	10	24	42	42	60	66	40	19	7	1	–
	White ..... Male	218	–	–	–	2	–	–	–	1	1	2	4	4	12	33	31	43	45	26	10	4	–	–
	Female	69	–	1	–	–	–	1	–	–	1	–	1	4	8	6	6	12	15	8	4	2	–	–
	All other ..... Male	34	–	1	–	–	–	1	–	1	–	–	2	2	4	2	5	2	5	6	3	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	1	–	2	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama—Con.																							
490, 491	Chronic and unqualified bronchitis	62	–	1	–	1	–	–	–	2	1	–	2	2	4	5	8	10	11	6	6	2	1	–
	White ..... Male	37	–	–	–	1	–	–	–	1	1	–	1	1	1	4	6	8	7	3	2	1	–	–
	Female	16	–	1	–	–	–	–	–	–	–	–	–	1	2	1	2	1	4	1	3	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
492	Emphysema	252	–	–	–	–	–	–	–	–	–	2	5	8	19	37	32	46	53	33	13	4	–	–
	White ..... Male	178	–	–	–	–	–	–	–	–	–	2	3	3	10	29	25	35	37	23	8	3	–	–
	Female	47	–	–	–	–	–	–	–	–	–	–	1	3	6	5	4	10	10	6	1	1	–	–
	All other ..... Male	23	–	–	–	–	–	–	–	–	–	–	1	2	3	2	3	–	5	4	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
493	Asthma	17	–	1	–	1	–	2	–	–	1	1	–	–	1	–	2	4	2	1	–	1	–	–
	White ..... Male	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	1	–	1	–	–
	All other ..... Male	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
531–533	Peptic ulcer	72	–	–	–	–	–	–	–	–	2	1	4	4	3	7	7	16	8	11	8	1	–	–
	White ..... Male	29	–	–	–	–	–	–	–	–	2	1	1	1	–	4	5	9	2	2	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	3	4	7	3	1	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	2	2	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–
540–543	Appendicitis	23	2	–	–	2	–	–	1	–	1	1	–	4	–	2	2	4	1	2	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–
	Female	10	1	–	–	–	–	–	1	–	1	–	–	–	–	1	1	3	–	2	–	–	–	–
	All other ..... Male	4	1	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	98	9	–	–	–	–	–	1	1	2	1	1	2	4	7	7	9	15	18	14	4	3	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	5	2	2	–	1	–
	Female	44	5	–	–	–	–	–	1	1	–	–	–	1	2	2	1	2	5	9	10	4	1	–
	All other ..... Male	21	4	–	–	–	–	–	–	–	1	–	–	1	–	1	4	2	3	4	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	2	3	1	–	1	–
571	Cirrhosis of liver	356	–	–	–	–	1	1	2	12	14	20	49	43	63	56	35	30	16	6	3	2	3	–
	White ..... Male	183	–	–	–	–	1	–	1	4	5	12	24	20	38	35	20	15	5	1	–	1	1	–
	Female	108	–	–	–	–	–	–	–	–	3	4	17	17	16	14	10	9	7	5	3	1	2	–
	All other ..... Male	30	–	–	–	–	–	–	1	3	2	2	3	1	6	6	1	4	1	–	–	–	–	–
	Female	35	–	–	–	–	–	1	–	5	4	2	5	5	3	1	4	2	3	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	42	–	–	–	–	–	–	–	–	1	1	–	2	3	1	3	5	12	7	6	1	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	1	1	–	1	3	1	1	–	4	3	2	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	8	3	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
580–584	Nephritis and nephrosis	230	3	–	–	–	1	–	1	2	7	3	8	11	18	22	23	40	41	24	17	7	2	–
	White ..... Male	60	2	–	–	–	–	–	–	1	2	–	–	4	3	9	6	12	9	5	4	2	1	–
	Female	57	–	–	–	–	1	–	–	–	1	2	2	3	2	4	5	9	11	9	5	3	–	–
	All other ..... Male	59	–	–	–	–	–	–	1	1	2	1	1	2	8	5	8	12	7	4	5	1	1	–
	Female	54	1	–	–	–	–	–	–	–	2	–	5	2	5	4	4	7	14	6	3	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	44	2	–	–	–	1	–	–	–	1	1	–	1	5	3	5	6	10	4	5	–	–	–
	White ..... Male	16	1	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	4	2	1	–	–	–
	Female	11	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	3	2	2	1	–	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	1	–	3	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	186	1	–	–	–	–	–	1	2	6	2	8	10	13	19	18	34	31	20	12	7	2	–
	White ..... Male	44	1	–	–	–	–	–	–	1	2	–	–	3	2	7	4	10	5	3	3	2	1	–
	Female	46	–	–	–	–	–	–	–	–	1	1	2	3	2	4	4	6	9	7	4	3	–	–
	All other ..... Male	48	–	–	–	–	–	–	1	1	1	1	1	2	6	4	6	11	6	4	2	1	1	–
	Female	48	–	–	–	–	–	–	–	–	2	–	5	2	3	4	4	7	11	6	3	1	–	–
590	Infections of kidney	75	–	–	–	–	–	–	–	–	1	1	2	2	3	5	4	15	8	14	10	9	1	–
	White ..... Male	19	–	–	–	–	–	–	–	–	1	–	1	–	1	3	–	3	2	2	4	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	7	1	10	4	4	1	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	2	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	–	1	3	–	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	2	1	–	2	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	3	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alabama—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	3	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	238	159	18	7	8	7	5	8	2	2	4	2	1	6	1	3	2	2	1	–	–	–	–
	White ..... Male	85	52	5	4	5	3	3	4	–	2	1	2	–	3	–	1	–	–	–	–	–	–	–
	Female	77	52	5	1	2	2	2	2	2	–	3	–	1	2	1	1	1	–	–	–	–	–	–
	All other ..... Male	45	31	4	1	1	2	–	1	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	Female	31	24	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	439	439	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	129	129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	122	122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	259	259	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	180	180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,107	129	17	6	7	13	27	23	28	41	57	88	152	149	215	246	244	210	163	136	99	57	–
	White ..... Male	645	28	6	1	3	4	6	5	5	10	18	31	48	68	102	95	68	61	45	26	13	2	–
	Female	432	16	2	2	1	4	6	5	4	4	10	21	28	26	29	44	49	49	45	35	34	18	–
	All other ..... Male	577	50	7	1	2	4	11	7	12	19	21	19	53	37	50	66	71	47	41	30	18	11	–
	Female	453	35	2	2	1	1	4	6	7	8	8	17	23	18	34	41	56	53	32	45	34	26	–
Residual	All other diseases	2,362	36	17	10	10	26	32	40	34	41	48	85	123	167	219	291	330	290	258	195	76	34	–
	White ..... Male	967	9	6	2	4	12	14	9	10	14	16	36	57	79	103	126	154	127	102	54	23	10	–
	Female	692	8	6	3	3	3	6	6	3	9	6	22	21	41	55	72	92	99	103	87	36	11	–
	All other ..... Male	404	9	3	4	2	4	3	12	9	13	17	15	26	25	41	60	62	31	25	32	5	6	–
	Female	299	10	2	1	1	7	9	13	12	5	9	12	19	22	20	33	22	33	28	22	12	7	–
E800–E949	Accidents	2,464	42	95	72	68	293	310	208	155	126	134	133	124	112	115	109	94	88	83	59	33	10	1
	White ..... Male	1,300	11	29	28	38	180	186	133	95	73	76	73	73	64	56	42	46	30	36	20	9	1	1
	Female	492	7	23	18	6	47	51	21	25	21	19	23	25	16	25	31	20	35	33	29	12	5	–
	All other ..... Male	482	12	23	15	19	52	57	45	27	24	32	30	19	26	26	26	20	12	9	3	2	3	–
	Female	190	12	20	11	5	14	16	9	8	8	7	7	7	6	8	10	8	11	5	7	10	1	–
E810–E823	Motor vehicle accidents	1,285	5	26	32	35	219	220	136	88	76	73	76	56	57	49	50	36	27	16	6	1	1	–
	White ..... Male	745	3	6	10	25	135	131	96	57	45	41	51	30	35	22	17	20	9	9	2	–	1	–
	Female	255	1	7	11	4	41	41	12	19	14	13	14	14	9	13	16	11	7	5	3	–	–	–
	All other ..... Male	222	–	9	7	5	33	39	24	8	12	15	9	10	9	13	13	4	9	1	1	1	–	–
	Female	63	1	4	4	1	10	9	4	4	5	4	2	2	4	1	4	1	2	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,179	37	69	40	33	74	90	72	67	50	61	57	68	55	66	59	58	61	67	53	32	9	1
	White ..... Male	555	8	23	18	13	45	55	37	38	28	35	22	43	29	34	25	26	21	27	18	9	–	1
	Female	237	6	16	7	2	6	10	9	6	7	6	9	11	7	12	15	9	28	28	26	12	5	–
	All other ..... Male	260	12	14	8	14	19	18	21	19	12	17	21	9	17	13	13	16	3	8	2	1	3	–
	Female	127	11	16	7	4	4	7	5	4	3	3	5	5	2	7	6	7	9	4	7	10	1	–
E950–E959	Suicide	392	...	...	–	6	22	45	39	25	32	21	28	37	26	39	29	14	15	10	4	–	–	–
	White ..... Male	274	...	...	–	5	14	23	21	17	22	14	20	30	20	35	23	10	9	8	3	–	–	–
	Female	66	...	...	–	1	7	9	5	4	8	6	6	4	3	3	4	2	4	–	–	–	–	–
	All other ..... Male	46	...	...	–	–	1	12	13	3	1	1	2	2	2	1	2	2	2	1	1	–	–	–
	Female	6	...	...	–	–	–	1	–	1	1	–	–	1	1	–	–	–	–	1	–	–	–	–
E960–E978	Homicide	504	2	1	4	6	34	81	92	57	54	43	34	28	17	14	22	8	3	3	1	–	–	–
	White ..... Male	156	1	–	–	4	7	15	25	17	22	10	14	13	7	8	5	5	1	1	1	–	–	–
	Female	46	–	–	1	–	4	6	2	2	7	6	4	2	2	3	5	1	1	–	–	–	–	–
	All other ..... Male	260	1	1	1	2	20	55	58	32	21	22	13	10	7	3	10	2	1	1	–	–	–	–
	Female	42	–	–	2	–	3	5	7	6	4	5	3	3	1	–	2	–	–	1	–	–	–	–
E980–E999	Other external causes	75	1	1	–	–	5	6	8	5	3	5	7	10	10	4	2	2	4	2	–	–	–	–
	White ..... Male	48	–	1	–	–	3	3	5	2	3	2	3	8	7	3	2	2	3	1	–	–	–	–
	Female	10	1	–	–	–	1	–	1	1	–	1	1	–	2	1	–	–	–	1	–	–	–	–
	All other ..... Male	16	–	–	–	–	–	3	2	2	–	2	3	2	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska																							
	All causes	1,690	128	23	17	22	84	133	92	83	69	93	102	131	141	112	114	103	94	60	52	29	6	2
	White Male	799	50	4	7	8	42	60	46	54	48	41	53	70	78	47	50	51	34	24	20	8	3	1
	Female	387	35	9	2	8	8	16	17	14	4	17	26	29	35	34	28	27	26	22	15	13	1	1
	All other Male	327	23	6	6	3	24	45	25	9	11	25	16	15	19	25	23	13	22	7	7	2	1	–
	Female	177	20	4	2	3	10	12	4	6	6	10	7	17	9	6	13	12	12	7	10	6	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	6	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	281	–	–	–	1	2	4	5	2	8	13	20	47	40	41	36	30	15	8	6	3	–	–
	White ..... Male	122	–	–	–	–	–	2	2	1	7	4	7	21	19	15	17	18	4	2	3	–	–	–
	Female	88	–	–	–	1	1	1	3	–	–	6	11	14	12	14	7	5	6	5	1	1	–	–
	All other ..... Male	41	–	–	–	–	–	1	–	1	–	2	2	5	5	9	7	3	4	–	1	1	–	–
	Female	30	–	–	–	–	1	–	–	–	1	1	–	7	4	3	5	4	1	1	1	1	–	–
140–149	Of buccal cavity and pharynx	9	–	–	–	–	–	–	–	–	–	1	–	4	–	1	1	–	1	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	65	–	–	–	–	–	–	–	–	1	2	3	12	8	10	9	12	2	4	1	1	–	–
	White ..... Male	33	–	–	–	–	–	–	–	–	1	1	2	6	4	3	6	7	–	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	4	–	3	–	1	1	2	–	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	1	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	–	–	–	1	–	–
160–163	Of respiratory system	82	–	–	–	–	–	–	–	–	1	–	9	13	10	15	14	11	5	1	2	1	–	–
	White ..... Male	44	–	–	–	–	–	–	–	–	1	–	4	9	7	7	7	7	1	–	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	3	4	2	4	4	3	2	1	1	1	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	2	–	1	4	2	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	21	–	–	–	–	–	–	1	–	–	2	2	4	8	2	1	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	2	3	7	2	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
180–187	Of genital organs	29	–	–	–	–	–	1	–	–	1	1	3	3	5	4	3	3	3	–	1	1	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	3	–	–	–	–	–
	Female	13	–	–	–	–	–	1	–	–	–	1	3	1	2	2	2	1	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	1	–	–	–
188, 189	Of urinary organs	9	–	–	–	–	1	–	–	–	–	–	1	1	–	2	1	2	–	1	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	48	–	–	–	1	1	3	2	2	–	6	–	7	8	6	6	1	4	1	–	–	–	–
	White ..... Male	20	–	–	–	–	–	2	1	1	–	2	–	3	5	3	3	–	–	–	–	–	–	–
	Female	12	–	–	–	1	1	–	1	–	–	3	–	1	1	1	–	–	2	1	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	1	–	1	–	1	–	2	2	1	2	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
204–207	Leukemia	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	15	–	–	–	–	–	–	2	–	3	1	2	3	1	1	–	–	–	1	1	–	–	–
	White ..... Male	8	–	–	–	–	–	–	1	–	3	1	–	1	1	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	6	1	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	11	–	–	–	–	–	2	1	–	–	1	1	–	1	1	1	1	2	–	–	–	–	–
	White ..... Male	5	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska—Con.																							
280–285	Anemias	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	–	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	418	4	–	1	–	1	1	2	4	8	16	22	31	56	38	50	45	58	36	26	15	4	–
	White Male	205	–	–	1	–	1	1	1	3	7	7	12	20	33	21	25	21	19	14	10	7	2	–
	Female	112	3	–	–	–	–	–	1	–	–	3	3	7	12	9	14	13	16	15	8	7	1	–
	All other Male	63	1	–	–	–	–	–	–	–	1	3	4	2	9	5	9	8	13	4	4	–	–	–
	Female	38	–	–	–	–	–	–	–	1	–	3	3	2	2	3	2	3	10	3	4	1	1	–
390–398, 402, 404, 410–429	Diseases of heart	311	2	–	1	–	–	1	1	4	5	11	18	27	44	34	39	32	40	20	17	14	1	–
	White Male	161	–	–	1	–	–	1	1	3	5	6	10	19	29	18	18	15	12	10	6	7	–	–
	Female	75	2	–	–	–	–	–	–	–	–	2	2	5	6	9	12	9	11	6	5	6	–	–
	All other Male	53	–	–	–	–	–	–	–	–	–	2	4	1	9	5	7	6	12	3	4	–	–	–
	Female	22	–	–	–	–	–	–	–	1	–	1	2	2	–	2	2	2	5	1	2	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
402	Hypertensive heart disease	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	1	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
404	Hypertensive heart and renal disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	250	–	–	–	–	–	–	–	3	5	8	14	23	37	31	34	27	27	16	13	11	1	–
	White Male	137	–	–	–	–	–	–	–	3	5	6	8	17	25	17	15	13	10	9	5	4	–	–
	Female	64	–	–	–	–	–	–	–	–	–	–	1	4	6	9	12	8	8	5	5	6	–	–
	All other Male	37	–	–	–	–	–	–	–	–	–	1	4	1	6	4	6	4	8	1	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	1	1	1	1	1	–
410	Acute myocardial infarction	125	–	–	–	–	–	–	–	2	2	5	6	14	13	17	22	10	19	4	5	5	1	–
	White Male	64	–	–	–	–	–	–	–	2	2	4	3	11	9	9	6	6	7	2	1	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	3	2	5	11	2	5	2	2	2	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	1	2	–	2	2	4	1	6	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	1	1	1	–
411	Other acute and subacute forms of ischemic heart disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
412	Chronic ischemic heart disease	123	–	–	–	–	–	–	–	1	3	3	8	9	24	14	12	16	8	11	8	6	–	–
	White Male	73	–	–	–	–	–	–	–	1	3	2	5	6	16	8	9	7	3	7	4	2	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	1	4	4	1	6	3	3	3	4	–	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	2	1	4	2	2	2	2	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	43	2	–	1	–	–	1	1	1	–	2	4	3	7	1	4	3	7	2	3	1	–	–
	White ..... Male	19	–	–	1	–	–	1	1	–	–	–	2	2	4	–	3	1	1	1	1	1	–	–
	Female	7	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	2	2	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	1	–	–	–	–	–
400, 401, 403	Hypertension	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	69	2	–	–	–	1	–	1	–	1	4	3	3	8	3	4	7	14	11	6	–	1	–
	White ..... Male	25	–	–	–	–	1	–	–	–	1	–	2	1	4	2	2	2	5	3	2	–	–	–
	Female	27	1	–	–	–	–	–	1	–	–	1	1	2	4	–	1	2	4	7	2	–	1	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	4	–	2	–	–	–
431	Cerebral hemorrhage	11	1	–	–	–	–	–	–	–	–	2	1	–	2	1	–	1	–	2	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	1	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
433	Cerebral thrombosis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	52	1	–	–	–	1	–	1	–	1	2	2	3	6	2	4	6	11	7	5	–	–	–
	White ..... Male	19	–	–	–	–	1	–	–	–	1	–	1	1	3	1	2	2	4	2	1	–	–	–
	Female	20	1	–	–	–	–	–	1	–	–	–	1	2	3	–	1	2	3	4	2	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	2	–	–	–
440	Arteriosclerosis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	2	–	2	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	2	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	26	–	–	–	–	–	–	–	–	2	1	1	–	4	1	4	5	2	4	1	1	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	4	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	2	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	54	4	2	–	–	2	2	1	1	1	4	3	3	2	5	7	1	2	6	4	3	1	–
	White ..... Male	21	1	–	–	–	–	1	1	–	1	3	2	1	–	3	1	–	2	3	1	–	1	–
	Female	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–
	All other ..... Male	14	1	1	–	–	1	1	–	–	–	1	–	1	1	2	2	–	–	2	1	–	–	–
	Female	13	1	–	–	–	1	–	–	1	–	–	1	1	1	–	3	1	–	1	1	1	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	54	4	2	–	–	2	2	1	1	1	4	3	3	2	5	7	1	2	6	4	3	1	–
	White ..... Male	21	1	–	–	–	–	1	1	–	1	3	2	1	–	3	1	–	2	3	1	–	1	–
	Female	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–
	All other ..... Male	14	1	1	–	–	1	1	–	–	–	1	–	1	1	2	2	–	–	2	1	–	–	–
	Female	13	1	–	–	–	1	–	–	1	–	–	1	1	1	–	3	1	–	1	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	9	–	–	–	1	–	–	–	–	–	–	1	–	1	2	2	2	–	–	–	–	–	–
	White ..... Male	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska—Con.																							
490, 491	Chronic and unqualified bronchitis	3	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	White ... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–
	White ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	4	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	White ... Male	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
571	Cirrhosis of liver	38	–	–	–	1	–	–	–	2	1	10	3	7	9	3	2	–	–	–	–	–	–	–
	White ... Male	17	–	–	–	–	–	–	–	1	–	5	1	3	5	–	2	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	1	4	2	–	–	–	–	–	–	–	–
	All other ... Male	7	–	–	–	1	–	–	–	–	–	4	1	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	6	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	–	–	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Alaska—Con.																							
640-645	Abortions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	26	22	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	54	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White ..... Male	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other ..... Male	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	27	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White ..... Male	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	All other ..... Male	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	Symptoms and ill-defined conditions	60	30	-	-	1	-	2	-	1	-	3	2	2	2	2	-	2	1	4	5	3	-	-
	White ..... Male	26	14	-	-	-	-	-	-	1	-	2	1	1	2	1	-	-	-	2	2	-	-	-
	Female	16	6	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	1	3	1	-	-
	All other ..... Male	9	5	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female	9	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Residual	All other diseases	84	3	1	1	-	-	2	-	2	4	3	7	6	5	8	5	15	10	4	5	3	-	-
	White ..... Male	21	-	-	1	-	-	-	-	-	-	-	1	1	3	1	-	5	3	2	3	1	-	-
	Female	26	1	-	-	-	-	-	-	1	-	2	3	1	1	5	2	6	2	-	1	1	-	-
	All other ..... Male	20	1	-	-	-	-	1	-	-	3	-	2	3	1	2	1	1	4	-	1	-	-	-
	Female	17	1	1	-	-	-	1	-	1	1	1	1	1	-	-	2	3	1	2	-	1	-	-
E800-E949	Accidents	458	3	10	13	15	58	83	66	49	32	34	30	26	17	7	6	2	3	1	2	-	1	-
	White ..... Male	257	-	2	5	7	35	39	36	34	24	14	23	19	11	3	2	1	2	-	-	-	-	-
	Female	60	-	3	2	5	5	11	10	8	1	3	2	2	3	-	2	-	1	1	1	-	-	-
	All other ..... Male	108	2	3	4	1	12	27	17	5	6	13	5	2	3	4	2	1	-	-	-	-	1	-
	Female	33	1	2	2	2	6	6	3	2	1	4	-	3	-	-	-	-	-	-	1	-	-	-
E810-E823	Motor vehicle accidents	119	-	4	2	4	19	32	14	13	8	7	3	6	1	2	2	-	2	-	-	-	-	-
	White ..... Male	65	-	1	2	3	13	13	6	9	5	3	3	5	-	1	-	-	1	-	-	-	-	-
	Female	29	-	1	-	1	2	11	5	3	-	2	-	1	1	-	1	-	1	-	-	-	-	-
	All other ..... Male	16	-	1	-	-	2	5	2	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-
	Female	9	-	1	-	-	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	All other accidents	339	3	6	11	11	39	51	52	36	24	27	27	20	16	5	4	2	1	1	2	-	1	-
	White ..... Male	192	-	1	3	4	22	26	30	25	19	11	20	14	11	2	2	1	1	-	-	-	-	-
	Female	31	-	2	2	4	3	-	5	5	1	1	2	1	2	-	1	-	-	1	1	-	-	-
	All other ..... Male	92	2	2	4	1	10	22	15	4	4	12	5	2	3	3	1	1	-	-	-	-	1	-
	Female	24	1	1	2	2	4	3	2	2	-	3	-	3	-	-	-	-	-	-	1	-	-	-
E950-E959	Suicide	61	...	...	-	-	10	12	6	11	6	4	2	3	3	1	1	-	1	-	1	-	-	-
	White ..... Male	38	...	...	-	-	2	7	2	9	5	4	2	2	2	1	-	-	1	-	1	-	-	-
	Female	8	...	...	-	-	-	1	2	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	All other ..... Male	13	...	...	-	-	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	Homicide	61	1	1	1	1	5	18	6	5	6	2	6	3	2	2	1	-	-	-	-	-	-	1
	White ..... Male	17	-	-	-	-	-	4	1	1	3	2	1	-	2	1	1	-	-	-	-	-	-	1
	Female	12	-	-	-	-	2	2	-	1	2	-	3	2	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	26	1	1	1	-	3	8	5	3	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	1	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	Other external causes	26	-	-	-	-	4	5	5	5	-	2	3	1	-	-	-	-	1	-	-	-	-	-
	White ..... Male	17	-	-	-	-	4	2	3	4	-	-	2	1	-	-	-	-	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	5	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona																							
	All causes	19,198	564	159	82	91	320	448	321	303	333	393	582	820	1,215	1,699	2,271	2,591	2,329	2,168	1,530	713	232	34
	White ..... Male	10,318	247	83	44	49	187	256	179	164	163	199	326	469	714	1,054	1,342	1,530	1,296	1,049	634	241	64	28
	Female	7,295	201	39	27	29	74	91	69	65	96	114	173	256	398	570	805	938	909	1,037	817	436	148	3
	All other ..... Male	1,017	68	21	6	11	46	82	54	58	53	45	56	59	71	47	71	74	74	49	43	20	6	3
	Female	568	48	16	5	2	13	19	19	16	21	35	27	36	32	28	53	49	50	33	36	16	14	-
004, 006	Bacillary dysentery and amebiasis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	24	7	1	-	1	-	-	1	-	-	-	-	-	2	1	-	2	2	1	3	1	2	-
	White ..... Male	7	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-
	Female	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
	All other ..... Male	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Female	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
010-019	Tuberculosis, all forms	45	1	-	-	-	1	-	1	1	-	-	-	6	3	5	4	7	4	5	6	-	1	-
	White ..... Male	31	1	-	-	-	1	-	-	1	-	-	-	5	1	3	3	5	2	4	5	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	1	-
	All other ..... Male	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
010-012	Tuberculosis of respiratory system	37	-	-	-	-	1	-	1	1	-	-	-	6	2	4	3	7	2	5	4	-	1	-
	White ..... Male	26	-	-	-	-	1	-	-	1	-	-	-	5	1	3	2	5	1	4	3	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-
	All other ..... Male	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	2	-	-	-
	White ..... Male	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	7	1	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-
	White ..... Male	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	All other ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
038	Septicemia	99	15	1	1	1	-	-	-	2	-	2	2	3	6	6	6	12	16	11	7	5	3	-
	White ..... Male	45	6	-	-	1	-	-	-	-	-	-	1	1	4	2	3	7	8	6	3	2	1	-
	Female	35	3	-	-	-	-	-	-	-	-	2	-	1	1	3	1	4	8	5	4	2	1	-
	All other ..... Male	8	2	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	Female	11	4	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	83	8	1	-	1	1	4	-	3	1	3	6	9	9	4	6	8	5	5	5	2	2	-
	White ..... Male	36	5	-	-	-	-	3	-	2	-	2	3	4	2	2	2	4	4	1	2	-	-	-
	Female	36	2	1	-	1	-	1	-	1	-	1	2	2	6	2	2	4	1	3	3	2	2	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-	1	-	-	-	-
	Female	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,866	1	8	17	11	16	14	17	30	41	76	152	251	362	485	601	661	494	355	194	63	17	–
	White ..... Male	2,044	–	5	10	7	5	7	10	16	16	29	72	113	196	274	337	366	273	178	98	24	8	–
	Female	1,652	–	3	7	2	8	5	4	12	23	39	67	121	146	199	249	273	195	166	87	37	9	–
	All other ..... Male	103	1	–	–	2	3	–	–	2	1	5	6	8	17	8	9	12	13	7	7	2	–	–
	Female	67	–	–	–	–	–	2	3	–	1	3	7	9	3	4	6	10	13	4	2	–	–	–
140–149	Of buccal cavity and pharynx	69	–	–	–	–	1	–	2	1	1	–	6	6	6	13	10	10	4	4	3	2	–	–
	White ..... Male	44	–	–	–	–	1	–	1	1	1	–	4	6	5	7	7	5	2	2	1	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	6	3	5	2	2	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	968	–	–	1	–	1	–	–	6	10	17	21	45	83	110	144	176	139	117	63	27	8	–
	White ..... Male	496	–	–	–	–	–	–	–	3	5	7	11	23	44	64	76	99	67	58	28	9	2	–
	Female	417	–	–	1	–	1	–	–	3	5	8	7	15	32	39	62	74	60	56	31	17	6	–
	All other ..... Male	32	–	–	–	–	–	–	–	–	–	1	2	2	5	6	4	1	5	2	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	1	5	2	1	2	2	7	1	1	–	–	–
160–163	Of respiratory system	975	–	–	–	–	–	–	–	3	6	17	50	80	111	164	175	166	119	52	25	5	2	–
	White ..... Male	669	–	–	–	–	–	–	–	–	5	9	32	41	78	115	122	120	88	38	15	4	2	–
	Female	271	–	–	–	–	–	–	–	2	1	6	15	32	26	46	49	42	28	13	10	1	–	–
	All other ..... Male	31	–	–	–	–	–	–	–	1	–	2	2	6	7	1	4	4	3	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
174	Of breast	305	–	–	–	–	–	–	1	1	6	11	19	39	25	36	42	48	39	22	13	3	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	295	–	–	–	–	–	–	1	1	5	11	18	38	25	35	42	46	38	21	11	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	2	–	1	1	–	–	–
180–187	Of genital organs	409	–	–	–	1	–	1	4	3	3	8	10	16	30	39	61	76	48	57	39	11	2	–
	White ..... Male	184	–	–	–	1	–	–	2	2	1	–	2	4	7	12	22	37	31	32	23	7	1	–
	Female	206	–	–	–	–	–	–	1	1	2	7	8	11	20	27	38	32	16	24	14	4	1	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	4	1	1	2	–	–	–
	Female	8	–	–	–	–	–	1	1	–	–	–	–	1	1	–	1	3	–	–	–	–	–	–
188, 189	Of urinary organs	182	–	1	–	–	–	–	1	1	–	3	3	10	17	16	31	37	28	20	10	3	1	–
	White ..... Male	123	–	1	–	–	–	–	1	1	–	2	2	8	11	11	21	23	19	13	8	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	1	1	2	5	4	9	12	7	6	2	–	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	571	–	4	7	5	5	3	6	8	9	11	30	37	63	73	80	95	63	38	26	6	2	–
	White ..... Male	319	–	2	5	3	3	2	3	5	2	6	15	22	35	43	51	56	32	19	13	1	1	–
	Female	230	–	2	2	1	1	1	2	2	6	5	12	14	26	30	27	37	28	17	11	5	1	–
	All other ..... Male	12	–	–	–	1	1	–	–	1	1	–	1	–	2	–	–	1	1	1	2	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	2	1	–	–	2	1	2	1	–	–	–	–
204–207	Leukemia	165	1	3	9	5	8	6	1	2	4	3	5	6	8	12	20	24	21	16	5	4	2	–
	White ..... Male	83	–	2	5	3	1	4	1	2	1	2	1	3	4	6	15	11	11	6	3	–	2	–
	Female	75	–	1	4	1	5	2	–	–	3	–	4	3	4	6	5	12	9	10	2	4	–	–
	All other ..... Male	6	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	222	–	–	–	–	1	4	2	5	2	6	8	12	19	22	38	29	33	29	10	2	–	–
	White ..... Male	124	–	–	–	–	–	1	2	2	1	3	5	6	12	16	23	15	22	10	6	–	–	–
	Female	86	–	–	–	–	1	2	–	3	1	1	2	6	7	6	14	13	7	17	4	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–
	Female	8	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	1	2	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	63	2	2	1	–	–	–	–	–	3	–	2	3	6	7	10	11	8	7	1	–	–	–
	White ..... Male	32	1	2	–	–	–	–	–	–	1	–	1	–	2	2	4	9	6	4	–	–	–	–
	Female	23	1	–	–	–	–	–	–	–	1	–	1	3	3	3	5	2	2	1	1	–	–	–
	All other ..... Male	7	–	–	1	–	–	–	–	–	1	–	–	–	1	1	1	–	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	284	–	–	–	1	–	3	6	4	5	8	8	8	24	33	31	46	39	36	30	1	1	–
	White ..... Male	109	–	–	–	1	–	1	2	3	2	4	3	3	11	16	9	19	16	9	10	–	–	–
	Female	141	–	–	–	–	–	2	4	–	2	3	4	2	8	12	17	25	21	22	18	1	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	1	–	–	–	3	1	2	–	1	2	2	–	–	1	–
	Female	21	–	–	–	–	–	–	–	–	1	1	1	–	4	3	5	1	–	3	2	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	39	2	–	1	–	–	–	–	–	–	–	–	–	1	2	2	4	5	7	7	7	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	1	–	–
	Female	24	2	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	5	6	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona—Con.																							
280–285	Anemias	28	–	1	1	–	–	2	–	1	1	–	–	1	4	3	2	–	3	2	3	2	2	–
	White ..... Male	10	–	–	1	–	–	–	–	–	–	–	–	–	2	1	2	–	–	2	1	–	1	–
	Female	15	–	–	–	–	–	2	–	1	1	–	–	1	2	2	–	–	2	–	2	1	1	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
320	Meningitis	20	4	9	–	–	–	1	–	1	–	–	–	1	–	2	1	–	–	–	–	1	–	–
	White ..... Male	14	2	9	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	8,254	19	9	6	5	4	9	9	21	48	86	133	263	434	716	1,066	1,267	1,238	1,300	965	493	159	4
	White ..... Male	4,500	7	7	2	3	1	5	5	10	27	57	95	189	297	485	659	788	666	614	375	165	41	2
	Female	3,390	5	1	3	1	1	1	2	8	15	18	24	54	113	209	364	429	521	647	551	315	108	–
	All other ..... Male	213	4	–	–	1	1	3	1	2	4	6	12	13	16	13	27	31	28	20	18	9	2	2
	Female	151	3	1	1	–	1	–	1	1	2	5	2	7	8	9	16	19	23	19	21	4	8	–
390–398, 402, 404, 410–429	Diseases of heart	6,292	17	4	5	4	3	5	7	15	34	65	109	218	368	595	893	1,020	894	927	663	323	120	3
	White ..... Male	3,635	7	3	1	3	1	1	3	7	23	48	84	166	263	420	575	672	492	458	262	114	31	1
	Female	2,403	5	1	3	1	–	1	2	5	9	9	15	35	90	158	289	313	368	443	377	199	80	–
	All other ..... Male	159	3	–	–	–	1	3	1	2	–	5	8	12	11	10	20	25	21	15	12	6	2	2
	Female	95	2	–	1	–	1	–	1	1	2	3	2	5	4	7	9	10	13	11	12	4	7	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	154	–	–	1	–	–	–	1	–	5	3	2	11	13	16	22	27	20	19	8	3	3	–
	White ..... Male	61	–	–	–	–	–	–	1	–	–	1	1	7	5	8	9	13	6	7	2	1	–	–
	Female	79	–	–	–	–	–	–	–	–	4	–	1	2	7	7	13	13	11	12	6	2	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
	Female	10	–	–	1	–	–	–	–	–	1	2	–	1	1	1	–	–	1	–	–	–	2	–
402	Hypertensive heart disease	46	–	–	–	–	–	–	–	2	–	1	–	3	1	4	8	4	9	5	7	2	–	–
	White ..... Male	20	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	3	5	1	4	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	1	–	1	–	2	4	1	3	4	3	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	9	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	2	2	2	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	5,565	–	–	1	–	–	–	2	5	26	51	94	189	329	537	796	916	782	842	602	283	107	3
	White ..... Male	3,299	–	–	1	–	–	–	–	4	22	44	76	149	245	389	525	619	436	425	234	99	30	1
	Female	2,083	–	–	–	–	–	–	1	1	3	3	12	30	71	134	248	269	323	396	345	175	72	–
	All other ..... Male	118	–	–	–	–	–	–	1	–	–	3	6	8	10	8	16	19	14	13	12	5	1	2
	Female	65	–	–	–	–	–	–	–	–	1	1	–	2	3	6	7	9	9	8	11	4	4	–
410	Acute myocardial infarction	2,344	–	–	–	–	–	–	1	2	16	30	50	93	168	277	392	437	310	303	181	60	23	1
	White ..... Male	1,513	–	–	–	–	–	–	–	2	15	27	41	74	123	196	259	308	181	175	80	25	6	1
	Female	758	–	–	–	–	–	–	1	–	1	1	7	16	40	73	121	113	124	122	93	31	15	–
	All other ..... Male	57	–	–	–	–	–	–	–	–	–	2	2	3	4	7	10	11	3	5	6	4	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	2	1	2	–	2	–
411	Other acute and subacute forms of ischemic heart disease	385	–	–	–	–	–	–	–	2	6	4	21	37	57	60	69	63	29	24	7	4	2	–
	White ..... Male	301	–	–	–	–	–	–	–	2	4	2	17	30	48	48	55	50	22	17	3	2	1	–
	Female	73	–	–	–	–	–	–	–	–	1	1	2	6	6	12	12	13	6	7	4	2	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	1	2	1	2	–	2	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,834	–	–	1	–	–	–	1	1	4	17	23	59	104	200	335	415	442	515	414	219	82	2
	White ..... Male	1,483	–	–	1	–	–	–	–	–	3	15	18	45	74	145	211	260	232	233	151	72	23	–
	Female	1,252	–	–	–	–	–	–	–	1	1	1	3	8	25	49	115	143	193	267	248	142	56	–
	All other ..... Male	52	–	–	–	–	–	–	1	–	–	–	2	4	4	1	4	8	10	8	6	1	1	2
	Female	47	–	–	–	–	–	–	–	–	–	1	–	2	1	5	5	4	7	7	9	4	2	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	–	–	–	–	–	–	1	–	1	1	–	1	1	5	2	7	5	4	6	3	3	–
	White ..... Male	20	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	4	3	2	3	1	1	–
	Female	18	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	3	2	2	2	2	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona—Con.																							
420-423, 425-427, 429	All other forms of heart disease	478	17	4	3	4	3	5	3	7	2	9	13	14	24	31	65	66	76	55	38	32	7	-
	White ..... Male	233	7	3	-	3	1	1	1	2	1	3	7	8	11	20	37	33	42	23	17	13	-	-
	Female	196	5	1	3	1	-	1	1	3	1	4	2	2	12	10	24	27	28	27	21	18	5	-
	All other ..... Male	32	3	-	-	-	1	3	-	1	-	2	2	2	1	1	3	5	4	2	-	1	1	-
	Female	17	2	-	-	-	1	-	1	1	-	-	2	2	-	-	1	1	2	3	-	-	1	-
400, 401, 403	Hypertension	38	-	-	-	-	-	-	-	-	-	-	-	1	1	9	1	4	8	5	7	2	-	-
	White ..... Male	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	6	3	4	-	-	-
	Female	17	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	2	3	2	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	Cerebrovascular diseases	1,408	2	4	1	1	1	2	2	4	11	14	19	32	49	82	122	183	261	280	209	107	21	1
	White ..... Male	581	-	3	1	-	-	2	2	2	2	7	9	14	24	47	51	81	125	106	73	25	6	1
	Female	742	-	-	-	-	1	-	-	2	5	5	7	16	19	32	59	91	122	164	125	80	14	-
	All other ..... Male	41	1	-	-	1	-	-	-	-	4	1	3	-	2	1	5	5	6	4	6	2	-	-
	Female	44	1	1	-	-	-	-	-	-	-	1	-	2	4	2	7	6	8	6	5	-	1	-
431	Cerebral hemorrhage	191	1	2	1	-	-	1	1	1	4	4	3	18	16	21	24	26	32	21	10	5	-	-
	White ..... Male	78	-	1	1	-	-	1	1	-	1	3	1	11	7	11	7	10	14	7	2	-	-	-
	Female	99	-	-	-	-	-	-	-	1	1	1	2	7	5	9	15	16	17	13	7	5	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-
	Female	10	1	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	1	-	-	-	-
433	Cerebral thrombosis	231	1	-	-	-	-	-	-	-	2	3	3	2	8	10	24	29	44	45	39	17	4	-
	White ..... Male	95	-	-	-	-	-	-	-	-	-	1	2	-	5	7	12	13	21	15	13	5	1	-
	Female	123	-	-	-	-	-	-	-	-	2	1	-	2	3	2	10	14	22	28	24	12	3	-
	All other ..... Male	8	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-
434	Cerebral embolism	10	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	1	2	-	1	-	-
	White ..... Male	6	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	1	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	976	-	2	-	1	1	1	1	2	5	7	13	12	25	49	73	126	184	212	160	84	17	1
	White ..... Male	402	-	2	-	-	-	1	1	1	1	3	6	3	12	27	31	57	90	84	58	19	5	1
	Female	516	-	-	-	-	1	-	-	1	2	3	5	7	11	21	34	60	82	121	94	63	11	-
	All other ..... Male	29	-	-	-	1	-	-	-	-	2	-	2	-	1	1	4	4	5	2	5	2	-	-
	Female	29	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	5	7	5	3	-	1	-
440	Arteriosclerosis	269	-	-	-	-	-	-	-	-	1	1	-	3	2	9	18	26	29	49	66	51	14	-
	White ..... Male	115	-	-	-	-	-	-	-	-	-	-	-	1	-	6	9	12	14	24	24	22	3	-
	Female	140	-	-	-	-	-	-	-	-	1	-	-	1	1	3	8	10	14	24	38	29	11	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	4	-	-	-
441-448	Other diseases of arteries, arterioles, and capillaries	247	-	1	-	-	-	2	-	2	2	6	5	9	14	21	32	34	46	39	20	10	4	-
	White ..... Male	150	-	1	-	-	-	2	-	1	2	2	2	7	9	11	23	21	29	23	12	4	1	-
	Female	88	-	-	-	-	-	-	-	1	-	4	2	2	3	10	8	13	15	14	8	5	3	-
	All other ..... Male	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	1	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
466	Acute bronchitis and bronchiolitis	12	2	2	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	2	-	-	-	-
	White ..... Male	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-
	All other ..... Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	586	15	6	1	1	2	5	4	5	7	9	9	11	20	33	44	70	91	99	87	50	17	-
	White ..... Male	297	5	4	-	1	2	3	2	-	1	5	4	6	8	23	19	36	55	57	40	20	6	-
	Female	225	3	-	1	-	-	-	2	1	4	3	5	4	8	10	15	23	30	39	41	27	9	-
	All other ..... Male	44	6	1	-	-	-	2	-	3	1	1	-	-	3	-	7	4	6	2	5	2	1	-
	Female	20	1	1	-	-	-	-	-	1	1	-	-	1	1	-	3	7	-	1	1	1	1	-
470-474	Influenza	34	-	1	-	-	-	-	1	1	-	1	2	1	-	3	2	4	6	5	4	2	1	-
	White ..... Male	11	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	1	1	1	-	-
	Female	21	-	-	-	-	-	-	1	1	-	-	2	1	-	1	1	2	3	4	3	1	1	-
	All other ..... Male	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	552	15	5	1	1	2	5	3	4	7	8	7	10	20	30	42	66	85	94	83	48	16	-
	White ..... Male	286	5	4	-	1	2	3	2	-	1	4	4	6	8	21	18	35	52	56	39	19	6	-
	Female	204	3	-	1	-	-	-	1	-	4	3	3	3	8	9	14	21	27	35	38	26	8	-
	All other ..... Male	42	6	-	-	-	-	2	-	3	1	1	-	-	3	-	7	3	6	2	5	2	1	-
	Female	20	1	1	-	-	-	-	-	1	1	-	-	1	1	-	3	7	-	1	1	1	1	-
490-493	Bronchitis, emphysema, and asthma	332	1	2	-	2	1	-	2	2	-	1	6	17	17	42	61	72	64	24	12	6	-	-
	White ..... Male	243	-	2	-	1	1	-	1	1	-	-	3	13	15	33	43	52	51	17	9	1	-	-
	Female	84	1	-	-	1	-	-	1	-	-	1	2	4	2	9	17	19	13	7	3	4	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona—Con.																							
490, 491	Chronic and unqualified bronchitis	66	-	2	-	1	1	-	1	1	-	-	-	1	1	3	7	20	12	10	2	4	-	-
	White ..... Male	44	-	2	-	-	1	-	-	1	-	-	-	1	1	3	5	14	7	8	-	1	-	-
	Female	21	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	6	5	2	2	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
492	Emphysema	247	1	-	-	-	-	-	1	-	-	1	6	14	14	37	50	48	50	14	9	2	-	-
	White ..... Male	188	-	-	-	-	-	-	1	-	-	-	3	12	12	28	37	36	42	9	8	-	-	-
	Female	56	1	-	-	-	-	-	-	-	-	1	2	2	2	9	12	11	8	5	1	2	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	19	-	-	-	1	-	-	-	1	-	-	-	2	2	2	4	4	2	-	1	-	-	-
	White ..... Male	11	-	-	-	1	-	-	-	-	-	-	-	-	2	2	1	2	2	-	1	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	59	2	-	-	-	1	1	-	-	-	3	-	3	6	7	10	7	8	5	2	4	-	-
	White ..... Male	31	1	-	-	-	-	-	-	-	-	1	-	1	2	5	7	6	4	2	1	1	-	-
	Female	25	1	-	-	-	-	1	-	-	-	1	-	2	4	2	3	1	3	3	1	3	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540-543	Appendicitis	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	Female	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	51	7	-	-	-	-	-	1	-	-	-	1	-	2	4	4	7	7	6	10	-	2	-
	White ..... Male	28	4	-	-	-	-	-	-	-	-	-	1	-	1	3	3	4	2	3	6	-	1	-
	Female	20	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	3	5	3	4	-	1	-
	All other ..... Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
571	Cirrhosis of liver	386	-	1	-	-	-	3	2	13	25	32	51	48	59	46	50	26	16	10	3	1	-	-
	White ..... Male	187	-	-	-	-	-	-	2	4	9	11	24	20	25	26	38	15	7	3	2	1	-	-
	Female	121	-	-	-	-	-	1	-	3	7	7	12	17	27	13	9	10	8	6	1	-	-	-
	All other ..... Male	40	-	-	-	-	-	2	-	2	6	7	10	3	3	4	1	-	1	1	-	-	-	-
	Female	38	-	1	-	-	-	-	-	4	3	7	5	8	4	3	2	1	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	36	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	4	8	9	3	2	-	-
	White ..... Male	20	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4	6	3	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	2	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
580-584	Nephritis and nephrosis	89	1	-	1	-	2	-	1	2	2	1	1	4	8	6	17	12	15	6	7	3	-	-
	White ..... Male	46	-	-	-	-	1	-	1	1	-	-	-	3	4	3	10	5	11	4	2	1	-	-
	Female	21	-	-	1	-	1	-	-	-	-	-	-	-	2	2	5	4	2	1	2	1	-	-
	All other ..... Male	10	1	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	1	1	2	-	-	-
	Female	12	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	1	-	1	1	-	-
580, 581	Acute nephritis and nephrotic syndrome	20	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	5	2	4	-	-	-
	White ..... Male	12	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	1	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	All other ..... Male	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	69	-	-	1	-	2	-	1	2	2	1	1	3	6	5	16	9	10	4	3	3	-	-
	White ..... Male	34	-	-	-	-	1	-	1	1	-	-	-	2	2	2	9	4	7	3	1	1	-	-
	Female	17	-	-	1	-	1	-	-	-	-	-	-	-	2	2	5	2	2	1	-	1	-	-
	All other ..... Male	6	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	1	-	-	-
	Female	12	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	1	-	1	1	-	-
590	Infections of kidney	27	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	4	4	7	3	4	1	-
	White ..... Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	1	1	-	-
	Female	16	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	6	2	3	1	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
600	Hyperplasia of prostate	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	5	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	4	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arizona—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	167	120	13	1	3	4	2	1	1	2	2	3	–	3	2	3	2	1	3	–	–	1	–
	White ..... Male	64	50	2	–	2	–	–	1	1	1	1	1	–	1	1	1	1	–	1	–	–	–	–
	Female	82	54	9	1	1	4	1	–	–	1	–	2	–	2	1	1	1	1	2	–	–	1	–
	All other ..... Male	11	8	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	10	8	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	258	256	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	115	114	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	97	96	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	159	158	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	71	70	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	99	98	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	37	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	315	65	4	–	3	8	11	6	6	9	14	10	11	10	19	24	29	24	24	21	9	5	3
	White ..... Male	120	33	2	–	–	2	1	2	2	2	5	5	5	6	7	8	13	9	5	9	1	–	3
	Female	84	17	–	–	2	2	1	–	3	2	2	1	1	1	7	7	9	4	11	8	3	3	–
	All other ..... Male	77	9	–	–	1	3	7	4	1	5	3	2	4	3	4	4	7	9	5	3	3	–	–
	Female	34	6	2	–	–	1	2	–	–	–	4	2	1	–	1	5	–	2	3	1	2	2	–
Residual	All other diseases	1,647	17	9	10	10	12	21	20	26	34	39	66	79	121	172	214	248	206	171	114	44	13	1
	White ..... Male	888	7	3	5	6	9	11	10	9	12	19	29	49	69	96	131	135	124	97	47	17	2	1
	Female	602	8	2	4	3	2	8	6	9	9	7	23	18	39	66	72	98	70	68	61	21	8	–
	All other ..... Male	99	1	3	–	1	1	2	3	6	9	9	7	7	8	6	7	8	9	3	4	3	2	–
	Female	58	1	1	1	–	–	–	1	2	4	4	7	5	5	4	4	7	3	3	2	3	1	–
E800–E949	Accidents	1,644	16	82	40	42	202	247	149	116	106	65	74	58	78	55	74	47	53	63	40	14	3	20
	White ..... Male	951	7	40	26	24	132	146	87	69	63	33	51	28	44	37	35	26	32	30	18	5	–	18
	Female	379	3	22	8	13	38	44	28	17	18	16	13	17	16	12	24	18	13	31	16	8	3	1
	All other ..... Male	236	4	13	5	3	26	43	27	26	19	7	8	12	15	5	11	2	4	2	3	–	–	1
	Female	78	2	7	1	2	6	14	7	4	6	9	2	1	3	1	4	1	4	–	3	1	–	–
E810–E823	Motor vehicle accidents	953	5	23	21	24	155	192	104	85	65	39	44	32	37	24	40	22	19	14	3	1	–	4
	White ..... Male	540	1	9	14	11	100	109	53	48	41	19	28	14	20	13	19	13	15	9	2	–	–	2
	Female	213	1	7	5	10	32	40	23	13	10	6	8	13	8	8	13	8	1	5	–	1	–	1
	All other ..... Male	144	1	4	2	1	18	31	22	20	10	5	7	5	6	3	5	–	2	–	1	–	–	1
	Female	56	2	3	–	2	5	12	6	4	4	9	1	–	3	–	3	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	691	11	59	19	18	47	55	45	31	41	26	30	26	41	31	34	25	34	49	37	13	3	16
	White ..... Male	411	6	31	12	13	32	37	34	21	22	14	23	14	24	24	16	13	17	21	16	5	–	16
	Female	166	2	15	3	3	6	4	5	4	8	10	5	4	8	4	11	10	12	26	16	7	3	–
	All other ..... Male	92	3	9	3	2	8	12	5	6	9	2	1	7	9	2	6	2	2	2	2	–	–	–
	Female	22	–	4	1	–	1	2	1	–	2	–	1	1	–	1	1	–	3	–	3	1	–	–
E950–E959	Suicide	459	...	...	–	4	34	70	53	38	27	26	35	25	24	36	31	34	13	5	1	–	2	1
	White ..... Male	315	...	...	–	1	19	53	33	29	15	18	22	20	12	26	22	27	11	3	1	–	2	1
	Female	116	...	...	–	1	11	8	13	6	11	7	13	5	12	10	8	7	2	2	–	–	–	–
	All other ..... Male	24	...	...	–	2	3	9	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	253	1	5	2	4	29	48	35	27	19	19	19	15	10	5	2	5	1	3	1	–	–	3
	White ..... Male	134	1	4	–	1	14	21	19	15	14	10	10	8	8	3	1	2	1	–	–	–	–	2
	Female	51	–	–	1	2	5	14	5	3	1	5	3	4	1	1	1	–	–	3	1	–	–	1
	All other ..... Male	58	–	1	–	1	9	12	10	7	3	4	6	2	–	1	–	2	–	–	–	–	–	–
	Female	10	–	–	1	–	1	1	1	2	1	–	–	1	1	–	–	1	–	–	–	–	–	–
E980–E999	Other external causes	41	1	–	–	1	2	6	10	4	2	5	1	2	2	3	–	–	–	–	–	–	–	2
	White ..... Male	14	1	–	–	1	–	4	3	1	–	3	–	–	–	–	–	–	–	–	–	–	–	1
	Female	13	–	–	–	–	2	1	2	–	1	1	–	–	2	3	–	–	–	–	–	–	–	1
	All other ..... Male	11	–	–	–	–	–	1	3	2	1	1	1	2	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas																							
	All causes	21,896	569	102	75	86	241	279	241	233	266	371	515	869	1,265	1,737	2,467	2,904	3,063	2,848	2,283	1,055	417	10
	White ..... Male	10,142	210	36	29	45	157	148	130	120	134	192	282	458	689	962	1,335	1,486	1,340	1,148	832	316	90	3
	Female	7,786	158	35	23	21	43	48	51	47	69	99	134	255	358	450	686	919	1,160	1,261	1,144	593	231	1
	All other ..... Male	2,199	112	16	18	12	29	61	44	49	38	53	52	93	120	195	243	284	295	236	143	63	40	3
	Female	1,769	89	15	5	8	12	22	16	17	25	27	47	63	98	130	203	215	268	203	164	83	56	3
004, 006	Bacillary dysentery and amebiasis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	30	16	2	–	–	1	–	–	–	–	–	–	–	–	1	1	4	4	1	–	–	–	–
	White ..... Male	9	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	12	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	–	–
	All other ..... Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
010–019	Tuberculosis, all forms	37	–	1	–	–	–	–	–	–	–	–	1	5	1	4	3	7	2	9	2	1	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	5	1	5	1	–	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	1	1	4	1	1	–	–
	All other ..... Male	5	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	31	–	–	–	–	–	–	–	–	–	–	1	4	1	4	3	6	2	6	2	1	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	5	1	4	1	–	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	1	2	1	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	5	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	99	23	1	1	1	2	–	1	1	–	–	–	5	5	8	7	10	14	11	4	3	2	–
	White ..... Male	42	12	1	–	1	2	–	1	–	–	–	–	–	3	2	2	5	4	6	1	1	1	–
	Female	34	3	–	–	–	–	–	–	1	–	–	–	4	2	3	1	3	6	5	3	2	1	–
	All other ..... Male	12	5	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–
	Female	11	3	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	62	6	4	2	1	1	–	–	–	2	2	3	2	4	5	8	6	6	8	2	–	–	–
	White ..... Male	20	–	1	–	1	–	–	–	–	–	1	1	1	1	3	3	2	3	3	–	–	–	–
	Female	26	3	1	2	–	–	–	–	–	2	–	1	1	3	1	3	1	2	4	2	–	–	–
	All other ..... Male	7	2	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–
	Female	9	1	2	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,133	1	6	6	6	8	11	22	39	48	75	130	263	367	512	662	641	600	387	253	72	22	2
	White ..... Male	2,004	–	3	–	4	2	4	11	18	17	26	66	120	183	268	343	350	287	172	97	29	4	–
	Female	1,489	1	2	4	1	3	3	9	14	27	38	53	104	121	167	216	210	214	153	105	33	11	–
	All other ..... Male	365	–	–	2	1	3	3	1	2	1	3	3	23	36	40	61	53	50	42	30	5	5	1
	Female	275	–	1	–	–	–	1	1	5	3	8	8	16	27	37	42	28	49	20	21	5	2	1
140–149	Of buccal cavity and pharynx	77	–	–	–	–	–	–	–	–	1	–	3	3	7	10	14	11	15	9	3	1	–	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	–	3	1	4	6	7	7	9	4	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	1	–	–	1	3	1	3	4	5	5	3	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	958	1	–	–	1	3	–	3	9	8	8	20	49	66	104	134	156	160	114	81	29	11	1
	White ..... Male	422	–	–	–	1	1	–	1	7	4	2	13	23	33	54	57	76	63	50	23	12	2	–
	Female	374	1	–	–	–	2	–	2	2	3	3	5	19	24	34	46	62	68	48	37	13	5	–
	All other ..... Male	82	–	–	–	–	–	–	–	–	–	2	1	5	3	6	18	11	10	10	13	1	2	–
	Female	80	–	–	–	–	–	–	–	–	1	1	1	2	6	10	13	7	19	6	8	3	2	1
160–163	Of respiratory system	1,124	–	–	–	–	–	–	–	4	13	22	43	92	146	185	203	184	121	68	36	6	1	–
	White ..... Male	799	–	–	–	–	–	–	–	–	6	11	30	64	96	137	148	140	95	44	22	5	1	–
	Female	205	–	–	–	–	–	–	–	1	6	9	10	16	28	27	37	24	19	16	11	1	–	–
	All other ..... Male	102	–	–	–	–	–	–	–	2	1	1	2	10	20	17	14	20	4	8	3	–	–	–
	Female	18	–	–	–	–	–	–	–	1	–	1	1	2	2	4	4	–	3	–	–	–	–	–
174	Of breast	285	–	–	–	–	–	–	1	6	7	12	13	31	30	45	48	25	26	18	17	6	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	237	–	–	–	–	–	–	1	4	6	8	11	28	26	37	42	20	19	16	14	5	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	46	–	–	–	–	–	–	–	2	1	4	2	3	4	7	6	4	7	2	3	1	–	–
180–187	Of genital organs	536	–	–	–	–	1	1	4	6	5	3	18	17	35	54	78	86	108	69	35	11	4	1
	White ..... Male	199	–	–	–	–	1	–	1	1	–	–	2	3	7	17	32	36	44	32	18	5	–	–
	Female	209	–	–	–	–	–	1	2	4	5	3	13	10	13	23	35	34	34	19	9	3	1	–
	All other ..... Male	82	–	–	–	–	–	–	–	–	–	–	–	–	6	8	6	10	23	14	8	3	3	1
	Female	46	–	–	–	–	–	–	1	1	–	–	3	4	9	6	5	6	7	4	–	–	–	–
188, 189	Of urinary organs	155	–	–	–	–	–	–	1	–	1	1	5	4	11	17	30	28	20	13	17	6	1	–
	White ..... Male	93	–	–	–	–	–	–	–	–	1	–	5	3	8	11	17	13	14	9	8	3	1	–
	Female	45	–	–	–	–	–	–	–	–	–	1	–	1	2	5	8	11	5	4	5	3	–	–
	All other ..... Male	10	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	3	1	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	623	–	3	2	1	2	5	4	10	6	21	18	49	46	69	92	93	95	54	43	8	2	–
	White ..... Male	265	–	1	–	–	–	2	2	8	1	10	9	21	20	31	41	50	36	14	16	3	–	–
	Female	249	–	2	1	1	–	1	2	2	4	10	8	18	17	30	28	31	39	28	22	3	2	–
	All other ..... Male	59	–	–	1	–	2	2	–	–	–	–	–	5	6	3	13	6	10	8	2	1	–	–
	Female	50	–	–	–	–	–	–	–	–	1	1	1	5	3	5	10	6	10	4	3	1	–	–
204–207	Leukemia	166	–	3	4	4	2	2	3	2	3	2	7	6	8	7	24	27	31	19	9	2	1	–
	White ..... Male	83	–	2	–	3	–	1	2	2	2	1	3	1	4	3	14	15	17	9	4	–	–	–
	Female	67	–	–	3	–	1	–	1	–	1	1	4	5	3	3	8	9	14	8	3	2	1	–
	All other ..... Male	6	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	10	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	2	–	1	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	209	–	–	–	–	–	3	6	2	4	6	3	12	18	21	39	31	24	23	12	3	2	–
	White ..... Male	101	–	–	–	–	–	1	5	–	3	2	1	4	11	9	27	13	9	10	6	–	–	–
	Female	77	–	–	–	–	–	1	1	1	1	3	2	6	5	7	9	15	11	9	1	3	2	–
	All other ..... Male	14	–	–	–	–	–	1	–	–	–	–	–	2	1	3	2	1	1	1	2	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	1	–	–	1	2	1	2	3	3	3	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	47	–	–	1	–	3	1	1	–	1	1	4	1	3	1	7	6	7	6	3	1	–	–
	White ..... Male	18	–	–	1	–	2	–	1	–	1	1	–	1	1	–	3	1	1	2	2	1	–	–
	Female	26	–	–	–	–	1	1	–	–	–	–	3	–	2	1	4	5	5	3	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	372	–	–	–	–	1	1	3	4	6	6	4	20	23	26	51	51	69	56	34	15	2	–
	White ..... Male	108	–	–	–	–	–	–	1	3	3	3	1	8	7	4	18	17	19	8	11	5	–	–
	Female	163	–	–	–	–	–	1	1	–	1	2	2	6	11	12	18	17	29	37	16	9	1	–
	All other ..... Male	33	–	–	–	–	1	–	1	–	1	1	1	3	2	4	4	5	6	2	2	–	–	–
	Female	68	–	–	–	–	–	–	–	1	1	–	–	3	3	6	11	12	15	9	5	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	28	1	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	3	4	6	5	1	–
	White ..... Male	10	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	3	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	4	1	4	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas—Con.																							
280–285	Anemias	29	–	–	–	2	1	1	–	1	1	–	1	1	1	2	3	2	6	3	4	–	–	–
	White ..... Male	14	–	–	–	1	1	–	–	–	–	–	–	–	1	1	2	1	4	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–	–
	All other ..... Male	5	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–
320	Meningitis	13	5	2	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–
	White ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	1	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,032	16	2	2	3	8	8	22	23	62	127	180	353	569	792	1,193	1,574	1,765	1,809	1,494	732	295	3
	White ..... Male	4,949	5	2	–	1	6	5	9	13	36	83	110	211	334	464	658	762	744	707	528	204	66	1
	Female	4,179	3	–	–	–	2	1	8	2	11	19	28	73	138	169	302	525	699	823	779	429	168	–
	All other ..... Male	1,018	5	–	2	–	–	1	5	6	6	15	24	40	54	95	137	156	179	141	83	43	26	–
	Female	886	3	–	–	2	–	1	–	2	9	10	18	29	43	64	96	131	143	138	104	56	35	2
390–398, 402, 404, 410–429	Diseases of heart	7,894	13	1	2	3	7	6	16	16	52	112	151	288	472	631	908	1,173	1,212	1,228	957	452	191	3
	White ..... Male	3,822	4	1	–	1	5	3	7	12	30	79	99	182	282	390	524	614	532	516	361	132	47	1
	Female	2,846	3	–	–	–	2	1	5	–	8	16	23	55	117	131	232	378	482	537	485	260	111	–
	All other ..... Male	661	3	–	2	–	–	1	4	2	5	10	18	31	39	68	96	105	101	86	53	24	13	–
	Female	565	3	–	–	2	–	1	–	2	9	7	11	20	34	42	56	76	97	89	58	36	20	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	81	–	–	–	1	–	–	–	2	3	3	4	3	6	6	9	15	19	8	1	–	1	–
	White ..... Male	32	–	–	–	–	–	–	–	2	2	1	1	2	1	4	7	6	4	2	–	–	–	–
	Female	40	–	–	–	–	–	–	–	–	1	2	2	1	1	2	1	8	14	6	1	–	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
402	Hypertensive heart disease	99	–	–	–	–	–	–	2	1	1	–	2	4	6	7	9	23	20	11	9	3	1	–
	White ..... Male	25	–	–	–	–	–	–	2	–	–	–	–	–	4	4	3	2	3	5	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	8	8	2	4	1	1	–
	All other ..... Male	26	–	–	–	–	–	–	–	1	–	–	1	2	–	2	4	9	4	2	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	4	5	2	2	2	–	–
404	Hypertensive heart and renal disease	39	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	4	5	11	8	2	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	7	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	2	3	5	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	6,311	–	–	–	–	–	2	4	8	24	77	110	223	375	504	741	924	995	1,018	784	366	153	3
	White ..... Male	3,134	–	–	–	–	–	2	2	6	16	59	79	154	230	327	444	503	446	434	286	107	38	1
	Female	2,297	–	–	–	–	–	–	1	–	2	8	15	37	93	102	191	293	403	442	408	215	87	–
	All other ..... Male	476	–	–	–	–	–	–	1	–	4	7	9	18	29	48	64	77	77	69	43	17	13	–
	Female	404	–	–	–	–	–	–	–	2	2	3	7	14	23	27	42	51	69	73	47	27	15	2
410	Acute myocardial infarction	3,672	–	–	–	–	–	1	3	6	20	63	88	171	273	373	544	595	551	518	306	117	41	2
	White ..... Male	2,062	–	–	–	–	–	1	1	4	14	50	68	123	167	252	348	361	252	233	134	41	12	1
	Female	1,171	–	–	–	–	–	–	1	–	2	6	11	26	71	73	134	167	233	214	144	67	22	–
	All other ..... Male	264	–	–	–	–	–	–	1	–	3	5	6	14	18	32	37	44	40	41	15	4	4	–
	Female	175	–	–	–	–	–	–	–	2	1	2	3	8	17	16	25	23	26	30	13	5	3	1
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	2,626	–	–	–	–	–	1	1	2	4	13	22	51	101	131	194	328	443	499	476	248	111	1
	White ..... Male	1,066	–	–	–	–	–	1	1	2	2	8	11	30	63	75	93	142	194	201	152	66	25	–
	Female	1,122	–	–	–	–	–	–	–	–	–	2	4	11	22	29	57	125	169	227	263	148	65	–
	All other ..... Male	211	–	–	–	–	–	–	–	–	1	2	3	4	10	16	27	33	37	28	28	13	9	–
	Female	227	–	–	–	–	–	–	–	–	1	1	4	6	6	11	17	28	43	43	33	21	12	1
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	1	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	45	2	–	1	1	–	–	1	1	1	–	1	2	–	5	2	7	4	4	6	6	1	–
	White ..... Male	17	–	–	–	1	–	–	–	1	1	–	–	–	–	1	2	4	3	1	2	1	–	–
	Female	15	1	–	–	–	–	–	1	–	–	–	–	2	–	2	–	2	1	1	2	3	–	–
	All other ..... Male	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	–	1	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas—Con.																							
420-423, 425-427, 429	All other forms of heart disease	1,319	11	1	1	1	7	4	9	4	23	32	34	55	85	107	144	201	170	182	146	69	33	-
	White ..... Male	601	4	1	-	-	5	1	3	3	11	19	19	26	47	54	68	98	74	71	64	24	9	-
	Female	446	2	-	-	-	2	1	3	-	5	6	5	14	21	23	38	65	54	84	67	36	20	-
	All other ..... Male	144	3	-	1	-	-	1	3	1	1	3	7	11	7	17	26	19	20	15	6	3	-	-
	Female	128	2	-	-	1	-	1	-	-	6	4	3	4	10	13	12	19	22	12	9	6	4	-
400, 401, 403	Hypertension	61	-	-	-	-	-	-	-	1	-	1	1	3	2	4	5	11	11	10	7	3	2	-
	White ..... Male	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	4	2	3	-	-
	Female	23	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	8	3	3	-	2	-
	All other ..... Male	10	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	2	1	2	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	2	-	-	-
430-438	Cerebrovascular diseases	2,475	3	-	-	-	1	2	4	5	7	13	20	54	76	128	210	323	458	458	429	219	65	-
	White ..... Male	837	1	-	-	-	1	2	1	1	5	4	8	21	36	52	90	114	171	137	131	51	11	-
	Female	1,056	-	-	-	-	-	-	2	2	1	3	3	15	17	31	50	117	175	232	238	135	35	-
	All other ..... Male	304	2	-	-	-	-	-	1	2	1	3	4	9	14	24	36	46	70	44	22	17	9	-
	Female	278	-	-	-	-	-	-	-	-	-	3	5	9	9	21	34	46	42	45	38	16	10	-
431	Cerebral hemorrhage	277	2	-	-	-	-	2	-	2	2	5	7	12	13	20	23	33	42	43	42	25	4	-
	White ..... Male	109	1	-	-	-	-	2	-	-	2	1	2	5	7	12	12	12	13	18	13	8	1	-
	Female	101	-	-	-	-	-	-	-	-	-	-	1	2	5	4	4	10	14	21	25	14	1	-
	All other ..... Male	37	1	-	-	-	-	-	-	2	-	3	2	3	-	2	3	6	10	-	2	1	2	-
	Female	30	-	-	-	-	-	-	-	-	-	1	2	2	1	2	4	5	5	4	2	2	-	-
433	Cerebral thrombosis	304	1	-	-	-	-	-	-	-	-	2	-	3	12	16	29	39	47	52	57	33	13	-
	White ..... Male	87	-	-	-	-	-	-	-	-	-	1	-	1	5	4	11	17	14	14	16	3	1	-
	Female	133	-	-	-	-	-	-	-	-	-	1	-	2	1	4	10	13	20	21	29	24	8	-
	All other ..... Male	45	1	-	-	-	-	-	-	-	-	-	-	-	2	5	7	2	9	11	4	3	1	-
	Female	39	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	7	4	6	8	3	3	-
434	Cerebral embolism	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	1,888	-	-	-	-	1	-	4	3	5	6	13	39	51	92	157	250	367	361	330	161	48	-
	White ..... Male	640	-	-	-	-	1	-	1	1	3	2	6	15	24	36	67	85	143	105	102	40	9	-
	Female	818	-	-	-	-	-	-	2	2	1	2	2	11	11	23	35	93	141	188	184	97	26	-
	All other ..... Male	222	-	-	-	-	-	-	1	-	1	-	2	6	12	17	26	38	51	33	16	13	6	-
	Female	208	-	-	-	-	-	-	-	-	-	2	3	7	4	16	29	34	32	35	28	11	7	-
440	Arteriosclerosis	319	-	-	-	-	-	-	-	-	-	-	2	1	2	7	21	31	52	70	61	44	28	-
	White ..... Male	130	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	13	22	35	23	15	6	-
	Female	150	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	14	22	28	31	26	18	-
	All other ..... Male	23	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	4	5	5	2	2	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	2	1	2	-
441-448	Other diseases of arteries, arterioles, and capillaries	283	-	1	-	-	-	-	2	1	3	1	6	7	17	22	49	36	32	43	40	14	9	-
	White ..... Male	140	-	1	-	-	-	-	1	-	1	-	2	6	13	16	35	17	17	15	11	3	2	-
	Female	104	-	-	-	-	-	-	1	-	2	-	2	1	4	5	9	13	12	23	22	8	2	-
	All other ..... Male	20	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	2	3	4	3	-	2	-
	Female	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	-	1	4	3	3	-
466	Acute bronchitis and bronchiolitis	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	3	1	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Female	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	688	31	6	3	1	2	3	4	3	2	8	10	13	19	36	40	83	92	122	115	66	29	-
	White ..... Male	324	13	3	1	-	2	1	2	1	1	4	5	8	10	17	19	50	46	58	51	23	9	-
	Female	257	7	3	1	-	-	-	-	1	-	2	2	3	5	11	13	19	31	54	52	37	16	-
	All other ..... Male	58	3	-	1	1	-	-	-	1	-	-	3	1	2	7	4	12	8	5	4	5	1	-
	Female	49	8	-	-	-	-	2	2	-	1	2	-	1	2	1	4	2	7	5	8	1	3	-
470-474	Influenza	88	2	2	-	-	-	1	-	1	2	2	3	2	2	6	2	11	11	11	17	9	4	-
	White ..... Male	37	1	-	-	-	-	1	-	-	1	1	2	2	-	4	1	4	6	3	7	4	-	-
	Female	36	-	2	-	-	-	-	-	-	-	-	1	-	1	-	1	5	5	5	9	5	2	-
	All other ..... Male	7	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	1	-	1	-
	Female	8	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	2	-	-	1	-
480-486	Pneumonia	600	29	4	3	1	2	2	4	2	-	6	7	11	17	30	38	72	81	111	98	57	25	-
	White ..... Male	287	12	3	1	-	2	-	2	1	-	3	3	6	10	13	18	46	40	55	44	19	9	-
	Female	221	7	1	1	-	-	-	-	1	-	2	1	3	4	11	12	14	26	49	43	32	14	-
	All other ..... Male	51	3	-	1	1	-	-	-	-	-	-	3	1	1	6	4	11	8	4	3	5	-	-
	Female	41	7	-	-	-	-	2	2	-	-	1	-	1	2	-	4	1	7	3	8	1	2	-
490-493	Bronchitis, emphysema, and asthma	224	1	1	-	-	-	1	1	2	2	1	4	8	19	28	37	53	30	16	16	4	-	-
	White ..... Male	154	-	-	-	-	-	-	1	2	-	-	1	3	11	16	31	45	21	11	10	2	-	-
	Female	51	-	-	-	-	-	1	-	-	2	1	3	3	7	4	4	8	8	4	4	2	-	-
	All other ..... Male	17	-	1	-	-	-	-	-	-	-	-	-	2	1	8	2	-	1	1	1	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas—Con.																							
490, 491	Chronic and unqualified bronchitis	34	1	1	–	–	–	–	–	1	–	–	1	–	3	5	4	5	7	1	5	–	–	–
	White ..... Male	18	–	–	–	–	–	–	–	1	–	–	–	–	–	4	4	3	4	–	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	3	1	2	–	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
492	Emphysema	171	–	–	–	–	–	–	–	–	–	1	2	7	13	21	31	45	22	15	11	3	–	–
	White ..... Male	131	–	–	–	–	–	–	–	–	–	–	1	2	11	12	27	40	17	11	8	2	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	1	3	2	4	2	5	4	3	2	1	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	2	–	5	2	–	1	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	19	–	–	–	–	–	1	1	1	2	–	1	1	3	2	2	3	1	–	–	1	–	–
	White ..... Male	5	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	1	–	–	2	–	1	–	3	–	2	1	1	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	34	–	–	1	–	–	1	1	2	–	–	–	–	2	6	1	5	7	7	–	–	1	–
	White ..... Male	14	–	–	–	–	–	–	1	1	–	–	–	–	1	3	1	1	4	1	–	–	1	–
	Female	17	–	–	1	–	–	1	–	–	–	–	–	–	1	2	–	3	3	6	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	8	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	2	–	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	70	10	–	–	–	–	–	–	–	–	–	1	–	4	4	6	8	13	8	8	8	–	–
	White ..... Male	21	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	2	–	3	–	–
	Female	36	2	–	–	–	–	–	–	–	–	–	1	–	3	1	3	3	8	4	8	3	–	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	1	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
571	Cirrhosis of liver	164	–	–	–	–	1	–	6	4	4	13	15	24	18	23	20	22	6	6	–	1	1	–
	White ..... Male	86	–	–	–	–	–	–	2	2	1	5	7	13	11	12	16	14	2	1	–	–	–	–
	Female	42	–	–	–	–	–	–	2	–	–	5	2	8	3	9	2	4	3	3	–	1	–	–
	All other ..... Male	22	–	–	–	–	–	–	1	2	3	2	3	2	2	1	1	2	–	2	–	–	1	–
	Female	14	–	–	–	–	1	–	1	–	–	1	3	1	2	1	1	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	40	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	7	4	5	14	2	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	2	2	7	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	3	7	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	125	–	–	–	–	2	1	–	2	6	4	4	4	8	9	17	18	18	13	12	5	2	–
	White ..... Male	49	–	–	–	–	–	–	–	–	3	3	1	1	3	7	4	8	8	2	7	2	–	–
	Female	34	–	–	–	–	1	1	–	–	1	1	2	1	–	1	7	3	4	7	3	1	1	–
	All other ..... Male	22	–	–	–	–	–	–	–	1	2	–	–	1	2	1	2	6	2	3	2	–	–	–
	Female	20	–	–	–	–	1	–	–	1	–	–	1	1	3	–	4	1	4	1	–	2	1	–
580, 581	Acute nephritis and nephrotic syndrome	29	–	–	–	–	–	–	–	–	1	2	1	1	2	1	4	4	6	3	3	1	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	1	2	2	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	3	1	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	96	–	–	–	–	2	1	–	2	5	2	3	3	6	8	13	14	12	10	9	4	2	–
	White ..... Male	35	–	–	–	–	–	–	–	–	2	2	–	1	1	6	3	7	6	–	5	2	–	–
	Female	24	–	–	–	–	1	1	–	–	1	–	2	–	–	1	4	3	1	6	2	1	1	–
	All other ..... Male	19	–	–	–	–	–	–	–	1	2	–	–	1	2	1	2	3	2	3	2	–	–	–
	Female	18	–	–	–	–	1	–	–	1	–	–	1	1	3	–	4	1	3	1	–	1	1	–
590	Infections of kidney	31	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	5	3	8	8	1	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	–	–	–
	Female	14	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	1	3	4	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	2	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Arkansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	131	94	8	2	5	5	1	1	3	–	–	2	1	–	3	2	–	1	1	2	–	–	–
	White ..... Male	44	32	3	1	1	2	–	–	1	–	–	–	–	–	2	–	–	1	1	–	–	–	–
	Female	51	34	4	1	1	1	–	1	2	–	–	1	1	–	1	2	–	–	–	2	–	–	–
	All other ..... Male	16	14	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	14	–	–	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	238	238	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	945	84	2	–	3	2	5	3	6	9	13	16	27	54	58	98	101	127	131	115	55	35	1
	White ..... Male	372	28	–	–	1	2	1	–	1	2	8	9	14	33	30	48	51	42	46	37	16	3	–
	Female	299	24	1	–	1	–	2	1	1	2	1	3	7	7	16	23	21	43	51	55	24	16	–
	All other ..... Male	128	20	1	–	1	–	1	2	3	2	2	2	4	4	6	9	14	17	17	10	7	5	1
	Female	146	12	–	–	–	–	1	–	1	3	2	2	2	10	6	18	15	25	17	13	8	11	–
Residual	All other diseases	1,483	17	8	8	8	15	15	14	13	26	21	48	55	88	125	197	221	211	172	142	62	17	–
	White ..... Male	719	2	4	4	4	8	8	3	5	11	7	17	25	45	76	112	121	108	84	50	21	4	–
	Female	531	4	2	2	3	4	3	6	3	7	9	18	19	28	23	62	69	77	71	80	31	10	–
	All other ..... Male	131	7	2	2	–	2	1	3	2	5	2	6	7	8	17	12	22	14	10	6	1	2	–
	Female	102	4	–	–	1	1	3	2	3	3	3	7	4	7	9	11	9	12	7	6	9	1	–
E800–E949	Accidents	1,314	21	55	44	54	158	150	98	90	58	66	51	49	52	59	77	52	57	52	41	20	7	3
	White ..... Male	765	7	19	21	29	109	95	65	58	41	37	35	30	34	34	47	27	25	24	19	7	–	2
	Female	307	8	19	10	15	28	24	14	16	6	14	7	11	14	14	17	16	17	19	18	13	6	1
	All other ..... Male	184	5	7	10	8	15	28	16	14	10	15	7	6	4	8	7	7	10	5	2	–	–	–
	Female	58	1	10	3	2	6	3	3	2	1	–	2	2	–	3	6	2	5	4	2	–	1	–
E810–E823	Motor vehicle accidents	616	3	21	19	29	110	96	55	44	27	35	19	29	28	28	25	14	17	7	7	1	–	2
	White ..... Male	382	1	6	11	17	76	62	35	24	22	20	12	17	18	19	14	7	10	4	4	1	–	2
	Female	140	1	10	5	7	24	16	10	11	5	10	3	6	7	5	7	6	3	2	2	–	–	–
	All other ..... Male	73	–	2	3	3	7	17	8	8	–	5	3	4	3	2	3	1	2	1	1	–	–	–
	Female	21	1	3	–	2	3	1	2	1	–	–	1	2	–	2	1	–	2	–	–	–	–	–
E800–E807, E825–E949	All other accidents	698	18	34	25	25	48	54	43	46	31	31	32	20	24	31	52	38	40	45	34	19	7	1
	White ..... Male	383	6	13	10	12	33	33	30	34	19	17	23	13	16	15	33	20	15	20	15	6	–	–
	Female	167	7	9	5	8	4	8	4	5	1	4	4	5	7	9	10	10	14	17	16	13	6	1
	All other ..... Male	111	5	5	7	5	8	11	8	6	10	10	4	2	1	6	4	6	8	4	1	–	–	–
	Female	37	–	7	3	–	3	2	1	1	1	–	1	–	–	1	5	2	3	4	2	–	1	–
E950–E959	Suicide	228	...	...	–	–	13	29	19	13	17	13	24	24	14	15	19	13	10	5	–	–	–	–
	White ..... Male	164	...	...	–	–	12	23	15	7	10	6	17	18	6	12	15	11	8	4	–	–	–	–
	Female	47	...	...	–	–	1	2	3	3	5	5	5	6	7	3	3	2	2	–	–	–	–	–
	All other ..... Male	15	...	...	–	–	–	3	1	3	2	2	2	–	1	–	–	–	–	1	–	–	–	–
	Female	2	...	...	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	211	1	3	2	1	14	41	34	22	17	17	15	9	7	10	6	4	4	2	1	–	–	1
	White ..... Male	71	–	–	–	1	5	7	12	5	7	8	9	2	2	6	4	1	1	1	–	–	–	–
	Female	30	–	1	–	–	1	7	2	3	3	–	3	3	3	2	–	2	–	–	–	–	–	–
	All other ..... Male	77	–	1	–	–	6	19	13	13	5	8	1	2	1	2	1	1	2	1	–	–	–	1
	Female	33	1	1	2	–	2	8	7	1	2	1	2	2	1	–	1	–	1	–	1	–	–	–
E980–E999	Other external causes	50	–	–	–	–	4	9	10	5	4	2	2	3	3	3	2	1	–	1	–	–	1	–
	White ..... Male	24	–	–	–	–	3	4	6	3	1	–	2	–	2	1	1	–	–	–	–	–	1	–
	Female	13	–	–	–	–	1	–	3	1	2	1	–	1	–	2	1	–	–	1	–	–	–	–
	All other ..... Male	10	–	–	–	–	–	4	1	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California																							
	All causes	176,069	4,210	915	490	553	2,144	3,194	2,980	2,579	2,529	3,255	5,172	8,187	11,648	14,897	18,550	20,861	21,763	21,674	17,549	9,402	3,393	124
	White ..... Male	86,146	1,885	453	240	310	1,403	2,044	1,769	1,430	1,373	1,696	2,657	4,377	6,335	8,403	10,223	11,214	10,598	9,366	6,462	2,975	850	83
	Female	73,683	1,413	313	157	163	477	656	683	675	684	960	1,694	2,689	3,951	5,088	6,671	7,964	9,583	11,206	10,305	6,018	2,307	26
	All other ..... Male	9,691	526	70	55	55	186	347	360	318	307	375	501	689	847	880	1,032	1,020	926	558	339	182	109	9
	Female	6,549	386	79	38	25	78	147	168	156	165	224	320	432	515	526	624	663	656	544	443	227	127	6
004, 006	Bacillary dysentery and amebiasis	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White ..... Male	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	152	60	2	1	1	2	2	-	1	1	3	1	3	2	7	5	10	9	21	12	4	5	-
	White ..... Male	68	28	-	-	-	-	2	-	-	-	2	-	2	-	4	2	7	3	9	6	2	1	-
	Female	54	13	1	1	1	1	-	-	1	1	-	1	1	1	2	2	3	4	10	6	2	3	-
	All other ..... Male	19	12	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-
	Female	11	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
010-019	Tuberculosis, all forms	217	-	1	-	-	2	1	1	2	3	6	5	15	13	17	26	26	35	33	18	9	3	1
	White ..... Male	119	-	-	-	-	2	1	1	1	-	3	1	7	8	12	17	14	24	15	9	3	-	1
	Female	63	-	1	-	-	-	-	-	1	1	2	3	4	-	2	7	8	5	15	8	3	3	-
	All other ..... Male	21	-	-	-	-	-	-	-	-	2	1	1	1	4	2	2	2	4	1	-	1	-	-
	Female	14	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	2	2	2	1	2	-	-
010-012	Tuberculosis of respiratory system	163	-	-	-	-	1	1	1	1	2	3	3	10	10	15	22	18	28	26	14	6	2	-
	White ..... Male	94	-	-	-	-	1	1	1	-	-	1	1	4	6	11	15	11	19	13	7	3	-	-
	Female	44	-	-	-	-	-	-	-	1	1	1	1	3	-	1	5	5	4	12	6	2	2	-
	All other ..... Male	19	-	-	-	-	-	-	-	-	1	1	1	1	4	2	2	2	3	1	-	1	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	1	-	-	-
013-019	Tuberculosis, other forms	54	-	1	-	-	1	-	-	1	1	3	2	5	3	2	4	8	7	7	4	3	1	1
	White ..... Male	25	-	-	-	-	1	-	-	1	-	2	-	3	2	1	2	3	5	2	2	-	-	1
	Female	19	-	1	-	-	-	-	-	-	-	1	2	1	-	1	2	3	1	3	2	1	1	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	-	2	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	27	3	8	1	4	4	1	1	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	White ..... Male	10	1	4	-	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	8	2	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	5	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
038	Septicemia	474	72	3	1	1	2	1	-	5	5	9	17	21	28	34	42	45	57	57	44	25	4	1
	White ..... Male	225	32	1	1	1	-	-	-	3	1	4	6	13	13	19	16	25	32	27	19	10	2	-
	Female	182	23	2	-	-	2	1	-	1	4	4	5	5	8	10	17	16	19	24	24	14	2	1
	All other ..... Male	39	11	-	-	-	-	-	-	-	-	-	4	1	4	3	5	4	2	3	1	1	-	-
	Female	28	6	-	-	-	-	-	-	1	-	1	2	2	3	2	4	-	4	3	-	-	-	-
040-043	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	14	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	3	1	1	-	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	476	35	9	7	5	14	14	13	19	16	21	21	35	30	42	49	34	37	40	24	8	3	-
	White ..... Male	203	20	3	3	3	5	6	1	6	6	10	11	15	14	17	25	15	15	18	7	3	-	-
	Female	184	9	4	3	2	6	3	10	5	2	5	7	12	11	19	20	12	15	18	14	4	3	-
	All other ..... Male	50	5	2	1	-	1	2	-	5	5	4	2	5	3	1	4	1	5	2	2	-	-	-
	Female	39	1	-	-	-	2	3	2	3	3	2	1	3	2	5	-	6	2	2	1	1	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	38,286	15	66	68	57	120	147	212	328	416	785	1,511	2,690	3,926	4,904	5,706	5,667	4,866	3,661	2,177	784	173	7
	White ..... Male	18,191	7	30	34	35	64	81	97	138	166	287	591	1,122	1,727	2,376	2,835	3,003	2,461	1,772	985	320	57	3
	Female	16,652	6	28	27	16	43	47	89	150	182	356	683	1,225	1,788	2,091	2,365	2,221	2,047	1,686	1,074	423	102	3
	All other ..... Male	1,993	1	4	6	3	9	11	11	16	28	61	108	184	245	273	317	277	235	117	58	23	6	–
	Female	1,450	1	4	1	3	4	8	15	24	40	81	129	159	166	164	189	166	123	86	60	18	8	1
140-149	Of buccal cavity and pharynx	842	–	–	1	1	1	3	3	9	5	16	36	79	136	113	147	100	90	48	34	18	2	–
	White ..... Male	481	–	–	1	1	1	2	1	3	1	7	15	42	78	72	94	60	52	25	16	9	1	–
	Female	264	–	–	–	–	–	1	2	3	1	1	12	22	42	27	38	33	33	21	18	9	1	–
	All other ..... Male	66	–	–	–	–	–	–	–	1	2	8	6	9	9	10	11	6	3	1	–	–	–	–
	Female	31	–	–	–	–	–	–	–	2	1	–	3	6	7	4	4	1	2	1	–	–	–	–
150-159	Of digestive organs and peritoneum	9,958	1	3	–	1	7	8	23	39	75	133	279	527	881	1,166	1,502	1,571	1,523	1,144	740	268	65	2
	White ..... Male	4,629	–	3	–	1	2	2	9	15	34	60	138	262	435	601	755	784	686	476	263	83	19	1
	Female	4,291	–	–	–	–	3	5	7	17	23	40	79	170	316	430	610	641	712	598	430	170	39	1
	All other ..... Male	606	–	–	–	–	1	1	3	3	10	15	32	53	87	86	80	88	83	34	20	8	2	–
	Female	432	1	–	–	–	1	–	4	4	8	18	30	42	43	49	57	58	42	36	27	7	5	–
160-163	Of respiratory system	9,769	–	–	–	1	1	5	6	26	63	190	420	843	1,215	1,605	1,738	1,541	1,083	633	292	89	15	3
	White ..... Male	6,067	–	–	–	1	1	3	2	14	31	83	214	462	690	979	1,088	1,067	743	438	189	50	10	2
	Female	2,814	–	–	–	–	–	–	3	8	18	72	144	273	401	490	497	360	271	148	91	33	4	1
	All other ..... Male	678	–	–	–	–	–	2	1	1	6	22	43	84	99	105	128	88	50	36	8	4	1	–
	Female	210	–	–	–	–	–	–	–	3	8	13	19	24	25	31	25	26	19	11	4	2	–	–
174	Of breast	3,437	1	–	–	–	1	2	12	43	71	124	264	372	483	494	412	384	302	238	150	62	20	2
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	4	1	1	10	3	1	3	1	–	2	–	–
	Female	3,152	1	–	–	–	1	2	10	37	60	104	222	335	445	454	387	364	284	228	141	56	20	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	259	–	–	–	–	–	–	2	6	11	20	38	36	37	30	22	19	15	9	9	4	–	1
180-187	Of genital organs	4,382	–	–	–	–	8	16	27	42	44	63	129	239	343	425	613	690	657	562	365	138	21	–
	White ..... Male	1,919	–	–	–	–	7	11	9	10	7	2	10	28	66	126	222	349	370	357	236	98	11	–
	Female	2,032	–	–	–	–	1	2	14	28	30	49	96	183	244	263	308	276	225	165	106	34	8	–
	All other ..... Male	229	–	–	–	–	–	–	–	–	1	1	4	5	8	19	47	41	45	34	16	6	2	–
	Female	202	–	–	–	–	–	3	4	4	6	11	19	23	25	17	36	24	17	6	7	–	–	–
188, 189	Of urinary organs	1,687	3	3	5	–	–	1	3	10	10	23	48	86	143	178	230	272	225	224	158	54	11	–
	White ..... Male	1,052	1	2	2	–	–	1	2	6	6	15	31	51	96	117	156	176	138	128	88	30	6	–
	Female	532	1	1	3	–	–	–	1	3	4	5	11	24	36	46	62	81	77	86	65	22	4	–
	All other ..... Male	64	1	–	–	–	–	–	–	–	–	2	5	9	8	9	5	9	8	4	3	1	–	–
	Female	39	–	–	–	–	–	–	–	1	–	1	1	2	3	6	7	6	2	6	2	1	1	–
170-173, 190-199	Of all other and unspecified sites	4,565	6	34	20	24	48	56	75	89	88	131	214	350	456	536	599	612	515	402	200	88	22	–
	White ..... Male	2,170	3	13	6	14	21	29	37	52	54	63	115	174	219	264	288	313	242	157	79	22	5	–
	Female	2,042	3	17	11	8	20	17	32	30	24	50	75	146	200	233	262	259	234	233	111	61	16	–
	All other ..... Male	197	–	2	3	2	6	6	4	6	6	7	13	15	24	26	24	18	24	4	3	4	–	–
	Female	156	–	2	–	–	1	4	2	1	4	11	11	15	13	13	25	22	15	8	7	1	1	–
204-207	Leukemia	1,459	3	24	36	24	41	35	34	36	27	40	49	70	77	125	154	181	177	171	112	28	15	–
	White ..... Male	775	2	10	24	15	24	20	22	16	13	22	20	41	45	73	84	98	88	90	51	13	4	–
	Female	585	1	10	8	5	15	14	8	15	10	13	26	22	25	44	60	78	74	76	57	14	10	–
	All other ..... Male	54	–	2	3	1	1	1	1	2	2	2	2	3	2	6	9	3	9	2	3	–	–	–
	Female	45	–	2	1	3	1	–	3	3	2	3	1	4	5	2	1	2	6	3	1	1	1	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	2,187	1	2	6	6	13	21	29	34	33	65	72	124	192	262	311	316	294	239	126	39	2	–
	White ..... Male	1,072	1	2	1	3	8	13	15	22	20	35	44	61	97	134	145	155	139	100	63	13	1	–
	Female	940	–	–	5	3	3	6	12	9	12	22	18	50	79	104	141	129	137	131	55	24	–	–
	All other ..... Male	99	–	–	–	–	1	1	2	3	1	4	3	6	8	12	13	24	13	2	5	–	1	–
	Female	76	–	–	–	–	1	1	–	–	–	4	7	7	8	12	12	8	5	6	3	2	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	521	7	2	5	8	5	10	17	23	9	8	19	27	36	44	61	63	66	50	42	14	5	–
	White ..... Male	226	2	2	3	3	2	2	2	13	3	3	7	11	14	21	29	36	23	25	16	7	2	–
	Female	251	5	–	1	5	3	4	11	8	5	5	8	13	20	21	25	19	38	24	26	7	3	–
	All other ..... Male	26	–	–	1	–	–	4	3	1	–	–	3	2	1	1	1	6	3	–	–	–	–	–
	Female	18	–	–	–	–	–	–	1	1	1	–	1	1	1	1	6	2	2	1	–	–	–	–
250	Diabetes mellitus	2,391	1	1	3	3	4	16	27	36	36	41	67	102	174	219	311	309	358	337	237	91	16	2
	White ..... Male	882	–	–	1	1	1	6	10	19	13	21	30	41	75	88	132	112	118	111	72	24	7	–
	Female	1,180	1	1	2	–	1	7	13	10	16	10	28	41	67	95	131	151	195	198	148	57	7	1
	All other ..... Male	145	–	–	–	–	1	–	3	4	4	8	4	11	14	16	22	18	18	11	5	4	2	–
	Female	184	–	–	–	2	1	3	1	3	3	2	5	9	18	20	26	28	27	17	12	6	–	1
260-269	Avitaminoses and other nutritional deficiencies	249	6	1	1	–	1	4	2	1	–	1	4	6	3	9	15	13	30	46	46	44	16	–
	White ..... Male	85	2	–	–	–	–	2	2	–	–	1	1	3	1	2	6	5	10	17	21	8	4	–
	Female	135	3	–	1	–	–	1	–	–	–	–	3	3	1	5	8	5	18	24	20	32	11	–
	All other ..... Male	17	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	3	2	4	1	1	1	–
	Female	12	1	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	1	4	3	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California—Con.																							
280–285	Anemias	278	2	10	3	2	6	6	9	2	4	5	6	9	10	12	19	23	39	40	42	24	5	-
	White ..... Male	107	1	2	2	-	3	-	2	1	2	-	2	3	4	8	6	7	19	20	16	7	2	-
	Female	135	-	4	1	2	1	3	2	-	-	-	2	4	5	3	13	12	18	19	26	17	3	-
	All other ..... Male	17	-	2	-	-	-	1	2	-	2	2	1	2	-	-	-	2	2	1	-	-	-	-
	Female	19	1	2	-	-	2	2	3	1	-	3	1	-	1	1	-	2	-	-	-	-	-	-
320	Meningitis	147	49	19	2	3	5	4	4	2	2	4	3	10	7	5	6	5	4	5	8	-	-	-
	White ..... Male	71	24	12	1	1	4	2	1	1	1	2	1	3	3	3	4	2	2	2	2	-	-	-
	Female	49	10	5	-	2	1	1	3	1	1	2	1	5	1	2	2	3	-	3	6	-	-	-
	All other ..... Male	10	6	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Female	17	9	2	-	-	-	-	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-
390–448	Major cardiovascular diseases	83,942	107	27	21	35	55	97	150	239	418	774	1,532	2,792	4,485	6,327	8,535	10,687	12,281	13,737	12,035	6,928	2,654	26
	White ..... Male	39,409	44	11	16	15	27	51	74	118	236	461	943	1,789	2,899	3,980	5,016	5,768	5,735	5,517	4,044	2,048	604	13
	Female	38,117	37	8	2	12	17	19	35	62	92	155	328	604	1,030	1,725	2,760	4,067	5,662	7,549	7,477	4,599	1,868	9
	All other ..... Male	3,581	15	5	1	4	4	13	27	37	58	102	171	261	348	386	459	501	477	303	213	117	76	3
	Female	2,835	11	3	2	4	7	14	14	22	32	56	90	138	208	236	300	351	407	368	301	164	106	1
390–398, 402, 404, 410–429	Diseases of heart	62,208	75	23	12	23	33	60	107	179	318	611	1,282	2,332	3,797	5,246	6,779	8,132	8,938	9,606	8,181	4,656	1,795	23
	White ..... Male	31,039	33	8	8	9	18	32	56	91	193	395	845	1,598	2,568	3,445	4,115	4,517	4,322	3,991	2,906	1,446	431	12
	Female	26,435	27	7	1	8	8	13	23	36	59	93	226	412	782	1,318	2,086	2,989	4,006	5,161	4,921	3,018	1,234	7
	All other ..... Male	2,789	9	5	1	3	2	8	19	36	47	86	145	219	298	309	356	391	343	221	153	79	56	3
	Female	1,945	6	3	2	3	5	7	9	16	19	37	66	103	149	174	222	235	267	233	201	113	74	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,559	-	1	3	2	4	6	7	19	15	27	47	76	127	176	203	222	204	207	134	61	18	-
	White ..... Male	641	-	1	2	-	2	4	3	11	8	11	17	35	69	81	92	79	83	79	49	14	1	-
	Female	822	-	-	-	1	1	2	3	5	5	11	20	30	48	89	102	127	111	122	85	45	15	-
	All other ..... Male	45	-	-	-	-	-	-	1	-	1	1	5	6	2	2	5	9	8	4	-	-	1	-
	Female	51	-	-	1	1	1	-	-	3	1	4	5	5	8	4	4	7	2	2	-	2	1	-
402	Hypertensive heart disease	765	-	-	-	-	-	1	1	9	7	9	20	32	51	70	80	96	112	104	101	61	11	-
	White ..... Male	237	-	-	-	-	-	1	1	3	3	3	7	15	18	30	31	35	34	22	17	15	2	-
	Female	371	-	-	-	-	-	-	-	-	-	2	-	6	18	20	28	35	62	72	76	44	8	-
	All other ..... Male	69	-	-	-	-	-	-	-	1	2	4	6	4	8	5	10	13	10	4	2	-	-	-
	Female	88	-	-	-	-	-	-	-	5	2	-	7	7	7	15	11	13	6	6	6	2	1	-
404	Hypertensive heart and renal disease	167	-	-	-	-	-	1	3	-	2	1	2	3	5	6	16	17	17	36	33	16	9	-
	White ..... Male	70	-	-	-	-	-	1	-	-	2	-	1	-	2	-	9	14	4	15	13	6	3	-
	Female	76	-	-	-	-	-	-	1	-	-	-	1	1	1	6	4	1	13	18	17	8	5	-
	All other ..... Male	8	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	1	2	1	-	-
	Female	13	-	-	-	-	-	-	1	-	-	-	-	2	2	-	2	1	-	2	1	1	1	-
410–413	Ischemic heart disease	56,370	-	1	1	-	1	8	33	92	237	505	1,113	2,071	3,374	4,717	6,147	7,434	8,201	8,843	7,568	4,327	1,674	23
	White ..... Male	28,523	-	1	1	-	1	6	19	55	155	351	779	1,473	2,349	3,178	3,811	4,194	3,997	3,698	2,687	1,356	400	12
	Female	23,810	-	-	-	-	-	1	5	14	35	62	165	325	642	1,134	1,840	2,692	3,653	4,730	4,555	2,795	1,155	7
	All other ..... Male	2,426	-	-	-	-	-	1	7	21	38	66	121	191	270	272	315	353	307	199	135	75	52	3
	Female	1,611	-	-	-	-	-	-	2	2	9	26	48	82	113	133	181	195	244	216	191	101	67	1
410	Acute myocardial infarction	21,608	-	1	-	-	1	1	13	43	109	213	541	964	1,568	2,226	2,896	3,234	3,361	2,967	2,191	970	306	3
	White ..... Male	12,205	-	1	-	-	1	-	7	25	76	159	406	722	1,146	1,557	1,860	1,865	1,755	1,348	847	349	79	2
	Female	8,068	-	-	-	-	-	-	3	8	14	19	75	140	299	534	870	1,170	1,421	1,493	1,232	587	203	-
	All other ..... Male	824	-	-	-	-	-	1	3	9	16	22	41	70	95	89	104	113	110	76	47	18	9	1
	Female	511	-	-	-	-	-	-	-	1	3	13	19	32	28	46	62	86	75	50	65	16	15	-
411	Other acute and subacute forms of ischemic heart disease	334	-	-	-	-	-	-	-	1	3	4	9	18	24	36	48	35	40	40	45	20	11	-
	White ..... Male	191	-	-	-	-	-	-	-	1	2	2	7	16	16	27	28	26	16	23	19	8	-	-
	Female	129	-	-	-	-	-	-	-	-	1	1	-	2	6	8	17	8	24	17	22	12	11	-
	All other ..... Male	8	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	3	-	-	-
412	Chronic ischemic heart disease	34,410	-	-	1	-	-	7	20	47	125	287	561	1,087	1,782	2,454	3,202	4,164	4,797	5,833	5,330	3,337	1,356	20
	White ..... Male	16,120	-	-	1	-	-	6	12	29	77	190	366	735	1,187	1,593	1,922	2,302	2,225	2,326	1,819	999	321	10
	Female	15,604	-	-	-	-	-	1	2	5	20	42	88	182	337	592	953	1,514	2,206	3,218	3,301	2,196	940	7
	All other ..... Male	1,593	-	-	-	-	-	-	4	12	22	43	78	121	173	182	210	239	197	123	87	57	43	2
	Female	1,093	-	-	-	-	-	-	2	1	6	12	29	49	85	87	117	109	169	166	123	85	52	1
413	Angina pectoris	18	-	-	-	-	-	-	-	1	-	1	2	2	-	1	1	1	3	3	2	-	1	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-
	Female	9	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	2	2	-	-	1	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	341	3	4	-	3	9	10	9	13	8	12	12	13	21	23	20	35	33	47	32	20	14	-
	White ..... Male	144	1	-	-	2	7	7	4	7	2	4	3	9	7	12	7	19	14	16	14	3	6	-
	Female	154	1	3	-	-	-	2	2	3	4	3	7	3	9	8	12	12	17	29	16	17	6	-
	All other ..... Male	26	-	1	-	1	-	1	3	2	1	4	-	1	3	2	-	3	1	-	1	-	2	-
	Female	17	1	-	-	-	2	-	-	1	1	1	2	-	2	1	1	1	1	2	1	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,006	72	17	8	18	19	34	54	46	49	57	88	137	219	254	313	328	371	369	313	171	69	–
	White ..... Male	1,424	32	6	5	7	8	13	29	15	23	26	38	66	123	144	165	176	190	161	126	52	19	–
	Female	1,202	26	4	1	7	7	8	12	14	15	15	33	47	64	61	100	122	150	190	172	109	45	–
	All other ..... Male	215	9	4	1	2	2	6	7	12	5	10	13	17	15	28	25	12	17	13	13	3	1	–
	Female	165	5	3	1	2	2	7	6	5	6	6	4	7	17	21	23	18	14	5	2	7	4	–
400, 401, 403	Hypertension	438	–	–	–	–	–	–	3	3	3	5	6	15	16	23	34	53	75	79	73	40	10	–
	White ..... Male	175	–	–	–	–	–	–	1	2	2	1	2	5	6	15	15	24	33	30	23	15	1	–
	Female	207	–	–	–	–	–	–	–	1	1	1	1	4	2	6	14	22	31	46	49	21	8	–
	All other ..... Male	29	–	–	–	–	–	–	2	–	–	1	1	3	4	1	4	4	5	–	1	3	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	2	3	4	1	1	3	6	3	–	1	1	–
430–438	Cerebrovascular diseases	16,188	29	4	9	11	17	29	30	46	78	135	205	343	507	759	1,277	1,894	2,496	3,190	2,929	1,612	587	1
	White ..... Male	5,874	8	3	8	6	6	16	13	20	31	54	78	137	229	338	609	854	1,008	1,119	824	406	107	–
	Female	8,966	10	1	1	3	8	5	7	20	26	55	84	148	192	303	525	858	1,274	1,893	1,974	1,137	441	1
	All other ..... Male	627	6	–	–	1	2	2	6	1	9	12	22	33	38	64	79	90	106	64	46	31	15	–
	Female	721	5	–	–	1	1	6	4	5	12	14	21	25	48	54	64	92	108	114	85	38	24	–
431	Cerebral hemorrhage	1,980	19	–	4	6	3	9	11	10	23	33	68	120	154	195	236	276	267	260	186	68	32	–
	White ..... Male	738	4	–	3	4	1	4	4	6	7	15	26	43	76	77	106	112	95	88	52	12	3	–
	Female	1,012	7	–	1	1	2	3	2	4	8	9	21	56	54	89	104	143	145	163	121	51	28	–
	All other ..... Male	112	4	–	–	–	–	–	3	–	4	5	10	10	8	19	12	14	14	3	4	2	–	–
	Female	118	4	–	–	1	–	2	2	–	4	4	11	11	16	10	14	7	13	6	9	3	1	–
433	Cerebral thrombosis	3,871	2	–	–	–	–	3	1	5	3	12	19	36	83	125	287	442	606	825	813	437	172	–
	White ..... Male	1,364	1	–	–	–	–	1	1	1	2	3	8	17	38	56	144	191	247	301	214	107	32	–
	Female	2,194	–	–	–	–	–	–	–	3	1	8	7	12	27	44	111	210	302	473	554	314	128	–
	All other ..... Male	154	1	–	–	–	–	–	–	–	–	1	4	3	10	10	21	22	32	19	16	8	7	–
	Female	159	–	–	–	–	–	2	–	1	–	–	–	4	8	15	11	19	25	32	29	8	5	–
434	Cerebral embolism	70	–	–	–	–	1	1	–	–	1	1	2	3	6	1	9	5	11	13	10	5	1	–
	White ..... Male	25	–	–	–	–	–	1	–	–	1	–	–	2	3	–	3	3	6	5	1	–	–	–
	Female	41	–	–	–	–	1	–	–	–	–	1	1	1	2	1	6	2	4	8	8	5	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	10,267	8	4	5	5	13	16	18	31	51	89	116	184	264	438	745	1,171	1,612	2,092	1,920	1,102	382	1
	White ..... Male	3,747	3	3	5	2	5	10	8	13	21	36	44	75	112	205	356	548	660	725	557	287	72	–
	Female	5,719	3	1	–	2	5	2	5	13	17	37	55	79	109	169	304	503	823	1,249	1,291	767	284	1
	All other ..... Male	358	1	–	–	1	2	2	3	1	5	6	7	20	19	35	46	54	60	42	25	21	8	–
	Female	443	1	–	–	–	1	2	2	4	8	10	10	10	24	29	39	66	69	76	47	27	18	–
440	Arteriosclerosis	2,523	–	–	–	–	–	1	–	–	–	2	6	18	32	59	109	192	345	487	583	460	227	2
	White ..... Male	900	–	–	–	–	–	–	–	–	–	2	1	10	20	32	59	101	141	169	177	134	53	1
	Female	1,516	–	–	–	–	–	–	–	–	–	–	3	8	10	23	40	74	189	301	386	317	164	1
	All other ..... Male	55	–	–	–	–	–	1	–	–	–	–	2	–	2	4	4	8	9	6	12	3	4	–
	Female	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	9	6	11	8	6	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,585	3	–	–	1	5	7	10	11	19	21	33	84	133	240	336	416	427	375	269	160	35	–
	White ..... Male	1,421	3	–	–	–	3	3	4	5	10	9	17	39	76	150	218	272	231	208	114	47	12	–
	Female	993	–	–	–	1	1	1	5	5	6	6	14	32	44	75	95	124	162	148	147	106	21	–
	All other ..... Male	81	–	–	–	–	–	2	–	–	2	3	1	6	6	8	16	8	14	12	1	1	1	–
	Female	90	–	–	–	–	1	1	1	1	1	3	1	7	7	7	7	12	20	7	7	6	1	–
466	Acute bronchitis and bronchiolitis	109	14	4	1	1	1	1	2	2	4	4	3	4	3	5	10	10	9	8	10	10	3	–
	White ..... Male	58	5	2	1	–	1	1	–	2	2	3	3	2	1	3	6	5	5	7	5	3	1	–
	Female	40	6	1	–	1	–	–	2	–	–	1	–	2	2	1	3	4	4	1	3	7	2	–
	All other ..... Male	7	2	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	1	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
470–474, 480–486	Influenza and pneumonia	4,990	138	33	14	8	19	28	29	30	39	57	71	104	177	239	298	466	669	867	883	582	236	3
	White ..... Male	2,366	54	12	8	3	10	14	18	12	19	24	27	48	92	136	175	279	345	415	398	194	81	2
	Female	2,239	60	13	4	3	6	8	8	10	11	20	29	38	56	75	96	148	288	408	446	371	141	–
	All other ..... Male	253	14	4	1	–	2	2	1	4	5	10	10	15	21	23	20	31	23	29	22	7	8	1
	Female	132	10	4	1	2	1	4	2	4	4	3	5	3	8	5	7	8	13	15	17	10	6	–
470–474	Influenza	224	1	2	–	–	–	2	–	–	–	–	–	2	2	6	8	22	22	50	43	44	20	–
	White ..... Male	83	–	–	–	–	–	–	–	–	–	–	–	1	1	6	3	12	13	18	15	9	5	–
	Female	132	1	2	–	–	–	1	–	–	–	–	–	–	1	–	5	9	8	31	27	32	15	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
480–486	Pneumonia	4,766	137	31	14	8	19	26	29	30	39	57	71	102	175	233	290	444	647	817	840	538	216	3
	White ..... Male	2,283	54	12	8	3	10	14	18	12	19	24	27	47	91	130	172	267	332	397	383	185	76	2
	Female	2,107	59	11	4	3	6	7	8	10	11	20	29	38	55	75	91	139	280	377	419	339	126	–
	All other ..... Male	248	14	4	1	–	2	2	1	4	5	10	10	14	21	23	20	30	22	28	22	6	8	1
	Female	128	10	4	1	2	1	3	2	4	4	3	5	3	8	5	7	8	13	15	16	8	6	–
490–493	Bronchitis, emphysema, and asthma	2,428	8	6	4	1	5	4	11	2	8	12	30	84	155	277	414	463	412	293	164	64	11	–
	White ..... Male	1,476	3	2	1	–	1	1	4	1	4	4	15	41	76	173	261	285	270	202	91	36	5	–
	Female	831	3	1	1	1	3	3	5	1	3	6	10	34	63	95	138	154	127	84	67	27	5	–
	All other ..... Male	87	1	2	2	–	1	–	1	–	–	–	3	7	12	6	13	19	11	6	2	1	–	–
	Female	34	1	1	–	–	–	–	1	–	1	2	2	2	4	3	2	5	4	1	4	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California—Con.																							
490, 491	Chronic and unqualified bronchitis	533	7	4	3	–	1	–	5	–	2	2	6	10	28	55	91	96	80	60	56	21	6	–
	White ..... Male	314	3	1	1	–	1	–	1	–	1	2	3	2	15	36	56	62	48	38	29	11	4	–
	Female	192	3	1	1	–	–	–	2	–	1	–	2	6	9	18	31	32	29	21	26	9	1	–
	All other ..... Male	17	–	1	1	–	–	–	1	–	–	–	–	1	2	1	3	2	3	1	–	1	–	–
	Female	10	1	1	–	–	–	–	1	–	–	–	1	1	2	–	1	–	–	–	1	–	1	–
492	Emphysema	1,713	–	1	–	–	–	–	–	–	6	6	16	61	111	202	299	339	310	220	99	38	5	–
	White ..... Male	1,109	–	1	–	–	–	–	–	–	3	2	8	37	59	129	196	213	217	158	62	23	1	–
	Female	539	–	–	–	–	–	–	–	–	2	4	5	21	43	67	95	108	85	57	33	15	4	–
	All other ..... Male	53	–	–	–	–	–	–	–	–	–	–	3	3	8	3	8	15	7	4	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	3	1	1	2	–	–	–
493	Asthma	182	1	1	1	1	4	4	6	2	–	4	8	13	16	20	24	28	22	13	9	5	–	–
	White ..... Male	53	–	–	–	–	–	1	3	1	–	–	4	2	2	8	9	10	5	6	–	2	–	–
	Female	100	–	–	–	1	3	3	3	1	–	2	3	7	11	10	12	14	13	6	8	3	–	–
	All other ..... Male	17	1	1	1	–	1	–	–	–	–	–	–	3	2	2	2	2	1	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	2	3	–	1	–	–	–
531–533	Peptic ulcer	651	4	–	–	–	1	1	3	3	3	9	25	34	42	62	87	90	107	91	57	25	5	2
	White ..... Male	342	2	–	–	–	1	–	1	1	2	3	9	15	29	31	53	56	59	43	25	9	2	1
	Female	247	2	–	–	–	–	–	1	2	1	1	12	12	9	24	29	25	38	42	30	16	3	–
	All other ..... Male	41	–	–	–	–	–	1	1	–	–	3	4	6	3	4	4	3	8	3	–	–	–	1
	Female	21	–	–	–	–	–	–	–	–	–	2	–	1	1	3	1	6	2	3	2	–	–	–
540–543	Appendicitis	78	1	4	2	3	1	2	2	2	–	–	3	5	2	8	9	8	10	6	6	3	1	–
	White ..... Male	34	–	2	–	2	–	–	2	2	–	–	1	2	1	3	8	2	3	4	2	–	–	–
	Female	28	–	1	1	1	1	2	–	–	–	–	1	1	–	4	–	4	5	1	3	2	1	–
	All other ..... Male	10	1	1	–	–	–	–	–	–	–	–	1	2	1	1	–	–	1	1	1	–	–	–
	Female	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
550–553, 560	Hernia and intestinal obstruction	572	53	5	1	2	4	6	–	3	4	7	8	14	28	40	50	67	75	82	81	35	6	1
	White ..... Male	233	26	3	1	2	2	1	–	1	2	3	5	3	11	19	25	29	36	25	30	6	2	1
	Female	290	21	1	–	–	1	2	–	1	2	3	2	8	15	19	21	32	30	53	46	29	4	–
	All other ..... Male	27	5	–	–	–	–	2	–	–	–	–	1	2	1	1	4	4	4	2	1	–	–	–
	Female	22	1	1	–	–	1	1	–	1	–	1	–	1	1	1	–	2	5	2	4	–	–	–
571	Cirrhosis of liver	4,240	3	1	1	1	3	14	46	97	190	314	455	694	666	623	504	331	172	72	35	8	6	4
	White ..... Male	2,479	2	–	1	1	–	5	28	62	106	204	267	403	401	358	280	197	105	36	14	4	3	2
	Female	1,320	1	–	–	–	2	8	10	14	46	65	135	214	210	210	171	116	59	34	19	4	1	1
	All other ..... Male	318	–	–	–	–	1	–	6	14	30	33	39	51	45	38	38	12	6	1	2	–	2	–
	Female	123	–	1	–	–	–	1	2	7	8	12	14	26	10	17	15	6	2	1	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	243	1	–	–	–	–	–	2	1	3	3	9	7	10	12	25	31	39	44	32	17	7	–
	White ..... Male	102	1	–	–	–	–	–	1	–	1	1	2	4	2	6	16	19	18	15	9	5	2	–
	Female	127	–	–	–	–	–	–	1	1	2	2	6	2	7	5	6	12	18	27	22	11	5	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	3	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	598	4	2	3	2	2	6	7	3	6	14	16	24	35	58	60	84	88	85	58	29	12	–
	White ..... Male	262	2	2	1	2	1	2	4	1	1	6	3	10	12	25	31	39	40	40	20	13	7	–
	Female	234	1	–	2	–	–	3	1	–	4	3	8	5	14	22	18	30	35	38	35	11	4	–
	All other ..... Male	52	–	–	–	–	–	–	–	1	1	3	2	4	4	6	6	9	10	3	–	2	1	–
	Female	50	1	–	–	–	1	1	2	1	–	2	3	5	5	5	5	6	3	4	3	3	–	–
580, 581	Acute nephritis and nephrotic syndrome	129	4	–	–	–	1	2	2	–	1	–	2	3	6	13	10	17	17	24	18	6	3	–
	White ..... Male	51	2	–	–	–	–	1	–	–	–	–	–	2	3	7	2	8	9	9	3	3	2	–
	Female	62	1	–	–	–	–	1	1	–	1	–	2	–	2	3	7	9	7	13	14	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	1	1	–
	Female	10	1	–	–	–	1	–	1	–	–	–	–	–	1	1	1	–	–	2	1	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	469	–	2	3	2	1	4	5	3	5	14	14	21	29	45	50	67	71	61	40	23	9	–
	White ..... Male	211	–	2	1	2	1	1	4	1	1	6	3	8	9	18	29	31	31	31	17	10	5	–
	Female	172	–	–	2	–	–	2	–	–	3	3	6	5	12	19	11	21	28	25	21	10	4	–
	All other ..... Male	46	–	–	–	–	–	–	–	1	1	3	2	3	4	4	6	9	9	3	–	1	–	–
	Female	40	–	–	–	–	–	1	1	1	–	2	3	5	4	4	4	6	3	2	2	2	–	–
590	Infections of kidney	291	–	–	–	–	–	2	1	–	1	2	5	10	12	13	25	37	46	50	51	30	6	–
	White ..... Male	102	–	–	–	–	–	–	1	–	1	1	2	4	2	5	8	14	15	17	18	11	3	–
	Female	157	–	–	–	–	–	2	–	–	–	1	3	3	7	7	12	19	24	29	28	19	3	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	3	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	2	3	1	2	–	–	–
600	Hyperplasia of prostate	93	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	10	18	21	21	11	5	–
	White ..... Male	85	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	8	17	20	20	9	5	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	33	–	–	–	1	3	6	9	5	7	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	25	–	–	–	1	1	5	6	4	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	2	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	California—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	33	–	–	–	1	3	6	9	5	7	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	25	–	–	–	1	1	5	6	4	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	2	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	1,368	858	114	32	31	44	23	29	31	14	13	17	29	36	20	25	19	17	12	2	1	1	–
	White ..... Male	648	396	60	16	13	24	12	21	10	4	6	3	16	19	9	11	10	11	5	1	1	–	–
	Female	519	331	39	9	13	15	7	4	17	8	5	12	8	12	8	12	6	5	6	1	–	1	–
	All other ..... Male	98	63	7	1	4	3	–	3	2	1	1	2	2	4	–	–	3	1	1	–	–	–	–
	Female	103	68	8	6	1	2	4	1	2	1	1	–	3	1	3	2	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	1,846	1,842	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	796	795	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	582	580	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	277	277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	191	190	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,022	1,019	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	462	461	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	320	319	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	151	151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	89	88	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	824	823	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	334	334	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	262	261	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	1,201	573	22	4	6	27	36	47	42	39	36	26	22	37	40	46	26	35	39	35	31	20	12
	White ..... Male	578	291	14	2	3	14	18	22	20	19	18	13	13	15	20	20	8	16	16	14	8	5	9
	Female	433	175	5	1	1	10	9	14	15	11	15	10	6	15	16	24	13	16	19	21	21	13	3
	All other ..... Male	121	66	–	1	2	3	6	6	5	8	2	3	2	5	3	1	2	2	1	–	1	2	–
	Female	69	41	3	–	–	–	3	5	2	1	1	–	1	2	1	1	3	1	3	–	1	–	–
Residual	All other diseases	12,351	201	104	61	61	117	128	171	176	175	253	402	582	825	1,098	1,468	1,645	1,698	1,488	1,073	461	157	7
	White ..... Male	6,156	87	52	27	25	70	60	78	85	72	117	187	296	400	596	802	890	908	732	450	173	44	5
	Female	4,991	70	40	23	27	30	42	49	59	53	85	143	193	321	391	540	623	671	691	579	260	101	–
	All other ..... Male	715	27	4	4	7	9	17	19	17	24	30	44	56	66	72	80	79	75	41	21	14	7	2
	Female	489	17	8	7	2	8	9	25	15	26	21	28	37	38	39	46	53	44	24	23	14	5	–
E800-E949	Accidents	11,154	124	410	234	256	1,173	1,652	1,230	822	625	462	482	476	544	473	470	435	425	379	283	139	29	31
	White ..... Male	6,818	49	213	111	164	821	1,167	832	525	423	283	276	294	307	282	258	224	205	177	116	56	8	27
	Female	3,111	44	138	75	61	250	320	252	183	137	104	129	125	170	152	172	179	190	177	160	74	17	2
	All other ..... Male	849	17	28	33	26	78	120	98	82	47	57	51	36	41	29	32	22	21	19	3	6	3	–
	Female	376	14	31	15	5	24	45	48	32	18	18	26	21	26	10	8	10	9	6	4	3	1	2
E810-E823	Motor vehicle accidents	5,754	36	175	138	139	890	1,153	734	454	312	231	221	223	230	173	172	158	133	98	56	14	3	11
	White ..... Male	3,707	15	84	66	85	631	834	510	288	213	147	134	137	121	112	90	85	60	48	30	5	1	11
	Female	1,492	16	66	49	43	208	217	152	110	73	54	55	60	79	45	67	66	59	42	24	6	1	–
	All other ..... Male	402	1	10	15	9	36	81	53	41	21	24	23	16	19	12	13	6	11	6	1	3	1	–
	Female	153	4	15	8	2	15	21	19	15	5	6	9	10	11	4	2	1	3	2	1	–	–	–
E800-E807, E825-E949	All other accidents	5,400	88	235	96	117	283	499	496	368	313	231	261	253	314	300	298	277	292	281	227	125	26	20
	White ..... Male	3,111	34	129	45	79	190	333	322	237	210	136	142	157	186	170	168	139	145	129	86	51	7	16
	Female	1,619	28	72	26	18	42	103	100	73	64	50	74	65	91	107	105	113	131	135	136	68	16	2
	All other ..... Male	447	16	18	18	17	42	39	45	41	26	33	28	20	22	17	19	16	10	13	2	3	2	–
	Female	223	10	16	7	3	9	24	29	17	13	12	17	11	15	6	6	9	6	4	3	3	1	2
E950-E959	Suicide	3,627	...	...	–	9	178	429	469	355	274	220	271	262	248	222	197	202	124	86	54	21	3	3
	White ..... Male	2,345	...	...	–	6	126	297	309	235	169	119	155	156	150	154	127	133	84	66	40	13	3	3
	Female	995	...	...	–	1	34	85	98	82	71	83	98	92	90	65	62	60	37	18	12	7	–	–
	All other ..... Male	209	...	...	–	2	15	35	50	26	22	13	13	8	4	3	4	9	2	1	1	1	–	–
	Female	78	...	...	–	–	3	12	12	12	12	5	5	6	4	–	4	–	1	1	1	–	–	–
E960-E978	Homicide	2,667	24	47	19	47	323	512	444	305	202	173	140	106	85	69	58	39	26	14	13	2	1	18
	White ..... Male	1,472	9	17	10	22	211	292	231	153	109	101	86	56	41	43	37	14	13	6	7	1	–	13
	Female	392	8	16	2	13	42	62	58	33	17	21	15	20	20	13	10	17	10	6	3	1	1	4
	All other ..... Male	633	3	6	3	7	54	124	127	100	63	43	33	23	17	10	8	6	3	1	1	–	–	1
	Female	170	4	8	4	5	16	34	28	19	13	8	6	7	7	3	3	2	–	1	2	–	–	–
E980-E999	Other external causes	349	5	10	1	5	22	41	42	40	24	17	23	20	27	12	20	12	8	8	5	2	–	5
	White ..... Male	188	2	7	–	5	13	21	27	20	11	9	10	5	16	7	11	6	4	6	4	1	–	3
	Female	108	2	3	–	–	5	11	11	12	8	4	12	9	8	5	6	4	4	2	1	–	–	1
	All other ..... Male	35	–	–	–	–	2	7	1	4	5	2	–	6	2	–	3	2	–	–	–	–	–	1
	Female	18	1	–	1	–	2	2	3	4	–	2	1	–	1	–	–	–	–	–	–	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado																							
	All causes	18,361	494	107	68	90	283	394	337	285	295	383	548	764	1,108	1,418	1,779	2,021	2,251	2,248	1,986	1,123	375	4
	White ..... Male	9,734	251	49	31	58	184	283	223	182	170	195	342	465	686	870	1,101	1,174	1,195	1,022	772	372	106	3
	Female	7,955	201	50	30	27	87	83	89	87	95	158	170	261	373	498	635	783	996	1,160	1,183	728	260	1
	All other ..... Male	405	22	5	3	3	9	21	17	13	22	20	21	23	31	38	29	36	28	34	17	10	3	-
	Female	267	20	3	4	2	3	7	8	3	8	10	15	15	18	12	14	28	32	32	14	13	6	-
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	20	6	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	1	1	-	-
	White ..... Male	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-
	Female	10	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	27	-	-	-	-	-	-	-	-	-	-	1	1	2	7	3	3	4	3	2	1	-	-
	White ..... Male	15	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	2	2	1	2	1	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	21	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	3	3	2	1	1	-	-
	White ..... Male	13	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	2	2	1	1	1	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	85	13	3	-	-	1	-	-	-	2	1	2	-	8	2	9	8	10	12	10	2	2	-
	White ..... Male	46	8	2	-	-	-	-	-	-	2	-	2	-	2	-	8	3	6	8	4	1	-	-
	Female	33	3	1	-	-	1	-	-	-	-	-	-	-	5	2	1	4	4	3	6	1	2	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	55	5	1	1	-	1	-	1	4	1	1	3	-	2	3	4	11	4	3	6	4	-	-
	White ..... Male	23	4	-	-	-	1	-	1	2	-	1	2	-	-	1	2	3	3	-	2	1	-	-
	Female	29	1	1	1	-	-	-	-	2	-	-	-	-	2	2	2	8	1	2	4	3	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,384	3	4	10	9	16	21	31	39	39	81	123	222	362	408	478	495	417	324	195	86	21	–
	White ..... Male	1,739	2	3	5	7	11	10	13	23	11	29	54	104	196	222	277	256	223	150	93	41	9	–
	Female	1,528	1	–	5	1	5	10	15	16	23	48	64	111	150	177	189	216	181	163	98	44	11	–
	All other ..... Male	71	–	1	–	–	–	1	2	–	4	2	4	3	7	8	6	15	6	8	3	1	–	–
	Female	46	–	–	–	1	–	–	1	–	1	2	1	4	9	1	6	8	7	3	1	–	1	–
140–149	Of buccal cavity and pharynx	60	–	–	–	–	1	–	–	–	–	3	2	6	9	10	8	7	6	4	2	1	1	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	2	2	4	6	10	5	6	2	2	1	–	–	–
	Female	17	–	–	–	–	1	–	–	–	–	1	–	2	3	–	1	1	4	1	1	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	914	–	–	–	–	–	1	2	6	11	17	28	53	80	103	124	142	135	112	59	36	5	–
	White ..... Male	450	–	–	–	–	–	–	–	5	3	9	17	32	50	51	72	70	61	38	25	14	3	–
	Female	435	–	–	–	–	–	1	–	1	6	7	10	21	27	51	49	68	68	70	32	22	2	–
	All other ..... Male	15	–	–	–	–	–	–	2	–	2	1	1	–	1	1	2	3	–	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	6	3	1	–	–	–
160–163	Of respiratory system	777	–	–	1	–	1	1	–	2	4	15	32	66	123	117	140	114	80	46	26	7	2	–
	White ..... Male	548	–	–	–	–	–	–	–	1	1	7	18	38	88	86	99	85	65	34	19	6	1	–
	Female	201	–	–	1	–	1	1	–	1	1	6	11	23	27	28	39	27	14	12	7	1	1	–
	All other ..... Male	22	–	–	–	–	–	–	–	–	1	1	3	3	6	3	2	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–
174	Of breast	300	–	–	–	–	–	1	3	2	9	14	16	26	41	36	32	37	31	33	11	7	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	288	–	–	–	–	–	1	2	2	9	14	16	25	39	35	31	34	29	32	11	7	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	3	1	–	–	–	–	–
180–187	Of genital organs	405	–	–	–	–	1	1	3	6	2	2	9	21	28	49	61	56	54	59	34	16	3	–
	White ..... Male	201	–	–	–	–	–	1	2	5	–	–	–	4	6	18	30	24	37	37	24	11	2	–
	Female	186	–	–	–	–	1	–	1	1	2	2	9	16	22	30	30	27	15	17	9	4	–	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	5	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–
188, 189	Of urinary organs	144	–	–	1	–	–	–	1	2	2	2	2	5	7	14	16	32	28	13	13	5	1	–
	White ..... Male	93	–	–	1	–	–	–	1	2	1	2	–	4	3	11	12	21	12	12	7	3	1	–
	Female	46	–	–	–	–	–	–	–	–	1	–	2	1	4	3	4	7	15	1	6	2	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	445	1	1	3	4	7	7	8	15	8	18	19	33	50	57	50	53	42	30	28	6	5	–
	White ..... Male	225	–	1	1	2	6	4	4	6	4	6	9	17	32	31	28	25	22	13	10	2	2	–
	Female	205	1	–	2	1	1	3	4	9	3	11	10	16	16	23	21	25	19	16	17	4	3	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	1	1	1	–	–	–
	Female	7	–	–	–	1	–	–	–	–	–	1	–	–	2	–	1	2	–	–	–	–	–	–
204–207	Leukemia	141	1	3	3	4	6	8	8	2	1	6	5	5	8	5	12	18	17	10	10	6	3	–
	White ..... Male	87	1	2	2	4	5	3	4	2	–	2	3	1	4	5	10	12	12	7	3	5	–	–
	Female	51	–	–	1	–	1	4	4	–	1	4	1	4	4	–	2	6	5	3	7	1	3	–
	All other ..... Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	198	1	–	2	1	–	2	6	4	2	4	10	7	16	17	35	36	24	17	12	2	–	–
	White ..... Male	94	1	–	1	1	–	2	2	2	2	1	5	4	7	10	21	13	12	6	4	–	–	–
	Female	99	–	–	1	–	–	–	4	2	–	3	5	3	8	7	12	21	12	11	8	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	53	2	2	1	–	–	1	1	–	2	3	2	1	7	5	4	5	7	4	4	2	–	–
	White ..... Male	27	–	1	–	–	–	–	1	–	2	2	1	1	4	3	3	3	3	1	2	–	–	–
	Female	24	2	1	–	–	–	1	–	–	–	1	1	–	3	2	1	2	3	3	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	285	–	–	–	–	2	2	1	6	7	8	8	16	13	23	36	43	40	35	24	16	5	–
	White ..... Male	124	–	–	–	–	1	1	–	1	5	1	3	11	5	10	18	22	23	10	5	7	1	–
	Female	145	–	–	–	–	1	1	1	5	2	6	5	4	7	10	16	19	15	22	18	9	4	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	59	1	–	–	–	–	–	–	–	–	1	1	1	–	2	1	3	11	13	10	8	7	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	7	2	3	4	3	–
	Female	32	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	10	6	4	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado—Con.																							
280-285	Anemias	30	-	-	-	1	2	1	-	1	-	-	1	-	4	1	3	-	5	4	3	2	2	-
	White Male	11	-	-	-	1	-	-	-	-	-	-	-	-	1	-	3	-	4	1	-	1	-	-
	Female	16	-	-	-	-	2	1	-	-	-	-	-	-	3	1	-	-	1	2	3	1	2	-
	All other Male	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
320	Meningitis	16	5	1	2	-	1	-	-	-	-	-	3	-	1	1	1	-	1	-	-	-	-	-
	White Male	5	1	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	9	3	1	1	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
390-448	Major cardiovascular diseases	8,358	16	11	2	6	3	16	14	14	52	86	171	262	421	569	788	1,020	1,235	1,320	1,310	772	269	1
	White Male	4,215	9	5	-	3	1	11	5	8	32	48	126	191	298	380	501	597	623	586	485	229	76	1
	Female	3,904	4	4	1	2	2	4	9	5	16	30	34	61	106	165	267	396	582	700	806	525	185	-
	All other Male	127	1	1	-	1	-	1	-	1	4	6	5	7	14	17	13	12	12	13	10	6	3	-
	Female	112	2	1	1	-	-	-	-	-	-	2	6	3	3	7	7	15	18	21	9	12	5	-
390-398, 402, 404, 410-429	Diseases of heart	6,199	15	7	-	4	-	11	10	12	40	67	141	220	369	463	644	799	891	933	883	504	185	1
	White Male	3,325	8	3	-	2	-	7	2	7	30	39	111	166	268	330	424	479	462	438	342	156	50	1
	Female	2,697	4	3	-	1	-	3	8	4	8	21	20	48	86	117	205	299	408	467	530	336	129	-
	All other Male	95	1	-	-	1	-	1	-	1	2	5	4	4	13	11	10	10	10	9	6	5	2	-
	Female	82	2	1	-	-	-	-	-	-	-	2	6	2	2	5	5	11	11	19	5	7	4	-
390-398	Active rheumatic fever and chronic rheumatic heart disease	174	-	1	-	-	-	-	3	1	3	7	7	11	26	19	21	20	25	14	11	4	1	-
	White Male	69	-	1	-	-	-	-	-	1	1	3	1	5	12	9	8	9	11	4	4	-	-	-
	Female	101	-	-	-	-	-	-	3	-	1	4	6	6	14	9	13	11	13	9	7	4	1	-
	All other Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
402	Hypertensive heart disease	58	-	-	-	-	-	-	-	1	1	1	2	5	3	3	4	3	10	7	13	3	2	-
	White Male	26	-	-	-	-	-	-	-	-	1	-	1	3	2	2	2	2	5	5	3	-	-	-
	Female	26	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	4	2	10	1	2	-
	All other Male	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-
404	Hypertensive heart and renal disease	55	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	9	9	8	12	7	-
	White Male	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2	3	4	-
	Female	33	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	5	5	6	8	3	-
	All other Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
410-413	Ischemic heart disease	5,262	-	-	-	-	-	2	3	6	27	47	110	182	299	391	552	696	769	807	767	446	157	1
	White Male	2,873	-	-	-	-	-	2	2	5	22	31	94	147	235	287	367	421	401	384	293	137	44	1
	Female	2,262	-	-	-	-	-	-	1	1	4	12	10	30	54	91	173	258	352	402	465	301	108	-
	All other Male	67	-	-	-	-	-	-	-	-	1	4	3	3	8	9	9	8	8	5	4	4	1	-
	Female	60	-	-	-	-	-	-	-	-	-	-	3	2	2	4	3	9	8	16	5	4	4	-
410	Acute myocardial infarction	2,579	-	-	-	-	-	2	2	4	20	36	77	121	201	237	330	402	394	348	254	114	37	-
	White Male	1,594	-	-	-	-	-	2	1	3	16	24	71	107	162	175	229	249	214	178	111	39	13	-
	Female	937	-	-	-	-	-	-	1	1	3	10	6	12	32	58	97	147	174	164	139	71	22	-
	All other Male	28	-	-	-	-	-	-	-	-	1	2	-	1	6	3	3	2	3	2	2	3	-	-
	Female	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	4	2	1	2	-
411	Other acute and subacute forms of ischemic heart disease	30	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	5	5	5	2	2	1	-
	White Male	20	-	-	-	-	-	-	-	-	1	1	-	1	1	2	3	2	4	3	1	1	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	1	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Chronic ischemic heart disease	2,652	-	-	-	-	-	-	1	2	6	10	32	60	97	151	219	289	370	454	511	330	119	1
	White Male	1,259	-	-	-	-	-	-	1	2	5	6	23	39	72	110	135	170	183	203	181	97	31	1
	Female	1,315	-	-	-	-	-	-	-	-	1	2	4	18	22	32	76	108	177	236	325	229	85	-
	All other Male	38	-	-	-	-	-	-	-	-	-	2	2	2	2	6	6	6	5	3	2	1	1	-
	Female	40	-	-	-	-	-	-	-	-	-	-	3	1	1	3	2	5	5	12	3	3	2	-
413	Angina pectoris	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	-	-	-	-	-	2	-	-	-	-	-	2	-	-	3	2	1	4	4	2	-	-
	White Male	9	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	2	2	1	-	-
	Female	11	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	1	2	2	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers, preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado—Con.																							
420–423, 425–427, 429	All other forms of heart disease	630	15	6	–	4	–	7	4	4	9	12	21	20	40	50	61	73	77	92	80	37	18	–
	White ..... Male	330	8	2	–	2	–	4	–	1	6	5	15	10	18	32	45	45	42	40	38	15	2	–
	Female	264	4	3	–	1	–	2	4	3	3	4	2	10	17	16	15	24	33	47	40	21	15	–
	All other ..... Male	21	1	–	–	1	–	1	–	–	–	1	1	–	5	2	–	2	1	2	2	1	1	–
	Female	15	2	1	–	–	–	–	–	–	–	2	3	–	–	–	1	2	1	3	–	–	–	–
400, 401, 403	Hypertension	55	–	–	–	–	–	–	–	–	1	–	1	2	–	–	7	3	13	7	12	7	2	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	1	2	–	–	4	2	8	3	6	4	1	–
	Female	22	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	4	4	6	3	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,462	1	4	2	2	2	5	1	2	7	16	23	29	41	76	87	153	243	264	294	167	43	–
	White ..... Male	559	1	2	–	1	1	4	1	1	1	6	11	15	23	33	39	76	106	94	89	41	14	–
	Female	862	–	1	1	1	1	1	–	1	5	9	11	10	17	39	45	72	132	165	201	122	28	–
	All other ..... Male	23	–	1	–	–	–	–	–	–	1	1	1	3	1	3	2	2	2	3	2	1	–	–
	Female	18	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	3	3	2	2	3	1	–
431	Cerebral hemorrhage	183	1	–	2	–	1	3	–	–	4	3	9	8	18	24	15	13	25	29	18	6	4	–
	White ..... Male	78	1	–	–	–	1	2	–	–	–	1	5	3	11	10	6	8	9	11	5	3	2	–
	Female	100	–	–	1	–	–	1	–	–	3	2	4	4	7	12	9	5	16	18	13	3	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	249	–	–	–	1	–	1	–	1	–	3	–	4	3	8	13	24	44	46	60	32	9	–
	White ..... Male	79	–	–	–	–	–	1	–	–	–	2	–	3	2	5	6	6	18	16	14	5	1	–
	Female	164	–	–	–	1	–	–	–	1	–	1	–	–	1	2	6	18	25	29	46	27	7	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,024	–	4	–	1	1	1	1	1	3	10	13	17	20	44	59	116	173	189	213	128	30	–
	White ..... Male	401	–	2	–	1	–	1	1	1	1	3	5	9	10	18	27	62	79	67	70	33	11	–
	Female	593	–	1	–	–	1	–	–	–	2	6	7	6	9	25	30	49	90	118	139	91	19	–
	All other ..... Male	17	–	1	–	–	–	–	–	–	–	1	1	2	1	1	1	2	1	3	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	2	3	–	–
440	Arteriosclerosis	345	–	–	–	–	–	–	–	–	1	1	–	1	2	4	12	17	46	73	84	69	35	–
	White ..... Male	138	–	–	–	–	–	–	–	–	–	1	–	1	2	2	9	7	21	27	32	25	11	–
	Female	201	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	10	23	45	51	43	23	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	297	–	–	–	–	1	–	3	–	3	2	6	10	9	26	38	48	42	43	37	25	4	–
	White ..... Male	162	–	–	–	–	–	–	2	–	1	2	3	7	5	15	25	33	26	24	16	3	–	–
	Female	122	–	–	–	–	1	–	1	–	1	–	3	3	3	7	12	14	15	19	18	21	4	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1	–	–
466	Acute bronchitis and bronchiolitis	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
	White ..... Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	655	18	2	1	–	1	3	2	4	7	8	11	14	29	30	47	61	88	125	107	75	22	–
	White ..... Male	306	5	1	1	–	1	1	–	2	2	6	6	5	17	16	26	38	51	53	42	27	6	–
	Female	327	10	1	–	–	–	2	2	2	5	2	3	6	10	11	20	22	35	68	65	47	16	–
	All other ..... Male	19	2	–	–	–	–	–	–	–	–	–	1	3	2	3	1	–	2	4	–	1	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
470–474	Influenza	43	2	–	–	–	1	–	–	1	2	1	–	–	1	–	2	3	6	9	5	9	1	–
	White ..... Male	18	–	–	–	–	1	–	–	1	–	–	–	–	–	–	2	2	2	3	1	6	–	–
	Female	25	2	–	–	–	–	–	–	–	2	1	–	–	1	–	–	1	4	6	4	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	612	16	2	1	–	–	3	2	3	5	7	11	14	28	30	45	58	82	116	102	66	21	–
	White ..... Male	288	5	1	1	–	–	1	–	1	2	6	6	5	17	16	24	36	49	50	41	21	6	–
	Female	302	8	1	–	–	–	2	2	2	3	1	3	6	9	11	20	21	31	62	61	44	15	–
	All other ..... Male	19	2	–	–	–	–	–	–	–	–	–	1	3	2	3	1	–	2	4	–	1	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	288	–	1	–	–	1	–	–	2	–	1	4	8	20	32	43	48	53	42	19	12	2	–
	White ..... Male	202	–	1	–	–	–	–	–	–	–	–	1	5	16	25	34	36	38	30	11	5	–	–
	Female	81	–	–	–	–	1	–	–	1	–	1	2	3	4	7	9	12	14	11	8	6	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado—Con.																							
490, 491	Chronic and unqualified bronchitis	52	–	1	–	–	–	–	–	–	–	–	–	–	3	6	5	6	12	7	6	5	1	–
	White ..... Male	28	–	1	–	–	–	–	–	–	–	–	–	–	2	5	4	3	5	5	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	7	2	3	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	212	–	–	–	–	–	–	–	1	–	1	3	7	15	26	35	40	36	29	12	6	1	–
	White ..... Male	168	–	–	–	–	–	–	–	–	–	–	1	5	13	20	29	33	31	23	8	5	–	–
	Female	43	–	–	–	–	–	–	–	1	–	1	2	2	2	6	6	7	4	6	4	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	24	–	–	–	–	1	–	–	1	–	–	1	1	2	–	3	2	5	6	1	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–	–
	Female	14	–	–	–	–	1	–	–	–	–	–	–	1	1	–	2	2	3	3	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
531–533	Peptic ulcer	56	–	–	–	–	1	–	–	2	–	–	2	–	2	3	9	6	10	10	7	4	–	–
	White ..... Male	28	–	–	–	–	–	–	–	2	–	–	1	–	2	3	3	3	7	5	1	1	–	–
	Female	27	–	–	–	–	1	–	–	–	–	–	1	–	–	–	5	3	3	5	6	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	63	9	1	–	–	–	–	–	–	–	1	–	2	2	2	6	7	4	14	11	3	1	–
	White ..... Male	28	5	1	–	–	–	–	–	–	–	1	–	1	–	1	3	6	1	5	3	1	–	–
	Female	34	4	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	3	9	8	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	275	–	–	–	–	1	1	5	9	19	16	23	33	42	49	35	21	12	7	1	–	1	–
	White ..... Male	164	–	–	–	–	–	1	2	5	11	9	13	20	30	28	23	15	4	2	–	–	1	–
	Female	99	–	–	–	–	1	–	2	2	6	5	10	12	12	18	12	5	8	5	1	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	2	2	–	–	–	1	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	4	12	6	4	3	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	5	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	6	4	4	3	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	67	1	–	–	–	–	–	–	–	1	2	2	1	3	4	8	3	18	12	8	2	2	–
	White ..... Male	37	1	–	–	–	–	–	–	–	1	1	–	–	2	3	5	2	11	6	4	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	1	1	1	1	–	3	1	6	5	4	1	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	6	2	1	–	–	–
	White ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	53	–	–	–	–	–	–	–	–	1	1	2	1	3	4	8	–	12	10	7	2	2	–
	White ..... Male	30	–	–	–	–	–	–	–	–	1	1	–	–	2	3	5	–	8	6	3	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	3	3	4	1	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
590	Infections of kidney	32	–	–	–	–	–	–	–	–	1	–	2	–	–	1	3	1	7	6	6	4	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	3	2	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	4	4	3	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Colorado—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	151	99	14	3	2	7	1	2	4	3	1	–	4	2	2	2	–	2	1	2	–	–	–
	White ..... Male	65	42	5	1	–	4	–	2	2	–	–	–	2	2	1	1	–	1	1	1	–	–	–
	Female	79	50	9	2	2	3	1	–	2	3	1	–	2	–	1	1	–	1	–	1	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	183	183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	98	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	299	96	13	3	2	8	12	16	7	11	6	13	9	7	15	7	11	10	18	13	15	6	1
	White ..... Male	151	53	5	–	1	6	5	9	5	4	1	10	5	3	10	2	7	6	7	5	3	3	1
	Female	120	37	8	1	1	2	3	3	1	5	4	3	3	3	5	5	1	3	10	7	12	3	–
	All other ..... Male	19	4	–	1	–	–	4	2	1	1	1	–	1	–	–	–	3	–	1	–	–	–	–
	Female	9	2	–	1	–	–	–	2	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–
Residual	All other diseases	1,759	23	13	10	10	21	24	10	21	21	41	57	85	96	178	208	210	238	224	173	75	21	–
	White ..... Male	976	12	6	4	5	12	12	5	10	13	17	37	47	56	107	133	144	133	114	76	28	5	–
	Female	709	9	5	5	5	5	11	5	9	5	17	13	29	35	65	70	62	99	105	93	46	16	–
	All other ..... Male	44	1	1	–	–	2	1	–	2	2	3	5	5	2	6	4	2	2	4	2	–	–	–
	Female	30	1	1	1	–	2	–	–	–	1	4	2	4	3	–	1	2	4	1	2	1	–	–
E800-E949	Accidents	1,396	11	37	33	50	168	208	152	93	72	59	58	66	54	45	49	43	49	48	58	32	10	1
	White ..... Male	938	7	17	19	35	116	162	115	71	54	41	44	45	31	30	33	22	29	26	22	16	2	1
	Female	408	4	17	13	13	49	37	27	19	15	17	10	17	20	14	16	21	19	21	35	16	8	–
	All other ..... Male	35	–	2	1	2	2	6	9	2	–	1	2	2	3	1	–	–	–	1	1	–	–	–
	Female	15	–	1	–	–	1	3	1	1	3	–	2	2	–	–	–	–	1	–	–	–	–	–
E810-E823	Motor vehicle accidents	705	2	16	15	26	116	144	88	61	38	33	27	33	23	19	14	15	13	12	9	1	–	–
	White ..... Male	488	1	4	8	16	79	107	65	46	27	21	21	19	15	12	11	8	13	9	5	1	–	–
	Female	189	1	11	7	9	35	30	17	13	9	12	3	11	8	6	3	7	–	3	4	–	–	–
	All other ..... Male	17	–	–	–	1	1	5	5	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
	Female	11	–	1	–	–	1	2	1	1	2	–	2	1	–	–	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	691	9	21	18	24	52	64	64	32	34	26	31	33	31	26	35	28	36	36	49	31	10	1
	White ..... Male	450	6	13	11	19	37	55	50	25	27	20	23	26	16	18	22	14	16	17	17	15	2	1
	Female	219	3	6	6	4	14	7	10	6	6	5	7	6	12	8	13	14	19	18	31	16	8	–
	All other ..... Male	18	–	2	1	1	1	1	4	1	–	1	1	–	3	–	–	–	–	1	1	–	–	–
	Female	4	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
E950-E959	Suicide	481	...	...	–	3	19	69	67	53	36	51	39	36	23	28	24	12	11	2	6	2	–	–
	White ..... Male	344	...	...	–	3	13	56	50	38	21	32	31	25	15	19	15	9	9	2	4	2	–	–
	Female	119	...	...	–	–	5	8	15	12	12	18	8	9	8	9	9	2	2	–	2	–	–	–
	All other ..... Male	12	...	...	–	–	1	2	1	2	3	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	6	...	...	–	–	–	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	173	–	1	2	6	24	31	25	21	17	12	13	2	5	5	1	1	3	2	1	–	–	1
	White ..... Male	92	–	–	–	2	13	21	15	10	11	3	7	1	3	3	1	1	–	1	–	–	–	–
	Female	49	–	1	1	3	7	3	6	10	–	5	3	1	2	2	–	–	2	1	1	–	–	1
	All other ..... Male	26	–	–	1	–	4	6	3	1	4	3	3	–	–	–	–	–	1	–	–	–	–	–
	Female	6	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	52	–	–	–	1	6	4	10	5	3	4	8	1	2	1	3	–	2	1	1	–	–	–
	White ..... Male	30	–	–	–	1	4	3	5	3	1	2	2	–	2	1	2	–	2	1	1	–	–	–
	Female	19	–	–	–	–	2	1	4	1	1	2	6	1	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut																							
	All causes	26,078	433	69	68	67	238	313	234	236	259	403	669	1,129	1,650	2,439	2,772	3,017	3,322	3,684	3,045	1,514	515	2
	White Male	12,999	170	34	32	38	158	216	155	134	137	188	379	646	997	1,467	1,646	1,673	1,610	1,558	1,137	485	137	2
	Female	11,806	150	24	30	20	65	65	40	68	86	144	204	381	554	851	1,000	1,245	1,603	2,053	1,860	999	364	-
	All other Male	711	61	5	5	4	5	21	25	20	21	47	52	59	63	76	76	55	49	40	14	11	2	-
	Female	562	52	6	1	5	10	11	14	14	15	24	34	43	36	45	50	44	60	33	34	19	12	-
004, 006	Bacillary dysentery and ameblasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	16	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	1	1	1	-	-
	White Male	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	Female	8	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
010–019	Tuberculosis, all forms	31	-	-	-	-	-	-	-	-	1	-	-	1	3	6	2	7	3	3	3	2	-	-
	White Male	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	2	2	1	2	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	2	-	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
010–012	Tuberculosis of respiratory system	22	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	6	2	1	3	2	-	-
	White Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	-	1	2	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	2	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
013–019	Tuberculosis, other forms	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	-	-	-	-
	White Male	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	5	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	5	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	117	6	1	1	-	1	-	-	-	2	2	-	7	7	7	13	12	17	15	17	7	2	-
	White Male	59	2	-	-	-	1	-	-	-	-	1	-	5	3	4	9	10	7	6	9	1	1	-
	Female	50	1	1	-	-	-	-	-	-	1	-	-	2	3	3	4	2	10	9	8	5	1	-
	All other Male	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	5	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
040–043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090–097	Syphilis and its sequelae	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000–136	Other infective and parasitic diseases	81	2	2	-	-	1	2	3	2	4	2	1	3	4	8	10	10	9	6	9	1	2	-
	White Male	38	1	-	-	-	1	-	1	1	2	1	1	2	-	2	7	5	6	4	3	-	1	-
	Female	37	-	1	-	-	-	2	1	1	2	-	-	1	3	6	3	5	2	2	6	1	1	-
	All other Male	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Female	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,003	–	8	15	12	9	22	25	34	67	105	213	381	590	845	856	872	743	652	400	128	26	–
	White ..... Male	3,010	–	5	9	8	2	13	16	18	29	38	92	177	277	436	466	485	383	303	189	56	8	–
	Female	2,708	–	3	6	3	3	8	8	14	33	57	98	171	280	363	346	361	330	334	204	69	17	–
	All other ..... Male	176	–	–	–	–	3	1	–	1	2	10	12	16	23	28	26	20	17	11	4	2	–	–
	Female	109	–	–	–	1	1	–	1	1	3	–	11	17	10	18	18	6	13	4	3	1	1	–
140–149	Of buccal cavity and pharynx	156	–	–	–	–	–	–	–	–	1	1	7	13	20	31	32	26	12	7	3	3	–	–
	White ..... Male	106	–	–	–	–	–	–	–	–	1	1	3	8	11	20	24	20	8	6	2	2	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	2	3	6	8	8	6	4	1	1	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	2	–	3	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,692	–	–	–	–	1	–	2	6	8	15	43	88	143	229	257	237	248	233	137	39	6	–
	White ..... Male	863	–	–	–	–	–	–	1	3	4	6	23	52	81	130	148	130	114	105	53	12	1	–
	Female	741	–	–	–	–	–	–	1	2	2	7	15	23	52	82	99	97	124	124	82	26	5	–
	All other ..... Male	52	–	–	–	–	1	–	–	1	–	2	5	6	7	8	6	6	5	3	1	1	–	–
	Female	36	–	–	–	–	–	–	–	–	2	–	–	7	3	9	4	4	5	1	1	–	–	–
160–163	Of respiratory system	1,335	–	–	–	–	–	–	1	3	14	27	48	112	152	234	226	220	148	92	48	9	1	–
	White ..... Male	914	–	–	–	–	–	–	1	2	6	14	27	74	97	159	158	161	113	66	30	6	–	–
	Female	356	–	–	–	–	–	–	–	1	7	8	19	28	47	63	55	53	31	24	16	3	1	–
	All other ..... Male	54	–	–	–	–	–	–	–	–	1	5	–	6	8	12	11	6	3	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	4	–	–	2	–	1	1	1	–	–	–
174	Of breast	624	–	–	–	–	–	–	–	3	8	16	35	65	88	101	74	80	44	57	36	10	7	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	607	–	–	–	–	–	–	–	3	8	16	29	64	85	101	70	80	43	57	36	9	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	6	1	3	–	4	–	1	–	–	1	1	–
180–187	Of genital organs	637	–	–	–	–	–	6	4	6	9	9	16	21	45	81	73	106	92	86	60	18	5	–
	White ..... Male	306	–	–	–	–	–	4	–	2	3	–	–	2	5	29	37	67	46	50	44	13	4	–
	Female	289	–	–	–	–	–	2	3	4	5	9	13	19	35	47	26	34	42	29	15	5	1	–
	All other ..... Male	25	–	–	–	–	–	–	–	–	–	–	1	–	5	2	4	3	3	6	1	–	–	–
	Female	17	–	–	–	–	–	–	1	–	1	–	2	–	–	3	6	2	1	1	–	–	–	–
188, 189	Of urinary organs	252	–	–	–	–	–	–	–	–	1	4	8	5	25	23	40	42	44	29	23	8	–	–
	White ..... Male	162	–	–	–	–	–	–	–	–	1	2	5	3	17	15	21	33	25	15	20	5	–	–
	Female	78	–	–	–	–	–	–	–	–	–	1	1	–	7	8	16	8	17	14	3	3	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	1	2	1	–	–	3	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	746	–	5	7	3	4	9	6	8	10	23	36	53	80	78	87	83	94	78	53	23	6	–
	White ..... Male	387	–	3	4	2	1	4	3	6	7	11	22	24	47	45	48	42	52	28	27	8	3	–
	Female	326	–	2	3	1	–	4	3	2	3	10	12	26	31	27	37	39	36	48	25	14	3	–
	All other ..... Male	19	–	–	–	–	2	1	–	–	–	2	1	2	–	3	1	2	3	1	–	1	–	–
	Female	14	–	–	–	–	1	–	–	–	–	–	1	1	2	3	1	–	3	1	1	–	–	–
204–207	Leukemia	245	–	2	8	7	1	1	4	4	8	5	10	6	16	25	26	31	24	38	20	8	1	–
	White ..... Male	124	–	1	5	5	–	1	3	2	4	2	6	3	8	14	13	18	8	19	6	6	–	–
	Female	114	–	1	3	1	1	–	1	2	3	3	3	3	8	10	11	13	15	19	14	2	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	316	–	1	–	2	3	6	8	4	8	5	10	18	21	43	41	47	37	32	20	10	–	–
	White ..... Male	148	–	1	–	1	1	4	8	3	3	2	6	11	11	24	17	14	17	14	7	4	–	–
	Female	157	–	–	–	1	2	2	–	–	5	3	4	5	9	17	24	31	18	18	12	6	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	96	1	1	1	1	4	–	1	3	2	–	2	7	10	10	6	17	11	12	4	2	1	–
	White ..... Male	39	1	–	–	–	2	–	–	1	1	–	1	5	5	5	2	5	7	3	1	–	–	–
	Female	51	–	–	1	–	2	–	1	2	1	–	1	2	5	5	3	11	4	7	3	2	1	–
	All other ..... Male	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
250	Diabetes mellitus	446	–	1	–	–	–	1	5	5	5	5	12	15	27	42	51	61	73	74	48	19	2	–
	White ..... Male	167	–	1	–	–	–	–	2	3	4	3	5	7	11	22	22	28	21	23	10	5	–	–
	Female	256	–	–	–	–	–	1	2	1	1	2	5	7	14	16	24	32	47	51	37	14	2	–
	All other ..... Male	7	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	–	2	1	1	2	3	1	4	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	30	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	2	5	3	3	5	4	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	3	–	1	2	1	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	3	2	3	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut—Con.																							
280–285	Anemias	43	–	–	–	2	2	1	–	1	–	1	–	–	–	2	1	1	7	10	6	6	3	–
	White ..... Male	12	–	–	–	–	1	–	–	1	–	–	–	–	–	2	–	–	2	1	3	1	1	–
	Female	28	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	5	9	3	5	2	–
	All other ..... Male	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	23	3	2	1	1	2	1	–	–	–	–	1	3	1	1	2	1	1	–	3	–	–	–
	White ..... Male	10	2	2	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–
	Female	11	–	–	1	1	–	1	–	–	–	–	1	1	–	1	2	1	1	–	1	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	13,279	6	2	2	4	10	12	9	29	52	107	239	423	662	1,078	1,320	1,548	1,895	2,329	2,061	1,096	394	1
	White ..... Male	6,396	1	1	–	2	4	7	3	14	37	69	167	294	482	727	827	860	855	930	699	314	102	1
	Female	6,404	2	1	2	2	6	5	1	9	10	20	38	88	137	302	437	642	980	1,356	1,329	757	280	–
	All other ..... Male	255	2	–	–	–	–	–	2	3	4	9	24	28	26	32	35	23	23	24	9	9	2	–
	Female	224	1	–	–	–	–	–	3	3	1	9	10	13	17	17	21	23	37	19	24	16	10	–
390–398, 402, 404, 410–429	Diseases of heart	10,031	4	2	–	4	3	6	6	26	40	90	213	369	571	899	1,069	1,197	1,411	1,701	1,414	737	268	1
	White ..... Male	5,123	1	1	–	2	1	3	2	13	31	63	156	272	434	630	689	674	666	705	489	213	77	1
	Female	4,566	1	1	–	2	2	3	–	8	7	13	31	65	103	233	337	492	708	963	905	507	185	–
	All other ..... Male	197	1	–	–	–	–	–	2	2	2	8	20	22	21	26	28	16	14	19	8	7	1	–
	Female	145	1	–	–	–	–	–	2	3	–	6	6	10	13	10	15	15	23	14	12	10	5	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	207	–	–	–	–	–	2	–	3	4	3	7	8	10	27	31	32	29	33	12	4	2	–
	White ..... Male	82	–	–	–	–	–	1	–	1	4	3	5	4	4	13	14	16	6	9	2	–	–	–
	Female	117	–	–	–	–	–	1	–	1	–	–	1	4	4	13	16	15	22	24	10	4	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	1	1	–	–	–	–	–
402	Hypertensive heart disease	83	–	–	–	–	–	–	–	–	–	2	2	6	7	10	10	12	9	13	10	2	–	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	1	–	3	4	5	6	4	2	5	–	–	–	–
	Female	44	–	–	–	–	–	–	–	–	–	1	–	1	2	4	3	6	7	8	10	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
404	Hypertensive heart and renal disease	42	–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	5	7	5	11	4	2	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	3	–	–	–
	Female	28	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	5	3	8	4	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	8,762	–	–	–	–	1	–	2	12	29	72	165	297	489	738	914	1,040	1,261	1,507	1,299	682	253	1
	White ..... Male	4,481	–	–	–	–	–	–	2	8	24	52	128	229	387	534	596	588	605	619	441	195	72	1
	Female	4,028	–	–	–	–	1	–	–	3	3	10	25	47	81	179	284	427	624	859	838	472	175	–
	All other ..... Male	144	–	–	–	–	–	–	–	1	2	6	10	13	14	19	23	13	12	16	8	6	1	–
	Female	109	–	–	–	–	–	–	–	–	–	4	2	8	7	6	11	12	20	13	12	9	5	–
410	Acute myocardial infarction	3,990	–	–	–	–	1	–	2	6	21	59	126	193	327	481	543	557	604	522	357	153	38	–
	White ..... Male	2,341	–	–	–	–	–	–	2	5	16	43	97	154	260	360	354	322	311	219	130	54	14	–
	Female	1,545	–	–	–	–	1	–	–	1	3	9	21	33	57	109	173	225	283	296	221	91	22	–
	All other ..... Male	64	–	–	–	–	–	–	–	–	2	4	6	3	4	10	12	7	4	4	4	4	–	–
	Female	40	–	–	–	–	–	–	–	–	–	3	2	3	6	2	4	3	6	3	2	4	2	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	2	3	–	1	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	2	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,758	–	–	–	–	–	–	–	6	8	13	39	103	160	257	369	481	654	982	942	528	215	1
	White ..... Male	2,131	–	–	–	–	–	–	–	3	8	9	31	74	126	174	241	264	293	398	311	140	58	1
	Female	2,479	–	–	–	–	–	–	–	2	–	1	4	14	23	70	110	202	340	562	617	381	158	–
	All other ..... Male	80	–	–	–	–	–	–	–	1	–	2	4	10	10	9	11	6	8	12	4	2	1	–
	Female	68	–	–	–	–	–	–	–	–	–	1	–	5	1	4	7	9	13	10	10	5	3	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	17	–	–	–	1	–	–	–	–	–	1	–	–	2	2	4	2	1	1	1	2	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–
	Female	11	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	1	1	–	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut—Con.																							
420–423, 425–427, 429	All other forms of heart disease	920	4	2	–	3	2	4	4	11	6	12	39	58	62	119	107	106	104	142	81	43	11	–
	White ..... Male	512	1	1	–	2	1	2	–	4	3	7	23	36	38	76	69	63	51	69	43	18	5	–
	Female	338	1	1	–	1	1	2	–	4	3	2	5	13	14	35	31	40	49	69	38	23	6	–
	All other ..... Male	47	1	–	–	–	–	–	2	1	–	2	9	8	7	6	3	2	2	3	–	1	–	–
	Female	23	1	–	–	–	–	–	2	2	–	1	2	1	3	2	4	1	2	1	–	1	–	–
400, 401, 403	Hypertension	72	–	–	–	–	–	–	1	–	–	2	2	–	3	4	5	10	14	10	14	5	2	–
	White ..... Male	28	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	5	3	3	5	5	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	11	7	8	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
430–438	Cerebrovascular diseases	2,374	2	–	1	–	5	4	1	2	10	12	23	48	69	134	183	268	357	469	460	247	79	–
	White ..... Male	910	–	–	–	–	2	3	–	1	6	5	10	19	37	70	91	138	139	171	134	67	17	–
	Female	1,356	1	–	1	–	3	1	1	–	2	5	5	20	25	54	82	120	197	292	315	175	57	–
	All other ..... Male	45	1	–	–	–	–	–	–	1	2	–	4	6	3	4	6	6	8	2	1	1	–	–
	Female	63	–	–	–	–	–	–	–	–	–	2	4	3	4	6	4	4	13	4	10	4	5	–
431	Cerebral hemorrhage	331	2	–	1	–	–	1	–	–	4	3	13	21	18	46	40	38	42	40	43	17	2	–
	White ..... Male	147	–	–	–	–	–	–	–	–	3	3	5	10	10	24	21	19	23	12	11	6	–	–
	Female	164	1	–	1	–	–	1	–	–	–	–	2	8	7	22	16	18	17	28	31	10	2	–
	All other ..... Male	14	1	–	–	–	–	–	–	–	1	–	2	3	1	–	3	1	1	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	1	–	–	–
433	Cerebral thrombosis	655	–	–	–	–	–	–	–	1	1	1	1	3	11	19	44	85	106	146	131	86	20	–
	White ..... Male	244	–	–	–	–	–	–	–	1	–	–	1	2	6	10	18	46	34	51	40	29	6	–
	Female	396	–	–	–	–	–	–	–	–	1	1	–	1	4	6	25	39	66	95	90	55	13	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	5	–	–	2	1	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	4	2	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,374	–	–	–	–	5	3	1	1	5	8	9	24	39	68	99	144	207	280	282	142	57	–
	White ..... Male	515	–	–	–	–	2	3	–	–	3	2	4	7	20	36	52	72	81	108	82	32	11	–
	Female	786	–	–	–	–	3	–	1	–	1	4	3	11	14	25	41	63	113	166	191	108	42	–
	All other ..... Male	27	–	–	–	–	–	–	–	1	1	–	2	3	2	2	3	5	6	2	–	–	–	–
	Female	46	–	–	–	–	–	–	–	–	–	2	–	3	3	5	3	4	7	4	9	2	4	–
440	Arteriosclerosis	387	–	–	–	–	–	–	–	–	–	1	–	–	5	9	12	22	41	78	96	84	39	–
	White ..... Male	131	–	–	–	–	–	–	–	–	–	–	–	–	3	4	7	16	20	20	33	22	6	–
	Female	247	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	6	20	56	63	59	33	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	415	–	–	1	–	2	2	1	1	2	2	1	6	14	32	51	51	72	71	77	23	6	–
	White ..... Male	204	–	–	–	–	1	1	1	–	–	–	–	3	6	21	40	27	27	31	38	7	1	–
	Female	198	–	–	1	–	1	1	–	1	1	1	1	3	7	10	11	20	44	38	38	16	4	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	3	1	1	1	–	–	–
466	Acute bronchitis and bronchiolitis	11	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	2	1	–
	White ..... Male	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
470–474, 480–486	Influenza and pneumonia	785	12	6	4	1	4	5	8	6	4	7	8	16	21	32	43	73	99	137	158	95	46	–
	White ..... Male	369	4	3	3	–	3	4	4	4	1	4	4	7	12	16	28	43	54	64	60	37	14	–
	Female	385	3	3	1	1	–	–	3	2	2	1	2	6	9	12	14	27	42	70	97	58	32	–
	All other ..... Male	17	3	–	–	–	–	1	1	–	1	–	1	2	–	3	1	1	2	1	–	–	–	–
	Female	14	2	–	–	–	1	–	–	–	–	2	1	1	–	1	–	2	1	2	1	–	–	–
470–474	Influenza	55	–	–	1	–	–	–	–	–	–	–	–	–	–	4	3	6	7	11	13	10	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	2	1	1	3	–	–
	Female	40	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	5	10	12	7	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	730	12	6	3	1	4	5	8	6	4	7	8	16	21	28	40	67	92	126	145	85	46	–
	White ..... Male	354	4	3	3	–	3	4	4	4	1	4	4	7	12	14	26	39	52	63	59	34	14	–
	Female	345	3	3	–	1	–	–	3	2	2	1	2	6	9	10	13	25	37	60	85	51	32	–
	All other ..... Male	17	3	–	–	–	–	1	1	–	1	–	1	2	–	3	1	1	2	1	–	–	–	–
	Female	14	2	–	–	–	1	–	–	–	–	2	1	1	–	1	–	2	1	2	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	236	–	1	–	–	1	1	–	1	–	3	4	5	12	28	35	45	38	33	15	12	2	–
	White ..... Male	148	–	–	–	–	–	–	–	1	–	–	1	3	8	18	23	30	28	22	8	6	–	–
	Female	80	–	–	–	–	1	1	–	–	–	2	3	2	4	10	11	12	8	11	7	6	2	–
	All other ..... Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut—Con.																							
490, 491	Chronic and unqualified bronchitis	59	–	1	–	–	1	–	–	–	–	–	1	–	2	3	9	10	15	10	2	4	1	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	7	10	6	2	2	–	–
	Female	21	–	–	–	–	1	–	–	–	–	–	1	–	1	1	3	3	4	4	–	2	1	–
	All other ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	151	–	–	–	–	–	–	–	–	–	–	1	3	8	23	23	30	21	21	12	8	1	–
	White ..... Male	108	–	–	–	–	–	–	–	–	–	–	1	2	6	16	16	23	18	16	6	4	–	–
	Female	42	–	–	–	–	–	–	–	–	–	–	–	1	2	7	7	6	3	5	6	4	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	26	–	–	–	–	–	1	–	1	–	3	2	2	2	2	3	5	2	2	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	1	–	–	–	2	2	1	1	2	1	3	1	2	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
531–533	Peptic ulcer	61	–	–	–	–	2	–	–	–	–	–	–	3	4	3	12	5	8	10	12	2	–	–
	White ..... Male	31	–	–	–	–	2	–	–	–	–	–	–	2	4	3	6	3	4	1	6	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	4	9	6	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	73	1	1	–	–	–	–	1	2	–	1	2	1	–	8	6	4	9	12	12	10	3	–
	White ..... Male	31	–	1	–	–	–	–	–	–	–	1	1	1	–	5	3	–	6	3	6	4	–	–
	Female	40	1	–	–	–	–	–	1	2	–	–	1	–	–	3	3	3	3	8	6	6	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	462	–	–	–	–	–	1	6	11	15	36	39	71	70	67	73	38	25	6	2	2	–	–
	White ..... Male	258	–	–	–	–	–	1	6	2	4	12	18	34	43	46	50	24	15	–	1	2	–	–
	Female	159	–	–	–	–	–	–	–	3	8	11	10	30	24	20	22	14	10	6	1	–	–	–
	All other ..... Male	27	–	–	–	–	–	–	–	4	2	8	6	4	1	1	1	–	–	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	2	1	5	5	3	2	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	41	–	–	–	–	–	–	–	–	1	–	–	–	–	3	6	6	5	6	8	5	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	3	2	2	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	3	2	4	5	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	107	1	–	–	–	–	–	1	2	–	3	2	2	3	12	14	14	14	19	14	5	1	–
	White ..... Male	51	1	–	–	–	–	–	–	–	–	–	2	1	1	6	6	3	8	11	9	3	–	–
	Female	43	–	–	–	–	–	–	1	2	–	2	–	–	1	4	5	9	6	6	5	1	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	2	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	22	1	–	–	–	–	–	–	–	–	1	–	–	–	4	3	4	3	3	1	2	–	–
	White ..... Male	11	1	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	3	1	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	85	–	–	–	–	–	–	1	2	–	2	2	2	3	8	11	10	11	16	13	3	1	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	2	1	1	3	5	3	5	10	8	2	–	–
	Female	34	–	–	–	–	–	–	1	2	–	1	–	–	1	3	3	6	6	5	5	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	1	–	–
590	Infections of kidney	21	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	6	3	3	3	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	1	3	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Connecticut—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	141	89	6	8	5	4	3	–	2	2	1	2	3	4	2	3	2	3	1	1	–	–	–
	White ..... Male	75	49	2	2	3	3	2	–	1	–	1	1	1	4	1	1	1	2	1	–	–	–	–
	Female	53	30	3	6	1	1	1	–	1	2	–	1	1	–	1	2	1	1	–	1	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	4	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	252	252	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	263	38	3	1	1	12	9	20	20	10	14	5	24	15	11	20	11	14	8	16	10	1	–
	White ..... Male	133	14	1	–	1	7	6	13	14	4	4	2	10	9	7	10	7	8	5	7	4	–	–
	Female	98	10	2	1	–	4	1	3	3	3	9	3	13	4	4	9	4	6	3	9	6	1	–
	All other ..... Male	20	10	–	–	–	–	1	3	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	12	4	–	–	–	1	1	1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,875	11	9	9	8	10	18	21	17	21	29	63	83	130	200	213	235	271	271	169	72	14	1
	White ..... Male	1,006	2	6	6	2	6	10	12	9	11	7	36	46	76	111	126	129	154	133	87	32	4	1
	Female	761	7	2	1	3	3	6	2	4	4	16	18	30	46	75	76	94	112	133	79	40	10	–
	All other ..... Male	61	–	1	1	1	–	–	4	3	3	4	6	6	6	9	7	6	2	1	1	–	–	–
	Female	47	2	–	1	2	1	2	3	1	3	2	3	1	2	5	4	6	3	4	2	–	–	–
E800–E949	Accidents	1,056	1	19	25	28	145	156	74	46	40	39	38	56	52	45	52	34	45	55	67	27	12	–
	White ..... Male	675	–	7	12	19	110	114	60	36	26	17	26	38	35	34	31	19	25	26	24	11	5	–
	Female	312	–	8	10	7	31	28	9	8	9	13	8	13	14	11	20	14	18	27	41	16	7	–
	All other ..... Male	46	–	2	3	2	1	11	4	1	5	6	3	2	2	–	1	1	1	1	–	–	–	–
	Female	23	1	2	–	–	3	3	1	1	–	3	1	3	1	–	–	–	1	1	2	–	–	–
E810–E823	Motor vehicle accidents	498	–	7	11	13	117	119	49	26	21	17	15	27	13	18	15	8	13	7	2	–	–	–
	White ..... Male	342	–	3	5	9	88	85	38	23	11	8	10	17	7	15	6	4	8	3	2	–	–	–
	Female	124	–	4	5	3	27	24	7	2	6	6	4	8	5	3	9	3	5	3	–	–	–	–
	All other ..... Male	24	–	–	1	1	–	8	3	1	4	2	–	1	1	–	–	1	–	1	–	–	–	–
	Female	8	–	–	–	–	2	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	558	1	12	14	15	28	37	25	20	19	22	23	29	39	27	37	26	32	48	65	27	12	–
	White ..... Male	333	–	4	7	10	22	29	22	13	15	9	16	21	28	19	25	15	17	23	22	11	5	–
	Female	188	–	4	5	4	4	4	2	6	3	7	4	5	9	8	11	11	13	24	41	16	7	–
	All other ..... Male	22	–	2	2	1	1	3	1	–	1	4	3	1	1	–	1	–	1	–	–	–	–	–
	Female	15	1	2	–	–	1	1	–	1	–	2	–	2	1	–	–	–	1	1	2	–	–	–
E950–E959	Suicide	320	...	...	–	2	15	49	30	32	15	27	29	21	23	19	21	12	10	11	4	–	–	–
	White ..... Male	217	...	...	–	2	8	41	22	20	7	20	17	8	15	11	15	10	8	10	3	–	–	–
	Female	90	...	...	–	–	6	7	4	8	6	6	12	13	8	8	6	2	2	1	1	–	–	–
	All other ..... Male	8	...	...	–	–	1	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	132	2	–	1	1	11	28	25	17	11	14	5	4	6	1	1	1	1	–	3	–	–	–
	White ..... Male	61	1	–	–	–	1	17	12	5	7	6	2	3	5	1	1	–	–	–	–	–	–	–
	Female	33	–	–	1	–	8	3	3	6	1	2	3	1	–	–	–	1	1	–	3	–	–	–
	All other ..... Male	24	1	–	–	–	–	4	7	4	2	5	–	–	1	–	–	–	–	–	–	–	–	–
	Female	14	–	–	–	1	2	4	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	53	1	4	–	1	4	4	5	6	5	6	2	–	3	5	3	–	–	2	1	1	–	–
	White ..... Male	36	–	2	–	1	4	1	4	4	4	3	2	–	2	4	2	–	–	2	–	1	–	–
	Female	13	1	–	–	–	–	1	1	2	1	3	–	–	1	1	1	–	–	–	1	–	–	–
	All other ..... Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware																							
	All causes	4,957	115	22	19	21	77	66	60	49	64	78	157	257	364	451	552	609	611	587	464	242	85	7
	White ..... Male	2,221	37	8	10	10	48	44	30	30	24	43	63	113	170	232	263	325	263	237	179	76	15	1
	Female	1,949	27	8	5	5	21	11	9	13	15	17	50	84	127	140	192	203	259	300	252	149	59	3
	All other ..... Male	445	32	2	3	5	5	8	13	4	12	8	27	38	42	43	55	48	49	20	18	8	4	1
	Female	342	19	4	1	1	3	3	8	2	13	10	17	22	25	36	42	33	40	30	15	9	7	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	15	1	–	–	–	–	–	–	–	–	1	2	1	2	1	2	–	1	2	1	1	–	–
	White ..... Male	7	1	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	11	–	–	–	–	–	–	–	1	–	–	–	1	–	2	3	3	–	1	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,136	–	2	3	1	6	7	5	7	11	22	50	91	135	152	157	172	122	108	57	23	5	–
	White ..... Male	505	–	1	1	–	3	4	4	4	4	9	13	32	57	72	68	96	51	50	24	9	3	–
	Female	458	–	–	2	–	3	2	1	3	3	7	22	40	56	59	65	56	45	51	30	11	2	–
	All other ..... Male	97	–	1	–	1	–	1	–	–	1	3	7	12	15	11	11	12	14	4	2	2	–	–
	Female	76	–	–	–	–	–	–	–	–	3	3	8	7	7	10	13	8	12	3	1	1	–	–
140–149	Of buccal cavity and pharynx	32	–	–	–	–	–	–	–	–	–	–	1	3	7	5	3	3	4	1	2	3	–	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	1	5	4	3	3	3	1	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
150–159	Of digestive organs and peritoneum	297	–	–	–	–	–	–	1	1	–	6	10	18	23	39	44	45	39	41	18	10	2	–
	White ..... Male	125	–	–	–	–	–	–	1	1	–	3	4	12	8	17	22	16	13	18	7	2	1	–
	Female	125	–	–	–	–	–	–	–	–	–	1	4	3	12	16	13	20	16	23	9	7	1	–
	All other ..... Male	23	–	–	–	–	–	–	–	–	–	1	1	2	2	2	5	4	4	–	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	1	1	1	4	4	5	6	–	1	–	–	–
160–163	Of respiratory system	286	–	–	–	–	–	–	1	–	1	5	14	28	52	46	49	45	22	15	6	2	–	–
	White ..... Male	161	–	–	–	–	–	–	1	–	1	3	5	12	25	26	26	34	14	9	3	2	–	–
	Female	81	–	–	–	–	–	–	–	–	–	1	4	8	16	16	19	8	3	3	3	–	–	–
	All other ..... Male	36	–	–	–	–	–	–	–	–	–	1	5	8	8	3	4	3	2	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	3	1	–	–	–	–
174	Of breast	106	–	–	–	–	–	–	1	1	3	5	10	14	15	9	17	11	9	3	6	1	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	89	–	–	–	–	–	–	1	1	1	3	9	12	14	8	11	10	9	2	6	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	2	2	1	2	1	1	6	1	–	1	–	–	–	–
180–187	Of genital organs	134	–	–	–	–	–	–	1	2	1	1	5	9	8	11	12	25	19	22	14	3	1	–
	White ..... Male	55	–	–	–	–	–	–	1	1	–	–	–	–	1	4	4	14	6	12	9	2	1	–
	Female	54	–	–	–	–	–	–	–	1	–	1	3	8	6	4	6	6	7	8	4	–	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	5	1	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	1	1	–	–	–	–
188, 189	Of urinary organs	55	–	1	–	–	1	–	–	–	–	1	1	3	4	5	9	11	8	8	2	1	–	–
	White ..... Male	33	–	–	–	–	1	–	–	–	–	1	–	3	3	2	5	9	3	4	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	4	1	–	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	144	–	1	2	1	4	4	1	1	4	1	4	10	18	28	16	16	14	11	4	3	1	–
	White ..... Male	67	–	1	–	–	1	3	1	1	2	–	1	3	10	14	5	11	6	4	2	1	1	–
	Female	59	–	–	2	–	3	1	–	–	1	1	2	5	5	9	10	4	6	6	2	2	–	–
	All other ..... Male	11	–	–	–	1	–	–	–	–	1	–	–	–	3	4	–	–	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	1	–	–	–	–	–
204–207	Leukemia	37	–	–	1	–	1	3	–	1	–	1	5	1	4	7	2	4	4	2	1	–	–	–
	White ..... Male	23	–	–	1	–	1	1	–	1	–	1	3	–	3	4	1	2	4	1	–	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	–	1	3	1	2	–	1	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	45	–	–	–	–	–	–	–	1	2	2	–	5	4	2	5	12	3	5	4	–	–	–
	White ..... Male	19	–	–	–	–	–	–	–	–	1	1	–	1	2	1	2	7	2	1	1	–	–	–
	Female	22	–	–	–	–	–	–	–	1	1	–	–	4	1	–	2	5	1	4	3	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	11	–	–	1	–	–	–	–	1	–	–	–	–	3	1	3	–	1	1	–	–	–	–
	White ..... Male	5	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	147	–	–	–	–	–	–	–	–	2	–	2	1	13	13	20	17	21	27	22	8	1	–
	White ..... Male	44	–	–	–	–	–	–	–	–	–	–	1	–	5	3	7	8	7	5	6	2	–	–
	Female	77	–	–	–	–	–	–	–	–	1	–	1	–	4	7	9	3	12	18	15	6	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	1	–	2	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	5	2	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware—Con.																							
280–285	Anemias	12	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	2	1	–	4	2	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,433	4	–	1	–	3	5	6	6	23	26	52	97	143	199	276	290	367	372	316	175	68	4
	White ..... Male	1,079	2	–	–	–	1	4	4	3	8	17	28	50	81	115	137	149	159	142	115	51	12	1
	Female	1,021	1	–	1	–	1	1	–	2	7	3	10	25	39	49	83	105	162	195	177	112	47	1
	All other ..... Male	183	1	–	–	–	1	–	–	1	4	2	10	15	14	22	35	20	28	11	11	5	3	–
	Female	150	–	–	–	–	–	–	2	–	4	4	4	7	9	13	21	16	18	24	13	7	6	2
390–398, 402, 404, 410–429	Diseases of heart	1,954	–	–	1	–	2	3	4	3	13	21	45	83	126	180	216	245	302	286	234	138	49	3
	White ..... Male	892	–	–	–	–	1	3	3	2	7	16	26	44	74	108	115	130	130	105	80	38	9	1
	Female	810	–	–	1	–	–	–	–	–	2	–	8	20	31	43	65	91	134	151	136	93	34	1
	All other ..... Male	146	–	–	–	–	1	–	–	1	4	2	8	14	13	20	20	15	24	10	8	3	3	–
	Female	106	–	–	–	–	–	–	1	–	–	3	3	5	8	9	16	9	14	20	10	4	3	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	32	–	–	–	–	–	–	–	–	1	–	3	5	4	4	1	4	5	5	–	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	1	–	–	2	3	1	–	1	1	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	3	4	4	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
402	Hypertensive heart disease	19	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	3	2	5	3	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	3	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
410–413	Ischemic heart disease	1,777	–	–	–	–	1	1	2	3	9	18	38	69	117	159	196	224	281	258	216	133	49	3
	White ..... Male	821	–	–	–	–	1	1	2	2	4	15	24	38	67	95	108	122	124	98	74	36	9	1
	Female	733	–	–	–	–	–	–	–	–	2	–	5	15	30	39	60	78	121	133	125	90	34	1
	All other ..... Male	132	–	–	–	–	–	–	–	1	3	1	7	14	12	18	16	15	23	9	7	3	3	–
	Female	91	–	–	–	–	–	–	–	–	–	2	2	2	8	7	12	9	13	18	10	4	3	1
410	Acute myocardial infarction	681	–	–	–	–	–	–	1	2	6	11	20	28	67	84	100	103	106	81	40	27	5	–
	White ..... Male	374	–	–	–	–	–	–	1	2	3	9	14	18	40	51	60	57	45	43	20	10	1	–
	Female	233	–	–	–	–	–	–	–	–	1	–	2	4	19	21	27	40	50	32	18	15	4	–
	All other ..... Male	48	–	–	–	–	–	–	–	–	2	1	3	6	5	9	8	5	4	2	2	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	1	1	–	3	3	5	1	7	4	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,090	–	–	–	–	1	1	1	1	3	7	18	41	50	75	95	119	175	176	175	105	44	3
	White ..... Male	444	–	–	–	–	1	1	1	–	1	6	10	20	27	44	47	63	79	55	54	26	8	1
	Female	497	–	–	–	–	–	–	–	–	1	–	3	11	11	18	33	38	71	100	106	74	30	1
	All other ..... Male	84	–	–	–	–	–	–	–	1	1	–	4	8	7	9	8	10	19	7	5	2	3	–
	Female	65	–	–	–	–	–	–	–	–	–	1	1	2	5	4	7	8	6	14	10	3	3	1
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	–	1	1	2	–	–	–	4	–	–	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware—Con.																							
420–423, 425–427, 429	All other forms of heart disease	108	–	–	1	–	1	2	2	–	2	2	2	8	5	12	13	13	12	16	12	5	–	–
	White Male	48	–	–	–	–	–	2	1	–	1	1	1	4	4	8	5	6	4	5	4	2	–	–
	Female	44	–	–	1	–	–	–	–	–	–	–	–	3	–	1	4	7	8	10	7	3	–	–
	All other Male	9	–	–	–	–	1	–	–	–	1	1	–	–	1	1	2	–	–	1	1	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–
400, 401, 403	Hypertension	13	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	1	1	2	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	319	2	–	–	–	1	2	2	2	7	4	7	8	9	14	45	29	43	61	52	22	8	1
	White Male	108	1	–	–	–	–	1	1	1	1	1	2	2	2	4	15	11	14	24	20	6	2	–
	Female	150	1	–	–	–	1	1	–	1	3	3	2	5	6	5	15	9	21	33	26	13	5	–
	All other Male	29	–	–	–	–	–	–	–	–	–	–	2	1	–	2	12	3	4	1	3	1	–	–
	Female	32	–	–	–	–	–	–	1	–	3	–	1	–	1	3	3	6	4	3	3	2	1	1
431	Cerebral hemorrhage	40	1	–	–	–	1	–	1	1	3	–	1	3	3	4	7	3	2	4	2	4	–	–
	White Male	16	1	–	–	–	–	–	1	1	1	–	–	–	2	2	4	1	–	1	–	2	–	–
	Female	15	–	–	–	–	1	–	–	–	–	–	1	3	1	1	1	–	1	2	2	2	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	1	–	–	–	–
433	Cerebral thrombosis	66	–	–	–	–	–	–	–	–	1	–	3	2	2	4	8	7	12	11	12	2	2	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	1	2	–	1	4	4	5	4	4	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	6	6	5	1	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	1	1	1	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	211	1	–	–	–	–	2	1	1	3	4	3	3	4	6	30	19	28	46	37	16	6	1
	White Male	66	–	–	–	–	–	1	–	–	–	1	1	–	–	1	7	6	9	19	16	3	2	–
	Female	106	1	–	–	–	–	1	–	1	3	3	1	2	3	2	12	8	13	25	18	10	3	–
	All other Male	21	–	–	–	–	–	–	–	–	–	–	1	1	–	2	9	2	3	1	1	1	–	–
	Female	18	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	3	3	1	2	2	1	1
440	Arteriosclerosis	75	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	7	8	13	19	12	9	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	6	9	6	1	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	6	6	10	4	6	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	72	2	–	–	–	–	–	–	1	2	1	–	5	5	3	10	8	13	10	8	2	2	–
	White Male	43	1	–	–	–	–	–	–	–	–	–	–	4	4	1	3	5	13	6	5	1	–	–
	Female	20	–	–	–	–	–	–	–	1	2	–	–	–	1	1	3	2	–	4	3	1	2	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	98	3	2	2	–	2	–	1	2	–	–	4	2	–	11	6	15	10	12	10	11	4	1
	White Male	43	–	–	1	–	2	–	–	1	–	–	–	–	–	5	5	10	4	4	6	5	–	–
	Female	40	2	–	1	–	–	–	–	–	–	–	1	1	–	3	1	2	6	8	4	6	4	1
	All other Male	10	1	–	–	–	–	–	1	–	–	–	3	–	–	2	–	3	–	–	–	–	–	–
	Female	5	–	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
470–474	Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	96	3	2	2	–	2	–	1	2	–	–	4	2	–	10	6	15	9	12	10	11	4	1
	White Male	43	–	–	1	–	2	–	–	1	–	–	–	–	–	5	5	10	4	4	6	5	–	–
	Female	38	2	–	1	–	–	–	–	–	–	–	1	1	–	2	1	2	5	8	4	6	4	1
	All other Male	10	1	–	–	–	–	–	1	–	–	–	3	–	–	2	–	3	–	–	–	–	–	–
	Female	5	–	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	47	–	–	–	–	–	1	–	–	–	–	1	5	3	6	5	8	7	6	3	1	1	–
	White Male	32	–	–	–	–	–	1	–	–	–	–	–	3	2	3	3	7	7	3	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	3	1	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware—Con.																							
490, 491	Chronic and unqualified bronchitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	36	–	–	–	–	–	–	–	–	–	–	1	5	3	5	4	6	6	4	1	–	1	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	3	2	3	2	5	6	3	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	1	–	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	8	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	1	1	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	13	1	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	2	1	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
571	Cirrhosis of liver	90	–	–	1	–	–	–	2	2	4	5	15	15	9	9	10	11	6	1	–	–	–	–
	White ..... Male	43	–	–	1	–	–	–	1	1	2	2	5	8	3	5	6	4	4	1	–	–	–	–
	Female	33	–	–	–	–	–	–	1	1	–	1	7	5	3	4	4	7	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	2	3	2	1	–	–	–	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	15	–	–	–	–	–	–	–	1	–	–	–	–	3	3	–	3	1	2	2	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	11	–	–	–	–	–	–	–	1	–	–	–	–	2	2	–	3	1	1	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
590	Infections of kidney	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Delaware—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	31	17	2	1	3	1	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1
	White ..... Male	14	9	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	11	3	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	44	16	1	–	–	2	–	1	–	–	1	–	–	3	4	1	5	–	1	6	2	1	–
	White ..... Male	17	7	1	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	1	2	1	–	–
	Female	13	–	–	–	–	2	–	–	–	–	1	–	–	1	–	1	2	–	–	4	1	1	–
	All other ..... Male	7	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	7	4	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Residual	All other diseases	366	7	7	1	–	1	5	4	7	3	4	15	22	21	33	41	59	61	33	28	11	3	–
	White ..... Male	151	1	3	–	–	–	1	1	2	–	2	7	12	7	12	18	30	22	16	14	3	–	–
	Female	139	2	3	–	–	1	2	–	4	–	2	3	4	11	12	18	16	26	16	10	8	1	–
	All other ..... Male	45	3	1	1	–	–	1	2	–	1	–	3	4	1	3	4	9	7	1	3	–	1	–
	Female	31	1	–	–	–	–	1	1	1	2	–	2	2	2	6	1	4	6	–	1	–	1	–
E800-E949	Accidents	242	2	5	9	15	48	28	20	12	7	9	5	10	13	5	16	13	8	6	5	4	1	1
	White ..... Male	155	1	3	6	8	32	22	13	11	5	5	4	4	6	3	11	9	4	3	3	2	–	–
	Female	49	1	1	–	3	13	2	2	1	–	1	1	1	3	1	4	3	4	3	2	2	1	–
	All other ..... Male	26	–	–	2	4	3	3	4	–	1	2	–	3	2	–	–	1	–	–	–	–	–	1
	Female	12	–	1	1	–	–	1	1	–	1	1	–	2	2	1	1	–	–	–	–	–	–	–
E810-E823	Motor vehicle accidents	135	–	1	6	8	40	22	14	7	4	4	4	4	3	1	6	4	2	2	1	2	–	–
	White ..... Male	93	–	1	4	6	28	16	8	6	3	1	3	3	1	1	5	3	2	1	–	1	–	–
	Female	20	–	–	–	–	12	2	1	1	–	–	1	–	–	–	–	–	–	1	1	1	–	–
	All other ..... Male	15	–	–	1	2	–	3	4	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–
	Female	7	–	–	1	–	–	1	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	107	2	4	3	7	8	6	6	5	3	5	1	6	10	4	10	9	6	4	4	2	1	1
	White ..... Male	62	1	2	2	2	4	6	5	5	2	4	1	1	5	2	6	6	2	2	3	1	–	–
	Female	29	1	1	–	3	1	–	1	–	–	1	–	1	3	1	4	3	4	2	1	1	1	–
	All other ..... Male	11	–	–	1	2	3	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	1
	Female	5	–	1	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
E950-E959	Suicide	85	...	...	–	–	8	10	8	5	4	5	8	6	10	6	3	4	1	4	2	1	–	–
	White ..... Male	57	...	...	–	–	7	7	4	5	2	4	3	4	6	4	2	1	1	4	2	1	–	–
	Female	24	...	...	–	–	1	3	2	–	2	1	4	1	4	2	1	3	–	–	–	–	–	–
	All other ..... Male	4	...	...	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	41	–	1	–	–	4	6	10	3	7	3	1	1	1	2	1	1	–	–	–	–	–	–
	White ..... Male	15	–	–	–	–	2	4	2	1	2	2	–	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	16	–	–	–	–	1	2	4	2	3	–	1	1	–	1	1	–	–	–	–	–	–	–
	Female	7	–	1	–	–	1	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	11	1	–	–	–	–	2	–	2	–	–	1	3	1	–	1	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia																							
	All causes	7,065	256	23	22	12	30	80	101	127	148	203	280	457	647	677	815	840	747	690	516	263	117	14
	White ..... Male	1,077	12	–	3	1	2	10	4	10	10	23	15	41	76	96	133	154	161	157	93	55	18	3
	Female	1,201	7	3	1	–	–	2	6	9	5	3	13	31	51	68	108	136	173	226	201	114	42	2
	All other ..... Male	2,715	124	14	9	7	19	47	69	77	96	121	145	243	336	322	341	293	190	118	85	37	15	7
	Female	2,072	113	6	9	4	9	21	22	31	37	56	107	142	184	191	233	257	223	189	137	57	42	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	14	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
010–019	Tuberculosis, all forms	27	1	–	–	–	–	–	–	1	2	1	2	3	4	2	2	4	–	3	1	–	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	19	1	–	–	–	–	–	–	1	1	1	2	2	2	1	2	4	–	–	1	–	1	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	2	–	–	–	–
010–012	Tuberculosis of respiratory system	23	1	–	–	–	–	–	–	1	2	1	2	3	3	2	2	3	–	1	1	–	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	18	1	–	–	–	–	–	–	1	1	1	2	2	2	1	2	3	–	–	1	–	1	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	59	4	–	–	–	–	–	–	–	2	1	2	3	5	4	7	10	7	6	5	1	2	–
	White ..... Male	11	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	2	1	2	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
	All other ..... Male	29	2	–	–	–	–	–	–	–	–	1	1	2	2	4	6	5	2	2	2	–	–	–
	Female	14	2	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	3	1	2	–	2	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	29	–	–	–	–	–	1	–	1	1	1	1	3	3	3	6	2	1	2	3	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other ..... Male	16	–	–	–	–	–	1	–	1	1	–	1	1	3	1	3	1	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,559	1	2	2	1	3	10	6	9	19	31	70	137	188	214	247	225	170	113	78	28	4	1
	White ..... Male	208	1	–	1	–	–	4	–	2	2	3	2	9	21	24	26	35	29	26	18	4	1	–
	Female	281	–	1	–	–	–	–	3	1	2	3	5	14	24	27	49	46	35	33	26	12	–	–
	All other ..... Male	619	–	1	–	1	1	2	1	3	5	14	32	63	85	105	106	89	54	33	17	6	1	–
	Female	451	–	–	1	–	2	4	2	3	10	11	31	51	58	58	66	55	52	21	17	6	2	1
140–149	Of buccal cavity and pharynx	57	–	–	–	–	–	–	1	2	–	1	4	8	8	17	8	5	2	–	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	35	–	–	–	–	–	–	–	2	–	1	2	5	5	11	6	1	1	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	462	–	1	–	–	–	–	–	1	3	5	16	33	47	67	82	70	60	35	30	11	1	–
	White ..... Male	61	–	–	–	–	–	–	–	–	–	–	–	1	7	11	8	10	12	6	5	–	1	–
	Female	79	–	–	–	–	–	–	–	–	–	–	1	2	5	7	15	12	8	11	12	6	–	–
	All other ..... Male	178	–	1	–	–	–	–	–	–	1	2	10	19	17	30	39	24	19	9	5	2	–	–
	Female	144	–	–	–	–	–	–	–	1	2	3	5	11	18	19	20	24	21	9	8	3	–	–
160–163	Of respiratory system	362	1	–	–	–	–	–	1	–	1	9	25	55	60	47	52	58	27	19	4	3	–	–
	White ..... Male	67	1	–	–	–	–	–	–	–	–	2	–	6	8	5	11	14	11	8	1	–	–	–
	Female	33	–	–	–	–	–	–	–	–	1	–	1	2	3	5	6	6	4	4	–	1	–	–
	All other ..... Male	203	–	–	–	–	–	–	–	–	–	5	16	32	39	32	28	33	8	7	2	1	–	–
	Female	59	–	–	–	–	–	–	1	–	–	2	8	15	10	5	7	5	4	–	1	1	–	–
174	Of breast	147	–	–	–	–	1	–	–	3	2	4	13	11	19	15	22	21	18	8	6	4	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	–	–	–	–	–	–	–	1	–	1	2	1	9	8	13	14	11	3	3	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	77	–	–	–	–	1	–	–	2	2	3	11	10	10	7	8	7	7	5	2	2	–	–
180–187	Of genital organs	187	–	–	–	–	–	1	1	–	3	1	2	13	14	21	28	28	30	22	17	6	–	–
	White ..... Male	23	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	1	6	9	1	–	–
	Female	31	–	–	–	–	–	–	1	–	–	1	–	4	3	1	6	5	4	4	–	2	–	–
	All other ..... Male	71	–	–	–	–	–	–	–	–	–	–	–	–	4	9	8	18	14	10	5	3	–	–
	Female	62	–	–	–	–	–	–	–	–	3	–	2	8	7	10	13	3	11	2	3	–	–	–
188, 189	Of urinary organs	64	–	–	–	–	1	–	–	–	–	2	–	4	8	7	16	10	5	6	4	–	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	1	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	3	2	–	–	–
	All other ..... Male	22	–	–	–	–	–	–	–	–	–	1	–	2	4	5	3	4	1	2	–	–	–	–
	Female	17	–	–	–	–	1	–	–	–	–	1	–	1	3	–	7	2	–	–	1	–	1	–
170–173, 190–199	Of all other and unspecified sites	191	–	1	1	1	–	4	3	–	7	4	8	12	22	32	27	22	22	14	6	4	1	–
	White ..... Male	26	–	–	–	–	–	1	–	–	2	1	1	1	2	2	3	4	2	3	1	3	–	–
	Female	27	–	1	–	–	–	–	1	–	–	1	–	2	1	4	2	2	5	4	3	1	–	–
	All other ..... Male	81	–	–	–	1	–	2	1	–	2	2	4	5	11	18	16	8	7	4	–	–	–	–
	Female	57	–	–	1	–	–	1	1	–	3	–	3	4	8	8	6	8	8	3	2	–	1	–
204–207	Leukemia	34	–	–	1	–	1	2	–	2	1	2	1	1	1	1	4	3	4	5	4	–	1	–
	White ..... Male	5	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–
	All other ..... Male	16	–	–	–	–	1	–	–	1	1	1	–	–	1	–	3	1	2	1	3	–	1	–
	Female	9	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	2	1	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	55	–	–	–	–	–	3	–	1	2	3	1	–	9	7	8	8	2	4	6	–	–	1
	White ..... Male	9	–	–	–	–	–	1	–	1	–	–	–	–	2	1	–	2	–	1	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	1	–	–	–	2	2	4	4	–	2	5	–	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	1	2	–	–	4	–	2	–	2	–	–	–	–	–
	Female	15	–	–	–	–	–	2	–	–	–	1	1	–	1	4	2	2	–	1	–	–	–	1
210–239	Benign neoplasms and neoplasms of unspecified nature	26	–	–	–	–	–	1	–	–	–	–	1	3	2	3	3	4	3	2	1	1	2	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	–	1	1	–
	Female	9	–	–	–	–	–	1	–	–	–	–	–	3	1	1	–	1	–	2	–	–	–	–
250	Diabetes mellitus	121	–	–	–	–	1	–	–	1	1	1	4	8	14	17	20	16	13	11	12	1	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	4	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	1	–	3	1	2	–	6	–	2	1	–	–
	All other ..... Male	34	–	–	–	–	1	–	–	–	1	–	1	7	3	7	5	5	2	1	1	–	–	–
	Female	60	–	–	–	–	–	–	–	–	–	1	2	1	8	7	12	9	5	9	5	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	3	2	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia—Con.																							
280–285	Anemias	15	–	1	–	–	1	–	–	–	–	2	1	–	–	–	2	1	1	2	2	1	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	10	–	1	–	–	1	–	–	–	–	2	1	–	–	–	2	–	–	1	1	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
320	Meningitis	5	1	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	1	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	2,974	3	1	1	1	2	11	13	14	24	42	81	142	228	270	349	415	392	413	323	164	77	8
	White ..... Male	543	–	–	1	–	–	–	–	1	1	10	8	13	23	45	65	81	93	91	56	37	15	3
	Female	624	–	1	–	–	–	–	–	1	–	–	3	8	8	23	36	63	90	151	136	73	30	1
	All other ..... Male	939	–	–	–	1	1	6	7	8	17	25	44	79	134	119	147	134	82	58	51	17	6	3
	Female	868	3	–	–	–	1	5	6	4	6	7	26	42	63	83	101	137	127	113	80	37	26	1
390–398, 402, 404, 410–429	Diseases of heart	2,186	3	1	1	–	1	8	7	11	15	30	63	114	188	218	278	328	282	275	199	111	48	5
	White ..... Male	408	–	–	1	–	–	–	–	1	–	10	8	12	22	39	54	64	70	62	32	27	5	1
	Female	408	–	1	–	–	–	–	–	1	–	–	2	6	6	16	29	43	59	102	77	43	22	1
	All other ..... Male	739	–	–	–	–	1	5	4	7	13	15	32	63	114	101	121	112	62	35	34	13	5	2
	Female	631	3	–	–	–	–	3	3	2	2	5	21	33	46	62	74	109	91	76	56	28	16	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	37	–	–	–	–	–	–	1	1	–	–	2	3	2	6	2	5	3	5	7	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	2	2	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	1	2	–	–	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	–	1	1	–	3	–	1	1	1	4	–	–	–
402	Hypertensive heart disease	32	–	–	–	–	–	–	–	1	–	1	1	1	–	3	2	6	8	3	3	2	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	1	–
	All other ..... Male	11	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	4	3	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	5	–	2	–	–	–
404	Hypertensive heart and renal disease	28	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	6	7	5	1	1	1
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	1	1	1
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–
410–413	Ischemic heart disease	1,855	–	–	–	–	–	2	3	2	8	23	51	100	165	193	249	276	245	234	162	98	41	3
	White ..... Male	366	–	–	–	–	–	–	–	–	–	9	8	11	19	36	50	55	65	55	27	26	4	1
	Female	339	–	–	–	–	–	–	–	–	–	–	1	4	5	14	21	37	54	87	62	36	18	–
	All other ..... Male	634	–	–	–	–	–	1	2	2	7	10	26	55	101	91	115	95	52	31	29	11	5	1
	Female	516	–	–	–	–	–	1	1	–	1	4	16	30	40	52	63	89	74	61	44	25	14	1
410	Acute myocardial infarction	412	–	–	–	–	–	1	1	1	1	4	11	19	29	42	51	71	59	66	32	16	7	1
	White ..... Male	102	–	–	–	–	–	–	–	–	–	2	5	1	2	8	16	16	22	15	8	6	1	–
	Female	90	–	–	–	–	–	–	–	–	–	–	–	–	1	8	7	10	16	31	11	3	3	–
	All other ..... Male	113	–	–	–	–	–	1	1	1	–	2	3	11	18	17	18	19	4	8	6	1	2	1
	Female	107	–	–	–	–	–	–	–	–	1	–	3	7	8	9	10	26	17	12	7	6	1	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	1,438	–	–	–	–	–	1	2	1	7	19	40	80	135	151	198	205	183	168	130	82	34	2
	White ..... Male	263	–	–	–	–	–	–	–	–	–	7	3	9	17	28	34	39	43	40	19	20	3	1
	Female	248	–	–	–	–	–	–	–	–	–	–	1	4	4	6	14	27	37	56	51	33	15	–
	All other ..... Male	519	–	–	–	–	–	–	1	1	7	8	23	44	82	74	97	76	47	23	23	10	3	–
	Female	408	–	–	–	–	–	1	1	–	–	4	13	23	32	43	53	63	56	49	37	19	13	1
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	19	–	–	–	–	–	–	–	–	–	–	1	1	4	2	2	1	2	2	4	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	215	3	1	1	–	1	6	3	7	7	6	8	8	17	14	22	35	18	24	18	10	5	1
	White ..... Male	21	–	–	1	–	–	–	–	1	–	1	–	–	2	–	3	6	1	3	2	–	1	–
	Female	36	–	1	–	–	–	–	–	1	–	–	–	2	–	1	5	4	3	6	6	5	2	–
	All other ..... Male	77	–	–	–	–	1	4	2	3	6	4	5	4	11	8	4	10	5	2	5	2	–	1
	Female	81	3	–	–	–	–	2	1	2	1	1	3	2	4	5	10	15	9	13	5	3	2	–
400, 401, 403	Hypertension	20	–	–	–	–	–	–	–	–	–	1	2	–	1	3	2	2	2	4	3	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	–	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	2	1	–	–	–
430–438	Cerebrovascular diseases	521	–	–	–	1	1	2	5	2	8	10	14	25	32	41	53	61	79	81	65	24	15	2
	White ..... Male	77	–	–	–	–	–	–	–	–	1	–	–	1	1	5	8	10	14	16	10	3	7	1
	Female	145	–	–	–	–	–	–	–	–	–	–	1	2	2	7	5	14	25	31	40	15	3	–
	All other ..... Male	141	–	–	–	1	–	1	3	1	4	8	9	15	15	12	20	18	14	12	5	1	1	1
	Female	158	–	–	–	–	1	1	2	1	3	2	4	7	14	17	20	19	26	22	10	5	4	–
431	Cerebral hemorrhage	102	–	–	–	–	–	1	3	1	4	8	7	13	12	6	17	6	12	7	3	1	–	1
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	1	–	–	1
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	5	3	2	1	–	–
	All other ..... Male	41	–	–	–	–	–	1	1	–	2	6	5	8	7	3	5	–	1	2	–	–	–	–
	Female	32	–	–	–	–	–	–	2	1	2	2	2	3	4	–	8	2	4	2	–	–	–	–
433	Cerebral thrombosis	115	–	–	–	–	–	–	–	–	–	–	1	4	4	12	4	19	10	29	24	4	4	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	8	4	–	3	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	4	11	16	4	1	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	7	2	1	1	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	2	2	7	–	5	1	9	3	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	301	–	–	–	1	1	1	2	1	4	2	5	8	16	22	32	36	57	44	38	19	11	1
	White ..... Male	42	–	–	–	–	–	–	–	–	1	–	–	1	–	2	4	5	9	8	5	3	4	–
	Female	84	–	–	–	–	–	–	–	–	–	–	1	–	1	5	3	8	16	16	22	10	2	–
	All other ..... Male	79	–	–	–	1	–	–	2	1	2	2	2	5	7	6	13	11	11	9	4	1	1	1
	Female	96	–	–	–	–	1	1	–	–	1	–	2	2	8	9	12	12	21	11	7	5	4	–
440	Arteriosclerosis	170	–	–	–	–	–	–	–	–	–	–	1	–	–	1	7	12	15	46	46	28	13	1
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	8	10	6	3	1
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	15	16	15	5	–
	All other ..... Male	33	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	11	10	3	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	4	12	10	4	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	77	–	–	–	–	–	1	1	1	1	1	1	3	7	7	9	12	14	7	10	1	1	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	3	3	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	3	–	–	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	1	1	1	4	3	5	1	2	–	1	–	–	–
	Female	27	–	–	–	–	–	1	1	1	1	–	–	2	3	3	2	3	5	1	3	–	1	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	246	7	–	1	–	1	2	3	4	4	7	9	13	20	12	29	24	29	28	22	21	10	–
	White ..... Male	40	1	–	1	–	–	–	–	1	–	1	1	3	3	1	6	3	6	6	3	2	2	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	7	9	6	10	4	–
	All other ..... Male	102	–	–	–	–	–	1	2	3	4	4	7	8	14	7	12	15	11	5	2	5	2	–
	Female	63	6	–	–	–	1	1	1	–	–	2	1	2	3	2	10	4	5	8	11	4	2	–
470–474	Influenza	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	243	7	–	1	–	1	2	3	4	4	6	9	13	20	12	29	24	29	27	21	21	10	–
	White ..... Male	39	1	–	1	–	–	–	–	1	–	1	1	3	3	1	6	3	6	6	2	2	2	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	7	8	6	10	4	–
	All other ..... Male	101	–	–	–	–	–	1	2	3	4	3	7	8	14	7	12	15	11	5	2	5	2	–
	Female	63	6	–	–	–	1	1	1	–	–	2	1	2	3	2	10	4	5	8	11	4	2	–
490–493	Bronchitis, emphysema, and asthma	59	–	–	–	–	–	2	–	1	2	1	2	1	9	8	11	7	9	5	1	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	3	3	3	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	–	–	–	–	–
	All other ..... Male	22	–	–	–	–	–	1	–	–	2	–	1	1	3	4	4	2	2	1	1	–	–	–
	Female	11	–	–	–	–	–	1	–	1	–	1	1	–	4	1	–	–	1	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia—Con.																							
490, 491	Chronic and unqualified bronchitis	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
492	Emphysema	41	-	-	-	-	-	-	-	-	1	-	1	1	5	7	10	7	6	2	1	-	-	-
	White ..... Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	2	1	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-
	All other ..... Male	19	-	-	-	-	-	-	-	-	1	-	1	1	3	3	4	2	2	1	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
493	Asthma	12	-	-	-	-	-	2	-	1	1	1	1	-	1	1	1	-	2	1	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	3	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1	1	-	-	-	-
531-533	Peptic ulcer	17	-	1	-	-	-	-	-	-	-	-	-	-	2	3	4	3	1	1	2	-	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	Female	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-
540-543	Appendicitis	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	34	3	-	-	-	-	-	-	1	1	2	-	-	4	3	2	3	4	4	2	2	2	1
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-
	Female	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	2	-
	All other ..... Male	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	Female	14	1	-	-	-	-	-	-	1	1	1	-	-	3	-	1	2	-	2	-	2	-	-
571	Cirrhosis of liver	294	-	-	-	-	-	1	4	15	18	33	46	52	51	29	25	11	6	1	1	-	-	1
	White ..... Male	33	-	-	-	-	-	-	-	-	-	3	1	8	6	5	5	2	1	1	1	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	2	2	4	1	3	-	1	-	-	-	-	-
	All other ..... Male	155	-	-	-	-	-	-	3	7	12	16	24	30	30	13	11	5	3	-	-	-	-	1
	Female	93	-	-	-	-	-	1	1	8	6	14	19	12	11	10	6	4	1	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
580-584	Nephritis and nephrosis	54	-	-	-	-	-	1	3	1	1	2	1	4	6	2	6	7	9	6	2	2	1	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	All other ..... Male	30	-	-	-	-	-	-	2	1	1	2	-	3	2	2	3	2	8	3	-	1	-	-
	Female	20	-	-	-	-	-	1	1	-	-	-	1	1	4	-	3	4	1	2	1	-	1	-
580, 581	Acute nephritis and nephrotic syndrome	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	1	1	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other ..... Male	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	47	-	-	-	-	-	1	3	1	1	1	1	3	6	2	6	7	6	5	1	2	1	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	All other ..... Male	24	-	-	-	-	-	-	2	1	1	1	-	2	2	2	3	2	5	2	-	1	-	-
	Female	20	-	-	-	-	-	1	1	-	-	-	1	1	4	-	3	4	1	2	1	-	1	-
590	Infections of kidney	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	4	1	1	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
600	Hyperplasia of prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	District of Columbia—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	37	22	2	5	–	1	2	1	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	White ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	18	13	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	7	1	3	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	162	162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	132	29	2	1	–	2	5	6	8	12	8	7	6	5	5	6	5	8	7	4	4	1	1
	White ..... Male	18	1	–	–	–	–	1	–	1	2	–	–	1	1	–	3	2	3	1	–	2	–	–
	Female	26	–	–	–	–	–	–	1	2	–	–	1	1	3	4	–	1	3	3	4	2	1	–
	All other ..... Male	42	12	1	–	–	1	2	4	4	6	4	1	–	1	1	2	–	1	1	–	–	–	1
	Female	46	16	1	1	–	1	2	1	1	4	4	5	4	–	–	1	2	1	2	–	–	–	–
Residual	All other diseases	597	3	2	2	–	4	2	7	13	19	31	21	39	63	62	61	67	71	59	37	22	12	–
	White ..... Male	82	–	–	–	–	–	–	–	1	1	2	–	–	6	7	13	12	19	14	4	3	–	–
	Female	97	–	–	1	–	–	1	1	–	1	–	–	3	4	4	9	14	14	18	14	9	4	–
	All other ..... Male	221	3	2	–	–	2	–	4	6	11	23	8	19	33	37	21	16	17	7	7	4	1	–
	Female	197	–	–	1	–	2	1	2	6	6	6	13	17	20	14	18	25	21	20	12	6	7	–
E800-E949	Accidents	279	8	8	9	6	5	12	18	18	12	13	16	19	21	24	18	23	13	13	13	8	1	1
	White ..... Male	40	–	–	–	1	2	2	3	1	–	1	1	2	6	2	3	4	3	4	3	2	–	–
	Female	29	1	1	–	–	–	–	–	1	–	–	–	1	2	1	1	3	5	4	6	2	–	1
	All other ..... Male	150	4	5	6	2	3	9	13	14	12	10	10	12	7	14	9	10	4	3	–	2	1	–
	Female	60	3	2	3	3	–	1	2	2	–	2	5	4	6	7	5	6	1	2	4	2	–	–
E810-E823	Motor vehicle accidents	73	1	–	5	3	4	6	10	7	4	2	4	2	4	4	7	3	3	2	2	–	–	–
	White ..... Male	15	–	–	–	1	2	1	1	–	–	–	–	1	3	1	3	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	2	–	–	–
	All other ..... Male	38	1	–	4	1	2	5	8	4	4	1	2	–	1	2	1	1	1	–	–	–	–	–
	Female	14	–	–	1	1	–	–	1	2	–	1	2	1	–	1	2	1	–	1	–	–	–	–
E800-E807, E825-E949	All other accidents	206	7	8	4	3	1	6	8	11	8	11	12	17	17	20	11	20	10	11	11	8	1	1
	White ..... Male	25	–	–	–	–	–	1	2	1	–	1	1	1	3	1	–	4	2	3	3	2	–	–
	Female	23	1	1	–	–	–	–	–	–	–	–	–	1	2	1	–	2	4	4	4	2	–	1
	All other ..... Male	112	3	5	2	1	1	4	5	10	8	9	8	12	6	12	8	9	3	3	–	2	1	–
	Female	46	3	2	2	2	–	1	1	–	–	1	3	3	6	6	3	5	1	1	4	2	–	–
E950-E959	Suicide	70	...	...	–	1	–	7	7	6	8	4	4	9	4	7	5	3	3	1	–	1	–	–
	White ..... Male	21	...	...	–	–	–	2	1	–	2	1	2	2	2	4	1	1	1	1	–	1	–	–
	Female	10	...	...	–	–	–	–	1	1	1	–	–	2	–	1	2	2	–	–	–	–	–	–
	All other ..... Male	32	...	...	–	1	–	5	5	4	5	3	2	4	2	1	–	–	–	–	–	–	–	–
	Female	7	...	...	–	–	–	–	–	1	–	–	–	1	–	1	2	–	2	–	–	–	–	–
E960-E978	Homicide	172	1	–	–	–	10	21	31	30	16	17	8	12	11	6	4	2	1	1	1	–	–	–
	White ..... Male	8	–	–	–	–	–	1	–	2	–	2	–	1	–	1	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	1	1	–	–	–	–
	All other ..... Male	135	1	–	–	–	8	18	27	23	14	12	7	10	10	2	2	1	–	–	–	–	–	–
	Female	23	–	–	–	–	2	2	4	3	1	3	1	1	1	2	1	1	–	–	1	–	–	–
E980-E999	Other external causes	40	–	2	1	3	–	1	2	3	4	4	2	2	4	2	5	1	2	–	–	1	–	1
	White ..... Male	4	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	1	–	–
	All other ..... Male	24	–	1	1	2	–	1	1	2	3	3	1	1	2	1	2	1	1	–	–	–	–	1
	Female	7	–	1	–	1	–	–	1	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida																							
	All causes	95,595	1,598	374	215	261	787	975	929	876	1,030	1,446	2,353	3,851	5,651	8,092	11,469	14,106	14,166	12,758	9,061	4,222	1,363	12
	White ..... Male	48,361	581	150	108	111	462	540	486	452	446	638	1,171	1,930	2,995	4,340	6,325	7,879	7,531	6,348	3,928	1,567	367	6
	Female	36,425	380	94	44	76	170	197	199	192	262	382	666	1,125	1,710	2,568	3,793	4,924	5,555	5,837	4,829	2,507	913	2
	All other ..... Male	6,270	351	67	39	47	121	160	154	162	201	263	323	470	554	722	799	750	603	266	126	55	33	4
	Female	4,539	286	63	24	27	34	78	90	70	121	163	193	326	392	462	552	553	477	307	178	93	50	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	78	36	5	–	–	–	–	–	1	1	–	–	2	–	3	5	3	4	5	7	3	3	–
	White ..... Male	21	7	1	–	–	–	–	–	1	–	–	–	1	–	1	2	1	2	2	1	1	1	–
	Female	31	8	–	–	–	–	–	–	–	1	–	–	1	–	2	3	2	2	2	6	2	2	–
	All other ..... Male	15	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	11	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	155	1	–	–	–	–	–	2	1	2	6	15	10	14	20	23	21	12	12	14	1	1	–
	White ..... Male	70	–	–	–	–	–	–	–	–	–	1	7	5	9	7	7	12	8	6	7	1	–	–
	Female	32	–	–	–	–	–	–	–	–	1	–	1	1	1	2	6	6	2	5	7	–	–	–
	All other ..... Male	42	1	–	–	–	–	–	1	–	–	4	6	1	4	10	9	3	2	1	–	–	–	–
	Female	11	–	–	–	–	–	–	1	1	1	1	1	3	–	1	1	–	–	–	–	–	1	–
010–012	Tuberculosis of respiratory system	129	1	–	–	–	–	–	2	1	1	6	14	9	10	19	21	15	9	9	10	1	1	–
	White ..... Male	55	–	–	–	–	–	–	–	–	–	1	7	4	7	6	7	9	5	3	5	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	4	2	5	5	–	–	–
	All other ..... Male	40	1	–	–	–	–	–	1	–	–	4	6	1	3	10	9	2	2	1	–	–	–	–
	Female	10	–	–	–	–	–	–	1	1	1	1	–	3	–	1	1	–	–	–	–	–	1	–
013–019	Tuberculosis, other forms	26	–	–	–	–	–	–	–	–	1	–	1	1	4	1	2	6	3	3	4	–	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	3	3	3	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	–	–	2	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	26	3	6	–	3	1	1	2	1	2	–	1	2	1	1	–	1	1	–	–	–	–	–
	White ..... Male	10	3	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	10	–	2	–	1	–	–	1	–	1	–	1	1	1	1	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
038	Septicemia	325	42	1	1	1	–	2	2	3	4	4	5	2	14	29	31	41	46	50	31	14	2	–
	White ..... Male	156	16	1	–	–	–	1	–	1	1	–	1	2	11	13	18	17	25	27	15	6	1	–
	Female	113	12	–	–	–	–	–	2	–	1	–	2	–	1	7	10	16	18	20	15	8	1	–
	All other ..... Male	23	5	–	1	–	–	–	–	–	1	2	–	–	1	3	1	7	–	2	–	–	–	–
	Female	33	9	–	–	1	–	1	–	2	1	2	2	–	1	6	2	1	3	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	10	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	5	1	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	239	16	6	2	3	5	8	9	9	7	5	5	10	16	24	30	24	23	16	11	8	2	–
	White ..... Male	102	6	2	–	2	1	3	2	1	1	3	3	4	9	10	16	13	10	7	4	4	1	–
	Female	93	5	2	1	–	3	1	3	6	3	1	–	2	4	9	12	8	12	9	7	4	1	–
	All other ..... Male	22	2	–	1	1	–	2	2	1	2	1	2	2	1	3	1	1	–	–	–	–	–	–
	Female	22	3	2	–	–	1	2	2	1	1	–	–	2	2	2	1	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	21,541	4	23	21	13	43	53	68	103	174	343	689	1,226	1,865	2,648	3,503	3,831	3,133	2,159	1,143	427	71	1
	White ..... Male	11,008	2	11	14	7	25	28	31	48	60	120	266	531	841	1,256	1,846	2,146	1,753	1,183	598	215	26	1
	Female	8,494	1	8	2	3	10	17	30	39	78	150	297	496	758	1,084	1,313	1,392	1,174	888	513	199	42	–
	All other ..... Male	1,263	–	3	3	2	6	6	1	7	14	34	78	110	163	181	234	201	140	54	18	6	2	–
	Female	776	1	1	2	1	2	2	6	9	22	39	48	89	103	127	110	92	66	34	14	7	1	–
140–149	Of buccal cavity and pharynx	519	–	1	–	–	–	1	2	3	3	5	32	46	65	79	86	82	55	36	12	10	1	–
	White ..... Male	293	–	–	–	–	–	–	–	–	1	1	10	22	31	47	60	51	34	23	4	8	1	–
	Female	150	–	1	–	–	–	1	2	2	1	1	9	10	20	22	18	27	13	13	8	2	–	–
	All other ..... Male	60	–	–	–	–	–	–	–	–	1	2	11	9	12	8	7	3	7	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	2	5	2	2	1	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,555	–	–	1	–	2	3	5	9	28	50	131	217	390	589	887	1,048	926	691	405	144	29	–
	White ..... Male	2,766	–	–	1	–	2	3	5	4	12	21	54	109	197	287	446	570	486	321	182	57	9	–
	Female	2,290	–	–	–	–	–	–	–	1	7	15	46	70	121	231	349	407	387	346	211	80	19	–
	All other ..... Male	300	–	–	–	–	–	–	–	4	7	9	17	17	48	38	61	47	31	12	6	2	1	–
	Female	199	–	–	–	–	–	–	–	–	2	5	14	21	24	33	31	24	22	12	6	5	–	–
160–163	Of respiratory system	6,045	–	–	–	1	1	2	4	14	27	93	202	448	670	930	1,177	1,112	751	407	148	51	6	1
	White ..... Male	4,011	–	–	–	1	–	–	4	11	15	45	113	255	387	562	812	796	554	303	116	33	3	1
	Female	1,462	–	–	–	–	1	2	–	2	6	23	49	120	200	262	270	229	155	92	30	18	3	–
	All other ..... Male	479	–	–	–	–	–	–	–	1	4	17	34	62	73	89	78	76	36	8	1	–	–	–
	Female	93	–	–	–	–	–	–	–	–	2	8	6	11	10	17	17	11	6	4	1	–	–	–
174	Of breast	1,718	–	–	–	–	–	–	6	16	36	56	117	154	199	253	234	244	170	130	75	24	4	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	–	–	–	–
	Female	1,574	–	–	–	–	–	–	5	13	23	47	106	132	174	235	222	232	162	121	74	24	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	134	–	–	–	–	–	–	1	3	13	9	11	22	24	18	11	10	6	5	1	–	–	–
180–187	Of genital organs	2,420	–	–	–	–	4	7	9	17	19	39	39	97	151	247	339	444	400	325	197	79	7	–
	White ..... Male	1,086	–	–	–	–	2	2	4	6	1	1	1	12	26	68	118	217	216	217	133	58	4	–
	Female	992	–	–	–	–	–	3	4	7	14	30	30	67	94	135	157	167	130	80	53	18	3	–
	All other ..... Male	185	–	–	–	–	1	1	–	–	–	–	1	3	10	19	37	40	41	21	8	3	–	–
	Female	157	–	–	–	–	1	1	1	4	4	8	7	15	21	25	27	20	13	7	3	–	–	–
188, 189	Of urinary organs	1,018	–	1	3	–	–	1	1	2	5	4	19	35	60	98	162	186	189	127	83	36	6	–
	White ..... Male	649	–	–	2	–	–	–	–	1	2	1	13	20	33	62	98	119	126	89	57	23	3	–
	Female	290	–	–	–	–	–	–	–	1	3	1	2	12	18	26	48	53	52	33	25	13	3	–
	All other ..... Male	46	–	1	–	–	–	1	–	–	–	1	2	–	4	3	11	11	9	2	1	–	–	–
	Female	33	–	–	1	–	–	–	1	–	–	1	2	3	5	7	5	3	2	3	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,398	3	12	9	4	20	19	21	28	37	68	100	153	219	274	348	374	326	218	118	36	11	–
	White ..... Male	1,233	2	7	5	2	11	11	11	19	14	34	51	78	114	137	180	206	169	106	57	16	3	–
	Female	966	1	4	1	–	5	6	9	8	20	25	36	54	86	105	135	143	139	106	59	17	7	–
	All other ..... Male	120	–	1	3	1	4	1	–	1	2	4	9	11	12	18	24	11	10	5	1	1	1	–
	Female	79	–	–	–	1	–	1	1	–	1	5	4	10	7	14	9	14	8	1	1	2	–	–
204–207	Leukemia	758	1	6	7	4	10	13	11	6	9	11	15	30	41	56	100	147	119	104	43	22	3	–
	White ..... Male	425	–	2	5	2	6	7	3	4	8	7	6	14	22	29	59	82	68	61	27	12	1	–
	Female	282	–	3	1	2	3	4	5	1	1	3	7	12	13	20	41	57	43	39	15	10	2	–
	All other ..... Male	25	–	–	–	–	1	2	1	1	–	–	1	2	2	3	–	4	4	3	1	–	–	–
	Female	26	1	1	1	–	–	–	2	–	–	1	1	2	4	4	–	4	4	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,110	–	3	1	4	6	7	9	8	10	17	34	46	70	122	170	194	197	121	62	25	4	–
	White ..... Male	535	–	2	1	2	4	5	4	3	7	10	18	21	30	64	72	103	98	59	22	8	2	–
	Female	488	–	–	–	1	1	1	5	4	3	5	12	19	32	48	73	77	93	58	38	17	1	–
	All other ..... Male	48	–	1	–	1	–	1	–	–	–	1	3	6	2	3	16	9	2	3	–	–	–	–
	Female	39	–	–	–	–	1	–	–	1	–	1	1	–	6	7	9	5	4	1	2	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	206	1	1	1	2	3	–	2	–	5	4	3	13	14	23	32	26	31	27	14	3	1	–
	White ..... Male	89	1	1	–	1	–	–	1	–	2	2	–	7	4	13	15	13	13	7	7	2	–	–
	Female	93	–	–	1	1	3	–	1	–	2	–	3	4	6	5	14	10	16	18	7	1	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–	–	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	1	–	1	3	2	2	3	2	1	–	–	–	–
250	Diabetes mellitus	1,507	1	1	2	2	2	3	7	16	18	17	34	53	89	141	209	271	232	207	141	52	9	–
	White ..... Male	618	1	–	–	–	–	–	4	6	4	5	12	24	32	56	91	127	88	85	60	19	4	–
	Female	600	–	1	1	2	–	2	3	4	7	6	5	12	26	47	61	103	106	107	73	29	5	–
	All other ..... Male	108	–	–	–	–	2	–	–	6	5	1	9	3	12	10	28	13	13	4	2	–	–	–
	Female	181	–	–	1	–	–	1	–	–	2	5	8	14	19	28	29	28	25	11	6	4	–	–
260–269	Avitaminoses and other nutritional deficiencies	158	6	–	1	–	–	1	–	1	–	–	2	3	2	7	9	13	33	22	34	19	5	–
	White ..... Male	51	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	7	9	5	14	8	1	–
	Female	73	–	–	–	–	–	–	–	1	–	–	–	1	1	1	4	3	18	14	16	11	3	–
	All other ..... Male	22	4	–	1	–	–	1	–	–	–	–	2	1	–	3	2	1	3	2	1	–	1	–
	Female	12	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	3	1	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida—Con.																							
280–285	Anemias	186	1	7	1	3	4	3	4	2	2	5	4	6	10	7	23	15	27	31	16	13	2	-
	White ..... Male	61	-	-	-	1	1	-	-	-	-	1	1	-	5	4	5	7	14	13	4	4	1	-
	Female	76	-	-	-	1	-	-	-	-	1	-	-	1	2	-	13	7	12	17	12	9	1	-
	All other ..... Male	24	1	4	-	1	1	2	1	1	1	2	3	2	-	1	3	-	-	1	-	-	-	-
	Female	25	-	3	1	-	2	1	3	1	-	2	-	3	3	2	2	1	1	-	-	-	-	-
320	Meningitis	61	13	10	4	2	3	-	1	5	1	2	3	2	1	3	6	1	4	-	-	-	-	-
	White ..... Male	16	3	1	2	1	1	-	-	2	-	-	1	1	1	-	2	-	1	-	-	-	-	-
	Female	13	4	3	-	-	-	-	1	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-
	All other ..... Male	19	5	3	-	1	2	-	-	-	-	2	1	-	-	1	3	-	1	-	-	-	-	-
	Female	13	1	3	2	-	-	-	-	3	1	-	1	1	-	-	1	-	-	-	-	-	-	-
390–448	Major cardiovascular diseases	47,582	43	16	6	13	16	43	62	98	178	360	733	1,371	2,213	3,456	5,459	7,293	8,127	7,956	6,110	2,976	1,050	3
	White ..... Male	24,087	14	10	2	5	7	13	26	51	90	196	457	811	1,377	2,058	3,141	4,094	4,220	3,757	2,480	1,018	259	1
	Female	19,177	6	3	-	2	4	15	13	20	35	51	131	264	468	890	1,643	2,503	3,270	3,844	3,428	1,857	730	-
	All other ..... Male	2,232	12	2	2	1	3	9	10	18	35	75	88	163	198	294	359	365	316	145	74	35	26	2
	Female	2,086	11	1	2	5	2	6	13	9	18	38	57	133	170	214	316	331	321	210	128	66	35	-
390–398, 402, 404, 410–429	Diseases of heart	35,592	32	13	3	8	11	31	39	73	128	301	620	1,139	1,849	2,910	4,323	5,566	5,989	5,632	4,244	1,991	688	2
	White ..... Male	19,151	10	7	2	2	5	10	19	41	78	177	424	743	1,228	1,798	2,619	3,276	3,223	2,795	1,790	720	183	1
	Female	13,475	5	3	-	1	2	9	5	12	15	33	98	182	352	724	1,241	1,842	2,347	2,604	2,324	1,208	468	-
	All other ..... Male	1,572	8	2	-	1	2	7	7	13	25	62	59	122	140	228	257	239	218	98	43	22	18	1
	Female	1,394	9	1	1	4	2	5	8	7	10	29	39	92	129	160	206	209	201	135	87	41	19	-
390–398	Active rheumatic fever and chronic rheumatic heart disease	802	-	1	1	2	1	7	2	7	11	10	18	41	52	83	136	150	128	83	45	18	6	-
	White ..... Male	337	-	1	-	-	-	1	-	3	5	4	9	20	19	36	51	70	56	33	19	8	2	-
	Female	401	-	-	-	-	-	2	-	2	3	3	6	15	23	40	81	75	64	48	25	10	4	-
	All other ..... Male	28	-	-	-	1	-	2	-	1	3	2	-	4	5	1	1	3	3	2	-	-	-	-
	Female	36	-	-	1	1	1	2	2	1	-	1	3	2	5	6	3	2	5	-	1	-	-	-
402	Hypertensive heart disease	265	-	-	-	-	-	-	-	1	2	5	4	18	17	19	41	38	42	30	32	14	2	-
	White ..... Male	85	-	-	-	-	-	-	-	1	-	1	-	10	6	4	15	11	15	9	10	3	-	-
	Female	115	-	-	-	-	-	-	-	-	-	1	2	-	5	6	16	17	20	17	20	10	1	-
	All other ..... Male	28	-	-	-	-	-	-	-	-	2	1	1	3	1	5	4	3	5	2	1	-	-	-
	Female	37	-	-	-	-	-	-	-	-	-	2	1	5	5	4	6	7	2	2	1	1	1	-
404	Hypertensive heart and renal disease	121	-	-	-	-	-	-	-	1	-	1	5	3	5	5	10	18	20	29	15	8	1	-
	White ..... Male	50	-	-	-	-	-	-	-	1	-	-	-	1	1	1	5	8	8	15	8	2	-	-
	Female	51	-	-	-	-	-	-	-	-	-	1	2	-	1	3	2	8	9	12	7	5	1	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	2	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	1	2	-	1	-	-
410–413	Ischemic heart disease	32,347	-	1	-	-	2	6	21	42	89	237	524	979	1,618	2,625	3,900	5,088	5,518	5,243	3,960	1,842	650	2
	White ..... Male	17,695	-	1	-	-	2	3	14	28	62	155	374	670	1,125	1,670	2,426	3,030	2,998	2,625	1,674	663	174	1
	Female	12,183	-	-	-	-	-	1	1	6	7	22	76	142	285	627	1,079	1,653	2,148	2,406	2,165	1,122	443	-
	All other ..... Male	1,310	-	-	-	-	-	1	4	7	12	41	47	98	111	199	216	215	192	88	41	21	16	1
	Female	1,159	-	-	-	-	-	1	2	1	8	19	27	69	97	129	179	190	180	124	80	36	17	-
410	Acute myocardial infarction	13,873	-	1	-	-	1	4	12	21	44	115	280	499	819	1,360	1,996	2,504	2,426	2,003	1,209	436	141	2
	White ..... Male	8,331	-	1	-	-	1	1	7	14	34	80	221	362	609	906	1,318	1,581	1,389	1,061	529	171	45	1
	Female	4,761	-	-	-	-	-	1	1	3	2	10	34	85	136	332	563	793	931	875	652	258	90	-
	All other ..... Male	428	-	-	-	-	-	1	3	3	5	19	15	33	37	72	62	68	61	28	15	4	1	1
	Female	353	-	-	-	-	-	1	1	1	3	6	10	19	37	50	53	62	45	39	13	8	5	-
411	Other acute and subacute forms of ischemic heart disease	160	-	-	-	-	-	-	1	-	-	1	9	17	14	16	19	19	17	23	14	9	1	-
	White ..... Male	95	-	-	-	-	-	-	-	-	-	1	7	10	10	11	14	12	9	14	4	3	-	-
	Female	46	-	-	-	-	-	-	-	-	-	-	1	4	3	1	3	4	5	8	10	6	1	-
	All other ..... Male	15	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	3	1	-	-	-	-
	Female	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
412	Chronic ischemic heart disease	[4]18,303	-	-	-	-	1	2	8	21	45	120	235	463	784	1,249	1,884	2,562	3,073	3,216	2,735	1,397	508	-
	White ..... Male	9,262	-	-	-	-	1	2	7	14	28	73	146	298	506	753	1,093	1,435	1,599	1,549	1,140	489	129	-
	Female	7,372	-	-	-	-	-	-	-	3	5	12	41	53	145	294	513	855	1,211	1,523	1,502	863	352	-
	All other ..... Male	867	-	-	-	-	-	-	1	4	7	22	31	63	73	124	152	145	128	59	26	17	15	-
	Female	802	-	-	-	-	-	-	-	-	5	13	17	49	60	78	126	127	135	85	67	28	12	-
413	Angina pectoris	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	1	2	-	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	167	1	-	1	1	1	1	2	2	-	2	1	10	11	13	15	19	23	25	21	15	3	-
	White ..... Male	87	-	-	1	-	1	1	1	2	-	1	1	5	7	6	10	9	9	14	11	6	2	-
	Female	65	-	-	-	-	-	-	1	-	-	-	-	3	1	5	4	9	12	10	10	9	1	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	-	-	-	-
	Female	8	1	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,890	31	11	1	5	7	17	14	20	26	46	68	88	146	165	221	253	258	222	171	94	26	–
	White ..... Male	897	10	5	1	2	2	5	4	6	11	16	40	37	70	81	112	148	137	99	68	38	5	–
	Female	660	5	3	–	1	2	6	3	4	5	6	12	22	37	43	59	80	94	111	97	52	18	–
	All other ..... Male	192	8	2	–	–	2	4	3	5	8	17	9	17	20	23	35	15	15	5	1	1	2	–
	Female	141	8	1	–	2	1	2	4	5	2	7	7	12	19	18	15	10	12	7	5	3	1	–
400, 401, 403	Hypertension	322	–	–	–	–	–	1	4	2	6	4	2	13	22	18	32	39	59	55	40	16	9	–
	White ..... Male	128	–	–	–	–	–	1	–	1	–	1	–	3	11	6	12	15	27	24	17	9	1	–
	Female	122	–	–	–	–	–	–	2	–	2	1	–	3	6	3	10	10	25	27	20	6	7	–
	All other ..... Male	34	–	–	–	–	–	–	1	1	2	–	2	3	3	5	6	5	3	3	–	–	–	–
	Female	38	–	–	–	–	–	–	1	–	2	2	–	4	2	4	4	9	4	1	3	1	1	–
430–438	Cerebrovascular diseases	9,019	7	3	3	3	3	9	15	19	37	45	88	179	273	398	826	1,286	1,617	1,791	1,445	709	262	1
	White ..... Male	3,476	4	3	–	2	1	2	5	7	11	12	23	48	98	170	335	569	693	708	522	208	55	–
	Female	4,475	–	–	–	–	1	4	5	6	14	16	28	64	96	135	311	526	749	994	865	472	189	–
	All other ..... Male	509	1	–	2	–	1	2	2	4	7	10	21	34	47	48	82	98	75	33	24	10	7	1
	Female	559	2	–	1	1	–	1	3	2	5	7	16	33	32	45	98	93	100	56	34	19	11	–
431	Cerebral hemorrhage	1,070	3	–	1	–	–	3	7	7	9	17	37	72	72	80	145	168	172	152	86	27	12	–
	White ..... Male	419	2	–	–	–	–	1	3	3	1	6	7	16	29	31	58	75	69	66	36	12	4	–
	Female	468	–	–	–	–	–	–	3	2	5	4	13	32	27	29	62	69	81	77	46	12	6	–
	All other ..... Male	100	–	–	–	–	–	2	–	1	2	6	9	10	10	14	11	16	12	3	2	1	1	–
	Female	83	1	–	1	–	–	–	1	1	1	1	8	14	6	6	14	8	10	6	2	2	1	–
433	Cerebral thrombosis	2,443	–	–	–	–	–	–	1	3	3	3	12	23	51	80	208	328	468	559	398	235	71	–
	White ..... Male	962	–	–	–	–	–	–	1	1	1	1	4	10	19	44	89	142	205	228	134	70	13	–
	Female	1,244	–	–	–	–	–	–	–	1	1	–	1	5	16	20	71	138	224	302	256	157	52	–
	All other ..... Male	108	–	–	–	–	–	–	–	–	1	–	5	7	9	9	25	24	15	6	3	1	3	–
	Female	129	–	–	–	–	–	–	–	1	–	2	2	1	7	7	23	24	24	23	5	7	3	–
434	Cerebral embolism	39	–	1	–	–	–	–	–	–	–	–	–	–	1	3	5	8	8	7	5	1	–	–
	White ..... Male	13	–	1	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	1	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	5	6	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,467	4	2	2	3	3	6	7	9	25	25	39	84	149	235	468	782	969	1,073	956	446	179	1
	White ..... Male	2,082	2	2	–	2	1	1	1	3	9	5	12	22	50	94	185	349	417	413	350	126	38	–
	Female	2,739	–	–	–	–	1	4	2	3	8	12	14	27	53	84	176	314	439	609	560	302	131	–
	All other ..... Male	300	1	–	2	–	1	–	2	3	4	4	7	17	27	25	46	58	48	24	19	8	3	1
	Female	346	1	–	–	1	–	1	2	–	4	4	6	18	19	32	61	61	65	27	27	10	7	–
440	Arteriosclerosis	1,191	–	–	–	–	–	–	–	–	–	–	3	7	7	27	56	124	187	265	243	198	74	–
	White ..... Male	448	–	–	–	–	–	–	–	–	–	–	2	2	3	12	24	53	85	108	88	56	15	–
	Female	651	–	–	–	–	–	–	–	–	–	–	1	5	–	9	25	49	85	137	147	137	56	–
	All other ..... Male	43	–	–	–	–	–	–	–	–	–	–	–	–	3	4	5	10	7	7	5	1	1	–
	Female	49	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	12	10	13	3	4	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,458	4	–	–	2	2	2	4	4	7	10	20	33	62	103	222	278	275	213	138	62	17	–
	White ..... Male	884	–	–	–	1	1	–	2	2	1	6	8	15	37	72	151	181	192	122	63	25	5	–
	Female	454	1	–	–	1	1	2	1	2	4	1	4	10	14	19	56	76	64	82	72	34	10	–
	All other ..... Male	74	3	–	–	–	–	–	–	–	1	3	6	4	5	9	9	13	13	4	2	2	–	–
	Female	46	–	–	–	–	–	–	1	–	1	–	2	4	6	3	6	8	6	5	1	1	2	–
466	Acute bronchitis and bronchiolitis	44	2	1	–	–	1	–	1	1	1	3	–	6	1	1	5	7	3	5	2	2	2	–
	White ..... Male	21	1	–	–	–	–	–	–	1	–	–	–	2	1	–	1	5	3	4	1	1	1	–
	Female	15	–	–	–	–	1	–	1	–	–	1	–	3	–	–	3	2	–	1	1	1	1	–
	All other ..... Male	7	1	1	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,510	56	11	3	8	9	9	18	19	22	43	54	71	94	143	204	298	375	453	364	183	73	–
	White ..... Male	1,270	16	1	1	3	4	5	7	9	7	12	17	27	38	79	112	184	203	267	176	77	25	–
	Female	899	8	3	1	2	1	–	3	2	7	8	10	15	28	34	61	86	141	163	180	102	44	–
	All other ..... Male	227	18	5	1	2	3	2	3	4	4	14	14	25	17	21	26	18	25	16	5	4	–	–
	Female	114	14	2	–	1	1	2	5	4	4	9	13	4	11	9	5	10	6	7	3	–	4	–
470–474	Influenza	160	–	1	1	1	1	–	–	1	2	1	1	4	7	11	16	20	27	22	25	10	9	–
	White ..... Male	91	–	–	–	–	–	–	–	1	1	1	–	3	4	8	12	14	15	13	12	4	3	–
	Female	58	–	–	1	–	–	–	–	–	–	–	–	1	2	3	4	5	10	8	12	6	6	–
	All other ..... Male	6	–	1	–	1	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–
480–486	Pneumonia	2,350	56	10	2	7	8	9	18	18	20	42	53	67	87	132	188	278	348	431	339	173	64	–
	White ..... Male	1,179	16	1	1	3	4	5	7	8	6	11	17	24	34	71	100	170	188	254	164	73	22	–
	Female	841	8	3	–	2	1	–	3	2	7	8	10	14	26	31	57	81	131	155	168	96	38	–
	All other ..... Male	221	18	4	1	1	3	2	3	4	3	14	14	25	16	21	26	18	23	16	5	4	–	–
	Female	109	14	2	–	1	–	2	5	4	4	9	12	4	11	9	5	9	6	6	2	–	4	–
490–493	Bronchitis, emphysema, and asthma	1,402	1	1	–	1	1	3	–	5	3	7	24	43	106	164	210	275	257	174	86	34	7	–
	White ..... Male	900	–	–	–	–	1	2	–	2	1	1	15	21	61	78	145	177	183	130	54	24	5	–
	Female	408	–	–	–	1	–	1	–	2	1	2	5	13	34	67	56	81	64	42	29	8	2	–
	All other ..... Male	72	1	–	–	–	–	–	–	1	1	2	3	6	9	15	7	13	10	1	2	1	–	–
	Female	22	–	1	–	–	–	–	–	–	–	2	1	3	2	4	2	4	–	1	1	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida—Con.																							
490, 491	Chronic and unqualified bronchitis	255	1	1	-	-	-	-	-	1	1	-	3	10	17	20	44	49	41	36	20	11	-	-
	White ..... Male	153	-	-	-	-	-	-	-	-	-	-	2	5	8	10	26	31	27	26	11	7	-	-
	Female	87	-	-	-	-	-	-	-	1	-	-	1	2	7	7	16	17	13	10	9	4	-	-
	All other ..... Male	9	1	-	-	-	-	-	-	-	1	-	-	-	2	2	2	-	1	-	-	-	-	-
	Female	6	-	1	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
492	Emphysema	1,040	-	-	-	-	-	-	-	2	-	4	18	26	84	122	150	206	203	133	63	22	7	-
	White ..... Male	709	-	-	-	-	-	-	-	1	-	-	12	13	51	64	112	139	151	103	42	16	5	-
	Female	268	-	-	-	-	-	-	-	-	-	2	3	8	25	48	33	54	43	28	18	4	2	-
	All other ..... Male	56	-	-	-	-	-	-	-	1	-	2	3	5	7	9	5	11	9	1	2	1	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	1	-	-
493	Asthma	107	-	-	-	1	1	3	-	2	2	3	3	7	5	22	16	20	13	5	3	1	-	-
	White ..... Male	38	-	-	-	-	1	2	-	1	1	1	1	3	2	4	7	7	5	1	1	1	-	-
	Female	53	-	-	-	1	-	1	-	1	1	-	1	3	2	12	7	10	8	4	2	-	-	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	2	1	-	1	2	2	1	-	-	-	-	-	-
531-533	Peptic ulcer	267	3	-	-	-	-	1	2	1	3	3	6	12	21	20	36	38	47	35	31	7	1	-
	White ..... Male	134	-	-	-	-	-	-	1	-	2	1	3	3	10	12	20	20	20	22	15	4	1	-
	Female	103	-	-	-	-	-	-	-	-	-	-	3	5	7	5	13	15	25	12	15	3	-	-
	All other ..... Male	21	1	-	-	-	-	1	1	1	1	1	-	3	4	3	2	1	1	-	1	-	-	-
	Female	9	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	1	-	-	-	-
540-543	Appendicitis	30	-	2	2	1	-	1	-	-	-	-	-	1	-	5	2	5	5	4	2	-	-	-
	White ..... Male	13	-	-	1	1	-	-	-	-	-	-	-	-	-	3	1	3	-	2	2	-	-	-
	Female	12	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	5	1	-	-	-	-
	All other ..... Male	4	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	247	19	1	-	-	1	-	1	-	1	1	6	5	11	12	20	32	35	44	33	18	7	-
	White ..... Male	81	8	1	-	-	-	-	-	-	-	-	3	1	3	5	10	8	13	13	9	6	1	-
	Female	132	6	-	-	-	-	-	-	-	1	-	1	2	7	6	7	18	16	27	23	12	6	-
	All other ..... Male	22	4	-	-	-	1	-	1	-	-	1	1	1	1	1	-	3	3	4	1	-	-	-
	Female	12	1	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	3	-	-	-	-	-
571	Cirrhosis of liver	1,639	3	1	-	-	1	5	8	24	53	88	165	208	251	255	235	157	112	46	22	2	3	-
	White ..... Male	877	-	-	-	-	-	2	3	6	23	41	76	105	122	147	145	98	73	25	8	2	1	-
	Female	542	2	1	-	-	-	-	2	6	12	23	44	68	97	84	77	55	37	20	12	-	2	-
	All other ..... Male	129	1	-	-	-	1	1	1	6	9	13	25	20	23	16	6	4	2	-	1	-	-	-
	Female	91	-	-	-	-	-	2	2	6	9	11	20	15	9	8	7	-	-	1	1	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	149	-	-	-	-	-	-	-	-	1	2	3	2	4	8	21	28	25	22	24	8	1	-
	White ..... Male	64	-	-	-	-	-	-	-	-	-	2	1	1	2	3	7	16	10	8	12	2	-	-
	Female	72	-	-	-	-	-	-	-	-	-	-	1	1	1	5	10	10	11	14	12	6	1	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1	2	-	-	-	-	-
580-584	Nephritis and nephrosis	429	6	1	-	-	-	4	3	2	4	6	13	17	15	45	42	72	68	58	41	29	3	-
	White ..... Male	195	3	1	-	-	-	1	1	-	1	3	6	4	4	15	25	36	31	30	21	11	2	-
	Female	143	-	-	-	-	-	2	1	1	2	1	4	7	4	13	11	23	21	22	16	14	1	-
	All other ..... Male	42	2	-	-	-	-	1	-	-	-	1	2	1	1	10	3	6	10	2	1	2	-	-
	Female	49	1	-	-	-	-	-	1	1	1	1	1	5	6	7	3	7	6	4	3	2	-	-
580, 581	Acute nephritis and nephrotic syndrome	124	6	-	-	-	-	-	-	1	1	1	3	5	3	10	15	21	20	20	13	4	1	-
	White ..... Male	59	3	-	-	-	-	-	-	-	-	1	2	1	2	3	8	12	9	11	5	1	1	-
	Female	44	-	-	-	-	-	-	-	1	1	-	1	2	-	7	4	5	8	6	6	3	-	-
	All other ..... Male	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	-	-	-
	Female	10	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	2	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	305	-	1	-	-	-	4	3	1	3	5	10	12	12	35	27	51	48	38	28	25	2	-
	White ..... Male	136	-	1	-	-	-	1	1	-	1	2	4	3	2	12	17	24	22	19	16	10	1	-
	Female	99	-	-	-	-	-	2	1	-	1	1	3	5	4	6	7	18	13	16	10	11	1	-
	All other ..... Male	31	-	-	-	-	-	1	-	-	-	1	2	1	1	10	1	3	8	-	1	2	-	-
	Female	39	-	-	-	-	-	-	1	1	1	1	1	3	5	7	2	6	5	3	1	2	-	-
590	Infections of kidney	161	-	-	-	1	-	-	1	2	-	2	1	3	2	9	11	27	25	30	32	8	7	-
	White ..... Male	53	-	-	-	-	-	-	-	-	-	1	-	-	-	6	4	9	7	11	13	1	1	-
	Female	77	-	-	-	1	-	-	-	-	-	-	-	2	-	-	4	8	15	17	18	6	6	-
	All other ..... Male	15	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	5	1	2	-	-	-	-
	Female	16	-	-	-	-	-	-	1	1	-	1	1	-	1	1	1	5	2	-	1	1	-	-
600	Hyperplasia of prostate	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	6	8	1	2	-
	White ..... Male	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	5	6	1	1	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	-	1	-
630-678	Complications of pregnancy, childbirth, and the puerperium	13	-	-	-	1	1	4	3	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	6	-	-	-	1	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	7	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Florida—Con.																							
640–645	Abortions	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	1	1	4	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	506	303	62	7	12	10	6	13	12	6	8	4	10	10	14	7	6	8	5	3	–	–	–
	White Male	198	122	22	4	3	7	3	5	5	5	4	–	4	2	6	–	1	1	2	2	–	–	–
	Female	187	103	20	3	4	3	1	4	4	1	3	4	4	7	6	6	4	7	2	1	–	–	–
	All other Male	56	39	7	–	2	–	1	1	1	–	1	–	1	1	1	–	1	–	–	–	–	–	–
	Female	65	39	13	–	3	–	1	3	2	–	–	–	1	–	1	1	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	702	701	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	265	265	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	147	147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	164	163	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	384	383	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	154	154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	96	95	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	318	318	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,279	210	6	1	2	2	8	11	15	11	15	29	55	51	101	119	125	140	143	120	82	33	–
	White Male	555	74	–	1	–	1	2	6	6	5	6	12	28	27	46	63	60	64	65	51	29	9	–
	Female	447	43	–	–	–	–	4	2	2	3	3	7	12	11	24	35	44	59	64	67	48	19	–
	All other Male	158	55	2	–	2	–	2	1	3	–	3	4	10	6	25	12	12	10	7	–	2	2	–
	Female	119	38	4	–	–	1	–	2	4	3	3	6	5	7	6	9	9	7	7	2	3	3	–
Residual	All other diseases	7,010	66	35	24	23	50	59	58	64	88	123	193	297	450	582	852	1,121	1,059	936	610	262	58	–
	White Male	3,486	22	17	11	6	21	17	13	25	29	37	90	125	205	306	437	619	591	517	278	103	17	–
	Female	2,615	16	10	6	10	14	11	18	16	22	35	59	90	158	177	313	399	396	379	302	148	36	–
	All other Male	530	13	6	3	4	9	13	14	15	18	27	27	48	49	67	65	68	48	16	16	3	1	–
	Female	379	15	2	4	3	6	18	13	8	19	24	17	34	38	32	37	35	24	24	14	8	4	–
E800–E949	Accidents	4,345	48	152	132	151	468	456	332	253	219	182	183	214	206	207	218	238	232	237	132	62	20	3
	White Male	2,430	13	71	68	72	308	304	219	167	126	101	107	105	118	110	116	114	118	96	65	21	9	2
	Female	1,155	17	37	26	39	93	79	59	43	29	31	37	60	44	56	66	96	98	134	64	38	9	–
	All other Male	577	8	25	27	29	56	60	40	39	49	40	33	42	37	32	22	16	13	4	2	2	–	1
	Female	183	10	19	11	11	11	13	14	4	15	10	6	7	7	9	14	12	3	3	1	1	2	–
E810–E823	Motor vehicle accidents	2,198	14	46	67	78	357	313	207	164	117	88	104	97	83	95	86	93	82	69	29	8	–	1
	White Male	1,307	4	18	30	37	243	209	139	101	77	50	59	48	42	51	45	47	46	35	21	4	–	1
	Female	542	5	12	18	25	85	61	38	36	19	15	23	25	17	27	30	33	32	31	7	3	–	–
	All other Male	270	2	9	13	9	24	35	25	25	16	18	18	21	19	13	6	9	4	2	1	1	–	–
	Female	79	3	7	6	7	5	8	5	2	5	5	4	3	5	4	5	4	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,147	34	106	65	73	111	143	125	89	102	94	79	117	123	112	132	145	150	168	103	54	20	2
	White Male	1,123	9	53	38	35	65	95	80	66	49	51	48	57	76	59	71	67	72	61	44	17	9	1
	Female	613	12	25	8	14	8	18	21	7	10	16	14	35	27	29	36	63	66	103	57	35	9	–
	All other Male	307	6	16	14	20	32	25	15	14	33	22	15	21	18	19	16	7	9	2	1	1	–	1
	Female	104	7	12	5	4	6	5	9	2	10	5	2	4	2	5	9	8	3	2	1	1	2	–
E950–E959	Suicide	1,533	...	...	–	5	65	140	153	99	89	117	97	134	123	112	124	97	81	67	22	8	–	–
	White Male	1,030	...	...	–	3	50	96	98	62	48	65	60	85	88	77	81	75	59	56	20	7	–	–
	Female	434	...	...	–	1	11	33	37	26	35	48	32	48	31	34	42	21	21	11	2	1	–	–
	All other Male	53	...	...	–	1	3	10	14	8	3	4	2	1	3	1	1	1	1	–	–	–	–	–
	Female	16	...	...	–	–	1	1	4	3	3	–	3	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,034	7	17	6	11	86	143	156	121	116	91	68	58	44	43	24	21	8	5	4	–	–	5
	White Male	386	2	4	3	2	29	49	62	52	31	32	30	24	20	20	7	8	5	1	3	–	–	2
	Female	167	1	3	2	7	23	22	15	15	16	15	11	9	2	5	7	5	3	3	1	–	–	2
	All other Male	371	–	4	–	1	29	48	63	47	53	32	21	24	18	16	9	4	–	1	–	–	–	1
	Female	110	4	6	1	1	5	24	16	7	16	12	6	1	4	2	1	4	–	–	–	–	–	–
E980–E999	Other external causes	188	6	7	1	3	15	22	10	15	19	9	12	13	22	9	6	8	5	3	3	–	–	–
	White Male	89	1	3	1	3	5	13	7	7	10	4	3	9	5	6	3	5	–	2	2	–	–	–
	Female	58	1	–	–	–	4	7	2	4	3	4	7	3	11	1	2	3	4	1	1	–	–	–
	All other Male	23	3	1	–	–	5	1	–	2	4	1	1	1	2	1	1	–	–	–	–	–	–	–
	Female	18	1	3	–	–	1	1	1	2	2	–	1	–	4	1	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia																							
	All causes	43,298	1,297	234	158	186	539	726	688	672	830	1,086	1,595	2,393	3,329	4,155	5,154	5,439	5,161	4,291	3,264	1,483	599	19
	White ..... Male	17,230	356	70	56	81	305	376	304	242	333	420	637	1,093	1,555	1,896	2,324	2,334	1,902	1,497	1,012	336	97	4
	Female	13,538	265	57	41	42	107	119	108	119	168	215	359	509	715	939	1,207	1,596	1,917	2,011	1,781	920	341	2
	All other ..... Male	6,769	383	50	36	41	82	172	182	204	211	272	355	467	611	764	910	767	600	360	178	65	52	7
	Female	5,761	293	57	25	22	45	59	94	107	118	179	244	324	448	556	713	742	742	423	293	162	109	6
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	58	40	–	1	–	–	–	1	–	–	1	–	–	1	1	2	2	4	3	–	2	–	–
	White ..... Male	9	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–
	Female	15	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	2	–	–
	All other ..... Male	18	15	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	16	14	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	107	–	–	–	–	–	1	1	7	4	4	4	9	9	19	14	10	10	8	5	2	–	–
	White ..... Male	30	–	–	–	–	–	–	–	1	–	1	1	4	2	4	2	3	6	4	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	1	1	–	–
	All other ..... Male	45	–	–	–	–	–	–	1	5	1	–	2	4	4	11	6	4	3	3	–	1	–	–
	Female	21	–	–	–	–	–	1	–	1	3	3	1	1	2	3	3	1	–	–	2	–	–	–
010–012	Tuberculosis of respiratory system	81	–	–	–	–	–	–	–	5	4	4	2	7	8	16	8	9	7	5	4	2	–	–
	White ..... Male	24	–	–	–	–	–	–	–	1	–	1	1	2	2	4	1	3	3	4	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	1	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	3	1	–	1	4	3	8	4	4	3	–	–	1	–	–
	Female	17	–	–	–	–	–	–	–	1	3	3	–	1	2	3	2	1	–	–	1	–	–	–
013–019	Tuberculosis, other forms	26	–	–	–	–	–	1	1	2	–	–	2	2	1	3	6	1	3	3	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	1	2	–	–	1	–	1	3	2	–	–	3	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	1	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	216	32	3	–	2	1	1	1	5	3	5	7	6	9	13	16	31	26	28	15	9	3	–
	White ..... Male	64	10	1	–	1	1	–	–	1	1	1	1	2	1	5	7	8	10	6	5	2	1	–
	Female	64	9	–	–	1	–	–	1	4	–	–	1	1	2	4	3	8	4	12	6	6	2	–
	All other ..... Male	33	7	1	–	–	–	–	–	–	2	–	3	2	3	–	4	3	3	4	1	–	–	–
	Female	55	6	1	–	–	–	1	–	–	–	4	2	1	3	4	2	12	9	6	3	1	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	121	11	–	2	2	4	6	6	7	4	8	6	8	7	9	11	13	5	3	6	2	1	–
	White ..... Male	31	2	–	2	1	2	2	1	2	–	2	1	–	1	3	5	5	1	1	–	–	–	–
	Female	38	4	–	–	–	1	1	2	–	1	2	2	2	3	3	2	4	3	1	4	2	1	–
	All other ..... Male	22	3	–	–	–	–	2	2	3	–	2	1	2	1	1	2	2	–	–	1	–	–	–
	Female	30	2	–	–	1	1	1	1	2	3	2	2	4	2	2	2	2	1	1	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,840	4	16	20	18	33	34	44	75	141	192	397	610	882	1,104	1,252	1,140	863	561	319	99	34	2
	White ..... Male	3,305	1	5	7	9	12	12	15	24	48	57	133	241	391	494	592	511	375	226	121	26	5	-
	Female	2,529	2	7	9	1	9	10	19	24	54	59	129	206	258	324	317	344	289	238	156	57	17	-
	All other ..... Male	1,128	1	1	3	5	4	4	3	16	15	34	68	90	133	177	201	166	111	56	24	7	7	2
	Female	878	-	3	1	3	8	8	7	11	24	42	67	73	100	109	142	119	88	41	18	9	5	-
140-149	Of buccal cavity and pharynx	179	-	-	-	-	-	-	1	-	2	4	11	17	27	28	35	24	16	6	3	5	-	-
	White ..... Male	90	-	-	-	-	-	-	1	-	1	1	4	8	16	14	25	9	6	3	1	1	-	-
	Female	47	-	-	-	-	-	-	-	-	-	1	-	3	4	7	6	11	7	2	2	4	-	-
	All other ..... Male	31	-	-	-	-	-	-	-	-	1	-	6	6	6	7	3	2	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	3	1	-	-	-	-
150-159	Of digestive organs and peritoneum	1,747	-	1	-	-	3	1	4	11	18	34	69	117	157	233	280	272	237	168	101	28	12	1
	White ..... Male	650	-	-	-	-	1	-	2	7	4	10	26	44	69	100	112	107	70	53	35	9	1	-
	Female	606	-	-	-	-	-	-	-	2	4	11	16	30	37	60	84	94	101	88	57	15	7	-
	All other ..... Male	269	-	-	-	-	-	-	1	2	6	6	19	30	31	40	48	38	29	15	2	-	1	1
	Female	222	-	1	-	-	2	1	1	-	4	7	8	13	20	33	36	33	37	12	7	4	3	-
160-163	Of respiratory system	2,188	-	-	-	1	2	1	3	8	26	58	125	221	321	376	402	300	184	116	37	4	2	1
	White ..... Male	1,407	-	-	-	1	1	1	-	2	14	22	63	125	200	248	285	214	130	78	21	2	-	-
	Female	364	-	-	-	-	-	-	1	3	8	11	25	56	55	60	50	33	26	21	11	2	2	-
	All other ..... Male	341	-	-	-	-	-	-	1	3	2	20	29	30	54	59	55	44	24	16	3	-	-	1
	Female	76	-	-	-	-	1	-	1	-	2	5	8	10	12	9	12	9	4	1	2	-	-	-
174	Of breast	606	-	-	-	-	-	1	4	10	24	24	54	65	95	86	65	84	37	26	20	10	1	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	Female	458	-	-	-	-	-	-	2	6	19	14	35	47	76	66	48	64	32	21	19	8	1	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-
	Female	140	-	-	-	-	-	1	2	4	5	10	19	17	19	19	15	17	5	5	-	2	-	-
180-187	Of genital organs	982	-	-	-	-	1	8	3	8	21	16	46	41	86	134	160	159	142	79	54	17	7	-
	White ..... Male	287	-	-	-	-	-	3	-	-	5	1	1	6	12	26	39	62	61	34	30	6	1	-
	Female	335	-	-	-	-	-	2	3	5	8	9	28	17	40	56	49	41	34	24	13	5	1	-
	All other ..... Male	193	-	-	-	-	1	-	-	-	-	-	-	2	13	29	41	37	35	16	10	4	5	-
	Female	167	-	-	-	-	-	3	-	3	8	6	17	16	21	23	31	19	12	5	1	2	-	-
188, 189	Of urinary organs	309	-	-	-	1	1	1	1	4	2	1	11	13	28	39	51	51	47	26	21	8	3	-
	White ..... Male	160	-	-	-	-	-	-	1	1	-	-	6	8	16	21	28	26	29	14	7	2	1	-
	Female	70	-	-	-	-	-	-	-	1	2	-	2	4	4	6	9	13	9	7	9	3	1	-
	All other ..... Male	48	-	-	-	1	-	1	-	2	-	-	1	-	7	9	8	8	6	2	1	2	-	-
	Female	31	-	-	-	-	1	-	-	-	-	1	2	1	1	3	6	4	3	3	4	1	1	-
170-173, 190-199	Of all other and unspecified sites	1,144	2	9	7	6	14	11	15	18	32	37	58	95	114	138	167	157	117	78	49	16	4	-
	White ..... Male	437	-	3	1	3	5	4	6	9	17	18	24	31	51	56	64	53	42	27	17	5	1	-
	Female	395	1	4	5	1	5	4	8	6	9	8	14	36	26	45	48	51	45	38	27	11	3	-
	All other ..... Male	157	1	1	1	1	-	1	-	2	2	5	11	18	17	23	29	26	13	3	3	-	-	-
	Female	155	-	1	-	1	4	2	1	1	4	6	9	10	20	14	26	27	17	10	2	-	-	-
204-207	Leukemia	303	1	6	11	8	10	8	4	10	6	7	8	14	19	24	37	36	41	25	21	5	2	-
	White ..... Male	115	1	2	4	4	4	3	1	3	2	3	4	4	9	7	12	15	21	7	8	-	1	-
	Female	112	-	3	4	-	3	2	1	1	2	1	4	6	5	11	13	13	16	14	9	4	-	-
	All other ..... Male	45	-	-	2	2	3	2	-	5	1	1	-	1	3	4	6	5	2	3	3	1	1	-
	Female	31	-	1	1	2	-	1	2	1	1	2	-	3	2	2	6	3	2	1	1	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	382	1	-	2	2	2	3	9	6	10	11	15	27	35	46	55	57	42	37	13	6	3	-
	White ..... Male	155	-	-	2	1	1	1	4	2	5	2	5	15	18	21	25	24	16	10	2	1	-	-
	Female	142	1	-	-	-	1	2	4	-	2	4	5	7	11	13	10	24	19	28	9	5	2	-
	All other ..... Male	40	-	-	-	1	-	-	1	2	3	2	2	2	2	6	11	4	2	1	1	-	-	-
	Female	45	-	-	-	-	-	-	-	2	-	3	3	3	4	6	9	5	5	3	1	-	1	-
210-239	Benign neoplasms and neoplasms of unspecified nature	98	-	-	-	-	2	2	2	3	1	4	4	8	9	14	11	14	16	2	5	1	-	-
	White ..... Male	39	-	-	-	-	-	-	-	1	1	3	-	4	5	5	6	6	5	1	1	1	-	-
	Female	37	-	-	-	-	1	2	-	1	-	-	2	3	2	6	1	5	9	1	4	-	-	-
	All other ..... Male	8	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	1	1	-	-	-	-	-
	Female	14	-	-	-	-	1	-	2	-	-	-	2	-	-	2	4	2	1	-	-	-	-	-
250	Diabetes mellitus	658	-	-	-	-	1	2	4	13	13	20	24	42	55	75	83	104	95	62	44	15	6	-
	White ..... Male	167	-	-	-	-	-	2	2	5	3	6	7	10	14	18	21	23	31	13	10	2	-	-
	Female	236	-	-	-	-	-	-	1	4	2	4	4	4	16	23	28	40	32	36	27	11	4	-
	All other ..... Male	77	-	-	-	-	1	-	-	2	3	4	1	12	8	9	12	11	8	5	-	-	1	-
	Female	178	-	-	-	-	-	-	1	2	5	6	12	16	17	25	22	30	24	8	7	2	1	-
260-269	Avitaminoses and other nutritional deficiencies	74	2	1	-	-	-	-	2	-	1	2	3	-	1	4	5	11	9	10	11	11	1	-
	White ..... Male	16	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	2	2	4	-	-	-
	Female	33	1	1	-	-	-	-	2	-	1	-	-	-	-	-	1	5	4	7	5	6	-	-
	All other ..... Male	10	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	1	1	2	1	-
	Female	15	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	3	-	1	3	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia—Con.																							
280–285	Anemias	82	1	2	2	1	1	–	4	4	2	3	1	2	5	3	10	8	10	10	9	1	3	–
	White ..... Male	14	–	1	–	–	–	–	1	2	–	–	–	1	2	–	2	2	2	1	–	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	2	5	4	7	1	3	–
	All other ..... Male	16	1	1	1	1	1	–	2	1	1	–	1	–	1	–	1	1	1	2	–	–	–	–
	Female	22	–	–	1	–	–	–	1	1	1	2	–	1	1	1	3	3	2	3	2	–	–	–
320	Meningitis	37	15	6	–	1	–	2	–	–	1	–	–	1	1	1	2	1	3	3	–	–	–	–
	White ..... Male	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other ..... Male	13	4	3	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	1	–	–	–	–
	Female	14	7	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–
390–448	Major cardiovascular diseases	21,408	32	4	13	4	21	37	51	86	175	307	568	1,036	1,525	2,040	2,718	3,084	3,197	2,800	2,222	1,060	419	9
	White ..... Male	8,195	13	2	3	1	8	10	15	22	80	123	256	529	746	958	1,189	1,304	1,106	890	650	223	65	2
	Female	7,326	5	1	2	–	6	10	11	15	32	48	90	149	252	385	620	920	1,224	1,397	1,251	670	238	–
	All other ..... Male	2,907	7	–	4	3	5	9	10	28	39	87	144	196	301	403	492	415	359	211	118	41	32	3
	Female	2,980	7	1	4	–	2	8	15	21	24	49	78	162	226	294	417	445	508	302	203	126	84	4
390–398, 402, 404, 410–429	Diseases of heart	15,320	27	3	5	4	14	19	31	57	124	234	453	845	1,238	1,618	2,071	2,247	2,193	1,851	1,377	643	259	7
	White ..... Male	6,433	13	1	2	1	3	7	11	13	63	107	224	464	656	839	991	1,000	792	631	434	136	43	2
	Female	4,876	4	1	2	–	4	4	5	12	17	29	66	115	189	292	455	666	821	907	743	401	143	–
	All other ..... Male	2,050	4	–	1	3	5	2	8	18	26	69	105	155	226	285	345	291	241	132	84	29	19	2
	Female	1,961	6	1	–	–	2	6	7	14	18	29	58	111	167	202	280	290	339	181	116	77	54	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	227	–	–	1	–	3	3	–	7	6	9	11	20	31	25	18	31	28	16	10	4	4	–
	White ..... Male	84	–	–	–	–	–	2	–	–	2	3	4	11	15	14	6	10	5	4	7	1	–	–
	Female	93	–	–	1	–	1	–	–	2	3	4	4	6	9	8	6	13	16	10	3	3	4	–
	All other ..... Male	27	–	–	–	–	2	1	–	5	–	2	1	1	5	1	2	5	–	2	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	1	–	2	2	2	2	4	3	7	–	–	–	–	–
402	Hypertensive heart disease	201	–	–	–	–	–	–	–	1	2	3	5	10	15	26	28	24	33	32	11	6	5	–
	White ..... Male	37	–	–	–	–	–	–	–	1	–	2	2	3	1	2	6	4	5	6	3	1	1	–
	Female	58	–	–	–	–	–	–	–	–	–	–	1	1	2	7	5	7	9	15	6	4	1	–
	All other ..... Male	45	–	–	–	–	–	–	–	–	–	–	1	4	8	9	9	3	7	3	1	–	–	–
	Female	61	–	–	–	–	–	–	–	–	2	1	1	2	4	8	8	10	12	8	1	1	3	–
404	Hypertensive heart and renal disease	67	–	–	–	–	–	–	–	–	–	1	2	3	3	3	7	14	7	12	7	4	4	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	5	4	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	4	5	6	2	3	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	–	–	–	1	–
	Female	18	–	–	–	–	–	–	–	–	–	1	1	1	2	1	4	4	–	1	1	–	2	–
410–413	Ischemic heart disease	12,657	–	–	–	1	–	2	13	28	78	171	350	685	988	1,343	1,747	1,861	1,865	1,599	1,177	538	206	5
	White ..... Male	5,576	–	–	–	–	–	–	4	10	48	91	191	403	566	736	874	866	705	562	371	110	37	2
	Female	4,072	–	–	–	–	–	–	3	2	4	16	44	85	145	227	398	558	700	782	656	340	112	–
	All other ..... Male	1,547	–	–	–	1	–	1	4	9	17	48	75	115	158	229	263	218	193	108	65	26	15	2
	Female	1,462	–	–	–	–	–	1	2	7	9	16	40	82	119	151	212	219	267	147	85	62	42	1
410	Acute myocardial infarction	7,330	–	–	–	1	–	2	7	18	53	126	251	479	677	902	1,116	1,137	1,013	774	510	215	65	4
	White ..... Male	3,682	–	–	–	–	–	–	2	7	36	73	151	297	414	534	617	568	423	322	179	44	13	2
	Female	2,142	–	–	–	–	–	–	2	2	3	13	33	55	104	151	256	344	392	353	272	128	34	–
	All other ..... Male	814	–	–	–	1	–	1	3	5	10	31	43	72	93	138	136	102	89	42	26	13	8	1
	Female	692	–	–	–	–	–	1	–	4	4	9	24	55	66	79	107	103	109	57	33	30	10	1
411	Other acute and subacute forms of ischemic heart disease	105	–	–	–	–	–	–	–	–	1	3	9	9	13	14	21	11	11	5	7	–	1	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	2	5	4	8	5	5	4	2	–	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	3	–	3	2	2	3	3	5	–	1	–
	All other ..... Male	29	–	–	–	–	–	–	–	–	1	1	4	2	4	3	8	3	2	–	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	2	4	2	–	–	–	–
412	Chronic ischemic heart disease	5,204	–	–	–	–	–	–	6	10	24	42	90	197	296	424	605	732	838	819	657	323	140	1
	White ..... Male	1,850	–	–	–	–	–	–	2	3	12	16	35	102	142	195	251	293	279	240	190	66	24	–
	Female	1,905	–	–	–	–	–	–	1	–	1	3	11	27	41	72	140	212	305	425	378	212	77	–
	All other ..... Male	698	–	–	–	–	–	–	1	4	6	16	28	41	61	88	115	113	100	66	38	13	7	1
	Female	751	–	–	–	–	–	–	2	3	5	7	16	27	52	69	99	114	154	88	51	32	32	–
413	Angina pectoris	18	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	1	3	1	3	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	94	1	–	–	1	–	1	3	2	3	2	4	2	4	10	7	13	13	7	9	8	3	1
	White ..... Male	27	1	–	–	–	–	–	2	–	–	–	1	–	–	4	2	4	5	2	6	–	–	–
	Female	33	–	–	–	–	–	–	1	1	2	–	1	1	–	1	3	5	4	3	1	8	2	–
	All other ..... Male	16	–	–	–	1	–	–	–	–	1	1	1	–	3	2	1	3	1	1	1	–	–	–
	Female	18	–	–	–	–	–	1	–	1	–	1	1	1	1	3	1	1	3	1	1	–	1	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,074	26	3	4	2	11	13	15	19	35	48	81	125	197	211	264	304	247	185	163	83	37	1
	White ..... Male	692	12	1	2	1	3	5	5	2	13	11	26	47	73	82	101	114	71	52	43	23	5	–
	Female	596	4	1	1	–	3	4	1	7	8	9	15	21	33	48	43	79	87	91	75	43	23	–
	All other ..... Male	407	4	–	1	1	3	–	4	4	8	18	27	34	52	44	69	58	39	18	17	3	3	–
	Female	379	6	1	–	–	2	4	5	6	6	10	13	23	39	37	51	53	50	24	28	14	6	1
400, 401, 403	Hypertension	135	–	–	–	–	–	2	–	–	3	3	4	6	14	14	20	14	20	17	6	11	1	–
	White ..... Male	35	–	–	–	–	–	–	–	–	1	–	1	2	3	4	3	6	5	5	1	4	–	–
	Female	29	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	4	7	5	3	3	–	–
	All other ..... Male	29	–	–	–	–	–	2	–	–	1	1	1	1	5	5	6	1	1	4	1	–	–	–
	Female	42	–	–	–	–	–	–	–	–	–	2	2	3	4	4	8	3	7	3	1	4	1	–
430–438	Cerebrovascular diseases	4,909	4	1	6	–	7	14	14	24	42	62	97	153	229	330	527	660	832	780	691	316	118	2
	White ..... Male	1,337	–	1	1	–	5	3	2	6	13	13	25	43	72	73	145	229	255	199	172	62	18	–
	Female	2,025	1	–	–	–	2	4	6	3	13	17	22	29	51	77	140	203	343	418	421	209	66	–
	All other ..... Male	695	2	–	1	–	–	5	–	9	10	15	34	36	58	100	125	106	92	57	25	10	9	1
	Female	852	1	–	4	–	–	2	6	6	6	17	16	45	48	80	117	122	142	106	73	35	25	1
431	Cerebral hemorrhage	802	3	1	2	–	2	5	5	11	15	29	31	55	63	84	105	117	93	91	60	20	8	2
	White ..... Male	193	–	1	–	–	2	–	–	2	3	6	5	18	18	19	22	39	24	18	11	4	1	–
	Female	273	1	–	–	–	–	2	4	–	4	10	5	10	13	22	26	35	40	48	35	13	5	–
	All other ..... Male	162	1	–	–	–	–	2	–	5	6	5	16	11	19	21	29	18	13	9	6	–	–	1
	Female	174	1	–	2	–	–	1	1	4	2	8	5	16	13	22	28	25	16	16	8	3	2	1
433	Cerebral thrombosis	1,068	–	–	–	–	1	–	–	–	–	5	7	21	28	56	94	137	188	208	187	96	40	–
	White ..... Male	313	–	–	–	–	1	–	–	–	–	–	1	9	10	13	32	53	71	55	44	17	7	–
	Female	484	–	–	–	–	–	–	–	–	–	–	1	1	6	12	27	30	79	117	125	65	21	–
	All other ..... Male	123	–	–	–	–	–	–	–	–	–	3	5	4	6	20	18	27	14	14	2	4	6	–
	Female	148	–	–	–	–	–	–	–	–	–	2	–	7	6	11	17	27	24	22	16	10	6	–
434	Cerebral embolism	18	–	–	–	–	–	–	–	–	1	–	1	–	1	4	1	2	4	–	2	2	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,021	1	–	4	–	4	9	9	13	26	28	58	77	137	186	327	404	547	481	442	198	70	–
	White ..... Male	824	–	–	1	–	2	3	2	4	10	7	18	16	44	40	91	135	159	126	115	41	10	–
	Female	1,261	–	–	–	–	2	2	2	3	9	7	16	18	32	41	87	138	221	253	261	129	40	–
	All other ..... Male	409	1	–	1	–	–	3	–	4	4	7	13	21	33	58	78	61	65	34	17	6	3	–
	Female	527	–	–	2	–	–	1	5	2	3	7	11	22	28	47	71	70	102	68	49	22	17	–
440	Arteriosclerosis	485	–	–	–	–	–	–	–	1	1	1	3	2	8	19	27	53	89	83	102	63	33	–
	White ..... Male	136	–	–	–	–	–	–	–	1	–	–	1	2	3	9	11	18	25	24	25	13	4	–
	Female	237	–	–	–	–	–	–	–	–	–	1	1	–	1	2	9	16	35	44	62	42	24	–
	All other ..... Male	53	–	–	–	–	–	–	–	–	1	–	–	–	2	4	4	4	18	9	6	2	3	–
	Female	59	–	–	–	–	–	–	–	–	–	–	1	–	2	4	3	15	11	6	9	6	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	559	1	–	2	–	–	2	6	4	5	7	11	30	36	59	73	110	63	69	46	27	8	–
	White ..... Male	254	–	–	–	–	–	–	2	2	3	3	5	18	12	33	39	51	29	31	18	8	–	–
	Female	159	–	–	–	–	–	2	–	–	1	1	1	5	9	13	13	31	18	23	22	15	5	–
	All other ..... Male	80	1	–	2	–	–	–	2	1	1	2	4	4	10	9	12	13	7	9	2	–	1	–
	Female	66	–	–	–	–	–	–	2	1	–	1	1	3	5	4	9	15	9	6	4	4	2	–
466	Acute bronchitis and bronchiolitis	14	2	–	–	–	–	–	1	–	–	1	–	–	1	1	2	2	1	2	1	–	–	–
	White ..... Male	9	2	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,434	73	10	7	11	8	12	12	18	15	32	33	48	82	88	129	145	178	204	186	92	50	1
	White ..... Male	522	18	1	1	4	3	4	–	2	5	12	16	24	30	38	48	64	67	92	47	33	13	–
	Female	509	9	2	3	5	3	3	3	5	3	4	6	5	17	12	30	44	67	88	117	54	28	1
	All other ..... Male	231	29	2	2	–	–	2	5	7	4	9	4	12	24	22	41	22	23	10	8	3	2	–
	Female	172	17	5	1	2	2	3	4	4	3	7	7	7	11	16	10	15	21	14	14	2	7	–
470–474	Influenza	95	4	–	1	1	1	2	–	–	1	–	2	2	3	7	4	13	11	13	21	5	4	–
	White ..... Male	24	–	–	–	–	–	1	–	–	–	–	–	1	1	4	–	7	3	4	2	–	1	–
	Female	50	1	–	–	1	1	–	–	–	1	–	1	1	1	–	1	3	6	8	18	5	2	–
	All other ..... Male	10	3	–	1	–	–	1	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	1	1	–	1	–
480–486	Pneumonia	1,339	69	10	6	10	7	10	12	18	14	32	31	46	79	81	125	132	167	191	165	87	46	1
	White ..... Male	498	18	1	1	4	3	3	–	2	5	12	16	23	29	34	48	57	64	88	45	33	12	–
	Female	459	8	2	3	4	2	3	3	5	2	4	5	4	16	12	29	41	61	80	99	49	26	1
	All other ..... Male	221	26	2	1	–	–	1	5	7	4	9	3	12	24	22	39	21	22	10	8	3	2	–
	Female	161	17	5	1	2	2	3	4	4	3	7	7	7	10	13	9	13	20	13	13	2	6	–
490–493	Bronchitis, emphysema, and asthma	480	3	1	–	2	3	–	–	1	4	7	14	18	50	64	98	74	71	36	26	6	2	–
	White ..... Male	304	2	–	–	–	1	–	–	–	1	2	7	9	33	39	66	57	43	26	13	5	–	–
	Female	114	–	1	–	–	1	–	–	–	–	4	4	6	10	17	19	8	22	9	10	1	2	–
	All other ..... Male	45	–	–	–	1	–	–	–	–	2	–	1	3	4	6	12	9	5	1	1	–	–	–
	Female	17	1	–	–	1	1	–	–	1	1	1	2	–	3	2	1	–	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia—Con.																							
490, 491	Chronic and unqualified bronchitis	134	2	1	–	–	1	–	–	–	1	2	5	4	14	13	28	19	19	13	8	2	2	–
	White ..... Male	84	1	–	–	–	1	–	–	–	–	1	1	2	9	8	20	14	13	9	4	1	–	–
	Female	39	–	1	–	–	–	–	–	–	–	1	3	2	2	4	7	3	6	4	3	1	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
492	Emphysema	305	–	–	–	–	–	–	–	–	2	2	7	12	30	47	61	54	47	22	17	4	–	–
	White ..... Male	216	–	–	–	–	–	–	–	–	1	1	6	7	24	31	43	43	30	17	9	4	–	–
	Female	57	–	–	–	–	–	–	–	–	–	1	1	2	4	11	10	4	14	4	6	–	–	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	1	–	–	3	1	5	8	7	3	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
493	Asthma	41	1	–	–	2	2	–	–	1	1	3	2	2	6	4	9	1	5	1	1	–	–	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	Female	18	–	–	–	–	1	–	–	–	–	2	–	2	4	2	2	1	2	1	1	–	–	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	1	–	–	–	1	–	3	–	2	–	–	–	–	–
	Female	11	–	–	–	1	1	–	–	1	–	1	2	–	1	2	1	–	1	–	–	–	–	–
531–533	Peptic ulcer	119	2	–	–	1	–	1	2	–	1	7	2	8	14	12	11	15	15	10	13	5	–	–
	White ..... Male	57	1	–	–	–	–	1	1	–	–	3	1	5	6	8	10	6	7	3	3	2	–	–
	Female	46	–	–	–	1	–	–	–	–	–	3	1	–	2	4	–	8	7	7	10	3	–	–
	All other ..... Male	12	–	–	–	–	–	–	1	–	1	1	–	3	3	–	1	1	1	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	15	–	–	1	1	–	1	1	1	–	1	3	1	2	–	1	–	1	1	–	–	–	–
	White ..... Male	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	147	17	1	–	–	–	–	1	1	2	–	2	5	10	9	9	22	22	20	16	8	2	–
	White ..... Male	32	7	–	–	–	–	–	–	–	–	–	–	2	2	1	3	3	4	5	4	1	–	–
	Female	64	2	–	–	–	–	–	1	–	2	–	–	2	1	3	4	11	14	9	8	5	2	–
	All other ..... Male	26	5	1	–	–	–	–	–	1	–	–	–	–	3	3	2	4	2	2	2	1	–	–
	Female	25	3	–	–	–	–	–	–	–	–	–	2	1	4	2	–	4	2	4	2	1	–	–
571	Cirrhosis of liver	581	1	1	–	–	1	3	8	27	41	54	80	86	71	81	63	28	22	11	3	–	–	–
	White ..... Male	275	–	1	–	–	–	2	3	7	18	21	33	51	33	40	39	10	9	6	2	–	–	–
	Female	154	1	–	–	–	1	–	2	3	9	10	22	22	22	19	14	12	12	4	1	–	–	–
	All other ..... Male	77	–	–	–	–	–	1	1	7	7	14	14	7	7	10	5	3	–	1	–	–	–	–
	Female	75	–	–	–	–	–	–	2	10	7	9	11	6	9	12	5	3	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	87	–	–	–	–	–	–	–	1	1	2	2	3	2	8	14	16	12	8	14	4	–	–
	White ..... Male	30	–	–	–	–	–	–	–	–	1	1	1	1	1	3	7	4	5	2	4	–	–	–
	Female	39	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	5	6	6	9	4	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	5	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	1	–	1	–	–	–
580–584	Nephritis and nephrosis	236	–	–	–	1	–	1	3	2	4	7	10	12	26	27	28	28	33	28	20	3	3	–
	White ..... Male	60	–	–	–	–	–	1	–	1	2	1	1	5	4	4	7	5	11	11	6	–	1	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	3	8	7	3	6	9	6	10	1	–	–
	All other ..... Male	55	–	–	–	1	–	–	–	1	1	3	7	–	4	8	9	9	4	6	–	1	1	–
	Female	68	–	–	–	–	–	–	3	–	1	3	2	4	10	8	9	8	9	5	4	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	44	–	–	–	–	–	–	–	–	1	–	–	1	4	6	8	6	6	5	5	1	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	4	2	2	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	2	–	1	1	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–	1	2	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	192	–	–	–	1	–	1	3	2	3	7	10	11	22	21	20	22	27	23	15	2	2	–
	White ..... Male	47	–	–	–	–	–	1	–	1	1	1	1	5	4	4	5	4	7	9	4	–	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	2	7	5	–	4	7	6	9	–	–	–
	All other ..... Male	47	–	–	–	1	–	–	–	1	1	3	7	–	3	7	7	7	4	4	–	1	1	–
	Female	58	–	–	–	–	–	–	3	–	1	3	2	4	8	5	8	7	9	4	2	1	1	–
590	Infections of kidney	85	–	–	–	–	–	–	–	1	2	–	2	4	1	5	20	10	9	14	13	4	–	–
	White ..... Male	22	–	–	–	–	–	–	–	–	1	–	–	2	–	–	4	–	4	6	4	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	2	4	7	2	–	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	–	2	–	1	2	7	4	1	3	–	–	–	–
	Female	19	–	–	–	–	–	–	–	1	1	–	–	2	–	1	5	3	2	1	2	1	–	–
600	Hyperplasia of prostate	28	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	11	6	3	–	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	8	5	2	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	1	2	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965].

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Georgia—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	1	2	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	288	182	27	10	8	5	10	7	2	4	4	1	4	7	8	2	1	2	2	–	1	–	1
	White ..... Male	102	63	5	6	3	3	3	3	–	3	2	–	1	1	4	2	1	–	1	–	1	–	–
	Female	75	47	10	–	2	–	2	3	–	–	1	1	1	2	4	–	–	1	1	–	–	–	–
	All other ..... Male	64	39	5	3	3	–	5	1	1	1	1	–	2	3	–	–	–	–	–	–	–	–	–
	Female	47	33	7	1	–	2	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	602	600	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	156	155	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	133	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	128	127	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	334	334	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	268	266	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	61	60	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	67	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	595	163	11	–	–	2	9	9	7	7	17	14	16	27	33	45	62	42	56	39	21	13	2
	White ..... Male	166	38	2	–	–	1	2	2	1	2	4	3	4	7	18	16	20	14	18	9	3	2	–
	Female	134	19	1	–	–	–	3	1	–	1	1	1	1	6	2	8	18	11	22	18	14	7	–
	All other ..... Male	152	55	2	–	–	1	1	4	5	3	6	7	8	10	5	8	14	9	6	4	1	2	1
	Female	143	51	6	–	–	–	3	2	1	1	6	3	3	4	8	13	10	8	10	8	3	2	1
Residual	All other diseases	3,423	53	26	15	13	44	52	54	66	87	106	160	216	272	327	423	476	379	291	216	97	49	1
	White ..... Male	1,392	19	8	4	5	17	19	16	10	28	32	45	90	123	141	214	231	146	125	88	23	7	1
	Female	991	11	6	3	2	7	6	8	8	13	24	36	54	63	82	97	124	148	115	98	59	27	–
	All other ..... Male	566	16	5	5	4	9	15	15	23	29	30	38	45	54	59	62	61	41	31	13	5	6	–
	Female	474	7	7	3	2	11	12	15	25	17	20	41	27	32	45	50	60	44	20	17	10	9	–
E800-E949	Accidents	2,975	54	112	80	106	338	371	253	186	177	172	145	152	148	135	128	103	106	91	70	35	13	–
	White ..... Male	1,514	17	38	31	49	220	233	163	105	87	77	76	66	91	65	47	42	34	32	29	9	3	–
	Female	630	11	25	22	26	65	60	27	31	29	32	36	29	16	25	36	20	38	40	31	21	10	–
	All other ..... Male	609	13	27	17	22	44	69	51	41	48	47	27	48	27	31	30	25	24	12	4	2	–	–
	Female	222	13	22	10	9	9	9	12	9	13	16	6	9	14	14	15	16	10	7	6	3	–	–
E810-E823	Motor vehicle accidents	1,533	7	48	49	54	250	266	174	110	93	88	66	65	75	62	48	21	29	16	9	2	1	–
	White ..... Male	870	–	15	22	26	166	165	119	63	45	48	38	28	45	33	17	12	11	9	6	2	–	–
	Female	327	3	13	13	20	59	52	17	20	22	19	17	12	12	13	14	4	9	5	2	–	1	–
	All other ..... Male	256	3	10	6	4	21	41	30	22	22	14	9	22	10	11	15	5	8	2	1	–	–	–
	Female	80	1	10	8	4	4	8	8	5	4	7	2	3	8	5	2	–	1	–	–	–	–	–
E800-E807, E825-E949	All other accidents	1,442	47	64	31	52	88	105	79	76	84	84	79	87	73	73	80	82	77	75	61	33	12	–
	White ..... Male	644	17	23	9	23	54	68	44	42	42	29	38	38	46	32	30	30	23	23	23	7	3	–
	Female	303	8	12	9	6	6	8	10	11	7	13	19	17	4	12	22	16	29	35	29	21	9	–
	All other ..... Male	353	10	17	11	18	23	28	21	19	26	33	18	26	17	20	15	20	16	10	3	2	–	–
	Female	142	12	12	2	5	5	1	4	4	9	9	4	6	6	9	13	16	9	7	6	3	–	–
E950-E959	Suicide	688	...	...	–	5	34	80	86	62	56	54	54	48	73	42	39	23	16	12	3	1	–	–
	White ..... Male	454	...	...	–	2	25	56	54	34	37	35	31	27	46	33	27	18	14	12	2	1	–	–
	Female	155	...	...	–	2	7	10	13	17	15	15	17	16	22	8	7	4	1	–	1	–	–	–
	All other ..... Male	62	...	...	–	–	2	11	16	8	3	3	6	3	4	1	4	1	–	–	–	–	–	–
	Female	17	...	...	–	1	–	3	3	3	1	1	–	2	1	–	1	–	1	–	–	–	–	–
E960-E978	Homicide	754	7	5	4	6	38	95	126	97	82	76	58	49	36	28	16	12	10	4	2	1	–	2
	White ..... Male	224	2	–	–	2	12	25	27	24	15	36	22	15	14	10	6	4	3	3	2	1	–	1
	Female	71	1	2	1	1	5	9	12	7	5	5	6	3	6	3	1	1	3	–	–	–	–	–
	All other ..... Male	360	1	2	–	–	14	52	69	52	49	29	26	27	12	11	6	5	3	1	–	–	–	1
	Female	99	3	1	3	3	7	9	18	14	13	6	4	4	4	4	3	2	1	–	–	–	–	–
E980-E999	Other external causes	18	1	2	–	3	–	3	–	–	1	–	1	1	3	2	–	–	–	–	–	–	–	1
	White ..... Male	9	–	2	–	2	–	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	1
	All other ..... Male	3	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii																							
	All causes	4,563	186	28	17	15	68	107	94	80	76	102	131	250	326	430	478	507	527	490	362	196	89	4
	White ..... Male	813	29	5	–	1	15	36	32	32	21	25	20	49	65	98	102	87	76	53	40	19	6	2
	Female	632	16	5	3	1	2	11	14	11	8	13	17	35	40	60	49	78	79	75	62	38	15	–
	All other ..... Male	1,937	82	11	7	9	41	49	39	30	34	45	59	100	139	187	230	215	227	178	139	81	33	2
	Female	1,181	59	7	7	4	10	11	9	7	13	19	35	66	82	85	97	127	145	184	121	58	35	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	Tuberculosis, all forms	9	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	1	–	3	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
010-012	Tuberculosis of respiratory system	6	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	2	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
013-019	Tuberculosis, other forms	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	25	6	–	–	–	–	–	1	–	–	1	–	–	1	1	3	2	3	2	4	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other ..... Male	10	3	–	–	–	–	–	1	–	–	–	–	–	–	–	3	1	–	–	1	1	–	–
	Female	7	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–
040-043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090-097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Remainder of 000-136	Other infective and parasitic diseases	17	4	1	–	–	–	–	–	–	1	–	1	2	1	2	1	1	–	2	1	–	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	1	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	1	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,026	1	3	4	2	3	2	10	4	20	31	37	96	112	149	132	134	131	89	49	16	1	–
	White Male	175	–	–	–	1	–	–	3	1	1	4	4	11	18	33	33	23	22	15	2	3	1	–
	White Female	146	–	–	1	–	–	–	1	1	4	4	6	13	22	23	11	20	20	16	3	1	–	–
	All other Male	419	–	3	2	1	3	2	4	1	8	12	13	37	41	60	62	54	57	30	21	8	–	–
	All other Female	286	1	–	1	–	–	–	2	1	7	11	14	35	31	33	26	37	32	28	23	4	–	–
140–149	Of buccal cavity and pharynx	28	–	–	–	–	–	–	–	–	–	–	2	3	3	4	5	6	4	1	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	2	2	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	362	–	–	–	–	–	1	1	1	4	8	13	28	35	51	48	55	55	34	21	7	–	–
	White Male	49	–	–	–	–	–	–	–	1	–	1	4	1	6	8	12	9	3	1	1	2	–	–
	White Female	41	–	–	–	–	–	–	–	–	–	1	2	1	4	3	3	7	11	9	–	–	–	–
	All other Male	176	–	–	–	–	–	1	1	–	4	4	5	16	17	28	24	25	28	13	7	3	–	–
	All other Female	96	–	–	–	–	–	–	–	–	–	2	2	10	8	12	9	14	13	11	13	2	–	–
160–163	Of respiratory system	242	–	–	–	–	–	–	–	–	4	10	8	26	35	42	37	31	23	16	8	2	–	–
	White Male	49	–	–	–	–	–	–	–	–	–	2	–	3	10	11	8	6	7	2	–	–	–	–
	White Female	27	–	–	–	–	–	–	–	–	–	1	2	4	4	7	3	4	–	1	1	–	–	–
	All other Male	124	–	–	–	–	–	–	–	–	4	5	4	13	16	18	22	17	11	7	5	2	–	–
	All other Female	42	–	–	–	–	–	–	–	–	–	2	2	6	5	6	4	4	5	6	2	–	–	–
174	Of breast	81	–	–	–	–	–	–	–	1	5	5	6	13	15	8	8	10	3	4	3	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	28	–	–	–	–	–	–	–	–	2	1	–	2	7	5	3	3	1	3	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	52	–	–	–	–	–	–	–	1	3	4	6	11	8	3	4	7	2	1	2	–	–	–
180–187	Of genital organs	95	–	–	–	–	–	–	3	1	–	3	2	2	12	12	11	15	16	10	6	1	1	–
	White Male	19	–	–	–	–	–	–	1	–	–	–	–	–	–	2	4	3	3	4	1	–	1	–
	White Female	15	–	–	–	–	–	–	–	1	–	–	–	–	3	3	1	4	2	1	–	–	–	–
	All other Male	27	–	–	–	–	–	–	1	–	–	–	–	–	2	1	4	2	9	3	4	1	–	–
	All other Female	34	–	–	–	–	–	–	1	–	–	3	2	2	7	6	2	6	2	2	1	–	–	–
188, 189	Of urinary organs	39	–	–	–	–	–	–	–	–	–	–	1	4	–	4	5	2	11	8	3	1	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	1	2	3	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	3	4	1	–	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	1	2	1	–	–
170–173, 190–199	Of all other and unspecified sites	103	–	1	1	1	3	–	2	–	4	4	3	12	7	14	10	7	10	13	7	4	–	–
	White Male	22	–	–	–	–	–	–	–	–	1	1	–	4	2	3	2	1	3	5	–	–	–	–
	White Female	17	–	–	1	–	–	–	1	–	2	1	–	3	1	3	–	1	1	1	1	1	–	–
	All other Male	37	–	1	–	1	3	–	–	–	–	2	2	2	2	4	5	4	3	2	4	2	–	–
	All other Female	27	–	–	–	–	–	–	1	–	1	–	1	3	2	4	3	1	3	5	2	1	–	–
204–207	Leukemia	37	1	2	3	1	–	1	1	–	2	1	2	4	2	6	3	4	4	–	–	–	–	–
	White Male	6	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–
	All other Male	16	–	2	2	–	–	1	–	–	–	1	–	2	–	4	2	2	–	–	–	–	–	–
	All other Female	10	1	–	1	–	–	–	–	–	2	–	1	2	1	–	–	1	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	39	–	–	–	–	–	–	3	1	1	–	–	4	3	8	5	4	5	3	1	1	–	–
	White Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	4	2	–	1	–	–	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	2	1	–	–	–	–
	All other Male	14	–	–	–	–	–	–	2	1	–	–	–	2	2	2	1	2	1	1	–	–	–	–
	All other Female	9	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	1	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	14	–	–	–	–	–	–	–	1	–	2	–	1	–	1	1	3	1	3	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
	All other Female	6	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	2	–	–	–	–
250	Diabetes mellitus	115	–	–	–	–	–	–	1	1	1	1	–	3	7	17	13	21	19	19	9	3	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	2	2	1	–	–	–
	White Female	16	–	–	–	–	–	–	1	1	–	–	–	1	1	3	2	3	2	1	1	–	–	–
	All other Male	42	–	–	–	–	–	–	–	–	–	–	–	1	4	9	7	6	6	5	2	2	–	–
	All other Female	46	–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	12	9	11	5	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	3	2	–	2	–
	White Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii—Con.																							
280–285	Anemias	9	1	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
320	Meningitis	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,959	5	3	1	6	1	5	5	9	17	25	56	85	142	179	215	252	276	279	208	127	63	–
	White ..... Male	305	–	–	–	–	–	–	3	3	4	8	5	22	29	39	46	45	39	30	20	10	2	–
	Female	281	–	1	1	–	–	2	–	1	1	1	4	9	8	24	25	35	40	46	43	29	11	–
	All other ..... Male	845	2	–	–	4	1	1	2	4	9	15	30	39	67	81	100	113	118	104	80	50	25	–
	Female	528	3	2	–	2	–	2	–	1	3	1	17	15	38	35	44	59	79	99	65	38	25	–
390–398, 402, 404, 410–429	Diseases of heart	1,413	5	2	1	2	1	2	1	6	14	18	43	72	112	141	158	170	201	191	134	96	43	–
	White ..... Male	229	–	–	–	–	–	–	–	2	4	6	5	21	24	33	33	30	29	18	14	8	2	–
	Female	199	–	1	1	–	–	1	–	–	1	1	3	6	6	19	19	23	34	34	25	20	5	–
	All other ..... Male	621	2	–	–	2	1	1	1	3	8	10	26	33	53	64	77	77	79	72	53	42	17	–
	Female	364	3	1	–	–	–	–	–	1	1	1	9	12	29	25	29	40	59	67	42	26	19	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	32	–	–	–	1	–	–	–	1	–	–	–	3	2	5	4	5	7	4	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–	–	–
	All other ..... Male	9	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	2	3	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	–	2	3	–	–	–	–
402	Hypertensive heart disease	21	–	–	–	–	–	–	–	–	1	–	–	1	2	4	3	3	1	3	1	1	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	1	–	–
404	Hypertensive heart and renal disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,234	–	–	–	–	–	1	1	5	12	17	35	61	97	123	141	154	174	172	121	84	36	–
	White ..... Male	196	–	–	–	–	–	–	–	2	3	6	5	17	20	29	28	25	26	15	12	7	1	–
	Female	168	–	–	–	–	–	1	–	–	1	1	2	4	4	15	14	21	29	31	24	17	4	–
	All other ..... Male	558	–	–	–	–	–	–	1	3	7	10	22	30	49	59	74	73	68	65	45	38	14	–
	Female	312	–	–	–	–	–	–	–	–	1	–	6	10	24	20	25	35	51	61	40	22	17	–
410	Acute myocardial infarction	509	–	–	–	–	–	1	–	1	6	8	15	28	44	54	79	72	80	59	31	25	6	–
	White ..... Male	87	–	–	–	–	–	–	–	–	1	2	2	7	7	12	21	11	17	3	3	1	–	–
	Female	60	–	–	–	–	–	1	–	–	1	–	1	–	2	4	7	14	8	9	7	6	–	–
	All other ..... Male	231	–	–	–	–	–	–	–	1	3	6	8	16	25	28	37	31	34	21	9	10	2	–
	Female	131	–	–	–	–	–	–	–	–	1	–	4	5	10	10	14	16	21	26	12	8	4	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
412	Chronic ischemic heart disease	721	–	–	–	–	–	–	–	4	6	9	20	33	52	69	62	82	94	112	89	59	30	–
	White ..... Male	109	–	–	–	–	–	–	–	2	2	4	3	10	13	17	7	14	9	12	9	6	1	–
	Female	108	–	–	–	–	–	–	–	–	–	1	1	4	2	11	7	7	21	22	17	11	4	–
	All other ..... Male	325	–	–	–	–	–	–	–	2	4	4	14	14	23	31	37	42	34	44	36	28	12	–
	Female	179	–	–	–	–	–	–	–	–	–	–	2	5	14	10	11	19	30	34	27	14	13	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	9	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	1	2	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii—Con.																							
420-423, 425-427, 429	All other forms of heart disease	115	5	1	1	1	1	1	-	-	1	1	7	7	11	9	9	8	16	11	12	9	4	-
	White ..... Male	21	-	-	-	-	-	-	-	-	-	-	-	4	3	3	2	3	1	3	2	-	-	-
	Female	19	-	-	1	-	-	-	-	-	-	-	1	1	2	1	3	-	4	1	1	3	1	-
	All other ..... Male	46	2	-	-	1	1	1	-	-	1	-	3	2	3	3	2	2	5	6	7	4	3	-
	Female	29	3	1	-	-	-	-	-	-	-	1	3	-	3	2	2	3	6	1	2	2	-	-
400, 401, 403	Hypertension	8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	3	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
430-438	Cerebrovascular diseases	445	-	-	-	4	-	3	2	3	3	6	12	8	26	29	44	71	64	72	61	25	12	-
	White ..... Male	52	-	-	-	-	-	-	1	1	-	1	-	1	3	4	6	13	9	8	3	2	-	-
	Female	71	-	-	-	-	-	1	-	1	-	-	1	2	2	5	6	10	5	12	15	7	4	-
	All other ..... Male	180	-	-	-	2	-	-	1	1	1	5	3	2	12	11	20	30	33	26	22	6	5	-
	Female	142	-	-	-	2	-	2	-	-	2	-	8	3	9	9	12	18	17	26	21	10	3	-
431	Cerebral hemorrhage	97	-	-	-	2	-	2	1	1	1	2	4	3	8	13	14	13	15	11	6	1	-	-
	White ..... Male	9	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	2	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	-	-
	All other ..... Male	48	-	-	-	2	-	-	1	-	1	2	2	1	3	6	8	6	9	5	2	-	-	-
	Female	33	-	-	-	-	-	2	-	-	-	-	2	2	3	3	4	6	4	4	3	-	-	-
433	Cerebral thrombosis	89	-	-	-	-	-	-	-	-	-	-	1	-	2	4	8	12	14	21	13	9	5	-
	White ..... Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	1	1	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	2	2	1	-
	All other ..... Male	37	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	8	6	6	3	3	-
	Female	25	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	8	4	3	1	-
434	Cerebral embolism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	258	-	-	-	2	-	1	1	2	2	4	7	5	16	12	21	46	35	40	42	15	7	-
	White ..... Male	32	-	-	-	-	-	-	1	-	-	1	-	1	1	-	4	10	6	5	2	1	-	-
	Female	48	-	-	-	-	-	1	-	1	-	-	1	2	1	3	4	7	3	6	12	4	3	-
	All other ..... Male	94	-	-	-	-	-	-	-	1	-	3	1	1	8	4	7	19	16	15	14	3	2	-
	Female	84	-	-	-	2	-	-	-	-	2	-	5	1	6	5	6	10	10	14	14	7	2	-
440	Arteriosclerosis	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	6	5	3	8	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-
	All other ..... Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	2	1	3	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	3	-
441-448	Other diseases of arteries, arterioles, and capillaries	61	-	1	-	-	-	-	2	-	-	1	-	3	4	7	11	7	7	10	5	3	-	-
	White ..... Male	18	-	-	-	-	-	-	2	-	-	1	-	-	2	2	6	2	-	2	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-
	All other ..... Male	28	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	4	5	4	3	1	-	-
	Female	11	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	-	1	-	-
466	Acute bronchitis and bronchiolitis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	132	6	-	1	1	1	1	-	2	1	1	-	4	4	8	11	9	17	23	22	13	6	1
	White ..... Male	20	-	-	-	-	1	1	-	1	1	1	-	-	1	3	2	2	1	1	4	-	-	1
	Female	16	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	2	2	3	1	-	-
	All other ..... Male	62	4	-	-	-	-	-	-	-	-	-	-	3	2	4	7	4	10	12	8	6	2	-
	Female	34	1	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	4	8	7	6	4	-
470-474	Influenza	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
480-486	Pneumonia	129	6	-	1	1	1	1	-	2	1	1	-	4	4	8	11	9	17	22	21	13	5	1
	White ..... Male	20	-	-	-	-	1	1	-	1	1	1	-	-	1	3	2	2	1	1	4	-	-	1
	Female	16	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	2	2	3	1	-	-
	All other ..... Male	60	4	-	-	-	-	-	-	-	-	-	-	3	2	4	7	4	10	11	8	6	1	-
	Female	33	1	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	4	8	6	6	4	-
490-493	Bronchitis, emphysema, and asthma	52	-	-	-	-	1	1	2	-	-	1	1	4	1	5	5	7	11	7	2	1	3	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-
	Female	7	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-
	All other ..... Male	21	-	-	-	-	-	-	1	-	-	-	-	2	-	3	3	3	4	4	-	-	1	-
	Female	17	-	-	-	-	1	1	-	-	-	1	1	1	-	1	1	-	6	2	1	-	1	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii—Con.																							
490, 491	Chronic and unqualified bronchitis	14	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	1	6	1	–	1	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–
492	Emphysema	29	–	–	–	–	–	–	–	–	–	–	–	3	1	5	1	5	5	6	1	–	2	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	2	3	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	–	–	1	–
493	Asthma	9	–	–	–	–	1	1	1	–	–	1	–	1	–	–	2	1	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–
531–533	Peptic ulcer	14	–	–	–	1	–	–	–	–	–	–	–	–	2	–	5	2	–	1	3	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other ..... Male	9	–	–	–	1	–	–	–	–	–	–	–	–	1	–	4	1	–	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	10	2	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	1	1	–	2	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other ..... Male	6	2	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
571	Cirrhosis of liver	60	–	–	–	–	–	–	1	–	1	7	5	5	8	14	8	2	3	6	–	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	1	2	3	1	–	8	2	–	–	–	–	–	–	–
	Female	18	–	–	–	–	–	–	1	–	–	3	1	2	3	4	1	–	1	2	–	–	–	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	2	1	1	4	2	4	2	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	1	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–
580–584	Nephritis and nephrosis	25	–	–	–	–	–	–	1	–	–	–	–	2	–	3	–	3	3	7	1	5	–	–
	White ..... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	6	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	3	–	–
	White ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	18	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	3	2	6	1	2	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	5	1	1	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	3	1	4	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	1	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Hawaii—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	55	42	4	1	–	1	1	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–
	White ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	6	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	18	11	2	–	–	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	21	17	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	67	15	2	–	–	1	2	2	4	3	2	1	–	2	2	6	6	2	5	6	2	2	2
	White ..... Male	15	2	–	–	–	1	2	–	2	2	2	1	–	–	1	1	–	–	–	1	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	–	–	–
	All other ..... Male	31	10	1	–	–	–	–	1	1	1	–	–	–	2	–	2	4	2	1	–	2	2	2
	Female	14	3	–	–	–	–	–	1	1	–	–	–	–	–	–	3	1	–	3	2	–	–	–
Residual	All other diseases	330	10	3	1	2	7	4	6	6	6	6	13	16	21	26	43	43	36	22	39	13	7	–
	White ..... Male	65	3	1	–	–	1	–	1	1	2	–	2	4	4	5	11	6	7	5	7	3	2	–
	Female	57	1	1	–	1	–	–	1	2	–	3	3	5	2	2	6	10	6	3	6	3	2	–
	All other ..... Male	129	2	–	–	–	3	2	3	2	3	2	6	3	9	13	18	16	17	9	16	4	1	–
	Female	79	4	1	1	1	3	2	1	1	1	1	2	4	6	6	8	11	6	5	10	3	2	–
E800–E949	Accidents	320	2	10	7	2	33	59	39	21	14	15	7	13	12	10	24	11	13	10	8	6	4	–
	White ..... Male	96	1	4	–	–	7	26	15	8	3	5	2	4	6	1	3	4	2	–	2	2	1	–
	Female	27	–	1	1	–	–	3	6	3	1	–	1	2	2	–	2	1	1	1	–	1	1	–
	All other ..... Male	156	1	3	4	2	20	28	16	9	9	8	4	5	3	8	13	4	6	5	4	2	2	–
	Female	41	–	2	2	–	6	2	2	1	1	2	–	2	1	1	6	2	4	4	2	1	–	–
E810–E823	Motor vehicle accidents	200	–	4	6	2	29	46	25	15	6	8	2	10	6	4	19	6	6	2	4	–	–	–
	White ..... Male	58	–	1	–	–	6	18	8	6	1	4	–	3	4	–	2	3	1	–	1	–	–	–
	Female	16	–	1	1	–	–	3	4	3	1	–	–	2	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	96	–	1	3	2	18	23	11	5	3	3	2	3	2	4	10	2	3	–	1	–	–	–
	Female	30	–	1	2	–	5	2	2	1	1	1	–	2	–	–	6	1	2	2	2	–	–	–
E800–E807, E825–E949	All other accidents	120	2	6	1	–	4	13	14	6	8	7	5	3	6	6	5	5	7	8	4	6	4	–
	White ..... Male	38	1	3	–	–	1	8	7	2	2	1	2	1	2	1	1	1	1	–	1	2	1	–
	Female	11	–	–	–	–	–	–	2	–	–	–	1	–	2	–	1	1	1	1	–	1	1	–
	All other ..... Male	60	1	2	1	–	2	5	5	4	6	5	2	2	1	4	3	2	3	5	3	2	2	–
	Female	11	–	1	–	–	1	–	–	–	–	1	–	–	1	1	–	1	2	2	–	1	–	–
E950–E959	Suicide	106	...	...	–	–	15	15	8	15	6	5	4	11	6	7	3	2	4	–	3	1	–	1
	White ..... Male	38	...	...	–	–	5	5	4	9	4	1	–	3	1	2	1	2	–	–	–	–	–	1
	Female	11	...	...	–	–	1	2	–	1	–	1	1	2	–	1	–	–	2	–	–	–	–	–
	All other ..... Male	45	...	...	–	–	9	7	3	4	2	3	3	3	4	2	1	–	2	–	1	1	–	–
	Female	12	...	...	–	–	–	1	1	1	–	–	–	3	1	2	1	–	–	–	2	–	–	–
E960–E978	Homicide	55	–	–	2	–	3	14	6	10	4	4	1	4	3	–	1	2	1	–	–	–	–	–
	White ..... Male	11	–	–	–	–	–	2	–	3	2	–	1	1	2	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	28	–	–	1	–	2	6	4	6	1	2	–	3	1	–	–	1	1	–	–	–	–	–
	Female	8	–	–	1	–	–	2	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–
E980–E999	Other external causes	34	–	2	–	1	1	2	11	5	2	–	2	2	1	–	1	2	2	–	–	–	–	–
	White ..... Male	10	–	–	–	–	–	–	4	3	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other ..... Male	14	–	1	–	1	1	2	4	2	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho																							
	All causes	6,507	227	57	31	43	120	139	106	105	101	96	152	232	395	513	666	769	748	759	704	418	124	2
	White ..... Male	3,662	121	36	14	24	84	98	75	63	66	54	99	162	237	339	432	446	439	363	302	166	40	2
	Female	2,736	102	15	15	16	33	36	24	36	30	37	49	65	151	170	221	318	298	392	396	252	80	-
	All other ..... Male	65	2	3	2	3	2	4	5	2	2	3	3	2	5	1	7	5	9	-	3	-	2	-
	Female	44	2	3	-	-	1	1	2	4	3	2	1	3	2	3	6	-	2	4	3	-	2	-
004, 006	Bacillary dysentery and amebiasis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-
	White ..... Male	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White ..... Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	12	5	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-
	White ..... Male	9	4	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	20	2	-	-	-	-	1	2	-	1	3	1	2	1	1	3	1	-	-	2	-	-	-
	White ..... Male	12	1	-	-	-	-	1	1	-	-	3	-	-	1	1	3	-	-	-	1	-	-	-
	Female	8	1	-	-	-	-	-	1	-	1	-	1	2	-	-	-	1	-	-	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,179	–	1	4	–	9	7	8	14	9	21	51	62	133	138	176	170	156	99	87	31	3	–
	White ..... Male	634	–	1	1	–	6	5	6	5	6	10	23	32	57	79	105	95	93	51	41	16	2	–
	Female	531	–	–	2	–	3	2	2	8	3	11	27	29	74	57	70	75	61	47	45	15	–	–
	All other ..... Male	9	–	–	1	–	–	–	–	–	–	–	–	1	2	–	1	–	2	–	1	–	1	–
	Female	5	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	18	–	–	–	–	–	–	–	–	–	–	–	5	3	1	1	3	1	–	1	3	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	5	3	1	1	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	276	–	–	–	–	–	–	1	1	–	3	9	13	25	29	42	42	45	28	29	9	–	–
	White ..... Male	148	–	–	–	–	–	–	1	–	–	2	3	8	13	17	28	21	25	11	14	5	–	–
	Female	125	–	–	–	–	–	–	–	1	–	1	6	5	12	11	14	21	19	16	15	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
160–163	Of respiratory system	245	–	–	–	–	–	–	–	1	1	3	8	15	43	39	32	47	27	17	10	2	–	–
	White ..... Male	182	–	–	–	–	–	–	–	1	1	3	6	8	24	29	30	35	23	15	5	2	–	–
	Female	61	–	–	–	–	–	–	–	–	–	–	2	6	18	10	2	12	4	2	5	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	106	–	–	–	–	–	–	–	2	1	7	12	9	18	8	13	12	11	6	3	4	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	103	–	–	–	–	–	–	–	2	1	7	11	9	18	8	12	11	11	6	3	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	167	–	–	–	–	3	2	2	1	–	2	2	5	13	19	24	27	23	23	15	5	1	–
	White ..... Male	88	–	–	–	–	2	1	2	–	–	1	–	1	1	5	12	16	15	16	10	5	1	–
	Female	78	–	–	–	–	1	1	–	1	–	1	2	4	12	13	12	11	8	7	5	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	49	–	–	–	–	–	–	–	–	–	1	2	2	4	6	9	5	9	5	5	1	–	–
	White ..... Male	33	–	–	–	–	–	–	–	–	–	1	2	1	4	4	4	5	7	2	3	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	–	2	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	178	–	1	–	–	4	5	4	3	7	2	14	7	15	20	35	16	19	13	12	1	–	–
	White ..... Male	89	–	1	–	–	3	4	3	2	5	1	8	4	7	11	18	4	10	4	3	1	–	–
	Female	86	–	–	–	–	1	1	1	1	2	1	6	3	7	9	16	12	9	9	8	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	60	–	–	4	–	2	–	–	2	–	2	1	3	4	8	6	7	8	3	8	1	1	–
	White ..... Male	36	–	–	1	–	1	–	–	–	–	2	1	2	3	6	2	3	7	1	5	1	1	–
	Female	22	–	–	2	–	1	–	–	1	–	–	–	1	1	2	4	4	1	2	3	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	80	–	–	–	–	–	–	1	4	–	1	3	3	8	8	14	11	13	4	4	5	1	–
	White ..... Male	44	–	–	–	–	–	–	–	2	–	–	3	3	2	6	9	9	6	2	1	1	–	–
	Female	34	–	–	–	–	–	–	1	2	–	1	–	–	6	2	5	2	6	2	3	4	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	17	–	–	–	–	–	1	1	–	1	–	1	–	–	3	3	3	–	2	–	2	–	–
	White ..... Male	10	–	–	–	–	–	1	–	–	1	–	1	–	–	2	–	2	–	2	–	1	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	1	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	102	–	–	–	1	–	–	7	2	1	1	–	1	5	7	14	17	16	16	11	3	–	–
	White ..... Male	40	–	–	–	–	–	–	4	1	1	–	–	–	3	5	8	5	7	3	3	–	–	–
	Female	54	–	–	–	1	–	–	2	–	–	–	–	–	2	1	4	12	9	12	8	3	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	4	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho—Con.																							
280–285	Anemias	13	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	1	2	1	3	2	1	–
	White ..... Male	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	2	2	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,968	7	5	–	–	4	8	3	9	11	23	37	93	148	217	291	411	407	456	463	288	87	–
	White ..... Male	1,631	4	5	–	–	2	6	3	4	8	17	29	74	110	153	202	244	227	218	198	103	24	–
	Female	1,308	3	–	–	–	2	2	–	4	3	5	5	19	36	63	85	164	174	237	261	185	60	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	3	–	2	1	1	3	5	–	1	–	1	–
	Female	12	–	–	–	–	–	–	–	1	–	1	–	–	–	–	3	–	1	1	3	–	2	–
390–398, 402, 404, 410–429	Diseases of heart	2,133	6	2	–	–	3	4	2	4	10	20	29	74	124	179	239	305	304	307	278	188	55	–
	White ..... Male	1,229	4	2	–	–	1	3	2	3	7	16	24	62	99	135	163	188	178	143	116	67	16	–
	Female	889	2	–	–	–	2	1	–	–	3	3	3	12	24	43	73	114	125	164	162	121	37	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	1	–	–	–	1	–
	Female	5	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	44	–	–	–	–	1	1	–	–	–	–	1	1	3	4	7	6	8	5	3	4	–	–
	White ..... Male	22	–	–	–	–	1	1	–	–	–	–	–	–	1	3	2	4	6	3	–	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	2	–	5	2	2	2	3	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	19	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	2	4	5	1	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	5	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	7	4	3	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	5	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,787	–	–	–	–	–	2	1	1	8	13	26	60	109	148	201	267	252	267	230	153	49	–
	White ..... Male	1,042	–	–	–	–	–	1	1	1	5	9	24	51	90	114	142	167	151	125	96	52	13	–
	Female	733	–	–	–	–	–	1	–	–	3	3	1	9	18	34	56	97	100	142	134	101	34	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–
410	Acute myocardial infarction	945	–	–	–	–	–	2	–	–	6	9	21	46	77	111	133	162	129	117	84	38	10	–
	White ..... Male	613	–	–	–	–	–	1	–	–	3	5	19	38	64	85	95	102	83	59	40	15	4	–
	Female	324	–	–	–	–	–	1	–	–	3	3	1	8	13	26	35	58	46	58	44	23	5	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	1	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	834	–	–	–	–	–	–	1	1	2	4	5	14	32	35	68	101	123	149	145	115	39	–
	White ..... Male	422	–	–	–	–	–	–	1	1	2	4	5	13	26	27	47	62	68	65	55	37	9	–
	Female	408	–	–	–	–	–	–	–	–	–	–	–	1	5	8	21	38	54	84	90	78	29	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	6	4	4	2	–	–
	White ..... Male	10	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	3	2	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho—Con.																							
420–423, 425–427, 429	All other forms of heart disease	242	6	2	–	–	2	1	1	2	2	6	2	12	12	23	27	29	31	24	33	24	3	–
	White ..... Male	144	4	2	–	–	–	1	1	1	2	6	–	11	8	16	18	16	16	13	15	13	1	–
	Female	96	2	–	–	–	2	–	–	–	–	–	1	1	4	7	9	13	15	11	18	11	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	12	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	2	2	2	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	603	1	3	–	–	1	2	1	5	1	3	3	15	20	26	35	83	81	119	132	57	15	–
	White ..... Male	282	–	3	–	–	1	2	1	1	1	1	1	8	8	9	25	44	40	58	56	20	3	–
	Female	314	1	–	–	–	–	–	–	4	–	2	1	7	11	17	9	39	39	61	74	37	12	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
431	Cerebral hemorrhage	70	–	–	–	–	1	–	1	1	1	–	–	5	2	9	9	14	8	7	9	2	1	–
	White ..... Male	35	–	–	–	–	1	–	1	–	1	–	–	3	1	4	7	6	4	4	2	1	–	–
	Female	34	–	–	–	–	–	–	–	1	–	–	–	2	1	5	2	8	4	3	6	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
433	Cerebral thrombosis	93	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	22	13	26	20	5	3	–
	White ..... Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11	6	10	8	1	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	11	7	16	12	4	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	440	1	3	–	–	–	2	–	4	–	3	2	10	18	16	24	47	60	86	103	50	11	–
	White ..... Male	210	–	3	–	–	–	2	–	1	–	1	1	5	7	5	17	27	30	44	46	18	3	–
	Female	225	1	–	–	–	–	–	–	3	–	2	1	5	10	11	6	20	28	42	56	32	8	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
440	Arteriosclerosis	115	–	–	–	–	–	1	–	–	–	–	–	1	–	–	5	9	11	12	30	32	14	–
	White ..... Male	44	–	–	–	–	–	1	–	–	–	–	–	1	–	–	4	4	4	2	13	10	5	–
	Female	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	10	16	22	8	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	105	–	–	–	–	–	1	–	–	–	–	4	2	4	11	11	13	9	16	21	11	2	–
	White ..... Male	68	–	–	–	–	–	–	–	–	–	–	4	2	3	8	9	8	3	13	12	6	–	–
	Female	33	–	–	–	–	–	1	–	–	–	–	–	–	1	3	2	5	4	2	8	5	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	231	10	4	1	–	1	1	–	2	6	2	1	5	4	8	16	16	26	41	47	25	15	–
	White ..... Male	105	3	1	1	–	1	1	–	1	2	1	1	2	2	7	8	10	17	13	18	10	6	–
	Female	122	7	2	–	–	–	–	–	1	4	1	–	2	2	1	8	6	8	28	28	15	9	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	35	–	1	1	–	–	–	–	–	–	–	–	2	1	1	2	2	6	5	8	6	–	–
	White ..... Male	10	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	1	–	–
	Female	24	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	4	3	6	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	196	10	3	–	–	1	1	–	2	6	2	1	3	3	7	14	14	20	36	39	19	15	–
	White ..... Male	95	3	1	–	–	1	1	–	1	2	1	1	1	2	7	8	9	15	11	16	9	6	–
	Female	98	7	1	–	–	–	–	–	1	4	1	–	2	1	–	6	5	4	25	22	10	9	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	91	–	–	–	–	–	–	–	–	1	–	2	1	6	11	25	22	11	5	3	4	–	–
	White ..... Male	71	–	–	–	–	–	–	–	–	1	–	2	1	5	9	19	15	10	3	2	4	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	6	1	2	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho—Con.																							
490, 491	Chronic and unqualified bronchitis	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	2	1	1	2	-	-
	White ..... Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	-	-	2	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	63	-	-	-	-	-	-	-	-	-	-	1	1	5	6	19	17	7	4	1	2	-	-
	White ..... Male	53	-	-	-	-	-	-	-	-	-	-	1	1	4	5	16	13	7	3	1	2	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	-	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	9	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	2	-	1	-	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	-	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	30	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	5	4	3	6	4	1	-
	White ..... Male	18	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1	4	4	1	1	1	1	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	3	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	28	1	1	-	-	-	-	1	-	1	-	1	-	1	2	4	3	4	4	1	3	1	-
	White ..... Male	11	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	3	-	1	1	-	-
	Female	16	1	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	1	4	-	2	1	-
	All other ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	77	1	-	-	-	-	-	1	2	3	4	7	8	11	17	8	8	6	-	1	-	-	-
	White ..... Male	49	1	-	-	-	-	-	-	1	1	2	6	8	5	13	4	3	4	-	1	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	1	-	5	4	2	5	2	-	-	-	-	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	5	-	1	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	29	1	-	-	-	1	-	-	1	-	-	-	3	-	3	2	3	5	4	3	2	1	-
	White ..... Male	17	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	2	3	4	2	1	-	-
	Female	10	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	-	1	1	1	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	9	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	1	-
	White ..... Male	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	20	-	-	-	-	-	-	-	1	-	-	-	3	-	2	2	3	3	3	2	1	-	-
	White ..... Male	15	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	3	3	2	1	-	-
	Female	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	Infections of kidney	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	3	2	1	-	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
600	Hyperplasia of prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Idaho—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	71	56	3	1	1	2	–	1	1	–	1	–	1	–	2	1	1	–	–	–	–	–	–
	White Male	35	28	3	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	34	26	–	–	–	2	–	1	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	168	40	1	–	–	–	–	1	1	1	2	1	3	12	9	14	15	17	17	15	13	5	1
	White Male	98	23	1	–	–	–	–	–	1	1	1	1	3	6	5	12	10	10	7	8	6	2	1
	Female	68	16	–	–	–	–	–	1	–	–	1	–	–	6	4	1	5	7	10	7	7	3	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	535	7	4	–	3	9	5	6	9	9	10	14	21	41	59	69	66	67	70	36	22	7	1
	White Male	303	3	2	–	1	5	3	4	4	3	4	5	11	25	38	42	42	44	40	10	13	3	1
	Female	221	4	2	–	2	2	2	2	5	4	6	9	8	14	21	26	23	22	30	26	9	4	–
	All other Male	5	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–
E800–E949	Accidents	611	8	35	25	31	78	94	49	46	38	19	17	21	19	20	22	14	13	28	20	11	3	–
	White Male	401	5	22	11	17	57	65	38	33	27	10	14	18	10	14	17	5	7	15	10	4	2	–
	Female	195	3	10	13	12	20	27	8	11	11	8	3	3	9	6	5	9	6	13	10	7	1	–
	All other Male	13	–	2	1	2	1	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	315	2	18	10	16	55	66	33	17	21	15	5	12	9	7	7	5	4	9	3	1	–	–
	White Male	198	2	11	5	8	36	41	26	10	14	7	4	9	4	4	5	1	3	5	2	1	–	–
	Female	108	–	5	5	7	19	23	5	6	7	7	1	3	5	3	2	4	1	4	1	–	–	–
	All other Male	7	–	1	–	1	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	296	6	17	15	15	23	28	16	29	17	4	12	9	10	13	15	9	9	19	17	10	3	–
	White Male	203	3	11	6	9	21	24	12	23	13	3	10	9	6	10	12	4	4	10	8	3	2	–
	Female	87	3	5	8	5	1	4	3	5	4	1	2	–	4	3	3	5	5	9	9	7	1	–
	All other Male	6	–	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	118	...	...	–	2	13	13	11	6	13	8	13	6	8	7	7	3	6	2	–	–	–	–
	White Male	94	...	...	–	2	10	9	7	4	11	5	12	6	8	5	5	3	5	2	–	–	–	–
	Female	20	...	...	–	–	3	1	3	2	2	3	1	–	–	2	2	–	1	–	–	–	–	–
	All other Male	3	...	...	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	48	1	3	–	2	1	6	12	7	4	–	2	3	1	1	2	2	1	–	–	–	–	–
	White Male	32	1	1	–	1	–	6	9	5	3	–	1	3	–	–	1	1	–	–	–	–	–	–
	Female	14	–	1	–	1	1	–	2	2	1	–	1	–	1	1	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	19	–	–	–	1	2	1	3	3	1	1	2	–	1	2	1	–	–	–	1	–	–	–
	White Male	12	–	–	–	1	2	–	2	1	1	–	2	–	1	–	1	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	1	1	2	–	1	–	–	–	2	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois																							
	All causes	103,026	2,744	458	296	309	1,183	1,411	1,256	1,161	1,321	1,853	2,902	4,768	6,788	8,963	10,907	12,380	13,079	13,466	10,758	5,345	1,669	9
	White ..... Male	47,558	964	173	129	156	681	820	621	532	598	841	1,384	2,400	3,653	5,005	5,943	6,359	5,998	5,484	3,797	1,593	420	7
	Female	41,740	752	132	86	75	280	235	230	272	320	475	806	1,337	1,951	2,733	3,596	4,639	5,777	7,064	6,368	3,486	1,126	–
	All other ..... Male	7,884	575	84	52	48	164	248	303	244	268	341	447	632	722	727	799	766	650	443	235	98	36	2
	Female	5,844	453	69	29	30	58	108	102	113	135	196	265	399	462	498	569	616	654	475	358	168	87	–
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
008, 009	Enteritis and other diarrheal diseases	91	37	2	–	–	–	1	–	–	–	2	1	1	4	4	8	7	2	8	9	3	2	–
	White ..... Male	29	6	–	–	–	–	1	–	–	–	2	–	–	1	3	6	4	–	2	3	1	–	–
	Female	28	5	1	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	6	5	2	1	–
	All other ..... Male	19	15	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	15	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–
010–019	Tuberculosis, all forms	165	–	2	–	–	–	1	–	4	5	10	14	20	13	20	17	20	11	17	8	2	1	–
	White ..... Male	64	–	–	–	–	–	–	–	–	–	4	4	8	6	9	8	10	4	6	2	2	1	–
	Female	37	–	1	–	–	–	–	–	–	–	1	–	4	3	4	5	6	3	6	4	–	–	–
	All other ..... Male	50	–	–	–	–	–	1	–	4	4	4	5	8	4	6	2	4	3	3	2	–	–	–
	Female	14	–	1	–	–	–	–	–	–	1	1	5	–	–	1	2	–	1	2	–	–	–	–
010–012	Tuberculosis of respiratory system	119	–	1	–	–	–	1	–	1	4	8	10	16	10	16	12	17	5	12	4	2	–	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	3	2	7	6	7	5	8	–	5	–	2	–	–
	Female	27	–	1	–	–	–	–	–	–	–	–	–	3	1	4	3	6	2	4	3	–	–	–
	All other ..... Male	38	–	–	–	–	–	1	–	1	3	4	5	6	3	4	2	3	2	3	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	3	–	–	1	2	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	46	–	1	–	–	–	–	–	3	1	2	4	4	3	4	5	3	6	5	4	–	1	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	1	2	1	–	2	3	2	4	1	2	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	–	1	2	1	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	3	1	–	–	2	1	2	–	1	1	–	1	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	5	1	2	1	4	–	1	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
	White ..... Male	5	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	3	1	1	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	366	59	3	1	1	1	–	4	8	2	5	11	8	21	34	28	28	39	51	43	14	5	–
	White ..... Male	135	20	–	–	–	1	–	1	2	–	1	4	5	11	16	16	9	17	17	9	5	1	–
	Female	144	22	2	1	1	–	–	3	4	–	–	1	1	3	13	6	9	17	26	24	8	3	–
	All other ..... Male	47	10	1	–	–	–	–	–	–	1	3	3	2	2	3	4	6	2	5	4	–	1	–
	Female	40	7	–	–	–	–	–	–	2	1	1	3	–	5	2	2	4	3	3	6	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	1	–	–	–	–	–	–	–	–	2	–	–	–	3	2	1	2	–	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	233	15	6	1	2	6	6	11	6	6	4	13	12	24	19	26	19	15	20	14	8	–	–
	White ..... Male	111	6	1	1	1	3	3	2	3	4	2	3	4	15	13	15	8	10	9	4	4	–	–
	Female	78	3	4	–	1	3	1	4	2	–	1	6	2	6	4	8	7	5	9	8	4	–	–
	All other ..... Male	22	5	–	–	–	–	1	5	1	–	1	1	1	1	1	2	2	–	–	1	–	–	–
	Female	22	1	1	–	–	–	1	–	–	2	–	3	5	2	1	1	2	–	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	20,995	6	25	39	42	64	83	97	164	240	463	822	1,568	2,187	2,764	3,110	3,081	2,594	2,018	1,176	389	62	1
	White ..... Male	9,694	3	13	13	20	28	53	48	62	92	143	297	662	1,007	1,350	1,549	1,536	1,216	911	525	148	17	1
	Female	8,650	3	9	16	14	18	21	36	83	93	207	354	615	841	1,066	1,199	1,204	1,102	955	566	211	37	–
	All other ..... Male	1,489	–	1	4	3	14	5	6	7	25	47	96	159	197	188	220	219	164	79	35	18	2	–
	Female	1,162	–	2	6	5	4	4	7	12	30	66	75	132	142	160	142	122	112	73	50	12	6	–
140–149	Of buccal cavity and pharynx	461	–	–	–	1	1	3	1	3	4	15	31	40	56	82	81	51	37	33	18	2	2	–
	White ..... Male	277	–	–	–	–	–	1	–	–	1	3	12	23	33	56	56	37	23	17	12	2	1	–
	Female	105	–	–	–	1	–	1	1	1	1	2	8	7	10	14	21	12	7	12	6	–	1	–
	All other ..... Male	57	–	–	–	–	1	1	–	2	2	9	8	7	9	9	2	2	4	1	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	3	3	4	3	2	–	3	3	–	–	–	–
150–159	Of digestive organs and peritoneum	5,812	–	–	–	–	2	6	7	31	40	83	153	333	529	714	848	908	835	733	424	145	21	–
	White ..... Male	2,610	–	–	–	–	–	3	3	15	19	35	75	147	249	359	412	444	339	296	163	46	5	–
	Female	2,465	–	–	–	–	2	1	4	14	13	24	34	116	184	267	330	359	399	383	232	91	12	–
	All other ..... Male	411	–	–	–	–	–	2	–	2	3	15	31	42	55	47	63	63	48	24	12	4	–	–
	Female	326	–	–	–	–	–	–	–	–	5	9	13	28	41	41	43	42	49	30	17	4	4	–
160–163	Of respiratory system	5,145	–	–	–	1	1	3	5	17	47	94	244	481	697	860	900	791	536	290	133	39	5	1
	White ..... Male	3,342	–	–	–	1	–	2	2	5	19	40	119	288	442	565	608	560	360	210	97	21	2	1
	Female	1,111	–	–	–	–	1	1	1	9	16	35	68	89	141	181	194	152	120	56	30	14	3	–
	All other ..... Male	526	–	–	–	–	–	–	2	2	10	11	42	74	93	83	76	65	46	17	3	2	–	–
	Female	166	–	–	–	–	–	–	–	1	2	8	15	30	21	31	22	14	10	7	3	2	–	–
174	Of breast	1,955	–	–	–	–	–	2	6	26	29	90	132	228	244	242	240	220	201	154	103	27	11	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	2	–	2	2	2	2	3	2	1	–	–	–	–
	Female	1,726	–	–	–	–	–	1	5	22	20	69	113	190	219	212	215	205	187	142	91	26	9	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–
	Female	208	–	–	–	–	–	1	1	4	9	19	19	35	22	26	23	11	12	11	12	1	2	–
180–187	Of genital organs	2,388	–	–	–	–	4	9	13	19	27	51	83	125	184	257	323	380	360	287	200	57	9	–
	White ..... Male	908	–	–	–	–	1	7	7	3	4	3	5	8	24	58	114	157	188	161	132	31	5	–
	Female	1,092	–	–	–	–	2	1	3	12	16	30	63	93	125	161	153	157	115	94	47	18	2	–
	All other ..... Male	205	–	–	–	–	–	–	1	–	1	3	2	4	12	16	32	43	45	23	14	7	2	–
	Female	183	–	–	–	–	1	1	2	4	6	15	13	20	23	22	24	23	12	9	7	1	–	–
188, 189	Of urinary organs	933	–	2	1	2	1	1	1	1	3	14	23	52	81	115	140	122	133	130	76	30	5	–
	White ..... Male	559	–	–	–	–	1	–	–	–	2	8	16	35	51	72	92	73	78	74	38	17	2	–
	Female	307	–	2	1	2	–	1	1	1	–	5	3	12	19	36	39	35	45	53	37	12	3	–
	All other ..... Male	48	–	–	–	–	–	–	–	–	1	–	3	5	8	5	6	9	7	3	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	1	–	3	2	3	5	3	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,428	5	10	15	13	26	28	26	31	50	66	101	203	254	289	342	313	267	209	127	49	4	–
	White ..... Male	1,086	3	8	6	6	11	19	14	16	25	25	39	105	135	133	161	131	115	76	46	11	1	–
	Female	1,058	2	1	5	5	8	7	10	14	15	26	49	69	87	112	140	150	127	121	74	33	3	–
	All other ..... Male	135	–	1	2	–	5	1	–	1	5	4	5	19	11	19	24	19	9	5	2	3	–	–
	Female	149	–	–	2	2	2	1	2	–	5	11	8	10	21	25	17	13	16	7	5	2	–	–
204–207	Leukemia	822	1	12	21	18	14	20	21	16	17	22	26	39	55	58	82	115	110	94	55	23	3	–
	White ..... Male	412	–	4	6	8	7	12	15	11	8	11	17	20	24	32	40	62	56	41	26	11	1	–
	Female	336	1	6	9	5	2	6	5	3	6	8	7	17	23	25	35	43	48	47	27	11	2	–
	All other ..... Male	37	–	–	2	3	5	1	1	–	1	2	–	1	4	–	4	5	3	4	1	–	–	–
	Female	37	–	2	4	2	–	1	–	2	2	1	2	1	4	1	3	5	3	2	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,051	–	1	2	7	15	11	17	20	23	28	29	67	87	147	154	181	115	88	40	17	2	–
	White ..... Male	484	–	1	1	5	8	9	7	12	14	16	14	34	47	73	64	69	55	35	11	9	–	–
	Female	450	–	–	1	1	3	2	6	7	6	8	9	22	33	58	72	91	54	47	22	6	2	–
	All other ..... Male	65	–	–	–	–	3	–	2	–	2	3	5	6	4	7	13	12	2	2	3	1	–	–
	Female	52	–	–	–	1	1	–	2	1	1	1	1	5	3	9	5	9	4	4	4	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	241	3	1	1	–	3	4	2	2	8	5	11	10	15	27	35	39	26	27	11	9	2	–
	White ..... Male	104	1	1	1	–	2	2	–	1	4	2	2	5	10	11	18	14	11	14	4	1	–	–
	Female	117	2	–	–	–	1	2	2	1	3	1	7	3	5	10	15	23	15	10	7	8	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	2	2	2	–	4	1	1	–	2	–	–	–	–
250	Diabetes mellitus	1,716	–	1	–	–	2	7	11	17	25	33	50	56	109	164	230	268	294	220	162	61	6	–
	White ..... Male	610	–	1	–	–	–	2	–	7	12	21	22	23	42	65	110	99	89	59	44	11	3	–
	Female	848	–	–	–	–	2	3	5	4	7	6	17	18	41	72	88	130	164	139	106	44	2	–
	All other ..... Male	96	–	–	–	–	–	1	4	3	4	3	8	2	9	13	16	11	13	6	2	1	–	–
	Female	162	–	–	–	–	–	1	2	3	2	3	3	13	17	14	16	28	28	16	10	5	1	–
260–269	Avitaminoses and other nutritional deficiencies	112	1	1	–	–	–	2	–	–	1	1	2	5	2	6	13	8	14	26	15	8	7	–
	White ..... Male	43	–	1	–	–	–	1	–	–	1	1	–	3	1	3	6	5	4	9	4	3	1	–
	Female	53	1	–	–	–	–	–	–	–	–	–	1	2	1	1	5	2	9	12	10	4	5	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–	1	–
	Female	9	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	3	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois—Con.																							
280–285	Anemias	154	1	5	4	1	2	6	4	2	–	3	2	5	4	6	9	16	23	19	25	15	2	–
	White ..... Male	50	–	–	–	–	1	–	–	1	–	–	–	1	2	2	1	9	10	6	9	7	1	–
	Female	67	–	1	1	–	–	2	–	–	–	–	1	3	2	2	7	6	13	10	13	5	1	–
	All other ..... Male	19	1	3	3	1	1	2	–	–	–	2	1	–	–	1	–	1	–	2	1	–	–	–
	Female	18	–	1	–	–	–	2	4	1	–	1	–	1	–	1	1	–	–	1	2	3	–	–
320	Meningitis	72	25	9	1	2	2	–	3	3	1	2	1	3	5	1	5	3	2	3	1	–	–	–
	White ..... Male	23	5	3	–	–	1	–	2	1	–	1	–	1	2	–	4	2	1	–	–	–	–	–
	Female	26	10	4	1	1	1	–	1	–	–	–	1	1	1	1	–	1	–	3	–	–	–	–
	All other ..... Male	15	6	–	–	1	–	–	–	2	1	1	–	–	2	–	1	–	–	–	1	–	–	–
	Female	8	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	54,590	45	20	13	14	43	49	101	143	271	559	1,069	1,929	3,110	4,280	5,621	6,941	8,042	9,125	7,781	4,088	1,341	5
	White ..... Male	24,772	19	3	5	5	17	20	33	60	127	306	620	1,134	1,872	2,585	3,187	3,601	3,581	3,547	2,568	1,144	333	5
	Female	24,161	18	5	3	4	11	10	26	28	58	84	197	376	681	1,107	1,734	2,591	3,693	5,028	4,832	2,757	918	–
	All other ..... Male	2,974	2	9	1	3	8	4	24	33	55	119	145	264	347	354	390	385	353	251	140	64	23	–
	Female	2,683	6	3	4	2	7	15	18	22	31	50	107	155	210	234	310	364	415	299	241	123	67	–
390–398, 402, 404, 410–429	Diseases of heart	42,661	32	14	8	10	33	29	68	107	202	460	920	1,630	2,690	3,601	4,639	5,523	6,202	6,767	5,752	3,003	967	4
	White ..... Male	20,185	13	1	3	3	13	13	25	47	102	272	570	1,011	1,685	2,218	2,696	2,944	2,796	2,695	1,931	891	252	4
	Female	17,996	12	3	1	2	7	5	14	21	36	54	147	276	543	902	1,390	2,007	2,790	3,645	3,518	1,976	647	–
	All other ..... Male	2,412	2	7	1	3	8	3	20	24	39	97	119	222	297	294	312	298	287	199	118	45	17	–
	Female	2,068	5	3	3	2	5	8	9	15	25	37	84	121	165	187	241	274	329	228	185	91	51	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	624	–	–	–	1	3	4	8	11	11	25	24	42	60	68	100	91	73	61	27	13	2	–
	White ..... Male	250	–	–	–	1	1	2	1	4	4	7	17	22	31	25	41	35	31	19	5	3	1	–
	Female	312	–	–	–	–	–	–	2	5	7	10	4	12	17	41	56	51	35	40	21	10	1	–
	All other ..... Male	25	–	–	–	–	1	–	4	1	–	6	–	4	4	1	2	1	1	–	–	–	–	–
	Female	37	–	–	–	–	1	2	1	1	–	2	3	4	8	1	1	4	6	2	1	–	–	–
402	Hypertensive heart disease	534	–	–	–	–	–	–	4	6	6	6	14	24	30	62	63	65	78	74	64	31	7	–
	White ..... Male	143	–	–	–	–	–	–	1	2	–	3	3	11	11	22	21	16	19	18	10	4	2	–
	Female	267	–	–	–	–	–	–	1	–	1	–	2	4	11	23	23	36	40	50	49	23	4	–
	All other ..... Male	60	–	–	–	–	–	–	1	1	3	1	9	5	4	11	10	4	9	–	1	1	–	–
	Female	64	–	–	–	–	–	–	1	3	2	2	–	4	4	6	9	9	10	6	4	3	1	–
404	Hypertensive heart and renal disease	199	–	–	–	–	–	–	–	2	1	–	3	5	5	6	16	28	32	34	47	12	8	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	–	–	2	3	3	7	12	10	11	13	2	4	–
	Female	104	–	–	–	–	–	–	–	1	–	–	1	2	–	2	6	10	19	18	32	9	4	–
	All other ..... Male	12	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	4	–	1	2	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	2	3	4	–	–	–	–
410–413	Ischemic heart disease	38,619	1	–	1	1	1	3	21	48	144	383	789	1,417	2,434	3,233	4,203	5,032	5,683	6,219	5,312	2,790	900	4
	White ..... Male	18,544	–	–	–	–	1	1	5	27	89	241	506	904	1,563	2,033	2,481	2,729	2,591	2,494	1,808	835	232	4
	Female	16,220	1	–	–	–	–	1	4	3	19	36	117	225	464	768	1,230	1,789	2,554	3,342	3,229	1,835	603	–
	All other ..... Male	2,084	–	–	–	1	–	–	9	12	20	77	94	192	269	270	278	269	255	180	104	37	17	–
	Female	1,771	–	–	1	–	–	1	3	6	16	29	72	96	138	162	214	245	283	203	171	83	48	–
410	Acute myocardial infarction	16,644	1	–	1	1	1	2	11	21	81	197	409	732	1,322	1,752	2,278	2,461	2,518	2,320	1,629	709	194	4
	White ..... Male	9,235	–	–	–	–	1	–	4	13	53	141	297	549	927	1,201	1,437	1,436	1,237	1,063	607	215	50	4
	Female	6,307	1	–	–	–	–	1	2	–	12	23	67	114	269	421	681	860	1,142	1,166	952	463	133	–
	All other ..... Male	595	–	–	–	1	–	–	5	6	9	24	24	42	82	75	82	88	64	49	31	11	2	–
	Female	507	–	–	1	–	–	1	–	2	7	9	21	27	44	55	78	77	75	42	39	20	9	–
411	Other acute and subacute forms of ischemic heart disease	285	–	–	–	–	–	–	1	–	4	9	14	19	30	32	45	35	38	21	25	8	4	–
	White ..... Male	156	–	–	–	–	–	–	–	–	3	8	8	11	19	20	34	20	21	7	5	–	–	–
	Female	104	–	–	–	–	–	–	–	–	1	–	5	3	9	10	11	11	12	12	19	8	3	–
	All other ..... Male	12	–	–	–	–	–	–	1	–	–	1	1	3	2	2	–	–	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	4	4	1	1	–	1	–
412	Chronic ischemic heart disease	21,682	–	–	–	–	–	1	9	27	59	177	365	666	1,081	1,449	1,879	2,536	3,124	3,877	3,657	2,073	702	–
	White ..... Male	9,150	–	–	–	–	–	1	1	14	33	92	201	344	616	812	1,010	1,273	1,331	1,424	1,196	620	182	–
	Female	9,804	–	–	–	–	–	–	2	3	6	13	44	108	186	337	537	918	1,399	2,163	2,257	1,364	467	–
	All other ..... Male	1,477	–	–	–	–	–	–	3	6	11	52	69	147	185	193	196	181	190	130	73	26	15	–
	Female	1,251	–	–	–	–	–	–	3	4	9	20	51	67	94	107	136	164	204	160	131	63	38	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	3	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	200	2	–	1	1	3	1	1	4	1	7	4	11	7	15	20	21	27	33	24	7	10	–
	White ..... Male	77	2	–	1	1	1	1	–	1	–	3	1	3	4	8	10	12	11	8	8	1	1	–
	Female	104	–	–	–	–	1	–	–	2	–	1	1	6	3	6	9	9	13	23	15	6	9	–
	All other ..... Male	12	–	–	–	–	–	–	–	1	–	2	2	2	–	–	1	–	1	2	1	–	–	–
	Female	7	–	–	–	–	1	–	1	–	1	1	–	–	–	1	–	–	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,485	29	14	6	7	26	21	34	36	39	39	86	131	154	217	237	286	309	346	278	150	40	–
	White ..... Male	1,104	11	1	2	1	10	9	18	13	9	18	43	69	73	127	136	140	134	145	87	46	12	–
	Female	989	11	3	1	2	6	4	7	10	9	7	22	27	48	62	66	112	129	172	172	93	26	–
	All other ..... Male	219	2	7	1	2	7	3	6	8	15	11	14	18	19	12	21	20	21	16	10	6	–	–
	Female	173	5	3	2	2	3	5	3	5	6	3	7	17	14	16	14	14	25	13	9	5	2	–
400, 401, 403	Hypertension	401	–	–	–	1	1	2	1	2	2	7	7	9	8	26	28	45	55	84	72	43	8	–
	White ..... Male	150	–	–	–	–	1	–	1	1	1	1	2	2	2	8	11	23	24	30	31	11	1	–
	Female	188	–	–	–	1	–	1	–	–	–	3	–	2	4	8	12	15	22	48	35	32	5	–
	All other ..... Male	31	–	–	–	–	–	–	–	1	1	1	1	3	1	5	1	3	5	5	3	–	1	–
	Female	32	–	–	–	–	–	1	–	–	–	2	4	2	1	5	4	4	4	1	3	–	1	–
430–438	Cerebrovascular diseases	8,959	13	6	4	3	6	15	22	29	60	70	127	241	319	492	723	1,050	1,453	1,814	1,511	752	248	1
	White ..... Male	3,266	6	2	1	2	1	5	3	9	18	24	41	89	135	251	340	455	584	636	437	174	52	1
	Female	4,747	6	2	2	1	4	3	9	7	21	19	47	87	102	164	268	451	744	1,075	1,014	538	183	–
	All other ..... Male	440	–	2	–	–	–	1	2	7	15	17	21	35	43	39	65	68	51	39	17	15	3	–
	Female	506	1	–	1	–	1	6	8	6	6	10	18	30	39	38	50	76	74	64	43	25	10	–
431	Cerebral hemorrhage	1,294	8	1	1	2	4	4	5	8	23	25	52	78	92	115	139	147	172	199	139	64	16	–
	White ..... Male	495	4	1	1	2	–	2	–	2	8	6	21	37	42	52	58	64	66	65	41	17	6	–
	Female	633	4	–	–	–	3	1	1	2	8	6	14	23	28	46	63	66	97	122	95	44	10	–
	All other ..... Male	92	–	–	–	–	–	1	–	3	5	10	12	10	8	11	10	11	4	6	–	1	–	–
	Female	74	–	–	–	–	1	–	4	1	2	3	5	8	14	6	8	6	5	6	3	2	–	–
433	Cerebral thrombosis	2,305	–	–	–	–	–	1	1	1	1	7	12	28	50	107	181	283	415	496	440	218	64	–
	White ..... Male	872	–	–	–	–	–	1	–	–	–	4	6	11	15	63	92	122	182	173	132	60	11	–
	Female	1,207	–	–	–	–	–	–	–	–	–	1	2	11	15	25	62	117	200	297	285	144	48	–
	All other ..... Male	97	–	–	–	–	–	–	–	–	1	–	2	4	12	12	16	23	9	7	7	3	1	–
	Female	129	–	–	–	–	–	–	1	1	–	2	2	2	8	7	11	21	24	19	16	11	4	–
434	Cerebral embolism	27	–	–	–	–	–	–	1	1	–	–	–	2	–	3	4	3	3	7	2	–	1	–
	White ..... Male	9	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	1	–	3	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	1	3	4	1	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,333	5	5	3	1	2	10	15	19	36	38	63	133	177	267	399	617	863	1,112	930	470	167	1
	White ..... Male	1,890	2	1	–	–	1	2	3	6	10	14	14	41	78	133	190	268	336	395	263	97	35	1
	Female	2,891	2	2	2	1	1	2	8	5	13	12	31	51	59	93	139	267	444	652	633	350	124	–
	All other ..... Male	249	–	2	–	–	–	–	1	4	9	7	7	21	23	16	39	33	38	26	10	11	2	–
	Female	303	1	–	1	–	–	6	3	4	4	5	11	20	17	25	31	49	45	39	24	12	6	–
440	Arteriosclerosis	1,353	–	–	–	–	–	–	–	–	–	2	4	11	19	42	72	110	170	275	320	231	97	–
	White ..... Male	531	–	–	–	–	–	–	–	–	–	1	3	9	12	26	39	54	80	102	122	60	23	–
	Female	754	–	–	–	–	–	–	–	–	–	1	1	1	5	7	23	48	78	167	189	164	70	–
	All other ..... Male	34	–	–	–	–	–	–	–	–	–	–	–	1	1	8	4	4	6	4	2	3	1	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	4	6	2	7	4	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,216	–	–	1	–	3	3	10	5	7	20	11	38	74	119	159	213	162	185	126	59	21	–
	White ..... Male	640	–	–	1	–	2	2	4	3	6	8	4	23	38	82	101	125	97	84	47	8	5	–
	Female	476	–	–	–	–	–	1	3	–	1	7	2	10	27	26	41	70	59	93	76	47	13	–
	All other ..... Male	57	–	–	–	–	–	–	2	1	–	4	4	3	5	8	8	12	4	4	–	1	1	–
	Female	43	–	–	–	–	1	–	1	1	–	1	1	2	4	3	9	6	2	4	3	3	2	–
466	Acute bronchitis and bronchiolitis	34	10	–	–	1	1	1	–	1	1	–	–	–	2	1	3	4	2	2	4	1	–	–
	White ..... Male	10	3	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	1	–	–	–
	Female	14	–	–	–	–	1	–	–	1	–	–	–	–	2	1	–	3	1	1	3	1	–	–
	All other ..... Male	7	5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,055	99	25	11	10	19	17	29	28	31	36	48	85	115	180	213	294	383	517	504	290	121	–
	White ..... Male	1,343	30	11	3	2	8	7	12	10	13	15	18	45	58	105	113	160	182	222	200	102	27	–
	Female	1,243	21	6	4	4	6	7	3	10	3	7	15	13	33	45	56	84	151	243	271	180	81	–
	All other ..... Male	300	27	5	2	3	3	1	11	5	14	13	10	19	18	19	27	34	32	30	18	4	5	–
	Female	169	21	3	2	1	2	2	3	3	1	1	5	8	6	11	17	16	18	22	15	4	8	–
470–474	Influenza	206	1	1	–	2	3	2	1	1	1	–	3	5	8	6	6	12	22	43	53	25	11	–
	White ..... Male	77	1	–	–	–	2	–	1	–	–	–	2	2	5	4	4	3	14	17	14	5	3	–
	Female	123	–	1	–	1	1	2	–	1	–	–	1	3	2	2	2	7	8	26	38	20	8	–
	All other ..... Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–
480–486	Pneumonia	2,849	98	24	11	8	16	15	28	27	30	36	45	80	107	174	207	282	361	474	451	265	110	–
	White ..... Male	1,266	29	11	3	2	6	7	11	10	13	15	16	43	53	101	109	157	168	205	186	97	24	–
	Female	1,120	21	5	4	3	5	5	3	9	3	7	14	10	31	43	54	77	143	217	233	160	73	–
	All other ..... Male	298	27	5	2	2	3	1	11	5	14	13	10	19	18	19	27	33	32	30	18	4	5	–
	Female	165	21	3	2	1	2	2	3	3	–	1	5	8	5	11	17	15	18	22	14	4	8	–
490–493	Bronchitis, emphysema, and asthma	1,169	2	3	2	4	5	2	4	2	2	15	19	34	72	143	184	216	207	143	80	27	3	–
	White ..... Male	799	1	3	2	1	1	1	–	–	–	6	6	19	38	87	134	162	163	105	55	13	2	–
	Female	275	–	–	–	–	3	–	–	–	1	3	9	11	22	40	42	42	36	29	22	14	1	–
	All other ..... Male	66	1	–	–	1	–	1	2	2	1	4	3	2	11	11	6	10	6	4	1	–	–	–
	Female	29	–	–	–	2	1	–	2	–	–	2	1	2	1	5	2	2	2	5	2	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois—Con.																							
490, 491	Chronic and unqualified bronchitis	208	2	3	2	2	2	–	1	–	1	2	4	4	8	24	31	38	35	29	13	7	–	–
	White ..... Male	128	1	3	2	1	1	–	–	–	–	1	1	2	6	10	22	27	26	17	6	2	–	–
	Female	70	–	–	–	–	1	–	–	–	1	1	3	2	2	12	8	10	7	12	6	5	–	–
	All other ..... Male	5	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
492	Emphysema	877	–	–	–	–	–	–	–	–	1	11	12	25	56	111	142	167	165	105	63	16	3	–
	White ..... Male	642	–	–	–	–	–	–	–	–	–	5	5	15	28	76	106	132	133	83	47	10	2	–
	Female	173	–	–	–	–	–	–	–	–	–	2	5	9	18	23	30	24	26	15	14	6	1	–
	All other ..... Male	52	–	–	–	–	–	–	–	–	1	4	2	1	10	9	6	9	5	4	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	3	1	–	–	–
493	Asthma	84	–	–	–	2	3	2	3	2	–	2	3	5	8	8	11	11	7	9	4	4	–	–
	White ..... Male	29	–	–	–	–	–	1	–	–	–	–	–	2	4	1	6	3	4	5	2	1	–	–
	Female	32	–	–	–	–	2	–	–	–	–	–	1	–	2	5	4	8	3	2	2	3	–	–
	All other ..... Male	9	–	–	–	1	–	1	1	2	–	–	1	1	1	1	–	–	–	–	–	–	–	–
	Female	14	–	–	–	1	1	–	2	–	–	2	1	2	1	1	1	–	–	2	–	–	–	–
531-533	Peptic ulcer	302	–	–	–	–	1	–	–	3	4	3	10	17	23	24	40	34	39	48	31	22	3	–
	White ..... Male	172	–	–	–	–	1	–	–	1	3	1	6	13	12	17	23	21	20	29	15	10	–	–
	Female	95	–	–	–	–	–	–	–	1	–	2	1	1	5	5	11	7	15	18	15	11	3	–
	All other ..... Male	24	–	–	–	–	–	–	–	1	–	–	2	3	4	2	5	5	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	3	–	1	1	–	–
540-543	Appendicitis	31	–	–	1	–	1	1	1	–	–	–	3	2	1	1	4	3	7	3	2	1	–	–
	White ..... Male	21	–	–	–	–	1	1	1	–	–	–	2	2	–	1	4	2	4	3	–	–	–	–
	Female	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
550-553, 560	Hernia and intestinal obstruction	293	27	2	–	1	–	1	1	4	3	1	7	9	15	17	20	34	37	49	44	15	6	–
	White ..... Male	111	13	–	–	–	–	–	1	1	–	–	1	1	8	10	10	18	16	18	11	1	2	–
	Female	138	6	2	–	–	–	–	–	1	2	1	1	3	5	4	7	13	18	24	33	14	4	–
	All other ..... Male	22	5	–	–	1	–	–	–	1	–	–	3	2	1	–	3	1	–	5	–	–	–	–
	Female	22	3	–	–	–	–	1	–	1	1	–	2	3	1	3	–	2	3	2	–	–	–	–
571	Cirrhosis of liver	1,664	3	1	1	–	–	7	27	57	103	135	186	188	256	221	201	128	83	46	12	8	1	–
	White ..... Male	859	2	–	1	–	–	2	8	14	35	64	75	94	151	140	121	84	43	19	5	1	–	–
	Female	422	–	1	–	–	–	1	1	9	14	25	51	49	56	56	57	34	32	23	6	6	1	–
	All other ..... Male	246	–	–	–	–	–	1	13	21	38	28	43	27	31	17	15	4	4	3	1	–	–	–
	Female	137	1	–	–	–	–	3	5	13	16	18	17	18	18	8	8	6	4	1	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	148	–	–	–	–	–	–	–	2	1	1	2	5	2	8	23	23	22	30	17	10	2	–
	White ..... Male	66	–	–	–	–	–	–	–	1	–	1	1	4	–	3	13	11	10	8	8	6	–	–
	Female	72	–	–	–	–	–	–	–	–	1	–	1	1	2	3	7	9	11	22	9	4	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
580-584	Nephritis and nephrosis	478	8	–	3	2	4	3	5	5	9	7	13	34	29	35	58	62	72	60	44	20	5	–
	White ..... Male	180	4	–	2	1	–	2	1	1	1	1	2	15	6	11	23	22	35	24	19	8	2	–
	Female	159	2	–	1	1	–	–	–	1	1	1	2	6	4	11	21	27	21	30	18	11	1	–
	All other ..... Male	70	–	–	–	–	3	1	3	–	3	1	6	8	8	7	6	6	10	3	3	–	2	–
	Female	69	2	–	–	–	1	–	1	3	4	4	3	5	11	6	8	7	6	3	4	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	123	7	–	1	1	2	–	1	1	2	1	1	5	6	9	13	17	15	18	14	7	2	–
	White ..... Male	59	3	–	–	–	–	–	–	1	–	–	–	5	2	3	10	7	9	9	7	3	–	–
	Female	45	2	–	1	1	–	–	–	–	–	1	1	–	2	5	2	9	4	8	5	3	1	–
	All other ..... Male	10	–	–	–	–	2	–	1	–	–	–	–	–	1	1	–	–	2	1	1	–	1	–
	Female	9	2	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	–	–	1	1	–	–
582-584	Chronic and unqualified nephritis and renal sclerosis	355	1	–	2	1	2	3	4	4	7	6	12	29	23	26	45	45	57	42	30	13	3	–
	White ..... Male	121	1	–	2	1	–	2	1	–	1	1	2	10	4	8	13	15	26	15	12	5	2	–
	Female	114	–	–	–	–	–	–	–	1	1	–	1	6	2	6	19	18	17	22	13	8	–	–
	All other ..... Male	60	–	–	–	–	1	1	2	–	3	1	6	8	7	6	6	6	8	2	2	–	1	–
	Female	60	–	–	–	–	1	–	1	3	2	4	3	5	10	6	7	6	6	3	3	–	–	–
590	Infections of kidney	156	1	–	–	–	–	–	1	2	3	2	2	2	5	13	15	21	25	28	24	7	5	–
	White ..... Male	64	–	–	–	–	–	–	1	–	1	1	–	–	1	6	6	13	8	10	13	3	1	–
	Female	70	–	–	–	–	–	–	–	1	1	1	1	1	3	5	5	7	13	15	9	4	4	–
	All other ..... Male	13	1	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	2	3	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1	2	–	1	–	–	–
600	Hyperplasia of prostate	43	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	6	10	12	5	–	–
	White ..... Male	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	6	9	11	5	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
630-678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	3	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	3	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Illinois—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	3	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	3	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	698	460	64	15	11	23	16	9	16	9	7	8	16	8	13	7	6	2	3	4	–	–	1
	White ..... Male	281	181	31	7	3	6	9	5	5	4	1	6	6	1	5	3	2	1	1	3	–	–	1
	Female	264	170	21	5	6	10	5	3	8	3	3	1	8	6	6	3	3	1	1	1	–	–	–
	All other ..... Male	88	60	4	2	1	6	1	1	2	1	2	1	1	1	2	1	1	–	1	–	–	–	–
	Female	65	49	8	1	1	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,392	1,389	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	497	497	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	369	367	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	296	295	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	230	230	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	790	787	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	296	296	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	209	207	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	160	159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	125	125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	602	602	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	201	201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	160	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	744	345	19	2	4	20	27	22	27	13	18	14	12	17	18	17	27	29	40	32	27	14	–
	White ..... Male	290	104	6	–	1	10	17	10	15	7	7	7	6	10	13	12	16	14	14	7	10	4	–
	Female	216	58	8	1	1	5	5	6	6	6	6	6	3	4	4	4	9	11	25	22	17	9	–
	All other ..... Male	135	103	3	1	2	3	3	3	3	–	4	1	1	2	–	–	1	2	1	2	–	–	–
	Female	103	80	2	–	–	2	2	3	3	–	1	–	2	1	1	1	1	2	–	1	–	1	–
Residual	All other diseases	6,368	101	45	40	33	59	82	100	91	140	153	205	320	408	610	735	827	849	731	539	237	63	–
	White ..... Male	2,905	39	20	18	17	24	32	37	34	46	59	87	123	208	324	385	404	419	328	211	71	19	–
	Female	2,461	28	11	14	12	23	20	24	22	44	40	56	115	135	197	249	321	347	333	289	141	40	–
	All other ..... Male	552	15	11	4	2	4	15	24	18	32	27	42	50	35	58	59	54	40	33	18	10	1	–
	Female	450	19	3	4	2	8	15	15	17	18	27	20	32	30	31	42	48	43	37	21	15	3	–
E800–E949	Accidents	4,819	75	180	149	152	639	642	408	301	225	191	212	224	204	227	180	199	199	180	143	71	17	1
	White ..... Male	2,908	25	71	72	94	446	463	284	197	146	108	132	132	117	142	108	102	94	86	53	31	5	–
	Female	1,234	28	49	35	24	152	120	64	49	40	44	39	47	57	54	46	77	85	87	87	39	11	–
	All other ..... Male	497	12	30	30	19	35	44	52	43	32	33	32	36	20	24	18	15	12	4	3	1	1	1
	Female	180	10	30	12	15	6	15	8	12	7	6	9	9	10	7	8	5	8	3	–	–	–	–
E810–E823	Motor vehicle accidents	2,299	14	47	73	77	450	439	244	172	107	96	100	88	80	73	66	69	46	34	19	4	1	–
	White ..... Male	1,540	4	25	37	50	313	320	176	117	74	59	68	56	46	49	48	43	18	20	13	3	1	–
	Female	547	7	13	19	17	124	94	41	32	20	21	20	24	20	19	14	21	24	11	5	1	–	–
	All other ..... Male	164	2	5	11	5	11	22	24	18	10	13	9	5	10	4	3	5	3	3	1	–	–	–
	Female	48	1	4	6	5	2	3	3	5	3	3	3	3	4	1	1	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,520	61	133	76	75	189	203	164	129	118	95	112	136	124	154	114	130	153	146	124	67	16	1
	White ..... Male	1,368	21	46	35	44	133	143	108	80	72	49	64	76	71	93	60	59	76	66	40	28	4	–
	Female	687	21	36	16	7	28	26	23	17	20	23	19	23	37	35	32	56	61	76	82	38	11	–
	All other ..... Male	333	10	25	19	14	24	22	28	25	22	20	23	31	10	20	15	10	9	1	2	1	1	1
	Female	132	9	26	6	10	4	12	5	7	4	3	6	6	6	6	7	5	7	3	–	–	–	–
E950–E959	Suicide	1,121	...	...	–	4	75	146	139	92	89	65	80	97	77	69	54	49	39	31	10	4	1	–
	White ..... Male	723	...	...	–	3	53	94	88	55	50	39	49	49	49	50	42	34	31	23	9	4	1	–
	Female	263	...	...	–	1	11	18	25	23	26	23	24	36	25	13	10	14	7	6	1	–	–	–
	All other ..... Male	108	...	...	–	–	10	28	22	13	9	2	6	9	2	3	2	–	–	2	–	–	–	–
	Female	27	...	...	–	–	1	6	4	1	4	1	1	3	1	3	–	1	1	–	–	–	–	–
E960–E978	Homicide	1,274	8	20	10	16	162	242	209	136	98	98	67	77	42	30	30	10	9	3	6	1	–	–
	White ..... Male	415	1	2	4	6	54	75	50	44	39	37	25	28	15	12	11	3	5	–	3	1	–	–
	Female	128	1	3	2	3	21	13	18	9	11	11	7	10	2	6	5	2	2	–	2	–	–	–
	All other ..... Male	602	5	8	4	5	68	127	119	69	37	43	34	33	22	10	11	2	2	2	1	–	–	–
	Female	129	1	7	–	2	19	27	22	14	11	7	1	6	3	2	3	3	–	1	–	–	–	–
E980–E999	Other external causes	459	18	21	–	8	45	62	62	44	28	31	30	29	18	23	15	7	5	7	4	2	–	–
	White ..... Male	229	3	6	–	1	23	35	36	16	11	18	15	17	10	19	8	3	2	4	1	1	–	–
	Female	87	3	1	–	2	9	7	8	9	6	7	7	8	5	1	4	4	1	2	3	–	–	–
	All other ..... Male	101	7	8	–	5	8	12	14	16	10	4	4	3	3	2	2	–	2	1	–	–	–	–
	Female	42	5	6	–	–	5	8	4	3	1	2	4	1	–	1	1	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana																							
	All causes	47,548	1,094	226	150	152	532	663	518	491	560	806	1,243	2,171	3,057	4,043	4,976	5,847	6,269	6,377	4,923	2,562	875	13
	White ..... Male	23,869	525	100	72	96	340	440	304	282	299	441	724	1,203	1,811	2,381	2,888	3,270	3,051	2,752	1,867	804	217	2
	Female	20,404	357	88	58	46	147	139	135	139	183	266	368	727	958	1,372	1,730	2,215	2,897	3,388	2,890	1,685	607	9
	All other ..... Male	1,891	116	20	12	9	32	63	58	45	49	56	98	138	193	186	203	182	172	140	77	20	21	1
	Female	1,384	96	18	8	1	13	21	21	25	29	43	53	103	95	104	155	180	149	97	89	53	30	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	44	14	1	1	–	–	–	–	–	–	1	–	–	1	1	2	3	5	6	4	3	2	–
	White ..... Male	15	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
	Female	27	7	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	3	4	3	2	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	62	–	–	1	1	–	–	–	–	1	1	4	2	3	5	12	6	8	7	6	4	1	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	2	6	1	4	3	1	2	–	–
	Female	24	–	–	1	–	–	–	–	–	1	–	1	–	1	2	6	3	2	3	2	1	1	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	2	–	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	2	–	1	1	1	–	–
010–012	Tuberculosis of respiratory system	47	–	–	–	–	–	–	–	–	–	1	4	1	3	4	6	6	7	5	5	4	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	1	4	2	1	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	1	3	2	1	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	2	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	1	–	–
013–019	Tuberculosis, other forms	15	–	–	1	1	–	–	–	–	1	–	–	1	–	1	6	–	1	2	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	7	–	–	1	–	–	–	–	–	1	–	–	–	–	–	4	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	2	7	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	White ..... Male	8	2	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	164	23	4	–	–	–	–	1	–	2	5	3	7	7	9	14	24	19	16	23	5	2	–
	White ..... Male	62	12	1	–	–	–	–	–	–	1	1	2	3	3	5	5	9	7	6	7	–	–	–
	Female	73	6	1	–	–	–	–	1	–	–	2	1	3	3	3	8	9	11	8	12	4	1	–
	All other ..... Male	15	2	1	–	–	–	–	–	–	1	1	–	1	1	–	–	2	1	1	2	1	1	–
	Female	14	3	1	–	–	–	–	–	–	–	1	–	–	–	1	1	4	–	1	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	119	9	3	–	2	7	2	3	3	–	5	4	12	11	6	13	10	14	13	1	1	–	–
	White ..... Male	51	3	2	–	–	4	–	1	2	–	1	2	6	4	1	9	2	4	10	–	–	–	–
	Female	54	5	–	–	1	3	1	2	1	–	3	1	5	4	5	4	6	8	3	1	1	–	–
	All other ..... Male	7	–	1	–	1	–	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,660	3	22	17	25	24	36	45	80	118	205	376	702	1,011	1,259	1,359	1,428	1,197	967	569	179	37	1
	White ..... Male	4,832	–	9	9	12	16	24	18	36	42	82	183	311	521	651	726	786	611	451	267	67	10	–
	Female	4,141	2	10	6	13	5	9	22	33	67	108	158	330	402	517	517	553	520	457	283	107	21	1
	All other ..... Male	407	1	1	2	–	1	2	2	5	5	8	22	34	61	63	74	47	37	31	7	2	2	–
	Female	280	–	2	–	–	2	1	3	6	4	7	13	27	27	28	42	42	29	28	12	3	4	–
140–149	Of buccal cavity and pharynx	155	–	–	–	–	–	–	–	–	–	1	8	12	33	25	21	15	14	13	8	5	–	–
	White ..... Male	101	–	–	–	–	–	–	–	–	–	1	6	7	21	17	16	8	8	9	5	3	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	5	5	7	3	6	5	3	3	2	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	2	–	6	–	2	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,473	–	–	–	1	1	4	3	11	25	30	63	142	212	283	367	397	372	311	171	68	11	1
	White ..... Male	1,200	–	–	–	1	1	1	1	4	9	16	35	66	116	152	197	203	184	123	66	22	3	–
	Female	1,102	–	–	–	–	–	2	2	4	13	10	21	64	74	114	132	169	170	174	100	44	8	1
	All other ..... Male	101	–	–	–	–	–	1	–	1	2	3	5	9	15	9	25	12	12	3	3	1	–	–
	Female	70	–	–	–	–	–	–	–	2	1	1	2	3	7	8	13	13	6	11	2	1	–	–
160–163	Of respiratory system	2,512	–	1	–	–	–	–	1	7	11	55	110	248	369	414	435	380	246	151	70	13	1	–
	White ..... Male	1,726	–	–	–	–	–	–	–	5	7	31	68	143	255	281	298	300	177	113	42	6	–	–
	Female	585	–	–	–	–	–	–	1	2	3	19	30	78	83	94	99	62	57	27	23	6	1	–
	All other ..... Male	155	–	–	–	–	–	–	–	–	1	4	11	19	26	32	27	15	9	9	2	–	–	–
	Female	46	–	1	–	–	–	–	–	–	–	1	1	8	5	7	11	3	3	2	3	1	–	–
174	Of breast	789	–	–	–	–	–	1	3	12	22	30	43	86	109	109	84	95	85	56	32	16	6	–
	White ..... Male	5	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	1	–	–
	Female	736	–	–	–	–	–	1	2	9	21	30	39	80	104	106	78	87	79	53	29	15	3	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	46	–	–	–	–	–	–	1	2	1	–	2	6	5	2	5	7	6	3	3	–	3	–
180–187	Of genital organs	1,116	–	–	–	–	2	4	4	10	14	23	44	64	65	121	126	172	155	157	116	32	7	–
	White ..... Male	461	–	–	–	–	2	3	2	4	1	–	2	8	7	31	45	86	88	84	73	20	5	–
	Female	559	–	–	–	–	–	1	2	5	12	20	38	52	51	79	69	67	53	58	41	10	1	–
	All other ..... Male	57	–	–	–	–	–	–	–	1	–	–	1	1	3	8	7	13	9	11	1	1	1	–
	Female	39	–	–	–	–	–	–	–	–	1	3	3	3	4	3	5	6	5	4	1	1	–	–
188, 189	Of urinary organs	413	–	1	2	1	2	1	2	2	2	7	15	18	32	46	55	72	69	44	32	7	3	–
	White ..... Male	252	–	–	1	–	1	1	1	2	1	4	9	15	22	28	34	45	38	27	20	2	1	–
	Female	144	–	1	1	1	1	–	–	–	1	3	5	2	10	16	18	22	28	16	12	5	2	–
	All other ..... Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	2	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	2	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,249	3	16	6	12	9	12	15	23	22	33	52	72	113	166	179	158	133	130	72	18	5	–
	White ..... Male	621	–	8	3	4	3	7	6	12	11	17	31	44	59	96	87	80	68	46	31	7	1	–
	Female	550	2	6	2	8	4	4	8	10	9	15	16	23	42	62	83	70	59	75	39	11	2	–
	All other ..... Male	40	1	1	1	–	1	1	–	–	1	–	3	2	8	6	6	3	2	3	–	–	1	–
	Female	38	–	1	–	–	1	–	1	1	1	1	2	3	4	2	3	5	4	6	2	–	1	–
204–207	Leukemia	413	–	4	6	8	9	6	12	9	13	12	18	18	28	24	34	49	57	49	38	16	3	–
	White ..... Male	212	–	1	4	4	9	6	4	5	8	4	13	9	16	9	21	26	23	27	17	6	–	–
	Female	180	–	3	2	4	–	–	7	2	5	6	4	8	10	12	9	23	30	21	21	10	3	–
	All other ..... Male	14	–	–	–	–	–	–	–	2	–	1	–	1	1	3	2	–	3	1	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	1	1	–	1	–	2	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	540	–	–	3	3	1	8	5	6	9	14	23	42	50	71	58	90	66	56	30	4	1	–
	White ..... Male	254	–	–	1	3	–	6	4	3	5	9	17	19	25	37	28	37	25	22	13	–	–	–
	Female	246	–	–	1	–	–	1	–	1	3	5	5	18	23	27	26	47	39	30	15	4	1	–
	All other ..... Male	16	–	–	1	–	–	–	1	1	1	–	–	2	2	2	2	1	–	2	1	–	–	–
	Female	24	–	–	–	–	1	1	–	1	–	–	1	3	–	5	2	5	2	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	121	–	–	1	1	2	–	–	–	2	3	6	11	13	18	15	15	13	10	8	3	–	–
	White ..... Male	65	–	–	–	1	–	–	–	–	1	1	5	7	7	13	8	9	7	3	1	2	–	–
	Female	48	–	–	1	–	2	–	–	–	1	2	–	4	4	5	7	5	4	6	6	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	1,091	1	1	1	2	1	5	7	10	10	12	26	52	68	107	135	165	183	157	99	41	8	–
	White ..... Male	411	–	1	–	1	–	2	1	4	6	3	10	22	31	48	50	62	65	55	31	15	4	–
	Female	573	–	–	1	–	1	2	2	4	3	4	12	20	31	48	71	87	104	93	62	24	4	–
	All other ..... Male	44	1	–	–	1	–	–	2	1	1	3	1	2	2	3	5	8	6	5	2	1	–	–
	Female	63	–	–	–	–	–	1	2	1	–	2	3	8	4	8	9	8	8	4	4	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	61	4	1	–	–	–	1	–	–	1	–	2	–	1	1	3	6	8	14	9	6	4	–
	White ..... Male	22	3	1	–	–	–	–	–	–	–	–	2	–	–	1	1	3	2	1	4	3	1	–
	Female	34	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	3	5	12	5	3	2	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana—Con.																							
280–285	Anemias	88	–	2	1	1	1	1	1	3	–	–	2	6	2	4	7	10	16	12	9	7	3	–
	White ..... Male	33	–	2	–	–	–	–	–	–	–	–	1	2	–	1	4	5	6	4	3	3	2	–
	Female	46	–	–	–	1	–	–	–	2	–	–	1	2	2	3	3	5	9	8	6	3	1	–
	All other ..... Male	3	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
320	Meningitis	45	13	7	2	1	–	1	–	2	1	1	–	3	3	2	3	2	2	1	1	–	–	–
	White ..... Male	22	8	3	2	–	–	1	–	1	–	–	–	–	2	1	–	2	1	1	–	–	–	–
	Female	19	5	3	–	–	–	–	–	1	1	1	–	2	1	1	2	–	1	–	1	–	–	–
	All other ..... Male	4	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	24,836	23	9	9	5	14	18	36	58	122	249	466	865	1,324	1,871	2,548	3,240	3,816	4,155	3,427	1,902	675	4
	White ..... Male	12,154	13	3	3	4	7	6	15	34	71	169	329	566	891	1,204	1,541	1,820	1,802	1,708	1,228	581	159	–
	Female	11,320	4	4	5	1	4	9	14	9	35	52	87	204	310	539	834	1,218	1,829	2,321	2,089	1,267	482	3
	All other ..... Male	734	3	1	1	–	2	1	5	8	9	12	32	58	89	82	90	96	93	74	48	15	14	1
	Female	628	3	1	–	–	1	2	2	7	7	16	18	37	34	46	83	106	92	52	62	39	20	–
390–398, 402, 404, 410–429	Diseases of heart	18,005	19	6	4	3	9	11	25	45	94	191	402	733	1,107	1,543	2,009	2,443	2,706	2,782	2,225	1,229	416	3
	White ..... Male	9,383	12	1	1	3	5	5	10	29	60	138	295	513	772	1,041	1,254	1,424	1,318	1,180	827	401	94	–
	Female	7,670	4	4	2	–	3	5	9	7	21	33	85	147	240	402	629	892	1,268	1,522	1,324	791	300	2
	All other ..... Male	541	2	1	1	–	1	–	5	6	8	10	29	44	69	67	65	61	70	49	32	10	10	1
	Female	411	1	–	–	–	–	1	1	3	5	10	13	29	26	33	61	66	50	31	42	27	12	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	323	–	–	–	–	–	3	3	3	5	14	17	18	30	37	42	59	40	25	19	4	4	–
	White ..... Male	114	–	–	–	–	–	2	–	1	3	4	7	3	14	17	14	25	11	5	5	3	–	–
	Female	187	–	–	–	–	–	1	2	1	2	8	7	12	13	18	26	32	28	19	14	1	3	–
	All other ..... Male	10	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	1	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	1	–	–	2	1	2	1	1	1	1	–	1	–	–	1	–
402	Hypertensive heart disease	180	–	–	–	–	–	–	–	1	2	2	5	11	9	15	23	20	31	29	17	11	4	–
	White ..... Male	58	–	–	–	–	–	–	–	–	1	1	3	4	4	6	9	9	4	12	3	2	–	–
	Female	93	–	–	–	–	–	–	–	–	–	–	–	5	1	6	10	9	23	14	12	9	4	–
	All other ..... Male	15	–	–	–	–	–	–	–	1	–	1	1	1	3	1	3	1	1	2	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	1	3	1	2	–	–	–
404	Hypertensive heart and renal disease	222	–	–	–	–	–	–	–	–	–	–	1	1	4	7	5	20	36	55	47	33	13	–
	White ..... Male	100	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	10	18	27	22	12	4	–
	Female	119	–	–	–	–	–	–	–	–	–	–	–	–	3	5	2	10	18	28	25	20	8	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
410–413	Ischemic heart disease	15,829	–	–	–	–	3	1	8	31	71	151	349	645	976	1,385	1,794	2,173	2,398	2,452	1,977	1,074	339	2
	White ..... Male	8,433	–	–	–	–	2	1	6	21	49	116	270	468	706	953	1,144	1,282	1,197	1,051	740	349	78	–
	Female	6,597	–	–	–	–	1	–	1	4	14	19	49	118	189	340	542	782	1,098	1,331	1,172	691	244	2
	All other ..... Male	456	–	–	–	–	–	–	1	3	6	8	22	37	59	64	53	55	58	44	27	9	10	–
	Female	343	–	–	–	–	–	–	–	3	2	8	8	22	22	28	55	54	45	26	38	25	7	–
410	Acute myocardial infarction	8,318	–	–	–	–	3	1	8	21	56	110	249	463	692	930	1,140	1,275	1,268	1,061	667	281	92	1
	White ..... Male	5,058	–	–	–	–	2	1	6	15	41	89	196	357	525	652	774	794	705	491	281	106	28	–
	Female	2,955	–	–	–	–	1	–	1	4	13	13	40	76	127	228	324	442	532	550	370	169	64	1
	All other ..... Male	174	–	–	–	–	–	–	1	2	–	4	10	17	27	32	20	21	17	13	7	–	3	–
	Female	131	–	–	–	–	–	–	–	–	2	4	3	13	13	18	22	18	14	7	9	6	2	–
411	Other acute and subacute forms of ischemic heart disease	55	–	–	–	–	–	–	–	–	–	1	4	2	3	3	7	6	8	6	8	6	1	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	2	1	2	1	5	3	4	2	4	2	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	3	4	4	3	4	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,453	–	–	–	–	–	–	–	10	15	40	95	180	281	452	647	892	1,121	1,385	1,301	787	246	1
	White ..... Male	3,347	–	–	–	–	–	–	–	6	8	27	71	110	179	300	365	485	487	558	455	241	55	–
	Female	3,616	–	–	–	–	–	–	–	–	1	6	8	41	61	111	216	337	562	777	798	518	179	1
	All other ..... Male	278	–	–	–	–	–	–	–	1	6	3	11	20	32	31	33	34	41	31	19	9	7	–
	Female	212	–	–	–	–	–	–	–	3	–	4	5	9	9	10	33	36	31	19	29	19	5	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	133	–	1	1	–	1	2	–	1	1	3	3	6	7	9	7	19	14	19	24	12	3	–
	White ..... Male	54	–	–	–	–	1	1	–	1	1	1	1	3	4	7	3	9	5	7	6	3	1	–
	Female	74	–	–	–	–	–	1	–	–	–	2	1	2	3	2	4	10	9	12	17	9	2	–
	All other ..... Male	3	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,318	19	5	3	3	5	5	14	9	15	21	27	52	81	90	138	152	187	202	141	95	53	1
	White ..... Male	624	12	1	1	3	2	1	4	6	6	16	14	34	43	56	81	89	83	78	51	32	11	–
	Female	600	4	4	2	–	2	3	6	2	5	4	8	10	31	31	45	49	92	118	84	61	39	–
	All other ..... Male	56	2	–	–	–	1	–	4	1	2	1	3	4	5	1	8	4	10	3	5	1	–	1
	Female	38	1	–	–	–	–	1	–	–	2	–	2	4	2	2	4	10	2	3	1	1	3	–
400, 401, 403	Hypertension	137	–	–	–	–	–	–	–	–	4	–	1	2	7	10	11	18	24	27	19	8	6	–
	White ..... Male	61	–	–	–	–	–	–	–	–	1	–	–	1	4	5	8	13	7	10	8	3	1	–
	Female	62	–	–	–	–	–	–	–	–	1	–	1	–	2	4	2	3	14	15	10	5	5	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	2	–	–	–	–	–
430–438	Cerebrovascular diseases	4,945	4	2	4	1	5	5	9	12	21	48	50	103	154	250	404	589	837	1,026	835	435	151	–
	White ..... Male	1,934	1	1	1	1	2	–	4	4	10	24	30	39	79	114	201	272	330	384	273	118	46	–
	Female	2,677	–	–	3	–	1	3	4	2	10	16	14	46	55	111	163	255	452	607	534	304	97	–
	All other ..... Male	153	1	–	–	–	1	1	–	2	1	2	2	11	14	13	21	28	20	18	11	4	3	–
	Female	181	2	1	–	–	1	1	1	4	–	6	4	7	6	12	19	34	35	17	17	9	5	–
431	Cerebral hemorrhage	724	2	–	2	–	2	1	3	2	7	12	15	35	49	62	87	94	107	110	83	37	14	–
	White ..... Male	308	–	–	–	–	2	–	2	–	3	6	8	15	30	25	48	40	43	39	38	7	2	–
	Female	350	–	–	2	–	–	1	1	–	4	3	4	15	14	30	37	39	54	64	43	30	9	–
	All other ..... Male	27	1	–	–	–	–	–	–	1	–	1	1	3	3	3	–	7	1	3	1	–	2	–
	Female	39	1	–	–	–	–	–	–	1	–	2	2	2	2	4	2	8	9	4	1	–	1	–
433	Cerebral thrombosis	975	–	–	–	–	–	–	–	–	3	4	4	9	22	46	67	125	176	218	180	90	31	–
	White ..... Male	397	–	–	–	–	–	–	–	–	2	1	3	7	13	22	35	58	80	85	52	26	13	–
	Female	514	–	–	–	–	–	–	–	–	1	3	1	2	5	20	19	52	84	126	120	63	18	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	–	–	–	–	3	2	9	5	2	2	4	1	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	10	10	5	4	–	–	–
434	Cerebral embolism	17	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	2	3	3	1	2	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,229	2	2	2	1	3	4	6	10	11	32	30	58	83	142	246	368	551	695	571	306	106	–
	White ..... Male	1,221	1	1	1	1	–	–	2	4	5	17	18	16	36	67	116	173	207	258	182	85	31	–
	Female	1,804	–	–	1	–	1	2	3	2	5	10	9	29	36	61	105	163	311	416	371	209	70	–
	All other ..... Male	98	–	–	–	–	1	1	–	1	1	1	1	8	8	8	12	16	17	13	6	3	1	–
	Female	106	1	1	–	–	1	1	1	3	–	4	2	5	3	6	13	16	16	8	12	9	4	–
440	Arteriosclerosis	1,080	–	–	–	–	–	–	–	–	–	–	4	3	14	20	36	82	144	215	273	199	89	1
	White ..... Male	391	–	–	–	–	–	–	–	–	–	–	–	3	7	12	19	42	80	76	88	48	16	–
	Female	657	–	–	–	–	–	–	–	–	–	–	3	–	5	7	17	35	61	130	180	148	70	1
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	5	3	1	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	4	2	2	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	669	–	1	1	1	–	2	2	1	3	10	9	24	42	48	88	108	105	105	75	31	13	–
	White ..... Male	385	–	1	1	–	–	1	1	1	–	7	4	10	29	32	59	69	67	58	32	11	2	–
	Female	254	–	–	–	1	–	1	1	–	3	3	4	11	8	15	23	33	34	47	41	19	10	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	2	4	–	3	5	2	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	2	–	1	1	1	–
466	Acute bronchitis and bronchiolitis	18	3	–	–	–	–	–	1	–	–	–	–	–	1	2	3	3	1	3	1	–	–	–
	White ..... Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	2	–	1	1	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,223	40	8	5	10	4	7	11	2	11	8	12	17	36	56	75	116	160	242	216	134	53	–
	White ..... Male	578	19	2	1	7	3	3	4	2	3	5	6	9	18	36	49	73	75	120	80	49	14	–
	Female	582	12	6	4	3	1	4	3	–	4	3	4	6	14	15	23	39	76	115	133	83	34	–
	All other ..... Male	42	6	–	–	–	–	–	1	–	3	–	2	2	4	5	3	3	3	6	1	–	3	–
	Female	21	3	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	6	1	2	2	2	–
470–474	Influenza	148	–	1	2	–	–	1	–	–	–	1	2	2	2	4	7	8	28	31	23	27	9	–
	White ..... Male	56	–	1	1	–	–	–	–	–	–	–	1	2	2	1	1	7	11	11	9	7	2	–
	Female	88	–	–	1	–	–	1	–	–	–	1	1	–	–	2	6	1	15	20	14	20	6	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
480–486	Pneumonia	1,075	40	7	3	10	4	6	11	2	11	7	10	15	34	52	68	108	132	211	193	107	44	–
	White ..... Male	522	19	1	–	7	3	3	4	2	3	5	5	7	16	35	48	66	64	109	71	42	12	–
	Female	494	12	6	3	3	1	3	3	–	4	2	3	6	14	13	17	38	61	95	119	63	28	–
	All other ..... Male	39	6	–	–	–	–	–	1	–	3	–	2	2	4	4	3	3	1	6	1	–	3	–
	Female	20	3	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	6	1	2	2	1	–
490–493	Bronchitis, emphysema, and asthma	536	2	1	1	3	–	1	1	2	2	9	8	20	30	89	87	83	83	65	38	10	1	–
	White ..... Male	371	1	1	–	1	–	–	1	1	1	4	3	10	17	57	66	61	68	50	24	5	–	–
	Female	148	1	–	–	2	–	–	–	1	1	3	5	9	13	26	19	20	15	14	13	5	1	–
	All other ..... Male	13	–	–	1	–	–	–	–	–	–	1	–	1	–	4	2	2	–	1	1	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana—Con.																							
490, 491	Chronic and unqualified bronchitis	104	2	–	–	1	–	–	1	–	–	1	–	3	10	13	20	17	15	12	7	1	1	–
	White ..... Male	63	1	–	–	1	–	–	1	–	–	–	–	1	5	8	11	11	12	7	5	–	–	–
	Female	39	1	–	–	–	–	–	–	–	–	1	–	2	5	4	9	6	3	4	2	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	396	–	–	–	–	–	–	–	1	1	5	8	13	19	71	64	64	64	50	28	8	–	–
	White ..... Male	300	–	–	–	–	–	–	–	1	1	4	3	9	12	49	54	49	54	41	18	5	–	–
	Female	85	–	–	–	–	–	–	–	–	–	1	5	3	7	17	8	13	10	9	9	3	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
493	Asthma	36	–	1	1	2	–	1	–	1	1	3	–	4	1	5	3	2	4	3	3	1	–	–
	White ..... Male	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–	–
	Female	24	–	–	–	2	–	–	–	1	1	1	–	4	1	5	2	1	2	1	2	1	–	–
	All other ..... Male	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	155	–	–	–	–	–	–	–	–	–	3	3	7	11	15	17	17	32	26	13	11	–	–
	White ..... Male	85	–	–	–	–	–	–	–	–	–	2	3	6	7	10	9	11	14	13	6	4	–	–
	Female	59	–	–	–	–	–	–	–	–	–	1	–	–	2	3	8	4	16	11	7	7	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
540–543	Appendicitis	19	–	–	–	1	–	–	–	–	–	1	2	–	1	2	3	4	1	1	2	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–
	Female	13	–	–	–	1	–	–	–	–	–	1	2	–	–	1	1	3	1	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	149	14	1	–	–	–	1	–	–	1	–	2	3	6	7	20	13	17	20	25	15	4	–
	White ..... Male	58	8	–	–	–	–	1	–	–	–	–	1	1	5	3	8	6	6	7	8	3	1	–
	Female	82	4	1	–	–	–	–	–	–	1	–	1	1	1	4	11	7	11	12	13	12	3	–
	All other ..... Male	6	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
571	Cirrhosis of liver	518	–	2	–	–	–	–	3	11	18	42	41	85	74	86	65	43	27	15	6	–	–	–
	White ..... Male	313	–	–	–	–	–	–	2	7	11	22	29	43	48	56	45	25	15	7	3	–	–	–
	Female	151	–	2	–	–	–	–	1	2	3	11	8	26	21	24	13	18	11	8	3	–	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	1	2	4	3	10	4	3	4	–	1	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	1	2	5	1	6	1	3	3	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	53	–	–	–	–	–	–	–	–	–	–	–	5	3	4	5	6	5	11	7	5	2	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	3	3	3	3	–	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	2	–	3	4	3	1	8	4	4	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
580–584	Nephritis and nephrosis	191	–	–	–	1	1	1	–	3	1	–	4	11	11	15	17	29	28	33	24	10	2	–
	White ..... Male	85	–	–	–	1	–	–	–	–	–	–	–	4	3	7	8	13	14	20	12	2	1	–
	Female	77	–	–	–	–	1	1	–	2	1	–	3	3	2	5	5	10	14	9	12	8	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	3	–	1	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	3	5	2	3	3	–	3	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	49	–	–	–	–	–	–	–	1	–	–	–	1	2	4	5	11	7	9	4	4	1	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	3	7	2	–	1	–
	Female	19	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	4	4	1	2	4	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	142	–	–	–	1	1	1	–	2	1	–	4	10	9	11	12	18	21	24	20	6	1	–
	White ..... Male	61	–	–	–	1	–	–	–	–	–	–	–	4	2	6	4	8	11	13	10	2	–	–
	Female	58	–	–	–	–	1	1	–	1	1	–	3	2	2	4	4	6	10	8	10	4	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	2	–	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	3	4	1	3	2	–	2	–	–	–	–
590	Infections of kidney	69	–	–	–	–	–	–	–	–	1	–	–	2	2	6	5	4	8	17	14	8	2	–
	White ..... Male	23	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	2	7	3	2	1	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	6	10	9	6	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	8	6	6	1	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	5	5	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Indiana—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	298	203	20	7	4	8	8	9	5	3	6	3	3	5	3	7	1	2	–	1	–	–	–
	White ..... Male	156	103	10	5	2	5	5	6	3	3	3	3	–	3	2	3	–	–	–	–	–	–	–
	Female	115	77	9	2	2	2	3	3	1	–	3	–	2	2	1	4	1	2	–	1	–	–	–
	All other ..... Male	13	11	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	12	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	521	520	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	240	239	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	164	164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	276	276	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	245	244	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	105	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	529	136	5	1	1	10	11	6	12	16	9	8	18	23	24	25	26	34	53	49	43	17	2
	White ..... Male	233	66	4	1	1	8	3	4	4	6	3	6	12	10	13	13	8	21	18	15	13	4	–
	Female	235	38	–	–	–	2	5	1	5	7	5	1	5	9	10	10	15	11	33	33	30	13	2
	All other ..... Male	35	17	1	–	–	–	2	–	2	1	1	–	–	3	1	1	2	2	2	–	–	–	–
	Female	26	15	–	–	–	–	1	1	1	2	–	1	1	1	–	1	1	–	–	1	–	–	–
Residual	All other diseases	3,287	44	30	28	13	29	31	31	48	51	74	104	162	234	295	383	454	457	390	263	128	36	2
	White ..... Male	1,673	19	12	8	6	13	15	12	21	18	28	39	83	119	160	232	279	248	196	117	36	12	–
	Female	1,391	21	16	18	7	13	13	13	22	20	33	42	59	87	115	130	159	192	180	139	89	22	1
	All other ..... Male	129	4	1	2	–	1	1	5	2	6	9	11	12	15	11	13	11	10	10	5	–	–	–
	Female	94	–	1	–	–	2	2	1	3	7	4	12	8	13	9	8	5	7	4	2	3	2	1
E800-E949	Accidents	2,566	33	96	71	75	340	370	218	144	121	96	99	98	115	109	103	100	99	117	90	44	26	2
	White ..... Male	1,652	19	43	41	57	227	284	156	106	92	68	65	68	75	73	65	55	51	44	41	15	7	–
	Female	715	7	31	19	13	96	66	45	29	23	16	19	22	30	28	31	38	41	69	47	26	17	2
	All other ..... Male	137	5	12	4	4	11	17	15	7	6	9	12	3	7	5	5	4	4	3	2	1	1	–
	Female	62	2	10	7	1	6	3	2	2	–	3	3	5	3	3	2	3	3	1	–	2	1	–
E810-E823	Motor vehicle accidents	1,314	9	25	32	41	254	270	144	94	65	57	48	43	53	43	43	29	25	23	13	3	–	–
	White ..... Male	900	6	12	19	35	171	204	102	65	51	41	31	30	31	28	23	14	17	9	9	2	–	–
	Female	342	3	11	9	5	74	54	34	23	11	10	10	12	19	14	16	14	6	12	4	1	–	–
	All other ..... Male	55	–	1	2	–	6	11	8	4	3	4	7	–	1	1	3	–	2	2	–	–	–	–
	Female	17	–	1	2	1	3	1	–	2	–	2	–	1	2	–	1	1	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	1,252	24	71	39	34	86	100	74	50	56	39	51	55	62	66	60	71	74	94	77	41	26	2
	White ..... Male	752	13	31	22	22	56	80	54	41	41	27	34	38	44	45	42	41	34	35	32	13	7	–
	Female	373	4	20	10	8	22	12	11	6	12	6	9	10	11	14	15	24	35	57	43	25	17	2
	All other ..... Male	82	5	11	2	4	5	6	7	3	3	5	5	3	6	4	2	4	2	1	2	1	1	–
	Female	45	2	9	5	–	3	2	2	–	–	1	3	4	1	3	1	2	3	1	–	2	1	–
E950-E959	Suicide	642	...	...	–	4	45	77	75	60	50	40	46	49	51	33	38	29	18	15	11	1	–	–
	White ..... Male	472	...	...	–	3	35	62	59	39	37	28	28	30	37	25	28	26	14	13	7	1	–	–
	Female	147	...	...	–	1	10	9	11	20	13	10	17	18	14	7	9	2	3	1	2	–	–	–
	All other ..... Male	19	...	...	–	–	–	5	5	1	–	1	1	1	–	1	1	1	1	–	1	–	–	–
	Female	4	...	...	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
E960-E978	Homicide	343	3	5	4	1	30	76	53	39	26	26	18	23	5	12	7	7	4	2	1	–	–	1
	White ..... Male	129	2	1	1	–	13	25	15	18	5	17	4	11	3	4	4	4	–	–	1	–	–	1
	Female	55	1	1	1	1	4	13	10	5	1	4	3	2	–	3	2	1	1	2	–	–	–	–
	All other ..... Male	135	–	1	2	–	12	34	23	14	15	4	10	8	2	4	1	2	3	–	–	–	–	–
	Female	24	–	2	–	–	1	4	5	2	5	1	1	2	–	1	–	–	–	–	–	–	–	–
E980-E999	Other external causes	88	4	1	–	–	13	12	16	8	1	9	4	6	4	1	4	1	3	1	–	–	–	–
	White ..... Male	52	1	–	–	–	9	9	10	4	1	3	2	4	1	1	4	1	2	–	–	–	–	–
	Female	21	3	1	–	–	1	1	5	2	–	3	2	–	2	–	–	–	1	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	3	–	–	1	–	2	–	1	–	–	–	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	2	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa																							
	All causes	27,450	562	113	73	89	265	283	239	218	214	295	519	896	1,296	2,000	2,617	3,194	3,929	4,181	3,709	2,031	725	2
	White ..... Male	14,562	311	69	42	57	191	203	168	145	121	185	314	588	807	1,270	1,692	1,946	2,118	1,963	1,487	670	215	–
	Female	12,556	220	41	29	32	71	76	61	65	86	97	193	287	468	710	882	1,213	1,779	2,194	2,197	1,352	502	1
	All other ..... Male	190	15	2	–	–	2	3	6	6	5	5	8	15	14	10	27	22	16	13	14	4	3	–
	Female	142	16	1	2	–	1	1	4	2	2	8	4	6	7	10	16	13	16	11	11	5	5	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	28	3	1	–	–	–	–	1	1	1	1	–	1	1	2	2	–	6	2	3	1	2	–
	White ..... Male	11	2	1	–	–	–	–	1	–	–	–	–	1	–	–	2	–	2	–	1	–	1	–
	Female	17	1	–	–	–	–	–	–	1	1	1	–	–	1	2	–	–	4	2	2	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	5	3	1	1	–	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	2	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	–	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	78	14	3	–	–	–	1	1	1	–	1	2	2	3	2	10	4	10	11	9	3	1	–
	White ..... Male	43	7	–	–	–	–	–	–	1	–	–	1	2	2	1	7	1	7	9	3	2	–	–
	Female	32	6	2	–	–	–	1	1	–	–	1	–	–	1	1	3	3	3	2	6	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	57	4	2	1	–	2	–	1	2	2	–	3	3	1	6	3	9	5	8	3	2	–	–
	White ..... Male	26	2	1	–	–	–	–	–	1	2	–	–	1	1	5	–	3	3	6	1	–	–	–
	Female	29	1	1	1	–	2	–	1	1	–	–	3	1	–	1	3	6	2	2	2	2	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,450	–	9	9	8	16	23	37	34	47	69	151	301	422	654	761	810	786	661	444	176	31	1
	White ..... Male	2,923	–	6	5	3	10	14	24	17	21	27	72	173	218	344	455	481	436	322	205	79	11	–
	Female	2,465	–	2	4	5	6	9	12	15	25	41	78	124	200	302	296	316	342	335	238	96	19	–
	All other ..... Male	35	–	1	–	–	–	–	–	–	–	–	–	3	2	4	7	10	3	3	1	–	1	–
	Female	27	–	–	–	–	–	–	1	2	1	1	1	1	2	4	3	3	5	1	–	1	–	1
140-149	Of buccal cavity and pharynx	74	–	1	–	–	1	1	–	–	–	1	4	6	7	9	14	5	11	9	4	–	1	–
	White ..... Male	55	–	1	–	–	–	1	–	–	–	–	3	6	6	8	12	4	7	5	2	–	–	–
	Female	19	–	–	–	–	1	–	–	–	–	1	1	–	1	1	2	1	4	4	2	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150-159	Of digestive organs and peritoneum	1,608	–	1	1	–	–	2	6	9	8	16	23	71	98	169	222	246	267	228	154	71	16	–
	White ..... Male	826	–	1	–	–	–	–	4	6	6	9	11	44	56	97	123	136	134	102	58	32	7	–
	Female	763	–	–	1	–	–	2	2	3	2	7	11	23	41	70	95	108	129	125	96	39	9	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	3	1	–	3	1	2	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	2	–	–	–	–	–
160-163	Of respiratory system	1,244	–	–	–	–	–	–	2	–	11	14	50	96	132	213	220	218	139	98	31	19	–	1
	White ..... Male	966	–	–	–	–	–	–	2	–	8	12	40	77	93	155	181	180	115	70	22	11	–	–
	Female	262	–	–	–	–	–	–	–	–	3	2	10	19	37	55	36	33	24	26	9	8	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1
174	Of breast	441	–	–	–	–	–	–	–	1	9	11	31	29	36	58	54	55	57	54	27	16	3	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	435	–	–	–	–	–	–	–	1	8	10	31	29	36	57	54	55	56	53	26	16	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	1	–	–	–	–
180-187	Of genital organs	700	–	–	–	–	2	2	6	4	5	11	16	24	40	66	83	82	118	102	101	32	6	–
	White ..... Male	345	–	–	–	–	1	1	3	1	–	–	–	2	6	11	43	46	79	66	65	19	2	–
	Female	344	–	–	–	–	1	1	3	3	5	11	16	22	33	55	38	32	38	36	35	12	3	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	1	–	–
188, 189	Of urinary organs	275	–	–	–	–	1	–	–	–	–	–	5	10	25	22	31	47	53	41	32	7	1	–
	White ..... Male	172	–	–	–	–	1	–	–	–	–	–	4	6	15	13	22	30	34	28	13	5	1	–
	Female	103	–	–	–	–	–	–	–	–	–	–	1	4	10	9	9	17	19	13	19	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170-173, 190-199	Of all other and unspecified sites	525	–	5	4	4	7	7	12	7	7	11	15	46	50	55	66	58	52	53	45	18	3	–
	White ..... Male	260	–	4	2	1	3	5	8	4	2	6	9	31	24	28	38	27	24	19	19	6	–	–
	Female	262	–	1	2	3	4	2	3	3	5	5	6	15	26	27	28	31	26	34	26	12	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
204-207	Leukemia	245	–	2	4	2	3	6	7	8	3	2	2	5	9	18	28	40	36	37	26	6	1	–
	White ..... Male	135	–	–	3	2	3	4	3	4	2	–	2	2	6	10	16	26	18	17	14	2	1	–
	Female	104	–	1	1	–	–	2	4	2	1	2	–	3	3	7	12	12	18	20	12	4	–	–
	All other ..... Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	338	–	–	–	2	2	5	4	5	4	3	5	14	25	44	43	59	53	39	24	7	–	–
	White ..... Male	163	–	–	–	–	2	3	4	2	3	–	3	5	12	22	20	32	25	15	11	4	–	–
	Female	173	–	–	–	2	–	2	–	3	1	3	2	9	13	21	22	27	28	24	13	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	42	3	–	–	–	2	2	–	1	2	–	1	1	1	6	5	7	4	5	1	1	–	–
	White ..... Male	15	2	–	–	–	2	–	–	1	–	–	–	–	–	1	2	3	2	1	–	1	–	–
	Female	26	1	–	–	–	–	2	–	–	2	–	1	1	1	5	2	4	2	4	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	456	–	1	1	–	–	1	3	4	5	6	4	13	26	32	49	53	62	90	71	29	6	–
	White ..... Male	198	–	–	1	–	–	1	–	3	4	2	3	8	11	19	25	23	24	38	23	10	3	–
	Female	252	–	1	–	–	–	–	3	1	1	3	1	5	15	13	24	28	36	52	48	18	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
260-269	Avitaminoses and other nutritional deficiencies	55	2	1	–	–	–	–	1	–	–	–	–	1	1	2	1	4	7	13	13	5	4	–
	White ..... Male	27	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	7	5	2	1	–
	Female	28	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	2	6	8	3	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa—Con.																							
280–285	Anemias	45	1	–	2	2	2	–	–	–	–	–	–	3	–	3	1	5	7	8	5	6	–	–
	White ..... Male	24	1	–	1	1	2	–	–	–	–	–	–	3	–	2	–	4	3	4	3	–	–	–
	Female	20	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	4	4	2	6	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
320	Meningitis	13	5	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	3	–	–	–
	White ..... Male	7	2	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	–	–	–
	Female	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,971	17	9	2	2	6	13	8	31	53	111	179	365	591	909	1,311	1,763	2,344	2,698	2,530	1,467	562	–
	White ..... Male	7,610	11	5	2	–	3	7	4	13	35	86	124	275	425	640	890	1,086	1,231	1,213	946	450	164	–
	Female	7,225	5	4	–	2	3	5	3	17	18	21	49	80	158	263	402	661	1,099	1,468	1,563	1,011	393	–
	All other ..... Male	71	–	–	–	–	–	1	–	1	–	2	4	5	5	3	12	9	7	8	11	2	1	–
	Female	65	1	–	–	–	–	–	1	–	–	2	2	5	3	3	7	7	7	9	10	4	4	–
390–398, 402, 404, 410–429	Diseases of heart	11,056	15	4	2	2	4	11	7	20	43	90	157	303	505	769	1,068	1,380	1,721	1,920	1,692	979	364	–
	White ..... Male	5,927	10	1	2	–	3	5	4	10	31	77	112	249	374	555	734	871	912	888	661	318	110	–
	Female	5,029	5	3	–	2	1	5	2	9	12	10	39	49	126	209	318	495	801	1,018	1,018	657	250	–
	All other ..... Male	57	–	–	–	–	–	1	–	1	–	1	4	3	4	2	11	8	4	7	8	2	1	–
	Female	43	–	–	–	–	–	–	1	–	–	2	2	2	1	3	5	6	4	7	5	2	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	172	2	–	–	–	–	1	1	1	4	5	5	8	17	14	27	27	25	13	11	9	2	–
	White ..... Male	73	2	–	–	–	–	–	1	–	1	2	1	3	10	6	14	12	10	6	2	3	–	–
	Female	96	–	–	–	–	–	–	–	1	3	2	4	4	7	8	13	15	15	7	9	6	2	–
	All other ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	83	–	–	–	–	–	–	–	–	–	1	–	1	4	6	4	11	15	18	14	8	1	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	1	–	–	2	5	3	3	3	6	7	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	8	12	12	7	7	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	8	21	16	11	5	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	10	7	4	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	11	8	7	4	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	9,707	–	–	–	–	–	2	3	10	33	74	136	271	442	688	930	1,235	1,544	1,680	1,492	859	308	–
	White ..... Male	5,246	–	–	–	–	–	1	2	9	25	65	102	229	334	503	643	791	831	767	575	281	88	–
	Female	4,377	–	–	–	–	–	1	1	–	8	8	28	38	104	180	272	433	706	899	907	575	217	–
	All other ..... Male	47	–	–	–	–	–	–	–	1	–	1	4	3	3	2	10	6	3	7	6	1	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	2	1	1	3	5	5	4	7	4	2	3	–
410	Acute myocardial infarction	5,332	–	–	–	–	–	2	2	8	26	59	106	211	337	509	666	786	864	824	569	275	88	–
	White ..... Male	3,204	–	–	–	–	–	1	1	7	18	51	81	181	255	387	470	515	471	390	249	101	26	–
	Female	2,083	–	–	–	–	–	1	1	–	8	7	22	26	80	121	184	264	390	427	317	174	61	–
	All other ..... Male	31	–	–	–	–	–	–	–	1	–	1	2	3	2	1	8	5	1	4	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	2	2	3	–	–	1	–
411	Other acute and subacute forms of ischemic heart disease	30	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	8	3	3	6	2	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	7	2	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	5	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,342	–	–	–	–	–	–	1	2	7	14	29	59	102	177	264	441	676	852	917	582	219	–
	White ..... Male	2,024	–	–	–	–	–	–	1	2	7	13	20	47	77	116	173	269	358	374	325	180	62	–
	Female	2,279	–	–	–	–	–	–	–	–	–	1	6	12	23	57	88	168	314	471	585	399	155	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	1	2	3	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	2	4	4	2	2	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	83	–	–	–	–	–	1	1	1	1	1	1	2	1	3	6	7	15	17	13	8	5	–
	White ..... Male	28	–	–	–	–	–	1	–	–	1	1	–	1	1	1	3	1	5	3	4	3	3	–
	Female	52	–	–	–	–	–	–	–	1	–	–	1	1	–	2	3	5	10	14	9	5	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa—Con.																							
420–423, 425–427, 429	All other forms of heart disease	942	13	4	2	2	4	7	2	8	5	9	15	21	41	58	98	95	114	171	146	84	43	–
	White ..... Male	519	8	1	2	–	3	3	1	1	4	8	9	16	27	40	69	61	60	96	66	26	18	–
	Female	415	5	3	–	2	1	4	1	7	1	–	6	5	13	18	28	32	54	75	78	57	25	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
400, 401, 403	Hypertension	95	–	–	–	–	1	–	–	–	–	–	–	2	4	3	4	5	17	19	20	10	10	–
	White ..... Male	44	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	10	11	5	5	5	–
	Female	45	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	2	6	8	14	4	5	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–
430–438	Cerebrovascular diseases	2,842	–	4	–	–	1	1	1	11	10	15	14	46	62	106	174	282	464	583	617	331	120	–
	White ..... Male	1,160	–	3	–	–	–	1	–	3	4	7	7	17	35	63	102	143	226	226	202	91	30	–
	Female	1,659	–	1	–	–	1	–	1	8	6	8	7	25	26	43	69	137	235	355	409	239	89	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	2	1	4	1	1	–
431	Cerebral hemorrhage	273	–	–	–	–	–	1	–	2	3	2	1	14	16	19	26	33	38	43	50	20	5	–
	White ..... Male	118	–	–	–	–	–	1	–	1	2	1	–	6	8	11	15	21	13	20	14	2	3	–
	Female	151	–	–	–	–	–	–	–	1	1	1	1	8	7	8	10	12	25	23	34	18	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
433	Cerebral thrombosis	513	–	–	–	–	–	–	–	–	–	–	–	5	6	12	38	49	78	110	133	61	21	–
	White ..... Male	187	–	–	–	–	–	–	–	–	–	–	–	3	4	9	24	19	42	30	37	14	5	–
	Female	324	–	–	–	–	–	–	–	–	–	–	–	2	2	3	13	30	36	79	96	47	16	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	4	3	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,040	–	4	–	–	1	–	1	9	7	13	13	27	39	75	109	198	344	426	431	249	94	–
	White ..... Male	846	–	3	–	–	–	–	–	2	2	6	7	8	22	43	62	102	168	173	151	75	22	–
	Female	1,177	–	1	–	–	1	–	1	7	5	7	6	15	17	32	46	94	173	252	276	173	71	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	1	2	1	1	–
440	Arteriosclerosis	550	–	–	–	–	–	–	–	–	–	–	1	3	3	7	15	38	68	115	136	113	51	–
	White ..... Male	226	–	–	–	–	–	–	–	–	–	–	–	2	3	5	12	23	37	51	52	28	13	–
	Female	323	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	15	31	63	84	85	38	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	428	2	1	–	–	–	1	–	–	–	6	7	11	17	24	50	58	74	61	65	34	17	–
	White ..... Male	253	1	1	–	–	–	1	–	–	–	2	5	6	12	16	40	46	46	37	26	8	6	–
	Female	169	–	–	–	–	–	–	–	–	–	3	2	5	4	8	10	12	26	24	38	26	11	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	12	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	3	2	4	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
	Female	8	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,008	13	2	3	1	1	5	2	–	2	5	12	13	28	34	50	80	142	188	238	129	60	–
	White ..... Male	534	8	2	–	1	–	3	2	–	2	3	8	10	21	26	27	48	87	99	120	48	19	–
	Female	467	5	–	3	–	1	2	–	–	–	1	4	3	7	8	20	32	54	88	117	81	41	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
470–474	Influenza	83	–	–	–	–	–	–	–	–	–	–	1	1	3	1	4	9	19	15	18	9	3	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	8	8	10	3	2	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	6	11	7	8	6	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	925	13	2	3	1	1	5	2	–	2	5	11	12	25	33	46	71	123	173	220	120	57	–
	White ..... Male	494	8	2	–	1	–	3	2	–	2	3	7	10	20	25	24	45	79	91	110	45	17	–
	Female	424	5	–	3	–	1	2	–	–	–	1	4	2	5	8	19	26	43	81	109	75	40	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	386	–	–	–	–	–	1	–	–	1	1	3	12	15	42	51	73	79	64	28	13	3	–
	White ..... Male	280	–	–	–	–	–	1	–	–	–	–	–	7	8	28	39	59	58	50	22	7	1	–
	Female	100	–	–	–	–	–	–	–	–	–	1	2	5	6	14	11	14	20	14	6	6	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa—Con.																							
490, 491	Chronic and unqualified bronchitis	64	–	–	–	–	–	–	–	–	–	–	2	–	5	8	10	10	10	9	9	1	–	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	–	–	4	6	6	8	7	7	3	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	2	3	2	6	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	296	–	–	–	–	–	–	–	–	–	–	1	12	10	31	39	60	65	48	16	11	3	–
	White ..... Male	226	–	–	–	–	–	–	–	–	–	–	–	7	4	21	31	50	48	41	16	7	1	–
	Female	66	–	–	–	–	–	–	–	–	–	–	1	5	5	10	7	10	16	7	–	4	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	26	–	–	–	–	–	1	–	–	1	1	–	–	–	3	2	3	4	7	3	1	–	–
	White ..... Male	13	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	3	2	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	1	5	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	82	–	–	–	–	1	–	1	–	1	–	1	6	5	5	13	10	12	13	8	6	–	–
	White ..... Male	41	–	–	–	–	1	–	1	–	1	–	1	3	3	4	5	6	7	5	2	2	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	–	3	2	1	8	4	5	7	6	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	85	5	–	–	–	–	–	–	1	–	–	1	1	1	2	4	8	20	21	10	9	2	–
	White ..... Male	29	4	–	–	–	–	–	–	1	–	–	1	1	–	–	1	4	9	4	2	2	–	–
	Female	56	1	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	11	17	8	7	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	241	1	–	1	–	–	–	–	4	6	8	25	23	34	37	48	26	14	11	3	–	–	–
	White ..... Male	152	–	–	–	–	–	–	–	4	4	2	18	15	21	21	33	16	11	4	3	–	–	–
	Female	80	1	–	1	–	–	–	–	–	2	3	7	7	11	14	14	10	3	7	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	54	–	–	–	–	–	–	–	–	–	–	1	1	1	2	8	5	9	8	9	9	1	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	1	–	1	2	6	1	3	3	4	3	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	6	5	5	6	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	97	–	–	–	–	1	1	–	–	1	1	1	2	3	7	11	11	16	15	18	9	–	–
	White ..... Male	61	–	–	–	–	–	1	–	–	1	1	1	1	–	5	6	10	9	10	11	5	–	–
	Female	35	–	–	–	–	1	–	–	–	–	–	–	1	3	2	5	–	7	5	7	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	24	–	–	–	–	1	1	–	–	1	1	–	–	1	1	3	1	8	4	–	2	–	–
	White ..... Male	14	–	–	–	–	–	1	–	–	1	1	–	–	–	1	2	1	4	2	–	1	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	4	2	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	73	–	–	–	–	–	–	–	–	–	–	1	2	2	6	8	10	8	11	18	7	–	–
	White ..... Male	47	–	–	–	–	–	–	–	–	–	–	1	1	–	4	4	9	5	8	11	4	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	–	3	3	7	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	49	–	1	–	–	–	–	1	–	–	–	1	–	2	–	–	2	4	11	15	10	2	–
	White ..... Male	15	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	5	2	4	–	–
	Female	34	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	6	13	6	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	26	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	6	8	5	–	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	5	8	5	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Iowa—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	186	129	8	5	7	4	5	–	3	–	–	3	2	3	6	3	3	4	–	1	–	–	–
	White ..... Male	99	69	6	1	2	1	3	–	2	–	–	2	1	2	4	2	1	3	–	–	–	–	–
	Female	75	49	2	4	5	3	2	–	–	–	–	1	1	1	2	1	2	1	–	1	–	–	–
	All other ..... Male	5	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	270	267	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	146	145	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	110	108	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	130	128	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	72	71	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	50	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	140	139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	139	60	4	–	1	–	1	1	2	2	3	–	5	1	3	6	7	11	6	13	8	5	–
	White ..... Male	68	35	3	–	–	–	–	–	2	–	1	–	1	–	1	3	4	8	2	3	2	3	–
	Female	67	23	1	–	1	–	1	1	–	2	1	–	4	–	2	3	3	3	4	10	6	2	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,753	28	15	9	5	16	10	15	16	14	21	47	64	80	150	185	232	287	249	185	96	29	–
	White ..... Male	942	17	9	6	2	13	5	11	7	4	10	28	30	43	93	122	137	150	134	79	33	9	–
	Female	794	11	6	3	3	3	5	4	9	10	10	19	32	34	55	60	93	135	115	105	63	19	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	–	1	–	1	–
E800–E949	Accidents	1,390	9	48	37	56	178	178	118	76	50	34	50	49	44	67	61	48	75	78	75	44	15	–
	White ..... Male	917	4	31	24	43	134	135	87	61	30	30	38	34	28	47	42	27	42	32	32	13	3	–
	Female	444	4	17	11	13	42	43	26	14	17	4	11	13	14	20	15	20	30	46	42	30	12	–
	All other ..... Male	19	–	–	–	–	1	–	3	1	3	–	1	2	2	–	2	1	1	–	1	1	–	–
	Female	10	1	–	2	–	1	–	2	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
E810–E823	Motor vehicle accidents	696	2	24	14	32	142	136	75	44	28	15	27	22	19	30	19	14	27	17	8	1	–	–
	White ..... Male	484	–	12	9	22	104	97	55	35	15	12	22	14	13	19	10	8	19	9	8	1	–	–
	Female	203	1	12	3	10	38	39	18	9	11	3	5	7	6	11	8	6	8	8	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	1	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	694	7	24	23	24	36	42	43	32	22	19	23	27	25	37	42	34	48	61	67	43	15	–
	White ..... Male	433	4	19	15	21	30	38	32	26	15	18	16	20	15	28	32	19	23	23	24	12	3	–
	Female	241	3	5	8	3	4	4	8	5	6	1	6	6	8	9	7	14	22	38	42	30	12	–
	All other ..... Male	15	–	–	–	–	1	–	2	1	1	–	1	1	2	–	2	1	1	–	1	1	–	–
	Female	5	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
E950–E959	Suicide	344	...	...	1	2	24	32	35	32	18	26	28	23	25	24	24	21	14	8	6	1	–	–
	White ..... Male	267	...	...	1	1	20	27	31	24	10	19	14	18	17	24	19	19	10	7	5	1	–	–
	Female	71	...	...	–	1	4	3	4	7	7	7	13	4	8	–	5	2	4	1	1	–	–	–
	All other ..... Male	5	...	...	–	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	76	–	2	1	2	8	7	12	7	8	5	3	5	7	–	2	1	1	2	2	1	–	–
	White ..... Male	40	–	1	–	2	3	4	6	5	6	2	1	3	4	–	1	–	–	1	1	–	–	–
	Female	25	–	–	1	–	4	3	3	–	1	2	1	2	3	–	–	1	1	1	1	1	–	–
	All other ..... Male	10	–	1	–	–	1	–	3	2	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	27	1	1	–	1	4	2	1	3	–	3	2	–	–	–	4	3	–	–	2	–	–	–
	White ..... Male	19	1	1	–	1	2	2	–	3	–	2	1	–	–	–	2	2	–	–	2	–	–	–
	Female	8	–	–	–	–	2	–	1	–	–	1	1	–	–	–	2	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas																							
	All causes	21,665	458	95	60	54	242	289	222	188	204	305	447	748	1,113	1,595	1,966	2,569	3,028	3,241	2,754	1,523	563	1
	White ..... Male	10,880	210	45	29	31	173	196	134	106	106	162	266	454	683	977	1,162	1,461	1,527	1,512	1,021	482	143	–
	Female	9,672	175	33	23	17	57	62	52	67	74	107	152	240	354	529	707	981	1,379	1,615	1,641	1,010	397	–
	All other ..... Male	623	36	10	5	5	9	24	22	9	15	27	14	36	46	48	56	78	59	58	42	15	9	–
	Female	490	37	7	3	1	3	7	14	6	9	9	15	18	30	41	41	49	63	56	50	16	14	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	26	3	1	–	–	–	–	–	–	–	1	–	1	–	2	1	4	5	1	4	3	–	–
	White ..... Male	13	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	3	1	2	2	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	–	2	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
010–019	Tuberculosis, all forms	21	–	–	–	–	–	–	1	–	–	–	2	1	3	1	2	1	4	1	5	–	–	–
	White ..... Male	11	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1	1	2	–	3	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	2	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	15	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	1	2	1	5	–	–	–
	White ..... Male	9	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	2	–	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	86	13	–	–	1	2	–	–	3	1	–	1	4	1	8	8	13	7	11	5	6	2	–
	White ..... Male	37	6	–	–	1	2	–	–	–	–	–	1	2	1	4	3	5	5	1	2	3	1	–
	Female	41	6	–	–	–	–	–	–	2	1	–	–	1	–	4	4	6	1	9	3	3	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	56	4	1	–	1	1	–	2	–	2	1	2	2	4	9	3	4	6	3	8	3	–	–
	White ..... Male	29	3	–	–	–	–	–	2	–	2	1	–	1	2	7	1	2	5	2	1	–	–	–
	Female	26	1	1	–	1	1	–	–	–	–	–	1	1	2	2	2	2	1	1	7	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,226	3	8	9	3	10	15	32	31	35	80	133	231	348	518	603	639	614	517	273	102	22	–
	White ..... Male	2,202	2	2	7	2	4	10	16	13	21	32	59	116	168	288	327	363	317	277	127	43	8	–
	Female	1,828	1	4	1	1	4	5	14	18	13	43	69	99	159	204	249	246	276	215	136	58	13	–
	All other ..... Male	119	–	1	1	–	1	–	1	–	–	3	3	11	8	18	16	21	13	16	5	1	–	–
	Female	77	–	1	–	–	1	–	1	–	1	2	2	5	13	8	11	9	8	9	5	–	1	–
140–149	Of buccal cavity and pharynx	79	–	–	–	–	–	–	–	2	–	2	2	5	5	13	11	8	14	10	4	3	–	–
	White ..... Male	55	–	–	–	–	–	–	–	1	–	2	2	3	5	11	7	6	9	5	2	2	–	–
	Female	19	–	–	–	–	–	–	–	1	–	–	–	1	–	1	4	1	4	4	2	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,086	–	–	–	–	–	1	2	4	7	12	23	45	68	114	151	175	188	158	92	39	7	–
	White ..... Male	511	–	–	–	–	–	–	2	3	5	6	10	27	27	62	78	92	78	73	32	15	1	–
	Female	522	–	–	–	–	–	1	–	1	2	5	13	18	33	48	62	75	106	75	54	23	6	–
	All other ..... Male	27	–	–	–	–	–	–	–	–	–	–	–	–	2	3	6	6	3	4	2	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	1	–	–	6	1	5	2	1	6	4	–	–	–
160–163	Of respiratory system	1,054	–	–	–	–	–	–	1	3	3	18	42	71	102	181	198	172	123	95	31	12	2	–
	White ..... Male	781	–	–	–	–	–	–	1	1	1	12	26	50	74	139	145	137	96	72	19	7	1	–
	Female	218	–	–	–	–	–	–	–	2	2	4	13	12	19	32	45	27	26	19	11	5	1	–
	All other ..... Male	44	–	–	–	–	–	–	–	–	–	2	1	8	4	9	7	7	1	4	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	1	5	1	1	1	–	–	–	–	–	–
174	Of breast	350	–	–	–	–	1	–	2	5	5	10	16	39	47	45	52	49	33	24	13	7	2	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	334	–	–	–	–	–	–	2	5	4	9	16	37	47	44	49	45	32	24	12	7	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	1	–	–	–	1	1	–	2	–	1	3	4	1	–	1	–	1	–
180–187	Of genital organs	523	–	–	–	–	1	2	7	2	6	13	10	18	36	46	55	73	86	94	59	10	5	–
	White ..... Male	245	–	–	–	–	1	1	3	–	1	1	2	1	10	16	16	37	45	61	38	8	4	–
	Female	248	–	–	–	–	–	1	4	2	5	12	8	16	24	28	36	32	32	26	19	2	1	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	5	5	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	4	2	–	–	–	–
188, 189	Of urinary organs	188	1	–	–	–	–	1	2	–	1	2	5	7	14	18	18	33	38	21	19	5	3	–
	White ..... Male	121	1	–	–	–	–	–	2	–	1	1	2	6	8	11	15	21	25	11	13	2	2	–
	Female	60	–	–	–	–	–	1	–	–	–	1	3	1	6	6	2	10	11	9	6	3	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	477	1	4	4	–	4	6	6	8	9	8	26	24	52	52	60	64	62	50	26	9	2	–
	White ..... Male	252	1	2	4	–	2	5	2	3	9	1	13	16	32	24	35	37	31	21	10	4	–	–
	Female	212	–	1	–	–	2	1	3	5	–	7	11	7	18	27	25	24	31	27	16	5	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	1	–	–	–	–
	Female	6	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
204–207	Leukemia	167	–	2	4	2	1	3	5	3	3	2	6	6	6	13	20	17	24	28	12	9	1	–
	White ..... Male	83	–	–	3	1	–	2	3	2	3	1	3	3	3	5	11	8	11	15	7	2	–	–
	Female	81	–	2	1	1	1	1	2	1	–	1	3	3	3	7	9	9	11	13	5	7	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	302	1	2	1	1	3	2	7	4	1	13	3	16	18	36	38	48	46	37	17	8	–	–
	White ..... Male	154	–	–	–	1	1	2	3	3	1	8	1	10	9	20	20	25	22	19	6	3	–	–
	Female	134	1	1	–	–	1	–	3	1	–	4	2	4	9	11	17	23	23	18	11	5	–	–
	All other ..... Male	9	–	1	1	–	1	–	1	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	45	–	–	1	–	1	–	–	–	1	1	–	5	4	3	2	6	9	6	4	2	–	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	1	–	2	2	–	2	2	4	3	3	1	–	–
	Female	23	–	–	–	–	1	–	–	–	1	–	–	3	1	3	–	4	5	3	1	1	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	387	–	–	–	–	–	–	2	2	5	5	9	11	22	32	48	68	62	58	47	13	3	–
	White ..... Male	147	–	–	–	–	–	–	1	2	3	2	6	5	13	16	17	22	18	25	13	4	–	–
	Female	209	–	–	–	–	–	–	1	–	–	3	1	4	7	11	29	39	39	31	33	8	3	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	2	3	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	1	1	–	5	1	5	2	1	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	68	1	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	8	18	12	12	7	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	5	1	4	–	–
	Female	46	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	11	10	8	6	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas—Con.																							
280–285	Anemias	48	-	-	1	-	-	-	-	-	-	-	1	1	5	3	2	7	1	12	10	5	-	-
	White ..... Male	24	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	2	-	6	6	3	-	-
	Female	24	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	5	1	6	4	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	18	7	5	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-	-	-	-
	White ..... Male	8	3	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	3	2	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390–448	Major cardiovascular diseases	11,079	14	5	3	1	9	9	20	20	41	76	139	279	470	701	891	1,325	1,723	2,018	1,826	1,080	429	-
	White ..... Male	5,325	4	3	-	-	5	5	8	13	20	48	94	194	326	468	562	764	837	890	645	329	110	-
	Female	5,296	9	2	3	1	4	2	8	5	14	20	35	64	107	198	283	504	814	1,061	1,131	731	300	-
	All other ..... Male	226	1	-	-	-	-	1	2	1	6	4	3	12	26	16	24	35	30	31	18	8	8	-
	Female	232	-	-	-	-	-	1	2	1	1	4	7	9	11	19	22	22	42	36	32	12	11	-
390–398, 402, 404, 410–429	Diseases of heart	8,105	11	1	2	-	6	7	12	16	32	63	111	237	398	579	725	1,026	1,247	1,411	1,222	703	296	-
	White ..... Male	4,118	4	1	-	-	2	4	4	11	18	44	82	174	286	396	476	613	616	648	447	218	74	-
	Female	3,650	7	-	2	-	4	1	4	3	8	12	21	46	86	156	217	373	575	719	738	473	205	-
	All other ..... Male	171	-	-	-	-	-	1	2	1	5	3	3	11	19	13	15	24	28	19	14	6	7	-
	Female	166	-	-	-	-	-	1	2	1	1	4	5	6	7	14	17	16	28	25	23	6	10	-
390–398	Active rheumatic fever and chronic rheumatic heart disease	95	-	-	-	-	-	-	1	-	1	2	4	4	6	15	7	22	15	13	3	2	-	-
	White ..... Male	44	-	-	-	-	-	-	1	-	-	1	1	2	2	8	3	12	5	5	2	2	-	-
	Female	49	-	-	-	-	-	-	-	-	1	1	3	1	4	7	4	10	9	8	1	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
402	Hypertensive heart disease	56	-	-	-	-	-	-	-	-	-	-	-	1	2	7	6	9	12	6	6	5	2	-
	White ..... Male	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	2	3	-	-	-
	Female	27	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	5	4	3	5	2	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
404	Hypertensive heart and renal disease	41	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	5	9	9	6	3	-
	White ..... Male	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	4	1	1	1	-
	Female	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	8	5	2	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410–413	Ischemic heart disease	7,227	-	-	-	-	1	1	6	11	23	50	97	202	360	501	646	920	1,125	1,278	1,104	634	268	-
	White ..... Male	3,718	-	-	-	-	1	1	2	8	13	38	73	153	264	350	427	558	570	591	408	195	66	-
	Female	3,247	-	-	-	-	-	-	1	1	6	6	17	36	74	133	193	333	513	652	665	430	187	-
	All other ..... Male	136	-	-	-	-	-	-	2	1	4	3	3	8	16	10	14	15	21	16	12	5	6	-
	Female	126	-	-	-	-	-	-	1	1	-	3	4	5	6	8	12	14	21	19	19	4	9	-
410	Acute myocardial infarction	3,774	-	-	-	-	-	1	5	10	17	43	79	153	259	359	457	555	614	583	397	194	48	-
	White ..... Male	2,227	-	-	-	-	-	1	2	7	10	32	61	117	196	262	314	350	335	295	162	70	13	-
	Female	1,425	-	-	-	-	-	-	1	1	5	6	13	27	50	84	128	195	255	279	229	121	31	-
	All other ..... Male	71	-	-	-	-	-	-	1	1	2	2	1	7	9	10	9	6	11	4	3	1	4	-
	Female	51	-	-	-	-	-	-	1	1	-	3	4	2	4	3	6	4	13	5	3	2	-	-
411	Other acute and subacute forms of ischemic heart disease	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	4	2	1	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Chronic ischemic heart disease	3,436	-	-	-	-	-	-	1	1	5	7	18	49	101	141	187	364	509	690	704	439	220	-
	White ..... Male	1,483	-	-	-	-	-	-	-	1	2	6	12	36	68	87	113	207	235	293	245	125	53	-
	Female	1,813	-	-	-	-	-	-	-	-	1	-	4	9	24	49	63	138	256	371	434	308	156	-
	All other ..... Male	65	-	-	-	-	-	-	1	-	2	1	2	1	7	-	5	9	10	12	9	4	2	-
	Female	75	-	-	-	-	-	-	-	-	-	-	-	3	2	5	6	10	8	14	16	2	9	-
413	Angina pectoris	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	White ..... Male	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	1	-	-	-	-	1	-	-	1	-	-	1	1	3	2	6	7	3	8	4	2	-
	White ..... Male	15	1	-	-	-	-	1	-	-	1	-	-	-	-	2	1	1	2	-	4	1	1	-
	Female	23	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	5	3	4	3	1	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	646	10	1	2	–	5	5	5	5	7	11	10	29	27	53	61	65	83	102	92	52	21	–
	White ..... Male	305	3	1	–	–	1	2	1	3	4	5	8	19	19	34	40	35	30	46	29	19	6	–
	Female	279	7	–	2	–	4	1	3	2	1	5	1	8	5	12	18	23	40	47	57	30	13	–
	All other ..... Male	27	–	–	–	–	–	1	–	–	1	–	–	2	2	2	–	5	7	3	2	1	1	–
	Female	35	–	–	–	–	–	1	1	–	1	1	1	–	1	5	3	2	6	6	4	2	1	–
400, 401, 403	Hypertension	57	–	–	–	–	–	–	–	–	–	–	–	2	2	3	4	6	12	10	8	10	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	4	3	2	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	9	5	5	8	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–
430–438	Cerebrovascular diseases	2,130	2	4	1	1	3	2	5	3	8	12	23	31	48	101	119	219	352	433	441	242	80	–
	White ..... Male	823	–	2	–	–	3	1	2	2	1	3	8	11	22	57	53	107	159	157	146	69	20	–
	Female	1,221	1	2	1	1	–	1	3	1	6	8	13	17	19	37	54	101	183	260	284	170	59	–
	All other ..... Male	38	1	–	–	–	–	–	–	–	1	1	–	1	4	3	7	7	2	7	4	–	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	2	2	3	4	5	4	8	9	7	3	1	–
431	Cerebral hemorrhage	280	1	–	1	–	1	–	2	1	3	5	6	10	13	25	23	32	53	43	33	23	5	–
	White ..... Male	108	–	–	–	–	1	–	2	1	–	1	3	3	4	14	10	13	25	14	11	4	2	–
	Female	152	–	–	1	–	–	–	–	–	2	3	2	6	8	10	10	17	24	26	21	19	3	–
	All other ..... Male	10	1	–	–	–	–	–	–	–	1	1	–	1	–	1	1	2	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	3	2	1	–	–	–
433	Cerebral thrombosis	406	–	2	–	–	–	–	2	1	–	1	2	3	9	12	24	43	63	93	84	48	19	–
	White ..... Male	156	–	1	–	–	–	–	–	1	–	–	2	1	5	8	10	25	35	28	21	14	5	–
	Female	233	–	1	–	–	–	–	2	–	–	1	–	2	2	3	12	15	27	63	59	32	14	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	2	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,435	1	2	–	1	2	2	1	1	5	6	15	18	26	63	70	143	235	296	322	170	56	–
	White ..... Male	556	–	1	–	–	2	1	–	–	1	2	3	7	13	34	33	68	99	115	113	51	13	–
	Female	830	1	1	–	1	–	1	1	1	4	4	11	9	9	24	30	69	131	170	203	118	42	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	3	1	4	3	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	2	1	4	2	3	4	7	3	1	1	–
440	Arteriosclerosis	448	–	–	–	–	–	–	–	–	1	–	–	1	5	3	6	26	56	105	102	94	49	–
	White ..... Male	165	–	–	–	–	–	–	–	–	1	–	–	1	4	2	6	11	21	44	30	30	15	–
	Female	266	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	12	31	57	71	61	33	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	339	1	–	–	–	–	–	3	1	–	1	5	8	17	15	37	48	56	59	53	31	4	–
	White ..... Male	201	–	–	–	–	–	–	2	–	–	1	4	7	13	11	26	31	39	37	19	10	1	–
	Female	126	1	–	–	–	–	–	1	1	–	–	1	1	2	4	9	15	16	20	33	19	3	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–
466	Acute bronchitis and bronchiolitis	8	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–
	White ..... Male	5	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	782	17	4	4	–	4	4	6	3	7	3	10	15	18	20	33	66	95	144	173	120	36	–
	White ..... Male	355	11	2	–	–	3	2	3	1	3	2	7	11	13	12	17	35	53	75	63	34	8	–
	Female	398	4	2	4	–	–	1	3	2	4	–	3	3	5	5	14	26	41	65	104	84	28	–
	All other ..... Male	20	1	–	–	–	1	1	–	–	–	1	–	1	–	1	2	4	–	1	5	2	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	1	–	–	–
470–474	Influenza	109	4	–	–	–	–	–	1	–	1	–	2	3	–	6	2	10	16	13	26	22	3	–
	White ..... Male	42	3	–	–	–	–	–	1	–	–	–	1	3	–	3	1	3	10	7	8	2	–	–
	Female	65	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	7	6	6	18	20	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	673	13	4	4	–	4	4	5	3	6	3	8	12	18	14	31	56	79	131	147	98	33	–
	White ..... Male	313	8	2	–	–	3	2	2	1	3	2	6	8	13	9	16	32	43	68	55	32	8	–
	Female	333	4	2	4	–	–	1	3	2	3	–	2	3	5	3	13	19	35	59	86	64	25	–
	All other ..... Male	20	1	–	–	–	1	1	–	–	–	1	–	1	–	1	2	4	–	1	5	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	203	–	–	–	1	–	1	–	1	1	1	4	8	3	20	26	39	39	33	19	5	2	–
	White ..... Male	148	–	–	–	1	–	–	–	1	1	1	–	3	2	12	22	34	30	26	11	3	1	–
	Female	46	–	–	–	–	–	1	–	–	–	–	4	3	–	6	4	4	8	6	7	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas—Con.																							
490, 491	Chronic and unqualified bronchitis	39	-	-	-	1	-	-	-	1	-	-	-	1	1	2	5	6	6	4	9	2	1	-
	White ..... Male	27	-	-	-	1	-	-	-	1	-	-	-	1	1	-	3	5	5	2	6	1	1	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	3	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	145	-	-	-	-	-	-	-	-	1	1	3	5	1	16	18	31	29	28	9	2	1	-
	White ..... Male	114	-	-	-	-	-	-	-	-	1	1	-	1	1	12	16	28	24	24	4	2	-	-
	Female	27	-	-	-	-	-	-	-	-	-	-	3	3	-	4	2	2	4	4	4	-	1	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
493	Asthma	19	-	-	-	-	-	1	-	-	-	-	1	2	1	2	3	2	4	1	1	1	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	1	-	-	-
	Female	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	3	-	-	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-
531-533	Peptic ulcer	61	-	-	-	-	-	1	-	-	1	-	2	2	2	3	5	8	17	6	8	4	2	-
	White ..... Male	41	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	4	12	5	4	2	2	-
	Female	17	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	5	1	4	2	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	10	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	-	-
	White ..... Male	8	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	80	7	-	-	-	1	2	-	-	1	-	-	1	2	3	4	7	15	13	15	5	4	-
	White ..... Male	30	3	-	-	-	1	1	-	-	-	-	-	1	-	1	-	3	8	4	7	1	-	-
	Female	49	4	-	-	-	-	1	-	-	-	-	-	-	2	2	4	4	7	9	8	4	4	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	183	-	-	-	-	-	-	-	1	5	9	17	25	25	26	33	15	14	7	6	-	-	-
	White ..... Male	114	-	-	-	-	-	-	-	-	4	6	12	19	17	17	21	6	6	3	3	-	-	-
	Female	61	-	-	-	-	-	-	-	1	1	1	4	6	6	7	12	8	8	4	3	-	-	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	25	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	2	7	6	1	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-
	Female	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	5	4	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
580-584	Nephritis and nephrosis	81	-	1	-	-	-	2	-	1	1	-	1	4	2	4	4	16	12	13	10	7	3	-
	White ..... Male	39	-	1	-	-	-	1	-	1	-	-	-	2	-	3	3	11	4	5	5	3	-	-
	Female	34	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	5	6	7	4	4	2	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-
	Female	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	15	-	1	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	4	2	-	-
	White ..... Male	8	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	2	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	66	-	-	-	-	-	2	-	1	1	-	1	2	1	3	3	15	10	13	6	5	3	-
	White ..... Male	31	-	-	-	-	-	1	-	1	-	-	-	1	-	2	3	10	3	5	4	1	-	-
	Female	28	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	5	7	2	4	2	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
	Female	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
590	Infections of kidney	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	8	5	10	8	-	-
	White ..... Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	2	-	-
	Female	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	5	4	-	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-
600	Hyperplasia of prostate	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	3	4	1	-
	White ..... Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	3	4	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	8	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	7	-	-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	7	–	–	–	–	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	162	109	14	6	3	7	2	1	2	1	1	1	–	3	2	3	–	2	3	2	–	–	–
	White ..... Male	80	54	7	4	2	4	1	–	2	–	1	–	–	2	1	1	–	–	–	1	–	–	–
	Female	67	42	7	2	1	2	1	1	–	1	–	1	–	1	–	2	–	2	3	1	–	–	–
	All other ..... Male	6	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	9	8	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	196	195	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	89	88	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	103	102	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	49	48	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	328	45	1	–	–	–	2	6	3	6	7	9	8	15	13	32	24	36	43	40	26	12	–
	White ..... Male	135	20	–	–	–	–	–	3	2	2	5	7	5	8	7	19	9	16	17	9	5	1	–
	Female	150	13	1	–	–	–	1	3	–	3	2	1	2	4	5	10	11	17	22	24	20	11	–
	All other ..... Male	22	6	–	–	–	–	–	–	–	–	–	1	1	2	1	2	3	2	1	3	–	–	–
	Female	21	6	–	–	–	–	1	–	1	1	–	–	–	1	–	1	1	1	3	4	1	–	–
Residual	All other diseases	1,721	23	11	9	9	17	16	7	24	17	20	32	60	108	137	183	238	272	221	208	82	26	1
	White ..... Male	905	8	6	4	4	10	7	3	8	5	9	15	32	68	80	115	139	164	111	84	25	8	–
	Female	720	11	3	4	4	7	5	3	13	8	8	15	24	33	51	56	87	97	105	115	54	17	–
	All other ..... Male	60	2	2	1	1	–	1	–	3	2	2	–	3	6	4	8	6	6	5	6	2	–	–
	Female	36	2	–	–	–	–	3	1	–	2	1	2	1	1	2	4	6	5	–	3	1	1	1
E800–E949	Accidents	1,268	14	38	25	33	157	160	96	63	52	62	46	58	45	60	53	54	63	83	58	34	14	–
	White ..... Male	791	6	20	12	20	123	123	69	46	32	32	34	41	30	37	29	32	24	40	24	14	3	–
	Female	389	6	10	8	9	30	28	10	13	17	20	9	16	14	18	22	18	36	41	33	20	11	–
	All other ..... Male	62	1	3	2	3	4	9	11	2	2	9	3	1	–	4	2	2	3	–	1	–	–	–
	Female	26	1	5	3	1	–	–	6	2	1	1	–	–	1	1	–	2	–	2	–	–	–	–
E810–E823	Motor vehicle accidents	593	4	12	11	17	107	106	65	40	23	22	25	31	17	30	19	25	16	15	5	3	–	–
	White ..... Male	405	1	8	4	9	82	83	49	29	13	12	20	21	13	20	9	15	4	7	3	3	–	–
	Female	154	3	3	5	5	23	20	6	7	10	8	5	9	4	8	10	9	9	8	2	–	–	–
	All other ..... Male	25	–	–	1	2	2	3	7	2	–	2	–	1	–	2	–	–	3	–	–	–	–	–
	Female	9	–	1	1	1	–	–	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	675	10	26	14	16	50	54	31	23	29	40	21	27	28	30	34	29	47	68	53	31	14	–
	White ..... Male	386	5	12	8	11	41	40	20	17	19	20	14	20	17	17	20	17	20	33	21	11	3	–
	Female	235	3	7	3	4	7	8	4	6	7	12	4	7	10	10	12	9	27	33	31	20	11	–
	All other ..... Male	37	1	3	1	1	2	6	4	–	2	7	3	–	–	2	2	2	–	1	–	–	–	–
	Female	17	1	4	2	–	–	–	3	–	1	1	–	–	1	1	–	1	–	2	–	–	–	–
E950–E959	Suicide	253	...	...	–	1	14	43	22	22	15	16	24	18	22	19	11	11	8	7	–	–	–	–
	White ..... Male	192	...	...	–	1	12	32	18	13	7	9	20	14	18	14	9	10	8	7	–	–	–	–
	Female	50	...	...	–	–	2	9	2	6	7	6	3	3	4	5	2	1	–	–	–	–	–	–
	All other ..... Male	7	...	...	–	–	–	2	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	133	2	2	1	1	14	22	19	6	12	16	8	11	5	3	4	4	–	3	–	–	–	–
	White ..... Male	56	–	–	1	–	5	10	7	3	6	9	4	4	2	2	1	2	–	–	–	–	–	–
	Female	37	2	1	–	–	5	2	5	2	3	1	2	4	2	–	3	2	–	3	–	–	–	–
	All other ..... Male	35	–	1	–	1	3	10	6	1	3	6	1	2	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	42	1	3	–	–	3	6	4	5	–	4	4	2	3	4	1	1	1	–	–	–	–	–
	White ..... Male	23	–	–	–	–	2	4	2	1	–	2	3	–	2	4	1	1	1	–	–	–	–	–
	Female	13	–	–	–	–	1	2	–	4	–	2	1	2	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky																							
	All causes	33,421	729	138	105	110	384	450	353	348	426	607	946	1,492	2,223	2,817	3,693	4,247	4,478	4,319	3,305	1,687	562	2
	White ..... Male	17,084	367	76	50	60	263	311	210	214	285	338	547	908	1,339	1,663	2,162	2,293	2,170	1,824	1,289	544	170	1
	Female	13,500	252	50	44	40	96	85	100	83	104	207	297	435	649	866	1,209	1,593	1,975	2,215	1,821	1,035	343	1
	All other ..... Male	1,539	66	6	6	6	21	43	32	36	26	37	54	101	147	159	166	183	168	142	84	44	12	–
	Female	1,298	44	6	5	4	4	11	11	15	11	25	48	48	88	129	156	178	165	138	111	64	37	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	23	6	–	1	–	–	–	–	–	2	–	1	–	–	2	–	–	3	3	2	3	–	–
	White ..... Male	13	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	2	2	2	–	–
	Female	10	3	–	1	–	–	–	–	–	1	–	1	–	–	1	–	–	1	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	64	–	–	–	–	–	–	1	1	–	1	3	5	6	5	8	6	9	9	8	2	–	–
	White ..... Male	40	–	–	–	–	–	–	–	–	–	–	2	2	4	5	7	3	7	4	5	1	–	–
	Female	19	–	–	–	–	–	–	1	–	–	1	–	3	2	–	1	3	2	2	3	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	54	–	–	–	–	–	–	–	1	–	1	3	5	4	5	8	3	6	8	8	2	–	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	2	2	3	5	7	2	5	4	5	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	1	1	1	3	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	3	3	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	129	16	1	1	1	3	1	1	–	1	4	1	4	10	11	18	10	13	13	13	4	3	–
	White ..... Male	56	10	1	–	–	1	1	–	–	–	2	–	3	4	2	11	4	6	2	7	2	–	–
	Female	61	6	–	1	–	2	–	–	–	1	2	–	1	5	8	4	5	6	11	4	2	3	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	–	–	1	–	–	–	2	1	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	10	5	–	1	2	3	2	2	–	3	3	4	1	6	12	6	5	2	3	1	–	–
	White ..... Male	33	5	1	–	–	1	1	–	1	–	1	2	2	–	5	7	2	1	1	2	1	–	–
	Female	30	4	4	–	1	1	1	1	1	–	1	1	2	1	–	4	4	3	1	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,400	2	8	15	13	17	27	33	46	74	147	267	467	691	792	985	932	792	605	339	113	35	–
	White ..... Male	3,259	–	4	9	4	7	13	13	16	34	53	121	230	357	437	544	513	426	283	140	40	15	–
	Female	2,593	1	4	3	8	8	14	17	23	33	82	119	202	269	286	360	321	316	276	174	60	17	–
	All other ..... Male	302	1	–	2	1	2	–	1	4	3	5	10	19	36	36	50	51	29	29	15	7	1	–
	Female	246	–	–	1	–	–	–	2	3	4	7	17	16	29	33	31	47	21	17	10	6	2	–
140–149	Of buccal cavity and pharynx	150	–	–	–	–	1	1	–	–	–	2	12	13	17	12	23	17	23	12	11	5	1	–
	White ..... Male	95	–	–	–	–	1	1	–	–	–	2	5	11	12	7	16	11	17	6	5	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	4	1	3	4	4	4	6	6	6	4	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,641	–	–	–	–	3	1	4	5	10	23	42	80	136	192	246	251	268	208	126	32	14	–
	White ..... Male	709	–	–	–	–	–	–	–	3	6	7	18	35	56	91	125	112	119	82	43	7	5	–
	Female	774	–	–	–	–	2	1	3	2	3	12	21	38	51	83	102	111	130	110	74	24	7	–
	All other ..... Male	87	–	–	–	–	1	–	–	–	1	2	2	6	15	10	11	14	12	6	6	–	1	–
	Female	71	–	–	–	–	–	–	1	–	–	2	1	1	14	8	8	14	7	10	3	1	1	–
160–163	Of respiratory system	1,892	–	–	–	1	1	1	2	4	13	41	94	176	276	301	338	299	183	114	38	9	1	–
	White ..... Male	1,341	–	–	–	–	1	–	2	1	8	22	55	127	193	218	243	228	146	71	21	5	–	–
	Female	391	–	–	–	1	–	1	–	1	3	17	30	37	62	58	63	44	26	31	13	3	1	–
	All other ..... Male	118	–	–	–	–	–	–	–	2	1	2	5	10	16	17	23	21	8	10	2	1	–	–
	Female	42	–	–	–	–	–	–	–	–	1	–	4	2	5	8	9	6	3	2	2	–	–	–
174	Of breast	474	–	–	–	–	–	–	5	11	12	17	30	53	61	55	63	60	44	34	19	6	4	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	Female	422	–	–	–	–	–	–	5	10	11	15	24	48	54	51	56	50	39	32	17	6	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	47	–	–	–	–	–	–	–	1	1	2	6	5	6	4	6	9	4	2	1	–	–	–
180–187	Of genital organs	681	–	–	–	1	1	6	5	8	9	19	24	33	52	54	97	110	96	82	55	26	3	–
	White ..... Male	296	–	–	–	–	1	3	2	1	1	1	3	2	11	11	37	63	53	50	37	17	3	–
	Female	329	–	–	–	1	–	3	2	6	8	16	20	29	39	34	54	39	34	26	15	3	–	–
	All other ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	4	2	4	–	–
	Female	34	–	–	–	–	–	–	1	1	–	2	1	2	2	7	4	5	4	2	1	2	–	–
188, 189	Of urinary organs	278	–	–	1	–	–	–	–	–	1	3	12	20	28	33	44	33	39	38	18	7	1	–
	White ..... Male	173	–	–	–	–	–	–	–	–	1	2	9	14	23	24	27	23	24	18	6	1	1	–
	Female	85	–	–	–	–	–	–	–	–	–	1	3	6	5	7	13	7	13	17	8	5	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	2	2	1	–	–
	Female	6	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	749	1	1	2	5	4	9	7	10	20	26	38	58	79	85	105	96	76	60	42	16	9	–
	White ..... Male	372	–	–	1	2	–	3	3	6	14	11	21	23	38	49	58	45	39	31	17	6	5	–
	Female	319	–	1	–	3	4	6	3	4	5	14	14	27	38	30	40	37	33	27	22	8	3	–
	All other ..... Male	26	1	–	1	–	–	–	1	–	–	–	–	3	2	2	5	6	1	2	2	–	–	–
	Female	32	–	–	–	–	–	–	–	–	1	1	3	5	1	4	2	8	3	–	1	2	1	–
204–207	Leukemia	242	1	5	10	6	5	4	7	7	5	6	7	9	9	29	31	30	19	29	15	6	2	–
	White ..... Male	131	–	2	8	2	3	3	6	4	1	3	4	6	5	19	15	16	7	15	8	3	1	–
	Female	93	1	3	2	3	1	1	1	–	2	3	2	3	4	8	14	11	12	12	6	3	1	–
	All other ..... Male	13	–	–	–	1	1	–	–	2	1	–	1	–	–	2	1	1	–	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	293	–	2	2	–	2	5	3	1	4	10	8	25	33	31	38	36	44	28	15	6	–	–
	White ..... Male	138	–	2	–	–	1	3	–	1	3	5	6	12	19	18	22	14	20	10	2	–	–	–
	Female	137	–	–	1	–	1	2	3	–	1	4	1	13	13	11	14	18	23	15	13	4	–	–
	All other ..... Male	12	–	–	1	–	–	–	–	–	–	1	1	–	–	1	1	2	1	3	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	66	–	1	1	–	2	–	–	1	1	2	4	4	9	5	8	9	3	7	4	4	1	–
	White ..... Male	20	–	1	1	–	1	–	–	–	1	–	–	–	2	2	3	4	–	3	1	1	–	–
	Female	37	–	–	–	–	1	–	–	1	–	1	3	4	6	1	4	3	2	4	3	3	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	1	–	–	–	–	–
250	Diabetes mellitus	603	–	–	–	–	1	2	2	7	11	8	11	19	44	62	97	96	98	70	55	15	5	–
	White ..... Male	211	–	–	–	–	1	1	1	6	10	4	8	10	17	20	30	36	27	16	20	4	–	–
	Female	324	–	–	–	–	–	1	1	1	1	3	1	7	24	26	51	50	64	48	31	11	4	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	3	3	1	–	–	1	–
	Female	51	–	–	–	–	–	–	–	–	–	1	1	–	1	13	15	7	4	5	4	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	45	–	–	–	–	1	–	2	–	–	–	–	–	1	–	3	6	8	11	3	7	3	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	–	–
	Female	32	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	5	6	8	2	5	3	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky—Con.																							
280–285	Anemias	49	1	1	–	1	–	–	–	1	–	2	–	1	4	2	2	7	4	14	7	1	1	–
	White ..... Male	22	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	4	1	5	7	1	–	–
	Female	20	1	–	–	–	–	–	–	–	–	1	–	1	3	–	–	3	2	8	–	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
320	Meningitis	28	11	1	2	1	–	–	1	–	1	1	2	–	–	2	2	1	–	2	1	–	–	–
	White ..... Male	14	5	1	1	1	–	–	1	–	–	–	2	–	–	2	–	–	–	–	1	–	–	–
	Female	10	3	–	1	–	–	–	–	–	1	1	–	–	–	–	2	–	–	2	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,708	27	7	1	7	13	22	30	60	100	207	341	600	968	1,369	1,901	2,465	2,796	2,822	2,302	1,255	414	1
	White ..... Male	8,743	15	3	–	4	6	11	16	37	72	140	219	409	659	861	1,149	1,308	1,301	1,157	862	392	122	–
	Female	7,577	7	1	1	3	3	8	10	18	17	45	85	129	207	362	590	960	1,283	1,498	1,313	781	255	1
	All other ..... Male	698	3	2	–	–	2	3	3	4	7	16	22	43	65	86	77	100	105	72	49	33	6	–
	Female	690	2	1	–	–	2	–	1	1	4	6	15	19	37	60	85	97	107	95	78	49	31	–
390–398, 402, 404, 410–429	Diseases of heart	13,231	16	6	1	4	11	11	23	49	87	162	289	519	842	1,130	1,538	1,925	2,002	1,955	1,567	834	260	–
	White ..... Male	6,925	9	2	–	2	5	1	14	31	63	116	195	378	595	732	965	1,049	964	839	612	273	80	–
	Female	5,310	5	1	1	2	2	7	5	14	15	30	68	93	166	289	455	730	904	997	865	502	159	–
	All other ..... Male	527	1	2	–	–	2	3	3	3	7	12	14	33	52	71	56	79	72	53	36	23	5	–
	Female	469	1	1	–	–	2	–	1	1	2	4	12	15	29	38	62	67	62	66	54	36	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	123	1	–	–	–	1	–	1	1	3	2	5	6	12	13	18	21	15	16	8	–	–	–
	White ..... Male	54	1	–	–	–	1	–	1	1	–	1	2	1	7	3	12	9	5	8	2	–	–	–
	Female	65	–	–	–	–	–	–	–	–	3	1	3	5	5	9	6	12	9	6	6	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
402	Hypertensive heart disease	81	–	–	–	–	–	2	–	–	1	1	–	4	7	4	13	8	12	13	9	4	3	–
	White ..... Male	31	–	–	–	–	–	–	–	–	1	–	–	2	4	2	5	4	4	6	2	1	–	–
	Female	33	–	–	–	–	–	1	–	–	–	–	–	1	–	2	4	3	6	6	6	2	2	–
	All other ..... Male	9	–	–	–	–	–	1	–	–	–	1	–	1	1	–	2	1	1	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	1	–	1	1	–
404	Hypertensive heart and renal disease	52	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	4	6	10	12	13	2	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	3	6	8	6	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	3	7	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–
410–413	Ischemic heart disease	11,307	1	–	–	1	1	1	11	37	69	136	242	439	692	979	1,337	1,668	1,759	1,673	1,335	699	227	–
	White ..... Male	5,969	1	–	–	–	–	–	6	23	54	103	169	321	500	655	850	914	847	716	515	230	65	–
	Female	4,544	–	–	–	1	–	1	2	11	8	22	50	79	126	239	394	635	801	869	742	420	144	–
	All other ..... Male	417	–	–	–	–	1	–	2	3	6	8	13	26	43	54	45	65	59	37	30	21	4	–
	Female	377	–	–	–	–	–	–	1	–	1	3	10	13	23	31	48	54	52	51	48	28	14	–
410	Acute myocardial infarction	6,712	–	–	–	–	1	1	10	32	61	122	207	362	571	739	973	1,057	989	765	522	220	80	–
	White ..... Male	3,986	–	–	–	–	–	–	6	20	48	93	153	269	426	523	651	597	513	357	215	91	24	–
	Female	2,278	–	–	–	–	–	1	2	10	7	20	35	60	97	163	262	390	421	367	276	118	49	–
	All other ..... Male	267	–	–	–	–	1	–	1	2	5	7	10	25	32	39	28	43	34	20	14	4	2	–
	Female	181	–	–	–	–	–	–	1	–	1	2	9	8	16	14	32	27	21	21	17	7	5	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	2	2	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	4,580	1	–	–	1	–	–	1	5	8	14	35	76	119	238	362	609	769	906	810	479	147	–
	White ..... Male	1,976	1	–	–	–	–	–	–	3	6	10	16	51	73	130	199	316	333	359	299	139	41	–
	Female	2,261	–	–	–	1	–	–	–	1	1	2	15	19	28	76	131	245	380	500	465	302	95	–
	All other ..... Male	149	–	–	–	–	–	–	1	1	1	1	3	1	11	15	17	21	25	17	16	17	2	–
	Female	194	–	–	–	–	–	–	–	–	–	1	1	5	7	17	15	27	31	30	30	21	9	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	71	–	1	1	–	–	–	2	–	–	–	1	4	5	9	2	11	8	9	12	5	1	–
	White ..... Male	38	–	–	–	–	–	–	2	–	–	–	1	4	5	5	1	7	2	3	4	3	1	–
	Female	30	–	–	1	–	–	–	–	–	–	–	–	–	–	3	1	3	6	6	8	2	–	–
	All other ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,597	14	5	–	3	9	8	9	11	14	22	41	65	125	124	167	213	202	284	191	113	27	–
	White ..... Male	803	7	2	–	2	4	1	5	7	8	12	23	49	79	67	96	111	103	100	81	33	13	–
	Female	621	5	1	–	1	2	5	3	3	4	7	15	8	35	35	50	77	79	107	100	71	13	–
	All other ..... Male	94	1	1	–	–	1	2	1	–	1	3	1	6	7	15	9	13	11	14	5	2	1	–
	Female	79	1	1	–	–	2	–	–	1	1	–	2	2	4	7	12	12	9	13	5	7	–	–
400, 401, 403	Hypertension	102	–	–	–	–	–	2	–	–	–	–	–	–	5	7	8	16	19	12	21	9	3	–
	White ..... Male	42	–	–	–	–	–	2	–	–	–	–	–	–	2	5	3	9	8	4	9	–	–	–
	Female	47	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	8	7	11	8	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	3	1	1	1	–	–
430–438	Cerebrovascular diseases	3,420	9	1	–	3	2	4	5	7	10	32	42	58	95	187	291	404	620	681	569	295	104	1
	White ..... Male	1,345	4	1	–	2	1	4	1	4	7	15	19	21	47	99	138	179	249	252	196	79	27	–
	Female	1,754	2	–	–	1	1	–	4	2	1	13	13	26	33	57	117	180	305	391	342	202	63	1
	All other ..... Male	142	2	–	–	–	–	–	–	1	–	3	7	7	10	12	16	19	31	16	11	6	1	–
	Female	179	1	–	–	–	–	–	–	–	2	1	3	4	5	19	20	26	35	22	20	8	13	–
431	Cerebral hemorrhage	375	6	1	–	2	1	2	1	2	5	15	19	16	23	34	43	42	66	47	34	10	6	–
	White ..... Male	168	3	1	–	1	–	2	–	1	3	8	9	7	11	22	18	22	28	19	9	1	3	–
	Female	160	1	–	–	1	1	–	1	1	–	6	5	6	9	6	19	18	26	25	23	9	3	–
	All other ..... Male	21	1	–	–	–	–	–	–	–	–	1	4	–	2	2	3	1	6	1	–	–	–	–
	Female	26	1	–	–	–	–	–	–	–	2	–	1	3	1	4	3	1	6	2	2	–	–	–
433	Cerebral thrombosis	697	–	–	–	–	–	–	1	1	–	1	4	5	18	29	54	91	112	136	135	81	29	–
	White ..... Male	259	–	–	–	–	–	–	–	1	–	–	2	2	12	12	27	37	45	47	44	23	7	–
	Female	368	–	–	–	–	–	–	1	–	–	–	1	2	4	9	20	43	55	81	81	53	18	–
	All other ..... Male	23	–	–	–	–	–	–	–	–	–	1	–	1	1	4	3	4	2	3	2	1	1	–
	Female	47	–	–	–	–	–	–	–	–	–	–	1	–	1	4	4	7	10	5	8	4	3	–
434	Cerebral embolism	29	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	7	3	7	2	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	5	3	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	5	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,319	3	–	–	1	1	2	3	4	5	16	19	37	54	122	193	268	438	491	397	197	67	1
	White ..... Male	903	1	–	–	1	1	2	1	2	4	7	8	12	24	65	92	119	173	181	140	53	17	–
	Female	1,213	1	–	–	–	–	–	2	1	1	7	7	18	20	40	78	118	223	283	238	135	40	1
	All other ..... Male	97	1	–	–	–	–	–	–	1	–	1	3	6	7	6	10	13	23	12	9	5	–	–
	Female	106	–	–	–	–	–	–	–	–	–	1	1	1	3	11	13	18	19	15	10	4	10	–
440	Arteriosclerosis	505	–	–	–	–	–	–	–	–	–	4	–	2	6	10	11	48	79	116	97	87	45	–
	White ..... Male	179	–	–	–	–	–	–	–	–	–	4	–	–	3	3	3	19	35	38	31	29	14	–
	Female	291	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	25	39	73	63	52	29	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	1	3	1	3	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	4	2	2	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	450	2	–	–	–	–	5	2	4	3	9	10	21	20	35	53	72	76	58	48	30	2	–
	White ..... Male	252	2	–	–	–	–	4	1	2	2	5	5	10	12	22	40	52	45	24	14	11	1	–
	Female	175	–	–	–	–	–	1	1	2	1	2	4	9	6	11	12	19	27	30	32	17	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	1	–	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	3	4	1	1	–	–
466	Acute bronchitis and bronchiolitis	11	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	3	4	–	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
470–474, 480–486	Influenza and pneumonia	1,099	22	6	1	1	2	7	3	8	6	6	21	24	41	61	86	119	142	206	181	112	44	–
	White ..... Male	548	8	2	1	–	1	6	2	4	3	3	9	13	24	32	57	67	74	98	86	44	14	–
	Female	475	13	4	–	1	–	1	1	2	3	1	8	8	11	24	23	46	59	93	85	64	28	–
	All other ..... Male	54	–	–	–	–	1	–	–	1	–	2	2	2	6	3	5	5	7	11	6	2	1	–
	Female	22	1	–	–	–	–	–	–	1	–	–	2	1	–	2	1	1	2	4	4	2	1	–
470–474	Influenza	89	1	–	–	–	–	1	1	–	–	–	2	2	1	2	4	7	4	25	21	14	4	–
	White ..... Male	33	1	–	–	–	–	1	1	–	–	–	–	1	–	–	3	3	2	10	6	3	2	–
	Female	51	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	3	1	15	15	11	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,010	21	6	1	1	2	6	2	8	6	6	19	22	40	59	82	112	138	181	160	98	40	–
	White ..... Male	515	7	2	1	–	1	5	1	4	3	3	9	12	24	32	54	64	72	88	80	41	12	–
	Female	424	13	4	–	1	–	1	1	2	3	1	6	8	11	22	23	43	58	78	70	53	26	–
	All other ..... Male	50	–	–	–	–	1	–	–	1	–	2	2	2	5	3	4	4	6	11	6	2	1	–
	Female	21	1	–	–	–	–	–	–	1	–	–	2	–	–	2	1	1	2	4	4	2	1	–
490–493	Bronchitis, emphysema, and asthma	367	1	–	1	1	2	–	2	2	2	1	10	15	38	50	52	74	46	47	19	4	–	–
	White ..... Male	249	1	–	1	–	1	–	–	2	–	–	7	9	25	31	39	57	34	29	12	1	–	–
	Female	107	–	–	–	–	–	–	2	–	2	1	3	6	12	18	10	16	10	17	7	3	–	–
	All other ..... Male	8	–	–	–	1	1	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky—Con.																							
490, 491	Chronic and unqualified bronchitis	72	1	-	-	1	-	-	-	1	1	-	1	2	7	9	13	12	10	11	2	1	-	-
	White Male	44	1	-	-	-	-	-	-	1	-	-	1	2	6	6	7	8	5	5	2	-	-	-
	Female	25	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	4	5	6	-	1	-	-
	All other Male	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
492	Emphysema	250	-	-	-	-	-	-	-	-	1	1	8	8	25	34	35	54	31	33	17	3	-	-
	White Male	190	-	-	-	-	-	-	-	-	-	-	6	6	19	22	30	46	26	24	10	1	-	-
	Female	54	-	-	-	-	-	-	-	-	1	1	2	2	6	11	4	7	3	8	7	2	-	-
	All other Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
493	Asthma	45	-	-	1	-	2	-	2	1	-	-	1	5	6	7	4	8	5	3	-	-	-	-
	White Male	15	-	-	1	-	1	-	-	1	-	-	-	1	-	3	2	3	3	-	-	-	-	-
	Female	28	-	-	-	-	-	-	2	-	-	-	1	4	5	4	2	5	2	3	-	-	-	-
	All other Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	88	-	-	-	-	-	-	2	1	2	1	-	7	8	4	11	13	13	11	9	5	1	-
	White Male	47	-	-	-	-	-	-	1	1	2	1	-	5	6	1	7	7	4	4	5	2	1	-
	Female	34	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	5	7	6	4	3	-	-
	All other Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
540-543	Appendicitis	16	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	5	-	1	1	4	2	-
	White Male	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	108	6	-	-	-	-	1	-	-	1	3	3	5	2	9	8	11	16	24	12	4	3	-
	White Male	39	4	-	-	-	-	-	-	-	1	-	1	-	1	5	5	5	5	7	3	1	1	-
	Female	64	2	-	-	-	-	1	-	-	-	2	2	3	1	4	3	6	11	15	9	3	2	-
	All other Male	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
571	Cirrhosis of liver	362	1	1	-	-	1	-	3	5	16	18	44	59	60	50	40	34	21	6	2	1	-	-
	White Male	230	-	1	-	-	-	-	1	3	9	9	31	48	39	23	28	20	13	4	1	-	-	-
	Female	96	1	-	-	-	-	-	1	2	6	7	9	7	10	19	10	13	7	2	1	1	-	-
	All other Male	21	-	-	-	-	-	-	-	-	1	2	1	4	6	4	1	1	1	-	-	-	-	-
	Female	15	-	-	-	-	1	-	1	-	-	-	3	-	5	4	1	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	58	-	-	-	1	-	-	1	-	-	-	-	4	1	2	6	4	12	13	9	3	2	-
	White Male	17	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	2	4	3	1	1	-
	Female	38	-	-	-	1	-	-	1	-	-	-	-	1	-	1	5	2	10	9	6	2	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	124	-	-	-	1	1	2	1	1	-	1	5	4	8	9	13	17	16	22	13	7	3	-
	White Male	53	-	-	-	-	1	-	1	1	-	-	2	1	3	4	6	7	7	12	4	3	1	-
	Female	51	-	-	-	-	-	1	-	-	-	1	2	1	3	4	4	8	7	9	6	4	1	-
	All other Male	7	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	2	-	1	-
	Female	13	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	2	2	1	1	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	32	-	-	-	-	1	-	-	-	-	-	1	-	3	4	5	2	4	3	6	2	1	-
	White Male	16	-	-	-	-	1	-	-	-	-	-	-	-	2	1	3	-	3	1	3	2	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	-	1	-
	All other Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	92	-	-	-	1	-	2	1	1	-	1	4	4	5	5	8	15	12	19	7	5	2	-
	White Male	37	-	-	-	-	-	-	1	1	-	-	2	1	1	3	3	7	4	11	1	1	1	-
	Female	41	-	-	-	-	-	1	-	-	-	1	2	1	3	2	3	6	6	8	4	4	-	-
	All other Male	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
	Female	10	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	2	2	-	1	-	-	-
590	Infections of kidney	74	-	-	-	-	-	-	-	-	-	-	-	1	1	10	9	8	11	14	11	9	-	-
	White Male	29	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	3	7	4	1	-	-
	Female	39	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	3	7	7	6	7	-	-
	All other Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
600	Hyperplasia of prostate	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	7	2	1	-	-
	White Male	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	6	2	1	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Kentucky—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	201	137	18	8	5	8	3	1	3	–	1	3	1	2	–	5	1	2	1	2	–	–	–
	White ... Male	97	71	9	3	2	3	1	–	2	–	1	2	–	2	–	–	–	–	–	1	–	–	–
	Female	83	52	6	3	3	4	2	1	–	–	–	1	1	–	–	5	1	2	1	1	–	–	–
	All other ... Male	12	8	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	344	343	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	168	167	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	182	181	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	95	94	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	162	162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	177	90	5	–	–	2	2	–	–	5	1	1	2	4	3	9	10	2	6	14	13	8	–
	White ... Male	81	46	2	–	–	1	1	–	–	5	1	–	2	4	1	2	5	1	2	3	3	2	–
	Female	71	31	3	–	–	1	–	–	–	–	–	1	–	–	2	3	3	1	4	9	8	5	–
	All other ... Male	10	5	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–
	Female	15	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	1	–
Residual	All other diseases	2,540	30	17	15	10	36	25	25	26	35	51	100	122	197	236	303	303	358	319	217	89	26	–
	White ... Male	1,299	16	9	3	5	19	9	8	13	17	22	52	69	103	139	191	165	190	138	90	31	10	–
	Female	988	8	7	11	4	14	10	11	7	11	24	33	35	68	76	92	109	132	154	114	54	14	–
	All other ... Male	140	5	1	–	–	2	3	3	3	5	1	10	13	19	12	12	11	16	16	7	–	1	–
	Female	113	1	–	1	1	1	3	3	3	2	4	5	5	7	9	8	18	20	11	6	4	1	–
E800–E949	Accidents	1,834	21	62	54	61	236	233	145	113	102	93	72	93	73	75	72	79	75	71	63	30	10	1
	White ... Male	1,237	15	38	29	41	184	183	107	82	86	66	49	67	53	47	35	51	43	30	18	9	3	1
	Female	466	4	21	22	17	49	30	29	18	12	22	17	14	16	20	26	22	26	36	39	20	6	–
	All other ... Male	94	–	1	1	2	3	19	9	10	4	4	5	8	2	7	7	4	2	3	2	1	–	–
	Female	37	2	2	2	1	–	1	–	3	–	1	1	4	2	1	4	2	4	2	4	–	1	–
E810–E823	Motor vehicle accidents	880	4	28	29	28	174	154	96	65	48	51	30	34	33	24	21	25	18	11	6	–	–	1
	White ... Male	617	3	17	13	14	130	121	68	44	41	36	18	25	23	14	9	18	12	6	4	–	–	1
	Female	220	1	11	15	12	43	23	24	11	6	11	11	6	10	8	11	6	5	4	2	–	–	–
	All other ... Male	34	–	–	–	1	1	9	4	8	1	4	1	1	–	1	–	1	1	1	–	–	–	–
	Female	9	–	–	1	1	–	1	–	2	–	–	–	2	–	1	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	954	17	34	25	33	62	79	49	48	54	42	42	59	40	51	51	54	57	60	57	30	10	–
	White ... Male	620	12	21	16	27	54	62	39	38	45	30	31	42	30	33	26	33	31	24	14	9	3	–
	Female	246	3	10	7	5	6	7	5	7	6	11	6	8	6	12	15	16	21	32	37	20	6	–
	All other ... Male	60	–	1	1	1	2	10	5	2	3	–	4	7	2	6	7	3	1	2	2	1	–	–
	Female	28	2	2	1	–	–	–	–	1	–	1	1	2	2	–	3	2	4	2	4	–	1	–
E950–E959	Suicide	436	...	...	–	2	29	48	51	30	35	28	34	26	35	37	28	19	22	6	6	–	–	–
	White ... Male	322	...	...	–	2	21	38	32	22	23	21	23	19	25	31	24	15	15	5	6	–	–	–
	Female	87	...	...	–	–	5	8	11	4	10	6	10	6	7	4	4	4	7	1	–	–	–	–
	All other ... Male	22	...	...	–	–	3	1	7	4	2	–	–	1	3	1	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	1	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	303	3	2	5	3	20	63	37	35	25	22	18	21	11	9	12	4	7	3	3	–	–	–
	White ... Male	170	–	1	2	–	10	40	22	19	17	10	15	13	3	6	6	2	2	1	1	–	–	–
	Female	46	2	–	1	2	4	5	6	5	4	4	1	1	1	1	2	–	4	1	2	–	–	–
	All other ... Male	69	–	1	2	1	6	12	7	8	4	6	1	6	7	1	3	2	1	1	–	–	–	–
	Female	18	1	–	–	–	–	6	2	3	–	2	1	1	–	1	1	–	–	–	–	–	–	–
E980–E999	Other external causes	63	–	1	–	1	6	9	9	6	6	5	2	4	6	3	2	1	1	1	–	–	–	–
	White ... Male	45	–	1	–	–	4	6	5	5	4	3	2	3	6	2	1	1	1	1	–	–	–	–
	Female	13	–	–	–	–	2	1	3	1	2	2	–	1	–	–	1	–	–	–	–	–	–	–
	All other ... Male	4	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana																							
	All causes	35,242	1,295	219	127	168	519	672	587	508	540	727	1,171	1,838	2,485	3,112	4,210	4,463	4,449	3,711	2,645	1,231	546	19
	White ..... Male	13,243	306	67	42	58	257	301	252	193	188	241	445	779	1,113	1,448	1,788	1,780	1,651	1,175	756	306	91	6
	Female	10,304	266	36	27	31	77	114	78	88	96	160	260	382	546	680	1,013	1,239	1,519	1,546	1,264	620	255	7
	All other ..... Male	6,414	370	63	37	56	140	182	176	146	173	211	283	394	487	568	781	756	630	492	270	112	82	5
	Female	5,281	353	53	21	23	45	75	81	81	83	115	183	283	339	416	628	688	649	498	355	193	118	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	55	23	2	–	–	–	1	1	–	–	–	1	–	3	–	4	2	5	9	3	1	–	–
	White ..... Male	10	3	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–	1	–	1	–	–
	Female	20	3	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	3	8	1	–	–	–
	All other ..... Male	15	10	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
	Female	10	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
010–019	Tuberculosis, all forms	85	–	1	–	–	–	1	3	–	–	3	7	6	12	11	18	6	4	7	4	1	1	–
	White ..... Male	25	–	–	–	–	–	–	1	–	–	–	3	2	1	3	7	2	1	2	2	1	–	–
	Female	16	–	1	–	–	–	1	–	–	–	–	1	–	4	1	3	1	–	2	1	–	1	–
	All other ..... Male	27	–	–	–	–	–	–	1	–	–	2	–	4	7	4	5	1	2	1	–	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	3	–	–	3	3	2	1	2	1	–	–	–
010–012	Tuberculosis of respiratory system	66	–	1	–	–	–	1	1	–	–	3	6	6	11	8	12	5	2	5	3	1	1	–
	White ..... Male	18	–	–	–	–	–	–	1	–	–	–	2	2	1	2	3	1	1	2	2	1	–	–
	Female	12	–	1	–	–	–	1	–	–	–	–	1	–	3	–	2	1	–	1	1	–	1	–
	All other ..... Male	22	–	–	–	–	–	–	–	–	–	2	–	4	7	3	4	1	–	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	3	–	–	3	3	2	1	1	–	–	–	–
013–019	Tuberculosis, other forms	19	–	–	–	–	–	–	2	–	–	–	1	–	1	3	6	1	2	2	1	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	21	7	8	–	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	4	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	248	52	2	–	–	1	3	4	4	5	4	3	5	18	24	26	25	24	28	14	5	1	–
	White ..... Male	62	15	1	–	–	–	1	1	–	–	3	1	–	3	8	5	11	3	6	3	1	–	–
	Female	60	9	–	–	–	–	–	1	1	1	–	–	1	4	8	7	5	7	8	5	2	1	–
	All other ..... Male	70	16	1	–	–	–	–	–	3	3	–	1	3	7	6	11	5	5	6	2	1	–	–
	Female	56	12	–	–	–	1	2	2	–	1	1	1	1	4	2	3	4	9	8	4	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	7	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	104	9	4	1	2	4	2	4	3	4	1	5	7	7	4	10	18	7	3	4	2	3	–
	White ..... Male	26	1	1	–	–	2	–	–	–	2	–	1	1	3	1	3	7	4	–	–	–	–	–
	Female	38	2	1	1	1	2	1	–	–	1	1	2	3	1	1	6	6	2	–	3	2	2	–
	All other ..... Male	16	1	2	–	1	–	–	2	–	1	–	–	3	1	–	–	3	–	1	1	–	–	–
	Female	24	5	–	–	–	–	1	2	3	–	–	2	–	2	2	1	2	1	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,714	2	8	21	19	27	24	32	57	72	155	274	533	682	856	1,061	1,048	805	566	325	109	38	–
	White ..... Male	2,630	1	3	6	7	8	3	6	12	18	45	73	200	276	412	445	444	325	205	99	36	6	–
	Female	2,099	–	3	6	3	6	10	10	25	26	53	107	162	212	222	281	288	266	209	146	46	18	–
	All other ..... Male	1,149	1	1	7	3	9	6	5	5	15	28	59	91	116	134	192	189	127	98	40	14	9	–
	Female	836	–	1	2	6	4	5	11	15	13	29	35	80	78	88	143	127	87	54	40	13	5	–
140–149	Of buccal cavity and pharynx	178	–	–	–	–	–	–	–	1	1	3	14	12	21	26	27	26	19	15	5	4	4	–
	White ..... Male	89	–	–	–	–	–	–	–	–	–	2	3	2	13	13	15	16	12	7	3	3	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	4	3	2	5	6	6	6	5	1	1	4	–
	All other ..... Male	34	–	–	–	–	–	–	–	1	1	1	4	6	6	7	6	–	–	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	4	1	1	1	–	–	–
150–159	Of digestive organs and peritoneum	1,574	–	–	–	1	1	1	2	2	10	26	59	101	127	180	257	264	223	169	105	36	10	–
	White ..... Male	547	–	–	–	1	–	–	1	1	–	8	20	40	42	78	105	84	72	56	27	11	1	–
	Female	521	–	–	–	–	1	–	–	1	3	5	17	22	35	48	75	77	86	77	51	18	5	–
	All other ..... Male	297	–	–	–	–	–	1	1	–	4	10	16	22	34	35	44	54	35	21	14	3	3	–
	Female	209	–	–	–	–	–	–	–	–	3	3	6	17	16	19	33	49	30	15	13	4	1	–
160–163	Of respiratory system	1,820	–	–	–	–	–	1	1	2	11	31	73	194	243	311	337	299	166	92	41	11	7	–
	White ..... Male	1,025	–	–	–	–	–	–	–	1	5	16	26	92	135	196	193	178	108	44	23	7	1	–
	Female	343	–	–	–	–	–	–	1	–	2	5	22	42	49	49	59	46	29	20	14	4	1	–
	All other ..... Male	353	–	–	–	–	–	1	–	–	4	7	22	43	45	50	69	57	23	25	4	–	3	–
	Female	99	–	–	–	–	–	–	–	1	–	3	3	17	14	16	16	18	6	3	–	–	2	–
174	Of breast	466	–	–	–	–	–	–	2	13	12	26	46	54	66	50	50	49	43	30	14	9	2	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	339	–	–	–	–	–	–	–	8	9	18	33	43	51	42	32	35	31	20	11	5	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	124	–	–	–	–	–	–	2	5	3	8	13	11	14	8	17	13	12	10	3	4	1	–
180–187	Of genital organs	738	–	–	–	1	1	1	8	8	11	22	11	27	46	67	117	117	130	96	54	19	2	–
	White ..... Male	224	–	–	–	1	–	–	1	–	–	1	–	2	4	18	20	49	54	43	23	7	1	–
	Female	210	–	–	–	–	–	1	2	6	7	12	7	14	24	21	30	29	29	12	13	3	–	–
	All other ..... Male	167	–	–	–	–	1	–	2	–	1	1	1	3	6	12	32	27	34	30	11	5	1	–
	Female	137	–	–	–	–	–	–	3	2	3	8	3	8	12	16	35	12	13	11	7	4	–	–
188, 189	Of urinary organs	271	–	1	–	–	1	–	–	1	1	2	5	14	24	25	51	40	40	37	21	4	4	–
	White ..... Male	128	–	–	–	–	–	–	–	1	1	1	2	8	15	15	31	21	18	9	4	1	1	–
	Female	79	–	–	–	–	–	–	–	–	–	–	2	3	5	6	10	10	10	17	11	3	2	–
	All other ..... Male	41	–	1	–	–	1	–	–	–	–	1	1	2	3	3	3	5	7	10	3	–	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	4	5	1	3	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,064	1	4	11	6	9	8	8	13	21	31	44	97	112	146	128	170	118	77	45	11	4	–
	White ..... Male	389	1	–	2	1	2	–	3	4	8	12	15	40	48	67	52	58	36	25	11	3	1	–
	Female	340	–	3	2	1	2	4	1	4	4	8	14	23	32	40	35	56	49	34	21	5	2	–
	All other ..... Male	174	–	–	5	1	4	2	1	1	5	7	12	13	17	21	19	32	20	6	5	2	1	–
	Female	161	–	1	2	3	1	2	3	4	4	4	3	21	15	18	22	24	13	12	8	1	–	–
204–207	Leukemia	281	1	2	8	8	12	8	5	9	3	6	16	11	17	21	35	30	31	28	16	10	4	–
	White ..... Male	113	–	2	2	3	4	2	1	2	2	2	5	8	7	9	13	16	15	12	6	1	1	–
	Female	94	–	–	4	1	3	2	2	4	1	2	6	2	5	6	6	11	9	13	8	7	2	–
	All other ..... Male	39	1	–	2	1	3	2	–	1	–	1	2	1	1	3	8	3	4	3	1	2	–	–
	Female	35	–	–	–	3	2	2	2	2	–	1	3	–	4	3	8	–	3	–	1	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	322	–	1	2	3	3	5	6	8	2	8	6	23	26	30	59	53	35	22	24	5	1	–
	White ..... Male	114	–	1	2	1	2	1	–	3	2	3	2	8	12	16	16	21	10	9	2	3	–	–
	Female	130	–	–	–	1	–	3	4	2	–	3	2	10	9	5	28	18	17	11	16	–	1	–
	All other ..... Male	42	–	–	–	1	–	–	1	2	–	–	1	1	3	3	10	11	4	1	2	2	–	–
	Female	36	–	–	–	–	1	1	1	1	–	2	1	4	2	6	5	3	4	1	4	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	109	–	1	3	2	3	3	–	–	2	4	5	8	9	13	19	14	8	5	6	3	1	–
	White ..... Male	32	–	–	2	1	–	–	–	–	–	–	3	4	2	4	5	4	1	2	2	2	–	–
	Female	46	–	–	1	1	2	1	–	–	–	2	1	3	2	6	6	8	5	3	3	1	1	–
	All other ..... Male	16	–	1	–	–	–	1	–	–	1	1	–	–	3	1	5	1	1	–	1	–	–	–
	Female	15	–	–	–	–	1	1	–	–	1	1	1	1	2	2	3	1	1	–	–	–	–	–
250	Diabetes mellitus	738	1	–	–	–	–	2	6	3	5	10	23	42	60	81	131	123	108	91	39	9	4	–
	White ..... Male	178	–	–	–	–	–	1	1	1	–	–	8	9	18	20	37	30	25	15	9	2	2	–
	Female	241	–	–	–	–	–	1	4	–	–	1	2	11	14	23	35	45	35	48	15	6	1	–
	All other ..... Male	116	–	–	–	–	–	–	–	1	2	6	4	10	14	11	23	13	17	9	4	1	1	–
	Female	203	1	–	–	–	–	–	1	1	3	3	9	12	14	27	36	35	31	19	11	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	65	4	1	1	1	–	–	–	1	1	–	1	4	4	4	1	14	7	8	7	5	1	–
	White ..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	5	5	2	3	–	–
	All other ..... Male	19	–	1	1	–	–	–	–	1	1	–	1	2	2	1	–	3	2	–	3	1	–	–
	Female	14	3	–	–	1	–	–	–	–	–	–	–	1	–	1	1	5	–	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana—Con.																							
280–285	Anemias	82	–	3	1	–	2	1	5	3	2	–	2	–	6	6	4	4	16	13	9	3	2	–
	White ..... Male	17	–	–	–	–	–	1	1	1	–	–	1	–	–	1	2	1	3	4	2	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	–	–	–	1	4	2	–	8	7	5	2	–	–
	All other ..... Male	14	–	3	1	–	1	–	1	–	1	–	–	–	3	–	–	1	2	1	–	–	–	–
	Female	21	–	–	–	–	1	–	3	1	1	–	1	–	2	1	–	2	3	1	2	1	2	–
320	Meningitis	58	21	10	1	1	2	1	2	1	–	–	–	2	1	4	3	4	2	2	1	–	–	–
	White ..... Male	13	4	4	1	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
	Female	18	4	3	–	1	–	1	1	1	–	–	–	1	1	1	1	2	–	–	1	–	–	–
	All other ..... Male	15	7	3	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	12	6	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
390–448	Major cardiovascular diseases	17,114	37	11	2	11	14	38	48	54	129	233	442	779	1,103	1,491	2,200	2,412	2,652	2,379	1,816	874	389	–
	White ..... Male	6,294	9	4	1	2	9	10	15	22	48	86	194	364	536	705	945	939	941	711	494	197	62	–
	Female	5,433	5	1	–	2	–	7	8	9	18	36	63	126	192	279	487	674	940	1,046	898	452	190	–
	All other ..... Male	2,691	12	3	–	4	5	13	13	16	38	66	100	166	215	284	404	398	364	281	172	78	59	–
	Female	2,696	11	3	1	3	–	8	12	7	25	45	85	123	160	223	364	401	407	341	252	147	78	–
390–398, 402, 404, 410–429	Diseases of heart	12,647	32	8	1	9	6	25	32	40	98	189	361	649	917	1,209	1,728	1,801	1,921	1,645	1,175	560	241	–
	White ..... Male	4,952	8	3	–	2	3	5	11	17	42	76	179	324	476	596	772	740	698	509	317	127	47	–
	Female	3,823	3	1	–	1	–	5	5	4	11	27	51	102	150	223	370	503	675	716	578	282	116	–
	All other ..... Male	1,967	10	1	–	3	3	10	9	14	26	52	79	132	172	218	311	278	258	190	114	55	32	–
	Female	1,905	11	3	1	3	–	5	7	5	19	34	52	91	119	172	275	280	290	230	166	96	46	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	135	–	–	1	2	1	2	5	3	2	8	8	11	7	11	25	13	14	10	9	2	1	–
	White ..... Male	42	–	–	–	1	–	–	–	1	1	3	2	5	3	4	10	5	2	3	2	–	–	–
	Female	43	–	–	–	–	–	1	–	–	–	–	1	1	2	5	6	5	10	6	3	2	1	–
	All other ..... Male	22	–	–	–	–	1	1	3	–	1	2	–	3	1	–	3	3	1	–	3	–	–	–
	Female	28	–	–	1	1	–	–	2	2	–	3	5	2	1	2	6	–	1	1	1	–	–	–
402	Hypertensive heart disease	128	–	–	–	–	–	1	1	–	1	6	7	3	9	12	17	24	19	19	5	4	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	1	2	1	2	1	5	5	2	3	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	4	6	7	3	–	–	–
	All other ..... Male	28	–	–	–	–	–	1	1	–	1	2	2	–	4	2	3	5	3	2	–	2	–	–
	Female	52	–	–	–	–	–	–	–	–	–	2	2	2	2	8	8	10	8	7	1	2	–	–
404	Hypertensive heart and renal disease	58	–	–	–	–	–	–	–	–	1	–	1	1	2	3	9	6	10	13	6	6	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	4	3	1	3	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	5	3	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	2	3	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	5	2	2	–	–
410–413	Ischemic heart disease	10,776	–	–	–	1	–	3	10	24	74	137	287	552	809	1,064	1,491	1,566	1,662	1,418	1,005	473	200	–
	White ..... Male	4,385	–	–	–	–	–	1	5	10	34	64	154	286	436	542	687	666	633	457	267	102	41	–
	Female	3,293	–	–	–	–	–	–	1	–	9	17	39	84	125	198	323	436	591	616	511	249	94	–
	All other ..... Male	1,592	–	–	–	–	–	1	2	13	18	34	62	111	148	185	260	232	208	152	90	48	28	–
	Female	1,506	–	–	–	1	–	1	2	1	13	22	32	71	100	139	221	232	230	193	137	74	37	–
410	Acute myocardial infarction	5,178	–	–	–	1	–	1	7	18	43	98	201	352	500	632	840	803	694	493	324	117	54	–
	White ..... Male	2,501	–	–	–	–	–	–	2	8	21	50	125	200	298	363	437	374	302	178	103	27	13	–
	Female	1,414	–	–	–	–	–	–	1	–	3	13	26	53	82	117	190	225	238	234	142	63	27	–
	All other ..... Male	722	–	–	–	–	–	1	2	9	11	23	36	64	76	88	126	108	84	47	29	10	8	–
	Female	541	–	–	–	1	–	–	2	1	8	12	14	35	44	64	87	96	70	34	50	17	6	–
411	Other acute and subacute forms of ischemic heart disease	72	–	–	–	–	–	–	–	1	1	–	2	4	–	4	11	9	15	8	10	5	2	–
	White ..... Male	24	–	–	–	–	–	–	–	1	–	–	2	1	–	4	4	4	4	1	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	3	4	2	2	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	1	3	2	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	1	–	–	4	3	3	3	1	–	–	–
412	Chronic ischemic heart disease	5,523	–	–	–	–	–	2	3	5	30	39	84	196	309	428	640	753	952	916	671	351	144	–
	White ..... Male	1,859	–	–	–	–	–	1	3	1	13	14	27	85	138	175	246	288	326	278	162	74	28	–
	Female	1,858	–	–	–	–	–	–	–	–	6	4	13	30	43	81	131	208	350	378	365	184	65	–
	All other ..... Male	857	–	–	–	–	–	–	–	4	7	11	26	46	72	97	133	124	119	104	58	36	20	–
	Female	949	–	–	–	–	–	1	–	–	4	10	18	35	56	75	130	133	157	156	86	57	31	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	100	–	2	–	2	1	1	–	–	–	2	2	5	3	6	16	18	13	10	6	6	7	–
	White ..... Male	28	–	–	–	–	–	–	–	–	–	1	–	3	1	3	5	5	2	1	2	3	2	–
	Female	28	–	–	–	–	–	–	–	–	–	1	1	–	–	–	5	3	9	4	3	–	2	–
	All other ..... Male	26	–	–	–	2	1	–	–	–	–	–	1	1	2	2	4	6	1	3	1	1	1	–
	Female	18	–	2	–	–	–	1	–	–	–	–	–	1	–	1	2	4	1	2	–	2	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,450	32	6	–	4	4	18	16	13	20	36	56	77	87	113	170	174	203	175	144	69	33	–
	White ..... Male	457	8	3	–	1	3	4	6	6	7	7	21	28	33	44	64	58	55	42	44	19	4	–
	Female	417	3	1	–	1	–	4	4	4	2	8	9	17	21	18	33	53	57	78	55	30	19	–
	All other ..... Male	289	10	1	–	1	1	7	3	1	5	14	13	17	17	29	38	30	42	33	20	4	3	–
	Female	287	11	1	–	1	–	3	3	2	6	7	13	15	16	22	35	33	49	22	25	16	7	–
400, 401, 403	Hypertension	97	–	–	–	–	–	1	2	–	4	2	4	5	3	15	5	12	7	14	13	5	5	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	4	5	1	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	4	5	4	2	4	–
	All other ..... Male	26	–	–	–	–	–	–	2	–	2	2	1	2	1	7	1	1	1	2	3	1	–	–
	Female	27	–	–	–	–	–	1	–	–	2	–	2	3	1	5	3	4	1	3	1	1	–	–
430–438	Cerebrovascular diseases	3,338	5	3	–	2	8	9	11	11	25	36	63	104	148	214	355	468	573	551	453	205	94	–
	White ..... Male	926	1	1	–	–	6	4	2	5	5	9	10	28	43	75	118	125	176	145	124	42	7	–
	Female	1,193	2	–	–	1	–	2	3	2	7	8	12	17	32	45	87	137	210	247	224	110	47	–
	All other ..... Male	579	2	2	–	1	2	2	2	2	9	9	15	30	35	54	79	102	85	73	37	18	20	–
	Female	640	–	–	–	–	–	1	4	2	4	10	26	29	38	40	71	104	102	86	68	35	20	–
431	Cerebral hemorrhage	374	3	–	–	1	2	4	2	2	6	11	18	24	33	45	44	48	58	40	23	8	2	–
	White ..... Male	117	1	–	–	–	1	2	1	2	1	5	3	6	9	17	16	10	19	13	7	4	–	–
	Female	114	1	–	–	–	–	2	–	–	2	1	4	5	8	11	9	12	24	22	11	2	–	–
	All other ..... Male	75	1	–	–	1	1	–	1	–	2	2	5	5	8	10	11	14	8	3	1	1	1	–
	Female	68	–	–	–	–	–	–	–	–	1	3	6	8	8	7	8	12	7	2	4	1	1	–
433	Cerebral thrombosis	644	–	–	–	–	1	2	–	–	1	4	4	17	19	35	54	109	115	120	89	44	30	–
	White ..... Male	182	–	–	–	–	1	1	–	–	1	1	2	7	9	13	20	31	35	34	20	7	–	–
	Female	267	–	–	–	–	–	–	–	–	–	–	–	3	2	6	14	43	45	54	49	31	20	–
	All other ..... Male	90	–	–	–	–	–	1	–	–	–	1	2	6	5	12	12	17	13	12	3	3	3	–
	Female	105	–	–	–	–	–	–	–	–	–	2	–	1	3	4	8	18	22	20	17	3	7	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,312	2	3	–	1	5	3	9	9	18	21	41	63	95	134	257	310	399	391	339	151	61	–
	White ..... Male	625	–	1	–	–	4	1	1	3	3	3	5	15	25	45	82	84	122	98	95	31	7	–
	Female	808	1	–	–	1	–	–	3	2	5	7	8	9	22	28	64	81	140	171	164	75	27	–
	All other ..... Male	412	1	2	–	–	1	1	1	2	7	6	8	19	21	32	56	71	64	58	33	14	15	–
	Female	467	–	–	–	–	–	1	4	2	3	5	20	20	27	29	55	74	73	64	47	31	12	–
440	Arteriosclerosis	637	–	–	–	–	–	1	–	–	1	–	4	7	10	15	45	77	92	125	132	86	42	–
	White ..... Male	196	–	–	–	–	–	1	–	–	1	–	2	5	5	5	15	37	30	32	38	20	5	–
	Female	278	–	–	–	–	–	–	–	–	–	–	–	2	–	4	15	17	38	61	70	50	21	–
	All other ..... Male	74	–	–	–	–	–	–	–	–	–	–	1	–	3	2	9	13	13	13	11	3	6	–
	Female	89	–	–	–	–	–	–	–	–	–	–	1	–	2	4	6	10	11	19	13	13	10	–
441–448	Other diseases of arteries, arterioles, and capillaries	395	–	–	1	–	–	2	3	3	1	6	10	14	25	38	67	54	59	44	43	18	7	–
	White ..... Male	203	–	–	1	–	–	–	2	–	–	1	2	7	12	28	40	34	36	21	10	7	2	–
	Female	112	–	–	–	–	–	–	–	3	–	1	–	5	9	5	14	13	13	17	22	8	2	–
	All other ..... Male	45	–	–	–	–	–	1	–	–	1	3	4	2	4	3	4	4	7	3	7	1	1	–
	Female	35	–	–	–	–	–	1	1	–	–	1	4	–	–	2	9	3	3	3	4	2	2	–
466	Acute bronchitis and bronchiolitis	15	1	1	–	–	–	1	1	1	–	–	–	–	4	–	2	1	1	–	1	1	–	–
	White ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	1	–	1	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	988	80	13	4	3	9	9	12	10	13	9	25	21	58	51	81	118	126	130	99	78	39	–
	White ..... Male	344	9	3	–	–	2	3	5	3	3	1	5	6	32	21	29	49	48	50	39	31	5	–
	Female	292	10	–	1	2	3	3	3	2	1	3	5	5	7	11	21	30	38	45	45	35	22	–
	All other ..... Male	204	30	3	3	1	3	2	1	4	7	5	8	7	12	15	25	21	25	17	8	4	3	–
	Female	148	31	7	–	–	1	1	3	1	2	–	7	3	7	4	6	18	15	18	7	8	9	–
470–474	Influenza	68	–	–	–	–	–	2	–	–	1	–	–	1	6	1	2	14	9	14	11	4	3	–
	White ..... Male	22	–	–	–	–	–	2	–	–	–	–	–	1	2	–	–	7	3	3	2	2	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	3	7	7	2	3	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	2	–	–	–
480–486	Pneumonia	920	80	13	4	3	9	7	12	10	12	9	25	20	52	50	79	104	117	116	88	74	36	–
	White ..... Male	322	9	3	–	–	2	1	5	3	3	1	5	5	30	21	29	42	45	47	37	29	5	–
	Female	259	10	–	1	2	3	3	3	2	1	3	5	5	6	10	19	23	35	38	38	33	19	–
	All other ..... Male	198	30	3	3	1	3	2	1	4	6	5	8	7	11	15	25	21	24	14	8	4	3	–
	Female	141	31	7	–	–	1	1	3	1	2	–	7	3	5	4	6	18	13	17	5	8	9	–
490–493	Bronchitis, emphysema, and asthma	357	2	–	1	–	3	2	3	1	2	3	14	13	35	42	52	56	65	34	20	6	3	–
	White ..... Male	190	–	–	–	–	1	1	1	–	1	1	5	6	16	18	30	32	45	18	11	2	2	–
	Female	91	–	–	–	–	–	1	1	–	–	–	4	2	11	9	17	16	14	10	5	1	–	–
	All other ..... Male	52	2	–	1	–	–	–	–	1	1	1	3	4	5	8	5	8	5	3	3	2	–	–
	Female	24	–	–	–	–	2	–	1	–	–	1	2	1	3	7	–	–	1	3	1	1	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana—Con.																							
490, 491	Chronic and unqualified bronchitis	47	1	–	–	–	2	1	–	1	1	–	2	–	1	6	4	8	10	5	3	1	1	–
	White Male	22	–	–	–	–	1	–	–	–	1	–	–	–	1	3	1	4	6	2	2	–	1	–
	Female	15	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	2	4	2	1	1	–	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	1	–	–	1	1	2	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
492	Emphysema	260	1	–	–	–	–	1	–	–	–	2	6	10	25	30	46	43	49	27	13	5	2	–
	White Male	162	–	–	–	–	–	1	–	–	–	1	4	6	14	15	28	27	38	16	9	2	1	–
	Female	57	–	–	–	–	–	–	–	–	–	–	2	2	6	6	14	11	7	7	2	–	–	–
	All other Male	33	1	–	–	–	–	–	–	–	–	1	–	2	4	6	4	5	4	2	2	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	2	–	1	1	–
493	Asthma	50	–	–	1	–	1	–	3	–	1	1	6	3	9	6	2	5	6	2	4	–	–	–
	White Male	6	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	1	–	5	2	1	3	3	1	2	–	–	–
	All other Male	12	–	–	1	–	–	–	–	–	1	–	2	2	1	1	–	1	1	1	1	–	–	–
	Female	13	–	–	–	–	1	–	1	–	–	1	2	1	2	3	–	–	1	–	1	–	–	–
531–533	Peptic ulcer	85	1	1	–	1	–	–	–	4	3	1	3	3	3	9	11	12	13	7	7	5	1	–
	White Male	33	–	1	–	1	–	–	–	2	1	–	1	1	1	7	5	5	3	3	–	2	–	–
	Female	26	–	–	–	–	–	–	–	–	2	–	2	–	1	–	2	4	5	2	4	3	1	–
	All other Male	16	1	–	–	–	–	–	–	1	–	1	–	1	1	2	3	2	1	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	4	–	2	–	–	–
540–543	Appendicitis	9	–	–	–	–	–	1	–	1	–	–	–	2	1	1	–	1	2	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	86	11	1	–	–	1	1	–	–	–	3	2	5	3	8	8	11	12	12	3	4	1	–
	White Male	23	3	–	–	–	–	–	–	–	–	1	–	2	1	3	5	3	2	3	–	–	–	–
	Female	36	3	–	–	–	1	1	–	–	–	–	2	1	2	3	2	2	6	8	2	3	–	–
	All other Male	14	5	–	–	–	–	–	–	–	–	1	–	2	–	–	1	3	1	–	–	–	1	–
	Female	13	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–	3	3	1	1	1	–	–
571	Cirrhosis of liver	410	2	1	–	–	–	1	6	8	19	34	46	54	63	51	44	38	27	9	5	2	–	–
	White Male	214	–	–	–	–	–	–	1	2	7	13	28	23	37	34	28	19	16	3	3	–	–	–
	Female	88	–	–	–	–	–	–	3	3	4	7	4	13	12	10	5	13	7	5	1	1	–	–
	All other Male	74	1	1	–	–	–	–	2	3	6	9	11	11	8	7	6	4	2	1	1	1	–	–
	Female	34	1	–	–	–	–	1	–	–	2	5	3	7	6	–	5	2	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	40	–	–	–	–	–	–	–	1	1	1	1	–	2	2	6	2	9	3	6	4	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	1	3	–	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	5	2	4	3	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	1	1	1	1	–	–
580–584	Nephritis and nephrosis	237	1	–	–	–	1	2	3	3	5	8	6	12	24	26	22	40	40	22	11	10	1	–
	White Male	48	–	–	–	–	–	1	–	–	–	1	–	1	6	2	8	8	11	3	5	2	–	–
	Female	53	–	–	–	–	–	1	1	–	2	1	–	2	3	6	5	10	9	7	4	2	–	–
	All other Male	65	–	–	–	–	1	–	–	1	–	6	4	3	8	8	5	10	11	6	1	1	–	–
	Female	71	1	–	–	–	–	–	2	2	3	–	2	6	7	10	4	12	9	6	1	5	1	–
580, 581	Acute nephritis and nephrotic syndrome	38	–	–	–	–	–	1	–	1	2	1	1	–	5	2	8	8	5	2	1	1	–	–
	White Male	17	–	–	–	–	–	1	–	–	–	–	–	–	2	–	4	4	4	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	3	–	1	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	199	1	–	–	–	1	1	3	2	3	7	5	12	19	24	14	32	35	20	10	9	1	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	–	1	4	2	4	4	7	2	4	2	–	–
	Female	44	–	–	–	–	–	1	1	–	–	1	–	2	2	5	4	7	9	6	4	2	–	–
	All other Male	58	–	–	–	–	1	–	–	1	–	5	3	3	6	8	4	10	10	6	1	–	–	–
	Female	66	1	–	–	–	–	–	2	1	3	–	2	6	7	9	2	11	9	6	1	5	1	–
590	Infections of kidney	70	–	–	–	–	–	–	–	1	–	–	3	1	3	2	7	11	12	11	13	4	2	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	6	3	2	–	1	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	7	2	7	9	2	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	–	1	1	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	3	–	2	1	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	14	–	–	–	1	4	4	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	13	–	–	–	1	3	4	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Louisiana—Con.																							
640-645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	13	–	–	–	1	4	3	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	12	–	–	–	1	3	3	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	274	176	22	11	8	7	5	8	2	3	4	3	1	3	1	5	–	3	1	–	–	–	11
	White ..... Male	90	57	7	3	3	3	3	4	–	1	2	1	1	1	–	2	–	1	–	–	–	–	1
	Female	76	54	4	2	2	1	1	1	–	–	–	1	–	–	–	2	–	1	–	–	–	–	7
	All other ..... Male	55	32	5	1	2	2	1	2	1	1	1	–	–	1	1	1	–	1	1	–	–	–	2
	Female	53	33	6	5	1	1	–	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	1
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	672	672	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	158	158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	197	197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	177	177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	343	343	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	329	329	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	95	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	466	85	2	–	–	2	3	2	5	5	6	11	14	13	29	49	60	57	40	43	20	20	–
	White ..... Male	136	14	–	–	–	–	1	–	3	2	1	6	8	5	11	17	19	23	10	8	6	2	–
	Female	112	13	1	–	–	1	–	–	1	–	2	1	1	5	4	17	12	11	13	17	9	4	–
	All other ..... Male	108	28	–	–	–	1	–	1	1	2	2	3	5	1	7	10	13	9	10	8	3	4	–
	Female	110	30	1	–	–	–	2	1	–	1	1	1	–	2	7	5	16	14	7	10	2	10	–
Residual	All other diseases	2,564	68	18	11	14	32	33	41	50	58	74	116	145	200	255	308	313	338	255	146	62	26	1
	White ..... Male	996	18	4	5	2	11	5	14	9	16	15	36	56	89	117	132	141	148	105	52	15	6	–
	Female	722	13	3	2	5	4	9	6	9	15	20	30	25	47	67	77	81	114	86	65	35	9	–
	All other ..... Male	440	16	5	–	5	11	9	8	12	12	22	34	31	31	46	55	49	35	38	14	4	2	1
	Female	406	21	6	4	2	6	10	13	20	15	17	16	33	33	25	44	42	41	26	15	8	9	–
E800-E949	Accidents	2,383	36	98	65	92	302	340	228	164	107	86	98	107	120	97	105	96	87	62	57	21	10	5
	White ..... Male	1,201	10	33	24	40	183	208	136	97	46	39	47	53	58	50	54	43	30	19	17	6	5	3
	Female	398	8	15	12	11	42	47	18	18	13	15	17	10	13	18	24	23	30	24	27	11	2	–
	All other ..... Male	591	10	25	22	36	65	69	63	38	38	28	26	33	37	20	21	19	15	13	8	1	2	2
	Female	193	8	25	7	5	12	16	11	11	10	4	8	11	12	9	6	11	12	6	5	3	1	–
E810-E823	Motor vehicle accidents	1,127	6	38	29	38	194	210	131	96	44	38	42	46	59	38	37	34	27	8	10	1	–	1
	White ..... Male	632	1	13	13	22	126	133	82	59	19	16	22	20	32	19	21	17	9	1	6	–	–	1
	Female	191	3	9	7	7	33	38	11	12	8	8	7	3	7	9	8	8	8	3	1	1	–	–
	All other ..... Male	234	–	5	8	7	27	30	32	19	16	11	8	18	15	8	8	8	9	3	2	–	–	–
	Female	70	2	11	1	2	8	9	6	6	1	3	5	5	5	2	–	1	1	1	1	–	–	–
E800-E807, E825-E949	All other accidents	1,256	30	60	36	54	108	130	97	68	63	48	56	61	61	59	68	62	60	54	47	20	10	4
	White ..... Male	569	9	20	11	18	57	75	54	38	27	23	25	33	26	31	33	26	21	18	11	6	5	2
	Female	207	5	6	5	4	9	9	7	6	5	7	10	7	6	9	16	15	22	21	26	10	2	–
	All other ..... Male	357	10	20	14	29	38	39	31	19	22	17	18	15	22	12	13	11	6	10	6	1	2	2
	Female	123	6	14	6	3	4	7	5	5	9	1	3	6	7	7	6	10	11	5	4	3	1	–
E950-E959	Suicide	471	...	...	–	2	38	69	60	42	41	33	33	40	22	25	20	22	11	10	2	–	1	–
	White ..... Male	290	...	...	–	1	24	40	33	24	27	20	17	24	14	20	13	14	8	9	2	–	–	–
	Female	110	...	...	–	–	7	16	17	8	10	11	11	10	7	2	4	3	2	1	–	–	1	–
	All other ..... Male	56	...	...	–	–	5	10	8	8	4	2	4	5	1	2	2	4	1	–	–	–	–	–
	Female	15	...	...	–	1	2	3	2	2	–	–	1	1	–	1	1	1	–	–	–	–	–	–
E960-E978	Homicide	666	3	11	5	8	63	120	112	87	60	50	43	32	24	17	11	10	5	2	1	1	–	1
	White ..... Male	161	1	1	–	–	12	21	29	16	16	10	13	14	12	7	4	1	2	1	–	–	–	1
	Female	62	–	1	2	1	7	11	4	9	3	6	2	3	2	2	1	4	3	–	1	–	–	–
	All other ..... Male	361	–	6	1	4	33	68	67	50	39	30	23	13	9	7	6	5	–	–	–	–	–	–
	Female	82	2	3	2	3	11	20	12	12	2	4	5	2	1	1	–	–	–	1	–	1	–	–
E980-E999	Other external causes	26	1	–	–	1	3	4	4	1	–	4	3	1	1	1	1	–	–	–	–	–	–	1
	White ..... Male	14	–	–	–	1	2	2	3	–	–	2	–	1	–	1	1	–	–	–	–	–	–	1
	Female	6	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	1	–	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine																							
	All causes	10,179	165	23	31	29	107	106	97	92	83	150	273	423	616	790	1,158	1,390	1,336	1,421	1,077	603	199	10
	White ..... Male	5,516	87	11	18	19	74	82	67	64	53	101	167	272	412	518	743	809	691	633	439	193	60	3
	Female	4,624	77	12	13	10	31	24	30	28	29	47	102	148	201	269	410	577	644	783	637	408	138	6
	All other ..... Male	19	–	–	–	–	2	–	–	–	–	–	2	1	1	1	4	2	–	4	1	1	–	–
	Female	20	1	–	–	–	–	–	–	–	1	2	2	2	2	2	1	2	1	1	–	1	1	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	9	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	2	1	1	1	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	2	2	–	3	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	2	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	2	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	7	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–	–	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	41	2	–	–	–	1	–	–	–	1	2	–	1	1	2	2	6	5	8	5	4	1	–
	White ..... Male	16	2	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	3	3	1	2	–	–
	Female	25	–	–	–	–	1	–	–	–	–	2	–	1	–	1	2	4	2	5	4	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	27	3	–	–	1	–	–	–	–	–	–	2	1	3	3	–	5	2	1	5	1	–	–
	White ..... Male	11	1	–	–	1	–	–	–	–	–	–	–	1	1	2	–	2	–	–	2	1	–	–
	Female	16	2	–	–	–	–	–	–	–	–	–	2	–	2	1	–	3	2	1	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,210	1	2	3	2	10	7	11	10	10	44	90	141	191	238	332	339	312	259	158	38	9	3
	White ..... Male	1,185	–	1	3	2	4	6	5	4	5	25	42	82	109	142	191	181	159	135	71	14	4	–
	Female	1,018	1	1	–	–	6	1	6	6	5	19	48	59	82	94	138	158	153	122	87	24	5	3
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	53	–	–	–	1	1	–	–	–	–	1	3	3	8	7	5	10	6	4	4	–	–	–
	White ..... Male	39	–	–	–	1	1	–	–	–	–	1	3	3	7	4	4	7	5	3	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	1	–	4	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	593	–	–	–	–	–	–	–	1	2	7	24	25	39	63	97	98	89	77	56	10	4	1
	White ..... Male	289	–	–	–	–	–	–	–	1	2	6	15	14	23	39	53	44	43	29	18	1	1	–
	Female	303	–	–	–	–	–	–	–	–	–	1	9	11	16	23	44	54	46	48	38	9	3	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
160–163	Of respiratory system	574	–	–	–	–	–	–	1	–	3	11	26	50	70	81	100	98	58	48	23	3	1	1
	White ..... Male	433	–	–	–	–	–	–	–	–	1	7	15	40	53	62	79	74	43	38	18	2	1	–
	Female	138	–	–	–	–	–	–	1	–	2	4	11	10	17	19	19	24	15	9	5	1	–	1
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	193	–	–	–	–	–	–	1	1	1	6	14	11	24	17	29	23	30	22	8	5	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	192	–	–	–	–	–	–	1	1	1	6	14	11	24	17	29	23	30	22	7	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	234	–	–	–	–	–	1	1	2	–	4	8	14	11	17	31	35	40	39	24	7	–	–
	White ..... Male	108	–	–	–	–	–	–	–	–	–	–	–	–	3	3	14	17	24	26	16	5	–	–
	Female	126	–	–	–	–	–	1	1	2	–	4	8	14	8	14	17	18	16	13	8	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	112	–	–	–	–	–	–	–	–	–	3	3	6	4	11	18	13	18	22	11	2	1	–
	White ..... Male	77	–	–	–	–	–	–	–	–	–	3	3	6	4	9	14	8	8	17	4	–	1	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	10	5	7	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	260	1	1	2	–	6	3	4	2	2	7	10	17	25	23	30	40	37	21	17	9	2	1
	White ..... Male	133	–	–	2	–	2	3	2	1	1	4	6	11	14	13	16	20	18	8	7	4	1	–
	Female	126	1	1	–	–	4	–	2	1	1	3	4	6	11	10	13	20	19	13	10	5	1	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
204–207	Leukemia	68	–	1	1	1	2	2	2	2	–	3	1	2	4	6	6	8	9	9	8	1	–	–
	White ..... Male	37	–	1	1	1	1	2	2	1	–	2	–	1	2	4	3	3	4	4	4	1	–	–
	Female	31	–	–	–	–	1	–	–	1	–	1	1	1	2	2	3	5	5	5	4	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	123	–	–	–	–	1	1	2	2	2	2	1	13	6	13	16	14	25	17	7	1	–	–
	White ..... Male	68	–	–	–	–	–	1	1	1	1	2	–	7	3	8	8	8	14	10	3	1	–	–
	Female	54	–	–	–	–	1	–	1	1	1	–	1	6	3	4	8	6	11	7	4	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	–	–	–	–	–	–	–	1	1	1	2	2	5	4	3	3	3	2	–	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	1	1	4	4	2	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	3	3	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	175	–	–	–	–	–	–	3	1	3	1	4	6	11	15	21	30	31	22	18	6	3	–
	White ..... Male	75	–	–	–	–	–	–	2	1	2	–	3	2	5	11	10	18	12	5	3	1	–	–
	Female	99	–	–	–	–	–	–	1	–	1	1	1	4	6	4	11	12	18	17	15	5	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	19	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	4	5	1	4	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–
	Female	14	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	4	4	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine—Con.																							
280–285	Anemias	15	–	1	–	–	–	1	–	–	–	–	–	–	1	–	2	4	2	–	3	1	–	–
	White ..... Male	9	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	1	–	3	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	5,181	4	3	3	2	9	4	2	13	20	39	87	168	275	366	562	756	747	846	691	433	145	6
	White ..... Male	2,691	3	2	2	1	4	3	1	10	15	28	64	120	203	253	375	460	377	341	257	127	43	2
	Female	2,471	1	1	1	1	4	1	1	3	4	10	22	47	70	112	185	292	370	503	433	305	102	3
	All other ..... Male	10	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	2	–	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	2	–	1	–	1	–	1
390–398, 402, 404, 410–429	Diseases of heart	3,919	3	2	1	2	5	2	2	9	17	33	75	143	237	314	464	595	565	609	461	285	91	4
	White ..... Male	2,157	2	2	–	1	3	1	1	8	12	24	57	108	186	224	317	373	289	248	174	91	35	1
	Female	1,746	1	–	1	1	1	1	1	1	4	8	17	34	49	89	146	220	276	359	286	193	56	2
	All other ..... Male	7	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–	–	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	2	–	1	–	1	–	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	74	–	–	–	–	–	–	–	1	1	–	1	5	9	5	9	13	10	10	7	3	–	–
	White ..... Male	37	–	–	–	–	–	–	–	1	–	–	1	2	8	4	2	8	5	4	2	–	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	3	1	1	7	5	5	6	5	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
402	Hypertensive heart disease	43	–	–	–	–	–	–	–	–	–	–	–	2	2	2	5	2	9	9	4	5	3	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	5	2	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	8	4	2	5	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	2	1	–	1
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	1	–	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,507	–	–	–	–	–	–	2	7	14	29	65	126	207	297	419	542	512	547	413	243	81	3
	White ..... Male	1,965	–	–	–	–	–	–	1	6	11	22	51	99	165	212	289	347	270	219	159	80	33	1
	Female	1,530	–	–	–	–	–	–	1	1	3	6	13	26	41	84	129	193	242	326	253	163	48	1
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	1	–	–	–	1
410	Acute myocardial infarction	2,074	–	–	–	–	–	–	1	5	12	26	53	95	165	222	294	354	281	272	194	83	16	1
	White ..... Male	1,268	–	–	–	–	–	–	1	5	9	19	43	74	132	159	197	225	152	118	90	33	11	–
	Female	797	–	–	–	–	–	–	–	–	3	6	10	20	32	62	96	128	129	152	104	50	5	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	1
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,427	–	–	–	–	–	–	1	2	2	3	12	31	42	72	124	187	231	275	218	160	65	2
	White ..... Male	693	–	–	–	–	–	–	–	1	2	3	8	25	33	50	92	121	118	101	69	47	22	1
	Female	731	–	–	–	–	–	–	1	1	–	–	3	6	9	22	32	65	113	174	148	113	43	1
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	31	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1	2	6	6	7	3	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	2	3	2	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	4	7	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine—Con.																							
420–423, 425–427, 429	All other forms of heart disease	252	3	2	1	2	5	2	–	1	2	4	7	8	17	10	29	33	27	34	28	30	7	–
	White ..... Male	123	2	2	–	1	3	1	–	1	1	2	3	5	10	6	23	15	9	16	11	11	1	–
	Female	127	1	–	1	1	1	1	–	–	1	2	4	3	6	4	6	18	18	18	17	19	6	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	8	2	1	1
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	5	1	1	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	902	1	1	1	–	4	2	–	3	3	5	10	16	32	39	72	119	146	168	164	85	30	1
	White ..... Male	376	1	–	1	–	1	2	–	2	3	3	6	7	12	19	40	63	68	67	58	18	4	1
	Female	524	–	1	–	–	3	–	–	1	–	2	4	9	20	20	32	54	78	101	106	67	26	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	150	1	–	–	–	3	1	–	2	2	3	4	6	10	9	18	19	24	22	17	9	–	–
	White ..... Male	74	1	–	–	–	–	1	–	2	2	2	2	3	6	5	9	11	12	9	6	3	–	–
	Female	76	–	–	–	–	3	–	–	–	–	1	2	3	4	4	9	8	12	13	11	6	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	157	–	–	–	–	–	–	–	–	–	–	–	2	4	10	14	22	28	30	28	13	6	–
	White ..... Male	68	–	–	–	–	–	–	–	–	–	–	–	1	2	6	10	10	17	13	7	2	–	–
	Female	89	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	12	11	17	21	11	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	2	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	589	–	1	1	–	1	1	–	1	1	2	6	8	16	20	40	78	93	114	118	63	24	1
	White ..... Male	231	–	–	1	–	1	1	–	–	1	1	4	3	3	8	21	42	39	43	45	13	4	1
	Female	356	–	1	–	–	–	–	–	1	–	1	2	5	13	12	19	34	54	71	73	50	20	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	171	–	–	–	–	–	–	–	–	–	–	1	–	1	4	7	7	9	33	40	51	18	–
	White ..... Male	56	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	4	3	9	13	14	3	–
	Female	115	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	6	24	27	37	15	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	165	–	–	1	–	–	–	–	1	–	1	1	9	5	9	18	31	25	31	18	10	5	–
	White ..... Male	95	–	–	1	–	–	–	–	–	–	1	1	5	4	7	12	18	17	16	9	3	1	–
	Female	69	–	–	–	–	–	–	–	1	–	–	–	4	1	2	5	13	8	15	9	7	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	343	8	1	–	–	1	–	1	4	1	2	7	8	9	11	16	33	52	66	56	49	18	–
	White ..... Male	179	6	–	–	–	–	–	1	3	1	1	4	3	8	3	9	14	32	35	34	20	5	–
	Female	162	2	1	–	–	1	–	–	1	–	1	3	5	1	8	7	19	20	31	22	28	12	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
470–474	Influenza	56	–	–	–	–	–	–	–	1	–	–	1	3	1	1	3	5	5	12	10	9	5	–
	White ..... Male	16	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	2	5	3	2	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	5	3	7	7	7	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
480–486	Pneumonia	287	8	1	–	–	1	–	1	3	1	2	6	5	8	10	13	28	47	54	46	40	13	–
	White ..... Male	163	6	–	–	–	–	–	1	2	1	1	4	2	8	3	8	14	30	30	31	18	4	–
	Female	123	2	1	–	–	1	–	–	1	–	1	2	3	–	7	5	14	17	24	15	21	9	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	135	–	–	–	–	–	1	–	–	–	3	1	1	10	17	28	20	16	25	10	3	–	–
	White ..... Male	90	–	–	–	–	–	–	–	–	–	2	1	–	6	11	23	11	10	16	8	2	–	–
	Female	45	–	–	–	–	–	1	–	–	–	1	–	1	4	6	5	9	6	9	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine—Con.																							
490, 491	Chronic and unqualified bronchitis	44	–	–	–	–	–	–	–	–	–	1	1	1	5	10	8	4	4	4	4	2	–	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	1	1	–	3	6	7	1	2	2	3	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	3	2	2	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	81	–	–	–	–	–	–	–	–	–	2	–	–	4	6	17	16	11	20	4	1	–	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	1	–	–	3	5	14	10	8	14	4	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	6	3	6	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	10	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	–	1	1	2	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	25	–	–	–	–	1	–	–	–	–	–	1	–	1	1	3	6	3	3	4	2	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	1	1	2	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	1	1	2	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	40	1	–	–	–	–	–	–	–	1	–	–	3	–	–	3	5	5	10	10	2	–	–
	White ..... Male	24	1	–	–	–	–	–	–	–	–	–	–	3	–	–	2	4	4	5	3	2	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	5	7	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	173	–	–	–	–	–	–	1	4	1	8	16	23	22	30	30	17	9	10	2	–	–	–
	White ..... Male	120	–	–	–	–	–	–	–	2	1	6	11	15	14	23	22	12	6	7	1	–	–	–
	Female	53	–	–	–	–	–	–	1	2	–	2	5	8	8	7	8	5	3	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	4	2	2	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	33	–	–	–	–	–	–	1	–	1	–	–	1	–	1	3	5	8	4	5	2	2	–
	White ..... Male	15	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	7	3	1	–	–	–
	Female	18	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	3	1	1	4	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	2	1	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	24	–	–	–	–	–	–	1	–	1	–	–	–	–	1	2	5	7	2	3	1	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	6	1	–	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	1	1	3	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	20	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	1	5	3	4	2	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	1	2	1	–	–
	Female	11	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	3	1	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maine—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	58	35	5	3	2	1	3	2	1	–	2	–	2	–	1	1	–	–	–	–	–	–	–
	White Male	29	17	4	2	2	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	18	1	1	–	1	2	2	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	84	34	2	–	–	1	3	2	–	1	1	3	1	2	2	3	3	4	4	5	10	3	–
	White Male	40	18	–	–	–	–	1	–	–	1	–	1	1	2	2	2	2	2	2	1	4	1	–
	Female	41	16	2	–	–	1	2	2	–	–	–	–	–	–	–	1	1	2	2	4	6	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	759	10	–	5	–	4	7	3	10	6	21	21	33	51	55	99	122	97	108	67	30	10	–
	White Male	430	3	–	2	–	4	2	2	5	1	15	15	20	31	35	63	71	54	61	32	9	5	–
	Female	326	7	–	3	–	–	5	1	5	5	6	6	11	19	20	36	51	43	47	35	21	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
E800-E949	Accidents	503	1	9	15	20	68	66	43	22	20	16	26	18	22	23	24	22	19	31	24	8	6	–
	White Male	357	1	4	8	13	53	58	35	20	14	16	16	15	20	17	16	11	12	11	13	2	2	–
	Female	144	–	5	7	7	14	8	8	2	6	–	9	3	2	6	8	11	7	20	11	6	4	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E810-E823	Motor vehicle accidents	228	–	5	7	10	58	51	26	8	9	10	10	5	4	4	8	3	5	3	2	–	–	–
	White Male	176	–	2	4	7	45	45	20	7	6	10	7	4	4	2	5	1	4	1	2	–	–	–
	Female	51	–	3	3	3	12	6	6	1	3	–	3	1	–	2	3	2	1	2	–	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	275	1	4	8	10	10	15	17	14	11	6	16	13	18	19	16	19	14	28	22	8	6	–
	White Male	181	1	2	4	6	8	13	15	13	8	6	9	11	16	15	11	10	8	10	11	2	2	–
	Female	93	–	2	4	4	2	2	2	1	3	–	6	2	2	4	5	9	6	18	11	6	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E950-E959	Suicide	152	...	...	–	1	9	8	21	23	11	9	7	9	13	12	17	5	5	1	1	–	–	–
	White Male	113	...	...	–	–	8	6	17	18	7	5	6	4	9	9	15	4	4	–	1	–	–	–
	Female	39	...	...	–	1	1	2	4	5	4	4	1	5	4	3	2	1	1	1	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	32	–	–	1	1	2	4	5	–	3	1	4	3	2	–	–	2	–	1	1	1	–	1
	White Male	20	–	–	1	–	1	4	2	–	3	1	2	3	1	–	–	1	–	–	–	–	–	1
	Female	12	–	–	–	1	1	–	3	–	–	–	2	–	1	–	–	1	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	7	–	–	–	–	–	1	2	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland																							
	All causes	33,130	814	122	94	105	342	459	419	421	451	695	1,071	1,854	2,512	3,224	3,800	4,113	4,142	3,636	2,846	1,395	508	112
	White ..... Male	14,152	252	53	39	37	204	249	192	175	178	250	441	849	1,222	1,613	1,849	1,909	1,757	1,379	927	404	118	55
	Female	12,208	194	29	30	30	57	79	55	79	98	173	273	473	731	920	1,159	1,465	1,711	1,842	1,625	858	307	20
	All other ..... Male	3,893	201	22	15	25	61	96	122	125	110	174	220	337	341	415	455	406	348	211	116	49	22	22
	Female	2,877	167	18	10	13	20	35	50	42	65	98	137	195	218	276	337	333	326	204	178	84	56	15
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	24	6	–	–	–	–	–	–	1	–	–	–	–	1	–	5	2	2	3	2	–	1	1
	White ..... Male	10	2	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	1	–	2	–	–	1
	Female	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	–	1	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	62	–	–	–	–	–	–	–	–	1	2	2	5	5	9	8	8	9	7	4	2	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	1	–	2	1	3	4	4	5	2	1	2	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	3	1	3	2	–	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	2	2	1	4	1	–	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	1	–	–	–
010–012	Tuberculosis of respiratory system	56	–	–	–	–	–	–	–	–	1	2	2	5	4	7	7	6	9	7	4	2	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	1	–	2	1	3	3	3	5	2	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	1	3	2	–	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	2	2	1	4	1	–	2	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	207	13	–	–	1	1	1	3	2	2	2	3	12	12	25	18	26	23	23	20	14	3	3
	White ..... Male	61	6	–	–	–	1	–	1	–	–	1	1	4	3	6	3	10	5	7	5	4	2	2
	Female	74	1	–	–	–	–	–	–	2	1	1	1	2	3	8	9	7	8	11	12	6	1	1
	All other ..... Male	35	5	–	–	–	–	1	1	–	–	–	1	4	5	4	1	4	4	3	1	1	–	–
	Female	37	1	–	–	1	–	–	1	–	1	–	–	2	1	7	5	5	6	2	2	3	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	100	1	3	1	–	5	3	2	11	4	6	4	5	5	7	6	10	9	10	5	1	1	1
	White ..... Male	37	–	2	1	–	1	1	2	1	2	2	3	2	1	3	2	5	2	2	3	1	1	–
	Female	30	–	–	–	–	3	1	–	3	–	–	1	1	2	3	2	2	5	4	2	–	–	1
	All other ..... Male	16	1	–	–	–	–	1	–	4	1	2	–	–	1	1	2	1	–	2	–	–	–	–
	Female	17	–	1	–	–	1	–	–	3	1	2	–	2	1	–	–	2	2	2	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,560	1	11	25	10	16	20	31	54	83	177	307	628	835	1,029	1,140	1,080	888	657	401	130	30	7
	White ..... Male	3,202	1	5	11	1	10	10	14	19	25	52	98	233	345	474	515	492	401	290	151	52	1	2
	Female	2,865	–	4	8	4	1	6	12	23	35	75	118	235	319	348	377	394	335	285	206	59	19	2
	All other ..... Male	882	–	2	3	3	4	3	4	6	11	26	44	93	102	124	159	117	95	50	23	12	–	1
	Female	611	–	–	3	2	1	1	1	6	12	24	47	67	69	83	89	77	57	32	21	7	10	2
140-149	Of buccal cavity and pharynx	202	–	–	–	–	2	–	–	–	1	9	9	26	24	34	32	25	18	13	7	2	–	–
	White ..... Male	90	–	–	–	–	1	–	–	–	1	2	1	9	7	17	15	10	13	7	5	2	–	–
	Female	58	–	–	–	–	–	–	–	–	–	2	2	8	8	11	12	7	3	3	2	–	–	–
	All other ..... Male	45	–	–	–	–	1	–	–	–	–	5	3	8	8	6	4	6	2	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	2	–	1	–	–	–	–
150-159	Of digestive organs and peritoneum	1,995	–	–	1	–	–	2	3	6	13	36	55	142	182	252	315	324	266	201	129	47	17	4
	White ..... Male	791	–	–	1	–	–	2	2	3	6	9	18	57	77	126	130	129	105	68	40	17	–	1
	Female	801	–	–	–	–	–	–	1	2	6	14	19	39	66	81	109	129	113	103	80	27	11	1
	All other ..... Male	232	–	–	–	–	–	–	–	1	1	9	12	30	21	28	47	34	29	15	4	1	–	–
	Female	171	–	–	–	–	–	–	–	–	–	4	6	16	18	17	29	32	19	15	5	2	6	2
160-163	Of respiratory system	1,984	–	–	–	–	–	2	1	5	14	48	92	195	284	314	349	301	197	115	53	12	1	1
	White ..... Male	1,164	–	–	–	–	–	1	–	2	3	23	43	96	160	190	204	198	134	69	33	7	–	1
	Female	424	–	–	–	–	–	–	1	1	4	13	20	45	71	57	77	61	28	28	15	3	–	–
	All other ..... Male	302	–	–	–	–	–	1	–	1	5	8	18	38	42	51	54	35	28	15	4	2	–	–
	Female	94	–	–	–	–	–	–	–	1	2	4	11	16	11	16	14	7	7	3	1	–	1	–
174	Of breast	687	–	–	–	–	–	–	3	8	17	26	54	89	87	98	86	71	57	43	32	12	4	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	573	–	–	–	–	–	–	2	8	12	17	43	75	75	83	68	63	48	39	25	11	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	110	–	–	–	–	–	–	1	–	5	9	11	14	12	14	16	8	9	3	7	1	–	–
180-187	Of genital organs	780	–	–	–	–	–	1	3	4	3	17	23	46	59	90	102	123	110	93	77	26	1	2
	White ..... Male	299	–	–	–	–	–	–	–	2	–	1	1	5	7	29	43	51	47	59	38	16	–	–
	Female	299	–	–	–	–	–	–	3	1	3	13	14	29	39	43	31	42	30	22	24	4	–	1
	All other ..... Male	98	–	–	–	–	–	–	–	–	–	–	–	2	7	4	17	19	24	10	10	4	–	1
	Female	84	–	–	–	–	–	1	–	1	–	3	8	10	6	14	11	11	9	2	5	2	1	–
188, 189	Of urinary organs	291	–	2	1	1	1	–	–	1	2	5	14	9	26	34	41	36	43	42	24	7	2	–
	White ..... Male	141	–	–	–	–	1	–	–	1	–	2	7	6	11	23	20	19	17	23	7	3	1	–
	Female	108	–	2	1	1	–	–	–	–	1	2	5	1	7	5	12	15	21	16	16	3	–	–
	All other ..... Male	27	–	–	–	–	–	–	–	–	1	–	1	2	5	4	8	1	2	2	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	3	2	1	1	3	1	1	–	1	–
170-173, 190-199	Of all other and unspecified sites	971	–	3	6	3	6	4	11	11	12	24	42	83	123	130	125	111	122	86	51	15	3	–
	White ..... Male	426	–	3	5	–	4	3	4	4	6	12	19	39	57	55	53	46	57	38	17	4	–	–
	Female	356	–	–	–	2	–	1	5	4	4	7	13	26	39	43	37	44	50	41	30	7	3	–
	All other ..... Male	105	–	–	–	1	2	–	2	2	1	3	5	11	16	16	21	10	6	3	4	2	–	–
	Female	84	–	–	1	–	–	–	–	1	1	2	5	7	11	16	14	11	9	4	–	2	–	–
204-207	Leukemia	268	–	4	14	4	4	5	4	11	15	6	3	15	14	24	33	36	30	29	9	7	1	–
	White ..... Male	119	–	1	3	1	3	2	4	3	7	–	2	8	6	15	17	19	11	11	3	3	–	–
	Female	108	–	2	7	1	1	3	–	3	4	4	–	5	6	6	12	11	17	17	5	3	1	–
	All other ..... Male	28	–	1	3	2	–	–	–	2	3	1	–	1	1	2	3	4	2	1	1	1	–	–
	Female	13	–	–	1	–	–	–	–	3	1	1	1	1	1	1	1	2	–	–	–	–	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	382	1	2	3	2	3	6	6	8	6	6	15	23	36	53	57	53	45	35	19	2	1	–
	White ..... Male	169	1	1	2	–	1	2	4	4	2	3	7	13	20	19	31	20	17	14	8	–	–	–
	Female	138	–	–	–	–	–	2	–	4	1	3	2	7	8	19	19	22	25	16	9	1	–	–
	All other ..... Male	44	–	1	–	–	1	2	2	–	–	–	5	1	2	12	5	8	2	2	–	1	–	–
	Female	31	–	–	1	2	1	–	–	–	3	–	1	2	6	3	2	3	1	3	2	–	1	–
210-239	Benign neoplasms and neoplasms of unspecified nature	125	2	1	2	2	–	2	1	–	2	7	6	10	12	11	18	19	10	8	8	3	1	–
	White ..... Male	51	1	–	1	–	–	1	1	–	1	1	4	4	7	4	11	7	2	2	4	–	–	–
	Female	53	–	1	1	1	–	1	–	–	–	4	2	5	3	6	5	6	7	4	3	3	1	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	–	1	–	1	1	1	1	2	–	–	–	–	–	–
	Female	13	1	–	–	–	–	–	–	–	1	1	–	–	1	–	1	4	1	2	1	–	–	–
250	Diabetes mellitus	672	–	–	–	–	–	4	7	9	6	9	17	38	53	68	87	104	118	76	46	22	7	1
	White ..... Male	209	–	–	–	–	–	2	5	4	1	3	4	14	13	28	40	34	25	20	7	6	2	1
	Female	282	–	–	–	–	–	2	1	2	3	2	9	6	17	19	26	41	66	43	27	13	5	–
	All other ..... Male	72	–	–	–	–	–	–	1	2	–	2	2	7	12	10	5	16	9	3	3	–	–	–
	Female	109	–	–	–	–	–	–	–	1	2	2	2	11	11	11	16	13	18	10	9	3	–	–
260-269	Avitaminoses and other nutritional deficiencies	43	1	2	–	–	–	1	1	–	1	–	3	1	2	2	5	4	2	5	5	6	2	–
	White ..... Male	14	–	1	–	–	–	–	1	–	–	–	1	–	–	2	2	–	1	2	1	3	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	2	1	2	–	2	1	1	1	3	2	1	–
	All other ..... Male	6	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland—Con.																							
280–285	Anemias	68	–	3	2	–	1	1	1	1	3	3	5	–	5	3	6	6	10	9	7	1	1	–
	White ..... Male	21	–	–	–	–	1	–	–	–	–	1	2	–	1	–	2	2	5	5	1	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	4	5	3	4	–	1	–
	All other ..... Male	8	–	1	–	–	–	1	1	–	1	2	–	–	–	–	1	–	–	–	1	–	–	–
	Female	13	–	2	2	–	–	–	–	1	2	–	2	–	2	–	–	–	–	1	1	–	–	–
320	Meningitis	29	8	4	1	–	–	2	1	2	1	1	1	1	2	–	1	1	1	–	1	–	1	–
	White ..... Male	10	3	2	1	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–
	Female	9	1	1	–	–	–	–	1	–	–	1	–	1	1	–	–	–	1	–	1	–	1	–
	All other ..... Male	4	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	3	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,042	17	5	6	8	8	17	33	55	95	202	386	690	1,067	1,484	1,844	2,190	2,374	2,243	1,885	997	382	54
	White ..... Male	6,903	3	3	1	4	5	7	12	23	39	87	201	386	626	801	944	1,043	979	790	583	252	87	27
	Female	6,446	6	1	4	2	–	3	3	6	11	38	53	120	207	376	526	770	1,036	1,233	1,135	666	242	8
	All other ..... Male	1,447	2	–	1	2	2	5	8	19	31	49	90	119	146	178	214	190	180	104	59	21	17	10
	Female	1,246	6	1	–	–	1	2	10	7	14	28	42	65	88	129	160	187	179	116	108	58	36	9
390–398, 402, 404, 410–429	Diseases of heart	12,796	11	4	5	6	7	11	25	41	79	166	341	592	919	1,283	1,520	1,758	1,877	1,711	1,391	718	283	48
	White ..... Male	5,759	2	3	1	2	4	5	9	19	35	74	191	349	571	712	798	870	776	633	427	193	61	24
	Female	4,926	3	–	3	2	–	1	3	3	9	29	43	94	164	311	439	601	821	908	834	467	184	7
	All other ..... Male	1,155	2	–	1	2	2	3	7	13	28	40	77	99	115	148	167	142	145	78	50	15	12	9
	Female	956	4	1	–	–	1	2	6	6	7	23	30	50	69	112	116	145	135	92	80	43	26	8
390–398	Active rheumatic fever and chronic rheumatic heart disease	261	–	–	1	–	1	2	1	3	8	7	9	16	22	29	44	40	42	19	13	4	–	–
	White ..... Male	100	–	–	1	–	–	1	–	–	2	1	4	6	11	14	17	20	12	6	4	1	–	–
	Female	116	–	–	–	–	–	1	–	–	2	3	5	6	9	8	22	17	22	12	7	2	–	–
	All other ..... Male	23	–	–	–	–	1	–	–	2	2	2	–	1	2	2	4	1	3	1	2	–	–	–
	Female	22	–	–	–	–	–	–	1	1	2	1	–	3	–	5	1	2	5	–	–	1	–	–
402	Hypertensive heart disease	127	–	1	–	–	–	–	1	–	2	2	4	9	9	15	19	20	21	13	7	2	2	–
	White ..... Male	36	–	1	–	–	–	–	–	–	–	2	–	1	7	2	7	5	4	5	2	–	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	2	2	–	8	8	6	12	6	4	2	2	–
	All other ..... Male	26	–	–	–	–	–	–	1	–	1	–	1	4	1	4	4	4	4	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	5	1	1	–	–	–	–
404	Hypertensive heart and renal disease	36	–	–	–	–	–	–	–	1	–	–	1	2	1	2	1	4	7	5	6	5	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	4	3	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–
410–413	Ischemic heart disease	11,080	1	1	–	1	–	2	11	20	53	129	283	504	791	1,100	1,289	1,510	1,644	1,535	1,255	647	257	47
	White ..... Male	5,049	1	–	–	–	–	1	5	13	27	61	168	307	501	630	687	760	687	564	386	172	56	23
	Female	4,316	–	–	–	1	–	–	1	2	5	19	30	72	139	261	359	520	724	828	757	424	167	7
	All other ..... Male	918	–	–	–	–	–	1	3	4	19	31	63	83	95	117	137	115	118	62	39	12	10	9
	Female	797	–	1	–	–	–	–	2	1	2	18	22	42	56	92	106	115	115	81	73	39	24	8
410	Acute myocardial infarction	4,455	1	1	–	1	–	1	5	9	24	52	134	250	415	569	608	701	676	543	301	118	42	4
	White ..... Male	2,364	1	–	–	–	–	1	2	8	11	28	94	173	284	360	355	392	311	203	94	33	12	2
	Female	1,591	–	–	–	1	–	–	1	1	3	9	12	43	78	144	164	240	303	303	185	77	26	1
	All other ..... Male	252	–	–	–	–	–	–	2	–	9	10	16	17	28	31	48	29	32	17	7	4	2	–
	Female	248	–	1	–	–	–	–	–	–	1	5	12	17	25	34	41	40	30	20	15	4	2	1
411	Other acute and subacute forms of ischemic heart disease	49	–	–	–	–	–	–	–	–	–	1	3	1	2	6	12	10	2	4	6	2	–	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	1	3	1	1	3	9	6	–	1	–	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	1	2	4	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
412	Chronic ischemic heart disease	6,572	–	–	–	–	–	1	6	11	29	76	146	253	374	524	668	798	965	988	948	527	215	43
	White ..... Male	2,656	–	–	–	–	–	–	3	5	16	32	71	133	216	266	323	361	375	360	292	138	44	21
	Female	2,709	–	–	–	–	–	–	–	1	2	10	18	29	60	114	194	277	420	523	568	346	141	6
	All other ..... Male	661	–	–	–	–	–	1	1	4	10	21	47	66	67	86	87	85	86	44	31	8	8	9
	Female	546	–	–	–	–	–	–	2	1	1	13	10	25	31	58	64	75	84	61	57	35	22	7
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	285	–	1	2	1	1	–	2	2	5	3	17	19	22	45	48	40	30	19	16	9	3	–
	White ..... Male	161	–	1	–	–	1	–	–	1	1	2	9	11	16	32	29	25	14	10	6	2	1	–
	Female	90	–	–	2	–	–	–	1	–	–	1	3	4	5	11	15	13	10	7	9	7	2	–
	All other ..... Male	28	–	–	–	1	–	–	1	1	3	–	5	3	1	2	3	1	4	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,007	10	1	2	4	5	7	10	15	11	25	27	42	74	92	119	144	133	120	94	51	20	1
	White ..... Male	404	1	1	–	2	3	3	4	5	5	8	10	23	36	34	58	60	57	45	27	17	4	1
	Female	335	3	–	1	1	–	–	1	1	2	6	3	10	11	21	34	43	50	54	53	29	12	–
	All other ..... Male	155	2	–	1	1	1	2	2	5	3	7	7	8	15	23	19	21	15	12	7	2	2	–
	Female	113	4	–	–	–	1	2	3	4	1	4	7	1	12	14	8	20	11	9	7	3	2	–
400, 401, 403	Hypertension	81	–	–	–	–	–	–	2	1	1	2	1	4	2	7	9	17	10	14	8	3	–	–
	White ..... Male	31	–	–	–	–	–	–	1	–	1	–	–	1	–	2	4	7	6	6	3	–	–	–
	Female	24	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	5	3	6	5	1	–	–
	All other ..... Male	14	–	–	–	–	–	–	1	–	–	–	1	1	1	2	5	1	–	1	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	4	1	1	–	1	–	–
430–438	Cerebrovascular diseases	2,209	5	1	–	1	1	3	6	13	12	27	34	73	106	141	215	298	330	365	343	177	54	4
	White ..... Male	704	1	–	–	1	1	1	2	4	3	10	7	28	32	56	82	103	118	95	109	36	14	1
	Female	1,072	3	1	–	–	–	2	–	2	2	7	8	19	34	49	65	130	150	232	207	128	32	1
	All other ..... Male	220	–	–	–	–	–	–	–	6	3	7	10	15	24	23	33	39	29	17	8	3	2	1
	Female	213	1	–	–	–	–	–	4	1	4	3	9	11	16	13	35	26	33	21	19	10	6	1
431	Cerebral hemorrhage	285	3	1	–	–	1	–	–	4	7	13	11	22	27	28	43	42	32	25	16	9	1	–
	White ..... Male	95	1	–	–	–	1	–	–	1	1	4	–	10	10	14	17	12	15	3	4	1	1	–
	Female	111	1	1	–	–	–	–	–	1	1	2	2	7	10	8	11	21	12	17	11	6	–	–
	All other ..... Male	45	–	–	–	–	–	–	–	2	3	6	6	5	6	4	4	5	2	1	1	–	–	–
	Female	34	1	–	–	–	–	–	–	–	2	1	3	–	1	2	11	4	3	4	–	2	–	–
433	Cerebral thrombosis	387	–	–	–	–	–	1	–	–	–	–	1	9	12	19	32	48	48	78	81	42	16	–
	White ..... Male	122	–	–	–	–	–	–	–	–	–	–	–	3	3	11	14	18	17	24	22	7	3	–
	Female	211	–	–	–	–	–	1	–	–	–	–	–	1	4	5	11	17	25	48	55	32	12	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	–	–	1	4	3	3	5	7	2	4	1	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	6	4	2	3	3	1	–
434	Cerebral embolism	15	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	1	3	2	2	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	3	2	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,522	2	–	–	1	–	2	6	9	5	12	22	42	66	92	139	207	247	260	244	125	37	4
	White ..... Male	483	–	–	–	1	–	1	2	3	2	6	7	15	19	30	50	72	86	68	82	28	10	1
	Female	739	2	–	–	–	–	1	–	1	1	3	6	11	19	35	43	92	110	165	140	89	20	1
	All other ..... Male	145	–	–	–	–	–	–	–	4	–	1	3	6	15	16	24	27	25	12	6	3	2	1
	Female	155	–	–	–	–	–	–	4	1	2	2	6	10	13	11	22	16	26	15	16	5	5	1
440	Arteriosclerosis	452	–	–	–	–	–	–	–	–	–	2	2	4	6	10	26	41	65	82	99	79	35	1
	White ..... Male	145	–	–	–	–	–	–	–	–	–	2	1	2	4	4	15	20	21	26	27	15	7	1
	Female	263	–	–	–	–	–	–	–	–	–	–	1	1	1	4	5	14	37	50	67	60	23	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	4	1	5	1	1	2	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	6	1	4	3	3	–
441–448	Other diseases of arteries, arteriolas, and capillaries	504	1	–	1	1	–	3	–	–	3	5	8	17	34	43	74	76	92	71	44	20	10	1
	White ..... Male	264	–	–	–	1	–	1	–	–	–	1	2	6	19	27	45	43	58	30	17	8	5	1
	Female	161	–	–	1	–	–	–	–	–	–	1	1	6	8	10	17	20	25	37	22	10	3	–
	All other ..... Male	39	–	–	–	–	–	2	–	–	–	2	2	3	5	5	6	4	5	3	–	1	1	–
	Female	40	1	–	–	–	–	–	–	–	3	1	3	2	2	1	6	9	4	1	5	1	1	–
466	Acute bronchitis and bronchiolitis	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	2	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
470–474, 480–486	Influenza and pneumonia	795	10	2	1	1	8	3	7	11	9	11	22	28	25	51	62	85	107	119	126	76	30	1
	White ..... Male	315	2	2	1	1	2	–	1	6	2	2	7	14	11	29	28	37	44	46	42	28	9	1
	Female	322	2	–	–	–	3	2	–	1	3	3	5	2	7	11	20	36	39	57	72	40	19	–
	All other ..... Male	108	4	–	–	–	2	–	3	2	2	5	7	8	4	10	11	9	17	11	7	4	2	–
	Female	50	2	–	–	–	1	1	3	2	2	1	3	4	3	1	3	3	7	5	5	4	–	–
470–474	Influenza	36	–	–	–	–	–	1	–	1	–	–	2	–	–	4	1	5	5	2	8	3	4	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	–	5	–	1	–
	Female	23	–	–	–	–	–	1	–	–	–	–	2	–	–	2	1	4	2	2	3	3	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	759	10	2	1	1	8	2	7	10	9	11	20	28	25	47	61	80	102	117	118	73	26	1
	White ..... Male	303	2	2	1	1	2	–	1	6	2	2	7	14	11	27	28	36	41	46	37	28	8	1
	Female	299	2	–	–	–	3	1	–	1	3	3	3	2	7	9	19	32	37	55	69	37	16	–
	All other ..... Male	107	4	–	–	–	2	–	3	1	2	5	7	8	4	10	11	9	17	11	7	4	2	–
	Female	50	2	–	–	–	1	1	3	2	2	1	3	4	3	1	3	3	7	5	5	4	–	–
490–493	Bronchitis, emphysema, and asthma	275	–	–	–	1	–	–	1	1	1	1	8	11	32	20	43	45	57	32	18	3	–	1
	White ..... Male	177	–	–	–	1	–	–	–	–	–	1	4	3	22	12	24	33	41	21	13	2	–	–
	Female	73	–	–	–	–	–	–	–	–	1	–	2	3	9	6	15	8	13	10	5	1	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	1	–	–	1	4	–	2	4	4	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	1	1	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland—Con.																							
490, 491	Chronic and unqualified bronchitis	70	–	–	–	–	–	–	–	–	1	–	–	3	9	6	6	14	15	7	7	1	–	1
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	–	–	5	4	4	9	10	5	3	1	–	–
	Female	22	–	–	–	–	–	–	–	–	1	–	–	1	3	2	2	3	4	2	4	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1
492	Emphysema	182	–	–	–	–	–	–	–	–	–	1	3	7	19	12	34	29	41	23	11	2	–	–
	White ..... Male	129	–	–	–	–	–	–	–	–	–	1	3	3	16	8	19	23	30	15	10	1	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	1	3	2	12	4	9	8	1	1	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
493	Asthma	23	–	–	–	1	–	–	1	1	–	–	5	1	4	2	3	2	1	2	–	–	–	–
	White ..... Male	7	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	1	3	2	1	1	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
531–533	Peptic ulcer	88	2	–	–	–	–	–	1	1	–	2	2	4	4	12	9	13	12	9	11	4	2	–
	White ..... Male	47	1	–	–	–	–	–	1	1	–	2	2	3	2	7	6	8	7	3	2	2	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	4	4	7	1	1	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	1	1	–
540–543	Appendicitis	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
	White ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	87	5	–	–	1	–	1	–	–	–	2	–	5	5	5	12	8	13	12	8	8	1	1
	White ..... Male	26	2	–	–	1	–	–	–	–	–	–	–	1	1	2	5	2	2	3	4	2	–	1
	Female	37	1	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	8	7	4	5	1	–
	All other ..... Male	11	–	–	–	–	–	1	–	–	–	2	–	1	3	1	1	1	1	–	–	–	–	–
	Female	13	2	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	–	1	–	–
571	Cirrhosis of liver	543	–	1	–	–	–	–	11	18	31	37	56	94	77	69	66	37	27	10	3	1	–	5
	White ..... Male	260	–	1	–	–	–	–	4	3	10	13	22	51	36	41	42	15	13	5	–	1	–	3
	Female	135	–	–	–	–	–	–	–	1	7	4	15	18	28	18	15	13	9	4	2	–	–	1
	All other ..... Male	98	–	–	–	–	–	–	5	11	8	11	13	20	10	4	4	7	3	1	–	–	–	1
	Female	50	–	–	–	–	–	–	2	3	6	9	6	5	3	6	5	2	2	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	61	–	–	–	–	–	–	–	–	–	–	2	3	4	2	5	12	11	9	9	4	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	5	5	2	3	1	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	6	6	6	6	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	218	2	–	–	–	–	1	8	4	3	2	4	12	24	20	41	29	19	25	15	6	3	–
	White ..... Male	80	–	–	–	–	–	1	3	–	2	1	–	3	10	6	9	15	9	13	4	3	1	–
	Female	60	–	–	–	–	–	–	–	2	1	1	–	3	5	6	17	5	4	6	7	2	1	–
	All other ..... Male	32	1	–	–	–	–	–	3	1	–	–	3	2	3	3	4	5	2	3	1	1	–	–
	Female	46	1	–	–	–	–	–	2	1	–	–	1	4	6	5	11	4	4	3	3	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	34	2	–	–	–	–	1	1	1	–	–	1	3	1	3	4	5	4	5	2	1	–	–
	White ..... Male	12	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	2	2	3	1	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	–	–	1	1	–	–
	All other ..... Male	5	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	1	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	184	–	–	–	–	–	–	7	3	3	2	3	9	23	17	37	24	15	20	13	5	3	–
	White ..... Male	68	–	–	–	–	–	–	3	–	2	1	–	3	9	5	8	13	7	10	3	3	1	–
	Female	52	–	–	–	–	–	–	–	1	1	1	–	3	5	5	14	4	4	6	6	1	1	–
	All other ..... Male	27	–	–	–	–	–	–	2	1	–	–	2	2	3	2	4	5	1	3	1	1	–	–
	Female	37	–	–	–	–	–	–	2	1	–	–	1	1	6	5	11	2	3	1	3	–	1	–
590	Infections of kidney	33	–	–	–	–	–	–	–	–	–	–	–	1	5	3	–	6	6	4	7	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	5	2	–	4	3	1	3	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	–	2	3	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	2	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Maryland—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	228	134	23	3	8	10	3	1	7	2	1	4	–	6	4	6	4	4	1	1	2	–	4
	White ..... Male	97	57	12	1	1	4	3	1	3	–	–	1	–	1	2	3	–	3	1	–	2	–	2
	Female	78	39	8	2	4	2	–	–	4	1	1	2	–	4	2	2	4	1	–	–	–	–	2
	All other ..... Male	30	21	1	–	3	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	23	17	2	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	479	479	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	210	210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	269	269	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	390	88	7	1	3	7	22	17	14	14	20	16	22	27	17	19	14	18	17	22	14	6	5
	White ..... Male	130	24	1	–	1	6	6	8	2	5	6	3	9	9	8	9	7	5	6	5	5	3	2
	Female	111	19	–	–	1	–	6	3	5	3	2	4	2	11	4	6	5	12	7	13	7	1	–
	All other ..... Male	84	20	2	1	1	1	8	2	5	3	8	7	10	4	4	1	1	–	1	2	1	–	2
	Female	65	25	4	–	–	–	2	4	2	3	4	2	1	3	1	3	1	1	3	2	1	2	1
Residual	All other diseases	2,498	25	10	9	15	20	28	39	36	52	79	96	146	192	265	283	307	339	272	191	70	19	5
	White ..... Male	1,060	10	2	4	5	3	13	13	12	19	23	29	54	76	129	132	143	166	121	71	24	7	4
	Female	822	8	3	4	5	5	4	5	8	5	16	27	40	65	78	89	114	108	109	85	36	7	1
	All other ..... Male	347	3	4	–	3	8	6	13	10	15	24	22	33	29	40	33	29	27	24	16	5	3	–
	Female	269	4	1	1	2	4	5	8	6	13	16	18	19	22	18	29	21	38	18	19	5	2	–
E800–E949	Accidents	1,580	14	42	37	45	193	201	136	88	70	67	74	76	76	80	78	71	69	71	44	26	12	10
	White ..... Male	826	3	21	17	19	132	133	79	52	37	30	40	36	31	39	38	28	27	27	17	10	5	5
	Female	399	7	10	9	10	36	38	19	11	12	13	11	16	27	15	23	26	34	38	26	13	4	1
	All other ..... Male	256	3	7	8	9	21	20	30	19	18	19	16	19	14	17	10	13	4	4	–	2	–	3
	Female	99	1	4	3	7	4	10	8	6	3	5	7	5	4	9	7	4	4	2	1	1	3	1
E810–E823	Motor vehicle accidents	733	2	8	17	18	146	149	91	53	36	26	30	32	31	22	23	10	18	9	5	1	1	5
	White ..... Male	423	–	5	9	9	100	99	54	34	19	11	15	12	12	11	10	5	6	4	4	1	1	2
	Female	167	2	2	3	6	32	33	13	6	6	6	7	9	12	6	6	2	10	5	–	–	–	1
	All other ..... Male	104	–	1	3	2	11	8	18	8	9	8	4	11	6	3	6	2	2	–	–	–	–	2
	Female	39	–	–	2	1	3	9	6	5	2	1	4	–	1	2	1	1	–	–	1	–	–	–
E800–E807, E825–E949	All other accidents	847	12	34	20	27	47	52	45	35	34	41	44	44	45	58	55	61	51	62	39	25	11	5
	White ..... Male	403	3	16	8	10	32	34	25	18	18	19	25	24	19	28	28	23	21	23	13	9	4	3
	Female	232	5	8	6	4	4	5	6	5	6	7	4	7	15	9	17	24	24	33	26	13	4	–
	All other ..... Male	152	3	6	5	7	10	12	12	11	9	11	12	8	8	14	4	11	2	4	–	2	–	1
	Female	60	1	4	1	6	1	1	2	1	1	4	3	5	3	7	6	3	4	2	–	1	3	1
E950–E959	Suicide	453	...	...	–	4	34	74	47	46	41	31	23	35	25	24	26	19	7	8	3	1	–	5
	White ..... Male	302	...	...	–	2	29	53	29	33	24	16	11	26	19	13	18	12	4	8	2	1	–	2
	Female	96	...	...	–	–	2	12	8	6	10	10	11	6	6	7	8	6	2	–	–	–	–	2
	All other ..... Male	44	...	...	–	2	3	8	8	4	6	3	1	2	–	3	–	1	1	–	1	–	–	1
	Female	11	...	...	–	–	–	1	2	3	1	2	–	1	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	370	3	5	6	6	34	60	62	55	27	30	24	19	8	8	6	5	2	2	–	–	–	8
	White ..... Male	83	–	–	1	1	7	14	12	13	10	8	6	2	3	1	2	1	–	–	–	–	–	2
	Female	41	1	1	2	3	4	3	3	3	1	2	6	3	2	1	2	1	1	1	–	–	–	1
	All other ..... Male	202	1	3	2	1	17	37	41	38	13	17	9	9	3	5	–	1	–	1	–	–	–	4
	Female	44	1	1	1	1	6	6	6	1	3	3	3	5	–	1	2	2	1	–	–	–	–	1
E980–E999	Other external causes	59	1	2	–	–	4	13	8	4	3	3	5	6	2	3	3	1	–	1	–	–	–	–
	White ..... Male	22	–	1	–	–	3	5	5	2	–	–	1	1	1	1	2	–	–	–	–	–	–	–
	Female	13	–	–	–	–	1	1	–	1	2	–	2	3	1	1	–	–	–	1	–	–	–	–
	All other ..... Male	18	1	1	–	–	–	4	2	1	1	2	1	2	–	1	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	3	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts																							
	All causes	52,660	760	141	105	133	440	525	486	447	483	717	1,265	2,086	3,114	4,461	5,532	6,487	7,129	7,592	6,245	3,301	1,201	10
	White ..... Male	26,198	372	70	52	79	310	386	309	273	302	412	721	1,253	1,900	2,696	3,290	3,620	3,457	3,263	2,186	970	272	5
	Female	24,994	289	56	42	45	109	113	135	134	144	254	467	734	1,086	1,631	2,112	2,747	3,532	4,204	3,982	2,279	896	3
	All other ..... Male	850	53	10	4	6	15	19	32	33	24	38	42	61	78	86	89	69	63	66	34	19	8	1
	Female	618	46	5	7	3	6	7	10	7	13	13	35	38	50	48	41	51	77	59	43	33	25	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	34	4	–	–	–	2	–	–	–	–	–	–	–	4	1	–	4	5	2	7	3	2	–
	White ..... Male	10	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	1	2	1	–	1	–
	Female	23	3	–	–	–	1	–	–	–	–	–	–	–	2	–	–	3	4	–	6	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	47	–	–	–	–	–	–	–	–	–	–	2	3	5	3	8	8	10	5	2	–	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	2	–	2	2	5	5	9	4	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	2	1	1	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	31	–	–	–	–	–	–	–	–	–	–	2	1	5	1	6	4	7	2	2	–	1	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	2	–	2	–	4	3	7	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	–	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	16	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	4	3	3	–	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	283	6	3	2	–	–	2	1	–	2	4	3	13	10	23	23	44	38	36	46	20	7	–
	White ..... Male	118	5	2	–	–	–	1	–	–	2	2	–	8	6	10	9	19	14	14	18	7	1	–
	Female	145	1	1	1	–	–	1	1	–	–	1	1	3	3	12	13	23	18	21	27	13	5	–
	All other ..... Male	14	–	–	1	–	–	–	–	–	–	1	2	1	–	1	1	2	3	–	1	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–	–	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	111	3	2	1	1	3	3	–	1	2	3	2	2	10	12	10	10	12	20	8	3	3	–
	White ..... Male	48	1	1	1	1	2	2	–	–	1	–	2	1	4	7	4	4	4	9	3	–	1	–
	Female	59	2	1	–	–	1	–	–	1	1	3	–	1	5	5	6	5	8	11	5	3	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	11,936	4	10	18	22	34	32	61	77	103	192	374	724	1,093	1,493	1,697	1,774	1,649	1,441	804	265	69	–
	White ..... Male	6,028	3	4	8	10	18	17	36	33	48	73	150	348	563	813	935	999	832	677	333	104	24	–
	Female	5,618	–	5	9	10	15	13	24	39	53	112	198	345	490	639	732	741	791	738	463	157	44	–
	All other ..... Male	178	–	1	–	2	1	1	1	3	1	2	14	19	26	31	23	22	14	12	3	1	1	–
	Female	112	1	–	1	–	–	1	–	2	1	5	12	12	14	10	7	12	12	14	5	3	–	–
140–149	Of buccal cavity and pharynx	278	–	–	–	–	–	–	1	2	1	2	17	20	32	40	44	45	33	21	14	5	1	–
	White ..... Male	185	–	–	–	–	–	–	1	–	1	–	13	12	22	26	30	28	26	13	8	4	1	–
	Female	83	–	–	–	–	–	–	–	2	–	2	1	8	7	12	14	15	7	8	6	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,391	–	–	–	–	–	–	5	5	17	33	68	151	275	386	472	542	559	484	277	96	21	–
	White ..... Male	1,665	–	–	–	–	–	–	3	3	13	20	37	91	152	232	247	294	241	192	101	32	7	–
	Female	1,641	–	–	–	–	–	–	2	2	4	12	23	53	110	141	209	243	307	287	172	63	13	–
	All other ..... Male	51	–	–	–	–	–	–	–	–	–	–	7	5	7	11	11	2	5	–	1	1	1	–
	Female	34	–	–	–	–	–	–	–	–	–	1	1	2	6	2	5	3	6	5	3	–	–	–
160–163	Of respiratory system	2,757	–	–	–	–	–	–	3	4	22	40	89	211	336	410	496	480	340	208	94	16	8	–
	White ..... Male	1,928	–	–	–	–	–	–	1	–	9	20	54	138	224	293	358	368	243	148	61	8	3	–
	Female	745	–	–	–	–	–	–	2	3	12	16	28	61	98	103	131	99	92	56	32	7	5	–
	All other ..... Male	67	–	–	–	–	–	–	–	1	1	2	4	10	10	12	7	11	5	3	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	2	3	2	4	2	–	2	–	1	–	1	–	–
174	Of breast	1,133	–	–	–	–	–	1	–	10	24	41	74	102	123	148	135	142	119	105	79	27	3	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	1	1	–	–
	Female	1,107	–	–	–	–	–	1	–	8	24	40	71	100	120	144	134	142	117	101	77	25	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	2	–	1	3	2	2	2	–	–	1	3	1	1	–	–
180–187	Of genital organs	1,267	–	–	–	–	–	7	4	11	7	23	35	64	69	133	161	167	186	225	126	39	10	–
	White ..... Male	619	–	–	–	–	–	4	1	1	2	5	2	11	16	32	69	92	118	155	80	28	3	–
	Female	631	–	–	–	–	–	3	3	10	5	18	32	52	52	99	90	72	65	66	46	11	7	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–
188, 189	Of urinary organs	530	1	1	–	–	–	–	1	1	1	5	10	26	43	61	64	70	85	85	49	20	7	–
	White ..... Male	327	1	–	–	–	–	–	1	1	–	3	7	17	26	43	48	44	54	45	24	9	4	–
	Female	193	–	1	–	–	–	–	–	–	1	2	2	8	17	16	15	24	29	39	25	11	3	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,507	2	6	5	8	12	14	18	26	15	28	50	96	126	198	197	196	190	171	91	45	13	–
	White ..... Male	746	2	4	1	5	7	8	8	19	11	13	20	52	69	116	102	106	84	70	30	15	4	–
	Female	724	–	2	4	3	5	5	10	5	4	15	27	40	53	77	92	83	104	95	61	30	9	–
	All other ..... Male	22	–	–	–	–	–	–	–	2	–	–	1	1	3	5	2	4	2	2	–	–	–	–
	Female	15	–	–	–	–	–	1	–	–	–	–	2	3	1	–	1	3	–	4	–	–	–	–
204–207	Leukemia	421	1	3	10	14	12	7	9	7	7	7	9	21	30	42	47	37	52	59	36	10	1	–
	White ..... Male	212	–	–	5	5	5	3	6	3	5	2	4	9	17	25	28	25	25	25	14	6	–	–
	Female	193	–	2	5	7	6	3	2	4	1	4	5	9	12	17	19	12	26	33	21	4	1	–
	All other ..... Male	8	–	1	–	2	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	1	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	652	–	–	3	–	10	3	20	11	9	13	22	33	59	75	81	95	85	83	38	7	5	–
	White ..... Male	338	–	–	2	–	6	2	15	6	7	10	13	18	36	44	52	42	40	28	14	1	2	–
	Female	301	–	–	–	–	4	1	5	5	2	3	9	14	21	30	28	51	44	53	23	5	3	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	2	1	–	–	–
	Female	6	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	218	–	2	–	1	2	3	4	–	4	2	12	6	16	22	35	28	28	28	15	10	–	–
	White ..... Male	91	–	1	–	–	1	2	2	–	4	–	6	1	5	9	22	12	8	13	4	1	–	–
	Female	116	–	–	–	–	–	1	2	–	–	2	5	5	10	12	12	15	19	15	10	8	–	–
	All other ..... Male	8	–	1	–	1	1	–	–	–	–	–	1	–	1	1	–	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
250	Diabetes mellitus	947	–	–	–	–	–	1	2	5	8	14	17	39	52	88	114	155	131	153	110	48	10	–
	White ..... Male	412	–	–	–	–	–	1	–	3	5	10	10	26	31	46	56	77	55	46	29	14	3	–
	Female	505	–	–	–	–	–	–	1	1	1	4	7	10	19	37	57	75	71	104	78	34	6	–
	All other ..... Male	14	–	–	–	–	–	–	1	–	2	–	–	1	–	4	–	2	1	–	3	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	1	4	3	–	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	45	–	–	–	–	1	–	–	–	1	–	–	–	3	3	5	2	5	10	7	7	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	4	3	2	1	–	–
	Female	29	–	–	–	–	1	–	–	–	–	–	–	–	2	1	3	2	1	7	5	6	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts—Con.																							
280–285	Anemias	77	1	–	–	3	–	1	3	–	–	–	2	1	3	5	1	7	7	15	14	8	6	–
	White ..... Male	33	–	–	–	1	–	1	1	–	–	–	1	1	2	4	–	4	3	5	5	2	3	–
	Female	38	–	–	–	2	–	–	1	–	–	–	1	–	1	–	1	2	4	9	8	6	3	–
	All other ..... Male	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
320	Meningitis	28	7	1	1	1	2	–	1	2	–	–	–	–	2	1	3	2	3	–	1	–	1	–
	White ..... Male	13	4	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	3	–	–	–	–	–
	Female	13	3	1	1	1	1	–	1	1	–	–	–	–	–	–	2	–	–	–	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	26,637	24	9	6	5	17	17	36	56	119	236	450	807	1,272	1,963	2,643	3,333	3,948	4,539	4,038	2,255	863	1
	White ..... Male	12,819	13	3	4	5	12	10	17	30	87	170	331	578	912	1,315	1,665	1,863	1,853	1,827	1,328	621	175	–
	Female	13,261	9	3	1	–	4	7	16	18	25	50	97	193	317	594	908	1,418	2,023	2,641	2,671	1,599	667	–
	All other ..... Male	296	1	2	–	–	1	–	1	6	1	12	13	22	29	28	48	24	34	38	19	12	4	1
	Female	261	1	1	1	–	–	–	2	2	6	4	9	14	14	26	22	28	38	33	20	23	17	–
390–398, 402, 404, 410–429	Diseases of heart	20,620	21	5	–	1	11	14	22	39	97	198	387	708	1,112	1,686	2,205	2,691	3,002	3,318	2,888	1,593	621	1
	White ..... Male	10,415	11	–	–	1	7	8	11	27	76	153	299	524	833	1,155	1,406	1,533	1,470	1,352	978	452	119	–
	Female	9,784	8	3	–	–	3	6	10	7	16	33	70	155	246	484	743	1,115	1,477	1,918	1,884	1,116	490	–
	All other ..... Male	227	1	1	–	–	1	–	–	3	–	9	10	17	25	24	37	23	28	21	15	10	1	1
	Female	194	1	1	–	–	–	–	1	2	5	3	8	12	8	23	19	20	27	27	11	15	11	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	362	–	–	–	–	1	–	2	3	3	7	13	22	27	26	53	52	47	58	36	10	2	–
	White ..... Male	117	–	–	–	–	–	–	1	3	2	3	5	10	14	13	19	16	11	11	9	–	–	–
	Female	237	–	–	–	–	1	–	1	–	–	3	7	11	12	13	33	35	36	46	27	10	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	1	–	–	–	–
402	Hypertensive heart disease	227	–	–	–	–	–	–	–	–	2	1	3	7	9	25	21	37	28	34	38	14	8	–
	White ..... Male	78	–	–	–	–	–	–	–	–	1	1	2	3	4	16	11	18	9	4	8	1	–	–
	Female	134	–	–	–	–	–	–	–	–	–	–	1	4	3	6	9	18	18	27	29	12	7	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	1	–	2	1	–	1	–
404	Hypertensive heart and renal disease	43	–	–	–	–	–	–	–	1	–	1	–	–	–	–	4	6	9	5	9	5	3	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	4	2	5	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	4	4	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	18,423	1	–	–	–	–	2	7	27	76	164	344	619	986	1,481	1,969	2,401	2,717	2,994	2,612	1,462	560	1
	White ..... Male	9,440	–	–	–	–	–	2	7	20	63	134	279	472	759	1,026	1,279	1,388	1,357	1,231	891	417	115	–
	Female	8,640	1	–	–	–	–	–	–	5	11	21	53	127	201	414	641	975	1,312	1,722	1,699	1,022	436	–
	All other ..... Male	194	–	–	–	–	–	–	–	2	–	7	7	11	21	23	32	21	25	20	14	9	1	1
	Female	149	–	–	–	–	–	–	–	–	2	2	5	9	5	18	17	17	23	21	8	14	8	–
410	Acute myocardial infarction	8,869	1	–	–	–	–	2	5	22	47	109	231	395	640	955	1,204	1,340	1,391	1,173	862	383	109	–
	White ..... Male	5,094	–	–	–	–	–	2	5	15	40	91	192	298	494	686	787	802	720	511	295	130	26	–
	Female	3,617	1	–	–	–	–	–	–	5	6	12	34	85	131	252	391	521	646	644	560	247	82	–
	All other ..... Male	90	–	–	–	–	–	–	–	2	–	5	3	8	12	7	17	10	10	10	4	2	–	–
	Female	68	–	–	–	–	–	–	–	–	1	1	2	4	3	10	9	7	15	8	3	4	1	–
411	Other acute and subacute forms of ischemic heart disease	44	–	–	–	–	–	–	–	–	2	1	1	1	5	3	4	4	4	7	6	4	2	–
	White ..... Male	23	–	–	–	–	–	–	–	–	2	–	1	1	4	3	3	4	1	2	–	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	3	4	6	2	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	9,501	–	–	–	–	–	–	2	5	27	54	112	223	340	522	761	1,057	1,318	1,814	1,741	1,075	449	1
	White ..... Male	4,319	–	–	–	–	–	–	2	5	21	43	86	173	260	337	489	582	634	718	595	285	89	–
	Female	4,998	–	–	–	–	–	–	–	–	5	8	19	42	69	161	249	454	661	1,074	1,131	773	352	–
	All other ..... Male	103	–	–	–	–	–	–	–	–	–	2	4	3	9	16	15	11	15	9	10	7	1	1
	Female	81	–	–	–	–	–	–	–	–	1	1	3	5	2	8	8	10	8	13	5	10	7	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	3	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	62	–	–	–	–	–	–	–	2	2	–	–	2	3	8	6	9	11	7	7	5	–	–
	White ..... Male	37	–	–	–	–	–	–	–	1	2	–	–	1	3	5	6	4	5	5	3	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	5	6	2	3	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,503	20	5	–	1	10	12	13	6	14	25	27	58	87	146	152	186	190	220	186	97	48	–
	White ..... Male	724	11	–	–	1	7	6	3	3	8	14	13	38	53	95	88	104	84	99	62	31	4	–
	Female	728	7	3	–	–	2	6	9	2	5	9	9	12	30	48	59	79	101	118	122	65	42	–
	All other ..... Male	25	1	1	–	–	1	–	–	1	–	2	3	5	3	1	3	1	2	–	1	–	–	–
	Female	26	1	1	–	–	–	–	1	–	1	–	2	3	1	2	2	2	3	3	1	1	2	–
400, 401, 403	Hypertension	131	–	–	–	–	–	–	1	1	–	2	4	2	4	3	11	7	17	28	30	17	4	–
	White ..... Male	51	–	–	–	–	–	–	1	–	–	1	3	–	2	3	6	1	4	13	11	4	2	–
	Female	78	–	–	–	–	–	–	–	1	–	1	–	2	2	–	4	6	13	15	19	13	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	4,401	2	4	6	4	5	3	9	14	21	30	48	75	117	196	316	470	706	930	847	452	146	–
	White ..... Male	1,663	1	3	4	4	4	2	4	3	10	12	22	39	54	100	174	227	278	339	238	115	30	–
	Female	2,628	1	–	1	–	1	1	4	8	9	14	23	31	57	90	129	235	413	574	597	329	111	–
	All other ..... Male	56	–	1	–	–	–	–	–	3	1	3	2	3	4	3	11	1	5	11	4	2	2	–
	Female	54	–	–	1	–	–	–	1	–	1	1	1	2	2	3	2	7	10	6	8	6	3	–
431	Cerebral hemorrhage	782	–	2	3	2	1	1	3	2	7	10	27	32	49	63	82	88	120	133	96	49	12	–
	White ..... Male	326	–	2	2	2	1	–	1	1	3	5	13	18	24	30	40	45	45	53	23	13	5	–
	Female	436	–	–	–	–	–	1	1	1	3	3	13	10	23	32	41	43	74	79	70	36	6	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	2	1	2	2	–	1	–	–	–	2	–	1	–
	Female	9	–	–	1	–	–	–	1	–	1	–	–	2	–	1	–	–	1	1	1	–	–	–
433	Cerebral thrombosis	1,313	–	–	–	–	–	–	–	1	–	5	1	9	17	42	69	128	216	303	303	167	52	–
	White ..... Male	485	–	–	–	–	–	–	–	1	–	2	1	5	6	26	42	61	98	99	89	44	11	–
	Female	806	–	–	–	–	–	–	–	–	–	3	–	4	9	15	23	65	112	199	212	123	41	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	4	2	–	–	–
434	Cerebral embolism	25	–	–	–	–	–	–	–	–	1	1	–	–	1	–	4	3	5	3	5	2	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	1	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	2	1	2	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,281	2	2	3	2	4	2	6	11	13	14	20	34	50	91	161	251	365	491	443	234	82	–
	White ..... Male	841	1	1	2	2	3	2	3	1	7	5	8	16	24	44	89	120	131	186	125	57	14	–
	Female	1,372	1	–	1	–	1	–	3	7	5	7	10	17	24	43	64	125	226	294	311	169	64	–
	All other ..... Male	36	–	1	–	–	–	–	–	3	1	1	1	1	1	2	7	–	3	10	2	2	1	–
	Female	32	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	6	5	1	5	6	3	–
440	Arteriosclerosis	706	–	–	–	–	–	–	–	–	–	–	–	3	4	15	25	41	93	141	171	141	72	–
	White ..... Male	257	–	–	–	–	–	–	–	–	–	–	–	3	1	8	14	23	39	64	53	33	19	–
	Female	440	–	–	–	–	–	–	–	–	–	–	–	–	2	7	11	18	54	75	117	106	50	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	779	1	–	–	–	1	–	4	2	1	6	11	19	35	63	86	124	130	122	102	52	20	–
	White ..... Male	433	1	–	–	–	1	–	1	–	1	4	7	12	22	49	65	79	62	59	48	17	5	–
	Female	331	–	–	–	–	–	–	2	2	–	2	4	5	10	13	21	44	66	59	54	35	14	–
	All other ..... Male	9	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	1	4	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	–	1	–
466	Acute bronchitis and bronchiolitis	21	2	–	–	–	–	–	–	1	–	–	–	3	–	–	5	1	1	2	4	2	–	–
	White ..... Male	13	1	–	–	–	–	–	–	1	–	–	–	3	–	–	3	1	1	2	–	1	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,189	19	8	3	2	5	7	6	6	8	18	29	39	68	115	138	205	292	407	424	268	121	1
	White ..... Male	1,005	9	3	1	2	3	3	3	2	4	11	11	21	31	58	80	127	142	209	160	88	36	1
	Female	1,105	7	4	2	–	2	4	1	1	3	3	16	15	32	47	50	72	139	195	256	174	82	–
	All other ..... Male	49	3	–	–	–	–	–	2	3	1	4	–	2	4	9	5	5	5	2	–	4	–	–
	Female	30	–	1	–	–	–	–	–	–	–	–	2	1	1	1	3	1	6	1	8	2	3	–
470–474	Influenza	82	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	4	13	15	14	17	9	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	4	6	4	3	2	–
	Female	57	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	1	9	9	10	13	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	2,107	19	8	3	2	5	7	6	6	8	18	29	38	67	111	134	201	279	392	410	251	112	1
	White ..... Male	981	9	3	1	2	3	3	3	2	4	11	11	20	31	57	80	124	138	203	156	85	34	1
	Female	1,048	7	4	2	–	2	4	1	1	3	3	16	15	31	44	46	71	130	186	246	161	75	–
	All other ..... Male	49	3	–	–	–	–	–	2	3	1	4	–	2	4	9	5	5	5	2	–	4	–	–
	Female	29	–	1	–	–	–	–	–	–	–	–	2	1	1	1	3	1	6	1	8	1	3	–
490–493	Bronchitis, emphysema, and asthma	475	1	–	–	1	–	1	1	1	3	3	8	16	34	41	64	92	94	59	39	14	2	1
	White ..... Male	325	1	–	–	1	–	1	–	1	1	2	5	13	22	26	45	60	68	43	27	8	–	1
	Female	143	–	–	–	–	–	–	1	–	1	–	3	2	10	14	19	32	26	15	12	6	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts—Con.																							
490, 491	Chronic and unqualified bronchitis	102	1	–	–	–	–	1	–	–	–	–	2	4	7	7	8	14	25	16	12	4	1	–
	White ..... Male	61	1	–	–	–	–	1	–	–	–	–	–	3	4	4	4	8	15	12	8	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	2	–	3	3	4	6	10	4	4	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
492	Emphysema	335	–	–	–	–	–	–	–	1	–	1	5	9	21	30	51	74	66	41	25	9	1	1
	White ..... Male	251	–	–	–	–	–	–	–	1	–	–	4	8	17	20	38	52	53	31	19	7	–	1
	Female	81	–	–	–	–	–	–	–	–	–	–	1	1	3	10	13	22	13	9	6	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	38	–	–	–	1	–	–	1	–	3	2	1	3	6	4	5	4	3	2	2	1	–	–
	White ..... Male	13	–	–	–	1	–	–	–	–	1	2	1	2	1	2	3	–	–	–	–	–	–	–
	Female	22	–	–	–	–	–	–	1	–	1	–	–	1	4	1	2	4	3	2	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	134	–	–	–	1	1	1	1	–	2	2	2	8	4	10	16	16	24	18	22	5	1	–
	White ..... Male	74	–	–	–	1	–	1	–	–	2	1	1	6	3	6	10	11	15	8	7	2	–	–
	Female	55	–	–	–	–	–	–	1	–	–	–	1	2	1	4	5	5	8	10	14	3	1	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
540–543	Appendicitis	14	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	1	3	3	2	1	–	–
	White ..... Male	6	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	121	10	2	–	–	–	–	–	–	1	–	1	2	4	9	7	9	17	13	27	12	7	–
	White ..... Male	44	8	–	–	–	–	–	–	–	–	–	1	1	3	4	1	3	5	4	10	3	1	–
	Female	74	–	2	–	–	–	–	–	–	1	–	–	1	1	5	6	6	12	9	17	9	5	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
571	Cirrhosis of liver	911	–	1	–	–	–	1	10	24	33	47	88	132	131	157	119	79	53	20	13	3	–	–
	White ..... Male	557	–	–	–	–	–	–	7	14	23	25	54	77	85	98	83	47	28	7	6	3	–	–
	Female	311	–	1	–	–	–	1	2	5	7	18	29	47	41	57	31	28	24	13	7	–	–	–
	All other ..... Male	30	–	–	–	–	–	–	–	5	3	3	4	6	3	2	3	1	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	1	1	2	2	–	2	3	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	94	–	–	–	–	–	–	–	–	–	–	1	–	1	5	9	12	11	19	17	17	2	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	1	–	–	2	6	6	7	7	6	6	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	6	4	12	11	11	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	226	2	–	–	–	–	–	2	1	–	2	5	7	18	17	19	28	33	34	30	23	5	–
	White ..... Male	99	1	–	–	–	–	–	–	–	–	1	3	4	11	7	7	15	16	14	13	7	–	–
	Female	117	1	–	–	–	–	–	1	1	–	1	1	2	6	10	11	11	15	20	16	16	5	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	76	2	–	–	–	–	–	–	–	–	1	1	1	6	6	8	9	13	10	12	6	1	–
	White ..... Male	32	1	–	–	–	–	–	–	–	–	–	1	–	3	2	2	5	5	4	7	2	–	–
	Female	42	1	–	–	–	–	–	–	–	–	1	–	1	2	4	6	4	7	6	5	4	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	150	–	–	–	–	–	–	2	1	–	1	4	6	12	11	11	19	20	24	18	17	4	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	1	2	4	8	5	5	10	11	10	6	5	–	–
	Female	75	–	–	–	–	–	–	1	1	–	–	1	1	4	6	5	7	8	14	11	12	4	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–
590	Infections of kidney	66	–	–	–	–	–	–	–	–	–	–	3	–	3	3	6	7	10	20	8	4	2	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	4	3	1	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	2	–	3	3	3	3	8	16	5	3	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	5	1	3	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	5	1	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Massachusetts—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	265	169	16	9	4	4	6	9	4	7	6	7	4	3	3	4	4	4	–	1	1	–	–
	White ..... Male	125	85	7	4	3	1	–	7	2	4	4	2	1	–	–	2	–	1	–	1	1	–	–
	Female	122	72	8	5	1	1	5	2	2	3	2	5	3	3	2	2	3	3	–	–	–	–	–
	All other ..... Male	7	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	11	7	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	385	383	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	178	177	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	154	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	189	187	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	87	86	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	492	77	8	3	4	13	17	14	22	12	15	21	16	22	22	35	37	37	35	34	33	12	3
	White ..... Male	239	38	3	1	1	8	11	9	10	6	10	12	9	10	15	20	20	15	17	13	8	2	1
	Female	219	27	2	–	3	4	5	4	9	5	5	8	6	9	7	15	15	22	18	19	25	10	1
	All other ..... Male	17	7	1	–	–	1	–	1	2	–	–	1	–	2	–	–	1	–	–	1	–	–	–
	Female	17	5	2	2	–	–	1	–	1	1	–	–	1	1	–	–	1	–	–	1	–	–	1
Residual	All other diseases	3,785	37	28	15	15	29	28	26	45	34	61	120	151	216	330	438	496	552	528	389	188	59	–
	White ..... Male	1,899	22	13	6	10	16	23	16	25	15	30	51	81	112	181	256	260	304	255	149	58	16	–
	Female	1,755	10	12	6	3	10	3	9	15	12	27	59	63	87	138	177	229	238	262	231	124	40	–
	All other ..... Male	67	3	3	1	1	1	2	–	5	5	3	3	4	7	6	2	4	–	9	6	2	–	–
	Female	64	2	–	2	1	2	–	1	–	2	1	7	3	10	5	3	3	10	2	3	4	3	–
E800–E949	Accidents	2,311	10	48	45	67	286	281	167	124	76	71	61	71	93	100	104	105	137	164	171	105	25	–
	White ..... Male	1,429	4	30	26	39	220	224	131	97	56	49	42	50	61	62	55	59	52	75	61	28	8	–
	Female	793	–	16	16	24	59	48	25	21	13	17	19	18	29	34	46	44	80	82	108	77	17	–
	All other ..... Male	62	2	2	2	2	6	8	7	5	6	5	–	3	2	3	2	2	3	2	–	–	–	–
	Female	27	4	–	1	2	1	1	4	1	1	–	–	–	1	1	1	–	2	5	2	–	–	–
E810–E823	Motor vehicle accidents	953	1	16	21	33	219	213	105	73	35	37	20	23	29	35	23	25	24	15	6	–	–	–
	White ..... Male	691	1	8	10	19	169	174	83	61	23	22	13	18	19	22	11	15	11	10	2	–	–	–
	Female	237	–	7	10	13	46	38	19	10	9	12	7	3	8	13	11	10	13	4	4	–	–	–
	All other ..... Male	21	–	1	–	1	4	1	2	2	3	3	–	2	1	–	1	–	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,358	9	32	24	34	67	68	62	51	41	34	41	48	64	65	81	80	113	149	165	105	25	–
	White ..... Male	738	3	22	16	20	51	50	48	36	33	27	29	32	42	40	44	44	41	65	59	28	8	–
	Female	556	–	9	6	11	13	10	6	11	4	5	12	15	21	21	35	34	67	78	104	77	17	–
	All other ..... Male	41	2	1	2	1	2	7	5	3	3	2	–	1	1	3	1	2	3	2	–	–	–	–
	Female	23	4	–	–	2	1	1	3	1	1	–	–	–	–	1	1	–	2	4	2	–	–	–
E950–E959	Suicide	511	...	...	–	3	23	70	81	42	42	26	39	33	37	28	20	22	17	14	10	2	1	1
	White ..... Male	353	...	...	–	3	19	52	52	28	28	16	24	19	27	22	16	18	9	11	5	2	1	1
	Female	143	...	...	–	–	4	15	28	12	14	6	14	14	9	5	4	4	8	2	4	–	–	–
	All other ..... Male	12	...	...	–	–	–	3	1	2	–	3	1	–	1	–	–	–	–	1	–	–	–	–
	Female	3	...	...	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
E960–E978	Homicide	212	1	1	2	2	14	47	42	25	19	11	16	7	7	4	4	3	4	–	–	1	1	1
	White ..... Male	119	–	1	1	1	5	33	16	20	11	4	10	4	4	3	2	1	2	–	–	1	–	–
	Female	43	–	–	1	1	6	7	9	3	3	3	1	1	1	–	1	2	2	–	–	–	1	1
	All other ..... Male	41	1	–	–	–	2	5	15	2	4	4	3	2	1	1	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	1	2	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	59	–	–	–	1	3	7	15	9	6	3	2	1	2	2	3	1	2	1	–	–	–	1
	White ..... Male	41	–	–	–	1	3	4	11	6	3	3	2	–	1	2	1	–	2	1	–	–	–	1
	Female	15	–	–	–	–	–	3	3	3	2	–	–	1	1	–	1	1	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan																							
	All causes	74,968	1,923	344	250	262	916	1,172	986	921	998	1,328	2,170	3,628	5,027	6,892	7,976	9,028	9,538	9,421	7,339	3,697	1,149	3
	White ..... Male	35,985	790	157	125	143	575	677	535	444	459	592	1,047	1,833	2,688	3,799	4,362	4,804	4,628	4,093	2,729	1,211	292	2
	Female	29,482	554	106	79	64	197	239	181	220	267	397	652	1,080	1,505	2,128	2,677	3,246	3,957	4,674	4,191	2,300	768	–
	All other ..... Male	5,436	333	42	27	35	85	173	188	177	169	216	290	443	511	564	557	559	491	301	175	75	24	1
	Female	4,065	246	39	19	20	59	83	82	80	103	123	181	272	323	401	380	419	462	353	244	111	65	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	64	20	1	–	–	1	1	–	3	1	2	1	3	1	–	2	4	6	3	7	8	–	–
	White ..... Male	21	5	1	–	–	–	–	–	1	–	1	1	1	–	–	–	2	4	1	1	3	–	–
	Female	26	4	–	–	–	1	–	–	1	1	1	–	1	1	–	2	–	1	2	6	5	–	–
	All other ..... Male	13	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	4	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	82	2	–	1	–	–	–	1	1	1	5	2	4	8	11	14	9	9	7	3	4	–	–
	White ..... Male	37	1	–	–	–	–	–	–	–	–	–	–	1	3	8	4	6	5	5	2	2	–	–
	Female	17	–	–	1	–	–	–	–	–	–	2	1	1	4	–	4	–	1	1	1	1	–	–
	All other ..... Male	21	1	–	–	–	–	–	1	1	–	3	–	1	–	3	6	3	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	2	–	–	1	–	–
010–012	Tuberculosis of respiratory system	62	1	–	1	–	–	–	1	1	1	2	–	3	4	10	12	6	7	6	3	4	–	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	–	1	2	7	4	4	4	5	2	2	–	–
	Female	11	–	–	1	–	–	–	–	–	–	1	–	1	1	–	3	–	1	1	1	1	–	–
	All other ..... Male	16	1	–	–	–	–	–	1	1	–	1	–	1	–	3	5	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–
013–019	Tuberculosis, other forms	20	1	–	–	–	–	–	–	–	–	3	2	1	4	1	2	3	2	1	–	–	–	–
	White ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	1	–	3	–	1	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	6	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	2	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	297	44	4	–	–	2	4	4	2	4	6	11	14	17	14	27	25	36	36	27	14	6	–
	White ..... Male	119	18	2	–	–	1	2	2	2	2	1	4	8	9	4	12	13	9	12	13	4	1	–
	Female	100	14	2	–	–	–	1	1	–	1	3	3	1	4	5	8	8	15	14	10	7	3	–
	All other ..... Male	39	5	–	–	–	–	–	1	–	1	1	3	2	2	3	2	3	7	5	2	2	–	–
	Female	39	7	–	–	–	1	1	–	–	–	1	1	3	2	2	5	1	5	5	2	1	2	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	164	13	5	5	1	7	3	4	2	4	10	5	14	7	17	12	18	12	16	7	2	–	–
	White ..... Male	63	4	3	–	1	2	1	2	–	2	5	3	7	4	7	5	8	3	4	1	1	–	–
	Female	56	4	1	4	–	3	–	–	1	1	1	1	2	1	7	6	6	6	8	3	1	–	–
	All other ..... Male	28	5	1	1	–	1	1	2	–	1	1	–	3	–	2	1	3	2	2	2	–	–	–
	Female	17	–	–	–	–	1	1	–	1	–	3	1	2	2	1	–	1	1	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	15,288	6	27	33	34	54	70	67	115	202	311	639	1,152	1,601	2,120	2,206	2,192	1,895	1,458	784	267	55	–
	White ..... Male	7,390	–	12	21	15	29	33	29	46	65	105	248	503	730	1,045	1,156	1,164	979	717	365	108	20	–
	Female	6,068	5	9	8	10	19	27	28	54	89	147	294	467	625	798	815	777	736	627	360	143	30	–
	All other ..... Male	1,109	1	3	2	6	3	5	5	6	16	26	49	112	151	168	149	183	105	70	34	13	2	–
	Female	721	–	3	2	3	3	5	5	9	32	33	48	70	95	109	86	68	75	44	25	3	3	–
140–149	Of buccal cavity and pharynx	301	–	–	–	–	–	2	–	–	2	10	16	34	33	58	46	40	28	16	15	–	1	–
	White ..... Male	185	–	–	–	–	–	–	–	–	–	5	8	25	23	37	29	23	16	10	8	–	1	–
	Female	76	–	–	–	–	–	2	–	–	1	1	4	3	8	14	13	9	9	5	7	–	–	–
	All other ..... Male	31	–	–	–	–	–	–	–	–	–	3	4	4	2	7	3	5	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	3	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,907	–	2	1	1	–	5	5	12	35	47	132	230	366	523	561	629	548	447	259	91	13	–
	White ..... Male	1,822	–	1	–	1	–	2	3	10	14	19	60	109	176	252	284	316	248	197	95	32	3	–
	Female	1,589	–	1	–	–	–	1	2	1	13	15	47	76	117	198	215	243	244	212	144	51	9	–
	All other ..... Male	303	–	–	–	–	–	1	–	1	3	6	16	31	51	43	35	41	34	21	12	7	1	–
	Female	193	–	–	1	–	–	1	–	–	5	7	9	14	22	30	27	29	22	17	8	1	–	–
160–163	Of respiratory system	3,900	–	–	–	–	1	1	3	9	29	53	172	384	497	683	693	591	415	232	106	25	6	–
	White ..... Male	2,551	–	–	–	–	–	1	2	4	13	21	102	214	303	439	487	413	302	160	79	9	2	–
	Female	845	–	–	–	–	1	–	1	4	7	21	44	98	115	143	132	112	79	53	20	12	3	–
	All other ..... Male	379	–	–	–	–	–	–	–	–	1	7	7	18	53	62	74	57	55	22	14	6	3	–
	Female	125	–	–	–	–	–	–	–	–	2	4	8	19	17	27	17	11	12	5	1	1	1	–
174	Of breast	1,371	–	–	–	–	1	2	2	33	39	56	118	160	184	181	143	141	125	106	54	23	3	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	4	2	–	–	–
	Female	1,217	–	–	–	–	1	1	2	27	29	47	103	141	164	161	130	129	113	94	49	23	3	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	141	–	–	–	–	–	1	–	6	10	9	14	19	20	19	11	10	11	8	3	–	–	–
180–187	Of genital organs	1,740	–	1	–	–	4	9	8	14	29	40	47	78	142	181	236	254	260	239	142	50	6	–
	White ..... Male	735	–	–	–	–	1	5	1	7	2	2	2	10	25	49	95	125	143	145	88	34	1	–
	Female	754	–	–	–	–	3	2	5	5	19	30	36	61	95	103	110	91	79	63	37	12	3	–
	All other ..... Male	152	–	1	–	–	–	–	–	–	–	–	2	–	9	15	23	34	28	25	11	3	1	–
	Female	99	–	–	–	–	–	2	2	2	8	8	7	7	13	14	8	4	10	6	6	1	1	–
188, 189	Of urinary organs	685	–	–	4	–	–	3	1	–	3	12	14	35	56	82	102	127	99	76	52	14	5	–
	White ..... Male	418	–	–	3	–	–	–	–	–	1	6	9	23	35	48	71	81	55	45	31	8	2	–
	Female	206	–	–	1	–	–	3	1	–	–	4	3	5	14	25	28	31	35	27	20	6	3	–
	All other ..... Male	41	–	–	–	–	–	–	–	–	–	2	1	6	5	7	2	13	3	1	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	2	–	1	1	2	2	1	2	6	3	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,843	4	11	8	12	22	16	25	17	36	43	91	145	197	240	229	212	232	169	86	36	12	–
	White ..... Male	888	–	4	4	5	12	9	13	11	20	24	41	72	99	131	104	105	113	71	31	13	6	–
	Female	767	3	2	3	3	8	6	7	5	11	17	37	55	75	86	98	80	101	92	49	23	6	–
	All other ..... Male	111	1	2	1	1	1	1	3	1	3	2	7	12	10	14	17	22	8	3	2	–	–	–
	Female	77	–	3	–	3	1	–	2	–	2	–	6	6	13	9	10	5	10	3	4	–	–	–
204–207	Leukemia	661	2	11	18	18	17	19	12	12	15	20	19	29	45	51	74	70	85	88	34	15	7	–
	White ..... Male	340	–	6	12	8	11	10	6	8	7	11	10	17	24	24	37	31	48	45	17	5	3	–
	Female	267	2	5	4	7	3	8	5	2	5	4	8	11	13	22	34	34	33	40	14	10	3	–
	All other ..... Male	32	–	–	1	3	1	1	–	1	1	3	–	–	3	4	3	4	4	2	1	–	–	–
	Female	22	–	–	1	–	2	–	1	1	2	2	1	1	5	1	–	1	–	1	2	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	880	–	2	2	3	9	13	11	18	14	30	30	57	81	121	122	128	103	85	36	13	2	–
	White ..... Male	440	–	1	2	1	5	6	4	6	8	17	15	33	45	64	49	68	53	40	14	7	2	–
	Female	347	–	1	–	–	3	4	5	10	4	8	12	17	24	46	55	48	43	41	20	6	–	–
	All other ..... Male	58	–	–	–	2	1	2	2	2	2	3	1	6	9	4	7	9	4	3	1	–	–	–
	Female	35	–	–	–	–	–	1	–	–	–	2	2	1	3	7	11	3	3	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	136	4	1	3	2	1	4	5	6	1	3	7	12	6	16	13	11	11	18	8	2	2	–
	White ..... Male	46	1	1	1	2	–	2	3	4	1	–	4	3	2	4	2	3	5	6	1	1	–	–
	Female	65	3	–	1	–	1	1	2	2	–	2	–	7	2	9	8	8	3	8	5	1	2	–
	All other ..... Male	9	–	–	1	–	–	–	–	–	–	–	1	1	2	–	1	–	2	1	–	–	–	–
	Female	16	–	–	–	–	–	1	–	–	–	1	2	1	–	3	2	–	1	3	2	–	–	–
250	Diabetes mellitus	1,551	–	–	–	1	3	2	13	15	19	17	38	73	100	145	172	225	249	226	168	70	15	–
	White ..... Male	554	–	–	–	–	1	2	7	8	5	8	13	42	49	58	58	87	81	72	41	20	2	–
	Female	760	–	–	–	1	1	–	2	4	10	1	14	22	31	51	83	97	132	134	118	48	11	–
	All other ..... Male	85	–	–	–	–	–	–	–	1	2	2	6	4	10	14	14	12	9	8	3	–	–	–
	Female	152	–	–	–	–	1	–	4	2	2	6	5	5	10	22	17	29	27	12	6	2	2	–
260–269	Avitaminoses and other nutritional deficiencies	115	4	–	2	–	1	1	–	1	–	1	3	1	2	3	12	9	12	27	20	13	3	–
	White ..... Male	42	–	–	2	–	–	–	–	–	–	–	2	–	–	2	5	4	5	12	6	3	1	–
	Female	60	2	–	–	–	1	–	–	1	–	–	1	1	2	1	3	5	7	14	12	9	1	–
	All other ..... Male	7	2	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	1	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan—Con.																							
280-285	Anemias	149	-	2	3	1	5	2	3	2	2	1	7	8	7	6	5	15	21	27	16	13	3	-
	White ..... Male	54	-	-	2	-	1	1	1	1	-	-	3	3	2	3	3	5	6	10	5	6	2	-
	Female	72	-	-	-	-	2	1	2	-	-	1	3	2	2	2	2	9	13	17	9	6	1	-
	All other ..... Male	12	-	1	-	1	2	-	-	1	-	-	1	1	2	1	-	1	-	-	-	1	-	-
	Female	11	-	1	1	-	-	-	-	-	2	-	-	2	1	-	-	-	2	-	2	-	-	-
320	Meningitis	60	20	7	2	1	1	4	1	-	-	2	3	1	-	4	4	1	5	2	2	-	-	-
	White ..... Male	32	11	4	1	-	-	3	-	-	-	2	2	-	-	3	2	-	3	1	-	-	-	-
	Female	21	5	3	-	1	1	1	1	-	-	-	-	1	-	1	2	1	1	1	2	-	-	-
	All other ..... Male	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	Major cardiovascular diseases	38,415	43	14	5	9	36	49	68	128	215	406	740	1,387	2,211	3,238	4,075	5,010	5,755	6,150	5,210	2,748	918	-
	White ..... Male	18,159	17	6	2	4	15	15	27	65	119	229	457	817	1,334	1,960	2,329	2,649	2,711	2,525	1,809	848	221	-
	Female	16,363	11	4	3	2	15	17	17	29	44	94	135	287	509	841	1,268	1,848	2,494	3,224	3,131	1,763	627	-
	All other ..... Male	2,011	11	1	-	1	2	8	11	22	34	53	96	184	219	249	269	249	268	172	95	47	20	-
	Female	1,882	4	3	-	2	4	9	13	12	18	30	52	99	149	188	209	264	282	229	175	90	50	-
390-398, 402, 404, 410-429	Diseases of heart	29,472	39	10	1	8	21	33	42	96	158	322	620	1,165	1,862	2,695	3,373	3,879	4,344	4,468	3,709	1,954	673	-
	White ..... Male	14,596	16	4	-	3	10	10	19	56	94	199	407	734	1,176	1,700	1,973	2,114	2,112	1,901	1,296	608	164	-
	Female	11,905	10	2	1	2	6	11	9	15	29	60	97	211	402	660	1,018	1,390	1,825	2,257	2,205	1,242	453	-
	All other ..... Male	1,590	10	1	-	1	2	7	7	19	24	40	78	149	174	197	218	191	209	132	78	36	17	-
	Female	1,381	3	3	-	2	3	5	7	6	11	23	38	71	110	138	164	184	198	178	130	68	39	-
390-398	Active rheumatic fever and chronic rheumatic heart disease	486	-	1	-	-	-	7	6	8	12	15	20	28	43	56	71	75	66	41	23	13	1	-
	White ..... Male	190	-	-	-	-	-	-	3	3	4	5	9	11	22	24	29	27	31	14	4	4	-	-
	Female	240	-	-	-	-	-	5	2	1	5	8	3	12	14	27	35	44	31	25	18	9	1	-
	All other ..... Male	22	-	-	-	-	-	1	-	3	1	1	2	2	3	1	4	1	1	2	-	-	-	-
	Female	34	-	1	-	-	-	1	1	1	2	1	6	3	4	4	3	3	3	-	1	-	-	-
402	Hypertensive heart disease	272	-	-	-	-	-	1	-	1	2	4	9	8	28	20	30	38	31	48	33	17	2	-
	White ..... Male	78	-	-	-	-	-	-	-	-	1	2	5	-	9	7	14	11	6	10	10	3	-	-
	Female	138	-	-	-	-	-	-	-	-	-	1	1	3	5	8	7	20	21	36	20	14	2	-
	All other ..... Male	27	-	-	-	-	-	1	-	1	-	1	2	4	6	2	5	2	2	1	-	-	-	-
	Female	29	-	-	-	-	-	-	-	-	1	-	1	1	8	3	4	5	2	1	3	-	-	-
404	Hypertensive heart and renal disease	98	-	-	-	1	-	1	-	1	-	-	-	2	3	5	3	11	14	26	15	12	4	-
	White ..... Male	38	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	7	8	13	4	3	-	-
	Female	49	-	-	-	1	-	-	-	-	-	-	-	-	1	3	1	3	5	12	10	9	4	-
	All other ..... Male	6	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
410-413	Ischemic heart disease	26,337	-	-	-	-	-	6	15	62	103	269	533	1,028	1,657	2,448	3,042	3,500	3,979	4,007	3,350	1,734	604	-
	White ..... Male	13,265	-	-	-	-	-	2	10	40	72	176	367	679	1,085	1,572	1,811	1,938	1,944	1,711	1,171	542	144	-
	Female	10,547	-	-	-	-	-	2	1	8	16	43	82	168	345	574	905	1,232	1,664	2,012	1,990	1,097	408	-
	All other ..... Male	1,345	-	-	-	-	-	1	3	10	9	29	59	127	143	179	182	169	194	120	71	32	17	-
	Female	1,180	-	-	-	-	-	1	1	4	6	21	25	54	84	123	144	161	177	164	118	62	35	-
410	Acute myocardial infarction	13,369	-	-	-	-	-	2	4	34	60	176	351	680	1,064	1,546	1,860	1,993	2,029	1,717	1,169	512	172	-
	White ..... Male	7,613	-	-	-	-	-	1	3	22	45	128	261	479	765	1,068	1,176	1,155	1,043	810	437	175	45	-
	Female	4,768	-	-	-	-	-	1	1	6	10	24	55	120	214	347	554	698	838	804	672	316	108	-
	All other ..... Male	542	-	-	-	-	-	-	-	4	2	14	24	60	51	77	72	74	78	47	28	6	5	-
	Female	446	-	-	-	-	-	-	-	2	3	10	11	21	34	54	58	66	70	56	32	15	14	-
411	Other acute and subacute forms of ischemic heart disease	75	-	-	-	-	-	-	-	-	-	2	3	3	4	4	12	12	9	12	10	3	1	-
	White ..... Male	41	-	-	-	-	-	-	-	-	-	2	2	2	4	4	8	7	4	3	3	1	1	-
	Female	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	5	7	7	2	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
412	Chronic ischemic heart disease	12,883	-	-	-	-	-	4	11	28	43	89	178	343	588	898	1,170	1,495	1,940	2,278	2,168	1,219	431	-
	White ..... Male	5,607	-	-	-	-	-	1	7	18	27	45	104	196	316	500	627	776	897	898	730	367	98	-
	Female	5,744	-	-	-	-	-	1	-	2	6	18	26	47	130	227	347	531	820	1,201	1,309	779	300	-
	All other ..... Male	800	-	-	-	-	-	1	3	6	7	15	34	67	92	102	110	93	116	73	43	26	12	-
	Female	732	-	-	-	-	-	1	1	2	3	11	14	33	50	69	86	95	107	106	86	47	21	-
413	Angina pectoris	10	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	1	-	3	-	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	106	-	1	-	-	2	2	1	2	4	1	3	4	1	4	15	9	17	13	7	12	8	-
	White ..... Male	49	-	1	-	-	-	1	1	1	1	-	1	3	-	2	7	6	8	7	4	4	2	-
	Female	48	-	-	-	-	-	-	-	1	3	-	1	1	1	1	7	3	8	6	2	8	6	-
	All other ..... Male	3	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan—Con.																							
420-423, 425-427, 429	All other forms of heart disease	2,173	39	8	1	7	19	16	20	22	37	33	55	95	130	162	212	246	237	333	281	166	54	-
	White ..... Male	976	16	3	-	3	10	7	5	12	16	16	25	40	60	93	112	125	115	146	103	51	18	-
	Female	883	10	2	1	1	6	4	6	5	5	8	10	27	36	47	63	88	96	166	165	105	32	-
	All other ..... Male	187	10	1	-	1	1	3	4	4	14	8	15	16	20	14	26	19	12	9	6	4	-	-
	Female	127	3	2	-	2	2	2	5	1	2	1	5	12	14	8	11	14	14	12	7	6	4	-
400, 401, 403	Hypertension	211	-	-	-	-	-	-	1	1	2	2	5	10	10	23	24	24	32	29	28	16	4	-
	White ..... Male	87	-	-	-	-	-	-	1	-	-	-	2	6	4	7	11	15	10	14	9	6	2	-
	Female	89	-	-	-	-	-	-	-	-	-	-	2	1	3	8	8	7	18	13	18	9	2	-
	All other ..... Male	19	-	-	-	-	-	-	-	-	2	2	1	3	1	2	4	-	2	-	1	1	-	-
	Female	16	-	-	-	-	-	-	-	1	-	-	-	-	2	6	1	2	2	2	-	-	-	-
430-438	Cerebrovascular diseases	6,544	4	4	4	1	11	14	18	22	50	68	97	173	279	391	516	840	1,040	1,230	1,079	547	156	-
	White ..... Male	2,456	1	2	2	1	3	5	5	6	22	22	37	56	115	169	252	366	410	436	356	156	34	-
	Female	3,347	1	2	2	-	7	5	6	11	14	30	30	63	90	146	185	361	514	727	673	369	111	-
	All other ..... Male	324	1	-	-	-	-	1	2	1	8	10	17	29	39	38	39	47	43	29	13	6	1	-
	Female	417	1	-	-	-	1	3	5	4	6	6	13	25	35	38	40	66	73	38	37	16	10	-
431	Cerebral hemorrhage	868	3	1	2	1	6	6	5	7	21	29	39	64	95	102	89	96	110	87	64	36	5	-
	White ..... Male	313	-	-	1	1	2	1	2	1	8	9	16	16	36	32	42	38	41	35	19	12	1	-
	Female	400	1	1	1	-	3	4	1	3	5	10	9	29	28	44	35	49	59	49	42	23	4	-
	All other ..... Male	89	1	-	-	-	-	-	1	1	5	7	10	15	17	13	5	7	4	1	2	-	-	-
	Female	66	1	-	-	-	1	1	1	2	3	3	4	4	14	13	7	2	6	2	1	1	-	-
433	Cerebral thrombosis	1,714	-	1	-	-	-	1	1	-	3	6	9	33	50	89	128	226	304	367	291	158	47	-
	White ..... Male	637	-	1	-	-	-	-	1	-	2	1	2	15	23	46	55	99	116	124	91	52	9	-
	Female	865	-	-	-	-	-	-	-	-	-	3	3	5	14	28	47	90	139	216	182	102	36	-
	All other ..... Male	81	-	-	-	-	-	-	-	-	-	-	2	7	8	5	13	13	19	11	2	1	-	-
	Female	131	-	-	-	-	-	1	-	-	1	2	2	6	5	10	13	24	30	16	16	3	2	-
434	Cerebral embolism	30	-	-	-	-	-	-	-	-	1	1	-	2	1	2	4	3	4	5	6	1	-	-
	White ..... Male	10	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	1	-	1	1	1	-	-
	Female	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	4	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	3,932	1	2	2	-	5	7	12	15	25	32	49	74	133	198	295	515	622	771	718	352	104	-
	White ..... Male	1,496	1	1	1	-	1	4	2	5	11	11	19	23	56	91	153	228	253	276	245	91	24	-
	Female	2,065	-	1	1	-	4	1	5	8	9	17	18	29	48	73	101	220	312	458	445	244	71	-
	All other ..... Male	154	-	-	-	-	-	1	1	-	3	3	5	7	14	20	21	27	20	17	9	5	1	-
	Female	217	-	-	-	-	-	1	4	2	2	1	7	15	15	14	20	40	37	20	19	12	8	-
440	Arteriosclerosis	1,149	-	-	-	-	-	-	-	-	-	-	1	5	13	23	40	102	156	269	277	190	73	-
	White ..... Male	435	-	-	-	-	-	-	-	-	-	-	1	3	9	15	19	50	66	98	96	62	16	-
	Female	659	-	-	-	-	-	-	-	-	-	-	-	1	3	5	17	41	82	159	174	123	54	-
	All other ..... Male	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	5	6	1	2	2	-
	Female	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	7	3	6	6	3	1	-
441-448	Other diseases of arteries, arterioles, and capillaries	1,039	-	-	-	-	4	2	7	9	5	14	17	34	47	106	122	165	183	154	117	41	12	-
	White ..... Male	585	-	-	-	-	2	-	2	3	3	8	10	18	30	69	74	104	113	76	52	16	5	-
	Female	363	-	-	-	-	2	1	2	3	1	4	6	11	11	22	40	49	55	68	61	20	7	-
	All other ..... Male	52	-	-	-	-	-	-	2	2	-	1	-	2	5	11	4	7	9	5	2	2	-	-
	Female	39	-	-	-	-	-	1	1	1	1	1	1	3	1	4	4	5	6	5	2	3	-	-
466	Acute bronchitis and bronchiolitis	16	6	-	-	-	1	-	-	-	-	-	1	-	1	-	2	1	1	2	1	-	-	-
	White ..... Male	8	2	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-
	Female	5	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	All other ..... Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	2,005	48	20	4	8	11	15	21	14	11	23	35	50	69	119	150	218	257	351	322	199	60	-
	White ..... Male	916	20	4	3	2	5	6	9	6	6	7	11	18	41	64	79	123	125	175	134	65	13	-
	Female	891	19	12	1	1	4	5	5	1	1	13	10	18	18	40	53	72	116	164	171	123	44	-
	All other ..... Male	114	7	2	-	4	1	2	4	3	1	2	9	5	8	12	12	14	9	4	11	4	-	-
	Female	84	2	2	-	1	1	2	3	4	3	1	5	9	2	3	6	9	7	8	6	7	3	-
470-474	Influenza	175	2	1	-	-	1	-	-	-	1	-	4	2	2	7	4	23	23	33	32	26	14	-
	White ..... Male	60	1	-	-	-	-	-	-	-	1	-	3	-	-	4	1	12	5	12	13	5	3	-
	Female	106	1	1	-	-	1	-	-	-	-	-	1	1	2	2	2	9	18	20	18	21	9	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	2	-
480-486	Pneumonia	1,830	46	19	4	8	10	15	21	14	10	23	31	48	67	112	146	195	234	318	290	173	46	-
	White ..... Male	856	19	4	3	2	5	6	9	6	5	7	8	18	41	60	78	111	120	163	121	60	10	-
	Female	785	18	11	1	1	3	5	5	1	1	13	9	17	16	38	51	63	98	144	153	102	35	-
	All other ..... Male	111	7	2	-	4	1	2	4	3	1	2	9	5	8	11	12	13	9	4	10	4	-	-
	Female	78	2	2	-	1	1	2	3	4	3	1	5	8	2	3	5	8	7	7	6	7	1	-
490-493	Bronchitis, emphysema, and asthma	925	-	-	-	3	3	1	-	3	5	3	16	41	67	102	157	163	153	120	68	16	4	-
	White ..... Male	592	-	-	-	2	2	-	-	1	1	-	4	19	34	62	119	105	104	80	46	10	3	-
	Female	262	-	-	-	1	1	1	-	1	2	2	7	17	26	32	31	46	37	34	17	6	1	-
	All other ..... Male	50	-	-	-	-	-	-	-	-	1	1	2	3	5	5	6	11	9	5	2	-	-	-
	Female	21	-	-	-	-	-	-	-	1	1	-	3	2	2	3	1	1	3	1	3	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan—Con.																							
490, 491	Chronic and unqualified bronchitis	191	–	–	–	–	–	–	–	–	1	2	4	12	10	19	36	29	31	27	16	2	2	–
	White ..... Male	119	–	–	–	–	–	–	–	–	–	–	–	4	4	13	25	19	20	19	12	1	2	–
	Female	62	–	–	–	–	–	–	–	–	1	1	3	8	6	5	10	7	10	7	3	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
492	Emphysema	669	–	–	–	–	–	–	–	–	2	–	9	25	48	82	109	130	114	85	49	14	2	–
	White ..... Male	455	–	–	–	–	–	–	–	–	1	–	4	14	28	49	90	84	83	58	34	9	1	–
	Female	163	–	–	–	–	–	–	–	–	1	–	3	6	16	26	13	37	21	22	12	5	1	–
	All other ..... Male	39	–	–	–	–	–	–	–	–	–	–	1	3	4	5	5	8	8	4	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1	2	1	2	–	–	–
493	Asthma	65	–	–	–	3	3	1	–	3	2	1	3	4	9	1	12	4	8	8	3	–	–	–
	White ..... Male	18	–	–	–	2	2	–	–	1	–	–	–	1	2	–	4	2	1	3	–	–	–	–
	Female	37	–	–	–	1	1	1	–	1	–	1	1	3	4	1	8	2	6	5	2	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	217	–	1	–	–	1	–	–	1	1	6	6	13	10	24	21	31	27	31	28	14	2	–
	White ..... Male	112	–	–	–	–	–	–	–	–	1	1	4	8	8	12	10	18	19	15	10	6	–	–
	Female	89	–	1	–	–	1	–	–	1	–	3	1	4	2	10	10	10	6	15	18	5	2	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	3	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	3	–	–
540–543	Appendicitis	33	–	–	–	1	1	–	–	2	1	2	–	3	4	1	6	5	3	1	1	2	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	2	–	1	3	1	1	1	2	1	–	2	–	–
	Female	13	–	–	–	–	–	–	–	2	–	–	–	1	1	–	4	3	1	–	1	–	–	–
	All other ..... Male	3	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	227	12	1	1	–	1	1	3	2	–	3	4	8	11	17	21	28	35	37	18	23	1	–
	White ..... Male	79	10	1	–	–	1	1	1	2	–	1	–	3	5	7	6	12	9	12	1	7	–	–
	Female	108	1	–	–	–	–	–	1	–	–	–	2	5	5	6	8	9	17	22	16	15	1	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	2	1	–	1	4	1	5	3	–	–	–	–	–
	Female	23	1	–	1	–	–	–	1	–	–	–	1	–	–	–	6	2	6	3	1	1	–	–
571	Cirrhosis of liver	1,355	–	–	–	1	1	5	17	27	65	77	156	209	214	222	169	112	46	23	10	1	–	–
	White ..... Male	688	–	–	–	–	1	3	7	10	30	26	70	98	114	115	92	73	28	14	6	1	–	–
	Female	361	–	–	–	–	–	1	3	4	8	15	37	60	55	64	55	33	15	8	3	–	–	–
	All other ..... Male	197	–	–	–	1	–	1	5	9	17	26	31	28	28	26	17	4	3	–	1	–	–	–
	Female	109	–	–	–	–	–	–	2	4	10	10	18	23	17	17	5	2	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	95	–	–	–	–	–	–	1	–	–	1	3	3	7	6	8	14	12	17	17	5	1	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	1	1	1	2	2	5	11	3	6	5	4	1	–
	Female	45	–	–	–	–	–	–	1	–	–	–	2	2	2	2	3	2	8	11	11	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	372	2	1	1	1	3	6	8	7	8	2	7	21	26	23	44	57	56	56	27	10	6	–
	White ..... Male	159	2	–	–	–	1	1	3	4	2	–	4	6	11	7	18	29	25	23	15	5	3	–
	Female	108	–	–	–	1	2	1	3	2	2	–	1	5	6	8	11	16	18	15	10	5	2	–
	All other ..... Male	51	–	1	1	–	–	2	1	–	2	1	1	4	4	1	8	8	6	10	1	–	–	–
	Female	54	–	–	–	–	–	2	1	1	2	1	1	6	5	7	7	4	7	8	1	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	107	2	1	–	–	–	1	2	1	1	–	2	6	8	5	14	18	15	15	9	4	3	–
	White ..... Male	49	2	–	–	–	–	–	1	–	–	–	1	3	5	2	6	9	6	7	4	1	2	–
	Female	42	–	–	–	–	–	–	1	–	1	–	1	1	2	2	4	8	8	5	5	3	1	–
	All other ..... Male	10	–	1	–	–	–	1	–	–	–	–	–	–	–	–	3	1	1	3	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	265	–	–	1	1	3	5	6	6	7	2	5	15	18	18	30	39	41	41	18	6	3	–
	White ..... Male	110	–	–	–	–	1	1	2	4	2	–	3	3	6	5	12	20	19	16	11	4	1	–
	Female	66	–	–	–	1	2	1	2	2	1	–	–	4	4	6	7	8	10	10	5	2	1	–
	All other ..... Male	41	–	–	1	–	–	1	1	–	2	1	1	4	4	1	5	7	5	7	1	–	–	–
	Female	48	–	–	–	–	–	2	1	–	2	1	1	4	4	6	6	4	7	8	1	–	1	–
590	Infections of kidney	87	–	1	–	–	–	–	–	1	–	1	4	4	3	3	13	7	15	9	15	9	2	–
	White ..... Male	34	–	–	–	–	–	–	–	1	–	–	2	2	1	1	2	5	4	5	5	5	1	–
	Female	41	–	1	–	–	–	–	–	–	–	–	1	2	1	1	8	2	9	3	9	4	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	2	1	–	–	–	–
600	Hyperplasia of prostate	26	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	6	7	2	1	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	6	6	2	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	3	2	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	7	–	–	–	–	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	2	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Michigan—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	3	2	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	7	–	–	–	–	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	2	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	522	349	36	21	8	18	14	13	3	7	4	5	7	8	8	7	3	1	3	4	1	2	–
	White ..... Male	245	159	17	12	4	10	7	9	3	2	2	1	4	5	2	4	2	–	–	–	–	2	–
	Female	195	128	12	7	2	6	4	3	–	4	1	4	3	3	6	3	–	1	3	4	1	–	–
	All other ..... Male	47	37	4	1	1	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	35	25	3	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	930	927	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White ..... Male	384	381	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	236	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	157	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	153	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	468	465	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White ..... Male	211	208	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	122	122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	462	462	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	173	173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	532	270	6	1	2	6	3	8	7	6	6	9	6	7	18	18	18	25	40	34	28	14	–
	White ..... Male	219	113	4	–	1	2	–	4	2	1	1	5	1	3	12	11	8	15	16	11	8	1	–
	Female	182	56	1	1	–	2	2	2	4	4	2	3	4	3	2	5	9	7	21	22	20	12	–
	All other ..... Male	89	67	1	–	–	1	1	1	1	1	3	1	–	1	4	2	1	–	2	1	–	1	–
	Female	42	34	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–
Residual	All other diseases	5,111	82	41	30	27	61	88	86	88	96	120	180	284	353	485	580	639	693	557	399	182	40	–
	White ..... Male	2,477	26	22	12	14	32	40	35	20	44	43	69	121	164	246	305	350	380	282	186	72	14	–
	Female	1,876	36	15	15	5	19	28	20	23	22	31	61	89	130	170	205	222	236	235	187	103	24	–
	All other ..... Male	429	14	2	2	4	3	7	20	23	19	29	28	43	35	39	45	38	45	15	14	4	–	–
	Female	329	6	2	1	4	7	13	11	22	11	17	22	31	24	30	25	29	32	25	12	3	2	–
E800-E949	Accidents	3,977	50	147	126	144	496	528	333	256	180	175	157	179	176	187	161	153	164	170	122	59	14	–
	White ..... Male	2,414	14	71	65	91	368	381	241	174	104	96	90	109	101	107	87	84	78	74	48	25	6	–
	Female	1,059	26	36	35	35	92	107	50	53	42	40	39	43	49	51	58	51	67	82	63	33	7	–
	All other ..... Male	342	4	18	16	12	19	30	33	27	23	29	20	21	21	22	10	13	13	5	5	1	–	–
	Female	162	6	22	10	6	17	10	9	2	11	10	8	6	5	7	6	5	6	9	6	–	1	–
E810-E823	Motor vehicle accidents	2,152	12	43	70	89	374	398	235	161	108	99	79	88	79	79	69	59	54	35	16	5	–	–
	White ..... Male	1,395	4	16	34	55	278	286	179	113	63	55	39	55	47	41	37	35	27	19	8	4	–	–
	Female	551	6	16	25	21	78	86	37	35	30	26	27	24	25	28	28	19	19	14	6	1	–	–
	All other ..... Male	138	–	5	6	8	9	20	15	12	11	11	8	5	6	8	2	3	6	1	2	–	–	–
	Female	68	2	6	5	5	9	6	4	1	4	7	5	4	1	2	2	2	2	1	–	–	–	–
E800-E807, E825-E949	All other accidents	1,825	38	104	56	55	122	130	98	95	72	76	78	91	97	108	92	94	110	135	106	54	14	–
	White ..... Male	1,019	10	55	31	36	90	95	62	61	41	41	51	54	54	66	50	49	51	55	40	21	6	–
	Female	508	20	20	10	14	14	21	13	18	12	14	12	19	24	23	30	32	48	68	57	32	7	–
	All other ..... Male	204	4	13	10	4	10	10	18	15	12	18	12	16	15	14	8	10	7	4	3	1	–	–
	Female	94	4	16	5	1	8	4	5	1	7	3	3	2	4	5	4	3	4	8	6	–	1	–
E950-E959	Suicide	1,132	...	...	–	7	94	175	147	105	94	75	60	76	67	75	58	38	24	24	10	3	–	–
	White ..... Male	763	...	...	–	3	74	127	103	69	51	43	32	45	44	55	39	29	20	17	10	2	–	–
	Female	251	...	...	–	3	9	22	25	24	29	25	21	25	17	19	16	7	2	7	–	–	–	–
	All other ..... Male	83	...	...	–	–	7	19	14	9	10	4	4	3	4	1	3	2	2	–	–	1	–	–
	Female	35	...	...	–	1	4	7	5	3	4	3	3	3	2	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	931	9	16	8	8	89	175	161	115	64	63	65	47	40	23	16	13	10	4	2	2	–	1
	White ..... Male	238	1	5	3	3	23	37	45	21	19	16	13	9	16	10	6	8	–	2	–	1	–	–
	Female	108	–	5	1	1	11	16	10	7	4	12	9	8	4	1	4	4	7	2	2	–	–	–
	All other ..... Male	469	5	4	2	3	41	95	86	70	38	29	35	25	17	8	5	1	3	–	–	1	–	1
	Female	116	3	2	2	1	14	27	20	17	3	6	8	5	3	4	1	–	–	–	–	–	–	–
E980-E999	Other external causes	117	5	6	3	2	15	19	18	11	8	3	5	8	4	4	1	2	1	–	2	–	–	–
	White ..... Male	55	1	2	1	1	7	15	7	4	4	2	2	3	3	2	–	–	–	–	1	–	–	–
	Female	27	1	–	1	–	3	3	3	4	2	1	2	2	1	1	1	1	1	–	–	–	–	–
	All other ..... Male	24	2	4	1	1	5	1	4	3	1	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	11	1	–	–	–	–	–	4	–	1	–	1	1	–	1	–	1	–	–	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota																							
	All causes	33,316	741	136	70	128	387	424	334	287	321	424	681	1,165	1,656	2,358	3,243	3,891	4,482	4,976	4,414	2,368	828	2
	White ..... Male	18,190	393	67	40	72	271	311	234	168	190	244	403	755	1,030	1,542	2,081	2,348	2,493	2,448	1,921	932	245	2
	Female	14,562	293	52	24	51	102	97	74	94	108	149	253	379	593	779	1,119	1,493	1,946	2,494	2,465	1,421	576	-
	All other ..... Male	338	36	9	2	4	12	9	18	17	13	17	15	21	20	25	21	32	23	18	18	7	1	-
	Female	226	19	8	4	1	2	7	8	8	10	14	10	10	13	12	22	18	20	16	10	8	6	-
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	33	9	1	-	-	-	-	2	-	-	-	-	2	-	1	-	5	2	3	7	1	-	-
	White ..... Male	16	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	1	3	1	-	-
	Female	14	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	1	2	4	-	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	7	4	4	-	-	-
	White ..... Male	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	3	2	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	3	2	-	-	-
	White ..... Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	6	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White ..... Male	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	108	14	1	-	-	-	1	-	-	3	-	2	3	3	5	7	12	16	20	12	6	3	-
	White ..... Male	58	9	1	-	-	-	1	-	-	2	-	2	-	2	2	2	6	9	9	9	3	1	-
	Female	45	5	-	-	-	-	-	-	-	1	-	-	2	1	3	5	5	6	9	3	3	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	101	4	2	2	-	2	1	4	7	3	1	1	3	6	10	13	5	12	10	9	4	2	-
	White ..... Male	52	1	2	1	-	1	-	1	3	-	1	-	3	4	6	6	2	11	5	4	-	1	-
	Female	48	2	-	1	-	1	1	3	4	3	-	1	-	2	4	7	3	1	5	5	4	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,752	2	12	9	19	27	31	14	44	63	106	210	370	549	771	1,015	974	922	786	561	214	53	-
	White ..... Male	3,588	-	7	5	11	17	23	6	16	24	40	85	194	275	440	574	574	484	419	272	106	16	-
	Female	3,069	2	4	3	7	10	8	6	26	35	58	117	167	265	321	428	392	428	364	283	108	37	-
	All other ..... Male	52	-	-	1	1	-	-	2	1	1	3	6	5	5	7	5	5	5	1	4	-	-	-
	Female	43	-	1	-	-	-	-	-	1	3	5	2	4	4	3	8	3	5	2	2	-	-	-
140-149	Of buccal cavity and pharynx	120	-	-	-	-	-	1	-	2	2	4	10	14	9	11	24	14	12	5	9	2	1	-
	White ..... Male	83	-	-	-	-	-	1	-	-	1	2	7	13	6	10	18	8	10	3	3	1	-	-
	Female	31	-	-	-	-	-	-	-	2	1	2	2	-	2	1	4	5	2	2	6	1	1	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	1,932	-	1	-	-	-	1	1	5	14	21	35	90	129	209	279	292	294	268	189	89	15	-
	White ..... Male	1,031	-	-	-	-	-	-	-	2	7	10	14	55	67	132	155	181	145	132	87	41	3	-
	Female	872	-	1	-	-	-	1	-	3	5	9	19	33	59	71	122	105	148	135	101	48	12	-
	All other ..... Male	22	-	-	-	-	-	-	1	-	1	2	1	2	3	5	1	4	1	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	1	-	-	-
160-163	Of respiratory system	1,369	-	-	1	1	1	3	-	4	5	12	47	106	166	231	250	209	160	114	44	12	3	-
	White ..... Male	1,017	-	-	-	1	1	3	-	-	2	8	32	76	119	173	181	166	124	90	33	7	1	-
	Female	331	-	-	1	-	-	-	-	4	3	2	12	28	43	56	64	43	34	24	10	5	2	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	1	-	1	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	1	-	2	3	1	4	-	1	-	-	-	-	-
174	Of breast	668	-	-	-	-	-	-	3	9	14	24	35	50	74	82	98	82	69	55	53	14	6	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	Female	653	-	-	-	-	-	-	3	9	12	21	35	48	74	81	97	81	67	53	52	14	6	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	2	3	-	2	-	1	1	-	2	-	1	-	-	-
180-187	Of genital organs	829	-	-	-	-	-	3	1	4	3	6	30	28	34	73	123	127	135	112	104	37	9	-
	White ..... Male	455	-	-	-	-	-	2	-	2	-	1	3	2	8	17	69	78	87	79	73	28	6	-
	Female	370	-	-	-	-	-	1	1	2	3	5	26	26	26	55	53	49	47	33	31	9	3	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
188, 189	Of urinary organs	332	-	-	-	-	-	-	-	-	1	3	8	13	19	28	65	47	44	53	38	9	4	-
	White ..... Male	212	-	-	-	-	-	-	-	-	1	3	5	11	13	14	43	34	26	33	24	4	1	-
	Female	117	-	-	-	-	-	-	-	-	-	-	3	2	6	14	21	13	16	20	14	5	3	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	743	2	7	3	6	10	7	3	10	18	18	31	43	72	70	80	96	90	83	60	25	9	-
	White ..... Male	392	-	4	2	4	4	5	2	5	10	9	17	23	36	48	52	51	40	36	27	14	3	-
	Female	337	2	2	-	1	6	2	1	4	8	9	13	20	35	22	27	44	48	45	31	11	6	-
	All other ..... Male	9	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	1	2	-	2	-	-	-
	Female	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-
204-207	Leukemia	315	-	4	3	10	10	10	2	4	3	8	5	12	14	26	32	34	44	46	30	14	4	-
	White ..... Male	177	-	3	2	5	6	8	1	4	1	1	3	8	9	20	23	18	22	22	12	8	1	-
	Female	135	-	1	1	5	4	2	-	-	2	6	2	3	5	6	9	16	22	24	18	6	3	-
	All other ..... Male	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	444	-	-	2	2	6	6	4	6	3	10	9	14	32	41	64	73	74	50	34	12	2	-
	White ..... Male	218	-	-	1	1	6	4	3	3	2	6	4	6	17	26	33	37	30	22	13	3	1	-
	Female	223	-	-	1	1	-	2	1	2	1	4	5	7	15	15	31	36	44	28	20	9	1	-
	All other ..... Male	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	68	-	-	-	1	1	-	-	1	2	1	3	6	4	2	6	13	8	11	6	3	-	-
	White ..... Male	28	-	-	-	1	1	-	-	-	-	1	3	3	1	-	1	6	3	5	2	1	-	-
	Female	40	-	-	-	-	-	-	-	1	2	-	-	3	3	2	5	7	5	6	4	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	479	1	-	-	-	-	1	1	5	3	12	7	17	20	26	54	75	72	89	65	25	6	-
	White ..... Male	199	-	-	-	-	-	-	1	2	1	7	3	8	13	16	24	29	36	26	24	7	2	-
	Female	270	-	-	-	-	-	1	-	3	2	4	4	7	7	10	29	43	35	62	41	18	4	-
	All other ..... Male	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	1	-	-	-	-
260-269	Avitaminoses and other nutritional deficiencies	65	-	-	-	-	-	-	-	1	-	-	1	-	2	2	-	9	9	14	14	10	3	-
	White ..... Male	25	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	3	6	7	3	1	1	-
	Female	40	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	3	7	11	9	2	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota—Con.																							
280–285	Anemias	51	–	–	–	–	–	–	1	1	1	–	–	2	2	–	2	7	7	10	10	5	3	–
	White ..... Male	25	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	6	5	5	4	–	1	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	2	5	6	5	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	29	12	4	–	–	–	1	–	1	1	–	–	–	1	–	4	2	2	–	–	1	–	–
	White ..... Male	15	7	3	–	–	–	1	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	13	4	1	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,137	12	6	3	7	10	7	12	40	67	125	239	472	707	1,100	1,561	2,059	2,591	3,102	2,834	1,610	572	1
	White ..... Male	9,191	8	2	2	4	4	3	6	20	48	83	179	343	506	778	1,088	1,262	1,439	1,475	1,175	599	166	1
	Female	7,755	4	3	1	3	6	4	5	15	13	32	53	119	188	306	454	767	1,129	1,607	1,646	998	402	–
	All other ..... Male	111	–	1	–	–	–	–	–	3	3	6	4	8	7	10	10	19	14	12	8	6	–	–
	Female	80	–	–	–	–	–	–	1	2	3	4	3	2	6	6	9	11	9	8	5	7	4	–
390–398, 402, 404, 410–429	Diseases of heart	12,362	9	5	2	3	6	4	6	29	51	105	205	409	623	936	1,260	1,578	1,903	2,094	1,795	996	342	1
	White ..... Male	7,114	6	2	1	–	3	1	4	18	37	75	164	310	462	692	905	989	1,100	1,060	781	398	105	1
	Female	5,103	3	2	1	3	3	3	1	7	10	23	35	90	152	230	340	571	783	1,020	1,002	588	236	–
	All other ..... Male	96	–	1	–	–	–	–	–	3	2	5	4	7	6	10	8	15	13	9	8	5	–	–
	Female	49	–	–	–	–	–	–	1	1	2	2	2	2	3	4	7	3	7	5	4	5	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	304	–	1	–	–	–	–	–	–	2	4	14	19	22	28	36	45	50	53	19	9	2	–
	White ..... Male	136	–	1	–	–	–	–	–	–	1	1	8	14	10	10	20	21	16	20	11	3	–	–
	Female	162	–	–	–	–	–	–	–	–	1	2	6	5	12	17	15	23	34	33	8	4	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–
402	Hypertensive heart disease	107	–	–	–	–	–	–	–	–	–	–	1	4	4	6	13	10	18	20	20	11	–	–
	White ..... Male	49	–	–	–	–	–	–	–	–	–	–	–	3	3	5	8	6	8	5	5	6	–	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	4	10	14	15	5	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	37	–	–	–	–	–	–	–	1	–	–	–	–	2	–	4	4	6	7	12	1	–	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	4	7	1	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	3	3	3	5	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	10,827	–	–	–	–	–	–	4	19	39	92	177	347	544	838	1,098	1,390	1,702	1,833	1,570	878	295	1
	White ..... Male	6,342	–	–	–	–	–	–	4	12	30	68	150	269	418	635	795	888	1,006	936	684	354	92	1
	Female	4,370	–	–	–	–	–	–	–	4	6	19	22	69	118	192	294	489	678	884	875	518	202	–
	All other ..... Male	81	–	–	–	–	–	–	–	3	2	4	4	7	6	8	5	12	12	8	7	3	–	–
	Female	34	–	–	–	–	–	–	–	–	1	1	1	2	2	3	4	1	6	5	4	3	1	–
410	Acute myocardial infarction	5,237	–	–	–	–	–	–	1	11	22	58	108	201	340	502	646	798	856	837	555	225	77	–
	White ..... Male	3,297	–	–	–	–	–	–	1	7	16	43	90	164	271	372	465	517	512	472	247	89	31	–
	Female	1,889	–	–	–	–	–	–	–	2	3	10	15	34	63	124	179	274	338	363	303	135	46	–
	All other ..... Male	39	–	–	–	–	–	–	–	2	2	4	3	3	4	4	2	7	3	1	3	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	1	–	–	2	2	–	–	3	1	2	–	–	–
411	Other acute and subacute forms of ischemic heart disease	65	–	–	–	–	–	–	–	–	1	1	3	3	–	6	4	11	11	13	5	4	2	1
	White ..... Male	40	–	–	–	–	–	–	–	–	1	1	3	2	–	5	3	9	6	3	3	3	–	1
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	10	2	1	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,522	–	–	–	–	–	–	3	8	16	33	66	143	203	330	448	581	834	982	1,010	649	216	–
	White ..... Male	3,005	–	–	–	–	–	–	3	5	13	24	57	103	147	258	327	362	488	461	434	262	61	–
	Female	2,454	–	–	–	–	–	–	–	2	3	9	7	34	54	67	114	213	335	510	570	382	154	–
	All other ..... Male	41	–	–	–	–	–	–	–	1	–	–	1	4	2	4	3	5	8	7	4	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	2	–	1	4	1	3	4	2	3	1	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	74	1	–	–	1	–	–	–	–	–	–	–	5	1	6	6	10	10	8	15	6	5	–
	White ..... Male	41	1	–	–	–	–	–	–	–	–	–	–	3	1	4	6	7	4	5	5	3	2	–
	Female	33	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	3	6	3	10	3	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,013	8	4	2	2	6	4	2	9	10	9	13	34	50	58	103	119	117	173	159	91	40	–
	White ..... Male	526	5	1	1	–	3	1	–	6	6	6	6	21	29	38	73	66	63	90	69	31	11	–
	Female	465	3	2	1	2	3	3	1	2	3	2	7	13	20	18	25	49	52	83	89	58	29	–
	All other ..... Male	12	–	1	–	–	–	–	–	–	–	–	–	–	–	2	3	3	1	–	1	1	–	–
	Female	10	–	–	–	–	–	–	1	1	1	1	–	–	1	–	2	1	1	–	–	1	–	–
400, 401, 403	Hypertension	92	–	–	–	–	–	–	–	–	–	1	1	–	1	6	7	7	8	24	25	8	4	–
	White ..... Male	46	–	–	–	–	–	–	–	–	–	1	1	–	1	5	4	4	5	11	13	–	1	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	13	12	8	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	3,538	3	1	1	3	4	3	6	8	13	15	27	50	64	122	215	350	535	764	772	436	146	–
	White ..... Male	1,458	2	–	1	3	1	2	2	2	10	6	11	25	31	56	122	189	253	304	278	134	26	–
	Female	2,045	1	1	–	–	3	1	4	5	1	7	15	25	29	64	91	152	279	456	493	300	118	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	1	2	–	1	–	–
	Female	25	–	–	–	–	–	–	–	1	1	2	1	–	3	2	1	6	2	2	1	1	2	–
431	Cerebral hemorrhage	362	1	–	1	1	–	–	–	2	2	5	8	6	22	29	34	49	65	58	49	28	7	–
	White ..... Male	159	1	–	1	1	–	–	–	1	2	3	2	5	9	13	23	25	28	23	16	4	2	–
	Female	193	–	–	–	–	–	–	–	–	–	2	6	1	12	14	10	21	36	35	33	18	5	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	1	–	–	1	–	–
433	Cerebral thrombosis	684	–	–	–	–	–	–	–	–	–	2	–	4	5	19	42	72	112	160	156	84	28	–
	White ..... Male	278	–	–	–	–	–	–	–	–	–	–	–	2	2	6	22	44	59	60	54	23	6	–
	Female	399	–	–	–	–	–	–	–	–	–	1	–	2	2	13	19	27	53	98	102	60	22	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	2	–	–	–	–
434	Cerebral embolism	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	2	5	1	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,477	2	1	–	2	4	3	6	6	11	8	19	40	37	73	138	229	354	544	562	328	110	–
	White ..... Male	1,015	1	–	–	2	1	2	2	1	8	3	9	18	20	37	77	120	163	221	206	106	18	–
	Female	1,444	1	1	–	–	3	1	4	5	1	4	9	22	15	36	61	104	189	321	355	222	90	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	4	1	–	1	–	2	–
440	Arteriosclerosis	630	–	–	–	–	–	–	–	–	–	–	–	1	1	6	19	42	61	133	168	132	67	–
	White ..... Male	278	–	–	–	–	–	–	–	–	–	–	–	1	1	4	10	27	27	54	74	52	28	–
	Female	348	–	–	–	–	–	–	–	–	–	–	–	–	–	2	8	13	34	79	94	79	39	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	515	–	–	–	1	–	–	–	3	3	4	6	12	18	30	60	82	84	87	74	38	13	–
	White ..... Male	295	–	–	–	1	–	–	–	–	1	1	3	7	11	21	47	53	54	46	29	15	6	–
	Female	213	–	–	–	–	–	–	–	3	2	2	3	4	7	9	12	28	30	39	45	23	6	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
466	Acute bronchitis and bronchiolitis	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	2	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,346	15	3	1	1	–	2	1	5	6	9	9	14	27	23	57	114	190	249	334	213	73	–
	White ..... Male	694	9	1	–	–	–	1	1	3	4	7	6	9	15	18	38	67	107	123	160	101	24	–
	Female	642	6	2	–	1	–	1	–	2	2	1	3	5	11	5	17	46	82	125	173	112	48	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	1	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
470–474	Influenza	100	–	–	–	1	–	–	–	–	–	–	–	1	3	2	4	5	18	14	29	17	6	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	9	5	5	7	2	–
	Female	64	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	2	9	9	24	10	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,246	15	3	1	–	–	2	1	5	6	9	9	13	24	21	53	109	172	235	305	196	67	–
	White ..... Male	658	9	1	–	–	–	1	1	3	4	7	6	8	14	18	35	64	98	118	155	94	22	–
	Female	578	6	2	–	–	–	1	–	2	2	1	3	5	9	3	16	44	73	116	149	102	44	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	1	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
490–493	Bronchitis, emphysema, and asthma	369	–	1	1	1	–	2	–	3	–	3	4	5	23	39	49	62	69	54	36	13	4	–
	White ..... Male	268	–	1	–	1	–	–	–	2	–	2	2	4	14	30	37	42	56	43	26	7	1	–
	Female	99	–	–	1	–	–	2	–	1	–	1	2	–	8	9	12	20	13	11	10	6	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota—Con.																							
490, 491	Chronic and unqualified bronchitis	78	–	1	1	1	–	–	–	2	–	–	1	–	5	6	4	11	9	13	16	6	2	–
	White ..... Male	46	–	1	–	1	–	–	–	2	–	–	–	–	2	6	1	5	6	9	10	2	1	–
	Female	32	–	–	1	–	–	–	–	–	–	–	1	–	3	–	3	6	3	4	6	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	253	–	–	–	–	–	1	–	–	–	2	2	4	17	23	42	46	57	39	16	3	1	–
	White ..... Male	204	–	–	–	–	–	–	–	–	–	2	2	3	12	18	34	35	49	32	14	3	–	–
	Female	48	–	–	–	–	–	1	–	–	–	–	–	–	5	5	8	11	8	7	2	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
493	Asthma	38	–	–	–	–	–	1	–	1	–	1	1	1	1	10	3	5	3	2	4	4	1	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	–	6	2	2	1	2	2	2	–	–
	Female	19	–	–	–	–	–	1	–	1	–	1	1	–	–	4	1	3	2	–	2	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	96	–	–	–	–	1	–	–	–	2	–	3	1	7	7	13	9	12	19	15	6	1	–
	White ..... Male	56	–	–	–	–	1	–	–	–	1	–	2	1	5	7	9	5	8	8	5	4	–	–
	Female	38	–	–	–	–	–	–	–	–	1	–	1	–	2	–	3	4	4	10	10	2	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	17	–	–	1	–	–	1	–	–	–	–	1	–	3	1	1	4	2	1	2	–	–	–
	White ..... Male	11	–	–	1	–	–	1	–	–	–	–	–	–	1	1	1	3	–	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	2	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	101	11	–	–	1	–	–	2	–	1	1	–	2	3	6	5	6	14	14	21	9	5	–
	White ..... Male	41	6	–	–	1	–	–	1	–	–	1	–	1	2	2	1	2	7	5	10	2	–	–
	Female	57	4	–	–	–	–	–	1	–	1	–	–	1	1	3	4	4	7	9	10	7	5	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
571	Cirrhosis of liver	347	–	1	–	–	–	2	1	5	12	21	27	41	67	47	55	35	17	8	7	1	–	–
	White ..... Male	236	–	–	–	–	–	1	1	1	7	11	21	29	46	39	38	23	12	4	3	–	–	–
	Female	100	–	1	–	–	–	1	–	1	4	6	6	10	21	8	17	11	5	4	4	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	2	1	3	–	2	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	65	1	–	–	–	–	–	–	–	–	–	1	1	–	2	7	5	12	16	15	2	3	–
	White ..... Male	27	1	–	–	–	–	–	–	–	–	–	–	1	–	1	6	3	5	7	3	–	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	9	10	2	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	102	–	–	–	–	–	–	–	1	–	1	2	1	6	6	5	16	13	22	17	10	2	–
	White ..... Male	52	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	11	8	11	7	4	1	–
	Female	45	–	–	–	–	–	–	–	–	–	1	2	–	2	2	3	4	5	11	9	5	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	25	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	4	8	5	3	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	4	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	77	–	–	–	–	–	–	–	–	–	1	2	1	6	5	5	13	9	14	12	7	2	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	8	5	9	7	3	1	–
	Female	32	–	–	–	–	–	–	–	–	–	1	2	–	2	2	3	4	4	5	5	3	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
590	Infections of kidney	36	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	3	8	5	10	1	3	–
	White ..... Male	13	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	3	4	1	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	7	2	6	–	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	5	4	–	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	5	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Minnesota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	228	143	19	4	5	7	8	4	2	1	1	5	4	–	1	5	4	6	6	1	1	1	–
	White ..... Male	117	74	9	3	2	5	4	2	2	1	1	1	2	–	–	1	3	2	4	–	–	1	–
	Female	101	60	9	1	3	2	4	2	–	–	–	4	2	–	1	4	1	4	2	1	1	–	–
	All other ..... Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	364	364	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	201	201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	192	192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	172	172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	468	111	3	3	2	2	2	4	4	7	4	7	11	16	21	35	48	43	56	39	30	20	–
	White ..... Male	234	53	2	1	2	1	1	4	3	2	1	3	9	12	12	21	32	23	20	16	11	5	–
	Female	208	43	1	1	–	–	1	–	1	4	3	2	1	4	8	12	16	19	35	23	19	15	–
	All other ..... Male	18	12	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	1	1	–	–	–	–
	Female	8	3	–	1	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Residual	All other diseases	2,370	21	16	18	13	8	24	27	19	37	42	63	87	111	174	239	291	335	363	282	149	51	–
	White ..... Male	1,316	11	10	9	7	5	14	16	7	19	22	36	59	62	114	158	179	188	194	127	62	17	–
	Female	1,004	8	4	9	6	3	7	11	8	15	17	25	26	42	56	79	108	143	166	152	87	32	–
	All other ..... Male	32	2	1	–	–	–	1	–	2	1	2	1	2	4	4	2	4	1	1	3	–	1	–
	Female	18	–	1	–	–	–	2	–	2	2	1	1	–	3	–	–	–	3	2	–	–	1	–
E800–E949	Accidents	1,952	15	63	27	64	281	253	179	87	76	63	62	86	64	83	92	94	96	99	99	45	23	1
	White ..... Male	1,297	6	27	18	35	203	198	138	67	57	46	38	64	44	49	60	56	62	57	48	16	7	1
	Female	578	8	26	7	25	72	47	28	16	13	14	19	20	19	30	30	37	33	40	50	28	16	–
	All other ..... Male	52	1	5	1	3	5	5	8	3	5	3	3	2	1	3	1	1	–	1	1	–	–	–
	Female	25	–	5	1	1	1	3	5	1	1	–	2	–	–	1	1	–	1	1	–	1	–	–
E810–E823	Motor vehicle accidents	983	2	24	12	32	211	189	131	55	49	30	38	40	29	28	24	36	28	16	7	2	–	–
	White ..... Male	684	–	13	7	19	148	144	97	44	35	24	19	30	18	14	14	20	18	15	4	1	–	–
	Female	265	2	10	5	12	61	39	23	9	11	5	15	10	11	12	10	15	10	1	3	1	–	–
	All other ..... Male	22	–	1	–	–	1	3	6	2	2	1	3	–	–	2	–	1	–	–	–	–	–	–
	Female	12	–	–	–	1	1	3	5	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	969	13	39	15	32	70	64	48	32	27	33	24	46	35	55	68	58	68	83	92	43	23	1
	White ..... Male	613	6	14	11	16	55	54	41	23	22	22	19	34	26	35	46	36	44	42	44	15	7	1
	Female	313	6	16	2	13	11	8	5	7	2	9	4	10	8	18	20	22	23	39	47	27	16	–
	All other ..... Male	30	1	4	1	3	4	2	2	1	3	2	–	2	1	1	1	–	–	1	1	–	–	–
	Female	13	–	5	1	–	–	–	–	1	–	–	1	–	–	1	1	–	1	1	–	1	–	–
E950–E959	Suicide	410	...	...	–	4	31	64	53	42	26	24	27	24	28	23	12	28	10	5	8	1	–	–
	White ..... Male	302	...	...	–	3	24	50	40	29	17	14	17	15	23	17	9	23	9	5	7	–	–	–
	Female	99	...	...	–	1	4	13	9	13	8	10	10	9	5	6	3	5	1	–	1	1	–	–
	All other ..... Male	8	...	...	–	–	2	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	87	3	2	1	9	10	14	15	10	4	3	2	5	2	4	–	2	1	–	–	–	–	–
	White ..... Male	40	2	–	–	5	5	7	7	3	1	2	1	2	1	2	–	1	1	–	–	–	–	–
	Female	23	1	–	–	4	2	4	2	2	2	–	1	2	1	1	–	1	–	–	–	–	–	–
	All other ..... Male	19	–	1	–	–	3	2	4	5	1	1	–	1	–	1	–	–	–	–	–	–	–	–
	Female	5	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	71	–	2	–	1	7	9	12	8	4	6	5	5	3	3	2	1	1	–	–	2	–	–
	White ..... Male	43	–	1	–	–	4	6	8	6	3	5	3	3	1	1	1	–	1	–	–	–	–	–
	Female	25	–	1	–	1	2	2	4	1	1	1	2	2	2	2	1	1	–	–	–	2	–	–
	All other ..... Male	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi																							
	All causes	23,350	829	149	92	88	299	385	330	282	371	493	673	1,032	1,517	1,868	2,619	2,966	3,041	2,742	2,079	986	492	17
	White ..... Male	8,428	155	44	26	37	139	155	122	111	143	188	294	488	679	825	1,124	1,153	1,087	866	526	199	63	4
	Female	6,242	106	27	22	10	53	53	44	47	69	90	135	187	293	380	575	768	881	1,006	872	451	172	1
	All other ..... Male	4,786	301	44	28	27	72	134	129	82	93	125	145	207	304	393	525	600	577	440	319	135	100	6
	Female	3,894	267	34	16	14	35	43	35	42	66	90	99	150	241	270	395	445	496	430	362	201	157	6
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	46	28	4	1	1	-	-	-	-	-	-	-	2	1	-	2	4	-	1	1	-	1	-
	White ..... Male	7	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	Female	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-
	All other ..... Male	17	13	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female	14	11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
010-019	Tuberculosis, all forms	44	-	1	1	-	-	1	-	1	-	2	2	5	4	3	5	9	4	2	2	-	2	-
	White ..... Male	16	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	6	4	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-
	All other ..... Male	15	-	-	1	-	-	1	-	1	-	1	1	3	2	1	1	1	-	1	-	-	1	-
	Female	8	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	2	-	-	-
010-012	Tuberculosis of respiratory system	37	-	1	1	-	-	1	-	1	-	2	2	3	4	2	3	8	4	1	2	-	2	-
	White ..... Male	14	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	5	4	1	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-
	All other ..... Male	12	-	-	1	-	-	1	-	1	-	1	1	2	2	-	1	1	-	-	-	-	1	-
	Female	7	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	-
013-019	Tuberculosis, other forms	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	1	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	18	4	7	-	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	7	2	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	1	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	110	24	1	1	-	-	2	1	2	1	4	4	7	5	7	8	12	6	13	10	1	1	-
	White ..... Male	34	4	-	-	-	-	1	1	1	-	2	1	3	4	3	3	5	4	2	-	-	-	-
	Female	19	3	-	1	-	-	-	-	-	-	1	1	-	-	3	-	1	1	5	3	-	-	-
	All other ..... Male	26	6	1	-	-	-	-	-	-	1	-	2	1	-	1	3	2	1	3	3	1	1	-
	Female	31	11	-	-	-	-	1	-	1	-	1	-	3	1	-	2	4	-	3	4	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	58	2	2	1	1	-	1	2	-	2	2	5	1	1	6	12	5	5	5	2	2	1	-
	White ..... Male	21	1	1	-	-	-	-	-	-	-	1	-	-	-	2	7	3	2	1	1	1	1	-
	Female	17	-	-	1	1	-	1	-	-	-	-	2	-	1	2	2	2	1	3	-	1	-	-
	All other ..... Male	9	1	-	-	-	-	-	-	-	2	-	1	1	-	1	1	-	2	-	-	-	-	-
	Female	11	-	1	-	-	-	-	2	-	-	1	2	-	-	1	2	-	-	1	1	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,086	–	8	9	6	15	15	27	23	63	100	160	255	405	506	635	668	517	380	189	80	22	3
	White ..... Male	1,687	–	3	2	2	6	5	8	7	15	34	62	123	169	233	299	277	213	138	62	25	4	–
	Female	1,087	–	2	5	1	4	4	10	5	22	33	51	52	108	124	156	161	141	114	62	27	5	–
	All other ..... Male	747	–	1	1	2	3	4	4	2	10	9	26	44	69	83	117	138	100	81	32	12	6	3
	Female	565	–	2	1	1	2	2	5	9	16	24	21	36	59	66	63	92	63	47	33	16	7	–
140–149	Of buccal cavity and pharynx	84	–	–	–	–	–	–	1	–	–	2	5	8	7	8	18	14	6	8	4	1	2	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	1	2	6	3	4	10	7	3	3	2	–	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	–	–	3	1	2	2	2	4	2	1	1	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	1	3	1	1	2	4	2	–	–	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,007	–	–	–	–	2	5	2	3	6	20	34	55	83	126	144	171	153	112	56	27	7	1
	White ..... Male	361	–	–	–	–	–	–	–	1	2	8	17	29	27	52	56	54	55	31	21	7	1	–
	Female	305	–	–	–	–	2	2	1	1	1	7	9	4	23	33	43	48	52	52	14	10	3	–
	All other ..... Male	199	–	–	–	–	–	2	1	1	1	1	6	14	22	27	26	38	31	17	7	3	1	1
	Female	142	–	–	–	–	–	1	–	–	2	4	2	8	11	14	19	31	15	12	14	7	2	–
160–163	Of respiratory system	1,101	–	–	–	–	1	1	3	1	8	20	41	79	152	186	209	190	116	58	26	8	2	–
	White ..... Male	691	–	–	–	–	–	–	3	1	6	11	24	53	89	122	139	121	71	35	11	4	1	–
	Female	143	–	–	–	–	–	1	–	–	1	1	7	8	25	18	25	23	17	8	7	2	–	–
	All other ..... Male	217	–	–	–	–	–	–	–	–	1	6	9	15	31	33	43	39	21	10	7	1	1	–
	Female	50	–	–	–	–	1	–	–	–	–	2	1	3	7	13	2	7	7	5	1	1	–	–
174	Of breast	294	–	–	–	–	–	–	2	2	15	18	18	26	35	40	40	36	31	16	9	5	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	185	–	–	–	–	–	–	1	1	8	15	11	15	23	22	32	21	19	7	6	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	104	–	–	–	–	–	–	1	1	7	3	7	11	12	18	8	14	11	8	2	1	–	–
180–187	Of genital organs	515	–	–	–	–	–	2	3	4	6	12	14	23	26	29	85	80	80	89	43	12	5	2
	White ..... Male	161	–	–	–	–	–	2	1	1	–	1	1	3	8	6	31	17	32	40	14	4	–	–
	Female	117	–	–	–	–	–	–	2	1	5	2	8	11	9	10	22	14	14	9	10	–	–	–
	All other ..... Male	131	–	–	–	–	–	–	–	–	–	–	–	2	1	4	20	30	24	30	11	4	3	2
	Female	106	–	–	–	–	–	–	–	2	1	9	5	7	8	9	12	19	10	10	8	4	2	–
188, 189	Of urinary organs	165	–	–	–	–	–	–	1	–	4	2	7	11	18	17	19	32	22	15	6	9	2	–
	White ..... Male	81	–	–	–	–	–	–	–	–	1	1	3	8	8	10	5	16	13	7	3	5	1	–
	Female	37	–	–	–	–	–	–	1	–	1	–	3	1	4	6	5	6	3	2	2	3	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	–	2	–	–	2	3	1	7	7	3	5	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	3	–	2	3	3	1	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	545	–	4	5	1	4	4	7	7	17	17	28	31	55	53	71	91	65	42	29	12	2	–
	White ..... Male	214	–	1	1	1	4	2	2	2	4	6	10	13	21	24	37	37	29	11	6	3	–	–
	Female	153	–	1	3	–	–	1	1	1	5	6	8	6	11	13	15	33	15	15	14	5	–	–
	All other ..... Male	82	–	–	–	–	–	1	1	–	5	1	7	7	8	9	8	10	11	9	3	2	–	–
	Female	96	–	2	1	–	–	–	3	4	3	4	3	5	15	7	11	11	10	7	6	2	2	–
204–207	Leukemia	174	–	4	3	4	5	2	3	3	4	6	5	12	9	12	22	24	19	24	9	3	1	–
	White ..... Male	67	–	2	1	1	2	–	1	1	1	3	1	6	4	4	11	12	4	9	3	1	–	–
	Female	58	–	1	1	–	–	–	2	–	1	2	2	4	3	4	3	6	11	10	6	1	1	–
	All other ..... Male	28	–	1	1	2	2	1	–	–	–	–	1	1	1	2	5	5	2	4	–	–	–	–
	Female	21	–	–	–	1	1	1	–	2	2	1	1	1	1	2	3	1	2	1	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	201	–	–	1	1	3	1	5	3	3	3	8	10	20	35	27	30	25	16	7	3	–	–
	White ..... Male	69	–	–	–	–	–	1	1	1	1	3	4	5	9	11	10	12	6	2	2	1	–	–
	Female	70	–	–	1	1	2	–	1	1	–	–	3	3	7	17	9	8	8	7	1	1	–	–
	All other ..... Male	40	–	–	–	–	1	–	2	1	1	–	–	2	2	5	4	7	7	5	2	1	–	–
	Female	22	–	–	–	–	–	–	1	–	1	–	1	–	2	2	4	3	4	2	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	47	–	1	–	1	–	–	–	–	1	3	2	1	7	5	6	6	7	3	3	–	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	2	3	1	1	–	–	–
	Female	17	–	1	–	–	–	–	–	–	–	2	1	1	3	1	2	2	2	1	1	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	1	–	1	–	1	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
250	Diabetes mellitus	402	–	–	1	–	–	–	4	1	12	2	12	19	15	36	58	67	74	56	40	5	–	–
	White ..... Male	81	–	–	–	–	–	–	–	–	5	–	2	5	1	9	7	18	20	8	5	1	–	–
	Female	120	–	–	–	–	–	–	1	1	1	1	1	4	5	7	20	20	14	24	18	3	–	–
	All other ..... Male	70	–	–	–	–	–	–	3	–	4	1	6	1	4	6	6	10	17	6	5	1	–	–
	Female	131	–	–	1	–	–	–	–	–	2	–	3	9	5	14	25	19	23	18	12	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	34	2	–	–	–	–	–	–	–	–	–	1	3	–	1	2	2	6	5	5	3	4	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	4	2	3	1	1	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	2	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi—Con.																							
280–285	Anemias	49	2	2	3	1	2	–	3	1	–	1	2	2	–	2	5	3	7	9	4	–	–	–
	White ..... Male	15	–	–	1	–	–	–	–	–	–	–	1	–	–	1	3	1	2	3	3	–	–	–
	Female	7	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–
	All other ..... Male	10	1	–	1	–	1	–	2	1	–	–	–	2	–	–	–	–	–	2	–	–	–	–
	Female	17	1	2	1	–	1	–	1	–	–	1	1	–	–	–	2	1	3	2	1	–	–	–
320	Meningitis	28	16	3	–	–	–	–	2	–	–	–	1	1	1	1	1	–	–	2	–	–	–	–
	White ..... Male	10	4	2	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	8	5	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	8	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	10,825	32	8	2	3	10	25	30	34	81	142	213	387	592	813	1,242	1,497	1,676	1,660	1,363	676	334	5
	White ..... Male	3,782	5	3	1	2	2	4	8	12	32	62	94	190	287	357	546	590	561	513	341	125	45	2
	Female	3,341	2	–	–	–	–	5	1	3	8	13	32	64	84	150	253	406	546	669	632	338	135	–
	All other ..... Male	1,906	14	4	–	–	3	10	15	11	24	47	48	77	109	179	248	288	284	224	180	83	57	1
	Female	1,796	11	1	1	1	5	6	6	8	17	20	39	56	112	127	195	213	285	254	210	130	97	2
390–398, 402, 404, 410–429	Diseases of heart	7,728	22	7	2	2	9	17	19	27	66	109	163	322	472	629	976	1,089	1,203	1,087	858	445	201	3
	White ..... Male	2,955	3	3	1	1	2	4	6	12	28	56	82	171	240	305	448	470	428	347	228	88	30	2
	Female	2,298	1	–	–	–	–	2	1	2	5	8	21	54	66	119	199	288	381	449	397	224	81	–
	All other ..... Male	1,293	9	3	–	–	3	7	9	7	23	30	33	58	88	114	186	181	202	144	112	49	34	1
	Female	1,182	9	1	1	1	4	4	3	6	10	15	27	39	78	91	143	150	192	147	121	84	56	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	75	–	–	–	1	3	1	–	1	–	3	–	9	5	10	10	10	7	10	3	2	–	–
	White ..... Male	22	–	–	–	1	–	–	–	–	–	1	–	4	1	5	4	1	–	3	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	3	3	–	4	3	4	4	2	1	–	–
	All other ..... Male	14	–	–	–	–	2	1	–	–	–	1	–	2	–	2	–	3	2	1	–	–	–	–
	Female	15	–	–	–	–	1	–	–	1	–	1	–	–	1	3	2	3	1	2	–	–	–	–
402	Hypertensive heart disease	86	–	–	–	–	–	1	–	–	2	3	3	4	8	8	13	10	11	11	8	4	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	2	1	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	1	–	5	–	2	–	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	1	1	1	–	2	2	5	2	5	1	–	–	–	–
	Female	36	–	–	–	–	–	1	–	–	1	2	1	1	3	3	3	5	4	4	6	2	–	–
404	Hypertensive heart and renal disease	48	1	–	–	–	–	–	–	–	–	1	–	–	2	2	7	7	6	10	5	5	2	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	–	1	–
	All other ..... Male	15	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	5	–	3	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	–	1	1	1	1	–
410–413	Ischemic heart disease	6,287	1	–	–	–	1	2	5	16	42	63	117	237	369	503	792	905	1,024	899	755	378	176	2
	White ..... Male	2,460	–	–	–	–	–	2	3	7	21	39	60	129	196	255	375	391	376	300	205	72	27	2
	Female	1,958	–	–	–	–	–	–	–	1	4	3	16	37	50	99	158	248	331	382	361	195	73	–
	All other ..... Male	954	–	–	–	–	–	–	2	5	14	15	21	41	63	80	142	147	154	105	96	38	31	–
	Female	915	1	–	–	–	1	–	–	3	3	6	20	30	60	69	117	119	163	112	93	73	45	–
410	Acute myocardial infarction	3,469	1	–	–	–	1	2	4	12	32	48	94	172	266	348	542	550	543	406	285	111	52	–
	White ..... Male	1,588	–	–	–	–	–	2	2	6	17	29	52	105	153	186	287	253	230	154	80	22	10	–
	Female	966	–	–	–	–	–	–	–	1	3	3	12	31	35	75	108	158	166	165	134	55	20	–
	All other ..... Male	497	–	–	–	–	–	–	2	3	9	14	17	23	41	45	89	88	73	37	37	10	9	–
	Female	418	1	–	–	–	1	–	–	2	3	2	13	13	37	42	58	51	74	50	34	24	13	–
411	Other acute and subacute forms of ischemic heart disease	31	–	–	–	–	–	–	–	1	1	–	1	1	2	–	5	5	5	–	6	2	1	1
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	1	1	–	4	2	1	–	2	–	–	1
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–
	All other ..... Male	10	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	2	2	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
412	Chronic ischemic heart disease	2,784	–	–	–	–	–	–	1	3	9	15	22	64	100	155	244	350	475	493	464	265	123	1
	White ..... Male	858	–	–	–	–	–	–	1	1	4	10	7	23	42	69	83	136	145	146	123	50	17	1
	Female	987	–	–	–	–	–	–	–	–	1	–	4	6	15	24	50	90	164	217	224	140	52	–
	All other ..... Male	445	–	–	–	–	–	–	–	1	4	1	4	18	20	35	52	57	78	68	58	27	22	–
	Female	494	–	–	–	–	–	–	–	1	–	4	7	17	23	27	59	67	88	62	59	48	32	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	56	1	–	–	–	–	4	3	1	–	1	2	1	2	6	1	4	7	8	6	6	3	–
	White ..... Male	13	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	3	4	–	1	–	–
	Female	22	–	–	–	–	–	1	1	1	–	–	–	–	1	1	–	3	2	4	4	3	1	–
	All other ..... Male	10	1	–	–	–	–	1	1	–	–	–	1	–	–	3	–	1	1	–	–	–	1	–
	Female	11	–	–	–	–	–	2	–	–	–	–	–	1	–	2	–	–	1	–	2	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,176	19	7	2	1	5	9	11	9	22	38	41	71	86	100	153	153	148	149	81	50	20	1
	White ..... Male	438	3	3	1	–	2	2	2	5	7	15	21	36	42	44	64	74	44	38	19	13	3	–
	Female	265	1	–	–	–	–	1	–	–	1	5	4	13	9	16	33	32	43	51	27	23	6	–
	All other ..... Male	280	7	3	–	–	1	5	6	2	8	13	10	15	22	27	38	26	38	32	16	8	2	1
	Female	193	8	1	1	1	2	1	3	2	6	5	6	7	13	13	18	21	23	28	19	6	9	–
400, 401, 403	Hypertension	87	–	–	–	–	–	1	–	1	2	4	3	4	4	8	6	17	9	16	8	2	2	–
	White ..... Male	21	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	6	3	6	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	5	2	2	3	–	1	–
	All other ..... Male	26	–	–	–	–	–	1	–	1	–	3	1	1	1	2	2	4	3	5	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	1	1	2	2	1	3	4	2	1	3	3	–	1	–
430–438	Cerebrovascular diseases	2,459	8	1	–	1	1	6	7	6	11	23	41	50	98	140	223	333	385	461	402	175	85	2
	White ..... Male	633	1	–	–	1	–	–	1	–	2	5	9	13	34	38	77	95	102	129	87	28	11	–
	Female	825	1	–	–	–	–	2	–	1	2	3	9	6	16	22	45	95	134	183	185	88	33	–
	All other ..... Male	494	4	1	–	–	–	2	4	3	1	12	13	17	16	50	58	87	68	62	55	24	17	–
	Female	507	2	–	–	–	1	2	2	2	6	3	10	14	32	30	43	56	81	87	75	35	24	2
431	Cerebral hemorrhage	266	7	–	–	–	–	2	4	4	5	6	10	12	19	19	30	33	34	33	28	15	5	–
	White ..... Male	52	–	–	–	–	–	–	1	–	–	–	1	1	4	8	10	11	4	4	6	2	–	–
	Female	81	1	–	–	–	–	1	–	1	1	1	2	2	3	3	4	7	15	23	11	5	1	–
	All other ..... Male	70	4	–	–	–	–	1	1	2	–	4	5	6	4	6	7	9	8	3	8	1	1	–
	Female	63	2	–	–	–	–	–	2	1	4	1	2	3	8	2	9	6	7	3	3	7	3	–
433	Cerebral thrombosis	434	–	1	–	–	–	1	–	–	–	2	4	7	11	20	45	66	71	85	75	30	16	–
	White ..... Male	119	–	–	–	–	–	–	–	–	–	–	1	5	4	5	17	19	19	26	17	4	2	–
	Female	158	–	–	–	–	–	1	–	–	–	–	–	1	1	2	9	20	25	37	37	18	7	–
	All other ..... Male	86	–	1	–	–	–	–	–	–	–	1	2	1	3	5	14	22	10	11	9	4	3	–
	Female	71	–	–	–	–	–	–	–	–	–	1	1	–	3	8	5	5	17	11	12	4	4	–
434	Cerebral embolism	8	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	2	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,751	1	–	–	1	1	3	2	2	6	15	27	31	68	100	148	233	279	341	298	129	64	2
	White ..... Male	459	1	–	–	1	–	–	–	–	2	5	7	7	26	25	50	65	78	97	64	22	9	–
	Female	583	–	–	–	–	–	–	–	–	1	2	7	3	12	17	32	67	94	123	136	64	25	–
	All other ..... Male	336	–	–	–	–	–	1	2	1	1	7	6	10	9	38	37	56	50	48	38	19	13	–
	Female	373	–	–	–	–	1	2	–	1	2	1	7	11	21	20	29	45	57	73	60	24	17	2
440	Arteriosclerosis	291	–	–	–	–	–	–	–	–	–	–	2	1	3	12	15	26	40	62	57	40	33	–
	White ..... Male	82	–	–	–	–	–	–	–	–	–	–	2	1	3	1	8	7	13	21	15	7	4	–
	Female	129	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	12	18	27	29	23	14	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	4	7	5	2	4	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	3	5	7	8	8	11	–
441–448	Other diseases of arteries, arterioles, and capillaries	260	2	–	–	–	–	1	4	–	2	6	4	10	15	24	22	32	39	34	38	14	13	–
	White ..... Male	91	1	–	–	–	–	–	1	–	1	1	1	5	8	12	13	12	15	10	10	1	–	–
	Female	73	–	–	–	–	–	1	–	–	1	2	2	3	2	3	7	6	11	8	18	3	6	–
	All other ..... Male	63	1	–	–	–	–	–	2	–	–	2	1	1	4	9	2	12	7	6	7	7	2	–
	Female	33	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	2	6	10	3	3	5	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	660	47	7	1	2	–	2	–	5	8	8	7	19	19	21	57	56	109	112	98	47	35	–
	White ..... Male	213	6	–	–	–	–	–	–	1	2	2	3	5	9	6	22	25	45	44	30	7	6	–
	Female	223	2	1	–	–	–	1	–	2	3	2	2	4	6	8	15	15	35	37	44	32	14	–
	All other ..... Male	132	22	3	–	1	–	–	–	2	2	3	1	8	–	5	12	13	16	17	15	7	5	–
	Female	92	17	3	1	1	–	1	–	–	1	1	1	2	4	2	8	3	13	14	9	1	10	–
470–474	Influenza	62	3	–	–	–	–	–	–	–	1	–	–	2	2	3	6	7	16	8	7	5	2	–
	White ..... Male	18	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	2	6	1	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	5	4	3	1	–
	All other ..... Male	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	2	–	–
	Female	13	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	1	–	–	1	–
480–486	Pneumonia	598	44	7	1	2	–	2	–	5	7	8	7	17	17	18	51	49	93	104	91	42	33	–
	White ..... Male	195	6	–	–	–	–	–	–	1	1	2	3	3	8	5	20	23	39	43	28	7	6	–
	Female	203	2	1	–	–	–	1	–	2	3	2	2	4	5	7	15	13	32	32	40	29	13	–
	All other ..... Male	121	20	3	–	1	–	–	–	2	2	3	1	8	–	5	11	11	14	16	14	5	5	–
	Female	79	16	3	1	1	–	1	–	–	1	1	1	2	4	1	5	2	8	13	9	1	9	–
490–493	Bronchitis, emphysema, and asthma	199	3	2	–	–	1	–	1	2	–	–	4	8	18	26	30	26	40	20	12	5	1	–
	White ..... Male	114	2	–	–	–	–	–	–	–	–	–	2	3	8	14	23	12	28	12	7	3	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	3	8	8	6	10	4	3	2	1	–	–
	All other ..... Male	28	–	1	–	–	1	–	1	1	–	–	–	1	2	2	1	3	7	4	3	1	–	–
	Female	12	1	1	–	–	–	–	–	1	–	–	2	1	–	2	–	1	1	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi—Con.																							
490, 491	Chronic and unqualified bronchitis	39	2	2	–	–	–	–	–	–	–	–	1	2	1	5	6	5	7	4	3	1	–	–
	White ..... Male	19	2	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	5	3	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	3	1	–	–	–	–	–
	All other ..... Male	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	137	1	–	–	–	–	–	–	–	–	–	–	5	17	19	22	20	29	12	8	4	–	–
	White ..... Male	90	–	–	–	–	–	–	–	–	–	–	–	2	8	12	20	9	23	8	5	3	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	7	4	1	7	2	1	1	1	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	4	3	2	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
493	Asthma	23	–	–	–	–	1	–	1	2	–	–	3	1	–	2	2	1	4	4	1	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	–	–	–
	All other ..... Male	5	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	1	–	–	1	–
531–533	Peptic ulcer	49	–	–	–	–	–	–	–	1	1	3	–	3	4	2	8	3	8	6	7	2	1	–
	White ..... Male	20	–	–	–	–	–	–	–	–	1	1	–	–	2	1	5	2	3	2	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	2	3	5	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	–	2	1	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	54	8	–	–	–	1	–	–	–	–	1	1	1	1	3	6	9	8	4	5	4	1	1
	White ..... Male	17	4	–	–	–	1	–	–	–	–	1	1	–	1	1	2	1	4	–	1	1	–	–
	Female	13	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	3	2	1	2	2	–	–
	All other ..... Male	17	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	1	1	1	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–	1
571	Cirrhosis of liver	193	–	–	–	–	–	–	1	3	11	12	23	24	40	31	17	10	12	5	2	2	–	–
	White ..... Male	95	–	–	–	–	–	–	–	–	7	3	13	11	22	16	7	3	8	5	–	–	–	–
	Female	59	–	–	–	–	–	–	1	–	2	4	6	10	10	11	4	6	3	–	1	1	–	–
	All other ..... Male	28	–	–	–	–	–	–	–	2	1	3	3	1	6	4	4	1	1	–	1	1	–	–
	Female	11	–	–	–	–	–	–	–	1	1	2	1	2	2	–	2	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	33	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	11	5	2	2	2	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	2	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	1	2	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	–	–	–	–	–
580–584	Nephritis and nephrosis	111	2	1	–	–	–	1	–	–	–	1	4	2	10	13	8	17	18	10	18	4	2	–
	White ..... Male	29	1	–	–	–	–	–	–	–	–	1	1	1	–	7	–	4	3	4	6	1	–	–
	Female	24	1	–	–	–	–	–	–	–	–	–	1	–	4	–	1	4	5	2	6	–	–	–
	All other ..... Male	30	–	1	–	–	–	–	–	–	–	–	2	–	2	4	3	6	5	2	3	2	–	–
	Female	28	–	–	–	–	–	1	–	–	–	–	–	1	4	2	4	3	5	2	3	1	2	–
580, 581	Acute nephritis and nephrotic syndrome	25	1	1	–	–	–	1	–	–	–	–	–	–	4	2	2	2	3	2	6	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	3	–	–	–
	All other ..... Male	6	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	86	1	–	–	–	–	–	–	–	–	1	4	2	6	11	6	15	15	8	12	3	2	–
	White ..... Male	23	1	–	–	–	–	–	–	–	–	1	1	1	–	6	–	3	3	2	4	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	3	4	2	3	–	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	–	2	–	1	3	2	6	4	2	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	3	4	2	2	1	2	–
590	Infections of kidney	56	–	–	–	–	–	–	–	–	1	–	1	1	1	–	6	10	11	14	6	3	2	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	5	1	2	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	4	5	6	4	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	3	1	–	–	2	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	4	2	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Mississippi—Con.																							
640-645	Abortions	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	4	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	142	95	15	2	6	1	4	4	-	1	1	-	1	2	-	3	2	3	1	1	-	-	-
	White ..... Male	37	25	6	-	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-
	Female	43	25	6	-	2	-	2	1	-	-	-	-	1	1	-	1	1	2	1	-	-	-	-
	All other ..... Male	34	22	3	2	1	-	1	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	Female	28	23	-	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	369	367	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White ..... Male	71	70	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	109	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	213	212	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	45	44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	156	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White ..... Male	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	56	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
780-796	Symptoms and ill-defined conditions	1,866	124	7	5	5	4	8	13	15	29	46	57	94	151	150	225	251	223	179	146	81	51	2
	White ..... Male	484	15	-	-	1	-	1	2	2	7	19	20	40	59	61	70	68	59	34	16	7	3	-
	Female	266	9	-	1	-	-	-	-	5	4	6	11	11	13	14	32	46	27	42	25	16	4	-
	All other ..... Male	580	49	5	2	2	4	7	8	6	7	9	14	29	46	46	66	72	75	57	40	19	16	1
	Female	536	51	2	2	2	-	-	3	2	11	12	12	14	33	29	57	65	62	46	65	39	28	1
Residual	All other diseases	1,508	30	10	8	5	11	17	16	24	25	41	47	65	110	135	173	218	209	174	118	48	22	2
	White ..... Male	588	5	3	4	2	4	3	4	8	9	10	23	33	47	63	76	89	88	63	34	18	2	-
	Female	408	5	2	2	1	-	3	1	3	3	8	8	12	26	27	52	63	61	59	48	18	6	-
	All other ..... Male	289	11	3	2	1	1	2	9	4	9	12	9	8	26	30	30	36	33	29	21	3	9	1
	Female	223	9	2	-	1	6	9	2	9	4	11	7	12	11	15	15	30	27	23	15	9	5	1
E800-E949	Accidents	1,742	43	62	54	55	204	219	140	108	85	88	81	94	90	75	85	63	65	66	39	17	9	-
	White ..... Male	806	10	18	18	27	106	114	67	61	44	39	49	51	46	32	37	25	25	21	9	5	2	-
	Female	327	4	11	12	3	41	27	20	18	17	13	11	19	16	13	17	15	18	27	15	6	4	-
	All other ..... Male	438	13	19	16	20	45	64	48	25	20	24	14	16	21	22	19	14	19	6	10	3	-	-
	Female	171	16	14	8	5	12	14	5	4	4	12	7	8	7	8	12	9	3	12	5	3	3	-
E810-E823	Motor vehicle accidents	868	9	27	25	20	146	144	95	69	48	41	30	41	36	32	36	26	24	15	3	1	-	-
	White ..... Male	432	3	5	8	11	81	72	45	38	28	15	21	21	18	12	17	16	10	8	2	1	-	-
	Female	167	3	5	8	2	33	23	17	13	9	10	4	10	9	3	6	3	5	4	-	-	-	-
	All other ..... Male	204	2	7	7	5	22	39	31	16	9	10	4	9	6	11	9	6	9	1	1	-	-	-
	Female	65	1	10	2	2	10	10	2	2	2	6	1	1	3	6	4	1	-	2	-	-	-	-
E800-E807, E825-E949	All other accidents	874	34	35	29	35	58	75	45	39	37	47	51	53	54	43	49	37	41	51	36	16	9	-
	White ..... Male	374	7	13	10	16	25	42	22	23	16	24	28	30	28	20	20	9	15	13	7	4	2	-
	Female	160	1	6	4	1	8	4	3	5	8	3	7	9	7	10	11	12	13	23	15	6	4	-
	All other ..... Male	234	11	12	9	15	23	25	17	9	11	14	10	7	15	11	10	8	10	5	9	3	-	-
	Female	106	15	4	6	3	2	4	3	2	2	6	6	7	4	2	8	8	3	10	5	3	3	-
E950-E959	Suicide	231	...	...	1	-	20	30	32	21	18	9	14	12	22	17	6	10	11	6	2	-	-	-
	White ..... Male	136	...	...	-	-	12	14	19	12	11	5	10	9	14	8	3	8	7	2	2	-	-	-
	Female	47	...	...	-	-	4	5	3	6	5	2	2	2	7	5	2	1	1	2	-	-	-	-
	All other ..... Male	41	...	...	1	-	4	10	8	2	1	1	2	1	1	3	1	1	3	2	-	-	-	-
	Female	7	...	...	-	-	-	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
E960-E978	Homicide	321	-	6	2	-	22	54	49	37	31	21	26	18	15	11	11	12	4	1	-	-	-	1
	White ..... Male	82	-	2	-	-	5	10	11	5	9	6	7	8	4	6	3	4	1	1	-	-	-	-
	Female	26	-	-	-	-	2	4	5	3	4	2	3	-	-	1	-	1	-	-	-	-	-	1
	All other ..... Male	169	-	1	1	-	8	35	28	23	11	12	13	10	10	4	3	7	3	-	-	-	-	-
	Female	44	-	3	1	-	7	5	5	6	7	1	3	-	1	-	5	-	-	-	-	-	-	-
E980-E999	Other external causes	41	-	1	-	-	6	4	3	3	-	4	5	3	1	1	3	-	3	1	-	1	-	2
	White ..... Male	21	-	-	-	-	3	3	2	1	-	-	4	2	-	-	2	-	1	-	-	1	-	2
	Female	9	-	-	-	-	1	1	-	1	-	2	1	-	-	1	1	-	1	-	-	-	-	-
	All other ..... Male	5	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	6	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri																							
	All causes	49,442	1,080	213	112	152	486	598	516	479	549	726	1,160	1,901	2,816	3,928	5,265	6,294	6,814	6,879	5,548	2,896	1,014	16
	White ..... Male	23,926	422	91	62	78	320	367	274	257	299	351	614	1,002	1,562	2,292	3,044	3,411	3,292	2,981	2,038	888	270	11
	Female	20,473	322	61	28	52	108	102	111	131	152	233	356	580	873	1,193	1,653	2,351	2,975	3,452	3,211	1,853	673	3
	All other ..... Male	2,812	175	35	16	13	52	103	97	72	63	99	119	199	225	242	333	274	269	233	114	56	22	1
	Female	2,231	161	26	6	9	6	26	34	19	35	43	71	120	156	201	235	258	278	213	185	99	49	1
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	11	1	–	–	–	–	1	–	1	–	1	–	–	–	5	3	1	3	3	3	3	–
	White ..... Male	10	2	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	1	1	–
	Female	16	1	–	–	–	–	–	1	–	–	–	–	–	–	–	4	3	1	2	1	1	2	–
	All other ..... Male	6	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	Tuberculosis, all forms	76	–	–	–	–	–	–	1	–	1	1	2	3	6	3	12	11	14	5	12	4	1	–
	White ..... Male	38	–	–	–	–	–	–	–	–	1	–	–	–	3	–	7	6	9	2	8	2	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	1	2	–	2	4	3	3	3	3	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	–	–	–	1	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	1	–	1	–	–	–
010-012	Tuberculosis of respiratory system	59	–	–	–	–	–	–	1	–	1	1	2	3	5	1	8	9	8	4	11	4	1	–
	White ..... Male	29	–	–	–	–	–	–	–	–	1	–	–	–	2	–	5	5	6	1	7	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	1	2	–	–	3	3	2	3	3	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–
013-019	Tuberculosis, other forms	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	6	1	1	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	11	3	3	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	1	–	–
	White ..... Male	7	2	2	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	188	21	1	–	1	1	2	–	1	1	2	3	9	11	6	19	31	25	24	21	5	4	–
	White ..... Male	74	10	–	–	1	1	1	–	1	–	–	1	4	4	1	7	15	11	10	5	1	1	–
	Female	73	3	–	–	–	–	1	–	–	1	2	2	3	2	5	8	10	7	11	12	3	3	–
	All other ..... Male	17	4	–	–	–	–	–	–	–	–	–	–	2	3	–	–	3	2	2	1	–	–	–
	Female	24	4	1	–	–	–	–	–	–	–	–	–	–	2	–	4	3	5	1	3	1	–	–
040-043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090-097	Syphilis and its sequelae	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000-136	Other infective and parasitic diseases	108	6	3	3	1	3	4	–	4	5	2	–	6	5	10	11	11	11	8	10	3	2	–
	White ..... Male	48	2	1	1	–	–	2	–	–	4	–	–	2	4	5	5	8	5	4	4	1	–	–
	Female	43	1	–	1	–	2	2	–	1	1	2	–	2	–	5	6	3	5	4	4	2	2	–
	All other ..... Male	6	1	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	11	2	–	–	1	1	–	–	2	–	–	–	1	1	–	–	–	1	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,718	6	17	14	21	24	36	43	63	97	189	355	578	884	1,229	1,490	1,509	1,276	1,017	614	205	50	1
	White Male	4,714	–	7	9	7	9	17	17	29	40	59	135	236	407	663	811	800	671	466	243	70	18	–
	Female	4,017	6	7	4	12	10	16	23	27	44	97	166	264	369	431	513	582	508	468	331	116	23	–
	All other Male	564	–	3	1	2	5	3	–	4	6	20	27	49	57	77	97	70	51	62	19	8	3	–
	Female	423	–	–	–	–	–	–	3	3	7	13	27	29	51	58	69	57	46	21	21	11	6	1
140–149	Of buccal cavity and pharynx	162	1	–	1	–	–	–	–	1	1	7	9	11	14	29	26	24	12	19	4	2	1	–
	White Male	92	–	–	1	–	–	–	–	–	–	4	7	4	8	13	16	18	7	11	2	1	–	–
	Female	47	1	–	–	–	–	–	–	–	–	2	1	3	4	9	8	5	3	8	2	1	–	–
	All other Male	21	–	–	–	–	–	–	–	–	1	1	1	4	2	6	2	1	2	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,435	–	–	–	1	1	2	2	9	14	25	56	97	197	279	373	400	373	307	204	76	19	–
	White Male	1,112	–	–	–	1	1	2	2	4	6	11	26	46	97	153	175	199	174	123	67	19	6	–
	Female	1,057	–	–	–	–	–	–	–	3	7	4	18	36	69	86	145	167	174	158	128	53	9	–
	All other Male	145	–	–	–	–	–	–	–	2	–	6	9	8	16	27	29	16	10	17	5	–	–	–
	Female	121	–	–	–	–	–	–	–	–	1	4	3	7	15	13	24	18	15	9	4	4	4	–
160–163	Of respiratory system	2,502	–	–	–	–	–	–	–	5	18	45	112	176	300	392	483	415	290	172	77	14	3	–
	White Male	1,710	–	–	–	–	–	–	–	3	8	18	58	99	181	286	374	302	216	114	44	6	1	–
	Female	550	–	–	–	–	–	–	–	1	8	19	39	47	80	70	67	87	56	43	25	7	1	–
	All other Male	184	–	–	–	–	–	–	–	1	1	7	11	27	28	27	31	21	10	13	6	1	–	–
	Female	58	–	–	–	–	–	–	–	–	1	1	4	3	11	9	11	5	8	2	2	–	1	–
174	Of breast	795	1	–	–	–	–	–	1	12	10	36	55	85	101	106	86	103	74	54	55	13	3	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	1	–	–	1	–	–	–
	Female	724	1	–	–	–	–	–	1	11	7	32	45	80	91	94	77	95	71	52	52	12	3	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	61	–	–	–	–	–	–	–	1	2	3	10	4	8	12	7	7	2	2	2	1	–	–
180–187	Of genital organs	1,114	–	–	–	–	3	4	9	4	10	22	32	49	71	118	147	176	174	161	90	37	6	1
	White Male	450	–	–	–	–	2	–	–	3	2	2	–	5	3	33	51	77	97	90	56	24	5	–
	Female	497	–	–	–	–	1	3	8	1	6	17	29	37	57	66	73	72	49	49	25	4	–	–
	All other Male	89	–	–	–	–	–	1	–	–	–	–	–	1	1	9	13	13	18	20	6	6	1	–
	Female	78	–	–	–	–	–	–	1	–	2	3	3	6	10	10	10	14	10	2	3	3	–	1
188, 189	Of urinary organs	458	–	–	3	–	–	1	–	1	1	10	13	16	35	50	66	71	67	72	32	14	6	–
	White Male	267	–	–	2	–	–	1	–	–	1	4	9	8	20	34	43	40	46	37	14	6	2	–
	Female	155	–	–	1	–	–	–	–	–	–	4	2	5	12	14	15	23	20	31	16	8	4	–
	All other Male	19	–	–	–	–	–	–	–	–	–	1	2	2	2	1	4	2	1	3	1	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	1	–	1	1	1	4	6	–	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,334	3	6	4	8	12	14	19	17	25	24	56	88	113	162	180	197	145	131	98	28	4	–
	White Male	623	–	3	2	1	3	6	8	11	13	11	25	45	62	91	88	95	68	50	36	4	1	–
	Female	594	3	2	2	6	8	7	10	5	11	11	24	31	40	60	72	88	65	71	55	20	3	–
	All other Male	60	–	1	–	1	1	1	–	1	–	1	3	7	7	4	11	9	5	6	1	1	–	–
	Female	57	–	–	–	–	–	–	1	–	1	1	4	5	4	7	9	5	7	4	6	3	–	–
204–207	Leukemia	379	1	8	5	11	5	6	8	5	11	12	8	19	23	30	49	45	52	49	21	7	4	–
	White Male	196	–	3	4	4	1	2	4	2	4	4	3	13	14	22	26	26	28	21	10	3	2	–
	Female	155	1	4	1	6	1	4	3	3	5	5	3	6	8	8	18	14	23	26	10	4	2	–
	All other Male	22	–	1	–	1	3	–	–	–	2	3	1	–	–	–	4	4	1	2	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	539	–	3	1	1	3	9	4	9	7	8	14	37	30	63	80	78	89	52	33	14	4	–
	White Male	256	–	1	–	1	2	6	3	6	6	4	7	15	20	31	36	42	35	20	13	7	1	–
	Female	238	–	1	–	–	–	2	1	3	–	3	5	19	8	24	38	31	47	30	18	7	1	–
	All other Male	22	–	1	1	–	1	1	–	–	1	1	–	–	1	3	3	4	3	1	–	–	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	2	3	1	5	3	1	4	1	2	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	89	–	1	–	–	1	–	1	2	1	4	5	3	7	5	12	13	11	10	5	7	1	–
	White Male	33	–	–	–	–	1	–	–	–	–	2	3	2	4	1	8	6	4	1	1	–	–	–
	Female	44	–	–	–	–	–	–	–	1	1	2	2	1	1	2	4	5	6	8	4	7	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	8	–	1	–	–	–	–	1	1	–	–	–	–	1	1	–	1	1	–	–	–	1	–
250	Diabetes mellitus	816	–	–	–	–	1	1	4	6	7	14	16	24	54	79	101	146	129	111	82	34	7	–
	White Male	267	–	–	–	–	–	–	1	2	4	5	6	8	23	29	34	48	37	41	22	7	–	–
	Female	428	–	–	–	–	1	–	2	3	3	3	6	7	17	35	46	77	80	60	57	24	7	–
	All other Male	46	–	–	–	–	–	1	–	1	–	3	2	3	9	3	11	4	5	1	–	3	–	–
	Female	75	–	–	–	–	–	–	1	–	–	3	2	6	5	12	10	17	7	9	3	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	83	–	–	–	–	–	–	–	1	–	1	–	2	–	–	4	5	10	14	23	17	6	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	7	2	13	7	1	–
	Female	41	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	2	2	11	9	7	5	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri—Con.																							
280–285	Anemias	71	–	1	1	1	–	–	1	2	–	–	2	2	5	6	9	5	14	11	3	6	2	–
	White ..... Male	31	–	–	1	–	–	–	–	–	–	–	1	1	2	1	4	3	5	5	1	5	2	–
	Female	30	–	–	–	1	–	–	–	1	–	–	–	1	2	4	5	1	7	5	2	1	–	–
	All other ..... Male	7	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
320	Meningitis	24	9	5	1	2	–	–	–	–	–	–	–	–	3	–	1	1	1	1	–	–	–	–
	White ..... Male	9	5	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	7	1	1	1	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
	All other ..... Male	5	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
390–448	Major cardiovascular diseases	24,825	28	11	4	6	12	21	32	74	92	204	375	719	1,152	1,672	2,452	3,254	3,920	4,321	3,676	2,076	720	4
	White ..... Male	11,540	12	7	3	3	6	9	13	40	52	119	236	453	724	1,010	1,448	1,746	1,786	1,793	1,268	619	190	3
	Female	11,254	7	1	1	3	5	7	12	23	23	44	74	144	272	474	733	1,257	1,814	2,274	2,225	1,368	492	1
	All other ..... Male	1,025	5	–	–	–	1	2	5	10	12	23	43	70	95	104	156	132	152	116	61	30	8	–
	Female	1,006	4	3	–	–	–	3	2	1	5	18	22	52	61	84	115	119	168	138	122	59	30	–
390–398, 402, 404, 410–429	Diseases of heart	18,428	25	6	2	5	7	12	26	47	69	166	317	627	983	1,393	1,946	2,508	2,853	3,015	2,522	1,402	493	4
	White ..... Male	9,049	12	3	1	2	4	6	12	26	43	106	232	417	650	868	1,182	1,386	1,337	1,294	912	427	146	3
	Female	7,864	6	–	1	3	2	2	8	15	12	31	55	103	205	375	564	931	1,294	1,545	1,479	912	320	1
	All other ..... Male	788	3	–	–	–	1	1	4	6	9	16	33	65	82	80	122	106	109	79	46	20	6	–
	Female	727	4	3	–	–	–	3	2	–	5	13	17	42	46	70	78	85	113	97	85	43	21	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	318	–	1	–	1	1	3	2	2	2	9	11	20	36	35	49	49	43	28	18	6	2	–
	White ..... Male	133	–	–	–	1	1	2	2	1	–	6	4	10	18	12	21	21	16	10	7	1	–	–
	Female	159	–	–	–	–	–	–	–	1	1	1	6	5	14	20	26	27	24	16	11	5	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	–	1	–	–	–	–	–
	Female	19	–	1	–	–	–	1	–	–	1	2	1	2	3	3	–	1	2	2	–	–	–	–
402	Hypertensive heart disease	173	–	–	–	–	–	–	–	1	–	2	5	9	11	14	28	23	20	24	22	10	4	–
	White ..... Male	51	–	–	–	–	–	–	–	–	–	1	4	4	2	8	12	6	2	7	4	1	–	–
	Female	87	–	–	–	–	–	–	–	–	–	–	1	–	3	3	8	14	14	16	16	8	4	–
	All other ..... Male	17	–	–	–	–	–	–	–	1	–	–	–	2	3	3	3	2	1	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	3	3	–	5	1	3	–	1	1	–	–
404	Hypertensive heart and renal disease	148	–	–	–	–	–	–	1	–	–	1	3	2	4	4	8	15	14	30	30	28	8	–
	White ..... Male	64	–	–	–	–	–	–	1	–	–	1	1	1	1	3	4	5	3	17	15	10	2	–
	Female	69	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	9	7	13	14	16	6	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	3	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	1	–	–	2	–	–
410–413	Ischemic heart disease	16,043	1	–	–	–	1	1	12	30	59	127	257	536	828	1,211	1,703	2,213	2,552	2,645	2,234	1,204	425	4
	White ..... Male	7,990	1	–	–	–	–	1	6	20	40	84	179	374	566	769	1,045	1,251	1,211	1,139	803	367	131	3
	Female	6,825	–	–	–	–	–	–	3	9	8	23	39	84	163	318	491	803	1,154	1,359	1,316	784	270	1
	All other ..... Male	651	–	–	–	–	1	–	2	1	8	13	28	48	68	67	106	91	91	64	39	18	6	–
	Female	577	–	–	–	–	–	–	1	–	3	7	11	30	31	57	61	68	96	83	76	35	18	–
410	Acute myocardial infarction	7,636	1	–	–	–	1	1	9	19	38	90	183	357	557	726	998	1,168	1,259	1,055	765	321	88	–
	White ..... Male	4,454	1	–	–	–	–	1	4	12	25	63	139	270	409	512	648	716	667	513	326	117	31	–
	Female	2,796	–	–	–	–	–	–	3	7	6	20	25	52	108	181	290	405	545	500	414	188	52	–
	All other ..... Male	232	–	–	–	–	1	–	1	–	5	4	18	24	29	17	36	28	23	24	13	6	3	–
	Female	154	–	–	–	–	–	–	1	–	2	3	1	11	11	16	24	19	24	18	12	10	2	–
411	Other acute and subacute forms of ischemic heart disease	47	–	–	–	–	–	–	–	–	1	–	–	1	3	1	5	7	7	6	9	6	1	–
	White ..... Male	25	–	–	–	–	–	–	–	–	1	–	–	1	3	–	3	5	3	2	4	2	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	4	5	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	8,326	–	–	–	–	–	–	3	11	20	37	74	177	268	482	695	1,031	1,278	1,580	1,457	873	336	4
	White ..... Male	3,494	–	–	–	–	–	–	2	8	14	21	40	103	154	255	392	527	537	623	471	245	99	3
	Female	3,990	–	–	–	–	–	–	–	2	2	3	14	31	55	136	196	392	601	852	896	591	218	1
	All other ..... Male	419	–	–	–	–	–	–	1	1	3	9	10	24	39	50	70	63	68	40	26	12	3	–
	Female	423	–	–	–	–	–	–	–	–	1	4	10	19	20	41	37	49	72	65	64	25	16	–
413	Angina pectoris	34	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	7	8	4	3	4	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	4	1	2	3	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	4	4	3	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	113	1	–	1	1	1	–	–	2	–	1	2	1	4	8	6	11	15	23	13	15	8	–
	White ..... Male	45	–	–	1	1	–	–	–	1	–	–	1	–	2	3	4	6	9	11	2	3	1	–
	Female	61	1	–	–	–	1	–	–	–	–	–	1	1	1	4	2	5	5	12	10	11	7	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri—Con.																							
420-423, 425-427, 429	All other forms of heart disease	1,633	23	5	1	3	4	8	11	12	8	26	39	59	100	121	152	197	209	265	205	189	46	-
	White ..... Male	766	11	3	-	-	3	3	3	4	3	14	23	28	61	73	96	97	96	110	81	45	12	-
	Female	663	5	-	1	3	1	2	5	5	3	7	8	13	23	29	35	73	90	129	112	88	31	-
	All other ..... Male	104	3	-	-	-	-	1	2	3	1	3	5	11	8	9	11	13	13	14	5	2	-	-
	Female	100	4	2	-	-	-	2	1	-	1	2	3	7	8	10	10	14	10	12	7	4	3	-
400, 401, 403	Hypertension	179	-	-	-	-	-	-	1	3	1	2	4	3	10	13	16	23	24	37	25	13	4	-
	White ..... Male	67	-	-	-	-	-	-	-	1	-	1	1	-	1	7	6	11	7	19	11	1	1	-
	Female	80	-	-	-	-	-	-	1	-	-	-	-	1	5	5	6	10	8	16	14	11	3	-
	All other ..... Male	15	-	-	-	-	-	-	-	1	1	1	2	-	2	1	2	1	2	1	-	1	-	-
	Female	17	-	-	-	-	-	-	-	1	-	-	1	2	2	-	2	1	7	1	-	-	-	-
430-438	Cerebrovascular diseases	4,717	3	4	2	1	5	7	4	22	15	30	41	72	124	200	369	570	822	971	854	464	137	-
	White ..... Male	1,787	-	3	2	1	2	2	1	12	6	10	19	28	50	99	177	255	334	357	263	136	30	-
	Female	2,550	1	1	-	-	3	5	2	7	8	9	13	35	52	74	135	266	419	558	551	310	101	-
	All other ..... Male	175	2	-	-	-	-	-	1	3	1	6	5	4	9	16	26	22	33	28	12	7	-	-
	Female	205	-	-	-	-	-	-	-	-	-	5	4	5	13	11	31	27	36	28	28	11	6	-
431	Cerebral hemorrhage	591	-	2	-	-	3	3	1	13	4	9	12	25	37	49	64	82	101	85	65	29	7	-
	White ..... Male	236	-	1	-	-	1	1	-	8	1	4	5	9	16	27	29	41	41	25	18	9	-	-
	Female	299	-	1	-	-	2	2	1	3	2	1	5	14	12	18	25	35	53	55	45	19	6	-
	All other ..... Male	27	-	-	-	-	-	-	-	2	1	4	1	2	4	1	6	1	1	3	1	-	-	-
	Female	29	-	-	-	-	-	-	-	-	-	-	1	-	5	3	4	5	6	2	1	1	1	-
433	Cerebral thrombosis	1,078	1	1	-	-	-	1	-	-	1	2	6	7	18	31	77	134	165	255	213	122	44	-
	White ..... Male	379	-	1	-	-	-	-	-	-	-	-	3	2	8	15	38	60	68	78	58	37	11	-
	Female	614	1	-	-	-	-	1	-	-	1	2	1	3	6	11	29	63	80	162	142	79	33	-
	All other ..... Male	43	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	6	12	8	3	2	-	-
	Female	42	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	5	5	7	10	4	-	-
434	Cerebral embolism	43	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	12	10	8	4	3	-	-
	White ..... Male	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	2	4	1	2	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	8	4	3	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	3,005	2	1	2	1	2	3	3	9	10	19	23	39	69	118	225	342	546	623	572	310	86	-
	White ..... Male	1,152	-	1	2	1	1	1	1	4	5	6	11	17	26	55	108	147	223	250	186	88	19	-
	Female	1,615	-	-	-	-	1	2	1	4	5	6	7	17	34	45	81	163	278	337	361	211	62	-
	All other ..... Male	105	2	-	-	-	-	-	1	1	-	2	2	2	4	13	13	15	20	17	8	5	-	-
	Female	133	-	-	-	-	-	-	-	-	-	5	3	3	5	5	23	17	25	19	17	6	5	-
440	Arteriosclerosis	810	-	-	-	-	-	-	-	-	1	1	2	6	5	7	25	48	108	187	195	157	68	-
	White ..... Male	269	-	-	-	-	-	-	-	-	-	-	1	2	3	1	17	26	38	70	59	42	10	-
	Female	491	-	-	-	-	-	-	-	-	1	1	1	3	1	4	7	16	61	106	128	109	53	-
	All other ..... Male	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	6	2	2	2	-
	Female	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	4	5	6	4	3	-
441-448	Other diseases of arteries, arterioles, and capillaries	691	-	1	-	-	-	2	1	2	6	5	11	11	30	59	96	105	113	111	80	40	18	-
	White ..... Male	368	-	1	-	-	-	1	-	1	3	2	3	6	20	35	66	68	70	53	23	13	3	-
	Female	269	-	-	-	-	-	-	1	1	2	3	5	2	9	16	21	34	32	49	53	26	15	-
	All other ..... Male	25	-	-	-	-	-	1	-	-	1	-	3	1	1	6	5	1	3	2	1	-	-	-
	Female	29	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	8	7	3	1	-	-
466	Acute bronchitis and bronchiolitis	24	3	1	-	-	-	1	-	-	-	1	-	-	1	-	4	4	1	2	2	4	-	-
	White ..... Male	15	1	1	-	-	-	1	-	-	-	1	-	-	-	-	4	2	-	1	2	2	-	-
	Female	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	1,614	31	12	3	4	2	7	5	13	14	8	15	24	40	55	111	157	248	289	324	174	77	1
	White ..... Male	729	12	2	1	1	2	1	1	4	6	4	7	10	25	35	63	82	117	134	139	59	24	-
	Female	749	9	7	1	2	-	5	2	5	6	3	2	6	8	12	39	62	112	146	168	104	49	1
	All other ..... Male	80	4	3	1	1	-	-	1	3	-	1	4	7	4	6	6	5	12	6	11	4	1	-
	Female	56	6	-	-	-	-	1	1	1	2	-	2	1	3	2	3	8	7	3	6	7	3	-
470-474	Influenza	193	-	-	1	-	-	-	1	-	-	-	4	-	3	4	14	20	27	40	46	21	12	-
	White ..... Male	84	-	-	-	-	-	-	1	-	-	-	1	-	2	1	9	12	11	19	18	9	1	-
	Female	101	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	8	16	21	27	9	11	-
	All other ..... Male	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	3	-	-
480-486	Pneumonia	1,421	31	12	2	4	2	7	4	13	14	8	11	24	37	51	97	137	221	249	278	153	65	1
	White ..... Male	645	12	2	1	1	2	1	-	4	6	4	6	10	23	34	54	70	106	115	121	50	23	-
	Female	648	9	7	1	2	-	5	2	5	6	3	1	6	7	10	34	54	96	125	141	95	38	1
	All other ..... Male	77	4	3	-	1	-	-	1	3	-	1	3	7	4	6	6	5	12	6	10	4	1	-
	Female	51	6	-	-	-	-	1	1	1	2	-	1	1	3	1	3	8	7	3	6	4	3	-
490-493	Bronchitis, emphysema, and asthma	442	5	1	-	-	2	-	2	-	-	2	7	14	18	53	67	97	87	48	31	8	-	-
	White ..... Male	303	2	-	-	-	-	-	1	-	-	2	3	7	7	33	50	74	61	41	17	5	-	-
	Female	117	-	1	-	-	1	-	1	-	-	-	3	3	11	15	13	20	25	7	14	3	-	-
	All other ..... Male	14	2	-	-	-	-	-	-	-	-	-	1	3	-	4	1	3	-	-	-	-	-	-
	Female	8	1	-	-	-	1	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri—Con.																							
490, 491	Chronic and unqualified bronchitis	86	3	1	–	–	–	–	–	–	–	1	–	1	3	9	8	20	16	7	12	5	–	–
	White ..... Male	48	1	–	–	–	–	–	–	–	–	1	–	1	1	7	3	9	9	6	7	3	–	–
	Female	32	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	11	7	1	5	2	–	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
492	Emphysema	325	2	–	–	–	–	–	1	–	–	1	5	10	14	41	56	71	64	40	17	3	–	–
	White ..... Male	247	1	–	–	–	–	–	–	–	–	1	3	5	5	26	46	63	50	35	10	2	–	–
	Female	67	–	–	–	–	–	–	1	–	–	–	2	2	9	12	9	5	14	5	7	1	–	–
	All other ..... Male	10	1	–	–	–	–	–	–	–	–	–	–	3	–	3	–	3	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	31	–	–	–	–	2	–	1	–	–	–	2	3	1	3	3	6	7	1	2	–	–	–
	White ..... Male	8	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	2	2	–	–	–	–	–
	Female	18	–	–	–	–	1	–	–	–	–	–	1	1	–	2	2	4	4	1	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	119	–	–	–	–	–	1	–	2	2	3	–	2	7	10	15	12	21	22	15	4	3	–
	White ..... Male	60	–	–	–	–	–	1	–	1	–	1	–	–	3	8	10	5	10	10	9	2	–	–
	Female	50	–	–	–	–	–	–	–	1	1	1	–	2	3	1	4	6	9	12	6	2	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	1	–
540–543	Appendicitis	19	–	–	–	1	–	–	–	–	–	–	–	2	–	–	4	4	2	2	2	1	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	2	–	2	1	–	–	–
	Female	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	139	15	–	1	1	–	–	–	–	1	1	2	4	5	7	13	13	14	26	20	13	3	–
	White ..... Male	49	6	–	–	–	–	–	–	–	–	–	–	3	–	1	5	8	6	10	6	3	1	–
	Female	73	7	–	–	1	–	–	–	–	1	–	1	–	3	5	5	3	8	14	13	10	2	–
	All other ..... Male	10	2	–	1	–	–	–	–	–	–	1	–	–	1	1	1	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	1	1	–	–	–
571	Cirrhosis of liver	519	–	–	–	–	–	–	6	10	15	35	55	60	57	87	83	48	39	16	6	–	2	–
	White ..... Male	308	–	–	–	–	–	–	2	6	7	15	31	34	30	58	56	36	21	10	1	–	1	–
	Female	128	–	–	–	–	–	–	1	1	4	9	12	11	15	21	19	10	15	5	4	–	1	–
	All other ..... Male	61	–	–	–	–	–	–	1	3	2	10	9	11	9	6	6	–	2	1	1	–	–	–
	Female	22	–	–	–	–	–	–	2	–	2	1	3	4	3	2	2	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	70	–	–	–	–	–	–	–	1	1	2	–	3	2	2	5	7	17	10	16	2	2	–
	White ..... Male	32	–	–	–	–	–	–	–	1	1	1	–	2	2	1	3	2	7	5	7	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	5	9	5	9	2	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	256	–	1	–	–	1	1	3	2	2	2	6	9	16	16	28	36	38	41	32	14	8	–
	White ..... Male	100	–	–	–	–	–	–	–	–	–	–	5	4	3	6	14	13	16	21	13	4	1	–
	Female	100	–	–	–	–	1	–	–	1	1	1	1	2	6	5	9	13	16	14	15	8	7	–
	All other ..... Male	25	–	–	–	–	–	1	2	1	1	–	–	1	4	2	1	3	4	3	2	–	–	–
	Female	31	–	1	–	–	–	–	1	–	–	1	–	2	3	3	4	7	2	3	2	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	67	–	–	–	–	–	–	2	1	–	–	2	2	1	3	8	12	8	12	8	4	4	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	1	1	–	2	5	8	4	5	1	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	2	6	5	4	4	–
	All other ..... Male	10	–	–	–	–	–	–	2	1	–	–	–	–	1	–	1	1	1	1	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	189	–	1	–	–	1	1	1	1	2	2	4	7	15	13	20	24	30	29	24	10	4	–
	White ..... Male	73	–	–	–	–	–	–	–	–	–	–	4	3	3	4	9	5	12	16	12	4	1	–
	Female	72	–	–	–	–	1	–	–	1	1	1	–	1	6	4	7	11	14	8	10	4	3	–
	All other ..... Male	15	–	–	–	–	–	1	–	–	1	–	–	1	3	2	–	2	3	2	–	–	–	–
	Female	29	–	1	–	–	–	–	1	–	–	1	–	2	3	3	4	6	1	3	2	2	–	–
590	Infections of kidney	98	–	–	–	–	–	1	–	1	–	–	1	–	1	7	5	11	20	22	17	6	6	–
	White ..... Male	38	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	5	11	7	7	1	2	–
	Female	53	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	4	9	15	9	4	4	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–
600	Hyperplasia of prostate	27	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	4	10	5	2	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	9	5	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Missouri—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	271	180	20	1	12	6	6	6	5	4	6	3	4	5	4	3	1	2	1	2	–	–	–
	White ..... Male	127	86	8	1	6	3	3	4	2	2	3	2	2	2	1	–	–	2	–	–	–	–	–
	Female	96	56	7	–	4	3	3	1	3	2	2	1	2	3	2	3	1	–	1	2	–	–	–
	All other ..... Male	22	19	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	19	3	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	571	571	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	222	222	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	164	164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	320	320	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	251	251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,956	113	11	–	1	2	5	8	9	21	25	59	103	147	194	229	265	227	230	174	81	50	2
	White ..... Male	1,078	32	6	–	–	1	2	4	5	13	13	30	61	104	138	158	165	127	100	77	24	16	2
	Female	642	34	2	–	1	1	2	4	3	4	6	16	28	32	41	60	75	82	96	84	46	25	–
	All other ..... Male	130	24	1	–	–	–	1	–	1	4	5	9	9	6	8	7	11	12	18	6	5	3	–
	Female	106	23	2	–	–	–	–	–	–	–	1	4	5	5	7	4	14	6	16	7	6	6	–
Residual	All other diseases	3,431	32	28	15	15	20	26	30	32	47	56	92	146	213	312	401	470	503	465	327	157	44	–
	White ..... Male	1,718	14	7	9	7	8	12	9	14	18	24	48	63	103	181	233	273	275	228	131	51	10	–
	Female	1,344	13	13	3	5	7	8	8	12	14	21	34	48	80	89	130	158	192	209	175	96	29	–
	All other ..... Male	207	2	6	1	–	4	4	8	4	9	10	5	22	18	19	27	23	16	14	8	3	4	–
	Female	162	3	2	2	3	1	2	5	2	6	1	5	13	12	23	11	16	20	14	13	7	1	–
E800–E949	Accidents	2,596	35	88	66	71	310	293	202	141	136	80	95	111	114	109	129	132	140	145	113	63	21	2
	White ..... Male	1,643	12	43	37	47	231	238	147	97	95	60	69	74	70	73	81	73	71	59	46	18	1	1
	Female	724	11	21	16	19	69	38	38	33	31	14	19	25	31	31	33	41	57	78	60	42	17	–
	All other ..... Male	146	2	13	9	3	9	13	13	9	5	5	5	9	9	3	10	11	6	4	4	1	2	1
	Female	83	10	11	4	2	1	4	4	2	5	1	2	3	4	2	5	7	6	4	3	2	1	–
E810–E823	Motor vehicle accidents	1,220	7	39	30	36	228	195	138	90	77	42	51	40	48	37	51	43	32	22	12	1	–	1
	White ..... Male	841	3	22	13	23	158	161	103	61	59	31	37	24	34	21	32	26	16	9	7	1	–	–
	Female	306	3	10	11	12	62	27	25	24	15	8	11	15	13	16	15	13	11	12	3	–	–	–
	All other ..... Male	50	–	5	3	1	7	6	8	3	2	2	2	1	1	–	3	2	1	1	1	–	–	1
	Female	23	1	2	3	–	1	1	2	2	1	1	1	–	–	–	1	2	4	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,376	28	49	36	35	82	98	64	51	59	38	44	71	66	72	78	89	108	123	101	62	21	1
	White ..... Male	802	9	21	24	24	73	77	44	36	36	29	32	50	36	52	49	47	55	50	39	17	1	1
	Female	418	8	11	5	7	7	11	13	9	16	6	8	10	18	15	18	28	46	66	57	42	17	–
	All other ..... Male	96	2	8	6	2	2	7	5	6	3	3	3	8	8	3	7	9	5	3	3	1	2	–
	Female	60	9	9	1	2	–	3	2	–	4	–	1	3	4	2	4	5	2	4	2	2	1	–
E950–E959	Suicide	590	...	...	–	2	44	67	60	48	46	38	34	47	42	40	33	30	30	19	9	1	–	–
	White ..... Male	437	...	...	–	2	38	49	44	35	36	22	22	25	32	32	26	26	25	16	7	–	–	–
	Female	121	...	...	–	–	3	11	10	9	6	15	12	20	9	8	5	3	5	2	2	1	–	–
	All other ..... Male	23	...	...	–	–	3	6	4	2	1	1	–	2	–	–	2	1	–	1	–	–	–	–
	Female	9	...	...	–	–	–	1	2	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	527	3	6	2	11	48	108	99	52	47	41	25	18	13	14	12	12	5	5	2	2	1	1
	White ..... Male	162	–	1	–	3	13	22	27	13	17	15	11	4	6	7	7	6	3	2	2	1	1	1
	Female	41	2	1	–	3	3	4	4	3	5	7	1	3	1	–	–	1	1	1	–	1	–	–
	All other ..... Male	277	–	3	2	4	30	68	61	31	22	18	12	9	6	5	3	3	–	–	–	–	–	–
	Female	47	1	1	–	1	2	14	7	5	3	1	1	2	–	2	2	2	1	2	–	–	–	–
E980–E999	Other external causes	116	5	2	1	2	9	17	10	8	7	9	5	8	8	6	2	4	3	1	2	2	–	5
	White ..... Male	63	2	2	–	1	7	9	3	5	3	5	2	4	3	4	2	2	1	1	1	2	–	4
	Female	39	3	–	1	–	2	4	4	2	4	2	2	4	4	2	–	2	1	–	1	–	–	1
	All other ..... Male	10	–	–	–	1	–	4	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana																							
	All causes	6,488	157	30	20	18	101	122	103	75	73	101	153	245	382	571	696	776	747	764	754	447	151	2
	White ..... Male	3,555	66	15	11	12	56	77	66	49	47	60	82	157	252	353	444	481	403	383	327	162	51	1
	Female	2,616	60	9	7	5	32	23	19	19	16	26	54	68	112	189	228	273	321	365	420	275	95	–
	All other ..... Male	195	16	3	1	1	9	18	12	5	6	14	13	12	9	19	12	13	12	7	4	7	1	1
	Female	122	15	3	1	–	4	4	6	2	4	1	4	8	9	10	12	9	11	9	3	3	4	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	11	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	1	–
	White ..... Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6	1	1	1	2	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	1	2	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	20	2	–	–	–	1	–	1	–	–	–	1	1	–	–	4	3	1	4	1	1	–	–
	White ..... Male	7	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–	–
	Female	12	1	–	–	–	–	–	1	–	–	–	1	–	–	–	4	2	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	12	1	–	–	–	–	–	2	–	2	–	–	–	–	–	–	1	2	2	2	–	–	–
	White ..... Male	7	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	2	2	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,227	–	1	1	1	3	3	5	8	3	23	39	70	116	154	178	187	175	121	106	30	3	–
	White ..... Male	684	–	1	–	–	2	3	4	5	–	16	17	31	66	86	98	113	101	67	58	15	1	–
	Female	510	–	–	1	1	1	–	–	3	3	7	20	35	45	67	72	72	70	52	46	13	2	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	–	2	2	1	2	–	–
	Female	18	–	–	–	–	–	–	1	–	–	–	1	3	3	–	5	2	2	–	1	–	–	–
140-149	Of buccal cavity and pharynx	23	–	–	–	–	–	–	–	–	–	–	1	1	3	3	5	5	2	–	2	1	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	3	3	1	4	1	–	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150-159	Of digestive organs and peritoneum	322	–	–	–	–	–	1	–	1	–	6	9	15	28	36	40	53	57	35	30	9	2	–
	White ..... Male	184	–	–	–	–	–	1	–	1	–	5	7	9	16	23	24	30	30	20	12	5	1	–
	Female	130	–	–	–	–	–	–	–	–	–	1	2	5	10	12	15	22	26	15	17	4	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–
160-163	Of respiratory system	294	–	–	–	–	–	–	1	–	1	6	10	19	41	46	59	49	33	10	15	4	–	–
	White ..... Male	204	–	–	–	–	–	–	1	–	–	5	4	13	29	35	39	34	22	9	12	1	–	–
	Female	82	–	–	–	–	–	–	–	–	1	1	6	5	11	11	16	15	10	1	3	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–
174	Of breast	95	–	–	–	–	–	–	–	1	1	2	8	13	7	14	13	13	7	7	8	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	92	–	–	–	–	–	–	–	1	1	2	8	12	6	14	13	13	7	6	8	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
180-187	Of genital organs	188	–	–	–	1	–	–	–	1	–	1	3	3	15	22	28	25	32	26	26	5	–	–
	White ..... Male	115	–	–	–	–	–	–	–	1	–	–	–	–	6	11	16	18	21	15	22	5	–	–
	Female	71	–	–	–	1	–	–	–	–	–	1	2	3	9	11	11	7	11	11	4	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
188, 189	Of urinary organs	63	–	–	–	–	–	–	1	–	–	1	–	3	6	2	6	10	13	15	5	1	–	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	1	–	3	2	1	4	9	10	12	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	1	3	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170-173, 190-199	Of all other and unspecified sites	131	–	1	1	–	1	1	2	1	1	5	4	13	8	20	16	16	14	11	12	4	–	–
	White ..... Male	54	–	1	–	–	–	1	2	1	–	3	2	4	3	7	7	9	7	3	4	–	–	–
	Female	67	–	–	1	–	1	–	–	–	1	2	2	8	4	13	7	6	6	6	7	3	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
204-207	Leukemia	39	–	–	–	–	–	1	–	1	–	2	1	–	3	4	4	4	8	5	3	3	–	–
	White ..... Male	23	–	–	–	–	–	1	–	–	–	2	–	–	3	1	3	3	5	3	1	1	–	–
	Female	15	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	1	3	2	2	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	72	–	–	–	–	2	–	1	3	–	–	3	3	5	7	7	12	9	12	5	2	1	–
	White ..... Male	42	–	–	–	–	2	–	1	2	–	–	3	2	4	5	4	6	5	4	2	2	–	–
	Female	30	–	–	–	–	–	–	–	1	–	–	–	1	1	2	3	6	4	8	3	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	2	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	113	–	–	–	–	–	2	1	1	1	1	2	3	7	3	16	20	22	12	16	5	1	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	1	2	1	5	–	10	5	11	4	4	2	–	–
	Female	62	–	–	–	–	–	2	1	1	1	–	–	2	2	2	5	14	9	8	11	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–	–
260-269	Avitaminoses and other nutritional deficiencies	17	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	4	3	2	–
	White ..... Male	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana—Con.																							
280–285	Anemias	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,025	5	2	1	2	6	5	3	4	16	18	41	83	144	254	325	371	395	467	465	316	102	–
	White ..... Male	1,626	3	–	1	2	2	2	2	4	13	12	27	65	103	170	229	236	200	226	178	116	35	–
	Female	1,321	1	1	–	–	4	3	1	–	–	5	12	13	37	71	84	123	185	235	284	196	66	–
	All other ..... Male	48	1	–	–	–	–	–	–	–	1	1	2	3	3	9	8	8	5	2	2	3	–	–
	Female	30	–	1	–	–	–	–	–	–	2	–	–	2	1	4	4	4	5	4	1	1	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,181	3	1	–	1	4	1	3	4	16	15	33	75	116	220	266	290	282	322	286	183	60	–
	White ..... Male	1,250	2	–	–	1	2	1	2	4	13	12	23	62	89	148	192	187	141	164	115	73	19	–
	Female	865	1	–	–	–	2	–	1	–	–	2	8	9	24	60	63	93	134	152	170	106	40	–
	All other ..... Male	40	–	–	–	–	–	–	–	–	1	1	2	2	2	8	7	7	4	2	1	3	–	–
	Female	26	–	1	–	–	–	–	–	–	2	–	–	2	1	4	4	3	3	4	–	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	55	–	–	–	–	–	1	–	–	–	1	1	3	3	10	7	11	10	3	2	2	1	–
	White ..... Male	22	–	–	–	–	–	1	–	–	–	–	1	1	1	4	1	7	2	2	–	1	1	–
	Female	31	–	–	–	–	–	–	–	–	–	1	–	2	2	5	6	3	8	1	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	20	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	5	3	5	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	2	4	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,682	–	–	–	–	–	–	2	1	12	11	22	49	78	161	202	219	224	260	234	155	52	–
	White ..... Male	963	–	–	–	–	–	–	2	1	9	9	16	41	64	116	150	142	113	127	95	62	16	–
	Female	679	–	–	–	–	–	–	–	–	–	1	5	5	13	39	43	71	107	129	139	92	35	–
	All other ..... Male	25	–	–	–	–	–	–	–	–	1	1	1	2	–	6	6	4	2	1	–	1	–	–
	Female	15	–	–	–	–	–	–	–	–	2	–	–	1	1	–	3	2	2	3	–	–	1	–
410	Acute myocardial infarction	898	–	–	–	–	–	–	1	1	8	10	14	34	57	113	131	152	121	97	96	50	13	–
	White ..... Male	566	–	–	–	–	–	–	1	1	7	8	12	28	48	81	97	98	67	50	42	21	5	–
	Female	303	–	–	–	–	–	–	–	–	–	1	1	3	8	27	27	48	53	45	54	28	8	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	1	1	1	2	–	5	4	4	1	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	–	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	1	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	774	–	–	–	–	–	–	1	–	3	1	8	13	21	47	68	66	102	163	137	105	39	–
	White ..... Male	392	–	–	–	–	–	–	1	–	1	1	4	13	16	34	51	44	46	77	52	41	11	–
	Female	371	–	–	–	–	–	–	–	–	–	–	4	–	5	12	15	22	53	84	85	64	27	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	2	–	–	1	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	5	3	2	1	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	2	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	398	3	1	–	1	4	–	1	3	4	3	10	21	32	47	54	56	39	51	39	23	6	–
	White ..... Male	244	2	–	–	1	2	–	–	3	4	3	6	18	24	28	40	36	20	31	15	9	2	–
	Female	132	1	–	–	–	2	–	1	–	–	–	3	2	7	14	13	17	16	18	23	11	4	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	2	1	1	2	–	–
	Female	9	–	1	–	–	–	–	–	–	–	–	–	1	–	3	–	1	1	1	–	1	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	6	4	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	3	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	3	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	559	2	1	1	1	2	3	–	–	–	3	6	5	22	25	41	49	84	96	112	76	30	–
	White ..... Male	249	1	–	1	1	–	1	–	–	–	–	2	1	10	14	26	28	40	43	38	30	13	–
	Female	301	–	1	–	–	2	2	–	–	–	3	4	3	11	10	14	20	42	53	73	46	17	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
431	Cerebral hemorrhage	59	1	1	–	1	1	1	–	–	–	–	3	1	6	6	7	5	9	7	6	3	1	–
	White ..... Male	26	–	–	–	1	–	–	–	–	–	–	–	–	2	3	5	3	3	6	2	1	–	–
	Female	32	–	1	–	–	1	1	–	–	–	–	3	1	4	3	2	2	6	1	4	2	1	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	102	–	–	–	–	–	–	–	–	–	–	1	–	4	5	6	10	16	17	18	19	6	–
	White ..... Male	52	–	–	–	–	–	–	–	–	–	–	1	–	3	4	4	7	8	8	6	8	3	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	8	9	12	11	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	395	1	–	1	–	1	2	–	–	–	3	2	4	12	14	28	33	59	72	86	54	23	–
	White ..... Male	169	1	–	1	–	–	1	–	–	–	–	1	1	5	7	17	17	29	29	29	21	10	–
	Female	218	–	–	–	–	1	1	–	–	–	3	1	2	6	6	10	15	28	43	56	33	13	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
440	Arteriosclerosis	169	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	9	16	31	47	46	10	–
	White ..... Male	61	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	6	10	9	15	11	2	–
	Female	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	22	31	35	8	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	98	–	–	–	–	–	1	–	–	–	–	2	2	5	6	9	20	13	12	16	10	2	–
	White ..... Male	57	–	–	–	–	–	–	–	–	–	–	2	1	4	5	6	13	9	7	7	2	1	–
	Female	40	–	–	–	–	–	1	–	–	–	–	–	1	1	1	3	6	4	5	9	8	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	White ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	221	6	–	2	–	–	2	–	1	1	1	3	2	2	10	13	24	18	36	41	38	21	–
	White ..... Male	106	1	–	–	–	–	1	–	–	–	–	1	2	1	5	10	11	12	22	22	11	7	–
	Female	101	–	–	2	–	–	1	–	–	1	1	2	–	1	4	2	12	6	13	19	26	11	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–
	Female	10	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–
470–474	Influenza	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	4	2	5	2	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	1	–	2	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	202	6	–	2	–	–	2	–	1	1	1	3	2	2	8	12	22	17	32	39	33	19	–
	White ..... Male	97	1	–	–	–	–	1	–	–	–	–	1	2	1	4	9	11	11	19	21	11	5	–
	Female	91	–	–	2	–	–	1	–	–	1	1	2	–	1	3	2	10	6	12	18	21	11	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–
	Female	10	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–
490–493	Bronchitis, emphysema, and asthma	113	1	–	–	–	–	–	1	1	–	–	2	2	9	10	20	27	17	14	7	–	2	–
	White ..... Male	75	1	–	–	–	–	–	–	1	–	–	–	1	5	8	12	18	8	14	7	–	–	–
	Female	36	–	–	–	–	–	–	1	–	–	–	2	1	2	2	8	9	9	–	–	–	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana—Con.																							
490, 491	Chronic and unqualified bronchitis	19	1	-	-	-	-	-	1	-	-	-	-	-	2	-	6	4	1	2	1	-	1	-
	White Male	13	1	-	-	-	-	-	-	-	-	-	-	-	2	-	5	2	-	2	1	-	-	-
	Female	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	88	-	-	-	-	-	-	-	-	-	-	1	2	7	10	14	23	14	10	6	-	1	-
	White Male	59	-	-	-	-	-	-	-	-	-	-	-	1	3	8	7	16	8	10	6	-	-	-
	Female	27	-	-	-	-	-	-	-	-	-	-	1	1	2	2	7	7	6	-	-	-	1	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-	-	-
	White Male	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	26	-	-	-	-	-	-	1	-	-	-	2	-	1	3	4	4	4	2	4	1	-	-
	White Male	17	-	-	-	-	-	-	1	-	-	-	1	-	-	3	3	3	2	2	2	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	1	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	23	3	-	-	-	-	-	1	-	-	-	-	-	1	3	-	2	1	5	4	3	-	-
	White Male	10	1	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	-	-	3	-	-	-
	Female	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	3	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	105	-	-	-	-	-	2	1	2	1	7	11	18	17	19	13	6	4	2	2	-	-	-
	White Male	59	-	-	-	-	-	-	-	-	1	2	2	10	13	11	9	5	3	1	2	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	1	4	3	3	5	4	-	1	1	-	-	-	-
	All other Male	19	-	-	-	-	-	1	1	1	-	4	5	4	1	1	-	1	-	-	-	-	-	-
	Female	5	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	-	-	-
	White Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	22	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	4	1	3	2	3	-	-
	White Male	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	2	1	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	2	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	-	1	-	-
	White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	15	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	1	1	2	2	-	-
	White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
590	Infections of kidney	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-
	White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-
	White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Montana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	49	35	1	1	–	2	1	1	1	2	–	1	–	1	1	–	–	1	1	–	–	–	–
	White ..... Male	20	14	–	1	–	–	1	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	25	18	–	–	–	2	–	–	–	2	–	1	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	167	20	1	–	1	1	1	2	1	–	1	–	4	15	16	25	14	16	13	23	8	4	1
	White ..... Male	94	7	1	–	1	1	1	1	–	–	–	–	2	10	11	19	11	7	6	9	5	1	1
	Female	66	8	–	–	–	–	–	–	1	–	1	–	1	5	5	6	3	9	7	14	3	3	–
	All other ..... Male	4	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	488	4	1	–	–	2	3	4	4	9	9	18	21	32	55	58	77	55	50	52	26	8	–
	White ..... Male	272	1	1	–	–	2	–	1	2	4	2	10	13	19	33	32	51	33	26	32	5	5	–
	Female	189	3	–	–	–	–	1	3	2	3	5	6	7	9	19	26	24	18	21	20	19	3	–
	All other ..... Male	18	–	–	–	–	–	2	–	–	2	2	1	–	1	3	–	1	3	1	–	2	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	1	1	2	–	–	–	–
E800–E949	Accidents	544	8	19	14	11	70	75	58	37	26	30	21	30	21	25	17	18	15	19	14	9	6	1
	White ..... Male	329	2	9	9	6	37	53	39	25	19	23	12	22	18	16	9	11	7	6	2	3	1	–
	Female	141	3	6	3	4	21	11	9	8	4	3	4	4	2	5	8	6	7	12	11	5	5	–
	All other ..... Male	54	2	3	1	1	9	9	7	3	2	4	3	4	–	2	–	1	1	–	1	–	–	1
	Female	20	1	1	1	–	3	2	3	1	1	–	2	–	1	2	–	–	–	1	–	1	–	–
E810–E823	Motor vehicle accidents	270	3	2	6	7	51	46	46	19	14	11	15	16	9	4	9	5	2	3	–	1	–	1
	White ..... Male	167	–	1	3	3	25	31	30	14	10	9	10	13	7	1	4	2	1	2	–	1	–	–
	Female	63	1	–	1	3	18	9	7	4	2	–	3	2	1	3	5	3	–	1	–	–	–	–
	All other ..... Male	28	1	1	1	1	6	5	6	–	1	2	1	1	–	–	–	–	1	–	–	–	–	1
	Female	12	1	–	1	–	2	1	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	274	5	17	8	4	19	29	12	18	12	19	6	14	12	21	8	13	13	16	14	8	6	–
	White ..... Male	162	2	8	6	3	12	22	9	11	9	14	2	9	11	15	5	9	6	4	2	2	1	–
	Female	78	2	6	2	1	3	2	2	4	2	3	1	2	1	2	3	3	7	11	11	5	5	–
	All other ..... Male	26	1	2	–	–	3	4	1	3	1	2	2	3	–	2	–	1	–	–	1	–	–	–
	Female	8	–	1	–	–	1	1	–	–	–	–	1	–	–	2	–	–	–	1	–	1	–	–
E950–E959	Suicide	121	...	...	–	1	11	21	12	10	8	7	8	6	10	8	8	3	5	3	–	–	–	–
	White ..... Male	88	...	...	–	1	9	15	8	6	7	3	8	5	7	4	6	2	4	3	–	–	–	–
	Female	21	...	...	–	–	1	2	1	4	1	2	–	1	3	4	2	–	–	–	–	–	–	–
	All other ..... Male	8	...	...	–	–	–	3	2	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	Female	4	...	...	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	34	2	2	1	–	2	5	3	3	3	2	4	2	–	2	1	–	2	–	–	–	–	–
	White ..... Male	13	–	1	–	–	–	–	2	3	2	–	2	2	–	1	–	–	–	–	–	–	–	–
	Female	14	2	1	1	–	2	2	1	–	–	1	2	–	–	–	1	–	1	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E980–E999	Other external causes	19	–	–	–	2	1	1	5	2	1	1	–	1	1	1	1	1	–	1	–	–	–	–
	White ..... Male	17	–	–	–	2	1	1	4	2	–	1	–	1	1	1	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska																							
	All causes	14,443	327	62	42	46	145	143	129	106	114	161	294	497	707	1,022	1,344	1,669	2,048	2,242	1,956	1,029	360	-
	White ..... Male	7,659	153	29	29	28	92	100	92	66	63	99	162	313	467	650	812	1,021	1,108	1,085	817	375	98	-
	Female	6,359	131	27	11	16	46	32	23	28	39	50	114	154	215	338	494	618	872	1,126	1,119	646	260	-
	All other ..... Male	239	17	3	2	2	5	11	8	7	8	7	10	20	17	21	18	15	38	18	7	4	1	-
	Female	186	26	3	-	-	2	-	6	5	4	5	8	10	8	13	20	15	30	13	13	4	1	-
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	12	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	2	2	-	-	-
	White ..... Male	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
	All other ..... Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	10	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	2	1	2	1	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	9	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	2	1	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	31	8	2	-	-	-	1	-	1	-	-	-	1	1	4	1	2	2	3	4	1	-	-
	White ..... Male	13	1	1	-	-	-	1	-	-	-	-	-	-	1	3	1	-	2	2	-	1	-	-
	Female	14	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	4	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	31	-	2	2	-	1	-	-	-	2	-	1	2	1	2	2	3	4	7	2	-	-	-
	White ..... Male	16	-	1	2	-	-	-	-	-	2	-	-	1	-	-	1	1	2	4	2	-	-	-
	Female	15	-	1	-	-	1	-	-	-	-	-	1	1	1	2	1	2	2	3	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,951	1	3	5	3	3	9	15	22	21	44	96	185	223	356	399	440	424	351	236	90	25	–
	White ..... Male	1,539	1	2	4	1	–	4	12	10	6	18	35	90	122	195	209	265	224	191	112	32	6	–
	Female	1,331	–	1	1	2	3	5	1	12	15	24	57	85	90	150	181	167	184	158	119	58	18	–
	All other ..... Male	51	–	–	–	–	–	–	1	–	–	–	4	9	8	7	3	6	8	1	3	–	1	–
	Female	30	–	–	–	–	–	–	1	–	–	2	–	1	3	4	6	2	8	1	2	–	–	–
140–149	Of buccal cavity and pharynx	53	–	–	–	–	–	–	–	1	–	1	3	2	8	7	9	9	7	2	4	–	–	–
	White ..... Male	35	–	–	–	–	–	–	–	–	–	–	1	1	7	5	6	5	7	1	2	–	–	–
	Female	15	–	–	–	–	–	–	–	1	–	1	1	–	1	1	3	4	–	1	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	783	–	1	–	–	–	–	3	1	2	4	16	37	44	76	88	122	116	135	87	38	13	–
	White ..... Male	403	–	1	–	–	–	–	2	1	2	1	7	22	24	43	50	70	62	69	32	15	2	–
	Female	359	–	–	–	–	–	–	–	–	–	3	9	13	17	31	33	50	50	66	53	23	11	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3	–	3	–	1	–	–	–
160–163	Of respiratory system	659	–	–	–	–	–	–	–	2	3	13	20	59	70	116	110	105	88	55	13	5	–	–
	White ..... Male	483	–	–	–	–	–	–	–	1	2	7	13	35	49	88	85	86	61	42	11	3	–	–
	Female	156	–	–	–	–	–	–	–	1	1	5	5	20	18	22	24	19	25	12	2	2	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	2	4	3	4	–	–	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–
174	Of breast	242	–	–	–	–	–	1	–	5	5	5	18	17	24	39	37	22	29	17	14	9	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	239	–	–	–	–	–	1	–	5	5	5	18	17	23	39	37	21	28	17	14	9	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
180–187	Of genital organs	379	–	–	–	–	1	–	1	–	3	5	13	19	14	39	49	56	62	57	46	11	3	–
	White ..... Male	179	–	–	–	–	–	–	1	–	–	1	–	2	1	9	13	29	37	45	32	7	2	–
	Female	185	–	–	–	–	1	–	–	–	3	4	13	16	12	30	34	23	21	12	12	4	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	1	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	–	–	–
188, 189	Of urinary organs	159	–	–	–	–	–	–	–	–	–	1	1	8	12	16	22	37	25	14	17	6	–	–
	White ..... Male	106	–	–	–	–	–	–	–	–	–	–	–	7	8	13	17	29	14	8	8	2	–	–
	Female	48	–	–	–	–	–	–	–	–	–	1	1	1	3	2	4	7	11	5	9	4	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	336	1	2	1	2	–	3	8	8	3	6	17	23	23	30	50	40	47	25	30	11	6	–
	White ..... Male	155	1	1	1	–	–	1	7	6	1	3	11	11	15	16	24	16	22	7	12	–	–	–
	Female	171	–	1	–	2	–	2	–	2	2	3	5	10	6	13	26	23	24	18	17	11	6	–
	All other ..... Male	9	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	1	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
204–207	Leukemia	149	–	–	4	1	1	2	3	3	2	2	6	10	10	16	15	18	23	15	9	6	3	–
	White ..... Male	85	–	–	3	1	–	1	2	1	1	1	3	6	6	12	7	13	11	7	5	3	2	–
	Female	63	–	–	1	–	1	1	1	2	1	1	3	4	4	4	8	5	11	8	4	3	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	191	–	–	–	–	1	3	–	2	3	7	2	10	18	17	19	31	27	31	16	4	–	–
	White ..... Male	92	–	–	–	–	–	2	–	1	–	5	–	6	12	9	7	16	10	12	10	2	–	–
	Female	95	–	–	–	–	1	1	–	1	3	1	2	4	6	8	12	15	14	19	6	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	33	–	1	–	–	2	–	–	–	1	1	1	3	2	6	6	4	4	1	1	–	–	–
	White ..... Male	14	–	1	–	–	1	–	–	–	–	1	–	1	1	2	5	1	1	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	2	1	3	1	3	3	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	210	–	–	–	–	–	2	–	2	1	3	4	12	8	18	23	36	37	32	20	9	3	–
	White ..... Male	75	–	–	–	–	–	–	–	1	–	–	2	6	4	7	5	16	15	10	5	2	2	–
	Female	124	–	–	–	–	–	2	–	1	1	3	2	6	3	8	16	18	21	21	15	6	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	30	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	6	7	8	2	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	5	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	2	6	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska—Con.																							
280–285	Anemias	25	1	–	–	–	–	–	1	–	–	–	–	1	1	–	4	2	1	4	4	6	–	–
	White ..... Male	9	1	–	–	–	–	–	1	–	–	–	–	–	1	–	2	1	–	1	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	3	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	11	4	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	4	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,581	6	4	2	1	10	5	9	10	24	45	104	173	287	444	638	898	1,218	1,411	1,329	712	251	–
	White ..... Male	3,885	2	2	2	–	4	4	2	3	13	35	83	137	215	311	406	544	650	638	507	263	64	–
	Female	3,553	4	–	–	1	4	1	5	3	8	7	19	29	66	119	217	343	529	754	812	445	187	–
	All other ..... Male	89	–	2	–	–	2	–	2	3	3	2	1	6	6	10	9	4	23	11	3	2	–	–
	Female	54	–	–	–	–	–	–	–	1	–	1	1	1	–	4	6	7	16	8	7	2	–	–
390–398, 402, 404, 410–429	Diseases of heart	5,466	2	3	2	–	6	4	4	6	17	40	90	138	241	375	501	702	881	974	854	464	162	–
	White ..... Male	2,995	1	1	2	–	3	4	2	3	12	32	76	118	188	271	332	439	479	464	337	180	51	–
	Female	2,366	1	–	–	–	1	–	1	–	2	6	12	16	48	95	155	255	373	499	510	281	111	–
	All other ..... Male	72	–	2	–	–	2	–	1	3	3	2	1	4	5	8	9	3	18	7	2	2	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	5	11	4	5	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	99	–	1	–	–	–	–	–	1	–	3	4	6	4	13	10	18	15	9	11	4	–	–
	White ..... Male	46	–	–	–	–	–	–	–	1	–	2	2	4	–	6	4	10	6	4	6	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	1	2	2	4	7	6	8	9	5	5	3	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	41	–	–	–	–	–	–	–	–	2	1	–	1	–	3	5	5	9	7	5	2	1	–
	White ..... Male	21	–	–	–	–	–	–	–	–	2	1	–	1	–	2	4	1	5	2	1	2	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	5	4	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	54	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	11	15	13	8	3	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	8	6	4	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	7	7	4	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,740	–	–	–	–	1	–	1	3	11	35	75	111	211	323	437	613	762	856	745	417	139	–
	White ..... Male	2,604	–	–	–	–	–	–	1	1	8	29	65	94	173	235	293	391	411	409	291	161	42	–
	Female	2,050	–	–	–	–	1	–	–	–	–	4	8	13	35	79	132	215	326	438	449	253	97	–
	All other ..... Male	59	–	–	–	–	–	–	–	2	3	2	1	4	3	8	8	2	16	6	2	2	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	5	9	3	3	1	–	–
410	Acute myocardial infarction	2,443	–	–	–	–	1	–	1	1	6	24	57	75	147	213	272	379	413	403	292	127	32	–
	White ..... Male	1,490	–	–	–	–	–	–	1	–	6	20	51	60	121	158	186	258	238	202	124	56	9	–
	Female	928	–	–	–	–	1	–	–	–	–	3	5	12	24	52	81	119	170	200	168	70	23	–
	All other ..... Male	20	–	–	–	–	–	–	–	1	–	1	–	3	2	3	4	1	4	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	22	–	–	–	–	–	–	–	–	–	–	1	–	4	2	5	3	2	1	3	–	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	4	1	3	3	2	–	3	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,274	–	–	–	–	–	–	–	2	5	11	17	36	60	108	160	231	347	452	450	290	105	–
	White ..... Male	1,097	–	–	–	–	–	–	–	1	2	9	13	34	48	76	104	130	171	207	164	105	33	–
	Female	1,116	–	–	–	–	–	–	–	–	–	1	3	1	11	26	49	96	156	237	281	183	72	–
	All other ..... Male	39	–	–	–	–	–	–	–	1	3	1	1	1	1	5	4	1	12	6	2	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	8	2	3	1	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	–	–	–	–	1	–	–	1	–	–	–	3	1	2	3	3	9	5	6	4	2	–
	White ..... Male	20	–	–	–	–	1	–	–	–	–	–	–	3	1	2	1	2	4	1	1	3	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	4	5	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	492	2	2	2	–	4	4	3	1	4	1	11	17	25	33	45	61	75	82	74	29	17	–
	White ..... Male	280	1	1	2	–	2	4	1	1	2	–	9	16	14	26	30	35	48	40	32	9	7	–
	Female	196	1	–	–	–	–	–	1	–	2	1	2	1	9	7	13	25	24	40	40	20	10	–
	All other ..... Male	11	–	1	–	–	2	–	1	–	–	–	–	–	2	–	1	1	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–
400, 401, 403	Hypertension	39	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	9	7	6	5	2	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	4	3	2	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	4	4	5	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,532	3	1	–	1	4	1	4	4	4	3	12	24	29	41	102	146	251	338	347	161	56	–
	White ..... Male	613	–	1	–	–	1	–	–	–	–	1	6	10	17	19	50	70	121	133	123	52	9	–
	Female	892	3	–	–	1	3	1	3	3	4	1	6	11	12	18	51	74	122	201	222	109	47	–
	All other ..... Male	11	–	–	–	–	–	–	1	–	–	–	–	2	–	2	–	1	3	1	1	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	–	1	–	2	1	1	5	3	1	–	–	–
431	Cerebral hemorrhage	178	2	1	–	–	–	–	1	1	–	3	5	7	3	11	20	24	22	34	30	13	1	–
	White ..... Male	67	–	1	–	–	–	–	–	–	–	1	2	–	2	5	7	12	11	15	7	4	–	–
	Female	107	2	–	–	–	–	–	1	1	–	1	3	5	1	6	13	11	11	19	23	9	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	280	–	–	–	–	–	–	–	–	–	–	–	2	4	5	19	32	39	62	69	32	16	–
	White ..... Male	111	–	–	–	–	–	–	–	–	–	–	–	2	2	3	8	20	15	18	28	11	4	–
	Female	162	–	–	–	–	–	–	–	–	–	–	–	–	2	–	11	12	22	42	40	21	12	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	3	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,061	1	–	–	1	4	1	3	3	4	–	7	15	22	25	63	89	188	238	246	113	38	–
	White ..... Male	431	–	–	–	–	1	–	–	–	–	–	4	8	13	11	35	37	93	99	88	37	5	–
	Female	614	1	–	–	1	3	1	2	2	4	–	3	6	9	12	27	51	89	137	157	76	33	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	4	2	–	–	–	–
440	Arteriosclerosis	322	–	–	–	–	–	–	–	–	–	1	–	4	–	4	11	17	54	50	87	67	27	–
	White ..... Male	132	–	–	–	–	–	–	–	–	–	1	–	4	–	3	9	10	26	18	32	25	4	–
	Female	183	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	26	29	54	41	23	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	222	1	–	–	–	–	–	1	–	3	1	2	7	16	21	21	30	23	42	35	15	4	–
	White ..... Male	131	1	–	–	–	–	–	–	–	1	1	1	5	9	16	14	24	20	20	13	6	–	–
	Female	87	–	–	–	–	–	–	1	–	2	–	1	2	6	4	7	5	3	21	22	9	4	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	516	3	2	1	3	2	2	1	2	2	1	4	6	13	16	23	36	67	94	118	80	40	–
	White ..... Male	247	1	1	–	1	2	2	1	2	2	1	1	3	8	10	16	18	38	43	56	32	9	–
	Female	247	1	1	1	2	–	–	–	–	–	–	1	1	4	4	5	16	25	49	60	47	30	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	4	2	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	2	1	1	–
470–474	Influenza	53	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	8	10	11	12	6	3	–
	White ..... Male	23	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	3	5	4	5	2	2	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	5	7	7	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	463	3	2	1	3	1	2	–	2	2	1	4	6	13	16	22	28	57	83	106	74	37	–
	White ..... Male	224	1	1	–	1	1	2	–	2	2	1	1	3	8	10	16	15	33	39	51	30	7	–
	Female	218	1	1	1	2	–	–	–	–	–	–	1	1	4	4	4	11	20	42	53	44	29	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	4	2	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	2	–	1	–
490–493	Bronchitis, emphysema, and asthma	182	–	–	–	–	–	–	1	–	1	4	4	4	10	18	27	30	33	32	15	3	–	–
	White ..... Male	132	–	–	–	–	–	–	1	–	–	1	–	2	7	14	20	26	25	24	10	2	–	–
	Female	49	–	–	–	–	–	–	–	–	1	2	4	2	3	4	7	4	8	8	5	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska—Con.																							
490, 491	Chronic and unqualified bronchitis	33	-	-	-	-	-	-	1	-	-	-	-	-	2	4	6	5	1	9	4	1	-	-
	White ..... Male	23	-	-	-	-	-	-	1	-	-	-	-	-	-	3	4	4	-	7	4	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	128	-	-	-	-	-	-	-	-	-	3	1	3	7	13	19	24	28	21	7	2	-	-
	White ..... Male	105	-	-	-	-	-	-	-	-	-	1	-	2	7	10	16	21	24	17	5	2	-	-
	Female	22	-	-	-	-	-	-	-	-	-	1	1	1	-	3	3	3	4	4	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	21	-	-	-	-	-	-	-	-	1	1	3	1	1	1	2	1	4	2	4	-	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-
	Female	17	-	-	-	-	-	-	-	-	1	1	3	1	1	-	2	-	3	2	3	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	41	-	-	-	-	-	-	-	-	-	1	-	-	2	4	4	4	8	5	8	5	-	-
	White ..... Male	22	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	4	2	5	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	3	3	5	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	8	-	1	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	-
	White ..... Male	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	47	2	-	-	1	-	-	-	-	-	-	-	-	1	2	5	5	6	7	12	5	1	-
	White ..... Male	23	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	8	-	-	-
	Female	22	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	4	5	1	-
	All other ..... Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
571	Cirrhosis of liver	144	-	-	1	-	-	-	2	3	5	8	15	21	20	20	23	11	9	3	3	-	-	-
	White ..... Male	87	-	-	1	-	-	-	2	1	3	5	8	11	12	14	16	7	4	1	2	-	-	-
	Female	40	-	-	-	-	-	-	-	1	-	1	4	5	6	6	7	3	5	1	1	-	-	-
	All other ..... Male	7	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	1	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	1	1	2	3	2	-	-	1	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	21	-	-	-	-	-	-	1	-	-	-	-	2	2	2	-	3	1	3	6	-	1	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	2	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	4	-	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
580-584	Nephritis and nephrosis	59	-	-	-	2	-	-	1	1	1	2	1	1	1	3	7	9	10	8	9	3	-	-
	White ..... Male	34	-	-	-	2	-	-	-	-	-	1	1	1	1	1	4	6	8	4	4	1	-	-
	Female	21	-	-	-	-	-	-	1	1	1	1	-	-	-	2	3	2	1	2	5	2	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	4	3	3	-	-	-
	White ..... Male	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	-	2	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	42	-	-	-	2	-	-	1	1	1	2	1	-	1	2	4	7	6	5	6	3	-	-
	White ..... Male	24	-	-	-	2	-	-	-	-	-	1	1	-	1	1	3	4	4	4	2	1	-	-
	Female	16	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	2	1	1	4	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
590	Infections of kidney	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	3	3	-	1	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nebraska—Con.																							
640-645	Abortions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	110	71	8	1	3	2	2	2	2	1	2	-	1	2	4	1	3	1	1	1	2	-	-
	White ..... Male	59	35	5	1	2	-	2	2	1	-	1	-	1	2	2	1	2	-	-	1	1	-	-
	Female	45	31	3	-	1	1	-	-	1	1	1	-	-	-	2	-	1	1	1	-	1	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	Symptoms and ill-defined conditions	228	36	-	-	-	1	1	-	-	2	-	7	9	8	12	14	20	25	34	29	17	13	-
	White ..... Male	130	18	-	-	-	-	1	-	-	2	-	4	6	5	9	10	17	11	15	18	6	8	-
	Female	91	13	-	-	-	1	-	-	-	-	-	2	3	3	3	4	3	13	19	11	11	5	-
	All other ..... Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,008	16	9	4	6	4	9	8	10	8	14	18	39	70	57	108	131	150	172	101	55	19	-
	White ..... Male	590	9	6	3	2	2	6	5	4	3	5	6	21	44	36	75	85	94	104	56	18	6	-
	Female	379	5	3	1	3	2	1	1	4	3	7	10	13	24	20	29	42	51	66	44	37	13	-
	All other ..... Male	17	1	-	-	1	-	2	-	1	1	1	1	1	2	1	2	2	1	-	-	-	-	-
	Female	22	1	-	-	-	-	-	2	1	1	1	1	4	-	-	2	2	4	2	1	-	-	-
E800-E949	Accidents	752	10	20	26	23	106	87	58	41	33	22	19	25	36	35	40	26	28	52	33	28	4	-
	White ..... Male	491	2	6	16	17	73	63	44	35	24	20	9	21	26	25	21	20	15	27	13	12	2	-
	Female	228	7	11	8	6	33	18	11	2	5	2	8	4	9	9	16	6	13	25	19	14	2	-
	All other ..... Male	19	-	-	2	-	-	6	2	2	3	-	1	-	-	-	2	-	-	-	-	1	-	-
	Female	14	1	3	-	-	-	-	1	2	1	-	1	-	1	1	1	-	-	-	1	1	-	-
E810-E823	Motor vehicle accidents	375	4	8	12	11	82	63	40	23	18	11	11	19	10	13	13	11	12	8	4	2	-	-
	White ..... Male	246	-	2	8	6	52	43	29	21	15	10	4	15	6	8	5	9	6	3	3	1	-	-
	Female	114	3	4	3	5	30	15	9	1	2	1	7	4	3	5	7	2	6	5	1	1	-	-
	All other ..... Male	8	-	-	1	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	2	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
E800-E807, E825-E949	All other accidents	377	6	12	14	12	24	24	18	18	15	11	8	6	26	22	27	15	16	44	29	26	4	-
	White ..... Male	245	2	4	8	11	21	20	15	14	9	10	5	6	20	17	16	11	9	24	10	11	2	-
	Female	114	4	7	5	1	3	3	2	1	3	1	1	-	6	4	9	4	7	20	18	13	2	-
	All other ..... Male	11	-	-	1	-	-	1	-	2	3	-	1	-	-	-	2	-	-	-	-	1	-	-
	Female	7	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-
E950-E959	Suicide	145	...	...	-	2	10	16	17	9	9	8	13	6	10	10	10	2	7	7	6	3	-	-
	White ..... Male	118	...	...	-	2	9	12	14	7	7	6	9	6	8	8	9	2	6	6	5	2	-	-
	Female	25	...	...	-	-	1	3	3	2	2	2	4	-	2	1	1	-	1	1	1	1	-	-
	All other ..... Male	1	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	...	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E960-E978	Homicide	46	2	2	-	1	3	5	10	2	2	3	4	3	-	4	2	-	2	1	-	-	-	-
	White ..... Male	27	1	1	-	-	-	3	6	1	1	1	3	3	-	4	-	-	2	1	-	-	-	-
	Female	6	-	1	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	11	1	-	-	-	3	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E980-E999	Other external causes	18	-	1	-	-	1	2	2	1	-	2	2	1	2	1	3	-	-	-	-	-	-	-
	White ..... Male	14	-	1	-	-	1	1	2	1	-	2	1	-	1	1	3	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada																							
	All causes	5,056	137	24	27	20	111	120	112	104	104	130	202	324	472	570	572	584	539	410	299	152	41	2
	White ..... Male	2,794	58	14	9	12	57	69	69	63	56	78	124	175	287	334	357	326	286	213	129	62	14	2
	Female	1,861	52	9	11	5	33	33	27	19	27	29	57	118	149	203	188	223	228	180	160	85	25	–
	All other ..... Male	248	18	–	3	1	13	13	13	17	18	13	9	14	22	24	18	20	18	10	3	1	–	–
	Female	153	9	1	4	2	8	5	3	5	3	10	12	17	14	9	9	15	7	7	7	4	2	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	–	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	9	4	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	9	–	–	1	–	1	–	1	1	1	–	–	1	–	1	1	–	–	1	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,056	–	–	2	2	3	5	4	12	12	20	45	94	122	191	182	140	105	66	39	11	1	–
	White ..... Male	556	–	–	–	2	2	3	4	6	6	9	22	35	64	101	107	82	49	39	22	3	–	–
	Female	451	–	–	1	–	1	2	–	6	5	10	20	49	55	83	64	55	49	26	17	7	1	–
	All other ..... Male	31	–	–	–	–	–	–	–	–	1	1	1	3	3	6	6	2	7	–	–	1	–	–
	Female	18	–	–	1	–	–	–	–	–	–	–	2	7	–	1	5	1	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	27	–	–	–	–	–	–	–	–	–	–	1	1	3	4	8	4	3	2	1	–	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	3	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	256	–	–	–	–	1	1	1	1	3	3	7	23	27	51	37	50	18	18	13	2	–	–
	White ..... Male	135	–	–	–	–	1	1	1	–	2	3	4	10	14	27	25	24	6	9	8	–	–	–
	Female	107	–	–	–	–	–	–	–	1	1	–	2	10	11	21	10	26	10	8	5	2	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–
160–163	Of respiratory system	291	–	–	–	–	–	–	–	1	1	7	17	26	35	59	72	30	27	12	3	1	–	–
	White ..... Male	200	–	–	–	–	–	–	–	1	–	5	12	16	26	40	50	20	17	10	3	–	–	–
	Female	77	–	–	–	–	–	–	–	–	–	2	4	7	9	17	19	8	8	2	–	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	–	2	–	1	3	1	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
174	Of breast	96	–	–	–	–	–	–	–	3	3	6	9	16	10	19	7	6	9	2	4	2	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	–	–	–	–	–	–	–	3	3	6	8	14	10	19	6	6	9	2	4	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
180–187	Of genital organs	94	–	–	–	–	–	–	–	–	–	1	3	9	6	13	14	14	16	13	3	2	–	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	–	1	2	3	2	6	9	10	8	3	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	1	2	5	3	10	8	5	4	5	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	45	–	–	–	–	–	–	–	–	–	1	–	2	7	6	6	7	5	5	4	2	–	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	–	1	3	5	3	6	3	3	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	1	2	2	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	169	–	–	2	1	1	4	3	4	4	1	6	8	28	26	26	19	17	10	7	2	–	–
	White ..... Male	87	–	–	–	1	–	2	3	3	4	–	4	2	14	16	11	13	6	5	2	1	–	–
	Female	74	–	–	1	–	1	2	–	1	–	–	2	6	14	9	12	5	10	5	5	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
204–207	Leukemia	30	–	–	–	1	1	–	–	1	1	–	1	2	3	6	2	5	3	2	1	–	1	–
	White ..... Male	19	–	–	–	1	1	–	–	–	–	–	–	1	2	4	1	4	2	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	1	1	–	1	1	1	2	1	1	1	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	48	–	–	–	–	–	–	–	2	–	1	1	7	3	7	10	5	7	2	3	–	–	–
	White ..... Male	27	–	–	–	–	–	–	–	2	–	1	–	3	–	4	6	3	4	1	3	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	4	3	3	3	2	3	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	7	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	–	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	66	–	–	–	–	–	–	1	1	2	4	4	2	6	8	6	5	13	8	5	1	–	–
	White ..... Male	28	–	–	–	–	–	–	–	–	1	1	1	1	4	4	4	2	7	2	1	–	–	–
	Female	31	–	–	–	–	–	–	1	1	1	3	2	1	2	3	2	2	5	4	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada—Con.																							
280–285	Anemias	9	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	–	–	1	2	1	–	–
	White Male	5	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,123	2	2	1	1	2	2	3	12	18	32	70	119	199	224	247	301	299	265	188	109	27	–
	White Male	1,191	–	1	–	–	1	1	2	7	7	21	48	79	133	148	160	166	154	138	73	45	7	–
	Female	796	2	–	–	1	–	1	–	1	5	2	14	28	47	61	77	118	132	118	109	61	19	–
	All other Male	78	–	–	–	–	1	–	–	3	5	5	4	7	10	10	7	12	7	5	2	–	–	–
	Female	58	–	1	1	–	–	–	1	1	1	4	4	5	9	5	3	5	6	4	4	3	1	–
390–398, 402, 404, 410–429	Diseases of heart	1,643	2	1	1	–	1	1	2	7	16	27	61	108	170	180	208	232	222	196	122	70	16	–
	White Male	978	–	–	–	–	–	1	1	4	7	19	43	75	118	129	140	126	121	107	55	28	4	–
	Female	556	2	–	–	–	–	–	–	–	3	1	12	21	34	42	60	92	90	84	63	40	12	–
	All other Male	62	–	–	–	–	1	–	–	2	5	4	3	7	9	6	7	9	6	2	1	–	–	–
	Female	47	–	1	1	–	–	–	1	1	1	3	3	5	9	3	1	5	5	3	3	2	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	46	–	1	–	–	–	–	–	–	1	2	2	3	6	4	4	6	10	5	1	1	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	1	–	2	3	3	2	1	5	2	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	2	–	3	–	2	5	5	3	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	1	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410–413	Ischemic heart disease	1,420	–	–	–	–	–	–	2	4	11	24	50	97	146	164	178	207	190	163	109	60	15	–
	White Male	865	–	–	–	–	–	–	1	2	4	18	41	71	103	118	123	113	106	90	51	20	4	–
	Female	471	–	–	–	–	–	–	–	–	2	1	5	16	28	39	48	83	76	69	55	38	11	–
	All other Male	52	–	–	–	–	–	–	–	2	5	3	2	6	9	6	6	6	4	2	1	–	–	–
	Female	32	–	–	–	–	–	–	1	–	–	2	2	4	6	1	1	5	4	2	2	2	–	–
410	Acute myocardial infarction	648	–	–	–	–	–	–	–	3	5	14	25	53	80	81	95	105	78	55	32	20	2	–
	White Male	426	–	–	–	–	–	–	–	2	2	11	20	41	54	57	68	57	55	35	16	8	–	–
	Female	190	–	–	–	–	–	–	–	–	2	1	3	7	18	22	25	42	22	19	16	11	2	–
	All other Male	16	–	–	–	–	–	–	–	1	1	2	–	1	5	2	1	3	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	2	4	3	–	1	3	1	1	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	1	–	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	764	–	–	–	–	–	–	2	1	6	10	25	42	65	81	83	101	111	108	76	40	13	–
	White Male	434	–	–	–	–	–	–	1	–	2	7	21	30	48	60	55	55	50	55	34	12	4	–
	Female	278	–	–	–	–	–	–	–	–	–	–	2	7	10	16	23	41	54	50	39	27	9	–
	All other Male	36	–	–	–	–	–	–	–	1	4	1	2	5	4	4	5	3	4	2	1	–	–	–
	Female	16	–	–	–	–	–	–	1	–	–	2	–	–	3	1	–	2	3	1	2	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada—Con.																							
420-423, 425-427, 429	All other forms of heart disease	161	2	-	-	-	1	1	-	3	4	1	8	8	18	12	25	15	17	26	12	7	1	-
	White ..... Male	90	-	-	-	-	-	1	-	2	3	-	2	2	12	8	15	10	10	15	4	6	-	-
	Female	57	2	-	-	-	-	-	-	-	1	-	4	5	3	3	10	3	5	11	8	1	1	-
	All other ..... Male	6	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	1	-	-	-	-	-
400, 401, 403	Hypertension	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430-438	Cerebrovascular diseases	376	-	1	-	1	1	1	1	4	2	4	8	9	17	37	31	56	57	58	49	30	9	-
	White ..... Male	157	-	1	-	-	1	-	1	2	-	1	5	4	6	15	13	31	25	22	11	16	3	-
	Female	194	-	-	-	1	-	1	-	1	2	1	2	5	10	16	16	22	31	32	36	13	5	-
	All other ..... Male	15	-	-	-	-	-	-	-	1	-	1	-	-	1	4	-	3	1	3	1	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	-	1	1	1	1	-
431	Cerebral hemorrhage	43	-	-	-	-	-	-	-	1	2	3	3	3	4	8	2	7	5	3	-	-	2	-
	White ..... Male	18	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	5	3	2	-	-	2	-
	Female	16	-	-	-	-	-	-	-	-	2	-	1	2	2	4	1	1	2	1	-	-	-	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
433	Cerebral thrombosis	43	-	-	-	-	-	-	-	-	-	-	-	4	4	3	1	9	6	6	6	4	-	-
	White ..... Male	20	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	6	2	1	2	3	-	-
	Female	23	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	4	5	4	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	Cerebral embolism	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	288	-	1	-	1	1	1	1	3	-	1	5	2	9	25	28	40	45	49	43	26	7	-
	White ..... Male	118	-	1	-	-	1	-	1	1	-	-	4	1	2	12	13	20	20	19	9	13	1	-
	Female	154	-	-	-	1	-	1	-	1	-	1	1	1	7	10	14	18	24	26	32	12	5	-
	All other ..... Male	10	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	1	3	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-
440	Arteriosclerosis	46	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	2	8	5	14	7	2	-
	White ..... Male	19	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	1	2	3	5	1	-	-
	Female	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	2	9	6	2	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	Other diseases of arteries, arterioles, and capillaries	53	-	-	-	-	-	-	-	1	-	1	1	2	6	6	6	10	9	6	3	2	-	-
	White ..... Male	36	-	-	-	-	-	-	-	1	-	1	-	-	4	3	6	7	6	6	2	-	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	3	3	-	1	2	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	Acute bronchitis and bronchiolitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	120	5	-	-	-	-	-	2	1	1	3	8	3	5	9	8	19	10	16	14	9	7	-
	White ..... Male	56	2	-	-	-	-	-	-	-	-	-	5	-	3	5	5	9	5	8	7	4	3	-
	Female	48	3	-	-	-	-	-	1	-	-	1	-	-	2	4	2	8	5	7	6	5	4	-
	All other ..... Male	7	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	1	1	-	-	-
	Female	9	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	1	-	-	-	-	-	-
470-474	Influenza	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	117	5	-	-	-	-	-	2	1	1	3	8	3	4	9	8	19	9	16	14	9	6	-
	White ..... Male	56	2	-	-	-	-	-	-	-	-	-	5	-	3	5	5	9	5	8	7	4	3	-
	Female	45	3	-	-	-	-	-	1	-	-	1	-	-	1	4	2	8	4	7	6	5	3	-
	All other ..... Male	7	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	1	1	-	-	-
	Female	9	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	1	-	-	-	-	-	-
490-493	Bronchitis, emphysema, and asthma	93	-	-	1	-	-	-	-	-	1	1	3	2	11	15	22	14	19	3	1	-	-	-
	White ..... Male	61	-	-	1	-	-	-	-	-	1	-	1	-	10	8	13	12	13	1	1	-	-	-
	Female	31	-	-	-	-	-	-	-	-	-	1	2	2	1	7	9	2	5	2	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada—Con.																							
490, 491	Chronic and unqualified bronchitis	12	–	–	1	–	–	–	–	–	–	–	–	1	2	3	–	1	3	–	1	–	–	–
	White ..... Male	8	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	74	–	–	–	–	–	–	–	–	1	–	2	–	8	12	21	12	16	2	–	–	–	–
	White ..... Male	50	–	–	–	–	–	–	–	–	1	–	–	–	7	7	13	10	11	1	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	2	–	1	5	8	2	4	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	7	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	21	–	–	–	–	–	–	–	1	1	–	2	1	2	–	2	6	3	–	2	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	2	2	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	–	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	13	2	–	–	–	1	–	–	1	–	–	–	–	–	2	4	1	–	1	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–
	Female	7	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	127	–	–	–	–	1	1	–	1	8	5	11	26	23	23	10	5	8	3	1	1	–	–
	White ..... Male	66	–	–	–	–	1	–	–	–	4	2	5	14	11	11	7	3	4	2	1	1	–	–
	Female	48	–	–	–	–	–	1	–	–	2	2	5	10	9	9	3	2	4	1	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	2	2	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	9	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	2	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	8	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
590	Infections of kidney	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Nevada—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	50	37	1	2	–	–	–	–	2	–	1	–	2	–	4	–	1	–	–	–	–	–	–
	White ..... Male	22	19	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	23	14	1	1	–	–	–	–	1	–	1	–	1	–	4	–	–	–	–	–	–	–	–
	All other ..... Male	5	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	76	18	–	–	1	–	1	1	–	2	1	3	5	5	5	5	7	5	3	6	3	4	1
	White ..... Male	43	8	–	–	1	–	–	–	–	1	1	3	5	4	3	3	3	3	–	3	2	2	1
	Female	22	8	–	–	–	–	1	1	–	–	–	–	–	–	2	2	1	1	1	3	1	1	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–
Residual	All other diseases	413	7	3	2	–	5	3	9	7	6	9	12	22	48	53	51	60	56	26	23	10	1	–
	White ..... Male	216	3	–	–	–	1	1	3	2	4	7	7	7	26	30	31	29	34	14	13	3	1	–
	Female	159	2	3	2	–	2	1	2	2	1	1	3	15	17	19	19	23	20	11	10	6	–	–
	All other ..... Male	19	–	–	–	–	–	–	3	1	1	–	–	–	4	4	1	2	2	1	–	–	–	–
	Female	19	2	–	–	–	2	1	1	2	–	1	2	–	1	–	–	6	–	–	–	1	–	–
E800–E949	Accidents	489	3	16	17	12	71	76	52	35	21	28	25	27	31	17	14	14	9	8	11	2	–	–
	White ..... Male	318	1	11	8	7	40	50	37	24	14	23	16	20	21	10	10	11	7	3	3	2	–	–
	Female	123	–	5	6	3	22	18	11	5	5	3	7	4	8	5	4	3	2	5	7	–	–	–
	All other ..... Male	36	2	–	1	1	6	7	4	5	2	1	1	3	1	2	–	–	–	–	–	–	–	–
	Female	12	–	–	2	1	3	1	–	1	–	1	1	–	1	–	–	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	289	–	5	10	11	62	53	34	21	14	15	13	11	11	7	9	5	3	2	3	–	–	–
	White ..... Male	179	–	4	3	7	33	34	23	13	8	12	9	7	7	3	6	4	3	1	2	–	–	–
	Female	79	–	1	5	3	21	14	7	4	4	2	3	3	3	3	3	1	–	1	1	–	–	–
	All other ..... Male	22	–	–	–	1	6	4	4	3	2	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	9	–	–	2	–	2	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	200	3	11	7	1	9	23	18	14	7	13	12	16	20	10	5	9	6	6	8	2	–	–
	White ..... Male	139	1	7	5	–	7	16	14	11	6	11	7	13	14	7	4	7	4	2	1	2	–	–
	Female	44	–	4	1	–	1	4	4	1	1	1	4	1	5	2	1	2	2	4	6	–	–	–
	All other ..... Male	14	2	–	1	–	–	3	–	2	–	1	1	2	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E950–E959	Suicide	165	...	...	–	2	14	17	21	19	18	15	12	11	13	8	6	2	2	1	1	2	–	1
	White ..... Male	119	...	...	–	1	9	10	16	17	12	10	9	9	9	7	3	1	2	1	1	1	–	1
	Female	35	...	...	–	1	3	3	4	2	5	3	3	2	4	1	2	1	–	–	–	1	–	–
	All other ..... Male	8	...	...	–	–	1	4	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	...	...	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	92	–	1	1	2	8	13	15	8	10	8	6	3	4	2	4	3	2	1	1	–	–	–
	White ..... Male	36	–	1	–	1	1	3	4	2	4	4	4	2	1	2	3	3	1	–	–	–	–	–
	Female	25	–	–	–	–	3	5	6	1	2	1	1	1	2	–	–	–	1	1	1	–	–	–
	All other ..... Male	26	–	–	1	–	3	2	5	5	4	3	1	–	1	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	13	–	–	–	–	3	2	2	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
	White ..... Male	5	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	2	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire																							
	All causes	7,408	129	21	16	19	79	92	69	77	60	108	180	299	437	635	846	976	974	1,063	776	389	162	1
	White ..... Male	3,949	75	11	7	10	56	68	37	54	36	64	106	181	271	423	530	574	500	493	299	117	36	1
	Female	3,436	53	8	9	9	23	24	32	22	24	43	72	115	165	212	313	400	473	566	476	271	126	-
	All other ..... Male	12	-	2	-	-	-	-	-	-	-	1	1	2	-	-	2	-	-	4	-	-	-	-
	Female	11	1	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	1	-	1	1	-	-
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	27	3	-	-	-	-	1	-	2	-	-	-	2	1	1	3	4	2	4	4	-	-	-
	White ..... Male	8	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	-
	Female	18	1	-	-	-	-	1	-	2	-	-	-	2	-	-	2	2	2	3	3	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	17	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	4	-	3	1	2	1	-
	White ..... Male	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	-
	Female	10	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	3	-	2	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,704	-	1	2	7	1	8	12	17	16	29	66	112	157	197	250	254	232	203	104	31	5	-
	White ..... Male	887	-	1	1	5	1	4	4	6	6	11	30	50	75	116	143	142	124	110	46	9	3	-
	Female	813	-	-	1	2	-	4	8	11	10	18	35	61	82	81	107	112	108	92	57	22	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
140-149	Of buccal cavity and pharynx	43	-	-	-	-	-	-	-	-	1	-	2	5	5	4	10	6	3	3	4	-	-	-
	White ..... Male	31	-	-	-	-	-	-	-	-	1	-	2	3	3	2	9	4	3	2	2	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	1	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	466	-	-	-	-	-	1	2	-	3	6	13	24	31	39	66	80	76	73	41	9	2	-
	White ..... Male	221	-	-	-	-	-	1	1	-	2	2	7	10	16	25	31	40	39	32	12	2	1	-
	Female	243	-	-	-	-	-	-	1	-	1	4	5	14	15	14	35	40	37	41	28	7	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
160-163	Of respiratory system	400	-	-	-	-	-	-	-	1	3	4	13	33	54	62	76	56	56	34	7	1	-	-
	White ..... Male	295	-	-	-	-	-	-	-	-	-	1	10	19	40	49	57	44	43	26	5	1	-	-
	Female	104	-	-	-	-	-	-	-	1	3	3	3	13	14	13	19	12	13	8	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	Of breast	158	-	-	-	-	-	-	1	2	4	4	9	19	20	18	12	25	23	10	7	3	1	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	157	-	-	-	-	-	-	1	2	4	4	9	19	20	18	12	25	22	10	7	3	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	Of genital organs	187	-	-	-	-	-	1	1	3	1	3	7	7	17	20	27	28	27	21	17	6	1	-
	White ..... Male	83	-	-	-	-	-	1	-	1	-	-	1	2	1	7	12	17	15	11	11	3	1	-
	Female	103	-	-	-	-	-	-	1	2	1	3	6	5	16	13	15	11	12	9	6	3	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	Of urinary organs	75	-	1	-	-	-	1	-	-	-	2	4	4	4	11	6	9	10	14	7	2	-	-
	White ..... Male	51	-	1	-	-	-	-	-	-	-	1	2	4	2	6	4	7	5	12	6	1	-	-
	Female	24	-	-	-	-	-	1	-	-	-	1	2	-	2	5	2	2	5	2	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	207	-	-	-	2	-	4	4	7	2	5	9	12	19	24	30	28	12	25	15	8	1	-
	White ..... Male	103	-	-	-	-	-	2	1	4	1	3	3	7	10	15	15	14	6	11	8	2	1	-
	Female	104	-	-	-	2	-	2	3	3	1	2	6	5	9	9	15	14	6	14	7	6	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	Leukemia	66	-	-	2	4	1	-	3	3	1	1	4	2	1	3	11	6	8	11	4	1	-	-
	White ..... Male	33	-	-	1	4	1	-	2	-	1	-	2	1	-	2	4	3	3	7	2	-	-	-
	Female	33	-	-	1	-	-	-	1	3	-	1	2	1	1	1	7	3	5	4	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	102	-	-	-	1	-	1	1	1	1	4	5	6	6	16	12	16	17	12	2	1	-	-
	White ..... Male	69	-	-	-	1	-	-	-	1	1	4	3	4	3	10	11	13	9	9	-	-	-	-
	Female	33	-	-	-	-	-	1	1	-	-	-	2	2	3	6	1	3	8	3	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	23	-	-	-	-	-	-	-	-	-	-	-	1	5	4	4	2	1	4	2	-	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	1	4	3	1	1	1	2	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	148	-	-	-	-	-	1	-	-	3	-	4	5	6	17	19	18	23	22	21	8	1	-
	White ..... Male	66	-	-	-	-	-	1	-	-	1	-	3	3	2	12	11	5	11	10	6	1	-	-
	Female	81	-	-	-	-	-	-	-	-	2	-	1	2	3	5	8	13	12	12	15	7	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
260-269	Avitaminoses and other nutritional deficiencies	13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	2	4	2	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire—Con.																							
280–285	Anemias	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	4	1	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,620	3	–	2	4	4	2	5	8	11	29	58	108	181	292	391	494	533	630	470	276	118	1
	White ..... Male	1,906	1	–	1	3	2	2	3	4	9	21	44	81	135	214	251	304	272	268	176	86	28	1
	Female	1,707	2	–	1	1	2	–	2	4	2	7	14	26	46	78	139	189	261	360	294	189	90	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,667	2	–	2	2	2	2	2	7	10	23	48	88	159	235	325	378	389	417	310	190	75	1
	White ..... Male	1,493	1	–	1	1	–	2	2	4	8	18	39	67	119	180	217	244	206	185	122	58	18	1
	Female	1,171	1	–	1	1	2	–	–	3	2	4	9	20	40	55	107	134	183	232	188	132	57	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	47	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	10	13	7	4	1	1	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	8	4	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	5	3	2	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	3	1	1	3	–	1	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	2	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	13	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	6	3	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,331	–	–	–	–	–	–	–	3	10	19	35	77	136	215	282	326	344	367	273	179	64	1
	White ..... Male	1,314	–	–	–	–	–	–	–	3	8	15	28	62	106	167	191	216	181	159	106	54	17	1
	Female	1,014	–	–	–	–	–	–	–	–	2	3	7	14	30	48	90	110	163	208	167	125	47	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410	Acute myocardial infarction	1,234	–	–	–	–	–	–	–	3	9	14	25	57	101	160	193	204	176	145	85	46	15	1
	White ..... Male	768	–	–	–	–	–	–	–	3	7	11	23	44	78	123	129	135	88	71	40	13	2	1
	Female	465	–	–	–	–	–	–	–	–	2	3	2	12	23	37	64	69	88	74	45	33	13	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,086	–	–	–	–	–	–	–	–	1	5	10	20	34	55	88	121	167	220	184	132	49	–
	White ..... Male	542	–	–	–	–	–	–	–	–	1	4	5	18	27	44	62	81	92	88	64	41	15	–
	Female	542	–	–	–	–	–	–	–	–	–	–	5	2	7	11	25	40	75	132	120	91	34	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	19	–	–	–	1	1	–	–	1	–	2	–	–	–	1	2	3	3	2	2	–	1	–
	White ..... Male	9	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	1	1	1	2	–	–	–
	Female	10	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	2	2	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire—Con.																							
420–423, 425–427, 429	All other forms of heart disease	241	2	–	2	1	1	2	2	2	–	2	12	9	21	15	32	33	28	34	25	10	8	–
	White ..... Male	132	1	–	1	–	–	2	2	1	–	1	10	4	12	11	19	20	16	17	10	4	1	–
	Female	109	1	–	1	1	1	–	–	1	–	1	2	5	9	4	13	13	12	17	15	6	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	32	–	–	–	–	–	–	–	–	–	–	–	2	2	2	3	3	2	7	5	3	3	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	1	2	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	5	3	2	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	610	–	–	–	2	2	–	2	1	1	5	10	11	14	34	37	77	99	143	96	52	24	–
	White ..... Male	250	–	–	–	2	2	–	1	–	1	2	5	7	10	17	22	38	43	48	28	18	6	–
	Female	357	–	–	–	–	–	–	1	1	–	3	5	4	4	17	15	38	56	93	68	34	18	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
431	Cerebral hemorrhage	92	–	–	–	1	1	–	–	–	–	2	6	3	5	10	5	13	12	14	12	5	3	–
	White ..... Male	41	–	–	–	1	1	–	–	–	–	2	3	3	3	7	2	6	5	4	1	1	2	–
	Female	51	–	–	–	–	–	–	–	–	–	–	3	–	2	3	3	7	7	10	11	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	124	–	–	–	–	–	–	–	–	–	–	–	2	2	5	3	16	20	39	19	11	7	–
	White ..... Male	54	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	9	10	13	5	6	1	–
	Female	69	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	7	10	25	14	5	6	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	394	–	–	–	1	1	–	2	1	1	3	4	6	7	19	29	48	67	90	65	36	14	–
	White ..... Male	155	–	–	–	1	1	–	1	–	1	–	2	2	5	7	17	23	28	31	22	11	3	–
	Female	237	–	–	–	–	–	–	1	1	–	3	2	4	2	12	12	24	39	58	43	25	11	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	184	–	–	–	–	–	–	–	–	–	1	–	3	–	5	9	15	21	46	48	24	12	–
	White ..... Male	75	–	–	–	–	–	–	–	–	–	1	–	2	–	4	6	7	7	21	17	8	2	–
	Female	109	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	8	14	25	31	16	10	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arterios, arterioles, and capillaries	127	1	–	–	–	–	–	1	–	–	–	–	4	6	16	17	21	22	17	11	7	4	–
	White ..... Male	73	–	–	–	–	–	–	–	–	–	–	–	3	4	12	4	13	15	12	7	1	2	–
	Female	53	1	–	–	–	–	–	1	–	–	–	–	1	2	4	13	8	7	5	4	5	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	247	1	–	1	–	2	–	1	–	1	1	3	4	3	6	18	26	33	53	54	22	18	–
	White ..... Male	114	–	–	–	–	1	–	1	–	1	1	1	4	1	3	13	17	14	26	25	5	1	–
	Female	131	1	–	1	–	1	–	–	–	–	–	2	–	2	3	5	9	18	26	29	17	17	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	21	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	2	2	3	5	2	2	–
	White ..... Male	8	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	4	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	226	1	–	1	–	2	–	–	–	1	1	3	3	3	5	16	24	31	50	49	20	16	–
	White ..... Male	106	–	–	–	–	1	–	–	–	1	1	1	3	1	3	12	15	14	24	24	5	1	–
	Female	118	1	–	1	–	1	–	–	–	–	–	2	–	2	2	4	9	16	25	25	15	15	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	103	–	1	–	–	–	1	–	–	–	1	–	2	1	9	24	22	15	18	7	2	–	–
	White ..... Male	69	–	–	–	–	–	–	–	–	–	–	–	1	1	6	16	18	10	11	5	1	–	–
	Female	34	–	1	–	–	–	1	–	–	–	1	–	1	–	3	8	4	5	7	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire—Con.																							
490, 491	Chronic and unqualified bronchitis	27	-	1	-	-	-	-	-	-	-	-	-	-	-	3	6	7	4	3	3	-	-	-
	White Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	1	-	1	-	-	-
	Female	12	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	3	2	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	69	-	-	-	-	-	-	-	-	-	-	-	2	1	6	17	14	10	14	4	1	-	-
	White Male	51	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	10	9	10	4	1	-	-
	Female	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	4	1	4	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	-	1	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Female	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	19	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	7	1	1	3	1	-	-
	White Male	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	5	-	1	1	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	30	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	5	4	3	10	3	-	-
	White Male	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	2	-	-	-
	Female	20	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	2	8	3	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	133	-	-	-	-	-	2	1	2	3	11	9	15	19	26	23	10	6	3	3	-	-	-
	White Male	84	-	-	-	-	-	-	1	1	1	5	4	10	16	16	18	7	1	2	2	-	-	-
	Female	48	-	-	-	-	-	2	-	1	2	6	5	5	3	10	4	3	5	1	1	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	16	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	2	3	1	1	-	-
	White Male	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	1	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	22	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	5	4	1	1	1	-
	White Male	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	3	1	1	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	-	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-
	White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	17	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	1	3	4	1	-	1	-
	White Male	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	1	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	Infections of kidney	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	1	3	1	1	-
	White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Hampshire—Con.																							
640-645	Abortions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	53	33	9	-	-	1	3	-	-	-	1	2	1	-	-	1	1	-	1	-	-	-	-
	White ..... Male	31	20	6	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	12	3	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	Symptoms and ill-defined conditions	85	11	-	-	1	1	-	1	1	2	1	3	2	3	8	9	10	12	8	5	4	3	-
	White ..... Male	48	5	-	-	-	1	-	1	-	2	1	2	1	2	5	7	8	6	3	2	2	-	-
	Female	37	6	-	-	1	-	-	-	1	-	-	1	1	1	3	2	2	6	5	3	2	3	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	543	4	2	5	1	2	6	5	4	3	7	12	19	26	50	66	84	79	68	65	24	11	-
	White ..... Male	285	3	1	3	-	1	4	2	4	2	4	4	10	15	33	41	48	42	37	23	6	2	-
	Female	257	1	1	2	1	1	2	3	-	1	3	8	9	11	17	25	35	37	31	42	18	9	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-E949	Accidents	332	1	7	6	5	55	49	26	25	11	17	6	16	14	10	7	19	14	19	14	9	2	-
	White ..... Male	211	-	3	2	1	39	39	16	25	7	12	4	12	11	8	5	6	5	7	5	3	1	-
	Female	117	1	2	4	4	16	10	10	-	4	5	1	3	3	2	2	13	9	12	9	6	1	-
	All other ..... Male	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E810-E823	Motor vehicle accidents	161	-	1	1	4	41	37	19	10	4	12	2	7	6	4	-	7	5	-	-	1	-	-
	White ..... Male	114	-	-	-	1	29	29	12	10	3	10	1	5	5	2	-	3	3	-	-	1	-	-
	Female	46	-	1	1	3	12	8	7	-	1	2	1	1	1	2	-	4	2	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	All other accidents	171	1	6	5	1	14	12	7	15	7	5	4	9	8	6	7	12	9	19	14	8	2	-
	White ..... Male	97	-	3	2	-	10	10	4	15	4	2	3	7	6	6	5	3	2	7	5	2	1	-
	Female	71	1	1	3	1	4	2	3	-	3	3	-	2	2	-	2	9	7	12	9	6	1	-
	All other ..... Male	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	Suicide	130	...	...	-	1	9	14	14	16	8	9	11	7	10	6	11	6	2	5	1	-	-	-
	White ..... Male	94	...	...	-	1	7	10	8	12	6	7	9	4	6	3	9	5	1	5	1	-	-	-
	Female	35	...	...	-	-	2	4	6	3	2	2	2	3	4	3	2	1	1	-	-	-	-	-
	All other ..... Male	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	Homicide	13	-	1	-	-	3	1	2	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	White ..... Male	9	-	-	-	-	2	1	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female	4	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	Other external causes	12	1	-	-	-	1	3	1	1	-	-	1	-	-	1	2	-	1	-	-	-	-	-
	White ..... Male	9	1	-	-	-	1	3	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey																							
	All causes	65,993	1,216	212	151	189	477	706	571	624	722	1,037	1,831	3,171	4,552	6,072	7,531	8,514	8,816	8,730	6,667	3,114	1,039	51
	White ..... Male	31,356	428	87	62	84	291	414	310	311	319	456	930	1,672	2,528	3,425	4,114	4,511	4,146	3,638	2,408	957	247	18
	Female	27,946	335	57	44	58	111	145	110	146	182	302	550	975	1,410	1,991	2,742	3,342	4,053	4,652	3,996	2,025	711	9
	All other ..... Male	3,840	243	40	24	30	43	104	105	105	152	178	219	336	380	400	403	380	313	199	109	35	28	14
	Female	2,851	210	28	21	17	32	43	46	62	69	101	132	188	234	256	272	281	304	241	154	97	53	10
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	58	19	3	-	-	-	-	-	-	1	-	2	4	6	2	3	3	5	1	5	4	-	-
	White ..... Male	19	3	2	-	-	-	-	-	-	-	-	-	2	2	1	1	2	2	-	3	1	-	-
	Female	20	5	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	3	1	1	3	-	-
	All other ..... Male	11	6	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	1	-	-	-
	Female	8	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	102	-	-	-	-	1	1	1	-	3	3	4	8	13	14	15	15	9	7	5	3	-	-
	White ..... Male	44	-	-	-	-	-	-	1	-	-	1	1	3	4	7	10	7	3	2	2	3	-	-
	Female	26	-	-	-	-	-	1	-	-	-	-	1	3	2	4	3	2	4	3	3	-	-	-
	All other ..... Male	22	-	-	-	-	-	-	-	-	2	2	1	-	5	3	2	4	1	2	-	-	-	-
	Female	10	-	-	-	-	1	-	-	-	1	-	1	2	2	-	-	2	1	-	-	-	-	-
010-012	Tuberculosis of respiratory system	84	-	-	-	-	1	1	1	-	2	2	4	5	12	13	12	13	6	5	4	3	-	-
	White ..... Male	36	-	-	-	-	-	-	1	-	-	1	1	2	3	7	7	6	2	1	2	3	-	-
	Female	21	-	-	-	-	-	1	-	-	-	-	1	2	2	3	3	2	2	3	2	-	-	-
	All other ..... Male	19	-	-	-	-	-	-	-	-	1	1	1	-	5	3	2	4	1	1	-	-	-	-
	Female	8	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	1	1	-	-	-	-	-
013-019	Tuberculosis, other forms	18	-	-	-	-	-	-	-	-	1	1	-	3	1	1	3	2	3	2	1	-	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	8	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-
	White ..... Male	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
038	Septicemia	283	22	1	1	2	1	4	1	3	6	3	3	10	13	22	20	35	50	46	22	13	5	-
	White ..... Male	117	4	-	-	-	-	2	-	1	4	-	2	4	6	11	9	18	25	17	8	4	2	-
	Female	113	5	-	1	1	1	2	1	-	1	3	-	2	4	7	8	11	21	23	12	7	3	-
	All other ..... Male	34	7	-	-	1	-	-	-	2	-	-	1	3	3	2	2	4	3	3	2	1	-	-
	Female	19	6	1	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	3	-	1	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	152	4	-	3	1	5	4	6	4	5	5	9	9	17	20	18	10	8	10	8	6	-	-
	White ..... Male	54	-	-	1	1	1	2	2	-	2	1	3	2	3	7	10	5	5	5	1	3	-	-
	Female	60	2	-	1	-	1	-	2	1	1	2	4	5	10	6	8	4	3	4	3	3	-	-
	All other ..... Male	22	1	-	1	-	1	2	-	3	2	2	-	-	4	3	-	-	-	-	3	-	-	-
	Female	16	1	-	-	-	2	-	2	-	-	-	2	2	-	4	-	1	-	1	1	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	15,203	1	19	20	22	33	49	61	91	147	280	584	1,071	1,608	1,987	2,300	2,273	1,983	1,480	868	269	55	2
	White ..... Male	7,341	–	13	8	13	16	26	29	33	57	93	232	453	756	985	1,178	1,198	1,047	728	368	96	11	1
	Female	6,469	1	4	9	6	10	14	19	42	60	129	272	473	672	801	929	901	806	672	459	156	34	–
	All other ..... Male	814	–	1	1	2	3	8	6	4	11	32	46	86	100	126	124	111	70	49	21	8	4	1
	Female	579	–	1	2	1	4	1	7	12	19	26	34	59	80	75	69	63	60	31	20	9	6	–
140–149	Of buccal cavity and pharynx	324	–	–	–	–	1	1	1	–	3	6	16	35	55	48	47	42	28	19	15	6	1	–
	White ..... Male	199	–	–	–	–	–	1	–	–	2	3	7	21	33	30	30	27	23	10	7	5	–	–
	Female	80	–	–	–	–	1	–	1	–	1	–	4	9	12	12	10	12	2	8	6	1	1	–
	All other ..... Male	32	–	–	–	–	–	–	–	–	–	3	4	4	6	5	4	3	1	–	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	4	1	3	–	2	1	–	–	–	–
150–159	Of digestive organs and peritoneum	4,429	–	2	–	–	1	3	4	6	18	43	121	231	382	549	698	703	686	527	327	105	22	1
	White ..... Male	2,125	–	2	–	–	1	1	2	5	9	16	65	109	199	305	370	347	333	218	108	33	2	–
	Female	1,898	–	–	–	–	–	2	–	–	4	12	33	86	132	190	271	304	302	282	200	65	15	–
	All other ..... Male	228	–	–	–	–	–	–	1	–	2	10	11	26	34	31	36	30	18	15	7	4	2	1
	Female	178	–	–	–	–	–	–	1	1	3	5	12	10	17	23	21	22	33	12	12	3	3	–
160–163	Of respiratory system	3,765	–	1	–	–	–	–	3	6	23	65	168	317	512	590	658	615	423	252	101	27	3	1
	White ..... Male	2,488	–	1	–	–	–	–	2	2	12	27	86	180	332	381	437	451	313	181	66	15	1	1
	Female	909	–	–	–	–	–	–	–	1	8	21	53	86	124	144	167	115	89	59	30	11	1	–
	All other ..... Male	296	–	–	–	–	–	–	1	1	2	15	24	38	41	53	46	41	18	11	4	–	1	–
	Female	72	–	–	–	–	–	–	–	2	1	2	5	13	15	12	8	8	3	1	1	1	–	–
174	Of breast	1,460	–	–	–	–	–	–	4	18	30	55	107	147	199	199	193	160	150	94	76	25	3	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	–	3	–	–	–	–	–
	Female	1,339	–	–	–	–	–	–	2	15	21	44	98	131	180	185	177	155	143	86	76	24	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	108	–	–	–	–	–	–	2	3	9	11	9	15	17	11	12	5	4	8	–	1	1	–
180–187	Of genital organs	1,700	–	–	–	–	–	8	8	12	11	27	50	102	137	186	241	251	261	224	140	38	4	–
	White ..... Male	707	–	–	–	–	–	5	3	3	1	1	–	11	10	54	92	110	164	144	86	21	2	–
	Female	796	–	–	–	–	–	1	5	7	7	20	46	74	108	107	122	105	74	61	44	14	1	–
	All other ..... Male	104	–	–	–	–	–	2	–	1	–	–	–	4	5	12	15	19	20	17	7	2	–	–
	Female	93	–	–	–	–	–	–	–	1	3	6	4	13	14	13	12	17	3	2	3	1	1	–
188, 189	Of urinary organs	651	–	–	1	1	–	–	2	4	2	5	14	27	37	71	95	101	105	101	59	20	6	–
	White ..... Male	403	–	–	1	1	–	–	–	2	1	4	9	16	24	50	52	63	80	60	33	6	1	–
	Female	206	–	–	–	–	–	–	–	2	–	1	5	9	12	17	31	28	21	37	25	13	5	–
	All other ..... Male	25	–	–	–	–	–	–	–	–	1	–	–	2	1	2	9	6	3	1	–	–	–	–
	Female	17	–	–	–	–	–	–	2	–	–	–	–	–	–	2	3	4	1	3	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	1,580	–	7	5	8	16	13	14	24	29	46	64	125	162	198	209	209	193	133	83	31	11	–
	White ..... Male	763	–	4	3	2	7	8	9	14	16	22	39	67	87	93	108	102	75	55	39	9	4	–
	Female	689	–	3	2	4	6	3	4	7	8	20	21	46	55	87	86	97	103	71	42	19	5	–
	All other ..... Male	76	–	–	–	1	2	2	–	–	2	4	2	9	11	15	11	5	5	4	–	2	1	–
	Female	52	–	–	–	1	1	–	1	3	3	–	2	3	9	3	4	5	10	3	2	1	1	–
204–207	Leukemia	530	–	9	13	12	11	12	15	12	14	14	15	31	44	50	53	72	57	46	37	10	3	–
	White ..... Male	266	–	6	4	9	7	3	10	3	6	6	7	13	24	28	33	39	27	19	18	3	1	–
	Female	224	–	1	7	2	2	5	2	6	7	7	5	16	17	17	18	31	28	27	18	6	2	–
	All other ..... Male	20	–	1	–	1	1	3	3	2	1	–	2	1	–	2	1	1	1	–	–	–	–	–
	Female	20	–	1	2	–	1	1	–	1	–	1	1	1	3	3	1	1	1	–	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	764	1	–	1	1	4	12	10	9	17	19	29	56	80	96	106	120	80	84	30	7	2	–
	White ..... Male	377	–	–	–	1	1	8	3	4	10	14	19	35	45	41	52	59	29	41	11	4	–	–
	Female	328	1	–	–	–	1	3	5	4	4	4	7	16	32	42	47	54	44	41	18	3	2	–
	All other ..... Male	33	–	–	1	–	–	1	1	–	3	–	3	2	2	6	2	6	4	1	1	–	–	–
	Female	26	–	–	–	–	2	–	1	1	–	1	–	3	1	7	5	1	3	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	174	–	2	–	2	3	4	2	2	2	7	8	10	12	11	27	20	18	17	18	7	2	–
	White ..... Male	67	–	2	–	–	3	–	1	2	–	3	4	4	5	4	8	9	8	5	4	4	1	–
	Female	93	–	–	–	2	–	2	1	–	2	4	2	4	5	5	17	10	10	12	13	3	1	–
	All other ..... Male	5	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	2	1	1	2	1	–	–	–	1	–	–	–
250	Diabetes mellitus	1,342	–	–	1	2	2	2	9	14	12	25	31	49	82	132	172	179	235	189	139	56	10	1
	White ..... Male	469	–	–	1	–	2	2	3	8	6	9	15	25	38	59	71	66	75	40	33	15	1	–
	Female	699	–	–	–	2	–	–	3	2	2	9	10	11	31	51	71	86	141	134	100	37	8	1
	All other ..... Male	69	–	–	–	–	–	–	3	2	3	3	2	7	7	11	12	10	5	3	–	–	1	–
	Female	105	–	–	–	–	–	–	–	2	1	4	4	6	6	11	18	17	14	12	6	4	–	–
260–269	Avitaminoses and other nutritional deficiencies	87	2	3	–	–	–	–	1	–	3	–	1	3	2	3	4	10	19	17	11	6	2	–
	White ..... Male	37	–	2	–	–	–	–	–	–	1	–	–	3	1	2	2	6	10	4	5	1	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	9	12	4	5	2	–
	All other ..... Male	8	1	1	–	–	–	–	1	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey—Con.																							
280–285	Anemias	118	–	6	1	2	2	2	1	1	2	1	1	6	3	7	9	14	20	21	12	6	–	1
	White ..... Male	39	–	–	–	–	1	–	–	–	1	–	–	3	2	3	4	4	11	5	3	2	–	–
	Female	56	–	2	1	1	–	–	–	1	1	1	–	2	1	2	5	8	6	13	8	4	–	–
	All other ..... Male	13	–	2	–	–	1	1	1	–	–	–	1	1	–	1	–	1	2	1	1	–	–	–
	Female	10	–	2	–	1	–	1	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	1
320	Meningitis	38	10	3	1	1	–	–	1	–	–	1	2	1	4	3	3	–	7	1	–	–	–	–
	White ..... Male	16	5	–	–	–	–	–	–	–	–	1	1	–	2	2	1	–	3	1	–	–	–	–
	Female	11	1	2	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–
	All other ..... Male	8	2	1	–	1	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	Female	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	34,667	23	10	14	11	25	36	40	83	164	310	686	1,320	1,959	2,839	3,781	4,661	5,194	5,711	4,643	2,302	831	24
	White ..... Male	16,313	9	3	3	4	10	14	20	42	83	177	428	846	1,263	1,767	2,189	2,477	2,311	2,239	1,562	658	201	7
	Female	15,606	2	2	8	5	5	13	8	19	36	56	120	266	441	779	1,256	1,842	2,521	3,192	2,904	1,552	573	6
	All other ..... Male	1,474	7	2	1	1	4	5	7	12	30	46	85	135	162	178	195	190	186	116	71	20	16	5
	Female	1,274	5	3	2	1	6	4	5	10	15	31	53	73	93	115	141	152	176	164	106	72	41	6
390–398, 402, 404, 410–429	Diseases of heart	27,607	12	7	9	4	14	21	22	67	120	235	574	1,128	1,680	2,423	3,176	3,799	4,061	4,381	3,505	1,727	622	20
	White ..... Male	13,575	4	1	–	3	5	6	12	37	68	149	389	764	1,128	1,548	1,904	2,083	1,849	1,770	1,212	479	157	7
	Female	11,962	2	1	6	1	2	8	2	15	18	32	75	199	351	640	1,014	1,463	1,941	2,404	2,179	1,179	425	5
	All other ..... Male	1,144	2	2	1	–	2	4	5	10	24	31	68	109	137	140	152	143	144	90	48	18	11	3
	Female	926	4	3	2	–	5	3	3	5	10	23	42	56	64	95	106	110	127	117	66	51	29	5
390–398	Active rheumatic fever and chronic rheumatic heart disease	600	–	–	–	–	1	5	5	6	11	10	22	53	50	81	111	87	69	57	21	9	2	–
	White ..... Male	220	–	–	–	–	–	1	2	3	4	3	10	26	24	27	38	31	22	17	6	5	1	–
	Female	333	–	–	–	–	–	–	–	1	4	6	6	24	22	48	68	53	44	38	14	4	1	–
	All other ..... Male	25	–	–	–	–	–	3	2	2	–	–	1	2	3	2	4	3	–	2	1	–	–	–
	Female	22	–	–	–	–	1	1	1	–	3	1	5	1	1	4	1	–	3	–	–	–	–	–
402	Hypertensive heart disease	205	–	–	–	–	–	–	1	2	6	4	7	18	17	20	18	28	30	28	16	6	4	–
	White ..... Male	73	–	–	–	–	–	–	–	1	2	–	4	4	8	7	9	11	8	12	5	1	1	–
	Female	93	–	–	–	–	–	–	–	1	1	–	–	5	7	9	5	11	20	15	11	5	3	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	2	2	1	5	–	2	2	1	1	1	–	–	–	–
	Female	22	–	–	–	–	–	–	1	–	1	2	2	4	2	2	2	5	1	–	–	–	–	–
404	Hypertensive heart and renal disease	79	–	–	–	–	–	–	–	–	–	–	–	1	4	2	11	12	11	19	12	5	2	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	6	3	8	6	–	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	6	3	9	6	3	2	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	3	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	–	–
410–413	Ischemic heart disease	25,260	–	–	–	–	2	1	7	39	79	200	495	987	1,508	2,177	2,885	3,502	3,796	4,070	3,285	1,616	591	20
	White ..... Male	12,635	–	–	–	–	1	–	6	27	51	138	351	703	1,038	1,428	1,776	1,958	1,763	1,655	1,139	444	150	7
	Female	10,889	–	–	–	–	–	1	–	8	8	21	61	154	297	547	887	1,313	1,802	2,229	2,045	1,108	403	5
	All other ..... Male	967	–	–	–	–	1	–	–	4	16	24	58	88	117	120	131	135	122	81	41	15	11	3
	Female	769	–	–	–	–	–	–	1	–	4	17	25	42	56	82	91	96	109	105	60	49	27	5
410	Acute myocardial infarction	11,291	–	–	–	–	2	1	4	26	49	125	313	624	914	1,297	1,627	1,751	1,628	1,459	983	369	110	9
	White ..... Male	6,471	–	–	–	–	1	–	4	18	35	92	241	470	655	905	1,040	1,044	805	635	387	108	27	4
	Female	4,158	–	–	–	–	–	1	–	5	4	14	31	92	188	307	507	627	738	754	564	249	75	2
	All other ..... Male	401	–	–	–	–	1	–	–	3	9	13	30	42	50	55	52	46	44	36	11	5	2	2
	Female	261	–	–	–	–	–	–	–	–	1	6	11	20	21	30	28	34	41	34	21	7	6	1
411	Other acute and subacute forms of ischemic heart disease	49	–	–	–	–	–	–	–	–	–	1	3	4	5	4	4	7	5	7	8	1	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	1	2	3	3	2	3	3	3	3	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	2	4	5	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	13,915	–	–	–	–	–	–	3	13	30	74	179	358	589	875	1,254	1,742	2,163	2,603	2,294	1,246	481	11
	White ..... Male	6,137	–	–	–	–	–	–	2	9	16	45	108	229	380	521	733	910	955	1,017	750	336	123	3
	Female	6,708	–	–	–	–	–	–	–	3	4	7	30	61	109	237	379	681	1,062	1,470	1,476	858	328	2
	All other ..... Male	566	–	–	–	–	–	–	–	1	7	11	28	46	67	65	79	89	78	45	30	10	9	1
	Female	504	–	–	–	–	–	–	1	–	3	11	13	22	33	52	63	62	68	71	38	42	21	4
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	79	1	–	–	–	–	2	1	1	1	2	6	6	6	5	9	11	4	10	9	5	–	–
	White ..... Male	43	1	–	–	–	–	2	–	–	1	–	4	4	5	4	5	6	4	4	2	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	2	1	1	1	4	5	–	5	7	3	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,384	11	7	9	4	11	13	8	19	23	19	44	63	95	138	142	159	151	197	162	86	23	–
	White ..... Male	574	3	1	–	3	4	3	4	6	10	8	20	27	51	81	72	71	49	74	54	28	5	–
	Female	582	2	1	6	1	2	7	2	5	5	4	6	15	22	34	47	75	72	108	96	56	16	–
	All other ..... Male	122	2	2	1	–	1	1	2	3	6	4	8	13	17	16	12	4	18	5	6	1	–	–
	Female	106	4	3	2	–	4	2	–	5	2	3	10	8	5	7	11	9	12	10	6	1	2	–
400, 401, 403	Hypertension	172	–	–	–	–	–	–	–	1	3	1	9	9	10	10	15	19	19	30	30	12	4	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	–	3	6	2	5	4	9	12	7	8	3	1	–
	Female	88	–	–	–	–	–	–	–	1	–	–	3	1	7	3	7	8	5	21	20	9	3	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	1	1	2	2	1	1	3	1	1	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	2	–	1	–	–	1	1	1	1	1	–	–	–	–
430–438	Cerebrovascular diseases	5,345	8	3	5	7	11	13	16	12	36	63	84	149	210	292	449	646	889	1,021	874	408	146	3
	White ..... Male	1,935	4	2	3	1	5	7	8	3	13	21	25	58	94	136	192	264	325	355	264	129	26	–
	Female	2,857	–	1	2	4	3	5	4	3	16	23	36	54	69	105	192	314	487	611	559	260	108	1
	All other ..... Male	262	3	–	–	1	2	–	2	1	5	12	13	20	20	32	37	36	35	19	18	2	3	1
	Female	291	1	–	–	1	1	1	2	5	2	7	10	17	27	19	28	32	42	36	33	17	9	1
431	Cerebral hemorrhage	824	6	–	1	2	2	2	5	4	11	20	30	55	73	76	85	112	133	110	65	25	7	–
	White ..... Male	306	3	–	1	–	2	2	4	–	4	8	7	21	31	38	37	42	36	40	21	8	1	–
	Female	406	–	–	–	1	–	–	–	–	4	5	12	19	24	27	36	59	88	66	42	17	6	–
	All other ..... Male	65	2	–	–	–	–	–	–	1	3	6	9	9	9	7	7	4	5	2	1	–	–	–
	Female	47	1	–	–	1	–	–	1	3	–	1	2	6	9	4	5	7	4	2	1	–	–	–
433	Cerebral thrombosis	1,410	–	–	2	–	1	1	1	1	1	4	8	18	42	48	103	162	265	307	274	133	38	1
	White ..... Male	511	–	–	1	–	1	–	–	–	1	2	4	13	24	24	44	63	104	96	83	44	7	–
	Female	789	–	–	1	–	–	1	1	1	–	2	3	3	8	17	48	83	136	196	177	85	27	–
	All other ..... Male	44	–	–	–	–	–	–	–	–	–	–	–	–	4	5	4	8	10	6	5	–	2	–
	Female	66	–	–	–	–	–	–	–	–	–	–	1	2	6	2	7	8	15	9	9	4	2	1
434	Cerebral embolism	27	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	8	8	1	1	1	1	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	6	4	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,084	2	3	2	5	8	10	10	7	24	39	46	76	94	165	258	364	483	603	534	249	100	2
	White ..... Male	1,101	1	2	1	1	2	5	4	3	8	11	14	24	38	72	108	153	181	218	160	77	18	–
	Female	1,654	–	1	1	3	3	4	3	2	12	16	21	32	37	60	108	170	259	349	340	158	74	1
	All other ..... Male	152	1	–	–	1	2	–	2	–	2	6	4	11	7	20	26	24	20	11	12	1	1	1
	Female	177	–	–	–	–	1	1	1	2	2	6	7	9	12	13	16	17	23	25	22	13	7	–
440	Arteriosclerosis	659	–	–	–	–	–	–	–	–	1	2	2	4	16	19	32	48	92	147	145	104	46	1
	White ..... Male	242	–	–	–	–	–	–	–	–	1	2	1	3	10	10	14	24	38	51	43	31	14	–
	Female	379	–	–	–	–	–	–	–	–	–	–	–	1	5	8	17	18	48	88	94	71	29	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	3	2	2	–	2	1
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	3	6	6	2	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	884	3	–	–	–	–	2	2	3	4	9	17	30	43	95	109	149	133	132	89	51	13	–
	White ..... Male	501	1	–	–	–	–	1	–	2	1	5	10	15	29	68	75	97	87	56	35	16	3	–
	Female	320	–	–	–	–	–	–	2	–	2	1	6	11	9	23	26	39	40	68	52	33	8	–
	All other ..... Male	38	2	–	–	–	–	1	–	1	–	2	1	4	3	4	3	9	3	4	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	1	–	–	2	–	5	4	3	4	1	2	2	–
466	Acute bronchitis and bronchiolitis	32	3	3	–	–	–	1	1	–	–	1	–	1	1	–	–	3	6	3	5	4	–	–
	White ..... Male	11	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	–	1	–	–	–
	Female	20	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	2	3	3	4	4	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,647	29	11	3	7	9	15	8	13	21	14	31	52	76	104	121	161	201	292	260	162	56	1
	White ..... Male	795	8	2	2	2	3	7	6	7	9	4	15	18	35	63	75	95	110	143	118	62	11	–
	Female	677	10	3	–	2	4	5	–	–	7	2	8	16	23	28	35	51	72	140	135	94	42	–
	All other ..... Male	102	6	3	–	2	–	2	1	1	3	5	5	15	15	8	8	9	10	4	2	1	1	1
	Female	73	5	3	1	1	2	1	1	5	2	3	3	3	3	5	3	6	9	5	5	5	2	–
470–474	Influenza	71	–	–	–	–	–	1	–	–	1	2	2	1	2	2	5	8	9	18	10	8	2	–
	White ..... Male	29	–	–	–	–	–	1	–	–	–	1	1	1	1	–	3	4	4	9	3	1	–	–
	Female	40	–	–	–	–	–	–	–	–	1	1	–	–	1	2	2	4	5	8	7	7	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
480–486	Pneumonia	1,576	29	11	3	7	9	14	8	13	20	12	29	51	74	102	116	153	192	274	250	154	54	1
	White ..... Male	766	8	2	2	2	3	6	6	7	9	3	14	17	34	63	72	91	106	134	115	61	11	–
	Female	637	10	3	–	2	4	5	–	–	6	1	8	16	22	26	33	47	67	132	128	87	40	–
	All other ..... Male	102	6	3	–	2	–	2	1	1	3	5	5	15	15	8	8	9	10	4	2	1	1	1
	Female	71	5	3	1	1	2	1	1	5	2	3	2	3	3	5	3	6	9	4	5	5	2	–
490–493	Bronchitis, emphysema, and asthma	533	1	1	–	–	3	2	1	4	1	5	8	21	36	58	91	107	75	65	42	10	1	1
	White ..... Male	325	1	–	–	–	1	–	1	1	–	2	3	6	23	31	53	72	54	39	29	8	1	–
	Female	176	–	1	–	–	–	–	–	2	–	2	4	8	12	21	35	33	18	25	13	2	–	–
	All other ..... Male	19	–	–	–	–	2	1	–	1	1	1	1	4	–	1	2	1	2	1	–	–	–	1
	Female	13	–	–	–	–	–	1	–	–	–	–	–	3	1	5	1	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey—Con.																							
490, 491	Chronic and unqualified bronchitis	101	1	–	–	–	–	–	1	–	–	–	1	6	5	13	13	20	11	16	10	3	1	–
	White ..... Male	50	1	–	–	–	–	–	1	–	–	–	1	1	3	5	7	11	5	9	3	2	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	2	2	7	6	8	5	7	7	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
492	Emphysema	389	–	–	–	–	–	–	–	1	1	2	5	12	23	42	76	79	61	48	31	7	–	1
	White ..... Male	266	–	–	–	–	–	–	–	1	–	1	1	5	16	26	46	60	49	30	25	6	–	–
	Female	108	–	–	–	–	–	–	–	–	–	1	4	5	6	13	27	18	10	17	6	1	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	1	–	–	2	–	1	2	1	2	1	–	–	–	1
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
493	Asthma	43	–	1	–	–	3	2	–	3	–	3	2	3	8	3	2	8	3	1	1	–	–	–
	White ..... Male	9	–	–	–	–	1	–	–	–	–	1	1	–	4	–	–	1	–	–	1	–	–	–
	Female	23	–	1	–	–	–	–	–	2	–	1	–	1	4	1	2	7	3	1	–	–	–	–
	All other ..... Male	6	–	–	–	–	2	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	216	–	–	–	–	1	–	–	2	2	5	1	9	14	15	29	37	37	25	24	12	3	–
	White ..... Male	113	–	–	–	–	–	–	–	1	2	3	–	5	7	10	20	22	21	6	11	5	–	–
	Female	84	–	–	–	–	–	–	–	1	–	–	–	1	5	5	6	13	14	18	12	7	2	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	2	1	2	1	–	3	1	2	–	1	–	1	–
	Female	5	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–
540–543	Appendicitis	14	–	1	–	–	–	1	–	–	–	–	–	–	1	3	1	–	2	1	3	1	–	–
	White ..... Male	6	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	178	8	1	1	–	–	–	–	1	1	–	6	1	13	13	12	21	22	32	27	14	4	1
	White ..... Male	62	3	–	1	–	–	–	–	–	1	–	3	1	4	6	2	9	8	11	9	2	1	1
	Female	101	5	–	–	–	–	–	–	1	–	–	2	–	4	6	9	10	12	20	18	12	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–
	Female	10	–	1	–	–	–	–	–	–	–	–	–	–	4	1	–	2	1	1	–	–	–	–
571	Cirrhosis of liver	1,212	2	–	–	–	1	4	18	35	61	68	121	159	153	185	163	116	64	40	15	5	–	2
	White ..... Male	658	1	–	–	–	–	2	8	13	24	17	73	75	87	117	101	69	38	24	7	1	–	1
	Female	367	–	–	–	–	1	–	2	4	13	22	31	53	45	51	51	46	21	15	8	4	–	–
	All other ..... Male	125	–	–	–	–	–	2	4	12	21	21	9	17	16	10	10	–	3	–	–	–	–	–
	Female	62	1	–	–	–	–	–	4	6	3	8	8	14	5	7	1	1	2	1	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	118	–	–	–	–	–	1	–	1	–	1	–	7	4	11	16	15	15	22	15	5	5	–
	White ..... Male	50	–	–	–	–	–	–	–	1	–	–	–	4	1	7	6	11	5	8	5	2	–	–
	Female	63	–	–	–	–	–	1	–	–	–	–	–	1	3	3	9	4	10	14	10	3	5	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
580–584.	Nephritis and nephrosis	318	2	2	–	–	3	7	3	7	3	4	8	17	20	33	37	38	55	34	32	10	2	1
	White ..... Male	142	2	–	–	–	1	1	1	3	1	2	3	3	9	14	21	20	21	15	16	6	2	1
	Female	109	–	1	–	–	1	–	2	2	2	1	1	5	4	8	11	13	25	14	16	3	–	–
	All other ..... Male	31	–	1	–	–	1	3	–	1	–	1	–	6	2	7	1	2	3	2	–	1	–	–
	Female	36	–	–	–	–	–	3	–	1	–	–	4	3	5	4	4	3	6	3	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	81	2	1	–	–	–	–	–	–	1	–	1	1	6	4	8	12	15	11	15	3	–	1
	White ..... Male	45	2	–	–	–	–	–	–	–	–	–	1	1	4	1	5	9	9	3	7	2	–	1
	Female	28	–	1	–	–	–	–	–	–	1	–	–	–	1	2	2	2	4	6	8	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	237	–	1	–	–	3	7	3	7	2	4	7	16	14	29	29	26	40	23	17	7	2	–
	White ..... Male	97	–	–	–	–	1	1	1	3	1	2	2	2	5	13	16	11	12	12	9	4	2	–
	Female	81	–	–	–	–	1	–	2	2	1	1	1	5	3	6	9	11	21	8	8	2	–	–
	All other ..... Male	29	–	1	–	–	1	3	–	1	–	1	–	6	2	7	1	2	2	1	–	1	–	–
	Female	30	–	–	–	–	–	3	–	1	–	–	4	3	4	3	3	2	5	2	–	–	–	–
590	Infections of kidney	76	–	–	–	1	–	–	–	–	1	–	2	2	2	3	7	11	8	16	11	9	3	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	6	4	6	3	3	–	–
	Female	46	–	–	–	1	–	–	–	–	1	–	1	1	1	2	5	4	3	10	8	6	3	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
600	Hyperplasia of prostate	28	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	4	7	5	4	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	6	5	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	2	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Jersey—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	2	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	389	237	26	13	12	10	11	4	5	6	8	8	7	9	9	8	5	2	2	1	1	–	5
	White ..... Male	160	92	12	4	8	5	6	1	4	–	5	5	2	4	3	5	2	1	–	–	–	–	1
	Female	147	94	9	5	3	4	1	2	1	5	2	2	4	2	4	2	3	–	1	1	1	–	1
	All other ..... Male	46	26	4	3	1	–	3	–	–	–	1	–	1	2	–	1	–	–	1	–	–	–	3
	Female	36	25	1	1	–	1	1	1	–	1	–	1	–	1	2	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	630	630	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	226	226	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	158	158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	323	323	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	307	307	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	110	110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	704	139	11	3	3	20	52	63	45	29	31	43	36	41	39	25	33	18	27	20	14	10	2
	White ..... Male	298	47	5	1	–	13	26	31	23	13	9	18	17	21	24	9	10	6	11	6	5	2	1
	Female	214	23	3	1	3	3	13	10	8	7	14	14	12	13	12	13	15	9	13	14	7	7	–
	All other ..... Male	116	34	2	–	–	2	8	16	11	6	7	8	4	5	3	–	6	–	2	–	1	–	1
	Female	76	35	1	1	–	2	5	6	3	3	1	3	3	2	–	3	2	3	1	–	1	1	–
Residual	All other diseases	4,164	43	29	20	19	32	47	49	52	65	79	124	184	274	388	521	580	606	540	347	135	28	2
	White ..... Male	1,983	14	14	9	5	19	25	17	19	23	33	47	78	141	198	257	303	295	266	161	52	7	–
	Female	1,684	13	8	8	10	9	11	16	15	15	20	49	68	77	145	214	229	265	246	171	77	17	1
	All other ..... Male	280	5	5	2	3	2	6	10	9	15	15	16	26	34	28	30	28	22	14	6	3	1	–
	Female	217	11	2	1	1	2	5	6	9	12	11	12	12	22	17	20	20	24	14	9	3	3	1
E800–E949	Accidents	2,446	30	63	63	90	253	305	169	152	112	111	91	113	122	116	110	116	119	111	123	53	21	3
	White ..... Male	1,383	7	24	30	47	171	219	113	97	60	60	54	71	78	66	53	64	52	48	44	18	6	1
	Female	689	15	18	8	21	60	56	24	28	17	16	15	22	26	36	44	38	62	62	76	33	12	–
	All other ..... Male	264	4	13	14	14	16	20	27	21	29	24	17	18	12	13	6	8	3	–	1	–	3	1
	Female	110	4	8	11	8	6	10	5	6	6	11	5	2	6	1	7	6	2	1	2	2	–	1
E810–E823	Motor vehicle accidents	1,181	6	17	32	52	189	211	104	96	58	52	44	56	53	57	37	51	32	20	10	1	3	–
	White ..... Male	753	2	8	17	28	129	152	69	57	31	33	31	39	34	30	18	29	23	15	6	–	2	–
	Female	291	4	6	5	15	51	43	19	22	10	9	7	12	15	22	17	15	9	5	4	1	–	–
	All other ..... Male	91	–	2	4	7	5	9	15	12	13	4	4	4	2	5	–	4	–	–	–	–	1	–
	Female	46	–	1	6	2	4	7	1	5	4	6	2	1	2	–	2	3	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,265	24	46	31	38	64	94	65	56	54	59	47	57	69	59	73	65	87	91	113	52	18	3
	White ..... Male	630	5	16	13	19	42	67	44	40	29	27	23	32	44	36	35	35	29	33	38	18	4	1
	Female	398	11	12	3	6	9	13	5	6	7	7	8	10	11	14	27	23	53	57	72	32	12	–
	All other ..... Male	173	4	11	10	7	11	11	12	9	16	20	13	14	10	8	6	4	3	–	1	–	2	1
	Female	64	4	7	5	6	2	3	4	1	2	5	3	1	4	1	5	3	2	1	2	2	–	1
E950–E959	Suicide	524	...	...	–	3	30	63	58	45	28	35	30	42	47	32	30	38	28	8	4	2	1	–
	White ..... Male	367	...	...	–	2	25	43	45	35	16	20	15	33	27	26	22	28	18	6	3	2	1	–
	Female	124	...	...	–	–	5	12	7	10	7	14	11	7	19	5	6	9	9	2	1	–	–	–
	All other ..... Male	27	...	...	–	–	–	5	5	–	5	1	4	2	1	1	2	1	–	–	–	–	–	–
	Female	6	...	...	–	1	–	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E960–E978	Homicide	401	9	10	3	7	32	77	58	51	42	30	21	22	9	13	3	4	3	3	1	–	–	3
	White ..... Male	147	4	4	1	1	14	30	21	14	13	12	6	10	2	7	2	1	1	2	–	–	–	2
	Female	64	–	1	2	1	7	10	10	8	4	1	2	6	2	3	1	3	2	1	–	–	–	–
	All other ..... Male	155	2	3	–	3	10	33	21	25	20	12	13	5	5	2	–	–	–	–	–	–	–	1
	Female	35	3	2	–	2	1	4	6	4	5	5	–	1	–	1	–	–	–	–	1	–	–	–
E980–E999	Other external causes	119	–	6	4	4	8	18	14	10	5	9	6	7	9	8	3	1	3	2	–	–	–	2
	White ..... Male	61	–	1	1	1	5	8	10	7	3	4	2	3	5	3	1	1	3	1	–	–	–	2
	Female	20	–	1	–	–	–	3	1	–	1	2	–	3	2	5	1	–	–	1	–	–	–	–
	All other ..... Male	23	–	2	2	2	1	4	2	1	1	2	4	1	1	–	–	–	–	–	–	–	–	–
	Female	15	–	2	1	1	2	3	1	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico																							
	All causes	8,456	338	76	32	45	186	276	204	197	195	213	274	431	556	723	861	935	933	852	692	307	126	4
	White Male	4,492	148	36	13	19	117	170	118	113	105	122	151	246	323	437	487	538	498	406	289	118	35	3
	White Female	3,101	114	19	11	11	34	43	35	37	52	47	78	140	181	246	315	340	384	403	371	172	68	-
	All other Male	543	50	12	7	9	24	43	40	36	26	32	24	29	29	20	30	38	27	25	23	8	11	-
	All other Female	320	26	9	1	6	11	20	11	11	12	12	21	16	23	20	29	19	24	18	9	9	12	1
004, 006	Bacillary dysentery and amebiasis	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
008, 009	Enteritis and other diarrheal diseases	21	8	1	1	1	-	-	1	-	-	-	-	-	1	-	-	2	2	3	-	1	-	-
	White Male	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White Female	11	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	-	1	-	-
	All other Male	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, all forms	24	-	-	-	-	-	-	-	-	1	-	3	2	1	2	1	3	6	1	1	3	-	-
	White Male	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	-	1	-	-
	White Female	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	1	-	-
	All other Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	All other Female	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	1	-	-
010-012	Tuberculosis of respiratory system	15	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	1	5	1	1	2	-	-
	White Male	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	1	-	-
	White Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	All other Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
013-019	Tuberculosis, other forms	9	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	1	-	-	1	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	41	9	-	-	1	1	1	-	2	1	-	1	1	-	4	5	9	2	1	1	2	-	-
	White Male	16	5	-	-	-	-	1	-	1	-	-	-	1	-	1	-	3	1	1	-	2	-	-
	White Female	16	1	-	-	-	-	-	-	1	1	-	-	-	-	2	3	6	1	-	1	-	-	-
	All other Male	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other Female	6	1	-	-	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	27	2	1	1	-	1	-	-	1	1	1	1	3	2	1	2	4	2	4	-	-	-	-
	White Male	9	-	-	-	-	1	-	-	1	-	-	-	1	1	1	1	2	-	1	-	-	-	-
	White Female	16	1	1	1	-	-	-	-	-	1	-	1	2	1	-	1	2	2	3	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,532	2	4	5	2	6	8	7	15	19	24	57	113	171	190	226	251	202	131	66	26	7	–
	White ..... Male	788	1	3	4	1	2	3	4	7	7	12	23	59	87	102	115	137	118	68	24	7	4	–
	Female	652	1	1	1	–	4	5	2	7	10	10	31	48	75	79	95	102	70	57	36	15	3	–
	All other ..... Male	51	–	–	–	1	–	–	1	–	1	1	1	4	4	3	9	9	7	4	3	3	–	–
	Female	41	–	–	–	–	–	–	–	1	1	1	2	2	5	6	7	3	7	2	3	1	–	–
140–149	Of buccal cavity and pharynx	26	–	–	–	–	–	1	–	–	–	–	–	4	4	5	5	3	2	1	–	1	–	–
	White ..... Male	20	–	–	–	–	–	1	–	–	–	–	–	3	2	4	4	3	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	407	–	–	–	–	–	–	–	2	4	9	14	23	38	53	65	73	60	33	23	5	5	–
	White ..... Male	205	–	–	–	–	–	–	–	1	1	5	6	11	24	33	30	37	31	17	6	–	3	–
	Female	167	–	–	–	–	–	–	–	–	2	4	7	11	13	15	29	30	24	13	13	4	2	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	1	–	–	1	–	2	3	5	3	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	1	–	1	3	3	1	2	2	3	–	–	–
160–163	Of respiratory system	323	–	–	–	–	–	–	–	2	3	4	13	33	45	46	56	57	33	18	10	3	–	–
	White ..... Male	230	–	–	–	–	–	–	–	1	3	2	7	22	36	31	41	43	22	14	8	–	–	–
	Female	77	–	–	–	–	–	–	–	1	–	1	5	8	6	14	12	12	9	4	2	3	–	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	1	1	3	2	1	3	2	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
174	Of breast	135	–	–	–	–	–	1	–	5	4	2	7	15	23	15	14	20	8	15	3	3	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	129	–	–	–	–	–	1	–	5	3	1	6	14	23	15	14	18	8	15	3	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
180–187	Of genital organs	191	–	–	–	–	–	1	4	–	1	–	7	6	21	21	26	35	29	20	12	7	1	–
	White ..... Male	85	–	–	–	–	–	1	2	–	–	–	1	1	5	5	12	18	17	14	5	3	1	–
	Female	92	–	–	–	–	–	–	1	–	1	–	6	4	16	14	11	16	10	5	6	2	–	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	2	–	–	–	–	–
188, 189	Of urinary organs	89	–	1	–	–	–	–	–	–	–	–	2	3	9	15	11	12	21	8	5	1	1	–
	White ..... Male	67	–	1	–	–	–	–	–	–	–	–	2	3	7	14	7	7	17	6	2	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	4	1	3	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	232	1	1	3	2	2	2	2	4	4	5	8	19	24	25	33	30	28	24	10	5	–	–
	White ..... Male	113	1	–	2	1	–	–	1	3	2	3	3	12	9	12	11	18	18	12	2	3	–	–
	Female	102	–	1	1	–	2	2	1	1	2	2	4	7	12	12	19	10	6	12	7	1	–	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	1	2	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	2	–	–	1	–	–
204–207	Leukemia	60	1	1	2	–	3	2	–	–	2	2	3	7	3	3	4	9	11	6	1	–	–	–
	White ..... Male	31	–	1	2	–	2	1	–	–	1	–	2	5	1	1	3	4	5	3	–	–	–	–
	Female	29	1	–	–	–	1	1	–	–	1	2	1	2	2	2	1	5	6	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	69	–	1	–	–	1	1	1	2	1	2	3	3	4	7	12	12	10	6	2	1	–	–
	White ..... Male	35	–	1	–	–	–	–	1	2	–	2	1	2	3	2	7	6	6	1	1	–	–	–
	Female	31	–	–	–	–	1	1	–	–	1	–	2	1	1	5	4	6	3	4	1	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	34	2	1	–	–	–	1	1	1	2	–	1	1	1	2	6	5	4	1	5	–	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	–	4	–	–	–
	Female	16	2	1	–	–	–	–	1	1	2	–	1	1	–	–	1	3	1	1	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	170	–	–	–	–	1	–	1	2	1	7	2	15	10	20	19	27	26	22	9	7	1	–
	White ..... Male	70	–	–	–	–	–	–	1	1	1	4	2	9	7	8	5	8	14	7	1	2	–	–
	Female	83	–	–	–	–	–	–	–	1	–	2	–	5	2	8	13	15	12	14	7	4	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–
	Female	12	–	–	–	–	1	–	–	–	–	1	–	1	1	3	–	2	–	1	–	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	19	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	3	5	5	1	2	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	3	1	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico—Con.																							
280–285	Anemias	7	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	White ..... Male	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	White ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,907	3	5	1	–	7	4	3	2	19	35	58	114	177	261	331	388	434	442	389	172	62	–
	White ..... Male	1,505	1	3	1	–	3	1	1	1	12	24	38	70	117	167	191	227	212	198	157	62	19	–
	Female	1,264	1	1	–	–	3	2	–	1	6	4	13	35	46	82	122	145	206	227	224	107	39	–
	All other ..... Male	79	1	–	–	–	1	1	1	–	–	6	4	8	5	5	7	12	8	10	6	2	2	–
	Female	59	–	1	–	–	–	–	1	–	1	1	3	1	9	7	11	4	8	7	2	1	2	–
390–398, 402, 404, 410–429	Diseases of heart	2,049	2	5	–	–	5	2	2	1	14	25	43	86	139	213	260	276	299	282	256	100	39	–
	White ..... Male	1,125	–	3	–	–	2	–	–	1	10	16	31	58	99	139	159	170	149	134	103	39	12	–
	Female	821	1	1	–	–	2	1	–	–	3	2	6	22	28	65	89	94	137	138	147	60	25	–
	All other ..... Male	62	1	–	–	–	1	1	1	–	–	6	3	5	5	4	5	9	7	8	4	1	1	–
	Female	41	–	1	–	–	–	–	1	–	1	1	3	1	7	5	7	3	6	2	2	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	67	–	–	–	–	1	1	–	–	1	3	4	4	6	11	14	5	6	5	5	–	1	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	2	2	1	5	7	2	2	2	3	–	–	–
	Female	34	–	–	–	–	–	1	–	–	1	1	1	2	4	6	7	3	4	2	2	–	–	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	2	6	–	3	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	3	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,683	–	–	–	–	–	1	–	–	8	15	32	61	112	171	208	244	264	238	207	91	31	–
	White ..... Male	955	–	–	–	–	–	–	–	–	6	12	25	44	87	115	133	158	130	113	85	37	10	–
	Female	672	–	–	–	–	–	–	–	–	1	1	4	14	20	51	69	78	122	120	118	53	21	–
	All other ..... Male	35	–	–	–	–	–	1	–	–	–	2	2	2	3	1	3	7	6	4	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	1	–	1	1	2	4	3	1	6	1	1	–	–	–
410	Acute myocardial infarction	836	–	–	–	–	–	–	–	–	6	9	21	41	54	101	137	145	141	89	62	23	7	–
	White ..... Male	524	–	–	–	–	–	–	–	–	5	6	16	32	43	68	91	101	75	43	28	12	4	–
	Female	281	–	–	–	–	–	–	–	–	–	1	3	7	8	29	42	39	59	45	34	11	3	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	2	1	1	2	1	2	4	3	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	1	4	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	845	–	–	–	–	–	1	–	–	2	6	11	20	58	70	70	99	122	149	145	68	24	–
	White ..... Male	430	–	–	–	–	–	–	–	–	1	6	9	12	44	47	41	57	55	70	57	25	6	–
	Female	390	–	–	–	–	–	–	–	–	1	–	1	7	12	22	27	39	62	75	84	42	18	–
	All other ..... Male	18	–	–	–	–	–	1	–	–	–	–	1	1	1	–	1	3	3	3	3	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	12	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	3	–	2	3	–	–	–
	White ..... Male	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico—Con.																							
420–423, 425–427, 429	All other forms of heart disease	268	2	5	–	–	3	–	1	1	4	7	7	20	20	29	36	22	22	36	37	9	7	–
	White ..... Male	130	–	3	–	–	1	–	–	1	3	4	4	12	11	17	18	8	13	18	13	2	2	–
	Female	101	1	1	–	–	2	–	–	–	1	–	1	6	4	8	12	10	8	14	22	7	4	–
	All other ..... Male	23	1	–	–	–	–	–	1	–	–	2	1	2	2	3	2	2	1	4	1	–	1	–
	Female	14	–	1	–	–	–	–	–	–	–	1	1	–	3	1	4	2	–	–	1	–	–	–
400, 401, 403	Hypertension	60	–	–	–	–	–	–	–	–	1	5	2	2	9	6	8	11	4	6	4	1	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	1	5	–	–	6	6	3	4	2	2	1	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	7	2	4	3	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	608	1	–	1	–	2	1	1	–	4	5	11	22	20	32	49	73	105	126	100	43	12	–
	White ..... Male	262	1	–	1	–	1	–	1	–	1	3	5	9	7	17	23	35	48	48	43	14	5	–
	Female	324	–	–	–	–	1	1	–	–	3	2	5	11	11	14	24	36	54	73	55	28	6	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	1	2	2	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	3	–	–	–	–
431	Cerebral hemorrhage	77	1	–	–	–	–	1	–	–	2	1	3	8	4	9	7	14	10	6	8	2	1	–
	White ..... Male	26	1	–	–	–	–	–	–	–	1	1	1	2	–	3	3	5	3	2	4	–	–	–
	Female	46	–	–	–	–	–	1	–	–	1	–	2	6	2	6	3	8	7	4	4	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	83	–	–	–	–	–	–	–	–	–	–	–	2	1	5	6	11	11	21	16	10	–	–
	White ..... Male	43	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	8	8	9	5	3	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	3	12	10	7	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	448	–	–	1	–	2	–	1	–	2	4	8	12	15	18	36	48	84	99	76	31	11	–
	White ..... Male	193	–	–	1	–	1	–	1	–	–	2	4	6	6	9	17	22	37	37	34	11	5	–
	Female	239	–	–	–	–	1	–	–	–	2	2	3	4	9	8	18	25	44	57	41	19	6	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	1	2	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	–	–	–	–
440	Arteriosclerosis	83	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	9	14	11	16	21	7	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	6	5	5	8	8	2	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	9	6	8	12	5	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	107	–	–	–	–	–	1	–	1	–	–	2	3	8	9	12	19	12	17	13	7	3	–
	White ..... Male	52	–	–	–	–	–	1	–	–	–	–	2	2	4	5	6	12	8	9	2	1	–	–
	Female	48	–	–	–	–	–	–	–	1	–	–	–	1	4	2	5	6	4	6	11	6	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–
466	Acute bronchitis and bronchiolitis	7	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–
	White ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	292	12	2	–	–	–	3	2	3	2	3	3	5	8	13	13	28	48	46	58	28	15	–
	White ..... Male	135	7	1	–	–	–	–	1	2	–	1	1	1	6	5	5	14	25	21	28	13	4	–
	Female	120	2	–	–	–	–	1	–	–	2	–	1	2	2	7	7	12	20	19	26	13	6	–
	All other ..... Male	18	1	–	–	–	–	1	1	–	–	1	–	–	–	1	1	1	1	3	4	–	3	–
	Female	19	2	1	–	–	–	1	–	1	–	1	1	2	–	–	–	1	2	3	–	2	2	–
470–474	Influenza	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	5	1	2	1	2	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	275	12	2	–	–	–	3	2	3	2	3	3	4	7	12	11	27	43	45	56	27	13	–
	White ..... Male	125	7	1	–	–	–	–	1	2	–	1	1	1	5	5	4	13	22	20	26	12	4	–
	Female	114	2	–	–	–	–	1	–	–	2	–	1	2	2	6	6	12	18	19	26	13	4	–
	All other ..... Male	18	1	–	–	–	–	1	1	–	–	1	–	–	–	1	1	1	1	3	4	–	3	–
	Female	18	2	1	–	–	–	1	–	1	–	1	1	1	–	–	–	1	2	3	–	2	2	–
490–493	Bronchitis, emphysema, and asthma	132	–	1	–	1	–	–	–	1	–	2	3	5	11	18	23	24	17	16	9	1	–	–
	White ..... Male	86	–	–	–	1	–	–	–	1	–	–	1	2	8	10	13	18	14	8	9	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	2	2	2	3	8	9	6	3	8	–	–	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico—Con.																							
490, 491	Chronic and unqualified bronchitis	17	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	3	3	3	1	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	2	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	96	–	–	–	–	–	–	–	–	–	–	3	2	8	13	18	19	14	10	8	1	–	–
	White Male	68	–	–	–	–	–	–	–	–	–	–	1	1	5	9	10	15	12	6	8	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	2	1	3	4	7	4	2	4	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	19	–	1	–	1	–	–	–	1	–	1	–	2	1	4	3	2	–	3	–	–	–	–
	White Male	6	–	–	–	1	–	–	–	1	–	–	–	–	1	–	1	1	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	–	4	2	1	–	2	–	–	–	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	24	1	–	–	–	–	–	1	–	–	1	1	2	2	2	1	4	3	2	4	–	–	–
	White Male	10	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	3	1	1	1	–	–	–
	Female	11	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	1	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	30	4	–	–	–	–	–	–	–	–	–	–	1	–	3	2	4	4	9	1	2	–	–
	White Male	16	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	7	–	1	–	–
	Female	11	2	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	1	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	185	–	–	–	–	–	2	2	13	22	26	24	23	17	19	13	12	7	4	1	–	–	–
	White Male	114	–	–	–	–	–	1	1	5	10	19	14	18	8	10	12	11	3	2	–	–	–	–
	Female	40	–	–	–	–	–	1	–	1	4	1	7	4	7	7	1	1	4	2	–	–	–	–
	All other Male	21	–	–	–	–	–	–	1	6	7	2	2	1	1	1	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	1	4	1	–	1	1	–	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	21	–	–	–	–	–	–	–	–	2	–	–	–	1	3	3	2	4	3	2	–	1	–
	White Male	12	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	2	3	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
580–584	Nephritis and nephrosis	44	–	–	–	–	–	1	3	1	2	–	3	2	2	3	7	6	5	8	1	–	–	–
	White Male	18	–	–	–	–	–	1	2	1	1	–	–	1	1	2	3	2	1	3	–	–	–	–
	Female	18	–	–	–	–	–	–	1	–	–	–	1	1	–	1	3	2	3	5	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	3	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	36	–	–	–	–	–	1	3	1	2	–	2	2	2	1	7	6	4	5	–	–	–	–
	White Male	15	–	–	–	–	–	1	2	1	1	–	–	1	1	–	3	2	1	2	–	–	–	–
	Female	15	–	–	–	–	–	–	1	–	–	–	1	1	–	1	3	2	3	3	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
590	Infections of kidney	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	1	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New Mexico—Con.																							
640-645	Abortions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	106	76	6	3	2	-	2	1	-	3	-	2	2	3	2	-	1	3	-	-	-	-	-
	White ..... Male	43	28	4	-	1	-	1	-	-	3	-	1	2	-	2	-	-	1	-	-	-	-	-
	Female	39	28	2	1	-	-	1	1	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-
	All other ..... Male	15	12	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	Symptoms and ill-defined conditions	425	53	2	-	-	1	1	4	2	6	7	15	12	25	47	55	39	36	36	47	21	14	2
	White ..... Male	226	26	2	-	-	-	-	1	-	4	5	6	8	15	32	37	22	24	16	19	5	3	1
	Female	129	15	-	-	-	-	-	-	1	1	-	3	3	6	14	12	9	8	13	24	15	5	-
	All other ..... Male	43	9	-	-	-	1	-	3	1	1	2	1	-	2	-	3	5	3	5	4	1	2	-
	Female	27	3	-	-	-	-	1	-	-	-	-	5	1	2	1	3	3	1	2	-	-	4	1
Residual	All other diseases	851	9	5	3	5	10	19	18	25	24	29	28	55	55	83	111	90	89	91	64	22	15	1
	White ..... Male	477	3	2	2	1	4	9	5	11	10	12	17	29	34	57	71	59	55	53	27	12	3	1
	Female	276	2	-	1	3	3	6	8	5	6	6	7	17	16	20	34	26	32	35	33	7	9	-
	All other ..... Male	62	3	1	-	-	1	2	5	7	5	10	3	6	4	5	3	2	1	1	2	-	1	-
	Female	36	1	2	-	1	2	2	-	2	3	1	1	3	1	1	3	3	1	2	2	3	2	-
E800-E949	Accidents	981	13	37	13	26	121	166	101	76	59	43	49	46	43	40	25	29	26	24	23	13	7	1
	White ..... Male	578	4	16	5	10	79	111	65	44	35	28	34	25	23	25	13	17	10	10	14	8	1	1
	Female	186	7	10	3	6	20	17	9	10	10	6	5	12	8	12	7	6	9	12	8	5	4	-
	All other ..... Male	162	1	7	4	7	15	26	21	18	10	7	7	7	10	3	3	5	6	2	1	-	2	-
	Female	55	1	4	1	3	7	12	6	4	4	2	3	2	2	-	2	1	1	-	-	-	-	-
E810-E823	Motor vehicle accidents	604	1	21	10	14	100	126	76	56	38	22	28	26	23	17	11	12	8	8	4	2	-	1
	White ..... Male	365	1	10	4	6	65	81	47	33	21	16	21	11	11	10	5	8	5	4	3	2	-	1
	Female	103	-	6	3	5	18	15	8	5	6	2	3	9	6	5	4	3	1	3	1	-	-	-
	All other ..... Male	101	-	5	2	2	10	23	16	14	7	3	3	4	4	2	2	1	2	1	-	-	-	-
	Female	35	-	-	1	1	7	7	5	4	4	1	1	2	2	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	All other accidents	377	12	16	3	12	21	40	25	20	21	21	21	20	20	23	14	17	18	16	19	11	7	-
	White ..... Male	213	3	6	1	4	14	30	18	11	14	12	13	14	12	15	8	9	5	6	11	6	1	-
	Female	83	7	4	-	1	2	2	1	5	4	4	2	3	2	7	3	3	8	9	7	5	4	-
	All other ..... Male	61	1	2	2	5	5	3	5	4	3	4	4	3	6	1	1	4	4	1	1	-	2	-
	Female	20	1	4	-	2	-	5	1	-	-	1	2	-	-	-	2	1	1	-	-	-	-	-
E950-E959	Suicide	208	...	...	-	2	15	38	31	23	16	19	13	17	11	3	9	2	6	-	1	1	1	-
	White ..... Male	145	...	...	-	1	10	25	23	17	11	8	9	13	7	2	9	2	5	-	1	1	1	-
	Female	41	...	...	-	1	-	5	4	5	4	11	2	4	4	-	-	-	1	-	-	-	-	-
	All other ..... Male	18	...	...	-	-	5	6	3	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female	4	...	...	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E960-E978	Homicide	164	-	6	3	3	20	26	22	24	13	14	8	7	10	3	2	-	-	1	1	1	-	-
	White ..... Male	100	-	3	-	2	16	16	11	18	10	9	3	3	5	3	-	-	-	1	-	-	-	-
	Female	35	-	2	3	1	3	3	6	2	2	2	3	2	3	-	2	-	-	-	1	-	-	-
	All other ..... Male	24	-	1	-	-	1	7	3	2	1	3	2	1	2	-	-	-	-	-	-	1	-	-
	Female	5	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E980-E999	Other external causes	36	2	-	-	2	2	4	3	6	2	1	2	4	2	-	5	-	-	-	1	-	-	-
	White ..... Male	18	1	-	-	1	2	1	-	3	-	-	1	3	1	-	4	-	-	-	1	-	-	-
	Female	11	1	-	-	-	-	2	1	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York																							
	All causes	167,572	3,268	518	375	447	1,313	1,776	1,826	1,808	2,049	2,794	4,578	7,763	10,758	14,537	18,007	21,002	22,499	23,011	17,537	8,725	2,941	40
	White ..... Male	77,399	1,220	211	154	211	811	1,003	925	829	886	1,189	2,211	3,888	5,506	7,804	9,660	10,797	10,469	9,614	6,485	2,768	735	23
	Female	70,864	919	166	110	123	295	348	381	427	467	747	1,310	2,346	3,399	4,819	6,385	8,271	10,255	12,193	10,290	5,590	2,013	10
	All other ..... Male	10,642	650	86	63	69	142	309	343	361	446	534	637	935	1,040	1,114	1,089	993	863	524	272	119	47	6
	Female	8,667	479	55	48	44	65	116	177	191	250	324	420	594	813	800	873	941	912	680	490	248	146	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	116	43	3	1	–	–	–	–	1	2	2	1	2	2	6	6	7	11	11	7	6	5	–
	White ..... Male	41	19	1	1	–	–	–	–	–	1	1	–	–	–	3	4	4	2	2	2	1	–	–
	Female	48	10	1	–	–	–	–	–	1	1	1	–	1	1	–	–	2	8	8	5	4	5	–
	All other ..... Male	13	8	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–
	Female	14	6	1	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	–	1	–	–
010–019	Tuberculosis, all forms	283	–	1	–	–	1	4	5	8	3	13	15	22	22	31	39	33	25	30	18	11	2	–
	White ..... Male	108	–	1	–	–	1	–	–	1	1	3	6	4	9	14	22	11	9	16	7	2	1	–
	Female	67	–	–	–	–	–	–	–	1	–	1	–	4	3	8	6	10	10	10	8	5	1	–
	All other ..... Male	76	–	–	–	–	–	2	3	5	1	8	7	11	8	7	7	8	5	1	1	2	–	–
	Female	32	–	–	–	–	–	2	2	1	1	1	2	3	2	2	4	4	1	3	2	2	–	–
010–012	Tuberculosis of respiratory system	226	–	–	–	–	1	3	5	7	2	12	11	17	15	25	33	28	20	23	16	6	2	–
	White ..... Male	84	–	–	–	–	1	–	–	–	1	2	5	3	5	10	18	9	9	13	5	2	1	–
	Female	50	–	–	–	–	–	–	–	1	–	1	–	1	1	6	6	8	7	7	8	3	1	–
	All other ..... Male	67	–	–	–	–	–	2	3	5	–	8	4	11	7	7	6	8	4	1	1	–	–	–
	Female	25	–	–	–	–	–	1	2	1	1	1	2	2	2	2	3	3	–	2	2	1	–	–
013–019	Tuberculosis, other forms	57	–	1	–	–	–	1	–	1	1	1	4	5	7	6	6	5	5	7	2	5	–	–
	White ..... Male	24	–	1	–	–	–	–	–	1	–	1	1	1	4	4	4	2	–	3	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	2	3	3	–	2	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	1	–	3	–	1	–	1	–	1	–	–	2	–	–
	Female	7	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1	1	–	1	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	38	4	12	2	4	4	1	–	–	1	–	1	1	2	2	2	1	–	1	–	–	–	–
	White ..... Male	14	2	4	2	1	1	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	14	1	4	–	2	1	–	–	–	–	–	1	1	2	1	–	–	–	1	–	–	–	–
	All other ..... Male	8	1	3	–	1	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
038	Septicemia	487	49	4	2	2	5	1	4	1	3	5	7	19	26	31	33	48	63	82	71	21	10	–
	White ..... Male	204	18	1	1	1	2	–	1	–	1	3	4	10	11	12	14	20	28	32	34	8	3	–
	Female	192	7	–	1	–	2	–	1	–	–	–	2	5	8	13	16	19	27	43	32	10	6	–
	All other ..... Male	46	14	2	–	–	–	–	–	–	2	2	1	1	4	3	1	5	4	3	2	2	–	–
	Female	45	10	1	–	1	1	1	2	1	–	–	–	3	3	3	2	4	4	4	3	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	1	–	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	389	17	5	6	4	6	12	9	13	16	12	23	29	23	23	36	48	33	31	29	11	3	–
	White ..... Male	154	7	–	3	2	1	7	3	3	3	3	11	12	5	7	23	19	13	18	9	4	1	–
	Female	156	6	2	2	2	3	3	4	4	5	4	4	9	8	14	10	24	15	10	19	6	2	–
	All other ..... Male	31	2	1	–	–	–	–	2	4	3	1	4	3	4	1	1	1	3	1	–	–	–	–
	Female	48	2	2	1	–	2	2	–	2	5	4	4	5	6	1	2	4	2	2	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	36,414	12	42	57	73	98	110	167	239	387	611	1,371	2,536	3,580	4,691	5,278	5,460	4,827	3,819	2,165	727	161	3
	White ..... Male	16,692	4	14	23	32	57	53	68	80	131	208	508	987	1,519	2,189	2,590	2,793	2,326	1,817	975	269	47	2
	Female	15,743	6	22	20	26	28	42	75	117	164	273	602	1,115	1,508	1,930	2,141	2,195	2,113	1,770	1,081	408	107	–
	All other ..... Male	2,113	1	3	7	8	11	9	10	17	42	50	118	242	289	337	311	259	214	111	53	17	3	1
	Female	1,866	1	3	7	7	2	6	14	25	50	80	143	192	264	235	236	213	174	121	56	33	4	–
140–149	Of buccal cavity and pharynx	825	–	–	–	–	1	–	5	1	7	20	33	98	115	144	116	107	79	52	33	9	4	1
	White ..... Male	472	–	–	–	–	–	–	4	1	–	6	23	58	58	87	69	63	46	33	16	5	2	1
	Female	216	–	–	–	–	–	–	–	–	1	8	3	15	26	36	31	33	28	15	14	4	2	–
	All other ..... Male	101	–	–	–	–	1	–	–	–	5	3	4	20	18	15	13	11	5	3	3	–	–	–
	Female	36	–	–	–	–	–	–	1	–	1	3	3	5	13	6	3	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	10,940	1	2	–	5	–	9	12	35	63	123	289	561	911	1,286	1,593	1,800	1,682	1,354	857	290	67	–
	White ..... Male	4,997	–	1	–	2	–	3	6	10	33	51	130	252	439	632	814	872	734	574	330	97	17	–
	Female	4,725	1	–	–	2	–	4	3	15	16	40	96	197	297	480	619	756	803	695	480	174	47	–
	All other ..... Male	615	–	–	–	–	–	1	1	7	6	14	40	61	91	107	77	82	65	38	19	4	2	–
	Female	603	–	1	–	1	–	1	2	3	8	18	23	51	84	67	83	90	80	47	28	15	1	–
160–163	Of respiratory system	8,518	1	–	–	–	1	–	5	31	67	150	375	740	1,001	1,334	1,486	1,353	992	634	267	76	4	1
	White ..... Male	5,420	1	–	–	–	–	–	2	18	28	78	196	384	575	837	965	979	688	437	185	43	3	1
	Female	2,121	–	–	–	–	1	–	3	7	19	45	99	204	266	337	369	281	234	158	68	29	1	–
	All other ..... Male	729	–	–	–	–	–	–	–	4	17	22	45	116	121	127	113	73	57	26	7	1	–	–
	Female	248	–	–	–	–	–	–	–	2	3	5	35	36	39	33	39	20	13	13	7	3	–	–
174	Of breast	3,714	–	–	–	–	1	2	13	41	83	115	256	397	498	503	470	435	358	273	177	66	26	–
	White ..... Male	30	–	–	–	–	–	1	–	–	–	1	–	2	2	7	6	2	3	3	2	1	–	–
	Female	3,354	–	–	–	–	1	1	12	34	66	89	217	354	437	455	432	411	333	255	168	63	26	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	Female	327	–	–	–	–	–	–	1	7	17	25	39	40	59	40	32	22	22	15	6	2	–	–
180–187	Of genital organs	3,926	–	1	–	–	10	14	23	26	42	65	110	211	296	424	531	559	626	555	313	99	21	–
	White ..... Male	1,611	–	1	–	–	8	7	5	6	6	3	9	15	46	109	190	270	316	340	200	65	15	–
	Female	1,809	–	–	–	–	2	5	11	13	25	47	73	163	208	255	261	224	231	174	93	20	4	–
	All other ..... Male	236	–	–	–	–	–	–	2	1	–	–	4	6	12	21	46	37	59	23	14	10	1	–
	Female	270	–	–	–	–	–	2	5	6	11	15	24	27	30	39	34	28	20	18	6	4	1	–
188, 189	Of urinary organs	1,691	1	1	6	2	1	1	3	–	9	10	33	88	138	197	232	265	250	231	160	50	13	–
	White ..... Male	1,032	–	–	–	1	–	–	1	–	3	8	17	60	87	127	139	173	148	158	86	21	3	–
	Female	528	1	–	3	–	–	1	2	–	1	–	11	18	39	52	70	72	87	66	69	26	10	–
	All other ..... Male	83	–	1	2	1	1	–	–	–	3	1	3	7	9	10	16	12	9	4	3	1	–	–
	Female	48	–	–	1	–	–	–	–	–	2	1	2	3	3	8	7	8	6	3	2	2	–	–
170–173, 190–199	Of all other and unspecified sites	3,608	4	23	17	28	34	34	41	45	65	79	154	244	361	445	474	501	409	384	178	74	14	–
	White ..... Male	1,630	2	6	9	12	21	18	22	18	32	42	72	124	176	216	227	211	191	129	83	15	4	–
	Female	1,575	1	14	5	9	10	14	16	21	20	21	61	79	135	174	192	236	192	226	87	53	9	–
	All other ..... Male	188	1	1	–	5	3	2	2	2	6	6	12	19	25	28	31	26	4	12	3	–	–	–
	Female	215	–	2	3	2	–	–	1	4	7	10	9	22	25	27	24	28	22	17	5	6	1	–
204–207	Leukemia	1,317	5	13	31	27	35	28	27	21	13	19	52	79	95	136	124	158	189	126	94	37	8	–
	White ..... Male	634	1	4	11	11	21	14	11	10	7	6	23	35	54	58	69	89	94	63	39	12	2	–
	Female	561	3	8	12	12	11	10	10	8	6	11	17	35	32	59	50	55	82	59	52	24	5	–
	All other ..... Male	68	–	1	5	1	2	3	4	1	–	2	7	6	4	13	2	8	7	1	1	–	–	–
	Female	54	1	–	3	3	1	1	2	2	–	–	5	3	5	6	3	6	6	3	2	1	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,875	–	2	3	11	15	22	38	39	38	30	69	118	165	222	252	282	242	210	86	26	4	1
	White ..... Male	866	–	2	3	6	7	10	17	17	22	13	38	57	82	116	111	134	106	80	34	10	1	–
	Female	854	–	–	–	3	3	7	18	19	10	12	25	50	68	82	117	127	123	122	50	15	3	–
	All other ..... Male	90	–	–	–	1	4	3	1	2	5	2	3	6	9	15	13	10	8	4	2	1	–	1
	Female	65	–	–	–	1	1	2	2	1	1	3	3	5	6	9	11	11	5	4	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	506	5	3	2	5	5	5	4	13	8	12	20	28	42	60	62	63	84	49	20	14	2	–
	White ..... Male	217	2	1	–	2	4	2	1	4	3	5	9	10	15	27	27	33	39	24	5	3	1	–
	Female	236	2	1	–	1	1	3	3	7	2	5	9	16	22	26	30	23	40	23	10	11	1	–
	All other ..... Male	27	–	1	1	1	–	–	–	1	2	1	–	2	2	4	3	2	4	1	2	–	–	–
	Female	26	1	–	1	1	–	–	–	1	1	1	2	–	3	3	2	5	1	1	3	–	–	–
250	Diabetes mellitus	3,134	1	–	1	–	3	12	15	30	30	46	69	139	221	304	409	424	504	463	303	127	33	–
	White ..... Male	1,111	–	–	1	–	1	5	6	13	14	15	30	52	85	129	167	160	173	136	83	34	7	–
	Female	1,543	1	–	–	–	2	4	4	11	8	12	23	51	78	118	168	208	262	290	198	82	23	–
	All other ..... Male	196	–	–	–	–	–	1	2	1	4	11	5	22	28	24	27	19	26	16	7	2	1	–
	Female	284	–	–	–	–	–	2	3	5	4	8	11	14	30	33	47	37	43	21	15	9	2	–
260–269	Avitaminoses and other nutritional deficiencies	130	4	–	–	2	–	1	3	2	1	2	4	3	6	8	7	9	17	23	19	12	7	–
	White ..... Male	53	–	–	–	1	–	–	1	1	1	1	3	–	5	7	3	4	8	7	6	4	1	–
	Female	59	–	–	–	1	–	1	2	1	–	1	–	–	1	1	2	3	7	14	12	8	5	–
	All other ..... Male	9	2	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	–	–	1	–	–	–
	Female	9	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York—Con.																							
280–285	Anemias	220	1	4	–	3	7	5	5	6	2	6	2	9	10	12	20	18	26	39	26	17	2	–
	White ..... Male	77	1	–	–	2	2	3	1	3	–	2	–	2	2	6	9	9	8	14	7	6	–	–
	Female	107	–	1	–	1	3	1	2	–	–	3	1	3	4	5	8	7	16	21	18	11	2	–
	All other ..... Male	16	–	2	–	–	–	1	1	1	1	1	–	2	3	–	2	1	–	1	–	–	–	–
	Female	20	–	1	–	–	2	–	1	2	1	–	1	2	1	1	1	1	2	3	1	–	–	–
320	Meningitis	132	33	12	3	1	4	3	4	2	–	6	5	–	5	6	9	14	10	7	7	1	–	–
	White ..... Male	52	15	8	–	1	–	2	–	1	–	2	3	–	2	1	3	4	4	5	1	–	–	–
	Female	46	9	–	1	–	1	1	1	–	–	3	1	–	2	2	5	8	4	2	5	1	–	–
	All other ..... Male	13	3	3	2	–	1	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	21	6	1	–	–	2	–	1	–	–	1	1	–	–	3	1	2	2	–	1	–	–	–
390–448	Major cardiovascular diseases	87,335	53	23	16	25	42	66	127	194	365	781	1,613	2,992	4,591	6,737	9,083	11,531	13,414	14,923	12,106	6,373	2,262	18
	White ..... Male	40,097	15	10	6	11	17	26	50	91	174	400	977	1,874	2,763	4,073	5,165	5,973	6,060	5,802	4,168	1,899	533	10
	Female	39,825	19	9	5	6	12	13	29	42	73	156	299	605	1,084	1,852	2,987	4,541	6,385	8,414	7,467	4,238	1,584	5
	All other ..... Male	3,637	11	2	3	4	6	15	29	38	73	132	211	312	410	456	498	493	430	273	141	65	33	2
	Female	3,776	8	2	2	4	7	12	19	23	45	93	126	201	334	356	433	524	539	434	330	171	112	1
390–398, 402, 404, 410–429	Diseases of heart	70,309	45	17	10	16	28	44	76	132	281	616	1,372	2,581	3,978	5,781	7,705	9,443	10,687	11,614	9,317	4,828	1,723	15
	White ..... Male	33,637	14	8	3	5	12	19	34	70	146	349	900	1,735	2,524	3,602	4,518	5,011	4,915	4,614	3,263	1,465	421	9
	Female	30,924	17	6	3	5	6	7	16	21	51	103	219	448	878	1,519	2,456	3,636	5,003	6,448	5,696	3,180	1,201	5
	All other ..... Male	2,923	9	2	3	3	6	9	18	27	59	99	163	261	328	379	409	390	346	225	106	55	25	1
	Female	2,825	5	1	1	3	4	9	8	14	25	65	90	137	248	281	322	406	423	327	252	128	76	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,258	–	2	–	2	2	7	12	16	18	29	51	81	121	163	219	194	143	113	55	23	7	–
	White ..... Male	450	–	–	–	–	1	2	3	9	10	16	17	34	53	58	85	57	47	34	20	4	–	–
	Female	713	–	1	–	–	–	–	5	3	5	7	29	39	58	96	124	129	82	75	34	19	7	–
	All other ..... Male	32	–	–	–	2	1	2	2	2	1	4	1	1	5	3	1	3	3	–	1	–	–	–
	Female	63	–	1	–	–	–	3	2	2	2	2	4	7	5	6	9	5	11	4	–	–	–	–
402	Hypertensive heart disease	609	–	–	–	–	–	2	3	–	5	8	16	23	33	55	73	74	93	104	70	42	8	–
	White ..... Male	182	–	–	–	–	–	1	2	–	–	2	4	11	10	23	32	18	28	26	15	9	1	–
	Female	302	–	–	–	–	–	–	–	–	2	2	4	8	11	18	29	31	50	62	50	28	7	–
	All other ..... Male	53	–	–	–	–	–	–	1	–	1	3	5	2	6	8	8	8	3	5	3	–	–	–
	Female	72	–	–	–	–	–	1	–	–	2	1	3	2	6	6	4	17	12	11	2	5	–	–
404	Hypertensive heart and renal disease	128	–	–	–	–	–	–	–	–	–	–	4	2	8	3	10	18	20	29	21	11	2	–
	White ..... Male	54	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	9	10	13	9	5	1	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	6	9	15	12	6	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	2	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	3	–	3	1	2	1	–	1	–	–	–	–
410–413	Ischemic heart disease	64,926	–	–	2	–	1	6	24	78	210	526	1,211	2,324	3,610	5,270	7,044	8,738	10,006	10,881	8,773	4,569	1,640	13
	White ..... Male	31,444	–	–	–	–	–	3	13	45	127	308	840	1,606	2,351	3,363	4,204	4,717	4,659	4,337	3,065	1,392	405	9
	Female	28,422	–	–	1	–	1	–	4	12	33	81	160	360	754	1,313	2,183	3,299	4,647	6,041	5,377	3,009	1,143	4
	All other ..... Male	2,577	–	–	1	–	–	2	4	16	40	82	138	239	293	343	362	359	317	208	97	53	23	–
	Female	2,483	–	–	–	–	–	1	3	5	10	55	73	119	212	251	295	363	383	295	234	115	69	–
410	Acute myocardial infarction	27,362	–	–	1	–	1	3	11	38	95	246	587	1,194	1,869	2,714	3,551	4,213	4,392	4,050	2,843	1,184	365	5
	White ..... Male	14,558	–	–	–	–	–	1	6	19	62	168	438	893	1,291	1,786	2,200	2,348	2,147	1,661	1,060	380	94	4
	Female	11,084	–	–	–	–	1	–	2	9	15	33	86	188	400	709	1,111	1,599	2,003	2,227	1,683	765	252	1
	All other ..... Male	890	–	–	1	–	–	1	2	8	18	31	46	73	101	123	125	133	113	65	33	15	2	–
	Female	830	–	–	–	–	–	1	1	2	–	14	17	40	77	96	115	133	129	97	67	24	17	–
411	Other acute and subacute forms of ischemic heart disease	227	–	–	1	–	–	–	–	2	–	6	5	11	23	20	29	32	29	29	24	12	4	–
	White ..... Male	145	–	–	–	–	–	–	–	2	–	4	4	9	18	15	25	19	20	13	11	3	2	–
	Female	75	–	–	1	–	–	–	–	–	–	2	1	1	4	5	4	9	9	15	13	9	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
412	Chronic ischemic heart disease	37,327	–	–	–	–	–	3	13	38	115	274	619	1,119	1,716	2,535	3,463	4,490	5,583	6,802	5,905	3,373	1,271	8
	White ..... Male	16,735	–	–	–	–	–	2	7	24	65	136	398	704	1,040	1,562	1,978	2,348	2,491	2,663	1,994	1,009	309	5
	Female	17,260	–	–	–	–	–	–	2	3	18	46	73	171	350	598	1,068	1,690	2,634	3,799	3,681	2,235	889	3
	All other ..... Male	1,683	–	–	–	–	–	1	2	8	22	51	92	165	192	220	237	223	204	143	64	38	21	–
	Female	1,649	–	–	–	–	–	–	2	3	10	41	56	79	134	155	180	229	254	197	166	91	52	–
413	Angina pectoris	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	–	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	205	1	2	–	1	6	4	9	2	5	5	8	16	16	16	20	22	22	25	14	9	2	–
	White ..... Male	84	–	1	–	–	4	1	3	–	–	1	3	8	12	7	9	10	11	9	5	–	–	–
	Female	100	–	1	–	1	1	1	3	1	2	2	5	5	4	8	9	11	11	15	9	9	2	–
	All other ..... Male	9	1	–	–	–	–	–	2	–	2	1	–	1	–	–	1	1	–	–	–	–	–	–
	Female	12	–	–	–	–	1	2	1	1	1	1	–	2	–	1	1	–	–	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York—Con.																							
420-423, 425-427, 429	All other forms of heart disease	3,183	44	13	8	13	19	25	28	36	43	48	82	135	190	274	339	397	403	462	384	174	64	2
	White ..... Male	1,423	14	7	3	5	7	12	13	16	9	22	36	76	96	149	185	200	160	195	149	55	14	-
	Female	1,333	17	4	2	4	4	6	4	5	9	11	21	35	51	84	107	160	204	240	214	109	41	1
	All other ..... Male	243	8	2	2	1	5	5	9	9	15	9	18	17	21	25	36	17	22	12	5	2	2	1
	Female	184	5	-	1	3	3	2	2	6	10	6	7	7	22	16	11	20	17	15	16	8	7	-
400, 401, 403	Hypertension	482	-	-	-	-	-	2	3	1	6	8	9	20	24	31	26	60	90	73	82	31	16	-
	White ..... Male	198	-	-	-	-	-	1	-	-	3	3	2	3	8	14	8	23	44	34	34	13	8	-
	Female	201	-	-	-	-	-	-	-	-	-	1	1	5	5	12	12	26	37	34	45	17	6	-
	All other ..... Male	39	-	-	-	-	-	-	2	1	3	1	4	5	6	2	2	5	5	2	1	-	-	-
	Female	44	-	-	-	-	-	1	1	-	-	3	2	7	5	3	4	6	4	3	2	1	2	-
430-438	Cerebrovascular diseases	12,286	7	5	6	7	10	16	42	58	69	136	195	315	434	681	965	1,505	1,991	2,452	2,005	1,057	329	1
	White ..... Male	4,338	1	2	3	5	3	4	14	20	21	40	61	97	158	300	407	657	758	812	626	288	61	-
	Female	6,712	2	2	2	-	5	4	11	21	19	44	67	131	147	272	413	688	1,091	1,530	1,294	728	241	-
	All other ..... Male	513	1	-	-	1	-	6	9	10	11	29	36	35	59	56	66	72	57	32	20	7	5	1
	Female	723	3	1	1	1	2	2	8	7	18	23	31	52	70	53	79	88	85	78	65	34	22	-
431	Cerebral hemorrhage	1,816	7	1	-	-	2	9	22	24	18	52	71	97	137	169	203	232	253	249	171	75	24	-
	White ..... Male	656	1	-	-	-	-	2	5	9	5	10	19	30	51	74	97	99	90	76	59	24	5	-
	Female	899	2	1	-	-	1	2	7	6	6	15	21	42	50	63	84	108	152	164	108	51	16	-
	All other ..... Male	124	1	-	-	-	-	3	5	6	4	16	17	13	17	19	10	10	3	-	-	-	-	-
	Female	137	3	-	-	-	1	2	5	3	3	11	14	12	19	13	12	15	8	9	4	-	3	-
433	Cerebral thrombosis	2,969	-	1	1	1	2	-	-	3	3	7	10	42	62	119	183	343	529	672	572	321	97	1
	White ..... Male	1,091	-	-	1	1	1	-	-	2	2	3	5	11	29	68	85	163	213	216	178	96	17	-
	Female	1,711	-	1	-	-	1	-	-	-	-	3	3	20	16	42	76	166	286	429	374	220	74	-
	All other ..... Male	64	-	-	-	-	-	-	-	1	1	1	1	6	11	4	10	4	12	6	4	1	1	1
	Female	103	-	-	-	-	-	-	-	-	-	-	1	5	6	5	12	10	18	21	16	4	5	-
434	Cerebral embolism	59	-	-	-	-	-	1	-	1	-	-	-	-	4	2	7	8	6	17	8	2	3	-
	White ..... Male	21	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	1	8	2	-	-	-
	Female	28	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	3	4	8	5	2	1	-
	All other ..... Male	6	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-
430, 432, 435-438	All other cerebrovascular diseases	7,442	-	3	5	6	6	6	20	30	48	77	114	176	231	391	572	922	1,203	1,514	1,254	659	205	-
	White ..... Male	2,570	-	2	2	4	2	2	9	9	14	27	37	56	76	158	222	390	454	512	387	168	39	-
	Female	4,074	-	-	2	-	3	2	4	14	13	26	43	69	81	166	250	411	649	929	807	455	150	-
	All other ..... Male	319	-	-	-	1	-	2	4	3	6	12	18	16	29	32	46	58	42	25	16	6	3	-
	Female	479	-	1	1	1	1	-	3	4	15	12	16	35	45	35	54	63	58	48	44	30	13	-
440	Arteriosclerosis	2,108	-	-	-	-	-	-	-	-	-	2	3	12	27	63	119	205	288	444	458	334	152	1
	White ..... Male	795	-	-	-	-	-	-	-	-	-	2	2	7	13	35	61	94	132	170	150	96	32	1
	Female	1,161	-	-	-	-	-	-	-	-	-	-	1	3	10	17	31	87	130	248	293	234	107	-
	All other ..... Male	69	-	-	-	-	-	-	-	-	-	-	-	1	3	5	10	14	12	9	11	1	3	-
	Female	83	-	-	-	-	-	-	-	-	-	-	-	1	1	6	17	10	14	17	4	3	10	-
441-448	Other diseases of arteries, arterioles, and capillaries	2,150	1	1	-	2	4	4	6	3	9	19	34	64	128	181	268	318	358	340	244	123	42	1
	White ..... Male	1,129	-	-	-	1	2	2	2	1	4	6	12	32	60	122	171	188	211	172	95	37	11	-
	Female	827	-	1	-	1	1	2	2	-	3	8	11	18	44	32	75	104	124	154	139	79	29	-
	All other ..... Male	93	1	-	-	-	-	-	-	-	-	3	8	10	14	14	11	12	10	5	3	2	-	-
	Female	101	-	-	-	-	1	-	2	2	2	2	3	4	10	13	11	14	13	9	7	5	2	1
466	Acute bronchitis and bronchiolitis	58	9	4	2	-	-	-	-	1	2	1	3	1	2	5	3	1	9	6	4	4	1	-
	White ..... Male	25	1	1	-	-	-	-	-	-	1	-	2	-	1	5	2	1	3	2	4	2	-	-
	Female	28	6	3	1	-	-	-	-	1	-	-	1	1	1	-	1	-	6	4	-	2	1	-
	All other ..... Male	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	5,927	97	25	16	14	26	29	33	45	38	64	95	162	232	295	442	597	842	1,041	997	621	216	-
	White ..... Male	2,654	32	8	7	6	5	12	12	14	11	23	27	69	104	139	234	323	425	499	413	224	67	-
	Female	2,522	25	11	7	4	13	6	11	13	7	15	23	40	68	99	142	203	324	467	536	373	135	-
	All other ..... Male	444	22	4	2	-	3	7	6	12	13	16	34	37	34	30	40	44	53	47	23	14	3	-
	Female	307	18	2	-	4	5	4	4	6	7	10	11	16	26	27	26	27	40	28	25	10	11	-
470-474	Influenza	187	1	1	1	-	-	-	3	1	-	2	1	1	2	8	16	17	19	42	32	33	7	-
	White ..... Male	73	-	-	-	-	-	-	-	1	-	-	-	-	1	5	8	8	9	16	13	11	1	-
	Female	103	1	1	1	-	-	-	2	-	-	1	-	1	-	2	7	8	9	25	18	22	5	-
	All other ..... Male	7	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-
480-486	Pneumonia	5,740	96	24	15	14	26	29	30	44	38	62	94	161	230	287	426	580	823	999	965	588	209	-
	White ..... Male	2,581	32	8	7	6	5	12	12	13	11	23	27	69	103	134	226	315	416	483	400	213	66	-
	Female	2,419	24	10	6	4	13	6	9	13	7	14	23	39	68	97	135	195	315	442	518	351	130	-
	All other ..... Male	437	22	4	2	-	3	7	5	12	13	15	33	37	33	30	39	43	52	47	23	14	3	-
	Female	303	18	2	-	4	5	4	4	6	7	10	11	16	26	26	26	27	40	27	24	10	10	-
490-493	Bronchitis, emphysema, and asthma	1,697	8	7	3	5	6	12	9	9	16	24	39	52	102	193	265	303	281	197	114	39	13	-
	White ..... Male	1,046	3	2	2	4	2	2	3	1	6	5	19	18	57	111	169	201	201	144	70	21	5	-
	Female	507	5	-	-	1	2	4	1	1	5	12	11	23	33	67	83	82	68	45	41	16	7	-
	All other ..... Male	87	-	3	-	-	2	2	-	2	5	3	4	7	7	10	7	15	12	5	2	-	1	-
	Female	57	-	2	1	-	-	4	5	5	-	4	5	4	5	5	6	5	-	3	1	2	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York—Con.																							
490, 491	Chronic and unqualified bronchitis	350	4	3	1	–	1	2	1	1	5	4	8	10	20	36	52	50	57	52	28	10	5	–
	White Male	203	1	2	–	–	1	1	1	–	2	1	4	1	11	16	35	32	40	32	15	7	1	–
	Female	117	3	–	–	–	–	–	–	–	1	2	1	8	5	16	14	15	16	16	13	3	4	–
	All other Male	20	–	1	–	–	–	–	–	1	2	–	2	–	4	3	1	2	1	3	–	–	–	–
	Female	10	–	–	1	–	–	1	–	–	–	1	1	1	–	1	2	1	–	1	–	–	–	–
492	Emphysema	1,168	3	–	1	–	1	–	1	–	4	6	19	31	72	141	193	235	210	140	80	25	6	–
	White Male	799	1	–	1	–	–	–	–	–	3	2	11	14	44	92	130	165	154	110	54	14	4	–
	Female	304	2	–	–	–	–	–	–	–	1	1	5	11	22	43	55	55	48	27	23	10	1	–
	All other Male	46	–	–	–	–	1	–	–	–	–	2	1	5	2	5	5	12	8	2	2	–	1	–
	Female	19	–	–	–	–	–	–	1	–	–	1	2	1	4	1	3	3	–	1	1	1	–	–
493	Asthma	179	1	4	1	5	4	10	7	8	7	14	12	11	10	16	20	18	14	5	6	4	2	–
	White Male	44	1	–	1	4	1	1	2	1	1	2	4	3	2	3	4	4	7	2	1	–	–	–
	Female	86	–	–	–	1	2	4	1	1	3	9	5	4	6	8	14	12	4	2	5	3	2	–
	All other Male	21	–	2	–	–	1	2	–	1	3	1	1	2	1	2	1	1	3	–	–	–	–	–
	Female	28	–	2	–	–	–	3	4	5	–	2	2	2	1	3	1	1	–	1	–	1	–	–
531–533	Peptic ulcer	624	2	1	–	1	–	1	2	6	7	11	20	29	46	67	68	88	90	90	51	33	10	1
	White Male	301	1	–	–	–	–	–	1	3	3	6	5	17	23	35	38	42	44	44	23	12	4	–
	Female	247	–	–	–	–	–	1	–	1	2	5	7	7	13	20	23	38	38	40	27	18	6	1
	All other Male	48	1	1	–	1	–	–	1	2	1	–	6	3	5	8	7	5	2	5	–	–	–	–
	Female	28	–	–	–	–	–	–	–	–	1	–	2	2	5	4	–	3	6	1	1	3	–	–
540–543	Appendicitis	63	–	–	–	–	–	4	1	–	–	1	4	2	6	4	10	5	8	9	3	3	3	–
	White Male	29	–	–	–	–	–	2	–	–	–	1	1	1	3	2	3	5	5	3	1	1	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	3	5	2	2	1	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	–	–	–	–	1	–
	Female	8	–	–	–	–	–	1	1	–	–	–	2	–	2	1	–	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	464	44	3	–	1	–	1	2	1	6	6	10	12	15	29	35	48	60	80	63	40	8	–
	White Male	159	19	2	–	1	–	1	1	–	3	1	5	4	7	8	16	17	19	25	20	9	1	–
	Female	254	17	–	–	–	–	–	–	–	2	2	3	5	3	16	15	26	33	54	42	30	6	–
	All other Male	30	5	–	–	–	–	–	–	1	–	1	1	3	4	4	2	2	5	–	1	–	1	–
	Female	21	3	1	–	–	–	–	1	–	1	2	1	–	1	1	2	3	3	1	–	1	–	–
571	Cirrhosis of liver	3,523	–	1	1	1	4	22	86	164	207	307	351	511	489	458	357	288	146	82	36	11	–	1
	White Male	1,715	–	1	–	1	2	9	31	52	74	109	159	237	254	260	218	156	72	51	21	7	–	1
	Female	856	–	–	–	–	1	3	14	22	29	64	71	121	130	114	87	94	59	30	14	3	–	–
	All other Male	625	–	–	1	–	–	7	26	61	62	88	73	101	76	57	33	26	11	1	1	1	–	–
	Female	327	–	–	–	–	1	3	15	29	42	46	48	52	29	27	19	12	4	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	268	–	–	–	–	1	1	1	3	1	1	4	10	9	15	28	37	40	42	47	20	8	–
	White Male	107	–	–	–	–	1	–	1	1	1	–	–	5	3	6	14	17	19	16	19	4	–	–
	Female	145	–	–	–	–	–	1	–	1	–	1	2	4	4	9	11	19	18	26	26	15	8	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	2	1	–	–	3	–	–	–	2	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	3	–	–	1	–	–
580–584	Nephritis and nephrosis	854	1	3	–	–	4	5	9	12	12	12	22	47	59	79	106	119	107	121	88	38	10	–
	White Male	377	1	–	–	–	2	3	3	3	2	2	5	20	15	29	50	65	61	55	37	18	6	–
	Female	281	–	3	–	–	–	2	2	2	3	2	3	9	18	23	32	34	35	53	39	18	3	–
	All other Male	98	–	–	–	–	–	–	3	5	4	5	10	9	14	12	8	10	4	8	3	2	1	–
	Female	98	–	–	–	–	2	–	1	2	3	3	4	9	12	15	16	10	7	5	9	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	180	1	1	–	–	–	–	–	2	1	1	–	7	8	13	20	23	33	35	22	8	5	–
	White Male	91	1	–	–	–	–	–	–	1	–	1	–	2	5	6	12	14	21	16	8	1	3	–
	Female	64	–	1	–	–	–	–	–	1	–	–	–	–	1	5	5	6	10	16	10	7	2	–
	All other Male	12	–	–	–	–	–	–	–	–	1	–	–	4	1	2	1	–	–	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	2	1	3	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	674	–	2	–	–	4	5	9	10	11	11	22	40	51	66	86	96	74	86	66	30	5	–
	White Male	286	–	–	–	–	2	3	3	2	2	1	5	18	10	23	38	51	40	39	29	17	3	–
	Female	217	–	2	–	–	–	2	2	1	3	2	3	9	17	18	27	28	25	37	29	11	1	–
	All other Male	86	–	–	–	–	–	–	3	5	3	5	10	5	13	10	7	10	4	6	2	2	1	–
	Female	85	–	–	–	–	2	–	1	2	3	3	4	8	11	15	14	7	5	4	6	–	–	–
590	Infections of kidney	246	1	–	1	1	1	2	1	1	5	2	3	12	10	11	20	24	45	44	43	10	9	–
	White Male	81	–	–	–	1	–	2	–	–	1	–	2	1	1	3	11	6	15	17	15	4	2	–
	Female	141	1	–	1	–	–	–	1	1	2	1	–	11	7	6	7	17	23	23	27	6	7	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	3	1	1	–	–	–
	Female	14	–	–	–	–	1	–	–	–	2	1	–	–	1	1	1	–	4	3	–	–	–	–
600	Hyperplasia of prostate	93	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	9	14	30	20	7	1	–
	White Male	82	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	7	13	29	18	7	1	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	22	–	–	–	–	1	3	5	7	5	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	–	2	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	13	–	–	–	–	1	1	3	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	New York—Con.																							
640-645	Abortions	5	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	–	3	4	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	8	–	–	–	–	–	2	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	–	1	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	960	581	71	40	17	36	28	20	12	11	11	10	14	20	26	21	8	15	8	8	2	–	1
	White ..... Male	415	245	29	14	7	20	13	10	4	5	8	5	9	11	12	6	3	7	2	4	–	–	1
	Female	360	205	34	15	4	14	8	7	5	4	3	4	5	7	11	12	5	6	6	3	2	–	–
	All other ..... Male	102	75	5	6	3	1	2	2	1	–	–	–	–	–	3	1	–	2	–	1	–	–	–
	Female	83	56	3	5	3	1	5	1	2	2	–	1	–	2	–	2	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	1,731	1,728	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	636	634	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	473	473	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	368	367	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	254	254	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	790	788	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	312	310	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	175	175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	941	940	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	324	324	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	277	277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	193	192	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	147	147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	1,068	372	24	5	7	33	66	107	80	45	47	46	38	32	30	32	23	20	22	15	9	9	6
	White ..... Male	441	121	8	4	1	18	35	49	43	23	15	18	15	15	15	17	8	10	10	5	5	3	3
	Female	280	68	7	–	2	7	14	22	20	12	12	17	16	11	7	11	11	10	12	9	4	6	2
	All other ..... Male	204	100	7	1	3	5	9	22	7	8	15	9	5	4	4	2	1	–	–	1	–	–	1
	Female	143	83	2	–	1	3	8	14	10	2	5	2	2	2	4	2	3	–	–	–	–	–	–
Residual	All other diseases	10,482	123	57	40	41	86	138	176	171	208	251	327	541	701	908	1,171	1,337	1,355	1,348	964	417	121	1
	White ..... Male	4,827	45	32	12	14	54	64	69	59	67	82	138	257	316	416	609	683	680	645	390	163	32	–
	Female	4,162	40	13	19	17	20	37	36	43	59	70	104	155	239	349	434	521	565	625	513	230	72	1
	All other ..... Male	851	23	9	5	5	7	25	35	39	48	60	59	70	89	87	74	74	58	41	27	13	3	–
	Female	642	15	3	4	5	5	12	36	30	34	39	26	59	57	56	54	59	52	37	34	11	14	–
E800-E949	Accidents	5,939	50	159	143	175	630	681	434	301	251	250	253	265	293	307	301	327	345	323	271	137	43	–
	White ..... Male	3,413	26	70	71	94	450	472	299	194	154	139	149	132	171	167	155	160	162	154	120	56	18	–
	Female	1,708	12	48	35	51	141	127	74	55	36	50	52	72	74	87	103	138	148	158	143	80	24	–
	All other ..... Male	588	8	24	23	25	26	71	49	40	49	50	38	45	32	38	30	15	19	5	1	–	–	–
	Female	230	4	17	14	5	13	11	12	12	12	11	14	16	16	15	13	14	16	6	7	1	1	–
E810-E823	Motor vehicle accidents	2,628	7	50	70	91	453	442	251	161	138	119	107	107	125	111	96	105	85	75	30	5	–	–
	White ..... Male	1,644	4	23	31	49	316	312	176	110	90	66	66	52	76	66	51	52	40	39	21	4	–	–
	Female	687	3	16	19	31	113	94	53	33	20	28	18	40	35	27	36	42	37	34	7	1	–	–
	All other ..... Male	225	–	5	15	11	16	29	17	15	24	18	16	13	8	13	9	9	6	1	–	–	–	–
	Female	72	–	6	5	–	8	7	5	3	4	7	7	2	6	5	–	2	2	1	2	–	–	–
E800-E807, E825-E949	All other accidents	3,311	43	109	73	84	177	239	183	140	113	131	146	158	168	196	205	222	260	248	241	132	43	–
	White ..... Male	1,769	22	47	40	45	134	160	123	84	64	73	83	80	95	101	104	108	122	115	99	52	18	–
	Female	1,021	9	32	16	20	28	33	21	22	16	22	34	32	39	60	67	96	111	124	136	79	24	–
	All other ..... Male	363	8	19	8	14	10	42	32	25	25	32	22	32	24	25	21	6	13	4	1	–	–	–
	Female	158	4	11	9	5	5	4	7	9	8	4	7	14	10	10	13	12	14	5	5	1	1	–
E950-E959	Suicide	1,703	...	...	–	11	93	203	207	173	145	107	111	115	118	104	91	70	66	52	29	6	1	1
	White ..... Male	1,060	...	...	–	9	72	130	128	108	90	62	53	64	63	78	55	45	46	32	20	4	–	1
	Female	487	...	...	–	–	13	41	57	44	30	33	47	44	53	22	32	21	19	19	9	2	1	–
	All other ..... Male	109	...	...	–	–	6	25	14	16	18	8	8	3	1	2	4	3	1	–	–	–	–	–
	Female	47	...	...	–	2	2	7	8	5	7	4	3	4	1	2	–	1	–	1	–	–	–	–
E960-E978	Homicide	1,865	15	29	21	39	170	288	311	229	209	139	103	105	61	52	28	23	16	18	2	1	–	6
	White ..... Male	828	4	8	1	14	71	123	142	106	89	63	58	52	30	28	13	10	7	3	1	–	–	5
	Female	183	5	1	2	3	22	22	23	19	11	10	10	12	7	4	2	9	5	13	1	1	–	1
	All other ..... Male	680	3	9	7	12	64	111	120	87	89	59	31	38	17	17	10	3	1	2	–	–	–	–
	Female	174	3	11	11	10	13	32	26	17	20	7	4	3	7	3	3	1	3	–	–	–	–	–
E980-E999	Other external causes	788	14	21	12	15	46	72	79	84	63	63	45	67	32	39	35	37	25	19	11	6	1	2
	White ..... Male	379	5	7	6	6	27	36	45	44	26	30	13	36	15	20	17	17	10	10	7	1	1	–
	Female	158	1	5	1	2	9	12	10	12	11	7	13	10	9	15	11	11	7	6	3	3	–	–
	All other ..... Male	184	3	7	4	6	8	21	16	20	20	22	13	16	6	4	7	3	4	1	–	1	–	2
	Female	67	5	2	1	1	2	3	8	8	6	4	6	5	2	–	–	6	4	2	1	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina																							
	All causes	47,322	1,367	258	179	167	584	693	644	686	755	1,085	1,620	2,577	3,648	4,669	5,766	5,811	5,753	5,011	3,674	1,703	665	7
	White ..... Male	20,045	410	81	66	76	328	352	277	250	306	432	756	1,196	1,788	2,298	2,841	2,655	2,329	1,840	1,130	480	153	1
	Female	15,280	314	55	60	36	116	104	97	131	147	251	360	570	835	1,125	1,431	1,808	2,188	2,344	1,972	957	378	1
	All other ..... Male	6,882	373	73	29	35	102	183	193	205	195	259	302	525	655	775	894	729	562	394	267	92	36	4
	Female	5,115	270	49	24	20	38	54	77	100	107	143	202	286	370	471	600	619	674	433	305	174	98	1
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	62	21	1	1	1	-	-	1	-	-	-	2	-	1	4	5	3	6	6	7	3	-	-
	White ..... Male	12	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-
	Female	19	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	2	2	1	4	3	-	-
	All other ..... Male	15	8	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	3	-	-	-	-
	Female	16	4	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	2	3	-	-	-
010-019	Tuberculosis, all forms	93	-	-	-	-	-	2	1	-	1	2	4	10	10	15	12	13	6	10	6	1	-	-
	White ..... Male	37	-	-	-	-	-	1	1	-	-	-	2	4	4	3	7	7	2	3	3	-	-	-
	Female	14	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	1	4	1	-	-	-
	All other ..... Male	34	-	-	-	-	-	-	-	-	-	1	1	6	4	7	4	2	3	3	2	1	-	-
	Female	8	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	3	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	64	-	-	-	-	-	1	-	-	-	2	3	6	8	14	7	8	4	5	5	1	-	-
	White ..... Male	26	-	-	-	-	-	-	-	-	-	-	1	3	3	3	5	5	1	2	3	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	1	2	1	-	-	-
	All other ..... Male	24	-	-	-	-	-	-	-	-	-	1	1	3	3	7	2	2	2	1	1	1	-	-
	Female	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
013-019	Tuberculosis, other forms	29	-	-	-	-	-	1	1	-	1	-	1	4	2	1	5	5	2	5	1	-	-	-
	White ..... Male	11	-	-	-	-	-	1	1	-	-	-	1	1	1	-	2	2	1	1	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	All other ..... Male	10	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1	2	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	14	6	3	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White ..... Male	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ..... Male	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	236	43	3	2	-	3	3	2	7	4	3	4	6	16	17	30	19	25	21	15	8	5	-
	White ..... Male	88	18	2	-	-	2	-	2	1	1	-	1	1	6	6	10	9	12	8	5	3	1	-
	Female	63	7	-	1	-	-	1	-	1	1	2	-	-	1	4	9	4	7	11	8	4	2	-
	All other ..... Male	42	12	1	-	-	-	1	-	3	-	-	1	3	6	2	5	4	2	-	1	-	1	-
	Female	43	6	-	1	-	1	1	-	2	2	1	2	2	3	5	6	2	4	2	1	1	1	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	161	9	4	5	2	7	1	5	3	11	6	11	10	21	14	14	9	9	5	11	2	2	-
	White ..... Male	51	4	2	1	-	2	-	1	-	2	-	6	5	6	4	6	2	3	2	4	1	-	-
	Female	56	3	1	1	-	3	-	-	2	1	3	2	4	5	6	5	5	5	2	5	1	2	-
	All other ..... Male	28	1	1	2	1	1	1	1	-	2	3	2	-	7	3	-	1	1	-	1	-	-	-
	Female	26	1	-	1	1	1	-	3	1	6	-	1	1	3	1	3	1	-	1	1	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,910	5	20	27	17	24	33	42	79	107	200	385	694	1,014	1,204	1,464	1,246	1,004	748	415	150	31	1
	White ..... Male	3,790	–	8	11	7	9	13	16	22	33	63	153	264	444	529	710	574	421	317	143	50	3	–
	Female	3,053	4	4	11	5	7	10	12	28	49	83	137	241	341	373	411	407	353	288	190	76	22	1
	All other ..... Male	1,222	1	5	3	3	3	4	6	8	12	23	51	112	148	181	235	161	122	90	43	9	2	–
	Female	845	–	3	2	2	5	6	8	21	13	31	44	77	81	121	108	104	108	53	39	15	4	–
140-149	Of buccal cavity and pharynx	177	–	–	–	–	–	–	–	1	–	4	10	19	29	28	24	23	19	12	3	4	1	–
	White ..... Male	85	–	–	–	–	–	–	–	1	–	2	6	7	20	16	11	9	6	5	1	–	1	–
	Female	56	–	–	–	–	–	–	–	–	–	–	2	3	4	7	6	10	12	7	2	3	–	–
	All other ..... Male	26	–	–	–	–	–	–	–	–	–	2	2	7	2	4	5	3	–	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	1	1	–	–	–	–	–
150-159	Of digestive organs and peritoneum	2,108	–	–	–	–	2	1	5	10	10	32	60	137	203	274	362	313	275	227	134	52	11	–
	White ..... Male	827	–	–	–	–	1	–	1	1	4	15	22	57	82	115	171	125	99	83	38	13	–	–
	Female	763	–	–	–	–	1	1	1	1	3	10	20	34	70	76	114	112	113	104	67	28	8	–
	All other ..... Male	291	–	–	–	–	–	–	1	3	–	5	12	32	35	44	46	43	30	25	12	3	–	–
	Female	227	–	–	–	–	–	–	2	5	3	2	6	14	16	39	31	33	33	15	17	8	3	–
160-163	Of respiratory system	2,238	–	–	–	–	–	1	1	2	16	44	134	222	332	361	433	313	208	111	43	14	3	–
	White ..... Male	1,400	–	–	–	–	–	–	–	1	8	20	79	123	203	228	291	224	126	67	25	5	–	–
	Female	389	–	–	–	–	–	–	1	1	6	13	30	41	62	60	49	48	32	23	11	9	3	–
	All other ..... Male	384	–	–	–	–	–	–	–	–	2	9	18	51	63	64	83	36	39	15	4	–	–	–
	Female	65	–	–	–	–	–	1	–	–	–	2	7	7	4	9	10	5	11	6	3	–	–	–
174	Of breast	749	–	–	–	–	–	–	2	14	16	30	54	91	101	112	91	86	67	41	28	10	5	1
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	583	–	–	–	–	–	–	–	8	13	22	43	70	83	87	75	67	47	32	22	8	5	1
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	163	–	–	–	–	–	–	2	6	3	8	11	21	18	25	14	19	19	9	6	2	–	–
180-187	Of genital organs	1,099	–	–	–	–	2	4	6	5	15	26	29	64	92	140	164	157	155	141	73	25	1	–
	White ..... Male	378	–	–	–	–	–	2	1	–	2	–	2	5	15	35	59	64	66	75	35	16	1	–
	Female	365	–	–	–	–	–	2	3	1	9	16	18	40	47	54	44	46	38	27	16	4	–	–
	All other ..... Male	204	–	–	–	–	1	–	–	–	–	–	2	2	13	27	37	35	35	34	15	3	–	–
	Female	152	–	–	–	–	1	–	2	4	4	10	7	17	17	24	24	12	16	5	7	2	–	–
188, 189	Of urinary organs	319	2	2	3	–	1	–	1	1	–	3	8	12	23	39	50	60	45	35	22	9	3	–
	White ..... Male	155	–	–	1	–	–	–	–	–	–	2	4	4	13	24	29	28	20	18	8	4	–	–
	Female	92	2	–	–	–	–	–	–	–	–	1	–	4	5	6	9	17	19	11	12	4	2	–
	All other ..... Male	44	–	1	1	–	–	–	1	–	–	–	3	3	3	6	9	9	2	3	1	1	1	–
	Female	28	–	1	1	–	1	–	–	1	–	–	1	1	2	3	3	6	4	3	1	–	–	–
170-173, 190-199	Of all other and unspecified sites	1,369	1	5	9	7	11	12	14	30	31	45	62	114	142	159	214	178	123	119	65	22	6	–
	White ..... Male	575	–	1	4	3	4	5	8	13	11	18	26	54	65	74	96	72	49	45	19	7	1	–
	Female	493	1	1	3	2	3	2	2	12	12	15	16	35	44	51	73	64	51	56	33	13	4	–
	All other ..... Male	176	–	2	1	1	1	1	2	3	5	6	11	14	20	25	35	21	7	10	9	1	1	–
	Female	125	–	1	1	1	3	4	2	2	3	6	9	11	13	9	10	21	16	8	4	1	–	–
204-207	Leukemia	330	2	12	12	9	7	8	6	7	10	6	12	15	32	30	39	39	36	27	15	6	–	–
	White ..... Male	148	–	6	4	4	4	3	3	3	3	3	5	6	16	14	16	18	14	14	10	2	–	–
	Female	123	1	3	8	3	2	3	1	2	3	3	5	7	11	9	16	12	17	8	5	4	–	–
	All other ..... Male	38	1	2	–	1	1	2	2	1	4	–	–	1	4	3	5	6	3	2	–	–	–	–
	Female	21	–	1	–	1	–	–	–	1	–	–	2	1	1	4	2	3	2	3	–	–	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	521	–	1	3	1	1	7	7	9	9	10	16	20	60	61	87	77	76	35	32	8	1	–
	White ..... Male	221	–	1	2	–	–	3	3	3	5	3	9	8	30	23	37	34	40	10	7	3	–	–
	Female	189	–	–	–	–	1	2	4	3	3	3	3	7	15	23	25	31	24	20	22	3	–	–
	All other ..... Male	57	–	–	1	1	–	1	–	1	1	1	3	2	8	8	13	8	6	1	2	–	–	–
	Female	54	–	–	–	–	–	1	–	2	–	3	1	3	7	7	12	4	6	4	1	2	1	–
210-239	Benign neoplasms and neoplasms of unspecified nature	160	1	3	2	1	4	2	2	2	8	5	10	6	16	18	23	15	19	11	11	1	–	–
	White ..... Male	66	–	3	2	1	–	–	2	1	4	3	4	3	7	8	10	5	6	5	2	–	–	–
	Female	60	1	–	–	–	4	–	–	–	–	1	2	2	2	8	9	7	10	5	8	1	–	–
	All other ..... Male	15	–	–	–	–	–	–	–	1	3	1	2	–	3	1	–	2	1	–	1	–	–	–
	Female	19	–	–	–	–	–	2	–	–	1	–	2	1	4	1	4	1	2	1	–	–	–	–
250	Diabetes mellitus	805	–	–	–	1	1	–	7	9	15	16	35	41	67	105	117	135	111	85	40	16	4	–
	White ..... Male	238	–	–	–	–	–	–	2	2	7	6	12	10	26	33	39	40	30	18	9	2	2	–
	Female	293	–	–	–	1	–	–	3	1	3	5	7	14	14	31	40	39	48	50	26	11	–	–
	All other ..... Male	96	–	–	–	–	–	–	1	2	5	4	4	8	12	13	19	16	6	3	2	1	–	–
	Female	178	–	–	–	–	1	–	1	4	–	1	12	9	15	28	19	40	27	14	3	2	2	–
260-269	Avitaminoses and other nutritional deficiencies	61	1	1	–	–	1	–	–	–	–	–	–	3	1	2	4	7	6	11	11	12	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	5	3	2	–	–
	Female	22	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	6	5	6	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	–	–	3	1	–	–
	Female	13	1	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	3	–	–	3	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina—Con.																							
280–285	Anemias	100	1	3	1	–	1	6	9	3	4	–	4	3	2	7	8	15	9	10	12	2	–	–
	White ..... Male	20	1	–	–	–	–	–	–	–	1	–	1	–	–	1	2	5	1	3	5	–	–	–
	Female	31	–	1	–	–	1	1	–	–	1	–	1	–	1	4	3	3	3	6	4	2	–	–
	All other ..... Male	29	–	1	–	–	–	4	4	2	1	–	1	3	–	1	2	6	3	–	1	–	–	–
	Female	20	–	1	1	–	–	1	5	1	1	–	1	–	1	1	1	1	2	1	2	–	–	–
320	Meningitis	58	24	6	1	–	–	2	–	2	1	2	1	4	3	3	2	2	3	2	–	–	–	–
	White ..... Male	22	7	2	1	–	–	–	–	2	1	1	1	–	1	2	1	1	1	1	–	–	–	–
	Female	12	5	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–
	All other ..... Male	15	8	2	–	–	–	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
	Female	9	4	1	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	23,485	36	11	4	12	14	25	42	79	168	311	549	1,035	1,615	2,303	3,012	3,316	3,543	3,204	2,507	1,216	483	–
	White ..... Male	9,909	13	1	1	5	3	11	16	30	69	142	287	554	877	1,220	1,522	1,498	1,375	1,115	734	322	114	–
	Female	8,167	11	2	3	3	4	2	7	16	24	49	77	147	278	470	689	1,021	1,410	1,589	1,402	696	267	–
	All other ..... Male	2,832	7	2	–	1	4	4	11	24	53	68	110	226	289	387	449	404	325	215	158	66	29	–
	Female	2,577	5	6	–	3	3	8	8	9	22	52	75	108	171	226	352	393	433	285	213	132	73	–
390–398, 402, 404, 410–429	Diseases of heart	17,445	30	10	1	9	7	16	25	47	127	250	441	867	1,332	1,909	2,368	2,496	2,546	2,201	1,671	797	295	–
	White ..... Male	7,970	11	1	–	5	1	5	9	25	60	130	264	504	776	1,066	1,290	1,193	1,032	787	518	211	82	–
	Female	5,687	10	2	1	1	2	2	5	5	15	32	44	114	215	381	527	738	1,007	1,082	898	457	149	–
	All other ..... Male	2,040	7	1	–	–	2	4	8	14	40	51	73	171	218	296	323	287	232	145	105	46	17	–
	Female	1,748	2	6	–	3	2	5	3	3	12	37	60	78	123	166	228	278	275	187	150	83	47	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	270	–	2	–	–	1	4	4	1	11	13	20	22	13	34	38	30	37	22	10	6	2	–
	White ..... Male	91	–	–	–	–	–	–	1	–	2	4	8	11	5	9	13	13	12	9	2	2	–	–
	Female	110	–	1	–	–	–	–	–	–	3	6	5	5	4	15	15	15	20	11	5	3	2	–
	All other ..... Male	33	–	–	–	–	1	3	1	1	3	3	2	3	1	5	4	2	3	1	–	–	–	–
	Female	36	–	1	–	–	–	1	2	–	3	–	5	3	3	5	6	–	2	1	3	1	–	–
402	Hypertensive heart disease	176	–	–	–	–	–	–	–	–	1	6	6	12	17	24	19	28	24	25	10	3	1	–
	White ..... Male	50	–	–	–	–	–	–	–	–	–	2	1	3	6	7	4	9	8	6	3	–	1	–
	Female	52	–	–	–	–	–	–	–	–	–	2	–	2	3	3	7	5	9	12	6	3	–	–
	All other ..... Male	45	–	–	–	–	–	–	–	–	1	2	2	7	6	9	4	5	4	5	–	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	3	–	2	5	4	9	3	2	1	–	–	–
404	Hypertensive heart and renal disease	111	–	–	–	–	–	1	1	1	1	1	1	3	8	10	7	22	17	17	12	9	–	–
	White ..... Male	28	–	–	–	–	–	1	–	1	–	–	–	–	2	1	2	10	4	3	3	1	–	–
	Female	37	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	5	9	8	5	6	–	–
	All other ..... Male	19	–	–	–	–	–	–	1	–	–	–	–	2	4	2	1	3	4	–	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	1	–	1	1	2	4	4	4	–	6	2	2	–	–
410–413	Ischemic heart disease	15,385	–	–	–	–	–	2	11	29	87	186	360	743	1,171	1,691	2,127	2,215	2,288	1,979	1,520	712	264	–
	White ..... Male	7,247	–	–	–	–	–	1	5	19	50	112	236	454	716	985	1,198	1,079	935	719	474	189	75	–
	Female	4,990	–	–	–	–	–	–	2	3	5	13	34	87	183	319	458	651	907	973	817	409	129	–
	All other ..... Male	1,705	–	–	–	–	–	–	4	5	26	31	52	141	181	253	280	252	200	129	95	39	17	–
	Female	1,443	–	–	–	–	–	1	–	2	6	30	38	61	91	134	191	233	246	158	134	75	43	–
410	Acute myocardial infarction	8,316	–	–	–	–	–	1	8	18	61	130	251	510	777	1,101	1,354	1,247	1,181	883	506	217	71	–
	White ..... Male	4,481	–	–	–	–	–	–	4	13	38	88	173	334	510	689	807	651	544	363	183	64	20	–
	Female	2,393	–	–	–	–	–	–	2	2	5	7	21	63	115	204	303	365	463	424	261	125	33	–
	All other ..... Male	850	–	–	–	–	–	–	2	3	14	20	34	81	103	141	153	123	86	47	31	9	3	–
	Female	592	–	–	–	–	–	1	–	–	4	15	23	32	49	67	91	108	88	49	31	19	15	–
411	Other acute and subacute forms of ischemic heart disease	147	–	–	–	–	–	–	–	–	1	7	7	10	19	14	18	27	18	10	10	5	1	–
	White ..... Male	85	–	–	–	–	–	–	–	–	–	3	6	5	12	6	11	16	12	4	7	2	1	–
	Female	32	–	–	–	–	–	–	–	–	–	2	–	1	4	6	4	3	3	5	2	2	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	3	1	1	3	4	2	–	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	2	1	1	2	1	–	4	1	1	–	–	–	–
412	Chronic ischemic heart disease	6,911	–	–	–	–	–	1	3	11	25	49	102	222	373	573	754	941	1,089	1,084	1,002	490	192	–
	White ..... Male	2,675	–	–	–	–	–	1	1	6	12	21	57	115	192	289	380	412	379	351	282	123	54	–
	Female	2,561	–	–	–	–	–	–	–	1	–	4	13	23	64	107	150	283	441	543	554	282	96	–
	All other ..... Male	838	–	–	–	–	–	–	2	2	12	11	18	56	77	111	124	125	112	82	63	29	14	–
	Female	837	–	–	–	–	–	–	–	2	1	13	14	28	40	66	100	121	157	108	103	56	28	–
413	Angina pectoris	11	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	–	2	2	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	96	–	1	–	–	–	–	–	1	4	3	4	1	8	9	12	12	6	12	13	6	4	–
	White ..... Male	38	–	–	–	–	–	–	–	–	1	2	1	–	4	5	7	7	1	3	3	4	–	–
	Female	33	–	1	–	–	–	–	–	–	1	–	1	–	–	1	3	3	4	7	7	1	4	–
	All other ..... Male	18	–	–	–	–	–	–	–	1	2	1	1	1	3	2	2	1	1	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	1	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,407	30	7	1	9	6	9	9	15	23	41	50	86	115	141	165	189	174	146	106	61	24	–
	White ..... Male	516	11	1	–	5	1	3	3	5	7	10	18	36	43	59	66	75	72	47	33	15	6	–
	Female	465	10	–	1	1	2	2	3	2	6	10	4	20	25	40	44	59	58	71	58	35	14	–
	All other ..... Male	220	7	1	–	–	1	1	2	7	8	14	16	17	23	25	32	24	20	9	6	7	–	–
	Female	206	2	5	–	3	2	3	1	1	2	7	12	13	24	17	23	31	24	19	9	4	4	–
400, 401, 403	Hypertension	143	–	–	–	–	–	–	–	1	3	1	5	10	7	15	18	24	18	16	10	11	4	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	6	3	5	4	3	1	–
	Female	43	–	–	–	–	–	–	–	–	–	–	1	3	–	1	3	9	8	4	4	8	2	–
	All other ..... Male	37	–	–	–	–	–	–	–	1	1	–	2	3	4	8	6	4	1	4	2	–	1	–
	Female	36	–	–	–	–	–	–	–	–	2	1	–	4	3	5	7	5	6	3	–	–	–	–
430–438	Cerebrovascular diseases	4,698	6	1	3	3	5	8	14	27	33	53	88	132	210	287	513	635	791	796	647	312	134	–
	White ..... Male	1,435	2	–	1	–	1	5	7	4	7	10	18	40	66	103	167	229	268	247	162	79	19	–
	Female	1,980	1	–	2	2	2	–	2	8	8	14	29	27	52	71	136	221	316	423	400	177	89	–
	All other ..... Male	628	–	1	–	1	1	–	2	9	11	17	28	41	56	63	106	95	76	57	38	17	9	–
	Female	655	3	–	–	–	1	3	3	6	7	12	13	24	36	50	104	90	131	69	47	39	17	–
431	Cerebral hemorrhage	560	5	–	1	1	2	2	8	10	12	21	25	41	45	64	76	77	73	46	42	9	–	–
	White ..... Male	164	1	–	1	–	1	2	2	1	–	7	3	11	15	25	27	22	20	15	7	4	–	–
	Female	213	1	–	–	–	1	–	1	2	3	3	6	9	15	15	23	36	34	30	31	3	–	–
	All other ..... Male	106	–	–	–	1	–	–	2	5	6	7	10	16	12	17	16	9	5	–	–	–	–	–
	Female	77	3	–	–	–	–	–	3	2	3	4	6	5	3	7	10	10	14	1	4	2	–	–
433	Cerebral thrombosis	1,059	–	–	–	–	–	1	–	1	1	1	5	13	29	50	103	146	189	202	175	92	51	–
	White ..... Male	339	–	–	–	–	–	–	–	1	–	1	1	4	10	19	36	61	62	70	39	28	7	–
	Female	485	–	–	–	–	–	–	–	–	–	–	1	3	5	14	31	48	75	103	117	53	35	–
	All other ..... Male	121	–	–	–	–	–	–	–	–	1	–	3	4	9	13	19	23	19	13	8	5	4	–
	Female	114	–	–	–	–	–	1	–	–	–	–	–	2	5	4	17	14	33	16	11	6	5	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	–	1	2	1	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,066	1	1	2	2	3	5	6	16	20	31	56	77	135	171	332	412	528	546	429	211	82	–
	White ..... Male	929	1	–	–	–	–	3	5	2	7	2	13	25	41	59	103	146	185	162	116	47	12	–
	Female	1,276	–	–	2	2	1	–	1	6	5	11	22	15	32	40	82	137	207	288	251	121	53	–
	All other ..... Male	399	–	1	–	–	1	–	–	4	4	10	15	20	34	33	71	63	52	44	30	12	5	–
	Female	462	–	–	–	–	1	2	–	4	4	8	6	17	28	39	76	66	84	52	32	31	12	–
440	Arteriosclerosis	615	–	–	–	–	–	–	–	–	–	–	2	4	21	24	35	68	97	127	123	74	40	–
	White ..... Male	195	–	–	–	–	–	–	–	–	–	–	1	1	8	9	16	21	28	47	31	22	11	–
	Female	281	–	–	–	–	–	–	–	–	–	–	–	1	4	4	8	28	49	54	72	42	19	–
	All other ..... Male	59	–	–	–	–	–	–	–	–	–	–	1	2	3	9	6	10	7	5	11	3	2	–
	Female	80	–	–	–	–	–	–	–	–	–	–	–	–	6	2	5	9	13	21	9	7	8	–
441–448	Other diseases of arteries, arterioles, and capillaries	584	–	–	–	–	2	1	3	4	5	7	13	22	45	68	78	93	91	64	56	22	10	–
	White ..... Male	282	–	–	–	–	1	1	–	1	2	2	2	9	27	41	47	49	44	29	19	7	1	–
	Female	176	–	–	–	–	–	–	–	3	1	3	3	2	7	13	15	25	30	26	28	12	8	–
	All other ..... Male	68	–	–	–	–	1	–	1	–	1	–	6	9	8	11	8	8	9	4	2	–	–	–
	Female	58	–	–	–	–	–	–	2	–	1	2	2	2	3	3	8	11	8	5	7	3	1	–
466	Acute bronchitis and bronchiolitis	19	4	1	–	–	–	–	–	–	–	–	1	–	–	1	2	2	4	1	3	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	–	–	–
	All other ..... Male	6	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,431	37	12	1	5	4	8	10	16	14	24	36	52	60	88	123	132	185	258	196	112	57	1
	White ..... Male	572	9	4	–	2	2	3	3	6	3	6	13	21	25	49	65	53	80	104	66	43	15	–
	Female	523	6	–	–	3	1	–	–	1	3	4	6	13	10	13	30	49	73	115	102	60	34	–
	All other ..... Male	204	13	2	1	–	–	4	5	7	4	10	13	13	17	22	18	17	15	19	17	4	2	1
	Female	132	9	6	–	–	1	1	2	2	4	4	4	5	8	4	10	13	17	20	11	5	6	–
470–474	Influenza	119	2	1	–	–	–	2	–	1	–	–	3	2	6	4	11	8	14	21	20	17	7	–
	White ..... Male	38	–	1	–	–	–	2	–	1	–	–	–	1	1	3	5	3	5	8	3	3	2	–
	Female	65	1	–	–	–	–	–	–	–	–	–	3	1	2	1	4	4	7	10	13	14	5	–
	All other ..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	2	–	–	–
480–486	Pneumonia	1,312	35	11	1	5	4	6	10	15	14	24	33	50	54	84	112	124	171	237	176	95	50	1
	White ..... Male	534	9	3	–	2	2	1	3	5	3	6	13	20	24	46	60	50	75	96	63	40	13	–
	Female	458	5	–	–	3	1	–	–	1	3	4	3	12	8	12	26	45	66	105	89	46	29	–
	All other ..... Male	195	12	2	1	–	–	4	5	7	4	10	13	13	16	22	18	17	13	16	15	4	2	1
	Female	125	9	6	–	–	1	1	2	2	4	4	4	5	6	4	8	12	17	20	9	5	6	–
490–493	Bronchitis, emphysema, and asthma	461	7	2	–	1	2	1	6	5	5	6	13	21	36	63	77	77	68	41	21	9	–	–
	White ..... Male	274	5	–	–	–	–	1	1	–	1	–	4	10	21	29	55	59	47	24	13	4	–	–
	Female	119	–	1	–	–	2	–	1	2	2	2	5	6	11	20	11	14	17	15	5	5	–	–
	All other ..... Male	45	2	1	–	1	–	–	1	–	–	2	2	4	2	11	8	4	4	1	2	–	–	–
	Female	23	–	–	–	–	–	–	3	3	2	2	2	1	2	3	3	–	–	1	1	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	117	6	1	-	-	1	1	1	1	-	-	2	2	8	21	13	24	12	11	7	6	-	-
	White Male	67	4	-	-	-	-	1	-	-	-	-	1	2	4	9	11	16	7	7	3	2	-	-
	Female	40	-	-	-	-	1	-	-	-	-	-	1	-	4	9	1	8	5	4	3	4	-	-
	All other Male	6	2	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
492	Emphysema	276	-	-	-	-	-	-	1	-	1	2	6	12	22	36	54	49	52	25	13	3	-	-
	White Male	195	-	-	-	-	-	-	1	-	-	-	3	7	15	18	42	41	39	17	10	2	-	-
	Female	51	-	-	-	-	-	-	-	-	-	1	2	3	5	9	6	4	11	8	1	1	-	-
	All other Male	26	-	-	-	-	-	-	-	-	-	-	1	2	2	8	5	4	2	-	2	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
493	Asthma	68	1	1	-	1	1	-	4	4	4	4	5	7	6	6	10	4	4	5	1	-	-	-
	White Male	12	1	-	-	-	-	-	-	-	1	-	-	1	2	2	2	2	1	-	-	-	-	-
	Female	28	-	1	-	-	1	-	1	2	2	1	2	3	2	2	4	2	1	3	1	-	-	-
	All other Male	13	-	-	-	1	-	-	1	-	-	2	1	2	-	1	2	-	2	1	-	-	-	-
	Female	15	-	-	-	-	-	-	2	2	1	1	2	1	2	1	2	-	-	1	-	-	-	-
531-533	Peptic ulcer	112	1	-	1	-	1	1	-	2	2	2	5	3	10	16	17	17	13	9	9	3	-	-
	White Male	54	-	-	-	-	1	-	-	1	2	-	2	3	7	6	9	8	7	4	3	1	-	-
	Female	38	-	-	-	-	-	1	-	-	-	1	1	-	1	6	5	8	6	3	4	2	-	-
	All other Male	13	-	-	-	-	-	-	-	1	-	1	2	-	2	3	1	1	-	1	1	-	-	-
	Female	7	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-
540-543	Appendicitis	14	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	3	1	-	-	1	-
	White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	1	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	130	8	1	-	-	3	1	1	1	3	2	2	3	5	10	14	14	17	25	8	8	4	-
	White Male	35	1	-	-	-	2	1	-	-	1	1	-	1	1	4	5	4	5	5	-	4	-	-
	Female	54	3	1	-	-	-	-	1	1	-	-	2	-	3	3	3	3	8	14	5	3	4	-
	All other Male	20	1	-	-	-	1	-	-	-	2	-	-	1	-	1	3	4	1	5	1	-	-	-
	Female	21	3	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	3	1	2	1	-	-
571	Cirrhosis of liver	664	-	-	-	-	-	-	10	22	44	63	80	102	106	97	60	45	23	7	3	1	-	1
	White Male	310	-	-	-	-	-	-	3	6	10	23	49	53	54	49	30	17	12	3	-	-	-	1
	Female	142	-	-	-	-	-	-	-	1	5	16	15	18	13	30	13	16	8	3	3	1	-	-
	All other Male	122	-	-	-	-	-	-	4	8	12	14	9	21	24	11	11	7	-	1	-	-	-	-
	Female	90	-	-	-	-	-	-	3	7	17	10	7	10	15	7	6	5	3	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	67	-	-	-	-	-	-	-	1	-	-	-	3	1	3	5	15	7	18	5	6	3	-
	White Male	22	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	4	3	6	1	2	-	-
	Female	26	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	8	3	4	2	-
	All other Male	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	-	1	1	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	3	-	-	1	-
580-584	Nephritis and nephrosis	286	5	1	-	-	2	6	4	3	9	6	11	24	19	32	39	32	35	26	21	8	3	-
	White Male	86	2	-	-	-	1	3	-	-	1	3	3	7	5	13	11	10	11	6	7	2	1	-
	Female	68	-	-	-	-	1	-	2	1	2	1	2	7	3	6	8	11	9	5	7	3	-	-
	All other Male	67	1	1	-	-	-	1	-	2	4	1	1	6	6	6	11	7	9	6	2	2	1	-
	Female	65	2	-	-	-	-	2	2	-	2	1	5	4	5	7	9	4	6	9	5	1	1	-
580, 581	Acute nephritis and nephrotic syndrome	55	5	1	-	-	-	2	1	-	-	2	1	1	4	10	11	5	5	4	2	1	-	-
	White Male	16	2	-	-	-	-	1	-	-	-	-	1	-	-	5	2	-	1	2	2	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	3	3	2	-	-	-	-
	All other Male	17	1	1	-	-	-	1	-	-	-	1	-	1	2	3	4	1	1	-	-	1	-	-
	Female	7	2	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	231	-	-	-	-	2	4	3	3	9	4	10	23	15	22	28	27	30	22	19	7	3	-
	White Male	70	-	-	-	-	1	2	-	-	1	3	2	7	5	8	9	10	10	4	5	2	1	-
	Female	53	-	-	-	-	1	-	2	1	2	-	2	7	2	4	5	8	6	3	7	3	-	-
	All other Male	50	-	-	-	-	-	-	-	2	4	-	1	5	4	3	7	6	8	6	2	1	1	-
	Female	58	-	-	-	-	-	2	1	-	2	1	5	4	4	7	7	3	6	9	5	1	1	-
590	Infections of kidney	88	-	-	-	-	-	1	-	-	2	1	1	3	5	5	8	8	13	13	16	8	4	-
	White Male	25	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	6	7	3	-	-
	Female	41	-	-	-	-	-	-	-	-	1	1	1	2	1	2	3	4	4	7	6	5	4	-
	All other Male	9	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	2	-	1	-	-	-
	Female	13	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	-	2	-	2	-	-	-
600	Hyperplasia of prostate	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	2	2	1	1	-
	White Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	1	-	-
	All other Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	1	-
630-678	Complications of pregnancy, childbirth, and the puerperium	6	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Carolina—Con.																							
640–645	Abortions	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	352	217	32	11	12	11	7	6	6	2	5	7	2	2	8	9	6	3	3	3	–	–	–
	White ..... Male	132	84	11	–	8	6	–	2	1	1	2	3	1	2	3	1	3	1	3	–	–	–	–
	Female	112	62	12	6	2	2	6	1	1	–	1	2	1	–	4	5	3	2	–	2	–	–	–
	All other ..... Male	69	43	7	2	1	1	1	2	3	1	1	2	–	–	1	3	–	–	–	1	–	–	–
	Female	39	28	2	3	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	666	666	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	183	183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	147	147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	309	309	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	357	357	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	483	180	7	2	1	4	9	10	11	10	13	13	19	27	24	26	21	15	37	29	15	9	1
	White ..... Male	132	43	1	1	–	2	1	1	–	5	6	3	7	10	10	12	7	4	9	5	3	2	–
	Female	138	34	–	–	–	1	4	3	3	1	2	4	7	7	3	1	7	5	19	19	11	7	–
	All other ..... Male	134	61	5	–	–	1	2	5	6	3	5	6	2	7	5	9	5	3	5	3	1	–	–
	Female	79	42	1	1	1	–	2	1	2	1	–	–	3	3	6	4	2	3	4	2	–	–	1
Residual	All other diseases	3,836	53	30	14	16	34	37	54	74	92	125	172	245	318	387	501	492	484	354	230	86	38	–
	White ..... Male	1,646	17	12	5	8	22	16	14	16	31	34	64	96	140	197	238	246	230	148	82	23	7	–
	Female	1,166	13	7	8	2	6	7	8	10	16	25	35	56	81	89	136	157	168	152	119	46	25	–
	All other ..... Male	614	19	9	–	2	3	11	21	28	27	47	42	53	66	70	78	51	39	28	15	5	–	–
	Female	410	4	2	1	4	3	3	11	20	18	19	31	40	31	31	49	38	47	26	14	12	6	–
E800–E949	Accidents	3,146	37	110	105	89	387	355	255	189	132	166	164	179	193	170	144	127	110	91	87	34	19	3
	White ..... Male	1,576	9	34	43	41	233	215	144	89	70	77	89	90	91	84	72	65	44	36	29	13	8	–
	Female	648	10	21	29	19	68	48	39	30	14	28	26	28	41	34	35	34	37	39	43	17	8	–
	All other ..... Male	695	9	31	21	23	71	84	61	60	39	47	36	49	41	33	26	21	20	8	10	2	–	3
	Female	227	9	24	12	6	15	8	11	10	9	14	13	12	20	19	11	7	9	8	5	2	3	–
E810–E823	Motor vehicle accidents	1,498	9	57	68	50	269	248	165	98	62	74	56	74	71	54	50	36	25	20	8	2	1	1
	White ..... Male	792	2	13	28	27	172	151	87	50	32	38	30	34	34	28	25	18	10	8	4	1	–	–
	Female	313	6	11	17	10	53	39	34	22	10	15	13	11	15	12	16	14	7	7	1	–	–	–
	All other ..... Male	306	–	18	14	9	37	50	38	23	18	18	9	22	16	8	8	4	7	3	2	1	–	1
	Female	87	1	15	9	4	7	8	6	3	2	3	4	7	6	6	1	–	1	2	1	–	1	–
E800–E807, E825–E949	All other accidents	1,648	28	53	37	39	118	107	90	91	70	92	108	105	122	116	94	91	85	71	79	32	18	2
	White ..... Male	784	7	21	15	14	61	64	57	39	38	39	59	56	57	56	47	47	34	28	25	12	8	–
	Female	335	4	10	12	9	15	9	5	8	4	13	13	17	26	22	19	20	30	32	42	17	8	–
	All other ..... Male	389	9	13	7	14	34	34	23	37	21	29	27	27	25	25	18	17	13	5	8	1	–	2
	Female	140	8	9	3	2	8	–	5	7	7	11	9	5	14	13	10	7	8	6	4	2	2	–
E950–E959	Suicide	654	...	...	–	3	38	61	50	77	49	62	62	61	50	46	32	29	22	7	4	1	–	–
	White ..... Male	438	...	...	–	3	26	39	33	44	32	38	35	41	37	31	24	27	18	5	4	1	–	–
	Female	151	...	...	–	–	5	9	10	22	15	16	24	16	12	10	6	2	3	1	–	–	–	–
	All other ..... Male	51	...	...	–	–	6	10	5	9	1	7	2	2	–	5	2	–	1	1	–	–	–	–
	Female	14	...	...	–	–	1	3	2	2	1	1	1	2	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	663	3	4	1	6	35	120	117	82	60	59	42	43	43	21	10	7	4	5	1	–	–	–
	White ..... Male	248	1	–	–	1	14	43	30	26	25	25	24	22	19	7	3	5	–	2	1	–	–	–
	Female	76	1	–	–	1	9	13	7	9	5	8	7	5	5	3	2	1	–	–	–	–	–	–
	All other ..... Male	271	–	3	–	2	10	50	66	36	25	22	10	12	17	10	3	1	2	2	–	–	–	–
	Female	68	1	1	1	2	2	14	14	11	5	4	1	4	2	1	2	–	2	1	–	–	–	–
E980–E999	Other external causes	81	2	3	–	–	4	9	8	13	12	6	6	3	7	2	3	1	2	–	–	–	–	–
	White ..... Male	33	–	–	–	–	3	5	6	2	6	2	–	2	2	1	2	–	2	–	–	–	–	–
	Female	20	1	1	–	–	–	–	1	2	4	2	3	1	4	–	–	1	–	–	–	–	–	–
	All other ..... Male	18	–	1	–	–	1	3	–	5	1	1	3	–	1	1	1	–	–	–	–	–	–	–
	Female	10	1	1	–	–	–	1	1	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota																							
	All causes	5,491	152	27	18	23	61	89	65	67	52	97	126	218	261	353	545	697	725	769	674	360	109	3
	White ..... Male	3,066	78	11	9	14	39	68	41	41	30	49	69	141	175	229	370	405	392	391	321	150	42	1
	Female	2,251	62	11	5	7	16	14	18	17	14	39	47	62	71	109	165	276	324	372	347	209	66	–
	All other ..... Male	105	6	1	1	2	4	7	4	5	5	6	8	10	9	7	5	11	5	4	3	–	–	2
	Female	69	6	4	3	–	2	–	2	4	3	3	2	5	6	8	5	5	4	2	3	1	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	9	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	2	–	–
	White ..... Male	4	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	3	2	–	–	–	–	1	1	–	–	–	–	–	1	1	3	2	2	1	–	–	–
	White ..... Male	8	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	–	–
	Female	9	1	2	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	12	4	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–	1	–	1	1	–	–
	White ..... Male	7	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,074	–	2	3	3	4	9	7	11	13	22	34	63	68	110	167	172	156	120	80	25	5	–
	White ..... Male	563	–	–	1	2	2	7	2	7	6	7	9	35	33	74	104	84	80	55	43	11	1	–
	Female	497	–	2	1	1	2	2	5	4	6	14	24	27	34	33	63	85	75	64	37	14	4	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	1	–	1	–	–	–	–
	Female	8	–	–	1	–	–	–	–	–	–	–	–	–	1	3	–	2	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	13	–	–	–	–	–	–	–	–	–	–	–	2	–	4	4	2	–	–	1	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	4	3	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	339	–	1	–	–	–	–	–	3	4	4	7	17	21	24	57	53	51	50	30	13	4	–
	White ..... Male	174	–	–	–	–	–	–	–	2	2	1	2	12	13	18	37	24	23	18	16	6	–	–
	Female	160	–	1	–	–	–	–	–	1	1	2	5	5	7	6	20	27	28	32	14	7	4	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
160–163	Of respiratory system	202	–	–	–	–	–	–	–	–	1	3	11	15	17	33	37	34	27	13	9	2	–	–
	White ..... Male	158	–	–	–	–	–	–	–	–	–	1	5	14	13	30	30	27	17	12	7	2	–	–
	Female	43	–	–	–	–	–	–	–	–	1	2	5	1	4	3	7	7	10	1	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	105	–	–	–	–	–	–	1	–	2	5	8	11	7	6	16	16	12	13	5	3	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	–	–	–	–	–	–	1	–	2	5	8	11	7	5	16	16	12	13	5	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	136	–	–	–	–	–	3	–	2	2	2	2	6	8	13	14	24	24	19	16	1	–	–
	White ..... Male	68	–	–	–	–	–	3	–	1	–	–	–	–	–	4	8	11	16	13	11	1	–	–
	Female	66	–	–	–	–	–	–	–	1	2	2	2	6	8	9	6	13	7	5	5	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	50	–	–	–	–	–	–	–	–	–	2	2	1	1	4	7	12	10	4	5	2	–	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	1	1	1	1	3	6	8	8	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	2	3	4	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	110	–	1	1	2	2	2	4	6	2	4	3	5	4	12	15	19	12	8	6	2	–	–
	White ..... Male	61	–	–	1	1	1	1	2	4	2	3	1	4	2	6	12	8	7	3	2	1	–	–
	Female	48	–	1	–	1	1	1	2	2	–	1	2	1	2	5	3	11	5	5	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
204–207	Leukemia	57	–	–	2	1	2	2	1	–	–	2	–	4	2	7	14	6	4	6	3	1	–	–
	White ..... Male	30	–	–	–	1	1	1	–	–	–	1	–	1	2	5	8	2	1	4	2	1	–	–
	Female	25	–	–	1	–	1	1	1	–	–	1	–	2	–	2	6	4	3	2	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	62	–	–	–	–	–	2	1	–	2	–	1	2	8	7	3	6	16	7	5	1	1	–
	White ..... Male	30	–	–	–	–	–	2	–	–	2	–	–	1	2	4	–	3	8	4	3	–	1	–
	Female	32	–	–	–	–	–	–	1	–	–	–	1	1	6	3	3	3	8	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	2	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	100	–	–	–	–	–	–	–	1	–	–	–	3	3	8	12	10	20	21	11	10	1	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	3	10	13	5	5	–	–
	Female	52	–	–	–	–	–	–	–	1	–	–	–	2	–	4	8	7	10	8	6	5	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	3	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota—Con.																							
280–285	Anemias	8	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	2	–	1	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,798	3	–	–	–	1	–	2	5	8	25	54	89	110	165	283	401	432	478	430	236	74	2
	White ..... Male	1,577	–	–	–	–	–	–	1	3	7	13	40	65	84	108	211	242	285	250	201	90	27	–
	Female	1,173	2	–	–	–	1	–	1	2	1	11	12	19	20	52	69	150	191	226	225	145	46	–
	All other ..... Male	31	1	–	–	–	–	–	–	–	–	1	2	3	4	1	2	7	4	2	2	–	–	2
	Female	17	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	2	2	–	2	1	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,048	1	–	–	–	1	–	2	4	7	19	50	75	93	139	217	299	304	338	295	157	45	2
	White ..... Male	1,204	–	–	–	–	–	–	1	2	7	11	37	54	74	94	169	177	172	189	140	57	20	–
	Female	806	–	–	–	–	1	–	1	2	–	7	11	17	15	43	46	114	127	147	151	99	25	–
	All other ..... Male	28	1	–	–	–	–	–	–	–	–	1	2	3	3	–	1	7	4	2	2	–	–	2
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	–	2	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	43	–	–	–	–	–	–	–	1	–	1	2	2	2	4	9	4	11	4	3	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	2	5	2	–	–	–	–
	Female	25	–	–	–	–	–	–	–	1	–	1	1	2	1	2	4	2	6	2	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	3	–	3	2	1	1	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	2	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	4	1	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	4	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,759	–	–	–	–	–	–	1	2	5	15	42	62	82	123	182	262	271	288	253	135	34	2
	White ..... Male	1,043	–	–	–	–	–	–	1	1	5	10	33	48	67	88	141	153	152	163	121	46	14	–
	Female	686	–	–	–	–	–	–	–	1	–	4	7	11	13	34	39	101	115	124	129	88	20	–
	All other ..... Male	23	–	–	–	–	–	–	–	–	–	1	2	2	2	–	1	7	3	1	2	–	–	2
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	1	–	–
410	Acute myocardial infarction	1,068	–	–	–	–	–	–	1	2	5	12	36	47	66	94	137	175	178	152	109	40	13	1
	White ..... Male	693	–	–	–	–	–	–	1	1	5	9	30	35	54	66	108	103	104	97	59	15	6	–
	Female	352	–	–	–	–	–	–	–	1	–	2	4	9	10	27	27	66	71	54	49	25	7	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	1	2	2	2	–	1	6	2	1	–	–	–	1
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	2	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	682	–	–	–	–	–	–	–	–	–	3	6	14	15	28	42	86	93	134	144	95	21	1
	White ..... Male	343	–	–	–	–	–	–	–	–	–	1	3	12	12	21	31	49	48	65	62	31	8	–
	Female	332	–	–	–	–	–	–	–	–	–	2	3	2	3	7	11	35	44	69	80	63	13	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	10	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	2	2	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	208	1	–	–	–	1	–	1	1	2	2	6	8	9	6	21	29	19	39	33	20	10	–
	White ..... Male	121	–	–	–	–	–	–	–	1	2	1	3	4	6	2	19	19	14	21	14	9	6	–
	Female	80	–	–	–	–	1	–	1	–	–	1	3	3	1	4	2	10	4	17	18	11	4	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
400, 401, 403	Hypertension	13	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	4	3	1	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	3	1	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	545	1	–	–	–	–	–	–	–	1	4	2	9	7	21	47	70	99	102	103	60	19	–
	White ..... Male	257	–	–	–	–	–	–	–	–	–	1	1	6	5	12	27	42	45	43	43	26	6	–
	Female	282	1	–	–	–	–	–	–	–	1	3	1	2	2	6	19	28	53	59	60	34	13	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
431	Cerebral hemorrhage	55	1	–	–	–	–	–	–	–	–	3	–	2	2	4	3	17	8	8	6	–	1	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	10	2	2	1	–	–	–
	Female	32	1	–	–	–	–	–	–	–	–	3	–	1	–	–	2	7	6	6	5	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	82	–	–	–	–	–	–	–	–	–	–	–	1	1	3	8	9	14	20	13	12	1	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	8	10	9	4	2	1	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	4	11	9	10	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	407	–	–	–	–	–	–	–	–	1	1	2	5	4	14	36	44	77	74	84	48	17	–
	White ..... Male	194	–	–	–	–	–	–	–	–	–	1	1	4	2	8	22	24	33	32	38	24	5	–
	Female	209	–	–	–	–	–	–	–	–	1	–	1	–	2	5	13	20	43	42	46	24	12	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
440	Arteriosclerosis	96	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	9	16	23	21	12	7	–
	White ..... Male	51	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7	9	14	13	4	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	7	9	8	8	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	96	1	–	–	–	–	–	–	1	–	1	2	5	8	4	14	21	12	11	8	6	2	–
	White ..... Male	55	–	–	–	–	–	–	–	1	–	–	2	5	5	1	12	14	8	3	2	2	–	–
	Female	37	1	–	–	–	–	–	–	–	–	1	–	–	1	3	2	6	4	8	6	4	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	214	7	–	1	2	–	1	1	1	–	–	–	4	5	6	12	22	19	39	49	33	12	–
	White ..... Male	107	3	–	–	1	–	1	–	–	–	–	–	–	3	3	8	11	12	18	21	17	9	–
	Female	97	3	–	1	1	–	–	–	1	–	–	–	2	2	3	3	10	7	19	26	16	3	–
	All other ..... Male	7	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
470–474	Influenza	17	–	–	–	1	–	–	–	1	–	–	–	–	–	1	3	1	1	1	5	1	2	–
	White ..... Male	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	197	7	–	1	1	–	1	1	–	–	–	–	4	5	5	9	21	18	38	44	32	10	–
	White ..... Male	101	3	–	–	–	–	1	–	–	–	–	–	–	3	3	7	11	12	17	20	17	7	–
	Female	88	3	–	1	1	–	–	–	–	–	–	–	2	2	2	2	9	6	19	23	15	3	–
	All other ..... Male	6	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	44	–	1	1	–	–	–	–	–	–	–	1	2	1	6	6	9	3	4	8	2	–	–
	White ..... Male	30	–	1	–	–	–	–	–	–	–	–	–	2	–	6	4	8	1	2	4	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	2	2	4	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	6	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–
	White ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	33	–	–	–	–	–	–	–	–	–	–	1	2	1	6	4	8	2	2	6	1	–	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	2	–	6	3	7	1	2	3	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	19	–	–	–	–	–	–	1	–	–	2	–	1	3	–	1	–	1	5	4	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	2	–	1	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	4	2	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	19	3	–	–	1	–	–	–	–	–	1	–	–	1	–	–	2	1	2	5	2	1	–
	White ..... Male	11	3	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	3	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	70	–	–	–	–	–	–	–	5	7	5	7	11	8	9	5	7	1	2	3	–	–	–
	White ..... Male	41	–	–	–	–	–	–	–	–	1	4	3	8	6	8	2	6	–	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	2	2	–	–	2	1	–	2	1	1	–	2	–	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	2	2	1	2	1	1	1	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	14	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	4	4	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	24	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	3	9	3	4	–	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	7	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	7	2	3	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	North Dakota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	50	32	4	1	–	1	1	3	1	1	1	2	–	1	1	–	1	–	–	–	–	–	–
	White ..... Male	26	17	3	–	–	–	–	2	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	21	13	–	1	–	1	1	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	75	16	2	–	–	–	–	–	–	1	1	1	1	2	2	4	6	3	9	9	14	4	–
	White ..... Male	34	6	1	–	–	–	–	–	–	–	–	1	1	1	–	3	5	3	7	3	2	1	–
	Female	37	7	1	–	–	–	–	–	–	1	–	–	–	1	2	1	1	–	2	6	12	3	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	367	4	4	2	2	2	6	6	1	3	10	9	13	28	28	29	45	51	61	39	19	5	–
	White ..... Male	198	2	2	–	1	2	3	2	–	2	3	5	8	18	13	20	28	24	30	23	11	1	–
	Female	152	2	1	2	1	–	3	3	–	1	6	4	3	6	13	8	14	26	31	16	8	4	–
	All other ..... Male	10	–	–	–	–	–	–	1	–	–	1	–	2	2	2	–	2	–	–	–	–	–	–
	Female	7	–	1	–	–	–	–	–	1	–	–	–	–	2	–	1	1	1	–	–	–	–	–
E800–E949	Accidents	387	5	11	10	14	47	61	32	26	11	19	13	23	29	11	17	10	13	13	13	6	2	1
	White ..... Male	264	3	4	8	8	32	46	26	21	7	11	7	17	22	9	10	7	9	7	6	3	–	1
	Female	85	–	4	–	4	11	8	4	2	2	6	4	4	5	–	6	3	4	6	7	3	2	–
	All other ..... Male	25	1	1	–	2	3	7	2	1	1	–	2	1	1	2	1	–	–	–	–	–	–	–
	Female	13	1	2	2	–	1	–	–	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	193	1	5	7	9	37	39	19	18	3	3	5	10	12	5	6	3	5	2	3	–	1	–
	White ..... Male	131	1	2	5	5	25	28	16	13	1	1	1	7	9	4	3	2	4	2	2	–	–	–
	Female	37	–	1	–	3	9	6	1	2	–	1	3	3	2	–	2	1	1	–	1	–	1	–
	All other ..... Male	16	–	1	–	1	2	5	2	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	9	–	1	2	–	1	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	194	4	6	3	5	10	22	13	8	8	16	8	13	17	6	11	7	8	11	10	6	1	1
	White ..... Male	133	2	2	3	3	7	18	10	8	6	10	6	10	13	5	7	5	5	5	4	3	–	1
	Female	48	–	3	–	1	2	2	3	–	2	5	1	1	3	–	4	2	3	6	6	3	1	–
	All other ..... Male	9	1	–	–	1	1	2	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	64	...	...	–	1	4	9	9	12	5	5	1	5	2	4	1	2	4	–	–	–	–	–
	White ..... Male	49	...	...	–	1	1	9	7	10	3	5	1	2	2	3	–	2	3	–	–	–	–	–
	Female	8	...	...	–	–	1	–	1	–	1	–	–	2	–	1	1	–	1	–	–	–	–	–
	All other ..... Male	4	...	...	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	14	1	1	–	–	–	1	2	2	–	3	1	2	–	–	1	–	–	–	–	–	–	–
	White ..... Male	6	–	–	–	–	–	1	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
	Female	6	1	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E980–E999	Other external causes	5	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
	White ..... Male	4	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio																							
	All causes	96,569	2,147	375	280	320	965	1,245	963	916	1,113	1,497	2,542	4,609	6,666	8,584	10,457	11,909	12,590	12,679	10,006	5,038	1,665	3
	White ..... Male	46,598	960	171	123	180	634	810	578	499	577	710	1,333	2,417	3,619	4,833	5,820	6,286	5,953	5,369	3,698	1,594	433	1
	Female	40,532	696	130	105	105	228	244	204	238	314	488	777	1,443	2,158	2,814	3,580	4,614	5,591	6,624	5,810	3,252	1,116	1
	All other ..... Male	5,337	295	42	32	24	67	135	115	126	129	183	252	445	541	560	616	567	541	326	216	90	35	–
	Female	4,102	196	32	20	11	36	56	66	53	93	116	180	304	348	377	441	442	505	360	282	102	81	1
004, 006	Bacillary dysentery and ameblasis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	62	27	2	–	–	–	–	2	–	–	–	1	2	4	–	2	5	6	5	4	2	–	–
	White ..... Male	29	13	–	–	–	–	–	2	–	–	–	1	1	2	–	–	4	3	2	1	–	–	–
	Female	23	6	1	–	–	–	–	–	–	–	–	–	–	2	–	2	1	3	3	3	2	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	127	2	1	1	1	–	1	1	2	1	1	2	8	14	9	13	24	16	12	12	5	1	–
	White ..... Male	61	–	–	–	–	–	1	–	–	–	–	–	3	9	9	8	12	8	6	4	1	–	–
	Female	34	1	1	–	–	–	–	–	1	1	1	1	1	2	–	3	6	3	3	6	4	–	–
	All other ..... Male	18	–	–	–	1	–	–	1	1	–	–	–	3	2	–	1	5	3	1	–	–	–	–
	Female	14	1	–	1	–	–	–	–	–	–	–	1	1	1	–	1	1	2	2	2	–	1	–
010–012	Tuberculosis of respiratory system	92	1	–	1	–	–	1	1	1	1	1	2	5	10	9	8	16	11	7	11	5	1	–
	White ..... Male	44	–	–	–	–	–	1	–	–	–	–	–	2	7	9	5	7	5	4	3	1	–	–
	Female	25	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	5	2	2	6	4	–	–
	All other ..... Male	12	–	–	–	–	–	–	1	1	–	–	–	1	2	–	1	3	3	–	–	–	–	–
	Female	11	1	–	1	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	2	–	1	–
013–019	Tuberculosis, other forms	35	1	1	–	1	–	–	–	1	–	–	–	3	4	–	5	8	5	5	1	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	5	3	2	1	–	–	–
	Female	9	1	1	–	–	–	–	–	1	–	–	–	–	1	–	2	1	1	1	–	–	–	–
	All other ..... Male	6	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	5	6	1	–	1	–	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–	–
	White ..... Male	9	3	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	Female	8	2	3	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	384	64	2	1	3	3	4	4	1	4	6	4	14	15	28	49	32	54	45	32	16	2	1
	White ..... Male	135	33	–	–	–	1	–	1	1	1	–	–	4	5	8	22	13	23	12	6	5	–	–
	Female	172	18	1	1	2	2	2	1	–	–	4	3	4	7	12	21	17	16	28	22	9	2	–
	All other ..... Male	40	9	–	–	1	–	–	–	–	–	1	–	5	3	4	2	1	8	4	1	1	–	–
	Female	37	4	1	–	–	–	2	2	–	3	1	1	1	–	4	4	1	7	1	3	1	–	1
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	1	2	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	187	19	8	6	3	5	6	3	11	4	7	6	14	12	12	17	11	9	26	7	–	1	–
	White ..... Male	69	6	4	3	–	3	3	2	2	2	2	2	6	4	4	10	5	2	6	2	–	1	–
	Female	91	8	4	3	3	2	2	–	6	2	2	3	5	7	6	4	5	6	18	5	–	–	–
	All other ..... Male	20	3	–	–	–	–	1	1	1	–	1	1	3	1	2	3	1	–	2	–	–	–	–
	Female	7	2	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,945	3	33	36	35	61	83	97	146	212	367	745	1,607	2,124	2,657	2,915	2,855	2,455	1,961	1,077	394	82	–
	White ..... Male	9,592	1	19	16	19	30	49	54	69	88	129	287	698	972	1,350	1,557	1,434	1,223	955	446	164	32	–
	Female	8,251	2	11	15	11	22	26	33	65	97	185	346	669	854	1,014	1,059	1,157	993	885	559	209	39	–
	All other ..... Male	1,241	–	3	2	1	8	4	6	5	13	18	56	142	173	182	178	168	156	62	46	13	5	–
	Female	861	–	–	3	4	1	4	4	7	14	35	56	98	125	111	121	96	83	59	26	8	6	–
140–149	Of buccal cavity and pharynx	424	–	–	–	1	1	1	–	2	2	10	20	66	55	67	66	60	33	20	8	10	2	–
	White ..... Male	273	–	–	–	–	–	1	–	2	1	4	15	40	30	47	52	33	22	15	4	6	1	–
	Female	98	–	–	–	1	–	–	–	–	–	1	–	16	17	10	10	21	9	5	3	4	1	–
	All other ..... Male	38	–	–	–	–	1	–	–	–	–	5	3	6	5	6	4	6	2	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	2	4	3	4	–	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	5,425	–	1	–	–	2	6	8	16	30	63	131	342	479	686	788	854	759	681	393	154	32	–
	White ..... Male	2,496	–	–	–	–	–	1	3	7	15	27	65	178	241	337	388	404	335	302	132	52	9	–
	Female	2,330	–	–	–	–	1	4	2	6	10	21	47	110	161	264	301	366	348	337	239	96	17	–
	All other ..... Male	348	–	1	–	–	1	1	3	2	4	5	9	42	47	57	50	48	46	16	10	5	1	–
	Female	251	–	–	–	–	–	–	–	1	1	10	10	12	30	28	49	36	30	26	12	1	5	–
160–163	Of respiratory system	5,051	–	–	–	–	–	1	4	15	34	76	215	510	682	870	915	764	499	306	124	30	6	–
	White ..... Male	3,317	–	–	–	–	–	–	2	10	18	41	111	284	414	586	630	529	378	224	68	17	5	–
	Female	1,147	–	–	–	–	–	1	2	3	12	26	60	129	165	188	191	163	84	67	43	12	1	–
	All other ..... Male	464	–	–	–	–	–	–	–	1	3	5	30	67	83	78	78	64	33	13	8	1	–	–
	Female	123	–	–	–	–	–	–	–	1	1	4	14	30	20	18	16	8	4	2	5	–	–	–
174	Of breast	1,830	1	–	–	–	–	1	4	19	40	72	120	215	258	225	214	209	188	142	81	38	3	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	2	1	1	4	1	4	–	2	1	–	–
	Female	1,633	1	–	–	–	–	1	3	16	35	58	107	186	224	205	195	189	169	131	75	35	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	179	–	–	–	–	–	–	1	3	5	14	12	27	33	19	14	19	15	11	4	2	–	–
180–187	Of genital organs	2,275	–	–	–	1	7	13	10	13	20	45	77	127	185	238	287	337	348	309	187	63	8	–
	White ..... Male	903	–	–	–	–	3	7	3	3	3	5	3	14	28	72	110	143	180	175	110	40	4	–
	Female	1,097	–	–	–	–	4	6	5	9	14	36	68	102	129	136	135	161	113	106	56	16	1	–
	All other ..... Male	161	–	–	–	–	–	–	1	–	–	–	–	1	8	10	24	25	44	21	19	6	2	–
	Female	114	–	–	–	1	–	–	1	1	3	4	6	10	20	20	18	8	11	7	2	1	1	–
188, 189	Of urinary organs	943	–	2	1	–	1	–	4	2	3	5	30	41	92	99	147	146	153	124	56	28	9	–
	White ..... Male	595	–	1	–	–	–	–	1	2	3	4	19	25	56	71	101	91	97	72	27	21	4	–
	Female	289	–	1	–	–	1	–	3	–	–	1	7	11	28	23	39	42	46	49	26	7	5	–
	All other ..... Male	36	–	–	–	–	–	–	–	–	–	–	3	3	5	3	4	7	7	2	2	–	–	–
	Female	23	–	–	1	–	–	–	–	–	–	–	1	2	3	2	3	6	3	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,147	1	21	21	11	24	24	30	41	39	62	103	182	225	283	264	227	243	180	107	45	14	–
	White ..... Male	1,055	–	11	9	5	10	15	18	21	20	37	49	93	126	132	148	108	107	74	49	16	7	–
	Female	905	1	8	10	5	9	5	9	20	17	22	40	68	78	122	96	99	117	94	55	25	5	–
	All other ..... Male	102	–	2	1	–	4	1	1	–	1	–	8	15	11	17	8	12	9	7	2	1	2	–
	Female	85	–	–	1	1	1	3	2	–	1	3	6	6	10	12	12	8	10	5	1	3	–	–
204–207	Leukemia	772	1	8	9	17	16	21	16	15	20	13	24	40	50	70	83	116	82	98	55	16	2	–
	White ..... Male	434	1	6	3	10	13	15	9	11	16	4	13	25	25	42	49	60	44	49	32	6	1	–
	Female	276	–	2	5	5	3	4	6	3	2	7	7	11	18	19	31	49	29	44	20	10	1	–
	All other ..... Male	32	–	–	1	–	–	1	1	–	1	2	1	1	4	5	2	3	5	2	3	–	–	–
	Female	30	–	–	–	2	–	1	–	1	1	–	3	3	3	4	1	4	4	3	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,078	–	1	5	5	10	16	21	23	24	21	25	84	98	119	151	142	150	101	66	10	6	–
	White ..... Male	502	–	1	4	4	4	10	18	13	12	7	11	37	51	62	75	65	56	44	22	5	1	–
	Female	476	–	–	–	–	4	5	3	8	7	13	10	36	34	47	61	67	78	52	42	4	5	–
	All other ..... Male	59	–	–	–	1	2	1	–	2	4	1	2	7	10	6	7	3	10	1	2	–	–	–
	Female	41	–	–	1	–	–	–	–	–	1	–	2	4	3	4	8	7	6	4	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	210	6	–	–	3	3	1	1	1	2	6	10	10	14	23	26	34	31	22	7	7	3	–
	White ..... Male	89	2	–	–	2	–	–	–	1	1	2	6	5	4	12	14	14	9	10	2	3	2	–
	Female	103	2	–	–	–	3	1	1	–	–	4	3	5	8	10	11	16	18	11	5	4	1	–
	All other ..... Male	10	1	–	–	1	–	–	–	–	–	–	1	–	–	1	1	3	2	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	2	1	–	–	–	–
250	Diabetes mellitus	1,964	–	1	–	2	2	2	8	13	16	18	31	80	143	205	250	328	318	276	190	59	22	–
	White ..... Male	725	–	–	–	1	–	–	4	7	9	3	15	35	51	83	94	137	118	91	58	14	5	–
	Female	1,034	–	1	–	1	2	2	4	5	5	11	15	27	64	97	121	162	180	164	116	40	17	–
	All other ..... Male	80	–	–	–	–	–	–	–	1	2	2	–	6	11	12	9	14	10	7	4	2	–	–
	Female	125	–	–	–	–	–	–	–	–	–	2	1	12	17	13	26	15	10	14	12	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	145	3	1	–	–	–	–	1	–	1	2	1	2	2	8	5	10	29	28	20	20	12	–
	White ..... Male	44	1	–	–	–	–	–	1	–	1	–	–	–	–	2	2	5	10	8	6	5	3	–
	Female	88	1	1	–	–	–	–	–	–	–	2	1	2	2	6	2	3	16	16	13	15	8	–
	All other ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio—Con.																							
280–285	Anemias	139	1	2	1	4	2	4	3	1	–	4	4	4	6	6	10	19	14	22	19	9	4	–
	White ..... Male	56	1	–	–	1	1	1	–	–	–	1	3	–	2	1	1	12	8	10	8	3	3	–
	Female	59	–	–	–	3	1	–	–	–	–	1	1	3	3	4	4	5	5	11	11	6	1	–
	All other ..... Male	9	–	1	–	–	–	1	2	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	Female	15	–	1	1	–	–	2	1	1	–	2	–	1	1	–	4	1	–	–	–	–	–	–
320	Meningitis	76	33	8	3	1	2	1	–	3	1	–	–	4	5	1	2	6	1	1	3	1	–	–
	White ..... Male	33	14	6	1	1	1	1	–	–	–	–	–	–	1	–	2	5	–	–	1	–	–	–
	Female	23	12	–	1	–	1	–	–	1	–	–	–	1	1	–	–	1	1	1	2	1	–	–
	All other ..... Male	9	4	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	11	3	–	1	–	–	–	–	2	1	–	–	2	2	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	50,358	45	16	14	19	41	51	69	89	232	431	914	1,799	2,876	3,968	5,303	6,572	7,595	8,227	7,081	3,745	1,270	1
	White ..... Male	23,753	15	6	6	9	18	24	32	39	133	257	578	1,123	1,780	2,421	3,054	3,499	3,532	3,277	2,510	1,129	310	1
	Female	22,630	13	9	5	9	18	17	15	26	59	90	193	405	742	1,124	1,746	2,537	3,490	4,534	4,249	2,481	868	–
	All other ..... Male	2,061	6	1	3	1	3	2	11	16	25	59	88	161	225	247	285	283	261	181	119	55	29	–
	Female	1,914	11	–	–	–	2	8	11	8	15	25	55	110	129	176	218	253	312	235	203	80	63	–
390–398, 402, 404, 410–429	Diseases of heart	38,283	40	16	9	10	26	34	50	64	174	352	788	1,570	2,434	3,351	4,312	5,168	5,636	5,823	4,967	2,587	871	1
	White ..... Male	18,927	14	6	4	6	11	17	26	27	114	231	532	1,024	1,556	2,136	2,548	2,794	2,696	2,382	1,793	793	216	1
	Female	16,315	11	9	3	3	10	11	8	19	36	60	142	315	592	876	1,369	1,938	2,546	3,146	2,932	1,699	590	–
	All other ..... Male	1,634	5	1	2	1	3	1	7	12	17	47	69	143	189	209	231	226	187	132	88	43	21	–
	Female	1,407	10	–	–	–	2	5	9	6	7	14	45	88	97	130	164	210	207	163	154	52	44	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	725	–	1	–	2	4	10	3	2	8	15	29	36	76	83	110	116	95	70	50	12	3	–
	White ..... Male	263	–	1	–	1	2	5	2	1	5	6	14	13	23	30	49	37	40	18	13	3	–	–
	Female	421	–	–	–	1	2	4	–	1	3	8	14	19	46	44	59	73	51	49	36	9	2	–
	All other ..... Male	18	–	–	–	–	–	1	–	–	–	1	–	3	4	4	1	2	1	–	–	–	1	–
	Female	23	–	–	–	–	–	–	1	–	–	–	1	1	3	5	1	4	3	3	1	–	–	–
402	Hypertensive heart disease	427	–	1	–	–	–	–	–	2	4	3	12	26	33	35	41	55	49	70	66	27	3	–
	White ..... Male	136	–	1	–	–	–	–	–	–	2	1	3	12	17	15	19	14	13	16	16	7	–	–
	Female	230	–	–	–	–	–	–	–	–	–	1	2	7	8	14	16	30	32	51	47	19	3	–
	All other ..... Male	29	–	–	–	–	–	–	–	2	2	1	4	2	3	3	2	5	3	–	1	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	3	5	5	3	4	6	1	3	2	–	–	–
404	Hypertensive heart and renal disease	374	–	–	–	–	–	–	–	–	–	1	2	4	18	24	35	57	53	65	65	35	15	–
	White ..... Male	142	–	–	–	–	–	–	–	–	–	1	1	2	9	9	17	31	21	20	21	7	3	–
	Female	186	–	–	–	–	–	–	–	–	–	–	–	–	4	8	13	18	26	37	42	26	12	–
	All other ..... Male	27	–	–	–	–	–	–	–	–	–	–	–	–	4	5	4	6	3	4	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	2	3	4	2	1	–	–
410–413	Ischemic heart disease	34,135	–	–	2	–	2	3	17	45	132	296	685	1,371	2,145	2,988	3,874	4,637	5,123	5,254	4,448	2,323	789	1
	White ..... Male	17,214	–	–	–	–	1	2	10	22	96	202	489	927	1,425	1,947	2,325	2,559	2,482	2,178	1,632	715	201	1
	Female	14,345	–	–	1	–	1	1	–	12	22	45	108	255	484	754	1,201	1,704	2,288	2,815	2,599	1,525	530	–
	All other ..... Male	1,393	–	–	1	–	–	–	5	7	9	40	54	120	160	182	206	197	165	117	78	35	17	–
	Female	1,183	–	–	–	–	–	–	2	4	5	9	34	69	76	105	142	177	188	144	139	48	41	–
410	Acute myocardial infarction	15,178	–	–	–	–	1	3	10	32	77	170	441	857	1,277	1,700	2,152	2,302	2,222	1,933	1,286	562	153	–
	White ..... Male	8,779	–	–	–	–	1	2	7	20	59	124	326	620	906	1,170	1,357	1,347	1,164	905	535	193	43	–
	Female	5,522	–	–	–	–	–	1	–	9	13	28	72	145	293	428	662	823	947	947	707	351	96	–
	All other ..... Male	488	–	–	–	–	–	–	3	2	4	15	23	67	55	70	82	70	44	28	14	8	3	–
	Female	389	–	–	–	–	–	–	–	1	1	3	20	25	23	32	51	62	67	53	30	10	11	–
411	Other acute and subacute forms of ischemic heart disease	130	–	–	1	–	–	–	–	–	1	2	6	7	8	16	13	14	24	12	15	7	4	–
	White ..... Male	74	–	–	–	–	–	–	–	–	1	2	5	4	6	13	9	7	16	3	5	2	1	–
	Female	51	–	–	1	–	–	–	–	–	–	–	1	1	2	2	4	7	6	9	10	5	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	18,821	–	–	1	–	1	–	7	13	54	124	238	506	860	1,271	1,709	2,321	2,876	3,308	3,147	1,753	621	1
	White ..... Male	8,357	–	–	–	–	–	–	3	2	36	76	158	302	513	763	959	1,205	1,301	1,270	1,092	520	156	1
	Female	8,770	–	–	–	–	1	–	–	3	9	17	35	109	189	324	535	874	1,335	1,858	1,882	1,168	431	–
	All other ..... Male	901	–	–	1	–	–	–	2	5	5	25	31	52	105	111	124	127	119	89	64	27	14	–
	Female	793	–	–	–	–	–	–	2	3	4	6	14	43	53	73	91	115	121	91	109	38	30	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	1	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	163	1	1	1	2	1	3	1	4	4	1	5	12	9	11	11	16	21	25	22	8	4	–
	White ..... Male	65	1	1	1	1	1	2	1	1	2	1	2	6	3	7	7	4	8	7	6	3	–	–
	Female	85	–	–	–	1	–	–	–	2	2	–	1	4	5	4	4	8	13	17	15	5	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	1	1	–	–	–
	Female	6	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,459	39	13	6	6	19	18	29	11	26	36	55	121	153	210	241	287	295	339	316	182	57	–
	White ..... Male	1,107	13	3	3	4	7	8	13	3	9	20	23	64	79	128	131	149	132	143	105	58	12	–
	Female	1,048	11	9	2	1	7	6	8	4	9	6	17	30	45	52	76	105	136	177	193	115	39	–
	All other ..... Male	160	5	1	1	1	3	–	2	3	6	5	10	17	17	15	18	14	15	10	8	6	3	–
	Female	144	10	–	–	–	2	4	6	1	2	5	5	10	12	15	16	19	12	9	10	3	3	–
400, 401, 403	Hypertension	256	–	–	–	–	–	–	–	–	3	2	4	7	5	13	25	43	39	51	39	19	6	–
	White ..... Male	101	–	–	–	–	–	–	–	–	–	–	1	1	2	4	11	20	12	26	16	7	1	–
	Female	119	–	–	–	–	–	–	–	–	–	–	–	3	1	3	8	20	22	24	22	11	5	–
	All other ..... Male	23	–	–	–	–	–	–	–	–	2	2	3	1	1	2	2	3	4	1	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	2	1	4	4	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	8,680	4	–	4	7	10	13	15	15	46	63	108	181	343	472	690	1,040	1,444	1,744	1,489	768	224	–
	White ..... Male	3,266	1	–	1	2	5	6	2	6	16	16	39	70	163	203	314	489	571	610	478	212	62	–
	Female	4,693	1	–	2	5	5	5	7	4	17	27	45	81	124	202	292	466	739	1,037	955	528	151	–
	All other ..... Male	326	1	–	1	–	–	1	4	3	6	9	14	13	29	31	41	49	54	37	22	8	3	–
	Female	395	1	–	–	–	–	1	2	2	7	11	10	17	27	36	43	36	80	60	34	20	8	–
431	Cerebral hemorrhage	1,183	2	–	2	2	5	3	4	5	13	20	40	53	108	113	109	163	165	189	119	60	8	–
	White ..... Male	469	–	–	–	–	2	2	–	2	6	2	17	25	55	52	60	79	53	57	37	17	3	–
	Female	584	1	–	1	2	3	–	1	1	2	9	14	19	33	50	39	70	91	124	77	42	5	–
	All other ..... Male	73	1	–	1	–	–	–	2	1	3	7	5	5	10	5	9	8	8	5	2	1	–	–
	Female	57	–	–	–	–	–	1	1	1	2	2	4	4	10	6	1	6	13	3	3	–	–	–
433	Cerebral thrombosis	2,021	–	–	–	–	–	2	1	–	2	6	5	21	51	97	134	247	361	470	364	204	56	–
	White ..... Male	777	–	–	–	–	–	–	–	–	1	4	1	5	24	39	61	122	154	165	120	65	16	–
	Female	1,098	–	–	–	–	–	2	1	–	–	1	3	10	17	44	57	107	178	285	229	130	34	–
	All other ..... Male	69	–	–	–	–	–	–	–	–	1	1	1	4	5	7	8	14	11	9	4	2	2	–
	Female	77	–	–	–	–	–	–	–	–	–	–	–	2	5	7	8	4	18	11	11	7	4	–
434	Cerebral embolism	37	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	3	9	10	6	2	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	5	1	3	1	–	–
	Female	21	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	4	9	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,439	2	–	2	5	5	7	10	10	31	37	63	107	183	260	444	627	909	1,075	1,000	502	160	–
	White ..... Male	2,005	1	–	1	2	3	4	2	4	9	10	21	40	84	110	191	287	359	387	318	129	43	–
	Female	2,990	–	–	1	3	2	2	5	3	15	17	28	52	73	108	195	288	466	619	646	355	112	–
	All other ..... Male	183	–	–	–	–	–	1	2	2	2	1	8	4	14	19	24	26	35	23	16	5	1	–
	Female	261	1	–	–	–	–	–	1	1	5	9	6	11	12	23	34	26	49	46	20	13	4	–
440	Arteriosclerosis	1,737	–	–	–	–	–	–	–	1	–	–	1	5	14	33	74	111	238	389	429	302	140	–
	White ..... Male	674	–	–	–	–	–	–	–	–	–	–	–	5	8	15	43	57	110	159	156	97	24	–
	Female	978	–	–	–	–	–	–	–	1	–	–	1	–	5	16	27	51	107	214	258	196	102	–
	All other ..... Male	35	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	8	9	4	3	4	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	13	7	11	6	10	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,402	1	–	1	2	5	4	4	9	9	14	13	36	80	99	202	210	238	220	157	69	29	–
	White ..... Male	785	–	–	1	1	2	1	4	6	3	10	6	23	51	63	138	139	143	100	67	20	7	–
	Female	525	1	–	–	1	3	1	–	2	6	3	5	6	20	27	50	62	76	113	82	47	20	–
	All other ..... Male	43	–	–	–	–	–	–	–	1	–	1	2	4	5	5	8	2	8	2	4	–	1	–
	Female	49	–	–	–	–	–	2	–	–	–	–	–	3	4	4	6	7	11	5	4	2	1	–
466	Acute bronchitis and bronchiolitis	29	6	–	–	–	–	–	–	1	–	–	1	–	2	3	2	1	4	2	4	3	–	–
	White ..... Male	12	1	–	–	–	–	–	–	1	–	–	1	–	2	1	–	1	2	2	1	–	–	–
	Female	14	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	3	3	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,561	74	11	5	4	9	11	17	14	19	22	29	59	83	144	158	246	367	472	435	278	103	1
	White ..... Male	1,182	34	6	1	2	8	5	6	7	6	10	16	28	46	74	94	133	170	221	193	96	26	–
	Female	1,141	27	2	4	2	–	5	7	3	5	6	11	15	23	43	41	92	162	224	222	173	73	1
	All other ..... Male	142	6	2	–	–	–	–	2	3	5	5	1	12	9	17	18	9	20	15	12	6	–	–
	Female	96	7	1	–	–	1	1	2	1	3	1	1	4	5	10	5	12	15	12	8	3	4	–
470–474	Influenza	171	1	–	1	–	–	1	1	–	–	1	–	1	1	6	8	10	28	42	32	27	11	–
	White ..... Male	62	–	–	–	–	–	–	–	–	–	–	–	1	–	4	6	6	12	14	11	8	–	–
	Female	105	1	–	1	–	–	1	–	–	–	–	–	–	1	2	2	4	16	27	20	19	11	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
480–486	Pneumonia	2,390	73	11	4	4	9	10	16	14	19	21	29	58	82	138	150	236	339	430	403	251	92	1
	White ..... Male	1,120	34	6	1	2	8	5	6	7	6	10	16	27	46	70	88	127	158	207	182	88	26	–
	Female	1,036	26	2	3	2	–	4	7	3	5	6	11	15	22	41	39	88	146	197	202	154	62	1
	All other ..... Male	140	6	2	–	–	–	–	1	3	5	4	1	12	9	17	18	9	20	15	12	6	–	–
	Female	94	7	1	–	–	1	1	2	1	3	1	1	4	5	10	5	12	15	11	7	3	4	–
490–493	Bronchitis, emphysema, and asthma	1,198	5	2	–	1	2	2	4	2	4	4	21	43	120	117	216	223	189	133	78	25	7	–
	White ..... Male	777	3	–	–	1	1	2	1	1	1	1	7	23	65	74	145	165	132	93	47	11	4	–
	Female	358	1	2	–	–	–	–	–	–	2	3	12	13	48	36	59	45	56	34	31	13	3	–
	All other ..... Male	43	1	–	–	–	–	–	2	–	1	–	1	4	5	3	10	10	1	4	–	1	–	–
	Female	20	–	–	–	–	1	–	1	1	–	–	1	3	2	4	2	3	–	2	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio—Con.																							
490, 491	Chronic and unqualified bronchitis	270	5	-	-	-	1	-	3	1	1	1	6	11	25	15	50	37	46	31	27	7	3	-
	White ..... Male	157	3	-	-	-	1	-	1	1	-	-	3	7	18	10	27	25	25	20	12	3	1	-
	Female	99	1	-	-	-	-	-	-	-	1	1	2	3	7	4	20	8	21	10	15	4	2	-
	All other ..... Male	11	1	-	-	-	-	-	2	-	-	-	-	1	-	-	3	3	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
492	Emphysema	844	-	-	-	-	-	-	-	-	-	3	10	25	81	94	156	180	136	94	46	16	3	-
	White ..... Male	593	-	-	-	-	-	-	-	-	-	1	3	12	41	62	114	139	105	71	35	8	2	-
	Female	214	-	-	-	-	-	-	-	-	-	2	6	9	33	26	35	33	31	20	11	7	1	-
	All other ..... Male	26	-	-	-	-	-	-	-	-	-	-	1	2	5	3	6	6	-	2	-	1	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	-	1	-	-	-	-
493	Asthma	84	-	2	-	1	1	2	1	1	3	-	5	7	14	8	10	6	7	8	5	2	1	-
	White ..... Male	27	-	-	-	1	-	2	-	-	1	-	1	4	6	2	4	1	2	2	-	-	1	-
	Female	45	-	2	-	-	-	-	-	-	1	-	4	1	8	6	4	4	4	4	5	2	-	-
	All other ..... Male	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	-	-	-	-
	Female	6	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-
531-533	Peptic ulcer	255	-	-	-	-	-	-	1	3	2	5	9	13	25	23	27	29	35	37	29	14	3	-
	White ..... Male	137	-	-	-	-	-	-	1	3	2	3	8	10	16	15	13	12	17	16	14	6	1	-
	Female	92	-	-	-	-	-	-	-	-	-	1	1	-	4	7	13	12	13	19	12	8	2	-
	All other ..... Male	18	-	-	-	-	-	-	-	-	-	1	-	-	5	-	1	2	4	2	3	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	3	1	-	-	-	-	-
540-543	Appendicitis	45	-	-	-	2	1	-	1	-	-	1	-	4	4	5	4	5	6	10	2	-	-	-
	White ..... Male	29	-	-	-	1	1	-	1	-	-	1	-	3	3	3	4	3	2	5	2	-	-	-
	Female	10	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	2	4	-	-	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	271	25	1	-	-	2	2	-	-	1	1	4	8	7	18	19	29	42	46	37	25	4	-
	White ..... Male	82	11	1	-	-	1	1	-	-	-	-	1	3	2	5	5	12	11	12	12	5	-	-
	Female	153	8	-	-	-	1	1	-	-	1	1	3	4	2	11	13	12	21	30	22	19	4	-
	All other ..... Male	17	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	2	1	-	-	-
	Female	19	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	8	2	2	1	-	-
571	Cirrhosis of liver	1,310	1	1	-	2	-	4	9	21	42	85	128	164	229	224	201	90	58	35	15	1	-	-
	White ..... Male	731	-	-	-	1	-	3	1	8	16	39	69	88	135	147	121	53	23	19	7	1	-	-
	Female	361	1	-	-	1	-	1	4	4	5	16	24	43	64	56	59	32	28	15	8	-	-	-
	All other ..... Male	129	-	1	-	-	-	-	2	5	15	21	19	20	17	13	9	3	4	-	-	-	-	-
	Female	89	-	-	-	-	-	-	2	4	6	9	16	13	13	8	12	2	3	1	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	143	-	-	1	-	-	2	-	-	-	1	1	5	5	8	12	24	29	24	18	9	4	-
	White ..... Male	53	-	-	-	-	-	-	-	-	-	1	1	5	2	4	4	9	13	6	4	3	1	-
	Female	78	-	-	1	-	-	2	-	-	-	-	-	-	3	4	6	12	14	16	12	5	3	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	-
580-584	Nephritis and nephrosis	451	1	2	-	1	1	6	2	3	2	6	12	18	30	49	63	65	72	64	39	13	2	-
	White ..... Male	204	1	1	-	-	-	5	2	1	1	1	4	8	17	18	24	27	43	29	17	5	-	-
	Female	165	-	1	-	1	1	1	-	1	-	1	2	5	7	21	24	27	16	29	18	8	2	-
	All other ..... Male	41	-	-	-	-	-	-	-	1	1	2	2	1	3	4	10	5	6	4	2	-	-	-
	Female	41	-	-	-	-	-	-	-	-	-	2	4	4	3	6	5	6	7	2	2	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	107	1	-	-	1	-	-	1	-	-	-	3	1	4	10	19	16	21	21	6	2	1	-
	White ..... Male	50	1	-	-	-	-	-	1	-	-	-	-	1	3	6	12	6	11	8	1	-	-	-
	Female	43	-	-	-	1	-	-	-	-	-	-	1	-	1	4	5	6	7	10	5	2	1	-
	All other ..... Male	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	3	2	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	344	-	2	-	-	1	6	1	3	2	6	9	17	26	39	44	49	51	43	33	11	1	-
	White ..... Male	154	-	1	-	-	-	5	1	1	1	1	4	7	14	12	12	21	32	21	16	5	-	-
	Female	122	-	1	-	-	1	1	-	1	-	1	1	5	6	17	19	21	9	19	13	6	1	-
	All other ..... Male	29	-	-	-	-	-	-	-	1	1	2	1	1	3	4	8	1	3	2	2	-	-	-
	Female	39	-	-	-	-	-	-	-	-	-	2	3	4	3	6	5	6	7	1	2	-	-	-
590	Infections of kidney	185	-	-	-	-	-	-	-	-	4	-	2	-	7	14	17	20	29	34	32	16	10	-
	White ..... Male	70	-	-	-	-	-	-	-	-	-	-	1	-	2	6	9	11	10	11	13	4	3	-
	Female	100	-	-	-	-	-	-	-	-	4	-	1	-	4	5	6	7	15	21	19	11	7	-
	All other ..... Male	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	-	1	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
600	Hyperplasia of prostate	40	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	8	14	5	5	1	-
	White ..... Male	36	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	12	5	4	1	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	19	-	-	-	-	5	2	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	10	-	-	-	-	3	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	9	-	-	-	-	2	1	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Ohio—Con.																							
640–645	Abortions	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	5	2	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	10	–	–	–	–	3	1	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	7	–	–	–	–	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	622	377	48	19	18	24	9	8	7	12	11	11	20	13	8	20	5	6	4	–	–	2	–
	White ..... Male	280	176	24	6	7	13	5	4	2	3	4	5	12	6	2	6	–	3	1	–	–	1	–
	Female	278	158	19	11	11	8	2	3	5	7	7	5	7	7	5	13	3	3	3	–	–	1	–
	All other ..... Male	35	26	2	–	–	1	2	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	29	17	3	2	–	2	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,044	1,038	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	456	454	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	319	318	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	162	161	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	105	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	517	511	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	248	246	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	158	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	69	68	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	40	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	527	527	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	208	208	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,284	237	26	12	13	38	51	64	47	52	55	62	78	89	64	52	78	57	81	65	34	29	–
	White ..... Male	622	124	8	4	5	27	31	32	25	21	31	31	35	50	35	29	42	27	28	21	9	7	–
	Female	459	64	10	2	8	10	10	17	12	19	12	13	27	27	19	15	33	24	49	42	24	22	–
	All other ..... Male	136	31	6	5	–	1	6	10	10	5	9	11	11	8	7	4	2	5	2	2	1	–	–
	Female	67	18	2	1	–	–	4	5	–	7	3	7	5	4	3	4	1	1	2	–	–	–	–
Residual	All other diseases	6,791	130	38	33	39	54	75	70	76	107	141	207	311	510	662	803	913	916	831	574	233	68	–
	White ..... Male	3,244	42	12	11	21	25	38	27	30	46	42	92	132	250	354	435	511	427	412	236	80	21	–
	Female	2,747	38	15	16	10	20	19	27	23	28	58	64	117	191	240	283	327	409	374	302	143	43	–
	All other ..... Male	455	31	5	5	5	6	10	10	11	17	22	26	34	39	42	58	42	38	28	19	6	1	–
	Female	345	19	6	1	3	3	8	6	12	16	19	25	28	30	26	27	33	42	17	17	4	3	–
E800–E949	Accidents	4,466	38	139	139	148	542	590	330	256	215	162	184	179	190	209	174	195	195	227	199	121	34	–
	White ..... Male	2,788	23	73	73	94	396	441	257	188	151	102	118	112	114	128	105	107	93	91	66	44	12	–
	Female	1,269	12	41	42	38	111	101	46	45	43	39	41	45	47	63	48	77	85	127	125	73	20	–
	All other ..... Male	275	2	14	14	12	29	35	20	19	11	14	16	16	20	10	13	7	12	4	4	3	–	–
	Female	134	1	11	10	4	6	13	7	4	10	7	9	6	9	8	8	4	5	5	4	1	2	–
E810–E823	Motor vehicle accidents	2,107	5	50	70	67	403	430	227	163	116	81	75	75	67	67	57	58	47	30	16	3	–	–
	White ..... Male	1,467	3	31	36	47	298	323	176	117	81	53	55	50	39	46	30	32	25	17	5	3	–	–
	Female	495	2	15	27	18	88	76	36	30	26	20	15	17	20	18	22	24	19	11	11	–	–	–
	All other ..... Male	97	–	3	2	1	14	19	11	13	3	7	4	6	7	2	1	1	2	1	–	–	–	–
	Female	48	–	1	5	1	3	12	4	3	6	1	1	2	1	1	4	1	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,359	33	89	69	81	139	160	103	93	99	81	109	104	123	142	117	137	148	197	183	118	34	–
	White ..... Male	1,321	20	42	37	47	98	118	81	71	70	49	63	62	75	82	75	75	68	74	61	41	12	–
	Female	774	10	26	15	20	23	25	10	15	17	19	26	28	27	45	26	53	66	116	114	73	20	–
	All other ..... Male	178	2	11	12	11	15	16	9	6	8	7	12	10	13	8	12	6	10	3	4	3	–	–
	Female	86	1	10	5	3	3	1	3	1	4	6	8	4	8	7	4	3	4	4	4	1	2	–
E950–E959	Suicide	1,356	...	...	–	8	91	175	157	119	89	93	102	121	94	81	73	62	41	32	16	2	–	–
	White ..... Male	944	...	...	–	7	69	133	107	77	56	53	71	73	62	59	49	48	34	30	14	2	–	–
	Female	309	...	...	–	1	16	25	33	24	22	33	22	41	28	21	20	13	6	2	2	–	–	–
	All other ..... Male	80	...	...	–	–	3	16	14	16	4	7	8	2	4	1	3	1	1	–	–	–	–	–
	Female	23	...	...	–	–	3	1	3	2	7	–	1	5	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	727	5	21	5	7	61	143	95	82	72	53	42	34	33	28	13	14	5	6	6	1	1	–
	White ..... Male	269	2	5	2	3	26	51	38	31	29	18	12	8	13	12	7	6	1	3	2	–	–	–
	Female	112	2	8	2	2	5	22	9	9	8	9	10	3	5	4	2	4	3	3	1	1	–	–
	All other ..... Male	262	–	4	1	2	16	58	31	34	27	20	20	18	13	10	3	3	1	–	1	–	–	–
	Female	84	1	4	–	–	14	12	17	8	8	6	–	5	2	2	1	1	–	–	2	–	1	–
E980–E999	Other external causes	139	1	2	3	4	15	20	10	16	15	11	9	8	8	7	5	3	2	–	–	–	–	–
	White ..... Male	80	–	2	–	3	13	16	5	6	9	8	4	2	3	4	2	2	1	–	–	–	–	–
	Female	34	–	–	2	1	1	4	3	6	3	1	2	1	4	2	2	1	1	–	–	–	–	–
	All other ..... Male	16	–	–	1	–	–	–	2	3	1	1	2	4	1	–	1	–	–	–	–	–	–	–
	Female	9	1	–	–	–	1	–	–	1	2	1	1	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma																							
	All causes	27,943	655	142	77	101	357	460	320	275	332	477	767	1,091	1,642	2,144	2,957	3,561	3,735	3,716	2,935	1,577	588	34
	White ..... Male	13,649	284	67	35	51	229	301	186	140	161	239	430	631	933	1,237	1,663	1,974	1,817	1,553	1,081	465	157	15
	Female	11,387	208	45	29	32	89	91	74	85	114	140	238	317	517	654	1,009	1,238	1,600	1,877	1,663	989	366	12
	All other ..... Male	1,653	90	15	7	11	29	51	46	40	40	64	54	91	122	166	163	183	166	151	83	52	24	5
	Female	1,254	73	15	6	7	10	17	14	10	17	34	45	52	70	87	122	166	152	135	108	71	41	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	22	7	1	–	–	–	–	1	1	–	–	–	–	–	–	2	1	2	4	1	2	–	–
	White ..... Male	8	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
	Female	8	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	1	2	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	48	–	–	–	–	–	–	–	–	1	2	–	6	3	3	11	4	9	2	5	2	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	1	–	2	2	1	5	3	4	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	–	–	5	1	3	1	1	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	2	–	2	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	43	–	–	–	–	–	–	–	–	1	2	–	6	3	3	10	3	7	2	5	1	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	1	–	2	2	1	4	3	2	1	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	–	5	–	3	1	1	1	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	2	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	122	22	1	–	–	–	1	1	–	1	4	2	4	7	9	12	6	12	22	12	4	2	–
	White ..... Male	64	11	1	–	–	–	–	–	–	1	4	–	3	5	3	7	2	5	14	7	–	1	–
	Female	45	9	–	–	–	–	1	–	–	–	–	–	1	2	4	5	3	6	6	4	3	1	–
	All other ..... Male	10	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–	1	1	2	–	1	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	76	8	–	3	–	2	3	3	2	2	2	1	2	7	5	8	8	5	7	7	1	–	–
	White ..... Male	29	3	–	2	–	1	1	–	–	1	–	1	1	3	3	2	4	2	2	3	–	–	–
	Female	35	4	–	1	–	–	2	2	2	1	–	–	–	3	1	3	3	3	5	4	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	10	1	–	–	–	1	–	1	–	–	1	–	1	1	1	2	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,313	3	8	8	6	14	14	22	31	56	99	197	328	527	627	791	854	730	539	312	123	22	2
	White ..... Male	2,676	2	6	2	4	7	8	11	16	20	38	86	158	264	329	438	474	375	260	130	42	6	–
	Female	2,156	1	2	5	1	3	6	6	11	34	48	96	134	210	244	289	296	301	238	156	66	8	1
	All other ..... Male	286	–	–	–	1	3	–	3	2	1	8	5	19	35	33	35	52	34	26	17	7	5	–
	Female	195	–	–	1	–	1	–	2	2	1	5	10	17	18	21	29	32	20	15	9	8	3	1
140–149	Of buccal cavity and pharynx	80	–	–	–	–	–	–	–	–	1	1	1	10	11	13	10	13	5	8	4	3	–	–
	White ..... Male	53	–	–	–	–	–	–	–	–	–	–	1	9	8	6	6	10	3	4	4	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	1	2	6	3	3	2	2	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
150–159	Of digestive organs and peritoneum	1,304	–	–	–	–	1	1	1	3	11	11	42	43	107	134	192	226	201	171	107	45	8	–
	White ..... Male	581	–	–	–	–	–	–	1	3	5	4	18	24	47	65	91	110	92	69	38	13	1	–
	Female	595	–	–	–	–	1	1	–	–	6	5	19	9	43	58	88	86	94	91	62	28	4	–
	All other ..... Male	71	–	–	–	–	–	–	–	–	–	2	1	5	11	8	6	19	8	6	3	–	2	–
	Female	57	–	–	–	–	–	–	–	–	–	–	4	5	6	3	7	11	7	5	4	4	1	–
160–163	Of respiratory system	1,449	1	–	–	–	–	1	1	2	11	28	62	112	187	215	257	265	163	98	37	6	3	–
	White ..... Male	1,024	–	–	–	–	–	–	–	2	6	14	39	74	131	154	202	192	123	66	16	4	1	–
	Female	311	1	–	–	–	–	1	–	–	5	10	21	28	36	44	42	52	29	26	15	1	–	–
	All other ..... Male	94	–	–	–	–	–	–	–	–	–	4	2	7	16	13	9	19	11	6	5	1	1	–
	Female	20	–	–	–	–	–	–	1	–	–	–	–	3	4	4	4	2	–	–	1	–	1	–
174	Of breast	398	–	–	–	–	–	–	1	4	5	18	25	38	49	50	54	45	46	30	17	14	1	1
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	367	–	–	–	–	–	–	1	3	5	15	23	34	48	46	53	40	45	26	16	12	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	3	2	4	1	3	1	5	1	4	1	2	1	1
180–187	Of genital organs	613	–	–	–	–	–	2	2	5	6	8	10	33	41	54	91	93	107	79	61	16	4	1
	White ..... Male	276	–	–	–	–	–	2	–	–	–	–	1	2	6	11	38	57	52	56	39	10	2	–
	Female	254	–	–	–	–	–	–	2	5	6	6	8	30	30	31	35	26	43	14	14	3	–	1
	All other ..... Male	52	–	–	–	–	–	–	–	–	–	–	–	–	2	4	10	7	10	8	7	2	2	–
	Female	31	–	–	–	–	–	–	–	–	–	2	1	1	3	8	8	3	2	1	1	1	–	–
188, 189	Of urinary organs	223	–	–	–	–	–	–	–	–	–	2	6	15	22	28	29	27	36	29	17	12	–	–
	White ..... Male	141	–	–	–	–	–	–	–	–	–	1	3	8	16	19	18	17	30	14	10	5	–	–
	Female	70	–	–	–	–	–	–	–	–	–	–	3	5	4	8	9	8	5	14	7	7	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	708	2	3	4	1	7	5	12	8	12	18	35	42	65	80	92	97	93	70	41	16	5	–
	White ..... Male	303	2	2	1	1	4	1	6	5	6	12	14	20	29	41	46	40	40	19	11	2	1	–
	Female	334	–	1	2	–	1	4	2	1	6	6	18	14	32	31	36	46	46	45	27	12	4	–
	All other ..... Male	37	–	–	–	–	2	–	3	1	–	–	1	5	3	5	4	4	2	4	1	2	–	–
	Female	34	–	–	1	–	–	–	1	1	–	–	2	3	1	3	6	7	5	2	2	–	–	–
204–207	Leukemia	213	–	5	3	4	5	4	2	5	4	9	6	10	15	16	24	29	33	19	14	5	1	–
	White ..... Male	126	–	4	–	3	2	4	1	4	–	5	3	6	10	11	18	19	12	12	7	4	1	–
	Female	74	–	1	3	–	1	–	1	1	4	3	2	4	4	5	5	10	17	6	6	1	–	–
	All other ..... Male	9	–	–	–	1	1	–	–	–	–	1	1	–	–	–	1	–	2	1	1	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	325	–	–	1	1	1	1	3	4	6	4	10	25	30	37	42	59	46	35	14	6	–	–
	White ..... Male	171	–	–	1	–	1	1	3	2	3	2	7	15	17	21	19	29	23	20	5	2	–	–
	Female	131	–	–	–	1	–	–	–	1	2	2	2	9	11	15	18	25	20	14	9	2	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	2	1	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	1	–	2	–	2	3	2	1	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	51	1	–	–	2	1	–	–	1	–	–	1	3	4	10	7	5	3	4	6	3	–	–
	White ..... Male	22	–	–	–	1	1	–	–	–	–	–	1	1	2	5	6	1	1	–	3	–	–	–
	Female	23	–	–	–	1	–	–	–	1	–	–	–	2	2	3	1	3	2	4	3	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
250	Diabetes mellitus	430	–	–	–	–	–	2	3	6	11	10	14	14	38	19	66	70	58	61	35	18	5	–
	White ..... Male	130	–	–	–	–	–	–	1	2	4	4	6	3	14	8	20	20	14	20	12	2	–	–
	Female	212	–	–	–	–	–	2	2	3	5	4	1	7	16	5	28	30	34	36	21	13	5	–
	All other ..... Male	31	–	–	–	–	–	–	–	–	1	2	4	1	2	2	8	6	3	1	1	–	–	–
	Female	57	–	–	–	–	–	–	–	1	1	–	3	3	6	4	10	14	7	4	1	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	50	–	–	–	–	–	1	–	–	1	1	–	3	3	2	4	4	4	5	15	3	3	1
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	3	3	1	–	–
	Female	31	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	3	3	2	11	1	2	1
	All other ..... Male	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma—Con.																							
280–285	Anemias	50	1	–	–	–	–	–	–	–	–	1	1	1	–	4	7	8	5	9	9	3	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	2	3	3	2	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	5	3	5	6	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–
320	Meningitis	26	12	4	–	1	–	–	–	–	1	–	–	1	–	1	4	1	1	–	–	–	–	–
	White ..... Male	11	4	2	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–
	Female	7	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	6	1	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,072	14	3	5	4	4	15	16	31	49	126	255	420	693	964	1,485	1,922	2,243	2,350	1,985	1,071	406	11
	White ..... Male	6,609	4	2	2	1	3	6	5	17	25	76	172	283	432	608	837	1,058	1,049	920	689	302	113	5
	Female	6,163	3	–	2	2	–	6	6	9	15	27	51	85	184	242	496	677	995	1,246	1,168	696	249	4
	All other ..... Male	678	4	–	–	–	–	1	5	4	7	12	18	37	47	78	87	91	95	92	54	28	16	2
	Female	622	3	1	1	1	1	2	–	1	2	11	14	15	30	36	65	96	104	92	74	45	28	–
390–398, 402, 404, 410–429	Diseases of heart	10,356	11	2	3	4	4	11	10	19	36	101	209	368	581	811	1,174	1,466	1,623	1,615	1,313	712	274	9
	White ..... Male	5,204	2	1	–	1	3	3	5	12	22	68	154	261	375	532	686	835	803	673	477	211	76	4
	Female	4,223	3	–	2	2	–	5	3	4	8	17	32	64	141	185	383	499	677	821	755	451	168	3
	All other ..... Male	507	3	–	–	–	–	1	2	3	5	7	13	32	40	65	60	66	74	64	37	20	13	2
	Female	422	3	1	1	1	1	2	–	–	1	9	10	11	25	29	45	66	69	57	44	30	17	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	126	–	–	–	1	1	2	–	2	–	4	2	10	16	13	16	20	15	14	6	3	–	1
	White ..... Male	55	–	–	–	1	1	–	–	1	–	1	–	4	8	7	8	12	6	1	2	2	–	1
	Female	61	–	–	–	–	–	1	–	1	–	2	1	5	6	6	7	7	8	12	4	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	1	1	1	–	–	–	–
402	Hypertensive heart disease	144	–	–	–	–	–	–	–	–	–	1	2	6	2	9	17	17	25	28	25	10	2	–
	White ..... Male	45	–	–	–	–	–	–	–	–	–	–	1	3	–	7	5	7	8	9	5	–	–	–
	Female	79	–	–	–	–	–	–	–	–	–	–	–	1	–	2	11	9	13	15	18	8	2	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	4	3	1	1	–	–
404	Hypertensive heart and renal disease	42	–	–	–	–	–	–	–	–	–	–	–	–	–	6	4	4	6	10	5	5	2	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	4	3	–	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	5	2	4	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
410–413	Ischemic heart disease	8,980	2	–	–	–	1	3	4	13	28	83	181	326	502	716	1,048	1,314	1,422	1,403	1,116	588	224	6
	White ..... Male	4,608	1	–	–	–	1	–	2	8	21	62	142	239	328	475	623	757	711	591	408	171	65	3
	Female	3,607	1	–	–	–	–	2	1	3	3	13	26	53	122	157	334	439	588	713	643	374	134	1
	All other ..... Male	428	–	–	–	–	–	–	1	2	3	4	8	27	33	56	51	62	66	53	31	18	11	2
	Female	337	–	–	–	–	–	1	–	–	1	4	5	7	19	28	40	56	57	46	34	25	14	–
410	Acute myocardial infarction	4,895	2	–	–	–	1	1	2	7	18	60	124	192	322	444	654	804	803	719	456	217	67	2
	White ..... Male	2,737	1	–	–	–	1	–	2	2	13	46	97	147	219	297	405	472	435	326	191	60	22	1
	Female	1,754	1	–	–	–	–	1	–	3	1	9	21	29	80	101	196	264	298	341	237	138	34	–
	All other ..... Male	235	–	–	–	–	–	–	–	2	3	2	4	13	16	32	30	38	40	25	13	10	6	1
	Female	169	–	–	–	–	–	–	–	–	1	3	2	3	7	14	23	30	30	27	15	9	5	–
411	Other acute and subacute forms of ischemic heart disease	319	–	–	–	–	–	–	–	1	1	2	11	26	24	31	58	37	38	44	24	15	3	4
	White ..... Male	183	–	–	–	–	–	–	–	1	1	2	8	19	12	21	36	23	19	20	11	7	1	2
	Female	104	–	–	–	–	–	–	–	–	–	–	1	4	6	6	21	7	14	22	13	8	1	1
	All other ..... Male	26	–	–	–	–	–	–	–	–	–	–	2	3	6	3	1	5	3	1	–	–	1	1
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	–	–
412	Chronic ischemic heart disease	3,762	–	–	–	–	–	2	2	5	9	21	46	108	156	237	336	473	581	640	636	356	154	–
	White ..... Male	1,685	–	–	–	–	–	–	–	5	7	14	37	73	97	154	182	262	257	245	206	104	42	–
	Female	1,748	–	–	–	–	–	1	1	–	2	4	4	20	36	49	117	168	276	350	393	228	99	–
	All other ..... Male	167	–	–	–	–	–	–	1	–	–	2	2	11	11	21	20	19	23	27	18	8	4	–
	Female	162	–	–	–	–	–	1	–	–	–	1	3	4	12	13	17	24	25	18	19	16	9	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	93	–	1	–	1	–	–	1	1	–	5	5	4	16	9	6	3	7	20	11	3	–	–
	White ..... Male	55	–	1	–	–	–	–	1	–	–	1	2	4	11	5	5	3	5	11	4	2	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	2	–	4	1	1	–	2	7	7	1	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	1	–	1	1	–	1	2	–	–	–	2	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma—Con.																							
420–423, 425–427, 429	All other forms of heart disease	971	9	1	3	2	2	6	5	3	8	8	19	22	45	58	83	108	148	140	150	103	46	2
	White ..... Male	426	1	–	–	–	1	3	2	3	1	4	9	11	28	36	43	55	71	57	55	36	10	–
	Female	430	2	–	2	2	–	2	2	–	5	2	3	5	9	17	28	41	63	69	81	63	32	2
	All other ..... Male	59	3	–	–	–	–	1	1	–	2	2	3	3	4	5	8	4	7	8	5	1	2	–
	Female	56	3	1	1	–	1	–	–	–	–	–	4	3	4	–	4	8	7	6	9	3	2	–
400, 401, 403	Hypertension	71	–	–	–	–	–	–	–	1	1	2	6	2	4	3	6	8	12	15	5	4	2	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	5	1	1	–	2	2	6	3	3	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	5	7	2	4	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	1	1	1	1	1	2	–	1	1	–	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	3	–	–	1	–
430–438	Cerebrovascular diseases	2,843	3	–	2	–	–	3	6	7	9	16	36	40	82	118	232	346	479	578	517	271	96	2
	White ..... Male	1,017	2	–	2	–	–	2	–	2	1	7	11	16	40	55	107	161	181	188	152	66	23	1
	Female	1,534	–	–	–	–	–	1	3	4	6	5	17	17	32	47	90	144	254	340	326	184	63	1
	All other ..... Male	136	1	–	–	–	–	–	3	–	1	3	4	3	5	11	21	19	18	23	14	7	3	–
	Female	156	–	–	–	–	–	–	–	1	1	1	4	4	5	5	14	22	26	27	25	14	7	–
431	Cerebral hemorrhage	297	3	–	1	–	–	1	4	–	1	3	16	9	16	17	39	42	49	41	33	19	3	–
	White ..... Male	99	2	–	1	–	–	1	–	–	–	1	3	4	9	5	14	17	16	11	10	4	1	–
	Female	150	–	–	–	–	–	–	1	–	–	–	9	4	4	9	17	18	29	24	20	13	2	–
	All other ..... Male	22	1	–	–	–	–	–	3	–	–	2	1	–	2	2	3	3	3	1	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	1	–	3	1	1	1	5	4	1	5	3	1	–	–
433	Cerebral thrombosis	446	–	–	–	–	–	–	–	1	1	–	3	6	10	13	24	55	82	99	89	47	15	1
	White ..... Male	176	–	–	–	–	–	–	–	1	–	–	1	4	4	7	12	30	38	30	30	13	5	1
	Female	234	–	–	–	–	–	–	–	–	1	–	–	1	4	6	7	21	37	60	54	34	9	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	2	–	1	–	4	2	3	3	2	–	1	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	4	6	3	–	–	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	2	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,089	–	–	1	–	–	2	2	6	7	13	17	25	56	88	167	246	346	437	394	203	78	1
	White ..... Male	736	–	–	1	–	–	1	–	1	1	6	7	8	27	43	80	111	126	147	111	49	17	–
	Female	1,145	–	–	–	–	–	1	2	4	5	5	8	12	24	32	65	105	187	255	252	135	52	1
	All other ..... Male	96	–	–	–	–	–	–	–	–	1	1	1	3	2	9	14	14	12	19	12	6	2	–
	Female	112	–	–	–	–	–	–	–	1	–	1	1	2	3	4	8	16	21	16	19	13	7	–
440	Arteriosclerosis	405	–	–	–	–	–	–	–	1	–	–	–	3	7	8	25	31	55	83	102	64	26	–
	White ..... Male	150	–	–	–	–	–	–	–	1	–	–	–	2	4	5	12	12	22	29	38	16	9	–
	Female	223	–	–	–	–	–	–	–	–	–	–	–	1	3	1	9	12	28	51	56	46	16	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	2	3	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	1	5	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	397	–	1	–	–	–	1	–	3	3	7	4	7	19	24	48	71	74	59	48	20	8	–
	White ..... Male	214	–	1	–	–	–	1	–	2	2	1	2	3	12	16	30	48	37	27	19	9	4	–
	Female	156	–	–	–	–	–	–	–	1	1	5	2	3	7	7	11	19	31	27	29	11	2	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	2	1	1	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	5	4	–	–	2	–
466	Acute bronchitis and bronchiolitis	12	1	2	–	–	–	–	–	–	–	–	1	–	2	–	–	2	2	–	2	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	Female	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	996	18	4	2	2	3	7	3	7	5	8	15	16	32	38	62	102	137	180	165	120	68	2
	White ..... Male	449	6	–	1	1	3	1	1	2	1	3	5	11	15	21	46	62	65	82	65	39	18	1
	Female	451	5	2	–	–	–	4	2	3	2	2	7	4	8	13	11	26	62	87	88	76	48	1
	All other ..... Male	53	4	–	1	–	–	2	–	1	2	2	1	1	5	3	4	8	6	8	2	2	1	–
	Female	43	3	2	–	1	–	–	–	1	–	1	2	–	4	1	1	6	4	3	10	3	1	–
470–474	Influenza	66	–	–	1	–	–	2	–	–	–	–	1	–	3	3	3	6	8	16	10	7	5	1
	White ..... Male	24	–	–	1	–	–	1	–	–	–	–	–	–	1	1	2	2	5	7	1	1	2	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	3	3	9	8	6	3	1
	All other ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
480–486	Pneumonia	930	18	4	1	2	3	5	3	7	5	8	14	16	29	35	59	96	129	164	155	113	63	1
	White ..... Male	425	6	–	–	1	3	–	1	2	1	3	5	11	14	20	44	60	60	75	64	38	16	1
	Female	412	5	2	–	–	–	4	2	3	2	2	6	4	6	11	10	23	59	78	80	70	45	–
	All other ..... Male	52	4	–	1	–	–	1	–	1	2	2	1	1	5	3	4	8	6	8	2	2	1	–
	Female	41	3	2	–	1	–	–	–	1	–	1	2	–	4	1	1	5	4	3	9	3	1	–
490–493	Bronchitis, emphysema, and asthma	290	–	2	1	2	1	1	1	1	4	2	5	11	14	44	39	47	47	46	12	8	1	1
	White ..... Male	198	–	1	–	1	1	1	1	1	3	1	2	6	8	25	24	37	37	36	6	6	–	1
	Female	76	–	1	1	1	–	–	–	–	1	1	1	4	6	15	13	8	8	7	6	2	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	2	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	2	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma—Con.																							
490, 491	Chronic and unqualified bronchitis	47	-	2	-	-	-	-	1	-	-	-	-	1	1	7	12	4	10	6	3	-	-	-
	White Male	33	-	1	-	-	-	-	1	-	-	-	-	-	1	6	7	2	9	4	2	-	-	-
	Female	13	-	1	-	-	-	-	-	-	-	-	-	1	-	1	4	2	1	2	1	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
492	Emphysema	213	-	-	-	1	-	-	-	-	2	1	1	8	9	34	25	40	35	39	9	7	1	1
	White Male	154	-	-	-	-	-	-	-	-	2	1	1	5	6	18	17	33	28	32	4	6	-	1
	Female	49	-	-	-	1	-	-	-	-	-	-	-	3	3	13	7	5	6	4	5	1	1	-
	All other Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
493	Asthma	30	-	-	1	1	1	1	-	1	2	1	4	2	4	3	2	3	2	1	-	1	-	-
	White Male	11	-	-	-	1	1	1	-	1	1	-	1	1	1	1	-	2	-	-	-	-	-	-
	Female	14	-	-	1	-	-	-	-	-	1	1	1	-	3	1	2	1	1	1	-	1	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
531-533	Peptic ulcer	70	2	-	-	-	-	-	-	-	-	-	2	1	3	10	12	11	12	8	4	4	1	-
	White Male	41	2	-	-	-	-	-	-	-	-	-	1	1	2	6	5	7	8	4	2	2	1	-
	Female	28	-	-	-	-	-	-	-	-	-	-	1	-	1	4	7	4	4	4	2	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
540-543	Appendicitis	17	-	-	1	-	1	-	-	-	-	2	-	-	1	-	3	4	1	3	1	-	-	-
	White Male	9	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	-	2	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	91	11	-	-	1	-	1	-	-	-	2	1	3	1	3	5	12	9	21	12	6	3	-
	White Male	28	4	-	-	-	-	1	-	-	-	-	1	-	1	2	-	7	2	6	3	1	-	-
	Female	55	5	-	-	-	-	-	-	-	-	1	-	1	-	1	4	4	7	15	9	5	3	-
	All other Male	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
571	Cirrhosis of liver	329	-	-	-	-	-	3	3	7	14	25	35	37	47	54	41	20	18	15	6	2	1	1
	White Male	177	-	-	-	-	-	-	1	1	4	12	17	20	24	34	26	15	12	8	1	1	-	1
	Female	82	-	-	-	-	-	-	1	2	1	2	12	8	14	8	13	3	5	7	4	1	1	-
	All other Male	44	-	-	-	-	-	2	1	3	7	6	2	7	4	7	2	1	1	-	1	-	-	-
	Female	26	-	-	-	-	-	1	-	1	2	5	4	2	5	5	-	1	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	40	-	-	-	-	-	-	-	-	1	1	3	-	-	4	5	8	3	5	5	4	1	-
	White Male	20	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	4	1	3	3	1	-	-
	Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	3	1	-
	All other Male	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
580-584	Nephritis and nephrosis	174	1	2	-	-	-	-	1	1	3	6	7	2	7	9	15	23	21	33	24	15	4	-
	White Male	81	-	1	-	-	-	-	1	-	-	2	4	1	4	1	9	10	14	16	12	6	-	-
	Female	53	-	1	-	-	-	-	-	1	2	1	1	-	3	5	4	5	3	12	8	5	2	-
	All other Male	20	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	3	4	2	1	4	-	-
	Female	20	1	-	-	-	-	-	-	-	1	-	2	1	-	1	1	5	-	3	3	-	2	-
580, 581	Acute nephritis and nephrotic syndrome	37	1	2	-	-	-	-	-	1	1	1	2	-	1	2	4	5	4	5	4	3	1	-
	White Male	19	-	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	3	3	1	-	-
	Female	14	-	1	-	-	-	-	-	1	1	1	1	-	-	1	2	-	1	2	1	1	1	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	137	-	-	-	-	-	-	1	-	2	5	5	2	6	7	11	18	17	28	20	12	3	-
	White Male	62	-	-	-	-	-	-	1	-	-	2	3	1	3	-	7	7	11	13	9	5	-	-
	Female	39	-	-	-	-	-	-	-	-	1	-	-	-	3	4	2	5	2	10	7	4	1	-
	All other Male	19	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	3	4	2	1	3	-	-
	Female	17	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	3	-	3	3	-	2	-
590	Infections of kidney	73	-	-	-	-	-	-	1	1	-	1	2	-	1	6	2	8	4	22	13	9	3	-
	White Male	27	-	-	-	-	-	-	1	-	-	-	2	-	1	3	-	2	1	7	4	4	2	-
	Female	40	-	-	-	-	-	-	-	1	-	1	-	-	-	3	1	6	1	15	7	4	1	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-
600	Hyperplasia of prostate	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	3	2	-	-
	White Male	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	3	2	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oklahoma—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	144	88	10	2	8	8	4	3	3	2	4	3	1	1	4	–	1	–	1	1	–	–	–
	White ..... Male	61	33	7	1	1	6	1	1	–	–	2	2	1	–	3	–	1	–	1	1	–	–	–
	Female	56	36	2	1	5	2	2	–	3	2	1	–	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	12	8	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	11	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	290	287	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	139	136	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	176	173	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	86	83	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	493	120	7	–	2	9	5	14	11	9	15	23	22	15	20	28	32	35	23	51	30	18	4
	White ..... Male	219	52	3	–	1	5	4	9	4	1	7	15	9	9	9	18	18	16	10	17	7	4	1
	Female	200	33	3	–	1	2	1	3	6	5	5	5	9	5	8	8	13	17	10	33	20	12	1
	All other ..... Male	44	23	–	–	–	1	–	1	–	1	3	2	2	–	3	1	1	1	2	–	2	–	1
	Female	30	12	1	–	–	1	–	1	1	2	–	1	2	1	–	1	–	1	1	1	1	2	1
Residual	All other diseases	2,137	25	14	10	11	16	16	18	14	29	55	68	102	116	198	239	313	280	272	190	115	34	2
	White ..... Male	1,063	11	5	6	5	5	9	8	5	9	20	31	52	67	106	142	184	150	116	88	35	7	2
	Female	855	7	6	3	4	7	3	7	8	11	20	28	36	33	67	77	112	108	132	95	69	22	–
	All other ..... Male	131	4	1	–	–	3	1	1	1	8	10	5	9	13	15	17	9	12	13	3	5	1	–
	Female	88	3	2	1	2	1	3	2	–	1	5	4	5	3	10	3	8	10	11	4	6	4	–
E800-E949	Accidents	1,800	27	72	41	53	247	255	141	91	78	62	84	79	88	77	72	78	76	73	57	31	15	3
	White ..... Male	1,088	12	30	20	33	169	182	88	54	52	46	56	53	58	42	43	42	40	29	21	11	5	2
	Female	495	9	25	14	13	61	46	27	23	13	7	20	15	21	22	23	29	28	40	32	18	9	–
	All other ..... Male	168	4	11	6	6	13	20	24	14	7	8	8	7	8	9	4	6	5	3	2	1	1	1
	Female	49	2	6	1	1	4	7	2	–	6	1	–	4	1	4	2	1	3	1	2	1	–	–
E810-E823	Motor vehicle accidents	970	11	32	17	28	200	178	98	63	49	33	38	33	34	33	33	38	20	15	11	4	–	2
	White ..... Male	601	5	13	9	15	135	125	54	37	32	25	21	21	22	15	20	18	16	8	6	3	–	1
	Female	258	5	11	4	10	51	35	23	17	12	5	13	8	10	13	10	16	3	7	5	–	–	–
	All other ..... Male	91	–	5	3	2	11	14	19	9	3	3	4	3	2	3	3	4	1	–	–	1	–	1
	Female	20	1	3	1	1	3	4	2	–	2	–	–	1	–	2	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	830	16	40	24	25	47	77	43	28	29	29	46	46	54	44	39	40	56	58	46	27	15	1
	White ..... Male	487	7	17	11	18	34	57	34	17	20	21	35	32	36	27	23	24	24	21	15	8	5	1
	Female	237	4	14	10	3	10	11	4	6	1	2	7	7	11	9	13	13	25	33	27	18	9	–
	All other ..... Male	77	4	6	3	4	2	6	5	5	4	5	4	4	6	6	1	2	4	3	2	–	1	–
	Female	29	1	3	–	–	1	3	–	–	4	1	–	3	1	2	2	1	3	1	2	1	–	–
E950-E959	Suicide	384	...	...	–	4	25	76	45	32	37	23	21	25	21	21	25	8	13	4	1	1	–	2
	White ..... Male	269	...	...	–	1	17	58	33	21	25	10	11	19	13	18	16	8	12	4	1	1	–	1
	Female	98	...	...	–	2	6	13	10	8	11	12	10	6	6	3	9	–	1	–	–	–	–	1
	All other ..... Male	15	...	...	–	1	2	5	1	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	283	3	4	4	5	26	51	38	34	26	24	22	8	10	7	7	4	3	1	1	–	–	5
	White ..... Male	140	–	2	1	2	10	26	22	17	13	12	13	3	6	5	4	1	1	–	1	–	–	1
	Female	53	2	1	2	2	8	4	4	2	8	5	2	2	–	–	3	2	2	1	–	–	–	3
	All other ..... Male	76	1	1	–	–	7	18	8	13	4	6	7	3	4	2	–	1	–	–	–	–	–	1
	Female	14	–	–	1	1	1	3	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	30	1	3	–	–	–	4	4	–	1	2	4	2	1	4	2	–	1	1	–	–	–	–
	White ..... Male	19	1	2	–	–	–	3	2	–	1	1	2	1	–	2	2	–	1	1	–	–	–	–
	Female	8	–	–	–	–	–	1	2	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon																							
	All causes	20,895	501	79	75	79	243	311	281	245	245	302	481	790	1,257	1,765	2,258	2,564	2,658	2,754	2,353	1,213	438	3
	White ..... Male	11,352	258	44	38	55	170	230	187	167	155	196	307	477	750	1,106	1,415	1,534	1,425	1,313	965	424	134	2
	Female	9,053	214	31	31	20	63	68	76	63	75	83	150	285	476	624	795	970	1,182	1,401	1,364	779	302	1
	All other ..... Male	323	18	2	5	1	8	6	12	8	13	12	20	19	23	18	36	41	35	25	14	6	1	–
	Female	167	11	2	1	3	2	7	6	7	2	11	4	9	8	17	12	19	16	15	10	4	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	13	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	2	1	2	2	1	–	–
	White ..... Male	8	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	25	–	–	–	–	–	–	–	–	–	1	1	2	1	3	3	3	4	3	2	2	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	2	2	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	2	1	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	15	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	3	2	1	–	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	1	1	2	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	3	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	5	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	49	5	1	–	–	1	1	–	1	–	–	2	1	3	3	3	6	7	7	5	3	–	–
	White ..... Male	27	1	1	–	–	–	1	–	–	–	–	1	–	3	2	2	4	3	5	2	2	–	–
	Female	19	3	–	–	–	1	–	–	1	–	–	–	1	–	–	1	2	4	2	3	1	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	68	3	3	–	–	2	1	2	1	2	2	2	4	4	4	7	8	8	8	2	3	2	–
	White ..... Male	25	–	1	–	–	1	–	–	–	1	–	2	2	1	1	2	6	2	4	1	1	–	–
	Female	41	3	2	–	–	1	1	2	1	1	2	–	1	3	3	4	2	6	4	1	2	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,387	7	6	8	10	11	15	24	23	40	70	142	257	431	565	670	691	535	441	311	113	17	-
	White ..... Male	2,363	3	3	4	5	5	10	15	16	20	31	62	121	206	308	400	417	298	226	160	52	1	-
	Female	1,928	4	3	4	4	5	5	9	6	19	35	75	130	218	247	256	259	223	206	144	61	15	-
	All other ..... Male	64	-	-	-	-	1	-	-	1	1	1	5	5	5	6	11	10	10	5	3	-	-	-
	Female	32	-	-	-	1	-	-	-	-	-	3	-	1	2	4	3	5	4	4	4	-	1	-
140–149	Of buccal cavity and pharynx	80	-	-	-	-	-	-	-	-	-	-	6	7	10	16	17	8	10	4	2	-	-	-
	White ..... Male	46	-	-	-	-	-	-	-	-	-	-	2	5	5	11	9	7	4	3	-	-	-	-
	Female	32	-	-	-	-	-	-	-	-	-	-	4	1	4	5	8	1	6	1	2	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150–159	Of digestive organs and peritoneum	1,092	1	-	-	-	-	1	2	3	8	14	21	52	85	120	158	181	147	147	109	38	5	-
	White ..... Male	560	1	-	-	-	-	1	1	2	5	9	8	28	46	73	99	97	65	61	49	15	-	-
	Female	495	-	-	-	-	-	-	1	1	2	4	10	23	35	43	57	81	71	81	58	23	5	-
	All other ..... Male	25	-	-	-	-	-	-	-	-	1	-	3	1	3	3	2	2	7	2	1	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	3	1	-	-	-
160–163	Of respiratory system	1,129	-	-	-	-	-	-	-	3	3	20	34	72	145	211	205	200	114	64	38	17	3	-
	White ..... Male	816	-	-	-	-	-	-	-	3	3	12	15	43	94	150	149	158	98	49	30	11	1	-
	Female	293	-	-	-	-	-	-	-	-	-	8	17	29	50	59	49	38	13	15	7	6	2	-
	All other ..... Male	20	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	4	3	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	Of breast	366	-	-	-	-	-	-	3	-	6	11	23	39	50	53	49	42	35	33	13	7	2	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	-	-
	Female	356	-	-	-	-	-	-	3	-	6	11	22	37	49	52	48	40	35	33	12	6	2	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
180–187	Of genital organs	506	-	-	-	-	1	2	3	5	2	5	13	19	37	48	81	76	78	61	55	18	2	-
	White ..... Male	256	-	-	-	-	1	1	3	2	-	1	4	5	5	12	35	45	50	44	35	13	-	-
	Female	238	-	-	-	-	-	1	-	3	2	3	9	14	31	35	44	27	28	15	20	5	1	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	1	-
188, 189	Of urinary organs	201	-	1	-	-	-	-	-	1	-	-	5	6	15	22	25	33	26	36	20	10	1	-
	White ..... Male	139	-	-	-	-	-	-	-	1	-	-	4	5	5	13	21	26	19	26	14	5	-	-
	Female	60	-	1	-	-	-	-	-	-	-	-	1	1	10	8	3	7	7	10	6	5	1	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170–173, 190–199	Of all other and unspecified sites	542	2	3	3	5	5	2	8	9	11	13	23	37	56	59	73	81	55	46	34	14	3	-
	White ..... Male	301	1	2	3	1	2	2	6	6	7	5	14	24	32	34	47	45	26	24	14	6	-	-
	Female	231	1	1	-	3	3	-	2	2	4	7	9	12	24	24	26	35	29	21	17	8	3	-
	All other ..... Male	5	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-
	Female	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-
204–207	Leukemia	198	4	2	5	5	2	6	5	-	5	2	5	6	8	13	22	24	32	23	22	7	-	-
	White ..... Male	107	1	1	1	4	1	3	3	-	2	1	3	2	5	6	16	18	17	9	13	1	-	-
	Female	87	3	1	4	1	1	3	2	-	3	-	2	3	3	7	6	5	15	13	9	6	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	273	-	-	-	-	3	4	3	2	5	5	12	19	25	23	40	46	38	27	18	2	1	-
	White ..... Male	132	-	-	-	-	1	3	2	2	3	3	11	8	13	8	24	20	19	10	5	-	-	-
	Female	136	-	-	-	-	1	1	1	-	2	2	1	10	12	14	15	25	19	17	13	2	1	-
	All other ..... Male	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
210–239	Benign neoplasms and neoplasms of unspecified nature	55	-	-	-	-	-	-	1	-	1	1	2	3	5	8	7	5	9	5	5	1	2	-
	White ..... Male	23	-	-	-	-	-	-	-	-	-	1	1	2	2	5	6	2	1	2	1	-	-	-
	Female	30	-	-	-	-	-	-	1	-	1	-	1	1	3	3	1	3	7	3	4	1	1	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
250	Diabetes mellitus	291	-	-	-	-	1	1	2	1	3	5	8	11	19	28	29	52	38	49	30	7	7	-
	White ..... Male	128	-	-	-	-	-	-	-	1	3	4	4	6	6	12	13	22	20	19	15	3	-	-
	Female	155	-	-	-	-	1	1	2	-	-	1	2	3	11	16	15	29	18	30	15	4	7	-
	All other ..... Male	6	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
260–269	Avitaminoses and other nutritional deficiencies	46	-	-	-	-	-	-	-	1	-	1	-	-	-	4	2	4	9	4	9	10	2	-
	White ..... Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	1	2	2	-	-
	Female	26	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	2	7	8	2	-
	All other ..... Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon—Con.																							
280–285	Anemias	27	–	1	–	1	1	–	1	–	–	–	1	–	–	2	1	1	3	5	6	2	2	–
	White ... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	2	–	1	–
	Female	17	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	1	2	3	4	2	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	13	7	3	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	White ... Male	9	4	2	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,191	10	5	7	4	6	5	12	21	49	83	176	282	466	751	1,076	1,304	1,513	1,730	1,536	845	310	–
	White ... Male	5,307	6	2	4	2	2	4	8	15	31	64	142	207	333	532	697	772	773	782	575	260	96	–
	Female	4,719	3	3	3	2	4	1	3	6	15	17	29	67	121	207	361	497	712	924	949	581	214	–
	All other ... Male	109	1	–	–	–	–	–	–	–	3	2	4	6	8	5	13	22	20	15	8	2	–	–
	Female	56	–	–	–	–	–	–	1	–	–	–	1	2	4	7	5	13	8	9	4	2	–	–
390–398, 402, 404, 410–429	Diseases of heart	7,281	10	4	3	3	5	4	8	17	38	66	152	248	405	624	854	989	1,101	1,124	936	510	180	–
	White ... Male	4,060	6	1	3	2	2	4	4	13	27	57	130	189	299	454	564	607	581	521	377	163	56	–
	Female	3,106	3	3	–	1	3	–	3	4	8	7	18	53	98	162	275	357	498	593	552	344	124	–
	All other ... Male	81	1	–	–	–	–	–	–	–	3	2	4	5	6	5	12	17	16	5	4	1	–	–
	Female	34	–	–	–	–	–	–	1	–	–	–	–	1	2	3	3	8	6	5	3	2	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	207	–	–	–	–	–	–	–	3	–	5	8	8	17	22	26	31	29	33	18	6	1	–
	White ... Male	104	–	–	–	–	–	–	–	2	–	2	6	5	8	12	15	15	12	17	6	4	–	–
	Female	99	–	–	–	–	–	–	–	1	–	3	2	3	9	10	10	16	17	15	10	2	1	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
402	Hypertensive heart disease	54	–	–	–	–	–	–	–	1	1	–	1	2	4	4	9	11	5	7	8	–	1	–
	White ... Male	25	–	–	–	–	–	–	–	1	–	–	1	1	2	3	4	6	1	4	1	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	5	4	3	7	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	39	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6	6	6	5	10	5	–	–
	White ... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	3	5	2	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	4	1	5	3	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	6,483	–	–	–	–	1	–	5	9	31	58	133	223	361	547	756	887	998	1,003	844	469	158	–
	White ... Male	3,650	–	–	–	–	1	–	2	8	25	53	115	171	273	402	509	549	539	461	342	149	51	–
	Female	2,737	–	–	–	–	–	–	3	1	5	3	14	48	82	138	236	313	439	534	497	317	107	–
	All other ... Male	66	–	–	–	–	–	–	–	–	1	2	4	4	4	4	9	17	14	4	2	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	8	6	4	3	2	–	–
410	Acute myocardial infarction	2,418	–	–	–	–	1	–	1	3	15	32	53	99	168	249	356	383	383	330	216	103	26	–
	White ... Male	1,476	–	–	–	–	1	–	–	3	12	28	49	79	127	188	250	238	206	152	92	43	8	–
	Female	915	–	–	–	–	–	–	1	–	3	3	3	19	40	60	101	138	170	178	122	59	18	–
	All other ... Male	20	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	5	5	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	18	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	5	2	2	3	2	–
	White ... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	3	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,044	–	–	–	–	–	–	4	6	16	26	80	123	192	297	399	504	608	671	625	363	130	–
	White ... Male	2,164	–	–	–	–	–	–	2	5	13	25	66	92	145	213	258	311	329	308	249	106	42	–
	Female	1,812	–	–	–	–	–	–	2	1	2	–	11	28	42	78	135	175	267	355	373	255	88	–
	All other ... Male	45	–	–	–	–	–	–	–	–	1	1	3	3	3	3	5	12	8	4	1	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	6	4	4	2	1	–	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	31	–	–	–	–	–	–	2	–	–	1	–	–	1	1	5	1	7	9	3	1	–	–
	White ... Male	17	–	–	–	–	–	–	2	–	–	–	–	–	1	–	3	1	3	5	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	4	4	1	1	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon—Con.																							
420–423, 425–427, 429	All other forms of heart disease	467	10	4	3	3	4	4	1	4	6	2	10	15	21	50	52	53	56	67	53	29	20	–
	White ..... Male	245	6	1	3	2	1	4	–	2	2	2	8	12	15	37	30	32	24	31	21	8	4	–
	Female	213	3	3	–	1	3	–	–	2	3	–	2	2	5	13	20	21	30	36	32	21	16	–
	All other ..... Male	8	1	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	46	–	–	–	–	–	–	–	1	–	1	–	2	1	1	3	7	9	6	10	4	1	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	6	4	3	8	2	–	–
	Female	18	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	4	3	2	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,050	–	1	4	1	1	1	3	3	7	11	18	25	47	93	159	230	297	428	426	218	77	–
	White ..... Male	857	–	1	1	–	–	–	3	2	1	6	8	10	24	61	82	115	130	182	142	63	26	–
	Female	1,157	–	–	3	1	1	1	–	1	6	5	9	13	19	30	74	106	163	239	281	154	51	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	5	3	5	3	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	4	1	2	–	–	–	–
431	Cerebral hemorrhage	220	–	–	3	–	1	1	2	1	2	4	9	11	15	16	25	36	30	26	27	8	3	–
	White ..... Male	92	–	–	1	–	–	–	2	1	1	3	3	4	7	6	16	17	11	7	9	3	1	–
	Female	118	–	–	2	–	1	1	–	–	1	1	5	6	5	8	9	18	18	18	18	5	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	1	–	–	–	–	–
433	Cerebral thrombosis	422	–	–	–	–	–	–	–	–	–	1	2	3	10	19	27	57	66	88	88	37	24	–
	White ..... Male	197	–	–	–	–	–	–	–	–	–	1	1	2	8	12	15	26	26	46	35	15	10	–
	Female	218	–	–	–	–	–	–	–	–	–	–	1	–	2	7	12	28	39	41	52	22	14	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,404	–	1	1	1	–	–	1	2	5	6	7	11	22	57	106	137	200	314	310	173	50	–
	White ..... Male	566	–	1	–	–	–	–	1	1	–	2	4	4	9	42	51	72	92	129	98	45	15	–
	Female	819	–	–	1	1	–	–	–	1	5	4	3	7	12	15	52	60	106	180	210	127	35	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	3	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–
440	Arteriosclerosis	490	–	–	–	–	–	–	–	–	–	–	3	2	1	10	13	29	54	113	124	93	48	–
	White ..... Male	172	–	–	–	–	–	–	–	–	–	–	2	2	1	3	8	14	25	44	35	25	13	–
	Female	310	–	–	–	–	–	–	–	–	–	–	1	–	–	7	5	14	29	64	87	68	35	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	324	–	–	–	–	–	–	1	–	4	5	3	5	12	23	47	49	52	59	40	20	4	–
	White ..... Male	191	–	–	–	–	–	–	1	–	3	1	2	5	9	14	40	30	33	32	13	7	1	–
	Female	128	–	–	–	–	–	–	–	–	1	4	1	–	3	7	7	19	18	25	27	13	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	White ..... Male	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	656	6	2	–	1	2	4	3	3	3	2	5	9	15	24	40	61	102	120	147	72	35	–
	White ..... Male	323	3	1	–	–	2	3	3	2	2	1	1	6	4	18	26	37	50	60	60	34	10	–
	Female	322	1	–	–	1	–	1	–	1	1	1	2	3	11	6	14	24	52	58	85	36	25	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	1	–	–
	Female	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
470–474	Influenza	39	–	–	–	–	–	1	–	–	–	–	–	–	–	3	2	4	5	10	8	3	3	–
	White ..... Male	15	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	2	1	5	2	–	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	5	5	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	617	6	2	–	1	2	3	3	3	3	2	5	9	15	21	38	57	97	110	139	69	32	–
	White ..... Male	308	3	1	–	–	2	2	3	2	2	1	1	6	4	17	24	35	49	55	58	34	9	–
	Female	299	1	–	–	1	–	1	–	1	1	1	2	3	11	4	14	22	48	53	80	33	23	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	1	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	315	–	–	–	–	1	1	–	1	–	–	5	7	23	35	51	55	55	51	22	6	2	–
	White ..... Male	218	–	–	–	–	1	1	–	–	–	–	2	4	12	24	37	33	46	37	17	4	–	–
	Female	92	–	–	–	–	–	–	–	–	–	–	3	3	11	10	13	20	9	14	5	2	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon—Con.																							
490, 491	Chronic and unqualified bronchitis	63	–	–	–	–	–	–	–	–	–	–	–	1	2	10	5	11	16	11	4	1	2	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	–	1	1	7	3	9	11	7	2	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	5	4	2	1	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	223	–	–	–	–	–	–	–	–	–	–	5	5	15	25	42	40	37	33	16	5	–	–
	White ..... Male	164	–	–	–	–	–	–	–	–	–	–	2	2	11	17	33	21	34	26	14	4	–	–
	Female	55	–	–	–	–	–	–	–	–	–	–	3	3	4	7	8	17	3	7	2	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
493	Asthma	29	–	–	–	–	1	1	–	1	–	–	–	1	6	–	4	4	2	7	2	–	–	–
	White ..... Male	13	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	3	1	4	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	6	–	3	1	1	3	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	53	–	–	–	–	–	–	–	–	–	–	3	–	2	6	11	6	3	8	12	2	–	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	2	–	1	3	6	3	2	3	5	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	2	1	5	7	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	8	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–
	White ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	5	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	53	4	–	–	–	–	–	–	–	–	1	–	3	–	3	4	5	9	15	5	4	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	2	2	–	2	–	–
	Female	40	4	–	–	–	–	–	–	–	–	–	–	2	–	2	1	4	7	13	5	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	300	1	–	–	–	–	–	3	5	7	14	21	36	48	58	58	21	17	4	5	2	–	–
	White ..... Male	185	–	–	–	–	–	–	1	2	4	6	10	23	34	38	39	11	12	3	1	1	–	–
	Female	96	1	–	–	–	–	–	1	–	1	4	9	12	12	18	18	10	4	1	4	1	–	–
	All other ..... Male	14	–	–	–	–	–	–	1	1	2	2	2	1	1	2	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	32	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	5	7	5	5	5	1	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	3	4	3	2	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	2	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	79	1	–	1	–	–	–	1	1	–	–	–	3	4	7	10	13	11	7	10	10	–	–
	White ..... Male	43	1	–	–	–	–	–	1	–	–	–	–	1	–	6	6	9	4	6	6	3	–	–
	Female	27	–	–	1	–	–	–	–	–	–	–	–	1	3	1	3	3	5	1	4	5	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	2	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	20	1	–	–	–	–	–	–	–	–	–	–	–	2	–	4	5	3	2	2	1	–	–
	White ..... Male	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	1	2	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	59	–	–	1	–	–	–	1	1	–	–	–	3	2	7	6	8	8	5	8	9	–	–
	White ..... Male	29	–	–	–	–	–	–	1	–	–	–	–	1	–	6	3	4	3	4	5	2	–	–
	Female	22	–	–	1	–	–	–	–	–	–	–	–	1	2	1	2	3	3	1	3	5	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	2	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	27	1	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	5	4	6	3	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	4	–	–	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	3	2	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Oregon—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	142	103	9	–	6	2	5	1	2	1	–	2	–	4	2	2	–	1	2	–	–	–	–
	White ..... Male	71	48	6	–	5	1	3	–	2	1	–	–	–	2	1	1	–	–	1	–	–	–	–
	Female	66	50	3	–	1	1	2	1	–	–	–	2	–	2	1	1	–	1	1	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	397	120	4	–	1	–	3	5	3	5	3	8	16	17	22	24	33	25	38	31	21	16	2
	White ..... Male	192	61	1	–	–	–	3	3	1	1	3	5	11	9	9	14	21	9	17	10	9	3	2
	Female	188	49	3	–	–	–	–	1	2	4	–	3	4	8	12	10	11	15	21	20	12	13	–
	All other ..... Male	10	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
	Female	7	3	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Residual	All other diseases	1,477	17	8	10	1	6	9	12	16	17	21	34	56	112	147	174	203	224	173	144	63	30	–
	White ..... Male	822	13	3	3	1	2	5	4	13	7	10	23	22	69	80	103	122	138	91	67	28	18	–
	Female	614	3	4	7	–	4	4	7	2	7	5	9	30	41	63	64	79	85	79	75	34	12	–
	All other ..... Male	25	–	1	–	–	–	–	–	–	2	3	1	1	2	2	5	2	1	3	1	1	–	–
	Female	16	1	–	–	–	–	–	1	1	1	3	1	3	–	2	2	–	–	–	1	–	–	–
E800–E949	Accidents	1,429	21	32	46	50	178	194	135	107	77	56	42	59	54	59	57	60	54	58	49	33	8	–
	White ..... Male	1,000	11	21	27	40	136	151	103	73	63	46	32	43	37	34	32	42	39	31	25	13	1	–
	Female	373	10	10	14	8	36	37	25	28	11	8	8	14	14	23	22	16	13	26	24	19	7	–
	All other ..... Male	42	–	1	5	1	5	4	6	3	3	2	1	2	3	–	2	2	1	1	–	–	–	–
	Female	14	–	–	–	1	1	2	1	3	–	–	1	–	–	2	1	–	1	–	–	1	–	–
E810–E823	Motor vehicle accidents	737	7	11	23	27	129	127	83	66	32	22	18	30	25	31	26	32	18	16	12	2	–	–
	White ..... Male	509	3	5	11	22	95	96	60	40	27	19	14	20	17	17	11	18	14	9	9	2	–	–
	Female	198	4	5	9	5	31	27	18	21	4	3	3	8	7	13	13	13	4	7	3	–	–	–
	All other ..... Male	21	–	1	3	–	3	2	4	2	1	–	–	2	1	–	1	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	2	1	3	–	–	1	–	–	1	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	692	14	21	23	23	49	67	52	41	45	34	24	29	29	28	31	28	36	42	37	31	8	–
	White ..... Male	491	8	16	16	18	41	55	43	33	36	27	18	23	20	17	21	24	25	22	16	11	1	–
	Female	175	6	5	5	3	5	10	7	7	7	5	5	6	7	10	9	3	9	19	21	19	7	–
	All other ..... Male	21	–	–	2	1	2	2	2	1	2	2	1	–	2	–	1	1	1	1	–	–	–	–
	Female	5	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
E950–E959	Suicide	381	...	...	–	1	21	42	54	36	30	25	19	32	26	20	20	22	9	11	8	3	2	–
	White ..... Male	283	...	...	–	1	16	32	36	27	18	16	13	21	19	17	19	20	6	10	7	3	2	–
	Female	88	...	...	–	–	4	8	16	9	11	6	5	11	7	3	1	2	3	1	1	–	–	–
	All other ..... Male	9	...	...	–	–	1	2	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	124	4	2	2	3	8	23	15	12	7	13	7	5	11	3	5	1	2	1	–	–	–	–
	White ..... Male	67	1	2	–	1	2	13	6	8	3	10	5	3	5	1	4	–	2	1	–	–	–	–
	Female	38	3	–	1	2	4	7	6	3	2	1	1	1	5	1	–	1	–	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	1	–	2	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–
	Female	11	–	–	1	–	1	3	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	54	–	1	–	–	3	5	7	11	2	4	1	4	9	3	–	–	3	–	–	–	–	1
	White ..... Male	32	–	–	–	–	2	3	5	7	1	3	1	3	4	2	–	–	1	–	–	–	–	–
	Female	19	–	1	–	–	1	–	1	4	1	1	–	1	5	1	–	–	2	–	–	–	–	1
	All other ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania																							
	All causes	120,074	2,089	319	286	274	960	1,156	992	946	1,182	1,660	3,033	5,489	8,096	11,470	14,093	15,968	16,223	16,038	11,959	5,912	1,846	83
	White ..... Male	58,415	962	149	142	149	616	763	561	465	564	834	1,618	3,024	4,538	6,571	7,863	8,337	7,667	6,677	4,449	1,925	505	26
	Female	51,031	674	108	94	83	243	234	217	249	314	519	902	1,672	2,599	3,799	5,042	6,361	7,401	8,526	7,022	3,740	1,199	33
	All other ..... Male	5,996	241	32	35	29	76	119	153	161	201	185	305	495	578	634	649	684	632	430	214	84	50	9
	Female	4,632	212	30	15	13	25	40	61	71	103	122	208	298	381	466	539	586	523	405	274	163	92	5
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	101	33	3	–	–	–	1	–	1	–	3	–	1	3	3	6	7	10	10	11	5	4	–
	White ..... Male	43	10	2	–	–	–	1	–	1	–	3	–	–	2	2	5	1	2	7	6	1	–	–
	Female	44	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	8	2	5	4	4	–
	All other ..... Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	185	–	1	–	–	–	2	2	1	3	2	5	14	17	26	23	19	30	17	11	9	3	–
	White ..... Male	103	–	1	–	–	–	–	1	–	–	–	2	11	9	17	17	10	20	8	5	2	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	1	1	3	5	2	4	8	7	5	6	1	–
	All other ..... Male	31	–	–	–	–	–	1	1	–	2	1	1	2	5	3	3	4	2	2	1	1	2	–
	Female	8	–	–	–	–	–	1	–	1	1	1	1	–	–	1	1	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	153	–	1	–	–	–	2	1	1	3	1	4	13	13	20	19	15	26	13	10	8	3	–
	White ..... Male	90	–	1	–	–	–	–	1	–	–	–	2	10	7	14	14	9	19	6	5	2	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1	2	5	5	4	5	1	–
	All other ..... Male	27	–	–	–	–	–	1	–	–	2	1	1	2	3	3	3	3	2	2	1	1	2	–
	Female	5	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	32	–	–	–	–	–	–	1	–	–	1	1	1	4	6	4	4	4	4	1	1	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	1	1	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	2	1	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	–	2	–	1	3	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	White ..... Male	3	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	616	52	1	1	–	4	1	3	8	5	4	11	23	36	46	50	74	106	83	74	25	9	–
	White ..... Male	248	25	–	1	–	2	1	1	3	1	2	3	7	16	24	25	30	37	33	28	7	2	–
	Female	244	18	1	–	–	–	–	–	3	1	–	4	8	13	13	13	30	47	36	39	14	4	–
	All other ..... Male	64	6	–	–	–	–	–	2	1	2	1	3	4	5	3	7	10	12	7	–	–	1	–
	Female	60	3	–	–	–	2	–	–	1	1	1	1	4	2	6	5	4	10	7	7	4	2	–
040–043	Acute poliomyelitis	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	1	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	284	15	4	5	3	10	9	4	7	2	9	15	23	20	16	36	31	22	22	17	8	4	2
	White ..... Male	107	8	–	5	2	3	2	1	1	1	3	4	9	7	6	15	13	11	8	6	2	–	–
	Female	118	3	2	–	1	3	4	1	3	–	2	6	7	7	6	17	12	8	13	11	6	4	2
	All other ..... Male	33	2	1	–	–	2	2	2	1	1	3	1	3	5	2	3	4	1	–	–	–	–	–
	Female	26	2	1	–	–	2	1	–	2	–	1	4	4	1	2	1	2	2	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	25,314	3	30	40	35	67	57	90	148	216	412	886	1,779	2,609	3,506	3,882	3,729	3,272	2,505	1,413	502	125	8
	White Male	12,278	2	16	18	23	34	28	46	63	77	135	376	807	1,287	1,792	2,037	1,921	1,585	1,138	639	207	43	4
	Female	10,836	1	13	16	9	26	24	38	66	101	224	394	760	1,058	1,379	1,505	1,513	1,455	1,216	709	260	67	2
	All other Male	1,243	–	1	6	2	4	2	5	6	14	22	55	118	146	204	189	174	143	88	40	16	6	2
	Female	957	–	–	–	1	3	3	1	13	24	31	61	94	118	131	151	121	89	63	25	19	9	–
140-149	Of buccal cavity and pharynx	484	–	1	–	–	1	–	2	2	5	3	21	50	76	84	85	52	45	34	18	4	1	–
	White Male	319	–	–	–	–	–	–	1	1	1	3	15	33	54	56	58	38	33	16	9	1	–	–
	Female	106	–	1	–	–	–	–	1	–	1	–	1	7	10	23	15	8	11	15	9	3	1	–
	All other Male	43	–	–	–	–	1	–	–	1	2	–	4	8	7	3	8	5	1	3	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	2	5	2	4	1	–	–	–	–	–	–
150-159	Of digestive organs and peritoneum	7,074	–	–	2	–	3	4	7	18	22	74	171	386	623	883	1,100	1,103	1,059	875	520	179	43	2
	White Male	3,311	–	–	1	–	–	1	2	5	9	36	95	201	336	472	590	515	437	330	191	71	17	2
	Female	3,131	–	–	–	–	3	2	3	9	12	22	39	135	226	318	410	492	552	493	298	96	21	–
	All other Male	341	–	–	1	–	–	–	1	3	–	9	20	28	37	58	50	49	40	22	17	5	1	–
	Female	291	–	–	–	–	–	1	1	1	1	7	17	22	24	35	50	47	30	30	14	7	4	–
160-163	Of respiratory system	5,963	–	–	–	1	–	1	3	13	29	80	233	556	792	1,037	1,087	922	610	382	173	39	5	–
	White Male	4,006	–	–	–	–	–	–	3	5	12	37	129	337	518	713	744	649	439	269	124	26	1	–
	Female	1,375	–	–	–	–	–	1	–	6	7	34	75	139	180	212	248	205	121	93	41	11	2	–
	All other Male	443	–	–	–	1	–	–	–	–	6	6	17	56	67	88	76	56	43	16	7	2	2	–
	Female	139	–	–	–	–	–	–	–	2	4	3	12	24	27	24	19	12	7	4	1	–	–	–
174	Of breast	2,203	–	–	–	–	–	1	3	16	47	92	142	226	303	318	285	268	200	157	85	43	17	–
	White Male	18	–	–	–	–	–	–	–	–	1	–	2	–	2	3	–	4	1	2	3	–	–	–
	Female	2,006	–	–	–	–	–	1	3	15	38	80	124	212	275	289	258	244	186	148	79	41	13	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	177	–	–	–	–	–	–	–	1	8	12	16	14	25	26	26	20	13	7	3	2	4	–
180-187	Of genital organs	2,724	–	–	1	1	3	4	10	19	14	52	67	153	190	322	376	421	423	342	210	97	17	2
	White Male	1,173	–	–	–	1	2	3	5	7	–	6	2	9	29	82	148	205	243	208	147	63	13	–
	Female	1,297	–	–	1	–	–	1	5	8	10	40	59	129	146	214	186	172	139	103	54	27	3	–
	All other Male	134	–	–	–	–	–	–	–	–	–	–	–	3	2	13	19	28	28	25	8	5	1	2
	Female	120	–	–	–	–	1	–	–	4	4	6	6	12	13	13	23	16	13	6	1	2	–	–
188, 189	Of urinary organs	1,143	–	2	–	–	1	1	2	4	3	6	34	51	100	142	164	179	179	141	87	34	13	–
	White Male	714	–	1	–	–	–	–	1	2	2	3	24	37	76	93	111	119	103	78	47	12	5	–
	Female	374	–	1	–	–	1	1	1	2	–	2	8	12	23	36	42	53	68	58	37	21	8	–
	All other Male	30	–	–	–	–	–	–	–	–	1	1	2	–	1	7	5	3	6	3	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	–	6	6	4	2	2	2	1	–	–
170-173, 190-199	Of all other and unspecified sites	3,425	2	15	11	13	28	18	32	38	54	68	141	215	342	448	483	467	439	315	204	63	26	3
	White Male	1,546	2	8	5	9	13	9	16	20	27	32	75	102	164	227	228	225	176	112	73	15	7	1
	Female	1,587	–	6	5	3	11	7	15	13	20	32	51	83	132	183	218	205	230	189	123	43	16	2
	All other Male	164	–	1	1	1	3	1	1	2	3	2	7	18	20	23	18	23	17	8	4	1	2	–
	Female	128	–	–	–	–	1	1	–	3	4	2	8	12	18	15	19	14	16	6	4	4	1	–
204-207	Leukemia	921	1	10	23	15	23	12	14	17	20	20	23	51	69	88	98	114	117	117	60	25	3	1
	White Male	500	–	5	12	11	15	4	8	10	13	10	12	31	39	52	50	74	47	64	28	14	–	1
	Female	371	1	5	9	3	8	6	5	6	5	7	8	18	26	30	44	36	65	46	32	8	3	–
	All other Male	29	–	–	2	–	–	1	1	–	2	2	2	–	–	4	3	3	4	4	–	1	–	–
	Female	21	–	–	–	1	–	1	–	1	–	1	1	2	4	2	1	1	1	3	–	2	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,377	–	2	3	5	8	16	17	21	22	17	54	91	114	184	204	203	200	142	56	18	–	–
	White Male	691	–	2	–	2	4	11	10	13	12	8	22	57	69	94	108	92	106	59	17	5	–	–
	Female	589	–	–	1	3	3	5	5	7	8	7	29	25	40	74	84	98	83	71	36	10	–	–
	All other Male	57	–	–	2	–	–	–	2	–	–	2	3	5	3	8	9	7	4	7	3	2	–	–
	Female	40	–	–	–	–	1	–	–	1	2	–	–	4	2	8	3	6	7	5	–	1	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	405	2	2	4	1	7	3	5	4	9	5	14	21	37	34	65	63	50	47	17	15	–	–
	White Male	182	2	1	3	1	3	1	3	2	3	3	6	11	18	10	28	33	20	21	7	6	–	–
	Female	178	–	1	–	–	2	2	1	2	2	2	5	7	13	19	33	22	25	24	10	8	–	–
	All other Male	22	–	–	–	–	2	–	–	–	1	–	1	2	2	2	3	6	1	2	–	–	–	–
	Female	23	–	–	1	–	–	–	1	–	3	–	2	1	4	3	1	2	4	–	–	1	–	–
250	Diabetes mellitus	2,477	–	–	–	1	1	4	11	14	10	30	44	94	178	227	331	420	399	369	233	95	15	1
	White Male	875	–	–	–	1	1	2	5	4	6	12	20	41	79	106	119	155	138	105	60	18	3	–
	Female	1,390	–	–	–	–	–	2	2	5	1	11	17	34	80	109	181	234	231	243	158	70	11	1
	All other Male	75	–	–	–	–	–	–	1	4	3	4	4	7	6	5	11	10	9	3	4	3	1	–
	Female	137	–	–	–	–	–	–	3	1	–	3	3	12	13	7	20	21	21	18	11	4	–	–
260-269	Avitaminoses and other nutritional deficiencies	152	3	1	–	–	–	–	1	1	–	2	2	4	3	9	5	16	30	23	26	20	6	–
	White Male	60	3	–	–	–	–	–	–	–	–	1	–	3	2	4	2	7	7	17	9	5	–	–
	Female	66	–	1	–	–	–	–	1	1	–	1	2	1	–	4	2	3	13	4	15	14	4	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	–	1	–	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	7	2	1	1	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
280–285	Anemias	207	–	2	–	–	3	2	2	6	3	1	2	5	6	15	26	34	30	37	17	7	9	–
	White ..... Male	85	–	–	–	–	3	2	–	1	2	1	1	2	1	9	14	17	11	12	5	1	3	–
	Female	97	–	–	–	–	–	–	1	2	–	–	–	3	2	5	10	13	16	23	12	6	4	–
	All other ..... Male	11	–	1	–	–	–	–	1	–	–	–	–	–	2	1	1	3	2	–	–	–	–	–
	Female	14	–	1	–	–	–	–	–	3	1	–	1	–	1	–	1	1	1	2	–	–	2	–
320	Meningitis	78	19	10	4	2	1	–	1	1	2	1	1	1	3	7	1	7	7	3	7	–	–	–
	White ..... Male	40	12	5	3	1	–	–	–	–	1	1	1	1	1	4	–	2	2	2	4	–	–	–
	Female	23	5	2	1	1	1	–	–	–	–	–	–	–	1	3	–	3	2	1	3	–	–	–
	All other ..... Male	7	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	8	–	2	–	–	–	–	–	1	–	–	–	–	1	–	1	2	1	–	–	–	–	–
390–448	Major cardiovascular diseases	62,133	34	23	9	21	35	58	63	107	266	496	1,095	2,080	3,405	5,187	6,852	8,575	9,492	10,291	8,236	4,358	1,407	43
	White ..... Male	29,637	17	8	4	6	20	29	28	53	152	327	731	1,382	2,180	3,268	3,983	4,485	4,384	4,021	2,841	1,343	357	18
	Female	28,742	13	10	5	10	11	18	24	31	55	109	229	467	940	1,528	2,422	3,521	4,536	5,836	5,135	2,862	960	20
	All other ..... Male	1,895	1	2	–	3	3	8	8	12	39	40	82	146	164	211	225	276	287	204	104	46	31	3
	Female	1,859	3	3	–	2	1	3	3	11	20	20	53	85	121	180	222	293	285	230	156	107	59	2
390–398, 402, 404, 410–429	Diseases of heart	48,810	31	19	6	16	24	38	39	86	209	416	941	1,779	2,942	4,381	5,667	6,857	7,314	7,684	6,068	3,226	1,032	35
	White ..... Male	24,341	15	7	3	4	14	17	18	45	136	297	661	1,257	1,971	2,844	3,384	3,686	3,466	3,049	2,161	1,023	267	16
	Female	21,700	12	9	3	9	6	12	15	21	32	78	175	352	759	1,242	1,940	2,757	3,421	4,316	3,737	2,088	701	15
	All other ..... Male	1,453	1	2	–	1	3	8	6	10	29	29	66	111	130	163	174	207	218	160	72	37	23	3
	Female	1,316	3	1	–	2	1	1	–	10	12	12	39	59	82	132	169	207	209	159	98	78	41	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	994	–	–	1	2	2	5	6	5	11	17	35	57	123	128	166	175	112	77	49	21	2	–
	White ..... Male	413	–	–	1	–	2	1	3	1	4	7	14	27	58	55	74	75	41	26	15	8	1	–
	Female	521	–	–	–	1	–	2	2	3	2	9	14	27	58	62	87	96	65	46	33	13	1	–
	All other ..... Male	31	–	–	–	–	–	2	1	–	4	–	6	2	3	3	2	1	5	2	–	–	–	–
	Female	29	–	–	–	1	–	–	–	1	1	1	1	1	4	8	3	3	1	3	1	–	–	–
402	Hypertensive heart disease	400	–	–	–	–	–	–	–	–	1	6	8	11	21	42	56	61	62	65	45	17	5	–
	White ..... Male	138	–	–	–	–	–	–	–	–	–	5	3	5	9	22	26	22	16	14	9	5	2	–
	Female	214	–	–	–	–	–	–	–	–	1	1	4	3	7	13	28	27	35	47	33	12	3	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	3	3	2	1	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	2	3	4	1	9	8	2	2	–	–	–
404	Hypertensive heart and renal disease	219	–	–	–	–	1	–	–	–	–	1	2	2	7	4	19	21	30	60	33	28	11	–
	White ..... Male	84	–	–	–	–	1	–	–	–	–	1	–	1	3	4	11	8	14	17	12	9	3	–
	Female	119	–	–	–	–	–	–	–	–	–	–	–	–	4	–	7	10	13	37	21	19	8	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	4	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	–	–	–
410–413	Ischemic heart disease	42,840	–	–	1	2	4	10	12	49	155	338	775	1,520	2,499	3,841	4,917	6,021	6,530	6,883	5,426	2,897	929	31
	White ..... Male	21,655	–	–	1	1	2	5	5	30	113	257	578	1,107	1,740	2,551	2,999	3,277	3,135	2,756	1,926	919	239	14
	Female	19,045	–	–	–	–	2	3	4	13	21	53	132	275	596	1,068	1,652	2,412	3,053	3,868	3,364	1,879	636	14
	All other ..... Male	1,134	–	–	–	–	–	2	3	5	16	23	41	90	103	123	141	169	183	126	56	33	18	2
	Female	1,006	–	–	–	1	–	–	–	1	5	5	24	48	60	99	125	163	159	133	80	66	36	1
410	Acute myocardial infarction	21,311	–	–	–	2	2	6	6	36	105	251	550	1,093	1,755	2,573	3,140	3,369	3,190	2,662	1,687	690	180	14
	White ..... Male	12,262	–	–	–	1	1	3	3	22	80	198	427	826	1,279	1,765	1,977	1,955	1,599	1,166	639	268	48	5
	Female	8,090	–	–	–	–	1	1	2	9	17	37	89	178	381	693	1,024	1,264	1,460	1,402	1,010	397	118	7
	All other ..... Male	549	–	–	–	–	–	2	1	4	4	11	24	57	60	68	79	82	68	51	20	8	9	1
	Female	410	–	–	–	1	–	–	–	1	4	5	10	32	35	47	60	68	63	43	18	17	5	1
411	Other acute and subacute forms of ischemic heart disease	176	–	–	1	–	–	–	1	–	–	4	4	6	9	18	17	35	28	24	13	13	3	–
	White ..... Male	88	–	–	1	–	–	–	–	–	–	3	2	3	3	10	13	21	12	11	7	2	–	–
	Female	77	–	–	–	–	–	–	1	–	–	1	2	3	3	5	4	12	13	13	6	11	3	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	–	–	–	–
412	Chronic ischemic heart disease	21,338	–	–	–	–	2	4	5	13	50	83	221	419	734	1,250	1,754	2,614	3,309	4,197	3,726	2,194	746	17
	White ..... Male	9,298	–	–	–	–	1	2	2	8	33	56	149	277	457	776	1,006	1,300	1,523	1,579	1,280	649	191	9
	Female	10,872	–	–	–	–	1	2	1	4	4	15	41	93	212	370	622	1,134	1,579	2,453	2,348	1,471	515	7
	All other ..... Male	579	–	–	–	–	–	–	2	1	12	12	17	33	42	54	61	85	114	75	36	25	9	1
	Female	589	–	–	–	–	–	–	–	–	1	–	14	16	23	50	65	95	93	90	62	49	31	–
413	Angina pectoris	15	–	–	–	–	–	–	–	–	–	–	–	2	1	–	6	3	3	–	–	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	250	–	1	–	3	1	1	1	3	4	4	12	6	15	16	24	32	37	24	36	23	7	–
	White ..... Male	105	–	–	–	1	1	–	1	2	1	3	7	3	5	10	8	18	13	8	16	5	3	–
	Female	125	–	1	–	1	–	1	–	–	1	–	4	3	6	5	14	12	23	15	17	18	4	–
	All other ..... Male	12	–	–	–	1	–	–	–	1	2	–	1	–	1	1	1	1	–	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
420–423, 425–427, 429	All other forms of heart disease	4,107	31	18	4	9	16	22	20	29	38	50	109	183	277	350	485	547	543	575	479	240	78	4
	White ..... Male	1,946	15	7	1	2	8	11	9	12	18	24	59	114	156	202	266	286	247	228	183	77	19	2
	Female	1,676	12	8	3	7	4	6	9	5	7	15	21	44	88	94	152	200	232	303	269	147	49	1
	All other ..... Male	251	1	2	–	–	3	4	2	4	7	6	15	17	21	33	29	32	27	25	13	4	5	1
	Female	234	3	1	–	–	1	1	–	8	6	5	14	8	12	21	38	29	37	19	14	12	5	–
400, 401, 403	Hypertension	242	–	–	–	–	–	1	2	–	3	2	4	7	5	16	27	32	36	45	33	23	6	–
	White ..... Male	98	–	–	–	–	–	1	1	–	–	–	1	2	3	6	12	18	15	18	9	11	1	–
	Female	118	–	–	–	–	–	–	1	–	–	1	2	3	2	6	12	10	19	27	21	11	3	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	1	1	–	–	–	3	3	2	–	–	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	2	2	–	2	–	2	–
430–438	Cerebrovascular diseases	9,655	2	4	1	3	7	15	16	19	45	64	128	242	350	581	868	1,280	1,605	1,922	1,564	725	209	5
	White ..... Male	3,628	1	1	–	1	4	8	3	8	12	21	54	92	140	273	403	564	646	674	467	199	55	2
	Female	5,230	1	1	1	1	3	5	8	8	21	27	47	94	148	228	376	593	845	1,155	1,032	497	137	2
	All other ..... Male	349	–	–	–	1	–	–	2	2	7	9	15	33	28	37	42	53	52	33	23	6	6	–
	Female	448	–	2	–	–	–	2	3	1	5	7	12	23	34	43	47	70	62	60	42	23	11	1
431	Cerebral hemorrhage	1,235	1	–	–	1	4	7	5	3	19	24	44	76	84	128	145	190	171	159	116	45	11	2
	White ..... Male	457	–	–	–	–	2	4	2	2	3	8	20	28	33	54	71	69	67	50	28	11	3	2
	Female	637	1	–	–	–	2	3	–	–	11	8	15	25	31	56	67	105	94	94	85	33	7	–
	All other ..... Male	69	–	–	–	1	–	–	2	1	3	6	5	14	9	6	4	5	5	7	1	–	–	–
	Female	72	–	–	–	–	–	–	1	–	2	2	4	9	11	12	3	11	5	8	2	1	1	–
433	Cerebral thrombosis	2,204	–	–	–	–	–	1	–	1	4	4	11	26	52	110	174	264	369	517	429	200	42	–
	White ..... Male	821	–	–	–	–	–	1	–	–	1	1	5	10	23	54	82	126	150	184	125	51	8	–
	Female	1,236	–	–	–	–	–	–	–	1	1	2	4	9	18	40	74	115	197	309	291	144	31	–
	All other ..... Male	74	–	–	–	–	–	–	–	–	2	–	2	5	6	10	11	10	12	8	5	2	1	–
	Female	73	–	–	–	–	–	–	–	–	–	1	–	2	5	6	7	13	10	16	8	3	2	–
434	Cerebral embolism	49	–	–	–	–	–	–	–	–	–	–	–	2	1	6	1	7	6	12	9	5	–	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	5	4	3	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	2	9	7	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,167	1	4	1	2	3	7	11	15	22	36	73	138	213	337	548	819	1,059	1,234	1,010	475	156	3
	White ..... Male	2,331	1	1	–	1	2	3	1	6	8	12	29	54	84	160	250	364	425	437	312	137	44	–
	Female	3,328	–	1	1	1	1	2	8	7	9	17	28	58	99	131	234	371	552	743	649	315	99	2
	All other ..... Male	206	–	–	–	–	–	–	–	1	2	3	8	14	13	21	27	38	35	18	17	4	5	–
	Female	302	–	2	–	–	–	2	2	1	3	4	8	12	17	25	37	46	47	36	32	19	8	1
440	Arteriosclerosis	1,750	–	–	–	–	–	–	2	–	1	1	3	9	20	40	64	130	265	372	400	308	134	1
	White ..... Male	631	–	–	–	–	–	–	2	–	1	1	3	5	6	29	35	59	104	139	138	84	25	–
	Female	1,050	–	–	–	–	–	–	–	–	–	–	–	4	9	8	24	66	147	220	248	219	104	1
	All other ..... Male	32	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	8	7	6	1	2	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	2	6	6	8	4	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,676	1	–	2	2	4	4	4	2	8	13	19	43	88	169	226	276	272	268	171	76	26	2
	White ..... Male	939	1	–	1	1	2	3	4	–	3	8	12	26	60	116	149	158	153	141	66	26	9	–
	Female	644	–	–	1	–	2	1	–	2	2	3	5	14	22	44	70	95	104	118	97	47	15	2
	All other ..... Male	49	–	–	–	1	–	–	–	–	2	1	1	2	4	7	4	11	9	4	2	1	–	–
	Female	44	–	–	–	–	–	–	–	–	1	1	1	1	2	2	3	12	6	5	6	2	2	–
466	Acute bronchitis and bronchiolitis	29	–	–	1	–	–	–	–	1	–	–	1	–	2	1	6	2	3	4	5	3	–	–
	White ..... Male	16	–	–	–	–	–	–	–	1	–	–	–	–	1	1	5	1	2	1	3	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	3	2	2	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,815	56	10	10	2	12	10	23	22	17	34	44	73	112	164	228	312	368	499	462	265	91	1
	White ..... Male	1,327	20	6	6	2	8	4	11	6	10	13	22	33	56	88	122	167	190	246	186	95	35	1
	Female	1,212	27	4	3	–	3	3	5	6	2	9	13	20	33	51	75	114	152	227	252	161	52	–
	All other ..... Male	166	3	–	1	–	1	3	3	7	2	6	4	13	18	14	22	22	14	17	11	5	–	–
	Female	110	6	–	–	–	–	–	4	3	3	6	5	7	5	11	9	9	12	9	13	4	4	–
470–474	Influenza	219	–	1	1	–	1	2	–	1	–	2	2	7	11	8	15	22	24	46	32	30	14	–
	White ..... Male	77	–	1	1	–	–	2	–	–	–	2	2	4	4	2	6	12	9	13	8	9	2	–
	Female	138	–	–	–	–	1	–	–	1	–	–	–	3	6	6	9	10	14	32	24	20	12	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
480–486	Pneumonia	2,596	56	9	9	2	11	8	23	21	17	32	42	66	101	156	213	290	344	453	430	235	77	1
	White ..... Male	1,250	20	5	5	2	8	2	11	6	10	11	20	29	52	86	116	155	181	233	178	86	33	1
	Female	1,074	27	4	3	–	2	3	5	5	2	9	13	17	27	45	66	104	138	195	228	141	40	–
	All other ..... Male	165	3	–	1	–	1	3	3	7	2	6	4	13	18	14	22	22	14	16	11	5	–	–
	Female	107	6	–	–	–	–	–	4	3	3	6	5	7	4	11	9	9	11	9	13	3	4	–
490–493	Bronchitis, emphysema, and asthma	1,036	–	1	–	3	2	5	3	3	7	8	17	46	61	115	198	191	157	136	54	23	6	–
	White ..... Male	716	–	–	–	2	2	2	1	2	1	2	8	23	39	73	140	134	119	110	40	13	5	–
	Female	271	–	–	–	1	–	2	–	1	1	4	8	21	19	35	50	51	33	23	12	9	1	–
	All other ..... Male	37	–	1	–	–	–	1	1	–	3	1	1	1	3	6	6	6	3	2	1	1	–	–
	Female	12	–	–	–	–	–	–	1	–	2	1	–	1	–	1	2	–	2	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
490, 491	Chronic and unqualified bronchitis	197	–	–	–	2	2	–	1	–	1	–	1	7	14	21	32	30	25	37	14	7	3	–
	White ..... Male	129	–	–	–	2	2	–	1	–	–	–	–	3	6	10	20	19	20	29	11	3	3	–
	Female	64	–	–	–	–	–	–	–	–	–	–	1	4	7	11	11	11	5	7	3	4	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
492	Emphysema	750	–	–	–	–	–	1	–	1	2	3	14	34	41	83	148	154	125	91	37	14	2	–
	White ..... Male	559	–	–	–	–	–	1	–	1	1	1	7	19	31	59	113	114	98	76	26	10	2	–
	Female	162	–	–	–	–	–	–	–	–	–	2	6	14	8	18	31	35	23	13	9	3	–	–
	All other ..... Male	25	–	–	–	–	–	–	–	–	1	–	1	1	2	5	3	5	3	2	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
493	Asthma	89	–	1	–	1	–	4	2	2	4	5	2	5	6	11	18	7	7	8	3	2	1	–
	White ..... Male	28	–	–	–	–	–	1	–	1	–	1	1	1	2	4	7	1	1	5	3	–	–	–
	Female	45	–	–	–	1	–	2	–	1	1	2	1	3	4	6	8	5	5	3	–	2	1	–
	All other ..... Male	10	–	1	–	–	–	1	1	–	2	1	–	–	–	1	2	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	–	1	–	–	–	–	–
531–533	Peptic ulcer	307	–	–	–	–	1	–	–	4	1	2	4	16	16	41	34	45	53	50	25	13	1	1
	White ..... Male	159	–	–	–	–	–	–	–	2	1	1	3	10	10	28	17	18	25	26	12	5	1	–
	Female	129	–	–	–	–	1	–	–	2	–	1	1	5	4	9	11	26	24	23	13	8	–	1
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	3	–	–	–	–	–
540–543	Appendicitis	41	–	2	1	1	–	–	–	1	1	–	3	1	2	2	1	9	8	4	2	1	2	–
	White ..... Male	20	–	1	1	–	–	–	–	1	–	–	2	1	1	1	1	4	1	4	1	1	–	–
	Female	18	–	1	–	–	–	–	–	–	1	–	1	–	1	1	–	4	6	–	1	–	2	–
	All other ..... Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	321	29	1	–	1	2	1	–	3	3	1	2	3	15	19	29	27	46	53	56	23	7	–
	White ..... Male	128	20	–	–	1	1	–	–	2	1	1	–	1	9	8	14	11	12	21	23	3	–	–
	Female	168	8	1	–	–	1	–	–	–	1	–	–	1	3	7	13	15	30	32	30	20	6	–
	All other ..... Male	12	1	–	–	–	–	1	–	1	1	–	1	1	1	2	1	–	–	–	1	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	4	–	2	–	–	–
571	Cirrhosis of liver	1,637	3	1	–	–	–	6	20	35	50	91	142	229	230	264	250	157	89	44	21	5	–	–
	White ..... Male	961	2	1	–	–	–	1	5	7	21	46	76	139	147	167	162	97	52	24	10	4	–	–
	Female	458	1	–	–	–	–	1	5	5	10	22	40	57	54	74	75	48	35	20	10	1	–	–
	All other ..... Male	144	–	–	–	–	–	3	6	16	16	15	13	29	18	13	5	8	1	–	1	–	–	–
	Female	74	–	–	–	–	–	1	4	7	3	8	13	4	11	10	8	4	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	146	–	–	–	–	–	–	1	–	–	1	2	3	7	12	9	20	23	30	24	10	4	–
	White ..... Male	60	–	–	–	–	–	–	1	–	–	1	1	2	4	10	6	8	7	8	9	3	–	–
	Female	77	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	11	14	22	15	6	4	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–
580–584	Nephritis and nephrosis	561	2	–	–	2	–	2	7	10	10	7	16	23	29	50	74	85	70	92	52	23	7	–
	White ..... Male	253	2	–	–	1	–	1	3	1	4	3	9	11	8	20	28	42	35	48	24	8	5	–
	Female	194	–	–	–	1	–	–	1	5	1	2	4	3	9	18	26	29	25	35	22	12	1	–
	All other ..... Male	61	–	–	–	–	–	1	2	3	4	1	3	4	6	6	10	10	5	5	1	–	–	–
	Female	53	–	–	–	–	–	–	1	1	1	1	–	5	6	6	10	4	5	4	5	3	1	–
580, 581	Acute nephritis and nephrotic syndrome	143	2	–	–	–	–	–	–	–	4	1	4	1	5	16	17	26	17	26	14	7	3	–
	White ..... Male	64	2	–	–	–	–	–	–	–	1	–	1	–	2	7	7	14	7	10	7	3	3	–
	Female	61	–	–	–	–	–	–	–	–	–	1	3	–	2	6	8	9	9	13	7	3	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	2	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	–	2	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	418	–	–	–	2	–	2	7	10	6	6	12	22	24	34	57	59	53	66	38	16	4	–
	White ..... Male	189	–	–	–	1	–	1	3	1	3	3	8	11	6	13	21	28	28	38	17	5	2	–
	Female	133	–	–	–	1	–	–	1	5	1	1	1	3	7	12	18	20	16	22	15	9	1	–
	All other ..... Male	52	–	–	–	–	–	1	2	3	2	1	3	3	6	5	9	8	4	4	1	–	–	–
	Female	44	–	–	–	–	–	–	1	1	–	1	–	5	5	4	9	3	5	2	5	2	1	–
590	Infections of kidney	125	1	–	–	–	–	–	1	–	1	–	2	2	5	10	14	16	19	28	18	7	1	–
	White ..... Male	39	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	5	9	8	7	2	–	–
	Female	70	–	–	–	–	–	–	–	–	–	–	1	1	4	4	12	8	9	17	9	4	1	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–
	Female	10	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	2	–	1	2	1	–	–
600	Hyperplasia of prostate	29	–	–	–	–	–	–	1	–	–	–	–	–	1	2	3	1	4	7	8	1	1	–
	White ..... Male	26	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	1	4	5	8	1	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	21	–	–	–	–	–	4	11	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	11	–	–	–	–	–	2	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	10	–	–	–	–	–	2	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	20	–	–	–	–	–	4	10	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	10	–	–	–	–	–	2	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	10	–	–	–	–	–	2	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	664	415	43	28	16	16	15	12	5	5	12	12	18	11	11	16	5	10	7	2	2	–	3
	White ..... Male	315	194	22	12	8	5	7	6	3	2	8	6	8	7	6	5	3	3	6	–	2	–	2
	Female	254	157	15	10	5	8	6	5	2	2	3	4	9	4	4	9	2	6	–	2	–	–	1
	All other ..... Male	44	25	3	4	2	1	2	1	–	–	–	2	1	–	1	1	–	1	–	–	–	–	–
	Female	51	39	3	2	1	2	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,102	1,099	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	498	496	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	345	344	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	141	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	609	607	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	285	283	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	493	492	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	213	213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	158	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other ..... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	3,085	194	5	3	–	7	17	24	29	51	87	161	252	311	409	360	358	302	219	173	83	35	5
	White ..... Male	1,181	79	1	–	–	6	8	7	7	13	26	57	100	118	203	161	144	100	65	48	23	12	3
	Female	758	51	3	2	–	1	4	3	4	4	12	19	38	42	80	81	89	102	85	79	45	14	–
	All other ..... Male	715	41	–	1	–	–	5	8	15	24	33	57	75	100	81	72	70	57	42	23	8	2	1
	Female	431	23	1	–	–	–	–	6	3	10	16	28	39	51	45	46	55	43	27	23	7	7	1
Residual	All other diseases	9,105	82	33	29	27	57	78	94	75	119	143	218	401	576	912	1,240	1,402	1,280	1,147	789	314	80	9
	White ..... Male	4,816	44	17	14	11	38	37	41	25	40	60	91	189	287	492	744	837	710	598	378	134	26	3
	Female	3,353	23	11	13	12	15	29	34	25	45	44	81	138	190	324	385	462	469	470	367	167	46	3
	All other ..... Male	545	8	2	2	4	2	4	15	16	24	18	24	45	64	52	62	57	70	45	21	4	4	2
	Female	391	7	3	–	–	2	8	4	9	10	21	22	29	35	44	49	46	31	34	23	9	4	1
E800–E949	Accidents	4,705	35	126	141	143	552	557	313	227	211	172	179	205	225	267	239	261	271	275	185	88	29	4
	White ..... Male	2,874	20	62	70	78	400	439	240	162	136	111	116	131	138	154	130	116	135	114	77	32	12	1
	Female	1,402	8	38	41	42	133	97	45	34	46	38	36	49	66	85	86	118	123	150	99	54	13	1
	All other ..... Male	312	4	16	19	16	14	19	23	29	23	15	20	17	17	20	16	17	12	8	5	–	1	1
	Female	117	3	10	11	7	5	2	5	2	6	8	7	8	4	8	7	10	1	3	4	2	3	1
E810–E823	Motor vehicle accidents	2,200	5	40	70	75	431	412	216	134	119	88	82	92	90	91	59	73	53	50	17	2	–	1
	White ..... Male	1,512	1	19	42	48	313	326	169	101	82	57	58	58	47	57	32	30	30	28	13	1	–	–
	Female	560	3	15	20	24	109	74	31	21	26	22	19	27	32	31	24	36	21	21	4	–	–	–
	All other ..... Male	103	–	4	7	2	8	11	12	12	9	7	5	4	7	2	3	6	2	1	–	–	–	1
	Female	25	1	2	1	1	1	1	4	–	2	2	–	3	4	1	–	1	–	–	–	1	–	–
E800–E807, E825–E949	All other accidents	2,505	30	86	71	68	121	145	97	93	92	84	97	113	135	176	180	188	218	225	168	86	29	3
	White ..... Male	1,362	19	43	28	30	87	113	71	61	54	54	58	73	91	97	98	86	105	86	64	31	12	1
	Female	842	5	23	21	18	24	23	14	13	20	16	17	22	34	54	62	82	102	129	95	54	13	1
	All other ..... Male	209	4	12	12	14	6	8	11	17	14	8	15	13	10	18	13	11	10	7	5	–	1	–
	Female	92	2	8	10	6	4	1	1	2	4	6	7	5	–	7	7	9	1	3	4	1	3	1
E950–E959	Suicide	1,398	...	...	–	4	78	169	149	120	97	86	97	119	126	86	88	76	52	28	16	6	–	1
	White ..... Male	991	...	...	–	4	56	135	106	74	65	57	62	84	85	59	64	63	39	20	12	5	–	1
	Female	333	...	...	–	–	17	22	29	36	24	26	28	30	36	24	24	11	13	8	4	1	–	–
	All other ..... Male	57	...	...	–	–	5	11	10	6	7	3	5	5	3	2	–	–	–	–	–	–	–	–
	Female	17	...	...	–	–	–	1	4	4	1	–	2	–	2	1	–	2	–	–	–	–	–	–
E960–E978	Homicide	723	9	15	8	9	87	112	109	80	71	39	42	41	28	21	15	13	12	5	4	–	–	3
	White ..... Male	232	4	3	4	5	25	37	31	27	21	11	12	12	11	11	8	4	2	–	1	–	–	3
	Female	112	2	4	3	1	17	10	10	9	9	4	2	7	5	6	2	6	7	5	3	–	–	–
	All other ..... Male	304	2	3	1	1	39	51	54	38	29	21	25	19	9	2	5	2	3	–	–	–	–	–
	Female	75	1	5	–	2	6	14	14	6	12	3	3	3	3	2	–	1	–	–	–	–	–	–
E980–E999	Other external causes	250	3	1	2	2	15	43	41	30	19	12	15	11	19	7	10	11	5	2	–	1	–	1
	White ..... Male	135	2	–	1	2	9	26	23	17	6	6	7	5	11	2	5	8	3	1	–	1	–	–
	Female	65	1	–	–	–	2	8	7	5	6	5	5	5	7	4	4	3	2	–	–	–	–	1
	All other ..... Male	34	–	–	–	–	2	5	8	6	5	1	3	1	1	1	1	–	–	–	–	–	–	–
	Female	16	–	1	1	–	2	4	3	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island																							
	All causes	8,873	157	11	10	20	53	74	59	63	73	126	212	397	510	790	964	1,199	1,230	1,261	983	528	150	3
	White ..... Male	4,507	70	9	5	11	34	51	38	39	45	72	132	256	317	477	582	642	608	543	370	171	33	2
	Female	4,146	59	2	4	6	15	19	17	20	23	46	68	129	178	297	360	534	602	700	599	351	116	1
	All other ..... Male	125	16	–	1	2	3	3	3	3	3	5	8	10	11	11	8	13	9	8	5	3	–	–
	Female	95	12	–	–	1	1	1	1	1	2	3	4	2	4	5	14	10	11	10	9	3	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	White ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	2	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	32	5	–	–	–	1	–	1	–	–	–	–	1	3	1	2	2	3	2	5	6	–	–
	White ..... Male	8	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	–	–	–
	Female	20	3	–	–	–	1	–	1	–	–	–	–	1	1	1	1	1	–	1	3	6	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	19	–	1	–	–	1	–	–	–	–	2	–	–	2	1	4	1	3	2	1	1	–	–
	White ..... Male	12	–	1	–	–	–	–	–	–	–	2	–	–	1	–	2	1	2	1	1	1	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	–	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,135	-	1	-	5	3	6	5	11	20	43	67	148	186	277	293	339	283	224	155	56	11	2
	White ..... Male	1,108	-	-	-	2	2	2	3	3	11	17	34	76	95	154	157	181	158	105	79	24	3	2
	Female	986	-	1	-	3	1	4	2	8	9	22	32	69	85	117	131	154	119	116	74	31	8	-
	All other ..... Male	22	-	-	-	-	-	-	-	-	-	2	1	2	5	5	1	2	1	2	1	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	2	-	1	1	1	4	2	5	1	1	1	-	-
140-149	Of buccal cavity and pharynx	39	-	-	-	-	-	-	-	-	-	2	3	5	7	1	5	5	6	1	4	-	-	-
	White ..... Male	28	-	-	-	-	-	-	-	-	-	2	2	2	4	1	3	5	5	1	3	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1	-	1	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	679	-	-	-	-	-	-	-	-	4	9	12	32	42	87	100	114	103	92	60	21	2	1
	White ..... Male	335	-	-	-	-	-	-	-	-	3	5	5	16	20	49	55	57	54	40	19	10	1	1
	Female	333	-	-	-	-	-	-	-	-	1	3	7	14	22	36	43	57	47	51	40	11	1	-
	All other ..... Male	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-
160-163	Of respiratory system	501	-	-	-	-	-	-	1	1	5	8	21	49	47	90	81	78	60	39	17	3	1	-
	White ..... Male	365	-	-	-	-	-	-	1	1	3	5	14	34	36	65	58	59	46	29	12	2	-	-
	Female	125	-	-	-	-	-	-	-	-	2	3	7	14	10	21	23	17	14	9	4	-	1	-
	All other ..... Male	10	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	-	1	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
174	Of breast	199	-	-	-	-	-	-	1	5	4	10	9	16	28	24	25	24	17	19	8	6	3	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	196	-	-	-	-	-	-	1	5	4	10	9	16	28	23	25	24	15	19	8	6	3	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
180-187	Of genital organs	204	-	-	-	-	1	-	-	-	2	3	5	8	15	22	24	33	34	18	26	10	2	1
	White ..... Male	97	-	-	-	-	1	-	-	-	1	-	-	-	-	9	7	14	22	11	21	8	2	1
	Female	98	-	-	-	-	-	-	-	-	1	2	5	8	12	13	15	18	11	6	5	2	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	-	-	-	-
188, 189	Of urinary organs	113	-	-	-	-	-	-	-	-	-	1	2	6	7	12	19	18	19	11	13	5	-	-
	White ..... Male	84	-	-	-	-	-	-	-	-	-	1	2	6	7	8	15	15	12	5	11	2	-	-
	Female	29	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	7	6	2	3	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	221	-	1	-	4	1	3	2	1	3	7	14	21	19	23	22	30	20	28	17	3	2	-
	White ..... Male	106	-	-	-	1	-	-	1	1	2	4	11	11	14	13	9	13	8	11	6	1	-	-
	Female	113	-	1	-	3	1	3	1	-	1	3	3	10	5	10	12	16	12	17	11	2	2	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
204-207	Leukemia	63	-	-	-	-	1	1	1	1	-	2	-	3	7	6	3	13	8	7	3	7	-	-
	White ..... Male	29	-	-	-	-	1	-	1	-	-	-	-	1	5	3	1	7	4	4	1	1	-	-
	Female	33	-	-	-	-	-	1	-	1	-	1	-	2	2	3	2	6	4	3	2	6	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	116	-	-	-	1	-	2	-	3	2	1	1	8	14	12	14	24	16	9	7	1	1	-
	White ..... Male	63	-	-	-	1	-	2	-	1	2	-	-	6	9	5	9	11	7	4	6	-	-	-
	Female	51	-	-	-	-	-	-	-	2	-	-	1	2	5	7	5	13	8	5	1	1	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	23	-	-	-	1	-	-	-	1	-	-	-	2	2	1	4	3	3	3	2	1	-	-
	White ..... Male	10	-	-	-	1	-	-	-	1	-	-	-	-	-	1	3	-	1	2	-	1	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	3	1	1	2	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	209	-	-	-	-	-	2	1	1	-	6	5	10	9	14	23	32	30	39	28	4	5	-
	White ..... Male	91	-	-	-	-	-	1	-	1	-	6	4	7	6	4	8	16	14	10	11	1	2	-
	Female	110	-	-	-	-	-	1	1	-	-	-	-	3	3	7	13	14	16	29	17	3	3	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-
260-269	Avitaminoses and other nutritional deficiencies	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island—Con.																							
280–285	Anemias	15	–	–	1	–	–	1	–	–	1	–	–	–	–	3	–	–	–	4	3	2	–	–
	White ..... Male	10	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–	4	1	1	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	4,720	2	1	–	–	3	1	2	7	12	41	81	135	218	363	501	645	736	822	648	384	117	1
	White ..... Male	2,299	2	1	–	–	1	–	2	5	10	30	59	107	157	231	322	344	341	338	211	114	24	–
	Female	2,331	–	–	–	–	1	–	–	1	–	10	18	24	55	125	165	286	386	471	429	266	93	1
	All other ..... Male	46	–	–	–	–	–	–	–	–	1	1	2	4	4	5	5	9	5	6	2	2	–	–
	Female	44	–	–	–	–	1	1	–	1	1	–	2	–	2	2	9	6	4	7	6	2	–	–
390–398, 402, 404, 410–429	Diseases of heart	3,751	–	1	–	–	3	1	2	5	11	33	68	113	184	315	414	515	576	640	487	295	87	1
	White ..... Male	1,873	–	1	–	–	1	–	2	5	9	25	53	93	137	204	277	275	258	264	163	90	16	–
	Female	1,810	–	–	–	–	1	–	–	–	–	8	13	17	43	107	126	226	310	367	318	202	71	1
	All other ..... Male	36	–	–	–	–	–	–	–	–	1	–	1	3	3	3	4	8	5	5	2	1	–	–
	Female	32	–	–	–	–	1	1	–	–	1	–	1	–	1	1	7	6	3	4	4	2	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	82	–	–	–	–	–	–	–	–	1	–	1	3	8	11	16	11	11	12	5	2	1	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	–	–	1	6	5	5	3	6	6	1	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	1	2	2	6	10	7	5	6	4	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
402	Hypertensive heart disease	17	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	2	3	4	–	1	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	3	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,515	–	–	–	–	–	–	2	5	7	32	63	104	169	281	379	489	546	599	467	286	85	1
	White ..... Male	1,757	–	–	–	–	–	–	2	5	7	24	50	87	125	185	257	263	243	245	160	88	16	–
	Female	1,701	–	–	–	–	–	–	–	–	–	8	11	15	40	92	113	214	296	346	301	195	69	1
	All other ..... Male	32	–	–	–	–	–	–	–	–	–	–	1	2	3	3	4	7	5	4	2	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	5	2	4	4	2	–	–
410	Acute myocardial infarction	1,584	–	–	–	–	–	–	2	3	4	16	34	73	99	176	211	270	259	218	144	66	9	–
	White ..... Male	891	–	–	–	–	–	–	2	3	4	10	28	60	78	119	140	146	118	100	60	19	4	–
	Female	668	–	–	–	–	–	–	–	–	–	6	6	11	20	54	63	120	137	118	82	46	5	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	4	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	–	–	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	1	1	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,918	–	–	–	–	–	–	–	2	3	16	29	31	69	104	167	216	283	380	322	219	76	1
	White ..... Male	861	–	–	–	–	–	–	–	2	3	14	22	27	47	66	116	114	124	145	100	69	12	–
	Female	1,025	–	–	–	–	–	–	–	–	–	2	5	4	19	37	50	94	156	227	218	148	64	1
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	1	4	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	4	2	4	3	1	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island—Con.																							
420–423, 425–427, 429	All other forms of heart disease	127	–	1	–	–	3	1	–	–	2	1	3	6	5	18	17	13	16	22	14	4	1	–
	White ..... Male	73	–	1	–	–	1	–	–	–	1	1	2	5	4	13	15	7	8	12	2	1	–	–
	Female	46	–	–	–	–	1	–	–	–	–	–	1	–	1	5	1	5	7	9	12	3	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
400, 401, 403	Hypertension	29	1	–	–	–	–	–	–	–	–	1	2	–	1	–	3	3	6	5	4	3	–	–
	White ..... Male	8	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	1	–	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	5	4	4	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	691	1	–	–	–	–	–	–	2	1	6	9	15	22	33	48	93	120	137	121	60	23	–
	White ..... Male	290	1	–	–	–	–	–	–	–	1	4	5	7	12	16	26	49	62	54	35	11	7	–
	Female	385	–	–	–	–	–	–	–	1	–	2	3	7	8	14	21	44	57	79	84	49	16	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	1	3	2	–	–	–
431	Cerebral hemorrhage	91	1	–	–	–	–	–	–	–	–	4	2	4	6	9	9	18	15	11	8	1	3	–
	White ..... Male	42	1	–	–	–	–	–	–	–	–	3	1	2	4	3	4	11	6	4	2	–	1	–
	Female	49	–	–	–	–	–	–	–	–	–	1	1	2	2	6	5	7	9	7	6	1	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	205	–	–	–	–	–	–	–	–	–	–	3	1	2	5	16	25	33	48	47	18	7	–
	White ..... Male	76	–	–	–	–	–	–	–	–	–	–	2	–	–	3	9	11	17	18	10	4	2	–
	Female	125	–	–	–	–	–	–	–	–	–	–	1	1	2	1	6	14	16	29	36	14	5	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
434	Cerebral embolism	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	390	–	–	–	–	–	–	–	2	1	2	4	10	14	18	23	49	69	78	66	41	13	–
	White ..... Male	169	–	–	–	–	–	–	–	–	1	1	2	5	8	10	13	26	37	32	23	7	4	–
	Female	209	–	–	–	–	–	–	–	1	–	1	1	4	4	6	10	23	31	43	42	34	9	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	1	2	1	–	–	–
440	Arteriosclerosis	130	–	–	–	–	–	–	–	–	–	1	1	2	4	9	17	11	10	25	23	20	7	–
	White ..... Male	61	–	–	–	–	–	–	–	–	–	1	–	2	2	6	9	8	5	10	9	8	1	–
	Female	65	–	–	–	–	–	–	–	–	–	–	–	–	2	3	7	2	5	15	14	11	6	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	*Other diseases of arteries, arterioles, and capillaries*	119	–	–	–	–	–	–	–	–	–	–	1	5	7	6	19	23	24	15	13	6	–	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	–	–	5	5	5	10	10	15	9	4	4	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	1	–	2	1	8	13	9	6	9	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
466	Acute bronchitis and *bronchiolitis*	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	172	4	–	–	–	–	–	–	1	–	–	2	2	1	8	7	17	24	31	37	28	10	–
	White ..... Male	80	3	–	–	–	–	–	–	1	–	–	1	1	–	6	2	10	12	18	14	9	3	–
	Female	89	1	–	–	–	–	–	–	–	–	–	–	1	1	2	5	7	12	12	22	19	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
470–474	Influenza	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	2	3	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	162	4	–	–	–	–	–	–	1	–	–	2	2	1	7	6	17	24	28	35	25	10	–
	White ..... Male	78	3	–	–	–	–	–	–	1	–	–	1	1	–	6	1	10	12	17	14	9	3	–
	Female	81	1	–	–	–	–	–	–	–	–	–	–	1	1	1	5	7	12	10	20	16	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	56	–	–	–	–	1	–	1	–	1	–	–	–	2	8	5	13	8	8	6	3	–	–
	White ..... Male	36	–	–	–	–	–	–	1	–	1	–	–	–	1	6	2	9	5	5	5	1	–	–
	Female	20	–	–	–	–	1	–	–	–	–	–	–	–	1	2	3	4	3	3	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island—Con.																							
490, 491	Chronic and unqualified bronchitis	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-
	White ... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-
	Female	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	43	-	-	-	-	-	-	-	-	-	-	-	-	2	8	5	10	6	4	5	3	-	-
	White ... Male	27	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	6	4	3	4	1	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	2	1	1	2	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	White ... Male	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	28	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	4	5	4	3	2	-	-
	White ... Male	17	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	3	-	1	1	2	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	2	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	White ... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	20	4	-	1	-	-	-	-	-	1	-	1	-	1	-	-	3	3	2	4	-	-	-
	White ... Male	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	1	-	-	-
	Female	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	127	-	-	-	-	-	-	1	1	1	3	16	22	19	20	18	13	3	7	2	1	-	-
	White ... Male	84	-	-	-	-	-	-	-	1	-	-	9	16	16	15	10	7	3	4	2	1	-	-
	Female	38	-	-	-	-	-	-	-	-	1	3	5	5	2	5	8	6	-	3	-	-	-	-
	All other ... Male	5	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	24	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	5	1	7	5	1	-	-
	White ... Male	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	3	3	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	4	2	1	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	38	1	1	-	-	-	-	-	-	-	-	1	3	2	2	2	4	7	9	3	3	-	-
	White ... Male	17	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	1	5	1	1	-	-
	Female	18	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	1	4	4	2	2	-	-
	All other ... Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-
	White ... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
	All other ... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	31	-	1	-	-	-	-	-	-	-	-	1	3	2	2	2	4	5	6	3	2	-	-
	White ... Male	15	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	1	3	1	1	-	-
	Female	15	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	1	3	3	2	1	-	-
	All other ... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	Infections of kidney	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	3	3	2	-	-
	White ... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	White ... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Rhode Island—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	61	37	3	1	1	–	3	1	–	1	1	–	3	1	1	3	1	3	–	1	–	–	–
	White ..... Male	26	12	3	1	–	–	3	–	–	1	–	–	–	–	–	3	1	1	–	1	–	–	–
	Female	28	19	–	–	–	–	–	1	–	–	1	–	3	1	1	–	–	2	–	–	–	–	–
	All other ..... Male	4	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	35	5	–	–	1	3	2	2	3	–	2	–	1	3	3	3	2	–	4	–	1	–	–
	White ..... Male	18	2	–	–	–	2	1	1	2	–	–	–	1	1	2	3	–	–	3	–	–	–	–
	Female	13	1	–	–	–	1	1	1	–	–	2	–	–	2	1	–	2	–	1	–	1	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	590	10	–	–	3	3	1	5	3	8	7	18	29	35	62	72	93	88	68	53	26	6	–
	White ..... Male	342	4	–	–	2	3	–	2	2	6	3	12	18	22	36	50	54	53	33	28	13	1	–
	Female	236	3	–	–	1	–	1	3	1	1	3	5	11	13	26	22	37	33	34	25	13	4	–
	All other ..... Male	6	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	–	1	–
E800-E949	Accidents	277	1	3	6	7	31	32	22	21	10	13	9	17	13	12	9	13	17	13	20	7	1	–
	White ..... Male	164	–	3	3	4	24	25	14	15	4	9	6	13	9	6	5	3	9	4	7	1	–	–
	Female	97	–	–	2	2	5	6	6	6	5	2	2	2	3	6	4	10	8	9	12	6	1	–
	All other ..... Male	14	1	–	1	1	2	1	1	–	1	2	1	1	1	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E810-E823	Motor vehicle accidents	127	–	–	4	3	27	22	14	18	8	9	3	3	1	3	3	4	3	1	1	–	–	–
	White ..... Male	84	–	–	2	2	20	16	9	12	4	6	1	3	1	2	2	2	1	–	1	–	–	–
	Female	38	–	–	2	1	5	5	5	6	4	2	1	–	–	1	1	2	2	1	–	–	–	–
	All other ..... Male	5	–	–	–	–	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	150	1	3	2	4	4	10	8	3	2	4	6	14	12	9	6	9	14	12	19	7	1	–
	White ..... Male	80	–	3	1	2	4	9	5	3	–	3	5	10	8	4	3	1	8	4	6	1	–	–
	Female	59	–	–	–	1	–	1	1	–	1	–	1	2	3	5	3	8	6	8	12	6	1	–
	All other ..... Male	9	1	–	1	1	–	–	1	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E950-E959	Suicide	107	...	...	–	1	2	16	10	9	15	5	8	14	8	6	5	2	3	2	1	–	–	–
	White ..... Male	70	...	...	–	1	1	13	8	5	9	2	4	10	4	5	4	2	1	–	1	–	–	–
	Female	35	...	...	–	–	1	3	2	3	5	3	4	4	4	1	1	–	2	2	–	–	–	–
	All other ..... Male	2	...	...	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	42	1	1	1	1	2	8	7	3	1	2	3	8	1	1	–	–	2	–	–	–	–	–
	White ..... Male	25	–	1	1	1	–	4	6	2	–	2	–	5	1	1	–	–	1	–	–	–	–	–
	Female	9	1	–	–	–	1	2	–	–	1	–	2	1	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	1	2	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	11	–	–	–	–	2	2	1	1	2	–	–	–	–	1	1	–	–	1	–	–	–	–
	White ..... Male	7	–	–	–	–	1	1	1	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina																							
	All causes	24,112	922	126	95	94	347	388	380	374	461	600	892	1,431	2,006	2,528	3,054	3,023	2,696	2,123	1,549	732	285	6
	White ..... Male	9,025	220	41	38	35	190	176	151	143	166	227	346	591	857	1,065	1,281	1,196	967	696	434	149	54	2
	Female	7,016	168	20	19	20	63	53	61	43	84	102	165	277	369	521	711	898	975	1,000	864	446	157	-
	All other ..... Male	4,432	302	42	21	24	73	102	124	115	145	175	242	336	484	559	549	448	341	175	104	48	20	3
	Female	3,639	232	23	17	15	21	57	44	73	66	96	139	227	296	383	513	481	413	252	147	89	54	1
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	49	33	-	-	-	-	1	-	-	-	1	-	-	1	-	3	-	3	3	3	1	-	-
	White ..... Male	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	-	-
	All other ..... Male	16	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Female	16	11	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
010–019	Tuberculosis, all forms	44	1	1	-	-	1	1	-	1	2	1	1	3	5	8	7	4	1	6	1	-	-	-
	White ..... Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	3	-	-	-	-
	Female	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-
	All other ..... Male	20	-	-	-	-	-	1	-	1	2	1	1	-	4	3	2	1	1	2	1	-	-	-
	Female	9	1	-	-	-	1	-	-	-	-	-	-	3	1	2	-	1	-	-	-	-	-	-
010–012	Tuberculosis of respiratory system	34	-	-	-	-	-	1	-	1	2	1	1	2	5	6	5	4	-	5	1	-	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	All other ..... Male	19	-	-	-	-	-	1	-	1	2	1	1	-	4	3	2	1	-	2	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-
013–019	Tuberculosis, other forms	10	1	1	-	-	1	-	-	-	-	-	-	1	-	2	2	-	1	1	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	4	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
033	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	10	3	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White ..... Male	4	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	124	30	2	-	-	1	-	1	2	2	1	5	8	8	8	23	8	11	9	4	1	-	-
	White ..... Male	37	6	1	-	-	1	-	-	1	-	-	2	2	3	1	7	3	6	3	1	-	-	-
	Female	32	6	1	-	-	-	-	1	-	-	1	2	2	3	3	5	1	1	4	1	1	-	-
	All other ..... Male	22	8	-	-	-	-	-	-	-	2	-	1	2	-	2	3	1	-	2	1	-	-	-
	Female	33	10	-	-	-	-	-	-	1	-	-	-	2	2	2	8	3	4	-	1	-	-	-
040–043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090–097	Syphilis and its sequelae	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000–136	Other infective and parasitic diseases	72	7	1	2	1	2	4	2	3	4	3	3	3	3	5	8	5	10	1	2	2	1	-
	White ..... Male	22	1	-	-	1	2	-	1	-	-	1	2	2	1	2	4	1	2	1	1	-	-	-
	Female	21	1	1	2	-	-	-	1	-	1	-	-	-	1	3	1	2	6	-	-	1	1	-
	All other ..... Male	18	4	-	-	-	-	3	-	1	2	1	-	-	1	-	1	1	2	-	1	1	-	-
	Female	11	1	-	-	-	-	1	-	2	1	1	1	1	-	-	2	1	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,249	1	6	12	7	8	22	32	36	54	114	184	334	507	598	748	593	500	275	139	64	15	–
	White ..... Male	1,682	–	3	6	3	3	10	12	11	16	48	74	115	187	241	322	240	217	99	49	22	4	–
	Female	1,314	1	1	3	3	2	4	8	5	26	33	53	95	136	167	195	193	168	129	60	23	9	–
	All other ..... Male	718	–	1	2	–	2	5	7	5	4	19	29	75	114	117	129	91	73	19	18	7	1	–
	Female	535	–	1	1	1	1	3	5	15	8	14	28	49	70	73	102	69	42	28	12	12	1	–
140–149	Of buccal cavity and pharynx	112	–	–	–	1	–	1	2	–	3	4	9	9	18	10	16	14	12	5	5	3	–	–
	White ..... Male	50	–	–	–	–	–	–	1	–	–	–	2	3	12	6	11	6	8	–	1	–	–	–
	Female	36	–	–	–	1	–	1	1	–	2	1	4	1	3	2	3	5	2	4	4	2	–	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	1	3	3	4	3	2	1	2	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,040	–	–	–	–	1	2	4	7	10	19	32	74	110	135	191	168	133	79	50	20	5	–
	White ..... Male	355	–	–	–	–	–	1	–	3	2	13	12	18	31	56	65	62	40	26	20	5	1	–
	Female	310	–	–	–	–	–	–	1	–	3	1	3	13	27	31	49	55	59	38	19	8	3	–
	All other ..... Male	204	–	–	–	–	–	1	2	2	3	2	10	26	34	30	42	24	15	6	4	2	1	–
	Female	171	–	–	–	–	1	–	1	2	2	3	7	17	18	18	35	27	19	9	7	5	–	–
160–163	Of respiratory system	1,116	–	–	–	–	–	–	1	–	2	22	61	115	180	188	226	153	107	40	14	7	–	–
	White ..... Male	665	–	–	–	–	–	–	1	–	1	11	37	64	100	107	142	95	66	29	7	5	–	–
	Female	175	–	–	–	–	–	–	–	–	1	2	7	16	26	30	34	28	19	5	6	1	–	–
	All other ..... Male	224	–	–	–	–	–	–	–	–	–	8	12	30	47	45	38	22	17	3	1	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	1	5	5	7	6	12	8	5	3	–	–	–	–
174	Of breast	338	–	–	–	–	–	1	2	6	12	22	17	39	47	51	34	44	22	21	12	6	2	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	256	–	–	–	–	–	–	2	2	9	19	14	32	32	40	21	36	16	17	12	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	79	–	–	–	–	–	1	–	4	3	3	3	7	15	11	11	8	5	4	–	3	1	–
180–187	Of genital organs	526	–	–	–	–	–	–	2	6	4	12	21	28	45	57	83	84	98	47	30	6	3	–
	White ..... Male	152	–	–	–	–	–	–	1	–	1	–	1	1	3	8	22	26	48	26	9	4	2	–
	Female	166	–	–	–	–	–	–	1	–	1	7	13	12	24	18	31	19	18	13	7	1	1	–
	All other ..... Male	128	–	–	–	–	–	–	–	–	–	1	–	4	8	17	22	29	28	6	12	1	–	–
	Female	80	–	–	–	–	–	–	–	6	2	4	7	11	10	14	8	10	4	2	2	–	–	–
188, 189	Of urinary organs	169	–	–	2	–	–	–	2	–	–	4	7	9	18	26	32	25	20	7	6	10	1	–
	White ..... Male	78	–	–	–	–	–	–	–	–	–	3	3	4	5	14	17	12	10	3	2	4	1	–
	Female	48	–	–	1	–	–	–	1	–	–	1	2	2	7	4	8	8	5	3	4	2	–	–
	All other ..... Male	25	–	–	1	–	–	–	1	–	–	–	1	1	5	3	4	4	4	–	–	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	2	1	5	3	1	1	1	–	3	–	–
170–173, 190–199	Of all other and unspecified sites	584	1	4	4	3	4	12	11	6	12	19	27	48	54	85	110	62	53	45	13	8	3	–
	White ..... Male	230	–	1	3	2	1	5	4	2	7	12	15	22	23	38	35	23	20	7	8	2	–	–
	Female	196	1	1	–	–	1	2	1	2	4	2	6	14	12	21	37	26	26	29	3	5	3	–
	All other ..... Male	68	–	1	–	–	2	3	3	–	–	3	3	8	10	14	11	4	3	2	–	1	–	–
	Female	90	–	1	1	1	–	2	3	2	1	2	3	4	9	12	27	9	4	7	2	–	–	–
204–207	Leukemia	132	–	2	5	3	–	2	3	5	7	4	2	4	6	11	18	14	25	12	5	3	1	–
	White ..... Male	60	–	2	3	1	–	2	2	1	3	3	2	2	2	5	11	5	11	2	2	1	–	–
	Female	48	–	–	2	2	–	–	–	1	4	–	–	1	1	6	3	4	11	9	2	1	1	–
	All other ..... Male	13	–	–	–	–	–	–	–	2	–	–	–	–	2	–	2	3	2	1	1	–	–	–
	Female	11	–	–	–	–	–	–	1	1	–	1	–	1	1	–	2	2	1	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	232	–	–	1	–	3	4	5	6	4	8	8	8	29	35	38	29	30	19	4	1	–	–
	White ..... Male	89	–	–	–	–	2	2	3	5	2	6	2	1	11	7	17	11	13	6	–	1	–	–
	Female	79	–	–	–	–	1	1	1	–	2	–	4	4	4	15	9	12	12	11	3	–	–	–
	All other ..... Male	35	–	–	1	–	–	1	1	1	–	2	–	2	5	6	9	3	4	–	–	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	2	1	9	7	3	3	1	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	52	–	1	–	–	1	2	2	–	–	2	3	4	3	10	6	10	2	3	3	–	–	–
	White ..... Male	19	–	1	–	–	–	–	–	–	–	–	–	1	1	4	3	5	1	1	2	–	–	–
	Female	19	–	–	–	–	1	–	–	–	–	1	–	2	1	5	1	5	1	1	1	–	–	–
	All other ..... Male	6	–	–	–	–	–	1	1	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	1	1	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–
250	Diabetes mellitus	446	1	–	–	–	2	–	5	3	7	7	12	24	44	65	66	77	64	34	28	5	2	–
	White ..... Male	92	–	–	–	–	–	–	2	–	1	2	1	7	8	12	15	20	8	9	6	–	1	–
	Female	150	–	–	–	–	1	–	2	–	1	2	3	1	10	21	22	21	30	14	18	3	1	–
	All other ..... Male	77	–	–	–	–	1	–	1	2	5	2	3	5	12	13	7	16	4	6	–	–	–	–
	Female	127	1	–	–	–	–	–	–	1	–	1	5	11	14	19	22	20	22	5	4	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	36	3	–	–	–	–	–	–	–	1	–	1	–	2	–	–	4	6	8	5	4	2	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–
	Female	17	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	1	2	4	1	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina—Con.																							
280–285	Anemias	49	3	2	1	1	2	3	–	2	–	2	4	5	3	7	2	4	4	2	2	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	2	–	–	–
	All other ..... Male	17	3	1	1	1	1	–	–	2	–	–	4	1	–	–	1	2	–	–	–	–	–	–
	Female	18	–	1	–	–	1	3	–	–	–	1	–	4	2	4	–	–	2	–	–	–	–	–
320	Meningitis	30	11	5	1	–	–	–	1	–	1	–	–	–	2	1	3	2	2	1	–	–	–	–
	White ..... Male	9	5	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	All other ..... Male	8	2	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	7	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	11,720	21	6	4	8	14	23	32	65	98	197	329	615	937	1,246	1,602	1,752	1,588	1,370	1,073	518	219	3
	White ..... Male	4,242	7	1	1	1	5	8	5	21	36	81	137	273	434	544	669	670	531	407	278	96	36	1
	Female	3,775	2	1	1	1	2	5	6	7	13	21	51	86	124	216	347	514	599	688	630	335	126	–
	All other ..... Male	1,834	4	–	–	3	6	5	16	21	32	58	87	149	233	281	292	251	185	103	63	29	15	1
	Female	1,869	8	4	2	3	1	5	5	16	17	37	54	107	146	205	294	317	273	172	102	58	42	1
390–398, 402, 404, 410–429	Diseases of heart	8,573	21	5	1	6	10	18	18	50	76	152	266	494	743	980	1,253	1,278	1,102	925	698	336	138	3
	White ..... Male	3,399	7	1	–	1	4	6	3	16	31	74	125	241	380	469	563	510	393	292	188	69	25	1
	Female	2,628	2	1	–	1	1	3	3	3	9	13	31	58	106	161	270	394	428	454	401	211	78	–
	All other ..... Male	1,311	4	–	–	2	4	5	9	17	27	42	66	123	156	205	209	173	125	68	43	18	14	1
	Female	1,235	8	3	1	2	1	4	3	14	9	23	44	72	101	145	211	201	156	111	66	38	21	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	100	–	1	–	–	1	–	2	3	5	2	6	4	12	11	11	13	12	10	6	1	–	–
	White ..... Male	26	–	–	–	–	–	–	1	–	2	1	–	–	4	3	1	4	7	2	1	–	–	–
	Female	42	–	–	–	–	–	–	–	1	–	–	3	3	6	6	5	5	2	5	5	1	–	–
	All other ..... Male	16	–	–	–	–	1	–	–	–	3	1	1	1	1	–	3	1	2	2	–	–	–	–
	Female	16	–	1	–	–	–	–	1	2	–	–	2	–	1	2	2	3	1	1	–	–	–	–
402	Hypertensive heart disease	100	–	–	–	–	–	–	–	–	3	1	3	9	13	9	20	20	11	6	3	1	1	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	5	4	1	2	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	1	1	5	3	3	4	1	1	–	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	2	–	2	5	5	3	6	4	1	1	–	–	1	–
	Female	31	–	–	–	–	–	–	–	–	1	1	–	3	5	3	7	8	3	–	–	–	–	–
404	Hypertensive heart and renal disease	45	–	–	–	–	–	–	–	–	–	–	1	–	5	3	5	6	8	6	6	3	2	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	–
	All other ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	3	3	3	1	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	4	1	–	–	–	–
410–413	Ischemic heart disease	7,033	1	–	–	–	4	7	9	23	49	114	205	386	609	787	1,025	1,064	926	802	607	294	118	3
	White ..... Male	2,920	1	–	–	–	2	3	2	11	25	60	109	199	336	387	495	439	345	265	156	63	21	1
	Female	2,245	–	–	–	–	–	–	–	–	3	8	22	43	89	133	224	334	374	404	360	181	70	–
	All other ..... Male	963	–	–	–	–	2	3	7	7	15	30	43	87	118	159	155	132	95	46	35	16	12	1
	Female	905	–	–	–	–	–	1	–	5	6	16	31	57	66	108	151	159	112	87	56	34	15	1
410	Acute myocardial infarction	3,965	1	–	–	–	4	5	8	18	39	87	148	279	441	514	641	623	480	347	214	85	30	1
	White ..... Male	1,888	1	–	–	–	2	2	2	8	21	50	85	152	270	272	335	283	189	132	59	22	3	–
	Female	1,114	–	–	–	–	–	–	–	–	3	7	16	32	64	89	145	198	204	163	125	52	16	–
	All other ..... Male	542	–	–	–	–	2	2	6	5	10	23	30	57	70	96	87	70	43	20	10	7	4	–
	Female	421	–	–	–	–	–	1	–	5	5	7	17	38	37	57	74	72	44	32	20	4	7	1
411	Other acute and subacute forms of ischemic heart disease	41	–	–	–	–	–	–	–	–	–	–	3	4	4	8	6	5	5	2	3	1	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	3	1	1	3	1	3	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	–	–	1	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	4	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,020	–	–	–	–	–	2	1	5	10	27	54	103	163	265	375	436	440	452	390	208	87	2
	White ..... Male	1,014	–	–	–	–	–	1	–	3	4	10	23	44	64	114	155	155	152	132	97	41	18	1
	Female	1,122	–	–	–	–	–	–	–	–	–	1	6	11	24	43	78	136	168	240	234	128	53	–
	All other ..... Male	410	–	–	–	–	–	1	1	2	5	7	12	30	47	59	66	62	52	25	23	9	8	1
	Female	474	–	–	–	–	–	–	–	–	1	9	13	18	28	49	76	83	68	55	36	30	8	–
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	1	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	69	–	–	–	1	–	–	–	–	1	4	–	1	1	12	10	8	14	9	3	3	2	–
	White ..... Male	12	–	–	–	1	–	–	–	–	–	1	–	–	–	4	1	2	1	1	1	–	–	–
	Female	35	–	–	–	–	–	–	–	–	1	1	–	1	–	2	5	3	11	4	2	3	2	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	–	2	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	–	3	4	2	2	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,226	20	4	1	5	5	11	7	24	18	31	51	94	103	158	182	167	131	92	73	34	15	–
	White ..... Male	417	6	1	–	–	2	3	–	5	4	12	16	42	37	73	63	59	36	23	26	5	4	–
	Female	277	2	1	–	1	1	3	3	2	5	4	5	10	10	19	31	47	37	35	32	24	5	–
	All other ..... Male	273	4	–	–	2	1	2	2	10	7	10	20	30	29	38	42	32	24	14	5	1	–	–
	Female	259	8	2	1	2	1	3	2	7	2	5	10	12	27	28	46	29	34	20	10	4	6	–
400, 401, 403	Hypertension	69	–	–	–	–	–	–	–	1	1	4	3	4	8	12	6	6	7	6	6	3	2	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	1	2	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	1	3	1	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	1	–	1	3	1	4	4	2	1	3	1	1	1	1	–
	Female	21	–	–	–	–	–	–	–	–	1	3	–	3	2	3	2	1	2	2	–	1	1	–
430–438	Cerebrovascular diseases	2,533	–	1	3	2	3	5	10	13	19	35	52	98	142	216	291	377	403	362	302	140	59	–
	White ..... Male	622	–	–	1	–	–	2	1	5	3	4	8	23	35	58	76	116	108	84	68	22	8	–
	Female	944	–	–	1	–	1	2	2	4	4	8	18	21	14	46	68	92	147	198	185	97	36	–
	All other ..... Male	429	–	–	–	1	2	–	5	2	5	14	16	25	59	59	74	66	49	29	17	6	–	–
	Female	538	–	1	1	1	–	1	2	2	7	9	10	29	34	53	73	103	99	51	32	15	15	–
431	Cerebral hemorrhage	369	–	–	–	–	3	2	3	7	8	14	18	30	26	51	39	51	43	37	27	10	–	–
	White ..... Male	88	–	–	–	–	–	–	–	2	–	1	4	5	6	11	9	21	15	7	4	3	–	–
	Female	123	–	–	–	–	1	1	1	2	2	2	6	9	3	15	11	15	16	19	15	5	–	–
	All other ..... Male	73	–	–	–	–	2	–	1	2	2	8	7	6	7	14	6	8	3	5	2	–	–	–
	Female	85	–	–	–	–	–	1	1	1	4	3	1	10	10	11	13	7	9	6	6	2	–	–
433	Cerebral thrombosis	511	–	–	–	–	–	–	–	–	–	6	5	6	27	41	58	74	96	76	69	40	13	–
	White ..... Male	125	–	–	–	–	–	–	–	–	–	1	1	2	7	10	20	23	22	13	17	8	1	–
	Female	217	–	–	–	–	–	–	–	–	–	1	–	–	1	10	11	22	39	52	47	26	8	–
	All other ..... Male	78	–	–	–	–	–	–	–	–	–	2	1	2	18	12	17	10	9	5	1	1	–	–
	Female	91	–	–	–	–	–	–	–	–	–	2	3	2	1	9	10	19	26	6	4	5	4	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	1	–	–	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,644	–	1	3	2	–	3	7	6	11	15	29	62	88	121	193	250	264	248	206	90	45	–
	White ..... Male	407	–	–	1	–	–	2	1	3	3	2	3	16	21	36	47	72	71	64	47	11	7	–
	Female	599	–	–	1	–	–	1	1	2	2	5	12	12	10	20	45	54	92	126	123	66	27	–
	All other ..... Male	277	–	–	–	1	–	–	4	–	3	4	8	17	34	33	51	47	37	19	14	5	–	–
	Female	361	–	1	1	1	–	–	1	1	3	4	6	17	23	32	50	77	64	39	22	8	11	–
440	Arteriosclerosis	236	–	–	–	–	–	–	–	–	–	1	2	3	5	8	14	29	33	44	48	33	16	–
	White ..... Male	62	–	–	–	–	–	–	–	–	–	–	1	–	2	–	7	11	7	13	14	4	3	–
	Female	119	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	13	14	23	29	24	10	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	1	–	–	2	6	5	–	4	3	1	2	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	8	5	4	3	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	309	–	–	–	–	1	–	4	1	2	5	6	16	39	30	38	62	43	33	19	6	4	–
	White ..... Male	147	–	–	–	–	1	–	1	–	2	3	3	9	15	15	22	31	22	16	6	1	–	–
	Female	72	–	–	–	–	–	–	1	–	–	–	1	5	3	5	7	13	9	12	12	2	2	–
	All other ..... Male	46	–	–	–	–	–	–	2	1	–	–	2	–	12	7	2	11	4	2	1	2	–	–
	Female	44	–	–	–	–	–	–	–	–	–	2	–	2	9	3	7	7	8	3	–	1	2	–
466	Acute bronchitis and bronchiolitis	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	708	48	6	3	1	5	5	9	7	11	13	21	33	46	49	64	88	75	84	85	39	16	–
	White ..... Male	258	6	–	2	1	3	1	2	4	–	3	6	5	25	20	28	42	28	37	30	10	5	–
	Female	222	5	2	–	–	–	–	2	2	3	3	8	10	7	4	13	23	33	31	44	25	7	–
	All other ..... Male	147	21	3	–	–	2	1	5	1	3	5	7	15	12	18	15	15	4	9	8	1	2	–
	Female	81	16	1	1	–	–	3	–	–	5	2	–	3	2	7	8	8	10	7	3	3	2	–
470–474	Influenza	67	6	–	–	–	–	1	1	1	1	–	–	4	2	7	10	9	4	6	10	4	1	–
	White ..... Male	25	1	–	–	–	–	–	–	–	–	–	–	–	1	4	4	5	1	3	2	3	1	–
	Female	20	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	1	3	2	7	1	–	–
	All other ..... Male	15	4	–	–	–	–	–	1	1	–	–	–	2	–	–	2	3	–	1	1	–	–	–
	Female	7	1	–	–	–	–	1	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–
480–486	Pneumonia	641	42	6	3	1	5	4	8	6	10	13	21	29	44	42	54	79	71	78	75	35	15	–
	White ..... Male	233	5	–	2	1	3	1	2	4	–	3	6	5	24	16	24	37	27	34	28	7	4	–
	Female	202	5	2	–	–	–	–	2	2	2	3	8	9	7	3	10	22	30	29	37	24	7	–
	All other ..... Male	132	17	3	–	–	2	1	4	–	3	5	7	13	12	18	13	12	4	8	7	1	2	–
	Female	74	15	1	1	–	–	2	–	–	5	2	–	2	1	5	7	8	10	7	3	3	2	–
490–493	Bronchitis, emphysema, and asthma	270	1	1	–	1	1	6	1	4	2	3	7	17	23	41	47	39	36	23	11	6	–	–
	White ..... Male	160	1	–	–	–	–	1	–	–	–	1	2	6	11	30	34	28	20	14	9	3	–	–
	Female	63	–	–	–	1	–	3	1	2	–	1	3	6	8	7	6	7	9	7	1	1	–	–
	All other ..... Male	32	–	1	–	–	1	1	–	–	1	1	2	1	1	3	7	4	6	1	1	1	–	–
	Female	15	–	–	–	–	–	1	–	2	1	–	–	4	3	1	–	–	1	1	–	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	54	1	-	-	-	-	2	1	1	-	-	-	3	3	11	6	9	8	6	1	2	-	-
	White ..... Male	30	1	-	-	-	-	1	-	-	-	-	-	-	-	7	5	6	6	2	1	1	-	-
	Female	18	-	-	-	-	-	-	1	1	-	-	-	1	2	2	1	3	2	4	-	1	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
492	Emphysema	182	-	-	-	-	-	-	-	-	1	2	5	13	17	30	36	26	26	14	9	3	-	-
	White ..... Male	124	-	-	-	-	-	-	-	-	-	1	2	6	11	23	27	20	14	11	7	2	-	-
	Female	31	-	-	-	-	-	-	-	-	-	-	1	5	5	5	3	3	6	2	1	-	-	-
	All other ..... Male	24	-	-	-	-	-	-	-	-	1	1	2	-	1	2	6	3	5	1	1	1	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
493	Asthma	34	-	1	-	1	1	4	-	3	1	1	2	1	3	-	5	4	2	3	1	1	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-
	Female	14	-	-	-	1	-	3	-	1	-	1	2	-	1	-	2	1	1	1	-	-	-	-
	All other ..... Male	6	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	1	-	1	-	-
531-533	Peptic ulcer	57	-	-	-	-	-	1	-	2	-	2	1	3	5	4	10	6	6	11	3	2	1	-
	White ..... Male	26	-	-	-	-	-	-	-	1	-	1	1	1	1	1	6	5	3	5	1	-	-	-
	Female	19	-	-	-	-	-	-	-	1	-	-	-	1	3	1	3	1	1	5	-	2	1	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	2	1	-	-	-	-
	Female	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
540-543	Appendicitis	8	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	-	-	1	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	4	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	59	6	1	-	-	-	-	-	1	-	1	2	3	1	3	5	6	10	9	5	5	1	-
	White ..... Male	16	2	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	3	1	-	1	-	-
	Female	22	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	5	4	5	2	1	-
	All other ..... Male	12	1	1	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	3	-	1	-	-
	Female	9	2	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	-	1	-	-
571	Cirrhosis of liver	311	-	-	-	-	1	2	6	7	30	28	43	53	42	37	32	15	4	8	2	-	1	-
	White ..... Male	143	-	-	-	-	-	-	2	3	12	10	18	34	19	19	11	6	2	5	2	-	-	-
	Female	74	-	-	-	-	-	1	-	1	4	6	8	11	9	10	9	9	2	3	-	-	1	-
	All other ..... Male	56	-	-	-	-	-	-	3	1	8	9	10	4	8	4	9	-	-	-	-	-	-	-
	Female	38	-	-	-	-	1	1	1	2	6	3	7	4	6	4	3	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	33	-	-	-	-	-	-	-	-	-	2	-	2	-	1	4	5	8	5	5	1	-	-
	White ..... Male	16	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	4	4	2	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	3	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
580-584	Nephritis and nephrosis	160	-	2	-	-	-	1	1	6	1	11	7	10	18	10	21	25	20	16	6	4	1	-
	White ..... Male	48	-	1	-	-	-	-	-	2	-	4	2	3	6	4	5	7	7	5	2	-	-	-
	Female	30	-	1	-	-	-	1	1	-	-	-	-	-	1	-	5	5	4	5	4	2	1	-
	All other ..... Male	40	-	-	-	-	-	-	-	2	1	3	1	2	6	3	4	8	6	2	-	2	-	-
	Female	42	-	-	-	-	-	-	-	2	-	4	4	5	5	3	7	5	3	4	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	25	-	1	-	-	-	1	-	2	-	2	-	3	2	2	1	5	2	4	-	-	-	-
	White ..... Male	8	-	1	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	1	-	-	-	-
	Female	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	2	-	-	-	1	2	1	-	1	1	1	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	135	-	1	-	-	-	-	1	4	1	9	7	7	16	8	20	20	18	12	6	4	1	-
	White ..... Male	40	-	-	-	-	-	-	-	2	-	3	2	1	6	3	4	6	7	4	2	-	-	-
	Female	25	-	1	-	-	-	-	1	-	-	-	-	-	1	-	5	3	4	3	4	2	1	-
	All other ..... Male	37	-	-	-	-	-	-	-	2	1	2	1	2	6	3	4	7	5	2	-	2	-	-
	Female	33	-	-	-	-	-	-	-	-	-	4	4	4	3	2	7	4	2	3	-	-	-	-
590	Infections of kidney	44	1	1	-	-	-	-	1	-	-	1	1	4	2	1	8	6	6	7	3	2	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	-	1	-	-	-
	Female	24	-	1	-	-	-	-	1	-	-	-	1	2	-	1	3	2	2	7	2	2	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-
	Female	8	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	-	-	-	-
600	Hyperplasia of prostate	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	2	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
630-678	Complications of pregnancy, childbirth, and the puerperium	6	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Carolina—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	174	123	14	3	3	7	4	4	–	2	3	6	–	1	1	1	–	–	1	1	–	–	–
	White ..... Male	57	35	7	2	1	3	2	1	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–
	Female	45	33	1	–	2	3	–	1	–	–	1	–	–	–	1	1	–	–	1	1	–	–	–
	All other ..... Male	40	34	2	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
	Female	32	21	4	1	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	441	441	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	144	144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	236	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	205	205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	740	125	8	1	–	2	10	4	7	15	16	32	58	61	78	70	87	72	39	27	18	9	1
	White ..... Male	218	29	1	–	–	1	2	2	1	3	3	7	26	22	28	31	24	17	10	6	3	2	–
	Female	144	18	1	–	–	–	4	–	2	1	1	6	11	11	9	8	21	16	11	13	8	3	–
	All other ..... Male	208	43	5	1	–	1	1	2	2	4	10	11	13	17	28	13	23	21	8	3	1	–	1
	Female	170	35	1	–	–	–	3	–	2	7	2	8	8	11	13	18	19	18	10	5	6	4	–
Residual	All other diseases	1,771	34	14	10	11	14	17	32	35	52	61	88	110	157	209	217	209	192	153	105	41	9	1
	White ..... Male	690	10	8	4	3	8	5	4	9	14	12	33	47	68	89	86	97	81	66	31	10	5	–
	Female	479	8	2	2	1	1	2	7	4	10	12	9	24	27	35	65	64	65	58	60	21	2	–
	All other ..... Male	327	10	2	3	4	4	4	11	12	16	19	28	26	42	50	34	20	22	11	3	4	1	1
	Female	275	6	2	1	3	1	6	10	10	12	18	18	13	20	35	32	28	24	18	11	6	1	–
E800–E949	Accidents	1,727	25	49	54	53	237	186	165	119	101	79	85	91	92	101	82	56	55	43	29	19	6	–
	White ..... Male	786	2	15	22	23	138	97	84	59	49	28	31	44	44	45	39	22	19	14	7	4	–	–
	Female	312	5	7	11	9	46	20	19	10	12	11	10	10	16	20	14	18	20	23	14	14	3	–
	All other ..... Male	486	12	19	12	15	43	52	49	42	37	33	38	31	25	26	21	11	12	4	3	1	–	–
	Female	143	6	8	9	6	10	17	13	8	3	7	6	6	7	10	8	5	4	2	5	–	3	–
E810–E823	Motor vehicle accidents	911	3	22	32	32	182	126	107	77	53	36	43	36	40	43	27	21	17	12	1	1	–	–
	White ..... Male	451	–	7	14	13	111	67	51	37	24	14	13	19	23	19	15	11	8	5	–	–	–	–
	Female	158	1	3	9	6	39	17	14	9	8	5	5	3	5	8	6	8	7	4	–	1	–	–
	All other ..... Male	231	2	7	5	7	25	30	34	25	19	13	22	10	10	11	5	1	1	3	1	–	–	–
	Female	71	–	5	4	6	7	12	8	6	2	4	3	4	2	5	1	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	816	22	27	22	21	55	60	58	42	48	43	42	55	52	58	55	35	38	31	28	18	6	–
	White ..... Male	335	2	8	8	10	27	30	33	22	25	14	18	25	21	26	24	11	11	9	7	4	–	–
	Female	154	4	4	2	3	7	3	5	1	4	6	5	7	11	12	8	10	13	19	14	13	3	–
	All other ..... Male	255	10	12	7	8	18	22	15	17	18	20	16	21	15	15	16	10	11	1	2	1	–	–
	Female	72	6	3	5	–	3	5	5	2	1	3	3	2	5	5	7	4	3	2	5	–	3	–
E950–E959	Suicide	327	...	...	–	4	27	49	31	31	29	24	21	20	22	26	12	10	15	3	3	–	–	–
	White ..... Male	208	...	...	–	1	20	32	19	21	14	13	15	10	13	13	10	9	12	3	3	–	–	–
	Female	75	...	...	–	2	6	8	6	5	8	8	4	8	5	11	2	1	1	–	–	–	–	–
	All other ..... Male	34	...	...	–	–	1	7	5	3	7	3	2	1	4	1	–	–	–	–	–	–	–	–
	Female	10	...	...	–	1	–	2	1	2	–	–	–	1	–	1	–	–	2	–	–	–	–	–
E960–E978	Homicide	343	3	4	2	3	20	45	48	39	44	23	33	25	17	12	9	8	3	4	–	–	–	1
	White ..... Male	121	1	–	–	–	5	17	17	9	18	11	9	13	9	6	2	2	–	1	–	–	–	1
	Female	34	–	–	–	1	1	3	2	1	5	1	7	3	3	1	1	1	1	3	–	–	–	–
	All other ..... Male	139	1	4	2	1	11	18	23	20	18	7	14	7	3	4	3	3	–	–	–	–	–	–
	Female	49	1	–	–	1	3	7	6	9	3	4	3	2	2	1	3	2	2	–	–	–	–	–
E980–E999	Other external causes	32	–	1	–	–	1	4	1	3	4	4	3	4	1	2	2	1	1	–	–	–	–	–
	White ..... Male	17	–	–	–	–	1	1	–	1	2	4	3	–	1	2	2	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota																							
	All causes	6,492	165	27	21	25	72	78	59	68	72	89	164	236	315	453	596	732	855	988	833	470	173	1
	White ..... Male	3,390	76	7	8	14	34	41	29	36	27	44	76	139	184	288	365	426	467	512	380	188	48	1
	Female	2,607	53	11	7	6	18	15	8	12	15	15	51	64	102	138	197	268	344	448	440	275	120	–
	All other ..... Male	291	19	6	3	3	15	15	15	12	18	16	25	19	15	19	25	17	27	14	4	2	2	–
	Female	204	17	3	3	2	5	7	7	8	12	14	12	14	14	8	9	21	17	14	9	5	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	12	5	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	2	–	–	–
	White ..... Male	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	1	1	–	–	–	1	1	1	–	2	1	1	2	–	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	9	–	–	–	–	–	1	–	–	–	–	1	–	1	–	2	1	1	1	–	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	3	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	3	2	2	–	–	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	8	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	13	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	1	4	–	–	1	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,220	2	1	1	–	3	3	5	5	9	18	44	70	92	135	164	183	168	168	99	39	11	–
	White ..... Male	623	–	–	–	–	1	2	2	3	3	8	15	40	51	78	93	86	83	91	49	14	4	–
	Female	560	1	1	1	–	1	1	2	2	4	8	25	28	40	54	68	93	77	75	49	25	5	–
	All other ..... Male	16	–	–	–	–	1	–	–	–	–	–	3	–	–	1	2	–	5	2	1	–	1	–
	Female	21	1	–	–	–	–	–	1	–	2	2	1	2	1	2	1	4	3	–	–	–	1	–
140–149	Of buccal cavity and pharynx	21	–	–	–	–	–	–	–	–	–	–	–	4	1	6	3	2	1	2	2	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	4	–	6	2	1	1	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	377	–	–	–	–	–	–	–	2	3	3	14	12	27	30	49	48	65	61	45	13	5	–
	White ..... Male	171	–	–	–	–	–	–	–	1	–	2	7	5	15	14	27	18	35	23	19	4	1	–
	Female	192	–	–	–	–	–	–	–	1	2	1	4	6	12	14	21	29	27	37	25	9	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	2	–	–	–	–	–
160–163	Of respiratory system	243	–	–	–	–	–	–	–	–	–	3	7	19	23	43	40	37	37	23	9	2	–	–
	White ..... Male	195	–	–	–	–	–	–	–	–	–	3	3	16	20	33	35	29	28	19	8	1	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	3	3	2	10	5	7	5	4	1	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
174	Of breast	103	–	–	–	–	–	–	–	1	2	5	9	8	9	13	12	17	11	7	6	3	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	100	–	–	–	–	–	–	–	1	1	4	9	8	9	13	12	17	10	7	6	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	171	–	–	–	–	1	1	3	1	–	2	4	6	8	14	19	28	21	34	16	12	1	–
	White ..... Male	86	–	–	–	–	–	1	1	1	–	–	–	–	2	5	8	16	9	27	10	6	–	–
	Female	77	–	–	–	–	–	–	1	–	–	1	4	6	6	8	11	11	11	6	6	6	–	–
	All other ..... Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	Female	4	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	57	–	–	–	–	–	–	–	–	–	–	1	1	2	6	10	10	10	9	5	3	–	–
	White ..... Male	35	–	–	–	–	–	–	–	–	–	–	1	1	1	6	6	4	6	6	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	4	3	2	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	125	–	1	–	–	1	–	1	1	2	3	5	10	11	16	12	20	11	20	6	4	1	–
	White ..... Male	53	–	–	–	–	–	–	–	1	2	3	3	5	6	11	3	7	1	6	4	–	1	–
	Female	70	–	1	–	–	1	–	1	–	–	–	2	4	5	5	8	13	10	14	2	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
204–207	Leukemia	52	2	–	1	–	1	1	–	–	1	2	2	3	3	4	8	7	3	5	5	1	3	–
	White ..... Male	25	–	–	–	–	1	1	–	–	–	–	–	3	2	1	4	5	–	5	1	1	1	–
	Female	25	1	–	1	–	–	–	–	–	1	2	2	–	1	3	4	2	3	–	4	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	71	–	–	–	–	–	1	1	–	1	–	2	7	8	3	11	14	9	7	5	1	1	–
	White ..... Male	40	–	–	–	–	–	–	1	–	1	–	1	6	5	2	8	6	2	4	2	1	1	–
	Female	30	–	–	–	–	–	1	–	–	–	–	1	1	3	1	3	7	7	3	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	17	–	–	–	2	–	–	1	–	–	–	–	2	–	3	1	3	2	2	–	1	–	–
	White ..... Male	7	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–
	Female	9	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	2	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	102	–	–	–	–	–	–	2	1	2	2	1	3	5	11	15	11	25	9	10	4	1	–
	White ..... Male	33	–	–	–	–	–	–	1	1	1	1	–	2	2	2	3	4	9	2	3	1	1	–
	Female	52	–	–	–	–	–	–	1	–	–	1	–	–	2	7	8	6	13	6	6	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	2	1	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	2	2	1	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota—Con.																							
280–285	Anemias	18	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	3	4	3	2	–	–
	White ..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,349	4	3	2	1	2	4	4	4	10	19	60	86	137	216	293	395	482	617	557	329	124	–
	White ..... Male	1,794	2	1	–	–	1	1	2	3	5	13	37	60	89	155	189	247	271	305	246	134	33	–
	Female	1,438	2	2	2	–	1	2	–	–	3	–	14	14	41	52	88	134	196	301	304	192	90	–
	All other ..... Male	74	–	–	–	1	–	–	1	–	2	4	9	7	4	8	12	7	10	8	–	1	–	–
	Female	43	–	–	–	–	–	1	1	1	–	2	–	5	3	1	4	7	5	3	7	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,448	4	1	2	–	1	1	3	4	8	15	48	77	113	178	254	302	349	438	346	222	82	–
	White ..... Male	1,379	2	–	–	–	–	1	1	3	5	9	31	54	80	132	168	189	198	232	161	87	26	–
	Female	974	2	1	2	–	1	–	–	–	2	–	9	11	28	38	72	101	141	198	181	132	55	–
	All other ..... Male	64	–	–	–	–	–	–	1	–	1	4	8	7	3	7	10	6	8	8	–	1	–	–
	Female	31	–	–	–	–	–	–	1	1	–	2	–	5	2	1	4	6	2	–	4	2	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	38	–	–	–	–	–	–	–	1	2	–	1	3	3	3	5	6	5	3	5	–	1	–
	White ..... Male	20	–	–	–	–	–	–	–	–	1	–	1	1	3	3	2	3	3	2	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	3	2	1	4	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	3	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
404	Hypertensive heart and renal disease	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	4	4	2	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
410–413	Ischemic heart disease	2,132	–	–	–	–	–	1	1	3	5	11	39	65	96	150	222	262	315	383	305	203	71	–
	White ..... Male	1,218	–	–	–	–	–	1	1	3	4	8	25	47	69	111	154	167	179	199	145	82	23	–
	Female	847	–	–	–	–	–	–	–	–	–	–	8	8	23	33	58	84	127	180	158	120	48	–
	All other ..... Male	49	–	–	–	–	–	–	–	–	1	2	6	7	3	5	7	6	7	4	–	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	3	1	1	3	5	2	–	2	–	–	–
410	Acute myocardial infarction	1,281	–	–	–	–	–	1	1	2	3	9	32	52	73	117	172	191	200	196	136	78	18	–
	White ..... Male	807	–	–	–	–	–	1	1	2	2	8	21	37	56	88	122	125	122	118	64	32	8	–
	Female	431	–	–	–	–	–	–	–	–	–	–	5	8	14	24	45	60	74	74	71	46	10	–
	All other ..... Male	34	–	–	–	–	–	–	–	–	1	1	6	5	2	4	4	5	2	4	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	2	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	11	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	4	1	–	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	839	–	–	–	–	–	–	–	1	2	1	7	12	22	32	50	69	111	186	169	124	53	–
	White ..... Male	406	–	–	–	–	–	–	–	1	2	–	4	10	13	22	32	41	55	81	81	49	15	–
	Female	412	–	–	–	–	–	–	–	–	–	–	3	–	8	9	13	24	51	105	87	74	38	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	1	5	–	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	–	1	–	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	11	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	2	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	241	3	1	2	–	1	–	2	–	1	4	7	9	12	23	24	30	25	45	29	16	7	–
	White ..... Male	127	1	–	–	–	–	–	–	–	–	1	5	6	8	17	11	18	15	27	11	4	3	–
	Female	92	2	1	2	–	1	–	–	–	1	–	1	2	4	4	9	11	9	14	17	10	4	–
	All other ..... Male	14	–	–	–	–	–	–	1	–	–	2	1	–	–	2	3	–	1	4	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	1	–	–	1	2	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	7	5	1	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	4	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	4	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	693	–	2	–	1	1	2	1	–	2	4	9	8	18	31	32	69	103	140	154	86	30	–
	White ..... Male	313	–	1	–	–	1	–	1	–	–	4	4	6	5	17	17	39	53	60	60	39	6	–
	Female	362	–	1	–	–	–	1	–	–	1	–	4	2	11	13	13	29	46	77	93	47	24	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	1	–	1	–	1	1	2	–	1	–	–	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	3	3	1	–	–	–
431	Cerebral hemorrhage	75	–	1	–	–	–	2	1	–	1	2	2	–	3	8	6	6	8	17	12	5	1	–
	White ..... Male	39	–	–	–	–	–	–	1	–	–	2	1	–	1	5	4	4	5	7	6	3	–	–
	Female	33	–	1	–	–	–	1	–	–	–	–	1	–	2	3	1	2	3	10	6	2	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	111	–	–	–	–	–	–	–	–	–	–	–	1	4	4	6	14	15	22	21	15	9	–
	White ..... Male	49	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	11	6	9	10	5	1	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	3	8	13	10	10	8	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	504	–	1	–	1	1	–	–	–	1	2	7	7	11	19	20	47	80	101	121	65	20	–
	White ..... Male	223	–	1	–	–	1	–	–	–	–	2	3	5	4	11	8	23	42	44	44	30	5	–
	Female	269	–	–	–	–	–	–	–	–	1	–	3	2	6	7	11	23	35	54	77	35	15	–
	All other ..... Male	5	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	–	–	–	–
440	Arteriosclerosis	103	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	7	13	15	39	14	9	–
	White ..... Male	46	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	6	8	4	18	5	1	–
	Female	55	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	11	20	9	8	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	87	–	–	–	–	–	1	–	–	–	–	2	1	4	4	4	16	17	17	13	6	2	–
	White ..... Male	48	–	–	–	–	–	–	–	–	–	–	2	–	3	4	2	13	12	6	3	3	–	–
	Female	37	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	2	5	11	9	3	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	255	9	2	–	1	–	2	1	–	2	2	8	4	3	6	8	17	31	46	51	41	21	–
	White ..... Male	132	2	1	–	1	–	1	–	–	2	1	5	1	2	5	4	10	20	27	28	16	6	–
	Female	95	2	–	–	–	–	1	–	–	–	–	1	2	–	–	4	4	7	17	21	23	13	–
	All other ..... Male	14	2	1	–	–	–	–	1	–	–	–	2	–	–	1	–	2	–	1	2	1	1	–
	Female	14	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	4	1	–	1	1	–
470–474	Influenza	30	–	–	–	–	–	–	–	–	1	1	3	–	1	2	1	2	3	7	7	1	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	1	1	3	–	1	2	–	1	1	3	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	225	9	2	–	1	–	2	1	–	1	1	5	4	2	4	7	15	28	39	44	40	20	–
	White ..... Male	116	2	1	–	1	–	1	–	–	1	–	2	1	1	3	4	9	19	24	25	16	6	–
	Female	81	2	–	–	–	–	1	–	–	–	–	1	2	–	–	3	3	5	13	17	22	12	–
	All other ..... Male	14	2	1	–	–	–	–	1	–	–	–	2	–	–	1	–	2	–	1	2	1	1	–
	Female	14	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	4	1	–	1	1	–
490–493	Bronchitis, emphysema, and asthma	78	–	–	–	–	–	–	–	–	1	1	–	2	6	5	14	18	10	14	3	4	–	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	1	–	1	2	3	11	15	9	12	3	3	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	–	4	2	2	3	1	2	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	3	1	-	1	-	-
	White Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	62	-	-	-	-	-	-	-	-	-	1	-	2	3	4	12	15	7	12	3	3	-	-
	White Male	51	-	-	-	-	-	-	-	-	-	1	-	1	2	2	10	12	7	10	3	3	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	2	-	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	19	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	4	1	6	-	-	-
	White Male	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-	2	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540-543	Appendicitis	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White Male	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	24	1	-	-	-	-	1	-	-	-	-	-	1	-	1	3	1	3	5	5	3	-	-
	White Male	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	3	1	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	3	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	96	1	-	-	-	-	1	1	5	9	10	15	13	12	7	8	5	6	2	1	-	-	-
	White Male	35	-	-	-	-	-	-	1	1	-	-	3	5	5	6	5	4	3	2	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	3	-	1	-	-	-
	All other Male	24	-	-	-	-	-	-	-	3	4	5	5	2	2	-	3	-	-	-	-	-	-	-
	Female	26	1	-	-	-	-	1	-	1	5	5	4	3	5	1	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	-	-
	White Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	24	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	10	2	2	2	-	-
	White Male	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	2	1	1	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
580, 581	Acute nephritis and nephrotic syndrome	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	2	-	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	16	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	7	1	-	2	-	-
	White Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	-	1	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-
	All other Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
590	Infections of kidney	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	3	-	-	-
	White Male	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	South Dakota—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	47	31	3	–	1	–	1	1	2	1	1	1	1	–	2	–	1	1	–	–	–	–	–
	White ..... Male	19	14	1	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	25	14	2	–	1	–	–	1	1	1	–	1	1	–	2	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	97	18	–	–	1	–	2	1	–	3	3	3	5	7	4	3	7	10	15	8	4	3	–
	White ..... Male	37	8	–	–	–	–	1	1	–	–	2	1	2	4	2	1	4	2	4	3	2	–	–
	Female	33	6	–	–	1	–	–	–	–	–	–	1	1	–	2	–	–	5	7	5	2	3	–
	All other ..... Male	16	2	–	–	–	–	–	–	–	1	1	–	2	2	–	2	2	3	1	–	–	–	–
	Female	11	2	–	–	–	–	1	–	–	2	–	1	–	1	–	–	1	–	3	–	–	–	–
Residual	All other diseases	459	10	1	–	4	6	5	6	9	8	11	9	16	24	29	56	52	62	64	54	29	4	–
	White ..... Male	243	3	–	–	3	2	–	4	1	1	4	3	9	14	15	35	34	37	37	29	10	2	–
	Female	159	3	1	–	–	2	3	–	3	2	2	2	6	8	10	19	9	21	23	24	19	2	–
	All other ..... Male	32	4	–	–	1	2	2	1	3	3	2	2	–	2	2	1	3	3	1	–	–	–	–
	Female	25	–	–	–	–	–	–	1	2	2	3	2	1	–	2	1	6	1	3	1	–	–	–
E800-E949	Accidents	399	2	16	17	14	49	40	23	28	16	14	12	20	17	13	16	23	25	19	21	7	6	1
	White ..... Male	219	–	4	8	8	27	25	14	18	8	8	6	13	12	8	10	13	13	13	6	3	1	1
	Female	99	–	5	3	3	12	6	2	4	3	2	2	3	3	3	4	9	7	4	15	4	5	–
	All other ..... Male	56	1	4	3	1	6	7	6	3	5	3	2	2	2	2	2	1	5	1	–	–	–	–
	Female	25	1	3	3	2	4	2	1	3	–	1	2	2	–	–	–	–	–	1	–	–	–	–
E810-E823	Motor vehicle accidents	196	2	7	7	8	34	23	16	16	11	10	5	8	9	6	6	14	10	1	3	–	–	–
	White ..... Male	109	–	1	2	5	18	16	9	9	5	5	2	7	6	3	3	8	7	1	2	–	–	–
	Female	43	–	2	1	1	10	4	2	3	2	2	1	–	2	2	2	6	2	–	1	–	–	–
	All other ..... Male	28	1	3	1	–	4	2	4	2	4	2	1	–	1	1	1	–	1	–	–	–	–	–
	Female	16	1	1	3	2	2	1	1	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	203	–	9	10	6	15	17	7	12	5	4	7	12	8	7	10	9	15	18	18	7	6	1
	White ..... Male	110	–	3	6	3	9	9	5	9	3	3	4	6	6	5	7	5	6	12	4	3	1	1
	Female	56	–	3	2	2	2	2	–	1	1	–	1	3	1	1	2	3	5	4	14	4	5	–
	All other ..... Male	28	–	1	2	1	2	5	2	1	1	1	1	2	1	1	1	1	4	1	–	–	–	–
	Female	9	–	2	–	–	2	1	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
E950-E959	Suicide	81	...	...	–	1	6	12	6	10	6	5	3	8	3	7	5	2	4	2	1	–	–	–
	White ..... Male	55	...	...	–	1	2	7	2	7	5	3	3	4	1	6	5	2	4	2	1	–	–	–
	Female	12	...	...	–	–	1	1	1	2	–	2	–	3	2	–	–	–	–	–	–	–	–	–
	All other ..... Male	11	...	...	–	–	2	3	3	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	25	1	–	–	–	3	2	5	2	2	2	2	2	–	2	–	1	–	1	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–
	Female	4	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	11	–	–	–	–	2	2	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E980-E999	Other external causes	11	–	1	–	–	2	4	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	White ..... Male	5	–	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee																							
	All causes	38,745	987	152	114	140	462	608	487	450	555	729	1,153	1,782	2,721	3,504	4,443	4,967	5,078	4,650	3,418	1,732	611	2
	White ..... Male	17,987	393	57	51	74	286	369	263	245	306	384	614	921	1,514	1,920	2,345	2,413	2,212	1,815	1,144	517	143	1
	Female	14,050	277	53	37	34	95	113	95	95	128	195	292	484	696	942	1,265	1,669	2,061	2,230	1,893	1,055	341	–
	All other ..... Male	3,665	164	20	20	21	49	92	88	82	78	90	144	221	304	367	468	481	419	283	161	62	50	1
	Female	3,043	153	22	6	11	32	34	41	28	43	60	103	156	207	275	365	404	386	322	220	98	77	–
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	45	26	1	–	–	–	–	–	–	1	–	–	1	3	3	2	2	2	2	1	1	–	–
	White ..... Male	14	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–
	Female	12	4	1	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	1	–	–	–	–
	All other ..... Male	8	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
	Female	11	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	74	–	–	–	–	–	–	–	–	–	1	2	3	7	7	6	9	11	14	9	4	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	5	4	5	2	2	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	5	7	6	1	1	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	2	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
010–012	Tuberculosis of respiratory system	59	–	–	–	–	–	–	–	–	–	–	1	3	6	7	3	6	9	12	7	4	1	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	3	3	5	2	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	5	4	1	1	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	2	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
013–019	Tuberculosis, other forms	15	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	3	2	2	2	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	4	4	–	2	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	5	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	156	40	2	2	1	1	–	1	–	–	3	3	2	5	16	9	16	18	18	8	8	3	–
	White ..... Male	46	21	2	1	1	–	–	–	–	–	–	1	–	1	4	2	1	4	4	2	1	1	–
	Female	40	5	–	–	–	–	–	–	–	–	1	–	1	–	5	2	8	4	8	1	4	1	–
	All other ..... Male	36	8	–	1	–	–	–	1	–	–	2	–	1	2	2	2	4	7	4	1	1	–	–
	Female	34	6	–	–	–	1	–	–	–	–	–	2	–	2	5	3	3	3	2	4	2	1	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	91	11	–	1	1	3	4	3	3	3	1	2	2	8	12	11	12	8	3	1	2	–	–
	White ..... Male	32	3	–	1	–	1	2	2	–	–	–	–	–	5	4	4	6	3	1	–	–	–	–
	Female	30	2	–	–	1	1	1	1	2	2	1	1	1	2	4	3	2	2	2	1	1	–	–
	All other ..... Male	10	2	–	–	–	–	–	–	1	–	–	1	1	–	3	2	–	–	–	–	–	–	–
	Female	19	4	–	–	–	1	1	–	–	1	–	–	–	1	1	2	4	3	–	–	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,483	3	10	23	19	22	34	44	55	80	182	318	539	802	1,022	1,186	1,102	875	661	362	116	28	-
	White ..... Male	3,517	2	5	11	13	10	18	16	23	33	74	133	248	412	523	614	522	394	278	142	42	4	-
	Female	2,712	-	3	7	3	10	7	15	22	34	77	125	188	264	338	367	382	333	279	178	65	15	-
	All other ..... Male	758	-	1	3	1	2	6	8	3	8	19	33	62	75	104	121	120	95	60	23	7	7	-
	Female	496	1	1	2	2	-	3	5	7	5	12	27	41	51	57	84	78	53	44	19	2	2	-
140-149	Of buccal cavity and pharynx	139	-	-	-	-	-	1	-	-	4	6	2	12	16	21	25	20	12	11	7	1	1	-
	White ..... Male	77	-	-	-	-	-	1	-	-	-	2	1	6	11	15	14	9	11	5	2	-	-	-
	Female	40	-	-	-	-	-	-	-	-	2	1	-	3	2	6	9	7	1	4	3	1	1	-
	All other ..... Male	20	-	-	-	-	-	-	-	-	2	3	1	2	3	-	2	3	-	2	2	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	1,742	-	-	-	1	1	3	9	12	16	26	50	102	158	211	256	272	261	204	121	31	8	-
	White ..... Male	677	-	-	-	1	-	1	3	4	11	9	23	42	76	88	118	108	90	58	35	9	1	-
	Female	727	-	-	-	-	-	1	3	5	5	12	13	29	46	71	84	118	123	120	71	20	6	-
	All other ..... Male	188	-	-	-	-	1	1	2	1	-	2	9	19	18	38	26	23	26	11	9	1	1	-
	Female	150	-	-	-	-	-	-	1	2	-	3	5	12	18	14	28	23	22	15	6	1	-	-
160-163	Of respiratory system	2,066	-	-	-	-	2	1	-	5	14	42	100	186	294	380	388	282	198	123	36	14	1	-
	White ..... Male	1,451	-	-	-	-	2	1	-	3	8	28	57	117	208	278	285	208	139	86	24	7	-	-
	Female	337	-	-	-	-	-	-	-	2	2	7	26	34	43	61	55	35	35	22	7	7	1	-
	All other ..... Male	231	-	-	-	-	-	-	-	-	3	6	16	29	36	34	41	34	19	10	3	-	-	-
	Female	47	-	-	-	-	-	-	-	-	1	1	1	6	7	7	7	5	5	5	2	-	-	-
174	Of breast	593	-	-	-	-	-	-	2	7	6	28	56	72	71	76	76	72	51	42	26	6	2	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	2	-	-	-	-
	Female	490	-	-	-	-	-	-	2	5	5	24	46	59	64	63	62	55	45	32	21	6	1	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	94	-	-	-	-	-	-	-	2	1	4	10	11	7	12	12	16	5	8	5	-	1	-
180-187	Of genital organs	850	-	-	-	-	1	3	4	3	12	18	27	26	67	84	140	137	147	98	55	23	5	-
	White ..... Male	313	-	-	-	-	1	2	-	-	-	2	-	1	14	18	42	55	74	51	39	14	-	-
	Female	346	-	-	-	-	-	1	3	3	10	16	21	22	44	45	63	40	40	23	9	6	-	-
	All other ..... Male	119	-	-	-	-	-	-	-	-	-	-	-	-	4	12	18	28	25	19	6	3	4	-
	Female	72	-	-	-	-	-	-	1	-	2	-	6	3	5	9	17	14	8	5	1	-	1	-
188, 189	Of urinary organs	312	1	-	1	-	-	2	-	-	2	11	10	20	28	38	42	46	41	35	25	8	2	-
	White ..... Male	161	1	-	-	-	-	1	-	-	1	6	6	14	14	20	26	20	20	17	14	1	-	-
	Female	103	-	-	1	-	-	1	-	-	1	2	2	4	7	13	10	17	18	7	11	7	2	-
	All other ..... Male	28	-	-	-	-	-	-	-	-	-	3	1	-	1	3	4	6	2	8	-	-	-	-
	Female	20	-	-	-	-	-	-	-	-	-	-	1	2	6	2	2	3	1	3	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	1,074	-	7	11	8	7	13	14	17	17	29	52	81	115	131	163	156	87	85	46	28	7	-
	White ..... Male	490	-	3	6	5	2	5	6	11	10	16	35	41	61	59	76	68	33	28	14	9	2	-
	Female	406	-	2	3	1	5	3	4	3	7	8	12	29	37	53	53	64	30	47	25	17	3	-
	All other ..... Male	105	-	1	1	1	-	3	3	1	-	3	2	9	11	12	20	14	14	4	2	2	2	-
	Female	73	-	1	1	1	-	2	1	2	-	2	3	2	6	7	14	10	10	6	5	-	-	-
204-207	Leukemia	292	-	2	10	8	8	8	8	6	6	8	7	15	18	23	39	45	25	27	22	5	2	-
	White ..... Male	163	-	1	5	6	5	6	3	2	3	4	4	10	9	15	25	28	11	14	9	2	1	-
	Female	95	-	1	3	2	3	1	3	3	1	2	1	2	7	6	10	12	11	12	13	1	1	-
	All other ..... Male	22	-	-	1	-	-	-	2	1	1	1	2	2	-	-	4	4	3	-	-	1	-	-
	Female	12	-	-	1	-	-	1	-	-	1	1	-	1	2	2	-	1	-	1	-	1	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	415	2	1	1	2	3	3	7	5	3	14	14	25	35	58	57	72	53	36	24	-	-	-
	White ..... Male	177	1	1	-	1	-	1	4	3	-	7	7	15	19	29	27	25	15	17	5	-	-	-
	Female	168	-	-	-	-	2	-	-	1	1	5	4	6	14	20	21	34	30	12	18	-	-	-
	All other ..... Male	44	-	-	1	-	1	2	1	-	2	1	2	1	2	5	5	8	6	6	1	-	-	-
	Female	26	1	-	-	1	-	-	2	1	-	1	1	3	-	4	4	5	2	1	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	65	1	1	-	1	2	1	-	2	1	2	3	1	6	7	8	8	9	7	3	1	1	-
	White ..... Male	22	-	-	-	1	1	1	-	1	1	-	1	-	2	1	3	6	3	1	-	-	-	-
	Female	26	-	-	-	-	1	-	-	-	-	1	1	-	2	3	3	1	5	5	3	1	-	-
	All other ..... Male	7	-	1	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-	-
	Female	10	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	1	-
250	Diabetes mellitus	525	-	-	-	-	-	2	5	6	5	13	21	33	43	55	60	94	72	53	38	18	7	-
	White ..... Male	164	-	-	-	-	-	1	1	3	2	5	10	12	17	17	21	23	29	11	8	3	1	-
	Female	219	-	-	-	-	-	-	2	2	1	3	4	8	16	22	22	42	27	30	22	12	6	-
	All other ..... Male	49	-	-	-	-	-	1	-	1	-	1	3	7	3	4	10	7	5	6	1	-	-	-
	Female	93	-	-	-	-	-	-	2	-	2	4	4	6	7	12	7	22	11	6	7	3	-	-
260-269	Avitaminoses and other nutritional deficiencies	64	1	-	-	1	1	-	-	-	-	-	-	1	8	1	3	11	9	9	10	7	2	-
	White ..... Male	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	4	1	-	-
	Female	33	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	6	6	4	4	5	2	-
	All other ..... Male	7	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-
	Female	8	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	1	1	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee—Con.																							
280–285	Anemias	61	1	1	–	–	3	1	–	2	1	1	2	2	–	5	5	10	9	9	5	3	1	–
	White ..... Male	18	–	–	–	–	1	–	–	–	–	–	–	–	–	2	3	5	3	3	–	1	–	–
	Female	28	–	–	–	–	–	–	–	1	–	–	2	1	–	3	2	4	5	4	4	2	–	–
	All other ..... Male	9	1	–	–	–	1	–	–	1	1	1	–	–	–	–	–	1	–	1	1	–	1	–
	Female	6	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
320	Meningitis	26	8	1	–	1	–	–	1	–	–	–	2	–	3	2	–	3	4	1	–	–	–	–
	White ..... Male	7	3	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
	All other ..... Male	5	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	1	–	–	–	–	–
390–448	Major cardiovascular diseases	19,524	33	4	10	8	14	14	32	56	140	210	425	666	1,196	1,592	2,272	2,714	3,115	2,994	2,313	1,262	453	1
	White ..... Male	8,592	13	–	4	4	8	7	13	29	83	119	260	379	709	917	1,181	1,303	1,295	1,102	701	359	106	–
	Female	7,738	7	3	4	1	–	2	7	13	23	39	66	126	251	371	651	938	1,332	1,503	1,355	790	256	–
	All other ..... Male	1,582	5	–	2	2	5	1	4	7	20	25	55	84	137	166	238	249	236	166	103	44	32	1
	Female	1,612	8	1	–	1	1	4	8	7	14	27	44	77	99	138	202	224	252	223	154	69	59	–
390–398, 402, 404, 410–429	Diseases of heart	14,054	26	4	7	4	8	10	18	44	110	165	361	554	994	1,306	1,765	2,002	2,218	1,960	1,453	773	271	1
	White ..... Male	6,656	11	–	2	2	4	6	7	23	75	101	235	342	620	795	970	1,007	958	761	447	225	65	–
	Female	5,194	7	3	3	1	–	1	5	11	14	29	50	87	188	290	498	679	928	945	830	475	150	–
	All other ..... Male	1,122	3	–	2	–	4	1	3	5	16	18	46	70	110	125	148	172	164	119	70	27	18	1
	Female	1,082	5	1	–	1	–	2	3	5	5	17	30	55	76	96	149	144	168	135	106	46	38	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	184	–	1	–	–	1	1	2	1	4	1	9	11	19	25	26	22	28	16	14	2	1	–
	White ..... Male	85	–	–	–	–	–	1	1	–	2	–	6	2	8	19	16	8	11	6	4	1	–	–
	Female	79	–	1	–	–	–	–	1	1	1	1	3	5	8	5	5	12	16	10	8	1	1	–
	All other ..... Male	7	–	–	–	–	1	–	–	–	–	–	–	3	1	–	1	–	–	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	1	2	1	4	2	1	–	1	–	–	–
402	Hypertensive heart disease	93	–	–	–	–	–	–	1	1	–	–	1	2	7	9	11	18	15	10	9	6	3	–
	White ..... Male	27	–	–	–	–	–	–	–	1	–	–	–	–	1	4	3	6	5	2	1	4	–	–
	Female	40	–	–	–	–	–	–	1	–	–	–	–	1	3	3	3	7	6	5	7	2	2	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	3	1	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	3	3	1	–	1	–
404	Hypertensive heart and renal disease	45	–	–	–	–	–	–	–	–	–	–	–	–	2	7	1	6	9	12	6	2	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	3	4	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	6	9	2	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	12,607	2	–	1	–	–	2	7	27	89	139	319	489	881	1,166	1,621	1,836	2,016	1,774	1,312	687	238	1
	White ..... Male	6,057	–	–	1	–	–	1	3	18	66	91	215	308	566	714	888	940	879	697	412	199	59	–
	Female	4,625	–	–	–	–	–	–	1	5	10	22	39	74	155	254	464	617	834	851	743	425	131	–
	All other ..... Male	987	1	–	–	–	–	–	2	2	12	12	40	62	98	112	136	149	154	105	61	24	16	1
	Female	938	1	–	–	–	–	1	1	2	1	14	25	45	62	86	133	130	149	121	96	39	32	–
410	Acute myocardial infarction	7,361	2	–	–	–	–	1	2	20	70	103	221	362	648	809	1,120	1,136	1,146	869	552	234	66	–
	White ..... Male	4,078	–	–	–	–	–	1	1	14	56	70	165	245	450	532	667	641	550	389	196	81	20	–
	Female	2,472	–	–	–	–	–	–	1	4	6	19	31	62	107	189	320	376	476	400	306	139	36	–
	All other ..... Male	451	1	–	–	–	–	–	–	1	7	7	14	36	62	58	70	69	58	39	18	6	5	–
	Female	360	1	–	–	–	–	–	–	1	1	7	11	19	29	30	63	50	62	41	32	8	5	–
411	Other acute and subacute forms of ischemic heart disease	24	–	–	–	–	–	–	1	–	–	–	1	–	1	3	4	2	4	4	3	–	1	–
	White ..... Male	11	–	–	–	–	–	–	1	–	–	–	1	–	1	3	2	2	–	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	4	2	–	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,218	–	–	1	–	–	1	4	7	19	36	96	127	232	354	496	698	866	900	756	453	171	1
	White ..... Male	1,966	–	–	1	–	–	–	1	4	10	21	48	63	115	179	218	297	329	308	215	118	39	–
	Female	2,142	–	–	–	–	–	–	–	1	4	3	8	12	48	65	143	241	355	447	435	286	94	–
	All other ..... Male	534	–	–	–	–	–	–	2	1	5	5	26	26	36	54	65	80	95	66	43	18	11	1
	Female	576	–	–	–	–	–	1	1	1	–	7	14	26	33	56	70	80	87	79	63	31	27	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	110	2	–	1	–	–	–	–	1	–	1	–	4	10	9	7	8	12	18	18	17	2	–
	White ..... Male	38	1	–	–	–	–	–	–	–	–	–	–	2	7	5	4	3	3	8	2	2	1	–
	Female	62	1	–	1	–	–	–	–	1	–	–	–	1	1	4	3	4	8	9	14	14	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,015	22	3	5	4	7	7	8	14	17	24	32	48	75	90	99	112	138	130	94	59	27	–
	White ..... Male	431	10	–	1	2	4	4	3	4	7	10	14	30	37	51	58	47	58	45	24	17	5	–
	Female	366	6	2	2	1	–	1	2	4	3	6	8	6	20	22	23	37	58	61	56	33	15	–
	All other ..... Male	108	2	–	2	–	3	1	1	3	4	5	6	4	7	8	9	18	9	14	8	2	2	–
	Female	110	4	1	–	1	–	1	2	3	3	3	4	8	11	9	9	10	13	10	6	7	5	–
400, 401, 403	Hypertension	107	–	–	–	–	–	–	–	1	1	1	2	1	10	7	11	11	20	19	8	14	1	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	1	9	6	4	5	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	3	4	10	3	7	1	–
	All other ..... Male	19	–	–	–	–	–	–	–	1	–	–	–	–	1	1	4	5	3	2	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	–	3	2	1	2	4	1	–	1	–	–
430–438	Cerebrovascular diseases	4,265	5	–	3	4	4	2	10	10	25	39	51	92	160	235	398	593	708	808	658	339	121	–
	White ..... Male	1,468	1	–	2	2	4	1	5	5	6	14	19	27	66	94	149	238	262	262	200	84	27	–
	Female	2,005	–	–	1	–	–	–	2	2	8	10	14	31	56	66	122	226	325	448	397	228	69	–
	All other ..... Male	373	2	–	–	2	–	–	–	1	4	6	7	13	19	37	76	63	59	34	28	11	11	–
	Female	419	2	–	–	–	–	1	3	2	7	9	11	21	19	38	51	66	62	64	33	16	14	–
431	Cerebral hemorrhage	454	4	–	–	1	–	1	4	2	8	14	21	29	36	45	57	70	57	45	39	17	4	–
	White ..... Male	146	1	–	–	–	–	1	2	1	1	4	7	6	16	17	13	29	17	11	17	2	1	–
	Female	202	–	–	–	–	–	–	1	–	4	5	4	8	15	18	28	28	29	27	19	14	2	–
	All other ..... Male	49	1	–	–	1	–	–	–	1	2	2	4	4	5	2	11	6	5	2	2	–	1	–
	Female	57	2	–	–	–	–	–	1	–	1	3	6	11	–	8	5	7	6	5	1	1	–	–
433	Cerebral thrombosis	887	–	–	–	–	–	–	–	1	1	2	5	8	17	45	67	129	159	194	144	77	38	–
	White ..... Male	324	–	–	–	–	–	–	–	–	–	1	2	1	7	17	38	59	59	69	46	17	8	–
	Female	441	–	–	–	–	–	–	–	1	1	–	1	4	7	10	14	52	79	108	86	57	21	–
	All other ..... Male	61	–	–	–	–	–	–	–	–	–	–	–	1	1	12	11	10	10	9	3	1	3	–
	Female	61	–	–	–	–	–	–	–	–	–	1	2	2	2	6	4	8	11	8	9	2	6	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	3	1	3	1	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,908	1	–	3	3	4	1	6	7	16	23	25	55	104	143	273	392	489	568	472	244	79	–
	White ..... Male	990	–	–	2	2	4	–	3	4	5	9	10	20	41	58	97	149	185	181	137	65	18	–
	Female	1,356	–	–	1	–	–	–	1	1	3	5	9	19	34	38	80	145	216	313	289	156	46	–
	All other ..... Male	262	1	–	–	1	–	–	–	–	2	4	3	8	12	23	54	47	44	23	23	10	7	–
	Female	300	–	–	–	–	–	1	2	2	6	5	3	8	17	24	42	51	44	51	23	13	8	–
440	Arteriosclerosis	610	–	–	–	–	–	–	–	1	–	–	1	–	5	12	35	46	82	125	143	111	49	–
	White ..... Male	192	–	–	–	–	–	–	–	1	–	–	1	–	3	8	17	19	23	39	32	36	13	–
	Female	329	–	–	–	–	–	–	–	–	–	–	–	–	–	3	13	17	44	62	94	68	28	–
	All other ..... Male	31	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	2	4	8	3	3	3	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	11	16	14	4	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	488	2	–	–	–	2	2	4	–	4	5	10	19	27	32	63	62	87	82	51	25	11	–
	White ..... Male	242	1	–	–	–	–	–	1	–	2	3	5	9	17	19	42	38	43	34	18	9	1	–
	Female	172	–	–	–	–	–	1	–	–	1	–	1	8	4	9	15	13	31	38	31	12	8	–
	All other ..... Male	37	–	–	–	–	1	–	1	–	–	1	2	1	5	2	5	7	6	3	1	2	–	–
	Female	37	1	–	–	–	1	1	2	–	1	1	2	1	1	2	1	4	7	7	1	2	2	–
466	Acute bronchitis and bronchiolitis	17	–	–	–	–	1	–	–	–	–	–	3	–	1	–	1	3	5	1	–	2	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	5	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,171	37	7	2	3	6	14	6	1	6	10	27	27	47	63	83	112	163	210	197	112	38	–
	White ..... Male	508	18	–	–	2	1	5	1	–	2	5	13	14	21	32	44	55	72	80	89	41	13	–
	Female	502	11	5	1	1	2	4	4	–	2	2	5	11	16	16	21	35	69	115	98	62	22	–
	All other ..... Male	89	3	1	1	–	–	2	–	1	2	2	5	2	6	8	10	11	15	10	8	1	1	–
	Female	72	5	1	–	–	3	3	1	–	–	1	4	–	4	7	8	11	7	5	2	8	2	–
470–474	Influenza	67	–	–	–	–	–	1	–	–	–	1	–	2	3	3	2	5	5	17	15	10	3	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	7	–	4	2	–
	Female	40	–	–	–	–	–	1	–	–	–	1	–	1	1	2	1	3	1	9	15	4	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
480–486	Pneumonia	1,104	37	7	2	3	6	13	6	1	6	9	27	25	44	60	81	107	158	193	182	102	35	–
	White ..... Male	486	18	–	–	2	1	5	1	–	2	5	13	13	20	31	43	54	68	73	89	37	11	–
	Female	462	11	5	1	1	2	3	4	–	2	1	5	10	15	14	20	32	68	106	83	58	21	–
	All other ..... Male	87	3	1	1	–	–	2	–	1	2	2	5	2	6	8	10	10	15	9	8	1	1	–
	Female	69	5	1	–	–	3	3	1	–	–	1	4	–	3	7	8	11	7	5	2	6	2	–
490–493	Bronchitis, emphysema, and asthma	467	1	–	–	1	–	2	1	2	2	5	6	29	36	68	69	87	64	58	27	7	2	–
	White ..... Male	324	–	–	–	1	–	–	1	1	1	3	3	15	20	48	56	61	48	41	20	5	–	–
	Female	107	–	–	–	–	–	1	–	1	1	1	2	13	12	13	8	19	10	15	7	2	2	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	6	6	1	–	–	–	–
	Female	12	1	–	–	–	–	1	–	–	–	1	1	1	1	3	1	1	–	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee—Con.																							
490, 491	Chronic and unqualified bronchitis	89	1	–	–	–	–	–	–	1	–	1	1	8	2	11	8	17	7	18	11	2	1	–
	White ..... Male	54	–	–	–	–	–	–	–	1	–	–	–	3	1	7	7	10	5	11	8	1	–	–
	Female	29	–	–	–	–	–	–	–	–	–	1	1	5	1	3	1	5	2	5	3	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
492	Emphysema	347	–	–	–	–	–	–	–	–	2	3	5	19	30	52	60	64	53	37	16	5	1	–
	White ..... Male	258	–	–	–	–	–	–	–	–	1	3	3	12	18	39	48	48	42	28	12	4	–	–
	Female	67	–	–	–	–	–	–	–	–	1	–	1	6	9	9	7	12	7	9	4	1	1	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	4	4	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
493	Asthma	31	–	–	–	1	–	2	1	1	–	1	–	2	4	5	1	6	4	3	–	–	–	–
	White ..... Male	12	–	–	–	1	–	–	1	–	–	–	–	–	1	2	1	3	1	2	–	–	–	–
	Female	11	–	–	–	–	–	1	–	1	–	–	–	2	2	1	–	2	1	1	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	90	–	1	–	1	–	1	–	–	1	1	1	7	4	19	9	13	11	11	5	5	–	–
	White ..... Male	55	–	1	–	–	–	–	–	–	1	1	1	5	4	15	5	7	7	6	1	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	4	3	5	3	4	–	–
	All other ..... Male	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
540–543	Appendicitis	17	–	–	1	1	1	1	–	–	–	–	–	–	1	1	3	5	3	–	–	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–	–
	Female	4	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other ..... Male	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	104	5	1	–	–	–	2	1	1	3	2	2	3	3	9	7	15	11	23	13	3	–	–
	White ..... Male	34	1	1	–	–	–	1	–	–	1	–	1	–	–	4	5	3	4	11	2	–	–	–
	Female	49	2	–	–	–	–	1	1	1	2	1	1	1	1	1	2	8	5	10	10	2	–	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–
	Female	15	1	–	–	–	–	–	–	–	–	1	–	1	2	3	–	3	1	2	–	1	–	–
571	Cirrhosis of liver	401	–	–	–	–	–	1	7	6	22	31	40	52	60	64	42	41	21	10	2	1	1	–
	White ..... Male	239	–	–	–	–	–	–	3	3	16	21	24	23	40	41	25	26	12	3	1	1	–	–
	Female	97	–	–	–	–	–	–	1	1	1	5	7	18	9	15	12	11	9	7	–	–	1	–
	All other ..... Male	40	–	–	–	–	–	–	2	2	2	2	6	8	9	3	4	2	–	–	–	–	–	–
	Female	25	–	–	–	–	–	1	1	–	3	3	3	3	2	5	1	2	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	76	–	–	–	–	–	–	–	–	–	–	1	3	3	7	4	12	11	12	13	8	2	–
	White ..... Male	38	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	9	5	5	6	4	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	5	7	7	4	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	227	–	2	1	–	2	–	2	3	4	4	8	11	14	23	28	34	30	30	21	5	5	–
	White ..... Male	71	–	–	–	–	–	–	1	1	–	2	2	3	4	9	8	8	9	13	9	1	1	–
	Female	61	–	1	1	–	2	–	1	–	3	–	3	2	1	4	6	9	8	7	9	2	2	–
	All other ..... Male	48	–	1	–	–	–	–	–	1	1	1	2	3	5	4	8	9	6	3	2	1	1	–
	Female	47	–	–	–	–	–	–	–	1	–	1	1	3	4	6	6	8	7	7	1	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	43	–	1	–	–	–	–	–	1	2	–	1	2	1	4	4	8	10	4	4	1	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	4	2	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	2	–	1	1	–	2	–	2	2	1	2	–	–	–
	All other ..... Male	8	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	184	–	1	1	–	2	–	2	2	2	4	7	9	13	19	24	26	20	26	17	4	5	–
	White ..... Male	54	–	–	–	–	–	–	1	1	–	2	2	2	3	8	6	5	5	11	7	–	1	–
	Female	48	–	1	1	–	2	–	1	–	1	–	2	1	1	2	6	7	6	6	7	2	2	–
	All other ..... Male	40	–	–	–	–	–	–	–	–	1	1	2	3	5	3	6	8	4	3	2	1	1	–
	Female	42	–	–	–	–	–	–	–	1	–	1	1	3	4	6	6	6	5	6	1	1	1	–
590	Infections of kidney	101	–	–	–	–	–	–	1	–	1	1	–	–	5	2	12	10	18	23	20	7	1	–
	White ..... Male	44	–	–	–	–	–	–	–	–	–	1	–	–	4	–	3	6	7	10	9	4	–	–
	Female	36	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	3	7	9	8	3	–	–
	All other ..... Male	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	2	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	2	4	1	–	–	–
600	Hyperplasia of prostate	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	2	4	2	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	1	1	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	2	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Tennessee—Con.																							
640-645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	257	172	18	7	3	11	6	–	4	4	–	2	7	7	2	7	3	3	1	–	–	–	–
	White ... Male	120	73	7	2	–	10	4	–	1	3	–	1	4	5	1	6	2	–	1	–	–	–	–
	Female	86	60	6	3	2	1	1	–	2	1	–	1	3	1	1	1	1	2	–	–	–	–	–
	All other ... Male	23	19	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	28	20	5	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	462	462	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	170	170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	238	238	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	224	224	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	919	103	4	–	–	2	4	3	11	8	18	19	34	60	88	109	127	117	79	74	33	26	–
	White ... Male	442	40	1	–	–	1	1	1	5	4	10	12	21	34	60	62	56	59	31	24	14	6	–
	Female	299	31	1	–	–	1	2	2	1	2	3	6	9	20	15	25	43	38	36	35	16	13	–
	All other ... Male	97	19	2	–	–	–	–	–	4	2	3	1	3	5	5	13	16	10	6	4	1	3	–
	Female	81	13	–	–	–	–	1	–	1	–	2	–	1	1	8	9	12	10	6	11	2	4	–
Residual	All other diseases	2,722	30	15	12	18	31	30	36	34	62	48	95	150	200	252	339	376	347	320	213	87	27	–
	White ... Male	1,302	14	6	8	6	11	11	16	13	19	20	45	71	104	118	196	211	168	153	85	21	6	–
	Female	940	7	5	4	5	9	12	8	10	19	17	26	46	51	81	84	114	132	136	105	56	13	–
	All other ... Male	264	7	4	–	4	4	5	8	7	11	6	12	17	26	34	32	34	21	17	9	4	2	–
	Female	216	2	–	–	3	7	2	4	4	13	5	12	16	19	19	27	17	26	14	14	6	6	–
E800-E949	Accidents	2,487	46	75	54	70	295	350	199	150	116	116	114	120	123	118	119	104	111	87	70	37	12	1
	White ... Male	1,531	21	31	23	42	206	248	136	110	82	79	76	70	75	69	68	54	52	40	30	14	4	1
	Female	586	12	24	17	13	55	60	29	17	18	25	24	30	25	32	36	28	44	36	34	22	5	–
	All other ... Male	271	8	9	11	11	24	34	27	19	14	11	11	17	16	14	11	13	9	6	4	–	2	–
	Female	99	5	11	3	4	10	8	7	4	2	1	3	3	7	3	4	9	6	5	2	1	1	–
E810-E823	Motor vehicle accidents	1,289	6	23	34	31	214	247	137	83	67	72	60	63	54	54	53	33	29	19	5	3	1	1
	White ... Male	837	4	7	15	19	151	174	94	62	47	47	38	40	27	35	24	20	17	9	3	3	–	1
	Female	278	2	8	7	8	45	43	22	7	12	17	12	16	18	12	19	10	10	7	2	–	1	–
	All other ... Male	132	–	2	9	2	13	23	15	13	6	8	7	7	6	6	8	3	1	3	–	–	–	–
	Female	42	–	6	3	2	5	7	6	1	2	–	3	–	3	1	2	–	1	–	–	–	–	–
E800-E807, E825-E949	All other accidents	1,198	40	52	20	39	81	103	62	67	49	44	54	57	69	64	66	71	82	68	65	34	11	–
	White ... Male	694	17	24	8	23	55	74	42	48	35	32	38	30	48	34	44	34	35	31	27	11	4	–
	Female	308	10	16	10	5	10	17	7	10	6	8	12	14	7	20	17	18	34	29	32	22	4	–
	All other ... Male	139	8	7	2	9	11	11	12	6	8	3	4	10	10	8	3	10	8	3	4	–	2	–
	Female	57	5	5	–	2	5	1	1	3	–	1	–	3	4	2	2	9	5	5	2	1	1	–
E950-E959	Suicide	544	...	...	–	4	31	50	49	42	47	38	28	52	50	49	30	35	23	9	7	–	–	–
	White ... Male	386	...	...	–	2	20	39	30	29	36	21	16	35	31	38	23	33	19	8	6	–	–	–
	Female	132	...	...	–	2	10	10	11	10	10	13	11	15	19	7	6	2	4	1	1	–	–	–
	All other ... Male	22	...	...	–	–	1	–	7	3	1	3	1	2	–	3	1	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
E960-E978	Homicide	454	1	4	1	2	27	74	81	64	41	36	25	32	21	15	17	6	3	2	2	–	–	–
	White ... Male	193	1	1	1	1	11	20	35	22	18	20	10	18	16	7	7	3	1	1	–	–	–	–
	Female	48	–	–	–	1	1	6	7	10	5	4	3	2	1	–	3	1	2	–	2	–	–	–
	All other ... Male	179	–	1	–	–	11	42	29	28	16	11	11	12	3	7	6	1	–	1	–	–	–	–
	Female	34	–	2	–	–	4	6	10	4	2	1	1	–	1	1	1	1	–	–	–	–	–	–
E980-E999	Other external causes	74	1	1	–	2	7	15	13	7	4	6	4	5	5	1	1	–	–	1	–	1	–	–
	White ... Male	40	1	–	–	1	5	11	6	4	3	2	2	1	3	1	–	–	–	–	–	–	–	–
	Female	22	–	1	–	1	1	3	5	1	1	2	2	3	–	–	1	–	–	1	–	–	–	–
	All other ... Male	10	–	–	–	–	1	–	1	2	–	2	–	1	2	–	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas																							
	All causes	103,845	3,380	621	422	481	1,492	2,025	1,688	1,506	1,628	2,111	3,235	4,966	6,653	8,468	11,168	12,799	13,209	12,342	9,194	4,724	1,700	38
	White ..... Male	49,883	1,479	279	212	260	955	1,254	984	850	838	1,097	1,640	2,707	3,596	4,798	6,043	6,628	6,205	5,044	3,169	1,383	435	27
	Female	39,255	1,089	188	129	137	324	372	343	349	418	570	924	1,436	1,945	2,450	3,455	4,406	5,316	6,089	5,256	2,980	1,074	5
	All other ..... Male	8,484	465	93	48	55	144	294	273	209	248	282	428	526	698	724	986	973	838	649	336	134	80	1
	Female	6,223	347	61	33	29	69	105	88	98	124	162	243	297	414	496	684	792	850	560	433	227	111	–
004, 006	Bacillary dysentery and amebiasis	8	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–
	White ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	169	79	9	1	–	2	1	–	2	–	1	–	1	1	7	12	6	8	18	9	7	5	–
	White ..... Male	66	33	6	1	–	1	1	–	–	–	–	–	–	–	1	4	2	4	6	3	3	1	–
	Female	66	20	2	–	–	1	–	–	1	–	–	–	1	1	4	7	4	3	9	5	4	4	–
	All other ..... Male	22	16	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	–	–	–
	Female	15	10	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	1	–	–	–
010–019	Tuberculosis, all forms	163	1	–	1	–	1	–	2	3	6	6	2	14	16	9	24	22	22	16	12	4	2	–
	White ..... Male	88	–	–	–	–	–	–	–	–	2	1	–	9	11	8	13	13	15	5	11	–	–	–
	Female	48	–	–	1	–	1	–	2	2	2	3	1	2	4	–	6	7	5	8	1	1	2	–
	All other ..... Male	22	1	–	–	–	–	–	–	1	1	2	1	2	1	–	5	1	2	3	–	2	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	1	–	–
010–012	Tuberculosis of respiratory system	131	1	–	–	–	–	–	1	1	6	5	1	12	13	7	16	16	21	14	11	4	2	–
	White ..... Male	76	–	–	–	–	–	–	–	–	2	1	–	8	9	7	9	10	15	5	10	–	–	–
	Female	36	–	–	–	–	–	–	1	1	2	2	1	1	3	–	5	5	4	7	1	1	2	–
	All other ..... Male	16	1	–	–	–	–	–	–	–	1	2	–	2	1	–	2	1	2	2	–	2	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
013–019	Tuberculosis, other forms	32	–	–	1	–	1	–	1	2	–	1	1	2	3	2	8	6	1	2	1	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	3	–	–	1	–	–	–
	Female	12	–	–	1	–	1	–	1	1	–	1	–	1	1	–	1	2	1	1	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	36	7	12	2	3	3	3	–	–	–	–	2	–	1	–	–	–	2	1	–	–	–	–
	White ..... Male	20	4	7	1	1	3	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
	Female	9	2	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	All other ..... Male	4	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	540	95	2	–	1	2	3	4	7	4	12	13	31	33	39	41	64	50	70	42	23	4	–
	White ..... Male	247	52	1	–	–	1	2	2	2	2	8	7	9	14	17	20	31	17	35	18	9	–	–
	Female	203	29	–	–	1	–	–	2	2	–	3	3	10	15	17	11	24	23	28	19	12	4	–
	All other ..... Male	58	10	1	–	–	1	–	–	2	2	–	3	6	4	3	6	3	6	7	3	1	–	–
	Female	32	4	–	–	–	–	1	–	1	–	1	–	6	–	2	4	6	4	–	2	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	13	3	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	2	1	–	–	–
	White ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	297	22	10	5	4	9	8	10	10	10	8	21	19	20	24	22	30	28	13	18	5	1	–
	White ..... Male	130	6	2	2	2	3	4	3	3	2	3	10	12	8	16	13	14	15	5	7	–	–	–
	Female	120	14	5	2	1	6	1	5	4	6	3	7	5	7	5	8	9	10	8	10	3	1	–
	All other ..... Male	24	1	–	–	–	–	1	1	1	1	1	3	1	3	–	1	5	2	–	1	2	–	–
	Female	23	1	3	1	1	–	2	1	2	1	1	1	1	2	3	–	2	1	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,826	10	35	53	49	73	81	111	165	259	470	885	1,462	2,043	2,472	3,110	3,027	2,421	1,769	951	317	63	-
	White ..... Male	9,597	6	19	22	21	39	40	53	62	105	170	364	656	928	1,287	1,641	1,591	1,225	840	380	126	22	-
	Female	7,606	2	12	22	19	22	25	40	80	113	209	367	589	790	865	1,058	1,043	924	750	482	162	32	-
	All other ..... Male	1,610	2	1	6	5	6	11	6	11	15	50	85	131	209	218	264	261	143	115	49	16	6	-
	Female	1,013	-	3	3	4	6	5	12	12	26	41	69	86	116	102	147	132	129	64	40	13	3	-
140-149	Of buccal cavity and pharynx	402	-	-	-	-	-	2	1	1	4	12	19	35	55	55	70	58	36	31	14	9	-	-
	White ..... Male	222	-	-	-	-	-	1	-	1	-	6	11	19	25	39	38	31	19	22	7	3	-	-
	Female	118	-	-	-	-	-	-	-	-	2	2	2	10	20	9	22	18	13	8	6	6	-	-
	All other ..... Male	48	-	-	-	-	-	-	-	-	2	2	4	4	6	7	10	7	4	1	1	-	-	-
	Female	14	-	-	-	-	-	1	1	-	-	2	2	2	4	-	-	2	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	4,820	1	1	2	1	3	2	15	25	41	79	162	310	425	558	759	767	672	552	327	98	20	-
	White ..... Male	2,116	1	1	-	1	-	-	3	10	22	28	62	152	188	283	367	350	288	212	111	31	6	-
	Female	2,031	-	-	-	-	2	1	6	10	16	28	68	109	160	194	280	309	311	289	182	57	9	-
	All other ..... Male	389	-	-	-	-	-	-	4	3	1	18	21	32	45	52	67	66	33	27	13	4	3	-
	Female	284	-	-	2	-	1	1	2	2	2	5	11	17	32	29	45	42	40	24	21	6	2	-
160-163	Of respiratory system	5,472	-	-	-	-	2	1	4	7	36	114	270	469	741	881	1,043	872	549	326	123	31	3	-
	White ..... Male	3,623	-	-	-	-	1	1	1	3	22	67	161	277	436	587	743	624	392	219	73	16	-	-
	Female	1,155	-	-	-	-	-	-	2	3	7	25	62	109	179	189	185	155	108	79	36	14	2	-
	All other ..... Male	577	-	-	-	-	1	-	-	1	5	15	40	68	108	89	96	81	36	25	10	1	1	-
	Female	117	-	-	-	-	-	-	1	-	2	7	7	15	18	16	19	12	13	3	4	-	-	-
174	Of breast	1,526	1	-	-	-	-	3	7	29	50	79	132	198	176	170	192	167	132	92	67	29	2	-
	White ..... Male	14	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	2	2	-	-	-	-
	Female	1,352	-	-	-	-	-	3	5	26	42	68	110	179	160	150	175	146	115	81	64	26	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Female	158	-	-	-	-	-	-	2	3	8	11	21	18	15	20	15	17	14	8	3	3	-	-
180-187	Of genital organs	2,198	-	-	-	-	3	12	16	20	16	39	71	96	145	219	311	391	355	277	158	51	18	-
	White ..... Male	939	-	-	-	-	2	7	6	3	1	1	5	15	24	70	131	180	190	171	89	33	11	-
	Female	860	-	-	-	-	1	3	8	14	10	31	50	58	96	112	120	128	103	62	48	11	5	-
	All other ..... Male	214	-	-	-	-	-	2	-	-	-	-	1	5	7	19	31	51	36	35	18	7	2	-
	Female	185	-	-	-	-	-	-	2	3	5	7	15	18	18	18	29	32	26	9	3	-	-	-
188, 189	Of urinary organs	815	-	3	-	1	-	1	1	1	8	10	25	51	58	91	120	155	131	88	43	25	3	-
	White ..... Male	482	-	1	-	-	-	-	1	-	4	4	18	31	36	55	67	100	83	53	19	10	-	-
	Female	239	-	2	-	-	-	-	-	1	1	2	3	13	15	24	36	37	40	28	20	14	3	-
	All other ..... Male	60	-	-	-	-	-	1	-	-	1	2	3	4	1	11	13	12	4	5	2	1	-	-
	Female	34	-	-	-	1	-	-	-	-	2	2	1	3	6	1	4	6	4	2	2	-	-	-
170-173, 190-199	Of all other and unspecified sites	2,648	4	12	22	18	24	24	30	40	72	81	132	187	293	324	365	338	302	217	109	46	8	-
	White ..... Male	1,258	1	7	11	8	12	15	17	22	38	41	66	95	149	167	168	160	138	86	38	17	2	-
	Female	1,062	2	3	7	8	8	6	9	11	25	33	48	71	97	116	143	140	131	110	65	24	5	-
	All other ..... Male	194	1	1	4	1	1	3	2	7	3	4	7	12	33	29	32	25	14	11	2	2	-	-
	Female	134	-	1	-	1	3	-	2	-	6	3	11	9	14	12	22	13	19	10	4	3	1	-
204-207	Leukemia	813	4	18	24	18	26	23	19	20	13	27	32	41	48	65	88	89	110	77	51	15	5	-
	White ..... Male	419	3	9	9	8	16	10	12	7	7	9	18	24	27	35	49	50	53	40	21	11	1	-
	Female	319	-	7	13	7	8	8	6	10	5	12	8	13	15	24	34	31	49	33	28	4	4	-
	All other ..... Male	47	1	-	1	2	1	4	-	-	-	3	6	3	4	4	3	5	5	3	2	-	-	-
	Female	28	-	2	1	1	1	1	1	3	1	3	-	1	2	2	2	3	3	1	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,132	-	1	5	11	15	13	18	22	19	29	42	75	102	109	162	190	134	109	59	13	4	-
	White ..... Male	524	-	1	2	4	8	6	13	16	11	14	22	42	42	51	76	92	60	35	22	5	2	-
	Female	470	-	-	2	4	3	4	4	5	5	8	16	27	48	47	63	79	54	60	33	6	2	-
	All other ..... Male	79	-	-	1	2	3	1	-	-	3	6	3	3	5	7	12	14	10	7	1	1	-	-
	Female	59	-	-	-	1	1	2	1	1	-	1	1	3	7	4	11	5	10	7	3	1	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	223	5	1	1	-	5	8	3	3	8	7	11	7	17	11	32	31	28	21	15	9	-	-
	White ..... Male	83	3	1	-	-	3	4	1	-	4	2	3	4	6	4	13	14	9	6	2	4	-	-
	Female	103	-	-	1	-	2	4	1	1	3	4	3	3	6	5	14	13	14	14	12	3	-	-
	All other ..... Male	18	-	-	-	-	-	-	1	-	1	1	3	-	2	1	3	1	5	-	-	-	-	-
	Female	19	2	-	-	-	-	-	-	2	-	-	2	-	3	1	2	3	-	1	1	2	-	-
250	Diabetes mellitus	1,663	1	1	-	2	3	13	14	18	21	25	53	68	121	170	229	268	251	232	133	32	8	-
	White ..... Male	528	-	-	-	-	1	5	8	6	5	9	25	30	40	54	75	85	72	69	38	5	1	-
	Female	829	-	-	-	2	1	4	3	8	8	13	16	19	49	91	105	130	133	141	78	23	5	-
	All other ..... Male	106	1	-	-	-	-	1	3	3	6	3	6	8	10	10	16	13	15	4	6	1	-	-
	Female	200	-	1	-	-	1	3	-	1	2	-	6	11	22	15	33	40	31	18	11	3	2	-
260-269	Avitaminoses and other nutritional deficiencies	158	7	-	-	-	1	-	2	-	-	-	-	2	7	11	13	11	21	29	27	20	7	-
	White ..... Male	46	2	-	-	-	-	-	-	-	-	-	-	-	4	2	6	5	5	11	5	6	-	-
	Female	89	1	-	-	-	-	-	1	-	-	-	-	2	2	5	5	5	14	16	17	14	7	-
	All other ..... Male	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-
	Female	14	2	-	-	-	-	-	1	-	-	-	-	-	1	4	1	-	1	2	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas—Con.																							
280-285	Anemias	223	2	7	3	5	3	6	4	8	2	3	3	6	8	16	13	19	32	40	27	11	5	-
	White ..... Male	62	-	1	-	-	-	-	1	2	1	-	-	1	3	6	4	7	9	12	10	1	4	-
	Female	107	-	-	2	3	-	1	-	2	-	-	1	4	4	8	5	10	17	25	15	10	-	-
	All other ..... Male	21	1	4	1	-	2	-	-	3	1	2	1	1	-	-	-	1	2	1	1	-	-	-
	Female	33	1	2	-	2	1	5	3	1	-	1	1	-	1	2	4	1	4	2	1	-	1	-
320	Meningitis	125	57	16	4	5	1	2	3	-	1	2	3	4	5	8	5	3	3	2	-	1	-	-
	White ..... Male	50	23	7	1	1	1	2	1	-	1	1	-	3	2	5	-	1	1	-	-	-	-	-
	Female	40	16	5	-	1	-	-	2	-	-	1	2	-	2	1	5	1	2	1	-	1	-	-
	All other ..... Male	22	12	2	-	3	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-
	Female	13	6	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
390-448	Major cardiovascular diseases	48,265	77	34	21	28	45	75	92	154	315	589	1,070	1,836	2,669	3,689	5,132	6,595	7,520	7,600	6,172	3,318	1,230	4
	White ..... Male	22,006	37	13	6	14	21	34	35	79	159	338	611	1,138	1,597	2,248	2,818	3,365	3,386	2,902	2,007	892	309	3
	Female	19,886	27	10	9	13	10	23	29	36	69	88	209	366	608	860	1,498	2,300	3,132	3,968	3,656	2,180	795	-
	All other ..... Male	3,281	8	6	2	-	8	11	17	27	50	107	159	213	289	320	446	464	463	355	207	79	49	1
	Female	3,092	5	5	4	1	6	7	11	12	37	56	91	119	175	261	370	466	539	375	302	167	83	-
390-398, 402, 404, 410-429	Diseases of heart	34,907	66	22	11	19	32	51	63	115	254	474	900	1,500	2,230	3,020	4,039	4,971	5,316	5,045	3,928	2,069	779	3
	White ..... Male	17,047	30	7	2	9	15	23	23	62	145	282	548	999	1,408	1,930	2,311	2,636	2,498	2,017	1,311	593	196	2
	Female	13,390	24	7	6	9	7	13	21	20	45	66	156	251	477	654	1,133	1,679	2,170	2,556	2,297	1,313	486	-
	All other ..... Male	2,389	8	3	1	-	6	10	14	24	39	86	128	169	220	247	333	332	301	239	130	60	38	1
	Female	2,081	4	5	2	1	4	5	5	9	25	40	68	81	125	189	262	324	347	233	190	103	59	-
390-398	Active rheumatic fever and chronic rheumatic heart disease	498	-	2	1	-	5	4	7	11	7	19	27	32	48	52	71	73	63	35	27	11	3	-
	White ..... Male	206	-	1	-	-	2	3	1	5	2	9	10	16	24	27	36	26	23	9	10	2	-	-
	Female	225	-	1	1	-	1	-	3	5	5	5	10	11	18	22	23	39	35	22	15	6	3	-
	All other ..... Male	33	-	-	-	-	1	-	1	-	-	5	-	4	3	2	8	4	1	3	1	-	-	-
	Female	34	-	-	-	-	1	1	2	1	-	-	7	1	3	1	4	4	4	1	1	3	-	-
402	Hypertensive heart disease	361	-	-	-	-	-	-	1	1	1	8	8	13	14	34	37	47	64	54	41	29	9	-
	White ..... Male	98	-	-	-	-	-	-	1	-	-	-	2	8	2	10	14	18	18	14	7	2	2	-
	Female	168	-	-	-	-	-	-	-	-	1	3	4	4	6	10	14	16	29	29	28	19	5	-
	All other ..... Male	48	-	-	-	-	-	-	-	1	-	4	-	1	6	3	5	10	7	7	1	3	-	-
	Female	47	-	-	-	-	-	-	-	-	-	1	2	-	-	11	4	3	10	4	5	5	2	-
404	Hypertensive heart and renal disease	139	1	-	-	-	-	-	2	-	-	-	-	1	7	4	10	12	24	27	27	18	6	-
	White ..... Male	40	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	7	8	6	7	-	-
	Female	69	-	-	-	-	-	-	1	-	-	-	-	-	4	1	4	4	10	13	19	8	5	-
	All other ..... Male	15	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	6	1	-	2	1	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	5	2	1	-	-
410-413	Ischemic heart disease	28,039	1	-	1	2	1	8	20	56	161	341	689	1,161	1,743	2,408	3,271	4,078	4,370	4,184	3,229	1,689	624	2
	White ..... Male	13,895	-	-	-	2	-	3	9	32	104	224	445	795	1,135	1,585	1,889	2,183	2,080	1,676	1,088	489	154	2
	Female	10,814	1	-	1	-	-	1	3	3	25	32	99	177	355	508	920	1,387	1,790	2,141	1,899	1,074	398	-
	All other ..... Male	1,781	-	-	-	-	-	3	5	16	22	61	101	126	161	181	254	258	227	188	102	47	29	-
	Female	1,549	-	-	-	-	1	1	3	5	10	24	44	63	92	134	208	250	273	179	140	79	43	-
410	Acute myocardial infarction	14,056	1	-	1	2	-	5	9	37	102	204	400	654	1,004	1,396	1,912	2,292	2,173	1,858	1,287	535	182	2
	White ..... Male	7,793	-	-	-	2	-	2	4	24	75	158	280	489	714	965	1,180	1,303	1,111	792	468	169	55	2
	Female	5,039	1	-	1	-	-	1	1	2	16	18	67	98	213	310	536	787	891	916	744	328	109	-
	All other ..... Male	676	-	-	-	-	-	2	3	9	8	20	38	39	46	72	100	103	82	86	39	18	11	-
	Female	548	-	-	-	-	-	-	1	2	3	8	15	28	31	49	96	99	89	64	36	20	7	-
411	Other acute and subacute forms of ischemic heart disease	118	-	-	-	-	-	-	-	-	-	2	3	7	6	9	13	17	21	18	11	8	3	-
	White ..... Male	58	-	-	-	-	-	-	-	-	-	2	2	6	3	7	9	8	10	7	2	2	-	-
	Female	48	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	8	9	9	6	6	3	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	3	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
412	Chronic ischemic heart disease	13,857	-	-	-	-	1	3	11	19	59	135	286	500	730	1,003	1,346	1,768	2,173	2,307	1,931	1,146	439	-
	White ..... Male	6,040	-	-	-	-	-	1	5	8	29	64	163	300	416	613	700	872	958	876	618	318	99	-
	Female	5,725	-	-	-	-	-	-	2	1	9	14	32	78	139	197	382	591	889	1,216	1,149	740	286	-
	All other ..... Male	1,096	-	-	-	-	-	1	2	7	14	41	62	87	115	108	153	154	145	100	60	29	18	-
	Female	996	-	-	-	-	1	1	2	3	7	16	29	35	60	85	111	151	181	115	104	59	36	-
413	Angina pectoris	8	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	3	1	-	-	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	230	1	1	-	-	-	2	1	4	5	2	5	9	8	11	24	25	32	32	31	22	15	-
	White ..... Male	81	1	-	-	-	-	-	-	1	3	1	2	4	2	7	11	9	12	9	8	8	3	-
	Female	118	-	1	-	-	-	2	1	1	1	1	1	3	6	2	8	13	17	21	21	12	7	-
	All other ..... Male	17	-	-	-	-	-	-	-	2	1	-	2	2	-	2	4	1	1	-	-	1	1	-
	Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	1	4	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	5,640	63	19	9	17	26	37	32	43	80	104	171	284	410	511	626	736	763	713	573	300	122	1
	White ..... Male	2,727	28	6	2	7	13	17	12	24	36	48	89	175	244	300	358	395	358	301	192	85	37	–
	Female	1,996	23	5	4	9	6	10	13	11	13	25	42	56	88	111	164	220	289	330	315	194	68	–
	All other ..... Male	495	8	3	1	–	5	7	7	5	16	16	25	36	50	58	61	57	59	40	26	7	7	1
	Female	422	4	5	2	1	2	3	–	3	15	15	15	17	28	42	43	64	57	42	40	14	10	–
400, 401, 403	Hypertension	270	–	–	–	–	–	1	–	1	2	3	6	13	13	16	29	24	35	47	51	23	6	–
	White ..... Male	96	–	–	–	–	–	–	–	–	–	1	2	6	4	6	12	11	11	22	12	7	2	–
	Female	117	–	–	–	–	–	1	–	–	–	–	2	4	3	6	9	4	17	18	33	16	4	–
	All other ..... Male	27	–	–	–	–	–	–	–	–	1	1	2	3	3	2	1	5	2	4	3	–	–	–
	Female	30	–	–	–	–	–	–	–	1	1	1	–	–	3	2	7	4	5	3	3	–	–	–
430–438	Cerebrovascular diseases	10,165	5	11	9	8	10	18	23	32	47	103	143	262	326	505	851	1,234	1,722	1,978	1,692	897	288	1
	White ..... Male	3,598	4	5	4	5	4	7	9	13	11	51	53	96	128	215	376	520	677	633	515	203	68	1
	Female	5,036	1	3	2	3	2	9	8	14	21	20	42	96	104	166	285	493	763	1,135	1,038	633	198	–
	All other ..... Male	734	–	3	1	–	2	1	2	3	7	17	28	38	57	65	100	105	136	93	57	13	6	–
	Female	797	–	–	2	–	2	1	4	2	8	15	20	32	37	59	90	116	146	117	82	48	16	–
431	Cerebral hemorrhage	1,152	5	1	–	1	3	5	7	11	16	30	52	77	71	92	140	143	175	163	106	45	9	–
	White ..... Male	452	4	1	–	1	2	2	2	4	4	12	18	26	31	39	66	60	72	55	34	15	4	–
	Female	509	1	–	–	–	–	2	2	6	6	5	14	29	27	35	46	64	84	94	63	27	4	–
	All other ..... Male	92	–	–	–	–	–	1	2	–	4	7	10	12	6	10	12	8	9	7	3	–	1	–
	Female	99	–	–	–	–	1	–	1	1	2	6	10	10	7	8	16	11	10	7	6	3	–	–
433	Cerebral thrombosis	1,589	–	–	1	–	–	2	1	–	5	7	13	30	38	68	128	211	254	352	287	146	46	–
	White ..... Male	554	–	–	1	–	–	–	1	–	1	4	7	15	13	27	63	95	101	99	90	26	11	–
	Female	819	–	–	–	–	–	2	–	–	1	2	3	8	10	21	41	85	111	216	172	113	34	–
	All other ..... Male	99	–	–	–	–	–	–	–	–	1	1	2	5	10	13	10	13	22	11	7	3	1	–
	Female	117	–	–	–	–	–	–	–	–	2	–	1	2	5	7	14	18	20	26	18	4	–	–
434	Cerebral embolism	24	–	–	–	–	–	1	–	–	–	1	1	1	–	2	4	1	5	2	4	1	1	–
	White ..... Male	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	3	–	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	1	3	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,400	–	10	8	7	7	10	15	21	26	65	77	154	217	343	579	879	1,288	1,461	1,295	705	232	1
	White ..... Male	2,584	–	4	3	4	2	4	6	9	6	35	28	55	84	149	245	364	501	479	390	162	53	1
	Female	3,696	–	3	2	3	2	5	6	8	14	13	24	59	67	109	196	344	566	824	800	492	159	–
	All other ..... Male	541	–	3	1	–	2	–	–	3	2	8	16	21	41	42	78	84	105	74	47	10	4	–
	Female	579	–	–	2	–	1	1	3	1	4	9	9	19	25	43	60	87	116	84	58	41	16	–
440	Arteriosclerosis	1,632	1	–	–	–	–	–	–	–	–	2	3	9	18	41	56	151	246	348	352	270	135	–
	White ..... Male	568	1	–	–	–	–	–	–	–	–	1	2	5	5	21	21	69	91	137	109	75	31	–
	Female	899	–	–	–	–	–	–	–	–	–	–	1	2	5	15	25	59	116	189	215	179	93	–
	All other ..... Male	65	–	–	–	–	–	–	–	–	–	1	–	1	4	2	4	11	12	11	10	4	5	–
	Female	100	–	–	–	–	–	–	–	–	–	–	–	1	4	3	6	12	27	11	18	12	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,291	5	1	1	1	3	5	6	6	12	7	18	52	82	107	157	215	201	182	149	59	22	–
	White ..... Male	697	2	1	–	–	2	4	3	4	3	3	6	32	52	76	98	129	109	93	60	14	6	–
	Female	444	2	–	1	1	1	–	–	2	3	2	8	13	19	19	46	65	66	70	73	39	14	–
	All other ..... Male	66	–	–	–	–	–	–	1	–	3	2	1	2	5	4	8	11	12	8	7	2	–	–
	Female	84	1	–	–	–	–	1	2	–	3	–	3	5	6	8	5	10	14	11	9	4	2	–
466	Acute bronchitis and bronchiolitis	43	3	3	–	1	–	1	1	1	1	–	3	3	1	1	7	1	4	6	5	1	–	–
	White ..... Male	21	1	2	–	–	–	1	–	1	1	–	–	2	1	–	4	1	3	3	1	–	–	–
	Female	16	1	–	–	1	–	–	–	–	–	–	2	–	–	1	3	–	1	3	3	1	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
470–474, 480–486	Influenza and pneumonia	3,254	133	35	9	16	21	16	26	21	31	37	45	83	116	143	226	332	471	573	483	302	135	–
	White ..... Male	1,502	58	15	2	6	11	5	11	5	9	14	21	44	58	78	127	172	244	274	202	101	45	–
	Female	1,340	41	10	2	7	4	4	7	4	14	13	17	19	38	37	68	102	183	250	254	191	75	–
	All other ..... Male	259	20	8	2	2	2	6	8	5	6	8	5	12	13	20	19	37	28	31	14	5	8	–
	Female	153	14	2	3	1	4	1	–	7	2	2	2	8	7	8	12	21	16	18	13	5	7	–
470–474	Influenza	213	1	4	–	–	–	2	1	2	3	3	3	4	10	5	16	19	29	47	36	20	8	–
	White ..... Male	92	–	2	–	–	–	–	–	–	1	1	2	2	5	1	11	12	14	22	9	8	2	–
	Female	109	–	1	–	–	–	2	1	–	2	1	1	1	4	4	4	6	13	25	27	11	6	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	Female	8	1	1	–	–	–	–	–	2	–	1	–	1	1	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	3,041	132	31	9	16	21	14	25	19	28	34	42	79	106	138	210	313	442	526	447	282	127	–
	White ..... Male	1,410	58	13	2	6	11	5	11	5	8	13	19	42	53	77	116	160	230	252	193	93	43	–
	Female	1,231	41	9	2	7	4	2	6	4	12	12	16	18	34	33	64	96	170	225	227	180	69	–
	All other ..... Male	255	20	8	2	2	2	6	8	5	6	8	5	12	13	20	19	36	26	31	14	4	8	–
	Female	145	13	1	3	1	4	1	–	5	2	1	2	7	6	8	11	21	16	18	13	5	7	–
490–493	Bronchitis, emphysema, and asthma	1,256	6	5	1	2	5	5	2	–	3	11	25	42	69	146	234	242	214	161	51	26	6	–
	White ..... Male	829	5	2	–	2	2	3	–	–	–	4	14	20	38	91	160	172	157	112	29	16	2	–
	Female	345	–	2	1	–	2	1	–	–	–	4	7	16	25	44	62	57	47	44	22	8	3	–
	All other ..... Male	62	1	–	–	–	1	1	1	–	2	2	4	4	3	9	9	12	9	2	–	1	1	–
	Female	20	–	1	–	–	–	–	1	–	1	1	–	2	3	2	3	1	1	3	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas—Con.																							
490, 491	Chronic and unqualified bronchitis	238	5	3	–	–	–	1	1	–	–	4	3	11	13	26	43	37	42	27	11	9	2	–
	White ..... Male	143	5	1	–	–	–	1	–	–	–	2	2	5	7	15	30	25	25	18	4	3	–	–
	Female	83	–	1	–	–	–	–	–	–	–	1	1	6	6	9	11	12	14	7	7	6	2	–
	All other ..... Male	8	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	3	1	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
492	Emphysema	934	–	1	–	–	–	1	–	–	1	4	19	29	51	109	180	196	162	128	37	13	3	–
	White ..... Male	660	–	–	–	–	–	–	–	–	–	2	11	15	31	73	125	144	130	92	25	11	1	–
	Female	219	–	1	–	–	–	–	–	–	–	1	4	9	15	29	48	39	25	34	12	1	1	–
	All other ..... Male	47	–	–	–	–	–	1	–	–	1	1	4	4	3	6	6	12	6	1	–	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	1	–	–	–	–
493	Asthma	84	1	1	1	2	5	3	1	–	2	3	3	2	5	11	11	9	10	6	3	4	1	–
	White ..... Male	26	–	1	–	2	2	2	–	–	–	–	1	–	–	3	5	3	2	2	–	2	1	–
	Female	43	–	–	1	–	2	1	–	–	–	2	2	1	4	6	3	6	8	3	3	1	–	–
	All other ..... Male	7	1	–	–	–	1	–	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	1	–	–	1	1	1	1	–	–	1	–	1	–	–
531–533	Peptic ulcer	278	2	–	–	–	–	3	1	–	1	4	11	12	20	24	30	39	36	47	27	17	4	–
	White ..... Male	149	2	–	–	–	–	3	–	–	1	2	7	8	14	15	16	21	24	17	10	8	1	–
	Female	104	–	–	–	–	–	–	–	–	–	2	4	4	3	5	12	11	9	28	15	9	2	–
	All other ..... Male	16	–	–	–	–	–	–	1	–	–	–	–	–	2	3	1	5	3	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	1	–	1	–
540–543	Appendicitis	58	–	–	2	1	4	4	1	2	2	–	1	2	5	3	8	7	3	8	4	1	–	–
	White ..... Male	25	–	–	–	1	3	2	–	1	1	–	–	2	2	1	4	3	1	1	2	1	–	–
	Female	21	–	–	1	–	–	2	1	–	–	–	–	–	2	1	3	3	1	5	2	–	–	–
	All other ..... Male	9	–	–	1	–	1	–	–	1	1	–	–	–	–	1	1	1	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	302	36	1	–	1	–	2	1	3	4	5	6	14	11	18	24	35	44	49	32	14	2	–
	White ..... Male	116	21	1	–	1	–	2	1	3	3	1	2	6	3	6	8	13	14	18	9	4	–	–
	Female	145	9	–	–	–	–	–	–	–	1	3	3	3	7	6	10	18	25	28	22	8	2	–
	All other ..... Male	24	6	–	–	–	–	–	–	–	–	–	1	3	1	3	4	2	2	1	–	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	2	3	2	1	1	–	–
571	Cirrhosis of liver	1,371	1	1	–	–	1	5	6	36	83	94	140	230	188	197	171	108	67	24	15	4	–	–
	White ..... Male	799	–	–	–	–	–	4	2	22	37	54	78	123	121	116	112	69	38	12	9	2	–	–
	Female	404	–	1	–	–	–	–	3	5	27	23	31	80	47	70	48	29	23	9	6	2	–	–
	All other ..... Male	105	1	–	–	–	1	1	–	6	14	10	17	17	11	6	9	7	3	2	–	–	–	–
	Female	63	–	–	–	–	–	–	1	3	5	7	14	10	9	5	2	3	3	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	131	–	–	–	–	1	–	–	–	–	1	1	5	9	7	16	19	26	17	12	11	6	–
	White ..... Male	44	–	–	–	–	–	–	–	–	–	–	–	3	8	1	6	6	9	6	2	3	–	–
	Female	68	–	–	–	–	1	–	–	–	–	1	1	–	1	5	6	8	15	9	8	7	6	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	1	1	1	1	–	–
580–584	Nephritis and nephrosis	479	11	2	3	–	2	6	4	9	9	3	19	22	37	37	58	51	63	68	43	26	6	–
	White ..... Male	176	4	2	1	–	–	3	1	3	5	1	5	7	7	16	21	23	25	28	12	11	1	–
	Female	166	6	–	2	–	1	2	3	2	1	–	5	7	13	13	13	15	19	26	25	10	3	–
	All other ..... Male	86	1	–	–	–	–	–	–	3	3	1	6	5	10	7	13	9	13	7	3	3	2	–
	Female	51	–	–	–	–	1	1	–	1	–	1	3	3	7	1	11	4	6	7	3	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	124	9	1	–	–	1	–	1	2	2	1	5	5	4	8	15	14	19	21	10	4	2	–
	White ..... Male	45	3	1	–	–	–	–	1	–	2	1	1	1	1	3	5	6	7	9	1	2	1	–
	Female	50	5	–	–	–	1	–	–	–	–	–	2	2	1	3	3	7	6	9	8	2	1	–
	All other ..... Male	21	1	–	–	–	–	–	–	2	–	–	2	1	1	2	5	1	4	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	2	1	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	355	2	1	3	–	1	6	3	7	7	2	14	17	33	29	43	37	44	47	33	22	4	–
	White ..... Male	131	1	1	1	–	–	3	–	3	3	–	4	6	6	13	16	17	18	19	11	9	–	–
	Female	116	1	–	2	–	–	2	3	2	1	–	3	5	12	10	10	8	13	17	17	8	2	–
	All other ..... Male	65	–	–	–	–	–	–	–	1	3	1	4	4	9	5	8	8	9	5	3	3	2	–
	Female	43	–	–	–	–	1	1	–	1	–	1	3	2	6	1	9	4	4	6	2	2	–	–
590	Infections of kidney	229	1	–	–	–	–	–	1	1	–	1	7	4	5	9	14	27	45	48	36	21	9	–
	White ..... Male	64	–	–	–	–	–	–	–	1	–	1	3	–	2	2	8	7	9	13	8	6	4	–
	Female	133	1	–	–	–	–	–	1	–	–	–	2	4	3	5	5	13	26	30	25	14	4	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	7	3	3	1	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	5	3	2	–	–	–	–
600	Hyperplasia of prostate	37	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	5	14	7	2	–	–
	White ..... Male	32	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	3	12	7	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	25	–	–	–	–	6	5	6	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	19	–	–	–	–	4	2	6	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Texas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	25	–	–	–	–	6	5	6	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	19	–	–	–	–	4	2	6	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	841	597	72	20	16	21	11	10	11	8	6	13	7	9	8	12	9	3	4	2	1	–	1
	White ..... Male	383	273	38	8	6	7	5	4	2	4	4	6	4	5	3	2	7	2	1	1	–	–	1
	Female	333	237	22	8	8	11	4	4	5	3	2	4	3	4	4	8	2	1	2	1	–	–	–
	All other ..... Male	62	45	5	2	–	1	1	1	2	–	–	1	–	–	1	1	–	–	1	–	1	–	–
	Female	63	42	7	2	2	2	1	1	2	1	–	2	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,617	1,613	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	706	706	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	478	477	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	247	244	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	186	186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	976	973	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	459	459	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	282	281	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	143	141	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	641	640	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	247	247	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	196	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	104	103	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	3,796	352	15	3	8	28	40	47	52	49	71	116	156	247	320	421	477	449	377	307	171	86	4
	White ..... Male	1,828	132	8	1	4	16	15	22	24	27	41	61	93	154	186	245	266	220	147	95	48	20	3
	Female	1,295	127	5	2	2	7	13	16	17	11	20	29	30	50	79	105	133	153	172	172	102	49	1
	All other ..... Male	385	54	1	–	2	3	5	7	6	5	4	16	23	24	32	47	45	43	36	18	6	8	–
	Female	288	39	1	–	–	2	7	2	5	6	6	10	10	19	23	24	33	33	22	22	15	9	–
Residual	All other diseases	7,449	124	64	51	50	59	84	92	112	138	192	238	367	494	657	910	979	1,063	854	578	260	81	2
	White ..... Male	3,577	55	30	29	26	37	42	37	54	52	80	107	177	263	368	477	508	517	376	234	87	19	2
	Female	2,818	37	19	12	19	18	22	24	32	39	58	74	135	148	208	293	360	425	390	301	149	55	–
	All other ..... Male	617	20	8	5	3	2	15	18	14	29	30	32	32	54	46	90	66	61	59	20	11	2	–
	Female	437	12	7	5	2	2	5	13	12	18	24	25	23	29	35	50	45	60	29	23	13	5	–
E800–E949	Accidents	7,235	124	265	226	255	888	1,005	697	472	362	307	316	328	304	289	265	295	252	246	168	116	39	16
	White ..... Male	4,445	51	113	130	161	609	710	475	335	235	213	186	209	184	165	147	163	123	110	56	45	12	13
	Female	1,786	38	84	56	50	186	176	127	72	68	57	75	73	70	83	76	88	96	117	102	65	24	3
	All other ..... Male	721	17	45	28	32	69	90	76	48	45	28	45	39	35	25	29	27	21	10	5	4	3	–
	Female	283	18	23	12	12	24	29	19	17	14	9	10	7	15	16	13	17	12	9	5	2	–	–
E810–E823	Motor vehicle accidents	3,942	25	118	108	130	658	719	459	307	212	182	168	157	159	120	129	115	85	60	19	7	–	5
	White ..... Male	2,536	10	48	58	83	443	505	309	211	132	134	97	100	95	63	75	73	47	36	9	5	–	3
	Female	926	9	38	33	33	154	131	100	54	47	31	41	40	41	41	39	28	32	21	9	2	–	2
	All other ..... Male	357	4	21	12	11	40	61	38	32	27	12	24	13	19	10	15	11	4	2	1	–	–	–
	Female	123	2	11	5	3	21	22	12	10	6	5	6	4	4	6	–	3	2	1	–	–	–	–
E800–E807, E825–E949	All other accidents	3,293	99	147	118	125	230	286	238	165	150	125	148	171	145	169	136	180	167	186	149	109	39	11
	White ..... Male	1,909	41	65	72	78	166	205	166	124	103	79	89	109	89	102	72	90	76	74	47	40	12	10
	Female	860	29	46	23	17	32	45	27	18	21	26	34	33	29	42	37	60	64	96	93	63	24	1
	All other ..... Male	364	13	24	16	21	29	29	38	16	18	16	21	26	16	15	14	16	17	8	4	4	3	–
	Female	160	16	12	7	9	3	7	7	7	8	4	4	3	11	10	13	14	10	8	5	2	–	–
E950–E959	Suicide	1,660	...	...	–	10	115	238	197	163	108	121	114	132	114	99	89	64	58	23	11	4	–	–
	White ..... Male	1,149	...	...	–	7	81	176	143	108	67	75	59	81	75	76	73	49	49	18	9	3	–	–
	Female	423	...	...	–	2	28	38	37	44	37	44	47	50	38	18	13	13	9	3	1	1	–	–
	All other ..... Male	67	...	...	–	1	4	20	12	9	3	2	5	–	–	4	3	2	–	2	–	–	–	–
	Female	21	...	...	–	–	2	4	5	2	1	–	3	1	1	1	–	–	–	–	1	–	–	–
E960–E978	Homicide	1,968	9	24	16	24	177	382	337	239	193	130	108	103	77	48	40	26	16	9	5	–	1	4
	White ..... Male	1,053	3	10	8	7	104	184	179	133	108	74	64	64	46	23	19	12	7	3	2	–	–	3
	Female	214	2	7	7	8	16	45	22	23	15	16	11	8	5	8	7	5	3	3	1	–	1	1
	All other ..... Male	578	2	4	1	5	41	124	120	66	62	31	31	26	25	13	13	6	5	2	1	–	–	–
	Female	123	2	3	–	4	16	29	16	17	8	9	2	5	1	4	1	3	1	1	1	–	–	–
E980–E999	Other external causes	106	2	2	–	–	15	18	14	9	8	3	8	6	4	4	5	2	3	1	–	–	–	2
	White ..... Male	56	1	–	–	–	12	6	5	4	7	1	5	2	2	2	4	–	2	1	–	–	–	2
	Female	34	1	–	–	–	3	5	7	4	–	1	2	3	2	2	1	2	1	–	–	–	–	–
	All other ..... Male	12	–	2	–	–	–	6	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah																							
	All causes	7,892	443	90	41	47	130	183	133	110	118	132	224	307	474	641	713	895	991	974	745	395	103	3
	White ..... Male	4,307	238	53	23	28	87	125	92	76	79	80	121	191	286	414	444	533	502	435	304	160	35	1
	Female	3,401	186	33	16	18	33	42	34	30	34	46	93	107	169	214	263	348	474	530	431	235	63	2
	All other ..... Male	118	11	4	1	1	8	12	4	2	4	5	6	6	12	10	4	10	9	–	6	–	3	–
	Female	66	8	–	1	–	2	4	3	2	1	1	4	3	7	3	2	4	6	9	4	–	2	–
004, 006	Bacillary dysentery and amebiosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	9	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	3	2	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–
	Female	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	–	–	–	–	2	–	–	1	–	4	–	–	–	–	1	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	34	8	–	–	–	–	1	1	–	–	–	1	–	–	4	1	4	6	3	3	2	–	–
	White ..... Male	19	4	–	–	–	–	1	1	–	–	–	1	–	–	1	–	3	3	1	2	2	–	–
	Female	13	4	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	3	2	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	14	1	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	4	1	2	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,288	1	2	4	2	7	7	18	21	19	28	50	72	113	150	168	179	192	144	90	18	3	-
	White ..... Male	665	1	2	3	1	4	6	12	14	9	12	17	32	49	85	92	98	105	70	42	9	2	-
	Female	602	-	-	-	1	3	1	6	7	10	15	30	39	61	64	76	77	83	73	46	9	1	-
	All other ..... Male	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	-	-	-	-
	Female	13	-	-	1	-	-	-	-	-	-	1	2	-	2	-	-	2	2	1	2	-	-	-
140-149	Of buccal cavity and pharynx	21	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	1	7	1	-	1	-	-
	White ..... Male	14	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	5	1	-	1	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	Of digestive organs and peritoneum	319	1	-	-	-	1	-	2	6	4	8	11	13	25	34	41	42	51	42	31	7	-	-
	White ..... Male	157	1	-	-	-	-	-	1	4	2	4	5	9	12	21	21	21	23	19	9	5	-	-
	Female	158	-	-	-	-	1	-	1	2	2	4	6	4	12	13	20	21	27	22	21	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
160-163	Of respiratory system	190	-	-	-	-	-	-	-	-	3	3	8	13	18	37	26	29	28	17	7	-	1	-
	White ..... Male	149	-	-	-	-	-	-	-	-	1	1	5	10	12	31	24	25	20	15	4	-	1	-
	Female	34	-	-	-	-	-	-	-	-	2	2	1	2	5	6	2	3	7	2	2	-	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
174	Of breast	137	-	-	-	-	-	-	-	2	2	3	9	17	19			10			5	2	1	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	135	-	-	-	-	-	-	-	2	2	3	9	17	20	20	15	21	6	12	5	2	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
180-187	Of genital organs	181	-	-	-	-	1	-	2	-	1	4	7	9	11	14	24	27	39	20	18	4	-	-
	White ..... Male	97	-	-	-	-	-	-	2	-	-	1	-	2	3	5	9	18	29	9	16	3	-	-
	Female	83	-	-	-	-	1	-	-	-	1	3	7	7	8	9	15	8	10	11	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
188, 189	Of urinary organs	53	-	-	-	-	-	-	-	-	-	1	4	1	5	2	7	6	11	8	7	1	-	-
	White ..... Male	34	-	-	-	-	-	-	-	-	-	1	3	1	1	1	6	5	5	6	5	-	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	5	2	2	1	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	192	-	1	1	1	1	2	6	4	2	7	6	11	19	20	28	31	22	18	9	3	-	-
	White ..... Male	94	-	1	1	-	1	1	3	2	1	5	1	6	11	11	15	16	8	10	1	-	-	-
	Female	95	-	-	-	1	-	1	3	2	1	2	5	5	8	8	13	13	14	8	8	3	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
204-207	Leukemia	80	-	1	2	-	4	2	4	3	6	1	-	3	7	7	8	10	8	10	4	-	-	-
	White ..... Male	49	-	1	1	-	3	2	2	3	4	-	-	2	4	6	5	6	5	3	2	-	-	-
	Female	30	-	-	-	-	1	-	2	-	2	1	-	1	3	1	3	4	3	7	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	115	-	-	1	1	-	3	4	6	1	1	5	3	4	14	15	12	19	16	9	-	1	-
	White ..... Male	70	-	-	1	1	-	3	4	5	1	-	3	-	3	9	11	6	10	7	5	-	1	-
	Female	44	-	-	-	-	-	-	-	1	-	-	2	3	1	5	4	6	9	9	4	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	23	-	-	1	1	-	-	-	2	-	-	-	2	1	3	4	3	3	1	1	1	-	-
	White ..... Male	12	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	3	1	1	1	1	-	-
	Female	10	-	-	-	1	-	-	-	-	-	-	-	2	1	1	3	-	2	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	169	-	-	-	-	-	-	3	5	3	5	7	7	17	17	13	28	22	22	14	5	1	-
	White ..... Male	62	-	-	-	-	-	-	3	3	3	2	1	3	7	2	7	12	10	6	3	-	-	-
	Female	98	-	-	-	-	-	-	-	2	-	3	5	3	7	13	6	15	12	16	10	5	1	-
	All other ..... Male	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-
260-269	Avitaminoses and other nutritional deficiencies	19	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	2	4	2	2	4	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-	-	-	-
	Female	12	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	4	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah—Con.																							
280–285	Anemias	17	-	-	1	-	-	-	-	-	-	-	1	-	3	-	4	-	1	2	2	3	-	-
	White ..... Male	8	-	-	1	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	2	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	17	10	2	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-
	White ..... Male	11	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Female	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	All other ..... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390–448	Major cardiovascular diseases	3,528	5	4	-	2	2	10	4	6	21	34	71	114	194	287	358	486	563	580	459	259	68	1
	White ..... Male	1,845	2	2	-	2	2	4	3	2	17	20	50	84	137	203	228	290	266	239	173	97	24	-
	Female	1,641	3	2	-	-	-	6	1	4	4	12	20	28	51	78	126	190	292	336	282	162	43	1
	All other ..... Male	30	-	-	-	-	-	-	-	-	-	2	1	2	5	5	3	5	3	-	3	-	1	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	1	-	-	-
390–398, 402, 404, 410–429	Diseases of heart	2,619	3	-	-	-	1	5	1	4	19	29	61	96	169	244	314	367	390	401	299	170	45	1
	White ..... Male	1,472	1	-	-	-	1	3	1	2	16	19	46	78	123	180	206	237	182	180	116	66	15	-
	Female	1,114	2	-	-	-	-	2	-	2	3	8	14	16	43	59	104	124	205	218	180	104	29	1
	All other ..... Male	26	-	-	-	-	-	-	-	-	-	2	1	2	3	4	3	5	3	-	2	-	1	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-
390–398	Active rheumatic fever and chronic rheumatic heart disease	105	-	-	-	-	-	-	1	1	-	5	6	5	9	15	20	13	14	7	6	2	1	-
	White ..... Male	32	-	-	-	-	-	-	1	-	-	-	2	1	2	6	5	4	6	1	2	1	1	-
	Female	72	-	-	-	-	-	-	-	1	-	5	4	4	7	9	15	8	8	6	4	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	Hypertensive heart disease	23	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	4	8	2	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	2	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	6	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	Hypertensive heart and renal disease	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410–413	Ischemic heart disease	2,174	-	-	-	-	-	-	-	-	13	20	46	76	149	192	262	323	332	341	243	137	39	1
	White ..... Male	1,277	-	-	-	-	-	-	-	-	12	15	39	65	116	152	181	210	157	159	102	57	12	-
	Female	871	-	-	-	-	-	-	-	-	1	3	6	9	30	38	78	108	174	179	138	80	26	1
	All other ..... Male	19	-	-	-	-	-	-	-	-	-	2	1	2	3	1	2	4	1	-	2	-	1	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-	-
410	Acute myocardial infarction	1,073	-	-	-	-	-	-	-	-	5	10	29	50	100	117	149	183	164	141	85	35	5	-
	White ..... Male	703	-	-	-	-	-	-	-	-	4	8	25	42	84	94	108	123	79	76	41	14	5	-
	Female	361	-	-	-	-	-	-	-	-	1	1	3	7	15	23	41	57	84	64	44	21	-	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	1	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
411	Other acute and subacute forms of ischemic heart disease	81	-	-	-	-	-	-	-	-	1	1	3	1	6	21	18	13	8	6	3	-	-	-
	White ..... Male	56	-	-	-	-	-	-	-	-	1	1	3	1	5	17	11	7	5	3	2	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	5	3	3	1	-	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Chronic ischemic heart disease	1,019	-	-	-	-	-	-	-	-	7	9	14	25	43	54	95	127	159	194	155	102	34	1
	White ..... Male	517	-	-	-	-	-	-	-	-	7	6	11	22	27	41	62	80	72	80	59	43	7	-
	Female	488	-	-	-	-	-	-	-	-	-	2	3	2	14	12	31	46	87	112	93	59	26	1
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	2	-	1	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-
413	Angina pectoris	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	-	-	-	-	-	1	-	-	1	-	1	1	-	2	3	-	1	3	3	3	1	-
	White ..... Male	12	-	-	-	-	-	1	-	-	1	-	1	1	-	1	2	-	1	2	-	1	1	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah—Con.																							
420–423, 425–427, 429	All other forms of heart disease	291	3	–	–	–	1	4	–	3	5	4	7	14	10	34	26	29	40	45	38	24	4	–
	White ..... Male	142	1	–	–	–	1	2	–	2	3	4	3	11	5	20	17	22	17	16	10	7	1	–
	Female	143	2	–	–	–	–	2	–	1	2	–	4	3	5	11	8	7	21	29	28	17	3	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	14	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	4	4	2	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	694	1	3	–	2	1	4	1	2	2	4	9	14	17	31	34	91	140	150	111	61	16	–
	White ..... Male	267	–	2	–	2	1	–	1	–	1	–	4	4	10	14	15	38	67	46	37	21	4	–
	Female	422	1	1	–	–	–	4	–	2	1	4	5	10	6	17	19	53	72	102	73	40	12	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
431	Cerebral hemorrhage	74	1	1	–	1	1	1	1	–	–	3	2	3	7	8	5	12	15	6	5	1	1	–
	White ..... Male	32	–	–	–	1	1	–	1	–	–	–	1	–	4	3	1	4	9	4	2	1	–	–
	Female	41	1	1	–	–	–	1	–	–	–	3	1	3	2	5	4	8	6	2	3	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	113	–	–	–	–	–	1	–	–	–	1	3	3	2	1	10	23	21	28	13	5	2	–
	White ..... Male	46	–	–	–	–	–	–	–	–	–	–	3	2	1	1	6	9	7	10	4	2	1	–
	Female	67	–	–	–	–	–	1	–	–	–	1	–	1	1	–	4	14	14	18	9	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	502	–	2	–	1	–	2	–	2	2	–	4	8	8	19	19	56	104	115	93	54	13	–
	White ..... Male	187	–	2	–	1	–	–	–	–	1	–	–	2	5	8	8	25	51	32	31	18	3	–
	Female	311	–	–	–	–	–	2	–	2	1	–	4	6	3	11	11	31	52	81	61	36	10	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
440	Arteriosclerosis	99	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	8	17	12	33	18	7	–
	White ..... Male	41	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	6	5	12	7	5	–
	Female	57	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	10	7	21	11	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	102	1	1	–	–	–	1	2	–	–	1	1	3	6	10	9	18	16	13	12	8	–	–
	White ..... Male	61	1	–	–	–	–	1	1	–	–	1	–	2	4	7	6	11	11	7	6	3	–	–
	Female	39	–	1	–	–	–	–	1	–	–	–	1	1	1	2	3	7	5	6	6	5	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	243	14	2	–	1	–	4	1	1	2	2	6	9	8	10	8	19	31	49	35	31	10	–
	White ..... Male	119	4	1	–	1	–	1	–	1	1	2	5	5	4	7	5	10	20	19	12	19	2	–
	Female	114	7	1	–	–	–	2	–	–	1	–	1	3	4	3	3	9	10	29	23	12	6	–
	All other ..... Male	6	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
	Female	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
470–474	Influenza	19	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	4	4	2	4	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	2	–	1	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	2	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
480–486	Pneumonia	224	14	2	–	1	–	3	1	1	2	2	5	8	8	10	7	15	27	47	31	31	9	–
	White ..... Male	111	4	1	–	1	–	1	–	1	1	2	4	4	4	7	4	8	18	19	11	19	2	–
	Female	104	7	1	–	–	–	1	–	–	1	–	1	3	4	3	3	7	8	27	20	12	6	–
	All other ..... Male	6	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
	Female	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	106	–	–	–	–	1	–	–	–	1	–	2	3	10	10	23	19	17	11	4	4	1	–
	White ..... Male	90	–	–	–	–	1	–	–	–	–	–	1	3	9	8	22	18	16	8	1	3	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	1	1	3	3	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah—Con.																							
490, 491	Chronic and unqualified bronchitis	27	–	–	–	–	–	–	–	–	–	–	–	2	4	4	6	1	4	2	2	1	1	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	2	4	3	6	1	4	–	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	68	–	–	–	–	–	–	–	–	–	–	2	1	5	6	17	16	9	8	2	2	–	–
	White ..... Male	61	–	–	–	–	–	–	–	–	–	–	1	1	4	5	16	16	9	8	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	11	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	2	4	1	–	1	–	–
	White ..... Male	7	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	3	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	18	–	–	–	–	–	–	–	–	–	1	2	–	1	–	3	2	3	1	5	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	2	1	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	37	7	–	–	–	1	–	–	–	–	–	1	1	4	2	2	5	5	2	6	1	–	–
	White ..... Male	10	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	4	–	–	–
	Female	24	5	–	–	–	1	–	–	–	–	–	1	–	3	1	2	3	3	2	2	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	110	–	–	–	–	–	–	2	–	3	5	15	11	22	26	9	8	5	1	2	1	–	–
	White ..... Male	59	–	–	–	–	–	–	1	–	1	2	3	6	15	16	5	5	2	1	1	1	–	–
	Female	39	–	–	–	–	–	–	1	–	–	2	10	4	5	8	4	2	2	–	1	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	2	1	2	–	2	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	20	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	2	1	2	3	3	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	–	1	2	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	23	–	–	–	–	–	–	1	–	–	–	1	1	3	1	3	5	3	2	3	–	–	–
	White ..... Male	15	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	3	3	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	–	–	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	20	–	–	–	–	–	–	1	–	–	–	1	1	2	1	2	5	3	2	2	–	–	–
	White ..... Male	14	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	3	3	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	10	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3	1	3	2	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Utah—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	153	117	14	2	2	1	4	–	–	1	–	–	1	3	4	3	–	–	1	–	–	–	–
	White Male	79	61	9	1	1	–	2	–	–	1	–	–	1	–	1	1	–	–	1	–	–	–	–
	Female	69	52	5	1	1	1	2	–	–	–	–	–	–	3	2	2	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	181	56	2	–	–	2	1	5	2	3	1	1	4	6	5	3	8	14	23	17	18	10	–
	White Male	104	39	–	–	–	–	–	2	2	2	1	–	1	6	5	2	5	7	12	10	6	4	–
	Female	69	15	1	–	–	2	1	3	–	–	–	–	2	–	–	1	2	7	11	7	12	5	–
	All other Male	5	2	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–
Residual	All other diseases	667	21	12	8	4	4	8	3	9	13	16	17	34	43	68	70	93	80	86	48	25	5	–
	White Male	388	9	6	5	2	2	7	1	4	7	11	7	19	26	40	50	62	44	48	27	10	1	–
	Female	261	9	5	3	2	2	1	1	5	4	4	10	13	17	28	19	30	34	36	19	15	4	–
	All other Male	9	2	1	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	2	–	–	–
	Female	9	1	–	–	–	–	–	1	–	1	–	–	2	–	–	1	–	1	2	–	–	–	–
E800–E949	Accidents	737	14	46	21	29	92	107	59	39	36	19	27	31	25	30	20	25	27	34	38	13	5	–
	White Male	467	8	29	10	17	67	74	40	31	26	13	17	23	20	21	9	13	12	18	14	3	2	–
	Female	240	6	15	10	11	16	24	17	6	10	5	9	8	5	8	11	12	15	16	24	10	2	–
	All other Male	25	–	2	1	1	7	7	2	1	–	1	1	–	–	1	–	–	–	–	–	–	1	–
	Female	5	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	385	5	20	11	17	73	72	41	27	15	13	19	14	10	12	9	8	9	5	3	2	–	–
	White Male	239	3	12	2	7	54	43	24	20	10	9	12	11	9	7	3	2	3	5	3	–	–	–
	Female	122	2	8	8	9	12	20	15	5	5	3	7	3	1	4	6	6	6	–	–	2	–	–
	All other Male	19	–	–	1	1	5	7	2	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	352	9	26	10	12	19	35	18	12	21	6	8	17	15	18	11	17	18	29	35	11	5	–
	White Male	228	5	17	8	10	13	31	16	11	16	4	5	12	11	14	6	11	9	13	11	3	2	–
	Female	118	4	7	2	2	4	4	2	1	5	2	2	5	4	4	5	6	9	16	24	8	2	–
	All other Male	6	–	2	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	169	...	...	–	2	12	28	20	11	10	17	14	5	12	14	12	5	3	2	–	2	–	–
	White Male	133	...	...	–	2	9	25	17	9	6	13	11	4	7	12	9	3	3	2	–	1	–	–
	Female	33	...	...	–	–	3	1	3	2	4	4	3	1	4	2	3	2	–	–	–	1	–	–
	All other Male	2	...	...	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	64	–	4	3	4	8	8	9	5	4	1	3	4	1	3	3	1	1	–	–	–	–	2
	White Male	42	–	2	2	2	2	3	5	5	4	–	3	4	1	3	3	1	1	–	–	–	–	1
	Female	15	–	2	1	2	5	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	All other Male	5	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	21	–	–	–	–	–	3	6	4	1	2	1	2	1	–	1	–	–	–	–	–	–	–
	White Male	15	–	–	–	–	–	2	6	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	2	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont																							
	All causes	4,426	97	15	12	12	59	63	36	43	42	50	105	158	239	325	430	596	596	641	523	278	105	1
	White ..... Male	2,341	59	7	6	6	42	50	27	29	26	31	57	106	149	210	264	352	330	297	184	86	22	1
	Female	2,078	36	8	6	6	15	12	9	14	16	19	48	51	90	115	166	244	266	344	339	191	83	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	6	2	–	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	1	–	1	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	9	1	–	–	–	1	–	–	–	–	–	–	1	–	2	1	–	1	1	–	1	–	–
	White ..... Male	6	1	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	945	–	2	–	1	2	2	2	9	10	13	35	49	80	105	126	165	131	112	63	33	5	–
	White ..... Male	532	–	1	–	–	1	–	1	5	4	4	13	31	45	61	86	102	73	62	30	13	–	–
	Female	412	–	1	–	1	1	1	1	4	6	9	22	18	35	44	40	63	58	50	33	20	5	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	17	–	–	–	–	–	–	–	–	–	–	2	2	3	1	4	1	3	1	–	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	1	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	228	–	–	–	–	–	1	–	–	–	3	5	11	15	29	27	38	38	34	15	11	1	–
	White ..... Male	129	–	–	–	–	–	–	–	–	–	2	3	8	7	19	22	22	17	18	7	4	–	–
	Female	99	–	–	–	–	–	1	–	–	–	1	2	3	8	10	5	16	21	16	8	7	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	225	–	–	–	–	–	–	–	–	2	3	8	16	27	33	41	48	26	12	6	3	–	–
	White ..... Male	183	–	–	–	–	–	–	–	–	2	2	4	15	21	27	32	44	22	9	4	1	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	4	1	6	6	9	4	4	3	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	88	–	–	–	–	–	–	–	1	4	1	9	7	8	12	11	16	2	4	10	2	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	–	–	–	–	–	–	–	1	4	1	9	7	8	12	11	16	2	4	10	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	104	–	–	–	–	–	–	–	–	–	2	1	1	7	5	9	25	17	18	12	7	–	–
	White ..... Male	62	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	14	13	12	8	6	–	–
	Female	42	–	–	–	–	–	–	–	–	–	2	1	1	5	3	4	11	4	6	4	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	48	–	–	–	–	–	–	–	1	–	–	1	3	4	2	6	7	8	8	4	4	–	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	–	1	3	4	1	4	5	5	6	4	1	–	–
	Female	14	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	3	2	–	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	136	–	2	–	–	–	–	–	3	2	3	6	6	10	14	20	15	22	20	9	2	2	–
	White ..... Male	63	–	1	–	–	–	–	–	2	–	–	3	2	6	7	14	6	9	9	4	–	–	–
	Female	73	–	1	–	–	–	–	–	1	2	3	3	4	4	7	6	9	13	11	5	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	36	–	–	–	1	2	–	1	1	–	1	1	–	–	3	3	8	2	7	4	1	1	–
	White ..... Male	16	–	–	–	–	1	–	1	1	–	–	–	–	–	2	1	5	1	3	1	–	–	–
	Female	20	–	–	–	1	1	–	–	–	–	1	1	–	–	1	2	3	1	4	3	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	63	–	–	–	–	–	1	1	3	2	–	2	3	6	6	5	7	13	8	3	3	–	–
	White ..... Male	33	–	–	–	–	–	–	–	2	2	–	1	2	3	3	4	5	4	4	2	1	–	–
	Female	29	–	–	–	–	–	–	1	1	–	–	1	1	3	3	1	2	9	4	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	12	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	3	1	1	2	1	–	–
	White ..... Male	8	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	66	–	–	–	–	–	–	–	–	–	1	1	4	7	3	6	8	16	10	6	3	1	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	3	4	–	2	1	5	4	1	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	1	1	1	3	3	4	7	11	6	5	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont—Con.																							
280–285	Anemias	8	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	2	–	2	–	–	–
	White ..... Male	7	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,180	3	–	–	–	3	3	4	5	13	14	39	61	90	145	198	307	322	369	329	192	82	1
	White ..... Male	1,062	2	–	–	–	2	2	4	2	9	11	26	42	62	102	125	171	176	154	103	52	16	1
	Female	1,116	1	–	–	–	1	1	–	3	4	3	13	18	28	43	73	136	146	215	226	139	66	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,662	3	–	–	–	1	2	3	3	10	12	31	54	80	119	164	237	248	276	230	139	49	1
	White ..... Male	862	2	–	–	–	1	2	3	2	7	10	24	39	58	89	102	132	142	121	77	40	10	1
	Female	800	1	–	–	–	–	–	–	1	3	2	7	15	22	30	62	105	106	155	153	99	39	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	39	–	–	–	–	–	–	–	–	–	1	1	3	5	4	6	3	10	6	–	–	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	1	1	1	4	2	1	1	1	2	–	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	2	9	4	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	15	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	3	4	–	2	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	3	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,440	–	–	–	–	–	–	2	3	7	10	25	40	66	104	138	207	218	242	205	125	47	1
	White ..... Male	756	–	–	–	–	–	–	2	2	6	8	20	32	49	80	88	120	129	107	68	35	9	1
	Female	684	–	–	–	–	–	–	–	1	1	2	5	8	17	24	50	87	89	135	137	90	38	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410	Acute myocardial infarction	653	–	–	–	–	–	–	2	2	6	5	16	31	44	64	89	107	105	93	56	26	7	–
	White ..... Male	387	–	–	–	–	–	–	2	1	5	4	14	27	30	50	61	61	59	47	17	7	2	–
	Female	266	–	–	–	–	–	–	–	1	1	1	2	4	14	14	28	46	46	46	39	19	5	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	781	–	–	–	–	–	–	–	1	1	4	9	9	21	39	49	99	111	149	149	99	40	1
	White ..... Male	363	–	–	–	–	–	–	–	1	1	3	6	5	18	29	27	58	68	60	51	28	7	1
	Female	418	–	–	–	–	–	–	–	–	–	1	3	4	3	10	22	41	43	89	98	71	33	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont—Con.																							
420–423, 425–427, 429	All other forms of heart disease	155	3	–	–	–	1	2	1	–	3	1	5	10	8	10	19	23	17	19	21	10	2	–
	White ..... Male	81	2	–	–	–	1	2	1	–	1	1	3	5	4	7	13	9	11	7	9	4	1	–
	Female	74	1	–	–	–	–	–	–	–	2	–	2	5	4	3	6	14	6	12	12	6	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	4	4	–	2	2	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	–	2	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	347	–	–	–	–	1	1	1	1	2	2	7	4	6	15	19	49	56	64	60	35	24	–
	White ..... Male	133	–	–	–	–	–	–	1	–	1	1	2	1	2	6	15	28	27	20	15	8	6	–
	Female	212	–	–	–	–	1	1	–	1	1	1	5	2	4	9	4	21	29	44	45	26	18	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
431	Cerebral hemorrhage	39	–	–	–	–	1	1	–	–	1	–	3	1	2	3	2	9	3	7	4	2	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	6	1	1	–	–	–	–
	Female	26	–	–	–	–	1	1	–	–	–	–	3	1	1	1	1	3	2	6	4	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	72	–	–	–	–	–	–	–	–	–	1	2	1	–	2	2	9	17	9	13	8	8	–
	White ..... Male	28	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	4	8	4	5	4	1	–
	Female	42	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	5	9	5	8	3	7	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	236	–	–	–	–	–	–	1	1	1	1	2	2	4	10	15	31	36	48	43	25	16	–
	White ..... Male	92	–	–	–	–	–	–	1	–	–	–	2	1	1	4	13	18	18	15	10	4	5	–
	Female	144	–	–	–	–	–	–	–	1	1	1	–	1	3	6	2	13	18	33	33	21	11	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	85	–	–	–	–	–	–	–	–	1	–	–	–	1	4	5	6	5	17	26	12	8	–
	White ..... Male	23	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	2	1	8	6	1	–	–
	Female	62	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	4	9	20	11	8	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	68	–	–	–	–	1	–	–	–	–	–	1	3	3	5	8	11	9	12	11	4	–	–
	White ..... Male	35	–	–	–	–	1	–	–	–	–	–	–	2	2	3	4	6	5	5	5	2	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	5	4	7	6	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	155	2	–	2	–	–	1	–	–	–	1	1	4	1	5	12	10	17	37	33	20	9	–
	White ..... Male	79	2	–	1	–	–	1	–	–	–	–	–	2	1	3	5	10	9	23	12	6	4	–
	Female	76	–	–	1	–	–	–	–	–	–	1	1	2	–	2	7	–	8	14	21	14	5	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	4	2	4	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	142	2	–	2	–	–	1	–	–	–	1	1	4	1	5	9	10	17	33	31	16	9	–
	White ..... Male	75	2	–	1	–	–	1	–	–	–	–	–	2	1	3	3	10	9	21	12	6	4	–
	Female	67	–	–	1	–	–	–	–	–	–	1	1	2	–	2	6	–	8	12	19	10	5	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	36	–	–	–	–	–	–	–	–	–	–	1	–	1	3	6	9	5	7	3	1	–	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	6	3	6	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	1	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont—Con.																							
490, 491	Chronic and unqualified bronchitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	27	–	–	–	–	–	–	–	–	–	–	1	–	1	2	6	6	3	6	1	1	–	–
	White ... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	2	5	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	–	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	13	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	4	1	2	2	–	–
	White ... Male	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	48	–	–	–	–	–	–	–	1	1	–	4	1	9	14	8	5	3	2	–	–	–	–
	White ... Male	31	–	–	–	–	–	–	–	–	1	–	3	1	4	11	4	3	3	1	–	–	–	–
	Female	17	–	–	–	–	–	–	–	1	–	–	1	–	5	3	4	2	–	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	16	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	5	3	1	1	1	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	1	–	–
	Female	9	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	3	2	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	10	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	2	1	–	1	1	–	–
	White ... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	3	3	–	–
	White ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	3	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Vermont—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	43	26	2	1	1	–	–	–	1	2	–	2	–	1	2	3	–	2	–	–	–	–	–
	White ..... Male	23	18	2	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	20	8	–	1	–	–	–	–	1	2	–	1	–	1	2	2	–	2	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	53	16	–	–	–	1	1	2	–	–	–	–	4	3	1	4	7	3	6	3	1	1	–
	White ..... Male	29	11	–	–	–	1	1	–	–	–	–	–	2	2	1	3	4	1	1	1	–	1	–
	Female	24	5	–	–	–	–	–	2	–	–	–	–	2	1	–	1	3	2	5	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	391	4	2	1	1	2	4	2	2	2	7	8	16	27	29	44	55	63	62	46	11	3	–
	White ..... Male	210	2	1	–	–	1	2	–	–	2	4	4	8	17	17	23	37	37	29	20	6	–	–
	Female	181	2	1	1	1	1	2	2	2	–	3	4	8	10	12	21	18	26	33	26	5	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	247	1	7	8	7	40	39	13	15	6	9	3	12	5	8	15	8	8	14	21	7	1	–
	White ..... Male	171	–	2	5	3	29	34	11	14	5	8	3	11	5	7	5	5	6	8	6	4	–	–
	Female	74	1	5	3	4	9	5	2	1	1	1	–	1	–	1	10	3	2	6	15	3	1	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	113	1	–	5	4	27	28	11	11	2	3	1	6	3	2	4	1	2	–	1	1	–	–
	White ..... Male	92	–	–	4	2	20	24	9	10	2	3	1	6	3	2	1	1	2	–	1	1	–	–
	Female	19	1	–	1	2	5	4	2	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	134	–	7	3	3	13	11	2	4	4	6	2	6	2	6	11	7	6	14	20	6	1	–
	White ..... Male	79	–	2	1	1	9	10	2	4	3	5	2	5	2	5	4	4	4	8	5	3	–	–
	Female	55	–	5	2	2	4	1	–	–	1	1	–	1	–	1	7	3	2	6	15	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	72	...	...	–	1	5	10	8	8	4	2	7	3	8	4	2	3	3	1	2	1	–	–
	White ..... Male	59	...	...	–	1	4	7	8	6	3	2	6	2	6	4	1	3	3	1	1	1	–	–
	Female	13	...	...	–	–	1	3	–	2	1	–	1	1	2	–	1	–	–	–	1	–	–	–
	All other ..... Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	20	1	–	–	–	2	2	2	2	4	2	2	–	1	–	–	1	–	1	–	–	–	–
	White ..... Male	13	1	–	–	–	1	2	1	2	2	2	1	–	–	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	1	–	1	–	2	–	1	–	1	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	9	–	–	–	–	1	–	2	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–
	White ..... Male	6	–	–	–	–	1	–	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia																							
	All causes	40,767	1,010	169	120	136	428	576	439	504	625	882	1,340	2,177	3,262	3,903	4,880	5,014	5,097	4,458	3,440	1,673	620	14
	White ..... Male	17,480	352	66	57	57	246	336	218	223	288	392	579	1,079	1,583	1,859	2,420	2,350	2,071	1,612	1,102	433	153	4
	Female	14,117	276	47	28	31	90	100	83	120	148	213	356	524	810	1,044	1,306	1,568	1,979	2,136	1,864	1,043	349	2
	All other ..... Male	5,243	222	25	23	26	67	101	90	107	114	174	251	361	550	629	703	608	510	348	201	82	44	7
	Female	3,927	160	31	12	22	25	39	48	54	75	103	154	213	319	371	451	488	537	362	273	115	74	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	31	14	1	2	–	–	–	–	–	–	1	–	1	–	1	2	3	1	1	1	2	1	–
	White ..... Male	9	1	1	2	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	1	–	–
	Female	10	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	1	1	–
	All other ..... Male	8	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	60	–	–	–	–	–	–	2	1	1	3	2	5	6	7	6	5	4	12	2	3	1	–
	White ..... Male	19	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	2	2	4	2	1	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	6	–	1	1	–
	All other ..... Male	19	–	–	–	–	–	–	1	–	–	1	2	3	3	3	2	3	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	2	–	1	1	1	1	–	2	1	–	1	–	–
010–012	Tuberculosis of respiratory system	40	–	–	–	–	–	–	–	–	1	1	1	4	4	7	4	3	3	8	2	1	1	–
	White ..... Male	14	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	1	2	2	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	1	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	1	1	2	2	3	2	2	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–	–
013–019	Tuberculosis, other forms	20	–	–	–	–	–	–	2	1	–	2	1	1	2	–	2	2	1	4	–	2	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	2	1	2	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White ..... Male	4	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	278	29	2	–	1	1	1	–	–	4	7	9	18	27	26	32	36	34	21	18	8	3	1
	White ..... Male	98	10	1	–	–	–	1	–	–	2	2	2	7	8	12	17	9	15	7	3	2	–	–
	Female	83	8	1	–	1	1	–	–	–	2	1	2	2	6	9	5	13	5	8	12	4	3	–
	All other ..... Male	51	6	–	–	–	–	–	–	–	–	1	2	4	7	3	6	6	9	3	2	1	–	1
	Female	46	5	–	–	–	–	–	–	–	–	3	3	5	6	2	4	8	5	3	1	1	–	–
040–043	Acute poliomyelitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	2	–	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	97	4	3	4	3	5	2	2	4	2	4	1	7	7	7	16	3	5	8	3	6	1	–
	White ..... Male	38	3	2	2	1	3	2	–	–	1	1	–	4	4	1	7	2	2	1	1	1	–	–
	Female	25	–	–	2	1	–	–	–	3	–	1	–	3	1	3	6	–	–	1	1	2	1	–
	All other ..... Male	24	–	–	–	1	2	–	2	1	1	1	1	–	–	2	2	1	2	5	1	2	–	–
	Female	10	1	1	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	1	–	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,148	1	16	18	13	29	37	35	70	117	190	365	640	973	1,109	1,287	1,186	908	638	357	123	35	1
	White ..... Male	3,436	1	6	8	4	14	19	15	22	32	61	133	266	401	479	590	575	383	246	128	43	10	-
	Female	2,879	-	8	6	4	9	11	7	26	58	90	147	222	324	366	388	357	335	280	161	62	18	-
	All other ..... Male	1,064	-	2	1	2	3	4	4	8	6	20	45	92	158	163	191	150	110	55	31	15	3	1
	Female	769	-	-	3	3	3	3	9	14	21	19	40	60	90	101	118	104	80	57	37	3	4	-
140-149	Of buccal cavity and pharynx	187	-	-	-	-	-	-	1	1	2	3	12	29	36	40	21	21	11	8	1	-	1	-
	White ..... Male	102	-	-	-	-	-	-	-	1	1	1	7	19	18	20	13	12	6	4	-	-	-	-
	Female	33	-	-	-	-	-	-	-	-	-	1	-	4	5	8	4	4	3	3	1	-	-	-
	All other ..... Male	40	-	-	-	-	-	-	1	-	-	1	3	5	11	10	3	4	1	-	-	-	1	-
	Female	12	-	-	-	-	-	-	-	-	1	-	2	1	2	2	1	1	1	1	-	-	-	-
150-159	Of digestive organs and peritoneum	2,008	-	2	-	-	3	4	5	8	22	33	66	131	208	258	301	307	287	194	119	47	13	-
	White ..... Male	759	-	1	-	-	1	-	1	3	6	11	21	57	92	100	116	123	121	59	35	10	2	-
	Female	749	-	1	-	-	1	1	-	2	10	15	24	36	64	86	92	110	110	94	63	30	10	-
	All other ..... Male	267	-	-	-	-	1	3	1	-	2	6	14	22	31	42	50	35	29	19	8	4	-	-
	Female	233	-	-	-	-	-	-	3	3	4	1	7	16	21	30	43	39	27	22	13	3	1	-
160-163	Of respiratory system	2,293	-	-	-	-	-	-	-	6	15	49	106	222	321	387	426	359	216	123	47	13	3	-
	White ..... Male	1,389	-	-	-	-	-	-	-	5	9	21	59	119	177	226	283	245	138	74	28	5	-	-
	Female	453	-	-	-	-	-	-	-	-	4	16	23	54	63	84	64	49	42	34	13	5	2	-
	All other ..... Male	360	-	-	-	-	-	-	-	-	2	8	17	41	69	65	66	52	23	9	5	3	-	-
	Female	91	-	-	-	-	-	-	-	1	-	4	7	8	12	12	13	13	13	6	1	-	1	-
174	Of breast	653	-	-	-	-	-	1	2	11	28	29	51	77	91	73	97	64	60	31	25	9	4	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Female	525	-	-	-	-	-	1	-	8	19	20	40	62	71	62	83	51	51	26	19	9	3	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	124	-	-	-	-	-	-	2	3	9	8	10	15	20	11	14	12	9	5	5	-	1	-
180-187	Of genital organs	873	-	-	-	1	1	3	6	9	13	17	37	42	75	104	133	149	118	91	51	20	3	-
	White ..... Male	277	-	-	-	-	-	3	4	2	1	1	2	8	9	26	41	53	43	49	23	10	2	-
	Female	340	-	-	-	1	-	-	2	5	8	13	26	23	45	41	47	52	39	21	14	3	-	-
	All other ..... Male	138	-	-	-	-	-	-	-	-	-	-	1	-	7	18	29	26	28	13	9	7	-	-
	Female	118	-	-	-	-	1	-	-	2	4	3	8	11	14	19	16	18	8	8	5	-	1	-
188, 189	Of urinary organs	336	-	-	-	-	-	2	1	1	2	8	9	13	30	41	65	61	39	35	21	7	1	-
	White ..... Male	190	-	-	-	-	-	-	-	-	1	4	4	10	15	25	34	42	19	20	10	5	1	-
	Female	79	-	-	-	-	-	1	-	-	1	2	2	2	9	8	15	8	10	11	9	1	-	-
	All other ..... Male	45	-	-	-	-	-	1	-	-	-	2	3	-	4	5	9	9	9	2	-	1	-	-
	Female	22	-	-	-	-	-	-	1	1	-	-	-	1	2	3	7	2	1	2	2	-	-	-
170-173, 190-199	Of all other and unspecified sites	1,107	1	7	5	4	12	11	11	18	19	34	64	95	147	134	145	133	97	103	52	9	6	-
	White ..... Male	429	1	2	2	-	6	7	4	3	6	15	32	42	64	55	59	53	29	27	19	1	2	-
	Female	429	-	4	2	2	3	3	3	8	9	14	22	28	44	50	51	51	41	60	23	8	3	-
	All other ..... Male	136	-	1	-	-	1	-	1	6	2	2	6	19	25	12	22	15	14	7	2	-	1	-
	Female	113	-	-	1	2	2	1	3	1	2	3	4	6	14	17	13	14	13	9	8	-	-	-
204-207	Leukemia	296	-	7	13	7	9	9	3	8	9	9	10	15	26	20	40	38	26	16	17	10	4	-
	White ..... Male	130	-	3	6	3	5	4	1	4	3	1	5	5	9	8	23	21	9	5	4	8	3	-
	Female	114	-	3	4	1	4	4	2	1	5	7	4	4	9	6	11	10	17	10	10	2	-	-
	All other ..... Male	32	-	1	1	2	-	-	-	-	-	1	1	4	6	6	3	4	-	-	2	-	1	-
	Female	20	-	-	2	1	-	1	-	3	1	-	-	2	2	-	3	3	-	1	1	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	395	-	-	-	1	4	7	6	8	7	8	10	16	39	52	59	54	54	37	24	8	-	1
	White ..... Male	157	-	-	-	1	2	5	5	4	5	6	2	6	17	19	21	25	18	8	9	4	-	-
	Female	157	-	-	-	-	1	1	-	2	2	2	6	9	14	21	21	22	22	21	9	4	-	-
	All other ..... Male	45	-	-	-	-	1	-	1	2	-	-	-	1	5	5	9	5	6	5	4	-	-	1
	Female	36	-	-	-	-	-	1	-	-	-	-	2	-	3	7	8	2	8	3	2	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	100	-	1	3	2	-	-	-	4	4	1	3	6	6	10	13	21	8	11	4	2	1	-
	White ..... Male	44	-	1	1	1	-	-	-	3	1	-	1	2	2	6	7	9	5	2	2	1	-	-
	Female	36	-	-	2	-	-	-	-	1	1	1	-	3	2	2	4	8	1	8	1	1	1	-
	All other ..... Male	8	-	-	-	1	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	2	1	1	1	-	-	-
250	Diabetes mellitus	629	-	1	1	3	-	-	4	4	9	9	15	33	56	72	94	103	96	66	46	16	1	-
	White ..... Male	159	-	-	-	2	-	-	-	-	2	5	6	10	13	19	22	31	24	13	9	3	-	-
	Female	243	-	-	1	1	-	-	2	-	1	2	6	5	14	25	33	38	39	35	30	10	1	-
	All other ..... Male	93	-	1	-	-	-	-	1	3	1	-	2	8	14	15	19	13	10	5	1	-	-	-
	Female	134	-	-	-	-	-	-	1	1	5	2	1	10	15	13	20	21	23	13	6	3	-	-
260-269	Avitaminoses and other nutritional deficiencies	58	-	1	-	-	-	1	-	-	1	-	4	-	4	4	4	3	4	13	10	7	2	-
	White ..... Male	17	-	-	-	-	-	-	-	-	-	-	2	-	2	-	3	2	2	4	2	-	-	-
	Female	27	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	1	2	5	7	6	2	-
	All other ..... Male	8	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	2	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	1	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia—Con.																							
280–285	Anemias	71	–	2	2	4	2	–	3	–	–	2	–	1	4	6	5	6	14	8	9	3	–	–
	White ..... Male	26	–	–	–	1	1	–	2	–	–	–	–	–	–	1	4	3	5	3	4	2	–	–
	Female	20	–	–	–	–	1	–	–	–	–	–	–	1	2	1	1	–	6	5	3	–	–	–
	All other ..... Male	11	–	–	2	1	–	–	–	–	–	1	–	–	–	2	–	3	2	–	–	–	–	–
	Female	14	–	2	–	2	–	–	1	–	–	1	–	–	2	2	–	–	1	–	2	1	–	–
320	Meningitis	41	10	6	3	1	4	–	–	3	1	–	1	1	2	1	1	4	2	–	1	–	–	–
	White ..... Male	17	5	2	1	1	1	–	–	1	–	–	–	1	–	–	1	4	–	–	–	–	–	–
	Female	12	2	2	1	–	1	–	–	1	–	–	–	–	1	1	–	–	2	–	1	–	–	–
	All other ..... Male	8	2	1	–	–	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	4	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	20,301	27	10	3	11	8	22	34	66	134	290	475	834	1,427	1,856	2,460	2,764	3,064	2,829	2,342	1,189	451	5
	White ..... Male	8,557	6	2	1	6	4	6	13	32	76	166	237	477	772	960	1,273	1,250	1,200	970	709	294	102	1
	Female	7,593	9	3	1	2	3	4	8	14	23	37	91	144	284	427	606	909	1,242	1,427	1,328	770	259	2
	All other ..... Male	2,194	8	1	1	2	1	6	7	11	21	61	95	139	239	282	342	315	268	195	125	40	34	1
	Female	1,957	4	4	–	1	–	6	6	9	14	26	52	74	132	187	239	290	354	237	180	85	56	1
390–398, 402, 404, 410–429	Diseases of heart	15,298	22	8	2	5	6	16	24	49	106	251	405	705	1,210	1,536	1,960	2,093	2,260	1,973	1,593	788	284	2
	White ..... Male	6,879	5	–	1	1	2	4	11	27	68	151	218	428	696	827	1,063	974	942	716	487	197	61	–
	Female	5,412	7	3	–	2	3	1	6	8	14	27	73	108	220	353	468	689	905	962	895	505	162	1
	All other ..... Male	1,653	7	1	1	2	1	6	4	9	14	50	74	116	196	219	257	234	177	135	96	32	22	–
	Female	1,354	3	4	–	–	–	5	3	5	10	23	40	53	98	137	172	196	236	160	115	54	39	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	236	–	–	–	1	–	2	5	4	11	8	5	16	23	35	30	32	29	18	8	7	2	–
	White ..... Male	85	–	–	–	–	–	1	1	–	4	3	1	10	7	18	12	10	9	5	1	3	–	–
	Female	108	–	–	–	–	–	1	3	2	3	3	2	5	12	12	13	17	16	9	5	4	1	–
	All other ..... Male	23	–	–	–	1	–	–	–	2	1	1	–	1	4	4	4	2	2	1	–	–	–	–
	Female	20	–	–	–	–	–	–	1	–	3	1	2	–	–	1	1	3	2	3	2	–	1	–
402	Hypertensive heart disease	118	–	–	–	–	–	–	–	2	1	6	4	3	14	17	18	23	13	6	6	3	2	–
	White ..... Male	37	–	–	–	–	–	–	–	2	1	2	1	2	7	3	6	8	5	–	–	–	–	–
	Female	35	–	–	–	–	–	–	–	–	–	1	1	1	–	5	5	6	5	6	2	3	–	–
	All other ..... Male	22	–	–	–	–	–	–	–	–	–	1	1	–	6	3	5	3	1	–	1	–	1	–
	Female	24	–	–	–	–	–	–	–	–	–	2	1	–	1	6	2	6	2	–	3	–	1	–
404	Hypertensive heart and renal disease	89	1	–	–	–	–	–	–	–	1	2	1	4	2	6	8	11	14	15	13	8	3	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	5	3	3	4	2	1	–
	Female	29	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	8	4	7	2	1	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	2	1	3	1	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	2	–	2	3	2	2	5	1	3	1	–
410–413	Ischemic heart disease	13,283	–	–	–	–	–	2	12	26	72	199	343	617	1,032	1,335	1,704	1,849	2,016	1,753	1,399	675	247	2
	White ..... Male	6,165	–	–	–	–	–	1	9	18	50	130	195	384	627	754	955	885	844	653	434	175	51	–
	Female	4,696	–	–	–	–	–	–	1	2	8	18	59	95	175	293	401	599	821	854	794	432	143	1
	All other ..... Male	1,342	–	–	–	–	–	–	1	6	9	36	60	95	156	178	214	201	150	112	79	25	20	–
	Female	1,080	–	–	–	–	–	1	1	–	5	15	29	43	74	110	134	164	201	134	92	43	33	1
410	Acute myocardial infarction	6,123	–	–	–	–	–	1	8	14	42	120	198	379	610	747	942	939	903	631	364	175	49	1
	White ..... Male	3,188	–	–	–	–	–	–	6	11	29	87	122	245	386	454	556	468	396	236	130	52	10	–
	Female	1,926	–	–	–	–	–	–	1	–	4	10	35	56	114	162	222	314	381	308	189	104	26	–
	All other ..... Male	599	–	–	–	–	–	–	1	3	4	17	27	57	76	80	109	90	58	40	24	9	4	–
	Female	410	–	–	–	–	–	1	–	–	5	6	14	21	34	51	55	67	68	47	21	10	9	1
411	Other acute and subacute forms of ischemic heart disease	641	–	–	–	–	–	1	–	3	10	23	39	50	86	93	79	78	69	56	33	16	4	1
	White ..... Male	296	–	–	–	–	–	1	–	1	6	11	22	27	49	41	40	38	25	19	9	6	1	–
	Female	137	–	–	–	–	–	–	–	1	3	1	5	7	7	17	7	19	22	23	15	8	1	1
	All other ..... Male	140	–	–	–	–	–	–	–	1	1	8	8	11	23	26	22	15	13	9	2	–	1	–
	Female	68	–	–	–	–	–	–	–	–	–	3	4	5	7	9	10	6	9	5	7	2	1	–
412	Chronic ischemic heart disease	6,514	–	–	–	–	–	–	4	9	20	56	106	188	335	493	683	832	1,043	1,066	1,001	484	194	–
	White ..... Male	2,679	–	–	–	–	–	–	3	6	15	32	51	112	191	258	359	379	423	398	295	117	40	–
	Female	2,631	–	–	–	–	–	–	–	1	1	7	19	32	54	114	172	266	417	523	589	320	116	–
	All other ..... Male	602	–	–	–	–	–	–	–	2	4	11	25	27	57	71	83	96	79	63	53	16	15	–
	Female	602	–	–	–	–	–	–	1	–	–	6	11	17	33	50	69	91	124	82	64	31	23	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	166	2	1	–	–	1	2	1	4	3	5	11	11	19	14	27	16	15	11	14	6	3	–
	White ..... Male	51	–	–	–	–	1	–	–	–	2	2	7	3	6	5	9	4	7	3	1	1	–	–
	Female	50	1	1	–	–	–	–	1	3	–	1	2	1	2	3	3	8	5	4	8	4	3	–
	All other ..... Male	34	–	–	–	–	–	1	–	–	1	2	2	3	4	4	6	2	2	4	3	–	–	–
	Female	31	1	–	–	–	–	1	–	1	–	–	–	4	7	2	9	2	1	–	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,406	19	7	2	4	5	10	6	13	18	31	41	54	120	129	173	162	173	170	153	89	27	–
	White ..... Male	518	5	–	1	1	1	2	1	7	11	13	14	29	49	46	78	62	74	52	47	16	9	–
	Female	494	5	2	–	2	3	–	1	1	3	4	9	5	31	38	45	57	50	85	79	60	14	–
	All other ..... Male	217	7	1	1	1	1	5	3	1	2	10	10	16	24	29	27	24	21	15	12	6	1	–
	Female	177	2	4	–	–	–	3	1	4	2	4	8	4	16	16	23	19	28	18	15	7	3	–
400, 401, 403	Hypertension	110	–	–	–	–	–	–	2	–	2	3	4	3	6	7	9	18	21	15	11	8	1	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	–	3	1	2	2	3	4	6	2	2	3	1	–
	Female	41	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	10	6	9	6	4	–	–
	All other ..... Male	17	–	–	–	–	–	–	1	–	1	2	–	1	1	2	2	1	3	1	2	–	–	–
	Female	23	–	–	–	–	–	–	1	–	–	1	1	–	2	3	1	3	6	3	1	1	–	–
430–438	Cerebrovascular diseases	3,756	4	2	–	6	2	3	6	15	19	32	58	107	165	241	383	499	614	646	569	286	97	2
	White ..... Male	1,177	1	2	–	5	2	2	1	4	6	13	13	37	48	87	151	185	186	185	163	67	19	–
	Female	1,678	1	–	–	–	–	–	1	5	6	9	17	29	55	58	106	172	266	363	337	193	59	1
	All other ..... Male	423	1	–	–	–	–	–	2	2	4	8	18	21	36	55	67	65	70	43	19	4	7	1
	Female	478	1	–	–	1	–	1	2	4	3	2	10	20	26	41	59	77	92	55	50	22	12	–
431	Cerebral hemorrhage	471	3	–	–	2	–	–	3	3	7	12	22	40	47	44	61	64	61	51	25	22	4	–
	White ..... Male	157	1	–	–	2	–	–	1	2	1	3	4	12	13	17	28	25	21	8	11	7	1	–
	Female	184	–	–	–	–	–	–	–	–	2	4	5	11	16	11	21	25	28	36	11	11	3	–
	All other ..... Male	72	1	–	–	–	–	–	2	1	2	4	8	9	11	10	7	7	6	3	–	1	–	–
	Female	58	1	–	–	–	–	–	–	–	2	1	5	8	7	6	5	7	6	4	3	3	–	–
433	Cerebral thrombosis	753	–	–	–	–	–	1	1	–	2	1	9	8	23	36	69	93	129	169	123	60	28	1
	White ..... Male	222	–	–	–	–	–	1	–	–	–	–	3	4	8	8	26	33	40	45	34	13	7	–
	Female	360	–	–	–	–	–	–	–	–	2	1	1	1	4	14	18	36	60	99	68	41	14	1
	All other ..... Male	77	–	–	–	–	–	–	–	–	–	–	4	2	5	8	14	6	16	14	6	1	1	–
	Female	94	–	–	–	–	–	–	1	–	–	–	1	1	6	6	11	18	13	11	15	5	6	–
434	Cerebral embolism	18	–	–	–	–	–	–	–	1	–	–	1	1	1	1	3	3	5	–	1	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	1	3	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,514	1	2	–	4	2	2	2	11	10	19	26	58	94	160	250	339	419	426	420	204	64	1
	White ..... Male	790	–	2	–	3	2	1	–	2	5	10	6	20	26	62	96	125	123	132	117	47	11	–
	Female	1,125	1	–	–	–	–	–	1	4	2	4	10	17	35	33	65	110	175	228	258	141	41	–
	All other ..... Male	274	–	–	–	–	–	–	–	1	2	4	6	10	20	37	46	52	48	26	13	2	6	1
	Female	325	–	–	–	1	–	1	1	4	1	1	4	11	13	28	43	52	73	40	32	14	6	–
440	Arteriosclerosis	564	–	–	–	–	–	–	–	–	–	1	–	3	10	15	31	56	77	120	113	84	54	–
	White ..... Male	177	–	–	–	–	–	–	–	–	–	1	–	2	5	6	14	20	25	30	36	23	15	–
	Female	282	–	–	–	–	–	–	–	–	–	–	–	1	2	5	8	21	32	64	63	54	32	–
	All other ..... Male	46	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	10	10	9	4	2	4	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	5	10	17	10	5	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	573	1	–	1	–	–	3	2	2	7	3	8	16	36	57	77	98	92	75	56	23	15	1
	White ..... Male	295	–	–	–	–	–	–	1	1	2	1	3	9	21	38	42	67	41	37	21	4	6	1
	Female	180	1	–	1	–	–	3	1	1	2	1	1	5	6	11	21	17	33	29	27	14	6	–
	All other ..... Male	55	–	–	–	–	–	–	–	–	2	1	3	1	5	4	12	5	8	7	4	2	1	–
	Female	43	–	–	–	–	–	–	–	–	1	–	1	1	4	4	2	9	10	2	4	3	2	–
466	Acute bronchitis and bronchiolitis	19	1	1	–	–	1	–	–	–	1	1	–	–	2	1	–	3	1	2	4	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	1	3	–	–	–
	Female	7	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	1	1	–	–
	All other ..... Male	3	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,291	32	4	4	2	7	3	5	6	9	14	29	40	54	68	118	122	175	223	202	123	51	–
	White ..... Male	559	14	1	1	1	3	2	3	2	1	5	12	23	21	28	62	65	66	117	83	37	12	–
	Female	480	7	2	–	1	–	–	1	2	2	2	8	7	11	22	30	33	74	79	100	68	31	–
	All other ..... Male	165	7	–	1	–	3	–	–	1	2	4	7	8	13	13	25	16	25	19	7	11	3	–
	Female	87	4	1	2	–	1	1	1	1	4	3	2	2	9	5	1	8	10	8	12	7	5	–
470–474	Influenza	66	–	–	–	–	–	–	–	1	–	2	–	–	3	6	2	4	10	12	15	6	5	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	3	3	8	7	2	–	–
	Female	29	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	7	4	7	3	5	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–
480–486	Pneumonia	1,225	32	4	4	2	7	3	5	5	9	12	29	40	51	62	116	118	165	211	187	117	46	–
	White ..... Male	528	14	1	1	1	3	2	3	2	1	4	12	23	19	24	61	62	63	109	76	35	12	–
	Female	451	7	2	–	1	–	–	1	1	2	2	8	7	11	20	30	33	67	75	93	65	26	–
	All other ..... Male	164	7	–	1	–	3	–	–	1	2	4	7	8	13	13	24	16	25	19	7	11	3	–
	Female	82	4	1	2	–	1	1	1	1	4	2	2	2	8	5	1	7	10	8	11	6	5	–
490–493	Bronchitis, emphysema, and asthma	433	1	2	–	1	1	3	2	2	1	4	10	14	38	61	72	77	71	39	24	8	2	–
	White ..... Male	246	–	–	–	–	–	–	–	–	–	2	5	7	20	30	44	53	44	26	13	2	–	–
	Female	126	–	1	–	–	–	1	–	2	1	2	3	2	12	21	22	16	23	8	7	5	–	–
	All other ..... Male	44	–	1	–	–	1	1	2	–	–	–	1	4	4	7	5	6	4	4	3	–	1	–
	Female	17	1	–	–	1	–	1	–	–	–	–	1	1	2	3	1	2	–	1	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia—Con.																							
490, 491	Chronic and unqualified bronchitis	74	1	2	–	–	1	1	–	–	–	1	–	2	8	9	7	17	8	8	5	4	–	–
	White ..... Male	32	–	–	–	–	–	–	–	–	–	1	–	–	2	4	2	12	3	5	2	1	–	–
	Female	32	–	1	–	–	–	1	–	–	–	–	–	2	5	4	5	3	4	3	1	3	–	–
	All other ..... Male	7	–	1	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
492	Emphysema	313	–	–	–	–	–	–	–	1	–	2	8	9	22	44	57	56	60	30	18	4	2	–
	White ..... Male	205	–	–	–	–	–	–	–	–	–	1	5	7	15	25	40	39	41	20	11	1	–	–
	Female	75	–	–	–	–	–	–	–	1	–	1	3	–	6	11	13	12	16	5	5	2	–	–
	All other ..... Male	26	–	–	–	–	–	–	–	–	–	–	–	2	1	5	3	5	3	4	2	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	1	1	–
493	Asthma	46	–	–	–	1	–	2	2	1	1	1	2	3	8	8	8	4	3	1	1	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	–	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	1	1	1	–	–	1	6	4	1	3	–	1	–	–	–
	All other ..... Male	11	–	–	–	–	–	1	2	–	–	–	1	2	2	1	2	–	–	–	–	–	–	–
	Female	7	–	–	–	1	–	1	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	99	1	–	–	–	–	–	–	–	1	2	5	5	14	6	15	15	7	17	8	1	2	–
	White ..... Male	52	1	–	–	–	–	–	–	–	1	–	2	5	9	1	7	9	5	9	2	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	2	–	4	1	6	4	1	7	6	–	2	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	2	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
540–543	Appendicitis	18	–	2	–	–	–	–	–	–	–	1	1	2	–	4	–	1	4	2	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–	–	–
	Female	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	110	9	–	–	–	–	–	–	1	–	4	5	6	2	8	9	13	12	28	7	4	2	–
	White ..... Male	33	2	–	–	–	–	–	–	–	–	1	3	1	–	5	3	4	2	9	1	–	2	–
	Female	47	2	–	–	–	–	–	–	–	–	2	–	2	1	1	3	7	7	16	5	1	–	–
	All other ..... Male	17	2	–	–	–	–	–	–	1	–	–	2	2	–	–	2	2	1	2	–	3	–	–
	Female	13	3	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	2	1	1	–	–	–
571	Cirrhosis of liver	551	1	–	–	–	1	1	7	13	22	35	73	87	98	77	72	35	16	7	2	3	1	–
	White ..... Male	278	–	–	–	–	–	1	4	5	10	19	31	46	50	33	47	19	10	2	1	–	–	–
	Female	133	–	–	–	–	–	–	1	–	2	5	16	24	22	25	13	12	4	4	1	3	1	–
	All other ..... Male	74	–	–	–	–	–	–	1	4	7	6	13	4	15	12	7	3	1	1	–	–	–	–
	Female	66	1	–	–	–	1	–	1	4	3	5	13	13	11	7	5	1	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	52	–	–	–	–	–	–	–	–	–	1	–	1	2	1	5	5	4	10	10	9	4	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	4	4	2	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	4	6	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	2	1	2	–
580–584	Nephritis and nephrosis	169	–	–	–	–	1	1	2	2	1	3	4	8	17	15	20	23	32	19	15	3	3	–
	White ..... Male	44	–	–	–	–	–	–	1	–	1	–	–	5	4	6	5	5	5	5	6	–	1	–
	Female	53	–	–	–	–	1	–	–	–	–	–	1	1	4	2	4	6	15	9	7	2	1	–
	All other ..... Male	39	–	–	–	–	–	–	1	–	–	3	2	1	5	5	6	7	4	3	1	–	1	–
	Female	33	–	–	–	–	–	1	–	2	–	–	1	1	4	2	5	5	8	2	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	41	–	–	–	–	–	–	1	–	–	–	–	1	6	4	6	4	8	4	5	1	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	4	1	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	1	2	1	–	–
	All other ..... Male	8	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	–	1	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	128	–	–	–	–	1	1	1	2	1	3	4	7	11	11	14	19	24	15	10	2	2	–
	White ..... Male	28	–	–	–	–	–	–	1	–	1	–	–	4	2	4	2	4	1	4	4	–	1	–
	Female	41	–	–	–	–	1	–	–	–	–	–	1	1	3	1	2	4	13	8	5	1	1	–
	All other ..... Male	31	–	–	–	–	–	–	–	–	–	3	2	1	3	4	5	6	4	2	1	–	–	–
	Female	28	–	–	–	–	–	1	–	2	–	–	1	1	3	2	5	5	6	1	–	1	–	–
590	Infections of kidney	59	–	–	–	1	–	–	–	–	–	1	–	2	6	–	5	4	12	12	11	5	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2	2	4	6	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	8	6	3	5	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–	–	–
	Female	11	–	–	–	1	–	–	–	–	–	–	–	2	1	–	2	1	1	2	1	–	–	–
600	Hyperplasia of prostate	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	–	4	–	–	1	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	4	–	–	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Virginia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	296	182	33	8	5	4	6	4	6	2	6	3	5	4	5	9	6	3	2	2	–	–	1
	White ..... Male	123	78	19	3	1	1	1	2	1	2	1	–	2	2	2	5	2	–	–	–	–	–	1
	Female	98	60	5	2	1	1	5	1	5	–	2	1	1	2	1	2	3	2	2	2	–	–	–
	All other ..... Male	41	26	2	2	1	1	–	–	–	–	2	2	1	–	2	1	1	–	–	–	–	–	–
	Female	34	18	7	1	2	1	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	497	496	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	122	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	235	235	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	262	261	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	73	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	382	130	6	1	1	2	3	5	5	5	7	6	9	11	19	20	19	24	39	29	22	18	1
	White ..... Male	133	47	4	1	–	1	–	–	2	1	1	3	3	5	9	9	6	6	12	8	9	6	–
	Female	127	35	2	–	–	–	–	2	2	2	2	–	4	2	3	5	6	13	18	12	9	10	–
	All other ..... Male	65	27	–	–	–	–	1	3	1	1	3	3	1	4	4	3	2	1	5	3	2	–	1
	Female	57	21	–	–	1	1	2	–	–	1	1	–	1	–	3	3	5	4	4	6	2	2	–
Residual	All other diseases	3,279	45	18	13	13	16	27	36	40	69	99	126	198	280	328	437	391	449	336	237	92	28	1
	White ..... Male	1,412	19	6	8	4	3	14	8	9	22	32	41	86	131	148	211	207	213	126	87	24	13	–
	Female	1,075	12	4	2	6	3	10	11	15	13	27	35	49	76	93	132	105	151	151	111	57	12	–
	All other ..... Male	468	9	5	2	1	4	–	10	9	20	17	29	37	41	57	57	49	52	37	24	6	1	1
	Female	324	5	3	1	2	6	3	7	7	14	23	21	26	32	30	37	30	33	22	15	5	2	–
E800–E949	Accidents	2,413	21	52	54	66	273	311	148	130	135	106	117	146	127	140	117	114	116	99	86	41	11	3
	White ..... Male	1,282	7	20	27	30	176	209	92	78	81	56	53	71	73	69	62	52	52	36	22	10	4	2
	Female	557	6	17	11	12	55	40	26	18	18	12	22	29	21	30	27	33	43	48	57	28	4	–
	All other ..... Male	435	5	9	12	17	34	49	21	26	33	30	28	36	30	36	19	23	12	10	2	1	1	1
	Female	139	3	6	4	7	8	13	9	8	3	8	14	10	3	5	9	6	9	5	5	2	2	–
E810–E823	Motor vehicle accidents	1,086	4	16	32	35	191	213	98	72	64	50	43	54	46	49	32	29	40	11	5	1	–	1
	White ..... Male	622	2	6	17	13	114	145	64	44	33	28	22	24	28	29	14	15	19	3	2	–	–	–
	Female	231	–	3	6	6	52	31	16	10	15	10	7	13	10	7	11	9	15	6	3	1	–	–
	All other ..... Male	184	–	3	8	11	21	28	14	12	15	10	9	14	7	12	6	5	6	2	–	–	–	1
	Female	49	2	4	1	5	4	9	4	6	1	2	5	3	1	1	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,327	17	36	22	31	82	98	50	58	71	56	74	92	81	91	85	85	76	88	81	40	11	2
	White ..... Male	660	5	14	10	17	62	64	28	34	48	28	31	47	45	40	48	37	33	33	20	10	4	2
	Female	326	6	14	5	6	3	9	10	8	3	2	15	16	11	23	16	24	28	42	54	27	4	–
	All other ..... Male	251	5	6	4	6	13	21	7	14	18	20	19	22	23	24	13	18	6	8	2	1	1	–
	Female	90	1	2	3	2	4	4	5	2	2	6	9	7	2	4	8	6	9	5	5	2	2	–
E950–E959	Suicide	731	...	...	–	2	36	82	79	75	54	44	57	68	68	46	44	36	25	7	8	–	–	–
	White ..... Male	485	...	...	–	2	29	53	50	46	32	22	37	46	48	33	31	25	20	5	6	–	–	–
	Female	174	...	...	–	–	3	17	17	21	16	17	16	18	14	9	11	8	3	2	2	–	–	–
	All other ..... Male	54	...	...	–	–	4	9	9	7	5	4	3	3	3	3	2	–	2	–	–	–	–	–
	Female	18	...	...	–	–	–	3	3	1	1	1	1	1	3	1	–	3	–	–	–	–	–	–
E960–E978	Homicide	479	1	7	2	6	34	69	65	65	49	46	26	33	25	22	10	9	3	5	1	1	–	–
	White ..... Male	164	–	–	–	2	9	26	25	16	19	14	9	13	14	8	3	3	1	2	–	–	–	–
	Female	71	1	–	–	2	11	9	4	10	8	9	3	3	4	–	1	2	–	2	1	1	–	–
	All other ..... Male	193	–	3	2	–	11	31	28	34	16	18	10	15	6	10	5	2	1	1	–	–	–	–
	Female	51	–	4	–	2	3	3	8	5	6	5	4	2	1	4	1	2	1	–	–	–	–	–
E980–E999	Other external causes	37	2	–	–	–	1	3	4	6	3	–	3	7	1	3	1	1	1	–	–	–	1	–
	White ..... Male	25	–	–	–	–	1	2	3	6	3	–	2	3	1	2	1	–	–	–	–	–	1	–
	Female	7	1	–	–	–	–	1	1	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington																							
	All causes	30,490	737	140	101	111	383	482	433	369	407	456	795	1,276	1,914	2,642	3,161	3,644	3,748	3,855	3,292	1,875	667	2
	White ..... Male	16,154	383	70	56	65	265	340	299	233	225	228	453	707	1,167	1,664	1,902	2,123	2,017	1,766	1,315	674	200	2
	Female	13,126	265	50	33	34	95	101	88	104	132	174	283	487	635	873	1,144	1,405	1,640	2,029	1,935	1,172	447	–
	All other ..... Male	759	51	11	5	8	13	28	31	23	28	36	38	53	71	76	81	79	56	28	26	11	6	–
	Female	451	38	9	7	4	10	13	15	9	22	18	21	29	41	29	34	37	35	32	16	18	14	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	22	9	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	2	1	1	–	–
	White ..... Male	10	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–
	Female	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	30	–	–	–	–	–	–	–	–	–	–	–	2	3	3	6	5	5	–	5	1	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	3	2	–	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	15	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	3	–	4	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	3	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	15	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	4	2	–	1	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	4	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
038	Septicemia	81	18	–	–	–	–	1	1	3	–	2	3	3	6	6	5	8	9	6	5	4	1	–
	White ..... Male	43	8	–	–	–	–	–	–	2	–	1	2	1	3	4	4	5	5	4	1	3	–	–
	Female	28	7	–	–	–	–	1	–	1	–	–	1	1	2	1	1	2	3	2	4	1	1	–
	All other ..... Male	8	3	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	6	3	1	2	3	2	2	2	4	4	6	3	3	3	8	5	5	6	2	–	1	–
	White ..... Male	34	4	–	–	1	2	1	1	–	–	1	3	2	2	1	5	3	3	3	2	–	–	–
	Female	29	2	2	1	1	–	1	–	1	3	3	1	1	1	2	3	1	2	3	–	–	1	–
	All other ..... Male	6	–	1	–	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,423	2	14	18	14	18	22	38	51	70	125	241	427	643	896	912	940	786	637	380	154	35	–
	White ..... Male	3,403	–	8	10	9	13	18	19	28	34	52	106	194	318	519	504	528	443	335	184	69	12	–
	Female	2,787	–	6	8	4	4	4	17	23	31	61	125	207	288	344	378	382	323	285	192	85	20	–
	All other ..... Male	141	1	–	–	–	–	–	–	–	3	6	6	15	21	25	15	26	12	8	2	–	1	–
	Female	92	1	–	–	1	1	–	2	–	2	6	4	11	16	8	15	4	8	9	2	–	2	–
140–149	Of buccal cavity and pharynx	115	–	–	–	–	–	–	–	–	–	1	3	12	16	23	17	22	8	10	2	1	–	–
	White ..... Male	78	–	–	–	–	–	–	–	–	–	1	2	8	10	17	13	13	6	6	2	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	1	2	6	5	4	8	1	4	–	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,688	–	1	1	–	–	–	2	4	14	27	47	91	134	216	247	244	235	222	133	59	11	–
	White ..... Male	859	–	1	–	–	–	–	2	4	9	14	23	46	77	118	138	130	112	105	58	18	4	–
	Female	765	–	–	1	–	–	–	–	–	4	12	20	39	50	88	98	105	116	112	73	41	6	–
	All other ..... Male	40	–	–	–	–	–	–	–	–	1	1	2	6	3	6	7	8	3	2	1	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	2	–	4	4	4	1	4	3	1	–	1	–
160–163	Of respiratory system	1,628	–	–	–	–	–	1	1	2	6	26	68	117	219	295	259	280	196	114	30	13	1	–
	White ..... Male	1,142	–	–	–	–	–	1	–	2	5	13	31	77	128	221	185	211	148	89	22	9	–	–
	Female	429	–	–	–	–	–	–	1	–	1	9	33	35	81	63	72	57	45	19	8	4	1	–
	All other ..... Male	44	–	–	–	–	–	–	–	–	–	1	3	3	8	10	2	12	3	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	3	1	2	2	1	–	–	–	4	–	–	–	–
174	Of breast	554	–	–	–	–	–	–	2	6	11	22	29	63	76	77	72	64	46	36	36	10	4	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	529	–	–	–	–	–	–	2	6	11	21	29	58	69	76	67	61	45	36	34	10	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	5	6	1	5	2	1	–	1	–	–	–
180–187	Of genital organs	728	–	–	–	2	–	1	6	6	6	10	27	40	51	81	99	97	107	101	58	27	9	–
	White ..... Male	363	–	–	–	1	–	1	3	5	1	3	2	6	11	34	38	56	69	64	43	23	3	–
	Female	343	–	–	–	–	–	–	2	1	3	6	25	31	37	44	58	40	36	35	15	4	6	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	2	–	–	–	–
	Female	11	–	–	–	1	–	–	1	–	2	1	–	3	1	–	1	–	1	–	–	–	–	–
188, 189	Of urinary organs	297	–	–	2	1	–	–	–	1	3	5	7	11	28	33	42	44	47	31	26	13	3	–
	White ..... Male	197	–	–	–	–	–	–	–	–	2	2	6	8	20	27	26	29	34	19	16	6	2	–
	Female	89	–	–	2	1	–	–	–	1	1	3	1	3	5	5	15	13	12	11	9	7	–	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	1	1	1	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	752	–	9	6	5	10	8	10	18	15	19	35	63	74	100	90	105	60	56	51	15	3	–
	White ..... Male	387	–	4	4	4	7	5	3	11	8	8	23	35	43	57	48	48	29	22	19	7	2	–
	Female	338	–	5	2	1	2	3	6	7	7	8	11	26	27	38	38	55	30	31	32	8	1	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	2	–	1	3	3	3	1	–	1	–	–	–	–
	Female	13	–	–	–	–	1	–	1	–	–	1	1	1	1	2	1	1	1	2	–	–	–	–
204–207	Leukemia	260	1	4	7	4	3	4	7	7	4	9	11	9	11	23	35	33	32	33	17	3	3	–
	White ..... Male	159	–	3	4	2	2	3	6	5	1	6	8	4	6	16	24	19	22	15	9	3	1	–
	Female	93	–	1	3	2	1	1	1	2	3	1	2	4	3	7	11	14	9	18	8	–	2	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	401	1	–	2	2	5	8	10	7	11	6	14	21	34	48	51	51	55	34	27	13	1	–
	White ..... Male	215	–	–	2	2	4	8	5	1	8	5	11	10	22	29	32	21	23	15	14	3	–	–
	Female	169	–	–	–	–	1	–	5	6	1	1	3	9	10	18	15	29	29	19	13	10	–	–
	All other ..... Male	10	1	–	–	–	–	–	–	–	2	–	–	2	1	1	–	1	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	–	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	63	2	–	1	–	1	–	–	1	1	2	2	3	7	10	8	7	9	2	4	3	–	–
	White ..... Male	30	1	–	1	–	1	–	–	1	–	–	1	–	3	7	4	5	5	1	–	–	–	–
	Female	31	1	–	–	–	–	–	–	–	1	2	1	3	4	3	4	1	4	1	3	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	490	–	–	–	–	1	–	1	12	11	8	12	21	26	43	65	65	70	69	55	23	8	–
	White ..... Male	218	–	–	–	–	1	–	1	7	4	4	10	11	15	17	36	32	29	26	17	8	–	–
	Female	250	–	–	–	–	–	–	–	5	6	3	1	9	9	21	27	30	36	42	38	15	8	–
	All other ..... Male	11	–	–	–	–	–	–	–	–	–	1	–	1	1	4	2	–	2	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	3	3	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	65	2	–	–	–	–	–	2	1	–	–	–	–	1	6	2	3	7	11	11	15	4	–
	White ..... Male	18	2	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	2	3	5	–	–
	Female	46	–	–	–	–	–	–	2	–	–	–	–	–	1	3	1	2	6	9	8	10	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington—Con.																							
280–285	Anemias	53	–	3	–	–	2	–	2	2	–	1	2	2	1	6	5	4	5	8	6	2	2	–
	White ..... Male	19	–	2	–	–	1	–	1	1	–	–	–	–	–	1	1	2	3	3	2	1	1	–
	Female	31	–	–	–	–	1	–	1	–	–	1	2	2	1	5	3	2	2	5	4	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	26	9	9	1	–	–	–	–	1	–	1	1	–	2	–	–	–	–	1	1	–	–	–
	White ..... Male	13	5	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	Female	10	2	3	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,936	11	9	4	5	13	17	17	37	71	118	252	451	765	1,117	1,514	1,884	2,153	2,395	2,258	1,351	494	–
	White ..... Male	7,641	6	1	3	3	5	8	10	22	44	68	182	289	561	775	958	1,097	1,101	1,031	873	458	146	–
	Female	6,899	3	8	1	1	8	7	3	10	21	39	55	131	162	308	499	729	1,008	1,338	1,361	873	334	–
	All other ..... Male	244	1	–	–	–	–	1	2	3	3	11	10	21	29	21	44	38	28	9	14	4	5	–
	Female	152	1	–	–	1	–	1	2	2	3	–	5	10	13	13	13	20	16	17	10	16	9	–
390–398, 402, 404, 410–429	Diseases of heart	10,792	9	5	3	3	8	8	11	31	53	96	219	388	634	910	1,187	1,428	1,542	1,608	1,477	861	311	–
	White ..... Male	5,915	6	1	3	2	2	5	8	20	37	64	166	259	489	658	783	862	818	731	601	303	97	–
	Female	4,607	1	4	–	–	6	1	1	7	11	23	42	105	112	228	367	525	698	862	861	544	209	–
	All other ..... Male	175	1	–	–	–	–	1	1	3	3	9	8	19	23	17	27	25	19	6	8	2	3	–
	Female	95	1	–	–	1	–	1	1	1	2	–	3	5	10	7	10	16	7	9	7	12	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	263	–	–	–	1	–	1	–	3	4	2	5	13	25	28	31	36	36	37	28	12	1	–
	White ..... Male	117	–	–	–	–	–	1	–	1	2	1	3	7	13	12	17	16	14	17	8	5	–	–
	Female	139	–	–	–	–	–	–	–	2	1	1	2	6	11	16	12	19	22	20	19	7	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–	1	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	114	–	–	–	–	–	–	1	–	–	2	2	10	7	13	16	10	9	20	12	7	5	–
	White ..... Male	45	–	–	–	–	–	–	1	–	–	–	1	7	6	7	11	2	3	2	4	1	–	–
	Female	57	–	–	–	–	–	–	–	–	–	1	1	1	–	5	4	6	5	17	8	6	3	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	–	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	1	–
404	Hypertensive heart and renal disease	37	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	5	4	6	8	5	2	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	4	2	–	–
	Female	24	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	3	3	4	4	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	9,291	–	1	–	–	–	–	5	19	38	80	176	315	523	767	1,013	1,251	1,377	1,399	1,302	759	266	–
	White ..... Male	5,145	–	–	–	–	–	–	4	14	31	57	138	215	416	568	674	774	729	648	525	269	83	–
	Female	3,941	–	1	–	–	–	–	1	3	5	16	33	81	84	177	312	442	625	738	766	477	180	–
	All other ..... Male	130	–	–	–	–	–	–	–	2	1	7	3	16	14	16	19	21	16	5	6	2	2	–
	Female	75	–	–	–	–	–	–	–	–	1	–	2	3	9	6	8	14	7	8	5	11	1	–
410	Acute myocardial infarction	4,237	–	1	–	–	–	–	2	9	20	51	113	192	320	416	583	656	645	571	406	191	61	–
	White ..... Male	2,554	–	–	–	–	–	–	1	7	16	33	87	141	255	308	395	427	360	276	160	68	20	–
	Female	1,592	–	1	–	–	–	–	1	2	3	12	23	40	52	99	176	216	276	291	241	120	39	–
	All other ..... Male	62	–	–	–	–	–	–	–	–	–	6	1	10	8	7	6	8	8	3	4	–	1	–
	Female	29	–	–	–	–	–	–	–	–	1	–	2	1	5	2	6	5	1	1	1	3	1	–
411	Other acute and subacute forms of ischemic heart disease	44	–	–	–	–	–	–	–	–	–	–	1	3	2	2	5	7	8	9	4	2	1	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	4	3	6	2	2	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	5	3	2	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,005	–	–	–	–	–	–	3	10	18	29	62	120	201	347	425	586	723	819	892	566	204	–
	White ..... Male	2,565	–	–	–	–	–	–	3	7	15	24	50	73	160	256	278	343	366	366	363	199	62	–
	Female	2,328	–	–	–	–	–	–	–	1	2	4	10	40	31	78	132	222	343	444	523	357	141	–
	All other ..... Male	66	–	–	–	–	–	–	–	2	1	1	2	5	6	9	13	12	8	2	2	2	1	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	2	4	4	2	9	6	7	4	8	–	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	53	–	–	–	–	–	–	1	–	1	1	1	2	3	2	13	6	4	6	7	2	4	–
	White ..... Male	34	–	–	–	–	–	–	1	–	–	1	–	2	3	–	9	4	3	6	3	1	1	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	2	1	–	4	1	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington—Con.																							
420-423, 425-427, 429	All other forms of heart disease	1,034	9	4	3	2	8	7	4	8	10	11	35	47	75	99	111	120	112	140	120	76	33	-
	White ..... Male	561	6	1	3	2	2	4	2	5	4	5	24	27	51	71	71	64	68	56	57	25	13	-
	Female	428	1	3	-	-	6	1	-	1	4	5	6	17	16	27	33	53	42	83	60	50	20	-
	All other ..... Male	31	1	-	-	-	-	1	1	1	1	1	4	2	7	-	6	2	2	1	1	-	-	-
	Female	14	1	-	-	-	-	1	1	1	1	-	1	1	1	1	1	1	-	-	2	1	-	-
400, 401, 403	Hypertension	75	-	-	-	-	1	-	-	-	-	1	1	-	2	7	7	9	10	13	13	8	3	-
	White ..... Male	31	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	5	7	5	3	1	-
	Female	39	-	-	-	-	1	-	-	-	-	1	-	-	-	3	4	6	5	6	7	4	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
430-438	Cerebrovascular diseases	3,011	1	4	1	2	4	9	5	4	14	17	26	51	96	163	239	319	455	597	563	329	112	-
	White ..... Male	1,181	-	-	-	1	3	3	2	1	5	2	13	22	47	84	126	151	196	216	193	87	29	-
	Female	1,737	1	4	1	1	1	6	2	2	9	13	10	24	43	70	97	156	243	372	366	239	77	-
	All other ..... Male	51	-	-	-	-	-	-	-	-	-	2	1	1	4	4	13	10	8	3	3	1	1	-
	Female	42	-	-	-	-	-	-	1	1	-	-	2	4	2	5	3	2	8	6	1	2	5	-
431	Cerebral hemorrhage	313	-	2	-	-	2	2	-	-	4	4	4	14	27	26	37	43	41	48	36	19	4	-
	White ..... Male	117	-	-	-	-	1	1	-	-	2	-	1	6	14	16	14	17	15	18	7	4	1	-
	Female	186	-	2	-	-	1	1	-	-	2	3	2	7	11	10	20	25	25	30	29	15	3	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
433	Cerebral thrombosis	661	-	-	-	-	-	-	1	-	-	1	6	7	13	32	41	55	111	145	138	78	33	-
	White ..... Male	253	-	-	-	-	-	-	-	-	-	-	3	3	7	15	28	33	46	49	43	19	7	-
	Female	396	-	-	-	-	-	-	1	-	-	1	2	3	6	16	12	19	63	95	93	59	26	-
	All other ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-
434	Cerebral embolism	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	1	1	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	1	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	All other cerebrovascular diseases	2,027	1	2	1	2	2	7	4	4	10	12	16	29	56	104	158	221	300	403	388	232	75	-
	White ..... Male	810	-	-	-	1	2	2	2	1	3	2	9	13	26	53	84	101	134	149	143	64	21	-
	Female	1,147	1	2	1	1	-	5	1	2	7	9	6	13	26	43	63	112	153	246	243	165	48	-
	All other ..... Male	35	-	-	-	-	-	-	-	-	-	1	-	-	3	3	9	7	6	2	2	1	1	-
	Female	35	-	-	-	-	-	-	1	1	-	-	1	3	1	5	2	1	7	6	-	2	5	-
440	Arteriosclerosis	607	-	-	-	-	-	-	-	-	-	2	2	2	9	5	22	57	64	110	155	120	59	-
	White ..... Male	251	-	-	-	-	-	-	-	-	-	1	2	2	5	5	10	35	32	45	48	50	16	-
	Female	343	-	-	-	-	-	-	-	-	-	1	-	-	3	-	9	19	32	65	105	68	41	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	1	1	1	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
441-448	Other diseases of arteries, arterioles, and capillaries	451	1	-	-	-	-	-	1	2	4	2	4	10	24	32	59	71	82	67	50	33	9	-
	White ..... Male	263	-	-	-	-	-	-	-	1	2	1	1	6	19	25	36	46	50	32	26	15	3	-
	Female	173	1	-	-	-	-	-	-	1	1	1	3	2	4	7	22	23	30	33	22	18	5	-
	All other ..... Male	7	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	1	-	1	-
466	Acute bronchitis and bronchiolitis	10	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	1	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-
	Female	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	Influenza and pneumonia	1,029	8	5	4	2	5	7	4	2	5	6	10	25	26	35	60	98	124	199	205	142	57	-
	White ..... Male	489	5	2	3	2	1	2	2	2	2	3	6	14	16	23	35	63	68	94	75	51	20	-
	Female	503	3	2	-	-	2	3	-	-	2	2	3	8	7	11	21	33	52	102	127	90	35	-
	All other ..... Male	24	-	-	1	-	2	-	2	-	-	-	1	2	2	-	4	2	2	2	3	1	-	-
	Female	13	-	1	-	-	-	2	-	-	1	1	-	1	1	1	-	-	2	1	-	-	2	-
470-474	Influenza	105	-	-	-	-	-	-	-	-	1	-	-	4	2	1	6	9	13	25	19	19	6	-
	White ..... Male	42	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	5	6	10	6	5	3	-
	Female	61	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	4	6	15	13	14	3	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-486	Pneumonia	924	8	5	4	2	5	7	4	2	4	6	10	21	24	34	54	89	111	174	186	123	51	-
	White ..... Male	447	5	2	3	2	1	2	2	2	2	3	6	11	15	23	32	58	62	84	69	46	17	-
	Female	442	3	2	-	-	2	3	-	-	1	2	3	7	7	10	18	29	46	87	114	76	32	-
	All other ..... Male	23	-	-	1	-	2	-	2	-	-	-	1	2	1	-	4	2	2	2	3	1	-	-
	Female	12	-	1	-	-	-	2	-	-	1	1	-	1	1	1	-	-	1	1	-	-	2	-
490-493	Bronchitis, emphysema, and asthma	429	1	-	-	1	-	1	1	2	3	2	8	10	31	59	69	90	69	46	25	9	2	-
	White ..... Male	274	1	-	-	1	-	1	-	2	-	-	3	4	16	35	44	61	50	33	17	5	1	-
	Female	135	-	-	-	-	-	-	1	-	3	2	3	6	12	22	22	25	18	11	7	2	1	-
	All other ..... Male	17	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	3	-	2	1	2	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington—Con.																							
490, 491	Chronic and unqualified bronchitis	91	1	-	-	-	-	-	1	-	-	1	-	2	7	14	10	17	15	9	7	5	2	-
	White ..... Male	50	1	-	-	-	-	-	-	-	-	-	-	1	6	8	4	13	9	2	3	2	1	-
	Female	34	-	-	-	-	-	-	1	-	-	1	-	1	1	5	5	4	6	5	3	1	1	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	302	-	-	-	-	-	-	-	1	2	-	4	5	21	41	56	69	50	35	15	3	-	-
	White ..... Male	212	-	-	-	-	-	-	-	1	-	-	2	3	10	26	38	47	39	31	13	2	-	-
	Female	80	-	-	-	-	-	-	-	-	2	-	1	2	9	14	16	19	10	4	2	1	-	-
	All other ..... Male	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
493	Asthma	36	-	-	-	1	-	1	-	1	1	1	4	3	3	4	3	4	4	2	3	1	-	-
	White ..... Male	12	-	-	-	1	-	1	-	1	-	-	1	-	-	1	2	1	2	-	1	1	-	-
	Female	21	-	-	-	-	-	-	-	-	1	1	2	3	2	3	1	2	2	2	2	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	108	-	-	-	-	-	-	1	1	3	2	7	6	5	10	9	20	10	15	12	7	-	-
	White ..... Male	63	-	-	-	-	-	-	1	-	1	1	5	5	4	7	6	13	6	8	3	3	-	-
	Female	44	-	-	-	-	-	-	-	1	2	1	2	1	1	3	3	7	4	6	9	4	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	89	7	2	-	-	1	-	-	1	1	1	2	3	5	4	7	6	9	15	15	7	3	-
	White ..... Male	28	4	1	-	-	1	-	-	-	-	-	1	-	2	2	4	3	3	3	3	1	-	-
	Female	58	3	-	-	-	-	-	-	1	1	1	-	3	3	1	3	3	6	12	12	6	3	-
	All other ..... Male	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	459	1	-	-	-	-	-	4	11	17	21	44	82	70	73	63	33	23	11	5	1	-	-
	White ..... Male	259	1	-	-	-	-	-	1	5	6	8	23	47	44	43	33	20	17	6	4	1	-	-
	Female	154	-	-	-	-	-	-	1	2	6	7	13	32	21	24	24	13	5	5	1	-	-	-
	All other ..... Male	31	-	-	-	-	-	-	-	3	3	5	5	3	3	5	4	-	-	-	-	-	-	-
	Female	15	-	-	-	-	-	-	2	1	2	1	3	-	2	1	2	-	1	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	48	1	-	-	-	-	-	-	-	1	-	2	3	2	5	4	3	6	10	6	4	1	-
	White ..... Male	19	-	-	-	-	-	-	-	-	1	-	1	2	2	1	4	1	2	2	1	1	1	-
	Female	27	1	-	-	-	-	-	-	-	-	-	1	1	-	3	-	2	4	8	5	2	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	73	-	-	-	-	-	-	2	-	-	-	5	4	3	7	9	7	12	7	13	2	2	-
	White ..... Male	39	-	-	-	-	-	-	-	-	-	-	4	1	2	1	6	4	7	3	9	2	-	-
	Female	30	-	-	-	-	-	-	1	-	-	-	1	3	1	4	2	3	5	4	4	-	2	-
	All other ..... Male	4	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	10	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	3	1	-	-	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-
	Female	5	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	63	-	-	-	-	-	-	1	-	-	-	4	3	2	6	9	6	9	6	13	2	2	-
	White ..... Male	34	-	-	-	-	-	-	-	-	-	-	4	1	1	-	6	3	5	3	9	2	-	-
	Female	25	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	3	4	3	4	-	2	-
	All other ..... Male	4	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	Infections of kidney	47	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	10	1	10	6	4	4	-
	White ..... Male	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	5	3	1	-	-
	Female	29	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	7	-	5	3	3	3	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
600	Hyperplasia of prostate	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	1	-	-
	White ..... Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Washington—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	202	145	7	2	2	8	5	4	2	–	2	3	2	7	3	2	3	3	2	–	–	–	–
	White ..... Male	105	72	4	1	–	5	2	3	1	–	2	2	2	2	2	1	2	2	2	–	–	–	–
	Female	85	62	2	1	2	3	3	1	1	–	–	1	–	5	1	1	1	1	–	–	–	–	–
	All other ..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	302	302	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	159	159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	194	194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	286	152	3	–	–	1	7	5	1	5	6	6	4	6	7	10	6	11	19	20	10	6	1
	White ..... Male	138	79	2	–	–	1	6	2	1	2	2	2	4	3	4	6	3	5	8	5	1	1	1
	Female	107	45	–	–	–	–	1	2	–	2	1	3	–	1	3	4	2	5	11	13	9	5	–
	All other ..... Male	23	16	1	–	–	–	–	–	–	–	3	1	–	1	–	–	1	–	–	–	–	–	–
	Female	18	12	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	2	–	–	–
Residual	All other diseases	2,278	36	11	12	7	10	24	25	21	42	30	69	93	150	201	276	330	335	289	190	99	28	–
	White ..... Male	1,231	17	5	6	1	10	15	10	10	16	14	34	43	82	120	165	204	201	143	80	46	9	–
	Female	948	17	6	5	5	–	8	10	8	17	11	26	42	58	75	108	117	125	137	106	48	19	–
	All other ..... Male	56	1	–	–	–	–	–	4	2	3	2	2	3	7	6	2	5	7	6	3	3	–	–
	Female	43	1	–	1	1	–	1	1	1	6	3	7	5	3	–	1	4	2	3	1	2	–	–
E800-E949	Accidents	2,046	18	66	56	70	260	303	214	137	111	81	72	83	92	80	84	82	61	74	55	31	16	–
	White ..... Male	1,350	12	38	32	42	177	225	170	95	82	47	44	60	55	52	54	52	37	35	19	14	8	–
	Female	548	4	18	15	20	68	52	30	30	18	25	26	18	33	18	25	27	23	38	35	17	8	–
	All other ..... Male	104	2	6	3	7	8	23	10	8	8	5	2	4	3	8	4	2	1	–	–	–	–	–
	Female	44	–	4	6	1	7	3	4	4	3	4	–	1	1	2	1	1	–	1	1	–	–	–
E810-E823	Motor vehicle accidents	1,052	5	24	27	29	200	205	137	71	63	39	33	34	44	34	32	28	18	19	5	4	1	–
	White ..... Male	695	3	15	17	17	130	150	108	47	46	16	18	25	23	19	16	18	12	9	2	3	1	–
	Female	276	1	6	7	7	62	40	18	15	12	18	14	8	18	7	14	9	6	10	3	1	–	–
	All other ..... Male	51	1	1	2	4	4	12	7	5	3	2	1	–	2	6	1	–	–	–	–	–	–	–
	Female	30	–	2	1	1	4	3	4	4	2	3	–	1	1	2	1	1	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	994	13	42	29	41	60	98	77	66	48	42	39	49	48	46	52	54	43	55	50	27	15	–
	White ..... Male	655	9	23	15	25	47	75	62	48	36	31	26	35	32	33	38	34	25	26	17	11	7	–
	Female	272	3	12	8	13	6	12	12	15	6	7	12	10	15	11	11	18	17	28	32	16	8	–
	All other ..... Male	53	1	5	1	3	4	11	3	3	5	3	1	4	1	2	3	2	1	–	–	–	–	–
	Female	14	–	2	5	–	3	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–
E950-E959	Suicide	537	...	...	–	2	33	61	64	47	39	32	36	33	48	47	28	22	25	14	4	1	1	–
	White ..... Male	363	...	...	–	2	31	45	48	31	19	17	19	19	27	36	16	15	20	12	4	1	1	–
	Female	148	...	...	–	–	1	12	10	15	15	13	14	13	20	10	11	7	5	2	–	–	–	–
	All other ..... Male	18	...	...	–	–	1	1	5	–	4	2	2	1	–	1	1	–	–	–	–	–	–	–
	Female	8	...	...	–	–	–	3	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	195	1	6	1	3	24	29	32	26	15	9	6	9	9	10	4	4	1	2	3	1	–	–
	White ..... Male	109	–	1	–	2	13	15	21	18	9	6	1	6	5	6	3	1	–	–	2	–	–	–
	Female	50	1	2	–	1	8	8	5	5	2	1	2	3	2	4	–	1	1	2	1	1	–	–
	All other ..... Male	26	–	2	1	–	1	3	6	3	3	–	3	–	2	–	–	2	–	–	–	–	–	–
	Female	10	–	1	–	–	2	3	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
E980-E999	Other external causes	68	1	1	–	3	3	3	13	7	7	3	5	4	2	4	3	2	2	1	–	1	2	1
	White ..... Male	44	1	–	–	2	3	2	9	5	5	1	4	2	2	1	3	–	1	1	–	1	–	1
	Female	14	–	1	–	–	–	1	3	–	1	1	–	1	–	3	–	1	–	–	–	–	2	–
	All other ..... Male	6	–	–	–	1	–	–	–	2	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia																							
	All causes	19,646	443	73	43	55	193	224	218	208	233	350	516	919	1,311	1,804	2,349	2,568	2,687	2,370	1,845	898	339	-
	White ..... Male	10,478	237	39	22	37	129	158	152	141	163	235	315	559	793	1,100	1,400	1,416	1,352	1,049	753	328	100	-
	Female	8,178	180	28	17	15	51	48	48	57	58	101	172	313	437	631	827	1,026	1,190	1,206	1,013	537	223	-
	All other ..... Male	559	12	3	2	2	10	12	14	8	7	9	20	24	47	47	68	73	73	65	43	13	7	-
	Female	431	14	3	2	1	3	6	4	2	5	5	9	23	34	26	54	53	72	50	36	20	9	-
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	16	5	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	3	-	-	-
	White ..... Male	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	9	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, all forms	38	-	-	-	-	1	-	-	2	-	1	2	1	4	3	2	3	8	3	2	3	3	-
	White ..... Male	29	-	-	-	-	1	-	-	2	-	1	1	1	4	3	1	3	6	3	1	1	1	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	36	-	-	-	-	1	-	-	1	-	1	2	1	4	3	2	2	8	3	2	3	3	-
	White ..... Male	27	-	-	-	-	1	-	-	1	-	1	1	1	4	3	1	2	6	3	1	1	1	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White ..... Male	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	5	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White ..... Male	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	76	6	2	1	-	-	1	1	-	2	1	4	1	6	9	5	8	12	4	10	2	1	-
	White ..... Male	30	3	1	-	-	-	-	-	-	2	1	1	1	2	4	-	4	5	1	5	-	-	-
	Female	43	3	1	1	-	-	1	1	-	-	-	3	-	3	5	5	4	6	3	5	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
040-043	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	35	4	1	1	-	-	1	-	2	1	-	-	-	3	1	4	3	5	3	3	3	-	-
	White ..... Male	13	3	1	-	-	-	-	-	1	1	-	-	-	-	1	-	1	2	1	-	2	-	-
	Female	19	1	-	1	-	-	1	-	1	-	-	-	-	1	-	4	2	2	2	3	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,681	3	7	2	5	6	13	23	26	36	85	139	257	346	515	593	564	475	318	195	57	16	–
	White ..... Male	1,986	1	5	–	3	4	7	12	11	17	49	55	125	186	297	355	318	260	156	92	26	7	–
	Female	1,514	1	2	2	1	2	5	9	15	17	34	78	120	151	207	207	212	181	143	92	28	7	–
	All other ..... Male	97	–	–	–	1	–	1	1	–	–	1	4	4	3	7	16	20	17	13	6	1	2	–
	Female	84	1	–	–	–	–	–	1	–	2	1	2	8	6	4	15	14	17	6	5	2	–	–
140–149	Of buccal cavity and pharynx	54	–	–	–	–	–	–	–	–	–	–	7	5	4	14	6	8	6	2	2	–	–	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	5	4	3	10	4	4	2	2	2	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	4	3	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	856	–	–	–	–	1	2	–	5	5	7	21	43	68	102	129	145	124	99	77	23	5	–
	White ..... Male	435	–	–	–	–	–	1	–	3	4	7	9	19	36	63	75	71	65	38	33	8	3	–
	Female	374	–	–	–	–	1	1	–	2	1	–	10	21	31	37	42	64	53	54	40	15	2	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	–	2	1	–	1	5	6	2	5	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	2	1	1	7	4	4	2	2	–	–	–
160–163	Of respiratory system	1,023	1	–	–	–	–	1	3	2	4	25	32	98	129	178	199	160	111	48	28	4	–	–
	White ..... Male	753	–	–	–	–	–	1	3	1	3	16	20	68	90	135	151	120	88	35	19	3	–	–
	Female	231	1	–	–	–	–	–	–	1	1	9	10	27	35	39	38	32	18	12	7	1	–	–
	All other ..... Male	25	–	–	–	–	–	–	–	–	–	–	–	1	2	3	8	7	1	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	2	2	1	2	1	4	–	–	–	–	–
174	Of breast	252	–	–	–	–	–	–	4	4	8	8	27	23	27	37	35	31	28	12	5	2	1	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	245	–	–	–	–	–	–	3	4	7	7	27	23	27	36	34	29	28	12	5	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
180–187	Of genital organs	412	–	–	–	–	–	3	3	4	3	12	13	27	31	34	61	56	62	56	30	11	6	–
	White ..... Male	174	–	–	–	–	–	1	–	1	1	1	1	1	3	7	28	35	34	33	17	7	4	–
	Female	202	–	–	–	–	–	2	3	3	1	10	12	23	26	26	30	16	21	14	11	3	1	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	6	1	1	1	–
	Female	18	–	–	–	–	–	–	–	–	1	1	–	2	2	1	1	3	3	3	1	–	–	–
188, 189	Of urinary organs	167	–	–	1	–	–	–	–	1	1	5	6	5	13	22	24	27	30	19	10	3	–	–
	White ..... Male	109	–	–	–	–	–	–	–	1	–	4	4	4	10	18	15	16	22	10	3	2	–	–
	Female	52	–	–	1	–	–	–	–	–	1	–	2	1	3	4	9	9	7	7	7	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	610	1	3	–	2	2	2	8	5	8	20	26	44	52	89	94	76	74	56	34	11	3	–
	White ..... Male	301	–	2	–	2	2	1	7	3	4	14	12	19	29	43	56	36	28	25	12	6	–	–
	Female	278	–	1	–	–	–	1	1	2	4	6	13	22	21	44	34	34	38	31	19	5	2	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	3	4	–	1	–	1	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	2	1	–	3	3	4	–	2	–	–	–
204–207	Leukemia	136	–	4	1	3	3	1	4	3	3	3	4	4	4	21	15	20	22	12	7	2	–	–
	White ..... Male	76	–	3	–	1	2	1	1	2	1	2	2	2	3	12	7	13	11	7	6	–	–	–
	Female	51	–	1	1	1	1	–	2	1	2	1	2	2	1	8	7	7	7	5	1	1	–	–
	All other ..... Male	6	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	171	1	–	–	–	–	4	1	2	4	5	3	8	18	18	30	41	18	14	2	1	1	–
	White ..... Male	101	1	–	–	–	–	2	1	–	4	4	2	8	12	9	19	23	10	6	–	–	–	–
	Female	65	–	–	–	–	–	1	–	2	–	1	1	–	6	9	11	17	6	8	2	–	1	–
	All other ..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	47	2	1	–	1	1	–	–	3	1	3	3	5	4	8	2	4	2	6	1	–	–	–
	White ..... Male	27	–	–	–	1	1	–	–	1	1	3	2	4	1	6	–	3	1	2	1	–	–	–
	Female	18	2	1	–	–	–	–	–	2	–	–	1	1	3	1	2	1	–	4	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	388	–	–	–	–	1	1	–	5	4	4	7	13	25	36	54	71	61	57	31	12	6	–
	White ..... Male	149	–	–	–	–	–	–	–	3	2	3	5	7	10	18	23	25	18	19	13	2	1	–
	Female	205	–	–	–	–	1	1	–	1	2	1	2	6	9	15	26	38	39	35	17	8	4	–
	All other ..... Male	14	–	–	–	–	–	–	–	1	–	–	–	–	3	1	2	4	–	1	1	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	4	4	2	–	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	33	–	–	–	–	–	–	1	–	–	1	–	1	–	1	3	3	5	5	8	2	3	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	3	3	5	2	–	–
	Female	14	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	2	2	3	–	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia—Con.																							
280–285	Anemias	43	–	–	2	–	1	–	–	–	1	2	–	3	1	3	4	3	5	4	8	4	2	–
	White ..... Male	15	–	–	1	–	–	–	–	–	–	1	–	1	1	1	2	1	–	2	4	1	–	–
	Female	25	–	–	–	–	1	–	–	–	1	1	–	1	–	2	2	2	5	2	3	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
320	Meningitis	12	5	1	–	–	1	–	1	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
	White ..... Male	4	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,269	9	5	3	3	6	11	13	19	47	99	192	393	615	856	1,213	1,418	1,637	1,546	1,271	663	250	–
	White ..... Male	5,170	4	1	2	1	3	6	7	13	33	63	137	273	410	528	711	771	780	649	479	226	73	–
	Female	4,624	5	3	1	1	3	4	4	6	12	31	45	99	163	291	441	592	777	822	742	412	170	–
	All other ..... Male	267	–	–	–	–	–	–	1	–	1	3	7	13	30	25	31	33	42	40	27	11	3	–
	Female	208	–	1	–	1	–	1	1	–	1	2	3	8	12	12	30	22	38	35	23	14	4	–
390–398, 402, 404, 410–429	Diseases of heart	8,021	9	4	3	–	5	10	9	14	36	83	163	338	530	727	981	1,158	1,238	1,150	907	485	171	–
	White ..... Male	4,199	4	–	2	–	3	6	4	11	28	56	121	246	367	462	578	649	595	505	346	165	51	–
	Female	3,459	5	3	1	–	2	3	3	3	7	24	33	75	129	234	357	464	581	589	530	300	116	–
	All other ..... Male	203	–	–	–	–	–	–	1	–	1	3	6	10	25	22	23	29	29	28	15	9	2	–
	Female	160	–	1	–	–	–	1	1	–	–	–	3	7	9	9	23	16	33	28	16	11	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	118	–	–	–	–	–	2	1	1	2	2	8	8	15	12	16	22	13	6	7	3	–	–
	White ..... Male	54	–	–	–	–	–	1	–	–	1	1	3	5	10	7	3	12	3	3	3	2	–	–
	Female	63	–	–	–	–	–	1	1	1	1	1	4	3	5	5	13	10	10	3	4	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	71	–	–	–	–	–	–	–	1	1	–	4	–	3	7	14	9	16	6	4	5	1	–
	White ..... Male	24	–	–	–	–	–	–	–	1	1	–	2	–	–	2	4	2	7	1	1	3	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	–	1	4	9	6	7	5	3	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–
404	Hypertensive heart and renal disease	29	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	2	8	9	1	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	6	5	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	2	4	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	7,060	–	–	–	–	–	–	4	8	28	69	137	300	463	645	858	1,018	1,106	1,033	802	440	149	–
	White ..... Male	3,764	–	–	–	–	–	–	1	7	23	50	108	221	332	422	519	568	547	462	308	151	45	–
	Female	2,997	–	–	–	–	–	–	2	1	4	17	23	63	104	198	301	412	510	521	468	273	100	–
	All other ..... Male	166	–	–	–	–	–	–	–	–	1	2	4	10	19	16	21	24	23	26	11	7	2	–
	Female	133	–	–	–	–	–	–	1	–	–	–	2	6	8	9	17	14	26	24	15	9	2	–
410	Acute myocardial infarction	3,370	–	–	–	–	–	–	1	6	15	42	93	202	300	396	495	538	528	390	227	107	30	–
	White ..... Male	2,019	–	–	–	–	–	–	1	5	13	30	77	155	218	261	310	312	290	193	98	45	11	–
	Female	1,231	–	–	–	–	–	–	–	1	2	11	14	38	66	121	170	211	215	183	120	61	18	–
	All other ..... Male	69	–	–	–	–	–	–	–	–	–	1	1	7	11	6	8	10	12	9	3	–	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	1	2	5	8	7	5	11	5	6	1	–	–
411	Other acute and subacute forms of ischemic heart disease	20	–	–	–	–	–	–	–	–	–	–	–	2	3	–	3	3	2	4	1	2	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	3	1	2	–	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,669	–	–	–	–	–	–	3	2	13	27	44	96	160	249	360	477	575	639	574	331	119	–
	White ..... Male	1,731	–	–	–	–	–	–	–	2	10	20	31	65	111	161	207	253	256	267	210	104	34	–
	Female	1,759	–	–	–	–	–	–	2	–	2	6	9	24	38	77	130	201	293	336	347	212	82	–
	All other ..... Male	97	–	–	–	–	–	–	–	–	1	1	3	3	8	10	13	14	11	17	8	7	1	–
	Female	82	–	–	–	–	–	–	1	–	–	–	1	4	3	1	10	9	15	19	9	8	2	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	–	–	2	–	2	1	1	–	–	1	2	1	1	3	2	3	5	4	8	3	1	–
	White ..... Male	13	–	–	1	–	1	–	–	–	–	–	1	1	–	1	1	1	2	1	2	1	–	–
	Female	24	–	–	1	–	1	1	–	–	–	1	1	–	1	2	1	2	3	3	5	1	1	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	703	9	4	1	–	3	7	3	4	5	10	12	29	47	59	89	102	96	93	77	33	20	–
	White ..... Male	329	4	–	1	–	2	5	3	3	3	5	7	19	25	29	49	65	36	32	27	8	6	–
	Female	324	5	3	–	–	1	1	–	1	2	4	4	9	17	25	33	32	50	55	46	22	14	–
	All other ..... Male	30	–	–	–	–	–	–	–	–	–	1	1	–	4	5	2	4	6	2	4	1	–	–
	Female	20	–	1	–	–	–	1	–	–	–	–	–	1	1	–	5	1	4	4	–	2	–	–
400, 401, 403	Hypertension	71	–	–	–	–	–	–	–	–	3	–	–	3	2	5	8	10	10	14	12	2	2	–
	White ..... Male	26	–	–	–	–	–	–	–	–	2	–	–	1	1	2	4	5	5	2	3	–	1	–
	Female	37	–	–	–	–	–	–	–	–	1	–	–	1	1	2	3	5	4	10	7	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–	–	–
430–438	Cerebrovascular diseases	1,650	–	–	–	3	–	1	2	4	7	14	24	39	66	90	162	191	305	285	274	129	54	–
	White ..... Male	671	–	–	–	1	–	–	2	2	2	6	14	19	35	38	83	82	138	99	96	40	14	–
	Female	894	–	–	–	1	–	1	–	2	4	6	9	18	25	48	67	100	154	174	164	84	37	–
	All other ..... Male	50	–	–	–	–	–	–	–	–	–	–	1	2	5	3	6	4	10	8	8	2	1	–
	Female	35	–	–	–	1	–	–	–	–	1	2	–	–	1	1	6	5	3	4	6	3	2	–
431	Cerebral hemorrhage	207	–	–	–	–	–	–	–	–	2	8	9	16	7	18	29	22	29	33	25	5	4	–
	White ..... Male	87	–	–	–	–	–	–	–	–	–	5	4	8	4	9	11	12	13	8	10	2	1	–
	Female	113	–	–	–	–	–	–	–	–	1	3	5	6	3	9	16	10	16	24	14	3	3	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
433	Cerebral thrombosis	344	–	–	–	1	–	–	–	1	1	1	1	4	7	18	31	33	70	61	63	38	14	–
	White ..... Male	134	–	–	–	1	–	–	–	–	1	1	1	2	6	9	18	15	27	19	20	11	3	–
	Female	201	–	–	–	–	–	–	–	1	–	–	–	2	1	8	11	17	42	42	41	26	10	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	1	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,093	–	–	–	2	–	1	2	3	4	5	14	19	52	53	102	135	205	191	183	86	36	–
	White ..... Male	448	–	–	–	–	–	–	2	2	1	–	9	9	25	19	54	55	97	72	66	27	10	–
	Female	576	–	–	–	1	–	1	–	1	3	3	4	10	21	31	40	72	96	108	106	55	24	–
	All other ..... Male	38	–	–	–	–	–	–	–	–	–	–	1	–	5	2	3	4	9	7	6	1	–	–
	Female	31	–	–	–	1	–	–	–	–	–	2	–	–	1	1	5	4	3	4	5	3	2	–
440	Arteriosclerosis	275	–	–	–	–	–	–	–	–	–	–	–	4	3	9	20	21	36	67	54	41	20	–
	White ..... Male	117	–	–	–	–	–	–	–	–	–	–	–	3	2	8	14	9	9	28	20	18	6	–
	Female	150	–	–	–	–	–	–	–	–	–	–	–	1	–	1	6	12	24	37	32	23	14	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	252	–	1	–	–	1	–	2	1	1	2	5	9	14	25	42	38	48	30	24	6	3	–
	White ..... Male	157	–	1	–	–	–	–	1	–	1	1	2	4	5	18	32	26	33	15	14	3	1	–
	Female	84	–	–	–	–	1	–	1	1	–	1	3	4	8	6	8	11	14	12	9	3	2	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	8	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
	White ..... Male	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	577	14	2	2	4	6	2	2	4	1	4	5	11	27	29	36	60	88	101	95	61	23	–
	White ..... Male	287	6	1	1	2	3	1	–	2	–	1	3	4	18	16	26	35	46	42	45	29	6	–
	Female	262	8	–	1	2	3	1	1	2	1	2	1	7	8	11	9	20	38	56	45	31	15	–
	All other ..... Male	15	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	2	4	2	2	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–	1	3	1	1	–
470–474	Influenza	43	–	–	–	1	–	–	–	–	–	–	2	–	–	3	1	2	6	12	8	6	2	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	2	4	2	3	–	–
	Female	26	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	1	4	8	5	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
480–486	Pneumonia	534	14	2	2	3	6	2	2	4	1	4	3	11	27	26	35	58	82	89	87	55	21	–
	White ..... Male	272	6	1	1	2	3	1	–	2	–	1	2	4	18	14	26	34	44	38	43	26	6	–
	Female	236	8	–	1	1	3	1	1	2	1	2	–	7	8	10	8	19	34	48	40	29	13	–
	All other ..... Male	15	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	2	4	2	2	–	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–	1	2	–	1	–
490–493	Bronchitis, emphysema, and asthma	271	3	–	–	–	–	1	–	–	1	2	5	13	11	28	59	52	41	32	19	3	1	–
	White ..... Male	174	2	–	–	–	–	1	–	–	–	–	2	3	3	18	39	39	32	23	11	1	–	–
	Female	84	1	–	–	–	–	–	–	–	1	2	3	9	7	8	18	10	8	8	7	2	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia—Con.																							
490, 491	Chronic and unqualified bronchitis	44	3	-	-	-	-	-	-	-	-	1	-	3	2	4	4	9	7	5	6	-	-	-
	White ..... Male	29	2	-	-	-	-	-	-	-	-	-	-	1	-	4	3	7	5	4	3	-	-	-
	Female	14	1	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	2	1	3	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	206	-	-	-	-	-	-	-	-	1	-	3	6	8	23	53	39	32	25	12	3	1	-
	White ..... Male	139	-	-	-	-	-	-	-	-	-	-	2	-	3	14	36	31	26	18	8	1	-	-
	Female	55	-	-	-	-	-	-	-	-	1	-	1	6	4	7	15	5	5	6	3	2	-	-
	All other ..... Male	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
493	Asthma	21	-	-	-	-	-	1	-	-	-	1	2	4	1	1	2	4	2	2	1	-	-	-
	White ..... Male	6	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	1	2	2	1	1	2	3	1	1	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	46	-	-	-	-	-	-	-	-	2	2	-	2	3	4	2	9	6	6	6	2	2	-
	White ..... Male	24	-	-	-	-	-	-	-	-	2	2	-	1	3	2	2	5	2	2	1	1	1	-
	Female	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	4	5	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
540-543	Appendicitis	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-
	White ..... Male	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	40	1	-	1	-	-	1	-	-	1	-	-	1	-	2	2	5	9	7	5	4	1	-
	White ..... Male	21	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	4	3	3	3	1	-
	Female	19	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	3	5	4	2	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	238	-	-	-	1	-	1	2	5	6	18	22	35	50	32	27	23	13	1	2	-	-	-
	White ..... Male	164	-	-	-	1	-	1	2	4	3	15	15	26	31	23	17	16	9	1	-	-	-	-
	Female	54	-	-	-	-	-	-	-	-	2	1	4	7	15	6	8	5	4	-	2	-	-	-
	All other ..... Male	10	-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	1	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	1	1	2	1	2	1	1	1	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	29	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	3	6	8	4	-	2	-
	White ..... Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	-	1	-
	Female	16	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	4	4	2	-	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	76	-	-	-	1	-	-	2	3	1	2	3	-	7	9	7	9	10	15	5	2	-	-
	White ..... Male	39	-	-	-	-	-	-	2	1	1	-	1	-	4	4	4	3	7	8	3	1	-	-
	Female	31	-	-	-	1	-	-	-	1	-	1	1	-	3	4	3	5	2	7	2	1	-	-
	All other ..... Male	5	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	21	-	-	-	-	-	-	-	-	-	-	1	-	3	4	-	3	1	6	2	1	-	-
	White ..... Male	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	1	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	4	1	1	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	55	-	-	-	1	-	-	2	3	1	2	2	-	4	5	7	6	9	9	3	1	-	-
	White ..... Male	31	-	-	-	-	-	-	2	1	1	-	1	-	2	3	4	2	6	6	2	1	-	-
	Female	20	-	-	-	1	-	-	-	1	-	1	-	-	2	2	3	4	2	3	1	-	-	-
	All other ..... Male	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	Infections of kidney	26	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	3	7	8	1	1	-	-
	White ..... Male	16	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	5	5	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	1	1	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	West Virginia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	118	82	8	1	1	4	2	1	2	–	1	5	3	1	2	2	1	–	2	–	–	–	–
	White ..... Male	52	35	4	1	–	3	1	–	1	–	–	5	1	–	1	–	–	–	–	–	–	–	–
	Female	62	44	4	–	1	1	1	–	1	–	1	–	2	1	1	2	1	–	2	–	–	–	–
	All other ..... Male	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	220	220	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	204	42	1	–	1	–	–	3	3	2	2	3	4	14	7	22	18	23	23	21	7	8	–
	White ..... Male	98	22	1	–	1	–	–	2	1	–	1	3	4	9	4	9	9	13	10	7	1	1	–
	Female	95	17	–	–	–	–	–	1	2	2	1	–	–	5	2	10	9	9	11	14	5	7	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	–	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Residual	All other diseases	1,611	20	13	6	5	13	21	18	18	22	32	44	94	106	182	215	226	217	175	114	54	16	–
	White ..... Male	913	10	7	3	3	5	12	8	15	16	21	24	46	54	117	133	131	125	88	64	25	6	–
	Female	607	9	6	3	2	6	6	7	2	4	10	18	41	43	55	68	86	82	77	43	29	10	–
	All other ..... Male	55	–	–	–	–	2	1	2	–	1	1	2	4	4	7	10	7	4	6	4	–	–	–
	Female	36	1	–	–	–	–	2	1	1	1	–	–	3	5	3	4	2	6	4	3	–	–	–
E800–E949	Accidents	1,064	18	27	22	29	134	123	98	68	52	49	56	42	44	52	59	62	38	33	38	16	4	–
	White ..... Male	755	10	15	12	23	95	99	82	56	46	42	41	31	30	36	44	29	22	19	15	6	2	–
	Female	255	7	9	7	6	31	18	10	9	5	6	10	9	13	14	14	28	14	13	21	9	2	–
	All other ..... Male	35	–	1	2	–	6	3	5	2	1	1	4	1	–	1	1	4	1	–	2	–	–	–
	Female	19	1	2	1	–	2	3	1	1	–	–	1	1	1	1	–	1	1	1	–	1	–	–
E810–E823	Motor vehicle accidents	490	3	9	13	17	98	68	57	35	24	26	24	17	21	19	24	24	4	5	2	–	–	–
	White ..... Male	347	2	5	7	14	66	53	44	27	20	21	18	10	13	11	18	10	4	3	1	–	–	–
	Female	117	1	4	4	3	26	11	9	7	3	4	4	6	8	8	5	11	–	2	1	–	–	–
	All other ..... Male	19	–	–	1	–	4	2	4	1	1	1	1	1	–	–	1	2	–	–	–	–	–	–
	Female	7	–	–	1	–	2	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	574	15	18	9	12	36	55	41	33	28	23	32	25	23	33	35	38	34	28	36	16	4	–
	White ..... Male	408	8	10	5	9	29	46	38	29	26	21	23	21	17	25	26	19	18	16	14	6	2	–
	Female	138	6	5	3	3	5	7	1	2	2	2	6	3	5	6	9	17	14	11	20	9	2	–
	All other ..... Male	16	–	1	1	–	2	1	1	1	–	–	3	–	–	1	–	2	1	–	2	–	–	–
	Female	12	1	2	–	–	–	1	1	1	–	–	–	1	1	1	–	–	1	1	–	1	–	–
E950–E959	Suicide	261	...	...	–	–	12	18	25	22	28	24	19	21	25	11	25	14	9	7	–	1	–	–
	White ..... Male	191	...	...	–	–	9	10	18	14	22	18	16	15	17	10	21	10	6	4	–	1	–	–
	Female	62	...	...	–	–	2	6	6	8	6	6	3	5	7	1	3	3	3	3	–	–	–	–
	All other ..... Male	5	...	...	–	–	1	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	159	1	1	2	3	5	24	19	20	23	16	3	13	12	5	4	–	5	–	2	–	1	–
	White ..... Male	105	1	1	2	2	2	16	14	13	16	11	1	11	6	4	3	–	1	–	1	–	–	–
	Female	28	–	–	–	–	1	3	3	4	3	4	2	2	3	1	–	–	2	–	–	–	–	–
	All other ..... Male	18	–	–	–	1	1	5	2	3	4	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	2	–	1	–	1	–
E980–E999	Other external causes	40	1	1	–	–	2	3	6	6	2	2	3	4	1	2	2	3	–	1	1	–	–	–
	White ..... Male	29	1	1	–	–	2	3	3	3	1	2	2	3	1	1	2	2	–	1	1	–	–	–
	Female	10	–	–	–	–	–	–	3	3	1	–	1	1	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin																							
	All causes	40,324	768	161	120	138	451	492	366	365	366	469	898	1,441	2,120	3,203	4,163	5,141	5,629	5,903	4,787	2,509	826	8
	White ..... Male	21,480	385	93	63	87	326	349	237	218	212	255	521	875	1,287	2,005	2,518	3,057	2,994	2,834	2,037	889	233	5
	Female	17,787	308	50	48	43	109	116	98	107	110	175	317	487	744	1,095	1,545	1,985	2,558	2,997	2,713	1,598	582	2
	All other ..... Male	614	43	9	7	6	11	17	19	26	24	21	33	49	62	62	61	51	41	31	22	12	7	–
	Female	443	32	9	2	2	5	10	12	14	20	18	27	30	27	41	39	48	36	41	15	10	4	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	7	1	–	–	–	–	–	–	–	1	2	1	2	1	3	3	5	1	5	4	–	–
	White ..... Male	15	2	–	–	–	–	–	–	–	–	1	–	1	2	–	2	1	2	1	2	1	–	–
	Female	18	2	1	–	–	–	–	–	–	–	–	2	–	–	1	1	2	3	–	3	3	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	37	–	–	–	–	–	–	–	–	–	–	1	2	2	5	8	6	4	6	2	–	1	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	4	2	5	2	–	1	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	2	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	23	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	3	3	4	2	–	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	2	3	2	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	–	–	–	–	–	–	2	–	3	3	3	1	2	–	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	144	14	–	–	–	–	1	1	1	2	4	4	2	6	10	9	20	19	18	24	6	3	–
	White ..... Male	75	11	–	–	–	–	1	–	–	1	2	–	2	2	5	6	8	10	9	13	4	1	–
	Female	62	2	–	–	–	–	–	1	1	1	1	2	–	4	5	2	10	9	9	11	2	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	74	4	1	–	1	1	1	2	1	2	2	2	4	7	6	11	6	9	7	5	–	2	–
	White ..... Male	38	3	1	–	1	–	–	1	1	–	1	–	3	4	3	6	4	3	4	3	–	–	–
	Female	32	–	–	–	–	1	–	1	–	2	1	2	–	2	3	5	2	6	3	2	–	2	–
	All other ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,288	2	21	28	18	28	33	33	65	77	131	262	514	709	1,024	1,193	1,284	1,138	934	545	212	37	-
	White ..... Male	4,395	1	13	13	10	19	25	15	23	35	56	116	245	359	576	656	728	624	503	270	95	13	-
	Female	3,665	1	7	13	8	9	7	17	34	33	66	128	240	321	418	508	537	496	418	265	116	23	-
	All other ..... Male	140	-	1	2	-	-	1	-	4	3	7	9	21	18	19	21	11	10	8	5	-	-	-
	Female	88	-	-	-	-	-	-	1	4	6	2	9	8	11	11	8	8	8	5	5	1	1	-
140-149	Of buccal cavity and pharynx	178	-	-	-	-	-	-	2	-	2	6	4	14	23	29	30	22	24	7	8	5	2	-
	White ..... Male	118	-	-	-	-	-	-	1	-	1	4	3	9	12	25	20	13	16	5	4	4	1	-
	Female	52	-	-	-	-	-	-	1	-	-	-	1	4	9	4	10	8	8	1	4	1	1	-
	All other ..... Male	7	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
150-159	Of digestive organs and peritoneum	2,340	-	-	-	-	1	3	2	10	9	25	58	111	175	253	336	408	325	327	201	84	12	-
	White ..... Male	1,206	-	-	-	-	1	2	-	4	5	10	26	53	98	151	184	222	163	172	81	29	5	-
	Female	1,071	-	-	-	-	-	1	2	4	3	12	27	50	70	94	142	181	155	153	117	54	6	-
	All other ..... Male	40	-	-	-	-	-	-	-	-	1	2	5	7	3	5	9	2	3	2	1	-	-	-
	Female	23	-	-	-	-	-	-	-	2	-	1	-	1	4	3	1	3	4	-	2	1	1	-
160-163	Of respiratory system	1,702	-	1	-	-	1	-	1	7	14	23	61	149	211	293	283	258	215	110	58	13	4	-
	White ..... Male	1,271	-	1	-	-	1	-	1	3	9	15	42	101	151	217	225	207	164	87	37	8	2	-
	Female	370	-	-	-	-	-	-	-	1	5	7	16	38	50	66	50	44	45	22	19	5	2	-
	All other ..... Male	52	-	-	-	-	-	-	-	3	-	1	2	10	8	8	8	6	4	1	1	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	2	-	1	-	-	-
174	Of breast	746	-	-	-	-	-	-	-	10	11	25	35	70	86	108	97	98	89	63	33	17	4	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Female	730	-	-	-	-	-	-	-	10	9	24	32	66	85	105	96	98	89	62	33	17	4	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	2	-	3	3	1	2	1	-	-	1	-	-	-	-
180-187	Of genital organs	981	-	-	-	-	3	4	3	4	5	7	26	44	53	84	119	163	166	172	94	33	1	-
	White ..... Male	525	-	-	-	-	2	4	2	-	2	-	2	3	7	31	56	93	116	111	68	27	1	-
	Female	428	-	-	-	-	1	-	1	2	2	7	23	39	41	49	59	68	48	59	23	6	-	-
	All other ..... Male	15	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	1	1	2	2	-	-	-
	Female	13	-	-	-	-	-	-	-	2	1	-	-	2	2	1	2	1	1	-	1	-	-	-
188, 189	Of urinary organs	422	-	1	-	-	-	1	2	-	1	5	8	15	20	48	65	67	72	66	37	14	-	-
	White ..... Male	292	-	1	-	-	-	1	1	-	1	4	6	11	16	40	48	46	45	37	26	9	-	-
	Female	125	-	-	-	-	-	-	1	-	-	1	2	3	4	8	16	21	26	27	11	5	-	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
170-173, 190-199	Of all other and unspecified sites	1,023	2	8	14	5	12	6	13	18	23	23	30	66	87	129	140	142	123	90	63	22	7	-
	White ..... Male	504	1	5	8	3	8	5	5	9	12	12	14	42	45	65	66	82	53	34	26	8	1	-
	Female	490	1	2	5	2	4	1	7	8	9	9	14	21	40	60	71	58	68	55	35	14	6	-
	All other ..... Male	15	-	1	1	-	-	-	-	1	-	2	1	2	1	3	1	-	1	-	1	-	-	-
	Female	14	-	-	-	-	-	-	1	-	2	-	1	1	1	1	2	2	1	1	1	-	-	-
204-207	Leukemia	381	-	11	10	12	5	7	2	7	6	9	16	21	18	25	49	45	53	39	27	13	6	-
	White ..... Male	216	-	6	5	6	2	6	1	4	3	5	8	11	11	16	25	29	31	23	15	6	3	-
	Female	156	-	5	5	6	3	1	1	3	2	3	7	10	6	8	23	15	22	14	12	7	3	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	515	-	-	4	1	6	12	8	9	6	8	24	24	36	55	74	81	71	60	24	11	1	-
	White ..... Male	260	-	-	-	1	5	7	4	3	2	5	15	14	19	30	32	36	36	34	13	4	-	-
	Female	243	-	-	3	-	1	4	4	6	3	3	6	9	16	24	41	44	35	25	11	7	1	-
	All other ..... Male	4	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	1	-	-	-	-	-	-
210-239	Benign neoplasms and neoplasms of unspecified nature	65	3	-	2	-	1	1	1	1	-	1	1	3	4	8	4	5	12	10	5	3	-	-
	White ..... Male	24	1	-	1	-	-	-	-	1	-	-	1	1	2	4	1	2	4	4	2	-	-	-
	Female	38	1	-	1	-	1	1	-	-	-	1	-	2	2	4	3	3	7	6	3	3	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	741	-	-	1	-	-	1	2	12	8	7	13	30	36	65	87	101	131	132	85	28	2	-
	White ..... Male	302	-	-	-	-	-	-	1	10	3	3	9	17	20	31	38	39	47	43	29	11	1	-
	Female	414	-	-	1	-	-	1	1	2	4	1	4	11	14	28	44	61	83	85	56	17	1	-
	All other ..... Male	12	-	-	-	-	-	-	-	-	1	2	-	2	-	1	2	1	1	2	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	1	-	-	2	5	3	-	-	2	-	-	-	-
260-269	Avitaminoses and other nutritional deficiencies	75	4	-	-	-	-	-	-	1	-	-	-	2	1	5	4	7	6	11	16	11	7	-
	White ..... Male	34	1	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	3	6	7	4	1	-
	Female	35	2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	3	5	8	7	6	-
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Female	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin—Con.																							
280–285	Anemias	77	–	1	1	1	1	1	2	1	1	1	1	2	2	6	6	2	6	10	20	11	1	–
	White ..... Male	33	–	–	–	1	1	–	1	1	1	1	1	1	–	5	3	2	2	3	6	4	–	–
	Female	41	–	–	1	–	–	1	–	–	–	–	–	–	2	1	3	–	4	7	14	7	1	–
	All other ..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
320	Meningitis	17	2	6	1	–	–	–	–	–	1	1	1	1	1	–	1	–	1	1	–	–	–	–
	White ..... Male	10	1	4	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	1	–	–	–	–
	Female	6	1	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	21,586	16	9	4	7	11	26	30	47	92	147	326	554	898	1,468	2,116	2,881	3,368	3,838	3,288	1,815	641	4
	White ..... Male	11,176	7	3	1	3	5	16	15	27	58	89	229	402	637	1,005	1,313	1,758	1,754	1,751	1,333	596	172	2
	Female	9,999	8	4	3	4	5	9	10	12	22	42	77	129	228	420	752	1,065	1,566	2,039	1,940	1,203	460	1
	All other ..... Male	220	1	2	–	–	–	1	3	5	8	8	11	11	23	26	28	29	23	19	8	8	6	–
	Female	191	–	–	–	–	1	–	2	3	4	8	9	12	10	17	23	29	25	29	7	8	3	1
390–398, 402, 404, 410–429	Diseases of heart	16,346	12	3	4	2	5	16	17	35	73	119	280	471	790	1,222	1,717	2,246	2,562	2,739	2,334	1,254	441	4
	White ..... Male	8,816	5	1	1	–	3	10	10	25	54	76	211	354	581	853	1,084	1,402	1,353	1,297	962	419	113	2
	Female	7,220	6	1	3	2	2	6	4	4	9	30	52	95	179	338	591	801	1,175	1,414	1,362	824	321	1
	All other ..... Male	172	1	1	–	–	–	–	2	3	7	7	9	10	21	19	23	25	16	14	3	6	5	–
	Female	138	–	–	–	–	–	–	1	3	3	6	8	12	9	12	19	18	18	14	7	5	2	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	319	–	–	–	–	–	–	1	4	2	4	13	16	21	42	52	50	40	33	31	5	4	1
	White ..... Male	131	–	–	–	–	–	–	1	2	–	3	8	9	8	19	22	21	11	14	10	2	1	–
	Female	178	–	–	–	–	–	–	–	–	2	1	4	7	10	22	30	29	28	19	20	3	3	–
	All other ..... Male	5	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	–	–	–	–	1
402	Hypertensive heart disease	176	–	–	–	–	–	1	–	–	2	4	3	7	14	13	21	23	34	25	18	10	1	–
	White ..... Male	72	–	–	–	–	–	1	–	–	2	3	3	4	8	7	10	8	13	9	3	1	–	–
	Female	98	–	–	–	–	–	–	–	–	–	–	–	3	5	5	10	15	20	16	14	9	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–
404	Hypertensive heart and renal disease	68	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	6	13	9	18	12	2	–
	White ..... Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	4	6	9	7	1	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	9	3	9	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	14,053	–	–	–	1	2	3	9	20	55	88	227	380	636	1,008	1,431	1,930	2,241	2,421	2,084	1,118	397	2
	White ..... Male	7,589	–	–	–	–	1	3	6	15	42	58	177	295	476	730	924	1,216	1,184	1,133	854	368	105	2
	Female	6,210	–	–	–	1	1	–	1	2	5	18	39	66	136	256	471	675	1,028	1,263	1,223	740	285	–
	All other ..... Male	142	–	–	–	–	–	–	2	1	6	6	8	9	17	15	21	21	13	12	1	5	5	–
	Female	112	–	–	–	–	–	–	–	2	2	6	3	10	7	7	15	18	16	13	6	5	2	–
410	Acute myocardial infarction	6,315	–	–	–	1	2	3	5	18	36	59	166	246	408	629	825	1,011	1,090	936	592	228	60	–
	White ..... Male	3,858	–	–	–	–	1	3	4	14	27	45	130	200	304	468	554	669	611	463	262	84	19	–
	Female	2,364	–	–	–	1	1	–	1	2	3	8	28	43	93	152	258	327	474	463	329	141	40	–
	All other ..... Male	57	–	–	–	–	–	–	–	1	5	3	6	1	9	8	6	7	3	4	–	3	1	–
	Female	36	–	–	–	–	–	–	–	1	1	3	2	2	2	1	7	8	2	6	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	68	–	–	–	–	–	–	1	–	–	2	1	3	8	4	6	8	10	9	12	4	–	–
	White ..... Male	38	–	–	–	–	–	–	1	–	–	1	1	2	6	3	5	3	5	3	8	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	5	5	6	4	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,668	–	–	–	–	–	–	3	2	19	27	59	131	220	375	600	911	1,141	1,476	1,479	886	337	2
	White ..... Male	3,692	–	–	–	–	–	–	1	1	15	12	45	93	166	259	365	544	568	667	584	284	86	2
	Female	3,815	–	–	–	–	–	–	–	–	2	9	11	22	41	103	212	343	549	794	889	595	245	–
	All other ..... Male	85	–	–	–	–	–	–	2	–	1	3	2	8	8	7	15	14	10	8	1	2	4	–
	Female	76	–	–	–	–	–	–	–	1	1	3	1	8	5	6	8	10	14	7	5	5	2	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	107	2	–	–	–	–	–	2	–	1	1	–	–	5	2	4	13	22	17	18	10	10	–
	White ..... Male	44	1	–	–	–	–	–	1	–	–	–	–	–	4	1	3	5	12	3	8	5	1	–
	Female	62	1	–	–	–	–	–	1	–	–	1	–	–	1	1	1	8	10	14	10	5	9	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,623	10	3	4	1	3	12	5	11	13	22	37	68	114	153	205	224	212	234	165	99	27	1
	White ..... Male	945	4	1	1	–	2	6	2	8	10	12	23	46	85	94	123	148	129	132	78	36	5	–
	Female	640	5	1	3	1	1	6	2	2	2	10	9	19	27	53	77	72	80	99	86	62	22	1
	All other ..... Male	24	1	1	–	–	–	–	–	1	1	–	1	1	2	3	2	4	3	2	1	1	–	–
	Female	14	–	–	–	–	–	–	1	–	–	–	4	2	–	3	3	–	–	1	–	–	–	–
400, 401, 403	Hypertension	135	–	1	–	–	–	1	–	–	–	2	–	2	3	7	8	23	24	29	19	9	7	–
	White ..... Male	64	–	–	–	–	–	1	–	–	–	–	–	–	3	4	2	16	11	13	9	3	2	–
	Female	67	–	1	–	–	–	–	–	–	–	2	–	1	–	2	6	7	12	16	10	6	4	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
430–438	Cerebrovascular diseases	3,747	4	4	–	4	6	8	9	10	17	20	37	65	79	180	282	461	609	778	704	362	108	–
	White ..... Male	1,621	2	2	–	2	2	4	3	1	4	9	15	39	37	102	156	244	286	301	270	114	28	–
	Female	2,050	2	1	–	2	3	3	5	7	11	9	19	26	39	68	119	204	313	464	430	245	80	–
	All other ..... Male	34	–	1	–	–	–	1	–	2	1	–	2	–	2	6	4	4	4	2	4	1	–	–
	Female	42	–	–	–	–	1	–	1	–	1	2	1	–	1	4	3	9	6	11	–	2	–	–
431	Cerebral hemorrhage	442	2	1	–	–	2	4	4	3	3	6	13	20	18	43	57	56	61	80	51	14	4	–
	White ..... Male	182	–	1	–	–	–	3	1	–	–	5	6	11	5	19	30	23	25	30	20	2	1	–
	Female	248	2	–	–	–	1	–	3	3	3	1	7	9	12	23	25	32	35	48	30	11	3	–
	All other ..... Male	5	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	–	–
433	Cerebral thrombosis	810	1	1	–	–	–	1	1	–	–	2	2	12	11	31	54	91	154	182	153	91	23	–
	White ..... Male	352	1	–	–	–	–	–	1	–	–	1	–	11	5	21	30	50	67	72	59	29	5	–
	Female	442	–	–	–	–	–	1	–	–	–	–	1	1	6	6	21	41	86	106	94	61	18	–
	All other ..... Male	8	–	1	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	4	–	–	–	–
434	Cerebral embolism	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	2	2	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,478	1	2	–	4	4	3	4	7	14	12	22	32	49	105	168	311	391	514	498	256	81	–
	White ..... Male	1,075	1	1	–	2	2	1	1	1	4	3	9	16	26	62	94	169	191	198	189	83	22	–
	Female	1,355	–	1	–	2	2	2	2	4	8	8	11	16	21	38	72	130	192	309	306	172	59	–
	All other ..... Male	21	–	–	–	–	–	–	–	2	1	–	2	–	1	3	1	4	3	1	3	–	–	–
	Female	27	–	–	–	–	–	–	1	–	1	1	–	–	1	2	1	8	5	6	–	1	–	–
440	Arteriosclerosis	738	–	–	–	–	–	–	–	–	–	–	1	1	3	19	33	47	81	174	162	147	70	–
	White ..... Male	324	–	–	–	–	–	–	–	–	–	–	–	–	3	12	21	23	42	82	66	52	23	–
	Female	405	–	–	–	–	–	–	–	–	–	–	1	1	–	6	11	24	39	89	95	93	46	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	620	–	1	–	1	–	1	4	2	2	6	8	15	23	40	76	104	92	118	69	43	15	–
	White ..... Male	351	–	–	–	1	–	1	2	1	–	4	3	9	13	34	50	73	62	58	26	8	6	–
	Female	257	–	1	–	–	–	–	1	1	2	1	5	6	10	6	25	29	27	56	43	35	9	–
	All other ..... Male	6	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	2	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–
466	Acute bronchitis and bronchiolitis	17	3	1	–	1	2	–	–	–	–	1	–	–	–	1	1	1	1	–	5	–	–	–
	White ..... Male	6	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	10	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	5	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,237	16	7	3	3	4	3	5	5	5	11	6	19	32	53	84	112	145	252	273	150	49	–
	White ..... Male	629	11	6	1	2	3	1	2	–	2	3	2	13	21	26	54	63	86	129	133	56	15	–
	Female	575	4	1	1	–	–	2	1	4	3	5	4	4	8	23	29	43	57	121	138	93	34	–
	All other ..... Male	24	1	–	1	1	1	–	1	–	–	1	–	2	3	3	1	3	2	1	2	1	–	–
	Female	9	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	3	–	1	–	–	–	–
470–474	Influenza	158	–	–	–	–	–	–	–	–	–	1	1	–	2	4	9	9	20	32	37	33	10	–
	White ..... Male	66	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	6	10	11	13	13	4	–
	Female	92	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	3	10	21	24	20	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,079	16	7	3	3	4	3	5	5	5	10	5	19	30	49	75	103	125	220	236	117	39	–
	White ..... Male	563	11	6	1	2	3	1	2	–	2	3	2	13	19	24	49	57	76	118	120	43	11	–
	Female	483	4	1	1	–	–	2	1	4	3	4	3	4	8	21	25	40	47	100	114	73	28	–
	All other ..... Male	24	1	–	1	1	1	–	1	–	–	1	–	2	3	3	1	3	2	1	2	1	–	–
	Female	9	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	3	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	411	3	–	–	2	3	–	1	2	–	2	4	17	20	53	67	70	66	52	38	9	2	–
	White ..... Male	288	–	–	–	1	2	–	–	1	–	1	3	10	10	40	52	49	50	36	27	5	1	–
	Female	111	2	–	–	–	–	–	1	1	–	1	1	5	7	12	14	20	16	16	10	4	1	–
	All other ..... Male	9	1	–	–	1	–	–	–	–	–	–	–	1	2	1	1	1	–	–	1	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin—Con.																							
490, 491	Chronic and unqualified bronchitis	80	3	-	-	-	-	-	-	-	-	-	-	3	3	11	8	17	11	12	6	5	1	-
	White ..... Male	48	-	-	-	-	-	-	-	-	-	-	-	2	1	6	5	9	8	8	5	3	1	-
	Female	28	2	-	-	-	-	-	-	-	-	-	-	-	2	4	3	7	3	4	1	2	-	-
	All other ..... Male	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	288	-	-	-	-	-	-	-	-	-	-	3	11	16	37	55	50	49	33	29	4	1	-
	White ..... Male	224	-	-	-	-	-	-	-	-	-	-	2	8	9	32	46	39	39	25	22	2	-	-
	Female	59	-	-	-	-	-	-	-	-	-	-	1	3	4	5	8	11	10	8	6	2	1	-
	All other ..... Male	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
493	Asthma	43	-	-	-	2	3	-	1	2	-	2	1	3	1	5	4	3	6	7	3	-	-	-
	White ..... Male	16	-	-	-	1	2	-	-	1	-	1	1	-	-	2	1	1	3	3	-	-	-	-
	Female	24	-	-	-	-	-	-	1	1	-	1	-	2	1	3	3	2	3	4	3	-	-	-
	All other ..... Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	104	1	-	-	-	-	-	-	-	-	2	4	1	3	9	5	18	23	17	11	7	3	-
	White ..... Male	56	1	-	-	-	-	-	-	-	-	1	2	1	3	7	4	10	13	7	4	3	-	-
	Female	47	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	8	10	10	7	4	3	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	17	-	-	-	1	-	-	-	-	-	1	1	-	1	2	2	1	3	3	-	2	-	-
	White ..... Male	9	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	1	1	2	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	111	10	-	-	-	1	1	-	1	1	-	3	2	1	7	7	8	16	22	22	6	3	-
	White ..... Male	40	2	-	-	-	1	-	-	-	-	-	1	1	-	4	3	4	5	8	8	2	1	-
	Female	67	7	-	-	-	-	1	-	1	-	-	1	1	1	3	4	4	11	13	14	4	2	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
571	Cirrhosis of liver	481	1	-	-	-	-	1	2	10	13	19	49	47	81	86	70	45	36	14	5	2	-	-
	White ..... Male	290	1	-	-	-	-	-	-	6	9	7	22	25	42	60	55	32	18	10	2	1	-	-
	Female	171	-	-	-	-	-	1	-	2	4	11	22	20	36	24	14	12	17	4	3	1	-	-
	All other ..... Male	14	-	-	-	-	-	-	2	2	-	-	3	-	3	2	-	1	1	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	83	-	-	-	-	-	-	-	-	1	-	2	2	3	2	10	11	15	18	13	4	2	-
	White ..... Male	37	-	-	-	-	-	-	-	-	1	-	-	1	2	2	6	4	9	5	2	4	1	-
	Female	46	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	7	6	13	11	-	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	128	2	-	2	1	-	-	1	-	1	2	1	1	8	9	11	19	24	21	16	7	1	1
	White ..... Male	64	1	-	1	-	-	-	1	-	1	2	1	-	5	4	6	9	8	13	8	3	1	-
	Female	56	1	-	1	1	-	-	-	-	-	-	-	1	2	4	4	9	14	7	7	4	-	1
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	32	2	-	1	-	-	-	-	-	-	1	-	-	-	1	2	5	7	5	4	3	1	-
	White ..... Male	19	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	3	4	3	1	1	-
	Female	13	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	1	2	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	96	-	-	1	1	-	-	1	-	1	1	1	1	8	8	9	14	17	16	12	4	-	1
	White ..... Male	45	-	-	1	-	-	-	1	-	1	1	1	-	5	4	4	6	5	9	5	2	-	-
	Female	43	-	-	-	1	-	-	-	-	-	-	-	1	2	3	4	7	10	6	6	2	-	1
	All other ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-
590	Infections of kidney	50	-	-	-	-	-	-	-	1	1	-	1	-	1	2	4	4	10	10	11	5	-	-
	White ..... Male	23	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	4	5	7	1	-	-
	Female	26	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	6	5	4	4	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
600	Hyperplasia of prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	7	7	2	1	-
	White ..... Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	7	7	2	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	8	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	7	-	-	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wisconsin—Con.																							
640-645	Abortions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	8	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	7	-	-	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital anomalies	300	180	25	8	9	8	5	3	5	3	1	6	7	8	6	4	8	5	4	1	1	1	2
	White ..... Male	142	86	12	3	5	3	2	2	3	2	1	4	4	3	2	3	2	1	1	-	1	-	2
	Female	143	86	8	5	4	4	3	-	2	1	-	2	3	5	4	1	6	4	3	1	-	1	-
	All other ..... Male	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 760-778	Other causes of mortality in early infancy	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	Symptoms and ill-defined conditions	366	110	-	-	-	2	2	1	1	2	2	4	4	12	19	14	29	50	28	41	32	13	-
	White ..... Male	192	58	-	-	-	-	1	-	-	-	1	1	3	7	12	10	19	31	13	21	10	5	-
	Female	148	34	-	-	-	2	1	-	-	2	1	2	1	5	6	4	8	19	15	18	22	8	-
	All other ..... Male	14	9	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	Female	12	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Residual	All other diseases	2,745	28	18	9	14	22	27	24	30	33	33	85	104	151	233	327	388	400	375	264	143	37	-
	White ..... Male	1,523	13	10	4	9	14	9	12	15	15	19	51	61	78	129	210	242	232	213	113	63	11	-
	Female	1,137	12	7	4	5	5	15	10	11	12	11	27	37	62	94	110	141	165	160	147	77	25	-
	All other ..... Male	52	2	-	1	-	2	-	1	3	2	1	4	3	10	8	5	1	2	1	2	3	1	-
	Female	33	1	1	-	-	1	3	1	1	4	2	3	3	1	2	2	4	1	1	2	-	-	-
E800-E949	Accidents	1,995	14	67	59	67	294	272	172	113	68	59	79	68	82	79	78	77	101	101	76	48	20	1
	White ..... Male	1,333	8	43	38	47	216	216	135	84	52	40	54	44	53	54	47	42	54	44	31	22	8	1
	Female	592	5	19	16	16	71	46	32	22	10	18	23	17	28	22	29	35	46	56	44	25	12	-
	All other ..... Male	44	-	3	3	3	5	8	3	5	3	1	1	6	1	1	1	-	-	-	-	-	-	-
	Female	26	1	2	2	1	2	2	2	2	3	-	1	1	-	2	1	-	1	1	1	1	-	-
E810-E823	Motor vehicle accidents	990	3	22	30	22	214	194	108	60	41	27	33	32	36	30	27	34	42	25	10	-	-	-
	White ..... Male	684	2	13	17	14	150	157	83	45	28	20	20	22	20	22	14	18	23	12	4	-	-	-
	Female	277	-	8	10	8	59	34	23	13	7	7	11	7	16	8	12	16	19	13	6	-	-	-
	All other ..... Male	18	-	1	2	-	4	2	1	1	3	-	1	2	-	-	1	-	-	-	-	-	-	-
	Female	11	1	-	1	-	1	1	1	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	All other accidents	1,005	11	45	29	45	80	78	64	53	27	32	46	36	46	49	51	43	59	76	66	48	20	1
	White ..... Male	649	6	30	21	33	66	59	52	39	24	20	34	22	33	32	33	24	31	32	27	22	8	1
	Female	315	5	11	6	8	12	12	9	9	3	11	12	10	12	14	17	19	27	43	38	25	12	-
	All other ..... Male	26	-	2	1	3	1	6	2	4	-	1	-	4	1	1	-	-	-	-	-	-	-	-
	Female	15	-	2	1	1	1	1	1	1	-	-	-	-	-	2	1	-	1	1	1	1	-	-
E950-E959	Suicide	583	...	...	-	8	58	80	52	51	40	32	31	41	43	39	34	30	25	10	8	1	-	-
	White ..... Male	433	...	...	-	6	51	61	39	37	25	21	17	28	31	25	30	23	21	10	7	1	-	-
	Female	138	...	...	-	2	7	17	10	13	12	11	13	12	12	14	3	7	4	-	1	-	-	-
	All other ..... Male	9	...	...	-	-	-	2	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	3	...	...	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E960-E978	Homicide	128	4	2	2	3	12	27	21	13	9	5	6	11	5	4	3	1	-	-	-	-	-	-
	White ..... Male	61	-	-	1	-	8	12	8	6	2	3	4	9	1	4	3	-	-	-	-	-	-	-
	Female	31	2	1	1	2	2	8	7	1	2	1	1	1	2	-	-	-	-	-	-	-	-	-
	All other ..... Male	24	2	1	-	1	2	3	3	5	2	-	1	1	2	-	-	1	-	-	-	-	-	-
	Female	12	-	-	-	-	-	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	Other external causes	48	1	2	-	2	1	7	10	3	6	4	3	2	1	1	-	2	2	-	1	-	-	-
	White ..... Male	26	-	1	-	1	1	5	5	2	4	2	-	2	1	-	-	1	1	-	-	-	-	-
	Female	14	-	-	-	1	-	1	4	-	1	1	2	-	-	1	-	1	1	-	1	-	-	-
	All other ..... Male	6	1	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming																							
	All causes	3,112	113	17	17	17	70	70	74	56	63	63	82	138	188	248	319	328	369	375	304	150	49	2
	White ... Male	1,770	64	7	8	11	47	54	51	45	37	36	44	89	116	155	204	203	186	197	141	60	14	1
	Female	1,259	45	10	7	4	21	12	18	6	22	22	31	48	61	89	108	121	177	174	160	90	33	-
	All other ... Male	45	3	-	1	2	2	4	4	3	2	4	1	-	4	3	3	2	2	3	2	-	-	-
	Female	38	1	-	1	-	-	-	1	2	2	1	6	1	7	1	4	2	4	1	1	-	2	1
004, 006	Bacillary dysentery and amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	Enteritis and other diarrheal diseases	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
	White ... Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	All other ... Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	Tuberculosis of respiratory system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	Tuberculosis, other forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	Septicemia	7	2	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-
	White ... Male	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other ... Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
040-043	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 000-136	Other infective and parasitic diseases	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	All other ... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming—Con.																							
140-209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	553	–	–	1	2	2	1	5	3	6	11	18	33	60	73	95	76	59	55	38	14	1	–
	White ..... Male	311	–	–	–	1	1	–	4	2	–	6	6	21	36	41	57	46	28	31	19	11	1	–
	Female	226	–	–	1	1	1	1	1	1	6	5	10	12	20	30	35	29	30	22	18	3	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	–	2	–	3	1	–	1	1	–	–	–
140-149	Of buccal cavity and pharynx	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	2	1	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150-159	Of digestive organs and peritoneum	152	–	–	–	–	–	–	1	–	1	4	5	7	13	19	29	21	20	12	15	5	–	–
	White ..... Male	72	–	–	–	–	–	–	–	–	–	1	3	6	9	11	15	8	5	7	4	3	–	–
	Female	75	–	–	–	–	–	–	1	–	1	3	2	1	2	8	12	13	15	4	11	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–
160-163	Of respiratory system	117	–	–	–	–	–	–	–	–	1	2	2	12	14	22	22	17	13	6	6	–	–	–
	White ..... Male	79	–	–	–	–	–	–	–	–	–	1	2	7	7	16	15	14	8	5	4	–	–	–
	Female	34	–	–	–	–	–	–	–	–	1	1	–	5	7	4	6	3	4	1	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	38	–	–	–	–	–	–	–	–	1	–	1	4	3	9	8	2	4	5	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	–	–	–	–	–	–	–	–	1	–	1	4	3	9	8	2	4	5	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180-187	Of genital organs	79	–	–	–	–	1	1	1	–	–	–	3	1	4	9	12	15	9	12	6	5	–	–
	White ..... Male	58	–	–	–	–	1	–	1	–	–	–	–	–	2	5	8	14	7	11	4	5	–	–
	Female	20	–	–	–	–	–	1	–	–	–	–	2	1	2	4	4	1	2	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	20	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	6	2	1	2	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	–	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
170-173, 190-199	Of all other and unspecified sites	92	–	–	–	1	1	–	3	1	1	4	6	4	14	10	11	12	4	12	6	2	–	–
	White ..... Male	53	–	–	–	–	–	–	3	–	–	3	1	3	9	5	9	6	2	7	3	2	–	–
	Female	36	–	–	–	1	1	–	–	1	1	1	4	1	4	5	2	6	2	5	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
204-207	Leukemia	24	–	–	1	1	–	–	–	2	1	1	–	–	4	1	6	–	2	3	2	–	–	–
	White ..... Male	17	–	–	–	1	–	–	–	2	–	1	–	–	3	1	5	–	2	–	2	–	–	–
	Female	7	–	–	1	–	–	–	–	–	1	–	–	–	1	–	1	–	–	3	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	24	–	–	–	–	–	–	–	–	1	–	–	3	5	2	2	3	3	3	–	1	1	–
	White ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	3	4	2	2	1	1	–	–	1	1	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	2	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210-239	Benign neoplasms and neoplasms of unspecified nature	12	–	–	–	–	–	–	2	–	–	–	–	2	2	1	1	1	1	2	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	59	–	–	–	–	–	–	–	2	1	2	4	3	4	4	6	5	12	7	7	2	–	–
	White ..... Male	24	–	–	–	–	–	–	–	2	1	1	1	1	2	1	3	2	3	4	1	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	2	2	2	3	3	3	9	3	6	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
260-269	Avitaminoses and other nutritional deficiencies	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming—Con.																							
280–285	Anemias	7	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-
	White Male	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
390–448	Major cardiovascular diseases	1,359	3	-	1	-	2	2	-	-	7	13	32	49	66	103	137	162	210	238	197	96	41	-
	White Male	736	2	-	1	-	1	-	-	-	5	8	21	35	42	70	97	99	106	118	88	32	11	-
	Female	606	1	-	-	-	1	2	-	-	2	4	10	14	20	32	40	62	99	120	107	64	28	-
	All other Male	7	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	2	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	4	-	-	-	2	-
390–398, 402, 404, 410–429	Diseases of heart	991	3	-	-	-	1	-	-	-	6	11	25	43	54	91	106	120	141	166	135	64	25	-
	White Male	570	2	-	-	-	1	-	-	-	4	8	19	32	35	65	77	81	72	86	62	18	8	-
	Female	409	1	-	-	-	-	-	-	-	2	2	5	11	18	25	29	38	65	80	72	46	15	-
	All other Male	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	2	-
390–398	Active rheumatic fever and chronic rheumatic heart disease	22	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	2	7	1	-	1	1	-
	White Male	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	2	1	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	4	-	-	1	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
402	Hypertensive heart disease	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	1	-	-
	White Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	Hypertensive heart and renal disease	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410–413	Ischemic heart disease	809	-	-	-	-	-	-	-	-	4	9	17	32	49	78	87	109	111	143	104	49	17	-
	White Male	478	-	-	-	-	-	-	-	-	4	7	14	25	34	56	62	72	60	74	47	16	7	-
	Female	323	-	-	-	-	-	-	-	-	-	1	2	7	14	21	25	36	50	69	56	33	9	-
	All other Male	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-
410	Acute myocardial infarction	457	-	-	-	-	-	-	-	-	2	7	14	24	35	58	57	71	65	72	34	13	5	-
	White Male	297	-	-	-	-	-	-	-	-	2	6	13	18	23	42	44	47	42	35	19	5	1	-
	Female	158	-	-	-	-	-	-	-	-	-	-	1	6	11	16	13	24	23	37	15	8	4	-
	All other Male	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
411	Other acute and subacute forms of ischemic heart disease	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	Chronic ischemic heart disease	350	-	-	-	-	-	-	-	-	2	2	3	8	14	20	30	38	45	71	69	36	12	-
	White Male	180	-	-	-	-	-	-	-	-	2	1	1	7	11	14	18	25	17	39	28	11	6	-
	Female	164	-	-	-	-	-	-	-	-	-	1	1	1	3	5	12	12	27	32	40	25	5	-
	All other Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-
413	Angina pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	1	-
	White Male	6	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming—Con.																							
420–423, 425–427, 429	All other forms of heart disease	141	2	–	–	–	1	–	–	–	1	1	6	8	3	10	13	8	21	21	28	13	5	–
	White ..... Male	74	1	–	–	–	1	–	–	–	–	1	3	4	1	7	11	8	10	11	13	2	1	–
	Female	65	1	–	–	–	–	–	–	–	1	–	3	4	2	3	2	–	9	10	15	11	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
400, 401, 403	Hypertension	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	261	–	–	1	–	1	1	–	–	1	2	5	5	11	8	21	26	52	55	46	19	7	–
	White ..... Male	117	–	–	1	–	–	–	–	–	1	–	2	2	6	4	14	11	20	24	20	9	3	–
	Female	140	–	–	–	–	1	1	–	–	–	2	3	3	2	4	7	15	31	31	26	10	4	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	27	–	–	–	–	1	–	–	–	–	1	3	–	–	–	3	3	6	7	2	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	3	3	2	–	–	–
	Female	15	–	–	–	–	1	–	–	–	–	1	1	–	–	–	2	2	3	4	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	39	–	–	–	–	–	–	–	–	–	–	1	1	3	–	3	3	7	8	6	5	2	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	3	5	2	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	4	3	4	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	193	–	–	1	–	–	1	–	–	1	1	1	4	8	7	15	20	39	39	38	13	5	–
	White ..... Male	87	–	–	1	–	–	–	–	–	1	–	–	1	4	4	11	9	14	16	16	7	3	–
	Female	102	–	–	–	–	–	1	–	–	–	1	1	3	1	3	4	11	24	23	22	6	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	52	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	7	3	11	9	12	5	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	6	3	4	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	–	5	5	8	5	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	52	–	–	–	–	–	1	–	–	–	–	2	1	–	2	6	9	14	5	7	1	4	–
	White ..... Male	28	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	5	11	2	3	1	–	–
	Female	24	–	–	–	–	–	1	–	–	–	–	2	–	–	1	2	4	3	3	4	–	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	99	3	1	1	–	–	–	1	1	2	2	1	2	5	7	6	5	15	15	15	15	2	–
	White ..... Male	50	2	–	–	–	–	–	–	1	–	1	–	2	3	5	2	3	7	10	8	6	–	–
	Female	47	1	1	–	–	–	–	1	–	1	1	1	–	2	2	4	2	8	5	7	9	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	2	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	90	3	1	1	–	–	–	1	1	2	2	1	2	4	7	5	4	13	14	14	13	2	–
	White ..... Male	45	2	–	–	–	–	–	–	1	–	1	–	2	2	5	1	2	6	10	8	5	–	–
	Female	43	1	1	–	–	–	–	1	–	1	1	1	–	2	2	4	2	7	4	6	8	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	48	–	–	–	1	1	1	–	–	1	–	–	1	–	4	11	12	8	5	2	1	–	–
	White ..... Male	33	–	–	–	1	1	1	–	–	1	–	–	1	–	3	7	8	5	3	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	3	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming—Con.																							
490, 491	Chronic and unqualified bronchitis	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
	White ..... Male	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	Emphysema	33	-	-	-	-	-	-	-	-	1	-	-	1	-	3	7	11	6	3	1	-	-	-
	White ..... Male	25	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	7	4	2	1	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	Asthma	9	-	-	-	-	1	1	-	-	-	-	-	-	-	1	3	-	2	-	-	1	-	-
	White ..... Male	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	Peptic ulcer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	3	-	-	-
	White ..... Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	Appendicitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	Hernia and intestinal obstruction	10	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	4	-	-	1	-	-
	White ..... Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-
	Female	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	53	-	-	-	-	-	-	1	4	2	9	3	5	6	10	5	3	2	3	-	-	-	-
	White ..... Male	30	-	-	-	-	-	-	1	2	2	4	2	1	3	7	2	2	1	3	-	-	-	-
	Female	18	-	-	-	-	-	-	-	1	-	3	1	3	3	3	2	1	1	-	-	-	-	-
	All other ..... Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
574, 575	Cholelithiasis, cholecystitis and cholangitis	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-
	White ..... Male	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	Nephritis and nephrosis	16	-	-	-	1	-	-	-	-	-	-	2	1	3	-	3	1	-	3	2	-	-	-
	White ..... Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	-	-	-
	Female	6	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
580, 581	Acute nephritis and nephrotic syndrome	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	-	-	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
582-584	Chronic and unqualified nephritis and renal sclerosis	10	-	-	-	1	-	-	-	-	-	-	2	1	1	-	2	1	-	2	-	-	-	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Female	4	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	All other ..... Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
590	Infections of kidney	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	White ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Hyperplasia of prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
	White ..... Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
	All other ..... Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-678	Complications of pregnancy, childbirth, and the puerperium	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White ..... Female	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other ..... Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1978—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	Wyoming—Con.																							
640-645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630-639, 650-678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740-759	Congenital anomalies	42	28	4	3	–	2	–	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
	White ..... Male	20	14	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	14	2	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-769.2, 769.4-772, 774-778	Certain causes of mortality in early infancy	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764-768, 772, 776	*Birth injury, difficult labor, and other anoxic and hypoxic conditions*	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760-778	Other causes of mortality in early infancy	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-796	Symptoms and ill-defined conditions	49	22	1	–	–	–	1	2	–	–	–	1	1	2	1	2	2	4	2	5	2	1	–
	White ..... Male	26	10	1	–	–	–	1	–	–	–	–	–	–	2	–	2	1	2	1	3	2	1	–
	Female	22	11	–	–	–	–	–	2	–	–	–	1	1	–	1	–	1	2	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	255	5	2	–	1	1	1	3	6	4	2	3	16	20	23	34	43	30	30	22	8	1	–
	White ..... Male	146	3	1	–	1	–	–	2	3	1	1	1	10	10	15	21	28	18	17	13	1	–	–
	Female	102	2	1	–	–	1	1	1	1	2	1	2	6	10	7	13	13	12	12	9	7	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	2	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800-E949	Accidents	339	4	9	7	11	56	48	39	30	18	16	13	17	10	6	11	6	13	5	10	8	1	1
	White ..... Male	234	2	3	3	7	40	39	29	27	14	10	11	12	7	2	7	6	8	1	4	2	–	–
	Female	90	2	6	4	2	15	7	8	1	4	5	1	5	2	4	2	–	5	4	6	6	1	–
	All other ..... Male	10	–	–	–	2	1	2	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1
E810-E823	Motor vehicle accidents	187	1	2	2	2	41	36	26	24	9	9	6	5	6	4	3	2	5	1	2	1	–	–
	White ..... Male	135	1	2	1	1	27	28	19	21	7	6	5	2	5	–	2	2	4	–	1	1	–	–
	Female	42	–	–	1	1	13	6	5	1	2	2	–	3	1	4	–	–	1	1	1	–	–	–
	All other ..... Male	8	–	–	–	–	1	2	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-E807, E825-E949	All other accidents	152	3	7	5	9	15	12	13	6	9	7	7	12	4	2	8	4	8	4	8	7	1	1
	White ..... Male	99	1	1	2	6	13	11	10	6	7	4	6	10	2	2	5	4	4	1	3	1	–	–
	Female	48	2	6	3	1	2	1	3	–	2	3	1	2	1	–	2	–	4	3	5	6	1	–
	All other ..... Male	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1
E950-E959	Suicide	75	...	...	–	–	4	10	15	6	8	4	1	5	7	7	2	3	1	2	–	–	–	–
	White ..... Male	59	...	...	–	–	1	7	12	5	6	3	1	4	7	7	1	2	1	2	–	–	–	–
	Female	12	...	...	–	–	3	1	2	1	2	1	–	1	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	4	...	...	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960-E978	Homicide	26	–	–	–	–	1	4	4	3	7	2	1	1	1	–	–	1	–	–	–	–	–	1
	White ..... Male	21	–	–	–	–	–	4	3	3	5	2	1	–	1	–	–	1	–	–	–	–	–	1
	Female	3	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980-E999	Other external causes	11	–	–	2	1	1	2	–	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–
	White ..... Male	8	–	–	–	1	1	2	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
All causes	1,930,627	34,478	1,695	19,799	21,742	176,579	18,967	26,160	5,099	8,766	97,703	43,837	4,858
Bacillary dysentery and amebiasis—004,006	35	–	–	2	2	6	–	–	–	–	1	2	–
Enteritis and other diarrheal diseases—008,009	1,884	44	2	25	27	154	22	16	3	17	83	61	3
Tuberculosis, all forms—010–019	2,919	90	2	43	38	218	28	30	5	30	156	110	10
Tuberculosis of respiratory system—010–012	2,258	78	1	35	34	164	22	22	5	26	132	83	6
Tuberculosis, other forms—013–019	661	12	1	8	4	54	6	8	–	4	24	27	4
Whooping cough—033	6	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	5	–	–	–	–	–	–	–	–	–	–	1	–
Meningococcal infections—036	403	6	1	7	5	29	3	5	2	–	25	8	1
Septicemia—038	7,814	132	2	98	89	469	92	116	22	75	327	225	27
Acute poliomyelitis—040–043	13	–	–	–	–	1	–	–	–	–	–	1	–
Measles—055	11	–	–	–	–	–	–	–	–	–	–	2	–
Syphilis and its sequelae—090–097	169	4	–	3	3	15	1	1	–	3	10	3	1
Other infective and parasitic diseases—Remainder of 000–136	4,831	83	6	84	58	482	57	78	9	46	250	121	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	397,323	6,428	254	3,889	4,090	38,463	3,496	6,072	1,214	2,221	21,384	7,902	1,046
Malignant neoplasms of buccal cavity and pharynx—140–149	8,346	124	8	65	77	842	64	154	39	86	509	186	29
Malignant neoplasms of digestive organs and peritoneum—150–159	105,508	1,497	61	969	958	10,030	942	1,723	299	580	5,503	1,781	365
Malignant neoplasms of respiratory system—160–163	99,962	1,757	72	996	1,103	9,808	797	1,345	327	537	6,014	2,182	249
Malignant neoplasm of breast—174	34,638	477	17	307	279	3,450	313	639	111	215	1,705	616	82
Malignant neoplasms of genital organs—180–187	45,159	786	26	412	526	4,391	419	645	145	254	2,404	998	95
Malignant neoplasms of urinary organs—188,189	17,587	221	9	189	153	1,690	145	254	58	79	1,022	312	39
Malignant neoplasms of all other and unspecified sites—170–173,190–199	48,995	952	47	558	625	4,591	464	760	148	268	2,369	1,141	106
Leukemia—204–207	15,417	273	1	167	162	1,471	149	241	37	82	755	307	39
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	21,711	341	13	226	207	2,190	203	311	50	120	1,103	379	42
Benign neoplasms and neoplasms of unspecified nature—210–239	4,970	89	6	68	48	529	55	96	12	37	208	100	14
Diabetes mellitis—250	33,878	632	11	287	380	2,401	286	451	151	138	1,553	666	119
Avitaminoses and other nutritional deficiencies—260–269	2,859	61	1	38	26	250	59	31	6	11	158	78	11
Anemias—280–285	3,303	61	–	27	30	280	31	44	11	29	187	84	9
Meningitis—320	1,565	38	5	23	15	147	17	22	4	7	65	37	3
Major cardiovascular diseases—390–448	967,432	16,003	420	8,598	11,050	84,177	8,598	13,347	2,451	3,408	49,148	21,683	2,130
Diseases of heart—390–398,402,404,410–429	730,562	11,263	314	6,594	7,936	62,357	6,373	10,073	1,974	2,522	36,942	15,513	1,561
Active rheumatic fever and chronic rheumatic heart disease—390–398	13,452	154	4	164	74	1,570	185	198	29	76	805	226	33
Hypertensive heart disease—402	7,090	138	10	48	101	768	61	84	19	37	268	203	21
Hypertensive heart and renal disease—404	3,250	56	–	9	37	166	55	43	9	31	117	67	2
Ischemic heart disease—410–413	643,176	8,977	252	5,847	6,365	56,511	5,399	8,802	1,806	2,109	33,690	12,797	1,369
Acute myocardial infarction—410	303,108	5,118	129	2,453	3,724	21,601	2,679	3,988	694	532	14,367	7,435	555
Other acute and subacute forms of ischemic heart disease—411	4,106	59	2	477	3	318	25	11	6	3	166	112	4
Chronic ischemic heart disease—412	335,709	3,794	121	2,915	2,633	34,574	2,693	4,800	1,106	1,574	19,147	5,231	810
Angina pectoris—413	253	6	–	2	5	18	2	3	–	–	10	19	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4,077	86	3	39	48	341	20	17	8	17	164	91	13
All other forms of heart disease—420–423,425–427,429	59,517	1,852	45	487	1,311	3,001	653	929	103	252	1,898	2,129	123

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	5,493	123	1	40	58	440	54	74	11	21	335	137	7
Cerebrovascular diseases—430–438	175,817	3,808	68	1,441	2,456	16,246	1,497	2,388	321	555	9,164	4,976	463
Cerebral hemorrhage—431	22,691	505	13	205	273	1,995	190	325	39	120	1,105	815	108
Cerebral thrombosis—433	38,733	866	6	231	290	3,885	254	658	67	122	2,480	1,102	89
Cerebral embolism—434	760	9	–	11	8	70	6	14	2	4	40	19	1
All other cerebrovascular diseases—430,432,435–438	113,633	2,428	49	994	1,885	10,296	1,047	1,391	213	309	5,539	3,040	265
Arteriosclerosis—440	28,951	435	11	266	325	2,531	354	398	76	187	1,189	485	32
Other diseases of arteries, arterioles, and capillaries—441–448	26,609	374	26	257	275	2,603	320	414	69	123	1,518	572	67
Acute bronchitis and bronchiolitis—466	756	10	1	11	10	111	7	10	3	1	45	15	1
Influenza and pneumonia—470–474,480–486	58,355	975	54	588	676	5,012	679	792	116	267	2,540	1,455	131
Influenza—470–474	4,053	100	–	33	88	221	44	58	2	3	170	99	3
Pneumonia—480–486	54,302	875	54	555	588	4,791	635	734	114	264	2,370	1,356	128
Bronchitis, emphysema, and asthma—490–493	21,894	325	8	345	226	2,429	289	247	47	76	1,440	489	56
Chronic and unqualified bronchitis—490,491	4,379	59	3	70	37	532	56	64	7	11	259	133	15
Emphysema—492	15,634	248	4	255	172	1,713	211	156	34	50	1,074	315	31
Asthma—493	1,881	18	1	20	17	184	22	27	6	15	107	41	10
Peptic ulcer—531–533	5,551	71	3	63	34	653	59	59	9	23	271	124	15
Appendicitis—540–543	737	23	1	9	9	80	7	5	4	4	32	14	–
Hernia and intestinal obstruction—550–553,560	5,578	97	3	56	72	576	68	72	12	46	257	152	11
Cirrhosis of liver—571	30,105	351	37	388	161	4,240	282	454	87	334	1,655	584	64
Cholelithiasis, cholecystitis and cholangitis—574,575	2,945	43	3	35	39	245	41	42	3	8	152	90	8
Nephritis and nephrosis—580–584	8,878	231	5	92	124	600	70	102	14	66	437	248	26
Acute nephritis and nephrotic syndrome—580,581	2,076	44	2	19	27	130	15	20	4	7	124	46	8
Chronic and unqualified nephritis and renal sclerosis—582–584	6,802	187	3	73	97	470	55	82	10	59	313	202	18
Infections of kidney—590	3,096	78	3	27	32	294	33	20	3	12	162	84	14
Hyperplasia of prostate—600	855	12	–	4	11	95	2	11	4	4	40	28	1
Complications of pregnancy, childbirth, and the puerperium—630–678	324	11	1	5	1	33	–	1	3	2	14	12	1
Abortions—640–645	16	–	–	–	–	–	–	–	–	–	2	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	308	11	1	5	1	33	–	1	3	2	12	12	1
Congenital anomalies—740–759	13,046	260	17	168	116	1,372	171	141	30	107	501	296	61
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	22,055	412	51	275	207	1,846	197	248	63	305	718	609	88
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11,720	243	23	165	110	1,022	99	115	26	157	397	339	46
Other causes of mortality in early infancy—Remainder of 760–778	10,335	169	28	110	97	824	98	133	37	148	321	270	42
Symptoms and ill-defined conditions—780–796	31,377	2,133	58	319	946	1,188	303	253	39	140	1,337	587	72
All other diseases—Residual	137,555	2,357	87	1,690	1,463	12,396	1,837	1,903	383	745	7,130	3,481	338
Accidents—E800–E949	106,091	2,450	500	1,751	1,271	11,132	1,459	994	247	295	4,614	3,002	367
Motor vehicle accidents—E810–E823	52,653	1,295	119	1,044	585	5,680	735	460	140	68	2,332	1,548	214
All other accidents—E800–E807,E825–E949	53,438	1,155	381	707	686	5,452	724	534	107	227	2,282	1,454	153
Suicide—E950–E959	27,336	389	63	477	223	3,631	482	314	86	75	1,564	692	110
Homicide—E960–E978	20,498	502	60	264	209	2,678	180	128	45	191	1,044	777	62
Other external causes—E980–E999	4,175	77	30	40	51	347	56	55	11	43	195	14	39

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
All causes	6,169	100,783	47,449	27,035	21,046	33,180	35,539	10,149	32,402	52,915	73,837	33,998	22,884
Bacillary dysentery and amebiasis—004,006	1	2	–	–	–	–	–	–	–	1	–	–	–
Enteritis and other diarrheal diseases—008,009	6	87	45	26	25	19	57	7	22	36	64	35	42
Tuberculosis, all forms—010-019	6	161	58	18	22	67	85	12	62	48	79	19	43
Tuberculosis of respiratory system—010-012	5	116	43	9	17	58	66	6	56	31	59	13	36
Tuberculosis, other forms—013-019	1	45	15	9	5	9	19	6	6	17	20	6	7
Whooping cough—033	–	–	–	–	–	–	–	–	–	–	1	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections—036	2	19	13	5	1	5	20	2	4	4	13	5	18
Septicemia—038	7	346	167	79	81	125	256	39	200	289	294	105	94
Acute poliomyelitis—040-043	–	–	–	–	–	–	–	–	–	2	–	–	–
Measles—055	–	–	1	1	–	–	–	–	–	–	2	–	–
Syphilis and its sequelae—090-097	–	10	6	3	4	2	7	2	2	–	5	1	1
Other infective and parasitic diseases—Remainder of 000-136	17	223	116	51	62	67	100	25	96	111	163	113	52
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	1,091	20,576	9,599	5,323	4,034	6,231	6,760	2,164	7,269	12,100	15,086	6,990	3,951
Malignant neoplasms of buccal cavity and pharynx—140-149	17	453	147	72	74	150	179	54	179	276	298	121	85
Malignant neoplasms of digestive organs and peritoneum—150-159	260	5,723	2,459	1,585	1,041	1,630	1,585	585	1,924	3,423	3,864	1,987	978
Malignant neoplasms of respiratory system—160-163	219	5,034	2,506	1,204	1,007	1,824	1,848	561	1,904	2,789	3,837	1,416	1,075
Malignant neoplasm of breast—174	98	1,931	794	436	328	454	459	193	653	1,155	1,360	664	297
Malignant neoplasms of genital organs—180-187	157	2,342	1,109	708	515	669	742	222	743	1,292	1,710	845	509
Malignant neoplasms of urinary organs—188,189	47	928	411	272	180	269	273	109	280	529	677	332	155
Malignant neoplasms of all other and unspecified sites—170-173,190-199	171	2,360	1,260	509	448	734	1,077	259	954	1,534	1,830	772	527
Leukemia—204-207	48	787	385	219	163	221	273	59	272	434	644	360	145
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	74	1,018	528	318	278	280	324	122	360	668	866	493	180
Benign neoplasms and neoplasms of unspecified nature—210-239	14	231	124	45	45	61	110	25	123	227	132	70	44
Diabetes mellitis—250	101	1,686	1,094	454	375	598	738	169	672	942	1,530	492	399
Avitaminoses and other nutritional deficiencies—260-269	9	112	62	53	65	46	67	19	41	45	113	67	35
Anemias—280-285	12	156	82	39	48	46	81	14	67	82	149	61	44
Meningitis—320	5	59	40	19	16	33	56	4	28	28	61	27	27
Major cardiovascular diseases—390-448	2,863	53,559	24,966	14,790	10,865	17,730	17,190	5,187	15,905	26,639	37,861	17,329	10,658
Diseases of heart—390-398,402,404,410-429	2,065	41,903	18,074	10,931	7,957	13,248	12,687	3,923	12,654	20,612	29,063	12,468	7,622
Active rheumatic fever and chronic rheumatic heart disease—390-398	40	594	325	151	92	121	134	75	236	376	472	318	73
Hypertensive heart disease—402	18	530	177	82	56	81	126	41	126	227	266	103	82
Hypertensive heart and renal disease—404	21	195	222	72	41	55	58	13	38	44	100	37	50
Ischemic heart disease—410-413	1,728	38,002	15,890	9,631	7,088	11,316	10,818	3,519	10,960	18,392	25,977	10,916	6,183
Acute myocardial infarction—410	921	16,281	8,336	5,309	3,706	6,753	5,230	2,094	4,377	8,904	13,200	5,292	3,426
Other acute and subacute forms of ischemic heart disease—411	4	279	53	24	10	10	68	5	49	44	63	55	31
Chronic ischemic heart disease—412	802	21,435	7,498	4,295	3,367	4,549	5,516	1,418	6,530	9,434	12,704	5,566	2,723
Angina pectoris—413	1	7	3	3	5	4	4	2	4	10	10	3	3
Chronic disease of endocardium and other myocardial insufficiency—424,428	21	197	133	85	38	68	102	27	302	64	103	76	57
All other forms of heart disease—420-423,425-427,429	237	2,385	1,327	910	642	1,607	1,449	248	992	1,509	2,145	1,018	1,177

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	10	392	140	97	59	99	100	24	79	129	205	95	86
Cerebrovascular diseases—430–438	571	8,800	4,977	2,803	2,091	3,430	3,361	904	2,244	4,404	6,442	3,586	2,417
Cerebral hemorrhage—431	64	1,251	737	269	270	368	370	150	281	793	845	367	258
Cerebral thrombosis—433	88	2,271	982	515	400	701	649	154	387	1,320	1,708	698	414
Cerebral embolism—434	–	27	19	15	9	31	8	6	15	26	26	15	8
All other cerebrovascular diseases—430,432,435–438	419	5,251	3,239	2,004	1,412	2,330	2,334	594	1,561	2,265	3,863	2,506	1,737
Arteriosclerosis—440	114	1,322	1,104	542	445	513	643	175	446	699	1,145	637	287
Other diseases of arteries, arterioles, and capillaries—441–448	103	1,142	671	417	313	440	399	161	482	795	1,006	543	246
Acute bronchitis and bronchiolitis—466	1	35	17	12	9	11	15	6	9	20	16	9	3
Influenza and pneumonia—470–474,480–486	219	3,030	1,197	995	788	1,072	1,003	334	791	2,228	1,984	1,355	655
Influenza—470–474	35	204	152	85	111	96	67	55	36	80	171	100	63
Pneumonia—480–486	184	2,826	1,045	910	677	976	936	279	755	2,148	1,813	1,255	592
Bronchitis, emphysema, and asthma—490–493	89	1,150	533	391	197	370	357	132	260	472	911	371	202
Chronic and unqualified bronchitis—490,491	17	207	96	64	37	70	46	42	64	100	187	78	41
Emphysema—492	63	860	400	302	141	253	262	80	176	334	660	253	138
Asthma—493	9	83	37	25	19	47	49	10	20	38	64	40	23
Peptic ulcer—531–533	27	295	157	82	60	85	85	25	82	137	211	98	47
Appendicitis—540–543	3	30	20	7	12	16	9	3	6	15	33	16	6
Hernia and intestinal obstruction—550–553,560	26	284	142	84	78	104	84	40	83	126	223	101	54
Cirrhosis of liver—571	73	1,631	501	247	182	351	417	175	519	912	1,344	372	195
Cholelithiasis, cholecystitis and cholangitis—574,575	9	142	55	48	26	60	38	15	58	100	89	71	32
Nephritis and nephrosis—580–584	25	459	193	98	73	124	242	34	206	225	362	107	112
Acute nephritis and nephrotic syndrome—580,581	9	118	50	25	13	34	39	9	32	77	103	28	26
Chronic and unqualified nephritis and renal sclerosis—582–584	16	341	143	73	60	90	203	25	174	148	259	79	86
Infections of kidney—590	11	153	70	50	39	74	70	20	35	68	86	37	52
Hyperplasia of prostate—600	–	43	26	26	16	17	10	2	11	13	24	22	11
Complications of pregnancy, childbirth, and the puerperium—630–678	–	12	8	1	8	3	12	2	5	5	16	4	6
Abortions—640–645	–	–	–	–	–	–	1	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	12	8	1	8	3	11	2	5	5	16	4	5
Congenital anomalies—740–759	56	649	264	175	145	199	280	55	201	299	521	309	119
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	62	1,345	499	254	155	306	688	61	364	395	913	377	362
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	35	764	264	119	73	153	357	37	141	189	456	197	205
Other causes of mortality in early infancy—Remainder of 760–778	27	581	235	135	82	153	331	24	223	206	457	180	157
Symptoms and ill-defined conditions—780–796	168	717	527	124	305	170	449	76	383	495	501	469	1,899
All other diseases—Residual	492	6,202	3,272	1,744	1,669	2,492	2,590	749	2,440	3,804	5,018	2,415	1,432
Accidents—E800–E949	593	4,561	2,543	1,333	1,219	1,896	2,484	562	1,605	2,274	3,878	1,976	1,721
Motor vehicle accidents—E810–E823	331	2,172	1,312	661	580	908	1,185	246	752	918	2,083	993	875
All other accidents—E800–E807,E825–E949	262	2,389	1,231	672	639	988	1,299	316	853	1,356	1,795	983	846
Suicide—E950–E959	120	1,092	630	350	247	435	471	152	448	511	1,120	416	223
Homicide—E960–E978	45	1,269	338	78	131	305	683	32	346	202	917	89	306
Other external causes—E980–E999	16	457	84	30	44	60	25	5	59	60	117	70	39

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
All causes	50,439	6,402	14,518	5,470	7,214	64,381	8,409	166,845	47,717	5,687	96,384	27,130	21,007
Bacillary dysentery and amebiasis—004,006	2	–	–	1	–	–	3	1	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	36	10	14	6	11	52	20	117	63	10	64	23	13
Tuberculosis, all forms—010-019	78	10	10	8	4	99	24	286	90	3	128	44	25
Tuberculosis of respiratory system—010-012	60	7	8	7	1	81	15	229	62	3	94	39	15
Tuberculosis, other forms—013-019	18	3	2	1	3	18	9	57	28	–	34	5	10
Whooping cough—033	1	–	1	–	–	–	–	–	1	–	1	1	–
Streptococcal sore throat and scarlet fever—034	1	–	–	–	–	–	–	2	–	–	1	–	–
Meningococcal infections—036	10	2	–	–	1	7	1	38	15	–	18	5	7
Septicemia—038	196	16	34	11	26	263	41	483	244	19	382	115	53
Acute poliomyelitis—040-043	–	–	–	–	–	–	1	–	–	–	3	–	–
Measles—055	–	–	–	–	–	1	–	1	–	–	1	–	–
Syphilis and its sequelae—090-097	4	–	1	1	–	3	1	9	2	–	11	4	–
Other infective and parasitic diseases—Remainder of 000-136	105	11	35	11	19	130	23	393	159	8	190	74	65
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	10,049	1,199	3,005	1,060	1,623	14,469	1,456	36,836	8,995	1,156	20,007	5,072	4,369
Malignant neoplasms of buccal cavity and pharynx—140-149	173	22	54	29	43	305	24	847	184	17	428	76	76
Malignant neoplasms of digestive organs and peritoneum—150-159	2,492	316	793	247	444	4,311	388	11,021	2,126	362	5,444	1,251	1,091
Malignant neoplasms of respiratory system—160-163	2,579	283	683	296	371	3,608	294	8,589	2,247	226	5,053	1,389	1,121
Malignant neoplasm of breast—174	823	95	251	97	159	1,394	133	3,725	753	114	1,836	392	366
Malignant neoplasms of genital organs—180-187	1,153	189	382	94	175	1,639	181	3,974	1,110	141	2,299	583	509
Malignant neoplasms of urinary organs—188,189	476	65	158	50	72	629	86	1,709	321	58	942	207	198
Malignant neoplasms of all other and unspecified sites—170-173,190-199	1,387	125	347	163	198	1,450	223	3,680	1,387	115	2,138	666	530
Leukemia—204-207	395	37	146	30	63	452	59	1,376	343	55	783	199	204
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	571	67	191	54	98	681	68	1,915	524	68	1,084	309	274
Benign neoplasms and neoplasms of unspecified nature—210-239	93	11	33	7	22	153	33	509	157	7	205	47	54
Diabetes mellitis—250	838	114	210	62	141	1,337	177	3,121	806	104	1,953	420	298
Avitaminoses and other nutritional deficiencies—260-269	87	16	30	10	14	89	*19	128	64	10	146	51	47
Anemias—280-285	73	6	23	8	9	116	8	218	101	8	145	48	24
Meningitis—320	28	2	10	3	2	36	6	133	59	1	77	24	14
Major cardiovascular diseases—390-448	25,072	3,004	7,591	2,405	3,566	34,462	2,854	86,428	23,631	2,848	50,190	13,756	10,228
Diseases of heart—390-398,402,404,410-429	18,581	2,158	5,464	1,880	2,637	27,409	2,016	69,641	17,558	2,089	38,124	10,128	7,281
Active rheumatic fever and chronic rheumatic heart disease—390-398	342	51	97	41	44	554	67	1,266	275	48	739	122	215
Hypertensive heart disease—402	174	19	40	6	19	203	15	609	173	18	432	141	54
Hypertensive heart and renal disease—404	154	5	53	4	13	77	4	128	111	13	376	42	40
Ischemic heart disease—410-413	16,136	1,658	4,742	1,655	2,306	25,201	1,669	64,312	15,501	1,787	33,951	8,784	6,482
Acute myocardial infarction—410	7,688	898	2,453	761	1,247	11,265	823	27,113	8,387	1,081	14,987	4,775	2,388
Other acute and subacute forms of ischemic heart disease—411	47	7	23	9	7	45	1	215	148	4	128	331	16
Chronic ischemic heart disease—412	8,368	751	2,265	885	1,050	13,887	845	36,976	6,954	701	18,830	3,673	4,075
Angina pectoris—413	33	2	1	–	2	4	–	8	12	1	6	5	3
Chronic disease of endocardium and other myocardial insufficiency—424,428	115	20	40	5	20	70	7	208	92	8	163	93	30
All other forms of heart disease—420-423,425-427,429	1,660	405	492	169	235	1,304	254	3,118	1,406	215	2,463	946	460

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	185	18	39	5	33	173	66	470	144	12	259	68	47
Cerebrovascular diseases—430–438	4,753	561	1,554	409	605	5,352	588	12,107	4,719	553	8,645	2,794	2,072
Cerebral hemorrhage—431	608	59	177	55	90	820	70	1,788	551	57	1,175	290	229
Cerebral thrombosis—433	1,092	101	278	50	119	1,421	82	2,920	1,066	82	2,011	439	430
Cerebral embolism—434	41	5	13	2	–	30	–	54	13	1	37	10	4
All other cerebrovascular diseases—430,432,435–438	3,012	396	1,086	302	396	3,081	436	7,345	3,089	413	5,422	2,055	1,409
Arteriosclerosis—440	820	169	317	49	171	675	81	2,072	618	93	1,744	394	496
Other diseases of arteries, arterioles, and capillaries—441–448	733	98	217	62	120	853	109	2,138	592	101	1,418	372	332
Acute bronchitis and bronchiolitis—466	20	5	6	1	5	32	6	58	19	3	27	10	5
Influenza and pneumonia—470–474,480–486	1,600	219	507	120	240	1,616	292	5,880	1,440	212	2,606	981	662
Influenza—470–474	193	18	51	2	23	75	18	176	119	16	166	63	39
Pneumonia—480–486	1,407	201	456	118	217	1,541	274	5,704	1,321	196	2,440	918	623
Bronchitis, emphysema, and asthma—490–493	449	111	184	93	99	525	125	1,669	467	46	1,202	270	318
Chronic and unqualified bronchitis—490,491	90	19	31	13	26	105	15	340	116	7	272	41	65
Emphysema—492	325	86	132	74	66	377	91	1,149	283	34	848	201	226
Asthma—493	34	6	21	6	7	43	19	180	68	5	82	28	27
Peptic ulcer—531–533	123	25	42	21	17	216	25	621	115	19	252	68	57
Appendicitis—540–543	19	3	8	2	4	9	3	66	15	3	42	15	7
Hernia and intestinal obstruction—550–553,560	148	23	44	14	30	175	30	461	132	18	276	85	54
Cirrhosis of liver—571	526	103	146	135	121	1,175	190	3,536	676	76	1,315	314	300
Cholelithiasis, cholecystitis and cholangitis—574,575	72	12	20	6	14	112	23	264	69	15	142	37	33
Nephritis and nephrosis—580–584	271	20	62	11	19	306	43	840	283	25	456	171	81
Acute nephritis and nephrotic syndrome—580,581	71	6	17	2	4	83	5	173	56	6	107	37	21
Chronic and unqualified nephritis and renal sclerosis—582–584	200	14	45	9	15	223	38	667	227	19	349	134	60
Infections of kidney—590	96	6	11	4	12	77	8	245	87	9	183	69	26
Hyperplasia of prostate—600	28	7	8	3	3	27	5	92	16	6	42	13	5
Complications of pregnancy, childbirth, and the puerperium—630–678	4	1	2	–	–	7	1	23	6	2	19	4	1
Abortions—640–645	–	–	–	–	–	–	–	5	2	–	2	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	4	1	2	–	–	7	1	18	4	2	17	4	1
Congenital anomalies—740–759	326	38	116	41	43	296	97	1,031	355	41	628	135	151
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	662	57	174	55	61	568	118	1,734	667	79	1,067	279	198
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	378	28	105	38	30	288	68	802	309	39	540	171	112
Other causes of mortality in early infancy—Remainder of 760–778	284	29	69	17	31	280	50	932	358	40	527	108	86
Symptoms and ill-defined conditions—780–796	2,001	166	228	78	90	669	448	1,042	475	74	1,279	479	396
All other diseases—Residual	3,508	471	1,017	418	533	4,010	839	10,381	3,858	390	6,817	2,056	1,477
Accidents—E800–E949	2,677	561	738	583	332	2,362	1,062	5,808	3,247	403	4,310	1,753	1,472
Motor vehicle accidents—E810–E823	1,271	278	357	332	166	1,148	673	2,549	1,568	205	2,021	948	754
All other accidents—E800–E807,E825–E949	1,406	283	381	251	166	1,214	389	3,259	1,679	198	2,289	805	718
Suicide—E950–E959	594	118	145	178	130	503	213	1,698	661	69	1,345	388	388
Homicide—E960–E978	521	34	45	101	11	366	172	1,888	662	15	718	289	125
Other external causes—E980–E999	121	21	18	13	12	113	42	805	80	8	136	30	54

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	119,786	9,103	23,461	6,365	41,122	105,596	8,256	4,496	40,206	30,730	19,618	40,166	3,050
Bacillary dysentery and amebiasis—004,006	–	–	–	–	2	8	–	–	1	–	–	–	–
Enteritis and other diarrheal diseases—008,009	101	7	46	11	53	173	13	3	32	23	15	36	4
Tuberculosis, all forms—010–019	185	9	43	10	73	167	8	4	64	31	34	40	2
Tuberculosis of respiratory system—010–012	152	5	33	8	55	135	6	4	45	14	32	25	–
Tuberculosis, other forms—013–019	33	4	10	2	18	32	2	–	19	17	2	15	2
Whooping cough—033	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections—036	7	4	10	–	13	37	1	–	9	7	6	2	–
Septicemia—038	623	32	115	15	189	559	40	16	273	84	77	149	3
Acute poliomyelitis—040–043	2	–	–	–	1	–	–	–	1	–	1	–	–
Measles—055	–	–	–	–	–	1	–	–	1	–	–	–	–
Syphilis and its sequelae—090–097	12	1	2	2	2	14	4	–	7	1	–	1	–
Other infective and parasitic diseases—Remainder of 000–136	293	20	67	11	109	312	18	6	96	79	35	72	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	25,394	2,185	4,042	1,192	8,122	20,245	1,368	970	7,925	6,505	3,740	8,210	496
Malignant neoplasms of buccal cavity and pharynx—140–149	483	43	103	21	152	411	24	16	175	119	55	174	4
Malignant neoplasms of digestive organs and peritoneum—150–159	7,065	700	1,007	374	1,861	4,890	343	242	1,967	1,700	867	2,322	132
Malignant neoplasms of respiratory system—160–163	5,973	516	1,054	241	2,274	5,556	204	234	2,227	1,660	1,066	1,692	115
Malignant neoplasm of breast—174	2,225	196	330	98	613	1,555	140	80	645	555	255	740	35
Malignant neoplasms of genital organs—180–187	2,720	211	494	162	912	2,229	187	113	848	737	407	977	69
Malignant neoplasms of urinary organs—188,189	1,132	118	158	59	347	830	54	54	332	301	167	413	18
Malignant neoplasms of all other and unspecified sites—170–173,190–199	3,458	214	560	122	1,135	2,726	203	136	1,083	758	627	1,016	84
Leukemia—204–207	939	67	115	49	358	868	89	35	269	279	124	372	17
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	1,399	120	221	66	470	1,180	124	60	379	396	172	504	22
Benign neoplasms and neoplasms of unspecified nature—210–239	413	21	48	19	77	225	27	13	94	64	52	64	9
Diabetes mellitus—250	2,464	217	438	99	551	1,686	172	64	617	488	386	734	56
Avitaminoses and other nutritional deficiencies—260–269	152	7	33	10	65	160	20	5	59	66	28	75	4
Anemias—280–285	205	13	47	15	66	224	16	9	63	64	40	76	4
Meningitis—320	77	2	27	5	23	128	17	–	40	27	15	18	5
Major cardiovascular diseases—390–448	61,744	4,831	11,509	3,297	20,391	49,002	3,642	2,248	20,128	14,973	10,178	21,557	1,342
Diseases of heart—390–398,402,404,410–429	48,475	3,833	8,448	2,411	14,621	35,491	2,700	1,729	15,170	10,817	7,961	16,309	1,002
Active rheumatic fever and chronic rheumatic heart disease—390–398	1,008	85	91	32	202	553	109	40	227	267	111	324	17
Hypertensive heart disease—402	387	17	103	10	95	366	24	13	118	116	78	178	9
Hypertensive heart and renal disease—404	219	5	44	13	42	137	7	5	86	36	29	67	2
Ischemic heart disease—410–413	42,457	3,593	6,893	2,100	13,118	28,435	2,244	1,499	13,167	9,299	7,025	13,992	826
Acute myocardial infarction—410	21,143	1,622	3,919	1,257	7,722	14,248	1,098	674	6,050	4,263	3,356	6,304	482
Other acute and subacute forms of ischemic heart disease—411	164	10	40	9	25	105	93	7	671	38	15	65	2
Chronic ischemic heart disease—412	21,134	1,959	2,928	833	5,367	14,074	1,052	818	6,441	4,993	3,652	7,621	342
Angina pectoris—413	16	2	6	1	4	8	1	–	5	5	2	2	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	253	4	68	13	112	237	21	9	167	51	37	107	7
All other forms of heart disease—420–423,425–427,429	4,151	129	1,249	243	1,052	5,763	295	163	1,405	1,048	681	1,641	141

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1978—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	242	29	68	18	111	270	15	18	108	75	70	131	3
Cerebrovascular diseases—430–438	9,626	704	2,471	685	4,498	10,252	723	346	3,730	3,030	1,630	3,759	238
Cerebral hemorrhage—431	1,228	89	366	72	496	1,177	74	37	473	314	208	445	27
Cerebral thrombosis—433	2,210	209	486	111	934	1,590	118	79	750	657	333	792	36
Cerebral embolism—434	48	5	8	3	16	24	6	–	16	11	6	16	2
All other cerebrovascular diseases—430,432,435–438	6,140	401	1,611	499	3,052	7,461	525	230	2,491	2,048	1,083	2,506	173
Arteriosclerosis—440	1,747	138	229	100	618	1,652	98	85	557	603	275	739	50
Other diseases of arteries, arterioles, and capillaries—441–448	1,654	127	293	83	543	1,337	106	70	563	448	242	619	49
Acute bronchitis and bronchiolitis—466	28	3	6	2	19	46	5	4	17	10	12	17	2
Influenza and pneumonia—470–474,480–486	2,815	173	665	251	1,261	3,278	257	155	1,251	1,037	553	1,251	97
Influenza—470–474	222	11	62	30	68	217	20	12	67	104	37	159	9
Pneumonia—480–486	2,593	162	603	221	1,193	3,061	237	143	1,184	933	516	1,092	88
Bronchitis, emphysema, and asthma—490–493	1,022	56	251	79	499	1,284	111	38	436	432	261	411	44
Chronic and unqualified bronchitis—490,491	193	11	49	14	103	242	28	5	76	90	47	81	5
Emphysema—492	743	42	170	62	364	950	71	29	314	303	192	287	30
Asthma—493	86	3	32	3	32	92	12	4	46	39	22	43	9
Peptic ulcer—531–533	311	27	54	19	97	279	21	7	96	103	48	101	12
Appendicitis—540–543	40	3	8	3	18	58	6	–	19	2	5	15	–
Hernia and intestinal obstruction—550–553,560	312	20	55	22	110	306	36	11	107	92	46	112	8
Cirrhosis of liver—571	1,653	136	290	93	441	1,384	118	54	540	471	238	470	48
Cholelithiasis, cholecystitis and cholangitis—574,575	150	23	29	10	84	134	22	8	52	47	27	81	7
Nephritis and nephrosis—580–584	576	43	149	21	234	485	28	19	173	74	72	129	12
Acute nephritis and nephrotic syndrome—580,581	145	9	24	7	44	128	4	8	44	10	20	30	6
Chronic and unqualified nephritis and renal sclerosis—582–584	431	34	125	14	190	357	24	11	129	64	52	99	6
Infections of kidney—590	126	14	43	8	105	232	9	15	57	47	25	52	3
Hyperplasia of prostate—600	29	3	10	2	21	36	4	3	12	12	5	27	3
Complications of pregnancy, childbirth, and the puerperium—630–678	20	1	6	1	6	28	3	1	7	2	3	8	2
Abortions—640–645	1	–	1	–	1	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	19	1	5	1	5	28	3	1	7	2	3	8	2
Congenital anomalies—740–759	669	64	161	43	294	887	175	37	274	209	112	281	30
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	1,145	93	428	71	536	1,634	202	37	472	311	237	346	24
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	623	44	224	47	278	987	116	17	216	200	135	186	7
Other causes of mortality in early infancy—Remainder of 760–778	522	49	204	24	258	647	86	20	256	111	102	160	17
Symptoms and ill-defined conditions—780–796	3,124	30	751	89	935	3,863	178	49	366	284	210	360	55
All other diseases—Residual	9,121	620	1,692	454	2,950	7,603	705	375	3,236	2,312	1,620	2,726	237
Accidents—E800–E949	4,607	285	1,733	399	2,644	7,364	776	243	2,447	2,066	1,071	2,000	421
Motor vehicle accidents—E810–E823	2,119	131	919	204	1,387	3,976	403	110	1,109	1,052	507	981	249
All other accidents—E800–E807,E825–E949	2,488	154	814	195	1,257	3,388	373	133	1,338	1,014	564	1,019	172
Suicide—E950–E959	1,392	109	324	79	572	1,664	167	74	735	543	269	579	78
Homicide—E960–E978	728	41	349	25	475	1,989	66	19	477	195	153	122	31
Other external causes—E980–E999	246	10	30	8	84	101	21	9	22	69	44	44	10

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N. Mex.	Allentown-Bethlehem-Easton, Pa.—N.J.	Altoona, Pa.
All causes	1,249,503	1,060	5,621	656	7,114	2,406	5,434	1,660
Bacillary dysentery and amebiasis—004,006	19	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1,126	1	5	1	–	7	6	2
Tuberculosis, all forms—010-019	1,949	–	7	3	11	5	5	3
Tuberculosis of respiratory system—010-012	1,501	–	5	3	10	4	5	2
Tuberculosis, other forms—013-019	448	–	2	–	1	1	–	1
Whooping cough—033	5	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	2	–	–	–	–	–	–	–
Meningococcal infections—036	264	–	2	1	–	–	–	–
Septicemia—038	5,528	4	20	–	25	16	22	6
Acute poliomyelitis—040-043	11	–	–	–	–	1	–	–
Measles—055	8	–	–	–	1	–	–	–
Syphilis and its sequelae—090-097	112	–	–	–	1	–	–	–
Other infective and parasitic diseases—Remainder of 000-136	3,195	1	11	1	15	9	11	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	267,221	192	1,188	129	1,533	489	1,171	357
Malignant neoplasms of buccal cavity and pharynx—140-149	5,868	1	20	3	49	7	21	4
Malignant neoplasms of digestive organs and peritoneum—150-159	71,920	48	315	33	436	133	331	90
Malignant neoplasms of respiratory system—160-163	67,245	44	297	41	392	88	257	96
Malignant neoplasm of breast—174	24,312	16	106	12	131	52	91	35
Malignant neoplasms of genital organs—180-187	29,378	35	146	21	171	70	135	39
Malignant neoplasms of urinary organs—188,189	11,712	6	57	5	83	42	60	20
Malignant neoplasms of all other and unspecified sites—170-173,190-199	32,363	22	127	7	136	62	152	39
Leukemia—204-207	9,982	4	42	4	54	16	49	12
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	14,441	16	78	3	81	19	75	22
Benign neoplasms and neoplasms of unspecified nature—210-239	3,448	2	20	–	23	10	14	5
Diabetes mellitus—250	21,751	17	120	7	130	52	116	45
Avitaminoses and other nutritional deficiencies—260-269	1,767	5	19	–	10	5	9	7
Anemias—280-285	2,160	2	8	–	12	3	9	4
Meningitis—320	1,054	1	2	1	4	1	–	–
Major cardiovascular diseases—390-448	618,661	520	2,866	321	3,765	795	3,027	883
Diseases of heart—390-398,402,404,410-429	473,342	383	2,169	193	3,001	548	2,430	704
Active rheumatic fever and chronic rheumatic heart disease—390-398	9,407	3	61	4	57	15	50	17
Hypertensive heart disease—402	4,785	9	22	4	19	7	10	8
Hypertensive heart and renal disease—404	1,803	7	8	1	9	1	6	3
Ischemic heart disease—410-413	420,651	280	1,863	175	2,732	455	2,090	636
Acute myocardial infarction—410	183,118	163	926	82	1,205	203	999	358
Other acute and subacute forms of ischemic heart disease—411	2,694	–	7	–	6	–	6	1
Chronic ischemic heart disease—412	234,708	117	930	92	1,519	252	1,085	277
Angina pectoris—413	131	–	–	1	2	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2,397	2	10	–	10	3	8	2
All other forms of heart disease—420-423,425-427,429	34,299	82	205	9	174	67	266	38

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3,447	5	3	2	20	23	10	3
Cerebrovascular diseases—430–438	107,428	109	505	107	525	174	432	116
Cerebral hemorrhage—431	14,516	14	80	29	94	20	55	12
Cerebral thrombosis—433	25,184	11	116	27	125	24	125	36
Cerebral embolism—434	463	–	2	–	2	–	7	–
All other cerebrovascular diseases—430,432,435–438	67,265	84	307	51	304	130	245	68
Arteriosclerosis—440	17,553	13	108	8	87	18	77	27
Other diseases of arteries, arterioles, and capillaries—441–448	16,891	10	81	11	132	32	78	33
Acute bronchitis and bronchiolitis—466	491	–	2	–	3	2	4	–
Influenza and pneumonia—470–474,480–486	36,474	41	143	11	220	73	94	31
Influenza—470–474	1,824	4	4	1	7	3	9	5
Pneumonia—480–486	34,650	37	139	10	213	70	85	26
Bronchitis, emphysema, and asthma—490–493	13,691	15	39	8	92	45	48	23
Chronic and unqualified bronchitis—490,491	2,874	–	2	2	20	10	12	8
Emphysema—492	9,647	14	31	4	69	30	33	13
Asthma—493	1,170	1	6	2	3	5	3	2
Peptic ulcer—531–533	3,690	6	18	1	26	8	19	3
Appendicitis—540–543	470	–	3	–	2	1	–	2
Hernia and intestinal obstruction—550–553,560	3,569	1	13	3	29	9	12	3
Cirrhosis of liver—571	22,400	10	63	6	129	45	64	23
Cholelithiasis, cholecystitis and cholangitis—574,575	1,836	1	5	1	11	9	5	1
Nephritis and nephrosis—580–584	5,885	5	16	–	33	12	27	7
Acute nephritis and nephrotic syndrome—580,581	1,318	1	2	–	8	1	5	–
Chronic and unqualified nephritis and renal sclerosis—582–584	4,567	4	14	–	25	11	22	7
Infections of kidney—590	1,848	4	10	1	11	3	3	5
Hyperplasia of prostate—600	518	–	1	–	5	1	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	210	1	1	–	–	1	–	1
Abortions—640–645	11	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	199	1	1	–	–	1	–	1
Congenital anomalies—740–759	8,615	9	25	4	38	28	23	5
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	14,993	13	55	13	53	36	44	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	7,844	7	28	7	27	24	24	13
Other causes of mortality in early infancy—Remainder of 760–778	7,149	6	27	6	26	12	20	8
Symptoms and ill-defined conditions—780–796	17,332	38	239	20	37	108	41	7
All other diseases—Residual	89,418	79	395	42	505	267	361	125
Accidents—E800–E949	62,210	56	206	55	290	233	207	62
Motor vehicle accidents—E810–E823	30,006	28	87	25	108	137	127	29
All other accidents—E800–E807,E825–E949	32,204	28	119	30	182	96	80	33
Suicide—E950–E959	18,686	22	91	14	82	71	72	21
Homicide—E960–E978	15,727	10	17	13	12	52	16	3
Other external causes—E980–E999	3,159	4	11	–	6	9	3	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
All causes	1,253	10,958	1,224	1,305	2,141	1,505	11,232	2,495
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	2	6	1	2	3	1	12	3
Tuberculosis, all forms—010-019	-	12	2	2	2	4	25	6
Tuberculosis of respiratory system—010-012	-	9	2	2	-	1	18	4
Tuberculosis, other forms—013-019	-	3	-	-	2	3	7	2
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	1	-	-	-	-	1	-
Septicemia—038	2	21	6	5	6	5	98	6
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	1	-	-	1	-
Syphilis and its sequelae—090-097	-	-	-	-	-	-	1	-
Other infective and parasitic diseases—Remainder of 000-136	3	24	4	7	6	4	38	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	227	2,622	254	256	444	306	2,232	511
Malignant neoplasms of buccal cavity and pharynx—140-149	6	42	4	6	5	7	48	13
Malignant neoplasms of digestive organs and peritoneum—150-159	54	661	74	40	124	88	522	144
Malignant neoplasms of respiratory system—160-163	45	650	63	64	97	72	608	133
Malignant neoplasm of breast—174	16	275	26	31	49	34	190	40
Malignant neoplasms of genital organs—180-187	34	298	26	34	53	35	252	60
Malignant neoplasms of urinary organs—188,189	7	113	6	16	13	11	84	17
Malignant neoplasms of all other and unspecified sites—170-173,190-199	41	332	33	31	50	32	328	62
Leukemia—204-207	13	103	7	12	19	7	83	15
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	11	148	15	22	34	20	117	27
Benign neoplasms and neoplasms of unspecified nature—210-239	1	31	1	1	3	3	29	3
Diabetes mellitus—250	21	123	27	28	52	27	138	44
Avitaminoses and other nutritional deficiencies—260-269	5	14	3	4	2	5	23	2
Anemias—280-285	6	16	2	5	5	4	21	2
Meningitis—320	1	11	1	-	1	2	8	2
Major cardiovascular diseases—390-448	617	5,229	647	613	1,067	728	5,159	1,472
Diseases of heart—390-398,402,404,410-429	461	3,952	462	449	817	511	3,806	1,204
Active rheumatic fever and chronic rheumatic heart disease—390-398	5	106	6	13	20	8	76	10
Hypertensive heart disease—402	5	33	4	3	7	11	51	2
Hypertensive heart and renal disease—404	1	4	4	1	5	4	4	3
Ischemic heart disease—410-413	403	3,641	415	382	716	436	3,072	1,158
Acute myocardial infarction—410	268	1,902	218	239	372	201	1,422	646
Other acute and subacute forms of ischemic heart disease—411	3	67	2	-	1	1	4	2
Chronic ischemic heart disease—412	132	1,671	195	142	343	234	1,643	510
Angina pectoris—413	-	1	-	1	-	-	3	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	-	16	2	3	1	4	18	2
All other forms of heart disease—420-423,425-427,429	47	152	31	47	68	48	585	29

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	21	4	3	9	3	22	6
Cerebrovascular diseases—430–438	116	967	126	130	166	154	1,094	193
Cerebral hemorrhage—431	13	146	15	15	17	24	177	37
Cerebral thrombosis—433	16	206	31	18	30	47	207	54
Cerebral embolism—434	1	11	–	–	–	1	4	1
All other cerebrovascular diseases—430,432,435–438	86	604	80	97	119	82	706	101
Arteriosclerosis—440	21	143	38	8	39	33	107	39
Other diseases of arteries, arterioles, and capillaries—441–448	18	146	17	23	36	27	130	30
Acute bronchitis and bronchiolitis—466	–	2	1	1	–	–	8	–
Influenza and pneumonia—470–474,480–486	48	290	23	44	53	66	363	47
Influenza—470–474	–	19	3	4	11	5	14	1
Pneumonia—480–486	48	271	20	40	42	61	349	46
Bronchitis, emphysema, and asthma—490–493	17	148	12	19	32	14	123	10
Chronic and unqualified bronchitis—490,491	1	36	3	6	8	3	44	5
Emphysema—492	15	103	8	11	22	11	68	4
Asthma—493	1	9	1	2	2	–	11	1
Peptic ulcer—531–533	4	46	4	5	6	6	34	7
Appendicitis—540–543	–	8	–	1	1	1	1	–
Hernia and intestinal obstruction—550–553,560	5	40	1	2	11	5	36	4
Cirrhosis of liver—571	20	239	11	19	40	15	199	30
Cholelithiasis, cholecystitis and cholangitis—574,575	2	12	1	2	8	2	21	6
Nephritis and nephrosis—580–584	6	32	5	4	4	2	57	11
Acute nephritis and nephrotic syndrome—580,581	–	11	1	3	1	1	12	2
Chronic and unqualified nephritis and renal sclerosis—582–584	6	21	4	1	3	1	45	9
Infections of kidney—590	1	15	–	1	3	5	17	–
Hyperplasia of prostate—600	1	6	1	–	–	–	4	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	–	–	–	2	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	–	–	2	–
Congenital anomalies—740–759	16	103	9	14	22	9	91	18
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	134	15	24	28	11	174	24
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	13	66	10	3	22	7	86	10
Other causes of mortality in early infancy—Remainder of 760–778	6	68	5	21	6	4	88	14
Symptoms and ill-defined conditions—780–796	13	42	13	12	26	24	108	23
All other diseases—Residual	90	716	89	91	149	127	972	134
Accidents—E800–E949	86	697	61	82	116	74	775	99
Motor vehicle accidents—E810–E823	40	396	30	49	54	25	390	52
All other accidents—E800–E807,E825–E949	46	301	31	33	62	49	385	47
Suicide—E950–E959	23	224	20	42	44	38	225	10
Homicide—E960–E978	17	81	6	13	4	15	234	16
Other external causes—E980–E999	–	12	4	5	3	2	2	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.-S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Billings, Mont.
All causes	2,294	2,218	3,052	19,028	2,280	916	2,770	698
Bacillary dysentery and amebiasis—004,006	–	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	2	5	12	3	1	4	–
Tuberculosis, all forms—010-019	3	5	7	43	5	2	2	1
Tuberculosis of respiratory system—010-012	3	4	6	39	4	2	2	–
Tuberculosis, other forms—013-019	–	1	1	4	1	–	–	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	1	–	2	2	–	1	–
Septicemia—038	9	14	10	154	15	2	12	5
Acute poliomyelitis—040-043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090-097	–	–	2	2	–	–	–	–
Other infective and parasitic diseases—Remainder of 000-136	4	6	16	63	6	1	5	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	443	457	566	4,348	421	192	609	158
Malignant neoplasms of buccal cavity and pharynx—140-149	16	7	9	115	8	4	13	2
Malignant neoplasms of digestive organs and peritoneum—150-159	91	122	129	1,155	97	40	138	39
Malignant neoplasms of respiratory system—160-163	125	122	156	1,204	110	47	197	46
Malignant neoplasm of breast—174	37	31	44	366	38	6	47	10
Malignant neoplasms of genital organs—180-187	48	45	69	405	51	25	54	18
Malignant neoplasms of urinary organs—188,189	28	25	24	173	17	6	21	13
Malignant neoplasms of all other and unspecified sites—170-173,190-199	70	57	77	609	58	49	82	8
Leukemia—204-207	11	22	19	123	23	7	23	4
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	17	26	39	198	19	8	34	18
Benign neoplasms and neoplasms of unspecified nature—210-239	4	5	4	79	10	1	10	1
Diabetes mellitus—250	30	28	46	392	34	14	49	13
Avitaminoses and other nutritional deficiencies—260-269	6	2	12	16	4	3	–	3
Anemias—280-285	–	6	4	39	4	3	10	–
Meningitis—320	5	2	3	15	5	2	4	–
Major cardiovascular diseases—390-448	1,072	1,023	1,374	9,202	1,160	490	1,242	337
Diseases of heart—390-398,402,404,410-429	769	688	1,084	7,554	942	389	920	239
Active rheumatic fever and chronic rheumatic heart disease—390-398	11	18	17	140	9	3	12	8
Hypertensive heart disease—402	19	7	18	63	8	2	25	1
Hypertensive heart and renal disease—404	2	2	3	8	–	–	1	–
Ischemic heart disease—410-413	663	597	980	6,618	877	369	689	185
Acute myocardial infarction—410	346	240	362	2,558	209	201	347	98
Other acute and subacute forms of ischemic heart disease—411	1	2	1	18	2	1	1	–
Chronic ischemic heart disease—412	316	355	617	4,040	666	167	340	87
Angina pectoris—413	–	–	–	2	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	3	11	32	5	1	7	–
All other forms of heart disease—420-423,425-427,429	72	61	55	693	43	14	186	45

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.-S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Billings, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	4	7	44	5	3	21	2
Cerebrovascular diseases—430–438	250	179	205	1,127	154	77	227	73
Cerebral hemorrhage—431	54	26	25	158	15	13	43	7
Cerebral thrombosis—433	89	23	49	124	33	22	44	20
Cerebral embolism—434	–	–	1	6	1	–	2	–
All other cerebrovascular diseases—430,432,435–438	107	130	130	839	105	42	138	46
Arteriosclerosis—440	20	125	43	186	35	9	40	18
Other diseases of arteries, arterioles, and capillaries—441–448	25	27	35	291	24	12	34	5
Acute bronchitis and bronchiolitis—466	–	–	1	3	1	–	3	1
Influenza and pneumonia—470–474,480–486	83	57	88	451	66	14	81	28
Influenza—470–474	7	3	1	14	2	–	5	–
Pneumonia—480–486	76	54	87	437	64	14	76	28
Bronchitis, emphysema, and asthma—490–493	23	19	51	124	15	8	32	7
Chronic and unqualified bronchitis—490,491	7	5	7	34	3	–	1	–
Emphysema—492	14	12	41	77	9	7	31	7
Asthma—493	2	2	3	13	3	1	–	–
Peptic ulcer—531–533	9	2	12	47	5	2	6	1
Appendicitis—540–543	1	–	2	2	–	–	1	–
Hernia and intestinal obstruction—550–553,560	11	7	17	46	3	5	11	1
Cirrhosis of liver—571	47	29	71	331	21	14	30	9
Cholelithiasis, cholecystitis and cholangitis—574,575	8	2	5	36	1	2	3	2
Nephritis and nephrosis—580–584	15	8	12	153	20	–	20	1
Acute nephritis and nephrotic syndrome—580,581	2	5	5	20	2	–	1	–
Chronic and unqualified nephritis and renal sclerosis—582–584	13	3	7	133	18	–	19	1
Infections of kidney—590	2	1	5	22	4	–	8	1
Hyperplasia of prostate—600	–	–	2	9	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	–	2	3	–	–	–
Abortions—640–645	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	–	2	2	–	–	–
Congenital anomalies—740–759	18	30	31	132	17	4	18	6
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	36	21	51	247	53	11	51	4
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	26	13	25	94	28	9	28	2
Other causes of mortality in early infancy—Remainder of 760–778	10	8	26	153	25	2	23	2
Symptoms and ill-defined conditions—780–796	48	32	18	250	10	2	106	10
All other diseases—Residual	175	180	240	1,448	134	59	179	46
Accidents—E800–E949	150	171	271	825	160	60	181	45
Motor vehicle accidents—E810–E823	84	100	158	345	87	26	94	27
All other accidents—E800–E807,E825–E949	66	71	113	480	73	34	87	18
Suicide—E950–E959	42	59	69	236	42	15	41	11
Homicide—E960–E978	46	47	56	258	47	8	47	4
Other external causes—E980–E999	1	1	1	39	9	1	2	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bloomington-Normal, Ill.	Boise City, Idaho	Boston-Lowell-Lawrence, Mass.	Bridgeport-Stamford-Norwalk, Conn.	Brockton, Mass.
All causes	1,234	2,775	7,455	846	1,016	29,840	6,670	3,115
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	1	-	-
Enteritis and other diarrheal diseases—008,009	1	1	13	-	2	16	1	3
Tuberculosis, all forms—010-019	6	1	21	1	2	25	8	3
Tuberculosis of respiratory system—010-012	4	1	18	1	2	16	4	1
Tuberculosis, other forms—013-019	2	-	3	-	-	9	4	2
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	3	1	-	-	-	1	1	1
Septicemia—038	3	6	33	1	-	181	39	15
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	-	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	4	5	14	1	6	63	18	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	236	604	1,602	158	200	6,839	1,532	681
Malignant neoplasms of buccal cavity and pharynx—140-149	8	12	27	1	5	166	47	19
Malignant neoplasms of digestive organs and peritoneum—150-159	68	179	395	43	36	1,945	437	195
Malignant neoplasms of respiratory system—160-163	71	149	468	36	40	1,584	337	177
Malignant neoplasm of breast—174	17	68	122	17	18	675	149	66
Malignant neoplasms of genital organs—180-187	18	63	183	24	29	695	174	68
Malignant neoplasms of urinary organs—188,189	5	29	49	11	9	294	59	29
Malignant neoplasms of all other and unspecified sites—170-173,190-199	35	45	204	18	42	881	188	74
Leukemia—204-207	8	24	59	2	8	220	68	20
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	6	35	95	6	13	379	73	33
Benign neoplasms and neoplasms of unspecified nature—210-239	-	10	16	4	1	134	32	17
Diabetes mellitus—250	14	57	120	15	14	516	140	49
Avitaminoses and other nutritional deficiencies—260-269	5	2	28	2	3	27	9	3
Anemias—280-285	4	3	10	-	4	49	11	4
Meningitis—320	2	2	7	-	1	17	9	4
Major cardiovascular diseases—390-448	586	1,470	3,353	464	467	14,782	3,386	1,615
Diseases of heart—390-398,402,404,410-429	458	1,143	2,344	346	323	11,650	2,511	1,248
Active rheumatic fever and chronic rheumatic heart disease—390-398	10	29	42	4	8	219	52	18
Hypertensive heart disease—402	3	11	42	3	3	137	29	19
Hypertensive heart and renal disease—404	2	5	8	4	-	20	12	5
Ischemic heart disease—410-413	363	1,047	1,913	321	282	10,264	2,261	1,116
Acute myocardial infarction—410	181	452	914	141	168	5,272	1,015	397
Other acute and subacute forms of ischemic heart disease—411	1	1	6	-	-	29	3	1
Chronic ischemic heart disease—412	181	594	990	180	114	4,959	1,242	717
Angina pectoris—413	-	-	3	-	-	4	1	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	2	19	-	-	40	6	1
All other forms of heart disease—420-423,425-427,429	78	49	320	14	30	970	151	89

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bloomington-Normal, Ill.	Boise City, Idaho	Boston-Lowell-Lawrence, Mass.	Bridgeport-Stamford-Norwalk, Conn.	Brockton, Mass.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	10	33	3	2	72	22	11
Cerebrovascular diseases—430-438	101	234	806	84	98	2,280	632	270
Cerebral hemorrhage—431	16	27	84	13	12	395	66	36
Cerebral thrombosis—433	24	64	180	24	13	670	177	66
Cerebral embolism—434	2	-	2	-	-	16	3	2
All other cerebrovascular diseases—430,432,435-438	59	143	540	47	73	1,199	386	166
Arteriosclerosis—440	7	42	87	21	25	350	106	37
Other diseases of arteries, arterioles, and capillaries—441-448	19	41	83	10	19	430	115	49
Acute bronchitis and bronchiolitis—466	-	1	2	-	-	14	1	2
Influenza and pneumonia—470-474,480-486	34	99	194	18	31	1,368	183	100
Influenza—470-474	4	7	5	1	3	36	14	8
Pneumonia—480-486	30	92	189	17	28	1,332	169	92
Bronchitis, emphysema, and asthma—490-493	13	48	66	20	12	279	60	27
Chronic and unqualified bronchitis—490,491	1	7	18	3	3	58	15	6
Emphysema—492	10	39	46	16	8	194	34	20
Asthma—493	2	2	2	1	1	27	11	1
Peptic ulcer—531-533	6	11	18	2	2	78	14	14
Appendicitis—540-543	-	2	5	-	-	8	-	2
Hernia and intestinal obstruction—550-553,560	1	8	25	6	10	69	16	6
Cirrhosis of liver—571	21	28	87	11	9	530	103	71
Cholelithiasis, cholecystitis and cholangitis—574,575	1	5	13	3	1	44	12	5
Nephritis and nephrosis—580-584	6	10	62	1	2	132	18	13
Acute nephritis and nephrotic syndrome—580,581	3	-	16	1	2	46	1	3
Chronic and unqualified nephritis and renal sclerosis—582-584	3	10	46	-	-	86	17	10
Infections of kidney—590	3	9	14	2	2	43	4	3
Hyperplasia of prostate—600	2	3	3	-	-	7	3	-
Complications of pregnancy, childbirth, and the puerperium—630-678	-	-	-	-	-	2	-	-
Abortions—640-645	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	-	-	-	-	-	2	-	-
Congenital anomalies—740-759	15	16	49	8	10	152	40	19
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	16	30	77	12	15	223	59	19
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	11	18	46	10	10	101	21	12
Other causes of mortality in early infancy—Remainder of 760-778	5	12	31	2	5	122	38	7
Symptoms and ill-defined conditions—780-796	11	14	409	3	18	291	52	36
All other diseases—Residual	100	189	578	58	87	2,257	476	192
Accidents—E800-E949	96	93	426	40	91	1,213	287	174
Motor vehicle accidents—E810-E823	55	50	225	19	56	458	123	81
All other accidents—E800-E807,E825-E949	41	43	201	21	35	755	164	93
Suicide—E950-E959	22	32	82	9	17	284	99	26
Homicide—E960-E978	22	13	112	6	5	143	37	4
Other external causes—E980-E999	1	2	16	1	4	52	20	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign-Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
All causes	1,187	509	12,666	3,549	1,244	856	2,304	2,333
Bacillary dysentery and amebiasis—004,006	-	-	-	1	-	-	-	-
Enteritis and other diarrheal diseases—008,009	1	-	13	1	2	-	5	1
Tuberculosis, all forms—010-019	4	-	20	9	2	1	3	4
Tuberculosis of respiratory system—010-012	3	-	14	7	-	1	3	3
Tuberculosis, other forms—013-019	1	-	6	2	2	-	-	1
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	1	-	3	-	-	-	1	1
Septicemia—038	8	-	48	3	5	1	13	12
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	2	-	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	1	1	21	6	3	6	10	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	199	95	2,790	692	289	165	427	464
Malignant neoplasms of buccal cavity and pharynx—140-149	1	1	54	8	6	3	10	8
Malignant neoplasms of digestive organs and peritoneum—150-159	53	22	842	213	95	47	113	105
Malignant neoplasms of respiratory system—160-163	50	23	703	164	76	44	125	115
Malignant neoplasm of breast—174	16	8	280	51	16	11	29	39
Malignant neoplasms of genital organs—180-187	20	13	309	88	30	18	41	41
Malignant neoplasms of urinary organs—188,189	11	6	128	33	11	9	17	21
Malignant neoplasms of all other and unspecified sites—170-173,190-199	29	14	250	73	23	21	64	82
Leukemia—204-207	10	1	93	33	11	6	12	18
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	9	7	131	29	21	6	16	35
Benign neoplasms and neoplasms of unspecified nature—210-239	4	1	31	9	3	1	4	10
Diabetes mellitus—250	27	18	253	51	24	27	42	39
Avitaminoses and other nutritional deficiencies—260-269	3	1	20	2	2	1	2	2
Anemias—280-285	1	1	21	4	4	2	5	6
Meningitis—320	2	1	6	1	-	1	1	1
Major cardiovascular diseases—390-448	479	220	6,760	1,987	609	439	1,053	1,231
Diseases of heart—390-398,402,404,410-429	355	138	5,081	1,576	442	300	818	990
Active rheumatic fever and chronic rheumatic heart disease—390-398	5	1	101	32	7	5	21	8
Hypertensive heart disease—402	3	-	42	31	4	6	15	4
Hypertensive heart and renal disease—404	1	-	9	5	3	1	-	1
Ischemic heart disease—410-413	265	127	4,669	1,395	379	273	679	834
Acute myocardial infarction—410	133	61	2,491	579	172	133	301	330
Other acute and subacute forms of ischemic heart disease—411	-	1	9	6	-	6	11	-
Chronic ischemic heart disease—412	132	65	2,169	808	207	133	366	504
Angina pectoris—413	-	-	-	2	-	1	1	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	3	2	15	9	-	1	3	3
All other forms of heart disease—420-423,425-427,429	78	8	245	104	49	14	100	140

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	5	43	8	7	5	2	4
Cerebrovascular diseases—430–438	85	61	1,278	284	120	80	184	182
Cerebral hemorrhage—431	13	4	162	38	12	4	31	24
Cerebral thrombosis—433	12	11	440	62	10	15	34	32
Cerebral embolism—434	1	–	1	1	2	–	–	–
All other cerebrovascular diseases—430,432,435–438	59	46	675	183	96	61	119	126
Arteriosclerosis—440	20	13	166	67	23	44	21	23
Other diseases of arteries, arterioles, and capillaries—441–448	15	3	192	52	17	10	28	32
Acute bronchitis and bronchiolitis—466	–	–	7	3	–	1	–	1
Influenza and pneumonia—470–474,480–486	29	11	336	94	39	18	64	59
Influenza—470–474	3	2	11	6	2	1	6	2
Pneumonia—480–486	26	9	325	88	37	17	58	57
Bronchitis, emphysema, and asthma—490–493	10	3	178	43	15	16	23	17
Chronic and unqualified bronchitis—490,491	2	1	44	18	4	4	4	5
Emphysema—492	8	2	128	21	10	12	14	10
Asthma—493	–	–	6	4	1	–	5	2
Peptic ulcer—531–533	1	1	46	12	6	2	3	3
Appendicitis—540–543	–	1	2	2	1	–	–	1
Hernia and intestinal obstruction—550–553,560	6	2	25	8	5	3	6	3
Cirrhosis of liver—571	15	6	218	39	11	15	39	40
Cholelithiasis, cholecystitis and cholangitis—574,575	1	1	29	6	2	–	2	3
Nephritis and nephrosis—580–584	4	2	51	20	9	2	21	10
Acute nephritis and nephrotic syndrome—580,581	1	1	10	5	2	1	2	1
Chronic and unqualified nephritis and renal sclerosis—582–584	3	1	41	15	7	1	19	9
Infections of kidney—590	–	4	36	7	3	1	6	5
Hyperplasia of prostate—600	–	–	8	2	1	3	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	1	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	–	–	–	–
Congenital anomalies—740–759	19	3	72	20	12	6	20	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	24	7	116	35	15	9	64	24
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	19	4	46	22	9	6	23	16
Other causes of mortality in early infancy—Remainder of 760–778	5	3	70	13	6	3	41	8
Symptoms and ill-defined conditions—780–796	140	37	39	23	8	9	26	23
All other diseases—Residual	94	37	792	240	94	57	219	171
Accidents—E800–E949	88	43	473	172	58	52	174	112
Motor vehicle accidents—E810–E823	40	25	204	85	25	29	87	67
All other accidents—E800–E807,E825–E949	48	18	269	87	33	23	87	45
Suicide—E950–E959	10	6	105	41	18	11	32	39
Homicide—E960–E978	16	7	65	13	4	6	35	22
Other external causes—E980–E999	–	–	80	2	–	1	3	7

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
All causes	3,352	2,985	61,129	12,994	18,321	1,652	556	2,759
Bacillary dysentery and amebiasis—004,006	–	–	2	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	6	6	68	3	18	2	1	9
Tuberculosis, all forms—010–019	7	4	123	19	26	2	–	11
Tuberculosis of respiratory system—010–012	3	4	84	15	20	1	–	8
Tuberculosis, other forms—013–019	4	–	39	4	6	1	–	3
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	14	4	5	1	–	4
Septicemia—038	12	12	260	47	88	10	–	14
Acute poliomyelitis—040–043	–	1	–	3	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	6	1	1	–	–	1
Other infective and parasitic diseases—Remainder of 000–136	9	8	140	21	37	7	3	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	677	577	12,910	2,868	4,046	313	117	476
Malignant neoplasms of buccal cavity and pharynx—140–149	15	11	320	65	99	8	2	17
Malignant neoplasms of digestive organs and peritoneum—150–159	173	137	3,610	761	1,154	83	37	127
Malignant neoplasms of respiratory system—160–163	175	186	3,149	797	952	76	21	128
Malignant neoplasm of breast—174	65	38	1,258	277	401	34	13	43
Malignant neoplasms of genital organs—180–187	83	60	1,419	325	472	33	12	43
Malignant neoplasms of urinary organs—188,189	17	15	536	143	161	14	5	18
Malignant neoplasms of all other and unspecified sites—170–173,190–199	86	79	1,485	276	445	34	13	63
Leukemia—204–207	22	19	469	99	156	12	4	18
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	41	32	664	125	206	19	10	19
Benign neoplasms and neoplasms of unspecified nature—210–239	13	8	126	30	48	5	3	6
Diabetes mellitus—250	61	42	986	245	373	13	9	59
Avitaminoses and other nutritional deficiencies—260–269	3	2	59	17	20	1	–	6
Anemias—280–285	7	3	87	16	32	5	–	7
Meningitis—320	7	3	45	13	17	1	–	3
Major cardiovascular diseases—390–448	1,611	1,562	31,587	6,696	9,179	718	258	1,372
Diseases of heart—390–398,402,404,410–429	1,170	1,128	25,466	5,244	7,013	520	205	1,082
Active rheumatic fever and chronic rheumatic heart disease—390–398	19	10	381	81	171	13	9	8
Hypertensive heart disease—402	10	18	318	54	79	2	3	16
Hypertensive heart and renal disease—404	14	1	68	17	22	1	2	5
Ischemic heart disease—410–413	1,005	988	23,325	4,839	6,291	459	171	923
Acute myocardial infarction—410	460	685	8,893	1,802	2,099	153	78	536
Other acute and subacute forms of ischemic heart disease—411	4	2	214	11	9	15	3	4
Chronic ischemic heart disease—412	541	301	14,213	3,026	4,182	291	90	383
Angina pectoris—413	–	–	5	–	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	3	83	9	32	3	–	21
All other forms of heart disease—420–423,425–427,429	118	108	1,291	244	418	42	20	109

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	13	217	26	47	5	–	5
Cerebrovascular diseases—430–438	323	333	4,702	1,045	1,524	145	39	234
Cerebral hemorrhage—431	55	42	741	120	247	18	5	32
Cerebral thrombosis—433	60	68	1,302	249	355	23	12	48
Cerebral embolism—434	1	–	18	20	10	–	–	–
All other cerebrovascular diseases—430,432,435–438	207	223	2,641	656	912	104	22	154
Arteriosclerosis—440	63	49	544	188	365	22	6	18
Other diseases of arteries, arterioles, and capillaries—441–448	48	39	658	193	230	26	8	33
Acute bronchitis and bronchiolitis—466	1	1	20	2	3	1	–	2
Influenza and pneumonia—470–474,480–486	81	94	1,736	444	472	60	24	90
Influenza—470–474	2	3	44	23	11	3	2	5
Pneumonia—480–486	79	91	1,692	421	461	57	22	85
Bronchitis, emphysema, and asthma—490–493	39	39	554	136	214	38	2	58
Chronic and unqualified bronchitis—490,491	14	10	109	37	38	7	–	17
Emphysema—492	18	29	393	87	157	27	2	35
Asthma—493	7	–	52	12	19	4	–	6
Peptic ulcer—531–533	5	7	185	44	51	2	2	9
Appendicitis—540–543	1	1	15	7	10	–	–	1
Hernia and intestinal obstruction—550–553,560	8	4	158	42	62	6	–	9
Cirrhosis of liver—571	63	29	1,232	194	348	32	5	44
Cholelithiasis, cholecystitis and cholangitis—574,575	4	3	77	25	29	6	2	4
Nephritis and nephrosis—580–584	24	21	317	56	89	3	5	11
Acute nephritis and nephratic syndrome—580,581	3	2	79	10	18	–	2	1
Chronic and unqualified nephritis and renal sclerosis—582–584	21	19	238	46	71	3	3	10
Infections of kidney—590	4	9	86	25	30	3	2	5
Hyperplasia of prostate—600	–	2	21	7	12	–	–	2
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	9	–	3	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	9	–	3	–	–	–
Congenital anomalies—740–759	33	26	409	88	105	18	4	22
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	66	31	968	131	199	27	11	36
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	24	22	560	65	84	13	8	17
Other causes of mortality in early infancy—Remainder of 760–778	42	9	408	66	115	14	3	19
Symptoms and ill-defined conditions—780–796	26	18	425	49	109	33	6	19
All other diseases—Residual	254	218	3,759	913	1,385	136	46	187
Accidents—E800–E949	200	184	2,640	551	761	143	37	182
Motor vehicle accidents—E810–E823	91	82	1,141	243	323	87	15	91
All other accidents—E800–E807,E825–E949	109	102	1,499	308	438	56	22	91
Suicide—E950–E959	50	31	680	159	259	50	14	54
Homicide—E960–E978	71	37	1,045	113	273	15	3	45
Other external causes—E980–E999	9	2	380	25	17	1	2	3

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
All causes	1,858	7,259	2,166	12,870	3,144	6,411	1,240	9,630
Bacillary dysentery and amebiasis—004,006	-	-	-	1	-	-	-	-
Enteritis and other diarrheal diseases—008,009	5	5	-	15	-	2	-	12
Tuberculosis, all forms—010-019	8	13	2	19	4	1	1	17
Tuberculosis of respiratory system—010-012	6	9	2	16	3	1	1	13
Tuberculosis, other forms—013-019	2	4	-	3	1	-	-	4
Whooping cough—033	-	1	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	1	1	-	6	-	2	2	-
Septicemia—038	10	45	12	80	11	22	2	53
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	1	-	-
Syphilis and its sequelae—090-097	-	3	-	2	1	1	-	1
Other infective and parasitic diseases—Remainder of 000-136	4	21	6	34	7	12	-	27
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	298	1,476	438	2,581	639	1,385	245	1,829
Malignant neoplasms of buccal cavity and pharynx—140-149	11	35	11	62	8	27	6	34
Malignant neoplasms of digestive organs and peritoneum—150-159	61	378	101	595	170	346	71	498
Malignant neoplasms of respiratory system—160-163	85	402	130	716	176	385	58	420
Malignant neoplasm of breast—174	20	129	25	239	55	139	16	161
Malignant neoplasms of genital organs—180-187	50	170	56	290	69	145	37	206
Malignant neoplasms of urinary organs—188,189	13	68	19	102	26	75	5	64
Malignant neoplasms of all other and unspecified sites—170-173,190-199	38	170	51	343	77	148	34	260
Leukemia—204-207	10	50	11	98	23	39	9	83
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	10	74	34	136	35	81	9	103
Benign neoplasms and neoplasms of unspecified nature—210-239	6	12	4	30	7	16	4	32
Diabetes mellitis—250	34	146	53	190	64	114	22	159
Avitaminoses and other nutritional deficiencies—260-269	3	20	3	12	9	9	1	28
Anemias—280-285	4	9	4	20	5	15	4	18
Meningitis—320	3	3	3	15	8	6	1	8
Major cardiovascular diseases—390-448	909	3,574	935	5,904	1,665	3,230	676	4,293
Diseases of heart—390-398,402,404,410-429	625	2,646	732	4,391	1,306	2,471	444	3,215
Active rheumatic fever and chronic rheumatic heart disease—390-398	10	49	12	75	11	59	10	95
Hypertensive heart disease—402	9	35	8	34	15	23	23	42
Hypertensive heart and renal disease—404	4	181	3	16	3	10	7	44
Ischemic heart disease—410-413	530	2,116	642	3,794	1,122	2,210	311	2,639
Acute myocardial infarction—410	264	1,043	272	1,527	650	929	131	1,236
Other acute and subacute forms of ischemic heart disease—411	67	8	4	9	1	6	2	9
Chronic ischemic heart disease—412	194	1,065	366	2,257	471	1,275	178	1,393
Angina pectoris—413	5	-	-	1	-	-	-	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	6	1	16	3	9	5	12
All other forms of heart disease—420-423,425-427,429	68	259	66	456	152	160	88	383

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	6	11	7	19	4	21	8	34
Cerebrovascular diseases—430–438	234	676	149	1,148	300	557	144	698
Cerebral hemorrhage—431	44	75	18	137	28	87	22	87
Cerebral thrombosis—433	69	142	13	200	66	103	37	129
Cerebral embolism—434	1	1	–	4	2	5	–	–
All other cerebrovascular diseases—430,432,435–438	120	458	118	807	204	362	85	482
Arteriosclerosis—440	20	129	18	195	24	87	62	191
Other diseases of arteries, arterioles, and capillaries—441–448	24	112	29	151	31	94	18	155
Acute bronchitis and bronchiolitis—466	–	2	1	8	–	1	–	3
Influenza and pneumonia—470–474,480–486	61	192	69	388	88	156	33	359
Influenza—470–474	3	16	4	21	6	12	3	18
Pneumonia—480–486	58	176	65	367	82	144	30	341
Bronchitis, emphysema, and asthma—490–493	17	95	37	161	36	66	24	118
Chronic and unqualified bronchitis—490,491	5	19	6	46	5	20	3	26
Emphysema—492	12	74	29	98	27	41	20	78
Asthma—493	–	2	2	17	4	5	1	14
Peptic ulcer—531–533	4	18	6	36	9	16	2	33
Appendicitis—540–543	1	1	3	9	–	5	–	2
Hernia and intestinal obstruction—550–553,560	5	17	6	30	12	22	5	30
Cirrhosis of liver—571	33	96	34	183	32	100	11	151
Cholelithiasis, cholecystitis and cholangitis—574,575	7	13	1	11	9	7	1	14
Nephritis and nephrosis—580–584	11	35	11	60	9	26	3	38
Acute nephritis and nephrotic syndrome—580,581	–	12	6	17	2	3	1	7
Chronic and unqualified nephritis and renal sclerosis—582–584	11	23	5	43	7	23	2	31
Infections of kidney—590	2	9	3	33	5	12	–	14
Hyperplasia of prostate—600	–	2	–	8	1	1	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	2	–	–	1	–	2	1	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	–	–	1	–	2	1	–
Congenital anomalies—740–759	13	60	28	115	20	43	10	76
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	33	87	45	228	38	86	16	95
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	21	37	37	124	19	42	8	46
Other causes of mortality in early infancy—Remainder of 760–778	12	50	8	104	19	44	8	49
Symptoms and ill-defined conditions—780–796	18	370	42	340	16	82	18	172
All other diseases—Residual	167	528	172	964	213	481	75	952
Accidents—E800–E949	122	244	138	830	159	297	52	658
Motor vehicle accidents—E810–E823	51	102	94	411	80	135	25	326
All other accidents—E800–E807,E825–E949	71	142	44	419	79	162	27	332
Suicide—E950–E959	31	120	40	225	53	109	20	282
Homicide—E960–E978	44	32	66	319	19	78	9	123
Other external causes—E980–E999	2	9	4	12	5	5	1	32

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
All causes	2,494	34,397	826	2,803	1,667	2,419	2,481	1,749
Bacillary dysentery and ameblasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	1	25	2	3	-	4	4	-
Tuberculosis, all forms—010-019	2	44	1	2	-	7	5	2
Tuberculosis of respiratory system—010-012	2	32	1	1	-	5	4	2
Tuberculosis, other forms—013-019	-	12	-	1	-	2	1	-
Whooping cough—033	-	1	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	1	6	1	-	1	-	2	-
Septicemia—038	13	171	1	6	14	20	6	5
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	2	-	-	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	8	79	1	7	6	8	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	522	7,101	170	556	303	484	553	374
Malignant neoplasms of buccal cavity and pharynx—140-149	10	153	1	12	4	10	13	7
Malignant neoplasms of digestive organs and peritoneum—150-159	158	1,861	39	175	57	139	159	86
Malignant neoplasms of respiratory system—160-163	128	1,891	41	110	78	119	130	98
Malignant neoplasm of breast—174	40	645	19	42	29	36	49	19
Malignant neoplasms of genital organs—180-187	64	820	21	67	34	62	61	42
Malignant neoplasms of urinary organs—188,189	27	296	10	26	9	16	32	14
Malignant neoplasms of all other and unspecified sites—170-173,190-199	43	774	24	70	66	66	63	64
Leukemia—204-207	24	271	6	25	11	15	21	21
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	28	390	9	29	15	21	25	23
Benign neoplasms and neoplasms of unspecified nature—210-239	5	72	1	4	6	11	7	7
Diabetes mellitis—250	28	692	14	49	24	42	38	19
Avitaminosas and other nutritional deficiencies—260-269	5	41	2	6	1	6	5	4
Anemias—280-285	1	71	2	1	6	10	6	-
Meningitis—320	1	27	-	2	3	1	4	-
Major cardiovascular diseases—390-448	1,294	17,415	469	1,502	816	963	1,318	848
Diseases of heart—390-398,402,404,410-429	1,018	13,815	366	1,142	611	706	1,027	591
Active rheumatic fever and chronic rheumatic heart disease—390-398	7	227	12	23	11	26	23	20
Hypertensive heart disease—402	4	118	1	10	12	20	4	7
Hypertensive heart and renal disease—404	6	25	1	4	1	5	2	2
Ischemic heart disease—410-413	920	12,501	325	990	515	556	929	523
Acute myocardial infarction—410	578	5,904	108	430	291	251	496	216
Other acute and subacute forms of ischemic heart disease—411	4	34	-	8	1	7	7	2
Chronic ischemic heart disease—412	338	6,560	217	551	222	298	425	305
Angina pectoris—413	-	3	-	1	1	-	1	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	3	37	4	4	2	11	8	2
All other forms of heart disease—420-423,425-427,429	78	907	23	111	70	88	61	37

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	87	2	10	3	8	8	3
Cerebrovascular diseases—430-438	196	2,782	74	254	155	187	201	172
Cerebral hemorrhage—431	27	410	11	35	45	30	17	16
Cerebral thrombosis—433	26	877	19	52	21	35	57	65
Cerebral embolism—434	-	9	1	1	1	1	-	1
All other cerebrovascular diseases—430,432,435-438	143	1,486	43	166	88	121	127	90
Arteriosclerosis—440	27	313	14	48	16	32	51	45
Other diseases of arteries, arterioles, and capillaries—441-448	46	418	13	48	31	30	31	37
Acute bronchitis and bronchiolitis—466	-	9	-	-	-	1	-	-
Influenza and pneumonia—470-474,480-486	85	876	19	101	53	76	63	59
Influenza—470-474	7	61	-	19	2	2	8	6
Pneumonia—480-486	78	815	19	82	51	74	55	53
Bronchitis, emphysema, and asthma—490-493	36	420	6	33	16	38	22	37
Chronic and unqualified bronchitis—490,491	6	74	3	5	4	10	6	8
Emphysema—492	30	317	3	27	7	23	13	28
Asthma—493	-	29	-	1	5	5	3	1
Peptic ulcer—531-533	8	90	2	7	3	11	8	6
Appendicitis—540-543	-	12	1	2	1	3	1	2
Hernia and intestinal obstruction—550-553,560	8	104	1	11	3	6	6	5
Cirrhosis of liver—571	30	839	6	46	20	51	38	20
Cholelithiasis, cholecystitis and cholangitis—574,575	2	32	3	7	4	7	1	4
Nephritis and nephrosis—580-584	6	214	3	10	17	17	14	5
Acute nephritis and nephrotic syndrome—580,581	2	58	1	4	2	3	2	3
Chronic and unqualified nephritis and renal sclerosis—582-584	4	156	2	6	15	14	12	2
Infections of kidney—590	2	32	-	3	1	5	2	3
Hyperplasia of prostate—600	2	8	-	2	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium—630-678	-	9	-	-	-	-	-	-
Abortions—640-645	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	-	9	-	-	-	-	-	-
Congenital anomalies—740-759	24	207	6	22	8	35	16	11
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	26	474	8	28	15	55	46	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	8	215	5	18	6	39	21	3
Other causes of mortality in early infancy—Remainder of 760-778	18	259	3	10	9	16	25	11
Symptoms and ill-defined conditions—780-796	11	229	3	37	20	27	11	18
All other diseases—Residual	163	2,264	55	174	165	238	170	108
Accidents—E800-E949	133	1,530	38	134	99	213	98	132
Motor vehicle accidents—E810-E823	47	781	21	70	34	101	49	69
All other accidents—E800-E807,E825-E949	86	749	17	64	65	112	49	63
Suicide—E950-E959	47	537	8	39	37	49	29	50
Homicide—E960-E978	26	687	1	5	22	25	8	12
Other external causes—E980-E999	4	77	2	4	3	6	-	3

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.-Ky.	Fall River-New Bedford, Mass.	Fargo-Moorhead, N. Dak.-Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale-Hollywood, Fla.	Fort Smith, Ark.-Okla.	Fort Wayne, Ind.
All causes	2,447	4,498	889	1,181	3,825	10,720	1,862	2,278
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	3	6	5	3	5	9	2	3
Tuberculosis, all forms—010-019	4	5	1	3	5	18	3	2
Tuberculosis of respiratory system—010-012	2	2	1	2	3	15	3	2
Tuberculosis, other forms—013-019	2	3	-	1	2	3	-	-
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	1	1	-	3	1	-	-	1
Septicemia—038	8	17	5	1	22	23	12	7
Acute poliomyelitis—040-043	-	2	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	1	-	-	-	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	5	7	-	4	12	18	3	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	509	1,019	215	211	734	2,684	397	456
Malignant neoplasms of buccal cavity and pharynx—140-149	13	19	3	4	5	49	8	2
Malignant neoplasms of digestive organs and peritoneum—150-159	133	303	61	49	170	735	97	117
Malignant neoplasms of respiratory system—160-163	160	237	41	52	187	714	115	119
Malignant neoplasm of breast—174	30	80	18	18	66	225	26	33
Malignant neoplasms of genital organs—180-187	42	120	26	28	78	296	53	61
Malignant neoplasms of urinary organs—188,189	25	51	11	4	43	121	15	22
Malignant neoplasms of all other and unspecified sites—170-173,190-199	57	120	31	36	102	284	45	56
Leukemia—204-207	21	41	10	10	34	106	16	23
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	28	48	14	10	49	154	22	23
Benign neoplasms and neoplasms of unspecified nature—210-239	2	11	-	1	1	24	7	10
Diabetes mellitus—250	61	97	10	6	92	197	30	36
Avitaminoses and other nutritional deficiencies—260-269	4	3	5	1	2	15	1	4
Anemias—280-285	6	5	1	4	10	20	2	-
Meningitis—320	3	1	-	3	2	5	2	2
Major cardiovascular diseases—390-448	1,312	2,474	415	504	1,895	5,368	836	1,213
Diseases of heart—390-398,402,404,410-429	951	1,908	300	372	1,413	4,195	625	867
Active rheumatic fever and chronic rheumatic heart disease—390-398	16	22	7	14	29	113	11	15
Hypertensive heart disease—402	10	19	3	4	10	18	3	12
Hypertensive heart and renal disease—404	13	8	-	1	5	7	1	23
Ischemic heart disease—410-413	867	1,792	259	329	1,257	3,883	504	751
Acute myocardial infarction—410	482	906	146	202	776	1,627	272	454
Other acute and subacute forms of ischemic heart disease—411	2	3	1	1	9	14	12	3
Chronic ischemic heart disease—412	383	881	112	126	472	2,242	220	294
Angina pectoris—413	-	2	-	-	-	-	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	3	3	2	3	23	36	5
All other forms of heart disease—420-423,425-427,429	41	64	28	22	109	151	70	61

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	11	14	–	6	9	53	–	5
Cerebrovascular diseases—430–438	252	441	94	96	360	860	167	272
Cerebral hemorrhage—431	52	122	15	12	43	121	12	41
Cerebral thrombosis—433	53	145	13	25	69	213	35	36
Cerebral embolism—434	1	3	–	–	5	3	–	–
All other cerebrovascular diseases—430,432,435–438	146	171	66	59	243	523	120	195
Arteriosclerosis—440	64	50	12	15	64	98	19	44
Other diseases of arteries, arterioles, and capillaries—441–448	34	61	9	15	49	162	25	25
Acute bronchitis and bronchiolitis—466	4	1	–	–	–	4	–	–
Influenza and pneumonia—470–474,480–486	58	126	33	27	81	229	39	48
Influenza—470–474	5	5	2	1	2	18	2	8
Pneumonia—480–486	53	121	31	26	79	211	37	40
Bronchitis, emphysema, and asthma—490–493	27	31	10	14	44	109	22	17
Chronic and unqualified bronchitis—490,491	9	6	3	4	2	22	4	3
Emphysema—492	17	23	6	9	38	83	18	14
Asthma—493	1	2	1	1	4	4	–	–
Peptic ulcer—531–533	8	11	3	6	16	28	5	6
Appendicitis—540–543	1	2	–	1	1	1	2	–
Hernia and intestinal obstruction—550–553,560	9	10	4	4	14	18	8	10
Cirrhosis of liver—571	26	62	5	31	67	179	14	27
Cholelithiasis, cholecystitis and cholangitis—574,575	6	15	4	1	8	18	3	–
Nephritis and nephrosis—580–584	7	17	4	2	18	49	5	7
Acute nephritis and nephrotic syndrome—580,581	1	5	1	1	4	14	–	–
Chronic and unqualified nephritis and renal sclerosis—582–584	6	12	3	1	14	35	5	7
Infections of kidney—590	2	1	–	1	6	15	3	4
Hyperplasia of prostate—600	4	3	1	–	2	3	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	–	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	–	–	–	1
Congenital anomalies—740–759	11	31	11	20	36	50	9	20
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	26	14	46	68	77	19	30
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	12	11	7	17	36	43	9	19
Other causes of mortality in early infancy—Remainder of 760–778	7	15	7	29	32	34	10	11
Symptoms and ill-defined conditions—780–796	14	23	6	8	23	45	148	24
All other diseases—Residual	171	265	65	104	297	807	125	175
Accidents—E800–E949	123	168	57	113	241	387	126	124
Motor vehicle accidents—E810–E823	62	81	27	53	154	191	62	67
All other accidents—E800–E807,E825–E949	61	87	30	60	87	196	64	57
Suicide—E950–E959	27	42	11	21	64	191	17	24
Homicide—E960–E978	11	15	3	34	57	117	18	20
Other external causes—E980–E999	–	1	1	4	1	12	2	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
All causes	6,594	3,726	1,044	788	1,638	4,988	4,511	628
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	11	-	-	1	-	1	3	-
Tuberculosis, all forms—010-019	11	3	3	2	4	9	3	1
Tuberculosis of respiratory system—010-012	10	3	3	1	3	8	3	-
Tuberculosis, other forms—013-019	1	-	-	1	1	1	-	1
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	2	1	-	-	1	-	1	-
Septicemia—038	32	14	3	1	6	10	14	-
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	1	-	-	-	-	1	-	-
Syphilis and its sequelae—090-097	2	-	1	-	1	-	1	-
Other infective and parasitic diseases—Remainder of 000-136	13	7	1	3	8	13	8	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	1,312	766	193	191	329	1,029	928	137
Malignant neoplasms of buccal cavity and pharynx—140-149	27	15	4	3	6	18	15	4
Malignant neoplasms of digestive organs and peritoneum—150-159	307	197	49	54	82	292	231	35
Malignant neoplasms of respiratory system—160-163	381	192	51	51	114	255	215	26
Malignant neoplasm of breast—174	114	72	10	11	20	78	109	12
Malignant neoplasms of genital organs—180-187	137	97	24	20	31	137	82	22
Malignant neoplasms of urinary organs—188,189	60	38	13	13	4	39	45	9
Malignant neoplasms of all other and unspecified sites—170-173,190-199	150	91	25	24	42	124	122	12
Leukemia—204-207	58	29	8	4	15	49	49	7
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	78	35	9	11	15	37	60	10
Benign neoplasms and neoplasms of unspecified nature—210-239	18	12	2	2	4	19	13	-
Diabetes mellitis—250	94	49	19	16	33	171	69	3
Avitaminoses and other nutritional deficiencies—260-269	14	4	-	2	2	10	7	1
Anemias—280-285	10	9	3	2	4	9	4	2
Meningitis—320	7	3	3	1	2	3	4	-
Major cardiovascular diseases—390-448	3,144	1,736	555	314	787	2,403	2,411	272
Diseases of heart—390-398,402,404,410-429	2,130	1,273	428	192	621	1,798	1,778	198
Active rheumatic fever and chronic rheumatic heart disease—390-398	35	37	5	7	10	41	28	11
Hypertensive heart disease—402	19	22	8	2	5	30	12	-
Hypertensive heart and renal disease—404	7	3	4	-	3	2	14	-
Ischemic heart disease—410-413	1,874	1,136	359	153	539	1,608	1,570	139
Acute myocardial infarction—410	809	427	221	76	204	780	788	80
Other acute and subacute forms of ischemic heart disease—411	5	45	-	1	-	8	1	2
Chronic ischemic heart disease—412	1,058	663	138	76	334	820	781	57
Angina pectoris—413	2	1	-	-	1	-	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	12	5	2	1	2	10	7	10
All other forms of heart disease—420-423,425-427,429	183	70	50	29	62	107	147	38

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	19	17	4	2	3	15	15	2
Cerebrovascular diseases—430-438	760	321	103	86	125	465	448	37
Cerebral hemorrhage—431	70	32	12	8	8	89	58	3
Cerebral thrombosis—433	81	68	52	20	8	67	131	2
Cerebral embolism—434	2	1	-	-	-	3	1	-
All other cerebrovascular diseases—430,432,435-438	607	220	39	58	109	306	258	32
Arteriosclerosis—440	147	66	13	26	16	66	101	25
Other diseases of arteries, arterioles, and capillaries—441-448	88	59	7	8	22	59	69	10
Acute bronchitis and bronchiolitis—466	4	3	-	-	-	1	-	-
Influenza and pneumonia—470-474,480-486	202	83	22	22	43	100	128	17
Influenza—470-474	7	4	3	1	4	5	7	-
Pneumonia—480-486	195	79	19	21	39	95	121	17
Bronchitis, emphysema, and asthma—490-493	106	54	11	20	13	64	51	6
Chronic and unqualified bronchitis—490,491	32	12	1	5	3	8	19	-
Emphysema—492	67	35	10	15	10	56	27	6
Asthma—493	7	7	-	-	-	-	5	-
Peptic ulcer—531-533	27	15	4	2	5	17	17	1
Appendicitis—540-543	2	-	-	-	4	-	3	-
Hernia and intestinal obstruction—550-553,560	26	14	7	3	1	12	17	1
Cirrhosis of liver—571	135	65	14	12	20	88	56	8
Cholelithiasis, cholecystitis and cholangitis—574,575	10	3	-	-	1	6	7	2
Nephritis and nephrosis—580-584	31	16	3	-	10	29	15	2
Acute nephritis and nephrotic syndrome—580,581	10	2	-	-	1	8	4	-
Chronic and unqualified nephritis and renal sclerosis—582-584	21	14	3	-	9	21	11	2
Infections of kidney—590	16	9	3	1	1	7	9	-
Hyperplasia of prostate—600	-	2	-	-	-	4	2	1
Complications of pregnancy, childbirth, and the puerperium—630-678	1	-	-	-	1	3	2	-
Abortions—640-645	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	1	-	-	-	1	3	2	-
Congenital anomalies—740-759	48	35	6	6	14	38	43	7
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	111	51	11	18	23	92	42	8
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	74	29	5	10	10	48	26	3
Other causes of mortality in early infancy—Remainder of 760-778	37	22	6	8	13	44	16	5
Symptoms and ill-defined conditions—780-796	55	23	12	11	17	63	60	40
All other diseases—Residual	465	271	65	67	117	277	288	43
Accidents—E800-E949	409	318	66	58	123	325	233	54
Motor vehicle accidents—E810-E823	223	184	38	33	62	153	133	30
All other accidents—E800-E807,E825-E949	186	134	28	25	61	172	100	24
Suicide—E950-E959	130	78	16	17	23	69	52	17
Homicide—E960-E978	115	73	19	12	39	104	16	3
Other external causes—E980-E999	30	9	2	4	2	11	4	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro-Winston Salem-High Point, N.C.	Greenville, S.C.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
All causes	1,189	5,331	2,745	1,903	3,988	6,769	3,376	16,335
Bacillary dysentery and ameblasis—004,006	-	-	-	-	-	-	-	2
Enteritis and other diarrheal diseases—008,009	-	2	5	1	5	7	2	28
Tuberculosis, all forms—010-019	2	4	3	1	6	8	4	28
Tuberculosis of respiratory system—010-012	1	3	3	1	4	7	1	22
Tuberculosis, other forms—013-019	1	1	-	-	2	1	3	6
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	1	1	-	-	2	1	12
Septicemia—038	2	36	18	6	21	25	19	108
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	1	-	-	-	1	-	-
Other infective and parasitic diseases—Remainder of 000-136	5	24	4	7	8	26	10	67
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	251	1,044	561	424	844	1,536	787	3,193
Malignant neoplasms of buccal cavity and pharynx—140-149	3	24	15	7	14	34	21	67
Malignant neoplasms of digestive organs and peritoneum—150-159	65	264	125	119	210	415	274	755
Malignant neoplasms of respiratory system—160-163	45	237	152	127	220	325	187	954
Malignant neoplasm of breast—174	26	90	52	36	66	172	65	287
Malignant neoplasms of genital organs—180-187	29	107	72	41	88	156	75	300
Malignant neoplasms of urinary organs—188,189	16	34	21	14	40	78	30	114
Malignant neoplasms of all other and unspecified sites—170-173,190-199	39	187	77	44	127	184	79	402
Leukemia—204-207	13	41	18	18	27	63	28	126
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	15	60	29	18	52	109	28	188
Benign neoplasms and neoplasms of unspecified nature—210-239	4	28	8	3	11	16	9	31
Diabetes mellitus—250	24	116	38	38	89	111	82	237
Avitaminoses and other nutritional deficiencies—260-269	2	6	9	-	4	6	8	21
Anemias—280-285	2	10	5	1	5	15	6	31
Meningitis—320	-	3	4	2	-	7	2	30
Major cardiovascular diseases—390-448	653	2,605	1,333	927	2,128	3,389	1,433	6,982
Diseases of heart—390-398,402,404,410-429	485	1,930	966	689	1,657	2,559	1,050	5,157
Active rheumatic fever and chronic rheumatic heart disease—390-398	10	32	18	7	32	53	26	77
Hypertensive heart disease—402	6	27	1	11	15	18	13	36
Hypertensive heart and renal disease—404	4	3	2	7	4	14	-	7
Ischemic heart disease—410-413	336	1,707	823	625	1,326	2,331	914	4,371
Acute myocardial infarction—410	141	955	545	307	781	979	371	1,684
Other acute and subacute forms of ischemic heart disease—411	2	5	2	1	23	4	4	18
Chronic ischemic heart disease—412	193	744	276	317	521	1,347	539	2,669
Angina pectoris—413	-	3	-	-	1	1	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	6	10	5	-	19	2	6	32
All other forms of heart disease—420-423,425-427,429	123	151	117	39	261	141	91	634

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	10	4	5	9	19	7	37
Cerebrovascular diseases—430–438	123	538	297	169	331	626	319	1,406
Cerebral hemorrhage—431	11	52	29	16	39	87	71	184
Cerebral thrombosis—433	27	138	47	19	41	176	55	242
Cerebral embolism—434	1	1	–	1	–	5	1	1
All other cerebrovascular diseases—430,432,435–438	84	347	221	133	251	358	192	979
Arteriosclerosis—440	26	54	28	42	46	81	19	203
Other diseases of arteries, arterioles, and capillaries—441–448	18	73	38	22	85	104	38	179
Acute bronchitis and bronchiolitis—466	2	2	–	1	1	4	1	9
Influenza and pneumonia—470–474,480–486	33	157	102	52	104	204	101	467
Influenza—470–474	3	13	7	3	8	11	–	19
Pneumonia—480–486	30	144	95	49	96	193	101	448
Bronchitis, emphysema, and asthma—490–493	15	55	26	26	28	66	35	180
Chronic and unqualified bronchitis—490,491	3	15	10	10	6	21	8	30
Emphysema—492	12	31	15	15	20	38	21	140
Asthma—493	–	9	1	1	2	7	6	10
Peptic ulcer—531–533	1	16	5	5	13	9	7	45
Appendicitis—540–543	–	–	1	3	1	3	–	10
Hernia and intestinal obstruction—550–553,560	4	20	11	5	8	17	6	45
Cirrhosis of liver—571	6	87	34	29	37	121	43	276
Cholelithiasis, cholecystitis and cholangitis—574,575	1	9	2	1	6	9	7	13
Nephritis and nephrosis—580–584	3	31	7	7	18	37	17	79
Acute nephritis and nephrotic syndrome—580,581	1	7	–	2	8	9	4	25
Chronic and unqualified nephritis and renal sclerosis—582–584	2	24	7	5	10	28	13	54
Infections of kidney—590	1	4	6	1	9	2	11	30
Hyperplasia of prostate—600	–	1	–	–	–	1	1	5
Complications of pregnancy, childbirth, and the puerperium—630–678	–	2	3	1	1	–	–	8
Abortions—640–645	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	3	1	1	–	–	8
Congenital anomalies—740–759	5	35	16	15	26	40	49	142
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	8	66	38	34	33	90	73	342
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	4	37	18	12	20	50	39	191
Other causes of mortality in early infancy—Remainder of 760–778	4	29	20	22	13	40	34	151
Symptoms and ill-defined conditions—780–796	16	53	36	15	29	98	42	361
All other diseases—Residual	64	454	207	126	308	509	259	1,142
Accidents—E800–E949	55	305	174	115	162	273	212	1,409
Motor vehicle accidents—E810–E823	28	131	100	69	83	97	122	786
All other accidents—E800–E807,E825–E949	27	174	74	46	79	176	90	623
Suicide—E950–E959	27	73	44	34	54	73	82	382
Homicide—E960–E978	2	66	43	19	20	45	36	610
Other external causes—E980–E999	1	15	1	4	9	19	31	10

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
All causes	2,786	1,623	9,516	1,210	2,392	4,731	6,071	2,815
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	3	-	7	2	4	7	5	3
Tuberculosis, all forms—010-019	4	5	14	1	4	11	12	6
Tuberculosis of respiratory system—010-012	4	5	10	1	4	10	10	5
Tuberculosis, other forms—013-019	-	-	4	-	-	1	2	1
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	-	3	1	1	1	-	-
Septicemia—038	6	4	61	3	15	22	36	7
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	1	-
Syphilis and its sequelae—090-097	-	-	1	-	1	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	5	4	25	1	4	16	13	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	584	336	2,075	260	477	1,005	1,352	533
Malignant neoplasms of buccal cavity and pharynx—140-149	9	11	35	6	9	40	41	8
Malignant neoplasms of digestive organs and peritoneum—150-159	137	73	512	61	108	207	399	152
Malignant neoplasms of respiratory system—160-163	170	97	575	69	103	284	336	116
Malignant neoplasm of breast—174	55	28	190	18	45	76	125	38
Malignant neoplasms of genital organs—180-187	51	44	214	25	71	147	135	62
Malignant neoplasms of urinary organs—188,189	33	13	81	13	24	36	53	30
Malignant neoplasms of all other and unspecified sites—170-173,190-199	86	40	270	32	69	135	165	73
Leukemia—204-207	20	11	86	20	19	30	55	25
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	23	19	112	16	29	50	43	29
Benign neoplasms and neoplasms of unspecified nature—210-239	2	5	14	4	7	10	22	12
Diabetes mellitis—250	58	29	199	31	37	70	143	70
Avitaminoses and other nutritional deficiencies—260-269	7	1	10	-	3	8	5	-
Anemias—280-285	4	4	22	2	3	16	19	7
Meningitis—320	2	1	11	-	3	2	4	-
Major cardiovascular diseases—390-448	1,472	717	4,794	602	1,104	2,166	3,172	1,527
Diseases of heart—390-398,402,404,410-429	1,131	503	3,499	441	800	1,661	2,643	1,215
Active rheumatic fever and chronic rheumatic heart disease—390-398	13	6	59	6	16	33	57	23
Hypertensive heart disease—402	8	-	42	4	8	19	42	19
Hypertensive heart and renal disease—404	8	2	21	2	8	5	4	19
Ischemic heart disease—410-413	1,016	333	3,039	394	635	1,467	2,403	1,037
Acute myocardial infarction—410	491	171	1,331	181	386	529	889	519
Other acute and subacute forms of ischemic heart disease—411	2	3	7	-	1	7	2	2
Chronic ischemic heart disease—412	523	159	1,700	213	248	930	1,512	516
Angina pectoris—413	-	-	1	-	-	1	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	5	3	7	3	3	4	6	7
All other forms of heart disease—420-423,425-427,429	81	159	331	32	130	133	131	110

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	10	4	30	3	11	15	9	5
Cerebrovascular diseases—430-438	245	180	895	86	233	376	410	214
Cerebral hemorrhage—431	9	26	142	13	22	61	71	21
Cerebral thrombosis—433	77	36	199	13	60	88	88	44
Cerebral embolism—434	1	–	4	–	2	2	1	1
All other cerebrovascular diseases—430,432,435-438	158	118	550	60	149	225	250	148
Arteriosclerosis—440	39	17	241	53	35	49	46	59
Other diseases of arteries, arterioles, and capillaries—441-448	47	13	129	19	25	65	64	34
Acute bronchitis and bronchiolitis—466	1	–	2	–	1	2	2	1
Influenza and pneumonia—470-474,480-486	71	44	226	39	85	139	146	54
Influenza—470-474	10	3	21	3	6	10	5	7
Pneumonia—480-486	61	41	205	36	79	129	141	47
Bronchitis, emphysema, and asthma—490-493	37	13	77	16	13	70	53	50
Chronic and unqualified bronchitis—490,491	13	6	14	6	4	18	6	14
Emphysema—492	23	6	54	10	8	46	39	34
Asthma—493	1	1	9	–	1	6	8	2
Peptic ulcer—531-533	7	3	37	3	4	13	16	6
Appendicitis—540-543	2	1	2	–	2	3	–	2
Hernia and intestinal obstruction—550-553,560	7	2	24	4	4	9	16	4
Cirrhosis of liver—571	33	13	119	14	19	130	121	29
Cholelithiasis, cholecystitis and cholangitis—574,575	5	4	11	4	1	7	16	6
Nephritis and nephrosis—580-584	14	12	45	5	6	38	46	9
Acute nephritis and nephrotic syndrome—580,581	3	2	11	–	1	7	10	4
Chronic and unqualified nephritis and renal sclerosis—582-584	11	10	34	5	5	31	36	5
Infections of kidney—590	5	1	12	1	4	8	4	3
Hyperplasia of prostate—600	2	–	5	2	3	–	3	1
Complications of pregnancy, childbirth, and the puerperium—630-678	1	–	2	–	–	–	1	1
Abortions—640-645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	1	–	2	–	–	–	1	1
Congenital anomalies—740-759	13	15	57	11	15	39	37	16
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	27	22	107	8	30	66	76	37
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	21	14	43	2	21	30	42	19
Other causes of mortality in early infancy—Remainder of 760-778	6	8	64	6	9	36	34	18
Symptoms and ill-defined conditions—780-796	28	107	74	3	100	35	105	13
All other diseases—Residual	205	97	767	89	192	417	373	249
Accidents—E800-E949	134	136	447	70	173	240	177	109
Motor vehicle accidents—E810-E823	64	78	226	41	82	108	61	49
All other accidents—E800-E807,E825-E949	70	58	221	29	91	132	116	60
Suicide—E950-E959	18	28	135	23	31	85	38	50
Homicide—E960-E978	25	15	101	10	44	78	41	3
Other external causes—E980-E999	4	4	30	1	2	18	16	2

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
All causes	1,384	10,983	963	3,875	802	874	777	1,339
Bacillary dysentery and amebiasis—004,006	–	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	3	8	–	5	–	–	–	1
Tuberculosis, all forms—010–019	–	18	1	7	–	1	1	1
Tuberculosis of respiratory system—010–012	–	13	1	5	–	1	–	–
Tuberculosis, other forms—013–019	–	5	–	2	–	–	1	1
Whooping cough—033	–	1	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	2	–	2	–	1	–	1
Septicemia—038	10	59	–	7	4	4	2	7
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	1	–	–	–	1	–	–
Other infective and parasitic diseases—Remainder of 000–136	5	33	–	8	–	5	4	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	344	2,216	211	822	155	184	164	269
Malignant neoplasms of buccal cavity and pharynx—140–149	8	36	3	12	1	3	–	8
Malignant neoplasms of digestive organs and peritoneum—150–159	74	553	51	181	45	38	36	57
Malignant neoplasms of respiratory system—160–163	85	568	49	239	32	52	39	76
Malignant neoplasm of breast—174	36	188	23	83	10	20	12	21
Malignant neoplasms of genital organs—180–187	34	231	23	92	26	22	14	27
Malignant neoplasms of urinary organs—188,189	19	113	6	28	5	6	4	16
Malignant neoplasms of all other and unspecified sites—170–173,190–199	49	319	27	113	22	23	31	40
Leukemia—204–207	19	76	12	29	4	8	10	6
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	20	132	17	45	10	12	18	18
Benign neoplasms and neoplasms of unspecified nature—210–239	–	20	–	7	–	7	3	5
Diabetes mellitus—250	21	171	13	41	17	9	16	26
Avitaminoses and other nutritional deficiencies—260–269	6	14	2	6	1	1	1	1
Anemias—280–285	3	12	4	6	–	2	1	7
Meningitis—320	2	7	1	5	–	1	–	–
Major cardiovascular diseases—390–448	669	5,094	544	1,591	411	393	404	645
Diseases of heart—390–398,402,404,410–429	501	3,709	459	1,081	302	270	285	443
Active rheumatic fever and chronic rheumatic heart disease—390–398	11	73	8	18	16	2	8	12
Hypertensive heart disease—402	2	25	3	4	2	4	4	7
Hypertensive heart and renal disease—404	–	8	1	4	–	–	2	2
Ischemic heart disease—410–413	446	3,159	423	985	261	216	261	349
Acute myocardial infarction—410	213	1,411	178	536	101	83	149	170
Other acute and subacute forms of ischemic heart disease—411	2	10	9	3	3	4	1	3
Chronic ischemic heart disease—412	230	1,737	236	445	157	129	111	176
Angina pectoris—413	1	1	–	1	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	7	25	1	5	–	2	–	6
All other forms of heart disease—420–423,425–427,429	35	419	23	65	23	46	10	67

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette-West Lafayette, Ind.	Lake Charles, La.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	44	6	10	4	1	4	4
Cerebrovascular diseases—430-438	121	1,027	53	390	81	74	84	137
Cerebral hemorrhage—431	10	115	12	39	9	5	8	14
Cerebral thrombosis—433	17	201	18	77	19	21	16	24
Cerebral embolism—434	-	3	-	3	2	-	-	1
All other cerebrovascular diseases—430,432,435-438	94	708	23	271	51	48	60	98
Arteriosclerosis—440	26	163	16	58	10	39	19	51
Other diseases of arteries, arterioles, and capillaries—441-448	20	151	10	52	14	9	12	10
Acute bronchitis and bronchiolitis—466	2	3	-	-	-	-	-	2
Influenza and pneumonia—470-474,480-486	44	271	22	128	34	25	14	30
Influenza—470-474	1	22	-	4	1	1	1	1
Pneumonia—480-486	43	249	22	124	33	24	13	29
Bronchitis, emphysema, and asthma—490-493	17	89	5	39	13	2	4	27
Chronic and unqualified bronchitis—490,491	6	15	2	6	3	-	-	3
Emphysema—492	11	64	3	31	7	1	4	23
Asthma—493	-	10	-	2	3	1	-	1
Peptic ulcer—531-533	8	26	2	7	1	2	1	2
Appendicitis—540-543	-	6	-	1	-	-	-	-
Hernia and intestinal obstruction—550-553,560	3	30	3	8	3	5	1	1
Cirrhosis of liver—571	9	129	15	43	14	14	10	19
Cholelithiasis, cholecystitis and cholangitis—574,575	2	10	-	3	2	-	1	1
Nephritis and nephrosis—580-584	3	74	3	20	1	4	1	16
Acute nephritis and nephrotic syndrome—580,581	1	21	-	3	-	2	-	3
Chronic and unqualified nephritis and renal sclerosis—582-584	2	53	3	17	1	2	1	13
Infections of kidney—590	-	17	2	5	1	-	3	-
Hyperplasia of prostate—600	-	5	-	2	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium—630-678	1	1	-	1	-	-	-	1
Abortions—640-645	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	1	1	-	1	-	-	-	1
Congenital anomalies—740-759	9	85	6	17	2	8	3	7
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	19	216	10	40	11	24	7	30
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	12	137	4	21	7	16	2	11
Other causes of mortality in early infancy—Remainder of 760-778	7	79	6	19	4	8	5	19
Symptoms and ill-defined conditions—780-796	8	472	3	461	4	5	28	14
All other diseases—Residual	93	915	47	245	83	75	58	88
Accidents—E800-E949	64	594	49	251	32	73	32	92
Motor vehicle accidents—E810-E823	39	278	33	136	12	45	18	38
All other accidents—E800-E807,E825-E949	25	316	16	115	20	28	14	54
Suicide—E950-E959	23	175	11	62	12	16	13	17
Homicide—E960-E978	12	165	4	27	-	12	1	22
Other external causes—E980-E999	4	43	5	8	-	-	4	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
All causes	2,996	2,405	546	2,660	618	1,500	1,609	1,289
Bacillary dysentery and amebiasis—004,006	–	–	–	1	–	–	–	–
Enteritis and other diarrheal diseases—008,009	3	1	2	3	–	1	2	2
Tuberculosis, all forms—010-019	3	2	2	2	1	1	2	1
Tuberculosis of respiratory system—010-012	3	–	2	2	1	1	2	1
Tuberculosis, other forms—013-019	–	2	–	–	–	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	–	–	1	1	–	–
Septicemia—038	9	8	4	8	5	9	4	1
Acute poliomyelitis—040-043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090-097	1	1	–	1	–	–	–	–
Other infective and parasitic diseases—Remainder of 000-136	6	3	–	5	2	6	–	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	636	505	106	582	110	292	287	253
Malignant neoplasms of buccal cavity and pharynx—140-149	11	8	–	12	2	5	4	4
Malignant neoplasms of digestive organs and peritoneum—150-159	182	134	33	132	21	77	74	71
Malignant neoplasms of respiratory system—160-163	125	123	21	172	40	71	61	41
Malignant neoplasm of breast—174	53	45	6	47	6	30	36	29
Malignant neoplasms of genital organs—180-187	78	48	18	53	11	34	32	32
Malignant neoplasms of urinary organs—188,189	35	17	4	26	3	9	15	14
Malignant neoplasms of all other and unspecified sites—170-173,190-199	82	66	17	91	19	32	30	32
Leukemia—204-207	24	24	4	19	5	14	12	18
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	46	40	3	30	3	20	23	12
Benign neoplasms and neoplasms of unspecified nature—210-239	13	5	–	5	–	3	2	4
Diabetes mellitus—250	72	56	18	30	10	32	25	22
Avitaminoses and other nutritional deficiencies—260-269	4	7	5	6	1	2	4	–
Anemias—280-285	3	6	3	6	1	5	2	2
Meningitis—320	3	1	3	1	–	1	1	3
Major cardiovascular diseases—390-448	1,649	1,178	216	1,136	275	778	910	708
Diseases of heart—390-398,402,404,410-429	1,257	899	157	880	209	597	646	511
Active rheumatic fever and chronic rheumatic heart disease—390-398	33	13	1	27	3	7	14	9
Hypertensive heart disease—402	14	16	2	5	2	3	3	6
Hypertensive heart and renal disease—404	1	4	1	3	1	2	–	1
Ischemic heart disease—410-413	1,110	782	127	752	189	525	588	421
Acute myocardial infarction—410	520	446	69	335	111	256	274	162
Other acute and subacute forms of ischemic heart disease—411	5	–	–	5	1	1	–	4
Chronic ischemic heart disease—412	585	336	58	412	77	268	314	255
Angina pectoris—413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	2	5	1	1	4	4	4
All other forms of heart disease—420-423,425-427,429	95	82	21	92	13	56	37	70

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	6	9	1	3	5	6	7	6
Cerebrovascular diseases—430–438	251	187	48	216	44	145	192	135
Cerebral hemorrhage—431	27	18	4	30	7	13	33	19
Cerebral thrombosis—433	47	44	22	22	10	34	32	11
Cerebral embolism—434	–	1	–	–	–	–	1	1
All other cerebrovascular diseases—430,432,435–438	177	124	22	164	27	98	126	104
Arteriosclerosis—440	82	49	5	18	9	13	34	32
Other diseases of arteries, arterioles, and capillaries—441–448	53	34	5	19	8	17	31	24
Acute bronchitis and bronchiolitis—466	1	–	1	1	–	1	–	1
Influenza and pneumonia—470–474,480–486	71	81	14	41	14	38	27	35
Influenza—470–474	6	3	–	1	2	1	8	2
Pneumonia—480–486	65	78	14	40	12	37	19	33
Bronchitis, emphysema, and asthma—490–493	21	42	3	50	9	14	19	15
Chronic and unqualified bronchitis—490,491	2	10	1	6	5	6	3	3
Emphysema—492	18	29	2	41	4	8	15	11
Asthma—493	1	3	–	3	–	–	1	1
Peptic ulcer—531–533	5	4	2	7	2	2	6	–
Appendicitis—540–543	–	–	1	2	1	–	–	2
Hernia and intestinal obstruction—550–553,560	6	6	3	3	3	2	8	5
Cirrhosis of liver—571	23	25	16	52	10	23	9	10
Cholelithiasis, cholecystitis and cholangitis—574,575	–	6	1	1	–	2	2	2
Nephritis and nephrosis—580–584	16	11	1	5	1	7	12	4
Acute nephritis and nephrotic syndrome—580,581	3	4	–	1	–	1	4	1
Chronic and unqualified nephritis and renal sclerosis—582–584	13	7	1	4	1	6	8	3
Infections of kidney—590	2	4	–	1	1	3	2	1
Hyperplasia of prostate—600	2	–	–	2	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	2	–	–	–	–	–	–
Abortions—640–645	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	2	–	–	–	–	–	–
Congenital anomalies—740–759	21	23	8	22	7	9	14	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	29	28	12	36	21	13	18	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	17	12	8	25	15	6	12	14
Other causes of mortality in early infancy—Remainder of 760–778	12	16	4	11	6	7	6	7
Symptoms and ill-defined conditions—780–796	22	23	25	22	17	4	7	20
All other diseases—Residual	203	161	43	215	52	136	127	82
Accidents—E800–E949	136	148	40	248	54	78	94	58
Motor vehicle accidents—E810–E823	68	81	19	142	20	33	56	35
All other accidents—E800–E807,E825–E949	68	67	21	106	34	45	38	23
Suicide—E950–E959	26	52	7	89	10	22	16	17
Homicide—E960–E978	8	14	10	71	9	12	7	2
Other external causes—E980–E999	1	2	–	6	1	3	1	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock-North Little Rock, Ark.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	3,081	1,884	59,374	7,820	1,326	1,273	1,807	1,950
Bacillary dysentery and amebiasis—004,006	-	-	2	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	-	3	54	5	2	1	5	6
Tuberculosis, all forms—010-019	3	3	79	14	-	-	4	1
Tuberculosis of respiratory system—010-012	3	1	58	12	-	-	2	-
Tuberculosis, other forms—013-019	-	2	21	2	-	-	2	1
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	2	1	9	-	-	1	-	1
Septicemia—038	20	15	147	29	8	10	4	11
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	2	2	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	11	3	145	21	6	2	5	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	621	381	12,466	1,664	239	245	274	408
Malignant neoplasms of buccal cavity and pharynx—140-149	13	7	314	51	4	10	5	6
Malignant neoplasms of digestive organs and peritoneum—150-159	139	111	3,329	439	61	43	71	106
Malignant neoplasms of respiratory system—160-163	155	96	3,146	518	60	59	68	91
Malignant neoplasm of breast—174	52	28	1,188	110	19	32	19	34
Malignant neoplasms of genital organs—180-187	75	39	1,388	154	19	23	27	41
Malignant neoplasms of urinary organs—188,189	26	15	539	63	10	10	10	24
Malignant neoplasms of all other and unspecified sites—170-173,190-199	103	45	1,429	196	35	43	50	50
Leukemia—204-207	25	18	450	62	14	11	5	21
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	33	22	683	71	17	14	19	35
Benign neoplasms and neoplasms of unspecified nature—210-239	7	2	118	18	1	5	6	4
Diabetes mellitus—250	65	34	902	131	12	12	28	29
Avitaminoses and other nutritional deficiencies—260-269	5	4	67	18	2	1	2	3
Anemias—280-285	2	6	92	12	2	1	4	5
Meningitis—320	3	3	51	11	3	1	1	-
Major cardiovascular diseases—390-448	1,465	934	29,703	3,939	608	653	962	990
Diseases of heart—390-398,402,404,410-429	1,055	726	22,499	2,868	464	484	674	717
Active rheumatic fever and chronic rheumatic heart disease—390-398	17	15	475	41	6	8	14	20
Hypertensive heart disease—402	16	17	289	21	1	3	16	9
Hypertensive heart and renal disease—404	6	2	53	13	1	6	2	5
Ischemic heart disease—410-413	804	632	20,756	2,516	286	437	501	607
Acute myocardial infarction—410	426	249	6,733	1,460	119	194	340	278
Other acute and subacute forms of ischemic heart disease—411	-	33	48	-	3	9	2	-
Chronic ischemic heart disease—412	378	350	13,968	1,056	164	234	156	329
Angina pectoris—413	-	-	7	-	-	-	3	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	5	5	100	18	3	3	8	1
All other forms of heart disease—420-423,425-427,429	207	55	826	259	167	27	133	75

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	4	156	38	7	6	3	4
Cerebrovascular diseases—430–438	311	152	5,514	826	109	136	207	191
Cerebral hemorrhage—431	32	24	703	105	13	32	78	15
Cerebral thrombosis—433	81	35	1,461	218	15	32	34	61
Cerebral embolism—434	–	–	31	1	–	–	1	–
All other cerebrovascular diseases—430,432,435–438	198	93	3,319	502	81	72	94	115
Arteriosclerosis—440	50	31	788	103	14	9	45	45
Other diseases of arteries, arterioles, and capillaries—441–448	41	21	746	104	14	18	33	33
Acute bronchitis and bronchiolitis—466	2	–	27	5	–	1	–	1
Influenza and pneumonia—470–474,480–486	82	51	1,437	224	58	31	74	60
Influenza—470–474	10	3	51	14	1	–	3	9
Pneumonia—480–486	72	48	1,386	210	57	31	71	51
Bronchitis, emphysema, and asthma—490–493	42	17	723	86	24	13	26	19
Chronic and unqualified bronchitis—490,491	6	4	192	24	4	1	6	4
Emphysema—492	35	12	486	51	17	11	18	11
Asthma—493	1	1	45	11	3	1	2	4
Peptic ulcer—531–533	5	5	207	16	3	2	8	6
Appendicitis—540–543	1	2	31	3	2	1	–	3
Hernia and intestinal obstruction—550–553,560	8	3	159	26	3	5	14	7
Cirrhosis of liver—571	41	28	1,527	124	10	19	26	13
Cholelithiasis, cholecystitis and cholangitis—574,575	5	5	92	11	–	1	4	5
Nephritis and nephrosis—580–584	28	8	230	21	2	5	16	8
Acute nephritis and nephrotic syndrome—580,581	6	4	40	7	1	1	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	22	4	190	14	1	4	16	7
Infections of kidney—590	4	3	84	12	2	1	5	3
Hyperplasia of prostate—600	2	1	37	2	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	16	1	–	–	–	1
Abortions—640–645	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	16	1	–	–	–	1
Congenital anomalies—740–759	32	17	478	50	13	7	11	20
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	54	31	783	102	29	11	20	18
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	22	19	450	49	15	4	10	8
Other causes of mortality in early infancy—Remainder of 760–778	32	12	333	53	14	7	10	10
Symptoms and ill-defined conditions—780–796	77	46	358	46	13	13	22	12
All other diseases—Residual	229	122	3,671	664	96	112	128	159
Accidents—E800–E949	170	108	3,098	351	126	75	92	108
Motor vehicle accidents—E810–E823	65	59	1,568	135	67	32	39	44
All other accidents—E800–E807,E825–E949	105	49	1,530	216	59	43	53	64
Suicide—E950–E959	36	30	1,167	121	24	26	27	40
Homicide—E960–E978	50	16	1,323	83	38	17	35	4
Other external causes—E980–E999	9	1	89	8	–	1	3	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Memphis, Tenn.-Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.
All causes	2,149	1,032	1,446	6,624	15,456	475	11,730	13,386
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	-	1	4	9	8	-	12	13
Tuberculosis, all forms—010-019	2	2	6	8	24	1	16	6
Tuberculosis of respiratory system—010-012	-	2	5	6	18	1	13	5
Tuberculosis, other forms—013-019	2	-	1	2	6	-	3	1
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	1	-	-	-	-	-	-
Meningococcal infections—036	-	1	-	1	5	-	1	1
Septicemia—038	12	3	8	58	80	3	46	59
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	1	2	1	1	-	1	1
Other infective and parasitic diseases—Remainder of 000-136	4	1	1	23	62	1	22	43
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	513	211	263	1,406	3,502	82	2,581	2,833
Malignant neoplasms of buccal cavity and pharynx—140-149	15	4	6	28	104	3	77	61
Malignant neoplasms of digestive organs and peritoneum—150-159	156	57	59	348	975	19	733	772
Malignant neoplasms of respiratory system—160-163	115	55	80	369	893	21	570	654
Malignant neoplasm of breast—174	48	21	13	127	312	6	232	296
Malignant neoplasms of genital organs—180-187	58	33	30	156	358	10	282	297
Malignant neoplasms of urinary organs—188,189	32	5	10	47	167	6	117	133
Malignant neoplasms of all other and unspecified sites—170-173,190-199	54	19	40	203	396	9	317	304
Leukemia—204-207	13	7	14	49	117	2	110	121
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	22	10	11	79	180	6	143	195
Benign neoplasms and neoplasms of unspecified nature—210-239	8	4	7	16	40	-	27	32
Diabetes mellitus—250	35	24	38	84	274	6	230	184
Avitaminoses and other nutritional deficiencies—260-269	4	2	2	7	22	-	25	22
Anemias—280-285	4	2	4	14	39	-	23	16
Meningitis—320	-	3	1	3	15	1	5	12
Major cardiovascular diseases—390-448	1,039	547	576	3,227	7,619	201	6,186	6,549
Diseases of heart—390-398,402,404,410-429	729	409	423	2,352	6,065	148	4,743	4,690
Active rheumatic fever and chronic rheumatic heart disease—390-398	10	9	1	38	134	3	98	130
Hypertensive heart disease—402	2	8	6	18	40	2	42	36
Hypertensive heart and renal disease—404	4	3	-	-	16	1	15	12
Ischemic heart disease—410-413	654	363	341	2,077	5,581	96	4,267	4,178
Acute myocardial infarction—410	337	172	208	713	2,180	63	1,620	1,659
Other acute and subacute forms of ischemic heart disease—411	2	1	2	3	21	-	14	16
Chronic ischemic heart disease—412	314	190	131	1,361	3,377	33	2,633	2,503
Angina pectoris—413	1	-	-	-	3	-	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	6	2	4	12	20	1	27	22
All other forms of heart disease—420-423,425-427,429	53	24	71	207	274	45	294	312

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	3	4	16	33	1	39	39
Cerebrovascular diseases—430–438	190	104	108	696	1,186	43	1,055	1,318
Cerebral hemorrhage—431	32	18	8	97	158	7	127	135
Cerebral thrombosis—433	44	10	34	156	411	11	257	217
Cerebral embolism—434	–	–	1	4	5	–	6	7
All other cerebrovascular diseases—430,432,435–438	114	76	65	439	612	25	665	959
Arteriosclerosis—440	78	19	26	76	111	3	165	272
Other diseases of arteries, arterioles, and capillaries—441–448	33	12	15	87	224	6	184	230
Acute bronchitis and bronchiolitis—466	3	3	–	5	7	–	4	3
Influenza and pneumonia—470–474,480–486	69	27	53	165	378	18	306	541
Influenza—470–474	4	4	–	4	26	1	23	31
Pneumonia—480–486	65	23	53	161	352	17	283	510
Bronchitis, emphysema, and asthma—490–493	21	19	21	52	227	15	112	140
Chronic and unqualified bronchitis—490,491	6	7	1	16	41	–	27	29
Emphysema—492	13	12	18	29	164	14	77	102
Asthma—493	2	–	2	7	22	1	8	9
Peptic ulcer—531–533	8	1	2	13	35	3	30	36
Appendicitis—540–543	3	–	–	2	6	1	3	7
Hernia and intestinal obstruction—550–553,560	6	4	2	20	44	1	24	41
Cirrhosis of liver—571	45	16	23	88	274	6	165	168
Cholelithiasis, cholecystitis and cholangitis—574,575	9	1	2	11	24	–	20	31
Nephritis and nephrosis—580–584	5	5	6	49	89	4	37	33
Acute nephritis and nephrotic syndrome—580,581	2	–	1	8	27	–	7	7
Chronic and unqualified nephritis and renal sclerosis—582–584	3	5	5	41	62	4	30	26
Infections of kidney—590	7	–	1	12	30	1	13	11
Hyperplasia of prostate—600	–	–	1	2	6	–	5	7
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	1	1	5	–	1	2
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	1	1	5	–	1	2
Congenital anomalies—740–759	13	8	16	58	103	3	83	120
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	24	9	29	102	108	14	85	145
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	14	4	23	45	68	11	43	70
Other causes of mortality in early infancy—Remainder of 760–778	10	5	6	57	40	3	42	75
Symptoms and ill-defined conditions—780–796	41	5	128	87	60	5	79	261
All other diseases—Residual	143	61	106	544	1,190	49	823	1,037
Accidents—E800–E949	78	46	109	342	627	47	479	716
Motor vehicle accidents—E810–E823	34	18	80	176	303	22	233	327
All other accidents—E800–E807,E825–E949	44	28	29	166	324	25	246	389
Suicide—E950–E959	46	4	16	75	300	5	199	207
Homicide—E960–E978	1	–	17	134	251	8	64	59
Other external causes—E980–E999	6	20	1	5	1	–	23	50

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Muskegon Heights, Mich.	Nashville-Davidson, Tenn.	New Haven-Waterbury, Conn.
All causes	3,735	2,107	1,136	2,197	1,128	1,319	4,733	6,854
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	1	-
Enteritis and other diarrheal diseases—008,009	3	1	1	5	-	2	6	4
Tuberculosis, all forms—010-019	13	2	5	9	-	-	11	8
Tuberculosis of respiratory system—010-012	12	2	5	6	-	-	7	6
Tuberculosis, other forms—013-019	1	-	-	3	-	-	4	2
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	2	-	-	-	-	-	7	1
Septicemia—038	20	2	4	14	7	5	18	35
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	1	-	-	-	1
Other infective and parasitic diseases—Remainder of 000-136	6	10	-	9	3	2	9	28
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	797	429	198	358	235	292	955	1,631
Malignant neoplasms of buccal cavity and pharynx—140-149	16	9	5	8	6	4	21	34
Malignant neoplasms of digestive organs and peritoneum—150-159	190	118	51	96	51	70	217	479
Malignant neoplasms of respiratory system—160-163	233	117	56	83	73	78	271	378
Malignant neoplasm of breast—174	63	31	17	27	13	29	62	164
Malignant neoplasms of genital organs—180-187	105	60	22	36	24	37	108	167
Malignant neoplasms of urinary organs—188,189	22	19	7	14	9	14	49	61
Malignant neoplasms of all other and unspecified sites—170-173,190-199	101	36	26	59	31	36	141	222
Leukemia—204-207	18	18	9	22	12	9	42	69
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	49	21	5	13	16	15	44	57
Benign neoplasms and neoplasms of unspecified nature—210-239	14	12	4	12	2	1	6	25
Diabetes mellitus—250	62	27	23	34	16	29	75	103
Avitaminoses and other nutritional deficiencies—260-269	7	4	-	8	5	-	14	4
Anemias—280-285	8	4	3	5	1	5	12	9
Meningitis—320	4	1	2	2	1	2	2	4
Major cardiovascular diseases—390-448	1,704	965	546	897	557	684	2,323	3,542
Diseases of heart—390-398,402,404,410-429	1,255	681	396	581	414	506	1,678	2,751
Active rheumatic fever and chronic rheumatic heart disease—390-398	19	21	2	13	12	7	22	55
Hypertensive heart disease—402	16	3	3	2	2	5	13	28
Hypertensive heart and renal disease—404	18	-	3	1	2	2	9	9
Ischemic heart disease—410-413	1,073	625	286	494	364	463	1,495	2,143
Acute myocardial infarction—410	574	281	135	249	177	206	933	929
Other acute and subacute forms of ischemic heart disease—411	9	1	5	2	-	1	6	-
Chronic ischemic heart disease—412	490	343	146	243	186	256	555	1,213
Angina pectoris—413	-	-	-	-	1	-	1	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	6	13	3	-	1	1	24	6
All other forms of heart disease—420-423,425-427,429	123	19	99	71	33	28	115	510

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	12	6	11	11	3	4	13	17
Cerebrovascular diseases—430–438	346	207	101	236	107	123	485	579
Cerebral hemorrhage—431	65	17	12	25	11	9	65	105
Cerebral thrombosis—433	99	68	15	39	23	44	73	132
Cerebral embolism—434	–	–	–	1	1	–	1	3
All other cerebrovascular diseases—430,432,435–438	182	122	74	171	72	70	346	339
Arteriosclerosis—440	56	41	23	44	12	29	86	91
Other diseases of arteries, arterioles, and capillaries—441–448	35	30	15	25	21	22	61	104
Acute bronchitis and bronchiolitis—466	1	2	–	1	–	1	1	4
Influenza and pneumonia—470–474,480–486	67	98	26	46	32	35	133	206
Influenza—470–474	6	3	1	4	–	8	3	17
Pneumonia—480–486	61	95	25	42	32	27	130	189
Bronchitis, emphysema, and asthma—490–493	44	34	17	26	21	11	90	41
Chronic and unqualified bronchitis—490,491	6	11	–	2	7	2	9	10
Emphysema—492	35	21	16	21	14	8	77	30
Asthma—493	3	2	1	3	–	1	4	1
Peptic ulcer—531–533	6	6	2	4	2	–	11	15
Appendicitis—540–543	1	1	–	1	–	1	2	–
Hernia and intestinal obstruction—550–553,560	12	12	5	9	4	3	20	20
Cirrhosis of liver—571	61	37	11	32	7	10	62	133
Cholelithiasis, cholecystitis and cholangitis—574,575	4	2	4	1	2	2	8	10
Nephritis and nephrosis—580–584	17	4	8	17	11	8	30	34
Acute nephritis and nephrotic syndrome—580,581	2	2	1	4	6	2	5	7
Chronic and unqualified nephritis and renal sclerosis—582–584	15	2	7	13	5	6	25	27
Infections of kidney—590	4	4	2	6	1	6	16	9
Hyperplasia of prostate—600	1	2	–	–	–	1	5	5
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	–	–	–	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	–	–	–	–	–	1
Congenital anomalies—740–759	36	24	7	6	6	6	30	36
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	61	23	21	40	10	13	60	53
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	34	15	13	25	3	8	29	21
Other causes of mortality in early infancy—Remainder of 760–778	27	8	8	15	7	5	31	32
Symptoms and ill-defined conditions—780–796	94	1	111	264	22	7	28	63
All other diseases—Residual	263	141	73	153	79	101	359	493
Accidents—E800–E949	277	191	39	164	83	68	266	231
Motor vehicle accidents—E810–E823	147	86	19	92	46	42	132	122
All other accidents—E800–E807,E825–E949	130	105	20	72	37	26	134	109
Suicide—E950–E959	52	38	11	20	17	15	69	67
Homicide—E960–E978	82	26	13	49	2	8	90	29
Other external causes—E980–E999	11	4	–	4	2	1	14	9

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
All causes	10,144	104,099	15,840	2,054	5,155	684	964	5,668
Bacillary dysentery and amebiasis—004,006	–	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	10	74	16	–	9	3	2	6
Tuberculosis, all forms—010–019	35	209	32	–	9	–	3	7
Tuberculosis of respiratory system—010–012	31	178	28	–	4	–	3	6
Tuberculosis, other forms—013–019	4	31	4	–	5	–	–	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	1	–	–	–	–	–	–
Meningococcal infections—036	2	25	3	2	–	1	–	2
Septicemia—038	96	294	85	17	43	4	3	28
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	3	5	1	1	2	–	–	2
Other infective and parasitic diseases—Remainder of 000–136	32	251	38	7	10	2	1	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	2,039	22,866	3,662	450	1,056	125	141	1,161
Malignant neoplasms of buccal cavity and pharynx—140–149	61	521	81	11	27	2	3	16
Malignant neoplasms of digestive organs and peritoneum—150–159	483	6,974	1,100	132	262	26	42	281
Malignant neoplasms of respiratory system—160–163	522	5,240	854	123	306	35	20	326
Malignant neoplasm of breast—174	128	2,365	370	40	76	7	12	110
Malignant neoplasms of genital organs—180–187	194	2,429	441	32	113	13	19	123
Malignant neoplasms of urinary organs—188,189	103	1,020	155	17	51	6	5	33
Malignant neoplasms of all other and unspecified sites—170–173,190–199	371	2,370	372	56	145	22	19	139
Leukemia—204–207	83	796	103	12	31	9	11	48
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	94	1,151	186	27	45	5	10	85
Benign neoplasms and neoplasms of unspecified nature—210–239	32	329	46	9	12	–	2	11
Diabetes mellitus—250	243	1,941	316	27	76	8	15	89
Avitaminoses and other nutritional deficiencies—260–269	21	58	27	3	9	1	–	10
Anemias—280–285	26	126	33	5	6	1	7	17
Meningitis—320	18	90	10	1	7	1	4	6
Major cardiovascular diseases—390–448	4,758	53,788	8,018	952	2,471	200	471	2,651
Diseases of heart—390–398,402,404,410–429	3,616	44,602	6,320	721	1,887	121	352	1,895
Active rheumatic fever and chronic rheumatic heart disease—390–398	40	744	163	7	37	5	14	31
Hypertensive heart disease—402	39	375	58	5	16	2	–	26
Hypertensive heart and renal disease—404	14	57	29	3	26	–	–	16
Ischemic heart disease—410–413	3,071	41,724	5,660	644	1,514	94	312	1,624
Acute myocardial infarction—410	1,325	16,218	2,513	341	683	52	153	701
Other acute and subacute forms of ischemic heart disease—411	12	62	10	27	158	–	1	191
Chronic ischemic heart disease—412	1,733	25,439	3,135	276	673	42	158	731
Angina pectoris—413	1	5	2	–	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	24	90	20	4	82	1	1	9
All other forms of heart disease—420–423,425–427,429	428	1,612	390	58	212	19	25	189

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	25	254	48	4	21	2	4	12
Cerebrovascular diseases—430–438	888	6,633	1,297	178	451	59	85	583
Cerebral hemorrhage—431	124	1,019	191	18	60	17	11	59
Cerebral thrombosis—433	171	1,487	358	31	107	3	14	134
Cerebral embolism—434	3	39	4	1	1	–	1	–
All other cerebrovascular diseases—430,432,435–438	590	4,088	744	128	283	39	59	390
Arteriosclerosis—440	117	1,172	144	11	41	7	11	86
Other diseases of arteries, arterioles, and capillaries—441–448	112	1,127	209	38	71	11	19	75
Acute bronchitis and bronchiolitis—466	8	25	7	2	1	1	1	4
Influenza and pneumonia—470–474,480–486	220	3,966	463	54	142	16	43	147
Influenza—470–474	13	93	18	3	5	1	1	2
Pneumonia—480–486	207	3,873	445	51	137	15	42	145
Bronchitis, emphysema, and asthma—490–493	106	813	131	17	44	5	8	44
Chronic and unqualified bronchitis—490,491	18	161	25	5	8	1	5	5
Emphysema—492	73	521	93	12	31	4	1	34
Asthma—493	15	131	13	–	5	–	2	5
Peptic ulcer—531–533	24	396	48	4	8	1	4	15
Appendicitis—540–543	1	46	1	2	1	–	2	3
Hernia and intestinal obstruction—550–553,560	17	278	47	4	15	7	6	18
Cirrhosis of liver—571	157	2,568	323	25	87	14	20	78
Cholelithiasis, cholecystitis and cholangitis—574,575	11	160	27	4	6	2	1	8
Nephritis and nephrosis—580–584	80	587	86	13	30	–	3	31
Acute nephritis and nephrotic syndrome—580,581	8	115	18	3	5	–	–	7
Chronic and unqualified nephritis and renal sclerosis—582–584	72	472	68	10	25	–	3	24
Infections of kidney—590	12	120	16	2	7	–	3	14
Hyperplasia of prostate—600	1	61	11	1	1	–	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	4	19	1	–	2	–	–	1
Abortions—640–645	–	5	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	4	14	1	–	2	–	–	1
Congenital anomalies—740–759	76	586	110	16	53	8	22	39
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	196	1,130	174	27	90	17	16	79
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	104	532	93	14	33	15	11	42
Other causes of mortality in early infancy—Remainder of 760–778	92	598	81	13	57	2	5	37
Symptoms and ill-defined conditions—780–796	70	814	188	15	75	125	16	133
All other diseases—Residual	835	6,075	1,038	206	418	61	82	463
Accidents—E800–E949	571	3,097	533	120	297	53	64	357
Motor vehicle accidents—E810–E823	214	1,252	219	43	120	31	28	169
All other accidents—E800–E807,E825–E949	357	1,845	314	77	177	22	36	188
Suicide—E950–E959	144	990	132	39	89	14	21	125
Homicide—E960–E978	290	1,662	170	28	73	14	3	93
Other external causes—E980–E999	6	648	47	1	6	–	–	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Paterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
All causes	4,341	4,743	790	2,900	11,712	2,007	3,025	1,055
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	1	2	1	4	6	1	1	–
Tuberculosis, all forms—010–019	5	14	–	2	12	3	4	–
Tuberculosis of respiratory system—010–012	4	13	–	2	9	1	3	–
Tuberculosis, other forms—013–019	1	1	–	–	3	2	1	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	1	–	–	3	–	–	1
Septicemia—038	17	23	2	8	28	9	11	10
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	1	–	–	–	–	1	–	–
Other infective and parasitic diseases—Remainder of 000–136	15	13	2	7	24	3	12	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	936	1,040	157	648	2,774	442	627	226
Malignant neoplasms of buccal cavity and pharynx—140–149	20	19	3	13	48	8	11	10
Malignant neoplasms of digestive organs and peritoneum—150–159	217	240	38	148	840	108	147	53
Malignant neoplasms of respiratory system—160–163	268	304	54	154	635	159	171	65
Malignant neoplasm of breast—174	75	93	12	62	294	31	51	21
Malignant neoplasms of genital organs—180–187	90	121	16	74	293	28	79	27
Malignant neoplasms of urinary organs—188,189	48	51	6	29	130	19	29	13
Malignant neoplasms of all other and unspecified sites—170–173,190–199	118	118	17	110	290	52	78	21
Leukemia—204–207	42	42	7	28	102	12	30	4
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	58	52	4	30	142	25	31	12
Benign neoplasms and neoplasms of unspecified nature—210–239	8	9	1	14	36	4	3	4
Diabetes mellitus—250	62	66	16	41	265	29	39	18
Avitaminoses and other nutritional deficiencies—260–269	12	5	–	4	21	1	7	1
Anemias—280–285	4	10	–	6	23	6	6	2
Meningitis—320	1	8	–	2	7	1	3	1
Major cardiovascular diseases—390–448	2,208	2,249	444	1,310	6,187	941	1,555	513
Diseases of heart—390–398,402,404,410–429	1,625	1,690	331	980	4,946	704	1,090	381
Active rheumatic fever and chronic rheumatic heart disease—390–398	37	40	1	17	119	13	25	6
Hypertensive heart disease—402	14	19	5	5	43	6	17	8
Hypertensive heart and renal disease—404	6	7	1	1	13	3	3	4
Ischemic heart disease—410–413	1,417	1,528	249	902	4,574	616	960	332
Acute myocardial infarction—410	637	618	98	280	2,104	278	563	127
Other acute and subacute forms of ischemic heart disease—411	2	4	–	2	11	3	9	25
Chronic ischemic heart disease—412	778	906	151	620	2,459	334	387	180
Angina pectoris—413	–	–	–	–	–	1	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	14	14	–	6	11	4	6	3
All other forms of heart disease—420–423,425–427,429	137	82	75	49	186	62	79	28

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Paterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	10	14	–	7	28	6	8	5
Cerebrovascular diseases—430–438	411	410	94	232	982	185	353	109
Cerebral hemorrhage—431	41	60	6	29	132	14	33	13
Cerebral thrombosis—433	118	102	17	44	288	22	49	26
Cerebral embolism—434	1	3	–	–	9	–	2	–
All other cerebrovascular diseases—430,432,435–438	251	245	71	159	553	149	269	70
Arteriosclerosis—440	85	58	11	54	84	21	57	9
Other diseases of arteries, arterioles, and capillaries—441–448	77	77	8	37	147	25	47	9
Acute bronchitis and bronchiolitis—466	3	2	–	6	3	1	1	1
Influenza and pneumonia—470–474,480–486	140	173	24	87	292	54	115	27
Influenza—470–474	7	7	1	14	16	2	13	1
Pneumonia—480–486	133	166	23	73	276	52	102	26
Bronchitis, emphysema, and asthma—490–493	59	65	7	40	100	22	33	9
Chronic and unqualified bronchitis—490,491	7	5	2	6	18	5	6	2
Emphysema—492	44	55	3	33	76	13	26	7
Asthma—493	8	5	2	1	6	4	1	–
Peptic ulcer—531–533	13	12	3	8	43	7	11	1
Appendicitis—540–543	2	2	–	3	4	–	1	–
Hernia and intestinal obstruction—550–553,560	10	8	–	4	27	8	10	3
Cirrhosis of liver—571	62	86	10	66	227	33	42	11
Cholelithiasis, cholecystitis and cholangitis—574,575	7	7	1	3	26	2	5	–
Nephritis and nephrosis—580–584	16	25	3	16	37	11	19	3
Acute nephritis and nephrotic syndrome—580,581	6	4	–	4	11	4	3	1
Chronic and unqualified nephritis and renal sclerosis—582–584	10	21	3	12	26	7	16	2
Infections of kidney—590	4	8	6	3	17	4	1	1
Hyperplasia of prostate—600	3	3	1	–	6	1	2	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	1	–	2	–	–	2	–
Abortions—640–645	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	–	2	–	–	2	–
Congenital anomalies—740–759	37	29	5	38	62	22	32	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	62	43	6	31	72	15	35	12
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	32	24	3	16	29	9	19	5
Other causes of mortality in early infancy—Remainder of 760–778	30	19	3	15	43	6	16	7
Symptoms and ill-defined conditions—780–796	42	35	3	23	153	10	21	8
All other diseases—Residual	330	353	46	207	704	169	193	92
Accidents—E800–E949	207	272	42	222	386	130	167	69
Motor vehicle accidents—E810–E823	102	151	19	128	193	57	91	32
All other accidents—E800–E807,E825–E949	105	121	23	94	193	73	76	37
Suicide—E950–E959	41	102	5	47	88	32	44	14
Homicide—E960–E978	25	70	3	41	55	34	13	16
Other external causes—E980–E999	6	7	2	7	24	11	10	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
All causes	45,212	10,640	844	24,209	1,485	2,005	9,894	7,502
Bacillary dysentery and amebiasis—004,006	–	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	31	7	2	18	–	–	7	5
Tuberculosis, all forms—010-019	82	23	2	31	2	1	14	8
Tuberculosis of respiratory system—010-012	69	20	2	27	2	–	8	5
Tuberculosis, other forms—013-019	13	3	–	4	–	1	6	3
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	3	3	–	1	–	–	3	3
Septicemia—038	347	39	5	101	8	9	26	30
Acute poliomyelitis—040-043	–	–	–	1	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090-097	3	3	–	4	–	1	–	1
Other infective and parasitic diseases—Remainder of 000-136	142	42	1	63	4	5	31	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	10,027	2,309	159	5,243	343	448	2,137	1,784
Malignant neoplasms of buccal cavity and pharynx—140-149	224	37	2	111	7	8	42	31
Malignant neoplasms of digestive organs and peritoneum—150-159	2,809	584	36	1,399	99	126	529	574
Malignant neoplasms of respiratory system—160-163	2,530	583	41	1,317	68	119	550	417
Malignant neoplasm of breast—174	912	191	9	446	37	44	206	164
Malignant neoplasms of genital organs—180-187	1,025	227	25	538	33	31	237	170
Malignant neoplasms of urinary organs—188,189	385	105	4	241	15	23	104	94
Malignant neoplasms of all other and unspecified sites—170-173,190-199	1,302	346	28	715	55	52	233	180
Leukemia—204-207	348	102	6	190	13	18	99	57
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	492	134	8	286	16	27	137	97
Benign neoplasms and neoplasms of unspecified nature—210-239	157	36	2	74	4	4	24	20
Diabetes mellitis—250	729	157	11	526	30	19	133	182
Avitaminoses and other nutritional deficiencies—260-269	72	20	–	20	–	3	18	5
Anemias—280-285	78	14	2	41	2	4	15	14
Meningitis—320	33	11	–	16	–	–	5	1
Major cardiovascular diseases—390-448	21,246	4,620	438	13,072	748	1,028	4,867	3,993
Diseases of heart—390-398,402,404,410-429	16,649	3,502	307	10,341	544	782	3,538	3,186
Active rheumatic fever and chronic rheumatic heart disease—390-398	353	86	3	203	11	15	97	66
Hypertensive heart disease—402	134	25	12	82	4	6	18	15
Hypertensive heart and renal disease—404	71	1	–	45	–	1	20	5
Ischemic heart disease—410-413	14,487	3,172	251	9,233	479	694	3,170	2,990
Acute myocardial infarction—410	7,222	1,253	85	4,153	267	420	1,021	1,334
Other acute and subacute forms of ischemic heart disease—411	51	339	1	13	1	2	6	11
Chronic ischemic heart disease—412	7,207	1,579	165	5,065	211	271	2,141	1,643
Angina pectoris—413	7	1	–	2	–	1	2	2
Chronic disease of endocardium and other myocardial insufficiency—424,428	68	19	–	32	2	5	15	3
All other forms of heart disease—420-423,425-427,429	1,536	199	41	746	48	61	218	107

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	88	22	3	47	1	7	25	25
Cerebrovascular diseases—430–438	3,481	822	102	1,990	148	185	943	572
Cerebral hemorrhage—431	472	112	15	263	31	24	103	72
Cerebral thrombosis—433	689	126	14	560	30	39	217	158
Cerebral embolism—434	14	7	–	8	–	–	1	4
All other cerebrovascular diseases—430,432,435–438	2,306	577	73	1,159	87	122	622	338
Arteriosclerosis—440	433	135	15	353	29	27	220	109
Other diseases of arteries, arterioles, and capillaries—441–448	595	139	11	341	26	27	141	101
Acute bronchitis and bronchiolitis—466	15	6	–	5	–	–	4	1
Influenza and pneumonia—470–474,480–486	1,141	301	27	547	64	61	330	150
Influenza—470–474	52	19	3	28	3	4	10	8
Pneumonia—480–486	1,089	282	24	519	61	57	320	142
Bronchitis, emphysema, and asthma—490–493	332	215	2	194	11	28	152	41
Chronic and unqualified bronchitis—490,491	66	37	1	39	3	13	28	6
Emphysema—492	237	165	1	134	7	12	114	32
Asthma—493	29	13	–	21	1	3	10	3
Peptic ulcer—531–533	123	40	1	56	6	9	13	21
Appendicitis—540–543	17	5	–	6	1	–	3	3
Hernia and intestinal obstruction—550–553,560	129	32	1	62	4	7	24	17
Cirrhosis of liver—571	708	176	6	374	22	36	179	106
Cholelithiosis, cholecystitis and cholangitis—574,575	44	21	1	32	1	2	10	20
Nephritis and nephrosis—580–584	252	45	9	112	10	6	44	34
Acute nephritis and nephrotic syndrome—580,581	71	11	1	22	1	1	11	6
Chronic and unqualified nephritis and renal sclerosis—582–584	181	34	8	90	9	5	33	28
Infections of kidney—590	49	16	–	24	2	4	8	11
Hyperplasia of prostate—600	8	4	1	4	–	1	1	3
Complications of pregnancy, childbirth, and the puerperium—630–678	12	1	–	3	1	1	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	12	1	–	3	1	1	–	–
Congenital anomalies—740–759	256	83	8	125	6	11	65	53
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	508	149	10	182	13	10	92	66
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	286	90	5	87	6	4	60	31
Other causes of mortality in early infancy—Remainder of 760–778	222	59	5	95	7	6	32	35
Symptoms and ill-defined conditions—780–796	2,541	122	13	187	4	17	188	31
All other diseases—Residual	3,303	929	64	1,759	101	157	655	523
Accidents—E800–E949	1,675	799	50	866	80	90	591	227
Motor vehicle accidents—E810–E823	720	454	23	364	42	44	307	96
All other accidents—E800–E807,E825–E949	955	345	27	502	38	46	284	131
Suicide—E950–E959	518	268	10	249	16	35	168	85
Homicide—E960–E978	496	131	16	124	1	7	56	40
Other external causes—E980–E999	135	12	3	87	1	1	31	8

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
All causes	960	1,015	1,388	1,876	3,196	1,301	4,826	1,881
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	2	–	2	2	2	–	4	1
Tuberculosis, all forms—010–019	–	2	2	4	4	2	12	3
Tuberculosis of respiratory system—010–012	–	1	2	–	3	2	7	2
Tuberculosis, other forms—013–019	–	1	–	4	1	–	5	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	1	–	–	–	–	–	1
Septicemia—038	6	5	3	18	6	1	53	12
Acute poliomyelitis—040–043	–	–	–	–	–	–	1	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	–	–	–	2	–
Other infective and parasitic diseases—Remainder of 000–136	–	4	2	6	9	4	11	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	148	172	270	380	707	271	973	365
Malignant neoplasms of buccal cavity and pharynx—140–149	–	2	6	5	10	9	28	10
Malignant neoplasms of digestive organs and peritoneum—150–159	36	41	69	73	190	78	247	103
Malignant neoplasms of respiratory system—160–163	14	49	65	96	159	61	286	99
Malignant neoplasm of breast—174	19	16	20	44	63	29	74	26
Malignant neoplasms of genital organs—180–187	24	21	30	48	88	23	95	42
Malignant neoplasms of urinary organs—188,189	4	8	22	12	42	12	43	13
Malignant neoplasms of all other and unspecified sites—170–173,190–199	28	22	39	59	90	44	136	39
Leukemia—204–207	13	4	13	17	18	5	29	15
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	10	9	6	26	47	10	40	18
Benign neoplasms and neoplasms of unspecified nature—210–239	4	3	3	10	6	1	6	5
Diabetes mellitus—250	25	17	23	28	61	15	58	20
Avitaminoses and other nutritional deficiencies—260–269	3	3	3	3	3	2	5	4
Anemias—280–285	–	1	3	12	5	1	12	4
Meningitis—320	3	1	1	4	6	1	7	4
Major cardiovascular diseases—390–448	406	488	751	878	1,763	551	2,422	974
Diseases of heart—390–398,402,404,410–429	293	359	572	655	1,377	430	1,847	726
Active rheumatic fever and chronic rheumatic heart disease—390–398	10	8	9	17	28	7	16	10
Hypertensive heart disease—402	4	5	5	3	1	1	20	5
Hypertensive heart and renal disease—404	–	1	2	2	14	1	12	2
Ischemic heart disease—410–413	245	323	508	573	1,261	401	1,598	624
Acute myocardial infarction—410	124	159	222	250	690	150	567	274
Other acute and subacute forms of ischemic heart disease—411	–	1	–	1	1	–	154	64
Chronic ischemic heart disease—412	121	163	286	322	569	251	877	285
Angina pectoris—413	–	–	–	–	1	–	–	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	3	–	5	1	3	1	15	4
All other forms of heart disease—420–423,425–427,429	31	22	43	59	70	19	186	81

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	1	2	8	3	10	1	16	1
Cerebrovascular diseases—430–438	84	101	136	172	269	94	445	178
Cerebral hemorrhage—431	7	10	18	22	28	10	47	28
Cerebral thrombosis—433	14	32	25	18	59	15	77	36
Cerebral embolism—434	–	2	2	–	1	1	3	2
All other cerebrovascular diseases—430,432,435–438	63	57	91	132	181	68	318	112
Arteriosclerosis—440	16	11	14	21	48	8	60	37
Other diseases of arteries, arterioles, and capillaries—441–448	12	15	21	27	59	18	54	32
Acute bronchitis and bronchiolitis—466	2	1	2	–	–	–	4	–
Influenza and pneumonia—470–474,480–486	29	38	26	54	73	46	172	71
Influenza—470–474	3	2	3	4	5	2	6	5
Pneumonia—480–486	26	36	23	50	68	44	166	66
Bronchitis, emphysema, and asthma—490–493	10	19	23	18	23	17	36	21
Chronic and unqualified bronchitis—490,491	2	1	2	4	5	3	8	3
Emphysema—492	7	16	19	7	13	12	23	15
Asthma—493	1	2	2	7	5	2	5	3
Peptic ulcer—531–533	5	1	2	4	9	10	8	6
Appendicitis—540–543	1	4	1	–	–	–	–	1
Hernia and intestinal obstruction—550–553,560	8	5	5	1	9	3	10	4
Cirrhosis of liver—571	9	19	21	35	39	41	64	33
Cholelithiasis, cholecystitis and cholangitis—574,575	2	3	–	2	1	1	5	1
Nephritis and nephrosis—580–584	4	3	5	12	13	1	19	2
Acute nephritis and nephrotic syndrome—580,581	–	–	–	2	4	–	4	1
Chronic and unqualified nephritis and renal sclerosis—582–584	4	3	5	10	9	1	15	1
Infections of kidney—590	–	4	5	7	4	1	8	5
Hyperplasia of prostate—600	–	–	1	1	–	1	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	2	–	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	2	–	–	–	–	–
Congenital anomalies—740–759	25	8	11	20	13	16	33	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	39	12	7	32	28	14	60	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	21	6	5	14	21	10	20	4
Other causes of mortality in early infancy—Remainder of 760–778	18	6	2	18	7	4	40	10
Symptoms and ill-defined conditions—780–796	30	7	9	21	20	14	22	21
All other diseases—Residual	86	99	82	153	207	102	421	148
Accidents—E800–E949	94	56	73	117	123	118	248	84
Motor vehicle accidents—E810–E823	53	26	39	48	71	68	91	38
All other accidents—E800–E807,E825–E949	41	30	34	69	52	50	157	46
Suicide—E950–E959	13	28	31	32	47	44	71	42
Homicide—E960–E978	3	6	18	22	14	18	73	24
Other external causes—E980–E999	2	5	1	–	1	5	5	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
All causes	560	7,419	2,276	7,341	1,688	1,120	21,928	1,939
Bacillary dysentery and ameblasis—004,006	–	–	–	–	–	–	1	–
Enteritis and other diarrheal diseases—008,009	–	7	2	2	1	–	11	1
Tuberculosis, all forms—010–019	2	8	2	6	2	1	27	2
Tuberculosis of respiratory system—010–012	1	6	1	5	2	1	19	2
Tuberculosis, other forms—013–019	1	2	1	1	–	–	8	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	2	–	1	2	–	–	4	1
Septicemia—038	–	41	16	39	7	3	91	4
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	–	–	–	2	–
Other infective and parasitic diseases—Remainder of 000–136	5	30	5	33	1	1	49	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	106	1,592	471	1,592	347	233	4,624	375
Malignant neoplasms of buccal cavity and pharynx—140–149	1	35	6	39	3	4	92	7
Malignant neoplasms of digestive organs and peritoneum—150–159	30	464	118	391	84	56	1,197	96
Malignant neoplasms of respiratory system—160–163	18	355	100	420	85	68	1,181	89
Malignant neoplasm of breast—174	11	156	46	130	28	17	403	34
Malignant neoplasms of genital organs—180–187	15	165	75	173	43	37	526	43
Malignant neoplasms of urinary organs—188,189	1	85	30	77	13	11	208	18
Malignant neoplasms of all other and unspecified sites—170–173,190–199	18	153	49	194	56	24	588	48
Leukemia—204–207	5	73	22	64	17	7	162	14
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	7	106	25	104	18	9	267	26
Benign neoplasms and neoplasms of unspecified nature—210–239	1	18	9	24	1	1	56	5
Diabetes mellitis—250	7	128	34	85	41	14	417	34
Avitaminoses and other nutritional deficiencies—260–269	1	7	6	11	2	2	22	7
Anemias—280–285	1	8	3	12	1	1	41	3
Meningitis—320	2	6	–	13	2	–	14	2
Major cardiovascular diseases—390–448	252	3,724	1,160	3,397	837	601	11,323	968
Diseases of heart—390–398,402,404,410–429	175	2,846	826	2,570	620	437	8,791	695
Active rheumatic fever and chronic rheumatic heart disease—390–398	15	60	23	82	6	6	157	11
Hypertensive heart disease—402	3	39	7	39	8	4	92	4
Hypertensive heart and renal disease—404	–	4	3	3	2	5	57	3
Ischemic heart disease—410–413	144	2,446	751	2,244	541	383	7,905	627
Acute myocardial infarction—410	58	1,235	311	1,027	287	171	3,386	241
Other acute and subacute forms of ischemic heart disease—411	2	6	1	4	–	–	19	2
Chronic ischemic heart disease—412	84	1,204	439	1,212	254	212	4,500	384
Angina pectoris—413	–	1	–	1	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	–	10	5	16	2	3	43	2
All other forms of heart disease—420–423,425–427,429	13	287	37	186	61	36	537	48

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	25	7	33	4	8	99	3
Cerebrovascular diseases—430–438	55	626	242	610	158	103	1,835	186
Cerebral hemorrhage—431	4	86	14	60	22	11	290	23
Cerebral thrombosis—433	15	114	38	128	30	22	526	33
Cerebral embolism—434	1	4	–	2	1	1	10	–
All other cerebrovascular diseases—430,432,435–438	35	422	190	420	105	69	1,009	130
Arteriosclerosis—440	7	110	40	87	36	36	312	54
Other diseases of arteries, arterioles, and capillaries—441–448	12	117	45	97	19	17	286	30
Acute bronchitis and bronchiolitis—466	1	5	1	1	–	1	4	1
Influenza and pneumonia—470–474,480–486	20	307	55	194	35	39	587	63
Influenza—470–474	1	5	2	7	4	5	34	3
Pneumonia—480–486	19	302	53	187	31	34	553	60
Bronchitis, emphysema, and asthma—490–493	7	69	32	112	23	7	180	26
Chronic and unqualified bronchitis—490,491	2	21	8	13	5	2	28	9
Emphysema—492	5	41	22	94	15	4	140	11
Asthma—493	–	7	2	5	3	1	12	6
Peptic ulcer—531–533	3	35	4	29	4	2	44	3
Appendicitis—540–543	–	1	–	2	–	–	10	–
Hernia and intestinal obstruction—550–553,560	1	23	4	25	13	3	77	5
Cirrhosis of liver—571	4	102	34	203	24	14	275	17
Cholelithiasis, cholecystitis and cholangitis—574,575	1	7	2	9	4	1	18	5
Nephritis and nephrosis—580–584	3	48	9	27	5	3	106	5
Acute nephritis and nephrotic syndrome—580,581	–	12	2	5	2	–	25	–
Chronic and unqualified nephritis and renal sclerosis—582–584	3	36	7	22	3	3	81	5
Infections of kidney—590	–	8	3	18	2	4	37	4
Hyperplasia of prostate—600	–	2	3	5	–	–	12	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	–	–	–	1	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	–	–	1	1
Congenital anomalies—740–759	4	38	27	57	14	2	142	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	15	89	30	55	26	21	279	15
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	7	35	17	23	16	13	127	6
Other causes of mortality in early infancy—Remainder of 760–778	8	54	13	32	10	8	152	9
Symptoms and ill-defined conditions—780–796	6	44	16	70	4	34	330	47
All other diseases—Residual	61	599	176	507	127	65	1,399	146
Accidents—E800–E949	42	315	118	506	110	47	1,055	129
Motor vehicle accidents—E810–E823	20	155	68	268	53	18	472	67
All other accidents—E800–E807,E825–E949	22	160	50	238	57	29	583	62
Suicide—E950–E959	12	103	35	176	22	14	247	35
Homicide—E960–E978	–	38	13	113	31	4	393	13
Other external causes—E980–E999	1	16	5	16	2	2	50	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
All causes	1,875	3,889	747	7,051	12,464	12,549	26,567	7,231
Bacillary dysentery and amebiasis—004,006	–	–	1	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	5	5	2	18	12	16	20	9
Tuberculosis, all forms—010-019	4	2	1	12	24	13	25	8
Tuberculosis of respiratory system—010-012	3	1	–	9	17	8	21	4
Tuberculosis, other forms—013-019	1	1	1	3	7	5	4	4
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	1	1	–	2	3	–	6	1
Septicemia—038	3	19	2	55	29	25	90	21
Acute poliomyelitis—040-043	–	–	–	–	–	–	1	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090-097	–	2	–	1	1	1	6	–
Other infective and parasitic diseases—Remainder of 000-136	7	10	2	30	28	27	76	24
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	420	663	135	1,435	2,601	2,832	6,146	1,575
Malignant neoplasms of buccal cavity and pharynx—140-149	3	14	4	37	36	62	128	41
Malignant neoplasms of digestive organs and peritoneum—150-159	90	156	30	402	704	674	1,707	417
Malignant neoplasms of respiratory system—160-163	121	103	46	331	650	805	1,498	326
Malignant neoplasm of breast—174	33	68	6	120	186	228	578	154
Malignant neoplasms of genital organs—180-187	39	98	13	148	330	343	690	174
Malignant neoplasms of urinary organs—188,189	19	35	5	56	105	123	280	84
Malignant neoplasms of all other and unspecified sites—170-173,190-199	70	95	21	193	316	327	691	209
Leukemia—204-207	17	30	7	64	114	101	216	73
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	28	64	3	84	160	169	358	97
Benign neoplasms and neoplasms of unspecified nature—210-239	5	11	–	23	37	35	113	32
Diabetes mellitus—250	26	91	10	159	151	123	326	110
Avitaminoses and other nutritional deficiencies—260-269	–	10	–	9	14	16	45	11
Anemias—280-285	4	7	1	14	19	26	36	9
Meningitis—320	2	8	–	10	8	8	16	5
Major cardiovascular diseases—390-448	820	1,710	396	3,182	5,946	5,865	12,344	3,315
Diseases of heart—390-398,402,404,410-429	576	1,282	234	2,401	4,289	4,205	8,977	2,475
Active rheumatic fever and chronic rheumatic heart disease—390-398	19	52	4	50	110	110	252	59
Hypertensive heart disease—402	3	12	1	28	74	51	112	14
Hypertensive heart and renal disease—404	–	2	–	8	18	19	31	6
Ischemic heart disease—410-413	508	1,055	203	2,014	3,821	3,785	8,050	2,256
Acute myocardial infarction—410	259	478	137	1,113	1,790	1,475	2,865	847
Other acute and subacute forms of ischemic heart disease—411	6	71	–	4	34	10	17	3
Chronic ischemic heart disease—412	243	505	66	896	1,997	2,299	5,165	1,405
Angina pectoris—413	–	1	–	1	–	1	3	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	1	9	–	7	27	13	60	8
All other forms of heart disease—420-423,425-427,429	45	152	26	294	239	227	472	132

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	8	2	26	38	21	60	16
Cerebrovascular diseases—430–438	184	335	136	604	1,208	1,195	2,495	639
Cerebral hemorrhage—431	20	43	7	91	139	154	317	55
Cerebral thrombosis—433	59	68	19	108	301	303	608	120
Cerebral embolism—434	–	3	–	2	8	3	4	4
All other cerebrovascular diseases—430,432,435–438	105	221	110	403	760	735	1,566	460
Arteriosclerosis—440	25	40	16	75	199	216	399	80
Other diseases of arteries, arterioles, and capillaries—441–448	31	45	8	76	212	228	413	105
Acute bronchitis and bronchiolitis—466	–	2	–	2	17	5	26	6
Influenza and pneumonia—470–474,480–486	57	108	22	214	409	340	808	239
Influenza—470–474	1	10	3	9	12	16	34	14
Pneumonia—480–486	56	98	19	205	397	324	774	225
Bronchitis, emphysema, and asthma—490–493	27	52	13	76	195	207	343	83
Chronic and unqualified bronchitis—490,491	5	12	2	14	36	46	78	20
Emphysema—492	21	35	11	56	134	145	226	55
Asthma—493	1	5	–	6	25	16	39	8
Peptic ulcer—531–533	6	6	2	16	57	50	83	32
Appendicitis—540–543	–	3	–	6	6	5	11	1
Hernia and intestinal obstruction—550–553,560	8	16	1	19	41	38	82	24
Cirrhosis of liver—571	39	53	9	138	246	243	763	194
Cholelithiasis, cholecystitis and cholangitis—574,575	1	8	1	9	15	25	37	11
Nephritis and nephrosis—580–584	4	13	2	42	39	35	94	26
Acute nephritis and nephrotic syndrome—580,581	2	2	1	9	10	6	18	5
Chronic and unqualified nephritis and renal sclerosis—582–584	2	11	1	33	29	29	76	21
Infections of kidney—590	2	5	2	13	21	29	46	12
Hyperplasia of prostate—600	1	2	–	4	6	–	15	2
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	3	3	2	2	2
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	3	3	2	2	2
Congenital anomalies—740–759	22	74	3	70	99	104	128	62
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	25	85	8	102	125	117	194	88
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	43	5	53	75	60	102	49
Other causes of mortality in early infancy—Remainder of 760–778	14	42	3	49	50	57	92	39
Symptoms and ill-defined conditions—780–796	16	87	21	126	92	104	188	52
All other diseases—Residual	141	341	43	582	939	953	2,017	540
Accidents—E800–E949	173	345	46	397	857	877	1,451	458
Motor vehicle accidents—E810–E823	90	175	22	229	531	422	545	253
All other accidents—E800–E807,E825–E949	83	170	24	168	326	455	906	205
Suicide—E950–E959	38	95	15	119	208	275	625	177
Homicide—E960–E978	16	39	8	152	177	121	312	90
Other external causes—E980–E999	2	16	1	11	39	32	92	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle-Everett, Wash.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.
All causes	2,335	2,530	1,864	2,807	11,405	993	3,034	1,137
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	3	1	2	1	10	2	5	1
Tuberculosis, all forms—010-019	3	-	9	6	14	-	3	1
Tuberculosis of respiratory system—010-012	1	-	5	4	3	-	2	-
Tuberculosis, other forms—013-019	2	-	4	2	11	-	1	1
Whooping cough—033	-	-	-	-	-	-	-	1
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	-	1	-	2	1	1	-
Septicemia—038	4	8	5	8	43	2	34	5
Acute poliomyelitis—040-043	-	-	-	1	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	-	1	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	6	4	2	5	30	1	10	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	533	598	372	546	2,466	160	637	218
Malignant neoplasms of buccal cavity and pharynx—140-149	10	8	11	13	47	3	17	2
Malignant neoplasms of digestive organs and peritoneum—150-159	141	148	96	180	670	38	164	67
Malignant neoplasms of respiratory system—160-163	126	178	117	115	627	45	164	52
Malignant neoplasm of breast—174	57	49	22	55	233	6	44	23
Malignant neoplasms of genital organs—180-187	51	60	44	51	262	13	79	23
Malignant neoplasms of urinary organs—188,189	23	30	13	26	109	12	24	11
Malignant neoplasms of all other and unspecified sites—170-173,190-199	59	71	43	63	273	21	86	19
Leukemia—204-207	30	16	14	23	90	8	21	8
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	36	38	12	20	155	14	38	13
Benign neoplasms and neoplasms of unspecified nature—210-239	7	11	7	7	24	-	15	2
Diabetes mellitis—250	32	35	35	70	166	17	77	29
Avitaminoses and other nutritional deficiencies—260-269	5	2	2	1	29	2	12	2
Anemias—280-285	5	2	3	4	22	3	6	3
Meningitis—320	3	2	1	-	8	1	4	1
Major cardiovascular diseases—390-448	1,170	1,186	895	1,504	5,440	495	1,404	586
Diseases of heart—390-398,402,404,410-429	839	841	652	1,227	3,951	372	1,027	436
Active rheumatic fever and chronic rheumatic heart disease—390-398	21	40	11	25	126	3	16	12
Hypertensive heart disease—402	4	11	10	18	47	2	15	6
Hypertensive heart and renal disease—404	2	3	2	8	15	1	1	1
Ischemic heart disease—410-413	766	737	562	1,110	3,370	324	874	377
Acute myocardial infarction—410	333	355	340	478	1,368	146	265	194
Other acute and subacute forms of ischemic heart disease—411	-	2	-	13	10	2	1	1
Chronic ischemic heart disease—412	433	379	220	619	1,990	176	608	182
Angina pectoris—413	-	1	2	-	2	-	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	2	9	9	27	18	5	11	7
All other forms of heart disease—420-423,425-427,429	44	41	58	39	375	37	110	33

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	1	7	4	23	1	8	5
Cerebrovascular diseases—430–438	263	251	193	201	1,088	96	296	90
Cerebral hemorrhage—431	30	27	34	27	140	10	38	10
Cerebral thrombosis—433	65	33	71	63	239	24	68	23
Cerebral embolism—434	–	–	2	1	3	–	1	1
All other cerebrovascular diseases—430,432,435–438	168	191	86	110	706	62	189	56
Arteriosclerosis—440	27	40	8	38	218	15	40	37
Other diseases of arteries, arterioles, and capillaries—441–448	34	53	35	34	160	11	33	18
Acute bronchitis and bronchiolitis—466	4	1	–	–	–	1	–	2
Influenza and pneumonia—470–474,480–486	64	81	58	39	459	38	102	44
Influenza—470–474	11	–	5	5	33	1	4	1
Pneumonia—480–486	53	81	53	34	426	37	98	43
Bronchitis, emphysema, and asthma—490–493	42	47	16	32	156	11	29	27
Chronic and unqualified bronchitis—490,491	6	11	4	6	40	2	4	6
Emphysema—492	36	33	12	22	101	9	21	20
Asthma—493	–	3	–	4	15	–	4	1
Peptic ulcer—531–533	11	7	–	11	49	2	8	3
Appendicitis—540–543	1	1	2	–	–	–	3	–
Hernia and intestinal obstruction—550–553,560	10	16	8	7	43	–	2	5
Cirrhosis of liver—571	43	67	44	47	183	15	32	17
Cholelithiasis, cholecystitis and cholangitis—574,575	4	3	2	3	17	1	4	–
Nephritis and nephrosis—580–584	5	4	5	7	27	3	11	4
Acute nephritis and nephrotic syndrome—580,581	–	3	–	2	2	1	3	2
Chronic and unqualified nephritis and renal sclerosis—582–584	5	1	5	5	25	2	8	2
Infections of kidney—590	5	–	2	2	16	3	10	–
Hyperplasia of prostate—600	1	1	2	3	5	–	1	2
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	2	–	–	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	2	–	–	–	–	1
Congenital anomalies—740–759	16	15	10	18	61	7	21	10
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	13	10	30	18	109	5	52	30
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	5	16	9	65	3	23	14
Other causes of mortality in early infancy—Remainder of 760–778	2	5	14	9	44	2	29	16
Symptoms and ill-defined conditions—780–796	10	17	16	112	106	86	35	5
All other diseases—Residual	150	192	161	250	881	60	222	58
Accidents—E800–E949	132	142	106	81	703	53	194	57
Motor vehicle accidents—E810–E823	61	82	40	34	356	27	90	23
All other accidents—E800–E807,E825–E949	71	60	66	47	347	26	104	34
Suicide—E950–E959	39	51	25	21	210	16	40	18
Homicide—E960–E978	10	20	40	3	97	7	60	2
Other external causes—E980–E999	3	6	1	–	28	1	–	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
All causes	784	2,601	2,755	1,710	1,600	1,407	5,336	1,642
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	2	4	1	1	–	–	3	1
Tuberculosis, all forms—010–019	1	5	2	–	5	2	5	3
Tuberculosis of respiratory system—010–012	1	5	1	–	5	1	3	2
Tuberculosis, other forms—013–019	–	–	1	–	–	1	2	1
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	1	–	–	1	–	1	–
Septicemia—038	2	11	6	6	12	7	24	3
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	1	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	–	–	–	1	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	1	7	3	4	–	1	13	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	171	573	620	338	319	263	1,245	362
Malignant neoplasms of buccal cavity and pharynx—140–149	2	11	11	8	6	10	33	8
Malignant neoplasms of digestive organs and peritoneum—150–159	51	141	168	91	79	73	337	83
Malignant neoplasms of respiratory system—160–163	29	147	155	90	88	70	285	104
Malignant neoplasm of breast—174	17	51	56	33	29	25	106	32
Malignant neoplasms of genital organs—180–187	32	79	81	36	31	26	145	42
Malignant neoplasms of urinary organs—188,189	10	23	31	14	12	14	66	14
Malignant neoplasms of all other and unspecified sites—170–173,190–199	18	65	61	32	43	23	148	50
Leukemia—204–207	2	21	22	13	4	7	57	14
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	10	35	35	21	27	15	68	15
Benign neoplasms and neoplasms of unspecified nature—210–239	1	9	5	1	2	1	23	7
Diabetes mellitus—250	15	50	46	30	20	36	117	41
Avitaminoses and other nutritional deficiencies—260–269	2	2	5	2	3	1	4	2
Anemias—280–285	3	7	3	4	1	4	8	3
Meningitis—320	–	5	5	1	–	1	–	–
Major cardiovascular diseases—390–448	401	1,366	1,382	939	768	731	2,624	846
Diseases of heart—390–398,402,404,410–429	284	990	957	651	532	504	1,933	676
Active rheumatic fever and chronic rheumatic heart disease—390–398	6	19	21	9	19	11	37	14
Hypertensive heart disease—402	–	8	9	9	1	3	17	5
Hypertensive heart and renal disease—404	–	–	4	3	4	3	3	6
Ischemic heart disease—410–413	254	883	826	603	476	449	1,763	614
Acute myocardial infarction—410	138	422	452	250	235	232	652	288
Other acute and subacute forms of ischemic heart disease—411	1	4	2	–	2	3	2	–
Chronic ischemic heart disease—412	115	457	372	353	239	214	1,107	326
Angina pectoris—413	–	–	–	–	–	–	2	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	1	8	6	2	2	4	4	1
All other forms of heart disease—420–423,425–427,429	23	72	91	25	30	34	109	36

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Holyoke, Mass.	Steubenville-Weirton, Ohio-W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	–	11	7	11	4	4	18	3
Cerebrovascular diseases—430-438	88	269	283	233	175	180	519	128
Cerebral hemorrhage—431	19	22	19	20	18	21	63	28
Cerebral thrombosis—433	12	42	57	65	38	89	222	24
Cerebral embolism—434	–	2	–	1	1	1	1	–
All other cerebrovascular diseases—430,432,435-438	57	203	207	147	118	69	233	76
Arteriosclerosis—440	21	53	90	25	33	22	75	16
Other diseases of arteries, arterioles, and capillaries—441-448	8	43	45	19	24	21	79	23
Acute bronchitis and bronchiolitis—466	–	–	1	–	3	1	3	–
Influenza and pneumonia—470-474,480-486	18	61	87	41	61	47	208	48
Influenza—470-474	1	6	8	5	12	6	11	1
Pneumonia—480-486	17	55	79	36	49	41	197	47
Bronchitis, emphysema, and asthma—490-493	14	20	46	27	18	21	49	38
Chronic and unqualified bronchitis—490,491	3	4	5	2	7	1	6	7
Emphysema—492	10	13	35	23	11	19	41	30
Asthma—493	1	3	6	2	–	1	2	1
Peptic ulcer—531-533	3	10	2	4	3	4	13	3
Appendicitis—540-543	1	1	1	–	–	–	–	–
Hernia and intestinal obstruction—550-553,560	2	5	5	5	1	3	14	2
Cirrhosis of liver—571	6	21	43	17	10	23	88	18
Cholelithiasis, cholecystitis and cholangitis—574,575	–	1	4	4	3	2	13	3
Nephritis and nephrosis—580-584	4	6	7	2	5	10	16	4
Acute nephritis and nephrotic syndrome—580,581	–	–	–	1	5	–	11	1
Chronic and unqualified nephritis and renal sclerosis—582-584	4	6	7	1	–	10	5	3
Infections of kidney—590	1	5	3	2	2	6	6	3
Hyperplasia of prostate—600	–	1	2	–	1	1	1	1
Complications of pregnancy, childbirth, and the puerperium—630-678	–	–	–	–	–	–	–	–
Abortions—640-645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630-639,650-678	–	–	–	–	–	–	–	–
Congenital anomalies—740-759	6	14	20	7	13	18	21	5
Certain causes of mortality in early infancy—760-769.2,769.4-772,774-778	17	26	30	24	13	21	40	13
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764-768,772,776	16	16	19	14	8	9	22	7
Other causes of mortality in early infancy—Remainder of 760-778	1	10	11	10	5	12	18	6
Symptoms and ill-defined conditions—780-796	5	38	21	26	111	10	66	10
All other diseases—Residual	47	171	206	94	121	96	371	124
Accidents—E800-E949	42	120	134	90	68	73	283	69
Motor vehicle accidents—E810-E823	27	63	74	38	40	37	106	30
All other accidents—E800-E807,E825-E949	15	57	60	52	28	36	177	39
Suicide—E950-E959	14	39	50	13	25	18	51	16
Homicide—E960-E978	3	19	14	14	6	6	26	12
Other external causes—E980-E999	2	2	1	14	4	–	–	3

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
All causes	2,941	5,463	3,471	676	16,658	2,086	1,152	6,331
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	1	3	-	2	15	2	3	4
Tuberculosis, all forms—010-019	5	7	3	1	24	5	1	10
Tuberculosis of respiratory system—010-012	5	3	3	1	19	4	1	7
Tuberculosis, other forms—013-019	-	4	-	-	5	1	-	3
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	1	2	2	1	5	-	-	-
Septicemia—038	10	19	12	1	62	4	6	17
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	-	2	-	-	2
Other infective and parasitic diseases—Remainder of 000-136	7	11	6	-	27	4	3	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	589	1,221	722	142	3,678	366	217	1,275
Malignant neoplasms of buccal cavity and pharynx—140-149	20	27	19	5	83	7	3	33
Malignant neoplasms of digestive organs and peritoneum—150-159	155	306	186	29	960	97	51	345
Malignant neoplasms of respiratory system—160-163	150	307	191	37	1,042	104	54	324
Malignant neoplasm of breast—174	46	146	66	12	298	32	20	102
Malignant neoplasms of genital organs—180-187	67	132	82	24	427	35	22	137
Malignant neoplasms of urinary organs—188,189	20	73	25	9	177	15	4	60
Malignant neoplasms of all other and unspecified sites—170-173,190-199	76	123	97	14	378	47	41	145
Leukemia—204-207	23	48	17	6	125	11	9	58
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	32	59	39	6	188	18	13	71
Benign neoplasms and neoplasms of unspecified nature—210-239	8	9	7	2	31	4	2	14
Diabetes mellitus—250	61	104	44	9	229	57	10	145
Avitaminoses and other nutritional deficiencies—260-269	7	8	5	3	22	2	-	17
Anemias—280-285	5	12	3	1	28	2	-	12
Meningitis—320	2	8	6	-	9	3	1	4
Major cardiovascular diseases—390-448	1,333	2,791	1,755	277	8,561	1,135	574	3,300
Diseases of heart—390-398,402,404,410-429	971	2,076	1,246	185	6,150	748	427	2,489
Active rheumatic fever and chronic rheumatic heart disease—390-398	30	46	22	12	141	14	1	43
Hypertensive heart disease—402	16	39	14	5	40	6	17	22
Hypertensive heart and renal disease—404	3	7	-	1	28	16	-	15
Ischemic heart disease—410-413	868	1,712	1,137	147	5,610	660	232	2,267
Acute myocardial infarction—410	329	764	577	78	2,269	364	114	1,117
Other acute and subacute forms of ischemic heart disease—411	14	2	23	-	11	5	-	10
Chronic ischemic heart disease—412	525	946	534	69	3,327	291	118	1,139
Angina pectoris—413	-	-	3	-	3	-	-	1
Chronic disease of endocardium and other myocardial insufficiency—424,428	11	9	8	2	23	15	1	8
All other forms of heart disease—420-423,425-427,429	43	263	65	18	308	37	176	134

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	20	11	2	72	7	4	24
Cerebrovascular diseases—430–438	255	506	371	73	1,869	279	122	577
Cerebral hemorrhage—431	29	57	35	9	204	40	17	70
Cerebral thrombosis—433	54	106	87	8	523	69	18	164
Cerebral embolism—434	–	2	–	–	7	–	–	2
All other cerebrovascular diseases—430,432,435–438	172	341	249	56	1,135	170	87	341
Arteriosclerosis—440	54	104	76	7	243	73	12	120
Other diseases of arteries, arterioles, and capillaries—441–448	48	85	51	10	227	28	9	90
Acute bronchitis and bronchiolitis—466	1	2	–	–	14	–	–	2
Influenza and pneumonia—470–474,480–486	90	146	83	26	477	66	46	155
Influenza—470–474	3	7	8	–	19	15	10	18
Pneumonia—480–486	87	139	75	26	458	51	36	137
Bronchitis, emphysema, and asthma—490–493	37	56	33	10	266	23	11	108
Chronic and unqualified bronchitis—490,491	10	5	7	3	55	4	3	22
Emphysema—492	24	48	26	7	202	18	7	76
Asthma—493	3	3	–	–	9	1	1	10
Peptic ulcer—531–533	13	22	13	–	54	11	2	19
Appendicitis—540–543	1	2	1	–	4	1	–	3
Hernia and intestinal obstruction—550–553,560	13	12	8	2	47	5	2	16
Cirrhosis of liver—571	72	85	62	7	287	22	18	100
Cholelithiasis, cholecystitis and cholangitis—574,575	4	14	8	1	29	3	2	5
Nephritis and nephrosis—580–584	10	24	7	2	75	12	4	23
Acute nephritis and nephrotic syndrome—580,581	1	5	1	–	24	3	–	5
Chronic and unqualified nephritis and renal sclerosis—582–584	9	19	6	2	51	9	4	18
Infections of kidney—590	6	7	4	–	35	3	4	18
Hyperplasia of prostate—600	2	1	2	1	7	2	–	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	–	1	1	–	3
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	1	1	–	3
Congenital anomalies—740–759	20	31	35	10	63	12	5	39
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	33	64	48	11	74	22	17	70
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	14	25	34	4	44	15	11	26
Other causes of mortality in early infancy—Remainder of 760–778	19	39	14	7	30	7	6	44
Symptoms and ill-defined conditions—780–796	23	20	33	10	347	18	35	32
All other diseases—Residual	256	420	227	76	1,196	166	86	402
Accidents—E800–E949	229	257	232	56	592	104	82	340
Motor vehicle accidents—E810–E823	105	128	124	36	287	45	55	174
All other accidents—E800–E807,E825–E949	124	129	108	20	305	59	27	166
Suicide—E950–E959	62	75	75	13	245	21	8	121
Homicide—E960–E978	34	17	29	10	123	8	13	55
Other external causes—E980–E999	6	12	6	2	29	2	–	5

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Napa, Calif.
All causes	1,352	2,747	3,717	4,597	971	1,111	3,357	2,263
Bacillary dysentery and amebiasis—004,006	-	-	1	-	-	-	-	1
Enteritis and other diarrheal diseases—008,009	3	7	4	4	-	2	3	3
Tuberculosis, all forms—010-019	2	7	10	12	6	2	1	3
Tuberculosis of respiratory system—010-012	2	5	6	11	5	2	1	2
Tuberculosis, other forms—013-019	-	2	4	1	1	-	-	1
Whooping cough—033	-	-	-	1	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	-	1	1	-	-	-	-
Septicemia—038	4	15	31	28	4	3	9	8
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	2	-	-	-	-
Other infective and parasitic diseases—Remainder of 000-136	2	8	20	13	3	2	7	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	285	611	760	945	194	225	692	497
Malignant neoplasms of buccal cavity and pharynx—140-149	8	11	15	10	2	4	16	9
Malignant neoplasms of digestive organs and peritoneum—150-159	74	195	189	231	44	53	228	118
Malignant neoplasms of respiratory system—160-163	65	156	201	273	52	61	156	127
Malignant neoplasm of breast—174	26	45	65	82	16	15	67	48
Malignant neoplasms of genital organs—180-187	45	56	75	99	30	30	79	56
Malignant neoplasms of urinary organs—188,189	7	35	39	40	8	13	25	19
Malignant neoplasms of all other and unspecified sites—170-173,190-199	33	55	109	121	26	29	60	61
Leukemia—204-207	4	25	24	38	11	8	30	21
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	23	33	43	51	5	12	31	38
Benign neoplasms and neoplasms of unspecified nature—210-239	-	7	11	13	3	1	10	11
Diabetes mellitus—250	25	58	53	62	20	9	61	35
Avitaminoses and other nutritional deficiencies—260-269	3	2	7	5	-	1	1	8
Anemias—280-285	2	4	6	4	3	6	5	5
Meningitis—320	1	3	4	10	-	1	2	2
Major cardiovascular diseases—390-448	617	1,409	1,706	2,229	449	607	1,862	996
Diseases of heart—390-398,402,404,410-429	441	1,127	1,332	1,685	293	455	1,431	716
Active rheumatic fever and chronic rheumatic heart disease—390-398	3	20	33	23	4	10	20	15
Hypertensive heart disease—402	1	3	8	22	7	11	8	5
Hypertensive heart and renal disease—404	2	1	3	-	-	3	6	2
Ischemic heart disease—410-413	392	1,051	1,183	1,496	251	285	1,316	641
Acute myocardial infarction—410	187	433	456	708	138	146	666	279
Other acute and subacute forms of ischemic heart disease—411	-	1	3	9	-	4	5	-
Chronic ischemic heart disease—412	205	617	724	778	112	135	645	362
Angina pectoris—413	-	-	-	1	1	-	-	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	1	8	6	6	1	-	9	1
All other forms of heart disease—420-423,425-427,429	42	44	99	138	30	146	72	52

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Napa, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	–	4	5	8	5	1	14	4
Cerebrovascular diseases—430–438	125	210	253	413	119	118	312	218
Cerebral hemorrhage—431	25	38	33	33	23	11	53	21
Cerebral thrombosis—433	23	40	60	72	25	23	75	45
Cerebral embolism—434	–	–	–	–	1	–	–	–
All other cerebrovascular diseases—430,432,435–438	77	132	160	308	70	84	184	152
Arteriosclerosis—440	30	30	71	46	20	20	64	23
Other diseases of arteries, arterioles, and capillaries—441–448	21	38	45	77	12	13	41	35
Acute bronchitis and bronchiolitis—466	–	2	1	–	1	–	2	–
Influenza and pneumonia—470–474,480–486	49	76	123	147	28	25	73	71
Influenza—470–474	4	3	3	8	1	2	2	4
Pneumonia—480–486	45	73	120	139	27	23	71	67
Bronchitis, emphysema, and asthma—490–493	12	26	61	51	15	10	59	23
Chronic and unqualified bronchitis—490,491	1	4	17	7	2	2	8	4
Emphysema—492	9	19	41	36	13	8	49	17
Asthma—493	2	3	3	8	–	–	2	2
Peptic ulcer—531–533	6	14	7	11	1	2	11	6
Appendicitis—540–543	1	2	3	4	2	–	–	2
Hernia and intestinal obstruction—550–553,560	3	1	10	14	2	6	9	10
Cirrhosis of liver—571	14	45	73	65	10	11	51	65
Cholelithiasis, cholecystitis and cholangitis—574,575	2	6	5	7	–	3	6	2
Nephritis and nephrosis—580–584	3	17	18	28	5	3	5	4
Acute nephritis and nephrotic syndrome—580,581	–	7	3	5	1	1	2	1
Chronic and unqualified nephritis and renal sclerosis—582–584	3	10	15	23	4	2	3	3
Infections of kidney—590	5	4	7	11	2	5	1	2
Hyperplasia of prostate—600	1	–	1	2	1	–	1	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	2	1	1	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	2	1	1	–	–	–	–
Congenital anomalies—740–759	9	11	31	27	9	7	20	30
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	19	31	27	51	14	14	29	10
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	16	16	37	9	11	10	7
Other causes of mortality in early infancy—Remainder of 760–778	8	15	11	14	5	3	19	3
Symptoms and ill-defined conditions—780–796	24	50	36	62	35	19	15	9
All other diseases—Residual	130	199	342	373	70	55	223	227
Accidents—E800–E949	84	92	235	284	67	58	146	138
Motor vehicle accidents—E810–E823	34	38	157	155	38	32	73	74
All other accidents—E800–E807,E825–E949	50	54	78	129	29	26	73	64
Suicide—E950–E959	27	24	69	71	11	16	45	58
Homicide—E960–E978	18	14	42	52	14	18	7	24
Other external causes—E980–E999	1	–	11	7	2	–	1	6

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
All causes	1,242	1,574	19,292	1,087	6,183	2,146	3,074	1,105
Bacillary dysentery and amebiasis—004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases—008,009	3	5	23	1	6	–	6	1
Tuberculosis, all forms—010–019	2	2	40	1	9	2	2	1
Tuberculosis of respiratory system—010–012	2	2	33	–	5	2	2	1
Tuberculosis, other forms—013–019	–	–	7	1	4	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever—034	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	–	–	6	2	1	–
Septicemia—038	7	9	109	8	14	6	12	1
Acute poliomyelitis—040–043	–	–	–	–	–	–	–	–
Measles—055	–	–	–	–	–	–	–	–
Syphilis and its sequelae—090–097	–	1	3	–	–	–	1	1
Other infective and parasitic diseases—Remainder of 000–136	4	5	68	–	14	3	7	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	255	297	4,504	209	1,443	418	639	217
Malignant neoplasms of buccal cavity and pharynx—140–149	3	7	133	4	30	7	12	5
Malignant neoplasms of digestive organs and peritoneum—150–159	87	72	1,208	44	395	96	151	45
Malignant neoplasms of respiratory system—160–163	67	92	1,092	53	373	100	178	54
Malignant neoplasm of breast—174	21	24	457	22	118	43	48	15
Malignant neoplasms of genital organs—180–187	23	25	490	31	159	55	85	32
Malignant neoplasms of urinary organs—188,189	12	16	178	7	70	20	22	18
Malignant neoplasms of all other and unspecified sites—170–173,190–199	24	38	575	22	174	59	65	21
Leukemia—204–207	10	7	170	10	49	12	36	9
Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	8	16	201	16	75	26	42	18
Benign neoplasms and neoplasms of unspecified nature—210–239	1	5	67	–	23	6	6	2
Diabetes mellitus—250	24	24	334	24	75	45	57	13
Avitaminoses and other nutritional deficiencies—260–269	3	1	34	1	14	1	23	–
Anemias—280–285	–	3	38	–	6	4	9	7
Meningitis—320	–	2	17	–	3	1	2	1
Major cardiovascular diseases—390–448	701	811	8,487	599	3,298	1,123	1,497	556
Diseases of heart—390–398,402,404,410–429	590	582	6,423	415	2,418	870	1,126	389
Active rheumatic fever and chronic rheumatic heart disease—390–398	6	8	141	7	57	19	21	1
Hypertensive heart disease—402	8	4	86	4	24	2	7	8
Hypertensive heart and renal disease—404	5	1	51	–	6	6	11	–
Ischemic heart disease—410–413	508	407	5,387	368	2,164	785	1,007	332
Acute myocardial infarction—410	259	211	1,701	205	1,000	380	535	219
Other acute and subacute forms of ischemic heart disease—411	3	1	64	1	66	2	2	1
Chronic ischemic heart disease—412	246	195	3,622	162	1,098	403	469	112
Angina pectoris—413	–	–	–	–	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency—424,428	4	2	271	4	15	1	6	7
All other forms of heart disease—420–423,425–427,429	59	160	487	32	152	57	74	41

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	5	54	5	15	6	8	3
Cerebrovascular diseases—430–438	83	186	1,363	125	650	201	276	128
Cerebral hemorrhage—431	11	20	219	5	67	32	35	12
Cerebral thrombosis—433	9	43	322	24	232	39	60	32
Cerebral embolism—434	–	–	11	–	3	1	2	–
All other cerebrovascular diseases—430,432,435–438	63	123	811	96	348	129	179	84
Arteriosclerosis—440	10	15	382	30	120	15	49	18
Other diseases of arteries, arterioles, and capillaries—441–448	16	23	265	24	95	31	38	18
Acute bronchitis and bronchiolitis—466	–	–	9	1	2	3	–	2
Influenza and pneumonia—470–474,480–486	31	42	536	30	129	59	75	37
Influenza—470–474	3	–	16	6	7	5	7	4
Pneumonia—480–486	28	42	520	24	122	54	68	33
Bronchitis, emphysema, and asthma—490–493	10	18	227	12	87	32	29	10
Chronic and unqualified bronchitis—490,491	1	1	40	2	11	6	7	2
Emphysema—492	9	17	161	10	69	23	18	8
Asthma—493	–	–	26	–	7	3	4	–
Peptic ulcer—531–533	2	4	54	3	15	4	12	2
Appendicitis—540–543	1	–	8	1	1	1	–	–
Hernia and intestinal obstruction—550–553,560	3	6	72	6	20	5	14	7
Cirrhosis of liver—571	18	7	507	14	91	36	39	7
Cholelithiasis, cholecystitis and cholangitis—574,575	2	1	24	2	11	5	4	2
Nephritis and nephrosis—580–584	5	12	107	2	18	10	10	4
Acute nephritis and nephrotic syndrome—580,581	1	1	16	1	5	1	4	2
Chronic and unqualified nephritis and renal sclerosis—582–584	4	11	91	1	13	9	6	2
Infections of kidney—590	–	–	21	2	9	12	3	2
Hyperplasia of prostate—600	–	–	5	–	1	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	6	–	1	–	2	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	6	–	1	–	2	–
Congenital anomalies—740–759	4	7	140	8	25	14	27	4
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	15	24	402	14	45	16	39	13
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	4	20	181	7	27	5	17	5
Other causes of mortality in early infancy—Remainder of 760–778	11	4	221	7	18	11	22	8
Symptoms and ill-defined conditions—780–796	5	67	236	6	30	32	22	19
All other diseases—Residual	73	103	1,539	72	386	171	250	86
Accidents—E800–E949	55	75	980	54	257	93	202	78
Motor vehicle accidents—E810–E823	32	39	425	33	134	33	106	48
All other accidents—E800–E807,E825–E949	23	36	555	21	123	60	96	30
Suicide—E950–E959	13	18	342	13	70	30	42	13
Homicide—E960–E978	5	24	299	3	58	6	32	14
Other external causes—E980–E999	–	1	54	1	16	6	8	–

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre-Hazleton, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown-Warren, Ohio	New York, N.Y.-Northeastern New Jersey [1]	Chicago, Ill.-Northwestern Indiana [2]
All causes	4,234	4,263	1,103	5,968	3,135	5,085	143,280	66,117
Bacillary dysentery and amebiasis—004,006	-	-	-	-	-	-	1	2
Enteritis and other diarrheal diseases—008,009	4	4	1	3	5	1	105	69
Tuberculosis, all forms—010-019	7	6	3	6	5	4	276	132
Tuberculosis of respiratory system—010-012	6	5	2	6	5	4	233	92
Tuberculosis, other forms—013-019	1	1	1	-	-	-	43	40
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	1	-
Meningococcal infections—036	1	-	-	-	-	1	32	14
Septicemia—038	11	15	1	33	12	17	464	270
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	-	-	-	-	-	-	1	1
Syphilis and its sequelae—090-097	-	-	-	-	-	-	7	6
Other infective and parasitic diseases—Remainder of 000-136	6	7	2	15	6	10	342	153
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	847	978	214	1,266	704	1,049	32,039	13,939
Malignant neoplasms of buccal cavity and pharynx—140-149	14	24	5	19	14	32	721	338
Malignant neoplasms of digestive organs and peritoneum—150-159	280	266	45	355	189	294	9,674	3,902
Malignant neoplasms of respiratory system—160-163	176	257	63	270	118	267	7,452	3,404
Malignant neoplasm of breast—174	73	89	22	125	66	84	3,284	1,336
Malignant neoplasms of genital organs—180-187	96	115	23	156	94	108	3,449	1,556
Malignant neoplasms of urinary organs—188,189	32	43	5	55	35	55	1,419	575
Malignant neoplasms of all other and unspecified sites—170-173,190-199	111	119	33	155	115	97	3,332	1,609
Leukemia—204-207	32	29	7	53	29	45	1,106	518
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	33	36	11	78	44	67	1,602	701
Benign neoplasms and neoplasms of unspecified nature—210-239	17	14	3	21	10	11	451	145
Diabetes mellitus—250	111	125	12	93	52	97	2,805	1,157
Avitaminoses and other nutritional deficiencies—260-269	5	5	-	8	3	7	122	69
Anemias—280-285	7	14	-	8	3	4	206	96
Meningitis—320	2	3	1	2	5	6	114	48
Major cardiovascular diseases—390-448	2,268	2,092	553	3,160	1,639	2,774	73,958	33,990
Diseases of heart—390-398,402,404,410-429	1,876	1,690	421	2,465	1,295	2,089	60,759	27,264
Active rheumatic fever and chronic rheumatic heart disease—390-398	38	23	12	39	30	37	1,135	422
Hypertensive heart disease—402	14	14	2	22	8	23	528	348
Hypertensive heart and renal disease—404	11	4	3	6	4	20	105	70
Ischemic heart disease—410-413	1,709	1,546	365	2,217	1,160	1,843	56,444	24,933
Acute myocardial infarction—410	784	611	201	930	612	1,039	22,607	9,673
Other acute and subacute forms of ischemic heart disease—411	6	4	-	4	3	16	90	222
Chronic ischemic heart disease—412	919	931	164	1,283	544	788	33,740	15,033
Angina pectoris—413	-	-	-	-	1	-	7	5
Chronic disease of endocardium and other myocardial insufficiency—424,428	9	6	1	8	10	19	134	93
All other forms of heart disease—420-423,425-427,429	95	97	38	173	83	147	2,413	1,398

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1978—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey [1]	Chicago, Ill.–Northwestern Indiana [2]
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	11	2	8	5	16	352	232
Cerebrovascular diseases—430–438	285	261	107	493	228	479	9,727	5,167
Cerebral hemorrhage—431	41	33	5	93	35	76	1,480	830
Cerebral thrombosis—433	48	60	31	115	58	120	2,328	1,369
Cerebral embolism—434	1	1	–	2	1	4	57	21
All other cerebrovascular diseases—430,432,435–438	195	167	71	283	134	279	5,862	2,947
Arteriosclerosis—440	52	63	13	95	50	128	1,509	610
Other diseases of arteries, arterioles, and capillaries—441–448	50	67	10	99	61	62	1,611	717
Acute bronchitis and bronchiolitis—466	2	1	1	1	2	–	41	21
Influenza and pneumonia—470–474,480–486	87	84	33	234	86	125	5,001	1,836
Influenza—470–474	7	1	4	14	11	11	138	49
Pneumonia—480–486	80	83	29	220	75	114	4,863	1,787
Bronchitis, emphysema, and asthma—490–493	38	42	8	55	21	46	1,129	618
Chronic and unqualified bronchitis—490,491	5	7	4	14	5	9	215	117
Emphysema—492	29	33	2	37	15	34	753	449
Asthma—493	4	2	2	4	1	3	161	52
Peptic ulcer—531–533	9	11	5	10	7	15	523	202
Appendicitis—540–543	2	3	–	1	1	1	52	15
Hernia and intestinal obstruction—550–553,560	12	12	5	13	9	14	386	170
Cirrhosis of liver—571	61	86	24	95	31	76	3,366	1,320
Cholelithiasis, cholecystitis and cholangitis—574,575	8	4	2	11	6	3	236	83
Nephritis and nephrosis—580–584	17	14	11	29	8	25	775	346
Acute nephritis and nephrotic syndrome—580,581	6	2	–	7	3	10	159	87
Chronic and unqualified nephritis and renal sclerosis—582–584	11	12	11	22	5	15	616	259
Infections of kidney—590	3	7	2	10	1	11	169	93
Hyperplasia of prostate—600	2	2	1	2	2	3	83	25
Complications of pregnancy, childbirth, and the puerperium—630–678	1	2	1	1	–	4	21	12
Abortions—640–645	–	–	1	–	–	–	5	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	2	–	1	–	4	16	12
Congenital anomalies—740–759	18	29	8	29	21	24	830	447
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	25	42	7	48	18	47	1,507	1,060
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	19	1	29	11	31	723	608
Other causes of mortality in early infancy—Remainder of 760–778	10	23	6	19	7	16	784	452
Symptoms and ill-defined conditions—780–796	11	35	5	44	13	20	1,305	488
All other diseases—Residual	496	293	96	424	243	327	8,510	4,036
Accidents—E800–E949	113	218	79	273	168	241	4,487	2,965
Motor vehicle accidents—E810–E823	46	121	37	133	98	102	1,850	1,294
All other accidents—E800–E807,E825–E949	65	97	42	140	70	139	2,587	1,671
Suicide—E950–E959	38	77	16	61	35	75	1,300	749
Homicide—E960–E978	6	30	9	11	15	40	1,943	1,149
Other external causes—E980–E999	1	8	–	1	4	7	742	391

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**United States**	1,927,788	2,914	169	14,959	396,992	105,427	99,898	34,609	45,131	17,574	15,391	78,962	33,841	966,120	729,510	13,402	10,386
02	Urban places	1,077,476	1,781	101	8,783	225,997	61,301	56,614	20,472	25,346	9,824	8,298	44,142	18,770	537,271	407,860	7,912	5,842
03	Balance of area	850,312	1,133	68	6,176	170,995	44,126	43,284	14,137	19,785	7,750	7,093	34,820	15,071	428,849	321,650	5,490	4,494
04	Metropolitan counties	1,249,503	1,949	112	10,158	267,221	71,920	67,245	24,312	29,378	11,712	9,982	52,672	21,751	618,661	473,342	9,407	6,588
05	Urban places	918,369	1,558	90	7,661	194,629	53,099	48,644	17,766	21,582	8,445	7,069	38,024	15,897	455,492	348,681	6,855	4,984
06	Balance of area	331,134	391	22	2,497	72,592	18,821	18,601	6,546	7,796	3,267	2,913	14,648	5,854	163,169	124,661	2,552	1,604
07	Nonmetropolitan counties	678,285	965	57	4,801	129,771	33,507	32,653	10,297	15,753	5,862	5,409	26,290	12,090	347,459	256,168	3,995	3,748
08	Urban places	159,107	223	11	1,122	31,368	8,202	7,970	2,706	3,764	1,379	1,229	6,118	2,873	81,779	59,179	1,057	858
09	Balance of area	519,178	742	46	3,679	98,403	25,305	24,683	7,591	11,989	4,483	4,180	20,172	9,217	265,680	196,989	2,938	2,890
10	**Alabama**	34,680	90	3	276	6,494	1,525	1,756	479	798	219	280	1,437	632	16,121	11,340	154	188
11	Urban places	14,526	48	2	131	2,849	701	745	242	360	96	111	594	259	6,600	4,571	73	103
12	Balance of area	20,154	42	1	145	3,645	824	1,011	237	438	123	169	843	373	9,521	6,769	81	85
13	Metropolitan counties	17,500	57	2	140	3,552	867	999	269	437	121	130	729	291	7,927	5,567	89	110
14	Urban places	10,866	41	2	97	2,200	556	565	190	277	80	81	451	182	4,903	3,389	58	77
15	Balance of area	6,634	16	–	43	1,352	311	434	79	160	41	49	278	109	3,024	2,178	31	33
16	Nonmetropolitan counties	17,180	33	1	136	2,942	658	757	210	361	98	150	708	341	8,194	5,773	65	78
17	Urban places	3,660	7	–	34	649	145	180	52	83	16	30	143	77	1,697	1,182	15	26
18	Balance of area	13,520	26	1	102	2,293	513	577	158	278	82	120	565	264	6,497	4,591	50	52
19	Autauga	220	–	–	–	39	7	16	1	3	–	2	10	5	114	74	–	2
20	Prattville	95	–	–	–	18	1	8	–	1	–	1	7	2	47	35	–	2
21	Balance of county	125	–	–	–	21	6	8	1	2	–	1	3	3	67	39	–	–
22	Baldwin	644	–	–	3	150	41	43	10	17	4	5	30	7	305	228	2	10
23	Barbour	249	1	–	–	39	12	7	1	5	–	4	10	3	106	67	1	4
24	Bibb	143	–	–	–	29	6	8	–	5	4	1	5	2	62	39	1	1
25	Blount	282	–	–	5	58	13	16	6	6	3	2	12	3	144	104	1	–
26	Bullock	148	–	–	1	23	7	7	–	4	1	1	3	2	79	60	–	2
27	Butler	288	–	–	4	51	16	11	–	3	6	3	12	8	117	70	–	–
28	Calhoun	1,021	3	–	10	196	31	67	12	25	5	10	46	19	548	378	4	4
29	Anniston	512	3	–	6	102	14	39	8	16	2	4	19	10	269	185	4	2
30	Balance of county	509	–	–	4	94	17	28	4	9	3	6	27	9	279	193	–	2
31	Chambers	431	–	–	3	67	14	18	7	9	2	2	15	16	241	176	3	–
32	Cherokee	206	–	–	2	37	4	8	3	8	2	1	11	3	106	82	1	2
33	Chilton	321	1	–	2	53	11	14	4	6	–	5	13	12	165	115	1	2
34	Choctaw	162	–	–	1	31	5	12	–	7	1	4	2	4	88	72	1	–
35	Clarke	266	–	–	1	53	13	11	3	8	3	4	11	6	135	101	1	1
36	Clay	170	–	–	–	32	6	7	1	5	1	2	10	5	69	46	–	–
37	Cleburne	109	–	–	–	26	4	9	–	5	–	1	7	3	45	30	–	6
38	Coffee	287	–	–	4	44	10	13	3	5	1	–	12	3	142	107	–	2
39	Enterprise	97	–	–	2	15	6	3	2	–	–	–	4	3	47	37	–	–
40	Balance of county	190	–	–	2	29	4	10	1	5	1	–	8	–	95	70	–	2
41	Colbert	489	1	–	2	99	24	31	7	10	6	1	20	5	235	164	3	3
42	Sheffield	131	–	–	–	26	5	5	4	5	1	–	6	1	64	52	1	3
43	Balance of county	358	1	–	2	73	19	26	3	5	5	1	14	4	171	112	2	–
44	Conecuh	174	–	–	3	15	3	4	1	2	1	–	4	2	96	73	1	1
45	Coosa	110	–	–	1	16	5	1	1	3	1	–	5	–	58	46	3	–
46	Covington	415	1	–	7	66	16	15	5	8	4	4	14	4	217	140	1	2
47	Andalusia	105	–	–	1	20	6	2	2	4	–	–	6	1	52	34	1	–
48	Balance of county	310	1	–	6	46	10	13	3	4	4	4	8	3	165	106	–	2
49	Crenshaw	180	–	–	1	22	5	4	3	2	–	–	8	3	99	67	–	2
50	Cullman	514	–	–	1	107	31	24	6	11	1	8	26	5	259	171	3	–
51	Cullman	131	–	–	1	27	7	3	2	4	–	4	7	–	72	41	1	–
52	Balance of county	383	–	–	–	80	24	21	4	7	1	4	19	5	187	130	2	–
53	Dale	287	–	–	1	56	12	14	5	3	2	3	17	4	129	94	–	9
54	Ozark	113	–	–	–	21	1	7	2	1	1	2	7	2	54	43	–	8
55	Balance of county	174	–	–	1	35	11	7	3	2	1	1	10	2	75	51	–	1
56	Dallas	553	1	–	2	92	18	23	7	10	2	4	28	15	236	153	–	2
57	Selma	365	1	–	2	66	13	16	6	7	1	4	19	10	156	105	–	2
58	Balance of county	188	–	–	–	26	5	7	1	3	1	–	9	5	80	48	–	–
59	De Kalb	500	2	–	1	87	21	22	4	9	3	4	24	2	258	204	5	1
60	Elmore	378	–	–	4	57	15	12	2	9	1	6	12	4	156	110	1	–
61	Escambia	308	2	–	6	54	7	20	3	8	1	3	12	7	158	116	3	–
62	Etowah	1,044	3	1	4	193	49	51	10	24	13	8	38	19	555	428	5	12
63	Gadsden	648	2	1	3	130	38	28	9	16	10	6	23	12	327	256	2	9
64	Balance of county	396	1	–	1	63	11	23	1	8	3	2	15	7	228	172	3	3
65	Fayette	191	–	–	1	34	9	5	5	4	3	1	7	5	93	56	–	3
66	Franklin	294	–	–	1	42	12	7	5	8	1	3	6	5	151	122	–	2
67	Geneva	245	3	–	1	39	6	11	3	1	3	4	11	6	121	89	–	–
68	Greene	124	–	–	–	22	6	5	–	5	1	–	5	4	52	32	–	–
69	Hale	216	–	–	4	37	7	7	5	7	1	–	10	2	114	47	1	1
70	Henry	158	–	–	1	17	8	2	–	1	–	1	5	3	88	62	1	1
71	Houston	572	2	–	4	88	21	27	6	13	3	4	14	5	217	142	5	1
72	Dothan	367	1	–	4	57	15	19	3	10	2	2	6	4	142	90	4	–
73	Balance of county	205	1	–	–	31	6	8	3	3	1	2	8	1	75	52	1	1
74	Jackson	440	1	–	8	63	13	15	5	12	–	3	15	8	219	168	2	4
75	Jefferson	6,396	17	–	51	1,415	366	405	108	156	43	47	290	113	2,914	2,024	41	47
76	Bessemer	396	2	–	3	71	17	26	4	11	–	4	9	9	187	131	1	3
77	Birmingham	3,363	11	–	30	706	193	173	58	88	25	22	147	55	1,500	1,030	20	31

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
642,270	63,502	5,490	175,629	28,940	26,551	58,319	21,875	5,545	30,066	8,868	321	12,968	22,033	31,324	164,024	52,411	53,150	27,294	20,432	4,163	01
361,942	32,164	3,149	96,121	15,609	14,532	32,869	11,840	3,230	20,025	5,221	182	7,142	12,914	16,225	92,570	22,546	27,614	15,092	14,498	2,805	02
280,328	31,338	2,341	79,508	13,331	12,019	25,450	10,035	2,315	10,041	3,647	139	5,826	9,119	15,099	71,454	29,865	25,536	12,202	5,934	1,358	03
420,651	36,696	3,447	107,428	17,553	16,891	36,474	13,691	3,690	22,400	5,885	210	8,615	14,993	17,332	106,579	30,006	32,204	18,686	15,727	3,159	04
310,403	26,439	2,592	79,308	12,744	12,167	27,721	9,836	2,766	17,798	4,518	161	6,108	11,232	13,070	78,925	18,648	23,263	13,130	13,315	2,551	05
110,248	10,257	855	28,120	4,809	4,724	8,753	3,855	924	4,602	1,367	49	2,507	3,761	4,262	27,654	11,358	8,941	5,556	2,412	608	06
221,619	26,806	2,043	68,201	11,387	9,660	21,845	8,184	1,855	7,666	2,983	111	4,353	7,040	13,992	57,445	22,405	20,946	8,608	4,705	1,004	07
51,539	5,725	557	16,813	2,865	2,365	5,148	2,004	464	2,227	703	21	1,034	1,682	3,155	13,645	3,898	4,351	1,962	1,183	254	08
170,080	21,081	1,486	51,388	8,522	7,295	16,697	6,180	1,391	5,439	2,280	90	3,319	5,358	10,837	43,800	18,507	16,595	6,646	3,522	750	09
9,064	1,934	123	3,833	441	384	969	331	72	356	230	11	238	439	2,107	2,876	1,285	1,179	392	504	75	10
3,701	694	62	1,615	191	161	381	134	34	178	113	1	118	210	910	1,259	379	440	167	278	35	11
5,363	1,240	61	2,218	250	223	588	197	38	178	117	10	120	229	1,197	1,617	906	739	225	226	40	12
4,564	804	70	1,866	240	184	413	176	37	226	118	2	124	233	928	1,552	627	543	212	300	40	13
2,783	471	51	1,184	158	121	267	101	23	152	81	1	82	157	604	991	286	315	133	217	31	14
1,781	333	19	682	82	63	146	75	14	74	37	1	42	76	324	561	341	228	79	83	9	15
4,500	1,130	53	1,967	201	200	556	155	35	130	112	9	114	206	1,179	1,324	658	636	180	204	35	16
918	223	11	431	33	40	114	33	11	26	32	–	36	53	306	268	93	125	34	61	4	17
3,582	907	42	1,536	168	160	442	122	24	104	80	9	78	153	873	1,056	565	511	146	143	31	18
38	34	3	26	8	3	1	1	–	1	4	–	4	2	11	19	10	8	–	1	–	19
20	13	1	8	3	–	–	1	–	1	2	–	2	–	6	3	7	5	–	1	–	20
18	21	2	18	5	3	1	–	–	–	2	–	2	2	5	16	3	3	–	–	–	21
187	29	1	59	8	9	13	6	1	13	3	–	4	4	8	62	26	21	9	9	–	22
51	11	4	31	1	3	6	1	1	3	2	–	1	–	42	22	10	7	1	4	–	23
19	18	–	20	–	3	2	–	3	5	1	–	3	3	2	12	5	6	5	2	1	24
92	11	–	29	5	6	6	3	–	–	1	1	1	5	4	24	13	6	1	5	2	25
47	11	–	19	–	–	5	1	–	–	1	–	1	1	17	6	5	4	1	1	–	26
59	11	1	42	–	4	20	1	1	1	2	–	1	2	42	13	3	18	1	2	1	27
324	46	–	148	12	10	13	16	3	11	7	–	12	8	7	80	26	29	12	21	–	28
152	27	–	72	6	6	6	6	2	4	3	–	8	4	4	40	11	14	7	13	–	29
172	19	–	76	6	4	7	10	1	7	4	–	4	4	3	40	15	15	5	8	–	30
152	21	5	47	5	8	8	6	–	2	4	–	3	12	2	36	12	9	3	7	–	31
59	20	1	12	3	8	2	1	–	3	–	–	3	4	6	20	9	10	–	–	–	32
89	23	–	39	2	9	7	5	–	2	1	–	–	1	15	23	14	14	4	1	1	33
61	10	–	11	3	2	4	2	–	–	–	–	1	2	9	7	5	3	2	3	–	34
87	12	1	28	3	2	11	1	–	2	4	–	1	5	7	18	11	7	3	1	–	35
29	17	2	13	4	4	7	4	–	1	–	–	2	1	8	19	10	8	2	2	–	36
14	10	–	15	–	–	3	–	1	1	1	–	1	–	8	10	5	2	–	1	2	37
70	35	–	26	5	4	13	–	–	4	–	–	3	3	9	31	13	15	3	–	–	38
25	12	–	8	1	1	7	–	–	2	–	–	2	2	2	8	5	1	1	–	–	39
45	23	–	18	4	3	6	–	–	2	–	–	1	1	7	23	8	14	2	–	–	40
112	46	2	66	2	1	13	8	–	4	2	–	5	5	33	31	15	16	3	10	2	41
28	20	–	12	–	–	3	3	–	3	1	–	4	1	8	8	2	3	–	3	1	42
84	26	2	54	2	1	10	5	–	1	1	–	1	4	25	23	13	13	3	7	1	43
43	28	–	20	–	3	6	1	1	2	1	–	–	–	6	16	12	9	2	2	–	44
28	15	–	10	1	1	1	1	1	1	–	–	–	1	3	6	7	10	1	3	–	45
119	18	–	62	11	4	8	2	–	2	3	–	3	5	30	30	21	7	4	4	1	46
32	1	–	17	1	–	1	1	–	1	1	–	2	1	12	2	5	2	1	2	–	47
87	17	–	45	10	4	7	1	–	1	2	–	1	4	18	28	16	5	3	2	1	48
53	12	2	25	1	4	8	2	–	3	1	–	–	1	7	20	3	5	4	–	1	49
114	54	1	58	24	5	14	2	1	1	1	–	2	4	22	46	22	16	7	2	2	50
29	11	–	24	7	–	–	–	1	1	1	–	–	1	4	12	4	6	–	1	–	51
85	43	1	34	17	5	14	2	–	–	–	–	2	3	18	34	18	10	7	1	2	52
71	14	1	26	6	2	6	2	–	4	1	–	5	5	15	20	15	18	3	3	–	53
30	5	1	8	1	1	6	1	–	1	–	–	–	1	5	10	3	7	1	1	–	54
41	9	–	18	5	1	–	1	–	3	1	–	5	4	10	10	12	11	2	2	–	55
92	59	5	67	4	7	20	2	4	4	5	–	3	8	50	55	20	25	9	2	–	56
66	37	4	44	–	3	16	1	3	3	4	–	1	6	29	34	10	16	5	2	–	57
26	22	1	23	4	4	4	1	1	1	1	–	2	2	21	21	10	9	4	–	–	58
176	22	–	49	3	2	16	3	–	7	2	–	5	11	27	35	20	17	6	1	–	59
98	11	–	37	3	6	8	4	1	1	–	–	–	7	45	37	27	14	5	8	–	60
92	21	1	32	3	6	5	2	–	4	2	–	2	4	3	28	8	15	2	6	–	61
359	52	4	103	13	7	22	11	4	14	3	–	6	11	12	83	38	28	16	19	2	62
213	32	2	55	8	6	15	7	3	12	3	–	3	9	5	58	14	16	11	15	2	63
146	20	2	48	5	1	7	4	1	2	–	–	3	2	7	25	24	12	5	4	–	64
42	11	–	33	1	3	3	7	–	1	2	–	–	1	16	9	7	6	6	–	–	65
98	22	–	22	4	3	18	1	–	5	–	–	2	4	4	33	10	15	1	–	2	66
75	14	–	24	3	5	15	1	–	2	1	–	1	4	8	18	7	11	4	2	1	67
30	2	1	16	3	–	2	2	–	1	–	–	–	3	22	8	3	3	–	2	–	68
37	8	1	52	10	4	4	1	1	1	3	–	1	2	22	10	6	6	–	2	–	69
53	7	1	22	1	2	2	2	3	–	2	–	1	1	14	16	3	4	1	–	–	70
128	8	–	63	8	4	17	1	3	–	5	–	2	10	108	49	11	25	11	11	3	71
83	3	–	44	4	4	9	–	2	–	4	–	2	7	65	30	6	17	7	9	1	72
45	5	–	19	4	–	8	1	1	–	1	–	–	3	43	19	5	8	4	2	2	73
118	44	2	39	3	7	15	4	–	3	4	–	5	1	12	39	26	15	8	9	–	74
1,649	287	29	700	84	77	166	51	16	78	59	–	44	57	290	612	166	162	77	100	8	75
112	15	1	42	6	7	13	2	–	7	2	–	2	8	18	42	6	12	4	6	2	76
808	171	21	369	41	39	93	24	8	34	35	–	24	30	187	344	78	87	40	72	5	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alabama—Con.																	
	Jefferson—Con.																	
01	Fairfield	151	1	–	2	31	7	8	3	2	2	2	7	2	77	55	–	3
02	Homewood	175	–	–	–	37	9	10	4	5	–	1	8	2	100	73	3	–
03	Mountain Brook	160	–	–	3	45	11	10	6	8	1	1	8	3	72	41	1	–
04	Balance of county	2,151	3	–	13	525	129	178	33	42	15	17	111	42	978	694	16	10
05	Lamar	172	–	–	3	30	6	10	4	2	–	1	7	4	100	71	–	–
06	Lauderdale	637	1	–	5	120	31	37	8	13	3	8	20	11	289	194	2	1
07	Florence	334	–	–	3	66	16	21	6	8	2	3	10	6	150	98	–	1
08	Balance of county	303	1	–	2	54	15	16	2	5	1	5	10	5	139	96	2	–
09	Lawrence	249	–	–	6	37	9	15	2	4	1	1	5	4	113	88	–	1
10	Lee	507	1	–	4	84	28	20	6	10	3	5	12	6	217	150	4	1
11	Auburn	110	–	–	1	22	8	4	1	3	1	2	3	2	50	30	–	–
12	Opelika	213	1	–	2	30	8	7	3	4	1	2	5	–	108	80	1	1
13	Balance of county	184	–	–	1	32	12	9	2	3	1	1	4	4	59	40	3	–
14	Limestone	388	2	–	2	67	18	20	4	6	3	1	15	9	189	124	–	1
15	Athens	155	1	–	1	25	7	7	4	1	1	–	5	3	75	49	–	1
16	Balance of county	233	1	–	1	42	11	13	–	5	2	1	10	6	114	75	–	–
17	Lowndes	131	–	–	2	15	3	5	2	1	–	1	3	2	44	25	1	–
18	Macon	309	1	–	9	50	14	13	4	3	2	4	10	13	140	92	–	2
19	Tuskegee	146	–	–	7	20	6	6	1	–	1	1	5	8	61	35	–	–
20	Balance of county	163	1	–	2	30	8	7	3	3	1	3	5	5	79	57	–	2
21	Madison	1,235	3	–	6	269	55	77	24	38	10	10	55	20	528	379	6	1
22	Huntsville	912	1	–	5	203	35	63	21	25	8	8	43	15	396	284	6	1
23	Balance of county	323	2	–	1	66	20	14	3	13	2	2	12	5	132	95	–	–
24	Marengo	271	1	1	1	47	10	6	3	10	2	4	12	9	108	67	–	–
25	Marion	328	2	–	2	50	10	15	6	6	3	1	9	4	150	114	1	2
26	Marshall	536	1	–	3	102	14	34	7	12	5	4	26	7	240	174	3	–
27	Mobile	3,091	13	–	28	647	149	190	53	88	18	13	136	55	1,399	1,027	17	24
28	Mobile	1,992	8	–	19	432	103	116	39	59	9	10	96	37	907	671	9	20
29	Prichard	335	1	–	1	58	14	18	2	11	4	1	8	6	146	97	3	1
30	Balance of county	764	4	–	8	157	32	56	12	18	5	2	32	12	346	259	5	3
31	Monroe	237	1	–	–	38	10	6	5	7	1	1	8	11	124	96	–	1
32	Montgomery	1,819	9	1	24	301	81	71	25	27	13	16	68	30	741	471	12	3
33	Montgomery	1,617	9	1	21	265	72	62	24	22	13	16	56	25	665	416	10	3
34	Balance of county	202	–	–	3	36	9	9	1	5	–	–	12	5	76	55	2	–
35	Morgan	686	–	–	5	131	35	31	5	13	4	6	37	12	271	211	5	–
36	Decatur	320	–	–	3	61	13	17	3	6	2	3	17	4	121	96	3	–
37	Balance of county	366	–	–	2	70	22	14	2	7	2	3	20	8	150	115	2	–
38	Perry	162	–	–	2	25	5	3	1	7	–	4	5	4	82	54	–	–
39	Pickens	214	1	–	2	44	8	11	4	5	3	2	11	3	106	69	2	1
40	Pike	269	–	–	1	37	7	10	5	4	1	1	9	4	148	95	–	7
41	Troy	109	–	–	–	21	4	7	2	3	–	1	4	2	56	41	–	7
42	Balance of county	160	–	–	1	16	3	3	3	1	1	–	5	2	92	54	–	–
43	Randolph	230	–	–	–	33	8	4	2	2	3	6	8	2	136	92	–	–
44	Russell	475	–	–	2	72	20	15	3	15	2	1	16	7	252	163	–	2
45	Phenix City	289	–	–	2	49	13	12	2	8	2	–	12	3	155	106	–	1
46	Balance of county	186	–	–	–	23	7	3	1	7	–	1	4	4	97	57	–	1
47	St. Clair	299	1	–	1	55	6	15	3	5	–	4	22	4	122	85	–	–
48	Shelby	408	1	–	1	78	9	28	7	13	3	3	15	2	168	116	–	–
49	Sumter	182	1	–	1	38	4	6	1	5	–	5	17	3	66	47	–	–
50	Talladega	709	2	–	5	128	39	26	12	14	3	1	33	28	303	214	2	–
51	Sylacauga	156	–	–	1	27	6	7	4	3	1	–	6	7	78	58	–	–
52	Talladega	200	1	–	–	28	11	3	3	5	1	–	5	10	86	60	–	–
53	Balance of county	353	1	–	4	73	22	16	5	6	1	1	22	11	139	96	2	–
54	Tallapoosa	425	–	–	4	64	17	12	4	9	–	2	20	12	224	173	1	1
55	Alexander City	156	–	–	1	22	5	6	–	3	–	1	7	5	84	62	–	–
56	Balance of county	269	–	–	3	42	12	6	4	6	–	1	13	7	140	111	1	1
57	Tuscaloosa	971	6	–	7	194	44	52	16	30	8	11	33	20	449	293	4	7
58	Tuscaloosa	530	3	–	6	115	29	26	10	18	5	7	20	9	239	144	2	3
59	Balance of county	441	3	–	1	79	15	26	6	12	3	4	13	11	210	149	2	4
60	Walker	651	3	–	8	109	20	35	7	14	3	9	21	5	271	204	1	3
61	Jasper	143	2	–	1	33	8	6	4	3	–	3	9	1	57	36	1	1
62	Balance of county	508	1	–	7	76	12	29	3	11	3	6	12	4	214	168	–	2
63	Washington	158	–	–	–	24	2	5	4	4	2	–	7	3	78	55	–	1
64	Wilcox	177	1	–	1	30	6	7	5	2	–	3	7	8	47	29	1	1
65	Winston	219	1	–	1	26	3	5	5	2	–	1	10	8	125	111	1	1
66	**Alaska[1]**	1,690	2	–	11	281	65	82	21	29	9	3	72	11	418	311	6	9
67	Urban places	728	1	–	5	132	30	45	9	15	3	1	29	6	183	136	4	1
68	Balance of area	962	1	–	6	149	35	37	12	14	6	2	43	5	235	175	2	8
69	Nonmetropolitan counties	1,690	2	–	11	281	65	82	21	29	9	3	72	11	418	311	6	9
70	Urban places	728	1	–	5	132	30	45	9	15	3	1	29	6	183	136	4	1
71	Balance of area	962	1	–	6	149	35	37	12	14	6	2	43	5	235	175	2	8
72	Dist. 1, Prince of Wales	13	–	–	–	3	–	1	2	–	–	–	–	–	4	4	–	–
73	Dist. 2, Ketchikan	80	–	–	1	10	3	4	1	1	–	–	1	–	30	20	–	2
74	Dist. 3, Wrangell–Petersburg	44	–	–	–	5	1	–	–	2	–	–	2	1	19	15	1	–
75	Dist. 4, Sitka	61	–	–	2	8	1	3	1	–	1	–	2	1	15	10	–	–
76	Dist. 5, Juneau	74	–	–	–	18	3	6	1	1	1	2	4	–	27	19	–	–
77	Dist. 6, Lynn Canal–Icy Straits	22	–	–	–	3	1	–	–	2	–	–	–	–	6	6	–	1
78	Dist. 7, Cordova–McCarthy	20	–	–	–	6	4	–	–	–	–	–	2	–	3	2	–	–
79	Dist. 8, Valdez–Chitina–Whittier	18	–	–	–	3	1	–	–	–	–	–	2	–	2	2	–	–
80	Dist. 9, Palmer–Wasilla–Talkeetna	81	–	–	–	19	4	4	1	3	–	–	7	–	23	16	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
44	8	1	18	2	1	6	–	–	5	2	–	1	1	7	13	1	1	1	–	–	01
65	5	1	19	4	3	3	1	3	3	–	–	1	–	–	18	3	1	3	–	–	02
37	3	–	25	2	4	9	2	–	3	–	–	–	1	4	12	2	4	–	–	–	03
583	85	5	227	29	23	42	22	5	26	20	–	16	17	74	183	76	57	29	22	1	04
61	10	1	25	1	2	8	2	–	1	–	–	–	–	1	7	11	3	2	–	–	05
172	19	1	78	8	8	26	4	1	10	3	–	–	3	67	50	17	17	5	7	1	06
84	13	1	41	4	6	14	3	–	5	3	–	–	1	41	24	7	7	1	2	1	07
88	6	–	37	4	2	12	1	1	5	–	–	–	2	26	26	10	10	4	5	–	08
51	36	1	22	–	2	6	7	–	2	1	1	1	4	10	14	21	10	7	3	2	09
131	14	5	49	–	13	8	5	1	4	6	1	6	9	58	45	15	22	9	6	–	10
25	5	2	14	–	4	1	1	–	–	1	–	–	2	13	7	1	6	2	1	–	11
71	7	2	20	–	6	2	4	1	–	4	–	4	3	19	18	4	4	4	5	–	12
35	2	1	15	–	3	5	–	–	4	1	1	2	4	26	20	10	12	3	–	–	13
68	55	1	53	8	3	9	4	1	2	5	–	3	1	16	37	22	11	5	3	–	14
32	16	1	21	1	3	4	1	1	–	2	–	1	–	10	21	5	1	2	2	–	15
36	39	–	32	7	–	5	3	–	2	3	–	2	1	6	16	17	10	3	1	–	16
19	5	1	13	2	3	5	–	1	–	1	–	–	6	33	8	3	9	–	2	–	17
77	13	–	42	2	4	20	1	–	1	5	–	1	7	21	20	5	6	2	7	–	18
31	4	–	24	–	2	13	–	–	1	3	–	1	3	10	10	2	2	–	5	–	19
46	9	–	18	2	2	7	1	–	–	2	–	–	4	11	10	3	4	2	2	–	20
265	107	3	127	9	10	35	9	2	11	7	–	12	21	91	79	56	47	23	12	4	21
199	78	1	96	7	8	31	7	1	9	6	–	9	12	58	59	34	33	20	10	3	22
66	29	2	31	2	2	4	2	1	2	1	–	3	9	33	20	22	14	3	2	1	23
59	8	1	36	3	1	13	1	1	1	3	1	4	4	35	17	12	9	–	–	3	24
95	16	–	29	4	3	22	4	–	–	1	1	3	6	17	20	17	20	4	4	1	25
149	22	2	51	9	4	23	6	1	6	1	–	–	–	50	45	24	18	4	4	1	26
886	100	11	287	48	26	54	38	5	48	14	1	32	57	86	257	121	109	43	73	11	27
586	56	6	187	27	16	31	29	2	36	11	–	22	35	59	165	58	64	27	43	7	28
84	9	2	39	7	1	3	–	–	4	2	1	5	11	13	30	13	15	4	19	3	29
216	35	3	61	14	9	20	9	3	8	1	–	5	11	14	62	50	30	12	11	1	30
83	12	–	25	2	1	4	1	1	–	2	–	2	–	8	15	18	6	2	4	–	31
396	60	11	199	41	19	38	22	3	31	17	–	6	33	219	161	65	58	15	41	4	32
351	52	10	184	37	18	32	22	2	28	13	–	6	30	201	147	49	46	14	37	4	33
45	8	1	15	4	1	6	–	1	3	4	–	–	3	18	14	16	12	1	4	–	34
146	60	–	49	4	7	20	9	–	4	4	–	3	8	87	56	25	31	7	11	2	35
70	23	–	20	2	3	12	4	–	2	3	–	1	7	49	18	12	13	3	6	1	36
76	37	–	29	2	4	8	5	–	2	1	–	2	1	38	38	13	18	4	5	1	37
36	18	–	24	2	2	6	2	–	–	1	–	–	4	8	7	7	12	1	1	–	38
52	14	1	29	3	4	10	–	–	2	4	–	–	4	13	13	8	2	–	2	–	39
80	8	–	50	1	2	11	1	–	1	2	–	7	1	7	22	10	5	4	6	2	40
30	4	–	14	1	–	5	1	–	–	–	–	3	–	5	10	1	3	1	1	–	41
50	4	–	36	–	2	6	–	–	1	2	–	4	1	2	12	9	2	3	5	2	42
82	10	1	36	3	4	10	3	–	–	–	–	–	1	2	18	8	10	4	2	1	43
141	20	1	76	3	9	12	1	1	9	2	1	3	8	7	51	9	25	3	9	1	44
92	13	1	39	2	7	5	1	1	5	2	–	1	6	4	31	5	11	2	5	1	45
49	7	–	37	1	2	7	–	–	4	–	1	2	2	3	20	4	14	1	4	–	46
55	30	–	29	7	1	12	5	–	7	5	–	–	2	24	21	22	12	3	2	1	47
89	27	2	46	3	1	5	4	1	6	–	–	3	8	27	42	33	15	5	7	2	48
31	16	3	15	1	–	12	2	–	1	2	1	–	2	22	18	4	5	3	1	–	49
191	21	–	85	1	3	26	8	4	4	3	1	8	17	56	40	27	27	5	16	1	50
56	2	–	18	–	2	7	2	–	–	1	–	1	8	9	6	2	5	–	2	–	51
50	10	–	25	–	1	8	2	2	1	1	–	4	5	18	12	7	9	1	5	–	52
85	9	–	42	1	–	11	4	2	3	1	1	3	4	29	22	18	13	4	9	1	53
119	52	–	44	5	2	12	6	1	2	3	–	1	1	19	37	13	17	2	7	–	54
36	26	–	18	3	1	4	3	–	1	–	–	1	1	7	16	4	5	–	2	–	55
83	26	–	26	2	1	8	3	1	1	3	–	–	–	12	21	9	12	2	5	–	56
251	31	5	119	20	12	28	15	1	10	5	–	9	14	35	84	38	29	11	14	2	57
127	12	3	72	14	6	14	3	1	6	3	–	6	12	20	43	17	18	5	8	2	58
124	19	2	47	6	6	14	12	–	4	2	–	3	2	15	41	21	11	6	6	–	59
175	25	2	60	–	5	23	11	1	3	3	–	2	12	92	47	26	24	–	5	6	60
33	1	1	18	–	2	8	2	1	–	–	–	1	2	18	8	1	6	–	–	2	61
142	24	1	42	–	3	15	9	–	3	3	–	1	10	74	39	25	18	–	5	4	62
47	7	–	18	3	2	5	1	–	1	–	–	–	3	9	11	7	10	2	3	1	63
21	6	2	13	–	3	3	–	–	1	2	1	4	4	37	18	4	10	–	6	–	64
71	38	–	13	1	–	13	1	1	1	–	1	–	1	4	13	13	6	4	–	–	65
250	46	1	69	11	26	54	9	4	38	6	1	26	54	60	109	119	339	61	61	26	66
112	19	1	29	4	13	23	5	1	26	4	–	12	22	22	45	64	100	29	32	16	67
138	27	–	40	7	13	31	4	3	12	2	1	14	32	38	64	55	239	32	29	10	68
250	46	1	69	11	26	54	9	4	38	6	1	26	54	60	109	119	339	61	61	26	69
112	19	1	29	4	13	23	5	1	26	4	–	12	22	22	45	64	100	29	32	16	70
138	27	–	40	7	13	31	4	3	12	2	1	14	32	38	64	55	239	32	29	10	71
4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	5	–	–	–	72
15	3	–	8	1	1	–	–	–	4	–	–	2	4	1	7	1	18	2	–	–	73
14	–	–	2	2	–	1	1	–	–	–	–	1	–	1	3	1	7	3	–	1	74
10	–	–	2	1	2	1	–	–	1	1	–	1	4	–	8	3	13	2	–	1	75
17	2	–	5	–	3	–	2	–	1	–	–	1	2	–	5	6	5	2	5	–	76
3	2	–	–	–	–	2	–	–	1	–	–	–	–	1	1	1	7	–	–	–	77
1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	8	–	–	–	78
2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	5	–	–	–	79
14	1	–	6	–	1	2	–	–	1	–	–	1	1	4	6	9	7	5	3	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alaska—Con.																	
01	Dist. 10, Anchorage	608	1	–	4	114	25	40	10	10	3	1	25	3	145	109	3	1
02	Anchorage	550	1	–	4	106	23	38	8	10	3	1	23	2	138	104	3	1
03	Balance of district	58	–	–	–	8	2	2	2	–	–	–	2	1	7	5	–	–
04	Dist. 11, Seward	20	–	–	–	2	–	2	–	–	–	–	–	–	6	6	–	1
05	Dist. 12, Kenai–Cook Inlet	85	–	–	1	18	5	5	–	2	1	–	5	2	21	17	–	–
06	Dist. 13, Kodiak	48	–	–	–	9	2	2	2	1	–	–	2	–	9	7	–	–
07	Dist. 14, Aleutian Islands	16	–	–	–	2	1	1	–	–	–	–	–	–	4	3	–	–
08	Dist. 15, Bristol Bay	26	–	–	–	2	–	1	1	–	–	–	–	–	5	2	–	–
09	Dist. 16, Bethel	47	1	–	–	8	2	2	–	–	1	–	3	–	3	2	–	–
10	Dist. 17, Kuskokwim	20	–	–	–	2	–	–	–	–	–	–	2	–	3	2	–	1
11	Dist. 18, Yukon–Koyukuk	42	–	–	–	3	1	1	–	1	–	–	–	–	8	6	–	–
12	Dist. 19, Fairbanks	212	–	–	1	31	7	8	2	5	1	–	8	4	50	37	1	–
13	Fairbanks	178	–	–	1	26	7	7	1	5	–	–	6	4	45	32	1	–
14	Balance of district	34	–	–	–	5	–	1	1	–	1	–	2	–	5	5	–	–
15	Dist. 20, Upper Yukon	16	–	–	–	1	–	–	–	–	–	–	1	–	5	4	–	–
16	Dist. 21, Barrow	23	–	–	–	3	–	1	–	1	–	–	1	–	6	5	1	–
17	Dist. 22, Kobuk	34	–	–	–	4	3	–	–	–	–	–	1	–	12	8	–	–
18	Dist. 23, Nome	58	–	–	2	5	1	1	–	–	1	–	2	–	10	7	–	1
19	Dist. 24, Wade Hampton	22	–	–	–	2	–	–	–	–	–	–	2	–	2	2	–	1
20	**Arizona**	19,198	45	3	215	3,866	968	975	305	409	182	165	862	284	8,254	6,292	154	55
21	Urban places	12,573	27	3	137	2,640	651	661	225	279	110	113	601	185	5,548	4,223	104	35
22	Balance of area	6,625	18	–	78	1,226	317	314	80	130	72	52	261	99	2,706	2,069	50	20
23	Metropolitan counties	14,357	33	3	149	3,069	773	784	256	302	144	126	684	210	6,326	4,834	119	37
24	Urban places	11,497	24	3	121	2,440	598	617	215	244	106	105	555	165	5,050	3,861	98	30
25	Balance of area	2,860	9	–	28	629	175	167	41	58	38	21	129	45	1,276	973	21	7
26	Nonmetropolitan counties	4,841	12	–	66	797	195	191	49	107	38	39	178	74	1,928	1,458	35	18
27	Urban places	1,076	3	–	16	200	53	44	10	35	4	8	46	20	498	362	6	5
28	Balance of area	3,765	9	–	50	597	142	147	39	72	34	31	132	54	1,430	1,096	29	13
29	Apache	378	2	–	14	29	9	2	2	4	4	1	7	5	69	55	3	1
30	Cochise	545	2	–	3	121	27	32	7	21	4	8	22	10	252	196	3	5
31	Douglas	123	1	–	–	26	10	4	3	5	–	–	4	3	62	48	1	2
32	Balance of county	422	1	–	3	95	17	28	4	16	4	8	18	7	190	148	2	3
33	Coconino	315	1	–	9	51	11	12	5	6	–	5	12	8	84	59	2	–
34	Flagstaff	126	–	–	4	27	6	6	1	4	–	3	7	4	37	28	1	–
35	Balance of county	189	1	–	5	24	5	6	4	2	–	2	5	4	47	31	1	–
36	Gila	344	1	–	5	55	16	16	3	5	5	5	5	1	159	118	1	2
37	Graham	154	–	–	2	24	9	4	1	1	1	1	7	3	49	40	3	–
38	Greenlee	53	–	–	1	9	4	2	1	–	–	–	2	1	20	13	–	–
39	Maricopa	10,640	23	3	92	2,309	584	583	191	227	105	102	517	157	4,620	3,502	86	26
40	Chandler	158	–	–	2	30	5	14	2	2	2	2	3	7	58	50	3	–
41	Glendale	504	2	–	7	107	29	28	7	7	6	1	29	4	214	164	4	–
42	Mesa	1,149	2	1	12	259	74	59	23	25	9	11	58	13	524	409	9	4
43	Phoenix	5,603	11	2	45	1,151	281	293	98	118	48	62	251	86	2,388	1,797	46	12
44	Scottsdale	782	–	–	6	205	49	50	19	21	11	7	48	10	342	248	6	4
45	Tempe	374	1	–	5	95	18	23	12	8	3	3	28	8	135	102	3	2
46	Balance of county	2,070	7	–	15	462	128	116	30	46	26	16	100	29	959	732	15	4
47	Mohave	493	1	–	1	81	13	23	6	7	3	5	24	6	238	195	5	–
48	Navajo	365	1	–	7	39	10	9	1	6	4	1	8	1	98	70	5	–
49	Pima	3,717	10	–	57	760	189	201	65	75	39	24	167	53	1,706	1,332	33	11
50	Tucson	2,927	8	–	44	593	142	150	54	63	27	19	138	37	1,389	1,091	27	8
51	Balance of county	790	2	–	13	167	47	51	11	12	12	5	29	16	317	241	6	3
52	Pinal	699	–	–	8	115	29	29	3	14	6	5	29	18	286	225	4	4
53	Casa Grande	106	–	–	2	16	4	3	1	1	–	–	7	2	48	40	–	1
54	Balance of county	593	–	–	6	99	25	26	2	13	6	5	22	16	238	185	4	3
55	Santa Cruz	118	1	–	1	28	7	6	5	5	–	–	5	1	45	37	–	1
56	Yavapai	733	3	–	8	144	33	29	10	22	8	4	38	5	345	243	4	2
57	Prescott	329	2	–	5	66	18	12	2	12	3	2	17	1	166	112	1	2
58	Balance of county	404	1	–	3	78	15	17	8	10	5	2	21	4	179	131	3	–
59	Yuma	644	–	–	7	101	27	27	5	16	3	4	19	15	283	207	5	3
60	Yuma	392	–	–	5	65	15	19	3	13	1	3	11	10	185	134	3	–
61	Balance of county	252	–	–	2	36	12	8	2	3	2	1	8	5	98	73	2	3
62	**Arkansas**	21,896	37	3	198	4,133	958	1,124	285	536	155	166	909	372	11,032	7,894	81	138
63	Urban places	7,735	15	–	74	1,453	340	394	114	183	55	54	313	136	3,871	2,767	33	66
64	Balance of area	14,161	22	3	124	2,680	618	730	171	353	100	112	596	236	7,161	5,127	48	72
65	Metropolitan counties	5,862	6	1	60	1,170	263	306	91	151	46	51	262	109	2,747	1,980	29	52
66	Urban places	4,336	4	–	43	854	184	229	71	106	36	35	193	80	2,065	1,496	20	42
67	Balance of area	1,526	2	1	17	316	79	77	20	45	10	16	69	29	682	484	9	10
68	Nonmetropolitan counties	16,034	31	2	138	2,963	695	818	194	385	109	115	647	263	8,285	5,914	52	86
69	Urban places	3,399	11	–	31	599	156	165	43	77	19	19	120	56	1,806	1,271	13	24
70	Balance of area	12,635	20	2	107	2,364	539	653	151	308	90	96	527	207	6,479	4,643	39	62
71	Arkansas	295	4	–	3	45	11	12	4	7	1	1	9	3	162	120	–	–
72	Stuttgart	152	3	–	2	23	6	6	2	4	–	–	5	–	73	55	–	–
73	Balance of county	143	1	–	1	22	5	6	2	3	1	1	4	3	89	65	–	–
74	Ashley	223	–	–	5	40	8	11	2	4	–	–	15	3	96	61	–	6
75	Baxter	326	–	–	1	76	12	28	3	14	3	7	9	6	173	114	–	2
76	Benton	636	1	–	4	115	26	29	9	20	4	6	21	10	323	218	1	1
77	Rogers	165	–	–	–	30	7	6	2	5	1	2	7	1	89	52	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
92	13	1	21	1	13	12	3	3	19	3	-	11	19	19	36	59	99	30	27	1	01
88	12	1	20	1	12	11	3	1	18	3	-	10	17	15	33	53	81	28	25	1	02
4	1	-	1	-	1	1	-	2	1	-	-	1	2	4	3	6	18	2	2	-	03
5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	2	6	-	-	-	04
14	3	-	2	1	1	2	-	-	-	-	-	-	4	8	2	7	18	2	-	-	05
7	-	-	1	1	-	3	-	-	-	-	-	2	-	1	4	1	17	2	-	-	06
1	2	-	1	-	-	2	-	-	-	-	-	-	1	1	-	3	3	-	-	-	07
2	-	-	3	-	-	2	-	-	-	-	-	-	1	2	1	-	11	1	-	1	08
1	1	-	1	-	-	5	-	-	1	-	-	-	1	2	6	1	17	1	1	-	09
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	9	1	3	-	10
4	2	-	1	1	-	2	-	-	-	-	-	1	-	1	-	5	14	2	4	2	11
29	7	-	9	3	1	12	2	-	8	1	-	4	6	8	16	14	28	1	8	18	12
24	7	-	9	3	1	12	2	-	8	1	-	2	5	7	12	11	19	1	7	15	13
5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	3	9	-	1	3	14
3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	5	-	3	1	15
3	1	-	1	-	-	-	-	-	-	-	-	-	2	3	1	1	3	-	3	1	16
5	3	-	3	-	1	2	-	-	-	-	-	-	-	4	1	1	5	4	1	-	17
3	3	-	2	-	1	3	-	1	1	1	-	-	6	2	4	1	17	3	2	-	18
-	1	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	12	-	1	-	19
5,565	518	38	1,408	269	247	586	332	59	386	89	5	167	258	315	1,937	953	691	459	253	41	20
3,778	306	27	954	186	158	376	241	42	228	50	2	105	168	137	1,279	524	393	306	158	24	21
1,787	212	11	454	83	89	210	91	17	158	39	3	62	90	178	658	429	298	153	95	17	22
4,355	323	27	1,075	206	184	424	276	47	249	63	2	114	176	158	1,491	611	423	337	173	23	23
3,485	248	22	858	170	139	345	229	40	199	47	2	96	153	125	1,181	481	351	280	145	20	24
870	75	5	217	36	45	79	47	7	50	16	-	18	23	33	310	130	72	57	28	3	25
1,210	195	11	333	63	63	162	56	12	137	26	3	53	82	157	446	342	268	122	80	18	26
293	58	5	96	16	19	31	12	2	29	3	-	9	15	12	98	43	42	26	13	4	27
917	137	6	237	47	44	131	44	10	108	23	3	44	67	145	348	299	226	96	67	14	28
30	21	-	10	-	4	18	2	-	10	6	-	4	9	53	46	49	42	6	9	5	29
160	28	2	38	8	8	15	5	-	11	3	-	4	13	14	40	23	16	6	7	-	30
35	10	2	9	2	1	5	-	-	4	-	-	-	3	4	9	-	4	1	1	-	31
125	18	-	29	6	7	10	5	-	7	3	-	4	10	10	31	23	12	5	6	-	32
42	15	-	22	1	2	12	3	1	16	1	2	5	8	7	26	40	21	9	8	3	33
17	10	-	8	-	1	6	2	1	5	1	-	1	4	1	12	6	7	6	2	-	34
25	5	-	14	1	1	6	1	-	11	-	2	4	4	6	14	34	14	3	6	3	35
101	14	2	29	5	5	10	3	1	13	1	-	4	4	4	33	19	16	9	5	1	36
31	6	-	7	1	1	12	1	-	3	2	-	1	4	8	22	12	5	4	1	1	37
12	1	-	5	2	-	6	-	-	2	-	-	-	-	2	1	4	4	3	-	-	38
3,172	218	22	822	135	139	301	215	40	176	45	1	83	149	122	1,094	454	345	268	131	12	39
44	3	-	4	3	1	2	5	1	3	-	-	3	3	2	18	18	3	2	1	-	40
154	6	-	35	7	8	17	13	2	6	2	-	5	11	8	50	27	15	9	5	-	41
371	25	1	80	24	10	27	20	3	18	11	-	9	18	8	123	46	29	21	4	1	42
1,634	105	14	444	60	73	173	126	24	102	22	1	46	93	74	567	231	203	158	92	8	43
223	15	4	69	10	11	23	11	5	9	1	-	4	5	4	81	26	24	22	4	-	44
90	7	1	24	4	4	6	5	-	10	-	-	6	3	5	36	22	18	13	5	1	45
656	57	2	166	27	32	53	35	5	28	9	-	10	16	21	219	84	53	43	20	2	46
179	11	1	28	4	10	15	5	2	11	3	-	5	3	7	52	27	13	14	8	1	47
52	13	-	19	8	1	15	3	1	17	6	1	4	12	18	40	46	33	10	12	1	48
1,183	105	5	253	71	45	123	61	7	73	18	1	31	27	36	397	157	78	69	42	11	49
969	87	2	202	62	32	97	49	5	51	11	1	23	20	24	306	111	59	55	34	10	50
214	18	3	51	9	13	26	12	2	22	7	-	8	7	12	91	46	19	14	8	1	51
185	32	2	44	8	7	18	15	4	22	3	-	7	8	19	47	51	38	26	13	1	52
31	8	1	6	1	-	3	2	-	1	1	-	1	1	2	9	7	6	3	1	1	53
154	24	1	38	7	7	15	13	4	21	2	-	6	7	17	38	44	32	23	12	-	54
34	2	-	6	1	1	-	-	-	2	-	-	2	2	1	12	8	8	2	4	1	55
218	19	1	73	17	11	24	12	1	14	1	-	8	8	5	72	26	34	17	5	1	56
102	7	-	39	8	7	9	4	-	7	1	-	-	2	1	31	10	14	8	2	-	57
116	12	1	34	9	4	15	8	1	7	-	-	8	6	4	41	16	20	9	3	1	58
166	33	3	52	8	13	17	7	2	16	-	-	9	11	19	55	37	38	16	8	3	59
108	23	2	34	5	10	8	4	1	12	-	-	7	5	4	37	20	11	8	7	3	60
58	10	1	18	3	3	9	3	1	4	-	-	2	6	15	18	17	27	8	1	-	61
6,311	1,364	61	2,475	319	283	688	224	34	164	125	1	131	238	945	1,768	616	698	228	211	50	62
2,193	475	26	858	108	112	195	94	11	87	55	-	64	105	286	668	183	243	77	98	20	63
4,118	889	35	1,617	211	171	493	130	23	77	70	1	67	133	659	1,100	433	455	151	113	30	64
1,508	391	15	592	82	78	145	64	10	71	43	-	52	94	273	490	161	199	63	89	15	65
1,140	294	11	442	58	58	103	53	8	59	35	-	42	77	164	380	107	145	45	61	11	66
368	97	4	150	24	20	42	11	2	12	8	-	10	17	109	110	54	54	18	28	4	67
4,803	973	46	1,883	237	205	543	160	24	93	82	1	79	144	672	1,278	455	499	165	122	35	68
1,053	181	15	416	50	54	92	41	3	28	20	-	22	28	122	288	76	98	32	37	9	69
3,750	792	31	1,467	187	151	451	119	21	65	62	1	57	116	550	990	379	401	133	85	26	70
108	12	1	32	5	4	8	-	1	1	3	-	2	-	26	20	7	6	2	2	-	71
48	7	-	17	-	1	4	-	-	-	2	-	1	-	16	15	4	5	2	2	-	72
60	5	1	15	5	3	4	-	1	1	1	-	1	-	10	5	3	1	-	-	-	73
48	7	-	34	1	-	7	5	-	4	2	-	1	1	23	14	5	4	2	11	-	74
95	17	-	47	5	7	9	1	-	1	1	-	1	-	7	26	8	11	4	1	-	75
184	32	3	80	11	11	14	3	3	5	1	-	2	6	46	48	20	18	11	2	4	76
47	5	-	26	8	3	2	1	-	1	-	-	-	2	11	19	1	4	2	1	1	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
	Benton—Con.																	
01	Springdale, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
02	Balance of county	469	1	–	4	85	19	23	7	15	3	4	14	9	232	164	1	1
03	Boone	302	1	–	3	68	18	12	7	8	2	1	20	11	135	88	–	2
04	Bradley	169	–	–	1	26	5	5	2	8	2	–	4	1	104	68	–	1
05	Calhoun	56	–	–	2	11	3	1	2	–	1	–	4	–	24	18	1	–
06	Carroll	188	–	–	–	40	7	9	3	9	2	3	7	6	96	68	1	–
07	Chicot	217	–	–	1	39	12	9	3	5	–	–	10	4	94	71	1	1
08	Clark	257	1	–	–	28	4	5	3	4	2	1	9	5	140	102	–	2
09	Clay	240	1	–	1	47	10	13	2	6	–	4	12	3	128	95	–	–
10	Cleburne	172	1	–	2	26	4	4	2	3	1	1	11	3	90	76	–	–
11	Cleveland	83	–	–	–	22	5	8	2	3	2	–	2	–	39	28	–	1
12	Columbia	319	1	–	1	51	12	13	4	8	1	3	10	8	175	104	1	2
13	Magnolia	114	1	–	–	14	3	5	2	2	–	1	1	3	65	33	–	–
14	Balance of county	205	–	–	1	37	9	8	2	6	1	2	9	5	110	71	1	2
15	Conway	175	–	–	2	37	13	9	2	3	2	–	8	2	96	79	–	1
16	Craighead	515	2	–	1	123	30	32	7	11	6	6	31	7	240	161	2	1
17	Jonesboro	284	2	–	–	65	18	15	6	6	2	3	15	1	133	86	1	1
18	Balance of county	231	–	–	1	58	12	17	1	5	4	3	16	6	107	75	1	–
19	Crawford	290	–	–	4	59	13	15	5	11	2	1	12	7	104	71	3	–
20	Crittenden	435	–	1	4	63	17	18	4	9	3	3	9	5	197	139	1	2
21	West Memphis	213	–	–	–	32	6	12	4	4	1	1	4	4	88	64	–	2
22	Balance of county	222	–	1	4	31	11	6	–	5	2	2	5	1	109	75	1	–
23	Cross	192	–	–	2	25	5	8	1	6	1	2	2	3	80	45	–	–
24	Dallas	148	–	1	–	23	6	4	2	5	2	1	3	1	73	52	1	–
25	Desha	213	–	–	1	42	12	14	2	3	2	1	8	8	100	64	–	1
26	Drew	158	–	–	–	20	5	3	2	3	1	1	5	7	76	60	1	1
27	Faulkner	299	1	–	4	62	16	15	3	10	6	3	9	3	135	100	–	3
28	Conway	110	1	–	2	19	5	5	1	3	3	–	2	1	58	44	–	–
29	Balance of county	189	–	–	2	43	11	10	2	7	3	3	7	2	77	56	–	3
30	Franklin	140	–	–	1	23	6	6	1	3	2	1	4	1	77	68	–	–
31	Fulton	117	1	–	–	20	5	6	1	3	1	–	4	5	60	39	1	2
32	Garland	926	4	1	11	190	47	54	15	16	7	5	46	12	477	360	1	14
33	Hot Springs	701	3	–	5	134	35	37	10	12	3	5	32	10	380	282	1	12
34	Balance of county	225	1	1	6	56	12	17	5	4	4	–	14	2	97	78	–	2
35	Grant	116	–	–	1	26	6	9	2	3	–	–	6	–	59	37	2	–
36	Greene	318	1	–	–	61	19	20	4	7	1	1	9	4	182	147	2	–
37	Paragould	181	1	–	–	37	8	14	4	5	1	–	5	2	110	84	2	–
38	Balance of county	137	–	–	–	24	11	6	–	2	–	1	4	2	72	63	–	–
39	Hempstead	255	1	–	2	51	13	8	6	9	1	2	12	3	132	95	–	1
40	Hot Spring	263	–	–	–	49	10	18	4	8	–	2	7	4	158	98	1	3
41	Howard	170	–	–	3	36	10	7	2	7	–	1	9	3	92	66	2	1
42	Independence	295	1	–	2	48	9	15	3	2	3	3	13	3	173	138	–	–
43	Izard	128	1	–	2	20	4	4	3	4	–	2	3	–	80	51	–	3
44	Jackson	219	–	–	3	46	14	15	1	5	1	2	8	4	117	95	2	1
45	Jefferson	844	2	–	8	159	36	41	9	25	4	6	38	11	438	307	3	12
46	Pine Bluff	633	1	–	6	120	26	34	5	17	2	5	31	10	330	230	3	8
47	Balance of county	211	1	–	2	39	10	7	4	8	2	1	7	1	108	77	–	4
48	Johnson	198	1	–	–	40	6	10	2	6	1	2	13	2	113	83	–	–
49	Lafayette	92	–	–	1	24	5	8	2	3	2	1	3	1	33	22	1	1
50	Lawrence	200	–	–	2	44	9	8	4	5	5	2	11	4	100	81	1	–
51	Lee	171	–	–	–	45	8	8	3	9	2	3	12	10	80	50	–	–
52	Lincoln	129	1	–	–	23	3	6	2	5	–	–	7	4	73	52	1	–
53	Little River	122	1	–	2	26	5	8	3	4	–	1	5	3	58	47	2	–
54	Logan	225	1	–	3	39	8	15	1	3	1	–	11	3	115	80	–	1
55	Lonoke	297	–	–	2	51	12	15	4	5	1	5	9	6	155	108	1	–
56	Madison	111	–	–	1	23	3	8	4	1	–	2	5	3	56	39	–	–
57	Marion	119	1	–	1	16	3	5	1	1	1	1	4	–	71	47	2	3
58	Miller	366	1	–	5	75	17	21	8	8	1	4	16	7	170	121	–	15
59	Texarkana[2]	255	–	–	3	58	13	17	7	7	–	2	12	5	122	91	–	11
60	Balance of county	111	1	–	2	17	4	4	1	1	1	2	4	2	48	30	–	4
61	Mississippi	588	–	–	11	100	26	26	6	10	4	6	22	6	293	202	2	2
62	Blytheville	241	–	–	7	32	9	8	3	3	2	2	5	5	119	82	1	1
63	Balance of county	347	–	–	4	68	17	18	3	7	2	4	17	1	174	120	1	1
64	Monroe	181	–	–	3	28	11	7	3	3	1	–	3	2	96	61	–	–
65	Montgomery	95	–	–	–	17	5	6	–	2	–	–	4	2	52	34	–	1
66	Nevada	164	–	–	2	40	6	13	–	9	1	2	9	2	90	73	–	–
67	Newton	65	–	–	1	8	2	1	–	2	1	–	2	2	32	24	1	–
68	Ouachita	352	–	–	4	59	13	19	3	7	–	3	14	4	160	117	1	2
69	Camden	187	–	–	–	35	8	11	2	5	–	–	9	3	83	60	–	1
70	Balance of county	165	–	–	4	24	5	8	1	2	–	3	5	1	77	57	1	1
71	Perry	86	–	–	–	15	7	3	–	1	–	–	4	1	54	35	–	1
72	Phillips	434	–	–	10	62	10	22	5	9	1	1	14	7	248	170	1	4
73	Helena	163	–	–	4	21	3	7	3	2	1	–	5	3	91	64	1	2
74	West Helena	106	–	–	2	17	5	6	–	2	–	–	4	1	65	45	–	1
75	Balance of county	165	–	–	4	24	2	9	2	5	–	1	5	3	92	61	–	1
76	Pike	107	–	–	1	21	9	5	1	3	–	–	3	3	60	51	1	1
77	Poinsett	263	2	–	3	47	11	14	1	4	5	–	12	4	129	93	–	2
78	Polk	205	–	–	1	33	7	14	3	1	2	1	5	1	124	100	–	6
79	Pope	324	–	–	–	51	13	14	2	1	1	4	16	5	183	122	2	–
80	Russellville	148	–	–	–	24	7	4	1	1	1	2	8	2	85	53	1	–
81	Balance of county	176	–	–	–	27	6	10	1	–	–	2	8	3	98	69	1	–
82	Prairie	123	1	–	1	22	6	9	2	3	–	–	2	4	57	38	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
136	26	3	54	3	8	12	2	3	4	1	–	2	4	35	29	19	14	9	1	3	02
78	8	2	36	4	5	17	4	–	3	2	–	–	3	1	36	6	6	5	1	–	03
57	10	1	29	6	–	3	1	–	–	1	–	–	1	2	14	5	4	3	2	1	04
13	4	–	6	–	–	1	1	1	–	1	–	–	1	7	6	–	–	–	–	1	05
60	7	1	17	6	4	9	4	–	1	–	–	–	–	6	14	7	4	–	1	–	06
67	2	2	17	2	2	1	2	1	3	1	–	–	3	33	8	6	14	–	7	–	07
83	17	–	35	3	–	6	1	–	2	1	–	2	3	30	12	9	9	4	1	3	08
86	9	1	31	–	1	14	6	–	–	2	–	–	1	5	15	10	5	2	–	–	09
59	17	–	9	1	4	6	1	–	2	1	–	1	1	12	12	4	7	3	–	–	10
24	3	–	8	1	2	1	–	1	–	1	–	–	–	5	7	2	1	2	1	1	11
83	18	–	68	2	1	6	2	–	2	3	–	–	2	10	25	17	9	3	3	1	12
30	3	–	31	–	1	2	1	–	2	2	–	–	2	3	5	9	2	1	1	1	13
53	15	–	37	2	–	4	1	–	–	1	–	–	–	7	20	8	7	2	2	–	14
66	12	–	14	2	1	3	1	–	1	1	–	3	1	8	9	4	3	4	–	–	15
137	21	–	69	2	8	9	10	–	2	3	–	1	1	8	62	16	19	9	1	1	16
74	10	–	40	1	6	3	7	–	1	1	–	1	1	6	34	8	13	6	1	1	17
63	11	–	29	1	2	6	3	–	1	2	–	–	–	2	28	8	6	3	–	–	18
55	13	–	25	2	6	7	2	–	1	1	–	1	6	54	16	7	10	5	5	1	19
85	51	2	48	1	7	7	4	1	7	2	–	4	10	42	36	17	19	6	9	1	20
44	18	1	19	–	4	3	3	–	6	1	–	3	5	26	15	9	8	4	5	1	21
41	33	1	29	1	3	4	1	1	1	1	–	1	5	16	21	8	11	2	4	–	22
38	7	–	29	3	3	11	5	–	1	1	–	1	3	20	11	10	8	5	6	–	23
39	12	2	16	3	–	13	1	1	2	5	–	–	–	11	9	2	2	1	2	1	24
54	9	–	26	8	2	4	4	–	1	2	–	1	3	8	19	3	10	3	3	1	25
46	12	1	15	–	–	9	4	–	–	3	–	2	3	8	12	2	9	1	2	–	26
86	11	–	30	4	1	8	4	–	2	1	–	2	5	21	24	12	8	5	1	1	27
40	4	–	11	2	1	3	–	–	–	–	–	1	–	7	11	3	1	1	1	1	28
46	7	–	19	2	–	5	4	–	2	1	–	1	5	14	13	9	7	4	–	–	29
55	13	–	9	–	–	2	3	–	1	–	–	1	4	8	10	3	6	–	–	–	30
27	9	–	16	4	1	4	1	2	1	–	–	1	–	1	12	2	5	2	–	–	31
271	74	2	86	14	15	29	18	3	13	4	–	6	1	9	86	17	24	12	6	3	32
210	59	2	73	10	13	24	14	2	12	4	–	3	1	5	68	11	13	7	3	2	33
61	15	–	13	4	2	5	4	1	1	–	–	3	–	4	18	6	11	5	3	1	34
30	5	–	20	1	1	7	2	–	–	–	–	2	2	4	6	2	3	1	–	1	35
131	14	–	26	6	3	9	4	1	1	–	–	1	7	2	24	9	8	3	1	–	36
75	7	–	18	5	3	5	4	–	–	–	–	–	1	1	9	3	5	2	1	–	37
56	7	–	8	1	–	4	–	1	1	–	–	1	6	1	15	6	3	1	–	–	38
86	8	–	31	2	4	9	2	–	1	2	–	2	5	7	23	6	7	2	–	–	39
74	20	1	47	9	3	12	1	–	2	2	–	1	1	8	14	4	6	–	1	–	40
52	11	1	21	2	2	6	1	–	–	2	–	–	1	4	13	3	6	–	–	–	41
113	25	2	25	3	5	16	2	–	–	1	–	1	1	8	21	15	2	–	1	–	42
39	9	1	20	5	3	4	1	–	1	–	–	–	1	–	7	4	5	2	–	–	43
81	11	–	19	–	3	8	1	–	–	1	–	1	–	5	18	7	5	2	–	1	44
251	41	3	102	15	11	27	2	1	6	9	–	8	10	13	71	23	27	10	16	3	45
185	34	2	81	8	9	21	1	1	6	9	–	6	9	6	55	15	18	8	10	1	46
66	7	1	21	7	2	6	1	–	–	–	–	2	1	7	16	8	9	2	6	2	47
61	22	–	24	2	4	2	2	–	–	1	–	–	3	2	18	4	5	3	2	–	48
15	5	1	7	2	1	7	1	–	–	–	–	–	–	8	9	3	2	–	1	2	49
61	19	–	15	2	2	9	3	–	–	2	–	1	–	2	24	5	2	2	–	–	50
42	8	1	26	2	1	4	1	–	1	–	1	1	1	5	7	3	8	3	1	–	51
45	6	1	17	2	1	5	2	–	–	–	–	1	2	2	4	6	4	–	2	–	52
41	4	–	9	–	2	7	1	–	–	–	–	–	3	5	6	5	2	1	2	–	53
55	24	–	27	2	6	6	1	–	1	–	–	–	1	15	16	7	15	1	1	–	54
84	23	1	42	1	3	13	1	–	1	1	–	1	–	17	19	15	10	3	2	–	55
34	5	1	3	11	2	3	1	2	–	–	–	–	–	1	10	2	8	1	–	–	56
32	10	–	21	1	2	4	–	–	–	–	–	–	–	9	12	2	3	–	–	–	57
75	31	2	35	9	3	12	3	1	9	–	–	3	4	4	34	22	8	3	5	–	58
54	26	1	23	5	2	7	2	1	5	–	–	2	3	2	25	11	5	1	3	–	59
21	5	1	12	4	1	5	1	–	4	–	–	1	1	2	9	11	3	2	2	–	60
175	23	2	80	4	5	16	4	1	3	2	–	6	10	35	46	18	19	8	9	1	61
73	7	2	32	–	3	5	2	–	2	2	–	3	5	18	19	6	10	2	3	1	62
102	16	–	48	4	2	11	2	1	1	–	–	3	5	17	27	12	9	6	6	–	63
54	7	1	25	6	3	7	–	–	1	–	–	–	4	2	17	8	6	2	5	–	64
28	5	–	15	1	2	4	2	–	1	–	–	–	–	2	6	4	4	1	–	–	65
54	19	–	14	1	2	3	–	–	–	1	–	–	4	1	11	7	1	2	–	–	66
17	6	–	7	1	–	1	2	1	–	–	–	–	1	1	10	5	1	–	–	–	67
86	28	1	33	5	4	9	5	1	1	–	–	2	5	40	31	11	9	5	2	4	68
45	14	1	17	3	2	6	4	–	–	–	–	2	–	23	21	4	2	2	1	1	69
41	14	–	16	2	2	3	1	1	1	–	–	–	5	17	10	7	7	3	1	3	70
26	8	–	15	1	3	5	–	–	–	–	–	1	–	–	6	1	3	–	–	–	71
143	22	9	61	4	4	15	4	–	1	3	–	2	5	16	26	9	18	1	7	–	72
50	11	3	22	2	–	7	1	–	1	1	–	1	4	8	7	2	7	–	5	–	73
39	5	4	13	–	3	3	–	–	–	1	–	–	–	2	7	2	5	–	1	–	74
54	6	2	26	2	1	5	3	–	–	1	–	1	1	6	12	5	6	1	1	–	75
31	18	–	8	1	–	3	–	–	1	–	–	–	1	1	10	1	3	2	–	–	76
66	25	1	25	5	5	13	4	–	2	–	–	1	–	8	20	11	12	4	2	1	77
84	10	–	18	6	–	8	2	–	1	–	–	3	1	2	18	2	6	1	–	2	78
104	16	1	47	7	6	9	3	–	2	3	–	2	2	8	24	6	18	6	2	–	79
45	7	1	26	3	2	5	1	–	1	2	–	2	1	4	8	3	8	2	–	–	80
59	9	–	21	4	4	4	2	–	1	1	–	–	1	4	16	3	10	4	2	–	81
25	12	–	15	2	2	3	–	–	–	3	–	–	–	15	9	3	3	1	–	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
01	Pulaski	2,727	2	–	30	550	121	139	47	61	24	23	135	56	1,282	910	16	19
02	Jacksonville	121	–	–	3	18	1	6	1	2	1	1	6	1	53	39	–	–
03	Little Rock	1,540	2	–	16	301	70	74	27	29	15	13	73	34	738	536	6	15
04	North Little Rock	739	–	–	9	156	28	39	14	25	5	5	40	11	348	237	7	3
05	Balance of county	327	–	–	2	75	22	20	5	5	3	4	16	10	143	98	3	1
06	Randolph	169	–	–	4	33	8	11	2	3	–	–	9	3	85	64	–	1
07	St. Francis	325	–	–	5	48	7	17	1	8	1	3	11	8	163	116	1	3
08	Saline	153	–	–	4	24	5	9	–	5	1	1	3	5	83	64	–	2
09	Balance of county	172	–	–	1	24	2	8	1	3	–	2	8	3	80	52	1	1
10	Saline	354	1	–	3	71	18	16	5	14	2	2	14	9	183	145	1	3
11	Benton	186	1	–	1	32	11	7	2	5	2	–	5	3	95	76	–	2
12	Balance of county	168	–	–	2	39	7	9	3	9	–	2	9	6	88	69	1	1
13	Scott	92	–	–	–	15	4	7	1	2	–	–	1	1	59	47	–	–
14	Searcy	68	–	–	–	10	1	3	1	1	–	1	3	1	26	19	–	–
15	Sebastian	846	–	–	6	193	41	56	13	23	10	12	38	14	373	287	5	1
16	Fort Smith	649	–	–	5	137	29	40	11	17	10	8	22	12	291	223	4	1
17	Balance of county	197	–	–	1	56	12	16	2	6	–	4	16	2	82	64	1	–
18	Sevier	143	–	–	–	22	2	5	1	5	–	1	8	1	87	74	–	–
19	Sharp	150	–	–	–	37	10	15	1	2	2	1	6	3	80	63	2	–
20	Stone	83	–	–	2	17	2	7	–	1	1	1	5	–	43	35	–	–
21	Union	520	1	–	5	97	29	21	7	12	4	2	22	8	289	193	3	3
22	El Dorado	281	–	–	1	55	17	13	3	6	1	2	13	8	154	104	2	2
23	Balance of county	239	1	–	4	42	12	8	4	6	3	–	9	–	135	89	1	1
24	Van Buren	139	–	–	1	32	9	10	3	6	2	–	2	1	69	44	–	–
25	Washington	728	–	–	4	125	29	38	7	21	6	4	20	18	377	275	8	2
26	Fayetteville	214	–	–	3	35	8	9	2	9	3	–	4	6	113	80	3	–
27	Springdale, part	197	–	–	1	34	12	10	2	7	–	1	2	5	103	81	1	2
28	Springdale, total	199	–	–	1	34	12	10	2	7	–	1	2	5	105	83	1	2
29	Balance of county	317	–	–	–	56	9	19	3	5	3	3	14	7	161	114	4	–
30	White	480	–	–	5	86	18	19	8	13	4	6	18	4	199	132	1	3
31	Woodruff	164	–	–	1	30	9	8	1	3	1	–	8	2	79	61	–	–
32	Yell	192	–	–	3	41	12	7	–	4	2	2	14	1	111	76	–	–
33	**California**	176,069	217	14	1,135	38,286	9,958	9,769	3,437	4,382	1,687	1,459	7,594	2,391	83,942	62,208	1,559	932
34	Urban places	142,797	189	11	914	30,846	8,135	7,787	2,822	3,503	1,367	1,161	6,071	1,952	68,857	51,075	1,251	752
35	Balance of area	33,272	28	3	221	7,440	1,823	1,982	615	879	320	298	1,523	439	15,085	11,133	308	180
36	Metropolitan counties	160,213	196	12	1,037	34,880	9,127	8,816	3,181	3,969	1,542	1,322	6,923	2,172	76,689	56,928	1,411	850
37	Urban places	137,187	178	11	882	29,675	7,847	7,457	2,734	3,363	1,313	1,114	5,847	1,875	66,248	49,211	1,198	727
38	Balance of area	23,026	18	1	155	5,205	1,280	1,359	447	606	229	208	1,076	297	10,441	7,717	213	123
39	Nonmetropolitan counties	15,856	21	2	98	3,406	831	953	256	413	145	137	671	219	7,253	5,280	148	82
40	Urban places	5,610	11	–	32	1,171	288	330	88	140	54	47	224	77	2,609	1,864	53	25
41	Balance of area	10,246	10	2	66	2,235	543	623	168	273	91	90	447	142	4,644	3,416	95	57
42	Alameda	8,925	7	3	58	2,028	537	509	187	232	105	57	401	104	4,271	3,147	78	65
43	Alameda	579	–	–	2	125	30	43	9	13	5	3	22	1	308	215	8	4
44	Albany	151	–	–	2	33	12	8	5	2	–	1	5	1	74	57	–	1
45	Berkeley	771	–	1	6	164	49	28	14	20	8	9	36	9	393	275	6	5
46	Fremont	573	–	–	3	136	33	35	18	15	7	3	25	9	262	192	7	–
47	Hayward	907	1	–	9	207	61	51	22	22	7	6	38	12	433	340	6	4
48	Livermore	296	–	–	3	84	21	23	11	8	6	1	14	6	124	95	1	3
49	Newark	133	–	–	2	31	10	4	2	3	2	1	9	3	51	40	–	–
50	Oakland	3,596	4	2	20	813	216	197	65	114	41	19	161	41	1,691	1,250	35	36
51	Piedmont	103	1	–	1	27	10	6	2	1	2	1	5	2	48	27	1	1
52	Pleasanton	155	–	–	1	37	10	10	5	2	1	1	8	1	74	52	1	1
53	San Leandro	868	1	–	5	181	50	47	14	15	12	7	36	10	454	340	10	1
54	Union City	125	–	–	2	30	9	6	4	2	–	1	8	2	45	27	–	–
55	Balance of county	668	–	–	2	160	26	51	16	15	14	4	34	7	314	237	3	9
56	Alpine	9	–	–	–	2	–	–	–	1	–	–	1	–	4	3	–	–
57	Amador	181	–	–	1	44	11	13	3	7	3	2	5	3	85	56	2	–
58	Butte	1,336	1	–	7	275	57	82	29	39	10	13	45	14	654	466	7	6
59	Chico	405	1	–	2	76	21	16	10	16	2	1	10	5	202	146	6	1
60	Balance of county	931	–	–	5	199	36	66	19	23	8	12	35	9	452	320	1	5
61	Calaveras	180	–	–	–	45	11	13	8	3	4	–	6	5	90	73	1	–
62	Colusa	140	–	–	2	37	9	13	3	3	1	1	7	2	60	47	–	–
63	Contra Costa	4,258	4	2	32	1,031	266	269	97	116	35	47	201	62	1,887	1,375	32	29
64	Antioch	246	–	–	1	57	12	16	5	7	2	3	12	2	109	89	1	1
65	Concord	555	–	–	3	130	38	37	13	10	6	4	22	4	241	183	4	3
66	El Cerrito	223	–	–	–	68	20	16	8	5	2	4	13	–	100	74	3	–
67	Lafayette	156	–	–	2	49	16	11	7	4	–	2	9	–	68	45	–	–
68	Martinez	219	–	–	3	49	13	12	6	7	–	2	9	2	96	75	–	1
69	Pinole	57	–	–	–	18	6	5	–	1	1	–	5	–	22	16	–	–
70	Pittsburg	257	1	–	5	58	16	15	2	4	3	2	16	11	101	76	–	3
71	Pleasant Hill	156	1	–	–	35	10	7	2	4	1	5	6	2	72	51	–	–
72	Richmond	712	1	–	4	175	41	52	22	15	6	3	36	17	302	218	9	8
73	San Pablo	265	–	–	3	57	8	24	1	8	2	2	12	3	127	90	1	5
74	Walnut Creek	654	–	2	4	148	43	31	12	27	5	5	25	11	331	210	8	5
75	Balance of county	758	1	–	7	187	43	43	19	24	7	15	36	10	318	248	6	3
76	Del Norte	159	–	–	1	29	10	8	2	2	1	2	4	5	70	53	–	1
77	El Dorado	508	–	–	–	116	22	32	6	18	9	1	28	4	220	157	7	–
78	South Lake Tahoe	84	–	–	–	20	3	6	1	3	1	1	5	1	30	19	–	–
79	Balance of county	424	–	–	–	96	19	26	5	15	8	–	23	3	190	138	7	–
80	Fresno	3,726	3	–	22	766	197	192	72	97	38	29	141	49	1,736	1,273	37	25
81	Clovis	202	–	–	1	50	11	16	8	2	2	3	8	1	88	72	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
679	196	7	285	42	38	70	34	5	37	26	–	30	51	72	248	56	90	30	49	9	01
30	9	–	9	1	4	6	–	–	2	2	–	2	4	2	12	5	8	2	1	–	02
404	111	7	157	25	13	39	24	2	19	12	–	21	27	41	139	25	50	17	27	6	03
168	59	–	84	10	17	15	7	3	12	7	–	5	17	18	69	19	22	7	12	2	04
77	17	–	35	6	4	10	3	–	4	5	–	2	3	11	28	7	10	4	9	1	05
60	3	–	18	2	1	3	1	–	2	–	–	3	1	4	20	1	7	1	1	–	06
82	30	–	37	6	4	13	2	–	3	1	–	–	8	18	18	17	13	2	6	–	07
49	13	–	13	3	3	4	1	–	2	–	–	–	2	7	5	6	5	1	4	–	08
33	17	–	24	3	1	9	1	–	1	1	–	–	6	11	13	11	8	1	2	–	09
125	16	1	26	8	3	12	8	–	4	2	–	2	3	5	20	9	15	6	1	–	10
69	5	–	12	6	1	4	7	–	3	2	–	–	3	2	14	4	10	4	1	–	11
56	11	1	14	2	2	8	1	–	1	–	–	2	–	3	6	5	5	2	–	–	12
36	11	–	8	2	2	1	–	–	–	1	–	–	–	5	4	2	3	1	–	–	13
8	11	–	7	–	–	2	–	–	–	–	–	1	–	11	13	2	2	–	–	–	14
238	43	–	71	5	10	10	11	2	7	3	–	4	10	83	65	27	30	3	4	1	15
186	32	–	57	3	8	8	9	1	6	2	–	3	9	67	51	19	24	2	2	1	16
52	11	–	14	2	2	2	2	1	1	1	–	1	1	16	14	8	6	1	2	–	17
56	18	1	9	2	1	7	1	1	–	–	–	1	–	–	11	3	9	–	–	–	18
48	13	–	10	3	4	2	3	–	–	–	–	1	4	2	9	5	1	2	1	–	19
27	8	–	8	–	–	5	1	–	–	–	–	–	2	1	5	3	3	1	–	–	20
167	20	1	79	7	9	13	1	–	3	9	–	6	6	6	41	9	13	1	12	–	21
90	10	–	43	3	4	7	–	–	2	5	–	5	4	3	17	4	7	1	8	–	22
77	10	1	36	4	5	6	1	–	1	4	–	1	2	3	24	5	6	–	4	–	23
39	5	–	21	2	2	9	–	2	–	1	–	1	3	–	8	6	5	–	–	1	24
223	42	3	65	20	14	27	7	1	8	–	–	8	7	11	75	19	27	7	5	2	25
64	13	–	21	6	6	7	4	1	2	–	–	–	2	5	19	5	6	3	3	–	26
73	5	2	13	4	3	5	1	–	2	–	–	3	3	3	24	5	5	–	2	1	27
74	6	2	13	4	3	5	1	–	2	–	–	3	3	3	24	5	5	–	2	1	28
86	24	1	31	10	5	15	2	–	4	–	–	5	2	3	32	9	16	4	–	1	29
111	17	–	57	3	7	27	6	1	5	5	–	2	6	57	41	17	8	8	2	1	30
43	18	–	14	3	1	9	1	–	–	–	–	–	1	6	24	1	9	1	–	–	31
70	6	–	28	3	4	4	2	–	3	1	–	–	2	1	13	5	3	1	1	–	32
56,370	3,347	438	16,188	2,523	2,585	4,990	2,428	651	4,240	598	33	1,368	1,846	1,201	14,932	5,754	5,400	3,627	2,667	349	33
46,465	2,607	354	13,331	2,045	2,052	3,977	1,906	537	3,574	507	26	1,105	1,576	949	11,989	4,153	4,210	2,921	2,312	286	34
9,905	740	84	2,857	478	533	1,013	522	114	666	91	7	263	270	252	2,943	1,601	1,190	706	355	63	35
51,716	2,951	403	14,764	2,285	2,309	4,436	2,166	588	3,940	558	29	1,262	1,743	1,046	13,514	4,951	4,809	3,332	2,517	336	36
44,814	2,472	344	12,790	1,957	1,946	3,773	1,831	516	3,458	495	23	1,065	1,529	901	11,477	3,877	4,015	2,826	2,254	278	37
6,902	479	59	1,974	328	363	663	335	72	482	63	6	197	214	145	2,037	1,074	794	506	263	58	38
4,654	396	35	1,424	238	276	554	262	63	300	40	4	106	103	155	1,418	803	591	295	150	13	39
1,651	135	10	541	88	106	204	75	21	116	12	3	40	47	48	512	276	195	95	58	8	40
3,003	261	25	883	150	170	350	187	42	184	28	1	66	56	107	906	527	396	200	92	5	41
2,826	178	22	848	137	117	250	120	32	221	20	–	45	76	75	797	193	289	201	102	33	42
186	17	1	77	9	6	17	6	–	11	1	–	5	5	7	45	10	23	8	3	2	43
53	3	–	12	4	1	3	2	1	2	–	–	–	1	1	14	6	8	2	–	1	44
252	12	1	88	16	13	28	11	3	19	1	–	2	7	3	65	13	23	12	8	3	45
173	12	–	60	2	8	15	7	2	9	–	–	5	13	4	39	28	14	19	4	4	46
317	13	2	69	9	13	32	13	3	23	1	–	3	7	9	81	25	16	23	7	2	47
84	7	1	19	6	3	7	3	–	5	3	–	2	5	–	18	14	13	7	1	1	48
39	1	–	11	–	–	5	1	–	6	–	–	1	–	4	10	6	9	3	1	–	49
1,101	78	11	331	53	46	101	49	17	107	9	–	16	31	35	338	44	129	71	61	17	50
24	1	–	18	1	2	1	2	1	1	–	–	–	–	–	11	–	2	4	2	–	51
46	4	–	15	7	–	4	–	1	4	–	–	2	–	1	9	8	4	9	–	–	52
312	17	2	87	17	8	13	10	3	23	5	–	2	3	4	90	14	13	31	6	–	53
25	2	2	10	3	3	1	2	–	2	–	–	2	2	2	21	5	5	1	2	1	54
214	11	2	51	10	14	23	14	1	9	–	–	5	2	5	56	20	30	11	7	2	55
3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	56
50	4	1	20	3	5	7	–	1	4	–	–	–	–	1	19	9	5	2	–	–	57
423	30	4	140	20	24	60	38	–	22	6	–	8	2	8	124	41	37	26	13	–	58
129	10	–	41	5	10	20	2	–	12	–	–	4	1	3	33	19	10	9	6	–	59
294	20	4	99	15	14	40	36	–	10	6	–	4	1	5	91	22	27	17	7	–	60
72	–	2	9	–	6	3	1	1	1	–	–	1	–	2	16	8	3	2	2	–	61
43	4	1	7	2	3	10	–	–	3	1	–	–	–	1	13	5	3	1	2	–	62
1,233	81	9	364	64	75	131	74	11	111	18	–	24	40	23	387	126	161	86	45	3	63
83	4	–	12	6	2	9	5	–	5	2	–	3	3	3	25	8	8	5	1	–	64
165	11	–	37	10	11	21	15	2	18	–	–	6	6	5	40	21	26	13	2	2	65
68	3	–	18	5	3	5	4	2	7	1	–	1	1	–	19	7	7	1	–	–	66
43	2	2	16	2	3	4	2	–	7	1	–	–	–	–	17	–	3	2	1	–	67
68	6	1	16	2	2	7	2	1	6	–	–	–	1	–	34	3	10	4	1	–	68
15	1	–	5	–	1	1	–	–	2	–	–	–	–	1	4	–	2	5	2	–	69
71	2	–	20	3	2	4	2	–	4	4	–	2	2	4	23	14	15	1	5	1	70
48	3	–	17	3	1	7	4	–	6	–	–	–	–	1	14	5	6	3	–	–	71
185	16	2	57	10	15	13	12	–	17	3	–	6	14	3	73	24	19	13	16	–	72
78	6	1	24	6	6	7	11	1	3	1	–	1	2	1	25	5	6	7	5	–	73
187	10	1	98	8	14	27	9	3	16	4	–	–	5	1	49	9	19	15	1	–	74
222	17	2	44	9	15	26	8	2	20	2	–	5	6	4	64	30	40	17	11	–	75
44	8	–	13	2	2	4	–	–	5	–	–	1	–	11	11	10	8	2	2	–	76
136	14	1	43	8	11	16	15	2	12	3	–	2	5	6	42	30	21	9	4	1	77
17	2	–	8	1	2	3	2	–	4	–	–	1	–	1	9	6	3	1	2	1	78
119	12	1	35	7	9	13	13	2	8	3	–	1	5	5	33	24	18	8	2	–	79
1,136	75	17	321	66	59	83	54	15	65	16	–	35	51	23	330	184	134	78	73	9	80
62	7	–	13	2	1	3	3	1	2	–	–	3	5	1	19	11	4	8	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Fresno—Con.																	
01	Fresno	2,512	3	–	15	514	120	123	53	76	29	16	97	32	1,200	858	24	18
02	Sanger	145	–	–	2	28	5	11	2	2	2	3	3	2	64	44	–	–
03	Balance of county	867	–	–	4	174	61	42	9	17	5	7	33	14	384	299	11	6
04	Glenn	207	–	–	4	67	16	23	3	4	3	2	16	–	90	71	–	1
05	Humboldt	850	1	–	3	184	42	54	19	23	7	7	32	11	409	313	7	7
06	Eureka	381	–	–	2	85	19	25	10	7	5	4	15	3	187	138	1	5
07	Balance of county	469	1	–	1	99	23	29	9	16	2	3	17	8	222	175	6	2
08	Imperial	629	4	–	9	121	30	34	8	18	6	4	21	11	252	185	7	4
09	Brawley	129	1	–	1	24	6	9	2	1	–	1	5	4	52	32	1	1
10	Calexico	70	2	–	–	13	5	3	1	2	–	–	2	1	26	16	–	–
11	El Centro	173	1	–	4	34	8	12	1	2	4	1	6	2	76	62	1	–
12	Balance of county	257	–	–	4	50	11	10	4	13	2	2	8	4	98	75	5	3
13	Inyo	199	2	–	1	48	9	18	3	7	1	1	9	1	94	68	2	–
14	Kern	3,052	7	2	31	566	129	156	44	69	24	19	125	46	1,374	1,084	17	21
15	Bakersfield	1,760	5	1	19	335	85	91	30	41	13	9	66	27	783	622	10	13
16	Delano	124	–	–	–	19	4	3	2	4	1	1	4	–	54	37	–	–
17	Balance of county	1,168	2	1	12	212	40	62	12	24	10	9	55	19	537	425	7	8
18	Kings	506	–	–	6	99	18	34	3	9	6	1	28	21	222	142	5	3
19	Hanford	256	–	–	2	49	9	15	1	5	3	1	15	9	125	83	4	3
20	Balance of county	250	–	–	4	50	9	19	2	4	3	–	13	12	97	59	1	–
21	Lake	474	–	–	1	105	32	22	10	9	6	4	22	2	233	169	6	14
22	Lassen	165	–	–	–	39	9	10	1	8	2	2	7	1	67	52	1	–
23	Los Angeles	59,374	79	2	357	12,466	3,329	3,146	1,188	1,388	539	450	2,426	902	29,703	22,499	475	342
24	Alhambra	794	1	–	5	153	46	26	15	16	7	9	34	14	462	346	11	5
25	Arcadia	518	1	–	2	124	34	29	15	13	1	3	29	7	301	225	3	1
26	Artesia	107	–	–	1	21	5	8	2	4	–	–	2	1	53	43	1	–
27	Azusa	268	–	–	–	61	17	17	6	5	5	3	8	4	124	95	7	1
28	Baldwin Park	330	–	–	2	74	20	15	5	4	6	1	23	6	139	109	2	–
29	Bell	208	–	–	–	42	9	12	6	3	2	1	9	3	109	85	–	2
30	Bellflower	455	–	–	1	94	24	27	5	11	4	2	21	–	241	189	6	4
31	Bell Gardens	223	–	–	2	40	10	10	7	–	2	2	9	4	91	80	2	2
32	Beverly Hills	393	1	–	1	96	26	11	16	10	7	5	21	2	217	164	1	3
33	Burbank	848	–	–	1	202	59	49	15	24	8	5	42	11	449	332	8	3
34	Carson	383	–	–	8	93	27	28	5	8	5	4	16	7	156	119	2	1
35	Cerritos	135	–	–	2	36	7	5	2	3	4	3	12	2	56	45	2	–
36	Claremont	203	–	–	1	33	10	6	4	4	2	1	6	1	117	75	2	–
37	Commerce	49	–	–	2	9	2	2	1	–	–	–	4	1	19	16	–	–
38	Compton	654	–	–	7	123	30	39	14	13	2	4	21	12	236	186	4	4
39	Covina	413	–	–	3	99	26	29	6	10	4	4	20	5	224	179	3	1
40	Cudahy	102	1	–	1	13	2	3	4	1	1	–	2	1	46	39	1	–
41	Culver City	353	–	–	2	78	26	19	6	4	8	3	12	8	164	121	4	–
42	Downey	698	–	–	2	147	37	30	15	17	11	5	32	7	382	287	3	6
43	Duarte	171	1	–	1	35	9	14	3	3	1	1	4	3	95	76	–	–
44	El Monte	560	–	–	–	96	31	22	8	9	5	8	13	13	276	227	4	2
45	El Segundo	102	–	–	–	27	5	9	5	2	2	–	4	1	45	35	1	1
46	Gardena	552	2	–	3	104	28	36	7	6	4	6	17	9	269	193	4	1
47	Glendale	1,502	2	–	12	300	76	61	33	43	19	8	60	16	850	620	13	8
48	Glendora	309	–	–	3	83	25	20	9	7	7	4	11	2	156	118	–	1
49	Hawthorne	406	2	–	3	92	24	28	11	15	2	–	12	7	206	152	5	3
50	Hermosa Beach	101	–	–	–	20	4	6	3	2	–	1	4	3	44	32	1	2
51	Huntington Park	467	1	–	3	86	16	28	7	11	1	2	21	4	252	197	3	3
52	Inglewood	831	1	–	6	153	39	41	22	14	10	3	24	16	431	328	5	3
53	Lakewood	509	–	–	2	121	25	39	7	14	4	5	27	8	261	216	7	2
54	La Mirada	174	1	–	2	44	11	14	6	2	1	1	9	2	72	56	1	–
55	La Puente	335	–	–	4	69	18	13	4	6	3	3	22	8	148	117	2	2
56	La Verne	175	–	–	–	44	11	12	4	7	–	1	9	3	94	73	2	1
57	Lawndale	163	–	–	–	28	4	12	–	2	2	–	8	2	77	63	4	–
58	Lomita	183	–	1	–	34	10	7	3	5	3	2	4	2	100	66	2	1
59	Long Beach	4,181	3	–	24	844	201	247	69	88	42	23	174	49	2,195	1,624	26	12
60	Los Angeles	27,031	44	1	170	5,672	1,585	1,362	555	674	220	204	1,072	445	13,186	10,023	204	179
61	Lynwood	341	1	–	4	53	10	11	6	11	3	1	11	6	182	147	2	2
62	Manhattan Beach	157	–	–	–	31	5	8	4	1	3	1	9	1	87	67	2	1
63	Maywood	154	–	–	–	27	9	4	1	3	4	2	4	1	73	55	1	–
64	Monrovia	304	–	–	–	59	13	21	3	9	1	2	10	5	160	119	3	4
65	Montebello	365	1	–	2	75	17	15	9	10	3	4	17	3	183	147	2	3
66	Monterey Park	323	1	–	2	75	20	27	10	4	1	1	12	7	155	123	2	–
67	Norwalk	517	–	–	5	109	26	34	9	10	5	4	21	12	243	200	6	3
68	Palos Verdes Estates	72	–	–	–	23	8	4	2	3	–	–	6	–	35	27	–	–
69	Paramount	239	–	–	1	44	12	14	2	7	3	1	5	2	101	79	–	2
70	Pasadena	1,381	3	–	9	253	64	49	27	33	11	18	51	22	795	557	17	11
71	Pico Rivera	301	1	–	2	66	20	18	3	10	4	2	9	8	152	114	4	–
72	Pomona	805	1	–	4	148	50	35	14	11	4	3	31	12	397	293	7	3
73	Redondo Beach	435	1	–	1	100	25	26	9	10	5	5	20	7	218	158	8	3
74	Rosemead	323	2	–	–	74	19	18	–	14	5	1	17	5	154	125	3	3
75	San Dimas	132	–	–	1	28	6	8	2	1	2	4	5	–	71	53	3	–
76	San Fernando	194	–	–	3	30	13	8	1	2	1	2	3	1	95	74	1	–
77	San Gabriel	453	–	–	1	80	23	25	6	10	6	3	7	5	257	186	5	4
78	San Marino	95	–	–	–	26	8	7	3	2	1	–	5	–	47	26	–	1
79	Santa Fe Springs	60	–	–	–	9	3	2	–	–	–	–	4	1	36	32	2	–
80	Santa Monica	1,066	–	–	2	247	64	52	24	36	10	10	51	16	591	442	10	10
81	Sierra Madre	97	–	–	1	16	5	5	1	3	1	1	–	1	59	41	–	–
82	South El Monte	77	–	–	2	21	6	5	1	1	3	2	3	1	33	24	1	–
83	South Gate	559	–	–	5	115	22	45	6	9	4	6	23	4	292	228	4	6
84	South Pasadena	218	2	–	1	64	16	10	10	13	–	2	13	1	116	85	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
768	48	10	235	55	42	62	38	9	45	13	-	21	30	17	214	91	87	59	56	6	01
43	1	-	15	3	2	4	6	-	3	2	-	1	3	-	15	7	4	1	3	-	02
263	19	7	58	6	14	14	7	5	15	1	-	10	13	5	82	75	39	10	12	3	03
65	5	-	13	4	2	4	-	2	3	-	-	1	2	1	12	8	8	3	2	-	04
279	20	2	76	8	10	20	10	5	7	4	-	9	2	12	78	46	22	18	6	3	05
126	6	2	38	3	6	6	6	3	5	2	-	6	1	7	31	19	5	9	3	1	06
153	14	-	38	5	4	14	4	2	2	2	-	3	1	5	47	27	17	9	3	2	07
154	20	1	50	7	9	25	11	2	19	1	-	5	4	9	68	34	36	10	8	-	08
28	2	1	14	3	2	4	-	-	5	-	-	1	1	-	16	6	10	2	2	-	09
15	1	-	7	-	3	4	-	-	4	-	-	-	1	2	10	5	2	-	-	-	10
52	9	-	11	1	2	8	5	1	5	-	-	1	1	3	17	8	6	-	1	-	11
59	8	-	18	3	2	9	6	1	5	1	-	3	1	4	25	15	18	8	5	-	12
64	2	-	17	5	4	6	5	1	5	-	-	1	3	1	9	11	5	2	4	-	13
980	66	7	205	43	35	88	51	12	71	12	-	31	51	18	295	158	113	69	56	1	14
560	39	4	116	25	16	59	29	5	43	7	-	13	29	9	179	68	70	36	42	1	15
35	2	-	12	1	4	6	1	1	1	1	-	1	5	1	14	10	7	-	3	-	16
385	25	3	77	17	15	23	21	6	27	4	-	17	17	8	102	80	36	33	11	-	17
123	11	-	52	15	13	10	4	-	14	-	-	6	9	-	43	39	20	6	6	1	18
70	6	-	27	9	6	6	2	-	4	-	-	1	5	-	25	13	7	4	3	1	19
53	5	-	25	6	7	4	2	-	10	-	-	5	4	-	18	26	13	2	3	-	20
139	10	1	45	5	13	11	15	2	13	1	-	-	1	2	43	19	11	14	1	-	21
50	1	-	13	-	2	7	5	-	1	1	-	-	1	2	12	16	6	4	2	1	22
20,756	926	156	5,514	788	746	1,437	723	207	1,527	230	16	478	783	358	4,429	1,568	1,530	1,167	1,323	89	23
314	16	1	99	6	10	22	8	3	14	-	-	6	4	4	53	11	21	8	5	-	24
216	5	2	58	8	8	6	10	2	4	-	-	-	3	5	28	7	5	11	2	-	25
41	1	1	3	1	5	4	3	2	2	-	-	-	-	1	13	2	2	1	1	-	26
80	7	-	21	4	4	1	2	-	8	2	-	6	9	2	18	12	10	2	6	1	27
103	4	-	15	12	3	7	5	1	10	3	-	2	10	6	24	15	7	10	9	-	28
80	3	-	17	4	3	2	2	2	5	1	-	5	4	-	16	3	6	2	6	-	29
172	7	2	41	6	3	10	9	1	11	1	-	2	1	2	47	12	6	12	5	-	30
72	4	1	8	2	-	7	2	1	10	-	-	-	10	6	14	20	7	4	5	-	31
153	7	-	44	5	4	9	4	1	3	2	-	3	1	1	27	3	13	6	2	1	32
310	11	3	83	17	14	17	19	-	21	1	-	2	5	1	51	27	19	13	7	2	33
111	5	-	27	6	4	11	4	3	8	1	-	4	10	3	31	13	11	13	7	-	34
42	1	1	8	-	2	4	1	1	2	-	1	2	3	1	9	5	4	4	2	-	35
73	-	2	31	5	4	5	-	-	1	-	-	2	1	-	19	11	3	7	1	1	36
15	1	-	3	-	-	1	-	-	1	-	-	1	1	1	4	2	3	2	2	-	37
164	14	2	39	5	4	16	4	2	16	6	-	7	31	10	70	33	18	5	58	-	38
169	6	-	31	8	6	5	7	1	8	2	1	6	3	-	26	10	7	6	-	-	39
38	-	-	5	-	2	2	-	1	3	-	-	3	3	4	4	7	7	1	4	1	40
109	8	1	33	3	6	6	7	-	15	1	-	3	1	2	32	11	5	11	6	1	41
269	9	2	73	8	12	14	7	6	13	-	-	8	10	1	56	10	11	15	9	-	42
73	3	-	13	2	4	2	5	1	2	-	-	3	2	2	8	2	2	4	3	-	43
215	6	-	39	4	6	13	8	4	19	4	1	8	11	3	46	18	18	12	9	1	44
32	1	-	9	-	1	2	-	-	4	-	-	-	3	-	4	3	6	6	1	-	45
182	6	3	55	10	8	7	11	4	19	4	-	6	10	2	44	20	14	10	13	1	46
581	18	2	174	30	24	37	15	7	28	3	1	6	7	3	111	31	24	34	12	3	47
113	4	2	27	4	5	7	5	-	4	4	-	1	4	2	17	9	6	4	2	-	48
140	4	2	43	4	5	9	7	2	11	-	-	1	2	3	31	11	6	7	5	1	49
28	1	-	10	2	-	2	2	-	6	1	-	-	-	-	11	4	3	3	1	1	50
185	6	4	43	1	7	11	6	1	10	1	-	5	14	3	39	8	6	8	8	1	51
298	20	3	73	13	14	21	11	3	19	1	-	4	16	4	57	22	21	15	29	1	52
198	9	1	31	4	9	6	10	1	8	-	-	5	1	3	46	12	11	10	4	-	53
54	1	1	12	1	2	5	5	1	4	-	-	5	2	2	15	5	3	4	-	2	54
107	6	1	22	3	5	6	3	1	10	1	-	2	6	2	28	17	16	5	9	-	55
70	-	1	19	1	-	6	3	-	2	3	-	1	-	1	11	2	-	2	2	1	56
58	1	1	12	1	-	4	4	-	4	1	-	1	1	1	15	13	5	1	6	-	57
63	-	1	19	13	1	3	3	-	5	-	-	1	2	-	15	7	5	4	1	-	58
1,534	52	11	426	77	57	129	63	7	94	15	2	26	34	26	342	89	90	83	58	8	59
9,185	455	64	2,450	312	337	672	294	99	753	109	8	222	384	179	2,012	640	767	556	781	37	60
135	8	-	25	7	3	8	2	1	10	1	-	2	10	-	20	10	10	5	14	2	61
63	1	-	18	1	1	4	-	-	7	-	-	2	-	-	7	6	7	3	2	-	62
50	4	2	14	1	1	4	2	-	6	-	-	3	5	-	10	5	6	6	6	-	63
107	5	1	32	3	5	-	9	-	19	1	-	3	3	6	21	6	4	3	4	1	64
136	6	-	30	2	4	7	2	-	17	-	-	3	4	1	41	9	3	4	9	1	65
115	6	-	28	3	1	6	2	3	9	2	-	2	-	2	35	7	5	7	2	1	66
185	6	1	30	5	7	10	4	2	13	1	-	6	10	6	38	17	19	14	7	1	67
26	1	-	6	1	1	-	3	1	-	1	-	-	-	-	3	-	4	2	-	-	68
72	5	1	15	2	4	10	-	1	11	3	-	2	8	2	23	13	6	5	7	-	69
503	26	3	186	32	17	35	18	11	22	13	-	11	11	4	91	23	23	15	22	-	70
109	1	-	26	7	5	5	4	1	9	-	-	3	3	1	18	12	5	2	8	1	71
276	7	3	85	4	12	18	9	1	21	2	-	12	24	7	63	26	24	14	20	2	72
138	9	1	43	14	2	6	2	1	12	1	-	4	7	3	25	16	12	11	7	1	73
112	7	-	24	1	4	12	6	1	16	-	-	2	3	1	25	5	9	5	3	-	74
49	1	1	13	2	2	2	-	-	3	1	-	-	2	-	17	1	2	3	1	-	75
71	2	-	16	2	3	7	3	3	8	-	-	6	2	-	20	3	7	2	4	-	76
171	6	2	59	5	5	15	10	3	8	4	-	2	3	4	36	6	5	10	3	1	77
25	-	-	18	2	1	4	1	-	2	-	-	-	1	-	7	2	5	-	-	-	78
29	1	-	3	-	1	1	-	-	-	1	-	1	-	-	4	3	-	1	3	-	79
410	12	1	112	24	12	25	7	1	16	3	-	6	5	2	63	15	30	22	15	-	80
40	1	-	17	-	1	3	1	-	2	-	-	-	-	1	6	3	-	4	-	-	81
22	1	1	8	-	-	-	-	-	-	-	-	-	1	-	7	6	2	1	3	-	82
203	15	3	54	3	4	17	5	3	16	2	-	5	6	2	43	9	9	11	14	1	83
83	1	3	21	4	3	1	5	-	6	-	-	2	-	-	13	3	-	3	1	-	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Los Angeles—Con.																	
01	Temple City	269	–	–	2	65	14	18	4	9	2	2	16	2	144	103	1	–
02	Torrance	1,088	1	–	6	241	51	70	30	16	10	9	55	18	551	386	12	10
03	West Covina	404	–	–	3	100	27	35	7	7	4	3	17	2	175	139	–	2
04	Whittier	1,098	1	–	7	235	75	61	17	18	10	11	43	21	569	448	10	7
05	Balance of county	2,961	3	–	17	662	159	175	72	65	28	23	140	49	1,389	1,070	22	11
06	Madera	502	–	–	5	91	22	27	7	10	2	3	20	12	242	186	3	2
07	Madera	315	–	–	3	57	12	17	7	6	1	3	11	6	145	109	3	1
08	Balance of county	187	–	–	2	34	10	10	–	4	1	–	9	6	97	77	–	1
09	Marin	1,500	–	–	11	371	96	94	40	37	18	17	69	16	666	461	18	4
10	Larkspur	52	–	–	1	16	4	4	2	1	2	1	2	–	24	12	1	–
11	Mill Valley	176	–	–	–	39	9	9	4	4	2	1	10	3	79	60	2	1
12	Novato	241	–	–	3	66	18	19	6	6	4	4	9	5	108	76	3	–
13	San Anselmo	105	–	–	–	32	7	6	3	5	2	2	7	2	43	32	2	–
14	San Rafael	480	–	–	4	105	27	29	14	10	4	3	18	4	210	143	3	1
15	Balance of county	446	–	–	3	113	31	27	11	11	4	6	23	2	202	138	7	2
16	Mariposa	111	–	–	2	22	5	7	1	3	1	1	4	2	52	36	–	–
17	Mendocino	533	–	–	6	110	29	28	9	5	3	9	27	6	229	172	9	4
18	Ukiah	186	–	–	1	38	10	12	3	1	1	4	7	1	85	62	2	–
19	Balance of county	347	–	–	5	72	19	16	6	4	2	5	20	5	144	110	7	4
20	Merced	868	1	–	5	198	47	50	12	34	7	13	35	16	373	277	7	3
21	Atwater	96	–	–	–	22	2	5	1	7	–	–	7	1	45	28	2	–
22	Merced	340	–	–	2	83	22	22	4	15	1	5	14	6	138	102	3	1
23	Balance of county	432	1	–	3	93	23	23	7	12	6	8	14	9	190	147	2	2
24	Modoc	88	–	–	1	17	4	4	–	2	–	–	7	3	34	26	–	–
25	Mono	47	–	–	–	13	6	5	1	–	–	–	1	–	10	7	–	–
26	Monterey	1,875	4	–	16	420	90	121	33	39	19	17	101	26	820	576	19	2
27	Monterey	214	–	–	1	40	8	11	2	3	3	3	10	3	111	80	4	–
28	Pacific Grove	175	–	–	1	33	9	7	2	4	3	1	7	3	96	62	–	1
29	Salinas	684	3	–	5	154	29	50	9	17	5	8	36	11	299	205	6	2
30	Seaside	142	–	–	2	28	7	10	4	3	–	–	4	–	59	44	2	–
31	Balance of county	660	1	–	7	165	37	43	16	12	8	5	44	9	255	185	7	–
32	Napa	854	–	–	8	178	52	37	16	21	9	6	37	16	404	294	5	4
33	Napa	584	–	–	3	126	36	30	12	13	5	4	26	8	275	197	2	1
34	Balance of county	270	–	–	5	52	16	7	4	8	4	2	11	8	129	97	3	3
35	Nevada	438	–	–	3	102	20	25	11	13	2	4	27	5	190	151	6	4
36	Orange	10,958	12	–	52	2,622	661	650	275	298	113	103	522	123	5,229	3,952	106	37
37	Anaheim	1,273	–	–	9	313	93	73	36	35	17	13	46	14	553	423	11	6
38	Brea	129	1	–	–	29	9	6	5	3	–	1	5	1	67	44	3	–
39	Buena Park	311	–	–	1	83	19	27	6	9	3	4	15	2	145	118	4	–
40	Costa Mesa	526	1	–	3	135	34	41	20	5	3	5	27	4	244	185	7	6
41	Cypress	173	–	–	2	46	8	9	12	4	1	2	10	3	77	59	4	1
42	Fountain Valley	183	–	–	–	44	10	8	4	4	1	3	14	1	83	68	3	1
43	Fullerton	547	1	–	5	121	33	30	10	15	5	6	22	10	264	189	11	2
44	Garden Grove	787	–	–	3	193	42	62	12	20	7	8	42	16	355	286	4	2
45	Huntington Beach	762	1	–	4	187	47	42	20	20	8	8	42	7	367	275	6	1
46	Laguna Beach	209	–	–	1	51	13	9	7	5	4	2	11	1	97	74	2	–
47	La Habra	275	1	–	2	70	19	15	7	10	2	3	14	6	120	84	1	–
48	Los Alamitos	115	1	–	–	35	7	10	4	6	1	1	6	1	46	33	–	–
49	Newport Beach	472	–	–	2	112	22	31	14	13	3	3	26	6	253	194	4	3
50	Orange	587	1	–	–	125	33	33	17	11	6	3	22	6	297	214	2	–
51	Placentia	134	2	–	–	35	19	3	4	2	1	3	3	4	62	50	–	–
52	San Clemente	209	–	–	–	58	10	10	9	8	2	4	15	1	97	75	5	–
53	Santa Ana	1,340	3	–	5	266	67	75	17	29	13	13	52	15	622	474	12	6
54	Seal Beach	489	–	–	2	92	24	14	5	20	6	4	19	1	302	221	10	2
55	Stanton	141	–	–	–	24	5	11	1	1	1	2	3	1	78	60	2	1
56	Tustin	261	–	–	2	69	15	17	10	8	3	1	15	1	118	93	1	–
57	Westminster	377	–	–	3	98	20	31	14	6	4	1	22	9	165	130	2	1
58	Yorba Linda	109	–	–	–	30	9	2	4	4	2	1	8	1	46	37	–	–
59	Balance of county	1,549	–	–	8	406	103	91	37	60	20	12	83	12	771	566	12	5
60	Placer	862	–	–	6	201	38	57	17	24	13	7	45	9	417	307	5	4
61	Roseville	252	–	–	1	49	8	16	4	3	3	2	13	2	122	92	2	2
62	Balance of county	610	–	–	5	152	30	41	13	21	10	5	32	7	295	215	3	2
63	Plumas	145	1	–	–	35	12	10	2	1	3	2	5	–	50	40	1	–
64	Riverside	6,014	17	–	26	1,288	353	317	93	158	44	60	263	59	2,941	2,108	59	38
65	Banning	224	1	–	–	50	12	10	1	5	6	5	11	2	113	79	6	1
66	Corona	270	–	–	–	64	17	15	2	13	2	6	9	3	125	98	3	3
67	Hemet	899	3	–	5	199	54	47	13	26	8	3	48	6	507	335	8	3
68	Indio	205	1	–	2	35	6	9	2	4	–	5	9	2	89	72	2	4
69	Norco	68	–	–	–	13	4	5	–	2	1	–	1	–	27	22	2	1
70	Palm Springs	443	2	–	–	105	25	27	9	7	7	6	24	3	205	147	4	–
71	Riverside	1,448	3	–	7	295	86	68	27	42	6	13	53	17	694	503	12	7
72	Balance of county	2,457	7	–	12	527	149	136	39	59	14	22	108	26	1,181	852	22	19
73	Sacramento	5,706	6	–	63	1,232	312	314	101	134	58	53	260	61	2,642	2,002	65	38
74	Sacramento	4,083	5	–	43	867	229	219	67	97	41	33	181	49	1,934	1,458	44	29
75	Balance of county	1,623	1	–	20	365	83	95	34	37	17	20	79	12	708	544	21	9
76	San Benito	180	–	–	–	36	4	10	3	5	–	1	13	2	87	53	2	1
77	San Bernardino	6,450	7	1	46	1,313	351	333	93	172	61	54	249	92	3,005	2,181	51	54
78	Barstow	169	–	–	–	34	9	8	1	6	2	1	7	3	72	58	2	5
79	Chino	221	–	–	2	39	12	8	1	6	1	3	8	–	101	73	–	2
80	Colton	215	–	1	3	46	11	11	5	8	4	1	6	7	99	72	–	1
81	Fontana	485	–	–	3	97	29	28	9	9	3	3	16	8	219	155	6	5
82	Montclair	131	–	–	1	21	4	6	2	5	–	–	4	2	62	40	–	2
83	Ontario	588	3	–	4	118	30	32	9	17	8	2	20	6	269	187	4	5
84	Redlands	351	1	–	3	55	18	11	5	5	1	3	12	5	190	133	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
99	3	2	31	6	2	10	5	2	4	–	–	–	–	1	13	8	5	7	1	–	01
355	9	1	129	23	12	34	9	6	24	5	1	3	12	3	75	34	30	21	12	2	02
133	4	1	25	3	7	11	5	1	13	6	–	3	2	2	37	13	17	7	6	1	03
401	30	6	90	13	12	21	26	2	22	6	–	13	15	8	59	44	18	18	11	2	04
991	46	8	240	36	35	70	34	5	74	10	1	23	37	16	215	136	95	60	57	8	05
167	14	1	39	7	9	18	5	3	9	1	–	3	5	2	38	34	20	9	5	–	06
96	9	–	24	5	7	16	2	2	6	1	–	2	4	1	21	29	11	4	5	–	07
71	5	1	15	2	2	2	3	1	3	–	–	1	1	1	17	5	9	5	–	–	08
404	35	3	152	32	18	40	15	6	40	2	–	9	14	10	140	35	51	51	12	11	09
10	1	–	7	3	2	1	1	–	2	–	–	–	–	–	3	1	2	–	1	–	10
52	5	–	13	3	3	7	2	2	2	–	–	–	2	3	23	1	4	4	2	3	11
64	9	–	22	8	2	6	1	–	5	–	–	4	6	4	13	5	7	5	2	1	12
29	1	–	9	2	–	3	1	–	1	1	–	–	1	–	9	–	3	6	–	3	13
133	6	2	49	11	5	15	6	2	14	1	–	2	2	1	50	18	20	20	5	1	14
116	13	1	52	5	6	8	4	2	16	–	–	3	3	2	42	10	15	16	2	3	15
32	4	–	11	2	3	3	1	1	3	–	–	–	1	1	4	8	4	4	1	2	16
150	9	–	43	6	8	21	12	3	12	–	1	1	2	4	47	40	27	11	1	–	17
56	4	–	19	2	2	7	4	2	4	–	1	–	1	–	16	14	8	4	–	–	18
94	5	–	24	4	6	14	8	1	8	–	–	1	1	4	31	26	19	7	1	–	19
251	16	4	68	8	16	23	16	7	19	3	–	7	8	5	68	53	33	15	16	2	20
23	3	–	14	–	3	2	3	1	1	–	–	1	1	1	7	7	1	2	1	–	21
95	3	3	24	4	5	7	7	1	9	1	–	3	3	2	36	12	13	7	8	2	22
133	10	1	30	4	8	14	6	5	9	2	–	3	4	2	25	34	19	6	7	–	23
24	2	2	6	–	–	2	2	–	1	1	–	1	1	2	9	4	5	5	–	–	24
6	1	–	2	1	–	–	–	–	2	–	–	1	–	–	6	3	11	1	–	–	25
508	46	4	184	25	31	57	27	6	39	4	–	22	25	16	164	90	83	38	16	2	26
69	7	–	21	4	6	6	3	–	2	–	–	3	2	1	24	6	7	2	2	1	27
58	3	–	21	9	4	6	1	1	1	–	–	–	1	–	18	4	8	2	–	–	28
182	15	2	78	6	8	18	18	3	21	1	–	8	10	2	59	32	22	12	6	–	29
40	2	1	10	1	3	3	1	–	2	2	–	2	–	4	12	13	4	4	6	–	30
159	19	1	54	5	10	24	4	2	13	1	–	9	12	9	51	35	42	18	2	1	31
272	13	1	87	10	12	27	11	3	23	3	–	10	3	4	93	26	23	16	4	2	32
186	8	–	61	8	9	19	9	2	19	2	–	6	3	4	61	16	15	11	3	2	33
86	5	1	26	2	3	8	2	1	4	1	–	4	–	–	32	10	8	5	1	–	34
126	15	–	28	3	8	22	9	4	6	2	–	3	–	4	41	22	17	6	2	–	35
3,641	168	21	967	143	146	290	148	46	239	32	1	103	134	42	871	396	301	224	81	12	36
388	18	2	102	18	8	37	18	9	31	3	–	9	13	5	104	62	49	29	10	5	37
38	3	1	21	–	1	3	2	–	1	–	–	2	3	1	7	5	2	3	2	–	38
107	7	–	20	4	3	6	4	3	7	1	–	2	3	–	25	10	13	2	4	–	39
158	14	1	48	2	8	8	6	7	18	1	–	9	10	3	46	10	13	6	2	–	40
51	3	1	9	3	5	6	2	–	4	1	–	1	2	–	12	3	6	7	–	1	41
61	3	–	11	1	3	5	5	1	4	–	–	4	2	–	18	8	3	3	2	–	42
167	9	–	50	15	10	16	9	3	8	2	–	–	9	1	40	16	17	17	8	–	43
271	9	1	57	3	8	16	9	1	18	2	–	12	18	6	70	29	20	12	7	–	44
256	12	2	75	6	9	21	6	–	19	1	–	9	10	4	55	30	16	24	1	–	45
71	1	–	18	3	2	6	2	2	2	–	–	1	–	–	23	8	7	5	3	–	46
77	6	1	30	4	1	3	4	–	8	2	–	1	1	1	28	14	5	8	1	–	47
30	3	–	9	2	2	1	3	1	3	2	–	1	1	1	8	4	5	1	1	–	48
184	3	2	43	6	8	13	7	–	13	1	–	2	1	1	28	13	7	9	4	–	49
209	3	2	58	10	13	22	8	1	18	1	–	11	7	1	36	28	15	8	2	–	50
49	1	–	9	2	1	3	2	–	1	2	–	2	2	1	5	6	4	2	1	–	51
69	1	–	19	2	1	6	3	4	3	1	–	1	4	1	17	8	2	3	–	–	52
440	16	6	107	22	13	45	13	5	40	2	1	19	24	8	119	63	43	24	20	3	53
205	4	–	58	10	13	12	2	4	3	2	–	1	–	–	44	4	10	8	1	1	54
53	4	–	9	6	3	–	4	1	1	–	–	1	–	2	14	4	4	5	1	1	55
91	1	–	16	3	6	5	4	–	8	1	–	6	6	–	15	9	10	6	1	–	56
118	9	1	25	1	8	8	11	–	10	3	–	2	6	2	35	10	11	2	2	–	57
35	2	–	8	1	–	1	2	1	2	–	–	2	1	–	11	6	3	2	1	–	58
513	36	1	165	19	20	47	22	3	17	4	–	5	11	4	111	46	36	38	7	1	59
278	20	4	86	9	11	18	12	1	18	–	–	6	2	8	69	32	36	17	9	1	60
84	4	1	25	–	4	6	4	1	11	–	–	2	1	3	21	15	7	4	3	–	61
194	16	3	61	9	7	12	8	–	7	–	–	4	1	5	48	17	29	13	6	1	62
32	7	–	6	2	2	6	2	1	5	–	–	5	–	2	14	9	11	3	1	–	63
1,871	140	19	579	112	123	196	104	34	102	15	3	38	46	32	525	242	167	106	72	1	64
63	9	1	25	2	6	5	4	1	3	–	–	3	–	1	16	5	3	10	7	–	65
85	7	1	20	4	2	8	1	1	7	1	–	2	4	3	24	12	7	3	5	–	66
304	20	2	126	21	23	27	12	6	8	1	–	3	2	–	71	19	14	15	1	–	67
59	7	–	14	1	2	8	3	3	4	1	–	2	9	–	20	12	6	4	4	–	68
18	1	–	3	–	2	2	2	–	–	1	–	–	–	1	9	9	3	–	1	–	69
136	7	2	42	3	11	13	13	3	12	–	–	1	5	1	34	14	14	9	9	–	70
455	29	5	139	30	17	55	25	9	23	6	2	14	11	10	120	62	45	28	22	–	71
751	60	8	210	51	60	78	44	11	45	5	1	13	15	16	231	109	75	37	23	1	72
1,730	169	24	477	71	68	143	84	25	159	22	–	42	48	59	489	201	179	142	97	12	73
1,257	128	20	346	55	55	97	56	19	124	20	–	27	35	43	341	118	125	94	79	7	74
473	41	4	131	16	13	46	28	6	35	2	–	15	13	16	148	83	54	48	18	5	75
44	6	–	24	8	2	4	3	–	6	1	–	–	–	3	18	13	7	–	–	–	76
1,950	126	19	629	87	89	213	91	23	144	24	–	61	79	60	598	289	159	102	105	38	77
49	2	–	8	2	4	1	5	2	4	–	–	2	3	2	25	7	4	3	1	1	78
68	3	2	21	1	4	1	5	–	4	2	–	6	4	1	22	17	4	6	6	1	79
66	5	–	20	2	5	4	4	2	5	1	–	2	1	2	21	4	5	–	6	2	80
135	9	2	46	6	10	19	8	1	12	3	–	4	6	6	39	26	19	7	6	2	81
37	1	–	15	4	3	4	6	–	6	–	–	3	3	1	9	5	3	–	5	–	82
163	15	1	63	11	7	13	7	2	16	3	–	10	9	4	54	27	13	11	13	6	83
118	14	1	44	8	4	18	4	1	8	2	–	1	2	4	30	9	12	2	2	2	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	San Bernardino—Con.																	
01	Rialto	214	1	–	4	45	10	14	3	5	4	2	7	4	101	77	1	–
02	San Bernardino	1,322	1	–	9	259	73	62	16	31	11	17	49	21	627	466	17	13
03	Upland	287	–	–	–	76	18	19	7	9	6	3	14	4	140	93	3	1
04	Victorville	124	–	–	2	17	5	6	–	1	–	2	3	2	53	40	1	1
05	Balance of county	2,343	1	–	15	506	132	128	35	70	21	17	103	30	1,072	787	17	18
06	San Diego	12,549	13	1	68	2,832	674	805	228	343	123	101	558	123	5,865	4,205	110	70
07	Carlsbad	200	–	–	2	56	15	13	6	6	–	3	13	1	84	57	3	–
08	Chula Vista	771	–	–	3	173	38	43	7	19	11	9	46	8	369	275	10	5
09	Coronado	152	–	–	1	30	8	7	2	2	–	2	9	–	78	49	–	3
10	El Cajon	810	–	–	4	190	41	56	21	21	9	7	35	6	415	297	7	7
11	Escondido	677	1	–	3	157	39	44	14	20	5	3	32	10	318	229	14	4
12	Imperial Beach	107	–	–	1	25	4	9	2	2	4	2	2	–	37	26	–	–
13	La Mesa	499	–	–	–	119	39	25	10	9	7	6	23	6	263	166	4	3
14	National City	280	1	–	3	53	15	19	3	6	3	–	7	4	127	92	–	4
15	Oceanside	544	–	–	5	125	30	34	7	15	7	4	28	4	241	187	3	2
16	San Diego	5,999	11	1	33	1,308	301	374	117	175	53	47	241	55	2,803	2,027	45	26
17	Vista	410	–	–	3	82	24	25	5	9	4	–	15	3	207	149	2	4
18	Balance of county	2,100	–	–	10	514	120	156	34	59	20	18	107	26	923	651	22	12
19	San Francisco coext. with San Francisco city	7,680	11	1	65	1,641	509	386	147	171	72	57	299	97	3,579	2,632	77	26
20	San Joaquin	2,941	5	–	19	589	155	150	46	67	20	23	128	61	1,333	971	30	19
21	Lodi	424	–	–	4	73	16	24	6	8	1	3	15	8	229	161	5	2
22	Manteca	179	1	–	1	39	10	8	7	3	3	2	6	4	69	59	1	–
23	Stockton	1,825	4	–	10	368	101	88	29	43	13	15	79	42	813	586	15	14
24	Tracy	202	–	–	2	46	10	11	4	10	–	2	9	2	85	67	1	2
25	Balance of county	311	–	–	2	63	18	19	–	3	3	1	19	5	137	98	8	1
26	San Luis Obispo	1,135	3	–	1	240	65	60	22	27	14	6	46	9	581	441	17	7
27	San Luis Obispo	239	1	–	–	51	13	11	6	7	2	2	10	2	121	84	5	–
28	Balance of county	896	2	–	1	189	52	49	16	20	12	4	36	7	460	357	12	7
29	San Mateo	4,204	3	–	27	1,075	299	240	107	134	50	38	207	47	1,941	1,362	47	19
30	Belmont	140	1	–	2	31	6	10	2	3	1	1	8	1	65	45	1	–
31	Burlingame	294	–	–	1	79	29	10	9	7	4	1	19	3	142	97	6	–
32	Daly City	507	–	–	4	131	37	38	12	11	5	6	22	7	226	168	4	6
33	Menlo Park	340	–	–	2	78	23	15	9	13	4	3	11	7	176	124	4	5
34	Millbrae	163	–	–	3	43	13	10	3	2	3	3	9	1	70	48	2	3
35	Pacifica	201	–	–	4	45	6	11	5	9	1	2	11	2	80	61	2	–
36	Redwood City	578	–	–	3	143	33	32	17	17	12	2	30	9	271	178	6	1
37	San Bruno	213	–	–	1	65	21	15	7	6	1	6	9	3	97	73	6	1
38	San Carlos	200	–	–	–	54	14	12	5	11	1	2	9	–	103	73	–	–
39	San Mateo	716	–	–	2	185	53	35	13	26	11	6	41	6	356	261	9	1
40	South San Francisco	312	1	–	2	85	26	26	4	8	3	3	15	2	131	86	3	–
41	Balance of county	540	1	–	3	136	38	26	21	21	4	3	23	6	224	148	4	2
42	Santa Barbara	2,335	3	–	13	533	141	126	57	51	23	30	105	32	1,170	839	21	6
43	Lompoc	196	–	–	3	42	12	11	5	1	2	4	7	3	96	65	4	–
44	Santa Barbara	1,310	2	–	8	296	69	71	33	35	13	16	59	16	686	481	12	5
45	Santa Maria	391	1	–	1	80	21	16	8	7	2	3	23	3	203	161	4	1
46	Balance of county	438	–	–	1	115	39	28	11	8	6	7	16	10	185	132	1	–
47	Santa Clara	7,231	8	–	55	1,575	417	326	154	174	84	73	347	110	3,315	2,475	59	20
48	Campbell	221	–	–	–	54	9	17	2	10	1	3	12	3	101	74	–	1
49	Cupertino	170	–	–	1	39	7	11	6	3	2	1	9	1	82	69	2	1
50	Gilroy	173	–	–	–	29	12	5	2	1	–	2	7	4	69	49	1	1
51	Los Altos	238	1	–	–	66	25	12	4	6	1	6	12	3	120	80	3	1
52	Los Gatos	313	–	–	1	74	18	11	8	9	1	4	23	3	167	115	–	–
53	Milpitas	113	–	–	2	24	5	5	3	3	5	1	2	4	48	38	4	1
54	Mountain View	424	–	–	4	90	17	20	9	16	5	5	18	13	208	161	2	2
55	Palo Alto	481	1	–	3	108	34	21	9	10	6	2	26	5	253	176	6	1
56	San Jose	3,493	6	–	30	729	187	155	69	75	38	35	170	52	1,550	1,179	30	5
57	Santa Clara	515	–	–	8	105	27	24	12	9	6	3	24	8	219	158	4	2
58	Saratoga	196	–	–	1	45	13	9	2	7	5	–	9	4	101	72	–	1
59	Sunnyvale	616	–	–	5	165	49	30	22	20	8	10	26	5	282	213	5	1
60	Balance of county	278	–	–	–	47	14	6	6	5	6	1	9	5	115	91	2	3
61	Santa Cruz	1,537	2	1	6	339	81	83	30	48	20	15	62	19	732	510	16	4
62	Santa Cruz	727	–	–	1	172	36	51	13	24	9	9	30	11	363	258	4	2
63	Watsonville	353	2	–	2	67	17	14	8	2	6	3	17	3	163	117	5	2
64	Balance of county	457	–	1	3	100	28	18	9	22	5	3	15	5	206	135	7	–
65	Shasta	885	2	–	6	222	44	82	8	22	10	13	43	15	345	241	5	4
66	Redding	464	1	–	2	113	22	44	4	12	8	5	18	8	185	125	3	2
67	Balance of county	421	1	–	4	109	22	38	4	10	2	8	25	7	160	116	2	2
68	Sierra	25	–	–	–	5	3	1	–	–	–	1	–	–	13	11	–	–
69	Siskiyou	365	–	–	3	89	21	28	8	12	2	4	14	4	169	113	5	–
70	Solano	1,409	3	–	10	319	66	90	32	35	10	15	71	19	592	422	10	3
71	Fairfield	242	–	–	–	44	9	14	3	6	2	2	8	4	102	76	4	–
72	Vacaville	224	2	–	2	50	9	19	4	3	2	2	11	3	98	71	–	–
73	Vallejo	707	1	–	7	163	38	42	19	18	5	5	36	9	306	214	4	2
74	Balance of county	236	–	–	1	62	10	15	6	8	1	6	16	3	86	61	2	1
75	Sonoma	2,530	–	–	13	598	148	178	49	60	30	16	117	35	1,186	841	40	14
76	Petaluma	350	–	–	3	79	24	25	5	6	4	–	15	10	168	121	4	3
77	Santa Rosa	1,041	–	–	3	261	60	78	25	23	15	7	53	16	511	367	16	5
78	Balance of county	1,139	–	–	7	258	64	75	19	31	11	9	49	9	507	353	20	6
79	Stanislaus	2,107	2	–	13	429	118	117	31	60	19	18	66	27	965	681	21	3
80	Modesto	1,162	–	–	8	243	73	64	16	33	11	10	36	16	535	364	6	1
81	Turlock	285	1	–	1	53	16	10	–	5	5	3	14	–	143	109	5	–
82	Balance of county	660	1	–	4	133	29	43	15	22	3	5	16	11	287	208	10	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
74	2	1	19	2	2	8	1	–	5	2	–	–	5	1	10	8	4	8	7	–	01
405	31	8	117	19	17	60	14	4	32	3	–	9	15	19	123	42	30	17	25	12	02
86	3	–	42	3	2	5	2	1	4	1	–	4	2	–	26	9	6	3	3	1	03
38	–	–	12	–	1	3	2	–	4	1	–	–	3	1	15	12	7	2	–	–	04
711	41	4	222	29	30	77	33	10	44	6	–	20	26	19	224	123	52	43	31	11	05
3,785	240	21	1,195	216	228	340	207	50	243	35	2	104	117	104	1,140	422	455	275	121	32	06
50	4	–	16	2	9	5	5	–	2	1	–	–	2	–	18	5	10	6	2	1	07
247	13	2	67	11	14	16	8	1	11	3	–	8	9	3	80	26	27	17	8	1	08
44	2	2	22	2	3	6	3	–	–	–	–	2	–	3	9	3	11	5	1	–	09
266	17	–	88	16	14	19	20	2	15	2	–	4	9	2	58	22	23	13	5	1	10
188	23	–	58	16	15	17	12	2	10	1	–	9	2	8	74	21	18	9	4	1	11
26	–	–	9	2	–	5	1	1	1	–	–	3	4	5	7	4	11	1	1	–	12
153	6	1	72	17	7	10	6	–	8	–	–	3	3	–	43	8	15	12	2	1	13
81	7	–	26	4	5	11	1	4	5	2	–	3	5	5	26	11	10	6	3	–	14
172	10	1	36	6	11	9	7	1	8	2	–	11	8	8	48	26	21	8	11	1	15
1,845	111	9	577	91	99	171	99	27	144	13	–	44	52	50	543	194	224	146	62	19	16
137	6	–	38	10	10	14	7	3	5	3	–	6	2	5	46	7	6	8	2	1	17
576	41	6	186	39	41	57	38	9	34	8	2	11	21	15	188	95	79	44	20	6	18
2,365	164	18	701	100	128	282	82	26	278	37	–	27	42	60	738	100	290	173	118	33	19
868	54	5	255	54	48	90	37	13	72	10	–	20	33	23	305	105	124	62	34	6	20
139	15	–	56	8	4	14	3	–	6	2	–	1	5	3	39	14	13	9	1	–	21
54	4	–	7	2	1	10	1	–	7	–	–	2	4	–	19	6	13	3	–	–	22
529	28	5	154	36	32	55	24	12	51	7	–	10	20	17	190	50	82	39	26	5	23
62	2	–	11	3	4	4	4	1	4	–	–	3	–	1	22	14	5	3	5	1	24
84	5	–	27	5	7	7	5	–	4	1	–	4	4	2	35	21	11	8	2	–	25
384	33	–	101	14	25	41	13	10	27	2	–	7	7	2	101	33	33	18	7	–	26
76	3	–	26	6	5	12	1	2	8	1	–	1	1	–	22	6	6	3	1	–	27
308	30	–	75	8	20	29	12	8	19	1	–	6	6	2	79	27	27	15	6	–	28
1,222	74	8	430	66	75	105	52	8	113	17	2	23	22	20	382	91	115	114	35	12	29
42	2	–	16	–	4	2	2	–	1	1	–	2	–	–	13	3	7	7	2	–	30
91	–	–	35	6	4	8	8	1	8	–	–	–	–	2	21	5	7	7	1	1	31
150	8	2	43	4	9	14	8	1	19	2	–	4	5	4	43	11	12	9	7	–	32
109	6	–	35	11	6	9	4	1	4	2	–	–	3	2	27	5	12	5	2	1	33
43	–	–	13	4	5	4	1	–	3	1	–	1	–	–	19	5	5	6	1	–	34
56	3	–	17	–	2	3	2	1	8	–	1	4	4	3	27	6	5	3	2	1	35
157	14	3	77	4	9	13	5	3	18	2	1	2	4	1	57	10	20	10	2	4	36
63	3	–	17	6	1	7	2	–	3	2	–	1	1	–	14	4	6	7	–	–	37
69	4	–	25	3	2	6	1	–	6	–	–	1	–	–	14	6	4	5	–	–	38
230	21	–	67	12	16	25	12	–	17	3	–	5	1	3	64	9	7	19	1	1	39
78	5	–	29	3	13	7	5	–	11	2	–	2	1	4	27	8	8	13	2	1	40
134	8	3	56	13	4	7	2	1	15	2	–	1	3	1	56	19	22	23	15	3	41
766	46	7	263	27	34	64	42	11	43	5	1	16	13	10	195	61	71	39	10	3	42
57	4	3	18	4	6	6	2	2	3	1	–	–	2	–	23	5	3	4	1	–	43
440	24	3	161	19	22	45	27	8	21	2	1	8	2	6	97	21	38	23	3	–	44
151	5	–	37	2	3	8	5	–	6	2	–	1	2	2	34	22	15	3	2	1	45
118	13	1	47	2	3	5	8	1	13	–	–	7	7	2	41	13	15	9	4	2	46
2,256	140	16	639	80	105	239	83	32	194	26	2	62	88	52	653	253	205	177	90	12	47
72	1	–	24	2	1	4	2	–	5	1	–	2	5	3	18	6	9	7	1	–	48
61	5	–	13	–	–	6	1	1	1	–	1	1	2	1	13	3	6	7	4	–	49
43	4	1	16	1	2	7	4	–	9	2	1	2	3	1	18	13	5	3	3	–	50
68	8	–	34	2	4	6	3	1	5	1	–	1	3	1	17	4	4	2	–	–	51
111	4	1	34	7	10	8	7	1	2	1	–	–	2	1	24	8	7	5	1	1	52
29	4	1	7	2	–	1	–	–	–	1	–	1	3	1	10	4	4	8	2	–	53
146	11	–	38	5	4	13	6	1	12	2	–	4	7	4	21	12	10	11	5	1	54
158	11	1	52	17	7	23	4	3	6	1	–	3	3	3	29	10	13	10	2	1	55
1,082	62	3	295	27	46	108	39	16	113	13	–	35	45	23	348	134	109	87	51	5	56
144	8	4	38	6	13	28	7	5	11	2	–	4	7	6	49	20	13	15	6	2	57
66	5	3	22	2	2	6	–	1	4	–	–	–	1	–	20	5	3	2	2	1	58
198	9	1	52	6	10	18	6	2	18	1	–	3	4	5	53	16	16	12	5	–	59
78	8	1	14	3	6	11	4	1	8	1	–	6	3	3	33	18	6	8	8	1	60
450	40	3	158	29	32	63	15	7	27	3	–	7	12	10	145	52	58	31	8	–	61
230	22	1	80	9	15	31	5	5	10	1	–	1	4	2	66	18	22	14	1	–	62
99	11	1	25	13	7	16	7	–	6	–	–	5	3	3	35	17	13	6	5	–	63
121	7	1	53	7	10	16	3	2	11	2	–	1	5	5	44	17	23	11	2	–	64
199	33	–	73	16	15	24	19	2	7	–	–	2	10	29	89	58	31	18	5	1	65
102	18	–	42	10	8	10	9	2	6	–	–	1	6	13	47	31	16	11	2	1	66
97	15	–	31	6	7	14	10	–	1	–	–	1	4	16	42	27	15	7	3	–	67
10	1	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–	2	2	–	–	68
97	11	2	40	5	9	3	6	–	4	–	–	3	2	2	40	15	13	8	4	–	69
369	40	3	131	13	23	44	12	3	42	1	–	20	7	5	177	48	41	42	20	4	70
65	7	–	21	3	2	7	2	1	4	–	–	3	2	–	36	12	11	8	5	1	71
65	6	–	23	–	4	7	3	–	4	–	–	–	1	1	27	12	9	3	1	1	72
186	22	3	68	8	13	15	7	2	25	1	–	13	1	3	92	18	15	19	8	2	73
53	5	–	19	2	4	15	–	–	9	–	–	4	3	1	22	6	6	12	6	–	74
737	50	1	251	40	53	81	47	7	67	4	–	15	10	17	231	82	60	51	20	6	75
109	5	1	35	5	6	10	7	1	5	1	–	1	–	3	31	14	8	5	3	1	76
322	24	–	113	10	21	30	20	3	29	1	–	4	5	7	82	18	18	20	13	–	77
306	21	–	103	25	26	41	20	3	33	2	–	10	5	7	118	50	34	26	4	5	78
625	32	6	207	41	30	98	34	6	37	4	–	24	23	1	185	86	105	38	26	4	79
338	19	5	122	26	18	55	22	3	19	–	–	13	13	1	104	36	55	22	16	1	80
100	4	1	26	4	3	15	3	2	2	–	–	1	4	–	20	20	11	5	3	1	81
187	9	–	59	11	9	28	9	1	16	4	–	10	6	–	61	30	39	11	7	2	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
01	Sutter	410	–	–	4	71	18	22	2	6	4	5	14	3	212	163	4	1
02	Yuba City	304	–	–	3	56	13	18	1	5	3	4	12	2	156	121	2	1
03	Balance of county	106	–	–	1	15	5	4	1	1	1	1	2	1	56	42	2	–
04	Tehama	363	–	–	3	80	26	24	8	8	2	2	10	6	175	134	2	1
05	Trinity	101	–	–	1	23	6	5	1	3	–	2	6	1	45	32	1	–
06	Tulare	1,894	3	1	13	371	110	89	28	45	11	13	75	27	854	595	14	12
07	Porterville	348	–	–	2	56	17	11	5	9	1	1	12	4	174	132	1	2
08	Tulare	282	2	–	1	67	22	17	5	9	2	1	11	2	130	92	4	2
09	Visalia	458	–	–	4	88	31	22	5	7	5	1	17	6	206	138	6	2
10	Balance of county	806	1	1	6	160	40	39	13	20	3	10	35	15	344	233	3	6
11	Tuolumne	288	1	–	2	58	16	13	1	12	1	–	15	5	138	105	3	–
12	Ventura	2,900	2	–	19	648	148	154	62	74	29	28	153	41	1,310	980	17	6
13	Camarillo	245	–	–	2	63	20	15	3	7	1	2	15	1	116	89	2	–
14	Oxnard	619	2	–	4	130	32	30	12	16	4	5	31	11	249	194	5	1
15	Port Hueneme	123	–	–	–	23	6	10	1	–	1	1	4	1	60	49	–	1
16	Santa Paula	211	–	–	–	47	11	15	4	4	1	1	11	6	98	70	1	1
17	Simi Valley	282	–	–	2	66	18	10	6	8	3	2	19	1	121	100	2	–
18	Thousand Oaks	197	–	–	1	57	18	8	9	4	4	1	13	7	75	63	3	–
19	Ventura	636	–	–	5	135	23	36	15	14	5	8	34	4	312	214	2	2
20	Balance of county	587	–	–	5	127	20	30	12	21	10	8	26	10	279	201	2	1
21	Yolo	773	–	–	7	159	41	49	12	15	6	4	32	15	338	261	12	–
22	Davis	150	–	–	1	33	8	10	2	5	1	–	7	3	68	46	4	–
23	Woodland	266	–	–	1	57	15	19	4	5	2	1	11	5	127	104	7	–
24	Balance of county	357	–	–	5	69	18	20	6	5	3	3	14	7	143	111	1	–
25	Yuba	398	–	–	2	73	16	24	4	6	4	3	16	4	172	132	8	3
26	**Colorado**	18,361	27	1	163	3,384	914	777	300	405	144	141	703	285	8,358	6,199	174	113
27	Urban places	11,843	17	1	113	2,205	592	515	205	248	93	96	456	194	5,396	3,990	112	91
28	Balance of area	6,518	10	–	50	1,179	322	262	95	157	51	45	247	91	2,962	2,209	62	22
29	Metropolitan counties	12,297	21	1	122	2,314	622	545	211	260	86	99	491	189	5,499	4,094	116	95
30	Urban places	10,411	16	1	99	1,927	515	442	182	212	78	85	413	166	4,730	3,510	101	85
31	Balance of area	1,886	5	–	23	387	107	103	29	48	8	14	78	23	769	584	15	10
32	Nonmetropolitan counties	6,064	6	–	41	1,070	292	232	89	145	58	42	212	96	2,859	2,105	58	18
33	Urban places	1,432	1	–	14	278	77	73	23	36	15	11	43	28	666	480	11	6
34	Balance of area	4,632	5	–	27	792	215	159	66	109	43	31	169	68	2,193	1,625	47	12
35	Adams	1,118	1	–	15	206	45	61	14	15	14	12	45	12	471	359	6	9
36	Arvada, part	4	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
37	Aurora, part	158	–	–	3	30	8	12	3	1	1	1	4	2	65	49	–	–
38	Commerce City	144	–	–	–	35	7	5	2	2	4	3	12	–	54	43	1	3
39	North Glenn	92	–	–	2	15	3	4	4	2	1	–	1	4	34	24	2	2
40	Thornton	100	–	–	–	13	3	1	3	–	–	1	5	1	48	38	–	1
41	Westminster	161	–	–	3	24	5	9	–	3	3	1	3	1	72	49	1	1
42	Balance of county	459	1	–	7	88	19	30	2	7	4	6	20	4	198	156	2	2
43	Alamosa	80	–	–	–	9	1	1	–	–	3	–	4	1	40	27	2	–
44	Arapahoe	1,204	2	–	11	247	52	61	22	25	4	16	67	18	509	388	12	6
45	Aurora, part	403	1	–	3	86	14	17	6	8	3	7	31	5	149	113	2	1
46	Aurora, total	561	1	–	6	116	22	29	9	9	4	8	35	7	214	162	2	1
47	Englewood	308	–	–	3	62	10	20	6	7	–	5	14	4	161	122	4	2
48	Littleton	258	–	–	3	47	12	9	5	5	1	1	14	5	108	79	3	–
49	Balance of county	235	1	–	2	52	16	15	5	5	–	3	8	4	91	74	3	3
50	Archuleta	17	–	–	–	1	–	–	–	–	–	–	1	–	7	5	–	–
51	Baca	63	–	–	1	15	3	3	2	1	–	2	4	–	29	27	–	–
52	Bent	51	–	–	–	10	3	6	–	–	–	–	1	1	25	18	–	–
53	Boulder	858	–	–	4	164	47	30	14	31	6	3	33	27	349	243	7	5
54	Boulder	356	–	–	1	67	17	11	7	13	4	1	14	13	146	96	4	4
55	Longmont	249	–	–	2	43	16	9	3	6	1	2	6	8	101	75	2	–
56	Balance of county	253	–	–	1	54	14	10	4	12	1	–	13	6	102	72	1	1
57	Chaffee	119	–	–	–	21	4	3	3	3	1	1	6	–	55	40	4	–
58	Cheyenne	25	–	–	–	3	1	2	–	–	–	–	–	–	18	15	–	1
59	Clear Creek	30	–	–	–	11	3	2	1	1	1	1	2	–	7	4	–	–
60	Conejos	59	–	–	–	7	1	–	2	2	1	–	1	2	33	29	–	1
61	Costilla	23	–	–	–	2	1	–	1	–	–	–	–	–	11	8	–	–
62	Crowley	42	–	–	–	11	4	2	1	3	–	1	–	1	22	18	–	1
63	Custer	7	–	–	–	3	1	1	–	1	–	–	–	–	2	1	–	–
64	Delta	208	–	–	2	31	9	6	4	2	1	1	8	4	119	85	3	–
65	Denver, coext. with Denver city	4,668	10	–	44	844	246	185	78	98	28	31	178	63	2,176	1,626	48	46
66	Dolores	14	–	–	–	1	–	1	–	–	–	–	–	–	8	6	–	–
67	Douglas	102	–	–	–	18	4	1	1	1	–	2	9	4	45	34	3	–
68	Eagle	61	–	–	–	8	–	1	2	–	1	1	3	–	24	19	1	–
69	Elbert	32	–	–	–	4	1	–	–	1	–	–	2	1	15	10	–	–
70	El Paso	1,652	2	–	20	313	83	76	34	33	14	12	61	13	718	520	13	3
71	Colorado Springs	1,287	2	–	13	242	54	63	29	28	12	10	46	13	577	414	10	3
72	Balance of county	365	–	–	7	71	29	13	5	5	2	2	15	–	141	106	3	–
73	Fremont	365	–	–	2	58	18	13	7	11	2	1	6	5	196	123	2	1
74	Garfield	148	–	–	3	25	5	7	1	4	3	1	4	1	62	46	2	1
75	Gilpin	15	–	–	–	4	1	1	–	1	1	–	–	–	6	5	–	–
76	Grand	33	–	–	–	9	3	1	1	2	–	–	2	1	16	11	–	–
77	Gunnison	39	–	–	–	8	4	1	–	1	–	1	1	1	16	10	2	–
78	Hinsdale	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
79	Huerfano	61	–	–	–	5	3	1	–	1	–	–	–	2	34	29	–	–
80	Jackson	14	–	–	–	3	1	–	–	–	1	–	1	1	7	5	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
148	10	2	42	3	2	12	7	–	4	–	1	3	2	4	33	22	22	9	–	1	01
113	5	–	31	2	2	7	4	–	3	–	1	2	1	3	25	13	20	7	–	1	02
35	5	2	11	1	–	5	3	–	1	–	–	1	1	1	8	9	2	2	–	–	03
119	12	1	29	10	1	14	7	–	4	1	1	2	1	4	30	14	9	10	2	–	04
26	5	1	7	5	–	–	–	–	1	–	–	–	–	–	9	9	7	4	1	–	05
532	37	5	195	30	29	92	25	7	37	8	1	21	19	13	175	98	68	24	36	1	06
122	7	1	33	2	6	22	9	–	9	–	–	4	4	3	25	11	13	3	9	–	07
78	8	–	24	4	10	8	2	1	7	3	–	2	2	–	26	19	6	1	2	1	08
124	6	1	53	9	5	15	5	1	8	3	1	4	7	4	45	23	23	8	7	–	09
208	16	3	85	15	8	47	9	5	13	2	–	11	6	6	79	45	26	12	18	–	10
96	6	–	24	4	5	7	2	–	5	–	–	5	1	2	22	18	12	7	3	–	11
902	55	7	232	54	37	87	40	8	66	16	2	38	31	23	252	128	94	47	41	7	12
81	6	–	19	4	4	10	1	1	2	1	–	3	1	2	25	9	2	3	1	2	13
176	12	–	33	13	9	22	7	2	19	5	–	8	10	8	55	34	27	7	17	2	14
45	3	1	5	2	3	3	1	2	3	–	–	1	–	2	12	8	3	4	–	–	15
61	7	1	21	5	1	6	2	–	4	3	–	–	–	2	21	8	9	3	2	–	16
92	6	1	14	4	2	9	5	2	5	–	–	5	12	1	16	16	9	6	6	–	17
58	2	–	10	2	–	2	4	1	4	1	–	3	1	1	19	6	9	4	2	–	18
202	8	2	76	12	8	15	9	–	23	2	–	10	1	4	60	21	17	8	9	1	19
187	11	2	54	12	10	20	11	–	6	4	2	8	6	3	44	26	18	12	4	2	20
236	13	5	47	7	18	33	16	3	26	5	–	9	5	3	69	35	23	17	7	3	21
40	2	3	13	4	2	7	2	1	1	–	–	3	4	–	11	4	4	7	–	1	22
95	2	1	16	1	5	10	5	–	7	–	–	3	1	1	25	9	6	6	2	1	23
101	9	1	18	2	11	16	9	2	18	5	–	3	–	2	33	22	13	4	5	1	24
116	5	1	27	6	6	16	14	2	12	1	–	1	3	9	35	21	16	11	6	–	25
5,262	650	55	1,462	345	297	655	288	56	275	67	–	151	183	299	2,067	705	691	481	173	52	26
3,358	429	43	939	236	188	454	174	35	185	43	–	90	114	189	1,351	395	393	319	145	30	27
1,904	221	12	523	109	109	201	114	21	90	24	–	61	69	110	716	310	298	162	28	22	28
3,421	462	41	944	224	196	457	175	36	202	44	–	102	134	212	1,390	439	418	360	144	38	29
2,928	396	36	811	206	167	407	143	31	167	39	–	82	107	168	1,197	337	338	295	131	30	30
493	66	5	133	18	29	50	32	5	35	5	–	20	27	44	193	102	80	65	13	8	31
1,841	188	14	518	121	101	198	113	20	73	23	–	49	49	87	677	266	273	121	29	14	32
430	33	7	128	30	21	47	31	4	18	4	–	8	7	21	154	58	55	24	14	–	33
1,411	155	7	390	91	80	151	82	16	55	19	–	41	42	66	523	208	218	97	15	14	34
292	52	2	80	14	16	38	11	5	17	4	–	11	22	21	135	50	44	38	13	4	35
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	36
43	6	–	10	3	3	5	–	1	4	–	–	1	6	–	20	3	4	9	4	1	37
36	3	–	9	2	–	4	1	1	4	1	–	2	1	2	15	17	4	1	2	–	38
17	3	–	7	2	1	3	–	–	–	–	–	1	1	–	10	7	5	7	2	1	39
30	7	–	8	1	1	3	1	–	–	1	–	1	–	2	17	3	7	3	–	–	40
36	11	1	14	3	5	10	2	2	–	–	–	–	5	7	18	6	5	3	2	1	41
130	22	1	32	3	6	12	7	1	9	2	–	6	9	10	54	14	19	14	3	1	42
22	3	–	11	–	2	4	3	–	2	–	–	1	–	1	9	2	1	4	3	–	43
332	38	4	74	24	19	42	13	8	27	3	–	16	17	9	118	53	49	44	13	5	44
98	12	1	22	2	11	14	3	5	11	2	–	8	9	4	45	17	16	17	7	1	45
141	18	1	32	5	14	19	3	6	15	2	–	9	15	4	65	20	20	26	11	2	46
106	10	–	32	6	1	7	3	1	6	–	–	1	1	–	30	9	7	7	3	3	47
70	6	2	12	10	5	13	1	–	3	1	–	5	3	2	21	22	17	7	–	–	48
58	10	1	8	6	2	8	6	2	7	–	–	2	4	3	22	5	9	13	3	1	49
4	1	–	2	–	–	–	–	–	–	–	–	1	3	–	2	–	1	2	–	–	50
27	–	–	1	–	1	2	1	1	1	–	–	–	–	1	9	2	1	–	–	–	51
17	1	–	6	–	1	4	1	–	–	–	–	–	1	–	3	2	3	1	–	–	52
200	31	3	73	17	13	31	7	–	11	3	–	12	9	24	108	47	34	20	7	1	53
77	11	1	32	9	8	11	5	–	4	–	–	6	4	8	48	17	14	9	3	–	54
65	8	1	17	5	3	14	1	–	3	1	–	3	4	8	36	9	8	5	2	1	55
58	12	1	24	3	2	6	1	–	4	2	–	3	1	8	24	21	12	6	2	–	56
36	–	–	9	3	3	2	2	1	–	1	–	3	–	4	16	4	8	2	–	–	57
13	1	–	3	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	58
4	–	–	3	–	–	–	1	1	1	–	–	1	–	–	3	1	2	1	–	1	59
24	4	–	3	–	1	2	1	1	1	–	–	1	1	–	3	3	2	2	–	–	60
7	1	–	2	–	1	2	–	–	–	–	–	–	–	–	3	1	1	3	–	–	61
17	–	–	3	1	–	2	1	–	–	–	–	–	–	–	2	2	1	–	–	–	62
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	63
79	3	1	22	6	5	5	4	–	3	–	–	1	1	1	15	8	10	4	–	–	64
1,318	214	22	346	107	75	179	60	14	79	25	–	26	34	100	539	106	160	115	80	14	65
5	1	–	1	–	1	1	–	–	–	–	–	–	–	1	–	2	–	1	–	–	66
24	7	–	8	–	3	2	1	1	3	–	–	1	1	–	7	8	8	3	–	–	67
15	3	–	4	1	–	3	–	–	–	1	–	2	–	–	4	6	9	3	1	–	68
8	2	–	2	3	–	–	2	–	–	–	–	2	2	–	1	1	1	2	1	–	69
459	45	5	145	22	26	60	38	2	32	3	–	18	27	33	164	87	56	50	15	1	70
363	38	5	121	20	17	49	30	2	27	2	–	13	19	21	126	61	35	42	13	–	71
96	7	–	24	2	9	11	8	–	5	1	–	5	8	12	38	26	21	8	2	1	72
112	8	–	40	23	10	11	7	–	5	1	–	2	2	2	48	6	11	7	2	–	73
37	6	–	12	1	3	4	3	1	2	–	–	2	2	1	14	10	14	3	–	1	74
5	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	75
10	1	–	2	–	3	1	–	–	–	–	–	–	–	–	2	2	2	–	–	–	76
7	1	–	4	2	–	1	–	–	–	–	–	1	1	2	5	2	2	–	–	–	77
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	78
27	2	–	3	1	1	3	1	–	–	2	–	1	–	1	8	1	2	–	–	1	79
5	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Colorado—Con.																	
01	Jefferson	1,782	4	1	18	368	108	83	33	37	12	21	74	39	788	599	22	20
02	Arvada, part	320	1	–	1	78	18	19	7	7	4	7	16	10	125	96	3	4
03	Arvada, total	324	1	–	1	79	18	19	7	7	5	7	16	10	125	96	3	4
04	Lakewood	706	–	1	6	144	45	24	12	13	6	11	33	17	331	252	11	11
05	Wheat Ridge	298	–	–	5	48	22	11	3	3	1	1	7	4	150	115	3	3
06	Balance of county	458	3	–	6	98	23	29	11	14	1	2	18	8	182	136	5	2
07	Kiowa	14	–	–	–	3	–	–	–	1	–	–	2	–	6	5	–	–
08	Kit Carson	69	–	–	–	9	2	1	–	2	–	2	2	4	33	24	–	–
09	Lake	40	–	–	–	8	1	1	–	–	3	1	2	1	13	11	–	–
10	La Plata	184	–	–	2	37	14	5	3	5	1	1	8	2	81	62	3	1
11	Durango	97	–	–	1	22	6	4	2	4	1	1	4	1	44	32	1	1
12	Balance of county	87	–	–	1	15	8	1	1	1	–	–	4	1	37	30	2	–
13	Larimer	780	–	–	5	139	47	34	11	15	3	8	21	14	374	278	1	3
14	Fort Collins	311	–	–	1	63	25	15	5	6	–	4	8	7	153	108	1	2
15	Loveland	234	–	–	3	39	12	13	2	1	2	2	7	4	116	83	–	–
16	Balance of county	235	–	–	1	37	10	6	4	8	1	2	6	3	105	87	–	1
17	Las Animas	185	–	–	1	26	7	3	–	5	6	–	5	1	100	80	–	–
18	Lincoln	58	–	–	–	12	3	4	–	1	2	–	2	–	28	21	–	1
19	Logan	150	1	–	2	28	8	3	4	6	–	1	6	4	73	58	2	2
20	Sterling	104	1	–	2	21	4	3	4	5	–	1	4	4	45	35	1	2
21	Balance of county	46	–	–	–	7	4	–	–	1	–	–	2	–	28	23	1	–
22	Mesa	599	–	–	5	110	25	38	11	14	5	3	14	6	272	197	8	–
23	Grand Junction	335	–	–	3	64	15	22	5	9	5	3	5	4	147	108	4	–
24	Balance of county	264	–	–	2	46	10	16	6	5	–	–	9	2	125	89	4	–
25	Mineral	9	–	–	–	2	–	1	–	–	–	–	1	–	4	2	–	–
26	Moffat	86	1	–	1	16	5	1	3	2	–	3	2	2	29	26	2	–
27	Montezuma	135	–	–	1	28	7	7	3	5	1	–	5	2	55	40	–	–
28	Montrose	186	–	–	–	40	13	14	1	4	1	–	7	–	82	58	2	–
29	Morgan	198	1	–	–	34	12	4	3	6	2	2	5	6	98	74	6	–
30	Otero	248	2	–	2	41	10	8	3	9	1	2	8	6	126	92	1	1
31	Ouray	12	–	–	–	2	1	1	–	–	–	–	–	–	4	4	–	–
32	Park	23	–	–	–	7	1	1	–	–	1	–	4	–	3	3	–	–
33	Phillips	51	–	–	1	3	1	–	1	–	–	–	1	–	33	29	2	–
34	Pitkin	35	–	–	–	6	–	–	3	–	1	–	2	–	13	11	–	–
35	Prowers	152	–	–	1	29	8	5	4	7	–	–	5	2	75	52	–	1
36	Pueblo	1,015	2	–	10	172	41	49	16	21	8	4	33	17	488	359	8	6
37	Pueblo	899	2	–	10	148	35	43	14	16	8	3	29	16	433	319	7	4
38	Balance of county	116	–	–	–	24	6	6	2	5	–	1	4	1	55	40	1	2
39	Rio Blanco	42	–	–	–	9	2	2	–	1	1	1	2	–	20	15	–	–
40	Rio Grande	102	–	–	2	14	5	3	–	1	–	–	5	2	47	32	1	–
41	Routt	51	–	–	1	14	4	5	1	1	–	–	3	1	11	9	–	–
42	Saguache	35	–	–	–	4	2	2	–	–	–	–	–	–	13	9	–	–
43	San Juan	10	–	–	–	1	1	–	–	–	–	–	–	–	5	4	–	–
44	San Miguel	9	–	–	–	–	–	–	–	–	–	–	–	–	6	3	–	–
45	Sedgwick	37	–	–	–	10	3	1	–	2	–	2	2	1	15	10	–	1
46	Summit	26	–	–	–	5	1	–	–	–	–	–	4	1	5	4	1	–
47	Teller	36	–	–	–	8	1	2	1	1	–	–	3	–	16	12	1	–
48	Washington	42	–	–	–	6	2	–	1	1	1	–	1	–	30	21	–	1
49	Weld	733	1	–	9	137	34	30	7	20	11	3	32	10	335	242	9	2
50	Greeley	351	–	–	4	69	15	16	5	11	7	–	15	8	161	114	4	1
51	Balance of county	382	1	–	5	68	19	14	2	9	4	3	17	2	174	128	5	1
52	Yuma	116	–	–	–	15	1	3	3	1	3	1	3	6	56	41	–	–
53	**Connecticut**	26,078	31	2	219	6,003	1,692	1,335	624	637	252	245	1,218	446	13,279	10,031	207	125
54	Urban places	18,085	22	1	153	4,108	1,185	910	423	435	182	165	808	321	9,327	7,066	135	95
55	Balance of area	7,993	9	1	66	1,895	507	425	201	202	70	80	410	125	3,952	2,965	72	30
56	Metropolitan counties	20,293	24	2	187	4,699	1,331	1,040	485	497	198	200	948	354	10,317	7,821	160	110
57	Urban places	16,437	20	1	144	3,741	1,079	821	385	392	164	155	745	287	8,442	6,415	128	92
58	Balance of area	3,856	4	1	43	958	252	219	100	105	34	45	203	67	1,875	1,406	32	18
59	Nonmetropolitan counties	5,785	7	–	32	1,304	361	295	139	140	54	45	270	92	2,962	2,210	47	15
60	Urban places	1,648	2	–	9	367	106	89	38	43	18	10	63	34	885	651	7	3
61	Balance of area	4,137	5	–	23	937	255	206	101	97	36	35	207	58	2,077	1,559	40	12
62	Fairfield	6,670	8	–	59	1,532	437	337	149	174	59	68	308	140	3,386	2,511	52	41
63	Bridgeport	1,540	2	–	19	302	99	69	26	26	6	11	65	35	810	605	7	12
64	Danbury	421	2	–	3	107	29	31	12	6	4	2	23	9	197	141	6	1
65	Darien town†	141	–	–	–	41	8	15	4	4	2	–	8	3	60	41	1	1
66	Fairfield town†	473	2	–	4	117	31	27	8	10	6	7	28	10	245	180	2	5
67	Greenwich town†	451	–	–	2	108	24	20	12	15	5	8	24	12	201	155	5	–
68	Norwalk	626	–	–	6	140	44	23	18	21	6	6	22	11	328	247	9	3
69	Shelton	196	–	–	2	32	5	8	3	5	4	3	4	6	116	86	–	–
70	Stamford	942	1	–	10	224	52	54	28	29	9	12	40	18	452	327	6	7
71	Stratford town†	485	1	–	2	134	52	27	8	11	6	6	24	12	258	197	3	3
72	Trumbull town†	244	–	–	1	50	17	9	4	6	3	1	10	5	145	109	2	–
73	Westport town†	187	–	–	1	51	17	7	4	11	2	1	9	4	91	66	4	1
74	Balance of county	964	–	–	9	226	59	47	22	30	6	11	51	15	483	357	7	8
75	Hartford	6,769	8	1	60	1,536	415	325	172	156	78	63	327	111	3,389	2,559	53	32
76	Bristol	403	2	–	7	93	17	21	14	13	5	5	18	3	208	156	5	3
77	East Hartford town†	480	1	–	7	119	30	35	12	10	5	4	23	4	241	187	3	3
78	Enfield town†	286	–	–	3	60	13	13	6	4	5	5	14	2	142	119	1	2
79	Hartford	1,384	1	1	18	268	72	56	28	31	16	10	55	16	660	510	9	6
80	Manchester town†	460	1	–	1	115	32	21	14	15	11	3	19	19	217	155	3	10
81	New Britain	792	1	–	2	161	43	34	17	16	5	8	38	16	424	313	7	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
497	60	3	125	29	32	69	27	6	17	3	–	11	13	18	202	70	45	65	10	8	01
80	9	–	20	3	6	14	8	2	3	2	–	3	2	3	30	10	8	13	5	2	02
80	9	–	20	3	6	15	8	2	3	2	–	3	2	3	31	10	8	14	5	2	03
201	29	1	45	20	13	29	7	2	5	–	–	2	6	2	95	16	13	25	3	2	04
99	10	1	26	3	5	17	5	1	1	1	–	2	–	3	36	12	7	6	–	–	05
117	12	1	34	3	8	9	7	1	8	–	–	4	5	10	41	32	17	21	2	4	06
3	2	–	1	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–	–	07
23	1	–	4	5	–	2	3	1	–	–	–	1	2	1	9	2	–	1	–	1	08
9	2	–	2	–	–	1	1	–	–	1	–	–	1	2	7	1	2	2	–	–	09
52	6	–	12	6	1	8	4	–	3	–	–	1	1	3	11	13	12	4	1	1	10
27	3	–	7	5	–	3	1	–	3	–	–	1	1	1	5	6	4	3	1	–	11
25	3	–	5	1	1	5	3	–	–	–	–	–	–	2	6	7	8	1	–	1	12
257	17	1	66	17	12	31	18	3	9	–	–	6	4	18	71	43	26	13	6	–	13
99	6	1	35	4	5	12	5	2	5	–	–	3	1	3	21	14	12	4	5	–	14
79	4	–	19	9	5	12	10	–	1	–	–	1	–	7	23	11	4	3	–	–	15
79	7	–	12	4	2	7	3	1	3	–	–	2	3	8	27	18	10	6	1	–	16
77	3	1	15	–	4	6	5	–	4	–	–	2	2	1	23	4	6	3	–	1	17
19	1	1	4	2	–	–	3	–	2	–	–	–	1	1	6	1	3	1	–	–	18
52	2	–	8	3	4	3	2	–	–	1	–	1	–	2	14	9	6	2	2	–	19
31	1	–	6	3	1	2	2	–	–	1	–	1	–	1	9	6	6	1	2	–	20
21	1	–	2	–	3	1	–	–	–	–	–	–	–	1	5	3	–	1	–	–	21
173	16	5	58	6	6	12	9	1	5	1	–	1	2	13	97	25	25	14	–	1	22
95	9	4	30	2	3	5	7	1	3	–	–	–	1	8	61	11	15	5	–	–	23
78	7	1	28	4	3	7	2	–	2	1	–	1	1	5	36	14	10	9	–	1	24
2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	25
15	9	–	3	–	–	5	2	–	–	1	–	1	2	2	7	6	7	3	1	–	26
36	4	–	11	1	3	1	3	–	3	–	–	–	1	5	22	3	6	4	–	1	27
40	16	–	18	3	3	10	3	–	1	2	–	–	–	3	31	7	5	2	–	–	28
63	5	–	21	–	3	4	3	1	4	1	–	–	2	1	21	12	8	2	–	–	29
83	7	1	24	3	6	11	3	1	5	3	–	2	–	3	31	7	4	–	–	1	30
3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	31
2	1	–	–	–	–	1	–	–	–	–	–	1	2	1	6	–	2	–	–	–	32
27	–	–	3	–	1	3	–	1	1	–	–	–	–	–	4	1	2	1	–	1	33
8	3	–	2	–	–	–	–	–	–	–	–	–	1	–	3	4	6	2	–	–	34
46	5	1	11	10	1	5	2	–	–	1	–	2	2	–	15	8	8	1	1	–	35
323	22	2	101	11	15	38	19	1	19	3	–	8	12	7	124	26	30	28	6	5	36
289	19	1	90	10	13	34	16	–	17	3	–	8	12	6	110	22	28	25	5	4	37
34	3	1	11	1	2	4	3	1	2	–	–	–	–	1	14	4	2	3	1	1	38
13	2	–	4	1	–	1	–	–	–	–	–	1	–	3	4	–	4	–	–	–	39
27	4	–	14	1	–	6	3	1	1	–	–	–	–	1	14	–	5	4	2	–	40
8	1	–	1	–	1	2	2	–	1	–	–	–	1	1	5	3	6	3	–	–	41
9	–	–	4	–	–	–	2	1	2	–	–	–	–	1	10	–	1	–	–	1	42
4	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	43
2	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	44
7	2	–	4	1	–	–	1	–	–	–	–	1	–	–	5	1	3	–	–	–	45
1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	1	8	3	1	–	1	46
10	1	–	4	–	–	1	1	–	2	–	–	1	–	1	3	–	3	–	–	–	47
18	2	–	7	1	1	–	–	–	–	–	–	1	–	1	3	–	1	–	–	–	48
211	20	2	60	12	19	29	14	3	11	4	–	7	9	5	68	33	27	20	9	2	49
99	10	2	31	7	7	13	6	1	6	3	–	2	4	1	35	10	14	8	6	–	50
112	10	–	29	5	12	16	8	2	5	1	–	5	5	4	33	23	13	12	3	2	51
35	6	1	10	3	1	5	1	–	–	3	–	1	1	1	19	5	3	–	–	–	52
8,762	937	72	2,374	387	415	785	236	61	462	107	1	141	252	263	2,229	498	558	320	132	53	53
6,120	716	47	1,674	257	283	524	153	41	344	73	1	95	168	158	1,550	299	398	198	109	42	54
2,642	221	25	700	130	132	261	83	20	118	34	–	46	84	105	679	199	160	122	23	11	55
6,735	816	58	1,837	278	323	593	167	38	357	89	1	116	202	213	1,745	342	449	239	111	48	56
5,519	676	44	1,506	225	252	471	136	35	309	71	1	87	159	143	1,429	264	372	182	101	42	57
1,216	140	14	331	53	71	122	31	3	48	18	–	29	43	70	316	78	77	57	10	6	58
2,027	121	14	537	109	92	192	69	23	105	18	–	25	50	50	484	156	109	81	21	5	59
601	40	3	168	32	31	53	17	6	35	2	–	8	9	15	121	35	26	16	8	–	60
1,426	81	11	369	77	61	139	52	17	70	16	–	17	41	35	363	121	83	65	13	5	61
2,261	157	22	632	106	115	183	60	14	103	18	–	40	59	52	573	123	164	99	37	20	62
556	30	3	145	33	24	39	10	4	26	4	–	12	25	10	138	24	33	15	20	12	63
118	16	1	45	4	6	14	5	1	6	4	–	6	2	2	34	12	9	8	–	–	64
35	4	–	12	1	6	5	1	–	3	–	–	2	–	1	12	4	8	1	–	–	65
165	8	3	38	11	13	6	1	1	5	2	–	3	3	7	48	6	9	3	1	–	66
137	13	1	37	6	2	14	5	–	8	2	–	2	2	1	54	6	23	11	–	–	67
218	17	1	58	10	12	16	14	1	12	–	–	3	6	5	44	11	14	7	4	4	68
83	3	–	19	4	7	7	–	–	2	–	–	–	1	2	14	5	2	6	1	–	69
298	16	5	95	14	11	31	11	3	21	2	–	1	8	4	85	18	26	20	6	1	70
176	15	2	45	7	7	13	2	1	3	–	–	1	1	–	39	5	6	4	1	2	71
102	5	2	26	3	5	3	–	2	3	–	–	2	2	2	18	3	7	1	–	–	72
57	4	–	20	–	5	4	4	–	5	2	–	1	–	3	8	4	5	2	1	1	73
316	26	4	92	13	17	31	7	1	9	2	–	7	9	15	79	25	22	21	3	–	74
2,331	143	19	626	81	104	204	66	9	121	37	–	40	90	98	589	97	176	73	45	19	75
144	4	2	43	2	5	6	2	1	5	3	–	1	6	6	34	12	7	7	–	–	76
169	12	–	43	4	7	13	–	2	7	2	–	3	3	6	43	9	11	6	2	1	77
110	6	1	19	–	3	12	3	–	6	1	–	1	7	4	21	7	12	3	–	2	78
464	31	4	118	6	22	50	16	2	41	6	–	10	31	24	131	12	47	12	32	6	79
140	2	3	39	9	11	9	10	1	8	1	–	1	4	4	40	11	13	3	–	2	80
289	13	6	81	14	10	22	6	1	17	3	–	3	7	17	78	2	20	8	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Connecticut—Con.																	
	Hartford—Con.																	
01	Newington town†	169	–	–	2	42	21	7	1	1	1	3	8	2	89	70	1	–
02	Plainville town†	123	–	–	1	29	7	3	6	4	–	–	9	2	56	43	2	–
03	Southington town†	210	–	–	–	47	11	14	4	6	1	1	10	3	109	85	2	–
04	West Hartford town†	681	–	–	4	187	64	28	23	14	8	8	42	6	363	266	6	2
05	Wethersfield town†	240	1	–	2	57	19	7	8	7	1	2	13	4	120	92	3	–
06	Windsor Locks town†	101	–	–	1	16	5	1	4	1	1	–	4	1	53	45	–	–
07	Balance of county	1,440	1	–	12	342	81	85	35	34	19	14	74	33	707	518	11	2
08	Litchfield	1,442	1	–	8	322	74	83	29	37	18	9	72	16	755	562	15	8
09	Torrington	334	–	–	3	74	21	18	7	11	5	1	11	4	184	143	–	1
10	Balance of county	1,108	1	–	5	248	53	65	22	26	13	8	61	12	571	419	15	7
11	Middlesex	1,056	3	–	8	239	74	57	25	24	8	8	43	19	518	393	5	–
12	Middletown	328	2	–	4	70	24	19	7	6	3	2	9	10	171	122	–	–
13	Balance of county	728	1	–	4	169	50	38	18	18	5	6	34	9	347	271	5	–
14	New Haven	6,854	8	1	68	1,631	479	378	164	167	61	69	313	103	3,542	2,751	55	37
15	Ansonia	215	1	–	3	55	17	15	3	9	3	2	6	3	111	89	1	–
16	Derby	130	–	–	–	27	9	2	2	4	2	3	5	4	67	48	–	–
17	East Haven town†	190	–	–	2	50	18	17	8	1	–	1	5	7	87	69	1	1
18	Hamden town†	515	–	–	4	145	34	29	18	17	10	4	33	9	261	201	4	–
19	Meriden	501	1	–	2	106	43	23	12	6	2	–	20	6	286	211	8	4
20	Milford	409	–	–	1	86	25	20	6	8	5	4	18	4	208	165	2	1
21	Naugatuck	203	–	–	4	45	9	13	7	5	–	2	9	2	104	84	–	2
22	New Haven	1,327	–	–	13	307	91	77	24	33	7	16	59	20	676	549	12	2
23	Wallingford town†	329	–	–	2	69	24	17	6	4	1	5	12	4	164	114	3	2
24	Waterbury	1,093	3	–	8	231	64	53	23	27	12	10	42	13	649	495	6	17
25	West Haven town†	490	–	–	7	120	33	25	12	12	10	2	26	12	244	195	4	–
26	Balance of county	1,452	3	1	22	390	112	87	43	41	9	20	78	19	685	531	14	8
27	New London	1,863	2	–	7	417	123	87	47	43	17	8	92	33	973	703	8	7
28	New London	313	–	–	1	71	21	17	7	7	5	2	12	5	178	116	2	1
29	Norwich	412	–	–	1	98	27	21	12	10	5	2	21	9	219	172	2	1
30	Balance of county	1,138	2	–	5	248	75	49	28	26	7	4	59	19	576	415	4	5
31	Tolland	600	–	–	5	132	33	27	15	19	2	9	27	13	300	231	9	–
32	Vernon town†	169	–	–	–	37	9	11	4	7	–	1	5	6	80	58	2	–
33	Balance of county	431	–	–	5	95	24	16	11	12	2	8	22	7	220	173	7	–
34	Windham	824	1	–	4	194	57	41	23	17	9	11	36	11	416	321	10	–
35	Willimantic	92	–	–	–	17	4	3	1	2	–	2	5	–	53	40	1	–
36	Balance of county	732	1	–	4	177	53	38	22	15	9	9	31	11	363	281	9	–
37	**Delaware**	4,957	6	–	33	1,136	297	286	106	134	55	37	221	147	2,433	1,954	32	29
38	Urban places	1,932	3	–	10	442	123	112	43	48	18	11	87	54	962	762	8	12
39	Balance of area	3,025	3	–	23	694	174	174	63	86	37	26	134	93	1,471	1,192	24	17
40	Metropolitan counties	3,257	3	–	16	771	208	205	72	83	33	24	146	104	1,586	1,278	20	18
41	Urban places	1,715	3	–	9	393	109	100	39	43	17	8	77	52	858	689	6	10
42	Balance of area	1,542	–	–	7	378	99	105	33	40	16	16	69	52	728	589	14	8
43	Nonmetropolitan counties	1,700	3	–	17	365	89	81	34	51	22	13	75	43	847	676	12	11
44	Urban places	217	–	–	1	49	14	12	4	5	1	3	10	2	104	73	2	2
45	Balance of area	1,483	3	–	16	316	75	69	30	46	21	10	65	41	743	603	10	9
46	Kent	709	3	–	7	155	45	29	12	18	10	7	34	17	354	268	5	6
47	Dover	217	–	–	1	49	14	12	4	5	1	3	10	2	104	73	2	2
48	Balance of county	492	3	–	6	106	31	17	8	13	9	4	24	15	250	195	3	4
49	New Castle	3,257	3	–	16	771	208	205	72	83	33	24	146	104	1,586	1,278	20	18
50	Newark	225	–	–	1	55	16	11	5	3	4	1	15	5	113	88	1	1
51	Wilmington	1,490	3	–	8	338	93	89	34	40	13	7	62	47	745	601	5	9
52	Balance of county	1,542	–	–	7	378	99	105	33	40	16	16	69	52	728	589	14	8
53	Sussex	991	–	–	10	210	44	52	22	33	12	6	41	26	493	408	7	5
54	**District of Columbia**	7,065	27	3	102	1,559	462	362	147	187	64	34	303	121	2,974	2,186	37	60
55	**Florida**	95,595	155	10	668	21,541	5,555	6,045	1,718	2,420	1,018	758	4,027	1,507	47,582	35,592	802	386
56	Urban places	49,813	85	3	362	11,114	2,948	3,001	925	1,305	494	388	2,053	786	25,174	18,818	426	212
57	Balance of area	45,782	70	7	306	10,427	2,607	3,044	793	1,115	524	370	1,974	721	22,408	16,774	376	174
58	Metropolitan counties	61,962	106	4	461	14,127	3,703	3,857	1,176	1,580	663	491	2,657	965	30,793	23,260	550	246
59	Urban places	41,244	73	2	303	9,240	2,480	2,457	781	1,071	407	314	1,730	640	20,891	15,777	360	178
60	Balance of area	20,718	33	2	158	4,887	1,223	1,400	395	509	256	177	927	325	9,902	7,483	190	68
61	Nonmetropolitan counties	33,633	49	6	207	7,414	1,852	2,188	542	840	355	267	1,370	542	16,789	12,332	252	140
62	Urban places	8,569	12	1	59	1,874	468	544	144	234	87	74	323	146	4,283	3,041	66	34
63	Balance of area	25,064	37	5	148	5,540	1,384	1,644	398	606	268	193	1,047	396	12,506	9,291	186	106
64	Alachua	788	2	–	5	191	54	51	11	20	13	4	38	16	314	192	7	2
65	Gainesville	395	1	–	3	98	23	25	5	15	7	3	20	4	167	103	6	2
66	Balance of county	393	1	–	2	93	31	26	6	5	6	1	18	12	147	89	1	–
67	Baker	85	–	–	1	20	2	3	1	3	1	2	8	3	33	25	–	–
68	Bay	698	1	1	6	152	31	51	10	21	5	3	31	7	320	238	5	2
69	Panama City	382	1	1	4	78	13	27	6	12	2	2	16	4	189	139	4	2
70	Balance of county	316	–	–	2	74	18	24	4	9	3	1	15	3	131	99	1	–
71	Bradford	159	–	–	–	27	8	5	–	2	1	–	11	4	75	49	–	4
72	Brevard	1,994	–	–	9	489	136	146	34	60	21	9	83	31	998	751	20	9
73	Cocoa	170	–	–	1	42	15	14	1	5	–	1	6	2	80	60	4	1
74	Melbourne	362	–	–	1	85	26	29	4	10	4	–	12	7	190	143	3	–
75	Rockledge	87	–	–	1	26	5	9	3	5	1	–	3	2	42	29	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
63	6	–	14	2	3	4	1	–	3	2	–	–	2	3	11	2	1	4	1	–	01
37	4	–	10	2	1	3	1	–	1	–	–	1	–	3	12	5	4	4	1	–	02
76	7	–	18	1	5	2	1	–	4	2	–	1	7	–	19	5	7	2	–	1	03
241	17	–	76	12	9	20	6	1	6	8	–	2	2	3	48	4	15	5	–	1	04
87	2	–	24	2	2	12	3	–	1	1	–	2	1	3	22	7	2	2	–	–	05
43	2	–	5	2	1	2	1	–	5	–	–	1	–	1	10	3	3	1	1	2	06
468	37	3	136	25	25	49	16	1	17	8	–	14	20	24	120	18	34	16	4	4	07
504	35	5	144	23	21	50	19	6	24	1	–	3	9	11	124	41	22	21	6	3	08
130	12	2	30	4	5	15	4	1	3	–	–	–	1	3	23	11	5	3	–	–	09
374	23	3	114	19	16	35	15	5	21	1	–	3	8	8	101	30	17	18	6	3	10
359	29	–	94	12	19	34	13	–	22	6	–	3	5	16	91	31	23	15	8	2	11
112	10	–	38	1	10	3	4	–	9	1	–	1	–	5	29	7	4	3	5	–	12
247	19	–	56	11	9	31	9	–	13	5	–	2	5	11	62	24	19	12	3	2	13
2,143	516	17	579	91	104	206	41	15	133	34	1	36	53	63	583	122	109	67	29	9	14
80	8	1	19	1	1	10	2	–	2	1	–	1	–	–	17	4	2	3	–	–	15
46	2	–	14	4	1	5	–	–	4	1	–	–	1	–	16	1	2	–	2	–	16
47	20	–	16	–	2	5	1	1	5	2	–	1	1	1	14	7	2	2	2	–	17
128	69	2	45	5	8	11	1	1	13	1	–	2	–	2	49	3	9	3	1	–	18
163	36	1	59	7	8	18	7	–	9	1	–	3	6	4	29	8	11	4	–	–	19
154	8	–	32	6	5	14	4	–	9	1	–	3	3	4	43	7	9	9	3	1	20
80	2	–	16	3	1	5	2	2	5	–	–	1	–	–	23	7	2	–	–	1	21
343	192	–	101	9	17	34	6	5	35	6	–	3	17	12	122	17	26	12	14	2	22
89	20	1	40	1	8	25	2	1	9	3	–	1	1	2	28	6	7	3	–	2	23
450	22	4	100	31	19	19	7	2	12	7	1	11	7	4	81	18	11	7	2	–	24
131	60	1	34	9	5	18	1	2	8	3	–	2	3	3	44	9	7	4	2	1	25
432	77	7	103	15	29	42	8	1	22	8	–	8	14	31	117	35	21	20	3	2	26
661	27	5	192	37	36	58	13	8	41	6	–	12	22	13	159	43	32	20	4	–	27
111	2	1	40	16	5	14	2	2	9	–	–	1	2	1	20	3	2	2	–	–	28
161	8	–	34	4	9	15	2	1	11	–	–	3	2	3	30	8	7	2	1	–	29
389	17	4	118	17	22	29	9	5	21	6	–	8	18	9	109	32	23	16	3	–	30
207	15	3	49	13	4	20	7	5	10	2	–	4	7	6	44	20	13	12	–	–	31
54	2	–	16	4	2	5	3	1	3	1	–	2	3	2	13	4	3	6	–	–	32
153	13	3	33	9	2	15	4	4	7	1	–	2	4	4	31	16	10	6	–	–	33
296	15	1	58	24	12	30	17	4	8	3	–	3	7	4	66	21	19	13	3	–	34
33	6	–	10	3	–	1	2	1	–	–	–	1	1	1	6	2	5	–	2	–	35
263	9	1	48	21	12	29	15	3	8	3	–	2	6	3	60	19	14	13	1	–	36
1,777	116	13	319	75	72	98	47	8	90	15	3	31	59	44	428	135	107	85	41	11	37
694	48	5	120	38	37	42	13	3	39	7	2	16	28	21	161	39	32	33	20	5	38
1,083	68	8	199	37	35	56	34	5	51	8	1	15	31	23	267	96	75	52	21	6	39
1,157	83	9	192	58	49	51	32	6	64	7	2	23	35	28	282	82	64	65	28	8	40
629	44	5	97	34	33	33	11	2	35	5	2	14	23	18	142	32	28	31	19	5	41
528	39	4	95	24	16	18	21	4	29	2	–	9	12	10	140	50	36	34	9	3	42
620	33	4	127	17	23	47	15	2	26	8	1	8	24	16	146	53	43	20	13	3	43
65	4	–	23	4	4	9	2	1	4	2	–	2	5	3	19	7	4	2	1	–	44
555	29	4	104	13	19	38	13	1	22	6	1	6	19	13	127	46	39	18	12	3	45
243	14	1	67	8	10	21	7	1	14	5	–	5	14	8	47	20	18	6	6	1	46
65	4	–	23	4	4	9	2	1	4	2	–	2	5	3	19	7	4	2	1	–	47
178	10	1	44	4	6	12	5	–	10	3	–	3	9	5	28	13	14	4	5	1	48
1,157	83	9	192	58	49	51	32	6	64	7	2	23	35	28	282	82	64	65	28	8	49
79	7	1	13	4	7	3	1	–	1	1	–	1	2	1	12	14	5	9	–	1	50
550	37	4	84	30	26	30	10	2	34	4	2	13	21	17	130	18	23	22	19	4	51
528	39	4	95	24	16	18	21	4	29	2	–	9	12	10	140	50	36	34	9	3	52
377	19	3	60	9	13	26	8	1	12	3	1	3	10	8	99	33	25	14	7	2	53
1,855	234	20	521	170	77	246	59	17	294	54	1	37	162	132	716	73	206	70	172	40	54
32,347	2,057	322	9,019	1,191	1,458	2,510	1,402	267	1,639	429	13	506	702	1,279	8,285	2,198	2,147	1,533	1,034	188	55
17,160	1,020	176	4,848	591	741	1,374	685	138	882	232	6	241	360	575	4,434	898	1,035	783	563	83	56
15,187	1,037	146	4,171	600	717	1,136	717	129	757	197	7	265	342	704	3,851	1,300	1,112	750	471	105	57
21,149	1,315	212	5,695	733	893	1,627	876	166	1,099	307	8	347	457	583	5,509	1,300	1,319	1,055	753	100	58
14,386	853	143	3,903	471	597	1,129	568	108	745	203	5	198	295	394	3,711	712	820	656	487	64	59
6,763	462	69	1,792	262	296	498	308	58	354	104	3	149	162	189	1,798	588	499	399	266	36	60
11,198	742	110	3,324	458	565	883	526	101	540	122	5	159	245	696	2,776	898	828	478	281	88	61
2,774	167	33	945	120	144	245	117	30	137	29	1	43	65	181	723	186	215	127	76	19	62
8,424	575	77	2,379	338	421	638	409	71	403	93	4	116	180	515	2,053	712	613	351	205	69	63
153	30	2	86	26	8	22	20	2	12	–	–	6	18	11	78	33	25	17	12	4	64
82	13	–	42	17	5	12	9	–	8	–	–	3	12	3	41	8	5	9	10	2	65
71	17	2	44	9	3	10	11	2	4	–	–	3	6	8	37	25	20	8	2	2	66
18	7	–	5	3	–	–	2	–	1	–	–	–	3	1	8	6	2	4	1	–	67
214	17	3	63	8	8	16	10	4	15	4	1	5	7	10	64	30	26	12	7	–	68
124	9	3	35	7	5	8	7	2	9	3	–	2	4	6	36	11	11	3	3	–	69
90	8	–	28	1	3	8	3	2	6	1	1	3	3	4	28	19	15	9	4	–	70
44	1	1	19	3	3	4	3	1	1	2	–	–	1	2	15	8	5	5	5	1	71
687	35	3	178	25	41	42	25	11	44	5	1	10	25	4	141	72	43	30	10	4	72
53	2	–	15	2	3	1	1	2	4	1	–	2	2	–	8	11	8	4	1	–	73
137	3	–	35	6	6	14	6	2	6	2	–	3	5	–	22	8	4	5	–	2	74
27	1	–	9	1	3	–	1	1	4	–	–	–	1	–	4	3	–	2	–	–	75

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
	Brevard—Con.																	
01	Titusville	275	–	–	1	62	16	15	4	9	4	3	11	6	134	109	2	1
02	Balance of county	1,100	–	–	5	274	74	79	22	31	12	5	51	14	552	410	10	7
03	Broward	10,720	18	–	50	2,684	735	714	225	296	121	106	487	197	5,368	4,195	113	25
04	Deerfield Beach	536	1	–	3	155	47	43	13	15	6	3	28	11	269	195	5	2
05	Fort Lauderdale	2,685	7	–	11	631	148	188	47	79	35	25	109	38	1,343	1,020	21	8
06	Hallandale	647	–	–	5	173	64	37	15	19	3	5	30	13	327	262	5	2
07	Hollywood	1,600	4	–	6	399	101	107	38	35	12	18	88	32	816	651	11	3
08	Lauderdale Lakes	314	1	–	1	80	31	19	3	8	2	5	12	4	178	143	4	–
09	Miramar	257	–	–	–	65	20	19	10	5	1	2	8	9	124	101	1	–
10	Oakland Park	137	–	–	–	27	9	7	–	–	2	1	8	5	68	52	5	–
11	Pembroke Pines	218	–	–	2	66	14	15	4	10	2	1	20	7	107	92	1	1
12	Plantation	298	–	–	3	71	24	17	6	3	3	1	17	4	155	117	2	–
13	Pompano Beach	843	2	–	1	230	54	57	23	27	15	17	37	11	412	322	13	5
14	Wilton Manor	155	1	–	1	28	10	4	4	3	–	1	6	2	79	55	2	–
15	Balance of county	3,030	2	–	17	759	213	201	62	92	40	27	124	61	1,490	1,185	43	4
16	Calhoun	103	1	–	–	22	5	7	1	3	–	2	4	1	48	35	1	–
17	Charlotte	804	1	–	6	190	55	53	9	22	10	6	35	6	440	347	5	6
18	Citrus	699	–	–	3	165	36	49	15	15	8	10	32	8	384	268	6	–
19	Clay	428	–	–	–	85	14	28	7	14	2	2	18	5	232	185	1	4
20	Collier	757	–	–	4	190	47	54	11	27	8	7	36	10	336	268	10	4
21	Naples	292	–	–	2	78	13	20	4	17	5	4	15	1	150	116	6	1
22	Balance of county	465	–	–	2	112	34	34	7	10	3	3	21	9	186	152	4	3
23	Columbia	268	1	–	2	54	14	21	2	3	3	1	10	5	117	80	1	2
24	Lake City	129	1	–	2	21	5	7	1	3	1	–	4	2	57	36	1	–
25	Balance of county	139	–	–	–	33	9	14	1	–	2	1	6	3	60	44	–	2
26	Dade	15,456	24	1	155	3,502	975	893	312	358	167	117	680	274	7,619	6,065	134	56
27	Coral Gables	401	–	–	3	115	34	22	16	7	7	6	23	3	192	150	5	4
28	Hialeah	957	–	–	5	224	66	60	17	17	13	7	44	24	445	361	9	10
29	Homestead	170	1	–	–	31	7	13	1	4	1	–	5	2	65	53	1	–
30	Miami	4,325	11	–	55	929	250	254	89	120	43	24	149	97	2,044	1,605	23	10
31	Miami Beach	2,606	3	–	20	543	176	97	52	54	25	24	115	37	1,570	1,311	36	6
32	Miami Springs	142	–	–	–	27	9	11	–	2	2	–	3	3	72	48	2	4
33	North Miami	647	–	–	8	147	47	44	14	8	6	3	25	12	349	284	4	1
34	North Miami Beach	1,098	–	–	5	301	83	77	22	36	9	7	67	22	603	481	15	3
35	Opa-Locka	144	1	–	2	25	8	7	3	3	2	–	2	1	61	50	–	1
36	South Miami	84	–	–	–	17	5	3	2	–	1	3	3	1	42	30	–	–
37	Balance of county	4,882	8	1	57	1,143	290	305	96	107	58	43	244	72	2,176	1,692	39	17
38	De Soto	195	–	–	–	27	6	7	–	5	2	2	5	1	106	76	1	–
39	Dixie	73	–	–	–	14	1	1	2	2	2	1	5	1	28	22	–	1
40	Duval, coext. with Jacksonville city	4,731	11	–	46	1,005	207	284	76	147	36	30	225	70	2,166	1,661	33	24
41	Escambia	1,701	3	1	10	386	99	140	24	24	18	10	71	23	802	594	11	9
42	Pensacola	719	1	–	2	162	44	51	14	12	8	2	31	11	349	272	7	5
43	Balance of county	982	2	1	8	224	55	89	10	12	10	8	40	12	453	322	4	4
44	Flagler	105	–	–	1	26	8	5	1	2	1	–	9	1	51	37	1	–
45	Franklin	98	–	–	1	13	3	4	1	1	1	–	3	2	50	40	–	–
46	Gadsden	366	–	–	2	76	15	23	7	11	2	6	12	7	171	118	2	4
47	Gilchrist	59	–	–	–	15	3	3	–	5	–	–	4	2	30	22	–	–
48	Glades	42	–	–	–	6	1	3	–	–	–	1	1	3	24	22	1	–
49	Gulf	90	–	–	1	21	4	7	–	5	–	1	4	3	42	36	–	–
50	Hamilton	88	–	–	–	12	1	4	–	–	–	1	6	2	42	30	–	–
51	Hardee	150	1	–	–	24	4	8	–	4	–	1	7	2	66	53	1	–
52	Hendry	136	–	–	2	33	5	15	4	4	2	–	3	8	54	44	2	–
53	Hernando	466	–	–	5	110	34	32	9	11	3	5	16	5	220	156	3	2
54	Highlands	606	4	–	1	124	36	43	9	9	8	4	15	10	306	228	6	2
55	Hillsborough	5,318	15	1	43	1,190	269	388	88	140	53	41	211	101	2,482	1,859	35	28
56	Plant City	190	–	–	1	39	10	14	1	8	1	–	5	6	98	72	–	–
57	Tampa	3,268	7	1	25	726	180	226	54	94	32	25	115	59	1,568	1,150	25	22
58	Balance of county	1,860	8	–	17	425	79	148	33	38	20	16	91	36	816	637	10	6
59	Holmes	170	1	–	–	30	6	7	2	1	3	1	10	2	83	70	1	–
60	Indian River	595	–	–	5	140	40	38	7	16	7	6	26	9	286	211	8	7
61	Vero Beach	228	–	–	4	50	13	15	3	7	–	2	10	2	120	89	5	2
62	Balance of county	367	–	–	1	90	27	23	4	9	7	4	16	7	166	122	3	5
63	Jackson	381	1	–	2	57	12	20	5	5	1	1	13	7	199	145	1	2
64	Jefferson	116	–	–	5	23	7	6	1	2	2	–	5	1	55	34	1	3
65	Lafayette	35	–	–	–	7	4	1	1	1	–	–	–	1	15	10	–	–
66	Lake	1,266	1	1	10	269	81	64	23	34	13	3	51	10	685	477	8	8
67	Leesburg	183	–	–	2	44	12	11	4	6	–	–	11	1	79	52	–	2
68	Balance of county	1,083	1	1	8	225	69	53	19	28	13	3	40	9	606	425	8	6
69	Lee	2,123	7	–	9	479	122	148	29	53	22	16	89	37	1,065	788	22	5
70	Fort Myers	507	2	–	5	98	26	30	4	18	7	4	9	10	241	169	6	2
71	Balance of county	1,616	5	–	4	381	96	118	25	35	15	12	80	27	824	619	16	3
72	Leon	676	1	–	4	142	29	37	12	24	9	6	25	9	277	185	12	6
73	Tallahassee	456	1	–	1	97	21	26	10	15	6	3	16	2	192	133	6	6
74	Balance of county	220	–	–	3	45	8	11	2	9	3	3	9	7	85	52	6	–
75	Levy	188	–	–	2	33	8	12	4	4	1	1	3	4	84	59	2	1
76	Liberty	38	–	–	–	6	1	2	–	1	–	–	2	–	19	14	1	–
77	Madison	159	1	–	–	38	8	14	1	5	2	–	8	4	71	58	1	1
78	Manatee	2,048	1	–	17	468	128	111	34	46	27	14	108	32	1,022	746	13	4
79	Bradenton	618	–	–	5	118	36	25	12	11	7	4	23	8	327	226	5	2
80	Balance of county	1,430	1	–	12	350	92	86	22	35	20	10	85	24	695	520	8	2
81	Marion	1,109	2	1	5	259	73	78	16	33	14	5	40	29	477	315	11	5
82	Ocala	410	–	–	1	93	22	32	8	11	5	1	14	6	187	109	3	1
83	Balance of county	699	2	1	4	166	51	46	8	22	9	4	26	23	290	206	8	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
95	11	–	18	1	6	8	1	2	6	–	–	1	6	1	24	12	4	5	2	–	01
375	18	3	101	15	23	19	16	4	24	2	1	4	11	3	83	38	27	14	7	2	02
3,883	174	53	860	98	162	229	109	28	179	49	–	50	77	45	930	191	196	191	117	12	03
180	8	2	60	5	7	15	7	3	7	2	–	–	2	2	39	7	5	5	3	–	04
953	38	21	224	35	43	61	29	5	61	14	–	13	29	16	234	45	59	45	41	3	05
241	14	3	44	6	12	9	8	2	11	4	–	2	2	1	59	10	9	7	5	–	06
616	21	5	127	7	26	41	15	4	21	4	–	6	8	4	146	27	26	32	9	–	07
130	9	1	26	1	7	7	2	1	3	–	–	–	1	1	27	1	4	3	–	–	08
99	1	–	19	1	3	4	–	–	3	2	–	2	1	–	26	8	8	3	2	–	09
44	3	–	14	1	1	2	5	–	6	–	–	2	–	1	11	2	–	4	3	1	10
85	5	–	11	2	2	5	2	–	–	–	–	1	–	–	16	4	3	3	1	1	11
111	4	2	28	6	2	4	–	–	2	1	–	3	–	1	26	8	8	11	1	–	12
294	10	5	65	12	8	23	11	3	16	5	–	5	11	6	55	16	14	11	9	2	13
51	2	–	20	2	2	6	1	–	–	2	–	–	–	–	23	1	3	6	2	–	14
1,079	59	14	222	20	49	52	29	10	49	15	–	16	23	13	268	62	57	61	41	5	15
32	2	–	11	1	1	5	1	–	3	–	1	1	2	4	10	1	3	–	–	–	16
320	16	3	61	18	11	30	13	2	13	1	–	2	2	2	54	16	8	10	4	4	17
250	12	2	94	5	15	8	6	1	10	1	–	1	2	5	54	22	19	6	3	1	18
168	12	2	34	7	4	11	6	2	9	3	–	3	9	3	28	7	11	5	9	–	19
243	11	–	43	4	21	24	13	3	12	2	–	2	12	8	63	26	23	13	15	1	20
106	3	–	26	3	5	10	1	2	4	–	–	–	–	4	24	3	6	5	2	–	21
137	8	–	17	1	16	14	12	1	8	2	–	2	12	4	39	23	17	8	13	1	22
68	9	2	25	5	5	10	6	1	5	–	–	–	4	10	24	8	10	5	3	3	23
29	6	2	14	2	3	5	3	1	2	–	–	–	4	4	13	2	7	3	1	1	24
39	3	–	11	3	2	5	3	–	3	–	–	–	–	6	11	6	3	2	2	2	25
5,581	294	33	1,186	111	224	378	227	35	274	89	5	103	108	60	1,423	303	324	300	251	1	26
132	9	1	33	2	6	6	9	–	9	1	–	3	1	–	29	10	10	8	2	–	27
324	18	2	64	5	13	26	19	1	21	8	–	10	8	2	80	19	22	30	13	–	28
45	7	–	9	3	–	4	1	–	6	1	–	2	3	3	23	14	3	7	4	–	29
1,480	92	7	333	40	59	113	52	8	92	34	4	31	25	20	480	71	91	74	94	–	30
1,229	40	5	189	19	46	63	24	5	17	11	–	4	2	7	186	23	37	43	11	–	31
41	1	–	16	1	7	5	2	–	2	–	–	–	–	–	16	5	3	6	1	–	32
268	11	2	51	5	7	12	8	3	9	2	–	2	2	1	53	8	11	15	5	–	33
448	15	3	96	6	17	24	13	4	3	3	–	3	2	1	80	9	14	10	1	–	34
46	3	1	8	–	2	6	7	1	2	1	–	1	–	–	10	4	6	6	10	–	35
28	2	1	9	–	2	4	2	–	3	–	–	–	–	–	6	4	4	–	1	–	36
1,540	96	11	378	30	65	115	90	13	110	28	1	47	65	26	460	136	123	101	109	1	37
72	3	1	23	4	2	12	2	–	4	1	–	1	3	1	19	1	6	6	3	2	38
17	4	–	5	–	1	–	1	–	1	–	–	–	2	5	8	6	3	3	1	–	39
1,467	137	15	376	49	65	139	70	13	130	38	–	39	66	35	482	108	132	85	78	18	40
515	59	6	164	20	18	47	16	6	29	11	–	20	11	9	167	40	56	22	33	9	41
235	25	1	61	9	6	24	9	3	13	5	–	8	6	3	58	11	23	13	12	6	42
280	34	5	103	11	12	23	7	3	16	6	–	12	5	6	109	29	33	9	21	3	43
34	2	–	9	5	–	–	–	–	2	–	–	1	1	2	9	3	4	3	1	–	44
35	5	–	8	–	2	1	1	–	1	2	–	–	1	12	3	2	7	2	–	–	45
98	14	1	42	3	7	13	5	–	3	4	–	4	2	12	32	12	13	3	6	1	46
19	3	1	5	1	1	1	1	–	–	–	–	–	–	2	2	3	1	–	1	1	47
20	1	–	2	–	–	–	2	1	1	–	–	–	2	–	–	1	2	–	–	–	48
31	5	–	5	–	1	1	1	–	–	–	–	–	–	–	12	5	2	1	1	–	49
28	2	–	9	1	2	1	3	–	–	2	–	–	1	7	8	2	5	1	2	–	50
46	6	–	12	–	1	7	5	1	2	1	–	4	3	3	14	9	4	2	2	–	51
40	2	2	6	1	1	4	2	–	–	–	–	–	6	1	9	7	6	1	1	2	52
140	11	4	46	6	8	9	8	–	6	1	–	1	3	37	38	5	9	7	1	1	53
205	15	1	58	8	11	22	20	2	7	2	–	–	3	16	47	18	9	6	8	1	54
1,662	134	11	495	56	61	158	71	16	108	25	1	27	44	58	504	135	133	117	73	16	55
71	1	–	23	–	3	7	4	1	2	–	–	1	3	2	15	5	1	2	1	2	56
1,017	86	8	325	41	44	95	41	9	68	15	–	14	27	27	334	50	78	65	50	9	57
574	47	3	147	15	14	56	26	6	38	10	1	12	14	29	155	80	54	50	22	5	58
67	2	1	8	–	4	7	2	1	–	–	–	–	1	5	16	7	11	2	2	–	59
172	24	1	61	6	7	17	4	1	14	1	–	2	3	8	47	27	17	9	4	1	60
69	13	–	22	4	5	6	1	1	5	–	–	1	–	5	15	6	9	2	1	–	61
103	11	1	39	2	2	11	3	–	9	1	–	1	3	3	32	21	8	7	3	1	62
134	8	–	47	3	4	11	4	–	6	1	–	2	5	7	39	17	15	3	4	1	63
29	1	2	16	1	2	3	1	1	1	–	–	1	–	3	11	4	5	–	2	–	64
9	1	1	3	1	–	–	–	–	1	–	–	–	–	4	4	2	–	1	–	–	65
431	30	4	151	23	30	25	23	1	15	4	–	6	8	6	113	24	36	15	11	3	66
48	2	–	21	3	3	7	3	–	–	1	–	–	2	1	26	3	9	1	3	1	67
383	28	4	130	20	27	18	20	1	15	3	–	6	6	5	87	21	27	14	8	2	68
717	44	9	206	23	39	48	39	9	50	8	–	9	16	17	175	47	56	30	14	8	69
157	4	1	58	8	5	14	9	–	14	2	–	4	4	4	50	15	19	6	8	2	70
560	40	8	148	15	34	34	30	9	36	6	–	5	12	13	125	32	37	24	6	6	71
147	20	2	73	7	10	26	10	–	7	2	–	10	11	10	86	36	20	13	10	2	72
108	13	–	45	4	10	18	9	–	6	2	–	7	8	8	64	17	8	7	8	1	73
39	7	2	28	3	–	8	1	–	1	–	–	3	3	2	22	19	12	6	2	1	74
53	3	1	17	4	3	9	2	1	5	–	–	3	4	6	18	9	2	2	3	1	75
12	1	–	4	–	1	1	–	–	1	–	–	–	–	1	2	6	1	–	–	1	76
50	6	1	5	2	5	3	1	–	1	2	–	1	2	7	13	3	7	1	3	1	77
680	49	8	217	23	28	55	30	2	23	7	–	9	4	127	161	32	22	25	6	5	78
207	12	2	83	10	6	23	8	–	9	2	–	5	1	36	42	14	7	9	2	2	79
473	37	6	134	13	22	32	22	2	14	5	–	4	8	91	119	18	15	16	4	3	80
279	20	2	139	2	19	36	19	4	21	2	–	6	9	6	116	32	44	22	16	3	81
98	7	2	69	1	6	11	4	1	4	2	–	4	3	1	53	8	13	7	10	2	82
181	13	–	70	1	13	25	15	3	17	–	–	2	6	5	63	24	31	15	6	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
01	Martin	662	–	–	1	154	30	47	19	22	10	3	23	9	357	271	9	1
02	Monroe	519	1	–	8	107	23	37	14	4	4	4	21	8	228	179	1	1
03	Key West	227	–	–	4	49	12	17	7	1	–	1	11	5	110	88	1	–
04	Balance of county	292	1	–	4	58	11	20	7	3	4	3	10	3	118	91	–	1
05	Nassau	208	1	1	2	40	12	9	3	3	3	1	9	2	83	57	2	1
06	Okaloosa	566	–	–	2	121	26	44	11	8	8	4	20	14	247	195	4	2
07	Fort Walton Beach	151	–	–	–	31	6	15	2	4	1	–	3	5	68	51	–	2
08	Balance of county	415	–	–	2	90	20	29	9	4	7	4	17	9	179	144	4	–
09	Okeechobee	175	1	–	–	45	11	15	2	3	2	–	12	4	82	66	–	2
10	Orange	3,648	10	–	32	797	180	233	73	91	35	39	146	49	1,720	1,283	34	22
11	Orlando	1,448	4	–	15	304	68	89	29	30	16	12	60	18	684	509	13	12
12	Winter Park	373	2	–	1	77	24	13	8	8	5	6	13	6	195	138	4	2
13	Balance of county	1,827	4	–	16	416	88	131	36	53	14	21	73	25	841	636	17	8
14	Osceola	553	1	–	7	113	23	34	10	19	8	5	14	8	287	235	5	2
15	Palm Beach	6,183	9	–	40	1,443	395	373	118	159	70	49	279	75	3,298	2,418	57	30
16	Belle Glade	121	–	–	1	23	6	4	3	5	2	–	3	2	50	40	–	–
17	Boca Raton	522	1	–	5	144	42	34	12	17	3	5	31	3	266	191	7	2
18	Boynton Beach	536	–	–	1	132	34	26	15	16	10	6	25	3	312	234	2	2
19	Delray Beach	501	–	–	3	120	35	27	12	8	9	6	23	10	262	191	7	–
20	Lake Worth	560	1	–	3	128	39	37	10	15	5	1	21	3	314	212	3	3
21	Riviera Beach	260	–	–	4	59	17	17	2	6	2	1	14	7	122	92	1	2
22	West Palm Beach	1,073	4	–	7	203	50	53	16	27	8	6	43	13	599	433	10	7
23	Balance of county	2,610	3	–	16	634	172	175	48	65	31	24	119	34	1,373	1,025	27	14
24	Pasco	2,408	3	1	13	523	143	154	37	65	28	17	79	31	1,259	943	17	7
25	Pinellas	11,340	9	1	66	2,488	691	654	210	287	124	84	438	128	6,079	4,291	106	40
26	Clearwater	1,367	–	–	13	320	81	76	34	42	14	12	61	11	714	491	16	5
27	Dunedin	499	–	–	1	108	29	34	4	14	4	4	19	4	287	182	4	3
28	Largo	714	1	–	6	167	40	53	15	11	4	8	36	8	382	285	5	2
29	Pinellas Park	413	–	–	4	100	26	27	12	9	7	4	15	4	214	179	2	–
30	St. Petersburg	4,545	6	1	26	894	282	228	64	109	35	26	150	51	2,484	1,723	43	17
31	Balance of county	3,802	2	–	16	899	233	236	81	102	60	30	157	50	1,998	1,431	36	13
32	Polk	2,975	6	–	17	639	162	196	45	63	24	32	117	61	1,430	1,020	17	12
33	Bartow	144	–	–	3	25	5	7	4	1	2	2	4	10	77	56	–	–
34	Lakeland	690	–	–	3	152	36	37	13	22	7	9	28	13	334	244	4	6
35	Winter Haven	348	1	–	1	80	22	25	6	9	1	3	14	3	172	107	1	1
36	Balance of county	1,793	5	–	10	382	99	127	22	31	14	18	71	35	847	613	12	5
37	Putnam	496	–	–	3	93	15	31	6	9	3	6	23	16	244	171	6	6
38	St. Johns	510	1	–	3	85	15	28	5	15	7	4	11	8	240	159	1	4
39	St. Augustine	202	–	–	–	40	7	11	3	10	2	2	5	5	78	50	–	1
40	Balance of county	308	1	–	3	45	8	17	2	5	5	2	6	3	162	109	1	3
41	St. Lucie	841	4	–	4	194	53	57	18	21	10	6	29	12	403	320	4	4
42	Fort Pierce	482	4	–	4	100	27	29	8	14	8	3	11	10	232	187	1	3
43	Balance of county	359	–	–	–	94	26	28	10	7	2	3	18	2	171	133	3	1
44	Santa Rosa	306	–	–	3	56	9	19	7	4	1	2	14	6	139	110	2	–
45	Sarasota	2,660	1	–	17	646	148	188	58	77	28	32	115	37	1,447	1,024	15	6
46	Sarasota	902	–	–	6	200	47	59	18	14	9	12	41	12	478	324	5	–
47	Balance of county	1,758	1	–	11	446	101	129	40	63	19	20	74	25	969	700	10	6
48	Seminole	1,095	4	–	7	243	60	71	20	30	16	3	43	17	529	407	6	4
49	Sanford	289	1	–	4	50	15	12	6	8	3	1	5	7	145	103	1	2
50	Balance of county	806	3	–	3	193	45	59	14	22	13	2	38	10	384	304	5	2
51	Sumter	220	–	1	1	54	10	18	2	6	1	–	17	2	99	71	–	–
52	Suwannee	235	1	–	1	45	14	10	1	7	–	4	9	7	116	82	1	1
53	Taylor	137	–	–	3	30	5	14	3	2	–	2	4	4	62	49	4	1
54	Union	59	–	–	1	11	4	3	–	–	–	–	4	1	24	19	1	–
55	Volusia	3,288	4	–	22	730	183	206	58	82	40	30	131	52	1,716	1,231	25	9
56	Daytona Beach	832	1	–	8	191	47	54	12	18	8	11	41	16	437	295	9	3
57	De Land	319	1	–	–	60	15	16	5	7	5	4	8	5	179	131	2	2
58	New Smyrna Beach	267	–	–	1	64	20	16	4	9	5	2	8	5	137	93	2	1
59	Ormond Beach	362	1	–	–	87	22	24	8	11	3	4	15	6	185	138	1	1
60	Balance of county	1,508	1	–	13	328	79	96	29	37	19	9	59	20	778	574	11	2
61	Wakulla	77	–	–	1	21	6	5	–	2	1	2	5	1	40	24	2	1
62	Walton	196	2	–	–	31	6	8	3	–	2	4	8	1	108	87	3	2
63	Washington	151	–	–	2	28	4	11	1	2	4	–	6	1	83	72	–	2
64	**Georgia**	43,298	107	4	409	7,840	1,747	2,188	606	982	309	303	1,705	658	21,408	15,320	227	268
65	Urban places	17,308	54	3	188	3,142	726	859	258	404	131	102	662	257	8,477	6,052	112	114
66	Balance of area	25,990	53	1	221	4,698	1,021	1,329	348	578	178	201	1,043	401	12,931	9,268	115	154
67	Metropolitan counties	18,887	51	1	205	3,602	835	1,013	290	412	142	125	785	258	8,946	6,460	125	126
68	Urban places	12,613	43	1	152	2,303	543	618	195	286	96	73	492	186	6,052	4,352	86	88
69	Balance of area	6,274	8	–	53	1,299	292	395	95	126	46	52	293	72	2,894	2,108	39	38
70	Nonmetropolitan counties	24,411	56	3	204	4,238	912	1,175	316	570	167	178	920	400	12,462	8,860	102	142
71	Urban places	4,695	11	2	36	839	183	241	63	118	35	29	170	71	2,425	1,700	26	26
72	Balance of area	19,716	45	1	168	3,399	729	934	253	452	132	149	750	329	10,037	7,160	76	116
73	Appling	136	–	–	4	17	–	2	4	3	1	1	6	1	75	60	–	2
74	Atkinson	62	–	–	–	12	1	4	1	2	1	–	3	–	25	15	–	–
75	Bacon	97	–	–	–	16	5	4	1	1	1	1	3	–	49	40	–	–
76	Baker	31	–	–	–	7	1	1	–	1	–	–	4	–	10	7	–	1
77	Baldwin	290	–	–	1	46	11	11	2	7	2	1	12	4	149	107	1	–
78	Milledgeville	138	–	–	1	24	2	6	2	5	2	–	7	3	74	55	–	–
79	Balance of county	152	–	–	–	22	9	5	–	2	–	1	5	1	75	52	1	–
80	Banks	68	–	–	–	10	2	2	1	4	–	–	1	–	37	26	–	–
81	Barrow	213	–	–	2	33	8	8	3	4	1	5	4	4	114	83	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
243	18	1	64	9	12	10	17	4	13	4	–	3	2	8	51	5	17	5	2	–	01
168	9	–	36	5	8	16	11	3	19	1	–	3	6	4	39	17	20	9	13	6	02
82	5	–	18	3	1	6	4	2	7	–	–	1	5	1	13	4	6	4	4	2	03
86	4	–	18	2	7	10	7	1	12	1	–	2	1	3	26	13	14	5	9	4	04
47	7	–	22	2	2	18	5	–	5	2	–	2	3	1	19	9	10	2	3	–	05
176	13	2	40	4	6	15	13	2	11	3	–	8	13	7	42	24	25	13	5	1	06
45	4	1	13	1	2	4	4	–	4	1	–	2	2	2	6	5	12	3	2	–	07
131	9	1	27	3	4	11	9	2	7	2	–	6	11	5	36	19	13	10	3	1	08
58	6	–	12	–	4	6	4	1	1	2	–	1	1	1	5	10	3	5	3	–	09
1,148	79	12	320	47	58	134	56	7	66	18	1	21	33	32	320	126	88	75	57	6	10
458	26	6	129	16	24	62	22	3	27	6	–	4	19	20	135	47	30	24	21	3	11
126	6	1	42	9	5	16	3	2	3	4	–	–	–	3	34	6	12	4	5	–	12
564	47	5	149	22	29	56	31	2	36	8	1	17	14	9	151	73	46	47	31	3	13
220	8	2	40	4	6	25	7	–	2	3	–	4	1	4	63	9	7	9	2	1	14
2,164	167	15	650	120	95	129	87	15	91	18	1	25	45	30	476	134	123	70	58	16	15
27	13	–	7	2	1	6	3	–	1	–	–	–	–	3	11	7	9	–	5	–	16
169	13	1	56	8	10	8	3	4	7	–	–	1	3	5	40	13	7	4	4	4	17
216	14	1	60	8	9	13	7	1	5	3	–	1	2	4	37	4	7	2	1	1	18
171	13	3	54	8	6	15	5	1	13	1	–	1	1	4	34	5	11	8	7	–	19
191	15	1	77	13	11	17	8	1	10	–	–	1	5	–	48	8	7	5	1	–	20
81	8	1	24	3	2	7	3	2	5	2	–	2	5	–	22	6	6	4	3	1	21
392	24	3	130	24	9	14	19	3	20	5	1	6	14	1	101	17	18	9	16	3	22
917	67	5	242	54	47	49	39	3	30	7	–	13	15	13	183	74	58	38	21	7	23
875	44	5	205	77	29	66	40	11	42	13	–	10	9	73	192	52	30	32	5	3	24
3,948	197	61	1,374	187	166	319	195	38	179	50	–	36	30	289	918	152	172	128	50	13	25
448	22	11	171	20	21	42	33	4	19	3	–	6	4	33	108	22	14	16	5	–	26
165	10	3	83	10	9	15	12	–	12	–	–	–	1	7	39	4	4	4	–	1	27
262	16	–	76	9	12	15	10	–	9	3	–	1	4	19	65	6	8	8	2	–	28
166	11	–	29	4	2	10	4	1	11	–	–	–	1	9	30	15	4	4	2	–	29
1,591	72	27	611	56	67	143	74	18	74	20	–	12	13	142	364	50	87	48	32	6	30
1,316	66	20	404	88	55	94	62	15	54	24	–	17	7	79	312	55	55	48	9	6	31
935	56	16	310	46	38	77	44	7	48	10	–	18	25	105	221	97	85	45	31	9	32
52	4	–	17	2	2	5	–	–	3	–	–	1	1	3	9	–	3	1	2	1	33
221	13	7	66	5	12	25	10	3	8	4	–	3	5	35	46	15	21	11	2	–	34
97	8	1	48	14	2	8	5	1	6	1	–	3	3	11	24	9	11	6	3	–	35
565	31	8	179	25	22	39	29	3	31	5	–	11	16	56	142	73	50	27	24	8	36
146	13	3	58	7	5	16	4	1	9	1	–	3	5	4	47	18	18	6	6	2	37
137	17	1	52	14	14	13	5	1	7	1	–	2	2	37	62	15	19	7	2	–	38
43	6	1	19	4	4	8	1	1	2	1	–	1	–	21	31	4	7	1	1	–	39
94	11	–	33	10	10	5	4	–	5	–	–	1	2	16	31	11	12	6	1	–	40
292	20	2	56	10	15	28	14	3	15	1	1	1	9	–	62	32	24	16	15	3	41
169	14	1	31	6	7	17	4	1	8	1	1	1	7	–	37	16	17	10	12	–	42
123	6	1	25	4	8	11	10	2	7	–	–	–	2	–	25	16	7	6	3	3	43
101	7	–	21	1	7	7	6	1	4	–	–	2	4	1	30	17	17	10	1	2	44
948	55	7	322	40	54	65	35	5	35	7	–	7	5	12	220	36	39	36	6	4	45
303	16	4	115	17	18	25	12	2	15	1	–	4	3	7	83	15	16	17	4	2	46
645	39	3	207	23	36	40	23	3	20	6	–	3	2	5	137	21	23	19	2	2	47
380	17	2	90	11	19	39	9	5	20	7	–	8	10	3	95	25	33	27	13	1	48
98	2	–	36	2	4	11	3	2	8	1	–	1	4	–	24	7	9	6	6	–	49
282	15	2	54	9	15	28	6	3	12	6	–	7	6	3	71	18	24	21	7	1	50
63	8	–	21	2	5	5	4	2	3	1	–	2	2	2	15	11	10	3	3	–	51
74	6	3	28	2	1	5	6	2	2	2	–	3	1	8	14	10	6	3	2	1	52
41	3	–	9	1	3	2	2	–	–	–	–	2	–	4	12	4	6	5	1	–	53
16	2	1	4	–	–	3	1	–	–	–	–	–	1	1	11	1	1	1	2	–	54
1,145	52	11	371	35	68	70	51	9	44	14	1	13	10	73	288	51	65	41	24	10	55
274	9	2	110	8	22	25	14	1	10	2	–	3	3	7	73	8	13	9	9	2	56
125	2	1	38	3	6	6	9	–	–	1	–	2	3	19	22	3	5	3	1	–	57
84	6	2	32	4	6	5	2	3	2	1	–	–	–	8	29	3	2	2	2	1	58
129	7	3	33	5	6	4	7	2	5	3	–	–	1	5	33	8	5	8	1	1	59
533	28	3	158	15	28	30	19	3	27	7	1	8	3	34	131	29	40	19	11	6	60
16	5	–	14	1	1	–	–	–	1	–	–	–	–	1	4	3	1	2	2	–	61
70	12	–	14	2	5	4	1	1	3	–	–	2	4	3	17	8	3	2	4	2	62
66	4	–	9	1	1	3	1	–	2	1	–	1	–	4	15	6	2	1	1	–	63
12,657	2,168	135	4,909	485	559	1,434	480	119	581	236	12	288	602	595	4,090	1,533	1,442	688	754	18	64
4,874	952	52	1,948	203	222	608	184	47	282	101	6	105	268	189	1,757	414	558	268	394	6	65
7,783	1,216	83	2,961	282	337	826	296	72	299	135	6	183	334	406	2,333	1,119	884	420	360	12	66
5,241	968	48	1,983	205	250	634	217	49	335	95	6	143	281	187	1,875	599	643	354	399	7	67
3,492	686	32	1,352	147	169	439	133	34	234	70	5	84	202	137	1,301	295	425	203	310	4	68
1,749	282	16	631	58	81	195	84	15	101	25	1	59	79	50	574	304	218	151	89	3	69
7,416	1,200	87	2,926	280	309	800	263	70	246	141	6	145	321	408	2,215	934	799	334	355	11	70
1,382	266	20	596	56	53	169	51	13	48	31	1	21	66	52	456	119	133	65	84	2	71
6,034	934	67	2,330	224	256	631	212	57	198	110	5	124	255	356	1,759	815	666	269	271	9	72
55	3	1	9	3	2	1	1	–	2	1	–	–	4	2	8	10	7	1	2	–	73
15	–	–	8	2	–	4	–	1	–	–	–	–	1	2	7	3	5	1	1	–	74
39	1	1	8	–	–	4	–	–	3	–	–	–	–	2	16	–	5	–	2	–	75
6	–	–	3	–	–	–	2	–	1	–	–	1	–	3	3	2	1	1	–	–	76
97	9	–	33	2	7	9	2	1	3	1	–	3	6	3	26	12	10	7	7	–	77
50	5	–	15	–	4	4	1	–	2	–	–	–	2	2	13	5	4	1	2	–	78
47	4	–	18	2	3	5	1	1	1	1	–	3	4	1	13	7	6	6	5	–	79
25	1	–	9	2	–	3	1	–	–	–	–	–	2	–	8	6	–	–	1	–	80
72	9	–	30	–	1	4	5	1	2	1	–	3	6	7	21	1	7	2	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Bartow	341	–	–	1	63	15	19	6	1	4	–	18	2	175	125	3	3
02	Ben Hill	190	–	–	1	28	5	5	3	4	1	2	8	2	114	82	1	–
03	Berrien	122	–	–	1	19	5	3	1	–	–	2	8	1	60	42	–	–
04	Bibb	1,417	3	–	12	213	54	52	13	20	7	3	64	21	761	528	12	13
05	Macon	1,289	3	–	10	188	48	46	12	18	6	2	56	19	691	485	11	12
06	Balance of county	128	–	–	2	25	6	6	1	2	1	1	8	2	70	43	1	1
07	Bleckley	91	–	–	1	15	3	6	2	1	1	–	2	2	51	34	–	1
08	Brantley	76	1	–	1	20	3	6	–	7	–	2	2	3	31	23	–	2
09	Brooks	157	–	–	4	39	12	10	1	8	2	2	4	1	85	66	–	2
10	Bryan	63	1	–	1	10	2	6	–	2	–	–	–	2	28	21	–	–
11	Bulloch	240	–	–	–	40	4	18	5	4	1	1	7	3	114	63	2	4
12	Statesboro	106	–	–	–	19	1	6	3	3	1	1	4	1	50	27	1	3
13	Balance of county	134	–	–	–	21	3	12	2	1	–	–	3	2	64	36	1	1
14	Burke	182	–	–	2	28	6	7	2	2	1	2	8	2	90	56	1	–
15	Butts	126	–	–	1	25	4	10	–	4	1	2	4	1	63	50	1	–
16	Calhoun	90	–	–	1	18	1	3	1	4	1	1	7	2	45	19	1	2
17	Camden	79	1	–	2	14	2	5	2	1	–	–	4	4	31	27	1	–
18	Candler	77	–	–	–	13	1	7	1	1	–	–	3	2	37	21	–	1
19	Carroll	458	1	–	3	90	23	28	5	12	3	4	15	4	206	162	2	1
20	Carrollton	108	–	–	1	30	9	12	1	2	1	1	4	–	43	33	2	–
21	Balance of county	350	1	–	2	60	14	16	4	10	2	3	11	4	163	129	–	1
22	Catoosa	259	1	–	2	49	9	14	4	6	2	1	13	7	136	99	3	–
23	Charlton	60	–	–	–	18	2	5	–	4	–	–	7	2	22	18	1	–
24	Chatham	1,864	9	–	10	372	96	117	22	44	13	14	66	35	895	652	11	12
25	Savannah	1,408	9	–	7	267	68	80	17	33	9	8	52	29	692	501	8	10
26	Balance of county	456	–	–	3	105	28	37	5	11	4	6	14	6	203	151	3	2
27	Chattahoochee	37	1	–	2	6	1	2	–	1	2	–	–	–	10	9	–	–
28	Chattooga	232	–	–	7	40	4	8	7	8	2	2	9	4	119	87	–	1
29	Cherokee	300	–	–	4	61	14	16	6	6	5	3	11	6	150	112	1	2
30	Clarke	494	1	1	9	88	20	28	7	16	2	2	13	11	243	158	1	1
31	Athens	390	1	–	8	65	14	23	6	12	2	1	7	9	200	132	1	1
32	Balance of county	104	–	1	1	23	6	5	1	4	–	1	6	2	43	26	–	–
33	Clay	52	–	–	–	9	1	2	1	2	–	–	3	1	37	16	–	–
34	Clayton	672	–	–	8	135	26	51	12	13	2	7	24	6	288	214	6	4
35	College Park, part	31	–	–	1	7	3	4	–	–	–	–	–	–	11	7	–	–
36	Forest Park	143	–	–	1	28	7	11	3	1	–	2	4	2	63	44	2	–
37	Balance of county	498	–	–	6	100	16	36	9	12	2	5	20	4	214	163	4	4
38	Clinch	67	–	–	–	17	2	6	4	1	1	–	3	1	30	22	–	–
39	Cobb	1,489	–	–	14	308	63	92	18	37	18	9	71	11	702	495	10	8
40	Marietta	447	–	–	7	88	18	19	7	12	6	2	24	2	217	147	3	1
41	Smyrna	174	–	–	1	38	5	11	1	4	3	2	12	1	82	46	1	1
42	Balance of county	868	–	–	6	182	40	62	10	21	9	5	35	8	403	302	6	6
43	Coffee	219	–	1	2	27	9	6	–	6	–	4	2	–	126	83	–	1
44	Douglas	105	–	1	–	15	6	3	–	5	–	1	–	–	62	40	–	–
45	Balance of county	114	–	–	2	12	3	3	–	1	–	3	2	–	64	43	–	1
46	Colquitt	365	3	–	1	65	10	22	7	8	2	1	15	11	194	127	2	4
47	Moultrie	173	3	–	1	33	3	12	6	4	1	–	7	5	93	59	2	1
48	Balance of county	192	–	–	–	32	7	10	1	4	1	1	8	6	101	68	–	3
49	Columbia	198	–	–	3	48	11	12	5	7	2	–	11	–	86	61	2	1
50	Cook	130	–	–	–	14	1	6	–	–	1	–	6	–	72	58	1	1
51	Coweta	353	1	–	3	71	18	17	2	11	–	5	18	4	180	125	–	–
52	Newnan	151	–	–	1	36	12	8	1	5	–	2	8	2	78	53	–	–
53	Balance of county	202	1	–	2	35	6	9	1	6	–	3	10	2	102	72	–	–
54	Crawford	65	–	–	3	7	3	1	–	–	–	1	2	2	30	28	–	1
55	Crisp	222	3	–	2	30	6	8	1	3	2	2	8	2	115	77	1	–
56	Cordele	162	1	–	–	23	4	6	1	3	–	2	7	1	82	53	–	–
57	Balance of county	60	2	–	2	7	2	2	–	–	2	–	1	1	33	24	1	–
58	Dale	88	–	–	–	24	5	6	1	1	–	1	10	–	34	28	1	1
59	Dawson	45	–	–	–	6	2	1	1	1	–	–	1	1	22	14	1	–
60	Decatur	227	–	–	–	41	2	14	2	7	2	2	12	1	133	101	1	–
61	Bainbridge	109	–	–	–	19	–	7	2	2	1	1	6	–	65	46	1	–
62	Balance of county	118	–	–	–	22	2	7	–	5	1	1	6	1	68	55	–	–
63	De Kalb	2,778	7	–	43	581	150	158	51	54	18	21	129	36	1,282	934	20	12
64	Atlanta, part	669	3	–	16	132	32	33	17	16	1	5	28	8	315	233	4	2
65	Decatur	491	1	–	11	99	22	23	8	10	7	4	25	11	209	151	5	2
66	Balance of county	1,618	3	–	16	350	96	102	26	28	10	12	76	17	758	550	11	8
67	Dodge	214	1	–	1	33	7	9	3	4	1	2	7	1	81	67	1	–
68	Dooly	123	–	–	–	21	9	2	2	4	–	1	3	2	69	49	–	–
69	Dougherty	656	3	–	3	129	33	41	12	21	5	4	13	7	321	193	4	5
70	Albany	589	3	–	3	114	29	36	10	20	5	2	12	6	295	179	4	5
71	Balance of county	67	–	–	–	15	4	5	2	1	–	2	1	1	26	14	–	–
72	Douglas	299	–	–	5	55	16	18	1	3	3	2	12	3	127	95	–	–
73	Early	141	–	–	–	23	4	8	2	2	–	2	5	4	80	39	1	–
74	Echols	11	–	–	–	1	–	1	–	–	–	–	–	–	8	7	–	–
75	Effingham	134	1	–	–	21	6	7	1	3	1	1	2	1	52	43	–	3
76	Elbert	178	–	–	1	30	7	8	5	4	2	–	4	1	101	68	1	2
77	Emanuel	204	–	–	1	33	9	12	1	4	1	1	5	1	110	75	–	–
78	Evans	80	–	–	2	17	2	6	1	1	1	2	4	2	40	29	1	–
79	Fannin	132	1	–	1	34	10	9	2	2	–	3	8	3	70	47	1	–
80	Fayette	127	–	–	2	20	6	4	5	2	1	–	2	2	58	40	–	1
81	Floyd	763	2	–	2	147	35	44	11	17	6	4	30	8	396	264	3	7
82	Rome	458	1	–	2	77	21	16	7	10	3	3	17	5	241	160	2	4
83	Balance of county	305	1	–	–	70	14	28	4	7	3	1	13	3	155	104	1	3
84	Forsyth	170	–	–	3	29	9	7	2	4	–	1	6	3	78	52	1	–
85	Franklin	162	–	–	1	27	4	7	3	3	1	1	8	3	94	70	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
100	19	-	40	4	6	9	4	1	7	1	-	1	2	1	36	13	8	10	7	-	01
75	6	1	27	2	2	4	1	-	2	2	-	1	4	-	16	5	5	-	5	-	02
35	7	-	17	1	-	6	1	1	2	1	-	1	2	1	10	8	3	3	2	-	03
378	125	3	171	31	28	65	17	5	18	11	-	9	16	17	135	29	39	19	25	2	04
347	115	3	153	26	24	57	17	5	18	11	-	9	16	15	124	27	36	17	24	2	05
31	10	-	18	5	4	8	-	-	-	-	-	-	-	2	11	2	3	2	1	-	06
30	3	-	13	3	1	2	1	-	1	1	-	-	2	1	7	1	3	-	3	-	07
17	4	-	7	1	-	-	-	-	-	-	-	-	-	-	13	2	2	-	2	1	08
58	6	-	18	-	1	3	-	1	-	2	-	-	1	-	9	5	3	2	2	-	09
18	3	1	4	1	1	3	2	-	2	1	-	1	1	1	4	3	3	-	-	-	10
48	9	3	45	1	2	6	3	1	4	2	-	2	5	15	24	9	9	2	1	-	11
18	5	1	21	-	1	2	1	-	1	2	-	1	3	7	13	4	1	1	-	-	12
30	4	2	24	1	1	4	2	1	3	-	-	1	2	8	11	5	8	1	1	-	13
42	13	-	30	1	3	5	-	1	2	1	-	2	4	3	19	9	7	2	5	-	14
46	3	1	11	1	-	2	2	1	6	-	-	-	1	1	15	6	-	1	1	-	15
13	3	1	24	-	1	3	-	-	1	-	-	1	-	1	7	5	5	1	-	-	16
24	2	1	2	1	-	1	1	-	1	-	-	-	-	3	9	7	2	2	1	-	17
18	2	2	9	3	2	5	-	-	-	-	-	-	-	1	8	4	3	1	3	-	18
137	22	-	35	1	8	17	9	1	3	4	1	8	11	13	40	21	15	4	6	1	19
27	4	-	9	-	1	4	2	-	-	1	-	2	-	2	10	5	5	1	2	-	20
110	18	-	26	1	7	13	7	1	3	3	1	6	11	11	30	16	10	3	4	1	21
84	12	-	32	2	3	3	2	2	1	-	-	2	3	3	26	7	5	7	3	-	22
16	1	-	4	-	-	1	1	-	-	1	-	-	-	6	4	1	1	1	2	-	23
562	67	7	193	8	35	58	16	-	44	5	2	10	30	16	190	40	66	25	40	1	24
433	50	6	148	7	30	45	14	-	37	5	2	8	27	13	148	16	48	11	30	-	25
129	17	1	45	1	5	13	2	-	7	-	-	2	3	3	42	24	18	14	10	1	26
7	2	-	-	-	1	1	-	-	1	-	-	-	2	1	3	5	2	-	3	-	27
74	12	1	27	2	2	9	2	1	4	-	-	-	2	2	22	7	7	2	4	-	28
95	14	1	32	2	3	7	2	-	5	1	-	4	3	4	18	17	13	5	-	-	29
137	19	-	72	4	9	18	7	2	13	4	-	-	7	4	38	19	13	7	9	-	30
113	17	-	59	3	6	13	6	1	10	4	-	-	7	1	29	13	10	4	9	-	31
24	2	-	13	1	3	5	1	1	3	-	-	-	-	3	9	6	3	3	-	-	32
13	3	-	20	1	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	33
182	22	-	62	3	9	20	9	2	15	3	-	8	10	3	68	44	23	19	11	-	34
6	1	-	3	-	1	1	-	-	2	-	-	-	-	-	4	2	2	-	1	-	35
38	4	-	17	2	-	5	-	1	4	2	-	2	-	1	15	8	6	4	1	-	36
138	17	-	42	1	8	14	9	1	9	1	-	6	10	2	49	34	15	15	9	-	37
18	4	-	8	-	-	2	1	-	2	-	-	-	1	-	2	3	4	1	3	-	38
418	59	2	161	21	23	35	20	8	20	10	-	13	32	10	127	67	53	41	18	-	39
128	15	-	55	10	5	14	5	5	5	5	-	2	11	3	35	20	10	12	6	-	40
41	3	-	27	3	6	6	1	1	4	1	-	1	2	-	16	6	7	6	1	-	41
249	41	2	79	8	12	15	14	2	11	4	-	10	19	7	76	41	36	23	11	-	42
72	10	-	39	-	4	8	1	-	1	1	-	4	3	2	23	4	6	6	4	-	43
33	7	-	19	-	3	3	1	-	1	1	-	-	1	-	9	3	4	2	2	-	44
39	3	-	20	-	1	5	-	-	-	-	-	4	2	2	14	1	2	4	2	-	45
103	18	1	56	7	3	13	6	-	4	2	-	2	8	1	21	17	9	4	4	-	46
46	10	1	27	5	1	7	3	-	-	1	-	-	3	-	11	2	4	3	4	-	47
57	8	-	29	2	2	6	3	-	4	1	-	2	5	1	10	15	5	1	-	-	48
53	5	1	21	-	3	5	3	-	-	2	1	3	6	2	13	10	12	2	-	2	49
47	9	-	10	2	2	7	3	-	-	-	-	1	-	2	18	1	9	1	2	-	50
111	14	-	49	2	4	9	5	-	3	1	-	1	2	7	28	19	10	6	3	-	51
48	5	-	23	-	2	4	3	-	2	-	-	-	-	1	13	4	4	2	1	-	52
63	9	-	26	2	2	5	2	-	1	1	-	1	2	6	15	15	6	4	2	-	53
23	4	-	2	-	-	4	1	1	1	-	-	-	1	2	5	3	4	1	-	-	54
65	11	3	30	1	4	16	1	2	2	7	-	1	6	1	21	6	2	4	1	-	55
47	6	3	25	-	1	12	-	2	2	6	-	-	4	1	17	6	1	3	1	-	56
18	5	-	5	1	3	4	1	-	-	1	-	1	2	-	4	-	1	1	-	-	57
15	11	-	5	-	1	-	-	-	-	1	-	-	1	5	14	6	1	-	2	-	58
12	1	-	8	-	-	2	2	-	1	-	-	-	-	-	1	6	3	1	-	-	59
88	12	1	28	1	2	9	1	-	1	1	-	2	5	2	12	9	3	3	3	1	60
39	6	1	17	-	1	7	-	-	1	-	-	-	4	1	4	3	1	2	2	-	61
49	6	-	11	1	1	2	1	-	-	1	-	2	1	1	8	6	2	1	1	1	62
772	130	11	280	30	27	87	33	8	32	11	-	25	40	28	275	97	82	57	54	-	63
184	43	5	60	7	10	20	3	1	7	2	-	9	6	12	72	15	21	6	21	-	64
114	30	1	51	5	1	21	8	-	3	4	-	3	15	7	48	13	14	9	15	-	65
474	57	5	169	18	16	46	22	7	22	5	-	13	19	9	155	69	47	42	18	-	66
58	8	-	12	-	2	10	3	-	3	1	-	1	-	17	29	16	8	2	7	-	67
46	3	2	14	4	-	1	1	-	-	-	-	-	1	3	14	5	4	1	1	-	68
175	9	2	107	8	11	11	8	1	6	-	-	4	13	20	48	25	30	14	13	-	69
163	7	2	98	7	9	8	7	1	6	-	-	4	13	19	42	19	24	13	12	-	70
12	2	-	9	1	2	3	1	-	-	-	-	-	-	1	6	6	6	1	1	-	71
87	8	-	25	4	3	14	3	1	6	1	-	6	4	2	32	12	14	12	2	-	72
34	4	-	38	2	1	4	2	-	2	2	-	1	2	-	13	2	5	-	1	-	73
5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	74
29	11	-	5	2	2	10	2	-	1	2	-	-	3	2	19	8	9	1	2	-	75
57	8	1	27	1	4	7	2	-	2	3	-	1	2	2	11	6	7	1	1	-	76
69	6	1	28	2	4	2	1	-	2	-	-	1	2	3	21	11	7	2	5	2	77
26	2	3	6	-	2	2	-	-	1	-	1	-	1	1	7	2	1	-	3	-	78
43	3	-	18	2	3	3	3	1	1	-	-	-	-	1	4	4	5	1	-	-	79
38	1	-	14	2	2	5	2	-	3	-	-	-	-	-	16	10	5	2	1	1	80
228	26	4	105	10	13	23	6	2	11	2	-	1	5	7	82	16	22	15	16	-	81
134	20	3	63	7	8	16	3	1	9	1	-	-	5	7	52	6	11	10	11	-	82
94	6	1	42	3	5	7	3	1	2	1	-	1	-	-	30	10	11	5	5	-	83
45	6	1	23	-	2	4	-	-	-	5	-	3	2	5	13	9	9	5	2	-	84
65	3	-	21	1	2	6	-	1	-	1	-	-	1	2	10	5	7	2	2	-	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Fulton	5,621	17	1	78	1,069	254	274	104	135	40	38	224	75	2,591	1,947	35	26
02	Atlanta, part	4,415	15	1	72	816	208	198	71	113	33	29	164	64	2,030	1,524	29	23
03	Atlanta, total	5,084	18	1	88	948	240	231	88	129	34	34	192	72	2,345	1,757	33	25
04	College Park, part	225	–	–	1	35	7	9	4	–	1	2	12	–	110	81	–	–
05	College Park, total	256	–	–	2	42	10	13	4	–	1	2	12	–	121	88	–	–
06	East Point	303	–	–	2	61	9	23	7	4	2	2	14	6	143	109	3	2
07	Balance of county	678	2	–	3	157	30	44	22	18	4	5	34	5	308	233	3	1
08	Gilmer	114	–	–	–	24	4	6	2	2	2	–	8	1	62	48	1	–
09	Glascock	20	–	–	–	1	–	–	–	–	–	–	1	1	9	6	–	–
10	Glynn	496	–	1	7	93	20	26	7	16	4	6	14	8	232	166	3	1
11	Brunswick	274	–	1	5	41	10	10	3	6	1	3	8	6	133	96	1	1
12	Balance of county	222	–	–	2	52	10	16	4	10	3	3	6	2	99	70	2	–
13	Gordon	228	2	–	–	36	3	15	5	4	2	1	6	9	117	97	–	3
14	Grady	198	1	–	2	31	5	7	2	6	1	1	9	3	109	84	–	4
15	Greene	135	–	–	3	19	6	3	1	3	–	1	5	3	75	56	–	4
16	Gwinnett	672	1	–	7	139	29	33	5	13	6	8	45	10	296	216	5	5
17	Habersham	191	–	–	1	36	4	9	1	7	2	3	10	2	109	77	–	–
18	Hall	581	1	–	5	102	20	24	8	19	7	3	21	12	322	239	6	4
19	Gainesville	193	1	–	1	33	7	9	2	5	2	1	7	2	110	85	2	–
20	Balance of county	388	–	–	4	69	13	15	6	14	5	2	14	10	212	154	4	4
21	Hancock	102	–	–	2	13	3	1	2	2	–	1	4	2	58	56	–	–
22	Haralson	155	2	–	1	27	6	4	1	1	5	4	6	1	74	58	1	–
23	Harris	134	–	–	–	22	5	8	4	–	1	1	3	–	72	51	–	3
24	Hart	168	–	–	1	27	11	5	2	4	1	1	3	7	79	61	–	1
25	Heard	68	–	–	–	11	2	2	3	1	–	–	3	4	37	28	–	–
26	Henry	202	–	–	2	30	7	13	3	2	–	–	5	3	102	75	1	–
27	Houston	390	1	–	2	61	17	16	6	7	3	2	10	7	201	146	2	5
28	Warner Robins	200	1	–	1	33	9	11	4	2	2	1	4	3	112	85	1	1
29	Balance of county	190	–	–	1	28	8	5	2	5	1	1	6	4	89	61	1	4
30	Irwin	93	1	–	–	12	3	5	–	2	–	1	1	–	57	30	2	–
31	Jackson	210	–	–	4	41	5	12	5	3	2	4	10	4	95	69	–	1
32	Jasper	88	1	–	–	14	5	4	2	–	–	–	3	3	44	29	–	–
33	Jeff Davis	111	–	–	–	20	5	6	3	2	–	1	3	2	56	44	–	1
34	Jefferson	198	–	–	4	36	5	11	5	6	–	1	8	4	102	68	–	1
35	Jenkins	96	1	–	–	13	4	5	–	1	1	–	2	2	49	34	1	–
36	Johnson	91	1	–	1	14	1	1	2	1	–	–	9	1	41	32	–	–
37	Jones	122	–	–	–	21	3	7	2	1	2	–	6	1	62	44	1	–
38	Lamar	126	–	–	1	20	5	3	3	5	2	–	2	4	65	41	1	–
39	Lanier	47	–	–	–	6	–	1	–	3	–	–	2	–	25	20	1	–
40	Laurens	374	–	–	2	62	14	19	1	6	3	–	19	6	206	167	2	4
41	Dublin	164	–	–	–	25	8	8	–	4	1	–	4	2	87	74	–	2
42	Balance of county	210	–	–	2	37	6	11	1	2	2	–	15	4	119	93	2	2
43	Lee	71	–	–	–	17	4	5	2	–	1	1	4	–	35	24	1	4
44	Liberty	142	–	–	1	19	4	8	–	4	–	1	2	2	63	57	–	–
45	Lincoln	69	1	–	1	10	1	5	–	1	–	1	2	–	37	28	–	1
46	Long	37	–	–	–	6	2	1	1	–	–	1	1	1	21	14	–	–
47	Lowndes	485	–	–	7	91	20	33	5	15	2	3	13	12	244	184	1	10
48	Valdosta	328	–	–	5	66	11	23	4	13	1	3	11	8	166	122	1	5
49	Balance of county	157	–	–	2	25	9	10	1	2	1	–	2	4	78	62	–	5
50	Lumpkin	82	–	–	1	14	1	5	2	2	–	1	3	1	40	34	–	1
51	McDuffie	176	–	–	–	34	10	5	4	7	2	1	5	2	89	54	–	1
52	McIntosh	90	–	–	–	16	6	4	1	2	1	–	2	2	37	30	–	–
53	Macon	142	–	–	2	27	10	5	1	5	1	2	3	3	64	48	–	2
54	Madison	149	–	–	2	28	3	8	1	1	1	4	10	4	64	52	–	–
55	Marion	59	1	–	–	11	2	2	–	2	2	1	2	1	32	17	–	–
56	Meriwether	215	–	–	–	37	8	13	1	6	2	–	7	2	107	70	1	1
57	Miller	81	1	–	–	9	2	2	–	2	1	–	2	2	43	27	–	–
58	Mitchell	217	2	–	2	30	8	7	5	7	–	–	3	–	112	64	1	1
59	Monroe	110	–	–	2	17	3	4	2	4	1	2	1	1	59	37	1	–
60	Montgomery	84	–	–	2	17	5	5	1	1	–	2	3	1	39	29	–	–
61	Morgan	120	1	–	–	16	3	6	2	–	1	1	3	2	64	36	–	1
62	Murray	128	1	–	–	35	8	6	4	2	3	–	12	1	47	36	1	–
63	Muscogee	1,346	7	–	16	220	40	68	17	34	9	9	43	27	647	453	10	11
64	Columbus	1,303	7	–	15	216	40	64	17	34	9	9	43	26	632	446	9	11
65	Balance of county	43	–	–	1	4	–	4	–	–	–	–	–	1	15	7	1	–
66	Newton	290	–	–	2	66	16	15	4	13	6	2	10	3	127	94	1	2
67	Covington	107	–	–	1	22	5	7	2	3	1	–	4	–	46	36	–	1
68	Balance of county	183	–	–	1	44	11	8	2	10	5	2	6	3	81	58	1	1
69	Oconee	70	–	–	2	9	3	–	–	1	–	1	4	–	39	24	–	1
70	Oglethorpe	75	–	–	1	10	2	3	–	3	–	1	1	3	39	27	–	–
71	Paulding	154	–	–	2	18	3	5	–	2	–	2	6	3	81	59	–	–
72	Peach	154	1	–	2	37	10	7	3	4	2	2	9	1	72	59	–	9
73	Pickens	113	–	–	–	19	4	7	–	1	1	1	5	3	61	43	1	–
74	Pierce	132	–	–	3	28	6	7	1	7	–	–	7	2	64	47	–	1
75	Pike	77	1	–	1	11	4	3	–	1	–	–	3	–	37	25	–	–
76	Polk	365	1	–	6	46	10	9	6	4	3	2	12	9	204	167	–	1
77	Pulaski	90	–	–	2	19	4	6	2	2	1	1	3	2	48	33	1	–
78	Putnam	105	–	–	2	19	5	2	1	1	1	1	8	2	50	37	–	1
79	Quitman	36	–	–	–	8	2	1	1	–	2	–	2	2	9	7	–	–
80	Rabun	93	–	–	1	19	2	6	–	2	–	1	8	6	37	28	1	–
81	Randolph	126	–	–	6	15	2	4	1	2	–	1	5	6	44	32	–	–
82	Richmond	1,475	2	–	8	285	56	81	24	28	18	7	71	15	702	496	9	20
83	Augusta	926	1	–	4	181	38	50	17	19	12	3	42	9	450	314	6	18
84	Balance of county	549	1	–	4	104	18	31	7	9	6	4	29	6	252	182	3	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,522	364	8	523	50	63	197	56	14	116	31	2	37	83	59	619	141	203	90	142	-	01
1,168	304	7	407	39	53	152	37	10	96	25	2	26	71	45	497	98	164	66	128	-	02
1,352	347	12	467	46	63	172	40	11	103	27	2	35	77	57	569	113	185	72	149	-	03
69	12	-	21	5	3	8	4	1	4	2	-	2	2	4	24	12	10	3	3	-	04
75	13	-	24	5	4	9	4	1	6	2	-	2	2	4	28	14	12	3	4	-	05
89	15	-	29	2	3	11	5	1	3	-	-	1	3	1	32	13	7	9	5	-	06
196	33	1	66	4	4	26	10	2	13	4	-	8	7	9	66	18	22	12	6	-	07
41	6	-	11	2	1	9	1	-	-	-	-	-	1	1	7	7	1	-	-	-	08
6	-	-	2	-	1	1	1	-	-	-	-	-	-	1	-	1	4	1	-	-	09
130	32	1	49	9	7	15	1	1	7	-	-	3	11	9	52	19	16	9	12	-	10
70	24	-	28	4	5	10	1	1	3	-	-	3	6	8	26	7	7	6	10	-	11
60	8	1	21	5	2	5	-	-	4	-	-	-	5	1	26	12	9	3	2	-	12
56	38	-	16	3	1	13	3	1	2	-	-	-	2	4	18	13	5	2	1	-	13
70	10	1	23	-	1	5	2	1	2	-	-	4	4	-	11	7	12	1	3	-	14
48	4	-	16	1	2	1	-	1	1	1	-	1	2	1	14	3	4	-	6	-	15
178	28	1	68	3	8	24	5	2	16	2	-	8	9	8	51	41	24	18	9	2	16
67	10	-	28	2	2	5	3	1	1	-	-	-	3	1	12	7	6	3	1	-	17
214	15	2	65	8	8	10	7	1	5	1	-	4	2	3	42	28	16	14	6	-	18
79	4	2	15	5	3	6	2	-	1	1	-	2	-	1	16	8	4	2	3	-	19
135	11	-	50	3	5	4	5	1	4	-	-	2	2	2	26	20	12	12	3	-	20
51	5	-	2	-	-	7	-	1	-	1	-	-	-	-	7	2	4	2	3	-	21
52	5	-	13	2	1	4	1	-	1	-	-	2	3	2	22	3	6	2	4	-	22
36	12	1	12	5	3	5	1	1	1	3	-	-	-	3	9	7	2	2	6	-	23
53	7	-	16	1	1	3	4	2	5	1	-	3	3	2	10	11	5	3	2	-	24
24	4	-	5	2	2	-	1	2	-	-	-	1	1	1	2	2	3	2	1	-	25
70	4	-	23	2	2	7	3	-	2	2	-	-	5	1	22	9	6	3	5	-	26
123	16	-	36	14	5	9	9	3	8	5	-	2	4	5	30	10	14	8	10	1	27
72	11	-	16	10	1	2	5	3	3	-	-	-	1	5	15	2	5	5	3	1	28
51	5	-	20	4	4	7	4	-	5	5	-	2	3	-	15	8	9	3	7	-	29
26	2	-	24	-	3	4	-	1	3	-	-	-	1	1	8	1	2	2	-	-	30
62	6	2	21	-	3	8	2	-	-	1	-	2	4	1	15	14	8	3	8	-	31
29	-	-	12	1	2	2	1	-	1	4	-	-	-	1	5	8	3	-	1	-	32
39	4	-	10	1	1	4	-	-	1	2	-	1	1	-	12	2	7	1	2	-	33
55	12	1	26	6	1	3	-	-	2	-	-	2	3	1	22	7	4	4	4	-	34
30	3	1	11	2	1	5	1	-	-	-	-	-	2	3	12	6	1	-	1	-	35
27	5	-	6	2	1	1	-	1	2	-	-	-	1	12	11	2	3	-	-	-	36
38	5	-	15	2	1	5	3	-	-	2	-	-	1	1	8	6	7	3	2	-	37
34	6	1	18	4	1	6	1	-	1	3	-	3	1	-	11	4	5	-	1	-	38
15	4	1	2	1	1	4	-	-	-	-	-	1	-	4	5	1	-	1	-	-	39
94	67	-	35	2	2	11	5	3	3	1	-	-	7	4	36	8	13	4	3	-	40
44	28	-	12	1	-	6	3	1	-	-	-	-	5	1	20	1	10	1	2	-	41
50	39	-	23	1	2	5	2	2	3	1	-	-	2	3	16	7	3	3	1	-	42
18	1	-	9	2	-	1	2	-	-	-	-	-	1	-	5	2	4	3	1	-	43
39	18	-	6	-	-	4	1	-	4	1	-	2	10	1	9	8	10	4	3	-	44
25	2	-	9	-	-	2	-	-	1	-	-	-	1	2	8	4	2	-	-	-	45
12	2	-	7	-	-	2	-	-	-	-	-	-	1	1	3	1	1	-	-	-	46
105	68	1	50	5	4	8	7	1	1	2	-	3	9	7	49	16	16	6	6	-	47
67	49	1	37	3	3	5	2	1	1	2	-	2	4	5	36	9	11	4	1	-	48
38	19	-	13	2	1	3	5	-	-	-	-	1	5	2	13	7	5	2	5	-	49
32	1	-	6	-	-	1	3	1	1	-	-	-	-	3	4	5	5	2	1	-	50
44	9	-	32	-	3	8	1	-	1	3	-	1	3	10	9	6	4	1	4	-	51
21	9	-	7	-	-	3	1	-	3	1	-	1	3	5	7	2	4	4	1	-	52
41	5	2	10	4	-	1	1	1	1	2	-	-	1	1	27	3	3	3	2	-	53
42	10	-	11	1	-	5	3	-	2	3	-	1	1	2	15	7	7	2	3	-	54
16	1	1	11	2	1	1	2	-	-	-	-	-	-	-	5	2	2	1	1	-	55
59	9	2	31	4	-	6	2	-	3	2	-	1	1	2	18	6	17	7	4	-	56
22	5	-	14	1	1	4	-	-	-	1	-	-	1	5	10	3	2	-	-	-	57
57	5	-	41	-	7	11	-	1	-	-	-	4	5	4	27	7	4	1	7	-	58
31	5	2	15	3	2	7	-	-	-	-	-	-	1	2	13	2	2	4	-	-	59
22	7	-	8	-	2	4	2	-	-	2	-	1	-	1	6	3	2	-	4	-	60
30	5	-	24	2	2	8	-	-	1	-	-	1	1	-	11	8	6	-	1	-	61
30	5	-	7	1	3	4	-	1	-	-	-	2	2	2	11	10	7	4	1	-	62
382	50	5	158	17	14	48	16	3	23	9	1	10	23	10	144	37	44	28	32	1	63
377	49	5	153	16	12	43	16	3	23	9	1	10	23	8	140	31	41	27	31	1	64
5	1	-	5	1	2	5	-	-	-	-	-	-	-	2	4	6	3	1	1	-	65
73	18	1	22	3	7	14	2	1	2	1	-	3	1	1	34	11	11	6	4	1	66
30	5	-	9	1	-	4	-	-	1	-	-	1	1	1	12	6	4	3	4	1	67
43	13	1	13	2	7	10	2	1	1	1	-	2	-	-	22	5	7	3	-	-	68
18	5	1	9	3	2	1	-	1	1	1	-	-	-	-	10	2	4	-	-	-	69
18	9	-	11	1	-	1	-	-	1	-	-	1	2	2	6	3	1	1	4	-	70
52	7	-	20	1	1	6	-	2	3	2	-	1	1	1	13	5	8	4	4	-	71
40	10	2	7	1	3	3	-	-	3	1	-	1	2	1	18	5	4	2	1	-	72
34	8	1	12	4	1	3	-	-	-	1	-	-	-	1	16	2	3	2	2	-	73
37	9	-	17	-	-	9	2	-	-	-	-	1	-	3	11	3	3	2	1	-	74
19	6	2	7	1	2	2	2	1	-	-	-	-	2	2	12	4	1	1	-	-	75
152	14	1	28	4	4	9	2	2	8	2	-	1	8	3	32	15	8	7	2	-	76
28	4	-	7	1	7	2	-	-	1	-	-	-	-	2	10	-	1	2	1	-	77
29	7	-	11	-	2	5	-	-	1	-	-	-	-	3	10	4	6	1	2	-	78
7	-	-	2	-	-	1	1	1	-	-	-	-	-	5	3	3	1	-	2	-	79
25	2	-	6	-	3	3	4	-	1	-	-	-	-	-	10	3	8	1	-	-	80
26	6	1	8	2	1	7	1	-	1	1	-	-	4	18	12	3	6	1	1	-	81
423	44	7	169	12	18	62	16	3	34	8	1	13	19	7	141	49	43	31	36	-	82
263	27	3	114	8	11	46	11	2	19	4	-	7	12	4	89	13	30	15	29	-	83
160	17	4	55	4	7	16	5	1	15	4	1	6	7	3	52	36	13	16	7	-	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Rockdale	196	1	–	2	36	6	10	5	7	1	2	5	5	95	74	3	–
02	Schley	29	–	–	–	6	1	2	–	–	–	1	2	–	13	12	–	1
03	Screven	137	–	–	–	24	7	9	1	2	–	1	4	1	81	67	1	1
04	Seminole	84	–	–	–	15	4	3	–	4	–	2	2	3	47	31	–	–
05	Spalding	456	1	–	3	86	18	25	8	10	5	5	15	2	241	162	4	4
06	Griffin	304	1	–	1	66	12	19	8	7	4	4	12	1	155	106	4	3
07	Balance of county	152	–	–	2	20	6	6	–	3	1	1	3	1	86	56	–	1
08	Stephens	219	–	–	1	42	13	10	2	3	1	–	13	2	128	97	1	1
09	Stewart	63	1	–	–	9	–	3	2	3	–	–	1	3	28	17	1	–
10	Sumter	302	2	–	1	45	11	10	6	6	1	3	8	8	167	122	–	1
11	Americus	189	2	–	1	29	7	7	4	3	1	1	6	4	106	84	–	–
12	Balance of county	113	–	–	–	16	4	3	2	3	–	2	2	4	61	38	–	1
13	Talbot	69	1	–	–	5	1	3	–	–	–	–	1	1	25	12	–	–
14	Taliaferro	29	–	–	–	4	–	–	–	2	–	1	1	1	10	8	–	–
15	Tattnall	177	–	–	2	31	11	5	2	3	4	1	5	1	102	76	–	1
16	Taylor	88	–	–	–	15	2	5	1	1	1	–	5	2	50	25	–	–
17	Telfair	142	–	–	1	30	5	10	1	6	–	1	7	5	69	45	–	–
18	Terrell	143	1	–	–	24	3	9	1	3	1	–	7	4	65	36	–	2
19	Thomas	431	1	–	–	61	15	19	4	6	3	3	11	7	220	132	7	–
20	Thomasville	255	–	–	–	36	8	10	3	4	3	–	8	6	127	74	5	–
21	Balance of county	176	1	–	–	25	7	9	1	2	–	3	3	1	93	58	2	–
22	Tift	248	–	–	3	42	6	14	–	8	3	2	9	–	133	81	3	1
23	Tifton	130	–	–	3	22	2	6	–	4	2	1	7	–	70	40	2	–
24	Balance of county	118	–	–	–	20	4	8	–	4	1	1	2	–	63	41	1	1
25	Toombs	234	–	–	–	32	7	12	1	1	1	3	7	4	130	87	1	1
26	Towns	47	–	–	–	2	1	1	–	–	–	–	–	2	29	21	1	–
27	Treutlen	68	1	–	1	12	3	4	1	1	–	1	2	–	39	28	–	–
28	Troup	478	–	–	1	82	18	20	6	13	2	3	20	8	263	190	2	3
29	La Grange	244	–	–	1	40	13	7	2	4	1	2	11	3	134	95	–	2
30	Balance of county	234	–	–	–	42	5	13	4	9	1	1	9	5	129	95	2	1
31	Turner	96	–	–	1	9	1	2	1	3	–	–	2	1	65	34	–	–
32	Twiggs	101	1	–	–	20	3	4	–	3	2	–	8	1	43	27	1	–
33	Union	76	–	–	2	15	3	5	1	4	–	–	2	–	44	43	–	–
34	Upson	274	2	–	1	55	11	13	5	8	3	1	14	5	124	83	2	–
35	Thomaston	148	–	–	–	34	6	9	2	5	3	–	9	4	73	54	1	–
36	Balance of county	126	2	–	1	21	5	4	3	3	–	1	5	1	51	29	1	–
37	Walker	470	–	–	2	84	16	28	6	5	1	3	25	8	250	177	1	5
38	Walton	256	–	–	2	39	9	7	3	3	2	–	15	8	144	96	1	–
39	Ware	366	1	–	4	57	15	21	3	5	2	1	10	5	202	156	1	4
40	Waycross	248	1	–	3	41	11	15	2	3	2	–	8	3	138	108	–	3
41	Balance of county	118	–	–	1	16	4	6	1	2	–	1	2	2	64	48	1	1
42	Warren	59	–	–	–	8	–	3	2	3	–	–	–	1	29	20	2	–
43	Washington	233	1	–	4	32	5	10	2	6	1	1	7	6	135	97	–	2
44	Wayne	180	2	–	1	30	9	5	–	9	–	–	7	2	100	81	–	–
45	Webster	28	–	–	–	2	–	–	–	1	–	–	1	–	13	8	–	–
46	Wheeler	53	–	–	–	10	1	3	–	3	–	–	3	2	31	22	–	–
47	White	89	–	–	1	15	2	4	1	–	1	1	6	1	49	38	–	2
48	Whitfield	479	1	–	1	98	25	28	8	13	4	5	15	9	218	162	2	1
49	Dalton	211	–	–	1	43	11	12	2	6	2	2	8	6	92	68	1	–
50	Balance of county	268	1	–	–	55	14	16	6	7	2	3	7	3	126	94	1	1
51	Wilcox	94	–	–	1	11	3	2	–	5	–	–	1	2	58	43	–	2
52	Wilkes	139	–	–	1	24	6	5	1	4	1	2	5	1	88	57	–	1
53	Wilkinson	109	–	–	2	17	4	4	2	3	–	1	3	5	54	36	–	–
54	Worth	151	1	–	1	35	7	10	3	4	–	2	9	3	80	43	–	3
55	**Hawaii**	4,563	9	1	46	1,026	362	242	81	95	39	37	170	115	1,959	1,413	32	23
56	Urban places	2,948	4	–	32	700	257	167	55	63	28	25	105	73	1,291	941	22	10
57	Balance of area	1,615	5	1	14	326	105	75	26	32	11	12	65	42	668	472	10	13
58	Metropolitan counties	3,376	4	–	32	787	274	187	65	75	30	28	128	82	1,433	1,050	26	13
59	Urban places	2,726	4	–	28	650	238	152	51	59	27	24	99	67	1,187	866	20	8
60	Balance of area	650	–	–	4	137	36	35	14	16	3	4	29	15	246	184	6	5
61	Nonmetropolitan counties	1,187	5	1	14	239	88	55	16	20	9	9	42	33	526	363	6	10
62	Urban places	222	–	–	4	50	19	15	4	4	1	1	6	6	104	75	2	2
63	Balance of area	965	5	1	10	189	69	40	12	16	8	8	36	27	422	288	4	8
64	Hawaii	524	–	–	8	102	35	27	4	8	4	4	20	15	231	152	3	4
65	Hilo[3]	222	–	–	4	50	19	15	4	4	1	1	6	6	104	75	2	2
66	Balance of county	302	–	–	4	52	16	12	–	4	3	3	14	9	127	77	1	2
67	Honolulu	3,376	4	–	32	787	274	187	65	75	30	28	128	82	1,433	1,050	26	13
68	Aiea	65	–	–	–	15	5	2	1	3	1	–	3	1	29	20	1	–
69	Honolulu[3]	2,017	1	–	19	491	179	116	35	44	23	19	75	48	903	652	14	5
70	Kailua	153	1	–	3	37	12	7	7	3	1	–	7	2	64	55	–	–
71	Kaneohe	182	–	–	2	47	15	17	4	3	1	2	5	6	74	53	3	3
72	Pearl City	78	–	–	–	17	11	1	1	1	–	1	2	2	28	19	1	–
73	Schofield Barracks	10	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–
74	Wahiawa	110	–	–	1	23	9	7	1	3	–	1	2	3	42	33	1	–
75	Waipahu	111	2	–	3	20	7	2	2	2	1	1	5	4	45	32	–	–
76	Balance of county	650	–	–	4	137	36	35	14	16	3	4	29	15	246	184	6	5
77	Kauai	238	4	1	4	43	19	9	2	3	1	2	7	5	109	86	–	–
78	Maui	425	1	–	2	94	34	19	10	9	4	3	15	13	186	125	3	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
64	7	1	13	3	4	7	3	–	3	–	–	–	–	2	22	12	3	4	1	–	01
7	4	–	–	–	1	2	–	–	–	–	–	–	–	3	2	2	1	–	–	–	02
57	8	1	10	1	2	9	–	–	2	–	–	–	2	1	3	5	8	–	1	–	03
25	6	–	14	1	1	1	–	–	1	–	–	1	1	–	6	4	3	1	1	–	04
147	7	2	72	3	2	22	11	2	2	1	–	2	6	2	36	14	13	3	9	–	05
93	6	1	45	3	–	19	5	1	1	1	–	1	4	–	24	9	6	2	7	–	06
54	1	1	27	–	2	3	6	1	1	–	–	1	2	2	12	5	7	1	2	–	07
91	4	1	25	2	3	9	1	2	2	1	–	2	1	1	15	3	6	1	2	–	08
13	3	1	8	–	2	1	–	–	–	1	–	–	1	11	1	2	3	–	2	–	09
106	15	2	34	5	4	14	2	1	1	4	–	2	6	–	29	3	9	4	3	1	10
75	9	1	14	3	4	10	–	1	1	3	–	1	4	–	16	2	4	3	2	–	11
31	6	1	20	2	–	4	2	–	–	1	–	1	2	–	13	1	5	1	1	1	12
12	–	1	10	–	2	2	–	–	–	2	–	1	–	18	5	5	3	–	1	–	13
8	–	–	1	1	–	3	1	–	–	–	–	–	–	–	5	1	2	1	1	–	14
65	10	–	21	3	2	2	2	2	–	–	–	2	3	–	11	11	5	1	2	–	15
23	2	1	19	5	–	–	1	–	–	–	–	1	–	3	5	2	5	1	3	–	16
43	2	–	23	–	1	2	1	–	2	2	–	1	3	1	11	7	2	3	2	–	17
30	4	–	23	3	3	3	1	–	–	4	–	1	4	7	13	6	6	–	4	–	18
117	8	3	70	9	6	21	7	2	4	3	–	3	8	7	50	16	14	–	6	1	19
63	6	2	41	6	4	12	5	2	2	3	–	2	4	5	28	5	11	–	6	1	20
54	2	1	29	3	2	9	2	–	2	–	–	1	4	2	22	11	3	–	–	–	21
69	8	1	33	14	4	3	3	–	2	1	1	3	6	1	28	4	9	5	4	–	22
34	4	1	19	9	1	2	1	–	1	1	1	–	6	–	14	2	2	4	1	–	23
35	4	–	14	5	3	1	2	–	1	–	–	3	–	1	14	2	7	1	3	–	24
68	17	1	33	4	5	8	7	–	6	–	–	2	2	1	19	5	11	2	5	–	25
18	2	–	5	1	2	2	–	–	–	–	–	–	1	–	6	3	–	2	–	–	26
17	11	–	9	1	1	2	1	–	2	–	–	–	1	–	5	–	1	1	2	–	27
131	54	3	64	1	5	7	5	2	4	6	–	3	3	5	46	9	19	9	6	–	28
69	24	1	36	–	2	3	2	1	2	2	–	3	–	2	25	6	12	4	4	–	29
62	30	2	28	1	3	4	3	1	2	4	–	–	3	3	21	3	7	5	2	–	30
33	1	–	29	1	1	5	–	1	1	1	–	–	2	–	2	3	2	1	2	–	31
18	8	–	14	–	2	4	–	–	–	–	–	–	1	9	9	8	2	2	1	–	32
40	3	–	–	1	–	1	–	–	1	–	–	–	1	–	10	1	1	–	–	–	33
64	17	3	26	10	2	11	6	–	6	3	1	1	2	2	34	5	9	2	5	–	34
44	9	1	10	6	2	4	2	–	2	1	–	–	1	2	17	2	2	1	3	–	35
20	8	2	16	4	–	7	4	–	4	2	1	1	1	–	17	3	7	1	2	–	36
119	52	2	55	8	8	17	12	–	2	–	–	4	–	3	44	14	20	4	6	–	37
86	9	–	35	7	6	5	2	1	–	2	–	1	4	7	17	16	6	2	–	–	38
137	14	–	41	2	3	7	13	–	6	–	–	3	6	3	29	8	14	4	4	–	39
98	7	–	29	–	1	3	8	–	4	–	–	3	1	2	20	5	10	3	3	–	40
39	7	–	12	2	2	4	5	–	2	–	–	–	5	1	9	3	4	1	1	–	41
15	3	–	8	–	1	4	–	–	–	1	–	2	–	2	6	3	2	–	1	–	42
93	2	–	31	3	4	9	3	–	–	1	–	–	2	–	24	8	2	2	4	–	43
71	10	1	17	1	–	5	1	1	–	–	–	–	3	2	15	7	5	3	3	–	44
6	2	–	5	–	–	–	–	–	–	–	1	–	–	4	4	2	1	–	1	–	45
15	7	–	7	1	1	2	1	–	–	–	–	–	3	–	3	1	–	–	–	–	46
31	5	–	11	–	–	2	3	1	–	1	–	–	1	–	7	6	2	–	–	–	47
147	12	2	50	–	4	27	4	1	6	1	–	2	4	7	52	23	10	7	8	–	48
61	6	1	23	–	–	13	–	1	1	1	–	–	1	3	31	6	5	3	4	–	49
86	6	1	27	–	4	14	4	–	5	–	–	2	3	4	21	17	5	4	4	–	50
39	2	1	10	1	3	7	–	–	1	–	–	1	–	3	6	1	2	1	–	–	51
53	3	–	21	5	5	3	4	1	1	1	–	1	1	–	7	3	1	2	–	–	52
29	7	1	13	3	1	5	1	–	1	1	–	–	–	4	10	6	2	–	1	–	53
31	9	1	34	1	1	3	1	–	–	–	–	–	1	6	9	9	–	1	1	–	54
1,234	124	8	445	32	61	132	52	14	60	25	1	55	86	67	400	200	120	106	55	34	55
826	83	6	294	18	32	89	28	7	36	18	–	41	51	36	267	83	66	69	33	24	56
408	41	2	151	14	29	43	24	7	24	7	1	14	35	31	133	117	54	37	22	10	57
914	97	7	319	19	38	101	35	7	43	17	–	49	73	42	310	122	90	82	36	31	58
764	74	5	269	16	31	81	26	7	35	13	–	39	49	29	251	77	63	68	28	24	59
150	23	2	50	3	7	20	9	–	8	4	–	10	24	13	59	45	27	14	8	7	60
320	27	1	126	13	23	31	17	7	17	8	1	6	13	25	90	78	30	24	19	3	61
62	9	1	25	2	1	8	2	–	1	5	–	2	2	7	16	6	3	1	5	–	62
258	18	–	101	11	22	23	15	7	16	3	1	4	11	18	74	72	27	23	14	3	63
125	20	1	61	7	10	11	4	3	6	7	–	3	4	19	43	37	13	8	9	1	64
62	9	1	25	2	1	8	2	–	1	5	–	2	2	7	16	6	3	1	5	–	65
63	11	–	36	5	9	3	2	3	5	2	–	1	2	12	27	31	10	7	4	1	66
914	97	7	319	19	38	101	35	7	43	17	–	49	73	42	310	122	90	82	36	31	67
18	1	–	8	–	1	1	–	–	2	1	–	1	2	2	5	1	1	4	–	–	68
583	50	5	208	13	25	65	17	6	21	8	–	27	29	18	181	33	50	55	24	21	69
50	5	–	5	1	3	2	1	–	6	–	–	3	1	2	17	4	2	4	2	2	70
42	5	–	20	–	1	6	4	–	2	2	–	2	2	4	16	9	5	1	–	–	71
14	4	–	8	1	–	1	1	1	1	1	–	2	3	1	12	6	2	–	–	–	72
–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	1	–	–	73
28	4	–	7	1	1	2	1	–	1	–	–	4	5	1	8	14	2	2	1	–	74
29	3	–	13	–	–	4	2	–	2	1	–	–	5	1	12	7	–	1	1	1	75
150	23	2	50	3	7	20	9	–	8	4	–	10	24	13	59	45	27	14	8	7	76
84	2	–	17	1	5	9	5	3	2	–	–	3	3	3	14	15	5	5	4	1	77
111	5	–	48	5	8	11	8	1	9	1	1	–	6	3	33	26	12	11	6	1	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Idaho**	6,507	6	–	43	1,179	276	245	106	167	49	60	276	102	2,968	2,133	44	40
02	Urban places	2,594	4	–	18	483	108	99	47	66	17	22	124	40	1,232	845	20	10
03	Balance of area	3,913	2	–	25	696	168	146	59	101	32	38	152	62	1,736	1,288	24	30
04	Metropolitan counties	1,016	2	–	8	200	36	40	18	29	9	8	60	14	467	323	8	3
05	Urban places	771	2	–	5	154	27	31	14	20	9	6	47	10	361	250	4	2
06	Balance of area	245	–	–	3	46	9	9	4	9	–	2	13	4	106	73	4	1
07	Nonmetropolitan counties	5,491	4	–	35	979	240	205	88	138	40	52	216	88	2,501	1,810	36	37
08	Urban places	1,823	2	–	13	329	81	68	33	46	8	16	77	30	871	595	16	8
09	Balance of area	3,668	2	–	22	650	159	137	55	92	32	36	139	58	1,630	1,215	20	29
10	Ada	1,016	2	–	8	200	36	40	18	29	9	8	60	14	467	323	8	3
11	Boise City	771	2	–	5	154	27	31	14	20	9	6	47	10	361	250	4	2
12	Balance of county	245	–	–	3	46	9	9	4	9	–	2	13	4	106	73	4	1
13	Adams	20	–	–	–	1	–	1	–	–	–	–	–	–	10	8	1	–
14	Bannock	408	–	–	2	71	16	16	7	8	1	5	18	9	181	127	7	2
15	Pocatello	325	–	–	2	63	14	14	6	8	1	4	16	4	150	106	7	2
16	Balance of county	83	–	–	–	8	2	2	1	–	–	1	2	5	31	21	–	–
17	Bear Lake	63	–	–	1	13	4	1	3	1	2	–	2	–	27	21	–	2
18	Benewah	74	–	–	–	14	3	6	–	1	1	–	3	–	41	29	–	1
19	Bingham	243	–	–	1	39	7	8	–	9	5	2	8	5	108	82	3	–
20	Blaine	43	–	–	–	4	1	–	2	–	–	–	1	–	17	13	–	–
21	Boise	10	–	–	–	4	2	2	–	–	–	–	–	–	4	4	–	–
22	Bonner	168	–	–	1	35	5	12	3	4	1	5	5	1	76	62	–	14
23	Bonneville	368	–	–	7	52	12	4	4	9	–	8	15	7	143	103	2	–
24	Idaho Falls	277	–	–	5	39	9	3	3	6	–	4	14	7	112	83	1	–
25	Balance of county	91	–	–	2	13	3	1	1	3	–	4	1	–	31	20	1	–
26	Boundary	47	–	–	–	13	1	1	2	6	–	1	2	1	20	11	–	–
27	Butte	28	–	–	–	5	–	1	1	–	2	–	1	–	14	12	–	–
28	Camas	5	–	–	–	2	–	–	2	–	–	–	–	–	3	2	–	–
29	Canyon	659	1	–	5	131	32	33	9	13	8	6	30	8	301	216	4	2
30	Caldwell	161	–	–	–	27	12	7	1	2	1	1	3	3	86	62	2	–
31	Nampa	267	1	–	2	53	9	14	5	4	4	2	15	3	108	74	1	1
32	Balance of county	231	–	–	3	51	11	12	3	7	3	3	12	2	107	80	1	1
33	Caribou	43	–	–	1	8	–	3	–	3	–	–	2	3	19	13	–	–
34	Cassia	145	–	–	–	26	8	5	5	3	–	–	5	1	59	48	1	–
35	Clark	6	–	–	–	1	–	–	–	–	–	1	–	–	2	2	1	–
36	Clearwater	74	–	–	1	14	3	6	–	3	1	–	1	–	27	22	–	–
37	Custer	20	–	–	–	2	–	–	–	1	–	1	–	1	10	9	–	–
38	Elmore	88	–	–	–	17	7	4	3	1	–	1	1	1	40	25	–	–
39	Franklin	81	–	–	1	18	11	2	1	1	1	–	2	2	37	30	1	–
40	Fremont	66	–	–	1	8	–	2	–	2	–	1	3	2	30	24	1	–
41	Gem	111	–	–	1	14	3	3	1	3	1	3	–	–	55	43	–	–
42	Gooding	97	–	–	1	22	3	9	–	2	2	–	6	2	44	26	–	1
43	Idaho	119	–	–	–	15	3	3	1	1	2	2	3	2	38	28	–	–
44	Jefferson	113	–	–	–	16	2	–	2	2	1	1	8	1	45	32	1	–
45	Jerome	97	–	–	1	18	2	5	3	2	2	–	4	5	50	38	1	3
46	Kootenai	451	1	–	–	90	25	22	6	12	3	3	19	3	232	162	2	–
47	Coeur d'Alene	256	–	–	–	42	11	13	3	7	1	2	5	1	148	98	1	–
48	Balance of county	195	1	–	–	48	14	9	3	5	2	1	14	2	84	64	1	–
49	Latah	169	–	–	1	32	11	4	5	2	–	–	10	4	83	60	1	–
50	Moscow	76	–	–	1	15	7	2	2	–	–	–	4	2	39	27	1	–
51	Balance of county	93	–	–	–	17	4	2	3	2	–	–	6	2	44	33	–	–
52	Lemhi	60	–	–	–	9	2	3	1	–	–	1	2	1	24	18	–	–
53	Lewis	36	–	–	–	11	3	–	3	2	–	1	2	2	9	8	–	–
54	Lincoln	29	–	–	–	2	1	–	–	–	–	–	1	1	15	10	–	–
55	Madison	82	–	–	2	7	2	2	–	1	–	2	–	3	47	33	1	2
56	Minidoka	119	–	–	2	17	11	1	1	1	–	–	3	–	50	41	1	–
57	Nez Perce	287	1	–	2	54	13	5	7	12	1	2	14	9	134	81	2	5
58	Lewiston	239	1	–	2	48	12	5	7	11	1	2	10	6	111	65	2	5
59	Balance of county	48	–	–	–	6	1	–	–	1	–	–	4	3	23	16	–	–
60	Oneida	42	–	–	–	11	1	2	1	3	–	–	4	–	16	11	1	1
61	Owyhee	66	–	–	–	10	3	5	–	–	–	–	2	–	29	21	–	–
62	Payette	156	–	–	–	25	8	3	–	8	1	1	4	2	84	65	2	1
63	Power	61	1	–	–	11	4	2	1	1	–	–	3	2	20	16	–	–
64	Shoshone	173	–	–	1	23	9	5	2	2	–	1	4	2	93	70	1	–
65	Teton	21	–	–	–	4	–	–	–	2	–	1	1	–	12	4	–	–
66	Twin Falls	411	–	–	3	75	14	16	10	11	4	1	19	8	207	146	2	–
67	Twin Falls	222	–	–	1	42	7	10	6	8	–	1	10	4	117	80	1	–
68	Balance of county	189	–	–	2	33	7	6	4	3	4	–	9	4	90	66	1	–
69	Valley	34	–	–	–	7	2	–	–	2	–	1	2	–	12	8	–	–
70	Washington	98	–	–	–	28	6	8	2	4	1	1	6	–	33	26	–	3
71	**Illinois**	103,026	165	11	710	20,995	5,812	5,145	1,955	2,388	933	822	3,940	1,716	54,590	42,661	624	733
72	Urban places	70,493	136	5	540	14,662	4,122	3,549	1,381	1,700	614	548	2,748	1,181	36,833	29,054	452	486
73	Balance of area	32,533	29	6	170	6,333	1,690	1,596	574	688	319	274	1,192	535	17,757	13,607	172	247
74	Metropolitan counties	78,194	139	7	593	16,335	4,527	3,995	1,551	1,859	683	599	3,121	1,295	40,679	32,119	486	527
75	Urban places	64,486	131	5	505	13,522	3,810	3,281	1,272	1,559	558	489	2,553	1,069	33,551	26,646	407	430
76	Balance of area	13,708	8	2	88	2,813	717	714	279	300	125	110	568	226	7,128	5,473	79	97
77	Nonmetropolitan counties	24,832	26	4	117	4,660	1,285	1,150	404	529	250	223	819	421	13,911	10,542	138	206
78	Urban places	6,007	5	–	35	1,140	312	268	109	141	56	59	195	112	3,282	2,408	45	56
79	Balance of area	18,825	21	4	82	3,520	973	882	295	388	194	164	624	309	10,629	8,134	93	150

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,787	262	12	603	115	105	231	91	30	77	29	–	71	84	168	632	315	296	118	48	19	01
709	106	5	278	60	44	82	40	12	30	8	–	26	30	52	269	104	95	43	16	10	02
1,078	156	7	325	55	61	149	51	18	47	21	–	45	54	116	363	211	201	75	32	9	03
282	30	2	98	25	19	31	12	2	9	2	–	10	15	18	109	56	35	17	5	4	04
220	24	1	78	19	13	24	9	2	8	1	–	6	9	11	83	39	27	13	3	4	05
62	6	1	20	6	6	7	3	–	1	1	–	4	6	7	26	17	8	4	2	–	06
1,505	232	10	505	90	86	200	79	28	68	27	–	61	69	150	523	259	261	101	43	15	07
489	82	4	200	41	31	58	31	10	22	7	–	20	21	41	186	65	68	30	13	6	08
1,016	150	6	305	49	55	142	48	18	46	20	–	41	48	109	337	194	193	71	30	9	09
282	30	2	98	25	19	31	12	2	9	2	–	10	15	18	109	56	35	17	5	4	10
220	24	1	78	19	13	24	9	2	8	1	–	6	9	11	83	39	27	13	3	4	11
62	6	1	20	6	6	7	3	–	1	1	–	4	6	7	26	17	8	4	2	–	12
5	2	–	2	–	–	1	1	–	2	–	–	–	–	–	2	–	1	2	–	–	13
101	17	–	42	5	7	14	9	2	9	2	–	6	2	2	42	18	21	8	4	6	14
83	14	–	33	5	6	9	7	2	6	2	–	5	2	1	36	11	15	4	2	4	15
18	3	–	9	–	1	5	2	–	3	–	–	1	–	1	6	7	6	4	2	2	16
18	1	–	6	–	–	4	1	–	1	–	–	1	2	1	1	5	4	2	–	–	17
26	2	–	11	1	–	1	2	–	–	–	–	–	1	–	1	7	6	1	–	–	18
58	21	3	15	6	2	10	2	2	7	1	–	6	4	4	25	10	14	2	1	2	19
11	2	1	2	–	1	2	–	1	1	–	–	1	–	2	8	1	4	2	–	–	20
3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	21
41	7	–	9	4	1	7	4	–	5	–	–	3	2	3	13	3	11	2	2	–	22
77	24	1	31	3	5	14	6	4	4	1	–	5	7	30	32	27	18	8	3	–	23
64	18	1	21	3	4	6	4	4	4	1	–	5	4	23	26	15	13	6	3	–	24
13	6	–	10	–	1	8	2	–	–	–	–	–	3	7	6	12	5	2	–	–	25
7	4	–	7	1	1	1	1	–	1	–	–	–	–	–	3	5	1	–	1	–	26
12	–	–	1	1	–	1	–	–	–	–	–	–	–	–	2	4	2	–	–	–	27
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
183	27	2	61	9	13	20	7	4	5	4	–	9	12	8	60	43	22	12	7	–	29
52	8	–	15	5	4	3	3	–	2	–	–	–	3	1	15	7	7	3	1	–	30
61	11	2	27	–	5	10	1	3	1	3	–	5	5	5	26	17	12	8	4	–	31
70	8	–	19	4	4	7	3	1	2	1	–	4	4	2	19	19	3	1	2	–	32
11	2	–	2	2	2	–	–	–	–	–	–	–	3	–	1	4	3	1	–	–	33
45	2	–	10	–	1	5	–	–	1	1	–	4	3	17	17	3	2	3	1	2	34
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	35
22	–	–	2	3	–	2	2	–	1	–	–	1	1	6	5	6	5	3	–	–	36
9	–	–	1	–	–	1	–	–	–	–	–	–	–	1	3	–	1	1	–	–	37
23	2	–	10	1	4	1	–	1	1	1	–	–	–	2	5	5	8	6	–	–	38
23	6	–	6	1	–	–	–	–	–	–	–	1	2	2	13	1	4	–	–	–	39
20	3	–	6	–	–	2	1	–	1	1	–	1	1	2	5	4	5	2	–	–	40
39	4	–	9	–	3	6	1	–	3	1	–	2	–	2	14	3	8	1	–	–	41
23	2	–	16	1	1	4	1	1	1	2	–	–	–	–	10	3	5	1	–	–	42
20	8	–	10	–	–	7	5	2	2	–	–	2	–	8	18	9	7	1	2	1	43
27	4	1	8	3	1	5	1	1	1	–	–	2	2	3	9	10	15	2	–	–	44
30	4	–	7	2	3	1	1	–	–	1	–	–	–	–	9	3	4	1	3	–	45
144	16	1	55	8	6	13	5	1	4	1	–	7	6	8	34	17	20	5	3	1	46
84	13	1	38	7	4	8	4	1	2	–	–	4	5	5	19	6	8	2	–	1	47
60	3	–	17	1	2	5	1	–	2	1	–	3	1	3	15	11	12	3	3	–	48
56	3	–	21	2	–	12	1	2	1	–	–	2	–	2	10	8	6	4	–	1	49
25	1	–	11	1	–	5	–	–	1	–	–	–	–	–	7	2	2	1	–	1	50
31	2	–	10	1	–	7	1	2	–	–	–	2	–	2	3	6	4	3	–	–	51
15	3	–	4	1	1	3	–	–	–	–	–	–	3	3	4	2	5	5	1	–	52
5	3	–	1	–	–	2	–	–	1	–	–	1	–	1	6	2	–	1	–	–	53
10	–	–	2	–	3	1	–	1	–	–	–	–	–	–	5	1	2	1	–	–	54
22	8	–	10	1	3	2	–	–	–	–	–	1	2	1	8	3	5	–	1	–	55
33	7	–	7	1	1	7	4	2	1	2	–	1	2	7	8	4	6	2	3	1	56
58	16	–	35	12	6	12	4	–	3	2	–	–	–	4	39	5	11	6	1	–	57
46	12	–	30	10	6	10	4	–	2	1	–	–	–	2	34	3	9	5	1	–	58
12	4	–	5	2	–	2	–	–	1	1	–	–	–	2	5	2	2	1	–	–	59
8	1	1	2	1	1	2	1	–	2	–	–	–	–	–	6	1	2	1	–	–	60
12	9	–	7	1	–	–	1	–	1	1	–	1	1	2	10	4	3	2	1	–	61
60	2	–	14	4	1	5	1	2	3	2	–	–	1	6	12	8	2	2	1	–	62
13	3	–	2	2	–	1	2	–	–	1	–	1	1	–	7	7	3	–	3	1	63
65	4	–	19	1	3	10	2	1	–	1	–	1	6	4	16	7	3	3	–	–	64
4	–	–	8	–	–	2	–	–	–	–	–	–	–	–	1	–	2	–	–	–	65
135	9	–	36	12	13	12	11	1	4	1	–	1	3	7	47	10	14	5	2	–	66
74	5	–	25	10	2	7	8	–	4	–	–	1	2	4	23	4	2	1	2	–	67
61	4	–	11	2	11	5	3	1	–	1	–	–	1	3	24	6	12	4	–	–	68
6	2	–	2	–	2	–	2	–	2	–	–	–	–	–	4	5	2	–	–	–	69
22	1	–	5	1	1	7	–	–	–	1	–	1	2	11	7	1	3	1	3	–	70
38,619	2,685	401	8,959	1,353	1,216	3,055	1,169	302	1,664	478	12	698	1,392	744	7,652	2,299	2,520	1,121	1,274	459	71
26,329	1,787	260	5,930	790	799	2,072	696	212	1,343	360	11	472	1,051	515	5,275	1,195	1,651	767	1,144	372	72
12,290	898	141	3,029	563	417	983	473	90	321	118	1	226	341	229	2,377	1,104	869	354	130	87	73
29,210	1,896	294	6,492	869	905	2,191	784	225	1,438	387	12	548	1,187	570	5,763	1,591	1,934	890	1,207	419	74
24,234	1,575	230	5,274	667	734	1,852	586	192	1,271	336	11	438	997	477	4,754	1,074	1,534	697	1,122	362	75
4,976	321	64	1,218	202	171	339	198	33	167	51	1	110	190	93	1,009	517	400	193	85	57	76
9,409	789	107	2,467	484	311	864	385	77	226	91	–	150	205	174	1,889	708	586	231	67	40	77
2,095	212	30	656	123	65	220	110	20	72	24	–	34	54	38	521	121	117	70	22	10	78
7,314	577	77	1,811	361	246	644	275	57	154	67	–	116	151	136	1,368	587	469	161	45	30	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Adams	851	–	–	7	142	33	40	12	20	8	8	21	14	471	339	8	7
02	Quincy	628	–	–	5	108	24	30	8	18	7	7	14	11	354	254	7	6
03	Balance of county	223	–	–	2	34	9	10	4	2	1	1	7	3	117	85	1	1
04	Alexander	204	–	–	1	40	11	7	2	3	–	1	16	4	112	86	–	3
05	Bond	164	–	–	–	32	8	11	5	4	1	2	1	2	105	85	–	4
06	Boone	229	–	–	2	48	9	9	7	10	3	2	8	6	103	67	1	2
07	Belvidere	149	–	–	2	31	7	7	4	7	1	2	3	5	60	37	–	–
08	Balance of county	80	–	–	–	17	2	2	3	3	2	–	5	1	43	30	1	2
09	Brown	74	–	–	1	17	6	2	2	2	–	1	4	–	44	38	–	1
10	Bureau	430	1	–	1	74	21	11	10	7	4	4	17	8	253	199	3	2
11	Calhoun	85	–	–	2	20	5	6	2	2	1	1	3	2	42	26	2	1
12	Carroll	186	1	–	1	38	14	4	1	9	3	–	7	2	105	83	–	2
13	Cass	168	1	–	–	31	12	7	2	5	2	2	1	2	98	83	–	3
14	Champaign	856	1	–	7	165	47	44	11	18	9	6	30	27	439	300	5	7
15	Champaign	344	1	–	2	71	22	15	5	12	3	2	12	10	165	101	4	2
16	Rantoul	59	–	–	–	13	8	3	1	–	–	1	–	2	25	20	–	1
17	Urbana	196	–	–	2	38	4	13	1	4	3	1	12	10	106	73	–	3
18	Balance of county	257	–	–	3	43	13	13	4	2	3	2	6	5	143	106	1	1
19	Christian	418	2	–	1	80	24	21	8	10	4	2	11	5	236	171	–	5
20	Taylorville	160	–	–	1	30	10	9	3	3	1	–	4	2	98	72	–	2
21	Balance of county	258	2	–	–	50	14	12	5	7	3	2	7	3	138	99	–	3
22	Clark	192	1	–	2	36	10	10	5	3	1	1	6	2	117	84	–	7
23	Clay	235	2	–	2	34	9	11	3	6	1	–	4	4	136	107	4	1
24	Clinton	277	–	1	2	52	19	16	3	3	2	2	7	8	142	114	3	5
25	Centralia, part	21	–	–	–	6	2	1	–	–	2	–	1	–	10	9	1	–
26	Balance of county	256	–	1	2	46	17	15	3	3	–	2	6	8	132	105	2	5
27	Coles	494	1	–	2	89	20	16	7	15	6	2	23	4	284	194	4	3
28	Charleston	143	–	–	–	25	4	7	1	4	3	1	5	2	80	47	1	–
29	Mattoon	253	1	–	1	46	12	6	5	9	–	1	13	1	145	103	3	2
30	Balance of county	98	–	–	1	18	4	3	1	2	3	–	5	1	59	44	–	1
31	Cook	49,672	116	5	405	10,458	2,999	2,559	986	1,165	434	368	1,947	805	25,601	20,903	310	321
32	Alsip	93	1	–	–	21	7	5	2	3	2	–	2	2	41	30	–	–
33	Arlington Heights, part	432	1	–	1	99	23	22	12	6	9	6	21	10	247	179	3	–
34	Arlington Heights, total	432	1	–	1	99	23	22	12	6	9	6	21	10	247	179	3	–
35	Bellwood	141	–	–	1	42	12	11	4	4	2	2	7	3	67	50	3	5
36	Bensenville, part	8	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–
37	Berwyn	669	–	–	2	143	43	29	12	15	3	11	30	20	391	321	4	3
38	Blue Island	271	–	–	2	61	19	13	4	5	6	–	14	5	132	110	–	1
39	Bridge View	117	–	–	2	23	9	5	4	3	–	–	2	1	57	46	1	1
40	Brookfield	202	–	–	1	54	14	11	4	10	1	3	11	7	98	83	2	1
41	Buffalo Grove, part	43	–	–	–	17	5	3	5	–	1	–	3	–	16	13	–	–
42	Buffalo Grove, total	54	–	–	–	18	5	3	5	–	1	–	4	1	21	15	–	–
43	Calumet City	341	–	–	2	76	23	18	7	4	4	3	17	6	195	162	4	4
44	Calumet Park	61	–	–	1	11	7	1	1	–	–	–	2	3	29	23	–	–
45	Chicago, part	31,827	105	4	290	6,411	1,876	1,622	579	746	240	197	1,151	536	16,169	13,438	186	214
46	Chicago, total	31,828	105	4	290	6,412	1,876	1,622	579	746	240	197	1,152	536	16,169	13,438	186	214
47	Chicago Heights	387	–	–	2	77	15	19	5	10	8	–	20	7	185	138	3	3
48	Cicero	831	1	–	8	156	42	38	13	19	8	7	29	17	472	369	6	5
49	Deerfield, part	15	–	–	–	8	1	4	–	–	–	–	3	1	3	2	–	–
50	Des Plaines	518	–	–	3	120	28	31	11	12	8	4	26	7	261	199	7	2
51	Dolton	233	–	–	4	59	17	13	4	4	3	4	14	4	98	76	2	–
52	Elgin, part	46	–	–	–	8	1	–	2	4	–	1	–	–	24	16	1	–
53	Elk Grove Village, part	115	–	–	–	30	8	5	2	1	1	2	11	1	53	41	1	–
54	Elk Grove Village, total	115	–	–	–	30	8	5	2	1	1	2	11	1	53	41	1	–
55	Elmwood Park	270	–	–	1	60	21	12	5	6	2	1	13	5	152	114	1	3
56	Evanston	738	–	–	4	142	48	19	21	15	8	8	23	9	420	330	4	4
57	Evergreen Park	255	–	–	2	53	14	13	5	5	3	2	11	4	163	130	1	1
58	Forest Park	199	–	–	3	43	16	11	3	7	–	1	5	6	112	90	–	3
59	Franklin Park	161	1	–	3	44	11	13	4	3	2	1	10	–	83	68	–	–
60	Glencoe	66	–	–	–	21	3	6	3	3	1	2	3	–	31	25	1	–
61	Glenview	281	–	–	3	69	15	13	9	12	5	2	13	2	148	116	3	2
62	Hanover Park, part	51	–	–	–	9	1	2	2	1	2	–	1	1	21	17	1	–
63	Hanover Park, total	60	–	–	–	12	2	3	2	2	2	–	1	1	22	17	1	–
64	Harvey	270	1	–	2	46	13	9	7	4	3	1	9	1	115	102	3	4
65	Hazel Crest	91	–	–	1	23	9	6	2	3	–	–	3	2	45	41	–	–
66	Hickory Hills	79	–	–	1	24	6	5	4	3	1	–	5	–	31	22	1	1
67	Hinsdale, part	10	–	–	–	3	–	–	–	1	–	–	2	–	5	4	–	–
68	Hoffman Estates	110	–	–	–	26	8	6	2	2	–	–	8	1	49	41	2	–
69	Homewood	173	–	–	–	43	16	7	2	8	1	2	7	4	93	72	2	1
70	La Grange	177	–	–	–	40	12	7	9	4	2	–	6	3	102	82	–	2
71	La Grange Park	153	–	–	1	45	12	11	5	5	4	2	6	1	83	65	–	1
72	Lansing	195	–	–	4	51	16	11	2	5	7	1	9	3	108	84	2	1
73	Lincolnwood	95	–	–	–	26	11	3	–	3	3	3	3	3	46	30	1	–
74	Lyons	98	1	–	1	23	5	6	3	3	–	1	5	–	52	41	1	–
75	Markham	82	–	–	–	20	8	5	2	2	–	1	2	1	27	21	1	–
76	Maywood	230	–	–	2	45	13	12	3	4	2	3	8	1	118	90	–	1
77	Melrose Park	236	–	–	1	56	25	8	4	5	3	1	10	7	122	97	2	3
78	Midlothian	126	–	–	–	27	9	8	2	3	3	1	1	1	70	59	2	–
79	Morton Grove	204	–	–	5	54	13	15	5	5	6	1	9	3	115	88	1	2
80	Mount Prospect	273	–	–	1	68	15	12	10	6	4	3	18	3	157	126	2	3
81	Niles	356	–	–	2	69	15	16	8	8	4	6	12	12	202	171	2	1
82	Norridge	176	–	–	1	36	16	6	2	2	1	3	6	3	108	81	–	3
83	Northbrook	227	–	–	2	50	14	6	6	6	2	2	14	1	114	93	1	–
84	Northlake, part	131	1	–	2	27	7	6	1	8	–	1	4	2	70	59	1	–
85	Northlake, total	132	1	–	2	28	7	6	2	8	–	1	4	2	70	59	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
302	22	2	105	17	8	32	22	1	11	3	-	4	10	9	75	13	19	13	3	2	01
225	16	2	81	11	6	29	18	1	8	2	-	1	6	4	53	4	10	9	3	2	02
77	6	-	24	6	2	3	4	-	3	1	-	3	4	5	22	9	9	4	-	-	03
79	4	-	23	1	2	13	3	-	2	2	-	-	1	2	13	3	5	2	1	-	04
76	5	-	17	1	2	3	3	1	1	-	-	-	1	2	4	5	4	1	-	-	05
58	6	-	23	6	7	4	5	-	3	2	-	4	4	-	30	13	3	1	1	-	06
32	5	-	13	5	5	4	4	-	3	1	-	3	4	-	23	7	2	-	-	-	07
26	1	-	10	1	2	-	1	-	-	1	-	1	-	-	7	6	1	1	1	-	08
35	2	-	4	-	2	1	1	1	-	-	-	-	-	-	4	-	3	1	-	1	09
160	34	2	39	11	2	8	7	3	3	1	-	5	5	3	24	17	11	5	1	-	10
23	-	-	9	5	2	2	-	-	-	-	-	1	-	-	8	3	4	1	-	-	11
78	3	-	16	5	1	5	2	2	3	-	-	1	-	2	16	3	3	1	1	-	12
76	4	-	12	3	-	7	3	-	-	1	-	1	1	-	13	5	3	1	1	-	13
273	15	5	80	44	10	18	16	2	15	2	-	6	9	9	70	29	23	11	6	1	14
88	7	4	36	19	5	10	2	1	7	1	-	4	5	4	24	15	10	7	4	1	15
18	1	-	3	2	-	-	1	-	1	-	-	-	1	3	6	4	3	-	-	-	16
69	1	1	15	15	2	2	4	-	1	1	-	1	-	1	21	2	5	2	-	-	17
98	6	-	26	8	3	6	9	1	6	-	-	1	3	1	19	8	5	2	2	-	18
155	11	2	45	8	10	12	9	-	5	-	-	1	3	4	35	17	6	1	-	1	19
66	4	1	19	1	5	4	3	-	-	-	-	-	1	-	12	5	3	1	-	-	20
89	7	1	26	7	5	8	6	-	5	-	-	1	2	4	23	12	3	-	-	1	21
71	6	-	24	7	2	3	2	1	1	1	-	2	1	-	8	2	8	5	-	-	22
91	11	4	23	1	1	6	7	-	3	-	-	2	3	2	17	4	9	3	1	-	23
98	8	4	18	2	4	18	-	3	2	-	-	4	4	1	21	7	9	3	-	-	24
8	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-	25
90	8	4	17	2	4	16	-	2	2	-	-	4	4	1	21	7	9	1	-	-	26
179	8	8	73	4	5	20	12	-	4	-	-	2	2	2	36	16	13	5	2	-	27
42	4	3	28	1	1	7	5	-	2	-	-	-	-	-	15	4	-	3	-	-	28
95	3	4	38	-	-	10	6	-	2	-	-	1	1	1	17	9	8	2	2	-	29
42	1	1	7	3	4	3	1	-	-	-	-	1	1	1	4	3	5	-	-	-	30
19,178	1,094	168	3,609	415	506	1,493	397	160	1,068	282	8	313	780	366	3,647	737	1,181	522	984	344	31
29	1	-	10	1	-	-	2	-	3	1	-	-	2	-	8	3	4	3	-	2	32
167	9	-	59	4	5	14	5	1	3	-	-	2	2	3	17	12	7	6	-	2	33
167	9	-	59	4	5	14	5	1	3	-	-	2	2	3	17	12	7	6	-	2	34
39	3	2	12	2	1	3	-	1	3	-	-	1	2	1	9	3	1	1	3	-	35
2	1	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	36
305	9	3	56	5	6	10	10	3	18	-	-	-	6	2	37	5	9	4	5	4	37
105	4	2	15	-	5	7	5	-	6	-	-	2	3	2	26	3	10	-	4	3	38
40	4	-	7	2	2	6	3	-	2	-	-	2	-	1	11	1	6	1	1	-	39
78	2	-	14	1	-	3	1	1	1	1	-	1	2	-	18	4	5	3	1	1	40
13	-	-	3	-	-	1	1	-	1	-	-	1	1	2	1	2	-	-	-	-	41
15	-	1	5	-	-	1	1	-	2	-	-	1	2	2	2	2	-	1	-	-	42
143	11	1	25	3	4	6	2	-	7	1	-	1	5	2	19	6	8	3	-	2	43
23	-	1	3	-	2	7	1	-	-	-	-	1	1	-	4	1	1	-	1	-	44
12,290	748	96	2,098	247	290	967	233	108	784	206	8	196	582	269	2,403	377	759	319	865	236	45
12,290	748	96	2,098	247	290	967	233	108	784	206	8	196	582	269	2,403	377	759	319	865	236	46
126	6	2	28	9	8	12	10	1	13	2	-	2	11	2	27	8	13	2	9	4	47
345	13	1	83	8	11	29	9	4	27	5	-	5	6	5	51	4	10	13	2	7	48
2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	49
180	10	4	41	3	14	14	6	5	7	2	-	4	4	-	43	8	23	7	1	3	50
67	7	3	15	1	3	8	1	1	3	2	-	2	1	1	28	7	6	4	1	3	51
13	2	1	7	-	-	-	-	-	-	1	-	-	1	1	4	4	2	-	1	-	52
38	2	-	10	1	1	3	1	2	1	1	-	2	3	3	10	3	-	1	-	1	53
38	2	-	10	1	1	3	1	2	1	1	-	2	3	3	10	3	-	1	-	1	54
105	5	1	32	1	4	3	3	1	3	1	-	-	-	1	23	4	6	4	3	-	55
304	18	4	71	4	11	37	7	-	6	4	-	3	6	4	61	9	11	9	2	4	56
125	3	-	25	4	4	4	-	-	3	2	-	-	-	-	13	4	4	-	2	1	57
83	4	-	17	3	2	2	4	-	4	1	-	1	6	-	11	-	3	2	-	1	58
65	3	-	12	1	2	3	2	-	1	-	-	-	1	1	11	4	4	1	1	1	59
23	1	-	6	-	-	4	1	-	-	1	-	-	1	-	3	1	1	1	1	-	60
107	4	1	27	2	2	8	1	-	5	1	-	2	-	-	23	7	6	4	1	1	61
16	-	-	4	-	-	-	-	1	1	-	-	2	2	1	9	-	2	2	-	-	62
16	-	-	5	-	-	1	-	1	1	1	-	2	3	2	9	1	2	2	-	-	63
85	10	-	13	-	-	9	2	-	6	3	-	7	14	5	31	7	7	3	11	-	64
39	2	-	3	-	1	4	2	-	2	-	-	-	1	1	6	2	-	1	-	1	65
19	1	-	7	1	1	6	1	-	-	-	-	-	-	1	9	3	1	1	-	1	66
4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	67
34	5	1	7	-	-	2	1	-	3	1	-	2	4	1	8	6	4	2	-	-	68
68	1	1	16	1	3	11	3	-	2	-	-	-	2	-	7	-	5	1	1	1	69
76	4	-	15	4	1	4	-	-	1	-	-	3	-	-	16	-	6	2	-	-	70
62	2	2	13	1	2	4	-	-	1	-	-	-	-	-	11	2	1	2	-	2	71
78	3	-	16	4	4	5	1	-	2	-	-	1	3	-	4	4	3	4	-	2	72
27	2	-	14	1	1	4	1	1	3	-	-	1	-	-	8	1	-	-	1	-	73
37	3	1	8	-	2	2	1	-	1	2	-	-	2	1	4	-	7	1	-	-	74
19	1	-	5	-	1	4	-	-	1	1	-	-	3	2	8	3	8	2	1	1	75
80	9	2	25	-	1	9	1	-	4	2	-	1	12	1	16	2	9	2	2	3	76
84	8	1	21	1	2	6	1	-	8	1	-	3	2	2	16	3	7	-	1	-	77
53	4	-	10	-	1	3	1	2	2	-	-	2	-	-	11	5	1	-	1	-	78
82	3	-	22	2	3	4	1	-	3	1	-	-	-	2	7	2	4	-	2	1	79
118	3	2	22	2	5	3	-	1	1	1	-	-	-	-	19	7	8	-	3	1	80
160	8	2	28	-	1	18	4	2	2	-	-	-	3	-	33	3	4	1	-	1	81
72	6	-	19	2	6	1	-	2	1	1	-	-	1	-	14	1	4	1	2	-	82
85	7	-	17	3	1	11	2	-	1	3	-	1	1	2	20	9	6	2	-	2	83
57	1	-	9	1	1	6	1	-	-	2	-	-	1	1	6	3	5	1	1	2	84
57	1	-	9	1	1	6	1	-	-	2	-	-	1	1	6	3	5	1	1	2	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–427)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Cook—Con.																	
01	Oak Forest	99	–	–	–	25	4	8	4	3	–	1	5	–	51	42	–	–
02	Oak Lawn	619	–	–	4	162	48	40	12	14	5	5	38	10	322	248	3	2
03	Oak Park	614	–	–	3	137	37	26	15	19	9	9	22	10	354	269	4	5
04	Palatine	258	–	–	–	54	8	14	10	2	2	5	13	3	138	103	1	2
05	Park Forest, part	139	–	–	2	37	9	8	–	3	4	5	8	–	66	57	–	–
06	Park Forest, total	142	–	–	2	38	9	9	–	3	4	5	8	–	67	58	–	–
07	Park Ridge	363	–	–	–	88	26	16	9	12	4	4	17	6	199	161	4	1
08	Riverdale	180	–	–	3	39	13	7	3	5	–	2	9	3	107	83	3	–
09	River Forest	130	–	–	–	38	15	5	4	2	3	2	7	–	68	51	1	1
10	River Grove	108	1	–	1	36	8	10	4	3	1	2	8	1	52	47	1	3
11	Riverside	117	1	–	–	29	7	9	3	3	2	2	3	1	71	67	1	2
12	Rolling Meadows	103	–	–	–	23	5	9	5	2	2	–	–	2	46	33	–	–
13	Schaumburg, part	177	–	–	2	41	11	11	5	8	–	1	5	2	82	63	–	–
14	Schaumburg, total	180	–	–	2	41	11	11	5	8	–	1	5	2	83	64	–	–
15	Schiller Park	65	–	–	–	16	2	8	1	2	1	1	1	1	29	25	1	1
16	Skokie	494	–	–	3	118	36	27	12	14	2	3	24	5	275	229	3	1
17	South Holland	203	–	–	1	37	9	14	5	5	–	1	3	2	118	93	1	3
18	Streamwood	62	–	–	–	19	6	5	–	–	2	1	5	1	21	15	–	–
19	Summit	83	–	–	–	20	8	4	–	5	–	–	3	–	43	38	1	–
20	Tinley Park, part	185	–	–	2	39	11	14	4	2	2	2	4	3	95	76	2	3
21	Tinley Park, total	185	–	–	2	39	11	14	4	2	2	2	4	3	95	76	2	3
22	Westchester	167	–	–	–	45	10	9	10	4	1	2	9	1	94	65	1	–
23	Western Springs	91	–	–	–	25	6	6	4	–	2	2	5	1	45	33	–	1
24	Wheeling	119	–	–	2	30	12	9	2	2	–	1	4	4	51	42	1	–
25	Wilmette	236	–	–	4	53	11	8	7	6	4	3	14	4	128	107	7	–
26	Winnetka	86	–	–	1	25	7	6	2	5	–	–	5	–	44	33	2	3
27	Worth	96	1	–	1	27	7	12	1	3	–	–	4	1	46	39	–	2
28	Balance of county	3,015	1	1	15	636	161	170	62	53	23	25	142	35	1,552	1,226	15	16
29	Crawford	257	–	–	–	50	11	9	7	3	4	1	15	2	144	90	2	2
30	Cumberland	120	–	–	–	24	4	8	4	3	1	–	4	3	73	55	1	–
31	De Kalb	506	–	–	2	105	40	15	12	19	5	5	9	7	267	208	5	4
32	De Kalb	151	–	–	1	29	13	6	1	6	–	2	1	4	84	64	3	1
33	Balance of county	355	–	–	1	76	27	9	11	13	5	3	8	3	183	144	2	3
34	De Witt	200	–	–	2	34	9	10	4	3	2	–	6	5	119	85	–	1
35	Douglas	201	–	–	3	36	8	12	1	4	5	3	3	3	118	85	–	1
36	Du Page	3,631	2	–	26	809	198	200	101	75	34	36	165	56	1,953	1,477	24	10
37	Addison	122	–	–	–	30	6	8	1	4	–	1	10	2	65	54	–	–
38	Bensenville, part	123	–	–	–	30	11	9	5	3	–	–	2	–	64	43	1	–
39	Bensenville, total	131	–	–	–	30	11	9	5	3	–	–	2	–	68	46	1	–
40	Chicago, part	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
41	Downers Grove	360	–	–	1	87	23	20	13	5	2	5	19	5	208	158	2	1
42	Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Elmhurst	385	1	–	6	79	21	15	9	11	3	4	16	7	210	167	3	1
44	Glendale Heights	57	–	–	–	12	1	8	2	–	–	–	1	–	26	23	–	1
45	Glen Ellyn	159	–	–	–	45	12	13	2	3	–	4	11	2	73	56	–	–
46	Hanover Park, part	9	–	–	–	3	1	1	–	1	–	–	–	–	1	–	–	–
47	Hinsdale, part	125	–	–	2	36	5	11	2	3	–	3	12	3	60	47	–	–
48	Hinsdale, total	135	–	–	2	39	5	11	2	4	–	3	14	3	65	51	–	–
49	Lombard	266	–	–	3	64	18	8	7	5	5	4	17	6	148	114	1	1
50	Naperville	197	–	–	1	56	13	10	8	5	3	3	14	2	91	68	1	–
51	Northlake, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
52	Schaumburg, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
53	Villa Park	215	–	–	1	51	17	10	11	4	–	3	6	3	121	97	2	1
54	West Chicago	127	–	–	1	21	5	3	6	1	2	1	3	5	68	51	1	1
55	Wheaton	281	–	–	1	61	13	14	8	6	4	1	15	5	171	122	5	–
56	Woodridge	51	–	–	–	10	2	3	3	1	1	–	–	2	19	15	–	–
57	Balance of county	1,149	1	–	10	222	50	67	23	23	14	7	38	14	627	461	8	4
58	Edgar	269	–	–	2	49	14	15	1	6	4	1	8	3	162	108	1	2
59	Edwards	104	1	–	1	18	4	2	1	3	1	4	3	1	63	52	1	2
60	Effingham	302	1	–	1	66	21	20	4	9	2	–	10	4	158	109	–	–
61	Fayette	245	–	–	1	27	7	6	4	4	2	2	2	6	160	121	–	5
62	Ford	170	–	–	2	27	7	4	–	6	4	1	5	1	107	82	1	4
63	Franklin	558	2	1	4	88	28	23	8	7	4	5	13	11	331	269	–	1
64	Fulton	490	–	–	5	97	27	24	6	13	3	3	21	5	283	217	3	1
65	Canton	188	–	–	2	32	10	11	2	3	1	2	3	3	116	87	1	–
66	Balance of county	302	–	–	3	65	17	13	4	10	2	1	18	2	167	130	2	1
67	Gallatin	106	1	–	–	19	8	4	–	1	1	1	4	2	64	51	–	–
68	Greene	190	–	–	–	30	12	5	1	1	–	4	7	1	119	95	1	1
69	Grundy	224	1	–	1	33	14	7	2	3	1	1	5	5	124	104	1	3
70	Hamilton	115	–	–	1	15	6	3	1	–	1	–	4	–	79	59	–	1
71	Hancock	289	1	–	–	48	14	8	2	6	6	3	9	8	171	126	2	9
72	Hardin	58	1	–	–	12	4	–	–	2	1	1	4	–	32	27	–	–
73	Henderson	89	–	1	1	14	1	4	2	2	–	1	4	4	45	29	–	–
74	Henry	539	1	–	1	106	33	20	13	12	4	7	17	15	306	232	2	5
75	Kewanee	205	1	–	–	47	16	10	4	7	2	3	5	5	109	77	–	1
76	Balance of county	334	–	–	1	59	17	10	9	5	2	4	12	10	197	155	2	4
77	Iroquois	382	–	–	1	63	16	19	5	6	2	2	13	6	223	178	2	1
78	Jackson	476	1	–	3	99	28	22	14	10	9	2	14	8	245	167	4	8
79	Carbondale	156	–	–	2	24	5	5	4	4	2	1	3	1	77	51	2	3
80	Murphysboro	133	1	–	1	30	10	3	6	1	3	1	6	5	72	50	–	1
81	Balance of county	187	–	–	–	45	13	14	4	5	4	–	5	2	96	66	2	4
82	Jasper	123	–	–	–	24	7	6	1	4	1	3	2	4	61	50	1	–
83	Jefferson	415	–	–	–	82	28	16	9	9	3	7	10	3	223	171	–	4
84	Mount Vernon	250	–	–	–	55	20	7	8	7	1	5	7	2	124	95	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
39	3	1	7	–	1	1	1	–	2	–	–	1	7	–	3	4	–	3	1	–	01
231	12	2	58	7	7	18	4	3	14	–	–	3	6	1	40	9	13	5	4	1	02
249	11	4	63	9	9	13	–	4	11	2	–	4	3	3	40	12	6	8	2	2	03
95	5	–	25	2	8	8	2	–	4	1	–	2	1	4	16	10	5	6	2	2	04
56	1	–	5	2	2	6	1	–	2	1	–	2	5	–	5	7	1	2	1	1	05
57	1	–	5	2	2	6	1	–	2	1	–	2	5	–	5	7	2	2	1	1	06
153	3	1	26	3	8	10	3	1	4	4	–	2	2	3	24	4	8	4	–	1	07
74	6	–	17	4	3	4	1	–	6	1	–	–	2	1	6	–	3	2	1	1	08
47	2	1	12	2	2	3	2	2	1	1	–	1	–	2	6	2	3	–	1	–	09
40	3	–	5	–	–	1	2	–	1	–	–	1	–	–	9	2	–	1	–	–	10
61	3	–	3	–	1	1	1	–	1	–	–	1	–	1	3	1	1	4	1	–	11
33	–	1	11	1	–	6	–	–	1	–	–	–	1	–	10	5	6	2	1	–	12
60	3	–	16	2	1	2	1	–	2	2	–	6	4	1	10	8	7	5	1	1	13
61	3	–	16	2	1	2	1	–	3	2	–	7	4	1	10	8	7	5	1	1	14
23	–	–	3	–	1	1	–	–	3	–	–	1	–	2	4	5	1	1	–	1	15
220	5	1	39	3	3	15	3	–	7	3	–	4	3	2	32	6	7	7	2	2	16
83	6	–	22	1	2	7	5	–	2	–	–	2	3	1	9	7	2	2	3	2	17
15	–	1	5	–	–	1	–	–	2	1	–	2	2	–	3	5	3	2	–	–	18
34	3	–	4	–	1	1	–	1	2	–	–	1	2	1	5	1	2	2	1	1	19
68	3	1	13	5	–	7	1	2	2	2	–	–	4	–	10	5	7	2	3	1	20
68	3	1	13	5	–	7	1	2	2	2	–	–	4	–	10	5	7	2	3	1	21
59	5	1	20	4	4	4	2	–	2	–	–	2	–	–	11	2	3	–	–	1	22
31	1	1	10	1	–	1	1	–	2	–	–	–	–	–	7	2	4	1	–	2	23
39	2	–	9	–	–	3	–	–	3	–	–	1	1	1	9	8	2	4	–	–	24
97	3	1	17	1	2	9	1	–	6	–	–	1	1	–	17	5	3	4	–	–	25
27	1	–	11	–	–	1	–	1	–	–	–	1	1	–	10	1	–	1	–	–	26
34	3	–	5	–	2	4	–	–	3	–	–	1	1	–	5	1	3	–	1	1	27
1,138	57	18	230	43	35	98	35	9	39	14	–	22	31	23	225	82	100	38	29	30	28
76	10	1	48	2	3	20	2	1	1	–	–	–	1	2	22	6	4	1	–	1	29
53	1	–	16	–	2	5	1	1	–	–	–	–	1	1	6	3	–	2	–	–	30
185	14	1	47	2	9	13	11	4	6	2	–	4	7	2	40	16	9	9	2	–	31
57	3	–	17	–	3	7	2	2	–	1	–	1	4	–	9	4	–	2	1	–	32
128	11	1	30	2	6	6	9	2	6	1	–	3	3	2	31	12	9	7	1	–	33
79	5	1	30	2	1	12	2	–	–	–	–	3	–	1	12	4	4	2	–	–	34
79	5	–	20	9	4	7	3	1	1	–	–	–	3	2	11	6	4	2	–	1	35
1,348	95	15	367	39	55	71	37	4	56	10	–	31	51	15	229	97	100	57	17	10	36
52	2	–	10	–	1	1	–	–	1	–	–	1	1	1	9	3	3	3	2	–	37
42	–	1	15	2	3	8	1	–	2	–	–	1	1	1	7	2	4	1	–	1	38
44	1	1	16	2	3	8	1	–	2	–	–	2	3	1	8	2	4	1	–	1	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
141	14	1	36	4	9	4	5	1	5	3	–	2	1	–	24	4	5	2	3	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
148	15	3	33	3	4	8	5	–	7	1	–	1	6	–	29	4	8	7	4	2	43
22	–	–	3	–	–	2	–	–	1	–	–	1	4	2	2	3	1	3	–	–	44
49	7	–	13	2	2	5	2	1	7	–	–	2	–	1	10	3	8	–	–	–	45
–	–	–	1	–	–	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	46
46	1	–	8	–	5	4	–	–	2	–	–	–	2	3	5	3	2	3	–	–	47
50	1	–	9	–	5	4	–	–	2	–	–	–	3	3	6	3	2	3	–	–	48
104	8	1	25	3	5	2	3	–	5	1	–	4	–	1	13	4	7	4	1	–	49
64	3	2	17	–	4	3	1	–	3	–	–	3	2	2	17	7	6	3	–	–	50
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	52
89	5	–	19	2	3	3	2	–	3	–	–	1	2	–	13	7	6	2	–	–	53
45	4	–	12	2	3	5	1	–	2	–	–	–	4	–	6	2	9	–	2	1	54
108	9	2	42	4	1	3	1	–	1	–	–	3	2	–	16	4	8	4	–	1	55
12	3	–	3	1	–	–	–	1	3	–	–	–	3	1	4	2	4	2	–	–	56
425	24	5	130	16	15	22	16	1	13	4	–	11	22	2	74	48	29	23	5	5	57
97	8	1	47	3	3	8	5	–	3	–	–	1	1	2	16	6	6	2	1	2	58
46	3	1	5	5	–	–	1	–	1	1	–	–	1	2	9	2	2	1	–	–	59
100	9	2	35	11	1	9	4	3	3	2	–	3	2	3	27	11	9	2	–	–	60
109	7	1	34	1	3	12	5	–	1	1	–	–	3	–	9	10	8	2	–	–	61
67	10	1	13	9	2	9	1	–	–	1	–	1	–	–	13	7	1	–	–	–	62
255	13	1	49	7	5	21	7	4	7	–	–	3	2	2	43	16	9	7	–	–	63
141	72	3	49	11	3	15	5	2	5	3	–	2	4	2	36	10	8	6	1	1	64
52	34	1	21	6	1	4	3	2	2	1	–	2	3	–	11	3	1	1	1	1	65
89	38	2	28	5	2	11	2	–	3	2	–	–	1	2	25	7	7	5	–	–	66
49	2	–	9	–	4	2	2	–	–	–	–	1	–	–	6	2	5	–	1	1	67
79	14	–	12	8	4	8	1	–	1	–	–	1	3	1	15	3	6	1	–	–	68
88	12	–	18	1	1	3	9	2	1	1	–	1	1	2	16	16	4	3	–	1	69
55	3	–	16	3	1	2	2	–	3	1	–	2	–	–	6	1	1	1	1	–	70
107	8	5	31	6	3	4	8	1	3	–	–	1	1	2	18	12	10	1	–	–	71
22	5	–	3	1	1	–	–	1	1	–	–	–	–	–	4	5	1	1	–	–	72
22	7	–	10	2	4	–	2	1	1	–	–	–	–	4	6	5	4	1	–	–	73
203	22	–	62	7	5	13	13	3	2	2	–	2	3	5	34	11	16	3	2	1	74
65	11	–	27	3	2	4	5	1	1	2	–	1	2	3	15	3	4	1	1	–	75
138	11	–	35	4	3	9	8	2	1	–	–	1	1	2	19	8	12	2	1	1	76
160	15	–	27	7	11	8	9	1	4	1	–	1	6	1	25	19	9	4	1	–	77
144	11	2	50	12	14	13	7	–	7	1	–	8	3	4	45	11	12	7	1	1	78
43	3	1	17	4	4	6	3	–	3	1	–	3	1	3	20	4	6	1	1	–	79
43	6	–	15	4	3	3	1	–	–	–	–	3	1	–	12	1	–	3	–	–	80
58	2	1	18	4	7	4	3	–	4	–	–	2	1	1	13	6	6	3	–	1	81
47	2	–	8	1	2	7	1	1	2	–	–	1	1	2	6	2	5	5	1	–	82
151	16	1	45	–	6	16	10	–	5	4	–	2	5	2	34	12	15	1	1	–	83
81	12	1	27	–	1	10	7	–	5	2	–	1	3	1	21	6	12	–	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Jefferson—Con.																	
01	Balance of county	165	–	–	–	27	8	9	1	2	2	2	3	1	99	76	–	2
02	Jersey	200	–	–	–	37	15	10	3	3	1	–	5	5	109	88	1	1
03	Jo Daviess	238	1	–	1	44	12	10	4	6	2	–	10	3	144	115	2	3
04	Johnson	103	–	–	–	22	3	8	2	1	3	2	3	4	52	43	–	–
05	Kane	2,015	2	–	12	412	111	101	46	45	16	19	74	29	1,081	806	12	13
06	Aurora	681	2	–	1	141	41	40	19	7	1	6	27	6	368	276	4	9
07	Carpentersville	108	–	–	1	24	8	6	2	–	1	2	5	1	47	37	1	–
08	Elgin, part	511	–	–	5	103	25	21	12	21	6	4	14	9	295	205	3	–
09	Elgin, total	557	–	–	5	111	26	21	14	25	6	5	14	9	319	221	4	–
10	St. Charles	133	–	–	3	24	7	6	1	1	1	–	8	–	73	59	–	–
11	Balance of county	582	–	–	2	120	30	28	12	16	7	7	20	13	298	229	4	4
12	Kankakee	854	–	–	3	184	37	56	13	19	9	9	41	19	442	371	1	7
13	Kankakee	376	–	–	2	69	16	23	4	11	1	1	13	10	205	172	–	5
14	Balance of county	478	–	–	1	115	21	33	9	8	8	8	28	9	237	199	1	2
15	Kendall	189	–	–	2	40	11	12	4	7	–	3	3	1	85	61	1	1
16	Knox	661	1	–	2	118	33	24	11	13	8	6	23	5	405	279	4	4
17	Galesburg	420	1	–	1	79	24	18	9	7	4	3	14	3	259	174	2	4
18	Balance of county	241	–	–	1	39	9	6	2	6	4	3	9	2	146	105	2	–
19	Lake	2,650	–	–	25	569	125	133	69	56	25	23	138	43	1,296	997	13	13
20	Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Buffalo Grove, part	11	–	–	–	1	–	–	–	–	–	–	1	1	5	2	–	–
22	Deerfield, part	97	–	–	–	14	1	4	2	1	–	1	5	–	53	39	2	–
23	Deerfield, total	112	–	–	–	22	2	8	2	1	–	1	8	1	56	41	2	–
24	Highland Park	216	–	–	3	56	19	9	8	7	–	1	12	3	122	90	3	2
25	Lake Forest	97	–	–	–	25	8	5	2	3	–	1	6	1	40	29	–	–
26	Libertyville	125	–	–	1	33	5	8	5	2	3	1	9	2	61	50	–	–
27	Mundelein	111	–	–	–	20	4	2	2	1	2	–	9	2	53	43	–	–
28	North Chicago	110	–	–	–	26	4	8	1	8	–	1	4	–	59	49	–	–
29	Waukegan	574	–	–	6	127	24	31	15	8	8	4	37	6	276	216	2	4
30	Zion	166	–	–	1	32	10	5	2	6	1	–	8	5	88	66	1	–
31	Balance of county	1,143	–	–	14	235	50	61	32	20	11	14	47	23	539	413	5	7
32	La Salle	1,261	3	–	9	245	63	56	21	32	18	15	40	16	673	512	6	9
33	La Salle	126	–	–	2	26	6	6	2	5	1	1	5	4	70	56	–	–
34	Ottawa	231	2	–	–	53	12	15	5	8	1	2	10	6	115	90	–	1
35	Peru	147	–	–	2	18	5	2	3	3	2	1	2	2	102	76	–	3
36	Streator, part	224	–	–	–	49	14	10	2	4	3	4	12	3	116	85	1	3
37	Streator, total	225	–	–	–	49	14	10	2	4	3	4	12	3	116	85	1	3
38	Balance of county	533	1	–	5	99	26	23	9	12	11	7	11	1	270	205	5	2
39	Lawrence	279	–	–	3	47	12	13	5	5	–	3	9	2	167	109	1	5
40	Lee	367	–	–	2	62	12	15	9	5	4	1	16	11	203	152	3	2
41	Dixon	192	–	–	1	33	6	10	7	2	2	–	6	6	102	85	–	1
42	Balance of county	175	–	–	1	29	6	5	2	3	2	1	10	5	101	67	3	1
43	Livingston	415	–	–	4	78	26	21	7	9	3	–	12	4	236	184	1	1
44	Streator, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of county	414	–	–	4	78	26	21	7	9	3	–	12	4	236	184	1	1
46	Logan	346	–	–	1	61	14	14	6	7	6	6	8	8	198	152	3	2
47	Lincoln	205	–	–	–	33	6	11	4	4	2	3	3	7	115	86	2	1
48	Balance of county	141	–	–	1	28	8	3	2	3	4	3	5	1	83	66	1	1
49	McDonough	288	–	–	1	53	15	17	3	8	4	2	4	2	160	108	1	3
50	Macomb	146	–	–	1	31	7	8	3	5	3	1	4	1	73	40	–	1
51	Balance of county	142	–	–	–	22	8	9	–	3	1	1	–	1	87	68	1	2
52	McHenry	1,072	–	–	8	227	67	48	22	31	8	6	45	19	560	447	10	9
53	Crystal Lake	134	–	–	1	32	10	5	2	5	2	–	8	3	68	56	3	1
54	Woodstock	128	–	–	2	19	2	6	1	4	1	1	4	2	73	58	1	1
55	Balance of county	810	–	–	5	176	55	37	19	22	5	5	33	14	419	333	6	7
56	McLean	846	1	–	2	158	43	36	17	24	11	2	25	15	464	346	4	7
57	Bloomington	416	1	–	–	73	18	18	6	13	6	–	12	5	238	178	3	5
58	Normal	132	–	–	1	28	9	6	6	1	4	2	–	4	68	49	1	1
59	Balance of county	298	–	–	1	57	16	12	5	10	1	–	13	6	158	119	–	1
60	Macon	1,240	1	–	4	245	71	58	16	37	5	9	49	22	676	444	10	30
61	Decatur	1,020	1	–	1	200	62	50	11	27	4	8	38	20	559	361	9	25
62	Balance of county	220	–	–	3	45	9	8	5	10	1	1	11	2	117	83	1	5
63	Macoupin	601	1	–	2	103	35	26	5	6	6	4	21	11	370	271	4	4
64	Madison	2,383	–	–	12	473	138	106	41	49	19	20	100	42	1,333	1,038	10	8
65	Alton	447	–	–	2	86	26	18	8	7	4	3	20	4	250	186	2	5
66	Collinsville, part	229	–	–	1	45	14	10	5	3	2	3	8	4	133	101	–	–
67	Collinsville, total	248	–	–	2	50	15	11	6	3	2	3	10	4	140	108	–	1
68	Edwardsville	177	–	–	1	31	9	5	5	2	2	2	6	2	117	87	1	1
69	Granite City	393	–	–	4	76	18	24	6	6	3	3	16	9	216	175	2	–
70	Wood River	126	–	–	–	27	5	5	2	5	1	1	8	1	72	54	–	1
71	Balance of county	1,011	–	–	4	208	66	44	15	26	7	8	42	22	545	435	5	1
72	Marion	490	1	–	1	93	29	25	7	13	1	4	14	11	262	211	3	5
73	Centralia, part	190	–	–	1	35	11	9	3	8	–	2	2	6	98	80	2	3
74	Centralia, total	211	–	–	1	41	13	10	3	8	2	2	3	6	108	89	3	3
75	Balance of county	300	1	–	–	58	18	16	4	5	1	2	12	5	164	131	1	2
76	Marshall	149	–	–	–	29	5	7	5	2	1	2	7	5	85	61	3	1
77	Mason	191	–	–	–	45	12	14	3	5	2	2	7	2	90	74	3	2
78	Massac	206	–	–	–	37	7	13	2	5	1	5	4	3	110	85	–	–
79	Menard	135	–	–	–	25	6	3	1	3	5	–	7	–	69	53	1	1
80	Mercer	211	–	–	–	39	7	14	6	2	4	3	3	4	107	79	–	3
81	Monroe	211	–	–	–	50	15	11	7	2	3	4	8	7	118	100	1	4
82	Montgomery	426	–	–	2	74	24	17	10	6	2	4	11	10	250	172	2	4
83	Morgan	416	–	–	2	71	20	18	9	6	5	2	11	9	241	180	–	7
84	Jacksonville	276	–	–	–	50	13	14	7	2	3	2	9	5	165	125	–	6
85	Balance of county	140	–	–	2	21	7	4	2	4	2	–	2	4	76	55	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
70	4	–	18	–	5	6	3	–	–	2	–	1	2	1	13	6	3	1	–	–	01
79	7	–	10	9	2	7	2	–	1	–	–	–	2	–	19	8	5	3	–	2	02
103	7	–	25	1	3	10	3	–	2	1	–	3	1	2	18	–	4	1	–	–	03
40	3	–	6	2	1	2	2	–	–	1	–	1	1	1	7	5	4	–	–	1	04
743	38	7	217	26	25	42	31	4	28	5	–	13	24	9	141	84	66	23	8	1	05
249	14	3	71	8	10	12	9	1	13	1	–	2	8	3	55	21	26	6	5	1	06
34	2	1	9	–	–	2	2	1	4	–	–	3	4	1	5	8	3	2	–	–	07
193	9	2	71	9	8	11	7	–	2	3	–	3	2	2	31	17	14	6	1	–	08
206	11	3	78	9	8	11	7	–	2	4	–	3	3	3	35	21	16	6	2	–	09
58	1	–	12	1	1	5	–	–	1	–	–	1	4	–	11	6	4	1	–	–	10
209	12	1	54	8	6	12	13	2	8	1	–	4	6	3	39	32	19	8	2	–	11
304	59	1	54	4	12	15	9	4	12	6	–	9	14	5	76	19	20	7	6	4	12
137	30	–	25	2	6	6	4	2	9	3	–	3	2	2	35	8	9	2	2	3	13
167	29	1	29	2	6	9	5	2	3	3	–	6	12	3	41	11	11	5	4	1	14
58	1	1	17	3	3	7	2	–	6	1	–	1	3	2	17	10	6	3	3	–	15
261	10	9	68	37	12	21	10	2	6	4	–	4	5	2	45	15	5	7	4	–	16
164	4	5	47	22	11	14	4	1	3	2	–	3	3	1	28	7	4	4	3	–	17
97	6	4	21	15	1	7	6	1	3	2	–	1	2	1	17	8	1	3	1	–	18
905	66	12	229	25	33	76	36	10	41	11	–	29	57	20	205	109	55	39	16	13	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
2	–	1	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	21
30	7	1	13	–	–	1	1	1	–	–	–	–	1	1	14	6	3	2	–	–	22
32	7	1	14	–	–	2	1	1	–	–	–	–	1	1	16	6	3	2	–	–	23
81	4	–	29	1	2	10	1	1	–	–	–	–	1	1	9	2	3	2	1	1	24
24	5	–	8	2	1	4	2	–	3	1	–	–	–	2	13	4	–	2	–	–	25
48	2	–	10	–	1	1	–	–	1	2	–	1	3	1	8	7	3	1	–	–	26
41	2	–	8	–	2	3	1	1	3	–	–	2	3	–	5	10	2	4	1	1	27
48	1	1	7	2	–	1	3	–	1	1	–	1	2	2	8	2	2	1	1	–	28
199	11	2	46	3	9	17	7	–	13	–	–	4	11	8	51	16	16	7	7	2	29
57	8	–	18	3	1	12	5	–	1	1	–	1	2	–	7	4	4	1	2	–	30
375	26	7	88	14	17	27	16	7	18	6	–	20	33	5	89	58	22	18	4	9	31
464	33	3	122	25	11	55	18	2	17	5	–	8	11	2	98	46	30	17	5	1	32
48	8	1	13	–	–	5	3	–	1	2	–	1	–	–	7	1	2	2	–	–	33
83	6	–	19	5	1	13	3	–	4	–	–	2	1	–	18	7	5	2	–	–	34
70	3	–	20	4	2	4	4	–	2	1	–	1	–	–	4	1	1	4	1	–	35
78	3	2	18	9	2	9	2	1	3	–	–	–	5	–	22	4	6	4	–	–	36
78	3	2	18	9	2	9	2	1	4	–	–	–	5	–	22	4	6	4	–	–	37
185	13	–	52	7	6	24	6	1	7	2	–	4	5	2	47	33	16	5	4	1	38
99	4	6	42	5	5	10	1	1	–	–	–	2	2	1	23	9	10	1	–	–	39
133	14	2	40	4	5	8	5	1	3	2	–	2	3	1	30	10	17	6	–	1	40
77	7	1	12	3	1	3	4	–	1	1	–	2	1	1	22	5	6	4	–	–	41
56	7	1	28	1	4	5	1	1	2	1	–	–	2	–	8	5	11	2	–	1	42
174	8	3	39	10	–	11	7	1	2	2	–	3	2	1	29	13	11	6	3	2	43
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	44
174	8	3	39	10	–	11	7	1	1	2	–	3	2	1	29	13	11	6	3	2	45
132	15	3	23	18	2	10	4	2	1	–	–	–	5	10	32	5	6	2	1	–	46
77	6	–	17	12	–	8	3	2	1	–	–	–	1	8	16	3	5	2	1	–	47
55	9	3	6	6	2	2	1	–	–	–	–	–	4	2	16	2	1	–	–	–	48
98	6	1	43	8	–	11	9	–	1	2	–	–	1	1	30	9	7	1	–	–	49
35	4	1	28	4	–	5	5	–	–	–	–	–	–	1	18	4	7	–	–	–	50
63	2	–	15	4	–	6	4	–	1	2	–	–	1	–	12	5	–	1	–	–	51
417	11	10	73	14	16	22	21	2	11	2	–	7	16	4	87	39	36	7	3	1	52
50	2	–	8	2	2	2	4	1	2	1	–	1	3	–	10	3	2	1	–	–	53
54	2	2	9	2	2	4	3	1	4	1	–	–	1	1	7	3	5	1	–	1	54
313	7	8	56	10	12	16	14	–	5	–	–	6	12	3	70	33	29	5	3	–	55
321	14	3	84	21	10	18	20	2	11	1	–	8	12	3	75	19	21	9	6	1	56
164	6	2	42	9	7	11	10	1	4	–	–	4	4	2	34	9	9	7	3	1	57
45	2	–	15	2	2	2	–	–	3	1	–	3	3	–	15	2	2	–	–	–	58
112	6	1	27	10	1	5	10	1	4	–	–	1	5	1	26	8	10	2	3	–	59
311	93	8	144	62	18	33	24	2	11	3	1	10	16	18	92	25	27	20	9	1	60
250	77	7	123	52	16	26	21	1	9	2	1	10	12	14	78	17	24	17	6	1	61
61	16	1	21	10	2	7	3	1	2	1	–	–	4	4	14	8	3	3	3	–	62
244	19	3	79	14	3	25	14	–	8	3	–	3	6	1	26	10	15	2	1	–	63
938	82	9	215	30	41	45	23	7	24	9	–	18	22	17	183	69	56	29	18	3	64
163	16	3	46	11	4	9	3	3	6	2	–	4	7	2	33	11	15	5	5	–	65
95	6	1	22	6	3	6	1	1	2	–	–	2	2	3	14	6	3	3	2	1	66
101	6	1	22	6	3	6	1	1	3	–	–	2	3	4	14	7	5	3	2	1	67
81	4	1	23	2	4	3	1	–	–	–	–	–	4	1	10	2	4	–	–	1	68
161	12	–	29	5	7	6	3	–	2	3	–	4	3	2	41	9	9	1	5	–	69
49	4	1	14	2	1	3	2	–	2	1	–	1	–	1	6	3	2	4	1	–	70
389	40	3	81	4	22	18	13	3	12	3	–	7	6	8	79	38	23	16	5	1	71
187	16	–	41	2	8	22	13	1	6	3	–	1	3	3	36	17	8	8	1	–	72
67	8	–	18	–	–	12	3	–	3	1	–	–	–	1	16	6	3	5	–	–	73
75	8	–	19	–	–	14	3	1	3	1	–	–	–	1	16	6	3	7	–	–	74
120	8	–	23	2	8	10	10	1	3	2	–	1	3	2	20	11	5	3	1	–	75
50	7	–	18	5	1	4	2	1	–	–	–	–	4	2	11	3	3	–	–	–	76
64	5	1	11	1	3	6	1	–	1	–	–	–	2	5	19	12	5	2	–	1	77
75	10	–	16	6	3	13	2	–	2	1	–	–	–	2	25	5	5	–	1	–	78
49	2	1	14	–	1	9	2	–	1	1	–	2	2	4	12	–	4	1	1	2	79
69	7	2	16	8	2	12	5	–	2	1	–	–	1	1	23	6	6	4	–	–	80
89	6	2	12	4	–	3	1	1	2	1	–	1	1	1	11	6	6	1	1	–	81
158	8	2	61	7	8	19	3	1	3	2	–	2	5	2	28	10	9	3	–	3	82
166	7	2	31	23	5	17	5	1	2	1	–	3	–	4	27	22	4	6	–	1	83
117	2	2	15	20	3	14	2	1	1	1	–	2	–	3	16	7	2	6	–	1	84
49	5	–	16	3	2	3	3	–	1	–	–	1	–	1	11	15	2	–	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Moultrie	171	–	–	–	35	11	10	–	1	4	1	8	3	102	72	–	1
02	Ogle	392	–	–	–	74	19	19	7	10	3	2	14	4	220	157	4	3
03	Peoria	1,833	3	–	11	393	97	110	30	49	17	16	74	20	949	643	14	17
04	Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05	Peoria	1,211	3	–	7	256	62	68	18	37	11	10	50	15	624	418	12	12
06	Balance of county	622	–	–	4	137	35	42	12	12	6	6	24	5	325	225	2	5
07	Perry	274	–	–	–	52	20	16	5	3	1	1	6	2	167	140	1	–
08	Piatt	154	–	–	1	30	9	7	2	4	1	2	5	3	76	60	–	2
09	Pike	249	–	–	–	46	10	13	5	5	–	2	11	–	169	125	2	–
10	Pope	63	–	–	1	12	1	4	1	1	–	–	5	1	29	18	–	–
11	Pulaski	141	–	–	2	33	10	8	2	3	2	2	6	1	69	58	–	1
12	Putnam	57	–	–	–	12	3	4	1	–	1	2	1	3	29	23	–	–
13	Randolph	370	–	–	–	67	18	14	8	6	2	4	15	10	219	171	2	7
14	Richland	210	–	–	–	32	6	5	6	6	1	1	7	8	117	80	–	–
15	Rock Island	1,435	2	1	8	300	80	80	19	27	12	11	71	27	770	631	4	8
16	East Moline	192	–	–	2	34	10	10	3	2	1	2	6	3	106	82	–	1
17	Moline	441	–	–	4	96	27	31	5	10	3	1	19	6	249	196	2	4
18	Rock Island	511	2	1	2	116	36	25	9	8	5	4	29	12	263	221	2	2
19	Balance of county	291	–	–	–	54	7	14	2	7	3	4	17	6	152	132	–	1
20	St. Clair	2,755	4	–	16	542	149	141	46	83	14	10	99	58	1,450	1,095	13	34
21	Belleville	710	1	–	2	151	45	34	15	22	2	3	30	12	401	301	4	1
22	Cahokia	144	–	–	–	31	6	12	1	4	1	–	7	3	65	54	–	–
23	Centreville	82	1	–	2	17	5	6	–	2	1	–	3	2	38	27	1	–
24	Collinsville, part	19	–	–	1	5	1	1	1	–	–	–	2	–	7	7	–	1
25	East St. Louis	711	–	–	5	126	27	30	8	29	5	3	24	18	347	252	4	12
26	Balance of county	1,089	2	–	6	212	65	58	21	26	5	4	33	23	592	454	4	20
27	Saline	449	–	–	1	104	21	27	10	7	8	13	18	5	265	207	2	4
28	Sangamon	1,710	–	–	11	338	91	90	33	36	14	13	61	30	939	651	9	12
29	Springfield	1,199	–	–	10	223	65	63	21	27	8	5	34	26	659	447	5	9
30	Balance of county	511	–	–	1	115	26	27	12	9	6	8	27	4	280	204	4	3
31	Schuyler	129	–	–	–	31	9	6	2	2	1	1	10	1	67	60	–	2
32	Scott	74	–	–	–	10	1	4	–	3	–	1	1	–	52	40	1	2
33	Shelby	239	–	–	2	51	10	17	4	9	2	1	8	9	131	91	3	2
34	Stark	81	–	–	1	25	10	7	2	1	1	1	3	2	41	31	–	–
35	Stephenson	466	–	–	3	85	32	17	6	5	4	4	17	11	246	193	9	2
36	Freeport	316	–	–	2	55	23	11	4	2	3	2	10	6	160	118	7	2
37	Balance of county	150	–	–	1	30	9	6	2	3	1	2	7	5	86	75	2	–
38	Tazewell	926	1	–	12	186	39	49	16	26	8	11	37	14	459	345	9	1
39	East Peoria	162	–	–	3	29	5	6	5	2	3	3	5	3	72	53	3	–
40	Morton	89	–	–	1	19	6	3	2	5	–	1	2	–	50	37	–	–
41	Pekin, part	308	1	–	2	64	13	17	4	10	1	5	14	3	161	117	2	–
42	Pekin, total	308	1	–	2	64	13	17	4	10	1	5	14	3	161	117	2	–
43	Balance of county	367	–	–	6	74	15	23	5	9	4	2	16	8	176	138	4	1
44	Union	234	1	–	1	51	11	14	5	7	2	–	12	2	125	101	3	2
45	Vermilion	995	–	1	9	207	61	54	14	26	12	7	33	22	482	352	7	5
46	Danville	542	–	–	6	114	33	26	7	15	5	4	24	10	264	185	6	4
47	Balance of county	453	–	1	3	93	28	28	7	11	7	3	9	12	218	167	1	1
48	Wabash	164	–	–	–	19	5	4	–	6	1	–	3	4	118	91	1	1
49	Warren	194	–	–	2	38	8	10	4	3	1	5	7	3	101	70	–	–
50	Monmouth	115	–	–	1	22	5	4	2	1	1	5	4	2	58	37	–	–
51	Balance of county	79	–	–	1	16	3	6	2	2	–	–	3	1	43	33	–	–
52	Washington	201	–	–	1	32	11	5	2	3	2	–	9	5	121	101	1	1
53	Wayne	207	–	–	–	40	9	15	2	6	3	1	4	2	118	101	1	1
54	White	247	–	–	–	46	10	10	6	7	2	–	11	4	140	115	1	–
55	Whiteside	564	–	–	4	108	25	22	8	15	6	14	18	8	297	219	6	5
56	Rock Falls	114	–	–	–	27	7	6	2	5	1	2	4	2	58	45	3	3
57	Sterling	161	–	–	2	34	8	5	5	3	1	5	7	2	85	63	2	–
58	Balance of county	289	–	–	2	47	10	11	1	7	4	7	7	4	154	111	1	2
59	Will	2,089	3	1	8	435	110	108	34	47	19	17	100	34	1,096	836	12	20
60	Joliet	915	–	–	3	171	46	40	10	17	7	10	41	16	528	391	5	9
61	Park Forest, part	3	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
62	Romeoville	55	–	–	–	15	1	3	3	2	–	2	4	–	16	15	–	–
63	Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Balance of county	1,116	3	1	5	248	63	64	21	28	12	5	55	18	551	429	7	11
65	Williamson	603	–	–	2	118	32	30	8	12	7	5	24	17	318	259	4	2
66	Marion	142	–	–	1	27	6	5	2	1	3	1	9	6	77	59	2	2
67	Balance of county	461	–	–	1	91	26	25	6	11	4	4	15	11	241	200	2	–
68	Winnebago	2,047	2	–	22	423	109	91	39	65	27	20	72	28	1,057	759	22	8
69	Loves Park	78	–	–	1	19	7	2	–	3	–	2	5	–	42	27	–	–
70	Rockford	1,422	1	–	14	297	76	67	27	47	18	13	49	16	748	533	14	6
71	Balance of county	547	1	–	7	107	26	22	12	15	9	5	18	12	267	199	8	2
72	Woodford	266	–	–	1	48	11	12	5	4	4	3	9	5	147	102	2	2
73	**Indiana**	47,548	62	5	342	9,660	2,473	2,512	789	1,116	413	413	1,944	1,091	24,836	18,005	323	402
74	Urban places	26,468	40	2	215	5,498	1,362	1,514	445	613	220	231	1,113	623	13,693	9,902	183	210
75	Balance of area	21,080	22	3	127	4,162	1,111	998	344	503	193	182	831	468	11,143	8,103	140	192
76	Metropolitan counties	28,265	43	2	221	5,917	1,516	1,614	479	654	234	249	1,171	652	14,482	10,478	201	206
77	Urban places	20,452	32	2	175	4,284	1,079	1,191	331	468	174	177	864	482	10,466	7,591	146	150
78	Balance of area	7,813	11	–	46	1,633	437	423	148	186	60	72	307	170	4,016	2,887	55	56
79	Nonmetropolitan counties	19,283	19	3	121	3,743	957	898	310	462	179	164	773	439	10,354	7,527	122	196
80	Urban places	6,016	8	–	40	1,214	283	323	114	145	46	54	249	141	3,227	2,311	37	60
81	Balance of area	13,267	11	3	81	2,529	674	575	196	317	133	110	524	298	7,127	5,216	85	136

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
65	6	1	27	1	1	4	3	-	-	1	-	1	2	1	11	5	2	1	-	-	01
139	11	2	47	9	5	9	7	1	4	4	-	1	7	1	34	11	10	2	3	-	02
563	49	4	237	34	31	77	18	7	28	10	2	19	24	9	132	41	48	27	7	8	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
367	27	2	166	15	23	58	9	7	22	6	1	15	16	5	94	22	25	14	5	7	05
196	22	2	71	19	8	19	9	-	6	4	1	4	8	4	38	19	23	13	2	1	06
134	5	1	17	6	3	12	1	2	3	-	-	1	1	-	16	7	7	2	1	-	07
52	6	-	12	1	3	6	3	1	-	-	-	1	1	1	16	9	6	-	-	-	08
118	5	-	19	18	7	5	1	2	2	2	-	1	-	1	12	2	6	-	-	-	09
18	-	-	7	2	2	8	1	-	-	-	-	-	1	1	5	1	2	1	-	-	10
54	3	1	5	4	1	14	1	-	-	-	-	3	1	1	8	4	3	-	1	-	11
21	2	1	3	-	2	-	-	-	-	1	-	-	-	3	5	1	2	1	-	-	12
156	6	3	33	7	5	2	6	1	1	2	-	3	3	11	19	10	10	5	-	1	13
79	1	2	21	11	3	4	2	1	4	-	-	1	1	5	20	4	8	2	-	1	14
537	82	3	114	6	16	44	13	2	13	5	-	7	17	8	123	36	27	22	9	1	15
71	10	1	19	-	4	6	2	-	2	1	-	3	4	1	18	2	2	5	1	-	16
163	27	1	44	2	6	17	3	1	2	2	-	-	1	-	34	11	7	7	1	-	17
184	33	1	33	3	5	10	8	1	5	2	-	3	7	3	44	9	9	6	7	1	18
119	12	-	18	1	1	11	-	-	4	-	-	1	5	4	27	14	9	4	-	-	19
988	60	23	263	33	36	73	29	3	37	18	-	22	51	22	181	64	87	24	72	2	20
284	12	5	71	10	14	27	9	1	7	2	-	4	6	2	53	13	13	5	1	-	21
50	4	-	9	2	-	4	3	-	2	2	-	4	2	1	8	7	6	3	3	-	22
23	3	1	8	1	1	1	-	-	-	-	-	-	3	-	5	1	4	1	7	-	23
6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	24
215	21	5	81	2	7	14	5	-	13	6	-	9	28	9	46	9	27	2	45	2	25
410	20	12	94	18	14	27	12	2	14	8	-	5	11	9	69	33	35	13	16	-	26
196	5	1	47	1	9	10	4	-	2	2	-	3	1	1	30	11	9	1	-	-	27
603	27	11	233	25	19	41	27	4	17	2	-	7	24	26	113	38	52	13	14	14	28
414	19	7	172	19	14	30	18	4	15	2	-	5	19	18	81	24	33	8	13	11	29
189	8	4	61	6	5	11	9	-	2	-	-	2	5	8	32	14	19	5	1	3	30
58	-	-	6	-	1	19	3	-	-	-	-	-	-	-	3	3	2	-	-	-	31
33	4	-	9	3	-	4	1	-	-	-	-	2	-	-	3	2	-	-	-	-	32
79	7	1	30	9	-	9	2	-	2	1	-	1	1	2	16	6	-	3	3	-	33
31	-	-	5	3	2	2	1	-	-	-	-	-	1	-	3	2	3	-	-	-	34
173	9	3	43	3	4	14	4	5	9	2	-	3	4	2	48	18	10	1	-	1	35
101	8	3	35	2	2	11	4	4	8	2	-	2	4	2	42	7	6	-	-	1	36
72	1	-	8	1	2	3	-	1	1	-	-	1	-	-	6	11	4	1	-	-	37
305	30	4	88	9	13	33	12	3	13	6	-	12	10	9	73	42	19	15	5	2	38
40	10	1	12	4	2	8	3	-	2	1	-	3	2	5	18	3	6	3	1	-	39
37	-	-	13	-	-	3	-	-	1	-	-	3	-	-	7	2	1	1	1	-	40
104	11	1	34	3	6	9	4	3	8	3	-	1	2	2	17	14	4	6	3	1	41
104	11	1	34	3	6	9	4	3	8	3	-	1	2	2	17	14	4	6	3	1	42
124	9	2	29	2	5	13	5	-	2	2	-	5	6	2	31	23	8	5	-	1	43
91	5	-	14	2	8	10	2	-	2	2	-	2	1	3	19	5	7	1	-	-	44
302	38	3	101	14	12	34	24	3	9	3	-	7	12	12	104	20	26	9	6	5	45
156	19	2	63	7	7	18	16	2	6	2	-	3	5	8	61	4	11	6	4	2	46
146	19	1	38	7	5	16	8	1	3	1	-	4	7	4	43	16	15	3	2	3	47
87	2	-	19	5	3	4	1	1	-	-	-	-	-	1	9	4	3	-	-	-	48
64	6	-	27	2	2	5	5	1	1	2	-	1	1	-	20	10	1	2	1	-	49
34	3	-	18	2	1	4	1	1	-	2	-	-	1	-	14	5	1	2	1	-	50
30	3	-	9	-	1	1	4	-	1	-	-	1	-	-	6	5	-	-	-	-	51
95	4	-	18	1	1	7	-	1	1	2	-	1	-	-	14	12	3	-	1	-	52
96	3	-	12	2	3	7	2	2	-	-	-	2	1	-	19	6	6	2	-	-	53
113	1	-	22	2	1	13	6	-	3	-	-	2	2	-	19	2	8	2	-	-	54
188	20	1	59	9	9	25	8	2	8	-	-	7	8	4	44	26	11	2	2	-	55
33	6	-	9	1	3	3	2	-	3	-	-	2	2	-	8	4	2	1	-	-	56
54	7	-	18	3	1	6	1	-	3	-	-	-	4	-	15	7	2	-	-	-	57
101	7	1	32	5	5	16	5	2	2	-	-	5	2	4	21	15	7	1	2	-	58
734	70	5	207	25	23	32	32	5	28	7	1	16	40	11	144	75	61	32	17	11	59
343	34	5	101	16	15	15	16	3	8	5	1	2	16	5	62	15	24	10	10	5	60
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	61
12	3	-	1	-	-	-	-	-	-	-	-	2	3	1	2	8	6	1	-	1	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
378	33	-	105	9	8	17	16	2	20	2	-	12	21	5	80	52	30	21	7	5	64
237	16	2	46	5	6	16	8	1	6	4	-	4	6	7	57	7	18	10	2	2	65
52	3	-	17	-	1	3	1	-	1	-	-	1	5	2	9	1	5	2	1	-	66
185	13	2	29	5	5	13	7	1	5	4	-	3	1	5	48	6	13	8	1	2	67
693	36	7	219	34	38	51	27	4	31	7	-	23	26	16	177	55	47	34	12	5	68
27	-	-	12	1	2	1	1	-	-	-	-	4	2	-	6	1	1	-	-	-	69
482	31	7	153	28	27	34	20	3	21	5	-	13	14	10	127	29	32	22	12	4	70
184	5	-	54	5	9	16	6	1	10	2	-	6	10	6	44	25	14	12	-	1	71
92	6	-	28	14	3	5	3	1	1	3	-	1	1	3	27	8	9	2	1	-	72
15,829	1,451	137	4,945	1,080	669	1,223	536	155	518	191	8	298	521	529	3,934	1,314	1,252	642	343	88	73
8,689	820	87	2,739	600	365	666	274	90	339	104	7	146	326	297	2,261	551	670	342	267	57	74
7,140	631	50	2,206	480	304	557	262	65	179	87	1	152	195	232	1,673	763	582	300	76	31	75
9,255	816	94	2,901	627	382	668	281	97	347	124	7	178	343	313	2,392	744	742	377	277	58	76
6,678	617	74	2,080	449	272	486	200	73	275	85	7	117	260	211	1,777	436	529	262	247	46	77
2,577	199	20	821	178	110	182	81	24	72	39	-	61	83	102	615	308	213	115	30	12	78
6,574	635	43	2,044	453	287	555	255	58	171	67	1	120	178	216	1,542	570	510	265	66	30	79
2,011	203	13	659	151	93	180	74	17	64	19	-	29	66	86	484	115	141	80	20	11	80
4,563	432	30	1,385	302	194	375	181	41	107	48	1	91	112	130	1,058	455	369	185	46	19	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Adams	240	–	–	1	42	17	7	3	4	3	–	8	7	142	97	–	2
02	Allen	2,278	2	–	17	456	117	119	33	61	22	23	81	36	1,213	867	15	35
03	Fort Wayne	1,935	2	–	13	396	99	103	31	48	19	23	73	31	1,017	733	14	30
04	Balance of county	343	–	–	4	60	18	16	2	13	3	–	8	5	196	134	1	5
05	Bartholomew	430	–	–	4	75	10	18	6	12	1	9	19	7	225	163	2	–
06	Columbus	284	–	–	3	49	5	11	5	8	1	6	13	6	150	107	1	–
07	Balance of county	146	–	–	1	26	5	7	1	4	–	3	6	1	75	56	1	–
08	Benton	109	–	–	–	22	6	7	1	3	–	–	5	1	60	39	–	–
09	Blackford	154	–	–	–	26	6	–	7	4	3	2	4	4	78	57	3	2
10	Boone	308	–	–	2	67	23	14	7	5	3	4	11	4	168	126	1	5
11	Brown	89	–	–	–	12	4	3	2	–	–	–	3	1	51	41	1	1
12	Carroll	186	–	–	1	39	14	9	3	1	3	1	8	3	95	69	1	1
13	Cass	403	1	–	2	86	14	21	13	9	5	1	23	6	206	152	5	2
14	Logansport	236	–	–	1	53	9	10	9	6	3	1	15	3	124	89	3	–
15	Balance of county	167	1	–	1	33	5	11	4	3	2	–	8	3	82	63	2	2
16	Clark	702	1	–	4	149	36	46	6	13	8	4	36	9	355	262	7	4
17	Clarksville	108	–	–	1	19	5	9	–	1	1	–	3	1	57	43	2	2
18	Jeffersonville	301	–	–	2	63	15	17	5	6	4	1	15	2	169	126	2	2
19	Balance of county	293	1	–	1	67	16	20	1	6	3	3	18	6	129	93	3	–
20	Clay	308	–	–	4	56	16	18	4	8	3	2	5	12	166	108	4	3
21	Clinton	351	–	–	1	62	13	18	5	7	5	3	11	11	200	148	2	4
22	Frankfort	200	–	–	1	40	9	13	2	4	2	–	10	6	117	80	2	3
23	Balance of county	151	–	–	–	22	4	5	3	3	3	3	1	5	83	68	–	1
24	Crawford	93	–	–	1	17	3	5	1	2	–	2	4	2	47	36	–	–
25	Daviess	318	–	–	2	51	14	18	1	1	5	2	10	4	196	138	–	6
26	Washington	167	–	–	1	30	8	12	–	1	3	2	4	3	104	71	–	4
27	Balance of county	151	–	–	1	21	6	6	1	–	2	–	6	1	92	67	–	2
28	Dearborn	343	–	–	1	67	12	23	7	5	4	1	15	6	193	132	1	1
29	Decatur	202	–	–	1	36	10	5	4	6	1	2	8	11	101	77	2	2
30	De Kalb	288	1	–	–	56	18	10	2	6	2	2	16	4	156	110	–	17
31	Delaware	1,128	–	–	10	235	51	73	13	24	9	12	53	16	557	414	12	4
32	Muncie	792	–	–	9	170	35	56	9	19	7	7	37	12	393	278	10	1
33	Balance of county	336	–	–	1	65	16	17	4	5	2	5	16	4	164	136	2	3
34	Dubois	296	–	–	3	64	14	14	4	11	5	3	13	–	152	122	7	2
35	Elkhart	1,160	1	1	5	220	60	59	21	22	8	6	44	24	638	427	9	1
36	Elkhart	564	1	–	2	107	35	31	9	12	2	2	16	7	319	212	6	1
37	Goshen	200	–	–	–	42	9	9	6	5	1	1	11	5	112	71	1	–
38	Balance of county	396	–	1	3	71	16	19	6	5	5	3	17	12	207	144	2	–
39	Fayette	257	–	–	3	58	14	21	2	7	1	2	11	7	124	89	1	3
40	Connersville	184	–	–	3	38	8	11	2	7	–	2	8	5	93	67	–	3
41	Balance of county	73	–	–	–	20	6	10	–	–	1	–	3	2	31	22	1	–
42	Floyd	562	–	1	4	117	32	35	9	8	4	10	19	13	301	219	3	1
43	New Albany	449	–	1	2	95	27	27	7	7	3	7	17	11	242	178	3	1
44	Balance of county	113	–	–	2	22	5	8	2	1	1	3	2	2	59	41	–	–
45	Fountain	219	–	–	–	54	12	12	5	11	3	3	8	5	108	73	2	–
46	Franklin	140	–	–	1	26	4	5	3	5	2	2	5	8	76	54	1	–
47	Fulton	192	–	–	–	36	12	11	3	4	3	1	2	5	110	80	1	1
48	Gibson	377	–	–	7	63	20	15	4	10	1	7	6	11	207	170	2	3
49	Grant	664	2	1	3	110	26	25	11	11	6	5	26	22	361	245	4	31
50	Marion	435	2	–	3	72	16	18	5	4	4	5	20	15	239	165	3	27
51	Balance of county	229	–	1	–	38	10	7	6	7	2	–	6	7	122	80	1	4
52	Greene	377	–	–	3	55	16	13	6	7	4	1	8	11	210	175	3	4
53	Hamilton	491	3	–	2	117	36	27	12	13	6	5	18	6	243	191	–	3
54	Hancock	337	–	–	1	84	25	21	5	11	–	6	16	5	164	121	1	5
55	Harrison	185	–	–	1	33	9	10	2	–	2	–	10	3	102	80	1	3
56	Hendricks	367	–	–	2	70	22	15	11	6	1	3	12	13	187	115	1	1
57	Henry	479	1	–	5	93	31	17	6	13	4	3	19	3	271	209	4	1
58	New Castle	257	1	–	2	45	15	11	2	5	3	1	8	–	151	122	3	1
59	Balance of county	222	–	–	3	48	16	6	4	8	1	2	11	3	120	87	1	–
60	Howard	685	1	–	7	128	24	38	10	15	3	7	31	21	334	237	2	4
61	Kokomo	547	–	–	7	101	18	34	8	10	2	5	24	18	268	197	1	4
62	Balance of county	138	1	–	–	27	6	4	2	5	1	2	7	3	66	40	1	–
63	Huntington	421	–	–	2	88	20	18	7	17	1	8	17	9	235	153	3	–
64	Huntington	205	–	–	1	48	12	12	5	9	–	3	7	6	113	78	3	–
65	Balance of county	216	–	–	1	40	8	6	2	8	1	5	10	3	122	75	–	–
66	Jackson	316	1	–	1	52	17	15	4	5	3	1	7	9	185	148	4	2
67	Seymour	154	–	–	1	26	11	5	3	3	2	–	2	5	87	71	–	2
68	Balance of county	162	1	–	–	26	6	10	1	2	1	1	5	4	98	77	4	–
69	Jasper	179	–	–	1	33	11	8	–	3	1	–	10	7	91	67	–	1
70	Jay	239	–	–	2	57	14	14	8	7	1	2	11	7	114	68	1	–
71	Jefferson	259	–	1	3	54	10	17	3	7	2	1	14	3	132	95	3	–
72	Madison	151	–	–	2	33	4	12	3	3	2	1	8	1	74	63	2	–
73	Balance of county	108	–	1	1	21	6	5	–	4	–	–	6	2	58	32	1	–
74	Jennings	182	–	–	2	43	9	12	3	2	4	6	7	6	93	72	2	2
75	Johnson	542	–	–	3	124	25	29	17	12	6	6	29	12	274	193	3	2
76	Franklin	147	–	–	1	21	5	3	1	3	–	1	8	5	85	57	1	1
77	Greenwood	173	–	–	1	43	9	10	7	2	2	3	10	1	98	74	1	1
78	Balance of county	222	–	–	1	60	11	16	9	7	4	2	11	6	91	62	1	–
79	Knox	476	2	–	2	90	19	27	6	10	4	6	18	7	285	211	3	5
80	Vincennes	240	–	–	–	51	13	12	3	7	4	5	7	3	138	95	–	–
81	Balance of county	236	2	–	2	39	6	15	3	3	–	1	11	4	147	116	3	5
82	Kosciusko	484	–	–	2	88	17	26	7	11	8	2	17	22	266	198	5	6
83	Lagrange	185	–	–	2	33	12	2	1	6	1	3	8	4	92	65	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
91	4	1	21	18	5	7	4	–	2	–	–	2	3	–	14	8	7	1	–	–	01
751	66	5	272	44	25	48	17	6	27	7	1	20	30	24	205	67	57	24	20	1	02
633	56	5	222	37	20	45	16	6	24	4	1	14	26	22	179	50	50	19	19	1	03
118	10	–	50	7	5	3	1	–	3	3	–	6	4	2	26	17	7	5	1	–	04
136	25	–	44	8	10	13	2	1	3	2	–	3	3	8	47	15	11	10	1	–	05
89	17	–	32	4	7	9	–	–	2	1	–	2	2	5	34	6	7	8	–	–	06
47	8	–	12	4	3	4	2	1	1	1	–	1	1	3	13	9	4	2	1	–	07
39	–	1	12	4	4	–	2	–	–	1	1	–	–	2	11	3	3	1	2	–	08
50	2	–	19	1	1	6	3	1	1	–	–	–	–	4	17	5	6	3	–	–	09
113	7	–	33	3	6	4	5	–	3	1	–	5	–	2	29	5	6	5	2	–	10
36	3	–	5	3	2	2	3	2	–	–	–	–	1	–	9	3	2	2	–	1	11
61	6	–	20	5	1	7	2	–	–	2	–	1	1	3	18	4	7	3	–	–	12
125	20	–	34	11	9	7	9	–	4	–	–	1	3	5	35	21	9	4	3	1	13
72	14	–	24	4	7	4	6	–	2	–	–	1	2	1	25	7	4	1	2	–	14
53	6	–	10	7	2	3	3	–	2	–	–	–	1	4	10	14	5	3	1	1	15
239	12	1	70	10	12	22	12	1	9	2	–	8	15	9	61	16	17	9	2	1	16
36	3	–	10	4	–	4	3	–	1	–	–	1	3	–	12	–	3	2	1	–	17
118	4	–	34	3	6	7	5	1	6	1	–	2	2	2	26	6	5	2	–	–	18
85	5	1	26	3	6	11	4	–	2	1	–	5	10	7	23	10	9	5	1	1	19
97	4	2	43	8	5	9	3	1	3	4	–	–	3	3	26	4	10	3	–	1	20
131	11	–	36	13	3	13	4	1	1	1	–	2	1	6	30	7	10	–	–	1	21
68	7	–	26	10	1	6	2	–	1	1	–	1	–	1	15	2	6	–	–	1	22
63	4	–	10	3	2	7	2	1	–	–	–	1	1	5	15	5	4	–	–	–	23
32	4	1	10	–	–	1	5	–	1	2	–	1	1	2	8	1	4	–	–	–	24
124	8	1	42	14	1	7	4	–	–	–	–	2	2	4	31	4	5	5	1	–	25
62	5	–	27	5	1	5	1	–	–	–	–	–	2	2	14	–	3	1	1	–	26
62	3	1	15	9	–	2	3	–	–	–	–	2	–	2	17	4	2	4	–	–	27
114	16	1	51	8	1	11	1	2	5	–	–	1	1	2	22	15	9	2	4	1	28
66	7	–	17	5	2	8	–	1	3	1	–	1	1	3	24	5	3	2	1	–	29
85	8	–	36	5	5	9	2	1	1	2	–	–	3	1	24	9	8	10	–	1	30
364	34	3	107	12	21	32	21	2	7	11	–	6	10	22	95	46	37	17	2	2	31
242	25	2	84	11	18	22	14	–	4	5	–	5	6	16	72	20	30	11	2	1	32
122	9	1	23	1	3	10	7	2	3	6	–	1	4	6	23	26	7	6	–	1	33
108	5	1	21	5	3	6	5	1	3	–	–	2	4	1	25	7	12	8	2	1	34
399	18	2	148	40	21	28	17	4	8	–	–	11	20	12	89	40	24	12	6	–	35
197	8	1	80	14	12	20	11	2	7	–	–	2	7	7	42	15	12	1	2	–	36
67	3	–	20	19	2	2	2	1	–	–	–	3	3	2	19	7	2	–	–	–	37
135	7	1	48	7	7	6	4	1	1	–	–	6	10	3	28	18	10	11	4	–	38
77	8	1	25	5	4	8	7	1	1	3	–	2	4	3	15	8	10	2	1	–	39
58	6	1	20	3	2	8	7	1	1	1	–	–	2	2	12	3	6	2	–	–	40
19	2	–	5	2	2	–	–	–	–	2	–	2	2	1	3	5	4	–	1	–	41
196	19	2	64	8	8	18	5	1	6	1	–	2	4	9	48	9	17	5	1	–	42
158	16	1	52	5	6	15	5	–	5	1	–	2	3	8	39	3	12	4	1	–	43
38	3	1	12	3	2	3	–	1	1	–	–	–	1	1	9	6	5	1	–	–	44
59	12	1	28	3	3	12	2	1	–	–	–	1	–	2	15	12	4	3	–	–	45
46	7	–	13	6	3	7	3	1	1	1	–	–	2	1	9	2	1	1	–	–	46
74	4	2	13	11	4	2	1	–	–	1	–	2	–	1	15	8	6	3	2	–	47
156	9	–	26	8	3	11	3	1	5	4	–	1	2	4	34	8	9	6	1	–	48
190	20	–	98	12	6	21	7	1	6	2	–	2	4	24	50	21	13	10	4	–	49
124	11	–	61	10	3	13	5	1	4	1	–	–	2	17	31	12	6	8	4	–	50
66	9	–	37	2	3	8	2	–	2	1	–	2	2	7	19	9	7	2	–	–	51
153	15	–	27	3	5	15	3	2	4	1	–	3	–	1	32	16	11	6	4	–	52
167	21	–	37	10	5	7	4	1	2	3	–	3	2	6	46	15	16	12	1	2	53
110	5	2	26	15	–	6	4	2	6	–	–	2	2	11	25	11	13	1	–	–	54
73	3	1	15	1	5	5	2	1	1	2	–	1	2	3	12	9	4	4	–	–	55
102	11	1	49	15	7	20	4	1	1	1	–	4	6	3	32	15	5	3	–	–	56
165	39	3	51	4	4	12	6	3	5	3	–	2	5	4	32	10	15	7	2	–	57
92	26	2	25	1	1	8	1	2	3	2	–	1	4	4	17	1	9	6	–	–	58
73	13	1	26	3	3	4	5	1	2	1	–	1	1	–	15	9	6	1	2	–	59
214	17	2	58	25	12	23	9	1	10	2	–	3	11	19	48	26	25	13	1	3	60
180	12	1	41	21	8	16	8	1	9	1	–	2	9	17	40	14	22	10	1	3	61
34	5	1	17	4	4	7	1	–	1	1	–	1	2	2	8	12	3	3	–	–	62
135	15	–	65	7	10	6	2	1	2	2	–	1	5	5	39	11	9	3	1	–	63
68	7	–	24	5	6	2	1	1	2	1	–	1	2	4	15	4	1	2	1	–	64
67	8	–	41	2	4	4	1	–	–	1	–	–	3	1	24	7	8	1	–	–	65
135	7	1	27	2	7	7	4	2	1	–	–	4	3	1	23	9	8	4	1	1	66
66	3	–	11	2	3	2	1	2	–	–	–	1	3	1	13	4	6	1	1	–	67
69	4	1	16	–	4	5	3	–	1	–	–	3	–	–	10	5	2	3	–	1	68
64	2	2	14	4	4	2	2	2	1	1	–	–	3	3	16	12	3	2	–	–	69
63	4	–	32	11	3	9	2	1	–	1	–	1	1	10	22	8	2	2	–	–	70
81	11	–	25	7	5	15	3	–	4	1	–	1	2	1	24	4	7	4	–	–	71
56	5	–	7	1	3	10	2	–	4	1	–	1	1	1	11	2	4	4	–	–	72
25	6	–	18	6	2	5	1	–	–	–	–	–	1	–	13	2	3	–	–	–	73
60	8	–	14	5	2	2	–	–	3	1	–	1	2	4	16	4	1	2	2	–	74
177	11	1	42	28	10	10	5	3	3	2	–	4	8	3	46	23	10	10	1	1	75
55	–	–	13	13	2	4	2	–	3	1	–	1	1	1	12	1	5	3	1	–	76
65	7	–	15	6	3	2	1	3	–	–	–	2	2	–	12	6	–	2	–	–	77
57	4	1	14	9	5	4	2	–	–	1	–	1	5	2	22	16	5	5	–	1	78
158	45	3	54	7	10	14	7	–	4	1	–	2	2	3	43	5	8	1	–	–	79
71	24	2	32	3	6	6	3	–	2	1	–	1	1	3	23	4	4	–	–	–	80
87	21	1	22	4	4	8	4	–	2	–	–	1	1	–	20	1	4	1	–	–	81
175	12	1	56	4	7	12	6	–	8	2	–	8	3	4	25	16	14	7	1	–	82
59	5	–	21	3	3	4	1	–	2	–	–	1	5	4	17	10	5	4	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Lake	4,297	8	–	24	881	251	222	60	119	30	42	157	148	2,074	1,568	38	30
02	Crown Point	172	–	–	–	32	11	13	2	4	–	–	2	3	104	90	1	3
03	East Chicago	405	1	–	2	81	19	23	4	13	3	4	15	27	189	135	2	1
04	Gary	1,493	5	–	8	300	78	76	19	40	12	15	60	56	669	502	8	12
05	Griffith	105	2	–	1	20	5	5	1	3	2	1	3	3	63	46	–	–
06	Hammond	802	–	–	4	162	44	40	14	17	9	6	32	28	405	300	11	4
07	Highland	147	–	–	–	41	15	10	2	7	–	1	6	1	63	48	3	–
08	Hobart	206	–	–	1	38	12	7	2	12	–	1	4	3	109	85	2	1
09	Munster	132	–	–	2	31	12	7	2	2	2	1	5	4	69	60	1	1
10	Balance of county	835	–	–	6	176	55	41	14	21	2	13	30	23	403	302	10	8
11	La Porte	969	1	–	5	209	60	57	16	25	8	8	35	20	518	382	7	5
12	La Porte	261	1	–	–	59	17	13	4	8	4	2	11	2	150	111	2	1
13	Michigan City	419	–	–	3	91	29	24	9	8	1	4	16	11	218	155	3	4
14	Balance of county	289	–	–	2	59	14	20	3	9	3	2	8	7	150	116	2	–
15	Lawrence	455	1	–	3	93	20	20	6	13	4	4	26	8	249	184	3	1
16	Bedford	201	1	–	2	43	6	12	2	7	4	1	11	4	112	88	3	–
17	Balance of county	254	–	–	1	50	14	8	4	6	–	3	15	4	137	96	–	1
18	Madison	1,224	2	–	11	254	74	63	26	26	6	7	52	27	647	462	6	8
19	Anderson	723	2	–	6	144	40	38	15	13	3	5	30	13	387	265	2	3
20	Elwood	126	–	–	2	34	9	11	1	4	–	1	8	2	68	49	–	1
21	Balance of county	375	–	–	3	76	25	14	10	9	3	1	14	12	192	148	4	4
22	Marion	6,767	11	1	81	1,482	353	436	124	151	59	57	302	142	3,385	2,479	49	47
23	Beech Grove	145	–	–	–	28	8	11	1	2	1	–	5	3	81	66	–	–
24	Indianapolis	6,444	10	1	79	1,419	341	413	117	144	58	56	290	137	3,206	2,347	49	45
25	Lawrence	33	–	–	1	3	–	1	1	–	–	–	1	1	21	16	–	–
26	Speedway	32	–	–	–	9	–	1	4	2	–	–	2	–	16	11	–	1
27	Balance of county	113	1	–	1	23	4	10	1	3	–	1	4	1	61	39	–	1
28	Marshall	367	1	–	1	81	23	19	8	10	4	1	16	12	207	148	1	–
29	Martin	86	–	–	1	17	4	4	1	1	2	1	4	–	43	37	–	–
30	Miami	370	1	–	3	75	18	19	6	6	3	5	18	12	190	146	1	2
31	Peru	201	1	–	2	42	8	14	4	4	–	3	9	9	100	77	–	1
32	Balance of county	169	–	–	1	33	10	5	2	2	3	2	9	3	90	69	1	1
33	Monroe	475	–	–	2	102	28	22	8	10	3	6	25	13	209	157	2	6
34	Bloomington	323	–	–	1	78	19	17	7	10	2	5	18	7	142	107	1	4
35	Balance of county	152	–	–	1	24	9	5	1	–	1	1	7	6	67	50	1	2
36	Montgomery	371	–	–	1	77	16	22	10	10	4	4	11	3	207	132	2	–
37	Crawfordsville	179	–	–	1	40	6	9	8	6	2	2	7	3	95	63	1	–
38	Balance of county	192	–	–	–	37	10	13	2	4	2	2	4	–	112	69	1	–
39	Morgan	358	–	–	3	74	13	21	4	11	5	3	17	7	179	131	3	–
40	Newton	112	–	–	–	23	8	8	–	1	1	1	4	4	61	44	1	–
41	Noble	317	–	–	5	60	12	10	6	11	5	–	16	11	155	112	4	2
42	Ohio	53	–	–	–	12	2	2	1	5	–	–	2	1	31	23	–	1
43	Orange	186	–	–	1	24	7	2	4	5	–	2	4	3	100	78	–	–
44	Owen	158	–	–	1	28	9	7	3	2	1	–	6	3	79	63	1	–
45	Parke	197	–	–	1	39	8	10	6	4	–	2	9	1	117	81	–	12
46	Perry	180	–	–	–	41	10	11	–	5	2	1	12	–	86	55	1	2
47	Pike	205	–	–	–	38	13	11	2	4	1	–	7	3	122	85	3	–
48	Porter	691	1	–	1	148	41	33	18	18	9	7	22	23	329	230	3	2
49	Portage	137	–	–	–	27	7	7	3	2	2	2	4	6	73	50	–	1
50	Valparaiso	235	–	–	1	47	11	8	6	6	3	3	10	10	116	79	1	1
51	Balance of county	319	1	–	–	74	23	18	9	10	4	2	8	7	140	101	2	–
52	Posey	242	2	–	3	54	20	11	2	6	2	3	10	2	125	94	1	2
53	Pulaski	115	–	–	–	26	5	8	4	2	2	2	3	2	60	44	1	–
54	Putnam	227	–	–	1	43	7	8	4	7	3	3	11	4	121	91	2	4
55	Randolph	299	2	–	–	57	14	12	7	9	2	4	9	3	170	127	3	16
56	Ripley	237	–	–	2	46	14	9	3	10	1	4	5	6	130	105	–	3
57	Rush	219	–	–	2	51	19	11	2	8	2	–	9	5	113	88	1	3
58	St. Joseph	2,234	4	–	23	492	118	128	43	69	19	20	95	38	1,159	842	18	8
59	Mishawaka	388	–	–	4	79	22	17	9	10	4	4	13	12	213	167	2	1
60	South Bend	1,436	4	–	15	318	78	87	22	46	13	11	61	22	729	509	11	6
61	Balance of county	410	–	–	4	95	18	24	12	13	2	5	21	4	217	166	5	1
62	Scott	181	–	–	–	35	11	7	1	5	2	1	8	7	82	62	1	–
63	Shelby	346	–	–	2	57	15	12	10	5	1	2	12	10	194	143	1	–
64	Shelbyville	174	–	–	1	25	5	8	4	–	1	2	5	4	96	73	–	–
65	Balance of county	172	–	–	1	32	10	4	6	5	–	–	7	6	98	70	1	–
66	Spencer	168	–	–	2	29	8	5	1	4	2	1	8	1	100	78	1	–
67	Starke	251	–	–	1	45	8	15	1	8	4	2	7	4	137	103	1	2
68	Steuben	226	–	–	–	45	13	10	3	3	4	1	11	4	118	87	–	4
69	Sullivan	302	1	–	–	46	11	15	6	7	–	2	5	4	192	131	1	5
70	Switzerland	75	–	–	1	13	3	1	1	2	–	4	2	–	39	26	–	–
71	Tippecanoe	777	1	–	6	164	36	39	12	14	4	10	49	16	404	285	8	6
72	Lafayette	514	–	–	5	110	27	22	9	9	2	5	36	10	262	182	5	5
73	West Lafayette	110	–	–	1	21	1	6	2	3	1	3	5	2	59	40	1	1
74	Balance of county	153	1	–	–	33	8	11	1	2	1	2	8	4	83	63	2	–
75	Tipton	159	–	–	2	34	13	2	3	3	–	3	10	4	84	63	1	8
76	Union	71	–	–	–	7	1	–	1	2	–	–	3	4	40	31	1	1
77	Vanderburgh	1,806	4	–	11	386	106	123	19	34	17	13	74	45	984	707	15	20
78	Evansville	1,689	3	–	10	356	100	113	18	31	16	12	66	44	922	670	13	18
79	Balance of county	117	1	–	1	30	6	10	1	3	1	1	8	1	62	37	2	2
80	Vermillion	221	–	–	–	41	12	9	5	3	2	1	9	2	127	87	4	4
81	Vigo	1,255	4	–	6	223	58	62	17	17	10	6	53	39	650	422	5	10
82	Terre Haute	899	3	–	3	152	39	42	13	12	6	2	38	28	485	312	1	7
83	Balance of county	356	1	–	3	71	19	20	4	5	4	4	15	11	165	110	4	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,398	102	14	394	52	46	82	59	13	84	23	3	30	82	55	297	114	159	53	99	9	01
83	3	3	9	1	1	5	5	–	–	–	–	1	1	–	12	2	4	2	1	–	02
122	10	3	45	3	3	7	6	–	11	3	–	2	7	3	30	10	16	2	7	1	03
445	37	4	136	15	12	29	20	7	24	12	2	7	38	22	99	35	62	18	74	6	04
40	6	–	9	6	2	1	–	–	–	–	–	1	2	–	2	5	3	2	–	–	05
266	19	2	85	13	5	19	14	2	25	3	1	4	17	10	61	9	26	6	5	1	06
44	1	1	9	1	4	2	3	–	2	–	–	1	1	2	14	7	5	5	–	–	07
73	9	–	15	3	6	1	2	–	5	–	–	4	–	1	17	9	10	4	2	–	08
57	1	–	5	1	3	4	–	–	3	–	–	–	3	1	4	2	8	–	–	1	09
268	16	1	81	9	10	14	9	4	14	5	–	10	13	16	58	35	25	14	10	–	10
352	18	5	100	14	17	24	8	3	14	5	–	4	15	8	54	39	22	12	3	5	11
105	3	1	27	7	4	9	4	1	4	–	–	1	–	–	13	4	6	5	–	2	12
139	9	3	47	4	9	8	1	1	6	3	–	2	14	5	27	12	9	4	1	3	13
108	6	1	26	3	4	7	3	1	4	2	–	1	1	3	14	23	7	3	2	–	14
152	28	–	57	5	3	17	3	–	4	–	–	4	3	4	37	11	13	5	–	–	15
68	17	–	19	2	3	6	1	–	–	–	–	1	1	2	16	4	6	2	–	–	16
84	11	–	38	3	–	11	2	–	4	–	–	3	2	2	21	7	7	3	–	–	17
415	33	4	126	38	17	23	12	4	11	5	–	9	15	13	100	30	31	20	6	4	18
236	24	–	84	27	11	17	8	4	10	2	–	5	10	7	58	16	17	11	5	1	19
46	2	2	12	5	–	1	2	–	–	1	–	–	2	2	5	3	1	3	–	–	20
133	7	2	30	6	6	5	2	–	1	2	–	4	3	4	37	11	13	6	1	3	21
2,127	256	24	635	156	91	160	44	28	95	36	2	35	83	34	636	138	158	95	96	25	22
63	3	–	10	4	1	4	1	–	2	1	–	–	1	–	15	5	2	2	–	–	23
2,004	249	24	605	142	88	153	43	27	88	33	2	35	81	32	612	129	151	88	94	24	24
14	2	–	4	1	–	–	–	–	1	–	–	–	1	1	3	–	–	1	–	–	25
8	2	–	3	2	–	–	–	1	1	–	–	–	–	–	1	1	–	1	1	1	26
38	–	–	13	7	2	3	–	–	3	2	–	–	–	1	5	3	5	3	1	–	27
138	9	2	40	13	4	4	3	2	1	–	–	1	2	–	32	8	8	3	1	–	28
36	1	–	3	1	2	2	6	–	1	–	–	–	1	–	9	3	3	–	–	–	29
137	6	1	27	11	5	6	6	1	3	2	–	2	4	6	33	9	12	5	–	–	30
75	1	1	12	7	3	2	3	–	–	1	–	1	–	4	24	2	6	4	–	–	31
62	5	–	15	4	2	4	3	1	3	1	–	1	4	2	9	7	6	1	–	–	32
139	10	–	40	9	3	19	7	1	8	2	–	6	4	6	39	13	21	16	5	2	33
95	7	–	24	8	3	14	4	1	7	1	–	6	3	4	26	3	11	11	2	2	34
44	3	–	16	1	–	5	3	–	1	1	–	–	1	2	13	10	10	5	3	–	35
119	11	–	53	19	3	17	4	2	1	1	–	1	–	2	23	9	15	7	1	–	36
57	5	–	24	7	1	13	2	1	–	1	–	1	–	2	11	2	4	3	–	–	37
62	6	–	29	12	2	4	2	1	1	–	–	–	–	–	12	7	11	4	1	–	38
110	18	–	35	8	5	13	5	–	6	2	–	3	2	7	32	8	8	7	1	1	39
38	5	–	9	5	3	1	1	–	2	1	–	1	–	–	6	5	3	4	–	–	40
97	9	2	29	7	5	6	9	1	3	2	–	1	5	1	25	16	10	4	1	2	41
17	5	–	4	2	2	1	1	–	–	–	–	–	–	–	4	–	3	–	–	–	42
68	10	–	15	2	5	15	1	–	2	–	–	–	2	1	14	7	10	4	1	1	43
55	7	1	13	2	–	9	8	2	1	–	–	1	–	1	18	2	2	3	–	–	44
66	3	1	27	6	2	8	1	1	–	–	–	–	1	–	18	5	3	2	–	–	45
49	3	1	17	10	3	12	2	1	–	1	–	1	1	–	14	8	9	4	–	–	46
75	7	1	25	8	3	4	4	–	2	1	–	–	–	1	19	4	5	2	–	–	47
210	15	1	71	14	13	18	5	4	4	6	–	8	10	8	51	39	13	16	5	2	48
47	2	–	15	4	4	5	–	1	–	–	–	1	3	–	8	8	1	2	2	–	49
70	7	–	25	6	6	3	3	1	2	3	–	4	4	3	19	5	6	6	1	1	50
93	6	1	31	4	3	10	2	2	2	3	–	3	3	5	24	26	6	8	2	1	51
86	5	1	26	2	2	6	2	–	1	–	–	4	1	1	24	4	10	3	–	–	52
41	2	–	13	3	–	6	1	1	–	–	–	–	3	–	11	1	3	–	1	–	53
76	9	1	19	8	2	6	4	1	1	1	–	3	–	–	18	9	10	4	–	1	54
97	11	2	30	5	6	5	8	–	6	–	–	–	5	5	18	8	6	4	1	1	55
86	16	–	16	4	5	4	3	1	2	2	–	5	1	3	18	1	10	2	–	1	56
73	11	–	18	2	5	4	7	2	2	1	–	–	–	1	16	4	6	4	–	1	57
745	71	9	229	40	39	57	17	8	20	6	–	13	24	38	175	55	49	36	18	2	58
152	12	3	33	3	7	8	1	2	4	1	–	4	2	7	26	8	10	5	1	1	59
449	43	5	159	30	26	39	14	4	13	5	–	7	19	27	125	27	27	24	16	1	60
144	16	1	37	7	6	10	2	2	3	–	–	2	3	4	24	20	12	7	1	–	61
58	3	–	16	1	3	7	2	–	6	–	–	4	1	6	18	3	5	2	3	–	62
133	9	2	38	6	5	6	6	2	3	–	–	1	4	8	34	11	5	2	–	1	63
67	6	2	15	2	4	2	3	1	1	–	–	1	4	4	21	7	2	1	–	1	64
66	3	–	23	4	1	4	3	1	2	–	–	–	–	4	13	4	3	1	–	–	65
75	2	–	17	3	2	5	2	1	2	1	–	1	–	2	11	6	2	3	–	–	66
90	10	1	24	6	3	6	4	2	2	–	–	1	2	3	18	12	10	3	1	–	67
75	8	1	20	7	3	5	5	–	3	1	–	5	5	2	16	11	2	2	1	1	68
119	6	1	52	4	4	8	3	–	3	3	–	1	2	2	18	6	9	3	1	–	69
24	2	–	11	1	1	3	–	–	1	–	–	–	1	1	11	2	–	2	1	–	70
261	10	4	84	19	12	14	4	1	10	1	–	3	7	28	68	18	14	13	1	4	71
169	3	3	56	15	6	13	–	1	8	1	–	2	3	19	48	10	9	8	1	4	72
34	4	1	15	2	1	1	3	–	2	–	–	1	2	5	5	5	–	3	–	–	73
58	3	–	13	2	5	–	1	–	–	–	–	–	2	4	15	3	5	2	–	–	74
46	8	–	13	5	3	2	–	2	1	–	–	1	3	4	8	6	5	3	–	–	75
27	2	–	6	2	1	–	1	–	–	–	–	1	4	1	9	1	2	1	–	–	76
635	37	10	198	49	20	46	18	5	19	5	–	5	10	9	146	43	41	20	9	–	77
604	35	9	183	43	17	45	17	5	18	5	–	5	8	8	139	37	41	17	9	–	78
31	2	1	15	6	3	1	1	–	1	–	–	–	2	1	7	6	–	3	–	–	79
74	5	–	32	4	4	6	5	1	1	1	–	1	4	1	12	6	11	2	–	–	80
370	37	4	152	57	15	43	12	9	15	4	1	10	13	12	135	29	29	13	7	1	81
278	26	4	118	41	10	28	9	7	12	3	1	5	8	8	101	10	23	8	4	1	82
92	11	–	34	16	5	15	3	2	3	1	–	5	5	4	34	19	6	5	3	–	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Wabash	367	1	–	8	68	24	16	8	6	–	–	14	13	208	125	3	3
02	Wabash	134	–	–	3	24	6	8	4	3	–	–	3	2	79	46	1	2
03	Balance of county	233	1	–	5	44	18	8	4	3	–	–	11	11	129	79	2	1
04	Warren	80	–	–	–	14	3	1	2	3	1	1	3	2	44	37	1	1
05	Warrick	254	–	–	2	46	10	12	3	4	2	2	13	7	130	95	1	2
06	Washington	187	–	–	1	34	12	7	6	3	–	–	6	2	108	84	1	3
07	Wayne	726	1	–	3	155	34	39	18	20	10	3	31	23	390	282	1	7
08	Richmond	474	1	–	1	102	20	25	14	15	4	3	21	20	242	176	1	3
09	Balance of county	252	–	–	2	53	14	14	4	5	6	–	10	3	148	106	–	4
10	Wells	222	–	–	2	54	11	12	5	9	6	2	9	2	124	89	1	1
11	White	255	–	–	2	52	14	4	4	5	7	2	16	10	135	86	2	–
12	Whitley	207	–	–	–	41	8	15	1	6	2	1	8	4	116	81	–	1
13	**Iowa**	**27,450**	**14**	**2**	**169**	**5,450**	**1,608**	**1,244**	**441**	**700**	**275**	**245**	**937**	**456**	**14,971**	**11,056**	**172**	**152**
14	Urban places	10,673	8	–	72	2,175	603	567	172	269	111	94	359	178	5,729	4,247	70	59
15	Balance of area	16,777	6	2	97	3,275	1,005	677	269	431	164	151	578	278	9,242	6,809	102	93
16	Metropolitan counties	8,557	8	–	73	1,763	488	466	152	209	86	69	293	149	4,494	3,403	61	38
17	Urban places	7,048	7	–	57	1,459	410	386	119	176	66	53	249	121	3,724	2,827	53	32
18	Balance of area	1,509	1	–	16	304	78	80	33	33	20	16	44	28	770	576	8	6
19	Nonmetropolitan counties	18,893	6	2	96	3,687	1,120	778	289	491	189	176	644	307	10,477	7,653	111	114
20	Urban places	3,625	1	–	15	716	193	181	53	93	45	41	110	57	2,005	1,420	17	27
21	Balance of area	15,268	5	2	81	2,971	927	597	236	398	144	135	534	250	8,472	6,233	94	87
22	Adair	111	–	–	–	32	8	8	2	7	1	2	4	–	47	36	1	–
23	Adams	78	–	1	–	18	5	4	2	1	1	–	5	1	46	31	–	1
24	Allamakee	179	–	–	–	44	11	6	2	10	3	4	8	4	87	69	3	–
25	Appanoose	200	–	–	1	45	10	10	2	6	3	2	12	9	108	84	1	1
26	Audubon	102	–	–	–	23	5	5	1	3	–	1	8	1	55	43	1	3
27	Benton	245	–	–	1	59	15	14	4	9	5	1	11	2	128	96	–	1
28	Black Hawk	1,087	1	–	9	209	44	53	22	31	7	10	42	24	599	415	7	4
29	Cedar Falls	235	–	–	3	49	13	9	7	3	2	3	12	5	129	73	3	3
30	Waterloo	707	1	–	6	129	27	34	10	22	4	7	25	16	390	279	4	1
31	Balance of county	145	–	–	–	31	4	10	5	6	1	–	5	3	80	63	–	–
32	Boone	322	–	–	1	48	16	10	4	5	4	2	7	5	199	142	1	2
33	Boone	190	–	–	1	26	8	6	4	3	2	1	2	3	119	80	1	1
34	Balance of county	132	–	–	–	22	8	4	–	2	2	1	5	2	80	62	–	1
35	Bremer	208	–	–	–	39	14	6	4	4	3	1	7	2	125	91	1	–
36	Buchanan	223	–	–	2	45	14	9	2	6	3	2	9	4	115	91	–	–
37	Buena Vista	200	1	–	1	42	12	7	4	7	1	3	8	2	118	88	–	–
38	Butler	177	–	–	2	43	17	11	2	8	2	2	1	4	100	59	–	1
39	Calhoun	217	–	–	2	41	16	7	3	5	2	1	7	2	122	83	1	2
40	Carroll	264	–	–	2	62	17	8	8	10	–	2	17	2	146	99	1	5
41	Cass	253	–	–	–	52	14	14	2	4	5	6	7	4	151	95	1	–
42	Cedar	202	–	–	3	45	16	8	1	8	3	1	8	5	110	79	1	3
43	Cerro Gordo	504	–	–	2	100	33	20	9	12	6	7	13	5	261	183	1	–
44	Mason City	331	–	–	1	67	23	15	5	6	4	4	10	3	173	119	1	–
45	Balance of county	173	–	–	1	33	10	5	4	6	2	3	3	2	88	64	–	–
46	Cherokee	185	–	–	1	38	8	7	6	4	3	1	9	–	106	79	1	1
47	Chickasaw	166	1	–	–	27	8	8	–	7	–	2	2	3	91	71	2	1
48	Clarke	94	–	–	–	14	3	7	1	–	1	–	2	2	62	46	–	–
49	Clay	166	–	–	–	36	12	4	3	2	5	4	6	3	87	64	1	–
50	Spencer	94	–	–	–	21	7	3	1	1	4	3	2	2	49	34	1	–
51	Balance of county	72	–	–	–	15	5	1	2	1	1	1	4	1	38	30	–	–
52	Clayton	222	–	–	2	37	16	9	1	2	–	5	4	3	131	101	4	1
53	Clinton	588	–	–	2	124	31	36	6	20	3	6	22	10	309	230	4	1
54	Clinton	367	–	–	2	75	20	22	4	12	1	4	12	6	201	155	3	1
55	Balance of county	221	–	–	–	49	11	14	2	8	2	2	10	4	108	75	1	–
56	Crawford	201	–	–	1	39	9	11	3	6	3	–	7	7	103	82	1	–
57	Dallas	246	1	–	–	50	15	14	6	3	1	2	9	2	136	101	2	–
58	Davis	92	–	–	1	19	7	3	5	2	–	–	2	–	55	44	1	1
59	Decatur	120	–	–	–	20	8	3	1	1	2	2	3	1	69	40	–	–
60	Delaware	191	–	–	1	35	10	8	3	6	1	–	7	5	116	82	1	3
61	Des Moines	457	–	–	2	86	25	21	5	13	4	3	15	14	248	182	1	9
62	Burlington	339	–	–	2	57	16	11	5	7	3	3	12	12	190	137	1	8
63	Balance of county	118	–	–	–	29	9	10	–	6	1	–	3	2	58	45	–	1
64	Dickinson	152	–	–	–	32	10	10	2	3	–	3	4	–	88	60	1	–
65	Dubuque	826	1	–	5	170	39	41	19	21	10	6	34	14	469	366	12	2
66	Dubuque	661	1	–	4	134	31	32	15	18	8	4	26	12	382	307	9	1
67	Balance of county	165	–	–	1	36	8	9	4	3	2	2	8	2	87	59	3	1
68	Emmet	129	–	–	1	25	10	7	2	1	1	3	1	–	72	53	2	1
69	Fayette	266	–	–	2	49	20	11	3	4	1	1	9	8	146	120	2	–
70	Floyd	222	1	–	–	38	12	4	4	3	4	2	9	5	141	106	–	1
71	Franklin	164	–	–	–	38	14	8	2	7	1	–	6	1	98	74	–	–
72	Fremont	111	–	–	–	17	2	3	4	2	–	1	5	–	71	60	1	3
73	Greene	132	–	–	–	17	6	4	1	2	1	–	3	2	84	52	–	–
74	Grundy	138	–	–	–	27	10	4	4	4	1	1	3	2	77	57	–	–
75	Guthrie	120	–	–	–	25	6	3	1	5	3	1	6	–	61	47	1	–
76	Hamilton	181	–	–	1	31	10	7	–	7	5	–	2	4	94	71	2	2
77	Hancock	135	–	–	–	20	4	3	2	6	–	1	4	2	74	53	1	–
78	Hardin	234	–	–	1	47	17	10	4	5	2	–	9	6	115	96	1	2
79	Harrison	170	–	–	2	34	9	9	3	6	1	3	3	3	95	76	1	–
80	Henry	177	–	–	2	28	8	8	–	4	2	2	4	–	108	81	2	–
81	Howard	121	–	–	2	16	5	3	1	2	–	–	5	2	69	51	3	–
82	Humboldt	125	–	–	1	24	9	1	4	2	1	1	6	3	71	54	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
109	10	–	77	3	3	14	3	2	3	2	–	2	4	3	26	3	3	2	2	–	01
40	3	–	29	1	3	5	2	–	1	–	–	1	4	1	9	1	–	1	1	–	02
69	7	–	48	2	–	9	1	2	2	2	–	1	–	2	17	2	3	1	1	–	03
33	2	–	7	–	–	3	1	–	1	–	–	–	–	–	11	1	1	2	–	–	04
90	2	1	21	6	7	1	7	–	3	–	–	3	4	4	21	13	10	3	–	–	05
72	8	–	19	2	3	3	2	–	2	–	–	2	1	1	13	4	10	4	–	–	06
257	17	1	73	22	12	23	9	2	10	4	–	1	5	1	69	11	7	7	5	–	07
162	10	1	47	13	5	12	7	2	9	3	–	–	4	1	47	6	7	6	4	–	08
95	7	–	26	9	7	11	2	–	1	1	–	1	1	–	22	5	–	1	1	–	09
85	2	–	30	2	3	2	2	1	1	–	–	3	1	–	17	6	4	–	2	1	10
71	13	–	32	12	5	7	3	–	1	1	–	2	3	1	18	9	10	–	–	1	11
73	7	–	31	2	2	2	3	1	–	–	–	2	3	3	10	6	7	4	2	3	12
9,707	1,025	95	2,842	550	428	1,008	386	82	241	97	1	186	270	139	2,141	696	694	344	76	27	13
3,726	392	41	1,070	196	175	359	164	29	118	38	1	86	128	60	861	197	270	140	46	14	14
5,981	633	54	1,772	354	253	649	222	53	123	59	–	100	142	79	1,280	499	424	204	30	13	15
2,997	307	29	784	139	139	250	114	29	98	28	1	74	114	39	693	193	245	134	45	13	16
2,492	250	24	645	117	111	215	94	23	84	24	1	62	98	30	569	131	197	103	38	11	17
505	57	5	139	22	28	35	20	6	14	4	–	12	16	9	124	62	48	31	7	2	18
6,710	718	66	2,058	411	289	758	272	53	143	69	–	112	156	100	1,448	503	449	210	31	14	19
1,234	142	17	425	79	64	144	70	6	34	14	–	24	30	30	292	66	73	37	8	3	20
5,476	576	49	1,633	332	225	614	202	47	109	55	–	88	126	70	1,156	437	376	173	23	11	21
29	6	–	8	3	–	7	–	2	2	–	–	–	–	1	14	3	3	–	–	–	22
27	3	–	7	5	3	3	–	1	–	1	–	1	–	–	2	2	1	1	–	–	23
56	10	–	16	–	2	10	4	1	–	–	–	–	4	–	12	6	5	2	–	–	24
73	9	–	19	1	4	5	2	–	4	–	–	–	1	1	11	7	4	2	–	–	25
35	4	–	8	2	2	5	2	–	1	–	–	1	–	–	6	4	3	1	–	–	26
85	10	1	24	2	5	13	5	1	1	1	–	–	1	1	15	6	9	2	–	–	27
368	36	5	125	30	24	30	12	3	14	2	–	8	14	6	85	33	21	13	3	1	28
61	6	–	44	4	8	8	–	–	2	–	–	2	4	4	19	5	2	2	–	1	29
251	23	5	73	23	10	20	10	1	9	1	–	6	8	2	60	20	17	9	2	–	30
56	7	–	8	3	6	2	2	2	3	1	–	–	2	–	6	8	2	2	1	–	31
134	5	2	38	9	8	15	4	1	2	2	–	3	3	–	23	5	7	3	1	–	32
75	3	2	25	7	5	6	3	–	2	2	–	2	2	–	14	5	3	1	1	–	33
59	2	–	13	2	3	9	1	1	–	–	–	1	1	–	9	–	4	2	–	–	34
85	5	1	27	2	4	4	2	–	1	–	–	3	3	5	18	2	2	2	–	–	35
81	10	–	18	4	2	8	–	1	3	1	–	2	3	2	19	3	11	3	–	1	36
83	5	–	22	5	3	7	5	1	1	2	–	–	2	–	13	–	4	–	–	1	37
55	3	1	31	7	2	5	1	–	–	1	–	–	1	1	13	3	–	3	–	–	38
74	6	1	26	7	5	12	6	–	–	–	–	2	–	3	13	8	3	2	1	–	39
87	6	1	39	7	–	6	3	1	3	3	–	–	4	1	14	9	8	–	–	–	40
80	14	1	40	14	1	6	5	1	3	1	–	1	2	–	11	8	3	5	–	–	41
60	15	–	27	1	3	3	2	1	3	–	–	–	–	–	19	4	3	4	–	–	42
173	9	2	62	7	7	39	10	1	4	2	–	4	3	4	44	9	11	3	2	–	43
116	2	1	43	5	5	19	8	–	2	2	–	2	2	3	34	4	7	3	1	–	44
57	7	1	19	2	2	20	2	1	2	–	–	2	1	1	10	5	4	–	1	–	45
69	8	1	16	7	3	11	4	–	1	–	–	1	3	–	12	3	2	3	–	–	46
63	5	–	14	1	5	11	1	–	2	1	–	2	–	–	12	8	5	1	1	–	47
38	8	–	14	–	2	4	–	–	–	–	–	1	1	–	6	–	3	1	–	–	48
58	5	–	18	–	5	2	2	–	1	2	–	3	–	1	12	10	4	2	1	–	49
30	3	–	12	–	3	1	1	–	1	2	–	2	–	1	7	4	3	–	–	–	50
28	2	–	6	–	2	1	1	–	–	–	–	1	–	–	5	6	1	2	1	–	51
83	13	–	21	7	2	9	2	–	–	–	–	1	1	–	17	8	6	5	–	–	52
200	25	–	67	3	9	21	10	1	5	1	–	1	12	3	48	13	21	5	2	–	53
133	18	–	40	3	3	15	6	–	3	1	–	1	7	1	30	4	11	3	1	–	54
67	7	–	27	–	6	6	4	1	2	–	–	–	5	2	18	9	10	2	1	–	55
73	8	–	13	7	1	8	1	–	1	1	–	1	3	2	19	9	4	2	–	–	56
91	8	2	27	2	4	7	3	–	1	1	–	2	1	1	18	4	12	7	–	–	57
40	2	–	7	2	2	3	1	–	1	–	–	–	–	–	4	3	5	–	–	–	58
35	5	–	22	3	4	8	1	1	–	–	–	–	–	1	13	2	2	2	–	–	59
71	7	1	29	2	2	4	–	1	–	2	–	4	2	–	12	7	1	1	–	–	60
156	16	5	45	9	7	20	15	–	2	1	–	2	3	3	39	9	6	5	1	1	61
117	11	4	39	5	5	17	14	–	2	1	–	–	2	2	28	2	4	5	–	1	62
39	5	1	6	4	2	3	1	–	–	–	–	2	1	1	11	7	2	–	1	–	63
58	1	2	17	3	6	1	4	–	4	1	–	1	1	1	11	4	3	1	–	–	64
325	27	2	74	14	13	19	6	2	6	3	–	6	8	3	65	21	17	8	1	2	65
276	21	2	50	13	10	17	4	2	6	2	–	5	6	1	53	9	15	5	1	2	66
49	6	–	24	1	3	2	2	–	–	1	–	1	2	2	12	12	2	3	–	–	67
47	3	–	16	2	1	5	–	–	4	1	–	1	1	–	12	3	1	3	–	–	68
112	6	–	23	2	1	11	3	3	–	2	–	2	2	1	23	5	6	1	–	2	69
97	8	–	30	2	3	8	4	–	2	–	–	–	2	–	12	3	1	3	2	–	70
70	4	1	16	5	2	6	1	–	1	–	–	–	1	1	10	3	3	1	–	–	71
48	8	–	10	1	–	3	5	1	1	–	–	1	–	2	5	2	3	–	–	–	72
45	7	2	22	6	2	3	2	–	–	1	–	2	–	–	11	3	5	2	–	–	73
54	3	2	13	–	5	10	–	–	–	–	–	–	4	3	8	3	2	2	–	–	74
40	6	–	10	4	–	7	4	1	–	3	–	2	–	1	7	1	6	2	–	–	75
56	11	–	22	–	1	21	5	1	1	–	–	2	–	1	12	5	3	–	–	–	76
51	1	–	20	1	–	12	–	1	1	–	–	–	2	1	11	3	7	1	–	–	77
88	5	1	16	2	–	14	2	2	1	3	–	–	3	1	25	5	7	–	–	2	78
73	2	–	12	2	5	1	6	1	1	1	–	–	2	–	11	8	5	–	–	–	79
73	6	–	22	3	2	7	1	–	6	–	–	–	1	1	16	3	1	1	2	–	80
45	3	–	13	4	1	11	–	–	2	1	–	–	–	–	11	3	3	–	1	–	81
51	2	–	15	2	–	5	–	–	–	–	–	1	1	–	7	3	5	4	–	–	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Iowa—Con.																	
01	Ida	95	–	–	–	17	5	3	1	1	2	2	3	1	55	45	1	1
02	Iowa	155	–	–	2	32	7	4	4	5	2	–	10	1	90	73	2	1
03	Jackson	230	–	–	–	44	9	14	3	8	1	1	8	5	132	96	–	2
04	Jasper	332	–	–	2	80	26	14	7	11	2	5	15	5	179	122	3	1
05	Newton	170	–	–	1	44	13	9	3	5	2	3	9	2	96	62	–	1
06	Balance of county	162	–	–	1	36	13	5	4	6	–	2	6	3	83	60	3	–
07	Jefferson	148	–	–	3	27	8	2	5	4	3	–	5	5	75	52	2	2
08	Johnson	396	1	–	3	88	30	25	9	12	3	–	9	3	202	150	1	2
09	Iowa City	226	–	–	1	54	20	17	6	6	1	–	4	1	107	74	1	1
10	Balance of county	170	1	–	2	34	10	8	3	6	2	–	5	2	95	76	–	1
11	Jones	180	–	–	4	33	12	12	2	4	–	–	3	4	92	71	2	–
12	Keokuk	143	–	–	–	26	9	3	2	4	1	–	7	–	84	61	–	–
13	Kossuth	213	–	–	1	47	8	11	6	6	3	3	10	4	107	75	1	2
14	Lee	454	–	–	2	78	27	14	2	8	10	8	9	10	249	188	2	4
15	Fort Madison	132	–	–	–	22	7	6	1	1	1	3	3	2	84	61	–	–
16	Keokuk	188	–	–	2	36	9	4	–	6	8	4	5	3	92	64	1	1
17	Balance of county	134	–	–	–	20	11	4	1	1	1	1	1	5	73	63	1	3
18	Linn	1,244	2	–	10	289	95	76	16	30	11	11	50	24	609	442	7	7
19	Cedar Rapids	871	1	–	5	209	72	52	9	21	7	8	40	17	424	315	7	5
20	Marion	113	1	–	2	24	10	8	2	3	–	1	–	3	58	45	–	–
21	Balance of county	260	–	–	3	56	13	16	5	6	4	2	10	4	127	82	–	2
22	Louisa	109	–	–	–	16	5	2	2	4	–	2	1	1	62	47	–	1
23	Lucas	124	–	–	–	15	3	3	2	2	3	1	1	3	76	57	–	1
24	Lyon	120	–	–	–	29	9	5	4	1	–	2	8	1	63	46	–	–
25	Madison	135	–	–	1	31	15	11	1	–	1	–	3	3	70	54	1	–
26	Mahaska	247	–	–	3	52	13	13	6	6	2	5	7	–	145	92	–	2
27	Oskaloosa	158	–	–	1	39	11	10	2	5	2	5	4	–	90	52	–	1
28	Balance of county	89	–	–	2	13	2	3	4	1	–	–	3	–	55	40	–	1
29	Marion	274	–	–	–	40	14	3	4	1	2	6	10	6	173	125	3	3
30	Marshall	395	–	–	2	86	23	21	6	14	2	3	17	6	225	152	3	3
31	Marshalltown	272	–	–	1	59	14	14	3	12	2	3	11	3	154	110	2	2
32	Balance of county	123	–	–	1	27	9	7	3	2	–	–	6	3	71	42	1	1
33	Mills	109	–	–	3	19	5	4	1	4	–	1	4	1	56	47	1	–
34	Mitchell	151	–	–	1	25	4	3	2	3	3	1	9	4	86	55	1	–
35	Monona	174	–	–	–	22	8	5	1	3	2	2	1	5	102	66	–	3
36	Monroe	114	–	–	–	18	7	2	1	2	–	1	5	1	69	51	1	–
37	Montgomery	169	–	–	–	36	10	6	5	4	1	1	9	2	101	61	3	–
38	Muscatine	389	–	–	1	71	23	22	5	4	5	3	9	6	210	153	1	4
39	Muscatine	255	–	–	1	40	11	15	3	4	4	–	3	5	145	105	1	4
40	Balance of county	134	–	–	–	31	12	7	2	–	1	3	6	1	65	48	–	–
41	O'Brien	181	–	–	1	32	11	6	4	1	2	2	6	3	117	86	–	1
42	Osceola	96	–	–	1	22	6	5	2	3	–	–	6	–	55	44	–	3
43	Page	244	–	–	4	43	8	3	7	8	1	6	10	3	148	118	1	3
44	Palo Alto	137	–	–	–	23	7	2	1	3	3	1	6	1	80	65	1	–
45	Plymouth	221	–	–	1	56	21	6	5	7	–	3	14	1	110	66	2	3
46	Pocahontas	156	–	–	1	29	17	2	3	1	1	3	2	2	90	65	–	–
47	Polk	2,494	2	–	23	522	158	128	40	64	27	24	81	28	1,294	1,018	7	10
48	Des Moines	1,889	2	–	17	405	123	101	30	48	22	16	65	18	982	766	6	6
49	Urbandale	38	–	–	–	7	2	2	–	1	–	–	2	1	18	11	–	–
50	West Des Moines	153	–	–	1	32	9	6	2	6	1	1	7	2	79	64	1	2
51	Balance of county	414	–	–	5	78	24	19	8	9	4	7	7	7	215	177	–	2
52	Pottawattamie	757	–	–	10	147	35	48	11	14	10	5	24	11	422	336	13	4
53	Council Bluffs	539	–	–	8	95	24	36	4	10	4	2	15	8	312	250	9	3
54	Balance of county	218	–	–	2	52	11	12	7	4	6	3	9	3	110	86	4	1
55	Poweshiek	206	–	–	1	39	12	8	2	2	5	–	10	11	108	89	1	–
56	Ringgold	104	–	–	1	18	5	4	2	3	–	1	3	1	64	47	1	–
57	Sac	162	–	–	–	37	8	5	3	6	1	5	9	1	90	59	1	–
58	Scott	1,170	1	–	9	233	57	76	23	30	10	5	32	22	589	443	5	5
59	Bettendorf	129	1	–	–	28	7	13	1	1	–	2	4	3	65	47	1	1
60	Davenport	905	–	–	6	176	43	51	20	26	8	2	26	15	469	354	4	4
61	Balance of county	136	–	–	3	29	7	12	2	3	2	1	2	4	55	42	–	–
62	Shelby	143	–	–	1	27	12	3	1	6	–	1	4	3	79	58	–	–
63	Sioux	236	–	–	3	45	14	4	5	8	5	–	9	9	123	85	1	2
64	Story	397	–	–	2	88	25	19	5	15	3	2	19	1	210	165	6	2
65	Ames	174	–	–	1	45	9	9	3	9	2	1	12	1	83	67	–	1
66	Balance of county	223	–	–	1	43	16	10	2	6	1	1	7	–	127	98	6	1
67	Tama	253	–	–	2	51	15	14	2	7	3	2	8	5	127	91	–	4
68	Taylor	157	–	–	–	37	11	7	3	3	2	2	9	1	76	54	1	–
69	Union	165	–	–	2	34	17	8	2	2	–	1	4	3	87	61	2	–
70	Van Buren	114	–	–	–	17	8	2	1	3	1	2	–	2	65	50	1	–
71	Wapello	524	1	–	2	100	18	33	4	14	7	8	16	10	295	220	5	5
72	Ottumwa	396	1	–	1	80	16	28	4	10	4	6	12	7	235	176	5	4
73	Balance of county	128	–	–	1	20	2	5	–	4	3	2	4	3	60	44	–	1
74	Warren	239	–	–	2	46	8	11	5	9	2	3	8	8	123	91	2	8
75	Washington	207	–	1	2	38	11	12	–	6	3	1	5	4	115	90	2	–
76	Wayne	112	–	–	–	25	6	9	2	3	–	–	5	1	56	35	–	2
77	Webster	512	–	–	1	82	18	15	13	10	8	2	16	13	279	193	3	2
78	Fort Dodge	333	–	–	–	51	9	12	9	6	5	1	9	7	187	124	–	2
79	Balance of county	179	–	–	1	31	9	3	4	4	3	1	7	6	92	69	3	–
80	Winnebago	146	–	–	–	30	13	7	2	3	2	2	1	1	93	68	–	–
81	Winneshiek	213	–	–	1	45	18	7	1	11	2	–	6	2	110	82	–	1
82	Woodbury	979	1	–	7	193	60	44	21	19	11	8	30	26	512	383	10	6
83	Sioux City	808	–	–	5	171	49	42	19	17	10	7	27	21	416	316	9	6
84	Balance of county	171	1	–	2	22	11	2	2	2	1	1	3	5	96	67	1	–
85	Worth	117	–	–	–	24	7	7	4	4	1	–	1	1	63	46	1	–
86	Wright	205	–	–	1	36	17	4	–	8	1	1	5	3	116	84	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
39	4	-	9	-	1	3	1	-	1	-	-	1	1	-	6	7	1	-	-	1	01
65	5	-	13	-	4	3	2	-	1	-	-	-	1	-	13	5	5	-	-	-	02
87	7	-	22	8	6	10	2	1	-	1	-	2	2	-	18	6	4	2	1	-	03
110	8	-	38	13	6	10	4	2	3	1	-	3	3	-	16	5	12	6	1	-	04
55	6	-	23	9	2	6	1	1	2	1	-	1	-	-	5	1	4	4	1	-	05
55	2	-	15	4	4	4	3	1	1	-	-	2	3	-	11	4	8	2	-	-	06
43	5	1	18	2	2	7	1	-	-	1	-	-	-	-	22	-	3	4	-	-	07
136	11	1	33	9	9	9	6	1	7	-	-	5	4	-	38	14	7	5	2	1	08
66	6	1	23	3	6	6	4	1	4	-	-	5	2	-	23	8	4	3	2	1	09
70	5	-	10	6	3	3	2	-	3	-	-	-	2	-	15	6	3	2	-	-	10
63	6	1	18	2	-	6	1	1	1	1	-	2	1	-	18	5	7	3	-	1	11
50	11	2	17	-	4	4	-	-	1	-	-	3	2	-	11	5	5	2	-	-	12
57	15	4	21	5	2	9	4	1	-	1	-	1	1	2	19	9	6	1	-	-	13
163	19	2	45	5	9	14	11	2	7	2	-	4	4	5	32	13	19	2	-	-	14
53	8	2	16	2	3	-	2	-	1	-	-	2	1	2	6	4	4	2	-	-	15
59	3	-	24	-	4	11	6	1	5	2	-	1	1	2	14	5	7	-	-	-	16
51	8	-	5	3	2	3	3	1	1	-	-	1	2	1	12	4	8	-	-	-	17
379	49	7	120	23	17	39	15	6	11	9	-	12	15	8	115	25	33	18	4	-	18
269	34	5	77	17	10	27	12	6	9	8	-	8	10	4	78	11	24	14	4	-	19
37	8	-	10	2	1	3	-	-	1	-	-	1	2	-	15	-	1	2	-	-	20
73	7	2	33	4	6	9	3	-	1	1	-	3	3	4	22	14	8	2	-	-	21
42	4	-	14	1	-	4	1	-	1	1	-	-	-	-	14	6	2	1	-	-	22
53	3	2	15	1	1	4	3	1	1	1	-	-	-	1	9	4	3	2	-	1	23
35	11	-	15	2	-	5	-	-	-	-	-	1	-	1	11	5	2	1	1	-	24
50	3	-	8	7	1	6	1	-	1	1	-	1	-	2	8	9	1	-	-	-	25
85	5	2	40	6	5	7	4	-	1	-	-	-	2	4	12	3	6	7	1	-	26
48	3	2	30	4	2	4	3	-	1	-	-	-	1	2	9	1	3	4	-	-	27
37	2	-	10	2	3	3	1	-	-	-	-	-	1	2	3	2	3	3	1	-	28
108	11	4	39	2	3	15	1	1	2	-	-	2	2	-	18	6	4	4	-	-	29
126	20	-	42	23	8	3	9	1	4	-	-	4	5	4	29	5	9	2	1	-	30
91	15	-	22	17	5	2	8	1	2	-	-	2	4	4	21	2	6	2	1	-	31
35	5	-	20	6	3	1	1	-	2	-	-	2	1	-	8	3	3	-	-	-	32
46	-	-	5	1	3	6	-	3	-	-	-	1	3	-	5	6	3	1	2	-	33
52	2	-	27	1	3	6	-	1	1	-	-	3	1	-	18	3	2	-	-	-	34
52	11	2	30	-	4	2	7	1	3	1	-	1	3	-	15	7	3	2	-	-	35
43	7	1	10	6	1	5	1	-	1	-	-	-	1	1	10	4	1	1	1	-	36
54	4	-	28	9	3	6	5	-	-	1	-	2	-	1	7	5	2	1	-	-	37
116	32	-	43	8	6	19	1	-	2	2	-	-	6	2	37	13	10	8	-	1	38
78	22	-	30	6	4	15	1	-	2	1	-	-	1	1	24	10	6	2	-	1	39
38	10	-	13	2	2	4	-	-	-	1	-	-	5	1	13	3	4	6	-	-	40
78	7	-	16	9	6	6	-	-	3	-	-	-	-	-	8	7	2	2	-	-	41
39	2	-	5	5	1	6	2	-	1	-	-	-	-	-	5	1	2	1	-	-	42
104	10	-	23	6	1	11	2	1	-	-	-	1	1	1	12	4	10	3	-	-	43
60	4	-	14	-	1	4	3	-	2	-	-	1	1	-	13	5	3	1	-	-	44
50	11	-	23	17	4	5	7	-	1	1	-	2	-	2	23	5	7	-	-	-	45
60	5	1	19	4	1	9	2	2	-	1	-	3	1	-	10	2	2	2	-	-	46
920	81	7	196	27	46	85	36	8	30	6	-	24	26	11	189	47	86	47	26	4	47
694	60	7	153	20	36	70	27	6	23	6	-	18	18	9	139	32	65	31	19	2	48
11	-	-	4	1	2	-	1	1	-	-	-	1	-	-	3	1	2	3	-	-	49
54	7	-	13	-	2	6	2	-	2	-	-	2	2	1	13	4	1	1	4	1	50
161	14	-	26	6	6	9	6	1	5	-	-	3	6	1	34	10	18	12	3	1	51
290	29	2	64	8	12	16	14	3	4	2	-	5	7	5	63	17	20	8	2	1	52
215	23	1	45	6	10	9	9	-	1	2	-	3	7	5	48	12	14	5	1	-	53
75	6	1	19	2	2	7	5	3	3	-	-	2	-	-	15	5	6	3	1	1	54
70	18	-	13	4	2	4	5	-	2	-	-	-	1	2	14	5	7	6	-	1	55
44	2	-	12	4	1	2	-	-	-	3	-	1	-	-	6	3	3	2	-	-	56
56	2	-	21	7	3	3	-	2	2	3	-	-	-	3	12	1	6	2	-	-	57
382	51	1	124	11	10	31	10	4	17	2	-	11	18	3	112	33	36	28	8	3	58
37	8	-	16	1	1	4	-	1	1	-	-	2	3	-	13	5	1	2	-	-	59
307	39	1	97	10	7	24	9	3	16	2	-	7	14	2	80	21	29	22	7	3	60
38	4	-	11	-	2	3	1	-	-	-	-	2	1	1	19	7	6	4	1	-	61
55	3	1	15	3	2	7	1	-	2	-	-	-	1	-	11	6	3	2	-	-	62
70	12	1	25	7	5	8	1	-	-	1	-	6	2	-	16	11	11	-	-	-	63
141	16	2	32	4	7	20	10	-	2	-	-	2	8	1	26	9	8	8	1	1	64
63	3	1	12	1	2	8	4	-	1	-	-	1	2	1	19	3	3	2	-	-	65
78	13	1	20	3	5	12	6	-	1	-	-	1	6	-	7	6	5	6	1	1	66
77	10	-	22	10	4	11	3	-	2	1	-	-	4	1	24	9	5	8	-	-	67
50	3	2	16	4	-	7	4	-	-	-	-	1	1	1	18	4	5	2	-	-	68
51	8	1	22	1	2	11	1	2	-	-	-	-	1	1	9	6	4	3	1	-	69
40	9	-	12	2	1	3	4	1	-	-	-	-	1	4	7	8	-	2	-	-	70
190	20	2	51	15	7	28	3	2	1	2	-	2	2	6	46	10	6	4	4	-	71
149	18	1	40	12	6	18	2	2	1	1	-	2	1	4	29	6	3	2	1	-	72
41	2	1	11	3	1	10	1	-	-	1	-	-	1	2	17	4	3	2	3	-	73
72	9	1	17	13	1	7	2	1	4	-	-	1	5	1	22	9	6	2	-	-	74
80	8	2	15	4	4	8	5	-	2	1	-	1	-	1	14	8	6	1	-	-	75
30	3	-	19	-	2	5	2	-	-	-	-	1	-	-	15	3	-	3	1	-	76
160	28	3	64	8	11	23	12	-	7	2	-	4	8	9	43	13	9	7	-	-	77
101	21	3	46	5	9	16	7	-	5	1	-	3	4	7	29	7	5	4	-	-	78
59	7	-	18	3	2	7	5	-	2	1	-	1	4	2	14	6	4	3	-	-	79
57	11	-	17	6	2	3	2	-	1	1	-	-	-	-	9	4	1	1	-	-	80
77	4	1	16	6	5	5	4	-	3	2	-	3	1	-	22	3	10	2	-	-	81
333	34	5	81	26	17	30	21	3	16	4	1	8	26	3	64	17	32	12	1	2	82
280	21	3	63	20	14	27	20	3	14	3	1	7	24	2	48	11	26	7	-	2	83
53	13	2	18	6	3	3	1	-	2	1	-	1	2	1	16	6	6	5	1	-	84
43	2	-	14	1	2	9	2	1	2	-	-	-	1	-	8	3	3	-	-	-	85
79	1	-	23	2	7	9	2	-	2	1	-	-	2	1	18	7	4	3	-	-	86

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Kansas**	21,665	21	4	169	4,226	1,086	1,054	350	523	188	167	858	387	11,079	8,105	95	97
02	Urban places	10,647	10	2	97	2,125	534	550	181	259	84	79	438	190	5,219	3,805	54	38
03	Balance of area	11,018	11	2	72	2,101	552	504	169	264	104	88	420	197	5,860	4,300	41	59
04	Metropolitan counties	7,546	6	1	71	1,568	384	399	130	201	60	62	332	132	3,596	2,693	42	30
05	Urban places	6,278	5	1	62	1,289	312	332	109	165	48	52	271	112	2,980	2,224	36	20
06	Balance of area	1,268	1	–	9	279	72	67	21	36	12	10	61	20	616	469	6	10
07	Nonmetropolitan counties	14,119	15	3	98	2,658	702	655	220	322	128	105	526	255	7,483	5,412	53	67
08	Urban places	4,369	5	1	35	836	222	218	72	94	36	27	167	78	2,239	1,581	18	18
09	Balance of area	9,750	10	2	63	1,822	480	437	148	228	92	78	359	177	5,244	3,831	35	49
10	Allen	227	–	–	2	41	9	8	6	8	3	4	3	4	128	107	–	2
11	Anderson	109	–	–	–	17	5	1	1	4	1	–	5	3	68	56	1	–
12	Atchison	237	–	–	1	48	13	15	6	6	–	1	7	2	135	84	–	5
13	Atchison	176	–	–	–	30	7	10	4	5	–	1	3	–	102	65	–	3
14	Balance of county	61	–	–	1	18	6	5	2	1	–	–	4	2	33	19	–	2
15	Barber	86	–	–	–	16	4	3	3	1	1	1	3	4	38	31	–	1
16	Barton	300	–	–	–	59	20	16	1	8	4	–	10	6	163	116	1	1
17	Great Bend	171	–	–	–	33	10	8	–	3	3	–	9	4	93	65	–	–
18	Balance of county	129	–	–	–	26	10	8	1	5	1	–	1	2	70	51	1	1
19	Bourbon	230	–	–	3	49	13	13	1	8	5	3	6	4	128	77	–	1
20	Brown	154	–	–	–	20	9	2	3	4	2	–	–	2	99	65	–	–
21	Butler	334	–	–	1	71	26	15	3	8	–	3	16	8	173	117	2	1
22	El Dorado	122	–	–	–	27	12	6	1	1	–	1	6	4	67	46	1	–
23	Balance of county	212	–	–	1	44	14	9	2	7	–	2	10	4	106	71	1	1
24	Chase	44	–	–	–	8	1	2	1	1	–	–	3	–	27	20	–	–
25	Chautauqua	77	–	–	1	20	3	5	2	5	–	1	4	1	37	29	1	–
26	Cherokee	300	2	–	–	57	17	21	5	3	3	–	8	4	154	105	1	1
27	Cheyenne	31	–	–	–	9	1	4	1	1	1	–	1	–	17	15	2	–
28	Clark	35	–	–	–	7	1	2	1	1	–	–	2	2	14	12	–	–
29	Clay	125	–	–	1	31	9	4	4	2	1	2	9	5	64	36	2	–
30	Cloud	197	–	–	–	37	9	10	2	5	1	–	10	4	113	74	3	–
31	Coffey	130	–	–	2	17	2	5	2	1	2	–	5	2	79	67	–	–
32	Comanche	32	–	–	–	9	1	3	1	–	–	–	4	–	16	11	–	1
33	Cowley	389	1	–	6	70	18	21	3	12	1	3	12	7	196	118	–	–
34	Arkansas City	157	1	–	2	30	8	12	1	4	–	–	5	5	76	41	–	–
35	Winfield	129	–	–	1	23	6	4	–	6	1	1	5	2	69	43	–	–
36	Balance of county	103	–	–	3	17	4	5	2	2	–	2	2	–	51	34	–	–
37	Crawford	493	1	–	4	90	24	24	6	13	5	–	18	14	266	199	3	4
38	Pittsburg	245	–	–	2	40	6	16	3	6	–	–	9	11	130	100	1	1
39	Balance of county	248	1	–	2	50	18	8	3	7	5	–	9	3	136	99	2	3
40	Decatur	68	–	–	–	16	1	7	1	1	2	1	3	2	31	24	1	–
41	Dickinson	252	–	–	3	42	9	9	2	7	2	2	11	5	136	99	1	4
42	Doniphan	121	–	–	–	24	4	6	1	4	1	1	7	2	74	56	–	1
43	Douglas	348	–	–	2	63	15	14	5	9	6	–	14	7	165	112	1	1
44	Lawrence	250	–	–	1	45	11	9	4	5	4	–	12	6	118	81	1	1
45	Balance of county	98	–	–	1	18	4	5	1	4	2	–	2	1	47	31	–	–
46	Edwards	55	–	–	–	13	6	5	–	–	1	–	1	2	27	25	–	3
47	Elk	61	–	–	–	8	4	2	–	–	–	1	1	2	37	26	–	–
48	Ellis	177	–	–	2	32	10	10	1	–	–	2	9	–	89	64	1	–
49	Hays	108	–	–	1	18	5	5	1	–	–	1	6	–	53	40	1	–
50	Balance of county	69	–	–	1	14	5	5	–	–	–	1	3	–	36	24	–	–
51	Ellsworth	105	–	–	2	24	8	3	1	1	1	2	8	1	58	49	1	1
52	Finney	165	–	–	3	35	7	18	2	1	–	–	7	2	84	64	–	2
53	Garden City	138	–	–	2	29	6	16	1	1	–	–	5	2	77	59	–	2
54	Balance of county	27	–	–	1	6	1	2	1	–	–	–	2	–	7	5	–	–
55	Ford	188	–	1	1	36	10	12	2	3	2	4	3	4	104	79	1	2
56	Dodge City	126	–	–	–	21	6	7	1	1	1	3	2	3	73	54	–	2
57	Balance of county	62	–	1	1	15	4	5	1	2	1	1	1	1	31	25	1	–
58	Franklin	250	–	–	1	35	11	8	2	3	3	1	7	1	140	103	–	1
59	Ottawa	136	–	–	1	16	7	4	1	1	2	–	1	1	80	49	–	–
60	Balance of county	114	–	–	–	19	4	4	1	2	1	1	6	–	60	54	–	1
61	Geary	207	1	–	4	34	11	6	4	5	–	–	8	1	101	81	3	1
62	Junction City	171	1	–	4	30	10	5	4	5	–	–	6	1	91	74	3	1
63	Balance of county	36	–	–	–	4	1	1	–	–	–	–	2	–	10	7	–	–
64	Gove	43	–	–	1	6	1	–	2	2	1	–	–	4	28	24	–	–
65	Graham	38	–	–	1	6	4	1	1	–	–	–	–	1	20	16	–	1
66	Grant	44	–	–	–	5	2	–	1	–	–	–	2	2	21	18	–	–
67	Gray	29	–	–	–	11	4	2	–	2	2	–	1	–	10	7	–	–
68	Greeley	17	–	–	–	3	–	–	1	1	–	–	1	–	9	7	–	–
69	Greenwood	159	–	–	1	25	3	7	3	2	2	–	8	2	105	81	1	–
70	Hamilton	30	–	–	–	9	2	4	–	1	–	1	1	1	8	7	–	–
71	Harper	90	–	–	–	13	4	3	1	–	1	–	4	–	49	36	–	–
72	Harvey	269	–	–	2	46	16	6	4	6	–	4	10	3	141	104	1	3
73	Newton	170	–	–	2	25	9	5	3	3	–	1	4	2	90	65	1	2
74	Balance of county	99	–	–	–	21	7	1	1	3	–	3	6	1	51	39	–	1
75	Haskell	40	–	–	–	11	1	3	1	3	–	1	2	–	15	14	–	–
76	Hodgeman	23	–	–	–	4	1	–	–	–	–	–	3	1	11	7	–	–
77	Jackson	149	–	–	–	16	3	6	1	2	2	1	1	3	93	66	–	–
78	Jefferson	153	–	–	1	25	6	4	–	4	1	4	6	6	78	57	1	1
79	Jewell	71	–	–	–	13	3	5	2	2	–	1	–	3	41	32	1	–
80	Johnson	1,382	1	–	14	317	71	73	25	37	12	13	86	21	680	516	8	4
81	Leawood	83	–	–	1	17	1	4	1	4	–	–	7	2	46	32	–	–
82	Merriam	45	–	–	–	10	2	2	–	2	–	1	3	–	19	14	–	–
83	Olathe	132	–	–	1	28	7	7	1	2	1	–	10	1	66	53	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
7,227	686	57	2,130	448	339	782	203	61	183	81	8	162	196	328	2,079	593	675	253	133	42	01
3,368	345	26	1,028	202	158	338	109	30	121	35	7	95	125	215	1,055	245	370	137	93	29	02
3,859	341	31	1,102	246	181	444	94	31	62	46	1	67	71	113	1,024	348	305	116	40	13	03
2,346	275	13	662	124	104	203	65	23	73	26	3	65	110	152	767	228	244	109	83	21	04
1,940	228	10	550	111	85	170	58	20	64	24	3	54	96	141	647	164	208	90	73	17	05
406	47	3	112	13	19	33	7	3	9	2	–	11	14	11	120	64	36	19	10	4	06
4,881	411	44	1,468	324	235	579	138	38	110	55	5	97	86	176	1,312	365	431	144	50	21	07
1,428	117	16	478	91	73	168	51	10	57	11	4	41	29	74	408	81	162	47	20	12	08
3,453	294	28	990	233	162	411	87	28	53	44	1	56	57	102	904	284	269	97	30	9	09
95	10	–	16	2	3	9	5	1	–	1	–	1	1	1	23	3	4	3	–	–	10
54	1	–	10	1	1	1	–	–	1	1	–	2	–	–	8	5	3	–	–	–	11
73	6	5	38	3	5	9	1	–	2	2	–	–	3	7	15	2	4	4	1	1	12
57	5	3	28	2	4	8	1	–	2	2	–	–	2	6	14	1	3	3	1	1	13
16	1	2	10	1	1	1	–	–	–	–	–	–	1	1	1	1	1	1	–	–	14
28	2	1	3	2	1	3	–	–	1	1	–	–	–	1	14	3	3	2	–	–	15
112	2	1	37	6	3	9	–	1	5	–	2	3	4	3	25	11	9	–	–	–	16
64	1	–	21	4	3	7	–	1	5	–	2	3	2	2	10	5	4	–	–	–	17
48	1	1	16	2	–	2	–	–	–	–	–	–	2	1	15	6	5	–	–	–	18
70	6	–	43	2	6	3	5	–	–	3	–	–	2	4	16	5	5	1	1	1	19
64	1	–	18	11	5	7	–	1	–	–	–	2	2	3	10	3	4	1	–	–	20
104	10	1	48	3	4	11	4	2	3	1	–	3	–	2	23	16	11	2	1	2	21
44	1	1	19	1	–	1	1	–	2	–	–	2	–	1	11	2	4	–	–	–	22
60	9	–	29	2	4	10	3	2	1	1	–	1	–	1	12	14	7	2	1	2	23
19	1	–	5	1	1	1	–	–	1	–	–	–	–	–	5	–	1	1	–	–	24
25	3	–	6	1	1	2	2	1	1	–	–	1	2	–	7	1	1	–	–	–	25
88	15	–	43	4	2	17	2	2	3	–	–	–	1	2	26	11	12	5	1	1	26
12	1	–	–	1	1	–	1	1	–	–	–	–	1	–	1	–	–	1	–	–	27
9	3	–	1	–	1	–	2	–	–	–	–	1	–	–	8	1	–	–	–	–	28
27	7	–	21	5	2	9	1	–	1	–	–	–	1	–	7	2	3	–	–	–	29
69	2	–	26	11	2	8	1	–	–	1	–	1	3	–	22	2	4	1	–	–	30
64	3	–	6	2	4	9	1	–	–	–	–	–	–	2	8	5	4	1	–	–	31
8	2	–	3	1	1	1	–	–	1	1	–	–	–	–	3	1	–	–	–	–	32
103	15	1	56	10	11	9	4	2	3	2	–	1	4	12	40	12	14	4	2	–	33
36	5	–	24	8	3	5	4	2	1	1	–	–	2	6	13	4	2	2	1	–	34
37	6	–	19	1	6	2	–	–	1	–	–	–	1	5	15	2	7	1	–	–	35
30	4	1	13	1	2	2	–	–	1	1	–	1	1	1	12	6	5	1	1	–	36
181	11	3	52	9	3	11	4	3	7	3	–	4	–	5	51	13	10	6	1	–	37
92	6	3	23	3	1	9	3	1	6	1	–	2	–	2	23	4	8	3	–	–	38
89	5	–	29	6	2	2	1	2	1	2	–	2	–	3	28	9	2	3	1	–	39
23	–	1	3	1	2	5	–	–	–	–	–	–	–	2	6	3	2	1	–	–	40
83	11	–	22	11	4	5	2	1	1	1	–	2	–	3	32	4	11	2	2	–	41
50	5	1	10	1	6	3	2	–	–	1	–	1	1	–	9	1	2	–	1	–	42
97	13	3	34	9	7	6	–	1	1	3	–	5	5	22	34	11	13	6	–	4	43
71	8	1	26	6	4	5	–	–	–	1	–	5	3	20	22	9	9	3	–	3	44
26	5	2	8	3	3	1	–	1	1	2	–	–	2	2	12	2	4	3	–	1	45
22	–	–	1	1	–	1	1	–	–	–	–	1	2	–	3	3	2	–	–	–	46
24	2	–	6	4	1	4	–	–	–	–	–	–	–	–	9	–	1	–	–	–	47
59	4	1	19	4	1	5	2	–	4	1	–	2	1	–	19	8	7	4	1	–	48
36	3	–	9	3	1	1	2	–	4	1	–	2	1	–	13	5	6	–	1	–	49
23	1	1	10	1	–	4	–	–	–	–	–	–	–	–	6	3	1	4	–	–	50
43	4	–	9	–	–	5	–	1	1	1	–	–	–	–	9	–	2	1	–	–	51
61	1	–	15	3	2	6	2	–	–	–	–	2	2	2	15	7	4	1	–	–	52
56	1	–	13	3	2	6	1	–	–	–	–	1	1	2	10	4	2	1	–	–	53
5	–	–	2	–	–	–	1	–	–	–	–	1	1	–	5	3	2	–	–	–	54
71	5	–	14	4	7	3	2	1	7	–	–	–	3	1	14	3	4	2	2	–	55
47	5	–	9	4	6	3	2	–	7	–	–	–	1	–	9	2	4	1	–	–	56
24	–	–	5	–	1	–	–	1	–	–	–	–	2	1	5	1	–	1	2	–	57
89	13	3	24	7	3	12	2	1	3	–	–	1	3	5	25	9	7	4	1	–	58
42	7	3	18	7	3	9	2	1	3	–	–	–	–	1	13	2	6	1	–	–	59
47	6	–	6	–	–	3	–	–	–	–	–	1	3	4	12	7	1	3	1	–	60
70	7	2	8	6	4	7	1	–	1	–	–	5	3	2	18	7	15	5	–	2	61
64	6	1	8	5	3	6	–	–	1	–	–	3	2	1	16	–	9	4	–	2	62
6	1	1	–	1	1	1	1	–	–	–	–	2	1	1	2	7	6	1	–	–	63
24	–	–	3	–	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	64
15	–	–	3	–	1	3	–	–	–	–	–	1	–	–	6	–	–	–	–	–	65
16	2	–	2	1	–	–	1	–	–	1	–	2	–	–	4	6	1	–	1	–	66
7	–	–	3	–	–	2	–	–	–	–	–	1	–	–	3	2	–	–	–	–	67
7	–	–	1	1	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	68
78	2	–	15	6	3	1	3	1	–	1	–	1	–	–	5	6	4	3	1	–	69
7	–	–	–	–	1	2	–	–	–	–	–	–	–	–	2	5	1	2	–	–	70
33	3	–	10	2	1	2	–	–	1	1	–	2	–	2	11	1	5	1	1	1	71
97	3	1	27	3	6	11	4	–	2	–	–	3	1	2	27	8	12	6	–	1	72
61	1	1	19	2	3	8	4	–	1	–	–	2	–	2	17	2	8	6	–	1	73
36	2	–	8	1	3	3	–	–	1	–	–	1	1	–	10	6	4	–	–	–	74
12	2	–	1	–	–	2	1	–	–	1	–	–	1	–	5	2	2	–	–	–	75
2	5	–	4	–	–	1	2	–	1	–	–	–	–	–	–	1	2	–	–	–	76
62	4	1	20	5	1	6	1	–	–	–	–	–	–	–	19	6	3	1	1	–	77
50	5	–	15	3	3	5	1	2	–	1	–	1	–	1	19	6	5	1	1	–	78
27	4	–	6	3	–	6	–	–	–	–	–	–	1	1	6	–	–	–	–	–	79
468	36	1	120	17	26	29	12	4	7	2	–	13	19	26	130	39	36	24	4	4	80
30	2	–	10	–	4	1	–	1	–	–	–	–	2	2	6	1	4	–	–	–	81
14	–	–	2	1	2	–	–	–	–	–	–	1	–	1	9	3	–	1	1	–	82
49	3	–	10	2	1	6	2	1	–	–	–	–	4	3	11	5	2	1	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
	Johnson—Con.																	
01	Overland Park	366	1	–	4	80	15	15	9	8	4	4	25	8	173	134	1	–
02	Prairie Village	173	–	–	4	38	9	10	2	4	–	2	11	–	90	65	3	–
03	Shawnee	124	–	–	1	30	6	7	4	4	–	3	6	3	47	35	1	2
04	Balance of county	459	–	–	3	114	31	28	8	13	7	3	24	7	239	183	2	2
05	Kearny	29	–	–	–	4	1	1	–	1	1	–	–	–	14	11	–	–
06	Kingman	104	–	–	–	23	3	9	3	1	1	1	5	1	57	42	–	–
07	Kiowa	53	–	–	–	12	5	4	–	1	2	–	–	2	28	22	–	1
08	Labette	319	–	–	4	56	21	12	2	7	1	3	10	4	171	137	–	1
09	Parsons	177	–	–	3	38	13	6	1	6	1	2	9	3	93	74	–	–
10	Balance of county	142	–	–	1	18	8	6	1	1	–	1	1	1	78	63	–	1
11	Lane	25	–	–	1	9	1	2	2	1	1	–	2	1	9	7	–	–
12	Leavenworth	450	–	–	2	81	23	17	12	10	1	4	14	12	227	177	1	1
13	Leavenworth	300	–	–	–	52	15	8	8	8	1	3	9	8	150	120	1	1
14	Balance of county	150	–	–	2	29	8	9	4	2	–	1	5	4	77	57	–	–
15	Lincoln	79	–	–	–	19	11	1	3	2	–	1	1	2	43	33	1	1
16	Linn	135	–	–	–	30	5	7	3	5	–	2	8	1	77	61	–	1
17	Logan	32	–	–	–	8	2	–	–	2	1	2	1	1	18	16	–	–
18	Lyon	290	–	–	4	52	7	11	8	8	3	3	12	7	138	99	1	1
19	Emporia	203	–	–	2	41	6	9	6	7	2	3	8	4	91	63	1	–
20	Balance of county	87	–	–	2	11	1	2	2	1	1	–	4	3	47	36	–	1
21	McPherson	264	–	–	2	62	19	9	8	5	4	2	15	5	135	104	3	–
22	McPherson	124	–	–	1	31	8	4	3	1	3	2	10	3	60	45	3	–
23	Balance of county	140	–	–	1	31	11	5	5	4	1	–	5	2	75	59	–	–
24	Marion	160	–	–	–	28	8	2	5	5	3	3	2	1	94	69	–	–
25	Marshall	205	–	–	1	28	11	5	1	3	4	2	2	1	135	94	–	–
26	Meade	53	1	–	–	11	2	6	1	–	–	1	1	1	27	22	–	1
27	Miami	220	–	–	1	37	11	10	5	3	1	3	4	3	121	99	–	1
28	Mitchell	113	–	–	1	14	6	1	1	1	1	1	3	2	56	36	–	–
29	Montgomery	581	2	1	5	115	27	34	9	10	2	5	28	11	302	220	2	2
30	Coffeyville	216	1	–	4	41	11	12	4	6	2	–	6	4	114	85	1	1
31	Independence	152	–	1	1	30	5	9	1	3	–	2	10	5	73	48	–	1
32	Balance of county	213	1	–	–	44	11	13	4	1	–	3	12	2	115	87	1	–
33	Morris	105	–	–	–	19	7	5	3	4	–	–	–	2	49	33	1	1
34	Morton	21	–	–	–	2	–	–	–	–	–	1	1	1	10	8	–	–
35	Nemaha	136	–	–	2	27	9	5	2	3	–	2	6	4	74	42	–	–
36	Neosho	251	2	–	1	60	10	21	5	8	5	3	8	6	114	75	–	–
37	Chanute	158	1	–	–	44	8	15	4	4	3	3	7	4	68	45	–	–
38	Balance of county	93	1	–	1	16	2	6	1	4	2	–	1	2	46	30	–	–
39	Ness	45	–	–	–	7	1	–	–	1	2	–	3	1	23	17	–	–
40	Norton	95	–	–	1	15	1	4	1	2	1	–	6	1	52	43	–	–
41	Osage	180	–	–	2	38	11	4	5	4	1	2	11	2	104	61	–	–
42	Osborne	98	1	–	1	17	7	3	1	3	–	–	3	–	51	43	–	2
43	Ottawa	81	–	–	–	20	6	5	1	2	–	2	4	–	42	20	–	1
44	Pawnee	94	–	–	–	14	5	2	1	2	–	–	4	2	54	41	1	–
45	Phillips	87	–	–	2	21	2	2	2	3	1	3	8	4	39	34	2	–
46	Pottawatomie	144	–	–	1	23	6	5	1	4	–	1	6	3	92	71	–	1
47	Manhattan, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
48	Balance of county	143	–	–	1	23	6	5	1	4	–	1	6	3	91	70	–	1
49	Pratt	134	–	–	–	25	2	7	2	6	1	3	4	5	67	42	–	–
50	Rawlins	37	–	–	1	12	3	1	1	3	1	1	2	2	12	10	–	–
51	Reno	615	1	1	5	124	39	35	7	15	7	2	19	8	306	215	2	3
52	Hutchinson	403	–	–	3	86	28	28	6	7	3	2	12	4	208	143	1	2
53	Balance of county	212	1	1	2	38	11	7	1	8	4	–	7	4	98	72	1	1
54	Republic	123	–	–	–	30	5	10	–	2	–	2	11	1	61	43	–	–
55	Rice	124	–	–	–	31	6	8	1	4	1	–	11	3	61	39	–	–
56	Riley	278	–	–	3	53	15	15	9	1	3	–	10	1	129	85	1	–
57	Manhattan, part	205	–	–	3	40	13	11	8	1	3	–	4	–	96	65	1	–
58	Manhattan, total	206	–	–	3	40	13	11	8	1	3	–	4	–	97	66	1	–
59	Balance of county	73	–	–	–	13	2	4	1	–	–	–	6	1	33	20	–	–
60	Rooks	81	–	–	1	10	2	2	1	2	1	–	2	2	51	36	–	–
61	Rush	71	–	–	–	15	6	5	–	1	2	–	1	2	38	30	–	2
62	Russell	114	–	–	2	20	6	7	–	2	1	–	4	3	58	50	–	–
63	Saline	407	1	–	1	83	20	13	8	9	6	3	24	5	220	145	3	2
64	Salina	360	1	–	1	75	17	12	8	8	6	3	21	5	199	130	3	1
65	Balance of county	47	–	–	–	8	3	1	–	1	–	–	3	–	21	15	–	1
66	Scott	35	–	–	–	8	3	3	–	1	–	1	–	2	17	11	1	–
67	Sedgwick	2,740	2	1	25	568	125	163	45	77	22	33	103	49	1,324	1,009	19	17
68	Wichita	2,376	2	1	20	500	111	145	40	68	20	31	85	40	1,154	872	18	10
69	Balance of county	364	–	–	5	68	14	18	5	9	2	2	18	9	170	137	1	7
70	Seward	107	–	–	1	23	8	5	–	4	1	–	5	1	39	30	–	–
71	Liberal	93	–	–	1	18	7	3	–	3	1	–	4	1	34	26	–	–
72	Balance of county	14	–	–	–	5	1	2	–	1	–	–	1	–	5	4	–	–
73	Shawnee	1,352	2	–	9	285	74	65	26	45	7	4	64	25	617	441	3	3
74	Topeka	1,217	2	–	9	257	66	57	23	42	7	3	59	25	555	395	2	3
75	Balance of county	135	–	–	–	28	8	8	3	3	–	1	5	–	62	46	1	–
76	Sheridan	34	–	–	–	6	1	3	1	1	–	–	–	–	16	14	–	–
77	Sherman	69	–	–	1	15	4	6	2	2	–	–	1	2	27	24	–	–
78	Smith	90	–	–	1	9	4	1	–	1	1	–	2	2	56	43	2	–
79	Stafford	83	–	–	–	14	6	5	1	2	–	–	–	1	53	42	1	–
80	Stanton	8	–	–	–	1	1	–	–	–	–	–	–	–	6	3	–	–
81	Stevens	31	–	–	–	5	1	3	–	–	–	–	1	–	15	12	–	–
82	Sumner	286	1	–	1	48	11	10	6	5	2	2	12	5	169	107	2	3
83	Thomas	63	–	–	1	11	2	2	2	1	–	1	3	–	28	17	–	1
84	Trego	49	–	–	–	7	2	3	–	1	–	–	1	–	29	14	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
124	9	-	24	7	8	9	6	1	1	2	-	3	3	6	40	8	12	7	1	1	01
60	2	-	19	2	4	4	3	-	2	-	-	-	1	3	11	2	6	8	-	1	02
28	4	-	11	-	1	2	-	-	1	-	-	4	4	6	14	7	3	1	-	1	03
163	16	1	44	5	6	7	1	1	3	-	-	5	5	5	39	13	9	6	1	1	04
11	-	-	2	-	1	1	1	-	-	-	-	-	-	1	1	5	2	-	-	-	05
39	3	-	9	4	2	2	-	1	-	-	-	-	-	-	14	4	2	-	-	-	06
21	-	-	4	1	1	2	1	-	-	-	-	-	-	-	2	6	-	-	-	-	07
129	7	1	25	5	3	21	3	1	2	1	-	1	-	5	27	5	11	5	2	-	08
72	2	-	13	5	1	8	1	-	2	-	-	1	-	2	15	1	6	3	1	-	09
57	5	1	12	-	2	13	2	1	-	1	-	-	-	3	12	4	5	2	1	-	10
6	1	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	11
151	24	3	41	3	3	14	8	1	2	2	-	3	4	8	48	6	21	5	5	1	12
99	19	1	27	1	1	7	5	1	1	-	-	2	3	5	35	4	17	5	4	1	13
52	5	2	14	2	2	7	3	-	1	2	-	1	1	3	13	2	4	-	1	-	14
30	1	-	6	1	3	2	-	-	-	-	-	-	-	-	7	3	3	-	-	-	15
56	4	-	15	-	1	3	3	1	-	-	-	-	-	-	14	4	2	-	-	-	16
16	-	-	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	17
92	5	-	33	1	5	17	10	1	4	-	-	2	3	2	24	7	13	3	3	-	18
61	1	-	23	-	5	11	8	-	4	-	-	1	2	1	17	6	12	2	1	-	19
31	4	-	10	1	-	6	2	1	-	-	-	1	1	1	7	1	1	1	2	-	20
98	3	-	23	3	5	8	5	-	3	2	1	2	2	6	15	10	5	-	-	1	21
42	-	-	10	2	3	2	5	-	1	1	1	1	1	3	8	4	1	-	-	1	22
56	3	-	13	1	2	6	-	-	2	1	-	1	1	3	7	6	4	-	-	-	23
64	5	1	14	6	4	8	3	-	2	2	-	-	-	-	13	2	6	-	1	-	24
92	2	1	27	10	3	7	2	-	-	3	-	-	2	3	8	4	8	2	-	1	25
18	3	-	3	-	2	1	-	-	-	-	-	2	-	1	7	1	1	-	-	-	26
89	9	-	18	2	2	13	2	-	2	2	-	1	-	3	15	8	6	5	-	1	27
28	8	-	10	8	2	10	2	-	-	1	-	1	-	1	16	4	3	1	-	1	28
200	16	1	60	14	7	18	2	-	5	3	-	4	5	17	53	9	22	5	1	1	29
76	7	1	19	6	3	5	-	-	3	2	-	2	2	3	21	3	8	2	1	-	30
43	4	-	20	4	1	7	2	-	2	1	-	1	1	4	13	1	8	1	-	1	31
81	5	-	21	4	3	6	-	-	-	-	-	1	2	10	19	5	6	2	-	-	32
28	3	1	11	1	3	5	1	1	2	-	-	-	1	2	16	2	4	-	1	-	33
8	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	1	3	-	1	-	34
39	3	-	23	7	2	5	2	-	1	-	-	2	-	-	13	2	4	-	-	-	35
67	8	-	28	7	4	18	2	1	3	-	-	1	3	-	26	3	6	4	1	-	36
41	4	-	17	4	2	10	2	1	2	-	-	1	-	-	17	1	4	3	-	-	37
26	4	-	11	3	2	8	-	-	1	-	-	-	3	-	9	2	2	1	1	-	38
14	3	-	5	-	1	4	-	-	1	-	-	-	3	-	5	-	1	-	-	-	39
40	3	-	5	3	1	9	1	-	-	-	-	-	-	3	4	2	6	-	1	-	40
60	1	-	18	18	7	6	2	-	-	-	-	1	1	1	10	3	8	1	1	-	41
34	7	-	8	-	-	5	2	-	-	-	-	-	1	-	15	2	3	-	-	-	42
17	2	-	20	1	1	1	-	1	1	-	-	-	-	1	9	3	1	2	-	-	43
38	2	-	9	2	2	8	-	-	-	-	-	-	-	2	9	2	2	-	-	1	44
31	1	-	4	-	1	7	-	-	2	-	-	-	-	-	9	1	2	-	-	-	45
67	3	-	20	-	1	4	1	-	1	-	-	2	-	1	11	1	-	3	-	1	46
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
66	3	-	20	-	1	4	1	-	1	-	-	2	-	1	11	1	-	3	-	1	48
38	4	1	18	5	1	1	-	1	1	-	-	-	1	7	16	2	6	2	-	-	49
7	3	-	-	1	1	2	-	1	-	-	-	2	-	1	2	-	1	1	-	-	50
197	13	1	69	12	9	39	3	2	7	-	-	5	5	5	57	19	19	6	3	-	51
129	11	1	48	9	7	24	1	1	4	-	-	4	3	1	35	9	15	3	2	-	52
68	2	-	21	3	2	15	2	1	3	-	-	1	2	4	22	10	4	3	1	-	53
41	2	-	13	2	3	7	-	2	1	1	-	-	1	-	9	3	4	3	-	-	54
32	7	2	14	-	6	6	-	-	-	1	-	1	-	-	12	8	1	-	-	-	55
76	8	-	31	5	8	17	3	2	5	-	1	5	2	3	31	4	14	1	4	-	56
59	5	-	22	4	5	10	3	2	4	-	-	4	2	3	22	3	10	1	2	-	57
60	5	-	22	4	5	10	3	2	4	-	-	4	2	3	22	3	10	1	2	-	58
17	3	-	9	1	3	7	-	-	1	-	1	1	-	-	9	1	4	-	2	-	59
35	1	-	12	1	2	6	-	-	1	1	-	-	-	-	4	-	3	2	-	-	60
27	1	-	4	3	1	3	-	1	-	1	-	-	-	-	8	-	2	1	-	-	61
38	12	-	6	2	-	5	2	-	1	-	-	1	-	1	11	3	3	4	-	-	62
132	8	-	59	9	7	16	4	-	2	1	1	3	-	3	41	8	9	3	4	2	63
118	8	-	56	7	6	13	4	-	1	1	1	3	-	2	36	3	8	1	4	2	64
14	-	-	3	2	1	3	-	-	1	-	-	-	-	1	5	5	1	2	-	-	65
9	1	-	5	1	-	-	-	-	-	1	-	-	1	2	1	2	-	1	-	-	66
903	70	7	228	46	34	64	25	10	36	9	2	24	39	20	290	90	85	40	31	6	67
786	58	5	204	42	31	57	22	10	32	8	2	21	34	20	249	65	77	31	26	5	68
117	12	2	24	4	3	7	3	-	4	1	-	3	5	-	41	25	8	9	5	1	69
28	2	1	6	1	1	2	1	-	2	-	-	3	-	3	17	7	5	1	2	-	70
24	2	1	6	1	-	2	1	-	2	-	-	3	-	3	14	6	5	1	2	-	71
4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	72
392	43	-	125	30	21	49	12	6	14	3	-	9	19	24	148	34	50	27	18	1	73
353	37	-	116	29	15	45	12	6	13	3	-	7	18	21	133	25	44	25	16	1	74
39	6	-	9	1	6	4	-	-	1	-	-	2	1	3	15	9	6	2	2	-	75
14	-	-	2	-	-	2	-	1	-	-	-	1	-	-	4	1	2	1	-	-	76
21	3	-	3	-	-	4	1	-	3	-	-	-	-	1	6	5	1	3	-	-	77
40	1	2	10	-	1	11	2	-	-	1	-	1	-	-	5	-	2	-	-	-	78
40	1	-	9	2	-	1	-	-	-	-	-	1	-	-	6	1	6	-	-	-	79
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	80
11	1	-	1	1	1	3	-	-	-	-	-	2	1	-	3	-	2	-	-	-	81
91	11	3	39	11	9	8	5	-	2	1	-	1	-	2	26	6	8	2	1	-	82
13	3	-	6	1	4	3	1	-	-	-	-	1	-	1	12	1	3	1	-	-	83
10	2	-	12	1	2	-	-	-	-	-	-	-	-	-	8	3	2	-	-	-	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
01	Wabaunsee	80	–	–	–	19	3	4	3	2	3	–	4	4	44	24	–	–
02	Wallace	16	–	–	–	3	1	1	–	1	–	–	–	1	7	4	–	–
03	Washington	122	–	–	2	19	6	2	2	2	2	–	5	2	68	50	–	–
04	Wichita	22	–	–	1	8	5	2	–	–	–	–	1	–	8	7	–	–
05	Wilson	163	–	–	1	35	6	13	1	6	2	1	6	3	78	58	–	3
06	Woodson	80	1	–	1	12	1	2	1	5	1	1	1	–	47	40	1	–
07	Wyandotte	1,738	1	–	22	327	88	83	31	34	19	9	63	29	802	610	10	5
08	Kansas City	1,640	–	–	22	302	83	79	28	30	16	7	59	29	763	578	9	5
09	Balance of county	98	1	–	–	25	5	4	3	4	3	2	4	–	39	32	1	–
10	**Kentucky**	33,421	64	3	228	6,400	1,641	1,892	474	681	278	242	1,192	603	17,708	13,231	123	133
11	Urban places	11,273	17	2	75	2,256	589	666	181	233	96	76	415	202	5,936	4,374	42	56
12	Balance of area	22,148	47	1	153	4,144	1,052	1,226	293	448	182	166	777	401	11,772	8,857	81	77
13	Metropolitan counties	12,341	18	2	85	2,570	674	781	199	253	111	99	453	247	6,312	4,692	55	46
14	Urban places	8,341	14	1	59	1,715	458	505	138	172	75	61	306	165	4,317	3,221	31	39
15	Balance of area	4,000	4	1	26	855	216	276	61	81	36	38	147	82	1,995	1,471	24	7
16	Nonmetropolitan counties	21,080	46	1	143	3,830	967	1,111	275	428	167	143	739	356	11,396	8,539	68	87
17	Urban places	2,932	3	1	16	541	131	161	43	61	21	15	109	37	1,619	1,153	11	17
18	Balance of area	18,148	43	–	127	3,289	836	950	232	367	146	128	630	319	9,777	7,386	57	70
19	Adair	149	1	–	1	20	4	6	2	1	1	1	5	4	88	65	1	–
20	Allen	161	1	–	5	19	11	2	1	1	1	1	2	3	94	74	1	3
21	Anderson	106	–	–	1	20	4	4	1	4	2	–	5	2	51	36	–	–
22	Ballard	113	–	–	1	28	6	7	3	3	1	–	8	–	61	40	–	–
23	Barren	364	1	–	4	81	17	20	9	12	4	1	18	4	200	147	1	1
24	Glasgow	150	–	–	2	29	6	6	4	4	3	–	6	1	88	61	1	1
25	Balance of county	214	1	–	2	52	11	14	5	8	1	1	12	3	112	86	–	–
26	Bath	89	–	–	1	17	5	5	2	–	1	2	2	–	52	40	–	–
27	Bell	388	1	–	3	71	16	22	4	10	4	–	15	5	190	147	3	–
28	Middlesborough	165	–	–	1	32	6	10	3	5	2	–	6	2	88	68	1	–
29	Balance of county	223	1	–	2	39	10	12	1	5	2	–	9	3	102	79	2	–
30	Boone	293	1	–	1	56	10	21	6	5	5	3	6	8	142	119	2	–
31	Florence	122	–	–	–	25	5	7	4	3	2	1	3	3	58	45	–	–
32	Balance of county	171	1	–	1	31	5	14	2	2	3	2	3	5	84	74	2	–
33	Bourbon	213	–	–	4	53	16	14	7	7	1	1	7	3	93	62	–	2
34	Boyd	543	–	–	4	117	35	27	8	12	10	2	23	11	277	222	3	–
35	Ashland	331	–	–	2	69	21	16	5	8	4	1	14	7	174	138	2	–
36	Balance of county	212	–	–	2	48	14	11	3	4	6	1	9	4	103	84	1	–
37	Boyle	259	–	–	2	53	10	14	5	4	1	1	18	6	142	106	–	–
38	Danville	144	–	–	–	33	6	9	3	3	–	1	11	2	80	59	–	–
39	Balance of county	115	–	–	2	20	4	5	2	1	1	–	7	4	62	47	–	–
40	Bracken	94	–	–	–	15	5	6	1	1	1	–	1	1	59	48	–	–
41	Breathitt	130	–	–	–	17	5	4	–	3	–	2	3	4	82	72	1	–
42	Breckinridge	175	1	–	2	32	9	8	5	2	1	1	6	2	105	67	–	–
43	Bullitt	224	1	–	3	46	9	10	6	7	2	4	8	3	103	70	1	–
44	Butler	123	–	–	–	36	10	12	–	4	3	–	7	3	55	42	1	–
45	Caldwell	164	–	–	–	42	6	14	3	4	1	3	11	3	84	65	–	1
46	Calloway	302	–	–	1	45	12	15	2	6	2	3	5	6	184	129	1	1
47	Murray	134	–	–	1	22	5	10	1	3	1	–	2	2	86	55	–	–
48	Balance of county	168	–	–	–	23	7	5	1	3	1	3	3	4	98	74	1	1
49	Campbell	938	2	–	3	192	47	56	14	22	14	9	30	40	483	342	4	2
50	Fort Thomas	182	–	–	–	40	12	9	1	5	4	1	8	2	106	79	–	1
51	Newport	305	2	–	2	58	16	22	1	7	4	1	7	21	144	104	2	1
52	Balance of county	451	–	–	1	94	19	25	12	10	6	7	15	17	233	159	2	–
53	Carlisle	66	–	–	–	17	3	6	1	3	1	–	3	2	30	19	–	–
54	Carroll	117	–	–	–	24	5	8	–	4	1	2	4	2	58	41	1	–
55	Carter	241	–	–	5	42	10	16	1	4	2	2	7	3	127	98	–	–
56	Casey	125	–	–	–	21	5	6	–	4	1	–	5	3	76	49	–	–
57	Christian	523	2	–	2	79	21	23	8	8	3	1	15	10	261	192	3	3
58	Hopkinsville	314	2	–	1	54	18	8	6	6	2	1	13	6	154	108	2	3
59	Balance of county	209	–	–	1	25	3	15	2	2	1	–	2	4	107	84	1	–
60	Clark	251	–	–	1	39	11	12	1	7	–	2	6	1	147	122	2	10
61	Winchester	183	–	–	1	29	7	7	1	7	–	2	5	1	106	90	2	8
62	Balance of county	68	–	–	–	10	4	5	–	–	–	–	1	–	41	32	–	2
63	Clay	168	–	–	3	33	3	11	2	5	3	–	9	7	82	69	–	–
64	Clinton	73	–	–	1	14	2	4	1	3	–	–	4	–	42	37	–	–
65	Crittenden	129	1	–	–	33	10	6	3	3	2	2	7	4	71	60	1	1
66	Cumberland	83	–	–	1	12	1	2	2	–	1	1	5	–	53	44	–	–
67	Daviess	790	–	–	5	157	38	54	12	16	6	7	24	16	444	331	1	6
68	Owensboro	578	–	–	1	110	27	35	10	12	5	5	16	13	330	237	–	5
69	Balance of county	212	–	–	4	47	11	19	2	4	1	2	8	3	114	94	1	1
70	Edmonson	76	–	–	1	7	2	1	2	–	–	–	2	1	46	31	–	1
71	Elliott	51	–	–	–	8	3	1	–	1	1	–	2	2	29	24	–	–
72	Estill	148	1	–	1	29	8	8	1	4	3	–	5	4	86	71	–	–
73	Fayette	1,500	1	–	17	292	77	71	30	34	9	14	57	32	778	597	7	5
74	Lexington	1,403	1	–	16	271	70	66	30	32	9	11	53	32	730	560	7	5
75	Balance of county	97	–	–	1	21	7	5	–	2	–	3	4	–	48	37	–	–
76	Fleming	128	–	–	2	19	5	3	3	5	2	–	1	2	71	55	–	–
77	Floyd	362	–	–	4	62	12	27	3	5	5	3	7	12	187	159	3	–
78	Franklin	377	1	–	4	59	14	18	4	8	4	4	7	8	224	166	1	3
79	Frankfort	267	1	–	2	47	12	15	2	5	2	4	7	4	157	121	1	3
80	Balance of county	110	–	–	2	12	2	3	2	3	2	–	–	4	67	45	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
19	5	1	9	8	2	3	1	–	1	–	–	1	–	–	6	1	–	–	–	–	01
3	1	–	–	2	1	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	02
45	5	–	14	3	1	10	2	–	1	1	–	–	2	–	13	2	–	–	–	–	03
5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	04
54	1	1	14	5	–	11	3	–	2	3	–	1	–	3	16	3	3	–	1	–	05
39	–	–	4	3	–	5	1	–	–	–	–	–	–	2	5	3	–	3	–	–	06
479	116	4	141	28	19	50	12	1	13	11	1	16	33	80	176	49	62	16	29	8	07
452	112	4	135	27	19	45	12	1	13	11	1	16	30	78	163	46	56	16	28	8	08
27	4	–	6	1	–	5	–	–	–	–	–	–	3	2	13	3	6	–	1	–	09
11,307	1,668	102	3,420	505	450	1,099	367	88	362	124	3	201	344	177	3,014	880	954	436	303	63	10
3,744	532	40	1,200	176	146	374	122	41	174	47	1	58	109	42	1,083	178	298	130	110	18	11
7,563	1,136	62	2,220	329	304	725	245	47	188	77	2	143	235	135	1,931	702	656	306	193	45	12
4,122	469	50	1,234	169	167	377	111	37	199	40	1	78	146	50	1,208	238	319	170	115	18	13
2,812	339	33	845	114	104	258	74	29	143	33	1	40	90	26	843	114	221	98	86	14	14
1,310	130	17	389	55	63	119	37	8	56	7	–	38	56	24	365	124	98	72	29	4	15
7,185	1,199	52	2,186	336	283	722	256	51	163	84	2	123	198	127	1,806	642	635	266	188	45	16
932	193	7	355	62	42	116	48	12	31	14	–	18	19	16	240	64	77	32	24	4	17
6,253	1,006	45	1,831	274	241	606	208	39	132	70	2	105	179	111	1,566	578	558	234	164	41	18
55	9	–	18	–	5	4	3	1	–	–	–	–	–	1	10	7	5	3	1	–	19
65	5	–	15	3	2	5	–	–	2	–	–	–	1	1	13	12	4	1	–	–	20
29	7	–	9	3	3	2	1	–	1	2	–	–	–	1	10	5	3	5	2	–	21
34	6	1	14	3	3	1	–	–	–	–	–	1	–	–	13	2	5	1	–	–	22
123	22	–	39	5	9	6	5	3	1	2	–	2	3	–	28	10	7	5	1	1	23
53	6	–	19	3	5	1	3	2	–	1	–	1	1	–	13	4	1	1	1	1	24
70	16	–	20	2	4	5	2	1	1	1	–	1	2	–	15	6	6	4	–	–	25
29	11	1	10	–	1	2	–	2	–	–	–	–	1	1	7	2	3	1	–	–	26
105	39	3	24	16	–	16	5	–	3	1	–	4	6	2	37	15	17	4	6	2	27
42	25	2	15	3	–	12	2	–	2	1	–	–	2	1	12	4	3	1	2	–	28
63	14	1	9	13	–	4	3	–	1	–	–	4	4	1	25	11	14	3	4	2	29
113	4	–	17	1	5	11	–	2	2	–	–	1	6	1	32	15	6	8	–	1	30
42	3	–	10	–	3	7	–	1	1	–	–	–	5	–	11	6	–	4	–	1	31
71	1	–	7	1	2	4	–	1	1	–	–	1	1	1	21	9	6	4	–	–	32
53	7	1	24	4	2	6	2	1	1	–	–	2	1	1	26	7	11	1	1	–	33
191	28	3	31	10	11	22	–	1	6	2	–	2	7	4	51	20	10	3	6	–	34
119	17	3	20	5	8	15	–	–	5	2	–	1	5	2	31	8	5	1	4	–	35
72	11	–	11	5	3	7	–	1	1	–	–	1	2	2	20	12	5	2	2	–	36
104	2	–	21	12	3	5	5	1	1	1	–	3	–	–	19	8	6	4	3	–	37
57	2	–	12	7	2	1	5	1	1	1	–	1	–	–	10	3	2	2	2	–	38
47	–	–	9	5	1	4	–	–	–	–	–	2	–	–	9	5	4	2	1	–	39
44	4	–	10	1	–	2	2	–	–	1	–	–	1	–	6	3	4	–	–	–	40
65	6	–	7	1	2	5	1	–	1	–	–	–	1	–	6	3	5	–	4	1	41
64	3	–	36	2	–	3	2	2	2	–	–	–	–	–	15	1	6	2	–	–	42
64	5	1	24	5	3	5	3	–	2	2	–	1	8	–	20	14	4	2	6	1	43
37	4	1	11	–	1	5	–	–	–	–	–	–	1	–	12	4	5	2	–	–	44
62	2	2	15	1	1	3	–	–	–	1	–	1	1	2	17	1	4	1	3	1	45
80	47	2	42	6	5	9	2	–	2	3	–	1	1	3	21	13	6	2	3	–	46
39	16	1	23	3	4	2	1	–	1	1	–	–	–	1	7	4	4	–	2	–	47
41	31	1	19	3	1	7	1	–	1	2	–	1	1	2	14	9	2	2	1	–	48
314	22	3	110	12	16	36	9	6	18	5	–	6	12	4	76	17	17	7	3	2	49
76	2	–	17	6	4	10	–	–	3	1	–	1	2	1	13	2	1	–	–	–	50
91	10	–	31	5	4	9	7	4	5	1	–	2	5	1	28	2	9	1	2	2	51
147	10	3	62	1	8	17	2	2	10	3	–	3	5	2	35	13	7	6	1	–	52
18	1	1	7	1	2	3	1	–	–	–	–	–	–	–	7	1	1	4	–	–	53
36	4	–	12	3	2	6	–	–	–	1	–	–	4	2	15	1	4	–	–	–	54
73	25	–	19	3	7	13	–	3	2	–	–	–	1	1	21	10	9	3	–	1	55
36	13	–	23	2	2	4	2	–	–	–	–	1	1	1	5	3	3	4	1	–	56
163	23	–	52	11	6	28	11	1	5	5	–	3	10	4	50	16	13	12	10	1	57
93	10	–	33	9	4	18	8	1	4	2	–	2	6	2	32	4	8	5	5	–	58
70	13	–	19	2	2	10	3	–	1	3	–	1	4	2	18	12	5	7	5	1	59
70	40	1	15	4	5	10	6	1	5	–	–	4	4	1	18	4	6	3	1	–	60
53	27	1	9	3	3	8	5	1	2	–	–	3	3	1	15	2	4	1	1	–	61
17	13	–	6	1	2	2	1	–	3	–	–	1	1	–	3	2	2	2	–	–	62
60	9	2	8	2	1	3	5	–	1	–	–	–	2	–	18	8	3	–	3	–	63
32	5	1	4	–	–	4	–	–	–	1	–	–	2	–	3	3	1	1	1	–	64
50	8	–	7	3	1	5	–	–	1	–	–	–	2	–	8	–	1	2	1	–	65
42	2	–	6	2	1	3	1	–	–	–	–	1	1	–	6	2	2	1	–	–	66
249	75	–	94	11	8	24	7	3	10	3	–	5	6	3	55	19	23	5	3	2	67
179	53	–	78	9	6	19	4	2	7	2	–	3	3	3	47	11	17	4	2	–	68
70	22	–	16	2	2	5	3	1	3	1	–	2	3	–	8	8	6	1	1	2	69
25	5	–	15	–	–	2	1	1	–	–	–	1	1	2	4	3	4	–	2	–	70
16	8	–	3	1	1	2	–	–	–	–	–	–	–	1	5	1	2	–	1	–	71
63	8	–	13	1	1	6	3	–	1	–	–	–	3	–	2	4	4	2	2	–	72
525	60	6	145	13	17	38	14	2	23	7	–	9	13	4	155	33	45	22	12	3	73
491	57	6	136	12	16	32	14	2	23	7	–	9	13	3	148	28	41	20	10	3	74
34	3	–	9	1	1	6	–	–	–	–	–	–	–	1	7	5	4	2	2	–	75
48	7	–	13	2	1	7	1	–	1	2	–	1	1	–	10	5	3	1	2	–	76
146	10	–	24	1	3	11	2	–	2	1	–	7	2	1	32	17	10	4	7	1	77
141	21	1	47	2	8	14	1	–	11	3	–	3	–	–	30	3	9	5	1	1	78
101	16	1	29	1	5	12	–	–	10	2	–	1	–	–	19	–	8	3	1	–	79
40	5	–	18	1	3	2	1	–	1	1	–	2	–	–	11	3	1	2	–	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Fulton	163	–	–	–	28	6	10	2	3	2	2	3	2	90	56	–	–
02	Gallatin	53	–	–	1	12	3	5	–	1	–	2	1	–	29	23	–	–
03	Garrard	87	–	–	–	21	6	4	1	5	–	–	5	1	45	38	–	–
04	Grant	127	–	–	1	26	3	10	1	2	1	2	7	1	65	50	–	1
05	Graves	384	–	–	2	72	14	17	10	9	3	1	18	8	220	160	–	1
06	Mayfield	155	–	–	–	29	5	9	3	3	2	–	7	3	86	59	–	–
07	Balance of county	229	–	–	2	43	9	8	7	6	1	1	11	5	134	101	–	1
08	Grayson	214	–	–	1	35	9	11	1	2	2	3	7	2	127	99	2	–
09	Green	116	1	–	1	22	4	6	2	3	–	–	7	–	67	38	–	–
10	Greenup	329	1	–	2	69	18	23	8	8	2	2	8	7	174	131	–	1
11	Hancock	67	–	–	1	14	5	4	–	2	–	1	2	3	34	27	1	1
12	Hardin	419	1	–	9	80	16	34	3	6	3	3	15	5	171	133	2	–
13	Elizabethtown	131	–	–	2	32	5	15	1	–	2	2	7	1	51	39	–	–
14	Balance of county	288	1	–	7	48	11	19	2	6	1	1	8	4	120	94	2	–
15	Harlan	452	1	–	1	85	16	32	2	11	5	1	18	19	209	177	1	2
16	Harrison	182	1	–	–	33	7	8	5	3	2	2	6	3	111	71	–	1
17	Hart	162	1	–	–	34	11	6	5	4	–	1	7	1	83	65	–	–
18	Henderson	387	–	1	4	77	17	25	8	4	6	6	11	9	198	149	–	1
19	Henderson	275	–	1	4	60	12	21	6	3	4	4	10	7	136	103	–	1
20	Balance of county	112	–	–	–	17	5	4	2	1	2	2	1	2	62	46	–	–
21	Henry	148	–	–	–	24	5	6	3	1	–	2	7	4	85	64	1	3
22	Hickman	73	–	–	1	14	8	1	1	1	1	–	2	–	45	33	–	–
23	Hopkins	483	–	–	1	98	19	28	6	13	4	2	26	6	267	214	1	2
24	Madisonville	225	–	–	1	45	8	12	4	4	2	2	13	3	128	108	–	–
25	Balance of county	258	–	–	–	53	11	16	2	9	2	–	13	3	139	106	1	2
26	Jackson	95	1	–	1	22	10	6	2	1	–	–	3	1	53	34	–	1
27	Jefferson	6,556	13	1	47	1,398	371	437	95	133	51	48	263	109	3,283	2,387	31	29
28	Louisville	4,012	9	–	32	838	228	248	63	79	34	24	162	63	2,033	1,498	15	23
29	St. Matthews	172	–	–	–	45	14	10	5	4	1	3	8	1	92	63	1	–
30	Shively	149	1	–	–	35	11	16	–	3	2	2	1	3	75	57	1	1
31	Balance of county	2,223	3	1	15	480	118	163	27	47	14	19	92	42	1,083	769	14	5
32	Jessamine	157	–	–	1	41	10	12	3	4	2	3	7	5	77	58	–	–
33	Johnson	187	–	–	1	24	8	7	1	1	2	–	5	8	110	84	1	–
34	Kenton	1,334	1	–	4	281	79	90	26	27	10	10	39	22	707	545	7	3
35	Covington	748	1	–	2	154	38	52	13	13	6	8	24	12	402	307	3	2
36	Erlanger	64	–	–	–	10	4	3	–	3	–	–	–	1	37	30	–	–
37	Balance of county	522	–	–	2	117	37	35	13	11	4	2	15	9	268	208	4	1
38	Knott	137	–	–	–	26	5	8	1	3	2	1	6	2	71	57	–	1
39	Knox	296	2	–	2	52	15	21	1	7	3	1	4	5	150	116	1	–
40	Larue	141	1	–	1	26	3	6	4	5	3	–	5	1	77	59	1	–
41	Laurel	314	–	–	4	51	15	12	4	6	1	4	9	3	177	140	–	1
42	Lawrence	160	–	–	–	24	9	5	–	2	2	–	6	5	99	84	1	–
43	Lee	75	–	–	–	13	5	–	1	2	1	–	4	–	39	27	–	–
44	Leslie	98	–	–	1	17	3	4	–	1	–	–	9	2	40	33	–	–
45	Letcher	296	1	–	–	53	15	18	2	7	3	–	8	3	154	136	–	–
46	Lewis	150	–	–	2	23	7	3	3	3	1	1	5	4	85	71	1	–
47	Lincoln	166	–	–	2	29	6	12	–	3	1	–	7	1	96	76	1	–
48	Livingston	94	–	–	1	6	3	1	–	–	–	–	2	2	58	40	1	–
49	Logan	257	1	–	–	49	10	16	3	8	2	2	8	7	133	86	–	–
50	Lyon	64	–	–	1	17	6	3	–	1	–	2	5	–	33	22	–	–
51	McCracken	730	–	–	5	139	41	47	10	11	6	3	21	13	398	266	2	2
52	Paducah	508	–	–	3	91	27	30	7	6	4	–	17	7	287	185	1	2
53	Balance of county	222	–	–	2	48	14	17	3	5	2	3	4	6	111	81	1	–
54	McCreary	156	–	–	–	32	6	8	1	3	2	1	11	3	82	65	–	3
55	McLean	124	–	–	1	24	6	3	2	3	–	4	6	1	78	60	–	–
56	Madison	323	–	–	–	69	18	20	9	6	1	2	13	3	169	122	1	1
57	Richmond	124	–	–	–	24	6	8	3	3	–	1	3	–	65	42	–	–
58	Balance of county	199	–	–	–	45	12	12	6	3	1	1	10	3	104	80	1	1
59	Magoffin	107	–	–	–	15	4	4	–	3	–	1	3	–	64	51	–	–
60	Marion	173	–	–	–	31	5	12	4	4	1	–	5	2	97	72	1	2
61	Marshall	249	–	–	1	48	15	13	2	6	1	1	10	3	150	120	1	1
62	Martin	70	1	–	–	10	5	2	–	–	–	1	2	1	29	17	–	–
63	Mason	227	3	–	1	35	9	8	5	3	1	3	6	2	143	113	1	1
64	Meade	104	–	–	1	19	2	5	–	3	2	1	6	–	58	41	1	–
65	Menifee	38	–	–	–	3	–	1	–	1	–	–	1	–	23	17	–	–
66	Mercer	159	1	–	3	36	16	9	2	2	4	–	3	1	82	58	1	–
67	Metcalfe	111	2	–	–	13	6	2	2	1	1	–	1	1	70	53	–	–
68	Monroe	143	1	–	–	18	4	6	1	3	–	–	4	4	83	66	–	2
69	Montgomery	170	–	–	–	33	10	10	1	1	3	2	6	3	82	66	–	1
70	Morgan	115	1	–	2	20	7	6	1	–	1	2	3	–	64	51	–	1
71	Muhlenberg	317	–	–	3	60	11	16	4	10	2	1	16	6	156	107	–	1
72	Nelson	209	–	–	3	43	13	16	2	4	2	1	5	5	110	93	1	–
73	Nicholas	97	–	–	2	17	7	4	–	2	–	1	3	1	57	39	1	–
74	Ohio	248	–	–	–	34	11	2	3	7	1	2	8	7	126	90	–	1
75	Oldham	139	–	–	1	21	5	6	1	1	–	2	6	–	76	52	2	–
76	Owen	96	–	–	–	18	7	5	2	1	1	–	2	–	63	39	1	–
77	Owsley	53	–	–	–	5	1	–	–	–	–	–	4	2	33	24	–	2
78	Pendleton	106	–	–	1	18	8	2	3	2	–	–	3	2	66	44	–	–
79	Perry	318	–	–	1	58	11	23	1	7	2	5	9	4	162	135	1	2
80	Pike	609	3	–	–	100	23	34	9	7	4	6	17	18	311	245	4	1
81	Powell	81	1	–	–	15	4	5	2	–	2	–	2	1	38	31	–	–
82	Pulaski	422	1	–	4	67	20	19	4	6	1	3	14	5	250	180	2	–
83	Somerset	131	–	–	2	23	6	7	2	3	–	–	5	–	85	58	1	–
84	Balance of county	291	1	–	2	44	14	12	2	3	1	3	9	5	165	122	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
50	6	1	21	8	4	10	3	2	–	–	–	–	2	4	17	–	1	2	–	2	01
19	4	–	5	1	–	4	–	–	–	–	–	–	2	–	2	1	1	1	–	–	02
22	16	–	7	–	–	4	1	–	–	–	–	1	–	–	7	4	–	2	1	–	03
45	4	1	9	4	1	4	1	–	–	–	–	1	–	–	15	4	5	3	1	–	04
104	55	–	52	5	3	13	5	1	2	1	–	–	1	3	25	15	10	5	–	1	05
40	19	–	24	1	2	5	3	1	–	1	–	–	–	1	13	6	5	1	–	1	06
64	36	–	28	4	1	8	2	–	2	–	–	–	1	2	12	9	5	4	–	–	07
89	8	–	24	2	2	13	3	–	2	–	–	3	2	–	17	3	2	3	1	–	08
34	4	–	24	4	1	2	1	–	–	–	–	–	–	–	18	3	1	–	–	–	09
117	13	1	27	9	6	10	7	1	8	–	1	1	4	–	17	10	11	4	2	–	10
20	5	1	5	1	–	2	–	–	2	–	–	–	1	–	5	1	2	2	–	–	11
114	17	–	31	4	3	25	1	2	9	1	–	7	9	1	52	18	19	3	2	4	12
33	6	–	9	3	–	17	–	1	1	–	–	2	–	1	14	2	5	–	1	1	13
81	11	–	22	1	3	8	1	1	8	1	–	5	9	–	38	16	14	3	1	3	14
162	12	–	25	–	7	9	7	1	8	3	–	1	9	8	41	16	15	8	10	1	15
67	3	1	24	13	2	8	–	–	–	3	–	2	2	1	10	4	–	3	1	–	16
50	15	–	14	1	3	5	1	1	1	–	–	1	–	–	21	5	5	1	1	1	17
142	6	–	33	9	7	11	2	3	4	2	–	3	5	1	45	6	10	4	2	–	18
97	5	–	23	5	5	9	1	3	3	2	–	1	4	–	35	2	4	1	2	–	19
45	1	–	10	4	2	2	1	–	1	–	–	2	1	1	10	4	6	3	–	–	20
59	1	1	15	3	2	9	1	–	1	–	–	1	–	1	16	3	3	–	–	–	21
31	2	1	8	1	2	1	1	–	–	1	–	–	–	1	6	1	1	1	–	–	22
195	16	–	41	7	5	16	2	2	2	–	–	3	2	–	42	12	13	14	2	1	23
98	10	–	17	2	1	7	–	1	1	–	–	1	1	–	22	4	5	6	–	–	24
97	6	–	24	5	4	9	2	1	1	–	–	2	1	–	20	8	8	8	2	1	25
29	4	–	15	2	2	5	1	–	1	–	–	–	1	–	4	1	3	–	1	–	26
2,081	246	35	692	85	84	184	69	14	109	18	1	40	83	28	673	110	182	107	80	7	27
1,289	171	21	426	46	42	114	41	10	79	12	1	13	44	15	418	48	124	57	56	5	28
57	5	1	22	4	2	6	1	2	1	1	–	1	–	–	16	1	1	2	1	1	29
54	1	–	13	3	2	6	1	–	2	2	–	–	–	–	18	–	3	2	1	–	30
681	69	13	231	32	38	58	26	2	27	3	–	26	39	13	221	61	54	46	22	1	31
48	10	–	9	8	2	7	2	–	3	1	–	2	–	1	12	1	2	2	–	–	32
73	10	–	15	6	5	6	2	1	–	–	–	–	4	2	10	5	8	–	4	2	33
507	28	3	112	28	19	51	10	6	27	3	–	12	14	5	121	18	26	14	9	3	34
287	15	2	64	18	11	29	4	5	13	3	–	8	9	1	72	6	15	4	7	1	35
30	–	–	5	1	1	2	1	–	1	–	–	1	–	–	6	–	1	2	1	1	36
190	13	1	43	9	7	20	5	1	13	–	–	3	5	4	43	12	10	8	1	1	37
47	9	1	13	–	–	3	–	–	–	1	–	2	2	2	11	9	5	–	2	1	38
89	26	2	25	2	5	15	4	–	1	1	–	2	4	2	36	6	9	1	4	–	39
41	17	1	16	–	1	6	3	1	–	–	–	–	2	1	12	5	4	–	1	–	40
110	29	1	32	–	4	6	1	–	5	1	–	2	1	3	33	11	8	3	4	1	41
76	7	–	9	5	1	4	–	–	–	–	–	2	4	1	16	1	3	1	–	–	42
24	3	–	9	1	2	2	–	–	1	1	–	2	–	–	6	4	2	5	–	–	43
29	4	–	6	–	1	3	2	–	–	–	–	2	2	2	14	6	4	1	2	–	44
119	17	–	16	1	1	9	9	1	3	3	–	2	5	1	21	14	10	4	3	–	45
62	8	–	10	1	3	3	3	–	1	–	–	–	–	4	16	4	4	1	–	–	46
67	8	–	15	3	2	4	1	–	–	1	–	1	–	–	17	4	7	3	–	–	47
38	1	–	15	–	3	7	3	–	1	1	–	–	–	–	6	3	4	1	1	–	48
53	33	1	40	3	3	13	7	2	2	–	–	4	4	1	17	7	7	2	1	–	49
22	–	–	6	1	4	2	1	–	–	–	–	–	–	–	5	2	1	1	1	–	50
220	42	2	110	10	10	20	19	2	4	3	–	5	9	–	50	18	27	15	3	–	51
150	32	2	87	5	8	13	13	2	4	3	–	2	2	–	40	11	18	9	3	–	52
70	10	–	23	5	2	7	6	–	–	–	–	3	7	–	10	7	9	6	–	–	53
39	23	–	14	1	2	4	–	–	1	–	–	–	3	2	9	6	10	1	2	1	54
45	15	–	15	1	2	5	–	–	–	1	–	–	–	–	7	2	5	–	–	–	55
109	11	–	34	11	2	13	3	–	3	2	–	2	7	6	19	10	12	2	3	–	56
41	1	–	15	8	–	9	1	–	2	1	–	2	2	1	6	3	8	–	–	–	57
68	10	–	19	3	2	4	2	–	1	1	–	–	5	5	13	7	4	2	3	–	58
38	13	–	10	2	1	1	1	–	1	1	–	–	2	1	8	3	5	–	3	2	59
63	6	2	18	2	3	3	1	1	3	2	–	–	–	1	14	7	8	3	–	–	60
111	7	–	24	1	5	3	1	1	1	–	–	1	1	–	20	6	8	4	–	1	61
11	6	–	12	–	–	1	1	–	–	–	–	–	1	3	14	1	6	2	–	–	62
103	8	1	25	3	1	4	6	–	3	2	–	–	–	3	13	3	6	2	1	–	63
35	5	–	14	1	2	3	1	–	1	–	–	1	1	–	9	2	4	3	1	–	64
12	5	–	5	–	1	1	1	1	–	–	–	–	1	1	2	1	2	1	1	–	65
51	6	–	17	2	5	2	1	–	–	1	–	–	1	–	15	6	6	3	1	–	66
48	5	–	15	2	–	4	2	–	–	–	–	–	1	–	9	3	1	4	1	–	67
56	8	1	10	3	3	4	–	–	–	3	–	–	–	3	13	8	1	4	1	–	68
55	10	1	9	3	3	9	1	–	2	–	–	1	4	–	16	8	5	5	1	–	69
43	7	–	11	1	1	2	1	–	–	1	–	2	1	2	8	3	6	–	2	–	70
81	25	1	38	4	6	12	2	–	–	1	–	–	1	1	51	6	13	2	2	1	71
83	9	–	12	2	3	4	3	1	3	2	–	2	1	–	18	3	8	2	1	–	72
36	2	–	15	3	–	4	–	–	1	–	–	–	–	–	10	1	3	–	1	–	73
82	7	3	26	2	5	27	4	–	–	–	–	–	–	3	22	12	9	3	1	–	74
46	4	–	18	4	2	3	2	–	2	–	–	2	3	–	14	8	5	1	1	–	75
38	–	–	23	–	1	3	2	–	–	–	–	–	2	–	4	1	2	1	–	–	76
18	4	–	6	3	–	2	1	–	1	–	–	–	–	–	5	3	–	1	–	–	77
30	14	–	16	3	3	2	1	1	1	1	–	–	1	1	5	3	2	–	1	–	78
124	8	–	23	–	4	8	1	–	8	3	1	2	4	3	24	13	15	5	5	1	79
212	28	4	52	3	7	13	17	1	9	5	–	4	8	5	49	23	21	7	12	3	80
23	8	–	7	–	–	5	–	–	–	–	–	1	2	–	8	3	3	1	3	–	81
164	14	–	54	11	5	13	7	–	3	–	–	4	3	2	29	17	8	4	4	1	82
50	7	–	21	4	2	3	3	–	1	–	–	1	–	–	10	2	–	–	1	–	83
114	7	–	33	7	3	10	4	–	2	–	–	3	3	2	19	15	8	4	3	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Robertson	33	–	–	1	3	1	–	1	1	–	–	–	–	23	12	–	–
02	Rockcastle	132	–	–	2	24	7	6	3	2	–	2	4	3	71	56	1	2
03	Rowan	128	1	–	1	24	2	9	3	3	1	3	3	1	63	43	–	–
04	Russell	144	2	–	1	33	10	6	–	2	–	4	11	4	71	55	1	1
05	Scott	191	–	–	1	34	9	8	2	5	–	2	8	2	98	68	2	–
06	Shelby	227	–	–	1	44	11	15	4	2	3	–	9	3	129	74	–	–
07	Simpson	150	–	–	–	27	4	9	4	3	1	1	5	–	98	75	–	6
08	Spencer	54	–	–	–	14	1	5	1	1	3	–	3	1	19	16	1	–
09	Taylor	188	–	–	1	33	7	10	1	5	4	1	5	3	105	79	–	–
10	Todd	139	1	–	2	17	3	6	1	1	–	1	5	2	77	56	–	–
11	Trigg	109	–	–	2	22	9	5	2	2	–	1	3	–	55	44	1	–
12	Trimble	44	–	–	–	2	–	–	2	–	–	–	–	–	27	15	–	–
13	Union	171	–	–	–	33	10	7	2	6	5	1	2	3	94	75	–	–
14	Warren	513	–	1	1	84	26	21	5	12	2	5	13	6	277	182	3	–
15	Bowling Green	301	–	1	–	51	14	15	3	9	1	2	7	5	158	100	2	–
16	Balance of county	212	–	–	1	33	12	6	2	3	1	3	6	1	119	82	1	–
17	Washington	108	–	–	–	18	3	6	2	3	–	2	2	3	60	48	–	–
18	Wayne	149	–	–	2	27	6	10	–	1	3	1	6	5	86	66	1	12
19	Webster	196	–	–	3	40	13	12	4	5	–	1	5	4	112	87	–	3
20	Whitley	336	1	–	3	60	13	19	3	9	3	–	13	2	168	131	2	1
21	Wolfe	81	–	–	1	9	–	3	1	1	–	1	3	2	40	29	–	–
22	Woodford	175	4	–	1	48	17	12	5	6	1	–	7	3	96	62	–	–
23	**Louisiana**	**35,242**	**85**	**7**	**428**	**6,714**	**1,574**	**1,820**	**466**	**738**	**271**	**281**	**1,564**	**738**	**17,114**	**12,647**	**135**	**186**
24	Urban places	17,257	51	6	225	3,408	836	880	241	369	138	137	807	376	8,190	6,080	77	97
25	Balance of area	17,985	34	1	203	3,306	738	940	225	369	133	144	757	362	8,924	6,567	58	89
26	Metropolitan parishes	18,807	50	4	245	3,748	890	980	268	395	173	150	892	412	8,906	6,694	81	96
27	Urban places	13,881	41	4	189	2,752	668	697	200	300	122	110	655	316	6,536	4,893	66	81
28	Balance of area	4,926	9	–	56	996	222	283	68	95	51	40	237	96	2,370	1,801	15	15
29	Nonmetropolitan parishes	16,435	35	3	183	2,966	684	840	198	343	98	131	672	326	8,208	5,953	54	90
30	Urban places	3,376	10	2	36	656	168	183	41	69	16	27	152	60	1,654	1,187	11	16
31	Balance of area	13,059	25	1	147	2,310	516	657	157	274	82	104	520	266	6,554	4,766	43	74
32	Acadia	515	–	–	8	98	27	28	4	9	3	7	20	10	256	181	1	–
33	Crowley	176	–	–	1	36	12	11	–	1	1	–	11	6	78	51	–	–
34	Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Balance of parish	339	–	–	7	62	15	17	4	8	2	7	9	4	178	130	1	–
36	Allen	245	–	–	4	46	11	11	4	8	2	2	8	4	123	91	–	1
37	Ascension	319	2	–	3	57	14	13	5	8	1	3	13	6	143	101	2	2
38	Assumption	189	–	–	2	37	6	8	2	4	–	2	15	3	88	68	–	–
39	Avoyelles	456	–	–	8	79	22	19	3	12	3	4	16	5	244	184	1	1
40	Beauregard	222	–	–	5	33	8	5	1	7	1	–	11	5	126	104	–	–
41	Bienville	195	1	–	1	37	5	13	3	2	1	2	11	7	87	61	2	3
42	Bossier	523	–	–	10	100	31	33	5	7	2	7	15	18	251	180	3	3
43	Bossier City	291	–	–	6	62	19	25	4	2	2	5	5	9	131	91	2	1
44	Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of parish	232	–	–	4	38	12	8	1	5	–	2	10	9	120	89	1	2
46	Caddo	2,511	3	–	40	537	133	131	39	72	22	14	126	59	1,153	847	13	13
47	Shreveport, part	2,157	3	–	34	472	110	115	32	67	17	12	119	51	978	714	12	11
48	Shreveport, total	2,157	3	–	34	472	110	115	32	67	17	12	119	51	978	714	12	11
49	Balance of parish	354	–	–	6	65	23	16	7	5	5	2	7	8	175	133	1	2
50	Calcasieu	1,339	1	–	14	269	57	76	21	27	16	6	66	26	645	443	12	9
51	Lake Charles	727	1	–	6	159	29	52	16	16	9	2	35	20	343	230	9	8
52	Sulphur	149	–	–	3	34	9	6	2	2	3	1	11	2	73	55	–	1
53	Balance of parish	463	–	–	5	76	19	18	3	9	4	3	20	4	229	158	3	–
54	Caldwell	113	–	–	1	16	6	6	–	–	1	1	2	3	61	40	–	2
55	Cameron	75	–	–	1	10	1	7	–	–	–	–	2	3	32	23	1	–
56	Catahoula	117	–	–	1	19	6	5	1	2	–	2	3	4	62	40	1	–
57	Claiborne	230	–	–	2	37	10	8	2	8	1	1	7	1	127	92	1	2
58	Concordia	206	–	–	3	38	11	7	4	6	–	1	9	1	106	66	1	2
59	De Soto	316	–	–	6	52	7	22	6	7	1	1	8	4	150	88	1	–
60	East Baton Rouge	2,280	5	–	26	421	97	110	38	51	17	23	85	34	1,160	942	9	8
61	Baton Rouge	1,833	5	–	21	324	81	83	29	35	16	14	66	25	954	776	9	5
62	Balance of parish	447	–	–	5	97	16	27	9	16	1	9	19	9	206	166	–	3
63	East Carroll	143	1	–	2	25	6	8	1	6	–	–	4	5	70	36	–	2
64	East Feliciana	162	–	–	–	16	6	4	1	2	1	1	1	3	94	68	1	1
65	Evangeline	336	–	–	3	64	16	20	5	9	2	4	8	9	166	139	1	2
66	Franklin	266	–	–	1	49	13	18	2	7	2	1	6	8	143	106	–	–
67	Grant	156	–	–	–	34	7	7	–	4	1	5	10	2	72	51	–	–
68	Iberia	553	1	–	12	99	27	34	5	6	3	7	17	9	259	180	1	1
69	New Iberia	313	1	–	5	56	16	21	3	2	2	2	10	1	148	101	1	1
70	Balance of parish	240	–	–	7	43	11	13	2	4	1	5	7	8	111	79	–	–
71	Iberville	358	–	–	5	63	17	14	2	7	4	4	15	12	176	121	2	17
72	Jackson	191	2	–	1	25	8	7	2	6	–	1	1	6	108	62	2	–
73	Jefferson	2,645	9	–	28	568	121	174	33	46	26	25	143	63	1,229	958	8	4
74	Gretna	315	2	–	3	64	13	18	3	7	3	4	16	6	145	116	2	–
75	Harahan	85	–	–	–	17	2	5	1	3	–	2	4	1	40	33	–	–
76	Kenner	266	–	–	1	52	10	17	1	4	2	7	11	9	128	101	3	1
77	Westwego	120	–	–	4	27	3	13	3	1	1	–	6	–	61	49	–	2
78	Balance of parish	1,859	7	–	20	408	93	121	25	31	20	12	106	47	855	659	3	1
79	Jefferson Davis	298	1	–	2	54	12	18	7	6	–	1	10	12	141	93	1	1
80	Jennings	120	–	–	–	23	4	7	3	3	–	1	5	2	58	44	–	1
81	Balance of parish	178	1	–	2	31	8	11	4	3	–	–	5	10	83	49	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
11	1	–	8	2	1	–	1	–	–	–	–	–	–	–	3	–	–	1	–	1	01
37	16	–	10	1	4	5	2	–	2	–	–	2	1	–	10	3	4	1	2	–	02
37	6	–	16	3	1	5	–	1	2	1	–	–	2	1	15	4	6	–	–	1	03
48	5	–	13	–	3	4	–	–	2	1	–	1	1	–	17	2	4	1	–	–	04
61	5	1	19	6	4	4	5	–	–	–	–	1	1	3	21	5	9	2	4	1	05
71	3	1	41	6	7	6	2	1	2	1	–	1	2	–	21	4	8	2	–	–	06
61	8	1	20	1	1	6	–	–	–	1	–	–	1	–	8	4	2	–	3	–	07
13	2	–	2	–	1	6	1	1	–	–	–	1	–	–	6	4	1	–	–	–	08
72	7	–	22	1	3	9	–	2	1	–	–	1	–	–	19	2	6	3	2	1	09
50	6	1	18	1	1	6	4	2	1	1	–	1	1	–	16	3	2	2	1	–	10
36	7	–	8	2	1	12	–	–	1	–	–	1	–	–	11	2	1	1	1	–	11
15	–	1	9	2	–	2	1	–	1	–	–	–	–	–	8	3	–	–	–	–	12
71	4	–	14	5	–	4	1	1	2	1	–	1	1	2	12	5	4	3	2	2	13
155	24	1	73	12	9	16	8	2	3	1	–	3	4	11	35	26	19	8	7	1	14
82	16	–	42	10	6	8	4	2	2	1	–	2	2	8	27	15	6	3	5	1	15
73	8	1	31	2	3	8	4	–	1	–	–	1	2	3	8	11	13	5	2	–	16
46	2	–	10	1	1	4	2	–	–	–	–	1	–	2	10	1	4	2	1	–	17
43	10	–	15	4	1	3	1	–	–	–	–	–	–	–	13	2	5	3	2	–	18
73	11	–	18	5	2	5	1	–	–	1	–	2	–	1	15	4	5	–	1	2	19
92	36	–	31	4	2	12	6	2	–	2	–	2	2	5	41	9	10	6	3	2	20
26	3	–	10	–	1	5	2	–	–	–	–	–	2	1	9	8	–	1	1	–	21
54	8	–	26	6	2	3	2	–	1	1	–	–	1	–	10	–	4	1	–	–	22
10,776	1,550	97	3,338	637	395	988	357	85	410	237	14	274	672	466	3,107	1,127	1,256	471	666	26	23
5,147	759	53	1,579	282	196	464	178	41	235	131	7	116	350	229	1,598	423	585	217	416	11	24
5,629	791	44	1,759	355	199	524	179	44	175	106	7	158	322	237	1,509	704	671	254	250	15	25
5,673	844	54	1,650	305	203	469	196	43	254	139	8	136	376	245	1,716	493	636	270	444	17	26
4,116	630	43	1,247	204	149	351	150	29	192	109	7	99	289	195	1,279	326	472	179	356	10	27
1,557	214	11	403	101	54	118	46	14	62	30	1	37	87	50	437	167	164	91	88	7	28
5,103	706	43	1,688	332	192	519	161	42	156	98	6	138	296	221	1,391	634	620	201	222	9	29
1,031	129	10	332	78	47	113	28	12	43	22	–	17	61	34	319	97	113	38	60	1	30
4,072	577	33	1,356	254	145	406	133	30	113	76	6	121	235	187	1,072	537	507	163	162	8	31
165	15	4	48	17	6	14	5	3	9	7	–	6	2	4	54	21	8	4	6	–	32
47	4	3	13	8	3	6	3	1	3	2	–	–	1	1	22	8	4	2	2	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
118	11	1	35	9	3	8	2	2	6	5	–	6	1	3	32	13	4	2	4	–	35
77	13	–	26	5	1	6	7	–	4	3	–	1	2	1	23	9	8	4	–	–	36
88	9	1	27	11	3	8	4	1	4	3	–	3	5	5	37	19	13	4	2	–	37
62	6	1	13	4	2	6	3	–	–	–	–	2	4	–	18	11	8	4	3	–	38
161	21	2	44	9	5	14	6	2	3	1	–	4	6	4	32	18	19	5	6	–	39
94	10	–	16	4	2	5	5	–	1	3	–	4	3	1	12	4	11	2	2	–	40
42	14	–	21	2	3	7	7	–	1	1	1	–	5	9	15	7	4	1	3	1	41
144	30	1	40	26	4	15	5	3	6	2	–	1	10	5	47	18	21	6	5	–	42
77	11	1	23	12	4	7	3	2	3	–	–	–	7	2	27	13	14	3	2	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
67	19	–	17	14	–	8	2	1	3	2	–	1	3	3	20	5	7	3	3	–	45
730	91	7	256	14	29	87	24	5	26	9	–	20	42	30	232	72	83	34	55	–	46
611	80	6	221	11	26	69	20	3	24	9	–	19	34	26	197	62	76	32	48	–	47
611	80	6	221	11	26	69	20	3	24	9	–	19	34	26	197	62	76	32	48	–	48
119	11	1	35	3	3	18	4	2	2	–	–	1	8	4	35	10	7	2	7	–	49
349	73	4	137	51	10	30	27	2	19	16	1	7	30	14	105	38	54	17	22	2	50
172	41	4	76	28	5	20	14	1	12	8	1	2	16	9	55	15	24	9	12	–	51
46	8	–	11	5	2	3	3	–	3	–	–	–	2	2	7	6	9	2	–	–	52
131	24	–	50	18	3	7	10	1	4	8	–	5	12	3	43	17	21	6	10	2	53
34	4	2	13	2	4	1	2	1	2	2	–	–	1	2	9	7	5	–	–	–	54
18	4	–	8	1	–	2	2	–	1	–	–	2	–	2	2	8	6	3	1	–	55
35	4	–	15	7	–	6	2	–	1	–	–	2	1	2	10	2	3	1	1	–	56
79	10	2	29	1	3	11	1	–	5	4	–	–	4	2	13	9	6	4	4	–	57
54	9	–	33	1	6	5	1	–	2	1	–	2	5	1	15	8	12	2	4	–	58
73	14	–	55	5	2	11	–	2	2	–	–	5	10	5	37	13	15	1	3	–	59
877	48	5	154	35	24	66	15	5	21	20	3	17	53	10	166	87	73	42	47	9	60
723	39	4	129	26	19	54	13	4	17	18	3	15	44	9	131	65	57	30	36	8	61
154	9	1	25	9	5	12	2	1	4	2	–	2	9	1	35	22	16	12	11	1	62
31	3	1	18	14	1	5	–	1	2	2	–	2	3	2	12	3	4	2	2	–	63
53	13	–	25	1	–	6	–	–	1	2	–	2	1	–	15	4	11	4	3	–	64
115	21	–	19	6	2	12	4	–	5	2	–	1	2	–	35	9	13	9	2	–	65
99	7	–	35	1	1	19	2	1	1	–	–	–	5	2	18	5	5	2	5	–	66
49	2	–	16	2	3	3	2	–	2	1	–	–	3	4	12	8	9	2	2	–	67
157	21	–	53	20	6	10	4	1	4	7	–	8	11	6	49	32	29	4	8	–	68
88	11	–	31	11	5	7	–	1	3	2	–	3	9	4	33	16	15	2	7	–	69
69	10	–	22	9	1	3	4	–	1	5	–	5	2	2	16	16	14	2	1	–	70
89	13	1	41	10	3	12	1	–	5	2	–	3	5	6	37	11	16	1	3	–	71
57	3	1	38	6	1	4	3	1	4	–	–	–	5	3	12	5	8	2	2	–	72
843	103	6	207	28	30	43	22	9	42	18	–	22	52	17	244	67	88	58	62	4	73
104	10	1	27	–	1	5	5	–	10	3	–	3	9	1	31	9	8	7	4	–	74
31	2	1	4	1	1	3	1	–	3	1	–	1	–	1	9	2	3	1	2	–	75
82	15	–	18	3	6	3	–	3	1	2	–	4	7	–	22	9	9	6	10	–	76
45	2	–	9	–	3	1	–	–	1	2	–	–	3	–	10	2	3	2	4	–	77
581	74	4	149	24	19	31	16	6	27	10	–	14	33	15	172	45	65	42	42	4	78
76	15	–	29	14	5	14	5	1	2	2	–	–	10	6	20	8	13	4	3	–	79
35	8	–	7	5	2	5	3	–	2	–	–	–	3	4	9	2	6	2	1	–	80
41	7	–	22	9	3	9	2	1	–	2	–	–	7	2	11	6	7	2	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infectiye and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Louisiana—Con.																	
01	Lafayette	874	1	1	10	184	38	52	20	22	6	8	38	9	393	270	2	4
02	Lafayette	605	1	1	8	125	25	39	17	15	3	8	18	5	278	182	1	4
03	Balance of parish	269	–	–	2	59	13	13	3	7	3	–	20	4	115	88	1	–
04	Lafourche	488	2	–	4	101	19	32	8	10	1	3	28	15	239	184	1	1
05	Thibodaux	125	–	–	1	31	10	8	4	2	–	1	6	7	55	43	1	1
06	Balance of parish	363	2	–	3	70	9	24	4	8	1	2	22	8	184	141	–	–
07	La Salle	156	–	–	1	26	6	8	2	2	–	1	7	2	81	59	–	–
08	Lincoln	264	1	–	1	59	13	16	7	9	3	2	9	6	138	91	2	1
09	Ruston	131	–	–	1	29	9	8	5	3	1	–	3	3	65	43	2	1
10	Balance of parish	133	1	–	–	30	4	8	2	6	2	2	6	3	73	48	–	–
11	Livingston	385	–	–	3	68	12	26	6	3	3	1	17	13	178	136	1	1
12	Madison	174	–	–	1	35	8	4	4	7	2	–	10	1	92	70	2	2
13	Morehouse	362	1	–	1	61	19	16	6	7	1	2	10	7	192	123	–	8
14	Bastrop	187	–	–	1	33	13	9	–	4	1	2	4	3	92	60	–	4
15	Balance of parish	175	1	–	–	28	6	7	6	3	–	–	6	4	100	63	–	4
16	Natchitoches	397	1	–	6	75	18	24	5	4	2	2	20	6	235	172	3	–
17	Natchitoches	175	–	–	3	38	10	14	4	2	1	–	7	2	108	67	1	–
18	Balance of parish	222	1	–	3	37	8	10	1	2	1	2	13	4	127	105	2	–
19	Orleans, coext. with New Orleans city	6,288	26	3	97	1,230	323	270	77	128	58	49	325	162	2,913	2,185	26	42
20	Ouachita	1,136	5	–	5	198	51	56	17	22	7	9	36	23	546	396	2	6
21	Monroe	661	2	–	2	112	28	34	9	13	5	4	19	20	313	235	1	4
22	West Monroe	212	1	–	3	33	11	8	2	–	1	2	9	1	112	75	1	2
23	Balance of parish	263	2	–	–	53	12	14	6	9	1	3	8	2	121	86	–	–
24	Plaquemines	177	–	–	3	33	10	10	3	1	1	3	5	2	80	66	3	–
25	Pointe Coupee	217	–	–	4	44	8	11	3	5	2	5	10	5	99	80	–	–
26	Rapides	1,195	7	1	12	221	45	65	15	28	7	9	52	11	609	466	3	3
27	Alexandria	604	4	1	8	121	26	34	7	19	3	7	25	6	292	223	1	3
28	Balance of parish	591	3	–	4	100	19	31	8	9	4	2	27	5	317	243	2	–
29	Red River	116	–	–	1	12	3	3	–	3	–	1	2	4	56	34	1	–
30	Richland	243	1	–	4	50	15	11	–	6	1	3	14	–	128	98	–	2
31	Sabine	283	1	–	1	39	8	13	2	5	1	–	10	8	147	93	–	7
32	St. Bernard	457	–	–	6	93	17	30	8	4	10	2	22	5	237	182	1	1
33	St. Charles	199	–	–	4	35	8	16	2	1	–	–	8	5	94	77	–	–
34	St. Helena	103	–	–	–	18	4	2	–	5	1	3	3	4	43	30	2	–
35	St. James	157	–	–	3	35	11	7	4	3	–	1	9	8	76	54	1	–
36	St. John the Baptist	221	1	–	4	44	13	9	6	3	2	1	10	6	102	70	1	2
37	St. Landry	784	1	1	14	153	36	37	9	15	5	8	43	18	375	291	2	4
38	Eunice, part	118	1	–	3	22	3	5	3	2	1	1	7	1	55	45	–	1
39	Eunice, total	118	1	–	3	22	3	5	3	2	1	1	7	1	55	45	–	1
40	Opelousas	209	–	–	3	45	8	12	2	5	–	4	14	7	86	71	1	–
41	Balance of parish	457	–	1	8	86	25	20	4	8	4	3	22	10	234	175	1	3
42	St. Martin	289	–	–	2	72	16	26	6	8	3	1	12	4	143	106	1	4
43	St. Mary	477	2	1	5	92	22	27	6	8	5	4	20	8	207	166	–	–
44	Morgan City	145	2	1	2	30	8	8	1	4	–	–	9	5	61	46	–	–
45	Balance of parish	332	–	–	3	62	14	19	5	4	5	4	11	3	146	120	–	–
46	St. Tammany	754	–	–	9	148	22	48	10	16	9	7	36	13	379	291	5	6
47	Slidell	172	–	–	1	41	5	12	4	7	2	–	11	5	67	51	–	–
48	Balance of parish	582	–	–	8	107	17	36	6	9	7	7	25	8	312	240	5	6
49	Tangipahoa	746	1	–	6	111	20	25	12	11	–	7	36	7	406	274	2	1
50	Hammond	147	–	–	1	27	5	6	2	3	–	2	9	2	80	53	–	1
51	Balance of parish	599	1	–	5	84	15	19	10	8	–	5	27	5	326	221	2	–
52	Tensas	122	1	–	3	24	3	5	–	5	2	1	8	3	68	56	–	–
53	Terrebonne	649	2	–	4	118	28	37	4	10	8	4	27	14	305	219	2	1
54	Houma	343	–	–	2	55	17	13	1	6	4	4	10	3	173	125	1	–
55	Balance of parish	306	2	–	2	63	11	24	3	4	4	–	17	11	132	94	1	1
56	Union	219	–	–	3	34	7	11	1	5	1	2	7	4	119	87	1	–
57	Vermilion	475	–	–	3	101	24	22	6	16	7	5	21	8	228	172	1	–
58	Abbeville	155	–	–	2	34	10	8	1	5	1	1	8	1	74	52	–	–
59	Balance of parish	320	–	–	1	67	14	14	5	11	6	4	13	7	154	120	1	–
60	Vernon	318	–	–	5	44	9	13	4	7	1	2	8	3	116	84	–	1
61	Washington	502	1	–	8	78	14	15	8	7	3	3	28	12	253	179	2	3
62	Bogalusa	250	–	–	2	33	8	8	2	2	–	–	13	8	134	92	2	2
63	Balance of parish	252	1	–	6	45	6	7	6	5	3	3	15	4	119	87	–	1
64	Webster	488	2	–	3	96	19	32	4	13	4	5	19	14	267	200	3	4
65	Minden	178	2	–	1	43	9	11	3	6	1	2	11	3	95	71	1	1
66	Balance of parish	310	–	–	2	53	10	21	1	7	3	3	8	11	172	129	2	3
67	West Baton Rouge	160	–	–	1	33	9	10	1	2	2	2	7	4	75	57	–	6
68	West Carroll	123	1	–	–	26	7	11	1	3	1	–	3	1	72	51	–	2
69	West Feliciana	75	1	–	1	11	1	5	1	–	–	–	4	–	31	23	–	–
70	Winn	210	–	–	1	29	3	9	2	5	2	–	8	1	120	90	1	–
71	**Maine**	10,179	12	2	79	2,210	593	574	193	234	112	68	436	175	5,181	3,919	74	55
72	Urban places	3,195	6	1	27	686	195	172	64	61	31	28	135	53	1,660	1,264	27	19
73	Balance of area	6,984	6	1	52	1,524	398	402	129	173	81	40	301	122	3,521	2,655	47	36
74	Metropolitan counties	2,005	1	1	14	448	126	119	44	31	23	18	87	19	1,028	782	15	7
75	Urban places	1,150	1	1	9	254	70	64	26	17	14	12	51	13	591	461	8	4
76	Balance of area	855	–	–	5	194	56	55	18	14	9	6	36	6	437	321	7	3
77	Nonmetropolitan counties	8,174	11	1	65	1,762	467	455	149	203	89	50	349	156	4,153	3,137	59	48
78	Urban places	2,045	5	–	18	432	125	108	38	44	17	16	84	40	1,069	803	19	15
79	Balance of area	6,129	6	1	47	1,330	342	347	111	159	72	34	265	116	3,084	2,334	40	33

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
216	48	1	74	39	9	25	2	2	14	4	–	8	24	5	91	45	28	16	12	–	01
141	36	1	57	31	7	16	2	1	10	2	–	4	18	4	64	29	19	9	9	–	02
75	12	–	17	8	2	9	–	1	4	2	–	4	6	1	27	16	9	7	3	–	03
168	14	1	37	12	5	11	5	2	1	3	–	6	6	3	38	22	19	7	3	1	04
39	2	1	8	2	1	4	1	–	–	1	–	–	1	2	8	4	6	3	1	–	05
129	12	–	29	10	4	7	4	2	1	2	–	6	5	1	30	18	13	4	2	1	06
53	6	–	14	4	4	6	5	–	–	–	–	1	–	3	12	6	8	3	2	–	07
81	7	–	39	4	4	11	5	3	1	2	–	1	4	4	12	6	6	1	2	1	08
38	2	–	18	1	3	7	1	3	1	–	–	–	4	2	6	2	5	–	2	–	09
43	5	–	21	3	1	4	4	–	–	2	–	1	–	2	6	4	1	1	–	1	10
115	19	1	35	–	6	14	2	–	5	–	1	3	7	21	20	26	13	6	5	–	11
55	11	–	18	3	1	6	1	–	–	–	–	3	4	1	8	8	11	1	2	–	12
95	20	1	55	5	8	19	2	1	–	5	–	2	4	4	41	5	8	5	3	1	13
44	12	–	24	4	4	8	2	–	–	3	–	2	2	3	24	3	5	5	1	–	14
51	8	1	31	1	4	11	–	1	–	2	–	–	2	1	17	2	3	–	2	1	15
157	12	1	56	2	4	8	–	–	4	3	–	1	5	2	16	14	15	4	2	–	16
63	3	–	38	1	2	2	–	–	3	1	–	–	1	1	6	2	5	2	1	–	17
94	9	1	18	1	2	6	–	–	1	2	–	1	4	1	10	12	10	2	1	–	18
1,819	298	18	578	70	62	146	76	13	99	54	3	42	127	47	644	97	228	65	214	2	19
286	102	11	101	23	15	26	17	2	11	8	–	7	21	111	93	19	20	11	13	–	20
161	69	5	55	7	11	16	7	–	6	7	–	3	9	76	52	6	18	4	8	–	21
62	10	2	26	8	1	4	5	1	1	1	–	2	7	16	17	5	–	1	2	–	22
63	23	4	20	8	3	6	5	1	4	–	–	2	5	19	24	8	2	6	3	–	23
51	12	–	11	–	3	3	1	–	–	–	–	–	9	1	21	11	11	1	1	–	24
67	13	1	18	–	–	6	5	–	1	1	–	2	2	–	22	11	7	4	3	1	25
408	52	2	104	17	20	44	15	1	18	6	–	9	19	8	120	32	29	12	20	1	26
193	26	1	48	10	10	25	6	–	13	4	–	3	11	4	60	15	12	4	14	1	27
215	26	1	56	7	10	19	9	1	5	2	–	6	8	4	60	17	17	8	6	–	28
24	9	–	20	1	1	–	1	–	1	1	–	2	2	21	7	1	2	1	4	–	29
88	8	1	24	2	3	12	7	1	2	–	–	2	3	1	18	5	4	2	3	–	30
62	24	–	48	5	1	18	1	–	3	3	–	1	4	6	25	12	6	3	5	–	31
162	18	–	37	8	10	11	5	1	8	2	–	5	6	1	40	12	17	5	3	–	32
60	17	–	11	4	2	2	1	1	3	1	–	1	1	–	18	10	13	2	8	–	33
26	2	–	13	–	–	5	–	–	1	–	–	3	1	3	10	8	5	–	2	–	34
45	8	–	13	6	3	1	–	1	2	–	–	2	–	4	11	7	5	1	1	–	35
54	13	–	21	9	2	6	2	1	3	2	–	2	7	4	19	2	11	1	4	–	36
245	40	4	60	12	8	28	10	4	8	3	–	6	21	4	72	20	18	18	9	1	37
39	5	–	6	3	1	3	3	–	3	–	–	–	5	2	13	6	–	1	–	–	38
39	5	–	6	3	1	3	3	–	3	–	–	–	5	2	13	6	–	1	–	–	39
57	13	1	8	2	4	16	1	1	3	2	–	2	5	–	21	3	7	3	4	–	40
149	22	3	46	7	3	9	6	3	2	1	–	4	11	2	38	11	11	14	5	1	41
92	9	1	27	5	4	4	3	1	1	1	–	5	8	3	12	12	8	6	4	–	42
152	14	–	25	12	4	13	3	2	8	1	1	3	8	2	39	34	26	9	12	1	43
42	4	–	8	5	2	1	1	1	2	1	–	1	3	1	11	9	7	2	4	–	44
110	10	–	17	7	2	12	2	1	6	–	1	2	5	1	28	25	19	7	8	1	45
247	33	1	66	11	10	20	3	1	8	6	1	7	11	5	54	38	24	16	11	–	46
42	9	–	13	2	1	4	1	1	2	2	–	4	6	2	13	6	4	8	5	–	47
205	24	1	53	9	9	16	2	–	6	4	1	3	5	3	41	32	20	8	6	–	48
241	30	2	116	4	10	18	3	1	6	6	1	5	23	15	60	28	29	9	11	–	49
46	6	–	26	–	1	1	1	–	2	3	–	1	3	1	12	3	4	2	4	–	50
195	24	2	90	4	9	17	2	1	4	3	1	4	20	14	48	25	25	7	7	–	51
49	7	1	6	3	2	1	–	–	–	1	–	–	–	–	8	3	8	2	–	–	52
200	16	1	40	39	6	17	3	1	4	4	–	10	12	3	53	32	44	5	18	–	53
114	10	–	21	22	5	12	–	–	3	1	–	5	3	3	32	16	21	2	12	–	54
86	6	1	19	17	1	5	3	1	1	3	–	5	9	–	21	16	23	3	6	–	55
78	8	–	25	2	5	13	1	–	2	–	–	–	2	2	22	6	4	3	4	–	56
149	22	–	44	8	4	19	4	2	2	1	–	1	7	–	53	16	17	11	2	–	57
47	5	–	21	1	–	5	–	1	1	1	–	–	1	–	22	3	7	2	1	–	58
102	17	–	23	7	4	14	4	1	1	–	–	1	6	–	31	13	10	9	1	–	59
65	18	1	20	7	4	11	5	–	5	2	–	7	18	26	21	25	16	5	9	–	60
159	15	3	53	12	6	15	5	3	6	3	2	5	11	5	45	21	15	7	7	–	61
81	7	1	35	2	4	6	5	2	4	1	–	–	7	4	23	5	7	6	3	–	62
78	8	2	18	10	2	9	–	1	2	2	2	5	4	1	22	16	8	1	4	–	63
168	25	6	54	2	5	7	2	2	2	1	–	3	8	3	50	12	13	–	3	–	64
58	11	3	20	1	–	5	1	2	–	–	–	–	2	2	17	–	2	–	3	–	65
110	14	3	34	1	5	2	1	–	2	1	–	3	6	1	33	12	11	–	–	–	66
50	1	–	10	7	1	6	1	–	1	1	–	2	4	–	12	10	5	1	3	1	67
44	5	–	16	2	3	5	1	1	1	1	–	1	1	2	5	1	4	–	–	–	68
21	2	–	8	–	–	5	–	–	–	1	–	–	1	1	9	6	6	1	1	–	69
73	16	1	25	–	4	4	1	–	4	2	–	2	1	2	25	1	8	5	4	–	70
3,507	283	24	902	171	165	343	135	25	173	33	2	58	63	84	910	228	275	152	32	7	71
1,139	79	6	283	62	45	90	47	5	78	8	1	21	15	23	276	55	80	50	12	1	72
2,368	204	18	619	109	120	253	88	20	95	25	1	37	48	61	634	173	195	102	20	6	73
694	66	7	185	27	27	61	28	9	36	6	1	11	10	17	182	44	46	35	7	1	74
413	36	3	96	16	15	31	20	3	24	4	1	9	6	9	105	16	26	22	5	–	75
281	30	4	89	11	12	30	8	6	12	2	–	2	4	8	77	28	20	13	2	1	76
2,813	217	17	717	144	138	282	107	16	137	27	1	47	53	67	728	184	229	117	25	6	77
726	43	3	187	46	30	59	27	2	54	4	–	12	9	14	171	39	54	28	7	1	78
2,087	174	14	530	98	108	223	80	14	83	23	1	35	44	53	557	145	175	89	18	5	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maine—Con.																	
01	Androscoggin	882	2	–	6	206	61	49	21	22	7	6	40	23	442	340	8	2
02	Auburn	242	2	–	1	63	21	17	7	6	3	–	9	5	122	91	2	–
03	Lewiston	414	–	–	4	95	28	25	9	9	2	5	17	12	217	165	3	2
04	Balance of county	226	–	–	1	48	12	7	5	7	2	1	14	6	103	84	3	–
05	Aroostook	732	1	–	8	163	52	37	14	14	7	7	32	14	353	273	2	2
06	Caribou	85	–	–	2	17	5	3	2	2	2	1	2	–	47	38	–	–
07	Presque Isle	82	–	–	1	15	5	4	1	–	1	–	4	2	34	32	1	1
08	Balance of county	565	1	–	5	131	42	30	11	12	4	6	26	12	272	203	1	1
09	Cumberland	2,005	1	1	14	448	126	119	44	31	23	18	87	19	1,028	782	15	7
10	Portland	810	1	1	6	172	46	48	18	12	9	7	32	9	425	326	4	3
11	South Portland	229	–	–	1	58	16	12	5	2	5	3	15	3	111	89	3	1
12	Westbrook	111	–	–	2	24	8	4	3	3	–	2	4	1	55	46	1	–
13	Balance of county	855	–	–	5	194	56	55	18	14	9	6	36	6	437	321	7	3
14	Franklin	206	–	–	–	46	15	13	3	10	1	–	4	5	98	72	5	–
15	Hancock	427	–	–	3	92	30	24	4	12	7	1	14	3	216	168	2	–
16	Kennebec	947	1	–	9	203	51	47	16	26	10	8	45	19	473	362	7	7
17	Augusta	240	–	–	3	46	12	10	3	4	4	2	11	4	122	90	4	2
18	Waterville	160	–	–	2	37	11	6	3	5	1	1	10	2	84	63	1	–
19	Balance of county	547	1	–	4	120	28	31	10	17	5	5	24	13	267	209	2	5
20	Knox	369	–	–	1	72	14	24	3	8	5	2	16	6	209	144	–	–
21	Lincoln	331	–	–	3	72	12	16	7	8	7	4	18	4	158	112	5	1
22	Oxford	463	–	–	4	103	25	25	7	18	4	3	21	14	234	177	4	3
23	Penobscot	1,126	–	–	8	233	58	62	23	24	14	5	47	20	576	423	9	11
24	Bangor	323	–	–	3	55	14	13	6	6	3	3	10	6	175	126	3	6
25	Balance of county	803	–	–	5	178	44	49	17	18	11	2	37	14	401	297	6	5
26	Piscataquis	178	–	–	2	33	8	8	5	1	2	1	8	4	102	78	1	3
27	Sagadahoc	251	–	1	2	61	21	17	4	4	3	1	11	3	124	97	1	2
28	Somerset	422	–	–	2	89	24	16	5	13	8	2	21	5	208	154	1	1
29	Waldo	223	1	–	1	46	10	17	5	3	3	1	7	4	119	90	1	1
30	Washington	414	1	–	5	77	18	18	10	9	4	–	18	10	226	186	1	5
31	York	1,203	5	–	11	266	68	82	22	31	7	9	47	22	615	461	12	10
32	Biddeford	231	2	–	2	47	13	16	2	7	–	1	8	4	122	87	3	1
33	Saco	113	1	–	–	23	5	8	2	2	1	–	5	1	65	50	2	2
34	Sanford	155	–	–	–	34	11	6	3	3	–	3	8	4	81	61	–	1
35	Balance of county	704	2	–	9	162	39	52	15	19	6	5	26	13	347	263	7	6
36	**Maryland**	33,130	62	2	334	7,560	1,995	1,984	687	780	291	268	1,555	672	16,042	12,796	261	163
37	Urban places	13,346	39	2	157	2,899	781	782	250	292	107	88	599	280	6,441	5,189	106	60
38	Balance of area	19,784	23	–	177	4,661	1,214	1,202	437	488	184	180	956	392	9,601	7,607	155	103
39	Metropolitan counties	26,601	51	2	300	6,140	1,622	1,629	564	600	241	211	1,273	528	12,646	10,247	209	127
40	Urban places	11,760	36	2	151	2,552	675	700	219	256	98	72	532	252	5,553	4,533	93	54
41	Balance of area	14,841	15	–	149	3,588	947	929	345	344	143	139	741	276	7,093	5,714	116	73
42	Nonmetropolitan counties	6,529	11	–	34	1,420	373	355	123	180	50	57	282	144	3,396	2,549	52	36
43	Urban places	1,586	3	–	6	347	106	82	31	36	9	16	67	28	888	656	13	6
44	Balance of area	4,943	8	–	28	1,073	267	273	92	144	41	41	215	116	2,508	1,893	39	30
45	Allegany	998	–	–	–	218	60	52	19	28	11	10	38	11	589	454	12	3
46	Cumberland	414	–	–	–	99	30	23	8	13	1	7	17	3	249	191	4	1
47	Balance of county	584	–	–	–	119	30	29	11	15	10	3	21	8	340	263	8	2
48	Anne Arundel	2,174	2	–	23	580	136	172	59	50	19	20	124	42	971	755	15	3
49	Annapolis	301	–	–	2	83	21	28	8	7	3	2	14	8	134	98	2	1
50	Balance of county	1,873	2	–	21	497	115	144	51	43	16	18	110	34	837	657	13	2
51	Baltimore	5,161	7	–	62	1,218	334	345	112	90	46	35	256	92	2,673	2,234	40	17
52	Baltimore city	9,741	33	2	133	2,101	562	581	161	214	85	54	444	212	4,598	3,785	70	44
53	Calvert	237	–	–	3	60	18	14	7	9	1	1	10	8	105	55	–	2
54	Caroline	271	–	–	1	58	12	18	2	7	–	1	18	7	149	113	2	1
55	Carroll	640	–	–	2	148	38	37	12	18	3	8	32	20	311	246	2	3
56	Cecil	407	2	–	2	76	20	23	7	7	3	1	15	10	196	168	2	–
57	Charles	366	–	–	4	79	16	22	11	7	–	4	19	8	171	138	6	7
58	Dorchester	388	2	–	3	83	18	21	9	14	3	3	15	10	210	168	1	–
59	Cambridge	166	1	–	3	31	9	8	3	4	1	1	5	2	97	71	–	–
60	Balance of county	222	1	–	–	52	9	13	6	10	2	2	10	8	113	97	1	–
61	Frederick	812	1	–	4	172	48	53	12	17	5	8	29	13	409	318	8	2
62	Frederick	267	–	–	1	55	14	15	6	6	3	1	10	2	141	113	4	1
63	Balance of county	545	1	–	3	117	34	38	6	11	2	7	19	11	268	205	4	1
64	Garrett	233	–	–	1	53	14	10	5	11	4	1	8	3	117	86	1	4
65	Harford	826	1	–	5	185	44	46	13	23	12	6	41	12	412	339	9	1
66	Aberdeen	85	–	–	–	20	5	3	1	4	2	1	4	2	38	29	2	–
67	Balance of county	741	1	–	5	165	39	43	12	19	10	5	37	10	374	310	7	1
68	Howard	486	–	–	6	116	41	23	9	10	8	–	25	14	237	195	4	3
69	Kent	201	–	–	1	39	4	10	3	6	3	3	10	4	115	99	–	–
70	Montgomery	3,522	1	–	29	858	252	164	101	103	43	36	159	59	1,706	1,296	35	34
71	Rockville	480	–	–	4	102	29	19	12	13	4	4	21	7	237	182	5	–
72	Takoma Park, part	126	1	–	1	22	6	5	1	3	1	2	4	–	65	49	–	5
73	Takoma Park, total	161	1	–	2	29	7	8	2	4	1	3	4	–	83	65	–	5
74	Balance of county	2,916	–	–	24	734	217	140	88	87	38	30	134	52	1,404	1,065	30	29
75	Prince Georges	3,644	5	–	38	858	195	238	90	85	22	51	177	67	1,542	1,229	32	22
76	Bowie	130	1	–	–	21	4	8	3	1	–	1	4	2	68	57	5	–
77	College Park	142	–	–	3	34	9	5	8	4	2	1	5	2	63	55	1	–
78	Greenbelt	71	–	–	3	13	3	2	2	1	–	–	5	1	35	30	1	–
79	Hyattsville	465	1	–	4	109	24	31	18	6	1	3	26	14	212	163	4	3
80	Laurel	137	–	–	–	31	8	11	4	2	–	3	3	3	61	52	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
320	10	1	69	17	15	19	15	1	20	3	–	6	4	7	66	18	28	15	1	–	01
88	1	–	20	6	5	9	5	–	4	1	–	–	–	1	15	4	7	3	–	–	02
154	6	1	34	10	7	6	7	1	12	–	–	4	1	1	31	4	13	5	1	–	03
78	3	–	15	1	3	4	3	–	4	2	–	2	3	5	20	10	8	7	–	–	04
237	32	–	65	3	12	28	4	3	13	5	–	7	8	3	74	18	21	8	1	–	05
37	1	–	7	1	1	2	–	1	2	–	–	–	2	–	6	1	3	1	1	–	06
19	11	–	1	–	1	3	–	–	4	–	–	1	1	1	10	4	4	2	–	–	07
181	20	–	57	2	10	23	4	2	7	5	–	6	5	2	58	13	14	5	–	–	08
694	66	7	185	27	27	61	28	9	36	6	1	11	10	17	182	44	46	35	7	1	09
292	27	1	75	11	12	24	15	3	15	3	–	6	4	7	74	10	14	17	4	–	10
80	5	–	17	3	2	4	2	–	5	1	1	3	2	1	22	4	9	2	–	–	11
41	4	2	4	2	1	3	3	–	4	–	–	–	–	1	9	2	3	3	1	–	12
281	30	4	89	11	12	30	8	6	12	2	–	2	4	8	77	28	20	13	2	1	13
64	3	–	17	6	3	8	2	1	6	–	–	1	2	4	20	4	5	4	–	–	14
153	13	–	33	6	9	14	8	2	6	1	–	4	2	4	42	10	17	3	–	–	15
329	19	3	73	20	15	37	15	3	18	1	–	3	11	9	78	22	20	22	2	1	16
80	4	1	26	2	3	14	2	–	6	–	–	3	2	1	19	8	4	4	2	–	17
61	1	–	14	4	3	2	2	–	4	–	–	–	1	3	13	3	3	3	–	1	18
188	14	2	33	14	9	21	11	3	8	1	–	–	8	5	46	11	13	15	–	–	19
137	7	–	44	9	12	21	3	–	4	–	–	1	–	1	28	6	13	3	–	1	20
99	7	1	35	6	4	12	4	–	3	2	–	2	–	3	44	15	5	3	–	1	21
157	13	2	43	7	5	13	2	1	4	–	–	1	5	2	43	18	11	4	4	–	22
351	52	–	113	17	23	44	16	2	25	3	1	8	3	13	106	17	25	17	9	–	23
104	13	–	37	5	7	11	3	–	11	–	–	3	–	4	33	7	5	6	1	–	24
247	39	–	76	12	16	33	13	2	14	3	1	5	3	9	73	10	20	11	8	–	25
66	8	–	13	4	7	8	3	–	2	3	–	–	1	–	13	2	4	1	–	–	26
92	2	1	18	5	3	9	4	–	2	1	–	2	2	1	21	4	9	3	1	1	27
146	6	2	37	11	4	19	5	3	11	3	–	5	3	4	37	5	16	6	1	–	28
82	6	1	21	2	5	6	5	–	1	–	–	1	4	3	14	7	8	3	–	–	29
168	12	1	27	8	4	17	3	–	3	1	–	2	1	4	34	9	18	2	1	–	30
412	27	5	109	23	17	27	18	–	19	4	–	4	7	9	108	29	29	23	5	2	31
80	3	–	19	13	3	9	5	–	6	1	–	–	2	1	16	3	6	3	2	–	32
44	2	1	12	2	–	–	1	–	1	1	–	1	–	1	12	1	4	1	–	–	33
59	1	–	17	3	–	3	2	–	4	1	–	–	–	1	16	4	5	–	–	–	34
229	21	4	61	5	14	15	10	–	8	1	–	3	5	6	64	21	14	19	3	2	35
11,080	1,292	81	2,209	452	504	795	275	88	543	218	6	228	479	390	2,974	733	847	453	370	59	36
4,504	519	34	886	131	201	342	87	33	279	100	2	77	201	204	1,282	191	350	138	216	26	37
6,576	773	47	1,323	321	303	453	188	55	264	118	4	151	278	186	1,692	542	497	315	154	33	38
8,772	1,139	66	1,629	307	397	639	212	68	461	191	5	190	409	321	2,432	558	683	388	328	49	39
3,893	493	29	720	99	172	304	67	27	251	96	2	70	189	187	1,156	172	328	130	210	25	40
4,879	646	37	909	208	225	335	145	41	210	95	3	120	220	134	1,276	386	355	258	118	24	41
2,308	153	15	580	145	107	156	63	20	82	27	1	38	70	69	542	175	164	65	42	10	42
611	26	5	166	32	29	38	20	6	28	4	–	7	12	17	126	19	22	8	6	1	43
1,697	127	10	414	113	78	118	43	14	54	23	1	31	58	52	416	156	142	57	36	9	44
421	18	1	88	25	21	19	6	3	23	5	–	6	7	1	72	19	11	7	1	–	45
179	7	–	39	8	11	6	3	2	9	1	–	3	2	–	27	7	1	2	–	–	46
242	11	1	49	17	10	13	3	1	14	4	–	3	5	1	45	12	10	5	1	–	47
676	61	3	144	35	34	38	20	2	39	17	–	22	21	14	201	63	52	43	19	5	48
89	6	1	25	6	4	8	2	1	5	1	–	2	1	3	32	6	7	3	3	–	49
587	55	2	119	29	30	30	18	1	34	16	–	20	20	11	169	57	45	40	16	5	50
1,968	209	11	290	59	79	125	37	19	49	41	–	42	39	42	402	100	107	66	31	9	51
3,263	408	23	578	67	145	248	48	24	221	87	2	50	163	165	962	108	273	92	197	22	52
47	6	–	19	28	3	4	1	–	6	–	–	3	5	3	19	12	6	1	–	1	53
107	3	–	26	5	5	10	4	2	–	–	–	–	1	3	18	9	5	2	2	–	54
231	10	3	48	5	9	18	6	2	8	1	–	5	10	9	55	17	12	11	5	–	55
155	11	–	21	1	6	15	5	2	12	1	–	1	3	3	29	23	16	10	1	–	56
110	15	–	21	8	4	3	3	1	3	1	–	2	4	8	28	20	15	4	10	2	57
158	9	2	31	4	5	11	4	1	5	1	–	1	4	4	29	7	6	5	2	–	58
69	2	1	18	4	3	7	2	–	3	1	–	–	1	3	12	–	2	1	–	–	59
89	7	1	13	–	2	4	2	1	2	–	–	1	3	1	17	7	4	4	2	–	60
289	19	2	62	11	16	27	9	3	7	4	–	8	9	6	68	29	28	8	6	1	61
105	3	1	18	2	7	8	4	2	2	2	–	2	3	1	27	6	8	2	1	–	62
184	16	1	44	9	9	19	5	1	5	2	–	6	6	5	41	23	20	6	5	1	63
78	3	–	22	4	5	3	1	2	1	4	–	2	5	1	21	7	8	3	1	–	64
310	19	1	42	14	16	14	10	–	9	3	–	9	11	13	64	37	22	12	5	2	65
27	–	–	6	3	–	1	–	–	2	1	–	1	–	5	6	5	1	1	–	2	66
283	19	1	36	11	16	13	10	–	7	2	–	8	11	8	58	32	21	11	5	–	67
170	18	3	25	6	8	8	3	–	5	4	–	4	3	7	31	20	14	12	1	1	68
92	7	–	11	2	3	6	1	1	3	1	–	–	1	2	18	3	4	–	2	–	69
980	247	13	258	82	57	70	50	8	45	13	–	20	53	29	325	76	93	73	9	5	70
158	19	3	36	8	8	9	8	–	3	1	–	3	5	3	50	16	14	16	2	–	71
34	10	1	9	5	1	4	4	–	3	–	–	2	2	1	13	3	3	2	–	–	72
50	10	1	10	5	2	4	5	–	3	–	–	2	5	1	16	3	4	3	–	–	73
788	218	9	213	69	48	57	38	8	39	12	–	15	46	25	262	57	76	55	7	5	74
1,019	156	9	223	38	43	103	33	11	73	24	3	37	106	39	363	114	94	69	60	5	75
45	7	–	10	–	1	3	1	–	1	1	–	2	–	4	8	8	5	2	3	–	76
47	7	–	6	1	1	5	2	–	2	–	–	1	2	1	13	7	4	2	1	–	77
26	3	–	4	–	1	3	–	–	1	–	–	2	1	2	3	2	4	1	–	–	78
133	23	1	33	9	6	17	1	2	7	2	–	4	5	2	52	11	12	6	3	1	79
40	8	–	6	–	3	5	–	–	6	3	–	2	5	1	8	6	3	3	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maryland—Con.																	
	Prince Georges—Con.																	
01	New Carrollton	47	–	–	–	9	3	4	–	–	–	–	2	1	24	17	–	–
02	Takoma Park, part	35	–	–	1	7	1	3	1	1	–	1	–	–	18	16	–	–
03	Balance of county	2,617	3	–	27	634	143	174	54	70	19	42	132	44	1,061	839	18	18
04	Queen Annes	211	1	–	1	46	12	10	9	4	–	1	10	7	106	88	2	–
05	St. Marys	357	–	–	3	68	23	16	6	9	3	1	10	8	155	109	1	3
06	Somerset	276	3	–	3	63	13	14	3	13	4	1	15	7	156	98	1	1
07	Talbot	294	–	–	–	57	15	13	7	6	1	3	12	6	149	121	5	2
08	Washington	946	2	–	6	223	80	51	15	18	8	8	43	27	502	382	7	5
09	Hagerstown	454	1	–	2	97	37	21	7	6	1	4	21	13	260	197	4	2
10	Balance of county	492	1	–	4	126	43	30	8	12	7	4	22	14	242	185	3	3
11	Wicomico	619	1	–	2	137	30	32	11	19	5	7	33	15	302	203	5	3
12	Salisbury	285	1	–	–	65	16	15	7	7	3	3	14	8	141	84	1	2
13	Balance of county	334	–	–	2	72	14	17	4	12	2	4	19	7	161	119	4	1
14	Worcester	320	1	–	2	64	10	19	4	12	2	5	12	10	161	117	1	3
15	**Massachusetts**	52,660	47	–	435	11,936	3,391	2,757	1,133	1,267	530	421	2,437	947	26,637	20,620	362	270
16	Urban places	37,525	34	–	321	8,422	2,422	1,925	806	891	384	297	1,697	691	19,045	14,833	268	210
17	Balance of area	15,135	13	–	114	3,514	969	832	327	376	146	124	740	256	7,592	5,787	94	60
18	Metropolitan counties	50,242	46	–	423	11,393	3,234	2,621	1,089	1,217	510	404	2,318	902	25,403	19,748	346	260
19	Urban places	37,525	34	–	321	8,422	2,422	1,925	806	891	384	297	1,697	691	19,045	14,833	268	210
20	Balance of area	12,717	12	–	102	2,971	812	696	283	326	126	107	621	211	6,358	4,915	78	50
21	Nonmetropolitan counties	2,418	1	–	12	543	157	136	44	50	20	17	119	45	1,234	872	16	10
22	Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Balance of area	2,418	1	–	12	543	157	136	44	50	20	17	119	45	1,234	872	16	10
24	Barnstable	1,590	1	–	7	377	112	100	28	34	9	13	81	32	807	565	11	7
25	Berkshire	1,485	2	–	12	343	99	68	37	33	15	13	78	30	748	544	11	4
26	North Adams	223	–	–	1	53	12	14	7	6	2	3	9	5	119	87	1	–
27	Pittsfield	572	–	–	6	125	38	19	12	13	9	1	33	12	301	225	5	2
28	Balance of county	690	2	–	5	165	49	35	18	14	4	9	36	13	328	232	5	2
29	Bristol	4,498	5	–	33	1,019	303	237	80	120	51	41	187	97	2,474	1,908	22	27
30	Attleboro	299	–	–	1	59	20	14	1	6	4	3	11	3	170	126	1	–
31	Fall River	1,108	2	–	6	235	83	51	16	26	6	9	44	24	629	492	11	6
32	New Bedford	1,178	–	–	8	279	76	58	25	34	18	14	54	30	642	490	3	13
33	Somerset town†	158	–	–	1	38	8	10	2	6	6	2	4	5	91	67	1	–
34	Taunton	419	2	–	5	90	27	20	5	12	7	2	17	12	211	157	1	2
35	Balance of county	1,336	1	–	12	318	89	84	31	36	10	11	57	23	731	576	5	6
36	Dukes	116	–	–	2	21	4	5	1	3	1	–	7	1	63	38	–	–
37	Essex	6,291	2	–	45	1,416	425	313	148	136	69	46	279	117	3,222	2,456	40	32
38	Beverly	345	–	–	3	70	16	21	7	6	5	2	13	14	171	133	3	1
39	Danvers town†	209	–	–	–	48	15	7	5	5	3	2	11	6	111	84	–	–
40	Gloucester	281	–	–	3	60	19	14	9	6	1	1	10	2	140	105	5	2
41	Haverhill	611	1	–	1	134	38	24	15	10	5	7	35	12	316	238	3	7
42	Lawrence	785	1	–	10	168	61	29	21	10	9	6	32	17	417	327	4	1
43	Lynn	977	–	–	7	187	54	49	12	23	16	2	31	14	530	423	9	4
44	Marblehead town†	207	–	–	2	47	12	15	7	5	2	3	3	7	107	71	3	1
45	Methuen town†	357	–	–	2	76	18	15	7	5	2	7	22	8	186	142	–	4
46	Newburyport	185	–	–	–	33	11	10	4	3	1	–	4	3	105	82	1	1
47	Peabody	367	–	–	2	111	36	20	14	10	3	11	17	2	170	137	1	1
48	Salem	402	–	–	1	89	27	17	7	15	4	–	19	14	205	139	2	4
49	Saugus town†	213	–	–	1	54	20	15	4	4	2	–	9	1	109	85	–	3
50	Swampscott town†	132	–	–	1	37	15	9	4	3	2	1	3	1	68	48	1	–
51	Balance of county	1,220	–	–	12	302	83	68	32	31	14	4	70	16	587	442	8	3
52	Franklin	658	–	–	2	137	41	27	14	12	10	4	29	12	340	247	5	3
53	Hampden	4,336	2	–	33	1,006	284	226	80	116	53	47	200	93	2,151	1,579	25	16
54	Chicopee	574	–	–	6	150	46	43	11	15	6	4	25	5	299	237	3	3
55	Holyoke	631	–	–	4	130	38	25	9	18	8	9	23	24	326	244	4	3
56	Longmeadow town†	145	–	–	–	33	8	4	3	2	2	4	10	2	82	54	1	1
57	Springfield	1,662	–	–	17	363	100	80	34	47	17	16	69	39	817	570	10	8
58	Westfield	263	–	–	–	58	7	17	6	7	4	3	14	3	109	86	1	–
59	West Springfield town†	236	–	–	–	79	23	15	5	4	7	6	19	5	109	83	–	–
60	Balance of county	825	2	–	6	193	62	42	12	23	9	5	40	15	409	305	6	1
61	Hampshire	1,000	3	–	8	239	53	59	26	29	13	10	49	24	473	354	12	4
62	Amherst town†	80	–	–	–	19	5	5	1	2	–	2	4	1	35	26	–	–
63	Northampton	316	2	–	1	72	16	19	10	9	3	1	14	9	166	112	8	2
64	Balance of county	604	1	–	7	148	32	35	15	18	10	7	31	14	272	216	4	2
65	Middlesex	11,250	13	–	71	2,753	804	633	278	293	122	80	543	201	5,532	4,386	92	49
66	Arlington town†	470	1	–	3	135	43	31	18	15	3	2	23	9	209	162	4	4
67	Belmont town†	278	–	–	3	69	24	10	5	11	3	2	14	8	133	99	2	2
68	Billerica town†	174	–	–	1	41	13	12	5	5	1	–	5	1	87	69	2	–
69	Burlington town†	109	–	–	–	29	4	7	6	2	1	–	9	1	43	30	–	–
70	Cambridge	797	1	–	4	207	63	58	17	20	5	5	39	22	352	295	5	5
71	Chelmsford town†	166	–	–	–	35	7	8	5	4	2	1	8	5	92	71	2	1
72	Everett	413	1	–	3	99	30	22	15	10	1	2	19	5	226	187	2	3
73	Framingham town†	467	1	–	2	113	33	24	8	10	1	4	33	7	217	169	6	2
74	Lexington town†	243	2	–	1	61	14	7	5	10	2	4	19	4	118	92	5	1
75	Lowell	1,051	2	–	4	223	71	58	20	22	14	2	36	15	569	435	5	2
76	Malden	622	–	–	3	153	52	38	13	16	8	3	23	8	321	266	3	–
77	Marlborough	246	–	–	1	63	7	17	6	10	3	2	18	10	125	84	1	–
78	Medford	610	–	–	5	176	55	36	19	20	11	6	29	7	300	242	4	2
79	Melrose	331	1	–	4	68	13	12	7	16	4	3	13	2	187	146	2	3
80	Natick town†	239	–	–	3	54	19	8	6	2	3	2	14	7	107	83	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
15	2	–	6	–	1	1	–	–	–	–	–	1	2	–	6	–	1	1	1	–	01
16	–	–	1	–	1	–	1	–	–	–	–	–	3	–	3	–	1	1	–	–	02
697	106	8	157	28	29	69	28	9	56	18	3	25	88	29	270	80	64	53	52	4	03
79	7	–	14	2	2	5	3	–	1	1	–	1	1	4	15	6	8	2	2	1	04
95	10	1	35	5	5	7	1	–	6	3	–	6	11	9	39	14	15	6	4	2	05
90	6	4	41	11	2	6	1	–	2	1	–	–	2	–	21	4	3	2	1	1	06
107	7	–	22	3	3	14	4	3	2	–	–	1	4	5	32	5	7	3	2	–	07
352	18	3	78	24	15	18	13	2	6	3	–	6	6	7	74	17	23	8	3	–	08
184	7	2	43	13	5	8	7	1	5	–	–	2	4	5	35	4	6	2	2	–	09
168	11	1	35	11	10	10	6	1	1	3	–	4	2	2	39	13	17	6	1	–	10
182	13	1	80	11	7	19	6	2	13	1	–	2	8	11	61	14	12	6	6	1	11
74	7	1	48	5	3	9	4	1	9	–	–	–	2	8	25	2	5	1	3	1	12
108	6	–	32	6	4	10	2	1	4	1	–	2	6	3	36	12	7	5	3	–	13
101	12	1	30	2	11	4	6	–	4	2	1	–	2	5	27	9	13	8	–	1	14
18,423	1,565	131	4,401	706	779	2,189	475	134	911	226	5	265	385	492	4,483	953	1,358	511	212	59	15
13,207	1,148	100	3,104	456	552	1,611	318	98	683	171	3	182	278	355	3,297	521	943	338	166	48	16
5,216	417	31	1,297	250	227	578	157	36	228	55	2	83	107	137	1,186	432	415	173	46	11	17
17,631	1,511	124	4,151	636	744	2,100	452	132	868	217	4	258	369	464	4,283	901	1,290	480	200	57	18
13,207	1,148	100	3,104	456	552	1,611	318	98	683	171	3	182	278	355	3,297	521	943	338	166	48	19
4,424	363	24	1,047	180	192	489	134	34	185	46	1	76	91	109	986	380	347	142	34	9	20
792	54	7	250	70	35	89	23	2	43	9	1	7	16	28	200	52	68	31	12	2	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
792	54	7	250	70	35	89	23	2	43	9	1	7	16	28	200	52	68	31	12	2	23
511	36	4	168	44	26	48	16	1	26	5	–	7	9	17	135	34	42	18	6	2	24
479	50	1	148	29	26	64	11	6	22	10	1	6	13	4	115	42	38	16	1	1	25
82	4	–	24	2	6	3	1	1	7	–	–	1	2	1	20	1	8	–	–	–	26
187	31	1	53	14	8	21	6	3	8	7	–	2	7	2	42	11	12	7	–	–	27
210	15	–	71	13	12	40	4	2	7	3	1	3	4	1	53	30	18	9	1	1	28
1,792	67	14	441	50	61	126	31	11	62	17	–	31	26	23	317	81	87	42	15	1	29
120	5	–	36	3	5	12	2	–	6	2	–	1	–	4	24	6	4	3	1	1	30
457	18	5	100	15	17	22	5	2	17	2	–	10	9	5	96	8	25	9	2	–	31
457	17	6	117	12	17	38	7	5	20	4	–	7	7	5	74	20	18	8	6	–	32
65	1	–	18	1	5	1	1	–	3	1	–	3	1	–	9	2	1	1	–	–	33
149	5	–	42	6	6	12	5	1	5	1	–	2	3	3	34	13	11	5	4	–	34
544	21	3	128	13	11	41	11	3	11	7	–	8	6	6	80	32	28	16	2	–	35
36	2	–	13	11	1	3	1	–	3	–	1	–	–	1	9	1	7	1	2	–	36
2,153	231	16	552	108	90	234	55	10	111	20	–	31	46	53	566	101	192	51	17	2	37
123	6	1	26	4	7	21	5	–	10	2	–	4	3	–	27	6	5	4	–	–	38
74	10	–	19	5	3	6	2	1	1	–	–	1	4	–	20	5	3	1	–	–	39
89	9	–	29	2	4	15	2	–	5	–	–	2	–	2	32	3	13	2	–	–	40
199	29	3	57	8	10	24	5	2	6	–	–	3	3	15	64	5	10	7	3	–	41
278	44	2	63	13	12	19	3	1	21	2	–	5	4	3	67	12	25	7	3	–	42
380	30	3	86	6	12	37	8	–	25	3	–	5	8	7	90	14	29	9	3	1	43
65	2	1	26	3	6	6	2	1	4	–	–	–	–	–	21	1	9	–	–	–	44
122	16	–	27	13	4	11	3	–	7	4	–	2	5	4	30	8	8	3	–	–	45
74	6	–	13	8	2	7	1	–	3	–	–	1	1	–	15	2	12	2	–	–	46
126	9	–	24	4	5	13	2	1	6	1	–	1	3	6	25	7	13	3	–	1	47
115	18	2	46	11	7	6	5	–	6	1	–	1	3	2	42	5	20	1	1	–	48
71	11	1	19	3	1	10	–	–	5	–	–	–	1	1	13	6	10	2	–	–	49
41	6	–	13	4	3	5	1	–	1	1	–	–	–	1	13	2	1	–	–	–	50
396	35	3	104	24	14	54	16	4	11	6	–	6	11	12	107	25	34	10	7	–	51
223	16	3	67	15	8	37	4	1	12	3	–	–	6	6	53	13	18	10	4	–	52
1,454	84	16	430	54	72	155	38	11	80	14	–	19	31	58	361	79	143	39	23	–	53
220	11	1	49	4	8	21	4	–	11	–	–	4	2	2	39	10	15	4	2	–	54
232	5	3	57	11	11	20	3	3	11	1	–	1	4	2	58	9	24	8	3	–	55
50	2	–	21	5	2	6	1	1	2	1	–	1	–	–	10	2	2	1	1	–	56
528	24	10	196	17	24	57	18	3	35	8	–	10	18	7	151	26	71	10	12	–	57
73	12	–	17	3	3	11	2	1	5	1	–	1	4	31	24	3	9	1	–	–	58
78	5	1	20	–	5	12	–	1	4	–	–	1	1	2	12	3	5	2	–	–	59
273	25	1	70	14	19	28	10	2	12	3	–	1	2	14	67	26	17	13	5	–	60
309	29	2	89	21	7	53	11	2	8	2	–	2	9	8	82	27	34	12	3	–	61
26	–	–	5	3	1	9	–	–	–	–	–	–	1	1	9	–	2	3	–	–	62
92	10	1	42	11	–	19	–	–	4	1	–	–	2	4	25	3	6	2	–	–	63
191	19	1	42	7	6	25	11	2	4	1	–	2	6	3	48	24	26	7	3	–	64
3,949	296	27	843	117	159	485	109	32	190	49	1	61	71	90	963	199	265	117	32	16	65
146	8	–	40	3	4	24	6	–	5	3	–	1	1	–	47	4	17	3	1	1	66
85	10	1	27	3	3	17	2	1	2	–	–	1	1	1	25	5	10	–	–	–	67
60	7	1	10	4	3	6	1	1	7	1	–	1	1	3	14	2	3	2	1	1	68
28	2	–	9	2	2	4	2	–	1	–	–	1	3	1	15	7	1	1	–	–	69
271	14	1	39	5	12	37	7	1	19	2	–	3	5	8	73	5	36	12	2	1	70
66	2	–	13	5	3	5	1	1	3	1	–	–	–	–	17	3	1	1	1	–	71
170	12	–	32	1	6	15	4	–	7	3	1	1	1	–	32	6	5	3	1	–	72
150	11	1	38	1	8	23	5	–	10	2	–	1	4	6	44	16	6	7	1	2	73
80	6	–	18	3	5	14	3	–	1	–	–	–	–	2	20	6	6	5	–	–	74
407	21	2	90	26	16	40	14	5	16	11	–	8	10	9	84	9	16	11	3	2	75
236	27	3	40	8	4	24	5	1	12	3	–	4	3	7	51	9	7	6	4	1	76
77	6	1	28	5	7	7	2	–	4	–	–	2	2	1	18	6	3	1	–	1	77
229	7	1	47	4	6	23	5	2	5	1	–	2	5	6	54	5	7	7	–	–	78
122	19	1	30	2	8	13	–	–	4	2	–	1	–	3	29	7	5	4	1	–	79
77	4	1	19	1	3	13	2	3	3	1	–	3	2	1	24	4	9	2	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Massachusetts—Con.																	
	Middlesex—Con.																	
01	Newton	762	–	–	3	189	58	23	21	27	8	8	44	14	385	317	9	6
02	Reading town†	158	–	–	2	29	4	10	4	3	1	1	6	4	82	69	–	–
03	Somerville	747	1	–	9	185	65	42	11	15	6	4	42	14	365	308	6	5
04	Stoneham town†	159	–	–	1	51	16	16	4	2	2	1	10	3	66	52	1	–
05	Wakefield town†	194	–	–	1	41	13	9	4	7	1	2	5	2	104	84	–	1
06	Waltham	480	1	–	3	111	33	28	16	8	6	3	17	13	231	182	4	3
07	Watertown town†	325	–	–	3	86	29	23	6	9	3	4	12	5	159	124	4	–
08	Winchester town†	155	1	–	2	31	12	5	5	3	1	–	5	5	75	61	1	2
09	Woburn	275	–	–	1	68	15	17	8	7	8	1	12	4	137	102	2	2
10	Balance of county	1,779	1	–	9	436	111	112	44	39	24	18	88	26	842	657	20	5
11	Nantucket	54	–	–	1	8	–	4	1	1	–	–	2	–	24	22	–	–
12	Norfolk	5,259	3	–	39	1,247	334	281	128	126	50	42	286	77	2,618	2,042	39	24
13	Braintree town†	351	–	–	1	82	25	27	8	4	3	3	12	5	177	132	2	–
14	Brookline town†	655	–	–	9	170	36	22	27	29	7	8	41	9	328	259	5	–
15	Dedham town†	204	1	–	–	49	11	19	3	3	5	–	8	1	104	73	4	2
16	Holbrook town†	96	–	–	–	18	3	3	1	1	1	–	9	1	53	41	3	–
17	Milton town†	259	–	–	1	61	18	10	4	10	1	3	15	4	143	112	1	1
18	Needham town†	212	–	–	–	49	14	11	7	6	1	1	9	5	115	88	2	2
19	Norwood town†	284	–	–	2	59	21	15	5	3	4	1	10	4	127	91	3	–
20	Quincy	986	1	–	8	220	52	58	27	19	8	9	47	12	516	411	9	9
21	Randolph town†	233	–	–	2	53	17	12	2	2	2	1	17	9	115	95	2	1
22	Wellesley town†	214	–	–	–	63	19	9	4	6	1	5	19	3	91	70	2	2
23	Weymouth town†	450	–	–	7	113	30	29	15	7	6	2	24	6	231	172	–	1
24	Balance of county	1,315	1	–	9	310	88	66	25	36	11	9	75	18	618	498	6	6
25	Plymouth	3,115	3	–	24	681	195	177	66	68	29	20	126	49	1,615	1,248	18	24
26	Brockton	881	1	–	10	174	49	38	18	21	7	7	34	11	468	357	7	13
27	Rockland town†	139	–	–	–	27	9	7	3	2	1	–	5	2	72	58	–	1
28	Whitman town†	104	–	–	–	23	4	8	3	–	1	1	6	–	58	45	1	1
29	Balance of county	1,991	2	–	14	457	133	124	42	45	20	12	81	36	1,017	788	10	9
30	Suffolk	7,040	7	–	107	1,423	382	357	121	140	53	52	318	121	3,410	2,766	48	52
31	Boston	6,030	6	–	99	1,192	321	298	100	111	45	44	273	102	2,884	2,341	43	44
32	Chelsea	335	–	–	4	78	15	25	9	7	4	2	16	8	163	130	3	3
33	Revere	430	1	–	–	115	35	28	11	14	4	5	18	7	210	180	2	5
34	Winthrop town†	245	–	–	4	38	11	6	1	8	–	1	11	4	153	115	–	–
35	Worcester	5,968	6	–	51	1,266	355	270	125	156	55	53	252	93	3,160	2,465	39	28
36	Clinton town†	142	–	–	1	30	13	5	2	3	2	–	5	4	75	54	2	2
37	Fitchburg	439	1	–	5	81	28	15	9	7	2	2	18	7	245	192	2	1
38	Gardner	188	–	–	1	36	9	7	3	6	4	1	6	2	98	70	–	1
39	Leominster	269	–	–	2	64	18	15	5	8	4	1	13	–	131	102	2	2
40	Worcester	1,973	3	–	14	413	122	98	42	48	19	17	67	30	1,057	846	19	6
41	Balance of county	2,957	2	–	28	642	165	130	64	84	24	32	143	50	1,554	1,201	14	16
42	**Michigan**	74,968	82	5	541	15,288	3,907	3,900	1,371	1,740	685	661	3,024	1,551	38,415	29,472	486	370
43	Urban places	42,202	56	4	349	8,556	2,215	2,220	792	937	382	333	1,677	862	21,597	16,757	263	196
44	Balance of area	32,766	26	1	192	6,732	1,692	1,680	579	803	303	328	1,347	689	16,818	12,715	223	174
45	Metropolitan counties	53,909	62	4	425	11,133	2,811	2,895	1,025	1,247	486	470	2,199	1,100	27,264	21,168	351	239
46	Urban places	38,980	49	4	332	7,944	2,057	2,078	732	877	349	305	1,546	792	19,853	15,492	243	173
47	Balance of area	14,929	13	–	93	3,189	754	817	293	370	137	165	653	308	7,411	5,676	108	66
48	Nonmetropolitan counties	21,059	20	1	116	4,155	1,096	1,005	346	493	199	191	825	451	11,151	8,304	135	131
49	Urban places	3,222	7	–	17	612	158	142	60	60	33	28	131	70	1,744	1,265	20	23
50	Balance of area	17,837	13	1	99	3,543	938	863	286	433	166	163	694	381	9,407	7,039	115	108
51	Alcona	126	–	–	–	30	8	6	1	4	1	3	7	3	70	48	1	2
52	Alger	105	–	–	–	21	10	5	1	1	1	–	3	5	48	40	2	1
53	Allegan	601	–	–	4	112	33	23	12	14	5	8	17	12	316	236	2	5
54	Holland, part	31	–	–	–	8	3	–	2	1	1	1	–	–	21	16	–	–
55	Balance of county	570	–	–	4	104	30	23	10	13	4	7	17	12	295	220	2	5
56	Alpena	280	1	–	3	60	15	20	3	8	2	2	10	2	144	115	1	1
57	Alpena	140	–	–	–	30	7	11	2	2	1	1	6	1	71	57	–	1
58	Balance of county	140	1	–	3	30	8	9	1	6	1	1	4	1	73	58	1	–
59	Antrim	169	–	–	–	44	16	8	4	4	2	3	7	3	82	51	–	2
60	Arenac	151	–	–	1	37	11	13	3	3	1	–	6	2	73	53	5	–
61	Baraga	93	–	–	–	24	3	9	1	4	5	–	2	3	40	30	–	–
62	Barry	340	–	–	2	74	21	13	7	9	3	5	16	9	156	117	1	–
63	Bay	916	2	–	4	192	40	47	6	25	6	7	61	14	490	389	3	2
64	Bay City	447	2	–	2	89	13	25	3	9	2	3	34	5	251	207	1	2
65	Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Balance of county	469	–	–	2	103	27	22	3	16	4	4	27	9	239	182	2	–
67	Benzie	110	–	–	1	21	6	6	5	–	1	–	3	–	58	50	2	–
68	Berrien	1,532	3	–	19	289	66	80	21	37	20	11	54	38	818	638	4	16
69	Benton Harbor	135	–	–	6	23	4	7	4	3	1	1	3	4	49	39	1	3
70	Niles	188	1	–	2	41	6	10	3	5	4	3	10	3	97	78	–	2
71	St. Joseph	155	–	–	–	28	4	8	1	3	3	1	8	3	107	77	–	1
72	Balance of county	1,054	2	–	11	197	52	55	13	26	12	6	33	28	565	444	3	10
73	Branch	412	–	–	3	77	21	15	7	11	4	5	14	9	208	133	1	2
74	Calhoun	1,230	1	–	4	246	63	61	27	26	10	7	52	35	641	470	5	8
75	Albion	96	–	–	–	14	6	3	2	–	–	–	3	1	50	33	–	1
76	Battle Creek	487	1	–	–	80	20	19	8	7	4	3	19	13	276	209	3	5
77	Balance of county	647	–	–	4	152	37	39	17	19	6	4	30	21	315	228	2	2
78	Cass	396	1	–	1	88	19	22	5	11	1	5	25	11	197	150	2	2
79	Charlevoix	165	–	–	4	46	14	8	8	8	1	1	6	–	88	58	3	2
80	Cheboygan	202	–	–	1	39	10	5	5	7	2	–	10	6	109	80	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E960-E999)	
278	24	2	51	4	11	45	7	2	10	4	–	2	4	1	64	4	20	8	–	–	01
60	9	1	11	–	1	4	3	1	5	1	–	1	–	2	11	3	7	2	1	–	02
277	20	1	46	6	4	35	5	3	16	3	–	4	3	10	66	6	11	6	3	2	03
46	5	–	12	–	2	8	2	2	4	–	–	–	–	1	14	–	4	2	1	–	04
68	15	1	15	2	2	12	2	–	3	–	–	–	1	–	18	4	4	2	–	–	05
171	4	1	36	2	10	24	6	1	11	–	–	2	2	6	41	5	17	2	3	1	06
112	8	–	27	1	7	10	6	1	4	1	–	1	1	1	28	5	8	3	2	1	07
55	3	–	10	2	2	4	1	–	6	1	–	–	2	3	16	–	5	2	1	–	08
87	11	1	25	2	7	7	–	1	7	2	–	5	2	1	25	6	1	5	2	1	09
591	41	7	130	25	23	71	18	6	25	7	–	17	18	17	133	72	56	20	3	2	10
22	–	–	2	–	–	1	2	–	2	1	–	–	1	4	3	4	1	2	–	–	11
1,802	177	15	411	60	90	222	57	16	79	20	1	35	30	70	446	90	121	58	23	7	12
123	7	3	33	6	3	15	6	2	7	2	–	1	3	2	24	9	11	4	–	–	13
211	43	1	43	8	17	33	7	1	5	5	–	4	2	12	55	2	6	5	2	–	14
64	3	1	24	3	3	7	2	1	4	–	–	2	2	7	13	4	4	1	2	–	15
37	1	–	8	1	3	3	–	–	3	–	–	1	–	–	5	6	1	4	1	–	16
106	4	1	21	5	4	9	2	–	–	–	–	1	2	4	22	2	3	3	2	–	17
76	8	–	16	6	5	8	1	1	3	–	–	2	–	5	16	1	4	2	–	–	18
79	9	1	29	2	4	12	6	–	3	1	–	4	1	10	35	6	6	7	–	1	19
363	30	5	83	5	12	41	9	3	20	7	1	6	4	9	84	8	28	5	2	2	20
85	7	–	11	6	3	10	1	2	3	1	–	1	1	2	17	7	6	–	3	–	21
62	4	–	13	1	7	10	2	2	5	–	–	3	2	1	19	4	4	4	1	–	22
162	9	2	45	4	8	16	6	2	5	1	–	2	2	3	34	5	10	3	3	1	23
434	52	1	85	13	21	58	15	2	21	3	–	8	11	15	122	36	38	20	7	3	24
1,116	90	11	270	37	49	100	27	14	71	13	–	19	19	36	238	81	93	26	4	2	25
319	18	4	82	9	16	31	9	5	21	5	–	4	5	10	74	24	22	7	–	–	26
54	3	–	12	2	–	4	–	1	3	1	–	1	4	3	13	3	4	1	–	–	27
42	1	–	10	3	–	4	–	–	1	–	–	1	–	4	8	–	3	2	–	–	28
701	68	7	166	23	33	61	18	8	46	7	–	13	10	19	143	54	64	16	4	2	29
2,360	306	14	474	65	91	427	58	20	150	43	–	25	76	78	694	68	177	58	71	27	30
1,992	262	13	396	59	75	401	48	18	130	36	–	20	71	73	598	61	152	50	63	26	31
113	11	1	24	3	5	13	4	2	6	3	–	1	3	1	27	2	15	1	3	1	32
152	21	–	22	–	8	7	6	–	8	3	–	4	–	2	53	2	7	4	1	–	33
103	12	–	32	3	3	6	–	–	6	1	–	–	2	2	16	3	3	3	4	–	34
2,217	181	8	493	95	99	234	55	10	95	29	1	29	48	44	501	133	140	61	11	1	35
47	3	–	14	4	3	2	–	–	1	–	–	–	4	4	15	3	2	1	–	–	36
173	16	1	36	10	6	12	7	–	8	3	–	–	4	1	38	12	9	5	1	–	37
61	8	3	20	3	2	10	3	–	1	2	–	–	1	2	23	4	4	1	–	–	38
90	8	1	21	2	5	11	6	1	9	2	–	1	4	2	20	6	5	4	1	–	39
762	59	2	151	28	30	88	8	4	28	13	1	10	12	13	172	27	54	19	7	–	40
1,084	87	1	251	48	53	111	31	5	48	9	–	18	23	22	233	81	66	31	2	1	41
26,337	2,279	211	6,544	1,149	1,039	2,005	925	217	1,355	372	16	522	930	532	6,055	2,152	1,825	1,132	931	117	42
15,082	1,216	121	3,610	542	567	1,123	501	110	939	246	11	261	573	289	3,422	895	948	605	767	88	43
11,255	1,063	90	2,934	607	472	882	424	107	416	126	5	261	357	243	2,633	1,257	877	527	164	29	44
19,020	1,558	142	4,548	713	693	1,401	671	152	1,087	286	14	372	723	377	4,319	1,439	1,250	864	867	99	45
13,970	1,106	111	3,294	450	506	1,018	458	104	885	231	10	241	538	266	3,151	835	862	567	756	84	46
5,050	452	31	1,254	263	187	383	213	48	202	55	4	131	185	111	1,168	604	388	297	111	15	47
7,317	721	69	1,996	436	346	604	254	65	268	86	2	150	207	155	1,736	713	575	268	64	18	48
1,112	110	10	316	92	61	105	43	6	54	15	1	20	35	23	271	60	86	38	11	4	49
6,205	611	59	1,680	344	285	499	211	59	214	71	1	130	172	132	1,465	653	489	230	53	14	50
44	1	–	14	2	6	4	–	–	1	–	–	–	2	–	5	7	1	3	–	–	51
35	2	–	4	1	3	2	1	–	4	–	–	–	1	2	10	4	2	4	–	1	52
209	20	2	52	16	10	8	5	–	4	1	–	3	9	20	44	17	25	18	2	1	53
14	2	–	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	54
195	18	2	49	15	9	8	4	–	4	1	–	3	9	20	44	17	25	17	2	1	55
109	4	2	22	2	3	12	3	–	2	–	–	2	2	2	22	9	7	8	1	–	56
53	3	–	9	2	3	5	2	–	2	–	–	1	2	2	13	1	5	4	1	–	57
56	1	2	13	–	–	7	1	–	–	–	–	1	–	–	9	8	2	4	–	–	58
42	7	–	23	4	4	6	3	–	1	–	1	–	1	4	15	5	3	–	1	–	59
44	4	2	13	3	2	6	1	–	2	1	–	1	–	1	18	4	2	2	–	–	60
29	1	1	8	–	1	1	1	–	2	–	–	–	–	3	10	2	4	2	1	–	61
93	23	1	30	5	3	14	4	–	6	–	–	4	2	3	31	25	6	2	–	2	62
369	15	3	77	9	12	14	8	2	14	–	–	4	11	2	75	26	34	15	8	1	63
193	11	1	35	3	5	5	4	1	7	–	–	3	4	1	39	8	13	6	7	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
176	4	2	42	6	7	9	4	1	7	–	–	1	7	1	36	18	21	9	1	1	66
45	3	2	4	–	2	4	1	2	2	–	–	1	–	–	11	4	2	3	–	–	67
572	46	4	130	32	14	47	22	5	19	5	–	12	17	7	124	43	37	14	11	2	68
31	4	1	4	4	1	5	3	1	2	–	–	2	3	4	20	1	9	–	3	–	69
69	7	–	15	4	–	5	2	1	3	–	–	–	–	–	19	7	4	–	1	2	70
73	3	–	24	4	2	3	1	–	1	1	–	–	–	–	7	2	1	1	–	–	71
399	32	3	87	20	11	34	16	3	13	4	–	10	14	3	78	33	23	13	7	–	72
122	8	1	46	22	6	19	3	1	9	1	–	7	1	1	41	6	22	4	–	–	73
418	39	4	119	30	18	29	15	3	15	5	1	6	19	9	111	33	32	16	6	3	74
26	6	–	10	5	2	8	1	1	1	1	–	–	1	1	10	1	4	1	1	–	75
185	16	2	46	12	7	11	4	–	9	1	1	4	5	6	43	9	14	7	2	1	76
207	17	2	63	13	9	10	10	2	5	3	–	2	13	2	58	23	14	8	3	2	77
138	8	–	38	5	4	11	10	–	5	1	–	1	2	3	23	13	15	10	3	1	78
49	4	–	21	5	4	–	1	1	3	–	–	1	1	–	11	6	3	–	–	–	79
74	5	1	21	2	5	5	2	1	2	2	–	2	–	–	15	9	6	3	–	–	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Chippewa	276	3	–	2	60	19	17	3	7	4	1	9	7	146	108	–	1
02	Sault Ste. Marie	150	2	–	1	30	8	11	1	2	3	1	4	5	84	61	–	1
03	Balance of county	126	1	–	1	30	11	6	2	5	1	–	5	2	62	47	–	–
04	Clare	294	–	–	5	62	14	14	6	7	5	1	15	1	174	152	2	1
05	Clinton	314	–	–	1	62	13	13	8	8	1	1	18	7	161	119	–	3
06	Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
07	Balance of county	314	–	–	1	62	13	13	8	8	1	1	18	7	161	119	–	3
08	Crawford	105	–	–	–	16	5	4	–	2	–	1	4	4	61	43	–	1
09	Delta	403	1	–	1	70	26	10	12	8	4	4	6	7	204	150	–	1
10	Escanaba	193	1	–	1	35	12	5	7	4	2	3	2	2	97	66	–	–
11	Balance of county	210	–	–	–	35	14	5	5	4	2	1	4	5	107	84	–	1
12	Dickinson	281	–	–	1	60	23	9	3	8	–	3	14	6	153	105	3	1
13	Eaton	500	–	–	2	108	25	27	8	13	5	4	26	11	248	173	3	3
14	Lansing, part	12	–	–	–	3	–	–	3	–	–	–	–	–	2	1	–	–
15	Balance of county	488	–	–	2	105	25	27	5	13	5	4	26	11	246	172	3	3
16	Emmet	226	–	–	–	50	13	12	6	5	2	4	8	5	131	86	2	–
17	Genesee	3,388	3	–	37	652	152	172	52	69	40	30	137	82	1,676	1,262	26	11
18	Flint	1,651	2	–	21	299	74	72	23	28	24	14	64	43	816	601	10	3
19	Balance of county	1,737	1	–	16	353	78	100	29	41	16	16	73	39	860	661	16	8
20	Gladwin	187	–	–	–	34	4	13	1	4	–	2	10	5	102	81	–	1
21	Gogebic	286	–	–	–	56	18	11	5	8	3	3	8	7	170	129	2	11
22	Grand Traverse	428	–	–	2	73	27	18	4	9	1	2	12	6	242	173	1	1
23	Traverse City	205	–	–	–	40	17	8	2	6	1	2	4	4	117	74	1	1
24	Balance of county	223	–	–	2	33	10	10	2	3	–	–	8	2	125	99	–	–
25	Gratiot	353	–	–	2	55	14	18	1	8	5	2	7	6	216	156	2	13
26	Hillsdale	378	1	–	6	66	13	14	10	7	6	4	12	12	183	137	2	3
27	Houghton	468	1	1	2	88	23	25	7	12	3	4	14	16	258	218	4	1
28	Huron	422	–	–	2	81	23	15	7	11	4	6	15	8	249	182	2	4
29	Ingham	1,591	2	1	9	335	96	83	29	27	11	19	70	38	769	607	10	14
30	East Lansing	91	–	–	–	24	4	6	3	–	–	5	6	3	40	31	–	1
31	Lansing, part	947	2	1	4	197	61	50	16	16	7	7	40	21	454	364	5	11
32	Lansing, total	959	2	1	4	200	61	50	19	16	7	7	40	21	456	365	5	11
33	Balance of county	553	–	–	5	114	31	27	10	11	4	7	24	14	275	212	5	2
34	Ionia	423	–	–	1	73	18	15	5	10	4	1	20	12	229	164	5	–
35	Iosco	262	–	–	1	50	12	22	2	2	–	3	9	4	148	125	1	–
36	Iron	191	–	–	1	34	10	12	1	5	–	–	6	2	108	77	1	1
37	Isabella	290	–	–	1	55	10	14	5	5	2	3	16	2	158	118	2	–
38	Mount Pleasant	111	–	–	1	24	4	7	1	2	1	1	8	–	62	45	–	–
39	Balance of county	179	–	–	–	31	6	7	4	3	1	2	8	2	96	73	2	–
40	Jackson	1,210	1	–	7	260	61	69	18	25	13	20	54	31	602	441	6	6
41	Jackson	514	1	–	5	101	20	30	7	5	7	8	24	19	249	180	2	3
42	Balance of county	696	–	–	2	159	41	39	11	20	6	12	30	12	353	261	4	3
43	Kalamazoo	1,384	–	–	18	344	74	85	36	34	19	19	77	21	669	501	11	2
44	Kalamazoo	629	–	–	9	133	31	28	12	20	7	6	29	12	317	238	6	2
45	Portage	164	–	–	1	49	11	15	6	2	2	3	10	2	72	51	–	–
46	Balance of county	591	–	–	8	162	32	42	18	12	10	10	38	7	280	212	5	–
47	Kalkaska	94	–	–	–	15	3	5	–	2	1	–	4	1	50	34	–	–
48	Kent	3,536	1	1	24	719	165	179	93	61	32	35	154	49	1,918	1,425	23	23
49	East Grand Rapids	76	–	–	–	23	5	5	4	2	1	–	6	–	39	29	–	–
50	Grand Rapids	1,976	1	1	10	388	93	97	48	35	16	15	84	28	1,099	797	10	14
51	Grandville	70	–	–	1	13	1	3	5	–	–	1	3	1	42	28	–	–
52	Kentwood	108	–	–	1	24	5	5	3	2	3	2	4	2	55	43	–	1
53	Walker	93	–	–	–	17	4	3	2	–	–	2	6	1	52	45	–	–
54	Wyoming	384	–	–	7	79	14	23	9	4	5	3	21	5	205	158	3	–
55	Balance of county	829	–	–	5	175	43	43	22	18	7	12	30	12	426	325	10	8
56	Keweenaw	29	–	–	–	6	3	1	–	2	–	–	–	1	18	13	–	–
57	Lake	110	–	–	1	23	9	4	–	2	2	–	6	–	63	46	1	1
58	Lapeer	437	2	–	3	82	18	15	14	9	3	4	19	10	219	151	3	4
59	Leelanau	126	–	–	1	25	7	2	5	4	2	–	5	3	65	50	–	1
60	Lenawee	718	1	–	4	136	41	28	7	13	6	7	34	24	386	273	3	4
61	Adrian	222	–	–	1	48	14	9	5	2	2	2	14	10	113	75	1	2
62	Balance of county	496	1	–	3	88	27	19	2	11	4	5	20	14	273	198	2	2
63	Livingston	518	1	–	3	114	28	35	10	7	8	6	20	2	250	188	5	1
64	Luce	70	–	–	–	19	6	5	–	4	1	1	2	2	36	30	1	–
65	Mackinac	129	1	–	–	27	9	3	2	2	2	4	5	1	72	55	–	–
66	Macomb	4,346	2	–	22	972	242	269	87	108	37	28	201	75	2,276	1,823	38	18
67	Center Line	123	–	–	–	38	17	8	1	6	–	1	5	3	67	50	2	–
68	East Detroit	343	1	–	2	73	15	18	9	10	4	1	16	8	187	147	1	2
69	Fraser	92	–	–	1	22	9	7	1	3	1	–	1	–	42	35	1	–
70	Mount Clemens	287	–	–	1	70	22	16	5	8	1	3	15	3	135	110	1	1
71	Roseville	370	–	–	2	78	14	27	4	8	5	3	17	5	207	156	2	–
72	St. Clair Shores	676	1	–	2	154	33	45	18	17	6	7	28	14	380	316	11	4
73	Sterling Heights	409	–	–	2	99	19	25	13	11	5	3	23	8	207	165	4	4
74	Warren	1,090	–	–	7	239	65	65	21	21	9	6	52	17	571	451	7	4
75	Balance of county	956	–	–	5	199	48	58	15	24	6	4	44	17	480	393	9	3
76	Manistee	245	–	–	2	51	13	12	2	8	3	3	10	3	145	94	1	–
77	Marquette	549	–	–	1	97	23	25	7	12	7	5	18	7	314	229	4	3
78	Marquette	171	–	–	–	35	7	11	4	3	4	1	5	1	96	67	2	2
79	Balance of county	378	–	–	1	62	16	14	3	9	3	4	13	6	218	162	2	1
80	Mason	253	–	–	1	52	12	9	2	9	3	4	13	6	147	118	1	–
81	Mecosta	217	–	–	2	40	8	7	2	2	6	1	14	6	105	85	2	–
82	Big Rapids	60	–	–	1	9	1	1	–	1	1	1	4	3	31	27	–	–
83	Balance of county	157	–	–	1	31	7	6	2	1	5	–	10	3	74	58	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places; 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E960-E999)	
102	5	-	27	5	6	8	6	-	2	-	-	1	2	-	22	3	9	5	-	-	01
57	3	-	17	3	3	4	3	-	2	-	-	1	2	-	13	-	2	1	-	-	02
45	2	-	10	2	3	4	3	-	-	-	-	-	-	-	9	3	7	4	-	-	03
142	7	-	17	1	4	4	5	1	1	1	-	1	1	2	22	6	6	2	-	-	04
110	6	1	29	5	7	10	5	-	-	4	-	2	3	3	21	15	13	7	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
110	6	1	29	5	7	10	5	-	-	4	-	2	3	3	21	15	13	7	-	-	07
38	4	-	11	2	5	5	-	-	-	1	-	-	2	-	5	3	6	1	1	-	08
132	17	4	39	7	4	23	5	2	9	2	-	1	9	-	35	12	12	8	2	-	09
56	10	3	19	5	4	13	2	-	5	2	-	1	2	-	19	4	4	4	1	-	10
76	7	1	20	2	-	10	3	2	4	-	-	-	7	-	16	8	8	4	1	-	11
86	15	1	36	9	2	7	6	1	3	-	-	2	2	2	15	10	10	2	1	-	12
148	19	2	47	19	7	15	6	2	4	1	-	4	6	4	43	17	12	13	3	1	13
-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	2	1	1	-	14
148	18	2	46	19	7	14	6	2	4	1	-	4	6	3	42	17	10	12	2	1	15
83	1	-	36	2	7	3	-	-	2	2	-	-	3	2	17	6	3	1	1	-	16
1,126	99	9	308	51	46	74	37	15	60	17	-	32	61	20	306	126	71	61	57	1	17
544	44	4	161	27	23	37	14	8	35	6	-	17	33	16	151	45	48	27	33	-	18
582	55	5	147	24	23	37	23	7	25	11	-	15	28	4	155	81	23	34	24	1	19
75	5	-	12	3	6	5	3	1	-	1	-	3	1	3	15	6	6	1	1	-	20
108	8	1	25	9	6	10	-	2	7	1	-	1	-	1	18	5	4	4	-	-	21
157	14	-	40	22	7	13	3	2	4	2	-	1	5	4	39	12	11	9	-	-	22
65	7	-	25	13	5	8	2	-	3	1	-	-	1	-	18	2	4	5	-	-	23
92	7	-	15	9	2	5	1	2	1	1	-	1	4	4	21	10	7	4	-	-	24
126	15	-	50	6	4	7	5	-	1	3	-	6	1	-	32	9	7	2	1	-	25
113	19	2	32	7	5	19	3	1	1	-	-	1	5	3	35	15	16	10	-	1	26
192	21	1	26	3	10	21	7	-	11	1	-	1	1	2	31	7	14	6	-	-	27
160	16	3	51	5	8	11	1	-	10	5	-	-	3	3	33	8	5	2	1	-	28
524	59	6	111	25	20	56	31	2	21	6	2	17	19	16	132	49	42	32	11	1	29
26	4	1	7	-	1	4	1	-	1	-	-	2	2	-	9	2	-	3	-	-	30
306	42	3	60	17	10	40	16	1	12	4	1	5	10	9	87	30	22	19	11	1	31
306	43	3	61	17	10	41	16	1	12	4	1	5	10	10	88	30	24	20	12	1	32
192	13	2	44	8	9	12	14	1	8	2	1	10	7	7	36	17	20	10	-	-	33
142	17	3	47	6	9	12	4	1	3	3	-	4	5	2	38	17	16	2	1	-	34
119	5	2	16	-	5	9	2	3	2	-	-	3	2	2	21	9	2	2	1	1	35
68	7	-	26	2	3	4	-	1	2	-	-	3	3	-	22	5	4	2	-	-	36
104	12	1	24	8	7	10	2	1	6	-	-	4	4	2	20	9	11	4	1	-	37
39	6	-	12	2	3	5	1	1	4	-	-	1	1	2	5	1	2	1	-	-	38
65	6	1	12	6	4	5	1	-	2	-	-	3	3	-	15	8	9	3	1	-	39
394	35	3	86	53	19	39	16	3	14	5	-	11	8	3	106	41	29	23	10	1	40
156	19	2	33	22	12	15	7	1	4	1	-	5	5	1	51	19	15	13	2	-	41
238	16	1	53	31	7	24	9	2	10	4	-	6	3	2	55	22	14	10	8	1	42
446	42	1	121	26	20	44	17	8	9	3	1	9	19	8	111	39	25	23	12	4	43
216	14	-	60	10	9	20	10	3	4	2	1	5	11	4	52	15	14	10	5	2	44
47	4	-	15	3	3	1	3	2	-	-	-	2	2	-	14	9	3	3	-	1	45
183	24	1	46	13	8	23	4	3	5	1	-	2	6	4	45	15	8	10	7	1	46
25	9	-	10	3	3	3	1	-	1	-	-	2	3	-	12	2	2	1	1	-	47
1,265	114	13	353	75	52	94	37	9	50	13	2	33	36	28	287	97	79	41	14	4	48
26	3	-	9	-	1	3	-	-	-	1	-	1	1	-	4	2	1	1	-	-	49
711	62	7	212	50	33	54	22	2	34	6	1	18	17	18	155	45	45	21	10	1	50
27	1	2	8	2	2	1	1	1	-	-	-	1	1	-	4	4	-	-	-	-	51
37	5	-	10	1	1	4	1	-	2	-	-	-	-	-	9	4	4	1	-	1	52
38	7	-	6	-	1	3	1	-	3	-	-	2	1	1	8	4	-	-	-	-	53
147	8	1	37	4	5	7	7	2	3	2	-	-	3	3	36	12	8	4	-	1	54
279	28	3	71	18	9	22	5	4	8	4	1	11	13	6	71	26	21	14	4	1	55
12	1	-	4	-	1	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	56
37	7	1	10	4	2	1	4	-	2	1	-	-	-	-	9	-	2	1	3	-	57
131	13	-	52	13	3	7	7	1	7	1	-	4	7	3	37	28	16	3	-	-	58
46	3	2	7	2	4	4	-	1	-	-	-	1	1	1	17	3	1	3	-	-	59
235	31	3	66	24	20	10	13	4	9	2	-	3	2	6	72	30	11	5	-	-	60
63	9	-	19	9	10	3	4	-	4	2	-	1	2	3	18	9	3	1	-	-	61
172	22	3	47	15	10	7	9	4	5	-	-	2	-	3	54	21	8	4	-	-	62
151	31	-	48	7	7	17	9	2	6	4	-	10	7	3	41	29	13	3	4	-	63
26	3	-	4	1	1	1	-	-	1	-	-	-	-	-	4	3	2	1	1	-	64
51	4	-	13	2	2	1	2	1	2	1	-	1	1	1	9	2	7	-	-	-	65
1,628	139	10	334	60	49	92	60	7	88	22	-	27	53	26	301	131	83	71	30	8	66
44	4	-	11	5	1	3	1	1	-	1	-	-	-	-	6	2	1	-	-	-	67
130	14	2	30	6	2	9	1	-	12	2	-	2	2	3	20	5	9	4	2	1	68
28	6	-	5	1	1	4	3	-	3	1	-	-	1	-	8	5	-	1	1	-	69
100	8	-	19	2	4	6	4	1	7	1	-	1	5	1	24	11	4	8	4	1	70
147	7	1	40	4	6	9	5	2	2	2	-	4	6	-	22	11	7	3	4	1	71
278	23	3	43	12	6	12	13	-	10	7	-	1	3	4	48	11	10	4	1	1	72
148	9	1	31	5	5	9	3	-	8	2	-	4	6	2	20	17	10	9	2	1	73
404	36	1	88	15	16	21	12	2	23	6	-	7	16	3	87	27	17	23	10	2	74
349	32	2	67	10	8	19	18	1	23	-	-	8	14	13	66	42	25	19	6	1	75
83	10	1	36	10	4	3	2	2	2	-	-	3	-	1	22	4	3	1	1	-	76
207	15	5	59	7	14	15	7	-	19	3	-	8	10	2	30	14	12	9	1	-	77
59	4	2	19	3	5	7	3	-	5	1	-	3	3	-	12	1	2	1	1	-	78
148	11	3	40	4	9	8	4	-	14	2	-	5	7	2	18	13	10	8	-	-	79
107	10	-	19	4	6	8	2	-	2	-	-	4	1	2	12	10	5	1	-	-	80
74	9	3	13	3	1	4	6	2	1	2	-	4	4	1	22	7	8	2	-	1	81
23	4	2	2	-	-	-	2	-	-	2	-	1	-	-	9	-	1	1	-	-	82
51	5	1	11	3	1	4	4	2	1	-	-	3	4	1	13	7	7	1	-	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Menominee	287	1	–	1	55	15	6	10	12	1	2	9	5	161	114	3	3
02	Menominee	130	1	–	1	26	6	4	3	4	1	2	6	2	76	51	2	1
03	Balance of county	157	–	–	–	29	9	2	7	8	–	–	3	3	85	63	1	2
04	Midland	455	–	–	1	103	19	23	15	6	2	3	35	4	225	180	5	2
05	Midland, part	226	–	–	1	46	10	9	9	3	1	1	13	3	111	89	4	1
06	Midland, total	226	–	–	1	46	10	9	9	3	1	1	13	3	111	89	4	1
07	Balance of county	229	–	–	–	57	9	14	6	3	1	2	22	1	114	91	1	1
08	Missaukee	105	–	–	1	18	3	6	3	2	1	2	1	2	50	36	1	–
09	Monroe	949	1	–	3	174	46	51	12	21	4	8	32	27	470	357	8	4
10	Monroe	299	–	–	1	51	13	19	4	4	2	–	9	7	154	111	2	2
11	Balance of county	650	1	–	2	123	33	32	8	17	2	8	23	20	316	246	6	2
12	Montcalm	463	–	–	3	91	23	20	8	10	4	6	20	12	242	156	2	3
13	Montmorency	81	–	–	–	16	9	2	–	3	–	2	–	4	42	29	1	1
14	Muskegon	1,319	–	–	9	292	70	78	29	37	14	9	55	29	684	506	7	7
15	Muskegon	512	–	–	5	100	29	22	7	15	4	4	19	13	274	201	4	4
16	Muskegon Heights	140	–	–	2	26	6	10	1	2	2	–	5	–	76	58	1	–
17	Norton Shores	119	–	–	–	39	6	8	6	5	4	1	9	4	44	31	–	1
18	Balance of county	548	–	–	2	127	29	38	15	15	4	4	22	12	290	216	2	2
19	Newaygo	333	–	–	4	66	22	14	3	4	4	3	16	4	170	118	5	1
20	Oakland	6,809	7	–	43	1,539	381	378	154	166	73	72	315	134	3,435	2,679	50	23
21	Berkley	159	–	–	–	28	9	6	2	5	–	3	3	–	97	66	2	–
22	Beverly Hills	69	–	–	–	22	3	1	3	6	1	3	5	–	25	23	–	1
23	Birmingham	225	–	–	2	59	16	10	7	7	2	3	14	4	110	80	3	–
24	Clawson	131	–	–	1	30	7	9	4	5	1	1	3	–	66	50	–	–
25	Farmington	136	–	–	2	23	5	2	6	2	1	2	5	3	72	57	–	–
26	Ferndale	280	–	–	3	64	15	18	4	3	4	2	18	8	154	123	1	1
27	Hazel Park	180	1	–	2	50	15	16	5	5	1	3	5	4	88	73	2	1
28	Madison Heights	228	1	–	–	59	15	26	5	3	1	2	7	8	102	86	2	–
29	Oak Park	328	–	–	–	89	25	18	6	13	4	6	17	5	181	150	1	2
30	Pontiac	673	–	–	5	116	24	34	7	11	6	2	32	13	306	246	1	1
31	Royal Oak	612	–	–	2	145	43	29	10	13	9	5	36	10	329	253	6	3
32	Southfield	690	–	–	7	154	42	28	20	13	9	9	33	18	378	292	3	2
33	Troy	267	1	–	3	57	18	10	4	5	3	4	13	6	128	103	4	2
34	Balance of county	2,831	4	–	16	643	144	171	71	75	31	27	124	55	1,399	1,077	25	10
35	Oceana	225	1	–	1	52	16	11	4	9	3	3	6	5	103	82	1	2
36	Ogemaw	212	–	–	–	55	16	14	5	6	4	2	8	2	112	88	1	2
37	Ontonagon	116	–	–	–	20	3	7	1	1	1	–	7	6	61	35	1	–
38	Osceola	179	–	–	1	34	7	12	2	7	2	–	4	6	96	74	1	1
39	Oscoda	79	–	–	–	13	3	6	–	2	–	2	–	2	39	30	–	–
40	Otsego	115	–	–	1	22	3	6	4	–	–	1	8	2	62	47	–	–
41	Ottawa	975	2	–	2	209	66	36	16	21	13	14	43	20	493	353	5	3
42	Grand Haven	138	–	–	1	33	14	7	1	3	3	–	5	5	65	36	1	–
43	Holland, part	212	1	–	–	49	15	8	4	5	3	3	11	1	112	78	2	–
44	Holland, total	243	1	–	–	57	18	8	6	6	4	4	11	1	133	94	2	–
45	Balance of county	625	1	–	1	127	37	21	11	13	7	11	27	14	316	239	2	3
46	Presque Isle	136	–	–	1	21	4	6	2	3	–	4	2	–	81	70	2	1
47	Roscommon	183	–	–	2	40	14	12	1	5	2	–	6	3	88	63	–	2
48	Saginaw	1,688	2	–	9	347	84	85	28	43	13	17	77	41	837	620	6	10
49	Saginaw	777	1	–	5	147	36	24	14	23	6	5	39	22	409	298	3	5
50	Balance of county	911	1	–	4	200	48	61	14	20	7	12	38	19	428	322	3	5
51	St. Clair	1,184	1	–	5	236	66	51	17	25	14	14	49	34	619	462	11	8
52	Port Huron	358	1	–	1	67	21	12	5	6	2	4	17	10	184	131	4	2
53	Balance of county	826	–	–	4	169	45	39	12	19	12	10	32	24	435	331	7	6
54	St. Joseph	468	1	–	–	110	20	37	11	14	4	4	20	9	226	162	3	3
55	Sanilac	386	–	–	2	68	17	17	8	9	2	1	14	4	212	158	5	3
56	Schoolcraft	104	–	–	1	17	4	6	–	3	–	1	3	3	62	48	1	–
57	Shiawassee	459	1	–	1	87	25	22	6	12	3	1	18	10	258	178	5	–
58	Owosso	164	–	–	1	28	8	7	1	6	1	–	5	5	102	70	2	–
59	Balance of county	295	1	–	–	59	17	15	5	6	2	1	13	5	156	108	3	–
60	Tuscola	432	–	–	2	74	22	18	4	7	4	3	16	14	229	188	3	3
61	Van Buren	589	–	–	4	112	25	31	11	16	5	7	17	10	274	224	7	4
62	Washtenaw	1,305	2	–	15	256	40	64	31	34	16	12	59	28	613	449	13	4
63	Ann Arbor	447	–	–	5	90	16	25	13	9	4	4	19	10	214	152	7	1
64	Ypsilanti	210	1	–	2	44	9	6	5	9	4	1	10	2	91	67	1	1
65	Balance of county	648	1	–	8	122	15	33	13	16	8	7	30	16	308	230	5	2
66	Wayne	23,242	35	2	217	4,590	1,238	1,244	404	546	186	171	801	483	11,704	9,313	139	102
67	Allen Park	307	–	–	3	84	23	29	10	5	5	2	10	7	162	127	2	2
68	Dearborn	1,034	1	1	8	252	71	69	23	27	10	12	40	12	550	450	5	3
69	Dearborn Heights	538	1	–	5	114	30	29	14	10	7	7	17	10	288	237	4	3
70	Detroit	14,386	30	1	147	2,720	734	749	225	338	112	87	475	297	7,090	5,608	87	72
71	Ecorse	162	–	–	2	29	7	8	4	4	1	1	4	3	77	66	–	–
72	Garden City	218	–	–	–	61	17	13	9	3	1	1	17	4	95	75	–	–
73	Grosse Pointe Farms	119	–	–	2	33	10	4	2	9	1	1	6	–	64	43	1	–
74	Grosse Pointe Park	150	–	–	–	25	3	10	5	1	2	1	3	3	94	64	–	1
75	Grosse Pointe Woods	173	–	–	2	39	6	13	4	8	1	3	4	4	102	80	1	–
76	Hamtramck	372	–	–	1	65	19	22	2	7	2	1	12	16	214	173	3	2
77	Harper Woods	183	–	–	–	38	11	12	4	3	2	–	6	5	103	76	–	–
78	Highland Park	318	1	–	4	58	19	11	4	10	1	2	11	7	156	118	2	–
79	Inkster	301	–	–	2	62	19	11	7	11	3	1	10	8	140	110	5	–
80	Lincoln Park	378	–	–	3	94	25	29	11	12	2	3	12	12	169	146	4	–
81	Livonia	679	–	–	7	140	43	35	12	14	3	7	26	15	380	310	3	4
82	Melvindale	115	–	–	1	19	5	5	1	3	–	–	5	4	65	57	1	–
83	Plymouth	136	–	–	1	21	4	7	3	1	2	1	3	1	86	65	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
93	15	1	21	17	8	5	3	–	3	–	–	1	6	1	12	10	15	6	1	1	01
42	6	–	12	7	6	2	1	–	2	–	–	1	2	1	5	2	5	2	–	1	02
51	9	1	9	10	2	3	2	–	1	–	–	–	4	–	7	8	10	4	1	–	03
158	15	2	37	2	4	13	3	2	7	2	–	3	7	3	43	21	13	4	1	–	04
75	9	–	19	1	2	11	2	2	3	1	–	2	5	1	21	6	8	3	–	–	05
75	9	–	19	1	2	11	2	2	3	1	–	2	5	1	21	6	8	3	–	–	06
83	6	2	18	1	2	2	1	–	4	1	–	1	2	2	22	15	5	1	1	–	07
31	4	1	9	3	1	8	1	1	–	3	–	1	–	1	10	5	2	1	1	–	08
315	30	4	76	25	8	24	20	3	10	3	–	5	10	6	79	40	43	19	11	1	09
101	6	3	30	8	2	8	6	2	2	2	–	2	2	1	32	12	9	4	3	1	10
214	24	1	46	17	6	16	14	1	8	1	–	3	8	5	47	28	34	15	8	–	11
128	23	1	64	13	8	18	7	1	5	2	–	2	5	3	36	16	10	8	1	1	12
25	2	–	9	1	3	2	–	1	3	–	–	1	–	1	6	2	2	1	–	–	13
463	29	4	123	29	22	35	11	–	10	8	–	6	13	7	123	42	26	15	8	1	14
183	10	3	55	7	8	14	6	–	4	4	–	2	7	3	50	8	12	6	4	–	15
54	3	–	13	3	2	8	–	–	1	1	–	1	2	1	16	1	4	–	1	–	16
28	2	–	11	1	1	3	3	–	1	1	–	1	–	1	11	3	2	4	1	1	17
198	14	1	44	18	11	10	2	–	4	2	–	2	4	2	46	30	8	5	2	–	18
105	7	1	37	11	3	10	4	2	4	2	–	1	1	1	27	26	8	3	–	–	19
2,420	186	10	598	66	82	180	99	23	98	31	1	52	86	47	502	213	136	137	43	3	20
60	4	1	27	2	1	5	1	–	2	2	–	1	3	–	9	3	6	2	–	–	21
21	1	–	1	–	1	4	2	–	–	2	–	–	–	–	5	2	2	5	–	–	22
71	6	–	22	5	3	10	1	2	3	1	–	1	2	3	12	6	5	3	1	–	23
46	4	–	14	1	1	6	3	1	2	–	–	1	1	–	13	3	2	1	1	–	24
50	7	–	15	–	–	4	3	–	3	1	–	–	–	–	15	4	3	3	–	–	25
115	6	–	24	4	3	4	2	–	3	1	–	2	4	3	20	3	5	4	–	–	26
63	7	1	11	1	2	5	1	1	4	1	–	1	–	–	9	4	2	6	1	–	27
77	7	–	11	2	3	8	1	2	5	1	–	5	3	–	20	4	5	2	2	–	28
138	9	–	27	2	2	5	2	–	2	2	–	2	1	2	26	3	3	2	3	–	29
223	21	2	52	1	5	18	13	1	15	4	–	7	23	10	60	35	19	9	18	1	30
228	16	–	60	4	12	20	11	3	5	3	–	3	5	3	46	12	7	8	–	–	31
268	19	1	63	14	8	14	8	2	6	1	–	5	14	–	45	11	9	14	4	–	32
92	5	–	19	2	4	7	8	1	8	2	–	2	1	4	19	9	3	5	3	–	33
968	74	5	252	28	37	70	43	10	40	10	1	22	29	22	203	114	65	73	10	2	34
70	9	–	14	6	1	3	2	3	–	1	–	1	2	6	20	12	6	6	1	–	35
81	4	–	18	3	3	2	3	–	2	2	–	–	2	–	19	4	4	4	1	–	36
31	3	–	8	16	2	1	–	1	3	–	–	–	1	2	10	5	6	–	–	–	37
65	7	–	18	2	2	4	1	–	2	–	–	4	1	2	16	8	4	–	–	–	38
26	4	–	4	2	3	5	1	–	1	–	–	1	–	–	9	2	5	1	–	–	39
41	6	1	10	1	3	5	1	–	4	–	–	2	1	–	9	2	4	–	–	–	40
305	40	2	95	26	17	34	14	8	6	2	–	10	6	32	67	36	21	11	2	–	41
28	7	–	22	3	4	8	3	1	1	–	–	–	3	2	10	1	4	1	–	–	42
74	2	1	21	6	6	3	3	2	1	–	–	2	1	8	15	8	4	1	1	–	43
88	4	1	24	7	7	3	4	2	1	–	–	2	1	8	15	8	4	2	1	–	44
203	31	1	52	17	7	23	8	5	4	2	–	8	2	22	42	27	13	9	1	–	45
65	2	–	9	–	2	2	2	1	–	1	–	1	1	1	13	5	5	1	–	–	46
53	8	–	17	3	5	9	1	–	–	2	–	1	2	1	19	8	6	1	–	–	47
541	63	4	158	36	19	35	23	4	24	5	–	14	26	4	152	53	57	22	31	2	48
258	32	2	75	23	11	19	13	1	12	2	–	5	11	3	62	13	25	8	18	1	49
283	31	2	83	13	8	16	10	3	12	3	–	9	15	1	90	40	32	14	13	1	50
419	24	1	117	25	14	29	19	1	23	8	–	9	10	6	94	38	32	17	2	1	51
118	7	–	38	12	3	10	5	–	7	2	–	2	6	2	29	10	16	5	1	–	52
301	17	1	79	13	11	19	14	1	16	6	–	7	4	4	65	28	16	12	1	1	53
140	16	2	47	4	11	14	7	–	4	1	–	2	9	8	40	13	15	7	2	–	54
131	19	2	47	2	3	5	2	4	3	5	–	–	3	4	36	19	11	7	–	1	55
47	–	–	9	1	4	1	1	–	2	1	–	1	3	–	5	3	4	–	–	–	56
161	12	2	58	14	6	14	5	2	2	1	–	1	4	2	32	23	8	7	1	–	57
64	4	–	23	5	4	5	4	–	1	1	–	–	–	1	10	4	2	–	–	–	58
97	8	2	35	9	2	9	1	2	1	–	–	1	4	1	22	19	6	7	1	–	59
164	18	–	34	4	3	12	4	1	5	1	–	2	5	2	35	26	13	5	2	–	60
197	16	2	37	7	4	21	15	3	7	3	–	5	7	10	57	28	22	7	3	1	61
382	50	3	130	8	23	44	19	5	19	4	–	14	24	12	108	49	33	42	13	5	62
129	15	2	51	2	7	12	10	2	5	–	–	4	12	5	36	17	7	13	4	1	63
61	4	–	19	–	5	5	1	1	3	–	–	2	7	3	20	10	6	6	5	1	64
192	31	1	60	6	11	27	8	2	11	4	–	8	5	4	52	22	20	23	4	3	65
8,453	619	67	1,850	187	287	604	261	60	653	161	8	128	335	156	1,869	437	530	329	614	66	66
119	4	1	23	4	7	4	4	1	7	4	–	1	2	1	16	7	2	2	–	–	67
413	29	1	77	11	11	30	7	2	16	4	–	1	6	4	84	18	17	14	6	1	68
217	13	–	40	1	10	13	8	3	10	3	–	4	8	–	44	10	5	9	3	–	69
5,023	426	49	1,174	99	160	375	139	38	463	117	6	75	221	120	1,231	216	338	194	522	46	70
62	4	1	6	1	3	3	2	–	11	3	–	1	3	1	16	2	3	1	4	1	71
73	2	–	15	3	2	5	4	–	6	1	–	2	5	1	16	7	7	3	–	1	72
38	4	1	18	2	–	1	2	–	3	2	–	–	1	–	8	1	–	2	–	–	73
59	4	–	20	6	4	2	–	–	4	–	–	–	–	1	10	3	4	2	1	1	74
79	–	–	11	7	4	3	2	1	1	1	–	1	1	–	7	1	4	1	3	–	75
161	7	4	31	4	2	15	7	–	5	1	–	1	–	1	24	4	10	2	6	–	76
76	–	–	20	3	4	6	1	–	4	3	–	1	–	–	7	6	4	4	1	–	77
112	4	–	33	2	3	12	3	2	12	–	1	1	5	4	19	5	9	2	16	1	78
101	4	–	22	4	4	11	2	1	10	1	–	4	6	2	22	8	7	6	5	4	79
136	6	–	19	2	2	10	9	1	11	2	–	2	6	2	27	12	9	6	3	–	80
281	22	2	49	6	13	17	8	1	11	6	–	3	10	3	44	17	10	5	2	–	81
54	2	1	5	1	1	3	–	–	3	–	–	–	–	–	8	4	4	2	2	–	82
59	6	–	15	3	3	5	–	1	–	2	–	1	–	–	10	4	–	3	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
	Wayne—Con.																	
01	River Rouge	143	–	–	–	31	9	5	3	4	1	3	6	4	76	62	–	1
02	Riverview	88	–	–	–	18	7	3	1	2	–	1	4	2	50	42	1	2
03	Southgate	221	–	–	1	50	7	18	5	2	2	2	14	7	106	94	2	1
04	Taylor	402	–	–	6	87	22	27	5	11	3	4	15	5	183	148	2	1
05	Trenton	157	–	–	2	32	9	10	1	3	–	3	6	4	87	63	–	–
06	Wayne	176	–	–	2	33	9	10	4	3	2	–	5	5	88	66	–	–
07	Westland	481	–	–	6	95	25	22	13	7	5	4	19	10	241	195	4	1
08	Wyandotte	359	–	–	1	57	12	18	6	6	2	2	11	4	223	180	4	1
09	Balance of county	1,646	2	–	11	333	92	75	26	42	16	22	60	34	815	658	8	8
10	Wexford	225	–	–	–	49	10	5	6	5	–	5	18	6	108	74	–	1
11	**Minnesota**	33,316	21	1	248	6,752	1,932	1,369	668	829	332	315	1,307	479	17,137	12,362	304	144
12	Urban places	16,655	13	1	131	3,505	983	787	360	392	152	144	687	235	8,341	5,966	170	64
13	Balance of area	16,661	8	–	117	3,247	949	582	308	437	180	171	620	244	8,796	6,396	134	80
14	Metropolitan counties	16,565	11	1	139	3,486	971	772	352	381	158	151	701	235	8,160	5,896	169	60
15	Urban places	13,922	10	1	116	2,954	817	673	304	322	128	123	587	195	6,869	4,915	147	50
16	Balance of area	2,643	1	–	23	532	154	99	48	59	30	28	114	40	1,291	981	22	10
17	Nonmetropolitan counties	16,751	10	–	109	3,266	961	597	316	448	174	164	606	244	8,977	6,466	135	84
18	Urban places	2,733	3	–	15	551	166	114	56	70	24	21	100	40	1,472	1,051	23	14
19	Balance of area	14,018	7	–	94	2,715	795	483	260	378	150	143	506	204	7,505	5,415	112	70
20	Aitkin	159	–	–	3	25	9	5	2	3	1	–	5	3	96	65	1	1
21	Anoka	684	–	–	9	137	31	35	8	18	6	4	35	6	295	222	3	2
22	Anoka	114	–	–	2	23	4	8	2	2	1	1	5	–	55	36	1	–
23	Blaine, part	57	–	–	1	7	2	2	1	2	–	–	–	–	28	24	–	–
24	Blaine, total	57	–	–	1	7	2	2	1	2	–	–	–	–	28	24	–	–
25	Columbia Heights	142	–	–	–	34	10	8	4	2	2	–	8	–	62	42	–	–
26	Coon Rapids	93	–	–	3	15	4	4	–	2	–	1	4	2	32	27	1	1
27	Fridley	136	–	–	1	26	4	8	–	4	1	–	9	3	65	52	1	1
28	Balance of county	142	–	–	2	32	7	5	1	6	2	2	9	1	53	41	–	–
29	Becker	289	–	–	5	53	17	10	1	7	3	1	14	5	143	117	3	–
30	Beltrami	227	–	–	1	52	15	13	6	9	1	2	6	1	109	75	4	2
31	Bemidji	113	–	–	1	28	8	7	3	6	–	1	3	1	59	39	3	1
32	Balance of county	114	–	–	–	24	7	6	3	3	1	1	3	–	50	36	1	1
33	Benton	208	–	–	1	35	7	4	4	10	–	2	8	–	118	85	–	2
34	St. Cloud, part	47	–	–	–	6	1	–	1	3	–	–	1	–	31	21	–	2
35	Balance of county	161	–	–	1	29	6	4	3	7	–	2	7	–	87	64	–	–
36	Big Stone	108	–	–	–	26	8	4	3	4	2	4	1	3	55	40	1	–
37	Blue Earth	417	–	–	2	92	37	17	10	10	4	1	13	8	219	168	2	3
38	Mankato	239	–	–	–	59	24	12	6	6	3	1	7	6	125	92	2	2
39	Balance of county	178	–	–	2	33	13	5	4	4	1	–	6	2	94	76	–	1
40	Brown	266	–	–	2	56	22	6	3	6	5	5	9	3	142	93	3	1
41	New Ulm	112	–	–	–	20	7	3	1	4	1	–	4	2	63	41	1	1
42	Balance of county	154	–	–	2	36	15	3	2	2	4	5	5	1	79	52	2	–
43	Carlton	241	–	–	1	36	12	9	2	4	4	1	4	3	139	100	1	1
44	Carver	225	–	–	2	40	17	8	4	7	1	1	2	4	113	81	3	–
45	Cass	260	1	–	1	44	8	10	2	8	1	3	12	2	145	115	2	1
46	Chippewa	185	2	–	3	37	13	5	3	1	1	4	10	1	94	66	–	2
47	Chisago	234	–	–	1	47	14	7	6	8	6	1	5	4	123	83	–	–
48	Clay	326	1	–	2	84	22	15	6	11	3	4	23	2	143	108	3	–
49	Moorhead	151	1	–	1	44	12	8	5	7	2	–	10	–	66	47	1	–
50	Balance of county	175	–	–	1	40	10	7	1	4	1	4	13	2	77	61	2	–
51	Clearwater	108	–	–	1	15	7	2	1	–	2	–	3	3	65	45	–	2
52	Cook	29	–	–	–	9	2	3	1	–	–	3	–	–	11	5	–	–
53	Cottonwood	171	–	–	1	37	9	4	5	5	2	3	9	5	82	62	–	1
54	Crow Wing	408	–	–	2	79	23	24	4	11	3	1	13	6	206	156	3	–
55	Brainerd	152	–	–	1	35	9	10	1	5	2	1	7	3	78	61	2	–
56	Balance of county	256	–	–	1	44	14	14	3	6	1	–	6	3	128	95	1	–
57	Dakota	853	1	–	7	180	61	37	20	14	7	9	32	23	408	318	8	3
58	Burnsville	87	–	–	–	17	7	1	4	2	–	1	2	3	40	33	1	–
59	Hastings, part	100	–	–	2	15	7	1	2	2	–	–	3	3	53	35	1	1
60	Hastings, total	100	–	–	2	15	7	1	2	2	–	–	3	3	53	35	1	1
61	Inver Grove Heights	70	–	–	1	13	4	3	–	1	1	1	3	1	32	23	3	–
62	South St. Paul	170	–	–	1	27	10	7	3	1	–	–	6	4	98	76	1	2
63	West St. Paul	159	–	–	1	50	10	16	2	2	4	6	10	5	70	54	1	–
64	Balance of county	267	1	–	2	58	23	9	9	6	2	1	8	7	115	97	1	–
65	Dodge	118	–	–	–	24	9	3	2	4	–	2	4	2	62	44	–	2
66	Douglas	230	–	–	2	43	14	2	5	7	4	1	10	–	122	83	2	3
67	Faribault	247	–	–	2	42	12	7	4	6	1	2	10	5	138	101	2	2
68	Fillmore	264	–	–	1	37	11	7	6	7	–	1	5	1	160	109	1	–
69	Freeborn	341	–	–	4	62	13	17	2	10	6	3	11	4	187	133	3	2
70	Albert Lea	213	–	–	2	38	9	8	2	7	3	2	7	4	118	79	2	1
71	Balance of county	128	–	–	2	24	4	9	–	3	3	1	4	–	69	54	1	1
72	Goodhue	377	–	–	2	78	29	8	9	7	6	3	16	5	197	141	3	–
73	Red Wing	169	–	–	1	33	16	2	7	2	–	1	5	3	87	56	–	–
74	Balance of county	208	–	–	1	45	13	6	2	5	6	2	11	2	110	85	3	–
75	Grant	95	–	–	–	24	5	7	3	5	–	2	2	–	50	38	–	–
76	Hennepin	7,478	4	–	62	1,587	423	375	186	163	72	63	305	90	3,571	2,491	75	31
77	Bloomington	393	–	–	3	87	18	24	11	9	4	2	19	9	190	118	3	1
78	Brooklyn Center	143	–	–	2	42	8	15	5	7	1	2	4	1	58	44	1	–
79	Brooklyn Park	98	–	–	3	19	6	7	1	1	–	–	4	2	35	28	1	1
80	Crystal	136	–	–	1	26	11	6	1	2	1	1	4	2	67	52	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
57	4	–	10	–	4	2	4	–	3	1	–	–	1	1	12	1	3	1	2	1	01
36	3	–	7	–	1	–	1	1	2	–	–	–	1	–	7	2	1	2	–	1	02
90	1	–	9	1	2	3	1	2	9	2	–	1	4	–	12	7	8	6	2	–	03
135	10	1	22	3	9	13	7	–	11	1	–	6	9	3	33	13	8	11	5	1	04
59	4	–	19	1	4	3	2	–	4	–	–	2	1	1	7	5	1	4	2	–	05
62	4	–	17	1	4	4	3	–	4	1	–	–	1	–	20	5	5	3	1	1	06
177	13	1	37	4	4	16	4	1	10	–	–	3	11	1	39	13	11	11	5	4	07
170	5	4	31	1	7	4	8	–	7	1	–	2	5	1	22	4	15	3	2	–	08
604	38	1	120	17	19	44	33	5	26	5	1	16	28	9	124	62	45	30	21	2	09
62	11	–	23	6	5	15	2	–	2	–	–	3	2	1	25	4	4	3	1	–	10
10,827	1,087	92	3,538	630	515	1,346	369	96	347	102	5	228	364	468	2,833	983	969	410	87	71	11
5,250	482	50	1,732	327	266	702	185	55	209	43	2	132	187	285	1,516	354	439	214	55	51	12
5,577	605	42	1,806	303	249	644	184	41	138	59	3	96	177	183	1,317	629	530	196	32	20	13
5,220	447	50	1,619	317	278	668	181	46	210	42	2	144	189	297	1,493	416	476	251	64	54	14
4,353	365	43	1,408	275	228	593	154	43	178	35	2	112	149	263	1,286	284	383	191	55	49	15
867	82	7	211	42	50	75	27	3	32	7	–	32	40	34	207	132	93	60	9	5	16
5,607	640	42	1,919	313	237	678	188	50	137	60	3	84	175	171	1,340	567	493	159	23	17	17
897	117	7	324	52	38	109	31	12	31	8	–	20	38	22	230	70	56	23	–	2	18
4,710	523	35	1,595	261	199	569	157	38	106	52	3	64	137	149	1,110	497	437	136	23	15	19
59	4	–	21	6	4	6	2	–	3	1	–	1	–	2	9	3	2	2	–	1	20
202	15	1	60	7	5	31	5	1	10	2	–	13	19	11	65	32	28	14	3	3	21
32	3	–	18	1	–	6	4	–	4	–	–	3	1	2	4	4	5	1	–	–	22
21	3	–	3	–	1	–	–	–	1	–	–	1	3	1	7	4	3	1	–	–	23
21	3	–	3	–	1	–	–	–	1	–	–	1	3	1	7	4	3	1	–	–	24
41	1	1	13	4	2	11	–	–	2	1	–	1	3	1	13	4	9	1	–	–	25
21	4	–	5	–	–	5	–	1	–	1	–	2	2	2	13	5	4	4	1	1	26
48	2	–	11	2	–	6	–	–	2	–	–	1	5	2	12	4	4	3	–	2	27
39	2	–	10	–	2	3	1	–	1	–	–	5	5	3	16	11	3	4	2	–	28
109	5	–	19	4	3	19	3	1	1	1	1	–	4	–	25	12	13	2	1	–	29
62	7	1	27	2	4	8	1	–	4	–	–	1	3	4	16	14	8	3	2	–	30
31	4	–	18	–	2	4	1	–	3	–	–	1	1	2	7	3	2	–	–	–	31
31	3	1	9	2	2	4	–	–	1	–	–	–	2	2	9	11	6	3	2	–	32
79	4	–	22	4	7	6	1	1	1	–	–	5	1	1	17	14	5	1	–	1	33
19	–	–	8	–	2	–	–	1	–	–	–	1	–	–	3	4	–	1	–	–	34
60	4	–	14	4	5	6	1	–	1	–	–	4	1	1	14	10	5	–	–	1	35
36	3	3	7	1	4	1	1	–	1	2	–	–	–	1	10	4	4	–	–	–	36
155	8	1	38	8	4	12	4	1	4	1	–	1	6	5	32	14	8	8	–	–	37
84	4	1	25	4	3	7	1	–	3	–	–	–	5	2	18	7	2	4	–	–	38
71	4	–	13	4	1	5	3	1	1	1	–	1	1	3	14	7	6	4	–	–	39
76	13	2	35	12	–	17	4	1	–	1	–	3	1	1	15	7	12	1	–	–	40
34	5	2	16	4	–	7	1	1	–	–	–	1	–	1	6	3	6	1	–	–	41
42	8	–	19	8	–	10	3	–	–	1	–	2	1	–	9	4	6	–	–	–	42
88	10	1	29	6	3	8	2	1	7	1	–	–	3	1	20	9	6	4	–	–	43
69	9	–	25	4	3	13	3	–	3	–	–	1	3	5	17	11	6	4	–	–	44
90	22	–	23	4	3	11	4	1	2	–	–	2	2	2	13	14	14	1	–	1	45
59	5	–	23	4	1	6	3	–	2	–	–	1	1	2	23	4	4	2	–	–	46
76	7	–	33	3	4	10	–	1	1	1	–	–	2	–	19	8	12	4	1	–	47
98	7	–	33	–	2	19	3	1	2	1	–	2	6	1	31	12	13	1	1	1	48
44	2	–	18	–	1	7	1	1	–	–	–	1	4	–	16	3	6	–	–	–	49
54	5	–	15	–	1	12	2	–	2	1	–	1	2	1	15	9	7	1	1	1	50
41	2	–	16	2	2	4	3	–	3	1	–	–	–	1	6	1	3	2	–	–	51
4	1	–	6	–	–	2	–	–	–	–	–	–	–	1	4	–	2	–	–	–	52
54	7	–	13	6	1	4	7	1	–	2	–	2	3	–	13	10	3	1	–	–	53
138	15	–	43	3	4	16	4	–	3	3	–	1	7	1	40	23	9	8	–	–	54
51	8	–	15	1	1	6	–	–	2	2	–	–	4	–	10	7	3	1	–	–	55
87	7	–	28	2	3	10	4	–	1	1	–	1	3	1	30	16	6	7	–	–	56
281	26	1	67	13	9	27	11	2	15	1	–	13	22	3	69	34	16	18	–	3	57
28	4	–	5	1	1	2	1	1	1	–	–	–	5	2	6	4	–	5	–	–	58
26	7	–	14	4	–	6	1	1	2	–	–	2	–	–	9	5	–	1	–	–	59
26	7	–	14	4	–	6	1	1	2	–	–	2	–	–	9	5	–	1	–	–	60
18	2	–	7	2	–	2	–	–	2	–	–	2	8	–	3	2	2	2	–	–	61
70	3	–	18	2	2	7	2	–	3	–	–	1	3	1	14	4	2	2	–	1	62
48	5	–	13	2	1	6	3	–	2	–	–	1	–	–	16	–	1	3	–	1	63
91	5	1	10	2	5	4	4	–	5	1	–	7	6	–	21	19	11	5	–	1	64
30	12	–	13	–	5	8	–	–	1	–	–	–	1	1	12	2	4	1	–	–	65
73	5	–	27	8	4	14	5	1	–	–	–	–	2	3	20	10	6	–	2	–	66
94	3	1	30	3	3	14	5	–	2	1	–	–	1	–	15	11	8	3	–	–	67
102	6	–	44	6	1	12	3	–	2	1	–	2	1	1	21	9	12	1	–	–	68
105	23	–	49	3	2	10	7	–	2	–	–	2	2	11	30	8	11	1	–	–	69
60	16	–	34	3	2	8	4	–	2	–	–	2	1	5	19	3	7	–	–	–	70
45	7	–	15	–	–	2	3	–	–	–	–	–	1	6	11	5	4	1	–	–	71
129	9	–	39	8	9	22	–	1	4	–	–	1	5	4	32	13	10	3	–	–	72
55	1	–	19	5	7	13	–	1	2	–	–	1	1	1	15	6	3	2	–	–	73
74	8	–	20	3	2	9	–	–	2	–	–	–	4	3	17	7	7	1	–	–	74
33	5	1	8	–	3	4	1	–	–	1	–	–	3	1	8	2	1	–	–	–	75
2,219	166	23	790	148	119	307	81	22	94	22	2	54	64	210	713	157	250	122	35	31	76
106	8	1	52	14	5	14	8	–	3	1	–	5	8	5	31	7	10	11	1	–	77
38	5	–	8	2	4	5	1	1	4	–	–	2	4	4	11	4	2	2	–	–	78
26	–	–	7	–	–	3	2	–	1	1	–	3	2	4	6	2	9	4	–	2	79
47	4	1	11	1	2	3	–	–	2	–	–	–	2	4	17	4	6	1	–	1	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
	Hennepin—Con.																	
01	Edina	394	–	–	–	85	17	19	10	12	2	6	19	5	206	129	5	–
02	Golden Valley	147	–	–	–	32	7	7	2	4	1	1	10	3	75	58	1	2
03	Hopkins	154	–	–	1	29	10	4	2	5	2	–	6	5	86	57	1	–
04	Minneapolis	4,397	4	–	39	909	254	207	116	91	40	39	162	40	2,108	1,478	50	21
05	Minnetonka	156	–	–	–	36	7	4	3	5	4	2	11	2	72	53	2	1
06	New Hope	112	–	–	–	20	4	5	4	3	1	–	3	1	48	35	2	–
07	Plymouth	98	–	–	1	17	5	5	–	2	1	1	3	2	41	37	2	–
08	Richfield	228	–	–	5	55	13	17	4	6	3	2	10	4	97	68	–	1
09	Robbinsdale	130	–	–	1	38	12	9	6	4	–	1	6	2	59	41	–	1
10	St. Louis Park	350	–	–	2	89	28	15	9	3	7	3	24	5	164	106	4	–
11	Balance of county	542	–	–	4	103	23	31	12	9	5	3	20	7	265	187	3	2
12	Houston	173	–	–	1	34	5	9	3	4	3	4	6	3	95	71	4	2
13	Hubbard	137	–	–	1	31	5	8	3	4	3	3	5	–	76	51	3	2
14	Isanti	206	1	–	–	36	10	4	2	4	7	2	7	2	119	70	1	–
15	Itasca	380	–	–	3	71	21	16	7	10	2	2	13	8	195	150	3	–
16	Jackson	158	–	–	2	35	7	3	7	7	3	1	7	4	82	59	–	1
17	Kanabec	136	–	–	–	14	4	4	3	–	1	–	2	1	82	62	2	–
18	Kandiyohi	310	1	–	3	49	8	6	11	7	2	2	13	5	171	122	3	–
19	Willmar	155	1	–	1	22	4	2	6	2	1	1	6	5	88	62	2	–
20	Balance of county	155	–	–	2	27	4	4	5	5	1	1	7	–	83	60	1	–
21	Kittson	81	–	–	–	14	6	2	2	2	–	2	–	4	38	28	1	–
22	Koochiching	162	–	–	1	24	5	4	5	5	1	–	4	3	87	68	–	–
23	Lac qui Parle	129	–	–	–	26	14	1	2	4	2	–	3	3	73	51	2	–
24	Lake	99	–	–	–	17	6	4	2	3	1	1	–	2	60	44	3	1
25	Lake of the Woods	50	–	–	–	13	4	6	1	1	1	–	–	2	22	14	–	1
26	Le Sueur	259	–	–	2	55	18	15	3	7	2	4	6	7	137	104	–	3
27	Lincoln	99	–	–	–	26	4	6	5	5	1	1	4	4	40	28	–	1
28	Lyon	222	–	–	3	51	12	6	8	7	2	6	10	5	101	72	3	1
29	McLeod	251	–	–	2	38	10	3	6	8	2	2	7	5	142	90	1	–
30	Mahnomen	54	–	–	–	5	1	1	1	–	–	–	2	1	34	23	–	1
31	Marshall	132	–	–	4	25	7	7	–	2	2	2	5	2	82	54	1	–
32	Martin	239	–	–	1	56	17	11	9	9	2	1	7	5	127	93	3	1
33	Fairmont	127	–	–	–	32	8	8	6	5	2	1	2	2	62	49	3	1
34	Balance of county	112	–	–	1	24	9	3	3	4	–	–	5	3	65	44	–	–
35	Meeker	233	–	–	1	45	17	10	–	5	5	1	7	5	136	94	4	–
36	Mille Lacs	189	–	–	–	31	7	5	5	7	–	–	7	2	106	74	–	1
37	Morrison	297	–	–	3	55	15	7	8	6	2	3	14	–	169	129	4	2
38	Mower	406	–	–	2	76	21	18	6	11	1	5	14	4	237	182	2	–
39	Austin	267	–	–	2	55	15	15	4	8	–	3	10	3	145	108	–	–
40	Balance of county	139	–	–	–	21	6	3	2	3	1	2	4	1	92	74	2	–
41	Murray	123	–	–	–	27	12	5	1	4	–	1	4	4	74	52	1	3
42	Nicollet	178	–	–	–	36	9	4	4	5	2	–	12	2	95	65	2	–
43	Nobles	215	–	–	–	53	14	7	6	7	4	3	12	2	108	73	6	1
44	Norman	131	–	–	–	24	11	3	4	1	2	1	2	2	72	47	–	1
45	Olmsted	560	2	–	7	106	30	18	11	15	1	5	26	7	252	175	15	3
46	Rochester	425	2	–	5	89	26	16	11	11	1	4	20	5	184	126	13	–
47	Balance of county	135	–	–	2	17	4	2	–	4	–	1	6	2	68	49	2	3
48	Otter Tail	497	1	–	8	105	23	18	8	11	4	7	34	8	263	198	4	2
49	Fergus Falls	124	1	–	–	21	3	5	1	1	1	2	8	2	73	50	–	–
50	Balance of county	373	–	–	8	84	20	13	7	10	3	5	26	6	190	148	4	2
51	Pennington	144	–	–	1	25	6	4	3	4	3	4	1	1	75	49	1	–
52	Pine	227	–	–	3	42	15	5	4	5	–	–	13	3	111	81	–	–
53	Pipestone	156	–	–	1	24	5	5	4	6	–	1	3	1	79	51	2	–
54	Polk	408	–	–	–	63	17	11	8	9	3	6	9	2	256	184	5	3
55	Pope	135	–	–	1	27	8	7	1	4	1	1	5	1	66	43	1	1
56	Ramsey	3,851	1	1	34	820	230	187	70	91	40	39	163	57	2,043	1,496	39	10
57	Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	Maplewood	140	–	–	2	29	7	5	4	2	1	3	7	5	72	54	2	–
59	New Brighton	86	–	–	–	23	6	5	2	5	–	1	4	1	37	29	1	–
60	North St. Paul	59	–	–	–	14	4	2	1	2	3	–	2	4	28	17	–	–
61	Roseville	230	1	–	–	50	7	11	9	8	2	2	11	1	124	86	–	1
62	St. Paul	2,937	–	1	28	609	176	153	44	64	28	25	119	42	1,601	1,175	32	9
63	Shoreview	50	–	–	–	13	4	–	1	2	–	1	5	–	17	15	1	–
64	White Bear Lake, part	145	–	–	1	29	10	4	3	3	2	3	4	2	66	51	1	–
65	White Bear Lake, total	146	–	–	1	29	10	4	3	3	2	3	4	2	67	51	1	–
66	Balance of county	204	–	–	3	53	16	7	6	5	4	4	11	2	98	69	2	–
67	Red Lake	56	–	–	1	6	2	2	–	1	1	–	–	–	37	24	1	–
68	Redwood	189	–	–	1	43	8	11	5	7	2	3	7	1	109	63	–	1
69	Renville	216	–	–	1	47	9	11	–	7	5	1	14	5	122	94	1	–
70	Rice	395	1	–	3	86	26	18	6	12	1	5	18	8	199	143	3	–
71	Faribault	183	–	–	1	40	15	9	1	5	–	2	8	4	88	54	3	–
72	Northfield	111	1	–	1	24	7	5	1	4	–	1	6	1	62	45	–	–
73	Balance of county	101	–	–	1	22	4	4	4	3	1	2	4	3	49	44	–	–
74	Rock	98	–	–	1	16	1	4	3	4	–	1	3	–	53	33	–	–
75	Roseau	123	–	–	–	25	11	2	–	7	1	–	4	6	53	35	3	2
76	St. Louis	2,293	2	–	14	463	147	85	39	58	21	21	92	42	1,216	923	21	9
77	Duluth	1,085	2	–	6	231	68	44	16	34	10	10	49	21	568	420	8	5
78	Hibbing	209	–	–	1	33	13	8	4	2	1	–	5	7	117	82	3	1
79	Virginia	186	–	–	1	42	11	10	4	3	2	2	10	2	86	70	2	–
80	Balance of county	813	–	–	6	157	55	23	15	19	8	9	28	12	445	351	8	3
81	Scott	275	–	–	1	71	20	14	6	8	4	6	13	5	119	78	1	3
82	Sherburne	208	–	–	1	38	16	6	1	–	5	2	8	2	119	90	3	1
83	St. Cloud, part	52	–	–	–	11	5	2	–	–	2	–	2	–	32	27	2	–
84	Balance of county	156	–	–	1	27	11	4	1	–	3	2	6	2	87	63	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
115	9	1	54	15	7	19	2	1	1	-	-	1	4	11	29	8	9	10	2	1	01
54	1	1	11	2	3	5	2	-	2	-	-	-	-	5	17	3	1	2	-	-	02
50	6	1	21	3	4	3	2	-	2	-	-	3	-	4	10	3	4	2	-	-	03
1,298	109	15	467	82	66	201	44	12	62	13	2	21	29	138	441	79	155	54	29	17	04
46	4	-	14	2	3	5	2	1	1	1	-	3	-	2	10	5	8	7	-	1	05
33	-	1	11	-	1	7	-	-	1	-	-	5	2	2	15	2	-	4	2	3	06
35	-	-	4	-	-	5	1	-	2	1	-	1	2	5	9	5	3	2	-	1	07
66	1	-	25	-	4	6	4	2	3	-	-	2	1	8	26	5	7	1	-	2	08
40	-	-	13	3	2	3	1	1	3	2	-	2	-	3	10	3	1	1	-	-	09
98	4	1	40	11	6	12	7	2	2	2	-	1	3	3	39	4	8	6	-	1	10
167	15	1	52	13	12	16	5	2	5	1	-	5	7	12	42	23	27	15	1	2	11
57	8	-	21	-	3	9	1	-	-	-	-	1	1	-	15	5	7	1	-	-	12
34	12	-	20	1	4	5	1	2	1	-	-	1	1	1	8	5	2	1	-	1	13
58	11	-	47	2	-	9	2	1	1	-	-	-	1	3	10	14	5	1	-	1	14
135	12	-	41	2	2	14	5	1	7	-	-	1	9	3	25	22	14	2	-	-	15
53	5	-	17	4	2	5	5	-	-	-	-	2	-	1	17	3	2	-	-	-	16
52	8	-	18	1	1	5	3	-	-	1	-	1	4	-	7	9	5	3	1	-	17
113	6	1	40	6	2	10	9	2	6	2	-	1	5	3	25	8	6	4	-	-	18
58	2	1	19	4	2	4	5	1	6	2	-	1	2	-	12	3	1	1	-	-	19
55	4	-	21	2	-	6	4	1	-	-	-	-	3	3	13	5	5	3	-	-	20
25	2	-	9	1	-	10	-	-	1	1	-	-	-	1	8	-	2	2	-	-	21
65	3	-	15	-	4	3	1	1	3	-	-	1	4	2	18	6	6	2	-	-	22
47	2	-	16	3	3	4	-	-	1	1	-	-	1	-	13	2	4	1	-	-	23
37	3	1	12	1	2	6	-	-	-	-	-	-	1	2	8	-	1	2	-	-	24
13	-	-	4	3	1	1	-	-	1	1	-	-	1	-	5	-	4	-	-	-	25
92	9	-	26	3	4	12	1	-	4	-	-	-	-	1	19	7	9	5	-	-	26
24	3	-	12	-	-	6	2	-	2	-	-	-	-	2	5	7	4	1	-	-	27
66	2	2	20	4	3	13	4	-	2	-	-	3	2	2	22	8	5	1	-	-	28
79	10	-	32	15	5	10	1	1	2	-	-	-	2	2	23	12	7	2	-	2	29
19	3	-	7	2	2	3	-	1	-	-	-	-	-	-	4	2	2	1	1	-	30
50	3	-	22	2	4	1	1	-	-	-	-	1	-	1	2	10	3	-	-	-	31
81	8	1	27	1	5	8	3	-	-	-	-	1	5	2	21	4	4	2	-	-	32
43	2	-	11	-	2	3	3	-	-	-	-	1	3	2	14	2	1	2	-	-	33
38	6	1	16	1	3	5	-	-	-	-	-	-	2	-	7	2	3	-	-	-	34
83	7	-	29	9	4	7	3	-	3	-	-	2	-	11	12	5	3	-	-	-	35
66	7	1	26	2	3	10	1	-	1	1	-	2	-	2	18	6	9	-	-	-	36
107	16	-	28	4	8	7	1	1	3	1	-	1	1	2	29	12	7	5	-	-	37
123	57	-	44	5	6	9	3	2	2	1	-	1	5	4	33	9	14	4	-	-	38
75	33	-	29	5	3	6	3	1	1	1	-	1	4	2	26	5	10	2	-	-	39
48	24	-	15	-	3	3	-	1	1	-	-	-	1	2	7	4	4	2	-	-	40
46	2	-	12	7	3	2	1	1	-	-	-	-	1	1	6	1	5	-	-	-	41
58	5	2	19	7	2	7	3	-	-	-	-	1	1	6	12	6	4	3	2	-	42
61	5	1	30	2	2	7	7	1	-	1	-	2	1	-	20	5	6	2	-	-	43
41	5	-	21	1	3	7	1	-	1	1	-	-	1	1	7	7	7	-	-	-	44
144	13	3	55	7	12	20	7	3	4	3	-	4	15	6	69	20	22	12	-	1	45
102	11	2	45	5	6	16	4	2	3	3	-	3	10	5	56	12	17	8	-	1	46
42	2	1	10	2	6	4	3	1	1	-	-	1	5	1	13	8	5	4	-	-	47
174	18	1	53	3	8	28	5	2	2	1	-	-	6	1	40	12	11	4	-	-	48
43	7	-	20	1	2	9	1	1	-	1	-	-	3	-	3	3	3	3	-	-	49
131	11	1	33	2	6	19	4	1	2	-	-	-	3	1	37	9	8	1	-	-	50
40	8	-	19	4	3	7	1	1	-	2	-	-	2	3	10	3	9	3	-	1	51
73	8	-	15	11	4	11	4	1	-	1	-	2	1	1	28	8	6	4	1	-	52
43	6	-	24	4	-	9	5	-	-	-	-	-	1	8	18	7	2	-	-	1	53
167	9	1	46	17	8	14	3	1	4	1	-	1	2	3	35	5	11	3	3	1	54
39	2	1	20	1	1	9	2	-	2	1	-	-	1	3	11	2	5	4	-	-	55
1,336	111	14	354	96	83	154	38	10	43	6	-	30	34	31	333	69	78	38	18	13	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
51	1	-	11	4	3	7	-	-	1	1	-	3	-	-	14	2	2	2	-	-	58
23	5	-	4	3	1	4	1	-	2	-	-	-	1	2	6	5	1	2	-	1	59
17	-	-	8	2	1	1	-	-	2	-	-	1	2	-	2	1	3	1	-	-	60
77	8	5	21	9	3	11	2	1	2	-	-	2	3	3	16	5	5	3	-	1	61
1,051	83	8	278	71	69	115	29	9	32	5	-	19	21	20	267	33	54	26	16	10	62
12	2	-	1	1	-	1	1	-	-	-	-	2	2	2	2	6	2	1	-	1	63
47	3	-	12	1	2	8	2	-	3	-	-	2	3	-	14	9	6	-	-	-	64
47	3	-	12	1	3	8	2	-	3	-	-	2	3	-	14	9	6	-	-	-	65
58	9	1	19	5	4	7	3	-	1	-	-	1	2	4	12	8	5	3	2	-	66
22	1	-	11	1	1	3	-	-	-	-	-	-	-	-	6	1	2	-	-	-	67
57	5	1	40	2	3	8	1	1	-	-	-	-	2	3	8	3	7	2	-	-	68
84	9	-	25	2	1	4	1	-	-	1	-	2	2	-	13	8	10	-	-	-	69
127	13	-	41	11	4	11	4	5	1	2	-	6	3	2	31	16	14	3	-	-	70
46	5	-	27	6	1	8	1	3	1	1	-	4	-	-	17	5	7	3	-	-	71
42	3	-	12	3	2	2	2	-	-	-	-	1	2	1	11	-	3	-	-	-	72
39	5	-	2	2	1	1	1	2	-	1	-	1	1	1	3	11	4	-	-	-	73
28	5	-	16	2	2	4	2	-	-	1	-	-	1	-	14	3	2	1	-	-	74
29	1	1	15	-	2	4	1	1	2	1	1	3	2	-	14	2	4	3	1	-	75
800	93	8	213	38	34	88	31	6	36	5	-	18	23	29	174	57	52	31	4	2	76
363	44	4	116	13	15	48	15	5	19	1	-	8	11	17	76	21	24	8	3	1	77
73	5	1	24	7	3	13	6	-	2	1	-	1	1	1	13	6	4	3	-	-	78
56	12	-	10	2	4	8	5	1	4	-	-	2	2	2	24	2	3	2	-	-	79
308	32	3	63	16	12	19	5	-	11	3	-	7	9	9	61	28	21	18	1	1	80
70	4	-	30	6	5	7	4	-	2	2	-	2	9	2	28	6	11	6	-	-	81
81	5	-	24	3	2	4	2	-	1	1	1	1	3	2	19	6	4	3	-	1	82
24	1	-	3	2	-	2	-	-	-	-	-	1	2	1	3	-	-	-	-	-	83
57	4	-	21	1	2	2	2	-	1	1	1	-	1	1	16	6	4	3	-	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
01	Sibley	152	–	–	–	40	17	5	4	8	1	1	4	4	66	43	2	1
02	Stearns	696	–	–	3	153	44	34	15	10	10	10	30	7	374	279	4	2
03	St. Cloud, part	207	–	–	1	41	11	14	5	2	2	3	4	–	114	92	2	1
04	St. Cloud, total	306	–	–	1	58	17	16	6	5	4	3	7	–	177	140	4	3
05	Balance of county	489	–	–	2	112	33	20	10	8	8	7	26	7	260	187	2	1
06	Steele	256	–	–	3	48	16	6	5	7	3	2	9	1	136	98	1	2
07	Owatonna	169	–	–	2	32	8	6	5	4	3	–	6	–	97	67	1	1
08	Balance of county	87	–	–	1	16	8	–	–	3	–	2	3	1	39	31	–	1
09	Stevens	119	–	–	1	22	8	5	1	2	2	1	3	3	54	35	1	–
10	Swift	160	–	–	1	32	6	8	4	8	–	3	3	3	84	60	2	2
11	Todd	226	–	–	3	50	17	9	5	6	2	1	10	–	111	94	–	3
12	Traverse	68	–	–	1	19	5	2	3	3	1	–	5	1	32	25	–	–
13	Wabasha	218	–	–	1	40	13	6	3	7	1	1	9	3	106	73	2	1
14	Wadena	145	2	–	1	23	9	4	1	6	–	1	2	4	87	69	2	2
15	Waseca	151	–	–	1	25	5	5	1	4	3	3	4	3	89	74	2	2
16	Washington	520	–	–	4	109	27	20	12	11	8	6	25	8	232	163	5	2
17	Cottage Grove	38	–	–	–	14	4	2	3	1	–	1	3	–	11	6	–	–
18	Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Stillwater	116	–	–	1	23	7	3	5	4	–	1	3	1	50	31	1	–
20	White Bear Lake, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
21	Balance of county	365	–	–	3	72	16	15	4	6	8	4	19	7	170	126	4	2
22	Watonwan	162	–	–	–	23	7	6	2	4	2	–	2	5	104	74	1	–
23	Wilkin	83	–	–	–	23	11	3	–	2	1	1	5	1	51	39	1	–
24	Winona	415	–	–	3	82	25	11	8	7	6	2	23	4	211	151	2	5
25	Winona	293	–	–	2	54	16	6	6	6	4	2	14	4	150	108	–	4
26	Balance of county	122	–	–	1	28	9	5	2	1	2	–	9	–	61	43	2	1
27	Wright	368	–	–	1	81	21	15	10	11	5	6	13	5	193	147	5	3
28	Yellow Medicine	149	1	–	1	27	7	3	3	4	1	2	7	2	82	64	2	1
29	**Mississippi**	23,350	44	1	232	4,086	1,007	1,101	294	515	165	174	830	402	10,825	7,728	75	134
30	Urban places	7,507	12	–	57	1,415	355	389	120	160	60	51	280	102	3,455	2,413	30	45
31	Balance of area	15,843	32	1	175	2,671	652	712	174	355	105	123	550	300	7,370	5,315	45	89
32	Metropolitan counties	3,626	10	1	35	713	176	174	62	89	29	27	156	51	1,690	1,258	26	21
33	Urban places	2,334	7	–	20	487	126	120	44	60	19	19	99	29	1,092	803	14	12
34	Balance of area	1,292	3	1	15	226	50	54	18	29	10	8	57	22	598	455	12	9
35	Nonmetropolitan counties	19,724	34	–	197	3,373	831	927	232	426	136	147	674	351	9,135	6,470	49	113
36	Urban places	5,173	5	–	37	928	229	269	76	100	41	32	181	73	2,363	1,610	16	33
37	Balance of area	14,551	29	–	160	2,445	602	658	156	326	95	115	493	278	6,772	4,860	33	80
38	Adams	383	–	–	1	90	24	27	9	11	3	1	15	9	169	101	1	2
39	Natchez	267	–	–	1	66	15	18	7	9	3	–	14	6	115	60	1	2
40	Balance of county	116	–	–	–	24	9	9	2	2	–	1	1	3	54	41	–	–
41	Alcorn	305	1	–	4	40	11	7	1	4	3	4	10	1	185	149	–	1
42	Corinth	138	–	–	1	17	6	3	–	–	2	2	4	–	84	73	–	–
43	Balance of county	167	1	–	3	23	5	4	1	4	1	2	6	1	101	76	–	1
44	Amite	117	–	–	1	13	3	3	–	2	–	1	4	4	38	26	–	–
45	Attala	232	–	–	2	49	16	11	2	5	5	3	7	8	107	88	1	3
46	Benton	73	1	–	2	13	3	4	1	2	–	–	3	–	30	20	–	–
47	Bolivar	503	1	–	9	64	22	23	5	4	–	1	9	5	252	170	–	2
48	Cleveland	151	–	–	1	20	6	9	2	–	–	1	2	–	85	59	–	–
49	Balance of county	352	1	–	8	44	16	14	3	4	–	–	7	5	167	111	–	2
50	Calhoun	158	–	–	1	29	7	9	3	3	2	1	4	2	82	61	–	–
51	Carroll	78	–	–	2	10	2	1	1	1	–	1	4	1	39	31	–	–
52	Chickasaw	189	–	–	4	34	6	11	5	2	2	3	5	3	106	78	2	1
53	Choctaw	94	–	–	–	15	3	6	–	4	–	–	2	3	56	45	1	–
54	Claiborne	116	–	–	–	17	4	3	2	1	3	–	4	4	56	46	–	–
55	Clarke	170	–	–	–	22	8	4	2	1	3	1	3	2	94	74	–	4
56	Clay	226	3	–	–	29	6	9	1	4	1	–	8	6	125	86	–	2
57	Coahoma	428	1	–	2	67	20	14	3	6	6	2	16	5	148	83	–	5
58	Clarksdale	253	–	–	1	44	14	10	2	3	4	–	11	3	94	55	–	2
59	Balance of county	175	1	–	1	23	6	4	1	3	2	2	5	2	54	28	–	3
60	Copiah	304	1	–	2	46	6	16	3	10	1	3	7	3	135	94	2	–
61	Covington	133	–	–	–	20	7	3	2	1	–	1	6	3	68	40	–	1
62	De Soto	328	–	–	4	68	17	26	4	3	3	2	13	9	119	85	2	–
63	Forrest	676	–	–	9	119	25	37	11	10	7	3	26	10	315	229	3	5
64	Hattiesburg, part	488	–	–	6	80	13	25	10	8	7	2	15	7	240	175	2	3
65	Hattiesburg, total	490	–	–	6	80	13	25	10	8	7	2	15	7	240	175	2	3
66	Balance of county	188	–	–	3	39	12	12	1	2	–	1	11	3	75	54	1	2
67	Franklin	113	–	–	4	22	3	5	1	5	3	1	4	6	51	36	1	–
68	George	125	–	–	1	23	2	5	3	2	2	1	8	6	44	36	–	1
69	Greene	85	–	–	1	8	1	2	–	3	–	–	2	1	61	49	–	–
70	Grenada	259	1	–	–	41	9	8	3	5	–	1	15	4	132	67	–	–
71	Hancock	219	–	–	–	43	9	15	2	4	–	5	8	1	117	99	1	–
72	Harrison	1,234	6	–	11	236	68	71	17	18	5	8	49	14	586	458	10	5
73	Biloxi	336	2	–	3	68	19	21	3	5	2	2	16	5	143	111	2	–
74	Gulfport	465	2	–	4	102	33	27	10	7	2	3	20	6	222	168	2	3
75	Balance of county	433	2	–	4	66	16	23	4	6	1	3	13	3	221	179	6	2
76	Hinds	1,891	4	–	18	388	91	87	36	62	17	17	78	20	901	647	12	12
77	Jackson, part	1,533	3	–	13	317	74	72	31	48	15	14	63	18	727	524	10	9
78	Jackson, total	1,533	3	–	13	317	74	72	31	48	15	14	63	18	727	524	10	9
79	Balance of county	358	1	–	5	71	17	15	5	14	2	3	15	2	174	123	2	3
80	Holmes	288	2	–	1	43	13	9	4	5	2	1	9	12	125	80	1	3
81	Humphreys	181	–	–	3	35	9	9	2	8	2	1	4	–	85	69	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
27	13	1	17	3	2	6	–	1	1	–	–	–	1	7	12	2	8	4	–	–	01
250	23	2	61	19	13	17	12	2	9	2	–	4	7	8	39	24	19	10	4	2	02
83	6	–	15	4	3	4	4	1	4	–	–	2	3	–	22	7	2	1	–	1	03
126	7	–	26	6	5	6	4	2	4	–	–	4	5	1	28	11	2	2	–	1	04
167	17	2	46	15	10	13	8	1	5	2	–	2	4	8	17	17	17	9	4	1	05
85	10	–	30	7	1	10	1	1	2	–	–	3	5	1	29	5	7	3	1	–	06
57	8	–	24	6	–	4	–	1	2	–	–	2	4	1	16	2	4	2	–	–	07
28	2	–	6	1	1	6	1	–	–	–	–	1	1	–	13	3	3	1	1	–	08
33	1	2	14	1	2	4	3	–	2	2	–	–	2	5	9	7	5	–	–	–	09
50	6	1	21	–	2	7	2	1	3	–	–	1	3	2	16	–	4	–	–	1	10
81	10	1	15	1	–	6	–	–	4	–	–	3	3	2	25	11	6	2	–	–	11
22	3	–	4	1	2	3	1	–	1	–	–	1	1	–	4	1	2	–	1	–	12
62	8	–	25	5	3	12	3	2	3	2	–	–	7	1	20	11	6	–	1	–	13
53	12	2	12	3	1	3	–	–	3	2	–	1	–	2	8	2	5	2	–	–	14
56	14	2	12	–	1	7	2	1	–	–	–	–	–	–	13	5	4	–	–	1	15
140	16	–	47	8	14	22	5	1	6	2	–	10	6	6	39	35	17	15	3	–	16
3	3	–	3	1	1	–	–	–	–	–	–	2	1	1	2	3	1	3	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
29	1	–	12	3	4	12	1	1	–	1	–	3	1	1	10	6	2	2	1	–	19
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
108	12	–	32	4	8	10	4	–	6	1	–	5	4	4	27	26	14	10	2	–	21
67	6	–	27	1	2	5	1	–	2	–	–	2	–	2	10	3	5	–	–	–	22
37	1	1	10	1	–	1	–	2	–	–	–	–	–	–	2	1	–	2	–	–	23
127	17	3	43	7	7	28	5	3	5	2	–	1	4	9	34	17	5	–	–	2	24
92	12	3	29	4	6	22	5	1	5	1	–	1	3	4	28	10	2	–	–	1	25
35	5	–	14	3	1	6	–	2	–	1	–	–	1	5	6	7	3	–	–	1	26
121	18	1	29	12	4	19	1	1	1	5	–	3	9	3	26	10	7	3	–	–	27
56	5	2	15	–	1	10	–	–	–	3	–	3	–	–	9	8	2	–	1	–	28
6,287	1,232	87	2,459	291	260	660	199	49	193	111	5	142	369	1,866	1,831	868	874	231	321	41	29
1,974	364	33	819	107	83	231	57	25	90	38	2	45	122	577	623	205	225	92	121	13	30
4,313	868	54	1,640	184	177	429	142	24	103	73	3	97	247	1,289	1,208	663	649	139	200	28	31
998	213	12	334	42	44	119	26	10	40	12	–	30	46	111	341	137	132	53	66	3	32
660	117	7	224	26	32	73	21	9	30	9	–	17	35	59	217	65	79	41	42	2	33
338	96	5	110	16	12	46	5	1	10	3	–	13	11	52	124	72	53	12	24	1	34
5,289	1,019	75	2,125	249	216	541	173	39	153	99	5	112	323	1,755	1,490	731	742	178	255	38	35
1,314	247	26	595	81	51	158	36	16	60	29	2	28	87	518	406	140	146	51	79	11	36
3,975	772	49	1,530	168	165	383	137	23	93	70	3	84	236	1,237	1,084	591	596	127	176	27	37
88	10	4	47	10	7	10	3	–	6	1	–	1	6	20	35	10	12	4	5	1	38
48	9	4	37	8	6	9	3	–	4	1	–	1	4	16	25	7	6	2	1	–	39
40	1	–	10	2	1	1	–	–	2	–	–	–	2	4	10	3	6	2	4	1	40
102	46	2	27	4	3	12	2	–	2	2	–	–	2	4	23	10	8	4	4	1	41
50	23	–	10	–	1	5	2	–	2	1	–	–	2	2	9	6	3	2	2	–	42
52	23	2	17	4	2	7	–	–	–	1	–	–	–	2	14	4	5	2	2	1	43
23	3	–	12	–	–	2	3	1	–	–	–	2	1	21	13	5	10	2	1	–	44
74	10	–	19	–	–	7	2	–	1	2	–	2	1	12	19	6	7	2	5	–	45
14	6	–	6	2	2	2	1	–	–	–	–	–	2	6	3	4	7	1	1	–	46
127	41	–	62	11	9	11	4	1	1	7	3	1	13	55	33	12	21	5	7	1	47
45	14	–	22	3	1	1	–	–	–	4	–	–	3	11	10	3	5	4	4	–	48
82	27	–	40	8	8	10	4	1	1	3	–	1	10	44	23	9	16	1	3	1	49
49	12	1	13	1	6	2	–	–	1	–	–	–	–	6	18	10	4	3	–	–	50
30	1	2	6	–	–	2	–	–	–	–	–	–	–	8	9	3	1	–	2	1	51
64	11	–	25	1	2	2	–	–	–	–	–	–	3	6	11	9	6	4	1	–	52
42	2	–	8	–	3	3	1	–	–	–	–	–	–	–	7	4	2	2	1	–	53
34	12	–	8	1	1	4	1	–	–	3	–	–	3	5	3	8	8	–	4	–	54
52	18	–	15	2	3	6	2	1	1	1	–	1	4	5	14	8	8	–	–	1	55
79	5	1	35	2	1	4	2	–	5	1	–	3	3	8	13	12	9	–	3	–	56
59	19	2	55	5	3	12	3	1	–	4	–	3	8	97	27	24	13	5	7	1	57
42	11	2	34	2	1	9	2	1	–	2	–	1	4	43	16	13	8	5	6	1	58
17	8	–	21	3	2	3	1	–	–	2	–	2	4	54	11	11	5	–	1	–	59
85	7	1	34	–	6	7	1	–	6	2	–	2	1	39	28	8	19	2	2	–	60
39	–	1	21	3	3	3	–	–	–	1	–	2	3	15	1	5	7	–	4	1	61
71	12	–	29	1	4	8	2	–	1	2	–	3	5	52	25	8	15	4	3	–	62
195	26	4	61	13	8	14	6	1	10	1	–	4	16	63	57	13	24	6	4	4	63
151	19	4	47	8	6	14	4	1	6	1	–	3	10	44	40	7	15	5	3	2	64
151	19	4	47	8	6	14	4	1	6	1	–	3	10	45	40	8	15	5	3	2	65
44	7	–	14	5	2	–	2	–	4	–	–	1	6	19	17	6	9	1	1	2	66
28	7	2	11	2	–	5	–	1	–	1	–	1	–	5	8	4	4	–	1	–	67
25	10	–	4	–	4	3	1	–	2	–	–	1	1	4	16	10	9	2	2	–	68
48	1	1	7	3	1	1	–	–	1	–	–	–	2	1	4	2	3	–	–	–	69
56	11	1	61	1	2	7	1	1	1	–	–	1	6	32	12	9	7	2	1	1	70
44	54	2	9	1	6	7	1	1	3	1	–	–	–	3	22	11	4	3	2	–	71
363	80	1	101	7	19	34	13	6	21	6	–	15	16	11	118	55	41	22	22	1	72
90	19	1	24	–	7	8	4	2	9	1	–	5	6	3	40	12	15	4	5	1	73
132	31	–	39	7	8	12	6	4	8	5	–	3	7	3	38	11	15	10	7	–	74
141	30	–	38	–	4	14	3	–	4	–	–	7	3	5	40	32	11	8	10	–	75
537	86	7	205	22	20	64	11	3	18	4	–	11	25	63	173	57	64	29	37	1	76
438	67	6	161	19	17	53	11	3	13	3	–	9	22	53	139	42	49	27	30	1	77
438	67	6	161	19	17	53	11	3	13	3	–	9	22	53	139	42	49	27	30	1	78
99	19	1	44	3	3	11	–	–	5	1	–	2	3	10	34	15	15	2	7	–	79
54	22	3	39	2	1	8	1	2	5	1	1	–	2	36	19	9	14	3	3	1	80
60	9	–	12	4	–	4	1	1	1	2	–	–	12	6	11	7	8	–	4	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Issaquena	21	–	–	–	1	–	–	–	–	–	–	1	–	9	5	–	–
02	Itawamba	218	–	–	–	40	12	11	2	4	2	1	8	2	128	93	–	–
03	Jackson	705	–	–	7	171	38	66	14	17	8	8	20	8	262	196	2	3
04	Moss Point	116	–	–	–	22	2	10	2	3	2	1	2	3	48	37	–	1
05	Pascagoula	220	–	–	1	56	15	24	4	4	3	2	4	3	80	59	–	1
06	Balance of county	369	–	–	6	93	21	32	8	10	3	5	14	2	134	100	2	1
07	Jasper	158	–	–	–	29	9	6	1	4	1	1	7	4	71	55	1	1
08	Jefferson	92	–	–	–	18	6	3	1	1	1	1	5	5	42	31	1	–
09	Jefferson Davis	133	–	–	1	23	8	10	1	1	–	1	2	–	70	52	–	–
10	Jones	593	–	–	3	92	17	20	5	17	7	8	18	14	273	205	–	–
11	Laurel	294	–	–	1	51	10	13	1	11	2	5	9	7	139	106	–	–
12	Balance of county	299	–	–	2	41	7	7	4	6	5	3	9	7	134	99	–	–
13	Kemper	102	–	–	2	15	2	3	2	3	–	–	5	2	34	18	1	–
14	Lafayette	284	1	–	3	53	14	11	2	9	2	3	12	7	112	75	–	–
15	Oxford	147	–	–	1	34	10	8	2	6	–	1	7	4	56	39	–	–
16	Balance of county	137	1	–	2	19	4	3	–	3	2	2	5	3	56	36	–	–
17	Lamar	146	–	–	2	29	4	11	2	6	2	–	4	–	56	45	1	–
18	Hattiesburg, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Balance of county	144	–	–	2	29	4	11	2	6	2	–	4	–	56	45	1	–
20	Lauderdale	791	1	–	10	143	39	40	10	20	2	7	25	14	260	175	2	1
21	Meridian	567	1	–	3	115	31	32	9	17	2	5	19	10	191	129	2	1
22	Balance of county	224	–	–	7	28	8	8	1	3	–	2	6	4	69	46	–	–
23	Lawrence	115	–	–	–	25	3	7	2	2	–	2	9	3	60	45	–	–
24	Leake	232	–	–	2	32	12	7	2	3	–	2	6	11	117	91	–	5
25	Lee	473	1	–	7	89	21	23	1	13	–	8	23	3	256	197	3	5
26	Tupelo	207	1	–	3	36	8	10	–	6	–	3	9	1	116	85	–	4
27	Balance of county	266	–	–	4	53	13	13	1	7	–	5	14	2	140	112	3	1
28	Leflore	480	–	–	3	73	19	21	7	9	4	1	12	7	256	171	2	–
29	Greenwood	312	–	–	3	41	8	12	7	4	2	–	8	5	166	105	2	–
30	Balance of county	168	–	–	–	32	11	9	–	5	2	1	4	2	90	66	–	–
31	Lincoln	306	–	–	5	46	7	11	4	9	3	5	7	5	136	103	2	–
32	Brookhaven	161	–	–	1	23	3	7	1	4	1	3	4	2	69	52	2	–
33	Balance of county	145	–	–	4	23	4	4	3	5	2	2	3	3	67	51	–	–
34	Lowndes	438	1	–	5	79	19	25	5	5	4	–	21	8	212	136	2	1
35	Columbus	294	1	–	4	57	13	17	4	4	2	–	17	4	151	98	2	1
36	Balance of county	144	–	–	1	22	6	8	1	1	2	–	4	4	61	38	–	–
37	Madison	343	2	–	5	57	21	15	5	3	2	2	9	9	131	96	–	8
38	Canton	160	1	–	2	28	10	7	4	1	2	1	3	2	63	44	–	4
39	Balance of county	183	1	–	3	29	11	8	1	2	–	1	6	7	68	52	–	4
40	Marion	259	1	–	3	42	9	11	4	7	2	–	9	3	128	84	1	1
41	Marshall	243	1	–	3	42	9	13	2	5	–	3	10	1	99	62	–	2
42	Monroe	374	1	–	4	62	13	22	5	3	3	1	15	4	178	119	–	5
43	Montgomery	176	–	–	1	23	5	3	4	5	1	2	3	3	104	65	–	1
44	Neshoba	238	1	–	3	30	3	11	2	3	1	1	9	4	107	73	–	1
45	Newton	248	1	–	3	42	5	14	2	7	–	2	12	10	123	91	–	–
46	Noxubee	154	–	–	3	22	8	3	3	2	1	–	5	7	63	46	–	–
47	Oktibbeha	243	–	–	1	45	15	6	6	8	–	2	8	2	117	78	2	–
48	Starkville	124	–	–	–	28	9	5	4	4	–	1	5	1	65	40	1	–
49	Balance of county	119	–	–	1	17	6	1	2	4	–	1	3	1	52	38	1	–
50	Panola	304	2	–	6	60	14	14	4	16	1	2	9	5	138	90	–	1
51	Pearl River	278	–	–	2	49	5	19	2	6	3	2	12	2	120	90	–	–
52	Picayune	99	–	–	1	17	3	7	–	2	2	–	3	2	43	28	–	–
53	Balance of county	179	–	–	1	32	2	12	2	4	1	2	9	–	77	62	–	–
54	Perry	120	–	–	1	18	2	12	–	4	–	–	–	2	55	44	–	1
55	Pike	435	1	–	5	78	21	20	4	8	2	4	19	6	190	118	1	2
56	McComb	177	–	–	2	29	6	8	2	2	–	1	10	3	85	59	–	1
57	Balance of county	258	1	–	3	49	15	12	2	6	2	3	9	3	105	59	1	1
58	Pontotoc	186	–	–	–	33	7	10	3	4	4	2	3	4	103	80	–	1
59	Prentiss	209	–	–	5	29	8	8	2	3	1	1	6	7	83	58	–	1
60	Quitman	170	–	–	4	30	5	7	–	7	2	3	6	2	88	63	–	6
61	Rankin	501	–	1	6	89	17	16	9	9	7	2	29	17	203	153	4	4
62	Jackson, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
63	Balance of county	501	–	1	6	89	17	16	9	9	7	2	29	17	203	153	4	4
64	Scott	280	1	–	6	47	11	10	3	13	–	2	8	5	144	101	2	1
65	Sharkey	73	–	–	–	9	3	–	–	2	–	–	4	–	40	28	1	–
66	Simpson	258	2	–	5	39	9	14	5	1	–	4	6	2	140	105	–	2
67	Smith	110	–	–	2	18	4	2	1	3	1	4	3	1	51	40	–	1
68	Stone	109	–	–	1	21	4	9	1	3	–	–	4	4	55	44	–	–
69	Sunflower	352	1	–	5	56	10	16	3	8	4	4	11	4	164	123	–	5
70	Tallahatchie	209	–	–	1	30	8	4	–	7	3	3	5	3	103	78	–	1
71	Tate	171	–	–	2	34	10	7	1	9	2	–	5	3	79	56	1	–
72	Tippah	205	–	–	1	36	14	3	2	8	3	2	4	2	121	92	1	–
73	Tishomingo	199	1	–	3	35	9	8	3	3	2	1	9	1	98	82	–	–
74	Tunica	116	–	–	–	21	6	2	1	4	–	1	7	2	48	40	1	1
75	Union	170	–	–	2	34	5	11	–	6	1	3	8	7	78	63	–	3
76	Walthall	166	–	–	1	22	5	9	1	4	–	–	3	4	72	56	–	3
77	Warren	478	–	–	3	94	23	28	11	9	2	2	19	6	231	146	2	3
78	Vicksburg	317	–	–	1	67	16	21	8	4	2	2	14	3	155	100	2	3
79	Balance of county	161	–	–	2	27	7	7	3	5	–	–	5	3	76	46	–	–
80	Washington	700	1	–	6	99	30	25	7	10	5	4	18	8	315	208	2	7
81	Greenville	503	1	–	4	72	25	14	6	6	4	2	15	2	244	161	2	6
82	Balance of county	197	–	–	2	27	5	11	1	4	1	2	3	6	71	47	–	1
83	Wayne	173	1	–	2	30	5	9	3	4	2	–	7	4	79	54	–	1
84	Webster	107	–	–	1	22	8	3	1	2	–	1	7	–	52	38	–	1
85	Wilkinson	104	–	–	2	23	7	6	3	3	–	–	4	2	52	33	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4	1	–	2	–	2	1	–	–	1	–	–	–	–	3	3	–	1	–	2	–	01
82	11	–	32	1	2	5	3	–	1	–	–	–	1	3	16	8	6	3	2	–	02
174	17	2	42	13	9	20	13	–	16	4	1	6	20	53	50	33	20	7	12	2	03
33	3	–	8	1	2	2	2	–	–	–	1	1	6	6	12	4	3	3	2	1	04
52	6	1	12	6	2	5	4	–	9	2	–	1	7	19	15	8	7	–	3	–	05
89	8	1	22	6	5	13	7	–	7	2	–	4	7	28	23	21	10	4	7	1	06
49	4	1	13	1	1	5	1	–	–	–	–	–	5	19	10	5	4	1	4	–	07
25	5	1	8	1	1	3	–	–	1	–	–	1	2	3	8	–	8	1	–	–	08
47	5	–	14	1	3	5	–	–	–	–	–	1	2	4	11	9	6	–	1	–	09
184	21	–	53	6	9	13	5	–	4	3	–	3	3	61	49	20	35	9	5	1	10
97	9	–	26	1	6	7	2	–	4	1	–	1	1	28	26	12	8	2	4	–	11
87	12	–	27	5	3	6	3	–	–	2	–	2	2	33	23	8	27	7	1	1	12
16	1	–	12	–	4	4	2	–	–	1	–	–	1	17	13	2	4	2	3	–	13
69	6	1	33	2	1	5	1	–	–	1	–	1	3	50	18	11	11	4	3	–	14
36	3	–	15	2	–	4	1	–	–	–	–	–	3	23	11	4	3	1	2	–	15
33	3	1	18	–	1	1	–	–	–	1	–	1	–	27	7	7	8	3	1	–	16
35	9	–	9	–	2	3	6	–	–	–	–	1	2	20	8	13	2	1	3	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	18
35	9	–	9	–	2	3	6	–	–	–	–	1	2	19	8	12	2	1	3	–	19
150	22	1	65	9	10	30	3	4	10	3	–	9	9	166	52	35	23	7	12	–	20
107	19	1	47	8	6	21	2	4	9	2	–	5	6	123	36	14	13	5	7	–	21
43	3	–	18	1	4	9	1	–	1	1	–	4	3	43	16	21	10	2	5	–	22
29	16	–	13	1	1	2	1	–	1	–	–	–	1	3	8	3	8	–	–	–	23
78	8	1	23	2	–	6	4	1	2	1	–	2	3	7	12	15	8	5	4	–	24
178	11	–	45	12	2	15	5	2	4	2	–	4	6	4	35	14	15	4	6	1	25
74	7	–	22	8	1	8	1	–	2	–	–	1	3	3	16	6	5	–	4	1	26
104	4	–	23	4	1	7	4	2	2	2	–	3	3	1	19	8	10	4	2	–	27
149	20	1	69	6	9	18	2	2	5	6	–	–	11	10	35	15	27	6	4	–	28
91	12	1	48	5	7	15	1	2	5	3	–	–	7	3	26	9	18	5	3	–	29
58	8	–	21	1	2	3	1	–	–	3	–	–	4	7	9	6	9	1	1	–	30
89	12	1	29	2	1	7	1	1	2	2	1	1	6	45	17	11	12	3	3	2	31
42	8	–	16	1	–	5	–	1	1	–	1	1	2	30	10	8	2	2	2	1	32
47	4	1	13	1	1	2	1	–	1	2	–	–	4	15	7	3	10	1	1	1	33
122	11	4	57	10	5	6	3	1	6	1	–	3	4	28	46	10	14	5	4	2	34
86	9	3	39	8	3	5	3	1	5	–	–	2	2	9	30	5	6	4	3	2	35
36	2	1	18	2	2	1	–	–	1	1	–	1	2	19	16	5	8	1	1	–	36
61	27	1	26	5	3	20	5	–	2	3	–	1	3	42	23	8	15	6	11	–	37
23	17	1	15	2	1	11	2	–	1	1	–	1	–	17	13	2	6	3	7	–	38
38	10	–	11	3	2	9	3	–	1	2	–	–	3	25	10	6	9	3	4	–	39
57	25	–	36	6	2	6	1	–	3	3	–	3	2	14	23	13	8	–	6	–	40
42	18	–	28	3	6	7	–	1	2	2	–	1	5	42	12	13	5	4	1	2	41
97	17	2	44	10	3	13	4	2	2	1	–	1	4	20	37	18	17	2	3	1	42
61	3	–	37	–	2	5	3	–	–	1	–	–	1	10	8	3	14	–	–	–	43
63	9	–	30	2	2	7	3	–	–	2	–	1	2	33	17	13	12	2	1	–	44
81	10	1	25	3	3	5	2	–	2	2	–	2	3	23	11	10	5	4	–	–	45
38	8	1	15	–	1	3	3	1	–	–	–	3	–	25	7	3	11	–	3	–	46
69	7	2	34	2	1	6	2	–	3	–	–	2	8	14	17	9	11	3	3	–	47
34	5	1	23	–	1	3	–	–	2	–	–	1	3	5	7	3	2	2	2	–	48
35	2	1	11	2	–	3	2	–	1	–	–	1	5	9	10	6	9	1	1	–	49
80	9	–	42	4	2	2	7	–	1	1	–	2	5	22	24	7	15	3	4	–	50
73	17	1	20	4	5	13	2	–	2	2	–	1	3	20	30	11	15	2	2	2	51
23	5	–	11	4	–	5	–	–	–	1	–	–	2	6	11	1	7	1	2	–	52
50	12	1	9	–	5	8	2	–	2	1	–	1	1	14	19	10	8	1	–	2	53
40	3	–	10	–	1	9	2	–	2	–	–	–	4	7	10	3	4	–	3	–	54
102	13	3	59	5	5	13	3	1	2	–	–	5	4	62	31	9	13	4	8	–	55
52	6	3	21	1	1	6	1	1	–	–	–	2	2	21	15	2	2	2	4	–	56
50	7	–	38	4	4	7	2	–	2	–	–	3	2	41	16	7	11	2	4	–	57
60	19	–	20	2	1	3	4	–	1	–	–	1	3	5	8	10	7	4	–	–	58
43	14	–	19	4	2	8	2	–	–	1	–	1	4	28	24	11	3	–	2	1	59
35	22	–	24	1	–	5	1	–	1	1	–	–	4	2	19	5	5	1	2	–	60
98	47	4	28	13	5	21	2	1	1	2	–	4	5	37	50	25	27	2	7	1	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
98	47	4	28	13	5	21	2	1	1	2	–	4	5	37	50	25	27	2	7	1	63
89	9	–	28	14	1	6	2	–	3	–	–	1	2	30	13	11	4	–	5	–	64
23	4	–	9	1	2	1	1	–	–	1	–	–	–	7	4	7	3	–	–	–	65
88	15	–	30	4	1	3	2	–	3	2	–	1	1	17	17	7	10	3	3	1	66
34	5	–	10	–	1	3	1	–	2	–	1	1	5	8	9	5	3	–	–	–	67
43	1	–	11	–	–	5	1	1	–	1	–	–	3	5	7	1	3	–	1	–	68
96	22	3	31	3	4	11	2	2	–	2	–	3	12	7	39	14	16	5	9	–	69
69	8	–	23	–	2	8	2	–	–	–	–	3	7	23	11	10	2	2	3	1	70
46	9	–	20	1	2	3	–	–	–	–	–	1	2	22	11	7	6	1	–	–	71
76	15	–	19	6	4	–	1	–	3	–	1	–	4	3	15	8	6	2	1	1	72
65	17	–	12	3	1	4	2	2	1	–	–	1	1	11	18	8	7	2	1	3	73
33	5	–	8	–	–	8	–	–	2	–	–	1	3	11	6	2	9	2	1	–	74
56	4	–	10	3	2	5	2	–	–	1	–	–	1	9	21	3	4	2	1	–	75
35	18	–	12	1	3	7	2	–	1	1	–	–	7	14	12	12	6	–	5	–	76
87	54	2	72	7	4	10	4	2	5	3	–	5	13	16	42	19	14	4	4	3	77
57	38	1	46	6	2	5	2	2	4	2	–	3	10	8	26	11	9	2	4	3	78
30	16	1	26	1	2	5	2	–	1	1	–	2	3	8	16	8	5	2	–	–	79
173	26	3	95	4	5	20	4	3	6	3	–	4	16	112	50	19	13	3	17	1	80
138	15	2	74	4	3	16	3	3	5	3	–	3	9	69	37	11	9	1	11	–	81
35	11	1	21	–	2	4	1	–	1	–	–	1	7	43	13	8	4	2	6	1	82
47	6	8	17	–	–	4	2	–	2	1	–	1	7	1	15	8	10	3	3	–	83
32	5	–	13	–	1	5	1	–	1	1	–	–	2	4	12	4	–	1	1	–	84
21	10	–	15	2	2	4	1	1	–	1	–	1	1	3	9	2	2	–	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Winston	217	1	–	1	44	17	11	1	4	1	1	9	11	98	73	1	1
02	Yalobusha	146	–	–	–	24	9	6	1	1	2	1	4	4	68	45	–	–
03	Yazoo	331	1	–	1	55	18	14	5	2	1	2	13	6	127	73	–	7
04	Yazoo City	176	–	–	–	25	6	9	1	2	1	–	6	5	74	46	–	4
05	Balance of county	155	1	–	1	30	12	5	4	–	–	2	7	1	53	27	–	3
06	**Missouri**	49,442	76	4	347	9,718	2,435	2,502	795	1,114	458	379	2,035	816	24,825	18,428	318	321
07	Urban places	23,655	36	2	183	4,778	1,230	1,250	393	549	221	155	980	403	11,855	8,878	178	134
08	Balance of area	25,787	40	2	164	4,940	1,205	1,252	402	565	237	224	1,055	413	12,970	9,550	140	187
09	Metropolitan counties	27,929	45	4	217	5,850	1,476	1,523	507	634	285	201	1,224	481	13,779	10,415	223	150
10	Urban places	20,351	34	2	157	4,158	1,074	1,094	347	473	193	128	849	350	10,144	7,656	161	110
11	Balance of area	7,578	11	2	60	1,692	402	429	160	161	92	73	375	131	3,635	2,759	62	40
12	Nonmetropolitan counties	21,513	31	–	130	3,868	959	979	288	480	173	178	811	335	11,046	8,013	95	171
13	Urban places	3,304	2	–	26	620	156	156	46	76	28	27	131	53	1,711	1,222	17	24
14	Balance of area	18,209	29	–	104	3,248	803	823	242	404	145	151	680	282	9,335	6,791	78	147
15	Adair	226	1	–	1	32	8	8	1	5	–	1	9	7	110	84	–	2
16	Kirksville	153	–	–	1	18	3	5	1	3	–	1	5	5	76	59	–	1
17	Balance of county	73	1	–	–	14	5	3	–	2	–	–	4	2	34	25	–	1
18	Andrew	115	–	–	2	22	5	4	3	3	2	1	4	1	64	49	–	–
19	Atchison	103	–	–	–	23	4	3	2	4	1	–	9	2	51	38	–	1
20	Audrain	299	–	–	2	56	13	20	5	8	–	2	8	2	153	101	–	–
21	Mexico	167	–	–	1	34	7	15	3	4	–	1	4	2	77	47	–	–
22	Balance of county	132	–	–	1	22	6	5	2	4	–	1	4	–	76	54	–	–
23	Barry	301	–	–	4	47	11	12	1	5	2	2	14	4	147	90	2	–
24	Barton	153	–	–	–	28	9	6	2	4	1	2	4	3	84	67	1	–
25	Bates	228	–	–	2	41	14	16	2	5	–	–	4	5	105	84	1	2
26	Benton	183	–	–	2	33	8	15	1	3	1	1	4	–	103	58	1	2
27	Bollinger	124	–	–	2	25	5	5	1	6	2	1	5	1	65	50	–	2
28	Boone	556	–	–	4	117	37	21	13	12	5	4	25	9	258	205	9	5
29	Columbia	354	–	–	3	71	24	11	8	6	4	1	17	7	163	128	5	3
30	Balance of county	202	–	–	1	46	13	10	5	6	1	3	8	2	95	77	4	2
31	Buchanan	1,120	1	–	4	233	56	68	17	37	11	7	37	14	601	437	6	9
32	St. Joseph	1,013	1	–	4	209	48	60	15	35	9	7	35	13	545	394	6	9
33	Balance of county	107	–	–	–	24	8	8	2	2	2	–	2	1	56	43	–	–
34	Butler	452	–	–	3	76	8	18	4	13	3	6	24	8	214	158	4	–
35	Poplar Bluff	248	–	–	3	39	4	9	3	8	2	3	10	5	120	87	2	–
36	Balance of county	204	–	–	–	37	4	9	1	5	1	3	14	3	94	71	2	–
37	Caldwell	140	1	–	1	29	6	10	1	3	1	1	7	2	72	50	1	–
38	Callaway	301	–	–	3	61	17	13	4	8	3	2	14	9	142	109	4	7
39	Fulton	140	–	–	2	31	11	6	–	4	2	1	7	4	65	51	–	5
40	Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	161	–	–	1	30	6	7	4	4	1	1	7	5	77	58	4	2
42	Camden	202	1	–	4	42	16	10	4	4	4	1	3	5	98	70	1	1
43	Cape Girardeau	473	–	–	1	105	25	25	9	13	3	6	24	7	245	177	3	4
44	Cape Girardeau	278	–	–	1	61	15	15	4	10	2	2	13	5	151	102	1	3
45	Balance of county	195	–	–	–	44	10	10	5	3	1	4	11	2	94	75	2	1
46	Carroll	188	1	–	–	31	6	8	4	5	3	1	4	1	103	81	–	5
47	Carter	67	–	–	1	11	3	–	–	3	2	–	3	–	24	20	1	–
48	Cass	370	–	–	2	77	10	23	6	6	8	7	17	8	163	109	3	2
49	Cedar	167	–	–	–	30	8	5	1	9	1	–	6	5	90	49	–	–
50	Chariton	154	–	–	1	31	10	7	1	2	–	4	7	5	79	44	–	1
51	Christian	181	–	–	1	26	8	6	–	–	1	6	5	2	94	67	–	–
52	Clark	95	–	–	–	24	5	9	2	1	–	–	7	–	27	22	1	1
53	Clay	846	1	–	3	170	50	44	17	11	7	7	34	14	421	299	2	1
54	Gladstone	85	–	–	–	21	8	3	1	2	–	–	7	2	33	23	–	–
55	Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Kansas City, part	321	–	–	2	63	19	15	6	3	2	4	14	7	154	117	2	–
57	Liberty	103	–	–	–	24	6	9	1	2	2	–	4	–	58	43	–	–
58	Balance of county	337	1	–	1	62	17	17	9	4	3	3	9	5	176	116	–	1
59	Clinton	143	1	–	1	25	3	6	5	2	–	1	8	–	74	47	–	–
60	Cole	409	–	–	2	82	21	19	7	2	3	6	24	4	226	183	3	2
61	Jefferson City, part	297	–	–	2	62	17	15	5	2	2	4	17	3	161	127	2	2
62	Jefferson City, total	297	–	–	2	62	17	15	5	2	2	4	17	3	161	127	2	2
63	Balance of county	112	–	–	–	20	4	4	2	–	1	2	7	1	65	56	1	–
64	Cooper	181	–	–	1	35	10	9	1	6	1	–	8	2	101	81	3	–
65	Crawford	202	1	–	–	33	7	1	6	4	4	3	8	3	108	78	–	–
66	Dade	127	–	–	1	14	7	1	1	–	–	–	5	4	70	57	–	1
67	Dallas	149	–	–	1	31	12	5	–	3	3	–	8	–	81	63	–	10
68	Daviess	119	–	–	–	20	5	5	1	3	–	1	5	2	74	55	2	8
69	De Kalb	122	–	–	1	21	2	6	1	–	1	3	8	–	59	45	–	–
70	Dent	158	–	–	2	21	5	3	1	3	2	2	5	8	70	60	–	–
71	Douglas	104	–	–	–	22	7	5	–	3	1	1	5	2	54	36	–	1
72	Dunklin	434	1	–	1	81	9	26	6	9	4	7	20	9	203	160	2	2
73	Franklin	630	–	1	6	138	42	24	9	14	5	4	40	8	277	212	2	4
74	Gasconade	187	1	–	–	21	9	2	1	3	–	1	5	3	111	83	–	1
75	Gentry	133	–	–	–	23	7	7	2	3	–	1	3	3	71	46	1	–
76	Greene	1,600	5	1	13	319	79	88	29	31	12	4	76	20	768	532	19	5
77	Springfield	1,310	3	1	7	272	67	78	25	25	11	4	62	14	637	435	16	4
78	Balance of county	290	2	–	6	47	12	10	4	6	1	–	14	6	131	97	3	1
79	Grundy	175	–	–	–	28	11	6	1	4	–	2	4	–	88	70	1	8
80	Harrison	153	–	–	–	25	9	6	–	4	–	–	6	2	92	71	–	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
66	5	1	20	4	–	3	3	–	–	–	–	2	1	4	21	13	8	1	6	–	01
35	10	1	18	2	2	7	3	1	–	1	–	2	4	13	9	3	6	–	1	–	02
51	15	6	38	7	3	5	5	–	1	6	–	2	3	61	26	7	16	–	9	–	03
33	9	2	22	3	1	2	1	–	1	5	–	1	1	31	15	3	9	–	3	–	04
18	6	4	16	4	2	3	4	–	–	1	–	1	2	30	11	4	7	–	6	–	05
16,043	1,746	179	4,717	810	691	1,614	442	119	519	256	4	271	571	1,956	4,075	1,220	1,376	590	527	116	06
7,824	742	99	2,170	394	314	730	198	54	320	137	2	148	324	703	2,036	398	585	304	400	59	07
8,219	1,004	80	2,547	416	377	884	244	65	199	119	2	123	247	1,253	2,039	822	791	286	127	57	08
9,221	821	118	2,440	442	364	785	220	62	352	153	1	177	415	808	2,327	602	737	382	448	84	09
6,787	598	90	1,806	328	264	584	159	43	281	120	1	128	298	578	1,752	342	515	262	385	58	10
2,434	223	28	634	114	100	201	61	19	71	33	–	49	117	230	575	260	222	120	63	26	11
6,822	925	61	2,277	368	327	829	222	57	167	103	3	94	156	1,148	1,748	618	639	208	79	32	12
1,037	144	9	364	66	50	146	39	11	39	17	1	20	26	125	284	56	70	42	15	1	13
5,785	781	52	1,913	302	277	683	183	46	128	86	2	74	130	1,023	1,464	562	569	166	64	31	14
69	13	–	19	5	2	16	4	2	3	3	–	–	3	14	21	3	2	4	–	–	15
49	9	–	13	4	–	12	2	1	3	3	–	–	2	9	16	1	2	2	–	–	16
20	4	–	6	1	2	4	2	1	–	–	–	–	1	5	5	2	–	2	–	–	17
44	5	–	15	–	–	5	–	1	–	3	–	1	–	1	11	1	3	–	–	–	18
35	2	–	10	–	3	2	–	–	2	–	–	–	2	1	14	–	3	2	–	1	19
91	10	2	31	12	7	20	9	2	–	1	–	1	2	12	19	6	9	3	2	–	20
43	4	1	18	7	4	14	5	1	–	1	–	–	2	6	15	3	3	2	1	–	21
48	6	1	13	5	3	6	4	1	–	–	–	1	–	6	4	3	6	1	1	–	22
80	8	–	48	4	5	13	3	–	4	3	1	2	2	22	27	11	7	3	1	–	23
62	4	–	13	3	1	3	3	1	–	1	–	–	1	8	10	6	4	1	–	–	24
68	13	–	16	4	1	6	2	1	–	4	–	1	3	20	22	4	10	2	–	–	25
38	17	–	37	4	4	6	–	1	–	2	–	1	1	14	15	2	2	1	–	–	26
43	5	–	11	2	2	4	1	–	–	–	–	1	–	6	12	6	1	–	–	–	27
171	20	–	39	6	8	24	2	2	5	5	–	4	11	6	53	15	22	14	3	2	28
109	11	–	27	4	4	16	2	1	3	3	–	4	9	3	35	10	9	11	2	2	29
62	9	–	12	2	4	8	–	1	2	2	–	–	2	3	18	5	13	3	1	–	30
383	39	8	103	36	17	39	7	2	14	3	–	2	21	34	78	18	29	14	4	2	31
344	35	7	95	33	16	35	5	2	14	2	–	2	19	30	74	15	28	10	4	1	32
39	4	1	8	3	1	4	2	–	–	1	–	–	2	4	4	3	1	4	–	1	33
134	20	–	43	5	8	27	3	1	4	–	–	2	2	35	41	8	15	5	7	1	34
71	14	–	23	4	6	19	1	1	4	–	–	–	–	12	25	4	8	3	3	1	35
63	6	–	20	1	2	8	2	–	–	–	–	2	2	23	16	4	7	2	4	–	36
44	5	–	14	7	1	8	1	–	1	2	–	–	2	12	4	2	3	–	–	–	37
84	14	1	27	2	3	15	2	1	3	3	–	3	2	4	23	13	10	6	1	–	38
40	6	1	11	2	–	12	1	1	3	1	–	–	–	1	10	4	2	3	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
44	8	–	16	–	3	3	1	–	–	2	–	3	2	3	13	9	8	3	1	–	41
64	4	1	25	–	2	6	2	–	2	1	–	1	–	1	22	6	7	2	2	–	42
160	10	–	51	6	11	16	4	–	3	–	–	2	10	29	28	10	9	2	2	–	43
92	6	–	37	5	7	11	3	–	1	–	–	2	7	13	18	1	2	2	–	–	44
68	4	–	14	1	4	5	1	–	2	–	–	–	3	16	10	9	7	–	2	–	45
59	17	–	16	3	3	8	3	1	2	–	–	1	1	10	17	6	2	1	–	–	46
15	4	–	4	–	–	4	1	1	2	–	–	1	–	10	6	4	–	1	–	1	47
86	18	–	47	3	4	10	3	–	4	–	–	7	6	26	33	19	6	2	3	1	48
46	3	–	34	4	3	9	1	–	–	–	–	1	–	16	11	3	1	–	–	–	49
36	7	–	26	5	4	3	2	–	2	–	–	1	1	8	16	3	2	–	–	–	50
66	1	1	20	3	3	3	3	–	1	–	–	1	4	16	13	7	7	3	–	–	51
18	2	–	4	–	1	5	3	1	–	–	–	–	–	20	7	5	1	2	–	–	52
276	20	2	103	10	7	13	7	6	12	3	–	7	10	11	87	27	29	18	7	–	53
21	2	1	8	1	–	–	–	–	–	1	–	–	2	–	12	6	3	3	2	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
107	8	1	32	1	3	7	2	2	7	1	–	1	5	4	33	11	11	10	1	–	56
41	2	–	12	3	–	3	1	–	–	–	–	1	1	1	6	2	4	2	–	–	57
107	8	–	51	5	4	3	4	4	5	1	–	5	2	6	36	8	11	3	4	–	58
39	8	–	17	5	5	5	1	1	2	1	–	2	–	5	17	4	4	–	–	–	59
164	14	2	34	3	4	15	4	1	7	1	–	3	4	2	37	5	7	6	2	1	60
113	10	2	26	2	4	10	3	1	6	1	–	3	3	1	27	2	4	6	2	–	61
113	10	2	26	2	4	10	3	1	6	1	–	3	3	1	27	2	4	6	2	–	62
51	4	–	8	1	–	5	1	–	1	–	–	–	1	1	10	3	3	–	–	1	63
67	11	–	18	2	–	8	2	2	2	–	–	1	–	2	11	8	3	1	–	2	64
74	4	1	22	1	6	10	1	–	2	1	–	1	1	6	17	7	7	3	1	–	65
43	13	–	10	2	1	10	1	–	2	–	–	2	2	6	10	3	1	1	–	–	66
53	–	1	10	3	4	1	1	–	2	1	–	–	–	6	12	7	3	3	–	–	67
38	7	3	12	3	1	6	2	–	1	4	–	–	–	1	4	1	3	1	–	–	68
41	4	–	13	1	–	3	3	1	–	1	–	–	–	10	13	8	2	–	–	–	69
54	6	–	8	2	–	7	1	–	1	1	–	1	2	20	15	2	6	1	–	–	70
32	3	2	12	2	2	4	1	1	–	–	–	–	–	3	9	2	2	1	2	1	71
139	17	2	34	2	5	16	9	–	5	2	–	1	2	41	34	8	13	5	2	1	72
188	18	4	43	9	9	15	4	2	5	5	–	2	7	60	52	21	17	7	1	2	73
76	6	3	16	4	5	6	1	–	2	1	–	–	–	6	18	6	7	2	1	1	74
42	3	–	20	1	4	12	2	–	1	1	–	1	2	–	6	5	4	2	–	–	75
476	32	4	175	33	24	61	18	3	10	5	–	13	13	111	137	40	28	25	6	4	76
389	26	3	148	31	20	49	15	3	7	3	–	11	12	87	115	30	22	14	6	2	77
87	6	1	27	2	4	12	3	–	3	2	–	2	1	24	22	10	6	11	–	2	78
56	5	–	16	–	2	8	4	1	1	2	–	1	2	4	22	4	7	2	–	1	79
59	8	–	17	2	2	11	3	1	–	2	–	–	–	–	13	3	–	1	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	Henry	270	–	–	4	38	8	8	4	7	1	2	8	2	156	103	4	1
02	Hickory	82	–	–	–	18	–	6	3	3	1	–	5	–	39	27	–	1
03	Holt	96	–	–	–	13	4	3	1	2	1	1	1	2	56	40	1	–
04	Howard	139	–	–	1	23	3	6	2	4	2	1	5	2	79	49	–	1
05	Howell	292	–	–	1	61	15	13	3	8	2	5	15	3	131	93	1	2
06	Iron	133	1	–	–	28	7	8	3	6	–	1	3	2	49	36	–	1
07	Jackson	6,399	15	1	60	1,281	328	328	107	141	65	37	275	96	2,924	2,113	49	19
08	Grandview	126	–	–	3	34	6	11	1	4	1	1	10	1	43	32	2	–
09	Independence, part	878	1	–	6	192	42	63	17	19	8	11	32	15	438	324	9	1
10	Independence, total	878	1	–	6	192	42	63	17	19	8	11	32	15	438	324	9	1
11	Kansas City, part	4,646	14	1	44	904	240	224	71	108	49	22	190	69	2,080	1,493	32	17
12	Kansas City, total	5,029	14	1	46	980	261	244	77	112	51	27	208	76	2,260	1,629	34	17
13	Lee's Summit	263	–	–	2	55	16	13	5	6	2	1	12	4	129	89	3	–
14	Raytown	229	–	–	2	44	12	7	7	2	3	1	12	4	116	92	2	–
15	Balance of county	257	–	–	3	52	12	10	6	2	2	1	19	3	118	83	1	1
16	Jasper	1,022	2	–	9	217	51	52	14	21	11	10	58	12	479	355	4	3
17	Carthage	171	–	–	2	33	7	7	2	2	3	1	11	3	84	60	1	1
18	Joplin, part	500	1	–	6	99	23	25	7	12	5	6	21	5	234	175	3	1
19	Joplin, total	536	2	–	7	107	26	26	8	12	6	6	23	5	249	184	3	2
20	Balance of county	351	1	–	1	85	21	20	5	7	3	3	26	4	161	120	–	1
21	Jefferson	830	1	–	5	171	44	51	13	12	4	9	38	17	392	304	9	6
22	Johnson	229	–	–	–	45	10	9	5	7	2	2	10	2	124	84	1	–
23	Warrensburg	71	–	–	–	8	3	1	–	1	–	–	3	1	44	34	–	–
24	Balance of county	158	–	–	–	37	7	8	5	6	2	2	7	1	80	50	1	–
25	Knox	95	–	–	2	11	5	2	1	2	1	–	–	5	53	34	–	–
26	Laclede	285	–	–	–	58	14	18	1	5	5	3	12	1	147	111	1	2
27	Lafayette	355	–	–	1	57	15	10	5	9	2	3	13	4	182	135	–	1
28	Lawrence	324	1	–	2	62	13	24	6	3	1	5	10	7	167	129	–	1
29	Lewis	130	–	–	1	21	5	5	2	2	1	1	5	2	69	54	1	3
30	Lincoln	234	–	–	1	29	6	11	3	3	3	–	3	4	135	82	–	1
31	Linn	266	–	–	1	43	10	8	5	4	4	1	11	8	172	120	1	2
32	Livingston	250	–	–	–	48	17	8	3	11	3	1	5	2	147	97	–	3
33	McDonald	150	–	–	2	26	5	7	1	2	1	1	9	1	66	49	–	–
34	Macon	219	–	–	4	45	12	8	2	9	1	3	10	7	120	98	1	8
35	Madison	140	–	–	–	30	8	10	4	3	–	1	4	3	56	47	–	–
36	Maries	80	–	–	–	10	1	4	1	1	–	1	2	–	42	33	1	1
37	Marion	365	–	–	3	68	15	16	16	7	3	5	6	7	199	137	3	2
38	Hannibal, part	265	–	–	1	43	9	13	11	5	2	2	1	6	158	112	3	1
39	Hannibal, total	267	–	–	1	44	9	13	11	5	2	2	2	6	159	113	3	1
40	Balance of county	100	–	–	2	25	6	3	5	2	1	3	5	1	41	25	–	1
41	Mercer	58	–	–	1	12	4	4	2	–	–	1	1	1	32	23	–	1
42	Miller	230	2	–	–	39	12	6	2	5	3	3	8	5	119	85	1	1
43	Mississippi	193	–	–	1	31	4	12	4	3	3	–	5	2	101	92	–	2
44	Moniteau	150	1	–	1	17	2	4	2	5	1	–	3	3	89	71	–	–
45	Monroe	147	–	–	–	22	6	2	3	3	2	2	4	3	84	62	1	1
46	Montgomery	165	1	–	–	29	6	6	3	4	1	1	8	1	93	72	–	1
47	Morgan	188	1	–	2	41	11	13	3	5	3	1	5	3	96	48	–	–
48	New Madrid	255	–	–	1	43	13	13	2	4	–	6	5	2	97	74	1	–
49	Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	Balance of county	255	–	–	1	43	13	13	2	4	–	6	5	2	97	74	1	–
51	Newton	386	2	–	4	85	22	20	4	14	2	4	19	3	159	120	3	1
52	Joplin, part	36	1	–	1	8	3	1	1	–	1	–	2	–	15	9	–	1
53	Balance of county	350	1	–	3	77	19	19	3	14	1	4	17	3	144	111	3	–
54	Nodaway	215	–	–	2	32	12	7	2	3	3	2	3	2	126	92	1	1
55	Oregon	151	–	–	–	19	2	6	–	5	1	2	3	5	89	64	–	2
56	Osage	116	–	–	–	25	7	5	5	3	1	1	3	2	63	46	–	–
57	Ozark	77	–	–	–	13	4	5	–	1	–	–	3	–	30	18	–	–
58	Pemiscot	346	2	–	2	64	13	11	3	9	7	7	14	6	177	118	–	2
59	Perry	191	–	–	2	39	9	9	7	5	1	2	6	1	109	89	1	1
60	Pettis	468	–	–	2	83	26	18	3	8	4	3	21	11	259	164	5	5
61	Sedalia	349	–	–	1	63	22	15	3	5	3	2	13	9	198	121	3	4
62	Balance of county	119	–	–	1	20	4	3	–	3	1	1	8	2	61	43	2	1
63	Phelps	333	–	–	2	59	13	13	3	12	4	2	12	6	165	124	1	3
64	Rolla	104	–	–	1	18	5	3	1	3	–	2	4	2	48	35	1	2
65	Balance of county	229	–	–	1	41	8	10	2	9	4	–	8	4	117	89	–	1
66	Pike	252	2	–	2	46	8	15	2	5	2	3	11	4	123	76	–	3
67	Platte	248	–	–	3	44	6	17	2	2	2	3	12	3	104	62	1	2
68	Kansas City, part	62	–	–	–	13	2	5	–	1	–	1	4	–	26	19	–	–
69	Balance of county	186	–	–	3	31	4	12	2	1	2	2	8	3	78	43	1	2
70	Polk	205	–	–	1	36	4	12	5	4	–	2	9	2	118	81	1	2
71	Pulaski	214	–	–	2	44	9	13	2	5	2	3	10	5	80	63	1	2
72	Putnam	95	–	–	1	22	9	4	–	4	2	–	3	2	51	32	1	1
73	Ralls	99	–	–	–	13	3	1	1	3	1	1	3	4	50	34	–	1
74	Hannibal, part	2	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–
75	Balance of county	97	–	–	–	12	3	1	1	3	1	1	2	4	49	33	–	1
76	Randolph	302	–	–	3	61	15	17	6	10	1	–	12	2	147	95	1	–
77	Moberly	191	–	–	3	40	11	10	4	6	–	–	9	2	95	60	1	–
78	Balance of county	111	–	–	–	21	4	7	2	4	1	–	3	–	52	35	–	–
79	Ray	218	–	–	2	34	9	8	3	6	1	1	6	6	118	85	1	–
80	Reynolds	69	–	–	–	16	2	6	2	1	–	1	4	–	19	16	1	–
81	Ripley	141	–	–	3	18	6	3	2	–	1	–	6	6	72	63	–	–
82	St. Charles	726	1	1	4	156	38	37	14	15	7	6	39	12	339	244	3	1
83	St. Charles	351	–	–	1	78	23	18	8	6	1	2	20	3	177	127	2	–
84	Balance of county	375	1	1	3	78	15	19	6	9	6	4	19	9	162	117	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
72	26	-	41	7	5	6	4	1	1	2	-	-	-	12	26	4	12	1	1	-	01
25	1	-	10	1	1	2	1	-	1	-	-	-	-	8	8	1	3	1	-	-	02
34	5	-	14	1	1	2	1	1	2	-	-	-	1	-	15	-	3	-	-	-	03
37	11	1	16	10	3	10	1	-	1	1	-	-	1	2	8	2	6	2	-	-	04
77	13	1	29	4	4	8	3	-	2	1	-	-	3	24	27	18	7	2	-	1	05
33	2	-	8	4	1	13	2	1	-	-	-	-	-	9	12	8	6	1	1	-	06
1,801	244	37	588	100	86	165	53	14	92	57	-	41	141	306	592	125	176	109	121	30	07
26	4	-	10	1	-	2	1	1	2	1	-	2	6	5	13	4	3	4	-	1	08
292	22	9	75	14	16	19	7	3	10	10	-	7	12	13	72	24	21	17	6	5	09
292	22	9	75	14	16	19	7	3	10	10	-	7	12	13	72	24	21	17	6	5	10
1,251	193	26	430	77	54	126	34	9	72	44	-	28	107	276	432	67	135	75	110	19	11
1,374	204	27	468	79	57	135	36	11	80	45	-	29	114	281	474	83	149	85	111	19	12
79	7	-	32	3	5	7	3	1	3	1	-	1	3	3	32	9	6	3	1	-	13
81	9	2	15	2	5	3	5	-	2	-	-	1	4	6	19	5	5	9	2	2	14
72	9	-	26	3	6	8	3	-	3	1	-	2	9	3	24	16	6	1	2	3	15
310	38	4	91	12	17	45	11	2	5	3	1	6	8	68	85	29	25	11	3	1	16
51	7	2	13	6	3	11	4	-	-	1	-	1	1	5	13	4	7	2	-	-	17
153	18	-	47	3	9	18	1	1	5	1	1	4	4	45	46	10	9	8	2	-	18
161	18	-	53	3	9	19	1	1	6	1	1	5	5	46	51	11	9	8	2	-	19
106	13	2	31	3	5	16	6	1	-	1	-	1	3	18	26	15	9	1	1	1	20
268	21	5	62	10	11	19	6	1	8	2	-	4	18	7	63	53	32	20	9	2	21
71	12	1	21	15	3	3	4	1	2	1	-	-	7	-	14	11	9	6	-	-	22
27	7	-	4	5	1	1	3	-	-	-	-	-	-	-	5	4	3	2	-	-	23
44	5	1	17	10	2	2	1	1	2	1	-	-	7	-	9	7	6	4	-	-	24
30	4	-	18	1	-	4	-	1	-	-	-	-	1	7	4	3	3	1	-	-	25
105	3	-	24	5	7	12	2	1	1	1	-	2	4	15	25	9	3	3	1	-	26
105	29	3	34	5	5	15	4	2	5	5	-	3	4	16	33	12	9	2	-	1	27
121	7	-	28	2	8	4	2	2	6	2	-	4	1	25	22	6	5	6	-	-	28
45	5	-	13	1	1	8	2	-	1	2	-	-	-	1	14	6	2	1	-	-	29
73	8	2	38	7	6	2	1	1	1	-	-	-	1	29	14	7	6	2	-	1	30
103	14	2	39	2	9	10	1	3	-	-	-	1	-	2	13	2	8	1	-	1	31
84	10	-	41	2	7	8	3	-	4	-	-	1	2	6	14	4	10	1	-	-	32
43	6	1	14	1	1	6	2	-	2	-	-	-	-	16	11	5	6	4	2	1	33
80	9	-	16	6	-	7	1	-	-	-	-	-	1	1	28	2	3	-	-	-	34
30	17	-	3	2	4	8	-	-	2	-	-	1	1	11	16	4	5	3	-	-	35
26	5	-	8	-	1	5	-	-	-	-	-	-	-	7	2	6	5	3	-	-	36
101	31	-	46	13	3	12	5	3	4	2	-	4	2	7	21	9	15	4	-	-	37
79	29	-	35	9	2	8	5	2	4	2	-	3	2	3	13	5	9	1	-	-	38
80	29	-	35	9	2	8	5	2	4	2	-	3	2	3	13	5	9	1	-	-	39
22	2	-	11	4	1	4	-	1	-	-	-	1	-	4	8	4	6	3	-	-	40
21	1	-	7	2	-	1	1	-	-	1	-	-	1	1	3	-	4	-	-	-	41
74	9	1	23	8	2	7	1	-	2	-	-	-	-	11	25	7	11	1	-	-	42
87	3	-	7	2	-	12	-	1	1	1	-	-	1	17	13	2	6	2	1	1	43
67	4	1	13	3	1	4	1	-	-	-	-	-	-	1	20	8	4	1	-	-	44
53	7	-	19	3	-	9	2	-	-	-	-	-	-	6	11	4	1	1	2	2	45
62	9	1	17	3	-	8	5	-	-	-	-	-	1	2	14	4	4	2	1	-	46
43	5	-	32	9	7	2	1	1	3	-	-	-	2	1	12	10	8	1	4	-	47
67	6	-	19	1	3	10	2	-	5	6	-	1	5	46	15	4	12	4	2	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
67	6	-	19	1	3	10	2	-	5	6	-	1	5	46	15	4	12	4	2	-	50
101	15	-	29	7	3	19	2	-	5	2	-	1	6	43	28	11	9	5	1	1	51
8	-	-	6	-	-	1	-	-	1	-	-	1	1	1	5	1	-	-	-	-	52
93	15	-	23	7	3	18	2	-	4	2	-	-	5	42	23	10	9	5	1	1	53
81	9	1	28	1	4	9	1	1	2	-	-	-	4	-	17	7	11	1	-	-	54
53	9	-	18	4	3	5	-	-	2	-	-	-	-	2	19	3	5	1	1	-	55
38	8	-	11	1	5	6	2	-	-	-	-	1	-	1	6	5	4	1	-	-	56
18	-	1	9	1	1	2	-	-	-	-	-	-	-	13	9	2	4	3	1	-	57
79	37	2	55	-	2	6	1	-	2	3	1	1	4	24	20	3	15	4	11	-	58
84	3	-	13	3	4	4	-	-	-	-	-	-	3	1	16	9	5	1	1	-	59
140	14	2	75	9	9	14	6	1	6	4	-	1	4	3	47	11	10	3	3	-	60
105	9	2	59	9	7	10	4	1	3	4	-	1	2	3	34	5	6	3	2	-	61
35	5	-	16	-	2	4	2	-	3	-	-	-	2	-	13	6	4	-	1	-	62
109	11	2	25	7	7	9	6	1	6	3	-	2	-	22	27	7	14	4	-	-	63
27	5	-	7	3	3	1	3	1	3	1	-	1	-	6	11	3	4	1	-	-	64
82	6	2	18	4	4	8	3	-	3	2	-	1	-	16	16	4	10	3	-	-	65
58	15	2	27	9	9	13	5	2	-	2	-	1	2	24	14	5	6	-	-	1	66
49	10	-	28	5	9	4	2	1	1	1	-	1	7	23	21	19	7	6	1	-	67
16	3	-	6	1	-	2	-	-	1	-	-	-	2	1	9	5	3	-	-	-	68
33	7	-	22	4	9	2	2	1	-	1	-	1	5	22	12	14	4	6	1	-	69
74	4	-	32	2	3	8	-	1	-	1	-	1	3	14	11	2	5	1	1	-	70
53	7	-	14	-	3	1	1	-	1	-	-	4	6	31	11	9	12	4	2	1	71
26	4	-	16	-	3	3	1	1	1	-	-	1	-	-	6	4	-	2	-	-	72
29	4	-	9	6	1	4	2	-	-	-	-	1	1	2	9	7	4	2	-	-	73
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
28	4	-	9	6	1	4	2	-	-	-	-	1	1	2	9	7	4	2	-	-	75
73	21	-	39	9	4	11	1	-	-	1	-	-	2	22	33	8	6	3	2	-	76
47	12	-	27	5	3	8	1	-	-	1	-	-	-	10	19	4	5	1	2	-	77
26	9	-	12	4	1	3	-	-	-	-	-	-	2	12	14	4	1	2	-	-	78
72	12	-	23	7	3	5	3	-	1	2	-	2	-	12	18	6	8	-	1	-	79
12	3	-	3	-	-	5	1	-	-	-	-	-	-	11	5	9	2	1	-	-	80
59	4	-	6	1	2	5	1	-	-	1	-	1	1	8	15	7	3	-	-	-	81
224	16	3	71	13	8	24	2	-	3	3	-	8	8	48	46	38	14	13	5	1	82
119	6	2	38	5	5	15	1	-	1	1	-	5	3	18	22	16	3	5	2	-	83
105	10	1	33	8	3	9	1	-	2	2	-	3	5	30	24	22	11	8	3	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	St. Clair	145	–	–	1	19	5	6	–	3	–	1	4	2	80	55	–	–
02	St. Francois	518	–	–	5	86	25	23	9	18	1	2	8	12	283	203	1	1
03	St. Louis	7,380	7	–	52	1,770	417	473	177	166	106	72	359	131	3,751	2,922	64	30
04	Ballwin	90	–	–	2	24	13	4	–	–	2	1	4	1	39	28	1	–
05	Bellefontaine Neighbors	136	–	–	–	36	11	11	2	2	2	–	8	1	77	62	1	2
06	Berkeley	78	–	–	–	18	4	5	1	3	1	–	4	2	44	33	1	–
07	Brentwood	75	–	–	1	12	3	2	1	–	1	1	4	1	44	34	–	1
08	Bridgeton	107	–	–	1	26	10	5	1	4	2	2	2	1	56	39	–	1
09	Clayton	146	–	–	–	32	10	6	2	5	1	3	5	3	89	69	1	–
10	Crestwood	87	–	–	3	19	9	5	–	–	1	–	4	3	41	29	–	–
11	Ferguson	267	–	–	4	58	10	19	8	6	3	–	12	8	141	113	–	–
12	Florissant	435	–	–	4	108	24	28	11	10	8	8	19	7	215	173	4	3
13	Hazelwood	104	–	–	–	32	6	13	4	1	1	2	5	2	42	35	2	–
14	Jennings	214	–	–	3	57	15	20	3	5	1	2	11	5	104	81	3	2
15	Kirkwood	321	1	–	1	76	12	23	9	6	6	1	19	3	165	118	4	–
16	Ladue	78	–	–	–	18	6	4	2	–	–	2	4	1	41	30	–	–
17	Maplewood	123	–	–	–	28	7	9	6	2	1	1	2	2	62	51	–	–
18	Overland	227	–	–	1	56	13	18	4	2	3	1	15	3	119	86	3	1
19	Richmond Heights	147	–	–	–	32	1	10	8	5	2	–	6	5	73	54	–	–
20	St. Ann	129	–	–	2	27	5	9	1	4	3	–	5	3	67	61	2	–
21	University City	385	–	–	–	97	22	21	13	10	7	5	19	7	201	166	3	–
22	Webster Groves	237	–	–	–	48	11	16	3	2	3	3	10	4	144	102	1	–
23	Balance of county	3,994	6	–	30	966	225	245	98	99	58	40	201	69	1,987	1,558	38	20
24	St. Louis city	7,224	14	–	61	1,374	369	349	103	187	53	41	272	149	3,781	2,976	56	66
25	Ste. Genevieve	134	–	–	–	22	8	6	3	2	–	–	3	1	61	45	–	–
26	Saline	334	–	–	–	58	20	15	2	9	1	–	11	3	197	135	2	2
27	Marshall	154	–	–	–	27	10	8	–	4	1	–	4	–	88	61	–	1
28	Balance of county	180	–	–	–	31	10	7	2	5	–	–	7	3	109	74	2	1
29	Schuyler	75	–	–	–	10	3	2	2	–	–	–	3	1	45	35	–	1
30	Scotland	80	–	–	1	14	2	2	2	2	2	–	4	–	36	21	–	–
31	Scott	392	2	–	3	64	16	17	2	10	6	3	10	8	207	164	5	4
32	Sikeston, part	178	–	–	1	35	6	8	1	7	5	2	6	1	96	81	–	2
33	Sikeston, total	178	–	–	1	35	6	8	1	7	5	2	6	1	96	81	–	2
34	Balance of county	214	2	–	2	29	10	9	1	3	1	1	4	7	111	83	5	2
35	Shannon	72	–	–	1	13	2	5	1	1	1	–	3	4	34	32	1	–
36	Shelby	128	–	–	1	20	6	4	–	1	3	1	5	2	71	54	–	23
37	Stoddard	300	–	–	2	57	13	16	5	9	3	1	10	7	147	103	–	1
38	Stone	164	1	–	1	32	3	18	1	1	1	–	8	–	66	48	2	–
39	Sullivan	126	–	–	1	19	7	4	1	2	–	–	5	–	84	60	–	1
40	Taney	257	–	–	1	64	12	22	3	4	3	7	13	4	122	86	2	–
41	Texas	239	1	–	3	43	17	10	3	2	2	1	8	1	127	100	1	4
42	Vernon	257	1	–	1	36	14	9	5	1	1	–	6	3	130	87	2	3
43	Warren	134	–	–	1	19	4	5	–	3	1	1	5	2	76	60	2	1
44	Washington	181	–	–	–	40	12	16	1	2	2	1	6	4	74	60	1	–
45	Wayne	159	–	–	1	24	3	6	3	4	1	–	7	2	71	59	–	1
46	Webster	191	1	–	–	30	5	6	6	2	4	–	7	1	107	73	1	1
47	Worth	52	–	–	–	9	4	2	–	2	1	–	–	1	30	27	1	–
48	Wright	207	2	–	1	40	10	9	2	3	–	–	16	3	112	83	3	–
49	**Montana**	6,488	12	–	45	1,227	322	294	95	188	63	39	226	113	3,025	2,181	55	26
50	Urban places	2,345	5	–	14	486	122	111	40	73	32	14	94	37	1,108	801	25	11
51	Balance of area	4,143	7	–	31	741	200	183	55	115	31	25	132	76	1,917	1,380	30	15
52	Metropolitan counties	1,326	2	–	7	295	74	72	22	40	22	11	54	16	609	437	19	1
53	Urban places	1,009	1	–	6	233	58	56	15	34	17	10	43	11	471	333	14	–
54	Balance of area	317	1	–	1	62	16	16	7	6	5	1	11	5	138	104	5	1
55	Nonmetropolitan counties	5,162	10	–	38	932	248	222	73	148	41	28	172	97	2,416	1,744	36	25
56	Urban places	1,336	4	–	8	253	64	55	25	39	15	4	51	26	637	468	11	11
57	Balance of area	3,826	6	–	30	679	184	167	48	109	26	24	121	71	1,779	1,276	25	14
58	Beaverhead	92	–	–	1	19	3	4	2	6	1	2	1	2	34	24	2	–
59	Big Horn	97	–	–	2	13	6	3	1	–	1	1	1	3	37	28	–	–
60	Blaine	70	–	–	1	12	5	1	–	4	–	–	2	–	39	23	–	–
61	Broadwater	39	–	–	–	10	2	5	–	1	1	–	1	–	17	12	–	–
62	Carbon	99	–	–	–	17	7	5	1	1	–	–	3	2	55	38	–	–
63	Carter	19	–	–	1	1	–	–	–	–	–	–	1	3	7	3	–	–
64	Cascade	628	1	–	1	137	35	26	12	22	9	7	26	3	272	198	11	–
65	Great Falls	521	–	–	1	112	30	20	9	19	8	6	20	3	237	170	7	–
66	Balance of county	107	1	–	–	25	5	6	3	3	1	1	6	–	35	28	4	–
67	Chouteau	54	–	–	–	10	1	3	–	4	–	–	2	–	26	23	1	–
68	Custer	146	–	–	1	19	1	5	1	6	–	1	5	2	80	55	1	–
69	Daniels	32	–	–	–	6	1	1	–	1	1	–	2	2	19	14	–	1
70	Dawson	87	–	–	1	21	5	2	2	3	3	–	6	1	45	35	–	–
71	Deer Lodge	157	1	–	1	23	6	7	–	1	4	–	5	1	84	68	3	–
72	Fallon	34	–	–	–	8	3	2	–	2	–	–	1	1	14	9	–	–
73	Fergus	157	–	–	3	28	4	7	3	3	1	2	8	–	71	53	–	–
74	Flathead	434	–	–	4	94	27	22	6	16	2	5	16	10	194	131	2	7
75	Kalispell	136	–	–	–	29	6	3	2	8	2	–	8	3	69	49	–	4
76	Balance of county	298	–	–	4	65	21	19	4	8	–	5	8	7	125	82	2	3
77	Gallatin	233	–	–	3	32	9	8	3	4	2	–	6	6	116	81	–	2
78	Bozeman	136	–	–	2	19	4	6	2	3	1	–	3	4	69	50	–	2
79	Balance of county	97	–	–	1	13	5	2	1	1	1	–	3	2	47	31	–	–
80	Garfield	12	–	–	–	2	1	–	–	–	–	–	1	–	5	3	–	–
81	Glacier	118	–	–	2	19	3	4	–	5	–	1	6	4	36	28	1	–
82	Golden Valley	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
45	10	–	21	1	3	5	2	–	–	1	–	1	–	8	16	6	3	–	1	–	01
185	16	4	56	13	7	26	8	–	3	3	–	5	2	17	28	18	14	6	2	–	02
2,634	194	29	595	115	90	197	65	14	78	27	–	51	81	83	559	138	195	92	65	24	03
25	2	–	11	–	–	2	–	–	–	1	–	2	4	2	7	2	3	–	–	1	04
54	5	–	13	–	2	4	1	–	1	1	–	–	–	1	10	2	2	–	–	–	05
29	3	–	9	2	–	–	2	–	1	–	–	1	–	–	5	1	2	–	2	–	06
33	–	–	9	–	1	3	1	–	3	–	–	–	1	–	5	1	2	1	–	–	07
36	2	–	13	3	1	1	1	–	3	–	–	–	–	2	10	3	3	–	–	–	08
64	4	–	14	3	3	–	–	–	–	–	–	–	1	2	10	1	2	5	–	1	09
28	1	–	6	2	4	3	1	–	–	1	–	–	–	3	9	–	3	1	–	–	10
106	7	5	16	6	1	9	1	–	3	2	–	3	1	2	21	4	8	1	1	–	11
155	11	1	30	3	8	13	3	–	5	–	–	3	4	4	36	9	17	3	3	1	12
31	2	–	5	1	1	3	–	3	2	–	–	2	3	3	4	4	–	3	–	1	13
65	11	1	18	3	1	7	1	–	1	1	–	1	–	–	21	5	3	1	3	1	14
111	3	3	34	8	2	11	7	–	3	2	–	2	–	4	27	2	7	8	1	1	15
28	2	–	10	1	–	2	1	–	1	–	–	–	–	1	11	–	2	–	–	–	16
49	2	–	7	2	2	4	1	–	1	–	–	1	1	3	10	3	3	2	2	–	17
75	7	–	23	5	5	2	3	–	1	–	–	2	–	3	19	6	5	3	4	–	18
51	3	1	12	2	4	5	1	–	5	1	–	2	–	2	13	–	4	3	1	–	19
57	2	–	3	1	2	4	3	–	2	–	–	–	1	2	12	3	1	1	–	1	20
155	8	2	23	3	7	9	3	1	4	1	–	5	2	4	25	1	10	3	9	3	21
95	6	–	36	5	1	4	2	–	3	1	–	4	3	–	17	2	3	2	–	–	22
1,387	113	16	303	65	45	111	33	10	39	16	–	23	60	45	287	89	115	55	39	14	23
2,665	189	26	586	102	91	214	51	17	120	42	1	37	92	93	606	89	182	62	223	16	24
42	3	–	14	1	1	4	1	–	4	–	–	–	2	8	10	7	10	2	–	2	25
121	10	1	46	9	6	14	3	–	3	–	–	2	3	2	25	10	9	2	2	1	26
55	5	1	25	1	–	7	2	–	3	–	–	2	1	1	12	3	5	1	2	–	27
66	5	–	21	8	6	7	1	–	–	–	–	–	2	1	13	7	4	1	–	1	28
24	10	1	5	1	3	1	1	1	–	–	–	–	–	2	7	1	3	3	–	–	29
14	7	–	14	–	1	6	1	–	–	1	–	–	–	4	9	1	6	1	–	–	30
148	7	3	35	4	1	6	3	1	4	3	–	2	1	19	34	15	12	7	1	–	31
76	3	–	13	1	1	3	1	1	3	1	–	2	1	9	15	2	1	5	1	–	32
76	3	–	13	1	1	3	1	1	3	1	–	2	1	9	15	2	1	5	1	–	33
72	4	3	22	3	–	3	2	–	1	2	–	–	–	10	19	13	11	2	–	–	34
22	9	1	–	–	1	4	3	–	2	–	–	–	–	2	3	4	2	–	–	–	35
29	2	–	9	5	3	6	3	–	1	2	–	–	1	5	6	2	7	1	–	–	36
85	17	1	36	4	3	7	5	–	4	1	–	2	1	23	32	1	7	1	2	1	37
42	4	1	9	5	3	3	2	–	–	–	–	–	2	24	18	9	3	2	–	1	38
46	13	1	19	2	2	3	–	–	1	–	–	2	1	1	8	1	5	–	–	–	39
77	7	–	27	4	5	9	1	1	1	1	–	1	–	4	28	6	9	2	1	2	40
90	5	–	21	2	4	9	1	–	1	–	–	1	–	5	17	13	11	2	3	1	41
69	13	–	35	3	5	15	1	3	1	1	–	1	3	22	16	8	11	3	–	1	42
47	10	–	9	5	2	1	3	–	–	–	–	–	2	4	13	5	7	1	–	–	43
56	3	1	12	1	–	12	–	–	1	1	–	–	–	13	14	15	5	2	–	–	44
52	6	–	9	–	3	11	–	1	–	1	–	1	2	18	18	2	5	1	1	–	45
61	10	–	28	4	2	5	3	1	3	–	–	2	–	4	19	3	10	2	–	–	46
24	2	–	3	–	–	2	2	–	1	–	–	–	–	1	6	–	–	–	–	–	47
72	8	–	25	3	1	7	–	–	3	–	–	1	2	7	8	10	9	–	1	1	48
1,682	418	18	559	169	98	221	113	26	105	22	2	49	63	167	580	270	274	121	34	19	49
627	138	11	203	64	29	80	36	14	34	7	–	19	21	67	196	68	93	40	12	8	50
1,055	280	7	356	105	69	141	77	12	71	15	2	30	42	100	384	202	181	81	22	11	51
324	93	4	110	43	15	45	13	2	17	3	–	13	12	50	106	57	42	28	7	2	52
242	77	4	88	34	12	33	11	1	15	3	–	11	7	36	77	33	34	20	5	1	53
82	16	–	22	9	3	12	2	1	2	–	–	2	5	14	29	24	8	8	2	1	54
1,358	325	14	449	126	83	176	100	24	88	19	2	36	51	117	474	213	232	93	27	17	55
385	61	7	115	30	17	47	25	13	19	4	–	8	14	31	119	35	59	20	7	7	56
973	264	7	334	96	66	129	75	11	69	15	2	28	37	86	355	178	173	73	20	10	57
17	5	–	7	2	1	2	1	–	1	–	–	–	3	3	17	3	5	1	–	–	58
20	8	–	7	2	–	6	3	–	4	–	–	1	1	–	12	9	6	–	–	–	59
21	2	–	8	7	1	3	2	–	3	–	–	–	–	2	3	–	3	1	1	–	60
6	6	–	1	1	3	–	1	1	–	–	–	–	–	2	6	1	1	–	–	–	61
26	12	–	17	–	–	3	3	–	1	1	–	1	–	–	12	1	2	–	1	–	62
2	1	–	1	–	3	1	–	–	–	–	–	–	–	2	1	–	2	1	–	–	63
139	48	2	37	25	10	17	6	1	8	2	–	7	8	40	50	30	24	17	3	1	64
120	43	2	33	23	9	13	6	1	7	2	–	5	4	32	40	20	19	15	3	1	65
19	5	–	4	2	1	4	–	–	1	–	–	2	4	8	10	10	5	2	–	–	66
17	5	–	2	1	–	4	2	–	2	–	–	–	–	4	3	–	3	–	–	–	67
43	11	–	20	2	3	10	5	–	2	–	–	–	1	7	13	–	4	2	–	–	68
11	2	–	5	–	–	1	–	–	–	–	–	–	–	–	2	–	1	1	–	–	69
29	6	–	8	–	2	2	–	–	–	–	–	1	1	1	5	1	3	5	–	–	70
50	15	–	8	7	1	9	4	1	3	2	–	1	–	4	11	6	5	–	–	1	71
7	2	–	5	–	–	–	1	–	2	–	–	–	–	2	2	3	1	–	–	–	72
42	11	1	8	6	3	6	2	–	1	–	–	–	–	1	31	6	7	1	–	–	73
104	18	3	41	12	7	17	12	–	6	1	1	3	5	7	34	21	13	10	1	1	74
40	5	1	14	3	2	5	4	–	1	1	–	–	–	1	13	6	2	2	–	–	75
64	13	2	27	9	5	12	8	–	5	–	1	3	5	6	21	15	11	8	1	1	76
67	12	–	27	5	3	7	4	1	1	1	–	1	3	7	22	15	8	5	–	1	77
39	9	–	15	3	1	7	1	–	–	1	–	–	2	3	17	4	4	2	–	1	78
28	3	–	12	2	2	–	3	1	1	–	–	1	1	4	5	11	4	3	–	–	79
3	–	–	–	–	2	1	1	–	–	–	–	–	–	1	1	–	1	–	–	–	80
17	10	–	6	1	1	5	4	–	6	1	–	–	–	1	13	10	11	5	–	1	81
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Montana—Con.																	
01	Granite	25	1	–	–	3	1	–	–	–	–	–	2	1	6	4	–	–
02	Hill	132	1	–	–	28	4	5	–	8	1	1	9	4	54	38	1	1
03	Havre	99	1	–	–	21	4	3	–	3	1	1	9	4	41	32	1	1
04	Balance of county	33	–	–	–	7	–	2	–	5	–	–	–	–	13	6	–	–
05	Jefferson	64	–	–	1	14	4	4	–	3	–	1	2	–	23	21	–	–
06	Judith Basin	20	–	–	–	1	1	–	–	–	–	–	–	1	10	6	–	–
07	Lake	206	–	–	1	30	7	12	3	5	–	–	3	4	94	77	3	1
08	Lewis and Clark	331	1	–	4	76	25	19	8	5	4	3	12	6	134	108	2	1
09	Helena	236	1	–	3	59	21	14	6	5	3	2	8	3	98	79	1	1
10	Balance of county	95	–	–	1	17	4	5	2	–	1	1	4	3	36	29	1	–
11	Liberty	15	–	–	–	2	–	1	1	–	–	–	–	–	8	5	–	–
12	Lincoln	134	–	–	–	25	8	8	3	2	1	1	2	1	71	53	–	–
13	McCone	24	–	–	–	6	1	–	2	2	1	–	–	–	13	9	–	–
14	Madison	45	–	–	–	10	2	2	2	3	–	1	–	–	16	12	–	–
15	Meagher	17	–	–	–	2	1	–	–	–	–	1	–	–	9	8	–	1
16	Mineral	25	–	–	–	4	1	–	–	–	–	1	2	–	14	11	–	1
17	Missoula	402	–	–	1	67	16	15	8	12	5	1	10	8	198	133	6	3
18	Missoula	281	–	–	–	48	12	10	5	9	5	–	7	6	136	91	5	2
19	Balance of county	121	–	–	1	19	4	5	3	3	–	1	3	2	62	42	1	1
20	Musselshell	49	1	–	–	9	3	2	1	1	–	–	2	1	26	22	1	–
21	Park	136	–	–	–	27	8	5	2	3	1	–	8	4	73	47	–	2
22	Petroleum	5	–	–	–	2	–	–	–	2	–	–	–	–	2	2	–	–
23	Phillips	59	–	–	–	7	1	1	–	2	1	–	2	1	28	20	1	–
24	Pondera	58	–	–	1	10	2	–	1	4	–	–	3	–	28	21	2	–
25	Powder River	12	–	–	–	1	–	1	–	–	–	–	–	–	8	3	–	–
26	Powell	65	–	–	1	13	5	5	2	–	1	–	–	–	30	25	1	2
27	Prairie	24	–	–	–	5	2	3	–	–	–	–	–	–	11	9	1	–
28	Ravalli	194	–	–	1	38	13	8	1	8	1	–	7	7	96	66	–	–
29	Richland	92	–	–	–	18	7	3	–	6	–	–	2	5	39	23	–	–
30	Roosevelt	112	1	–	–	15	6	1	2	–	1	2	3	1	45	31	2	–
31	Rosebud	64	2	–	–	7	5	–	1	–	–	–	1	2	27	17	–	–
32	Sanders	87	–	–	2	19	3	5	1	2	1	2	5	–	38	30	–	–
33	Sheridan	53	–	–	–	12	3	5	–	1	–	–	3	–	24	17	–	–
34	Silver Bow	497	2	–	3	80	18	20	10	11	4	1	16	6	250	188	4	1
35	Butte	448	2	–	3	77	17	19	10	11	3	1	16	6	224	167	4	1
36	Balance of county	49	–	–	–	3	1	1	–	–	1	–	–	–	26	21	–	–
37	Stillwater	59	–	–	–	8	2	2	–	–	1	1	2	1	32	19	1	–
38	Sweet Grass	34	–	–	–	9	4	2	1	2	–	–	–	–	19	8	–	–
39	Teton	61	–	–	1	11	3	2	1	5	–	–	–	4	28	21	–	1
40	Toole	47	–	–	1	11	2	5	1	–	1	–	2	1	19	16	–	1
41	Treasure	12	–	–	–	2	–	1	–	–	–	–	1	–	8	5	–	–
42	Valley	80	–	–	–	21	3	6	2	4	1	–	5	1	33	21	1	–
43	Wheatland	20	–	–	–	4	3	–	1	–	–	–	–	–	10	8	–	–
44	Wibaux	17	–	–	–	1	–	–	–	–	–	–	1	1	11	11	–	–
45	Yellowstone	698	1	–	6	158	39	46	10	18	13	4	28	13	337	239	8	1
46	Billings	488	1	–	5	121	28	36	6	15	9	4	23	8	234	163	7	–
47	Balance of county	210	–	–	1	37	11	10	4	3	4	–	5	5	103	76	1	1
48	Yellowstone National Park	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
49	**Nebraska**	14,443	10	1	75	2,951	783	659	242	379	159	149	580	210	7,581	5,466	99	95
50	Urban places	6,364	4	1	36	1,351	339	321	118	157	76	64	276	94	3,256	2,330	46	25
51	Balance of area	8,079	6	–	39	1,600	444	338	124	222	83	85	304	116	4,325	3,136	53	70
52	Metropolitan counties	5,031	6	1	32	1,067	260	269	95	112	52	55	224	76	2,568	1,853	35	24
53	Urban places	4,428	4	1	29	943	228	237	82	96	46	51	203	66	2,281	1,636	31	21
54	Balance of area	603	2	–	3	124	32	32	13	16	6	4	21	10	287	217	4	3
55	Nonmetropolitan counties	9,412	4	–	43	1,884	523	390	147	267	107	94	356	134	5,013	3,613	64	71
56	Urban places	1,936	–	–	7	408	111	84	36	61	30	13	73	28	975	694	15	4
57	Balance of area	7,476	4	–	36	1,476	412	306	111	206	77	81	283	106	4,038	2,919	49	67
58	Adams	355	–	–	1	71	17	19	7	8	1	7	12	4	201	143	2	1
59	Hastings	299	–	–	1	62	16	16	5	7	1	6	11	4	172	122	2	–
60	Balance of county	56	–	–	–	9	1	3	2	1	–	1	1	–	29	21	–	1
61	Antelope	117	–	–	–	25	8	4	1	3	–	4	5	1	70	52	–	–
62	Arthur	9	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–
63	Banner	4	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–
64	Blaine	11	–	–	–	2	–	2	–	–	–	–	–	–	4	4	2	–
65	Boone	102	–	–	–	27	8	5	1	7	–	–	6	–	50	31	–	–
66	Box Butte	108	–	–	2	18	7	4	1	3	–	1	2	1	52	34	2	–
67	Boyd	49	–	–	–	8	1	3	–	1	–	1	2	–	28	24	1	–
68	Brown	54	–	–	1	5	1	2	–	1	–	1	–	1	35	25	–	–
69	Buffalo	312	–	–	1	75	18	16	4	19	6	4	8	1	137	97	4	–
70	Kearney	162	–	–	–	38	9	9	1	10	2	3	4	–	63	50	2	–
71	Balance of county	150	–	–	1	37	9	7	3	9	4	1	4	1	74	47	2	–
72	Burt	138	–	–	1	23	7	3	3	3	–	2	5	2	91	64	1	2
73	Butler	113	–	–	–	28	12	3	2	4	–	2	5	–	63	46	2	–
74	Cass	188	–	–	2	35	12	10	2	1	2	2	6	–	107	72	–	2
75	Cedar	142	–	–	–	29	9	4	2	5	3	–	6	4	76	53	–	–
76	Chase	50	–	–	–	7	1	1	–	2	–	1	2	2	25	21	–	8
77	Cherry	56	1	–	–	9	1	3	–	1	–	2	2	1	29	24	–	2
78	Cheyenne	115	–	–	–	23	5	3	1	6	3	–	5	1	66	46	1	7
79	Clay	77	–	–	–	13	3	5	1	1	–	–	3	3	39	33	–	–
80	Colfax	112	–	–	1	17	4	7	2	–	–	1	3	3	56	37	–	–
81	Cuming	132	–	–	–	33	9	4	4	5	3	1	7	3	73	63	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2	2	-	-	1	1	1	-	-	-	1	-	1	-	-	9	-	-	-	-	2	01
31	5	-	8	5	3	11	1	2	1	-	-	1	1	8	8	7	5	-	-	-	02
26	4	-	5	3	1	9	-	2	-	-	-	1	1	4	6	4	5	-	-	-	03
5	1	-	3	2	2	2	1	-	1	-	-	-	-	4	2	3	-	-	-	-	04
19	2	-	1	1	-	4	1	1	-	-	-	1	1	8	7	1	-	2	-	-	05
4	2	-	3	-	1	1	2	-	-	-	-	-	-	-	2	2	1	-	-	-	06
57	16	-	12	2	3	7	2	1	5	2	-	2	2	5	20	11	9	8	3	-	07
82	23	1	14	8	3	11	7	1	6	-	-	2	4	16	28	8	19	5	3	-	08
61	16	1	11	4	3	8	3	1	5	-	-	1	2	13	18	3	13	4	1	-	09
21	7	-	3	4	-	3	4	-	1	-	-	1	2	3	10	5	6	1	2	-	10
5	-	-	3	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	11
38	15	-	13	3	2	3	1	-	2	-	-	-	1	1	14	4	5	4	1	1	12
4	5	-	4	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	13
7	5	-	2	-	2	2	1	1	1	1	-	-	-	3	1	3	5	1	-	-	14
2	5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	15
5	5	-	-	2	1	1	-	-	-	-	-	-	-	-	1	2	-	3	-	-	16
110	14	5	45	8	7	12	10	4	7	-	-	4	8	4	39	15	12	8	4	1	17
77	7	4	30	6	5	9	8	4	6	-	-	3	6	3	28	7	6	6	4	1	18
33	7	1	15	2	2	3	2	-	1	-	-	1	2	1	11	8	6	2	-	-	19
20	1	-	3	1	-	-	3	-	1	-	-	1	-	-	5	-	1	1	-	-	20
40	5	-	19	5	2	-	2	1	3	-	-	1	-	-	10	6	8	1	-	-	21
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
15	4	-	6	1	1	1	-	1	3	-	-	-	1	-	4	3	5	2	3	-	23
13	6	-	6	1	-	3	2	-	-	-	-	1	2	1	3	2	4	1	-	-	24
2	1	-	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	25
20	2	-	3	2	-	2	1	1	-	-	-	1	2	-	6	3	4	-	-	1	26
4	4	-	1	1	-	-	-	-	1	-	-	-	-	2	3	1	1	-	-	-	27
63	3	1	22	3	4	3	2	2	2	2	-	-	4	2	18	12	3	-	1	1	28
21	2	-	9	6	1	4	1	-	-	1	-	1	2	1	10	5	2	3	-	-	29
21	8	1	8	3	2	6	-	-	8	-	1	1	1	3	10	5	8	4	2	1	30
13	4	-	5	2	3	5	-	-	-	-	-	-	1	4	4	4	4	3	1	-	31
26	4	-	5	2	1	2	2	-	-	-	-	3	3	1	5	4	4	2	1	1	32
17	-	-	5	-	2	2	2	-	-	-	-	-	-	-	5	2	5	1	-	-	33
157	26	1	43	13	5	9	10	6	9	2	-	3	3	7	40	19	31	8	4	5	34
142	20	1	40	11	5	9	9	6	7	2	-	3	3	7	37	11	29	6	2	5	35
15	6	-	3	2	-	-	1	-	2	-	-	-	-	-	3	8	2	2	2	-	36
15	3	-	10	-	3	3	2	-	-	-	-	2	-	2	4	3	1	1	-	-	37
4	4	-	10	1	-	-	-	-	2	-	-	1	-	-	2	-	-	1	-	-	38
17	3	-	4	2	1	-	1	-	-	-	-	1	-	-	9	2	4	-	-	-	39
10	5	-	3	-	-	1	1	-	-	2	-	-	-	2	5	1	2	-	1	-	40
4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	41
17	3	-	2	7	3	4	-	-	3	1	-	-	-	-	7	2	7	1	-	-	42
1	7	1	1	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	43
7	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	44
185	45	2	73	18	5	28	7	1	9	1	-	6	4	10	56	27	18	11	4	1	45
122	34	2	55	11	3	20	5	-	8	1	-	6	3	4	37	13	15	5	2	-	46
63	11	-	18	7	2	8	2	1	1	-	-	-	1	6	19	14	3	6	2	1	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
4,740	532	39	1,532	322	222	516	182	41	144	59	2	110	164	228	1,208	375	377	145	46	18	49
2,035	224	22	654	136	114	239	76	16	74	22	1	50	84	86	562	147	155	67	29	14	50
2,705	308	17	878	186	108	277	106	25	70	37	1	60	80	142	646	228	222	78	17	4	51
1,592	202	14	491	120	90	173	66	10	69	18	1	46	80	59	434	126	110	56	26	7	52
1,406	178	13	444	106	82	152	52	8	60	15	1	37	70	52	380	102	100	44	24	7	53
186	24	1	47	14	8	21	14	2	9	3	-	9	10	7	54	24	10	12	2	-	54
3,148	330	25	1,041	202	132	343	116	31	75	41	1	64	84	169	774	249	267	89	20	11	55
629	46	9	210	30	32	87	24	8	14	7	-	13	14	34	182	45	55	23	5	7	56
2,519	284	16	831	172	100	256	92	23	61	34	1	51	70	135	592	204	212	66	15	4	57
136	4	1	48	5	4	9	8	1	5	3	-	2	1	3	25	8	9	2	1	1	58
119	1	1	41	5	3	8	6	1	2	-	-	1	1	3	22	4	9	1	1	1	59
17	3	-	7	-	1	1	2	-	3	3	-	1	-	-	3	4	-	1	-	-	60
50	2	-	13	2	3	3	2	-	1	-	-	1	4	1	5	2	2	-	-	-	61
2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	-	62
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	63
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	64
27	4	-	17	2	-	-	-	1	2	-	-	1	2	2	9	3	5	-	-	-	65
30	2	-	12	6	-	6	1	1	1	1	-	2	2	3	10	2	6	-	-	-	66
23	-	-	4	-	-	3	2	-	-	-	-	1	-	-	4	1	1	-	-	1	67
23	2	-	9	-	1	3	-	1	-	1	-	1	-	-	4	2	-	-	-	-	68
84	9	-	33	1	6	16	3	3	-	4	-	5	7	5	31	9	10	4	-	1	69
42	6	-	12	-	1	11	3	2	-	1	-	3	3	1	20	5	8	3	-	1	70
42	3	-	21	1	5	5	-	1	-	3	-	2	4	4	11	4	2	1	-	-	71
50	11	1	17	8	1	2	4	-	1	-	-	-	-	1	10	2	-	1	-	-	72
37	7	-	14	3	-	5	1	-	1	1	-	1	-	2	4	5	1	1	-	-	73
61	9	-	31	2	2	4	1	-	2	-	-	-	6	3	7	13	5	2	1	-	74
48	5	-	17	6	-	1	2	-	2	1	-	-	1	4	12	6	4	-	-	-	75
12	1	1	2	1	-	2	1	-	-	-	-	-	-	2	5	3	1	-	2	-	76
20	2	-	3	-	2	5	1	-	-	-	-	-	-	-	8	1	1	-	-	-	77
38	-	-	12	-	8	3	3	1	2	-	-	-	-	-	8	1	5	2	-	-	78
31	2	-	6	-	-	4	2	1	-	-	-	1	-	3	8	1	-	2	-	-	79
34	3	-	17	-	2	9	2	-	1	-	-	-	-	9	4	3	6	1	-	-	80
60	2	-	7	1	2	6	1	-	-	1	-	-	1	-	7	2	5	-	-	-	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Custer	156	–	–	–	30	8	7	5	3	1	3	3	2	87	67	3	1
02	Dakota	158	–	–	1	25	7	8	2	4	–	–	4	3	74	53	2	1
03	Dawes	100	–	–	–	11	5	2	–	1	2	–	1	5	48	37	–	2
04	Dawson	194	–	–	–	35	8	12	7	3	1	–	4	2	108	76	–	3
05	Deuel	31	–	–	–	6	1	1	–	–	1	1	2	–	15	14	–	–
06	Dixon	106	1	–	2	20	9	2	2	1	–	3	3	4	63	53	1	3
07	Dodge	346	–	–	2	80	18	21	9	10	8	2	12	4	159	111	4	–
08	Fremont	220	–	–	–	52	9	14	7	7	6	–	9	3	99	62	2	–
09	Balance of county	126	–	–	2	28	9	7	2	3	2	2	3	1	60	49	2	–
10	Douglas	3,304	5	1	22	721	174	202	56	66	36	30	157	47	1,659	1,188	23	14
11	Omaha	3,143	3	1	22	680	163	191	52	61	34	30	149	45	1,592	1,138	23	14
12	Balance of county	161	2	–	–	41	11	11	4	5	2	–	8	2	67	50	–	–
13	Dundy	40	–	–	–	7	–	3	1	2	–	–	1	1	22	20	1	1
14	Fillmore	121	–	–	–	25	9	3	2	3	2	2	4	7	67	53	–	–
15	Franklin	61	–	–	–	16	2	6	1	1	1	2	3	1	33	20	1	–
16	Frontier	34	–	–	–	13	7	4	–	–	–	–	2	–	12	9	–	–
17	Furnas	95	–	–	–	17	4	2	–	4	1	2	4	1	63	53	–	–
18	Gage	279	–	–	2	69	17	15	5	8	4	2	18	3	136	104	1	1
19	Beatrice	172	–	–	1	42	9	10	2	4	4	2	11	2	87	69	1	1
20	Balance of county	107	–	–	1	27	8	5	3	4	–	–	7	1	49	35	–	–
21	Garden	41	–	–	–	11	2	2	1	2	1	1	2	1	18	16	–	3
22	Garfield	35	–	–	–	6	–	–	–	1	1	–	4	–	24	10	–	–
23	Gosper	18	–	–	–	3	1	–	–	1	–	1	–	–	10	8	–	–
24	Grant	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
25	Greeley	55	–	–	–	8	2	2	–	–	1	1	2	1	30	17	–	–
26	Hall	475	–	–	1	86	22	14	9	14	8	–	19	5	239	169	5	–
27	Grand Island	385	–	–	1	70	18	11	9	13	5	–	14	5	192	134	1	–
28	Balance of county	90	–	–	–	16	4	3	–	1	3	–	5	–	47	35	4	–
29	Hamilton	116	–	–	2	24	8	5	–	3	4	1	3	2	57	43	1	–
30	Harlan	56	–	–	–	9	1	2	1	2	1	–	2	–	37	22	1	–
31	Hayes	11	–	–	–	2	1	1	–	–	–	–	–	–	6	4	–	–
32	Hitchcock	43	–	–	–	5	2	1	–	1	–	–	1	1	24	16	–	1
33	Holt	141	–	–	1	29	5	6	1	6	2	1	8	–	85	60	1	–
34	Hooker	9	–	–	–	2	–	–	–	–	–	–	2	–	1	1	–	–
35	Howard	72	–	–	–	15	4	2	3	3	–	1	2	–	44	23	–	–
36	Jefferson	129	–	–	–	20	2	3	3	2	1	2	7	–	85	71	1	–
37	Johnson	87	–	–	–	14	7	3	–	3	–	1	–	1	55	17	1	1
38	Kearney	61	–	–	–	9	5	2	1	–	–	–	1	3	32	22	1	1
39	Keith	58	–	–	1	13	3	5	–	1	2	–	2	–	27	18	–	–
40	Keya Paha	14	–	–	–	5	1	1	2	–	–	1	–	–	6	6	–	–
41	Kimball	54	–	–	–	15	3	1	–	1	1	3	6	–	19	13	–	1
42	Knox	153	–	–	2	24	3	5	–	7	4	1	4	1	95	70	1	–
43	Lancaster	1,289	1	–	7	253	71	41	29	32	14	18	48	22	708	511	9	7
44	Lincoln	1,175	1	–	7	230	61	37	26	32	12	17	45	20	644	460	8	5
45	Balance of county	114	–	–	–	23	10	4	3	–	2	1	3	2	64	51	1	2
46	Lincoln	289	–	–	2	71	24	13	6	12	4	2	10	4	133	91	3	1
47	North Platte	204	–	–	–	51	17	10	6	9	3	1	5	3	97	65	3	1
48	Balance of county	85	–	–	2	20	7	3	–	3	1	1	5	1	36	26	–	–
49	Logan	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
50	Loup	6	–	–	–	4	–	1	–	1	1	1	–	–	1	–	–	–
51	McPherson	5	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–
52	Madison	330	–	–	2	55	22	9	5	9	3	1	6	6	182	133	–	2
53	Norfolk	189	–	–	1	27	13	3	2	4	3	–	2	4	110	81	–	2
54	Balance of county	141	–	–	1	28	9	6	3	5	–	1	4	2	72	52	–	–
55	Merrick	94	–	–	1	20	7	2	2	2	1	1	5	1	51	36	–	–
56	Morrill	53	–	–	1	10	2	2	–	1	1	–	4	–	27	23	–	–
57	Nance	61	–	–	–	11	1	4	–	5	–	1	–	–	39	26	–	–
58	Nemaha	94	–	–	–	15	1	3	2	5	1	1	2	2	52	23	–	1
59	Nuckolls	69	–	–	–	15	5	3	1	2	1	–	3	–	36	21	–	–
60	Otoe	207	–	–	3	39	14	10	2	4	2	–	7	1	106	71	2	–
61	Pawnee	38	–	–	–	7	2	2	–	1	–	–	2	–	24	17	–	4
62	Perkins	35	–	–	–	5	1	1	–	1	–	–	2	1	21	14	–	5
63	Phelps	111	–	–	–	19	5	3	3	2	2	–	4	3	65	50	–	1
64	Pierce	83	–	–	–	21	7	2	3	1	–	–	8	1	44	32	–	–
65	Platte	231	–	–	2	44	10	7	3	6	3	1	14	4	130	101	3	–
66	Columbus	157	–	–	2	31	9	2	3	4	2	–	11	3	88	65	2	–
67	Balance of county	74	–	–	–	13	1	5	–	2	1	1	3	1	42	36	1	–
68	Polk	68	–	–	–	7	1	1	1	1	1	–	2	1	36	25	–	–
69	Red Willow	158	–	–	–	42	15	9	6	5	1	3	3	1	69	52	1	–
70	Richardson	187	–	–	1	44	9	12	1	9	1	4	8	2	97	77	4	2
71	Rock	27	–	–	–	8	3	2	–	–	1	1	1	–	15	11	–	–
72	Saline	161	1	–	–	27	7	6	3	2	2	2	5	5	90	70	1	1
73	Sarpy	280	–	–	2	68	8	16	8	10	2	7	15	4	127	101	1	2
74	Bellevue	110	–	–	–	33	4	9	4	3	–	4	9	1	45	38	–	2
75	Balance of county	170	–	–	2	35	4	9	4	7	2	3	6	3	82	63	1	–
76	Saunders	199	–	–	1	39	10	6	3	6	4	1	9	1	102	67	1	3
77	Scotts Bluff	344	–	–	3	80	23	22	4	7	7	1	16	8	168	114	4	3
78	Scottsbluff	148	–	–	1	35	11	9	1	3	4	1	6	4	67	46	2	–
79	Balance of county	196	–	–	2	45	12	13	3	4	3	–	10	4	101	68	2	3
80	Seward	151	–	–	–	33	8	7	4	2	1	2	9	2	85	61	–	1
81	Sheridan	85	–	–	–	12	4	3	1	1	–	2	1	1	43	39	–	–
82	Sherman	55	1	–	–	13	4	–	–	3	–	2	4	–	29	23	1	–
83	Sioux	20	–	–	–	3	1	1	–	–	–	1	–	1	6	5	–	–
84	Stanton	56	–	–	2	9	3	1	1	2	–	–	2	1	32	23	–	–
85	Thayer	115	–	–	–	31	12	7	2	5	–	1	4	3	61	50	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
59	4	-	11	7	2	5	1	-	1	-	-	2	-	5	16	2	5	-	-	-	01
44	6	-	9	11	1	14	6	-	1	-	-	2	4	2	11	6	2	6	1	-	02
32	3	-	4	6	1	2	-	1	1	2	-	-	1	2	19	1	4	3	-	-	03
70	3	-	14	15	3	3	4	-	2	1	-	-	1	7	16	5	8	1	1	-	04
14	-	1	-	-	-	2	1	-	-	-	-	1	-	-	3	3	-	-	-	-	05
44	5	-	5	3	2	2	1	1	-	-	-	1	-	-	4	3	3	1	-	-	06
98	9	3	41	2	2	17	2	-	1	1	-	1	5	18	33	16	5	2	-	-	07
55	5	2	31	2	2	14	1	-	1	1	-	-	4	10	23	7	3	2	-	-	08
43	4	1	10	-	-	3	1	-	-	-	-	1	1	8	10	9	2	-	-	-	09
1,047	104	7	329	74	61	119	43	9	55	13	-	26	50	32	295	73	81	26	22	5	10
1,002	99	7	313	74	60	115	39	8	50	12	-	24	47	31	279	65	79	24	22	5	11
45	5	-	16	-	1	4	4	1	5	1	-	2	3	1	16	8	2	2	-	-	12
17	1	-	2	-	-	6	1	-	-	-	-	1	-	-	1	-	1	-	-	-	13
46	7	-	9	3	2	3	-	-	1	1	-	1	-	1	10	2	3	-	-	-	14
17	2	1	6	2	4	2	2	-	1	1	-	-	-	1	2	-	1	1	-	-	15
8	1	-	3	-	-	-	1	-	1	-	-	-	1	2	-	-	2	1	1	-	16
50	3	-	9	-	1	3	1	-	-	-	-	-	-	-	7	1	2	-	-	-	17
95	7	-	21	4	7	10	3	2	6	1	-	3	1	4	24	3	9	2	-	1	18
63	4	-	14	1	3	7	3	1	3	1	-	1	-	3	16	1	3	-	-	1	19
32	3	-	7	3	4	3	-	1	3	-	-	2	1	1	8	2	6	2	-	-	20
12	1	-	1	-	1	-	1	-	-	-	-	-	2	-	5	1	2	-	-	-	21
10	-	-	13	-	1	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	22
8	-	-	2	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	23
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	24
14	3	-	9	2	2	2	-	1	-	-	-	1	-	2	6	1	2	1	-	-	25
152	12	2	43	11	14	29	5	1	2	4	-	4	4	13	40	15	18	7	1	1	26
126	7	2	35	9	12	25	4	1	2	2	-	3	3	12	36	8	15	5	-	1	27
26	5	-	8	2	2	4	1	-	-	2	-	1	1	1	4	7	3	2	1	-	28
38	4	-	8	4	2	4	2	-	-	-	-	-	1	4	16	-	4	-	-	-	29
16	5	-	14	-	1	3	-	-	-	-	-	-	3	-	2	1	1	-	-	-	30
3	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	31
14	1	-	6	1	1	4	1	-	-	-	-	-	2	-	1	2	2	1	-	-	32
53	6	-	21	4	-	5	1	-	-	1	-	1	1	-	13	2	2	-	-	-	33
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-	34
22	1	-	18	1	2	1	1	-	-	-	-	-	1	-	6	2	1	1	-	-	35
66	4	1	8	3	2	2	-	1	1	-	1	-	1	3	9	2	2	1	1	-	36
14	1	1	29	5	3	1	1	-	2	-	-	1	-	-	5	5	2	-	-	-	37
18	2	-	9	1	-	3	1	-	-	2	-	2	-	-	6	1	2	-	-	-	38
18	-	-	7	-	2	1	1	-	1	-	-	-	-	-	6	2	3	-	2	1	39
6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	40
11	1	-	4	-	2	2	-	-	2	-	-	-	-	1	8	1	4	2	-	-	41
61	8	-	22	3	-	5	2	-	-	1	-	2	-	-	14	1	6	-	-	-	42
421	74	6	135	32	24	35	15	-	10	4	-	12	21	20	102	35	23	17	2	2	43
377	70	6	126	31	21	33	13	-	10	3	-	11	20	19	90	34	20	16	2	2	44
44	4	-	9	1	3	2	2	-	-	1	-	1	1	1	12	1	3	1	-	-	45
73	14	2	29	8	3	8	5	-	3	-	-	2	1	4	31	7	6	8	3	1	46
54	7	2	22	5	3	4	2	-	2	-	-	1	-	3	23	6	4	5	2	1	47
19	7	-	7	3	-	4	3	-	1	-	-	1	1	1	8	1	2	3	1	-	48
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	49
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	50
2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	51
125	6	-	40	5	4	17	1	3	1	-	-	3	5	-	27	7	16	4	-	1	52
74	5	-	22	3	4	7	-	3	1	-	-	2	2	-	15	6	7	3	-	1	53
51	1	-	18	2	-	10	1	-	-	-	-	1	3	-	12	1	9	1	-	-	54
33	3	-	14	-	1	2	-	-	2	1	-	1	1	2	7	3	1	1	-	-	55
20	3	-	3	-	1	1	1	-	-	1	-	-	2	-	9	-	1	-	-	-	56
26	-	2	10	-	1	4	1	-	1	-	-	1	-	-	2	1	-	1	-	-	57
16	6	-	23	5	1	1	3	-	1	1	-	1	-	4	9	2	3	-	-	-	58
20	1	1	9	4	1	1	1	-	-	-	-	2	-	2	8	2	1	1	-	-	59
53	16	1	30	1	3	8	3	1	-	2	-	2	3	12	21	2	3	-	1	-	60
13	-	1	5	1	-	-	-	-	-	-	-	-	-	2	3	-	1	-	1	-	61
5	4	-	4	2	1	2	-	1	-	-	-	-	-	-	4	1	-	-	-	-	62
40	9	-	12	-	3	6	2	-	-	-	-	-	-	2	9	3	2	-	-	-	63
29	3	-	11	-	1	3	1	-	-	-	-	-	-	1	6	1	2	3	-	-	64
86	12	1	23	2	3	8	6	-	1	1	-	3	2	-	17	8	4	1	-	-	65
57	6	1	19	2	1	6	4	-	1	1	-	2	1	-	11	4	2	1	-	-	66
29	6	-	4	-	2	2	2	-	-	-	-	1	1	-	6	4	2	-	-	-	67
24	1	1	8	1	1	3	-	-	-	-	-	1	-	2	10	3	3	2	-	-	68
42	9	-	8	8	1	5	1	1	-	-	-	2	2	4	14	6	6	4	1	-	69
69	2	1	15	2	2	10	5	-	1	-	-	-	3	1	13	4	5	1	-	-	70
7	4	-	1	3	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	71
59	9	-	14	5	1	11	1	1	-	2	-	2	-	3	11	3	3	1	-	-	72
80	18	1	18	3	4	5	2	1	3	1	1	6	5	5	26	12	4	7	1	-	73
27	9	-	5	1	1	4	-	-	-	-	1	2	3	2	11	3	1	4	-	-	74
53	9	1	13	2	3	1	2	1	3	1	-	4	2	3	15	9	3	3	1	-	75
59	4	-	31	4	-	4	3	1	1	1	-	1	1	4	13	16	6	5	-	-	76
87	20	1	38	9	6	5	4	-	4	1	-	2	2	2	36	12	8	6	2	1	77
39	5	1	14	3	3	5	1	-	2	1	-	-	-	2	16	4	4	3	2	1	78
48	15	-	24	6	3	-	3	-	2	-	-	2	2	-	20	8	4	3	-	-	79
53	7	1	12	10	1	6	2	1	3	-	-	-	2	2	9	4	1	1	-	-	80
36	3	-	2	-	2	5	1	-	1	-	-	-	4	-	11	1	4	2	-	-	81
18	4	-	5	-	1	1	-	1	-	-	-	-	-	2	4	-	2	1	1	-	82
4	1	-	-	-	1	1	-	-	-	-	-	-	1	-	4	2	1	1	-	-	83
18	5	-	9	-	-	3	1	-	-	-	-	-	-	-	5	-	3	-	-	-	84
46	2	-	7	2	2	8	1	-	1	-	-	-	-	-	4	3	2	-	-	1	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Thomas	15	–	–	–	3	–	–	1	1	–	–	1	1	9	7	–	–
02	Thurston	102	–	–	1	11	2	2	1	1	2	1	2	3	41	30	–	2
03	Valley	77	–	–	1	14	6	2	–	2	1	–	3	2	48	32	–	–
04	Washington	128	–	–	–	24	8	4	1	5	1	2	3	3	74	56	1	1
05	Wayne	85	–	–	–	21	6	1	3	3	–	1	7	2	48	38	–	–
06	Webster	93	–	–	1	22	9	3	3	4	–	2	1	–	47	36	2	–
07	Wheeler	6	–	–	–	2	1	1	–	–	–	–	–	–	4	3	–	1
08	York	131	–	–	–	26	7	7	1	3	1	–	7	1	79	55	3	–
09	**Nevada**	5,056	8	1	25	1,056	256	291	96	94	45	30	244	66	2,123	1,643	46	13
10	Urban places	3,085	4	–	18	666	168	187	56	57	25	17	156	38	1,309	1,023	32	8
11	Balance of area	1,971	4	1	7	390	88	104	40	37	20	13	88	28	814	620	14	5
12	Metropolitan counties	3,961	4	1	22	853	210	233	76	76	38	24	196	45	1,687	1,310	34	10
13	Urban places	2,834	3	–	16	607	157	168	51	53	23	16	139	32	1,213	952	27	8
14	Balance of area	1,127	1	1	6	246	53	65	25	23	15	8	57	13	474	358	7	2
15	Nonmetropolitan counties	1,095	4	–	3	203	46	58	20	18	7	6	48	21	436	333	12	3
16	Urban places	251	1	–	2	59	11	19	5	4	2	1	17	6	96	71	5	–
17	Balance of area	844	3	–	1	144	35	39	15	14	5	5	31	15	340	262	7	3
18	Churchill	117	–	–	–	21	3	5	2	3	–	1	7	2	50	40	2	–
19	Clark	2,660	2	1	17	582	132	172	47	53	26	19	133	30	1,136	880	27	8
20	Henderson	138	–	–	2	33	5	13	1	5	–	1	8	3	65	49	1	–
21	Las Vegas	1,322	2	–	7	297	78	87	19	25	9	10	69	14	572	454	18	6
22	North Las Vegas	253	–	–	3	39	7	14	4	2	3	2	7	2	92	74	1	–
23	Balance of county	947	–	1	5	213	42	58	23	21	14	6	49	11	407	303	7	2
24	Douglas	103	–	–	–	18	5	4	1	2	1	1	4	1	48	39	1	–
25	Elko	141	–	–	–	25	7	5	2	1	–	1	9	5	45	35	–	–
26	Esmeralda	8	–	–	–	1	–	1	–	–	–	–	–	–	5	4	–	–
27	Eureka	4	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
28	Humboldt	62	–	–	–	7	1	3	–	1	–	–	2	–	26	21	–	–
29	Lander	20	–	–	–	2	1	–	1	–	–	–	–	–	9	5	–	–
30	Lincoln	35	–	–	–	7	1	1	1	–	1	–	3	–	14	11	–	–
31	Lyon	104	1	–	–	25	4	5	4	6	2	1	3	2	39	27	–	–
32	Mineral	51	1	–	–	13	4	6	–	1	–	1	1	–	17	13	–	–
33	Nye	63	1	–	–	7	1	3	2	–	1	–	–	3	27	22	1	–
34	Ormsby, coext. with Carson City	251	1	–	2	59	11	19	5	4	2	1	17	6	96	71	5	–
35	Pershing	39	–	–	–	4	1	2	–	–	–	–	1	1	19	16	–	1
36	Storey	12	–	–	–	–	–	–	–	–	–	–	–	–	8	7	–	–
37	Washoe	1,301	2	–	5	271	78	61	29	23	12	5	63	15	551	430	7	2
38	Reno	868	1	–	2	175	49	36	20	15	10	3	42	12	381	301	5	2
39	Sparks	253	–	–	2	63	18	18	7	6	1	–	13	1	103	74	2	–
40	Balance of county	180	1	–	1	33	11	7	2	2	1	2	8	2	67	55	–	–
41	White Pine	85	–	–	1	13	7	3	2	–	–	–	1	1	32	21	3	2
42	**New Hampshire**	7,408	3	–	54	1,704	466	400	158	187	75	66	352	148	3,620	2,667	47	29
43	Urban places	3,212	3	–	31	749	224	169	84	80	43	24	125	59	1,569	1,146	22	14
44	Balance of area	4,196	–	–	23	955	242	231	74	107	32	42	227	89	2,051	1,521	25	15
45	Metropolitan counties	2,149	2	–	16	513	156	115	48	58	32	13	91	35	1,039	729	10	6
46	Urban places	1,460	2	–	13	365	105	84	37	42	28	8	61	24	692	492	6	5
47	Balance of area	689	–	–	3	148	51	31	11	16	4	5	30	11	347	237	4	1
48	Nonmetropolitan counties	5,259	1	–	38	1,191	310	285	110	129	43	53	261	113	2,581	1,938	37	23
49	Urban places	1,752	1	–	18	384	119	85	47	38	15	16	64	35	877	654	16	9
50	Balance of area	3,507	–	–	20	807	191	200	63	91	28	37	197	78	1,704	1,284	21	14
51	Belknap	415	–	–	1	76	19	17	14	4	3	4	15	18	216	150	3	2
52	Laconia	185	–	–	–	32	11	5	8	1	2	1	4	8	92	58	1	2
53	Balance of county	230	–	–	1	44	8	12	6	3	1	3	11	10	124	92	2	–
54	Carroll	268	–	–	2	72	16	15	5	12	2	2	20	5	114	73	–	–
55	Cheshire	521	–	–	4	131	36	31	9	20	3	6	26	7	260	201	5	1
56	Keene	194	–	–	3	46	11	10	5	5	1	3	11	3	101	76	3	–
57	Balance of county	327	–	–	1	85	25	21	4	15	2	3	15	4	159	125	2	1
58	Coos	407	–	–	6	86	18	28	5	8	5	4	18	13	190	139	6	5
59	Berlin	191	–	–	4	44	12	13	4	4	2	2	7	10	76	62	3	2
60	Balance of county	216	–	–	2	42	6	15	1	4	3	2	11	3	114	77	3	3
61	Grafton	552	–	–	4	130	28	40	5	6	5	7	39	9	255	192	4	1
62	Hillsborough	2,149	2	–	16	513	156	115	48	58	32	13	91	35	1,039	729	10	6
63	Manchester	971	1	–	7	238	71	53	24	25	20	3	42	17	475	328	6	5
64	Nashua	489	1	–	6	127	34	31	13	17	8	5	19	7	217	164	–	–
65	Balance of county	689	–	–	3	148	51	31	11	16	4	5	30	11	347	237	4	1
66	Merrimack	861	–	–	10	203	60	44	26	15	7	9	42	21	432	315	12	3
67	Concord	391	–	–	6	82	28	17	9	6	3	1	18	7	199	139	4	1
68	Balance of county	470	–	–	4	121	32	27	17	9	4	8	24	14	233	176	8	2
69	Rockingham	1,276	–	–	8	276	70	63	25	37	7	10	64	30	624	495	4	6
70	Portsmouth	225	–	–	3	46	15	8	6	6	2	2	7	3	122	99	3	1
71	Balance of county	1,051	–	–	5	230	55	55	19	31	5	8	57	27	502	396	1	5
72	Strafford	646	1	–	2	142	44	34	11	19	7	4	23	8	332	255	3	4
73	Dover	210	–	–	2	47	14	13	3	6	1	1	9	3	97	71	2	1
74	Rochester	210	1	–	–	50	19	12	7	5	2	1	4	1	114	92	–	2
75	Balance of county	226	–	–	–	45	11	9	1	8	4	2	10	4	121	92	1	1
76	Sullivan	313	–	–	1	75	19	13	10	8	4	7	14	2	158	118	–	1
77	Claremont	146	–	–	–	37	9	7	5	5	2	5	4	–	76	57	–	–
78	Balance of county	167	–	–	1	38	10	6	5	3	2	2	10	2	82	61	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	01
25	3	–	7	4	–	8	1	1	7	1	–	2	3	1	6	8	6	1	1	–	02
30	2	1	11	3	1	2	–	2	–	–	–	–	–	–	3	2	3	–	–	–	03
53	1	–	17	1	–	3	1	–	2	1	–	–	–	3	8	2	4	2	–	1	04
37	1	–	7	2	1	4	2	1	–	–	–	1	–	1	–	1	2	2	–	–	05
33	1	–	9	1	1	3	2	–	2	–	–	–	–	2	13	–	1	–	–	–	06
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	07
44	8	–	20	4	–	1	–	1	1	1	–	1	2	7	7	1	3	–	–	–	08
1,420	164	5	376	46	53	120	93	21	127	9	–	50	56	76	466	289	200	165	92	13	09
905	78	4	221	24	37	78	44	14	84	7	–	27	35	33	287	153	115	92	70	11	10
515	86	1	155	22	16	42	49	7	43	2	–	23	21	43	179	136	85	73	22	2	11
1,153	113	4	310	26	37	87	67	17	93	6	–	38	50	36	356	210	156	133	89	11	12
841	76	3	210	18	30	71	38	13	76	6	–	25	34	28	266	138	102	87	70	9	13
312	37	1	100	8	7	16	29	4	17	–	–	13	16	8	90	72	54	46	19	2	14
267	51	1	66	20	16	33	26	4	34	3	–	12	6	40	110	79	44	32	3	2	15
64	2	1	11	6	7	7	6	1	8	1	–	2	1	5	21	15	13	5	–	2	16
203	49	–	55	14	9	26	20	3	26	2	–	10	5	35	89	64	31	27	3	–	17
29	9	–	5	3	2	1	3	1	5	–	–	2	2	4	11	7	4	4	–	–	18
752	93	3	216	18	19	41	50	7	52	5	–	22	36	22	243	142	106	89	71	6	19
45	3	–	15	–	1	2	1	–	3	1	–	2	1	2	7	9	4	1	1	1	20
384	46	2	96	10	10	20	18	2	31	4	–	7	15	9	131	63	46	39	41	4	21
64	9	–	15	1	2	5	4	2	7	–	–	6	5	5	30	15	14	13	11	–	22
259	35	1	90	7	6	14	27	3	11	–	–	7	15	6	75	55	42	36	18	1	23
36	2	–	8	1	–	2	1	–	1	–	–	1	1	–	15	5	3	7	–	–	24
24	11	–	7	2	1	4	4	1	3	–	–	1	–	18	10	14	8	3	–	–	25
4	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	26
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	27
16	5	–	4	1	–	7	3	–	2	–	–	–	1	–	5	6	–	4	1	–	28
3	2	–	1	2	1	–	2	–	2	–	–	–	–	–	2	3	–	–	–	–	29
9	2	–	2	–	1	1	–	–	–	–	–	3	–	1	4	2	1	2	–	–	30
23	4	–	9	1	2	2	4	1	1	–	–	–	–	8	11	3	5	1	1	–	31
11	2	–	3	1	–	4	–	–	1	–	–	–	–	–	6	5	3	–	1	–	32
18	3	–	5	–	–	–	–	–	5	–	–	1	1	–	3	10	2	3	–	–	33
64	2	1	11	6	7	7	6	1	8	1	–	2	1	5	21	15	13	5	–	2	34
9	6	–	3	–	–	–	2	–	2	–	–	–	–	1	8	2	–	–	–	–	35
6	1	–	–	–	1	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	36
401	20	1	94	8	18	46	17	10	41	1	–	16	14	14	113	68	50	44	18	5	37
278	16	1	60	5	14	34	9	6	26	1	–	10	11	8	73	41	32	28	14	4	38
70	2	–	24	2	3	10	6	3	9	–	–	–	2	4	25	10	6	6	3	–	39
53	2	–	10	1	1	2	2	1	6	–	–	6	1	2	15	17	12	10	1	1	40
14	2	–	7	3	1	4	1	–	1	2	–	2	–	2	12	6	5	3	–	–	41
2,331	260	32	610	184	127	247	103	19	133	22	–	53	69	85	661	161	171	130	13	12	42
1,022	88	8	279	91	45	109	37	11	79	6	–	24	34	41	287	52	65	44	6	6	43
1,309	172	24	331	93	82	138	66	8	54	16	–	29	35	44	374	109	106	86	7	6	44
654	59	9	190	78	33	69	21	8	45	5	–	13	24	41	187	34	44	46	1	6	45
442	39	4	121	54	21	44	10	7	37	4	–	9	17	29	131	17	29	26	1	3	46
212	20	5	69	24	12	25	11	1	8	1	–	4	7	12	56	17	15	20	–	3	47
1,677	201	23	420	106	94	178	82	11	88	17	–	40	45	44	474	127	127	84	12	6	48
580	49	4	158	37	24	65	27	4	42	2	–	15	17	12	156	35	36	18	5	3	49
1,097	152	19	262	69	70	113	55	7	46	15	–	25	28	32	318	92	91	66	7	3	50
138	7	2	43	14	7	18	4	–	7	1	–	7	3	1	37	9	9	5	2	1	51
51	4	1	20	10	3	10	–	–	5	1	–	4	2	–	17	5	6	–	2	1	52
87	3	1	23	4	4	8	4	–	2	–	–	3	1	1	20	4	3	5	–	–	53
64	9	1	25	7	8	2	8	1	3	2	–	3	1	1	32	6	7	9	–	–	54
183	12	2	44	6	7	17	11	–	6	3	–	3	2	3	40	11	14	6	2	1	55
69	4	1	20	2	2	7	4	–	2	–	–	1	2	2	14	3	2	2	1	1	56
114	8	1	24	4	5	10	7	–	4	3	–	2	–	1	26	8	12	4	1	–	57
121	7	–	40	10	1	17	4	2	10	4	–	4	5	3	44	8	5	6	–	–	58
54	3	–	11	3	–	6	1	1	7	–	–	–	5	1	29	4	1	2	–	–	59
67	4	–	29	7	1	11	3	1	3	4	–	4	–	2	15	4	4	4	–	–	60
163	24	3	37	17	6	22	7	3	9	2	–	–	3	12	60	7	16	11	1	1	61
654	59	9	190	78	33	69	21	8	45	5	–	13	24	41	187	34	44	46	1	6	62
295	22	3	83	44	17	20	7	3	28	3	–	8	10	23	83	12	20	13	1	2	63
147	17	1	38	10	4	24	3	4	9	1	–	1	7	6	48	5	9	13	–	1	64
212	20	5	69	24	12	25	11	1	8	1	–	4	7	12	56	17	15	20	–	3	65
282	18	2	71	25	19	21	20	–	17	2	–	3	6	7	65	19	22	13	–	–	66
128	6	–	37	17	6	10	10	–	13	1	–	–	2	2	33	10	11	5	–	–	67
154	12	2	34	8	13	11	10	–	4	1	–	3	4	5	32	9	11	8	–	–	68
398	87	9	82	14	24	54	15	2	21	2	–	9	15	5	109	44	38	20	2	2	69
81	14	–	17	1	5	14	4	–	6	–	–	–	2	–	12	4	6	3	–	–	70
317	73	9	65	13	19	40	11	2	15	2	–	9	13	5	97	40	32	17	2	2	71
225	23	1	54	7	15	17	6	2	12	–	–	9	5	5	62	15	14	10	3	1	72
64	4	1	21	–	4	7	3	2	4	–	–	4	1	1	27	6	3	2	–	1	73
80	10	–	18	1	3	7	–	–	2	–	–	4	2	3	14	2	6	3	1	–	74
81	9	–	15	6	8	3	3	–	6	–	–	1	2	1	21	7	5	5	2	–	75
103	14	3	24	6	7	10	7	1	3	1	–	2	5	7	25	8	2	4	2	–	76
53	4	1	14	3	1	4	5	1	3	–	–	2	1	3	10	1	1	1	1	–	77
50	10	2	10	3	6	6	2	–	–	1	–	–	4	4	15	7	1	3	1	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**New Jersey**	65,993	102	4	502	15,203	4,429	3,765	1,460	1,700	651	530	2,668	1,342	34,667	27,607	600	284
02	Urban places	45,462	78	3	352	10,376	3,092	2,515	1,014	1,176	439	349	1,791	949	23,906	19,185	421	211
03	Balance of area	20,531	24	1	150	4,827	1,337	1,250	446	524	212	181	877	393	10,761	8,422	179	73
04	Metropolitan counties	49,441	84	2	391	11,300	3,358	2,720	1,090	1,268	485	393	1,986	996	25,832	20,704	455	239
05	Urban places	37,236	68	2	297	8,435	2,560	1,996	817	943	360	286	1,473	763	19,523	15,736	348	193
06	Balance of area	12,205	16	–	94	2,865	798	724	273	325	125	107	513	233	6,309	4,968	107	46
07	Nonmetropolitan counties	16,552	18	2	111	3,903	1,071	1,045	370	432	166	137	682	346	8,835	6,903	145	45
08	Urban places	8,226	10	1	55	1,941	532	519	197	233	79	63	318	186	4,383	3,449	73	18
09	Balance of area	8,326	8	1	56	1,962	539	526	173	199	87	74	364	160	4,452	3,454	72	27
10	Atlantic	2,495	6	–	11	511	144	133	40	60	17	15	102	44	1,472	1,204	10	5
11	Atlantic City	911	3	–	6	161	59	42	9	14	4	5	28	14	555	453	2	3
12	Hammonton	109	–	–	–	31	7	9	4	5	1	1	4	4	53	44	–	1
13	Margate City	134	–	–	–	37	12	7	2	5	2	1	8	1	80	64	–	–
14	Pleasantville	238	2	–	2	37	7	10	2	5	2	–	11	6	141	120	1	–
15	Ventnor City	173	–	–	–	37	12	4	2	5	2	2	10	2	108	88	1	1
16	Balance of county	930	1	–	3	208	47	61	21	26	6	6	41	17	535	435	6	–
17	Bergen	7,528	8	–	44	1,873	536	428	220	193	82	79	335	160	3,943	3,117	83	30
18	Bergenfield	239	–	–	1	51	13	11	6	4	3	4	10	2	129	107	2	1
19	Cliffside Park	248	–	–	1	63	20	15	8	6	3	2	9	5	132	107	3	1
20	Dumont	162	–	–	–	35	8	9	5	4	1	2	6	2	103	81	–	2
21	East Paterson	189	–	–	–	37	9	10	6	3	2	2	5	3	118	94	3	–
22	Englewood	269	2	–	3	68	21	15	6	9	2	2	13	5	130	91	3	–
23	Fair Lawn	299	–	–	–	81	17	18	15	11	1	2	17	10	160	124	4	2
24	Fairview	116	–	–	1	25	5	5	3	5	1	2	4	1	64	53	3	–
25	Fort Lee	295	–	–	1	76	23	16	13	7	2	4	11	2	156	128	6	–
26	Garfield	312	–	–	1	64	22	13	8	6	2	3	10	5	183	157	5	2
27	Glen Rock	86	–	–	1	18	6	4	–	4	–	–	4	2	51	40	2	–
28	Hackensack	376	1	–	2	88	24	22	5	15	3	5	14	11	185	144	6	1
29	Hasbrouck Heights	109	1	–	–	31	10	9	4	1	1	–	6	1	59	51	–	–
30	Hillsdale	32	–	–	–	10	3	2	–	–	–	1	4	–	16	12	–	–
31	Lodi	197	–	–	–	38	10	15	5	1	1	2	4	7	113	86	2	3
32	Lyndhurst township†	188	–	–	1	53	14	13	6	4	4	2	10	4	103	73	1	1
33	Maywood	100	–	–	1	29	7	6	4	2	4	1	5	3	59	51	–	–
34	New Milford	161	–	–	1	39	12	8	3	3	1	1	11	2	99	71	2	–
35	North Arlington	209	–	–	3	55	22	12	5	2	3	1	10	7	111	93	–	2
36	Oakland	71	–	–	1	22	2	7	4	2	1	2	4	2	35	31	1	–
37	Palisades Park	114	1	–	1	21	3	5	3	–	2	1	7	2	60	49	1	–
38	Paramus	186	–	–	1	51	9	13	10	4	3	–	12	3	90	73	2	–
39	Ramsey	39	–	–	–	10	2	3	2	–	–	2	1	1	18	13	–	1
40	Ridgefield	128	–	–	–	33	11	10	2	5	1	1	3	2	64	53	3	–
41	Ridgefield Park	135	1	–	2	23	8	2	2	3	2	1	5	4	78	60	3	–
42	Ridgewood	214	–	–	–	55	23	8	7	2	2	–	13	4	109	74	1	–
43	River Edge	112	–	–	–	33	12	4	3	6	2	3	3	4	49	38	1	–
44	Rutherford	187	–	–	2	46	11	10	8	6	3	–	8	3	102	83	2	2
45	Saddle Brook township†	126	1	–	–	28	11	5	5	1	2	1	3	4	65	50	1	1
46	Teaneck township†	342	–	–	3	95	26	22	10	14	5	2	16	7	173	132	1	–
47	Tenafly	136	–	–	–	33	11	7	4	2	1	2	6	1	69	57	2	–
48	Waldwick	64	–	–	–	18	3	4	1	5	–	3	2	1	37	32	1	–
49	Wallington	105	–	–	1	22	9	4	2	5	–	–	2	2	60	47	4	–
50	Washington township†	55	–	–	–	16	5	3	2	1	1	1	3	1	23	19	–	1
51	Westwood	93	–	–	–	22	5	5	1	3	2	1	5	1	47	36	–	–
52	Wyckoff township†	104	–	–	2	21	5	8	2	1	1	–	4	5	50	41	2	–
53	Balance of county	1,730	1	–	14	463	134	105	50	46	20	23	85	41	843	666	16	10
54	Burlington	2,347	3	–	18	535	151	131	50	63	20	24	96	30	1,219	943	20	5
55	Burlington	163	–	–	2	38	12	9	4	4	2	1	6	3	83	63	–	–
56	Cinnaminson township†	97	–	–	–	23	11	5	–	3	–	1	3	1	51	39	1	–
57	Maple Shade township†	160	–	–	2	40	4	17	3	4	6	–	6	4	84	65	2	1
58	Mount Holly township†	130	–	–	1	29	9	5	4	3	1	2	5	1	73	58	–	1
59	New Hanover township†	10	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–
60	Willingboro township†	171	1	–	3	48	11	12	8	7	1	2	7	–	73	57	1	–
61	Balance of county	1,616	2	–	10	356	104	82	31	42	10	18	69	21	851	658	16	3
62	Camden	4,026	6	1	33	938	264	236	92	100	37	33	176	51	2,122	1,720	40	12
63	Audubon	103	–	–	–	20	4	5	1	4	–	–	6	–	65	51	1	–
64	Bellmawr	84	–	–	–	25	5	6	3	4	–	2	5	1	36	30	–	–
65	Camden	930	3	–	10	201	62	43	23	26	5	5	37	16	450	342	7	3
66	Cherry Hill township†	441	1	–	4	110	39	23	7	10	7	5	19	3	235	194	10	1
67	Collingswood	198	1	–	3	49	11	10	8	4	3	2	11	2	113	94	1	1
68	Gloucester	144	–	–	3	43	12	12	5	2	3	1	8	2	60	48	–	–
69	Gloucester township†	179	–	–	–	41	12	11	1	4	2	3	8	3	101	85	1	–
70	Haddonfield	118	–	–	–	27	5	8	3	2	4	1	4	1	72	64	1	2
71	Haddon township†	158	–	–	–	30	10	6	4	3	–	2	5	3	91	79	2	–
72	Lindenwold	101	–	–	–	19	7	5	1	1	–	1	4	–	56	50	–	–
73	Pennsauken township†	331	–	1	3	74	21	20	9	5	1	2	16	2	177	145	4	2
74	Runnemede	88	–	–	–	15	6	1	2	1	1	–	4	2	42	34	–	–
75	Balance of county	1,151	1	–	10	284	70	86	25	34	11	9	49	16	624	504	13	3
76	Cape May	1,125	–	–	4	221	63	61	17	16	13	8	43	21	678	529	4	2
77	Ocean City	220	–	–	–	47	12	11	9	6	3	2	4	3	135	107	1	–
78	Balance of county	905	–	–	4	174	51	50	8	10	10	6	39	18	543	422	3	2
79	Cumberland	1,242	2	–	14	255	87	67	21	23	12	10	35	24	701	590	6	13
80	Bridgeton	267	1	–	2	50	19	10	4	2	3	–	12	6	157	132	1	5
81	Millville	238	1	–	2	52	15	16	5	6	1	2	7	3	140	124	2	2
82	Vineland	157	–	–	3	36	12	11	1	6	1	1	4	4	69	60	1	1
83	Balance of county	580	–	–	7	117	41	30	11	9	7	7	12	11	335	274	2	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
25,260	1,463	172	5,345	659	884	1,647	533	216	1,212	318	7	389	630	704	5,027	1,181	1,265	524	401	119	01
17,496	1,057	117	3,620	424	560	1,128	350	154	866	238	4	265	467	557	3,459	688	853	350	331	88	02
7,764	406	55	1,725	235	324	519	183	62	346	80	3	124	163	147	1,568	493	412	174	70	31	03
18,857	1,153	129	3,918	442	639	1,278	409	164	902	252	5	285	505	611	3,813	837	935	385	357	98	04
14,277	918	94	2,921	319	453	969	285	127	708	198	3	214	394	506	2,884	516	679	279	309	77	05
4,580	235	35	997	123	186	309	124	37	194	54	2	71	111	105	929	321	256	106	48	21	06
6,403	310	43	1,427	217	245	369	124	52	310	66	2	104	125	93	1,214	344	330	139	44	21	07
3,219	139	23	699	105	107	159	65	27	158	40	1	51	73	51	575	172	174	71	22	11	08
3,184	171	20	728	112	138	210	59	25	152	26	1	53	52	42	639	172	156	68	22	10	09
1,158	31	6	193	39	30	47	10	7	30	11	–	18	24	23	154	52	47	10	16	2	10
440	8	–	76	14	12	26	3	5	11	5	–	6	9	11	58	8	21	2	7	–	11
39	4	1	3	1	4	2	1	–	1	–	–	1	3	1	9	3	–	–	–	–	12
62	2	–	13	2	1	2	–	–	–	1	–	–	–	1	8	–	3	–	1	–	13
117	2	2	12	6	1	4	1	1	2	1	–	3	3	2	23	6	2	2	–	–	14
83	3	–	15	3	2	1	–	–	5	1	–	2	–	1	10	1	3	2	–	–	15
417	12	3	74	13	10	12	5	1	11	3	–	6	9	7	46	34	18	4	8	2	16
2,886	118	16	641	64	105	177	57	26	137	19	–	37	35	112	554	132	116	64	19	15	17
99	5	–	16	2	4	8	4	–	6	2	–	3	2	5	11	8	3	3	1	–	18
101	2	–	18	3	4	2	3	1	6	2	–	1	–	4	18	2	5	2	–	1	19
78	1	1	16	1	4	1	–	–	1	–	–	–	–	1	11	2	2	4	–	–	20
89	2	1	20	1	2	4	–	1	3	1	–	1	–	6	10	2	1	1	1	–	21
84	4	–	32	3	4	3	1	1	8	–	–	1	1	4	24	6	7	2	1	2	22
115	3	–	30	3	3	5	3	1	4	1	–	1	–	4	18	6	1	1	–	3	23
50	–	–	10	1	–	2	2	1	2	–	–	2	–	3	8	2	2	1	–	–	24
119	3	1	22	1	4	11	2	2	1	1	–	–	–	6	21	3	7	3	3	–	25
141	9	1	20	–	5	6	5	1	10	2	–	1	1	4	14	8	3	3	–	1	26
37	1	–	7	2	2	2	–	1	–	–	–	–	2	–	6	–	3	–	–	–	27
133	4	–	30	3	8	15	2	2	7	–	–	1	3	6	37	7	7	2	–	–	28
48	3	–	5	1	2	1	–	1	3	–	–	–	–	1	9	–	2	–	–	–	29
12	–	–	4	–	–	–	–	–	–	1	–	–	–	–	3	1	1	–	–	–	30
79	2	–	22	3	2	4	1	2	2	–	–	3	1	5	14	3	2	1	1	–	31
68	3	2	21	3	4	3	1	1	2	1	–	–	1	2	8	1	5	1	1	–	32
50	1	–	8	–	–	1	–	–	–	–	–	–	–	–	7	–	–	–	–	–	33
67	2	1	16	5	6	3	1	–	1	–	–	–	1	1	9	2	1	1	–	–	34
83	8	–	16	1	1	5	1	–	3	–	–	–	–	2	15	1	4	1	1	–	35
30	–	–	3	1	–	2	–	1	1	–	–	–	1	2	3	1	–	–	–	–	36
47	1	–	11	–	–	9	–	–	1	–	–	1	2	3	10	–	1	2	–	–	37
69	2	1	11	2	3	6	–	1	2	–	–	2	–	4	20	5	1	–	–	–	38
10	2	–	4	1	–	2	1	–	3	–	–	–	1	–	–	2	–	1	–	–	39
45	5	–	8	2	1	5	1	–	4	–	–	2	–	2	10	–	2	2	–	1	40
55	2	–	16	1	1	2	–	–	4	–	–	–	1	2	8	2	5	1	1	1	41
68	5	1	28	1	5	6	1	2	5	1	–	2	1	6	15	3	1	3	–	–	42
36	1	–	10	1	–	2	1	1	2	1	–	–	–	3	12	1	3	–	–	–	43
73	6	–	16	1	2	5	2	2	4	–	–	–	–	1	11	4	4	–	1	–	44
44	4	–	11	1	3	4	1	–	4	–	–	1	–	1	11	2	1	3	–	–	45
128	3	–	29	3	9	7	3	–	5	1	–	5	3	5	23	4	3	3	2	–	46
52	3	2	6	1	3	4	2	–	3	1	–	–	1	4	13	3	–	2	–	–	47
29	2	–	4	–	1	1	–	–	1	–	–	–	–	–	1	2	1	2	–	–	48
43	–	2	8	2	1	2	–	–	3	–	–	–	–	1	11	2	–	1	–	–	49
16	2	1	3	–	–	2	–	–	1	1	–	–	1	–	4	2	–	2	2	–	50
34	2	–	10	–	1	4	1	–	–	–	–	–	2	1	5	5	1	3	–	1	51
38	1	–	8	–	1	3	–	1	1	1	–	2	2	2	9	3	2	–	–	–	52
616	24	2	142	14	19	35	18	3	34	2	–	8	8	21	145	37	35	13	4	5	53
868	50	7	212	22	35	56	22	8	35	8	–	13	30	9	201	68	53	28	10	1	54
59	4	1	16	2	1	5	1	–	–	1	–	1	4	–	14	6	5	–	–	–	55
38	–	–	10	1	1	1	–	1	1	–	–	1	–	1	9	1	4	3	–	–	56
57	5	1	14	3	1	3	1	–	3	2	–	–	–	1	15	2	1	2	–	–	57
50	7	–	11	1	3	1	2	–	2	2	–	1	2	1	10	2	1	1	1	–	58
2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	59
50	6	–	14	–	2	4	1	1	2	–	–	1	3	1	13	8	7	5	–	–	60
612	27	5	146	15	27	42	17	6	27	3	–	9	21	5	138	47	34	17	9	1	61
1,514	154	13	300	34	55	97	33	16	60	21	1	17	49	42	314	94	63	27	35	6	62
45	5	–	12	–	2	2	1	–	–	1	–	–	–	1	7	6	–	–	–	–	63
29	1	–	5	1	–	2	2	–	–	–	–	1	3	–	8	3	3	–	–	–	64
291	41	4	85	9	10	27	8	2	21	10	1	8	22	14	67	17	22	3	25	3	65
167	16	4	30	3	4	13	4	3	6	1	–	–	1	2	34	15	3	3	2	1	66
88	4	–	14	4	1	5	–	1	2	1	–	–	1	–	18	1	–	1	–	–	67
47	1	1	6	2	3	2	3	2	5	1	–	–	1	1	11	2	3	2	3	–	68
71	13	1	13	–	2	2	2	1	–	–	–	–	1	2	14	6	5	–	1	–	69
57	4	–	7	–	1	1	–	–	1	–	–	–	–	2	8	3	1	2	–	–	70
71	6	–	8	2	2	3	–	2	3	–	–	1	2	1	18	1	2	1	–	–	71
44	6	–	6	–	–	2	1	–	–	1	–	1	4	–	8	6	2	1	–	–	72
127	12	1	21	1	9	8	3	1	5	1	–	1	3	6	29	5	6	3	2	1	73
31	3	–	5	2	1	2	1	–	4	–	–	1	–	2	9	5	3	2	–	–	74
446	42	2	88	10	20	28	8	4	13	5	–	4	11	11	83	24	13	9	2	1	75
508	15	3	89	42	15	21	2	6	25	5	–	6	2	8	75	24	15	4	3	5	76
103	3	1	22	3	2	2	–	2	4	–	–	–	2	–	14	4	6	1	–	–	77
405	12	2	67	39	13	19	2	4	21	5	–	6	–	8	61	20	9	3	3	5	78
508	63	2	83	10	16	31	10	2	18	5	–	4	15	5	83	32	23	13	5	–	79
116	10	–	24	1	–	8	–	1	4	2	–	1	2	1	20	4	2	4	2	–	80
105	15	–	11	3	2	3	1	–	4	–	–	–	2	1	16	7	2	4	–	–	81
52	6	–	6	1	2	8	–	1	3	2	–	1	4	1	16	4	3	1	1	–	82
235	32	2	42	5	12	12	9	–	7	1	–	2	7	2	31	17	16	4	2	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Essex	8,452	21	–	85	1,850	552	440	186	234	76	42	320	180	4,260	3,410	72	43
02	Belleville	344	1	–	2	77	16	20	7	9	7	1	17	8	195	165	3	1
03	Bloomfield	571	1	–	7	139	48	32	19	19	3	3	15	12	309	242	2	2
04	Cedar Grove township†	101	–	–	–	20	6	3	7	1	1	–	2	7	50	44	–	1
05	East Orange	521	4	–	6	131	41	26	10	16	5	3	30	12	226	161	2	2
06	Irvington	751	2	–	6	159	47	41	19	18	9	4	21	15	408	336	6	2
07	Livingston township†	175	–	–	1	55	16	11	7	7	3	1	10	2	86	68	3	1
08	Maplewood township†	251	1	–	3	62	18	15	8	6	1	1	13	3	136	106	2	–
09	Millburn township†	165	–	–	1	47	10	13	5	5	2	2	10	2	84	68	2	2
10	Montclair	458	1	–	2	116	35	30	9	14	6	3	19	8	238	181	4	2
11	Newark	3,158	9	–	50	612	181	156	48	84	24	14	105	72	1,462	1,188	28	21
12	Nutley	271	–	–	–	52	21	10	4	5	–	1	11	5	160	139	2	2
13	Orange	358	–	–	4	66	24	21	1	6	4	1	9	6	178	140	5	1
14	South Orange	152	–	–	2	27	5	5	1	10	1	1	4	3	85	57	3	1
15	Verona	116	–	–	–	29	8	8	3	5	1	–	4	2	61	51	1	–
16	West Caldwell	75	–	–	–	14	1	2	6	1	–	1	3	4	49	38	1	1
17	West Orange	431	–	–	1	117	42	24	11	13	5	3	19	6	234	183	3	2
18	Balance of county	554	2	–	–	127	33	23	21	15	4	3	28	13	299	243	5	2
19	Gloucester	1,512	1	–	13	333	80	96	27	47	10	13	60	35	770	603	11	7
20	Glassboro	124	–	–	1	28	7	7	4	2	–	1	7	2	61	47	–	1
21	Pitman	108	–	–	2	20	4	6	1	5	–	1	3	1	66	47	–	–
22	Woodbury	148	–	–	–	30	7	8	–	5	–	1	9	1	88	71	2	1
23	Balance of county	1,132	1	–	10	255	62	75	22	35	10	10	41	31	555	438	9	5
24	Hudson	6,071	12	–	55	1,352	399	336	125	135	53	55	249	143	3,172	2,643	57	46
25	Bayonne	850	1	–	5	225	62	58	32	25	7	7	34	19	447	378	10	4
26	Harrison	121	–	–	–	26	8	5	2	1	1	2	7	4	66	55	3	1
27	Hoboken	414	2	–	3	88	27	24	4	8	1	4	20	8	203	162	2	2
28	Jersey City	2,550	9	–	32	524	148	134	38	59	21	22	102	63	1,311	1,107	24	32
29	Kearny	405	–	–	2	105	27	32	8	9	3	5	21	8	202	175	8	1
30	North Bergen township†	482	–	–	3	104	35	25	11	6	5	6	16	17	266	220	3	2
31	Secaucus	118	–	–	–	28	10	7	3	2	2	–	4	1	73	58	–	1
32	Union City	487	–	–	2	110	34	18	12	11	6	5	24	12	241	196	–	2
33	Weehawken township†	135	–	–	2	27	6	9	4	1	2	–	5	4	71	57	1	1
34	West New York	356	–	–	4	78	33	10	6	10	4	2	13	6	208	171	4	–
35	Balance of county	153	–	–	2	37	9	14	5	3	1	2	3	1	84	64	2	–
36	Hunterdon	614	–	–	2	146	47	40	12	13	5	5	24	10	319	254	5	–
37	Mercer	2,747	7	–	30	611	195	156	45	56	35	25	99	58	1,409	1,127	20	4
38	Ewing township†	296	1	–	3	79	28	18	7	5	5	3	13	5	166	131	1	1
39	Hamilton township†	674	1	–	3	150	46	40	14	15	9	6	20	14	358	290	7	1
40	Princeton	115	–	–	2	33	12	5	7	1	1	1	6	2	52	40	–	–
41	Trenton	1,036	4	–	12	213	65	60	12	25	8	10	33	22	522	420	10	1
42	Balance of county	626	1	–	10	136	44	33	5	10	12	5	27	15	311	246	2	1
43	Middlesex	4,168	11	1	38	1,044	269	302	97	112	42	36	186	104	2,104	1,693	40	12
44	Carteret	189	2	–	1	41	16	9	1	2	4	1	8	4	91	74	–	2
45	East Brunswick township†	162	–	–	1	45	8	12	6	4	3	2	10	5	85	68	2	–
46	Edison township†	202	–	–	3	66	14	21	6	6	3	–	16	7	84	66	2	–
47	Highland Park	107	–	–	1	26	5	7	1	5	–	–	8	3	53	40	–	–
48	Madison township†	249	1	–	1	49	11	15	6	4	5	2	6	4	139	119	5	–
49	Metuchen	131	–	–	4	33	9	8	3	7	1	1	4	3	66	53	–	2
50	Middlesex	100	–	–	–	30	7	10	2	2	2	–	7	2	40	27	1	–
51	New Brunswick	326	2	–	1	68	12	25	3	10	4	1	13	11	168	126	2	1
52	Perth Amboy	412	1	1	4	79	29	15	4	11	3	5	12	7	230	183	3	1
53	Piscataway township†	167	–	–	2	44	11	15	7	4	1	2	4	11	64	57	1	–
54	Sayreville	239	1	–	3	59	12	18	8	5	2	2	12	6	125	102	3	1
55	South Plainfield	129	1	–	1	35	4	14	3	2	1	2	9	2	64	54	2	1
56	South River	132	1	–	2	23	8	5	4	3	–	1	2	5	73	52	–	–
57	Woodbridge township†	668	–	–	4	187	53	59	19	23	4	8	21	11	350	292	6	2
58	Balance of county	955	2	–	10	259	70	69	24	24	9	9	54	23	472	380	13	2
59	Monmouth	4,511	4	1	31	1,039	291	252	122	126	43	35	170	92	2,440	1,826	31	21
60	Asbury Park	325	–	–	3	65	21	12	8	5	6	2	11	11	176	120	3	2
61	Eatontown	92	–	–	–	16	4	2	4	3	1	1	1	–	48	38	–	–
62	Freehold	174	–	–	2	37	14	9	5	4	1	2	2	4	100	84	2	1
63	Hazlet township†	133	–	–	–	28	9	6	3	4	1	2	3	6	71	59	–	–
64	Long Branch	252	1	–	2	58	20	11	6	7	3	2	9	5	143	117	1	–
65	Matawan township†	89	–	–	–	19	3	6	1	5	–	–	4	2	47	43	–	1
66	Middletown township†	405	–	–	5	119	35	35	12	9	3	3	22	6	187	137	6	–
67	Neptune township†	295	–	–	2	56	12	15	7	11	1	1	9	7	184	126	2	2
68	Ocean township†	159	–	–	2	41	15	7	7	4	1	–	7	1	88	74	2	–
69	Red Bank	215	–	–	–	42	17	7	6	5	2	1	4	3	130	95	4	–
70	Balance of county	2,372	3	1	15	558	141	142	63	69	24	21	98	47	1,266	933	11	15
71	Morris	2,646	4	–	17	631	197	153	68	63	28	17	105	50	1,311	939	31	9
72	Dover	135	–	–	1	29	15	6	3	4	–	–	1	4	68	45	–	–
73	Madison	124	1	–	2	30	11	8	3	2	1	–	5	6	59	38	1	–
74	Morristown	242	–	–	1	52	16	11	6	8	1	4	6	3	135	95	3	–
75	Parsippany–Troy Hills township†	197	–	–	2	46	16	10	9	4	1	1	5	6	97	66	3	–
76	Pequannock township†	96	–	–	2	18	5	1	6	2	1	–	3	1	47	30	2	–
77	Balance of county	1,852	3	–	9	456	134	117	41	43	24	12	85	30	905	665	22	9
78	Ocean	3,986	2	–	23	958	253	269	75	113	37	33	178	68	2,212	1,740	40	7
79	Brick township†	441	–	–	2	90	25	30	6	10	3	3	13	9	254	189	7	1
80	Dover township†	634	–	–	4	166	48	38	18	22	7	5	28	12	346	274	6	1
81	Lakewood township†	504	–	–	2	108	31	27	7	15	1	3	24	6	294	247	5	–
82	Point Pleasant	243	–	–	1	64	15	15	6	11	2	4	11	6	133	90	2	–
83	Balance of county	2,164	2	–	14	530	134	159	38	55	24	18	102	35	1,185	940	20	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
3,049	246	22	665	67	96	224	59	23	198	60	–	60	117	131	654	88	203	72	131	36	01
158	3	1	24	3	2	6	–	1	4	2	–	7	2	5	19	5	4	6	–	–	02
227	11	3	53	4	7	13	6	2	12	1	–	–	–	3	42	8	8	8	–	–	03
39	4	–	4	1	1	3	2	2	–	–	–	–	2	–	7	1	5	1	–	1	04
147	10	1	48	7	9	26	2	3	8	2	–	6	20	5	41	5	12	–	9	3	05
306	22	1	60	2	9	10	4	4	17	8	–	5	6	10	57	7	20	6	5	2	06
62	2	–	15	2	1	5	–	–	3	2	–	2	1	–	10	2	1	4	1	–	07
98	6	–	29	–	1	10	1	–	2	1	–	1	3	1	15	1	5	5	–	1	08
61	3	1	12	–	3	6	1	–	4	–	–	1	2	–	12	2	1	1	–	1	09
161	14	3	41	6	7	11	5	2	9	1	–	2	1	5	41	3	7	1	4	1	10
1,009	130	8	217	17	32	75	20	6	96	28	–	28	72	88	259	35	100	22	101	23	11
130	5	2	15	1	3	7	2	1	8	–	–	1	1	1	24	1	4	4	–	–	12
128	6	–	30	4	4	10	4	–	16	5	–	5	6	3	36	4	9	2	3	1	13
52	1	–	20	2	6	8	2	–	1	1	–	–	–	1	16	2	3	–	1	–	14
48	2	–	8	1	1	4	2	–	1	1	–	–	–	–	12	–	4	–	–	–	15
30	6	–	8	2	1	1	1	–	2	–	–	–	–	–	1	2	1	–	–	–	16
170	8	1	36	10	4	17	2	–	5	2	–	–	–	2	29	3	7	6	–	–	17
223	13	1	45	5	5	12	5	2	10	6	–	2	1	7	33	7	12	6	7	3	18
558	27	9	113	24	21	31	13	4	21	12	–	6	22	28	115	46	39	13	8	2	19
40	6	–	9	3	2	2	1	–	3	1	–	1	2	1	16	2	2	–	1	–	20
46	1	–	11	5	3	1	1	–	–	3	–	–	–	1	7	3	3	–	–	–	21
65	3	1	11	2	3	6	1	1	2	–	–	1	3	1	10	2	–	–	2	–	22
407	17	8	82	14	13	22	10	3	16	8	–	4	17	25	82	39	34	13	5	2	23
2,403	137	9	410	46	64	146	53	16	121	46	1	37	76	105	464	61	116	38	41	16	24
340	24	1	58	5	5	28	8	1	15	3	–	1	9	10	55	5	10	5	3	–	25
47	4	–	7	–	4	2	2	1	4	1	–	1	–	4	5	1	2	1	1	–	26
150	8	–	27	8	6	8	4	–	13	3	–	6	5	10	31	3	13	1	8	5	27
987	64	6	160	14	24	60	22	7	52	24	1	18	43	58	210	27	47	15	22	5	28
157	9	–	19	4	4	12	1	3	8	2	–	2	4	3	28	6	11	6	2	–	29
210	5	2	34	4	6	7	3	–	7	1	–	–	1	4	48	10	5	5	–	1	30
54	3	–	14	–	1	2	1	–	1	–	–	1	1	–	6	1	3	–	–	–	31
186	8	–	34	5	6	12	3	2	13	7	–	5	10	8	34	5	17	3	2	1	32
54	1	–	12	2	–	4	–	1	1	2	–	1	1	3	12	2	–	1	1	2	33
161	6	–	31	2	4	5	4	1	4	3	–	1	1	3	29	1	4	1	2	1	34
57	5	–	14	2	4	6	5	–	3	–	–	1	1	2	6	–	4	–	–	1	35
235	14	1	53	3	8	15	2	2	14	3	–	3	3	3	54	9	20	7	2	–	36
1,051	52	4	210	30	38	76	26	14	45	17	2	11	31	50	230	38	54	24	14	–	37
125	4	–	27	5	3	6	2	–	5	1	–	1	1	3	16	7	–	–	–	–	38
271	11	–	48	10	10	14	5	5	10	2	–	1	4	14	65	9	15	4	–	–	39
38	2	–	10	–	2	1	1	1	1	–	–	–	–	2	12	2	5	1	–	–	40
386	23	2	82	5	13	39	13	6	18	4	1	4	21	22	89	5	19	10	12	–	41
231	12	2	43	10	10	16	5	2	11	10	1	5	5	9	48	15	15	9	2	–	42
1,570	71	11	294	58	48	95	24	13	107	15	–	30	38	38	281	84	92	34	9	6	43
70	2	–	13	1	3	6	–	1	5	2	–	1	3	1	14	4	8	3	–	2	44
63	3	3	10	3	1	3	–	–	3	–	–	2	1	2	7	3	3	1	1	–	45
61	3	2	14	2	–	4	–	–	3	–	–	3	1	–	16	4	6	4	–	1	46
38	2	–	9	4	–	1	1	1	2	–	–	–	–	1	9	2	4	2	1	–	47
111	3	–	16	2	2	4	2	–	7	2	–	3	3	3	14	8	3	6	–	–	48
49	2	–	8	4	1	1	–	1	3	–	–	–	–	1	11	3	4	–	1	–	49
24	2	–	10	1	2	5	1	–	2	–	–	2	–	1	10	1	3	2	–	1	50
112	11	1	30	7	4	7	1	–	12	2	–	2	6	4	24	4	11	–	2	1	51
174	5	–	35	8	4	11	4	1	10	2	–	6	8	5	25	7	10	1	–	–	52
53	3	–	6	–	1	3	2	–	6	–	–	3	2	1	15	9	4	1	–	–	53
96	2	1	19	2	1	8	2	1	6	1	–	–	1	1	14	5	3	2	–	1	54
44	7	–	9	1	–	2	1	–	5	1	–	2	–	2	9	1	2	1	–	–	55
51	1	–	13	1	7	2	2	1	3	–	–	1	2	2	7	2	3	1	2	–	56
273	11	1	42	6	9	9	3	4	16	3	–	–	2	4	44	15	9	6	1	–	57
351	14	3	60	16	13	29	5	3	24	2	–	5	9	10	62	16	19	4	1	–	58
1,693	81	17	456	73	68	95	43	14	75	22	1	33	34	13	342	76	97	42	15	2	59
110	5	5	41	5	5	7	4	4	7	1	–	–	4	3	21	3	10	6	–	–	60
38	–	–	8	1	1	–	1	–	3	2	–	2	3	–	9	1	3	3	1	–	61
80	1	–	13	1	2	2	2	–	3	–	–	2	3	–	13	1	4	1	–	–	62
56	3	–	7	2	3	3	1	2	5	1	–	1	2	–	10	1	1	–	1	–	63
112	4	–	22	2	2	2	–	–	3	4	–	5	1	–	22	2	4	–	–	–	64
42	–	–	4	–	–	3	1	–	4	–	–	1	–	–	7	2	2	–	1	–	65
127	4	2	33	10	5	9	5	2	5	2	–	2	2	–	23	19	8	9	1	1	66
119	3	2	47	3	6	4	2	–	1	1	1	1	2	–	20	3	9	1	1	–	67
67	5	–	10	3	1	2	3	–	1	–	–	1	–	–	11	2	3	3	1	–	68
86	5	–	19	12	4	6	2	2	2	1	–	–	4	–	10	3	9	–	1	–	69
856	51	8	252	34	39	57	22	4	41	10	–	18	13	10	196	39	44	19	8	1	70
854	45	7	282	37	46	106	37	12	46	7	1	24	21	10	219	68	45	26	7	4	71
40	5	–	20	2	1	3	2	–	1	–	–	–	2	2	14	2	5	1	1	–	72
33	4	–	15	3	3	3	2	2	1	1	–	–	–	1	14	–	1	1	–	–	73
84	8	–	34	4	2	12	5	1	4	–	–	–	1	–	19	1	6	1	–	1	74
60	3	–	24	4	3	6	2	–	6	1	–	4	1	1	10	7	3	3	1	1	75
28	–	1	13	–	3	2	2	2	4	–	–	1	2	–	10	3	–	1	1	–	76
609	25	6	176	24	34	80	24	7	30	5	1	19	15	6	152	55	30	19	4	2	77
1,609	84	6	359	30	77	85	37	7	54	15	1	17	22	24	280	84	53	28	9	7	78
172	9	–	53	4	8	7	5	1	5	5	–	2	1	5	34	11	7	1	1	1	79
257	10	3	53	6	10	12	3	1	10	1	–	3	3	4	41	10	11	5	1	1	80
235	7	1	36	5	5	7	4	1	10	3	–	1	4	6	36	11	7	2	1	1	81
85	3	–	30	3	10	4	7	1	2	2	–	2	–	1	11	7	1	1	–	–	82
860	55	2	187	12	44	55	18	3	27	4	1	9	14	8	158	45	27	19	6	4	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Passaic	4,184	4	–	17	901	304	207	74	100	48	23	145	105	2,244	1,829	36	26
02	Clifton	835	1	–	1	188	70	42	16	13	13	4	30	26	489	404	6	6
03	Hawthorne	220	–	–	1	52	19	4	2	8	3	4	12	5	119	87	3	–
04	Little Falls township†	96	–	–	–	29	13	4	3	6	1	–	2	5	51	47	–	–
05	Passaic	553	2	–	3	96	31	23	9	11	8	4	10	15	308	248	2	5
06	Paterson	1,383	–	–	10	286	98	71	17	33	11	7	49	38	701	575	16	6
07	Pompton Lakes	79	–	–	–	25	4	8	3	4	1	1	4	1	35	29	–	1
08	Ringwood	69	–	–	–	13	6	1	2	1	1	–	2	2	31	25	1	–
09	Totowa	120	–	–	1	26	11	6	1	3	1	–	4	1	80	64	1	–
10	Wayne township†	302	–	–	–	65	20	14	7	7	3	1	13	6	169	133	4	4
11	West Paterson	89	–	–	–	28	10	10	2	1	1	1	3	–	42	37	–	–
12	Balance of county	438	1	–	1	93	22	24	12	13	5	1	16	6	219	180	3	4
13	Salem	599	1	–	8	131	38	29	10	25	7	4	18	11	310	244	1	–
14	Somerset	1,390	–	–	4	341	92	85	33	39	19	14	59	36	689	555	12	–
15	Bound Brook	78	–	–	–	21	6	2	1	2	1	1	8	1	46	38	1	–
16	Bridgewater township†	185	–	–	2	36	9	12	5	2	3	1	4	6	97	77	–	–
17	Franklin township†	194	–	–	–	51	14	15	4	8	2	1	7	3	97	87	–	–
18	Manville	96	–	–	–	30	8	9	3	2	2	–	6	3	44	34	–	–
19	North Plainfield	154	–	–	–	32	7	7	3	7	2	1	5	5	75	57	4	–
20	Somerville	125	–	–	–	30	8	10	3	3	1	1	4	6	56	43	–	–
21	Balance of county	558	–	–	2	141	40	30	14	15	8	9	25	12	274	219	7	–
22	Sussex	758	1	–	9	154	56	36	14	13	7	6	22	15	393	306	13	3
23	Union	4,742	7	1	40	1,181	351	261	116	144	51	44	214	86	2,447	1,971	60	35
24	Berkeley Heights township†	76	–	–	2	23	9	3	1	4	–	1	5	3	30	28	1	–
25	Clark township†	110	–	–	1	28	8	7	1	2	1	–	9	1	60	50	1	–
26	Cranford township†	197	–	–	2	47	11	11	5	7	2	1	10	3	101	77	2	4
27	Elizabeth	1,096	2	–	3	269	80	61	19	38	13	13	45	22	552	462	10	7
28	Hillside township†	230	–	1	1	56	21	10	6	6	3	1	9	2	125	100	1	1
29	Linden	388	1	–	6	101	36	19	9	9	4	6	18	10	204	172	5	9
30	New Providence	86	–	–	1	26	5	9	1	1	1	4	5	–	46	35	2	–
31	Plainfield	424	1	–	5	82	19	24	6	8	7	3	15	7	207	156	2	2
32	Rahway	274	–	–	1	73	22	15	7	10	3	2	14	5	147	121	3	1
33	Roselle	206	–	–	1	44	15	12	2	4	4	1	6	3	107	87	3	4
34	Roselle Park	125	–	–	1	22	7	5	3	2	–	1	4	4	74	52	2	–
35	Scotch Plains township†	137	–	–	1	35	11	7	5	6	1	–	5	1	75	63	2	1
36	Springfield township†	151	1	–	3	54	14	11	6	4	3	2	14	3	70	58	3	1
37	Summit	206	–	–	3	47	7	10	13	6	2	–	9	6	102	74	3	2
38	Union township†	546	2	–	4	145	41	27	17	23	4	5	28	9	294	240	9	2
39	Westfield	213	–	–	1	54	22	14	5	8	1	1	3	2	108	80	7	1
40	Balance of county	277	–	–	4	75	23	16	10	6	2	3	15	5	145	116	4	–
41	Warren	850	2	–	6	198	60	47	16	25	9	9	32	19	452	364	8	4
42	Phillipsburg	283	–	–	–	71	23	18	7	7	3	5	8	4	159	129	2	–
43	Balance of county	567	2	–	6	127	37	29	9	18	6	4	24	15	293	235	6	4
44	**New Mexico**	8,456	24	1	94	1,532	407	323	135	191	89	60	327	170	2,907	2,049	67	19
45	Urban places	4,565	7	–	53	904	227	200	80	115	65	31	186	95	1,609	1,107	40	11
46	Balance of area	3,891	17	1	41	628	180	123	55	76	24	29	141	75	1,298	942	27	8
47	Metropolitan counties	2,406	5	–	33	489	133	88	52	70	42	16	88	52	795	548	15	8
48	Urban places	2,206	3	–	29	454	126	79	45	64	39	15	86	48	730	501	15	6
49	Balance of area	200	2	–	4	35	7	9	7	6	3	1	2	4	65	47	–	2
50	Nonmetropolitan counties	6,050	19	1	61	1,043	274	235	83	121	47	44	239	118	2,112	1,501	52	11
51	Urban places	2,359	4	–	24	450	101	121	35	51	26	16	100	47	879	606	25	5
52	Balance of area	3,691	15	1	37	593	173	114	48	70	21	28	139	71	1,233	895	27	6
53	Bernalillo	2,406	5	–	33	489	133	88	52	70	42	16	88	52	795	548	15	8
54	Albuquerque	2,206	3	–	29	454	126	79	45	64	39	15	86	48	730	501	15	6
55	Balance of county	200	2	–	4	35	7	9	7	6	3	1	2	4	65	47	–	2
56	Catron	21	–	–	–	2	1	–	1	–	–	–	–	1	11	8	–	–
57	Chaves	467	2	–	4	96	27	28	8	9	2	3	19	13	158	104	4	–
58	Roswell	390	2	–	4	83	22	24	8	8	2	3	16	9	136	88	4	–
59	Balance of county	77	–	–	–	13	5	4	–	1	–	–	3	4	22	16	–	–
60	Colfax	112	1	–	–	23	7	2	1	3	2	1	7	2	51	42	1	–
61	Curry	301	–	–	1	58	9	13	5	10	3	1	17	4	130	89	8	–
62	Clovis	255	–	–	1	49	8	11	5	6	2	1	16	3	110	74	6	–
63	Balance of county	46	–	–	–	9	1	2	–	4	1	–	1	1	20	15	2	–
64	De Baca	30	–	–	–	6	–	1	1	2	2	–	–	–	21	10	–	–
65	Dona Ana	456	1	–	9	84	26	19	1	10	3	4	21	10	174	127	2	4
66	Las Cruces	277	1	–	5	50	16	11	1	7	2	2	11	6	107	80	2	2
67	Balance of county	179	–	–	4	34	10	8	–	3	1	2	10	4	67	47	–	2
68	Eddy	401	–	–	4	81	13	23	8	11	2	4	20	11	157	110	2	2
69	Artesia	88	–	–	1	16	1	5	1	2	–	1	6	3	36	23	1	1
70	Carlsbad	257	–	–	3	51	10	15	4	6	2	2	12	6	100	70	1	1
71	Balance of county	56	–	–	–	14	2	3	3	3	–	1	2	2	21	17	–	–
72	Grant	173	–	–	–	27	4	10	1	5	1	1	5	4	62	40	3	–
73	Guadalupe	45	–	–	1	11	5	1	–	–	1	1	3	–	16	13	1	–
74	Harding	13	–	–	–	–	–	–	–	–	–	–	–	–	5	4	–	–
75	Hidalgo	37	–	–	1	10	3	1	1	2	1	1	1	2	11	8	–	1
76	Lea	380	–	–	4	78	14	25	6	4	4	6	19	3	134	94	1	1
77	Hobbs	234	–	–	3	45	8	16	3	3	3	3	9	2	86	58	–	1
78	Balance of county	146	–	–	1	33	6	9	3	1	1	3	10	1	48	36	1	–
79	Lincoln	72	–	–	–	9	2	4	–	–	–	1	2	–	24	17	1	–
80	Los Alamos	49	–	–	–	15	5	1	3	1	–	–	5	–	15	10	–	–
81	Luna	135	1	–	–	31	9	5	4	–	2	2	9	3	62	49	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,688	79	12	341	20	42	115	43	17	90	18	–	25	37	41	320	61	77	24	36	9	01
375	17	–	74	3	8	21	7	5	10	1	–	2	1	8	55	6	7	1	5	1	02
82	2	1	26	–	5	10	6	–	2	2	–	1	2	–	14	1	4	1	–	–	03
45	2	1	3	–	–	1	–	–	1	1	–	–	–	–	5	1	1	1	–	–	04
233	8	5	49	1	5	9	4	1	18	2	–	4	9	10	39	10	12	3	6	2	05
525	28	3	100	10	13	46	15	4	43	7	–	10	13	13	113	20	27	13	22	2	06
26	2	–	5	–	1	2	–	–	–	–	–	1	1	1	10	–	2	1	–	–	07
22	2	–	3	–	3	4	1	–	3	–	–	–	2	–	6	5	2	–	–	–	08
62	1	–	13	3	–	1	1	1	–	1	–	–	–	–	2	2	4	–	–	–	09
116	9	–	35	–	1	8	3	1	2	1	–	3	–	6	25	6	5	1	1	–	10
35	2	–	2	2	1	3	–	1	1	–	–	2	2	1	5	1	2	–	–	1	11
167	6	2	31	1	5	10	6	4	10	3	–	2	7	2	46	9	11	3	2	3	12
234	9	2	48	4	12	18	5	3	10	6	–	5	4	4	47	16	17	2	1	–	13
513	30	2	111	5	16	39	8	7	20	4	–	5	17	7	120	41	27	18	6	1	14
36	1	–	6	–	2	2	–	–	–	1	–	–	–	–	5	1	1	–	–	–	15
74	3	–	17	2	1	4	1	–	2	1	–	–	1	–	19	6	4	5	1	–	16
78	9	–	9	–	1	7	1	–	2	1	–	–	9	–	15	1	4	1	2	–	17
34	–	1	7	–	2	2	–	1	2	–	–	1	1	1	7	3	–	1	–	–	18
48	5	–	15	1	2	5	3	–	2	–	–	1	2	2	17	7	3	–	–	–	19
41	2	–	13	–	–	3	1	–	2	1	–	1	–	1	11	6	4	1	1	1	20
202	10	1	44	2	8	16	2	6	10	–	–	2	4	3	46	17	11	10	2	–	21
275	15	3	65	6	13	19	8	3	15	2	–	10	9	–	62	26	26	6	–	–	22
1,757	119	19	350	40	67	133	35	13	79	19	–	26	36	47	390	63	66	34	32	7	23
25	2	–	2	–	–	2	–	–	1	–	–	1	–	–	10	1	3	–	–	–	24
45	4	–	7	2	1	1	2	–	1	–	–	–	–	–	13	–	1	2	–	–	25
67	4	1	16	4	3	4	–	2	3	2	–	2	3	2	16	3	3	2	2	–	26
418	27	2	75	6	7	31	7	1	25	7	–	6	8	12	101	12	16	10	10	2	27
87	11	2	19	–	4	5	2	1	5	1	–	3	1	4	12	3	4	1	2	1	28
153	5	2	23	3	4	6	–	2	6	1	–	2	1	3	29	7	7	2	–	–	29
25	8	–	8	1	2	4	–	–	2	1	–	–	–	1	5	–	–	–	–	–	30
143	9	2	37	8	4	14	5	2	6	–	–	4	16	7	39	6	7	5	10	1	31
111	6	2	18	1	5	8	2	–	5	2	–	1	3	2	18	–	2	3	2	–	32
77	3	2	15	2	1	3	–	3	5	1	–	–	2	3	23	3	5	2	1	–	33
48	2	1	17	–	4	1	1	–	3	–	–	–	1	1	9	4	2	1	–	1	34
54	6	1	7	2	2	6	–	–	1	–	–	1	–	3	7	4	1	2	–	–	35
54	–	–	8	–	4	5	–	–	2	–	–	–	–	–	10	1	2	–	–	–	36
62	7	2	21	1	4	11	5	1	2	1	–	1	–	1	17	2	3	2	2	–	37
211	18	1	36	5	12	13	7	1	7	–	–	2	–	3	43	8	4	2	2	–	38
66	6	1	22	2	3	13	2	–	2	1	–	1	–	1	17	6	3	–	1	1	39
111	1	–	19	3	7	6	2	–	3	2	–	2	1	4	21	3	3	–	–	1	40
329	23	1	70	5	12	21	6	3	12	3	–	2	8	4	68	18	16	10	2	–	41
114	13	1	23	2	4	11	1	1	3	3	–	–	4	4	17	–	2	3	–	–	42
215	10	–	47	3	8	10	5	2	9	–	–	2	4	–	51	18	14	7	2	–	43
1,683	280	60	608	83	107	292	132	24	185	44	1	106	139	425	991	604	377	208	164	36	44
930	126	36	347	50	69	154	94	16	95	18	1	60	62	197	538	255	183	125	82	17	45
753	154	24	261	33	38	138	38	8	90	26	–	46	77	228	453	349	194	83	82	19	46
455	70	23	174	18	32	73	45	8	45	12	1	28	36	108	311	137	96	71	52	9	47
417	63	22	160	17	30	67	44	6	41	12	1	26	30	96	287	122	91	64	47	8	48
38	7	1	14	1	2	6	1	2	4	–	–	2	6	12	24	15	5	7	5	1	49
1,228	210	37	434	65	75	219	87	16	140	32	–	78	103	317	680	467	281	137	112	27	50
513	63	14	187	33	39	87	50	10	54	6	–	34	32	101	251	133	92	61	35	9	51
715	147	23	247	32	36	132	37	6	86	26	–	44	71	216	429	334	189	76	77	18	52
455	70	23	174	18	32	73	45	8	45	12	1	28	36	108	311	137	96	71	52	9	53
417	63	22	160	17	30	67	44	6	41	12	1	26	30	96	287	122	91	64	47	8	54
38	7	1	14	1	2	6	1	2	4	–	–	2	6	12	24	15	5	7	5	1	55
7	1	–	2	–	1	–	–	–	1	–	–	–	–	2	1	1	–	1	1	–	56
93	7	–	38	8	8	22	12	2	12	1	–	1	5	49	39	22	13	5	8	3	57
77	7	–	32	8	8	17	12	2	10	1	–	–	4	39	30	16	10	5	7	3	58
16	–	–	6	–	–	5	–	–	2	–	–	1	1	10	9	6	3	–	1	–	59
38	3	–	7	2	–	2	2	–	4	–	–	1	–	3	16	2	8	2	–	–	60
72	9	2	30	4	5	9	7	1	4	1	–	2	6	8	24	20	17	4	5	–	61
61	7	2	25	4	5	8	5	1	4	1	–	2	5	8	19	15	16	4	4	–	62
11	2	–	5	–	–	1	2	–	–	–	–	–	1	–	5	5	1	–	1	–	63
9	1	–	8	–	3	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	64
95	26	4	33	4	6	20	16	–	7	4	–	9	11	5	51	21	14	13	6	1	65
62	14	2	18	1	6	10	13	–	7	2	–	9	5	–	34	11	3	12	1	1	66
33	12	2	15	3	–	10	3	–	–	2	–	–	6	5	17	10	11	1	5	–	67
102	4	1	31	7	8	24	5	–	5	1	–	6	6	12	45	21	13	6	4	–	68
20	1	–	11	1	1	5	3	–	1	1	–	1	–	4	12	3	1	–	1	–	69
67	1	1	18	5	6	17	1	–	4	–	–	5	5	6	26	14	11	5	3	–	70
15	2	–	2	1	1	2	1	–	–	–	–	–	1	2	7	4	1	1	–	–	71
36	1	1	16	3	2	5	2	2	1	2	–	1	3	13	24	14	4	4	4	1	72
9	3	–	1	–	2	1	1	–	1	–	–	–	–	4	4	1	2	1	1	1	73
4	–	–	–	–	1	1	–	–	–	–	–	–	2	–	1	2	1	1	–	–	74
6	1	1	1	–	1	–	–	–	1	–	–	–	–	2	4	4	2	–	–	–	75
77	15	2	26	8	4	6	9	1	7	–	–	5	9	18	49	23	16	4	13	1	76
49	8	1	19	6	2	1	8	1	5	–	–	1	6	14	33	11	9	2	7	–	77
28	7	1	7	2	2	5	1	–	2	–	–	4	3	4	16	12	7	2	6	1	78
15	1	–	3	1	3	1	1	–	4	1	–	–	–	10	8	7	4	3	–	–	79
8	2	–	4	–	1	2	–	–	–	–	–	1	–	2	7	1	2	4	–	–	80
43	5	–	12	1	–	–	6	–	4	–	–	1	2	5	16	2	1	1	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Mexico—Con.																	
01	McKinley	364	4	–	9	32	12	4	2	3	2	–	9	9	66	52	5	–
02	Gallup	126	1	–	3	14	3	4	–	1	1	–	5	4	35	29	2	–
03	Balance of county	238	3	–	6	18	9	–	2	2	1	–	4	5	31	23	3	–
04	Mora	48	1	–	–	5	3	1	–	–	–	–	1	2	17	12	–	–
05	Otero	262	1	–	2	46	14	14	4	5	1	1	7	5	88	65	3	–
06	Alamogordo	143	–	–	1	34	9	13	2	3	1	1	5	2	53	42	3	–
07	Balance of county	119	1	–	1	12	5	1	2	2	–	–	2	3	35	23	–	–
08	Quay	124	–	–	–	18	6	2	3	1	–	–	6	2	57	49	–	–
09	Rio Arriba	248	1	–	4	35	14	8	–	2	1	1	9	6	75	50	2	–
10	Roosevelt	150	–	–	–	34	3	8	5	5	3	1	9	2	68	44	–	1
11	Portales	104	–	–	–	23	2	6	3	3	2	1	6	2	48	31	–	–
12	Balance of county	46	–	–	–	11	1	2	2	2	1	–	3	–	20	13	–	1
13	Sandoval	231	–	–	1	40	14	4	5	5	2	2	8	2	71	55	3	–
14	San Juan	459	2	–	6	68	24	5	3	11	4	3	18	7	119	84	2	1
15	Farmington	163	–	–	1	30	10	3	3	3	3	1	7	2	54	38	2	–
16	Balance of county	296	2	–	5	38	14	2	–	8	1	2	11	5	65	46	–	1
17	San Miguel	200	2	1	2	24	8	5	1	4	–	1	5	3	86	61	–	–
18	Santa Fe	408	–	–	2	71	15	14	6	11	8	4	13	9	138	88	4	–
19	Santa Fe	322	–	–	2	55	12	13	5	9	8	1	7	8	114	73	4	–
20	Balance of county	86	–	–	–	16	3	1	1	2	–	3	6	1	24	15	–	–
21	Sierra	142	–	–	1	27	3	10	1	7	–	–	6	3	59	43	2	–
22	Socorro	98	–	–	2	13	4	2	1	3	1	1	1	–	34	22	–	–
23	Taos	143	–	–	1	15	8	2	–	1	–	1	3	6	58	43	5	–
24	Torrance	59	1	–	–	17	2	4	4	3	–	1	3	2	20	17	1	–
25	Union	60	–	–	1	7	2	1	2	–	1	–	1	–	28	22	–	–
26	Valencia	362	2	–	6	60	17	18	6	3	1	3	12	7	97	69	1	1
27	**New York**	167,572	283	9	1,034	36,414	10,940	8,518	3,714	3,926	1,691	1,317	6,308	3,134	87,335	70,309	1,258	737
28	Urban places	110,083	221	5	721	23,291	7,165	5,346	2,369	2,501	1,057	826	4,027	2,071	57,444	47,005	782	475
29	Balance of area	57,489	62	4	313	13,123	3,775	3,172	1,345	1,425	634	491	2,281	1,063	29,891	23,304	476	262
30	Metropolitan counties	142,550	257	8	916	31,230	9,410	7,282	3,210	3,340	1,440	1,117	5,431	2,668	73,972	60,041	1,052	626
31	Urban places	103,456	214	5	681	21,946	6,759	5,033	2,229	2,362	997	770	3,796	1,955	53,804	44,260	718	452
32	Balance of area	39,094	43	3	235	9,284	2,651	2,249	981	978	443	347	1,635	713	20,168	15,781	334	174
33	Nonmetropolitan counties	25,022	26	1	118	5,184	1,530	1,236	504	586	251	200	877	466	13,363	10,268	206	111
34	Urban places	6,627	7	–	40	1,345	406	313	140	139	60	56	231	116	3,640	2,745	64	23
35	Balance of area	18,395	19	1	78	3,839	1,124	923	364	447	191	144	646	350	9,723	7,523	142	88
36	Albany	2,916	2	–	17	620	177	152	52	74	30	24	111	49	1,541	1,243	26	10
37	Albany	1,408	1	–	12	277	82	71	25	31	13	13	42	25	748	603	17	5
38	Cohoes	245	1	–	–	56	19	13	5	4	1	1	13	2	130	111	–	1
39	Watervliet	153	–	–	–	31	11	6	2	4	1	1	6	4	77	56	–	–
40	Balance of county	1,110	–	–	5	256	65	62	20	35	15	9	50	18	586	473	9	4
41	Allegany	427	–	1	3	95	32	20	7	13	4	1	18	7	200	151	5	2
42	Broome	2,044	1	–	8	449	132	106	60	44	22	22	63	41	1,085	838	21	12
43	Binghamton	779	1	–	2	164	46	40	16	22	12	6	22	16	401	305	10	5
44	Endicott	206	–	–	–	49	16	10	6	3	3	3	8	4	117	97	–	2
45	Johnson City	224	–	–	1	48	14	15	4	5	1	1	8	6	127	94	3	2
46	Balance of county	835	–	–	5	188	56	41	34	14	6	12	25	15	440	342	8	3
47	Cattaraugus	880	–	–	8	158	42	36	13	21	4	10	32	20	487	368	10	3
48	Olean	234	–	–	1	48	13	10	4	7	2	1	11	1	133	103	2	–
49	Balance of county	646	–	–	7	110	29	26	9	14	2	9	21	19	354	265	8	3
50	Cayuga	757	1	–	2	150	49	36	14	10	10	8	23	16	411	316	6	1
51	Auburn	390	–	–	1	78	26	20	8	4	6	3	11	7	214	173	4	1
52	Balance of county	367	1	–	1	72	23	16	6	6	4	5	12	9	197	143	2	–
53	Chautauqua	1,498	–	–	7	302	94	65	25	44	7	10	57	36	845	669	11	6
54	Dunkirk	164	–	–	–	41	12	14	4	2	2	2	5	5	89	77	1	1
55	Fredonia	92	–	–	2	20	6	2	3	3	–	1	5	2	53	42	–	–
56	Jamestown	472	–	–	3	87	33	16	4	13	1	3	17	9	288	213	1	1
57	Balance of county	770	–	–	2	154	43	33	14	26	4	4	30	20	415	337	9	4
58	Chemung	1,043	–	–	5	223	63	57	19	25	10	11	38	15	574	429	10	4
59	Elmira	478	–	–	4	95	32	24	6	12	3	5	13	6	265	210	9	1
60	Balance of county	565	–	–	1	128	31	33	13	13	7	6	25	9	309	219	1	3
61	Chenango	460	–	–	7	90	31	16	17	11	1	1	13	10	229	182	5	–
62	Clinton	543	–	–	5	101	24	30	8	10	6	5	18	10	271	209	11	1
63	Plattsburgh	184	–	–	3	32	9	11	4	1	2	2	3	6	90	65	7	–
64	Balance of county	359	–	–	2	69	15	19	4	9	4	3	15	4	181	144	4	1
65	Columbia	639	2	–	1	119	29	33	14	16	8	4	15	11	377	275	9	–
66	Cortland	382	–	–	2	71	28	20	3	6	5	–	9	7	202	156	3	2
67	Cortland	219	–	–	2	40	19	10	2	2	2	–	5	4	117	89	1	–
68	Balance of county	163	–	–	–	31	9	10	1	4	3	–	4	3	85	67	2	2
69	Delaware	505	2	–	–	102	35	22	7	12	5	4	17	6	273	212	3	8
70	Dutchess	1,919	4	–	9	417	122	104	43	49	13	15	71	27	988	773	14	9
71	Beacon	139	1	–	2	30	10	11	2	–	1	1	5	–	85	67	1	1
72	Poughkeepsie	451	1	–	3	87	26	19	10	13	2	3	14	8	234	176	2	1
73	Balance of county	1,329	2	–	4	300	86	74	31	36	10	11	52	19	669	530	11	7
74	Erie	10,445	18	2	79	2,284	706	575	224	247	99	79	354	205	5,555	4,169	89	45
75	Buffalo	5,109	11	2	50	1,087	343	277	105	116	46	42	158	106	2,677	2,013	38	28
76	Depew	127	–	–	1	30	10	8	1	4	2	3	2	3	61	45	2	–
77	Hamburg	115	–	–	–	30	10	7	1	6	–	–	6	1	61	50	–	–
78	Kenmore	230	–	–	–	59	17	13	8	5	3	3	10	2	121	96	–	1
79	Lackawanna	274	–	–	2	51	17	14	6	8	–	–	6	7	160	121	–	1
80	Lancaster	159	–	–	1	28	7	8	1	3	1	2	6	3	106	80	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
29	18	1	12	1	–	17	1	2	12	3	–	7	7	20	50	56	42	14	11	2	01
21	6	–	6	–	–	5	–	2	5	–	–	1	2	4	10	18	12	6	4	–	02
8	12	1	6	1	–	12	1	–	7	3	–	6	5	16	40	38	30	8	7	2	03
11	1	–	5	–	–	4	–	–	1	1	–	–	–	2	2	10	1	–	2	–	04
51	11	2	13	1	7	6	1	3	10	2	–	5	9	13	27	25	7	7	5	–	05
33	6	2	6	1	2	5	–	2	5	1	–	3	1	6	15	8	4	2	1	–	06
18	5	–	7	–	5	1	1	1	5	1	–	2	8	7	12	17	3	5	4	–	07
31	18	–	6	1	1	3	1	–	3	–	–	1	5	4	11	5	5	4	3	2	08
42	6	1	23	–	1	8	2	1	12	3	–	3	3	10	34	23	10	8	7	3	09
41	2	4	13	4	3	8	1	1	–	–	–	–	2	3	11	9	5	6	–	–	10
29	2	3	10	2	2	8	1	1	–	–	–	–	2	3	4	5	3	4	–	–	11
12	–	1	3	2	1	–	–	–	–	–	–	–	–	–	7	4	2	2	–	–	12
46	6	1	12	–	3	5	1	1	5	1	–	3	2	24	32	31	8	1	2	1	13
62	19	5	23	5	2	20	4	1	9	1	–	11	8	30	42	55	47	11	12	6	14
32	4	2	8	4	2	5	3	–	3	–	–	5	1	8	13	13	14	7	1	3	15
30	15	3	15	1	–	15	1	1	6	1	–	6	7	22	29	42	33	4	11	3	16
57	4	2	16	6	1	8	–	–	5	1	–	1	4	8	27	8	10	6	3	1	17
76	8	3	41	1	5	10	6	1	11	2	–	7	2	12	60	31	16	17	11	2	18
62	7	1	34	1	5	6	4	1	10	–	–	7	1	9	55	19	9	14	6	2	19
14	1	2	7	–	–	4	2	–	1	2	–	–	1	3	5	12	7	3	5	–	20
35	6	1	10	4	1	4	5	–	4	1	–	–	–	3	25	5	2	1	1	1	21
15	7	4	7	1	–	5	–	–	1	2	–	2	3	10	13	6	4	–	3	–	22
31	7	1	12	2	–	14	1	–	5	–	–	2	2	3	15	12	3	3	2	1	23
15	1	–	3	–	–	1	1	–	–	1	–	1	1	5	3	4	1	1	–	–	24
15	7	–	6	–	–	5	–	–	–	–	–	1	2	1	7	4	4	–	–	–	25
57	10	1	20	1	6	8	2	–	11	3	–	7	9	36	30	42	24	9	8	1	26
64,926	3,388	482	12,286	2,108	2,150	5,927	1,697	624	3,523	854	22	960	1,731	1,068	12,662	2,628	3,311	1,703	1,865	788	27
43,628	2,120	296	7,504	1,367	1,272	4,276	996	418	2,642	604	18	597	1,188	847	8,118	1,169	2,060	1,014	1,712	671	28
21,298	1,268	186	4,782	741	878	1,651	701	206	881	250	4	363	543	221	4,544	1,459	1,251	689	153	117	29
55,522	2,841	384	10,084	1,733	1,730	5,141	1,310	545	3,180	758	21	800	1,505	981	10,604	1,957	2,695	1,429	1,808	765	30
41,105	1,985	267	6,868	1,256	1,153	4,056	900	400	2,534	578	18	558	1,137	819	7,562	1,060	1,912	960	1,694	663	31
14,417	856	117	3,216	477	577	1,085	410	145	646	180	3	242	368	162	3,042	897	783	469	114	102	32
9,404	547	98	2,202	375	420	786	387	79	343	96	1	160	226	87	2,058	671	616	274	57	23	33
2,523	135	29	636	111	119	220	96	18	108	26	–	39	51	28	556	109	148	54	18	8	34
6,881	412	69	1,566	264	301	566	291	61	235	70	1	121	175	59	1,502	562	468	220	39	15	35
1,112	95	4	199	32	63	96	39	10	52	15	–	21	19	23	262	32	83	23	10	2	36
529	52	3	99	13	30	57	16	4	24	7	–	13	12	14	136	10	38	10	3	1	37
104	6	–	12	1	6	4	2	1	3	1	–	1	–	1	20	3	17	–	3	–	38
52	4	1	15	3	2	4	4	–	4	–	–	3	1	–	21	–	3	1	–	–	39
427	33	–	73	15	25	31	17	5	21	7	–	4	6	8	85	19	25	12	4	1	40
140	4	1	29	10	9	16	7	1	4	1	–	4	1	1	54	15	13	3	1	–	41
766	39	4	183	28	32	75	32	9	21	9	–	12	21	9	179	28	34	22	7	2	42
277	13	2	69	11	14	26	18	5	7	5	–	2	8	5	78	8	21	10	2	–	43
94	1	–	17	3	–	9	–	2	2	1	–	–	1	1	14	2	2	1	1	–	44
84	5	1	23	2	7	11	4	–	2	2	–	1	3	–	14	1	1	–	2	1	45
311	20	1	74	12	11	29	10	2	10	1	–	9	9	3	73	17	10	11	2	1	46
341	14	6	82	15	16	30	18	3	9	4	–	2	7	1	67	27	31	6	1	1	47
99	2	1	22	4	3	8	4	–	3	–	–	1	–	–	24	4	5	1	1	–	48
242	12	5	60	11	13	22	14	3	6	4	–	1	7	1	43	23	26	5	–	1	49
295	14	2	69	14	10	28	8	2	9	5	–	5	9	2	67	20	15	6	–	1	50
163	5	1	34	3	3	15	1	1	5	3	–	3	5	2	39	9	4	2	–	1	51
132	9	1	35	11	7	13	7	1	4	2	–	2	4	–	28	11	11	4	–	–	52
606	46	3	130	26	17	50	17	9	13	5	–	9	15	5	90	36	38	17	2	2	53
69	6	–	11	1	–	2	2	–	3	–	–	–	2	–	14	3	1	1	–	1	54
39	3	–	6	4	1	3	1	1	1	1	–	–	–	–	2	2	2	1	–	1	55
197	14	2	58	8	7	17	7	3	4	1	–	2	6	2	26	7	8	1	1	–	56
301	23	1	55	13	9	28	7	5	5	3	–	7	7	3	48	24	27	14	1	–	57
400	15	4	112	15	14	23	21	3	17	4	–	9	5	7	84	13	22	15	3	–	58
192	8	2	42	5	6	11	12	3	12	1	–	4	2	2	39	2	10	8	2	–	59
208	7	2	70	10	8	12	9	–	5	3	–	5	3	5	45	11	12	7	1	–	60
172	5	2	34	2	9	20	12	1	5	–	–	3	3	–	52	12	10	5	1	–	61
184	13	3	43	7	9	15	10	–	13	2	–	7	11	9	47	17	21	4	–	–	62
53	5	1	18	3	3	6	3	–	2	–	–	2	1	7	18	6	8	–	–	–	63
131	8	2	25	4	6	9	7	–	11	2	–	5	10	2	29	11	13	4	–	–	64
254	12	3	78	8	13	17	8	2	8	1	–	2	5	1	54	6	16	8	1	–	65
147	4	2	31	6	7	18	7	1	2	–	–	1	5	1	39	11	12	3	–	–	66
85	3	2	17	3	6	16	1	1	1	–	–	–	3	1	24	6	3	–	–	–	67
62	1	–	14	3	1	2	6	–	1	–	–	1	2	–	15	5	9	3	–	–	68
167	34	2	38	11	10	23	13	1	2	1	–	3	3	1	50	8	9	8	–	–	69
722	28	4	153	22	36	68	16	2	35	9	–	17	11	9	166	67	37	28	7	2	70
63	2	1	8	7	2	4	1	–	3	–	–	–	–	–	8	2	–	2	1	–	71
170	3	–	40	9	9	20	6	–	9	4	–	5	5	3	37	9	11	4	5	–	72
489	23	3	105	6	25	44	9	2	23	5	–	12	6	6	121	56	26	22	1	2	73
3,807	228	30	1,059	142	155	284	148	41	183	48	–	60	97	32	824	152	227	74	58	74	74
1,813	134	20	502	73	69	136	86	19	96	30	–	18	59	27	423	43	121	31	46	41	75
40	3	–	11	2	3	2	1	–	4	–	–	2	2	–	10	1	6	2	–	2	76
45	5	–	9	1	1	5	3	–	3	–	–	1	1	–	6	–	3	1	–	–	77
88	7	–	20	2	3	9	2	2	6	–	–	1	3	–	13	–	4	5	1	2	78
116	4	1	32	6	–	4	2	1	7	1	–	3	4	–	17	5	7	1	1	1	79
74	4	–	22	1	3	2	1	1	2	1	–	–	1	–	8	3	1	1	–	–	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
	Erie—Con.																	
01	Tonawanda	197	-	-	2	44	15	9	2	4	1	4	9	1	106	80	2	-
02	Balance of county	4,234	7	-	23	955	287	239	100	101	46	25	157	82	2,263	1,684	45	15
03	Essex	408	2	-	3	79	18	26	8	6	1	4	16	7	227	181	4	4
04	Franklin	436	2	-	2	76	20	23	8	6	8	1	10	12	244	178	2	-
05	Fulton	608	1	-	1	135	35	33	19	11	6	4	27	19	321	235	8	2
06	Gloversville	278	-	-	-	56	16	14	7	7	2	2	8	10	155	109	4	-
07	Johnstown	115	-	-	1	26	4	6	6	-	-	1	9	4	58	43	2	1
08	Balance of county	215	1	-	-	53	15	13	6	4	4	1	10	5	108	83	2	1
09	Genesee	520	-	-	3	101	34	27	7	10	4	5	14	7	301	222	2	5
10	Batavia	183	-	-	2	35	16	12	3	2	-	-	2	1	108	77	-	3
11	Balance of county	337	-	-	1	66	18	15	4	8	4	5	12	6	193	145	2	2
12	Greene	527	-	-	3	107	28	30	13	14	1	5	16	18	299	243	4	1
13	Hamilton	73	-	-	-	10	2	2	1	2	1	-	2	2	41	33	1	-
14	Herkimer	748	-	-	5	142	53	33	9	18	4	6	19	18	431	330	4	6
15	Jefferson	1,000	1	-	5	208	50	47	24	27	14	4	42	24	560	422	8	3
16	Watertown	389	-	-	2	78	19	16	8	8	5	1	21	9	231	165	3	1
17	Balance of county	611	1	-	3	130	31	31	16	19	9	3	21	15	329	257	5	2
18	Lewis	245	-	-	2	46	14	11	7	4	2	3	5	5	147	114	2	-
19	Livingston	464	-	-	-	94	27	24	9	15	2	4	13	10	243	189	6	3
20	Madison	543	1	-	2	112	29	22	11	14	10	6	20	10	288	216	3	2
21	Oneida	132	1	-	-	27	6	5	2	7	4	-	3	1	75	52	1	-
22	Balance of county	411	-	-	2	85	23	17	9	7	6	6	17	9	213	164	2	2
23	Monroe	5,886	8	-	71	1,307	382	285	129	130	69	59	253	104	2,916	2,227	48	33
24	Rochester	2,966	4	-	39	602	192	128	47	71	29	30	105	58	1,458	1,120	22	18
25	Balance of county	2,920	4	-	32	705	190	157	82	59	40	29	148	46	1,458	1,107	26	15
26	Montgomery	582	-	-	1	122	33	26	13	15	7	7	21	11	323	245	3	9
27	Amsterdam	284	-	-	1	58	13	14	5	7	2	3	14	6	168	126	2	3
28	Balance of county	298	-	-	-	64	20	12	8	8	5	4	7	5	155	119	1	6
29	Nassau	11,364	7	-	66	2,717	826	618	302	263	120	104	484	184	6,150	5,039	114	43
30	East Rockaway	90	-	-	-	21	11	4	3	1	-	1	1	-	55	47	1	-
31	Floral Park	174	1	-	1	37	11	9	8	1	2	-	6	1	98	78	3	-
32	Freeport	328	-	-	2	66	23	14	7	6	-	1	15	8	173	136	6	1
33	Garden City	188	-	-	4	49	20	8	6	2	2	1	10	1	98	76	1	-
34	Glen Cove	241	-	-	2	47	15	11	3	6	2	3	7	4	152	118	3	-
35	Great Neck	114	-	-	1	24	6	5	1	3	-	2	7	1	69	57	1	-
36	Hempstead	387	-	-	1	95	31	23	10	9	1	2	19	4	185	151	3	2
37	Long Beach	596	-	-	-	101	37	16	14	6	5	4	19	3	389	332	5	1
38	Lynbrook	238	-	-	-	62	17	14	10	5	5	-	11	6	135	111	6	2
39	Malverne	92	-	-	1	16	4	5	2	-	-	2	3	1	59	49	2	-
40	Massapequa Park	130	-	-	1	30	8	10	1	6	1	-	4	4	73	59	1	-
41	Mineola	214	-	-	1	52	12	16	3	7	7	-	7	3	101	75	-	-
42	New Hyde Park	116	-	-	1	27	5	9	3	4	-	-	6	2	60	51	1	-
43	Rockville Centre	291	-	-	2	79	31	13	9	6	4	2	14	4	158	129	3	3
44	Valley Stream	401	-	-	1	94	20	24	10	11	5	5	19	3	233	199	3	2
45	Westbury	145	-	-	1	29	7	7	3	6	2	1	3	4	76	62	-	1
46	Balance of county	7,619	6	-	47	1,888	568	430	209	184	84	80	333	135	4,036	3,309	75	31
47	New York City	73,767	182	3	479	15,435	4,758	3,457	1,585	1,666	679	545	2,745	1,404	37,944	31,946	476	314
48	Bronx Borough, Bronx County	12,643	27	-	82	2,478	756	534	252	287	104	92	453	297	6,329	5,359	79	49
49	Brooklyn Borough, Kings County	22,362	43	3	168	4,517	1,399	984	492	479	170	155	838	468	11,739	10,101	160	90
50	Manhattan Borough, New York County	16,488	74	-	125	3,465	1,049	763	341	385	170	137	620	251	7,712	6,214	96	66
51	Queens Borough, Queens County	19,568	29	-	89	4,393	1,391	1,019	433	453	210	144	743	344	10,688	8,989	122	98
52	Richmond Borough, Richmond County	2,706	9	-	15	582	163	157	67	62	25	17	91	44	1,476	1,283	19	11
53	Niagara	2,221	2	-	6	506	136	128	56	62	29	14	81	48	1,205	912	12	6
54	Lockport	320	-	-	-	62	17	18	5	11	2	1	8	10	187	140	3	1
55	Niagara Falls	931	-	-	4	231	67	61	25	24	15	6	33	19	484	358	4	2
56	North Tonawanda	324	1	-	-	65	21	16	8	5	5	-	10	5	194	155	1	1
57	Balance of county	646	1	-	2	148	31	33	18	22	7	7	30	14	340	259	4	2
58	Oneida	2,609	1	-	14	550	175	123	58	61	21	24	88	43	1,431	1,101	16	8
59	Rome	391	-	-	2	85	29	17	11	12	4	2	10	15	203	141	1	3
60	Utica	1,115	-	-	3	223	71	60	27	23	2	10	30	15	655	519	12	4
61	Balance of county	1,103	1	-	9	242	75	46	20	26	15	12	48	13	573	441	3	1
62	Onondaga	3,950	4	-	30	912	225	232	120	99	53	35	148	73	1,980	1,503	37	36
63	Syracuse	2,082	4	-	18	465	115	119	57	51	28	16	79	40	1,057	784	18	13
64	Balance of county	1,868	-	-	12	447	110	113	63	48	25	19	69	33	923	719	19	23
65	Ontario	791	1	-	2	166	36	38	23	23	8	11	27	6	413	309	5	5
66	Canandaigua	131	1	-	-	15	6	-	3	1	1	1	3	1	71	51	1	1
67	Geneva	183	-	-	-	47	7	12	9	5	2	4	8	2	102	77	2	2
68	Balance of county	477	-	-	2	104	23	26	11	17	5	6	16	3	240	181	2	2
69	Orange	2,298	3	-	10	529	168	131	51	47	30	14	88	40	1,183	915	17	9
70	Middletown	283	-	-	3	64	20	11	9	7	6	3	8	2	140	109	5	1
71	Newburgh	362	2	-	2	79	18	15	7	13	7	5	14	6	174	132	1	1
72	Balance of county	1,653	1	-	5	386	130	105	35	27	17	6	66	32	869	674	11	7
73	Orleans	359	-	-	1	57	16	14	5	6	2	6	8	5	194	139	3	4
74	Oswego	970	2	-	3	197	52	53	15	19	10	7	41	21	523	357	6	8
75	Fulton	165	-	-	-	40	12	8	5	5	3	1	6	7	78	60	2	-
76	Oswego	207	-	-	2	31	12	9	3	-	1	2	4	5	131	75	3	2
77	Balance of county	598	2	-	1	126	28	36	7	14	6	4	31	9	314	222	1	6
78	Otsego	628	-	-	1	120	27	21	11	19	10	6	26	10	353	281	4	2
79	Oneonta	141	-	-	-	25	7	3	3	4	1	-	7	-	86	65	3	-
80	Balance of county	487	-	-	1	95	20	18	8	15	9	6	19	10	267	216	1	2
81	Putnam	498	-	-	3	118	31	27	9	15	6	7	23	4	245	205	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
75	3	–	21	2	3	5	3	–	4	1	–	–	–	–	17	7	3	2	1	1	01
1,556	68	9	442	55	73	121	50	18	61	15	–	35	27	5	330	93	82	31	9	27	02
162	11	4	34	4	4	15	5	–	5	1	–	3	–	1	39	4	11	5	1	–	03
168	8	1	52	3	10	19	7	1	8	1	–	2	5	1	28	12	10	6	–	–	04
213	12	2	64	9	11	19	11	–	12	–	–	6	4	2	44	14	15	2	–	2	05
104	1	1	32	6	7	6	8	–	8	–	–	4	–	–	13	6	10	–	–	2	06
35	5	–	12	2	1	5	1	–	3	–	–	–	1	1	13	1	1	–	–	–	07
74	6	1	20	1	3	8	2	–	1	–	–	2	3	1	18	7	4	2	–	–	08
208	7	1	49	16	13	13	7	1	2	4	–	5	5	2	35	15	12	7	–	–	09
71	3	–	15	10	6	6	2	1	1	1	–	–	2	–	12	5	5	2	–	–	10
137	4	1	34	6	7	7	5	–	1	3	–	5	3	2	23	10	7	5	–	–	11
225	13	4	37	7	8	12	7	3	5	2	–	1	5	1	36	10	12	5	1	–	12
31	1	1	5	–	2	2	2	–	5	–	–	1	–	–	3	3	3	1	–	–	13
295	25	4	57	32	8	13	4	2	11	4	–	5	6	4	49	20	25	8	1	–	14
397	14	1	116	7	14	26	12	3	10	8	–	4	9	2	64	21	25	13	4	1	15
156	5	1	55	–	10	11	3	–	7	2	–	2	2	–	25	4	7	5	–	1	16
241	9	–	61	7	4	15	9	3	3	6	–	2	7	2	39	17	18	8	4	–	17
108	4	3	24	2	4	8	–	1	2	–	–	1	4	1	11	11	5	1	–	–	18
166	14	2	41	4	7	16	11	1	9	–	–	3	6	2	37	15	14	2	1	–	19
195	16	4	55	5	8	15	5	2	9	1	–	–	11	–	54	18	8	7	–	–	20
50	1	1	17	3	2	6	1	1	3	–	–	–	2	–	9	1	3	2	–	–	21
145	15	3	38	2	6	9	4	1	6	1	–	–	9	–	45	17	5	5	–	–	22
1,890	256	20	493	94	82	241	41	28	79	43	1	29	72	38	548	103	125	82	34	16	23
943	137	9	241	46	42	132	18	14	43	25	–	17	39	26	308	31	77	37	30	8	24
947	119	11	252	48	40	109	23	14	36	18	1	12	33	12	240	72	48	45	4	8	25
221	12	4	48	15	11	16	9	2	13	2	–	5	5	–	45	9	10	9	–	–	26
113	8	2	27	7	6	9	3	2	4	–	–	1	–	–	20	1	6	5	–	–	27
108	4	2	21	8	5	7	6	–	9	2	–	4	5	–	25	8	4	4	–	–	28
4,709	173	30	815	115	151	337	77	42	191	56	2	54	93	43	800	169	193	121	37	25	29
44	2	–	4	3	1	4	–	1	1	–	–	–	–	–	3	–	3	2	–	–	30
71	4	2	12	5	1	6	3	–	5	–	–	1	–	1	15	1	4	–	–	–	31
122	7	–	26	6	5	8	3	–	9	1	–	3	6	1	28	4	8	4	3	1	32
74	1	2	16	2	2	6	3	1	5	–	–	–	1	1	14	1	2	2	–	–	33
114	1	1	23	4	6	8	–	2	–	2	–	–	4	1	12	2	1	3	1	–	34
53	3	–	9	1	2	2	1	1	1	1	–	1	1	–	6	1	2	2	–	–	35
140	6	1	23	3	7	11	2	3	9	2	–	1	9	4	43	8	4	3	3	–	36
322	4	4	43	3	7	16	2	4	10	4	–	–	6	2	28	7	14	5	3	2	37
100	3	1	15	6	2	3	2	2	2	–	–	–	1	1	19	2	3	–	–	–	38
44	3	–	7	1	2	5	–	–	–	–	–	1	1	–	5	–	–	2	1	–	39
56	2	–	12	1	1	4	3	–	2	2	–	–	–	–	2	2	2	5	–	–	40
74	1	1	16	3	6	13	2	1	4	–	–	–	3	1	19	5	5	3	–	1	41
49	1	–	9	–	–	5	–	1	2	–	–	1	2	–	4	3	6	2	–	–	42
121	2	–	20	4	5	11	1	1	5	1	–	1	2	–	21	2	1	1	–	1	43
187	7	–	23	4	7	13	3	–	3	4	–	3	–	1	24	10	7	2	–	–	44
61	–	–	11	1	2	6	–	–	3	–	–	–	2	–	17	2	3	2	–	–	45
3,077	126	18	546	68	95	216	52	25	130	39	2	42	55	30	540	119	128	83	26	20	46
29,909	1,247	168	4,283	847	700	3,145	559	281	2,019	444	17	406	855	676	5,144	721	1,271	679	1,528	575	47
4,979	252	12	749	83	126	596	115	55	328	65	5	86	193	107	956	130	221	104	372	97	48
9,462	389	80	1,161	207	190	922	141	99	523	147	8	127	346	230	1,470	220	379	162	493	157	49
5,782	270	37	932	367	162	774	142	63	716	122	3	76	135	171	1,341	150	317	237	431	183	50
8,499	270	39	1,298	172	190	755	139	60	404	93	1	102	156	154	1,191	191	314	150	206	109	51
1,187	66	–	143	18	32	98	22	4	48	17	–	15	25	14	186	30	40	26	26	29	52
862	32	13	219	24	37	52	30	5	35	3	–	12	19	7	153	52	42	31	7	6	53
127	9	3	41	–	3	9	5	1	2	–	–	3	1	–	25	7	2	6	–	–	54
342	10	5	93	12	16	24	9	2	20	2	–	6	7	4	68	9	18	13	7	4	55
150	3	2	29	3	5	6	5	2	4	–	–	1	5	1	18	4	8	4	–	1	56
243	10	3	56	9	13	13	11	–	9	1	–	2	6	2	42	32	14	8	–	1	57
1,021	56	10	255	32	33	60	55	9	40	1	–	15	23	11	211	53	48	37	6	1	58
135	2	3	47	5	7	10	5	1	6	–	–	2	3	2	32	13	8	3	1	–	59
477	26	3	104	12	17	26	19	3	15	1	–	8	11	3	85	13	15	15	5	–	60
409	28	4	104	15	9	24	31	5	19	–	–	5	9	6	94	27	25	19	–	1	61
1,200	230	11	340	70	56	118	32	15	67	16	1	27	42	14	359	80	96	57	16	11	62
630	123	6	197	37	33	68	19	10	37	5	1	13	18	10	203	29	47	20	11	7	63
570	107	5	143	33	23	50	13	5	30	11	–	14	24	4	156	51	49	37	5	4	64
264	35	–	73	16	15	33	13	2	6	6	–	4	10	3	75	27	16	8	–	–	65
43	6	–	13	3	4	7	–	1	3	1	–	2	1	1	16	3	6	2	–	–	66
67	6	–	16	3	6	6	2	–	1	–	–	–	1	–	16	2	4	–	–	–	67
154	23	–	44	10	5	20	11	1	2	5	–	2	8	2	43	22	6	6	–	–	68
850	39	17	182	34	35	58	34	10	38	8	–	18	28	8	181	70	46	24	8	2	69
92	11	–	22	4	5	8	3	1	5	3	–	2	2	2	36	5	5	2	–	–	70
123	7	7	24	6	5	11	10	1	9	2	–	2	4	2	36	7	7	2	5	1	71
635	21	10	136	24	25	39	21	8	24	3	–	14	22	4	109	58	34	20	3	1	72
127	5	1	36	4	14	12	9	1	7	2	–	3	3	1	30	17	8	9	–	–	73
317	26	5	111	29	21	13	19	5	9	7	–	4	11	6	82	30	25	11	1	1	74
57	1	1	9	5	3	1	1	1	1	1	–	1	2	2	20	3	6	–	1	–	75
68	2	–	36	12	8	5	6	1	1	1	–	–	–	4	12	3	3	2	–	–	76
192	23	4	66	12	10	7	12	3	7	5	–	3	9	–	50	24	16	9	–	1	77
254	21	2	48	11	11	21	17	2	4	–	–	1	4	1	54	10	19	9	2	–	78
57	5	1	13	5	2	2	5	–	1	–	–	1	2	–	10	2	4	3	–	–	79
197	16	1	35	6	9	19	12	2	3	–	–	–	2	1	44	8	15	6	2	–	80
191	11	2	31	4	3	17	6	1	10	2	–	4	4	1	36	24	13	6	2	2	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
01	Rensselaer	1,559	3	–	8	323	104	74	28	34	20	11	52	30	857	682	8	5
02	Rensselaer	139	–	–	1	26	6	9	2	3	–	1	5	2	74	60	3	–
03	Troy	738	2	–	1	148	59	25	13	16	9	4	22	12	433	342	4	3
04	Balance of county	682	1	–	6	149	39	40	13	15	11	6	25	16	350	280	1	2
05	Rockland	1,729	1	–	10	417	124	98	50	37	18	12	78	36	829	669	11	5
06	Spring Valley	170	–	–	1	41	13	6	3	4	3	2	10	7	77	66	–	2
07	Balance of county	1,559	1	–	9	376	111	92	47	33	15	10	68	29	752	603	11	3
08	St. Lawrence	1,033	2	–	5	179	57	42	22	14	11	9	24	26	578	444	8	9
09	Massena	124	1	–	1	20	7	3	4	3	1	–	2	3	74	50	1	–
10	Ogdensburg	174	–	–	1	33	10	7	5	2	3	1	5	4	101	80	2	–
11	Balance of county	735	1	–	3	126	40	32	13	9	7	8	17	19	403	314	5	9
12	Saratoga	1,091	2	1	4	250	58	71	22	30	13	10	46	16	540	429	11	8
13	Saratoga Springs	245	–	–	1	65	16	17	5	6	5	3	13	1	116	83	2	2
14	Balance of county	846	2	1	3	185	42	54	17	24	8	7	33	15	424	346	9	6
15	Schenectady	1,548	4	–	12	340	97	95	29	33	20	9	57	35	827	647	12	5
16	Schenectady	951	1	–	7	205	62	62	14	17	14	2	34	21	515	408	8	4
17	Balance of county	597	3	–	5	135	35	33	15	16	6	7	23	14	312	239	4	1
18	Schoharie	277	–	–	2	62	24	12	7	6	8	–	5	5	137	104	2	2
19	Schuyler	170	–	–	2	24	9	5	1	4	–	1	4	3	95	74	2	–
20	Seneca	325	–	–	1	61	23	10	4	9	2	2	11	14	164	128	6	3
21	Steuben	980	–	–	6	219	70	49	16	27	5	13	39	14	488	360	12	7
22	Corning	152	–	–	1	37	8	11	3	5	1	2	7	2	78	56	2	–
23	Hornell	178	–	–	1	31	11	7	2	4	1	2	4	3	85	65	2	–
24	Balance of county	650	–	–	4	151	51	31	11	18	3	9	28	9	325	239	8	7
25	Suffolk	9,126	11	1	51	2,252	647	588	197	242	100	76	402	179	4,634	3,640	74	39
26	Babylon	96	–	–	–	22	9	8	1	1	1	–	2	1	54	42	–	–
27	Lindenhurst	205	–	–	2	43	11	14	2	2	2	1	11	3	114	91	1	1
28	Patchogue	105	–	–	–	22	8	2	4	2	3	–	3	2	63	51	–	–
29	Balance of county	8,720	11	1	49	2,165	619	564	190	237	94	75	386	173	4,403	3,456	73	38
30	Sullivan	729	2	–	1	156	54	38	7	19	7	5	26	11	393	316	2	2
31	Tioga	388	–	–	4	87	28	23	5	11	4	1	15	10	197	166	3	–
32	Tompkins	549	–	–	3	135	40	29	20	12	5	7	22	9	260	198	8	2
33	Ithaca	205	–	–	3	50	19	7	5	2	1	5	11	3	103	78	5	2
34	Balance of county	344	–	–	–	85	21	22	15	10	4	2	11	6	157	120	3	–
35	Ulster	1,588	1	–	7	354	111	83	29	47	22	10	52	27	828	635	10	6
36	Kingston	405	1	–	1	89	25	29	8	11	3	3	10	9	228	167	1	2
37	Balance of county	1,183	–	–	6	265	86	54	21	36	19	7	42	18	600	468	9	4
38	Warren	558	–	–	1	132	40	34	16	9	9	4	20	4	280	216	1	–
39	Glens Falls	217	–	–	–	44	14	9	6	1	3	2	9	3	110	80	–	–
40	Balance of county	341	–	–	1	88	26	25	10	8	6	2	11	1	170	136	1	–
41	Washington	552	2	–	1	110	28	26	6	14	5	7	24	8	306	244	2	1
42	Wayne	710	–	–	6	134	39	32	13	14	12	4	20	9	371	291	3	3
43	Newark	107	–	–	1	23	9	4	1	4	2	1	2	4	57	43	–	–
44	Balance of county	603	–	–	5	111	30	28	12	10	10	3	18	5	314	248	3	3
45	Westchester	8,113	8	1	40	2,045	619	479	231	221	103	59	333	138	4,231	3,308	69	31
46	Dobbs Ferry	76	–	–	–	26	5	8	2	5	1	–	5	1	38	31	–	–
47	Mamaroneck	173	–	–	–	53	12	12	6	6	3	5	9	6	85	62	3	1
48	Mount Vernon	682	2	–	5	155	57	32	9	23	6	5	23	21	361	292	6	8
49	New Rochelle	753	1	–	3	190	63	43	24	14	9	8	29	9	412	307	9	2
50	Ossining	207	–	–	–	51	9	19	3	4	5	2	9	4	106	83	1	1
51	Peekskill	216	–	–	3	58	16	12	7	4	5	1	13	4	112	84	3	–
52	Port Chester	257	1	–	–	62	17	17	8	5	3	2	10	5	136	115	4	3
53	Rye	144	–	–	–	30	13	8	2	2	–	–	5	2	87	65	–	2
54	Scarsdale	170	–	–	–	48	16	7	10	4	2	–	9	3	85	70	3	1
55	Tarrytown	105	–	–	–	30	11	9	3	4	1	–	2	1	56	38	1	–
56	White Plains	531	–	–	4	123	40	30	10	10	3	8	22	6	278	212	2	3
57	Yonkers	2,015	–	–	15	476	142	112	50	57	28	9	78	32	1,073	884	12	4
58	Balance of county	2,784	4	1	10	743	218	170	97	83	37	19	119	44	1,402	1,065	25	6
59	Wyoming	358	–	–	4	68	16	18	10	4	5	–	15	6	185	123	2	–
60	Yates	236	–	–	–	39	13	9	2	5	1	2	7	9	135	108	2	2
61	**North Carolina**	47,322	93	2	473	8,910	2,108	2,238	749	1,099	319	330	2,067	805	23,485	17,445	270	287
62	Urban places	15,852	34	1	164	3,099	742	762	285	383	104	117	706	280	7,708	5,649	112	99
63	Balance of area	31,470	59	1	309	5,811	1,366	1,476	464	716	215	213	1,361	525	15,777	11,796	158	188
64	Metropolitan counties	16,015	25	1	162	3,135	749	773	302	358	92	115	746	274	7,695	5,670	113	97
65	Urban places	9,869	20	–	105	1,939	459	467	184	246	63	73	447	165	4,729	3,489	71	68
66	Balance of area	6,146	5	1	57	1,196	290	306	118	112	29	42	299	109	2,966	2,181	42	29
67	Nonmetropolitan counties	31,307	68	1	311	5,775	1,359	1,465	447	741	227	215	1,321	531	15,790	11,775	157	190
68	Urban places	5,983	14	1	59	1,160	283	295	101	137	41	44	259	115	2,979	2,160	41	31
69	Balance of area	25,324	54	–	252	4,615	1,076	1,170	346	604	186	171	1,062	416	12,811	9,615	116	159
70	Alamance	864	–	1	10	185	41	37	19	22	7	9	50	12	442	333	3	7
71	Burlington	381	–	1	3	89	18	20	12	14	2	5	18	3	197	149	1	3
72	Balance of county	483	–	–	7	96	23	17	7	8	5	4	32	9	245	184	2	4
73	Alexander	189	–	–	3	32	8	6	2	5	2	2	7	4	91	73	1	–
74	Alleghany	89	–	–	–	15	5	4	1	1	–	–	4	–	46	25	–	–
75	Anson	260	–	–	3	38	8	8	2	7	2	–	11	4	132	95	1	5
76	Ashe	201	1	–	–	34	12	7	2	4	2	2	5	5	104	81	–	–
77	Avery	134	–	–	–	16	4	5	3	3	–	–	1	1	73	56	3	–
78	Beaufort	456	1	–	7	75	17	25	4	8	4	2	15	10	245	186	–	2
79	Bertie	248	–	–	3	43	13	9	3	4	2	3	9	3	128	91	1	1
80	Bladen	264	1	–	3	54	10	12	6	6	1	4	15	3	136	108	2	–
81	Brunswick	259	–	–	1	47	9	16	3	5	1	–	13	2	114	87	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
623	46	4	128	19	24	35	23	6	34	6	–	6	18	6	128	27	33	15	1	–	01
53	4	–	9	1	4	5	3	–	6	1	–	1	2	–	10	2	5	1	–	–	02
308	27	2	67	11	11	18	9	2	18	1	–	1	8	3	59	6	12	4	1	–	03
262	15	2	52	7	9	12	11	4	10	4	–	4	8	3	59	19	16	10	–	–	04
627	26	5	120	17	18	82	10	11	34	6	–	15	26	2	152	33	39	16	4	6	05
60	4	–	9	–	2	7	2	1	3	2	–	2	2	1	11	5	6	1	1	–	06
567	22	5	111	17	16	75	8	10	31	4	–	13	24	1	141	28	33	15	3	6	07
397	30	6	96	13	19	24	8	6	13	10	–	8	8	3	99	28	22	11	2	1	08
48	1	1	21	–	2	1	3	1	2	1	–	–	–	2	5	5	3	2	–	–	09
74	4	2	15	1	3	3	–	1	2	2	–	2	–	–	20	3	2	–	–	–	10
275	25	3	60	12	14	20	5	4	9	7	–	6	8	1	74	20	17	9	2	1	11
392	18	3	75	14	19	34	10	5	22	3	–	8	7	3	104	34	28	17	–	3	12
74	5	2	21	6	4	13	1	3	6	2	–	1	4	1	19	4	6	2	–	–	13
318	13	1	54	8	15	21	9	2	16	1	–	7	3	2	85	30	22	15	–	3	14
605	25	9	123	22	26	55	20	5	21	9	–	3	9	5	121	15	38	27	1	1	15
377	19	6	78	12	11	37	12	2	14	4	–	2	7	5	74	6	25	13	–	1	16
228	6	3	45	10	15	18	8	3	7	5	–	1	2	–	47	9	13	14	1	–	17
91	9	–	23	5	5	18	2	1	4	2	–	3	–	2	20	9	7	3	–	–	18
70	2	–	15	–	6	7	4	–	3	2	–	–	2	–	20	2	5	–	–	1	19
107	12	2	30	1	3	10	4	–	7	2	–	1	3	2	38	5	9	2	2	–	20
310	31	6	98	12	12	43	12	2	11	2	–	8	8	2	95	25	31	13	1	–	21
48	6	1	16	2	3	7	2	–	2	1	–	1	–	–	19	2	–	–	–	–	22
56	7	1	16	–	3	12	1	–	5	1	–	2	2	–	22	1	8	4	–	–	23
206	18	4	66	10	6	24	9	2	4	–	–	5	6	2	54	22	23	9	1	–	24
3,377	150	29	747	90	128	190	87	34	174	47	–	70	99	71	656	221	194	84	47	24	25
42	–	–	10	–	2	1	3	–	3	1	–	1	1	–	6	1	1	–	1	–	26
87	2	1	14	4	4	4	–	3	4	1	–	4	1	4	7	7	6	–	2	–	27
51	–	–	10	1	1	1	–	2	1	–	–	–	2	–	7	2	2	–	–	1	28
3,197	148	28	713	85	121	184	84	29	166	45	–	65	95	67	636	211	185	84	44	23	29
297	15	4	50	11	12	14	8	3	15	4	–	–	10	2	55	17	22	9	5	2	30
157	6	4	21	2	4	18	11	–	6	1	–	3	3	3	26	9	3	7	–	–	31
179	9	–	31	21	10	11	12	4	12	1	–	4	4	1	47	17	21	6	1	1	32
69	2	–	12	10	3	6	4	1	3	1	–	–	2	–	15	3	8	2	–	1	33
110	7	–	19	11	7	5	8	3	9	–	–	4	2	1	32	14	13	4	1	–	34
590	29	2	154	11	26	40	34	5	20	5	–	11	9	7	125	53	39	13	8	2	35
158	6	1	48	4	8	9	8	–	7	1	–	1	2	1	25	6	14	2	1	–	36
432	23	1	106	7	18	31	26	5	13	4	–	10	7	6	100	47	25	11	7	2	37
206	9	2	44	4	14	20	8	–	5	–	–	4	10	4	52	14	15	7	2	–	38
79	1	1	23	1	5	9	3	–	2	–	–	2	6	2	22	3	6	3	2	–	39
127	8	1	21	3	9	11	5	–	3	–	–	2	4	2	30	11	9	4	–	–	40
232	9	1	44	9	8	13	6	4	5	1	–	1	6	2	48	22	12	3	–	2	41
263	22	2	56	8	14	38	8	5	7	3	–	3	8	3	69	20	13	10	3	–	42
42	1	–	12	–	2	6	–	1	1	–	–	–	–	–	7	3	2	2	–	–	43
221	21	2	44	8	12	32	8	4	6	3	–	3	8	3	62	17	11	8	3	–	44
3,102	106	22	668	103	130	212	80	28	150	34	–	41	57	22	616	108	148	90	46	18	45
29	2	–	5	1	1	–	1	–	–	1	–	–	–	–	5	1	2	1	–	–	46
58	–	–	19	3	1	1	1	–	3	1	–	–	–	–	10	3	3	2	3	2	47
268	10	3	47	11	8	18	8	4	10	5	–	6	7	2	40	12	12	7	6	1	48
288	8	4	71	11	19	18	4	1	12	–	–	5	6	1	67	5	11	5	3	–	49
78	3	–	19	3	1	5	1	1	5	–	–	2	3	1	18	3	4	2	1	–	50
77	4	3	20	1	4	2	3	2	5	–	–	3	–	4	9	3	3	3	2	–	51
101	7	–	13	5	3	9	1	–	5	–	–	3	–	1	22	3	5	2	2	–	52
61	2	–	18	3	1	4	2	1	2	2	–	–	1	1	9	–	3	–	–	–	53
66	–	–	11	2	2	8	1	–	–	1	–	3	–	–	15	–	3	2	1	–	54
37	–	–	16	2	–	1	4	–	2	–	–	–	–	–	8	1	1	1	–	–	55
200	7	–	45	11	10	12	10	2	11	3	–	1	3	1	49	3	12	8	2	3	56
837	31	5	136	19	29	59	20	6	47	8	–	9	14	5	149	23	38	20	15	6	57
1,002	32	7	248	31	51	75	24	11	48	13	–	9	23	6	215	51	51	37	11	6	58
109	12	1	33	19	9	10	19	2	8	1	–	2	7	1	24	12	2	5	2	–	59
96	3	–	22	5	5	9	3	1	3	–	1	1	1	1	14	5	10	3	–	1	60
15,385	1,503	143	4,698	615	584	1,431	461	112	664	286	6	352	666	483	4,549	1,498	1,648	654	663	81	61
4,942	496	50	1,570	226	213	488	182	39	280	100	1	119	232	164	1,621	322	527	207	254	30	62
10,443	1,007	93	3,128	389	371	943	279	73	384	186	5	233	434	319	2,928	1,176	1,121	447	409	51	63
4,930	530	34	1,545	215	231	471	164	45	275	99	3	133	243	157	1,607	419	568	267	239	33	64
3,013	337	25	944	135	136	294	105	26	191	68	1	82	158	99	1,026	193	339	140	168	21	65
1,917	193	9	601	80	95	177	59	19	84	31	2	51	85	58	581	226	229	127	71	12	66
10,455	973	109	3,153	400	353	960	297	67	389	187	3	219	423	326	2,942	1,079	1,080	387	424	48	67
1,929	159	25	626	91	77	194	77	13	89	32	–	37	74	65	595	129	188	67	86	9	68
8,526	814	84	2,527	309	276	766	220	54	300	155	3	182	349	261	2,347	950	892	320	338	39	69
301	22	4	76	21	8	25	6	1	9	1	–	5	10	4	83	29	22	13	5	1	70
136	9	2	36	6	4	11	3	1	1	–	–	2	3	2	43	13	7	1	–	1	71
165	13	2	40	15	4	14	3	–	8	1	–	3	7	2	40	16	15	12	5	–	72
65	7	1	15	1	1	7	1	–	3	2	–	2	4	–	26	9	2	2	1	–	73
20	5	–	18	–	3	3	–	–	1	2	–	–	1	–	12	5	2	1	1	–	74
84	5	3	30	2	2	11	2	1	1	2	–	2	5	8	26	6	12	3	4	–	75
78	3	–	17	6	–	10	2	–	3	–	–	3	1	2	16	7	8	5	–	–	76
51	2	–	14	2	1	6	6	1	2	–	–	–	1	2	12	6	4	1	2	1	77
158	26	4	48	2	5	19	3	–	3	1	1	4	5	4	47	14	9	4	1	3	78
76	13	–	36	–	1	10	2	1	1	2	–	2	5	4	25	5	7	2	4	1	79
97	9	–	25	2	1	8	–	–	3	–	–	2	3	6	24	8	9	–	4	–	80
79	6	1	22	1	3	9	4	2	7	2	–	1	1	1	25	22	16	5	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Buncombe	1,505	4	–	10	306	88	72	34	35	11	7	59	27	728	511	8	15
02	Asheville	747	4	–	5	146	48	35	15	17	7	3	21	11	360	243	6	8
03	Balance of county	758	–	–	5	160	40	37	19	18	4	4	38	16	368	268	2	7
04	Burke	505	–	–	2	96	14	27	10	19	5	4	17	12	257	185	3	3
05	Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
06	Morganton	128	–	–	–	27	5	12	4	2	–	1	3	3	67	44	1	1
07	Balance of county	377	–	–	2	69	9	15	6	17	5	3	14	9	190	141	2	2
08	Cabarrus	766	–	–	4	131	37	33	8	14	12	6	21	13	407	290	3	1
09	Concord	214	–	–	–	34	7	8	3	3	3	2	8	3	120	81	–	–
10	Balance of county	552	–	–	4	97	30	25	5	11	9	4	13	10	287	209	3	1
11	Caldwell	490	2	–	5	81	23	20	2	9	7	2	18	19	227	178	3	1
12	Lenoir	192	1	–	3	35	11	10	1	5	4	–	4	11	81	69	2	–
13	Balance of county	298	1	–	2	46	12	10	1	4	3	2	14	8	146	109	1	1
14	Camden	55	–	–	–	15	1	5	3	2	–	1	3	1	28	21	–	–
15	Carteret	348	–	–	2	67	17	25	6	7	1	2	9	5	174	149	1	1
16	Caswell	177	–	–	1	33	10	7	5	6	–	–	5	1	77	49	1	–
17	Catawba	759	2	–	2	162	37	45	14	20	10	9	27	11	367	264	7	7
18	Hickory, part	247	1	–	1	55	13	15	5	6	3	3	10	5	109	75	2	2
19	Hickory, total	247	1	–	1	55	13	15	5	6	3	3	10	5	109	75	2	2
20	Balance of county	512	1	–	1	107	24	30	9	14	7	6	17	6	258	189	5	5
21	Chatham	313	–	–	3	54	9	12	2	9	3	3	16	6	165	121	2	4
22	Cherokee	177	–	–	1	28	9	9	3	1	1	–	5	1	95	72	–	–
23	Chowan	140	1	–	–	34	11	10	2	1	3	–	7	5	63	46	–	2
24	Clay	57	–	–	–	11	6	1	–	1	1	–	2	1	24	20	–	–
25	Cleveland	737	–	–	7	151	41	34	13	19	6	4	34	10	393	309	3	4
26	Shelby	215	–	–	1	44	16	10	4	4	–	1	9	5	108	87	1	2
27	Balance of county	522	–	–	6	107	25	24	9	15	6	3	25	5	285	222	2	2
28	Columbus	482	–	–	3	95	21	28	11	10	4	4	17	3	242	186	1	2
29	Craven	492	–	–	10	102	20	27	5	16	6	4	24	9	209	151	2	2
30	New Bern	186	–	–	3	38	7	9	2	10	2	2	6	5	83	60	1	1
31	Balance of county	306	–	–	7	64	13	18	3	6	4	2	18	4	126	91	1	1
32	Cumberland	1,181	3	–	11	211	49	52	18	28	4	10	50	6	504	372	14	5
33	Fayetteville	598	1	–	7	111	24	22	9	17	2	6	31	5	253	181	6	3
34	Balance of county	583	2	–	4	100	25	30	9	11	2	4	19	1	251	191	8	2
35	Currituck	100	1	–	1	16	3	6	–	2	–	1	4	3	49	40	–	–
36	Dare	103	1	–	2	22	3	5	4	4	–	1	5	1	45	32	–	–
37	Davidson	778	2	–	7	124	24	28	12	12	4	8	36	11	406	320	7	3
38	High Point, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Lexington	179	–	–	3	23	3	4	4	2	–	3	7	3	95	78	3	1
40	Thomasville	138	–	–	1	25	7	4	1	2	1	2	8	1	69	52	1	–
41	Balance of county	460	2	–	3	76	14	20	7	8	3	3	21	7	242	190	3	2
42	Davie	185	–	–	4	36	6	15	1	8	–	–	6	1	95	74	1	1
43	Duplin	385	3	–	4	66	16	18	3	9	2	2	16	10	189	150	1	1
44	Durham	1,241	–	–	18	233	38	66	22	29	6	10	62	16	608	451	8	9
45	Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Durham	982	–	–	14	180	27	50	18	25	3	6	51	13	477	358	6	8
47	Balance of county	259	–	–	4	53	11	16	4	4	3	4	11	3	131	93	2	1
48	Edgecombe	509	1	–	7	100	21	29	5	18	2	2	23	5	241	170	1	6
49	Rocky Mount, part	201	–	–	3	44	12	12	4	8	1	1	6	1	100	73	–	2
50	Balance of county	308	1	–	4	56	9	17	1	10	1	1	17	4	141	97	1	4
51	Forsyth	1,934	3	–	26	361	103	83	36	26	8	12	93	57	931	696	11	14
52	Winston-Salem	1,375	3	–	21	247	72	56	25	21	5	8	60	40	653	486	8	13
53	Balance of county	559	–	–	5	114	31	27	11	5	3	4	33	17	278	210	3	1
54	Franklin	312	–	–	3	51	9	15	4	12	2	–	9	8	156	119	3	–
55	Gaston	1,261	2	–	9	237	61	61	15	30	6	8	56	22	654	497	5	5
56	Gastonia	491	1	–	4	101	25	29	7	9	4	6	21	9	237	173	3	1
57	Balance of county	770	1	–	5	136	36	32	8	21	2	2	35	13	417	324	2	4
58	Gates	106	–	–	2	16	4	3	1	3	1	1	3	3	52	37	–	–
59	Graham	72	1	–	1	14	1	5	1	1	1	1	4	2	36	33	2	–
60	Granville	286	1	–	1	53	11	14	3	5	2	4	14	3	137	108	2	2
61	Greene	122	–	–	2	25	7	10	2	1	2	1	2	3	61	46	1	1
62	Guilford	2,463	–	1	28	500	115	114	41	66	18	21	125	46	1,204	886	16	11
63	Greensboro	1,279	–	–	18	244	63	44	17	46	12	12	50	19	641	486	10	7
64	High Point, part	622	–	–	4	127	19	43	6	11	6	4	38	14	304	222	2	1
65	High Point, total	625	–	–	4	128	19	43	7	11	6	4	38	14	305	223	2	1
66	Balance of county	562	–	1	6	129	33	27	18	9	–	5	37	13	259	178	4	3
67	Halifax	585	–	–	4	96	25	21	8	10	4	3	25	9	289	210	2	8
68	Roanoke Rapids	161	–	–	–	22	5	10	1	1	–	–	5	2	89	67	1	2
69	Balance of county	424	–	–	4	74	20	11	7	9	4	3	20	7	200	143	1	6
70	Harnett	549	3	–	6	98	30	18	10	14	4	3	19	16	264	180	1	4
71	Haywood	408	–	–	1	68	16	17	6	5	2	4	18	5	218	162	5	–
72	Henderson	562	–	–	3	129	33	32	7	16	3	9	29	8	288	212	4	2
73	Hertford	217	2	–	4	36	10	7	1	3	3	1	11	2	115	89	2	5
74	Hoke	165	–	–	5	21	6	6	1	2	2	–	4	1	87	62	1	1
75	Hyde	66	–	–	2	9	1	3	1	–	2	–	2	–	33	19	–	–
76	Iredell	697	1	–	9	130	41	30	13	10	6	6	24	15	356	264	4	3
77	Statesville	261	1	–	3	53	18	12	7	5	1	2	8	5	120	78	2	–
78	Balance of county	436	–	–	6	77	23	18	6	5	5	4	16	10	236	186	2	3
79	Jackson	178	–	–	2	27	8	8	1	6	1	1	2	8	85	66	–	1
80	Johnston	726	3	–	8	128	32	37	14	11	4	6	24	8	377	297	2	3
81	Jones	94	1	–	–	22	4	5	3	4	–	3	3	–	48	38	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
436	52	3	154	33	27	66	14	6	15	2	–	9	11	24	154	25	49	38	15	2	01
200	29	3	77	22	15	36	11	4	7	–	–	2	6	12	80	9	29	17	8	–	02
236	23	–	77	11	12	30	3	2	8	2	–	7	5	12	74	16	20	21	7	2	03
165	14	1	53	10	8	22	3	3	3	2	–	3	3	4	52	14	13	8	6	2	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
40	2	–	16	2	5	4	2	2	3	1	–	–	1	1	12	1	1	1	1	1	06
125	12	1	37	8	3	18	1	1	–	1	–	3	2	3	40	13	12	7	5	1	07
258	28	1	94	9	13	24	11	–	7	2	–	8	10	9	71	27	21	10	11	–	08
73	8	–	29	3	7	7	5	–	4	–	–	3	1	4	17	5	5	3	3	–	09
185	20	1	65	6	6	17	6	–	3	2	–	5	9	5	54	22	16	7	8	–	10
166	8	4	39	2	4	21	7	2	4	2	–	3	7	5	55	18	16	9	6	1	11
65	2	1	8	–	3	10	3	–	2	1	–	–	2	3	21	4	9	2	3	1	12
101	6	3	31	2	1	11	4	2	2	1	–	3	5	2	34	14	7	7	3	–	13
19	2	–	6	–	1	–	–	–	–	–	–	–	4	–	2	2	2	–	1	–	14
141	6	–	19	1	5	10	2	–	4	4	–	3	7	2	28	7	22	6	5	–	15
43	5	–	24	3	1	6	–	–	1	3	–	–	4	3	21	11	12	2	2	–	16
236	14	1	78	11	13	18	8	5	13	3	–	8	10	5	60	34	22	16	13	–	17
70	1	1	29	2	2	6	5	2	3	1	–	2	4	2	24	8	8	6	5	–	18
70	1	1	29	2	2	6	5	2	3	1	–	2	4	2	24	8	8	6	5	–	19
166	13	–	49	9	11	12	3	3	10	2	–	6	6	3	36	26	14	10	8	–	20
100	15	3	36	2	3	7	–	–	2	4	–	1	4	–	31	13	11	5	6	1	21
66	6	–	17	3	3	6	–	1	2	4	–	–	–	–	18	6	10	2	3	–	22
37	7	1	15	1	–	1	1	–	4	–	–	1	–	2	14	7	6	1	–	–	23
20	–	–	3	1	–	3	2	1	1	–	–	–	–	1	6	2	3	1	1	–	24
291	11	1	68	7	8	19	11	4	6	–	–	5	16	4	54	13	28	8	8	–	25
78	6	–	15	5	1	4	6	–	4	–	–	2	3	1	15	1	14	4	3	–	26
213	5	1	53	2	7	15	5	4	2	–	–	3	13	3	39	12	14	4	5	–	27
132	51	–	51	4	1	15	3	–	4	1	–	2	6	11	42	24	15	5	9	2	28
136	11	2	41	10	5	19	6	–	5	4	–	6	6	6	54	22	26	3	4	1	29
55	3	–	18	4	1	8	1	–	3	1	–	1	–	1	28	4	6	2	2	–	30
81	8	2	23	6	4	11	5	–	2	3	–	5	6	5	26	18	20	1	2	1	31
329	24	6	96	15	15	27	14	6	31	2	–	20	46	8	120	53	60	21	34	4	32
165	7	3	51	8	10	20	7	4	19	2	–	10	23	6	60	16	28	7	17	2	33
164	17	3	45	7	5	7	7	2	12	–	–	10	23	2	60	37	32	14	17	2	34
40	–	1	7	–	1	3	1	–	4	–	–	–	1	2	6	9	3	–	1	–	35
29	3	1	10	–	2	3	2	1	1	–	–	2	2	2	8	4	7	–	–	–	36
263	47	1	68	11	6	23	7	3	1	5	–	2	11	6	88	28	25	15	13	1	37
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38
64	10	–	15	2	–	3	–	1	1	2	–	1	4	3	22	5	10	2	1	–	39
41	10	–	14	2	1	5	1	1	–	1	–	–	1	1	21	2	4	4	1	–	40
158	27	1	39	7	5	14	6	1	–	2	–	1	6	2	45	21	11	9	11	1	41
69	3	–	18	1	2	2	1	2	1	1	–	2	1	1	18	7	8	1	4	–	42
139	9	–	33	3	3	9	2	–	3	5	1	6	4	4	40	12	19	2	6	–	43
388	46	3	120	13	21	33	14	3	18	15	–	4	9	19	145	24	41	21	17	3	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
306	38	2	93	11	13	23	12	3	14	14	–	4	7	18	117	19	31	18	15	3	46
82	8	1	27	2	8	10	2	–	4	1	–	–	2	1	28	5	10	3	2	–	47
148	15	–	62	4	5	17	1	2	10	9	–	5	5	6	62	14	13	6	4	1	48
65	6	–	23	1	3	2	–	1	3	3	–	1	2	4	27	3	5	1	1	–	49
83	9	–	39	3	2	15	1	1	7	6	–	4	3	2	35	11	8	5	3	1	50
614	57	4	190	12	29	55	19	4	33	12	1	11	31	18	212	40	62	31	21	6	51
423	42	4	135	10	18	39	14	3	29	9	1	8	23	15	169	18	44	16	19	4	52
191	15	–	55	2	11	16	5	1	4	3	–	3	8	3	43	22	18	15	2	2	53
105	11	1	31	2	3	8	–	–	2	2	–	2	2	1	37	17	10	5	8	–	54
451	36	–	123	19	15	41	13	2	15	10	–	11	20	11	118	25	33	16	22	–	55
157	12	–	53	7	4	16	4	1	10	4	–	4	9	3	59	4	11	5	9	–	56
294	24	–	70	12	11	25	9	1	5	6	–	7	11	8	59	21	22	11	13	–	57
33	4	–	13	1	1	6	–	2	2	–	–	–	–	2	8	3	4	1	4	1	58
28	3	1	1	1	–	2	1	1	2	–	–	–	3	–	1	2	3	2	1	–	59
91	13	1	25	1	2	9	1	–	3	5	–	–	1	1	34	11	11	6	9	–	60
39	5	–	13	–	2	4	–	–	–	1	–	1	1	2	14	5	1	1	1	–	61
783	76	6	242	36	34	65	26	8	44	14	1	21	27	22	245	62	74	33	34	8	62
432	37	5	108	23	19	25	10	4	32	4	–	14	15	14	130	32	40	16	17	4	63
197	22	–	68	7	7	27	5	1	8	6	–	4	7	4	61	10	18	5	15	2	64
198	22	–	68	7	7	28	5	1	8	6	–	4	7	4	61	10	18	5	15	2	65
154	17	1	66	6	8	13	11	3	4	4	1	3	5	4	54	20	16	12	2	2	66
184	16	3	68	4	4	21	6	–	14	2	–	3	18	9	57	21	24	4	6	2	67
57	7	1	20	–	1	7	2	–	5	–	–	1	4	1	15	6	4	1	1	1	68
127	9	2	48	4	3	14	4	–	9	2	–	2	14	8	42	15	20	3	5	1	69
159	16	2	70	6	6	10	5	–	9	3	–	2	13	4	55	14	27	7	13	–	70
143	14	–	46	4	6	16	5	–	7	4	–	2	–	3	43	11	16	5	4	–	71
195	11	3	50	5	18	17	7	2	7	–	–	3	5	1	45	7	17	12	11	–	72
75	7	2	22	–	2	6	2	–	5	–	–	–	2	4	24	6	5	1	3	–	73
57	3	–	19	3	3	3	3	–	3	1	1	2	4	1	19	7	2	2	3	–	74
15	4	–	14	–	–	1	–	2	3	–	–	2	–	2	6	–	5	–	1	–	75
242	15	4	68	12	8	18	6	3	6	3	–	7	12	2	59	20	26	14	9	1	76
75	1	2	34	3	3	8	3	–	4	1	–	5	4	–	25	7	14	4	3	1	77
167	14	2	34	9	5	10	3	3	2	2	–	2	8	2	34	13	12	10	6	–	78
57	8	1	13	4	1	8	2	–	1	3	–	2	1	2	19	5	5	5	2	1	79
267	25	2	63	9	6	22	3	2	9	2	–	4	3	5	80	27	21	11	10	3	80
30	4	1	9	–	–	2	4	–	1	–	–	–	1	1	11	2	1	–	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Lee	322	–	–	1	45	9	10	5	8	2	1	10	3	174	130	2	2
02	Sanford	149	–	–	–	27	5	4	4	7	1	–	6	1	81	60	–	2
03	Balance of county	173	–	–	1	18	4	6	1	1	1	1	4	2	93	70	2	–
04	Lenoir	517	4	–	8	99	22	22	9	20	1	4	21	5	259	175	3	3
05	Kinston	267	1	–	3	49	13	10	4	7	–	2	13	3	146	94	2	1
06	Balance of county	250	3	–	5	50	9	12	5	13	1	2	8	2	113	81	1	4
07	Lincoln	317	–	–	3	41	11	8	3	5	1	3	10	12	155	103	–	3
08	McDowell	278	–	–	4	48	7	15	4	5	2	1	14	5	145	106	2	1
09	Macon	181	1	–	–	38	7	12	3	5	1	–	10	3	91	78	–	3
10	Madison	192	1	–	2	32	7	4	5	2	3	–	11	3	102	82	1	2
11	Martin	296	2	–	4	40	7	17	2	4	–	1	9	4	162	112	1	–
12	Mecklenburg	2,844	6	–	25	601	156	160	59	73	17	19	117	52	1,317	989	18	21
13	Charlotte	2,311	4	–	21	478	124	122	49	62	15	16	90	38	1,069	802	15	20
14	Balance of county	533	2	–	4	123	32	38	10	11	2	3	27	14	248	187	3	1
15	Mitchell	133	–	–	1	28	10	2	3	6	–	3	4	3	58	47	3	1
16	Montgomery	226	–	–	2	47	8	8	4	10	2	1	14	3	105	78	–	1
17	Moore	509	1	–	4	96	21	28	4	14	3	2	24	4	281	188	2	5
18	Nash	645	1	–	10	121	25	28	8	15	1	3	41	8	301	225	4	4
19	Rocky Mount, part	221	1	–	6	44	10	9	3	6	–	1	15	5	108	74	1	2
20	Rocky Mount, total	422	1	–	9	88	22	21	7	14	1	2	21	6	208	147	1	5
21	Balance of county	424	–	–	4	77	15	19	5	9	1	2	26	3	193	151	3	1
22	New Hanover	844	3	–	3	167	36	47	19	18	4	7	36	10	439	334	10	5
23	Wilmington	514	3	–	2	101	23	28	9	12	2	4	23	8	270	206	7	4
24	Balance of county	330	–	–	1	66	13	19	10	6	2	3	13	2	169	128	3	1
25	Northampton	247	–	–	3	51	15	13	5	7	1	1	9	2	122	91	1	5
26	Onslow	452	2	–	7	99	17	28	9	11	3	4	27	4	171	129	–	2
27	Jacksonville	110	–	–	3	21	3	5	1	2	2	1	7	1	50	35	–	–
28	Balance of county	342	2	–	4	78	14	23	8	9	1	3	20	3	121	94	–	2
29	Orange	426	–	–	3	70	19	12	7	5	3	1	23	8	208	160	3	4
30	Chapel Hill, part	117	–	–	1	21	4	4	3	1	2	–	7	2	55	43	–	2
31	Chapel Hill, total	117	–	–	1	21	4	4	3	1	2	–	7	2	55	43	–	2
32	Balance of county	309	–	–	2	49	15	8	4	4	1	1	16	6	153	117	3	2
33	Pamlico	115	–	–	1	26	11	9	1	4	1	–	–	3	53	36	–	–
34	Pasquotank	243	1	–	2	60	11	16	6	7	3	3	14	6	104	84	2	1
35	Elizabeth City	161	1	–	1	40	6	13	2	5	2	1	11	3	75	63	2	–
36	Balance of county	82	–	–	1	20	5	3	4	2	1	2	3	3	29	21	–	1
37	Pender	196	–	–	3	40	6	11	1	6	2	1	13	3	95	73	1	2
38	Perquimans	92	–	–	1	20	5	2	3	3	2	–	5	2	45	39	–	–
39	Person	271	–	–	3	39	7	7	5	7	1	–	12	3	150	118	–	3
40	Pitt	629	4	–	12	121	27	24	8	19	6	6	31	14	320	251	5	7
41	Greenville	210	1	–	5	35	9	6	1	5	–	3	11	5	110	90	2	1
42	Balance of county	419	3	–	7	86	18	18	7	14	6	3	20	9	210	161	3	6
43	Polk	167	–	–	1	26	7	3	2	4	1	1	8	2	92	67	–	1
44	Randolph	695	1	–	4	127	29	28	8	8	6	8	40	8	367	269	4	3
45	Asheboro	173	1	–	–	40	8	9	2	3	1	2	15	2	86	55	1	–
46	High Point, part	2	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–
47	Balance of county	520	–	–	4	86	21	19	5	5	5	6	25	6	280	213	3	3
48	Richmond	468	–	–	2	88	20	25	10	9	2	2	20	10	261	202	–	1
49	Robeson	806	1	–	6	133	34	31	11	17	5	6	29	16	388	268	7	5
50	Lumberton	180	–	–	–	27	7	4	3	1	2	2	8	6	106	72	2	–
51	Balance of county	626	1	–	6	106	27	27	8	16	3	4	21	10	282	196	5	5
52	Rockingham	774	1	–	9	147	42	40	5	18	8	7	27	19	391	263	1	1
53	Eden	172	–	–	1	36	13	8	1	2	3	2	7	4	90	60	1	1
54	Reidsville	184	1	–	1	42	10	15	2	7	–	–	8	4	86	54	–	–
55	Balance of county	418	–	–	7	69	19	17	2	9	5	5	12	11	215	149	–	–
56	Rowan	910	2	–	7	178	29	44	22	17	17	5	44	18	486	354	9	8
57	Salisbury	295	–	–	2	59	8	15	9	1	7	1	18	5	156	104	4	3
58	Balance of county	615	2	–	5	119	21	29	13	16	10	4	26	13	330	250	5	5
59	Rutherford	522	–	–	4	101	34	26	5	13	2	3	18	2	298	230	1	1
60	Sampson	489	2	–	5	87	19	21	4	17	1	3	22	14	237	183	–	3
61	Scotland	279	1	–	3	52	13	16	3	7	–	1	12	8	133	101	4	4
62	Stanly	426	1	–	7	96	19	26	9	12	2	3	25	6	226	169	4	1
63	Albemarle	135	1	–	1	34	8	8	6	5	–	–	7	–	73	53	2	–
64	Balance of county	291	–	–	6	62	11	18	3	7	2	3	18	6	153	116	2	1
65	Stokes	196	1	–	3	36	8	10	2	3	1	2	10	2	89	68	–	–
66	Surry	516	1	–	6	90	16	21	9	13	4	5	22	4	242	186	2	1
67	Swain	98	–	–	1	16	3	4	–	4	2	1	2	–	50	38	–	–
68	Transylvania	171	–	–	–	42	8	7	8	5	2	–	12	1	90	66	1	–
69	Tyrrell	45	–	–	–	10	3	3	1	–	–	–	3	1	25	20	–	1
70	Union	508	1	–	2	76	17	15	6	10	–	3	25	9	294	181	1	3
71	Monroe	144	1	–	–	20	4	4	2	2	–	1	7	1	84	45	1	–
72	Balance of county	364	–	–	2	56	13	11	4	8	–	2	18	8	210	136	–	3
73	Vance	380	1	–	10	63	15	19	6	8	1	2	12	4	197	150	2	3
74	Henderson	204	–	–	4	39	10	9	6	5	1	2	6	–	104	82	2	1
75	Balance of county	176	1	–	6	24	5	10	–	3	–	–	6	4	93	68	–	2
76	Wake	1,876	4	–	26	380	73	96	44	48	12	17	90	28	878	655	17	5
77	Raleigh	1,005	3	–	12	223	43	50	28	29	8	11	54	12	476	361	9	2
78	Balance of county	871	1	–	14	157	30	46	16	19	4	6	36	16	402	294	8	3
79	Warren	201	–	–	–	36	6	10	3	2	3	3	9	2	109	87	3	–
80	Washington	119	1	–	1	23	5	10	–	1	–	2	5	5	56	44	2	1
81	Watauga	191	–	–	2	34	9	6	3	3	–	1	12	2	103	81	2	4
82	Wayne	839	5	–	9	143	38	35	5	23	4	1	37	23	412	289	3	11
83	Goldsboro	364	3	–	4	60	18	15	1	10	2	–	14	12	164	116	1	2
84	Balance of county	475	2	–	5	83	20	20	4	13	2	1	23	11	248	173	2	9

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
124	2	2	27	5	10	6	4	–	9	4	–	3	6	6	28	12	10	4	7	–	01
58	–	1	13	2	5	5	2	–	5	1	–	1	1	3	11	3	4	1	3	–	02
66	2	1	14	3	5	1	2	–	4	3	–	2	5	3	17	9	6	3	4	–	03
153	14	1	68	8	7	28	5	–	7	4	–	3	4	7	41	16	8	5	14	–	04
79	12	1	42	5	4	17	3	–	3	–	–	–	3	3	20	3	4	2	7	–	05
74	2	–	26	3	3	11	2	–	4	4	–	3	1	4	21	13	4	3	7	–	06
92	8	3	41	3	5	7	3	2	5	4	–	2	3	6	31	23	13	4	3	–	07
97	6	–	35	2	2	12	3	1	1	3	–	3	4	2	28	9	4	3	2	1	08
75	–	–	9	2	2	7	5	–	2	1	–	–	1	2	22	4	2	2	–	–	09
69	10	–	14	4	2	7	1	–	1	–	–	–	3	1	13	9	11	1	5	–	10
90	21	2	40	4	4	7	3	–	7	2	–	4	2	3	30	11	11	2	1	1	11
855	95	7	248	32	41	74	33	4	58	22	–	29	57	19	258	79	95	43	63	9	12
688	79	6	201	29	31	68	28	3	49	18	–	22	50	15	215	58	79	35	55	6	13
167	16	1	47	3	10	6	5	1	9	4	–	7	7	4	43	21	16	8	8	3	14
40	3	–	10	–	1	3	3	–	1	–	–	4	–	2	18	4	7	1	–	–	15
74	3	–	21	2	4	7	4	1	6	–	–	3	1	4	23	5	12	2	1	–	16
169	12	2	62	22	7	14	3	–	7	3	–	4	5	5	45	18	11	3	5	–	17
198	19	2	67	3	4	22	9	1	15	6	–	4	8	6	62	30	19	10	12	–	18
64	6	1	29	1	3	5	2	–	5	2	–	–	–	1	24	5	6	3	4	–	19
129	12	1	52	2	6	7	2	1	8	5	–	1	2	5	51	8	11	4	5	–	20
134	13	1	38	2	1	17	7	1	10	4	–	4	8	5	38	25	13	7	8	–	21
286	33	1	85	12	7	24	4	3	17	9	1	7	6	4	86	15	26	11	9	–	22
172	23	1	51	7	5	17	1	2	9	6	–	5	4	3	54	4	16	3	6	–	23
114	10	–	34	5	2	7	3	1	8	3	1	2	2	1	32	11	10	8	3	–	24
82	3	2	25	1	3	8	1	1	2	1	–	1	4	3	26	10	6	3	3	–	25
121	6	2	30	6	4	10	4	–	9	2	–	5	18	8	36	28	29	7	10	3	26
33	2	1	12	1	1	3	2	–	4	–	–	1	3	3	9	2	4	1	3	–	27
88	4	1	18	5	3	7	2	–	5	2	–	4	15	5	27	26	25	6	7	3	28
127	26	–	35	3	10	20	2	–	2	2	–	4	6	1	45	10	24	16	5	–	29
30	11	–	9	–	3	6	1	–	–	–	–	2	–	–	16	–	8	5	–	–	30
30	11	–	9	–	3	6	1	–	–	–	–	2	–	–	16	–	8	5	–	–	31
97	15	–	26	3	7	14	1	–	2	2	–	2	6	1	29	10	16	11	5	–	32
34	2	1	16	–	–	5	1	–	–	–	–	–	1	–	14	1	8	2	–	–	33
75	6	2	14	–	4	10	2	–	6	2	–	1	4	2	24	7	7	3	2	–	34
57	4	1	8	–	3	3	1	–	4	–	–	1	3	1	17	4	2	3	2	–	35
18	2	1	6	–	1	7	1	–	2	2	–	–	1	1	7	3	5	–	–	–	36
65	5	–	18	1	3	4	5	–	3	2	–	1	5	6	13	3	8	1	3	1	37
32	7	–	3	3	–	1	2	–	1	2	–	–	1	2	10	1	1	2	–	1	38
108	7	–	26	1	5	11	1	1	5	1	–	–	4	3	26	6	7	5	5	1	39
221	18	4	53	9	3	22	9	–	7	2	–	5	10	4	50	13	19	7	6	4	40
80	7	1	13	5	1	6	2	–	3	–	–	1	3	3	20	4	5	2	4	1	41
141	11	3	40	4	2	16	7	–	4	2	–	4	7	1	30	9	14	5	2	3	42
64	2	–	19	4	2	4	1	–	3	1	–	1	1	1	17	7	6	1	3	–	43
245	17	–	83	5	10	23	6	3	6	2	–	3	7	9	60	23	29	6	10	1	44
50	4	–	29	1	1	7	2	–	2	2	–	1	–	2	15	2	6	2	3	–	45
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
194	13	–	54	4	9	16	4	3	4	–	–	2	7	7	45	21	23	4	7	1	47
186	15	1	46	10	2	4	3	1	5	2	–	–	3	3	45	17	15	4	5	–	48
240	16	7	84	19	10	26	11	–	10	5	–	8	15	13	64	52	30	7	19	2	49
65	5	3	23	8	–	5	6	–	2	–	–	2	1	2	9	6	4	3	1	–	50
175	11	4	61	11	10	21	5	–	8	5	–	6	14	11	55	46	26	4	18	2	51
242	19	–	100	18	10	24	4	1	11	5	–	3	8	11	60	33	26	9	12	–	52
56	2	–	23	5	2	5	1	–	3	1	–	–	–	2	12	6	4	4	3	–	53
49	5	–	26	2	4	7	2	1	2	3	–	–	1	1	18	4	8	1	2	–	54
137	12	–	51	11	4	12	1	–	6	1	–	3	7	8	30	23	14	4	7	–	55
310	27	4	93	18	17	27	7	3	15	5	–	5	6	15	72	24	25	9	4	2	56
86	11	1	35	10	6	12	3	–	3	1	–	3	2	5	32	1	7	2	–	2	57
224	16	3	58	8	11	15	4	3	12	4	–	2	4	10	40	23	18	7	4	–	58
195	33	–	61	3	4	14	3	–	3	4	–	2	5	7	38	13	14	6	6	2	59
169	11	2	48	2	2	14	4	–	2	8	–	2	9	3	52	18	22	6	3	1	60
86	7	–	14	13	5	5	1	–	3	–	–	2	5	3	30	13	9	3	7	1	61
156	8	–	51	2	4	7	2	2	5	1	–	3	3	2	34	10	16	3	1	1	62
49	2	–	19	–	1	5	2	1	–	–	–	–	–	–	10	2	5	–	1	–	63
107	6	–	32	2	3	2	–	1	5	1	–	3	3	2	24	8	11	3	–	1	64
61	7	2	17	2	–	9	2	1	–	–	–	2	3	3	16	16	5	5	3	–	65
170	13	1	41	9	5	19	3	3	12	3	–	6	8	4	54	20	24	10	6	1	66
32	6	–	8	2	2	6	1	–	1	1	–	1	1	2	10	2	3	1	2	–	67
61	4	–	18	2	4	6	2	2	2	–	–	1	2	–	14	4	3	1	1	–	68
17	2	–	5	–	–	1	1	–	–	–	–	–	–	–	4	–	3	–	–	–	69
150	27	–	75	31	7	7	6	1	5	2	–	4	9	7	44	12	14	7	8	–	70
35	9	–	29	9	1	3	1	–	4	1	–	1	2	1	12	4	5	1	3	–	71
115	18	–	46	22	6	4	5	1	1	1	–	3	7	6	32	8	9	6	5	–	72
140	5	4	37	3	3	11	3	1	2	4	–	–	6	3	38	14	16	2	5	–	73
78	1	2	15	3	2	3	3	–	1	3	–	–	4	3	20	6	10	–	4	–	74
62	4	2	22	–	1	8	–	1	1	1	–	–	2	–	18	8	6	2	1	–	75
573	60	3	172	21	27	54	18	4	35	12	–	20	32	21	193	48	69	32	22	–	76
314	36	1	93	8	13	23	13	2	18	6	–	9	21	9	97	21	35	15	10	–	77
259	24	2	79	13	14	31	5	2	17	6	–	11	11	12	96	27	34	17	12	–	78
69	15	–	18	3	1	5	1	1	–	1	–	–	4	2	24	7	8	–	1	–	79
32	9	–	8	2	2	3	1	–	1	2	–	2	1	5	8	–	9	1	–	–	80
66	9	2	19	–	1	5	1	–	2	–	–	1	3	–	19	6	10	3	–	–	81
250	25	4	95	16	8	29	15	–	11	4	–	7	17	12	65	29	22	12	23	1	82
101	12	1	31	11	5	18	8	–	4	2	–	2	9	9	33	9	12	4	11	–	83
149	13	3	64	5	3	11	7	–	7	2	–	5	8	3	32	20	10	8	12	1	84

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Wilkes	439	1	-	1	69	14	18	1	11	2	2	21	4	261	208	2	2
02	Wilson	617	2	-	7	110	31	31	7	11	3	4	23	15	292	212	4	5
03	Wilson	336	1	-	3	57	16	19	3	3	-	1	15	10	155	117	4	2
04	Balance of county	281	1	-	4	53	15	12	4	8	3	3	8	5	137	95	-	3
05	Yadkin	239	-	-	5	56	17	12	5	7	2	-	13	5	103	79	1	2
06	Yancey	124	1	-	-	28	7	6	1	5	-	1	8	-	53	30	-	-
07	**North Dakota**	5,491	1	-	38	1,074	339	202	105	136	50	57	185	100	2,798	2,048	43	28
08	Urban places	1,646	1	-	14	340	98	74	32	36	15	19	66	26	802	563	8	8
09	Balance of area	3,845	-	-	24	734	241	128	73	100	35	38	119	74	1,996	1,485	35	20
10	Metropolitan counties	563	-	-	8	131	39	26	12	15	8	6	25	8	272	192	4	3
11	Urban places	391	-	-	6	97	25	23	9	10	6	6	18	5	184	130	1	2
12	Balance of area	172	-	-	2	34	14	3	3	5	2	-	7	3	88	62	3	1
13	Nonmetropolitan counties	4,928	1	-	30	943	300	176	93	121	42	51	160	92	2,526	1,856	39	25
14	Urban places	1,255	1	-	8	243	73	51	23	26	9	13	48	21	618	433	7	6
15	Balance of area	3,673	-	-	22	700	227	125	70	95	33	38	112	71	1,908	1,423	32	19
16	Adams	47	-	-	-	4	3	-	-	1	-	-	-	1	31	21	2	-
17	Barnes	152	-	-	-	33	14	4	3	4	2	-	6	5	88	58	1	-
18	Benson	94	-	-	-	16	6	2	1	3	1	1	2	-	36	27	-	-
19	Billings	5	-	-	-	3	2	-	-	-	-	-	1	-	1	1	-	-
20	Bottineau	104	-	-	1	15	6	1	1	3	1	2	1	2	61	44	1	-
21	Bowman	43	-	-	1	5	1	-	2	-	-	-	2	1	23	14	-	-
22	Burke	46	-	-	1	12	3	2	1	2	2	-	2	2	20	17	1	1
23	Burleigh	265	-	-	4	58	20	7	4	8	3	5	11	5	135	101	3	-
24	Bismarck	227	-	-	3	52	18	6	4	7	2	5	10	4	116	85	3	-
25	Balance of county	38	-	-	1	6	2	1	-	1	1	-	1	1	19	16	-	-
26	Cass	563	-	-	8	131	39	26	12	15	8	6	25	8	272	192	4	3
27	Fargo	391	-	-	6	97	25	23	9	10	6	6	18	5	184	130	1	2
28	Balance of county	172	-	-	2	34	14	3	3	5	2	-	7	3	88	62	3	1
29	Cavalier	84	-	-	-	17	6	5	2	1	-	-	3	1	50	34	1	-
30	Dickey	95	-	-	1	17	3	5	4	3	1	-	1	2	59	54	-	1
31	Divide	48	-	-	1	9	2	-	2	1	1	-	3	1	15	12	-	-
32	Dunn	34	-	-	1	4	3	-	-	-	-	-	1	-	18	17	-	1
33	Eddy	51	-	-	1	5	3	-	-	2	-	-	-	1	28	18	-	1
34	Emmons	52	-	-	-	14	3	3	3	2	1	2	-	2	22	16	-	-
35	Foster	62	-	-	-	8	4	2	1	-	-	1	-	2	44	24	-	-
36	Golden Valley	19	-	-	-	4	4	-	-	-	-	-	-	1	8	4	1	-
37	Grand Forks	382	-	-	4	75	16	17	9	10	5	3	15	4	192	141	1	10
38	Grand Forks	281	-	-	3	52	11	12	3	6	4	3	13	4	136	92	1	2
39	Balance of county	101	-	-	1	23	5	5	6	4	1	-	2	-	56	49	-	8
40	Grant	52	-	-	1	9	2	-	3	2	1	-	1	3	28	24	1	-
41	Griggs	38	-	-	2	3	-	1	-	-	-	-	2	2	22	17	-	-
42	Hettinger	48	-	-	-	6	3	2	-	-	-	1	-	7	24	18	-	-
43	Kidder	44	-	-	-	7	1	2	1	-	-	1	2	-	23	18	-	-
44	La Moure	80	-	-	-	12	5	-	3	1	-	1	2	2	48	39	-	-
45	Logan	33	-	-	-	8	2	2	2	1	-	1	-	1	20	15	-	-
46	McHenry	78	-	-	1	20	6	3	1	4	-	1	5	1	42	35	1	-
47	McIntosh	45	-	-	-	6	1	2	-	1	-	1	1	1	24	16	-	-
48	McKenzie	59	-	-	1	12	4	3	1	3	-	-	1	-	24	19	-	-
49	McLean	114	-	-	-	23	5	5	3	4	1	1	4	2	56	45	-	-
50	Mercer	74	-	-	-	17	4	3	2	2	1	1	4	1	32	24	-	-
51	Morton	194	-	-	-	44	16	12	1	5	2	1	7	3	90	67	1	2
52	Mandan	115	-	-	-	29	11	8	1	3	1	-	5	-	52	44	-	1
53	Balance of county	79	-	-	-	15	5	4	-	2	1	1	2	3	38	23	1	1
54	Mountrail	87	-	-	-	14	5	3	2	1	1	1	1	2	35	25	-	-
55	Nelson	86	-	-	-	14	6	3	-	2	1	-	2	1	54	43	-	-
56	Oliver	18	-	-	-	2	1	1	-	-	-	-	-	-	12	9	2	-
57	Pembina	115	-	-	1	26	9	6	1	4	-	-	6	3	66	45	3	1
58	Pierce	54	-	-	-	12	3	3	-	2	1	-	3	2	26	19	-	-
59	Ramsey	140	-	-	-	24	8	6	1	1	1	2	5	1	81	53	-	1
60	Ransom	89	-	-	1	15	4	3	1	3	-	3	1	2	54	36	-	-
61	Renville	27	-	-	-	9	2	2	-	2	1	-	2	-	12	11	1	-
62	Richland	155	-	-	-	38	10	10	2	7	2	2	5	1	67	52	1	-
63	Rolette	120	-	-	1	23	10	5	2	1	1	1	3	2	51	43	1	-
64	Sargent	70	-	-	-	12	5	1	1	1	1	1	2	1	37	31	2	-
65	Sheridan	21	-	-	-	6	-	2	-	-	-	1	3	-	11	8	-	-
66	Sioux	44	-	-	1	4	1	1	-	-	1	1	-	-	6	6	-	-
67	Slope	7	-	-	-	2	-	1	-	1	-	-	-	-	4	1	-	-
68	Stark	179	-	-	-	37	9	8	5	5	2	2	6	3	93	65	2	-
69	Dickinson	125	-	-	-	23	5	5	5	3	-	2	3	2	66	45	1	-
70	Balance of county	54	-	-	-	14	4	3	-	2	2	-	3	1	27	20	1	-
71	Steele	38	-	-	1	9	2	1	2	2	-	1	1	-	19	15	-	-
72	Stutsman	212	-	-	-	37	9	9	2	6	3	1	7	6	115	80	1	3
73	Jamestown	135	-	-	-	24	5	8	1	2	2	-	6	4	71	49	-	3
74	Balance of county	77	-	-	-	13	4	1	1	4	1	1	1	2	44	31	1	-
75	Towner	53	-	-	-	8	4	-	-	1	-	2	1	1	26	17	-	1
76	Traill	123	-	-	-	27	7	-	4	6	-	2	8	2	68	47	2	-
77	Walsh	207	-	-	-	44	14	5	9	4	3	2	7	2	110	86	1	3
78	Ward	400	1	-	4	78	28	17	7	8	-	5	13	6	184	131	5	-
79	Minot	266	1	-	2	48	17	9	6	5	-	3	8	6	117	80	2	-
80	Balance of county	134	-	-	2	30	11	8	1	3	-	2	5	-	67	51	3	-

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
187	17	1	45	1	6	5	6	–	5	1	–	5	3	3	33	13	21	6	2	–	01
181	22	7	60	4	9	16	6	3	9	6	–	5	14	7	62	23	23	6	10	1	02
98	13	5	27	1	5	8	5	2	7	4	–	4	6	3	31	11	15	5	8	1	03
83	9	2	33	3	4	8	1	1	2	2	–	1	8	4	31	12	8	1	2	–	04
65	11	–	23	1	–	14	4	1	4	3	–	–	1	4	20	6	9	3	1	–	05
23	7	1	18	1	3	8	3	–	2	–	–	2	–	1	12	2	9	2	–	1	06
1,759	218	13	545	96	96	214	44	19	70	24	–	50	71	75	443	193	194	64	14	5	07
509	38	3	179	28	29	53	8	7	20	7	–	23	32	21	171	41	49	24	6	1	08
1,250	180	10	366	68	67	161	36	12	50	17	–	27	39	54	272	152	145	40	8	4	09
161	24	–	61	12	7	14	7	2	3	3	–	9	8	5	49	15	17	10	2	–	10
110	17	–	45	6	3	9	4	2	2	1	–	6	6	3	38	5	15	7	1	–	11
51	7	–	16	6	4	5	3	–	1	2	–	3	2	2	11	10	2	3	1	–	12
1,598	194	13	484	84	89	200	37	17	67	21	–	41	63	70	394	178	177	54	12	5	13
399	21	3	134	22	26	44	4	5	18	6	–	17	26	18	133	36	34	17	5	1	14
1,199	173	10	350	62	63	156	33	12	49	15	–	24	37	52	261	142	143	37	7	4	15
17	2	–	7	2	1	1	2	–	1	–	–	–	–	2	4	1	–	–	–	–	16
47	10	–	21	5	4	8	2	–	4	1	–	1	–	–	4	3	3	–	–	–	17
26	1	–	8	–	1	5	–	1	6	–	–	3	1	2	11	5	5	2	–	1	18
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	19
41	2	–	16	1	–	6	1	–	2	–	–	1	1	–	10	1	3	–	–	–	20
14	–	–	6	1	2	2	–	–	1	–	–	–	–	1	2	3	3	1	–	–	21
15	–	–	2	1	–	1	1	–	–	–	–	–	1	1	1	3	3	–	–	–	22
92	6	–	25	4	5	5	1	4	6	1	–	6	5	2	20	7	3	2	1	–	23
77	5	–	24	2	5	5	1	4	5	1	–	5	3	2	20	3	2	1	–	–	24
15	1	–	1	2	–	–	–	–	1	–	–	1	2	–	–	4	1	1	1	–	25
161	24	–	61	12	7	14	7	2	3	3	–	9	8	5	49	15	17	10	2	–	26
110	17	–	45	6	3	9	4	2	2	1	–	6	6	3	38	5	15	7	1	–	27
51	7	–	16	6	4	5	3	–	1	2	–	3	2	2	11	10	2	3	1	–	28
33	–	1	10	5	–	1	1	–	–	–	–	–	–	1	6	4	3	–	–	–	29
38	15	–	3	2	–	3	1	1	1	–	–	–	–	–	7	3	–	–	–	–	30
10	2	1	2	–	–	2	–	1	–	–	–	–	–	7	3	3	5	1	–	–	31
11	5	–	–	1	–	–	–	–	–	1	–	1	–	1	2	4	1	1	–	–	32
16	1	–	6	–	4	8	–	–	–	–	–	–	–	3	2	1	2	–	–	–	33
7	9	–	5	1	–	2	–	1	–	–	–	–	–	–	6	1	3	–	–	1	34
21	3	–	16	1	3	3	–	–	–	–	–	–	–	1	2	2	–	–	–	–	35
3	–	–	2	1	1	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	36
121	9	1	39	3	8	15	2	–	3	–	–	5	11	5	30	17	11	5	3	–	37
82	7	1	36	2	5	11	–	–	2	–	–	5	10	4	24	14	9	4	3	–	38
39	2	–	3	1	3	4	2	–	1	–	–	–	1	1	6	3	2	1	–	–	39
21	2	–	2	1	1	2	–	–	–	–	–	–	–	–	3	1	5	–	–	–	40
7	10	–	4	1	–	4	–	–	–	1	–	–	1	–	2	–	1	–	–	–	41
18	–	–	2	1	3	3	–	–	1	–	–	–	–	1	4	–	1	1	–	–	42
16	2	–	5	–	–	3	–	–	3	1	–	–	–	–	1	4	1	1	–	–	43
28	11	1	3	4	1	2	–	–	–	–	–	1	–	1	8	2	4	–	–	–	44
12	3	–	4	–	1	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	45
33	1	1	5	–	1	2	–	–	3	–	–	–	–	1	5	–	3	–	–	–	46
15	1	–	8	–	–	2	–	–	1	–	–	–	–	1	5	1	4	–	–	–	47
15	4	–	2	1	2	3	–	–	1	–	–	–	2	1	6	3	2	3	–	1	48
43	2	–	9	1	1	5	–	–	–	–	–	–	1	1	10	9	6	1	–	–	49
24	–	–	6	–	2	–	–	–	–	1	–	–	1	6	6	4	3	1	2	–	50
58	6	1	17	2	3	9	–	3	1	1	–	4	2	1	16	11	6	2	1	–	51
42	1	–	7	1	–	7	–	1	1	1	–	3	2	1	9	3	3	2	1	–	52
16	5	1	10	1	3	2	–	2	–	–	–	1	–	–	7	8	3	–	–	–	53
24	1	1	5	2	2	4	2	–	2	–	–	–	3	1	6	10	5	3	–	–	54
35	8	1	10	–	–	–	–	–	1	1	–	–	–	–	10	3	2	–	–	–	55
6	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	56
37	4	–	15	4	2	2	3	–	–	1	–	1	–	–	7	–	4	1	–	–	57
18	1	–	4	2	1	2	1	–	–	1	–	–	1	–	5	1	2	1	–	–	58
47	5	1	20	5	2	8	1	–	–	–	–	2	–	–	10	3	8	1	–	1	59
33	3	–	15	2	1	4	1	–	1	–	–	–	–	–	3	4	3	1	–	–	60
9	1	–	1	–	–	–	1	–	–	–	–	–	1	1	3	–	–	–	–	–	61
49	2	–	12	3	–	10	2	1	1	1	–	2	8	1	12	4	6	1	–	–	62
37	5	–	8	–	–	9	–	–	1	–	–	1	1	2	11	10	8	–	–	–	63
28	1	–	4	1	1	3	3	–	2	–	–	–	–	1	8	1	1	1	–	–	64
8	–	–	2	–	1	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	65
2	4	–	–	–	–	4	1	1	7	–	–	–	2	4	3	5	2	2	2	–	66
1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	67
60	3	–	20	6	2	3	1	–	3	–	–	1	3	2	16	5	9	3	–	–	68
42	2	–	15	5	1	1	1	–	2	–	–	1	2	2	12	5	5	3	–	–	69
18	1	–	5	1	1	2	–	–	1	–	–	–	1	–	4	–	4	–	–	–	70
7	8	–	3	1	–	1	–	–	–	1	–	–	–	1	4	1	1	–	–	–	71
70	6	–	22	5	8	6	2	–	2	1	–	3	–	2	25	1	7	4	1	–	72
42	4	–	13	4	5	5	2	–	2	–	–	2	–	–	20	1	2	2	–	–	73
28	2	–	9	1	3	1	–	–	–	1	–	1	–	2	5	–	5	2	1	–	74
11	5	–	6	1	2	4	1	–	–	–	–	1	1	–	7	3	1	–	–	–	75
43	2	1	16	2	2	9	2	–	1	1	–	–	–	–	7	3	1	2	–	–	76
67	15	–	18	2	4	6	3	1	2	2	–	3	1	3	12	5	10	2	1	–	77
122	4	1	36	5	11	13	–	1	8	4	–	–	16	10	43	9	13	8	1	1	78
78	–	1	23	5	8	9	–	–	6	3	–	–	9	9	37	4	9	4	1	1	79
44	4	–	13	–	3	4	–	1	2	1	–	–	7	1	6	5	4	4	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Dakota—Con.																	
01	Wells	76	–	–	1	14	6	1	1	1	1	1	3	3	41	28	1	–
02	Williams	165	–	–	–	22	9	5	3	–	1	–	4	1	90	65	3	–
03	Williston	106	–	–	–	15	6	3	3	–	–	–	3	1	60	38	–	–
04	Balance of county	59	–	–	–	7	3	2	–	–	1	–	1	–	30	27	3	–
05	**Ohio**	96,569	127	11	658	19,945	5,425	5,051	1,830	2,275	943	772	3,649	1,964	50,358	38,283	725	801
06	Urban places	58,516	85	9	415	12,247	3,382	3,134	1,110	1,429	559	443	2,190	1,175	30,208	22,965	457	528
07	Balance of area	38,053	42	2	243	7,698	2,043	1,917	720	846	384	329	1,459	789	20,150	15,318	268	273
08	Metropolitan counties	72,092	100	9	506	15,291	4,171	3,892	1,427	1,742	701	570	2,788	1,408	37,018	28,230	580	632
09	Urban places	50,880	74	9	372	10,738	2,989	2,749	969	1,242	481	387	1,921	995	26,051	19,905	407	479
10	Balance of area	21,212	26	–	134	4,553	1,182	1,143	458	500	220	183	867	413	10,967	8,325	173	153
11	Nonmetropolitan counties	24,477	27	2	152	4,654	1,254	1,159	403	533	242	202	861	556	13,340	10,053	145	169
12	Urban places	7,636	11	–	43	1,509	393	385	141	187	78	56	269	180	4,157	3,060	50	49
13	Balance of area	16,841	16	2	109	3,145	861	774	262	346	164	146	592	376	9,183	6,993	95	120
14	Adams	279	1	–	3	43	10	13	3	7	1	2	7	5	164	111	–	–
15	Allen	1,010	1	–	5	184	47	44	22	21	8	6	36	16	556	391	6	2
16	Lima	583	–	–	2	108	29	31	14	10	5	3	16	8	313	221	5	1
17	Balance of county	427	1	–	3	76	18	13	8	11	3	3	20	8	243	170	1	1
18	Ashland	388	–	–	–	74	28	13	5	10	2	6	10	8	200	148	4	–
19	Ashland	181	–	–	–	42	19	6	1	6	–	3	7	1	84	63	1	–
20	Balance of county	207	–	–	–	32	9	7	4	4	2	3	3	7	116	85	3	–
21	Ashtabula	991	3	–	4	189	52	50	14	25	8	11	29	20	545	442	2	3
22	Ashtabula	289	1	–	1	49	14	13	5	4	4	2	7	8	169	134	1	2
23	Conneaut	154	2	–	–	28	9	8	4	1	–	1	5	5	85	75	–	–
24	Balance of county	548	–	–	3	112	29	29	5	20	4	8	17	7	291	233	1	1
25	Athens	473	–	–	6	99	18	34	7	10	8	3	19	7	252	188	1	3
26	Athens	99	–	–	1	26	3	6	2	6	2	–	7	1	51	39	–	1
27	Balance of county	374	–	–	5	73	15	28	5	4	6	3	12	6	201	149	1	2
28	Auglaize	366	–	–	2	58	19	11	3	4	9	2	10	10	203	160	4	3
29	Belmont	947	1	–	3	186	46	37	25	25	10	4	39	16	521	397	5	6
30	Martins Ferry	153	1	–	–	27	10	3	5	2	2	–	5	4	88	74	1	1
31	Balance of county	794	–	–	3	159	36	34	20	23	8	4	34	12	433	323	4	5
32	Brown	314	–	–	4	58	16	17	4	4	2	3	12	4	174	141	1	1
33	Butler	1,903	1	–	14	424	119	127	36	41	14	18	69	38	927	689	7	18
34	Fairfield	123	–	–	1	33	5	7	6	3	1	5	6	1	50	35	–	–
35	Hamilton	684	–	–	5	155	54	48	9	13	5	4	22	16	340	262	2	9
36	Middletown	453	–	–	1	113	29	35	9	13	5	4	18	9	215	156	2	3
37	Oxford	51	–	–	–	10	4	3	–	–	–	–	3	3	29	18	1	2
38	Balance of county	592	1	–	7	113	27	34	12	12	3	5	20	9	293	218	2	4
39	Carroll	245	–	–	–	54	19	9	6	8	4	2	6	5	139	115	1	13
40	Champaign	319	1	1	–	58	16	13	4	9	–	2	14	6	179	144	1	–
41	Urbana	124	–	–	–	24	9	6	1	3	–	1	4	2	65	53	1	–
42	Balance of county	195	1	1	–	34	7	7	3	6	–	1	10	4	114	91	–	–
43	Clark	1,407	2	–	8	263	73	70	25	26	14	7	48	36	731	504	11	6
44	Springfield	907	1	–	4	177	46	45	20	18	9	4	35	21	453	323	5	6
45	Balance of county	500	1	–	4	86	27	25	5	8	5	3	13	15	278	181	6	–
46	Clermont	832	1	–	6	185	44	61	13	23	9	6	29	24	396	310	4	4
47	Clinton	366	–	–	5	60	7	17	5	11	3	2	15	5	216	161	4	2
48	Wilmington	127	–	–	2	15	3	5	1	3	–	–	3	3	84	62	1	–
49	Balance of county	239	–	–	3	45	4	12	4	8	3	2	12	2	132	99	3	2
50	Columbiana	1,190	2	–	3	216	57	50	25	22	15	7	40	26	693	553	6	6
51	East Liverpool	256	1	–	1	42	9	13	3	5	3	1	8	2	150	124	3	4
52	Salem	170	1	–	1	35	8	8	5	3	4	4	3	7	96	79	1	–
53	Balance of county	764	–	–	1	139	40	29	17	14	8	2	29	17	447	350	2	2
54	Coshocton	377	–	–	5	64	19	16	5	5	2	3	14	13	198	143	2	–
55	Coshocton	156	–	–	1	27	8	5	3	2	1	–	8	7	81	56	2	–
56	Balance of county	221	–	–	4	37	11	11	2	3	1	3	6	6	117	87	–	–
57	Crawford	457	3	–	1	101	25	31	11	9	6	4	15	11	229	160	2	3
58	Bucyrus	153	1	–	–	30	7	12	2	4	1	–	4	5	72	58	–	1
59	Galion	150	1	–	–	38	9	11	6	1	3	2	6	4	77	50	2	1
60	Balance of county	154	1	–	1	33	9	8	3	4	2	2	5	2	80	52	–	1
61	Cuyahoga	15,819	25	1	132	3,485	1,000	819	345	423	142	128	628	321	7,971	6,125	151	89
62	Bay Village	124	–	–	1	30	10	7	1	4	1	3	4	–	62	46	–	1
63	Bedford	154	1	–	1	43	16	8	2	2	4	1	10	2	75	61	3	–
64	Bedford Heights	84	–	–	1	17	7	4	1	1	1	–	3	–	44	37	1	–
65	Berea	168	–	–	2	38	9	8	6	5	3	2	5	6	72	54	1	2
66	Broadview Heights	91	–	–	1	13	6	1	–	–	1	1	4	2	56	45	–	–
67	Brooklyn	114	–	–	–	35	8	13	6	2	–	2	4	1	55	46	1	–
68	Brook Park	130	–	–	1	28	8	6	4	1	2	3	4	5	63	59	1	1
69	Cleveland	7,469	13	1	83	1,540	418	411	134	196	59	46	276	151	3,635	2,809	62	48
70	Cleveland Heights	536	–	–	5	101	26	19	11	10	9	5	21	5	306	206	6	4
71	East Cleveland	311	–	–	5	59	12	19	8	6	1	1	12	8	140	102	–	2
72	Euclid	668	–	–	3	167	50	37	14	20	8	3	35	5	336	258	8	3
73	Fairview Park	227	–	–	–	57	13	11	6	8	4	4	11	4	125	94	–	2
74	Garfield Heights	402	1	–	2	82	26	20	10	9	2	1	14	9	216	178	5	3
75	Lakewood	717	3	–	5	160	47	38	20	15	10	4	26	22	372	280	9	4
76	Lyndhurst	155	–	–	–	44	18	5	4	3	–	3	11	4	75	63	2	–
77	Maple Heights	305	2	–	–	76	21	21	8	6	7	5	8	6	165	125	4	3
78	Mayfield Heights	253	–	–	–	70	31	11	4	6	2	1	15	5	134	110	5	2
79	Middleburg Heights	99	–	–	1	29	10	4	4	3	1	–	7	1	52	41	–	1
80	North Olmstead	220	–	–	–	45	14	12	4	6	1	3	5	6	116	88	4	–
81	North Royalton	111	–	–	1	27	7	6	5	4	–	1	4	2	53	47	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
25	2	1	9	1	2	4	1	–	1	–	–	1	–	1	3	2	2	2	–	–	01
56	6	1	19	3	2	11	1	1	1	1	–	1	–	2	15	10	8	1	–	–	02
36	2	1	16	3	2	6	–	–	–	1	–	1	–	–	11	6	4	1	–	–	03
20	4	–	3	–	–	5	1	1	1	–	–	–	–	2	4	4	4	–	–	–	04
34,135	2,622	256	8,680	1,737	1,402	2,561	1,198	255	1,310	451	19	622	1,044	1,284	8,074	2,107	2,359	1,356	727	139	05
20,402	1,578	159	5,180	1,076	828	1,620	703	154	960	278	12	348	662	830	5,067	967	1,330	793	575	78	06
13,733	1,044	97	3,500	661	574	941	495	101	350	173	7	274	382	454	3,007	1,140	1,029	563	152	61	07
25,085	1,933	175	6,303	1,291	1,019	1,915	860	198	1,090	331	17	460	798	1,015	6,111	1,428	1,723	1,055	657	102	08
17,638	1,381	129	4,396	926	695	1,402	605	138	868	244	11	307	572	753	4,430	824	1,162	703	556	66	09
7,447	552	46	1,907	365	324	513	255	60	222	87	6	153	226	262	1,681	604	561	352	101	36	10
9,050	689	81	2,377	446	383	646	338	57	220	120	2	162	246	269	1,963	679	636	301	70	37	11
2,764	197	30	784	150	133	218	98	16	92	34	1	41	90	77	637	143	168	90	19	12	12
6,286	492	51	1,593	296	250	428	240	41	128	86	1	121	156	192	1,326	536	468	211	51	25	13
106	5	1	34	10	8	9	1	–	1	–	–	1	2	1	22	8	13	3	2	–	14
358	25	2	124	16	23	11	8	4	5	7	–	12	14	5	101	36	26	12	6	1	15
197	18	2	70	5	15	6	4	4	3	4	–	3	7	3	62	25	16	9	5	1	16
161	7	–	54	11	8	5	4	–	2	3	–	9	7	2	39	11	10	3	1	–	17
136	8	2	41	4	5	11	10	1	2	8	–	2	4	4	40	10	13	1	–	–	18
59	3	2	15	3	1	7	5	1	1	1	–	1	2	3	20	4	9	–	–	–	19
77	5	–	26	1	4	4	5	–	1	7	–	1	2	1	20	6	4	1	–	–	20
413	24	2	80	8	13	16	15	4	8	8	1	3	9	9	81	34	21	17	4	–	21
125	6	1	25	4	5	4	4	1	5	3	1	2	3	1	24	4	5	3	1	–	22
72	3	–	8	1	1	2	5	–	–	1	–	–	1	1	9	3	8	3	1	–	23
216	15	1	47	3	7	10	6	3	3	4	–	1	5	7	48	27	8	11	2	–	24
166	18	–	50	8	6	15	6	–	4	4	–	4	6	8	26	10	15	10	–	1	25
31	7	–	9	2	1	4	–	–	1	1	–	–	–	2	4	2	2	4	–	–	26
135	11	–	41	6	5	11	6	–	3	3	–	4	6	6	22	8	13	6	–	1	27
140	13	4	23	11	5	8	10	–	5	5	–	4	5	1	31	7	10	6	1	–	28
361	25	2	92	12	18	24	14	1	14	5	–	5	5	17	83	12	25	12	2	1	29
67	5	–	9	2	3	4	5	1	1	1	–	2	1	–	11	1	4	2	–	–	30
294	20	2	83	10	15	20	9	–	13	4	–	3	4	17	72	11	21	10	2	1	31
130	9	–	25	5	3	8	6	–	1	2	–	2	6	4	25	11	5	3	1	–	32
625	39	5	169	42	22	52	26	5	29	7	1	15	34	15	143	69	46	34	19	4	33
34	1	1	9	3	2	2	2	–	1	–	–	1	6	–	16	5	2	1	2	–	34
246	5	2	54	13	9	13	9	2	11	3	–	3	15	6	52	23	17	7	7	–	35
133	18	–	44	12	3	17	8	–	8	2	1	5	5	3	31	10	7	9	7	2	36
14	1	–	5	1	5	3	–	1	–	–	–	–	–	–	3	–	1	1	–	–	37
198	14	2	57	13	3	17	7	2	9	2	–	6	8	6	41	31	19	16	3	2	38
95	6	–	20	1	3	6	2	2	2	–	–	1	3	1	18	6	3	2	1	–	39
131	12	–	27	4	4	13	3	1	4	–	–	4	4	–	23	7	7	7	–	1	40
46	6	–	10	–	2	7	1	–	3	–	–	3	2	–	10	2	2	2	–	1	41
85	6	–	17	4	2	6	2	1	1	–	–	1	2	–	13	5	5	5	–	–	42
449	38	4	180	22	21	47	21	4	23	10	–	18	21	10	116	37	36	18	6	–	43
292	20	2	96	16	16	40	15	2	17	9	–	8	9	7	86	19	22	13	4	–	44
157	18	2	84	6	5	7	6	2	6	1	–	10	12	3	30	18	14	5	2	–	45
279	23	2	61	11	12	33	6	1	7	3	–	15	9	2	60	34	30	15	4	1	46
146	9	2	37	14	2	11	2	–	1	–	–	–	7	2	28	13	7	7	2	–	47
59	2	–	16	6	–	3	1	–	–	–	–	–	2	1	9	1	3	2	1	–	48
87	7	2	21	8	2	8	1	–	1	–	–	–	5	1	19	12	4	5	1	–	49
520	21	2	110	13	15	13	27	2	16	6	–	6	7	3	84	37	32	10	6	1	50
112	5	–	21	2	3	3	4	2	6	2	–	1	3	1	22	8	3	2	2	1	51
75	3	2	13	1	1	2	5	–	3	–	–	–	–	–	13	3	2	1	1	–	52
333	13	–	76	10	11	8	18	–	7	4	–	5	4	2	49	26	27	7	3	–	53
124	17	–	42	5	8	7	3	–	3	3	–	4	8	1	32	10	15	9	1	1	54
48	6	–	20	2	3	2	1	–	2	3	–	–	6	–	13	4	5	3	–	1	55
76	11	–	22	3	5	5	2	–	1	–	–	4	2	1	19	6	10	6	1	–	56
127	28	2	53	4	10	18	5	1	4	3	–	5	6	1	41	9	15	2	1	1	57
51	6	–	13	1	–	6	–	1	2	2	–	1	5	1	16	4	6	–	1	–	58
35	12	2	17	1	7	6	3	–	2	–	–	1	–	–	10	4	3	–	–	1	59
41	10	–	23	2	3	6	2	–	–	1	–	3	1	–	15	1	6	2	–	–	60
5,508	377	43	1,285	314	204	400	175	49	316	77	3	83	167	65	1,434	235	381	220	264	15	61
42	3	–	11	3	2	5	4	–	2	1	–	–	1	–	8	–	5	5	–	–	62
55	3	2	8	3	1	4	2	–	4	1	–	1	1	1	14	1	1	2	–	–	63
32	4	–	6	1	–	2	1	–	5	–	–	–	–	–	8	3	2	–	1	–	64
50	1	1	11	5	1	3	2	–	2	–	–	1	2	–	16	8	8	3	5	–	65
42	3	1	8	1	1	1	1	–	–	1	–	1	1	1	5	3	1	3	1	–	66
39	6	–	7	1	1	2	1	–	5	1	–	–	2	1	8	1	–	2	–	–	67
55	2	–	3	1	–	1	1	–	2	–	–	1	3	2	11	7	4	–	1	–	68
2,504	195	19	547	167	93	208	71	21	189	46	2	38	106	35	714	120	196	85	203	12	69
187	9	3	66	21	10	16	5	–	6	4	1	3	2	1	48	8	15	6	4	–	70
90	10	1	30	7	–	9	2	2	7	2	–	1	8	–	37	5	7	7	12	–	71
222	25	3	56	14	5	15	11	2	11	2	–	3	5	–	66	8	16	9	9	–	72
90	2	2	18	6	5	4	4	1	3	–	–	–	2	2	14	3	3	3	2	–	73
163	7	2	30	3	3	12	6	4	3	1	–	1	3	3	33	7	10	7	2	–	74
256	11	2	64	13	13	16	14	3	14	2	–	6	7	4	59	10	12	6	2	–	75
61	–	1	7	4	–	5	2	1	3	–	–	–	–	–	14	1	3	3	–	–	76
112	6	–	36	1	3	4	3	1	6	2	–	1	1	3	24	5	5	1	–	–	77
95	8	1	17	2	4	2	6	1	3	1	–	1	1	–	17	1	5	5	–	1	78
38	2	–	9	1	1	–	–	–	4	–	–	1	–	–	8	–	–	3	–	–	79
81	3	–	19	7	2	7	3	1	4	–	–	1	2	1	21	3	2	7	1	–	80
36	7	–	2	1	3	4	1	1	–	2	–	2	1	–	7	5	2	2	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
	Cuyahoga—Con.																	
01	Parma	783	–	–	4	198	56	42	20	26	5	9	40	17	399	301	7	1
02	Parma Heights	235	–	–	2	41	15	7	3	5	–	1	10	9	141	107	1	3
03	Rocky River	236	1	–	1	53	14	11	7	8	1	3	9	1	130	93	2	–
04	Seven Hills	82	–	–	–	24	9	6	3	–	–	1	5	2	42	32	–	–
05	Shaker Heights	321	–	–	3	81	24	9	12	19	3	5	9	6	167	122	5	2
06	Solon	94	–	–	–	24	4	6	–	3	3	1	7	1	54	42	2	–
07	South Euclid	268	–	–	–	64	22	12	9	8	3	4	6	7	139	113	4	2
08	Strongsville	124	–	–	–	29	6	6	6	2	1	1	7	5	58	46	1	1
09	University Heights	141	–	–	1	29	7	2	2	6	1	1	10	1	69	53	4	–
10	Warrensville Heights	92	3	–	–	19	4	5	2	5	–	1	2	2	40	33	2	–
11	Westlake	165	–	–	2	38	13	7	2	5	4	–	7	7	91	64	–	2
12	Balance of county	940	1	–	7	224	69	45	27	29	5	12	37	19	489	370	8	1
13	Darke	477	–	–	5	98	26	28	4	11	9	2	18	5	268	211	4	1
14	Greenville	161	–	–	3	31	10	9	1	5	3	–	3	1	100	77	2	–
15	Balance of county	316	–	–	2	67	16	19	3	6	6	2	15	4	168	134	2	1
16	Defiance	306	–	–	–	60	20	11	6	10	4	3	6	11	149	102	1	2
17	Defiance	132	–	–	–	21	8	4	1	4	1	1	2	6	65	38	–	1
18	Balance of county	174	–	–	–	39	12	7	5	6	3	2	4	5	84	64	1	1
19	Delaware	383	–	–	3	80	20	22	9	9	3	3	14	8	201	139	5	1
20	Delaware	188	–	–	1	43	7	12	4	9	–	3	8	6	89	56	2	–
21	Westerville, part	12	–	–	–	1	1	–	–	–	–	–	–	1	7	6	–	–
22	Balance of county	183	–	–	2	36	12	10	5	–	3	–	6	1	105	77	3	1
23	Erie	715	–	–	1	155	37	41	17	14	7	6	33	17	319	229	1	9
24	Sandusky	367	–	–	–	76	18	22	6	9	4	2	15	9	163	114	–	6
25	Balance of county	348	–	–	1	79	19	19	11	5	3	4	18	8	156	115	1	3
26	Fairfield	709	1	–	6	153	37	42	13	22	10	3	26	11	357	277	6	3
27	Lancaster	360	1	–	4	70	12	21	5	13	4	1	14	5	186	146	4	1
28	Balance of county	349	–	–	2	83	25	21	8	9	6	2	12	6	171	131	2	2
29	Fayette	280	–	–	2	54	10	13	6	6	4	7	8	5	171	123	5	2
30	Washington	172	–	–	1	40	8	9	4	4	3	7	5	2	100	73	3	1
31	Balance of county	108	–	–	1	14	2	4	2	2	1	–	3	3	71	50	2	1
32	Franklin	6,560	13	3	67	1,350	347	371	115	149	63	47	258	129	3,193	2,383	41	209
33	Bexley	110	1	–	3	31	8	12	–	6	1	2	2	2	50	34	1	3
34	Columbus	4,646	10	2	51	940	239	268	77	93	43	30	190	87	2,222	1,685	27	171
35	Gahanna	85	–	–	1	17	7	5	1	–	–	1	3	5	36	30	–	2
36	Grove City	105	–	–	–	27	7	6	2	5	2	–	5	–	55	35	1	4
37	Reynoldsburg, part	87	–	–	4	17	4	4	2	2	1	1	3	1	38	33	1	1
38	Reynoldsburg, total	92	–	–	4	18	5	4	2	2	1	1	3	1	38	33	1	1
39	Upper Arlington	319	1	1	2	71	17	17	10	13	–	2	12	9	173	109	2	4
40	Westerville, part	104	–	–	–	23	4	6	4	4	2	–	3	1	53	38	–	1
41	Westerville, total	116	–	–	–	24	5	6	4	4	2	–	3	2	60	44	–	1
42	Whitehall	158	–	–	1	34	9	7	2	7	2	2	5	1	72	43	–	3
43	Worthington	94	–	–	2	20	5	4	5	2	–	1	3	3	48	36	–	2
44	Balance of county	852	1	–	3	170	47	42	12	17	12	8	32	20	446	340	9	18
45	Fulton	310	–	–	–	51	20	14	4	4	–	1	8	8	182	131	1	1
46	Gallia	274	–	–	4	51	11	18	5	3	1	2	11	3	155	118	2	2
47	Geauga	417	–	–	3	96	31	16	14	11	1	4	19	9	210	144	2	–
48	Greene	745	–	–	5	168	41	47	21	19	8	3	29	15	348	251	7	8
49	Fairborn	173	–	–	–	47	12	11	5	8	3	1	7	3	71	53	1	2
50	Xenia	207	–	–	2	41	9	14	7	4	1	–	6	5	104	72	3	3
51	Balance of county	365	–	–	3	80	20	22	9	7	4	2	16	7	173	126	3	3
52	Guernsey	448	–	–	4	75	21	20	4	9	2	6	13	21	237	194	11	4
53	Cambridge	192	–	–	3	31	6	8	2	5	1	2	7	9	105	82	6	2
54	Balance of county	256	–	–	1	44	15	12	2	4	1	4	6	12	132	112	5	2
55	Hamilton	8,675	14	1	60	1,963	540	513	203	225	95	62	325	130	4,494	3,584	59	58
56	Cheviot	173	–	–	1	44	13	12	2	5	5	1	6	4	92	70	–	2
57	Cincinnati	5,118	10	1	36	1,073	309	278	105	125	49	37	170	66	2,687	2,136	33	34
58	Forest Park	51	–	–	1	14	4	3	–	3	1	–	3	–	21	17	–	1
59	North College Hill	117	–	–	2	34	12	9	1	5	1	1	5	1	65	55	1	2
60	Norwood	292	–	–	2	65	19	13	4	9	4	2	14	5	142	113	3	1
61	Reading	102	1	–	1	22	4	5	3	2	–	–	8	3	61	47	1	–
62	Sharonville	59	–	–	–	9	2	3	–	–	–	–	4	–	31	24	–	–
63	Balance of county	2,763	3	–	17	702	177	190	88	76	35	21	115	51	1,395	1,122	21	18
64	Hancock	570	–	–	1	94	28	17	11	15	3	3	17	22	305	218	2	7
65	Findlay	350	–	–	–	60	18	10	8	6	3	2	13	12	189	134	2	5
66	Fostoria, part	35	–	–	–	8	2	2	–	2	–	1	1	4	14	10	–	–
67	Balance of county	185	–	–	1	26	8	5	3	7	–	–	3	6	102	74	–	2
68	Hardin	272	–	–	–	52	16	13	8	3	2	–	10	1	155	115	2	1
69	Harrison	211	2	–	2	36	8	8	3	3	2	3	9	4	114	86	–	1
70	Henry	269	–	–	3	58	19	9	7	2	2	7	12	2	135	96	–	2
71	Highland	374	–	–	2	64	24	19	2	6	1	1	11	6	224	166	1	3
72	Hocking	233	1	–	4	43	10	9	6	4	4	2	8	9	116	84	3	–
73	Holmes	242	1	–	2	38	14	5	5	8	2	1	3	4	128	101	–	–
74	Huron	487	1	–	3	90	21	29	7	7	5	6	15	10	266	178	1	4
75	Norwalk	136	–	–	1	32	8	11	4	–	1	2	6	2	66	48	1	1
76	Balance of county	351	1	–	2	58	13	18	3	7	4	4	9	8	200	130	–	3
77	Jackson	331	–	–	3	58	13	20	5	4	2	1	13	4	182	133	–	1
78	Jefferson	977	3	–	5	211	51	64	18	26	9	7	36	31	496	401	7	8
79	Steubenville	370	–	–	2	82	21	25	8	8	3	2	15	11	188	154	2	2
80	Balance of county	607	3	–	3	129	30	39	10	18	6	5	21	20	308	247	5	6
81	Knox	423	–	–	1	68	16	16	8	15	2	1	10	7	246	165	1	–
82	Mount Vernon	184	–	–	–	32	7	8	7	6	1	–	3	2	110	74	–	–
83	Balance of county	239	–	–	1	36	9	8	1	9	1	1	7	5	136	91	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
275	18	–	75	11	12	18	10	2	16	1	–	2	3	4	60	11	20	14	3	1	01
95	8	–	27	2	5	4	2	–	3	1	–	3	–	–	21	–	4	3	1	–	02
87	4	2	25	6	4	7	1	1	3	–	–	1	–	–	17	3	8	7	2	–	03
29	3	–	8	–	2	2	–	1	–	–	–	–	1	–	4	2	1	3	–	–	04
112	3	1	36	5	3	5	3	1	5	–	–	3	2	–	31	–	7	5	2	–	05
40	–	–	8	1	3	1	–	–	–	–	–	–	1	–	4	2	5	1	1	–	06
105	2	–	21	3	2	7	2	1	2	1	–	4	4	1	25	2	3	4	2	–	07
42	2	–	9	3	–	5	3	1	1	–	–	3	–	–	13	–	2	2	2	–	08
47	2	1	10	4	1	3	2	–	2	–	–	1	–	–	25	–	4	1	3	–	09
29	2	–	6	1	–	4	–	–	–	1	–	–	3	1	10	1	5	2	1	–	10
60	2	1	20	3	3	1	2	1	1	–	–	–	1	–	14	5	2	–	–	–	11
337	24	–	85	13	21	23	10	3	10	7	–	4	4	5	78	10	23	19	3	1	12
199	7	4	31	12	10	21	3	1	6	–	–	1	5	4	26	16	10	7	1	–	13
72	3	–	13	5	5	7	1	–	1	–	–	–	1	–	9	3	3	1	–	–	14
127	4	4	18	7	5	14	2	1	5	–	–	1	4	4	17	13	7	6	1	–	15
93	6	–	39	1	7	11	3	2	3	2	–	3	4	1	27	17	6	5	1	1	16
35	2	–	22	–	5	4	–	–	1	1	–	3	3	–	12	8	6	2	–	–	17
58	4	–	17	1	2	7	3	2	2	1	–	–	1	1	15	9	–	3	1	1	18
126	7	–	51	8	3	10	3	–	5	1	–	2	7	6	30	9	10	7	1	–	19
51	3	–	28	5	–	4	3	–	3	1	–	2	4	5	11	6	4	5	1	–	20
6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	21
69	4	–	22	3	3	6	–	–	2	–	–	–	3	1	17	3	5	2	–	–	22
203	16	7	49	24	10	15	9	2	12	4	–	6	6	57	62	23	18	6	3	–	23
100	8	2	24	17	6	10	5	1	8	3	–	4	5	32	28	10	10	2	1	–	24
103	8	5	25	7	4	5	4	1	4	1	–	2	1	25	34	13	8	4	2	–	25
247	21	–	57	6	17	22	12	–	9	7	–	7	7	7	71	17	12	6	1	3	26
130	11	–	30	4	6	11	5	–	7	5	–	3	4	2	40	7	4	4	–	2	27
117	10	–	27	2	11	11	7	–	2	2	–	4	3	5	31	10	8	2	1	1	28
108	8	1	41	5	1	6	3	1	–	–	–	–	2	4	19	4	5	4	–	–	29
65	4	1	21	4	1	5	3	1	–	–	–	–	2	1	11	1	4	1	–	–	30
43	4	–	20	1	–	1	–	–	–	–	–	–	–	3	8	3	1	3	–	–	31
1,880	253	11	577	116	106	175	88	17	91	33	–	56	79	354	563	83	116	111	31	8	32
26	4	–	8	4	4	3	2	–	–	1	–	1	–	3	7	–	6	–	–	–	33
1,301	186	8	382	75	72	137	56	12	72	21	–	33	59	282	407	60	81	80	26	8	34
23	5	–	4	2	–	1	–	–	–	–	–	2	–	3	11	3	3	3	–	–	35
26	4	–	17	2	1	3	2	1	–	–	–	1	1	1	7	1	1	5	–	–	36
27	4	1	2	–	2	2	1	–	2	–	–	3	2	2	6	2	4	2	1	–	37
27	4	1	2	–	2	3	1	–	2	–	–	3	2	2	8	2	4	3	1	–	38
96	7	–	45	14	5	9	5	–	2	4	–	3	4	7	20	–	4	4	–	–	39
36	1	–	10	3	2	2	1	1	1	1	–	2	1	8	9	1	–	–	–	–	40
42	1	–	11	3	2	2	1	1	1	1	–	2	1	8	11	1	1	–	–	–	41
31	9	–	24	2	3	3	6	–	4	1	–	1	3	8	16	2	2	2	2	–	42
32	2	–	8	1	3	3	1	–	1	2	–	–	–	3	8	–	1	2	–	–	43
282	31	2	77	13	14	12	14	3	9	3	–	10	9	37	72	14	14	13	2	–	44
123	6	–	40	8	3	9	7	1	2	1	–	1	4	–	20	11	10	2	1	–	45
109	5	–	30	5	2	6	5	2	2	2	–	2	5	2	13	7	14	1	–	–	46
136	6	1	47	10	8	4	5	–	2	1	–	7	1	7	33	18	13	8	–	–	47
229	7	5	69	12	11	13	6	–	17	3	–	5	13	15	74	24	19	14	4	2	48
48	2	1	14	2	1	4	1	–	5	–	–	1	2	3	20	6	6	2	1	1	49
64	2	1	22	4	5	3	5	–	5	3	–	1	4	3	20	2	3	4	2	–	50
117	3	3	33	6	5	6	–	–	7	–	–	3	7	9	34	16	10	8	1	1	51
167	12	1	33	2	7	18	11	1	3	1	–	2	5	2	42	4	11	11	–	–	52
67	7	–	18	–	5	8	3	–	1	1	–	–	3	–	21	1	4	2	–	–	53
100	5	1	15	2	2	10	8	1	2	–	–	2	2	2	21	3	7	9	–	–	54
3,323	144	17	641	115	137	284	103	24	128	43	–	50	79	29	737	127	208	100	85	16	55
67	1	–	15	4	3	8	2	–	2	1	–	–	–	–	14	3	2	–	–	–	56
1,988	81	14	394	68	75	193	52	14	88	27	–	27	57	20	446	61	127	57	64	12	57
16	–	–	–	3	1	1	2	–	2	–	–	–	–	1	5	2	1	1	–	–	58
50	2	–	8	–	2	–	2	–	2	1	–	–	–	–	8	–	–	1	1	–	59
106	3	1	15	8	5	4	6	1	4	1	–	–	3	–	33	5	10	4	7	–	60
43	3	–	11	–	3	4	1	1	1	–	–	1	–	–	6	–	–	–	–	–	61
22	2	–	7	–	–	2	1	–	1	–	–	2	1	–	6	2	2	2	–	–	62
1,031	52	2	191	32	48	72	37	8	28	13	–	20	18	8	219	54	66	35	13	4	63
197	12	2	73	9	3	31	7	1	7	–	–	7	11	2	42	16	14	8	2	–	64
118	9	–	50	3	2	16	5	1	4	–	–	6	10	2	24	6	10	5	–	–	65
10	–	–	2	1	1	–	–	–	1	–	–	–	–	–	3	2	2	1	–	–	66
69	3	2	21	5	–	15	2	–	2	–	–	1	1	–	15	8	2	2	2	–	67
106	6	2	31	3	4	5	1	–	2	4	–	3	–	1	22	8	12	4	2	–	68
81	4	–	23	2	3	2	1	–	3	3	–	–	1	–	24	9	6	1	3	–	69
87	7	–	29	6	4	11	4	–	–	5	–	1	1	4	20	15	4	5	1	–	70
146	16	–	37	16	5	11	2	–	6	1	–	3	2	3	28	4	9	4	4	1	71
68	13	1	19	6	6	4	4	1	1	2	–	1	2	14	14	8	7	2	–	–	72
96	5	1	15	4	7	8	1	1	2	1	–	7	6	4	17	8	9	4	1	–	73
156	17	–	53	24	11	14	8	–	4	1	–	3	4	6	34	23	13	6	–	1	74
42	4	–	9	6	3	3	1	–	1	1	–	1	2	3	11	7	2	3	–	–	75
114	13	–	44	18	8	11	7	–	3	–	–	2	2	3	23	16	11	3	–	1	76
127	5	2	34	6	7	16	2	1	6	1	–	4	3	–	32	6	11	1	–	1	77
365	21	3	67	6	19	29	22	2	11	2	–	2	8	5	86	16	27	11	9	1	78
141	9	1	25	1	7	12	8	–	6	1	–	–	4	1	38	4	4	3	6	–	79
224	12	2	42	5	12	17	14	2	5	1	–	2	4	4	48	12	23	8	3	1	80
145	19	1	65	2	13	12	4	–	2	2	–	2	5	5	40	8	15	5	–	1	81
64	10	1	26	2	7	7	3	–	2	1	–	1	2	–	14	1	7	2	–	–	82
81	9	–	39	–	6	5	1	–	–	1	–	1	3	5	26	7	8	3	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Lake	1,444	1	–	9	330	89	85	31	24	13	15	73	29	701	521	13	10
02	Eastlake	138	–	–	1	26	9	8	–	3	–	–	6	4	70	51	3	1
03	Mentor	237	–	–	–	46	9	9	4	5	3	2	14	3	121	85	2	2
04	Painesville	189	–	–	3	37	11	15	4	1	–	1	5	3	98	76	–	1
05	Wickliffe	119	–	–	–	33	9	10	5	2	–	3	4	4	49	35	2	1
06	Willoughby	159	1	–	1	38	13	10	1	2	2	2	8	4	80	55	2	–
07	Willowick	141	–	–	1	43	12	10	6	2	1	1	11	2	61	48	–	1
08	Balance of county	461	–	–	3	107	26	23	11	9	7	6	25	9	222	171	4	4
09	Lawrence	619	2	–	4	119	28	35	14	9	4	6	23	16	341	256	1	4
10	Ironton	180	–	–	1	37	6	14	3	5	2	3	4	5	107	88	–	1
11	Balance of county	439	2	–	3	82	22	21	11	4	2	3	19	11	234	168	1	3
12	Licking	1,059	1	–	9	230	62	51	23	31	17	7	39	18	533	401	11	16
13	Newark	496	–	–	4	119	26	28	16	20	11	3	15	8	256	180	4	5
14	Reynoldsburg, part	5	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
15	Balance of county	558	1	–	5	110	35	23	7	11	6	4	24	10	277	221	7	11
16	Logan	487	–	–	3	102	35	18	4	16	8	1	20	9	280	197	5	10
17	Bellefontaine	156	–	–	2	32	7	5	2	6	4	1	7	2	95	61	3	2
18	Balance of county	331	–	–	1	70	28	13	2	10	4	–	13	7	185	136	2	8
19	Lorain	1,884	3	–	22	381	111	96	28	39	15	18	74	34	934	726	15	19
20	Avon Lake	84	–	–	–	19	5	4	4	3	–	2	1	3	41	25	2	1
21	Elyria	434	–	–	10	78	23	27	2	6	3	4	13	11	226	173	4	4
22	Lorain	652	–	–	5	140	47	35	8	15	5	6	24	13	311	247	4	7
23	North Ridgeville	77	1	–	–	17	2	4	–	2	3	1	5	1	35	29	1	–
24	Balance of county	637	2	–	7	127	34	26	14	13	4	5	31	6	321	252	4	7
25	Lucas	4,698	8	2	27	971	257	249	82	103	50	45	185	102	2,466	1,860	29	25
26	Maumee	98	–	–	1	18	4	4	1	5	–	–	4	–	60	47	–	1
27	Oregon	175	1	–	–	43	12	13	4	3	2	2	7	2	98	73	–	1
28	Sylvania	121	–	–	2	29	4	9	6	2	1	3	4	–	62	47	–	1
29	Toledo	3,825	7	2	21	786	216	197	61	88	45	33	146	89	2,011	1,513	25	19
30	Balance of county	479	–	–	3	95	21	26	10	5	2	7	24	11	235	180	4	3
31	Madison	271	–	–	–	51	11	16	2	7	3	1	11	11	140	84	1	1
32	Mahoning	3,099	3	–	22	639	180	169	55	63	32	28	112	68	1,701	1,252	28	27
33	Alliance, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Campbell	119	–	–	1	30	7	9	4	3	1	1	5	2	58	47	1	1
35	Struthers	138	–	–	–	28	5	7	3	3	4	2	4	2	84	63	1	1
36	Youngstown, part	1,602	–	–	11	314	97	80	25	27	13	16	56	39	873	620	17	11
37	Youngstown, total	1,604	–	–	11	315	98	80	25	27	13	16	56	39	873	620	17	11
38	Balance of county	1,240	3	–	10	267	71	73	23	30	14	9	47	25	686	522	9	14
39	Marion	592	1	–	6	125	28	41	12	9	7	2	26	11	314	209	3	4
40	Marion	369	1	–	5	79	16	28	9	6	3	–	17	7	193	118	1	3
41	Balance of county	223	–	–	1	46	12	13	3	3	4	2	9	4	121	91	2	1
42	Medina	641	–	–	4	135	34	32	11	14	5	9	30	14	297	223	5	2
43	Brunswick	111	–	–	1	21	5	5	1	3	1	1	5	3	42	34	1	1
44	Medina	116	–	–	–	20	5	4	1	2	–	4	4	4	55	40	1	–
45	Wadsworth	127	–	–	1	40	14	11	2	3	1	2	7	2	60	47	1	–
46	Balance of county	287	–	–	2	54	10	12	7	6	3	2	14	5	140	102	2	1
47	Meigs	247	–	–	2	44	11	9	7	3	–	4	10	3	152	103	2	1
48	Mercer	375	–	–	3	74	21	15	8	6	6	6	12	9	208	156	1	3
49	Miami	739	–	–	2	156	41	32	17	19	14	5	28	17	392	295	7	3
50	Piqua	234	–	–	–	49	12	10	7	8	4	1	7	8	123	90	4	2
51	Troy	175	–	–	2	39	10	10	6	7	–	1	5	3	87	62	2	–
52	Balance of county	330	–	–	–	68	19	12	4	4	10	3	16	6	182	143	1	1
53	Monroe	192	–	–	1	47	14	6	6	5	1	5	10	2	90	67	1	1
54	Montgomery	4,616	1	1	32	1,003	249	291	94	101	50	30	188	76	2,328	1,810	45	22
55	Centerville	79	–	–	1	19	6	3	3	2	1	3	1	–	39	28	–	1
56	Dayton	2,230	1	1	14	440	117	122	41	54	20	12	74	49	1,111	874	14	13
57	Kettering	451	–	–	2	114	30	34	12	8	10	5	15	5	234	180	7	1
58	Miamisburg	124	–	–	–	22	7	1	2	3	–	1	8	3	64	53	3	1
59	Oakwood	103	–	–	–	17	6	3	2	1	2	–	3	–	63	45	1	1
60	Vandalia	68	–	–	1	20	4	6	1	5	1	–	3	1	29	24	–	–
61	West Carrollton	60	–	–	–	16	6	8	–	–	–	–	2	1	33	27	2	1
62	Balance of county	1,501	–	–	14	355	73	114	33	28	16	9	82	17	755	579	18	4
63	Morgan	140	1	–	1	23	8	7	1	2	2	–	3	2	82	63	–	–
64	Morrow	198	–	–	1	35	10	8	3	3	–	2	9	6	105	70	–	1
65	Muskingum	855	–	–	8	171	40	61	12	19	7	7	25	34	439	336	6	5
66	Zanesville	416	–	–	1	76	21	25	4	9	3	2	12	11	231	180	3	2
67	Balance of county	439	–	–	7	95	19	36	8	10	4	5	13	23	208	156	3	3
68	Noble	126	1	–	3	27	7	5	2	3	4	–	6	5	66	49	–	1
69	Ottawa	411	1	–	3	69	24	16	6	7	2	4	10	9	231	184	3	4
70	Paulding	182	–	–	1	33	5	12	5	2	–	2	7	2	93	75	2	2
71	Perry	292	–	–	1	51	16	14	–	5	3	4	9	5	173	139	1	–
72	Pickaway	316	–	–	3	46	11	9	5	12	2	–	7	9	180	124	3	6
73	Circleville	122	–	–	1	19	3	2	3	6	1	–	4	5	69	49	1	3
74	Balance of county	194	–	–	2	27	8	7	2	6	1	–	3	4	111	75	2	3
75	Pike	206	1	–	2	33	9	8	3	4	2	2	5	5	117	105	–	2
76	Portage	816	–	–	2	176	52	36	19	24	11	9	25	21	411	316	9	5
77	Kent	130	–	–	–	26	8	6	2	4	2	1	3	3	68	53	2	–
78	Ravenna	156	–	–	–	31	11	3	4	4	1	2	6	9	86	65	1	–
79	Balance of county	530	–	–	2	119	33	27	13	16	8	6	16	9	257	198	6	5
80	Preble	311	–	–	–	58	15	15	7	6	3	1	11	6	162	115	–	–
81	Putnam	277	–	–	–	49	13	8	7	5	1	4	11	4	154	101	3	–
82	Richland	1,032	2	1	7	211	57	55	21	33	5	7	33	24	547	409	9	11
83	Mansfield	568	–	1	3	100	29	32	5	12	4	5	13	13	307	225	5	5
84	Balance of county	464	2	–	4	111	28	23	16	21	1	2	20	11	240	184	4	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E960-E999)	
457	41	1	147	18	14	46	23	1	22	10	–	12	23	25	111	39	33	23	5	1	01
44	3	1	13	2	3	3	3	1	3	–	–	2	2	2	10	3	7	1	–	–	02
70	11	–	31	3	2	12	2	–	3	2	–	–	4	6	18	9	5	5	1	–	03
72	3	–	17	2	3	7	3	–	3	–	–	4	3	4	14	2	4	4	–	–	04
31	1	–	11	3	–	1	–	–	5	2	–	–	–	2	8	7	3	3	2	–	05
48	5	–	22	1	2	4	–	–	3	1	–	2	2	3	10	4	2	3	1	–	06
40	7	–	10	2	1	1	2	–	3	3	–	2	3	3	12	2	2	1	–	–	07
152	11	–	43	5	3	18	13	–	2	2	–	2	9	5	39	12	10	6	1	1	08
241	10	2	66	7	10	10	15	–	6	3	1	2	5	4	52	15	14	5	4	1	09
83	4	–	13	2	4	1	6	–	2	2	–	–	2	–	13	2	2	–	–	–	10
158	6	2	53	5	6	9	9	–	4	1	1	2	3	4	39	13	12	5	4	1	11
341	33	3	91	23	15	31	25	2	7	3	–	6	12	11	95	29	27	14	4	2	12
160	11	3	50	12	11	14	9	1	3	–	–	2	5	5	48	8	8	4	1	1	13
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	14
181	22	–	41	11	4	16	16	1	4	3	–	4	7	6	45	21	19	9	3	1	15
168	14	–	65	10	8	11	4	5	2	1	–	3	3	4	37	10	9	4	–	–	16
51	5	–	29	2	3	2	2	–	1	–	–	–	2	2	10	5	–	1	–	–	17
117	9	–	36	8	5	9	2	5	1	1	–	3	1	2	27	5	9	3	–	–	18
632	60	4	152	31	21	51	17	5	28	8	1	17	31	46	151	59	49	30	16	1	19
19	3	–	10	2	4	1	–	–	1	–	–	2	–	4	9	2	2	–	–	–	20
155	10	2	37	10	4	18	3	1	4	2	1	2	3	5	30	11	16	7	5	1	21
208	28	1	47	8	8	13	10	3	11	2	–	4	18	24	53	14	15	13	3	–	22
25	3	–	6	–	–	–	–	–	1	1	–	4	2	1	4	5	2	2	1	–	23
225	16	1	52	11	5	19	4	1	11	3	–	5	8	12	55	27	14	8	7	–	24
1,709	97	16	446	74	70	118	83	15	83	16	2	30	55	19	364	104	102	88	39	4	25
45	1	–	9	2	2	2	1	–	–	1	–	–	1	1	6	2	1	3	1	–	26
69	3	–	20	2	3	–	2	1	3	1	–	2	–	–	11	6	2	3	–	–	27
42	4	–	12	1	2	3	1	–	2	–	–	1	–	1	13	3	2	2	–	–	28
1,385	84	15	361	64	58	95	70	11	75	11	2	25	46	16	301	72	86	61	34	4	29
168	5	1	44	5	5	18	9	3	3	3	–	2	8	1	33	21	11	19	4	–	30
77	5	2	44	3	7	6	4	–	1	2	–	5	2	5	16	12	13	3	–	–	31
1,094	103	12	306	96	35	79	25	8	44	17	3	17	32	13	227	40	89	43	27	2	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
41	4	1	7	2	1	5	–	–	2	1	–	–	3	1	8	2	2	2	2	–	34
56	5	–	17	4	–	2	–	–	2	–	–	–	2	1	5	3	4	4	1	–	35
537	55	7	171	57	18	41	16	2	30	10	1	10	23	6	124	16	46	19	20	1	36
537	55	7	171	57	18	41	16	2	30	10	1	10	23	6	124	16	46	20	20	1	37
460	39	4	111	33	16	31	9	6	10	6	2	7	4	5	90	19	37	18	4	1	38
184	18	7	77	10	11	17	7	1	6	1	1	1	5	2	47	24	12	8	3	–	39
103	11	4	58	5	8	8	5	1	4	–	–	1	5	1	28	15	8	7	1	–	40
81	7	3	19	5	3	9	2	–	2	1	1	–	–	1	19	9	4	1	2	–	41
190	26	2	45	23	4	22	11	1	8	1	–	3	8	12	70	31	11	8	4	1	42
29	3	–	6	1	1	7	2	–	1	–	–	1	2	2	15	8	3	1	2	–	43
33	6	1	9	4	1	6	3	–	1	1	–	1	4	–	18	2	–	1	–	–	44
44	2	1	7	5	–	3	1	–	2	–	–	–	–	2	12	1	2	1	–	–	45
84	15	–	23	13	2	6	5	1	4	–	–	1	2	8	25	20	6	5	2	1	46
85	15	2	38	6	3	7	1	1	1	–	–	1	3	1	24	1	4	1	1	–	47
136	16	2	35	9	6	6	8	2	3	–	–	6	3	5	22	16	9	1	–	–	48
257	28	1	71	11	14	23	8	1	5	–	–	4	10	8	62	20	20	8	2	1	49
71	13	1	26	2	4	9	3	–	3	–	–	2	4	1	17	7	4	3	1	–	50
54	6	–	14	5	6	7	2	–	–	–	–	–	–	4	19	4	8	–	–	–	51
132	9	–	31	4	4	7	3	1	2	–	–	2	6	3	26	9	8	5	1	1	52
61	4	–	16	4	3	6	7	2	4	–	–	–	1	1	14	4	7	3	3	–	53
1,619	124	14	382	58	64	113	48	14	75	19	2	31	60	55	411	79	117	79	70	2	54
24	3	–	11	–	–	1	–	–	–	–	–	–	–	1	9	5	1	2	–	1	55
785	62	8	176	25	28	57	23	8	46	12	1	16	34	28	214	31	59	29	56	–	56
163	9	1	37	8	8	14	6	1	3	1	–	7	–	1	37	4	11	11	–	–	57
46	3	–	8	1	2	6	3	–	2	1	–	–	1	2	10	–	9	–	1	–	58
39	4	1	12	2	3	2	1	–	1	–	–	–	–	1	9	2	4	3	–	–	59
24	–	–	4	–	1	3	1	–	–	–	–	–	–	1	5	6	–	1	–	–	60
23	1	–	6	–	–	–	–	–	1	1	–	–	–	1	3	1	1	1	1	–	61
515	42	4	128	22	22	30	14	5	22	4	1	8	25	20	124	30	32	32	12	1	62
61	2	–	15	3	1	2	2	1	–	2	–	–	1	5	7	3	4	3	–	1	63
65	4	2	27	3	3	6	6	–	2	1	–	–	4	3	12	9	5	3	–	–	64
302	23	6	66	19	12	23	14	–	6	3	–	6	9	8	81	18	17	16	–	2	65
166	9	3	32	9	7	15	10	–	4	–	–	3	4	5	40	2	7	6	–	1	66
136	14	3	34	10	5	8	4	–	2	3	–	3	5	3	41	16	10	10	–	1	67
44	4	–	12	2	3	4	4	1	–	1	–	–	–	–	8	2	4	–	–	–	68
162	15	2	30	5	10	9	3	2	3	1	–	4	3	11	28	16	10	7	1	–	69
65	6	1	10	5	2	6	3	1	1	–	–	–	1	2	13	14	8	2	1	1	70
125	13	1	24	3	6	6	9	–	3	2	–	2	3	2	19	6	8	1	1	–	71
110	5	–	48	5	3	7	4	1	–	1	–	2	1	10	23	10	16	2	–	1	72
45	–	–	18	1	1	4	2	–	–	1	–	2	1	2	11	1	3	1	–	–	73
65	5	–	30	4	2	3	2	1	–	–	–	–	–	8	12	9	13	1	–	1	74
98	5	1	10	–	1	7	4	–	1	–	–	1	1	2	18	5	5	3	–	1	75
281	21	–	65	18	12	13	7	3	7	2	–	6	19	10	59	33	29	14	2	2	76
46	5	–	9	5	1	2	2	–	2	–	–	1	2	3	13	1	7	–	–	–	77
61	3	–	15	4	2	2	–	1	–	1	–	1	3	–	9	8	4	1	–	–	78
174	13	–	41	9	9	9	5	2	5	1	–	4	14	7	37	24	18	13	2	2	79
105	10	1	35	6	5	7	4	1	3	4	–	3	3	4	28	12	6	8	2	–	80
89	9	2	33	13	5	12	4	2	3	1	–	2	4	1	21	13	5	2	–	–	81
363	26	3	104	19	12	27	19	1	16	5	–	8	9	5	80	18	28	4	–	20	82
204	11	2	64	11	5	14	12	–	10	2	–	4	3	2	58	6	20	3	–	10	83
159	15	1	40	8	7	13	7	1	6	3	–	4	6	3	22	12	8	1	–	10	84

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Ross	620	-	-	4	131	41	34	8	14	6	8	20	14	327	242	4	1
02	Chillicothe	311	-	-	2	64	20	19	5	6	3	3	8	7	168	116	1	1
03	Balance of county	309	-	-	2	67	21	15	3	8	3	5	12	7	159	126	3	-
04	Sandusky	588	-	-	4	106	28	31	6	11	6	4	20	15	336	275	3	5
05	Fremont	219	-	-	1	51	14	16	-	6	1	2	12	8	124	104	-	1
06	Balance of county	369	-	-	3	55	14	15	6	5	5	2	8	7	212	171	3	4
07	Scioto	985	-	-	6	178	45	36	19	18	10	4	46	39	550	440	2	9
08	Portsmouth	444	-	-	1	78	22	15	9	6	5	-	21	19	256	203	-	3
09	Balance of county	541	-	-	5	100	23	21	10	12	5	4	25	20	294	237	2	6
10	Seneca	576	-	-	3	106	23	29	12	7	6	6	23	13	322	251	3	1
11	Fostoria, part	149	-	-	1	27	5	7	4	-	1	1	9	5	75	49	1	-
12	Fostoria, total	192	-	-	1	35	7	9	4	2	1	2	10	9	95	64	2	-
13	Tiffin	211	-	-	1	43	12	11	3	5	2	2	8	3	122	99	1	1
14	Balance of county	216	-	-	1	36	6	11	5	2	3	3	6	5	125	103	1	-
15	Shelby	357	2	-	1	87	30	14	5	18	3	2	15	8	185	133	5	-
16	Sidney	161	2	-	-	44	14	10	4	8	1	2	5	4	81	53	3	-
17	Balance of county	196	-	-	1	43	16	4	1	10	2	-	10	4	104	80	2	-
18	Stark	3,549	9	-	11	692	213	164	51	88	33	33	110	51	1,987	1,576	32	36
19	Alliance, part	295	2	-	-	55	16	11	6	6	7	1	8	3	162	131	1	2
20	Alliance, total	295	2	-	-	55	16	11	6	6	7	1	8	3	162	131	1	2
21	Canton	1,245	5	-	4	232	75	55	16	29	10	7	40	19	733	579	11	20
22	Massillon	386	-	-	2	76	21	21	5	13	2	5	9	3	216	174	1	2
23	North Canton	116	-	-	-	21	5	5	1	2	1	2	5	4	73	58	2	-
24	Balance of county	1,507	2	-	5	308	96	72	23	38	13	18	48	22	803	634	17	12
25	Summit	4,805	7	-	36	1,012	263	261	87	122	46	33	200	99	2,455	1,853	52	25
26	Akron	2,704	5	-	17	553	147	139	42	72	26	13	114	54	1,400	1,053	29	12
27	Barberton	347	-	-	5	78	26	24	6	6	3	2	11	6	175	136	3	1
28	Cuyahoga Falls	392	-	-	3	81	12	25	6	10	2	2	24	12	209	152	3	-
29	Norton	63	-	-	-	16	8	5	-	1	-	-	2	3	27	22	-	-
30	Stow	126	1	-	1	21	5	4	4	2	1	3	2	-	62	52	2	-
31	Tallmadge	100	-	-	1	29	8	8	3	2	-	3	5	2	45	35	2	1
32	Balance of county	1,073	1	-	9	234	57	56	26	29	14	10	42	22	537	403	13	11
33	Trumbull	1,986	1	-	7	410	114	98	29	45	23	17	84	29	1,073	837	9	16
34	Girard	127	-	-	1	29	10	12	-	3	-	-	4	1	71	57	1	-
35	Niles	234	-	-	-	47	12	15	4	6	2	1	7	2	132	96	-	-
36	Warren	632	-	-	3	130	38	29	10	17	7	3	26	7	356	294	2	8
37	Youngstown, part	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
38	Balance of county	991	1	-	3	203	53	42	15	19	14	13	47	19	514	390	6	8
39	Tuscarawas	788	1	-	9	146	42	32	14	18	4	4	32	22	437	339	5	6
40	Dover	137	-	-	2	26	7	4	3	4	1	2	5	4	76	54	-	1
41	New Philadelphia	166	-	-	3	31	8	6	5	4	1	1	6	-	98	73	1	-
42	Balance of county	485	1	-	4	89	27	22	6	10	2	1	21	18	263	212	4	5
43	Union	238	-	-	1	52	15	10	4	6	2	2	13	7	128	93	1	3
44	Van Wert	322	1	-	1	54	14	9	7	6	6	2	10	5	200	154	5	1
45	Van Wert	153	1	-	-	33	7	2	5	3	5	2	9	2	87	67	1	1
46	Balance of county	169	-	-	1	21	7	7	2	3	1	-	1	3	113	87	4	-
47	Vinton	107	-	-	-	12	3	3	2	2	-	-	2	3	61	54	1	1
48	Warren	579	-	-	3	124	29	33	8	18	6	8	22	15	281	212	4	3
49	Franklin	90	-	-	-	22	7	4	1	6	-	1	3	1	44	31	1	-
50	Balance of county	489	-	-	3	102	22	29	7	12	6	7	19	14	237	181	3	3
51	Washington	599	1	-	2	117	33	26	11	15	2	6	24	11	328	229	4	4
52	Marietta	228	-	-	-	41	12	7	5	10	-	2	5	3	128	81	-	3
53	Balance of county	371	1	-	2	76	21	19	6	5	2	4	19	8	200	148	4	1
54	Wayne	756	1	-	2	134	27	27	10	23	8	10	29	10	438	324	8	6
55	Wooster	220	-	-	1	40	13	7	1	5	3	3	8	2	142	100	2	1
56	Balance of county	536	1	-	1	94	14	20	9	18	5	7	21	8	296	224	6	5
57	Williams	297	-	-	-	52	16	8	4	3	6	5	10	7	169	141	3	3
58	Wood	684	1	-	3	130	42	24	8	13	6	5	32	16	364	272	6	8
59	Bowling Green	115	-	-	1	20	6	5	4	2	-	-	3	2	63	55	1	1
60	Fostoria, part	8	-	-	-	-	-	-	-	-	-	-	-	-	6	5	1	-
61	Balance of county	561	1	-	2	110	36	19	4	11	6	5	29	14	295	212	4	7
62	Wyandot	237	-	1	-	46	13	16	1	6	5	2	3	6	135	101	1	2
63	**Oklahoma**	27,943	48	6	226	5,313	1,304	1,449	398	613	223	213	1,113	430	14,072	10,356	126	186
64	Urban places	13,437	21	4	114	2,691	669	746	231	305	99	105	536	191	6,620	4,807	66	76
65	Balance of area	14,506	27	2	112	2,622	635	703	167	308	124	108	577	239	7,452	5,549	60	110
66	Metropolitan counties	11,609	23	4	116	2,361	576	683	206	252	79	94	471	170	5,514	4,056	60	70
67	Urban places	9,205	16	4	84	1,890	459	553	172	193	64	71	378	140	4,347	3,164	51	53
68	Balance of area	2,404	7	-	32	471	117	130	34	59	15	23	93	30	1,167	892	9	17
69	Nonmetropolitan counties	16,334	25	2	110	2,952	728	766	192	361	144	119	642	260	8,558	6,300	66	116
70	Urban places	4,232	5	-	30	801	210	193	59	112	35	34	158	51	2,273	1,643	15	23
71	Balance of area	12,102	20	2	80	2,151	518	573	133	249	109	85	484	209	6,285	4,657	51	93
72	Adair	172	1	-	1	19	5	3	3	2	1	-	5	2	86	56	1	-
73	Alfalfa	114	-	-	-	25	7	6	-	8	1	-	3	1	57	36	1	2
74	Atoka	145	-	-	3	21	5	2	-	2	1	2	9	-	82	67	-	-
75	Beaver	55	-	-	-	10	3	3	1	1	1	-	1	-	31	25	2	-
76	Beckham	228	-	-	1	40	13	11	-	3	2	-	11	2	113	82	-	6
77	Blaine	218	2	-	2	30	8	6	2	3	2	2	7	4	105	85	1	-
78	Bryan	347	1	1	2	62	12	16	4	7	6	1	16	7	182	140	1	3
79	Durant	173	-	-	2	29	7	5	3	3	4	1	6	5	100	79	-	3
80	Balance of county	174	1	1	-	33	5	11	1	4	2	-	10	2	82	61	1	-
81	Caddo	348	1	-	-	68	21	21	2	5	6	4	9	8	162	112	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
227	10	–	66	12	7	10	3	2	8	6	–	–	6	12	56	14	20	5	1	1	01
110	4	–	41	5	6	7	3	1	5	2	–	–	3	5	29	5	7	2	–	1	02
117	6	–	25	7	1	3	–	1	3	4	–	–	3	7	27	9	13	3	1	–	03
251	16	2	38	8	13	11	5	3	2	4	–	5	3	9	45	21	10	8	1	–	04
98	5	1	13	2	4	3	2	2	–	1	–	1	1	1	14	2	5	2	1	–	05
153	11	1	25	6	9	8	3	1	2	3	–	4	2	8	31	19	5	6	–	–	06
400	29	2	83	20	5	16	19	1	13	3	–	4	6	8	90	12	18	14	2	6	07
184	16	1	38	12	2	7	8	–	9	2	–	1	3	4	42	3	6	4	–	1	08
216	13	1	45	8	3	9	11	1	4	1	–	3	3	4	48	9	12	10	2	5	09
239	8	2	45	13	11	9	4	1	6	1	–	7	8	–	46	19	18	8	4	1	10
47	1	2	16	7	1	4	–	1	2	–	–	1	1	–	19	1	7	3	1	1	11
61	1	2	19	8	2	4	–	1	3	–	–	1	1	1	22	3	10	4	1	1	12
94	3	–	14	2	7	1	–	–	4	–	–	2	4	–	14	8	3	3	3	–	13
98	4	–	15	4	3	4	4	–	–	1	–	4	3	–	13	10	8	2	–	–	14
118	10	–	33	15	4	6	3	–	2	3	–	3	1	1	29	8	9	8	1	–	15
49	1	–	17	8	3	6	1	–	1	1	–	1	–	–	11	1	2	5	1	–	16
69	9	–	16	7	1	–	2	–	1	2	–	2	1	1	18	7	7	3	–	–	17
1,395	113	8	284	67	52	94	43	12	39	20	1	20	35	23	284	85	87	41	13	2	18
122	6	1	18	7	5	7	6	3	2	1	–	1	4	4	23	8	6	2	4	2	19
122	6	1	18	7	5	7	6	3	2	1	–	1	4	4	23	8	6	2	4	2	20
511	37	3	114	23	14	33	10	4	24	10	–	8	10	6	93	21	21	6	6	–	21
159	12	1	35	2	4	12	2	1	2	2	–	–	2	4	40	10	12	1	1	–	22
51	5	–	8	–	7	–	2	–	–	–	–	1	1	1	11	–	2	–	–	–	23
552	53	3	109	35	22	42	23	4	11	7	1	10	18	8	117	46	46	32	2	–	24
1,582	194	3	440	90	69	130	32	15	56	14	1	19	36	229	419	54	90	77	15	9	25
906	106	2	266	51	28	82	18	7	35	10	1	11	22	130	248	18	36	42	9	6	26
113	19	–	27	6	6	9	1	1	6	–	–	1	1	11	28	8	9	6	2	–	27
132	17	–	35	13	9	7	2	2	4	1	–	1	3	19	25	5	11	7	–	–	28
21	1	–	4	–	1	3	1	–	–	–	–	–	1	5	4	2	–	1	–	–	29
36	14	–	10	–	–	6	2	–	–	–	–	2	2	5	14	1	5	4	–	–	30
28	4	–	4	3	3	5	1	–	1	–	–	–	–	3	7	1	4	1	–	–	31
346	33	1	94	17	22	18	7	5	10	3	–	4	7	56	93	19	25	16	4	3	32
749	63	4	173	32	27	46	21	7	32	8	1	7	15	7	160	62	50	32	13	5	33
53	3	–	12	2	–	3	2	1	1	1	–	–	–	–	13	2	1	1	–	–	34
82	14	1	23	9	3	3	2	–	2	2	–	1	1	–	26	5	6	5	–	–	35
266	18	–	45	10	7	19	6	4	14	1	–	3	3	3	48	14	6	8	4	3	36
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	37
348	28	3	93	11	17	21	11	2	15	4	1	3	11	4	73	41	37	17	9	2	38
308	20	3	71	16	8	28	4	1	5	7	–	6	9	4	66	14	17	7	4	1	39
52	1	–	12	9	1	8	–	1	1	–	–	1	1	–	8	2	2	3	2	–	40
68	4	3	19	1	2	8	–	–	–	2	–	–	1	–	16	1	3	2	1	–	41
188	15	–	40	6	5	12	4	–	4	5	–	5	7	4	42	11	12	2	1	1	42
82	7	1	22	6	6	5	2	–	3	1	–	1	4	2	20	7	3	1	–	1	43
141	7	3	35	5	3	4	7	–	1	4	–	–	–	1	27	7	7	2	1	–	44
60	5	2	14	4	–	2	3	–	–	2	–	–	–	–	14	3	5	1	–	–	45
81	2	1	21	1	3	2	4	–	1	2	–	–	–	1	13	4	2	1	1	–	46
47	5	–	6	1	–	2	–	2	3	–	–	–	1	3	10	5	4	1	–	–	47
189	16	–	53	13	3	18	7	3	7	2	–	3	10	6	49	17	12	13	8	1	48
29	1	–	12	1	–	2	–	–	2	–	–	–	2	1	7	3	4	1	1	–	49
160	15	–	41	12	3	16	7	3	5	2	–	3	8	5	42	14	8	12	7	1	50
207	14	–	68	14	17	18	6	–	6	1	–	2	5	4	53	10	24	9	1	1	51
72	6	–	30	9	8	5	2	–	4	1	–	1	3	2	22	3	8	4	–	1	52
135	8	–	38	5	9	13	4	–	2	–	–	1	2	2	31	7	16	5	1	–	53
295	15	4	89	8	13	27	10	1	6	–	–	5	6	9	60	19	16	7	2	3	54
94	3	2	33	2	5	12	1	1	3	–	–	–	1	2	11	2	2	–	–	–	55
201	12	2	56	6	8	15	9	–	3	–	–	5	5	7	49	17	14	7	2	3	56
126	9	–	24	–	4	4	1	2	2	1	–	3	5	4	28	7	7	3	–	2	57
243	15	4	55	21	12	13	5	1	7	4	1	4	5	7	53	30	21	14	5	–	58
50	3	–	5	3	–	3	2	–	2	1	1	2	1	–	4	3	5	5	–	–	59
4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	60
189	12	4	49	18	12	10	3	1	5	3	–	2	4	6	49	27	15	9	5	–	61
84	14	1	31	–	2	6	3	1	3	–	–	2	1	–	15	8	6	2	1	1	62
8,980	**1,064**	**71**	**2,843**	**405**	**397**	**996**	**290**	**70**	**329**	**174**	**4**	**144**	**290**	**493**	**2,561**	**970**	**830**	**384**	**283**	**30**	**63**
4,210	**455**	**33**	**1,388**	**191**	**201**	**412**	**127**	**31**	**182**	**88**	**2**	**90**	**170**	**251**	**1,268**	**362**	**410**	**217**	**171**	**15**	**64**
4,770	**609**	**38**	**1,455**	**214**	**196**	**584**	**163**	**39**	**147**	**86**	**2**	**54**	**120**	**242**	**1,293**	**608**	**420**	**167**	**112**	**15**	**65**
3,520	**406**	**25**	**1,111**	**153**	**169**	**330**	**113**	**31**	**159**	**61**	**2**	**77**	**154**	**223**	**1,133**	**372**	**375**	**215**	**163**	**13**	**66**
2,764	**296**	**18**	**909**	**121**	**135**	**248**	**83**	**26**	**132**	**56**	**2**	**65**	**123**	**185**	**923**	**255**	**299**	**182**	**134**	**11**	**67**
756	**110**	**7**	**202**	**32**	**34**	**82**	**30**	**5**	**27**	**5**	–	**12**	**31**	**38**	**210**	**117**	**76**	**33**	**29**	**2**	**68**
5,460	**658**	**46**	**1,732**	**252**	**228**	**666**	**177**	**39**	**170**	**113**	**2**	**67**	**136**	**270**	**1,428**	**598**	**455**	**169**	**120**	**17**	**69**
1,446	**159**	**15**	**479**	**70**	**66**	**164**	**44**	**5**	**50**	**32**	–	**25**	**47**	**66**	**345**	**107**	**111**	**35**	**37**	**4**	**70**
4,014	**499**	**31**	**1,253**	**182**	**162**	**502**	**133**	**34**	**120**	**81**	**2**	**42**	**89**	**204**	**1,083**	**491**	**344**	**134**	**83**	**13**	**71**
46	9	1	26	2	1	13	1	–	1	2	–	1	–	3	18	7	11	–	5	1	72
32	1	–	13	7	1	6	1	1	–	1	–	–	–	2	10	4	2	3	1	–	73
52	15	–	13	1	1	4	1	–	1	–	–	2	4	2	16	8	1	–	–	–	74
21	2	1	2	1	2	2	1	–	–	–	–	1	–	–	4	6	–	–	–	–	75
75	1	1	20	7	3	9	1	1	2	1	–	–	3	26	13	7	6	2	1	–	76
75	9	–	17	1	2	16	3	–	2	–	–	1	1	4	28	5	12	1	–	2	77
114	22	–	30	8	4	14	4	–	2	2	–	3	6	9	22	22	5	2	1	–	78
65	11	–	16	2	3	6	1	–	1	1	–	1	1	3	8	11	3	1	–	–	79
49	11	–	14	6	1	8	3	–	1	1	–	2	5	6	14	11	2	1	1	–	80
97	12	–	45	2	3	17	4	3	9	2	–	–	4	3	32	23	6	5	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Canadian	344	–	–	2	66	18	18	9	8	1	–	12	2	164	111	1	6
02	El Reno	163	–	–	–	25	7	8	5	1	–	–	4	–	83	50	–	4
03	Oklahoma City, part	4	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
04	Balance of county	177	–	–	2	40	10	10	4	7	1	–	8	2	80	61	1	2
05	Carter	559	1	–	5	98	15	37	7	7	4	7	21	5	319	234	2	9
06	Ardmore	380	1	–	3	58	10	17	5	6	3	4	13	2	220	158	1	8
07	Balance of county	179	–	–	2	40	5	20	2	1	1	3	8	3	99	76	1	1
08	Cherokee	295	1	–	1	51	12	14	3	8	2	2	10	8	143	104	1	1
09	Choctaw	211	1	–	4	31	8	9	1	5	2	–	6	9	119	104	–	7
10	Cimarron	29	–	–	–	5	1	–	2	1	–	–	1	–	14	12	–	–
11	Cleveland	579	2	–	6	108	30	28	7	14	2	5	22	12	275	196	2	3
12	Moore	97	–	–	2	23	5	8	1	3	–	1	5	1	37	20	–	–
13	Norman	373	1	–	2	72	23	14	6	10	2	2	15	7	185	137	2	3
14	Oklahoma City, part	10	–	–	–	1	–	–	–	1	–	–	–	1	5	3	–	–
15	Balance of county	99	1	–	2	12	2	6	–	–	–	2	2	3	48	36	–	–
16	Coal	89	1	–	–	14	4	4	1	2	1	1	1	3	37	30	–	–
17	Comanche	618	1	–	8	110	21	40	6	11	3	5	24	10	275	209	3	3
18	Lawton	459	1	–	6	93	18	33	4	10	3	5	20	9	198	147	2	2
19	Balance of county	159	–	–	2	17	3	7	2	1	–	–	4	1	77	62	1	1
20	Cotton	87	–	–	1	15	5	4	–	1	1	–	4	1	53	39	–	2
21	Craig	200	1	–	2	48	15	14	3	2	3	1	10	4	103	69	–	–
22	Creek	565	–	–	7	105	31	27	7	10	5	7	18	10	290	219	1	4
23	Sapulpa	214	–	–	2	40	18	12	–	2	1	2	5	5	118	82	–	1
24	Balance of county	351	–	–	5	65	13	15	7	8	4	5	13	5	172	137	1	3
25	Custer	266	–	–	3	41	14	12	1	4	1	3	6	10	130	96	1	3
26	Delaware	268	–	–	–	45	11	14	–	3	2	1	14	5	156	117	1	–
27	Dewey	96	–	–	–	17	5	4	1	2	–	–	5	1	40	34	–	–
28	Ellis	69	–	–	–	10	3	2	2	–	–	2	1	2	36	26	–	–
29	Garfield	622	–	–	4	121	38	23	14	16	5	6	19	11	323	230	2	2
30	Enid	501	–	–	4	99	30	21	10	16	4	5	13	11	254	184	2	2
31	Balance of county	121	–	–	–	22	8	2	4	–	1	1	6	–	69	46	–	–
32	Garvin	342	–	–	2	75	19	19	6	11	1	2	17	6	169	139	–	3
33	Grady	368	1	–	1	54	8	16	3	12	2	2	11	3	193	127	1	4
34	Chickasha	184	1	–	–	29	5	11	2	3	2	1	5	1	106	67	–	1
35	Balance of county	184	–	–	1	25	3	5	1	9	–	1	6	2	87	60	1	3
36	Grant	100	–	–	1	21	4	4	3	3	1	2	4	2	57	41	1	2
37	Greer	137	–	–	2	36	11	8	4	3	2	1	7	2	62	38	–	1
38	Harmon	74	–	–	–	11	3	5	–	–	–	–	3	–	50	39	1	1
39	Harper	53	–	–	–	11	1	3	–	1	–	–	6	–	24	17	–	–
40	Haskell	148	–	–	–	30	2	11	2	4	1	–	10	3	85	54	–	–
41	Hughes	219	–	–	2	45	10	13	–	10	1	2	9	8	118	79	2	–
42	Jackson	252	–	–	1	44	12	11	4	2	2	3	10	3	138	91	3	3
43	Altus	171	–	–	–	31	8	7	3	1	2	3	7	–	97	62	2	2
44	Balance of county	81	–	–	1	13	4	4	1	1	–	–	3	3	41	29	1	1
45	Jefferson	130	–	–	1	14	4	5	1	–	1	–	3	3	89	65	–	1
46	Johnston	115	–	–	–	16	1	4	–	3	1	3	4	1	64	50	–	–
47	Kay	548	–	–	3	121	28	37	8	11	7	6	24	16	290	218	3	–
48	Ponca City	268	–	–	1	65	16	18	2	8	4	3	14	10	141	103	2	–
49	Balance of county	280	–	–	2	56	12	19	6	3	3	3	10	6	149	115	1	–
50	Kingfisher	141	–	–	1	31	7	5	5	4	2	2	6	3	63	40	–	2
51	Kiowa	202	1	–	3	45	15	7	4	1	2	5	11	1	101	69	1	1
52	Latimer	106	–	–	–	12	3	4	–	4	–	–	1	2	60	48	1	–
53	Le Flore	434	1	–	5	95	33	23	6	12	1	2	18	6	204	144	3	1
54	Lincoln	274	–	–	3	42	11	7	1	9	2	2	10	9	158	119	3	11
55	Logan	276	–	–	3	47	10	10	2	3	3	5	14	1	145	104	2	–
56	Love	85	1	–	1	14	1	7	–	–	–	–	6	2	39	28	–	1
57	McClain	165	–	–	–	39	10	16	2	3	1	–	7	4	77	47	–	–
58	Oklahoma City, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Balance of county	164	–	–	–	39	10	16	2	3	1	–	7	4	77	47	–	–
60	McCurtain	420	1	–	2	56	8	21	3	9	2	3	10	4	212	163	1	2
61	McIntosh	189	–	–	–	38	9	10	2	7	3	3	4	4	100	68	1	1
62	Major	95	–	–	2	14	4	1	–	3	1	1	4	5	44	36	–	1
63	Marshall	138	–	–	–	27	6	6	3	4	–	2	6	–	80	59	–	–
64	Mayes	311	2	–	4	58	14	14	5	9	6	1	9	1	155	105	1	1
65	Murray	143	–	–	1	25	8	6	1	2	1	2	5	2	70	50	1	2
66	Muskogee	786	1	–	2	136	35	43	8	15	5	1	29	11	428	329	–	4
67	Muskogee	572	–	–	1	105	27	31	7	12	3	1	24	5	311	243	–	2
68	Balance of county	214	1	–	1	31	8	12	1	3	2	–	5	6	117	86	–	2
69	Noble	125	–	–	–	23	9	3	2	4	1	–	4	1	71	60	1	3
70	Nowata	131	–	–	1	20	3	1	1	6	1	–	8	7	76	52	–	1
71	Okfuskee	169	–	–	1	26	8	3	3	4	1	2	5	1	105	85	–	–
72	Oklahoma	4,745	5	2	46	987	233	280	94	101	30	43	206	75	2,212	1,588	28	33
73	Bethany	120	–	–	–	29	6	3	5	5	1	2	7	2	66	48	–	–
74	Del City	155	1	–	2	40	12	12	3	4	–	1	8	3	67	55	2	1
75	Edmond	186	–	–	1	44	9	12	3	5	2	2	11	–	95	71	–	4
76	Midwest City	306	–	–	4	64	10	16	6	8	3	6	15	4	115	77	–	1
77	Oklahoma City, part	3,735	4	2	34	758	183	222	75	72	23	27	156	61	1,761	1,253	25	20
78	Oklahoma City, total	3,750	4	2	34	760	184	222	75	73	23	27	156	62	1,767	1,256	25	20
79	The Village	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
80	Balance of county	242	–	–	5	52	13	15	2	7	1	5	9	5	107	83	1	7
81	Okmulgee	479	–	–	6	88	21	26	3	9	5	3	21	6	271	227	2	4
82	Okmulgee	218	–	–	3	34	9	8	3	4	–	1	9	–	126	97	–	1
83	Balance of county	261	–	–	3	54	12	18	–	5	5	2	12	6	145	130	2	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
92	12	–	45	5	3	10	1	–	3	–	–	2	6	7	37	13	12	10	9	–	01
43	3	–	31	1	1	7	1	–	2	–	–	1	2	5	23	1	5	7	1	–	02
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	03
49	9	–	14	4	1	3	–	–	1	–	–	1	4	2	14	10	7	3	8	–	04
194	29	3	64	9	9	23	7	3	7	5	–	2	3	11	34	12	16	3	5	–	05
130	19	3	44	7	8	16	7	1	6	4	–	2	3	6	27	7	11	2	4	–	06
64	10	–	20	2	1	7	–	2	1	1	–	–	–	5	7	5	5	1	1	–	07
83	19	1	34	2	2	13	–	3	2	3	–	3	1	4	29	8	13	9	3	–	08
87	10	–	13	2	–	10	2	1	2	1	–	–	–	7	14	–	5	–	5	–	09
10	2	–	1	–	1	1	2	–	–	–	–	–	–	–	4	1	2	–	–	–	10
177	14	–	60	10	9	20	7	1	4	8	–	2	8	17	41	17	20	20	11	–	11
19	1	–	11	1	5	3	2	–	1	2	–	1	1	1	7	7	4	4	1	–	12
124	8	–	40	6	2	13	3	1	3	5	–	1	3	13	25	7	15	13	4	–	13
2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	14
32	4	–	8	3	1	4	2	–	–	1	–	–	4	3	9	3	1	2	4	–	15
25	5	–	4	1	2	2	1	1	1	–	–	–	2	1	13	5	5	1	2	–	16
189	14	5	44	9	8	14	9	2	10	1	–	7	21	17	59	20	34	10	9	1	17
134	9	3	35	8	5	9	4	2	7	1	–	6	17	13	42	9	26	8	7	1	18
55	5	2	9	1	3	5	5	–	3	–	–	1	4	4	17	11	8	2	2	–	19
33	4	–	12	1	1	–	3	–	–	–	–	1	–	1	5	3	3	1	–	–	20
65	4	–	29	2	3	14	1	–	–	–	–	–	1	6	9	5	3	1	1	1	21
200	14	1	56	7	7	27	11	–	5	1	–	2	6	6	40	26	18	10	1	–	22
77	4	–	32	2	2	5	6	–	2	1	–	1	–	3	13	6	10	2	–	–	23
123	10	1	24	5	5	22	5	–	3	–	–	1	6	3	27	20	8	8	1	–	24
81	11	–	22	7	5	13	2	1	9	1	–	1	2	8	23	11	7	3	1	–	25
94	22	–	30	3	6	5	5	2	2	2	–	–	–	9	19	9	6	2	1	–	26
30	4	–	4	–	2	8	3	1	–	1	–	–	2	2	8	9	3	1	–	–	27
24	2	–	8	–	2	3	1	–	1	–	–	–	–	1	7	2	5	1	–	–	28
199	27	2	71	10	10	23	6	–	6	3	–	4	10	9	54	23	17	4	4	–	29
157	23	–	56	7	7	16	6	–	6	2	–	4	10	9	45	16	11	4	4	–	30
42	4	2	15	3	3	7	–	–	–	1	–	–	–	–	9	7	6	–	–	–	31
119	17	1	23	3	3	16	5	–	1	2	–	–	2	4	27	17	10	5	1	–	32
105	17	1	40	15	10	14	6	3	–	5	–	1	4	7	32	18	22	2	2	–	33
55	11	–	22	11	6	7	2	1	–	3	–	–	3	5	14	3	7	1	1	–	34
50	6	1	18	4	4	7	4	2	–	2	–	1	1	2	18	15	15	1	1	–	35
34	4	–	11	3	2	1	1	–	1	1	–	–	1	–	9	1	3	–	1	–	36
37	–	–	12	10	2	7	–	–	3	2	–	–	–	1	12	1	5	3	1	–	37
33	4	–	10	–	1	1	–	–	1	–	–	–	–	3	2	3	2	1	–	–	38
13	4	–	7	–	–	5	–	–	–	1	–	1	2	–	5	3	1	–	–	–	39
46	8	–	26	2	3	6	–	–	1	–	–	–	1	5	9	3	3	1	1	–	40
67	10	–	37	–	2	5	–	–	–	–	–	1	2	1	29	4	1	2	–	1	41
77	8	1	42	1	3	5	2	–	5	3	–	3	1	6	17	7	8	7	2	–	42
52	6	–	32	1	2	4	1	–	3	3	–	3	1	3	12	3	4	4	2	–	43
25	2	1	10	–	1	1	1	–	2	–	–	–	–	3	5	4	4	3	–	–	44
58	6	1	16	2	5	3	1	–	–	–	–	1	–	2	8	4	2	–	1	1	45
47	3	–	9	1	4	7	3	–	–	1	–	1	2	1	9	4	5	1	–	–	46
191	24	2	58	5	7	15	7	2	6	3	–	2	2	5	34	21	11	5	5	–	47
91	10	1	27	3	7	6	3	1	4	2	–	2	–	3	12	9	4	1	4	–	48
100	14	1	31	2	–	9	4	1	2	1	–	–	2	2	22	12	7	4	1	–	49
35	3	–	14	5	4	7	2	–	3	2	–	1	–	1	13	10	4	–	–	–	50
57	10	–	25	–	7	11	–	–	5	2	–	2	–	–	13	12	3	3	–	–	51
40	7	–	10	2	–	6	1	–	–	–	–	–	–	–	13	4	3	4	1	–	52
127	13	–	43	12	5	10	7	3	5	–	–	4	1	4	46	16	16	5	6	–	53
90	15	–	32	5	2	14	5	–	5	2	–	1	1	1	21	4	5	2	1	–	54
98	4	1	37	1	2	12	1	–	2	4	–	1	2	5	26	14	6	3	3	1	55
25	2	1	8	1	1	7	2	–	–	1	–	–	–	1	9	3	1	3	1	–	56
39	8	–	24	5	1	4	2	–	2	–	–	–	3	1	19	10	4	–	–	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	58
39	8	–	24	5	1	4	2	–	2	–	–	–	3	1	19	10	3	–	–	–	59
135	25	2	34	7	6	10	3	–	8	2	1	2	5	5	53	25	19	7	4	1	60
58	8	1	25	3	3	4	–	–	5	–	–	–	–	1	20	5	5	5	2	–	61
34	1	–	4	2	2	3	–	–	2	1	–	2	2	1	7	7	4	1	–	–	62
57	2	–	19	–	2	6	3	–	–	–	–	–	–	1	11	5	4	1	–	–	63
94	9	–	42	4	4	14	2	2	3	1	–	–	1	5	34	9	14	3	1	2	64
38	9	–	15	3	2	11	3	–	3	1	–	–	2	1	16	3	–	3	2	–	65
302	23	1	78	11	9	19	3	–	8	10	–	6	12	10	76	26	24	5	8	1	66
225	16	–	57	5	6	13	2	–	7	9	–	4	8	5	54	20	20	2	5	1	67
77	7	1	21	6	3	6	1	–	1	1	–	2	4	5	22	6	4	3	3	–	68
48	8	–	8	–	3	3	1	–	1	2	–	–	1	1	12	5	2	1	1	–	69
42	9	1	19	1	3	2	–	–	1	–	–	–	–	3	13	3	–	2	2	1	70
80	5	–	18	–	2	5	1	1	1	3	–	1	1	2	11	5	1	–	4	–	71
1,355	172	12	478	71	63	117	36	14	71	23	1	35	65	109	479	139	156	95	73	5	72
43	5	–	12	4	2	4	1	–	1	–	–	–	1	3	6	2	3	2	–	–	73
44	8	–	10	2	–	2	1	–	–	–	–	2	4	1	16	4	6	5	–	1	74
59	8	–	20	2	2	8	2	1	–	–	–	–	3	2	16	6	1	5	2	–	75
72	4	1	27	4	6	9	6	1	7	–	–	3	7	6	36	15	16	9	4	–	76
1,068	140	10	392	55	51	88	23	11	60	23	1	29	45	92	387	95	120	73	64	4	77
1,070	141	10	393	55	53	88	23	11	60	23	1	29	45	92	387	97	121	74	66	4	78
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
68	7	1	17	4	2	6	3	1	3	–	–	1	5	5	18	17	10	1	3	–	80
209	12	1	28	7	8	26	3	1	6	1	–	–	1	4	30	8	16	3	9	–	81
92	4	1	19	3	6	19	1	–	3	1	–	–	1	2	16	1	4	1	6	–	82
117	8	–	9	4	2	7	2	1	3	–	–	–	–	2	14	7	12	2	3	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Osage	287	1	–	1	60	17	13	5	10	2	–	13	3	158	125	3	–
02	Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
03	Tulsa, part	4	–	–	–	1	–	–	–	–	–	–	1	–	3	3	1	–
04	Balance of county	283	1	–	1	59	17	13	5	10	2	–	12	3	155	122	2	–
05	Ottawa	374	1	–	2	75	20	26	4	9	1	3	12	8	190	137	1	2
06	Miami	171	1	–	1	32	7	12	1	5	–	2	5	1	92	65	–	–
07	Balance of county	203	–	–	1	43	13	14	3	4	1	1	7	7	98	72	1	2
08	Pawnee	169	–	–	1	36	6	8	4	2	6	1	9	2	92	68	1	3
09	Payne	416	–	–	6	91	28	19	6	12	2	2	22	5	209	159	3	3
10	Stillwater	181	–	–	4	39	12	7	4	5	1	1	9	4	86	65	2	–
11	Balance of county	235	–	–	2	52	16	12	2	7	1	1	13	1	123	94	1	3
12	Pittsburg	482	–	–	2	97	20	16	8	15	4	5	29	3	241	181	–	1
13	McAlester	256	–	–	1	49	12	8	5	9	4	3	8	3	126	97	–	1
14	Balance of county	226	–	–	1	48	8	8	3	6	–	2	21	–	115	84	–	–
15	Pontotoc	388	–	–	5	74	19	20	2	9	4	–	20	2	204	129	2	1
16	Ada	236	–	–	4	47	18	8	2	4	1	–	14	2	122	76	1	–
17	Balance of county	152	–	–	1	27	1	12	–	5	3	–	6	–	82	53	1	1
18	Pottawatomie	564	1	–	4	103	32	24	6	17	6	3	15	3	316	221	4	1
19	Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Shawnee	352	1	–	3	64	22	11	2	14	4	3	8	1	209	135	1	1
21	Balance of county	212	–	–	1	39	10	13	4	3	2	–	7	2	107	86	3	–
22	Pushmataha	138	–	–	–	17	1	11	–	2	1	–	2	2	74	49	2	1
23	Roger Mills	41	–	–	–	8	3	–	–	1	–	1	3	–	25	20	–	–
24	Rogers	317	2	–	3	56	12	17	7	3	3	3	11	5	157	113	2	2
25	Seminole	364	–	1	5	54	12	16	5	5	3	3	10	10	194	158	1	3
26	Sequoyah	292	2	–	2	50	10	21	2	7	2	1	7	3	155	123	–	2
27	Stephens	478	1	–	1	96	20	24	5	12	6	8	21	7	231	185	5	3
28	Duncan	263	1	–	–	54	9	13	4	9	2	6	11	4	120	90	2	1
29	Balance of county	215	–	–	1	42	11	11	1	3	4	2	10	3	111	95	3	2
30	Texas	150	–	–	–	22	3	2	3	4	2	–	8	2	72	45	–	–
31	Tillman	181	2	–	2	29	9	6	3	2	1	1	7	4	97	60	2	1
32	Tulsa	3,745	11	2	39	780	183	233	70	79	33	31	151	49	1,781	1,341	19	18
33	Broken Arrow	131	–	–	1	24	5	5	4	3	2	–	5	4	59	45	–	–
34	Sand Springs	126	2	–	1	32	5	9	6	2	1	4	5	1	50	36	1	1
35	Tulsa, part	3,121	7	2	29	643	157	199	54	67	26	19	121	42	1,503	1,136	18	16
36	Tulsa, total	3,125	7	2	29	644	157	199	54	67	26	19	122	42	1,506	1,139	19	16
37	Balance of county	367	2	–	8	81	16	20	6	7	4	8	20	2	169	124	–	1
38	Wagoner	229	1	–	–	39	7	13	2	4	2	–	11	5	101	78	–	2
39	Washington	431	–	–	4	90	23	20	6	19	1	2	19	5	230	163	3	3
40	Bartlesville, part	305	–	–	3	66	18	16	6	13	1	–	12	2	163	122	2	1
41	Bartlesville, total	305	–	–	3	66	18	16	6	13	1	–	12	2	163	122	2	1
42	Balance of county	126	–	–	1	24	5	4	–	6	–	2	7	3	67	41	1	2
43	Washita	166	–	–	1	23	4	5	3	4	3	1	3	–	97	77	–	1
44	Woods	139	–	–	–	20	8	2	4	2	–	–	4	2	75	59	–	2
45	Woodward	168	–	–	2	32	11	6	1	1	3	1	9	1	68	53	1	1
46	**Oregon**	20,895	25	–	137	4,387	1,092	1,129	366	506	201	198	895	291	10,191	7,281	207	93
47	Urban places	9,747	16	–	61	2,008	497	484	194	245	92	78	418	127	4,875	3,447	89	46
48	Balance of area	11,148	9	–	76	2,379	595	645	172	261	109	120	477	164	5,316	3,834	118	47
49	Metropolitan counties	12,367	18	–	79	2,636	657	661	232	299	122	118	547	167	6,062	4,374	115	51
50	Urban places	7,369	15	–	47	1,545	375	370	159	189	74	62	316	98	3,655	2,610	62	30
51	Balance of area	4,998	3	–	32	1,091	282	291	73	110	48	56	231	69	2,407	1,764	53	21
52	Nonmetropolitan counties	8,528	7	–	58	1,751	435	468	134	207	79	80	348	124	4,129	2,907	92	42
53	Urban places	2,378	1	–	14	463	122	114	35	56	18	16	102	29	1,220	837	27	16
54	Balance of area	6,150	6	–	44	1,288	313	354	99	151	61	64	246	95	2,909	2,070	65	26
55	Baker	162	–	–	2	28	5	5	–	3	2	3	10	1	89	74	4	–
56	Benton	348	–	–	4	54	8	15	4	9	2	–	16	8	166	111	3	2
57	Albany, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	Corvallis	208	–	–	2	35	5	10	2	7	2	–	9	3	99	63	2	1
59	Balance of county	139	–	–	2	19	3	5	2	2	–	–	7	5	67	48	1	1
60	Clackamas	1,585	2	–	10	363	98	91	29	43	20	18	64	21	773	577	19	8
61	Lake Oswego, part	120	–	–	1	33	10	6	5	9	–	–	3	1	62	45	–	1
62	Lake Oswego, total	123	–	–	1	33	10	6	5	9	–	–	3	1	64	46	–	1
63	Milwaukee, part	285	1	–	1	65	23	13	6	6	6	2	9	4	143	111	1	1
64	Milwaukee, total	289	1	–	1	66	24	13	6	6	6	2	9	4	144	112	1	1
65	Portland, part	4	–	–	–	1	1	–	–	–	–	–	–	–	3	2	–	–
66	Balance of county	1,176	1	–	8	264	64	72	18	28	14	16	52	16	565	419	18	6
67	Clatsop	348	–	–	1	64	16	19	2	5	4	4	14	4	185	116	2	5
68	Astoria	119	–	–	–	19	5	3	2	2	2	–	5	1	69	49	2	1
69	Balance of county	229	–	–	1	45	11	16	–	3	2	4	9	3	116	67	–	4
70	Columbia	287	–	–	3	61	11	21	6	5	2	2	14	4	137	109	2	4
71	Coos	520	–	–	5	101	28	25	11	9	2	1	25	9	234	173	2	3
72	Coos Bay	140	–	–	1	20	6	5	2	1	–	–	6	4	65	52	–	2
73	Balance of county	380	–	–	4	81	22	20	9	8	2	1	19	5	169	121	2	1
74	Crook	123	–	–	2	24	7	9	–	2	1	2	3	1	52	33	1	–
75	Curry	150	–	–	1	33	8	11	–	6	1	1	6	–	79	60	–	–
76	Deschutes	399	–	–	3	95	27	27	5	11	3	5	17	6	174	114	4	4
77	Bend	146	–	–	1	33	10	6	2	3	3	1	8	1	66	40	2	1
78	Balance of county	253	–	–	2	62	17	21	3	8	–	4	9	5	108	74	2	3
79	Douglas	709	3	–	3	156	34	49	14	16	6	7	30	19	329	257	11	1
80	Roseburg	226	1	–	2	39	10	12	4	5	–	2	6	6	118	91	2	–
81	Balance of county	483	2	–	1	117	24	37	10	11	6	5	24	13	211	166	9	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
112	10	1	24	–	8	6	3	–	4	2	–	1	–	5	20	13	7	3	–	–	01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
110	10	1	24	–	8	6	3	–	4	2	–	1	–	5	20	13	7	3	–	–	04
115	19	3	42	3	5	15	2	–	5	2	–	3	2	12	31	13	9	3	1	–	05
58	7	2	23	1	1	7	2	–	2	1	–	2	2	6	11	3	5	2	1	–	06
57	12	1	19	2	4	8	–	–	3	1	–	1	–	6	20	10	4	1	–	–	07
56	8	–	17	6	1	6	4	–	–	4	–	–	1	1	18	3	–	–	1	–	08
145	8	–	41	7	2	12	2	2	8	3	–	1	8	6	26	20	11	6	–	–	09
58	5	–	19	2	–	4	1	–	5	2	–	–	5	2	10	9	6	4	–	–	10
87	3	–	22	5	2	8	1	2	3	1	–	1	3	4	16	11	5	2	–	–	11
163	17	3	44	6	7	24	6	1	5	7	–	1	5	3	41	13	15	9	9	–	12
86	10	2	20	3	4	17	4	–	2	2	–	1	3	1	26	2	9	5	5	–	13
77	7	1	24	3	3	7	2	1	3	5	–	–	2	2	15	11	6	4	4	–	14
119	7	3	66	2	4	28	5	–	2	–	–	2	2	7	31	10	8	4	2	2	15
71	4	2	42	1	1	20	1	–	1	–	–	1	2	4	20	5	2	2	1	2	16
48	3	1	24	1	3	8	4	–	1	–	–	1	–	3	11	5	6	2	1	–	17
199	17	2	72	16	5	23	2	1	5	4	–	3	2	9	50	17	16	3	2	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
123	10	2	56	12	4	11	2	–	5	1	–	2	2	5	31	7	6	2	–	–	20
76	7	–	16	4	1	12	–	1	–	3	–	1	–	4	19	10	10	1	2	–	21
39	7	–	25	–	–	7	4	1	4	–	–	–	1	–	15	3	7	2	1	–	22
16	4	–	5	–	–	–	1	–	1	–	–	–	–	2	–	3	1	–	–	–	23
101	8	–	37	2	5	16	5	–	3	1	–	1	3	4	27	15	7	8	3	1	24
146	8	5	23	4	4	20	9	1	3	7	–	2	1	7	33	7	6	2	2	–	25
84	37	–	28	–	4	12	2	–	1	1	–	–	2	7	28	12	8	4	3	–	26
145	32	1	35	4	6	20	7	1	5	–	–	1	5	7	61	15	13	6	1	–	27
74	13	1	22	2	5	11	7	1	3	–	–	1	4	6	37	3	8	3	–	–	28
71	19	–	13	2	1	9	–	–	2	–	–	–	1	1	24	12	5	3	1	–	29
39	6	1	23	2	1	2	5	2	2	–	–	1	4	–	19	12	4	1	2	–	30
55	2	–	25	7	5	6	1	1	–	1	–	1	1	3	19	4	4	6	–	–	31
1,184	120	6	333	39	62	114	37	11	56	25	1	24	45	51	383	116	104	58	51	7	32
35	10	–	12	–	2	7	2	–	1	1	–	3	2	–	12	5	8	1	1	–	33
33	1	–	13	1	–	4	–	1	–	–	–	1	2	–	22	8	1	–	1	–	34
1,008	94	4	273	35	55	89	32	9	48	23	1	17	36	46	318	88	84	52	47	5	35
1,010	94	4	273	35	55	89	32	9	48	23	1	17	36	46	318	88	84	52	47	5	36
108	15	2	35	3	5	14	3	1	7	1	–	3	5	5	31	15	11	5	2	2	37
69	7	3	15	1	4	15	2	–	2	4	–	4	3	7	25	6	8	1	5	1	38
144	13	1	41	18	7	9	5	1	3	2	–	2	4	6	32	17	14	2	4	1	39
109	10	1	24	10	6	7	4	1	2	1	–	2	2	6	22	8	10	1	4	1	40
109	10	1	24	10	6	7	4	1	2	1	–	2	2	6	22	8	10	1	4	1	41
35	3	–	17	8	1	2	1	–	1	1	–	–	2	–	10	9	4	1	–	–	42
65	11	–	15	3	2	5	1	1	–	3	1	–	–	4	16	9	4	1	–	–	43
49	8	–	9	3	4	12	1	–	1	–	–	–	3	5	10	4	5	1	–	–	44
50	1	1	8	3	3	1	9	1	1	1	–	–	4	1	22	13	7	2	3	–	45
6,483	498	46	2,050	490	324	656	315	53	300	79	1	142	185	397	1,748	737	692	381	124	54	46
3,093	219	22	989	272	145	308	154	24	166	46	–	63	89	194	806	255	294	170	62	29	47
3,390	279	24	1,061	218	179	348	161	29	134	33	1	79	96	203	942	482	398	211	62	25	48
3,906	302	24	1,181	301	182	415	193	21	199	52	1	83	113	242	991	390	368	234	73	30	49
2,355	163	15	709	216	105	241	117	16	133	38	–	44	66	154	585	180	221	138	54	22	50
1,551	139	9	472	85	77	174	76	5	66	14	1	39	47	88	406	210	147	96	19	8	51
2,577	196	22	869	189	142	241	122	32	101	27	–	59	72	155	757	347	324	147	51	24	52
738	56	7	280	56	40	67	37	8	33	8	–	19	23	40	221	75	73	32	8	7	53
1,839	140	15	589	133	102	174	85	24	68	19	–	40	49	115	536	272	251	115	43	17	54
70	–	–	5	6	4	2	2	1	4	–	–	1	1	2	13	4	7	5	–	–	55
97	9	1	43	7	4	8	6	2	4	1	–	3	3	1	39	23	14	11	–	1	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	57
56	4	1	30	3	2	3	4	1	2	1	–	3	3	1	23	12	10	5	–	1	58
41	5	–	13	4	2	5	2	1	2	–	–	–	–	–	16	10	4	6	–	–	59
498	52	4	142	30	20	62	16	1	21	6	–	8	21	20	117	55	45	31	8	5	60
42	2	–	14	2	1	4	1	–	–	1	–	1	–	–	6	2	4	4	–	–	61
43	2	–	14	2	2	5	1	–	–	1	–	1	–	–	6	2	4	4	–	–	62
96	13	–	22	7	3	13	2	–	6	4	–	–	4	2	16	5	7	6	3	3	63
97	13	–	22	7	3	13	2	1	6	4	–	–	4	2	16	5	7	6	3	4	64
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
358	37	4	105	21	16	45	13	1	15	1	–	7	17	18	95	48	34	21	5	2	66
100	9	1	56	7	5	5	7	2	7	4	–	–	1	3	36	4	16	5	2	2	67
41	5	1	12	4	3	2	1	–	3	1	–	–	1	1	12	3	3	2	–	1	68
59	4	–	44	3	2	3	6	2	4	3	–	–	–	2	24	1	13	3	2	1	69
94	9	–	22	4	2	10	4	2	3	–	–	1	–	6	26	16	9	2	2	1	70
150	18	1	48	7	5	15	8	1	7	1	–	7	4	16	53	17	25	10	7	–	71
44	6	–	11	1	1	3	2	1	3	–	–	–	1	7	18	7	6	2	–	–	72
106	12	1	37	6	4	12	6	–	4	1	–	7	3	9	35	10	19	8	7	–	73
32	–	–	12	6	1	3	4	1	3	–	–	–	–	3	10	8	9	2	1	–	74
46	14	–	11	8	–	2	–	–	2	–	–	–	1	1	10	5	11	2	2	1	75
99	7	1	47	6	6	8	9	4	6	–	–	6	6	5	27	19	15	13	1	2	76
36	1	–	21	2	3	3	3	2	3	–	–	3	2	2	9	6	8	3	1	–	77
63	6	1	26	4	3	5	6	2	3	–	–	3	4	3	18	13	7	10	–	2	78
226	19	–	58	8	6	17	6	5	11	3	–	2	9	10	65	25	29	11	6	–	79
81	8	–	23	4	–	6	1	1	6	2	–	–	4	2	27	4	4	1	2	–	80
145	11	–	35	4	6	11	5	4	5	1	–	2	5	8	38	21	25	10	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oregon—Con.																	
01	Gilliam	13	–	–	–	4	2	–	–	1	–	–	1	–	9	8	–	–
02	Grant	74	–	–	1	14	1	5	2	2	–	1	3	4	29	19	2	–
03	Harney	74	–	–	1	13	2	6	1	–	–	1	3	6	26	17	–	2
04	Hood River	147	–	–	1	33	10	7	3	4	1	5	3	1	73	43	–	–
05	Jackson	1,057	–	–	8	242	57	64	26	32	10	11	42	11	494	362	15	5
06	Ashland	93	–	–	–	23	3	6	5	4	–	–	5	1	47	33	3	–
07	Medford	424	–	–	2	89	23	22	10	8	2	4	20	4	224	163	3	3
08	Balance of county	540	–	–	6	130	31	36	11	20	8	7	17	6	223	166	9	2
09	Jefferson	98	–	–	1	18	3	4	3	1	1	–	6	1	41	26	–	–
10	Josephine	571	–	–	1	120	36	29	6	15	8	6	20	4	297	204	5	3
11	Grants Pass	213	–	–	1	38	13	11	1	3	4	1	5	1	124	76	3	3
12	Balance of county	358	–	–	–	82	23	18	5	12	4	5	15	3	173	128	2	–
13	Klamath	479	1	–	4	86	20	22	4	13	3	3	21	3	245	169	5	2
14	Klamath Falls	223	–	–	3	37	9	9	–	9	1	1	8	–	114	76	2	2
15	Balance of county	256	1	–	1	49	11	13	4	4	2	2	13	3	131	93	3	–
16	Lake	71	–	–	–	7	2	3	–	1	–	–	1	1	36	21	1	–
17	Lane	1,749	2	–	6	374	86	98	19	42	14	21	94	19	848	591	20	9
18	Eugene	688	–	–	4	135	27	31	10	18	4	8	37	7	349	231	5	5
19	Springfield	290	1	–	–	61	17	14	3	10	3	2	12	5	124	85	6	2
20	Balance of county	771	1	–	2	178	42	53	6	14	7	11	45	7	375	275	9	2
21	Lincoln	361	1	–	3	69	20	15	5	13	3	–	13	5	169	105	4	1
22	Linn	644	–	–	3	148	28	38	10	14	9	10	39	11	326	238	11	6
23	Albany, part	201	–	–	–	48	10	10	3	2	3	3	17	4	101	74	4	2
24	Albany, total	202	–	–	–	48	10	10	3	2	3	3	17	4	101	74	4	2
25	Balance of county	443	–	–	3	100	18	28	7	12	6	7	22	7	225	164	7	4
26	Malheur	204	–	–	1	42	12	9	4	8	–	2	7	2	106	84	4	1
27	Marion	1,605	2	–	10	320	81	80	28	36	17	10	68	29	801	590	7	6
28	Salem, part	854	2	–	6	170	39	43	16	21	10	4	37	19	436	312	6	3
29	Salem, total	959	2	–	6	188	42	46	20	25	10	6	39	19	493	348	9	3
30	Balance of county	751	–	–	4	150	42	37	12	15	7	6	31	10	365	278	1	3
31	Morrow	55	–	–	–	11	1	3	2	1	1	–	3	–	27	19	–	1
32	Multnomah	5,793	10	–	38	1,227	306	311	121	135	53	55	246	71	2,874	2,077	52	22
33	Lake Oswego, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
34	Milwaukee, part	4	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–
35	Portland, part	4,639	10	–	31	978	236	242	104	113	46	38	199	51	2,311	1,675	40	17
36	Portland, total	4,659	10	–	31	983	238	242	105	113	46	39	200	52	2,320	1,680	40	17
37	Balance of county	1,147	–	–	7	248	69	69	17	22	7	17	47	20	560	400	12	5
38	Polk	334	–	–	4	55	15	9	6	7	1	4	13	5	167	105	4	1
39	Salem, part	105	–	–	–	18	3	3	4	4	–	2	2	–	57	36	3	–
40	Balance of county	229	–	–	4	37	12	6	2	3	1	2	11	5	110	69	1	1
41	Sherman	15	–	–	–	4	2	2	–	–	–	–	–	–	6	4	–	–
42	Tillamook	204	1	–	1	37	10	13	2	1	4	1	6	2	108	66	2	–
43	Umatilla	484	–	–	3	99	30	20	5	14	7	7	16	4	238	165	8	1
44	Pendleton	113	–	–	1	29	8	6	1	7	1	2	4	–	51	31	1	1
45	Balance of county	371	–	–	2	70	22	14	4	7	6	5	12	4	187	134	7	–
46	Union	174	1	–	1	24	6	9	1	2	1	–	5	1	84	66	2	–
47	Wallowa	69	–	–	1	8	2	–	2	2	–	1	1	1	36	26	–	–
48	Wasco	208	–	–	–	47	16	9	2	7	–	3	10	6	100	72	1	–
49	City of the Dalles	134	–	–	–	31	10	7	1	4	–	2	7	2	66	48	1	–
50	Balance of county	74	–	–	–	16	6	2	1	3	–	1	3	4	34	24	–	–
51	Washington	1,301	2	–	11	297	71	72	29	36	17	10	62	22	599	434	13	5
52	Beaverton	190	–	–	1	43	11	8	4	6	2	3	9	4	87	58	1	–
53	Hillsboro	171	1	–	3	36	6	10	6	2	3	2	7	6	74	50	–	1
54	Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Portland, part	16	–	–	–	4	1	–	1	–	–	1	1	1	6	3	–	–
56	Balance of county	924	1	–	7	214	53	54	18	28	12	4	45	11	432	323	12	4
57	Wheeler	17	–	–	–	5	–	2	–	–	1	1	1	–	5	4	–	–
58	Yamhill	463	–	–	4	104	31	27	14	10	7	3	12	9	229	142	3	1
59	McMinnville	137	–	–	1	22	10	7	2	1	–	–	2	2	76	41	2	–
60	Balance of county	326	–	–	3	82	21	20	12	9	7	3	10	7	153	101	1	1
61	**Pennsylvania**	120,074	185	11	1,012	25,314	7,074	5,963	2,203	2,724	1,143	921	5,286	2,477	62,133	48,810	994	619
62	Urban places	60,360	103	6	609	12,919	3,619	3,198	1,158	1,319	545	421	2,659	1,168	30,008	23,580	477	301
63	Balance of area	59,714	82	5	403	12,395	3,455	2,765	1,045	1,405	598	500	2,627	1,309	32,125	25,230	517	318
64	Metropolitan counties	93,775	151	7	844	20,232	5,635	4,869	1,765	2,128	905	720	4,210	1,850	47,649	37,564	781	491
65	Urban places	55,354	96	5	578	11,939	3,329	2,973	1,062	1,217	493	392	2,473	1,044	27,210	21,427	434	280
66	Balance of area	38,421	55	2	266	8,293	2,306	1,896	703	911	412	328	1,737	806	20,439	16,137	347	211
67	Nonmetropolitan counties	26,299	34	4	168	5,082	1,439	1,094	438	596	238	201	1,076	627	14,484	11,246	213	128
68	Urban places	5,006	7	1	31	980	290	225	96	102	52	29	186	124	2,798	2,153	43	21
69	Balance of area	21,293	27	3	137	4,102	1,149	869	342	494	186	172	890	503	11,686	9,093	170	107
70	Adams	549	–	–	2	114	26	19	7	15	7	7	33	12	302	223	5	1
71	Allegheny	16,340	23	3	136	3,597	991	906	308	343	172	123	754	346	8,718	6,941	140	77
72	Baldwin	143	–	–	5	36	14	8	2	3	–	2	7	2	79	51	1	–
73	Bellevue	130	–	–	2	26	9	5	2	4	3	–	3	2	68	53	–	2
74	Bethel Park	187	1	–	2	41	12	9	3	3	2	3	9	1	111	94	1	2
75	Brentwood	106	–	–	3	32	13	3	3	4	2	–	7	1	53	42	2	1
76	Carnegie	156	–	–	–	42	12	12	3	2	1	2	10	–	85	66	1	1
77	Castle Shannon	73	–	–	1	11	3	4	–	1	–	–	3	4	41	34	1	–
78	Clairton	167	1	–	–	34	10	13	1	4	–	2	4	5	94	73	–	–
79	Dormont	101	–	–	2	23	5	9	5	–	1	–	3	1	57	43	–	–
80	Duquesne	156	–	–	–	36	10	6	3	8	1	1	7	6	84	74	1	1
81	Harrison township†	162	–	–	1	37	13	7	2	5	1	–	9	6	96	67	3	1
82	McKees Rocks	127	–	–	1	26	6	6	1	1	1	3	8	5	71	61	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
8	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
16	1	–	7	1	2	2	–	–	–	–	–	2	–	2	8	6	4	2	–	–	02
11	4	1	5	3	–	2	4	–	1	–	–	–	–	4	7	2	6	2	–	–	03
42	1	–	26	2	2	1	–	–	1	–	–	2	2	4	12	3	7	3	4	–	04
318	24	4	87	26	15	30	16	2	12	2	–	10	5	17	104	48	33	15	2	6	05
30	–	–	8	4	2	1	–	–	2	–	–	1	1	–	7	5	3	1	–	1	06
142	15	1	45	10	5	14	5	1	2	1	–	2	1	6	38	16	10	7	1	1	07
146	9	3	34	12	8	15	11	1	8	1	–	7	3	11	59	27	20	7	1	4	08
24	2	–	8	2	5	–	1	–	–	1	–	–	2	1	14	7	7	2	2	–	09
189	7	–	68	10	15	20	8	–	4	–	–	4	5	12	52	16	12	11	5	–	10
66	4	–	38	4	6	8	6	–	–	–	–	1	3	6	18	2	2	3	–	–	11
123	3	–	30	6	9	12	2	–	4	–	–	3	2	6	34	14	10	8	5	–	12
153	9	1	56	13	6	11	8	2	10	–	–	4	9	5	33	27	19	7	5	–	13
67	5	–	26	8	4	6	7	2	4	–	–	3	6	2	17	6	11	3	2	–	14
86	4	1	30	5	2	5	1	–	6	–	–	1	3	3	16	21	8	4	3	–	15
20	–	–	12	2	1	3	–	–	3	1	–	–	1	1	7	3	6	1	1	–	16
523	39	3	172	45	37	59	37	6	20	5	–	11	14	18	133	69	63	50	12	3	17
208	13	2	75	27	14	26	16	2	6	1	–	3	4	7	52	26	21	22	6	1	18
73	4	–	28	8	3	12	5	2	4	2	–	3	3	6	23	8	12	13	4	2	19
242	22	1	69	10	20	21	16	2	10	2	–	5	7	5	58	35	30	15	2	–	20
93	7	1	40	17	6	16	5	2	4	2	–	1	3	9	35	11	16	8	1	1	21
208	13	1	67	7	13	22	5	2	1	3	–	4	5	17	43	23	17	8	3	3	22
65	3	–	17	3	7	9	2	–	1	–	–	2	–	6	16	5	6	–	–	1	23
65	3	–	17	3	7	9	2	–	1	–	–	2	–	6	16	6	6	–	–	1	24
143	10	1	50	4	6	13	3	2	–	3	–	2	5	11	27	18	11	8	3	2	25
72	7	–	14	2	6	3	5	3	2	2	–	–	3	2	15	9	5	3	1	–	26
535	42	3	145	41	22	52	22	3	14	5	–	11	13	39	147	46	48	30	11	2	27
284	19	2	80	29	13	22	10	1	7	2	–	4	7	25	79	17	25	13	8	1	28
316	20	2	87	40	16	24	12	1	8	2	–	4	8	28	91	20	29	14	9	1	29
251	23	1	65	12	9	30	12	2	7	3	–	7	6	14	68	29	23	17	3	1	30
17	1	1	4	1	2	4	1	–	–	–	–	–	–	1	3	3	3	1	–	1	31
1,874	129	14	562	149	72	189	93	9	130	27	–	33	54	122	457	149	160	96	37	17	32
1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	34
1,518	100	11	442	124	59	149	74	8	105	23	–	26	43	103	377	100	133	73	31	13	35
1,523	100	11	446	124	59	149	74	8	105	23	–	27	44	103	379	101	133	73	31	13	36
354	29	3	120	25	12	39	19	–	25	4	–	7	11	19	80	49	27	23	6	3	37
92	8	–	41	13	8	11	4	–	3	–	1	1	2	8	31	21	14	5	2	–	38
32	1	–	7	11	3	2	2	–	1	–	–	–	1	3	12	3	4	1	1	–	39
60	7	–	34	2	5	9	2	–	2	–	1	1	1	5	19	18	10	4	1	–	40
4	–	–	–	1	1	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–	41
61	3	1	29	5	7	5	1	1	2	–	–	2	3	6	16	8	9	1	–	1	42
141	15	2	55	10	6	15	6	1	6	3	–	2	5	10	43	23	11	10	4	1	43
27	2	1	15	3	1	4	1	–	3	2	–	1	–	2	14	1	2	1	1	–	44
114	13	1	40	7	5	11	5	1	3	1	–	1	5	8	29	22	9	9	3	1	45
59	5	1	11	2	4	6	3	–	–	–	–	1	1	3	23	8	12	5	–	1	46
25	1	–	6	1	3	9	–	1	–	–	–	1	–	–	6	4	–	2	–	–	47
69	2	2	15	5	6	7	3	–	4	1	–	2	1	2	18	3	8	4	1	1	48
45	2	2	11	4	1	5	2	–	3	1	–	2	–	1	10	2	4	3	1	1	49
24	–	–	4	1	5	2	1	–	1	–	–	–	1	1	8	1	4	1	–	–	50
384	32	–	119	23	23	42	21	2	11	9	–	19	9	35	106	50	38	22	3	3	51
51	6	–	23	2	4	6	4	1	3	3	–	2	2	4	10	11	8	1	–	–	52
44	5	–	14	6	4	6	3	1	1	2	–	4	1	4	8	7	7	5	1	1	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
3	–	–	3	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	55
286	21	–	79	15	15	30	14	–	7	4	–	12	5	27	86	31	23	16	2	2	56
4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	3	3	–	–	–	–	57
129	9	3	56	19	9	13	8	–	4	3	–	4	2	12	35	18	14	1	1	2	58
38	1	1	23	6	5	3	3	–	1	–	–	1	1	4	12	5	4	1	–	1	59
91	8	2	33	13	4	10	5	–	3	3	–	3	1	8	23	13	10	–	1	1	60
42,840	4,357	242	9,655	1,750	1,676	2,815	1,036	307	1,637	561	21	664	1,102	3,085	10,638	2,200	2,505	1,398	723	250	61
20,495	2,307	115	4,738	734	841	1,479	464	152	952	319	12	313	590	2,520	5,347	722	1,272	655	567	183	62
22,345	2,050	127	4,917	1,016	835	1,336	572	155	685	242	9	351	512	565	5,291	1,478	1,233	743	156	67	63
32,943	3,349	172	7,334	1,243	1,336	2,191	763	240	1,347	456	19	521	886	2,926	8,285	1,525	1,895	1,085	667	236	64
18,623	2,090	100	4,270	642	771	1,352	410	136	881	292	12	288	553	2,484	4,956	631	1,155	595	555	182	65
14,320	1,259	72	3,064	601	565	839	353	104	466	164	7	233	333	442	3,329	894	740	490	112	54	66
9,897	1,008	70	2,321	507	340	624	273	67	290	105	2	143	216	159	2,353	675	610	313	56	14	67
1,872	217	15	468	92	70	127	54	16	71	27	–	25	37	36	391	91	117	60	12	1	68
8,025	791	55	1,853	415	270	497	219	51	219	78	2	118	179	123	1,962	584	493	253	44	13	69
208	9	2	47	16	14	18	4	2	6	–	–	5	2	–	38	22	14	6	2	–	70
6,212	512	37	1,301	197	242	394	125	33	278	78	2	78	128	82	1,440	211	316	170	103	79	71
49	1	–	19	2	7	3	–	–	–	1	–	–	1	1	9	3	3	–	–	–	72
48	3	–	12	2	1	3	–	–	3	1	–	–	–	–	18	1	2	2	1	1	73
87	4	–	14	–	3	3	1	–	1	–	–	2	–	–	14	2	4	2	1	1	74
34	5	–	11	–	–	2	–	–	2	–	–	–	2	–	8	1	–	2	–	–	75
62	2	–	12	3	4	1	–	1	2	1	–	4	–	–	14	1	3	1	1	–	76
26	7	–	7	–	–	2	–	–	1	–	–	1	–	–	11	–	–	1	–	–	77
66	7	1	14	3	3	3	1	–	3	–	–	1	1	–	10	4	5	1	2	2	78
37	6	1	11	–	2	3	2	1	–	1	–	–	–	–	7	–	1	3	–	–	79
69	3	2	5	1	2	3	1	–	1	–	–	1	2	–	15	2	1	2	2	–	80
63	–	–	19	7	3	1	2	–	3	–	–	–	3	–	9	1	3	–	–	–	81
52	7	–	7	1	2	1	2	–	3	–	–	–	–	2	9	2	2	1	1	1	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
	Allegheny—Con.																	
01	McKeesport	534	–	–	8	103	40	17	9	12	2	–	23	17	294	243	8	3
02	Monroeville	169	1	–	1	48	16	10	6	6	–	2	8	–	82	63	2	–
03	Mount Lebanon township†	268	–	–	–	56	12	13	5	6	4	3	13	7	142	114	1	–
04	Munhall	166	–	–	1	36	13	13	1	3	5	–	1	3	98	78	–	2
05	North Braddock	114	–	–	2	32	5	7	6	2	3	–	9	5	53	40	1	–
06	North Versailles township†	99	–	–	–	24	5	8	3	6	1	–	1	1	53	42	–	–
07	Penn Hills township†	340	–	–	1	79	20	20	10	5	4	4	16	3	183	141	4	2
08	Pittsburgh	6,321	12	2	64	1,314	358	331	106	124	60	40	295	122	3,330	2,665	56	29
09	Pleasant Hills	65	–	–	–	9	3	3	–	–	–	–	3	2	33	25	–	–
10	Plum	84	–	–	–	21	5	5	3	1	2	–	5	1	43	39	1	–
11	Ross township†	227	–	–	–	50	13	12	9	4	2	1	9	3	125	95	3	1
12	Scott township†	222	1	–	3	36	6	12	5	5	3	1	4	7	130	98	2	–
13	Shaler township†	254	–	–	–	51	17	14	4	5	4	3	4	6	157	122	2	3
14	Stowe township†	103	–	–	–	27	9	9	2	1	1	1	4	2	58	48	–	–
15	Swissvale	153	–	–	1	37	13	10	–	4	3	1	6	6	89	70	–	1
16	Upper St. Clair township†	71	–	–	1	25	4	5	4	4	1	1	6	–	26	23	1	–
17	West Mifflin	204	2	–	–	53	12	16	5	3	5	2	10	7	105	91	1	2
18	Whitehall	128	–	–	–	41	11	11	5	5	–	2	7	1	67	52	3	–
19	Wilkinsburg	240	–	–	2	47	11	15	5	5	1	2	8	3	136	113	1	–
20	Balance of county	5,070	5	1	35	1,164	311	293	95	107	59	47	252	117	2,675	2,121	44	24
21	Armstrong	849	–	1	7	157	52	33	13	10	10	7	32	11	507	387	10	4
22	Beaver	2,054	2	–	6	427	105	109	38	45	21	14	95	49	1,148	923	18	23
23	Aliquippa	258	1	–	–	43	11	12	6	4	1	2	7	10	150	122	2	3
24	Ambridge	170	–	–	2	36	8	6	4	2	4	1	11	4	103	75	–	1
25	Beaver Falls	190	–	–	1	30	9	4	3	4	2	3	5	5	108	84	2	–
26	Ellwood City, part	19	–	–	–	6	1	2	–	1	–	1	1	1	8	7	–	–
27	Balance of county	1,417	1	–	3	312	76	85	25	34	14	7	71	29	779	635	14	19
28	Bedford	431	–	–	1	80	13	19	8	13	5	2	20	13	246	173	4	4
29	Berks	3,196	4	–	17	707	190	159	63	88	42	18	147	61	1,763	1,377	28	15
30	Reading	1,134	1	–	6	258	68	57	30	29	15	5	54	17	645	500	10	4
31	Balance of county	2,062	3	–	11	449	122	102	33	59	27	13	93	44	1,118	877	18	11
32	Blair	1,660	3	–	11	357	90	96	35	39	20	12	65	45	883	704	17	11
33	Altoona	870	–	–	5	191	42	59	17	20	14	6	33	31	441	362	9	8
34	Balance of county	790	3	–	6	166	48	37	18	19	6	6	32	14	442	342	8	3
35	Bradford	588	1	–	2	134	43	32	12	12	5	8	22	11	303	187	4	4
36	Bucks	3,183	6	–	28	733	195	178	76	72	28	32	152	46	1,567	1,227	30	16
37	Bensalem township†	191	–	–	1	37	4	14	4	5	1	2	7	2	97	74	1	–
38	Bristol	153	1	–	3	36	7	12	1	3	2	–	11	1	77	61	2	–
39	Bristol township†	249	–	–	3	64	16	11	6	6	1	4	20	3	112	96	3	1
40	Falls township†	128	1	–	2	28	9	3	2	3	–	1	10	1	50	43	–	–
41	Lower Southampton township†	94	–	–	1	28	6	6	5	1	2	1	7	–	54	43	1	1
42	Middletown township†	161	1	–	3	31	6	6	7	4	3	1	4	1	72	61	1	1
43	Morrisville	88	–	–	1	21	7	3	2	1	–	1	7	1	46	37	2	2
44	Upper Southampton township†	65	–	–	–	15	4	3	–	1	2	2	3	4	28	22	–	–
45	Warminster township†	158	–	–	2	40	7	13	4	3	–	2	11	2	81	67	–	1
46	Balance of county	1,896	3	–	12	433	129	107	45	45	17	18	72	31	950	723	20	10
47	Butler	1,235	1	–	8	242	72	50	25	22	9	10	54	22	683	522	11	3
48	Butler	255	1	–	4	58	17	12	7	7	3	3	9	6	121	96	4	–
49	Balance of county	980	–	–	4	184	55	38	18	15	6	7	45	16	562	426	7	3
50	Cambria	1,923	6	–	10	380	101	85	29	42	21	19	83	52	1,017	804	20	11
51	Johnstown	604	–	–	4	120	30	25	9	17	6	6	27	18	318	244	6	4
52	Balance of county	1,319	6	–	6	260	71	60	20	25	15	13	56	34	699	560	14	7
53	Cameron	59	–	–	–	12	3	2	5	–	–	–	2	2	30	25	–	1
54	Carbon	644	–	–	7	131	34	27	10	17	7	4	32	24	339	265	7	4
55	Centre	660	–	–	1	110	23	21	6	17	8	6	29	18	377	280	4	–
56	State College	98	–	–	–	18	3	5	2	3	–	1	4	2	51	34	2	–
57	Balance of county	562	–	–	1	92	20	16	4	14	8	5	25	16	326	246	2	–
58	Chester	2,307	3	–	26	531	151	131	48	43	29	22	107	42	1,132	896	15	8
59	Coatesville	173	–	–	3	36	9	12	–	4	1	–	10	5	91	74	2	1
60	Phoenixville	148	–	–	1	36	12	8	3	4	–	2	7	–	87	66	1	2
61	West Chester	212	1	–	2	47	14	11	4	3	4	2	9	4	94	67	–	–
62	Balance of county	1,774	2	–	20	412	116	100	41	32	24	18	81	33	860	689	12	5
63	Clarion	401	–	–	4	81	20	20	4	8	6	5	18	3	221	166	2	4
64	Clearfield	841	–	–	4	155	38	31	16	22	5	8	35	30	470	343	4	3
65	Du Bois	115	–	–	–	20	7	3	2	4	1	1	2	3	72	57	1	–
66	Balance of county	726	–	–	4	135	31	28	14	18	4	7	33	27	398	286	3	3
67	Clinton	382	–	–	4	78	27	17	7	8	2	5	12	10	203	179	2	4
68	Lock Haven	107	–	–	–	16	3	4	2	1	–	1	5	4	63	49	–	–
69	Balance of county	275	–	–	4	62	24	13	5	7	2	4	7	6	140	130	2	4
70	Columbia	630	–	–	5	119	39	26	8	13	4	2	27	22	342	255	3	7
71	Berwick	162	–	–	–	33	13	4	4	2	1	1	8	6	83	62	2	2
72	Bloomsburg	109	–	–	–	24	7	5	1	5	1	1	4	2	63	47	–	2
73	Balance of county	359	–	–	5	62	19	17	3	6	2	–	15	14	196	146	1	3
74	Crawford	862	–	–	6	177	51	38	19	15	11	3	40	17	442	334	9	4
75	Meadville	208	–	–	1	38	15	4	6	–	3	2	8	4	122	83	–	2
76	Balance of county	654	–	–	5	139	36	34	13	15	8	1	32	13	320	251	9	2
77	Cumberland	1,297	1	–	11	293	85	66	18	35	15	11	63	20	704	549	8	5
78	Carlisle	185	–	–	1	44	11	12	5	5	1	2	8	4	100	74	2	–
79	Balance of county	1,112	1	–	10	249	74	54	13	30	14	9	55	16	604	475	6	5
80	Dauphin	2,350	3	–	20	483	105	138	42	48	21	12	117	61	1,243	972	22	13
81	Harrisburg	788	2	–	7	165	34	51	12	19	6	4	39	24	408	319	7	4
82	Lower Paxton township†	198	–	–	3	48	7	17	4	4	3	1	12	5	93	74	1	1
83	Balance of county	1,364	1	–	10	270	64	70	26	25	12	7	66	32	742	579	14	8

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
215	17	4	35	3	9	12	2	1	10	4	–	2	4	1	52	7	7	5	3	2	01
58	3	–	14	1	4	3	2	1	1	–	–	–	1	–	13	7	4	3	1	1	02
105	8	2	23	2	1	8	2	1	7	1	–	–	2	1	24	5	9	2	–	1	03
71	5	–	12	5	3	5	1	–	3	1	–	1	–	–	14	1	1	1	–	–	04
38	1	–	8	1	4	3	–	–	6	1	–	–	–	–	9	1	–	–	2	–	05
40	2	–	10	1	–	1	2	–	–	–	–	2	1	1	4	8	2	–	–	–	06
127	8	–	36	1	5	3	4	2	4	1	–	1	1	1	33	8	7	6	–	3	07
2,324	256	19	500	67	79	183	51	11	129	30	1	25	53	39	585	64	135	66	69	36	08
23	2	–	4	1	3	1	–	–	1	–	–	–	–	1	10	1	2	–	4	1	09
37	1	–	2	–	2	1	1	–	5	2	–	1	–	–	3	–	4	2	–	–	10
84	7	–	22	3	5	4	–	1	3	2	–	–	2	1	25	3	3	3	–	2	11
86	10	–	18	9	5	10	–	–	4	2	–	3	–	1	16	3	6	–	–	–	12
109	8	–	19	9	7	1	1	1	2	1	–	–	1	–	19	6	4	3	1	–	13
46	2	–	6	2	2	1	–	–	1	–	–	1	–	–	7	1	3	1	–	1	14
67	2	–	16	2	1	3	1	1	–	–	–	–	–	1	12	–	1	–	1	–	15
22	–	–	3	–	–	4	–	1	2	–	–	1	1	–	6	2	1	1	–	–	16
86	2	–	11	1	2	3	1	–	2	–	–	2	–	1	21	–	4	1	1	1	17
45	4	–	13	–	2	7	1	–	–	–	–	1	1	–	8	–	–	1	–	–	18
105	7	–	21	–	2	4	1	–	6	1	–	2	2	2	26	1	2	2	1	2	19
1,931	122	8	397	70	79	112	46	11	73	28	1	27	50	29	429	76	97	58	12	24	20
333	40	6	85	16	13	15	7	–	6	2	–	4	10	4	61	21	25	8	3	–	21
802	80	1	181	19	24	40	21	6	31	13	–	13	15	13	139	44	53	23	10	1	22
110	7	–	25	1	2	2	1	–	7	3	–	3	2	3	10	5	17	–	1	–	23
68	6	–	25	2	1	2	2	2	2	1	–	–	–	–	10	–	3	3	–	–	24
74	8	–	19	2	3	4	3	2	3	1	–	1	1	2	18	5	3	2	1	–	25
7	–	–	1	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	26
543	59	1	111	14	18	31	15	2	19	8	–	9	11	8	99	34	30	18	8	1	27
156	9	3	45	15	10	9	5	2	4	1	–	3	2	1	39	11	12	1	1	–	28
1,261	73	10	269	48	59	73	23	9	39	13	–	13	28	20	241	71	52	47	14	1	29
456	30	4	107	13	21	32	7	4	19	5	–	4	10	8	70	9	22	10	7	–	30
805	43	6	162	35	38	41	16	5	20	8	–	9	18	12	171	62	30	37	7	1	31
636	40	3	116	27	33	31	23	3	23	7	1	5	21	7	152	29	33	21	3	2	32
321	24	1	51	14	13	15	14	1	12	5	–	4	10	4	96	8	17	13	2	1	33
315	16	2	65	13	20	16	9	2	11	2	1	1	11	3	56	21	16	8	1	1	34
150	29	1	44	58	13	18	5	–	6	–	–	7	2	2	57	17	10	12	1	–	35
1,065	116	9	260	22	49	66	22	9	51	11	1	28	29	135	228	102	56	53	12	–	36
70	3	–	18	–	5	1	1	1	4	–	–	–	3	9	15	8	6	5	1	–	37
54	5	–	11	4	1	4	1	–	4	1	–	1	2	7	7	3	1	3	1	–	38
81	11	–	13	–	3	5	2	–	3	1	–	1	2	16	16	8	5	5	3	–	39
40	3	–	7	–	–	2	–	1	5	1	–	3	3	11	12	2	6	–	–	–	40
40	1	–	10	–	1	–	1	–	–	–	–	–	1	–	6	–	1	2	–	–	41
52	7	–	6	2	3	5	–	–	4	2	–	1	2	12	16	4	3	3	1	–	42
30	3	–	8	–	1	1	1	–	2	–	–	–	–	5	4	2	1	1	2	–	43
20	2	2	3	–	1	2	–	–	2	–	–	–	–	2	3	6	2	1	–	–	44
57	9	–	6	2	6	4	3	1	–	–	–	–	–	–	15	4	3	3	–	–	45
621	72	7	178	14	28	42	13	6	27	6	1	22	16	73	134	65	28	30	4	–	46
453	55	5	117	24	15	46	25	3	8	6	–	2	17	3	85	31	32	19	2	–	47
86	6	2	21	1	1	11	5	–	3	3	–	1	2	3	20	4	9	3	1	–	48
367	49	3	96	23	14	35	20	3	5	3	–	1	15	–	65	27	23	16	1	–	49
679	94	3	143	42	25	33	33	5	19	3	1	11	29	11	199	27	45	37	3	2	50
196	38	–	53	10	11	8	13	2	4	2	–	5	11	5	58	6	16	12	2	–	51
483	56	3	90	32	14	25	20	3	15	1	1	6	18	6	141	21	29	25	1	2	52
22	2	–	5	–	–	5	1	–	1	–	–	1	–	–	4	–	2	1	–	–	53
244	10	1	59	7	7	13	7	3	7	2	–	3	3	1	77	14	4	9	–	–	54
261	15	–	72	21	4	6	11	–	5	4	–	6	15	1	48	17	23	18	–	–	55
32	–	–	12	5	–	2	–	–	–	1	–	1	2	–	10	2	3	6	–	–	56
229	15	–	60	16	4	4	11	–	5	3	–	5	13	1	38	15	20	12	–	–	57
821	52	6	175	24	31	68	18	4	31	14	1	16	36	33	172	74	60	24	17	5	58
68	3	1	11	1	4	4	–	1	2	1	–	2	2	1	14	2	7	1	–	1	59
59	4	1	14	1	5	3	–	–	3	1	–	–	3	–	7	–	4	2	1	–	60
64	3	–	19	5	3	6	2	1	1	3	–	1	7	8	21	3	7	3	–	1	61
630	42	4	131	17	19	55	16	2	25	9	1	13	24	24	130	69	42	18	16	3	62
140	20	2	39	7	7	5	4	2	–	3	–	6	4	3	38	18	5	3	1	–	63
300	36	2	98	19	8	22	7	5	13	2	–	7	8	3	61	30	15	7	2	–	64
39	17	–	13	1	1	2	1	1	1	–	–	2	–	–	6	1	5	1	–	–	65
261	19	2	85	18	7	20	6	4	12	2	–	5	8	3	55	29	10	6	2	–	66
162	11	–	17	2	5	9	5	2	5	2	1	1	2	2	30	12	13	3	–	–	67
47	2	–	11	1	2	2	1	1	2	1	–	1	–	–	8	3	4	1	–	–	68
115	9	–	6	1	3	7	4	1	3	1	1	–	2	2	22	9	9	2	–	–	69
224	21	3	58	18	8	19	6	2	3	2	–	3	1	2	61	21	11	10	1	–	70
49	9	–	14	7	–	6	4	1	3	–	–	–	–	1	16	4	1	4	–	–	71
43	2	1	10	5	–	3	–	–	–	1	–	–	–	–	6	3	3	3	1	–	72
132	10	2	34	6	8	10	2	1	–	1	–	3	1	1	39	14	7	3	–	–	73
291	30	6	81	11	10	24	10	4	8	4	–	6	7	6	76	26	34	10	4	1	74
67	14	3	25	6	5	3	1	2	3	–	–	1	2	1	20	4	4	–	1	1	75
224	16	3	56	5	5	21	9	2	5	4	–	5	5	5	56	22	30	10	3	–	76
498	38	2	109	15	29	30	7	2	19	1	–	6	6	9	102	38	26	16	4	2	77
67	5	–	19	5	2	7	–	–	3	1	–	2	1	1	10	7	1	1	2	–	78
431	33	2	90	10	27	23	7	2	16	–	–	4	5	8	92	31	25	15	2	2	79
706	231	6	189	30	46	62	17	10	17	14	1	19	23	17	223	37	47	31	16	6	80
217	91	1	65	6	17	21	1	3	7	5	–	5	11	6	80	8	17	8	6	4	81
52	20	–	10	3	6	3	5	1	3	1	–	1	2	2	17	3	4	4	3	–	82
437	120	5	114	21	23	38	11	6	7	8	1	13	10	9	126	26	26	19	7	2	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Delaware	5,499	10	1	51	1,296	367	307	120	139	55	42	266	81	2,749	2,166	44	21
02	Aston township†	108	–	–	–	30	7	9	1	5	1	–	7	2	49	37	1	1
03	Chester	566	2	1	8	136	37	32	13	22	7	3	22	9	248	190	5	3
04	Collingdale	98	–	–	3	18	5	7	1	1	1	1	2	–	51	43	–	1
05	Darby	146	1	–	1	30	10	9	3	1	2	–	5	4	75	63	1	–
06	Darby township†	30	–	–	–	3	2	1	–	–	–	–	–	–	14	12	–	–
07	Haverford township†	500	1	–	3	120	38	20	7	13	6	7	29	5	270	213	3	1
08	Lansdowne	151	–	–	–	41	11	17	3	1	2	3	4	3	73	62	1	–
09	Marple township†	146	–	–	–	37	8	10	4	3	2	–	10	2	81	57	2	1
10	Nether Providence township†	68	–	–	2	14	4	2	1	1	2	–	4	1	35	28	1	–
11	Radnor township†	153	–	–	–	35	12	9	3	1	2	2	6	1	83	60	1	1
12	Ridley township†	144	–	–	–	38	9	9	2	6	–	–	12	4	62	45	2	–
13	Springfield township†	183	–	–	2	43	9	10	7	4	2	–	11	3	99	83	3	–
14	Upper Chichester township†	31	–	–	1	9	3	2	2	1	–	–	1	1	14	12	–	–
15	Upper Darby township†	786	1	–	8	190	61	47	16	16	7	4	39	10	389	304	6	4
16	Yeadon	115	–	–	2	26	10	2	5	1	–	1	7	2	57	43	–	–
17	Balance of county	2,274	5	–	21	526	141	121	52	63	21	21	107	34	1,149	914	18	9
18	Elk	360	1	–	1	76	20	20	4	9	3	4	16	9	188	149	1	–
19	Erie	2,481	5	–	12	553	159	130	49	61	32	21	101	38	1,318	1,027	23	6
20	Erie	1,284	4	–	8	299	83	69	30	32	17	14	54	16	693	526	12	2
21	Millcreek township†	279	–	–	2	63	21	20	2	6	4	1	9	1	141	111	3	1
22	Balance of county	918	1	–	2	191	55	41	17	23	11	6	38	21	484	390	8	3
23	Fayette	2,017	1	–	11	376	101	86	30	45	16	12	86	40	1,184	989	19	13
24	Connellsville	206	–	–	2	39	12	11	4	4	2	–	6	2	132	111	–	1
25	Uniontown	290	–	–	1	47	13	11	5	5	4	–	9	8	179	146	4	–
26	Balance of county	1,521	1	–	8	290	76	64	21	36	10	12	71	30	873	732	15	12
27	Forest	54	–	–	2	14	4	2	1	2	2	1	2	–	25	24	1	–
28	Franklin	956	2	–	6	188	52	38	14	26	7	10	41	29	537	414	9	7
29	Chambersburg	251	1	–	1	44	12	9	5	3	1	2	12	6	149	114	1	3
30	Waynesboro	99	–	–	1	25	8	5	3	7	–	–	2	1	54	47	–	–
31	Balance of county	606	1	–	4	119	32	24	6	16	6	8	27	22	334	253	8	4
32	Fulton	124	–	–	1	30	13	7	1	2	2	–	5	5	62	50	–	1
33	Greene	469	1	–	2	86	25	18	7	10	3	2	21	8	267	225	2	3
34	Huntingdon	399	2	–	1	87	17	15	7	21	4	7	16	10	222	180	2	3
35	Indiana	779	1	1	2	136	43	24	17	16	7	5	24	12	449	348	9	3
36	Indiana	116	1	–	–	24	8	3	5	2	2	–	4	2	67	46	1	1
37	Balance of county	663	–	1	2	112	35	21	12	14	5	5	20	10	382	302	8	2
38	Jefferson	548	1	–	2	92	27	10	8	13	6	6	22	8	344	264	2	4
39	Juniata	181	1	–	4	31	8	7	3	6	1	1	5	5	104	86	2	2
40	Lackawanna	2,807	6	–	15	546	180	115	55	51	26	23	96	70	1,504	1,227	25	26
41	Carbondale	151	–	–	1	41	9	14	7	4	1	–	6	2	81	67	–	–
42	Dunmore	181	–	–	2	38	14	9	3	1	1	2	8	5	88	74	4	1
43	Scranton	1,302	–	–	6	226	81	47	22	21	9	9	37	29	742	600	10	18
44	Balance of county	1,173	6	–	6	241	76	45	23	25	15	12	45	34	593	486	11	7
45	Lancaster	2,996	3	1	18	636	182	125	53	78	35	24	139	72	1,649	1,257	33	15
46	Columbia	152	–	–	–	35	8	8	2	5	2	3	7	2	87	64	–	–
47	Lancaster	676	–	–	3	140	38	33	12	21	6	–	30	11	378	285	9	3
48	Lancaster township†	96	–	–	–	19	4	3	1	4	1	2	4	4	56	38	–	–
49	Balance of county	2,072	3	1	15	442	132	81	38	48	26	19	98	55	1,128	870	24	12
50	Lawrence	1,115	4	–	6	204	56	50	21	14	9	15	39	29	624	489	9	8
51	Ellwood City, part	94	–	–	–	24	10	2	2	2	1	–	7	1	52	42	2	1
52	Ellwood City, total	113	–	–	–	30	11	4	2	3	1	1	8	2	60	49	2	1
53	New Castle	513	3	–	3	87	24	22	8	8	6	6	13	16	291	226	5	2
54	Balance of county	508	1	–	3	93	22	26	11	4	2	9	19	12	281	221	2	5
55	Lebanon	1,018	1	–	8	185	54	31	20	25	13	7	35	33	589	472	9	5
56	Lebanon	334	–	–	2	59	18	10	8	6	7	–	10	12	179	138	3	1
57	Balance of county	684	1	–	6	126	36	21	12	19	6	7	25	21	410	334	6	4
58	Lehigh	2,442	1	–	14	548	143	113	45	63	31	25	128	54	1,331	1,056	24	4
59	Allentown	1,189	–	–	9	262	68	50	26	29	18	8	63	32	641	508	15	2
60	Bethlehem, part	192	–	–	2	46	12	14	4	4	–	2	10	4	99	78	–	–
61	Emmaus	91	–	–	–	25	4	4	2	4	4	1	6	–	52	36	1	–
62	Balance of county	970	1	–	3	215	59	45	13	26	9	14	49	18	539	434	8	2
63	Luzerne	4,234	7	–	22	847	280	176	73	96	32	32	158	111	2,268	1,876	38	25
64	Hazleton	385	–	–	–	69	24	13	6	5	2	4	15	11	204	160	4	5
65	Kingston	239	–	–	2	51	19	12	5	6	3	3	3	7	146	115	–	1
66	Nanticoke	182	–	–	–	37	15	6	3	3	1	1	8	2	93	85	–	–
67	Pittston	142	–	–	–	31	9	8	2	4	1	–	7	6	86	71	2	1
68	Wilkes-Barre	805	2	–	5	170	50	42	12	16	6	6	38	21	448	384	10	–
69	Balance of county	2,481	5	–	15	489	163	95	45	62	19	18	87	64	1,291	1,061	22	18
70	Lycoming	1,154	–	1	8	236	57	53	20	33	12	8	53	12	636	515	13	2
71	Williamsport	388	–	1	1	75	18	19	6	12	5	–	15	2	212	164	4	–
72	Balance of county	766	–	–	7	161	39	34	14	21	7	8	38	10	424	351	9	2
73	McKean	594	–	–	1	111	31	25	7	19	6	3	20	4	361	273	3	2
74	Bradford	191	–	–	–	29	7	7	5	4	–	2	4	3	126	103	1	–
75	Balance of county	403	–	–	1	82	24	18	2	15	6	1	16	1	235	170	2	2
76	Mercer	1,241	3	–	12	262	73	58	23	30	3	10	65	36	639	490	13	4
77	Farrell	107	–	–	1	27	8	5	2	3	–	–	9	6	48	39	1	–
78	Sharon	241	–	–	5	53	15	16	2	5	1	3	11	6	119	85	1	2
79	Balance of county	893	3	–	6	182	50	37	19	22	2	7	45	24	472	366	11	2
80	Mifflin	441	–	–	4	87	18	35	3	10	5	1	15	8	242	187	3	2
81	Lewistown	145	–	–	2	32	8	13	–	4	3	1	3	5	74	59	–	1
82	Balance of county	296	–	–	2	55	10	22	3	6	2	–	12	3	168	128	3	1
83	Monroe	572	–	1	4	131	37	35	10	17	8	6	18	12	316	243	4	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,960	141	6	426	76	75	131	50	9	95	24	1	28	42	211	458	57	100	65	25	15	01
33	2	-	10	1	1	3	1	-	2	-	-	-	2	8	7	-	-	3	-	1	02
163	19	1	44	3	10	9	1	-	9	5	1	3	6	38	55	5	15	4	7	4	03
40	2	-	5	1	2	4	1	-	4	-	-	-	-	5	6	1	5	-	-	-	04
60	2	-	6	1	5	4	-	-	3	-	-	2	1	11	8	1	3	-	1	1	05
12	-	-	1	-	1	-	-	-	-	1	-	-	-	5	2	4	1	-	-	-	06
197	12	1	41	9	6	15	4	-	7	1	-	1	2	12	36	6	7	6	2	2	07
57	4	1	7	2	1	4	-	-	2	-	-	1	-	7	17	-	3	-	-	-	08
54	-	-	11	9	4	3	1	-	3	-	-	-	-	5	12	-	-	2	-	-	09
24	3	-	5	2	-	3	1	-	1	1	-	-	-	2	3	-	2	3	-	-	10
54	4	-	19	3	1	3	3	-	3	-	-	-	-	1	16	2	1	4	1	-	11
40	3	-	14	1	2	5	1	-	4	1	-	1	2	5	8	1	6	4	-	2	12
71	9	-	13	2	1	4	2	-	2	1	-	2	1	5	14	1	2	2	-	-	13
12	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	1	1	-	-	14
275	19	1	69	9	6	14	17	3	13	2	-	4	6	28	64	7	22	7	-	1	15
43	-	-	8	2	4	5	1	-	1	-	-	1	-	7	6	-	2	2	2	1	16
825	62	2	172	31	30	53	17	6	41	12	-	13	22	72	202	29	30	27	12	3	17
143	5	1	33	3	2	8	3	1	6	1	-	1	7	1	26	15	11	4	1	-	18
929	69	8	201	51	31	63	22	8	38	14	-	16	46	11	202	49	49	29	8	-	19
472	40	7	112	31	17	25	11	3	24	7	-	8	22	8	93	14	32	11	6	-	20
100	7	1	24	3	2	14	2	-	4	-	-	1	4	-	27	6	5	8	1	-	21
357	22	-	65	17	12	24	9	5	10	7	-	7	20	3	82	29	12	10	1	-	22
785	172	4	151	25	15	35	16	5	27	7	-	11	17	16	153	46	47	15	8	2	23
87	23	-	14	4	3	3	3	-	2	2	-	5	1	-	11	1	3	-	-	-	24
106	36	-	30	3	-	9	2	-	4	2	-	-	3	1	15	8	9	-	2	-	25
592	113	4	107	18	12	23	11	5	21	3	-	6	13	15	127	37	35	15	6	2	26
23	-	-	1	-	-	4	-	1	1	-	-	-	-	-	3	1	3	-	-	-	27
373	25	6	80	21	16	26	7	4	8	-	-	8	9	3	68	27	23	9	2	-	28
106	4	1	24	7	3	7	1	-	3	-	-	3	3	2	15	7	6	2	1	-	29
43	4	-	6	-	1	-	-	1	2	-	-	2	1	-	7	1	3	1	-	-	30
224	17	5	50	14	12	19	6	3	3	-	-	3	5	1	46	19	14	6	1	-	31
48	1	1	5	6	-	5	-	-	1	-	-	-	2	-	8	1	6	3	-	-	32
207	13	1	30	4	7	9	5	2	4	3	-	1	-	3	47	10	14	7	-	-	33
160	15	1	30	8	3	8	5	-	2	-	-	3	1	3	35	6	11	3	-	-	34
322	14	2	77	15	7	13	10	1	8	-	-	6	7	6	81	21	11	12	1	1	35
41	3	2	13	2	4	2	1	-	2	-	-	1	-	-	11	2	-	3	-	-	36
281	11	-	64	13	3	11	9	1	6	-	-	5	7	6	70	19	11	9	1	1	37
235	23	3	54	16	7	11	3	-	6	1	-	4	7	3	43	14	5	3	1	-	38
76	6	-	15	1	2	2	2	-	-	2	-	-	2	-	14	2	4	7	1	-	39
1,110	66	4	201	38	34	39	32	11	47	7	-	18	18	112	277	34	47	21	3	-	40
65	2	-	13	-	1	3	1	2	4	2	-	1	-	2	8	3	-	-	-	-	41
65	4	1	7	4	2	2	-	-	1	1	-	1	-	8	30	1	3	1	-	-	42
537	35	-	103	20	19	20	16	4	23	2	-	9	8	61	113	12	24	6	1	-	43
443	25	3	78	14	12	14	15	5	19	2	-	7	10	41	126	18	20	14	2	-	44
1,110	99	6	251	82	53	71	21	5	23	16	1	21	29	22	237	68	68	26	8	1	45
60	4	-	12	3	8	4	2	1	3	2	-	-	-	-	9	3	3	-	1	-	46
251	22	1	61	20	11	19	3	-	7	1	1	1	11	6	66	8	11	7	3	-	47
36	2	-	12	3	3	4	2	-	-	-	-	1	-	-	8	1	-	1	-	-	48
763	71	5	166	56	31	44	14	4	13	13	-	19	18	16	154	56	54	18	4	1	49
435	37	2	92	27	14	28	11	4	12	15	-	5	8	8	93	16	29	15	3	1	50
33	6	-	7	3	-	2	1	-	2	2	-	-	-	-	8	-	-	1	1	-	51
40	6	-	8	3	-	3	1	-	2	2	-	-	1	-	10	-	-	1	1	-	52
202	17	2	43	10	10	13	4	-	5	7	-	2	5	6	43	8	14	4	2	-	53
200	14	-	42	14	4	13	6	4	5	6	-	3	3	2	42	8	15	10	-	1	54
424	34	2	95	6	14	30	1	4	12	1	-	1	5	9	82	23	22	11	1	-	55
123	11	1	35	2	3	11	-	3	5	-	-	1	3	3	38	9	5	4	-	-	56
301	23	1	60	4	11	19	1	1	7	1	-	-	2	6	44	14	17	7	1	-	57
941	87	8	191	46	30	40	25	7	24	13	-	14	22	17	195	60	32	37	6	2	58
447	44	3	93	20	17	18	9	3	16	7	-	6	13	10	102	19	18	19	4	1	59
73	5	1	12	4	4	5	3	-	-	1	-	1	1	1	18	4	3	4	-	-	60
32	3	-	12	3	1	1	1	-	1	1	-	1	1	-	4	1	1	2	-	-	61
389	35	4	74	19	8	16	12	4	7	4	-	6	7	6	71	36	10	12	2	1	62
1,709	104	5	285	52	50	87	38	9	61	17	1	18	25	11	556	46	65	38	6	1	63
146	5	1	31	4	8	11	1	1	7	4	-	2	3	1	64	3	2	2	-	-	64
110	4	-	25	5	1	5	3	1	1	1	-	1	2	1	11	2	2	2	1	-	65
77	8	-	6	-	2	1	-	-	4	-	-	1	3	-	37	1	1	2	-	-	66
61	7	-	13	1	1	-	-	-	2	-	-	-	1	1	10	1	3	1	-	-	67
358	16	1	46	11	6	16	5	2	13	4	1	2	5	2	82	7	15	2	2	1	68
957	64	3	164	31	32	54	29	5	34	8	-	12	11	6	352	32	42	29	3	-	69
461	39	2	88	15	16	37	18	3	6	6	-	8	9	9	87	33	28	14	3	-	70
145	15	1	32	6	9	12	6	2	4	1	-	1	4	5	36	7	9	8	2	-	71
316	24	1	56	9	7	25	12	1	2	5	-	7	5	4	51	26	19	6	1	-	72
254	14	2	49	31	6	17	2	1	9	3	-	2	2	3	35	17	12	14	-	-	73
97	5	1	17	4	1	4	2	-	4	1	-	1	-	1	11	1	2	6	-	-	74
157	9	1	32	27	5	13	-	1	5	2	-	1	2	2	24	16	10	8	-	-	75
449	24	3	99	20	27	41	21	2	16	5	-	10	12	3	96	36	30	13	1	3	76
37	1	-	5	2	2	1	2	-	4	1	-	-	2	1	10	2	2	-	-	-	77
77	5	1	21	5	7	6	8	1	4	1	-	2	2	-	15	8	8	3	-	-	78
335	18	2	73	13	18	34	11	1	8	3	-	8	8	2	71	26	20	10	1	3	79
168	14	-	44	8	3	15	4	-	6	2	-	2	5	11	37	11	5	2	-	-	80
54	4	-	12	2	1	4	1	-	-	-	-	-	-	7	15	4	-	1	-	-	81
114	10	-	32	6	2	11	3	-	6	2	-	2	5	4	22	7	5	1	-	-	82
212	27	-	60	5	8	8	2	-	6	2	-	1	4	3	52	15	7	6	1	1	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Montgomery	5,627	3	–	48	1,243	336	318	115	111	56	50	257	88	2,972	2,314	54	27
02	Abington township†	475	–	–	6	105	25	21	11	15	1	2	30	6	247	191	4	3
03	Cheltenham township†	324	1	–	4	76	24	12	9	5	2	3	21	5	174	133	2	4
04	Conshohocken	110	–	–	1	29	4	15	1	1	3	2	3	–	52	44	3	1
05	East Norriton township†	73	–	–	1	9	2	2	1	–	1	–	3	1	49	42	1	1
06	Lansdale	179	–	–	3	34	13	13	–	1	2	2	3	4	92	65	2	1
07	Lower Merion township†	492	–	–	3	103	29	24	11	11	4	5	19	5	267	202	10	1
08	Lower Moreland township†	41	–	–	–	13	4	1	1	1	–	2	4	–	16	12	–	–
09	Norristown	431	1	–	4	99	30	27	9	6	2	4	21	10	200	166	2	2
10	Plymouth township†	70	–	–	–	14	1	6	2	–	2	–	3	1	43	38	–	1
11	Pottstown	289	–	–	1	64	21	18	7	4	4	2	8	3	160	140	1	2
12	Springfield township†	157	–	–	–	27	7	5	3	3	2	3	4	2	99	75	–	1
13	Upper Moreland township†	137	–	–	1	37	8	12	3	8	2	1	3	3	51	36	–	–
14	West Norriton township†	70	–	–	1	17	6	4	3	2	–	–	2	–	41	32	–	1
15	Balance of county	2,779	1	–	23	616	162	158	54	54	31	24	133	48	1,481	1,138	29	9
16	Montour	175	–	–	2	39	17	7	3	3	–	1	8	4	84	69	1	3
17	Northampton	2,142	2	–	19	425	128	97	30	47	20	15	88	43	1,244	1,010	18	8
18	Bethlehem, part	561	1	–	4	111	30	24	7	8	7	3	32	15	333	269	2	2
19	Bethlehem, total	753	1	–	6	157	42	38	11	12	7	5	42	19	432	347	2	2
20	Easton	339	1	–	3	64	17	18	6	4	2	4	13	3	204	149	3	2
21	Balance of county	1,242	–	–	12	250	81	55	17	35	11	8	43	25	707	592	13	4
22	Northumberland	1,223	1	–	9	235	87	40	21	26	11	6	44	41	692	539	5	2
23	Shamokin	174	–	–	–	42	11	10	3	6	2	1	9	4	97	73	2	1
24	Sunbury	193	–	–	–	29	11	4	3	3	3	–	5	6	113	87	–	–
25	Balance of county	856	1	–	9	164	65	26	15	17	6	5	30	31	482	379	3	1
26	Perry	341	2	–	3	68	20	16	6	5	4	4	13	8	181	136	2	1
27	Philadelphia, coext. with Philadelphia city	20,711	50	1	306	4,418	1,265	1,133	384	450	150	132	904	356	8,715	6,780	139	109
28	Pike	196	–	–	2	35	12	8	–	1	1	2	11	4	108	81	–	1
29	Potter	174	–	–	1	29	7	6	3	5	–	1	7	4	92	74	3	–
30	Schuylkill	2,154	8	–	14	408	131	76	45	36	15	7	98	65	1,070	863	18	11
31	Pottsville	275	–	–	3	62	19	19	8	3	1	–	12	10	142	118	3	1
32	Balance of county	1,879	8	–	11	346	112	57	37	33	14	7	86	55	928	745	15	10
33	Snyder	275	–	–	1	55	15	12	5	10	3	1	9	12	144	120	2	1
34	Somerset	892	–	–	5	153	51	31	9	20	9	6	27	18	510	411	3	27
35	Sullivan	71	–	–	–	12	2	4	1	–	1	–	4	2	41	36	–	–
36	Susquehanna	343	–	–	1	68	19	20	3	8	3	1	14	6	188	139	5	4
37	Tioga	426	1	–	3	77	16	18	5	10	2	6	20	12	220	168	5	2
38	Union	283	–	–	1	54	14	11	5	6	6	3	9	8	153	115	2	1
39	Venango	662	2	–	5	125	27	36	8	20	8	7	19	16	370	258	7	2
40	Oil City	171	1	–	2	43	9	14	2	1	4	3	10	3	98	63	4	–
41	Balance of county	491	1	–	3	82	18	22	6	19	4	4	9	13	272	195	3	2
42	Warren	450	–	–	2	88	27	23	4	13	5	2	14	7	247	179	5	1
43	Warren	164	–	–	2	32	14	8	1	2	1	1	5	4	91	64	2	1
44	Balance of county	286	–	–	–	56	13	15	3	11	4	1	9	3	156	115	3	–
45	Washington	2,202	2	–	21	440	112	100	35	55	21	21	96	56	1,218	951	19	10
46	Canonsburg	136	–	–	1	22	5	4	2	3	1	1	6	2	75	59	1	1
47	Washington	306	1	–	1	61	19	15	7	6	–	2	12	7	171	127	–	3
48	Balance of county	1,760	1	–	19	357	88	81	26	46	20	18	78	47	972	765	18	6
49	Wayne	412	1	–	2	83	22	16	3	8	6	6	22	6	210	155	4	2
50	Westmoreland	3,613	4	1	21	779	191	202	65	95	27	32	167	75	1,988	1,526	26	17
51	Greensburg	202	1	–	1	45	7	14	3	7	2	4	8	2	114	84	–	1
52	Hempfield township†	249	–	–	–	57	17	15	3	10	4	–	8	5	137	107	2	1
53	Jeannette	182	–	–	1	38	13	7	3	3	1	–	11	8	98	81	1	–
54	Latrobe	127	–	–	1	24	8	6	2	4	–	2	2	1	75	54	–	2
55	Lower Burrell	112	1	–	–	26	7	7	2	2	1	1	6	3	64	50	3	1
56	Monessen	183	–	–	1	37	7	11	2	5	1	1	10	6	108	91	1	2
57	New Kensington	219	1	–	1	42	5	13	7	6	–	3	8	7	115	90	3	1
58	North Huntington township†	182	–	1	2	39	13	10	4	3	1	2	6	–	94	75	1	1
59	Balance of county	2,157	1	–	14	471	114	119	39	55	17	19	108	43	1,183	894	15	8
60	Wyoming	194	1	–	2	34	11	7	6	3	1	1	5	3	101	75	–	1
61	York	2,586	5	–	21	590	163	99	59	79	28	22	140	40	1,337	1,072	25	11
62	Hanover	214	–	–	–	49	15	6	2	10	3	1	12	3	117	90	3	2
63	Spring Garden township†	112	–	–	–	27	2	5	5	1	1	2	11	3	62	51	2	–
64	York	594	1	–	9	137	38	27	14	18	3	6	31	11	296	248	4	1
65	Balance of county	1,666	4	–	12	377	108	61	38	50	21	13	86	23	862	683	16	8
66	**Rhode Island**	8,873	8	1	62	2,135	679	501	199	204	113	63	376	209	4,720	3,751	82	23
67	Urban places	7,039	7	1	51	1,687	541	383	159	161	90	53	300	167	3,742	2,984	64	17
68	Balance of area	1,834	1	–	11	448	138	118	40	43	23	10	76	42	978	767	18	6
69	Metropolitan counties	7,502	8	1	54	1,784	574	417	164	170	94	57	308	182	3,993	3,186	66	20
70	Urban places	6,468	7	1	47	1,534	495	351	141	149	81	49	268	155	3,442	2,744	59	16
71	Balance of area	1,034	1	–	7	250	79	66	23	21	13	8	40	27	551	442	7	4
72	Nonmetropolitan counties	1,371	–	–	8	351	105	84	35	34	19	6	68	27	727	565	16	3
73	Urban places	571	–	–	4	153	46	32	18	12	9	4	32	12	300	240	5	1
74	Balance of area	800	–	–	4	198	59	52	17	22	10	2	36	15	427	325	11	2
75	Bristol	415	1	–	5	96	43	16	9	8	7	1	12	11	211	159	2	1
76	Barrington	115	–	–	1	34	14	5	4	–	3	1	7	2	57	44	–	–
77	Bristol	205	1	–	2	43	18	8	4	6	4	–	3	9	102	76	2	–
78	Warren	95	–	–	2	19	11	3	1	2	–	–	2	–	52	39	–	1
79	Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80	Kent	1,277	2	–	7	308	94	80	21	38	18	6	51	28	671	559	11	–
81	Warwick	791	1	–	7	194	65	46	14	25	12	4	28	19	404	331	7	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,041	192	10	503	66	79	143	65	18	63	19	-	30	48	81	500	92	98	85	20	11	01
169	15	3	33	10	10	26	7	1	3	1	-	2	3	3	44	6	4	7	4	-	02
114	13	-	32	2	7	9	6	-	1	3	-	1	1	3	24	4	8	3	1	-	03
36	4	-	7	-	1	2	1	-	5	-	-	3	-	2	6	5	1	3	-	-	04
37	3	-	7	-	-	2	1	-	-	-	-	-	1	-	2	-	-	5	2	-	05
58	4	1	24	1	1	2	5	1	-	-	-	-	4	1	23	3	3	4	-	-	06
176	15	-	45	7	13	16	6	-	3	2	-	2	2	6	58	6	5	6	-	2	07
10	2	-	3	1	-	-	2	-	3	1	-	-	-	-	6	-	-	-	-	-	08
151	11	1	26	3	4	13	9	1	4	2	-	4	7	6	39	3	13	8	5	3	09
33	4	-	2	2	1	-	3	1	-	-	-	-	-	-	6	1	-	1	-	-	10
119	18	1	16	-	3	4	-	1	4	-	-	2	5	7	21	6	4	5	-	2	11
67	7	1	20	1	2	3	2	-	1	-	-	-	-	4	16	-	3	-	-	-	12
29	7	-	8	4	3	2	1	1	3	-	-	2	2	5	22	1	3	2	-	1	13
27	4	-	7	-	2	-	-	-	-	-	-	-	3	-	3	-	-	3	1	1	14
1,015	85	3	273	35	32	64	22	12	36	10	-	14	20	44	230	57	54	38	7	2	15
60	5	-	12	1	2	6	2	2	2	1	-	1	2	1	13	7	5	4	-	-	16
820	164	1	171	26	36	33	17	9	28	11	-	7	14	20	155	49	32	25	8	1	17
237	28	-	46	8	10	12	5	3	7	2	-	2	3	5	36	7	8	6	1	-	18
310	33	1	58	12	14	17	8	3	7	3	-	3	4	6	54	11	11	10	1	-	19
110	34	-	42	6	7	5	3	-	4	-	-	1	3	7	30	6	2	2	1	-	20
473	102	1	83	12	19	16	9	6	17	9	-	4	8	8	89	36	22	17	6	1	21
496	36	3	104	26	20	25	16	2	13	1	1	4	6	3	110	22	27	12	3	-	22
67	3	-	18	3	3	5	1	-	1	-	-	-	-	-	14	2	5	2	1	-	23
78	9	-	17	6	3	7	6	-	3	-	-	1	2	-	17	3	4	2	-	-	24
351	24	3	69	17	14	13	9	2	9	1	1	3	4	3	79	17	18	8	2	-	25
122	11	1	33	1	10	12	4	1	1	3	-	1	4	3	28	8	6	7	-	1	26
5,660	872	28	1,492	165	250	549	109	55	352	143	8	118	252	2,002	1,917	187	486	223	369	95	27
64	16	-	12	10	5	2	1	-	4	1	-	2	2	6	14	8	2	4	1	-	28
61	10	-	14	1	3	7	1	-	2	-	-	-	1	1	21	10	3	-	1	1	29
710	124	4	173	12	18	35	21	6	37	13	-	8	9	25	342	31	35	24	3	-	30
102	12	-	19	1	4	6	3	1	6	1	-	-	3	4	19	5	7	3	-	-	31
608	112	4	154	11	14	29	18	5	31	12	-	8	6	21	323	26	28	21	3	-	32
108	9	-	22	-	2	7	5	-	1	3	-	2	2	-	28	6	5	4	-	-	33
358	23	2	71	17	9	21	17	1	10	6	-	5	8	2	86	22	15	13	-	-	34
28	8	-	4	1	-	-	-	1	-	-	-	-	-	-	10	2	2	1	-	-	35
124	6	2	30	12	5	6	5	2	1	-	-	1	6	2	29	13	6	3	6	-	36
153	8	1	43	3	5	6	3	1	6	-	-	2	3	1	39	31	15	5	-	1	37
108	4	-	34	2	2	3	3	1	1	1	-	2	6	2	31	6	9	-	1	1	38
231	18	-	83	11	18	21	9	-	12	3	-	2	6	1	47	15	19	8	-	1	39
52	7	-	29	2	4	2	1	-	6	1	-	-	-	-	7	2	3	2	-	-	40
179	11	-	54	9	14	19	8	-	6	2	-	2	6	1	40	13	16	6	-	1	41
160	13	-	49	8	11	14	6	3	7	3	-	-	4	3	37	8	19	2	-	-	42
59	2	-	20	4	3	4	-	3	2	2	-	-	2	1	13	-	8	-	-	-	43
101	11	-	29	4	8	10	6	-	5	1	-	-	2	2	24	8	11	2	-	-	44
833	89	3	193	40	31	55	20	5	20	8	1	14	15	13	205	31	49	22	4	3	45
53	4	-	11	2	3	6	2	-	2	2	-	-	-	-	17	-	6	-	1	-	46
111	13	-	32	6	6	5	4	-	1	-	-	3	1	2	33	4	5	5	1	1	47
669	72	3	150	32	22	44	14	5	17	6	1	11	14	11	155	27	38	17	2	2	48
139	10	2	35	11	7	9	2	-	4	2	-	7	1	1	44	10	13	7	9	1	49
1,386	97	6	315	97	44	58	28	12	45	13	-	20	24	79	259	78	84	34	7	4	50
80	3	1	18	10	1	4	-	2	2	-	-	1	3	7	13	4	1	2	-	-	51
100	4	2	18	7	3	4	3	3	3	-	-	2	-	5	23	2	2	2	1	-	52
77	3	-	12	5	-	4	3	-	2	-	-	-	1	4	17	2	3	1	-	-	53
47	5	-	14	4	3	3	-	1	-	1	-	3	1	2	10	1	3	-	1	-	54
42	4	-	12	2	-	2	2	1	-	-	-	-	3	3	4	1	1	1	-	-	55
80	8	-	12	4	1	3	-	1	5	-	-	1	1	1	9	3	6	1	-	-	56
80	6	-	18	4	3	2	-	-	4	2	-	1	2	9	21	7	4	1	-	-	57
70	3	2	11	4	2	4	2	-	2	1	-	1	3	3	14	7	7	1	1	-	58
810	61	1	200	57	31	32	18	4	27	9	-	11	10	45	148	51	57	25	4	4	59
68	6	1	13	12	-	1	1	-	5	1	-	1	6	6	20	7	2	3	-	-	60
952	84	3	181	34	47	68	17	5	25	8	-	16	16	13	247	76	56	29	13	4	61
78	7	-	21	1	5	7	2	1	2	-	-	1	-	1	23	4	3	1	-	-	62
44	5	-	7	3	1	5	-	-	1	-	-	-	-	-	12	-	2	-	-	-	63
219	24	1	33	5	9	18	4	1	8	3	-	2	6	1	51	19	14	2	10	1	64
611	48	2	120	25	32	38	11	3	14	5	-	13	10	11	161	53	37	26	3	3	65
3,515	131	29	691	130	119	172	56	28	127	38	1	61	80	35	703	127	150	107	42	11	66
2,791	112	22	543	101	92	144	43	25	104	33	-	45	65	29	563	96	119	75	34	9	67
724	19	7	148	29	27	28	13	3	23	5	1	16	15	6	140	31	31	32	8	2	68
2,990	110	25	572	109	101	150	41	21	106	34	-	53	66	31	618	96	131	85	40	8	69
2,569	100	20	505	88	85	135	37	21	97	31	-	43	57	26	536	83	110	66	32	8	70
421	10	5	67	21	16	15	4	-	9	3	-	10	9	5	82	13	21	19	8	-	71
525	21	4	119	21	18	22	15	7	21	4	1	8	14	4	85	31	19	22	2	3	72
222	12	2	38	13	7	9	6	4	7	2	-	2	8	3	27	13	9	9	2	1	73
303	9	2	81	8	11	13	9	3	14	2	1	6	6	1	58	18	10	13	-	2	74
145	11	-	27	17	8	13	5	2	11	2	-	1	2	1	33	11	4	5	1	-	75
42	2	-	8	2	3	3	-	1	4	-	-	-	-	-	6	4	2	1	-	-	76
68	6	-	13	10	3	9	4	1	6	1	-	-	1	-	17	6	1	2	-	-	77
35	3	-	6	5	2	1	1	-	1	1	-	1	1	1	10	1	1	2	1	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
532	16	2	77	14	19	19	8	3	15	6	-	10	13	6	105	24	24	18	7	3	80
312	12	1	55	6	11	11	4	3	8	4	-	6	6	4	75	15	13	9	5	3	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Rhode Island—Con.																	
	Kent—Con.																	
01	West Warwick town†	211	1	–	–	48	15	13	1	8	2	1	8	4	132	114	3	–
02	Balance of county	275	–	–	–	66	14	21	6	5	4	1	15	5	135	114	1	–
03	Newport	671	–	–	5	173	50	42	15	19	9	2	36	8	359	279	4	1
04	Middletown town†	104	–	–	3	30	9	10	1	2	–	2	6	–	58	47	–	1
05	Newport	289	–	–	1	71	21	11	9	9	6	–	15	5	158	123	2	–
06	Balance of county	278	–	–	1	72	20	21	5	8	3	–	15	3	143	109	2	–
07	Providence	5,810	5	1	42	1,380	437	321	134	124	69	50	245	143	3,111	2,468	53	19
08	Central Falls	227	–	–	1	56	14	12	8	4	4	4	10	6	110	93	4	–
09	Cranston	719	1	–	5	181	47	46	12	20	9	10	37	17	368	289	10	2
10	Cumberland town†	182	–	–	–	37	11	11	5	2	1	1	6	3	103	84	1	1
11	East Providence	474	–	–	1	119	40	26	12	12	5	3	21	9	271	209	4	2
12	North Providence town†	247	–	–	–	60	16	14	10	4	2	3	11	5	137	101	3	2
13	Pawtucket	843	–	1	8	213	84	42	17	20	14	3	33	15	462	381	3	4
14	Providence	1,836	3	–	16	406	116	95	38	34	19	17	87	54	964	739	21	4
15	Woonsocket	523	–	–	4	124	44	30	15	12	6	2	15	12	280	244	1	–
16	Balance of county	759	1	–	7	184	65	45	17	16	9	7	25	22	416	328	6	4
17	Washington	700	–	–	3	178	55	42	20	15	10	4	32	19	368	286	12	2
18	North Kingstown town†	178	–	–	–	52	16	11	8	1	3	2	11	7	84	70	3	–
19	Balance of county	522	–	–	3	126	39	31	12	14	7	2	21	12	284	216	9	2
20	**South Carolina**	24,112	44	2	256	4,249	1,040	1,116	338	526	169	132	928	446	11,720	8,573	100	145
21	Urban places	5,724	17	–	61	1,099	281	280	91	133	50	34	230	104	2,846	2,042	29	39
22	Balance of area	18,388	27	2	195	3,150	759	836	247	393	119	98	698	342	8,874	6,531	71	106
23	Metropolitan counties	8,627	18	1	99	1,622	400	449	137	176	66	52	342	154	4,128	3,139	49	40
24	Urban places	3,121	12	–	41	616	170	157	52	68	23	18	128	48	1,531	1,139	21	16
25	Balance of area	5,506	6	1	58	1,006	230	292	85	108	43	34	214	106	2,597	2,000	28	24
26	Nonmetropolitan counties	15,485	26	1	157	2,627	640	667	201	350	103	80	586	292	7,592	5,434	51	105
27	Urban places	2,603	5	–	20	483	111	123	39	65	27	16	102	56	1,315	903	8	23
28	Balance of area	12,882	21	1	137	2,144	529	544	162	285	76	64	484	236	6,277	4,531	43	82
29	Abbeville	225	1	–	–	28	10	2	4	1	1	3	7	6	85	58	1	–
30	Aiken	819	1	–	7	158	35	44	13	20	10	4	32	15	370	273	2	1
31	Aiken	185	–	–	3	33	6	11	2	5	3	–	6	3	87	60	1	1
32	North Augusta	104	–	–	1	27	4	8	5	5	1	1	3	1	46	31	1	–
33	Balance of county	530	1	–	3	98	25	25	6	10	6	3	23	11	237	182	–	–
34	Allendale	108	–	–	1	20	2	11	–	2	–	3	2	1	48	31	1	2
35	Anderson	1,064	1	–	12	203	59	47	11	30	8	6	42	10	475	317	8	1
36	Anderson	365	1	–	4	69	23	15	2	15	–	3	11	5	163	100	6	1
37	Balance of county	699	–	–	8	134	36	32	9	15	8	3	31	5	312	217	2	–
38	Bamberg	160	1	–	3	24	3	7	3	4	1	1	5	3	90	58	1	1
39	Barnwell	183	1	–	2	27	6	11	2	1	2	1	4	2	83	55	1	1
40	Beaufort	352	–	–	3	75	23	19	4	11	3	2	13	7	134	98	3	4
41	Berkeley	400	–	–	3	61	16	16	3	4	2	1	19	4	174	137	1	1
42	Calhoun	108	–	–	1	14	3	4	1	2	1	1	2	1	60	37	1	3
43	Charleston	1,904	3	–	26	366	97	109	26	37	15	11	71	38	879	681	20	14
44	Charleston	896	2	–	15	171	49	41	13	18	9	6	35	18	422	323	7	8
45	Balance of county	1,008	1	–	11	195	48	68	13	19	6	5	36	20	457	358	13	6
46	Cherokee	368	–	–	4	67	13	20	6	7	3	4	14	9	179	128	1	3
47	Gaffney	206	–	–	2	40	9	14	4	3	–	3	7	6	101	66	–	2
48	Balance of county	162	–	–	2	27	4	6	2	4	3	1	7	3	78	62	1	1
49	Chester	324	–	–	2	57	16	12	5	4	2	3	15	5	173	125	–	2
50	Chesterfield	357	1	–	4	48	9	16	4	6	3	1	9	9	177	126	–	5
51	Clarendon	279	2	–	2	44	14	11	3	5	2	2	7	12	121	86	1	–
52	Colleton	313	–	–	3	44	13	15	2	5	1	2	6	10	152	101	–	3
53	Darlington	538	2	–	8	82	22	21	8	11	2	–	18	11	274	197	2	4
54	Dillon	280	–	–	3	40	9	13	–	8	2	–	8	7	101	66	1	–
55	Dorchester	336	–	–	5	51	9	16	3	8	2	3	10	10	148	115	–	1
56	Edgefield	145	–	–	1	23	4	6	3	2	1	–	7	1	76	55	1	–
57	Fairfield	195	–	–	2	36	7	7	2	11	–	1	8	3	86	68	–	3
58	Florence	899	1	–	5	153	38	49	14	22	4	–	26	17	491	395	–	7
59	Florence	313	–	–	1	60	14	14	6	11	3	–	12	6	179	139	–	2
60	Balance of county	586	1	–	4	93	24	35	8	11	1	–	14	11	312	256	–	5
61	Georgetown	305	–	–	2	53	16	12	3	7	2	1	12	9	155	107	–	5
62	Georgetown	88	–	–	1	16	4	7	1	1	1	1	1	4	51	32	–	3
63	Balance of county	217	–	–	1	37	12	5	2	6	1	–	11	5	104	75	–	2
64	Greenville	2,253	3	–	25	483	105	129	44	65	20	13	107	29	1,077	775	15	3
65	Greenville	720	2	–	7	157	38	42	13	20	5	3	36	9	353	248	7	2
66	Greer, part	84	1	–	2	13	2	6	1	–	–	–	4	–	45	29	1	–
67	Greer, total	129	1	–	2	18	3	7	2	1	–	–	5	2	73	49	1	–
68	Balance of county	1,449	–	–	16	313	65	81	30	45	15	10	67	20	679	498	7	1
69	Greenwood	496	–	1	3	77	18	19	8	7	3	2	20	6	276	203	3	9
70	Greenwood	214	–	–	–	27	6	7	2	2	2	2	6	3	128	89	–	7
71	Balance of county	282	–	1	3	50	12	12	6	5	1	–	14	3	148	114	3	2
72	Hampton	162	–	–	–	32	6	9	2	5	–	–	10	3	77	58	–	2
73	Horry	773	1	–	13	123	25	28	11	17	7	5	30	7	386	294	2	3
74	Jasper	132	2	–	4	19	7	3	–	3	2	–	4	2	59	38	1	–
75	Kershaw	320	–	–	4	52	10	16	3	6	2	5	10	6	149	105	2	3
76	Lancaster	415	–	–	4	78	16	19	7	7	7	4	18	7	216	163	–	4
77	Laurens	491	1	–	4	82	20	14	4	12	7	2	23	12	261	198	2	5
78	Laurens	112	1	–	–	18	5	1	2	1	3	–	6	3	66	50	–	1
79	Balance of county	379	–	–	4	64	15	13	2	11	4	2	17	9	195	148	2	4
80	Lee	180	–	–	–	25	6	6	1	4	1	–	7	7	95	71	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
108	3	–	11	3	4	2	1	–	2	1	–	1	4	–	10	3	1	1	–	–	01
112	1	1	11	5	4	6	3	–	5	1	–	3	3	2	20	6	10	8	2	–	02
264	10	2	55	14	9	8	8	5	9	2	1	4	9	1	42	14	9	11	1	2	03
42	4	–	9	1	1	–	1	–	2	2	–	1	2	–	2	1	–	2	–	–	04
116	5	2	21	8	4	4	3	4	3	–	–	1	5	1	18	3	7	3	1	1	05
106	1	–	25	5	4	4	4	1	4	–	1	2	2	–	22	10	2	6	–	1	06
2,313	83	23	468	78	74	118	28	16	80	26	–	42	51	24	480	61	103	62	32	5	07
85	4	–	11	1	5	7	4	–	3	–	–	3	5	–	18	1	6	2	4	1	08
272	5	1	59	8	11	18	3	4	9	2	–	5	5	6	67	8	10	7	3	–	09
78	4	–	14	2	3	3	2	1	3	–	–	2	1	–	14	6	6	1	–	–	10
194	9	1	50	6	5	4	–	–	14	3	–	1	3	–	33	4	9	2	1	–	11
90	6	3	28	3	2	4	1	1	3	3	–	–	–	–	23	4	3	2	–	1	12
363	11	4	55	13	9	12	4	3	10	4	–	10	7	–	58	8	15	9	3	1	13
680	34	9	169	26	21	54	9	5	29	11	–	11	16	12	162	15	32	22	13	2	14
242	1	1	26	3	6	7	4	2	5	1	–	3	8	3	43	8	11	6	2	–	15
309	9	4	56	16	12	9	1	–	4	2	–	7	6	3	62	7	11	11	6	–	16
261	11	2	64	7	9	14	7	2	12	2	–	4	5	3	43	17	10	11	1	1	17
64	3	–	8	4	2	5	2	–	2	–	–	–	1	2	7	9	2	4	1	–	18
197	8	2	56	3	7	9	5	2	10	2	–	4	4	1	36	8	8	7	–	1	19
7,033	1,295	69	2,533	236	309	708	270	57	311	160	6	174	441	740	2,099	911	816	327	343	32	20
1,682	292	16	658	61	69	175	74	15	102	45	2	28	91	128	481	128	172	74	78	4	21
5,351	1,003	53	1,875	175	240	533	196	42	209	115	4	146	350	612	1,618	783	644	253	265	28	22
2,665	385	12	796	75	106	277	114	23	130	46	3	63	155	122	802	313	275	141	133	8	23
959	143	4	325	26	37	99	44	9	60	18	1	11	49	40	280	69	100	45	46	2	24
1,706	242	8	471	49	69	178	70	14	70	28	2	52	106	82	522	244	175	96	87	6	25
4,368	910	57	1,737	161	203	431	156	34	181	114	3	111	286	618	1,297	598	541	186	210	24	26
723	149	12	333	35	32	76	30	6	42	27	1	17	42	88	201	59	72	29	32	2	27
3,645	761	45	1,404	126	171	355	126	28	139	87	2	94	244	530	1,096	539	469	157	178	22	28
52	5	–	21	2	4	11	3	3	1	–	–	3	5	36	21	5	8	7	2	–	29
240	30	1	81	8	7	21	7	6	13	7	–	5	17	41	71	35	23	11	10	1	30
53	5	–	24	2	1	3	1	2	3	–	–	–	4	9	15	11	5	4	2	–	31
27	3	–	12	1	2	1	1	–	1	1	–	1	2	6	9	3	3	1	–	–	32
160	22	1	45	5	4	17	5	4	9	6	–	4	11	26	47	21	15	6	8	1	33
26	2	–	17	–	–	–	1	–	1	2	–	1	2	4	9	8	7	2	1	–	34
291	17	2	140	5	11	44	13	5	15	3	1	4	16	96	79	28	42	9	7	1	35
85	8	–	58	2	3	13	6	3	7	1	1	1	5	33	25	6	16	3	3	–	36
206	9	2	82	3	8	31	7	2	8	2	–	3	11	63	54	22	26	6	4	1	37
51	5	1	22	3	6	4	–	–	1	2	–	1	1	1	15	4	7	2	1	–	38
40	13	–	21	5	2	8	4	–	–	1	–	–	4	3	22	4	11	5	5	1	39
75	16	6	25	3	2	5	4	–	13	3	–	3	11	7	37	18	18	7	7	–	40
117	18	1	28	3	5	9	1	–	7	5	–	8	16	5	44	31	15	8	9	–	41
28	5	–	21	1	1	–	1	–	–	–	–	–	2	6	11	5	3	3	1	–	42
562	85	1	156	18	23	55	22	3	32	16	–	12	48	21	202	56	72	24	26	3	43
273	35	1	83	7	8	26	9	2	15	9	–	2	20	8	101	20	30	12	13	1	44
289	50	–	73	11	15	29	13	1	17	7	–	10	28	13	101	36	42	12	13	2	45
98	26	1	37	10	3	14	7	–	6	10	–	–	3	5	28	20	5	3	7	1	46
51	13	–	30	5	–	6	4	–	5	9	–	–	1	2	16	7	2	2	3	–	47
47	13	1	7	5	3	8	3	–	1	1	–	–	2	3	12	13	3	1	4	1	48
93	30	2	31	11	4	8	7	–	5	3	–	7	5	2	24	11	7	3	5	–	49
102	19	–	44	4	3	9	4	–	7	5	–	2	12	17	32	10	15	2	3	–	50
58	27	1	30	1	3	8	3	1	2	–	–	3	9	16	20	15	16	3	2	–	51
77	21	1	39	6	5	13	2	–	6	1	–	1	3	30	24	8	8	2	6	–	52
174	17	3	61	5	8	24	2	–	3	6	–	2	12	8	47	27	22	3	4	1	53
60	5	–	30	1	4	6	–	–	2	1	–	3	10	54	22	9	12	4	5	1	54
84	30	1	27	1	4	7	5	1	2	4	–	4	11	6	37	20	14	3	8	–	55
47	7	–	18	1	2	8	2	1	2	–	–	1	3	3	10	5	6	2	1	–	56
48	17	–	15	2	1	2	1	1	2	2	–	4	5	17	12	13	7	2	–	–	57
339	49	6	67	11	12	18	6	1	10	3	–	3	26	13	64	34	31	9	9	5	58
118	19	3	27	5	5	6	1	–	4	1	–	1	9	4	21	4	10	2	3	1	59
221	30	3	40	6	7	12	5	1	6	2	–	2	17	9	43	30	21	7	6	4	60
83	19	3	40	3	2	6	2	1	1	5	–	3	12	4	23	20	5	1	3	–	61
24	5	1	15	2	1	2	1	–	–	1	–	1	5	1	3	2	–	–	–	–	62
59	14	2	25	1	1	4	1	1	1	4	–	2	7	3	20	18	5	1	3	–	63
658	99	3	243	25	31	85	21	4	26	6	2	13	30	32	212	74	57	35	38	1	64
202	37	1	86	5	13	31	7	1	5	3	–	4	9	11	64	9	24	10	13	1	65
24	4	–	16	–	–	3	3	1	4	–	–	–	1	1	3	3	4	–	–	–	66
40	8	–	22	–	2	4	3	1	4	1	–	1	1	3	5	4	4	–	2	–	67
432	58	2	141	20	18	51	11	2	17	3	2	9	20	20	145	62	29	25	25	–	68
174	17	4	54	9	6	14	3	1	14	3	–	4	7	2	46	11	16	6	6	–	69
75	7	1	30	5	3	6	–	–	5	1	–	1	3	2	26	2	5	3	2	–	70
99	10	3	24	4	3	8	3	1	9	2	–	3	4	–	20	9	11	3	4	–	71
42	14	–	18	1	–	3	1	–	1	1	–	1	–	1	18	3	14	5	2	–	72
185	104	1	70	5	16	18	8	1	8	6	–	7	17	25	67	33	27	9	14	3	73
29	8	1	17	1	2	3	–	1	–	2	–	2	2	2	16	6	6	1	4	1	74
77	23	1	35	2	6	4	5	–	3	3	1	2	1	35	28	17	5	1	2	2	75
147	12	1	42	3	7	13	2	2	4	2	–	4	7	2	34	16	13	6	4	1	76
161	30	–	56	4	3	19	7	1	5	1	–	3	5	7	48	16	12	1	6	–	77
43	6	–	15	1	–	3	1	–	–	–	–	1	1	5	6	2	3	–	2	–	78
118	24	–	41	3	3	16	6	1	5	1	–	2	4	2	42	14	9	1	4	–	79
51	18	2	19	1	2	2	4	–	3	2	1	–	4	1	14	9	6	1	6	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Carolina—Con.																	
01	Lexington	735	2	–	5	136	33	36	15	8	9	4	31	22	354	278	3	6
02	McCormick	87	–	–	–	11	1	1	1	4	1	1	2	2	44	32	2	–
03	Marion	338	2	–	5	44	16	8	1	5	–	1	13	8	179	118	–	1
04	Marlboro	271	–	–	5	49	10	10	5	13	1	2	8	2	131	93	2	–
05	Newberry	317	1	–	3	59	19	12	7	11	–	2	8	4	164	110	1	2
06	Oconee	384	–	–	3	67	14	17	7	7	2	1	19	9	188	129	–	2
07	Orangeburg	725	–	–	5	124	35	33	9	20	3	5	19	15	355	231	3	4
08	Orangeburg	151	–	–	3	31	4	9	3	8	2	2	3	2	64	38	–	–
09	Balance of county	574	–	–	2	93	31	24	6	12	1	3	16	13	291	193	3	4
10	Pickens	492	–	–	3	78	20	23	8	7	1	5	14	9	256	191	3	–
11	Easley	110	–	–	–	12	2	3	3	1	–	1	2	3	66	51	1	–
12	Balance of county	382	–	–	3	66	18	20	5	6	1	4	12	6	190	140	2	–
13	Richland	2,024	9	1	30	340	94	92	28	35	9	14	68	37	1,018	804	5	15
14	Columbia	1,022	7	–	13	203	69	46	15	19	5	7	42	14	512	397	3	5
15	Balance of county	1,002	2	1	17	137	25	46	13	16	4	7	26	23	506	407	2	10
16	Saluda	163	2	–	5	26	7	6	2	3	–	1	7	1	88	59	1	1
17	Spartanburg	1,680	2	–	16	329	72	80	30	40	11	8	88	24	780	567	7	14
18	Greer, part	45	–	–	–	5	1	1	1	1	–	–	1	2	28	20	–	–
19	Spartanburg	462	–	–	5	104	22	25	12	8	9	2	26	8	201	145	1	6
20	Balance of county	1,173	2	–	11	220	49	54	17	31	2	6	61	14	551	402	6	8
21	Sumter	564	2	–	3	98	21	16	9	13	8	2	29	9	288	215	1	3
22	Sumter	241	1	–	–	38	7	7	2	6	4	2	10	3	127	88	–	–
23	Balance of county	323	1	–	3	60	14	9	7	7	4	–	19	6	161	127	1	3
24	Union	305	–	–	3	47	7	14	6	6	3	1	10	9	176	131	1	–
25	Union	106	–	–	1	23	4	7	2	2	2	–	6	4	59	42	1	–
26	Balance of county	199	–	–	2	24	3	7	4	4	1	1	4	5	117	89	–	–
27	Williamsburg	355	1	–	4	49	15	16	1	7	1	1	8	3	193	128	–	4
28	York	788	2	–	10	147	39	41	9	13	4	3	38	23	379	268	–	2
29	Rock Hill	300	2	–	3	52	12	16	2	7	1	1	13	10	148	94	–	1
30	Balance of county	488	–	–	7	95	27	25	7	6	3	2	25	13	231	174	–	1
31	**South Dakota**	6,492	12	2	42	1,220	377	243	103	171	57	52	217	102	3,349	2,448	38	26
32	Urban places	1,881	2	–	13	405	125	77	36	61	15	10	81	29	999	716	15	2
33	Balance of area	4,611	10	2	29	815	252	166	67	110	42	42	136	73	2,350	1,732	23	24
34	Metropolitan counties	784	1	–	5	171	51	29	17	32	10	2	30	15	401	284	6	–
35	Urban places	603	1	–	4	138	42	22	13	27	7	2	25	10	308	215	5	–
36	Balance of area	181	–	–	1	33	9	7	4	5	3	–	5	5	93	69	1	–
37	Nonmetropolitan counties	5,708	11	2	37	1,049	326	214	86	139	47	50	187	87	2,948	2,164	32	26
38	Urban places	1,278	1	–	9	267	83	55	23	34	8	8	56	19	691	501	10	2
39	Balance of area	4,430	10	2	28	782	243	159	63	105	39	42	131	68	2,257	1,663	22	24
40	Aurora	37	–	–	–	7	1	1	–	–	–	–	5	1	19	16	–	–
41	Beadle	205	–	–	2	49	18	9	5	3	1	2	11	2	101	60	1	1
42	Huron	153	–	–	2	38	16	6	4	2	1	2	7	2	73	44	1	–
43	Balance of county	52	–	–	–	11	2	3	1	1	–	–	4	–	28	16	–	1
44	Bennett	29	–	–	–	7	2	2	–	1	–	1	1	1	7	4	–	–
45	Bon Homme	80	–	–	1	16	4	5	3	2	–	2	–	3	39	29	–	–
46	Brookings	162	–	–	1	31	8	7	5	3	1	2	5	–	98	60	–	–
47	Brookings	103	–	–	1	17	3	5	2	2	–	2	3	–	67	42	–	–
48	Balance of county	59	–	–	–	14	5	2	3	1	1	–	2	–	31	18	–	–
49	Brown	328	–	–	2	62	18	12	6	7	3	1	15	7	198	153	3	1
50	Aberdeen	244	–	–	1	45	14	9	5	4	1	–	12	5	152	120	3	1
51	Balance of county	84	–	–	1	17	4	3	1	3	2	1	3	2	46	33	–	–
52	Brule	61	–	–	–	7	1	3	–	–	–	1	2	2	36	25	–	1
53	Buffalo	39	–	–	1	5	3	1	–	1	–	–	–	3	9	7	–	–
54	Butte	88	–	–	–	9	4	3	1	–	1	–	–	–	49	32	–	–
55	Campbell	17	–	–	–	5	–	–	–	1	1	–	3	–	11	10	–	–
56	Charles Mix	122	2	–	3	15	4	4	2	3	–	1	1	3	51	34	–	4
57	Clark	62	–	–	–	6	1	–	1	2	1	–	1	–	37	29	–	–
58	Clay	71	1	–	–	14	6	–	–	1	–	2	5	1	42	31	1	1
59	Codington	220	–	–	1	38	11	10	1	6	1	1	8	5	111	85	3	–
60	Watertown	177	–	–	1	28	7	9	1	3	–	1	7	4	92	70	2	–
61	Balance of county	43	–	–	–	10	4	1	–	3	1	–	1	1	19	15	1	–
62	Corson	45	–	–	1	6	1	1	1	1	–	–	2	2	13	10	–	1
63	Custer	54	–	–	1	3	–	1	–	–	–	–	2	–	33	30	–	–
64	Davison	172	–	–	–	41	12	7	6	3	4	2	7	1	99	69	–	–
65	Mitchell	148	–	–	–	35	8	7	5	3	3	2	7	1	88	61	–	–
66	Balance of county	24	–	–	–	6	4	–	1	–	1	–	–	–	11	8	–	–
67	Day	119	–	–	–	24	12	3	–	3	–	3	3	3	63	55	–	1
68	Deuel	60	–	–	1	12	4	2	–	2	–	2	2	–	35	25	–	–
69	Dewey	52	–	–	–	7	3	2	1	–	–	–	1	–	19	15	–	–
70	Douglas	39	–	–	–	8	3	2	2	–	–	–	1	–	22	17	–	–
71	Edmunds	44	–	–	–	8	1	1	1	1	3	1	–	1	27	16	–	–
72	Fall River	94	–	–	–	11	3	5	–	2	–	–	1	1	43	37	2	1
73	Faulk	38	–	–	–	5	2	–	–	1	–	–	2	1	15	7	–	–
74	Grant	129	–	–	1	28	8	8	–	4	1	3	4	1	76	63	–	–
75	Gregory	81	–	–	–	17	2	3	1	4	1	3	3	1	38	32	–	–
76	Haakon	24	–	–	–	5	1	–	1	–	1	1	1	–	13	10	–	–
77	Hamlin	75	–	–	–	8	4	1	1	–	1	1	–	–	44	37	–	1
78	Hand	56	1	–	–	8	3	2	1	–	–	–	2	–	34	16	–	1
79	Hanson	31	–	–	–	6	–	5	–	1	–	–	–	–	20	13	–	–
80	Harding	21	–	–	–	6	3	2	–	–	–	1	–	–	8	4	–	–
81	Hughes	118	–	–	–	15	1	5	5	1	–	1	2	4	71	51	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
252	17	–	65	2	9	9	17	4	9	2	–	3	9	7	60	32	31	18	13	2	01
18	12	–	10	–	2	6	2	–	–	–	–	–	1	2	13	1	4	1	–	–	02
106	11	2	56	1	2	8	2	–	3	3	–	3	8	23	19	10	11	4	5	1	03
84	7	2	34	–	2	4	–	1	1	4	–	1	5	6	32	8	9	4	9	–	04
99	8	–	39	10	5	4	3	2	4	–	–	1	2	26	26	5	8	4	1	–	05
109	18	–	50	3	6	9	5	1	4	1	–	3	7	7	36	14	18	7	4	1	06
180	44	2	109	7	6	20	2	1	14	9	–	6	8	15	63	37	33	8	9	1	07
30	8	1	21	3	1	7	–	–	5	4	–	–	2	3	11	8	10	–	1	–	08
150	36	1	88	4	5	13	2	1	9	5	–	6	6	12	52	29	23	8	8	1	09
165	23	1	54	3	7	17	5	1	8	1	1	3	8	4	41	26	17	9	5	–	10
42	8	–	11	2	2	5	3	–	2	–	1	1	1	–	6	4	3	1	2	–	11
123	15	1	43	1	5	12	2	1	6	1	–	2	7	4	35	22	14	8	3	–	12
671	113	5	169	16	24	81	41	5	35	9	–	19	27	12	172	59	60	36	32	1	13
338	51	2	93	9	11	30	20	3	30	5	–	3	12	5	82	19	31	17	16	–	14
333	62	3	76	7	13	51	21	2	5	4	–	16	15	7	90	40	29	19	16	1	15
51	6	1	26	1	1	7	2	1	–	–	–	1	1	–	15	5	5	3	1	–	16
442	104	2	164	16	31	56	18	2	16	14	–	10	20	93	137	64	46	24	27	2	17
16	4	–	6	–	2	1	–	–	–	1	–	1	–	2	2	1	–	–	2	–	18
108	30	–	48	1	7	16	5	–	6	6	–	3	6	25	39	12	10	10	6	–	19
318	70	2	110	15	22	39	13	2	10	7	–	6	14	66	96	51	36	14	19	2	20
122	89	4	62	–	7	15	5	–	5	2	–	3	11	16	56	20	18	3	10	–	21
51	37	2	34	–	3	6	5	–	4	–	–	1	3	4	30	5	9	1	4	–	22
71	52	2	28	–	4	9	–	–	1	2	–	2	8	12	26	15	9	2	6	–	23
120	10	1	36	4	4	3	1	2	3	3	–	2	5	8	11	10	6	7	8	1	24
41	–	1	14	1	1	–	1	2	1	2	–	2	–	1	2	3	1	2	2	–	25
79	10	–	22	3	3	3	–	–	2	1	–	–	5	7	9	7	5	5	6	1	26
104	20	1	57	4	3	12	3	–	2	2	–	1	8	9	19	18	23	3	5	–	27
241	25	5	77	14	15	16	16	4	12	5	–	12	15	10	62	31	17	16	10	1	28
81	12	3	35	10	6	10	6	1	5	1	–	5	7	6	20	7	6	6	4	1	29
160	13	2	42	4	9	6	10	3	7	4	–	7	8	4	42	24	11	10	6	–	30
2,132	252	18	693	103	87	255	78	19	96	24	1	47	74	97	558	196	203	81	25	11	31
634	65	6	208	43	26	51	31	6	18	5	–	19	24	18	150	41	44	20	2	4	32
1,498	187	12	485	60	67	204	47	13	78	19	1	28	50	79	408	155	159	61	23	7	33
254	24	–	88	21	8	18	14	3	6	4	–	6	17	5	57	27	15	14	3	2	34
191	19	–	68	18	7	14	12	3	4	2	–	5	10	4	49	15	10	11	1	2	35
63	5	–	20	3	1	4	2	–	2	2	–	1	7	1	8	12	5	3	2	–	36
1,878	228	18	605	82	79	237	64	16	90	20	1	41	57	92	501	169	188	67	22	9	37
443	46	6	140	25	19	37	19	3	14	3	–	14	14	14	101	26	34	9	1	2	38
1,435	182	12	465	57	60	200	45	13	76	17	1	27	43	78	400	143	154	58	21	7	39
14	2	–	3	–	–	1	–	–	–	–	–	–	–	2	5	1	1	–	–	–	40
55	3	2	35	2	2	10	2	1	4	1	–	1	–	5	19	4	4	–	–	–	41
41	2	2	23	2	2	7	1	–	1	1	–	–	–	4	18	2	4	–	–	–	42
14	1	–	12	–	–	3	1	1	3	–	–	1	–	1	1	2	–	–	–	–	43
4	–	–	3	–	–	4	–	–	–	–	–	–	–	1	4	2	2	–	1	–	44
26	3	1	8	1	–	1	1	–	1	1	–	–	–	1	8	4	4	–	–	–	45
54	6	2	32	1	3	3	2	1	1	–	–	2	3	1	11	3	2	3	–	–	46
38	4	1	21	1	2	2	1	1	–	–	–	1	2	–	8	2	1	–	–	–	47
16	2	1	11	–	1	1	1	–	1	–	–	1	1	1	3	1	1	3	–	–	48
139	10	–	38	3	4	5	4	1	5	–	–	3	5	1	17	10	5	3	–	–	49
106	10	–	26	3	3	4	3	1	4	–	–	2	5	–	12	5	3	2	–	–	50
33	–	–	12	–	1	1	1	–	1	–	–	1	–	1	5	5	2	1	–	–	51
22	2	–	11	–	–	2	–	–	–	1	–	1	–	6	4	–	–	1	1	–	52
6	1	–	1	–	1	2	–	–	4	1	–	–	1	1	4	2	3	1	1	1	53
31	1	–	7	7	3	3	3	–	1	–	–	2	1	1	16	1	1	1	–	–	54
7	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	55
27	3	–	14	2	1	12	1	–	7	1	–	–	–	7	7	3	8	2	–	–	56
29	–	–	7	–	1	6	1	1	–	1	1	–	–	–	7	1	–	1	–	–	57
23	6	–	9	–	2	2	–	1	–	–	–	–	1	–	6	1	2	–	–	–	58
74	8	2	17	4	3	14	3	1	1	1	–	4	1	1	27	6	5	1	–	–	59
60	8	2	15	3	2	10	3	1	1	1	–	4	1	1	22	3	4	1	–	–	60
14	–	–	2	1	1	4	–	–	–	–	–	–	–	–	5	3	1	–	–	–	61
7	2	–	2	1	–	2	–	2	2	–	–	–	–	3	7	2	2	1	–	2	62
24	6	–	3	–	–	2	–	–	1	1	–	–	1	–	9	1	2	–	–	–	63
64	5	–	23	5	2	2	5	–	–	1	–	–	1	5	9	4	3	1	–	–	64
57	4	–	20	5	2	2	4	–	–	1	–	–	–	4	8	3	1	1	–	–	65
7	1	–	3	–	–	–	1	–	–	–	–	–	1	1	1	1	2	–	–	–	66
53	1	–	8	–	–	2	–	–	1	–	–	1	1	1	12	4	6	1	–	–	67
25	–	–	8	1	1	4	–	1	–	–	–	1	–	–	4	2	–	–	–	–	68
12	3	1	2	–	1	3	1	–	4	–	–	–	4	1	4	2	4	2	–	1	69
10	7	–	4	1	–	2	–	–	–	–	–	1	–	2	2	1	1	–	–	–	70
13	3	–	11	–	–	2	–	–	1	–	–	–	–	–	2	–	2	1	–	–	71
30	4	–	6	–	–	5	1	–	1	1	–	1	–	2	12	3	8	3	2	–	72
7	–	1	5	1	1	3	–	–	–	–	–	–	–	4	6	4	–	–	–	–	73
58	5	–	11	1	1	3	1	–	–	–	–	–	–	–	9	5	4	1	–	–	74
30	2	–	3	2	1	2	2	–	4	–	–	–	–	–	10	1	5	1	–	–	75
8	2	–	3	–	–	1	1	–	–	–	–	–	–	–	–	2	1	1	–	–	76
33	3	–	6	–	1	8	2	–	1	–	–	1	1	–	7	–	–	3	–	–	77
13	2	4	9	3	2	1	–	–	–	–	–	–	–	–	7	1	4	–	–	–	78
11	2	1	4	1	1	1	1	–	–	–	–	–	–	–	3	–	–	–	–	–	79
3	1	–	1	2	1	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	80
46	4	1	14	1	4	4	–	–	5	–	–	1	1	–	10	2	5	–	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Dakota—Con.																	
01	Hutchinson	124	–	–	–	28	10	6	2	5	–	–	5	3	68	46	–	–
02	Hyde	19	–	–	–	1	–	1	–	–	–	–	–	–	14	9	–	–
03	Jackson	18	–	–	–	3	–	1	–	–	–	1	1	–	12	10	–	–
04	Jerauld	36	–	–	–	8	1	1	2	1	2	–	1	1	22	21	–	–
05	Jones	19	–	1	–	5	1	2	–	2	–	–	–	–	6	5	–	–
06	Kingsbury	118	–	–	–	23	7	4	3	2	2	3	2	1	61	36	–	1
07	Lake	119	–	–	2	20	7	2	1	5	–	–	5	–	68	45	1	–
08	Lawrence	165	–	–	3	39	8	8	8	3	–	2	10	1	78	47	2	–
09	Lincoln	136	–	–	1	21	7	3	–	3	3	–	5	2	90	68	2	1
10	Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Balance of county	136	–	–	1	21	7	3	–	3	3	–	5	2	90	68	2	1
12	Lyman	54	–	–	–	9	3	3	–	–	–	1	2	–	24	16	–	1
13	McCook	96	–	1	1	28	7	3	4	7	4	1	2	1	47	33	1	–
14	McPherson	39	–	–	–	5	–	1	2	–	–	–	2	1	26	18	–	–
15	Marshall	60	–	–	1	12	7	1	–	1	2	–	1	–	38	26	1	1
16	Meade	102	–	–	–	16	6	3	3	1	–	–	3	1	48	35	–	–
17	Mellette	34	–	–	2	3	1	–	–	–	2	–	–	1	10	7	–	2
18	Miner	43	–	–	–	8	5	1	–	1	–	–	1	–	25	17	–	–
19	Minnehaha	784	1	–	5	171	51	29	17	32	10	2	30	15	401	284	6	–
20	Sioux Falls, part	603	1	–	4	138	42	22	13	27	7	2	25	10	308	215	5	–
21	Sioux Falls, total	603	1	–	4	138	42	22	13	27	7	2	25	10	308	215	5	–
22	Balance of county	181	–	–	1	33	9	7	4	5	3	–	5	5	93	69	1	–
23	Moody	90	–	–	1	17	5	3	3	4	–	–	2	–	59	52	1	1
24	Pennington	436	1	–	4	104	35	20	6	21	4	2	16	4	197	142	5	–
25	Rapid City	324	1	–	3	81	28	14	5	17	3	1	13	3	149	109	4	–
26	Balance of county	112	–	–	1	23	7	6	1	4	1	1	3	1	48	33	1	–
27	Perkins	40	–	–	–	8	2	2	–	2	–	–	2	1	21	14	–	1
28	Potter	44	1	–	1	9	4	1	–	1	–	1	2	1	18	15	–	–
29	Roberts	130	–	–	1	22	13	2	–	4	1	1	1	–	73	64	2	–
30	Sanborn	40	–	–	–	7	2	3	–	2	–	–	–	–	25	18	–	–
31	Shannon	103	1	–	–	9	4	2	–	2	–	–	1	4	20	16	2	–
32	Spink	119	–	–	–	23	4	8	–	4	1	1	5	1	75	46	1	–
33	Stanley	28	1	–	–	8	2	3	–	1	–	–	2	1	10	8	–	–
34	Sully	9	–	–	–	2	–	–	–	–	–	–	2	–	5	5	–	–
35	Todd	94	2	–	1	4	1	1	–	–	1	–	1	–	22	19	–	1
36	Tripp	84	–	–	–	15	8	2	–	1	1	1	2	2	37	31	–	–
37	Turner	139	–	–	–	28	8	5	1	4	2	2	6	3	84	70	1	–
38	Union	107	–	–	–	24	6	4	3	4	–	1	6	1	46	37	2	1
39	Walworth	79	–	–	1	12	6	2	–	1	–	2	1	5	36	25	–	1
40	Washabaugh	17	–	–	–	3	–	–	1	–	1	–	1	1	2	2	–	–
41	Yankton	175	–	–	2	33	10	9	3	3	1	–	7	7	94	74	–	1
42	Yankton	129	–	–	1	23	7	5	1	3	–	–	7	4	70	55	–	1
43	Balance of county	46	–	–	1	10	3	4	2	–	1	–	–	3	24	19	–	–
44	Ziebach	19	1	–	1	3	2	–	–	1	–	–	–	1	6	5	1	–
45	**Tennessee**	38,745	74	–	308	7,483	1,742	2,066	593	850	312	292	1,628	525	19,524	14,054	184	138
46	Urban places	18,458	35	–	170	3,767	890	1,039	326	427	147	132	806	251	9,053	6,451	92	60
47	Balance of area	20,287	39	–	138	3,716	852	1,027	267	423	165	160	822	274	10,471	7,603	92	78
48	Metropolitan counties	17,312	30	–	175	3,613	850	1,019	300	402	135	133	774	229	8,256	5,923	86	60
49	Urban places	14,248	26	–	150	2,986	710	826	244	344	111	110	641	198	6,835	4,917	73	50
50	Balance of area	3,064	4	–	25	627	140	193	56	58	24	23	133	31	1,421	1,006	13	10
51	Nonmetropolitan counties	21,433	44	–	133	3,870	892	1,047	293	448	177	159	854	296	11,268	8,131	98	78
52	Urban places	4,210	9	–	20	781	180	213	82	83	36	22	165	53	2,218	1,534	19	10
53	Balance of area	17,223	35	–	113	3,089	712	834	211	365	141	137	689	243	9,050	6,597	79	68
54	Anderson	529	–	–	2	106	23	34	10	13	4	3	19	4	233	156	7	4
55	Oak Ridge, part	184	–	–	2	40	9	15	6	5	1	1	3	1	69	51	3	–
56	Oak Ridge, total	185	–	–	2	40	9	15	6	5	1	1	3	1	69	51	3	–
57	Balance of county	345	–	–	–	66	14	19	4	8	3	2	16	3	164	105	4	4
58	Bedford	307	–	–	2	50	11	14	3	6	4	3	9	2	154	92	–	–
59	Shelbyville	180	–	–	–	27	9	7	1	2	2	–	6	1	92	59	–	–
60	Balance of county	127	–	–	2	23	2	7	2	4	2	3	3	1	62	33	–	–
61	Benton	168	–	–	1	37	8	12	5	4	1	–	7	2	98	85	2	5
62	Bledsoe	64	–	–	–	6	1	3	–	–	–	–	2	1	34	28	–	1
63	Blount	617	1	–	3	146	39	34	20	14	2	3	34	5	306	194	2	1
64	Maryville	220	1	–	–	54	15	12	12	6	1	–	8	1	107	61	–	–
65	Balance of county	397	–	–	3	92	24	22	8	8	1	3	26	4	199	133	2	1
66	Bradley	468	–	–	3	90	19	32	2	10	5	1	21	3	236	156	1	1
67	Cleveland	289	–	–	3	55	14	21	2	7	2	1	8	2	145	102	1	–
68	Balance of county	179	–	–	–	35	5	11	–	3	3	–	13	1	91	54	–	1
69	Campbell	342	–	–	3	86	13	33	6	5	3	4	22	5	146	116	3	–
70	Connon	98	1	–	–	16	4	7	1	1	–	1	2	1	66	59	–	–
71	Carroll	305	–	–	–	47	12	12	4	6	1	–	12	10	182	122	2	4
72	Carter	422	–	–	4	73	17	19	5	8	6	4	14	6	231	177	1	4
73	Elizabethton	143	–	–	2	30	5	9	3	2	4	1	6	3	79	56	–	1
74	Balance of county	279	–	–	2	43	12	10	2	6	2	3	8	3	152	121	1	3
75	Cheatham	133	–	–	–	22	5	4	1	4	1	2	5	5	68	56	–	–
76	Chester	102	1	–	1	18	6	5	–	4	–	–	3	2	61	40	1	–
77	Claiborne	249	–	–	3	43	10	14	4	5	3	1	6	3	132	98	–	–
78	Clay	70	1	–	–	15	3	6	1	4	–	1	–	3	33	24	1	–
79	Cocke	283	1	–	2	38	10	10	3	6	1	2	6	11	132	89	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
40	6	-	20	1	1	4	-	-	3	-	-	-	2	1	11	-	1	2	1	-	01
7	2	-	3	2	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	02
10	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	03
19	2	-	1	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	04
5	-	-	-	-	1	1	-	-	-	-	-	1	-	-	3	2	-	-	-	-	05
28	7	-	19	2	4	9	5	-	-	-	-	-	-	2	11	2	2	2	-	-	06
33	11	-	22	-	1	7	-	-	1	1	-	-	1	2	14	-	2	-	1	-	07
39	6	-	20	7	4	3	3	-	1	1	-	-	1	2	11	8	10	4	-	-	08
59	6	1	19	1	1	7	-	1	1	-	-	-	1	1	5	4	1	1	-	-	09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
59	6	1	19	1	1	7	-	1	1	-	-	-	1	1	5	4	1	1	-	-	11
15	-	-	6	-	2	1	-	-	-	-	-	1	2	1	7	3	3	2	1	-	12
29	3	-	12	1	1	5	-	-	-	-	-	-	1	1	6	3	-	2	-	-	13
16	2	-	8	-	-	-	-	-	1	-	-	1	-	-	1	1	2	1	-	-	14
23	1	-	10	2	-	-	1	-	-	-	-	1	-	2	3	1	1	-	-	-	15
33	2	-	6	5	2	6	3	1	2	-	-	2	2	1	9	3	4	3	-	1	16
2	3	-	2	1	-	5	2	-	2	-	-	-	-	2	4	-	1	-	2	-	17
13	4	-	6	1	1	3	-	-	-	-	-	-	-	-	3	1	3	-	-	-	18
254	24	-	88	21	8	18	14	3	6	4	-	6	17	5	57	27	15	14	3	2	19
191	19	-	68	18	7	14	12	3	4	2	-	5	10	4	49	15	10	11	1	2	20
191	19	-	68	18	7	14	12	3	4	2	-	5	10	4	49	15	10	11	1	2	21
63	5	-	20	3	1	4	2	-	2	2	-	1	7	1	8	12	5	3	2	-	22
49	1	-	6	-	1	2	-	-	-	-	-	1	-	1	3	-	4	2	-	-	23
121	16	-	40	8	7	10	5	-	7	1	-	6	6	6	35	16	22	8	1	3	24
91	14	-	27	7	6	7	5	-	7	-	-	4	4	4	27	7	15	4	1	2	25
30	2	-	13	1	1	3	-	-	-	1	-	2	2	2	8	9	7	4	-	1	26
10	3	-	6	-	1	2	-	-	-	-	-	-	-	-	4	1	3	-	-	-	27
13	2	-	1	-	2	1	1	-	1	-	-	-	1	-	8	1	-	-	1	-	28
56	6	-	6	2	1	5	2	1	2	1	-	-	1	-	12	4	4	2	-	-	29
15	3	-	4	1	2	1	-	-	-	-	-	-	1	-	3	1	2	-	-	-	30
9	5	-	4	-	-	6	-	-	11	2	-	-	3	4	15	10	8	3	6	1	31
43	2	-	29	-	-	4	-	-	1	1	-	-	2	-	9	2	1	-	-	-	32
8	-	-	2	-	-	2	-	-	1	-	-	-	-	-	3	1	1	-	-	-	33
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	34
13	5	-	3	-	-	5	-	-	6	-	-	-	2	11	15	15	8	1	2	-	35
22	9	-	3	-	3	3	4	1	1	-	-	3	-	3	10	2	1	1	1	-	36
65	4	-	11	2	1	5	1	1	-	-	-	-	1	-	9	4	3	-	-	-	37
27	7	-	6	3	-	7	2	1	2	1	-	1	3	1	11	1	4	2	-	-	38
20	4	1	8	-	2	10	-	-	1	1	-	1	1	-	6	3	2	-	-	-	39
2	-	-	-	-	-	-	1	-	1	1	-	-	-	1	2	1	3	1	-	-	40
67	6	1	11	4	4	7	2	-	1	-	-	3	3	1	10	4	6	2	-	-	41
50	4	1	8	4	2	5	2	-	1	-	-	3	2	1	6	4	6	1	-	-	42
17	2	-	3	-	2	2	-	-	-	-	-	-	1	-	4	-	-	1	-	-	43
4	-	-	1	-	-	1	-	1	-	-	-	-	-	-	3	1	-	-	1	-	44
12,607	1,125	107	4,265	610	488	1,171	467	90	401	227	7	257	462	919	3,271	1,289	1,198	544	454	74	45
5,807	492	57	2,024	265	256	529	224	41	254	127	4	122	241	461	1,637	477	510	231	290	34	46
6,800	633	50	2,241	345	232	642	243	49	147	100	3	135	221	458	1,634	812	688	313	164	40	47
5,341	436	48	1,801	260	224	496	204	37	213	118	2	123	223	549	1,543	495	478	227	273	28	48
4,437	357	42	1,485	199	192	407	168	32	189	104	2	104	190	387	1,291	359	381	167	248	24	49
904	79	6	316	61	32	89	36	5	24	14	-	19	33	162	252	136	97	60	25	4	50
7,266	689	59	2,464	350	264	675	263	53	188	109	5	134	239	370	1,728	794	720	317	181	46	51
1,370	135	15	539	66	64	122	56	9	65	23	2	18	51	74	346	118	129	64	42	10	52
5,896	554	44	1,925	284	200	553	207	44	123	86	3	116	188	296	1,382	676	591	253	139	36	53
133	12	2	55	12	8	17	7	2	8	3	1	4	5	43	46	21	15	9	3	-	54
45	3	-	15	1	2	8	1	2	2	-	1	2	1	16	18	10	8	2	1	-	55
45	3	-	15	1	2	9	1	2	2	-	1	2	1	16	18	10	8	2	1	-	56
88	9	2	40	11	6	9	6	-	6	3	-	2	4	27	28	11	7	7	2	-	57
77	15	3	55	1	3	15	8	1	5	1	-	2	7	6	19	12	10	10	3	-	58
49	10	2	28	-	3	9	7	1	2	-	-	1	4	1	13	8	5	6	3	-	59
28	5	1	27	1	-	6	1	-	3	1	-	1	3	5	6	4	5	4	-	-	60
75	3	-	8	1	4	2	-	1	-	-	-	-	2	-	9	7	4	5	-	-	61
26	1	-	6	-	-	1	-	-	-	-	-	1	-	1	10	2	3	4	1	-	62
182	9	1	78	21	12	28	9	2	6	1	-	3	3	3	37	24	26	10	3	1	63
58	3	-	31	9	6	11	5	-	2	1	-	-	2	1	18	8	8	1	-	-	64
124	6	1	47	12	6	17	4	2	4	-	-	3	1	2	19	16	18	9	3	1	65
137	17	1	66	8	5	16	10	1	6	3	-	1	9	5	33	19	17	9	7	-	66
90	11	-	36	5	2	11	7	-	5	2	-	1	8	3	17	11	9	5	5	-	67
47	6	1	30	3	3	5	3	1	1	1	-	-	1	2	16	8	8	4	2	-	68
104	9	-	28	-	2	11	7	1	4	2	-	4	3	7	30	9	16	3	5	-	69
53	6	-	5	-	2	3	2	-	1	-	-	-	-	-	3	3	-	2	-	-	70
102	14	-	45	13	2	6	3	1	2	2	-	1	4	-	18	11	14	3	1	-	71
153	19	-	46	2	6	17	8	1	5	4	-	3	1	4	34	16	8	1	3	3	72
49	6	-	19	1	3	6	1	-	3	1	-	-	-	1	9	4	2	-	2	-	73
104	13	-	27	1	3	11	7	1	2	3	-	3	1	3	25	12	6	1	1	3	74
55	1	-	11	-	1	2	1	1	-	-	-	1	-	1	10	7	6	7	2	-	75
36	3	-	15	2	4	3	2	-	-	-	-	1	1	1	3	4	2	1	1	-	76
90	8	-	30	1	3	19	5	-	-	1	-	-	2	4	15	12	4	5	1	-	77
22	1	-	9	-	-	2	-	-	-	-	-	-	-	1	8	1	5	1	-	-	78
84	4	2	29	11	1	10	2	2	7	4	-	3	2	6	34	17	8	2	1	1	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Coffee	287	1	–	3	64	16	20	6	7	–	1	14	6	139	105	3	–
02	Tullahoma, part	127	1	–	1	32	9	11	3	4	–	–	5	5	62	46	2	–
03	Tullahoma, total	129	1	–	1	34	9	12	3	5	–	–	5	5	62	46	2	–
04	Balance of county	160	–	–	2	32	7	9	3	3	–	1	9	1	77	59	1	–
05	Crockett	188	–	–	3	31	6	12	2	7	1	1	2	3	111	76	–	–
06	Cumberland	267	1	–	2	48	8	17	4	5	2	2	10	3	131	91	3	–
07	Davidson, coext. with Nashville city	3,806	10	–	35	803	186	225	48	94	39	35	176	66	1,832	1,338	20	21
08	Decatur	112	–	–	–	25	5	7	1	6	1	–	5	–	59	51	–	1
09	De Kalb	137	–	–	1	15	3	4	1	–	–	1	6	2	77	53	–	–
10	Dickson	291	–	–	–	61	17	16	6	7	4	–	11	2	147	123	2	1
11	Dyer	399	–	–	2	58	18	11	3	8	2	3	13	6	196	139	2	2
12	Dyersburg	193	–	–	1	30	8	9	1	6	2	–	4	2	90	63	–	2
13	Balance of county	206	–	–	1	28	10	2	2	2	–	3	9	4	106	76	2	–
14	Fayette	191	–	–	6	24	11	1	1	5	–	1	5	–	105	61	–	1
15	Fentress	166	–	–	1	27	9	9	1	4	–	1	3	3	94	72	–	–
16	Franklin	285	–	–	1	53	10	16	3	6	1	1	16	9	143	102	5	1
17	Tullahoma, part	2	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
18	Balance of county	283	–	–	1	51	10	15	3	5	1	1	16	9	143	102	5	1
19	Gibson	501	–	–	3	88	27	19	5	15	3	3	16	4	297	191	1	3
20	Humboldt	111	–	–	–	18	4	5	1	4	1	–	3	1	66	42	1	–
21	Balance of county	390	–	–	3	70	23	14	4	11	2	3	13	3	231	149	–	3
22	Giles	234	–	–	6	39	5	9	3	6	–	4	12	2	119	85	–	–
23	Grainger	141	1	–	–	23	5	7	3	3	2	1	2	2	55	27	–	–
24	Greene	457	2	–	4	70	16	14	9	8	3	3	17	9	258	208	4	–
25	Greenville	163	–	–	–	35	7	5	4	6	1	1	11	2	90	70	–	–
26	Balance of county	294	2	–	4	35	9	9	5	2	2	2	6	7	168	138	4	–
27	Grundy	137	–	–	2	18	4	1	1	3	–	–	9	2	59	38	1	–
28	Hamblen	411	–	–	2	77	15	20	7	7	2	5	21	4	222	141	1	2
29	Morristown	218	–	–	1	40	6	12	4	3	1	2	12	4	113	66	–	2
30	Balance of county	193	–	–	1	37	9	8	3	4	1	3	9	–	109	75	1	–
31	Hamilton	2,515	4	–	25	493	121	158	32	55	14	16	97	34	1,312	951	9	14
32	Chattanooga	1,762	3	–	20	348	83	106	21	39	11	10	78	23	920	671	6	10
33	East Ridge	158	–	–	2	33	13	9	3	4	1	2	1	4	80	52	–	1
34	Red Bank	93	–	–	–	19	5	7	2	2	–	–	3	2	51	37	1	–
35	Balance of county	502	1	–	3	93	20	36	6	10	2	4	15	5	261	191	2	3
36	Hancock	76	1	–	–	12	8	2	–	–	–	1	1	3	46	32	–	–
37	Hardeman	238	–	–	3	39	11	9	3	6	1	1	8	8	125	87	–	–
38	Hardin	188	–	–	2	36	7	15	2	3	2	1	6	3	107	70	2	1
39	Hawkins	338	–	–	1	50	7	16	3	6	3	1	14	6	195	148	2	2
40	Kingsport, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	336	–	–	1	50	7	16	3	6	3	1	14	6	195	148	2	2
42	Haywood	219	–	–	3	46	9	12	3	5	1	2	14	2	107	80	–	2
43	Henderson	225	1	–	1	38	6	9	4	5	2	2	10	2	139	89	1	–
44	Henry	326	1	–	3	68	12	23	3	7	8	2	13	10	169	117	1	1
45	Hickman	154	–	–	2	26	9	7	1	1	2	1	5	4	77	58	3	–
46	Houston	76	–	–	–	10	2	3	–	3	–	1	1	–	44	32	–	–
47	Humphreys	160	–	–	1	26	9	8	2	1	1	3	2	–	75	63	–	1
48	Jackson	116	–	–	–	16	3	4	–	3	5	–	1	2	65	48	–	–
49	Jefferson	230	–	–	2	40	13	7	–	4	1	4	11	5	111	75	–	–
50	Johnson	138	–	–	1	20	5	8	3	–	–	–	4	1	78	54	1	–
51	Knox	2,729	6	–	17	570	119	171	53	65	22	23	117	32	1,052	731	9	3
52	Knoxville	1,875	4	–	7	383	82	111	35	49	13	18	75	21	735	507	9	3
53	Balance of county	854	2	–	10	187	37	60	18	16	9	5	42	11	317	224	–	–
54	Lake	90	–	–	–	15	2	7	1	–	–	1	4	1	40	31	1	–
55	Lauderdale	251	–	–	3	34	7	9	2	4	2	5	5	5	134	99	–	–
56	Lawrence	338	2	–	4	72	14	17	9	8	4	4	16	2	182	154	2	1
57	Lewis	67	1	–	–	13	1	5	1	–	1	2	3	–	33	25	2	–
58	Lincoln	286	2	–	3	49	15	12	3	6	2	1	10	3	132	90	4	2
59	Loudon	305	1	–	–	61	18	14	2	7	3	2	15	2	164	132	–	9
60	McMinn	376	–	–	3	76	29	12	6	9	1	–	19	9	197	131	3	1
61	Athens	124	–	–	1	25	10	5	3	2	–	–	5	2	62	39	1	–
62	Balance of county	252	–	–	2	51	19	7	3	7	1	–	14	7	135	92	2	1
63	McNairy	223	–	–	–	36	8	9	4	3	1	2	9	1	134	109	1	–
64	Macon	164	1	–	2	27	3	10	1	5	1	1	6	2	96	72	–	2
65	Madison	762	–	–	8	140	34	34	14	13	7	6	32	9	434	259	4	1
66	Jackson	523	–	–	7	83	18	26	12	4	5	2	16	4	317	184	2	1
67	Balance of county	239	–	–	1	57	16	8	2	9	2	4	16	5	117	75	2	–
68	Marion	215	–	–	3	41	6	13	3	5	2	4	8	1	112	90	1	–
69	Marshall	220	–	–	1	35	7	10	1	7	2	–	8	4	118	86	–	1
70	Maury	445	2	–	–	92	16	26	10	8	–	2	30	5	234	178	1	3
71	Columbia	235	1	–	–	45	9	9	8	3	–	2	14	–	133	103	1	–
72	Balance of county	210	1	–	–	47	7	17	2	5	–	–	16	5	101	75	–	3
73	Meigs	48	–	–	1	6	1	1	–	1	1	–	2	2	24	20	1	–
74	Monroe	263	1	–	–	49	10	21	5	1	1	3	8	4	131	101	1	2
75	Montgomery	455	–	–	3	86	26	18	3	8	4	5	22	6	212	143	2	2
76	Clarksville	261	–	–	2	52	17	11	2	6	2	1	13	5	119	82	1	2
77	Balance of county	194	–	–	1	34	9	7	1	2	2	4	9	1	93	61	1	–
78	Moore	32	–	–	–	8	1	2	–	–	1	–	4	–	16	10	1	–
79	Morgan	144	–	–	1	22	4	6	2	4	1	1	4	1	69	56	1	–
80	Obion	361	1	–	2	69	17	18	3	5	2	4	20	4	203	140	2	2
81	Union City	132	1	–	–	26	8	4	1	2	–	1	10	1	79	49	–	1
82	Balance of county	229	–	–	2	43	9	14	2	3	2	3	10	3	124	91	2	1
83	Overton	140	–	–	–	23	6	4	2	3	1	1	6	1	82	67	2	–
84	Perry	60	1	–	1	13	3	4	1	–	1	1	3	–	23	18	–	–
85	Pickett	25	–	–	–	7	2	3	–	1	–	–	1	1	14	14	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
84	18	-	30	1	3	15	4	-	1	3	-	2	-	3	31	4	8	2	1	-	01
34	10	-	12	1	3	5	3	-	-	1	-	2	-	-	11	-	3	1	-	-	02
34	10	-	12	1	3	5	3	-	-	1	-	2	-	-	11	-	3	1	-	-	03
50	8	-	18	-	-	10	1	-	1	2	-	-	-	3	20	4	5	1	1	-	04
73	3	-	30	4	1	6	3	-	-	-	-	1	4	-	17	3	5	-	1	-	05
82	6	1	30	4	5	9	4	1	2	1	-	3	1	3	32	12	7	3	2	2	06
1,197	100	10	363	70	51	102	73	9	55	23	-	23	50	14	357	98	111	51	83	11	07
46	4	1	6	-	1	9	1	-	-	-	-	1	-	1	3	8	4	-	1	-	08
48	5	1	20	2	1	2	1	1	-	1	-	1	1	2	16	7	3	5	1	1	09
111	9	-	19	2	3	13	1	-	-	2	-	2	1	10	22	13	15	1	1	-	10
114	21	1	46	3	7	15	4	1	2	1	-	3	5	32	43	13	12	4	2	-	11
48	13	-	20	2	5	9	3	-	1	1	-	1	5	17	23	3	5	1	1	-	12
66	8	1	26	1	2	6	1	1	1	-	-	2	-	15	20	10	7	3	1	-	13
54	6	-	38	3	3	7	3	-	1	-	-	1	2	14	11	7	7	-	2	1	14
69	3	-	18	-	4	4	1	-	3	-	-	-	3	2	7	5	10	5	1	-	15
81	15	-	35	3	3	11	7	1	6	2	-	-	3	5	20	8	11	2	2	1	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
81	15	-	35	3	3	11	7	1	6	2	-	-	3	5	20	8	11	2	2	1	18
176	11	2	77	19	8	16	6	-	2	2	1	-	5	1	39	16	11	5	4	1	19
39	2	1	15	4	4	4	-	-	1	1	1	-	2	1	5	3	3	2	3	-	20
137	9	1	62	15	4	12	6	-	1	1	-	-	3	-	34	13	8	3	1	1	21
71	14	-	28	2	4	10	1	1	-	1	-	1	-	1	21	11	11	6	4	-	22
25	2	1	26	-	1	4	2	1	-	-	-	-	2	20	14	5	3	5	4	-	23
191	13	1	36	5	8	11	5	-	3	-	-	6	7	2	37	14	14	10	3	2	24
68	2	1	13	3	3	3	2	-	3	-	-	-	-	-	14	4	6	1	2	1	25
123	11	-	23	2	5	8	3	-	-	-	-	6	7	2	23	10	8	9	1	1	26
35	2	-	16	5	-	3	5	-	4	-	-	2	4	5	10	12	8	1	1	1	27
131	7	2	68	3	8	17	5	5	8	2	-	2	3	4	31	13	7	5	3	1	28
60	4	1	40	2	4	9	2	2	6	1	-	1	1	3	20	4	5	3	2	1	29
71	3	1	28	1	4	8	3	3	2	1	-	1	2	1	11	9	2	2	1	-	30
869	59	11	278	41	31	77	27	7	27	21	-	22	31	15	210	68	82	27	31	2	31
613	42	9	196	22	22	57	18	5	23	19	-	17	24	11	141	37	53	21	21	1	32
48	3	-	23	3	2	7	3	-	1	1	-	2	1	-	12	3	7	1	1	-	33
34	2	1	11	1	1	2	1	1	1	-	-	-	1	2	8	1	4	-	-	-	34
174	12	1	48	15	6	11	5	1	2	1	-	3	5	2	49	27	18	5	9	1	35
31	1	-	12	-	2	3	1	-	-	-	-	-	1	-	2	1	4	1	1	-	36
84	3	-	32	5	1	8	2	-	1	2	-	2	5	8	13	13	6	1	2	-	37
56	11	1	34	-	2	7	-	-	-	-	-	1	1	2	10	7	5	4	2	1	38
138	6	5	26	11	5	11	3	1	1	7	-	2	6	1	28	6	8	8	4	-	39
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	40
138	6	5	26	11	5	10	3	1	1	7	-	2	6	1	27	6	8	8	4	-	41
62	16	-	20	6	1	3	1	1	1	2	-	3	4	3	20	13	6	-	4	-	42
80	8	1	42	5	2	5	1	-	2	-	1	-	2	-	13	12	2	3	3	-	43
107	8	-	40	7	5	9	6	1	1	-	-	1	2	1	28	7	9	5	5	-	44
46	9	1	12	3	3	5	4	1	-	1	-	1	1	2	13	2	7	6	2	-	45
31	1	-	9	1	2	1	1	-	-	-	-	-	1	-	10	2	3	3	1	-	46
57	5	-	11	-	1	6	6	-	-	1	-	-	4	2	14	6	13	4	1	1	47
46	2	-	13	3	1	2	2	-	2	-	-	2	-	2	10	3	5	1	3	1	48
70	5	-	32	4	-	2	3	1	3	-	-	2	3	6	22	17	10	1	1	1	49
42	11	-	18	2	4	3	-	1	-	1	-	3	3	2	13	3	7	2	-	-	50
670	49	7	257	25	32	83	23	3	29	16	-	10	32	415	205	91	74	43	21	7	51
459	36	6	181	15	26	63	13	2	24	12	-	6	19	294	147	49	48	25	17	6	52
211	13	1	76	10	6	20	10	1	5	4	-	4	13	121	58	42	26	18	4	1	53
29	1	-	8	-	1	3	1	-	1	-	-	-	-	7	11	4	4	1	2	-	54
87	12	-	30	2	3	9	-	1	4	3	1	2	1	3	27	3	16	2	3	-	55
118	33	1	20	4	3	12	7	1	4	1	-	3	3	-	20	9	12	1	3	-	56
21	2	-	6	-	2	2	2	-	-	-	-	-	1	2	2	3	6	-	1	1	57
74	10	3	28	7	4	12	3	1	5	6	-	1	3	13	31	10	7	2	2	1	58
114	9	-	27	2	3	10	5	-	5	-	-	-	4	4	19	10	14	5	1	-	59
114	13	3	55	3	5	12	5	1	2	3	-	5	4	3	23	17	6	8	2	-	60
35	3	1	19	1	2	6	1	-	-	-	-	2	2	1	6	8	4	4	-	-	61
79	10	2	36	2	3	6	4	1	2	3	-	3	2	2	17	9	2	4	2	-	62
103	5	1	18	1	5	4	1	-	1	-	-	-	2	-	11	14	11	6	1	1	63
65	5	-	19	2	3	5	1	1	1	-	-	-	1	-	13	3	7	3	-	1	64
237	17	2	141	25	7	9	5	1	12	3	-	1	5	9	60	25	23	8	9	1	65
167	14	2	107	19	5	3	4	-	11	2	-	-	5	8	41	10	17	4	6	1	66
70	3	-	34	6	2	6	1	1	1	1	-	1	-	1	19	15	6	4	3	-	67
82	7	-	22	-	-	3	1	-	4	-	-	3	-	4	17	12	10	2	2	-	68
80	5	-	19	9	4	8	-	1	1	1	-	-	4	2	20	5	9	8	1	2	69
153	21	-	45	3	8	12	2	2	2	1	-	3	2	2	38	20	16	10	2	-	70
92	10	-	24	1	5	5	1	2	2	1	-	1	2	1	20	5	7	7	2	-	71
61	11	-	21	2	3	7	1	-	-	-	-	2	-	1	18	15	9	3	-	-	72
15	4	-	2	1	1	2	-	-	-	-	-	-	1	-	1	4	3	1	3	-	73
88	10	1	23	6	-	8	6	-	-	4	-	2	2	3	25	13	10	2	3	-	74
124	15	2	59	2	6	14	12	1	6	-	1	4	6	15	43	19	17	6	2	2	75
68	11	1	32	1	3	5	6	-	5	-	1	2	4	9	24	13	8	4	2	-	76
56	4	1	27	1	3	9	6	1	1	-	-	2	2	6	19	6	9	2	-	2	77
9	-	-	5	-	1	-	-	-	-	1	-	-	2	-	3	1	1	-	-	-	78
50	5	-	10	2	1	4	4	-	1	1	-	1	3	3	17	7	3	2	5	-	79
128	8	-	44	11	8	9	3	2	6	1	-	2	5	2	31	10	6	3	1	1	80
42	6	-	24	3	3	-	-	2	-	1	-	-	2	-	12	3	1	3	-	1	81
86	2	-	20	8	5	9	3	-	6	-	-	2	3	2	19	7	5	-	1	-	82
61	4	-	14	1	-	7	-	-	1	-	-	-	1	-	14	2	6	3	-	-	83
18	-	-	3	1	1	1	-	1	1	1	-	1	2	3	7	-	1	2	1	1	84
13	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Polk	132	–	–	–	24	3	10	2	3	1	–	5	2	70	51	–	1
02	Putnam	387	2	–	1	70	8	16	9	10	5	3	19	4	219	154	1	1
03	Cookeville	147	1	–	–	19	1	7	2	3	1	1	4	2	93	72	1	–
04	Balance of county	240	1	–	1	51	7	9	7	7	4	2	15	2	126	82	–	1
05	Rhea	203	1	–	1	35	8	7	4	5	1	1	9	3	106	75	–	–
06	Roane	369	–	–	4	78	21	20	3	11	7	3	13	5	195	147	1	1
07	Oak Ridge, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
08	Balance of county	368	–	–	4	78	21	20	3	11	7	3	13	5	195	147	1	1
09	Robertson	305	4	–	–	50	9	13	2	8	1	2	15	5	162	114	1	4
10	Rutherford	513	–	–	2	99	21	21	13	14	7	5	18	6	252	169	4	1
11	Murfreesboro	231	–	–	–	45	9	9	10	5	4	3	5	3	119	78	2	–
12	Balance of county	282	–	–	2	54	12	12	3	9	3	2	13	3	133	91	2	1
13	Scott	186	1	–	2	26	8	11	3	1	1	1	1	4	91	76	1	1
14	Sequatchie	57	–	–	–	7	1	2	–	1	1	–	2	–	32	30	–	–
15	Sevier	302	1	–	1	62	18	13	3	11	5	–	12	–	159	125	2	–
16	Shelby	6,189	8	–	87	1,343	331	351	123	147	44	46	301	79	3,030	2,213	37	16
17	Memphis	5,788	7	–	80	1,260	309	329	113	139	41	42	287	74	2,843	2,070	33	15
18	Millington	56	–	–	1	7	3	2	1	–	1	–	–	2	23	17	–	–
19	Balance of county	345	1	–	6	76	19	20	9	8	2	4	14	3	164	126	4	1
20	Smith	157	–	–	1	31	6	11	2	3	2	2	5	3	87	69	1	–
21	Stewart	83	1	–	–	16	4	4	1	1	–	1	5	–	49	34	–	–
22	Sullivan	1,086	4	–	3	231	44	62	27	24	18	8	48	15	538	404	2	2
23	Bristol[4]	261	3	–	2	50	11	11	5	8	4	1	10	6	138	101	–	–
24	Kingsport, part	327	1	–	–	65	11	17	8	7	4	4	14	5	150	115	1	–
25	Kingsport, total	329	1	–	–	65	11	17	8	7	4	4	14	5	150	115	1	–
26	Balance of county	498	–	–	1	116	22	34	14	9	10	3	24	4	250	188	1	2
27	Sumner	544	1	–	1	91	16	28	6	8	9	3	21	3	280	205	1	1
28	Gallatin	158	1	–	1	24	3	4	2	3	3	–	9	1	84	58	1	–
29	Balance of county	386	–	–	–	67	13	24	4	5	6	3	12	2	196	147	–	1
30	Tipton	294	–	–	3	56	20	14	3	3	4	2	10	1	153	109	2	2
31	Trousdale	67	–	–	–	11	1	4	1	5	–	–	–	2	34	21	–	1
32	Unicoi	160	–	–	1	29	9	6	1	4	1	2	6	1	84	61	2	–
33	Union	105	–	–	–	19	5	5	2	2	1	2	2	1	42	27	–	1
34	Van Buren	45	–	–	1	7	–	3	–	3	1	–	–	1	22	15	–	–
35	Warren	279	2	–	–	48	9	10	3	6	1	3	16	4	147	121	1	1
36	McMinnville	136	1	–	–	20	3	6	1	2	–	1	7	2	75	62	1	1
37	Balance of county	143	1	–	–	28	6	4	2	4	1	2	9	2	72	59	–	–
38	Washington	706	–	–	–	140	38	40	15	16	4	3	24	5	349	248	5	–
39	Johnson City	404	–	–	–	82	21	28	11	6	3	1	12	3	196	145	5	–
40	Balance of county	302	–	–	–	58	17	12	4	10	1	2	12	2	153	103	–	–
41	Wayne	133	–	–	1	25	3	7	1	3	3	2	6	2	72	52	–	–
42	Weakley	340	–	–	2	56	18	14	3	3	2	4	12	7	192	120	2	1
43	White	189	–	–	–	25	3	7	3	3	–	3	6	4	119	81	–	–
44	Williamson	366	4	–	1	62	10	15	4	6	1	2	24	1	187	145	1	1
45	Wilson	383	–	–	5	61	15	18	8	6	1	4	9	6	211	135	1	–
46	Lebanon	148	–	–	2	15	2	6	1	3	–	2	1	3	91	55	–	–
47	Balance of county	235	–	–	3	46	13	12	7	3	1	2	8	3	120	80	1	–
48	**Texas**	103,845	163	13	1,051	19,826	4,820	5,472	1,526	2,198	815	813	4,182	1,663	48,265	34,907	498	500
49	Urban places	64,075	104	9	703	12,516	3,099	3,428	1,049	1,360	512	491	2,577	1,057	29,352	21,310	351	294
50	Balance of area	39,770	59	4	348	7,310	1,721	2,044	477	838	303	322	1,605	606	18,913	13,597	147	206
51	Metropolitan counties	68,863	109	10	754	13,542	3,288	3,774	1,104	1,442	550	547	2,837	1,126	31,068	22,734	372	309
52	Urban places	55,927	92	9	624	11,041	2,729	3,055	939	1,178	447	432	2,261	934	25,403	18,521	316	258
53	Balance of area	12,936	17	1	130	2,501	559	719	165	264	103	115	576	192	5,665	4,213	56	51
54	Nonmetropolitan counties	34,982	54	3	297	6,284	1,532	1,698	422	756	265	266	1,345	537	17,197	12,173	126	191
55	Urban places	8,148	12	–	79	1,475	370	373	110	182	65	59	316	123	3,949	2,789	35	36
56	Balance of area	26,834	42	3	218	4,809	1,162	1,325	312	574	200	207	1,029	414	13,248	9,384	91	155
57	Anderson	427	–	1	2	76	15	16	7	13	6	2	17	9	231	180	2	6
58	Palestine	234	–	–	2	35	11	6	3	8	1	–	6	3	138	110	2	2
59	Balance of county	193	–	1	–	41	4	10	4	5	5	2	11	6	93	70	–	4
60	Andrews	97	–	–	1	20	5	8	–	1	3	1	2	1	48	37	1	–
61	Angelina	549	–	–	3	104	23	33	7	11	4	4	22	4	227	145	2	1
62	Lufkin	257	–	–	1	43	9	8	4	6	2	2	12	4	113	80	1	1
63	Balance of county	292	–	–	2	61	14	25	3	5	2	2	10	–	114	65	1	–
64	Aransas	124	–	–	–	25	6	3	3	1	1	–	11	2	48	35	–	–
65	Archer	65	–	–	2	14	2	2	–	3	1	2	4	1	33	18	1	–
66	Armstrong	28	–	–	1	6	1	2	–	2	–	–	1	1	12	8	–	–
67	Atascosa	186	1	–	–	35	10	5	3	4	2	2	9	5	93	63	1	–
68	Austin	187	–	–	2	31	7	11	2	2	1	1	7	4	108	88	–	2
69	Bailey	72	1	–	–	8	2	1	1	1	1	–	2	–	39	25	–	–
70	Bandera	82	–	–	–	20	7	3	1	3	1	–	5	1	33	20	–	–
71	Bastrop	266	3	–	4	52	10	8	4	12	3	1	14	4	133	107	2	2
72	Baylor	59	–	–	–	8	2	4	1	–	–	1	–	–	34	24	–	–
73	Bee	190	–	–	1	41	9	14	1	4	2	1	10	4	84	48	1	1
74	Beeville	124	–	–	1	28	5	9	1	3	2	1	7	3	59	30	1	1
75	Balance of county	66	–	–	–	13	4	5	–	1	–	–	3	1	25	18	–	–
76	Bell	969	–	–	12	135	29	36	10	8	6	7	39	8	406	352	3	2
77	Killeen	183	–	–	3	29	7	7	2	–	–	2	11	2	58	53	1	–
78	Temple	385	–	–	6	52	12	11	7	6	3	2	11	2	199	170	–	1
79	Balance of county	401	–	–	3	54	10	18	1	2	3	3	17	4	149	129	2	1
80	Bexar	6,714	11	1	101	1,366	382	317	115	137	54	60	301	151	3,036	2,291	49	34
81	San Antonio	5,860	11	1	94	1,181	333	273	101	113	43	53	265	135	2,666	2,014	42	33
82	Balance of county	854	–	–	7	185	49	44	14	24	11	7	36	16	370	277	7	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
49	1	–	17	–	2	7	2	–	1	–	–	1	2	2	7	10	1	2	1	–	01
141	11	–	44	15	6	14	3	–	1	1	–	1	4	4	34	12	10	4	1	2	02
66	5	–	16	4	1	3	2	–	–	–	–	–	4	3	13	1	4	1	–	1	03
75	6	–	28	11	5	11	1	–	1	1	–	1	–	1	21	11	6	3	1	1	04
69	6	1	22	5	3	8	1	–	3	–	–	2	2	1	22	7	5	5	1	–	05
133	12	2	39	2	5	8	1	–	3	1	1	2	4	12	33	8	8	2	3	1	06
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	07
133	12	2	39	2	5	7	1	–	3	1	1	2	4	12	33	8	8	2	3	1	08
102	7	–	32	14	2	8	7	2	1	2	–	3	4	1	19	11	10	9	6	1	09
158	6	3	70	5	5	18	11	5	6	2	–	3	9	2	45	18	17	10	7	1	10
75	1	2	35	1	3	7	5	–	2	1	–	–	2	–	22	9	6	7	3	–	11
83	5	1	35	4	2	11	6	5	4	1	–	3	7	2	23	9	11	3	4	1	12
65	9	1	11	3	–	9	5	1	3	4	–	1	2	2	17	3	11	1	3	–	13
28	2	–	1	1	–	1	1	–	1	–	–	–	1	–	6	2	4	2	–	–	14
112	11	–	28	–	6	11	2	–	–	1	–	2	3	5	15	11	21	7	1	–	15
1,992	168	14	648	75	80	158	48	12	81	47	1	54	92	45	600	159	147	69	125	4	16
1,865	157	14	609	73	77	145	45	12	76	46	1	48	83	43	566	142	130	61	122	4	17
16	1	–	5	–	1	3	–	–	1	–	–	3	3	1	6	4	2	–	–	–	18
111	10	–	34	2	2	10	3	–	4	1	–	3	6	1	28	13	15	8	3	–	19
63	5	–	15	3	–	6	1	–	–	1	–	1	3	2	10	4	2	2	2	1	20
32	2	–	13	–	2	1	1	–	–	1	–	–	–	8	6	–	–	–	–	–	21
380	20	5	93	15	21	38	9	2	12	10	–	9	13	9	83	40	35	21	10	4	22
98	3	1	24	6	6	7	2	–	6	4	–	3	1	3	13	8	8	2	4	1	23
108	6	1	25	4	5	13	3	1	3	4	–	–	4	2	38	12	13	8	5	–	24
108	6	1	25	4	5	14	3	1	3	4	–	–	4	2	39	12	13	8	5	–	25
174	11	3	44	5	10	18	4	1	3	2	–	6	8	4	32	20	14	11	1	3	26
189	14	3	53	13	6	19	7	2	3	3	–	7	6	10	56	22	16	12	3	2	27
55	2	2	19	4	1	5	2	1	1	1	–	3	2	4	9	5	9	3	1	1	28
134	12	1	34	9	5	14	5	1	2	2	–	4	4	6	47	17	7	9	2	1	29
91	14	1	38	3	2	10	1	–	1	1	–	4	9	3	23	11	14	2	2	–	30
18	2	1	11	–	1	1	1	1	1	–	–	–	1	2	7	4	1	–	–	1	31
55	4	–	22	1	–	6	2	–	–	–	–	–	2	1	16	9	3	4	1	1	32
20	6	2	9	2	2	9	2	1	1	1	–	–	–	7	7	7	5	1	2	–	33
13	2	–	6	–	1	1	–	–	–	1	–	–	1	–	5	2	3	1	–	–	34
111	8	–	24	1	1	7	1	–	3	–	–	1	3	12	21	19	7	2	1	1	35
55	5	–	12	1	–	1	1	–	2	–	–	1	1	6	16	5	4	–	–	1	36
56	3	–	12	–	1	6	–	–	1	–	–	–	2	6	5	14	3	2	1	–	37
218	25	4	77	13	7	21	9	1	13	6	–	8	12	27	55	21	24	10	2	3	38
127	13	2	38	7	4	14	6	1	13	3	–	3	4	15	28	7	19	5	2	3	39
91	12	2	39	6	3	7	3	–	–	3	–	5	8	12	27	14	5	5	–	–	40
46	6	1	8	11	–	4	–	–	–	–	–	1	2	3	7	6	8	1	1	–	41
111	6	1	45	20	6	5	5	–	1	2	–	–	3	17	29	11	7	2	1	–	42
78	3	–	31	6	1	4	3	1	1	–	–	2	–	2	13	4	8	2	1	–	43
135	8	–	33	6	3	8	6	–	5	3	–	6	2	3	37	20	10	6	4	1	44
109	25	–	69	3	4	12	10	–	4	4	–	–	4	4	32	12	7	6	4	1	45
47	8	–	32	1	3	4	7	–	3	1	–	–	4	1	9	2	1	2	2	1	46
62	17	–	37	2	1	8	3	–	1	3	–	–	–	3	23	10	6	4	2	–	47
28,039	5,870	270	10,165	1,632	1,291	3,254	1,256	278	1,371	479	25	841	1,617	3,796	8,978	3,942	3,293	1,660	1,968	106	48
17,659	3,006	178	6,078	1,021	765	1,982	784	162	1,005	309	16	589	1,120	1,707	5,751	2,174	2,001	1,112	1,545	77	49
10,380	2,864	92	4,087	611	526	1,272	472	116	366	170	9	252	497	2,089	3,227	1,768	1,292	548	423	29	50
18,803	3,250	188	6,274	1,060	812	2,083	845	190	1,074	336	16	625	1,219	1,873	6,112	2,653	2,228	1,278	1,636	86	51
15,517	2,430	161	5,174	882	665	1,716	683	140	931	274	13	521	1,003	1,264	5,059	1,925	1,767	1,009	1,447	72	52
3,286	820	27	1,100	178	147	367	162	50	143	62	3	104	216	609	1,053	728	461	269	189	14	53
9,236	2,620	82	3,891	572	479	1,171	411	88	297	143	9	216	398	1,923	2,866	1,289	1,065	382	332	20	54
2,142	576	17	904	139	100	266	101	22	74	35	3	68	117	443	692	249	234	103	98	5	55
7,094	2,044	65	2,987	433	379	905	310	66	223	108	6	148	281	1,480	2,174	1,040	831	279	234	15	56
142	30	1	42	3	5	14	3	–	5	2	–	1	4	20	21	18	10	6	4	–	57
93	13	1	25	–	2	11	3	–	2	2	–	–	3	7	11	6	6	2	3	–	58
49	17	–	17	3	3	3	–	–	3	–	–	1	1	13	10	12	4	4	1	–	59
22	14	1	8	2	–	2	2	1	1	2	–	–	3	4	4	1	4	–	3	–	60
118	24	–	68	7	7	15	2	–	8	1	–	7	13	64	50	17	15	8	11	–	61
66	12	–	27	2	4	5	1	–	4	1	–	3	3	30	23	10	6	4	6	–	62
52	12	–	41	5	3	10	1	–	4	–	–	4	10	34	27	7	9	4	5	–	63
31	4	–	10	–	3	3	5	1	5	–	–	1	3	6	12	5	5	3	–	–	64
13	4	–	6	7	2	–	1	–	1	–	–	–	–	1	9	2	–	1	–	–	65
6	2	–	3	–	1	1	–	–	–	–	–	1	1	–	3	1	1	–	–	–	66
48	14	–	18	7	5	7	–	–	–	1	–	3	3	7	14	8	5	3	1	–	67
69	17	–	17	2	1	7	–	–	3	1	–	–	–	5	13	5	5	2	1	–	68
24	1	–	13	–	1	3	2	–	1	–	–	1	2	4	10	–	–	–	1	–	69
16	4	1	9	2	1	2	2	–	1	–	–	1	1	2	9	2	7	1	–	–	70
67	36	–	20	5	1	15	1	1	2	–	–	1	2	14	19	9	2	1	3	–	71
20	4	–	8	2	–	3	2	–	–	–	–	–	–	1	6	3	2	–	–	–	72
27	19	1	28	3	4	2	1	2	3	–	–	4	5	3	19	11	9	1	–	–	73
16	12	–	24	2	3	2	1	1	2	–	–	3	3	1	12	3	5	–	–	–	74
11	7	1	4	1	1	–	–	1	1	–	–	1	2	2	7	8	4	1	–	–	75
199	148	2	38	6	8	26	3	3	16	4	1	17	23	89	88	57	38	25	18	–	76
32	20	–	2	–	3	3	–	–	4	1	1	8	12	11	18	5	12	11	5	–	77
80	89	1	19	6	3	11	2	1	5	2	–	3	2	40	41	6	5	5	3	–	78
87	39	1	17	–	2	12	1	2	7	1	–	6	9	38	29	46	21	9	10	–	79
1,926	282	25	579	69	72	202	70	16	133	38	3	69	99	108	666	212	156	115	150	11	80
1,695	244	24	511	60	57	184	53	12	126	29	3	59	84	90	587	169	133	92	142	9	81
231	38	1	68	9	15	18	17	4	7	9	–	10	15	18	79	43	23	23	8	2	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Blanco	53	–	–	–	11	4	5	–	–	–	2	–	1	28	20	1	–
02	Borden	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
03	Bosque	198	–	1	1	37	11	13	5	3	–	–	5	2	114	84	–	1
04	Bowie	786	–	–	7	142	34	33	12	14	3	5	41	3	404	306	1	2
05	Texarkana[5]	394	–	–	4	77	20	14	7	7	1	4	24	1	203	147	–	1
06	Balance of county	392	–	–	3	65	14	19	5	7	2	1	17	2	201	159	1	1
07	Brazoria	862	2	–	6	184	42	48	18	16	11	9	40	16	330	245	2	4
08	Alvin	103	–	–	–	18	4	6	3	2	2	–	1	3	46	34	–	–
09	Freeport	89	–	–	–	19	4	8	1	1	–	–	5	2	35	32	–	–
10	Lake Jackson	75	1	–	–	24	6	5	2	1	3	1	6	1	19	14	–	–
11	Balance of county	595	1	–	6	123	28	29	12	12	6	8	28	10	230	165	2	4
12	Brazos	509	–	–	1	95	22	23	8	13	6	1	22	18	220	138	1	–
13	Bryan	337	–	–	1	64	17	13	5	10	3	–	16	11	144	91	1	–
14	College Station	93	–	–	–	17	3	5	1	2	2	–	4	3	37	21	–	–
15	Balance of county	79	–	–	–	14	2	5	2	1	1	1	2	4	39	26	–	–
16	Brewster	59	–	–	1	15	2	3	3	3	1	–	3	1	24	18	–	–
17	Briscoe	19	–	–	–	2	–	–	2	–	–	–	–	–	12	8	–	–
18	Brooks	72	–	–	–	9	4	2	–	–	–	–	3	3	29	22	2	–
19	Brown	379	1	–	5	84	15	20	7	21	4	4	13	2	181	137	2	1
20	Brownwood	257	1	–	2	59	12	15	3	15	3	3	8	2	127	91	2	1
21	Balance of county	122	–	–	3	25	3	5	4	6	1	1	5	–	54	46	–	–
22	Burleson	150	–	–	–	32	14	6	1	2	2	2	5	4	64	33	–	1
23	Burnet	212	–	–	4	29	9	9	2	3	–	1	5	3	96	55	1	2
24	Caldwell	251	–	–	3	41	14	15	1	5	–	2	4	6	127	96	1	9
25	Calhoun	123	–	–	1	24	6	7	2	–	2	1	6	3	56	42	1	–
26	Port Lavaca	76	–	–	1	14	4	4	1	–	1	1	3	3	33	29	1	–
27	Balance of county	47	–	–	–	10	2	3	1	–	1	–	3	–	23	13	–	–
28	Callahan	144	–	–	2	27	3	8	1	3	1	1	10	2	77	59	–	–
29	Cameron	1,187	4	–	11	199	53	50	16	20	11	10	39	27	479	355	5	4
30	Brownsville	455	3	–	4	67	22	15	7	4	4	3	12	12	168	114	1	–
31	Harlingen	279	1	–	3	51	10	16	2	7	3	3	10	5	115	96	–	–
32	San Benito	153	–	–	–	17	8	4	3	–	–	–	2	6	76	55	3	2
33	Balance of county	300	–	–	4	64	13	15	4	9	4	4	15	4	120	90	1	2
34	Camp	131	1	–	–	25	4	9	–	10	–	–	2	4	45	24	–	1
35	Carson	47	–	–	–	8	3	–	2	1	–	–	2	–	22	16	–	1
36	Cass	363	1	–	4	68	18	18	3	12	4	1	12	3	167	118	2	2
37	Castro	57	–	–	–	5	1	1	–	1	–	1	1	–	35	17	–	–
38	Chambers	131	–	–	3	27	5	7	–	4	2	2	7	1	59	45	–	1
39	Cherokee	469	1	–	2	93	17	31	6	16	1	3	19	5	213	137	2	–
40	Childress	102	–	–	–	22	4	5	–	3	4	1	5	2	49	32	–	–
41	Clay	87	–	–	–	15	6	2	2	2	2	–	1	1	42	28	1	1
42	Cochran	21	–	–	–	2	–	2	–	–	–	–	–	–	9	6	–	–
43	Coke	52	–	–	–	13	–	4	2	4	–	1	2	1	28	22	–	2
44	Coleman	185	–	–	–	37	4	12	4	6	1	1	9	4	94	64	–	–
45	Collin	737	1	–	7	123	26	35	10	8	4	8	32	18	372	257	2	–
46	McKinney	217	–	–	2	31	10	8	–	2	–	1	10	8	112	77	1	–
47	Plano	171	–	–	1	31	5	7	4	5	1	2	7	4	69	53	1	–
48	Richardson, part	12	–	–	1	6	2	–	1	–	1	–	2	–	3	2	–	–
49	Balance of county	337	1	–	3	55	9	20	5	1	2	5	13	6	188	125	–	–
50	Collingsworth	54	–	–	1	9	4	1	–	–	–	1	3	–	31	17	–	–
51	Colorado	241	–	–	1	37	10	6	3	9	1	1	7	5	110	65	–	1
52	Comal	302	–	–	3	78	23	19	9	11	4	4	8	5	149	108	2	4
53	New Braunfels	235	–	–	2	62	16	16	8	11	1	3	7	5	120	86	1	4
54	Balance of county	67	–	–	1	16	7	3	1	–	3	1	1	–	29	22	1	–
55	Comanche	200	–	–	1	25	7	8	1	5	–	–	4	2	109	65	1	–
56	Concho	33	–	–	–	6	–	2	–	2	–	–	2	–	21	11	–	–
57	Cooke	299	–	–	3	47	19	12	2	1	2	2	9	5	179	117	3	1
58	Gainesville	201	–	–	1	32	17	4	2	1	1	1	6	3	122	81	1	1
59	Balance of county	98	–	–	2	15	2	8	–	–	1	1	3	2	57	36	2	–
60	Coryell	242	1	–	2	40	12	7	5	4	1	3	8	3	120	89	–	–
61	Copperas Cove	43	–	–	1	7	2	1	2	–	–	–	2	–	10	9	–	–
62	Balance of county	199	1	–	1	33	10	6	3	4	1	3	6	3	110	80	–	–
63	Cottle	38	–	–	–	2	–	1	–	–	–	–	1	1	26	21	–	1
64	Crane	42	–	–	1	6	1	1	–	2	–	–	2	–	18	10	–	–
65	Crockett	40	–	–	–	11	2	4	2	–	1	–	2	2	13	5	–	–
66	Crosby	93	–	–	2	16	3	3	1	3	–	–	6	2	48	39	2	–
67	Culberson	18	–	–	–	2	1	–	–	1	–	–	–	–	7	4	–	–
68	Dallam	66	–	–	1	10	4	2	1	–	–	–	3	–	34	29	–	–
69	Dallas	10,426	15	2	113	2,137	494	614	202	238	88	72	429	142	4,758	3,571	62	41
70	Balch Springs	91	–	–	2	18	5	4	3	1	1	2	2	–	34	30	–	–
71	Carrollton, part	117	1	1	2	17	3	3	3	1	2	–	5	3	49	34	1	–
72	Carrollton, total	125	1	1	2	19	3	3	4	1	2	–	6	3	51	36	1	–
73	Dallas	7,348	10	1	72	1,483	356	414	137	172	63	52	289	104	3,392	2,552	45	32
74	Duncanville	116	–	–	1	20	3	9	1	1	1	1	4	2	57	40	1	1
75	Farmers Branch	100	–	–	–	24	4	9	2	1	1	1	6	2	40	34	–	–
76	Garland	540	1	–	7	111	24	32	11	13	3	4	24	6	228	179	5	2
77	Grand Prairie, part	337	–	–	2	63	15	18	4	11	4	–	11	8	159	102	2	1
78	Grand Prairie, total	367	–	–	3	68	16	21	4	11	4	–	12	8	173	110	2	1
79	Highland Park	90	–	–	1	27	8	9	6	1	1	–	2	–	46	30	–	–
80	Irving	523	2	–	7	120	22	36	10	11	4	7	30	5	226	170	2	2
81	Lancaster	124	–	–	1	21	3	10	2	–	1	2	3	1	83	60	1	1
82	Mesquite	306	–	–	8	63	11	25	6	5	–	1	15	4	130	107	2	–
83	Richardson, part	209	1	–	2	50	12	13	7	5	1	–	12	5	81	62	1	1
84	Richardson, total	221	1	–	3	56	14	13	8	5	2	–	14	5	84	64	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
15	4	–	7	1	–	4	–	1	1	–	–	–	–	–	3	1	–	2	1	–	01
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
70	13	1	21	3	5	6	8	–	1	–	–	–	–	1	16	4	4	2	1	–	03
157	146	2	87	3	6	34	8	1	9	4	–	2	13	31	63	33	19	5	8	–	04
79	67	–	50	3	3	16	5	1	4	3	–	2	9	10	31	13	10	1	4	–	05
78	79	2	37	–	3	18	3	–	5	1	–	–	4	21	32	20	9	4	4	–	06
185	54	1	68	6	10	31	15	1	9	1	–	7	14	37	59	76	41	21	10	2	07
30	4	1	10	1	–	6	3	–	1	–	–	1	2	2	3	7	6	4	–	1	08
22	10	–	2	–	1	1	1	–	1	–	–	1	2	4	5	10	2	1	5	–	09
11	3	–	4	–	1	2	–	–	1	–	–	1	2	2	5	6	5	5	1	–	10
122	37	–	52	5	8	22	11	1	6	1	–	4	8	29	46	53	28	11	4	1	11
127	10	5	61	13	3	11	3	1	6	2	–	3	7	37	49	25	18	6	7	–	12
82	8	4	40	8	1	6	2	1	5	2	–	2	4	31	32	11	13	4	4	–	13
21	–	–	11	3	2	3	–	–	1	–	–	1	3	2	8	11	3	2	2	–	14
24	2	1	10	2	–	2	1	–	–	–	–	–	–	4	9	3	2	–	1	–	15
12	6	–	6	–	–	2	1	–	–	–	–	–	2	2	7	1	2	–	1	–	16
8	–	–	4	–	–	1	–	–	–	–	–	–	–	–	2	–	1	1	–	–	17
20	–	–	7	–	–	4	1	–	–	–	–	2	2	3	6	5	6	–	2	–	18
114	20	–	34	7	3	12	5	–	3	1	–	3	–	39	26	6	9	–	2	–	19
79	9	–	28	6	2	7	5	–	2	1	–	–	–	23	18	4	5	–	1	–	20
35	11	–	6	1	1	5	–	–	1	–	–	3	–	16	8	2	4	–	1	–	21
22	10	–	23	5	3	5	2	–	3	–	–	–	1	16	11	4	5	1	1	1	22
47	5	1	28	8	4	7	3	–	2	1	–	–	–	39	12	10	4	–	2	–	23
67	19	–	23	4	4	8	–	–	4	–	–	2	2	11	25	9	5	3	5	–	24
34	7	–	8	3	3	1	2	–	2	–	–	2	6	–	11	6	6	2	–	1	25
22	6	–	3	–	1	1	1	–	1	–	–	1	5	–	8	2	3	2	–	1	26
12	1	–	5	3	2	–	1	–	1	–	–	1	1	–	3	4	3	–	–	–	27
40	19	2	14	1	1	7	1	–	–	–	–	–	1	5	9	8	4	1	–	–	28
265	81	4	85	20	15	29	10	1	15	4	–	19	24	140	111	40	48	10	16	–	29
100	13	3	40	3	8	12	2	–	5	1	–	9	8	73	40	18	19	3	11	–	30
63	33	–	15	1	3	7	2	1	2	2	–	7	6	27	34	5	7	2	2	–	31
45	5	–	10	11	–	3	1	–	1	–	–	3	3	17	16	3	5	1	1	–	32
57	30	1	20	5	4	7	5	–	7	1	–	–	7	23	21	14	17	4	2	–	33
22	1	1	16	–	4	9	2	–	1	–	–	–	2	20	10	4	6	1	1	–	34
13	2	–	5	–	1	–	–	1	2	–	–	1	1	3	2	1	4	1	–	1	35
94	20	3	36	5	5	12	3	–	4	3	–	2	2	16	38	15	12	8	4	1	36
17	–	–	17	1	–	2	–	1	–	–	–	–	5	1	5	2	1	–	–	–	37
35	9	1	7	3	3	4	–	1	2	2	–	1	3	–	4	12	6	2	4	–	38
102	33	1	47	21	7	12	4	–	2	1	–	1	3	33	67	11	10	4	7	–	39
29	3	–	13	1	3	7	2	–	–	–	–	–	–	2	11	1	3	2	1	–	40
24	2	1	10	1	2	3	–	–	–	–	–	–	–	11	8	4	3	–	–	–	41
5	1	–	3	–	–	2	2	–	–	–	1	–	1	–	3	–	1	–	–	–	42
12	8	–	5	–	1	1	2	–	–	1	–	–	–	1	4	–	1	–	–	–	43
46	18	1	23	2	4	9	1	1	–	1	–	–	1	5	21	5	3	3	–	–	44
213	42	3	84	23	5	30	8	4	6	–	–	10	14	14	64	22	27	12	5	–	45
66	10	2	25	6	2	9	5	1	3	–	–	4	5	1	23	3	5	3	2	–	46
39	13	–	13	3	–	5	2	2	1	–	–	6	6	4	16	9	8	6	1	–	47
1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	48
107	18	1	45	14	3	16	1	1	2	–	–	–	3	9	25	10	13	2	2	–	49
16	1	–	14	–	–	2	–	1	–	–	–	–	1	–	5	4	–	–	–	–	50
47	17	–	37	7	1	8	4	1	4	1	–	1	2	17	29	12	6	2	1	–	51
80	22	1	31	7	2	7	2	2	3	–	–	1	3	10	21	4	9	3	2	–	52
63	18	1	28	5	–	5	2	1	3	–	–	1	1	6	14	2	7	2	2	–	53
17	4	–	3	2	2	2	–	1	–	–	–	–	2	4	7	2	2	1	–	–	54
53	11	–	38	3	3	2	5	–	1	–	–	1	1	16	27	5	3	1	1	–	55
11	–	–	8	–	2	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	56
97	16	–	50	5	7	5	6	3	1	1	–	3	2	4	20	11	5	4	–	–	57
66	13	–	35	4	2	4	4	2	–	1	–	1	1	3	12	7	5	3	–	–	58
31	3	–	15	1	5	1	2	1	1	–	–	2	1	1	8	4	–	1	–	–	59
70	19	–	24	3	4	14	3	–	1	–	–	5	6	5	17	14	6	1	3	1	60
6	3	–	1	–	–	1	–	–	1	–	–	4	2	2	3	6	2	1	3	–	61
64	16	–	23	3	4	13	3	–	–	–	–	1	4	3	14	8	4	–	–	1	62
17	3	–	4	1	–	1	4	–	–	–	–	–	–	2	2	–	–	–	–	–	63
8	2	–	7	–	1	1	–	2	1	–	–	–	–	1	7	2	1	1	1	–	64
3	2	–	8	–	–	2	2	–	–	–	1	–	–	–	3	2	2	1	1	–	65
23	14	–	7	–	2	1	–	–	2	–	–	1	1	7	3	2	2	1	5	–	66
3	1	–	3	–	–	1	–	–	–	–	–	–	1	–	–	1	2	2	2	–	67
22	7	–	3	–	2	1	1	–	3	–	–	–	–	3	6	4	3	–	–	–	68
3,157	311	12	902	144	129	318	135	28	164	51	–	90	190	197	924	325	341	190	295	11	69
28	2	–	4	–	–	4	2	–	2	–	–	–	2	1	12	7	3	4	–	–	70
29	4	–	11	1	3	5	–	–	1	–	–	2	5	3	10	11	1	4	2	–	71
29	6	–	11	1	3	5	–	–	1	–	–	3	5	3	11	13	1	4	2	–	72
2,251	224	5	648	99	88	238	90	21	128	41	–	52	130	143	656	186	245	109	240	7	73
36	2	1	13	–	3	6	1	–	–	–	–	1	1	6	9	7	2	2	1	–	74
30	4	–	5	1	–	3	–	–	4	–	–	2	1	1	8	10	3	–	–	2	75
153	19	2	38	4	5	12	9	1	4	2	–	12	12	14	42	29	16	19	15	–	76
95	4	–	31	21	5	7	5	1	5	2	–	6	8	4	30	13	12	5	7	–	77
101	6	–	31	27	5	8	6	1	7	2	–	6	8	5	32	13	12	5	10	–	78
29	1	1	12	2	1	4	–	–	1	–	–	–	–	2	7	1	1	–	–	–	79
153	13	–	34	8	14	12	9	–	5	2	–	7	10	6	47	18	19	15	12	1	80
56	2	–	22	–	1	–	1	1	3	–	–	–	1	–	5	1	3	2	1	–	81
96	9	–	20	–	3	9	2	–	1	1	–	4	4	5	35	13	9	8	9	1	82
47	13	–	14	4	1	4	6	3	4	1	–	–	4	1	19	10	9	7	2	–	83
48	14	–	15	4	1	4	6	3	4	1	–	–	4	1	19	10	10	8	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Dallas—Con.																	
01	University Park	161	–	–	1	43	18	10	4	4	–	–	7	–	78	52	1	1
02	Balance of county	364	–	–	7	77	10	22	6	12	6	2	19	2	155	119	1	–
03	Dawson	142	–	–	1	20	3	6	4	–	3	2	2	4	56	43	2	–
04	Lamesa	120	–	–	1	14	2	5	2	–	2	2	1	4	51	40	2	–
05	Balance of county	22	–	–	–	6	1	1	2	–	1	–	1	–	5	3	–	–
06	Deaf Smith	134	–	–	1	28	6	5	3	3	–	3	8	–	54	39	1	1
07	Hereford	114	–	–	–	27	6	4	3	3	–	3	8	–	47	35	1	–
08	Balance of county	20	–	–	1	1	–	1	–	–	–	–	–	–	7	4	–	1
09	Delta	94	–	–	1	12	–	3	–	2	2	–	5	2	61	47	–	6
10	Denton	649	1	–	4	122	27	27	11	21	3	9	24	17	303	233	4	3
11	Carrollton, part	8	–	–	–	2	–	–	1	–	–	–	1	–	2	2	–	–
12	Denton	293	–	–	3	61	16	10	4	12	3	7	9	12	147	106	1	2
13	Balance of county	348	1	–	1	59	11	17	6	9	–	2	14	5	154	125	3	1
14	De Witt	283	–	–	3	50	12	12	2	5	3	2	14	3	170	105	–	–
15	Dickens	39	–	–	–	10	3	2	2	1	–	1	1	–	18	11	–	–
16	Dimmit	83	–	–	2	18	3	3	1	4	–	3	4	2	33	28	–	–
17	Donley	66	2	–	–	11	4	2	–	1	–	1	3	1	36	23	–	–
18	Duval	123	–	–	1	14	2	5	–	2	–	–	5	3	67	53	1	1
19	Eastland	314	–	–	3	44	11	14	5	2	2	1	9	2	188	129	–	1
20	Ector	684	–	–	10	125	26	35	7	13	6	9	29	8	200	121	5	2
21	Odessa	620	–	–	10	112	25	31	7	11	5	9	24	8	182	111	5	2
22	Balance of county	64	–	–	–	13	1	4	–	2	1	–	5	–	18	10	–	–
23	Edwards	17	–	–	–	6	1	3	–	–	–	–	2	1	7	4	–	–
24	Ellis	541	1	–	5	113	26	21	10	13	5	4	34	8	228	147	3	5
25	Ennis	131	1	–	2	19	5	3	1	3	1	–	6	2	63	42	1	5
26	Waxahachie	167	–	–	2	43	9	6	4	5	3	2	14	4	64	41	1	–
27	Balance of county	243	–	–	1	51	12	12	5	5	1	2	14	2	101	64	1	–
28	El Paso	2,419	7	–	32	484	139	119	36	62	16	15	97	42	963	706	26	25
29	El Paso	2,279	7	–	27	459	130	116	34	59	15	12	93	38	916	670	26	24
30	Balance of county	140	–	–	5	25	9	3	2	3	1	3	4	4	47	36	–	1
31	Erath	256	–	–	1	41	8	16	1	6	1	4	5	8	138	106	2	–
32	Falls	303	–	–	–	58	10	19	2	14	3	2	8	3	166	105	2	2
33	Fannin	351	1	–	3	56	14	19	6	5	1	4	7	6	177	137	1	3
34	Fayette	286	–	–	1	52	10	10	3	10	2	1	16	6	165	118	3	–
35	Fisher	93	–	–	–	13	4	5	–	–	1	2	1	2	51	33	–	–
36	Floyd	102	1	–	1	16	5	6	1	1	–	2	1	4	52	33	–	–
37	Foard	29	–	–	–	6	4	2	–	–	–	–	–	–	17	9	–	–
38	Fort Bend	539	–	–	5	111	25	23	11	12	–	4	36	15	222	175	2	4
39	Houston, part	6	–	–	–	2	–	–	1	–	–	–	1	–	2	1	–	–
40	Rosenburg	118	–	–	1	30	11	5	1	2	–	1	10	2	45	34	1	1
41	Balance of county	415	–	–	4	79	14	18	9	10	–	3	25	13	175	140	1	3
42	Franklin	90	–	–	2	8	2	1	–	1	–	–	4	2	56	36	–	–
43	Freestone	186	1	–	3	25	6	8	3	3	1	1	3	2	97	75	–	–
44	Frio	99	–	–	3	21	4	6	4	3	–	2	2	3	50	36	–	–
45	Gaines	87	–	–	–	22	8	4	2	4	1	–	3	2	28	23	–	–
46	Galveston	1,638	4	1	15	329	82	114	20	31	4	15	63	33	787	621	10	8
47	Galveston	741	2	1	5	158	44	45	8	19	2	5	35	17	372	297	3	2
48	La Marque	127	–	–	2	28	6	8	2	5	1	1	5	2	58	38	–	2
49	League City	60	–	–	2	18	5	6	2	1	–	3	1	2	26	22	–	–
50	Texas City	280	–	–	2	39	11	14	–	1	1	3	9	7	144	109	3	1
51	Balance of county	430	2	–	4	86	16	41	8	5	–	3	13	5	187	155	4	3
52	Garza	49	–	–	–	7	1	3	–	3	–	–	–	1	24	16	–	–
53	Gillespie	166	–	–	–	30	11	6	3	3	1	2	4	3	95	69	1	–
54	Glasscock	4	–	–	–	2	1	1	–	–	–	–	–	–	2	1	–	–
55	Goliad	62	–	–	–	9	2	–	–	3	–	–	4	1	42	30	–	1
56	Gonzales	201	–	–	–	40	10	11	3	6	2	2	6	4	95	68	2	3
57	Gray	280	–	–	5	69	14	25	4	6	5	4	11	6	127	95	3	–
58	Pampa	230	–	–	5	55	11	22	2	4	3	4	9	4	105	79	3	–
59	Balance of county	50	–	–	–	14	3	3	2	2	2	–	2	2	22	16	–	–
60	Grayson	993	–	–	6	160	38	45	6	13	12	8	38	17	495	372	3	3
61	Denison	310	–	–	2	62	14	21	3	5	1	4	14	4	148	117	2	1
62	Sherman	310	–	–	3	47	11	10	2	5	7	1	11	5	167	128	1	2
63	Balance of county	373	–	–	1	51	13	14	1	3	4	3	13	8	180	127	–	–
64	Gregg	831	–	–	7	160	31	48	14	15	4	10	38	7	399	269	5	4
65	Longview	460	–	–	4	95	19	22	9	8	4	5	28	3	218	140	5	–
66	Balance of county	371	–	–	3	65	12	26	5	7	–	5	10	4	181	129	–	4
67	Grimes	182	1	–	5	31	11	6	3	5	1	2	3	5	82	67	–	3
68	Guadalupe	337	1	–	4	69	20	14	5	11	2	4	13	8	146	110	1	2
69	Seguin	187	–	–	4	36	9	7	4	6	2	–	8	6	86	62	–	2
70	Balance of county	150	1	–	–	33	11	7	1	5	–	4	5	2	60	48	1	–
71	Hale	322	1	–	3	42	14	8	2	4	5	2	7	4	146	93	3	–
72	Plainview	215	1	–	2	28	11	5	1	3	4	–	4	2	100	59	3	–
73	Balance of county	107	–	–	1	14	3	3	1	1	1	2	3	2	46	34	–	–
74	Hall	101	–	–	–	28	9	6	1	5	4	–	3	3	51	34	–	–
75	Hamilton	150	–	–	–	27	10	4	1	5	–	3	4	1	85	59	–	1
76	Hansford	44	1	–	–	9	2	3	1	1	1	–	1	–	17	13	–	–
77	Hardeman	111	–	–	–	26	6	8	–	2	–	3	7	4	55	33	–	–
78	Hardin	300	–	–	2	57	9	24	4	9	2	2	7	4	132	99	2	2
79	Harris	13,769	25	–	192	2,679	641	808	252	249	100	109	520	192	6,050	4,462	69	34
80	Baytown	372	1	–	3	87	23	27	8	8	5	3	13	5	169	123	–	–
81	Bellaire	121	–	–	4	21	3	7	2	–	1	2	6	–	65	44	1	–
82	Deer Park	68	–	–	3	14	5	4	1	1	1	1	1	–	23	20	–	–
83	Galena Park	43	–	–	–	14	2	8	–	1	–	–	3	–	21	16	–	–
84	Houston, part	11,029	22	–	160	2,125	520	639	208	196	77	87	398	153	4,897	3,590	59	30

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
48	2	1	22	3	-	7	2	-	1	-	-	2	1	1	11	1	7	6	-	-	01
106	12	2	28	1	5	7	8	1	5	2	-	2	11	10	33	18	11	9	6	-	02
38	3	-	11	1	1	7	5	1	1	-	-	-	4	12	17	5	4	4	1	-	03
35	3	-	10	-	1	6	4	1	1	-	-	-	3	10	16	2	2	4	1	-	04
3	-	-	1	1	-	1	1	-	-	-	-	-	1	2	1	3	2	-	-	-	05
27	10	1	10	1	3	5	2	-	1	-	-	2	2	3	15	2	12	5	2	-	06
24	10	-	9	1	2	4	2	-	1	-	-	1	2	3	12	1	10	3	1	-	07
3	-	1	1	-	1	1	-	-	-	-	-	1	-	-	3	1	2	2	1	-	08
23	18	-	13	-	1	3	3	-	-	-	-	-	-	4	3	3	2	-	-	-	09
175	51	1	57	8	4	11	8	2	3	4	-	6	10	22	67	33	18	9	8	1	10
-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	11
81	22	1	35	3	2	9	2	-	2	1	-	1	3	5	29	5	7	3	2	1	12
94	27	-	22	5	2	2	6	2	1	3	-	4	7	17	37	26	11	6	6	-	13
81	24	-	51	11	3	14	3	2	-	-	-	1	-	4	17	13	2	1	-	-	14
6	5	1	4	-	2	1	-	-	-	-	-	-	1	3	2	1	1	2	-	-	15
23	5	-	4	-	1	4	-	-	1	-	-	2	1	3	8	-	6	1	1	1	16
21	2	-	9	2	2	1	2	1	2	-	-	-	1	-	4	2	3	-	-	-	17
46	5	1	7	2	4	1	2	-	1	-	-	3	-	6	13	3	7	2	-	-	18
92	36	-	47	7	5	10	3	-	3	4	-	1	4	6	23	5	12	5	1	-	19
94	20	2	59	7	11	16	5	1	14	-	-	8	17	125	74	31	22	14	14	-	20
87	17	2	53	7	9	15	4	-	13	-	-	7	16	118	68	25	19	11	12	-	21
7	3	-	6	-	2	1	1	1	1	-	-	1	1	7	6	6	3	3	2	-	22
2	2	-	1	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	23
107	32	-	64	12	5	20	1	2	2	3	-	6	8	65	34	18	14	9	4	-	24
31	5	-	18	2	1	8	-	-	1	-	-	-	-	15	10	4	4	2	-	-	25
28	12	-	17	6	-	7	-	1	-	2	-	4	4	19	13	-	2	-	2	-	26
48	15	-	29	4	4	5	1	1	1	1	-	2	4	31	11	14	8	7	2	-	27
556	99	8	187	32	30	76	38	11	51	17	-	35	55	27	288	101	112	49	25	6	28
531	89	8	180	30	28	72	36	11	48	17	-	30	51	22	276	90	105	46	23	5	29
25	10	-	7	2	2	4	2	-	3	-	-	5	4	5	12	11	7	3	2	1	30
82	22	-	28	1	3	8	4	-	1	-	-	1	3	13	22	10	3	3	-	-	31
78	23	1	49	10	1	20	2	2	3	1	-	-	-	5	21	7	11	2	2	-	32
106	27	-	26	8	6	16	2	1	3	4	-	-	2	42	24	6	7	1	-	-	33
75	40	-	40	2	5	10	3	-	5	-	-	1	2	10	15	9	5	2	-	-	34
26	7	-	12	6	-	1	1	-	-	-	-	-	3	4	7	11	-	-	-	-	35
31	2	-	16	1	2	3	-	-	-	1	-	-	-	5	11	4	3	1	-	-	36
9	-	-	8	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	37
107	62	-	36	7	4	12	4	2	9	3	-	9	16	13	31	33	26	12	16	-	38
-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	39
22	10	-	9	2	-	4	1	-	1	-	-	1	4	3	11	3	8	2	2	-	40
85	51	-	26	5	4	8	3	2	8	3	-	7	12	10	20	29	18	10	14	-	41
33	3	-	17	2	1	1	2	-	1	-	-	2	1	-	7	2	4	2	-	-	42
66	9	-	13	2	7	9	1	1	-	-	1	-	3	10	19	5	3	1	5	-	43
30	6	-	9	4	1	-	-	-	1	-	-	-	1	-	10	6	3	-	1	-	44
15	8	1	4	-	-	3	4	-	1	1	-	1	3	-	8	6	4	3	1	-	45
539	64	3	125	16	22	43	13	5	20	10	1	14	23	17	136	62	61	23	39	2	46
261	31	-	56	8	11	16	7	-	12	4	-	4	6	3	63	12	30	8	20	1	47
31	5	1	17	1	1	4	-	-	-	-	-	3	5	1	10	6	3	1	4	-	48
19	3	-	4	-	-	1	1	-	1	-	-	1	2	-	1	2	3	-	-	-	49
99	6	1	27	4	3	9	2	1	4	3	1	2	2	3	26	15	9	4	6	1	50
129	19	1	21	3	7	13	3	4	3	3	-	4	8	10	36	27	16	10	9	-	51
12	4	-	7	-	1	3	-	-	1	-	-	1	-	4	3	1	2	1	1	-	52
55	13	-	19	6	1	3	3	1	-	-	-	-	-	2	20	3	4	2	-	-	53
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
21	8	-	12	-	-	1	-	-	1	-	-	1	-	-	2	4	1	-	-	-	55
58	5	-	20	4	3	7	-	-	-	-	-	3	2	23	12	5	8	1	1	-	56
74	18	-	28	2	2	13	5	-	4	-	-	1	7	5	19	6	8	4	1	-	57
60	16	-	22	2	2	9	4	-	3	-	-	1	5	5	17	6	6	4	1	-	58
14	2	-	6	-	-	4	1	-	1	-	-	-	2	-	2	-	2	-	-	-	59
324	42	1	96	15	11	38	11	2	15	3	-	7	5	86	71	27	26	16	7	1	60
95	19	-	19	6	6	14	4	-	6	2	-	1	2	18	24	5	10	5	3	-	61
117	8	1	33	4	1	13	3	-	5	-	-	4	-	17	22	9	9	5	1	-	62
112	15	-	44	5	4	11	4	2	4	1	-	2	3	51	25	13	7	6	3	1	63
224	36	3	110	7	10	24	9	1	9	3	-	3	10	48	63	31	18	19	19	1	64
111	24	3	62	5	8	10	6	-	6	2	-	2	6	23	40	15	10	11	9	-	65
113	12	-	48	2	2	14	3	1	3	1	-	1	4	25	23	16	8	8	10	1	66
52	12	-	8	3	4	3	2	-	4	1	-	-	4	7	21	7	7	2	-	-	67
88	19	1	25	6	4	12	6	-	5	4	-	1	3	18	25	17	12	4	2	-	68
49	11	1	16	4	3	7	1	-	4	3	-	-	1	8	16	6	7	1	1	-	69
39	8	-	9	2	1	5	5	-	1	1	-	1	2	10	9	11	5	3	1	-	70
76	14	1	40	5	7	13	6	1	1	-	-	3	4	30	35	11	13	3	6	-	71
52	4	-	30	4	7	6	5	-	-	-	-	2	3	18	26	7	6	3	6	-	72
24	10	1	10	1	-	7	1	1	1	-	-	1	1	12	9	4	7	-	-	-	73
32	2	-	16	1	-	2	3	-	1	-	-	-	-	2	5	5	1	-	-	-	74
51	7	-	23	3	-	7	1	1	2	1	-	1	1	4	16	1	-	2	-	-	75
10	3	-	4	-	-	4	1	-	-	-	-	-	1	1	4	5	1	-	-	-	76
29	4	1	16	1	4	6	1	-	1	-	-	-	-	4	6	3	2	2	1	-	77
75	20	-	22	4	7	14	1	-	4	5	-	2	6	27	16	18	8	3	1	-	78
3,882	477	36	1,228	168	156	369	151	40	244	73	8	117	289	141	1,186	603	508	327	567	8	79
108	15	2	28	10	6	6	7	2	3	-	-	2	4	2	31	20	9	8	13	-	80
38	5	-	19	1	1	2	-	-	3	1	-	-	-	1	16	2	2	4	-	-	81
19	1	-	3	-	-	3	-	-	-	-	-	-	1	-	7	9	3	4	1	-	82
13	3	-	4	-	1	-	-	-	1	-	-	-	-	2	1	1	3	-	-	-	83
3,125	376	28	1,021	134	124	309	125	29	204	60	8	90	233	113	953	430	385	228	499	6	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Harris—Con.																	
01	Houston, total	11,036	22	–	160	2,127	520	639	209	196	77	87	399	153	4,899	3,591	59	30
02	Pasadena	531	–	–	8	97	22	27	11	10	2	2	23	12	212	166	1	–
03	South Houston	68	–	–	–	13	2	6	1	–	–	–	4	1	25	14	1	–
04	West University Place	25	–	–	–	10	3	1	–	3	–	–	3	–	12	9	1	–
05	Balance of county	1,512	2	–	14	298	61	89	21	30	14	14	69	21	626	480	6	4
06	Harrison	566	1	–	3	118	26	22	15	14	4	5	32	13	285	191	1	6
07	Marshall	324	–	–	3	68	15	12	8	12	1	1	19	9	166	107	1	3
08	Balance of county	242	1	–	–	50	11	10	7	2	3	4	13	4	119	84	–	3
09	Hartley	20	–	–	–	4	–	1	–	–	–	1	2	–	6	5	–	–
10	Haskell	94	–	–	–	14	2	3	1	1	–	1	6	5	59	31	–	–
11	Hays	205	1	–	2	40	8	10	2	4	3	3	10	5	102	64	2	–
12	San Marcos	118	1	–	1	23	7	4	1	3	2	1	5	3	63	44	1	–
13	Balance of county	87	–	–	1	17	1	6	1	1	1	2	5	2	39	20	1	–
14	Hemphill	40	–	–	–	4	–	1	–	2	1	–	–	2	27	18	–	–
15	Henderson	424	–	–	5	71	23	17	1	9	3	6	12	6	161	118	1	2
16	Hidalgo	1,446	6	2	13	263	59	80	13	30	10	14	57	38	576	423	1	6
17	Edinburg	140	1	1	–	23	4	9	1	1	1	2	5	5	60	42	–	1
18	McAllen	372	–	1	5	63	16	21	1	5	3	6	11	10	146	106	–	1
19	Mission	126	–	–	1	32	11	7	2	5	1	–	6	5	51	40	–	2
20	Pharr	113	–	–	–	19	6	3	3	1	–	1	5	1	43	27	–	1
21	Weslaco	143	1	–	–	24	2	11	–	2	1	2	6	4	59	46	–	–
22	Balance of county	552	4	–	7	102	20	29	6	16	4	3	24	13	217	162	1	1
23	Hill	371	1	–	11	56	7	16	3	7	3	2	18	7	226	171	1	3
24	Hockley	174	1	–	–	31	9	7	2	2	–	2	9	2	76	54	1	–
25	Levelland	110	–	–	–	19	6	4	1	2	–	1	5	2	47	30	1	–
26	Balance of county	64	1	–	–	12	3	3	1	–	–	1	4	–	29	24	–	–
27	Hood	143	1	–	–	30	7	10	3	4	–	2	4	1	70	50	–	1
28	Hopkins	321	–	–	1	54	15	12	3	4	6	3	11	1	175	116	–	1
29	Sulphur Springs	191	–	–	–	37	12	6	2	2	6	1	8	1	113	72	–	–
30	Balance of county	130	–	–	1	17	3	6	1	2	–	2	3	–	62	44	–	1
31	Houston	253	1	–	3	42	11	11	2	7	2	2	7	1	124	102	–	–
32	Howard	317	–	–	4	49	8	20	3	6	–	2	10	6	130	86	–	2
33	Big Spring	254	–	–	4	35	5	15	2	4	–	2	7	5	113	72	–	2
34	Balance of county	63	–	–	–	14	3	5	1	2	–	–	3	1	17	14	–	–
35	Hudspeth	13	–	–	–	2	2	–	–	–	–	–	–	–	7	5	–	–
36	Hunt	578	–	–	7	111	27	34	8	13	4	5	20	11	275	200	2	1
37	Greenville	274	–	–	6	43	10	16	4	6	1	–	6	6	142	100	–	1
38	Balance of county	304	–	–	1	68	17	18	4	7	3	5	14	5	133	100	2	–
39	Hutchinson	253	1	–	2	51	16	10	2	6	3	–	14	5	129	92	1	1
40	Borger	158	–	–	1	27	11	4	1	4	3	–	4	4	85	56	–	–
41	Balance of county	95	1	–	1	24	5	6	1	2	–	–	10	1	44	36	1	1
42	Irion	11	–	–	–	4	–	4	–	–	–	–	–	–	5	3	–	–
43	Jack	118	–	–	–	22	6	6	–	3	4	–	3	1	62	46	1	–
44	Jackson	119	–	–	1	24	7	10	–	1	–	1	5	4	49	34	1	–
45	Jasper	285	1	–	3	47	6	17	2	4	5	3	10	4	136	99	4	1
46	Jeff Davis	26	–	–	1	4	–	2	–	–	–	–	2	–	9	3	–	–
47	Jefferson	2,279	2	–	15	517	118	158	41	48	21	19	112	41	1,072	790	10	26
48	Beaumont	1,149	1	–	8	239	52	84	20	24	10	11	38	18	585	440	7	19
49	Groves	130	–	–	–	36	8	8	–	3	2	1	14	1	64	43	–	1
50	Nederland	115	–	–	1	29	9	7	4	–	3	–	6	2	49	38	1	1
51	Port Arthur	680	1	–	5	180	44	50	13	19	5	6	43	16	277	197	–	3
52	Port Neches	81	–	–	–	15	2	5	2	–	1	1	4	–	37	31	1	1
53	Balance of county	124	–	–	1	18	3	4	2	2	–	–	7	4	60	41	1	1
54	Jim Hogg	43	–	–	1	3	1	–	1	–	–	–	1	1	18	14	–	–
55	Jim Wells	279	–	–	1	50	11	9	4	3	–	4	19	7	130	94	–	–
56	Alice	166	–	–	1	27	5	6	3	3	–	2	8	5	82	61	–	–
57	Balance of county	113	–	–	–	23	6	3	1	–	–	2	11	2	48	33	–	–
58	Johnson	599	2	–	5	122	32	34	4	15	12	6	19	9	287	184	1	1
59	Cleburne	259	2	–	1	59	19	10	3	9	7	3	8	5	114	72	–	–
60	Fort Worth, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
61	Balance of county	339	–	–	4	63	13	24	1	6	5	3	11	4	172	111	1	1
62	Jones	204	–	–	–	38	11	10	3	7	–	–	7	4	97	75	–	7
63	Abilene, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
64	Balance of county	203	–	–	–	38	11	10	3	7	–	–	7	4	96	75	–	7
65	Karnes	160	2	–	1	23	5	6	4	1	–	2	5	2	99	69	–	1
66	Kaufman	440	1	–	6	69	15	17	5	9	2	3	18	5	206	153	2	1
67	Terrell	172	–	–	2	23	4	4	2	3	1	1	8	2	82	62	–	1
68	Balance of county	268	1	–	4	46	11	13	3	6	1	2	10	3	124	91	2	–
69	Kendall	117	–	–	–	27	7	3	4	5	2	1	5	–	58	42	–	1
70	Kenedy	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
71	Kent	7	1	–	–	1	–	–	–	1	–	–	–	–	3	2	–	–
72	Kerr	334	3	–	4	57	9	25	3	4	3	1	12	3	187	125	2	1
73	Kerrville	258	2	–	2	46	8	17	3	4	1	1	12	1	154	103	–	1
74	Balance of county	76	1	–	2	11	1	8	–	–	2	–	–	2	33	22	2	–
75	Kimble	52	–	–	–	11	5	4	–	1	–	–	1	1	30	27	2	–
76	King	3	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–
77	Kinney	25	–	–	–	4	1	–	1	1	1	–	–	–	13	9	–	1
78	Kleberg	196	–	–	–	29	6	5	–	6	3	3	6	6	81	59	–	–
79	Kingsville	173	–	–	–	26	5	5	–	6	3	3	4	4	75	53	–	–
80	Balance of county	23	–	–	–	3	1	–	–	–	–	–	2	2	6	6	–	–
81	Knox	79	–	–	2	12	2	2	1	1	–	1	5	1	46	23	–	–
82	Lamar	509	1	–	6	90	25	18	4	12	5	3	23	7	233	159	2	2
83	Paris	371	–	–	4	57	15	13	1	8	4	3	13	5	175	117	1	2
84	Balance of county	138	1	–	2	33	10	5	3	4	1	–	10	2	58	42	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
3,125	377	28	1,022	134	124	309	125	29	204	60	8	91	233	113	953	431	386	228	499	6	01
140	25	1	33	6	6	15	7	2	6	4	–	10	21	11	48	17	17	27	17	–	02
13	–	–	9	2	–	2	–	–	2	–	–	2	1	–	4	8	3	4	3	–	03
7	1	–	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	04
419	51	5	110	14	17	32	12	7	25	7	–	13	29	12	125	116	86	51	34	2	05
134	50	3	78	9	4	18	4	2	2	5	–	6	2	18	43	15	21	3	7	–	06
80	23	3	45	9	2	8	3	1	–	3	–	3	1	5	30	8	11	1	4	–	07
54	27	–	33	–	2	10	1	1	2	2	–	3	1	13	13	7	10	2	3	–	08
4	1	–	–	1	–	2	–	–	–	–	–	1	–	3	3	1	–	–	–	–	09
26	5	–	25	3	–	1	3	–	–	–	–	–	–	1	6	1	3	1	–	–	10
52	10	–	29	6	3	3	2	1	1	–	–	1	3	–	15	16	8	4	1	–	11
40	3	–	15	2	2	2	1	1	1	–	–	–	3	–	11	4	3	1	–	–	12
12	7	–	14	4	1	1	1	–	–	–	–	1	–	–	4	12	5	3	1	–	13
16	2	–	9	–	–	–	–	1	–	–	–	–	–	–	–	3	2	1	–	–	14
97	18	1	33	6	3	13	9	1	2	3	–	–	4	52	37	28	18	11	3	–	15
341	75	4	108	26	15	53	21	2	23	6	1	16	29	128	126	80	29	16	17	1	16
31	10	–	13	4	1	11	2	–	2	–	–	1	5	7	13	6	3	–	–	–	17
82	23	2	29	8	1	14	10	1	4	1	–	6	3	44	36	9	10	3	5	1	18
28	10	1	8	2	–	1	–	–	3	–	–	–	1	11	12	4	2	–	3	–	19
23	3	–	12	–	4	4	1	–	3	–	–	1	4	17	7	9	1	1	2	–	20
43	3	–	12	1	–	10	4	–	3	–	–	1	4	9	9	7	3	4	1	–	21
134	26	1	34	11	9	13	4	1	8	5	1	7	12	40	49	45	10	8	6	–	22
114	53	2	34	11	8	2	2	–	4	2	–	4	3	12	26	4	10	–	1	–	23
40	13	–	15	6	1	5	4	2	4	–	1	1	2	10	9	9	9	4	4	–	24
22	7	–	11	5	1	2	3	2	4	–	1	1	1	4	6	6	7	2	3	–	25
18	6	–	4	1	–	3	1	–	–	–	–	–	1	6	3	3	2	2	1	–	26
33	16	–	19	1	–	4	–	–	1	2	–	–	1	9	16	5	1	2	–	–	27
97	18	–	51	5	3	23	2	–	1	–	–	2	3	15	21	11	6	4	2	–	28
59	13	–	35	3	3	14	1	–	–	–	–	1	–	5	8	6	3	1	1	–	29
38	5	–	16	2	–	9	1	–	1	–	–	1	3	10	13	5	3	3	1	–	30
83	19	–	19	–	3	14	4	1	4	2	–	–	3	11	17	10	10	1	5	–	31
70	14	2	32	6	4	17	8	1	3	–	–	1	8	30	35	9	10	1	5	–	32
57	13	2	31	4	4	13	8	1	3	–	–	1	7	22	28	2	7	1	4	–	33
13	1	–	1	2	–	4	–	–	–	–	–	–	1	8	7	7	3	–	1	–	34
4	1	–	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	35
154	43	2	50	15	8	16	5	2	6	3	–	3	3	36	53	15	16	5	6	5	36
76	23	2	27	8	5	4	3	2	2	1	–	1	3	18	25	5	6	–	5	2	37
78	20	–	23	7	3	12	2	–	4	2	–	2	–	18	28	10	10	5	1	3	38
74	16	–	31	3	3	9	5	1	2	1	–	1	1	4	13	15	6	5	2	–	39
45	11	–	25	2	2	6	2	1	1	1	–	1	1	1	11	10	4	2	–	–	40
29	5	–	6	1	1	3	3	–	1	–	–	–	–	3	2	5	2	3	2	–	41
–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	42
32	13	–	9	5	2	11	2	–	–	2	–	1	–	6	8	2	1	–	–	–	43
25	8	–	13	1	1	9	2	–	2	1	–	3	2	3	9	5	4	–	1	–	44
77	17	1	29	2	5	12	1	1	1	3	–	3	2	22	20	12	12	3	2	–	45
2	1	–	6	–	–	–	1	–	–	–	1	–	1	–	3	4	1	–	1	–	46
590	164	21	203	32	26	69	29	6	27	17	–	13	39	29	196	66	71	29	39	2	47
337	77	16	99	19	11	30	16	4	16	6	–	6	19	13	89	27	37	13	22	–	48
30	12	–	15	3	3	2	1	–	1	–	–	1	2	2	8	5	4	1	2	–	49
32	4	1	7	1	2	2	1	–	3	–	–	2	3	1	10	4	4	3	1	–	50
136	58	3	63	7	7	27	9	1	4	9	–	3	11	11	65	23	18	10	9	1	51
21	8	1	4	–	1	2	1	–	2	1	–	1	3	1	11	3	1	1	1	1	52
34	5	–	15	2	2	6	1	1	1	1	–	–	1	1	13	4	7	1	4	–	53
13	1	–	4	–	–	4	1	–	–	–	–	1	–	7	2	3	1	1	–	–	54
85	9	–	26	10	–	8	1	–	3	1	–	1	9	16	26	14	5	3	4	–	55
56	5	–	12	9	–	4	–	–	1	–	–	1	7	6	15	9	2	2	4	–	56
29	4	–	14	1	–	4	1	–	2	1	–	–	2	10	11	5	3	1	–	–	57
160	22	3	88	6	6	22	11	5	2	4	–	2	3	8	59	21	20	15	2	–	58
61	11	2	35	3	2	11	8	3	–	1	–	1	1	5	24	5	11	8	–	–	59
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
98	11	1	53	3	4	11	3	2	2	3	–	1	2	3	35	16	9	7	2	–	61
57	11	1	21	–	–	7	7	3	2	3	1	2	3	14	12	2	5	3	1	–	62
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
57	11	1	20	–	–	7	7	3	2	3	1	2	3	14	12	2	5	3	1	–	64
52	16	2	24	1	3	4	1	–	–	1	–	–	3	3	15	3	3	–	–	–	65
120	30	2	37	7	7	8	9	–	6	2	1	2	5	42	43	10	14	5	6	–	66
46	15	2	11	2	5	5	2	–	3	1	1	–	2	17	19	2	8	2	1	–	67
74	15	–	26	5	2	3	7	–	3	1	–	2	3	25	24	8	6	3	5	–	68
37	4	1	15	–	–	4	1	1	1	1	–	1	1	2	10	2	5	3	–	–	69
2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	70
2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	71
93	29	–	40	10	12	9	3	2	3	–	–	–	1	5	32	8	15	2	–	–	72
83	19	–	33	9	9	8	3	2	1	–	–	–	1	2	25	6	5	–	–	–	73
10	10	–	7	1	3	1	–	–	2	–	–	–	–	3	7	2	10	2	–	–	74
16	9	–	1	2	–	1	–	–	–	–	–	1	–	1	3	1	3	–	–	–	75
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	76
5	3	–	2	1	1	–	–	–	–	–	–	–	–	2	2	–	4	–	–	–	77
53	6	–	15	4	3	2	3	–	1	–	–	4	3	25	11	12	11	4	4	–	78
47	6	–	15	4	3	1	3	–	1	–	–	4	2	20	11	9	9	4	4	–	79
6	–	–	–	–	–	1	–	–	–	–	–	–	1	5	–	3	2	–	–	–	80
17	6	–	20	2	1	4	2	–	–	–	–	–	–	4	4	–	2	2	–	–	81
139	16	–	58	11	5	20	4	–	2	2	–	6	7	64	35	13	10	4	5	–	82
101	13	–	45	9	4	17	4	–	1	1	–	4	5	48	28	7	7	4	4	–	83
38	3	–	13	2	1	3	–	–	1	1	–	2	2	16	7	6	3	–	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Lamb	187	1	–	–	31	12	6	–	2	1	2	8	3	95	67	1	1
02	Lampasas	125	–	–	1	17	1	6	1	2	1	–	6	3	70	44	1	–
03	La Salle	59	1	–	–	6	3	3	–	–	–	–	–	2	30	23	–	–
04	Lavaca	282	1	–	2	39	8	13	2	1	4	5	6	3	130	97	5	1
05	Lee	134	1	–	3	23	7	5	–	2	3	1	5	1	60	37	1	–
06	Leon	133	–	–	2	23	5	9	–	3	–	–	6	–	62	46	1	1
07	Liberty	494	1	–	7	85	20	30	1	8	2	–	24	6	167	120	–	–
08	Limestone	250	1	–	1	44	13	12	1	7	2	2	7	4	136	113	1	9
09	Lipscomb	27	–	–	–	7	3	3	–	1	–	–	–	1	11	9	–	–
10	Live Oak	69	–	–	–	13	3	2	2	1	–	2	3	1	31	19	–	–
11	Llano	130	–	–	–	19	5	6	–	5	–	–	3	2	77	54	–	–
12	Loving	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
13	Lubbock	1,326	–	–	16	239	61	60	19	19	10	14	56	12	608	464	6	2
14	Lubbock	1,083	–	–	14	187	47	46	17	18	8	10	41	9	508	387	4	1
15	Balance of county	243	–	–	2	52	14	14	2	1	2	4	15	3	100	77	2	1
16	Lynn	70	1	–	–	11	3	3	1	–	–	1	3	2	38	28	–	–
17	McCulloch	134	–	–	–	21	6	6	1	2	–	–	6	3	87	65	1	3
18	McLennan	1,574	2	1	19	297	72	92	24	25	16	7	61	24	811	582	8	5
19	Waco	1,108	1	1	11	208	53	65	18	19	12	3	38	19	578	405	6	2
20	Balance of county	466	1	–	8	89	19	27	6	6	4	4	23	5	233	177	2	3
21	McMullen	8	–	–	–	2	–	2	–	–	–	–	–	–	5	4	–	–
22	Madison	102	–	–	3	16	4	7	–	2	–	–	3	–	55	41	–	–
23	Marion	131	–	–	–	26	6	4	2	4	2	–	8	4	51	33	–	2
24	Martin	41	–	–	–	7	1	1	1	2	–	–	2	1	22	12	–	–
25	Mason	50	–	–	–	13	2	3	–	3	–	1	4	–	22	19	–	–
26	Matagorda	325	–	–	4	53	15	11	1	12	1	1	12	6	158	116	–	9
27	Bay City	165	–	–	3	29	8	5	1	6	–	1	8	3	79	58	–	7
28	Balance of county	160	–	–	1	24	7	6	–	6	1	–	4	3	79	58	–	2
29	Maverick	128	–	–	3	22	6	4	2	1	–	2	7	3	64	47	–	3
30	Eagle Pass	101	–	–	3	16	5	4	1	1	–	1	4	2	53	38	–	3
31	Balance of county	27	–	–	–	6	1	–	1	–	–	1	3	1	11	9	–	–
32	Medina	209	–	1	4	43	9	9	–	10	6	3	6	3	91	59	2	–
33	Menard	56	–	–	1	6	1	3	1	–	1	–	–	3	24	16	–	2
34	Midland	475	1	–	4	82	19	21	6	10	6	2	18	6	201	148	3	3
35	Midland	424	1	–	3	73	18	19	5	9	6	1	15	6	183	133	2	3
36	Balance of county	51	–	–	1	9	1	2	1	1	–	1	3	–	18	15	1	–
37	Milam	293	1	–	–	63	19	15	3	6	5	1	14	5	154	121	–	–
38	Mills	67	–	–	–	11	2	1	–	3	2	–	3	3	43	33	–	2
39	Mitchell	134	–	–	2	21	2	6	3	3	1	–	6	3	68	44	–	1
40	Montague	278	–	–	–	49	7	19	4	2	3	2	12	–	184	126	–	–
41	Montgomery	671	–	–	7	134	27	45	5	15	1	4	37	8	213	155	4	1
42	Conroe	192	–	–	1	38	3	16	3	6	–	1	9	4	57	42	1	–
43	Houston, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Balance of county	478	–	–	6	96	24	29	2	9	1	3	28	4	156	113	3	1
45	Moore	85	–	–	1	16	2	3	1	2	2	–	6	1	41	29	–	–
46	Morris	136	–	–	–	25	7	10	–	3	–	1	4	1	66	51	–	–
47	Motley	28	–	–	1	6	1	–	–	1	1	1	2	–	15	9	–	–
48	Nacogdoches	410	1	–	3	74	24	20	4	4	2	2	18	6	209	140	1	1
49	Nacogdoches	210	1	–	2	44	15	9	4	2	1	1	12	3	103	71	–	–
50	Balance of county	200	–	–	1	30	9	11	–	2	1	1	6	3	106	69	1	1
51	Navarro	479	1	–	4	83	19	20	11	9	2	7	15	3	236	172	2	3
52	Corsicana	310	1	–	3	55	10	12	7	7	2	5	12	–	156	111	1	2
53	Balance of county	169	–	–	1	28	9	8	4	2	–	2	3	3	80	61	1	1
54	Newton	74	–	–	1	15	4	3	–	–	–	1	7	–	32	28	2	1
55	Nolan	192	–	–	2	43	13	9	2	4	3	–	12	3	72	49	1	–
56	Sweetwater	146	–	–	2	32	10	5	1	4	3	–	9	3	55	37	1	–
57	Balance of county	46	–	–	–	11	3	4	1	–	–	–	3	–	17	12	–	–
58	Nueces	1,775	2	–	16	357	85	108	21	45	10	11	77	48	761	600	9	10
59	Corpus Christi	1,552	2	–	14	314	71	99	21	36	9	11	67	37	661	520	8	8
60	Robstown	107	–	–	1	13	6	2	–	1	–	–	4	8	47	39	–	1
61	Balance of county	116	–	–	1	30	8	7	–	8	1	–	6	3	53	41	1	1
62	Ochiltree	59	–	–	–	11	2	3	–	2	–	1	3	2	27	18	–	–
63	Oldham	11	–	–	–	3	–	–	–	1	–	–	2	–	4	1	–	–
64	Orange	491	–	–	7	92	20	39	6	6	–	4	17	8	170	130	2	–
65	Orange	188	–	–	4	35	9	14	1	2	–	–	9	1	59	44	2	–
66	Balance of county	303	–	–	3	57	11	25	5	4	–	4	8	7	111	86	–	–
67	Palo Pinto	274	–	–	1	51	9	17	4	5	1	3	12	7	120	75	–	1
68	Mineral Wells, part	196	–	–	–	35	7	12	3	4	1	1	7	4	86	57	–	1
69	Mineral Wells, total	196	–	–	–	35	7	12	3	4	1	1	7	4	86	57	–	1
70	Balance of county	78	–	–	1	16	2	5	1	1	–	2	5	3	34	18	–	–
71	Panola	242	–	–	–	44	8	17	1	3	2	3	10	5	129	90	1	–
72	Parker	323	–	–	–	66	22	21	1	4	2	1	15	8	156	107	–	–
73	Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
74	Weatherford	161	–	–	–	24	6	8	1	3	1	–	5	5	83	59	–	–
75	Balance of county	162	–	–	–	42	16	13	–	1	1	1	10	3	73	48	–	–
76	Parmer	68	–	–	–	14	5	1	1	1	–	2	4	–	26	23	–	–
77	Pecos	102	–	–	3	23	5	11	1	2	1	1	2	1	44	38	–	1
78	Polk	271	–	–	1	58	8	17	6	6	3	1	17	5	123	92	–	9
79	Potter	890	–	–	5	145	29	27	11	26	6	7	39	17	437	318	5	5
80	Amarillo, part	876	–	–	5	141	27	27	11	25	6	6	39	17	432	314	5	5
81	Amarillo, total	1,138	–	–	7	203	47	42	14	31	7	9	53	19	565	422	5	6
82	Balance of county	14	–	–	–	4	2	–	–	1	–	1	–	–	5	4	–	–
83	Presidio	46	–	–	1	8	1	–	1	–	–	–	6	1	19	11	–	1
84	Rains	48	–	–	–	10	1	1	2	3	–	1	2	–	33	27	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
50	15	-	25	3	-	3	1	-	3	-	-	1	2	11	20	9	2	4	1	-	01
27	16	1	21	-	4	4	1	-	-	-	-	1	-	7	11	2	6	1	1	-	02
16	7	-	7	-	-	2	2	-	1	-	-	-	-	2	5	1	3	-	3	1	03
75	16	1	28	3	1	11	1	-	3	2	-	1	1	35	36	4	8	1	4	-	04
20	16	1	17	4	1	6	3	2	-	1	-	-	2	4	14	6	5	2	1	-	05
32	12	-	14	1	1	3	2	-	-	1	-	-	-	17	13	4	6	-	-	-	06
97	23	-	22	21	4	26	3	1	5	-	-	4	10	74	38	30	21	6	10	-	07
81	22	1	18	3	1	10	1	-	3	1	-	1	-	14	15	9	6	2	2	-	08
9	-	-	-	1	1	1	-	-	-	-	-	-	-	1	3	3	-	-	-	-	09
15	4	-	11	1	-	-	1	-	1	-	-	-	-	10	5	6	1	-	-	-	10
42	12	-	16	1	6	3	3	-	2	-	-	-	-	5	12	4	2	1	-	-	11
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
286	170	7	109	14	14	58	24	3	10	2	-	13	29	13	111	67	59	24	38	-	13
245	137	7	88	12	14	52	15	3	9	2	-	11	19	10	90	56	43	21	34	-	14
41	33	-	21	2	-	6	9	-	1	-	-	2	10	3	21	11	16	3	4	-	15
22	6	-	8	1	1	1	3	-	-	-	-	-	3	2	6	1	-	2	-	-	16
49	12	-	18	3	1	-	5	-	-	-	-	-	-	2	9	1	4	2	-	-	17
407	162	5	186	15	23	42	18	4	7	12	-	7	24	67	121	39	36	18	24	1	18
288	109	2	142	13	16	31	11	3	7	8	-	5	22	48	79	21	24	11	19	1	19
119	53	3	44	2	7	11	7	1	-	4	-	2	2	19	42	18	12	7	5	-	20
4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
29	12	-	9	2	3	3	1	1	-	-	-	-	-	7	9	4	1	1	1	-	22
20	11	1	13	3	1	3	-	-	-	1	-	-	2	9	17	10	5	3	-	-	23
11	1	1	6	2	1	3	2	-	-	-	-	-	1	-	2	2	1	-	-	-	24
15	4	-	1	-	2	2	-	-	-	-	-	1	1	3	4	2	-	2	-	-	25
71	36	1	36	1	4	16	1	-	3	2	-	4	5	11	28	13	11	4	6	-	26
36	15	1	18	1	1	8	1	-	-	2	-	3	2	1	20	5	4	1	4	-	27
35	21	-	18	-	3	8	-	-	3	-	-	1	3	10	8	8	7	3	2	-	28
29	15	-	13	3	1	3	-	-	2	-	-	1	6	9	7	1	3	1	1	2	29
23	12	-	11	3	1	3	-	-	2	-	-	-	4	6	7	1	2	1	1	-	30
6	3	-	2	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-	2	31
40	17	-	25	4	3	6	2	-	2	4	-	3	1	1	29	9	6	2	2	-	32
11	3	1	4	3	-	-	3	2	1	1	-	-	-	2	9	3	1	-	-	-	33
96	46	1	43	3	6	18	15	3	6	4	-	3	14	5	53	22	25	5	8	-	34
87	41	-	41	3	6	18	14	2	6	4	-	3	12	5	44	17	22	4	7	-	35
9	5	1	2	-	-	-	1	1	-	-	-	-	2	-	9	5	3	1	1	-	36
82	39	-	25	5	3	11	3	1	-	2	-	1	2	3	27	9	5	2	4	-	37
30	1	1	3	3	3	-	1	-	-	-	-	-	-	3	3	1	2	-	-	-	38
38	5	-	19	4	1	4	2	-	-	-	-	1	1	14	7	1	8	-	2	-	39
94	32	-	46	6	6	2	2	-	3	2	-	2	-	8	11	4	7	3	1	-	40
100	50	-	52	1	5	29	7	1	9	2	-	5	13	96	53	44	27	16	7	-	41
31	10	-	13	1	1	7	2	-	1	-	-	2	3	35	16	13	11	2	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	43
69	40	-	39	-	4	22	5	1	8	2	-	3	10	61	37	31	15	14	7	-	44
20	9	-	5	3	4	2	2	-	1	-	-	1	2	1	8	2	6	-	1	-	45
42	9	-	10	2	3	4	-	-	1	1	-	-	3	7	12	9	5	1	1	-	46
8	1	-	5	-	1	1	-	-	-	-	-	-	-	1	2	-	-	1	1	-	47
109	29	-	56	7	6	12	-	3	3	7	-	4	4	16	32	15	16	3	2	-	48
56	15	-	25	4	3	8	-	2	-	6	-	-	2	5	16	5	10	1	2	-	49
53	14	-	31	3	3	4	-	1	3	1	-	4	2	11	16	10	6	2	-	-	50
103	64	2	51	4	7	13	6	1	4	2	-	3	3	40	44	14	13	6	3	-	51
65	43	1	37	1	6	8	4	1	3	1	-	2	2	21	28	10	8	4	3	-	52
38	21	1	14	3	1	5	2	-	1	1	-	1	1	19	16	4	5	2	-	-	53
15	10	-	4	-	-	1	-	-	-	-	-	-	2	3	4	5	8	2	1	-	54
38	10	-	23	-	-	14	1	-	-	-	-	-	-	19	22	4	8	3	1	-	55
30	6	-	18	-	-	10	-	-	-	-	-	-	-	12	18	4	6	3	1	-	56
8	4	-	5	-	-	4	1	-	-	-	-	-	-	7	4	-	2	-	-	-	57
525	56	3	119	15	24	57	33	5	27	10	-	25	35	15	174	77	37	37	56	3	58
460	44	2	105	12	22	48	29	5	25	9	-	21	33	10	157	68	34	35	48	2	59
35	3	1	6	-	1	8	1	-	1	-	-	2	1	4	7	7	2	-	5	-	60
30	9	-	8	3	1	1	3	-	1	1	-	2	1	1	10	2	1	2	3	1	61
14	4	-	8	-	1	3	2	1	1	-	-	1	1	-	3	2	2	2	1	-	62
1	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	63
99	29	-	24	8	8	12	3	-	3	3	-	5	12	77	35	28	16	12	8	-	64
31	11	-	9	3	3	9	2	-	1	3	-	3	7	33	14	9	2	1	5	-	65
68	18	-	15	5	5	3	1	-	2	-	-	2	5	44	21	19	14	11	3	-	66
58	16	-	41	2	2	20	4	1	6	1	-	-	2	26	23	4	7	-	1	-	67
46	10	-	26	1	2	16	4	1	4	1	-	-	2	19	15	4	5	-	-	-	68
46	10	-	26	1	2	16	4	1	4	1	-	-	2	19	15	4	5	-	-	-	69
12	6	-	15	1	-	4	-	-	2	-	-	-	-	7	8	-	2	-	1	-	70
79	10	-	29	5	5	7	1	1	-	1	-	-	4	5	19	17	4	2	2	1	71
78	29	1	33	13	2	10	10	-	5	-	-	-	3	12	27	12	7	6	1	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
47	12	-	14	10	-	4	6	-	2	-	-	-	2	9	18	5	1	2	-	-	74
31	17	1	19	3	2	6	4	-	3	-	-	-	1	3	9	7	6	4	1	-	75
21	2	-	2	-	1	5	2	-	1	-	-	-	1	3	3	3	7	3	-	-	76
33	4	-	5	-	1	5	1	1	4	1	-	1	3	-	5	3	2	2	3	-	77
41	42	-	27	2	2	11	6	-	1	2	-	-	6	17	22	11	3	3	2	-	78
276	32	1	90	18	10	35	13	1	16	5	-	13	13	9	87	30	31	18	15	-	79
272	32	1	89	18	10	35	12	1	16	5	-	13	13	9	85	29	31	17	15	-	80
366	45	1	107	19	16	44	15	2	19	5	-	13	18	12	102	34	41	22	17	-	81
4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	82
9	1	-	6	-	2	1	2	-	1	-	-	-	1	3	5	1	1	1	1	-	83
19	8	-	5	1	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	84

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Randall	363	-	-	2	82	25	18	5	8	1	6	19	4	180	143	-	1
02	Amarillo, part	262	-	-	2	62	20	15	3	6	1	3	14	2	133	108	-	1
03	Balance of county	101	-	-	-	20	5	3	2	2	-	3	5	2	47	35	-	-
04	Reagan	32	-	-	-	14	5	5	1	2	-	1	-	2	9	8	-	-
05	Real	19	-	-	-	6	-	3	1	-	-	1	1	-	6	6	-	-
06	Red River	232	-	-	1	46	18	8	3	6	3	-	8	3	119	66	2	-
07	Reeves	111	-	-	2	17	-	8	-	4	-	-	5	1	48	41	1	-
08	Pecos	92	-	-	2	13	-	5	-	4	-	-	4	1	39	35	-	-
09	Balance of county	19	-	-	-	4	-	3	-	-	-	-	1	-	9	6	1	-
10	Refugio	76	-	-	2	11	4	3	-	2	-	-	2	-	29	22	-	-
11	Roberts	9	-	-	-	3	-	1	1	-	-	-	1	-	5	5	-	-
12	Robertson	204	-	-	3	28	8	10	1	3	1	-	5	4	107	65	-	1
13	Rockwall	77	-	-	1	17	7	2	1	1	-	2	4	-	37	30	2	-
14	Runnels	160	-	-	1	30	8	5	5	-	3	3	6	2	88	50	-	3
15	Rusk	475	-	-	4	76	18	19	9	9	4	2	15	7	225	161	3	1
16	Henderson	151	-	-	-	30	9	6	3	5	1	1	5	3	79	59	1	1
17	Balance of county	324	-	-	4	46	9	13	6	4	3	1	10	4	146	102	2	-
18	Sabine	89	-	-	-	22	5	9	-	2	1	-	5	2	45	34	1	1
19	San Augustine	118	-	-	4	24	3	9	-	5	-	1	6	1	56	41	-	-
20	San Jacinto	96	-	-	-	22	5	7	-	3	-	-	7	2	37	27	-	-
21	San Patricio	391	-	-	2	81	16	22	4	11	9	-	19	5	174	132	3	1
22	San Saba	106	-	-	1	18	4	2	2	4	2	3	1	1	49	29	-	1
23	Schleicher	33	-	-	2	5	2	-	-	-	-	1	2	-	12	8	-	-
24	Scurry	174	3	-	-	34	10	4	2	4	2	3	9	3	71	39	1	1
25	Snyder	122	2	-	-	25	8	2	1	3	-	2	9	2	46	19	1	-
26	Balance of county	52	1	-	-	9	2	2	1	1	2	1	-	1	25	20	-	1
27	Shackelford	50	-	-	1	5	-	3	-	-	-	1	1	1	27	20	-	1
28	Shelby	311	1	-	3	53	16	14	2	8	1	1	11	8	163	100	-	-
29	Sherman	23	-	-	-	4	1	1	1	-	-	-	1	-	9	8	-	-
30	Smith	1,111	2	-	7	225	53	61	15	30	13	8	45	9	607	455	10	14
31	Tyler	640	1	-	1	129	33	30	11	19	8	3	25	3	354	263	9	9
32	Balance of county	471	1	-	6	96	20	31	4	11	5	5	20	6	253	192	1	5
33	Somervell	39	-	-	-	7	1	2	-	1	-	-	3	-	23	16	-	-
34	Starr	144	-	-	3	17	5	2	1	3	-	-	6	5	58	40	-	1
35	Stephens	140	-	-	-	20	5	8	2	2	-	-	3	2	82	64	-	-
36	Sterling	13	-	-	-	1	-	-	-	1	-	-	-	1	9	7	-	-
37	Stonewall	32	-	-	-	2	1	-	-	-	-	-	1	1	13	13	-	-
38	Sutton	35	-	-	-	3	1	-	-	-	1	-	1	-	24	10	-	-
39	Swisher	100	-	-	-	24	8	4	4	1	2	1	4	1	46	32	-	-
40	Tarrant	5,995	9	2	54	1,190	275	347	110	122	48	52	236	85	2,857	1,946	34	25
41	Arlington	644	2	-	3	115	24	26	20	16	4	4	21	3	320	208	7	1
42	Bedford	59	-	-	-	18	4	6	3	1	-	1	3	1	12	11	-	-
43	Euless	74	1	-	-	15	2	4	4	1	-	-	4	1	27	18	-	-
44	Fort Worth, part	3,809	6	1	37	764	178	228	62	87	33	31	145	66	1,822	1,228	20	20
45	Fort Worth, total	3,810	6	1	37	764	178	228	62	87	33	31	145	66	1,823	1,229	20	20
46	Grand Prairie, part	30	-	-	1	5	1	3	-	-	-	-	1	-	14	8	-	-
47	Haltom City	205	-	-	-	45	11	13	4	3	1	4	9	1	92	64	1	1
48	Hurst	127	-	-	1	30	2	12	4	1	1	1	9	2	55	44	2	-
49	North Richland Hills	119	-	-	1	26	8	5	1	2	1	2	7	1	59	42	-	-
50	White Settlement	73	-	-	-	12	3	3	3	2	-	-	1	1	41	27	-	-
51	Balance of county	855	-	1	11	160	42	47	9	9	8	9	36	9	415	296	4	3
52	Taylor	856	-	-	6	154	37	34	13	28	6	4	32	13	423	308	3	9
53	Abilene, part	742	-	-	5	128	29	30	11	25	6	3	24	10	369	265	3	6
54	Abilene, total	743	-	-	5	128	29	30	11	25	6	3	24	10	370	265	3	6
55	Balance of county	114	-	-	1	26	8	4	2	3	-	1	8	3	54	43	-	3
56	Terrell	14	-	-	-	2	-	-	-	1	1	-	-	-	5	4	-	-
57	Terry	124	-	-	2	22	4	6	1	4	1	1	5	-	43	33	-	1
58	Throckmorton	31	-	-	-	3	1	-	1	-	-	-	1	-	18	15	-	-
59	Titus	237	-	-	2	47	13	11	3	3	1	4	12	3	118	81	-	2
60	Tom Green	747	1	-	7	135	30	46	6	13	5	7	28	10	396	234	4	1
61	San Angelo	681	1	-	7	125	27	44	6	13	4	6	25	9	366	218	4	1
62	Balance of county	66	-	-	-	10	3	2	-	-	1	1	3	1	30	16	-	-
63	Travis	2,218	5	-	24	457	122	122	31	45	25	22	90	28	1,023	688	18	9
64	Austin	1,934	4	-	22	397	103	105	26	40	23	19	81	25	893	589	15	6
65	Balance of county	284	1	-	2	60	19	17	5	5	2	3	9	3	130	99	3	3
66	Trinity	144	-	-	2	27	9	6	1	5	-	1	5	3	73	62	-	2
67	Tyler	177	-	-	2	32	9	3	5	5	2	-	8	1	78	54	1	-
68	Upshur	291	-	-	2	60	14	12	5	8	2	3	16	6	140	87	1	1
69	Upton	36	-	-	1	7	1	3	1	1	1	-	-	-	19	17	-	-
70	Uvalde	171	-	-	1	29	6	9	1	4	-	2	7	2	67	49	-	2
71	Uvalde	109	-	-	1	19	5	7	1	2	-	-	4	2	39	27	-	1
72	Balance of county	62	-	-	-	10	1	2	-	2	-	2	3	-	28	22	-	1
73	Val Verde	213	2	-	4	47	10	20	3	4	2	-	8	1	80	62	-	1
74	Del Rio	196	2	-	4	42	9	18	2	4	2	-	7	1	76	58	-	1
75	Balance of county	17	-	-	-	5	1	2	1	-	-	-	1	-	4	4	-	-
76	Van Zandt	343	-	-	-	63	15	23	6	3	1	3	12	3	176	133	4	3
77	Victoria	495	1	-	6	95	26	35	8	8	2	2	14	5	255	192	2	1
78	Victoria	372	1	-	4	70	20	29	6	8	1	1	5	5	187	135	2	-
79	Balance of county	123	-	-	2	25	6	6	2	-	1	1	9	-	68	57	-	1
80	Walker	196	-	-	2	40	7	8	1	7	3	2	12	3	89	72	-	2
81	Huntsville	100	-	-	-	27	6	4	-	5	2	2	8	1	41	33	-	-
82	Balance of county	96	-	-	2	13	1	4	1	2	1	-	4	2	48	39	-	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
127	15	–	26	3	8	13	4	3	4	1	–	3	6	4	25	10	15	5	2	–	01
94	13	–	18	1	6	9	3	1	3	–	–	–	5	3	17	5	10	5	2	–	02
33	2	–	8	2	2	4	1	2	1	1	–	3	1	1	8	5	5	–	–	–	03
7	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	2	2	–	1	–	04
4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	05
53	11	–	42	6	5	11	5	–	–	2	–	1	–	24	6	9	4	–	1	–	06
28	12	–	7	–	–	5	1	–	2	–	1	–	4	5	8	5	8	–	4	–	07
25	10	–	4	–	–	5	1	–	2	–	1	–	3	5	8	4	5	–	3	–	08
3	2	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	–	09
18	4	–	2	4	1	1	1	–	–	–	–	–	–	11	16	2	2	1	–	–	10
3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	11
53	11	2	26	11	3	5	–	1	–	1	–	2	2	15	19	4	7	3	3	–	12
22	6	1	4	1	1	1	–	–	2	–	–	1	1	–	8	3	5	–	1	–	13
39	8	–	33	1	4	4	3	–	–	1	–	–	3	12	9	4	2	1	–	–	14
138	19	1	52	4	7	10	6	3	2	1	–	2	3	55	39	19	9	5	9	–	15
51	6	1	17	–	2	1	1	–	–	1	–	2	–	10	14	3	2	2	3	–	16
87	13	–	35	4	5	9	5	3	2	–	–	–	3	45	25	16	7	3	6	–	17
29	3	–	9	–	2	5	–	–	–	–	–	–	–	1	5	2	6	–	1	–	18
35	6	–	15	–	–	5	1	–	3	1	–	1	2	2	11	1	4	–	2	–	19
21	6	–	6	3	1	3	–	–	2	1	–	–	2	6	11	5	4	–	1	–	20
117	11	4	30	3	5	12	4	1	7	1	–	3	10	27	26	17	7	3	10	1	21
20	8	5	10	3	2	9	3	–	–	2	–	–	1	3	12	–	5	2	–	–	22
6	2	–	3	–	1	2	1	–	–	–	–	1	–	3	1	2	3	1	–	–	23
29	8	1	26	4	1	9	2	1	2	1	–	1	1	14	19	4	6	1	2	–	24
15	3	1	22	3	1	8	2	1	2	1	–	1	1	8	13	3	4	1	2	–	25
14	5	–	4	1	–	1	–	–	–	–	–	–	–	6	6	1	2	–	–	–	26
14	5	–	7	–	–	3	–	1	1	–	–	–	–	–	4	1	6	–	–	–	27
79	21	1	51	3	8	8	3	–	2	2	–	–	5	11	21	15	7	1	7	1	28
6	2	–	1	–	–	–	1	–	–	–	–	–	–	–	3	4	2	–	–	–	29
285	146	1	118	20	13	25	10	2	11	3	–	7	14	19	78	32	26	16	18	–	30
176	69	1	71	13	6	12	7	1	7	1	–	5	9	11	51	13	14	10	11	–	31
109	77	–	47	7	7	13	3	1	4	2	–	2	5	8	27	19	12	6	7	–	32
10	6	–	5	–	2	–	–	–	–	–	–	1	–	2	2	3	–	1	–	–	33
32	7	–	14	2	2	3	–	–	1	–	–	2	–	17	15	9	11	1	2	–	34
53	11	–	16	2	–	7	2	1	–	1	–	1	3	–	10	3	4	2	2	–	35
1	6	–	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	36
12	1	–	–	–	–	2	2	–	–	–	–	–	1	1	2	2	2	–	4	–	37
5	5	1	10	1	2	–	–	–	–	–	–	1	1	–	2	4	–	–	–	–	38
30	2	–	12	2	–	3	3	–	–	–	–	2	1	6	5	4	3	1	1	–	39
1,714	173	16	672	141	82	180	95	22	133	27	1	46	108	47	513	202	166	115	113	30	40
184	16	2	75	19	16	24	14	–	12	1	–	5	12	9	59	18	16	19	7	5	41
10	1	–	1	–	–	2	1	–	1	–	–	2	3	–	8	6	3	1	1	–	42
17	1	–	8	1	–	1	1	–	4	–	–	–	2	1	6	6	4	3	2	–	43
1,077	111	11	435	91	57	113	54	15	95	18	–	25	70	26	316	110	110	58	83	20	44
1,078	111	11	435	91	57	113	54	15	95	18	–	25	70	26	316	110	110	58	83	20	45
6	2	–	–	6	–	1	1	–	2	–	–	–	–	1	2	–	–	–	3	–	46
51	11	2	21	4	1	5	6	1	3	1	–	1	4	–	23	10	6	4	3	–	47
38	4	–	9	1	1	4	1	–	1	1	–	1	1	5	13	6	2	3	1	–	48
38	4	–	12	4	1	3	2	–	2	1	–	3	2	1	8	5	1	4	–	–	49
23	4	–	12	1	1	3	2	–	1	–	–	–	–	–	4	3	–	1	4	1	50
270	19	1	99	14	5	24	13	6	12	5	1	9	14	4	74	38	24	22	9	4	51
223	73	4	88	13	10	34	8	3	8	2	–	7	10	24	83	26	23	19	9	4	52
191	65	4	79	11	10	27	7	2	8	2	–	6	9	18	79	21	22	18	8	3	53
191	65	4	80	11	10	27	7	2	8	2	–	6	9	18	79	21	22	18	8	3	54
32	8	–	9	2	–	7	1	1	–	–	–	1	1	6	4	5	1	1	1	1	55
2	2	–	1	–	–	3	–	–	–	–	–	1	–	–	2	1	–	–	–	–	56
28	4	1	8	–	1	9	2	1	1	–	–	2	4	2	13	9	5	4	5	–	57
11	4	–	2	–	1	2	1	–	1	–	–	–	–	–	2	1	2	–	1	–	58
55	24	4	26	5	2	9	1	1	2	1	–	1	4	8	21	6	10	1	2	–	59
203	26	2	136	16	8	22	13	2	9	2	–	3	8	21	48	22	24	15	8	1	60
188	25	2	127	13	6	19	12	2	9	2	–	2	6	16	44	20	19	13	8	1	61
15	1	–	9	3	2	3	1	–	–	–	–	1	2	5	4	2	5	2	–	–	62
597	64	4	179	125	27	57	19	2	29	8	–	30	21	32	205	100	71	59	47	1	63
510	58	4	156	119	25	50	17	2	27	8	–	28	21	29	176	83	61	50	40	1	64
87	6	–	23	6	2	7	2	–	2	–	–	2	–	3	29	17	10	9	7	–	65
41	19	1	9	1	–	1	2	1	1	–	–	2	–	12	7	5	6	–	2	–	66
47	6	–	16	2	6	9	1	–	1	1	–	2	1	16	16	11	1	1	4	–	67
45	40	–	45	1	7	7	1	1	2	1	–	1	1	15	26	12	14	2	–	–	68
14	3	–	2	–	–	1	–	–	–	–	–	1	–	3	1	–	3	–	–	–	69
39	8	–	9	5	4	7	2	–	1	2	–	2	1	19	21	9	5	–	3	–	70
21	5	–	7	4	1	6	1	–	1	1	–	2	1	13	14	4	3	–	2	–	71
18	3	–	2	1	3	1	1	–	–	1	–	–	–	6	7	5	2	–	1	–	72
51	10	–	18	–	–	8	2	–	4	1	–	2	7	10	10	17	10	5	2	1	73
49	8	–	18	–	–	8	2	–	4	1	–	2	6	9	10	14	7	5	2	1	74
2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	–	–	–	75
102	24	–	31	6	6	15	4	–	3	–	–	1	2	25	32	9	6	3	1	–	76
166	23	–	55	4	4	12	5	1	2	4	–	5	5	4	32	33	16	12	1	1	77
115	18	–	47	2	3	9	3	–	2	3	–	5	5	4	26	23	14	9	1	1	78
51	5	–	8	2	1	3	2	1	–	1	–	–	–	–	6	10	2	3	–	–	79
51	19	–	10	6	1	5	5	–	2	–	–	1	4	5	14	12	6	1	7	–	80
27	6	–	5	2	1	3	1	–	1	–	–	1	4	2	5	8	2	–	4	–	81
24	13	–	5	4	–	2	4	–	1	–	–	–	–	3	9	4	4	1	3	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Waller	138	1	–	3	29	10	7	2	3	2	1	4	4	63	50	–	1
02	Ward	111	–	–	–	20	2	5	4	1	–	1	7	1	61	48	1	–
03	Washington	310	–	–	5	66	18	20	9	5	2	1	11	7	166	105	1	1
04	Webb	546	2	–	6	106	33	21	6	18	4	4	20	18	216	157	1	3
05	Laredo	513	2	–	6	102	31	20	5	18	4	4	20	17	203	146	1	3
06	Balance of county	33	–	–	–	4	2	1	1	–	–	–	–	1	13	11	–	–
07	Wharton	394	1	–	3	67	22	17	3	6	2	1	16	6	181	139	1	7
08	Wheeler	69	–	–	3	12	2	4	–	1	2	–	3	–	35	26	2	1
09	Wichita	1,040	1	1	4	203	43	52	15	29	17	7	40	12	523	371	–	8
10	Wichita Falls	808	1	1	3	157	38	37	11	23	13	5	30	11	407	289	–	8
11	Balance of county	232	–	–	1	46	5	15	4	6	4	2	10	1	116	82	–	–
12	Wilbarger	206	–	–	1	28	11	6	3	2	3	–	3	3	124	92	1	–
13	Vernon	186	–	–	1	26	9	6	3	2	3	–	3	3	112	85	1	–
14	Balance of county	20	–	–	–	2	2	–	–	–	–	–	–	–	12	7	–	–
15	Willacy	126	1	–	3	22	5	7	1	7	–	1	1	4	61	51	–	1
16	Williamson	512	–	–	3	90	27	20	2	14	3	2	22	9	291	189	–	2
17	Wilson	126	–	–	–	22	4	7	2	2	–	1	6	2	65	46	–	3
18	Winkler	83	–	–	–	20	5	8	2	–	–	2	3	1	38	29	–	–
19	Wise	222	–	–	1	44	16	9	4	7	1	–	7	1	103	73	–	3
20	Wood	339	–	–	2	55	17	12	3	6	1	3	13	1	173	123	2	1
21	Yoakum	58	–	–	–	5	1	2	–	–	–	–	2	1	29	21	–	–
22	Young	253	2	–	4	45	10	13	3	5	2	1	11	5	122	85	–	–
23	Zapata	54	–	–	1	10	1	3	1	2	–	–	3	–	23	20	–	–
24	Zavala	88	–	–	–	17	5	5	1	3	–	–	3	2	33	20	–	–
25	**Utah**	7,892	9	4	58	1,288	319	190	137	181	53	80	328	169	3,528	2,619	105	29
26	Urban places	3,670	3	1	27	611	151	99	62	86	29	35	149	75	1,699	1,257	49	13
27	Balance of area	4,222	6	3	31	677	168	91	75	95	24	45	179	94	1,829	1,362	56	16
28	Metropolitan counties	5,813	5	2	49	952	234	137	99	141	44	54	243	131	2,587	1,927	76	18
29	Urban places	3,319	3	1	26	541	134	88	50	80	29	26	134	65	1,547	1,150	41	10
30	Balance of area	2,494	2	1	23	411	100	49	49	61	15	28	109	66	1,040	777	35	8
31	Nonmetropolitan counties	2,079	4	2	9	336	85	53	38	40	9	26	85	38	941	692	29	11
32	Urban places	351	–	–	1	70	17	11	12	6	–	9	15	10	152	107	8	3
33	Balance of area	1,728	4	2	8	266	68	42	26	34	9	17	70	28	789	585	21	8
34	Beaver	38	–	–	–	5	2	–	–	–	1	–	2	–	20	14	1	–
35	Box Elder	210	–	–	–	35	7	4	6	2	–	5	11	5	93	62	3	2
36	Brigham City	102	–	–	–	22	3	3	5	1	–	5	5	4	45	27	2	–
37	Balance of county	108	–	–	–	13	4	1	1	1	–	–	6	1	48	35	1	2
38	Cache	294	–	–	–	62	18	7	8	4	1	6	18	11	134	102	6	6
39	Logan	148	–	–	–	29	7	5	5	1	–	4	7	5	72	52	3	3
40	Balance of county	146	–	–	–	33	11	2	3	3	1	2	11	6	62	50	3	3
41	Carbon	179	–	1	2	32	7	4	4	3	1	1	12	1	88	75	2	–
42	Daggett	5	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–
43	Davis	503	–	1	5	97	29	10	9	20	5	5	19	17	196	157	3	2
44	Bountiful	139	–	–	1	28	7	5	3	6	2	1	4	4	59	50	1	1
45	Clearfield	67	–	1	1	11	2	2	–	2	1	2	2	2	28	21	1	1
46	Layton	102	–	–	–	23	6	3	2	3	–	2	7	2	36	27	–	–
47	Balance of county	195	–	–	3	35	14	–	4	9	2	–	6	9	73	59	1	–
48	Duchesne	77	–	–	2	6	2	–	–	2	–	–	2	3	31	27	–	–
49	Emery	65	–	–	–	6	4	1	–	–	–	–	1	–	31	26	–	–
50	Garfield	33	–	–	–	1	–	–	–	1	–	–	–	–	17	10	1	1
51	Grand	49	–	–	–	11	3	3	3	1	–	–	1	1	14	9	1	–
52	Iron	95	–	–	1	13	2	1	–	3	–	2	5	4	48	38	1	1
53	Juab	41	–	–	–	7	1	3	–	2	–	1	–	1	20	13	–	–
54	Kane	32	–	–	–	3	–	1	–	–	–	–	2	1	12	10	–	–
55	Millard	73	–	–	–	12	2	4	–	3	–	2	1	1	33	27	–	–
56	Morgan	29	–	–	–	4	–	2	1	1	–	–	–	–	15	13	1	–
57	Piute	7	–	–	–	2	–	1	–	1	–	–	–	–	3	2	1	–
58	Rich	8	–	–	–	1	1	–	–	–	–	–	–	–	4	2	–	–
59	Salt Lake	3,386	2	1	30	566	127	93	59	78	30	25	154	74	1,514	1,125	49	12
60	Murray	146	–	–	2	20	5	1	2	2	3	1	6	3	72	58	1	2
61	Salt Lake City	1,699	–	–	14	298	72	53	28	41	16	11	77	31	816	594	22	5
62	Balance of county	1,541	2	1	14	248	50	39	29	35	11	13	71	40	626	473	26	5
63	San Juan	53	2	–	–	3	1	–	–	–	–	1	1	1	13	8	1	–
64	Sanpete	156	–	–	1	28	7	5	2	2	1	4	7	–	72	46	4	–
65	Sevier	106	1	–	–	17	3	–	3	3	2	–	6	1	52	34	2	1
66	Summit	43	–	–	–	4	2	–	–	1	–	–	1	1	20	13	1	–
67	Tooele	145	–	1	1	24	8	4	2	5	–	1	4	1	54	43	3	–
68	Tooele	101	–	–	1	19	7	3	2	4	–	–	3	1	35	28	3	–
69	Balance of county	44	–	1	–	5	1	1	–	1	–	1	1	–	19	15	–	–
70	Uintah	98	1	–	1	14	4	4	3	–	–	–	3	1	37	31	–	–
71	Utah	960	–	–	8	148	36	14	19	24	4	13	38	25	406	293	10	4
72	Orem	178	–	–	2	24	5	3	1	5	1	2	7	4	65	53	2	–
73	Provo	270	–	–	1	44	8	6	7	7	2	2	12	8	113	80	2	1
74	Balance of county	512	–	–	5	80	23	5	11	12	1	9	19	13	228	160	6	3
75	Wasatch	64	–	–	–	8	3	1	–	2	1	–	1	2	32	21	1	–
76	Washington	170	–	–	1	36	7	7	6	4	2	3	7	3	91	60	–	–
77	Wayne	9	–	–	–	1	–	1	–	–	–	–	–	–	5	4	–	–
78	Weber	964	3	–	6	141	42	20	12	19	5	11	32	15	471	352	14	–
79	Ogden	624	3	–	4	80	26	11	5	13	4	3	18	8	323	238	10	–
80	Ray	94	–	–	1	13	3	4	2	1	–	2	1	3	35	29	2	–
81	Balance of county	246	–	–	1	48	13	5	5	5	1	6	13	4	113	85	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
39	10	2	10	1	-	3	1	1	3	2	2	-	1	6	8	5	4	-	2	-	01
29	18	-	9	3	1	2	2	1	2	1	-	1	1	4	7	6	2	-	-	-	02
87	16	1	54	5	1	7	-	-	-	3	-	1	2	12	23	10	6	1	1	-	03
127	26	1	48	5	5	14	3	2	16	1	-	8	12	25	60	19	21	7	10	-	04
120	22	1	46	5	5	14	3	1	14	1	-	8	12	24	55	18	18	6	9	-	05
7	4	-	2	-	-	-	-	1	2	-	-	-	-	1	5	1	3	1	1	-	06
96	35	2	31	3	6	8	6	-	2	-	-	3	10	43	31	20	11	-	2	-	07
21	2	-	5	3	1	2	-	1	-	1	-	-	1	2	7	1	4	-	-	-	08
319	44	3	122	11	16	37	9	2	6	4	-	4	13	18	101	46	30	12	14	-	09
255	26	3	93	8	14	21	8	1	6	4	-	4	10	17	81	33	24	7	12	-	10
64	18	-	29	3	2	16	1	1	-	-	-	-	3	1	20	13	6	5	2	-	11
69	22	-	19	7	6	5	4	1	1	2	-	3	1	7	12	5	7	2	-	-	12
65	19	-	16	7	4	5	4	1	1	2	-	3	1	6	11	2	7	1	-	-	13
4	3	-	3	-	2	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	14
44	6	-	6	3	1	5	3	1	1	-	-	-	-	4	8	3	7	2	1	-	15
169	18	1	77	16	8	9	2	1	4	1	-	1	6	12	34	25	16	2	6	-	16
39	4	-	15	2	2	7	4	-	-	1	-	-	-	2	15	5	1	2	-	-	17
21	8	-	8	-	1	1	1	-	-	-	-	-	1	6	8	-	5	1	-	1	18
53	17	1	24	1	4	6	3	-	1	-	-	1	3	8	23	9	13	4	2	-	19
92	28	-	43	1	6	11	2	4	2	3	-	2	5	19	30	10	8	7	5	-	20
17	4	1	5	1	1	2	2	-	1	1	-	2	1	1	1	5	5	2	-	-	21
43	42	2	21	5	9	14	8	1	3	-	-	4	2	4	26	3	4	3	3	-	22
8	12	-	3	-	-	1	-	-	2	-	-	2	2	3	6	4	-	-	-	-	23
15	5	-	13	-	-	2	2	1	3	-	-	-	3	4	10	5	3	-	3	-	24
2,174	311	14	694	99	102	243	106	18	110	23	2	153	184	181	825	385	352	169	64	21	25
1,063	132	10	331	44	57	125	38	12	64	11	-	57	82	83	401	118	145	75	33	10	26
1,111	179	4	363	55	45	118	68	6	46	12	2	96	102	98	424	267	207	94	31	11	27
1,612	221	13	504	67	76	180	70	15	82	20	1	121	140	133	630	256	247	129	45	18	28
976	123	9	299	38	51	114	31	12	57	11	-	55	75	74	367	101	135	62	32	10	29
636	98	4	205	29	25	66	39	3	25	9	1	66	65	59	263	155	112	67	13	8	30
562	90	1	190	32	26	63	36	3	28	3	1	32	44	48	195	129	105	40	19	3	31
87	9	1	32	6	6	11	7	-	7	-	-	2	7	9	34	17	10	13	1	-	32
475	81	-	158	26	20	52	29	3	21	3	1	30	37	39	161	112	95	27	18	3	33
10	3	-	5	-	1	-	2	1	-	-	-	1	2	-	4	-	2	-	1	-	34
50	7	1	19	7	4	10	2	-	1	-	-	2	5	7	24	11	7	6	2	-	35
20	5	1	9	5	3	4	1	-	-	-	-	-	2	2	10	7	2	3	-	-	36
30	2	-	10	2	1	6	1	-	1	-	-	2	3	5	14	4	5	3	2	-	37
87	3	-	26	3	3	6	5	-	3	-	-	7	8	6	23	12	9	6	2	-	38
45	1	-	17	1	2	5	1	-	2	-	-	2	3	4	11	4	4	5	1	-	39
42	2	-	9	2	1	1	4	-	1	-	-	5	5	2	12	8	5	1	1	-	40
66	7	-	11	1	1	4	6	-	4	-	-	6	-	-	18	8	6	3	-	-	41
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
126	26	1	29	5	4	12	2	2	5	-	-	10	25	10	48	27	29	13	4	-	43
37	11	-	9	-	-	3	1	1	-	-	-	3	3	1	17	7	7	3	1	-	44
18	1	-	5	-	2	2	-	-	1	-	-	2	2	3	6	3	3	1	1	-	45
25	2	-	4	3	2	2	-	1	3	-	-	2	6	1	9	5	8	4	-	-	46
46	12	1	11	2	-	5	1	-	1	-	-	3	14	5	16	12	11	5	2	-	47
25	2	-	4	-	-	6	2	-	2	-	-	-	-	1	10	3	7	1	3	-	48
24	2	-	3	1	1	2	1	-	1	-	-	1	1	3	5	6	8	-	-	-	49
4	4	-	6	1	-	1	-	-	2	-	-	1	-	1	4	3	2	-	1	-	50
7	1	-	5	-	-	3	1	1	-	-	-	1	1	2	1	6	4	1	1	1	51
27	9	-	8	-	2	2	3	-	2	-	-	2	3	1	4	6	4	2	-	-	52
12	1	-	1	5	1	-	-	-	-	-	-	-	1	2	4	1	3	1	1	-	53
10	-	-	2	-	-	3	-	-	-	-	-	-	2	1	2	5	1	-	2	-	54
25	2	-	4	-	2	1	-	-	-	-	-	1	1	1	11	7	3	1	1	-	55
11	1	-	2	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	-	-	56
1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	57
2	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	58
929	135	7	306	35	41	96	50	4	48	13	-	64	60	77	365	148	141	82	35	16	59
43	12	-	12	1	1	2	1	-	2	-	-	3	2	6	15	5	8	5	-	-	60
500	67	5	172	21	24	55	19	3	27	7	-	19	19	39	181	42	66	28	25	10	61
386	56	2	122	13	16	39	30	1	19	6	-	42	39	32	169	101	67	49	10	6	62
6	1	-	4	1	-	1	-	-	1	-	-	-	2	6	8	11	4	-	1	-	63
37	5	-	21	4	1	5	2	-	1	-	-	2	4	5	15	10	10	1	-	-	64
23	8	-	14	3	1	5	1	1	-	1	1	2	3	1	9	4	4	3	-	-	65
9	3	-	4	1	2	4	1	-	-	-	-	1	-	-	8	2	1	-	-	1	66
34	6	-	10	-	1	5	5	-	7	-	-	-	4	3	14	11	6	6	3	-	67
22	3	-	6	-	1	2	5	-	5	-	-	-	2	3	13	6	4	5	-	-	68
12	3	-	4	-	-	3	-	-	2	-	-	-	2	-	1	5	2	1	3	-	69
22	9	-	4	-	2	1	1	-	4	-	-	2	2	3	7	9	10	3	1	1	70
245	34	1	84	16	12	29	10	5	9	4	1	25	39	30	109	53	41	13	3	2	71
46	5	-	10	1	1	5	3	-	4	1	-	5	13	7	21	6	11	5	2	-	72
71	6	-	26	3	4	9	2	3	3	2	-	6	16	4	33	13	10	2	1	-	73
128	23	1	48	12	7	15	5	2	2	1	1	14	10	19	55	34	20	6	-	2	74
13	7	-	8	1	2	3	2	-	-	-	-	-	1	2	8	4	2	-	-	-	75
52	8	-	25	4	2	1	1	-	-	1	-	3	2	3	12	6	7	3	-	-	76
3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	77
312	26	4	85	11	19	43	8	4	20	3	-	22	16	16	108	28	36	21	3	-	78
213	15	2	59	9	15	31	5	3	15	1	-	13	9	11	72	17	17	10	2	-	79
23	4	2	2	-	2	5	-	1	2	-	-	2	5	2	13	3	5	4	-	-	80
76	7	-	24	2	2	7	3	-	3	2	-	7	2	3	23	8	14	7	1	-	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Vermont**	4,426	3	–	29	945	228	225	88	104	48	36	216	66	2,180	1,662	39	19
02	Urban places	719	2	–	5	136	42	29	12	13	2	8	30	8	405	303	8	3
03	Balance of area	3,707	1	–	24	809	186	196	76	91	46	28	186	58	1,775	1,359	31	16
04	Nonmetropolitan counties	4,426	3	–	29	945	228	225	88	104	48	36	216	66	2,180	1,662	39	19
05	Urban places	719	2	–	5	136	42	29	12	13	2	8	30	8	405	303	8	3
06	Balance of area	3,707	1	–	24	809	186	196	76	91	46	28	186	58	1,775	1,359	31	16
07	Addison	191	–	–	–	50	11	14	3	9	3	2	8	4	87	70	1	1
08	Bennington	351	–	–	3	73	19	18	11	5	3	3	14	7	191	156	6	1
09	Caledonia	254	–	–	3	51	7	18	3	6	2	1	14	4	107	83	4	1
10	Chittenden	700	2	–	7	159	41	36	18	13	8	9	34	8	332	249	4	5
11	Burlington	322	2	–	3	68	20	14	7	6	1	5	15	3	164	128	3	1
12	Balance of county	378	–	–	4	91	21	22	11	7	7	4	19	5	168	121	1	4
13	Essex	70	–	–	–	16	4	4	1	–	2	–	5	2	28	20	–	–
14	Franklin	315	–	–	1	62	7	20	5	10	5	–	15	1	153	118	2	–
15	Grand Isle	34	–	–	–	10	1	2	1	4	1	–	1	–	18	16	1	–
16	Lamoille	132	–	–	1	26	5	5	1	6	–	–	9	1	67	54	1	–
17	Orange	183	–	–	1	28	4	6	5	3	1	2	7	2	86	64	4	–
18	Orleans	228	–	–	1	46	18	7	2	8	2	1	8	5	107	80	1	–
19	Rutland	600	–	–	4	128	36	28	14	10	9	4	27	11	319	239	4	3
20	Rutland	254	–	–	2	41	12	9	4	3	1	2	10	4	160	114	2	1
21	Balance of county	346	–	–	2	87	24	19	10	7	8	2	17	7	159	125	2	2
22	Washington	497	–	–	1	104	30	29	9	11	3	3	19	6	263	189	5	4
23	Barre	143	–	–	–	27	10	6	1	4	–	1	5	1	81	61	3	1
24	Balance of county	354	–	–	1	77	20	23	8	7	3	2	14	5	182	128	2	3
25	Windham	393	1	–	4	93	18	23	10	7	5	5	25	6	196	153	1	1
26	Windsor	478	–	–	3	99	27	15	5	12	4	6	30	9	226	171	5	3
27	**Virginia**	40,767	60	8	417	8,148	2,008	2,293	653	873	336	296	1,689	629	20,301	15,298	236	207
28	Urban places	17,204	25	5	181	3,544	906	973	291	368	155	109	742	245	8,475	6,366	96	114
29	Balance of area	23,563	35	3	236	4,604	1,102	1,320	362	505	181	187	947	384	11,826	8,932	140	93
30	Metropolitan counties	21,305	31	5	232	4,544	1,139	1,266	388	447	196	151	957	298	10,250	7,758	121	131
31	Urban places	14,583	24	4	159	3,077	786	853	255	308	136	90	649	199	7,078	5,359	82	107
32	Balance of area	6,722	7	1	73	1,467	353	413	133	139	60	61	308	99	3,172	2,399	39	24
33	Nonmetropolitan counties	19,462	29	3	185	3,604	869	1,027	265	426	140	145	732	331	10,051	7,540	115	76
34	Urban places	2,621	1	1	22	467	120	120	36	60	19	19	93	46	1,397	1,007	14	7
35	Balance of area	16,841	28	2	163	3,137	749	907	229	366	121	126	639	285	8,654	6,533	101	69
36	Accomack	435	1	–	6	97	27	24	8	7	4	8	19	7	218	142	1	2
37	Albemarle	319	–	–	4	58	9	14	5	9	5	2	14	2	166	125	3	2
38	Alleghany	119	–	–	–	20	6	5	2	1	–	1	5	1	60	50	–	–
39	Amelia	83	1	–	2	12	2	3	1	3	–	1	2	1	46	32	2	1
40	Amherst	255	–	–	3	45	7	7	7	6	4	3	11	3	131	95	2	–
41	Appomattox	127	–	–	1	23	8	4	1	2	1	1	6	2	69	52	–	1
42	Arlington†	1,039	2	–	8	251	60	62	23	27	11	13	55	14	493	382	8	5
43	Augusta	410	1	–	5	81	22	22	8	7	4	4	14	6	214	154	1	2
44	Bath	60	–	1	–	13	5	3	1	2	1	–	1	2	34	32	1	–
45	Bedford	291	2	–	2	45	8	14	4	6	1	1	11	5	155	101	–	–
46	Bland	53	–	–	–	11	4	3	–	1	1	–	2	1	28	22	1	1
47	Botetourt	196	–	–	–	43	11	16	1	6	2	2	5	3	112	79	–	–
48	Brunswick	191	1	–	2	19	5	4	–	2	–	2	6	5	109	90	1	–
49	Buchanan	249	–	–	6	34	7	13	3	1	–	1	9	2	128	105	1	–
50	Buckingham	106	–	–	3	19	3	7	1	3	–	–	5	–	52	36	1	–
51	Campbell	312	–	–	5	60	13	16	7	3	1	3	17	–	152	113	3	1
52	Caroline	164	–	–	2	35	9	7	1	4	3	2	9	6	69	53	–	1
53	Carroll	231	–	–	1	33	7	8	1	6	3	–	8	2	129	91	–	–
54	Charles City	50	–	–	1	8	1	–	–	–	1	1	5	–	25	20	–	–
55	Charlotte	150	–	–	3	36	11	3	3	6	2	1	10	6	70	45	–	–
56	Chesterfield	577	–	1	8	114	20	42	9	12	2	5	24	6	277	204	2	4
57	Clarke	84	–	–	–	15	2	7	2	3	–	–	1	5	39	25	1	–
58	Craig	36	–	–	1	7	2	3	–	1	–	–	1	–	20	14	–	–
59	Culpeper	195	–	–	4	33	8	7	6	3	1	2	6	2	99	72	1	1
60	Cumberland	70	1	–	1	13	3	2	1	2	–	1	4	–	34	23	1	–
61	Dickenson	146	–	–	3	35	4	11	1	3	2	2	12	–	74	57	1	–
62	Dinwiddie	187	–	–	6	34	9	6	2	8	1	–	8	2	98	76	1	1
63	Essex	73	–	–	1	13	3	3	2	1	–	1	3	–	38	31	–	–
64	Fairfax	2,160	3	–	15	563	131	151	56	52	20	25	128	45	932	712	17	3
65	Vienna	91	–	–	–	26	7	9	1	3	1	–	5	3	39	30	–	–
66	Balance of county	2,069	3	–	15	537	124	142	55	49	19	25	123	42	893	682	17	3
67	Fauquier	272	1	–	1	50	16	13	–	8	1	4	8	8	135	112	1	2
68	Floyd	96	–	–	–	18	5	5	–	2	2	2	2	1	42	34	2	–
69	Fluvanna	108	–	–	2	17	5	2	1	1	2	2	4	–	60	47	2	–
70	Franklin	263	–	–	3	48	9	17	4	3	1	–	14	2	122	92	3	1
71	Frederick	247	–	–	2	51	13	17	2	6	2	–	11	3	142	103	2	1
72	Giles	199	1	–	–	43	5	20	1	6	1	–	10	3	94	74	1	1
73	Gloucester	183	–	–	1	49	9	23	4	6	–	1	6	1	86	70	3	1
74	Goochland	74	–	–	3	16	5	5	–	1	–	1	4	1	38	32	–	–
75	Grayson	172	–	–	1	31	13	4	2	3	1	1	7	1	84	58	1	1
76	Greene	68	–	–	1	10	2	3	1	2	–	–	2	1	41	30	–	–
77	Greensville	111	–	–	2	25	4	7	2	1	1	3	7	1	50	40	–	–
78	Halifax	306	1	–	3	46	14	12	5	6	–	2	7	8	158	128	4	4
79	Hanover	372	2	–	4	73	22	17	1	9	7	3	14	5	198	151	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,440	164	18	347	85	68	155	36	4	48	16	1	43	40	53	459	113	134	72	20	9	01
264	28	5	69	16	12	15	7	1	8	–	–	4	7	–	85	8	15	5	6	2	02
1,176	136	13	278	69	56	140	29	3	40	16	1	39	33	53	374	105	119	67	14	7	03
1,440	164	18	347	85	68	155	36	4	48	16	1	43	40	53	459	113	134	72	20	9	04
264	28	5	69	16	12	15	7	1	8	–	–	4	7	–	85	8	15	5	6	2	05
1,176	136	13	278	69	56	140	29	3	40	16	1	39	33	53	374	105	119	67	14	7	06
60	8	1	9	5	2	5	1	–	2	2	–	1	3	1	20	8	5	2	–	–	07
136	13	–	22	4	9	9	2	–	–	1	–	4	4	1	33	7	10	4	1	1	08
60	18	2	18	2	2	13	3	–	2	1	–	5	–	19	30	4	6	5	1	–	09
208	32	2	65	3	13	20	1	2	13	3	–	5	7	1	81	21	21	9	6	2	10
106	18	1	31	1	3	6	–	1	4	–	–	3	1	–	43	7	8	4	3	2	11
102	14	1	34	2	10	14	1	1	9	3	–	2	6	1	38	14	13	5	3	–	12
17	3	1	7	–	–	–	–	–	1	–	–	1	2	2	10	2	5	1	–	–	13
106	10	–	18	13	4	24	2	–	5	1	1	4	3	–	31	8	11	6	1	1	14
13	2	–	1	1	–	2	–	–	–	–	–	–	–	–	4	–	–	–	–	–	15
41	12	–	4	8	1	6	1	–	1	–	–	3	1	3	10	2	9	1	–	–	16
57	3	2	18	1	1	8	–	–	–	–	–	2	3	6	22	4	15	3	2	1	17
73	6	2	20	3	2	14	–	1	3	1	–	2	1	2	25	10	5	5	–	–	18
218	14	2	51	17	10	16	3	–	5	1	–	9	5	4	63	12	8	8	3	1	19
103	8	–	28	12	6	7	1	–	2	–	–	1	3	–	25	1	5	1	1	–	20
115	6	2	23	5	4	9	2	–	3	1	–	8	2	4	38	11	3	7	2	1	21
171	9	4	54	10	6	10	13	1	7	1	–	2	5	2	44	15	10	10	2	1	22
55	2	4	10	3	3	2	6	–	2	–	–	–	3	–	17	–	2	–	2	–	23
116	7	–	44	7	3	8	7	1	5	1	–	2	2	2	27	15	8	10	–	1	24
137	14	–	23	14	6	9	6	–	2	3	–	–	2	9	29	9	13	8	2	1	25
143	20	2	37	4	12	19	4	–	7	2	–	5	4	3	57	11	16	10	2	1	26
13,283	1,572	110	3,756	564	573	1,291	433	99	551	169	7	296	497	382	3,819	1,086	1,327	731	479	37	27
5,436	720	62	1,598	200	249	548	168	45	278	77	3	122	231	161	1,671	340	545	291	234	15	28
7,847	852	48	2,158	364	324	743	265	54	273	92	4	174	266	221	2,148	746	782	440	245	22	29
6,682	824	65	1,858	259	310	614	225	47	334	88	4	171	295	190	2,041	518	699	411	289	19	30
4,547	623	53	1,302	157	207	446	147	36	228	64	3	109	201	136	1,438	290	471	250	212	11	31
2,135	201	12	556	102	103	168	78	11	106	24	1	62	94	54	603	228	228	161	77	8	32
6,601	748	45	1,898	305	263	677	208	52	217	81	3	125	202	192	1,778	568	628	320	190	18	33
889	97	9	296	43	42	102	21	9	50	13	–	13	30	25	233	50	74	41	22	4	34
5,712	651	36	1,602	262	221	575	187	43	167	68	3	112	172	167	1,545	518	554	279	168	14	35
130	9	1	59	9	7	16	10	1	3	–	–	3	1	–	39	15	11	4	1	2	36
98	22	–	27	7	7	14	3	1	1	–	–	1	2	1	30	9	13	9	4	1	37
48	2	–	8	1	1	3	3	1	2	–	–	2	3	2	10	4	7	1	–	–	38
22	7	–	10	3	1	3	–	1	–	–	–	–	–	–	12	–	2	2	1	–	39
90	3	–	32	2	2	4	3	–	1	2	–	1	1	3	26	4	15	6	7	–	40
48	3	–	14	3	–	3	3	–	2	1	–	3	1	1	10	3	3	–	2	–	41
349	20	8	71	18	14	29	23	7	23	3	–	7	12	1	85	24	27	23	7	–	42
131	20	–	44	9	7	15	4	1	5	–	–	1	4	3	45	13	7	4	1	–	43
24	7	–	2	–	–	1	–	–	1	–	–	–	1	1	2	–	1	3	–	–	44
93	8	–	35	13	6	13	4	–	2	–	–	2	2	7	19	13	8	7	5	–	45
17	3	–	2	–	4	2	–	–	–	–	–	–	1	1	2	2	2	2	–	1	46
67	12	–	22	6	5	6	1	1	2	–	–	–	1	3	12	3	4	4	1	–	47
85	4	–	15	1	3	5	2	–	3	1	–	2	3	1	12	8	12	3	3	–	48
99	5	–	20	–	3	6	3	–	1	–	–	3	11	3	22	8	12	3	6	1	49
25	10	–	11	5	–	8	–	–	–	–	–	2	–	2	8	5	5	1	1	–	50
99	10	1	34	1	3	7	2	–	9	1	–	4	4	2	32	11	8	12	3	–	51
45	7	–	8	5	3	3	1	1	5	–	–	2	5	2	18	5	4	3	2	1	52
83	8	–	29	7	2	10	2	1	1	1	–	1	–	3	26	7	8	5	–	1	53
20	–	–	3	2	–	–	1	–	–	1	–	–	1	–	7	2	2	–	2	–	54
39	6	–	17	8	–	12	2	1	–	–	–	–	–	–	11	5	3	–	1	–	55
176	22	1	56	6	10	20	3	–	6	1	–	5	12	7	61	18	18	12	8	–	56
23	1	–	10	1	3	1	3	–	–	1	–	2	2	1	6	2	2	4	1	–	57
11	3	1	4	–	1	1	–	–	–	–	–	–	–	1	4	–	1	1	–	–	58
55	15	–	22	2	3	7	1	1	1	1	–	1	1	–	18	5	9	8	4	–	59
19	3	–	7	4	–	–	–	–	–	–	–	2	2	3	8	4	1	–	1	–	60
55	1	–	13	1	3	–	4	1	1	–	–	–	–	2	15	6	3	2	–	–	61
66	8	1	19	1	1	5	2	–	2	–	–	1	–	–	16	5	10	3	3	–	62
29	2	–	5	–	2	3	1	–	1	–	–	–	2	1	8	2	2	1	–	–	63
650	42	4	140	39	37	43	32	8	34	6	1	24	28	18	174	63	85	56	26	4	64
28	2	2	3	1	3	2	2	–	–	–	–	–	1	–	9	2	1	5	1	–	65
622	40	2	137	38	34	41	30	8	34	6	1	24	27	18	165	61	84	51	25	4	66
100	9	–	17	3	3	10	6	1	2	2	–	1	–	–	23	7	14	7	3	1	67
30	2	–	5	2	1	5	–	–	1	–	–	–	–	2	14	7	3	1	2	–	68
33	12	–	10	1	2	2	1	–	–	–	1	2	1	1	14	3	3	–	1	–	69
81	7	–	20	8	2	15	1	1	4	–	–	1	–	6	22	16	6	7	9	–	70
93	7	1	29	5	4	7	4	–	1	–	–	4	3	1	10	4	7	5	3	–	71
66	6	1	14	–	5	4	3	–	3	1	–	1	4	3	20	4	7	6	2	–	72
57	9	1	12	–	3	5	1	–	3	–	–	3	3	–	15	9	7	–	–	–	73
28	4	–	2	1	3	3	2	–	–	–	–	–	–	1	4	1	2	3	–	–	74
49	7	–	19	3	4	8	5	–	–	2	–	1	1	3	19	5	8	3	–	–	75
26	4	–	10	–	1	4	–	–	1	1	–	–	1	1	5	1	1	–	–	–	76
37	3	–	8	1	1	3	–	–	1	–	–	1	1	2	8	7	5	4	1	–	77
108	12	2	23	3	2	15	1	1	3	1	–	3	2	–	36	5	14	3	6	–	78
139	10	1	30	12	4	7	–	–	1	3	–	3	3	1	33	19	10	8	2	–	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
01	Henrico	1,335	2	–	20	276	64	89	21	24	12	13	53	11	669	506	2	5
02	Henry	387	–	–	5	67	20	10	3	15	1	5	13	4	187	133	1	3
03	Highland	30	–	–	–	6	1	2	1	1	–	1	–	–	15	8	–	–
04	Isle of Wight	166	–	–	3	28	6	10	3	2	2	2	3	1	84	61	1	–
05	James City	152	–	–	–	30	7	14	1	1	1	1	5	5	65	44	2	–
06	King and Queen	68	–	–	1	22	5	5	1	3	1	1	6	3	31	24	–	–
07	King George	71	–	–	–	13	–	6	2	–	1	–	4	1	40	33	–	1
08	King William	107	–	–	1	25	7	5	–	3	1	1	8	2	47	38	2	–
09	Lancaster	113	1	–	2	27	11	11	–	3	–	1	1	–	63	51	–	–
10	Lee	312	2	–	4	54	14	18	3	8	3	–	8	6	162	125	2	–
11	Loudoun	324	–	–	2	75	23	18	7	7	5	–	15	13	150	116	2	1
12	Louisa	181	–	–	1	37	10	12	1	3	3	3	5	1	85	66	1	3
13	Lunenburg	136	–	–	3	20	3	4	1	3	3	1	5	3	78	55	–	–
14	Madison	100	–	–	2	16	3	3	2	1	–	–	7	3	46	37	–	–
15	Mathews	107	1	–	–	27	4	9	2	3	1	–	8	1	60	48	1	2
16	Mecklenburg	352	–	–	5	65	15	21	8	6	3	2	10	10	189	147	1	–
17	Middlesex	100	–	–	2	18	7	4	–	3	1	2	1	–	54	43	1	–
18	Montgomery	340	–	–	3	69	15	17	7	6	5	2	17	7	174	132	2	–
19	Nansemond[6]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Nelson	185	–	–	3	34	10	6	2	3	2	3	8	2	88	71	1	–
21	New Kent	64	–	–	–	10	2	4	–	–	2	1	1	2	37	32	–	1
22	Northampton	196	1	–	2	34	9	8	3	4	–	2	8	3	106	73	3	1
23	Northumberland	145	–	–	1	27	9	10	4	1	–	–	3	2	81	61	1	1
24	Nottoway	174	1	–	–	36	9	8	3	8	2	2	4	4	87	64	1	3
25	Orange	188	–	–	3	32	8	14	–	7	–	–	3	3	98	79	–	2
26	Page	205	–	–	1	44	13	11	4	6	2	3	5	4	112	86	–	1
27	Patrick	146	–	–	1	39	9	10	2	3	1	4	10	2	67	41	–	–
28	Pittsylvania	556	–	–	1	85	14	22	10	14	5	3	17	10	293	206	2	4
29	Powhatan	86	1	–	3	17	3	5	1	1	–	–	7	–	31	22	–	–
30	Prince Edward	195	–	–	1	27	5	7	3	4	–	–	8	5	106	59	1	1
31	Prince George	116	–	–	2	22	5	5	2	4	2	–	4	2	46	31	2	1
32	Prince William	515	–	–	3	94	28	29	9	5	2	4	17	4	217	161	5	4
33	Pulaski	332	–	–	3	59	12	14	8	12	–	3	10	10	163	120	–	–
34	Pulaski	130	–	–	–	24	5	6	3	4	–	1	5	2	61	38	–	–
35	Balance of county	202	–	–	3	35	7	8	5	8	–	2	5	8	102	82	–	–
36	Rappahannock	64	–	–	–	15	3	5	1	–	1	1	4	–	33	26	1	1
37	Richmond	104	–	–	–	21	6	9	1	2	–	1	2	–	53	42	–	–
38	Roanoke	459	–	–	5	92	29	24	9	9	3	4	14	7	247	190	2	2
39	Rockbridge	155	–	–	1	18	3	7	–	5	–	–	3	1	86	66	3	1
40	Rockingham	443	1	–	1	75	17	16	5	15	2	2	18	11	252	185	3	2
41	Russell	247	2	–	3	49	10	17	3	4	1	1	13	6	121	99	4	–
42	Scott	231	1	–	–	34	9	13	1	5	1	2	3	1	134	103	3	–
43	Shenandoah	306	–	–	1	61	13	20	6	7	2	1	12	8	163	124	2	–
44	Smyth	322	–	–	2	50	16	13	2	5	–	1	13	5	182	154	4	3
45	Southampton	209	1	–	4	36	6	15	3	5	1	–	6	2	113	87	1	–
46	Spotsylvania	200	–	–	4	45	11	15	4	2	1	5	7	1	106	85	2	–
47	Stafford	217	–	–	3	48	6	14	5	4	5	3	11	3	95	77	–	–
48	Surry	75	1	–	–	18	7	3	2	2	1	–	3	1	42	29	–	–
49	Sussex	105	–	–	4	19	2	7	–	4	–	–	6	2	47	41	–	1
50	Tazewell	434	1	–	5	77	19	27	7	5	2	2	15	6	211	171	3	3
51	Warren	211	1	–	1	39	11	13	1	4	5	–	5	–	110	88	2	1
52	Washington	407	1	–	2	72	16	18	8	8	3	2	17	6	210	160	3	1
53	Westmoreland	158	–	–	3	40	11	14	3	3	–	1	8	1	75	50	–	–
54	Wise	422	–	–	2	80	19	27	7	9	2	3	13	14	189	160	–	1
55	Wythe	251	–	–	1	39	8	17	1	4	1	1	7	8	122	98	4	3
56	York	201	–	–	–	45	9	18	4	3	2	1	8	4	94	74	–	1
	Independent Cities[7]																	
57	Alexandria	789	2	–	3	185	40	51	18	15	9	4	48	9	366	259	3	5
58	Bedford	99	–	–	1	18	3	3	2	2	4	1	3	4	57	39	2	–
59	Bristol[8]	231	–	1	1	42	11	11	4	6	4	–	6	4	129	94	4	1
60	Buena Vista	58	–	–	–	9	1	4	1	1	–	–	2	1	35	23	1	–
61	Charlottesville	330	–	–	6	61	10	19	7	8	1	1	15	4	179	123	–	–
62	Chesapeake	746	2	–	12	146	31	50	12	22	6	4	21	6	354	296	3	5
63	Clifton Forge	78	–	–	–	9	2	5	1	–	–	–	1	1	50	34	–	–
64	Colonial Heights	115	–	–	2	27	5	8	4	2	1	2	5	2	53	45	1	1
65	Covington	112	–	–	2	14	5	2	2	–	1	2	2	2	64	45	–	1
66	Danville	543	–	–	4	96	20	28	5	12	6	6	19	20	283	211	7	–
67	Emporia	65	–	–	–	15	4	3	2	1	–	1	4	3	35	27	–	–
68	Fairfax	111	–	–	–	21	7	6	1	2	1	1	3	1	55	44	–	3
69	Falls Church	123	–	–	–	40	10	11	5	7	1	2	4	1	52	38	2	–
70	Franklin	94	–	–	1	21	2	5	3	5	1	1	4	–	49	35	–	–
71	Fredericksburg	168	–	–	1	34	11	12	2	1	1	–	7	1	89	75	–	–
72	Galax	77	–	–	–	18	6	4	–	–	2	2	4	1	44	32	–	–
73	Hampton	798	–	–	10	171	53	45	11	14	4	6	38	6	364	274	2	2
74	Harrisonburg	151	–	–	–	18	8	2	2	4	2	–	–	2	84	63	–	1
75	Hopewell	189	–	–	1	47	9	17	5	3	4	–	9	1	93	76	1	3
76	Lexington	71	–	–	–	22	7	2	3	4	–	1	5	1	31	21	2	1
77	Lynchburg	706	–	–	6	140	23	36	18	14	5	5	39	9	370	276	3	8
78	Martinsville	200	1	–	2	37	15	4	2	7	–	2	7	4	90	64	1	–
79	Newport News	1,055	–	1	16	234	70	60	25	15	11	5	48	17	494	373	5	5
80	Norfolk	2,295	6	2	25	433	107	130	23	43	21	14	95	33	1,148	855	22	8
81	Norton	53	–	–	–	11	3	3	2	1	–	–	2	1	26	22	–	–
82	Petersburg	448	–	–	3	96	25	29	8	10	5	2	17	11	223	153	1	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
457	42	6	121	19	17	52	16	1	27	6	-	10	13	5	131	26	36	21	10	3	01
118	11	-	40	12	2	12	3	1	5	1	-	4	1	3	47	10	14	12	10	1	02
8	-	-	6	1	-	2	-	-	2	-	-	-	-	-	4	1	-	-	-	-	03
52	8	1	18	1	3	6	2	-	1	-	-	4	5	1	18	3	3	5	2	-	04
40	2	1	17	1	2	6	3	-	6	1	-	-	2	1	12	9	7	4	1	-	05
18	6	-	5	-	2	-	1	-	1	-	-	-	-	-	3	4	2	-	-	-	06
31	1	-	6	1	-	-	-	-	1	-	-	-	-	-	6	5	3	2	-	-	07
26	10	-	9	-	-	1	2	-	1	-	-	4	1	1	9	6	5	1	1	-	08
46	5	1	10	-	1	3	-	-	2	-	-	-	-	-	10	2	3	-	-	-	09
111	12	3	29	5	-	16	4	-	2	1	-	2	-	3	23	12	6	9	6	-	10
101	12	-	26	4	4	7	8	-	2	-	-	3	7	4	21	12	13	5	2	-	11
51	11	-	15	3	1	10	1	-	-	2	-	1	1	1	17	10	7	7	-	-	12
51	4	-	16	6	1	-	-	-	1	-	-	1	2	-	13	4	7	2	2	-	13
30	7	-	7	1	1	2	-	-	1	1	-	1	-	2	11	6	6	2	1	-	14
41	4	3	6	2	1	4	1	-	-	1	-	-	-	1	5	4	2	-	-	-	15
134	12	-	35	4	3	10	6	1	3	1	-	3	6	3	22	10	8	-	10	-	16
38	4	-	7	-	4	6	-	-	1	1	-	2	-	2	8	2	1	3	-	-	17
114	16	-	36	3	3	13	1	-	5	1	-	3	2	4	35	5	13	3	2	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
63	7	-	13	2	2	8	-	-	2	1	-	2	4	1	24	7	4	4	1	-	20
29	2	-	4	-	1	3	-	-	-	-	-	1	-	-	6	2	2	1	-	-	21
64	5	1	23	6	3	5	2	-	2	2	-	-	2	-	19	6	6	2	4	-	22
50	9	-	16	1	3	8	2	-	2	2	-	-	1	-	12	1	3	-	3	-	23
51	9	-	16	3	4	7	2	-	1	-	-	-	-	2	16	4	7	3	4	-	24
62	15	-	17	2	-	6	1	2	1	1	-	-	2	1	18	6	6	3	5	-	25
84	1	-	18	2	6	6	1	-	1	1	-	1	2	3	10	9	6	4	-	-	26
35	6	-	21	4	1	11	2	1	1	-	-	2	3	1	9	1	5	1	-	-	27
173	27	1	71	10	5	17	8	2	5	-	-	-	14	3	56	27	20	8	7	-	28
18	4	-	7	1	1	4	-	-	3	1	-	1	2	2	8	8	2	3	-	-	29
47	10	-	34	12	1	5	2	-	1	2	-	-	2	4	26	4	8	2	-	-	30
27	1	-	11	1	3	2	1	-	2	1	-	-	4	3	12	11	5	2	-	1	31
128	24	-	36	7	13	10	10	-	10	2	-	10	19	4	48	44	11	19	10	-	32
110	10	-	33	1	9	8	3	-	3	2	-	1	6	3	39	14	10	5	3	-	33
35	3	-	16	-	7	7	1	-	3	2	-	1	2	-	17	4	2	1	3	-	34
75	7	-	17	1	2	1	2	-	-	-	-	-	4	3	22	10	8	4	-	-	35
21	3	-	7	-	-	2	2	-	-	1	-	-	-	2	3	4	1	1	-	-	36
38	4	1	8	1	1	2	1	-	1	1	-	-	2	2	13	4	3	1	-	-	37
162	24	-	39	11	7	10	1	1	8	-	-	-	3	5	35	13	10	16	6	-	38
51	11	-	11	6	3	9	2	1	-	2	-	1	1	2	12	7	9	1	2	-	39
170	10	-	53	7	7	6	3	3	1	4	-	2	4	3	33	14	17	9	4	-	40
89	6	1	19	1	1	8	-	2	4	2	-	1	2	3	16	8	11	8	1	-	41
95	5	1	23	4	3	14	-	-	1	-	-	1	1	1	20	5	9	8	1	-	42
97	25	-	30	3	6	18	4	2	3	2	-	1	-	3	15	11	12	2	-	-	43
135	12	1	23	-	4	17	6	2	2	1	-	1	4	2	36	2	6	2	-	2	44
77	9	1	22	1	2	3	2	-	6	-	-	1	4	1	18	6	6	1	5	-	45
75	8	-	16	3	2	1	1	-	2	-	-	-	2	2	17	7	4	4	4	-	46
72	5	-	13	2	3	6	-	1	4	2	2	2	5	2	21	8	6	5	4	-	47
27	2	1	12	-	-	1	-	-	2	1	-	1	-	1	5	-	2	-	-	-	48
36	4	-	4	-	2	4	1	-	1	1	-	1	-	1	10	6	4	3	1	-	49
150	15	-	32	4	4	14	4	2	7	4	-	1	3	7	56	8	20	6	1	1	50
79	6	-	17	2	3	3	6	-	-	2	-	-	1	11	21	4	7	5	-	-	51
144	12	3	40	3	4	21	2	1	1	3	-	3	2	2	47	7	17	8	1	1	52
46	4	1	16	4	4	3	3	-	1	1	-	3	1	1	11	6	7	1	1	-	53
151	8	1	17	3	8	7	12	-	7	2	-	7	9	2	51	10	18	7	5	-	54
85	6	3	16	1	4	11	4	5	4	-	-	-	7	7	20	10	9	2	1	1	55
68	5	-	15	-	5	3	2	1	4	2	-	1	1	2	23	4	8	6	1	-	56
230	21	-	71	18	18	21	11	3	20	4	1	2	13	7	77	12	19	23	11	-	57
35	2	1	12	3	2	5	2	1	-	-	-	1	-	3	5	-	1	1	-	-	58
85	4	1	28	3	3	13	-	1	1	-	-	3	4	3	14	2	4	5	1	3	59
20	2	1	10	1	-	1	4	-	-	-	-	-	-	1	5	1	-	1	-	-	60
103	20	-	44	11	1	7	2	1	9	1	-	1	6	2	27	8	6	8	2	-	61
256	32	4	38	5	11	18	10	3	8	4	1	4	20	7	85	16	29	11	9	1	62
33	1	-	11	1	4	1	2	-	2	-	-	-	-	-	9	1	2	1	-	-	63
39	4	-	7	-	1	1	3	-	2	-	-	3	1	1	10	3	3	2	2	-	64
36	8	2	15	-	2	3	1	2	1	-	-	1	-	2	13	3	2	2	-	-	65
180	24	4	54	4	10	25	3	-	9	6	-	4	4	4	52	11	14	4	3	1	66
26	1	-	8	-	-	1	-	-	1	-	-	1	-	-	2	-	3	2	2	-	67
40	1	-	7	3	1	3	-	-	3	-	-	-	1	2	13	5	4	2	1	-	68
35	1	-	10	3	1	4	1	-	3	1	-	-	1	-	12	2	3	2	1	-	69
30	5	-	11	1	2	1	1	-	1	-	-	1	1	1	9	4	3	-	1	-	70
67	8	-	9	3	2	7	2	1	3	1	-	-	4	2	13	2	5	1	2	-	71
30	2	-	10	2	-	-	-	-	-	1	-	-	-	1	7	1	2	2	-	-	72
244	26	1	67	5	17	25	7	2	8	2	-	9	8	6	106	18	31	14	11	-	73
56	6	-	18	1	2	8	-	1	4	1	-	1	1	1	21	2	2	4	1	-	74
65	7	-	13	2	2	8	1	-	-	-	-	1	-	-	20	8	3	4	2	-	75
15	3	-	7	1	2	6	1	-	-	-	-	-	-	-	5	-	3	2	-	-	76
248	17	5	70	6	13	20	8	2	9	2	-	2	6	8	71	17	20	8	7	1	77
56	7	-	18	4	4	8	2	1	7	-	-	-	1	7	17	6	11	2	4	-	78
332	31	3	96	6	16	26	8	1	13	9	-	6	18	7	110	21	38	19	16	1	79
675	150	13	238	16	26	64	19	4	48	11	1	22	35	37	214	38	69	40	44	2	80
20	2	-	2	1	1	-	1	1	1	-	-	-	3	-	7	1	-	-	1	-	81
135	11	4	59	5	2	11	2	1	5	2	-	3	7	4	47	5	16	3	9	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
	Independent Cities—Con.																	
01	Portsmouth	1,043	1	–	10	226	59	63	15	24	9	3	53	21	516	392	8	20
02	Radford	97	–	–	1	18	3	3	3	2	–	2	5	2	58	44	–	–
03	Richmond	2,542	8	1	37	510	141	138	43	50	22	8	108	36	1,278	986	11	22
04	Roanoke	1,214	3	–	10	224	58	59	15	30	8	10	44	10	625	456	7	5
05	Salem	208	–	–	1	49	16	16	2	3	2	1	9	3	102	80	1	–
06	South Boston	87	1	1	–	23	8	5	2	3	–	1	4	–	39	27	1	1
07	Staunton	239	–	–	2	31	8	7	2	2	2	2	8	2	138	94	2	2
08	Suffolk[6]	518	1	–	4	92	22	25	7	12	4	1	21	15	276	208	1	5
09	Virginia Beach	1,071	–	–	15	251	65	63	26	24	15	10	48	16	453	344	4	9
10	Waynesboro	142	–	–	–	23	7	7	1	1	–	–	7	–	83	53	–	1
11	Williamsburg	79	–	–	2	12	5	3	–	–	–	1	3	2	40	28	1	–
12	Winchester	278	–	–	3	69	17	19	3	13	2	3	12	3	139	103	–	1
13	**Washington**	**30,490**	**30**	**1**	**181**	**6,423**	**1,688**	**1,628**	**554**	**728**	**297**	**260**	**1,268**	**490**	**14,936**	**10,792**	**263**	**151**
14	Urban places	16,428	19	1	97	3,435	932	865	297	390	159	133	659	238	8,222	5,859	151	90
15	Balance of area	14,062	11	–	84	2,988	756	763	257	338	138	127	609	252	6,714	4,933	112	61
16	Metropolitan counties	18,846	19	1	123	4,058	1,078	1,049	382	448	179	145	777	275	9,198	6,604	182	92
17	Urban places	12,198	15	1	80	2,598	703	680	240	289	114	91	481	164	6,054	4,321	123	68
18	Balance of area	6,648	4	–	43	1,460	375	369	142	159	65	54	296	111	3,144	2,283	59	24
19	Nonmetropolitan counties	11,644	11	–	58	2,365	610	579	172	280	118	115	491	215	5,738	4,188	81	59
20	Urban places	4,230	4	–	17	837	229	185	57	101	45	42	178	74	2,168	1,538	28	22
21	Balance of area	7,414	7	–	41	1,528	381	394	115	179	73	73	313	141	3,570	2,650	53	37
22	Adams	96	–	–	2	19	5	2	2	2	1	1	6	2	41	31	1	–
23	Asotin	177	–	–	–	32	6	9	2	4	1	1	9	4	92	72	–	–
24	Benton	524	1	–	4	115	30	29	10	14	6	5	21	12	236	186	4	1
25	Kennewick	202	–	–	2	46	11	10	4	9	2	2	8	8	88	67	2	–
26	Richland	175	–	–	2	46	15	12	3	3	2	2	9	1	77	62	1	–
27	Balance of county	147	1	–	–	23	4	7	3	2	2	1	4	3	71	57	1	1
28	Chelan	431	–	–	2	84	21	26	4	13	5	4	11	7	225	154	2	1
29	Wenatchee	217	–	–	–	41	12	8	2	8	2	3	6	1	115	78	2	1
30	Balance of county	214	–	–	2	43	9	18	2	5	3	1	5	6	110	76	–	–
31	Clallam	466	–	–	2	99	26	22	11	7	5	4	24	13	227	173	–	2
32	Port Angeles	195	–	–	1	40	13	6	6	1	2	3	9	7	95	78	–	1
33	Balance of county	271	–	–	1	59	13	16	5	6	3	1	15	6	132	95	–	1
34	Clark	1,215	–	–	8	250	54	76	27	23	14	16	40	19	621	450	13	3
35	Vancouver	606	–	–	2	120	23	41	13	11	10	3	19	6	318	223	7	3
36	Balance of county	609	–	–	6	130	31	35	14	12	4	13	21	13	303	227	6	–
37	Columbia	54	–	–	–	9	3	2	1	2	–	–	1	–	35	25	–	1
38	Cowlitz	650	–	–	1	140	40	26	10	11	10	4	39	11	325	222	3	3
39	Kelso	120	–	–	–	25	8	4	1	1	2	1	8	4	61	41	–	–
40	Longview	307	–	–	–	68	23	11	6	4	4	1	19	5	158	106	1	1
41	Balance of county	223	–	–	1	47	9	11	3	6	4	2	12	2	106	75	2	2
42	Douglas	133	–	–	–	28	3	10	2	2	2	3	6	4	62	45	1	1
43	Ferry	35	–	–	–	6	2	2	1	–	–	–	1	1	8	4	–	–
44	Franklin	220	–	–	2	37	7	6	1	7	3	2	11	3	98	67	2	2
45	Pasco	173	–	–	1	33	6	6	1	6	3	1	10	2	76	51	1	1
46	Balance of county	47	–	–	1	4	1	–	–	1	–	1	1	1	22	16	1	1
47	Garfield	22	–	–	–	7	3	1	–	–	–	1	2	–	7	4	–	–
48	Grant	336	–	–	1	70	16	21	4	9	3	2	15	2	154	115	1	–
49	Moses Lake	85	–	–	–	15	3	3	–	2	–	1	6	–	35	26	1	–
50	Balance of county	251	–	–	1	55	13	18	4	7	3	1	9	2	119	89	–	–
51	Grays Harbor	623	–	–	5	136	39	38	6	24	8	8	13	9	301	225	8	3
52	Aberdeen	195	–	–	1	43	15	11	2	6	2	3	4	2	99	72	2	–
53	Hoquiam	111	–	–	–	21	2	5	3	5	4	1	1	4	56	42	1	–
54	Balance of county	317	–	–	4	72	22	22	1	13	2	4	8	3	146	111	5	3
55	Island	288	1	–	2	51	12	15	6	4	3	1	10	8	134	95	2	–
56	Jefferson	117	–	–	–	34	10	8	3	3	1	2	7	2	60	46	3	–
57	King	9,282	11	1	68	2,006	546	509	181	209	93	71	397	140	4,423	3,233	103	32
58	Auburn	199	–	–	–	48	12	12	7	7	2	2	6	2	94	70	2	1
59	Bellevue	379	–	–	–	102	27	22	14	9	4	5	21	3	166	120	6	–
60	Kent	149	–	–	–	22	4	8	1	4	–	1	4	1	72	52	4	–
61	Kirkland	155	2	–	1	28	11	10	–	3	1	1	2	2	72	50	3	1
62	Mercer Island city	115	–	–	1	28	5	7	4	4	–	2	6	2	54	34	1	–
63	Redmond	79	–	–	–	20	8	4	3	1	2	–	2	2	35	32	1	1
64	Renton	222	–	–	2	49	12	16	3	3	2	3	10	2	96	73	2	1
65	Seattle	5,451	8	1	47	1,145	322	284	103	123	53	38	222	83	2,682	1,969	58	36
66	Balance of county	2,533	1	–	17	564	145	146	46	55	29	19	124	43	1,152	833	26	12
67	Kitsap	975	1	–	5	205	60	49	15	22	7	12	40	16	487	385	10	11
68	Bremerton	374	–	–	–	79	22	24	6	9	4	3	11	6	197	151	4	3
69	Balance of county	601	1	–	5	126	38	25	9	13	3	9	29	10	290	234	6	8
70	Kittitas	209	–	–	1	41	9	6	6	3	3	3	11	2	111	74	1	–
71	Ellensburg	102	–	–	–	17	6	1	3	–	2	1	4	2	61	39	1	–
72	Balance of county	107	–	–	1	24	3	5	3	3	1	2	7	–	50	35	–	–
73	Klickitat	122	–	–	–	28	4	11	2	5	2	–	4	5	54	40	1	–
74	Lewis	530	–	–	2	102	31	24	8	10	1	8	20	13	292	193	4	5
75	Centralia	170	–	–	1	30	12	5	1	5	–	2	5	3	100	61	2	4
76	Balance of county	360	–	–	1	72	19	19	7	5	1	6	15	10	192	132	2	1
77	Lincoln	108	–	–	–	23	5	5	3	5	1	1	3	4	53	38	–	1
78	Mason	211	–	–	–	40	9	7	–	3	5	6	10	–	101	85	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
296	68	1	104	4	15	27	11	1	17	9	–	7	14	19	85	19	34	12	13	1	01
38	6	1	10	1	2	2	–	–	1	–	–	1	–	–	4	3	2	3	2	–	02
826	127	8	238	23	23	93	17	7	30	9	–	15	32	9	254	28	93	30	53	2	03
390	54	1	122	25	21	47	17	5	25	2	–	7	10	15	124	21	30	23	15	1	04
72	7	–	17	1	4	14	3	–	–	–	–	1	1	1	17	4	6	3	3	–	05
23	2	–	11	1	–	6	1	–	2	–	–	1	2	–	8	2	–	1	–	–	06
87	3	1	33	8	2	7	6	–	6	2	–	–	3	–	27	1	11	1	2	–	07
182	20	2	58	5	3	16	3	–	9	5	–	6	3	6	49	11	7	4	11	–	08
287	44	3	71	16	19	33	4	–	14	6	–	20	21	12	99	47	45	26	7	2	09
49	3	–	22	3	5	8	–	1	1	–	–	–	–	1	14	4	3	3	1	–	10
26	1	–	8	3	1	3	1	1	3	–	–	–	–	–	11	2	2	–	–	–	11
97	5	–	29	5	2	7	4	1	5	–	–	1	5	3	14	4	12	7	1	–	12
9,291	1,087	75	3,011	607	451	1,029	429	108	459	73	2	202	302	286	2,693	1,052	994	537	195	68	13
5,068	550	39	1,717	368	239	619	248	53	278	51	–	91	127	155	1,458	421	480	276	120	39	14
4,223	537	36	1,294	239	212	410	181	55	181	22	2	111	175	131	1,235	631	514	261	75	29	15
5,747	583	48	1,862	402	282	666	257	65	305	43	–	121	195	171	1,643	607	556	354	148	41	16
3,751	379	30	1,244	282	177	474	175	39	229	36	–	67	90	107	1,067	313	347	208	102	32	17
1,996	204	18	618	120	105	192	82	26	76	7	–	54	105	64	576	294	209	146	46	9	18
3,544	504	27	1,149	205	169	363	172	43	154	30	2	81	107	115	1,050	445	438	183	47	27	19
1,317	171	9	473	86	62	145	73	14	49	15	–	24	37	48	391	108	133	68	18	7	20
2,227	333	18	676	119	107	218	99	29	105	15	2	57	70	67	659	337	305	115	29	20	21
21	9	1	8	1	–	7	–	–	1	–	–	–	4	1	10	3	5	–	1	–	22
64	8	–	16	3	1	9	3	3	2	–	–	3	–	1	12	5	7	3	–	1	23
171	10	1	34	7	8	9	11	2	7	2	–	5	3	8	41	32	18	14	3	1	24
63	2	–	15	3	3	4	4	2	2	2	–	1	3	2	19	8	4	5	2	–	25
54	7	1	10	2	2	3	5	–	2	–	–	2	–	4	12	8	8	4	1	–	26
54	1	–	9	2	3	2	2	–	3	–	–	2	–	2	10	16	6	5	–	1	27
148	3	1	42	14	14	10	5	1	6	–	–	2	4	3	35	16	18	10	2	1	28
75	–	–	21	9	7	5	4	–	2	–	–	1	2	3	20	6	11	5	1	–	29
73	3	1	21	5	7	5	1	1	4	–	–	1	2	–	15	10	7	5	1	1	30
131	40	1	46	4	3	13	3	1	6	1	–	1	3	4	42	24	19	3	3	2	31
57	20	–	14	2	1	6	2	–	2	1	–	–	1	1	19	8	10	1	1	–	32
74	20	1	32	2	2	7	1	1	4	–	–	1	2	3	23	16	9	2	2	2	33
414	20	7	120	18	26	37	22	1	17	2	–	5	8	11	87	53	41	19	8	6	34
204	9	4	65	12	14	22	8	–	11	–	–	4	2	4	49	24	19	7	4	6	35
210	11	3	55	6	12	15	14	1	6	2	–	1	6	7	38	29	22	12	4	–	36
21	3	–	8	2	–	–	2	–	1	–	–	–	–	–	7	–	–	–	–	–	37
204	12	2	80	13	8	25	12	4	8	3	–	9	6	5	50	16	24	8	–	3	38
40	1	–	15	2	3	6	3	2	–	–	–	–	2	2	7	3	3	2	–	–	39
95	9	1	43	5	3	14	4	–	5	1	–	4	1	1	28	6	8	2	–	2	40
69	2	1	22	6	2	5	5	2	3	2	–	5	3	2	15	7	13	4	–	1	41
40	3	–	15	2	–	3	–	–	2	–	–	2	–	–	17	5	7	2	–	1	42
3	1	–	4	–	–	–	–	–	3	–	–	1	–	2	7	5	1	1	–	–	43
59	4	–	24	3	4	7	4	–	6	2	–	6	–	5	21	15	4	6	4	–	44
46	3	–	19	2	4	5	4	–	6	2	–	4	–	5	16	9	2	5	3	–	45
13	1	–	5	1	–	2	–	–	–	–	–	2	–	–	5	6	2	1	1	–	46
4	–	–	3	–	–	1	2	–	–	–	–	–	2	–	3	–	–	–	–	–	47
107	7	1	28	7	3	11	5	–	4	–	–	6	11	4	29	11	15	12	1	–	48
23	2	–	6	2	1	3	1	–	2	–	–	3	2	1	9	5	5	4	–	–	49
84	5	1	22	5	2	8	4	–	2	–	–	3	9	3	20	6	10	8	1	–	50
184	30	4	65	3	4	21	4	2	12	3	1	2	5	9	57	20	21	9	5	1	51
57	13	2	24	–	1	11	2	1	2	1	–	–	3	3	17	5	2	–	2	1	52
38	3	1	10	–	3	5	–	–	1	1	–	1	1	3	7	2	5	4	–	–	53
89	14	1	31	3	–	5	2	1	9	1	1	1	1	3	33	13	14	5	3	–	54
80	13	–	26	6	7	10	4	1	5	–	–	5	3	1	30	14	14	4	1	–	55
39	4	–	8	3	3	3	2	–	1	–	–	–	–	–	4	4	7	–	–	–	56
2,773	305	21	899	143	127	390	128	39	152	24	–	49	87	82	853	274	281	167	83	24	57
58	9	1	20	1	2	8	3	1	2	1	–	1	2	4	14	11	5	2	1	–	58
109	5	1	36	4	5	18	5	2	6	2	–	1	1	4	38	12	12	5	–	2	59
42	6	–	13	3	4	8	1	–	2	1	–	1	1	2	17	10	7	2	2	–	60
40	6	–	17	4	1	8	2	1	–	–	–	2	2	–	18	8	5	4	–	–	61
33	–	1	13	2	4	6	–	1	1	–	–	2	1	2	6	3	4	3	–	1	62
29	1	–	2	–	1	2	2	–	–	–	–	–	1	3	6	5	3	–	–	–	63
55	15	–	19	1	3	9	2	–	8	1	–	–	3	6	23	12	5	1	2	1	64
1,685	190	14	539	94	66	249	81	19	107	14	–	20	31	38	492	101	164	95	59	15	65
722	73	4	240	34	41	82	32	15	26	5	–	22	45	23	239	112	76	55	19	5	66
308	56	1	71	8	22	30	14	5	18	2	–	3	11	4	91	36	27	15	2	3	67
132	12	–	34	3	9	8	6	3	5	1	–	1	5	2	32	9	16	3	–	1	68
176	44	1	37	5	13	22	8	2	13	1	–	2	6	2	59	27	11	12	2	2	69
64	9	–	24	6	7	12	1	1	1	1	–	1	–	3	20	7	3	2	1	1	70
33	5	–	13	5	4	7	–	–	–	1	–	–	–	1	9	1	1	2	–	–	71
31	4	–	11	1	3	5	1	1	1	–	–	1	–	2	11	6	2	–	1	1	72
36	3	1	8	4	1	1	1	1	1	–	–	3	1	2	7	7	9	2	–	–	73
165	19	1	74	14	10	14	6	3	3	3	–	–	3	5	45	12	21	5	1	–	74
50	5	1	30	6	2	7	3	1	–	1	–	–	1	–	15	2	5	1	–	–	75
115	14	–	44	8	8	7	3	2	3	2	–	–	2	5	30	10	16	4	1	–	76
29	8	–	9	4	2	5	1	–	2	1	–	–	–	2	11	1	5	–	–	–	77
71	12	1	12	2	1	3	1	2	3	1	–	4	1	4	23	14	11	1	–	2	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population—

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Washington—Con.																	
01	Okanogan	311	–	–	2	62	13	16	5	9	5	2	12	4	142	111	1	1
02	Pacific	228	–	–	1	48	12	15	1	6	1	4	9	5	110	68	1	1
03	Pend Oreille	74	–	–	–	12	4	3	–	–	–	3	2	–	38	33	–	–
04	Pierce	3,471	3	–	20	722	186	191	66	82	25	17	155	44	1,755	1,246	22	14
05	Puyallup	196	–	–	–	39	10	10	6	3	1	–	9	–	108	78	2	–
06	Tacoma	1,668	3	–	10	346	99	92	24	41	9	10	71	24	873	605	12	10
07	Balance of county	1,607	–	–	10	337	77	89	36	38	15	7	75	20	774	563	8	4
08	San Juan	49	–	–	–	9	5	2	–	–	–	–	2	–	25	16	–	–
09	Skagit	596	1	–	4	136	40	33	12	10	8	2	31	16	295	231	4	4
10	Skamania	39	–	–	–	7	4	2	1	–	–	–	–	1	21	15	2	1
11	Snohomish	2,123	3	–	17	460	124	118	52	53	16	19	78	26	1,017	718	23	10
12	Edmonds	224	–	–	3	61	15	16	5	8	3	5	9	1	106	76	2	–
13	Everett	650	1	–	3	137	42	38	13	13	4	4	23	9	316	209	6	6
14	Lynnwood	133	–	–	2	24	2	7	4	2	3	1	5	–	55	39	2	–
15	Mountlake Terrace	60	–	–	3	19	5	2	2	2	–	1	7	2	18	11	–	–
16	Balance of county	1,056	2	–	6	219	60	55	28	28	6	8	34	14	522	383	13	4
17	Spokane	2,755	2	–	10	620	168	155	56	81	31	22	107	46	1,382	957	21	13
18	Spokane	1,912	1	–	6	410	106	111	38	55	20	15	65	25	989	680	15	9
19	Balance of county	843	1	–	4	210	62	44	18	26	11	7	42	21	393	277	6	4
20	Stevens	217	–	–	1	40	11	5	5	8	–	1	10	7	93	63	2	–
21	Thurston	878	3	–	4	199	49	52	9	25	15	10	39	16	420	317	7	3
22	Olympia	348	1	–	2	76	16	18	3	9	5	5	20	8	169	125	2	–
23	Balance of county	530	2	–	2	123	33	34	6	16	10	5	19	8	251	192	5	3
24	Wahkiakum	33	–	–	–	6	–	–	1	2	–	–	3	2	17	14	2	–
25	Walla Walla	430	–	–	2	73	20	15	4	9	6	5	14	7	236	167	4	3
26	Walla Walla	304	–	–	–	49	15	10	2	7	4	4	7	4	172	121	3	3
27	Balance of county	126	–	–	2	24	5	5	2	2	2	1	7	3	64	46	1	–
28	Whatcom	726	–	–	3	147	33	35	18	18	4	8	31	15	371	256	5	5
29	Bellingham	404	–	–	1	70	20	12	8	9	2	3	16	11	215	146	3	2
30	Balance of county	322	–	–	2	77	13	23	10	9	2	5	15	4	156	110	2	3
31	Whitman	228	–	–	1	57	18	12	5	9	4	1	8	5	105	72	1	1
32	Pullman	38	–	–	–	10	2	1	–	3	1	1	2	1	16	10	–	–
33	Balance of county	190	–	–	1	47	16	11	5	6	3	–	6	4	89	62	1	1
34	Yakima	1,508	4	–	11	263	60	70	14	34	8	11	66	19	762	546	7	9
35	Yakima	710	3	–	6	128	28	38	6	14	4	5	33	5	378	262	2	6
36	Balance of county	798	1	–	5	135	32	32	8	20	4	6	33	14	384	284	5	3
37	**West Virginia**	19,646	38	–	133	3,681	856	1,023	252	412	167	136	835	388	10,269	8,021	118	100
38	Urban places	5,746	6	–	41	1,127	262	306	89	128	42	48	252	122	3,049	2,344	38	26
39	Balance of area	13,900	32	–	92	2,554	594	717	163	284	125	88	583	266	7,220	5,677	80	74
40	Metropolitan counties	5,821	7	–	38	1,195	261	326	104	117	55	45	287	109	3,037	2,391	38	22
41	Urban places	3,335	4	–	21	670	148	188	61	69	28	27	149	62	1,746	1,358	22	10
42	Balance of area	2,486	3	–	17	525	113	138	43	48	27	18	138	47	1,291	1,033	16	12
43	Nonmetropolitan counties	13,825	31	–	95	2,486	595	697	148	295	112	91	548	279	7,232	5,630	80	78
44	Urban places	2,411	2	–	20	457	114	118	28	59	14	21	103	60	1,303	986	16	16
45	Balance of area	11,414	29	–	75	2,029	481	579	120	236	98	70	445	219	5,929	4,644	64	62
46	Barbour	180	–	–	1	27	10	4	3	4	1	1	4	3	105	85	2	1
47	Berkeley	434	–	–	3	64	14	11	6	10	4	–	19	13	255	176	4	1
48	Martinsburg	227	–	–	1	38	10	7	2	5	2	–	12	10	144	102	2	–
49	Balance of county	207	–	–	2	26	4	4	4	5	2	–	7	3	111	74	2	1
50	Boone	307	–	–	6	63	12	24	5	6	2	1	13	6	155	128	3	4
51	Braxton	141	–	–	–	40	9	10	5	5	2	2	7	1	70	50	1	2
52	Brooke	275	–	–	–	63	16	14	4	4	2	5	18	2	152	122	4	1
53	Weirton, part	37	–	–	–	10	1	2	1	–	1	–	5	–	18	18	–	–
54	Balance of county	238	–	–	–	53	15	12	3	4	1	5	13	2	134	104	4	1
55	Cabell	1,281	2	–	5	277	61	88	30	23	12	9	54	23	679	511	8	7
56	Huntington, part	934	1	–	5	185	42	59	20	15	7	7	35	16	513	383	3	4
57	Huntington, total	980	1	–	5	197	44	62	21	15	8	8	39	18	530	400	4	4
58	Balance of county	347	1	–	–	92	19	29	10	8	5	2	19	7	166	128	5	3
59	Calhoun	101	1	–	–	17	5	2	1	1	2	1	5	2	48	41	1	–
60	Clay	124	–	–	1	27	4	10	–	4	–	–	9	–	68	55	1	1
61	Doddridge	88	–	–	1	15	7	3	2	2	–	–	1	5	51	37	–	–
62	Fayette	671	–	–	2	111	17	34	10	21	4	4	21	6	344	287	6	1
63	Gilmer	105	–	–	1	17	3	4	2	2	2	–	4	3	58	52	–	–
64	Grant	74	–	–	–	15	1	4	–	5	–	–	5	2	32	22	–	–
65	Greenbrier	426	1	–	–	73	13	18	9	9	4	2	18	5	203	166	2	–
66	Hampshire	152	1	–	1	30	9	9	2	5	1	1	3	1	91	75	1	1
67	Hancock	390	–	–	1	88	16	26	10	12	3	2	19	8	198	153	3	2
68	Weirton, part	238	–	–	1	54	8	18	6	9	2	2	9	5	122	96	3	1
69	Weirton, total	275	–	–	1	64	9	20	7	9	3	2	14	5	140	114	3	1
70	Balance of county	152	–	–	–	34	8	8	4	3	1	–	10	3	76	57	–	1
71	Hardy	114	–	–	1	18	4	6	1	3	1	–	3	5	70	60	1	–
72	Harrison	915	2	–	6	164	40	48	9	22	6	11	28	16	530	421	4	8
73	Clarksburg	375	–	–	2	61	17	15	5	7	2	4	11	7	230	185	2	4
74	Balance of county	540	2	–	4	103	23	33	4	15	4	7	17	9	300	236	2	4
75	Jackson	178	2	–	1	37	10	8	2	3	4	–	10	6	95	75	–	1
76	Jefferson	253	–	–	1	49	13	15	2	6	2	1	10	6	134	111	–	1
77	Kanawha	2,333	4	–	23	464	105	115	39	41	21	18	125	39	1,231	990	8	5
78	Charleston	910	2	–	7	184	46	51	16	14	3	8	46	12	484	384	4	2
79	St. Albans	162	1	–	2	32	9	7	3	2	2	2	7	2	80	67	1	–
80	South Charleston	161	–	–	1	29	7	3	3	3	2	–	11	4	88	64	–	1
81	Balance of county	1,100	1	–	13	219	43	54	17	22	14	8	61	21	579	475	3	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
91	18	–	21	5	5	11	9	–	4	–	–	1	4	4	28	19	15	6	–	–	01
52	14	2	34	3	3	3	4	1	2	–	–	2	1	1	22	9	15	2	1	1	02
24	9	1	3	–	1	8	1	–	2	–	–	–	–	2	7	1	1	2	–	–	03
1,137	73	11	371	76	51	83	33	13	62	7	–	35	48	33	271	124	108	75	29	6	04
70	6	–	22	6	2	7	1	1	3	–	–	1	2	–	18	5	3	7	1	–	05
556	27	6	196	40	26	44	17	6	37	7	–	17	16	14	105	46	53	32	16	2	06
511	40	5	153	30	23	32	15	6	22	–	–	17	30	19	148	73	52	36	12	4	07
14	2	1	8	–	–	3	–	–	2	2	–	–	–	–	3	–	1	2	1	1	08
206	17	1	50	6	7	14	11	2	8	–	1	–	5	6	46	16	24	5	5	1	09
12	–	–	4	–	2	1	–	–	1	–	–	–	–	1	3	1	1	2	–	–	10
597	88	2	189	75	33	69	28	10	31	3	–	12	22	24	192	82	66	43	14	4	11
62	12	–	22	6	2	7	5	1	3	1	–	1	1	3	18	3	6	4	–	–	12
173	24	–	63	32	12	17	13	4	12	2	–	4	4	10	65	19	14	9	7	4	13
32	5	–	8	3	5	5	2	–	3	–	–	–	5	2	15	10	4	5	1	–	14
9	2	–	6	1	–	1	1	2	–	–	–	2	–	2	5	1	2	2	–	–	15
321	45	2	90	33	14	39	7	3	13	–	–	5	12	7	89	49	40	23	6	–	16
826	97	7	283	90	45	87	46	2	43	7	–	20	30	21	240	74	60	50	14	1	17
594	62	3	203	73	30	63	32	1	34	7	–	11	18	13	178	43	41	30	9	1	18
232	35	4	80	17	15	24	14	1	9	–	–	9	12	8	62	31	19	20	5	–	19
49	12	1	17	8	4	9	6	1	3	–	–	2	1	1	24	10	11	7	1	–	20
257	50	2	81	8	12	23	12	1	10	1	–	5	15	8	81	24	35	17	3	1	21
108	15	–	37	3	4	9	5	–	6	–	–	1	4	5	36	7	12	5	2	–	22
149	35	2	44	5	8	14	7	1	4	1	–	4	11	3	45	17	23	12	1	1	23
11	1	–	3	–	–	–	–	–	1	–	–	–	–	–	2	3	2	–	–	–	24
133	27	–	54	10	5	18	5	1	5	1	–	2	1	1	39	11	18	6	1	3	25
95	20	–	40	6	5	12	5	–	5	–	–	1	1	1	29	5	13	5	1	1	26
38	7	–	14	4	–	6	–	1	–	1	–	1	–	–	10	6	5	1	–	2	27
223	23	1	75	29	10	22	6	6	7	2	–	4	2	5	63	28	27	14	3	1	28
126	15	1	44	20	4	13	5	2	4	1	–	1	2	4	44	8	11	8	3	1	29
97	8	–	31	9	6	9	1	4	3	1	–	3	–	1	19	20	16	6	–	–	30
58	12	–	29	2	2	10	1	1	1	–	–	1	2	–	29	5	7	3	–	–	31
8	2	–	4	1	1	2	–	–	1	–	–	–	2	–	6	–	–	–	–	–	32
50	10	–	25	1	1	8	1	1	–	–	–	1	–	–	23	5	7	3	–	–	33
465	65	3	165	28	20	47	36	4	16	5	–	11	19	23	141	71	45	20	8	3	34
217	37	2	94	15	5	25	20	3	4	3	–	4	7	10	66	16	17	12	2	1	35
248	28	1	71	13	15	22	16	1	12	2	–	7	12	13	75	55	28	8	6	2	36
7,060	743	71	1,650	275	252	577	271	46	238	76	2	118	220	204	1,861	490	574	261	159	40	37
2,054	226	25	520	80	80	174	71	17	88	33	–	21	48	63	536	96	136	62	40	16	38
5,006	517	46	1,130	195	172	403	200	29	150	43	2	97	172	141	1,325	394	438	199	119	24	39
2,091	240	13	500	58	75	152	73	13	90	26	–	33	55	63	528	131	138	72	44	17	40
1,183	143	10	305	25	48	99	47	12	56	21	–	11	29	46	296	67	77	36	24	11	41
908	97	3	195	33	27	53	26	1	34	5	–	22	26	17	232	64	61	36	20	6	42
4,969	503	58	1,150	217	177	425	198	33	148	50	2	85	165	141	1,333	359	436	189	115	23	43
871	83	15	215	55	32	75	24	5	32	12	–	10	19	17	240	29	59	26	16	5	44
4,098	420	43	935	162	145	350	174	28	116	38	2	75	146	124	1,093	330	377	163	99	18	45
81	1	–	15	3	2	9	3	–	2	–	–	2	1	1	12	2	10	1	1	–	46
155	16	–	59	15	5	15	6	3	5	–	–	5	3	1	42	8	7	3	1	–	47
89	11	–	30	10	2	1	4	1	3	–	–	1	–	1	19	1	3	–	–	–	48
66	5	–	29	5	3	14	2	2	2	–	–	4	3	–	23	7	4	3	1	–	49
104	17	1	19	1	6	8	9	–	3	1	–	1	1	3	31	9	6	2	2	1	50
44	3	–	15	4	1	5	3	1	1	–	–	–	1	1	8	2	6	1	1	–	51
112	5	–	25	3	2	7	7	–	3	1	–	1	3	1	25	2	5	1	1	1	52
18	–	–	–	–	–	1	3	–	1	–	–	–	–	1	3	–	–	–	–	–	53
94	5	–	25	3	2	6	4	–	2	1	–	1	3	–	22	2	5	1	1	1	54
460	36	4	124	16	24	33	14	4	18	7	–	8	13	17	113	20	28	8	9	3	55
350	26	4	98	9	19	25	11	4	15	6	–	3	8	15	84	8	18	6	8	3	56
364	28	4	98	9	19	26	14	5	17	6	–	3	8	16	86	9	22	6	8	3	57
110	10	–	26	7	5	8	3	–	3	1	–	5	5	2	29	12	10	2	1	–	58
36	4	1	6	–	–	3	2	–	–	1	–	1	2	4	9	6	2	3	–	–	59
43	10	–	10	1	2	2	1	–	2	–	–	1	2	2	9	2	5	2	–	–	60
35	2	1	11	–	2	1	–	–	1	–	–	–	2	1	7	2	1	1	–	–	61
265	15	4	44	4	5	24	14	3	5	3	–	5	7	7	69	25	16	15	14	1	62
45	7	–	6	–	–	6	–	–	–	1	–	–	2	–	8	3	4	2	–	–	63
19	3	1	7	2	–	3	1	–	–	–	–	1	–	1	11	4	1	1	2	–	64
144	20	–	29	2	6	25	8	1	5	–	–	8	5	2	44	19	12	7	7	1	65
64	9	–	13	1	2	7	1	–	–	1	–	–	2	–	7	4	3	3	–	–	66
137	11	–	36	7	2	12	9	1	4	1	–	2	2	4	34	12	7	4	2	1	67
88	4	–	21	4	1	10	5	1	2	1	–	1	–	3	18	7	4	2	2	–	68
106	4	–	21	4	1	11	8	1	3	1	–	1	–	4	21	7	4	2	2	–	69
49	7	–	15	3	1	2	4	–	2	–	–	1	2	1	16	5	3	2	–	1	70
57	2	–	7	1	2	–	1	–	1	–	–	1	–	–	9	4	4	–	–	–	71
391	18	7	82	14	6	25	7	1	10	2	–	4	9	3	77	12	22	13	7	5	72
170	9	1	33	10	1	11	–	1	4	1	–	–	2	2	36	5	5	6	1	1	73
221	9	6	49	4	5	14	7	–	6	1	–	4	7	1	41	7	17	7	6	4	74
71	3	3	16	1	–	2	4	–	3	1	–	1	–	–	17	7	1	–	1	–	75
101	9	1	17	3	2	5	9	–	3	–	–	3	–	–	23	10	7	3	–	–	76
834	143	4	182	23	32	59	17	3	40	10	–	12	24	23	204	67	45	39	22	7	77
303	75	1	77	6	16	23	8	1	15	7	–	3	13	10	77	22	18	11	10	3	78
60	6	1	10	1	1	7	–	1	2	2	–	–	1	4	18	6	3	1	–	–	79
57	6	1	19	3	1	8	1	1	2	–	–	–	1	2	13	5	1	4	–	1	80
414	56	1	76	13	14	21	8	–	21	1	–	9	9	7	96	34	23	23	12	3	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	West Virginia—Con.																	
01	Lewis	218	–	–	–	41	11	8	5	8	–	–	9	2	122	77	–	1
02	Lincoln	222	2	–	1	50	11	20	1	2	4	3	9	5	115	90	2	2
03	Logan	435	–	–	1	70	10	24	6	5	7	3	15	12	203	163	6	1
04	McDowell	519	2	–	8	84	28	22	5	7	3	5	14	22	224	173	3	4
05	Marion	748	–	–	8	160	45	50	7	15	3	5	35	17	396	291	8	3
06	Fairmont	361	–	–	4	80	24	23	4	6	2	4	17	9	185	134	5	3
07	Balance of county	387	–	–	4	80	21	27	3	9	1	1	18	8	211	157	3	–
08	Marshall	388	1	–	3	82	20	24	5	9	1	1	22	11	190	151	2	1
09	Moundsville	163	–	–	–	32	10	10	–	6	1	–	5	7	78	64	1	1
10	Balance of county	225	1	–	3	50	10	14	5	3	–	1	17	4	112	87	1	–
11	Mason	242	1	–	–	44	13	9	1	4	2	2	13	1	124	101	1	3
12	Mercer	744	2	–	6	123	29	28	5	14	6	4	37	19	372	282	6	5
13	Bluefield[9]	232	1	–	3	45	8	13	1	9	–	2	12	7	105	74	1	3
14	Balance of county	512	1	–	3	78	21	15	4	5	6	2	25	12	267	208	5	2
15	Mineral	268	–	–	2	58	19	22	–	3	6	1	7	6	146	113	1	1
16	Mingo	367	–	–	1	48	7	18	2	6	3	–	12	4	203	172	3	3
17	Monongalia	532	2	–	8	104	34	24	8	5	2	5	26	9	258	197	5	–
18	Morgantown	228	–	–	2	51	16	9	4	3	–	5	14	1	120	93	4	–
19	Balance of county	304	2	–	6	53	18	15	4	2	2	–	12	8	138	104	1	–
20	Monroe	153	–	–	1	32	10	7	1	–	2	3	9	2	87	73	–	–
21	Morgan	93	–	–	–	16	2	6	1	2	2	1	2	2	51	37	1	–
22	Nicholas	270	2	–	5	57	16	15	3	4	3	–	16	6	125	95	1	1
23	Ohio	811	–	–	5	150	30	39	13	21	9	7	31	18	412	322	12	1
24	Wheeling	684	–	–	5	132	23	35	11	20	9	7	27	14	346	265	9	1
25	Balance of county	127	–	–	–	18	7	4	2	1	–	–	4	4	66	57	3	–
26	Pendleton	74	1	–	–	10	2	2	1	2	–	–	3	1	41	26	–	1
27	Pleasants	91	–	–	–	18	6	5	–	3	–	1	3	2	36	29	–	2
28	Pocahontas	145	–	–	–	22	9	5	1	4	1	–	2	1	80	66	1	2
29	Preston	309	–	–	1	55	15	16	1	8	1	–	14	6	168	121	2	2
30	Putnam	237	2	–	3	45	12	14	2	5	3	1	8	3	127	103	1	–
31	Raleigh	876	3	–	9	158	36	38	6	26	10	9	33	25	411	339	4	4
32	Beckley	332	–	–	2	57	11	13	4	13	5	3	8	10	167	136	–	1
33	Balance of county	544	3	–	7	101	25	25	2	13	5	6	25	15	244	203	4	3
34	Randolph	290	–	–	–	52	11	15	2	7	1	3	13	3	169	111	1	–
35	Ritchie	153	1	–	–	32	7	11	1	5	3	1	4	4	85	65	2	–
36	Roane	197	2	–	1	28	8	10	1	4	1	–	4	4	113	82	–	1
37	Summers	174	–	–	–	32	6	6	5	4	2	1	8	1	89	70	1	1
38	Taylor	185	1	–	–	32	7	12	1	2	1	–	9	3	96	71	2	1
39	Tucker	111	1	–	2	16	8	2	3	–	–	–	3	3	62	49	–	–
40	Tyler	123	–	–	1	17	6	3	1	2	1	1	3	–	68	54	–	4
41	Upshur	232	–	–	2	28	6	5	1	8	1	2	5	5	143	115	–	4
42	Wayne	343	–	–	1	71	13	20	3	7	7	3	18	8	175	142	1	5
43	Huntington, part	46	–	–	–	12	2	3	1	–	1	1	4	2	17	17	1	–
44	Balance of county	297	–	–	1	59	11	17	2	7	6	2	14	6	158	125	–	5
45	Webster	131	–	–	1	26	4	6	1	2	–	2	11	4	54	39	–	–
46	Wetzel	208	–	–	–	38	5	7	6	7	1	4	8	3	120	93	1	1
47	Wirt	50	–	–	–	8	1	4	–	1	1	–	1	–	31	24	–	1
48	Wood	916	1	–	8	166	36	54	8	21	4	6	37	20	484	371	2	6
49	Parkersburg	577	1	–	6	109	25	33	8	16	2	2	23	14	310	232	2	5
50	Vienna	79	–	–	–	16	3	5	–	–	1	1	6	2	42	30	–	–
51	Balance of county	260	–	–	2	41	8	16	–	5	1	3	8	4	132	109	–	1
52	Wyoming	249	1	–	1	49	4	19	3	1	3	4	15	4	120	97	–	3
53	**Wisconsin**	40,324	37	1	256	8,288	2,340	1,702	746	981	422	381	1,716	741	21,586	16,346	319	244
54	Urban places	19,822	24	1	141	4,269	1,183	933	372	488	208	183	902	377	10,593	8,039	174	131
55	Balance of area	20,502	13	–	115	4,019	1,157	769	374	493	214	198	814	364	10,993	8,307	145	113
56	Metropolitan counties	20,673	24	1	137	4,413	1,221	974	397	493	208	196	924	395	10,888	8,314	183	111
57	Urban places	15,494	22	1	108	3,369	937	739	289	383	153	145	723	298	8,176	6,225	139	88
58	Balance of area	5,179	2	–	29	1,044	284	235	108	110	55	51	201	97	2,712	2,089	44	23
59	Nonmetropolitan counties	19,651	13	–	119	3,875	1,119	728	349	488	214	185	792	346	10,698	8,032	136	133
60	Urban places	4,328	2	–	33	900	246	194	83	105	55	38	179	79	2,417	1,814	35	43
61	Balance of area	15,323	11	–	86	2,975	873	534	266	383	159	147	613	267	8,281	6,218	101	90
62	Adams	135	–	–	–	28	10	5	3	3	1	1	5	1	81	62	–	–
63	Ashland	197	–	–	1	38	14	5	5	6	1	2	5	2	100	82	–	1
64	Barron	405	1	–	1	80	27	11	7	12	4	6	13	7	198	141	4	–
65	Bayfield	161	–	–	–	36	9	4	5	3	1	2	12	3	79	53	3	2
66	Brown	1,189	2	–	7	251	65	45	26	29	16	13	57	24	653	485	10	10
67	De Pere	90	–	–	–	25	11	4	1	2	–	1	6	3	42	29	1	5
68	Green Bay	747	1	–	3	148	38	27	14	19	9	6	35	13	421	315	5	3
69	Balance of county	352	1	–	4	78	16	14	11	8	7	6	16	8	190	141	4	2
70	Buffalo	133	–	–	–	28	9	6	2	1	2	1	7	2	65	49	1	–
71	Burnett	146	1	–	–	30	10	4	2	6	–	–	8	1	80	52	2	2
72	Calumet	208	–	–	–	38	12	8	4	4	1	3	6	7	103	89	2	1
73	Appleton, part	16	–	–	–	5	1	2	–	1	1	–	–	–	5	5	–	–
74	Balance of county	192	–	–	–	33	11	6	4	3	–	3	6	7	98	84	2	1
75	Chippewa	445	–	–	4	91	24	20	8	9	5	7	18	5	235	177	3	3
76	Chippewa Falls	140	–	–	2	30	9	4	4	3	–	3	7	2	72	60	1	3
77	Eau Claire, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
78	Balance of county	304	–	–	2	61	15	16	4	6	5	4	11	3	163	117	2	–
79	Clark	360	–	–	2	71	19	18	6	7	5	3	13	8	195	151	–	1
80	Columbia	424	1	–	5	82	21	16	7	13	5	1	19	12	240	185	1	2
81	Crawford	157	–	–	1	29	12	2	1	4	2	2	6	5	73	52	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
68	8	2	34	6	3	6	3	1	2	–	–	2	2	2	25	4	3	2	1	–	01
80	6	–	17	3	5	2	5	–	2	1	–	–	1	1	19	7	8	3	–	–	02
139	17	2	29	3	6	8	7	2	3	2	–	7	8	21	59	9	14	4	4	1	03
153	13	2	35	5	9	10	13	–	9	4	–	3	7	9	62	20	23	7	12	–	04
257	23	3	75	17	10	20	6	–	11	3	–	3	7	8	63	13	13	13	5	2	05
115	11	3	36	8	4	10	5	–	3	3	–	1	4	4	32	5	5	5	4	2	06
142	12	–	39	9	6	10	1	–	8	–	–	2	8	4	31	8	8	8	1	–	07
140	8	3	31	1	4	14	1	–	5	1	–	3	–	6	40	8	16	5	1	1	08
60	2	2	9	–	3	5	1	–	2	1	–	–	–	4	12	6	11	2	1	1	09
80	6	1	22	1	1	9	–	–	3	–	–	3	–	2	28	2	5	3	–	–	10
83	14	–	18	3	2	7	–	1	3	3	–	3	1	3	28	9	8	3	2	1	11
218	53	6	68	7	9	21	15	3	7	5	–	4	13	4	93	19	24	6	8	–	12
58	12	2	23	3	3	7	6	2	4	1	–	–	–	1	33	5	7	2	3	–	13
160	41	4	45	4	6	14	9	1	3	4	–	4	13	3	60	14	17	4	5	–	14
106	5	–	25	5	3	3	1	1	7	–	–	3	–	3	17	6	10	5	–	–	15
153	13	2	20	7	2	10	12	–	2	–	–	1	4	8	35	8	18	6	7	–	16
165	27	2	36	14	9	24	5	2	5	3	–	4	7	3	57	13	13	11	3	1	17
80	9	1	11	11	4	14	1	–	1	1	–	2	2	1	21	3	3	4	–	1	18
85	18	1	25	3	5	10	4	2	4	2	–	2	5	2	36	10	10	7	3	–	19
63	10	–	7	6	1	8	–	–	1	–	–	–	1	–	10	–	7	2	2	–	20
32	4	–	8	–	6	2	–	1	1	1	–	–	1	–	13	2	3	–	–	–	21
79	14	1	25	3	1	12	4	–	3	1	–	1	3	2	23	10	12	3	1	–	22
284	25	1	78	2	9	21	17	3	17	4	–	6	11	9	86	13	19	13	3	4	23
233	22	1	71	2	7	19	15	3	15	4	–	4	6	6	69	12	18	10	3	3	24
51	3	–	7	–	2	2	2	–	2	–	–	2	5	3	17	1	1	3	–	1	25
25	–	–	13	2	–	6	1	–	–	–	–	–	2	–	8	1	1	2	–	–	26
26	1	–	5	–	2	2	2	–	–	–	–	–	–	3	4	3	18	3	–	–	27
60	3	1	9	3	1	8	4	1	1	3	–	–	2	1	10	6	2	3	1	–	28
101	16	1	34	8	4	8	4	1	3	–	1	–	2	2	32	9	10	6	–	1	29
92	10	–	19	2	3	5	1	1	2	–	–	4	5	3	16	11	4	3	2	–	30
316	15	5	52	2	13	30	7	3	13	3	1	3	12	7	114	17	33	12	14	1	31
129	6	2	23	2	4	15	1	–	7	3	–	2	1	3	37	5	13	4	5	–	32
187	9	3	29	–	9	15	6	3	6	–	1	1	11	4	77	12	20	8	9	1	33
104	6	–	39	16	3	9	6	2	4	–	–	1	1	3	17	8	9	3	3	–	34
60	3	–	12	7	1	5	2	–	2	–	–	–	–	1	6	9	5	1	–	–	35
80	1	–	28	–	3	7	3	–	2	1	–	–	5	–	17	5	6	2	–	1	36
60	8	–	15	3	1	3	4	–	–	3	–	3	5	7	16	2	3	3	2	1	37
54	14	2	11	10	2	9	1	–	1	1	–	–	3	2	15	9	10	2	–	–	38
46	3	1	7	3	2	2	3	–	1	–	–	–	4	1	8	1	6	–	1	–	39
45	5	1	12	–	1	6	–	–	2	–	–	–	–	1	14	5	7	–	1	1	40
98	13	1	18	7	2	4	1	1	3	–	–	1	3	1	22	8	4	6	–	–	41
124	12	1	24	6	2	6	8	2	3	2	–	1	2	3	26	9	18	2	6	–	42
14	2	–	–	–	–	1	3	1	2	–	–	–	–	1	2	1	4	–	–	–	43
110	10	1	24	6	2	5	5	1	1	2	–	1	2	2	24	8	14	2	6	–	44
33	6	–	7	5	3	10	2	–	3	–	–	–	2	4	13	3	2	6	1	–	45
85	6	–	18	3	6	5	4	–	–	3	–	–	3	1	19	4	5	2	1	–	46
22	1	1	4	1	1	2	–	–	–	–	–	–	1	–	4	–	4	–	–	–	47
327	36	6	75	13	19	26	10	4	11	3	–	7	18	8	82	15	40	8	3	2	48
204	21	5	49	11	13	15	6	1	9	3	–	3	10	4	54	4	22	3	2	1	49
26	4	1	10	–	1	2	1	–	1	–	–	1	–	1	8	1	1	2	1	–	50
97	11	–	16	2	5	9	3	3	1	–	–	3	8	3	20	10	17	3	–	1	51
84	10	–	19	1	3	5	3	–	3	–	–	2	5	6	29	4	4	5	5	3	52
14,053	1,730	135	3,747	738	620	1,237	411	104	481	128	8	300	342	366	3,284	990	1,005	583	128	48	53
7,052	682	76	1,834	339	305	570	211	49	258	62	4	138	150	150	1,639	364	417	285	88	32	54
7,001	1,048	59	1,913	399	315	667	200	55	223	66	4	162	192	216	1,645	626	588	298	40	16	55
7,308	712	73	1,846	325	330	547	221	49	284	66	4	153	172	157	1,719	456	481	372	97	37	56
5,470	528	58	1,412	236	245	415	170	40	213	51	4	109	116	119	1,305	290	325	249	84	30	57
1,838	184	15	434	89	85	132	51	9	71	15	–	44	56	38	414	166	156	123	13	7	58
6,745	1,018	62	1,901	413	290	690	190	55	197	62	4	147	170	209	1,565	534	524	211	31	11	59
1,582	154	18	422	103	60	155	41	9	45	11	–	29	34	31	334	74	92	36	4	2	60
5,163	864	44	1,479	310	230	535	149	46	152	51	4	118	136	178	1,231	460	432	175	27	9	61
46	16	–	17	–	2	2	1	1	1	1	–	1	2	1	12	2	–	1	–	–	62
63	18	–	15	2	1	8	2	1	7	1	1	2	1	1	19	7	2	4	–	–	63
119	18	–	44	3	10	17	2	3	1	2	–	4	3	6	52	15	4	7	2	–	64
43	5	–	23	3	–	7	2	–	–	–	–	1	1	2	19	9	1	1	–	–	65
336	129	1	123	26	18	33	15	1	6	3	–	5	8	16	80	28	27	27	2	1	66
20	3	–	11	2	–	4	–	–	2	–	–	–	–	–	5	6	–	3	–	–	67
221	86	1	75	18	12	24	12	1	3	2	–	4	5	12	54	15	16	12	–	1	68
95	40	–	37	6	6	5	3	–	1	1	–	1	3	4	21	7	11	12	2	–	69
44	4	1	10	3	2	8	–	–	–	–	–	1	1	1	16	3	5	1	1	1	70
41	7	–	16	10	2	4	2	–	2	1	–	–	1	2	11	5	4	2	–	–	71
82	4	–	8	4	2	7	2	–	5	1	–	2	2	2	18	5	7	7	2	–	72
5	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	1	1	–	73
77	4	–	8	4	2	6	2	–	4	1	–	2	1	2	17	5	7	6	1	–	74
158	13	–	50	2	6	28	6	1	6	–	–	5	4	2	28	12	15	1	2	–	75
53	3	–	10	–	2	7	3	1	5	–	–	2	2	1	9	1	3	–	–	–	76
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	77
105	10	–	40	2	4	20	3	–	1	–	–	3	2	1	19	11	12	1	2	–	78
105	45	3	28	6	7	17	2	1	1	–	–	6	2	3	31	10	8	2	1	–	79
158	24	–	35	9	11	12	5	1	6	1	–	2	2	–	34	6	6	8	1	–	80
29	20	1	9	6	5	8	4	1	1	–	–	1	1	2	15	2	10	3	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188, 189)	Leukemia (204-207)	Other malignant neoplasms (140-149, 170-173, 190-203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Dane	1,950	1	-	21	408	106	91	34	41	24	21	91	29	990	717	20	14
02	Madison	1,103	1	-	12	245	55	62	19	24	11	14	60	18	552	395	11	9
03	Monona	60	-	-	1	13	5	1	2	1	1	1	2	-	35	28	1	1
04	Balance of county	787	-	-	8	150	46	28	13	16	12	6	29	11	403	294	8	4
05	Dodge	706	-	-	3	130	39	27	13	8	10	4	29	12	398	316	3	1
06	Beaver Dam	174	-	-	-	35	15	7	2	3	2	-	6	1	107	84	3	-
07	Watertown, part	77	-	-	1	9	2	1	2	1	1	-	2	1	44	30	-	1
08	Balance of county	455	-	-	2	86	22	19	9	4	7	4	21	10	247	202	-	-
09	Door	257	-	-	1	57	17	6	7	7	3	1	16	2	125	87	1	-
10	Douglas	510	-	-	2	93	28	25	3	9	5	4	19	7	286	219	2	5
11	Superior	383	-	-	2	74	22	20	2	7	4	3	16	7	216	157	2	5
12	Balance of county	127	-	-	-	19	6	5	1	2	1	1	3	-	70	62	-	-
13	Dunn	276	2	-	1	49	16	6	5	7	3	1	11	5	149	117	2	5
14	Menomonie	111	1	-	-	22	6	3	3	4	2	-	4	3	59	43	1	1
15	Balance of county	165	1	-	1	27	10	3	2	3	1	1	7	2	90	74	1	4
16	Eau Claire	601	-	-	6	133	40	29	12	17	12	2	21	8	316	241	3	1
17	Eau Claire, part	423	-	-	4	101	30	22	8	13	11	2	15	7	236	178	3	-
18	Eau Claire, total	424	-	-	4	101	30	22	8	13	11	2	15	7	236	178	3	-
19	Balance of county	178	-	-	2	32	10	7	4	4	1	-	6	1	80	63	-	1
20	Florence	49	-	-	-	11	2	4	-	1	1	3	-	-	24	16	2	-
21	Fond du Lac	788	1	-	13	157	36	37	12	19	9	10	34	15	441	341	10	3
22	Fond du Lac	384	-	-	7	64	10	19	7	6	3	5	14	10	227	176	8	2
23	Balance of county	404	1	-	6	93	26	18	5	13	6	5	20	5	214	165	2	1
24	Forest	112	-	-	1	16	8	4	-	2	-	-	2	2	66	49	2	-
25	Grant	493	-	-	2	83	18	16	9	9	3	3	25	6	285	210	6	1
26	Green	315	1	-	-	57	16	10	7	9	4	1	10	5	177	131	-	3
27	Green Lake	227	-	-	-	49	15	7	7	4	4	4	8	8	114	95	-	1
28	Iowa	215	-	-	1	37	7	8	4	5	4	-	9	4	125	83	1	1
29	Iron	99	-	-	1	18	5	3	3	-	2	-	5	1	62	49	1	3
30	Jackson	205	-	-	-	36	10	7	3	4	1	3	8	2	105	74	1	-
31	Jefferson	608	-	-	5	122	33	22	11	17	7	3	29	12	336	257	2	2
32	Watertown, part	122	-	-	1	22	6	4	3	3	1	-	5	3	68	49	-	-
33	Watertown, total	199	-	-	2	31	8	5	5	4	2	-	7	4	112	79	-	1
34	Whitewater, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
35	Balance of county	484	-	-	4	100	27	18	8	14	6	3	24	9	266	206	2	2
36	Juneau	221	-	-	-	39	11	6	4	4	1	4	9	4	126	91	-	2
37	Kenosha	963	1	-	-	211	51	49	23	23	6	12	47	13	544	459	8	4
38	Kenosha	696	1	-	-	151	34	34	16	17	5	9	36	8	401	332	7	4
39	Balance of county	267	-	-	-	60	17	15	7	6	1	3	11	5	143	127	1	-
40	Kewaunee	179	1	-	1	34	7	10	2	2	2	5	6	-	97	73	1	-
41	La Crosse	802	-	-	4	155	45	32	10	26	5	4	33	17	411	302	16	2
42	La Crosse	540	-	-	3	104	31	18	4	19	3	2	27	11	281	200	12	1
43	Balance of county	262	-	-	1	51	14	14	6	7	2	2	6	6	130	102	4	1
44	Lafayette	157	-	-	1	27	11	4	3	4	1	1	3	3	88	60	1	-
45	Langlade	240	-	-	-	51	17	11	2	4	2	5	10	5	132	104	1	-
46	Lincoln	263	-	-	-	51	18	12	6	5	3	1	6	5	143	101	-	4
47	Manitowoc	750	-	-	4	169	47	24	16	29	8	8	37	14	403	302	2	6
48	Manitowoc	418	-	-	2	95	25	14	11	12	7	3	23	10	224	162	2	3
49	Two Rivers	110	-	-	-	27	8	3	2	7	-	2	5	4	60	49	-	1
50	Balance of county	222	-	-	2	47	14	7	3	10	1	3	9	-	119	91	-	2
51	Marathon	837	-	-	4	158	46	28	10	25	9	10	30	11	471	354	8	19
52	Marshfield, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Wausau	358	-	-	1	66	18	14	4	7	7	4	12	4	205	154	2	10
54	Balance of county	478	-	-	3	92	28	14	6	18	2	6	18	7	266	200	6	9
55	Marinette	467	-	-	4	76	24	10	7	10	5	2	18	12	268	189	4	3
56	Marinette	163	-	-	2	22	7	3	2	2	2	-	6	7	98	73	1	2
57	Balance of county	304	-	-	2	54	17	7	5	8	3	2	12	5	170	116	3	1
58	Marquette	159	-	-	-	26	6	8	2	5	1	-	4	1	94	69	-	3
59	Menominee	33	-	-	1	4	1	1	-	1	-	-	1	3	14	11	-	-
60	Milwaukee	9,098	15	-	64	2,045	583	464	178	232	93	86	409	186	4,783	3,680	79	46
61	Brown Deer	62	-	-	-	14	3	-	2	1	1	-	7	2	35	27	2	-
62	Cudahy	152	-	-	2	31	8	11	1	3	-	2	6	3	76	57	1	-
63	Franklin	70	-	-	-	10	3	3	1	1	-	1	1	3	35	24	-	-
64	Glendale	172	1	-	-	38	10	8	8	5	4	1	2	5	94	67	3	1
65	Greendale	57	-	-	-	15	4	2	4	1	1	-	3	-	31	27	1	-
66	Greenfield	227	1	-	3	55	17	14	4	7	3	1	9	6	114	89	2	-
67	Milwaukee, part	6,301	7	-	43	1,396	393	329	107	156	62	60	289	127	3,284	2,546	50	33
68	Milwaukee, total	6,301	7	-	43	1,396	393	329	107	156	62	60	289	127	3,284	2,546	50	33
69	Oak Creek	83	-	-	-	21	4	2	1	5	2	1	6	1	44	39	3	-
70	St. Francis	83	-	-	1	25	9	7	1	2	-	-	6	1	37	28	-	-
71	Shorewood	175	2	-	-	43	8	8	5	9	2	2	9	3	94	63	2	2
72	South Milwaukee	158	-	-	2	27	10	5	5	-	-	2	5	2	92	72	1	3
73	Wauwatosa	545	-	-	10	115	42	19	12	10	5	5	22	13	309	240	6	3
74	West Allis	663	3	-	1	146	45	33	15	17	6	8	22	16	367	275	6	4
75	Whitefish Bay	110	-	-	2	37	10	7	6	4	2	-	8	1	54	37	1	-
76	Balance of county	240	1	-	-	72	17	16	6	11	5	3	14	3	117	89	1	-
77	Monroe	326	-	-	3	65	24	2	9	6	5	1	18	6	178	143	2	1
78	Oconto	291	-	-	3	52	17	11	4	7	3	-	10	7	169	119	3	2
79	Oneida	285	1	-	-	58	17	11	6	3	3	1	17	7	153	125	1	7
80	Outagamie	846	2	-	5	182	45	36	24	33	4	10	30	19	417	319	8	4
81	Appleton, part	440	2	-	4	89	18	17	13	17	2	4	18	14	222	164	6	2
82	Appleton, total	456	2	-	4	94	19	19	13	18	3	4	18	14	227	169	6	2
83	Kaukauna	63	-	-	-	17	5	2	1	3	1	1	4	-	35	25	-	2
84	Balance of county	343	-	-	1	76	22	17	10	13	1	5	8	5	160	130	2	-

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
607	76	4	191	45	33	60	19	6	13	8	1	20	18	12	190	44	64	40	4	2	01
331	44	2	111	25	19	34	9	2	8	5	1	14	5	6	120	15	30	23	2	1	02
22	4	–	5	–	2	3	–	–	2	–	–	–	–	1	2	2	1	–	–	–	03
254	28	2	75	20	12	23	10	4	3	3	–	6	13	5	68	27	33	17	2	1	04
287	25	1	63	15	3	31	3	1	8	1	–	5	4	9	56	17	17	8	–	3	05
75	6	–	20	3	–	6	1	–	2	–	–	–	–	2	15	3	2	–	–	–	06
27	2	1	10	3	–	9	–	1	1	1	–	–	–	3	7	–	–	–	–	–	07
185	17	–	33	9	3	16	2	–	5	–	–	5	4	4	34	14	15	8	–	3	08
70	16	1	31	2	4	10	4	–	3	2	–	3	3	16	14	6	8	2	1	–	09
190	22	2	41	10	14	13	2	1	10	5	–	4	5	8	38	13	12	8	1	2	10
135	15	2	35	10	12	11	1	1	7	4	–	2	4	6	24	9	7	5	1	2	11
55	7	–	6	–	2	2	1	–	3	1	–	2	1	2	14	4	5	3	–	–	12
101	9	–	22	5	5	15	3	–	1	–	–	1	3	3	22	11	8	3	–	–	13
39	2	–	13	2	1	6	2	–	1	–	–	–	2	–	9	4	1	1	–	–	14
62	7	–	9	3	4	9	1	–	–	–	–	1	1	3	13	7	7	2	–	–	15
219	18	3	48	11	13	25	6	3	8	1	–	3	6	4	41	21	15	4	1	–	16
158	17	3	34	8	13	16	2	1	2	–	–	1	3	1	26	9	10	4	–	–	17
158	17	3	34	8	13	17	2	1	2	–	–	1	3	1	26	9	10	4	–	–	18
61	1	–	14	3	–	9	4	2	6	1	–	2	3	3	15	12	5	–	1	–	19
11	3	–	7	1	–	–	1	–	2	–	–	–	–	1	5	3	1	–	1	–	20
298	30	2	58	24	16	19	6	1	8	4	–	2	5	9	61	20	20	6	–	–	21
154	12	–	28	16	7	9	3	–	5	1	–	1	2	5	32	9	6	3	–	–	22
144	18	2	30	8	9	10	3	1	3	3	–	1	3	4	29	11	14	3	–	–	23
36	11	–	14	1	2	3	1	–	2	1	–	–	1	1	12	2	2	1	1	–	24
187	16	1	57	10	7	19	7	3	4	–	–	2	4	15	30	13	16	3	1	–	25
119	9	1	33	6	6	13	7	–	2	1	–	3	2	1	25	6	12	3	–	–	26
84	10	1	14	3	1	7	3	–	4	1	–	1	2	1	20	6	9	1	1	–	27
77	4	–	29	11	2	9	1	–	–	1	1	3	1	1	11	8	9	2	1	–	28
43	2	2	6	3	2	1	–	–	–	–	–	–	1	–	7	4	2	2	–	–	29
72	1	1	22	4	4	9	2	2	1	–	–	1	–	–	28	9	8	2	–	–	30
226	27	1	54	12	12	16	7	–	5	5	–	4	1	5	50	12	18	8	2	–	31
43	6	–	12	5	2	3	1	–	1	1	–	3	–	2	9	2	5	1	–	–	32
70	8	1	22	8	2	12	1	1	2	2	–	3	–	5	16	2	5	1	–	–	33
–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
183	19	1	42	7	10	13	6	–	4	4	–	1	1	3	41	10	13	7	2	–	35
79	10	1	29	1	4	5	5	1	1	–	–	–	1	2	20	3	12	2	–	–	36
423	24	6	53	16	10	22	5	2	15	3	–	6	10	3	59	33	16	11	4	5	37
300	21	5	41	14	9	18	4	2	13	3	–	3	7	2	42	16	13	5	4	3	38
123	3	1	12	2	1	4	1	–	2	–	–	3	3	1	17	17	3	6	–	2	39
63	9	2	18	2	2	2	3	–	–	–	–	1	2	10	11	14	2	1	–	–	40
261	23	4	81	10	14	34	13	1	14	1	–	2	11	4	91	12	20	12	–	–	41
171	16	3	62	6	10	23	9	–	12	–	–	–	4	3	60	10	12	8	–	–	42
90	7	1	19	4	4	11	4	1	2	1	–	2	7	1	31	2	8	4	–	–	43
46	13	–	17	9	2	8	3	1	–	–	–	–	2	2	14	4	4	–	–	–	44
62	41	1	21	2	4	11	1	–	4	2	–	1	–	2	17	8	5	1	–	–	45
89	8	1	28	9	4	6	1	1	2	–	–	3	8	3	22	6	9	3	–	–	46
270	24	4	72	13	12	26	5	3	3	3	–	3	4	1	62	24	17	7	1	1	47
144	13	3	47	6	6	16	4	3	3	2	–	1	1	–	39	5	8	4	–	1	48
44	4	1	5	3	2	2	1	–	–	–	–	–	1	–	10	1	2	1	1	–	49
82	7	–	20	4	4	8	–	–	–	1	–	2	2	1	13	18	7	2	–	–	50
230	97	1	86	17	13	20	8	2	9	2	–	9	7	9	74	25	16	10	2	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	52
114	28	1	38	8	4	10	4	1	3	–	–	2	–	5	38	6	10	3	–	–	53
116	69	–	48	9	9	10	4	1	6	2	–	7	7	4	35	19	6	7	2	–	54
163	19	1	54	18	6	11	3	1	5	2	–	6	6	4	36	14	10	8	–	1	55
67	3	–	18	4	3	2	–	1	2	1	–	1	3	2	9	5	5	2	–	1	56
96	16	1	36	14	3	9	3	–	3	1	–	5	3	2	27	9	5	6	–	–	57
56	10	–	20	4	1	7	–	1	4	–	–	–	2	4	11	5	2	1	1	–	58
9	2	–	1	1	1	–	–	–	–	–	–	–	1	1	2	3	–	2	1	1	59
3,310	245	32	817	123	131	227	96	25	129	30	1	59	60	67	754	143	183	154	58	19	60
23	2	1	6	1	–	1	1	–	–	–	–	2	1	1	2	–	1	2	–	–	61
54	2	1	15	1	2	4	3	–	6	1	–	1	1	–	12	3	5	3	1	–	62
24	–	–	9	–	2	5	1	–	1	–	–	1	2	1	4	1	1	4	1	–	63
61	2	1	19	5	2	9	–	–	1	–	–	–	–	–	22	–	1	1	–	–	64
24	2	1	2	1	–	1	1	–	–	1	–	–	1	–	4	–	1	2	–	–	65
78	9	2	16	3	4	4	–	1	3	–	–	4	2	1	20	6	2	4	1	–	66
2,280	183	17	561	76	84	149	67	20	87	22	1	39	44	54	551	97	140	104	51	18	67
2,280	183	17	561	76	84	149	67	20	87	22	1	39	44	54	551	97	140	104	51	18	68
34	2	–	5	–	–	2	1	–	2	1	–	–	–	–	5	3	2	1	–	–	69
27	1	1	6	–	2	2	2	–	2	1	–	–	1	1	6	3	–	1	–	–	70
56	3	2	18	4	7	3	5	1	2	–	–	1	–	1	14	1	2	3	–	–	71
66	2	–	13	3	4	5	2	1	3	–	–	–	1	–	9	5	4	5	–	–	72
211	20	2	53	9	5	16	5	–	5	1	–	1	–	2	44	9	9	6	–	–	73
251	14	3	58	16	15	21	5	2	14	2	–	7	4	4	40	12	10	6	3	–	74
35	1	1	13	1	2	3	2	–	–	–	–	1	–	1	4	–	2	2	1	–	75
86	2	–	23	3	2	2	1	–	3	1	–	2	3	1	17	3	3	10	–	1	76
125	15	–	23	5	7	11	1	–	3	–	–	1	6	2	27	7	13	2	1	–	77
86	28	–	44	5	1	7	3	–	2	2	–	3	6	–	21	2	10	4	–	–	78
84	33	1	16	7	4	4	3	–	6	1	–	1	2	2	25	8	10	3	1	–	79
280	27	4	62	13	19	18	18	3	20	2	–	11	12	10	52	30	25	18	2	–	80
140	16	3	32	10	13	12	11	2	8	–	–	7	8	2	30	10	8	10	1	–	81
145	16	3	32	10	13	13	11	2	9	–	–	7	9	2	31	10	8	11	2	–	82
22	1	–	8	1	1	2	–	–	1	–	–	1	–	–	4	1	2	–	–	–	83
118	10	1	22	2	5	4	7	1	11	2	–	3	4	8	18	19	15	8	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Ozaukee	418	–	–	2	83	21	17	8	8	1	4	24	6	220	167	3	1
02	Mequon	100	–	–	–	23	8	4	2	2	–	–	7	1	48	31	–	–
03	Balance of county	318	–	–	2	60	13	13	6	6	1	4	17	5	172	136	3	1
04	Pepin	92	–	–	1	20	3	3	–	6	1	–	7	–	56	38	–	–
05	Pierce	205	–	–	2	24	6	1	2	6	–	1	8	4	108	83	–	2
06	Polk	344	–	–	3	64	15	9	6	7	4	8	15	3	206	145	3	1
07	Portage	382	–	–	2	72	17	18	3	8	4	4	18	4	211	159	4	2
08	Stevens Point	196	–	–	–	39	10	9	3	2	3	3	9	4	110	78	3	1
09	Balance of county	186	–	–	2	33	7	9	–	6	1	1	9	–	101	81	1	1
10	Price	213	–	–	2	57	23	10	4	5	2	2	11	9	97	73	5	2
11	Racine	1,388	2	–	7	270	69	65	20	30	22	13	51	23	751	572	9	7
12	Racine	809	2	–	5	167	38	41	11	19	14	9	35	9	431	337	7	5
13	Balance of county	579	–	–	2	103	31	24	9	11	8	4	16	14	320	235	2	2
14	Richland	182	–	–	–	42	15	9	2	6	2	1	7	–	101	74	1	–
15	Rock	1,175	–	–	8	240	59	60	29	30	15	5	42	17	650	486	10	17
16	Beloit	390	–	–	4	85	24	24	12	10	5	1	9	2	214	160	3	1
17	Janesville	363	–	–	1	81	19	21	9	8	4	1	19	10	191	139	2	9
18	Balance of county	422	–	–	3	74	16	15	8	12	6	3	14	5	245	187	5	7
19	Rusk	165	–	–	2	30	4	5	5	6	2	1	7	7	82	58	1	–
20	St. Croix	325	–	–	1	47	10	10	2	10	1	1	13	5	176	133	2	1
21	Sauk	410	–	–	2	95	29	15	17	11	7	3	13	10	217	159	5	1
22	Sawyer	144	–	–	–	45	10	12	4	8	2	2	7	3	60	45	1	1
23	Shawano	401	–	–	4	93	24	18	2	13	6	12	18	15	202	148	4	2
24	Sheboygan	906	1	–	6	174	53	35	15	22	5	12	32	11	504	369	5	10
25	Sheboygan	521	–	–	5	112	34	26	8	11	2	7	24	7	299	225	4	7
26	Balance of county	385	1	–	1	62	19	9	7	11	3	5	8	4	205	144	1	3
27	Taylor	179	–	–	–	36	14	8	5	4	1	2	2	2	97	70	2	1
28	Trempealeau	315	–	–	3	52	18	8	4	5	1	2	14	6	156	121	–	1
29	Vernon	279	–	–	1	51	16	9	4	6	2	5	9	6	158	118	6	–
30	Vilas	203	–	–	1	50	16	10	2	6	2	1	13	2	108	94	4	–
31	Walworth	614	1	–	6	130	41	18	15	17	6	9	24	14	329	267	4	5
32	Whitewater, part	56	–	–	–	14	1	1	2	5	–	1	4	1	29	27	–	1
33	Whitewater, total	58	–	–	–	14	1	1	2	5	–	1	4	1	31	29	–	1
34	Balance of county	558	1	–	6	116	40	17	13	12	6	8	20	13	300	240	4	4
35	Washburn	155	–	–	–	32	10	8	2	3	2	2	5	2	94	64	1	–
36	Washington	563	–	–	3	102	31	20	9	9	4	4	25	13	326	243	4	4
37	Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	West Bend	150	–	–	–	24	6	5	3	4	3	–	3	3	89	76	–	1
39	Balance of county	413	–	–	3	78	25	15	6	5	1	4	22	10	237	167	4	3
40	Waukesha	1,651	1	1	12	351	98	69	37	33	19	16	79	25	857	653	12	6
41	Brookfield	201	–	–	–	57	20	14	5	4	1	2	11	4	109	74	1	–
42	Menomonee Falls	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
43	Muskego	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	New Berlin	109	–	–	1	30	10	2	2	5	1	1	9	1	47	40	1	–
45	Waukesha	344	1	1	4	61	16	7	8	6	2	4	18	5	169	127	2	–
46	Balance of county	995	–	–	7	203	52	46	22	18	15	9	41	15	531	411	8	6
47	Waupaca	502	1	–	1	92	26	16	8	12	9	5	16	14	272	200	4	2
48	Waushara	210	–	–	2	28	10	3	2	5	2	1	5	1	128	107	–	3
49	Winnebago	1,087	–	–	10	224	67	53	21	16	8	6	53	26	547	409	10	7
50	Menasha	116	–	–	2	32	6	5	6	3	–	1	11	5	54	43	1	–
51	Neenah	171	–	–	2	38	13	4	3	2	4	1	11	5	90	64	–	–
52	Oshkosh	496	–	–	5	93	34	22	5	7	3	3	19	8	262	191	4	4
53	Balance of county	304	–	–	1	61	14	22	7	4	1	1	12	8	141	111	5	3
54	Wood	528	1	–	3	123	37	28	6	14	6	8	24	5	281	210	2	1
55	Marshfield, part	150	1	–	1	34	10	6	–	4	2	4	8	–	81	60	2	1
56	Marshfield, total	151	1	–	1	34	10	6	–	4	2	4	8	–	81	60	2	1
57	Wisconsin Rapids	168	–	–	2	42	12	13	1	4	3	2	7	3	91	65	–	–
58	Balance of county	210	–	–	–	47	15	9	5	6	1	2	9	2	109	85	–	–
59	**Wyoming**	3,112	1	–	13	553	152	117	38	79	20	24	123	59	1,359	991	22	11
60	Urban places	1,193	1	–	3	216	60	47	16	34	6	10	43	27	528	387	11	5
61	Balance of area	1,919	–	–	10	337	92	70	22	45	14	14	80	32	831	604	11	6
62	Nonmetropolitan counties	3,112	1	–	13	553	152	117	38	79	20	24	123	59	1,359	991	22	11
63	Urban places	1,193	1	–	3	216	60	47	16	34	6	10	43	27	528	387	11	5
64	Balance of area	1,919	–	–	10	337	92	70	22	45	14	14	80	32	831	604	11	6
65	Albany	162	–	–	1	26	5	8	1	7	–	2	3	1	80	53	1	1
66	Laramie	138	–	–	–	21	3	8	1	6	–	2	1	1	67	44	–	1
67	Balance of county	24	–	–	1	5	2	–	–	1	–	–	2	–	13	9	1	–
68	Big Horn	121	–	–	2	20	8	3	3	1	–	1	4	3	65	47	–	1
69	Campbell	78	–	–	–	8	–	3	1	–	–	2	2	–	28	23	1	–
70	Carbon	167	–	–	–	34	12	9	1	4	–	1	7	2	68	55	1	–
71	Converse	84	–	–	1	14	6	3	–	1	–	–	4	2	28	22	–	–
72	Crook	43	–	–	–	10	3	3	–	1	–	1	2	1	17	14	1	–
73	Fremont	222	–	–	3	43	13	6	5	2	5	–	12	4	76	52	3	2
74	Goshen	106	–	–	1	26	9	6	–	4	–	3	4	4	58	43	–	–
75	Hot Springs	69	–	–	–	15	6	3	1	–	1	–	4	2	34	27	1	–
76	Johnson	75	–	–	1	12	2	3	2	2	–	–	3	3	35	25	2	1
77	Laramie	478	1	–	1	88	30	22	7	9	2	3	15	13	202	152	4	3
78	Cheyenne	387	1	–	1	75	27	17	6	8	–	3	14	13	167	128	4	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
157	6	1	40	7	5	10	3	2	7	1	-	3	4	2	38	15	8	13	-	1	01
28	3	-	13	1	3	5	2	1	-	-	-	1	1	1	9	2	4	2	-	-	02
129	3	1	27	6	2	5	1	1	7	1	-	2	3	1	29	13	4	11	-	1	03
33	5	1	14	-	3	5	-	-	-	-	-	-	1	-	5	1	1	2	-	-	04
76	5	1	18	-	6	11	1	1	4	-	-	1	3	2	24	12	7	1	-	-	05
124	17	2	44	10	5	15	2	1	5	1	-	1	2	3	18	8	10	2	-	-	06
142	11	-	39	11	2	8	3	3	3	1	-	4	6	-	35	11	11	7	1	-	07
70	4	-	24	7	1	4	2	1	1	-	-	3	3	-	16	4	7	2	-	-	08
72	7	-	15	4	1	4	1	2	2	1	-	1	3	-	19	7	4	5	1	-	09
46	20	1	20	1	2	4	4	3	1	-	-	-	1	11	14	2	4	4	-	-	10
508	48	8	136	14	21	26	23	2	21	5	2	11	7	9	106	39	34	31	18	1	11
298	27	3	79	6	6	15	14	2	11	4	2	8	7	8	64	18	14	13	14	1	12
210	21	5	57	8	15	11	9	-	10	1	-	3	-	1	42	21	20	18	4	-	13
71	2	3	19	2	3	7	3	-	2	-	-	1	1	3	14	3	4	1	-	-	14
407	52	6	120	24	14	42	13	1	12	2	-	11	10	8	86	32	33	9	1	-	15
143	13	5	40	6	3	10	5	-	2	-	-	2	6	2	38	8	8	3	1	-	16
107	21	-	34	11	7	17	3	-	5	2	-	4	3	3	22	9	9	3	-	-	17
157	18	1	46	7	4	15	5	1	5	-	-	5	1	3	26	15	16	3	-	-	18
37	20	1	14	3	6	5	3	1	2	-	-	2	2	2	12	3	8	4	-	-	19
115	15	-	35	7	1	20	6	-	3	2	-	4	2	2	29	15	12	1	-	-	20
142	11	1	43	5	9	9	4	-	5	-	-	2	3	6	29	13	13	2	-	-	21
32	11	-	11	1	3	8	2	-	2	2	-	-	2	1	14	2	-	3	-	-	22
95	47	-	34	16	4	13	1	1	4	3	1	2	5	7	24	15	8	2	-	1	23
329	25	6	96	20	13	44	5	2	14	4	1	8	5	8	63	16	24	12	4	-	24
203	11	4	50	13	7	26	4	-	6	-	-	2	3	5	30	6	10	5	1	-	25
126	14	2	46	7	6	18	1	2	8	4	1	6	2	3	33	10	14	7	3	-	26
57	10	2	13	11	1	3	-	2	2	1	-	3	1	4	12	11	5	-	-	-	27
107	13	-	25	7	3	18	3	1	4	-	-	-	1	10	29	10	15	6	-	1	28
103	9	3	22	9	6	15	2	-	1	-	-	-	-	2	24	6	9	4	-	-	29
70	20	-	5	9	-	7	2	2	1	1	-	1	-	-	13	2	6	7	-	-	30
233	25	2	43	6	11	13	7	3	6	2	-	6	10	-	54	14	13	6	-	-	31
25	1	-	1	1	-	1	2	-	1	1	-	-	1	-	6	-	-	-	-	-	32
25	3	-	1	1	-	1	2	-	1	1	-	-	1	-	6	-	-	-	-	-	33
208	24	2	42	5	11	12	5	3	5	1	-	6	9	-	48	14	13	6	-	-	34
57	6	-	28	1	1	3	2	-	2	-	-	2	1	-	6	4	5	2	-	-	35
210	25	1	44	20	18	13	4	2	7	-	-	6	1	2	41	22	14	7	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
67	8	1	4	2	6	5	3	-	2	-	-	1	-	1	10	9	2	1	-	-	38
143	17	-	40	18	12	8	1	2	5	-	-	5	1	1	31	13	12	6	-	-	39
590	45	5	154	15	30	56	9	1	22	6	-	15	20	8	139	53	41	25	6	3	40
68	5	2	27	2	4	2	1	-	3	1	-	2	2	1	11	5	2	-	1	-	41
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
37	2	2	4	-	1	1	1	-	1	-	-	2	-	-	13	7	3	2	-	-	44
117	8	-	34	2	6	16	-	1	4	2	-	2	6	4	36	10	10	9	2	1	45
367	30	1	89	11	19	37	7	-	14	3	-	9	11	3	79	31	26	14	3	2	46
179	15	1	56	11	4	15	6	2	5	5	-	6	8	10	43	9	10	2	-	1	47
98	6	1	13	3	4	6	4	3	1	-	-	5	2	1	13	3	6	7	-	-	48
354	38	5	96	22	15	28	12	3	15	1	-	9	14	14	113	19	30	19	-	3	49
36	6	-	9	-	2	-	1	-	2	1	-	1	1	1	7	5	1	3	-	-	50
61	3	-	20	1	5	2	-	1	3	-	-	-	2	2	12	3	6	4	-	1	51
166	17	2	48	16	5	12	7	2	4	-	-	4	5	3	64	7	14	4	-	2	52
91	12	3	19	5	3	14	4	-	6	-	-	4	6	8	30	4	9	8	-	-	53
194	13	-	55	11	5	13	4	-	6	3	-	9	6	1	43	10	10	8	1	1	54
54	3	-	16	3	2	5	1	-	2	-	-	5	3	-	9	2	3	3	-	-	55
54	3	-	16	3	2	5	1	-	2	-	-	5	3	-	10	2	3	3	-	-	56
62	3	-	22	4	-	5	3	-	3	2	-	2	1	-	9	-	3	1	1	-	57
78	7	-	17	4	3	3	-	-	1	1	-	2	2	1	25	8	4	4	-	1	58
809	149	3	261	52	52	99	48	14	53	16	3	42	43	49	309	187	152	75	26	11	59
310	61	3	110	16	12	40	18	6	21	5	-	14	11	12	141	66	41	31	8	4	60
499	88	-	151	36	40	59	30	8	32	11	3	28	32	37	168	121	111	44	18	7	61
809	149	3	261	52	52	99	48	14	53	16	3	42	43	49	309	187	152	75	26	11	62
310	61	3	110	16	12	40	18	6	21	5	-	14	11	12	141	66	41	31	8	4	63
499	88	-	151	36	40	59	30	8	32	11	3	28	32	37	168	121	111	44	18	7	64
42	9	-	23	4	-	5	1	1	3	-	-	1	2	2	17	11	7	1	2	1	65
36	7	-	20	3	-	4	1	1	3	-	-	1	2	2	14	11	7	1	1	1	66
6	2	-	3	1	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	67
41	5	-	11	4	3	6	-	1	2	-	-	-	-	1	9	3	6	3	-	-	68
18	4	-	3	2	-	1	1	1	-	-	-	3	2	1	5	11	12	3	1	1	69
45	9	-	8	3	2	9	1	2	4	1	-	-	2	3	16	8	12	4	-	1	70
20	2	-	3	1	2	1	2	-	2	1	-	2	1	2	9	5	7	1	5	1	71
12	1	-	3	-	-	1	1	-	1	-	-	-	1	-	4	5	2	-	-	-	72
44	3	-	15	4	5	9	3	-	2	3	-	5	2	3	22	19	17	8	3	-	73
39	4	-	12	1	2	1	1	2	-	-	-	-	1	-	7	3	1	1	-	-	74
21	5	-	5	1	1	2	3	-	2	-	-	1	-	1	3	2	3	1	-	-	75
19	3	-	6	3	1	2	1	-	1	1	-	2	-	-	9	4	-	2	2	-	76
120	25	-	39	5	6	13	6	2	5	3	-	9	6	6	63	22	15	19	3	1	77
102	19	-	32	4	3	9	6	1	4	3	-	7	3	4	51	14	12	14	1	1	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wyoming—Con.																	
	Laramie—Con.																	
01	Balance of county	91	–	–	–	13	3	5	1	1	2	–	1	–	35	24	–	–
02	Lincoln	81	–	–	–	15	4	2	–	3	1	1	4	1	33	22	–	1
03	Natrona	449	–	–	2	75	18	14	8	11	2	2	20	6	194	144	2	1
04	Casper	344	–	–	2	63	15	11	6	11	2	2	16	5	149	111	2	1
05	Balance of county	105	–	–	–	12	3	3	2	–	–	–	4	1	45	33	–	–
06	Niobrara	36	–	–	–	6	2	1	–	2	–	–	1	1	21	12	–	–
07	Park	132	–	–	–	23	5	4	2	4	2	–	6	2	66	42	–	–
08	Platte	89	–	–	–	22	4	6	1	7	–	1	3	1	43	26	1	–
09	Sheridan	242	–	–	–	39	7	8	1	8	4	2	9	4	115	76	3	–
10	Sheridan	182	–	–	–	29	6	5	1	6	3	1	7	4	86	53	3	–
11	Balance of county	60	–	–	–	10	1	3	–	2	1	1	2	–	29	23	–	–
12	Sublette	36	–	–	–	2	–	–	1	–	–	–	1	1	20	13	–	–
13	Sweetwater	226	–	–	–	41	12	9	3	7	2	2	6	6	85	73	2	–
14	Rock Springs	142	–	–	–	28	9	6	2	3	1	2	5	4	59	51	2	–
15	Balance of county	84	–	–	–	13	3	3	1	4	1	–	1	2	26	22	–	–
16	Teton	27	–	–	–	5	1	–	–	1	–	–	3	–	12	8	–	–
17	Uinta	69	–	–	–	6	3	–	–	1	–	–	2	2	19	15	–	1
18	Washakie	65	–	–	1	11	–	2	–	3	–	2	4	–	33	26	–	–
19	Weston	55	–	–	–	12	2	2	1	1	1	1	4	–	27	21	–	–

†Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1978—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
18	6	–	7	1	3	4	–	1	1	–	–	2	3	2	12	8	3	5	2	–	01
18	3	–	5	3	3	3	2	–	1	1	2	3	1	4	7	4	3	–	–	1	02
122	19	1	32	9	8	13	5	2	8	2	1	4	9	7	43	35	25	16	1	1	03
94	14	1	22	7	8	10	5	2	7	2	–	3	5	2	35	28	14	10	1	1	04
28	5	–	10	2	–	3	–	–	1	–	1	1	4	5	8	7	11	6	–	–	05
9	3	–	4	–	5	1	–	–	–	–	–	–	–	1	3	1	2	–	–	–	06
37	5	–	14	4	6	4	2	1	1	1	–	–	4	2	11	7	6	1	–	1	07
22	3	–	11	4	2	–	3	–	2	–	–	1	–	1	8	4	3	–	1	–	08
46	27	1	36	1	1	21	4	1	4	–	–	1	2	5	29	9	3	3	–	2	09
31	19	1	30	1	1	17	3	1	3	–	–	–	–	3	27	6	1	2	–	–	10
15	8	–	6	–	–	4	1	–	1	–	–	1	2	2	2	3	2	1	–	2	11
10	3	–	5	1	1	–	2	–	1	–	–	–	–	1	4	–	3	1	1	–	12
68	3	1	8	2	1	1	5	1	9	1	–	7	5	3	18	18	13	6	6	1	13
47	2	1	6	1	–	–	3	1	4	–	–	3	1	1	14	7	7	4	5	1	14
21	1	–	2	1	1	1	2	–	5	1	–	4	4	2	4	11	6	2	1	–	15
7	1	–	3	–	1	1	–	–	2	–	–	–	–	–	4	3	–	–	–	–	16
8	6	–	4	–	–	2	3	–	1	1	–	2	2	4	9	9	5	3	1	–	17
23	3	–	6	–	1	1	2	–	2	–	–	–	–	1	4	4	4	2	–	–	18
18	3	–	5	–	1	2	–	–	–	1	–	1	3	1	5	–	3	–	–	–	19

Section 8.
Guam, Puerto Rico, and Virgin Islands (U.S.)

Table		Page
8–1.	Deaths and death rates: Guam, Puerto Rico, and Virgin Islands, 1940–78	8–3
8–2.	Deaths by month and sex for Guam, Puerto Rico, Virgin Islands; and by color for Virgin Islands: 1978	8–3
8–3.	Deaths from 69 selected causes, by 10-year age groups and sex: Guam, 1978	8–4
8–4.	Deaths from 69 selected causes, by 10-year age groups and sex: Puerto Rico, 1978	8–8
8–5.	Deaths from 69 selected causes, by 10-year age groups, color, and sex: Virgin Islands, 1978	8–12
8–6.	Deaths from motor vehicle accidents, by person injured and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1978	8–17
8–7.	Deaths from nontransport accidents, by place of accident and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1978	8–17
8–8.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1978	8–18
8–9.	Total, infant, and neonatal deaths for Virgin Islands and specified urban place and Guam; and by color for Virgin Islands and specified urban place: 1978	8–18
8–10.	Deaths under 1 year and under 28 days, by month, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1978	8–19
8–11.	Deaths under 1 year, by age and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1978	8–19
8–12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1978	8–20

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix, and St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico;however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race and color

Deaths are not shown by color for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States, 1978*—discusses other factors concerning these mortality statistics.

Table 8–1. Deaths and Death Rates: Guam, Puerto Rico, and Virgin Islands, 1940–78

[Rates per 1,000 population in each area]

Year	Guam		Puerto Rico		Virgin Islands	
	Number	Rate	Number	Rate	Number	Rate
1978	398	3.5	19,812	5.9	461	4.8
1977	361	3.3	19,778	6.0	380	4.1
1976	446	4.8	19,286	6.0	447	4.7
1975	427	4.3	17,805	5.8	477	5.0
1974	423	4.4	18,948	6.3	462	5.2
1973	416	4.2	19,479	6.6	459	5.6
1972	409	4.5	19,011	6.7	—	—
1971	338	3.9	17,499	6.3	498	7.0
1970	338	4.0	17,830	6.6	441	7.1
1969	421	4.1	17,667	6.4	477	8.5
1968	356	3.6	17,481	6.4	474	8.5
1967	340	3.7	16,677	6.2	373	6.7
1966	327	4.1	16,891	6.3	387	7.8
1965	336	4.4	17,686	6.7	416	9.6
1964	363	5.3	18,566	7.2	343	8.4
1963	344	5.0	17,350	6.9	383	9.6
1962	315	4.7	16,548	6.7	321	9.2
1961	265	4.1	16,364	6.8	326	9.5
1960	351	5.3	15,791	6.7	332	10.3
1959	285	4.2	15,818	6.8	320	10.3
1958	254	3.8	16,074	7.0	340	11.3
1957	277	4.2	15,978	7.1	324	11.0
1956	246	3.6	16,566	7.4	354	12.5
1955	292	4.3	16,221	7.2	311	11.3
1954	291	4.3	16,783	7.6	301	11.1
1953	390	5.7	17,972	8.2	279	10.4
1952	278	4.4	20,480	9.2	346	12.4
1951	196	3.1	22,374	10.0	375	13.5
1950	230	3.9	21,895	9.9	374	14.0
1949	—	—	23,389	10.6	362	13.6
1948	—	—	26,209	12.0	340	12.6
1947	—	—	25,407	11.8	394	14.5
1946	—	—	27,517	12.9	408	15.1
1945	—	—	28,837	13.7	401	15.0
1944	—	—	29,795	14.4	402	14.8
1943	—	—	29,019	14.3	389	14.2
1942	—	—	32,220	16.2	463	18.5
1941	—	—	35,492	18.3	468	18.1
1940	—	—	34,468	18.4	553	22.2

Table 8–2. Deaths by Month and Sex for Guam, Puerto Rico, Virgin Islands; and by Color for Virgin Islands: 1978

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Guam	398	34	20	33	35	32	22	26	38	35	47	30	46
Male	262	23	9	26	24	20	17	20	27	21	31	16	28
Female	136	11	11	7	11	12	5	6	11	14	16	14	18
Puerto Rico	19,812	1,789	1,544	1,666	1,587	1,756	1,555	1,683	1,660	1,568	1,601	1,649	1,754
Male	11,635	1,062	918	988	901	1,027	895	1,007	982	936	937	982	1,000
Female	8,177	727	626	678	686	729	660	676	678	632	664	667	754
Virgin Islands	461	39	38	27	43	37	47	31	45	42	32	33	47
Male	254	26	17	15	28	17	30	18	26	24	10	19	24
Female	207	13	21	12	15	20	17	13	19	18	22	14	23
White	89	10	10	4	8	8	10	9	5	8	3	6	8
Male	56	7	6	1	6	2	7	7	3	5	1	4	7
Female	33	3	4	3	2	6	3	2	2	3	2	2	1
All other	372	29	28	23	35	29	37	22	40	34	29	27	39
Male	198	19	11	14	22	15	23	11	23	19	9	15	17
Female	174	10	17	9	13	14	14	11	17	15	20	12	22

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1978

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	398	45	10	9	36	33	25	60	59	54	50	17	–
Male	262	26	3	7	32	26	15	47	35	30	32	9	–
Female	136	19	7	2	4	7	10	13	24	24	18	8	–
Bacillary dysentery and amebiasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	3	2	1	–	–	–	–	–	–	–	–	–	–
Male	3	2	1	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, all forms 010–019	4	–	–	–	–	–	1	2	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	3	–	–	–	–	–	1	2	–	–	–	–	–
Tuberculosis of respiratory system 010–012	3	–	–	–	–	–	1	1	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	–	1	1	–	–	–	–	–
Tuberculosis, other forms 013–019	1	–	–	–	–	–	–	1	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia 038	1	–	–	–	1	–	–	–	–	–	–	–	–
Male	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090–097	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases Remainder of 000–136	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140–209	38	–	–	–	2	–	3	8	14	8	1	2	–
Male	30	–	–	–	2	–	2	8	11	6	1	–	–
Female	8	–	–	–	–	–	1	–	3	2	–	2	–
Malignant neoplasms of buccal cavity and pharynx 140–149	3	–	–	–	–	–	–	2	1	–	–	–	–
Male	2	–	–	–	–	–	–	2	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum 150–159	7	–	–	–	–	–	–	2	3	1	–	1	–
Male	6	–	–	–	–	–	–	2	3	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Malignant neoplasms of respiratory system 160–163	15	–	–	–	–	–	1	4	8	2	–	–	–
Male	14	–	–	–	–	–	1	4	7	2	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasm of breast 174	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of genital organs 180–187	2	–	–	–	1	–	–	–	–	1	–	–	–
Male	1	–	–	–	1	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of urinary organs 188,189	2	–	–	–	–	–	–	–	–	1	1	–	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	5	–	–	–	–	–	2	–	1	2	–	–	–
Male	3	–	–	–	–	–	1	–	1	1	–	–	–
Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Leukemia 204–207	2	–	–	–	1	–	–	–	–	1	–	–	–
Male	2	–	–	–	1	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Benign neoplasms and neoplasms of unspecified nature 210–239	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Diabetes mellitus — 250	16	–	–	–	–	–	–	1	6	7	2	–	–
Male	5	–	–	–	–	–	–	–	2	3	–	–	–
Female	11	–	–	–	–	–	–	1	4	4	2	–	–
Avitaminoses and other nutritional deficiencies — 260–269	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias — 280–285	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis — 320	3	2	1	–	–	–	–	–	–	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases — 390–448	113	1	1	1	1	2	5	18	22	23	28	11	–
Male	73	1	–	1	1	2	4	16	13	10	19	6	–
Female	40	–	1	–	–	–	1	2	9	13	9	5	–
Diseases of heart — 390–398,402,404,410–429	87	1	1	1	1	1	3	15	20	18	21	5	–
Male	55	1	–	1	1	1	3	13	11	9	13	2	–
Female	32	–	1	–	–	–	–	2	9	9	8	3	–
Active rheumatic fever and chronic rheumatic heart disease — 390–398	1	–	–	1	–	–	–	–	–	–	–	–	–
Male	1	–	–	1	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease — 402	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease — 404	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease — 410–413	80	–	–	–	–	1	3	15	18	18	20	5	–
Male	50	–	–	–	–	1	3	13	10	9	12	2	–
Female	30	–	–	–	–	–	–	2	8	9	8	3	–
Acute myocardial infarction — 410	32	–	–	–	–	1	1	5	7	9	9	–	–
Male	21	–	–	–	–	1	1	5	4	4	6	–	–
Female	11	–	–	–	–	–	–	–	3	5	3	–	–
Other acute and subacute forms of ischemic heart disease — 411	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease — 412	48	–	–	–	–	–	2	10	11	9	11	5	–
Male	29	–	–	–	–	–	2	8	6	5	6	2	–
Female	19	–	–	–	–	–	–	2	5	4	5	3	–
Angina pectoris — 413	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency — 424,428	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease — 420–423,425–427,429	5	1	1	–	1	–	–	–	2	–	–	–	–
Male	3	1	–	–	1	–	–	–	1	–	–	–	–
Female	2	–	1	–	–	–	–	–	1	–	–	–	–
Hypertension — 400,401,403	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases — 430–438	22	–	–	–	–	1	2	2	1	4	6	6	–
Male	14	–	–	–	–	1	1	2	1	–	5	4	–
Female	8	–	–	–	–	–	1	–	–	4	1	2	–
Cerebral hemorrhage — 431	10	–	–	–	–	1	1	1	1	2	2	2	–
Male	6	–	–	–	–	1	–	1	1	–	2	1	–
Female	4	–	–	–	–	–	1	–	–	2	–	1	–
Cerebral thrombosis — 433	3	–	–	–	–	–	–	–	–	1	1	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	–	–	–	–	1	1	–	–
Cerebral embolism — 434	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other cerebrovascular diseases — 430,432,435–438	9	–	–	–	–	–	1	1	–	1	3	3	–
Male	7	–	–	–	–	–	1	1	–	–	3	2	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Arteriosclerosis — 440	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries — 441–448	3	–	–	–	–	–	–	1	1	1	–	–	–
Male	3	–	–	–	–	–	–	1	1	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis — 466	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex		Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Influenza and pneumonia	470–474,480–486	6	2	1	–	–	–	–	–	1	–	1	1	–
Male		4	2	–	–	–	–	–	–	1	–	–	1	–
Female		2	–	1	–	–	–	–	–	–	–	1	–	–
Influenza	470–474	–	–	–	–	–	–	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	480–486	6	2	1	–	–	–	–	–	1	–	1	1	–
Male		4	2	–	–	–	–	–	–	1	–	–	1	–
Female		2	–	1	–	–	–	–	–	–	–	1	–	–
Bronchitis, emphysema, and asthma	490–493	8	–	–	–	–	1	–	1	1	–	3	2	–
Male		7	–	–	–	–	1	–	1	1	–	3	1	–
Female		1	–	–	–	–	–	–	–	–	–	–	1	–
Chronic and unqualified bronchitis	490,491	2	–	–	–	–	1	–	–	–	–	–	1	–
Male		2	–	–	–	–	1	–	–	–	–	–	1	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema	492	5	–	–	–	–	–	–	–	1	–	3	1	–
Male		4	–	–	–	–	–	–	–	1	–	3	–	–
Female		1	–	–	–	–	–	–	–	–	–	–	1	–
Asthma	493	1	–	–	–	–	–	–	1	–	–	–	–	–
Male		1	–	–	–	–	–	–	1	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Peptic ulcer	531–533	2	–	–	–	–	–	–	–	–	2	–	–	–
Male		2	–	–	–	–	–	–	–	–	2	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis	540–543	–	–	–	–	–	–	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction	550–553,560	1	–	–	–	–	1	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		1	–	–	–	–	1	–	–	–	–	–	–	–
Cirrhosis of liver	571	17	–	–	–	–	–	6	7	1	2	1	–	–
Male		10	–	–	–	–	–	4	5	–	1	–	–	–
Female		7	–	–	–	–	–	2	2	1	1	1	–	–
Cholelithiasis, cholecystitis and cholangitis	574,575	–	–	–	–	–	–	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and nephrosis	580–584	3	–	–	–	–	–	–	1	–	2	–	–	–
Male		1	–	–	–	–	–	–	–	–	1	–	–	–
Female		2	–	–	–	–	–	–	1	–	1	–	–	–
Acute nephritis and nephrotic syndrome	580,581	1	–	–	–	–	–	–	1	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		1	–	–	–	–	–	–	1	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis	582–584	2	–	–	–	–	–	–	–	–	2	–	–	–
Male		1	–	–	–	–	–	–	–	–	1	–	–	–
Female		1	–	–	–	–	–	–	–	–	1	–	–	–
Infections of kidney	590	–	–	–	–	–	–	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate	600	–	–	–	–	–	–	–	–	–	–	–	–	–
Male		–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium	630–678	–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Abortions	640–645	–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium	630–639,650–678	–	–	–	–	–	–	–	–	–	–	–	–	–
Female		–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies	740–759	10	6	2	–	–	–	1	1	–	–	–	–	–
Male		5	4	–	–	–	–	–	1	–	–	–	–	–
Female		5	2	2	–	–	–	1	–	–	–	–	–	–
Certain causes of mortality in early infancy	760–769.2,769.4–772,774–778	22	22	–	–	–	–	–	–	–	–	–	–	–
Male		12	12	–	–	–	–	–	–	–	–	–	–	–
Female		10	10	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions	764–768,772,776	13	13	–	–	–	–	–	–	–	–	–	–	–
Male		9	9	–	–	–	–	–	–	–	–	–	–	–
Female		4	4	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy	Remainder of 760–778	9	9	–	–	–	–	–	–	–	–	–	–	–
Male		3	3	–	–	–	–	–	–	–	–	–	–	–
Female		6	6	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions	780–796	11	8	–	–	–	2	–	–	–	–	1	–	–
Male		6	4	–	–	–	1	–	–	–	–	1	–	–
Female		5	4	–	–	–	1	–	–	–	–	–	–	–

Table 8–3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All other diseases — Residual	58	2	1	3	5	4	3	10	11	9	10	–	–
Male	34	1	1	2	4	4	1	6	4	6	5	–	–
Female	24	1	–	1	1	–	2	4	7	3	5	–	–
Accidents — E800–E949	48	–	2	4	16	14	2	6	1	1	2	–	–
Male	42	–	–	3	16	12	1	6	1	1	2	–	–
Female	6	–	2	1	–	2	1	–	–	–	–	–	–
Motor vehicle accidents — E810–E823	23	–	2	4	7	5	–	4	–	1	–	–	–
Male	19	–	–	3	7	4	–	4	–	1	–	–	–
Female	4	–	2	1	–	1	–	–	–	–	–	–	–
All other accidents — E800–E807, E825–E949	25	–	–	–	9	9	2	2	1	–	2	–	–
Male	23	–	–	–	9	8	1	2	1	–	2	–	–
Female	2	–	–	–	–	1	1	–	–	–	–	–	–
Suicide — E950–E959	7	...	...	1	3	1	–	2	–	–	–	–	–
Male	6	...	...	1	2	1	–	2	–	–	–	–	–
Female	1	...	...	–	1	–	–	–	–	–	–	–	–
Homicide — E960–E978	24	–	1	–	8	6	4	3	2	–	–	–	–
Male	17	–	–	–	6	4	3	2	2	–	–	–	–
Female	7	–	1	–	2	2	1	1	–	–	–	–	–
Other external causes — E980–E999	2	–	–	–	–	2	–	–	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1978

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	19,812	1,391	148	258	631	760	892	1,549	2,652	3,944	3,874	3,676	40
Male	11,635	788	85	163	464	578	617	999	1,758	2,374	2,082	1,693	34
Female	8,177	603	63	92	167	182	275	550	894	1,570	1,792	1,983	6
Bacillary dysentery and ameblasis 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases 008,009	104	53	4	2	1	4	2	1	2	7	5	23	–
Male	53	30	3	1	–	2	2	–	2	4	2	7	–
Female	51	23	1	1	1	2	–	1	–	3	3	16	–
Tuberculosis, all forms 010–019	145	–	–	1	–	6	9	14	33	35	25	20	2
Male	96	–	–	1	–	5	6	11	25	24	14	8	2
Female	49	–	–	–	–	1	3	3	8	11	11	12	–
Tuberculosis of respiratory system 010–012	137	–	–	–	–	6	9	13	31	32	24	20	2
Male	92	–	–	–	–	5	6	10	25	23	13	8	2
Female	45	–	–	–	–	1	3	3	6	9	11	12	–
Tuberculosis, other forms 013–019	8	–	–	1	–	–	–	1	2	3	1	–	–
Male	4	–	–	1	–	–	–	1	–	1	1	–	–
Female	4	–	–	–	–	–	–	–	2	2	–	–	–
Whooping cough 033	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever 034	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections 036	3	–	1	–	–	–	1	–	–	1	–	–	–
Male	2	–	1	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Septicemia 038	189	101	4	3	2	5	2	5	10	20	23	14	–
Male	111	58	3	1	–	3	1	4	9	8	15	9	–
Female	78	43	1	2	2	2	1	1	1	12	8	5	–
Acute poliomyelitis 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles 055	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae 090–097	5	–	–	–	1	–	1	–	2	1	–	–	–
Male	2	–	–	–	1	–	–	–	1	–	–	–	–
Female	3	–	–	–	–	–	1	–	1	1	–	–	–
Other infective and parasitic diseases Remainder of 000–136	70	10	1	–	2	2	6	6	17	7	13	6	–
Male	32	7	–	–	–	1	1	4	9	3	6	1	–
Female	38	3	1	–	2	1	5	2	8	4	7	5	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140–209	3,097	2	14	35	32	48	123	335	634	878	632	360	4
Male	1,827	2	8	18	19	22	60	159	395	553	382	207	2
Female	1,270	–	6	17	13	26	63	176	239	325	250	153	2
Malignant neoplasms of buccal cavity and pharynx 140–149	160	–	–	1	1	3	5	25	40	50	18	16	1
Male	124	–	–	1	1	3	4	20	36	36	14	9	–
Female	36	–	–	–	–	–	1	5	4	14	4	7	1
Malignant neoplasms of digestive organs and peritoneum 150–159	1,074	–	–	–	4	4	25	80	242	332	252	134	1
Male	640	–	–	–	3	1	15	45	153	203	148	71	1
Female	434	–	–	–	1	3	10	35	89	129	104	63	–
Malignant neoplasms of respiratory system 160–163	447	–	–	–	4	2	18	56	96	150	84	37	–
Male	327	–	–	–	4	2	12	42	77	113	57	20	–
Female	120	–	–	–	–	–	6	14	19	37	27	17	–
Malignant neoplasm of breast 174	145	–	–	–	–	7	18	41	32	24	12	11	–
Male	6	–	–	–	–	–	–	1	1	2	–	2	–
Female	139	–	–	–	–	7	18	40	31	22	12	9	–
Malignant neoplasms of genital organs 180–187	417	–	–	–	1	5	11	32	58	120	104	86	–
Male	238	–	–	–	1	–	3	4	24	70	74	62	–
Female	179	–	–	–	–	5	8	28	34	50	30	24	–
Malignant neoplasms of urinary organs 188,189	102	–	1	–	1	1	1	6	21	29	30	12	–
Male	67	–	–	–	–	1	1	2	14	21	21	7	–
Female	35	–	1	–	1	–	–	4	7	8	9	5	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	468	1	4	13	13	10	24	55	96	116	82	52	2
Male	266	1	3	6	7	7	10	27	58	71	45	30	1
Female	202	–	1	7	6	3	14	28	38	45	37	22	1
Leukemia 204–207	134	1	8	17	6	6	9	19	19	18	23	8	–
Male	71	1	4	9	2	1	5	10	12	11	11	5	–
Female	63	–	4	8	4	5	4	9	7	7	12	3	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	150	–	1	4	2	10	12	21	30	39	27	4	–
Male	88	–	1	2	1	7	10	8	20	26	12	1	–
Female	62	–	–	2	1	3	2	13	10	13	15	3	–
Benign neoplasms and neoplasms of unspecified nature 210–239	80	2	1	6	2	4	8	8	11	19	14	5	–
Male	47	1	–	5	2	3	2	6	5	12	10	1	–
Female	33	1	1	1	–	1	6	2	6	7	4	4	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Diabetes mellitus 250	773	1	–	1	2	7	20	48	111	215	213	155	–
Male	318	–	–	1	–	3	10	15	52	81	96	60	–
Female	455	1	–	–	2	4	10	33	59	134	117	95	–
Avitaminosea and other nutritional deficiencies 260–269	82	5	1	–	–	1	1	3	3	11	25	32	–
Male	53	4	1	–	–	1	–	1	2	7	19	18	–
Female	29	1	–	–	–	–	1	2	1	4	6	14	–
Anemias 280–285	98	–	1	4	5	4	5	4	8	18	24	25	–
Male	47	–	–	1	3	1	4	2	5	10	11	10	–
Female	51	–	1	3	2	3	1	2	3	8	13	15	–
Meningitis 320	31	10	2	2	1	3	4	1	3	3	1	1	–
Male	20	5	2	1	–	2	3	1	3	2	–	1	–
Female	11	5	–	1	1	1	1	–	–	1	1	–	–
Major cardiovascular diseases 390–448	7,734	6	8	8	44	58	164	417	974	1,765	2,074	2,208	8
Male	4,093	2	4	4	23	31	105	272	631	1,014	1,025	974	8
Female	3,641	4	4	4	21	27	59	145	343	751	1,049	1,234	–
Diseases of heart 390–398,402,404,410–429	5,297	5	5	5	27	30	122	315	729	1,314	1,363	1,376	6
Male	2,892	1	3	3	13	17	84	205	477	751	701	631	6
Female	2,405	4	2	2	14	13	38	110	252	563	662	745	–
Active rheumatic fever and chronic rheumatic heart disease 390–398	78	–	–	–	14	3	7	11	15	19	5	4	–
Male	34	–	–	–	5	2	2	3	7	12	2	1	–
Female	44	–	–	–	9	1	5	8	8	7	3	3	–
Hypertensive heart disease 402	318	–	–	–	–	2	11	18	54	82	77	74	–
Male	148	–	–	–	–	2	6	9	26	46	27	32	–
Female	170	–	–	–	–	–	5	9	28	36	50	42	–
Hypertensive heart and renal disease 404	4	–	–	–	–	1	–	–	–	–	2	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	3	–	–	–	–	1	–	–	–	–	1	1	–
Ischemic heart disease 410–413	3,964	–	–	2	1	8	75	244	552	993	1,048	1,036	5
Male	2,234	–	–	2	1	6	54	172	383	576	561	474	5
Female	1,730	–	–	–	–	2	21	72	169	417	487	562	–
Acute myocardial infarction 410	2,269	–	–	2	–	6	67	192	423	657	530	388	4
Male	1,370	–	–	2	–	4	50	139	312	374	302	183	4
Female	899	–	–	–	–	2	17	53	111	283	228	205	–
Other acute and subacute forms of ischemic heart disease 411	67	–	–	–	1	–	–	5	14	15	17	15	–
Male	35	–	–	–	1	–	–	4	8	3	7	12	–
Female	32	–	–	–	–	–	–	1	6	12	10	3	–
Chronic ischemic heart disease 412	1,626	–	–	–	–	2	8	47	115	320	500	633	1
Male	829	–	–	–	–	2	4	29	63	199	252	279	1
Female	797	–	–	–	–	–	4	18	52	121	248	354	–
Angina pectoris 413	2	–	–	–	–	–	–	–	–	1	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	1	–	–
Chronic disease of endocardium and other myocardial insufficiency 424,428	168	–	–	1	2	1	8	7	20	38	48	43	–
Male	88	–	–	–	1	1	6	3	13	20	24	20	–
Female	80	–	–	1	1	–	2	4	7	18	24	23	–
All other forms of heart disease 420–423,425–427,429	765	5	5	2	10	15	21	35	88	182	183	218	1
Male	387	1	3	1	6	6	16	18	48	97	86	104	1
Female	378	4	2	1	4	9	5	17	40	85	97	114	–
Hypertension 400,401,403	172	–	–	2	–	2	7	19	39	50	26	26	1
Male	85	–	–	1	–	–	2	11	23	26	11	10	1
Female	87	–	–	1	–	2	5	8	16	24	15	16	–
Cerebrovascular diseases 430–438	1,667	1	3	1	16	21	30	74	161	322	527	510	1
Male	843	1	1	–	10	11	17	49	107	196	240	210	1
Female	824	–	2	1	6	10	13	25	54	126	287	300	–
Cerebral hemorrhage 431	442	–	1	–	7	14	20	42	74	104	100	80	–
Male	250	–	–	–	5	7	13	31	47	64	45	38	–
Female	192	–	1	–	2	7	7	11	27	40	55	42	–
Cerebral thrombosis 433	316	–	–	–	1	–	3	3	20	58	124	107	–
Male	170	–	–	–	1	–	2	2	14	36	63	52	–
Female	146	–	–	–	–	–	1	1	6	22	61	55	–
Cerebral embolism 434	20	–	–	–	–	1	–	–	2	2	6	9	–
Male	9	–	–	–	–	1	–	–	2	2	1	3	–
Female	11	–	–	–	–	–	–	–	–	–	5	6	–
All other cerebrovascular diseases 430,432,435–438	889	1	2	1	8	6	7	29	65	158	297	314	1
Male	414	1	1	–	4	3	2	16	44	94	131	117	1
Female	475	–	1	1	4	3	5	13	21	64	166	197	–
Arteriosclerosis 440	428	–	–	–	–	2	–	4	20	39	105	258	–
Male	189	–	–	–	–	2	–	3	8	19	53	104	–
Female	239	–	–	–	–	–	–	1	12	20	52	154	–
Other diseases of arteries, arterioles, and capillaries 441–448	170	–	–	–	1	3	5	5	25	40	53	38	–
Male	84	–	–	–	–	1	2	4	16	22	20	19	–
Female	86	–	–	–	1	2	3	1	9	18	33	19	–
Acute bronchitis and bronchiolitis 466	5	1	–	–	–	–	–	–	–	1	–	3	–
Male	4	–	–	–	–	–	–	–	–	1	–	3	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Influenza and pneumonia 470–474,480–486	1,084	182	18	15	28	25	33	52	80	151	184	311	5
Male	620	103	7	6	16	13	21	33	48	101	120	148	4
Female	464	79	11	9	12	12	12	19	32	50	64	163	1
Influenza 470–474	13	–	–	–	1	–	1	1	–	2	3	5	–
Male	9	–	–	–	–	–	1	1	–	1	2	4	–
Female	4	–	–	–	1	–	–	–	–	1	1	1	–
Pneumonia 480–486	1,071	182	18	15	27	25	32	51	80	149	181	306	5
Male	611	103	7	6	16	13	20	32	48	100	118	144	4
Female	460	79	11	9	11	12	12	19	32	49	63	162	1
Bronchitis, emphysema, and asthma 490–493	314	11	3	3	8	9	10	19	35	75	88	53	–
Male	181	7	2	2	5	4	5	12	18	46	56	24	–
Female	133	4	1	1	3	5	5	7	17	29	32	29	–
Chronic and unqualified bronchitis 490,491	56	10	2	1	–	1	1	3	3	12	12	11	–
Male	33	6	2	1	–	1	1	2	2	9	5	4	–
Female	23	4	–	–	–	–	–	1	1	3	7	7	–
Emphysema 492	160	–	–	–	2	3	3	7	19	44	54	28	–
Male	99	–	–	–	2	1	1	6	8	28	39	14	–
Female	61	–	–	–	–	2	2	1	11	16	15	14	–
Asthma 493	98	1	1	2	6	5	6	9	13	19	22	14	–
Male	49	1	–	1	3	2	3	4	8	9	12	6	–
Female	49	–	1	1	3	3	3	5	5	10	10	8	–
Peptic ulcer 531–533	66	1	1	–	–	4	6	3	12	13	13	13	–
Male	46	1	–	–	–	3	4	2	7	12	10	7	–
Female	20	–	1	–	–	1	2	1	5	1	3	6	–
Appendicitis 540–543	7	–	1	1	1	–	1	–	–	1	2	–	–
Male	5	–	1	1	–	–	1	–	–	–	2	–	–
Female	2	–	–	–	1	–	–	–	–	1	–	–	–
Hernia and intestinal obstruction 550–553,560	73	11	1	1	–	2	–	7	7	19	16	8	1
Male	44	8	1	1	–	2	–	1	3	11	12	4	1
Female	29	3	–	–	–	–	–	6	4	8	4	4	–
Cirrhosis of liver 571	775	–	–	2	8	36	87	206	203	150	55	25	3
Male	640	–	–	2	4	34	71	170	176	122	40	18	3
Female	135	–	–	–	4	2	16	36	27	28	15	7	–
Cholelithiasis, cholecystitis and cholangitis 574,575	20	–	–	–	–	–	–	1	2	6	6	5	–
Male	12	–	–	–	–	–	–	1	–	6	3	2	–
Female	8	–	–	–	–	–	–	–	2	–	3	3	–
Nephritis and nephrosis 580–584	102	–	1	4	3	4	6	10	22	18	18	16	–
Male	61	–	–	3	2	2	4	4	15	13	9	9	–
Female	41	–	1	1	1	2	2	6	7	5	9	7	–
Acute nephritis and nephrotic syndrome 580,581	21	–	1	–	1	1	3	3	2	3	6	1	–
Male	12	–	–	–	1	1	2	1	1	1	4	1	–
Female	9	–	1	–	–	–	1	2	1	2	2	–	–
Chronic and unqualified nephritis and renal sclerosis 582–584	81	–	–	4	2	3	3	7	20	15	12	15	–
Male	49	–	–	3	1	1	2	3	14	12	5	8	–
Female	32	–	–	1	1	2	1	4	6	3	7	7	–
Infections of kidney 590	35	–	1	–	2	2	3	1	4	5	8	9	–
Male	16	–	1	–	1	1	2	–	1	2	5	3	–
Female	19	–	–	–	1	1	1	1	3	3	3	6	–
Hyperplasia of prostate 600	6	–	–	–	–	–	–	–	–	–	4	2	–
Male	6	–	–	–	–	–	–	–	–	–	4	2	–
Complications of pregnancy, childbirth, and the puerperium 630–678	12	–	–	–	3	5	4	–	–	–	–	–	–
Female	12	–	–	–	3	5	4	–	–	–	–	–	–
Abortions 640–645	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium 630–639,650–678	12	–	–	–	3	5	4	–	–	–	–	–	–
Female	12	–	–	–	3	5	4	–	–	–	–	–	–
Congenital anomalies 740–759	244	190	14	15	10	8	1	3	1	–	1	1	–
Male	128	94	7	7	6	8	1	2	1	–	1	1	–
Female	116	96	7	8	4	–	–	1	–	–	–	–	–
Certain causes of mortality in early infancy 760–769.2,769.4–772,774–778	712	712	–	–	–	–	–	–	–	–	–	–	–
Male	407	407	–	–	–	–	–	–	–	–	–	–	–
Female	305	305	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions 764–768,772,776	441	441	–	–	–	–	–	–	–	–	–	–	–
Male	258	258	–	–	–	–	–	–	–	–	–	–	–
Female	183	183	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy Remainder of 760–778	271	271	–	–	–	–	–	–	–	–	–	–	–
Male	149	149	–	–	–	–	–	–	–	–	–	–	–
Female	122	122	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions 780–796	344	20	6	2	14	11	7	22	38	44	53	123	4
Male	170	15	3	1	5	4	7	13	23	26	25	44	4
Female	174	5	3	1	9	7	–	9	15	18	28	79	–
All other diseases Residual	1,553	39	18	36	60	85	112	171	229	321	289	190	3
Male	927	24	13	22	37	53	73	112	153	187	163	88	2
Female	626	15	5	14	23	32	39	59	76	134	126	102	1

Table 8–4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex		Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Accidents	E800–E949	1,140	32	42	101	200	170	135	115	118	98	72	56	1
Male		876	18	26	74	171	151	112	89	87	77	38	33	–
Female		264	14	16	27	29	19	23	26	31	21	34	23	1
Motor vehicle accidents	E810–E823	558	3	18	50	119	99	74	63	51	49	25	7	–
Male		436	2	11	31	97	93	59	48	37	38	15	5	–
Female		122	1	7	19	22	6	15	15	14	11	10	2	–
All other accidents	E800–E807, E825–E949	582	29	24	51	81	71	61	52	67	49	47	49	1
Male		440	16	15	43	74	58	53	41	50	39	23	28	–
Female		142	13	9	8	7	13	8	11	17	10	24	21	1
Suicide	E950–E959	324	...	...	2	45	66	59	52	51	27	13	8	1
Male		276	...	...	1	34	61	48	45	45	21	12	8	1
Female		48	...	...	1	11	5	11	7	6	6	1	–	–
Homicide	E960–E978	468	–	1	8	132	160	74	35	35	19	2	2	–
Male		417	–	–	7	116	140	66	32	35	18	1	2	–
Female		51	–	1	1	16	20	8	3	–	1	1	–	–
Other external causes	E980–E999	117	2	4	3	25	31	8	10	7	16	1	2	8
Male		98	2	2	3	19	28	7	8	7	13	1	1	7
Female		19	–	2	–	6	3	1	2	–	3	–	1	1

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1978

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
All causes	461	54	6	9	16	22	39	43	71	78	74	46	3
White — Male	56	3	–	–	–	4	6	7	13	17	4	2	–
Female	33	–	–	–	–	2	2	3	9	7	7	3	–
All other — Male	198	27	4	7	12	12	26	14	29	28	30	8	1
Female	174	24	2	2	4	4	5	19	20	26	33	33	2
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	1	–	–	–	–	–	–	–	–	–	–	1	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, all forms — 010–019	1	–	–	–	–	–	1	–	–	–	–	–	–
White — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system — 010–012	1	–	–	–	–	–	1	–	–	–	–	–	–
White — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis, other forms — 013–019	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough — 033	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections — 036	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia — 038	2	–	–	–	–	–	1	–	–	1	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	2	–	–	–	–	–	1	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis — 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles — 055	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis and its sequelae — 090–097	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases — Remainder of 000–136	1	–	–	–	–	–	1	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140–209	60	–	–	1	3	–	4	8	13	15	9	7	–
White — Male	6	–	–	–	–	–	–	1	1	3	1	–	–
Female	6	–	–	–	–	–	–	1	2	–	2	1	–
All other — Male	29	–	–	1	3	–	3	4	6	6	3	3	–
Female	19	–	–	–	–	–	1	2	4	6	3	3	–
Malignant neoplasms of buccal cavity and pharynx — 140–149	2	–	–	–	–	–	–	1	–	–	1	–	–
White — Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum — 150–159	21	–	–	–	–	–	2	1	5	9	2	2	–
White — Male	3	–	–	–	–	–	–	1	–	2	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	9	–	–	–	–	–	1	–	4	3	1	–	–
Female	9	–	–	–	–	–	1	–	1	4	1	2	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Malignant neoplasms—Con.													
Malignant neoplasms of respiratory system 160–163	7	–	–	–	–	–	2	2	–	2	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	5	–	–	–	–	–	2	2	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Malignant neoplasm of breast 174	6	–	–	–	–	–	–	2	3	–	1	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4	–	–	–	–	–	–	2	2	–	–	–	–
Malignant neoplasms of genital organs 180–187	13	–	–	–	–	–	–	1	4	3	2	3	–
White—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other—Male	8	–	–	–	–	–	–	1	2	2	1	2	–
Female	3	–	–	–	–	–	–	–	1	1	1	–	–
Malignant neoplasms of urinary organs 188,189	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites 170–173,190–199	8	–	–	–	2	–	–	1	1	1	2	1	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other—Male	5	–	–	–	2	–	–	1	–	–	1	1	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Leukemia 204–207	2	–	–	1	1	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	1	1	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other neoplasms of lymphatic and hematopoietic tissues 200–203,208,209	1	–	–	–	–	–	–	–	–	–	1	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature 210–239	1	–	–	–	–	–	–	1	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes mellitus 250	20	–	–	–	–	–	3	2	4	5	6	–	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	8	–	–	–	–	–	2	1	2	2	1	–	–
Female	11	–	–	–	–	–	1	1	2	2	5	–	–
Avitaminoses and other nutritional deficiencies 260–269	2	–	–	–	–	–	–	–	1	–	–	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Anemias 280–285	3	–	–	–	2	1	–	–	–	–	–	–	–
White—Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	2	–	–	–	–	–	–	–	–
Meningitis 320	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases 390–448	164	–	1	1	2	–	6	17	26	34	47	27	3
White—Male	22	–	–	–	–	–	1	3	6	9	2	1	–
Female	8	–	–	–	–	–	–	–	4	2	2	–	–
All other—Male	57	–	1	1	1	–	4	6	9	10	22	2	1
Female	77	–	–	–	1	–	1	8	7	13	21	24	2
Diseases of heart 390–398,402,404,410–429	126	–	1	1	1	–	2	14	22	24	39	20	2
White—Male	17	–	–	–	–	–	1	2	5	6	2	1	–
Female	8	–	–	–	–	–	–	–	4	2	2	–	–
All other—Male	43	–	1	1	–	–	1	5	7	7	19	2	–
Female	58	–	–	–	1	–	–	7	6	9	16	17	2
Active rheumatic fever and chronic rheumatic heart disease 390–398	1	–	–	–	–	–	–	1	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Hypertensive heart disease 402	5	–	–	–	–	–	–	1	1	1	1	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	4	–	–	–	–	–	–	1	–	1	1	1	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Major cardiovascular diseases—Con.													
Diseases of heart—Con.													
Hypertensive heart and renal disease 404	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease 410–413	113	–	–	1	–	–	2	12	20	21	37	18	2
White—Male	16	–	–	–	–	–	1	2	5	5	2	1	–
Female	8	–	–	–	–	–	–	–	4	2	2	–	–
All other—Male	40	–	–	1	–	–	1	5	6	6	19	2	–
Female	49	–	–	–	–	–	–	5	5	8	14	15	2
Acute myocardial infarction 410	23	–	–	–	–	–	1	4	7	4	5	2	–
White—Male	6	–	–	–	–	–	–	1	3	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
All other—Male	9	–	–	–	–	–	1	2	2	1	3	–	–
Female	6	–	–	–	–	–	–	1	1	1	1	2	–
Other acute and subacute forms of ischemic heart disease 411	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic ischemic heart disease 412	90	–	–	1	–	–	1	8	13	17	32	16	2
White—Male	10	–	–	–	–	–	1	1	2	4	1	1	–
Female	6	–	–	–	–	–	–	–	3	1	2	–	–
All other—Male	31	–	–	1	–	–	–	3	4	5	16	2	–
Female	43	–	–	–	–	–	–	4	4	7	13	13	2
Angina pectoris 413	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency 424,428	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease 420–423,425–427,429	7	–	1	–	1	–	–	–	1	2	1	1	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	1	–	–	–	–	–	–	1	–	–	–
Female	4	–	–	–	1	–	–	–	1	–	1	1	–
Hypertension 400,401,403	1	–	–	–	–	–	1	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases 430–438	30	–	–	–	1	–	3	2	4	9	6	5	–
White—Male	4	–	–	–	–	–	–	1	1	2	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	10	–	–	–	1	–	2	–	2	3	2	–	–
Female	16	–	–	–	–	–	1	1	1	4	4	5	–
Cerebral hemorrhage 431	7	–	–	–	–	–	1	2	–	3	1	–	–
White—Male	2	–	–	–	–	–	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	4	–	–	–	–	–	–	1	–	2	1	–	–
Cerebral thrombosis 433	14	–	–	–	–	–	1	–	3	4	3	3	–
White—Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	7	–	–	–	–	–	1	–	2	2	2	–	–
Female	5	–	–	–	–	–	–	–	–	1	1	3	–
Cerebral embolism 434	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other cerebrovascular diseases 430,432,435–438	9	–	–	–	1	–	1	–	1	2	2	2	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	1	–	–	–	–	1	–	–	–
Female	7	–	–	–	–	–	1	–	1	1	2	2	–
Arteriosclerosis 440	4	–	–	–	–	–	–	–	–	–	2	1	1
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	1
Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Other diseases of arteries, arterioles, and capillaries 441–448	3	–	–	–	–	–	–	1	–	1	–	1	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis—466	2	–	1	–	–	1	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	1	–	–	1	–	–	–	–	–	–	–
Influenza and pneumonia—470–474,480–486	8	3	1	–	–	–	–	–	1	1	1	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	1	–	–
All other—Male	2	–	1	–	–	–	–	–	–	–	–	1	–
Female	4	3	–	–	–	–	–	–	1	–	–	–	–
Influenza—470–474	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia—480–486	8	3	1	–	–	–	–	–	1	1	1	1	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	1	–	–
All other—Male	2	–	1	–	–	–	–	–	–	–	–	1	–
Female	4	3	–	–	–	–	–	–	1	–	–	–	–
Bronchitis, emphysema, and asthma—490–493	6	1	–	2	–	1	–	1	–	–	1	–	–
White—Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	1	–	1	–	1	–	–	–	–	–	–	–
Female	2	–	–	1	–	–	–	1	–	–	–	–	–
Chronic and unqualified bronchitis—490,491	1	–	–	1	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	1	–	–	–	–	–	–	–	–	–
Emphysema—492	4	1	–	1	–	1	–	–	–	–	1	–	–
White—Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	3	1	–	1	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma—493	1	–	–	–	–	–	–	1	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Peptic ulcer—531–533	1	–	–	–	–	–	–	–	–	1	–	–	–
White—Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis—540–543	2	–	–	1	–	–	–	–	–	1	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	2	–	–	1	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and intestinal obstruction—550–553,560	1	1	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver—571	27	–	–	–	1	3	5	5	7	4	2	–	–
White—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	5	–	–	–	–	–	2	1	1	1	–	–	–
All other—Male	16	–	–	–	1	3	3	1	4	3	1	–	–
Female	5	–	–	–	–	–	–	3	1	–	1	–	–
Cholelithiasis, cholecystitis and cholangitis—574,575	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and nephrosis—580–584	3	–	–	–	–	–	–	–	1	1	1	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Acute nephritis and nephrotic syndrome—580,581	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic and unqualified nephritis and renal sclerosis—582–584	3	–	–	–	–	–	–	–	1	1	1	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Infections of kidney—590	–	–	–	–	–	–	–	–	–	–	–	–	–
White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1978—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Hyperplasia of prostate — 600	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium — 630–678	1	–	–	–	–	1	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Abortions — 640–645	–	–	–	–	–	–	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium — 630–639,650–678	1	–	–	–	–	1	–	–	–	–	–	–	–
White — Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Congenital anomalies — 740–759	9	8	1	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	4	4	–	–	–	–	–	–	–	–	–	–	–
Female	4	3	1	–	–	–	–	–	–	–	–	–	–
Certain causes of mortality in early infancy — 760–769.2,769.4,772,774–778	33	33	–	–	–	–	–	–	–	–	–	–	–
White — Male	2	2	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	17	17	–	–	–	–	–	–	–	–	–	–	–
Female	14	14	–	–	–	–	–	–	–	–	–	–	–
Birth injury, difficult labor, and other anoxic and hypoxic conditions — 764–768,772,776	9	9	–	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	5	5	–	–	–	–	–	–	–	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–
Other causes of mortality in early infancy — Remainder of 760–778	24	24	–	–	–	–	–	–	–	–	–	–	–
White — Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	12	12	–	–	–	–	–	–	–	–	–	–	–
Female	11	11	–	–	–	–	–	–	–	–	–	–	–
Symptoms and ill-defined conditions — 780–796	33	5	1	1	1	1	2	3	4	5	5	5	–
White — Male	2	–	–	–	–	–	–	1	1	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	1	–	–
All other — Male	19	4	1	1	1	1	2	–	2	3	3	1	–
Female	10	1	–	–	–	–	–	2	1	1	1	4	–
All other diseases — Residual	27	2	1	2	–	3	2	2	5	6	1	3	–
White — Male	3	–	–	–	–	–	1	–	1	1	–	–	–
Female	2	–	–	–	–	–	–	–	1	–	–	1	–
All other — Male	7	–	1	1	–	2	–	1	1	1	–	–	–
Female	15	2	–	1	–	1	1	1	2	4	1	2	–
Accidents — E800–E949	33	1	–	1	1	5	12	3	6	2	1	1	–
White — Male	11	–	–	–	–	2	3	2	2	1	–	1	–
Female	4	–	–	–	–	1	–	1	–	1	1	–	–
All other — Male	16	–	–	1	1	2	9	–	3	–	–	–	–
Female	2	1	–	–	–	–	–	–	1	–	–	–	–
Motor vehicle accidents — E810–E823	8	1	–	–	–	2	3	–	1	1	–	–	–
White — Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other — Male	5	–	–	–	–	1	3	–	1	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other accidents — E800–E807,E825–E949	25	–	–	1	1	3	9	3	5	1	1	1	–
White — Male	10	–	–	–	–	1	3	2	2	1	–	1	–
Female	3	–	–	–	–	1	–	1	–	–	1	–	–
All other — Male	11	–	–	1	1	1	6	–	2	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Suicide — E950–E959	6	...	...	–	2	1	–	–	2	1	–	–	–
White — Male	2	...	...	–	–	–	–	–	1	1	–	–	–
Female	2	...	...	–	–	1	–	–	1	–	–	–	–
All other — Male	2	...	...	–	2	–	–	–	–	–	–	–	–
Female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide — E960–E978	12	–	–	–	4	4	2	1	–	1	–	–	–
White — Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	8	–	–	–	3	2	1	1	–	1	–	–	–
Female	3	–	–	–	1	1	1	–	–	–	–	–	–
Other external causes — E980–E999	2	–	–	–	–	1	–	–	1	–	–	–	–
White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other — Male	2	–	–	–	–	1	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8–6. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1978

[Deaths are those assigned to category numbers E810–E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motor-cyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal or occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Guam	23	2	–	–	–	–	–	1	6	–	14
Male	19	2	–	–	–	–	–	1	3	–	13
Female	4	–	–	–	–	–	–	–	3	–	1
Puerto Rico	558	95	91	11	3	–	–	10	198	–	150
Male	436	88	53	11	2	–	–	9	152	–	121
Female	122	7	38	–	1	–	–	1	46	–	29
Virgin Islands	8	–	–	–	–	–	–	–	3	–	5
White — Male	1	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	1	–	–
All other — Male	5	–	–	–	–	–	–	–	–	–	5
Female	1	–	–	–	–	–	–	–	1	–	–

Table 8–7. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1978

[Deaths are those assigned to category numbers E850–E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (0)	Farm[2] (1)	Mine and quarry (2)	Industrial place (3)	Place for recreation or sport (4)	Street and highway (5)	Public building (6)	Resident institution (7)	Other specified places (8)	Place not specified (9)
Guam	21	6	–	–	–	–	2	–	1	11	1
Male	19	4	–	–	–	–	2	–	1	11	1
Female	2	2	–	–	–	–	–	–	–	–	–
Puerto Rico	533	104	3	–	12	5	16	5	9	129	250
Male	411	71	3	–	12	5	15	4	5	118	178
Female	122	33	–	–	–	–	1	1	4	11	72
Virgin Islands	20	1	–	–	3	–	–	–	–	2	14
White — Male	6	–	–	–	–	–	–	–	–	1	5
Female	3	–	–	–	–	–	–	–	–	–	3
All other — Male	10	–	–	–	3	–	–	–	–	1	6
Female	1	1	–	–	–	–	–	–	–	–	–

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8–8. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1978

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	19,900	19,812	1,391	1,109	902
Adjuntas	53	94	6	5	5
Aguada	80	166	12	10	12
Aguadilla	499	371	20	10	15
Aguas Buenas	78	130	4	4	8
Aibonito	103	129	8	6	7
Añasco	65	139	15	12	7
Arecibo	1,014	662	27	21	31
Arroyo	83	89	7	6	6
Barceloneta	104	172	10	8	6
Barranquitas	59	111	9	9	9
Bayamón	1,370	1,045	114	99	57
Cabo Rojo	118	246	12	12	5
Caguas	974	689	40	29	33
Camuy	82	162	8	7	10
Carolina	328	683	48	37	29
Cataño	90	229	10	8	9
Cayey	207	299	14	11	9
Ceiba	40	71	3	3	5
Ciales	33	77	5	4	3
Cidra	78	148	9	8	5
Coamo	103	209	19	16	6
Comerío	64	108	5	4	4
Corozal	66	142	12	10	7
Culebra	2	3	–	–	–
Dorado	67	118	8	6	6
Fajardo	305	218	14	13	9
Guánica	75	139	12	11	6
Guayama	231	312	34	27	17
Guayanilla	73	127	9	7	9
Guaynabo	139	305	20	18	13
Gurabo	63	140	10	10	1
Hatillo	91	168	8	5	13
Hormigueros	44	76	7	6	5
Humacao	459	307	27	20	17
Isabela	149	253	18	12	16
Jayuya	52	94	11	10	5
Juana Díaz	132	245	22	19	10
Juncos	80	151	5	2	11
Lajas	49	127	12	11	16
Lares	131	168	7	4	6
Las Marías	25	51	3	1	3
Las Piedras	64	159	16	13	4
Loíza	132	251	25	21	6
Luquillo	43	72	5	4	2
Manatí	149	250	15	14	12
Maricao	22	38	4	2	2
Maunabo	35	75	6	6	2
Mayagüez	1,227	687	41	31	23
Moca	57	130	16	12	13
Morovis	62	91	4	2	7
Naguabo	67	146	13	11	9
Naranjito	59	107	9	8	6
Orocovis	63	97	8	6	8
Patillas	61	123	9	7	7
Peñuelas	51	89	2	–	16
Ponce	2,148	1,304	96	74	60
Quebradillas	79	126	5	5	7
Rincón	43	75	4	2	3
Río Grande	94	173	12	12	7
Sabana Grande	71	138	10	7	3
Salinas	125	199	21	15	9
San Germán	341	241	14	12	9
San Juan	5,731	3,580	208	179	106
San Lorenzo	105	200	15	13	8
San Sebastián	123	247	23	16	13
Santa Isabel	67	145	12	10	11
Toa Alta	63	142	13	7	9
Toa Baja	144	294	24	15	16
Trujillo Alto	99	187	17	14	3
Utuado	170	252	15	12	16
Vega Alta	73	142	10	7	5
Vega Baja	138	273	20	16	7
Vieques	44	66	2	1	3
Villalba	66	121	13	7	6
Yabucoa	114	189	14	13	15
Yauco	112	230	26	15	18

Table 8–9. Total, Infant, and Neonatal Deaths for Virgin Islands and Specified Urban Place and Guam; and by Color for Virgin Islands and Specified Urban Place: 1978

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and color	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	506	461	54	49
White	120	89	3	3
All other	386	372	51	46
St. Croix Island	257	247	33	30
White	47	41	2	2
All other	210	206	31	28
St. John and St. Thomas Islands	249	214	21	19
White	73	48	1	1
All other	176	166	20	18
Charlotte Amalie (St. Thomas Island)	—	162	21	19
White	—	30	1	1
All other	—	132	20	18
Balance of area	—	52	–	–
White	—	18	–	–
All other	—	34	–	–
Guam	424	398	45	29

Table 8–10. Deaths Under 1 Year and Under 28 Days, by Month, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1978

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GUAM													
Under 1 year	45	1	2	6	2	8	2	3	2	2	5	2	10
Under 28 days	29	–	1	4	1	7	1	2	2	–	3	1	7
PUERTO RICO													
Under 1 year	1,391	120	103	113	97	115	120	109	113	121	122	132	126
Under 28 days	1,109	78	86	82	81	95	107	86	91	97	108	97	101
VIRGIN ISLANDS													
Under 1 year	54	8	2	2	8	3	8	2	7	3	4	5	2
White	3	2	–	–	–	–	–	–	–	1	–	–	–
All other	51	6	2	2	8	3	8	2	7	2	4	5	2
Under 28 days	49	7	2	1	7	3	8	2	6	3	3	5	2
White	3	2	–	–	–	–	–	–	–	1	–	–	–
All other	46	5	2	1	7	3	8	2	6	2	3	5	2

Table 8–11. Deaths Under 1 Year, by Age and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1978

Age	Guam			Puerto Rico			Virgin Islands								
							Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	45	26	19	1,391	788	603	54	30	24	3	3	–	51	27	24
Under 28 days	29	17	12	1,109	629	480	49	29	20	3	3	–	46	26	20
Under 7 days	26	14	12	939	536	403	45	27	18	3	3	–	42	24	18
Under 1 hour	2	1	1	134	71	63	13	8	5	1	1	–	12	7	5
1–23 hours	16	9	7	382	209	173	24	15	9	2	2	–	22	13	9
1 day	5	4	1	141	90	51	4	3	1	–	–	–	4	3	1
2 days	–	–	–	144	84	60	1	–	1	–	–	–	1	–	1
3 days	–	–	–	53	35	18	3	1	2	–	–	–	3	1	2
4 days	2	–	2	48	22	26	–	–	–	–	–	–	–	–	–
5 days	1	–	1	24	16	8	–	–	–	–	–	–	–	–	–
6 days	–	–	–	13	9	4	–	–	–	–	–	–	–	–	–
7–13 days	3	3	–	91	50	41	–	–	–	–	–	–	–	–	–
14–20 days	–	–	–	46	26	20	2	1	1	–	–	–	2	1	1
21–27 days	–	–	–	33	17	16	2	1	1	–	–	–	2	1	1
28–59 days (1 month)	5	4	1	96	58	38	–	–	–	–	–	–	–	–	–
2 months	1	1	–	51	25	26	2	–	2	–	–	–	2	–	2
3 months	2	1	1	30	14	16	–	–	–	–	–	–	–	–	–
4 months	3	1	2	17	10	7	1	1	–	–	–	–	1	1	–
5 months	2	1	1	21	12	9	–	–	–	–	–	–	–	–	–
6 months	–	–	–	14	8	6	–	–	–	–	–	–	–	–	–
7 months	3	1	2	17	7	10	–	–	–	–	–	–	–	–	–
8 months	–	–	–	12	6	6	–	–	–	–	–	–	–	–	–
9 months	–	–	–	12	10	2	–	–	–	–	–	–	–	–	–
10 months	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
11 months	–	–	–	3	1	2	2	–	2	–	–	–	2	–	2

Table 8–12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1978

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Guam			Puerto Rico			Virgin Islands				
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days		28 days to 11 months	
								White	All other	White	All other
All causes	45	29	16	1,391	1,109	282	54	3	46	–	5
Diarrheal diseases—009	2	1	1	53	12	41	–	–	–	–	–
Whooping cough—033	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infections—036	–	–	–	–	–	–	–	–	–	–	–
Tetanus—037	–	–	–	–	–	–	–	–	–	–	–
Septicemia—038	–	–	–	101	75	26	–	–	–	–	–
Viral diseases—040–079	–	–	–	2	–	2	–	–	–	–	–
Congenital syphilis—090	–	–	–	–	–	–	–	–	–	–	–
Other infective and parasitic diseases—Remainder of 000–136	–	–	–	8	6	2	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	–	–	–	2	–	2	–	–	–	–	–
Benign neoplasms and neoplasms of unspecified nature—210–239	–	–	–	2	2	–	–	–	–	–	–
Diseases of thymus gland—254	–	–	–	2	–	2	–	–	–	–	–
Cystic fibrosis—273.0	–	–	–	–	–	–	–	–	–	–	–
Diseases of the blood and blood-forming organs—280–289	–	–	–	2	2	–	–	–	–	–	–
Meningitis—320	2	–	2	10	3	7	–	–	–	–	–
Other diseases of nervous system and sense organs—321–389	–	–	–	11	1	10	–	–	–	–	–
Acute upper respiratory infections—460–465	–	–	–	–	–	–	1	–	–	–	1
Bronchitis and bronchiolitis—466,490,491	–	–	–	11	5	6	–	–	–	–	–
Influenza and pneumonia—470–474,480–486	2	1	1	182	118	64	3	–	2	–	1
Influenza—470–474	–	–	–	–	–	–	–	–	–	–	–
Pneumonia—480–486	2	1	1	182	118	64	3	–	2	–	1
Other chronic interstitial pneumonia—517	–	–	–	–	–	–	–	–	–	–	–
All other diseases of respiratory system—492,493,500–516,518,519	–	–	–	8	3	5	1	–	1	–	–
Hernia and intestinal obstruction—550–553,560	–	–	–	11	5	6	1	–	1	–	–
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin—535,561,563	2	–	2	–	–	–	–	–	–	–	–
Other diseases of digestive system—520–534,536,537,540–543,562,564–577	–	–	–	10	7	3	–	–	–	–	–
Congenital anomalies—740–759	6	4	2	190	135	55	8	1	6	–	1
Anencephalus—740	–	–	–	20	20	–	1	–	1	–	–
Spina bifida—741	–	–	–	10	8	2	–	–	–	–	–
Congenital hydrocephalus—742	–	–	–	17	13	4	–	–	–	–	–
Other congenital anomalies of central nervous system and eye—743,744	–	–	–	4	3	1	–	–	–	–	–
Congenital anomalies of heart—746	3	2	1	71	36	35	2	1	1	–	–
Other congenital anomalies of circulatory system—747	1	1	–	9	6	3	2	–	2	–	–
Congenital anomalies of respiratory system—748	–	–	–	9	9	–	–	–	–	–	–
Congenital anomalies of digestive system—749–751	–	–	–	8	5	3	–	–	–	–	–
Congenital anomalies of genitourinary system—752,753	–	–	–	4	2	2	1	–	1	–	–
Congenital anomalies of musculoskeletal system—754–756	–	–	–	2	2	–	1	–	1	–	–
Down's disease—759.3	–	–	–	4	1	3	–	–	–	–	–
Other congenital syndromes affecting multiple systems—759.0–759.2,759.4–759.9	1	–	1	30	28	2	1	–	–	–	1
Other and unspecified congenital anomalies—745,757,758	1	1	–	2	2	–	–	–	–	–	–
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	22	22	–	712	711	1	33	2	31	–	–
Chronic circulatory and genitourinary diseases in mother—760	–	–	–	2	2	–	–	–	–	–	–
Other maternal conditions unrelated to pregnancy—761	–	–	–	1	1	–	1	–	1	–	–
Syphilis—761.0	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus—761.1	–	–	–	1	1	–	1	–	1	–	–
Rubella—761.3	–	–	–	–	–	–	–	–	–	–	–
All other maternal conditions unrelated to pregnancy—761.2,761.4–761.7,761.9	–	–	–	–	–	–	–	–	–	–	–
Toxemia of pregnancy—762	–	–	–	5	5	–	–	–	–	–	–
Maternal antepartum and intrapartum infection—763	–	–	–	3	3	–	–	–	–	–	–
Difficult labor—764–768	–	–	–	3	3	–	1	–	1	–	–
With mention of birth injury (.0–.3)	–	–	–	–	–	–	–	–	–	–	–
Without mention of birth injury (.4,.9)	–	–	–	3	3	–	1	–	1	–	–
All other complications of pregnancy and childbirth—769.0–769.2,769.4,769.5,769.9	–	–	–	18	18	–	4	–	4	–	–
Conditions of placenta—770	2	2	–	13	13	–	–	–	–	–	–
Conditions of umbilical cord—771	–	–	–	5	5	–	–	–	–	–	–
Birth injury without mention of cause—772	1	1	–	52	52	–	–	–	–	–	–
Hemolytic disease of newborn—774,775	–	–	–	10	10	–	1	–	1	–	–
Hyaline membrane disease—776.1	2	2	–	153	153	–	–	–	–	–	–
Respiratory distress syndrome—776.2	4	4	–	73	73	–	5	–	5	–	–
Asphyxia of newborn, unspecified—776.9	4	4	–	119	118	1	2	–	2	–	–
All other anoxic and hypoxic conditions not elsewhere classifiable—776.0,776.3,776.4	2	2	–	41	41	–	1	1	–	–	–
Immaturity, unqualified—777	5	5	–	95	95	–	10	–	10	–	–
Postmaturity—778.1	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn—778.2	–	–	–	24	24	–	–	–	–	–	–
All other conditions of newborn—778.0,778.3,778.9	2	2	–	95	95	–	8	1	7	–	–
Symptoms and ill-defined conditions—780–796	8	–	8	20	14	6	5	–	4	–	1
Accidents—E800–E949	–	–	–	32	5	27	1	–	1	–	–
Inhalation or ingestion of food or other object causing obstruction or suffocation—E911,E912	–	–	–	20	–	20	–	–	–	–	–
Accidental mechanical suffocation—E913	–	–	–	4	–	4	–	–	–	–	–
Other accidental causes—E800–E910,E914–E949	–	–	–	8	5	3	1	–	1	–	–
Homicide—E960–E978	–	–	–	–	–	–	–	–	–	–	–
All other causes—Residual	1	1	–	22	5	17	1	–	–	–	1

☆ U.S. GOVERNMENT PRINTING OFFICE: 1982–0–369–955